

**2005 DIAMOND DRILL REPORT ON THE
Big Duck Lake Property**

2 . 30895

**UTM Zone 15 - NAD 83 Projection
477732mE, 5427426mN**

42E/03 & 42D14

PREPARED BY:

Andrew Tims, P.Geo.

Northern Mineral Exploration Services.

For
Tri-Gold Resources Corporation

September 1, 2005




TABLE OF CONTENTS

INTRODUCTION	1
LOCATION AND ACCESS	1
PREVIOUS WORK	4
REGIONAL GEOLOGY	8
PROPERTY GEOLOGY	10
Volcanics	10
Intrusives	10
DRILL PROGRAM SUMMARY	11
Drill Results	12
CONCLUSION AND RECOMMENDATIONS	14
REFERENCES	16
STATEMENT OF QUALIFICATIONS	17
APPENDIX 1 – GOLD ASSAY AND ICP ANALYSIS CERTIFICATES	18
APPENDIX 2 – DRILL HOLE LOCATION MAP AND SECTIONS	19
APPENDIX 3 – DRILL LOGS	20

FIGURES

Figure 1	Location Map
Figure 2	Property Scale Claim Map

TABLES

Table 1	Big Duck Lake Property Status
Table 2	Diamond Drill Program Details

MAPS

Map 1	DDH Plan Map (1:5 000)
Map 2	BD05-01 Section (1:500)
Map 3	BD05-02 Section (1:500)
Map 4	BD05-03 Section (1:500)
Map 5	BD05-04 Section (1:500)
Map 6	BD05-05 Section (1:500)
Map 7	BD05-06 Section (1:500)
Map 8	BD05-07 Section (1:500)

INTRODUCTION

This report presents and summarizes the results of 7 diamond drill holes, 1 014 metres of BQTK core, completed for Tri-Gold Resources Corp. on the Big Duck Lake property in Pays Plat Twp., Ontario (Figure 1).


The drill program was conducted during the period of March 9th to April 11th, 2005. Six of the seven diamond drill holes tested anomalous mineralization uncovered during the 2004 and 2005 trenching programs. The third hole in the drill program twinned a previously drilled hole in the Coco Estelle zone to verify the historical grades and widths.

CJ Baker, Steve Stares and Andrew Tims of Thunder Bay developed the drill targets with field supervision and core logging by Andrew Tims, P.Geo and Harvey M. Buck.

LOCATION AND ACCESS

The Big Duck Lake property is located in 21 km north of Schrieber, Ontario and 7 km northeast of Inmet Mining's past producing Winston Lake mine on NTS sheet 42E/03. The property straddles the corners of four adjacent claim maps in the Thunder Bay Mining District: Pays Plat, Rope Lake, plus Upper and Lower Aguasabon Lake areas. (Figure 1)

Access to the property is gained via the Kimberley Clark forestry haul road between Long Lac and Terrace Bay. A disused secondary haulage road on the west side of the road at kilometre marker 21 traverses the northeastern portion of the property. The road is only ATV accessible to the end of the clear cut 5 km from the main haul road. A winter drill road continues westwards along the north side of Big Duck Lake into the heart of the property and can only be used by ATV's in the driest time of the year. The ATV trail turns south at the end of the clear cut for an additional 900 m to the northeastern shore of Big Duck Lake. Access is then made possible by boat to the central portion of the property. The drill traverses the property in a southwestern direction towards to former Winston lake mine (Figure 2).



CLAIMS AND OWNERSHIP

The property consists of a contiguous claim block comprised of 34 unpatented claims, three patented claims and one lease, located in the Thunder Bay Mining division (Figure 2). A complete list of claim numbers and expiry dates is listed in Table I.

Tri-Alpha has entered into an option agreement on the Big Duck property, whereby it can earn a 100% interest, subject to a 2% NSR Royalty retained by the vendors, by expending \$1.0 million in exploration costs over four years. In addition, Tri-Alpha will make cash payments of \$250,000 over four years and will also issue 400,000 shares to the vendors over the four-year option period. Tri Alpha has the right to purchase 1% of the NSR for \$1,000,000 with a first right of refusal to the remaining 1%.

TABLE I: BIG DUCK LAKE PROPERTY STATUS


Claim Number	No of Units	Area (ha)	Record Holder	Expiry Dates	Work Required
Unpatented					
TB653959	1	16	S.A. Stares	Sept. 07, 2006	\$400
TB653960	1	16	S.A. Stares	Sept. 07, 2006	\$400
TB653978	1	16	S.A. Stares	Sept. 07, 2006	\$400
TB653979	1	16	S.A. Stares	Sept. 07, 2006	\$400
TB3001005	3	48	M.R. Stares	Oct. 08, 2006	\$900
TB3001253	2	32	M.R. Stares	Oct. 08, 2006	\$800
TB3001316	5	80	M.R. Stares	Oct. 08, 2006	\$2 000
TB3001324	8	128	M.R. Stares	Oct. 08, 2006	\$3 200
TB3004973	7	112	S.A. Stares	Mar. 14, 2006	\$2 800
TB3010488	8	128	M.R. Stares	Oct. 08, 2006	\$3 200
TB3010489	14	224	M.R. Stares	Oct. 08, 2006	\$5 600
TB4203362	4	64	M.R. Stares	Feb. 15, 2007	\$1 600
TB4203363	1	16	M.R. Stares	Feb. 15, 2007	\$400
TB4203442	15	240	S.A. Stares	Feb. 28, 2007	\$6 000
TB4203443	15	240	S.A. Stares	Feb. 28, 2007	\$6 000
TB4203444	15	240	S.A. Stares	Feb. 28, 2007	\$6 000
TB4203445	10	160	S.A. Stares	Feb. 28, 2007	\$4 000
TB4203446	10	160	S.A. Stares	Feb. 28, 2007	\$4 000
TB4203447	15	240	S.A. Stares	Feb. 28, 2007	\$6 000
TB4203448	6	96	S.A. Stares	Feb. 28, 2007	\$2 400
TB4203449	12	192	S.A. Stares	Feb. 28, 2007	\$4 800
TB4203450	10	160	S.A. Stares	Feb. 28, 2007	\$4 000
TB4203935	16	256	M.R. Stares	Dec. 01, 2006	\$6 400
TB4203936	16	256	M.R. Stares	Dec. 01, 2006	\$6 400
TB4203937	10	160	M.R. Stares	Dec. 01, 2006	\$4 000

TB4203942	15	240	M.R. Stares	Dec. 01, 2006	\$6 000
TB4203944	16	256	M.R. Stares	Dec. 01, 2006	\$6 400
TB4203945	14	224	M.R. Stares	Dec. 01, 2006	\$5 600
TB4203946	15	240	M.R. Stares	Dec. 01, 2006	\$6 000
TB4203947	6	96	M.R. Stares	Dec. 01, 2006	\$2 400
TB4203948	15	240	M.R. Stares	Dec. 01, 2006	\$6 000
TB4203949	10	160	M.R. Stares	Dec. 01, 2006	\$4 000
TB4205992	2	32	M.R. Stares	Apr. 14, 2007	\$800
	313 units	5 008 ha			\$121 600
Patented					Annual taxes
2088	1	19.5	S. A. Stares		\$112
2090	1	16.6	S. A. Stares		\$93
2091	1	14.97	S. A. Stares		\$85
Leased					Annual taxes
CLM 414	1 Lease (from 16 claims)	229.6	W.A. Gray, T.Noble D. Walsten		\$690
Total	26 claims	5 288.67ha			

PREVIOUS WORK

The area of the Big Duck Lake property has recorded prospecting activity since 1885 when zinc mineralization was discovered at Kenabic Lake southwest of the Big Duck Lake Property. The nearby Winston Lake base metal mine was brought into production in the early 1980's and operated by the corporate predecessors of Inmet Mining Corporation (Corporation Falconbridge Copper and later Minnova Inc.). The Winston Lake Mine was in production from the early 1980s' until 1998. The operators of Winston Lake did a considerable amount of exploration in the area, mostly for base metals but also for gold. Most of the assessment work filed by those corporations is under the name of Minnova Inc.; that name is used in this report when referring to most of the previous work done by Corporation Falconbridge Copper, Minnova Inc. and later Inmet Mining Corporation.

The following list is a summary of the most significant previous exploration work carried out on, and near, the Big Duck Lake Property with the emphasis on gold exploration in the period from 1945 to present.



Exploration work in the area was originally focused on the base metal potential, and ultimately led to the development of the Winston Lake copper-zinc mine. However, the majority of work on the Big Duck Lake Property has been carried out on gold showings with the most detailed drilling focused on the Coco-Estelle deposit.

- 1906 The Beaver (McQuaig) showing was staked.
- 1913 Gold and copper bearing veins were staked on the Estelle deposit.
- 1914 Staking and trenching of the Coco-Estelle deposit by A. Estelle.
- 1914 A quartz vein in a pit was reported to run 0.37 ounces per ton gold (opt Au) over a 5 ft. width (Hopkins, 1915) on the Johnson-Fisher showing.
- 1914 The Burstrom deposit was staked by G. Burstrom with the development of a 35 ft. deep shaft on a quartz vein by 1915. There are also two quartz veins exposed in nearby pits that are 10 ft. deep. Elevated copper, molybdenum and silver values are recorded.
- 1915 D. McQuaig hand-cobbled quartz vein material taken from a shaft on the Beaver (McQuaig) showing extracting 2,710 pounds of material for shipment apparently assaying 2.0 opt Au and 3.9 opt Ag (Hopkins, 1922). This shaft is located on Tri-Gold property just to the north of the Coco-Estelle deposit. Grab samples from this showing by Wells (1984) returned up to 0.58 opt Au.
- 1916 Discovery of the Church showing (three showings).
- 1917 The Tribe showing was discovered consisting of a 2 ft. quartz vein in mafic volcanics in a 10 ft. deep pit. The vein contains pyrite, pyrrhotite, chalcopyrite and molybdenite. A second set of pits 1,200 feet east of the first pit has pyritic mafic volcanics with values reported by Pye (1964) of up to 0.06 opt Au over 3.0 ft. Wells (1984) mentions a pile of high grade material found beside a nearby cabin that returned a value of 5.0 gpt Au and recommended further work in this area.
- 1918 Discovery of base metal mineralization on the Little Duck Lake deposits with the development of three shafts (Pye, 1964). From discovery until 1929 there was surface and underground development on these deposits that totalled 7,000 feet of trenching, 400 feet of pitting and shaft sinking, and 70 feet of horizontal development. Wells (1984) describes this mineralization as consisting of massive sulphide veins.
- 1946 Sandenise Gold Mines: Grab assays; eight diamond drill holes on the Coco-Estelle deposit.

- 1951 Magnet Consolidated Mines Ltd.: eight diamond drill holes in the area of the Little Duck Lake deposits.
- 1954 Bathurst-Maritimes Group: Geological mapping, EM, magnetic surveys and some trenching. Seven drill holes indicated but no logs. This worked targeted base metal mineralization in the Little Duck Lake area.
- 1955 Stratmat Ltd: Geological mapping and sixteen diamond drill holes on the south side of Big Duck Lake around the Estelle deposit; no significant results are reported.
- 1957 Kinasco Exploration & Mining Ltd.: seven diamond drill holes and a SP survey between Little and Big Duck Lakes. Two X-ray holes on the Beaver with 0.89 opt Au over 5.5 ft. of core in one of the holes and at least three holes on the Church deposits with results from one hole averaging 5.49 % Zn and 0.24 opt Au over 4.0 ft. (Pye, 1964).
- 1959-1960 Keevil Mining Group - KRNO Mines Limited: Air-photo interpretation, regional compilation, local geological mapping and trenching. Pye (1964), reports KRNO drilled twenty-two holes in 1959-60 on the Coco-Estelle and additional drilling was done by the Keevil Mining Group in 1960. Targets tested by these two companies include the Beaver, Coco-Estelle, Church and Sjolander deposits between the Little and Big Duck Lakes. One of the holes on the Church deposit, CH-18, cut 8.0 ft. of 0.38 opt Au (Pye, 1964). Four X-ray holes were drilled on the Beaver deposit in 1959.
- 1975 Mid-North Engineering Services Ltd.: five diamond drill holes, in the Coco- Estelle and Church showings between the Little and Big Duck Lakes.
- 1982-1983 Corporation Falconbridge Copper (Minnova Inc.): A regional airborne EM and magnetic survey covered the property and a Zn soil survey was carried out over the area between the Little and Big Duck Lakes. Follow-up power stripping was done south of Little Duck Lake and between Little and Big Duck Lakes.
- 1983-1987 Corporation Falconbridge Copper (Minnova Inc.): The Nelson Pit Area northwest of Big Duck Lake was discovered and stripped; it was subsequently drilled in the 1993 program. Geological mapping and ground geophysics across the property area in 1984 were followed up with diamond drilling of the Coco-Estelle deposit and along the porphyry contact north of Big Duck Lake. Lewis (1993) reports that Minnova drilled a total of fifty-seven holes on their Big Duck Lake holdings during

this period.

- 1993 Metall Mining Corporation (Minnova Inc.) and Rusty Lake Resources: ten diamond drill holes in the Coco-Estelle and Nelson Pit deposits.
- 1996-1997 Battle Mountain Canada Inc.: In-fill logging and sampling of eleven of Minnova's diamond drill holes. Two IP and magnetic surveys were conducted on the north side of Big Duck Lake over the porphyry body.
- 2001 Property is re-staked by a consortium of six partners with the claims registered by Michael and Steve Stares. Rudimentary prospecting is carried out.
- 2003 Tri-Gold Resources optioned the Big Duck Lake property. A 35 line-km grid is cut. A trenching and sampling program following up on the results from prospecting was carried out;
- 2004 A second trenching program expanding upon the results of the first trenching program was completed in August. A structural interpretation by Palmer, 2005 was carried out in and around the trenches.
- 2005 The 2003 grid was expanded by 25 line-km with 47 line-km of pole-dipole IP completed.

REGIONAL GEOLOGY

The Big Duck Lake area is considered to be part of the Achaean age, Schreiber-Hemlo Greenstone Belt which occurs immediately south of the Quetico sedimentary subprovince (Figure x). The Schreiber-Hemlo Greenstone Belt is part of the larger Wawa geological subprovince. The Schreiber-Hemlo Greenstone Belt is dominated by east-west striking lithologic units (mostly volcanic and sedimentary units). The Schreiber Assemblage, of which the Big Duck Lake area is a component, is defined as the volcanic and associated sedimentary rocks found on the west side of the Coldwell Alkalic Intrusive Complex and the Hemlo assemblage are similar rocks found on the east side of the Coldwell Complex. The greenstone belt is bounded, and partly intruded by, granitic to granodioritic intrusions, related gneisses and pegmatites. Most of these are large, complex batholiths and are thought to post date the emplacement of the greenstones by up to 100 Ma. The Coldwell Alkalic Intrusive Complex is much younger, about 1100 Ma old (Sage, 1991).

The rocks in the Schreiber Assemblage are considered to be the same age as those in the Hemlo area where the volcanic rocks are dated at 2685-2693 Ma, sedimentary rocks at 2690 Ma and granodioritic intrusions, gold mineralization and structural deformation associated with gold mineralization all thought to be around 2680 Ma (Davis and Lin, 2003). There are some dates (Williams, et al, 1991) for felsic volcanic rocks near the Winston Lake Mine that are comparable to ages for similar rocks at the Geco Mine, in the 2722 Ma range.

The Schreiber Assemblage is described as consisting of narrow, arcuate segments of upper greenschist to amphibolite grade volcanic and sedimentary assemblages that are comprised of three principal rock types: mafic volcanic rocks of tholeiitic composition, mafic to felsic rocks of calc-alkalic composition and sedimentary rocks.

There are some small porphyry intrusions in the Schreiber-Hemlo Greenstone Belt that are syn- or slightly post-volcanic (such as the Moose Lake Porphyry at Hemlo), these are distinct from the much younger granitic batholiths surrounding the greenstone belts. These intrusions are significant in that there is a pronounced spatial association of many significant Archean lode gold deposits with these types of intrusions (e.g. Pearl Lake, Paymaster and Preston Porphyries in Timmins, Moose Lake Porphyry in Hemlo).

The quartz and quartz-feldspar porphyries that occur in the Big Duck Lake area have not been dated but are interpreted to be syn- to slightly post volcanic in age as opposed to the much later batholiths surrounding the greenstone belts.

In the 2002 report of the Thunder Bay Resident Geologist Program (Schnieders et al, 2003) there is a section describing gold mineralization in the Schreiber area that reads:

There is a strong spatial association between gold occurrences and felsic intrusive rocks (e.g. quartz- and quartz-feldspar porphyry, syenite, trondjemite), as well as lamprophyric dykes. Many gold occurrences occur in supracrustal rocks near or at the margin of the Terrace Bay Batholith. Local hornblende-phyric, syenitic rocks bear similarities to "Timiskaming-type" rocks.

PROPERTY GEOLOGY

The Tri-Gold Resources drill program intersected: mafic volcanic flows and tuffs, intermediate to felsic flows and tuffs, quartz-porphyry, quartz-feldspar porphyry dykes, and quartz-eye sericite schist. A classification criterion for each lithology is described in the following section.

Volcanics

Mafic Volcanic Flows and Tuffs (coded 1) Very fine to fine-grained, dark grey-green, to pale grey, locally centimetre-scale epidote patches possibly representing pillow cores. Unit averages trace to 1/2% very fine-grained disseminated Py. Unit locally exhibits a medium-grained salt & pepper texture in and along fractures and quartz-albite veinlets.

Intermediate to Felsic Volcanic Flows and Tuffs (coded 2,2t,3b) Light to medium grey, fine-grained, 20-25% medium-grained quartz phenocrysts, light grey irregular quartz-eye bearing lapilli, locally a mottled appearance due to heterolithic nature of clasts. Pyroclastic intervals are composed of 10-15% lapilli to lapilli stone mafic (biotitic) angular fragments, 20-25% quartz eye bearing fragments of similar size, all are flattened to a 2:1 ratio. The matrix varies from sericite rich to biotite/chlorite rich intervals and is weak to moderately silicified averaging 5-6% disseminated and fracture controlled Py within the biotitic sections.

Intrusives

Quartz Porphyry Dyke (coded 7b) Light beige to grey, fine-grained, weakly foliated to massive, minor biotite rich intervals with corresponding increase in Py content, minor mafic volcanic inclusions. The unit hosts 5-15% sub to euhedral grey to blue-grey quartz phenocrysts Contact sharp or faulted with little to no chill margin present.

Quartz-Feldspar Porphyry Dyke (coded 7c) dykes are light grey-green with a sericite rich groundmass, 15-20% medium-grained euhedral to subhedral quartz phenocrysts. Euhedral feldspar phenocrysts average 2-8 millimetres in diameter are either fractured and/or are partially altered to sericite. Contacts are typically sharp with a strong silicified margin preserving the original groundmass and phenocrysts.

Mafic Dykes (coded 6e) are fine-grained, massive, grey-brown, weakly fractured with moderate pervasive carbonate averaging of 1/2-1% fine-grained disseminated euhedral Py. Contacts are sharp with little wallrock alteration of chill margin.

DRILL PROGRAM SUMMARY

Drilling commenced on March 9th and was completed on April 11th, 2005. Cartwright Drilling Ltd. of Goose Bay, Labrador was contracted to perform the diamond drilling using a hydraulic assisted JKS 300 drill rig. The drill program consisted of seven BQTK holes, numbered BD05-01 to BD05-07, totaling 1 014 metres.

The drilling was carried out on freehold mineral leased claim TB414, freehold patent TB2090 and staked claim TB3010489. All holes were collared at a dip of -50°. Diamond drill logs are located in Appendix 1 while assay certificates for gold and 32 element ICP are listed in Appendix 2. Drill plans and sections are located in Appendix 3.

A total of 582 samples were taken for Au by fire assay with AA finish and ICP scan at Accurassay Laboratories of Thunder Bay, Ontario. Four additional blank samples were inserted into the sample stream and the pulps from 22 samples were sent to ALS Chemex Labs in Mississauga for check assays. Sample lengths averaged 1.2 metres.

Samples were logged and split in a core logging tent on Big Duck Lake. Samples were couriered by the author to Accurassay Laboratories of Thunder Bay, Ontario. All drill cores are stored outdoors at the Tri-Gold Resources Corp. camp site on Big Duck Lake.

Table 2
Diamond Drill Program Details

Hole	GridEast (m)	GridSouth (m)	UTM E (m)	UTMN (m)	Azimuth (wrt true N)	Dip	Length (m)
BD05-01	97+20	96+35	477010	5427513	180°	-53°	152.4
BD05-02	97+28	93+00	477008	5427210	180°	-50°	142.8
BD05-03	99+51	97+68	477196	5427613	180°	-46.6°	171.7
BD05-04	100+35	94+50	477317	5427308	180°	-50.5°	57.9
BD05-05	14+06	91+54	478701	5427054	180°	-50°	182.9
BD05-06	97+32	98+84	478015	5427728	180°	-50°	154
BD05-07	103+40	101+00N	478162	5427928	190°	-50°	152.8

Drill Results

BD05-01

Drill hole BD05-01 was collared to test auriferous mineralization in the northern end of trench 7 uncovered during the 2003 trenching program. A 20.5 m section of anomalous gold from 23.2 to 43.5 m produced a composite assay of 336 ppb gold with a maximum assay in the interval returning 1 508 ppb Au. The interval includes a 1.7 m wide quartz porphyry dyke otherwise the host lithology was a variably altered massive mafic volcanic with irregular patchy bleaching of groundmass producing a fine pseudo breccia texture throughout. Sulphide content averaged 2-3% disseminated Py and 1-2% Pyrrhotite along fractures with trace Sp. The bleaching of the mafic volcanic was originally noted as albite alteration. Results from ICP scans indicate that sodium content for the above interval was average if not weakly reduced. A second anomalous zone of gold mineralization in BD05-01 over a 5 m interval from 57 to 62 m produced a weighted average composite of 2 108 ppb Au with a maximum assay of 4 850 ppb Au over 1 m. The mafic volcanic was host to 8-10% fine-grained disseminated and fracture controlled Py and exhibited weak to moderate irregular bleaching of groundmass producing a pseudo-breccia texture. Moderate silicification and patchy irregular biotite alteration occurred throughout. A similar 3.26 m interval at 80.0 m produced a composite of 3 758 ppb Au with a maximum assay of 5 314 ppb Au.

BD05-02

A new zone uncovered in the northern end of the trench 7ext was targeted by hole BD05-02. A 4.4 m composite weighted assay of 1 715 g/t Au was produced brecciated and moderately ankeritized mafic volcanics hosting 3-4% disseminated Py.

BD05-03

To verify the historical grades and widths of the Coco-Estelle zone hole BD05-03 was set up within 5 m of the Minnova drill casing for hole BD-57. Minnova hole BD-57 tested the down plunge extent of the Coco-Estelle producing a maximum composite assay of 1 226 ppb Au over 11.6 m. Results from BD05-03 returned two anomalous intervals of auriferous mineralization at similar depths as encountered in BD-57 but of greater widths and grades. The upper interval of anomalous mineralization was encountered between 47 and 56 m averaging 1 292 ppb in massive and pillow mafic volcanics overprinted by weak biotite

alteration and cut by millimeter-scale veinlets of pyrrhotite and chalcopyrite. The composite is primarily carried by a 30 cm wide vein of massive sulphides composed of 80% pyrrhotite, 12% chalcopyrite and 8% pyrite yielding 12 007 ppb gold over 0.5 m. The subsequent 6 m of mafic volcanic footwall was strongly depleted in sodium. The second anomalous zone in BD05-03 yielded a composite of 1 403 ppb Au from 151 to 166.6 m from a quartz-ankerite vein system hosting 10-12% disseminated pyrite. The centimetre-scale veinlets exhibited folding and were boudinaged. The interval of veining and footwall to the zone was depleted in sodium to the end of the hole.

BD05-04

The mineralization noted in the "Mich" trench from the 2003 trenching program was tested by hole BD05-04 at a vertical of 40 m below the trench. A moderately sericitized quartz-feldspar porphyry with 1-2% fine-grained disseminated pyrite was encountered throughout the entire hole. Numerous steeply dipping millimetre-scale quartz veinlets cut the unit averaging 1-2 per metre hosting trace chalcopyrite and molybdenite. The entire 58 metres of porphyry was strongly depleted in sodium and magnesium and erratically depleted in potassium and calcium. The highest Au assay was 471 ppb from a 1.2 m sample weakly anomalous in arsenic, lead and zinc.

BD05-05

The Sjolander Showing was tested by diamond drill hole BD05-05 to test the previously worked quartz vein uncovered in the second trenching program during 2004. A secondary target was the unusual alteration assemblage along the southern margin of the trenched area. A 6.4 m grey translucent quartz vein with a well developed crackle texture was encountered at 19.2 m. The vein hosted 8-10% Py with majority of sulphides occurring within the chlorite filled fractures. A trace to 1% component of the pyrite content occurred as euhedral disseminations. Molybdenum occurred throughout as 3-4% very fine disseminations within the quartz with local concentrations of 10-12% along fractures. The vein was enveloped in a sodium depleted halo with anomalous tin and tungsten values. The most significant gold assay was 401 ppb over a ½ metre sample from the vein coinciding with elevated arsenic, copper and lead values. The alteration assemblage noted south of the vein is attributed to the onset of weak pervasive carbonate and erratic quartz-

ankerite veining possibly due to the close proximity of a NW trending structure as outlined in the induced polarization survey.

BD05-06

The sixth hole in the drill program targeted the altered and broken host beneath trench 14 completed in 2004. The hole collared into a succession of felsic tuffs and flows to a depth of 75 m where mafic volcanic flows and quartz-feldspar dyke were encountered to the end of the hole at 154 m. The highest gold assay in the hole was produced from the contact zone between a mafic volcanic and porphyry dyke where quartz-ankerite veining in a biotitic envelope hosted 5-8% fine-grained disseminated pyrite. The 1 827 ppb Au assay was carried over a 1.4 m length.

BD05-07

The final drill hole tested the mineralization and an adjacent topographic feature at trench 2. An alternating sequence of mafic volcanic flows and quartz-feldspar porphyry dykes was collared into until 67.7 m. This was followed by a sequence of intermediate to felsic lapilli tuffs and quartz-feldspar dykes to a depth of 130.1 m where a quartz-eye sericite schist alternated with the intusives. A maximum gold assay for this hole of 1 954 ppb was produce from a 42 cm quartz vein hosting centimetre-scale irregular blebby chalcopyrite, pyrrhotite, and trace sphalerite.

CONCLUSION AND RECOMMENDATIONS

The 2005 diamond drill program illustrated that all significant gold assays are associated with anomalous base metal values. Furthermore, not all base metal mineralization is auriferous. The 2003 and 2004 trenching programs indicate that the Big Duck property is well endowed will anomalous sulphide mineralization. A comprehensive IP survey has been carried out over the western portion of the property producing a plethora of IP targets. An additional tool is required to further refine future drill targets in a cost effective manner.

The one exception to the above is the Coco-Estelle zone which is a discrete structure hosting auriferous quartz veins. It does not have a base metal signature. Determining the Coco-

Estelle's origins and kinematics will help find additional gold bearing structures on the property. Unfortunately all historical drill cores from the Coco-Estelle no longer exist.

It is recommended too:

- 1) Soil sample all of the priority 1 and 2 IP targets from the 2005 geophysical survey to detect any gold signatures;
- 2) Undertake a 5 000 m drill program to test the soil/IP responses plus complete a series of shallow drill holes to produce oriented drill core for structural interpretation;
- 3) Complete the ground grid coverage of the eastern portion of the property including coverage over Big Duck Lake;
- 4) Undertake magnetic and IP surveys over the new grid with a soil survey follow up of prospective anomalies.
- 5) Drill test the resulting targets with a 5 000 m program.

The following proposed two phase budget of \$1 789 750 is proposed:

Phase 1

➤ Refurbishing of existing BDL 2003/2004 grid;	
- 60 km @ 400/km.....	24 000
➤ Detailed Prospecting & Mapping;.....	10 000
➤ Soil survey over 2005 IP targets;	
- 400 samples@\$20 ea.....	8 000
• Phase One Drill Program - 5 000 m;(includes oriented core).....	<u>750 000</u>
	TOTAL \$792 000

Phase 2

➤ Refurbishing and extension of BMG grid;	
- 82.5 km @ \$550/km.....	45 350
➤ Detailed Prospecting & Mapping;.....	25 000
➤ IP & Mag over BMG grid;	
- 82.5 km @ \$120, 70 km @ \$1 500.....	115 000
➤ Soil survey over 2005 IP targets;	
- 800 samples@\$20 ea.....	16 000
➤ Winter grid over BDL;	
- 22 km @ 500/km.....	11 000
➤ IP & Mag over BDL;	
- 22 km @ 500/km.....	35 400
• Phase Two Drill Program - 5 000 m;.....	<u>750 000</u>
	TOTAL \$997 750
	GRAND TOTAL \$1 789 750

REFERENCES


- Degagne, P., 1997; The 1996 Work Report, Battle Mountain Canada Ltd;
- Degagne, P., 1997; Big Duck Lake Area, 1996 Work Report, Battle Mountain Canada Inc., January 6, 1997;
- Degagne, P. 1997; Petrographic Contract, Battle Mountain Gold;
- Grant, R., 1998; Geological Survey Report, Battle Mountain Gold, March 5, 1998;
- Kusins, B., 1998; The 1997 Work Report, Battle Mountain Canada Inc., March 16, 1998;
- Kusins, B., 1998; Big Duck Lake Property, 1998 Work Report, Battle Mountain Canada Inc., Nov 3, 1998;
- Lambert, G., 1997; Report on Induced Polarization Surveys, Battle Mountain Gold Corp., June 6, 1997;
- Lambert, M. and Scott, J., 1994: Report of Activities, 1993, Resident Geologist Program, Thunder Bay South Regional Resident Geologist Report, Ontario Geological Survey Open File #5892;
- Lewis, P., 1993: Diamond Drill Report, July 27 – August 17, 1993. Minnova Inc.;
- Ontario Geological Survey, 1991: Airborne Electromagnetic and Total Intensity Magnetic Survey, Shebandowan Area Map 81575 scale 1:20,000;
- Pye, E.G., 1964; Mineral Deposits of the Big Duck Lake Area, Geological Report No. 27, Ont Dept of Mines;
- Ritcey, D. J., 1985; Summary Report, A Metallogenetic Study of Mineralization at Big Duck Lake, District of Thunder Bay, Ontario, April 1985;
- Ritcey, D., 1986; Summary Report, Big Duck Lake, District of Thunder Bay, December 31, 1986;
- Ritcey, D. J., 1987: Lead Isotope Analyses At Big Duck Lake, Corporation Falconbridge Copper, May, 1987;
- Ritcey, G. 1983: Report on the Questor Airborne Electromagnetic Survey, Big Duck Lake Area, Northwestern Ontario, Corporation Falconbridge Copper, October 1, 1983;
- Schnieders, B.R., Smyk, M.C., Speed, A.A., and McKay, D.B., 1996: Mineral Occurrences in the Nipigon – Marathon area., Open File Report 5951, Ontario Geological Survey;

STATEMENT OF QUALIFICATIONS

I, Andrew A. B. Tims, of 317 Sillesdale Cr., Thunder Bay Ontario hereby certify that:

- 1.) I am the author of this report.
- 2.) I graduated from Carleton University, in Ottawa, with a Bachelor of Science Degree in Geology (1989).
- 3.) I possess a valid prospector's license and have been practising my profession as a geologist involved in mineral exploration for the past 17 years.
- 4.) I am a practising member of the Association of Professional Geoscientist of Ontario as well as a Fellow of the Geological Association of Canada.
- 5.) I do not hold or expect to receive any interest in the property described in this report.
- 6.) I consent to the use of this report by Tri-Gold Resources Corp.

Thunder Bay, Ontario
September 12, 2005


Andrew Tims
Geologist
Northern Mineral Exploration Services

APPENDIX 1 – Gold Assay and ICP Analysis Certificates

Big Duck Lake 2005 DDH Assays

1 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-01	41751	3.6	5.7	2.1	4		0.5	1.05	1.5	38	17	0.5	29	1.09	0.5	4	154	26	2.51	0.75	16
BDL05-01	41752	5.7	7	1.3	4		0.5	0.97	1.5	43	6	0.5	80	1.59	0.5	27	112	63	7.3	0.19	0.5
BDL05-01	41753	7	8.5	1.5	4		0.5	0.81	1.5	41	2	0.5	58	1.52	0.5	22	73	55	5.6	0.06	0.5
BDL05-01	41754	8.5	10	1.5	11		0.5	0.91	1.5	41	3	0.5	72	2.09	0.5	25	123	65	6.51	0.09	0.5
BDL05-01	41755	10	10.9	0.9	8		0.5	0.89	1.5	43	3	0.5	73	1.44	0.5	27	77	78	6.65	0.12	0.5
BDL05-01	41756	10.9	11.8	0.9	4		0.5	1	1.5	51	13	0.5	88	1.72	0.5	31	96	58	7.88	0.34	4
BDL05-01	41757	11.8	12.8	1	18		0.5	0.87	1.5	37	19	0.5	28	1.41	0.5	6	104	19	2.64	0.51	10
BDL05-01	41758	12.8	13.7	0.9	4		0.5	0.87	1.5	31	14	0.5	19	0.53	0.5	4	162	6	1.64	0.52	7
BDL05-01	41759	13.7	15.2	1.5	41		0.5	1.04	1.5	49	8	0.5	85	2.28	0.5	35	96	89	7.52	0.18	6
BDL05-01	41760	15.2	16.2	1	43		0.5	1.01	1.5	52	10	0.5	89	2.37	0.5	34	119	139	7.83	0.26	0.5
BDL05-01	41761	16.2	17.2	1	4		0.5	0.92	1.5	34	13	0.5	17	0.79	0.5	3	143	2	1.51	0.3	10
BDL05-01	41762	17.2	18.2	1	23		0.5	1.02	1.5	51	7	0.5	91	1.92	0.5	32	92	85	8.16	0.22	4
BDL05-01	41763	18.2	19.2	1	73		0.5	1.1	1.5	51	22	0.5	89	2.11	0.5	24	69	131	7.84	0.65	23
BDL05-01	41764	19.2	20.2	1	92		1	1.11	1.5	48	37	0.5	109	0.93	0.5	40	128	159	9.19	1.27	16
BDL05-01	41765	20.2	21.2	1	294		5	1.04	1.5	73	24	0.5	236	1.93	31	27	93	568	>10.00	1.04	12
BDL05-01	41766	21.2	22.2	1	354		2	1.08	1.5	67	46	0.5	138	3.51	0.5	29	104	300	>10.00	1.28	17
BDL05-01	41767	22.2	23.2	1	963		2	1.09	1.5	61	46	0.5	109	3.39	19	53	98	209	8.81	0.87	15
BDL05-01	41768	23.2	24.2	1	1072		3	1.06	1.5	65	45	0.5	116	3.25	0.5	29	83	325	9.8	0.69	15
BDL05-01	41769	24	25.5	1.5	411	449	2	1.16	1.5	67	44	0.5	110	1.53	0.5	32	97	198	9.26	0.86	22
BDL05-01	41770	25.5	27	1.5	132		0.5	1.12	1.5	63	45	0.5	93	1.23	0.5	22	194	99	8.19	0.79	20
BDL05-01	41771	27	28.3	1.3	56		0.5	1.03	1.5	63	20	0.5	121	1.4	0.5	33	115	91	>10.00	0.26	3
BDL05-01	41772	28.3	30	1.7	328		0.5	0.93	1.5	43	21	0.5	43	0.81	0.5	6	184	37	3.42	0.38	12
BDL05-01	41773	30	31.5	1.5	967		0.5	1.05	1.5	59	22	0.5	108	1.72	0.5	25	113	83	9.56	0.43	3
BDL05-01	41774	31.5	32.6	1.1	123		1	1.07	1.5	62	47	0.5	101	1.43	0.5	24	157	168	8.94	0.74	5
BDL05-01	41775	32.6	33.7	1.1	283		2	0.8	1.5	52	16	0.5	85	3.03	87	27	92	207	7.31	0.25	4
BDL05-01	41776	33.7	35	1.3	22		0.5	0.99	1.5	52	5	0.5	78	1.62	0.5	30	87	91	7.06	0.13	1
BDL05-01	41777	35	36.5	1.5	253		0.5	0.95	1.5	49	16	0.5	71	1.62	0.5	26	85	89	6.59	0.28	0.5
BDL05-01	41778	36.5	38	1.5	183		0.5	1.02	1.5	52	20	0.5	88	1.64	0.5	30	108	121	7.93	0.27	4
BDL05-01	41779	38	39.5	1.5	39		0.5	1.04	1.5	51	10	0.5	78	1.72	0.5	26	79	109	6.96	0.14	1
BDL05-01	41780	39.5	41	1.5	112		0.5	1.06	1.5	59	9	0.5	97	2.19	0.5	43	96	164	8.47	0.19	14
BDL05-01	41781	41	42.5	1.5	37		0.5	0.95	1.5	51	5	0.5	74	1.46	0.5	32	83	97	6.78	0.13	1
BDL05-01	41782	42.5	43.5	1	1508		2	1.04	1.5	55	10	0.5	96	3	0.5	39	99	245	8.52	0.22	21
BDL05-01	41783	43.5	45	1.5	116		0.5	1.07	1.5	63	43	0.5	115	1.76	0.5	29	86	148	>10.00	0.7	8
BDL05-01	41784	45	46.5	1.5	64		0.5	1.05	1.5	65	13	0.5	123	2.12	0.5	28	153	143	>10.00	0.18	8
BDL05-01	41785	46.5	48	1.5	77		0.5	1.05	1.5	56	6	0.5	99	1.6	0.5	20	120	90	8.76	0.14	0.5
BDL05-01	41786	48	49	1	1411		2	1.05	1.5	69	18	0.5	134	1.02	0.5	56	158	264	>10.00	0.34	9
BDL05-01	41787	49	50	1	223		0.5	1.02	1.5	60	12	0.5	89	2.23	0.5	33	78	95	7.98	0.35	9
BDL05-01	41788	50	51	1	479		0.5	1.02	1.5	60	7	0.5	92	2.41	0.5	29	90	127	8.26	0.19	6
BDL05-01	41789	51	52	1	29	34	0.5	0.94	1.5	55	3	0.5	64	1.97	0.5	28	60	54	6.06	0.13	0.5
BDL05-01	41790	52	53	1	63		0.5	1.02	1.5	63	9	0.5	77	3.64	0.5	33	54	142	7.08	0.22	7
BDL05-01	41791	53	54	1	112		0.5	1.07	1.5	71	14	0.5	98	2.71	0.5	33	68	99	8.6	0.34	10
BDL05-01	41792	54	55	1	112		0.5	1.04	1.5	56	19	0.5	84	3.37	0.5	31	84	83	7.3	0.37	12
BDL05-01	41793	55	56	1	511		1	1.04	1.5	64	18	0.5	98	2.97	0.5	38	73	150	8.54	0.33	12
BDL05-01	41794	56	57	1	461		0.5	0.99	1.5	62	6	0.5	84	2.19	0.5	38	131	104	7.39	0.18	3
BDL05-01	41795	57	58	1	2434		1	1.03	1.5	66	5	0.5	95	1.97	0.5	33	62	262	8.4	0.15	7
BDL05-01	41796	58	59	1	687		0.5	1.02	1.5	59	4	0.5	90	1.84	0.5	51	69	190	8.05	0.13	4
BDL05-01	41797	59	60	1	1013		2	0.98	1.5	60	7	0.5	98	2.23	0.5	44	71	206	8.69	0.15	12

Big Duck Lake 2005 DDH Assays

2 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-01	41798	60	61	1	1557		2	1.04	1.5	63	40	0.5	109	2.28	0.5	37	95	218	9.37	0.77	19
BDL05-01	41799	61	62	1	4850		3	1.02	1.5	66	36	0.5	119	1.59	0.5	44	87	333	>10.00	0.65	9
BDL05-01	41800	62	63	1	538		0.5	1.02	1.5	57	4	0.5	81	2.08	0.5	31	96	56	7.26	0.13	2
BDL05-01	41801	63	64	1	57		0.5	1.01	1.5	63	8	0.5	87	2.25	0.5	31	89	92	7.72	0.16	2
BDL05-01	41802	64	65	1	426		2	1.15	1.5	73	11	0.5	122	1.86	0.5	39	101	294	>10.00	0.23	15
BDL05-01	41803	65	66	1	525		1	1.07	1.5	53	9	0.5	87	2.24	0.5	34	73	213	7.8	0.28	4
BDL05-01	41804	66	67	1	206		0.5	1.1	1.5	58	8	0.5	86	3.62	0.5	24	63	190	7.61	0.26	18
BDL05-01	41805	67	68	1	643		1	1.01	1.5	59	3	0.5	89	2.52	0.5	26	78	303	7.81	0.1	11
BDL05-01	41806	68	69	1	435		1	1.14	1.5	65	33	0.5	106	2.07	0.5	34	115	227	9.24	0.69	20
BDL05-01	41807	69	70	1	3790		3	1.04	1.5	76	19	0.5	107	1.56	0.5	35	104	281	9.3	0.37	13
BDL05-01	41808	70	71	1	505		0.5	1.04	1.5	56	16	0.5	91	1.66	0.5	29	131	125	8.12	0.34	11
BDL05-01	41809	71	72	1	273	261	0.5	1.05	1.5	59	34	0.5	112	1.2	0.5	30	95	100	9.64	0.85	8
BDL05-01	41810	72	73	1	277		0.5	1.07	1.5	58	42	0.5	104	1.34	0.5	31	109	83	9.02	0.93	8
BDL05-01	41811	73	74	1	1072		2	1.1	1.5	67	42	0.5	122	1.89	0.5	37	116	204	>10.00	0.87	9
BDL05-01	41812	74	75	1	407		2	1.04	1.5	66	21	0.5	97	1.79	0.5	29	155	139	8.43	0.46	10
BDL05-01	41813	75	76	1	112		0.5	1.12	1.5	74	36	0.5	119	2.24	0.5	32	185	70	9.89	1.14	2
BDL05-01	41814	76	77	1	293		1	1.13	1.5	73	41	0.5	114	2.68	0.5	43	118	179	9.6	0.81	18
BDL05-01	41815	77	78	1	245		0.5	1.06	1.5	65	19	0.5	103	2.57	0.5	30	203	100	8.61	0.36	9
BDL05-01	41816	78	79	1	302		1	1.08	1.5	70	37	0.5	112	1.61	0.5	37	99	132	9.4	0.89	10
BDL05-01	41817	79	80	1	345		1	1.03	1.5	61	34	0.5	82	2.14	0.5	34	90	153	7.4	0.66	14
BDL05-01	41818	80	80.75	0.75	1712		2	1.04	1.5	171	25	0.5	78	1.32	0.5	29	165	129	6.71	0.76	12
BDL05-01	41819	80.75	81.24	0.49	478		0.5	0.75	1.5	76	8	0.5	24	0.64	0.5	4	217	25	1.87	0.25	0.5
BDL05-01	41820	81.24	83.26	2.02	5314		3	1.1	1.5	64	35	0.5	100	2.26	0.5	31	127	234	8.46	0.88	20
BDL05-01	41821	83.26	85	1.74	133		0.5	0.92	1.5	52	14	0.5	26	0.73	0.5	3	273	25	1.63	0.47	7
BDL05-01	41822	85	86	1	40		0.5	0.72	1.5	46	11	0.5	15	0.31	0.5	2	162	7	1.07	0.42	1
BDL05-01	41823	86	87	1	19		0.5	0.84	1.5	57	15	0.5	17	0.47	0.5	2	213	7	1.17	0.31	3
BDL05-01	41824	87	88	1	48		0.5	0.86	1.5	53	17	0.5	22	2.85	0.5	5	123	96	1.78	0.46	6
BDL05-01	41825	88	89	1	118		0.5	0.88	1.5	49	23	0.5	19	0.84	0.5	2	183	10	1.36	0.51	11
BDL05-01	41826	89	90	1	4		0.5	0.83	1.5	41	15	0.5	15	0.79	0.5	2	121	3	1.3	0.28	5
BDL05-01	41827	90	91	1	4		0.5	0.81	1.5	45	17	0.5	17	0.64	0.5	2	177	7	1.38	0.25	4
BDL05-01	41828	91	92.3	1.3	4		0.5	0.63	1.5	38	11	0.5	13	0.64	0.5	2	131	4	1.13	0.17	2
BDL05-01	41829	92.3	93.4	1.1	530	0.484	2	1.02	1.5	61	12	0.5	78	1.61	0.5	29	102	387	6.99	0.17	20
BDL05-01	41830	93.4	94.33	0.93	3177		4	0.73	1.5	44	17	0.5	40	0.75	0.5	10	254	62	3.04	0.26	4
BDL05-01	41831	94.33	96	1.67	10		0.5	0.72	1.5	43	13	0.5	17	0.8	0.5	3	190	13	1.27	0.24	0.5
BDL05-01	41832	96	97.5	1.5	277		1	1.12	4	58	14	0.5	82	1.66	0.5	37	81	528	7.47	0.13	37
BDL05-01	41833	97.5	99	1.5	150		2	1.14	1.5	56	50	0.5	88	2.07	0.5	30	107	439	7.57	0.78	11
BDL05-01	41834	99	100.5	1.5	14		0.5	1.06	1.5	45	37	0.5	24	1.09	0.5	6	122	33	2.06	0.57	12
BDL05-01	41835	100.5	102	1.5	19		0.5	0.89	1.5	46	34	0.5	17	0.4	0.5	3	182	3	1.36	0.54	6
BDL05-01	41836	102	103.5	1.5	16		0.5	0.79	1.5	60	22	0.5	16	0.65	0.5	3	138	4	1.28	0.34	2
BDL05-01	41837	103.5	105	1.5	4		0.5	0.94	1.5	51	30	0.5	21	0.86	0.5	4	208	4	1.58	0.43	6
BDL05-01	41838	105	106.5	1.5	10		0.5	0.91	1.5	47	32	0.5	18	0.73	0.5	3	147	4	1.39	0.45	8
BDL05-01	41839	106.5	108	1.5	9		0.5	0.81	1.5	46	41	0.5	19	0.42	0.5	3	199	2	1.41	0.43	4
BDL05-01	41840	108	109.5	1.5	86		0.5	0.82	1.5	36	19	0.5	13	0.42	0.5	3	199	2	1.41	0.43	4
BDL05-01	41841	109.5	111	1.5	4		0.5	0.98	1.5	37	18	0.5	13	0.76	0.5	3	81	18	1.24	0.34	5
BDL05-01	41842	111	112.5	1.5	4		0.5	0.97	1.5	38	18	0.5	12	0.84	0.5	3	85	3	1.18	0.39	9
BDL05-01	41843	112.5	114	1.5	4		0.5	0.88	1.5	39	19	0.5	14	0.69	0.5	3	91	2	1.13	0.41	5
BDL05-01	41844	114	115.5	1.5	32		0.5	0.79	1.5	42	20	0.5	11	0.32	0.5	3	76	7	1.1	0.45	3

Big Duck Lake 2005 DDH Assays

3 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-01	41845	115.5	117	1.5	4		0.5	0.71	1.5	37	17	0.5	11	0.45	0.5	3	83	1	1.14	0.23	2
BDL05-01	41846	117	118.5	1.5	7		0.5	0.64	1.5	47	20	0.5	13	0.43	0.5	3	97	2	1.27	0.22	2
BDL05-01	41847	118.5	120	1.5	76		0.5	0.65	1.5	45	14	0.5	10	0.51	0.5	3	73	0.5	1.12	0.16	2
BDL05-01	41848	120	121.5	1.5	4		0.5	0.69	1.5	47	20	0.5	14	0.46	0.5	3	96	1	1.28	0.27	2
BDL05-01	41849	121.5	123	1.5	8	18	0.5	0.68	1.5	39	13	0.5	13	0.22	0.5	3	69	11	1.42	0.18	5
BDL05-01	41850	123	124.5	1.5	18		0.5	0.84	1.5	44	10	0.5	25	0.37	0.5	8	77	20	2.4	0.13	15
BDL05-01	41901	124.5	126	1.5	12		0.5	1.15	1.5	57	53	0.5	73	2.51	0.5	26	64	127	6.97	0.81	37
BDL05-01	41902	126	127.5	1.5	91		0.5	1.02	1.5	44	45	0.5	59	2.02	0.5	28	48	223	5.76	0.63	7
BDL05-01	41903	127.5	129	1.5	21		0.5	0.62	1.5	179	9	0.5	18	0.68	0.5	8	74	68	1.74	0.15	0.5
BDL05-01	41904	129	130.5	1.5	10		0.5	1.08	1.5	60	33	0.5	70	2.86	0.5	38	49	154	6.58	0.83	12
BDL05-01	41905	130.5	132	1.5	10		0.5	1.07	1.5	56	15	0.5	71	2.73	0.5	32	68	142	6.55	0.3	12
BDL05-01	41906	132	133.5	1.5	4		0.5	1.04	1.5	56	7	0.5	66	2.37	0.5	28	48	182	6.32	0.2	10
BDL05-01	41907	133.5	135	1.5	62		2	1.04	1.5	61	5	0.5	77	1.82	0.5	37	64	408	6.6	0.14	8
BDL05-01	41908	135	136.5	1.5	183		1	1.06	1.5	58	20	0.5	70	1.72	0.5	28	56	303	6.31	0.39	18
BDL05-01	41909	136.5	138	1.5	13		0.5	0.95	1.5	50	22	0.5	15	0.83	0.5	3	90	31	1.49	0.42	5
BDL05-01	41910	138	139.6	1.6	62		1	1.03	1.5	60	28	0.5	59	1.37	0.5	28	58	328	4.94	0.35	12
BDL05-01	41911	139.6	141	1.4	4		0.5	1.02	1.5	58	5	0.5	50	1.63	0.5	22	61	105	4.81	0.13	2
BDL05-01	41912	141	142	1	34		0.5	1.02	1.5	52	5	0.5	64	1.66	0.5	35	74	191	6.09	0.1	3
BDL05-01	41913	142	142.7	0.7	178		1	0.86	1.5	39	3	0.5	40	1.95	0.5	19	81	282	3.87	0.07	1
BDL05-01	41914	142.7	144	1.3	30		0.5	0.92	1.5	42	3	0.5	47	1.64	0.5	21	40	113	4.56	0.09	2
BDL05-01	41915	144	145.5	1.5	66		0.5	0.93	1.5	42	5	0.5	49	1.86	0.5	30	48	192	4.81	0.1	2
BDL05-01	41916	145.5	147	1.5	13		0.5	1.06	1.5	60	6	0.5	53	1.97	0.5	23	59	85	5.08	0.11	0.5
BDL05-02	41917	8	8.9	0.9	6		0.5	0.89	1.5	59	19	0.5	75	1.46	0.5	27	51	111	7.22	0.31	0.5
BDL05-02	41918	8.9	10.5	1.6	68		0.5	1.04	1.5	62	19	0.5	95	1.57	0.5	45	31	241	8.69	0.45	5
BDL05-02	41919	10.5	12	1.5	66	73	0.5	1.04	1.5	63	6	0.5	89	1.92	0.5	33	36	213	8.39	0.15	7
BDL05-02	41920	12	13.25	1.25	147		0.5	1.01	1.5	73	11	0.5	104	2.13	0.5	37	43	210	9.45	0.32	1
BDL05-02	41921	13.25	14.5	1.25	1512		1	0.76	1.5	65	39	0.5	102	3.66	0.5	32	33	83	9.02	0.48	0.5
BDL05-02	41922	14.5	16	1.5	1793		2	0.83	1.5	64	46	0.5	110	2.59	0.5	40	31	132	9.56	0.49	4
BDL05-02	41923	16	17.6	1.6	1802		2	0.8	1.5	60	49	0.5	107	2.85	0.5	31	26	223	9.45	0.58	0.5
BDL05-02	41924	17.6	19	1.4	256		1	0.82	1.5	55	42	0.5	84	1.91	0.5	33	43	97	7.72	0.27	0.5
BDL05-02	41925	19	20.5	1.5	137		0.5	0.94	1.5	47	16	0.5	77	1.21	0.5	24	29	56	7.38	0.23	1
BDL05-02	41926	20.5	22	1.5	281		0.5	0.95	1.5	55	8	0.5	71	1.46	0.5	31	40	94	6.88	0.11	0.5
BDL05-02	41927	22	23.5	1.5	92		0.5	0.98	1.5	51	2	0.5	71	1.85	0.5	28	36	68	6.72	0.06	0.5
BDL05-02	41928	23.5	25	1.5	128		0.5	1.07	1.5	57	4	0.5	74	1.45	0.5	25	51	37	6.93	0.08	6
BDL05-02	41929	25	27.3	2.3	55		0.5	1.04	1.5	59	3	0.5	78	2.09	0.5	31	33	85	7.23	0.07	2
BDL05-02	41930	27.3	28.5	1.2	840		1	0.82	1.5	50	4	0.5	60	6.2	0.5	25	58	86	5.33	0.11	2
BDL05-02	41931	28.5	29.8	1.3	56		0.5	0.87	1.5	55	18	0.5	75	6.85	0.5	40	25	182	6.85	0.26	7
BDL05-02	41932	29.8	31.5	1.7	86		0.5	0.91	1.5	49	20	0.5	75	1.13	0.5	25	38	42	6.99	0.39	0.5
BDL05-02	41933	31.5	33	1.5	12		0.5	0.99	1.5	46	34	0.5	71	1.33	0.5	28	60	94	6.62	0.42	3
BDL05-02	41934	33	34.5	1.5	43		0.5	0.97	1.5	47	13	0.5	74	1.25	0.5	29	89	174	6.79	0.34	4
BDL05-02	41935	34.5	36	1.5	483		1	0.98	1.5	56	38	0.5	89	1.98	0.5	28	99	277	8.08	0.6	3
BDL05-02	41936	60.5	61.5	1	17		0.5	1.08	1.5	53	18	0.5	69	1.85	0.5	32	79	100	6.55	0.51	13
BDL05-02	41937	61.5	62	0.5	67		0.5	0.52	1.5	51	2	0.5	46	>10.00	0.5	10	11	25	4.46	0.13	0.5
BDL05-02	41938	62	63	1	8	23	0.5	1.04	1.5	56	23	0.5	69	2.24	0.5	30	104	74	6.21	0.5	5
BDL05-02	41939	91	92.07	1.07	18		0.5	1.09	1.5	64	11	0.5	80	2.27	0.5	36	53	332	7.52	0.25	9
BDL05-02	41940	92.07	93.5	1.43	621		11	0.91	9	49	5	0.5	78	5.62	0.5	27	29	1860	7.37	0.16	15
BDL05-02	41941	93.5	95	1.5	45		1	1.1	1.5	56	4	0.5	77	2.95	0.5	29	43	416	7.45	0.09	20

Big Duck Lake 2005 DDH Assays

4 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-02	41942	95	96.5	1.5	96		2	1.05	1.5	53	2	0.5	71	4.7	0.5	26	22	588	6.95	0.08	12
BDL05-02	41943	96.5	98	1.5	96		3	1.07	1.5	56	2	0.5	78	3.74	0.5	28	44	980	7.34	0.07	13
BDL05-02	41944	98	99	1	315		8	1.02	1.5	57	1	0.5	116	4.56	0.5	27	51	2374	9.99	0.05	5
BDL05-02	41945	99	100.5	1.5	402		1	1.05	1.5	53	5	0.5	72	1.96	0.5	29	52	382	6.92	0.16	5
BDL05-02	41946	100.5	102	1.5	46		1	1.07	1.5	59	3	0.5	89	3.09	0.5	35	48	579	8.16	0.09	10
BDL05-02	41947	102	103	1	40		2	1.02	1.5	48	3	0.5	77	8.53	0.5	32	49	541	6.91	0.08	13
BDL05-02	41948	103	104.1	1.1	245		1	0.8	4	46	4	0.5	64	4.04	0.5	23	66	135	5.63	0.07	12
BDL05-02	41949	104.1	105.5	1.4	45		0.5	0.97	1.5	49	5	0.5	48	2.1	0.5	24	110	94	4.24	0.13	7
BDL05-02	41950	105.5	107	1.5	18		0.5	0.94	1.5	47	3	0.5	39	1.85	0.5	22	85	123	3.64	0.09	4
BDL05-02	41951	114.5	115.4	0.9	32		0.5	1.06	1.5	50	12	0.5	46	2.55	0.5	24	155	65	4.05	0.29	11
BDL05-02	41952	115.4	115.9	0.5	971		12	0.97	12	64	10	0.5	121	3.85	0.5	37	202	1859	8.18	0.24	25
BDL05-02	41953	115.9	117	1.1	299		2	1.16	1.5	56	39	0.5	70	2.42	0.5	30	266	398	5.61	0.54	24
BDL05-03	41954	4	5.5	1.5	9		0.5	0.58	1.5	42	25	0.5	12	0.28	0.5	4	94	87	1.24	0.17	3
BDL05-03	41955	5.5	6.5	1	10		0.5	1.05	1.5	52	36	0.5	39	0.96	0.5	11	90	15	3.51	0.54	23
BDL05-03	41956	6.5	8.9	2.4	62		0.5	1.25	4	63	4	0.5	109	0.87	0.5	31	48	52	9.33	0.04	73
BDL05-03	41957	8.9	9.5	0.6	4		0.5	0.75	1.5	51	31	0.5	29	0.59	0.5	7	88	16	2.77	0.21	10
BDL05-03	41958	9.5	11	1.5	4		0.5	0.76	1.5	40	23	0.5	14	0.63	0.5	3	93	5	1.32	0.25	3
BDL05-03	41959	11	12.5	1.5	4	12	0.5	0.67	1.5	34	32	0.5	16	0.3	0.5	4	81	7	1.48	0.33	3
BDL05-03	41960		372				1	1.01	1.5	50	52	0.5	95	0.69	0.5	97	53	257	8.64	0.54	3
BDL05-03	41961	12.5	14.8	2.3	86		0.5	0.93	1.5	45	15	0.5	70	0.98	0.5	30	55	246	6.7	0.16	2
BDL05-03	41962	14.8	16	1.2	15		0.5	0.78	1.5	42	54	0.5	26	0.4	0.5	7	80	59	2.49	0.42	7
BDL05-03	41963	16	17.5	1.5	31		0.5	0.98	1.5	52	43	0.5	37	0.52	0.5	9	79	206	3.69	0.65	11
BDL05-03	41964	17.5	18.5	1	416		1	0.94	4	48	39	0.5	44	0.84	0.5	21	76	408	4.3	0.48	10
BDL05-03	41965	18.5	19.9	1.4	61		0.5	1.05	1.5	43	18	0.5	68	1.64	0.5	33	50	165	6.42	0.18	4
BDL05-03	41966	19.9	23	3.1	8		0.5	0.83	1.5	41	25	0.5	28	0.75	0.5	8	85	28	2.73	0.16	10
BDL05-03	41967	23	24.5	1.5	6		0.5	0.82	1.5	46	25	0.5	20	0.52	0.5	5	101	47	1.98	0.27	10
BDL05-03	41968	24.5	26	1.5	15		0.5	0.73	1.5	46	33	0.5	20	0.53	0.5	6	91	90	2.13	0.39	4
BDL05-03	41969	26	27.5	1.5	10		0.5	1.01	1.5	47	66	0.5	25	0.51	0.5	6	93	20	2.48	0.77	17
BDL05-03	41970	27.5	28.2	0.7	40		0.5	0.97	1.5	49	26	0.5	44	0.57	0.5	12	83	31	3.97	0.18	23
BDL05-03	41971	28.2	29.5	1.3	27		0.5	1.04	1.5	48	8	0.5	65	1.57	0.5	31	53	138	6.05	0.09	16
BDL05-03	41972	29.5	31.3	1.8	53		0.5	1.04	1.5	51	34	0.5	67	1.37	0.5	26	48	160	6.4	0.24	10
BDL05-03	41973	31.3	32.5	1.2	12		0.5	0.93	1.5	46	50	0.5	32	0.45	0.5	7	59	68	3.07	0.48	16
BDL05-03	41974	32.5	34	1.5	4		0.5	0.81	3	46	28	0.5	27	0.49	0.5	5	89	10	2.42	0.36	12
BDL05-03	41975	34	35	1	4		0.5	0.68	1.5	46	21	0.5	21	0.74	0.5	6	79	43	2.11	0.17	9
BDL05-03	41976	35	36.5	1.5	15		0.5	1	1.5	54	20	0.5	75	2.26	0.5	28	56	143	6.76	0.19	7
BDL05-03	41977	36.5	38	1.5	26		0.5	0.91	1.5	57	7	0.5	74	1.54	0.5	26	59	98	6.99	0.08	0.5
BDL05-03	41978	38	39.5	1.5	14		0.5	1.12	1.5	58	4	0.5	101	1.81	0.5	25	59	56	9.02	0.05	0.5
BDL05-03	41979	39.5	41	1.5	25	34	2	0.95	1.5	52	9	0.5	85	1.64	0.5	24	57	97	7.68	0.05	5
BDL05-03	41980	41	42.5	1.5	32		0.5	0.97	1.5	56	6	0.5	90	1.94	0.5	27	49	82	8.3	0.06	4
BDL05-03	41981	42.5	44	1.5	16		0.5	0.93	1.5	48	5	0.5	75	1.6	0.5	26	61	48	7.04	0.04	0.5
BDL05-03	41982	44	45.5	1.5	6		0.5	0.98	1.5	48	3	0.5	85	1.64	0.5	22	47	49	7.81	0.03	0.5
BDL05-03	41983	45.5	47	1.5	39		0.5	0.86	1.5	48	4	0.5	72	1.43	0.5	21	52	59	6.79	0.04	0.5
BDL05-03	41984	47	48.5	1.5	1081		0.5	0.75	1.5	48	7	0.5	70	1.52	0.5	21	70	229	6.59	0.06	0.5
BDL05-03	41985	48.5	50	1.5	328		0.5	0.97	1.5	54	4	0.5	93	1.44	0.5	25	61	73	8.45	0.05	1
BDL05-03	41986	50	51	1	199		0.5	0.83	1.5	51	9	0.5	99	1.33	0.5	27	56	130	5.26	0.06	6
BDL05-03	41987	51	52	1	1493		3	0.92	3	53	6	0.5	221	1.49	0.5	33	72	484	5.93	0.06	9
BDL05-03	41988	52	53	1	160		1	1	1.5	55	18	0.5	121	1.45	0.5	34	61	264	6.25	0.14	11

Big Duck Lake 2005 DDH Assays

5 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-03	41989	53	54	1	234		1	0.99	1.5	54	14	0.5	127	1.5	0.5	33	82	302	6.21	0.14	14
BDL05-03	41990	54	54.5	0.5	487		1	1.01	1.5	56	48	0.5	132	0.85	0.5	30	70	445	6.7	0.44	15
BDL05-03	41991	54.5	55	0.5	12007		10	0.9	1.5	107	8	0.5	669	0.88	0.5	76	47	1189	>10.00	0.08	11
BDL05-03	41992	55	56	1	1184		2	1	1.5	52	27	0.5	133	1.17	0.5	35	44	576	6.65	0.36	22
BDL05-03	41993	56	57	1	416		0.5	0.82	3	37	53	0.5	61	0.46	0.5	14	138	212	2.84	0.79	15
BDL05-03	41994	57	58.5	1.5	455		0.5	0.58	3	33	18	0.5	28	0.42	0.5	6	117	74	1.51	0.31	6
BDL05-03	41995	58.5	59.34	0.84	131		0.5	0.78	1.5	36	42	0.5	40	0.37	0.5	11	124	110	2.2	0.59	17
BDL05-03	41996	59.34	60.5	1.16	187		1	0.86	1.5	46	43	0.5	97	0.73	0.5	30	56	274	5.1	0.57	14
BDL05-03	41997	60.5	61	0.5	272		1	0.98	1.5	55	21	0.5	131	0.69	0.5	43	43	446	6.86	0.12	8
BDL05-03	41998	61	62	1	192		0.5	0.78	1.5	47	7	0.5	83	1.07	0.5	25	48	162	4.79	0.08	4
BDL05-03	41999	62	63.5	1.5	66	81	0.5	0.83	1.5	47	5	0.5	91	1.16	0.5	25	61	116	4.93	0.05	4
BDL05-03	42000	63.5	65	1.5	44		0.5	0.85	1.5	54	12	0.5	114	1.32	0.5	33	61	67	6.05	0.1	4
BDL05-03	41851	65	66.5	1.5	89		4	0.72	3	134	17	0.5	101	1.19	0.5	30	63	286	5.15	0.17	8
BDL05-03	41852	66.5	68	1.5	63		2	0.72	4	122	11	0.5	87	1.36	0.5	34	49	141	4.56	0.16	10
BDL05-03	41853	68	69.5	1.5	12		0.5	0.76	1.5	117	9	0.5	76	1.39	0.5	26	47	92	4	0.11	10
BDL05-03	41854	69.5	71	1.5	17		0.5	0.76	1.5	111	15	0.5	75	1.4	0.5	32	47	134	4.06	0.19	9
BDL05-03	41855	71	72.5	1.5	23		0.5	0.8	1.5	108	9	0.5	71	1.52	0.5	32	44	107	3.77	0.15	14
BDL05-03	41856	72.5	74	1.5	246		0.5	0.81	1.5	105	22	0.5	79	1.72	0.5	33	52	121	4.16	0.47	12
BDL05-03	41857	74	75.5	1.5	105		0.5	0.76	1.5	96	11	0.5	66	1.92	0.5	27	47	90	3.49	0.21	4
BDL05-03	41858	75.5	76.5	1	27		0.5	0.78	1.5	95	22	0.5	65	1.63	0.5	27	48	87	3.49	0.42	5
BDL05-03	41859	76.5	77.5	1	123		2	0.82	1.5	94	31	0.5	90	4.04	0.5	30	44	271	4.15	0.6	23
BDL05-03	41860	77.5	79	1.5	57		1	0.81	1.5	93	47	0.5	80	2.27	0.5	34	42	275	4.15	0.81	14
BDL05-03	41861	79	79.8	0.8	11		0.5	0.81	1.5	86	24	0.5	67	1.3	0.5	28	40	147	3.69	0.41	9
BDL05-03	41862	79.8	81.7	1.9	5		0.5	0.48	1.5	75	15	0.5	16	0.66	0.5	5	73	22	0.89	0.13	4
BDL05-03	41863	81.7	83	1.3	18		0.5	0.62	1.5	82	3	0.5	52	1.16	0.5	17	40	51	2.95	0.06	0.5
BDL05-03	41864	83	84.5	1.5	4		0.5	0.65	1.5	82	3	0.5	50	1.35	0.5	20	37	71	2.96	0.05	0.5
BDL05-03	41865	84.5	86	1.5	4		0.5	0.71	1.5	75	4	0.5	50	1.65	0.5	21	34	94	2.93	0.06	3
BDL05-03	41866	86	87.5	1.5	7		0.5	0.68	1.5	84	7	0.5	53	1.51	0.5	22	40	92	2.96	0.08	5
BDL05-03	41867	87.5	89	1.5	19		0.5	0.66	1.5	79	20	0.5	45	1.3	0.5	19	44	95	2.65	0.18	2
BDL05-03	41868	89	90	1	23		0.5	0.71	1.5	78	19	0.5	58	2.71	0.5	25	34	129	3.14	0.18	7
BDL05-03	41869	90	91	1	4	9	0.5	0.57	1.5	77	7	0.5	57	4.88	0.5	21	34	175	3.22	0.1	2
BDL05-03	41870	91	92.5	1.5	4		0.5	0.73	1.5	80	22	0.5	76	1.77	0.5	23	59	169	3.99	0.15	4
BDL05-03	41871	92.5	94	1.5	21		0.5	0.68	1.5	80	11	0.5	83	1.42	0.5	22	52	197	4.46	0.09	3
BDL05-03	41872	94	95.5	1.5	4		0.5	0.7	1.5	84	14	0.5	105	1.04	0.5	24	59	58	5.39	0.08	8
BDL05-03	41873	95.5	97	1.5	56		0.5	0.81	1.5	83	25	0.5	111	1.92	0.5	34	56	129	5.65	0.18	26
BDL05-03	41874	97	98.5	1.5	504		0.5	0.76	1.5	82	20	0.5	82	1.41	0.5	23	67	309	4.4	0.15	6
BDL05-03	41875	98.5	100	1.5	1296		2	0.81	1.5	82	18	0.5	101	1.76	0.5	47	58	368	5.26	0.19	2
BDL05-03	41876	100	101.5	1.5	113		0.5	0.75	1.5	83	26	0.5	97	1.56	0.5	26	68	186	5.04	0.21	3
BDL05-03	41877	101.5	103	1.5	64		1	0.69	1.5	82	7	0.5	92	1.49	0.5	21	69	381	4.97	0.08	0.5
BDL05-03	41878	103	104.5	1.5	41		0.5	0.75	1.5	86	6	0.5	86	1.77	0.5	23	67	359	4.75	0.06	0.5
BDL05-03	41879	104.5	106	1.5	30		0.5	0.7	1.5	81	11	0.5	81	1.51	0.5	22	74	335	4.51	0.09	0.5
BDL05-03	41880	106	107.5	1.5	28		0.5	0.68	1.5	76	11	0.5	61	1.25	0.5	23	63	262	3.54	0.14	3
BDL05-03	41881	107.5	108.7	1.2	52		0.5	0.68	1.5	64	7	0.5	59	1.49	0.5	24	43	305	3.35	0.14	10
BDL05-03	41882	108.7	109.7	1	42		0.5	0.57	1.5	59	21	0.5	17	0.54	0.5	4	90	51	0.96	0.29	7
BDL05-03	41883	109.7	111.5	1.8	29		0.5	0.57	1.5	79	5	0.5	59	1.04	0.5	22	49	303	3.38	0.08	0.5
BDL05-03	41884	111.5	113	1.5	35		0.5	0.6	1.5	76	15	0.5	64	0.93	0.5	22	53	309	3.63	0.2	2
BDL05-03	41885	113	114.5	1.5	26		0.5	0.69	1.5	76	37	0.5	77	1.24	0.5	28	48	218	4.16	0.46	3

Big Duck Lake 2005 DDH Assays

6 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-03	41886	114.5	116.2	1.7	80		2	0.77	1.5	74	23	0.5	67	1.67	0.5	30	59	331	3.57	0.41	8
BDL05-03	41887	116.2	116.8	0.6	381		5	0.67	1.5	82	45	0.5	116	0.29	0.5	25	88	1183	4.87	0.21	10
BDL05-03	41888	116.8	118.5	1.7	190		2	0.84	1.5	75	30	0.5	65	1.6	0.5	26	54	589	3.66	0.42	11
BDL05-03	41889	118.5	120	1.5	101	107	4	0.77	1.5	58	49	0.5	49	1.17	0.5	23	85	709	2.91	0.54	8
BDL05-03	41890	120	121	1	159		3	0.73	1.5	77	9	0.5	73	1.76	0.5	26	64	638	3.97	0.15	1
BDL05-03	41891	121	122	1	64		2	0.79	1.5	73	16	0.5	91	1.17	0.5	57	46	535	4.9	0.29	5
BDL05-03	41892	122	123.5	1.5	18		0.5	0.71	1.5	72	5	0.5	64	1.49	0.5	25	49	166	3.59	0.07	0.5
BDL05-03	41893	123.5	125	1.5	34		0.5	0.72	1.5	74	6	0.5	78	1.75	0.5	29	84	185	4.09	0.08	1
BDL05-03	41894	125	126.5	1.5	42		1	0.64	1.5	69	2	0.5	69	1.28	0.5	24	43	252	3.75	0.05	0.5
BDL05-03	41895	126.5	127.6	1.1	85		2	0.66	1.5	60	6	0.5	63	1.41	0.5	22	43	303	3.49	0.09	0.5
BDL05-03	41896	127.6	128.8	1.2	43		1	0.62	1.5	60	18	0.5	23	0.56	0.5	6	77	156	1.44	0.26	13
BDL05-03	41897	128.8	129.8	1	234		4	0.72	1.5	76	18	0.5	131	1.05	11	22	71	958	5.6	0.3	23
BDL05-03	41898	129.8	131	1.2	87		2	0.83	1.5	69	9	0.5	80	1.73	0.5	34	50	461	4.2	0.17	20
BDL05-03	41899	131	132	1	77		1	0.73	1.5	64	4	0.5	63	1.75	0.5	26	52	260	3.49	0.1	0.5
BDL05-03	41900	132	133	1	118		0.5	0.82	1.5	64	5	0.5	66	1.54	0.5	25	46	243	3.67	0.09	13
BDL05-03	501	133	134	1	81		0.5	1.08	1.5	49	9	0.5	80	1.72	0.5	30	83	158	4.16	0.07	18
BDL05-03	502	134	135	1	63		1	0.95	1.5	47	7	0.5	77	1.66	0.5	28	83	223	4.1	0.09	0.5
BDL05-03	503	135	136	1	70		0.5	0.86	1.5	42	5	0.5	55	2.31	0.5	26	55	258	3.02	0.07	3
BDL05-03	504	136	137	1	175		2	1.03	1.5	48	8	0.5	82	1.57	0.5	33	71	588	4.32	0.11	5
BDL05-03	505	137	138	1	207		1	1.01	1.5	44	5	0.5	59	1.81	0.5	28	64	441	3.38	0.1	2
BDL05-03	506	138	139	1	148		2	0.95	1.5	46	14	0.5	80	1.43	0.5	30	65	335	4.2	0.18	3
BDL05-03	507	139	140	1	28		0.5	0.84	1.5	47	4	0.5	60	1.38	0.5	23	47	147	3.38	0.07	2
BDL05-03	508	140	141	1	263		1	0.85	1.5	45	7	0.5	67	1.28	0.5	25	61	365	3.63	0.09	2
BDL05-03	509	141	142	1	128	165	2	1.03	1.5	55	5	0.5	84	1.28	14	36	66	596	4.54	0.07	11
BDL05-03	510	142	143	1	140		1	0.95	1.5	46	7	0.5	72	1.32	0.5	30	75	357	3.85	0.08	7
BDL05-03	511	143	144	1	26		0.5	0.93	1.5	57	4	0.5	70	1.52	0.5	30	64	140	3.85	0.07	1
BDL05-03	512	144	145	1	81		2	1.03	1.5	56	9	0.5	84	1.37	0.5	31	57	837	4.5	0.19	8
BDL05-03	513	145	146	1	13		0.5	0.83	1.5	46	20	0.5	35	0.78	0.5	13	76	188	1.92	0.25	8
BDL05-03	514	146	147	1	45		0.5	1.1	1.5	50	15	0.5	69	1.55	0.5	27	56	253	3.78	0.26	7
BDL05-03	515	147	148	1	11		2	0.62	1.5	44	4	0.5	37	0.92	0.5	21	37	125	2.24	0.06	1
BDL05-03	516	148	149	1	54		0.5	0.77	1.5	47	4	0.5	53	1.12	0.5	25	58	295	3.01	0.07	10
BDL05-03	517	149	150	1	41		0.5	0.69	1.5	50	15	0.5	57	1.02	0.5	22	39	165	3.29	0.19	4
BDL05-03	518	150	151	1	190		0.5	0.67	1.5	37	2	0.5	43	0.87	0.5	24	35	183	2.66	0.03	2
BDL05-03	519	151	152	1	971		1	0.73	1.5	37	14	0.5	56	0.89	0.5	28	40	416	3.3	0.16	5
BDL05-03	520	152	153	1	1067		2	0.72	1.5	41	22	0.5	53	1.02	0.5	37	48	461	3.39	0.22	8
BDL05-03	521	153	154	1	418		0.5	0.63	1.5	33	8	0.5	39	1.1	0.5	21	47	329	2.52	0.11	0.5
BDL05-03	522	154	155	1	180		0.5	0.65	1.5	33	18	0.5	38	1.09	0.5	18	41	146	2.47	0.17	0.5
BDL05-03	523	155	156	1	1276		3	0.83	1.5	42	46	0.5	65	1.22	0.5	30	54	410	3.93	0.63	11
BDL05-03	524	156	157.3	1.3	3767		4	0.87	1.5	46	49	0.5	89	2.12	0.5	33	50	551	5.03	1.25	13
BDL05-03	525	157.3	158.2	0.9	956		0.5	0.69	1.5	39	30	0.5	25	0.43	0.5	6	80	44	1.59	0.7	5
BDL05-03	526	158.2	159.7	1.5	423		1	0.82	1.5	43	57	0.5	55	1.33	0.5	20	64	320	3.25	0.76	9
BDL05-03	527	159.7	160.5	0.8	661		2	0.81	1.5	49	34	0.5	70	1.57	0.5	31	55	304	3.96	0.38	17
BDL05-03	528	160.5	161.5	1	1416		2	0.81	1.5	47	41	0.5	62	1.71	0.5	31	226	409	3.59	0.34	27
BDL05-03	529	161.5	162.5	1	2965	3500	4	0.73	1.5	50	16	0.5	73	1.92	0.5	29	207	266	3.95	0.17	20
BDL05-03	530	162.5	163.5	1	2207		4	0.76	1.5	50	50	0.5	79	1.59	0.5	24	68	609	4.62	0.57	20
BDL05-03	531	163.5	164.5	1	3072		5	0.75	1.5	54	51	0.5	94	1.63	0.5	32	75	799	5.24	0.63	14
BDL05-03	532	164.5	165.5	1	685		2	0.67	1.5	50	19	0.5	78	1.24	0.5	23	64	552	4.51	0.21	7

Big Duck Lake 2005 DDH Assays

7 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-03	533	165.5	166.5	1	582		3	0.93	4	57	5	0.5	107	1.35	0.5	46	58	1175	5.91	0.07	38
BDL05-03	534	166.5	167.5	1	117		0.5	0.86	1.5	49	4	0.5	87	1.31	0.5	28	45	203	4.81	0.06	26
BDL05-03	535	167.5	168.5	1	92		1	0.7	1.5	60	12	0.5	75	1.08	0.5	39	71	443	4.36	0.27	9
BDL05-03	536	168.5	170	1.5	140		1	0.83	1.5	58	8	0.5	76	1.16	0.5	25	57	373	4.34	0.18	17
BDL05-03	537	170	170.7	0.7	167		2	0.97	1.5	56	7	0.5	102	0.86	0.5	58	58	461	5.62	0.1	21
BDL05-03	538	170.7	171.7	1	219		2	0.83	1.5	49	10	0.5	76	1.25	0.5	131	70	441	4.29	0.15	10
BDL05-04	539	2.7	4	1.3	7		0.5	0.32	1.5	33	13	0.5	9	0.49	0.5	6	77	327	0.68	0.12	0.5
BDL05-04	540	4	5	1	14		0.5	0.28	1.5	28	10	0.5	9	0.38	0.5	4	65	284	0.64	0.1	0.5
BDL05-04	541	5	6.2	1.2	471		5	0.64	18	42	34	0.5	68	2.77	0.5	14	45	3076	4.02	0.51	16
BDL05-04	542	6.2	7	0.8	4		0.5	0.45	1.5	30	13	0.5	9	0.2	0.5	3	55	262	0.68	0.33	5
BDL05-04	543	7	8.5	1.5	10		0.5	0.52	6	34	12	0.5	8	0.26	0.5	3	57	235	0.72	0.3	10
BDL05-04	544	8.5	9.5	1	14		0.5	0.5	5	35	15	0.5	13	0.26	0.5	6	80	469	0.99	0.37	6
BDL05-04	545	9.5	10.5	1	29		0.5	0.32	1.5	33	12	0.5	13	0.32	0.5	5	76	706	0.99	0.23	0.5
BDL05-04	546	10.5	12	1.5	9		0.5	0.3	1.5	32	9	0.5	13	0.12	0.5	5	52	542	0.93	0.2	0.5
BDL05-04	547	12	13.5	1.5	32		1	0.42	3	35	13	0.5	21	0.44	0.5	10	70	1008	1.39	0.19	4
BDL05-04	548	13.5	15	1.5	35		0.5	0.25	1.5	31	14	0.5	9	0.68	0.5	5	63	764	0.7	0.08	0.5
BDL05-04	549	15	16.5	1.5	14		0.5	0.29	1.5	29	12	0.5	9	0.49	0.5	4	77	431	0.7	0.07	0.5
BDL05-04	550	16.5	17	0.5	64		0.5	0.22	1.5	28	11	0.5	6	0.61	0.5	4	65	1371	0.73	0.05	0.5
BDL05-04	551	17	18.5	1.5	19		0.5	0.31	1.5	30	13	0.5	6	0.47	0.5	5	72	571	0.75	0.13	0.5
BDL05-04	552	18.5	20	1.5	55		0.5	0.43	1.5	33	15	0.5	12	0.34	0.5	5	62	931	0.93	0.29	4
BDL05-04	553	20	21.5	1.5	39		0.5	0.3	1.5	29	10	0.5	9	0.48	0.5	5	59	812	0.73	0.13	1
BDL05-04	554	21.5	23	1.5	23		0.5	0.29	1.5	32	9	0.5	9	0.3	0.5	6	70	560	0.71	0.09	2
BDL05-04	555	23	24.5	1.5	35		0.5	0.37	1.5	31	6	0.5	13	0.7	0.5	6	68	886	1.02	0.06	5
BDL05-04	556	24.5	26	1.5	21		0.5	0.36	1.5	32	6	0.5	11	0.51	0.5	7	59	692	0.94	0.07	4
BDL05-04	557	26	27.5	1.5	8		0.5	0.46	1.5	33	6	0.5	12	0.86	0.5	5	67	204	0.94	0.11	8
BDL05-04	558	27.5	29	1.5	11		0.5	0.31	1.5	29	7	0.5	11	0.58	0.5	4	60	239	0.74	0.06	1
BDL05-04	559	29	29.5	0.5	32		5	0.7	6	35	9	0.5	39	1.38	0.5	9	54	439	2.03	0.12	29
BDL05-04	560	29.5	31	1.5	16		0.5	0.45	1.5	30	8	0.5	8	0.63	0.5	3	53	299	0.58	0.2	6
BDL05-04	561	31	32.5	1.5	7		0.5	0.54	1.5	32	11	0.5	12	1.09	0.5	3	47	84	0.8	0.26	13
BDL05-04	562	32.5	34	1.5	6		0.5	0.3	1.5	31	6	0.5	11	0.41	0.5	4	57	235	0.79	0.09	0.5
BDL05-04	563	34	35	1	25		0.5	0.46	1.5	30	12	0.5	15	2.14	0.5	4	70	456	0.93	0.16	10
BDL05-04	564	35	36.5	1.5	26		0.5	0.49	1.5	32	7	0.5	14	0.59	0.5	4	72	438	0.89	0.17	8
BDL05-04	565	36.5	37.5	1	34		0.5	0.51	1.5	35	7	0.5	23	0.46	0.5	6	70	349	1.28	0.25	10
BDL05-04	566	37.5	38.5	1	49		1	0.6	3	38	16	0.5	47	1.17	0.5	37	45	547	2.69	0.42	17
BDL05-04	567	38.5	39.5	1	15		0.5	0.41	1.5	32	9	0.5	14	0.16	0.5	8	69	561	1.03	0.23	4
BDL05-04	568	39.5	41	1.5	26		0.5	0.43	1.5	32	8	0.5	13	0.13	0.5	6	63	686	0.99	0.2	6
BDL05-04	569	41	42.5	1.5	141	164	0.5	0.39	1.5	34	14	0.5	16	0.34	0.5	7	70	638	1.03	0.15	4
BDL05-04	570	42.5	44	1.5	23		0.5	0.28	1.5	33	6	0.5	10	0.4	0.5	4	61	204	0.71	0.07	2
BDL05-04	571	44	45.5	1.5	16		0.5	0.28	1.5	36	8	0.5	10	0.52	0.5	4	68	246	0.72	0.08	0.5
BDL05-04	572	45.5	47.1	1.6	32		0.5	0.23	1.5	28	7	0.5	10	0.55	0.5	4	66	351	0.66	0.05	0.5
BDL05-04	573	47.1	48.5	1.4	32		0.5	0.54	1.5	35	13	0.5	23	0.54	0.5	8	101	230	1.3	0.28	12
BDL05-04	574	48.5	50	1.5	81		0.5	0.64	1.5	35	11	0.5	28	0.54	0.5	8	65	771	1.59	0.37	16
BDL05-04	575	50	51.5	1.5	20		0.5	0.32	1.5	33	10	0.5	17	0.57	0.5	6	73	351	1.16	0.09	1
BDL05-04	576	51.5	52.5	1	55		1	0.49	1.5	36	34	0.5	33	0.51	0.5	11	68	952	2.16	0.31	3
BDL05-04	577	52.5	53.5	1	27		0.5	0.37	1.5	35	14	0.5	56	0.68	0.5	8	86	432	1.74	0.13	1
BDL05-04	578	53.5	54.5	1	7		0.5	0.32	1.5	32	12	0.5	20	0.6	0.5	5	60	196	1.27	0.1	0.5
BDL05-04	579	54.5	55.5	1	37		0.5	0.39	1.5	36	13	0.5	27	0.53	0.5	10	77	636	1.58	0.2	1

Big Duck Lake 2005 DDH Assays

8 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-04	580	55.5	56.5	1	136		2	0.8	1.5	37	12	0.5	36	0.37	0.5	7	122	1179	1.98	0.42	24
BDL05-04	581	56.5	57.9	1.4	39		0.5	0.83	1.5	36	6	0.5	30	0.29	0.5	6	120	580	1.75	0.09	30
BDL05-05	582	6.5	8	1.5	10		0.5	0.71	1.5	39	16	0.5	64	1.28	0.5	31	80	390	3.64	0.21	4
BDL05-05	583	8	9	1	16		0.5	0.67	1.5	42	23	0.5	61	1.02	0.5	27	67	478	3.78	0.35	5
BDL05-05	584	9	10.5	1.5	33		0.5	0.83	1.5	44	12	0.5	86	1.18	0.5	37	70	531	4.81	0.21	9
BDL05-05	585	10.5	12	1.5	10		0.5	0.76	1.5	47	9	0.5	88	2.16	0.5	31	59	286	4.7	0.17	7
BDL05-05	586	12	13.5	1.5	4		0.5	0.73	1.5	44	12	0.5	78	1.24	0.5	29	66	136	4.4	0.22	3
BDL05-05	587	13.5	15	1.5	4		0.5	0.67	1.5	47	20	0.5	77	1.23	0.5	32	69	314	4.24	0.28	0.5
BDL05-05	588	15	16.5	1.5	6		0.5	0.59	1.5	46	18	0.5	65	1.01	0.5	32	56	415	3.8	0.24	0.5
BDL05-05	589	16.5	18	1.5	4	nd	0.5	0.69	1.5	49	40	0.5	70	0.97	0.5	30	61	176	4.08	0.49	2
BDL05-05	590	18	19	1	4		0.5	0.62	1.5	47	12	0.5	72	1.21	0.5	31	76	201	4.17	0.18	0.5
BDL05-05	591	19	20	1	4		0.5	0.64	1.5	46	16	0.5	67	1.05	0.5	28	82	295	3.81	0.22	2
BDL05-05	592	20	21	1	11		0.5	0.72	1.5	46	30	0.5	72	0.76	0.5	43	55	483	4.25	0.41	4
BDL05-05	593	21	22	1	9		0.5	0.82	1.5	49	29	0.5	80	1.07	0.5	37	65	396	4.4	0.42	10
BDL05-05	594	22	23	1	7		0.5	0.75	1.5	48	50	0.5	72	0.67	0.5	36	55	521	4.34	0.73	3
BDL05-05	595	23	24	1	12		0.5	0.66	1.5	48	20	0.5	72	0.95	0.5	37	78	479	4.09	0.38	3
BDL05-05	596	24	25	1	4		0.5	0.69	1.5	48	17	0.5	70	1.03	0.5	34	70	341	4.06	0.27	6
BDL05-05	597	25	26	1	4		0.5	0.58	1.5	46	9	0.5	62	1.01	0.5	36	63	233	3.81	0.14	0.5
BDL05-05	598	26	27	1	4		0.5	0.65	1.5	42	21	0.5	61	0.86	0.5	33	52	298	3.44	0.33	2
BDL05-05	599	27	28	1	22		0.5	0.67	1.5	45	22	0.5	67	1.08	0.5	37	56	598	3.95	0.37	3
BDL05-05	600	28	29.2	1.2	53		0.5	0.74	1.5	49	29	0.5	73	1.69	0.5	35	76	559	4.02	0.5	11
BDL05-05	601	29.2	30	0.8	64		5	0.43	7	38	3	0.5	79	2.82	0.5	15	131	755	2.19	0.06	5
BDL05-05	602	30	30.5	0.5	401		9	0.37	14	47	2	0.5	148	0.69	0.5	30	151	2016	4.38	0.04	0.5
BDL05-05	603	30.5	31	0.5	69		4	0.31	6	45	1	0.5	70	1.09	0.5	35	165	1346	3.43	0.03	0.5
BDL05-05	604	31	31.5	0.5	47		2	0.56	1.5	39	2	0.5	51	1.02	0.5	15	132	1181	2.99	0.04	9
BDL05-05	605	31.5	32	0.5	9		3	0.17	1.5	32	0.5	0.5	25	1.17	0.5	4	142	200	0.97	0.005	0.5
BDL05-05	606	32	32.5	0.5	4		0.5	0.09	1.5	37	0.5	0.5	14	0.62	0.5	4	183	116	0.64	0.005	0.5
BDL05-05	607	32.5	33	0.5	29		2	0.62	1.5	43	7	0.5	53	1.17	0.5	16	161	1390	3.25	0.1	16
BDL05-05	608	33	33.5	0.5	28		2	0.62	3	45	17	0.5	61	0.96	0.5	20	191	1519	3.38	0.2	14
BDL05-05	609	33.5	34	0.5	4		0.5	0.42	1.5	39	14	0.5	33	0.59	0.5	10	151	388	1.73	0.16	5
BDL05-05	610	34	34.5	0.5	67		2	0.54	3	43	12	0.5	49	0.78	0.5	12	187	1204	2.17	0.12	9
BDL05-05	611	34.5	35	0.5	22		1	0.6	1.5	44	57	0.5	39	0.84	0.5	12	189	496	2.22	0.43	8
BDL05-05	612	35	35.6	0.6	80		3	0.63	5	49	52	0.5	88	1.45	0.5	29	123	1291	3.8	0.48	13
BDL05-05	613	35.6	36.6	1	14		1	0.9	1.5	52	111	0.5	88	1.5	0.5	36	94	879	4.78	1.35	28
BDL05-05	614	36.6	37.5	0.9	7		1	0.76	1.5	47	49	0.5	76	1.73	0.5	30	82	778	4.16	0.68	13
BDL05-05	615	37.5	38.5	1	4		0.5	0.56	1.5	43	22	0.5	64	1.68	0.5	25	69	376	3.7	0.33	3
BDL05-05	616	38.5	40.5	2	9		0.5	0.69	1.5	53	18	0.5	54	1.73	0.5	24	70	336	3.24	0.25	0.5
BDL05-05	617	40.5	41	0.5	4		0.5	0.71	1.5	64	42	0.5	73	1.15	0.5	29	50	245	4.3	0.5	4
BDL05-05	618	41	42.5	1.5	6		0.5	0.64	1.5	60	17	0.5	72	1.91	0.5	30	68	288	4.1	0.21	0.5
BDL05-05	619	42.5	44	1.5	6		0.5	0.64	1.5	69	4	0.5	71	1.59	0.5	36	63	333	4.19	0.09	0.5
BDL05-05	620	44	45	1	4		0.5	0.83	1.5	73	14	0.5	87	2.07	0.5	39	91	452	4.82	0.21	0.5
BDL05-05	621	45	45.5	0.5	5		0.5	0.82	1.5	78	17	0.5	81	1.71	0.5	35	111	316	4.46	0.24	6
BDL05-05	622	45.5	46.5	1	80		0.5	0.83	1.5	77	36	0.5	85	1.93	0.5	37	81	637	4.93	0.48	5
BDL05-05	623	46.5	48	1.5	8		0.5	0.86	1.5	68	23	0.5	91	2.96	0.5	32	67	383	4.71	0.42	7
BDL05-05	624	48	50	2	9		0.5	0.82	1.5	68	23	0.5	79	1.69	0.5	32	75	323	4.5	0.28	0.5
BDL05-05	625	50	52	2	5		0.5	0.84	1.5	68	29	0.5	81	1.39	0.5	35	80	322	4.49	0.37	3
BDL05-05	626	52	54	2	4		0.5	0.76	1.5	60	21	0.5	73	1.51	0.5	29	64	194	4.2	0.24	2

Big Duck Lake 2005 DDH Assays

9 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-05	627	54	56	2	10		0.5	0.81	1.5	66	33	0.5	85	1.55	0.5	36	67	331	4.71	0.42	6
BDL05-05	628	56	58	2	4		0.5	0.84	1.5	74	41	0.5	88	1.76	0.5	37	87	279	4.85	0.44	8
BDL05-05	629	58	59	1	10	9	0.5	0.75	1.5	74	54	0.5	90	2.05	0.5	33	98	280	4.9	0.47	4
BDL05-05	630	59	60	1	6		0.5	0.79	1.5	80	79	0.5	90	2.57	0.5	37	75	205	4.95	0.65	10
BDL05-05	631	60	61	1	8		0.5	0.7	1.5	80	30	0.5	86	3.25	0.5	37	68	144	4.77	0.31	5
BDL05-05	632	61	62	1	7		0.5	0.86	1.5	81	28	0.5	94	2.12	0.5	39	81	247	5.19	0.29	7
BDL05-05	633	62	64	2	4		0.5	0.72	1.5	75	7	0.5	74	1.63	0.5	32	68	205	4.23	0.11	5
BDL05-05	634	64	66	2	4		0.5	0.8	1.5	73	7	0.5	79	1.8	0.5	33	67	328	4.5	0.14	5
BDL05-05	635	66	68	2	4		0.5	0.79	1.5	71	6	0.5	75	1.76	0.5	30	59	137	4.23	0.12	5
BDL05-05	636	68	70	2	12		0.5	0.73	1.5	59	17	0.5	64	1.48	0.5	30	65	258	3.78	0.23	5
BDL05-05	637	70	71	1	21		0.5	0.77	1.5	59	12	0.5	69	1.38	0.5	34	78	429	4.02	0.19	5
BDL05-05	638	71	73	2	23		0.5	0.77	1.5	60	14	0.5	75	1.66	0.5	32	62	279	4.28	0.19	3
BDL05-05	639	73	75	2	101		1	0.76	1.5	56	7	0.5	65	1.7	0.5	29	76	530	3.84	0.11	1
BDL05-05	640	75	77	2	4		0.5	0.76	1.5	65	25	0.5	73	1.84	0.5	37	71	285	4.14	0.23	5
BDL05-05	641	77	78	1	4		0.5	0.83	1.5	69	12	0.5	79	1.75	0.5	33	64	216	4.42	0.22	3
BDL05-05	642	78	79	1	4		0.5	0.87	1.5	59	26	0.5	58	2.17	0.5	26	69	182	3.45	0.46	5
BDL05-05	643	79	80	1	4		0.5	0.9	1.5	71	74	0.5	80	1.83	0.5	37	62	218	4.54	0.84	15
BDL05-05	644	80	81	1	4		0.5	0.82	1.5	68	62	0.5	89	4.26	0.5	30	58	199	4.56	0.89	16
BDL05-05	645	81	83	2	4		0.5	0.85	1.5	76	16	0.5	89	2.16	0.5	32	80	156	4.76	0.23	5
BDL05-05	646	91	92	1	9		0.5	0.79	1.5	65	19	0.5	80	2.35	0.5	33	80	264	4.4	0.32	4
BDL05-05	647	92	93.3	1.3	4		0.5	0.81	1.5	63	22	0.5	77	1.9	0.5	34	62	176	4.28	0.32	5
BDL05-05	648	93.3	94.7	1.4	51		2	0.79	1.5	73	7	0.5	156	2.13	0.5	121	58	1598	7.66	0.13	3
BDL05-05	649	94.7	95.2	0.5	10	5	0.5	0.73	1.5	61	13	0.5	72	1.88	0.5	31	55	311	4.1	0.13	5
BDL05-05	650	95.2	96.5	1.3	4		0.5	0.76	1.5	61	7	0.5	65	1.83	0.5	31	66	217	3.62	0.12	5
BDL05-05	651	96.5	98	1.5	4		0.5	0.77	1.5	60	13	0.5	68	2.24	0.5	32	66	206	3.93	0.15	2
BDL05-05	652	98	99.5	1.5	4		0.5	0.78	1.5	62	3	0.5	60	1.99	0.5	29	48	218	3.41	0.08	5
BDL05-05	653	99.5	101	1.5	4		0.5	0.73	1.5	56	2	0.5	45	2.31	0.5	18	59	113	2.61	0.05	5
BDL05-05	654	101	102.5	1.5	4		0.5	0.88	1.5	64	9	0.5	60	2.58	0.5	25	71	256	3.42	0.13	4
BDL05-05	655	102.5	104	1.5	4		0.5	0.95	1.5	63	14	0.5	57	3.64	0.5	15	69	88	3.11	0.36	9
BDL05-05	656	104	105.5	1.5	4		0.5	0.79	1.5	54	2	0.5	40	3.71	0.5	14	54	179	2.3	0.04	5
BDL05-05	657	105.5	107	1.5	4		0.5	0.86	1.5	59	3	0.5	54	2.39	0.5	23	54	212	3.25	0.07	6
BDL05-05	658	131.1	132	0.9	8		0.5	0.75	1.5	60	3	0.5	59	1.57	0.5	26	84	84	3.5	0.1	0.5
BDL05-05	659	132	133	1	7		0.5	0.81	1.5	57	9	0.5	66	1.72	0.5	44	92	209	3.91	0.15	1
BDL05-05	660	133	134	1	4		0.5	0.83	1.5	58	5	0.5	60	1.7	0.5	32	80	126	3.53	0.13	4
BDL05-05	661	144.3	145.3	1	24		0.5	0.9	1.5	62	8	0.5	130	2.19	0.5	32	984	142	5.11	0.2	0.5
BDL05-05	662	145.3	146	0.7	4		0.5	0.83	1.5	58	26	0.5	79	1.54	0.5	32	402	185	3.82	0.24	2
BDL05-05	663	146	147.2	1.2	11		0.5	0.95	1.5	58	27	0.5	97	3.91	0.5	30	381	164	4.66	0.27	6
BDL05-05	664	147.2	148.2	1	4		0.5	1.02	1.5	64	21	0.5	115	3.21	0.5	36	263	101	5.75	0.25	1
BDL05-05	665	164	165	1	4		0.5	0.92	1.5	66	31	0.5	96	1.92	0.5	35	138	96	5.27	0.29	0.5
BDL05-05	666	165	166	1	21		0.5	0.87	1.5	56	23	0.5	111	2.33	0.5	37	61	345	5.89	0.26	10
BDL05-05	667	166	167	1	21		1	0.76	1.5	49	45	0.5	91	2.72	0.5	41	129	65	4.77	0.46	11
BDL05-05	668	167	168	1	46		0.5	0.9	1.5	58	47	0.5	122	3.84	0.5	47	361	106	5.85	0.46	15
BDL05-05	669	168	169	1	5	5	0.5	0.97	1.5	64	34	0.5	114	2.5	0.5	38	145	148	6.01	0.34	5
BDL05-06	670	4	5.5	1.5	9		0.5	0.86	1.5	52	33	0.5	126	0.51	0.5	8	2131	182	2.26	0.44	5
BDL05-06	671	5.5	7	1.5	17		0.5	0.95	1.5	47	34	0.5	33	0.65	0.5	7	332	360	1.33	0.6	4
BDL05-06	672	7	8.5	1.5	65		2	1.19	1.5	54	70	0.5	54	1.32	0.5	15	424	646	2.31	1.29	27
BDL05-06	673	8.5	10	1.5	59		1	1.13	4	45	42	0.5	34	1.26	0.5	9	404	579	1.35	0.9	14

Big Duck Lake 2005 DDH Assays

10 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-06	674	10	11.5	1.5	278		4	1.23	1.5	68	69	0.5	70	1.3	0.5	19	577	1884	3.04	1.19	21
BDL05-06	675	11.5	13	1.5	186		2	1.21	4	81	81	0.5	71	1.08	0.5	20	419	975	3.2	1.34	25
BDL05-06	676	13	14.5	1.5	233		3	1.12	1.5	87	86	0.5	485	0.99	0.5	30	7267	1149	8.69	1.18	17
BDL05-06	677	14.5	16	1.5	319		2	1.17	1.5	71	104	0.5	90	1.21	0.5	23	361	813	4.19	1.33	19
BDL05-06	678	16	17.5	1.5	402		1	1.03	1.5	70	67	0.5	102	1.71	0.5	22	448	504	4.6	0.66	10
BDL05-06	679	17.5	19	1.5	458		2	1.09	1.5	74	65	0.5	89	1.49	0.5	22	524	847	4.13	0.95	10
BDL05-06	680	19	20.5	1.5	545		6	1.06	6	76	39	0.5	82	1.17	0.5	28	257	1858	3.55	0.83	20
BDL05-06	681	20.5	22	1.5	321		2	0.89	1.5	70	30	0.5	40	0.62	0.5	12	266	738	1.88	0.42	10
BDL05-06	682	22	23.5	1.5	196		1	0.97	7	86	44	0.5	345	0.77	0.5	33	5576	490	5.52	0.58	14
BDL05-06	683	23.5	25	1.5	45		0.5	0.93	4	68	38	0.5	62	0.48	0.5	17	674	233	2.09	0.83	11
BDL05-06	684	25	26.5	1.5	145		2	1.1	7	72	54	0.5	52	0.5	0.5	17	475	1199	2.3	1.28	19
BDL05-06	685	26.5	28	1.5	69		1	0.85	1.5	69	30	0.5	35	0.7	0.5	16	273	890	1.87	0.47	15
BDL05-06	686	28	29.5	1.5	57		0.5	0.92	1.5	72	57	0.5	99	0.82	0.5	24	656	648	4.21	0.43	17
BDL05-06	687	29.5	31	1.5	66		0.5	0.95	1.5	72	61	0.5	64	0.72	0.5	20	218	803	3.53	0.62	22
BDL05-06	688	31	32.5	1.5	41		0.5	0.98	1.5	74	65	0.5	80	0.61	0.5	26	324	730	4.06	0.65	22
BDL05-06	689	32.5	33.7	1.2	26	41	0.5	1.13	1.5	75	68	0.5	68	1.42	0.5	22	223	343	3.61	0.56	41
BDL05-06	690	33.7	35	1.3	4		0.5	0.7	3	64	54	0.5	39	0.28	0.5	8	414	40	1.42	0.36	4
BDL05-06	691	35	36.5	1.5	4		3	0.86	1.5	62	99	0.5	32	0.24	0.5	6	306	13	1.19	0.59	5
BDL05-06	692	36.5	38	1.5	4		0.5	1.07	1.5	81	48	0.5	81	2.46	0.5	26	637	52	3.27	0.37	53
BDL05-06	693	38	39.8	1.8	4		0.5	1.08	1.5	82	52	0.5	80	2.46	0.5	27	609	57	3.31	0.41	54
BDL05-06	694	39.8	41.5	1.7	4		0.5	0.71	1.5	71	39	0.5	39	0.29	0.5	7	400	148	1.22	0.24	5
BDL05-06	695	41.5	43	1.5	23		0.5	1	1.5	76	24	0.5	61	2.45	0.5	24	391	58	2.67	0.2	33
BDL05-06	696	43	44.5	1.5	18		0.5	0.72	1.5	69	70	0.5	31	0.45	0.5	6	368	90	1.16	0.34	6
BDL05-06	697	44.5	46	1.5	28		0.5	0.75	1.5	60	56	0.5	41	0.46	0.5	8	522	93	1.4	0.41	8
BDL05-06	698	46	47.5	1.5	4		0.5	0.88	1.5	59	89	0.5	29	0.34	0.5	7	312	11	1.2	0.82	12
BDL05-06	699	47.5	49	1.5	18		0.5	0.78	1.5	63	83	0.5	42	0.52	0.5	13	451	114	1.66	0.5	12
BDL05-06	700	49	50.5	1.5	4		0.5	0.71	1.5	65	72	0.5	34	0.33	0.5	9	422	10	1.17	0.51	5
BDL05-06	701	50.5	52	1.5	20		0.5	0.7	1.5	65	78	0.5	36	0.46	0.5	10	420	149	1.33	0.51	4
BDL05-06	702	52	53.5	1.5	4		0.5	0.75	1.5	70	79	0.5	28	0.53	0.5	3	343	39	1.01	0.48	4
BDL05-06	703	53.5	55	1.5	86		0.5	0.84	1.5	73	61	0.5	31	0.57	0.5	3	298	339	1.34	0.52	11
BDL05-06	704	55	56.5	1.5	8		0.5	0.81	1.5	70	73	0.5	80	0.69	0.5	4	1287	16	1.6	0.47	5
BDL05-06	705	56.5	58	1.5	9		0.5	0.88	1.5	69	70	0.5	35	1.29	0.5	6	341	21	1.49	0.59	10
BDL05-06	706	58	59.5	1.5	10		0.5	0.81	1.5	71	79	0.5	31	0.68	0.5	3	436	6	1	0.48	5
BDL05-06	707	59.5	61	1.5	4		0.5	0.74	1.5	65	65	0.5	22	0.52	0.5	3	246	3	0.95	0.53	6
BDL05-06	708	61	62.5	1.5	4		0.5	0.9	1.5	68	107	0.5	31	0.65	0.5	5	286	7	1.29	0.75	12
BDL05-06	709	62.5	64	1.5	4	6	0.5	1.04	1.5	63	123	0.5	46	1.45	0.5	13	178	58	2.35	0.97	20
BDL05-06	710	64	65.5	1.5	4		0.5	0.92	1.5	64	93	0.5	45	0.78	0.5	9	337	81	2.09	0.88	11
BDL05-06	711	65.5	67	1.5	62		0.5	0.73	1.5	60	90	0.5	28	0.53	0.5	4	364	337	1.05	0.53	4
BDL05-06	712	67	68.5	1.5	55		0.5	0.67	1.5	65	68	0.5	26	0.48	0.5	4	280	339	1.03	0.48	5
BDL05-06	713	68.5	70	1.5	47		0.5	0.8	3	72	101	0.5	30	0.49	0.5	8	325	279	1.2	0.68	7
BDL05-06	714	70	71.5	1.5	24		0.5	0.61	1.5	72	60	0.5	20	0.52	0.5	8	215	187	1.05	0.4	4
BDL05-06	715	71.5	73	1.5	16		0.5	0.7	1.5	78	72	0.5	30	0.69	0.5	7	223	203	1.47	0.52	7
BDL05-06	716	73	74	1	20		0.5	1.02	1.5	79	40	0.5	38	1.16	0.5	12	245	403	1.76	1.06	15
BDL05-06	717	blank			4		0.5	1.01	1.5	89	33	0.5	118	2.45	0.5	39	112	121	6.18	0.33	3
BDL05-06	718	74	75	1	16		1	0.8	1.5	73	41	0.5	30	0.41	0.5	8	244	475	1.38	0.71	6
BDL05-06	719	75	76	1	100		5	1.11	1.5	85	73	0.5	128	2.26	0.5	50	256	2737	6.57	1.3	24
BDL05-06	720	76	77	1	63		3	1.07	1.5	73	75	0.5	113	2.5	0.5	39	247	2236	5.68	0.84	15

Big Duck Lake 2005 DDH Assays

11 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-06	721	77	78	1	4		2	1.09	1.5	73	39	0.5	113	3.13	0.5	35	514	1126	5.2	0.46	19
BDL05-06	722	78	79	1	73		5	1.05	1.5	70	24	0.5	98	2.65	0.5	31	193	2008	5.21	0.32	18
BDL05-06	723	79	80	1	35		2	1.11	1.5	83	20	0.5	162	2.92	0.5	36	1159	1176	6.14	0.34	11
BDL05-06	724	80	81	1	91		4	1.15	1.5	77	25	0.5	119	3.43	0.5	27	245	1565	5.52	0.33	16
BDL05-06	725	81	82	1	75		5	1.16	1.5	91	56	0.5	157	2.76	0.5	47	568	2648	7.08	0.79	22
BDL05-06	726	82	83	1	42		4	1.15	1.5	89	56	0.5	160	2.21	0.5	58	221	2505	7.74	0.83	28
BDL05-06	727	83	84	1	26		2	1.07	1.5	92	20	0.5	168	2.36	0.5	34	444	1443	7.62	0.28	18
BDL05-06	728	84	85	1	13		1	0.94	3	81	9	0.5	138	1.83	0.5	30	227	457	6.67	0.21	9
BDL05-06	729	85	86	1	268		14	1.01	4	83	70	0.5	136	2.02	0.5	40	406	4130	6.95	0.49	16
BDL05-06	730	86	87	1	59		1	0.97	3	77	71	0.5	136	1.88	0.5	33	155	860	6.75	0.72	14
BDL05-06	731	87	88	1	174		4	0.98	1.5	69	52	0.5	118	1.81	0.5	30	244	1972	6.05	0.81	20
BDL05-06	732	88	89	1	154		4	1.07	5	82	79	0.5	181	3.05	0.5	33	157	2493	6.84	0.91	19
BDL05-06	733	89	90	1	200		4	1.07	5	81	92	0.5	172	1.7	0.5	95	276	1969	8.04	1.07	13
BDL05-06	734	90	91	1	38		3	1.07	4	83	105	0.5	131	1.9	0.5	37	179	1618	6.7	0.94	11
BDL05-06	735	91	92	1	21		2	1.01	1.5	80	86	0.5	120	1.79	0.5	39	381	1279	5.9	0.9	11
BDL05-06	736	92	93	1	26		1	0.93	1.5	79	45	0.5	98	1.99	0.5	31	110	1043	5.43	0.48	9
BDL05-06	737	93	94	1	31		2	1.1	1.5	83	54	0.5	137	2.14	0.5	53	291	2117	6.66	0.84	23
BDL05-06	738	94	95	1	51		3	1.14	1.5	78	109	0.5	108	2.36	0.5	40	171	2317	5.83	1	13
BDL05-06	739	95	96	1	157		6	1.1	4	90	85	0.5	162	2.73	0.5	73	319	3387	7.57	1.25	20
BDL05-06	740	96	97	1	386		13	1.06	3	82	65	0.5	139	1.68	0.5	71	399	8922	7.29	1.12	15
BDL05-06	741	97	98	1	58		2	0.99	1.5	71	94	0.5	115	1.72	0.5	42	208	2034	5.91	0.89	12
BDL05-06	742	98	99	1	21		1	0.97	1.5	71	106	0.5	118	1.77	0.5	38	130	1449	6.19	1.04	16
BDL05-06	743	99	99.6	0.6	138		2	1.02	1.5	75	149	0.5	132	2.71	0.5	38	189	1599	6.64	1.59	30
BDL05-06	744	99.6	100.6	1	4		0.5	0.63	1.5	64	141	0.5	28	0.8	0.5	7	242	288	1.41	0.39	3
BDL05-06	745	100.6	102	1.4	4		0.5	0.66	1.5	64	144	0.5	22	0.81	0.5	4	249	9	0.86	0.4	3
BDL05-06	746	102	102.1	0.1	4		0.5	0.59	1.5	69	102	0.5	43	0.86	0.5	4	584	29	1.16	0.34	2
BDL05-06	747	102.1	104.7	2.6	4		5	0.74	1.5	66	109	0.5	28	0.79	0.5	3	274	140	1.08	0.48	4
BDL05-06	748	104.7	105.2	0.5	606		12	0.98	22	102	51	0.5	231	4.28	140	21	132	5465	9.93	0.98	18
BDL05-06	749	105.2	106.2	1	4	8	0.5	1.02	1.5	67	57	0.5	34	1.3	0.5	5	338	547	1.64	0.88	16
BDL05-06	750	106.2	108	1.8	4		0.5	0.6	1.5	67	34	0.5	15	0.53	0.5	5	233	590	0.84	0.38	4
BDL05-06	751	108	109.5	1.5	4		0.5	0.65	1.5	55	35	0.5	31	0.48	0.5	8	433	616	1.18	0.42	5
BDL05-06	752	109.5	111	1.5	4		0.5	0.54	1.5	52	25	0.5	16	0.65	0.5	5	248	526	0.75	0.3	4
BDL05-06	753	111	112	1	16		0.5	0.91	1.5	56	68	0.5	30	0.79	0.5	4	319	172	1.32	0.78	12
BDL05-06	754	112	113	1	4		0.5	1.01	1.5	68	60	0.5	20	2.11	0.5	4	115	46	1.08	0.78	23
BDL05-06	755	113	114	1	4		0.5	0.84	1.5	59	50	0.5	17	3.44	0.5	3	164	18	0.86	0.51	20
BDL05-06	756	114	115.5	1.5	12		0.5	0.7	1.5	64	84	0.5	17	1.08	0.5	3	172	6	0.82	0.3	6
BDL05-06	757	115.5	117	1.5	4		0.5	0.64	1.5	73	143	0.5	33	0.77	0.5	3	449	25	0.99	0.39	2
BDL05-06	758	117	118.5	1.5	12		0.5	0.49	1.5	61	97	0.5	14	0.72	0.5	3	144	41	0.7	0.28	3
BDL05-06	759	118.5	120	1.5	679		0.5	0.6	1.5	64	134	0.5	29	0.64	0.5	4	405	637	1.18	0.4	3
BDL05-06	760	120	121.5	1.5	5		0.5	0.44	1.5	53	82	0.5	13	0.73	0.5	3	131	9	0.66	0.24	2
BDL05-06	761	121.5	123	1.5	11		0.5	0.6	1.5	66	105	0.5	21	0.63	0.5	3	249	16	0.87	0.38	5
BDL05-06	762	123	124.5	1.5	4		0.5	0.51	1.5	52	96	0.5	16	0.48	0.5	3	186	7	0.73	0.35	4
BDL05-06	763	124.5	126	1.5	56		0.5	0.55	1.5	53	102	0.5	16	0.62	0.5	3	199	157	0.77	0.32	3
BDL05-06	764	126	127.5	1.5	4		0.5	0.47	1.5	51	92	0.5	12	0.74	0.5	3	159	6	0.66	0.27	1
BDL05-06	765	127.5	129.5	2	4		0.5	0.58	1.5	54	112	0.5	20	0.8	0.5	3	252	11	0.8	0.36	2
BDL05-06	766	129.5	130.1	0.6	6		0.5	0.78	1.5	62	126	0.5	36	0.83	0.5	7	361	25	1.45	0.63	10
BDL05-06	767	130.1	131.1	1	59		1	1.08	1.5	79	137	0.5	110	2.34	0.5	37	289	1256	5.74	1.48	26

Big Duck Lake 2005 DDH Assays

12 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-06	768	131.1	132	0.9	40		0.5	0.94	1.5	72	62	0.5	79	2.16	0.5	33	157	878	4.43	0.83	10
BDL05-06	769	132	133	1	61	60	2	1.08	1.5	80	114	0.5	103	2.32	0.5	47	351	1670	5.46	1.22	21
BDL05-06	770	133	134	1	5		0.5	0.63	1.5	63	54	0.5	16	0.23	0.5	5	174	253	0.89	0.49	3
BDL05-06	771	134	135	1	7		0.5	1.02	1.5	61	167	0.5	36	0.19	0.5	5	428	40	1.33	1.12	16
BDL05-06	772	135	136	1	135		4	1.02	1.5	78	51	0.5	108	1.98	0.5	42	246	2625	5.81	0.71	14
BDL05-06	773	136	137.2	1.2	79		1	1.06	1.5	70	55	0.5	88	2.43	0.5	40	260	1405	4.74	0.87	16
BDL05-06	774	137.2	138.5	1.3	67		0.5	0.53	1.5	53	45	0.5	18	0.49	0.5	6	202	539	0.99	0.29	2
BDL05-06	775	138.5	140	1.5	132		2	0.93	1.5	63	75	0.5	88	1.78	0.5	31	509	1545	4.39	0.84	17
BDL05-06	776	140	141.5	1.5	42		0.5	0.92	1.5	59	12	0.5	69	2.29	0.5	25	173	643	3.81	0.19	9
BDL05-06	777	141.5	143	1.5	17		0.5	0.82	1.5	61	20	0.5	63	1.84	0.5	22	156	367	3.55	0.25	4
BDL05-06	778	143	144.5	1.5	27		0.5	0.85	1.5	62	22	0.5	74	2.04	0.5	25	203	278	3.86	0.3	4
BDL05-06	779	144.5	145.1	0.6	34		0.5	0.92	1.5	66	47	0.5	88	2.2	0.5	41	202	529	4.75	0.53	10
BDL05-06	780	145.1	146.5	1.4	1827		4	0.89	1.5	65	144	0.5	92	4.24	0.5	35	137	910	5.01	1.04	36
BDL05-06	781	146.5	148.1	1.6	29		0.5	0.56	1.5	53	57	0.5	23	0.56	0.5	6	287	265	0.98	0.34	1
BDL05-06	782	148.1	149	0.9	29		0.5	0.9	1.5	62	63	0.5	73	2.28	0.5	29	117	492	4.11	0.71	16
BDL05-06	783	149	150	1	63		2	0.94	1.5	63	50	0.5	87	1.83	0.5	35	132	1563	4.9	0.51	15
BDL05-06	784	150	151	1	68		2	0.92	1.5	67	49	0.5	85	1.82	0.5	35	126	1558	4.86	0.5	15
BDL05-06	785	151	152	1	98		3	0.85	1.5	66	80	0.5	79	2.34	0.5	31	204	2292	4.49	0.91	11
BDL05-06	786	152	153	1	70		2	0.97	1.5	70	123	0.5	95	1.8	0.5	37	159	1719	5.26	1.33	13
BDL05-06	787	blank			9		0.5	1	1.5	72	56	0.5	118	2.14	0.5	45	136	204	6.07	0.4	3
BDL05-06	788	153	154	1	77		3	1.01	1.5	72	89	0.5	108	1.9	0.5	57	158	2353	5.77	1.08	36
BDL05-07	789	3	4.2	1.2	64	68	1	1.08	1.5	61	73	0.5	84	2.06	0.5	44	158	190	4.5	0.4	11
BDL05-07	790	4.2	5.2	1	11		0.5	1.05	1.5	53	49	0.5	26	1.06	0.5	6	205	30	1.34	0.65	11
BDL05-07	791	11	12	1	73		2	1.07	4	59	30	0.5	48	1.51	0.5	10	181	384	2.54	0.6	28
BDL05-07	792	12	12.5	0.5	1954		100	0.96	1.5	81	4	0.5	149	1.88	0.5	12	99	24367	8.43	0.13	8
BDL05-07	793	12.5	13.5	1	75		2	1.11	1.5	69	38	0.5	88	1.88	0.5	26	150	445	4.8	0.71	27
BDL05-07	794	13.5	14.3	0.8	8		20	1.02	1.5	52	38	0.5	26	1.2	0.5	6	117	17	1.46	0.4	23
BDL05-07	795	14.3	15.3	1	101		2	1.09	1.5	71	51	0.5	115	1.51	0.5	39	106	559	6.14	0.54	17
BDL05-07	796	15.3	16.5	1.2	119		2	1.05	1.5	72	25	0.5	93	2.18	0.5	30	106	290	5.19	0.18	8
BDL05-07	797	16.5	17.9	1.4	367		3	1.09	4	73	106	0.5	114	1.26	0.5	41	156	547	6.09	0.83	23
BDL05-07	798	55	56	1	45		0.5	1.09	1.5	68	6	0.5	90	2.09	0.5	28	83	128	4.9	0.06	3
BDL05-07	799	56	56.8	0.8	94		0.5	1.04	4	74	18	0.5	107	2.07	0.5	29	120	348	5.72	0.22	6
BDL05-07	800	56.8	58	1.2	35		0.5	0.87	6	48	76	0.5	29	0.61	0.5	6	117	25	1.69	0.65	10
BDL05-07	801	64	65	1	110		0.5	1.09	19	47	101	0.5	35	1.46	0.5	7	177	198	1.85	0.82	7
BDL05-07	802	65	66	1	107		0.5	0.88	35	46	64	0.5	38	1.08	0.5	7	94	86	2.11	0.48	6
BDL05-07	803	66	67	1	9		0.5	0.98	1.5	44	114	0.5	31	1.37	0.5	8	168	6	1.73	0.75	6
BDL05-07	804	71	72	1	70		2	1.09	1.5	56	101	0.5	96	1.47	0.5	26	93	655	5	0.61	15
BDL05-07	805	72	73	1	283		3	1.07	1.5	61	57	0.5	113	1.24	11	47	116	1252	5.97	0.36	17
BDL05-07	806	73	74	1	71		2	1.04	1.5	60	86	0.5	105	1.07	0.5	73	121	724	5.42	0.35	8
BDL05-07	807	93	94	1	17		1	0.92	3	54	94	0.5	74	0.43	0.5	20	307	509	3.44	0.56	16
BDL05-07	808	94	95	1	27		0.5	1.06	4	61	144	0.5	67	0.69	0.5	20	150	302	3.78	1.08	17
BDL05-07	809	95	96	1	18	20	1	1.1	4	61	143	0.5	103	0.5	0.5	26	176	559	5.05	1.15	22
BDL05-07	810	96	97	1	30		0.5	1.12	4	57	155	0.5	60	0.36	0.5	16	168	546	3.42	1.1	34
BDL05-07	811	97	98	1	33		1	1.18	1.5	55	148	0.5	70	1.15	0.5	22	225	495	3.47	1.28	16
BDL05-07	812	98	99	1	106		2	1.15	13	59	120	0.5	92	1.26	0.5	26	157	620	4.73	1.29	34
BDL05-07	813	99	100	1	38		2	1.08	3	54	118	0.5	54	0.79	0.5	11	214	786	3.02	0.98	19
BDL05-07	814	124	125.3	1.3	4		0.5	0.59	1.5	49	86	0.5	28	0.87	0.5	6	161	56	1.48	0.38	2

Big Duck Lake 2005 DDH Assays

13 of 26

Hole #	Sample	From	To	Interval	Au PPB	ALS Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li
BDL05-07	815	125.3	126	0.7	18		0.5	0.8	1.5	55	87	0.5	48	0.6	0.5	12	235	509	2.58	0.85	8
BDL05-07	816	126	127	1	10		0.5	0.77	1.5	53	116	0.5	52	0.75	0.5	12	154	81	2.8	0.64	7
BDL05-07	817	127	128	1	29		0.5	0.83	1.5	54	150	0.5	57	0.74	0.5	10	203	542	3.13	0.65	6
BDL05-07	818	128	129	1	79		1	0.71	1.5	51	98	0.5	30	0.48	0.5	12	132	773	1.84	0.59	11
BDL05-07	819	129	130	1	4		0.5	0.58	1.5	47	32	0.5	18	0.69	0.5	5	148	43	0.93	0.2	4
BDL05-07	820	130	131	1	6		0.5	0.56	1.5	47	27	0.5	21	0.63	0.5	3	170	61	0.66	0.18	4
BDL05-07	821	131	132	1	53		2	0.66	7	44	40	0.5	29	0.73	0.5	8	157	300	1.4	0.43	4
BDL05-07	822	132	133	1	81		1	0.65	8	51	26	0.5	24	0.63	0.5	8	75	530	1.37	0.36	6
BDL05-07	823	133	134	1	65		0.5	0.65	7	49	27	0.5	21	0.33	0.5	5	75	440	0.98	0.41	5
BDL05-07	824	134	135	1	270		3	0.67	7	46	28	0.5	68	0.39	0.5	4	107	1212	1.9	0.49	5
BDL05-07	825	135	136	1	23		0.5	0.51	1.5	44	22	0.5	13	0.37	0.5	5	71	183	0.69	0.38	0.5
BDL05-07	826	142	143.1	1.1	8		0.5	0.54	1.5	44	14	0.5	10	1.02	0.5	4	77	168	0.52	0.13	0.5
BDL05-07	827	143.1	144	0.9	9		0.5	0.49	1.5	44	14	0.5	11	0.51	0.5	4	85	287	0.63	0.19	0.5
BDL05-07	828	144	145	1	28		0.5	0.78	1.5	43	19	0.5	20	0.58	0.5	4	89	508	1	0.44	7
BDL05-07	829	145	146	1	13	11	0.5	0.93	3	47	29	0.5	17	0.91	0.5	6	108	373	1	0.55	14
BDL05-07	830	146	147	1	18		0.5	0.82	1.5	46	26	0.5	18	0.49	0.5	5	108	419	0.97	0.61	8
BDL05-07	831	147	148	1	27		0.5	0.76	1.5	42	16	0.5	17	0.52	0.5	6	76	931	0.99	0.55	5
BDL05-07	832	148	149	1	14		0.5	0.72	1.5	46	14	0.5	11	0.49	0.5	6	99	337	0.7	0.49	4
BDL05-07	833	149	150	1	76		3	0.76	6	49	19	0.5	62	0.59	0.5	13	72	1714	2.03	0.53	7
BDL05-07	834	150	151	1	13		0.5	0.81	4	49	22	0.5	19	0.49	0.5	5	70	342	0.99	0.58	7
BDL05-07	835	151	152.2	1.2	18		0.5	0.81	3	49	24	0.5	18	0.4	0.5	7	83	572	1.09	0.65	9
BDL05-08	836	blank			4		0.5	0.94	1.5	63	27	0.5	101	1.99	0.5	36	69	153	5.49	0.27	2
		MAX	12007				100	1.25	35	179	167	0.5	669	8.53	140	131	7267	24367	9.99	1.59	73
		Ave	211.9				1.4	0.8	2.0	58.3	32.6	0.5	68.4	1.5	1.0	23.3	160.0	472.7	4.1	0.4	8.8
		Stdv	712.8				14.7	1.5	8.8	109.8	130.1	0.5	216.8	4.4	22.0	70.2	1366.6	4059.7	11.5	1.3	34.2

"4 = nd"

"0.5 = nd"

"1.5 = nd"

"0.5 = nd"

"0.5 = nd"

"4 = nd"

"4 = nd"

Big Duck Lake 2005 DDH Assays

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
41751	0.73	376	0.5	0.07	14	202	7	0.5	4	0.02	0.5	11	654	0.5	1	0.5	4	39
41752	0.81	506	0.5	0.16	39	752	8	0.5	4	0.04	0.5	14	2487	0.5	83	12	18	50
41753	0.62	395	0.5	0.12	17	620	8	0.5	4	0.03	0.5	14	1910	0.5	74	0.5	13	32
41754	0.65	471	0.5	0.12	20	676	10	0.5	4	0.04	0.5	25	2634	0.5	79	0.5	13	49
41755	0.68	388	0.5	0.11	20	661	7	0.5	4	0.03	0.5	14	2118	0.5	77	0.5	13	26
41756	0.86	532	0.5	0.16	24	684	7	0.5	4	0.04	0.5	14	2426	0.5	87	0.5	18	38
41757	0.64	377	0.5	0.06	6	203	6	0.5	4	0.02	0.5	10	672	0.5	1	0.5	3	36
41758	0.52	244	0.5	0.08	6	241	6	0.5	4	0.02	0.5	7	758	0.5	1	0.5	3	19
41759	0.83	642	0.5	0.14	22	592	15	0.5	4	0.04	0.5	26	3340	0.5	67	0.5	15	108
41760	0.82	683	0.5	0.15	23	608	12	0.5	4	0.04	0.5	22	3402	0.5	75	0.5	18	84
41761	0.54	233	0.5	0.07	5	207	8	0.5	4	0.02	0.5	6	489	0.5	1	0.5	3	29
41762	0.86	720	0.5	0.16	21	623	10	0.5	4	0.04	0.5	15	3007	0.5	91	0.5	19	70
41763	1	779	0.5	0.1	16	635	14	0.5	4	0.03	0.5	18	4548	0.5	73	0.5	18	156
41764	0.95	650	1	0.09	12	760	14	0.5	4	0.03	0.5	12	4015	0.5	60	0.5	19	102
41765	1.05	629	0.5	0.07	26	477	27	0.5	4	0.02	14	14	2072	0.5	72	0.5	11	2791
41766	1.12	1348	2	0.06	24	519	13	0.5	4	0.03	0.5	25	3354	0.5	75	0.5	14	151
41767	0.93	1048	2	0.11	22	543	15	0.5	4	0.03	0.5	35	3708	0.5	58	15	17	1467
41768	1.07	1088	4	0.07	22	364	19	0.5	4	0.05	0.5	38	3021	0.5	51	0.5	15	220
41769	1.12	980	2	0.13	35	507	28	0.5	4	0.02	0.5	23	3340	0.5	79	0.5	16	168
41770	0.97	695	0.5	0.13	16	629	14	0.5	4	0.02	0.5	17	2339	0.5	42	0.5	16	78
41771	0.68	468	2	0.17	8	1213	12	0.5	4	0.02	0.5	24	2150	0.5	46	0.5	25	98
41772	0.61	307	2	0.07	5	214	7	0.5	4	0.01	0.5	7	535	0.5	1	0.5	5	125
41773	0.65	447	0.5	0.15	7	1313	9	0.5	4	0.03	0.5	39	2762	0.5	31	0.5	25	34
41774	0.85	534	1	0.1	9	1217	9	0.5	4	0.03	0.5	27	3099	0.5	46	0.5	21	140
41775	0.8	581	2	0.05	11	234	10	0.5	4	0.02	0.5	18	735	0.5	10	0.5	8	9924
41776	0.82	541	0.5	0.16	26	427	8	0.5	4	0.04	0.5	18	2278	0.5	80	0.5	14	70
41777	0.81	489	0.5	0.14	24	432	7	0.5	4	0.03	0.5	13	2190	0.5	78	0.5	13	45
41778	0.88	558	0.5	0.16	26	457	8	0.5	4	0.04	0.5	14	2458	0.5	90	0.5	15	50
41779	0.84	543	0.5	0.19	25	427	8	0.5	4	0.03	0.5	21	2072	0.5	72	0.5	13	49
41780	0.98	634	2	0.14	22	674	11	0.5	4	0.03	0.5	18	2784	0.5	65	13	20	52
41781	0.84	495	0.5	0.17	23	427	9	0.5	4	0.03	0.5	9	2075	0.5	83	0.5	13	48
41782	0.97	676	0.5	0.08	23	511	9	0.5	4	0.06	0.5	20	3573	0.5	72	16	17	49
41783	0.85	646	0.5	0.12	9	1196	10	0.5	4	0.03	0.5	25	3814	0.5	44	0.5	29	77
41784	0.73	609	0.5	0.08	8	1295	11	0.5	4	0.03	0.5	29	3326	0.5	34	0.5	27	50
41785	0.69	459	0.5	0.06	12	981	9	0.5	4	0.03	0.5	60	2943	0.5	60	0.5	25	39
41786	0.87	483	0.5	0.09	29	450	11	0.5	4	0.03	0.5	12	3426	0.5	93	13	22	57
41787	0.94	695	0.5	0.15	24	470	9	0.5	4	0.03	0.5	13	3539	0.5	79	0.5	18	58
41788	0.92	751	0.5	0.18	26	432	9	0.5	4	0.03	0.5	14	3208	0.5	91	0.5	18	64
41789	0.84	618	0.5	0.18	23	427	9	0.5	4	0.03	0.5	7	3057	0.5	78	0.5	17	61
41790	0.96	801	4	0.14	27	453	10	0.5	4	0.04	0.5	19	4172	0.5	91	0.5	23	65
41791	1.01	827	0.5	0.19	27	436	11	0.5	4	0.04	0.5	12	3927	0.5	90	0.5	23	83
41792	0.99	855	0.5	0.16	29	435	8	0.5	4	0.04	0.5	16	4174	0.5	103	0.5	21	80
41793	0.96	776	0.5	0.14	31	432	11	0.5	4	0.04	0.5	12	4291	0.5	96	0.5	23	68
41794	0.9	636	0.5	0.19	30	430	9	0.5	4	0.03	0.5	10	3861	0.5	94	0.5	20	59
41795	0.96	628	0.5	0.18	31	448	11	0.5	4	0.03	0.5	9	3345	0.5	90	0.5	18	63
41796	0.95	632	0.5	0.16	27	447	10	0.5	4	0.04	0.5	12	3307	0.5	87	0.5	18	73
41797	0.93	633	0.5	0.11	31	453	11	0.5	4	0.04	0.5	18	4341	0.5	84	28	20	73

Big Duck Lake 2005 DDH Assays

15 of 26

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
41798	0.99	717	0.5	0.09	30	383	10	0.5	4	0.06	0.5	23	4291	0.5	93	35	19	88
41799	0.93	604	0.5	0.11	40	404	11	0.5	4	0.05	0.5	19	4105	0.5	76	32	17	59
41800	0.9	637	0.5	0.21	22	387	8	0.5	4	0.04	0.5	20	2526	0.5	77	0.5	16	48
41801	0.9	579	0.5	0.2	42	634	9	0.5	4	0.03	0.5	20	2144	0.5	80	0.5	14	40
41802	1.07	716	0.5	0.18	33	450	12	0.5	4	0.04	0.5	17	3203	0.5	88	0.5	18	71
41803	0.91	625	0.5	0.15	24	356	11	0.5	4	0.02	0.5	25	3175	0.5	62	0.5	15	64
41804	1.01	756	4	0.14	24	398	8	0.5	4	0.03	0.5	39	3681	0.5	64	0.5	17	94
41805	0.89	524	17	0.06	10	1016	12	0.5	4	0.04	0.5	26	4246	0.5	44	0.5	23	89
41806	0.96	621	5	0.11	12	984	15	0.5	4	0.03	0.5	41	5005	0.5	58	0.5	29	98
41807	0.88	471	0.5	0.12	14	893	13	0.5	4	0.02	0.5	25	3747	0.5	59	23	27	45
41808	0.87	518	0.5	0.13	13	898	9	0.5	4	0.03	0.5	18	3545	0.5	60	0.5	25	61
41809	0.82	571	0.5	0.1	13	947	10	0.5	4	0.03	0.5	13	4749	0.5	75	0.5	26	70
41810	0.79	596	0.5	0.11	13	983	9	0.5	4	0.04	0.5	18	4937	0.5	76	0.5	25	63
41811	0.82	572	0.5	0.13	17	908	10	0.5	4	0.05	0.5	31	4839	0.5	65	18	26	75
41812	0.72	455	0.5	0.06	14	821	11	0.5	4	0.03	0.5	30	4603	0.5	67	0.5	19	77
41813	0.81	606	0.5	0.07	18	918	10	0.5	4	0.05	0.5	41	5205	0.5	50	0.5	23	58
41814	0.96	630	0.5	0.09	19	867	11	0.5	4	0.04	0.5	33	5091	0.5	66	0.5	27	82
41815	0.89	656	0.5	0.11	16	936	10	0.5	4	0.04	0.5	31	4931	0.5	58	0.5	26	81
41816	0.91	549	0.5	0.12	20	846	10	0.5	4	0.03	0.5	18	4939	0.5	86	11	26	61
41817	0.92	538	0.5	0.07	16	686	9	0.5	4	0.04	0.5	22	3872	0.5	61	0.5	21	66
41818	0.78	367	0.5	0.05	17	588	9	0.5	4	0.02	0.5	17	3162	0.5	45	12	16	48
41819	0.41	156	0.5	0.05	5	202	6	0.5	4	0.02	0.5	10	734	0.5	10	0.5	4	14
41820	0.91	617	0.5	0.06	21	651	11	0.5	4	0.03	0.5	40	3660	0.5	53	17	20	48
41821	0.64	224	3	0.06	5	204	6	0.5	4	0.02	0.5	11	582	0.5	1	0.5	3	23
41822	0.45	140	0.5	0.07	5	202	5	0.5	4	0.01	0.5	8	489	0.5	1	0.5	3	17
41823	0.57	194	0.5	0.07	5	205	8	0.5	4	0.02	0.5	15	482	0.5	1	0.5	3	17
41824	0.72	633	1	0.06	3	162	9	0.5	4	0.02	0.5	28	433	0.5	1	0.5	5	183
41825	0.72	323	1	0.06	3	173	6	0.5	4	0.02	0.5	10	441	0.5	1	0.5	3	33
41826	0.62	241	6	0.05	3	157	7	0.5	4	0.01	0.5	12	458	0.5	1	0.5	3	45
41827	0.55	195	10	0.07	4	182	6	0.5	4	0.01	0.5	13	490	0.5	1	0.5	3	26
41828	0.51	153	1	0.06	5	218	5	0.5	4	0.01	0.5	8	711	0.5	3	0.5	2	19
41829	0.94	517	0.5	0.08	25	661	13	0.5	4	0.03	0.5	19	4069	0.5	66	0.5	21	100
41830	0.5	201	2	0.06	12	228	12	0.5	4	0.01	0.5	11	1207	0.5	20	17	6	31
41831	0.45	174	4	0.07	4	176	17	0.5	4	0.02	0.5	9	544	0.5	1	0.5	2	35
41832	1.02	706	3	0.05	28	738	18	0.5	4	0.04	0.5	17	4582	0.5	70	0.5	21	84
41833	0.98	725	0.5	0.15	29	414	12	0.5	4	0.04	0.5	23	3988	0.5	73	0.5	18	107
41834	0.71	379	0.5	0.08	6	315	8	0.5	4	0.02	0.5	14	819	0.5	2	0.5	5	39
41835	0.58	247	0.5	0.07	5	242	6	0.5	4	0.02	0.5	10	481	0.5	1	0.5	4	77
41836	0.42	213	0.5	0.06	4	254	7	0.5	4	0.01	0.5	11	444	0.5	1	0.5	4	34
41837	0.52	291	0.5	0.09	6	294	8	0.5	4	0.02	0.5	14	531	0.5	1	0.5	4	45
41838	0.58	264	0.5	0.06	5	278	7	0.5	4	0.02	0.5	12	543	0.5	1	0.5	4	43
41839	0.52	205	0.5	0.07	6	284	6	0.5	4	0.02	0.5	12	520	0.5	1	0.5	4	32
41840	0.54	196	6	0.05	6	269	7	0.5	4	0.01	0.5	11	527	0.5	1	0.5	4	62
41841	0.63	217	6	0.05	6	218	8	0.5	4	0.02	0.5	12	484	0.5	1	0.5	3	74
41842	0.52	214	7	0.08	6	242	6	0.5	4	0.01	0.5	18	471	0.5	1	0.5	3	31
41843	0.58	215	5	0.06	6	270	7	0.5	4	0.02	0.5	13	541	0.5	1	0.5	4	47
41844	0.53	205	5	0.05	5	263	4	0.5	4	0.01	0.5	10	434	0.5	1	0.5	3	25

Big Duck Lake 2005 DDH Assays

16 of 26

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
41845	0.5	211	5	0.04	6	237	5	0.5	4	0.01	0.5	11	512	0.5	1	0.5	4	41
41846	0.44	210	7	0.05	6	266	4	0.5	4	0.01	0.5	8	515	0.5	1	0.5	4	30
41847	0.47	185	5	0.04	6	241	4	0.5	4	0.02	0.5	17	500	0.5	1	0.5	4	27
41848	0.48	230	7	0.04	6	270	4	0.5	4	0.01	0.5	19	490	0.5	1	0.5	4	32
41849	0.59	177	4	0.04	6	245	4	0.5	4	0.01	0.5	6	394	0.5	1	0.5	3	33
41850	0.86	280	6	0.04	6	259	5	0.5	4	0.02	0.5	4	505	0.5	4	0.5	6	39
41901	1.07	759	3	0.06	26	325	7	0.5	4	0.03	0.5	28	3457	0.5	65	0.5	9	108
41902	0.83	436	3	0.08	25	294	5	0.5	4	0.03	0.5	16	2818	0.5	54	0.5	10	48
41903	0.36	131	5	0.04	6	179	5	0.5	4	0.01	0.5	8	650	0.5	4	0.5	3	9
41904	0.94	513	2	0.11	29	358	6	0.5	4	0.03	0.5	21	3730	0.5	78	0.5	13	34
41905	0.93	603	2	0.08	31	360	11	0.5	4	0.02	0.5	18	4031	0.5	93	0.5	13	71
41906	0.94	459	2	0.12	26	347	7	0.5	4	0.03	0.5	14	3605	0.5	62	0.5	14	32
41907	0.91	507	2	0.13	33	399	13	0.5	4	0.03	0.5	10	3728	0.5	78	0.5	16	106
41908	0.95	444	3	0.1	26	339	9	0.5	4	0.03	0.5	12	3060	0.5	57	0.5	14	107
41909	0.51	191	6	0.09	6	206	6	0.5	4	0.01	0.5	6	590	0.5	1	0.5	3	44
41910	0.86	392	4	0.07	24	331	8	0.5	4	0.02	0.5	18	2592	0.5	40	0.5	10	121
41911	0.79	397	3	0.16	23	320	7	0.5	4	0.02	0.5	25	1767	0.5	42	0.5	10	25
41912	0.86	445	4	0.19	28	349	7	0.5	4	0.04	0.5	12	1704	0.5	54	0.5	11	76
41913	0.7	363	4	0.12	21	247	7	0.5	4	0.03	0.5	11	1322	0.5	42	0.5	8	84
41914	0.77	384	2	0.14	18	308	4	0.5	4	0.03	0.5	7	2156	0.5	48	0.5	11	48
41915	0.71	409	2	0.13	22	306	7	0.5	4	0.02	0.5	20	2084	0.5	42	0.5	10	24
41916	0.8	523	3	0.2	22	294	5	0.5	4	0.03	0.5	29	1879	0.5	42	0.5	11	36
41917	0.7	376	3	0.13	13	535	8	0.5	4	0.03	0.5	7	2372	0.5	106	0.5	17	23
41918	0.85	406	3	0.12	14	572	9	0.5	4	0.04	0.5	9	2694	0.5	103	0.5	16	26
41919	0.84	490	3	0.13	13	581	9	0.5	4	0.04	0.5	11	2985	0.5	96	0.5	18	27
41920	0.83	466	9	0.14	14	727	10	0.5	4	0.04	0.5	15	3884	0.5	145	0.5	25	34
41921	0.65	589	2	0.06	13	566	9	0.5	4	0.05	0.5	41	3646	0.5	165	13	20	33
41922	0.67	483	3	0.07	15	612	10	0.5	4	0.05	0.5	20	5053	0.5	156	15	24	35
41923	0.74	496	4	0.06	16	528	11	0.5	4	0.05	0.5	28	3927	0.5	122	21	18	41
41924	0.65	453	4	0.12	13	596	10	0.5	4	0.03	0.5	12	3672	0.5	113	0.5	20	29
41925	0.67	446	2	0.1	11	531	7	0.5	4	0.03	0.5	9	3066	0.5	106	0.5	18	31
41926	0.69	466	3	0.12	13	553	10	0.5	4	0.03	0.5	17	3040	0.5	84	0.5	16	29
41927	0.69	447	2	0.09	11	501	10	0.5	4	0.03	0.5	22	3222	0.5	66	0.5	16	31
41928	0.87	485	2	0.13	31	907	13	0.5	4	0.03	0.5	10	2947	0.5	69	0.5	15	38
41929	0.83	526	2	0.13	12	580	7	0.5	4	0.03	0.5	13	2711	0.5	64	0.5	18	37
41930	0.85	1066	7	0.09	9	342	14	0.5	4	0.02	0.5	40	2142	0.5	51	0.5	13	34
41931	0.86	1096	3	0.08	12	448	15	0.5	4	0.03	0.5	43	2631	0.5	59	13	16	57
41932	0.71	338	3	0.12	11	525	6	0.5	4	0.03	0.5	8	2082	0.5	99	0.5	14	25
41933	0.81	405	3	0.11	20	597	8	0.5	4	0.03	0.5	10	3491	0.5	79	0.5	17	27
41934	0.81	381	4	0.11	21	452	20	0.5	4	0.03	0.5	9	3045	0.5	71	0.5	14	79
41935	0.89	545	4	0.11	23	641	10	0.5	4	0.03	0.5	11	2650	0.5	34	0.5	18	35
41936	0.97	450	5	0.14	25	618	5	0.5	4	0.03	0.5	16	3994	0.5	53	0.5	17	22
41937	1.28	2314	0.5	0.02	6	0.5	6	0.5	4	0.005	0.5	72	349	0.5	135	0.5	9	10
41938	0.92	476	4	0.14	27	465	5	0.5	4	0.03	0.5	15	3787	0.5	56	0.5	17	20
41939	1	533	5	0.14	27	521	7	0.5	4	0.03	0.5	13	4218	0.5	87	0.5	18	34
41940	1.13	1377	24	0.03	12	284	10	0.5	4	0.04	0.5	29	1636	0.5	67	0.5	11	50
41941	1.01	633	4	0.05	24	501	8	0.5	4	0.03	0.5	24	3841	0.5	97	0.5	14	30

Big Duck Lake 2005 DDH Assays

17 of 26

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
41942	0.98	610	13	0.07	18	429	8	0.5	4	0.04	0.5	21	3325	0.5	81	0.5	23	174
41943	1.12	788	314	0.06	16	467	13	0.5	4	0.04	79	17	3278	0.5	85	28	18	150
41944	1.08	688	1120	0.05	32	319	16	0.5	4	0.05	310	15	1513	0.5	45	36	11	142
41945	0.93	479	27	0.1	20	545	8	0.5	4	0.02	0.5	10	3846	0.5	103	20	19	31
41946	1.05	627	17	0.06	15	633	9	0.5	4	0.05	0.5	16	4491	0.5	116	0.5	26	32
41947	1.11	965	22	0.03	26	400	15	0.5	4	0.04	0.5	54	2405	0.5	76	11	16	38
41948	0.9	540	12	0.04	23	306	8	0.5	4	0.04	0.5	20	2180	0.5	62	12	10	21
41949	0.87	398	3	0.12	38	334	6	0.5	4	0.03	0.5	15	2547	0.5	36	0.5	10	16
41950	0.79	326	4	0.12	33	346	7	0.5	4	0.02	0.5	14	1713	0.5	25	0.5	9	13
41951	0.88	398	2	0.13	38	246	13	0.5	4	0.03	0.5	27	2302	0.5	24	0.5	8	29
41952	1	510	17	0.04	43	191	131	0.5	4	0.04	0.5	12	1957	0.5	43	0.5	7	191
41953	1.01	500	5	0.12	48	201	32	0.5	4	0.03	0.5	19	2623	0.5	32	0.5	7	53
41954	0.39	152	7	0.05	6	218	5	0.5	4	0.01	0.5	6	495	0.5	1	0.5	3	24
41955	0.96	390	7	0.08	15	389	20	0.5	4	0.02	0.5	14	1154	0.5	15	0.5	10	132
41956	1.33	568	3	0.03	36	367	20	0.5	4	0.05	0.5	5	2742	0.5	116	0.5	23	116
41957	0.63	176	5	0.05	12	408	9	0.5	4	0.02	0.5	6	923	0.5	9	0.5	5	27
41958	0.43	145	7	0.07	6	221	5	0.5	4	0.01	0.5	14	482	0.5	1	0.5	3	11
41959	0.42	153	5	0.04	8	253	4	0.5	4	0.01	0.5	7	515	0.5	1	0.5	3	15
41960	0.92	292	4	0.1	39	288	8	0.5	4	0.03	0.5	11	1277	0.5	47	0.5	7	52
41961	0.78	353	3	0.12	34	299	6	0.5	4	0.02	0.5	13	1133	0.5	45	0.5	9	65
41962	0.55	233	6	0.05	9	279	5	0.5	4	0.01	0.5	6	731	0.5	3	0.5	4	47
41963	0.76	300	5	0.06	14	251	7	0.5	4	0.01	0.5	10	988	0.5	8	0.5	5	116
41964	0.68	336	6	0.05	16	351	11	0.5	4	0.01	0.5	10	940	0.5	7	0.5	5	45
41965	0.83	636	3	0.15	31	426	11	0.5	4	0.01	0.5	34	2053	0.5	51	0.5	13	79
41966	0.64	379	6	0.06	8	491	7	0.5	4	0.01	0.5	11	1250	0.5	9	0.5	6	45
41967	0.64	330	7	0.05	8	311	7	0.5	4	0.01	0.5	7	732	0.5	2	0.5	5	52
41968	0.51	278	7	0.05	6	276	8	0.5	4	0.01	0.5	7	566	0.5	1	0.5	4	34
41969	0.76	425	6	0.06	8	424	6	0.5	4	0.01	0.5	10	974	0.5	3	0.5	5	51
41970	0.85	365	5	0.06	10	622	11	0.5	4	0.02	0.5	9	1626	0.5	15	0.5	7	43
41971	0.95	599	4	0.13	24	427	12	0.5	4	0.03	0.5	17	2007	0.5	59	0.5	13	180
41972	0.88	472	3	0.14	24	429	18	0.5	4	0.02	0.5	32	2004	0.5	60	0.5	12	87
41973	0.79	362	4	0.05	9	401	7	0.5	4	0.02	0.5	9	1110	0.5	7	0.5	5	55
41974	0.64	287	7	0.06	7	321	6	0.5	4	0.01	0.5	9	798	0.5	3	0.5	3	50
41975	0.53	239	7	0.06	8	294	8	0.5	4	0.01	0.5	6	844	0.5	10	0.5	4	46
41976	0.84	568	4	0.14	23	435	6	0.5	4	0.03	0.5	17	2150	0.5	66	0.5	12	51
41977	0.69	464	5	0.15	25	826	8	0.5	4	0.03	0.5	13	2016	0.5	94	0.5	13	36
41978	0.6	465	4	0.26	12	1078	9	0.5	4	0.02	0.5	37	1910	0.5	62	0.5	21	46
41979	0.54	386	6	0.18	10	954	10	0.5	4	0.02	0.5	32	2025	0.5	43	0.5	20	43
41980	0.57	486	4	0.16	9	990	7	0.5	4	0.02	0.5	24	1967	0.5	49	0.5	19	34
41981	0.46	377	4	0.13	9	910	7	0.5	4	0.02	0.5	29	2442	0.5	41	0.5	16	28
41982	0.42	350	3	0.17	9	941	6	0.5	4	0.02	0.5	27	2010	0.5	45	0.5	15	28
41983	0.41	318	3	0.14	10	926	6	0.5	4	0.02	0.5	21	2048	0.5	55	0.5	16	24
41984	0.34	219	5	0.05	13	768	6	0.5	4	0.02	0.5	29	2809	0.5	47	0.5	12	27
41985	0.61	424	4	0.19	16	867	7	0.5	4	0.02	0.5	26	1795	0.5	77	0.5	17	44
41986	0.56	361	5	0.14	18	1001	8	0.5	4	0.02	0.5	17	1578	0.5	80	0.5	13	40
41987	0.74	369	7	0.14	19	917	10	0.5	4	0.03	0.5	18	1451	0.5	56	0.5	13	91
41988	0.78	436	5	0.2	21	1010	10	0.5	4	0.02	0.5	31	1666	0.5	64	0.5	15	41

Big Duck Lake 2005 DDH Assays

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
41989	0.87	482	6	0.17	22	1025	10	0.5	4	0.02	0.5	23	1902	0.5	65	0.5	17	41
41990	1	480	5	0.15	21	940	11	0.5	4	0.02	0.5	13	1946	0.5	87	0.5	14	60
41991	0.95	380	5	0.03	65	479	23	0.5	4	0.01	80	4	1031	0.5	36	0.5	11	69
41992	1.03	464	4	0.08	17	880	10	0.5	4	0.02	0.5	15	2132	0.5	77	0.5	16	70
41993	0.73	293	8	0.07	34	411	5	0.5	4	0.01	0.5	12	890	0.5	6	0.5	5	32
41994	0.48	180	9	0.05	16	303	3	0.5	4	0.005	0.5	7	615	0.5	2	0.5	3	14
41995	0.7	313	6	0.05	33	366	3	0.5	4	0.01	0.5	8	898	0.5	4	0.5	4	29
41996	0.8	413	5	0.09	24	607	7	0.5	4	0.02	0.5	14	1788	0.5	88	0.5	10	124
41997	0.9	506	4	0.08	31	618	10	0.5	4	0.03	13	14	1032	0.5	65	0.5	9	81
41998	0.59	340	4	0.1	23	628	7	0.5	4	0.02	0.5	18	1272	0.5	78	0.5	10	36
41999	0.64	443	4	0.12	22	622	6	0.5	4	0.02	0.5	17	1405	0.5	84	0.5	10	40
42000	0.53	446	5	0.12	11	960	7	0.5	4	0.02	0.5	36	1886	0.5	103	0.5	16	37
41851	0.53	445	7	0.12	16	762	50	0.5	4	0.08	0.5	28	2161	0.5	112	0.5	14	80
41852	0.64	468	4	0.13	22	593	15	0.5	4	0.09	0.5	12	1850	0.5	85	0.5	12	55
41853	0.65	487	4	0.13	19	582	14	0.5	4	0.09	0.5	22	1910	0.5	74	0.5	13	75
41854	0.71	513	4	0.16	23	563	21	0.5	4	0.09	0.5	10	2130	0.5	63	0.5	15	156
41855	0.78	590	3	0.15	30	541	23	0.5	4	0.09	0.5	13	2504	0.5	54	0.5	14	96
41856	0.8	582	3	0.15	30	524	6	0.5	4	0.1	0.5	10	2617	0.5	58	0.5	14	51
41857	0.72	599	3	0.18	27	517	5	0.5	4	0.1	0.5	12	2055	0.5	52	0.5	14	56
41858	0.74	579	3	0.16	27	557	5	0.5	4	0.1	0.5	10	2366	0.5	50	0.5	14	61
41859	0.92	1157	7	0.07	24	423	9	0.5	4	0.09	0.5	26	3197	0.5	76	0.5	14	104
41860	0.84	807	2	0.11	33	479	6	0.5	4	0.08	0.5	19	3068	0.5	59	0.5	11	113
41861	0.74	587	3	0.12	30	447	8	0.5	4	0.07	0.5	20	2653	0.5	44	0.5	10	153
41862	0.29	114	5	0.06	7	207	4	0.5	4	0.03	0.5	10	531	0.5	3	0.5	3	20
41863	0.58	371	2	0.15	19	472	4	0.5	4	0.06	0.5	9	1542	0.5	59	0.5	10	29
41864	0.63	425	2	0.17	23	436	4	0.5	4	0.07	0.5	8	1592	0.5	58	0.5	11	35
41865	0.64	450	2	0.17	21	472	5	0.5	4	0.07	0.5	12	1797	0.5	52	0.5	11	35
41866	0.65	428	3	0.15	22	447	4	0.5	4	0.08	0.5	15	1817	0.5	48	0.5	11	39
41867	0.64	402	4	0.16	19	420	5	0.5	4	0.08	0.5	9	1662	0.5	43	0.5	10	84
41868	0.74	637	2	0.14	20	376	4	0.5	4	0.09	0.5	15	2059	0.5	51	0.5	12	62
41869	0.57	739	4	0.08	8	841	7	0.5	4	0.06	0.5	26	1403	0.5	36	0.5	20	26
41870	0.55	426	5	0.1	9	1147	5	0.5	4	0.08	0.5	15	2417	0.5	34	0.5	21	33
41871	0.49	400	8	0.13	7	1173	8	0.5	4	0.09	0.5	15	2266	0.5	32	0.5	21	38
41872	0.5	508	4	0.14	8	1357	7	0.5	4	0.1	0.5	11	2412	0.5	57	0.5	29	28
41873	0.8	693	5	0.08	7	1178	7	0.5	4	0.11	0.5	14	2921	0.5	39	0.5	32	37
41874	0.59	463	7	0.09	8	1275	7	0.5	4	0.09	0.5	26	3147	0.5	30	0.5	24	40
41875	0.6	503	7	0.15	10	1148	7	0.5	4	0.1	0.5	31	2977	0.5	30	0.5	27	49
41876	0.56	425	6	0.16	11	1117	7	0.5	4	0.11	0.5	26	2619	0.5	49	0.5	24	36
41877	0.49	388	29	0.16	6	1268	6	0.5	4	0.1	0.5	23	2462	0.5	39	0.5	26	26
41878	0.49	330	7	0.12	7	1348	6	0.5	4	0.1	0.5	50	3213	0.5	25	0.5	24	20
41879	0.51	334	11	0.17	11	960	6	0.5	4	0.09	0.5	39	2603	0.5	44	0.5	21	22
41880	0.69	452	6	0.17	18	421	4	0.5	4	0.09	0.5	9	2336	0.5	61	0.5	11	29
41881	0.71	421	9	0.13	20	423	6	0.5	4	0.09	0.5	9	2460	0.5	62	0.5	10	33
41882	0.43	156	6	0.06	6	228	4	0.5	4	0.03	0.5	6	735	0.5	2	0.5	3	18
41883	0.59	335	17	0.14	19	454	6	0.5	4	0.07	0.5	8	1959	0.5	78	0.5	9	20
41884	0.62	287	9	0.13	21	418	6	0.5	4	0.09	0.5	8	1755	0.5	82	0.5	8	22
41885	0.7	368	10	0.14	23	453	6	0.5	4	0.08	0.5	10	2258	0.5	96	0.5	10	30

Big Duck Lake 2005 DDH Assays

19 of 26

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
41886	0.73	356	11	0.15	25	458	6	0.5	4	0.09	0.5	39	2977	0.5	65	0.5	12	38
41887	0.6	209	30	0.1	23	181	10	0.5	4	0.07	13	8	954	0.5	20	0.5	5	33
41888	0.77	382	10	0.18	23	407	6	0.5	4	0.09	0.5	49	2467	0.5	47	0.5	12	62
41889	0.7	321	18	0.17	20	324	4	0.5	4	0.05	0.5	30	2252	0.5	35	0.5	11	51
41890	0.72	408	15	0.21	24	432	5	0.5	4	0.1	0.5	24	2438	0.5	82	0.5	14	39
41891	0.79	338	26	0.14	26	446	7	0.5	4	0.07	0.5	19	2050	0.5	68	0.5	11	71
41892	0.62	390	4	0.17	21	437	5	0.5	4	0.09	0.5	27	2020	0.5	67	0.5	11	30
41893	0.68	490	16	0.21	24	467	7	0.5	4	0.08	0.5	20	2437	0.5	86	0.5	14	58
41894	0.56	345	6	0.16	20	472	6	0.5	4	0.07	0.5	21	1793	0.5	80	0.5	11	25
41895	0.63	370	6	0.16	20	445	5	0.5	4	0.09	0.5	20	1922	0.5	71	0.5	12	40
41896	0.6	262	11	0.05	7	208	5	0.5	4	0.03	0.5	7	755	0.5	3	0.5	6	454
41897	0.75	392	26	0.05	24	161	11	0.5	4	0.04	21	11	671	0.5	6	0.5	5	958
41898	0.86	544	7	0.15	26	425	10	0.5	4	0.06	0.5	16	3293	0.5	70	0.5	15	189
41899	0.69	468	4	0.19	22	411	7	0.5	4	0.09	0.5	27	2355	0.5	65	0.5	13	54
41900	0.84	473	6	0.17	24	409	6	0.5	4	0.1	0.5	27	2038	0.5	57	0.5	13	43
501	0.96	507	6	0.14	27	446	9	0.5	4	0.11	0.5	26	2232	0.5	74	0.5	14	60
502	0.74	434	79	0.2	26	460	6	0.5	4	0.11	14	18	1848	0.5	76	0.5	12	53
503	0.66	405	6	0.13	22	440	7	0.5	4	0.1	0.5	22	1632	0.5	44	0.5	9	60
504	0.8	467	14	0.17	29	498	8	0.5	4	0.09	0.5	22	2107	0.5	56	0.5	12	87
505	0.75	391	6	0.16	22	480	7	0.5	4	0.09	0.5	43	2481	0.5	46	0.5	13	31
506	0.75	329	7	0.16	25	458	7	0.5	4	0.08	0.5	26	2078	0.5	78	0.5	12	27
507	0.67	311	4	0.14	20	452	7	0.5	4	0.07	0.5	26	1923	0.5	60	0.5	10	46
508	0.73	309	6	0.15	21	473	8	0.5	4	0.09	0.5	10	1981	0.5	72	0.5	10	34
509	0.9	425	6	0.14	25	442	15	0.5	4	0.1	0.5	10	2164	0.5	55	0.5	12	1049
510	0.79	373	8	0.16	23	428	10	0.5	4	0.09	0.5	17	1949	0.5	62	0.5	10	306
511	0.72	383	4	0.17	22	516	9	0.5	4	0.09	0.5	21	2489	0.5	80	0.5	12	42
512	0.86	455	29	0.14	27	467	9	0.5	4	0.09	0.5	12	2534	0.5	72	0.5	12	65
513	0.63	244	6	0.08	12	283	8	0.5	4	0.04	0.5	10	1441	0.5	15	0.5	7	43
514	0.93	420	4	0.14	28	477	10	0.5	4	0.08	0.5	27	1985	0.5	47	0.5	11	85
515	0.51	240	4	0.1	20	417	18	0.5	4	0.04	0.5	16	997	0.5	31	0.5	7	117
516	0.74	338	6	0.09	25	385	9	0.5	4	0.05	0.5	20	1507	0.5	28	11	7	63
517	0.61	257	4	0.1	20	422	5	0.5	4	0.04	0.5	17	1244	0.5	60	0.5	7	40
518	0.59	253	4	0.07	19	416	9	0.5	4	0.02	0.5	9	1183	0.5	31	0.5	5	29
519	0.67	292	4	0.07	25	400	6	0.5	4	0.02	0.5	6	1483	0.5	44	0.5	6	30
520	0.67	302	5	0.07	24	404	5	0.5	4	0.02	0.5	7	1832	0.5	44	12	7	24
521	0.52	245	4	0.08	19	367	5	0.5	4	0.02	0.5	16	1232	0.5	34	0.5	5	16
522	0.52	278	4	0.09	17	376	4	0.5	4	0.02	0.5	12	1109	0.5	38	0.5	5	18
523	0.81	357	9	0.06	25	342	5	0.5	4	0.03	0.5	12	2275	0.5	54	46	7	26
524	0.9	481	16	0.06	27	332	7	0.5	4	0.04	0.5	25	2374	0.5	72	86	8	31
525	0.64	202	10	0.06	11	259	4	0.5	4	0.005	0.5	8	695	0.5	24	0.5	3	19
526	0.79	318	12	0.08	20	342	5	0.5	4	0.02	0.5	17	2194	0.5	43	49	7	37
527	0.83	357	16	0.09	28	492	5	0.5	4	0.03	0.5	16	2889	0.5	70	14	10	25
528	0.92	353	12	0.03	91	1112	6	0.5	4	0.04	0.5	26	2230	0.5	43	667	9	32
529	0.87	360	9	0.04	74	1592	10	0.5	4	0.04	0.5	39	2346	0.5	28	38	12	33
530	0.82	405	34	0.03	12	559	8	0.5	4	0.03	0.5	17	2595	0.5	31	149	10	26
531	0.78	398	30	0.05	15	716	7	0.5	4	0.04	0.5	14	2782	0.5	32	46	11	29
532	0.66	238	40	0.07	13	818	7	0.5	4	0.02	0.5	10	2407	0.5	35	10	13	25

Big Duck Lake 2005 DDH Assays

20 of 26

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
533	1.07	466	47	0.04	17	820	9	0.5	4	0.05	19	8	2233	0.5	42	0.5	14	37
534	1.01	396	31	0.04	13	759	7	0.5	4	0.04	0.5	7	2274	0.5	46	0.5	15	29
535	0.7	197	39	0.07	16	856	7	0.5	4	0.03	0.5	12	2412	0.5	36	0.5	14	19
536	0.84	269	37	0.08	13	925	9	0.5	4	0.03	0.5	15	2689	0.5	34	0.5	18	35
537	1.02	283	20	0.06	19	888	10	0.5	4	0.03	10	13	2053	0.5	26	0.5	17	34
538	0.8	260	38	0.08	23	431	7	0.5	4	0.01	0.5	27	1781	0.5	31	0.5	8	23
539	0.28	0.5	74	0.04	8	229	5	0.5	4	0.005	17	6	228	0.5	2	0.5	2	6
540	0.26	0.5	68	0.03	6	232	5	0.5	4	0.005	16	4	165	0.5	1	0.5	2	10
541	0.81	693	27	0.02	7	216	28	0.5	4	0.02	17	16	274	0.5	7	0.5	2	549
542	0.46	143	30	0.02	5	225	6	0.5	4	0.005	0.5	4	163	0.5	1	0.5	2	14
543	0.53	163	26	0.02	7	309	5	0.5	4	0.01	0.5	4	192	0.5	1	0.5	2	14
544	0.55	171	215	0.03	6	223	3	0.5	4	0.005	55	4	294	0.5	1	0.5	3	21
545	0.28	0.5	31	0.02	7	230	3	0.5	4	0.005	0.5	4	128	0.5	1	0.5	3	9
546	0.31	0.5	34	0.02	5	226	4	0.5	4	0.005	0.5	4	0.5	0.5	1	0.5	2	5
547	0.47	126	42	0.03	8	257	4	0.5	4	0.005	0.5	5	308	0.5	5	0.5	4	8
548	0.22	0.5	47	0.03	6	277	3	0.5	4	0.005	0.5	8	157	0.5	1	0.5	2	6
549	0.26	0.5	21	0.04	8	226	2	0.5	4	0.005	0.5	5	135	0.5	2	0.5	2	6
550	0.17	0.5	90	0.04	6	220	2	0.5	4	0.005	22	6	133	0.5	1	0.5	2	6
551	0.25	0.5	28	0.03	8	240	3	0.5	4	0.005	0.5	6	243	0.5	1	0.5	2	7
552	0.48	116	41	0.03	6	234	3	0.5	4	0.005	0.5	4	251	0.5	1	0.5	2	9
553	0.31	0.5	24	0.03	7	226	3	0.5	4	0.005	0.5	4	193	0.5	3	0.5	2	7
554	0.31	0.5	30	0.03	6	261	3	0.5	4	0.005	0.5	4	0.5	0.5	1	0.5	2	6
555	0.43	0.5	40	0.03	8	243	2	0.5	4	0.005	12	4	0.5	0.5	3	0.5	2	7
556	0.42	0.5	33	0.03	7	264	2	0.5	4	0.005	0.5	4	0.5	0.5	1	0.5	2	7
557	0.55	131	25	0.03	7	251	2	0.5	4	0.005	0.5	6	0.5	0.5	2	0.5	3	7
558	0.32	0.5	22	0.04	6	230	2	0.5	4	0.005	0.5	4	0.5	0.5	1	0.5	2	6
559	0.93	269	64	0.02	6	205	6	0.5	4	0.01	18	8	0.5	0.5	8	0.5	4	22
560	0.54	178	14	0.02	4	209	2	0.5	4	0.005	0.5	4	219	0.5	1	0.5	2	11
561	0.71	216	12	0.02	5	196	3	0.5	4	0.005	0.5	7	248	0.5	4	0.5	4	12
562	0.32	0.5	14	0.03	5	202	3	0.5	4	0.005	0.5	4	0.5	0.5	1	0.5	2	7
563	0.66	253	20	0.03	7	212	3	0.5	4	0.005	0.5	10	102	0.5	7	0.5	5	12
564	0.62	132	36	0.03	5	214	3	0.5	4	0.005	0.5	4	155	0.5	3	0.5	3	15
565	0.63	0.5	55	0.03	7	216	4	0.5	4	0.005	13	4	216	0.5	4	0.5	3	10
566	0.8	189	19	0.02	6	212	8	0.5	4	0.005	0.5	7	333	0.5	5	0.5	4	13
567	0.44	0.5	11	0.03	8	255	3	0.5	4	0.005	0.5	4	169	0.5	1	0.5	2	8
568	0.51	0.5	32	0.03	6	229	4	0.5	4	0.005	0.5	4	190	0.5	1	0.5	2	9
569	0.45	0.5	25	0.03	7	209	4	0.5	4	0.005	0.5	4	130	0.5	4	0.5	2	12
570	0.31	0.5	41	0.03	5	194	4	0.5	4	0.005	10	4	0.5	0.5	1	0.5	2	11
571	0.26	0.5	18	0.04	6	207	6	0.5	4	0.005	0.5	6	126	0.5	3	0.5	2	14
572	0.21	0.5	18	0.04	5	180	3	0.5	4	0.005	0.5	6	0.5	0.5	1	0.5	2	4
573	0.65	114	13	0.04	24	320	2	0.5	4	0.005	0.5	7	428	0.5	7	0.5	4	12
574	0.78	171	95	0.03	5	188	3	0.5	4	0.005	24	6	286	0.5	3	0.5	3	14
575	0.3	0.5	24	0.04	8	204	5	0.5	4	0.005	0.5	7	156	0.5	5	0.5	3	6
576	0.44	0.5	44	0.03	9	228	4	0.5	4	0.005	0.5	6	621	0.5	15	0.5	4	15
577	0.31	0.5	37	0.04	9	220	5	0.5	4	0.005	0.5	8	310	0.5	8	0.5	4	10
578	0.3	0.5	30	0.03	6	212	4	0.5	4	0.005	0.5	7	214	0.5	6	0.5	3	9
579	0.38	0.5	43	0.04	10	226	4	0.5	4	0.005	11	6	363	0.5	11	13	4	10

Big Duck Lake 2005 DDH Assays

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Tl	Tl	V	W	Y	Zn
580	0.95	128	69	0.04	8	205	3	0.5	4	0.01	15	4	461	0.5	11	0.5	4	18
581	1.03	129	43	0.05	8	220	3	0.5	4	0.02	14	4	143	0.5	15	0.5	4	14
582	0.69	276	41	0.12	21	437	6	0.5	4	0.02	0.5	10	2634	0.5	66	0.5	12	30
583	0.66	229	84	0.09	18	374	5	0.5	4	0.02	14	6	2388	0.5	71	46	10	23
584	0.8	388	111	0.08	25	554	5	0.5	4	0.02	28	17	2821	0.5	79	51	11	35
585	0.77	443	40	0.08	16	470	6	0.5	4	0.03	0.5	11	2273	0.5	95	0.5	12	32
586	0.67	374	20	0.12	16	505	4	0.5	4	0.03	0.5	10	2708	0.5	92	0.5	13	26
587	0.62	317	42	0.12	17	483	5	0.5	4	0.03	0.5	10	2562	0.5	87	0.5	11	27
588	0.55	257	44	0.1	17	465	6	0.5	4	0.02	0.5	6	2120	0.5	75	0.5	9	19
589	0.66	330	44	0.1	18	461	4	0.5	4	0.03	0.5	6	2559	0.5	78	0.5	10	24
590	0.56	340	28	0.12	20	464	4	0.5	4	0.03	0.5	7	2465	0.5	85	0.5	12	19
591	0.56	251	48	0.11	17	383	4	0.5	4	0.03	0.5	6	2073	0.5	66	0.5	9	16
592	0.65	225	139	0.09	22	416	5	0.5	4	0.03	30	5	1806	0.5	58	0.5	9	23
593	0.79	332	52	0.1	22	459	4	0.5	4	0.04	0.5	6	2405	0.5	61	0.5	10	28
594	0.71	260	39	0.08	21	413	4	0.5	4	0.04	0.5	4	2122	0.5	68	0.5	8	25
595	0.61	283	37	0.09	19	387	4	0.5	4	0.03	0.5	6	1949	0.5	61	17	8	21
596	0.69	320	37	0.1	22	443	4	0.5	4	0.04	0.5	8	2164	0.5	63	29	9	19
597	0.56	278	21	0.1	20	451	6	0.5	4	0.03	0.5	7	1885	0.5	66	0.5	9	17
598	0.59	246	27	0.09	21	441	4	0.5	4	0.03	0.5	6	1656	0.5	47	0.5	7	19
599	0.62	273	61	0.09	20	442	5	0.5	4	0.03	0.5	7	2101	0.5	60	0.5	9	18
600	0.73	340	34	0.07	22	373	8	0.5	4	0.04	0.5	10	2369	0.5	76	26	9	31
601	0.55	245	423	0.02	16	0.5	40	0.5	4	0.03	112	10	793	0.5	29	33	3	18
602	0.4	288	798	0.02	21	0.5	27	0.5	4	0.02	231	4	519	0.5	30	40	2	28
603	0.34	236	509	0.02	18	0.5	15	0.5	4	0.02	153	7	201	0.5	14	83	0.5	15
604	0.64	246	495	0.02	16	0.5	10	0.5	4	0.03	145	6	192	0.5	25	49	0.5	17
605	0.23	105	7161	0.01	9	0.5	7	0.5	4	0.01	2058	6	212	0.5	15	185	1	5
606	0.13	0.5	785	0.01	11	0.5	2	0.5	4	0.005	221	4	0.5	0.5	11	34	0.5	2
607	0.69	261	406	0.02	26	207	5	0.5	4	0.03	104	7	1248	0.5	52	183	3	16
608	0.67	244	344	0.02	36	170	6	0.5	4	0.03	88	6	1263	0.5	46	76	3	16
609	0.45	134	72	0.02	16	0.5	3	0.5	4	0.01	13	4	713	0.5	24	46	2	9
610	0.59	197	127	0.02	30	151	6	0.5	4	0.02	26	4	1255	0.5	39	83	3	17
611	0.61	180	72	0.03	19	141	4	0.5	4	0.02	15	4	1359	0.5	37	88	4	11
612	0.74	273	213	0.02	18	168	10	0.5	4	0.03	52	6	1304	0.5	46	73	5	20
613	0.95	391	41	0.05	23	410	5	0.5	4	0.04	0.5	14	3354	0.5	105	240	9	27
614	0.79	360	47	0.09	23	426	4	0.5	4	0.03	0.5	13	2888	0.5	82	134	11	21
615	0.56	316	17	0.07	18	390	4	0.5	4	0.02	0.5	10	2201	0.5	80	12	10	18
616	0.51	269	24	0.05	15	350	3	0.5	4	0.01	0.5	50	3493	0.5	61	10	12	19
617	0.72	360	19	0.08	17	410	5	0.5	4	0.01	0.5	11	3446	0.5	102	0.5	16	25
618	0.62	412	17	0.1	17	357	6	0.5	4	0.01	0.5	12	3548	0.5	96	0.5	17	23
619	0.62	422	20	0.11	19	385	6	0.5	4	0.005	0.5	7	3461	0.5	90	0.5	18	26
620	0.82	559	130	0.17	22	450	5	0.5	4	0.005	25	8	4255	0.5	106	0.5	23	32
621	0.8	537	612	0.12	21	356	5	0.5	4	0.005	154	8	3897	0.5	95	18	19	35
622	0.82	560	60	0.12	23	410	5	0.5	4	0.005	0.5	9	4377	0.5	107	0.5	20	33
623	0.8	618	45	0.1	20	369	5	0.5	4	0.01	0.5	23	3655	0.5	93	0.5	17	40
624	0.73	519	46	0.13	20	410	4	0.5	4	0.005	0.5	13	3642	0.5	92	0.5	18	40
625	0.79	508	31	0.12	21	409	5	0.5	4	0.01	0.5	8	3216	0.5	84	0.5	17	36
626	0.71	474	37	0.11	18	417	3	0.5	4	0.01	0.5	9	3612	0.5	92	0.5	17	31

Big Duck Lake 2005 DDH Assays

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
627	0.78	463	37	0.11	20	404	5	0.5	4	0.01	0.5	8	3973	0.5	103	0.5	17	30
628	0.79	518	48	0.11	21	421	7	0.5	4	0.01	0.5	16	4183	0.5	100	0.5	18	36
629	0.75	563	44	0.11	22	408	6	0.5	4	0.01	0.5	11	4061	0.5	123	14	19	36
630	0.81	639	19	0.1	22	440	6	0.5	4	0.01	0.5	17	4376	0.5	111	0.5	20	43
631	0.71	593	32	0.08	21	385	7	0.5	4	0.01	0.5	21	3841	0.5	92	10	19	33
632	0.82	613	45	0.13	24	473	6	0.5	4	0.01	0.5	13	4241	0.5	111	0.5	22	49
633	0.66	488	36	0.12	19	409	5	0.5	4	0.005	0.5	7	3661	0.5	93	0.5	19	32
634	0.72	549	59	0.14	21	423	5	0.5	4	0.005	0.5	7	3696	0.5	90	0.5	19	35
635	0.72	554	16	0.13	19	435	4	0.5	4	0.01	0.5	7	3332	0.5	90	0.5	19	38
636	0.61	411	35	0.09	18	418	4	0.5	4	0.01	0.5	18	3239	0.5	73	0.5	15	25
637	0.69	461	64	0.12	21	404	4	0.5	4	0.01	0.5	8	2595	0.5	75	0.5	14	32
638	0.73	497	39	0.12	19	416	6	0.5	4	0.01	0.5	11	3568	0.5	92	0.5	18	34
639	0.64	438	38	0.1	17	401	6	0.5	4	0.005	0.5	26	3023	0.5	76	30	14	31
640	0.69	492	34	0.12	24	427	6	0.5	4	0.005	0.5	12	2701	0.5	80	0.5	15	30
641	0.78	547	33	0.14	22	450	5	0.5	4	0.005	0.5	6	3076	0.5	90	0.5	18	38
642	0.68	463	21	0.09	17	405	3	0.5	4	0.005	0.5	39	3497	0.5	59	0.5	14	27
643	0.86	540	38	0.11	22	430	5	0.5	4	0.005	0.5	9	4067	0.5	92	0.5	19	43
644	0.8	801	151	0.08	18	330	5	0.5	4	0.005	30	45	3410	0.5	100	0.5	18	40
645	0.84	655	62	0.19	21	453	5	0.5	4	0.01	0.5	8	3179	0.5	103	0.5	20	44
646	0.79	530	37	0.12	22	411	5	0.5	4	0.01	0.5	9	3397	0.5	88	0.5	18	26
647	0.79	513	33	0.12	20	407	7	0.5	4	0.01	0.5	7	3777	0.5	87	0.5	18	26
648	0.73	476	148	0.11	23	375	10	0.5	4	0.02	37	17	2560	0.5	82	37	13	34
649	0.64	456	30	0.11	25	422	6	0.5	4	0.01	0.5	13	3325	0.5	70	93	12	18
650	0.73	495	12	0.14	24	445	5	0.5	4	0.01	0.5	9	3652	0.5	67	20	16	28
651	0.76	565	12	0.14	23	419	6	0.5	4	0.01	0.5	11	3527	0.5	76	0.5	17	24
652	0.73	553	16	0.13	22	470	4	0.5	4	0.005	0.5	12	3834	0.5	60	0.5	16	31
653	0.63	524	39	0.11	16	442	3	0.5	4	0.005	0.5	18	3631	0.5	50	0.5	14	17
654	0.79	518	40	0.13	20	427	4	0.5	4	0.01	0.5	24	3136	0.5	46	23	14	30
655	0.84	591	27	0.12	16	466	3	0.5	4	0.01	0.5	40	3891	0.5	43	11	13	22
656	0.52	531	29	0.08	12	424	3	0.5	4	0.01	0.5	39	3621	0.5	33	22	12	11
657	0.77	501	53	0.13	18	415	4	0.5	4	0.01	0.5	20	3192	0.5	47	30	14	19
658	0.71	475	26	0.14	21	381	4	0.5	4	0.005	0.5	6	2198	0.5	68	0.5	14	24
659	0.74	490	31	0.14	36	379	5	0.5	4	0.01	0.5	6	2093	0.5	56	0.5	13	35
660	0.79	498	16	0.15	24	369	5	0.5	4	0.005	0.5	6	2752	0.5	67	0.5	15	23
661	0.82	740	21	0.2	31	411	6	0.5	4	0.01	0.5	11	3318	0.5	94	0.5	19	32
662	0.68	521	16	0.15	21	240	5	0.5	4	0.01	0.5	9	2205	0.5	64	0.5	12	28
663	0.79	822	17	0.19	23	469	5	0.5	4	0.01	0.5	20	2721	0.5	61	0.5	17	33
664	0.88	914	20	0.3	19	436	5	0.5	4	0.02	0.5	26	4301	0.5	113	0.5	25	44
665	0.8	675	16	0.2	14	484	6	0.5	4	0.01	0.5	18	3439	0.5	113	0.5	19	45
666	0.82	653	231	0.14	14	444	9	0.5	4	0.02	55	20	4760	0.5	126	10	24	39
667	0.72	545	100	0.13	19	480	8	0.5	4	0.02	0.5	28	5159	0.5	106	58	24	23
668	0.9	734	82	0.14	17	501	10	0.5	4	0.02	0.5	30	5036	0.5	115	17	25	38
669	0.91	835	16	0.23	15	497	10	0.5	4	0.02	0.5	31	4460	0.5	141	0.5	27	38
670	0.42	280	8	0.19	29	222	7	0.5	4	0.005	0.5	23	503	0.5	1	0.5	5	44
671	0.49	206	2	0.13	13	270	6	0.5	4	0.005	0.5	27	728	0.5	1	0.5	5	59
672	0.99	463	5	0.11	18	293	10	0.5	4	0.005	0.5	31	1221	0.5	1	0.5	8	434
673	0.63	276	8	0.1	12	261	10	0.5	4	0.005	0.5	29	667	0.5	1	0.5	7	67

Big Duck Lake 2005 DDH Assays

23 of 26

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
674	0.79	258	7	0.2	20	297	12	0.5	4	0.005	0.5	56	1288	0.5	1	0.5	8	129
675	0.89	272	12	0.17	21	331	14	0.5	4	0.005	0.5	42	1647	0.5	7	0.5	9	50
676	0.83	894	21	0.22	102	337	15	0.5	4	0.02	18	57	2200	0.5	24	0.5	10	43
677	0.92	360	7	0.18	25	370	8	0.5	4	0.005	0.5	63	2329	0.5	22	32	12	68
678	0.91	450	4	0.16	35	428	8	0.5	4	0.01	0.5	45	3315	0.5	57	0.5	16	78
679	0.84	328	6	0.2	28	380	8	0.5	4	0.005	0.5	65	2528	0.5	33	0.5	12	59
680	0.84	329	8	0.09	12	254	9	0.5	4	0.005	0.5	30	961	0.5	5	0.5	7	206
681	0.62	192	5	0.1	9	245	9	0.5	4	0.005	0.5	18	978	0.5	10	0.5	8	78
682	0.66	586	17	0.14	72	273	12	0.5	4	0.005	11	22	1077	0.5	12	0.5	8	32
683	0.71	242	7	0.08	14	246	7	0.5	4	0.005	0.5	13	860	0.5	5	0.5	6	30
684	0.87	339	9	0.11	11	254	7	0.5	4	0.005	0.5	18	911	0.5	4	0.5	7	144
685	0.63	177	16	0.09	11	265	7	0.5	4	0.005	0.5	21	1143	0.5	11	0.5	9	55
686	0.8	231	11	0.13	22	357	9	0.5	4	0.01	0.5	44	2300	0.5	41	0.5	13	22
687	0.88	215	15	0.1	17	338	6	0.5	4	0.005	0.5	39	2483	0.5	37	0.5	13	22
688	0.87	275	8	0.13	17	331	8	0.5	4	0.01	0.5	44	2844	0.5	41	0.5	16	30
689	1	531	2	0.1	18	632	6	0.5	4	0.005	0.5	74	2853	0.5	37	0.5	13	71
690	0.4	117	3	0.14	12	249	7	0.5	4	0.005	0.5	13	412	0.5	1	0.5	3	21
691	0.47	130	3	0.08	10	316	6	0.5	4	0.005	0.5	10	353	0.5	1	0.5	4	18
692	1.21	627	1	0.08	77	1077	6	0.5	4	0.02	0.5	78	2821	0.5	44	0.5	14	53
693	1.21	630	1	0.08	78	1088	7	0.5	4	0.02	0.5	80	2819	0.5	44	0.5	14	57
694	0.52	152	1	0.17	14	306	8	0.5	4	0.005	0.5	20	577	0.5	3	0.5	4	24
695	1.06	395	0.5	0.07	42	695	7	0.5	4	0.02	0.5	125	1313	0.5	29	0.5	8	63
696	0.46	141	4	0.14	12	269	6	0.5	4	0.005	0.5	27	577	0.5	2	0.5	4	22
697	0.53	172	11	0.13	17	297	7	0.5	4	0.005	0.5	17	504	0.5	1	0.5	4	24
698	0.57	234	5	0.11	13	290	5	0.5	4	0.005	0.5	20	527	0.5	1	0.5	4	34
699	0.64	202	27	0.12	23	386	6	0.5	4	0.01	0.5	24	871	0.5	5	0.5	5	40
700	0.46	147	3	0.15	10	226	6	0.5	4	0.005	0.5	25	529	0.5	1	0.5	3	20
701	0.39	118	2	0.12	12	287	7	0.5	4	0.005	0.5	24	597	0.5	1	0.5	4	15
702	0.34	131	1	0.13	8	243	7	0.5	4	0.005	0.5	30	522	0.5	1	0.5	4	18
703	0.56	282	1	0.09	9	232	7	0.5	4	0.005	0.5	32	559	0.5	1	0.5	3	77
704	0.4	239	4	0.17	20	234	6	0.5	4	0.005	0.5	29	451	0.5	1	0.5	4	31
705	0.5	239	1	0.1	10	414	9	0.5	4	0.005	0.5	39	1001	0.5	3	0.5	6	36
706	0.4	222	1	0.15	9	246	7	0.5	4	0.005	0.5	26	553	0.5	1	0.5	4	37
707	0.47	262	0.5	0.1	9	276	7	0.5	4	0.005	0.5	17	683	0.5	1	0.5	4	51
708	0.61	358	1	0.14	8	330	7	0.5	4	0.005	0.5	31	844	0.5	1	0.5	5	59
709	0.76	484	0.5	0.13	7	540	6	0.5	4	0.005	0.5	81	1980	0.5	16	0.5	8	86
710	0.63	363	1	0.13	9	544	7	0.5	4	0.005	0.5	45	1455	0.5	7	0.5	7	62
711	0.39	166	1	0.14	10	257	5	0.5	4	0.005	0.5	42	520	0.5	1	0.5	3	30
712	0.4	154	0.5	0.11	7	275	6	0.5	4	0.005	0.5	31	575	0.5	1	0.5	3	24
713	0.43	166	2	0.13	8	269	7	0.5	4	0.005	0.5	24	496	0.5	1	0.5	4	20
714	0.36	114	0.5	0.08	8	290	6	0.5	4	0.005	0.5	19	492	0.5	2	0.5	3	22
715	0.48	130	3	0.08	14	410	7	0.5	4	0.005	0.5	29	824	0.5	5	0.5	5	19
716	0.84	282	6	0.13	41	490	8	0.5	4	0.005	0.5	44	1130	0.5	4	0.5	5	50
717	0.92	863	7	0.29	17	580	10	0.5	4	0.01	0.5	12	3451	0.5	155	0.5	28	64
718	0.61	210	16	0.1	8	299	7	0.5	4	0.005	0.5	16	750	0.5	4	0.5	3	26
719	0.99	470	17	0.2	26	677	10	0.5	4	0.005	0.5	69	5850	0.5	75	13	37	60
720	1.05	604	25	0.27	29	495	5	0.5	4	0.02	0.5	64	5358	0.5	103	17	27	91

Big Duck Lake 2005 DDH Assays

24 of 26

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
721	1.03	611	11	0.23	30	461	7	0.5	4	0.02	0.5	81	4041	0.5	85	0.5	25	126
722	1.05	662	7	0.21	29	482	7	0.5	4	0.02	0.5	54	2201	0.5	86	0.5	22	182
723	1.03	764	7	0.31	40	495	7	0.5	4	0.02	0.5	94	3337	0.5	85	0.5	24	138
724	1.03	761	10	0.33	28	489	7	0.5	4	0.01	0.5	137	3262	0.5	71	11	24	187
725	1.16	708	16	0.36	37	552	9	0.5	4	0.02	0.5	86	3013	0.5	109	10	30	145
726	1.14	541	10	0.24	31	610	10	0.5	4	0.02	0.5	66	3510	0.5	122	0.5	32	95
727	1.01	636	11	0.25	28	747	10	0.5	4	0.01	0.5	64	3928	0.5	162	0.5	33	57
728	0.82	462	4	0.15	20	608	9	0.5	4	0.005	0.5	58	3534	0.5	165	0.5	22	25
729	0.92	493	9	0.16	23	679	11	0.5	4	0.01	0.5	38	4601	0.5	136	12	30	383
730	0.89	535	6	0.14	16	654	9	0.5	4	0.01	0.5	43	5225	0.5	177	21	32	69
731	0.96	594	19	0.13	16	626	8	0.5	4	0.01	0.5	38	4743	0.5	142	16	32	220
732	0.79	562	11	0.18	16	554	12	0.5	4	0.005	0.5	75	5346	0.5	96	30	24	158
733	0.94	518	24	0.19	24	528	11	0.5	4	0.005	0.5	56	5125	0.5	102	15	27	211
734	0.97	551	10	0.21	19	659	8	0.5	4	0.01	0.5	48	4770	0.5	138	15	32	157
735	0.99	531	11	0.17	20	611	6	0.5	4	0.02	0.5	32	5061	0.5	137	16	30	87
736	0.84	401	49	0.14	14	663	7	0.5	4	0.005	0.5	62	3944	0.5	122	19	29	39
737	1.04	480	31	0.18	19	709	8	0.5	4	0.01	0.5	64	4781	0.5	143	19	37	81
738	0.99	502	53	0.29	16	640	8	0.5	4	0.005	0.5	102	4764	0.5	93	11	32	98
739	1.02	522	59	0.16	23	602	10	0.5	4	0.005	0.5	51	5502	0.5	110	47	32	91
740	0.9	386	195	0.2	18	562	10	0.5	4	0.02	34	82	5135	0.5	120	43	28	57
741	0.86	458	56	0.16	15	645	8	0.5	4	0.01	0.5	116	5112	0.5	137	38	29	45
742	0.9	546	20	0.11	16	621	8	0.5	4	0.01	0.5	65	5273	0.5	132	35	28	52
743	0.96	782	32	0.07	16	597	8	0.5	4	0.02	0.5	64	6263	0.5	157	20	32	66
744	0.3	262	3	0.08	6	304	4	0.5	4	0.005	0.5	20	915	0.5	6	0.5	5	9
745	0.25	219	0.5	0.1	6	283	3	0.5	4	0.005	0.5	27	561	0.5	1	0.5	3	11
746	0.26	243	0.5	0.07	8	297	5	0.5	4	0.005	0.5	25	440	0.5	1	0.5	3	42
747	0.41	264	0.5	0.1	6	275	5	0.5	4	0.005	0.5	24	488	0.5	1	0.5	3	303
748	1.02	1281	0.5	0.02	4	155	17	0.5	6	0.01	42	89	440	0.5	12	0.5	5	17168
749	0.78	406	32	0.07	6	201	4	0.5	4	0.005	0.5	32	596	0.5	2	0.5	3	122
750	0.39	140	106	0.07	6	212	4	0.5	4	0.005	21	13	453	0.5	1	0.5	3	42
751	0.37	130	17	0.09	9	207	4	0.5	4	0.005	0.5	16	508	0.5	3	0.5	3	16
752	0.31	125	59	0.07	5	199	5	0.5	4	0.005	0.5	14	298	0.5	1	0.5	3	14
753	0.58	278	19	0.09	7	241	4	0.5	4	0.005	0.5	24	488	0.5	1	0.5	3	37
754	0.77	470	0.5	0.04	3	236	3	0.5	4	0.005	0.5	41	535	0.5	1	0.5	4	61
755	0.61	409	1	0.05	4	233	4	0.5	4	0.005	0.5	42	513	0.5	1	0.5	4	28
756	0.34	153	0.5	0.07	4	278	4	0.5	4	0.005	0.5	17	368	0.5	1	0.5	3	14
757	0.22	106	1	0.11	8	265	4	0.5	4	0.005	0.5	29	258	0.5	1	0.5	3	14
758	0.22	0.5	0.5	0.06	4	282	4	0.5	4	0.005	0.5	25	265	0.5	1	0.5	3	15
759	0.21	109	1	0.1	7	265	6	0.5	4	0.005	0.5	30	279	0.5	1	0.5	2	27
760	0.18	0.5	0.5	0.05	4	267	5	0.5	4	0.005	0.5	23	202	0.5	1	0.5	2	12
761	0.26	109	0.5	0.09	5	292	6	0.5	4	0.005	0.5	23	334	0.5	1	0.5	3	20
762	0.26	0.5	2	0.07	4	258	5	0.5	4	0.005	0.5	18	326	0.5	1	0.5	2	18
763	0.21	0.5	0.5	0.09	4	257	4	0.5	4	0.005	0.5	27	251	0.5	1	0.5	2	11
764	0.18	0.5	0.5	0.07	4	262	4	0.5	4	0.005	0.5	31	181	0.5	1	0.5	2	9
765	0.22	132	0.5	0.08	5	269	4	0.5	4	0.005	0.5	36	269	0.5	1	0.5	3	12
766	0.52	246	1	0.1	8	397	5	0.5	4	0.005	0.5	21	915	0.5	7	0.5	4	19
767	1.11	559	48	0.15	37	458	6	0.5	4	0.02	0.5	35	4828	0.5	91	17	25	51

Big Duck Lake 2005 DDH Assays

25 of 26

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
768	0.95	372	63	0.14	31	437	5	0.5	4	0.01	0.5	39	4065	0.5	77	15	20	21
769	1.08	451	151	0.2	40	456	7	0.5	4	0.02	28	40	4731	0.5	91	26	23	31
770	0.48	101	61	0.1	6	230	4	0.5	4	0.005	0.5	6	691	0.5	4	0.5	3	10
771	0.98	334	60	0.14	9	208	4	0.5	4	0.01	0.5	8	691	0.5	6	0.5	3	91
772	1.06	444	183	0.17	36	359	10	0.5	4	0.01	49	30	3031	0.5	67	21	16	154
773	1.05	460	102	0.24	34	452	6	0.5	4	0.02	0.5	43	4283	0.5	79	26	23	27
774	0.34	0.5	68	0.08	6	251	4	0.5	4	0.005	0.5	10	523	0.5	6	0.5	3	9
775	0.94	383	98	0.13	32	392	5	0.5	4	0.02	17	25	3403	0.5	70	14	15	55
776	0.89	356	31	0.13	22	372	4	0.5	4	0.01	0.5	61	2728	0.5	66	0.5	14	20
777	0.86	323	24	0.16	22	399	3	0.5	4	0.01	0.5	17	3180	0.5	73	0.5	16	13
778	0.88	343	35	0.18	26	365	5	0.5	4	0.01	0.5	20	3489	0.5	86	0.5	17	14
779	0.95	393	66	0.16	31	391	5	0.5	4	0.01	0.5	20	3457	0.5	92	0.5	16	16
780	1.05	501	102	0.05	30	347	9	0.5	4	0.02	18	25	3885	0.5	85	12	17	54
781	0.37	108	94	0.1	7	281	3	0.5	4	0.005	16	10	580	0.5	4	0.5	4	10
782	0.91	429	52	0.14	23	461	3	0.5	4	0.01	0.5	39	3900	0.5	89	12	19	21
783	0.92	401	76	0.12	27	475	13	0.5	4	0.01	11	32	3558	0.5	82	21	17	76
784	0.91	395	74	0.12	26	473	12	0.5	4	0.01	0.5	32	3504	0.5	81	16	17	73
785	0.83	356	498	0.09	22	337	6	0.5	4	0.02	130	15	3507	0.5	88	29	14	32
786	1	409	43	0.1	28	403	7	0.5	4	0.02	0.5	17	4551	0.5	105	44	18	49
787	0.9	729	15	0.24	16	572	6	0.5	4	0.01	0.5	11	3512	0.5	122	10	24	54
788	1.09	413	43	0.06	26	503	8	0.5	4	0.02	0.5	23	4838	0.5	137	21	24	47
789	0.86	641	1	0.17	52	804	16	0.5	4	0.01	0.5	41	2884	0.5	41	0.5	10	83
790	0.58	382	1	0.16	11	415	7	0.5	4	0.005	0.5	23	1074	0.5	1	0.5	6	43
791	0.87	636	2	0.04	11	252	26	0.5	4	0.005	0.5	9	788	0.5	1	0.5	5	109
792	0.92	936	13	0.06	27	1731	37	0.5	4	0.005	13	19	1853	0.5	36	0.5	12	426
793	0.91	736	3	0.09	14	751	23	0.5	4	0.005	0.5	47	3082	0.5	32	0.5	18	186
794	0.68	385	2	0.07	9	238	13	0.5	4	0.005	0.5	15	660	0.5	1	0.5	3	47
795	0.93	566	0.5	0.16	22	1096	17	0.5	4	0.005	0.5	39	2981	0.5	71	0.5	20	108
796	0.73	591	0.5	0.14	13	1016	19	0.5	4	0.005	0.5	76	3082	0.5	55	0.5	21	71
797	0.95	761	2	0.14	32	1111	54	0.5	4	0.005	0.5	32	4176	0.5	87	0.5	22	544
798	0.61	430	0.5	0.28	19	735	9	0.5	4	0.005	0.5	145	2413	0.5	65	0.5	17	40
799	0.63	471	2	0.18	10	1297	9	0.5	4	0.005	0.5	124	3094	0.5	42	0.5	30	89
800	0.57	434	1	0.08	5	640	3	0.5	4	0.005	0.5	23	1158	0.5	1	0.5	7	90
801	0.54	444	0.5	0.1	8	750	7	0.5	4	0.005	0.5	43	939	0.5	1	0.5	8	81
802	0.43	317	0.5	0.03	4	712	7	0.5	4	0.005	0.5	17	689	0.5	1	0.5	7	85
803	0.55	441	0.5	0.12	5	727	5	0.5	4	0.005	0.5	38	1358	0.5	1	0.5	8	42
804	0.91	553	3	0.18	19	691	8	0.5	4	0.005	0.5	68	2517	0.5	52	0.5	14	292
805	1.02	580	2	0.13	30	427	10	0.5	4	0.005	0.5	25	2164	0.5	74	0.5	15	1280
806	0.95	470	2	0.16	31	449	9	0.5	4	0.005	0.5	41	1876	0.5	67	0.5	11	737
807	0.78	322	4	0.09	17	275	8	0.5	4	0.005	0.5	21	1248	0.5	21	0.5	4	255
808	0.9	359	6	0.15	20	373	7	0.5	4	0.005	0.5	43	1973	0.5	26	0.5	5	53
809	1.06	505	5	0.09	20	320	9	0.5	4	0.005	0.5	20	1990	0.5	23	0.5	5	208
810	1.05	519	3	0.08	18	334	5	0.5	4	0.005	0.5	17	1586	0.5	19	0.5	4	122
811	0.92	430	3	0.27	19	312	7	0.5	4	0.005	0.5	63	1740	0.5	14	0.5	4	51
812	1.07	485	3	0.13	15	270	9	0.5	4	0.005	0.5	37	1358	0.5	8	0.5	5	129
813	1	435	2	0.13	16	304	6	0.5	4	0.005	0.5	23	1622	0.5	20	0.5	5	81
814	0.36	168	0.5	0.07	5	540	5	0.5	4	0.005	0.5	47	864	0.5	5	0.5	6	29

Big Duck Lake 2005 DDH Assays

Sample	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
815	0.7	182	11	0.1	24	488	6	0.5	4	0.005	0.5	40	2473	0.5	27	0.5	11	27
816	0.62	113	10	0.08	27	524	5	0.5	4	0.005	0.5	40	2135	0.5	29	0.5	9	15
817	0.71	139	10	0.11	32	518	5	0.5	4	0.005	0.5	47	2057	0.5	33	10	9	22
818	0.58	114	15	0.06	19	400	5	0.5	4	0.005	0.5	17	1746	0.5	20	0.5	8	25
819	0.38	0.5	6	0.06	9	264	5	0.5	4	0.005	0.5	38	538	0.5	5	0.5	5	16
820	0.34	0.5	18	0.07	5	253	5	0.5	4	0.005	0.5	16	188	0.5	1	0.5	3	25
821	0.38	0.5	26	0.05	4	319	10	0.5	4	0.005	0.5	11	254	0.5	1	0.5	2	138
822	0.48	104	21	0.03	6	304	9	0.5	4	0.005	0.5	10	234	0.5	1	0.5	2	315
823	0.45	0.5	13	0.03	5	326	8	0.5	4	0.005	0.5	7	203	0.5	1	12	2	54
824	0.46	100	14	0.03	7	282	6	0.5	4	0.005	0.5	9	192	0.5	1	0.5	2	91
825	0.38	0.5	7	0.03	5	319	3	0.5	4	0.005	0.5	7	261	0.5	1	0.5	2	84
826	0.32	0.5	10	0.04	7	301	2	0.5	4	0.005	0.5	10	409	0.5	1	0.5	4	16
827	0.29	0.5	28	0.04	6	262	2	0.5	4	0.005	0.5	5	240	0.5	1	0.5	3	24
828	0.55	132	24	0.04	7	268	3	0.5	4	0.005	0.5	7	344	0.5	1	0.5	4	34
829	0.73	196	21	0.04	12	363	2	0.5	4	0.005	0.5	19	730	0.5	1	0.5	7	21
830	0.63	156	20	0.05	7	224	2	0.5	4	0.005	0.5	11	376	0.5	1	0.5	5	19
831	0.62	140	15	0.04	6	221	2	0.5	4	0.005	0.5	15	456	0.5	1	0.5	5	38
832	0.56	135	17	0.05	8	222	1	0.5	4	0.005	0.5	9	407	0.5	1	0.5	5	30
833	0.65	168	34	0.03	11	332	5	0.5	4	0.005	0.5	8	603	0.5	3	0.5	7	92
834	0.64	186	20	0.03	8	238	5	0.5	4	0.005	0.5	8	409	0.5	1	0.5	6	37
835	0.68	181	30	0.03	9	241	3	0.5	4	0.005	0.5	6	451	0.5	1	0.5	6	23
836	0.83	689	17	0.2	17	628	6	0.5	4	0.005	0.5	8	3097	0.5	122	0.5	22	42
	1.33	2314	7161	0.36	102	1731	131	0.5	6	0.11	2058	145	6263	0.5	177	667	37	17168
	0.7	397.4	41.0	0.1	17.9	452.5	7.9	0.5	4.0	0.0	8.7	21.6	2101.4	0.5	47.9	7.7	11.8	114.1
	1.4	1105.4	963.2	0.3	52.1	1206.0	29.6	0.5	4.3	0.1	273.4	79.2	6382.8	0.5	167.4	110.5	35.5	2608.3

"4 = nd" "0.5 = nd" "1 = nd"

"4 = nd" "4 = nd" "0.5 = nd" "4 = nd" "0.005 = nd" "0.5 = nd"

"0.5 = nd" "1 = nd" "0.5 = nd"



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 04-Apr-05
Date Completed : 07-Apr-05
Job # 200540385
Reference :
Sample #: 17 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
34945	501	81	0.002	0.081
34946	502	63	0.002	0.063
34947	503	70	0.002	0.070
34948	504	175	0.005	0.175
34949	505	207	0.006	0.207
34950	506	148	0.004	0.148
34951	507	28	<0.001	0.028
34952	508	263	0.008	0.263
34953	509	128	0.004	0.128
34954	510	140	0.004	0.140
34955	Check	119	0.003	0.119
34956	511	26	<0.001	0.026
34957	512	81	0.002	0.081
34958	513	13	<0.001	0.013
34959	514	45	0.001	0.045
34960	515	11	<0.001	0.011
34961	516	54	0.002	0.054
34962	517	41	0.001	0.041

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 1

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cjgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 05-Apr-05

Date Completed : 08-Apr-05

Job # 200540393

Reference :

Sample #: 64 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
35327	518	190	0.006	0.190
35328	519	971	0.028	0.971
35329	520	1067	0.031	1.067
35330	521	418	0.012	0.418
35331	522	180	0.005	0.180
35332	523	1276	0.037	1.276
35333	524	3767	0.110	3.767
35334	525	956	0.028	0.956
35335	526	423	0.012	0.423
35336	527	661	0.019	0.661
35337 Check	527	699	0.020	0.699
35338	528	1416	0.041	1.416
35339	529	2965	0.086	2.965
35340	530	2207	0.064	2.207
35341	531	3072	0.090	3.072
35342	532	685	0.020	0.685
35343	533	582	0.017	0.582
35344	534	117	0.003	0.117
35345	535	92	0.003	0.092
35346	536	140	0.004	0.140
35347 Check	536	153	0.004	0.153
35348	537	167	0.005	0.167
35349	538	219	0.006	0.219

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Page 1 of 4

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 05-Apr-05

Date Completed : 08-Apr-05

Job # 200540393

Reference :

Sample #: 64 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
35350	539	7	<0.001	0.007
35351	540	14	<0.001	0.014
35352	541	471	0.014	0.471
35353	542	<5	<0.001	<0.005
35354	543	10	<0.001	0.010
35355	544	14	<0.001	0.014
35356	545	29	<0.001	0.029
35357 Check	545	20	<0.001	0.020
35358	546	9	<0.001	0.009
35359	547	32	<0.001	0.032
35360	548	35	0.001	0.035
35361	549	14	<0.001	0.014
35362	550	64	0.002	0.064
35363	551	19	<0.001	0.019
35364	552	55	0.002	0.055
35365	553	39	0.001	0.039
35366	554	23	<0.001	0.023
35367	555	35	0.001	0.035
35368 Check	555	27	<0.001	0.027
35369	556	21	<0.001	0.021
35370	557	8	<0.001	0.008
35371	558	11	<0.001	0.011
35372	559	32	<0.001	0.032

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 2 of 4

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 05-Apr-05

Date Completed : 08-Apr-05

Job # 200540393

Reference :

Sample #: 64 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
35373	560	16	<0.001	0.016
35374	561	7	<0.001	0.007
35375	562	6	<0.001	0.006
35376	563	25	<0.001	0.025
35377	564	26	<0.001	0.026
35378	565	34	<0.001	0.034
35379 Check	565	31	<0.001	0.031
35380	566	49	0.001	0.049
35381	567	15	<0.001	0.015
35382	568	26	<0.001	0.026
35383	569	141	0.004	0.141
35384	570	23	<0.001	0.023
35385	571	16	<0.001	0.016
35386	572	32	<0.001	0.032
35387	573	32	<0.001	0.032
35388	574	81	0.002	0.081
35389	575	20	<0.001	0.020
35390	576	55	0.002	0.055
35391 Check	576	41	0.001	0.041
35392	577	27	<0.001	0.027
35393	578	7	<0.001	0.007
35394	579	37	0.001	0.037
35395	580		No Sample	

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 4

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cjgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 05-Apr-05

Date Completed : 08-Apr-05

Job # 200540393

Reference :

Sample #: 64 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
35396	581		No Sample	

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 4 of 4

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 05-Apr-05
Date Completed : 07-Apr-05
Job # 200540389
Reference :

Sample #: 34 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
35230	580	136	0.004	0.136
35231	581	39	0.001	0.039
35232	582	10	<0.001	0.010
35233	583	16	<0.001	0.016
35234	584	33	<0.001	0.033
35235	585	10	<0.001	0.010
35236	586	<5	<0.001	<0.005
35237	587	<5	<0.001	<0.005
35238	588	6	<0.001	0.006
35239	589	<5	<0.001	<0.005
35240 Check	589	<5	<0.001	<0.005
35241	590	<5	<0.001	<0.005
35242	591	<5	<0.001	<0.005
35243	592	11	<0.001	0.011
35244	593	9	<0.001	0.009
35245	594	7	<0.001	0.007
35246	595	12	<0.001	0.012
35247	596	<5	<0.001	<0.005
35248	597	<5	<0.001	<0.005
35249	598	<5	<0.001	<0.005
35250	599	22	<0.001	0.022
35251 Check	599	13	<0.001	0.013
35252	600	53	0.002	0.053

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 2

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 05-Apr-05

Date Completed : 07-Apr-05

Job # 200540389

Reference :

Sample #: 34 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
35253	601	64	0.002	0.064
35254	602	401	0.012	0.401
35255	603	69	0.002	0.069
35256	604	47	0.001	0.047
35257	605	9	<0.001	0.009
35258	606	<5	<0.001	<0.005
35259	607	29	<0.001	0.029
35260	608	28	<0.001	0.028
35261	609	<5	<0.001	<0.005
35262 Check	609	5	<0.001	0.005
35263	610	67	0.002	0.067
35264	611	22	<0.001	0.022
35265	612	80	0.002	0.080
35266	613	14	<0.001	0.014
35267	614	7	<0.001	0.007
35268	615	<5	<0.001	<0.005

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 2 of 2

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 14-Apr-05
 Date Completed : 18-Apr-05
 Job # 200540458
 Reference :
 Sample #: 220 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
42755	00616	9	<0.001	0.009
42756	00617	<5	<0.001	<0.005
42757	00618	6	<0.001	0.006
42758	00619	6	<0.001	0.006
42759	00620	<5	<0.001	<0.005
42760	00621	5	<0.001	0.005
42761	00622	80	0.002	0.080
42762	00623	8	<0.001	0.008
42763	00624	9	<0.001	0.009
42764	00625	5	<0.001	0.005
42765 Check	00625	<5	<0.001	<0.005
42766	00626	<5	<0.001	<0.005
42767	00627	10	<0.001	0.010
42768	00628	<5	<0.001	<0.005
42769	00629	10	<0.001	0.010
42770	00630	6	<0.001	0.006
42771	00631	8	<0.001	0.008
42772	00632	7	<0.001	0.007
42773	00633	<5	<0.001	<0.005
42774	00634	<5	<0.001	<0.005
42775	00635	<5	<0.001	<0.005
42776 Check	00635	<5	<0.001	<0.005
42777	00636	12	<0.001	0.012

PROCEDURE CODES: AL4Au3, AL4ICPAR

Page 1 of 11

Certified By:

Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 14-Apr-05
Date Completed : 18-Apr-05
Job # 200540458
Reference :

Sample #: 220 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
42778	00637	21	<0.001	0.021
42779	00638	23	<0.001	0.023
42780	00639	101	0.003	0.101
42781	00640	<5	<0.001	<0.005
42782	00641	<5	<0.001	<0.005
42783	00642	<5	<0.001	<0.005
42784	00643	<5	<0.001	<0.005
42785	00644	<5	<0.001	<0.005
42786	00645	<5	<0.001	<0.005
42787 Check	00645	<5	<0.001	<0.005
42788	00646	9	<0.001	0.009
42789	00647	<5	<0.001	<0.005
42790	00648	51	0.001	0.051
42791	00649	10	<0.001	0.010
42792	00650	<5	<0.001	<0.005
42793	00651	<5	<0.001	<0.005
42794	00652	<5	<0.001	<0.005
42795	00653	<5	<0.001	<0.005
42796	00654	<5	<0.001	<0.005
42797	00655	<5	<0.001	<0.005
42798 Check	00655	<5	<0.001	<0.005
42799	00656	<5	<0.001	<0.005
42800	00657	<5	<0.001	<0.005

PROCEDURE CODES: AL4Au3, AL4ICPAR

Page 2 of 11

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 14-Apr-05
Date Completed : 18-Apr-05
Job # 200540458
Reference :

Sample #: 220 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
42801	00658	8	<0.001	0.008
42802	00659	7	<0.001	0.007
42803	00660	<5	<0.001	<0.005
42804	00661	24	<0.001	0.024
42805	00662	<5	<0.001	<0.005
42806	00663	11	<0.001	0.011
42807	00664	<5	<0.001	<0.005
42808	00665	<5	<0.001	<0.005
42809 Check	00665	<5	<0.001	<0.005
42810	00666	21	<0.001	0.021
42811	00667	21	<0.001	0.021
42812	00668	46	0.001	0.046
42813	00669	5	<0.001	0.005
42814	00670	9	<0.001	0.009
42815	00671	17	<0.001	0.017
42816	00672	65	0.002	0.065
42817	00673	59	0.002	0.059
42818	00674	278	0.008	0.278
42819	00675	173	0.005	0.173
42820 Check	00675	186	0.005	0.186
42821	00676	233	0.007	0.233
42822	00677	319	0.009	0.319
42823	00678	402	0.012	0.402

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 11

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cjgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 14-Apr-05
 Date Completed : 18-Apr-05
 Job # 200540458
 Reference :

Sample #: 220 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
42824	00679	458	0.013	0.458
42825	00680	545	0.016	0.545
42826	00681	321	0.009	0.321
42827	00682	196	0.006	0.196
42828	00683	45	0.001	0.045
42829	00684	145	0.004	0.145
42830	00685	69	0.002	0.069
42831 Check	00685	74	0.002	0.074
42832	00686	57	0.002	0.057
42833	00687	66	0.002	0.066
42834	00688	41	0.001	0.041
42835	00689	26	<0.001	0.026
42836	00690	<5	<0.001	<0.005
42837	00691	<5	<0.001	<0.005
42838	00692	<5	<0.001	<0.005
42839	00693	<5	<0.001	<0.005
42840	00694	<5	<0.001	<0.005
42841	00695	23	<0.001	0.023
42842 Check	00695	29	<0.001	0.029
42843	00696	18	<0.001	0.018
42844	00697	28	<0.001	0.028
42845	00698	<5	<0.001	<0.005
42846	00699	18	<0.001	0.018

PROCEDURE USED: AL4Au3, AL4ICPAR

Page 4 of 11

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 14-Apr-05
Date Completed : 18-Apr-05
Job # 200540458
Reference :

Sample #: 220 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
42847	00700	<5	<0.001	<0.005
42848	00701	20	<0.001	0.020
42849	00702	<5	<0.001	<0.005
42850	00703	86	0.003	0.086
42851	00704	8	<0.001	0.008
42852	00705	9	<0.001	0.009
42853 Check	00705	12	<0.001	0.012
42854	00706	10	<0.001	0.010
42855	00707	<5	<0.001	<0.005
42856	00708	<5	<0.001	<0.005
42857	00709	<5	<0.001	<0.005
42858	00710	<5	<0.001	<0.005
42859	00711	62	0.002	0.062
42860	00712	55	0.002	0.055
42861	00713	47	0.001	0.047
42862	00714	24	<0.001	0.024
42863	00715	16	<0.001	0.016
42864 Check	00715	10	<0.001	0.010
42865	00716	20	<0.001	0.020
42866	00717	<5	<0.001	<0.005
42867	00718	16	<0.001	0.016
42868	00719	100	0.003	0.100
42869	00720	63	0.002	0.063

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Page 5 of 11

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 14-Apr-05
 Date Completed : 18-Apr-05
 Job # 200540458
 Reference :
 Sample #: 220 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
42870	00721	<5	<0.001	<0.005
42871	00722	73	0.002	0.073
42872	00723	35	0.001	0.035
42873	00724	91	0.003	0.091
42874	00725	75	0.002	0.075
42875 Check	00725	55	0.002	0.055
42876	00726	42	0.001	0.042
42877	00727	26	<0.001	0.026
42878	00728	13	<0.001	0.013
42879	00729	268	0.008	0.268
42880	00730	59	0.002	0.059
42881	00731	174	0.005	0.174
42882	00732	154	0.004	0.154
42883	00733	200	0.006	0.200
42884	00734	38	0.001	0.038
42885	00735	21	<0.001	0.021
42886 Check	00735	13	<0.001	0.013
42887	00736	26	<0.001	0.026
42888	00737	31	<0.001	0.031
42889	00738	51	0.001	0.051
42890	00739	157	0.005	0.157
42891	00740	386	0.011	0.386
42892	00741	58	0.002	0.058

PROCEDURE CODES: AL4Au3, AL4ICPAR

Page 6 of 11

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 14-Apr-05
 Date Completed : 18-Apr-05
 Job # 200540458
 Reference :

Sample #: 220 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
42893	00742	21	<0.001	0.021
42894	00743	138	0.004	0.138
42895	00744	<5	<0.001	<0.005
42896	00745	<5	<0.001	<0.005
42897 Check	00745	<5	<0.001	<0.005
42898	00746	<5	<0.001	<0.005
42899	00747	<5	<0.001	<0.005
42900	00748	606	0.018	0.606
42901	00749	<5	<0.001	<0.005
42902	00750	<5	<0.001	<0.005
42903	00751	<5	<0.001	<0.005
42904	00752	<5	<0.001	<0.005
42905	00753	16	<0.001	0.016
42906	00754	<5	<0.001	<0.005
42907	00755	<5	<0.001	<0.005
42908 Check	00755	<5	<0.001	<0.005
42909	00756	12	<0.001	0.012
42910	00757	<5	<0.001	<0.005
42911	00758	12	<0.001	0.012
42912	00759	679	0.020	0.679
42913	00760	5	<0.001	0.005
42914	00761	11	<0.001	0.011
42915	00762	<5	<0.001	<0.005

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 7 of 11

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 14-Apr-05
Date Completed : 18-Apr-05
Job # 200540458
Reference :

Sample #: 220 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
42916	00763	56	0.002	0.056
42917	00764	<5	<0.001	<0.005
42918	00765	<5	<0.001	<0.005
42919 Check	00765	<5	<0.001	<0.005
42920	00766	6	<0.001	0.006
42921	00767	59	0.002	0.059
42922	00768	40	0.001	0.040
42923	00769	61	0.002	0.061
42924	00770	5	<0.001	0.005
42925	00771	7	<0.001	0.007
42926	00772	135	0.004	0.135
42927	00773	79	0.002	0.079
42928	00774	67	0.002	0.067
42929	00775	132	0.004	0.132
42930 Check	00775	149	0.004	0.149
42931	00776	42	0.001	0.042
42932	00777	17	<0.001	0.017
42933	00778	27	<0.001	0.027
42934	00779	34	0.001	0.034
42935	00780	1827	0.053	1.827
42936	00781	29	<0.001	0.029
42937	00782	29	<0.001	0.029
42938	00783	63	0.002	0.063

PROCEDURE CODES: AL4Au3, AL4ICPAR

Page 8 of 11

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 14-Apr-05
 Date Completed : 18-Apr-05
 Job # 200540458
 Reference :

Sample #: 220 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
42939	00784	68	0.002	0.068
42940	00785	98	0.003	0.098
42941 Check	00785	96	0.003	0.096
42942	00786	70	0.002	0.070
42943	00787	9	<0.001	0.009
42944	00788	77	0.002	0.077
42945	00789	64	0.002	0.064
42946	00790	11	<0.001	0.011
42947	00791	73	0.002	0.073
42948	00792	1954	0.057	1.954
42949	00793	75	0.002	0.075
42950	00794	8	<0.001	0.008
42951	00795	101	0.003	0.101
42952 Check	00795	86	0.003	0.086
42953	00796	119	0.003	0.119
42954	00797	367	0.011	0.367
42955	00798	45	0.001	0.045
42956	00799	94	0.003	0.094
42957	00800	35	0.001	0.035
42958	00801	110	0.003	0.110
42959	00802	107	0.003	0.107
42960	00803	9	<0.001	0.009
42961	00804	70	0.002	0.070

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 9 of 11

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 14-Apr-05
Date Completed : 18-Apr-05
Job # 200540458
Reference :

Sample #: 220 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
42962	00805	283	0.008	0.283
42963 Check	00805	298	0.009	0.298
42964	00806	71	0.002	0.071
42965	00807	17	<0.001	0.017
42966	00808	27	<0.001	0.027
42967	00809	18	<0.001	0.018
42968	00810	30	<0.001	0.030
42969	00811	33	<0.001	0.033
42970	00812	106	0.003	0.106
42971	00813	38	0.001	0.038
42972	00814	<5	<0.001	<0.005
42973	00815	18	<0.001	0.018
42974 Check	00815	16	<0.001	0.016
42975	00816	10	<0.001	0.010
42976	00817	29	<0.001	0.029
42977	00818	79	0.002	0.079
42978	00819	<5	<0.001	<0.005
42979	00820	6	<0.001	0.006
42980	00821	53	0.002	0.053
42981	00822	81	0.002	0.081
42982	00823	65	0.002	0.065
42983	00824	270	0.008	0.270
42984	00825	23	<0.001	0.023

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By

Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 10 of 11

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 14-Apr-05
Date Completed : 18-Apr-05
Job # 200540458
Reference :
Sample #: 220 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
42985 Check	00825	22	<0.001	0.022
42986	00826	8	<0.001	0.008
42987	00827	9	<0.001	0.009
42988	00828	28	<0.001	0.028
42989	00829	13	<0.001	0.013
42990	00830	18	<0.001	0.018
42991	00831	27	<0.001	0.027
42992	00832	14	<0.001	0.014
42993	00833	76	0.002	0.076
42994	00834	13	<0.001	0.013
42995	00835	18	<0.001	0.018
42996 Check	00835	15	<0.001	0.015
42997	00836	<5	<0.001	<0.005

PROCEDURE CODES: AL4Au3, AL4ICPAR

Page 11 of 11

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 23-Mar-05

Date Completed : 31-Mar-05

Job # 200540343

Reference :

Sample #: 90 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
31669	41751	<5	<0.001	<0.005
31670	41752	<5	<0.001	<0.005
31671	41753	<5	<0.001	<0.005
31672	41754	11	<0.001	0.011
31673	41755	8	<0.001	0.008
31674	41756	<5	<0.001	<0.005
31675	41757	18	<0.001	0.018
31676	41758	<5	<0.001	<0.005
31677	41759	41	0.001	0.041
31678	41760	43	0.001	0.043
31679	41761	<5	<0.001	<0.005
31680 Check	41761	<5	<0.001	<0.005
31681	41762	23	<0.001	0.023
31682	41763	73	0.002	0.073
31683	41764	92	0.003	0.092
31684	41765	294	0.009	0.294
31685	41766	354	0.010	0.354
31686	41767	963	0.028	0.963
31687	41768	1072	0.031	1.072
31688	41769	411	0.012	0.411
31689	41770	132	0.004	0.132
31690 Check	41770	128	0.004	0.128
31691	41771	56	0.002	0.056

PROCEDURE CODES: AL4Au3, AL4ICPAR

Page 1 of 5

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email: cjgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 23-Mar-05
 Date Completed : 31-Mar-05
 Job # 200540343
 Reference :

Sample #: 90 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
31692	41772	328	0.010	0.328
31693	41773	967	0.028	0.967
31694	41774	123	0.004	0.123
31695	41775	283	0.008	0.283
31696	41776	22	<0.001	0.022
31697	41777	253	0.007	0.253
31698	41778	183	0.005	0.183
31699	41779	39	0.001	0.039
31700	41780	112	0.003	0.112
31701 Check	41780	119	0.003	0.119
31702	41781	37	0.001	0.037
31703	41782	1508	0.044	1.508
31704	41783	116	0.003	0.116
31705	41784	64	0.002	0.064
31706	41785	77	0.002	0.077
31707	41786	1411	0.041	1.411
31708	41787	223	0.006	0.223
31709	41788	479	0.014	0.479
31710	41789	29	<0.001	0.029
31711	41790	63	0.002	0.063
31712 Check	41790	61	0.002	0.061
31713	41791	112	0.003	0.112
31714	41792	112	0.003	0.112

PROCEDURE CODES: AL4Au3, AL4ICPAR

Page 2 of 5

Certified By:

Derek Demlaniuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 23-Mar-05
 Date Completed : 31-Mar-05
 Job # 200540343
 Reference :

Sample #: 90 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
31715	41793	511	0.015	0.511
31716	41794	461	0.013	0.461
31717	41795	2434	0.071	2.434
31718	41796	687	0.020	0.687
31719	41797	1013	0.030	1.013
31720	41798	1557	0.045	1.557
31721	41799	4850	0.141	4.850
31722	41800	538	0.016	0.538
31723 Check	41800	516	0.015	0.516
31724	41801	57	0.002	0.057
31725	41802	426	0.012	0.426
31726	41803	525	0.015	0.525
31727	41804	206	0.006	0.206
31728	41805	643	0.019	0.643
31729	41806	435	0.013	0.435
31730	41807	3790	0.111	3.790
31731	41808	505	0.015	0.505
31732	41809	273	0.008	0.273
31733	41810	277	0.008	0.277
31734 Check	41810	302	0.009	0.302
31735	41811	1072	0.031	1.072
31736	41812	407	0.012	0.407
31737	41813	112	0.003	0.112

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 5

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 23-Mar-05
 Date Completed : 31-Mar-05
 Job # 200540343
 Reference :

Sample #: 90 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
31738	41814	293	0.009	0.293
31739	41815	245	0.007	0.245
31740	41816	302	0.009	0.302
31741	41817	345	0.010	0.345
31742	41818	1712	0.050	1.712
31743	41819	478	0.014	0.478
31744	41820	5314	0.155	5.314
31745 Check	41820	5631	0.164	5.631
31746	41821	133	0.004	0.133
31747	41822	40	0.001	0.040
31748	41823	19	<0.001	0.019
31749	41824	48	0.001	0.048
31750	41825	118	0.003	0.118
31751	41826	<5	<0.001	<0.005
31752	41827	<5	<0.001	<0.005
31753	41828	<5	<0.001	<0.005
31754	41829	530	0.015	0.530
31755	41830	3177	0.093	3.177
31756 Check	41830	3000	0.088	3.000
31757	41831	10	<0.001	0.010
31758	41832	277	0.008	0.277
31759	41833	150	0.004	0.150
31760	41834	14	<0.001	0.014

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 4 of 5

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 23-Mar-05
Date Completed : 31-Mar-05
Job # 200540343
Reference :

Sample #: 90 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
31761	41835	19	<0.001	0.019
31762	41836	16	<0.001	0.016
31763	41837	<5	<0.001	<0.005
31764	41838	10	<0.001	0.010
31765	41839	9	<0.001	0.009
31766	41840		No Sample	
31767 Check	41840		No Sample	

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Bemaniuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 5 of 5

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cjgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 30-Mar-05
 Date Completed : 02-Apr-05
 Job # 200540368
 Reference :

Sample #: 96 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
33357	41840	86	0.003	0.086
33358	41841	<5	<0.001	<0.005
33359	41842	<5	<0.001	<0.005
33360	41843	<5	<0.001	<0.005
33361	41844	32	<0.001	0.032
33362	41845	<5	<0.001	<0.005
33363	41846	7	<0.001	0.007
33364	41847	76	0.002	0.076
33365	41848	<5	<0.001	<0.005
33366	41849	8	<0.001	0.008
33367 Check	41849	<5	<0.001	<0.005
33368	41850	18	<0.001	0.018
33369	41901	12	<0.001	0.012
33370	41902	91	0.003	0.091
33371	41903	21	<0.001	0.021
33372	41904	10	<0.001	0.010
33373	41905	10	<0.001	0.010
33374	41906	<5	<0.001	<0.005
33375	41907	62	0.002	0.062
33376	41908	183	0.005	0.183
33377	41909	13	<0.001	0.013
33378 Check	41909	9	<0.001	0.009
33379	41910	62	0.002	0.062

PROCEDURE CODES: AL4Au3, AL4ICPAR

Page 1 of 5

Certified By:

Derek Demlaniuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 30-Mar-05
 Date Completed : 02-Apr-05
 Job # 200540368
 Reference :

Sample #: 96 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
33380	41911	<5	<0.001	<0.005
33381	41912	34	<0.001	0.034
33382	41913	178	0.005	0.178
33383	41914	30	<0.001	0.030
33384	41915	66	0.002	0.066
33385	41916	13	<0.001	0.013
33386	41917	6	<0.001	0.006
33387	41918	68	0.002	0.068
33388	41919	66	0.002	0.066
33389 Check	41919	57	0.002	0.057
33390	41920	147	0.004	0.147
33391	41921	1512	0.044	1.512
33392	41922	1793	0.052	1.793
33393	41923	1802	0.053	1.802
33394	41924	256	0.007	0.256
33395	41925	137	0.004	0.137
33396	41926	281	0.008	0.281
33397	41927	92	0.003	0.092
33398	41928	128	0.004	0.128
33399	41929	55	0.002	0.055
33400 Check	41929	63	0.002	0.063
33401	41930	840	0.025	0.840
33402	41931	56	0.002	0.056

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demlaniuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 2 of 5

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 30-Mar-05

Date Completed : 02-Apr-05

Job # 200540368

Reference :

Sample #: 96 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
33403	41932	86	0.003	0.086
33404	41933	12	<0.001	0.012
33405	41934	43	0.001	0.043
33406	41935	483	0.014	0.483
33407	41936	17	<0.001	0.017
33408	41937	67	0.002	0.067
33409	41938	8	<0.001	0.008
33410	41939	18	<0.001	0.018
33411 Check	41939	18	<0.001	0.018
33412	41940	621	0.018	0.621
33413	41941	45	0.001	0.045
33414	41942	96	0.003	0.096
33415	41943	96	0.003	0.096
33416	41944	315	0.009	0.315
33417	41945	402	0.012	0.402
33418	41946	46	0.001	0.046
33419	41947	40	0.001	0.040
33420	41948	245	0.007	0.245
33421	41949	45	0.001	0.045
33422 Check	41949	45	0.001	0.045
33423	41950	18	<0.001	0.018
33424	41951	32	<0.001	0.032
33425	41952	971	0.028	0.971

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Page 3 of 5

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 30-Mar-05

Date Completed : 02-Apr-05

Job # 200540368

Reference :

Sample #: 96 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
33426	41953	299	0.009	0.299
33427	41954	9	<0.001	0.009
33428	41955	10	<0.001	0.010
33429	41956	62	0.002	0.062
33430	41957	<5	<0.001	<0.005
33431	41958	<5	<0.001	<0.005
33432	41959	<5	<0.001	<0.005
33433 Check	41959	<5	<0.001	<0.005
33434	41960	372	0.011	0.372
33435	41961	86	0.003	0.086
33436	41962	15	<0.001	0.015
33437	41963	31	<0.001	0.031
33438	41964	416	0.012	0.416
33439	41965	61	0.002	0.061
33440	41966	8	<0.001	0.008
33441	41967	6	<0.001	0.006
33442	41968	15	<0.001	0.015
33443	41969	10	<0.001	0.010
33444 Check	41969	<5	<0.001	<0.005
33445	41970	40	0.001	0.040
33446	41971	27	<0.001	0.027
33447	41972	53	0.002	0.053
33448	41973	12	<0.001	0.012

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 4 of 5

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 30-Mar-05
Date Completed : 02-Apr-05
Job # 200540368
Reference :
Sample #: 96 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
33449	41974	<5	<0.001	<0.005
33450	41975	<5	<0.001	<0.005
33451	41976	15	<0.001	0.015
33452	41977	26	<0.001	0.026
33453	41978	14	<0.001	0.014
33454	41979	25	<0.001	0.025
33455 Check	41979	26	<0.001	0.026
33456	41980	32	<0.001	0.032
33457	41981	16	<0.001	0.016
33458	41982	6	<0.001	0.006
33459	41983	39	0.001	0.039
33460	41984	1081	0.032	1.081
33461	41985	328	0.010	0.328

PROCEDURE CODES: AL4Au3, AL4ICPAR

Page 5 of 5

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cjgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 06-Apr-05
Date Completed : 07-Apr-05

Job # 200540400

Reference :

Sample #: 50 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
35586	41851	89	0.003	0.089
35587	41852	63	0.002	0.063
35588	41853	12	<0.001	0.012
35589	41854	17	<0.001	0.017
35590	41855	23	<0.001	0.023
35591	41856	246	0.007	0.246
35592	41857	105	0.003	0.105
35593	41858	27	<0.001	0.027
35594	41859	123	0.004	0.123
35595	41860	57	0.002	0.057
35596 Check	41860	62	0.002	0.062
35597	41861	11	<0.001	0.011
35598	41862	5	<0.001	0.005
35599	41863	18	<0.001	0.018
35600	41864	<5	<0.001	<0.005
35601	41865	<5	<0.001	<0.005
35602	41866	7	<0.001	0.007
35603	41867	19	<0.001	0.019
35604	41868	23	<0.001	0.023
35605	41869	<5	<0.001	<0.005
35606	41870	<5	<0.001	<0.005
35607 Check	41870	<5	<0.001	<0.005
35608	41871	21	<0.001	0.021

PROCEDURE CODES: AL4Au3, AL4ICP4R

Certified By:

Derek Demianiuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 3

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 06-Apr-05
Date Completed : 07-Apr-05
Job # 200540400
Reference :

Sample #: 50 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
35609	41872	<5	<0.001	<0.005
35610	41873	56	0.002	0.056
35611	41874	504	0.015	0.504
35612	41875	1296	0.038	1.296
35613	41876	113	0.003	0.113
35614	41877	64	0.002	0.064
35615	41878	41	0.001	0.041
35616	41879	30	<0.001	0.030
35617	41880	28	<0.001	0.028
35618 Check	41880	19	<0.001	0.019
35619	41881	52	0.002	0.052
35620	41882	42	0.001	0.042
35621	41883	29	<0.001	0.029
35622	41884	35	0.001	0.035
35623	41885	26	<0.001	0.026
35624	41886	80	0.002	0.080
35625	41887	381	0.011	0.381
35626	41888	190	0.006	0.190
35627	41889	101	0.003	0.101
35628	41890	159	0.005	0.159
35629 Check	41890	154	0.004	0.154
35630	41891	64	0.002	0.064
35631	41892	18	<0.001	0.018

PROCEDURE CODES: AL4Au3, AL4ICPAR

Page 2 of 3

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 06-Apr-05
Date Completed : 07-Apr-05
Job # 200540400
Reference :

Sample #: 50 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
35632	41893	34	0.001	0.034
35633	41894	42	0.001	0.042
35634	41895	85	0.002	0.085
35635	41896	43	0.001	0.043
35636	41897	234	0.007	0.234
35637	41898	87	0.003	0.087
35638	41899	77	0.002	0.077
35639	41900	118	0.003	0.118
35640 Check	41900	102	0.003	0.102

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 3

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 30-Mar-05
Date Completed : 02-Apr-05
Job # 200540368
Reference :

Sample #: 96 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
33380	41911	<5	<0.001	<0.005
33381	41912	34	<0.001	0.034
33382	41913	178	0.005	0.178
33383	41914	30	<0.001	0.030
33384	41915	66	0.002	0.066
33385	41916	13	<0.001	0.013
33386	41917	6	<0.001	0.006
33387	41918	68	0.002	0.068
33388	41919	66	0.002	0.066
33389 Check	41919	57	0.002	0.057
33390	41920	147	0.004	0.147
33391	41921	1512	0.044	1.512
33392	41922	1793	0.052	1.793
33393	41923	1802	0.053	1.802
33394	41924	256	0.007	0.256
33395	41925	137	0.004	0.137
33396	41926	281	0.008	0.281
33397	41927	92	0.003	0.092
33398	41928	128	0.004	0.128
33399	41929	55	0.002	0.055
33400 Check	41929	63	0.002	0.063
33401	41930	840	0.025	0.840
33402	41931	56	0.002	0.056

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 2 of 5

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cjgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 30-Mar-05

Date Completed : 02-Apr-05

Job # 200540368

Reference :

Sample #: 96 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
33403	41932	86	0.003	0.086
33404	41933	12	<0.001	0.012
33405	41934	43	0.001	0.043
33406	41935	483	0.014	0.483
33407	41936	17	<0.001	0.017
33408	41937	67	0.002	0.067
33409	41938	8	<0.001	0.008
33410	41939	18	<0.001	0.018
33411 Check	41939	18	<0.001	0.018
33412	41940	621	0.018	0.621
33413	41941	45	0.001	0.045
33414	41942	96	0.003	0.096
33415	41943	96	0.003	0.096
33416	41944	315	0.009	0.315
33417	41945	402	0.012	0.402
33418	41946	46	0.001	0.046
33419	41947	40	0.001	0.040
33420	41948	245	0.007	0.245
33421	41949	45	0.001	0.045
33422 Check	41949	45	0.001	0.045
33423	41950	18	<0.001	0.018
33424	41951	32	<0.001	0.032
33425	41952	971	0.028	0.971

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 5

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
 Suite 1780, 400 Burrard St.
 Vancouver, BC, CA
 V6C3A6
 Ph#: (604) 685-8666
 Fax#: (604) 685-8677, (807) 683-1306
 Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 30-Mar-05

Date Completed : 02-Apr-05

Job # 200540368

Reference :

Sample #: 96 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
33426	41953	299	0.009	0.299
33427	41954	9	<0.001	0.009
33428	41955	10	<0.001	0.010
33429	41956	62	0.002	0.062
33430	41957	<5	<0.001	<0.005
33431	41958	<5	<0.001	<0.005
33432	41959	<5	<0.001	<0.005
33433 Check	41959	<5	<0.001	<0.005
33434	41960	372	0.011	0.372
33435	41961	86	0.003	0.086
33436	41962	15	<0.001	0.015
33437	41963	31	<0.001	0.031
33438	41964	416	0.012	0.416
33439	41965	61	0.002	0.061
33440	41966	8	<0.001	0.008
33441	41967	6	<0.001	0.006
33442	41968	15	<0.001	0.015
33443	41969	10	<0.001	0.010
33444 Check	41969	<5	<0.001	<0.005
33445	41970	40	0.001	0.040
33446	41971	27	<0.001	0.027
33447	41972	53	0.002	0.053
33448	41973	12	<0.001	0.012

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 4 of 5

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 30-Mar-05

Date Completed : 02-Apr-05

Job # 200540368

Reference :

Sample #: 96 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
33449	41974	<5	<0.001	<0.005
33450	41975	<5	<0.001	<0.005
33451	41976	15	<0.001	0.015
33452	41977	26	<0.001	0.026
33453	41978	14	<0.001	0.014
33454	41979	25	<0.001	0.025
33455 Check	41979	26	<0.001	0.026
33456	41980	32	<0.001	0.032
33457	41981	16	<0.001	0.016
33458	41982	6	<0.001	0.006
33459	41983	39	0.001	0.039
33460	41984	1081	0.032	1.081
33461	41985	328	0.010	0.328

PROCEDURE-CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Domianuk M.Sc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 5 of 5

AL903-0139-10/03/2005 07:58 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cjgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 04-Apr-05
Date Completed : 07-Apr-05
Job # 200540386
Reference :

Sample #: 15 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
34963	41986	199	0.006	0.199
34964	41987	1493	0.044	1.493
34965	41988	160	0.005	0.160
34966	41989	234	0.007	0.234
34967	41990	487	0.014	0.487
34968	41991	12007	0.350	12.007
34969	41992	1184	0.035	1.184
34970	41993	416	0.012	0.416
34971	41994	455	0.013	0.455
34972	41995	131	0.004	0.131
34973	Check	123	0.004	0.123
34974	41996	187	0.005	0.187
34975	41997	272	0.008	0.272
34976	41998	192	0.006	0.192
34977	41999	66	0.002	0.066
34978	42000	44	0.001	0.044

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

Page 1 of 1

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 18-Apr-05
Date Completed : 23-Apr-05
Job # 200540507
Reference : 200540458

Sample #: 3 Pulp's

Accurassay #	Client Id	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
46108	00740			8922				
46109	00748			5465				17168
46110	00792	100		24367				

PROCEDURE-CODES: AL4Ag, AL4Cu, AL4Zn

Certified By:

Derek Demianuk H.Bsc., Laboratory Manager

Page 1 of 1

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL901-0139-10/03/2005 07:59 AM



Certificate of Analysis

Monday, October 03, 2005

Tri-Gold Resources
Suite 1780, 400 Burrard St.
Vancouver, BC, CA
V6C3A6
Ph#: (604) 685-8666
Fax#: (604) 685-8677, (807) 683-1306
Email cgeo@shaw.ca, grandcru_tb@shaw.ca

Date Received : 05-Apr-05

Date Completed : 06-Apr-05

Job # 200540408

Reference :

Sample #: 1 Pulp's

Accurassay #	Client Id	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
36914	41775							9924

PROCEDURE CODES: AL4FA-Zn

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 1

AL901-0139-10/03/2005 07:59 AM

Tri-Gold Resources

Date Created: 05-04-12 04:31 PM

Job Number: 200540385

Date Received: 4/4/2005

Number of Samples: 17

Type of Sample: Rock

Date Completed: 4/7/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accr. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34945	501	<1	1.08	<3	49	9	<1	80	1.72	<10	30	83	158	4.16	0.07	18	0.96	507	6	0.14	27	446	9	<10	<5	0.11	<10	26	2232	<1	74	<10	14	60
34946	502	1	0.95	<3	47	7	<1	77	1.66	<10	28	83	223	4.10	0.09	<1	0.74	434	79	0.20	26	460	6	<10	<5	0.11	14	18	1848	<1	76	<10	12	53
34947	503	<1	0.86	<3	42	5	<1	55	2.31	<10	26	55	258	3.02	0.07	3	0.66	405	6	0.13	22	440	7	<10	<5	0.10	<10	22	1632	<1	44	<10	9	60
34948	504	2	1.03	<3	48	8	<1	82	1.57	<10	33	71	588	4.32	0.11	5	0.80	467	14	0.17	29	498	8	<10	<5	0.09	<10	22	2107	<1	56	<10	12	87
34949	505	1	1.01	<3	44	5	<1	59	1.81	<10	28	64	441	3.38	0.10	2	0.75	391	6	0.16	22	480	7	<10	<5	0.09	<10	43	2481	<1	46	<10	13	31
34950	506	2	0.95	<3	46	14	<1	80	1.43	<10	30	65	335	4.20	0.18	3	0.75	329	7	0.16	25	458	7	<10	<5	0.08	<10	26	2078	<1	78	<10	12	27
34951	507	<1	0.84	<3	47	4	<1	60	1.38	<10	23	47	147	3.38	0.07	2	0.67	311	4	0.14	20	452	7	<10	<5	0.07	<10	26	1923	<1	60	<10	10	46
34952	508	1	0.85	<3	45	7	<1	67	1.28	<10	25	61	365	3.63	0.09	2	0.73	309	6	0.15	21	473	8	<10	<5	0.09	<10	10	1981	<1	72	<10	10	34
34953	509	2	1.03	<3	55	5	<1	84	1.28	14	36	66	596	4.54	0.07	11	0.90	425	6	0.14	25	442	15	<10	<5	0.10	<10	10	2164	<1	55	<10	12	1049
34954	510	1	0.95	<3	46	7	<1	72	1.32	<10	30	75	357	3.85	0.08	7	0.79	373	8	0.16	23	428	10	<10	<5	0.09	<10	17	1949	<1	62	<10	10	306
34955	510	1	0.98	<3	61	7	<1	75	1.40	<10	32	80	383	4.06	0.08	7	0.82	397	8	0.17	24	455	11	<10	<5	0.10	<10	17	2111	<1	65	<10	11	324
34956	511	<1	0.93	<3	57	4	<1	70	1.52	<10	30	64	140	3.85	0.07	1	0.72	383	4	0.17	22	516	9	<10	<5	0.09	<10	21	2489	<1	80	<10	12	42
34957	512	2	1.03	<3	56	9	<1	84	1.37	<10	31	57	837	4.50	0.19	8	0.86	455	29	0.14	27	467	9	<10	<5	0.09	<10	12	2534	<1	72	<10	12	65
34958	513	<1	0.83	<3	46	20	<1	35	0.78	<10	13	76	188	1.92	0.25	8	0.63	244	6	0.08	12	283	8	<10	<5	0.04	<10	10	1441	<1	15	<10	7	43
34959	514	<1	1.10	<3	50	15	<1	69	1.55	<10	27	56	253	3.78	0.26	7	0.93	420	4	0.14	28	477	10	<10	<5	0.08	<10	27	1985	<1	47	<10	11	85
34960	515	2	0.62	<3	44	4	<1	37	0.92	<10	21	37	125	2.24	0.06	1	0.51	240	4	0.10	20	417	18	<10	<5	0.04	<10	16	997	<1	31	<10	7	117
34961	516	<1	0.77	<3	47	4	<1	53	1.12	<10	25	58	295	3.01	0.07	10	0.74	338	6	0.09	25	385	9	<10	<5	0.05	<10	20	1507	<1	28	11	7	63
34962	517	<1	0.69	<3	50	15	<1	57	1.02	<10	22	39	165	3.29	0.19	4	0.61	257	4	0.10	20	422	5	<10	<5	0.04	<10	17	1244	<1	60	<10	7	40

Certified By:
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-12 04:32 PM

Job Number: 200540393

Date Received: 4/5/2005

Number of Samples: 64

Type of Sample: Rock

Date Completed: 4/8/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
35327	518	<1	0.67	<3	37	2	<1	43	0.87	<10	24	35	183	2.66	0.03	2	0.59	253	4	0.07	19	416	9	<10	<5	0.02	<10	9	1183	<1	31	<10	5	29	
35328	519	1	0.73	<3	37	14	<1	56	0.89	<10	28	40	416	3.30	0.16	5	0.67	292	4	0.07	25	400	6	<10	<5	0.02	<10	6	1483	<1	44	<10	6	30	
35329	520	2	0.72	<3	41	22	<1	53	1.02	<10	37	48	461	3.39	0.22	8	0.67	302	5	0.07	24	404	5	<10	<5	0.02	<10	7	1832	<1	44	12	7	24	
35330	521	<1	0.63	<3	33	8	<1	39	1.10	<10	21	47	329	2.52	0.11	<1	0.52	245	4	0.08	19	367	5	<10	<5	0.02	<10	16	1232	<1	34	<10	5	16	
35331	522	<1	0.65	<3	33	18	<1	38	1.09	<10	18	41	146	2.47	0.17	<1	0.52	278	4	0.09	17	376	4	<10	<5	0.02	<10	12	1109	<1	38	<10	5	18	
35332	523	3	0.83	<3	42	46	<1	65	1.22	<10	30	54	410	3.93	0.63	11	0.81	357	9	0.06	25	342	5	<10	<5	0.03	<10	12	2275	<1	54	46	7	26	
35333	524	4	0.87	<3	46	49	<1	89	2.12	<10	33	50	551	5.03	1.25	13	0.90	481	16	0.06	27	332	7	<10	<5	0.04	<10	25	2374	<1	72	86	8	31	
35334	525	<1	0.69	<3	39	30	<1	25	0.43	<10	6	80	44	1.59	0.70	5	0.64	202	10	0.06	11	259	4	<10	<5	<0.01	<10	8	695	<1	24	<10	3	19	
35335	526	1	0.82	<3	43	57	<1	55	1.33	<10	20	64	320	3.25	0.76	9	0.79	318	12	0.08	20	342	5	<10	<5	0.02	<10	17	2194	<1	43	49	7	37	
35336	527	2	0.81	<3	49	34	<1	70	1.57	<10	31	55	304	3.96	0.38	17	0.83	357	16	0.09	28	492	5	<10	<5	0.03	<10	16	2889	<1	70	14	10	25	
35337	527	2	0.81	<3	50	35	<1	69	1.60	<10	32	57	312	4.03	0.39	17	0.84	366	17	0.09	28	501	5	<10	<5	0.03	<10	17	2964	<1	71	16	11	27	
35338	528	2	0.81	<3	47	41	<1	62	1.71	<10	31	226	409	3.59	0.34	27	0.92	353	12	0.03	91	1112	6	<10	<5	0.04	<10	26	2230	<1	43	667	9	32	
35339	529	4	0.73	<3	50	16	<1	73	1.92	<10	29	207	266	3.95	0.17	20	0.87	360	9	0.04	74	1592	10	<10	<5	0.04	<10	39	2346	<1	28	38	12	33	
35340	530	4	0.76	<3	50	50	<1	79	1.59	<10	24	68	609	4.62	0.57	20	0.82	405	34	0.03	12	559	8	<10	<5	0.03	<10	17	2595	<1	31	149	10	26	
35341	531	5	0.75	<3	54	51	<1	94	1.63	<10	32	75	799	5.24	0.63	14	0.78	398	30	0.05	15	716	7	<10	<5	0.04	<10	14	2782	<1	32	46	11	29	
35342	532	2	0.67	<3	50	19	<1	78	1.24	<10	23	64	552	4.51	0.21	7	0.66	238	40	0.07	13	818	7	<10	<5	0.02	<10	10	2407	<1	35	10	13	25	
35343	533	3	0.93	4	57	5	<1	107	1.35	<10	46	58	1175	5.91	0.07	38	1.07	466	47	0.04	17	820	9	<10	<5	0.05	19	8	2233	<1	42	<10	14	37	
35344	534	<1	0.86	<3	49	4	<1	87	1.31	<10	28	45	203	4.81	0.06	26	1.01	396	31	0.04	13	759	7	<10	<5	0.04	<10	7	2274	<1	46	<10	15	29	
35345	535	1	0.70	<3	60	12	<1	75	1.08	<10	39	71	443	4.36	0.27	9	0.70	197	39	0.07	16	856	7	<10	<5	0.03	<10	12	2412	<1	36	<10	14	19	
35346	536	1	0.83	<3	58	8	<1	76	1.16	<10	25	57	373	4.34	0.18	17	0.84	269	37	0.08	13	925	9	<10	<5	0.03	<10	15	2689	<1	34	<10	18	35	
35347	536	1	0.83	<3	59	8	<1	76	1.17	<10	24	57	366	4.33	0.18	17	0.85	271	36	0.07	13	932	9	<10	<5	0.03	<10	15	2710	<1	34	<10	21	35	
35348	537	2	0.97	<3	56	7	<1	102	0.86	<10	58	58	461	5.62	0.10	21	1.02	283	20	0.06	19	888	10	<10	<5	0.03	<10	10	13	2053	<1	26	<10	17	34

Certified By:

Derek Demjanuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-12 04:32 PM

Job Number: 200540393

Date Received: 4/5/2005

Number of Samples: 64

Type of Sample: Rock

Date Completed: 4/8/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35349	538	2	0.83	<3	49	10	<1	76	1.25	<10	131	70	441	4.29	0.15	10	0.80	260	38	0.08	23	431	7	<10	<5	0.01	<10	27	1781	<1	31	<10	8	23
35350	539	<1	0.32	<3	33	13	<1	9	0.49	<10	6	77	327	0.68	0.12	<1	0.28	<100	74	0.04	8	229	5	<10	<5	<0.01	17	6	228	<1	2	<10	2	6
35351	540	<1	0.28	<3	28	10	<1	9	0.38	<10	4	65	284	0.64	0.10	<1	0.26	<100	68	0.03	6	232	5	<10	<5	<0.01	16	<5	165	<1	<2	<10	2	10
35352	541	5	0.64	18	42	34	<1	68	2.77	<10	14	45	3076	4.02	0.51	16	0.81	693	27	0.02	7	216	28	<10	<5	0.02	17	16	274	<1	7	<10	2	549
35353	542	<1	0.45	<3	30	13	<1	9	0.20	<10	3	55	262	0.68	0.33	5	0.46	143	30	0.02	5	225	6	<10	<5	<0.01	<10	<5	163	<1	<2	<10	2	14
35354	543	<1	0.52	6	34	12	<1	8	0.26	<10	3	57	235	0.72	0.30	10	0.53	163	26	0.02	7	309	5	<10	<5	0.01	<10	<5	192	<1	<2	<10	2	14
35355	544	<1	0.50	5	35	15	<1	13	0.26	<10	6	80	469	0.99	0.37	6	0.55	171	215	0.03	6	223	3	<10	<5	<0.01	55	<5	294	<1	<2	<10	3	21
35356	545	<1	0.32	<3	33	12	<1	13	0.32	<10	5	76	706	0.99	0.23	<1	0.28	<100	31	0.02	7	230	3	<10	<5	<0.01	<10	<5	128	<1	<2	<10	3	9
35357	545	<1	0.30	<3	31	11	<1	11	0.29	<10	5	69	648	0.91	0.21	<1	0.26	<100	26	0.02	7	216	3	<10	<5	<0.01	<10	<5	114	<1	<2	<10	2	7
35358	546	<1	0.30	<3	32	9	<1	13	0.12	<10	5	52	542	0.93	0.20	<1	0.31	<100	34	0.02	5	226	4	<10	<5	<0.01	<10	<5	226	<1	<2	<10	2	5
35359	547	1	0.42	3	35	13	<1	21	0.44	<10	10	70	1008	1.39	0.19	4	0.47	126	42	0.03	8	257	4	<10	<5	<0.01	<10	<5	<100	<1	<2	<10	2	5
35360	548	<1	0.25	<3	31	14	<1	9	0.68	<10	5	63	764	0.70	0.08	<1	0.22	<100	47	0.03	6	277	3	<10	<5	<0.01	<10	5	308	<1	5	<10	4	8
35361	549	<1	0.29	<3	29	12	<1	9	0.49	<10	4	77	431	0.70	0.07	<1	0.26	<100	21	0.04	8	226	2	<10	<5	<0.01	<10	5	135	<1	2	<10	2	6
35362	550	<1	0.22	<3	28	11	<1	6	0.61	<10	4	65	1371	0.73	0.05	<1	0.17	<100	90	0.04	6	220	2	<10	<5	<0.01	22	6	133	<1	<2	<10	2	6
35363	551	<1	0.31	<3	30	13	<1	6	0.47	<10	5	72	571	0.75	0.13	<1	0.25	<100	28	0.03	8	240	3	<10	<5	<0.01	<10	6	243	<1	<2	<10	2	7
35364	552	<1	0.43	<3	33	15	<1	12	0.34	<10	5	62	931	0.93	0.29	4	0.48	116	41	0.03	6	234	3	<10	<5	<0.01	<10	5	251	<1	<2	<10	2	9
35365	553	<1	0.30	<3	29	10	<1	9	0.48	<10	5	59	812	0.73	0.13	1	0.31	<100	24	0.03	7	226	3	<10	<5	<0.01	<10	<5	193	<1	3	<10	2	7
35366	554	<1	0.29	<3	32	9	<1	9	0.30	<10	6	70	560	0.71	0.09	2	0.31	<100	30	0.03	6	261	3	<10	<5	<0.01	<10	<5	<100	<1	<2	<10	2	6
35367	555	<1	0.37	<3	31	6	<1	13	0.70	<10	6	68	886	1.02	0.06	5	0.43	<100	40	0.03	8	243	2	<10	<5	<0.01	12	<5	<100	<1	<2	<10	2	6
35368	555	<1	0.39	<3	34	6	<1	15	0.75	<10	7	75	950	1.10	0.07	6	0.46	<100	44	0.04	8	253	3	<10	<5	<0.01	11	<5	<100	<1	3	<10	2	7
35369	556	<1	0.36	<3	32	6	<1	11	0.51	<10	7	59	692	0.94	0.07	4	0.42	<100	33	0.03	7	264	2	<10	<5	<0.01	<10	<5	<100	<1	<2	<10	3	7
35370	557	<1	0.46	<3	33	6	<1	12	0.86	<10	5	67	204	0.94	0.11	8	0.55	131	25	0.03	7	251	2	<10	<5	<0.01	<10	6	<100	<1	2	<10	3	7

Certified By:
Derek Demianuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-12 04:32 PM

Job Number: 200540393

Date Received: 4/5/2005

Number of Samples: 64

Type of Sample: Rock

Date Completed: 4/8/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
35371		558	<1	0.31	<3	29	7	<1	11	0.58	<10	4	60	239	0.74	0.06	1	0.32	<100	22	0.04	6	230	2	<10	<5	<0.01	<10	<5	<100	<1	<2	<10	2	6
35372		559	5	0.70	6	35	9	<1	39	1.38	<10	9	54	439	2.03	0.12	29	0.93	269	64	0.02	6	205	6	<10	<5	0.01	18	8	<100	<1	8	<10	4	22
35373		560	<1	0.45	<3	30	8	<1	8	0.63	<10	3	53	299	0.58	0.20	6	0.54	178	14	0.02	4	209	2	<10	<5	<0.01	<10	<5	219	<1	<2	<10	2	11
35374		561	<1	0.54	<3	32	11	<1	12	1.09	<10	3	47	84	0.80	0.26	13	0.71	216	12	0.02	5	196	3	<10	<5	<0.01	<10	7	248	<1	4	<10	4	12
35375		562	<1	0.30	<3	31	6	<1	11	0.41	<10	4	57	235	0.79	0.09	<1	0.32	<100	14	0.03	5	202	3	<10	<5	<0.01	<10	7	248	<1	4	<10	4	12
35376		563	<1	0.46	<3	30	12	<1	15	2.14	<10	4	70	456	0.93	0.16	10	0.66	253	20	0.03	7	212	3	<10	<5	<0.01	<10	<5	<100	<1	<2	<10	2	7
35377		564	<1	0.49	<3	32	7	<1	14	0.59	<10	4	72	438	0.89	0.17	8	0.62	132	36	0.03	5	214	3	<10	<5	<0.01	<10	10	102	<1	7	<10	5	12
35378		565	<1	0.51	<3	35	7	<1	23	0.46	<10	6	70	349	1.28	0.25	10	0.63	<100	55	0.03	7	216	4	<10	<5	<0.01	<10	<5	155	<1	3	<10	3	15
35379		565	<1	0.46	<3	29	6	<1	19	0.39	<10	5	59	292	1.10	0.21	8	0.57	<100	46	0.02	6	184	4	<10	<5	<0.01	13	<5	216	<1	4	<10	3	10
35380		566	1	0.60	3	38	16	<1	47	1.17	<10	37	45	547	2.69	0.42	17	0.80	189	19	0.02	6	212	8	<10	<5	<0.01	<10	7	333	<1	5	<10	4	13
35381		567	<1	0.41	<3	32	9	<1	14	0.16	<10	8	69	561	1.03	0.23	4	0.44	<100	11	0.03	8	255	3	<10	<5	<0.01	<10	<5	169	<1	<2	<10	2	8
35382		568	<1	0.43	<3	32	8	<1	13	0.13	<10	6	63	686	0.99	0.20	6	0.51	<100	32	0.03	6	229	4	<10	<5	<0.01	<10	<5	190	<1	<2	<10	2	9
35383		569	<1	0.39	<3	34	14	<1	16	0.34	<10	7	70	638	1.03	0.15	4	0.45	<100	25	0.03	7	209	4	<10	<5	<0.01	<10	<5	190	<1	<2	<10	2	9
35384		570	<1	0.28	<3	33	6	<1	10	0.40	<10	4	61	204	0.71	0.07	2	0.31	<100	41	0.03	5	194	4	<10	<5	<0.01	10	<5	<100	<1	<2	<10	2	12
35385		571	<1	0.28	<3	36	8	<1	10	0.52	<10	4	68	246	0.72	0.08	<1	0.26	<100	18	0.04	6	207	6	<10	<5	<0.01	<10	6	126	<1	3	<10	2	14
35386		572	<1	0.23	<3	28	7	<1	10	0.55	<10	4	66	351	0.66	0.05	<1	0.21	<100	18	0.04	5	180	3	<10	<5	<0.01	<10	6	<100	<1	<2	<10	2	4
35387		573	<1	0.54	<3	35	13	<1	23	0.54	<10	8	101	230	1.30	0.28	12	0.65	114	13	0.04	24	320	2	<10	<5	<0.01	<10	7	428	<1	7	<10	4	12
35388		574	<1	0.64	<3	35	11	<1	28	0.54	<10	8	65	771	1.59	0.37	16	0.78	171	95	0.03	5	188	3	<10	<5	<0.01	<10	7	428	<1	7	<10	4	12
35389		575	<1	0.32	<3	33	10	<1	17	0.57	<10	6	73	351	1.16	0.09	1	0.30	<100	24	0.04	8	204	5	<10	<5	<0.01	<10	7	156	<1	5	<10	3	14
35390		576	1	0.49	<3	36	34	<1	33	0.51	<10	11	68	952	2.16	0.31	3	0.44	<100	44	0.03	9	228	4	<10	<5	<0.01	<10	6	621	<1	15	<10	4	15
35391		576	2	0.51	<3	40	36	<1	35	0.55	<10	12	75	1035	2.34	0.34	3	0.47	<100	43	0.04	9	249	5	<10	<5	<0.01	<10	7	667	<1	16	<10	4	14
35392		577	<1	0.37	<3	35	14	<1	56	0.68	<10	8	86	432	1.74	0.13	1	0.31	<100	37	0.04	9	220	5	<10	<5	<0.01	<10	8	310	<1	8	<10	4	10

Certified By:
Derek Demianiuk, H.B.Sc.

Tri-Gold Resources

Date Created: 05-04-12 04:32 PM

Job Number: 200540393

Date Received: 4/5/2005

Number of Samples: 64

Type of Sample: Rock

Date Completed: 4/8/2005

Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35393	578	<1	0.32	<3	32	12	<1	20	0.60	<10	5	60	196	1.27	0.10	<1	0.30	<100	30	0.03	6	212	4	<10	<5	<0.01	<10	7	214	<1	6	<10	3	9
35394	579	<1	0.39	<3	36	13	<1	27	0.53	<10	10	77	636	1.58	0.20	1	0.38	<100	43	0.04	10	226	4	<10	<5	<0.01	11	6	363	<1	11	13	4	10
35395	580	No Sample Received																																
35396	581	No Sample Received																																

Certified By:
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-12 04:31 PM

Job Number: 200540389

Date Received: 4/5/2005

Number of Samples: 34

Type of Sample: Rock

Date Completed: 4/7/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
35230		580	2	0.80	<3	37	12	<1	36	0.37	<10	7	122	1179	1.98	0.42	24	0.95	128	69	0.04	8	205	3	<10	<5	0.01	15	<5	461	<1	11	<10	4	18
35231		581	<1	0.83	<3	36	6	<1	30	0.29	<10	6	120	580	1.75	0.09	30	1.03	129	43	0.05	8	220	3	<10	<5	0.02	14	<5	143	<1	15	<10	4	14
35232		582	<1	0.71	<3	39	16	<1	64	1.28	<10	31	80	390	3.64	0.21	4	0.69	276	41	0.12	21	437	6	<10	<5	0.02	<10	10	2634	<1	66	<10	12	30
35233		583	<1	0.67	<3	42	23	<1	61	1.02	<10	27	67	478	3.78	0.35	5	0.66	229	84	0.09	18	374	5	<10	<5	0.02	14	6	2388	<1	71	46	10	23
35234		584	<1	0.83	<3	44	12	<1	86	1.18	<10	37	70	531	4.81	0.21	9	0.80	388	111	0.08	25	554	5	<10	<5	0.02	28	17	2821	<1	79	51	11	35
35235		585	<1	0.76	<3	47	9	<1	88	2.16	<10	31	59	286	4.70	0.17	7	0.77	443	40	0.08	16	470	6	<10	<5	0.03	<10	11	2273	<1	95	<10	12	32
35236		586	<1	0.73	<3	44	12	<1	78	1.24	<10	29	66	136	4.40	0.22	3	0.67	374	20	0.12	16	505	4	<10	<5	0.03	<10	10	2708	<1	92	<10	13	26
35237		587	<1	0.67	<3	47	20	<1	77	1.23	<10	32	69	314	4.24	0.28	<1	0.62	317	42	0.12	17	483	5	<10	<5	0.03	<10	10	2562	<1	87	<10	11	27
35238		588	<1	0.59	<3	46	18	<1	65	1.01	<10	32	56	415	3.80	0.24	<1	0.55	257	44	0.10	17	465	6	<10	<5	0.02	<10	6	2120	<1	75	<10	9	19
35239		589	<1	0.69	<3	49	40	<1	70	0.97	<10	30	61	176	4.08	0.49	2	0.66	330	44	0.10	18	461	4	<10	<5	0.03	<10	6	2559	<1	78	<10	10	24
35240		589	<1	0.69	<3	46	38	<1	71	1.00	<10	29	60	165	3.98	0.47	2	0.66	333	43	0.10	17	441	4	<10	<5	0.03	<10	6	2624	<1	77	<10	11	24
35241		590	<1	0.62	<3	47	12	<1	72	1.21	<10	31	76	201	4.17	0.18	<1	0.56	340	28	0.12	20	464	4	<10	<5	0.03	<10	6	2465	<1	85	<10	12	19
35242		591	<1	0.64	<3	46	16	<1	67	1.05	<10	28	82	295	3.81	0.22	2	0.56	251	48	0.11	17	383	4	<10	<5	0.03	<10	7	2073	<1	66	<10	9	16
35243		592	<1	0.72	<3	46	30	<1	72	0.76	<10	43	55	483	4.25	0.41	4	0.65	225	139	0.09	22	416	5	<10	<5	0.03	30	5	1806	<1	58	<10	9	23
35244		593	<1	0.82	<3	49	29	<1	80	1.07	<10	37	65	396	4.40	0.42	10	0.79	332	52	0.10	22	459	4	<10	<5	0.04	<10	6	2405	<1	61	<10	10	28
35245		594	<1	0.75	<3	48	50	<1	72	0.67	<10	36	55	521	4.34	0.73	3	0.71	260	39	0.08	21	413	4	<10	<5	0.04	<10	5	2122	<1	68	<10	8	25
35246		595	<1	0.66	<3	48	20	<1	72	0.95	<10	37	78	479	4.09	0.38	3	0.61	283	37	0.09	19	387	4	<10	<5	0.03	<10	6	1949	<1	61	17	8	21
35247		596	<1	0.69	<3	48	17	<1	70	1.03	<10	34	70	341	4.06	0.27	6	0.69	320	37	0.10	22	443	4	<10	<5	0.04	<10	8	2164	<1	63	29	9	19
35248		597	<1	0.58	<3	46	9	<1	62	1.01	<10	36	63	233	3.81	0.14	<1	0.56	278	21	0.10	20	451	6	<10	<5	0.03	<10	7	1885	<1	66	<10	9	17
35249		598	<1	0.65	<3	42	21	<1	61	0.86	<10	33	52	298	3.44	0.33	2	0.59	246	27	0.09	21	441	4	<10	<5	0.03	<10	6	1656	<1	47	<10	7	19
35250		599	<1	0.67	<3	45	22	<1	67	1.08	<10	37	56	598	3.95	0.37	3	0.62	273	61	0.09	20	442	5	<10	<5	0.03	<10	7	2101	<1	60	<10	9	18
35251		599	<1	0.66	<3	43	21	<1	63	1.05	<10	36	55	568	3.79	0.34	3	0.61	263	57	0.09	19	410	5	<10	<5	0.03	<10	7	2053	<1	58	<10	9	18

Certified By:
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-12 04:31 PM

Job Number: 200540389

Date Received: 4/5/2005

Number of Samples: 34

Type of Sample: Rock

Date Completed: 4/7/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35252	600	<1	0.74	<3	49	29	<1	73	1.69	<10	35	76	559	4.02	0.50	11	0.73	340	34	0.07	22	373	8	<10	<5	0.04	<10	10	2369	<1	76	26	9	31
35253	601	5	0.43	7	38	3	<1	79	2.82	<10	15	131	755	2.19	0.06	5	0.55	245	423	0.02	16	<100	40	<10	<5	0.03	112	10	793	<1	29	33	3	18
35254	602	9	0.37	14	47	2	<1	148	0.69	<10	30	151	2016	4.38	0.04	<1	0.40	288	798	0.02	21	<100	27	<10	<5	0.02	231	<5	519	<1	30	40	2	28
35255	603	4	0.31	6	45	1	<1	70	1.09	<10	35	165	1346	3.43	0.03	<1	0.34	236	509	0.02	18	<100	15	<10	<5	0.02	153	7	201	<1	14	83	<1	15
35256	604	2	0.56	<3	39	2	<1	51	1.02	<10	15	132	1181	2.99	0.04	9	0.64	246	495	0.02	16	<100	10	<10	<5	0.03	145	6	192	<1	25	49	<1	17
35257	605	3	0.17	<3	32	<1	<1	25	1.17	<10	4	142	200	0.97	<0.01	<1	0.23	105	7161	0.01	9	<100	7	<10	<5	0.01	2058	6	212	<1	15	185	1	5
35258	606	<1	0.09	<3	37	<1	<1	14	0.62	<10	4	183	116	0.64	<0.01	<1	0.13	<100	785	0.01	11	<100	2	<10	<5	<0.01	221	<5	<100	<1	11	34	<1	2
35259	607	2	0.62	<3	43	7	<1	53	1.17	<10	16	161	1390	3.25	0.10	16	0.69	261	406	0.02	26	207	5	<10	<5	0.03	104	7	1248	<1	52	183	3	16
35260	608	2	0.62	3	45	17	<1	61	0.96	<10	20	191	1519	3.38	0.20	14	0.67	244	344	0.02	36	170	6	<10	<5	0.03	88	6	1263	<1	46	76	3	16
35261	609	<1	0.42	<3	39	14	<1	33	0.59	<10	10	151	388	1.73	0.16	5	0.45	134	72	0.02	16	<100	3	<10	<5	0.01	13	<5	713	<1	24	46	2	9
35262	609	<1	0.44	<3	43	15	<1	36	0.63	<10	10	169	421	1.83	0.18	6	0.48	143	75	0.02	17	<100	3	<10	<5	0.01	15	<5	823	<1	26	50	2	9
35263	610	2	0.54	3	43	12	<1	49	0.78	<10	12	187	1204	2.17	0.12	9	0.59	197	127	0.02	30	151	6	<10	<5	0.02	26	<5	1255	<1	39	83	3	17
35264	611	1	0.60	<3	44	57	<1	39	0.84	<10	12	189	496	2.22	0.43	8	0.61	180	72	0.03	19	141	4	<10	<5	0.02	15	<5	1359	<1	37	88	4	11
35265	612	3	0.63	5	49	52	<1	88	1.45	<10	29	123	1291	3.80	0.48	13	0.74	273	213	0.02	18	168	10	<10	<5	0.03	52	6	1304	<1	46	73	5	20
35266	613	1	0.90	<3	52	111	<1	88	1.50	<10	36	94	879	4.78	1.35	28	0.95	391	41	0.05	23	410	5	<10	<5	0.04	<10	14	3354	<1	105	240	9	27
35267	614	1	0.76	<3	47	49	<1	76	1.73	<10	30	82	778	4.16	0.68	13	0.79	360	47	0.09	23	426	4	<10	<5	0.03	<10	13	2888	<1	82	134	11	21
35268	615	<1	0.56	<3	43	22	<1	64	1.68	<10	25	69	376	3.70	0.33	3	0.56	316	17	0.07	18	390	4	<10	<5	0.02	<10	10	2201	<1	80	12	10	18

Certified By:

 Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Tri-Gold Resources

Date Created: 05-04-21 10:00 AM

Job Number: 200540458

Date Received: 4/14/2005

Number of Samples: 220

Type of Sample: Core

Date Completed: 4/18/2005

Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42755	616	<1	0.69	<3	53	18	<1	54	1.73	<10	24	70	336	3.24	0.25	<1	0.51	269	24	0.05	15	350	3	<10	<5	0.01	<10	50	3493	<1	61	10	12	19
42756	617	<1	0.71	<3	64	42	<1	73	1.15	<10	29	50	245	4.30	0.50	4	0.72	360	19	0.08	17	410	5	<10	<5	0.01	<10	11	3446	<1	102	<10	16	25
42757	618	<1	0.64	<3	60	17	<1	72	1.91	<10	30	68	288	4.10	0.21	<1	0.62	412	17	0.10	17	357	6	<10	<5	0.01	<10	12	3548	<1	96	<10	17	23
42758	619	<1	0.64	<3	69	4	<1	71	1.59	<10	36	63	333	4.19	0.09	<1	0.62	422	20	0.11	19	385	6	<10	<5	<0.01	<10	7	3461	<1	90	<10	18	26
42759	620	<1	0.83	<3	73	14	<1	87	2.07	<10	39	91	452	4.82	0.21	<1	0.82	559	130	0.17	22	450	5	<10	<5	<0.01	25	8	4255	<1	106	<10	23	32
42760	621	<1	0.82	<3	78	17	<1	81	1.71	<10	35	111	316	4.46	0.24	6	0.80	537	612	0.12	21	356	5	<10	<5	<0.01	154	8	3897	<1	95	18	19	35
42761	622	<1	0.83	<3	77	36	<1	85	1.93	<10	37	81	637	4.93	0.48	5	0.82	560	60	0.12	23	410	5	<10	<5	<0.01	<10	9	4377	<1	107	<10	20	33
42762	623	<1	0.86	<3	68	23	<1	91	2.96	<10	32	67	383	4.71	0.42	7	0.80	618	45	0.10	20	369	5	<10	<5	0.01	<10	23	3655	<1	93	<10	17	40
42763	624	<1	0.82	<3	68	23	<1	79	1.69	<10	32	75	323	4.50	0.28	<1	0.73	519	46	0.13	20	410	4	<10	<5	<0.01	<10	13	3642	<1	92	<10	18	40
42764	625	<1	0.84	<3	68	29	<1	81	1.39	<10	35	80	322	4.49	0.37	3	0.79	508	31	0.12	21	409	5	<10	<5	0.01	<10	8	3216	<1	84	<10	17	36
42765	625	<1	0.83	<3	65	30	<1	80	1.32	<10	37	80	336	4.52	0.38	3	0.78	491	31	0.12	24	418	6	<10	<5	0.01	<10	8	3118	<1	82	<10	16	36
42766	626	<1	0.76	<3	60	21	<1	73	1.51	<10	29	64	194	4.20	0.24	2	0.71	474	37	0.11	18	417	3	<10	<5	0.01	<10	9	3612	<1	92	<10	17	31
42767	627	<1	0.81	<3	66	33	<1	85	1.55	<10	36	67	331	4.71	0.42	6	0.78	463	37	0.11	20	404	5	<10	<5	0.01	<10	8	3973	<1	103	<10	17	30
42768	628	<1	0.84	<3	74	41	<1	88	1.76	<10	37	87	279	4.85	0.44	8	0.79	518	48	0.11	21	421	7	<10	<5	0.01	<10	16	4183	<1	100	<10	18	36
42769	629	<1	0.75	<3	74	54	<1	90	2.05	<10	33	98	280	4.90	0.47	4	0.75	563	44	0.11	22	408	6	<10	<5	0.01	<10	11	4061	<1	123	14	19	36
42770	630	<1	0.79	<3	80	79	<1	90	2.57	<10	37	75	205	4.95	0.65	10	0.81	639	19	0.10	22	440	6	<10	<5	0.01	<10	17	4376	<1	111	<10	20	43
42771	631	<1	0.70	<3	80	30	<1	86	3.25	<10	37	68	144	4.77	0.31	5	0.71	593	32	0.08	21	385	7	<10	<5	0.01	<10	17	3841	<1	92	10	19	33
42772	632	<1	0.86	<3	81	28	<1	94	2.12	<10	39	81	247	5.19	0.29	7	0.82	613	45	0.13	24	473	6	<10	<5	0.01	<10	13	4241	<1	111	<10	22	49
42773	633	<1	0.72	<3	75	7	<1	74	1.63	<10	32	68	205	4.23	0.11	<1	0.66	488	36	0.12	19	409	5	<10	<5	<0.01	<10	7	3661	<1	93	<10	19	32
42774	634	<1	0.80	<3	73	7	<1	79	1.80	<10	33	67	328	4.50	0.14	<1	0.72	549	59	0.14	21	423	5	<10	<5	<0.01	<10	7	3696	<1	90	<10	19	35
42775	635	<1	0.79	<3	71	6	<1	75	1.76	<10	30	59	137	4.23	0.12	<1	0.72	554	16	0.13	19	435	4	<10	<5	0.01	<10	7	3332	<1	90	<10	19	38
42776	635	<1	0.77	<3	70	6	<1	71	1.66	<10	29	58	141	4.13	0.12	<1	0.70	519	16	0.13	19	445	5	<10	<5	0.01	<10	7	3084	<1	86	<10	17	37

Certified By: 
Derek Demianiuk, H.B.Sc.

Tri-Gold Resources

Date Created: 05-04-21 10:00 AM

Job Number: 200540458

Date Received: 4/14/2005

Number of Samples: 220

Type of Sample: Core

Date Completed: 4/18/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
42777	636	<1	0.73	<3	59	17	<1	64	1.48	<10	30	65	258	3.78	0.23	<1	0.61	411	35	0.09	18	418	4	<10	<5	0.01	<10	18	3239	<1	73	<10	15	25
42778	637	<1	0.77	<3	59	12	<1	69	1.38	<10	34	78	429	4.02	0.19	<1	0.69	461	64	0.12	21	404	4	<10	<5	0.01	<10	8	2595	<1	75	<10	14	32
42779	638	<1	0.77	<3	60	14	<1	75	1.66	<10	32	62	279	4.28	0.19	3	0.73	497	39	0.12	19	416	6	<10	<5	0.01	<10	11	3568	<1	92	<10	18	34
42780	639	1	0.76	<3	56	7	<1	65	1.70	<10	29	76	530	3.84	0.11	1	0.64	438	38	0.10	17	401	6	<10	<5	<0.01	<10	26	3023	<1	76	30	14	31
42781	640	<1	0.76	<3	65	25	<1	73	1.84	<10	37	71	285	4.14	0.23	<1	0.69	492	34	0.12	24	427	6	<10	<5	<0.01	<10	12	2701	<1	80	<10	15	30
42782	641	<1	0.83	<3	69	12	<1	79	1.75	<10	33	64	216	4.42	0.22	3	0.78	547	33	0.14	22	450	5	<10	<5	<0.01	<10	6	3076	<1	90	<10	18	38
42783	642	<1	0.87	<3	59	26	<1	58	2.17	<10	26	69	182	3.45	0.46	5	0.68	463	21	0.09	17	405	3	<10	<5	<0.01	<10	39	3497	<1	59	<10	14	27
42784	643	<1	0.90	<3	71	74	<1	80	1.83	<10	37	62	218	4.54	0.84	15	0.86	540	38	0.11	22	430	5	<10	<5	<0.01	<10	9	4067	<1	92	<10	19	43
42785	644	<1	0.82	<3	68	62	<1	89	4.26	<10	30	58	199	4.56	0.89	16	0.80	801	151	0.08	18	330	5	<10	<5	<0.01	30	45	3410	<1	100	<10	18	40
42786	645	<1	0.85	<3	76	16	<1	89	2.16	<10	32	80	156	4.76	0.23	<1	0.84	655	62	0.19	21	453	5	<10	<5	0.01	<10	8	3179	<1	103	<10	20	44
42787	645	<1	0.85	<3	72	16	<1	86	2.07	<10	32	77	154	4.62	0.22	<1	0.82	629	60	0.18	20	450	5	<10	<5	0.01	<10	7	3090	<1	99	<10	20	43
42788	646	<1	0.79	<3	65	19	<1	80	2.35	<10	33	80	264	4.40	0.32	4	0.79	530	37	0.12	22	411	5	<10	<5	0.01	<10	9	3397	<1	88	<10	18	26
42789	647	<1	0.81	<3	63	22	<1	77	1.90	<10	34	62	176	4.28	0.32	5	0.79	513	33	0.12	20	407	7	<10	<5	0.01	<10	7	3777	<1	87	<10	18	26
42790	648	2	0.79	<3	73	7	<1	156	2.13	<10	121	58	1598	7.66	0.13	3	0.73	476	148	0.11	23	375	10	<10	<5	0.02	37	17	2560	<1	82	37	13	34
42791	649	<1	0.73	<3	61	13	<1	72	1.88	<10	31	55	311	4.10	0.13	<1	0.64	456	30	0.11	25	422	6	<10	<5	0.01	<10	13	3325	<1	70	93	12	18
42792	650	<1	0.76	<3	61	7	<1	65	1.83	<10	31	66	217	3.62	0.12	<1	0.73	495	12	0.14	24	445	5	<10	<5	0.01	<10	9	3652	<1	67	20	16	28
42793	651	<1	0.77	<3	60	13	<1	68	2.24	<10	32	66	206	3.93	0.15	2	0.76	565	12	0.14	23	419	6	<10	<5	0.01	<10	11	3527	<1	76	<10	17	24
42794	652	<1	0.78	<3	62	3	<1	60	1.99	<10	29	48	218	3.41	0.08	<1	0.73	553	16	0.13	22	470	4	<10	<5	<0.01	<10	12	3834	<1	60	<10	16	31
42795	653	<1	0.73	<3	56	2	<1	45	2.31	<10	18	59	113	2.61	0.05	<1	0.63	524	39	0.11	16	442	3	<10	<5	<0.01	<10	18	3631	<1	50	<10	14	17
42796	654	<1	0.88	<3	64	9	<1	60	2.58	<10	25	71	256	3.42	0.13	4	0.79	518	40	0.13	20	427	4	<10	<5	0.01	<10	24	3136	<1	46	23	14	30
42797	655	<1	0.95	<3	63	14	<1	57	3.64	<10	15	69	88	3.11	0.36	9	0.84	591	27	0.12	16	466	3	<10	<5	0.01	<10	40	3891	<1	43	11	13	22
42798	655	<1	0.94	<3	57	13	<1	53	3.50	<10	15	67	85	3.00	0.35	8	0.83	566	25	0.12	16	448	3	<10	<5	0.01	<10	38	3628	<1	40	12	12	20

Certified By:
Derek Demianiuk, H.B.Sc.

Tri-Gold Resources

Date Created: 05-04-21 10:00 AM

Job Number: 200540458

Date Received: 4/14/2005

Number of Samples: 220

Type of Sample: Core

Date Completed: 4/18/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42799	656	<1	0.79	<3	54	2	<1	40	3.71	<10	14	54	179	2.30	0.04	<1	0.52	531	29	0.08	12	424	3	<10	<5	0.01	<10	39	3621	<1	33	22	12	11
42800	657	<1	0.86	<3	59	3	<1	54	2.39	<10	23	54	212	3.25	0.07	6	0.77	501	53	0.13	18	415	4	<10	<5	0.01	<10	20	3192	<1	47	30	14	19
42801	658	<1	0.75	<3	60	3	<1	59	1.57	<10	26	84	84	3.50	0.10	<1	0.71	475	26	0.14	21	381	4	<10	<5	<0.01	<10	6	2198	<1	68	<10	14	24
42802	659	<1	0.81	<3	57	9	<1	66	1.72	<10	44	92	209	3.91	0.15	1	0.74	490	31	0.14	36	379	5	<10	<5	0.01	<10	6	2093	<1	56	<10	13	35
42803	660	<1	0.83	<3	58	5	<1	60	1.70	<10	32	80	126	3.53	0.13	4	0.79	498	16	0.15	24	369	5	<10	<5	<0.01	<10	6	2752	<1	67	<10	15	23
42804	661	<1	0.90	<3	62	8	<1	130	2.19	<10	32	984	142	5.11	0.20	<1	0.82	740	21	0.20	31	411	6	<10	<5	0.01	<10	11	3318	<1	94	<10	19	32
42805	662	<1	0.83	<3	58	26	<1	79	1.54	<10	32	402	185	3.82	0.24	2	0.68	521	16	0.15	21	240	5	<10	<5	0.01	<10	9	2205	<1	64	<10	12	28
42806	663	<1	0.95	<3	58	27	<1	97	3.91	<10	30	381	164	4.66	0.27	6	0.79	822	17	0.19	23	469	5	<10	<5	0.01	<10	20	2721	<1	61	<10	17	33
42807	664	<1	1.02	<3	64	21	<1	115	3.21	<10	36	263	101	5.75	0.25	1	0.88	914	20	0.30	19	436	5	<10	<5	0.02	<10	26	4301	<1	113	<10	25	44
42808	665	<1	0.92	<3	66	31	<1	96	1.92	<10	35	138	96	5.27	0.29	<1	0.80	675	16	0.20	14	484	6	<10	<5	0.01	<10	18	3439	<1	113	<10	19	45
42809	665	<1	0.89	<3	40	30	<1	96	1.79	<10	33	131	92	5.01	0.27	<1	0.77	623	16	0.18	14	463	7	<10	<5	0.02	<10	17	3114	<1	107	<10	18	42
42810	666	<1	0.87	<3	56	23	<1	111	2.33	<10	37	61	345	5.89	0.26	10	0.82	653	231	0.14	14	444	9	<10	<5	0.02	55	20	4760	<1	126	10	24	39
42811	667	1	0.76	<3	49	45	<1	91	2.72	<10	41	129	65	4.77	0.46	11	0.72	545	100	0.13	19	480	8	<10	<5	0.02	<10	28	5159	<1	106	58	24	23
42812	668	<1	0.90	<3	58	47	<1	122	3.84	<10	47	361	106	5.85	0.46	15	0.90	734	82	0.14	17	501	10	<10	<5	0.02	<10	30	5036	<1	115	17	25	38
42813	669	<1	0.97	<3	64	34	<1	114	2.50	<10	38	145	148	6.01	0.34	5	0.91	835	16	0.23	15	497	10	<10	<5	0.02	<10	31	4460	<1	141	<10	27	38
42814	670	<1	0.86	<3	52	33	<1	126	0.51	<10	8	2131	182	2.26	0.44	5	0.42	280	8	0.19	29	222	7	<10	<5	<0.01	<10	23	503	<1	<2	<10	5	44
42815	671	<1	0.95	<3	47	34	<1	33	0.65	<10	7	332	360	1.33	0.60	4	0.49	206	2	0.13	13	270	6	<10	<5	<0.01	<10	27	728	<1	<2	<10	5	59
42816	672	2	1.19	<3	54	70	<1	54	1.32	<10	15	424	646	2.31	1.29	27	0.99	463	5	0.11	18	293	10	<10	<5	<0.01	<10	31	1221	<1	<2	<10	8	434
42817	673	1	1.13	4	45	42	<1	34	1.26	<10	9	404	579	1.35	0.90	14	0.63	276	8	0.10	12	261	10	<10	<5	<0.01	<10	29	667	<1	<2	<10	7	67
42818	674	4	1.23	<3	68	69	<1	70	1.30	<10	19	577	1884	3.04	1.19	21	0.79	258	7	0.20	20	297	12	<10	<5	<0.01	<10	56	1288	<1	<2	<10	8	129
42819	675	2	1.21	4	81	81	<1	71	1.08	<10	20	419	975	3.20	1.34	25	0.89	272	12	0.17	21	331	14	<10	<5	<0.01	<10	42	1647	<1	7	<10	9	50
42820	675	2	1.19	3	75	77	<1	67	1.05	<10	20	390	973	3.13	1.29	24	0.87	265	11	0.16	20	325	13	<10	<5	<0.01	<10	40	1588	<1	7	<10	9	51

Certified By: 
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-21 10:00 AM

Job Number: 200540458

Date Received: 4/14/2005

Number of Samples: 220

Type of Sample: Core

Date Completed: 4/18/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
42821	676	3	1.12	<3	87	86	<1	485	0.99	<10	30	7267	1149	8.69	1.18	17	0.83	894	21	0.22	102	337	15	<10	<5	0.02	18	57	2200	<1	24	<10	10	43	
42822	677	2	1.17	<3	71	104	<1	90	1.21	<10	23	361	813	4.19	1.33	19	0.92	360	7	0.18	25	370	8	<10	<5	<0.01	<10	63	2329	<1	22	32	12	68	
42823	678	1	1.03	<3	70	67	<1	102	1.71	<10	22	448	504	4.60	0.66	10	0.91	450	4	0.16	35	428	8	<10	<5	0.01	<10	45	3315	<1	57	<10	16	78	
42824	679	2	1.09	<3	74	65	<1	89	1.49	<10	22	524	847	4.13	0.95	10	0.84	328	6	0.20	28	380	8	<10	<5	<0.01	<10	65	2528	<1	33	<10	12	59	
42825	680	6	1.06	6	76	39	<1	82	1.17	<10	28	257	1858	3.55	0.83	20	0.84	329	8	0.09	12	254	9	<10	<5	<0.01	<10	30	961	<1	5	<10	7	206	
42826	681	2	0.89	<3	70	30	<1	40	0.62	<10	12	266	738	1.88	0.42	10	0.62	192	5	0.10	9	245	9	<10	<5	<0.01	<10	18	978	<1	10	<10	8	78	
42827	682	1	0.97	7	86	44	<1	345	0.77	<10	33	5576	490	5.52	0.58	14	0.66	586	17	0.14	72	273	12	<10	<5	<0.01	<10	11	22	1077	<1	12	<10	8	32
42828	683	<1	0.93	4	68	38	<1	62	0.48	<10	17	674	233	2.09	0.83	11	0.71	242	7	0.08	14	246	7	<10	<5	<0.01	<10	13	860	<1	5	<10	6	30	
42829	684	2	1.10	7	72	54	<1	52	0.50	<10	17	475	1199	2.30	1.28	19	0.87	339	9	0.11	11	254	7	<10	<5	<0.01	<10	18	911	<1	4	<10	7	144	
42830	685	1	0.85	<3	69	30	<1	35	0.70	<10	16	273	890	1.87	0.47	15	0.63	177	16	0.09	11	265	7	<10	<5	<0.01	<10	21	1143	<1	11	<10	9	55	
42831	685	<1	0.84	3	68	29	<1	35	0.68	<10	15	243	872	1.82	0.45	14	0.62	168	16	0.09	10	265	7	<10	<5	<0.01	<10	20	1117	<1	11	<10	9	55	
42832	686	<1	0.92	<3	72	57	<1	99	0.82	<10	24	656	648	4.21	0.43	17	0.80	231	11	0.13	22	357	9	<10	<5	<0.01	<10	44	2300	<1	41	<10	13	22	
42833	687	<1	0.95	<3	72	61	<1	64	0.72	<10	20	218	803	3.53	0.62	22	0.88	215	15	0.10	17	338	6	<10	<5	<0.01	<10	39	2483	<1	37	<10	13	22	
42834	688	<1	0.98	<3	74	65	<1	80	0.61	<10	26	324	730	4.06	0.65	22	0.87	275	8	0.13	17	331	8	<10	<5	0.01	<10	44	2844	<1	41	<10	16	30	
42835	689	<1	1.13	<3	75	68	<1	68	1.42	<10	22	223	343	3.61	0.56	41	1.00	531	2	0.10	18	632	6	<10	<5	<0.01	<10	74	2853	<1	37	<10	13	71	
42836	690	<1	0.70	3	64	54	<1	39	0.28	<10	8	414	40	1.42	0.36	4	0.40	117	3	0.14	12	249	7	<10	<5	<0.01	<10	13	412	<1	<2	<10	3	21	
42837	691	3	0.86	<3	62	99	<1	32	0.24	<10	6	306	13	1.19	0.59	5	0.47	130	3	0.08	10	316	6	<10	<5	<0.01	<10	10	353	<1	<2	<10	4	18	
42838	692	<1	1.07	<3	81	48	<1	81	2.46	<10	26	637	52	3.27	0.37	53	1.21	627	1	0.08	77	1077	6	<10	<5	<0.01	<10	20	577	<1	3	<10	4	24	
42839	693	<1	1.08	<3	82	52	<1	80	2.46	<10	27	609	57	3.31	0.41	54	1.21	630	1	0.08	78	1088	7	<10	<5	0.02	<10	80	2819	<1	44	<10	14	53	
42840	694	<1	0.71	<3	71	39	<1	39	0.29	<10	7	400	148	1.22	0.24	5	0.52	152	1	0.17	14	306	8	<10	<5	<0.01	<10	20	577	<1	3	<10	4	57	
42841	695	<1	1.00	<3	76	24	<1	61	2.45	<10	24	391	58	2.67	0.20	33	1.06	395	<1	0.07	42	695	7	<10	<5	0.02	<10	125	1313	<1	29	<10	8	63	
42842	695	<1	0.98	<3	70	23	<1	61	2.38	<10	24	405	57	2.65	0.19	32	1.06	391	<1	0.07	42	691	7	<10	<5	0.02	<10	119	1297	<1	30	<10	8	61	

Certified By
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-21 10:00 AM

Job Number: 200540458

Date Received: 4/14/2005

Number of Samples: 220

Type of Sample: Core

Date Completed: 4/18/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42843	696	<1	0.72	<3	69	70	<1	31	0.45	<10	6	368	90	1.16	0.34	6	0.46	141	4	0.14	12	269	6	<10	<5	<0.01	<10	27	577	<1	2	<10	4	22
42844	697	<1	0.75	<3	60	56	<1	41	0.46	<10	8	522	93	1.40	0.41	8	0.53	172	11	0.13	17	297	7	<10	<5	<0.01	<10	17	504	<1	<2	<10	4	24
42845	698	<1	0.88	<3	59	89	<1	29	0.34	<10	7	312	11	1.20	0.82	12	0.57	234	5	0.11	13	290	5	<10	<5	<0.01	<10	20	527	<1	<2	<10	4	34
42846	699	<1	0.78	<3	63	83	<1	42	0.52	<10	13	451	114	1.66	0.50	12	0.64	202	27	0.12	23	386	6	<10	<5	0.01	<10	24	871	<1	5	<10	5	40
42847	700	<1	0.71	<3	65	72	<1	34	0.33	<10	9	422	10	1.17	0.51	5	0.46	147	3	0.15	10	226	6	<10	<5	<0.01	<10	25	529	<1	<2	<10	3	20
42848	701	<1	0.70	<3	65	78	<1	36	0.46	<10	10	420	149	1.33	0.51	4	0.39	118	2	0.12	12	287	7	<10	<5	<0.01	<10	24	597	<1	<2	<10	4	15
42849	702	<1	0.75	<3	70	79	<1	28	0.53	<10	3	343	39	1.01	0.48	4	0.34	131	1	0.13	8	243	7	<10	<5	<0.01	<10	30	522	<1	<2	<10	4	18
42850	703	<1	0.84	<3	73	61	<1	31	0.57	<10	3	298	339	1.34	0.52	11	0.56	282	1	0.09	9	232	7	<10	<5	<0.01	<10	32	559	<1	<2	<10	3	77
42851	704	<1	0.81	<3	70	73	<1	80	0.69	<10	4	1287	16	1.60	0.47	5	0.40	239	4	0.17	20	234	6	<10	<5	<0.01	<10	29	451	<1	<2	<10	4	31
42852	705	<1	0.88	<3	69	70	<1	35	1.29	<10	6	341	21	1.49	0.59	10	0.50	239	1	0.10	10	414	9	<10	<5	<0.01	<10	39	1001	<1	3	<10	6	36
42853	705	<1	0.86	<3	71	70	<1	35	1.25	<10	5	330	20	1.46	0.59	10	0.49	234	1	0.10	10	405	7	<10	<5	<0.01	<10	38	1004	<1	4	<10	6	32
42854	706	<1	0.81	<3	71	79	<1	31	0.68	<10	3	436	6	1.00	0.48	5	0.40	222	1	0.15	9	246	7	<10	<5	<0.01	<10	26	553	<1	<2	<10	4	37
42855	707	<1	0.74	<3	65	65	<1	22	0.52	<10	3	246	3	0.95	0.53	6	0.47	262	<1	0.10	9	276	7	<10	<5	<0.01	<10	17	683	<1	<2	<10	4	51
42856	708	<1	0.90	<3	68	107	<1	31	0.65	<10	5	286	7	1.29	0.75	12	0.61	358	1	0.14	8	330	7	<10	<5	<0.01	<10	31	844	<1	<2	<10	5	59
42857	709	<1	1.04	<3	63	123	<1	46	1.45	<10	13	178	58	2.35	0.97	20	0.76	484	<1	0.13	7	540	6	<10	<5	<0.01	<10	81	1980	<1	16	<10	8	86
42858	710	<1	0.92	<3	64	93	<1	45	0.78	<10	9	337	81	2.09	0.88	11	0.63	363	1	0.13	9	544	7	<10	<5	<0.01	<10	45	1455	<1	7	<10	7	62
42859	711	<1	0.73	<3	60	90	<1	28	0.53	<10	4	364	337	1.05	0.53	4	0.39	166	1	0.14	10	257	5	<10	<5	<0.01	<10	42	520	<1	<2	<10	3	30
42860	712	<1	0.67	<3	65	68	<1	26	0.48	<10	4	280	339	1.03	0.48	5	0.40	154	<1	0.11	7	275	6	<10	<5	<0.01	<10	31	575	<1	<2	<10	3	24
42861	713	<1	0.80	3	72	101	<1	30	0.49	<10	8	325	279	1.20	0.68	7	0.43	166	2	0.13	8	269	7	<10	<5	<0.01	<10	24	496	<1	<2	<10	4	20
42862	714	<1	0.61	<3	72	60	<1	20	0.52	<10	8	215	187	1.05	0.40	4	0.36	114	<1	0.08	8	290	6	<10	<5	<0.01	<10	19	492	<1	2	<10	3	22
42863	715	<1	0.70	<3	78	72	<1	30	0.69	<10	7	223	203	1.47	0.52	7	0.48	130	3	0.08	14	410	7	<10	<5	<0.01	<10	29	824	<1	5	<10	5	19
42864	715	<1	0.69	<3	80	72	<1	30	0.69	<10	7	221	197	1.48	0.52	7	0.48	131	3	0.08	14	401	8	<10	<5	<0.01	<10	29	832	<1	5	<10	5	19

Certified By:
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-21 10:00 AM

Job Number: 200540458

Date Received: 4/14/2005

Number of Samples: 220

Type of Sample: Core

Date Completed: 4/18/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
42865	716	<1	1.02	<3	79	40	<1	38	1.16	<10	12	245	403	1.76	1.06	15	0.84	282	6	0.13	41	490	8	<10	<5	<0.01	<10	44	1130	<1	4	<10	5	50	
42866	717	<1	1.01	<3	89	33	<1	118	2.45	<10	39	112	121	6.18	0.33	3	0.92	863	7	0.29	17	580	10	<10	<5	0.01	<10	12	3451	<1	155	<10	28	64	
42867	718	1	0.80	<3	73	41	<1	30	0.41	<10	8	244	475	1.38	0.71	6	0.61	210	16	0.10	8	299	7	<10	<5	<0.01	<10	16	750	<1	4	<10	3	26	
42868	719	5	1.11	<3	85	73	<1	128	2.26	<10	50	256	2737	6.57	1.30	24	0.99	470	17	0.20	26	677	10	<10	<5	<0.01	<10	69	5850	<1	75	13	37	60	
42869	720	3	1.07	<3	73	75	<1	113	2.50	<10	39	247	2236	5.68	0.84	15	1.05	604	25	0.27	29	495	5	<10	<5	0.02	<10	64	5358	<1	103	17	27	91	
42870	721	2	1.09	<3	73	39	<1	113	3.13	<10	35	514	1126	5.20	0.46	19	1.03	611	11	0.23	30	461	7	<10	<5	0.02	<10	81	4041	<1	85	<10	25	126	
42871	722	5	1.05	<3	70	24	<1	98	2.65	<10	31	193	2008	5.21	0.32	18	1.05	662	7	0.21	29	482	7	<10	<5	0.02	<10	54	2201	<1	86	<10	22	182	
42872	723	2	1.11	<3	83	20	<1	162	2.92	<10	36	1159	1176	6.14	0.34	11	1.03	764	7	0.31	40	495	7	<10	<5	0.02	<10	94	3337	<1	85	<10	24	138	
42873	724	4	1.15	<3	77	25	<1	119	3.43	<10	27	245	1565	5.52	0.33	16	1.03	761	10	0.33	28	489	7	<10	<5	0.01	<10	137	3262	<1	71	11	24	187	
42874	725	5	1.16	<3	91	56	<1	157	2.76	<10	47	568	2648	7.08	0.79	22	1.16	708	16	0.36	37	552	9	<10	<5	0.02	<10	86	3013	<1	109	10	30	145	
42875	725	5	1.16	<3	90	58	<1	170	2.83	<10	49	743	2759	7.34	0.82	24	1.16	731	18	0.36	40	574	10	<10	<5	0.02	<10	12	88	2949	<1	108	<10	30	151
42876	726	4	1.15	<3	89	56	<1	160	2.21	<10	58	221	2505	7.74	0.83	28	1.14	541	10	0.24	31	610	10	<10	<5	0.02	<10	66	3510	<1	122	<10	32	95	
42877	727	2	1.07	<3	92	20	<1	168	2.36	<10	34	444	1443	7.62	0.28	18	1.01	636	11	0.25	28	747	10	<10	<5	0.01	<10	64	3928	<1	162	<10	33	57	
42878	728	1	0.94	3	81	9	<1	138	1.83	<10	30	227	457	6.67	0.21	9	0.82	462	4	0.15	20	608	9	<10	<5	<0.01	<10	58	3534	<1	165	<10	22	25	
42879	729	14	1.01	4	83	70	<1	136	2.02	<10	40	406	4130	6.95	0.49	16	0.92	493	9	0.16	23	679	11	<10	<5	0.01	<10	38	4601	<1	136	12	30	383	
42880	730	1	0.97	3	77	71	<1	136	1.88	<10	33	155	860	6.75	0.72	14	0.89	535	6	0.14	16	654	9	<10	<5	0.01	<10	43	5225	<1	177	21	32	69	
42881	731	4	0.98	<3	69	52	<1	118	1.81	<10	30	244	1972	6.05	0.81	20	0.96	594	19	0.13	16	626	8	<10	<5	0.01	<10	38	4743	<1	142	16	32	220	
42882	732	4	1.07	5	82	79	<1	181	3.05	<10	33	157	2493	6.84	0.91	19	0.79	562	11	0.18	16	554	12	<10	<5	<0.01	<10	75	5346	<1	96	30	24	158	
42883	733	4	1.07	5	81	92	<1	172	1.70	<10	95	276	1969	8.04	1.07	13	0.94	518	24	0.19	24	528	11	<10	<5	<0.01	<10	56	5125	<1	102	15	27	211	
42884	734	3	1.07	4	83	105	<1	131	1.90	<10	37	179	1618	6.70	0.94	11	0.97	551	10	0.21	19	659	8	<10	<5	0.01	<10	48	4770	<1	138	15	32	157	
42885	735	2	1.01	<3	80	86	<1	120	1.79	<10	39	381	1279	5.90	0.90	11	0.99	531	11	0.17	20	611	6	<10	<5	0.02	<10	32	5061	<1	137	16	30	87	
42886	735	2	1.03	<3	87	89	<1	127	1.88	<10	40	416	1319	6.05	0.93	11	1.00	551	11	0.17	20	627	7	<10	<5	0.02	<10	33	5257	<1	143	20	32	89	

Certified By:
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-21 10:00 AM

Job Number: 200540458

Date Received: 4/14/2005

Number of Samples: 220

Type of Sample: Core

Date Completed: 4/18/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42887	736	1	0.93	<3	79	45	<1	98	1.99	<10	31	110	1043	5.43	0.48	9	0.84	401	49	0.14	14	663	7	<10	<5	<0.01	<10	62	3944	<1	122	19	29	39
42888	737	2	1.10	<3	83	54	<1	137	2.14	<10	53	291	2117	6.66	0.84	23	1.04	480	31	0.18	19	709	8	<10	<5	0.01	<10	64	4781	<1	143	19	37	81
42889	738	3	1.14	<3	78	109	<1	108	2.36	<10	40	171	2317	5.83	1.00	13	0.99	502	53	0.29	16	640	8	<10	<5	<0.01	<10	102	4764	<1	93	11	32	98
42890	739	6	1.10	4	90	85	<1	162	2.73	<10	73	319	3387	7.57	1.25	20	1.02	522	59	0.16	23	602	10	<10	<5	<0.01	<10	51	5502	<1	110	47	32	91
42891	740	13	1.06	3	82	65	<1	139	1.68	<10	71	399	>5,000	7.29	1.12	15	0.90	386	195	0.20	18	562	10	<10	<5	0.02	<10	82	5135	<1	120	43	28	57
42892	741	2	0.99	<3	71	94	<1	115	1.72	<10	42	208	2034	5.91	0.89	12	0.86	458	56	0.16	15	645	8	<10	<5	0.01	<10	116	5112	<1	137	38	29	45
42893	742	1	0.97	<3	71	106	<1	118	1.77	<10	38	130	1449	6.19	1.04	16	0.90	546	20	0.11	16	621	8	<10	<5	0.01	<10	65	5273	<1	132	35	28	52
42894	743	2	1.02	<3	75	149	<1	132	2.71	<10	38	189	1599	6.64	1.59	30	0.96	782	32	0.07	16	597	8	<10	<5	0.02	<10	64	6263	<1	157	20	32	66
42895	744	<1	0.63	<3	64	141	<1	28	0.80	<10	7	242	288	1.41	0.39	3	0.30	262	3	0.08	6	304	4	<10	<5	<0.01	<10	20	915	<1	6	<10	5	9
42896	745	<1	0.66	<3	64	144	<1	22	0.81	<10	4	249	9	0.86	0.40	3	0.25	219	<1	0.10	6	283	3	<10	<5	<0.01	<10	27	561	<1	<2	<10	3	11
42897	745	<1	0.66	<3	63	144	<1	22	0.82	<10	4	264	8	0.87	0.41	3	0.25	220	<1	0.11	6	295	4	<10	<5	<0.01	<10	27	563	<1	<2	<10	4	11
42898	746	<1	0.59	<3	69	102	<1	43	0.86	<10	4	584	29	1.16	0.34	2	0.26	243	<1	0.07	8	297	5	<10	<5	<0.01	<10	25	440	<1	<2	<10	3	42
42899	747	5	0.74	<3	66	109	<1	28	0.79	<10	3	274	140	1.08	0.48	4	0.41	264	<1	0.10	6	275	5	<10	<5	<0.01	<10	24	488	<1	<2	<10	3	303
42900	748	12	0.98	22	102	51	<1	231	4.28	140	21	132	4589	9.93	0.98	18	1.02	1281	<1	0.02	4	155	17	<10	6	0.01	42	89	440	<1	12	<10	5	>4,000
42901	749	<1	1.02	<3	67	57	<1	34	1.30	<10	5	338	547	1.64	0.88	16	0.78	406	32	0.07	6	201	4	<10	<5	<0.01	<10	32	596	<1	2	<10	3	122
42902	750	<1	0.60	<3	67	34	<1	15	0.53	<10	5	233	590	0.84	0.38	4	0.39	140	106	0.07	6	212	4	<10	<5	<0.01	<10	21	453	<1	<2	<10	3	42
42903	751	<1	0.65	<3	55	35	<1	31	0.48	<10	8	433	616	1.18	0.42	5	0.37	130	17	0.09	9	207	4	<10	<5	<0.01	<10	16	508	<1	3	<10	3	16
42904	752	<1	0.54	<3	52	25	<1	16	0.65	<10	5	248	526	0.75	0.30	4	0.31	125	59	0.07	5	199	5	<10	<5	<0.01	<10	14	298	<1	<2	<10	3	14
42905	753	<1	0.91	<3	56	68	<1	30	0.79	<10	4	319	172	1.32	0.78	12	0.58	278	19	0.09	7	241	4	<10	<5	<0.01	<10	24	488	<1	<2	<10	3	37
42906	754	<1	1.01	<3	68	60	<1	20	2.11	<10	4	115	46	1.08	0.78	23	0.77	470	<1	0.04	3	236	3	<10	<5	<0.01	<10	41	535	<1	<2	<10	4	61
42907	755	<1	0.84	<3	59	50	<1	17	3.44	<10	3	164	18	0.86	0.51	20	0.61	409	1	0.05	4	233	4	<10	<5	<0.01	<10	42	513	<1	<2	<10	4	28
42908	755	<1	0.88	<3	68	54	<1	19	3.62	<10	3	184	19	0.90	0.55	21	0.63	431	1	0.06	4	247	5	<10	<5	<0.01	<10	43	517	<1	<2	<10	4	26

Certified By:
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-21 10:00 AM

Job Number: 200540458

Date Received: 4/14/2005

Number of Samples: 220

Type of Sample: Core

Date Completed: 4/18/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42909	756	<1	0.70	<3	64	84	<1	17	1.08	<10	3	172	6	0.82	0.30	6	0.34	153	<1	0.07	4	278	4	<10	<5	<0.01	<10	17	368	<1	<2	<10	3	14
42910	757	<1	0.64	<3	73	143	<1	33	0.77	<10	3	449	25	0.99	0.39	2	0.22	106	1	0.11	8	265	4	<10	<5	<0.01	<10	29	258	<1	<2	<10	3	14
42911	758	<1	0.49	<3	61	97	<1	14	0.72	<10	3	144	41	0.70	0.28	3	0.22	<100	<1	0.06	4	282	4	<10	<5	<0.01	<10	25	265	<1	<2	<10	3	15
42912	759	<1	0.60	<3	64	134	<1	29	0.64	<10	4	405	637	1.18	0.40	3	0.21	109	1	0.10	7	265	6	<10	<5	<0.01	<10	30	279	<1	<2	<10	2	27
42913	760	<1	0.44	<3	53	82	<1	13	0.73	<10	3	131	9	0.66	0.24	2	0.18	<100	<1	0.05	4	267	5	<10	<5	<0.01	<10	23	202	<1	<2	<10	2	12
42914	761	<1	0.60	<3	66	105	<1	21	0.63	<10	3	249	16	0.87	0.38	5	0.26	109	<1	0.09	5	292	6	<10	<5	<0.01	<10	23	334	<1	<2	<10	3	20
42915	762	<1	0.51	<3	52	96	<1	16	0.48	<10	3	186	7	0.73	0.35	4	0.26	<100	2	0.07	4	258	5	<10	<5	<0.01	<10	18	326	<1	<2	<10	2	18
42916	763	<1	0.55	<3	53	102	<1	16	0.62	<10	3	199	157	0.77	0.32	3	0.21	<100	<1	0.09	4	257	4	<10	<5	<0.01	<10	27	251	<1	<2	<10	2	11
42917	764	<1	0.47	<3	51	92	<1	12	0.74	<10	3	159	6	0.66	0.27	1	0.18	<100	<1	0.07	4	262	4	<10	<5	<0.01	<10	31	181	<1	<2	<10	2	9
42918	765	<1	0.58	<3	54	112	<1	20	0.80	<10	3	252	11	0.80	0.36	2	0.22	132	<1	0.08	5	269	4	<10	<5	<0.01	<10	36	269	<1	<2	<10	3	12
42919	765	<1	0.55	<3	55	104	<1	22	0.77	<10	3	278	11	0.81	0.33	2	0.21	131	<1	0.08	6	258	4	<10	<5	<0.01	<10	34	256	<1	<2	<10	3	12
42920	766	<1	0.78	<3	62	126	<1	36	0.83	<10	7	361	25	1.45	0.63	10	0.52	246	1	0.10	8	397	5	<10	<5	<0.01	<10	21	915	<1	7	<10	4	19
42921	767	1	1.08	<3	79	137	<1	110	2.34	<10	37	289	1256	5.74	1.48	26	1.11	559	48	0.15	37	458	6	<10	<5	0.02	<10	35	4828	<1	91	17	25	51
42922	768	<1	0.94	<3	72	62	<1	79	2.16	<10	33	157	878	4.43	0.83	10	0.95	372	63	0.14	31	437	5	<10	<5	0.01	<10	39	4065	<1	77	15	20	21
42923	769	2	1.08	<3	80	114	<1	103	2.32	<10	47	351	1670	5.46	1.22	21	1.08	451	151	0.20	40	456	7	<10	<5	0.02	28	40	4731	<1	91	26	23	31
42924	770	<1	0.63	<3	63	54	<1	16	0.23	<10	5	174	253	0.89	0.49	3	0.48	101	61	0.10	6	230	4	<10	<5	<0.01	<10	6	691	<1	4	<10	3	10
42925	771	<1	1.02	<3	61	167	<1	36	0.19	<10	5	428	40	1.33	1.12	16	0.98	334	60	0.14	9	208	4	<10	<5	0.01	<10	8	691	<1	6	<10	3	91
42926	772	4	1.02	<3	78	51	<1	108	1.98	<10	42	246	2625	5.81	0.71	14	1.06	444	183	0.17	36	359	10	<10	<5	0.01	49	30	3031	<1	67	21	16	154
42927	773	1	1.06	<3	70	55	<1	88	2.43	<10	40	260	1405	4.74	0.87	16	1.05	460	102	0.24	34	452	6	<10	<5	0.02	<10	43	4283	<1	79	26	23	27
42928	774	<1	0.53	<3	53	45	<1	18	0.49	<10	6	202	539	0.99	0.29	2	0.34	<100	68	0.08	6	251	4	<10	<5	<0.01	<10	10	523	<1	6	<10	3	9
42929	775	2	0.93	<3	63	75	<1	88	1.78	<10	31	509	1545	4.39	0.84	17	0.94	383	98	0.13	32	392	5	<10	<5	0.02	17	25	3403	<1	70	14	15	55
42930	775	2	0.94	<3	61	77	<1	77	1.84	<10	30	250	1606	4.30	0.86	18	0.96	364	100	0.12	28	404	5	<10	<5	0.02	12	25	3500	<1	72	13	16	57

Certified By:
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-21 10:00 AM

Job Number: 200540458

Date Received: 4/14/2005

Number of Samples: 220

Type of Sample: Core

Date Completed: 4/18/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42931	776	<1	0.92	<3	59	12	<1	69	2.29	<10	25	173	643	3.81	0.19	9	0.89	356	31	0.13	22	372	4	<10	<5	0.01	<10	61	2728	<1	66	<10	14	20
42932	777	<1	0.82	<3	61	20	<1	63	1.84	<10	22	156	367	3.55	0.25	4	0.86	323	24	0.16	22	399	3	<10	<5	0.01	<10	17	3180	<1	73	<10	16	13
42933	778	<1	0.85	<3	62	22	<1	74	2.04	<10	25	203	278	3.86	0.30	4	0.88	343	35	0.18	26	365	5	<10	<5	0.01	<10	20	3489	<1	86	<10	17	14
42934	779	<1	0.92	<3	66	47	<1	88	2.20	<10	41	202	529	4.75	0.53	10	0.95	393	66	0.16	31	391	5	<10	<5	0.01	<10	20	3457	<1	92	<10	16	16
42935	780	4	0.89	<3	65	144	<1	92	4.24	<10	35	137	910	5.01	1.04	36	1.05	501	102	0.05	30	347	9	<10	<5	0.02	18	25	3885	<1	85	12	17	54
42936	781	<1	0.56	<3	53	57	<1	23	0.56	<10	6	287	265	0.98	0.34	1	0.37	108	94	0.10	7	281	3	<10	<5	<0.01	16	10	580	<1	4	<10	4	10
42937	782	<1	0.90	<3	62	63	<1	73	2.28	<10	29	117	492	4.11	0.71	16	0.91	429	52	0.14	23	461	3	<10	<5	0.01	<10	39	3900	<1	89	12	19	21
42938	783	2	0.94	<3	63	50	<1	87	1.83	<10	35	132	1563	4.90	0.51	15	0.92	401	76	0.12	27	475	13	<10	<5	0.01	11	32	3558	<1	82	21	17	76
42939	784	2	0.92	<3	67	49	<1	85	1.82	<10	35	126	1558	4.86	0.50	15	0.91	395	74	0.12	26	473	12	<10	<5	0.01	<10	32	3504	<1	81	16	17	73
42940	785	3	0.85	<3	66	80	<1	79	2.34	<10	31	204	2292	4.49	0.91	11	0.83	356	498	0.09	22	337	6	<10	<5	0.02	130	15	3507	<1	88	29	14	32
42941	785	3	0.86	<3	62	76	<1	75	2.36	<10	30	204	2204	4.42	0.87	10	0.83	352	494	0.10	21	329	7	<10	<5	0.02	129	15	3603	<1	88	23	14	33
42942	786	2	0.97	<3	70	123	<1	95	1.80	<10	37	159	1719	5.26	1.33	13	1.00	409	43	0.10	28	403	7	<10	<5	0.02	<10	17	4551	<1	105	44	18	49
42943	787	<1	1.00	<3	72	56	<1	118	2.14	<10	45	136	204	6.07	0.40	3	0.90	729	15	0.24	16	572	6	<10	<5	0.01	<10	11	3512	<1	122	10	24	54
42944	788	3	1.01	<3	72	89	<1	108	1.90	<10	57	158	2353	5.77	1.08	36	1.09	413	43	0.06	26	503	8	<10	<5	0.02	<10	23	4838	<1	137	21	24	47
42945	789	1	1.08	<3	61	73	<1	84	2.06	<10	44	158	190	4.50	0.40	11	0.86	641	1	0.17	52	804	16	<10	<5	0.01	<10	41	2884	<1	41	<10	10	83
42946	790	<1	1.05	<3	53	49	<1	26	1.06	<10	6	205	30	1.34	0.65	11	0.58	382	1	0.16	11	415	7	<10	<5	<0.01	<10	23	1074	<1	<2	<10	6	43
42947	791	2	1.07	4	59	30	<1	48	1.51	<10	10	181	384	2.54	0.60	28	0.87	636	2	0.04	11	252	26	<10	<5	<0.01	<10	9	788	<1	<2	<10	5	109
42948	792	75	0.96	<3	81	4	<1	149	1.88	<10	12	99	>5,000	8.43	0.13	8	0.92	936	13	0.06	27	1731	37	<10	<5	<0.01	13	19	1853	<1	36	<10	12	426
42949	793	2	1.11	<3	69	38	<1	88	1.88	<10	26	150	445	4.80	0.71	27	0.91	736	3	0.09	14	751	23	<10	<5	<0.01	<10	47	3082	<1	32	<10	18	186
42950	794	20	1.02	<3	52	38	<1	26	1.20	<10	6	117	17	1.46	0.40	23	0.68	385	2	0.07	9	238	13	<10	<5	<0.01	<10	15	660	<1	<2	<10	3	47
42951	795	2	1.09	<3	71	51	<1	115	1.51	<10	39	106	559	6.14	0.54	17	0.93	566	<1	0.16	22	1096	17	<10	<5	<0.01	<10	39	2981	<1	71	<10	20	108
42952	795	2	1.09	<3	62	49	<1	111	1.41	<10	38	98	543	6.00	0.52	16	0.91	526	<1	0.15	22	1082	17	<10	<5	<0.01	<10	36	2665	<1	70	<10	18	107

Certified By:
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-21 10:00 AM

Job Number: 200540458

Date Received: 4/14/2005

Number of Samples: 220

Type of Sample: Core

Date Completed: 4/18/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42953	796	2	1.05	<3	72	25	<1	93	2.18	<10	30	106	290	5.19	0.18	8	0.73	591	<1	0.14	13	1016	19	<10	<5	<0.01	<10	76	3082	<1	55	<10	21	71
42954	797	3	1.09	4	73	106	<1	114	1.26	<10	41	156	547	6.09	0.83	23	0.95	761	2	0.14	32	1111	54	<10	<5	<0.01	<10	32	4176	<1	87	<10	22	544
42955	798	<1	1.09	<3	68	6	<1	90	2.09	<10	28	83	128	4.90	0.06	3	0.61	430	<1	0.28	19	735	9	<10	<5	<0.01	<10	145	2413	<1	65	<10	17	40
42956	799	<1	1.04	4	74	18	<1	107	2.07	<10	29	120	348	5.72	0.22	6	0.63	471	2	0.18	10	1297	9	<10	<5	<0.01	<10	124	3094	<1	42	<10	30	89
42957	800	<1	0.87	6	48	76	<1	29	0.61	<10	6	117	25	1.69	0.65	10	0.57	434	1	0.08	5	640	3	<10	<5	<0.01	<10	23	1158	<1	<2	<10	7	90
42958	801	<1	1.09	19	47	101	<1	35	1.46	<10	7	177	198	1.85	0.82	7	0.54	444	<1	0.10	8	750	7	<10	<5	<0.01	<10	43	939	<1	<2	<10	8	81
42959	802	<1	0.88	35	46	64	<1	38	1.08	<10	7	94	86	2.11	0.48	6	0.43	317	<1	0.03	4	712	7	<10	<5	<0.01	<10	17	689	<1	<2	<10	7	85
42960	803	<1	0.98	<3	44	114	<1	31	1.37	<10	8	168	6	1.73	0.75	6	0.55	441	<1	0.12	5	727	5	<10	<5	<0.01	<10	38	1358	<1	<2	<10	8	42
42961	804	2	1.09	<3	56	101	<1	96	1.47	<10	26	93	655	5.00	0.61	15	0.91	553	3	0.18	19	691	8	<10	<5	<0.01	<10	68	2517	<1	52	<10	14	292
42962	805	3	1.07	<3	61	57	<1	113	1.24	11	47	116	1252	5.97	0.36	17	1.02	580	2	0.13	30	427	10	<10	<5	<0.01	<10	25	2164	<1	74	<10	15	1280
42963	805	4	1.05	<3	59	55	<1	109	1.21	11	46	113	1251	5.96	0.35	17	1.01	559	2	0.13	30	416	10	<10	<5	<0.01	<10	24	2049	<1	74	<10	14	1241
42964	806	2	1.04	<3	60	86	<1	105	1.07	<10	73	121	724	5.42	0.35	8	0.95	470	2	0.16	31	449	9	<10	<5	<0.01	<10	41	1876	<1	67	<10	11	737
42965	807	1	0.92	3	54	94	<1	74	0.43	<10	20	307	509	3.44	0.56	16	0.78	322	4	0.09	17	275	8	<10	<5	<0.01	<10	21	1248	<1	21	<10	4	255
42966	808	<1	1.06	4	61	144	<1	67	0.69	<10	20	150	302	3.78	1.08	17	0.90	359	6	0.15	20	373	7	<10	<5	<0.01	<10	43	1973	<1	26	<10	5	53
42967	809	1	1.10	4	61	143	<1	103	0.50	<10	26	176	559	5.05	1.15	22	1.06	505	5	0.09	20	320	9	<10	<5	<0.01	<10	20	1990	<1	23	<10	5	208
42968	810	<1	1.12	4	57	155	<1	60	0.36	<10	16	168	546	3.42	1.10	34	1.05	519	3	0.08	18	334	5	<10	<5	<0.01	<10	17	1586	<1	19	<10	4	122
42969	811	1	1.18	<3	55	148	<1	70	1.15	<10	22	225	495	3.47	1.28	16	0.92	430	3	0.27	19	312	7	<10	<5	<0.01	<10	63	1740	<1	14	<10	4	51
42970	812	2	1.15	13	59	120	<1	92	1.26	<10	26	157	620	4.73	1.29	34	1.07	485	3	0.13	15	270	9	<10	<5	<0.01	<10	37	1358	<1	8	<10	5	129
42971	813	2	1.08	3	54	118	<1	54	0.79	<10	11	214	786	3.02	0.98	19	1.00	435	2	0.13	16	304	6	<10	<5	<0.01	<10	23	1622	<1	20	<10	5	81
42972	814	<1	0.59	<3	49	86	<1	28	0.87	<10	6	161	56	1.48	0.38	2	0.36	168	<1	0.07	5	540	5	<10	<5	<0.01	<10	47	864	<1	5	<10	6	29
42973	815	<1	0.80	<3	55	87	<1	48	0.60	<10	12	235	509	2.58	0.85	8	0.70	182	11	0.10	24	488	6	<10	<5	<0.01	<10	40	2473	<1	27	<10	11	27
42974	815	<1	0.77	<3	48	80	<1	46	0.55	<10	11	213	451	2.39	0.79	7	0.66	168	10	0.09	25	449	5	<10	<5	<0.01	<10	36	2276	<1	25	<10	10	24

Certified By
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-21 10:00 AM

Job Number: 200540458

Date Received: 4/14/2005

Number of Samples: 220

Type of Sample: Core

Date Completed: 4/18/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42975	816	<1	0.77	<3	53	116	<1	52	0.75	<10	12	154	81	2.80	0.64	7	0.62	113	10	0.08	27	524	5	<10	<5	<0.01	<10	40	2135	<1	29	<10	9	15
42976	817	<1	0.83	<3	54	150	<1	57	0.74	<10	10	203	542	3.13	0.65	6	0.71	139	10	0.11	32	518	5	<10	<5	<0.01	<10	47	2057	<1	33	10	9	22
42977	818	1	0.71	<3	51	98	<1	30	0.48	<10	12	132	773	1.84	0.59	11	0.58	114	15	0.06	19	400	5	<10	<5	<0.01	<10	17	1746	<1	20	<10	8	25
42978	819	<1	0.58	<3	47	32	<1	18	0.69	<10	5	148	43	0.93	0.20	4	0.38	<100	6	0.06	9	264	5	<10	<5	<0.01	<10	38	538	<1	5	<10	5	16
42979	820	<1	0.56	<3	47	27	<1	21	0.63	<10	3	170	61	0.66	0.18	4	0.34	<100	18	0.07	5	253	5	<10	<5	<0.01	<10	16	188	<1	<2	<10	3	25
42980	821	2	0.66	7	44	40	<1	29	0.73	<10	8	157	300	1.40	0.43	4	0.38	<100	26	0.05	4	319	10	<10	<5	<0.01	<10	11	254	<1	<2	<10	2	138
42981	822	1	0.65	8	51	26	<1	24	0.63	<10	8	75	530	1.37	0.36	6	0.48	104	21	0.03	6	304	9	<10	<5	<0.01	<10	10	234	<1	<2	<10	2	315
42982	823	<1	0.65	7	49	27	<1	21	0.33	<10	5	75	440	0.98	0.41	5	0.45	<100	13	0.03	5	326	8	<10	<5	<0.01	<10	7	203	<1	<2	12	2	54
42983	824	3	0.67	7	46	28	<1	68	0.39	<10	4	107	1212	1.90	0.49	5	0.46	100	14	0.03	7	282	6	<10	<5	<0.01	<10	9	192	<1	<2	<10	2	91
42984	825	<1	0.51	<3	44	22	<1	13	0.37	<10	5	71	183	0.69	0.38	<1	0.38	<100	7	0.03	5	319	3	<10	<5	<0.01	<10	7	261	<1	<2	<10	2	84
42985	825	<1	0.52	3	43	23	<1	11	0.36	<10	5	73	193	0.66	0.39	<1	0.38	<100	7	0.03	5	320	3	<10	<5	<0.01	<10	7	263	<1	<2	<10	2	86
42986	826	<1	0.54	<3	44	14	<1	10	1.02	<10	4	77	168	0.52	0.13	<1	0.32	<100	10	0.04	7	301	2	<10	<5	<0.01	<10	7	240	<1	<2	<10	4	16
42987	827	<1	0.49	<3	44	14	<1	11	0.51	<10	4	85	287	0.63	0.19	<1	0.29	<100	28	0.04	6	262	2	<10	<5	<0.01	<10	5	240	<1	<2	<10	3	24
42988	828	<1	0.78	<3	43	19	<1	20	0.58	<10	4	89	508	1.00	0.44	7	0.55	132	24	0.04	7	268	3	<10	<5	<0.01	<10	7	344	<1	<2	<10	4	34
42989	829	<1	0.93	3	47	29	<1	17	0.91	<10	6	108	373	1.00	0.55	14	0.73	196	21	0.04	12	363	2	<10	<5	<0.01	<10	19	730	<1	<2	<10	7	21
42990	830	<1	0.82	<3	46	26	<1	18	0.49	<10	5	108	419	0.97	0.61	8	0.63	156	20	0.05	7	224	2	<10	<5	<0.01	<10	11	376	<1	<2	<10	5	19
42991	831	<1	0.76	<3	42	16	<1	17	0.52	<10	6	76	931	0.99	0.55	5	0.62	140	15	0.04	6	221	2	<10	<5	<0.01	<10	15	456	<1	<2	<10	5	38
42992	832	<1	0.72	<3	46	14	<1	11	0.49	<10	6	99	337	0.70	0.49	4	0.56	135	17	0.05	8	222	1	<10	<5	<0.01	<10	9	407	<1	<2	<10	5	30
42993	833	3	0.76	6	49	19	<1	62	0.59	<10	13	72	1714	2.03	0.53	7	0.65	168	34	0.03	11	332	5	<10	<5	<0.01	<10	8	603	<1	3	<10	7	92
42994	834	<1	0.81	4	49	22	<1	19	0.49	<10	5	70	342	0.99	0.58	7	0.64	186	20	0.03	8	238	5	<10	<5	<0.01	<10	8	409	<1	<2	<10	6	37
42995	835	<1	0.81	3	49	24	<1	18	0.40	<10	7	83	572	1.09	0.65	9	0.68	181	30	0.03	9	241	3	<10	<5	<0.01	<10	6	451	<1	<2	<10	6	23
42996	835	<1	0.81	4	49	25	<1	20	0.40	<10	7	84	590	1.09	0.66	8	0.68	179	28	0.03	9	242	3	<10	<5	<0.01	<10	6	449	<1	<2	<10	6	23

Certified By:
Derek Demianiuk, H.B.Sc.

Tri-Gold Resources

Date Created: 05-04-21 10:00 AM

Job Number: 200540458

Date Received: 4/14/2005

Number of Samples: 220

Type of Sample: Core

Date Completed: 4/18/2005

Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
42997	836	<1	0.94	<3	63	27	<1	101	1.99	<10	36	69	153	5.49	0.27	2	0.83	689	17	0.20	17	628	6	<10	<5	<0.01	<10	8	3097	<1	122	<10	22	42

Certified By:

Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-03 10:42 PM

Job Number: 200540343

Date Received: 3/23/2005

Number of Samples: 90

Type of Sample: Core

Date Completed: 3/31/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
31669	41751	<1	1.05	<3	38	17	<1	29	1.09	<10	4	154	26	2.51	0.75	16	0.73	376	<1	0.07	14	202	7	<10	<5	0.02	<10	11	654	<1	<2	<10	4	39
31670	41752	<1	0.97	<3	43	6	<1	80	1.59	<10	27	112	63	7.30	0.19	<1	0.81	506	<1	0.16	39	752	8	<10	<5	0.04	<10	14	2487	<1	83	12	18	50
31671	41753	<1	0.81	<3	41	2	<1	58	1.52	<10	22	73	55	5.60	0.06	<1	0.62	395	<1	0.12	17	620	8	<10	<5	0.03	<10	14	1910	<1	74	<10	13	32
31672	41754	<1	0.91	<3	41	3	<1	72	2.09	<10	25	123	65	6.51	0.09	<1	0.65	471	<1	0.12	20	676	10	<10	<5	0.04	<10	25	2634	<1	79	<10	13	49
31673	41755	<1	0.89	<3	43	3	<1	73	1.44	<10	27	77	78	6.65	0.12	<1	0.68	388	<1	0.11	20	661	7	<10	<5	0.03	<10	14	2118	<1	77	<10	13	26
31674	41756	<1	1.00	<3	51	13	<1	88	1.72	<10	31	96	58	7.88	0.34	4	0.86	532	<1	0.16	24	684	7	<10	<5	0.04	<10	14	2426	<1	87	<10	18	38
31675	41757	<1	0.87	<3	37	19	<1	28	1.41	<10	6	104	19	2.64	0.51	10	0.64	377	<1	0.06	6	203	6	<10	<5	0.02	<10	10	672	<1	<2	<10	3	36
31676	41758	<1	0.87	<3	31	14	<1	19	0.53	<10	4	162	6	1.64	0.52	7	0.52	244	<1	0.08	6	241	6	<10	<5	0.02	<10	7	758	<1	<2	<10	3	19
31677	41759	<1	1.04	<3	49	8	<1	85	2.28	<10	35	96	89	7.52	0.18	6	0.83	642	<1	0.14	22	592	15	<10	<5	0.04	<10	26	3340	<1	67	<10	15	108
31678	41760	<1	1.01	<3	52	10	<1	89	2.37	<10	34	119	139	7.83	0.26	<1	0.82	683	<1	0.15	23	608	12	<10	<5	0.04	<10	22	3402	<1	75	<10	18	84
31679	41761	<1	0.92	<3	34	13	<1	17	0.79	<10	3	143	2	1.51	0.30	10	0.54	233	<1	0.07	5	207	8	<10	<5	0.02	<10	6	489	<1	<2	<10	3	29
31680	41761	<1	0.96	<3	39	14	<1	19	0.85	<10	3	156	2	1.55	0.34	11	0.57	247	<1	0.07	5	207	9	<10	<5	0.01	<10	7	500	<1	<2	<10	3	30
31681	41762	<1	1.02	<3	51	7	<1	91	1.92	<10	32	92	85	8.16	0.22	4	0.86	720	<1	0.16	21	623	10	<10	<5	0.04	<10	15	3007	<1	91	<10	19	70
31682	41763	<1	1.10	<3	51	22	<1	89	2.11	<10	24	69	131	7.84	0.65	23	1.00	779	<1	0.10	16	635	14	<10	<5	0.03	<10	18	4548	<1	73	<10	18	156
31683	41764	1	1.11	<3	48	37	<1	109	0.93	<10	40	128	159	9.19	1.27	16	0.95	650	1	0.09	12	760	14	<10	<5	0.03	<10	12	4015	<1	60	<10	19	102
31684	41765	5	1.04	<3	73	24	<1	236	1.93	31	27	93	568	>10.00	1.04	12	1.05	629	<1	0.07	26	477	27	<10	<5	0.02	14	14	2072	<1	72	<10	11	2791
31685	41766	2	1.08	<3	67	46	<1	138	3.51	<10	29	104	300	>10.00	1.28	17	1.12	1348	2	0.06	24	519	13	<10	<5	0.03	<10	25	3354	<1	75	<10	14	151
31686	41767	2	1.09	<3	61	46	<1	109	3.39	19	53	98	209	8.81	0.87	15	0.93	1048	2	0.11	22	543	15	<10	<5	0.03	<10	35	3708	<1	58	15	17	1467
31687	41768	3	1.06	<3	65	45	<1	116	3.25	<10	29	83	325	9.80	0.69	15	1.07	1088	4	0.07	22	364	19	<10	<5	0.05	<10	38	3021	<1	51	<10	15	220
31688	41769	2	1.16	<3	67	44	<1	110	1.53	<10	32	97	198	9.26	0.86	22	1.12	980	2	0.13	35	507	28	<10	<5	0.02	<10	23	3340	<1	79	<10	16	168
31689	41770	<1	1.12	<3	63	45	<1	93	1.23	<10	22	194	99	8.19	0.79	20	0.97	695	<1	0.13	16	629	14	<10	<5	0.02	<10	17	2339	<1	42	<10	16	78
31690	41770	<1	1.11	<3	58	44	<1	94	1.19	<10	22	170	95	8.00	0.76	20	0.96	673	<1	0.12	15	609	13	<10	<5	0.02	<10	16	2271	<1	41	<10	16	76

Certified By:
Derek Demianiuk, H.B.Sc.

Tri-Gold Resources

Date Created: 05-04-03 10:42 PM

Job Number: 200540343

Date Received: 3/23/2005

Number of Samples: 90

Type of Sample: Core

Date Completed: 3/31/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
31691	41771	<1	1.03	<3	63	20	<1	121	1.40	<10	33	115	91	>10.00	0.26	3	0.68	468	2	0.17	8	1213	12	<10	<5	0.02	<10	24	2150	<1	46	<10	25	98
31692	41772	<1	0.93	<3	43	21	<1	43	0.81	<10	6	184	37	3.42	0.38	12	0.61	307	2	0.07	5	214	7	<10	<5	0.01	<10	7	535	<1	<2	<10	5	125
31693	41773	<1	1.05	<3	59	22	<1	108	1.72	<10	25	113	83	9.56	0.43	3	0.65	447	<1	0.15	7	1313	9	<10	<5	0.03	<10	39	2762	<1	31	<10	25	34
31694	41774	1	1.07	<3	62	47	<1	101	1.43	<10	24	157	168	8.94	0.74	5	0.85	534	1	0.10	9	1217	9	<10	<5	0.03	<10	27	3099	<1	46	<10	21	140
31695	41775	2	0.80	<3	52	16	<1	85	3.03	87	27	92	207	7.31	0.25	4	0.80	581	2	0.05	11	234	10	<10	<5	0.02	<10	18	735	<1	10	<10	8	>4,000
31696	41776	<1	0.99	<3	52	5	<1	78	1.62	<10	30	87	91	7.06	0.13	1	0.82	541	<1	0.16	26	427	8	<10	<5	0.04	<10	18	2278	<1	80	<10	14	70
31697	41777	<1	0.95	<3	49	16	<1	71	1.62	<10	26	85	89	6.59	0.28	<1	0.81	489	<1	0.14	24	432	7	<10	<5	0.03	<10	13	2190	<1	78	<10	13	45
31698	41778	<1	1.02	<3	52	20	<1	88	1.64	<10	30	108	121	7.93	0.27	4	0.88	558	<1	0.16	26	457	8	<10	<5	0.04	<10	14	2458	<1	90	<10	15	50
31699	41779	<1	1.04	<3	51	10	<1	78	1.72	<10	26	79	109	6.96	0.14	1	0.84	543	<1	0.19	25	427	8	<10	<5	0.03	<10	21	2072	<1	72	<10	13	49
31700	41780	<1	1.06	<3	59	9	<1	97	2.19	<10	43	96	164	8.47	0.19	14	0.98	634	2	0.14	22	674	11	<10	<5	0.03	<10	18	2784	<1	65	13	20	52
31701	41780	<1	1.05	<3	51	8	<1	87	1.96	<10	40	87	148	7.81	0.17	12	0.93	579	1	0.13	20	618	10	<10	<5	0.03	<10	16	2577	<1	60	<10	18	48
31702	41781	<1	0.95	<3	51	5	<1	74	1.46	<10	32	83	97	6.78	0.13	1	0.84	495	<1	0.17	23	427	9	<10	<5	0.03	<10	9	2075	<1	83	<10	13	48
31703	41782	2	1.04	<3	55	10	<1	96	3.00	<10	39	99	245	8.52	0.22	21	0.97	676	<1	0.08	23	511	9	<10	<5	0.06	<10	20	3573	<1	72	16	17	49
31704	41783	<1	1.07	<3	63	43	<1	115	1.76	<10	29	86	148	>10.00	0.70	8	0.85	646	<1	0.12	9	1196	10	<10	<5	0.03	<10	25	3814	<1	44	<10	29	77
31705	41784	<1	1.05	<3	65	13	<1	123	2.12	<10	28	153	143	>10.00	0.18	8	0.73	609	<1	0.08	8	1295	11	<10	<5	0.03	<10	29	3326	<1	34	<10	27	50
31706	41785	<1	1.05	<3	56	6	<1	99	1.60	<10	20	120	90	8.76	0.14	<1	0.69	459	<1	0.06	12	981	9	<10	<5	0.03	<10	60	2943	<1	60	<10	25	39
31707	41786	2	1.05	<3	69	18	<1	134	1.02	<10	56	158	264	>10.00	0.34	9	0.87	483	<1	0.09	29	450	11	<10	<5	0.03	<10	12	3426	<1	93	13	22	57
31708	41787	<1	1.02	<3	60	12	<1	89	2.23	<10	33	78	95	7.98	0.35	9	0.94	695	<1	0.15	24	470	9	<10	<5	0.03	<10	13	3539	<1	79	<10	18	58
31709	41788	<1	1.02	<3	60	7	<1	92	2.41	<10	29	90	127	8.26	0.19	6	0.92	751	<1	0.18	26	432	9	<10	<5	0.03	<10	14	3208	<1	91	<10	18	64
31710	41789	<1	0.94	<3	55	3	<1	64	1.97	<10	28	60	54	6.06	0.13	<1	0.84	618	<1	0.18	23	427	9	<10	<5	0.03	<10	7	3057	<1	78	<10	17	61
31711	41790	<1	1.02	<3	63	9	<1	77	3.64	<10	33	54	142	7.08	0.22	7	0.96	801	4	0.14	27	453	10	<10	<5	0.04	<10	19	4172	<1	91	<10	23	65
31712	41790	<1	0.98	<3	57	8	<1	69	3.26	<10	31	48	124	6.37	0.20	5	0.91	713	3	0.14	24	407	9	<10	<5	0.03	<10	17	3729	<1	80	<10	20	61

Certified By: 
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-03 10:42 PM

Job Number: 200540343

Date Received: 3/23/2005

Number of Samples: 90

Type of Sample: Core

Date Completed: 3/31/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
31713	41791	<1	1.07	<3	71	14	<1	98	2.71	<10	33	68	99	8.60	0.34	10	1.01	827	<1	0.19	27	436	11	<10	<5	0.04	<10	12	3927	<1	90	<10	23	83
31714	41792	<1	1.04	<3	56	19	<1	84	3.37	<10	31	84	83	7.30	0.37	12	0.99	855	<1	0.16	29	435	8	<10	<5	0.04	<10	16	4174	<1	103	<10	21	80
31715	41793	1	1.04	<3	64	18	<1	98	2.97	<10	38	73	150	8.54	0.33	12	0.96	776	<1	0.14	31	432	11	<10	<5	0.04	<10	12	4291	<1	96	<10	23	68
31716	41794	<1	0.99	<3	62	6	<1	84	2.19	<10	38	131	104	7.39	0.18	3	0.90	636	<1	0.19	30	430	9	<10	<5	0.03	<10	10	3861	<1	94	<10	20	59
31717	41795	1	1.03	<3	66	5	<1	95	1.97	<10	33	62	262	8.40	0.15	7	0.96	628	<1	0.18	31	448	11	<10	<5	0.03	<10	9	3345	<1	90	<10	18	63
31718	41796	<1	1.02	<3	59	4	<1	90	1.84	<10	51	69	190	8.05	0.13	4	0.95	632	<1	0.16	27	447	10	<10	<5	0.04	<10	12	3307	<1	87	<10	18	73
31719	41797	2	0.98	<3	60	7	<1	98	2.23	<10	44	71	206	8.69	0.15	12	0.93	633	<1	0.11	31	453	11	<10	<5	0.04	<10	18	4341	<1	84	28	20	73
31720	41798	2	1.04	<3	63	40	<1	109	2.28	<10	37	95	218	9.37	0.77	19	0.99	717	<1	0.09	30	383	10	<10	<5	0.06	<10	23	4291	<1	93	35	19	88
31721	41799	3	1.02	<3	66	36	<1	119	1.59	<10	44	87	333	>10.00	0.65	9	0.93	604	<1	0.11	40	404	11	<10	<5	0.05	<10	19	4105	<1	76	32	17	59
31722	41800	<1	1.02	<3	57	4	<1	81	2.08	<10	31	96	56	7.26	0.13	2	0.90	637	<1	0.21	22	387	8	<10	<5	0.04	<10	20	2526	<1	77	<10	16	48
31723	41800	<1	1.05	<3	64	4	<1	90	2.31	<10	33	106	60	7.93	0.14	3	0.95	698	<1	0.23	24	420	9	<10	<5	0.04	<10	22	2649	<1	83	<10	18	51
31724	41801	<1	1.01	<3	63	8	<1	87	2.25	<10	31	89	92	7.72	0.16	2	0.90	579	<1	0.20	42	634	9	<10	<5	0.03	<10	20	2144	<1	80	<10	14	40
31725	41802	2	1.15	<3	73	11	<1	122	1.86	<10	39	101	294	>10.00	0.23	15	1.07	716	<1	0.18	33	450	12	<10	<5	0.04	<10	17	3203	<1	88	<10	18	71
31726	41803	1	1.07	<3	53	9	<1	87	2.24	<10	34	73	213	7.80	0.28	4	0.91	625	<1	0.15	24	356	11	<10	<5	0.02	<10	25	3175	<1	62	<10	15	64
31727	41804	<1	1.10	<3	58	8	<1	86	3.62	<10	24	63	190	7.61	0.26	18	1.01	756	4	0.14	24	398	8	<10	<5	0.03	<10	39	3681	<1	64	<10	17	94
31728	41805	1	1.01	<3	59	3	<1	89	2.52	<10	26	78	303	7.81	0.10	11	0.89	524	17	0.06	10	1016	12	<10	<5	0.04	<10	26	4246	<1	44	<10	23	89
31729	41806	1	1.14	<3	65	33	<1	106	2.07	<10	34	115	227	9.24	0.69	20	0.96	621	5	0.11	12	984	15	<10	<5	0.03	<10	41	5005	<1	58	<10	29	98
31730	41807	3	1.04	<3	76	19	<1	107	1.56	<10	35	104	281	9.30	0.37	13	0.88	471	<1	0.12	14	893	13	<10	<5	0.02	<10	25	3747	<1	59	23	27	45
31731	41808	<1	1.04	<3	56	16	<1	91	1.66	<10	29	131	125	8.12	0.34	11	0.87	518	<1	0.13	13	898	9	<10	<5	0.03	<10	18	3545	<1	60	<10	25	61
31732	41809	<1	1.05	<3	59	34	<1	112	1.20	<10	30	95	100	9.64	0.85	8	0.82	571	<1	0.10	13	947	10	<10	<5	0.03	<10	13	4749	<1	75	<10	26	70
31733	41810	<1	1.07	<3	58	42	<1	104	1.34	<10	31	109	83	9.02	0.93	8	0.79	596	<1	0.11	13	983	9	<10	<5	0.04	<10	18	4937	<1	76	<10	25	63
31734	41810	<1	1.10	<3	65	46	<1	116	1.48	<10	33	118	90	9.76	1.02	9	0.83	652	<1	0.12	14	1047	9	<10	<5	0.04	<10	20	5111	<1	83	<10	28	66

Certified By
Derek Demianuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-03 10:42 PM

Job Number: 200540343

Date Received: 3/23/2005

Number of Samples: 90

Type of Sample: Core

Date Completed: 3/31/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
31735	41811	2	1.10	<3	67	42	<1	122	1.89	<10	37	116	204	>10.00	0.87	9	0.82	572	<1	0.13	17	908	10	<10	<5	0.05	<10	31	4839	<1	65	18	26	75
31736	41812	2	1.04	<3	66	21	<1	97	1.79	<10	29	155	139	8.43	0.46	10	0.72	455	<1	0.06	14	821	11	<10	<5	0.03	<10	30	4603	<1	67	<10	19	77
31737	41813	<1	1.12	<3	74	36	<1	119	2.24	<10	32	185	70	9.89	1.14	2	0.81	606	<1	0.07	18	918	10	<10	<5	0.05	<10	41	5205	<1	50	<10	23	58
31738	41814	1	1.13	<3	73	41	<1	114	2.68	<10	43	118	179	9.60	0.81	18	0.96	630	<1	0.09	19	867	11	<10	<5	0.04	<10	33	5091	<1	66	<10	27	82
31739	41815	<1	1.06	<3	65	19	<1	103	2.57	<10	30	203	100	8.61	0.36	9	0.89	656	<1	0.11	16	936	10	<10	<5	0.04	<10	31	4931	<1	58	<10	26	81
31740	41816	1	1.08	<3	70	37	<1	112	1.61	<10	37	99	132	9.40	0.89	10	0.91	549	<1	0.12	20	846	10	<10	<5	0.03	<10	18	4939	<1	86	11	26	61
31741	41817	1	1.03	<3	61	34	<1	82	2.14	<10	34	90	153	7.40	0.66	14	0.92	538	<1	0.07	16	686	9	<10	<5	0.04	<10	22	3872	<1	61	<10	21	66
31742	41818	2	1.04	<3	171	25	<1	78	1.32	<10	29	165	129	6.71	0.76	12	0.78	367	<1	0.05	17	588	9	<10	<5	0.02	<10	17	3162	<1	45	12	16	48
31743	41819	<1	0.75	<3	76	8	<1	24	0.64	<10	4	217	25	1.87	0.25	<1	0.41	156	<1	0.05	5	202	6	<10	<5	0.02	<10	10	734	<1	10	<10	4	14
31744	41820	3	1.10	<3	64	35	<1	100	2.26	<10	31	127	234	8.46	0.88	20	0.91	617	<1	0.06	21	651	11	<10	<5	0.03	<10	40	3660	<1	53	17	20	48
31745	41820	3	1.08	<3	61	33	<1	92	2.15	<10	30	117	217	8.01	0.82	18	0.87	579	<1	0.06	20	610	10	<10	<5	0.03	<10	40	3552	<1	50	16	19	47
31746	41821	<1	0.92	<3	52	14	<1	26	0.73	<10	3	273	25	1.63	0.47	7	0.64	224	3	0.06	5	204	6	<10	<5	0.02	<10	11	582	<1	<2	<10	3	23
31747	41822	<1	0.72	<3	46	11	<1	15	0.31	<10	2	162	7	1.07	0.42	1	0.45	140	<1	0.07	5	202	5	<10	<5	0.01	<10	8	489	<1	<2	<10	3	17
31748	41823	<1	0.84	<3	57	15	<1	17	0.47	<10	2	213	7	1.17	0.31	3	0.57	194	<1	0.07	5	205	8	<10	<5	0.02	<10	15	482	<1	<2	<10	3	17
31749	41824	<1	0.86	<3	53	17	<1	22	2.85	<10	5	123	96	1.78	0.46	6	0.72	633	1	0.06	3	162	9	<10	<5	0.02	<10	28	433	<1	<2	<10	5	183
31750	41825	<1	0.88	<3	49	23	<1	19	0.84	<10	2	183	10	1.36	0.51	11	0.72	323	1	0.06	3	173	6	<10	<5	0.02	<10	10	441	<1	<2	<10	3	33
31751	41826	<1	0.83	<3	41	15	<1	15	0.79	<10	2	121	3	1.30	0.28	5	0.62	241	6	0.05	3	157	7	<10	<5	0.01	<10	12	458	<1	<2	<10	3	45
31752	41827	<1	0.81	<3	45	17	<1	17	0.64	<10	2	177	7	1.38	0.25	4	0.55	195	10	0.07	4	182	6	<10	<5	0.01	<10	13	490	<1	<2	<10	3	26
31753	41828	<1	0.63	<3	38	11	<1	13	0.64	<10	2	131	4	1.13	0.17	2	0.51	153	1	0.06	5	218	5	<10	<5	0.01	<10	8	711	<1	3	<10	2	19
31754	41829	2	1.02	<3	61	12	<1	78	1.61	<10	29	102	387	6.99	0.17	20	0.94	517	<1	0.08	25	661	13	<10	<5	0.03	<10	19	4069	<1	66	<10	21	100
31755	41830	4	0.73	<3	44	17	<1	40	0.75	<10	10	254	62	3.04	0.26	4	0.50	201	2	0.06	12	228	12	<10	<5	0.01	<10	11	1207	<1	20	17	6	31
31756	41830	4	0.70	<3	42	15	<1	37	0.70	<10	9	235	57	2.85	0.25	3	0.47	185	1	0.06	10	214	12	<10	<5	0.02	<10	10	1129	<1	18	13	5	29

Certified By:
Derek Demianuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-03 10:42 PM

Job Number: 200540343

Date Received: 3/23/2005

Number of Samples: 90

Type of Sample: Core

Date Completed: 3/31/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
31757	41831	<1	0.72	<3	43	13	<1	17	0.80	<10	3	190	13	1.27	0.24	<1	0.45	174	4	0.07	4	176	17	<10	<5	0.02	<10	9	544	<1	<2	<10	2	35
31758	41832	1	1.12	4	58	14	<1	82	1.66	<10	37	81	528	7.47	0.13	37	1.02	706	3	0.05	28	738	18	<10	<5	0.04	<10	17	4582	<1	70	<10	21	84
31759	41833	2	1.14	<3	56	50	<1	88	2.07	<10	30	107	439	7.57	0.78	11	0.98	725	<1	0.15	29	414	12	<10	<5	0.04	<10	23	3988	<1	73	<10	18	107
31760	41834	<1	1.06	<3	45	37	<1	24	1.09	<10	6	122	33	2.06	0.57	12	0.71	379	<1	0.08	6	315	8	<10	<5	0.02	<10	14	819	<1	2	<10	5	39
31761	41835	<1	0.89	<3	46	34	<1	17	0.40	<10	3	182	3	1.36	0.54	6	0.58	247	<1	0.07	5	242	6	<10	<5	0.02	<10	10	481	<1	<2	<10	4	77
31762	41836	<1	0.79	<3	60	22	<1	16	0.65	<10	3	138	4	1.28	0.34	2	0.42	213	<1	0.06	4	254	7	<10	<5	0.01	<10	11	444	<1	<2	<10	4	34
31763	41837	<1	0.94	<3	51	30	<1	21	0.86	<10	4	208	4	1.58	0.43	6	0.52	291	<1	0.09	6	294	8	<10	<5	0.02	<10	14	531	<1	<2	<10	4	45
31764	41838	<1	0.91	<3	47	32	<1	18	0.73	<10	3	147	4	1.39	0.45	8	0.58	264	<1	0.06	5	278	7	<10	<5	0.02	<10	12	543	<1	<2	<10	4	43
31765	41839	<1	0.81	<3	46	41	<1	19	0.42	<10	3	199	2	1.41	0.43	4	0.52	205	<1	0.07	6	284	6	<10	<5	0.02	<10	12	520	<1	<2	<10	4	32
31766	41840	No Sample Received																																
31767	41840	No Sample Received																																

Certified By:
Derek Demianuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-18 07:04 AM

Job Number: 200540400

Date Received: 4/6/2005

Number of Samples: 50

Type of Sample: Rock

Date Completed: 4/7/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accr. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35586	41851	4	0.72	3	134	17	<1	101	1.19	<10	30	63	286	5.15	0.17	8	0.53	445	7	0.12	16	762	50	<10	<5	0.08	<10	28	2161	<1	112	<10	14	80
35587	41852	2	0.72	4	122	11	<1	87	1.36	<10	34	49	141	4.56	0.16	10	0.64	468	4	0.13	22	593	15	<10	<5	0.09	<10	12	1850	<1	85	<10	12	55
35588	41853	<1	0.76	<3	117	9	<1	76	1.39	<10	26	47	92	4.00	0.11	10	0.65	487	4	0.13	19	582	14	<10	<5	0.09	<10	22	1910	<1	74	<10	13	75
35589	41854	<1	0.76	<3	111	15	<1	75	1.40	<10	32	47	134	4.06	0.19	9	0.71	513	4	0.16	23	563	21	<10	<5	0.09	<10	10	2130	<1	63	<10	15	156
35590	41855	<1	0.80	<3	108	9	<1	71	1.52	<10	32	44	107	3.77	0.15	14	0.78	590	3	0.15	30	541	23	<10	<5	0.09	<10	13	2504	<1	54	<10	14	96
35591	41856	<1	0.81	<3	105	22	<1	79	1.72	<10	33	52	121	4.16	0.47	12	0.80	582	3	0.15	30	524	6	<10	<5	0.10	<10	10	2617	<1	58	<10	14	51
35592	41857	<1	0.76	<3	96	11	<1	66	1.92	<10	27	47	90	3.49	0.21	4	0.72	599	3	0.18	27	517	5	<10	<5	0.10	<10	12	2055	<1	52	<10	14	56
35593	41858	<1	0.78	<3	95	22	<1	65	1.63	<10	27	48	87	3.49	0.42	5	0.74	579	3	0.16	27	557	5	<10	<5	0.10	<10	10	2366	<1	50	<10	14	61
35594	41859	2	0.82	<3	94	31	<1	90	4.04	<10	30	44	271	4.15	0.60	23	0.92	1157	7	0.07	24	423	9	<10	<5	0.09	<10	26	3197	<1	76	<10	14	104
35595	41860	1	0.81	<3	93	47	<1	80	2.27	<10	34	42	275	4.15	0.81	14	0.84	807	2	0.11	33	479	6	<10	<5	0.08	<10	19	3068	<1	59	<10	11	113
35596	41860	1	0.81	<3	84	42	<1	72	2.08	<10	31	38	243	3.83	0.72	12	0.81	734	2	0.11	30	434	6	<10	<5	0.07	<10	17	2814	<1	55	<10	11	104
35597	41861	<1	0.81	<3	86	24	<1	67	1.30	<10	28	40	147	3.69	0.41	9	0.74	587	3	0.12	30	447	8	<10	<5	0.07	<10	20	2653	<1	44	<10	10	153
35598	41862	<1	0.48	<3	75	15	<1	16	0.66	<10	5	73	22	0.89	0.13	4	0.29	114	5	0.06	7	207	4	<10	<5	0.03	<10	10	531	<1	3	<10	3	20
35599	41863	<1	0.62	<3	82	3	<1	52	1.16	<10	17	40	51	2.95	0.06	<1	0.58	371	2	0.15	19	472	4	<10	<5	0.06	<10	9	1542	<1	59	<10	10	29
35600	41864	<1	0.65	<3	82	3	<1	50	1.35	<10	20	37	71	2.96	0.05	<1	0.63	425	2	0.17	23	436	4	<10	<5	0.07	<10	8	1592	<1	58	<10	11	35
35601	41865	<1	0.71	<3	75	4	<1	50	1.65	<10	21	34	94	2.93	0.06	3	0.64	450	2	0.17	21	472	5	<10	<5	0.07	<10	12	1797	<1	52	<10	11	35
35602	41866	<1	0.68	<3	84	7	<1	53	1.51	<10	22	40	92	2.96	0.08	5	0.65	428	3	0.15	22	447	4	<10	<5	0.08	<10	15	1817	<1	48	<10	11	39
35603	41867	<1	0.66	<3	79	20	<1	45	1.30	<10	19	44	95	2.65	0.18	2	0.64	402	4	0.16	19	420	5	<10	<5	0.08	<10	9	1662	<1	43	<10	10	84
35604	41868	<1	0.71	<3	78	19	<1	58	2.71	<10	25	34	129	3.14	0.18	7	0.74	637	2	0.14	20	376	4	<10	<5	0.09	<10	15	2059	<1	51	<10	12	62
35605	41869	<1	0.57	<3	77	7	<1	57	4.88	<10	21	34	175	3.22	0.10	2	0.57	739	4	0.08	8	841	7	<10	<5	0.06	<10	26	1403	<1	36	<10	20	26
35606	41870	<1	0.73	<3	80	22	<1	76	1.77	<10	23	59	169	3.99	0.15	4	0.55	426	5	0.10	9	1147	5	<10	<5	0.08	<10	15	2417	<1	34	<10	21	33
35607	41870	<1	0.73	<3	81	23	<1	78	1.80	<10	25	61	177	4.15	0.16	4	0.56	436	5	0.10	9	1185	7	<10	<5	0.08	<10	16	2515	<1	36	<10	21	35

Certified By:
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-18 07:04 AM

Job Number: 200540400

Date Received: 4/6/2005

Number of Samples: 50

Type of Sample: Rock

Date Completed: 4/7/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35608	41871	<1	0.68	<3	80	11	<1	83	1.42	<10	22	52	197	4.46	0.09	3	0.49	400	8	0.13	7	1173	8	<10	<5	0.09	<10	15	2266	<1	32	<10	21	38
35609	41872	<1	0.70	<3	84	14	<1	105	1.04	<10	24	59	58	5.39	0.08	8	0.50	508	4	0.14	8	1357	7	<10	<5	0.10	<10	11	2412	<1	57	<10	29	28
35610	41873	<1	0.81	<3	83	25	<1	111	1.92	<10	34	56	129	5.65	0.18	26	0.80	693	5	0.08	7	1178	7	<10	<5	0.11	<10	14	2921	<1	39	<10	32	37
35611	41874	<1	0.76	<3	82	20	<1	82	1.41	<10	23	67	309	4.40	0.15	6	0.59	463	7	0.09	8	1275	7	<10	<5	0.09	<10	26	3147	<1	30	<10	24	40
35612	41875	2	0.81	<3	82	18	<1	101	1.76	<10	47	58	368	5.26	0.19	2	0.60	503	7	0.15	10	1148	7	<10	<5	0.10	<10	31	2977	<1	30	<10	27	49
35613	41876	<1	0.75	<3	83	26	<1	97	1.56	<10	26	68	186	5.04	0.21	3	0.56	425	6	0.16	11	1117	7	<10	<5	0.11	<10	26	2619	<1	49	<10	24	36
35614	41877	1	0.69	<3	82	7	<1	92	1.49	<10	21	69	381	4.97	0.08	<1	0.49	388	29	0.16	6	1268	6	<10	<5	0.10	<10	23	2462	<1	39	<10	26	26
35615	41878	<1	0.75	<3	86	6	<1	86	1.77	<10	23	67	359	4.75	0.06	<1	0.49	330	7	0.12	7	1348	6	<10	<5	0.10	<10	50	3213	<1	25	<10	24	20
35616	41879	<1	0.70	<3	81	11	<1	81	1.51	<10	22	74	335	4.51	0.09	<1	0.51	334	11	0.17	11	960	6	<10	<5	0.09	<10	39	2603	<1	44	<10	21	22
35617	41880	<1	0.68	<3	76	11	<1	61	1.25	<10	23	63	262	3.54	0.14	3	0.69	452	6	0.17	18	421	4	<10	<5	0.09	<10	9	2336	<1	61	<10	11	29
35618	41880	<1	0.68	<3	77	11	<1	60	1.22	<10	23	61	260	3.49	0.14	4	0.68	443	5	0.16	18	426	5	<10	<5	0.09	<10	9	2322	<1	60	<10	11	30
35619	41881	<1	0.68	<3	64	7	<1	59	1.49	<10	24	43	305	3.35	0.14	10	0.71	421	9	0.13	20	423	6	<10	<5	0.09	<10	9	2460	<1	62	<10	10	33
35620	41882	<1	0.57	<3	59	21	<1	17	0.54	<10	4	90	51	0.96	0.29	7	0.43	156	6	0.06	6	228	4	<10	<5	0.03	<10	6	735	<1	2	<10	3	18
35621	41883	<1	0.57	<3	79	5	<1	59	1.04	<10	22	49	303	3.38	0.08	<1	0.59	335	17	0.14	19	454	6	<10	<5	0.07	<10	8	1959	<1	78	<10	9	20
35622	41884	<1	0.60	<3	76	15	<1	64	0.93	<10	22	53	309	3.63	0.20	2	0.62	287	9	0.13	21	418	6	<10	<5	0.09	<10	8	1755	<1	82	<10	8	22
35623	41885	<1	0.69	<3	76	37	<1	77	1.24	<10	28	48	218	4.16	0.46	3	0.70	368	10	0.14	23	453	6	<10	<5	0.08	<10	10	2258	<1	96	<10	10	30
35624	41886	2	0.77	<3	74	23	<1	67	1.67	<10	30	59	331	3.57	0.41	8	0.73	356	11	0.15	25	458	6	<10	<5	0.09	<10	39	2977	<1	65	<10	12	38
35625	41887	5	0.67	<3	82	45	<1	116	0.29	<10	25	88	1183	4.87	0.21	10	0.60	209	30	0.10	23	181	10	<10	<5	0.07	<10	49	2467	<1	47	<10	12	62
35626	41888	2	0.84	<3	75	30	<1	65	1.60	<10	26	54	589	3.66	0.42	11	0.77	382	10	0.18	23	407	6	<10	<5	0.09	<10	49	2467	<1	47	<10	5	33
35627	41889	4	0.77	<3	58	49	<1	49	1.17	<10	23	85	709	2.91	0.54	8	0.70	321	18	0.17	20	324	4	<10	<5	0.05	<10	30	2252	<1	35	<10	11	51
35628	41890	3	0.73	<3	77	9	<1	73	1.76	<10	26	64	638	3.97	0.15	1	0.72	408	15	0.21	24	432	5	<10	<5	0.10	<10	24	2438	<1	82	<10	14	39
35629	41890	4	0.72	<3	73	9	<1	71	1.67	<10	26	65	642	3.89	0.14	1	0.70	396	17	0.20	24	445	5	<10	<5	0.10	<10	23	2223	<1	80	<10	13	39

Certified By: 
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-18 07:04 AM

Job Number: 200540400

Date Received: 4/6/2005

Number of Samples: 50

Type of Sample: Rock

Date Completed: 4/7/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
35630	41891	2	0.79	<3	73	16	<1	91	1.17	<10	57	46	535	4.90	0.29	5	0.79	338	26	0.14	26	446	7	<10	<5	0.07	<10	19	2050	<1	68	<10	11	71
35631	41892	<1	0.71	<3	72	5	<1	64	1.49	<10	25	49	166	3.59	0.07	<1	0.62	390	4	0.17	21	437	5	<10	<5	0.09	<10	27	2020	<1	67	<10	11	30
35632	41893	<1	0.72	<3	74	6	<1	78	1.75	<10	29	84	185	4.09	0.08	1	0.68	490	16	0.21	24	467	7	<10	<5	0.08	<10	20	2437	<1	86	<10	14	58
35633	41894	1	0.64	<3	69	2	<1	69	1.28	<10	24	43	252	3.75	0.05	<1	0.56	345	6	0.16	20	472	6	<10	<5	0.07	<10	21	1793	<1	80	<10	11	25
35634	41895	2	0.66	<3	60	6	<1	63	1.41	<10	22	43	303	3.49	0.09	<1	0.63	370	6	0.16	20	445	5	<10	<5	0.09	<10	20	1922	<1	71	<10	12	40
35635	41896	1	0.62	<3	60	18	<1	23	0.56	<10	6	77	156	1.44	0.26	13	0.60	262	11	0.05	7	208	5	<10	<5	0.03	<10	7	755	<1	3	<10	6	454
35636	41897	4	0.72	<3	76	18	<1	131	1.05	11	22	71	958	5.60	0.30	23	0.75	392	26	0.05	24	161	11	<10	<5	0.04	21	11	671	<1	6	<10	5	958
35637	41898	2	0.83	<3	69	9	<1	80	1.73	<10	34	50	461	4.20	0.17	20	0.86	544	7	0.15	26	425	10	<10	<5	0.06	<10	16	3293	<1	70	<10	15	189
35638	41899	1	0.73	<3	64	4	<1	63	1.75	<10	26	52	260	3.49	0.10	<1	0.69	468	4	0.19	22	411	7	<10	<5	0.09	<10	27	2355	<1	65	<10	13	54
35639	41900	<1	0.83	<3	64	6	<1	68	1.56	<10	25	47	244	3.71	0.09	13	0.84	483	7	0.18	24	406	7	<10	<5	0.10	<10	28	2089	<1	58	<10	13	43
35640	41900	<1	0.82	<3	64	5	<1	66	1.54	<10	25	46	243	3.67	0.09	13	0.84	473	6	0.17	24	409	6	<10	<5	0.10	<10	27	2038	<1	57	<10	13	43

Certified By:
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-03 10:42 PM

Job Number: 200540368

Date Received: 3/30/2005

Number of Samples: 96

Type of Sample:

Date Completed: 4/2/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
33357	41840	<1	0.82	<3	36	19	<1	13	0.76	<10	3	81	18	1.24	0.34	5	0.54	196	6	0.05	6	269	7	<10	<5	0.01	<10	11	527	<1	<2	<10	4	62
33358	41841	<1	0.98	<3	37	18	<1	13	1.02	<10	3	85	3	1.18	0.39	9	0.63	217	6	0.05	6	218	8	<10	<5	0.02	<10	12	484	<1	<2	<10	3	74
33359	41842	<1	0.97	<3	38	18	<1	12	0.84	<10	3	91	2	1.13	0.41	5	0.52	214	7	0.08	6	242	6	<10	<5	0.01	<10	18	471	<1	<2	<10	3	31
33360	41843	<1	0.88	<3	39	19	<1	14	0.69	<10	3	83	2	1.32	0.34	7	0.58	215	5	0.06	6	270	7	<10	<5	0.02	<10	13	541	<1	<2	<10	4	47
33361	41844	<1	0.79	<3	42	20	<1	11	0.32	<10	3	76	7	1.10	0.45	3	0.53	205	5	0.05	5	263	4	<10	<5	0.01	<10	10	434	<1	<2	<10	3	25
33362	41845	<1	0.71	<3	37	17	<1	11	0.45	<10	3	83	1	1.14	0.23	2	0.50	211	5	0.04	6	237	5	<10	<5	0.01	<10	11	512	<1	<2	<10	4	41
33363	41846	<1	0.64	<3	47	20	<1	13	0.43	<10	3	97	2	1.27	0.22	2	0.44	210	7	0.05	6	266	4	<10	<5	0.01	<10	8	515	<1	<2	<10	4	30
33364	41847	<1	0.65	<3	45	14	<1	10	0.51	<10	3	73	<1	1.12	0.16	2	0.47	185	5	0.04	6	241	4	<10	<5	0.02	<10	17	500	<1	<2	<10	4	27
33365	41848	<1	0.69	<3	47	20	<1	14	0.46	<10	3	96	1	1.28	0.27	2	0.48	230	7	0.04	6	270	4	<10	<5	0.01	<10	19	490	<1	<2	<10	4	32
33366	41849	<1	0.68	<3	39	13	<1	13	0.22	<10	3	69	11	1.42	0.18	5	0.59	177	4	0.04	6	245	4	<10	<5	0.01	<10	6	394	<1	<2	<10	3	33
33367	41849	<1	0.72	<3	45	14	<1	14	0.24	<10	3	76	13	1.55	0.19	7	0.64	196	5	0.04	6	265	4	<10	<5	0.01	<10	7	437	<1	<2	<10	4	36
33368	41850	<1	0.84	<3	44	10	<1	25	0.37	<10	8	77	20	2.40	0.13	15	0.86	280	6	0.04	6	259	5	<10	<5	0.02	<10	<5	505	<1	4	<10	6	39
33369	41901	<1	1.15	<3	57	53	<1	73	2.51	<10	26	64	127	6.97	0.81	37	1.07	759	3	0.06	26	325	7	<10	<5	0.03	<10	28	3457	<1	65	<10	9	108
33370	41902	<1	1.02	<3	44	45	<1	59	2.02	<10	28	48	223	5.76	0.63	7	0.83	436	3	0.08	25	294	5	<10	<5	0.03	<10	16	2818	<1	54	<10	10	48
33371	41903	<1	0.62	<3	179	9	<1	18	0.68	<10	8	74	68	1.74	0.15	<1	0.36	131	5	0.04	6	179	5	<10	<5	0.01	<10	8	650	<1	4	<10	3	9
33372	41904	<1	1.08	<3	60	33	<1	70	2.86	<10	38	49	154	6.58	0.83	12	0.94	513	2	0.11	29	358	6	<10	<5	0.03	<10	21	3730	<1	78	<10	13	34
33373	41905	<1	1.07	<3	56	15	<1	71	2.73	<10	32	68	142	6.55	0.30	12	0.93	603	2	0.08	31	360	11	<10	<5	0.02	<10	18	4031	<1	93	<10	13	71
33374	41906	<1	1.04	<3	56	7	<1	66	2.37	<10	28	48	182	6.32	0.20	10	0.94	459	2	0.12	26	347	7	<10	<5	0.03	<10	14	3605	<1	62	<10	14	32
33375	41907	2	1.04	<3	61	5	<1	77	1.82	<10	37	64	408	6.60	0.14	8	0.91	507	2	0.13	33	399	13	<10	<5	0.03	<10	10	3728	<1	78	<10	16	106
33376	41908	1	1.06	<3	58	20	<1	70	1.72	<10	28	56	303	6.31	0.39	18	0.95	444	3	0.10	26	339	9	<10	<5	0.03	<10	12	3060	<1	57	<10	14	107
33377	41909	<1	0.95	<3	50	22	<1	15	0.83	<10	3	90	31	1.49	0.42	5	0.51	191	6	0.09	6	206	6	<10	<5	0.01	<10	6	590	<1	<2	<10	3	44
33378	41909	<1	0.90	<3	43	20	<1	15	0.76	<10	3	82	27	1.36	0.40	4	0.48	177	5	0.08	5	187	5	<10	<5	0.01	<10	6	551	<1	<2	<10	3	42

Certified By
Derek Demianiuk, H.B.Sc.

Tri-Gold Resources

Date Created: 05-04-03 10:42 PM

Job Number: 200540368

Date Received: 3/30/2005

Number of Samples: 96

Type of Sample:

Date Completed: 4/2/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
33379	41910	1	1.03	<3	60	28	<1	59	1.37	<10	28	58	328	4.94	0.35	12	0.86	392	4	0.07	24	331	8	<10	<5	0.02	<10	18	2592	<1	40	<10	10	121
33380	41911	<1	1.02	<3	58	5	<1	50	1.63	<10	22	61	105	4.81	0.13	2	0.79	397	3	0.16	23	320	7	<10	<5	0.02	<10	25	1767	<1	42	<10	10	25
33381	41912	<1	1.02	<3	52	5	<1	64	1.66	<10	35	74	191	6.09	0.10	3	0.86	445	4	0.19	28	349	7	<10	<5	0.04	<10	12	1704	<1	54	<10	11	76
33382	41913	1	0.86	<3	39	3	<1	40	1.95	<10	19	81	282	3.87	0.07	1	0.70	363	4	0.12	21	247	7	<10	<5	0.03	<10	11	1322	<1	42	<10	8	84
33383	41914	<1	0.92	<3	42	3	<1	47	1.64	<10	21	40	113	4.56	0.09	2	0.77	384	2	0.14	18	308	4	<10	<5	0.03	<10	7	2156	<1	48	<10	11	48
33384	41915	<1	0.93	<3	42	5	<1	49	1.86	<10	30	48	192	4.81	0.10	2	0.71	409	2	0.13	22	306	7	<10	<5	0.02	<10	20	2084	<1	42	<10	10	24
33385	41916	<1	1.06	<3	60	6	<1	53	1.97	<10	23	59	85	5.08	0.11	<1	0.80	523	3	0.20	22	294	5	<10	<5	0.03	<10	29	1879	<1	42	<10	11	36
33386	41917	<1	0.89	<3	59	19	<1	75	1.46	<10	27	51	111	7.22	0.31	<1	0.70	376	3	0.13	13	535	8	<10	<5	0.03	<10	7	2372	<1	106	<10	17	23
33387	41918	<1	1.04	<3	62	19	<1	95	1.57	<10	45	31	241	8.69	0.45	5	0.85	406	3	0.12	14	572	9	<10	<5	0.04	<10	9	2694	<1	103	<10	16	26
33388	41919	<1	1.04	<3	63	6	<1	89	1.92	<10	33	36	213	8.39	0.15	7	0.84	490	3	0.13	13	581	9	<10	<5	0.04	<10	11	2985	<1	96	<10	18	27
33389	41919	<1	1.08	<3	74	7	<1	112	2.27	<10	40	44	265	9.85	0.18	10	0.92	578	3	0.14	16	712	10	<10	<5	0.04	<10	14	3556	<1	116	<10	21	31
33390	41920	<1	1.01	<3	73	11	<1	104	2.13	<10	37	43	210	9.45	0.32	1	0.83	466	9	0.14	14	727	10	<10	<5	0.04	<10	15	3884	<1	145	<10	25	34
33391	41921	1	0.76	<3	65	39	<1	102	3.66	<10	32	33	83	9.02	0.48	<1	0.65	589	2	0.06	13	566	9	<10	<5	0.05	<10	41	3646	<1	165	13	20	33
33392	41922	2	0.83	<3	64	46	<1	110	2.59	<10	40	31	132	9.56	0.49	4	0.67	483	3	0.07	15	612	10	<10	<5	0.05	<10	20	5053	<1	156	15	24	35
33393	41923	2	0.80	<3	60	49	<1	107	2.85	<10	31	26	223	9.45	0.58	<1	0.74	496	4	0.06	16	528	11	<10	<5	0.05	<10	28	3927	<1	122	21	18	41
33394	41924	1	0.82	<3	55	42	<1	84	1.91	<10	33	43	97	7.72	0.27	<1	0.65	453	4	0.12	13	596	10	<10	<5	0.03	<10	12	3672	<1	113	<10	20	29
33395	41925	<1	0.94	<3	47	16	<1	77	1.21	<10	24	29	56	7.38	0.23	1	0.67	446	2	0.10	11	531	7	<10	<5	0.03	<10	9	3066	<1	106	<10	18	31
33396	41926	<1	0.95	<3	55	8	<1	71	1.46	<10	31	40	94	6.88	0.11	<1	0.69	466	3	0.12	13	553	10	<10	<5	0.03	<10	17	3040	<1	84	<10	16	29
33397	41927	<1	0.98	<3	51	2	<1	71	1.85	<10	28	36	68	6.72	0.06	<1	0.69	447	2	0.09	11	501	10	<10	<5	0.03	<10	22	3222	<1	66	<10	16	31
33398	41928	<1	1.07	<3	57	4	<1	74	1.45	<10	25	51	37	6.93	0.08	6	0.87	485	2	0.13	31	907	13	<10	<5	0.03	<10	10	2947	<1	69	<10	15	38
33399	41929	<1	1.04	<3	59	3	<1	78	2.09	<10	31	33	85	7.23	0.07	2	0.83	526	2	0.13	12	580	7	<10	<5	0.03	<10	13	2711	<1	64	<10	18	37
33400	41929	<1	1.04	<3	54	3	<1	73	1.99	<10	28	30	81	6.91	0.06	2	0.82	503	2	0.13	11	554	6	<10	<5	0.03	<10	13	2594	<1	61	<10	17	35

Certified By: 
Derek Demianiuk, H.B.Sc.

Tri-Gold Resources

Date Created: 05-04-03 10:42 PM

Job Number: 200540368

Date Received: 3/30/2005

Number of Samples: 96

Type of Sample:

Date Completed: 4/2/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
33401	41930	1	0.82	<3	50	4	<1	60	6.20	<10	25	58	86	5.33	0.11	2	0.85	1066	7	0.09	9	342	14	<10	<5	0.02	<10	40	2142	<1	51	<10	13	34
33402	41931	<1	0.87	<3	55	18	<1	75	6.85	<10	40	25	182	6.85	0.26	7	0.86	1096	3	0.08	12	448	15	<10	<5	0.03	<10	43	2631	<1	59	13	16	57
33403	41932	<1	0.91	<3	49	20	<1	75	1.13	<10	25	38	42	6.99	0.39	<1	0.71	338	3	0.12	11	525	6	<10	<5	0.03	<10	8	2082	<1	99	<10	14	25
33404	41933	<1	0.99	<3	46	34	<1	71	1.33	<10	28	60	94	6.62	0.42	3	0.81	405	3	0.11	20	597	8	<10	<5	0.03	<10	10	3491	<1	79	<10	17	27
33405	41934	<1	0.97	<3	47	13	<1	74	1.25	<10	29	89	174	6.79	0.34	4	0.81	381	4	0.11	21	452	20	<10	<5	0.03	<10	9	3045	<1	71	<10	14	79
33406	41935	1	0.98	<3	56	38	<1	89	1.98	<10	28	99	277	8.08	0.60	3	0.89	545	4	0.11	23	641	10	<10	<5	0.03	<10	11	2650	<1	34	<10	18	35
33407	41936	<1	1.08	<3	53	18	<1	69	1.85	<10	32	79	100	6.55	0.51	13	0.97	450	5	0.14	25	618	5	<10	<5	0.03	<10	16	3994	<1	53	<10	17	22
33408	41937	<1	0.52	<3	51	2	<1	46	>10.00	<10	10	11	25	4.46	0.13	<1	1.28	2314	<1	0.02	6	<100	6	<10	<5	<0.01	<10	72	349	<1	135	<10	9	10
33409	41938	<1	1.04	<3	56	23	<1	69	2.24	<10	30	104	74	6.21	0.50	5	0.92	476	4	0.14	27	465	5	<10	<5	0.03	<10	15	3787	<1	56	<10	17	20
33410	41939	<1	1.09	<3	64	11	<1	80	2.27	<10	36	53	332	7.52	0.25	9	1.00	533	5	0.14	27	521	7	<10	<5	0.03	<10	13	4218	<1	87	<10	18	34
33411	41939	<1	1.02	<3	48	10	<1	63	1.65	<10	30	46	285	6.06	0.19	6	0.90	419	5	0.11	23	489	8	<10	<5	0.02	<10	9	3176	<1	70	<10	13	27
33412	41940	11	0.91	9	49	5	<1	78	5.62	<10	27	29	1860	7.37	0.16	15	1.13	1377	24	0.03	12	284	10	<10	<5	0.04	<10	29	1636	<1	67	<10	11	50
33413	41941	1	1.10	<3	56	4	<1	77	2.95	<10	29	43	416	7.45	0.09	20	1.01	633	4	0.05	24	501	8	<10	<5	0.03	<10	24	3841	<1	97	<10	14	30
33414	41942	2	1.05	<3	53	2	<1	71	4.70	<10	26	22	588	6.95	0.08	12	0.98	610	13	0.07	18	429	8	<10	<5	0.03	<10	24	3841	<1	97	<10	14	30
33415	41943	3	1.07	<3	56	2	<1	78	3.74	<10	28	44	980	7.34	0.07	13	1.12	788	314	0.06	16	467	13	<10	<5	0.04	<10	21	3325	<1	81	<10	23	174
33416	41944	8	1.02	<3	57	1	<1	116	4.56	<10	27	51	2374	9.99	0.05	5	1.08	688	1120	0.05	32	319	16	<10	<5	0.05	<10	15	1513	<1	45	36	11	142
33417	41945	1	1.05	<3	53	5	<1	72	1.96	<10	29	52	382	6.92	0.16	5	0.93	479	27	0.10	20	545	8	<10	<5	0.02	<10	10	3846	<1	103	20	19	31
33418	41946	1	1.07	<3	59	3	<1	89	3.09	<10	35	48	579	8.16	0.09	10	1.05	627	17	0.06	15	633	9	<10	<5	0.05	<10	16	4491	<1	116	<10	26	32
33419	41947	2	1.02	<3	48	3	<1	77	8.53	<10	32	49	541	6.91	0.08	13	1.11	965	22	0.03	26	400	15	<10	<5	0.04	<10	54	2405	<1	76	11	16	38
33420	41948	1	0.80	4	46	4	<1	64	4.04	<10	23	66	135	5.63	0.07	12	0.90	540	12	0.04	23	306	8	<10	<5	0.04	<10	20	2180	<1	62	12	10	21
33421	41949	<1	0.97	<3	49	5	<1	48	2.10	<10	24	110	94	4.24	0.13	7	0.87	398	3	0.12	38	334	6	<10	<5	0.03	<10	15	2547	<1	36	<10	10	16
33422	41949	<1	0.89	<3	40	4	<1	39	1.69	<10	21	91	77	3.51	0.10	4	0.77	323	3	0.09	32	288	6	<10	<5	0.03	<10	12	2043	<1	29	<10	8	13

Certified By:
Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-03 10:42 PM

Job Number: 200540368

Date Received: 3/30/2005

Number of Samples: 96

Type of Sample:

Date Completed: 4/2/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
33423	41950	<1	0.94	<3	47	3	<1	39	1.85	<10	22	85	123	3.64	0.09	4	0.79	326	4	0.12	33	346	7	<10	<5	0.02	<10	14	1713	<1	25	<10	9	13
33424	41951	<1	1.06	<3	50	12	<1	46	2.55	<10	24	155	65	4.05	0.29	11	0.88	398	2	0.13	38	246	13	<10	<5	0.03	<10	27	2302	<1	24	<10	8	29
33425	41952	12	0.97	12	64	10	<1	121	3.85	<10	37	202	1859	8.18	0.24	25	1.00	510	17	0.04	43	191	131	<10	<5	0.04	<10	12	1957	<1	43	<10	7	191
33426	41953	2	1.16	<3	56	39	<1	70	2.42	<10	30	266	398	5.61	0.54	24	1.01	500	5	0.12	48	201	32	<10	<5	0.03	<10	19	2623	<1	32	<10	7	53
33427	41954	<1	0.58	<3	42	25	<1	12	0.28	<10	4	94	87	1.24	0.17	3	0.39	152	7	0.05	6	218	5	<10	<5	0.01	<10	6	495	<1	<2	<10	3	24
33428	41955	<1	1.05	<3	52	36	<1	39	0.96	<10	11	90	15	3.51	0.54	23	0.96	390	7	0.08	15	389	20	<10	<5	0.02	<10	14	1154	<1	15	<10	10	132
33429	41956	<1	1.25	4	63	4	<1	109	0.87	<10	31	48	52	9.33	0.04	73	1.33	568	3	0.03	36	367	20	<10	<5	0.05	<10	5	2742	<1	116	<10	23	116
33430	41957	<1	0.75	<3	51	31	<1	29	0.59	<10	7	88	16	2.77	0.21	10	0.63	176	5	0.05	12	408	9	<10	<5	0.02	<10	6	923	<1	9	<10	5	27
33431	41958	<1	0.76	<3	40	23	<1	14	0.63	<10	3	93	5	1.32	0.25	3	0.43	145	7	0.07	6	221	5	<10	<5	0.01	<10	14	482	<1	<2	<10	3	11
33432	41959	<1	0.67	<3	34	32	<1	16	0.30	<10	4	81	7	1.48	0.33	3	0.42	153	5	0.04	8	253	4	<10	<5	0.01	<10	7	515	<1	<2	<10	3	15
33433	41959	<1	0.67	<3	36	33	<1	14	0.30	<10	3	82	8	1.54	0.34	3	0.44	159	5	0.04	8	258	5	<10	<5	0.01	<10	7	535	<1	<2	<10	3	16
33435	41960	1	1.01	<3	50	52	<1	95	0.69	<10	97	53	257	8.64	0.54	3	0.92	292	4	0.10	39	288	8	<10	<5	0.03	<10	11	1277	<1	47	<10	7	52
33436	41961	<1	0.93	<3	45	15	<1	70	0.98	<10	30	55	246	6.70	0.16	2	0.78	353	3	0.12	34	299	6	<10	<5	0.02	<10	13	1133	<1	45	<10	9	65
33437	41962	<1	0.78	<3	42	54	<1	26	0.40	<10	7	80	59	2.49	0.42	7	0.55	233	6	0.05	9	279	5	<10	<5	0.01	<10	7	731	<1	3	<10	4	47
33438	41963	<1	0.98	<3	52	43	<1	37	0.52	<10	9	79	206	3.69	0.65	11	0.76	300	5	0.06	14	251	7	<10	<5	0.01	<10	10	988	<1	8	<10	5	116
33439	41964	1	0.94	4	48	39	<1	44	0.84	<10	21	76	408	4.30	0.48	10	0.68	336	6	0.05	16	351	11	<10	<5	0.01	<10	10	940	<1	7	<10	5	45
33440	41965	<1	1.05	<3	43	18	<1	68	1.64	<10	33	50	165	6.42	0.18	4	0.83	636	3	0.15	31	426	11	<10	<5	0.02	<10	34	2053	<1	51	<10	13	79
33441	41966	<1	0.83	<3	41	25	<1	28	0.75	<10	8	85	28	2.73	0.16	10	0.64	379	6	0.06	8	491	7	<10	<5	0.01	<10	11	1250	<1	9	<10	6	45
33442	41967	<1	0.82	<3	46	25	<1	20	0.52	<10	5	101	47	1.98	0.27	10	0.64	330	7	0.05	8	311	7	<10	<5	0.01	<10	7	732	<1	2	<10	5	52
33443	41968	<1	0.73	<3	46	33	<1	20	0.53	<10	6	91	90	2.13	0.39	4	0.51	278	7	0.05	6	276	8	<10	<5	0.01	<10	7	566	<1	<2	<10	4	34
33444	41969	<1	1.00	<3	47	66	<1	25	0.51	<10	6	93	20	2.48	0.77	17	0.76	425	6	0.06	8	424	6	<10	<5	0.01	<10	10	974	<1	3	<10	5	51

Certified By
Derek Demianuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-03 10:42 PM

Job Number: 200540368

Date Received: 3/30/2005

Number of Samples: 96

Type of Sample:

Date Completed: 4/2/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
33445	41970	<1	0.97	<3	49	26	<1	44	0.57	<10	12	83	31	3.97	0.18	23	0.85	365	5	0.06	10	622	11	<10	<5	0.02	<10	9	1626	<1	15	<10	7	43
33446	41971	<1	1.04	<3	48	8	<1	65	1.57	<10	31	53	138	6.05	0.09	16	0.95	599	4	0.13	24	427	12	<10	<5	0.03	<10	17	2007	<1	59	<10	13	180
33447	41972	<1	1.04	<3	51	34	<1	67	1.37	<10	26	48	160	6.40	0.24	10	0.88	472	3	0.14	24	429	18	<10	<5	0.02	<10	32	2004	<1	60	<10	12	87
33448	41973	<1	0.93	<3	46	50	<1	32	0.45	<10	7	59	68	3.07	0.48	16	0.79	362	4	0.05	9	401	7	<10	<5	0.02	<10	9	1110	<1	7	<10	5	55
33449	41974	<1	0.81	3	46	28	<1	27	0.49	<10	5	89	10	2.42	0.36	12	0.64	287	7	0.06	7	321	6	<10	<5	0.01	<10	9	798	<1	3	<10	3	50
33450	41975	<1	0.68	<3	46	21	<1	21	0.74	<10	6	79	43	2.11	0.17	9	0.53	239	7	0.06	8	294	8	<10	<5	0.01	<10	6	844	<1	10	<10	4	46
33451	41976	<1	1.00	<3	54	20	<1	75	2.26	<10	28	56	143	6.76	0.19	7	0.84	568	4	0.14	23	435	6	<10	<5	0.03	<10	17	2150	<1	66	<10	12	51
33452	41977	<1	0.91	<3	57	7	<1	74	1.54	<10	26	59	98	6.99	0.08	<1	0.69	464	5	0.15	25	826	8	<10	<5	0.03	<10	13	2016	<1	94	<10	13	36
33453	41978	<1	1.12	<3	58	4	<1	101	1.81	<10	25	59	56	9.02	0.05	<1	0.60	465	4	0.26	12	1078	9	<10	<5	0.02	<10	37	1910	<1	62	<10	21	46
33454	41979	2	0.95	<3	52	9	<1	85	1.64	<10	24	57	97	7.68	0.05	5	0.54	386	6	0.18	10	954	10	<10	<5	0.02	<10	32	2025	<1	43	<10	20	43
33455	41979	<1	0.98	<3	55	8	<1	88	1.72	<10	24	59	100	7.93	0.05	4	0.56	403	4	0.18	10	1001	9	<10	<5	0.02	<10	32	2158	<1	44	<10	19	41
33456	41980	<1	0.97	<3	56	6	<1	90	1.94	<10	27	49	82	8.30	0.06	4	0.57	486	4	0.16	9	990	7	<10	<5	0.02	<10	24	1967	<1	49	<10	19	34
33457	41981	<1	0.93	<3	48	5	<1	75	1.60	<10	26	61	48	7.04	0.04	<1	0.46	377	4	0.13	9	910	7	<10	<5	0.02	<10	29	2442	<1	41	<10	16	28
33458	41982	<1	0.98	<3	48	3	<1	85	1.64	<10	22	47	49	7.81	0.03	<1	0.42	350	3	0.17	9	941	6	<10	<5	0.02	<10	27	2010	<1	45	<10	15	28
33459	41983	<1	0.86	<3	48	4	<1	72	1.43	<10	21	52	59	6.79	0.04	<1	0.41	318	3	0.14	10	926	6	<10	<5	0.02	<10	21	2048	<1	55	<10	16	24
33460	41984	<1	0.75	<3	48	7	<1	70	1.52	<10	21	70	229	6.59	0.06	<1	0.34	219	5	0.05	13	768	6	<10	<5	0.02	<10	29	2809	<1	47	<10	12	27
33461	41985	<1	0.97	<3	54	4	<1	93	1.44	<10	25	61	73	8.45	0.05	1	0.61	424	4	0.19	16	867	7	<10	<5	0.02	<10	26	1795	<1	77	<10	17	44


 Certified By:
 Derek Demianiuk, H.Bsc.

Tri-Gold Resources

Date Created: 05-04-12 04:31 PM

Job Number: 200540386

Date Received: 4/4/2005

Number of Samples: 15

Type of Sample: Rock

Date Completed: 4/7/2005

Project ID:

* The results included on this report relate only to the items tested

 * This Certificate of Analysis should not be reproduced except in full, without the written approval
of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025


Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
34963	41986	<1	0.83	<3	51	9	<1	99	1.33	<10	27	56	130	5.26	0.06	6	0.56	361	5	0.14	18	1001	8	<10	<5	0.02	<10	17	1578	<1	80	<10	13	40
34964	41987	3	0.92	3	53	6	<1	221	1.49	<10	33	72	484	5.93	0.06	9	0.74	369	7	0.14	19	917	10	<10	<5	0.03	<10	18	1451	<1	56	<10	13	91
34965	41988	1	1.00	<3	55	18	<1	121	1.45	<10	34	61	264	6.25	0.14	11	0.78	436	5	0.20	21	1010	10	<10	<5	0.02	<10	31	1666	<1	64	<10	15	41
34966	41989	1	0.99	<3	54	14	<1	127	1.50	<10	33	82	302	6.21	0.14	14	0.87	482	6	0.17	22	1025	10	<10	<5	0.02	<10	23	1902	<1	65	<10	17	41
34967	41990	1	1.01	<3	56	48	<1	132	0.85	<10	30	70	445	6.70	0.44	15	1.00	480	5	0.15	21	940	11	<10	<5	0.02	<10	13	1946	<1	87	<10	14	60
34968	41991	10	0.90	<3	107	8	<1	669	0.88	<10	76	47	1189	>10.00	0.08	11	0.95	380	5	0.03	65	479	23	<10	<5	0.01	80	<5	1031	<1	36	<10	11	69
34969	41992	2	1.00	<3	52	27	<1	133	1.17	<10	35	44	576	6.65	0.36	22	1.03	464	4	0.08	17	880	10	<10	<5	0.02	<10	15	2132	<1	77	<10	16	70
34970	41993	<1	0.82	3	37	53	<1	61	0.46	<10	14	138	212	2.84	0.79	15	0.73	293	8	0.07	34	411	5	<10	<5	0.01	<10	12	890	<1	6	<10	5	32
34971	41994	<1	0.58	3	33	18	<1	28	0.42	<10	6	117	74	1.51	0.31	6	0.48	180	9	0.05	16	303	3	<10	<5	<0.01	<10	7	615	<1	2	<10	3	14
34972	41995	<1	0.78	<3	36	42	<1	40	0.37	<10	11	124	110	2.20	0.59	17	0.70	313	6	0.05	33	366	3	<10	<5	0.01	<10	8	898	<1	4	<10	4	29
34973	41995	<1	0.77	<3	34	40	<1	38	0.35	<10	11	117	108	2.12	0.56	17	0.69	302	6	0.04	31	354	4	<10	<5	<0.01	<10	7	863	<1	4	<10	4	28
34974	41996	1	0.86	<3	46	43	<1	97	0.73	<10	30	56	274	5.10	0.57	14	0.80	413	5	0.09	24	607	7	<10	<5	0.02	<10	14	1788	<1	88	<10	10	124
34975	41997	1	0.98	<3	55	21	<1	131	0.69	<10	43	43	446	6.86	0.12	8	0.90	506	4	0.08	31	618	10	<10	<5	0.03	13	14	1032	<1	65	<10	9	81
34976	41998	<1	0.78	<3	47	7	<1	83	1.07	<10	25	48	162	4.79	0.08	4	0.59	340	4	0.10	23	628	7	<10	<5	0.02	<10	18	1272	<1	78	<10	10	36
34977	41999	<1	0.83	<3	47	5	<1	91	1.16	<10	25	61	116	4.93	0.05	4	0.64	443	4	0.12	22	622	6	<10	<5	0.02	<10	17	1405	<1	84	<10	10	40
34978	42000	<1	0.85	<3	54	12	<1	114	1.32	<10	33	61	67	6.05	0.10	4	0.53	446	5	0.12	11	960	7	<10	<5	0.02	<10	36	1886	<1	103	<10	16	37

Certified By

 Derek Demianiuk, H.Bsc.

2 - 30895

APPENDIX 2 – Drill Hole Location Map and Sections





Ln 114+00E


1:5 000 SCALE


182.9m


BD05-05


















APPENDIX 3 – DRILL LOGS

Northern Minerals Exploration Services

DIAMOND DRILL LOG


Hole Number BDL05-01

Page 1 of 1 Drill Log Summary

Project Number	TAL-ON-001	Objective	Mineralization beneath Trench #7	Tests		
NTS	42E/13	Drilling Company	Cartwright Drilling	Depth (m)	Azimuth (d)	Dip (d)
Project Name	Big Duck Lake	Start Date (m/d/y)	16/03/2005	152.4	180	-53
Township/Area	Rope Lake	Finish Date (m/d/y)				
Claim Number	CLM414	Finish Date (m/d/y)	19/03/2005			
		Date Logged (m/d/y)	19/03/2005			
UTM Zone	16	Geologist	A.TIMS			
UTM Easting (m)	477010	Hole Length	152.4			
UTM Northing (m)	5427513	Core Location	BDL Camp			
Grid Identifier	Trench 7	Distance to Water	700			
Easting (+E,-W)		Core Size	BQTK			
Northing (+N,-S)		Casing Lost	3			
Elevation:	493					

Drill Log Summary:

A test hole under trench #7. A moderately silicified albite alteration zone was encountered hosting 5-6% Py, and 1-2% Sph between 42.5 and 82.26 m.



DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
0	3.6	Overburden Ovb							
3.6	5.7	Quartz Porphyry Dyke	Medium to dark grey, fine-grained, 8-10% medium-grained subrounded to subhedral quartz phenocrysts in a sericite rich groundmass, moderately foliated at 68° TCA, weak pervasive albite/silicification of groundmass throughout, overprinted with weak biotite, locally millimetre-scale albite halo's about fractures, trace to 1/2% disseminated Py locally riching 1% as fracture and vein fill within and about albite fractures, trailing contact with volcanics is sharp @ 68° TCA;	41751	3.6	5.7	2.10	4	
			7						
5.7	11.8	Mafic Volcanics	Very fine to fine-grained, dark grey-green, to pale grey, locally centimetre-scale epidote patches possibly representing pillow cores, foliation is moderate @ 65° TCA, trace to 1/2% very fine-grained Py, locally medium-grained in and along fractures and quartz-albite veinlets, groundmass is locally bleached to a pale grey-green by pervasive albite	41752	5.7	7	1.30	4	
				41753	5.7	8.5	2.80	4	
				41754	8.5	10	1.50	11	
				41755	10	10.9	0.90	8	
				41756	10.9	11.8	0.90	4	
		1a							

DIAMOND DRILL LOG

Rock Type			Geology	Sample		From	To	Length	Au (ppb)	Au (g/t)
From	To	Rock Code		No.						
11.8	13.75	Quartz Porphyry Dyke	Medium to dark grey, fine-grained, 8-10% medium-grained subrounde to subhedral quartz phenocrysts in a sericite rich groundmass, moderately foliated at 68° TCA, unit is initially feldspar phryic and grades over a metre into quartz phryic unit, moderate pervasive albite/silicification of groundmass throughout, overprinted with weak biotite, locally millimetre-scale albite halo's about fractures, trace disseminated Py, leading contact with volcanics is sharp @ 70° TCA, trailing contatc is sharp @ 60° TCA;	41757	11.8	12.8	1.00	18		
				41758	12.8	13.7	0.90	4		
7										
13.75	28.35	Mafic Volcanic	Very fine to fine-grained,dark grey-green to pale grey,locally centimetre-scale epidote patches possibly representing pillow cores, foliation is moderate @ 65° TCA, trace to 1/2% very fine-grained Py, locally medium-grained in and along fractures and quartz-albite veinlets, groundmass is locally bleached to a pale grey-green by pervasive albite alteration, leading 15 cm is stained by pale pervasive epidote; 16.2-17.2 m - A quartz porphyry dyke, moderate to strongly foliated, trace Py; 18.2 m - An 80 cm interval of irregular albite alteration bleaching the core to a light grey, 1-2% Py,along fractures 2-3% disseminated Py; 20.2 m - a 40 cm albite rich interval with 10-15% Py, 3-4% Po, 1-2 Sp; 21.6 m - a 35 cm interval of albite alteration imparting a breccia texture, 4-5% Py, 1-2% Po, 1-2% Sp; 22.6-25.0 m - irregular patchy albite alteration of groundmass, locally vuggy, a fine psuedo breccia texture throughout, 2-3% Py, 1/2-1% Po, trace Sp; 27.0 m - Fault, slip plane @ 60° TCA;	41760	15.2	16.7	1.50	43		
				41761	16.7	17.2	0.50	4		
				41762	17.2	18.2	1.00	23		
				41763	18.2	19.2	1.00	73		
				41764	19.2	20.2	1.00	92		
				41765	20.2	21.2	1.00	294		
				41766	21.2	22.2	1.00	354		
				41767	22.2	23.2	1.00	963		
				41768	23.2	24	0.80	1072		
				41769	24	25.5	1.50	411		
				41770	25.5	27	1.50	132		
				41771	27	28.3	1.30	56		

1a,7

Northern Mineral Exploration

Project Number
Hole Number

TAL-ON-001
BDL05-01

DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample No.	From	To	Length	Au (ppb)	Au (g/t)
28.35	30	Quartz Porphyry Dyke	Medium to dark grey, fine-grained, 8-10% medium-grained subrounded to subhedral quartz phenocrysts in a sericite rich groundmass, unit is initially feldspar phryic and grades over a metre into quartz phryic unit, moderate pervasive albite/silicification of groundmass throughout, overprinted with weak biotite, locally millimetre-scale albite halo's about fractures, moderate to strongly silicified, foliation averages 50° TCA, leading contact is sharp @ 45° TCA, trailing contact is sharp at 50° TCA;						
			7						
30	42.5	Mafic Volcanics	Fine to fine-grained, dark grey-green to pale grey, locally centimetre-scale epidote patches possibly representing pillow cores, foliation is moderate @ 60° TCA, trace to 1/2% very fine-grained Py, locally medium-grained in and along fractures and quartz-albite veinlets, groundmass is locally bleached to a pale grey-green by pervasive albite alteration, locally centimetre-scale patchy epidote alteration; 32.6 m - a 50 cm interval of 5-6% Py, 1-2% Po, 1-2% Sp, in centimetre-scale to sub-metre scale QP dykes; 33.1 m - a 60 cm strongly silicified QP dyklet;	41773	30	31.5	1.50	967	
				41774	31.5	32.6	1.10	123	
				41775	32.6	33.7	1.10	283	
				41776	33.7	35	1.30	22	
				41777	35	36.5	1.50	253	
				41778	36.5	38	1.50	183	
				41779	38	39.5	1.50	39	
				41780	39.5	41	1.50	112	
				41781	41	42.5	1.50	37	

1a

DIAMOND DRILL LOG

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
<i>From</i>	<i>To</i>	<i>Rock Code</i>							
42.5	83.26	Mafic Volcanic	Fine to fine-grained, dark grey-green to pale grey, locally centimetre-scale epidote patches possibly representing pillow cores, foliation is moderate @ 60° TCA, groundmass is locally bleached to a pale grey by moderate pervasive albite alteration, fracturing and sulphide content increase as well, average of 5-6% Py locally reaching 8-10% in centimetre-scale patches within moderate to strong albite alteration intervals, minor epidote staining; 46.5 m - a metre wide interval of blocky core and slip planes @ 80° & 40° TCA; 48.0-83.4 m - an interval of 8-10% fine-grained disseminated and fracture controlled Py, weak to moderate bleaching of groundmass by albite producing a pseudop-breccia texture, moderately silicified, patchy irregular biotite alteration; 49.0 m - z-folded Qz veinlets; 80.75 m - a 73 m wide quartz phryic dyke, lead contact is marked by a quartz vein and is strongly silicified, trailing contact is @ 65° TCA;	41782	42.5	43.5	1.00	1508	
				41783	43.5	45	1.50	116	
				41784	45	46.5	1.50	64	
				41785	46.5	48	1.50	77	
				41786	48	49	1.00	1411	
				41787	49	50	1.00	223	
				41788	50	51	1.00	479	
				41789	51	52	1.00	29	
				41790	52	53	1.00	63	
				41791	53	54	1.00	112	
				41792	54	55	1.00	112	
				41793	55	56	1.00	511	
				41794	56	57	1.00	461	
				41795	57	58	1.00	2434	
				41796	58	59	1.00	687	
				41797	59	60	1.00	1013	
				41798	60	61	1.00	1557	
				41799	61	62.1	1.10	4850	
				41800	62.1	63	0.90	538	
				41801	63	64	1.00	57	
				41802	64	65	1.00	426	
				41803	65	66	1.00	525	

DIAMOND DRILL LOG

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
					<i>Rock Code</i>				
				41804	66	67	1.00	206	
				41805	67	68	1.00	643	
				41806	68	69	1.00	435	
				41807	69	70	1.00	3790	
				41808	70	71	1.00	505	
				41809	71	72	1.00	273	
				41810	72	73	1.00	277	
				41811	73	74	1.00	1072	
				41812	74	75	1.00	407	
				41813	75	76	1.00	112	
				41814	76	77	1.00	293	
				41815	77	78	1.00	245	
				41816	78	79	1.00	302	
				41817	79	80	1.00	345	
				41818	80	80.75	0.75	1712	
				41819	80.75	81.24	0.49	478	
				41820	81.24	83.26	2.02	5314	

1,sil,alb

DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample No.	From	To	Length	Au (ppb)	Au (g/t)
83.26	96	Quartz Porphyry Dyke	Fine-grained, light to medium grey, 10-12% medium-grained waxy grey quartz phenocrysts typically flattened 1.5:1 ratio, very fine-grained sericite groundmass with a weak biotite overprint and moderate to strong silicified, moderate to strongly foliated throughout averaging 60° TCA, weakly developed fracture pattern with millimetre-scale albite halo, locally irregular and patchy quartz veinlets, leading contact @ 55° TCA, trailing contact @ 60°; 92.3-93.4 m - biotitic mafic volcanic, 5-8% disseminated Py, minor quartz veining; 93.4-94.3 m - a quartz flooded interval;	41821	83.26	85	1.74	133	
				41822	85	86	1.00	40	
				41823	86	87	1.00	19	
				41824	87	88	1.00	48	
				41825	88	89	1.00	118	
				41826	89	90	1.00	4	
				41827	90	91	1.00	4	
				41828	91	92.3	1.30	4	
				41829	92.3	93.4	1.10	530	
				41830	93.4	94.33	0.93	3177	
				41831	94.33	96	1.67	10	
7									
96	99	Mafic Volcanic	Medium green, fine-grained, biotite-chlorite rich groundmass, trace sulphides.	41832	96	97.5	1.50	277	
				41833	97.5	99	1.50	150	
1									

DIAMOND DRILL LOG

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
		<i>Rock Code</i>							
99	125.4	Quartz Porphyry Dyke	Fine-grained, light grey, quartz phryic averaging 10% medium-grained quartz phenocrysts, sericite rich groundmass, locally vuggy, 1-2% fine-grained disseminated Py, leading contact @ 55° TCA, trailing contact @ 50°TCA, locally a weak biotite overprint;	41834	99	100.5	1.50	14	
				41835	100.5	102	1.50	19	
				41836	102	103.5	1.50	16	
				41837	103.5	105	1.50	4	
				41838	105	106.5	1.50	10	
				41839	106.5	108	1.50	9	
				41840	108	109.5	1.50		
				41841	109.5	111	1.50		
				41842	111	112.5	1.50		
				41843	112.5	114	1.50		
				41844	114	115.5	1.50		
				41845	115.5	117	1.50		
				41846	117	118.5	1.50		
				41847	118.5	120	1.50		
				41848	120	121.5	1.50		
				41849	121.5	123	1.50		
				41850	123	124.5	1.50		

DIAMOND DRILL LOG

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
125.4	137.4	Mafic Volcanic	Mottled dark to medium green, fine-grained, weakly fractured, variable biotite alteration overprinting unit from trace to 20% of groundmass and as millimetre-scale biotite veinlets; 126.4 m - a 25 cm quartz phryic dyklet at 60° & 70° TCA; 128.1-129.4 m - a fine-grained quartz phryic dyklet at 55° & h 75° TCA; 134.7-137.4 m - core becomes blocky, 2-3% wispy fractures filled with	41902 41903 41904 41905 41906 41907 41908	125.6 127 128.4 130 131.5 133 134.5	127 128.4 130 131.5 133 134.5 136.4	1.40 1.40 1.60 1.50 1.50 1.50 1.90		
			1						
137.4	139	Quartz Porphyry Dyke	Fine-grained, light grey, quartz phryic averaging 10% medium-grained quartz phenocrysts, sericite rich groundmass, locally vuggy, 1-2% fine-grained disseminated Py, leading contact @ 55° TCA, trailing contact @ 50° TCA, unit is overprinted by 2-3% fine-grained biotite, 1/2-1% fine-grained disseminated Py;						
			7						
139	152.4	Mafic Volcanic	Mottled dark to medium green, fine-grained, weakly fractured, variable biotite alteration overprinting unit from trace to 20% of groundmass and as millimetre-scale biotite veinlets, minor centimetre-scale quartz phryic dyklets and quartz veinlets, average 1/2-1% disseminated and fracture 152.4 152.4 March 19th, 2005	41911 41912 41913 EOH 41914 41915 41916	139.6 141 142 142 142.7 144 145.5 145.5	141 142 142.7 144 144 145.5 147	1.40 1.00 0.70 1.30 1.50 1.50		
			1						

Northern Minerals Exploration Services

DIAMOND DRILL LOG


Hole Number BDL05-02

Page 1 of 1 Drill Log Summary

Project Number	TAL-ON-001	Objective	Mineralization beneath Trench #7ext	Tests		
Project Name	Big Duck Lake	Drilling Company	Cartwright Drilling	Depth (m)	Azimuth (d)	Dip (d)
Township/Area	Rope Lake	Start Date (m/d/y)	19/03/2005	74.5	180	-53
Claim Number	CLM414	Finish Date (m/d/y)	21/03/2005	142.8	180	-51
		Finish Date (m/d/y)	21/03/2005			
		Date Logged (m/d/y)	21/03/2005			
UTM Zone	16	Geologist	A.TIMS			
UTM Easting (m)	477008	Hole Length	142.8			
UTM Northing (m)	5427510	Core Location	BDL Camp			
Grid Identifier	Trench 7					
Easting (+E,-W)	97+25	Distance to Water	750			
Northing (+N,-S)	93+00	Core Size	BQTK			
Elevation:	515	Casing Lost	1			

Drill Log Summary:

A test hole under trench #7ext. A weakly developed quartz-ankerite zone hosting weakly anomalous Au values over narrow widths..



DIAMOND DRILL LOG

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
		<i>Rock Code</i>							
0	1.8	Overburden	Outcrop						
		Ovb							
1.8	8.9	Mafic Volcanic	Medium green to mottled grey-grey, fine-grained, weakly foliated @ 60° TCA, blocky core, moderately fractured, weakly silicified;	41917	8	8.9	0.90	6	
	1								
8.9	13.75	Mafic Volcanic	Medium green to mottled grey-grey, fine-grained, weakly foliated @ 60° TCA, blocky core, moderately fractured with weak pervasive and fracture hosted ankerite alteration, veinlets are composed of light grey sugary textured quartz-ankerite with trace calcite throughout, sulphide content gradually increases throughout interval from 1/2-1% fine-grained disseminated Py to 2-3% fine to medium-grained disseminated and fracture controlled Py;	41918	8.9	10.5	1.60	68	
	1			41919	10.5	12	1.50	66	
				41920	12	13.25	1.25	147	
13.75	17.6	Mafic Volcanic	Similar unit but with moderate to strong fracture pattern developed producing a breccia texture with moderate to strong pervasive ankerite alteration hosting 4-5% fine-grained disseminated and fracture controlled Py;	41921	13.25	14.5	1.25	1512	
	1			41922	14.5	16	1.50	1793	
				41923	16	17.6	1.60	1803	

DIAMOND DRILL LOG

Rock Type			Geology	Sample					
From	To	Rock Code		No.	From	To	Length	Au (ppb)	Au (g/t)
17.6	27.3	Mafic Volcanic	Moderate to strongly fractured with centimetre-scale patchy ankerite ankerite alteration and veining, 3-4% Py throughout; 24.2 m - a 4 cm epidote stained breccia;	41924	17.6	19	1.40	256	
				41925	19	20.5	1.50	137	
				41926	20.5	22	1.50	281	
				41927	22	23.5	1.50	92	
				41928	23.5	25	1.50	128	
				41929	25	27.3	2.30	55	
1									
27.3	29.8	Quartz-Ankerite Vien	An interval of light grey irregular quartz-ankerite veinlets @ 30-70° TCA, veinlets are brecciated with vague colligorm textures, veinlets host 2-3% fine-grained disseminated Py, 1-2% very fine-grained Po;	41930	27.3	28.5	1.20	840	
		Qz-Ank		41931	28.5	29.8	1.30	56	
29.8	92.1	Mafic Volcanic	Weak to moderately foliated, weakly fractured, weak pervasive ankerite and trace carbonate along fractures, minor quartz-ankerite veining, 1-2% disseminated and fracture controlled Py, high anglr to core access centimetre-scale quartz-ankerite veining hosts trace Py +/- Po, unit locally coarsens to a medium grained weakly foliated flow, flow top breccias indicate stratigraphic tops is downhole - south;	41932	29.8	31.5	1.70	86	
				41933	31.5	33	1.50	12	
				41934	33	34.5	1.50	43	
				41935	34.5	36	1.50	483	
				41936	60.5	61.5	1.00	17	
				41937	61.5	62	0.50	67	
				41938	62	63	1.00	8	
				41939	91	92.07	1.07	18	
92.1	104.1	Mafic Volcanics	An interval of moderate to strong quartz-ankerite alteration and veining imparting a light grey to medium green colour, veinlets are centimetre-scale, irregular, overlaping and all possess a brecciated texture to some degree, overall sulphide content averages 2-3% Po, with local maximum concentrations of up to 3-4%, Py averages 2-3% throughout; 92.0-96.5 m - moderately fractured, weak to moderate pervasive ankerite alteration, 1-2% Py, trace-1/2% Po, tr Cp, minor late 2-3 cm quartz-carbonate veinlets with nil to trace Py sub-parallel to core access; 96.5-99.0 m - moderate to strong quartz-ankerite as partial replacement of groundmass cut by centimetre-scale brecciated muliphase quartz-	41941	93.5	95	1.50	621	
				41942	95	96.5	1.50	45	
				41943	96.5	98	1.50	96	
				41944	98	99	1.00	96	
				41945	99	100.5	1.50	315	
				41946	100.5	102	1.50	46	
				41947	102	103	1.00	40	
				41948	103	104.1	1.10	245	

DIAMOND DRILL LOG

*Project Number
Hole Number*

TAL-ON-001
BDL05-02

<i>Rock Type</i>			<i>Geology</i>	<i>Sample</i>		<i>No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
<i>From</i>	<i>To</i>	<i>Rock Code</i>									
			ankerite veinlets, 4-5% Py, 1-2% Po with Po replacing Py; 99.0-103.0 m - similar to above but with the groundmass totally replaced by quartz-ankerite; 103.0-104.2 m - moderately fractured, weak to moderate pervasive ankerite alteration, 1-2% Py, trace-1/2% Po, tr Cp, minor late 2-3 cm quartz-carbonate veinlets with nil to trace Py sub-parallel to core access;								
1											
104.1	140.2	Mafic Volcanic	Medium green, weakly foliated, weakly fractured, weak pervasive silicification/ankerite?, carbonate filled fractures, minor sub-metre strong quartz-ankerite altered intervals, foliation averages 60° TCA; 115.4-115.0 m - medium to strong quartz-ankerite alteration hosting 3-4% Py, trace Po; 123.2 m - a 30 cm quartz-ankerite vein with 1-2% Po @ 26° TCA; 135.0 m - a 60 cm interval of quartz-ankerite veining hosting 1-2% Py & trace Py;	41949	104.1	105	0.90		45		
				41950	105	107	2.00		18		
				41951	114.5	115.4	0.90		32		
				41952	115.4	115.9	0.50		971		
				41953	115.9	117	1.10		299		
1			140.2 140.2 END OF HOLE March 21, 2005	EOH							

Northern Minerals Exploration Services

DIAMOND DRILL LOG

Hole Number BDL05-03

Page 1 of 1 Drill Log Summary

Project Number	TAL-ON-001	Objective	Duplicate hole BD-57	Tests		
NTS	42A/13			Depth (m)	Azimuth (d)	Dip (d)
Project Name	Big Duck Lake	Drilling Company	Cartwright Drilling	76.2	180	-46
Township/Area	Rope Lake	Start Date (m/d/y)	21/03/2005	154	180	-45
Claim Number	CLM414	Finish Date (m/d/y)	22/03/2005			
		Finish Date (m/d/y)	22/03/2005			
		Date Logged (m/d/y)	22/03/2005			
UTM Zone	16	Geologist	A.TIMS			
UTM Easting (m)	477196	Hole Length	171.7			
UTM Northing (m)	5427613	Core Location	BDL Camp			
Grid Identifier	2003					
Easting (+E,-W)	99+51	Distance to Water	1200			
Northing (+N,-S)	97+68	Core Size	BQTK			
Elevation:	484	Casing Lost	3			

Drill Log Summary:



DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
0	4	Overburden Ovb							
4	6.2	Quartz Porphyry Dyke	Light grey, to medium green, quartz phryic with 5-8% medium-grained subrounded to euhedral quartz phenocryst averaging 2-3 millimetres in diameter all set within a moderately silicified strongly sericitized groundmass, a weak biotite overprint is present, locally feldspar phenocryst are preserved and are medium-grained and euhedral in form, foliation forms a moderate penetrative fabric at 65° TCA, 1-2% fine-grained disseminated Py throughout, trailing contact is sharp at 65° TCA;	41954	4	5.5	1.50	9	
			7	41955	5.5	6.2	0.70	10	
6.2	8.9	Mafic Volcanic	Fine-grained, dark green, moderately fractured with quartz filled fractures, weak to moderate pervasive silicification, trace disseminated Py;	41956	6.2	8.9	2.70	62	
		1							
8.9	12.5	Quartz Porphyry Dyke	Light grey, to medium green, quartz phryic with 5-8% medium-grained subrounded to euhedral quartz phenocryst averaging 2-3 millimetres in diameter all set within a strongly silicified strongly sericitized groundmass, a weak biotite overprint is present, moderately fractured with millimetre-scale silicification(albite?) halo's about fractures, foliation forms a moderate penetrative fabric at 65° TCA, 1-2% fine-grained disseminated Py throughout, leading contact is sharp at 75° TCA, trailing contact is sharp at 55° TCA;	41957	8.9	9.5	0.60	4	
			7	41958	9.5	11	1.50	4	
				41959	11	12.5	1.50	4	

DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
12.5	14.8	Mafic Volcanics	Dark grey-green, fine-grained, moderate silicified throughout, overall 1-2% disseminated and fracture fill Po plus trace-1/2% Py, locally millimetre-scale pods and veinlets of fine to medium-grained Py and Po reaching a maximum of 10%;						
	1								
14.8	19.9	Quartz Porphyry Dyke	Light grey, to medium green, quartz phryic with 5-8% medium-grained surrounded to euhedral quartz phenocryst averaging 2-3 millimetres in diameter all set within a strongly silicified strongly sericitized groundmass, a weak biotite overprint is present, moderately fractured with millimetre-scale silification(albite?) halo's about fractures, foliation forms a moderate penetrative fabric at 60° TCA, 1-2% fine-grained disseminated Py throughout; 18.3 m - a 25 cm interval of mafic volcanic hosting 10-12% Py, 1-2% Po;	41962	14.8	17.5	2.70	15	
				41963	16	18.5	2.50	31	
				41964	17.5	19.9	2.40	416	
				41965	18.5	19.9	1.40	61	
	7								
19.9	21.3	Mafic Volcanic	Dark grey-green, fine-grained, moderate silicified throughout, minor albite bleaching of groundmass, overall 2-3% disseminated and fracture fill Po plus trace-1/2% Py, locally millimetre-scale pods and veinlets of fine to medium-grained Py and Po reaching a maximum of 10%;						
	1								

DIAMOND DRILL LOG

From	To	Rock Type	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
21.3	28.2	Quartz Feldspar Porphyry	Light grey, to medium green, quartz phryic with 5-8% medium-grained subrounded to euhedral quartz phenocryst averaging 2-3 millimetres in diameter all set within a strongly silicified strongly sericitized groundmass, a weak biotite overprint is present, moderately fractured with millimetre-scale silification(albite?) halo's about fractures, locally well preserved feldspar rich intersections hosting 60% fine to medium-grained euhedral white feldspar; foliation forms a moderate penetrative fabric at 55° TCA, 1-2% fine-grained disseminated Py throughout, leading contact is irregular, trailing contact is at 45° TCA;	41967	23	24.5	1.50	6	
				41968	24.5	26	1.50	15	
				41969	26	27.5	1.50	10	
				41970	27.5	28.2	0.70	40	
	7								
28.2	31.1	Mafic Volcanic	Dark grey-green, fine-grained, moderate silicified throughout, minor albite bleaching of groundmass, overall 2-3% disseminated and fracture fill Po plus trace-1/2% Py, locally millimetre-scale pods and veinlets of fine to medium-grained Py and Po reaching a maximum of 10%; 30.6 m - the final 50 cm of unit is a brecciated quartz-ankerite alteration zone hosting 5-6% disseminated Py;	41971	28.2	29.5	1.30	27	
	1								
31.1	35	Quartz Porphyry Dyke	Light grey, to medium green, quartz phryic with 5-8% medium-grained subrounded to euhedral quartz phenocryst averaging 2-3 millimetres in diameter all set within a strongly silicified strongly sericitized groundmass, a weak biotite overprint is present, moderately fractured with millimetre-scale silification(albite?) halo's about fractures, locally well preserved feldspar rich intersections hosting 60% fine to medium-grained euhedral white feldspar; foliation forms a moderate penetrative fabric at 55° TCA, 2-3% fine-grained disseminated Py throughout, leading contact is at 65° TCA, trailing contact is sharp to 60° TCA;	41973	31.3	32.5	1.20	12	
	7			41974	32.5	34	1.50	4	
				41975	34	35	1.00	4	

DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
31.1	35	Quartz Feldspar Porphyry	Weak pervasive sericite, weak silica alteration, 2-3% disseminated and fracture controlled Py, leading contact is sharp at 65° TCA, trailing contact at 60° TCA;	41973	31.3	32.5	1.20	12	
				41974	32.5	34	1.50	4	
				41975	34	35	1.00	4	
7									
35	56	Mafic Volcanic	Medium grey-green, fine-grained, generally massive with metre-scale sections of well defined pillow flows and centimetre-scale pillow breccia, weakly foliated at 65° TCA, 1/2-1% fracture fill Py with minor centimetre-scale sulphide veinlets composed of Cp and Po; 52.0 - 56.0 m - unit assumes a dark grey colour due to an increase in biotite content, Py content averages 3-4% disseminated and fracture fill Py, minor quartz veining; 54.6 m - a 30 cm wide interval of massive Py composed 12% Cp, 80% Po and 8% Py;	41976	35	36.5	1.50	15	
				41977	36.5	38	1.50	26	
				41978	38	39.5	1.50	14	
				41979	39.5	41	1.50	25	
				41980	41	42.5	1.50	32	
				41981	42.5	44	1.50	16	
				41982	44	45.5	1.50	6	
				41983	45.5	47	1.50	39	
				41984	47	48.5	1.50	1081	
				41985	48.5	50	1.50	328	
				41986	50	51	1.00	199	
				41987	51	52	1.00	1493	
				41988	52	53	1.00	160	
				41989	53	54	1.00	234	
				41990	54	54.5	0.50	487	
				41991	54.5	55	0.50	12007	
				41992	55	56	1.00	1184	

DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
35	56	Mafic Volcanic	Medium grey-green, fine-grained, generally massive with metre-scale sections of well defined pillow flows and centimetre-scale pillow breccia, weakly foliated at 65° TCA, 1/2-1% fracture fill Py with minor centimetre-scale sulphide veinlets composed of Cp and Po; 52.0 - 56.0 m - unit assumes a dark grey colour due to an increase in biotite content, Py content averages 3-4% disseminated and fracture fill Py, minor quartz veining; 54.6 m - a 30 cm wide interval of massive Py composed 12% Cp, 80% Po and 8% Py;	41976	35	36.5	1.50	15	
				41977	36.5	38	1.50	26	
				41978	38	39.5	1.50	14	
				41979	39.5	41	1.50	25	
				41980	41	42.5	1.50	32	
				41981	42.5	44	1.50	16	
				41982	44	45.5	1.50	6	
				41983	45.5	47	1.50	39	
				41984	47	48.5	1.50	1081	
				41985	48.5	50	1.50	328	
				41986	50	51	1.00	199	
				41987	51	52	1.00	1493	
				41988	52	53	1.00	160	
				41989	53	54	1.00	234	
				41990	54	54.5	0.50	487	
				41991	54.5	55	0.50	12007	
				41992	55	56	1.00	1184	

1

DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
56	59.3	Quartz Feldspar Porphyry Dyke	Light grey, to medium green, quartz phryic with 5-8% medium-grained subrounded to euhedral quartz phenocryst averaging 2-3 millimetres in diameter all set within a strongly silicified strongly sericitized groundmass, a weak biotite overprint is present, moderately fractured with millimetre-scale silification(albite?) halo's about fractures, locally well preserved feldspar rich intersections hosting 60% fine to medium-grained euhedral white feldspar; foliation forms a moderate penetrative fabric at 60° TCA, 2-3% disseminated and fracture controlled Py, biotite alteration is intimately associated with sulphides as a inclusions/halo, leading contact is vague, trailing contact is sharp at 63° TCA;	41993	56	57	1.00	416	
				41994	57	58.5	1.50	455	
59.3	79.7	Mafic Volcanics	Medium grey-green, moderately banded by fine-grained biotite producing a sugary texture, weak to moderately foliated at 60° TCA; 59.34 - 79.7 m - variably bleached by weak silica, and albite alteration, a weak albite alteration overprints the albitic alteration, 2-3% disseminated Py throughout; 61.9 m - a 2 cm wide Py and Po massive band/veinlet, with a 10-15 cm wide silica halo; 66.5 m - weak pervasive carbonate is first noted, millimetre-scale irregular quartz-ankerite veinlets average 1/m with rare 25-45 cm intervals of brecciated, polyphase quartz-ankerite veining hosting 1-2% Py, 1/2-1% Po, trace Sp; 76.7 m - a 45 cm wide quartz-ankerite vein, 1-2% Py, 1/2-1% Po;	41996	59.34	60.5	1.16	187	
				41997	60.5	61	0.50	272	
				41998	61	62	1.00	192	
				41999	62	63.5	1.50	66	
				42000	63.5	65	1.50	44	
				41851	65	66.5	1.50	89	
				41852	66.5	68	1.50	63	
				41853	68	69.5	1.50	12	
				41854	69.5	71	1.50	17	
				41855	71	72.5	1.50	23	
				41856	72.5	74	1.50	246	
				41857	74	75.5	1.50	105	
				41858	75.5	76.5	1.00	27	
				41859	76.5	77.5	1.00	123	
				41860	77.5	79	1.50	57	

7

1

DIAMOND DRILL LOG

Rock Type			Geology	Sample					
From	To	Rock Code		No.	From	To	Length	Au (ppb)	Au (g/t)
79.7	82.7	Quartz Feldspar Porhyry Dyke	Light grey, medium-grained, quartz and feldspar phryic, 5-6% sub to euhedral quartz-phenocrysts, 15-20% euhedral feldspar dirty white feldspar, felspar rich groundmass, trace biotite, leading contact is irregular, trailing contact is sharp at 12° TCA;	41862	79.8	81.7	1.90		5
82.7	127.5	Mafic Volcanic	Medium grey-green, moderately banded by fine-grained biotite producing a sugary texture, weak to moderately foliated at 60° TCA; 88.5 m - a 20 cm bull white quartz vein at 30° TCA; 90.0 m - a 26 cm quartz-ankerite vein, folded, medium grey, intruding a brecciated dirty white quartz-carbonate hosting 1-2% Py, trace Po; 95.8 m - aa 3 cm bright white quartz-carbonate veinlet at 35° TCA, barren; 108.0-127.5 m - a succession of sub-metre quartz feldspar dykes averaging 1/5m exhibiting moderate silicification; 106.1 m - a 2 cm wide irregular quartz vein subparallel TCA with the mafic wallrock immediately about the veinlet hosting 1-2% medium-grained disseminated Py; 107.75 m - an irregular quartz sweat with 1-2% Py; 108.7-109.7 m - a moderately silicified quartz feldspar porphyry dyke, leading caontact is sharp at 63° TCA, trailing contact is lost in broken core; 115.1 m - a 75 cm QFP, leading contact is sharp at 80° TCA, trailing contact is vague due to silicificationand 2-3% disseminated Py, well perserved groundmass; 118.5 m - a 60 cm QFP, leading contact is vague, trailing contact at 80° TCA; 120.0 m - a 10 cm wide interval of brecciated quartz-ankerite veining at 55° TCA; 121.5 m - a 40 cm interval of quartz-ankerite veining accompanied by 2-3% disseminated Py asa 1-2 cm halo in wallrock;	41864	83	84.5	1.50	4	
				41865	84.5	86	1.50		4
				41866	86	87.5	1.50		7
				41867	87.5	89	1.50		19
				41868	89	90	1.00		23
				41869	90	91	1.00		4
				41870	91	92.5	1.50		4
				41871	92.5	94	1.50		21
				41872	94	95.5	1.50		4
				41873	95.5	97	1.50		56
				41874	97	98.5	1.50		504
				41875	98.5	100	1.50		1296
				41876	100	101.5	1.50		113
				41877	101.5	103	1.50		64
				41878	103	104.5	1.50		41
				41879	104.5	106	1.50		30
				41880	106	107.5	1.50		28
				41881	107.5	108.7	1.20		52
				41882	108.7	109.7	1.00		42
				41883	109.7	111.5	1.80		29
				41884	111.5	113	1.50		35
				41885	113	114.5	1.50		26

Northern Mineral Exploration

*Project Number
Hole Number*

TAL-ON-001
BDL05-03

DIAMOND DRILL LOG

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample</i>					
				<i>No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
<i>From</i>	<i>To</i>	<i>Rock Code</i>							
				41886	114.5	116.2	1.70	80	
				41887	116.2	116.8	0.60	381	
				41888	116.8	118.5	1.70	190	
				41889	118.5	120	1.50	101	
				41890	120	121	1.00	159	
				41891	121	122	1.00	64	
				41892	122	123.5	1.50	18	
				41893	123.5	125	1.50	34	
				41894	125	126.5	1.50	42	
1									
127.5	129.85	Quartz Feldspar Porphyry	Light grey to mauve, fine-grained, 2-3% medium to coarse-grained quartz phenocrysts, trace Cp, leading contact is lost in broke core, trailing contact is sharp at 70° TCA, epidote rich footwall; 128.8-129.5 m - strong silicification with 5-6% Py, 2-3% Po, 1-2% Sp;	41896	127.6	128.8	1.20	43	
7				41897	128.8	129.8	1.00	234	
129.85	140	Mafic Volcanic	Medium green-grey, fine-grained, pillowd amygduloidal flows, initially cut by minor carbonate veinlets with quartz-ankerite becoming more dominant towards lower contact, weak to moderately silicified, 1-2% Py, 1/2-1% Po, trace Cp throughout; 132.7 m - a strong fault and fault gouge with slip plane at 35° TCA;	41899	131	132	1.00	77	
				41900	132	133	1.00	118	
				501	133	134	1.00	81	
				502	134	135	1.00	63	
				503	135	136	1.00	70	
				504	137	137	0.00	175	
				505	137	138	1.00	207	
				506	138	139	1.00	148	
1				507	139	140	1.00	28	

DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample		Length	Au (ppb)	Au (g/t)
				No.	From			
140	154.9	Mafic Volcanics	Mottled to well banded grey green and pale grey, a strong foliation accented by numerous millimetre-scale boudinaged quartz ankerite veinlets at 65° TCA, sulphide content averages 2-3% disseminated Py, 2-3% Po, and 1/2-1% Cp along the margins of the veinlets and as trace disseminations with the wallrock, weak to moderately silicified throughout; 144.3 m - Cp blebs; 145.1-145.9 m - silicified QFP;	508	140	141	1.00	263
				509	141	142	1.00	128
				510	142	143	1.00	140
				511	143	144	1.00	26
				512	144	145	1.00	81
				513	145	146	1.00	13
				514	146	147	1.00	45
				515	147	148	1.00	11
				516	148	149	1.00	54
				517	149	150	1.00	41
				518	150	151	1.00	190
				519	151	152	1.00	971
				520	152	153	1.00	1067
				521	153	154	1.00	418
1, Coco Estelle								
154.9	166.6	Mafic Volcanic	An interval of moderate silicified mafics densely banded by pale grey to grey-brown quartz-ankerite veinlets averaging 4-8/m hosting 10-12% disseminated Py, the veinlets are boudinaged and exhibit folding;	523	155	156	1.00	1276
				524	156	157.3	1.30	3767
				525	157.3	158.2	0.90	956
				526	158.2	159.7	1.50	423
				527	159.7	160.5	0.80	661
				528	160.5	161.5	1.00	1416
				529	161.5	162.5	1.00	2965
				530	162.5	163.5	1.00	2207
				531	163.5	164.5	1.00	3072
				532	164.5	165.5	1.00	685
				533	165.5	166.5	1.00	582

DIAMOND DRILL LOG

166.6	171.7	Mafic Volcanic	Medium-green, fine-grained, well preserved pillows, weak to moderately foliated, minor quartz-ankerite veining, groundmass hosts 5-6% disseminated Py, veinlets are locally stained by Ep and Hm.	535	167.5	168.5	1.00	92
171.1	171.1	END OF HOLE	EOH	536	168.5	170	1.50	140
				537	170	170.7	0.70	167
				538	170.7	171.7	1.00	219

1


Northern Minerals Exploration Services
DIAMOND DRILL LOG

Hole Number BDL05-04

Page 1 of 1 Drill Log Summary

Project Number	TAL-ON-001	Objective	Test under Mich trench	Tests		
<i>NTS</i>	42A13	<i>Drilling Company</i>	Cartwright Drilling	<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>Project Name</i>	Big Duck Lake	<i>Start Date (m/d/y)</i>	23/03/2005	57.9	180	-50.5
<i>Township/Area</i>	Rope Lake	<i>Finish Date (m/d/y)</i>	24/03/2005			
<i>Claim Number</i>	CLM414	<i>Finish Date (m/d/y)</i>	27/03/2005			
<i>Date Logged (m/d/y)</i>						
<i>UTM Zone</i>	16	<i>Geologist</i>	Harvey M. Buck			
<i>UTM Easting (m)</i>	477317	<i>Hole Length</i>	57.9			
<i>UTM Northing (m)</i>	5427308	<i>Core Location</i>	Big Duck Lake Camp			
<i>Grid Identifier</i>	2003	<i>Distance to Water</i>	35			
<i>Easting (+E,-W)</i>	100+35	<i>Core Size</i>	BQTK			
<i>Northing (+N,-S)</i>	94+50	<i>Casing Lost</i>	1.5			
<i>Elevation:</i>						

Drill Log Summary:



DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
0	2.75	Overburden							
		Ovb							
2.75	57.9	Quartz Feldspar Porphyry	Colour, Light to medium grey, mottled to banded with dark grey sections, Grain size, matrix fine-grained containing quartz and feldspar phenocrysts, ground mass sericite rich, quartz phenocrysts to 5 mm in size, subhedral to flattened, grey, feldspar to 2 mm in size, appear altered and are generally flattened, quartz phenocrysts form between 3 and 10 % of the rock, feldspar varies from none visible to about 3 % of the porphyry, groundmass variable from grey-green to light grey (silification?), Texture, porphyritic, variably foliated from moderately to strong, locally vuggy, sections weak to moderately fractured, rarely brecciated, Minerals, quartz, feldspar, sericite, biotite, epidote, pyrite, chalcopyrite, molybdenite, average pyrite trace to 1/2 %, trace chalcopyrite, molybdenite, rare biotite clots to 2 mm, epidote locally abundant on fracture surfaces, otherwise unobserved 5.8 to 6.15 m - 5 to 8% sulphides (mainly py, also cp) Carbonate veining in intervals 9.5 m - Fault gouge - 2 mm, slip plane 60° TCA 10.0 m - Fault gouge - 1.5 cm, effervescent in HCl, slip plane 81° TCA 10.5 m - 60° foliation TCA 14.2 m - Fractures to 1 mm wide containing grey quartz with minor py, trace mo and cp? 15.4 m - 60° foliation TCA 17.0 m - 6.0 mm wide grey quartz vein with molybdenite forming on contacts of vein and qtz-fsp porphyry, also py and cp, vein 52° TCA	539	2.75	4	1.25	7	
				540	4	5	1.00	14	
				541	5	6.2	1.20	471	
				542	6.2	7	0.80	4	
				543	7	8.5	1.50	10	
				544	8.5	9.5	1.00	14	
				545	9.5	10.5	1.00	29	
				546	10.5	12	1.50	9	
				547	12	13.5	1.50	32	
				548	13.5	15	1.50	35	
				549	15	16.5	1.50	14	
				550	16.5	17	0.50	64	
				551	17	18.5	1.50	19	
				552	18.5	20	1.50	55	

DIAMOND DRILL LOG

Rock Type			Geology	Sample					
From	To	Rock Code		No.	From	To	Length	Au (ppb)	Au (g/t)
			20.0 m - grey quartz vein, with 10% py at contacts, plus trace mo (at contact), vein 67° TCA	553	20	21.5	1.50	39	
			25.7 m - 55° foliation TCA	554	21.5	23	1.50	23	
			25.8 to 37.8 m - Increased number and volume of carbonate veining (compared to the rest of the core), starting at 3 mm wide and going to approximately 10.0 cm wide, note that they are not always parallel to the rock fabric (ex. at 34.7 m and 35.0 m), larger veins exhibit irregular contacts, with the sulphide volume approaching 5% of the vein, located primarily at or along the contact of the qtz-fsp porphyry, (mostly py with trace cp)	555	23	24.5	1.50	35	
			34.7 m - 62° foliation TCA	556	24.5	26	1.50	21	
			36.0 fault gauge, contact at 55° TCA, filled carbonate	557	26	27.5	1.50	8	
			37.65 - 37.8 - py to 3% in carbonate vein	558	27.5	29	1.50	11	
			38.0 - 38.15 py to 5% in qtz-Fsp porphyry (silicified or quartz veining)	559	29	29.5	0.50	32	
			41.0 m - 63° foliation TCA	560	29.5	31	1.50	16	
			41.5 to 43.5 m - increased quartz veining, either as slight thin whitish (ex. 41.5) or grey boudinaged masses in porphyry (ex.41.7 & 41.75 m) note an increase in disseminated py in porphyry in interval ,<1/2 % , isolated quartz vein boudinages in next several m	561	31	32.5	1.50	7	
			47.1 to 47.25 m - mafic unit, strongly foliated, dark, sulphides disseminated, medium to fine-grained, appear to be py, 2-3% with associated carbonate veins inside mafic, upper contact 76° TCA	562	32.5	34	1.50	6	
			48.45 to 50.6 m - severl carbonate veins from 0.5 to 2 cm wide with py, cp, (at 48.45 m carbonates hosts qtz-Fsp porphyry breccia of 1 cm width?) (fault?)	563	34	35	1.00	25	
			50.0 to 55.5 m - large number of dark grey fractures randomly cutting porphyry, from 1 to 4 mm thick, some concentrate sulphides (to 10% of fractures) Note disseminated py + cp in qtz-fsp porphyry increased moderately in zone over average porphyry, where porphyry appears darkest in fracture zone , sections with up to 3-4% sulphide, (ex. At 51.8 to 52.0m,51.5 to 51.65, 54.1 to 54.2m), sulphide exclusively py	564	35	36.5	1.50	26	
			55.9 m - Large white quartz vein with 10% py at contacts with porphyry (? cm wide)	565	36.5	37.5	1.00	34	
				566	37.5	38.5	1.00	49	
				567	38.5	39.5	1.00	15	
				568	39.5	41	1.50	26	
				569	41	42.5	1.50	141	
				570	42.5	44	1.50	23	

DIAMOND DRILL LOG

Rock Type			Geology	Sample					
From	To	Rock Code		No.	From	To	Length	Au (ppb)	Au (g/t)
			56.2 m 65° foliation TCA	571	44	45.5	1.50	16	
			56.6 to 56.8 m - brecciated rock with clasts to 3 cm wide, dark grey in colour, fracture filling dark with py + cp approximately 10% of filling, 2/3 way down interval slip surface @ 85° TCA, and slip surface at lower contact with 46° TCA	572	45.5	47.1	1.60	32	
				573	47.1	48.5	1.40	32	
				574	48.5	50	1.50	81	
				575	50	51.5	1.50	20	
				576	51.5	52.5	1.00	55	
				577	52.5	53.5	1.00	27	
				578	53.5	54.5	1.00	7	
				579	54.5	55.5	1.00	37	
				580	55.5	56.5	1.00	136	
				581	56.5	57.9	1.40	39	

7b


Northern Minerals Exploration Services
DIAMOND DRILL LOG

Hole Number BD05-05

Page 1 of 1 Drill Log Summary

Project Number	2100	Objective	Test the Sjolander vein and alteration south of trench.	Tests		
NTS	42A/13	Drilling Company	Cartwright Drilling	Depth (m)	Azimuth (d)	Dip (d)
Project Name	Big Duck Lake	Start Date (m/d/y)	25/03/2005	75	180	-48
Township/Area	Pays Plat Lake	Finish Date (m/d/y)	27/03/2005	182.9	180	-46
Claim Number	3010489	Finish Date (m/d/y)	28/03/2005			
		Date Logged (m/d/y)				
UTM Zone	16	Geologist	A.TIMS			
UTM Easting (m)	478701	Hole Length	182.9			
UTM Northing (m)	5427054	Core Location	Big Duck Lake Camp			
Grid Identifier	2003	Distance to Water	20			
Easting (+E,-W)	114+06	Core Size	BQTK			
Northing (+N,-S)	91+54	Casing Lost	8			
Elevation:	455					

Drill Log Summary:



Northern Mineral Exploration

DIAMOND DRILL LOG

Project Number
Hole Number

TAL-ON-001
BD05-05

From	To	Rock Type Rock Code	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
0	6.8	Overburden Ovb							
6.8	182.9	Mafic Volcanic	Fine to medium-grained, medium to dark green, amphibole-biotite-chlorite rich matrix with weak pervasive carbonate throughout, weak to moderately magnetic, weakly fractured with carbonate infill, foliation averages 65-70° TCA, 2-3% fine-grained disseminated and fracture fill Py, trace Po, trace Cp; 6.9-16.6 m - fine-medium grained secondary amphibole, 10-15%, averaging 1-2 mm in length; 10.7 m - a 15 cm irregular quartz-ankerite vein hosting 5-6% Py; 16.6-28.0 m - very fine-grained to fine-grained 4-5% disseminated, blebby & fracture controlled Py, minor pale grey quartz veinlets; 19.95 m - 9-10 cm wide pale grey quartz vein @ 30° TCA, vuggy fractures, 1-2 % Py in black chlorite filled fractures; 23.7 m - similar pale grey quartz vein @ 20° TCA; 24.3 m - possible fault @ 15° TCA with brecciated and hematite stained wallrock; 28.0-29.2 m - an interval of weak to moderate carbonate, moderately fractured with numerous millimetre-scale veinlets in a biotite rich groundmass; 29.2 35.6 Sjolander Vein QV Light to medium grey, well developed breccia texture throughout with millimetre-scale chlorite-biotite fractures, 8-10% Py with majority of sulphides occurring within chlorite filled fractures, trace-1% disseminated euhedral Py, 3-4% disseminated Mo with locally 10-12% along fractures, leading contact is sharp @ 70° TCA, trailing contact is gradual but consistent @ 75° TCA; 35.6-42.0 m - a biotite-carbonate rich groundmass as a halo about quartz vein, moderately fractured with millimetre-scale carbonate veinlets, minor Ep staining; 41.0 & 41.5 m - a 1-2 cm wide carbonate veinlet @ 5-10° TCA with trace Py;	582	6.8	8	1.20	10	
				583	8	9	1.00	16	
				584	9	10.5	1.50	33	
				585	10.5	12	1.50	10	
				586	12	13.5	1.50	4	
				587	13.5	15	1.50	4	
				588	15	16.5	1.50	6	
				589	16.5	18	1.50	4	
				590	18	19	1.00	4	
				591	19	20	1.00	4	
				592	20	21	1.00	11	
				593	21	22	1.00	9	
				594	22	23	1.00	7	
				595	23	24	1.00	12	
				596	24	25	1.00	4	
				597	25	26	1.00	4	
				598	26	27	1.00	4	
				599	27	28	1.00	22	

DIAMOND DRILL LOG

From	To	Rock Type	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
			45.05 m - a 25 cm pale grey quartz vein @ 42°, trace Py, 1/2% Po along leading contact and as fine disseminations;	600	28	29.2	1.20	53	
			46.6 m - a barren quartz ankerite veinlet @ 40° TCA;	601	29.2	30	0.80	64	
			55.3- 61.5 m - unit becomes moderately fractured throughout;	602	30	30.5	0.50	401	
			63.1 m - a 5 cm wide irregular quartz-ankerite veinlet with trace Py;	603	30.5	31	0.50	69	
			70.4 m - a 3 cm wide pale grey quartz vein @ 50° TCA with the same chlorite/biotite filled fracture pattern as 29.2-35.6 m;						
			80.0 m - a 50 cm irregular quartz-ankerite vein with a weak centimetre-scale biotite halo;	604	31	31.5	0.50	47	
			93.0 m - a tight fault with slip planes @ 45° TCA;						
			93.2 -94.1 m - an interval of centimetre-scale quartz-carbonate veinlets cutting a biotite altered host, two carbonate species present: i) pale white with a weak response to 10% HCL; ii) pale beige with no response to 10% HCL - moderate silicified throughout with 3-4% Po, trace-1/2% Py;	605	31.5	32	0.50	9	
				606	32	32.5	0.50	4	
				607	32.5	33	0.50	29	
			101.0-104.5 m - similar veined interval, trace Cp;	608	33	33.5	0.50	28	
			132.6 m - a 10 cm sugary white quartz vein @ 80° TCA with 4-5% medium to coarse-grained Pl clots;	609	33.5	34	0.50	4	
			145.2 -146.5 m - a quartz vein of indeterminate thickness @ 2-3° TCA with 4-5% coarse-grained Po blebs;	610	34	34.5	0.50	67	
			165.0-167.7 m - interval becomes strongly foliated @ 55° TCA, weak pervasive carbonate, fracture controlled carbonate, 10-12/m pale grey centimetre-scale boudin quartz veins with sugary white centimetre-scale veinlets obliquely crosscutting quartz veinlets, all set in a weakly silicified biotite rich matrix hosting 3-4% Py with the pale grey quartz veinlets hosting 1/2-1% very fine-grained disseminated Py;	611	34.5	35	0.50	22	
				612	35	35.6	0.60	80	
				613	35.6	36.6	1.00	14	
				614	36.6	37.5	0.90	7	
				615	37.5	38.5	1.00	4	
				616	38.5	40.5	2.00	9	
			182.9 m EOH March 28, 2005	617	40.5	41	0.50	4	
				618	41	42.5	1.50	6	
				619	42.5	44	1.50	6	
				620	44	45	1.00	4	
				621	45	45.5	0.50	5	
				622	45.5	46.6	1.10	80	
				623	46.6	48	1.40	8	
				624	48	50	2.00	9	
				625	50	52	2.00	5	

Northern Mineral Exploration

Project Number
Hole Number

TAL-ON-001
BD05-05

DIAMOND DRILL LOG

From	To	Rock Type	Geology	Sample				
				No.	From	To	Length	Au (ppb)
From	To	Rock Code						Au (g/t)
				617	40.5	41	0.50	4
				618	41	42.5	1.50	6
				619	42.5	44	1.50	6
				620	44	45	1.00	4
				621	45	45.5	0.50	5
				622	45.5	46.6	1.10	80
				623	46.6	48	1.40	8
				624	48	50	2.00	9
				625	50	52	2.00	5
				626	52	54	2.00	4
				627	54	56	2.00	10
				628	56	58	2.00	4
				629	58	59	1.00	10
				630	59	60	1.00	6
				631	60	61	1.00	8
				632	61	62	1.00	7
				633	62	64	2.00	4
				634	64	66	2.00	4
				635	66	68	2.00	4
				636	68	70	2.00	12
				637	70	71	1.00	21
				638	71	73	2.00	23
				639	73	75	2.00	101
				640	75	77	2.00	4
				641	77	78	1.00	4
				642	78	79	1.00	4
				643	79	80	1.00	4
				644	80	81	1.00	4
				645	81	83	2.00	4
				646	91	92	1.00	9
				647	92	93.3	1.30	4
				648	93.3	94.7	1.40	51

DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
				649	94.7	95.2	0.50		10
				650	95.2	96.5	1.30		4
				651	96.5	98	1.50		4
				652	98	99.5	1.50		4
				653	99.5	101	1.50		4
				654	101	102.5	1.50		4
				655	102.5	104	1.50		4
				656	104	105.5	1.50		4
				657	105.5	107	1.50		4
				658	131.1	132	0.90		8
				659	132	133	1.00		7
				660	133	134	1.00		4
				661	144.3	145.3	1.00		24
				662	145.3	146	0.70		4
				663	146	147.2	1.20		11
				664	147.2	148.2	1.00		4
				665	164	165	1.00		4
				666	165	166	1.00		21
				667	166	167	1.00		21
				668	167	168	1.00		46
				669	168	169	1.00		5


Northern Minerals Exploration Services
DIAMOND DRILL LOG

Hole Number BD05-06

Page 1 of 1 Drill Log Summary

<i>Project Number</i>	TAL-ON-001	<i>Objective</i>	<i>Tests</i>		
<i>NTS</i>	42E/13		<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>Project Name</i>	Big Duck Lake	<i>Drilling Company</i>	Cartwright Drilling	75	180 -49
<i>Township/Area</i>	Rope Lake	<i>Start Date (m/d/y)</i>	28/03/2005	154	180 -47
<i>Claim Number</i>	TB2088	<i>Finish Date (m/d/y)</i>	30/03/2005		
		<i>Finish Date (m/d/y)</i>	31/03/2005		
<i>UTM Zone</i>	16	<i>Date Logged (m/d/y)</i>			
<i>UTM Easting (m)</i>	478015	<i>Geologist</i>	A.TIMS		
<i>UTM Northing (m)</i>	5427728	<i>Hole Length</i>	154		
<i>Grid Identifier</i>	2003	<i>Core Location</i>	Big Duck Lake Camp		
<i>Easting (+E,-W)</i>	97+32	<i>Distance to Water</i>	450		
<i>Northing (+N,-S)</i>	98+84	<i>Core Size</i>	BQTK		
<i>Elevation:</i>	468	<i>Casing Lost</i>	3		

Drill Log Summary:



DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample				
				No.	From	To	Length	Au (ppb)
0	4	Overburden						
		OVB						
4	43	Felsic Lapilli Tuff	Pale grey to dark grey, locally a mottled appearance due to two clast types, overall a heterolithic tuff composed of 10-15% lapilli to lapilli stone mafic (biotitic) angular fragments, 20-25% quartz eye bearing fragments of similar size, all are flattened to a 2:1 ratio, matrix varies from sericite rich to biotite/chlorite rich intervals, weak to moderately silicified, 5-6% disseminated and fracture controlled Py within the biotitic sections, lower portion of the interval is reminiscent of a quartz-eye flow as it is more massive and monolithic, foliation averages 75°TCA; 4.0-6.0 m - pale beige, quartz-eye bearing; 6.0-19.5 m - mottled dark grey, biotite rich matrix, averaging 5-6% Py, locally up to 10%, heterolithic; 19.5-28.0 m - light grey, minor mafic lapilli, 2-3% disseminated Py; 26.9 m - minor gouge, tight fault @ 74° TCA; 28.0-33.6 m - similar mottled grey, heterolithic tuff; 33.6-38.6 m - light grey matrix, heterolithic; 38.6-39.8 m - mafic dyke, weakly foliated to massive, weakly fractured with carbonate, trace-1/2% disseminated Py; 39.8-43.0 m - light grey matrix, heterolithic; 42.1-43.0 m - Fault Zone, blocky, Mafic Dyke, fault gouge, rumble core, slip planes @ 40° TCA;	670	4	5.5	1.50	9
				671	5.5	7	1.50	17
				672	7	8.5	1.50	65
				673	8.5	10	1.50	59
				674	10	11.5	1.50	278
				675	11.5	13	1.50	186
				676	13	14.5	1.50	233
				677	14.5	16	1.50	319
				678	16	17.5	1.50	402
				679	17.5	19	1.50	458
				680	19	20.5	1.50	545
				681	20.5	22	1.50	321
				682	22	23.5	1.50	196
				683	23.5	25	1.50	45
				684	25	26.5	1.50	145
				685	26.5	28	1.50	69
				686	28	29.5	1.50	57
				687	29.5	31	1.50	66

DIAMOND DRILL LOG

From	To	Rock Type	Geology	Sample				
				No.	From	To	Length	Au (ppb)
								Au (g/t)
				688	31	32.5	1.50	41
				689	32.5	33.7	1.20	26
				690	33.7	35	1.30	4
				691	35	36.5	1.50	4
				692	36.5	38	1.50	4
				693	38	39.8	1.80	4
				694	39.8	41.5	1.70	4
				695	41.5	43	1.50	23
3b								
43	75	Quartz-Eye Tuff/Flow	Light to medium grey, fine-grained, 20-25% medium-grained quartz-eye phenocrysts, light grey irregular quartz-eye bearing lapilli, weakly foliated @ 72° TCA, 1-2% disseminated Py; 63.0 m - Mafic Dyke, 40 cm long, minor carbonate filled fractures, massive to weakly foliated, leading contact @ 60° TCA, trailing contact @ 80° TCA;	696	43	44.5	1.50	18
				697	44.5	46	1.50	28
				698	46	47.5	1.50	4
				699	47.5	49	1.50	18
				700	49	50.5	1.50	4
				701	50.5	52	1.50	20
				702	52	53.5	1.50	4
				703	53.5	55	1.50	86
				704	55	56.5	1.50	8
				705	56.5	58	1.50	9
				706	58	59.5	1.50	10
				707	59.5	61	1.50	4
				708	61	62.5	1.50	4
				709	62.5	64	1.50	4
				710	64	65.5	1.50	4
				711	65.5	67	1.50	62

Northern Mineral Exploration

Project Number
Hole Number

TAL-ON-001
BD05-06

DIAMOND DRILL LOG

From	To	Rock Type	Geology	Sample				
				No.	From	To	Length	Au (ppb)
				712	67	68.5	1.50	55
				713	68.5	70	1.50	47
				714	70	71.5	1.50	24
				715	71.5	73	1.50	16
				716	73	74	1.00	20
				718	74	75	1.00	16
2d								

75	99.5	Mafic Volcanics	Dark grey-green, fine-grained, groundmass is composed of biotite, chlorite, trace amphibole and feldspar, moderately magnetic, moderately fractured, 10-15% disseminated and stringy Py throughout, locally maximum of 25-30% over 2-5 cm sections, 2-3% Sp, trace Po, minor quartz-ankerite veinlets hosting trace Cp;	719	75	76	1.00	100
				720	76	77	1.00	63
				721	77	78	1.00	4
				722	78	79	1.00	73
				723	79	80	1.00	35
				724	80	81	1.00	91
				725	81	82	1.00	75
				726	82	83	1.00	42
				727	83	84	1.00	26
				728	84	85	1.00	13
				729	85	86	1.00	268
				730	86	87	1.00	59
				731	87	88	1.00	174
				732	88	89	1.00	154
				733	89	90	1.00	200
				734	90	91	1.00	38
				735	91	92	1.00	21
				736	92	93	1.00	26

DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample				
				No.	From	To	Length	Au (ppb)
				737	93	94	1.00	31
				738	94	95	1.00	51
				739	95	96	1.00	157
				740	96	97	1.00	386
				741	97	98	1.00	58
				742	98	99	1.00	21
1								
99.5	130.2	Quartz Porphyry Dyke	Light beige to grey, fine-grained, weakly foliated to massive, minor biotite rich intervals with corresponding increase in Py content, minor mafic volcanic inclusions; 104.7 m - a 20 cm interval of mafic volcanic with 20-25% Py, 5-8% Po; 110-113 m - biotite rich interval, 2-3% disseminated Py;	744	99.6	100.6	1.00	4
				745	100.6	102	1.40	4
				746	102	103.5	1.50	4
				747	103.5	104.75	1.25	4
				748	104.75	105.2	0.45	606
				749	105.2	106.7	1.50	4
				750	106.7	108	1.30	4
				751	108	109.5	1.50	4
				752	109.5	111	1.50	4
				753	111	112	1.00	16
				754	112	113	1.00	4
				755	113	114	1.00	4
				756	114	115.5	1.50	12
				757	115.5	117	1.50	4
				758	117	118.5	1.50	12
				759	118.5	120	1.50	679

Northern Mineral Exploration

DIAMOND DRILL LOG

Project Number
Hole Number

TAL-ON-001
BD05-06

From	To	Rock Type Rock Code	Geology	Sample				
				No.	From	To	Length	Au (ppb)
				760	120	121.5	1.50	5
				761	121.5	123	1.50	11
				762	123	124.5	1.50	4
				763	124.5	126	1.50	56
				764	126	127.5	1.50	4
				765	127.5	129.5	2.00	4
				766	129.5	130.16	0.66	6
7								
130.2	133.1	Mafic Volcanic	Dark brown, fine-grained, strongly foliated, @ 75° TCA, 2-3% disseminated Py, moderately fractured;	768	131.1	132	0.90	40
				769	132	133	1.00	61
1								
133.1	135.1	Quartz Porphyry Dyke	Light beige to grey, fine-grained, weakly foliated to massive, minor biotite rich intervals with corresponding increase in Py content, minor mafic volcanic inclusions, leading contact is marked by a fault @ 50° TCA filled with a pale grey quartz vein;	771	134	135	1.00	7
7								
135.1	137.2	Mafic Volcanic	Dark brown, fine-grained, strongly foliated, @ 75° TCA, 1-2% disseminated Py, moderately fractured;	773	136	137.2	1.20	79
	1							
137.2	138.5	Quartz Porphyry Dyke	Light beige to grey, fine-grained, weakly foliated to massive, minor biotite rich intervals with corresponding increase in Py content, minor mafic volcanic inclusions;	774	137.2	138.5	1.30	67
	7							

Northern Mineral Exploration

DIAMOND DRILL LOG

Project Number
Hole Number

TAL-ON-001
BD05-06

From	To	Rock Type Rock Code	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
138.5	146.5	Mafic Volcanic	Dark brown, fine-grained, strongly foliated, @ 75° TCA, 1-2% disseminated Py, moderately fractured; weak to moderate biotite alteration of groundmass.; 140.0-141.1 m - Fault Zone, blocky core, epidote staining, slip planes @ 45° TCA; 145.3-146.3 m - hematite stained, biotite rich matrix, quartz-ankerite veining increases towards lower contact, numerous 2-3 mm veinlets are boudin averaging 1-2/m to 5-8/m at lower contact, sulphide content increases likewise towards lower contact from 1-2% fine-grained disseminated Py to 10-12%;	775	138.5	140	1.50	132	
				776	140	141.5	1.50	42	
				777	141.5	143	1.50	17	
				778	143	144.5	1.50	27	
				779	144.5	145.1	0.60	34	
				780	145.1	146.5	1.40	1827	
1									
146.3	148.1	Quartz (Feldspar) Porphyry Dyke	Medium to dark grey, locally well preserved euhedral feldspar phenocrysts, minor quartz veining, lead contact is sharp @ 50° TCA, trailing contact is sharp @ 80° TCA; 148.0 m - Fault, hematite staining, slip planes @ 45° TCA;	781	146.5	148.1	1.60	29	
7									
148.1	154	Mafic Volcanic	Dark grey-brown, fine-grained, biotite rich groundmass, foliated @ 75° TCA, 5-6% fine-grained, disseminated Py throughout, locally 203 mm wide pale grey quartz veinlets; 151.7 m - a 30 cm pale grey quartz vein @ 80° TCA, with 2-3% disseminated Py, trace Mo, trace Cp; 154 154 March 30th, 2005 EOH	782	148.1	149	0.90	29	
				783	149	150	1.00	63	
				784	150	151	1.00	68	
				785	151	152	1.00	98	
				786	152	153	1.00	70	
				788	153	154	1.00	77	
1									


Northern Minerals Exploration Services
DIAMOND DRILL LOG

Hole Number BD05-07

Page 1 of 1 Drill Log Summary

<i>Project Number</i>	TAL-ON-001	<i>Objective</i>	<i>Tests</i>		
<i>NTS</i>	42A/13		<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>Project Name</i>	Big Duck Lake	<i>Drilling Company</i>	Cartwright Drilling	75	190
<i>Township/Area</i>	Rope Lake	<i>Start Date (m/d/y)</i>	30/03/2005	152.8	-49
<i>Claim Number</i>	TB2090	<i>Finish Date (m/d/y)</i>	31/03/2005	190	-49
		<i>Finish Date (m/d/y)</i>	31/03/2005		
		<i>Date Logged (m/d/y)</i>	04/01/2005		
<i>UTM Zone</i>	16	<i>Geologist</i>	A.TIMS		
<i>UTM Easting (m)</i>	478162	<i>Hole Length</i>	152.8		
<i>UTM Northing (m)</i>	5427928	<i>Core Location</i>	Big Duck Lake Camp		
<i>Grid Identifier</i>	2003				
<i>Easting (+E,-W)</i>	103+40	<i>Distance to Water</i>	150		
<i>Northing (+N,-S)</i>	101+00	<i>Core Size</i>	BQTK		
<i>Elevation:</i>	468	<i>Casing Lost</i>	3		

Drill Log Summary:



April 25, 2005

Northern Mineral Exploration

Project Number
Hole Number

TAL-ON-001
BD05-07

DIAMOND DRILL LOG

From	To	Rock Type	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
0	3	Overburden	On outcrop; OVB						
3	4.2	Mafic Volcanic Tuff	Dark Green, fine-grained, 4-5% granitic lapilli, 1-2% fine-grained disseminated Py, 1/2-1% Po;	789	3	4.2	1.20	64	
			1t						
4.2	13.8	Quartz Porphyry Dyke	Mottled, light to dark grey, fine-grained, moderately banded by wispy biotite, strongly foliated @ 70° TCA, 1-2% disseminated fine-grained Py, minor centimetre-scale mafic volcanic xenoliths, leading contact is sharp @ 70° TCA, trailing contact is sharp @ 55° TCA; 12.0 m - a 42 cm mafic volcanic interval with the lead contact marked by a quartz vein and centimetre-scale irregular blebby Cp, Po, and trace Sp;	790	4.2	5.2	1.00	11	
			7	791	11	12	1.00	73	
				792	12	12.5	0.50	1954	
				793	12.5	13.5	1.00	75	
13.8	17.9	Mafic Volcanic	Dark to medium grey-green, fine-grained, variably banded on the centimetre-scale by weak to moderate ankerite and biotite alteration, 1-2% Py overall with local maximums of 5-6% Py as millimetre-scale stringers;	795	14.3	15.3	1.00	101	
			1	796	15.3	16.5	1.20	119	
				797	16.5	17.9	1.40	367	
17.9	20.8	Quartz Porphyry Dyke	Medium to waxy grey, very fine to fine-grained, 5-6% medium-grained quartz phenocrysts exhibiting 1.5:1 flattening ratio, weakly fractured, 1/2-1% fine-grained disseminated Py, leading contact is sharp @ 53°, trailing contact is lost in broken core;						
			7						

Northern Mineral Exploration

Project Number

TAL-ON-001

DIAMOND DRILL LOG

Hole Number

BD05-07

From	To	Rock Type	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
20.8	38.3	Mafic Volcanic	Dark to medium grey-green, fine-grained, variably banded on the centimetre-scale by weak to moderate ankerite and biotite alteration, 2-3% disseminated fine-grained Py; 21.0-29.9 m - Fault Zone, rumbley, blocky core, fault gouge, primary slip planes @ 30° TCA with minor slip planes @ 65° TCA;	1					
38.8	53.2	QFP Dyke, Felsic Volcanic Tuff?	Medium grey, fine-grained, 2-3% medium-grained quartz phenocryst, 12-15% medium-grained sub to euhedral feldspar phenocryst, possible 2-3% quartz-eye bearing lapilli, locally patchy and fracture controlled biotite, average of 1-2% fine-grained, disseminated Py with maximum of 5-6% Py as a centimetre-scale contact halo, leading contact is sharp @ 65°, trailing contact is sharp @ 72° TCA;	7,2d					
53.2	56.8	Mafic Volcanic	Dark to medium grey-green, fine-grained, variably banded on the centimetre-scale by weak to moderate ankerite and biotite alteration, 2-3% disseminated fine-grained Py, lower contact is gradual becoming more felsic due to reworking;	1	798	55	56	1.00	45
56.8	67.7	QFP Dyke, Felsic Volcanic Tuff?	Medium grey, fine-grained, 2-3% medium-grained quartz phenocryst, 12-15% medium-grained sub to euhedral feldspar phenocryst, possible 2-3% quartz-eye bearing lapilli, locally patchy and fracture controlled biotite, moderate to strongly foliated @ 63° TCA, average of 1-2% fine-grained, disseminated Py with maximum of 5-6% Py as a centimetre-scale contact halo, leading contact is gradational, trailing contact is sharp @ 85° TCA;	7,2d	800	56.8	58	1.20	35
					801	64	65	1.00	110
					802	65	66	1.00	107
					803	66	67	1.00	9

Northern Mineral Exploration

DIAMOND DRILL LOG

Project Number
Hole Number

TAL-ON-001
BD05-07

From	To	Rock Type	Geology	Sample				
				No.	From	To	Length Au (ppb)	Au (g/t)
67.7	75.5	Intermediate to Felsic Lapilli Tuff	Mottled light to dark grey, fine-grained, composed of 10-15% angular biotitic lapilli in a fine-grained matrix variably overprinted by sericite and ankerite, minor millimetre-scale quartz ankerite veining, 3-4% Py, trace-1/2% Po; 2-3b	804	71	72	1.00	70
				805	72	73	1.00	283
				806	73	74	1.00	71
75.5	77	Quartz Porphyry Dyke	Biege, weakly foliated, 1-2% medium-grained quartz phenocrysts, 23-30% fine to medium grained phenocrysts, leading contact is sharp @ 60° TCA, trailing contact is sharp @ 50° TCA; 7					
77	79.1	Intermediate to Felsic Lapilli Tuff	Mottled light to dark grey, fine-grained, composed of 10-15% angular biotitic lapilli in a fine-grained matrix variably overprinted by sericite and ankerite/albite?, possible block size fragments present - bombs?, minor millimetre-scale quartz ankerite veining, 1-2% Py, trace-1/2% Po; 2-3b					
79.1	82	Quartz Porphyry Dyke	Biege, weakly foliated, 1-2% medium-grained quartz phenocrysts, 23-30% fine to medium grained phenocrysts, leading contact is sharp @ 85° TCA, trailing contact is sharp @ 76° TCA; 7					

DIAMOND DRILL LOG

From	To	Rock Type Rock Code	Geology	Sample					
				No.	From	To	Length Au (ppb)	Au (g/t)	
82	102	Intermediate to Felsic Lapilli Tuff	Mottled light to dark grey, fine-grained, composed of 10-15% angular biotitic lapilli in a fine-grained sericite rich matrix variably overprinted by biotite and ankerite/albite?, lapilli dominantly composed of biotite, minor millimetre-scale quartz ankerite veining, 2-3% Py, trace-1/2% Po, with local maximum of 10-12% Py over centimetre-scale intervals; 100.4-102.0 m - locally albite altered lapilli;	807	93	94	1.00	17	
				808	94	95	1.00	27	
				809	95	96	1.00	18	
				810	96	97	1.00	30	
				811	97	98	1.00	33	
				812	98	99	1.00	106	
				813	99	100	1.00	38	
2-3d									
102	104.6	Quartz Porphyry Dyke 7	Leading contact is sharp @ 70° TCA, trailing contact is sharp @ 60° TCA;						
104.6	116	Intermediate to Felsic Lapilli Tuff	Mottled light to dark grey, fine-grained, composed of 10-15% angular biotitic lapilli in a fine-grained sericite rich matrix variably overprinted by biotite and ankerite/albite?, lapilli dominantly composed of biotite, minor millimetre-scale quartz ankerite veining, 2-3% Py, trace-1/2% Po, with local maximum of 10-12% Py over centimetre-scale intervals;						
2-3d									
116	125.3	QFP Dyke, Felsic Volcanic Tuff? 7,2d	Weakly foliated, moderately silicified, minor white quartz veinlets;						

Northern Mineral Exploration**DIAMOND DRILL LOG**
Project Number
Hole Number

TAL-ON-001
BD05-07

From	To	Rock Type	Rock Code	Geology	Sample					
					No.	From	To	Length	Au (ppb)	Au (g/t)
125.3	130.1	Intermediate to Felsic Lapilli Tuff		Average lapilli size coarsens to 8-15 mm in length, sericite rich matrix; 129.3-130.1 m - quartz-feldspar rich tuffaceous interval with trace lapilli;	815	125.5	126	0.50	18	
					816	126	127	1.00	10	
					817	127	128	1.00	29	
					818	128	129	1.00	79	
					819	129	130	1.00		
		2-3d								
130.1	135	Quartz-Eye Sericite Schist		Beige to light tan in colour, strong to intensely foliated @ 65° TCA, sericite rich matrix with locally developed millimetre-scale biotite bands, 2-3% fine to medium-grained bands of Py;	821	131	132	1.00	53	
					822	132	133	1.00	81	
					823	133	134	1.00	65	
					824	134	135	1.00	270	
		3								
135	143.1	Quartz Feldspar Porphyritic Flow		Mottled light and dark grey, weakly foliated, moderate to strong silification, trace-1/2% lapilli size biotitic fragments, trailing contact is sharp @ 65° TCA;	825	135	136	1.00	23	
					826	142	143.1	1.10	8	
		3								

Northern Mineral Exploration

Project Number
Hole Number

TAL-ON-001
BD05-07

DIAMOND DRILL LOG

From	To	Rock Type	Geology	Sample					
				No.	From	To	Length	Au (ppb)	Au (g/t)
143.1	152.8	Quartz-Eye Sericite Schist	Beige to light tan in colour, strong to intensely foliated @ 65° TCA, 15-20% medium to coarse-grained quartz phenocrysts within a sericite rich matrix with locally developed millimetre-scale biotite bands, minor pale grey quartz veinlets, 2-3% fine to medium-grained bands of Py associated with biotite clots and bands; 152.8 152.8 March 31, 2005 EOH	827	143.1	144	0.90	9	
				828	144	145	1.00	28	
				829	145	146	1.00	13	
				830	146	147	1.00	18	
				831	147	148	1.00	27	
				832	148	149	1.00	14	
				833	149	150	1.00	76	
				834	150	151	1.00	13	
				835	151	152.2	1.20	18	

3