


Atkinson Project

Geochemical Study and Ground Geophysical Surveys

Completed on the Lipton Claims

during 2007

2.36437



prepared by:

N.T.S. : 32 E/13
Latitude : 49° 52' 30" N
Longitude : 79° 38' W

Paul R. J. Nicholls, P.Eng
May 23, 2007

Line cutting, and geophysical surveys completed between March 2 and March 26, 2007

Stouffville Geological Services Ltd.

- i -
Table of Contents

	Page
List of Figures	ii
List of Tables	ii
List of Appendices	ii
List of Sections	ii
1.0 Summary	1
2.0 Recommendations	1
3.0 Introduction	3
3.1 Accessibility, and Physiography	3
3.2 Property Description and Location	3
3.3 Previous Work	7
3.3.1 Regional	7
3.3.2 Lipton Claims	7
4.0 Geological Setting	9
4.1 Regional Geology	9
4.2 Geological Setting -Lipton Claims	10
5.0 Work Program	13
6.0 Results	13
6.1 Whole Rock Geochemistry	13
6.2 Multi-element ICP Geochemistry	17
6.3 Ground Geophysical Surveys	23
References	25
Certification	26

List of Figures

			Page
Figure 1	Location Map	(Scale 1 : 5,000,000)	3
Figure 2	Location and Access Map	(Scale - 1:1,500,000)	4
Figure 3	Land Status	(Scale 1 : 75,000)	5
Figure 4	Regional Geology	(Scale 1 : 500,000)	8
Figure 5	Atkinson Project - Regional Geology	(Scale 1 : 100,000)	9
Figure 6	Stratigraphy		11
Figure 7	Geology Projected to Surface , 96-03 Area	(Scale 1 : 5,000)	12
Figure 8	Rock Classification Middlemost Plot		14
Figure 9	Jensen Cation Plot		15
Figure 10	Whole Rock Geochemical Results, Hole 96-03 Area		16
Figure 11	Multi-element Geochemical Results Contact Zone Rocks		20
Figure 12	Multi-element Geochemical Results Mafic Volcanic Rocks		21
Figure 13	Ground Geophysical Results		24

List of Tables

Table 1	Land Status		2
Table 2	2006 Dentonia Resources Ltd. Drill Hole Locations		7
Table 3	Work Program		13
Table 4	Summary of Statistics (Multi-element Scans)		17
Table 5	Summary of Statistics, Intervals associated with Contact Zone		18
Table 6	Summary of Statistics, Intervals associated with Mafic Volcanics		19
Table 7	Anomalous Geochemistry Contact Zone mineralization		22
Table 8	Anomalous Geochemistry Mafic Volcanic mineralization		22

List of Appendices

Appendix 1	Whole Rock Results
Appendix 2	ICP Multi-element Scan Results
Appendix 3	Drill Sections
Appendix 4	Report on Ground Geophysics

List of Maps (in pocket)

Map 1	Drill Plan Lipton Property
-------	----------------------------

1.0 Summary

Dentonia Resources Ltd. holds four properties (3680 hectares) in the Detour - Atkinson area of northern Ontario. During 2006 Dentonia completed a total of 3024.0 metres of diamond drilling on the Lipton claims that are located approximately 150 kilometres north of Cochrane at the northern margin of the Abitibi Greenstone Belt.

To date drilling by Dentonia and by previous companies has identified at least two zones of gold mineralization on the Lipton claims. The highest Au grades have been intersected at the contact between the chemical sediments and the felsic tuffs. The zone (Contact Zone) appears to be structurally controlled, dipping to the north and west at approximately 20° (sub parallel to the geology). The Contact Zone ranges from 1.0 to approximately 10.0 m in thickness and has been intersected in 21 drill holes with grades ranging from 0.25 g/t Au (over a core length of 1.0m) to 14.4 g/t Au (over a core length of 7.7m). Approximately 60 metres above the Contact Zone a second zone of Au mineralization has been intersected in the mafic volcanic rocks (designated M1). The M1 zone has been intersected in eleven holes and appears to parallel the contact Zone. The M1 zone ranges in thickness from 1.0 metre to approximately 9.0 metres and Au grades range from 0.197 g/t to 61.2 g/t (over a core length of 1.0m) with many of the intersections being less than 2.0 g/t Au.

Whole rock geochemical results show a significant enrichment in K₂O, significant Na₂O depletion and enrichment of Ba and Sr in the area of the mineralization. The K₂O enrichment and Na₂O depletion is indicative of hydrothermal alteration.

The ground geophysical surveys have traced the magnetite bearing chemical sedimentary horizons on the property and have defined 10 weak electromagnetic conductors that maybe related to disseminated sulphides.

2.0 Recommendations

Based on the results of the work completed to date on the Lipton claims a program of diamond drilling (approximately 3050 metres in 16 holes) is recommended. The program is expected to cost in the order of \$915,000.00 and should be completed in two stages. The exact locations for the drill holes will be finalized after all data has been compiled.

3.0 Introduction

The Atkinson Project area is underlain by volcanic rocks of the Abitibi Greenstone Belt. Significant gold mineralization was intersected in 1996 by Better Resources Limited on the Lipton Claim group (10.7 grams per tonne over a core length of 9.0 metres) within a well developed zone of hydrothermal alteration. In 2004 Dentonia Resources Ltd. optioned the Atkinson properties to further explore this prospective area for gold and or base metal deposits. Dentonia Resources Ltd. completed 20 diamond drill holes (3024 metres) on the Lipton claim group in 2006 and in December of 2006 samples from the core were submitted for whole rock analyses and other samples were submitted to the laboratory for multi-element geochemical analysis. In March of 2007 line cutting was completed to extend the Lipton grid north to cover claims staked in 2006. The new lines were used as control for ground magnetometer and MaxMinII horizontal loop electromagnetic surveys. This report has been prepared to compile and summarize the geochemical and geophysical surveys completed between December 2006 and April 2007.

3.1 Accessibility, and Physiography

The Atkinson project area is located approximately 150 kilometres north-east of Cochrane, Ontario (N.T.S 32E/13) near the border between Ontario and Quebec (Figure 1), and is approximately 20 kilometres south of the past producing Detour Lake Mine. The property is accessible via highway 652 and the Detour Mine access road to the mine site and southeasterly from the mine site via a winter road which leads to the property (Figure 2). The property is also accessible by helicopter from Abitibi Consolidated Inc. Camp 35 located on highway 652.

Topographic relief in the Atkinson Project Area is low ranging between 255 and 275 metres above sea level. The area is predominantly open muskeg with a sparse cover of black spruce and tamarack. Locally the area is well forested with black spruce and poplar. Drainage in the area is to the north.

3.2 Property Description and Location

The Lipton claim group (Figure 3) is located in the Porcupine Mining Division (Claim Maps G-1626 and G-1647) and consists of 19 mineral claims covering an area of approximately 2752 hectares (Table 1). The property is currently in good standing and is covered by an option agreement between Dentonia Resources Ltd. and R. H. McMillan.

Table 1: Land Status

Claim	Recording Date	Due Date	Claim Units	Work Required	Area (ha)
1205417	Sept. 28, 1994	Sept. 28, 2009	12	\$4,800.00	192
1205418	Sept. 28, 1994	Sept. 28, 2008	9	\$3,600.00	144
1205419	Sept. 28, 1994	Sept. 28, 2008	9	\$3,600.00	144
1214303	Sept. 06, 1996	Sept. 06, 2008	9	\$3,600.00	144
1214304	Sept. 06, 1996	Sept. 06, 2008	16	\$6,400.00	256
1214305	Sept. 06, 1996	Sept. 06, 2008	16	\$6,400.00	256
1214306	Sept. 06, 1996	Sept. 06, 2008	6	\$2,400.00	96
1214309	Sept. 06, 1996	Sept. 06, 2008	8	\$3,200.00	128
1214341	Sept. 19, 1996	Sept. 19, 2009	2	\$800.00	32
1214342	Sept. 19, 1996	Sept. 19, 2009	2	\$800.00	32
1214343	Sept. 19, 1996	Sept. 19, 2008	14	\$5,600.00	224
1199716	Apr. 15, 2004	Apr. 15, 2009	9	\$3,600.00	144
1199717	Apr. 15, 2004	Apr. 15, 2009	4	\$1,600.00	64
1199718	Apr. 15, 2004	Apr. 15, 2009	12	\$4,800.00	192
1199719	Apr. 15, 2004	Apr. 15, 2009	9	\$3,600.00	144
4202775	May 1, 2006	May 1, 2008	12	\$4,800.00	192
4202776	May 1, 2006	May 1, 2008	16	\$6,400.00	256
4202777	May 1, 2006	May 1, 2008	6	\$2,400.00	96
4202778	May 1, 2006	May 1, 2008	1	\$400.00	16
Total			172	\$68,800.00	2,752




Figure 1





Figure 3



Paul R. J. Nicholls P.Eng. October 2006

3.3 Previous Work

3.3.1 Regional

Prior to 1959 there was little or no prospecting or exploration activity recorded in the area. In 1959 and in the early 1960's Conwest Exploration, Selco, Kesagami Syndicate, and Rio Tinto conducted limited exploration for base metals. During the early 1970's exploration resulted in the discovery of the Detour Lake Mine by Amoco (1974), and in the discovery of the Selbaie Mine by Selco at approximately the same time. Following the discoveries exploration activity in the area increased with several companies including Noranda, Hudson Bay Exploration, Pennaroya, Dome Mines and Westmin Resources completing extensive programs. In the Atkinson Lake area the most extensive work was completed by Getty Canadian Metals who completed airborne and ground geophysical surveys, and diamond drilling. In 1998 the entire area was covered by a Geotem airborne electromagnetic and magnetic survey completed by the Ontario Government. In the 1989 and 1990 Westmin Resources completed limited geophysical surveys in the Atkinson Lake area; and in 1996 Better Resources Limited tested numerous geophysical targets on several properties which resulted in the discovery of significant gold mineralization on the Lipton lake property (10.7 grams per tonne Au over a core length of 9.0 metres). Follow up drilling was completed on the Lipton claims.

3.3.2 Lipton Claims

The earliest work recorded in the area covered by the current Lipton claims was conducted in 1959 by the Kesagami Syndicate who completed drill hole 10 - 1 (possibly near the area of gold mineralization). The precise location of the hole is not known. Hole 10-1 was completed to a depth of 72.5 m (238') and intersected felsic to mafic metavolcanic rocks, iron formation, graphitic units, and metasedimentary rocks. No assays were recorded but trace amounts of magnetite, sphalerite and chalcopyrite were intersected.

In 1959 Conwest Exploration Company completed a ground electromagnetic survey on the area west of Vandette Lake to locate airborne anomalies on the ground. The survey identified several conductive zones which were tested in 1960 by a series of 9 diamond drill holes totalling 1097.6 metres (3600'). The drilling intersected pyrite - pyrrhotite mineralization hosted in graphitic horizons, sulphide magnetite bearing cherts, mafic and felsic volcanic rocks. No assay results were reported.

In 1976 Amoco Petroleum Company completed hole 9-1 approximately 500 m south west of Vandette Lake. The hole was completed to a depth of 215 m (706') and intersected felsic flows and tuffs with anomalous zinc concentrations (0.71% Zn over a core length of 1.5 m) present within graphitic rocks.

During the period 1981 to 1986 Getty Canadian Metals Limited completed airborne and ground geophysical surveys, and 11 diamond drill holes (1910.2 m) in the area currently covered by the Lipton group. Several of the drill holes intersected anomalous Au (up to 5.3 g/t over a core length of 0.5 metres) and zones of anomalous Zn and Cu mineralization (up to 8.5 metres wide).

In 1989 and 1990 Westmin Resources completed line cutting, magnetometer and Max Min II surveys over the area. At this time Westmin Resources sampled core drilled by Getty and whole rock analyses from these samples showed that hole 83-51 intersected high silica rhyolites, and hole 83-30 (west of Vandette lake) intersected Na₂O depleted high silica rhyolites.

In the summer of 1996 Better Resources completed 3 diamond drill holes (487.0 metres) on the Lipton claims to test geophysical targets. Hole 96 - 03 intersected 10.7 grams per tonne Au over a core length of in 9.0 metres hosted within a sequence of felsic tuffs, felsic intrusive rocks, and cherty graphitic chemical sedimentary rocks. In the fall of 1996 a total of 19 diamond drill holes totalling 2140.1 metres were completed as follow up to the significant intersection. The closely spaced drill holes tested an area approximately 80 metres wide along the strike of the mineralized units. In 1997 Better Resources completed a program of line cutting, ground magnetometer and Induced polarization surveys that defined a number of targets.

During the period from March 1, 2005 to May 31, 2005 Dentonia Resources Ltd completed line cutting and a ground magnetometer survey on selected portions of the property. In 2006 Dentonia Resources Ltd. completed 20 diamond drill holes (Table 3, Map 1) totalling 3024.0 metres on the Lipton Property (Nicholls, 2006). The diamond drilling was successful with numerous holes intersecting anomalous concentrations of Au greater than 500 ppb.

Table 2: 2006 Dentonia Resources Ltd. Drill Hole Locations

Number	U.T.M. Co-ordinates		Grid Co-ordinates		Bearing	Dip	Length (m)
	Easting	Northing	Easting	Northing			
L06-1	597429	5526817	0	-200	270	-45	171.0
L06-2	597483	5527218	-60	200	270	-45	150.0
L06-3	597301	5527850	-110	835	235	-45	149.0
L06-4	597223	5527774	-190	760	235	-45	150.0
L06-5	596753	5528233	-655	1220	120	-60	159.0
L06-6	596680	5527925	-725	925	120	-60	147.0
L06-7	596759	5527926	-650	920	120	-60	144.0
L06-8	596853	5527947	-550	937	120	-60	162.0
L06-9	596835	5527903	-575	900	120	-60	150.0
L06-10	596830	5527851	-582	846	120	-60	111.0
L06-11	596798	5527714	-610	710	120	-60	130.0
L06-12	596696	5527829	-720	820	120	-60	129.0
L06-13	596892	5527905	-525	900	na	-90	141.0
L06-14	596841	5527903	-575	900	na	-90	140.0
L06-15	596767	5527902	-650	900	na	-90	140.0
L06-16	596866	5528006	-550	1000	na	-90	150.0
L06-17	596816	5528006	-600	1000	na	-90	161.0
L06-18	596766	5528006	-650	1000	na	-90	161.0
L06-19	596717	5528004	-700	1000	na	-90	182.0
L06-20	596863	5528107	-550	1100	na	-90	197.0
							3024.0


4.0 Geological Setting

4.1 Regional Geology

The Atkinson Project area (Figures 4 and 5) is located in the northern portion of the Abitibi Greenstone Belt and is underlain by Archean aged volcanic, sedimentary, and intrusive rocks that have been deformed and metamorphosed from greenschist to almandine-amphibolite rank. The volcanic - sedimentary sequence in the Detour Atkinson Lake Area (Johns, 1982) consists of a basal unit of felsic to intermediate volcanic rocks overlain by a thin clastic sedimentary unit which is in turn overlain by mafic to intermediate flows and pyroclastic rocks. This sequence is capped by a mixed succession of felsic to intermediate volcanic rocks, mafic volcanic rocks, and clastic sedimentary rocks. Graphitic and cherty interflow sediments are common near the breaks between the major units and near the top of the stratigraphic section. The volcanic sedimentary sequence has been intruded by mafic to intermediate intrusive rocks and by later diabase dykes and is surrounded by quartz-monzonite batholiths. Whole rock geochemical analyses completed by Ontario Geological Survey (Johns, 1982) indicate that the mafic volcanic rocks are high iron tholeiitic basalts, and that the felsic volcanic rocks are predominantly calc-alkaline rhyolites and dacites.

Structurally the volcanic sedimentary sequence may have been subjected to two phases of deformation. The best defined feature is an east west trending antiformal structure located just south of the Detour Lake Mine. The fold appears to plunge at 35° to 45° degrees to the west. Airborne magnetic results suggest that additional folding and deformation has taken place in the southern portion (Atkinson Lake Area) of volcanic sedimentary belt.

The Archean rocks have been extensively covered by pleistocene glacial deposits that consist of tills, varved clays, silt, and gravel. The area has been subjected to four periods of ice movement (Veillette, 1989), and associated interglacial periods. The thickness of the glacial overburden in the Atkinson Project area ranges up to approximately 35 metres (Johns, 1982).




LEGEND













- | | |
|---|---|
|  Volcanic Rocks |  Mines |
|  Sedimentary Rocks |  Significant Discovery |
|  Intrusive Rocks |  Discovery |



Dentonia Resources Ltd.
Atkinson Project - Lipton Claims
Regional Geology



LEGEND

-  DIABASE
-  GNEISSIC AND GRANITIC ROCKS
-  MAFIC INTRUSIVE ROCKS
-  IRON FORMATION
-  CLASTIC SEDIMENTARY ROCKS
-  GRAPHITIC CHEMICAL SEDIMENTS
-  PARACONGLOMERATE
-  FELSIC VOLCANIC ROCKS
-  MASSIVE RHYOLITE
-  MAFIC VOLCANIC ROCKS
-  ULTRAMAFIC ROCKS
-  Au OCCURRENCE
-  Cu - Zn OCCURRENCE
-  Au ZONE
-  FAULT OR SHEAR ZONE

0 5km
 Scale: 1:100,000

Dentonia Resources Ltd.
 Atkinson Project - Lipton Claims
Regional Geology

4.2 Geological Setting - Lipton property (Figures 6 and 7)


The Lipton claims are completely covered by glacial overburden, and the geology has been interpreted from the geophysical and diamond drill hole data. In the area of Lipton Lake a northerly trending antiformal structure that plunges shallowly to the north has been partially defined.

Mafic volcanic flows and tuffs represent the upper portion of the volcanic stratigraphy. Three different units have been defined by the drilling to date as follows: a) The uppermost unit is generally massive (with minor banded sections) fine to medium grained, medium to dark green grey amphibole rich mafic flow unit. b) The second unit is a garnet bearing and is approximately 80 metres thick. The garnetiferous mafic volcanics consist of massive to banded amphibole feldspar rocks with trace to 20% pink garnets. c) The lowermost mafic unit (up to 70 metres thick) consists of fine to medium grained massive (banded sections) medium to dark green amphibole rich flows and tuffs that contain trace amounts of biotite. All of the mafic units locally contain minor disseminated sulphides, and minor quartz and carbonate veins. The mafic tuffs are commonly fine grained banded amphibolite chlorite rich units that may contain garnets. Thin cherty chemical sedimentary unit with pyrrhotite, pyrite, and magnetite have been intersected within the mafic volcanic sequence. Underlying the mafic volcanic flows and tuffs drilling has intersected a thin (up to 20 metres thick) unit of mixed volcanic rocks. The unit is composed of intermediate to mafic tuff (minor flows) with some felsic tuffs. The tuffs are generally fine grained, banded, grey green to grey brown, quartz feldspar amphibole rocks with variable garnet and biotite content and minor to trace iron sulphides. Locally cherty and fragmental sections have been intersected.

The contact between the intermediate volcanic rocks and the felsic tuffs is marked by a zone (up to 20 metres thick) consisting of chemical sedimentary units and cherty tuffs. The individual chemical sedimentary units (1.0 to 8.0 metres thick) are cherty with variable amounts of graphite, pyrite, pyrrhotite, magnetite, and garnet. Trace amounts of chalcopyrite and sphalerite have been intersected.

The felsic volcanic rocks range from light to medium grey pyroclastic tuff to white massive silica rich rhyolites with quartz eyes up to 3 mm. Felsic tuffs overlying the chemical sedimentary horizon contain abundant biotite, chlorite, amphibole, and garnet that generally occurs as irregular patches. Within the felsic volcanic sequence a second chemical sedimentary unit has been intersected. This unit (up to 20 metres thick) has been intersected approximately 35 metres below the contact with the overlying intermediate rocks and consists of chert, sulphides, and magnetite.


Three distinct types of felsic to intermediate intrusive rocks have intruded the volcanic sequence. A typical feldspar porphyry with a light grey brown quartz feldspar biotite matrix and white feldspar phenocrysts up to 5 mm has been intersected at various positions in the stratigraphy. Near Lipton Lake a fine grained pale green siliceous quartz feldspar rock (green porphyry) with up to 5% small white feldspar phenocrysts has been intersected by numerous drill holes and is usually found in close proximity to the chemical sedimentary horizon. The unit commonly contains trace to 5% pyrrhotite and pyrite, and has a brecciated appearance due to the presence of numerous irregular patches and veins of pink alteration (potassium feldspar). Trace amounts of chalcopyrite and sphalerite may also be present. The volcanic sequence has been intruded by thin near vertical mafic dykes. Along the eastern limb of the antiformal structure a fine grained quartz feldspar biotite rock with clear to grey quartz eyes has been intersected.



Dentonia Resources Ltd.

Atkinson Project - Lipton Claims

Stratigraphy



5.0 Work Program

The work (Table 3) covered by this report consists of a geochemical study carried out on samples taken from core drilled by Dentonia Resources Limited during 2006, and a ground geophysical survey completed on the northern portion of the property.

Whole rock analyses for major oxides and other elements were completed on a total of 92 samples selected from pulps previously analysed for Au (Appendix 1). In addition a total of 299 pulps of samples from samples covering gold mineralized zones were sent for ICP 31 element scans in order to define any geochemical patterns associated with the gold mineralization (Appendix 2). All analyses were coordinated by Laboratoire Expert from Rouyn-Noranda Quebec. Drill sections showing locations of samples analysed are presented in Appendix 3.

The ground geophysical surveys consisted of line cutting, ground magnetometer and MaxMinII (horizontal loop electromagnetics) surveys. The detailed specifications and results are presented in Appendix 4. The ground surveys and line cutting were completed between March 2 and March 26, 2007 with the maps and report completed by April 6, 2007. Services Exploration Enrg. of Rouyn-Noranda Quebec was the geophysical contractor and the report and initial interpretation of the geophysical data was completed by Gerard Lambert St. Andre-Avellin Quebec.

Table 3: Work Program


Claim	Whole Rock Analyses	Multi-element Geochemistry	Line cutting (km)	Magnetometer (km)	MaxMinII (km)
1205417	92	299	1.175	1.175	0.875
1214341			3.200	3.200	3.200
1214342			2.350	2.350	1.900
4202775			21.500	21.500	19.200
4202776			26.375	26.375	24.800
4202777			10.650	10.650	9.600
4202778			0.400	0.400	0.400
Total	92	299	65.650	65.650	59.975

6.0 Results

6.1 Whole Rock Geochemistry


In 2006 and 2007 a total of 92 samples were analysed for major and minor element whole rock analysis. The data has been used to classify the volcanic rocks which range from basaltic to rhyolitic in composition (Figure 8). When plotted on a Jensen cation plot (Figure 9) the data shows that the felsic volcanic rocks are predominantly calc-alkaline rhyolites and dacites; and the overlying mafic volcanic succession is tholeiitic in affinity. The mafic volcanic rocks range from high iron to high magnesium tholeiites.

The whole rock geochemical results for selected elements have been plotted against the normal geochemical trends of Abitibi Group volcanic rocks (Goodwin, 1977; Appendix 1) and show that there is a significant enrichment in K_2O for most samples, significant Na_2O depletion for some of the samples and enrichment of Ba and Sr for some of the samples (Figure 10). The K_2O enrichment and Na_2O depletion confirms the presence of a hydrothermal alteration zone.



● Intrusive Rocks

Dentonia Resources Ltd.
Atkinson Project - Lipton Claims
Rock Classification
Middlemost Plot




Detail Map




Legend

- 2006 Diamond Drill Hole
- 1996 Diamond Drill Hole
- 1983 - 86 Diamond Drill Hole
- ▨ Na depletion - Felsic Rocks
- ▨ Na depletion - Mafic Rocks
- ▨ Na enrichment - Felsic Rocks
- ▨ K enrichment - Felsic Rocks
- ▨ K enrichment - Mafic Rocks
- ▨ Ba enrichment - Felsic Rocks
- ▨ Ba enrichment - Mafic Rocks
- Gold Mineralization - Contact Zone (> 5 gram-metres)



Index Map



Dentonia Resources Ltd.
Atkinson Project - Lipton Claims

**Whole Rock
Geochemical Results
Hole 96-03 Area**

6.2 Multi-element ICP Geochemistry

In December 2006 a total of 299 samples were sent for ICP multi-element scans. The samples were selected to cover mineralized intervals intersected during the 2006 drilling completed on the Lipton claims in an effort to establish any geochemical patterns associated with the Au mineralization. The geochemical results were received in April and a statistical evaluation of the data was completed. A summary of the statistics for the entire data set is given in Table 4. The data set was subdivided into mineralized intervals associated with the contact zone and intervals associated with the mafic volcanic rocks (Tables 5 and 6)

Table 4: Summary of Statistics (Multi-element Scans)

	Mean	Standard Deviation	Standard Error	Range	Maximum	Minimum	Median
Au (ppb)	862.7	5350.3	319.7	74705.0	74710.0	2.5	86.5
Ag (ppm)	0.4	0.9	0.0	13.0	13.1	0.1	0.2
Cd (ppm)	0.4	0.6	0.0	4.2	4.4	0.3	0.3
Cu (ppm)	103.9	291.2	17.4	4478.0	4480.0	2.0	65.5
Mn (%)	600.3	329.8	19.7	2260.0	2350.0	90.0	516.0
Mo (ppm)	4.8	8.6	0.5	97.0	98.0	1.0	2.0
Ni (ppm)	88.0	157.0	9.4	1678.0	1680.0	2.0	72.5
Pb (ppm)	12.8	24.7	1.5	201.0	202.0	1.0	7.0
Zn (ppm)	85.8	108.6	6.5	967.0	981.0	14.0	59.0
Al (%)	0.6	0.3	0.0	1.4	1.5	0.0	0.6
As (ppm)	6.1	6.2	0.4	64.0	69.0	5.0	5.0
Ba (ppm)	71.6	65.4	3.9	361.0	367.0	6.0	48.5
Be (ppm)	0.5	0.0	0.0	0.5	1.0	0.5	0.5
Bi (ppm)	6.4	9.2	0.6	101.0	106.0	5.0	5.0
Ca (%)	1.3	0.9	0.0	8.3	8.3	0.0	1.1
Co (ppm)	31.8	15.6	0.9	87.5	88.0	0.5	32.0
Cr (ppm)	114.9	71.1	4.2	723.0	732.0	9.0	99.0
Fe (%)	3.8	1.5	0.0	12.0	12.4	0.4	3.8
K (%)	0.5	0.4	0.0	2.1	2.1	0.0	0.3
Mg (%)	0.6	0.2	0.0	1.5	1.6	0.0	0.6
Na (%)	0.1	0.0	0.0	0.5	0.5	0.0	0.1
P (%)	0.0	0.0	0.0	0.1	0.1	0.0	0.0
Sb (ppm)	5.0	0.0	0.0	0.0	5.0	5.0	5.0
Sc (ppm)	7.7	4.6	0.3	28.5	29.0	0.5	8.0
Sn (ppm)	5.0	0.3	0.0	5.0	10.0	5.0	5.0
Sr (ppm)	17.9	14.7	0.9	93.0	96.0	3.0	13.0
Ti (%)	0.2	0.0	0.0	0.3	0.3	0.0	0.2
V (ppm)	87.0	50.0	3.0	298.0	299.0	1.0	95.0
W (ppm)	15.8	108.8	6.5	1455.0	1460.0	5.0	5.0
Y (ppm)	8.5	5.2	0.3	35.5	36.0	0.5	8.0
Zr (ppm)	11.6	12.7	0.8	83.0	85.0	2.0	6.0
S (%)	0.8	0.9	0.0	6.8	6.8	0.0	0.5

Table 5: Summary of Statistics - Intervals associated with Contact Zone

	Mean	Standard Deviation	Standard Error	Range	Maximum	Minimum	Median
Au (ppb)	1532.3	7707.9	759.5	74707.5	74710.0	2.5	55.0
Ag (ppm)	0.6	1.4	0.1	13.0	13.1	0.1	0.3
Cd (ppm)	0.7	0.9	0.0	4.2	4.4	0.3	0.3
Cu (ppm)	64.9	55.2	5.4	254.0	259.0	5.0	41.0
Mn (%)	581.1	427.3	42.1	2260.0	2350.0	90.0	441.0
Mo (ppm)	9.4	12.7	1.3	97.0	98.0	1.0	7.0
Ni (ppm)	50.1	41.1	4.1	179.0	181.0	2.0	39.0
Pb (ppm)	26.4	57.2	5.6	456.0	457.0	1.0	10.0
Zn (ppm)	132.7	176.9	17.4	967.0	981.0	14.0	74.0
Al (%)	0.5	0.2	0.0	1.1	1.2	0.0	0.5
As (ppm)	7.9	10.0	1.0	64.0	69.0	5.0	5.0
Ba (ppm)	51.6	45.1	4.4	284.0	292.0	8.0	40.0
Be (ppm)	0.5	0.0	0.0	0.5	1.0	0.5	0.5
Bi (ppm)	7.5	11.0	1.1	95.0	100.0	5.0	5.0
Ca (%)	1.0	1.1	0.1	8.3	8.3	0.0	0.8
Co (ppm)	22.7	17.9	1.8	84.5	85.0	0.5	18.0
Cr (ppm)	108.0	52.2	5.1	232.0	241.0	9.0	99.0
Fe (%)	3.3	2.1	0.2	12.0	12.4	0.4	2.9
K (%)	0.3	0.2	0.0	1.2	1.2	0.0	0.3
Mg (%)	0.5	0.2	0.0	0.7	0.8	0.0	0.5
Na (%)	0.0	0.0	0.0	0.2	0.2	0.0	0.0
P (%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sb (ppm)	5.0	0.0	0.0	0.0	5.0	5.0	5.0
Sc (ppm)	4.1	3.8	0.4	15.5	16.0	0.5	3.0
Sn (ppm)	5.0	0.5	0.0	5.0	10.0	5.0	5.0
Sr (ppm)	20.9	18.6	1.8	93.0	96.0	3.0	13.0
Ti (%)	0.1	0.0	0.0	0.3	0.3	0.0	0.0
V (ppm)	44.3	41.5	4.1	214.0	215.0	1.0	30.0
W (ppm)	7.6	11.6	1.1	86.0	91.0	5.0	5.0
Y (ppm)	8.7	7.8	0.8	39.0	41.0	2.0	7.0
Zr (ppm)	23.0	17.8	1.8	92.0	95.0	3.0	18.0
S (%)	1.2	1.3	0.1	6.8	6.8	0.0	0.8

Table 6: Summary of Statistics - Intervals associated with Mafic Volcanics

	Mean	Standard Deviation	Standard Error	Range	Maximum	Minimum	Median
Au (ppb)	558.2	3332.3	238.0	46107.5	46110.0	2.5	104.0
Ag (ppm)	0.3	0.5	0.0	6.1	6.2	0.1	0.2
Cd (ppm)	0.3	0.2	0.0	2.4	2.6	0.3	0.3
Cu (ppm)	120.9	344.9	24.6	4478.0	4480.0	2.0	77.5
Mn (%)	604.3	256.9	18.4	1341.0	1540.0	199.0	537.0
Mo (ppm)	2.5	3.2	0.2	30.0	31.0	1.0	1.0
Ni (ppm)	105.8	182.9	13.1	1674.0	1680.0	6.0	77.5
Pb (ppm)	7.4	7.8	0.6	54.0	55.0	1.0	6.0
Zn (ppm)	63.1	39.1	2.8	354.0	364.0	10.0	55.0
Al (%)	0.7	0.2	0.0	1.4	1.5	0.1	0.7
As (ppm)	5.1	0.8	0.0	9.0	14.0	5.0	5.0
Ba (ppm)	81.8	70.6	5.0	361.0	367.0	6.0	63.0
Be (ppm)	0.5	0.1	0.0	0.5	1.0	0.5	0.5
Bi (ppm)	6.2	9.4	0.7	101.0	106.0	5.0	5.0
Ca (%)	1.4	0.7	0.0	3.8	4.2	0.4	1.2
Co (ppm)	36.5	11.5	0.8	79.0	88.0	9.0	37.0
Cr (ppm)	120.5	78.7	5.6	693.0	732.0	39.0	101.5
Fe (%)	4.0	1.0	0.0	5.5	6.9	1.4	4.0
K (%)	0.5	0.5	0.0	2.1	2.1	0.0	0.4
Mg (%)	0.7	0.2	0.0	1.4	1.6	0.3	0.7
Na (%)	0.2	0.0	0.0	0.5	0.5	0.0	0.1
P (%)	0.0	0.0	0.0	0.1	0.1	0.0	0.0
Sb (ppm)	5.0	0.0	0.0	0.0	5.0	5.0	5.0
Sc (ppm)	9.7	3.7	0.3	27.0	29.0	2.0	10.0
Sn (ppm)	5.0	0.0	0.0	0.0	5.0	5.0	5.0
Sr (ppm)	16.8	13.8	1.0	73.0	76.0	3.0	12.0
Ti (%)	0.2	0.0	0.0	0.3	0.3	0.0	0.2
V (ppm)	109.3	37.9	2.7	289.0	299.0	10.0	113.5
W (ppm)	19.2	129.7	9.3	1455.0	1460.0	5.0	5.0
Y (ppm)	8.5	3.5	0.3	28.5	29.0	0.5	8.0
Zr (ppm)	6.4	5.0	0.4	36.0	38.0	2.0	5.0
S (%)	0.6	0.5	0.0	2.4	2.4	0.0	0.4

The distribution for some of the anomalous metals is presented in figures 11 and 12 and summarized in Tables 7 and 8.

Detail Map





Legend


- Anomalous Cu
- - - - Anomalous Zn
- ▲▲▲▲ Anomalous Mo
- ◆◆◆◆ Anomalous Ni
- Anomalous Pb
- Anomalous W

Contact Zone Mineralization

- > 5.0 gram-metres gold
- 1 to 5.0 gram-metres gold
- 0.2 to 1.0 gram-metres gold



Index Map



Dentonia Resources Ltd.
Atkinson Project - Lipton Claims

Multielement Geochemical Results Contact Zone Rocks

Detail Map




Legend


- Anomalous Cu
- - - - Anomalous Zn
- ▲▲▲▲ Anomalous Mo
- ◆◆◆◆ Anomalous Ni
- Anomalous Pb
- Anomalous W

Contact Zone Mineralization

- > 5.0 gram-metres gold
- 1 to 5.0 gram-metres gold
- 0.2 to 1.0 gram-metres gold



Index Map



Dentonia Resources Ltd.
Atkinson Project - Lipton Claims

**Multielement
Geochemical Results
Mafic Volcanic Rocks**

Table 7: Anomalous Geochemistry Contact Zone mineralization

Hole	Anom. Elements	From (m)	To (m)	Length (m)	Ave. Au (g/t)
L-06-3	Zn, Pb, Ag	102.00	107.00	5.00	0.171
		144.00	147.00	3.00	0.121
L-06-4	Cu, Mo, Zn, W	70.00	76.00	6.00	0.137
	Zn	84.00	86.20	2.20	0.094
	Zn	101.00	103.50	2.50	0.120
L-06-7	Cu, Ni, Mo, Pb, Zn, W, Ag	96.50	104.20	7.70	14.273
L-06-8	Cu, Mo, Ag	97.00	100.50	3.50	0.157
	Mo	120.00	120.60	0.60	1.980
L-06-9	Cu, Mo, Ni, Zn, Ag	67.60	76.30	8.70	0.183
	Mo, W	109.00	114.00	5.00	0.913
L-06-10	Zn, W	67.00	68.90	1.90	0.240
L-06-11	Mo	70.00	73.00	3.00	0.084
L-06-12	Cu, Zn,	103.00	108.00	5.00	0.167
L-06-14	Cu, Mo, Ni, Zn	72.00	75.40	3.00	0.535
	Mo, Pb, Zn	89.00	93.40	3.40	0.209
L-06-15	Cu, Mo, Ni, Zn, Pb, W, Ag	95.00	102.00	7.00	3.120
L-06-19		153.50	155.00	1.50	4.553

Table 8: Anomalous Geochemistry Mafic Volcanic mineralization

Hole	Anom. Elements	From (m)	To (m)	Length (m)	Ave. Au (g/t)
L-06-3	Cu, Ni, Zn	29.00	33.00	4.00	0.125
L-06-6	Cu	60.50	64.40	3.90	0.192
	Cu, Ni, Zn	84.00	87.00	3.00	0.521
L-06-7	Ni, Zn	35.00	42.00	7.00	0.247
	Cu, Mo	75.00	78.00	3.00	0.241
L-06-8	W	30.00	39.00	9.00	0.590
L-06-9		15.00	22.00	7.00	0.237
		28.00	34.00	6.00	0.160
	Cu, Zn	44.00	50.00	6.00	0.388
L-06-10	Ag, Bi	11.50	17.50	6.00	1.204
L-06-13	Cu	15.00	23.00	8.00	0.100
	Ag, Zn	56.00	66.00	10.00	0.199
L-06-14	Ag, Mo, Zn	9.00	23.00	14.00	0.535
	Cu	46.00	52.50	6.50	0.117
L-06-15	Ni	7.00	13.00	6.00	0.457
		16.00	17.00	1.00	0.403
	Ni	21.00	28.00	7.00	0.153
L-06-16	Ni, Zn, Bi	46.00	62.00	16.00	0.189
	Cu	71.40	79.00	7.60	0.252
L-06-17	Ag, Mo, Bi, W	51.30	66.50	15.20	4.575
L-06-18	Cu, Ni	32.00	38.00	6.00	0.085
L-06-19	Cu, Ni	89.00	101.50	1.30	0.159
L-06-20	Ni, Zn	83.00	93.00	10.00	0.124
	Ag, Cu, Ni	100.00	114.00	14.00	0.536
	Ni	132.00	136.00	4.00	0.148

Based on the geochemical results and statistical analysis the following comments can be made:

- a) Anomalous levels of Cu, Mo, Ni, Zn, Pb, W, and Ag are associated with the gold mineralization on the Lipton claims. Although the concentrations of these elements are generally elevated and with the possible exception of Ag probably are not of economic interest their presence is indicative of a multi-element mineralizing event.
- b) These results compare well with similar analyses completed on hole 96-03 which returned anomalous concentrations of Cu, Mo, Ni, Zn, and Ag.
- c) Anomalous Cu and Ni values tend to give the broadest pattern with Zn, Pb, Mo, and W being more restricted in distribution. As shown in Tables 7 and 8 the individual elements are not present in every hole and more data will be required to establish any true patterns in metal zonation.

6.3 Ground Geophysical Surveys (Figure 13)

The northern portion of the Lipton claims were covered by ground magnetometer and MaxMin II HLEM surveys. The detailed results are presented in detail in the report by Gerard Lambert (Appendix 4)

The magnetometer results ranged from 56,983 to 58,966 gammas have been compiled with previous surveys (Figure 13). The magnetic high in the central portion of the claim block reflects the presence of magnetite bearing chemical sediments that extend north to approximately line 2300N where the unit appears to have been offset to the east (faulted and or folded). The magnetite bearing chemical sediments occur in two stratigraphic horizons and have been traced across the property. The magnetic pattern suggests the presence of fold closure in the area to the south and west of Lipton Lake. In the area of Au mineralization the magnetics also suggest a possible north-westerly trending fault.


The MaxMin II survey defined 10 weakly conductive zones that may indicate disseminated and or stringer type sulphide mineralization. Induced Polarization surveys and or diamond drilling will be required to further evaluate these anomalies.


Respectively Submitted,



Paul R. J. Nicholls, P. Eng.

May 23, 2007





References

Canadian Mines Handbook (1990-91): Northern Miner Press Inc., p.198

Fyon, J. A. et al (1992): Metallogeny of Metallic Mineral Deposits in the Superior Province of Ontario; in Geology of Ontario, Ontario Geological Survey, Special Volume 4, Part 2, p. 1091 - 1174

Goodwin, A.M. (1977): Archean Volcanism in Superior Province, Canadian Shield in Volcanic Regimes in Canada, G.A.C Special paper 16, pp 205 - 241

Johns, G. W. (1982): Geology of the Burntbush-Detour Lakes Area, District of Cochrane; Ontario Geological Survey Report 199, 82p.

Larson, J. E., Hutchison, R. W. (1993): The Selbaie Zn-Cu-Ag Deposits, Quebec, Canada: An Example of Evolution from Subaqueous to Subaerial Volcanism and Mineralization in an Archean Caldera, Econ. Geol., vol. 88, pp 1460 - 1482

McMillan, R. H, (1991): Atkinson Project - Drilling Proposal

Nicholls, P. R. J. (1997a) Atkinson Project, Report on the 1996 Diamond Drilling Program (Assessment Report)

Nicholls, P. R. J. (1997b) Atkinson Project, Report on Phase II and III Drilling Completed on the Lipton Claims in 1996 (Assessment Report)

Nicholls, P. R. J. (2005) Atkinson Project, Report on Line Cutting and Ground Geophysical Surveys, Completed During 2005, Lipton and Horner Claims (Assessment Report)

Nicholls, P. R. J. (2006) Atkinson Project, Report on Diamond Drilling Completed During 2006, Lipton Claims (Assessment Report)

Pattison, E. F., Sauerbrei, J. A., Hannila, J. J., and Church, J. F. (1986): Gold Mineralization in the Casa-Beradi Area, Quebec, Canada. in Proceeding of Gold '86 Symposium, Toronto, 1986, pp. 170 - 183

Ontario Geological Survey (1995): The Ontario Drill Hole Database, Data Set 13 (ascii format)

Ontario Geological Survey (1996): Erlis Data Sets 1007 and 1008, Ontario Airbourne Magnetic and Electromagnetic Surveys, Detour Burntbush Abitibi Area

Ontario Government Assessment Files - Drill logs and survey results 1959 to 1986

Pelangio-Larder Mines (1999): Press release

Veillette, J. J. (1989): Ice Movements, Till Sheets and Glacial Transport in Abitibi - Timiskaming, Quebec and Ontario. G.S.C. Paper 89-20, p139 - 154

CERTIFICATION

I, Paul R. J. Nicholls of Stouffville, Ontario, do hereby certify that:

- 1) I am an independent geologist and have no financial interest in the properties covered by this report.
- 2) I am a graduate of Queens University, Kingston, Ontario, B.Sc. (1976), and a member of the Association of Professional Engineers of Ontario. I have practised my profession for over 25 years.
- 3) I am the author of this report which is based on extensive experience in exploring the Detour Lake Area and a review of the exploration data available from various published and unpublished sources
- 4) I supervised diamond drilling programs completed on the properties in 1996, reviewed some of the core from the Lipton Property in October 2003, supervised 2005 and 2006 programs completed on the Lipton claims and compiled the data covered by this report.


Paul R. J. Nicholls

Paul R. J. Nicholls, P.Eng.

May 23, 2007




Appendix 1 - Whole Rock Results



- Samples from Lipton core
- ◆ Samples from Goodwin

Dentonia Resources Ltd.
Atkinson Project - Lipton Claims


**Na_2O versus SiO_2
Felsic Volcanic Rocks**



- Samples from Lipton core
- ◆ Samples from Goodwin

Dentonia Resources Ltd.
Atkinson Project - Lipton Claims


**K_2O versus SiO_2
Felsic Volcanic Rocks**



- Samples from Lipton core (with hole number)
- ◆ Samples from Goodwin

Dentonia Resources Ltd.
 Atkinson Project - Lipton Claims


**Ba versus SiO₂
 Felsic Volcanic Rocks**



- ◆ Samples from Lipton core
- ◼ Samples from Goodwin

Dentonia Resources Ltd.
 Atkinson Project - Lipton Claims


**Na_2O versus SiO_2
 Mafic Volcanic Rocks**



- Samples from Lipton core
- ◆ Samples from Goowin

Dentonia Resources Ltd.
 Atkinson Project - Lipton Claims

K₂O versus SiO₂
Mafic Volcanic Rocks



- Samples from Lipton core (with hole number)
- ◆ Samples from Goodwin

Dentonia Resources Ltd.

Atkinson Project - Lipton Claims

**Ba versus SiO₂
Mafic Volcanic Rocks**

Date: February 13, 2007

Your reference:

Our reference: A06-5049 / Folder 15584A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 4

Elements

Method

Whole Rock analysis

ICP 4B


Claude Leclerc / Assistant-Manager

Report: A06-5049
 Report Date: 12/02/2007

Final Report
Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
75581	48.1	14.68	13.37	0.272	8.45	8.2	2.55	1.64	1.011	0.08	1.35	99.72	160	211	19	38	54	< 1
75592	47.83	14.77	13.71	0.228	9.64	5.58	2.03	3.87	1.061	0.08	1.63	100.4	323	108	19	39	54	< 1
75606	48.22	14.36	13.4	0.212	6.16	9.61	3.73	0.53	1.042	0.09	1.33	98.7	54	178	24	39	69	< 1
75638	62.03	16.15	4.05	0.06	1.82	5.71	5.56	2.42	0.522	0.21	1.86	100.4	741	665	8	7	113	1

Final Report
Activation Laboratories

Report: A06-5049
Report Date: 12/1

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
<hr/>	
75581	287
75592	304
75606	286
75638	73

Date: February 13, 2007

Your reference:

Our reference: A06-5050 / Folder 15585A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 6

Elements

Method

Whole Rock analysis

ICP 4B


Claude Leclerc / Assistant-Manager

Report: A06-5050
 Report Date: 12/02/2007

Final Report
 Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
75649	63.05	14.18	7.82	0.251	2.49	5.84	1.25	2.62	0.581	0.17	2.23	100.5	414	150	29	18	188	1
75658	67.58	16.51	3.29	0.063	1.61	3	3.96	1.99	0.324	0.13	1.61	100.1	689	521	1	5	83	1
75671	70.41	15.95	1.32	0.017	0.34	1.96	4.58	2.6	0.169	0.06	1.2	98.6	271	171	< 1	2	67	< 1
75700	73.71	17.42	0.81	0.01	0.27	0.23	0.73	4.41	0.188	0.06	2.46	100.3	371	67	< 1	2	72	< 1
75710	66.76	13.4	8.15	0.241	2.69	2.87	1.82	1.86	0.662	0.18	1.69	100.3	209	115	21	20	146	< 1
75727	65.29	11.11	9.42	0.207	2.33	5.17	2.3	2.09	0.428	0.06	1.78	100.2	373	118	30	12	228	< 1

Report: A06-5050
Report Date: 12/1

Final Report
Activation Laboratories

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
<hr/>	
75649	81
75658	47
75671	17
75700	20
75710	113
75727	69

Date: February 13, 2007

Your reference:

Our reference: A06-5051 / Folder 15586A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 7

Elements

Method

Whole Rock analysis

ICP 4B


Claude Leclerc / Assistant-Manager

Report: A06-5051
 Report Date: 12/02/2007

Final Report
Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
75758	48.32	15.72	10.84	0.237	8.48	7.93	2.97	1.25	0.714	0.05	2.26	98.74	1683	293	13	40	33	< 1
75777	51.55	14.52	10.73	0.207	7.5	5.97	2.75	1.98	0.741	0.16	3.99	100.1	412	209	20	27	98	1
75796	66.95	16.05	4.15	0.084	1.78	3.75	1.91	2.69	0.369	0.1	2.72	100.6	322	215	3	6	110	1
75813	68.96	16.09	1.67	0.041	0.7	3.29	4.93	2.22	0.171	0.06	0.73	98.88	342	288	< 1	3	64	< 1
75817	68.46	15.75	2.87	0.044	1.17	3.02	4.9	2.2	0.346	0.16	1.27	100.2	719	683	1	4	94	1
75824	70.63	16.29	1.56	0.03	0.35	2.87	4.71	2.6	0.173	0.06	0.69	99.97	347	232	< 1	3	75	< 1
75832	51.69	14.04	13.94	0.541	5.61	8.23	2.35	1.42	0.707	0.16	1.56	100.2	126	152	21	25	95	1

Report: A06-5051
Report Date: 12/1

Final Report
Activation Laboratories

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
<hr/>	
75758	251
75777	162
75796	52
75813	19
75817	41
75824	19
75832	163

Date: February 13, 2007

Your reference:

Our reference: A06-5052 / Folder 15622A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 6

Elements

Method

Whole Rock analysis

ICP 4B


Claude Leclerc / Assistant-Manager

Report: A06-5052
 Report Date: 12/02/2007

Final Report
Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
75857	49.6	14.42	13.36	0.21	6.98	7.15	2.96	2.16	1.103	0.09	1.35	99.38	235	180	23	40	70	1
75875	48.3	14.9	13.68	0.208	7.43	9.63	2.86	0.73	1.122	0.09	0.73	99.68	68	105	21	42	57	< 1
75887	68.81	11.24	7.67	0.213	2.53	3.62	1.45	2.64	0.501	0.07	1.41	100.2	284	72	27	15	207	1
75915	72.11	16.13	1.4	0.017	0.53	2.39	2.85	3.06	0.172	0.06	1.86	100.6	286	156	< 1	2	68	1
75928	71.25	16.91	1.02	0.023	0.48	1.45	2.8	3.43	0.179	0.07	1.58	99.2	532	157	< 1	3	73	1
75940	62.48	16.5	5.67	0.222	2.37	4.99	3.41	2.37	0.833	0.2	1.36	100.4	302	278	19	29	113	1

Report: A06-5052
Report Date: 12/1

Final Report
Activation Laboratories

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
<hr/>	
75857	308
75875	322
75887	72
75915	15
75928	22
75940	178

Date: February 13, 2007

Your reference:

Our reference: A06-5053 / Folder 15623A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 6

Elements

Method

Whole Rock analysis

ICP 4B


Claude Leclerc / Assistant-Manager

Report: A06-5053
 Report Date: 12/02/2007

Final Report
Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
75952	56.68	12.71	10.13	0.318	4.18	9.04	1.87	1.61	0.808	0.11	1.63	99.1	195	196	21	28	102	1
75960	47.17	14.58	13.98	0.224	6.4	10.1	2.31	1.37	1.09	0.09	1.26	98.56	223	176	20	41	57	< 1
75979	61.43	12.8	11	0.257	2.86	6.17	1.61	1.72	0.621	0.09	1.44	99.99	186	115	33	18	232	< 1
75994	72.83	13.69	3.23	0.044	1.58	2.23	1.22	2.21	0.444	0.1	1.67	99.25	301	84	42	8	362	1
76012	64.37	15.81	4.35	0.078	2.72	2.47	4.49	2.44	0.462	0.23	2.47	99.89	614	392	5	5	103	1
76025	55.59	15.56	10.61	0.308	3.64	6.93	3.41	2.09	0.644	0.16	1.3	100.2	534	224	17	22	89	< 1

Report: A06-5053
Report Date: 12/1

Final Report
Activation Laboratories

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
<hr/>	
75952	206
75960	314
75979	109
75994	10
76012	64
76025	144

Date: February 13, 2007

Your reference:

Our reference: A06-5054 / Folder 15760A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 6

Elements

Method

Whole Rock analysis

ICP 4B


Claude Leclerc / Assistant-Manager

Report: A06-5054
 Report Date: 12/02/2007

Final Report
 Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
76042	70.86	16.24	1.34	0.019	0.4	1.85	4.37	3.39	0.179	0.06	1.25	99.95	350	150	< 1	3	70	1
76043	71.04	15.35	1.36	0.027	0.54	2.26	3.99	3.15	0.18	0.07	1.28	99.25	373	210	< 1	2	72	< 1
76049	71.4	15.89	1.18	0.023	0.42	2.39	3.36	2.87	0.183	0.07	1.3	99.09	283	169	< 1	2	77	1
76081	63.96	14.45	7.47	0.205	1.65	5.25	2.86	2.04	0.769	0.18	1.27	100.1	246	180	18	26	104	1
76109	48.26	17.28	11.49	0.232	7.02	9.94	1.92	1.71	0.85	0.07	1.39	100.2	315	136	16	44	38	< 1
76124	53.79	14.94	9.77	0.162	5.52	9.64	2.25	1.66	0.77	0.17	1.28	99.95	341	156	19	27	102	< 1

Report: A06-5054
Report Date: 12/1

Final Report
Activation Laboratories

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
<hr/>	
76042	21
76043	16
76049	20
76081	174
76109	282
76124	172

Date: February 19, 2007

Your reference:

Our reference: A06-5055 / Folder 15761A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 3

Elements

Method

Whole Rock analysis

ICP 4B



Claude Leclerc / Assistant-Manager

Report: A06-5055
 Report Date: 16/02/2007

Final Report
Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
76178	70.1	16.46	2.43	0.049	0.5	2.51	3.67	3.12	0.179	0.05	1.19	100.3	392	185	3	2	81	1
76191	51.76	14.38	13.13	0.401	3.78	7.18	1.81	2.91	0.731	0.17	3.39	99.64	343	246	25	25	107	1
76211	60.14	16.5	8.75	0.176	1.78	6.23	1.79	2.37	0.894	0.19	1.41	100.2	237	143	22	32	117	1

Final Report
Activation Laboratories

Report: A06-5055
Report Date: 16/1

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
<hr/>	
76178	18
76191	169
76211	203

Date: February 19, 2007

Your reference:

Our reference: A06-5056 / Folder 15775A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 5

Elements

Method

Whole Rock analysis

ICP 4B


Claude Leclerc / Assistant-Manager

Report: A06-5056
 Report Date: 16/02/2007

Final Report
Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
76247	49.15	17.36	11.44	0.205	5.79	8.16	2.78	2.45	0.947	0.05	1.86	100.2	977	235	18	49	48	1
76257	48.7	15.6	12.41	0.216	7.3	11.18	1.81	1.11	0.771	0.06	1.1	100.3	355	205	17	42	43	1
76263	47.62	15.71	12.49	0.205	8.97	8.97	2.23	1.56	0.793	0.06	1.55	100.2	520	177	16	40	39	< 1
76290	69.54	16.57	1.4	0.026	0.56	4.08	4.27	2.13	0.174	0.05	0.94	99.73	278	245	3	3	71	< 1
76302	69.44	15.94	1.56	0.037	0.61	3.48	5.15	1.77	0.172	0.05	1.76	99.97	232	275	2	2	68	< 1

Report: A06-5056
Report Date: 16/1

Final Report
Activation Laboratories

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
<hr/>	
76247	312
76257	258
76263	253
76290	18
76302	17

Date: February 19, 2007

Your reference:

Our reference: A06-5057 / Folder 15776A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 4

Elements

Method

Whole Rock analysis

ICP 4B


Claude Leclerc / Assistant-Manager

Report: A06-5057
 Report Date: 16/02/2007

Final Report
Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
76348	58.54	16.9	9.07	0.155	2.55	4.87	2.66	2.42	0.885	0.13	1.59	99.77	185	214	18	37	92	1
76355	59.06	17.15	5.6	0.097	4.26	7.01	3.32	1.81	0.494	0.15	1.35	100.3	526	852	9	12	97	1
76383	46.56	23.14	15.16	0.268	2.97	1.84	2.46	3.13	1.073	0.06	3.14	99.82	311	172	21	55	56	1
76427	69.18	11.29	8.28	0.152	2.69	2.65	1.24	2.55	0.445	0.07	1.77	100.3	224	75	33	12	264	< 1

Report: A06-5057
Report Date: 16/1

Final Report
Activation Laboratories

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
<hr/>	
76348	237
76355	92
76383	365
76427	49

Date: February 19, 2007

Your reference:

Our reference: A06-5059 / Folder 15857A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 3

Elements

Method

Whole Rock analysis

ICP 4B


Claude Leclerc / Assistant-Manager

Report: A06-5059
 Report Date: 16/02/2007

Final Report
Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
76447	56.73	15.16	9.17	0.216	4.38	6.82	2.01	1.89	0.793	0.18	1.88	99.23	457	180	24	25	127	1
76463	69.9	16.47	1.47	0.025	0.76	3.68	3.88	2.88	0.18	0.05	1.1	100.4	318	242	2	2	75	< 1
76479	69.92	16.19	1.68	0.034	0.64	3.21	4.05	2.21	0.179	0.06	1.59	99.76	316	227	2	3	73	< 1

Final Report
Activation Laboratories

Report: A06-5059
Report Date: 16/1

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
<hr/>	
76447	162
76463	19
76479	20

Appendix 2 - ICP Multi-element Scan Results

Date: January 29, 2007

Your reference:

Our reference: A06-5037 / Folder 15585

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 17

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

Final Report
Activation Laboratories

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75656	0.8	0.9	87	563	12	66	101	253	0.41	43	31	< 1	16	0.4	35	118	6.46	0.12	0.43	0.05
75657	0.4	< 0.5	83	603	15	52	28	162	0.59	< 10	60	< 1	42	0.72	23	110	3.95	0.14	0.56	0.09
75658	< 0.2	< 0.5	23	440	5	22	14	93	0.48	< 10	165	< 1	< 10	0.5	12	82	2.02	0.39	0.49	0.11
75706	0.3	< 0.5	36	984	< 2	81	10	60	1.19	< 10	33	< 1	< 10	2.68	29	141	4.29	0.19	0.64	0.33
75707	0.4	< 0.5	82	1330	2	101	20	67	1.12	< 10	46	< 1	< 10	2.12	35	138	5.7	0.3	0.68	0.3
75708	0.3	< 0.5	106	1040	2	84	22	75	0.94	< 10	94	< 1	< 10	1.11	35	99	5.4	0.55	0.64	0.19
75709	0.4	< 0.5	131	1100	3	70	23	78	1.03	< 10	81	< 1	< 10	1.42	35	97	6.16	0.51	0.7	0.22
75710	< 0.2	< 0.5	82	753	4	86	10	79	0.81	< 10	101	< 1	< 10	0.59	32	139	4.18	0.68	0.64	0.12
75711	0.2	< 0.5	53	483	5	94	10	76	0.72	< 10	118	< 1	< 10	0.5	29	148	3.1	0.7	0.57	0.15
75715	0.3	< 0.5	70	613	< 2	57	9	49	0.57	< 10	112	< 1	< 10	0.85	26	149	3.03	0.48	0.48	0.15
75720	0.3	< 0.5	122	574	< 2	102	10	77	0.9	< 10	114	< 1	< 10	0.9	49	127	5.48	1.38	0.77	0.15
75721	0.2	< 0.5	29	480	< 2	85	11	71	1.05	< 10	198	< 1	< 10	1.08	40	124	4.91	1.8	0.82	0.14
75722	< 0.2	< 0.5	4	438	< 2	81	8	70	1.07	< 10	196	< 1	< 10	0.74	34	127	4.79	1.89	0.85	0.14
75723	0.2	< 0.5	125	517	< 2	105	12	57	0.73	< 10	101	< 1	< 10	1.24	48	94	5.03	0.56	0.69	0.16
75724	0.3	< 0.5	83	788	< 2	96	8	53	0.68	< 10	42	< 1	< 10	2.87	42	94	4.26	0.29	0.53	0.24
75725	0.4	< 0.5	97	953	< 2	98	7	57	0.57	< 10	28	< 1	< 10	4.19	45	105	4.11	0.46	0.51	0.16
75726	0.3	< 0.5	63	1100	2	67	10	60	0.64	< 10	41	< 1	< 10	1.99	31	92	4.22	0.48	0.5	0.17

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75656	0.021	< 10	3	< 10	7	0.07	30	< 10	7	23	3.785
75657	0.048	< 10	5	< 10	17	0.12	53	< 10	8	37	1.585
75658	0.047	< 10	3	< 10	24	0.11	37	< 10	4	32	0.471
75706	0.023	< 10	16	< 10	40	0.1	117	< 10	7	2	0.437
75707	0.021	< 10	16	< 10	21	0.12	121	< 10	9	4	1.04
75708	0.032	< 10	13	< 10	14	0.14	98	< 10	9	10	0.979
75709	0.066	< 10	10	< 10	17	0.13	77	< 10	11	7	1.222
75710	0.065	< 10	13	< 10	12	0.16	93	< 10	10	11	0.594
75711	0.04	< 10	10	< 10	17	0.13	68	< 10	12	16	0.412
75715	0.043	< 10	11	< 10	26	0.13	115	< 10	5	8	0.508
75720	0.027	< 10	9	< 10	14	0.26	139	< 10	6	3	1.132
75721	0.027	< 10	9	< 10	11	0.3	140	< 10	6	3	0.236
75722	0.028	< 10	9	< 10	8	0.29	147	< 10	7	3	0.038
75723	0.028	< 10	10	< 10	14	0.26	118	< 10	9	3	1.327
75724	0.026	< 10	12	< 10	28	0.28	123	< 10	10	5	0.835
75725	0.028	< 10	13	< 10	26	0.27	136	< 10	9	4	0.847
75726	0.031	< 10	10	< 10	23	0.25	100	< 10	15	8	0.576

Date: February 6, 2007

Your reference:

Our reference: A06-5038 / Folder 15586

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 13

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75786	< 0.2	< 0.5	33	532	3	64	10	79	0.64	< 10	68	< 1	< 10	0.92	23	115	2.68	0.58	0.67	0.1
75787	0.6	< 0.5	99	493	13	68	10	92	0.32	12	25	< 1	< 10	0.88	23	140	4.31	0.1	0.44	0.04
75788	0.5	< 0.5	107	308	9	33	8	88	0.11	< 10	15	< 1	< 10	0.56	13	103	4.15	0.03	0.31	0.03
75789	0.2	< 0.5	23	561	6	39	6	64	0.57	< 10	57	< 1	< 10	0.92	18	116	2.6	0.32	0.62	0.09
75790	0.6	< 0.5	119	414	85	69	20	55	0.19	< 10	20	< 1	< 10	1.02	32	118	4.31	0.07	0.27	0.05
75791	0.5	< 0.5	107	394	10	83	16	95	0.28	< 10	16	< 1	< 10	0.2	51	53	5.16	0.29	0.49	0.03
75792	0.8	0.5	146	241	18	136	32	191	0.3	< 10	12	< 1	< 10	0.22	72	55	6.61	0.22	0.4	0.02
75793	0.2	< 0.5	41	405	11	44	16	149	0.44	< 10	30	< 1	< 10	0.54	24	73	2.87	0.37	0.65	0.06
75794	2	2.4	168	282	16	181	134	605	0.33	< 10	16	< 1	< 10	0.51	85	59	7.6	0.14	0.4	0.03
75795	2	3.7	121	369	13	137	202	981	0.45	< 10	20	< 1	< 10	0.37	64	99	5.42	0.27	0.6	0.05
75796	0.2	< 0.5	18	394	6	39	23	99	0.57	47	40	< 1	< 10	0.97	14	66	2.46	0.25	0.48	0.09
75797	2.5	3.8	259	286	11	91	176	920	0.19	< 10	16	< 1	< 10	0.24	25	73	12.4	0.09	0.28	0.04
75798	< 0.2	< 0.5	10	268	8	7	8	80	0.26	10	29	< 1	< 10	0.36	5	72	1.32	0.19	0.3	0.07

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75786	0.057	< 10	5	< 10	41	0.19	68	< 10	7	20	0.407
75787	0.033	< 10	4	< 10	25	0.12	37	< 10	8	9	2.365
75788	0.026	< 10	1	< 10	11	0.05	15	< 10	6	11	3.162
75789	0.063	< 10	4	< 10	31	0.19	64	< 10	7	38	0.784
75790	0.036	< 10	3	< 10	16	0.1	22	< 10	12	29	2.734
75791	0.024	< 10	2	< 10	4	0.06	19	14	9	69	3.618
75792	0.036	< 10	2	< 10	4	0.06	18	76	11	61	4.065
75793	0.065	< 10	4	< 10	20	0.11	53	< 10	7	33	1.628
75794	0.037	< 10	3	< 10	6	0.06	22	13	12	47	4.731
75795	0.033	< 10	5	< 10	9	0.06	44	19	7	49	3.551
75796	0.037	< 10	1	< 10	27	0.07	18	< 10	4	17	1.418
75797	0.015	< 10	1	< 10	6	0.04	63	24	4	15	6.807
75798	0.019	< 10	< 1	< 10	10	0.04	13	< 10	2	19	0.919

Date: January 29, 2007

Your reference:

Our reference: A06-5039 / Folder 15622

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 17

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75851	< 0.2	< 0.5	42	357	5	6	4	45	1.18	< 10	77	< 1	< 10	1.17	17	49	2.38	1.15	0.54	0.17
75852	< 0.2	< 0.5	15	457	< 2	69	6	49	0.82	< 10	149	< 1	< 10	0.81	32	105	4.02	1.42	0.73	0.13
75853	0.2	< 0.5	38	424	4	88	5	38	0.54	< 10	60	< 1	< 10	1	31	77	3.26	0.64	0.63	0.15
75854	0.4	< 0.5	61	596	< 2	100	7	62	0.7	< 10	107	< 1	< 10	1.12	37	96	4.5	1.13	0.69	0.12
75855	0.3	< 0.5	50	241	7	19	6	28	0.23	< 10	64	< 1	< 10	0.54	11	41	1.44	0.34	0.33	0.11
75856	0.8	< 0.5	145	769	3	50	14	114	0.7	< 10	88	< 1	106	0.55	33	64	5.47	1.41	0.65	0.07
75857	0.2	< 0.5	78	613	< 2	86	8	65	0.73	< 10	194	< 1	< 10	0.91	43	99	4.61	1.32	0.69	0.13
75858	< 0.2	< 0.5	102	422	< 2	96	6	55	0.63	< 10	67	< 1	< 10	0.88	40	102	3.63	0.71	0.67	0.16
75859	< 0.2	< 0.5	86	395	< 2	93	4	51	0.58	< 10	47	< 1	< 10	0.89	40	85	3.5	0.42	0.67	0.18
75860	0.3	< 0.5	50	321	< 2	63	5	49	0.54	< 10	109	< 1	< 10	0.7	30	101	2.76	0.61	0.67	0.14
75861	< 0.2	< 0.5	38	306	< 2	64	3	46	0.5	< 10	77	< 1	< 10	0.75	30	92	2.96	0.46	0.63	0.15
75869	< 0.2	< 0.5	61	416	< 2	56	5	30	0.49	< 10	49	< 1	< 10	1.53	25	69	2.83	0.31	0.64	0.16
75870	0.3	< 0.5	49	370	< 2	54	6	26	0.49	< 10	19	< 1	< 10	1.41	24	63	2.62	0.18	0.59	0.17
75871	< 0.2	< 0.5	56	324	< 2	64	7	29	0.39	< 10	28	< 1	< 10	1.09	28	56	2.34	0.32	0.5	0.15
75872	< 0.2	< 0.5	59	265	< 2	56	4	22	0.36	< 10	19	< 1	< 10	1.16	23	81	1.84	0.25	0.44	0.14
75873	0.3	< 0.5	455	332	< 2	86	7	34	0.52	< 10	49	< 1	< 10	1.14	33	64	3.79	0.37	0.53	0.13
75874	< 0.2	< 0.5	13	369	< 2	53	4	38	0.45	< 10	37	< 1	< 10	1.18	23	66	2.54	0.24	0.58	0.17

**Final Report
Activation Laboratories**

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75851	0.024	< 10	3	< 10	25	0.14	10	< 10	22	9	0.027
75852	0.028	< 10	8	< 10	6	0.27	124	< 10	7	3	0.069
75853	0.028	< 10	8	< 10	7	0.18	91	< 10	6	3	0.386
75854	0.026	< 10	7	< 10	10	0.2	117	< 10	6	3	1.186
75855	0.041	< 10	2	< 10	15	0.05	24	< 10	3	6	0.493
75856	0.035	< 10	6	< 10	13	0.21	84	< 10	19	18	1.53
75857	0.03	< 10	10	< 10	8	0.28	145	< 10	8	4	0.669
75858	0.034	< 10	9	< 10	7	0.18	106	< 10	6	5	0.507
75859	0.03	< 10	10	< 10	7	0.15	113	< 10	6	3	0.366
75860	0.03	< 10	9	< 10	6	0.17	122	< 10	5	3	0.214
75861	0.029	< 10	9	< 10	6	0.15	109	< 10	6	3	0.221
75869	0.025	< 10	10	< 10	11	0.18	91	< 10	8	3	0.184
75870	0.028	< 10	9	< 10	16	0.14	85	< 10	7	2	0.202
75871	0.029	< 10	7	< 10	10	0.14	75	< 10	5	2	0.249
75872	0.036	< 10	5	< 10	17	0.11	52	< 10	4	2	0.299
75873	0.03	< 10	7	< 10	13	0.17	78	< 10	6	3	1.396
75874	0.028	< 10	9	< 10	6	0.14	84	< 10	6	2	0.109

Date: January 31, 2007

Your reference:

Our reference: A06-5040 / Folder 15623

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 11

Elements

Method

Scan

ICP OES 1E1



Claude Leclerc / Assistant-Manager

Final Report
Activation Laboratories

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75967	0.3	< 0.5	128	372	20	19	11	49	0.35	< 10	82	< 1	< 10	0.77	18	39	2.61	0.43	0.52	0.07
75968	0.2	< 0.5	46	500	2	41	7	56	0.53	< 10	187	< 1	< 10	1.02	23	82	2.97	0.78	0.6	0.09
75969	0.4	< 0.5	92	306	2	23	9	45	0.35	< 10	110	< 1	< 10	0.49	16	46	2.41	0.53	0.51	0.1
75970	6.2	< 0.5	95	398	2	50	20	67	0.57	< 10	63	< 1	48	0.4	25	53	3.56	0.94	0.65	0.1
75971	0.5	< 0.5	105	408	< 2	90	10	60	0.64	< 10	63	< 1	< 10	0.43	41	99	4.31	0.97	0.72	0.09
75972	< 0.2	< 0.5	23	369	< 2	66	7	35	0.48	< 10	44	< 1	< 10	1.26	25	77	2.52	0.31	0.59	0.1
75973	< 0.2	< 0.5	23	410	< 2	57	7	32	0.42	< 10	18	< 1	< 10	1.25	23	67	2.39	0.12	0.55	0.18
75974	0.2	< 0.5	47	540	< 2	99	13	62	0.85	< 10	77	< 1	< 10	1.37	38	201	4.4	0.48	0.79	0.16
75975	0.9	< 0.5	130	481	< 2	137	14	65	0.87	< 10	57	< 1	< 10	1.21	57	111	5.72	0.84	0.73	0.24
75976	0.4	< 0.5	108	836	< 2	92	12	59	0.57	< 10	66	< 1	< 10	3.08	42	99	4.3	0.71	0.57	0.14
75977	0.2	< 0.5	73	1130	< 2	97	9	63	0.87	< 10	91	< 1	< 10	2.75	42	116	4.04	0.92	0.59	0.2

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75967	0.074	< 10	3	< 10	23	0.1	51	1090	3	17	1.238
75968	0.067	< 10	6	< 10	21	0.16	96	162	4	13	0.535
75969	0.094	< 10	5	< 10	23	0.11	52	15	4	16	1.081
75970	0.092	< 10	5	< 10	24	0.14	89	1460	4	13	1.307
75971	0.026	< 10	5	< 10	10	0.17	112	25	4	3	1.459
75972	0.023	< 10	6	< 10	8	0.14	74	< 10	5	2	0.206
75973	0.029	< 10	9	< 10	8	0.1	83	< 10	6	3	0.14
75974	0.059	< 10	10	< 10	15	0.21	135	< 10	7	6	0.498
75975	0.03	< 10	9	< 10	25	0.25	130	< 10	8	5	1.897
75976	0.027	< 10	9	< 10	22	0.21	116	< 10	7	5	1.198
75977	0.027	< 10	10	< 10	25	0.25	129	< 10	8	4	0.162

Date: February 6, 2007

Your reference:

Our reference: A06-5041 / Folder 15760

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 4

Elements

Method

Scan

ICP OES 1E1



Claude Leclerc / Assistant-Manager

Final Report
Activation Laboratories

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
76081	< 0.2	< 0.5	94	953	3	212	9	93	0.55	< 10	118	< 1	< 10	0.76	56	215	3.68	0.76	0.5	0.09
76082	< 0.2	< 0.5	99	690	5	149	6	54	0.87	< 10	89	< 1	< 10	1.38	49	205	4.34	0.44	0.56	0.18
76083	0.3	< 0.5	244	489	4	199	7	57	0.95	< 10	40	< 1	< 10	1.01	45	273	4.88	0.77	0.58	0.25
76084	< 0.2	< 0.5	58	602	3	145	4	70	1.06	< 10	158	< 1	< 10	1.31	35	276	3.69	0.72	0.57	0.33

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
76081	0.061	< 10	10	< 10	16	0.22	123	< 10	11	9	0.904
76082	0.054	< 10	10	< 10	33	0.18	127	< 10	11	7	1.079
76083	0.06	< 10	17	< 10	35	0.17	154	< 10	11	10	1.346
76084	0.059	< 10	14	< 10	40	0.17	149	< 10	11	6	0.184

Date: February 21, 2007

Your reference:

Our reference: A06-5042 / Folder 15775

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 17

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

Final Report
Activation Laboratories

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
76251	< 0.2	< 0.5	59	594	< 2	56	2	62	1.15	< 10	159	< 1	< 10	1.76	24	226	2.46	0.81	0.59	0.47
76252	< 0.2	< 0.5	19	321	5	13	4	55	0.4	< 10	96	< 1	< 10	0.63	13	80	1.67	0.43	0.43	0.12
76253	0.4	< 0.5	88	466	2	89	7	40	0.57	< 10	32	< 1	< 10	1.67	29	134	2.78	0.19	0.45	0.17
76254	< 0.2	< 0.5	46	736	2	67	3	63	0.98	< 10	93	< 1	< 10	1.88	24	128	3.12	0.39	0.53	0.29
76255	< 0.2	< 0.5	28	1150	3	53	3	72	0.8	< 10	92	< 1	< 10	1.22	17	106	3.65	0.32	0.56	0.16
76256	< 0.2	< 0.5	84	759	< 2	135	< 2	45	1.14	< 10	47	< 1	< 10	2.44	35	169	3.56	0.54	0.59	0.38
76257	< 0.2	< 0.5	57	549	< 2	87	< 2	39	1.14	< 10	177	< 1	< 10	2.53	35	117	3.22	0.38	0.61	0.44
76258	< 0.2	< 0.5	33	618	< 2	93	< 2	71	1.02	< 10	144	< 1	< 10	2.52	35	106	3.31	0.31	0.63	0.4
76259	< 0.2	< 0.5	43	662	< 2	168	< 2	55	0.97	< 10	81	< 1	< 10	2.24	37	408	3.77	0.62	0.74	0.22
76260	0.4	< 0.5	188	703	6	170	2	66	0.89	< 10	14	< 1	< 10	2.19	62	243	4.78	0.73	0.64	0.18
76261	0.3	< 0.5	176	960	< 2	130	< 2	79	0.96	< 10	22	< 1	< 10	2.57	50	164	5.23	1.04	0.74	0.17
76307	0.2	< 0.5	41	396	< 2	87	6	46	0.49	< 10	51	< 1	< 10	1.39	28	187	2.63	0.33	0.61	0.15
76308	< 0.2	< 0.5	34	436	< 2	74	4	40	0.58	< 10	34	< 1	< 10	1.49	25	170	2.33	0.18	0.62	0.11
76309	< 0.2	< 0.5	35	447	< 2	80	6	44	0.57	< 10	59	< 1	< 10	1.38	27	166	2.56	0.35	0.63	0.13
76310	0.2	< 0.5	38	651	2	86	4	59	0.73	< 10	47	< 1	< 10	1.42	27	187	2.93	0.26	0.68	0.13
76311	< 0.2	< 0.5	43	293	3	19	5	43	0.31	< 10	28	< 1	< 10	0.61	9	71	1.19	0.18	0.41	0.09
76312	< 0.2	< 0.5	78	226	8	7	7	46	0.27	< 10	23	< 1	< 10	0.94	6	75	0.94	0.14	0.31	0.08

Report: A06-5042
 Report Date: 20/1

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
76251	0.06	< 10	9	< 10	55	0.24	118	< 10	12	5	0.15
76252	0.054	< 10	3	< 10	32	0.16	43	< 10	4	9	0.169
76253	0.059	< 10	9	< 10	36	0.22	83	< 10	13	7	0.802
76254	0.043	< 10	8	< 10	50	0.17	81	< 10	10	6	0.274
76255	0.045	< 10	8	< 10	24	0.15	48	< 10	13	10	0.284
76256	0.038	< 10	10	< 10	72	0.2	104	< 10	9	3	0.336
76257	0.018	< 10	13	< 10	73	0.19	110	< 10	7	2	0.218
76258	0.018	< 10	14	< 10	56	0.19	108	< 10	8	2	0.196
76259	0.075	< 10	10	< 10	41	0.22	108	< 10	7	13	0.317
76260	0.038	< 10	11	< 10	47	0.25	130	< 10	9	8	1.124
76261	0.018	< 10	14	< 10	33	0.24	141	< 10	7	4	0.662
76307	0.075	< 10	7	< 10	44	0.21	76	< 10	9	13	0.596
76308	0.077	< 10	6	< 10	43	0.2	74	< 10	8	7	0.196
76309	0.076	< 10	6	< 10	51	0.2	74	< 10	8	9	0.399
76310	0.075	< 10	7	< 10	57	0.22	81	< 10	9	11	0.346
76311	0.029	< 10	2	< 10	20	0.09	26	< 10	3	17	0.277
76312	0.021	< 10	< 1	< 10	19	0.06	12	< 10	2	14	0.372

Date: February 5, 2007

Your reference:

Our reference: A06-5043 / Folder 15776

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 28

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
76394	0.6	< 0.5	105	1130	< 2	105	55	364	0.85	11	83	1	< 10	2.49	48	140	6.56	1.21	1.21	0.1
76395	0.8	< 0.5	126	1070	4	119	29	197	0.91	< 10	105	1	< 10	1	54	135	6.41	1.45	1.03	0.11
76396	0.5	< 0.5	71	680	4	104	42	258	0.98	< 10	133	1	< 10	1.57	43	118	4.84	1.06	1.05	0.2
76397	0.6	< 0.5	84	571	< 2	74	23	64	0.71	< 10	48	< 1	< 10	1.76	37	92	3.76	0.35	0.8	0.22
76398	0.2	< 0.5	44	517	2	73	10	40	0.6	< 10	34	< 1	< 10	1.67	32	83	3.5	0.24	0.79	0.2
76399	< 0.2	< 0.5	49	441	2	82	4	46	0.77	< 10	81	< 1	< 10	0.95	37	97	4.17	0.93	1.15	0.12
76400	< 0.2	< 0.5	46	469	< 2	67	5	39	0.69	< 10	43	< 1	< 10	1.07	33	87	3.85	0.55	1.07	0.14
76401	< 0.2	< 0.5	17	491	2	51	5	27	0.74	< 10	23	< 1	< 10	1.81	26	83	3.6	0.14	0.8	0.13
76402	0.7	< 0.5	58	811	3	68	36	86	0.89	< 10	58	1	< 10	2.18	41	104	5.25	0.6	0.71	0.08
76403	0.3	< 0.5	32	430	5	14	9	65	0.27	< 10	12	< 1	< 10	2	13	76	2.01	0.18	0.3	0.06
76411	0.8	< 0.5	64	674	9	68	32	73	0.76	< 10	62	1	< 10	1.59	38	127	5.09	0.44	1.21	0.13
76412	0.4	< 0.5	53	507	2	65	19	79	0.63	< 10	32	< 1	< 10	1.39	33	96	3.75	0.22	0.99	0.14
76413	0.5	< 0.5	64	474	< 2	66	28	80	0.6	< 10	10	< 1	< 10	1.34	33	91	3.38	0.1	1.04	0.16
76414	0.7	< 0.5	164	438	< 2	78	9	35	0.58	< 10	6	< 1	< 10	1.22	54	72	3.97	0.06	0.85	0.14
76415	1.3	< 0.5	361	443	< 2	104	15	30	0.55	< 10	10	< 1	< 10	1.44	88	87	4.3	0.09	0.83	0.18
76416	0.6	< 0.5	222	440	< 2	88	20	36	0.49	< 10	11	< 1	< 10	1.09	45	68	3.82	0.08	0.84	0.15
76418	0.4	< 0.5	249	441	6	85	17	28	0.43	< 10	7	< 1	< 10	1.21	38	64	3.72	0.05	0.72	0.16
76419	0.4	< 0.5	172	446	3	88	9	50	0.51	< 10	11	< 1	< 10	1.05	45	91	4.08	0.09	0.84	0.13
76420	0.5	< 0.5	190	477	< 2	92	12	41	0.61	< 10	20	< 1	< 10	1.02	52	83	4.69	0.21	1.01	0.15
76421	0.6	< 0.5	83	424	< 2	77	5	38	0.55	< 10	25	< 1	< 10	1.18	48	106	3.38	0.17	0.91	0.14
76422	< 0.2	< 0.5	92	462	2	74	7	35	0.51	< 10	37	< 1	< 10	1.45	41	76	3.41	0.18	0.78	0.18
76423	< 0.2	< 0.5	140	388	2	66	5	32	0.66	< 10	34	< 1	< 10	2.16	37	78	3.35	0.18	0.64	0.2
76424	< 0.2	< 0.5	45	611	< 2	56	7	40	0.85	< 10	21	1	< 10	3.04	29	89	3.38	0.17	0.59	0.28
76425	0.2	< 0.5	83	537	< 2	84	6	38	0.85	< 10	49	< 1	< 10	2.25	38	87	3	0.23	0.53	0.29
76443	0.3	< 0.5	94	544	5	77	4	55	0.71	< 10	242	< 1	< 10	0.98	42	115	4.06	0.66	1.03	0.11
76444	< 0.2	< 0.5	99	544	2	132	10	45	1.11	< 10	201	< 1	< 10	2.2	42	132	3.25	0.57	0.73	0.34
76445	0.4	< 0.5	47	563	< 2	96	18	86	1.25	< 10	169	< 1	< 10	2.12	25	231	3.01	0.46	0.73	0.44
76446	< 0.2	< 0.5	79	485	< 2	79	30	55	1.24	< 10	69	< 1	< 10	2.21	26	102	3.1	0.2	0.56	0.53

**Final Report
Activation Laboratories**

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
76394	0.021	< 10	19	< 10	28	0.31	191	< 10	12	8	1.237
76395	0.021	< 10	12	< 10	17	0.31	179	< 10	9	7	0.875
76396	0.028	< 10	11	< 10	32	0.28	131	< 10	10	6	0.584
76397	0.021	< 10	12	< 10	22	0.25	116	< 10	10	5	0.364
76398	0.025	< 10	11	< 10	14	0.21	105	< 10	9	4	0.252
76399	0.025	< 10	8	< 10	8	0.23	123	< 10	7	4	0.298
76400	0.024	< 10	9	< 10	6	0.2	116	< 10	7	4	0.19
76401	0.021	< 10	10	< 10	16	0.25	115	< 10	9	5	0.056
76402	0.025	< 10	10	< 10	27	0.32	129	< 10	9	7	0.74
76403	0.012	< 10	3	< 10	19	0.08	18	< 10	15	9	0.4
76411	0.022	< 10	18	< 10	22	0.27	173	< 10	13	7	0.415
76412	0.02	< 10	11	< 10	9	0.22	119	< 10	9	5	0.261
76413	0.023	< 10	12	< 10	12	0.16	118	< 10	8	4	0.338
76414	0.021	< 10	9	< 10	9	0.16	102	< 10	7	4	0.956
76415	0.028	< 10	9	< 10	14	0.15	98	< 10	8	6	1.509
76416	0.022	< 10	10	< 10	10	0.14	100	< 10	7	5	0.948
76418	0.025	< 10	10	< 10	13	0.13	92	< 10	8	5	1.022
76419	0.022	< 10	8	< 10	15	0.17	102	< 10	6	5	0.789
76420	0.023	< 10	10	< 10	9	0.17	118	< 10	7	5	0.973
76421	0.032	< 10	8	< 10	9	0.16	94	< 10	6	6	0.482
76422	0.024	< 10	11	< 10	9	0.19	110	< 10	8	4	0.47
76423	0.023	< 10	11	< 10	26	0.26	108	< 10	9	5	0.317
76424	0.026	< 10	13	< 10	33	0.29	126	< 10	10	5	0.14
76425	0.024	< 10	10	< 10	36	0.26	114	< 10	8	5	0.273
76443	0.015	< 10	9	< 10	10	0.24	120	< 10	6	4	0.442
76444	0.033	< 10	9	< 10	65	0.2	101	< 10	8	5	0.432
76445	0.054	< 10	9	< 10	72	0.22	106	< 10	11	5	0.383
76446	0.051	< 10	8	< 10	76	0.19	84	< 10	11	5	0.727

Date: February 19, 2007

Your reference:

Our reference: A06-5046 / Folder 15569A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 8

Elements

Method

Whole Rock analysis

ICP 4B


Claude Leclerc / Assistant-Manager

Report: A06-5046
 Report Date: 16/02/2007

Final Report
Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
75253	53.05	15.74	12.2	0.417	3.7	6.96	2.86	2.29	0.663	0.06	1.9	99.83	412	243	15	33	57	1
75254	46.31	15.95	15.2	0.489	5.4	9.32	2.35	1.27	0.866	0.05	1.85	99.05	138	146	21	44	42	1
75280	64.25	16.19	3.63	0.091	1.53	4.21	5.36	1.83	0.403	0.15	1.1	98.75	661	327	6	5	114	1
75286	68.74	13.65	5.67	0.115	1.09	2.45	5.08	1.22	0.14	0.05	1.68	99.88	481	305	17	3	100	1
75310	80.84	11.16	1.76	0.049	0.29	0.21	1.83	2.59	0.092	0.02	1.26	100.1	334	50	59	3	233	1
75334	67.82	14.06	3.64	0.07	2.73	2.96	4.23	2.78	0.321	0.14	1.22	99.96	682	502	21	5	194	1
75344	67.17	15.48	3.59	0.054	1.59	3.77	4.5	2.09	0.41	0.18	1.5	100.3	699	689	7	5	106	1
75350	83.28	9.71	0.33	0.004	0.08	0.2	4.96	0.58	0.102	0.02	0.47	99.74	205	76	24	1	248	< 1

Report: A06-5046
Report Date: 16/1

Final Report
Activation Laboratories

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
75253	195
75254	279
75280	45
75286	20
75310	< 5
75334	41
75344	52
75350	< 5

Date: February 13, 2007

Your reference:

Our reference: A06-5047 / Folder 15570A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 8

Elements

Method

Whole Rock analysis

ICP 4B


Claude Leclerc / Assistant-Manager

Report: A06-5047
 Report Date: 12/02/2007

Final Report
Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
75383	46.72	15.27	12.58	0.233	9.87	8.63	1.54	2.58	0.72	0.06	1.72	99.92	771	136	13	36	35	< 1
75381	49.78	15.32	11.15	0.302	5.66	10.42	3.12	1.42	0.964	0.08	2.06	100.3	1095	170	19	47	55	< 1
75397	60.85	10.63	12.55	0.299	5.11	2.43	0.92	2.27	0.616	0.27	4.2	100.1	386	117	20	15	150	< 1
75411	51.37	15.13	10.56	0.204	6.26	8.62	2.23	2.08	0.79	0.17	2.48	99.89	312	195	21	28	105	< 1
75421	69.5	14.99	1.66	0.104	0.81	3.24	6.5	1.28	0.127	0.1	1.52	99.83	404	218	< 1	2	36	< 1
75432	73.16	16.07	1.41	0.019	0.53	1.3	2.8	3.12	0.177	0.06	1.56	100.2	293	151	< 1	2	73	< 1
75443	71.86	16.05	1.75	0.024	0.5	2.37	4.02	2.07	0.174	0.06	0.96	99.84	239	226	< 1	2	67	< 1
75452	47.76	14.36	14.6	0.186	10.33	5.23	2.39	0.45	1.179	0.09	3.42	99.99	36	96	21	42	63	< 1

Report: A06-5047
Report Date: 12/1

Final Report
Activation Laboratories

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
<hr/>	
75363	239
75381	286
75397	54
75411	182
75421	12
75432	16
75443	16
75452	329

Date: February 13, 2007

Your reference:

Our reference: A06-5048 / Folder 15583A

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 6

Elements

Method

Whole Rock analysis

ICP 4B


Claude Leclerc / Assistant-Manager

Report: A06-5048
 Report Date: 12/02/2007

Final Report
Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Ba	Sr	Y	Sc	Zr	Be
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	2	2	1	1	2	1
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP
75474	48.18	13.99	12.89	0.188	6.83	8.53	2.72	2.81	0.99	0.09	2.65	99.88	300	229	19	35	75	1
75488	50.01	14.89	13.3	0.202	6.87	8.05	4.06	0.85	1.085	0.09	1	100.4	91	184	21	41	64	< 1
75513	65.71	8.69	9.77	0.232	5.94	4.16	0.91	1.96	0.357	0.14	2.68	100.6	253	130	28	11	189	< 1
75526	54.14	15.29	9	0.165	5.65	7.5	1.99	2.71	0.775	0.18	2.69	100.1	355	236	19	28	107	1
75539	71.08	16.67	1.18	0.012	0.33	2.36	4.73	2.49	0.174	0.06	1.31	100.4	279	208	< 1	2	71	< 1
75550	70.84	16.48	1.6	0.029	0.65	2.57	3.78	2.32	0.182	0.06	1.32	99.83	257	195	< 1	2	71	< 1

Report: A06-5048
Report Date: 12/1

Final Report
Activation Laboratories

Analyte Symbol	V
Unit Symbol	ppm
Detection Limit	5
Analysis Method	FUS-ICP
<hr/>	
75474	272
75488	310
75513	47
75526	176
75539	18
75550	18

Date: February 6, 2007

Your reference:

Our reference: A06-5021 / Folder 11861

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 13

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
20671	0.3	< 0.5	9	219	6	10	18	47	0.17	< 10	32	< 1	< 10	1.12	7	69	0.97	0.08	0.25	0.05
20672	0.4	< 0.5	8	190	3	6	10	59	0.14	< 10	32	< 1	< 10	1.02	5	18	0.72	0.11	0.19	0.05
20673	0.4	0.6	10	218	7	8	21	179	0.14	< 10	31	< 1	< 10	1.07	5	88	0.89	0.12	0.19	0.04
20674	0.5	< 0.5	13	269	3	11	57	105	0.18	< 10	27	< 1	< 10	1.08	8	14	1.1	0.1	0.29	0.04
20675	0.9	< 0.5	17	308	6	14	82	90	0.2	< 10	29	< 1	< 10	1.2	8	69	1.45	0.13	0.33	0.04
20713	< 0.2	< 0.5	39	1230	5	31	18	77	0.58	< 10	43	< 1	< 10	1.95	17	76	3.26	0.31	0.54	0.11
20714	< 0.2	< 0.5	47	489	2	77	19	74	0.59	< 10	40	< 1	< 10	1.26	20	203	2.95	0.14	0.63	0.06
20715	< 0.2	< 0.5	12	400	6	23	6	56	0.45	13	45	< 1	< 10	1.01	9	95	1.73	0.25	0.47	0.07
20764	< 0.2	< 0.5	15	340	< 2	22	3	59	0.37	< 10	129	< 1	< 10	0.65	12	32	1.63	0.56	0.45	0.05
20765	0.6	1.8	175	209	10	58	14	648	0.2	< 10	25	< 1	< 10	0.32	24	115	4.44	0.1	0.23	0.04
20766	0.6	1.8	174	219	10	62	14	621	0.2	< 10	25	< 1	< 10	0.33	25	122	4.56	0.1	0.24	0.04
20767	< 0.2	< 0.5	64	876	5	52	6	74	0.65	< 10	68	< 1	< 10	2.45	32	156	3.68	0.33	0.55	0.14
20768	< 0.2	< 0.5	105	632	< 2	74	6	95	0.77	25	84	< 1	< 10	1.44	47	174	4.8	0.6	0.64	0.09

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
20671	0.019	< 10	< 1	< 10	13	0.04	8	< 10	2	12	0.556
20672	0.019	< 10	< 1	< 10	13	0.03	7	< 10	2	12	0.269
20673	0.02	< 10	< 1	< 10	12	0.03	7	< 10	2	14	0.47
20674	0.022	< 10	< 1	< 10	11	0.05	12	< 10	3	14	0.564
20675	0.02	< 10	< 1	< 10	13	0.05	13	< 10	4	18	0.973
20713	0.03	< 10	4	< 10	32	0.1	41	< 10	6	8	1.351
20714	0.037	< 10	3	< 10	28	0.11	47	< 10	3	10	0.916
20715	0.031	< 10	2	< 10	14	0.1	28	< 10	3	7	0.044
20764	0.045	< 10	3	< 10	13	0.11	39	< 10	4	19	0.164
20765	0.021	< 10	2	< 10	6	0.03	18	11	5	24	3.15
20766	0.021	< 10	2	< 10	6	0.03	18	12	5	24	3.226
20767	0.057	< 10	14	< 10	26	0.22	142	14	12	4	0.318
20768	0.064	< 10	15	< 10	17	0.24	215	< 10	12	3	0.648

Date: February 6, 2007

Your reference:

Our reference: A06-5022 / Folder 11862

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 12

Elements

Method

Scan

ICP OES 1E1



Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
20777	< 0.2	< 0.5	32	412	6	25	25	145	0.31	< 10	33	< 1	< 10	0.49	13	66	2.14	0.16	0.21	0.04
20778	1	< 0.5	90	525	5	8	14	41	0.38	< 10	18	< 1	22	1.81	8	15	2.03	0.05	0.22	0.05
20779	< 0.2	< 0.5	22	343	6	21	3	65	0.33	< 10	41	< 1	< 10	0.48	12	72	2.02	0.26	0.21	0.04
20794	0.2	< 0.5	56	417	3	34	11	149	0.49	35	20	< 1	< 10	0.86	20	30	2.27	0.11	0.29	0.03
20795	0.2	< 0.5	7	242	5	19	6	71	0.58	< 10	12	< 1	< 10	1.6	6	74	1.06	0.06	0.3	0.04
20796	< 0.2	< 0.5	5	90	2	2	< 2	14	0.22	< 10	15	< 1	< 10	0.55	3	9	0.43	0.08	0.08	0.03
20829	0.2	< 0.5	50	298	< 2	68	4	39	0.53	< 10	91	< 1	< 10	0.68	28	53	2.87	0.41	0.83	0.11
20830	1.1	< 0.5	132	274	3	72	4	28	0.29	< 10	46	< 1	13	0.77	32	39	2.38	0.12	0.48	0.11
20831	0.2	< 0.5	141	479	< 2	87	< 2	42	0.44	< 10	53	< 1	< 10	1.22	39	72	3.66	0.15	0.64	0.22
20832	0.4	< 0.5	90	346	< 2	86	4	52	0.61	< 10	114	< 1	< 10	0.67	39	60	3.81	0.56	0.95	0.11
20833	0.3	< 0.5	66	349	< 2	163	5	33	0.81	14	66	< 1	< 10	0.77	38	371	4.02	0.21	1.61	0.08
20834	0.2	< 0.5	67	313	< 2	65	5	44	0.73	< 10	14	< 1	< 10	0.87	32	54	3.71	0.05	1.04	0.11

**Final Report
Activation Laboratories**

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
20777	0.029	< 10	2	< 10	11	0.09	24	< 10	4	14	0.414
20778	0.03	< 10	< 1	< 10	15	0.03	7	< 10	2	10	0.818
20779	0.025	< 10	2	< 10	8	0.1	24	< 10	3	10	0.2
20794	0.035	< 10	3	< 10	6	0.12	30	< 10	6	18	0.108
20795	0.024	< 10	2	< 10	5	0.06	18	< 10	4	10	0.138
20796	0.018	< 10	< 1	< 10	4	0.03	3	< 10	2	6	0.152
20829	0.019	< 10	6	< 10	3	0.15	78	< 10	4	3	0.098
20830	0.025	< 10	5	< 10	3	0.11	58	< 10	5	3	0.316
20831	0.028	< 10	11	< 10	8	0.16	101	< 10	8	3	0.55
20832	0.02	< 10	6	< 10	4	0.17	100	< 10	5	4	0.356
20833	0.065	< 10	6	< 10	7	0.19	102	< 10	6	13	0.173
20834	0.023	< 10	6	< 10	4	0.13	96	< 10	6	4	0.096

Date: February 6, 2007

Your reference:

Our reference: A06-5023 / Folder 11863

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 5

Elements

Method

Scan

ICP OES 1E1



Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
20884	0.2	< 0.5	90	600	4	6	8	121	0.42	< 10	94	< 1	< 10	0.38	10	27	2.43	0.44	0.55	0.06
20885	< 0.2	0.5	94	278	7	9	3	166	0.2	< 10	81	< 1	< 10	0.52	10	86	1.48	0.17	0.4	0.06
20886	0.4	< 0.5	85	539	8	9	4	76	0.33	< 10	111	< 1	< 10	0.55	13	25	2.33	0.42	0.55	0.05
20887	0.6	< 0.5	213	1380	21	18	9	141	0.69	< 10	21	< 1	< 10	1.31	14	191	5.79	1.21	0.67	0.06
20888	< 0.2	< 0.5	16	324	10	7	< 2	26	0.21	< 10	103	< 1	< 10	0.89	5	46	1.02	0.21	0.33	0.12

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
20884	0.033	< 10	1	< 10	11	0.08	12	< 10	10	17	0.715
20885	0.035	< 10	< 1	< 10	9	0.04	13	< 10	3	13	0.702
20886	0.047	< 10	3	< 10	10	0.07	30	91	4	16	0.855
20887	0.044	< 10	5	< 10	18	0.14	34	< 10	17	34	2.132
20888	0.028	< 10	< 1	< 10	19	0.05	11	< 10	3	14	0.342

Date: February 5, 2007

Your reference:

Our reference: A06-5019 / Folder 11781

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 4

Elements

Method

Scan

ICP OES 1E1



Claude Leclerc / Assistant-Manager

Final Report
Activation Laboratories

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
20598	0.3	< 0.5	176	836	3	102	6	86	0.88	10	48	1	< 10	1.79	60	121	5.59	0.47	1.19	0.14
20599	0.5	< 0.5	135	712	< 2	98	14	105	0.88	< 10	11	1	< 10	2.02	49	122	5.23	0.08	1.02	0.08
20600	0.3	< 0.5	155	719	< 2	109	30	276	0.69	< 10	9	< 1	< 10	1.7	47	127	5.02	0.06	1.04	0.09
20601	0.2	< 0.5	29	411	< 2	143	7	67	0.58	< 10	14	< 1	< 10	1.03	32	732	2.52	0.07	1.12	0.06

**Final Report
Activation Laboratories**

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
20598	0.024	< 10	14	< 10	15	0.33	169	< 10	11	7	0.422
20599	0.024	< 10	14	< 10	10	0.3	170	< 10	11	8	0.968
20600	0.027	< 10	10	< 10	19	0.27	121	< 10	11	9	1.376
20601	0.081	< 10	4	< 10	22	0.17	55	< 10	6	19	0.171

Date: February 6, 2007

Your reference:

Our reference: A06-5024 / Folder 11913

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 29

Elements

Method

Scan

ICP OES 1E1



Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
20936	< 0.2	< 0.5	8	411	3	46	4	51	0.59	< 10	148	< 1	< 10	0.89	21	84	3.04	0.75	0.64	0.12
20937	< 0.2	< 0.5	3	410	2	49	4	44	0.47	< 10	91	< 1	< 10	0.69	20	84	2.54	0.64	0.62	0.1
20938	< 0.2	< 0.5	7	438	< 2	64	4	55	0.67	< 10	91	< 1	< 10	0.67	27	77	3.27	0.8	0.69	0.09
20939	< 0.2	< 0.5	12	561	2	77	7	55	0.65	< 10	75	< 1	< 10	0.88	28	74	3.29	0.6	0.67	0.12
20941	< 0.2	< 0.5	25	374	2	68	8	56	0.6	< 10	283	< 1	< 10	0.57	27	70	3.04	0.9	0.65	0.09
20942	< 0.2	< 0.5	64	351	3	88	6	51	0.56	< 10	213	< 1	< 10	0.57	31	69	3	0.75	0.63	0.09
20949	< 0.2	< 0.5	2	689	< 2	66	7	57	1.06	< 10	157	< 1	< 10	0.91	38	109	5.03	1.21	0.85	0.05
20950	0.2	< 0.5	47	672	< 2	72	9	68	0.97	< 10	229	< 1	< 10	0.36	41	112	5.1	1.83	0.79	0.07
20951	0.7	< 0.5	122	664	< 2	73	11	100	0.66	< 10	73	< 1	< 10	0.57	42	110	5.48	1.18	0.72	0.07
20953	< 0.2	< 0.5	43	617	< 2	74	7	56	0.66	< 10	26	< 1	< 10	1.66	31	109	4.04	0.24	0.68	0.2
20954	0.3	< 0.5	46	669	< 2	84	8	66	0.72	< 10	17	< 1	< 10	1.85	36	104	4.3	0.14	0.69	0.29
20965	< 0.2	< 0.5	44	509	< 2	68	6	49	0.52	< 10	23	< 1	< 10	1.67	30	88	3.22	0.15	0.58	0.2
20966	0.5	< 0.5	115	603	4	80	9	53	0.49	< 10	28	< 1	< 10	1.94	39	98	4.13	0.16	0.56	0.21
20967	0.6	< 0.5	103	688	2	90	7	50	0.48	< 10	36	< 1	< 10	2.14	39	104	4.33	0.2	0.57	0.21
20968	0.9	< 0.5	181	480	6	95	9	39	0.35	< 10	25	< 1	< 10	1.49	52	128	4.22	0.11	0.5	0.14
20969	0.3	< 0.5	53	433	< 2	73	5	32	0.37	< 10	19	< 1	< 10	1.65	30	74	2.51	0.13	0.47	0.15
20970	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
20971	< 0.2	< 0.5	98	521	3	98	7	41	0.43	< 10	26	< 1	< 10	1.89	38	78	3.04	0.16	0.51	0.16
20989	< 0.2	< 0.5	22	360	5	62	4	31	0.28	< 10	15	< 1	< 10	2.07	24	83	1.46	0.11	0.35	0.08
20990	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
20991	0.3	< 0.5	83	1260	5	73	9	40	0.43	< 10	12	< 1	< 10	5.83	35	113	3.18	0.09	0.48	0.09
20992	0.3	< 0.5	99	1440	4	71	9	29	0.48	< 10	8	< 1	< 10	8.35	40	85	3.52	0.07	0.65	0.08
20993	2.1	0.6	136	1220	7	139	33	206	1.05	< 10	38	< 1	< 10	2.47	63	215	7.17	0.27	0.81	0.1
20994	0.5	< 0.5	97	1300	6	130	10	89	0.76	< 10	63	< 1	< 10	3.62	59	159	4.89	0.38	0.61	0.09
20996	0.5	< 0.5	181	1760	6	120	12	71	0.99	< 10	76	< 1	< 10	2.42	63	146	7.08	0.53	0.64	0.17
20997	0.3	< 0.5	40	601	98	28	45	51	0.62	< 10	80	< 1	< 10	1.07	16	154	2.9	0.86	0.54	0.12

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
20936	0.029	< 10	7	< 10	7	0.17	84	< 10	9	5	0.053
20937	0.024	< 10	6	< 10	5	0.17	79	< 10	4	3	0.021
20938	0.024	< 10	6	< 10	5	0.21	100	< 10	5	2	0.041
20939	0.028	< 10	7	< 10	7	0.2	97	< 10	5	2	0.074
20941	0.034	< 10	5	< 10	9	0.18	85	< 10	4	7	0.152
20942	0.033	< 10	5	< 10	9	0.15	77	< 10	4	7	0.372
20949	0.029	< 10	7	< 10	8	0.25	178	< 10	5	3	0.015
20950	0.03	< 10	6	< 10	6	0.25	173	< 10	4	3	0.571
20951	0.034	< 10	6	< 10	9	0.2	166	< 10	5	5	1.306
20953	0.026	< 10	13	< 10	10	0.25	132	< 10	8	3	0.166
20954	0.026	< 10	15	< 10	11	0.25	137	< 10	10	4	0.318
20965	0.029	< 10	11	< 10	9	0.19	104	< 10	9	3	0.327
20966	0.026	< 10	13	< 10	12	0.27	121	< 10	11	4	1.022
20967	0.026	< 10	13	< 10	14	0.24	123	< 10	11	4	0.921
20968	0.022	< 10	10	< 10	10	0.22	102	< 10	10	4	1.853
20969	0.026	< 10	9	< 10	9	0.17	84	< 10	7	2	0.325
20970	--	--	--	--	--	--	--	--	--	--	--
20971	0.027	< 10	9	< 10	11	0.17	89	< 10	7	3	0.512
20989	0.029	< 10	6	< 10	29	0.18	64	< 10	6	3	0.172
20990	--	--	--	--	--	--	--	--	--	--	--
20991	0.027	< 10	8	< 10	58	0.2	82	< 10	9	6	0.628
20992	0.02	< 10	9	< 10	60	0.15	82	< 10	16	5	0.97
20993	0.023	< 10	16	< 10	57	0.31	179	< 10	10	7	1.544
20994	0.027	< 10	9	< 10	46	0.3	137	< 10	8	4	0.891
20996	0.025	< 10	12	< 10	35	0.26	124	< 10	11	6	1.307
20997	0.028	< 10	4	< 10	24	0.17	32	< 10	21	26	0.867

Date: February 6, 2007

Your reference:

Our reference: A06-5025 / Folder 11914

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 19

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
21028	0.3	< 0.5	29	559	8	44	41	89	0.65	23	40	< 1	< 10	0.22	22	120	2.96	0.26	0.51	0.06
21029	0.3	< 0.5	37	637	7	84	5	85	1	< 10	192	< 1	< 10	1.31	28	218	3.45	0.63	0.68	0.22
21032	0.3	< 0.5	48	463	7	33	9	59	0.79	< 10	142	< 1	< 10	0.74	16	107	2.92	0.64	0.47	0.19
21033	< 0.2	< 0.5	28	430	7	39	4	70	0.57	< 10	47	< 1	< 10	0.36	15	103	2.73	0.37	0.48	0.05
21034	0.4	< 0.5	49	322	7	46	6	68	0.53	< 10	59	< 1	< 10	0.23	18	93	2.27	0.43	0.4	0.06
21035	0.4	< 0.5	29	309	8	19	6	51	0.39	< 10	42	< 1	< 10	0.43	9	86	1.55	0.25	0.35	0.08
21036	< 0.2	< 0.5	10	375	12	8	< 2	32	0.34	< 10	58	< 1	< 10	0.45	6	136	1.11	0.35	0.33	0.13
21037	0.3	< 0.5	12	254	16	9	5	42	0.31	< 10	44	< 1	< 10	0.36	5	187	1.02	0.34	0.28	0.14
21078	0.3	< 0.5	54	509	8	25	< 2	66	0.61	< 10	240	< 1	< 10	0.84	22	113	3.2	0.88	0.52	0.19
21079	0.5	< 0.5	109	899	3	88	3	93	0.9	< 10	66	< 1	< 10	2.13	50	127	6.45	0.81	0.6	0.16
21080	0.5	< 0.5	115	502	3	73	< 2	53	0.79	< 10	83	< 1	< 10	1.88	40	109	4.55	0.86	0.61	0.16
21081	0.5	< 0.5	116	516	3	78	3	53	0.77	< 10	64	< 1	< 10	1.94	42	114	4.74	0.88	0.62	0.16
21082	0.5	< 0.5	64	438	5	39	< 2	59	1.07	< 10	242	< 1	< 10	0.39	28	103	5.08	1.85	0.75	0.13
21083	0.3	< 0.5	93	350	6	37	< 2	53	0.73	< 10	181	< 1	< 10	0.42	25	114	4.23	1.21	0.66	0.11
21085	< 0.2	< 0.5	50	443	2	76	< 2	57	0.76	< 10	158	< 1	< 10	0.98	38	122	4.05	0.72	0.68	0.12
21086	< 0.2	< 0.5	79	534	< 2	77	3	51	0.76	< 10	72	< 1	< 10	1.05	41	111	4.47	0.49	0.72	0.15

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
21028	0.039	< 10	3	< 10	7	0.11	32	< 10	6	21	0.246
21029	0.074	< 10	5	< 10	96	0.19	76	< 10	7	29	0.374
21032	0.044	< 10	3	< 10	43	0.14	41	< 10	5	26	0.261
21033	0.037	< 10	2	< 10	8	0.09	27	< 10	4	13	0.108
21034	0.036	< 10	2	< 10	8	0.08	22	< 10	4	14	0.256
21035	0.026	< 10	< 1	< 10	18	0.05	12	< 10	3	15	0.687
21036	0.021	< 10	1	< 10	11	0.07	16	< 10	2	17	0.171
21037	0.02	< 10	< 1	< 10	13	0.06	13	< 10	2	18	0.21
21078	0.087	< 10	4	< 10	56	0.23	75	< 10	6	38	0.659
21079	0.043	< 10	9	< 10	24	0.3	150	18	9	5	1.297
21080	0.041	< 10	6	< 10	32	0.22	91	28	11	9	1.574
21081	0.043	< 10	6	< 10	31	0.22	94	27	11	9	1.857
21082	0.034	< 10	8	< 10	10	0.24	93	12	18	17	0.504
21083	0.031	< 10	6	< 10	7	0.2	75	< 10	15	16	0.703
21085	0.033	< 10	11	< 10	5	0.25	147	< 10	8	5	0.215
21086	0.032	< 10	13	< 10	5	0.27	160	< 10	9	4	0.207

Date: February 8, 2007

Your reference:

Our reference: A06-5026 / Folder 11915

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 8

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

Report: A06-5026
 Report Date: 07/02/2007

Final Report
Activation Laboratories

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
21145	< 0.2	< 0.5	16	320	8	5	3	51	0.55	< 10	50	< 1	< 10	0.42	6	98	1.89	0.43	0.48	0.06
21146	0.2	< 0.5	11	381	8	5	< 2	53	0.47	< 10	41	< 1	10	0.54	6	80	1.73	0.38	0.47	0.05
21147	2.1	< 0.5	147	1970	14	28	8	59	0.54	< 10	23	< 1	< 10	1.08	18	104	8.56	0.25	0.63	0.08
21148	< 0.2	< 0.5	13	705	14	9	< 2	45	0.48	< 10	39	< 1	< 10	0.41	8	164	2.6	0.23	0.47	0.06
21166	0.2	< 0.5	33	627	5	37	26	66	0.52	< 10	24	< 1	< 10	0.19	16	71	3.15	0.15	0.43	0.03
21167	1.2	< 0.5	42	385	7	35	35	85	0.32	< 10	42	< 1	27	0.23	19	89	2.37	0.15	0.34	0.08
21204	0.3	< 0.5	15	229	8	3	3	41	0.2	< 10	44	< 1	< 10	0.19	< 1	82	0.78	0.24	0.21	0.03
21205	0.3	< 0.5	13	441	9	4	7	97	0.26	< 10	83	< 1	< 10	0.23	< 1	91	1.24	0.42	0.22	0.04

Report: A06-5026
Report Date: 07/1

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
21145	0.029	< 10	2	< 10	10	0.11	7	< 10	26	29	0.099
21146	0.031	< 10	2	< 10	13	0.1	5	< 10	26	20	0.185
21147	0.015	< 10	3	< 10	15	0.05	13	< 10	14	22	5.359
21148	0.028	< 10	4	< 10	11	0.14	19	< 10	19	33	0.198
21166	0.034	< 10	1	< 10	4	0.08	19	< 10	3	9	0.367
21167	0.027	< 10	2	< 10	6	0.08	25	< 10	2	18	0.819
21204	0.001	< 10	< 1	< 10	9	0.02	1	< 10	35	82	0.1
21205	0.001	< 10	1	< 10	12	0.02	2	< 10	36	85	0.127

Date: February 6, 2007

Your reference:

Our reference: A06-5027 / Folder 11973

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 8

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
21210	<0.2	<0.5	232	272	3	185	4	46	0.46	<10	117	<1	<10	0.92	19	212	1.7	0.26	0.71	0.05
21211	0.8	<0.5	1050	227	<2	1280	7	35	0.65	<10	53	<1	<10	0.83	57	262	2.62	0.15	0.83	0.05
21212	1.1	<0.5	1620	255	<2	1600	7	40	0.86	<10	15	<1	<10	0.74	82	419	2.68	0.05	0.92	0.04
21213	2.7	<0.5	4480	414	<2	1680	5	72	0.86	<10	23	<1	<10	0.87	58	462	3.66	0.07	0.93	0.07
21214	0.4	<0.5	473	559	3	448	5	80	0.83	<10	75	<1	<10	0.51	38	144	4.06	0.3	0.75	0.04
21215	<0.2	<0.5	76	562	2	71	7	86	0.84	<10	78	<1	<10	0.59	27	135	4.08	0.35	0.74	0.06
21249	<0.2	<0.5	50	1090	8	66	10	82	0.77	<10	56	<1	<10	1.2	20	118	4.44	0.22	0.71	0.11
21250	0.4	<0.5	133	1340	9	68	17	141	0.79	<10	59	<1	<10	0.95	19	119	5.1	0.35	0.67	0.1

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
21210	0.042	< 10	3	< 10	28	0.14	47	< 10	4	12	0.025
21211	0.032	< 10	4	< 10	15	0.1	44	< 10	2	11	0.637
21212	0.015	< 10	2	< 10	9	0.05	25	< 10	< 1	5	0.631
21213	0.03	< 10	4	< 10	10	0.08	46	< 10	2	9	0.961
21214	0.032	< 10	14	< 10	12	0.17	133	< 10	7	6	0.459
21215	0.034	< 10	13	< 10	11	0.15	125	< 10	6	4	0.398
21249	0.036	< 10	6	< 10	28	0.12	43	< 10	13	20	0.485
21250	0.053	< 10	6	< 10	15	0.12	32	< 10	11	13	0.968

Date: February 5, 2007

Your reference:

Our reference: A06-5028 / Folder 11974

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 16

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
25751	< 0.2	< 0.5	38	1540	8	44	< 2	80	0.89	< 10	142	< 1	< 10	1.09	17	139	5.23	0.48	0.59	0.14
25752	0.2	< 0.5	86	1440	13	51	< 2	75	0.79	< 10	139	< 1	< 10	1.01	21	225	4.84	0.6	0.62	0.16
25753	0.2	< 0.5	27	1260	6	85	< 2	61	0.91	< 10	165	< 1	< 10	1.05	24	228	4.8	0.62	0.71	0.15
25799	< 0.2	< 0.5	49	476	< 2	76	< 2	50	0.82	< 10	14	< 1	< 10	1.45	36	147	4.35	0.1	0.76	0.21
25800	< 0.2	< 0.5	50	415	< 2	67	< 2	47	0.83	< 10	14	< 1	< 10	1.29	35	105	4.31	0.07	0.75	0.16
25802	< 0.2	< 0.5	124	1520	4	133	< 2	75	1.1	< 10	136	< 1	< 10	1.16	51	232	5.62	1.15	0.66	0.18
25803	< 0.2	< 0.5	99	1210	4	161	< 2	80	1.48	< 10	169	< 1	< 10	0.96	69	309	6.9	1.78	0.7	0.29
25804	0.3	< 0.5	94	1100	6	122	< 2	104	1.18	< 10	203	< 1	< 10	0.9	58	258	6.1	1.38	0.65	0.23
25827	< 0.2	< 0.5	103	664	< 2	73	< 2	47	0.66	< 10	28	< 1	< 10	2.12	38	106	4.33	0.28	0.63	0.26
25828	0.4	< 0.5	106	549	< 2	83	< 2	31	0.48	< 10	20	< 1	< 10	2.38	40	84	4.02	0.18	0.46	0.15
25830	0.7	< 0.5	170	554	6	97	3	35	0.52	< 10	14	< 1	< 10	2.56	47	97	5.14	0.13	0.39	0.14
25832	0.3	< 0.5	66	793	6	73	< 2	45	0.81	< 10	33	< 1	< 10	3.08	34	149	4.36	0.31	0.52	0.22
25833	< 0.2	< 0.5	6	822	8	7	< 2	74	1.14	< 10	164	< 1	< 10	1.14	9	111	5.04	1.18	0.61	0.28

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
25751	0.118	< 10	8	< 10	18	0.17	38	< 10	16	17	0.263
25752	0.098	< 10	8	< 10	17	0.16	33	< 10	15	22	0.514
25753	0.078	< 10	10	< 10	29	0.16	58	< 10	12	24	0.178
25799	0.032	< 10	13	< 10	9	0.19	138	< 10	8	5	0.159
25800	0.028	< 10	11	< 10	7	0.21	137	< 10	8	3	0.129
25802	0.064	< 10	13	< 10	26	0.23	136	< 10	11	6	0.578
25803	0.024	< 10	29	< 10	33	0.29	299	< 10	8	3	0.231
25804	0.026	< 10	18	< 10	33	0.26	194	< 10	11	10	0.513
25827	0.025	< 10	16	< 10	10	0.29	145	< 10	11	3	0.35
25828	0.028	< 10	10	< 10	15	0.25	97	< 10	10	4	1.079
25830	0.029	< 10	8	< 10	23	0.29	87	< 10	11	5	1.849
25832	0.026	< 10	13	< 10	26	0.3	120	< 10	18	6	0.628
25833	0.029	< 10	5	< 10	26	0.17	13	< 10	29	23	0.049

Date: January 29, 2007

Your reference:

Our reference: A06-5029 / Folder 12017

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 16

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
25867	< 0.2	2.6	102	1330	3	127	10	75	0.75	< 10	314	< 1	< 10	2.41	47	160	3.77	0.54	0.67	0.28
25869	< 0.2	2.2	82	792	3	153	7	72	0.73	< 10	315	< 1	< 10	1.28	50	145	3.35	0.51	0.73	0.23
25884	0.9	2.9	134	844	9	98	32	181	1.24	69	17	< 1	< 10	2.29	45	216	4.61	0.11	0.69	0.07
25885	3.6	3.7	93	658	4	129	194	431	1.19	< 10	15	1	< 10	1.68	41	186	5.42	0.1	0.82	0.04
25887	13.1	3.1	64	692	8	109	149	477	0.75	< 10	18	< 1	100	0.96	31	212	3.95	0.07	0.78	0.06
25889	0.4	2.3	90	410	8	101	20	47	0.43	< 10	33	< 1	< 10	1	33	123	3.73	0.11	0.47	0.09
25890	0.5	2.6	178	449	18	74	67	81	0.48	< 10	30	< 1	24	0.6	33	157	4.55	0.14	0.53	0.08
25892	0.2	1.6	35	478	18	36	21	76	0.55	< 10	89	< 1	< 10	0.65	17	135	2.46	0.36	0.62	0.15
25893	2.4	4.4	137	415	25	97	28	140	0.44	< 10	34	< 1	12	0.54	56	132	8.21	0.18	0.46	0.07
25894	0.3	2.3	46	554	12	48	15	146	0.66	20	69	< 1	< 10	0.62	20	157	3.24	0.47	0.52	0.14
25895	< 0.2	1.7	24	463	12	41	7	62	0.74	< 10	82	< 1	< 10	1.04	15	145	2.37	0.38	0.46	0.2
25896	< 0.2	1.3	26	516	11	33	13	85	0.77	< 10	74	< 1	< 10	0.89	12	142	2.24	0.42	0.5	0.18

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
25867	0.017	< 10	18	< 10	15	0.21	140	< 10	9	4	0.42
25869	0.019	< 10	13	< 10	11	0.19	120	< 10	6	3	0.458
25884	0.047	< 10	13	< 10	14	0.13	107	< 10	10	17	2.657
25885	0.058	< 10	14	< 10	13	0.08	98	< 10	13	27	4.174
25887	0.082	< 10	9	< 10	12	0.11	91	< 10	9	32	1.869
25889	0.077	< 10	3	< 10	18	0.12	35	< 10	8	29	1.957
25890	0.048	< 10	7	< 10	16	0.08	54	< 10	10	35	3.132
25892	0.07	< 10	5	< 10	34	0.1	61	< 10	6	33	0.955
25893	0.036	< 10	5	10	8	0.08	38	< 10	9	41	3.734
25894	0.039	< 10	2	< 10	21	0.1	35	< 10	5	19	1.15
25895	0.038	< 10	2	< 10	41	0.09	35	< 10	4	12	0.853
25896	0.034	< 10	2	< 10	39	0.1	27	< 10	4	9	0.337

Date: February 6, 2007

Your reference:

Our reference: A06-5030 / Folder 12018

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 9

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
25969	< 0.2	< 0.5	84	500	< 2	102	6	53	0.54	< 10	171	< 1	< 10	1.08	49	82	3.12	0.13	0.75	0.13
25971	< 0.2	< 0.5	163	567	< 2	73	5	56	0.56	< 10	69	< 1	< 10	1.41	43	49	4.05	0.14	0.74	0.15
25973	< 0.2	< 0.5	159	346	3	35	11	40	0.63	< 10	44	< 1	< 10	1.75	22	100	2.71	0.07	0.63	0.09
25974	< 0.2	< 0.5	142	422	< 2	51	6	55	0.47	< 10	63	< 1	< 10	0.93	37	98	3.38	0.08	0.69	0.07
25993	< 0.2	< 0.5	69	354	< 2	160	6	60	0.8	< 10	14	< 1	< 10	0.5	32	180	3.33	0.04	0.89	0.03
25994	0.5	< 0.5	81	435	2	112	6	114	0.52	< 10	55	< 1	< 10	0.83	29	152	2.74	0.19	0.71	0.06
25995	0.3	< 0.5	103	582	4	117	13	79	0.55	< 10	26	< 1	< 10	2.03	45	122	3.96	0.11	0.6	0.08

**Final Report
Activation Laboratories**

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
25969	0.028	< 10	8	< 10	10	0.15	89	< 10	5	9	0.5
25971	0.036	< 10	11	< 10	8	0.2	122	< 10	10	4	0.978
25973	0.043	< 10	6	< 10	11	0.15	79	< 10	6	10	0.535
25974	0.034	< 10	8	< 10	5	0.19	108	< 10	8	3	0.727
25993	0.051	< 10	3	< 10	4	0.13	73	< 10	4	4	0.083
25994	0.052	< 10	5	< 10	7	0.17	75	< 10	7	5	0.429
25995	0.037	< 10	8	< 10	21	0.22	89	< 10	9	5	1.686

Date: February 6, 2007

Your reference:

Our reference: A06-5032 / Folder 15569

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 7

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75251	< 0.2	< 0.5	19	553	5	24	7	39	0.38	< 10	51	< 1	< 10	0.48	11	92	1.94	0.17	0.38	0.08
75252	0.2	< 0.5	18	410	5	8	5	27	0.21	< 10	43	< 1	< 10	0.21	6	76	1.26	0.08	0.22	0.07
75253	0.2	< 0.5	96	1490	3	96	8	67	0.67	< 10	32	< 1	< 10	1.7	38	137	4.45	0.15	0.61	0.16
75254	< 0.2	< 0.5	121	1530	< 2	125	6	80	0.76	< 10	50	< 1	< 10	1.85	60	134	4.95	0.3	0.69	0.17
75306	< 0.2	< 0.5	6	2350	3	4	11	57	0.87	< 10	292	< 1	< 10	0.74	2	44	7.4	1.15	0.59	0.09
75307	< 0.2	< 0.5	11	2000	4	4	12	64	0.86	< 10	216	< 1	< 10	0.53	2	55	6.34	1.23	0.59	0.05
75308	0.3	< 0.5	34	1490	27	8	9	87	0.48	< 10	20	< 1	< 10	0.09	3	49	4.82	0.78	0.49	0.02

**Final Report
Activation Laboratories**

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75251	0.029	< 10	3	< 10	15	0.08	28	< 10	7	27	0.243
75252	0.027	< 10	< 1	< 10	12	0.05	7	< 10	5	31	0.154
75253	0.022	< 10	13	< 10	19	0.18	109	< 10	7	13	0.871
75254	0.02	< 10	14	< 10	11	0.21	130	< 10	8	3	0.919
75306	0.002	< 10	2	< 10	12	0.02	4	< 10	28	32	0.232
75307	0.002	< 10	2	< 10	10	0.03	4	< 10	35	35	0.374
75308	0.002	< 10	2	< 10	3	0.02	4	< 10	24	70	1.9

Date: February 6, 2007

Your reference:

Our reference: A06-5033 / Folder 15570

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 5

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75425	0.2	1	35	306	6	17	8	155	0.09	< 10	26	< 1	< 10	0.82	10	65	1.35	0.04	0.14	0.07
75426	0.3	1.2	57	436	11	43	11	373	0.27	< 10	42	< 1	< 10	0.56	20	72	2.52	0.22	0.38	0.07
75427	0.6	< 0.5	65	537	5	77	11	56	0.41	47	15	< 1	< 10	0.37	29	77	6.25	0.45	0.44	0.09
75428	0.4	< 0.5	26	278	6	8	7	30	0.22	< 10	71	< 1	< 10	0.22	5	44	1.11	0.25	0.3	0.06
75429	0.9	< 0.5	186	567	18	94	20	82	0.25	< 10	14	< 1	22	0.22	43	78	8.15	0.28	0.43	0.04

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75425	0.03	< 10	< 1	< 10	10	0.04	6	< 10	2	16	1.017
75426	0.034	< 10	2	< 10	17	0.07	24	< 10	5	32	1.736
75427	0.023	< 10	1	< 10	15	0.07	21	< 10	3	18	3.698
75428	0.022	< 10	< 1	< 10	11	0.04	12	< 10	5	41	0.607
75429	0.029	< 10	5	< 10	8	0.05	47	< 10	8	46	2.751

Date: February 5, 2007

Your reference:

Our reference: A06-5034 / Folder 15583

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 16

Elements

Method

Scan

ICP OES 1E1



Claude Leclerc / Assistant-Manager

**Final Report
Activation Laboratories**

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75454	< 0.2	< 0.5	84	498	< 2	68	5	57	0.87	< 10	15	< 1	< 10	0.68	39	89	4.75	0.17	1.32	0.1
75455	0.2	< 0.5	79	510	< 2	67	9	115	0.88	< 10	25	< 1	< 10	0.69	39	95	5.05	0.36	1.35	0.11
75456	< 0.2	< 0.5	137	489	< 2	64	6	54	0.78	< 10	25	< 1	< 10	0.78	42	80	4.99	0.45	1.13	0.12
75457	< 0.2	< 0.5	104	533	< 2	68	5	67	0.64	< 10	20	< 1	< 10	1.07	42	81	4.59	0.33	0.91	0.17
75458	0.4	< 0.5	219	503	< 2	84	9	45	0.59	< 10	22	< 1	< 10	1.14	60	75	5.01	0.2	0.85	0.13
75459	0.2	< 0.5	104	481	< 2	70	3	52	0.61	< 10	15	< 1	< 10	0.99	39	68	4.19	0.14	0.92	0.14
75492	0.2	< 0.5	80	668	2	70	5	51	0.64	< 10	219	< 1	< 10	1.98	31	145	3.67	0.85	0.9	0.13
75493	< 0.2	< 0.5	47	623	< 2	70	6	45	0.63	< 10	135	< 1	< 10	1.78	32	81	3.71	0.51	0.88	0.18
75494	0.2	< 0.5	65	575	< 2	64	4	49	0.62	< 10	116	< 1	< 10	1.42	32	76	3.56	0.58	0.9	0.15
75495	1	< 0.5	112	671	< 2	47	28	117	0.54	< 10	36	< 1	< 10	2.05	33	112	3.7	0.19	0.91	0.16
75496	0.9	< 0.5	109	554	< 2	73	16	114	0.54	< 10	11	< 1	< 10	1.76	31	113	3.38	0.09	0.87	0.18
75497	< 0.2	< 0.5	47	534	< 2	62	4	35	0.58	< 10	29	< 1	< 10	1.56	30	79	3.57	0.2	0.89	0.21
75498	< 0.2	< 0.5	32	444	< 2	58	6	44	0.74	< 10	26	< 1	< 10	1.61	30	84	3.95	0.32	1.05	0.19
75499	0.4	< 0.5	103	535	< 2	80	7	49	0.62	< 10	70	< 1	< 10	1.39	41	99	4.12	0.5	0.93	0.21
75500	0.4	< 0.5	112	673	< 2	80	8	57	0.6	< 10	78	< 1	< 10	1.62	40	85	4.21	0.48	0.9	0.17
75501	0.4	< 0.5	77	767	< 2	53	7	54	0.57	< 10	54	< 1	< 10	2.6	30	89	3.81	0.33	0.72	0.22

**Final Report
Activation Laboratories**

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75454	0.026	< 10	8	< 10	3	0.14	125	< 10	6	4	0.245
75455	0.024	< 10	10	< 10	4	0.18	142	< 10	7	5	0.314
75456	0.026	< 10	10	< 10	3	0.18	141	< 10	8	5	0.484
75457	0.029	< 10	12	< 10	4	0.18	132	< 10	8	5	0.51
75458	0.025	< 10	10	< 10	7	0.18	123	< 10	8	5	1.448
75459	0.023	< 10	9	< 10	3	0.18	112	< 10	7	5	0.428
75492	0.031	< 10	10	< 10	13	0.24	118	< 10	9	7	0.199
75493	0.023	< 10	12	< 10	7	0.26	117	< 10	9	5	0.182
75494	0.022	< 10	10	< 10	8	0.25	113	< 10	9	4	0.242
75495	0.026	< 10	16	< 10	16	0.28	141	< 10	13	6	0.74
75496	0.032	< 10	11	< 10	19	0.23	106	< 10	9	8	0.442
75497	0.023	< 10	12	< 10	8	0.21	111	< 10	8	5	0.196
75498	0.024	< 10	11	< 10	11	0.23	123	< 10	9	5	0.078
75499	0.025	< 10	14	< 10	6	0.26	136	< 10	10	5	0.513
75500	0.025	< 10	12	< 10	10	0.26	122	< 10	9	5	0.644
75501	0.024	< 10	15	< 10	13	0.26	135	< 10	11	5	0.191

Date: February 5, 2007

Your reference:

Our reference: A06-5035 / Folder 15584

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls

Number of samples: 23

Elements

Method

Scan

ICP OES 1E1


Claude Leclerc / Assistant-Manager

Final Report
Activation Laboratories

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75577	< 0.2	< 0.5	48	555	< 2	61	< 2	63	0.93	< 10	93	< 1	< 10	1.8	29	95	4.27	0.57	0.73	0.22
75578	< 0.2	< 0.5	11	662	< 2	90	< 2	94	0.94	< 10	180	< 1	< 10	0.93	42	114	4.83	1.32	0.89	0.12
75579	< 0.2	< 0.5	4	852	< 2	83	< 2	114	1.1	< 10	291	< 1	< 10	0.94	44	134	5.6	1.97	0.96	0.14
75580	< 0.2	< 0.5	4	911	< 2	104	< 2	116	1.17	< 10	307	< 1	< 10	0.97	47	123	5.86	2.03	0.95	0.15
75581	< 0.2	< 0.5	15	741	< 2	97	< 2	60	0.8	< 10	113	< 1	< 10	1.22	36	88	4.08	0.84	0.83	0.15
75582	< 0.2	< 0.5	3	622	< 2	80	< 2	50	0.63	< 10	70	< 1	< 10	1.08	29	75	3.37	0.54	0.73	0.12
75583	0.3	< 0.5	11	961	< 2	112	< 2	80	0.86	< 10	65	< 1	< 10	1.3	43	95	4.84	0.95	0.79	0.19
75584	0.4	< 0.5	18	876	< 2	114	< 2	83	0.78	< 10	47	< 1	< 10	1.24	45	94	5.03	0.91	0.77	0.17
75585	< 0.2	< 0.5	27	723	8	104	< 2	62	0.87	< 10	151	< 1	< 10	1.47	40	103	4.78	1.07	0.78	0.17
75586	< 0.2	< 0.5	56	678	< 2	99	< 2	62	0.8	< 10	104	< 1	< 10	1.12	37	68	4.23	1.05	0.74	0.13
75587	1	< 0.5	86	751	< 2	131	< 2	81	0.63	< 10	24	< 1	< 10	1.03	55	98	5.98	0.83	0.73	0.15
75588	0.3	< 0.5	57	267	3	53	5	38	0.31	< 10	31	< 1	< 10	0.46	25	45	2.59	0.39	0.4	0.1
75589	0.5	< 0.5	69	780	< 2	57	< 2	184	0.91	< 10	43	< 1	< 10	0.72	34	90	5.51	1.58	0.8	0.09
75590	< 0.2	< 0.5	61	852	< 2	68	< 2	96	1.07	< 10	367	< 1	< 10	0.6	41	99	5.57	2.12	0.84	0.08
75614	< 0.2	< 0.5	24	422	< 2	53	< 2	34	0.49	< 10	10	< 1	< 10	1.76	26	75	2.85	0.1	0.61	0.22
75615	0.2	< 0.5	115	496	< 2	79	< 2	41	0.58	< 10	31	< 1	< 10	1.51	39	119	4.24	0.55	0.67	0.14
75616	< 0.2	< 0.5	44	716	< 2	51	< 2	31	0.46	< 10	12	< 1	< 10	3.21	30	97	3.17	0.1	0.56	0.21
75617	0.3	< 0.5	117	537	< 2	69	< 2	34	0.49	< 10	32	< 1	< 10	1.83	40	74	4.18	0.28	0.63	0.17
75618	< 0.2	< 0.5	63	670	7	82	< 2	51	0.71	< 10	62	< 1	< 10	1.87	38	105	4.34	0.43	0.75	0.23
75619	0.4	< 0.5	169	714	< 2	95	< 2	73	0.57	< 10	29	< 1	< 10	1.71	46	115	5.23	0.71	0.7	0.12
75639	0.4	< 0.5	134	547	< 2	105	3	62	0.63	< 10	41	< 1	< 10	0.99	46	104	4.28	0.54	0.77	0.12
75640	0.9	< 0.5	124	574	3	98	2	45	0.61	< 10	31	< 1	< 10	0.84	44	113	4.38	0.7	0.78	0.12
75641	0.4	0.6	106	544	2	54	14	160	0.58	< 10	84	< 1	< 10	1.39	28	96	3.82	0.27	0.73	0.11

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
75577	0.029	< 10	12	< 10	19	0.23	118	< 10	11	7	0.228
75578	0.029	< 10	8	< 10	6	0.25	134	< 10	7	3	0.572
75579	0.028	< 10	11	< 10	7	0.31	164	< 10	8	3	0.092
75580	0.029	< 10	11	< 10	8	0.33	165	< 10	8	3	0.058
75581	0.027	< 10	10	< 10	7	0.26	127	< 10	8	3	0.107
75582	0.027	< 10	9	< 10	5	0.23	112	< 10	7	3	0.034
75583	0.024	< 10	10	< 10	15	0.26	134	< 10	8	3	0.684
75584	0.024	< 10	9	< 10	14	0.28	133	< 10	8	3	0.917
75585	0.025	< 10	12	< 10	9	0.27	145	< 10	9	4	0.278
75586	0.024	< 10	10	< 10	6	0.26	125	< 10	8	3	0.316
75587	0.027	< 10	10	< 10	12	0.29	144	< 10	10	6	2.383
75588	0.059	< 10	3	< 10	21	0.14	43	< 10	5	22	1.29
75589	0.033	< 10	13	< 10	9	0.25	134	< 10	16	16	1.234
75590	0.029	< 10	10	< 10	7	0.32	162	< 10	11	8	0.269
75614	0.028	< 10	10	< 10	11	0.26	98	< 10	8	2	0.115
75615	0.028	< 10	9	< 10	8	0.24	107	< 10	8	4	0.939
75616	0.026	< 10	12	< 10	12	0.26	113	< 10	11	3	0.374
75617	0.03	< 10	11	< 10	12	0.27	110	< 10	11	4	1.038
75618	0.024	< 10	14	< 10	10	0.29	140	< 10	11	4	0.425
75619	0.029	< 10	11	< 10	10	0.3	155	< 10	12	5	1.569
75639	0.024	< 10	9	< 10	12	0.19	104	< 10	5	4	0.94
75640	0.019	< 10	8	< 10	8	0.19	107	< 10	5	3	1.196
75641	0.057	< 10	8	< 10	32	0.21	93	< 10	9	13	1.079

Date: March 30, 2007

Your reference:

Our reference: A07-0860 / Folder 17278

Dentonia Resources Ltd
8 Albert Street
Stouffville, Ontario
L4A 4H1

Attn: Paul Nicholls


Number of samples: 19

Elements

Method

Scan

ICP-OES-1E1


Claude Leclerc / Assistant-Manager

Report: A07-0860
 Report Date: 29/03/2007

Final Report
Activation Laboratories

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%
Detection Limit	0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
20940	<0.2	<0.5	26	735	2	92	3	61	0.76	<10	104	<1	<10	1.18	34	79	3.89	0.75	0.72	0.18
20952	0.3	<0.5	54	689	4	67	3	67	0.67	<10	111	<1	<10	1.4	36	141	4.39	0.73	0.68	0.17
20970	<0.2	<0.5	45	762	2	97	<2	50	0.68	<10	20	<1	<10	2.34	40	125	4.18	0.15	0.67	0.27
20990	0.2	<0.5	24	502	6	31	4	45	0.31	<10	34	<1	<10	2.02	19	108	1.88	0.19	0.41	0.13
20995	0.5	<0.5	110	1170	5	128	5	66	0.92	<10	92	<1	<10	2.45	60	241	5.2	0.81	0.72	0.12
21030	0.2	<0.5	49	558	9	57	13	55	0.98	<10	127	<1	<10	1.28	23	154	2.95	0.51	0.59	0.17
21031	<0.2	<0.5	19	381	7	14	7	57	0.52	<10	131	<1	<10	1.49	14	94	2.07	0.64	0.47	0.14
21084	0.4	<0.5	43	419	4	51	<2	61	0.71	<10	199	<1	<10	0.68	32	87	3.95	1.11	0.71	0.12
21168	<0.2	<0.5	12	300	10	9	11	55	0.26	<10	27	<1	<10	0.38	7	112	1	0.1	0.29	0.09
21206	0.4	<0.5	19	189	8	3	7	86	0.2	10	69	<1	<10	0.13	<1	88	0.81	0.27	0.14	0.04
25801	<0.2	<0.5	67	467	<2	77	<2	55	0.82	<10	70	<1	<10	1.11	38	116	4.53	0.44	0.77	0.18
25829	0.5	<0.5	79	248	31	36	8	10	0.13	<10	14	<1	79	0.89	22	320	1.9	0.05	0.25	0.06
25831	<0.2	<0.5	36	647	4	73	2	48	0.91	<10	21	<1	<10	2.67	33	141	3.75	0.28	0.58	0.24
25868	0.2	<0.5	111	887	6	146	5	48	0.6	<10	68	<1	<10	1.6	48	121	3.67	0.26	0.7	0.25
25886	3	0.8	103	656	5	109	51	444	0.71	<10	23	<1	37	0.78	35	216	4.5	0.1	0.75	0.06
25888	0.4	<0.5	36	566	4	86	10	59	0.6	<10	24	<1	<10	1.32	28	178	2.87	0.12	0.62	0.09
25891	1.6	2.3	142	343	17	74	457	701	0.45	<10	20	<1	<10	0.45	35	127	5.26	0.28	0.46	0.05
25970	<0.2	<0.5	137	199	2	57	4	21	0.24	<10	43	<1	<10	0.65	44	53	2.09	0.06	0.4	0.08
25972	<0.2	<0.5	166	499	<2	57	5	44	0.56	<10	105	<1	<10	1.01	38	52	4.04	0.17	0.66	0.12

Report: A07-0860
 Report Date: 29/1

Final Report
Activation Laboratories

Analyte Symbol	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
20940	0.023	< 10	10	< 10	8	0.23	116	< 10	7	3	0.098
20952	0.038	< 10	13	< 10	17	0.3	144	< 10	11	10	0.826
20970	0.025	< 10	17	< 10	12	0.26	144	< 10	12	4	0.296
20990	0.065	< 10	6	< 10	61	0.22	68	< 10	9	23	0.53
20995	0.038	< 10	11	< 10	48	0.31	145	< 10	10	6	0.957
21030	0.053	< 10	4	< 10	91	0.16	48	36	7	25	0.584
21031	0.071	< 10	3	< 10	79	0.2	51	< 10	7	29	0.508
21084	0.036	< 10	8	< 10	5	0.22	114	< 10	13	19	0.414
21168	0.023	< 10	1	< 10	7	0.05	13	< 10	3	17	0.356
21206	0.002	< 10	< 1	< 10	6	0.01	2	< 10	41	95	0.164
25801	0.027	< 10	14	< 10	7	0.23	157	< 10	9	4	0.219
25829	0.006	< 10	3	< 10	7	0.07	33	< 10	3	3	1.268
25831	0.023	< 10	15	< 10	25	0.28	135	< 10	11	4	0.244
25868	0.018	< 10	15	< 10	8	0.18	122	< 10	8	3	0.741
25886	0.071	< 10	12	< 10	9	0.17	100	13	11	33	2.114
25888	0.068	< 10	5	< 10	26	0.19	63	< 10	8	27	1.011
25891	0.048	< 10	6	< 10	9	0.11	42	< 10	11	55	3.662
25970	0.059	< 10	3	< 10	14	0.09	36	< 10	4	16	1.028
25972	0.029	< 10	10	< 10	8	0.2	115	< 10	8	4	0.689

Appendix 3 - Drill Sections

Appendix 4 - Report on Ground Geophysics