

WALLBRIDGE
MINING COMPANY LIMITED

2.39619

2008 ASSESMENT REPORT
- FIELD WORK -
SHIPLEY PROPERTY

ShIPLEY Township and Area
Ontario, Canada

By
Joshua Bailey M.Sc., P.Geo

November 2008

RECEIVED

NOV 13 2008

**GEOSCIENCE ASSESSMENT
OFFICE**

TABLE OF CONTENTS

	Page
LIST OF FIGURES	III
LIST OF TABLES	III
1 INTRODUCTION	4
1.1 GENERAL	4
1.2 SOURCES OF INFORMATION	4
1.3 UNITS AND CURRENCY	5
2 RELIANCE ON OTHER EXPERTS	5
3 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY	9
4 HISTORY	10
4.1 WORK HISTORY PRIOR TO WALLBRIDGE	10
4.2 WALLBRIDGE WORK HISTORY	12
5 GEOLOGICAL SETTING	14
5.1 REGIONAL GEOLOGY	14
5.2 PROPERTY GEOLOGY	15
5.2.1 LITHOLOGIES	25
5.2.2 METAMORPHISM	30
5.2.3 STRUCTURE	30
5.2.4 ALTERATION	31
5.2.5 GEOPHYSICS	33
5.2.6 SWAYZE GREENSTONE MAGNETIC ANOMALY RECONAISSANCE	34
6 DEPOSIT TYPES	37
7 MINERALISATION	37
8 EXPLORATION	41
8.1 INTRODUCTION	41
8.2 FINANCIAL SUMMARY AND BUDGET RECONCILIATION	41

9	ADJACENT PROPERTIES	43
10	INTERPRETATION AND CONCLUSIONS	43
11	RECOMMENDATIONS	44
12	REFERENCES	SS
20.	DATE AND SIGNATURE PAGE	TT

LIST OF FIGURES

Figure 1: Location and Property Access Map	7
Figure 2: Claim Map	8
Figure 3. Shipley Property Geology.....	16
Figure 4. Shipley Property Structural Compilaton.....	17
Figure 5. Shipley Property Magnetics.....	18
Figure 6. Shipley Property Near-surface contoured EM.....	19
Figure 7. Northeast 4K Target Trench.....	20
Figure 8. Southern 4K Target Trench.....	21
Figure 9. Western 4K Target Trench.....	22
Figure 10. Southern Kolme Jarvi Target Trench.....	23
Figure 11. Northern Kolme Jarvi Target Trench.....	24
Figure 12. Photograph of the felsic tuff "Woodgrain Unit".....	26
Figure 13. Siliceous chert-iron formation at 4K Trench, very magnetic.....	27
Figure 14. Sulfide chert-iron formation at Kolme Jarvi South Trench.....	28
Figure 15. Sulfide chert-iron formation from 4K Trench with garnets in mafic layer.....	28
Figure 16. Epidote, actinolite, chlorite, and quartz alteration at the Kolme Jarvi south trench.....	31
Figure 17. Epidote, actinolite, chlorite, and quartz alteration at the Kolme Jarvi south trench.....	32
Figure 18. Summary of 2008 Swayze Reconnaissance Targets and Traverses.....	36
Figure 19. Mineralization on the Shipley Property.....	40

LIST OF TABLES

Table 1: List of Claims with Recommendation and division of assessment work.....	6
Table 2. Highlights from the 4K Trench, including the brand new gold occurrence.....	39
Table 3. Proposed Shipley Property 2008 Exploration Budget.....	41
Table 4. Shipley Property Expenditures submitted towards assesment.....	42

1 INTRODUCTION

1.1 GENERAL

The Shipley Property occurs in the Sultan area of the southern Porcupine Mining Division. The Property is underlain by Archean meta-volcanic, meta-sedimentary and associated intrusive rocks of the southern Swayze area of the Abitibi greenstone belt (Heather et al. 1995). The Abitibi Greenstone belt is one of the worlds largest, best preserved and most economically productive greenstone belts in the world (Ayer and Trowell, 2002).

In the summer of 2008, Mining Company Limited (Wallbridge) discovered the new 4K gold occurrence on the Shipley Property, which represent a near surface large, low grade stratabound gold target, hosted within a siliceous chert-iron formation.

Elsewhere on the Property, Wallbridge has identified geophysical and geochemical anomalies within a virtually unexplored portion of greenstone. These indicate significant potential for nickel mineralization associated with mafic and ultramafic rocks as well as copper and zinc mineralization associated with felsic and mafic volcanic rocks.

This report summarizes exploration work completed by Wallbridge on the Shipley Property (and several claims of Wallbridge's adjacent and contiguous Hong Kong Property) during the summer of 2008. Currently a drilling program is underway, which will be the subject of a subsequent report.

1.2 SOURCES OF INFORMATION

All work completed on this project since 2006 was either completed by the author or under the direct supervision of the author. Material discussed in this report includes data collected in person by the author and data collected by Wallbridge personnel and contractors under the supervision of the author.

Some information presented has been compiled from external sources, such as government publications, academic papers, and historical assessment work reports on file with the Ministry of Northern Development. The source of any compiled information is referenced directly in the text and a complete list of references materials is provided in Section 12.

1.3 UNITS AND CURRENCY

Metric units are predominantly used throughout this report. Assay and analytical results for precious metals and trace elements are quoted in grams per metric tonne (g/t), parts per million (ppm), or parts per billion (ppb). 1 g/t is the equivalent of 1 ppm and 1000 ppb. Analyses for major elements and base metals are reported in weight percent (%) or parts per million (ppm). 10,000 ppm is the equivalent to 1 %.

All dollar amounts are expressed in Canadian funds.

All maps and geographic coordinates are presented using the Universal Transverse Mercator (UTM) projection NAD83 (zone 17).

2 RELIANCE ON OTHER EXPERTS

In January, 2008, Aeroquest International was contracted to complete a helicopter-borne AeroTEM system electromagnetic and magnetic survey on the property. The results from this are summarized in a report written by them, dated April 2008 (Aeroquest Job # 08-054). While the author is not qualified to interpret or comment on the quality of the data collected, Steven Balch P.Geo, an independent geophysical consultant, was contracted to review the survey data and the author has no reason to suspect the integrity of the results.

Similarly, all rock samples collected are sent to ALS Chemex Laboratories for analyses. Although the author has made every reasonable effort to ensure data quality, he cannot absolutely guarantee the data integrity. The author has no reason to believe that significant errors in the data exist.

The author has not made a field examination of the claim posts and has not personally verified the detailed position of the claims. Any reference to the location of the claims is based upon records on file at the Ontario Mining Recorders and representations made by John Hussey, of Timmins, and George Harkin, of Kirkland Lake, both staking contractors of good reputation.

Wallbridge Mining Company Limited

Table 1: List of Claims with Recommendation and division of assessment work.

Project	CLAIM_NUM	Recommendation	Proportion of Work	Project	CLAIM_NUM	Recommendation	Proportion of Work
Shipley	3005789	Keep	30%	Shipley	4228279	Keep	1%
Shipley	3005799	Keep		Shipley	4228280	Keep	
Shipley	3005860	Keep	40%	Shipley	4228281	Keep	
Shipley	3011627	Keep		Shipley	4228282	Keep	1%
Shipley	3011628	Keep		Shipley	4228283	Keep	1%
Shipley	3011629	Keep		Shipley	4228284	Keep	
Shipley	3011630	Keep	2%	Shipley	4228285	Keep	1%
Shipley	3011631	Keep	10%	Shipley	4228286	Keep	
Shipley	4213774	Keep		Shipley	4228287	Keep	1%
Shipley	4213775	Keep		Shipley	4228288	Keep	
Shipley	4213776	Drop		Shipley	4228289	Keep	
Shipley	4213777	Drop		Shipley	4228290	Keep	
Shipley	4213778	Drop		Shipley	4228291	Keep	
Shipley	4213779	Drop		Shipley	4228292	Keep	
Shipley	4213784	Keep		Shipley	4228293	Keep	
Shipley	4213786	Drop		Shipley	4228294	Keep	1%
Shipley	4213787	Drop		Shipley	4228295	Keep	
Shipley	4213788	Drop		Shipley	4228296	Keep	
Shipley	4213789	Drop		Shipley	4228297	Keep	
Shipley	4213790	Keep		Shipley	4228298	Keep	1%
Hong Kong	4213791	Keep	2%	Shipley	4228299	Keep	
Shipley	4213792	Keep		Shipley	4228300	Keep	1%
Shipley	4213793	Keep	2%	Shipley	4228301	Keep	
Hong Kong	4213804	Keep	2%	Shipley	4228302	Keep	
Shipley	4213807	Keep		Shipley	4228303	Keep	
Shipley	4213808	Keep	1%	Shipley	4228304	Keep	1%
Shipley	4213809	Keep		Shipley	4228305	Keep	1%
Shipley	4213810	Keep	1%	Shipley	4240615	Keep	
Shipley	4213811	Keep		Shipley	4240616	Keep	
Shipley	4228278	Keep					100%

Figure 1: Location and Property Access Map





Figure 2: Claim Map



3 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

The Property is accessible via a combination of paved and unpaved roads, ATV trails, and foot trails. From Sudbury, drive 149 km north on Highway 144 toward Timmins, than turn left (west) on Sultan Industrial Road (Hwy 667, a.k.a. Eddy Road) at the Watershed Truck Stop.

Overnight accommodations and a restaurant are available at the Watershed Truck Stop, an approximately one hour drive from the Property. Other accommodations in the area are listed on the website <http://www.canadianfishing.com/sultan/> and include Ewok's Outfitters (Harvey and Karen Barnes have cabins to rent and a tent & trailer park; 705-233-2811; 4 Main Street, P.O. Box 64, Sultan, Ontario, P0M 2Z0).

Topography in the area ranges from steep-faced to rolling hills with interceding lows. Much of the Property resides in a topographic low characterized by muskeg swamp. Bedrock exposure is sporadic, generally concentrated on the edges of topographic highs. Overall, there is approximately 3-4% outcrop, 10-15% glacial cover, 80-85% drainage and swamp. Vegetation in the area is mostly second-growth mixed bush consisting of jackpine, alder, poplar, spruce, balsam, tamarack, and lesser white pine and red pine.

Topographically elevated areas on the Property are dominantly underlain by poorly sorted sandy to silty till that is locally capped by 10 to 50 centimetres of eolian sand or silt and/or sand with containing boulders. The north-south drainage and topographic low centred on claim block 3005799 controls an area of glaciofluvial outwash deposits comprised of massive to bedded sand, gravel and cobbles (Bernier, 1998).

4 HISTORY

4.1 WORK HISTORY PRIOR TO WALLBRIDGE

Most historical work in the Swayze Greenstone Belt focussed north of the Sultan Road. Historical data for the Shipley Property is sparse. Water access in the area is limited and logging roads appear to be fairly recent, likely established since most of the government geological mapping was completed. The following is compiled from reports of the Geological Survey of Canada, the Ontario Geological Survey, and the assessment records on file at the Ontario Ministry of Natural Resources.

In 1966, INCO contracted Heath and Sherwood to drill a single 402' diamond drill hole (DH 31928, logged by K.R. Maclean) south of Elaine Lake, on Wallbridge's current claim #3011631. Their target is not specified; presumably they were following up a coincident mag-EM anomaly from an early generation airborne survey. Reported rock types intersected include basalt, limestone, quartzite, rhyolite, quartzite, chlorite schist, quartzite and finally pegmatite. Identification of limestone is somewhat confusing given the geology in the area; no limestone has been identified during recent work (MNR AFRI #41O10SE0020).

P.C. Thurston and others, of the OGS mapped the area at a scale of 1:250,000 in 1970 and 1971 (ODM GR 157, 1977). The accompanying report provided a review of all previous work on the Swayze belt that was publicly documented. The mapping included several traverses through the southern lobe of the Swayze greenstone belt in Wakami, Shipley, and Hong Kong townships and documented mafic volcanics, gabbro, and ultramafic boulders in the area.

In 1980, Mike Tremblay of Matheson, Ontario, spent eight days prospecting in Shipley, Blamey, and Hong Kong Township. He noted chalcopyrite occurring near the shore of Elaine Lake, near the reported location of the Inco drill collar from 1966, the location of which he

was unable to find on the ground. His sample here (#7501) returned 106 ppm Ni, 1960 ppm Cu, and 565 ppm Zn.

In 1987, the National Geochemical Reconnaissance (NGR) released data (OF 1356) and a report (GSC OF 1357) on a regional Lake Sediment and Water Geochemical Survey completed across Ontario, which included data for the Shipley Property area.

In 1992, Michael Tremblay of Matheson, Ontario, conducted several days prospecting regional magnetic anomalies on and near the Shipley Property with a VLF but he reports no tangible positive results. However, on one of this sketches he shows that in October, 1992, Noranda staked the large arcuate magnetic high that is located in the northwest corner of the current Shipley Property and the northern part of the current Hong Kong Property. Noranda did not file any work for these claims for assessment (MNR AFRI #42B02SE0011).

In January 1993 the Geological Survey of Canada in conjunction with the Ontario Geological Survey initiated a three year collaborative project focussing on the under-explored Swayze Greenstone Belt. This work involved detailed 1:50,000 scale geological mapping by Kevin Heather, which also formed the basis for his PhD (GSC Open File 3384a-I, published 1999). This mapping focussed north of the Sultan road and heavily relied upon the earlier mapping by Thurston for the area south of the Sultan Road.

In 1995, the OGS released data from the Surficial Sediment Sampling program in the Swayze Greenstone Belt. This included results from a regional till, humus and B-horizon soil geochemical survey (MRD 15) and a results from a heavy mineral and gold particulate analyses (MRD 12, OFR 5898, Preliminary Maps P.3264-65 & P.3323-27).

In 1999, the collaborative GSC-OGS Swayze Greenstone Belt Study released a digital compilation of data for the Swayze area (GSC Open File D3770; OGS MRD 47) with data

provided by Falconbridge Ltd., Noranda Inc., the OGS, and the GSC. This included private and public airborne geophysics, regional geochemical survey data, various generations of geological mapping, etc.

In 2005, the OGS released data (MRD 188) and a report (OFR 6173) entitled *Central Swayze Area High-Density Regional Lake Sediment and Water Geochemical Survey, Northeastern Ontario*. This work identified strong multi-element metal anomalies with lakes on the Shipley Property.

In 2006, the GSC released Current Research 2006-F1 entitled *U-Pb geochronology of the Neoproterozoic Swayze sector of the southern Abitibi greenstone belt*, which used precise U-Pb zircon geochronology to correlate stratigraphy in the Swayze Greenstone Belt to stratigraphy in the main Abitibi Greenstone Belt.

4.2 WALLBRIDGE WORK HISTORY

In 2004, Wallbridge contracted Geotech Ltd. to complete a VTEM airborne survey over its Wakami Property in Wakami and Shipley Townships. The results included a string of weak to moderate conductors along the very western edge of the survey grid, on claims which have subsequently been severed from the Wakami Property and included in the current Shipley Property. Wallbridge geologist D. Oosterman spent one day ground-truthing these anomalies in 2004. He described meta-sedimentary rocks in the area and attributed the conductors to likely barren sedimentary sulphide.

In 2006, Wallbridge geologist Mark Hall and the author spent one day visiting the property and found boulders of seritized rhyolite with pyrite and sphalerite containing up to 2.36 % Zn (Sample #600376) and small amounts of copper mineralization (0.2 %) in outcrop near the conductive trend. A follow-up visit by the author with Warren Roque identified a mineralized boulder containing 0.23 % Zn approximately a further two kilometres along strike of the conductive trend. Additional claims were staked.

Between January 31st and February 6th of 2008, Aeroquest International completed a 443.4 line-kilometre heli-borne electromagnetic and magnetic survey. The survey was flown on north-south lines at 100 metres spacing over the unexplained conductive trend identified by the 2004 VTEM survey (above) and at 200 metre spacing over a virtually un-explored area underlain by greenstone belt along trend to the east and northeast. The results of this survey is summarized in a report by Aeroquest date April 2008, which has since been filed for assessment credit with the provincial mining recorder. Note that a portion of this survey covered the adjacent Hong Kong Property that is part of a 50-50 Joint Venture between Mountain Lake Resources Ltd. and Wallbridge.

In the spring of 2008, additional claims were staked to cover anomalies identified in low resolution regional magnetics data (MRD 47) which thought to possibly represent mafic-ultramafic complexes that may be prospective for nickel, copper and PGE mineralization.

During the summer of 2008 a temporary field camp was established near the 4K trenches on the Shipley Property and the current exploration program was completed. Work included a number of reconnaissance scale mapping and prospecting traverses, 1:2,000 scale mapping of selected areas, ground follow-up of airborne geophysical anomalies, and mechanical stripping in five areas with detailed mapping and sampling of the resulting trenches.

5 GEOLOGICAL SETTING

5.1 REGIONAL GEOLOGY

The Shipley Property is underlain predominantly by the Swayze area (or belt) of the Neo-Archean Abitibi Greenstone Belt within the western Abitibi sub-province of the Superior Province (Heather, 2001; Heather and Shore, 1999; Heather et al., 1995). The Abitibi Greenstone Belt is the “largest, best preserved, and most economically productive greenstone belts in the world” (Ayer and Trowell, 2002).

The Swayze area greenstone includes several supra-crustal assemblages that form an upward-facing “layer-cake” that has undergone a complex history of metamorphism, folding, and shearing/faulting. Rock types include ultra-mafic, mafic, and felsic intrusive and extrusive rocks, clastic sedimentary rocks, and chemical sedimentary rocks including a notable chert-magnetite iron formation. The Swayze area greenstone rocks are bounded to the south by the Ramsey-Algoma granitoid complex, to the east by the Kenogamissi granitoid complex, to the north by the Nat River granitoid complex, and to the west by the Kapuskasing Structural Zone (Heather, 2001; Heather and Shore, 1999).

Most of the rocks of the Swayze greenstone have been metamorphosed to greenschist facies, which grades to amphibolite facies within the contact aureole of the large bounding granitoid batholith complexes (Heather, 2001; Heather and Shore, 1999).

A “complex and protracted” structural history has resulted in poly-phase folding, foliations of multiple generations, high strain zones, and late fracturing recorded in late faults and dykes. The broad structural trend of the Swayze greenstone is dominated by doubly E-W plunging regional and parasitic F2 folds and an associated axial planar foliation which fold both primary layering and an earlier penetrative S1 foliation. In general F2 anticlines are open to tight and F2 synclines are tight to isoclinal; fold limbs tend to be highly attenuated with thickening in the fold hinges. D2 high strain zones occur along major lithological boundaries; the Rideout High Strain Zone is a major example which extends E-W along the southern margin of the main Swayze area greenstone and is interpreted to represent the western extension of the Larder Lake-Cadillac Break that extends eastward into Quebec. The F2 fabrics are locally overprinted by later D3 brittle ductile high strain zones, typified by the

northeast trending Wakami High-Strain Zone, interpreted to represent a “greenstone-belt-scale sinistrel, extensional, shear band. Later D4, D5, D6, and D7 deformation are characterized by locally recognized brittle ductile fabrics (Heather 2001; Heather and Shore, 1999).

5.2 PROPERTY GEOLOGY

The Shipley Property is underlain by the northern end of the Biscotasing Arm of the Swayze area greenstone. The Biscotasing Arm extends over 50 kilometres southeast of the main Swayze greenstone area and contains rocks that are, for the most part, highly strained and metamorphosed to amphibolite facies (Heather 2001; Heather and Shore, 1999). Sparse outcrop and the intense structural and metamorphic overprint make interpretation of these rocks within the stratigraphic models of the Abitibi difficult. Very little previous work has been done to understand the geology underlying the Shipley Property. Thurston et al (1977) mapped the outline of the greenstone belt prior to many of the current logging roads being established and appears mostly to have been interpreted from poor resolution airborne magnetic data.

The current exploration program included reconnaissance scale mapping traverses and mechanical outcrop stripping in several locations. All rock types observed have a strong penetrative foliation and/or stretching lineation and in many cases protoliths are difficult to identify. Most of the Shipley Property is underlain by intermediate volcanic and volcanoclastic meta-sedimentary rocks within the Swayze greenstone and granitoids Ramsey Algoma Batholith Complex; lesser felsic volcanic rocks, felsic tuff, (usually magnetic) gabbro, and diabase also occur; meta-sedimentary rocks including siliceous chert-iron formation, sulphide chert-iron-formation, graphitic shale, meta-pelites (biotite schist), and thin dykes of aplite and tonalite also occur, exposed within the stripped areas tat targeted airborne mag-EM anomalies.

Property scale geology and geophysics are compiled in Figure 3 through Figure 6. Maps of five trenches stripped in 2008 are presented in Figure 7 through Figure 11.

Figure 3. Shipley Property Geology.




Figure 4. Shipley Property Structural Compilaton.




Figure 5. Shipley Property Magnetics.





Figure 6. Shipley Property Near-surface contoured EM.






Figure 7. Northeast 4K Target Trench.




Figure 8. Southern 4K Target Trench.




Figure 9. Western 4K Target Trench.




Figure 10. Southern Kolme Jarvi Target Trench.




Figure 11. Northern Kolme Jarvi Target Trench.

5.2.1 LITHOLOGIES

Intermediate-Volcanic and Volcaniclastic Rocks: Greenish grey on weathered surfaces and grey-black on fresh surfaces, the intermediate volcanic and volcaniclastic rocks show schistose fabric cutting 1-10 cm thick bedding. Several outcrops show strongly attenuated pillows, however most outcrops only expose banded chlorite schist. A coarser grained variant of meta-volcanic rock is exposed in the southern Kolme Jarvi trench. Another variant containing coarse, <1cm, garnets is exposed at both the Kolme Jarvi and 4K trenches. Most of these rocks were mapped as “mafic volcanic” or “mafic meta-volcanic”

Felsic Volcanic Rocks: A number of gossanous sub-angular boulders of quartz-sericite schist containing pyrite and sphalerite (2.36 % Zn in Sample #600376) were discovered on the Shipley Property in 2006. The bedrock source of these boulders has not been identified, though similar, if less altered, felsic volcanic outcrops on the adjacent Hong Kong Property.

Felsic Tuff (the “Woodgrain Unit”): A unit of thinly laminated felsic tuff outcrops in the northeastern part of the Shipley Property where it was dubbed the “Woodgrain Unit” due to its weathering pattern (Figure 14 and Figure 15).

Siliceous Chert-Iron Formation: One of the dominant rock types exposed in the Kolme Jarvi and 4K trenches is a siliceous chert-iron formation (Figure 13). It is generally very hard and is pale coloured with very weak gossanous staining. It consists of very fine grained siliceous material with cm-sized bands, minor disseminated pyrite and/or magnetite. This unit was mapped on the field trench maps as “Siliceous Meta-sediment”.

Sulphide Chert-Iron Formation: A more sulphide rich chert-iron formation is another dominant rock type exposed at the Kolme Jarvi trenches. It was not recognized at the 4K.

trench but may form part of the heavily gossanous portion of the trench. This unit resembles the siliceous chert-iron formation (above) but with increased sulphide. Pyrrhotite occurs with lesser pyrite, chalcopyrite, magnetite, and graphite.

Graphitic Shale: Graphitic shale contains disseminated hematite and magnetite, thin laminations of (trace) chalcopyrite and occurs intercalated with in gradational contact with siliceous chert-iron formation at the 4K trench. It occurs mostly near the bottom of the excavated area and is extremely gossanous and difficult to observe.

Metapelite: “Metapelite” was used as a field term to describe a unit of biotite schist that is exposed in the 4K trenches.



Figure 12. Photograph of the felsic tuff "Woodgrain Unit".




Figure 13. Siliceous chert-iron formation at 4K Trench, very magnetic.



Figure 14. Sulfide chert-iron formation at Kolme Jarvi South Trench.



Figure 15. Sulfide chert-iron formation from 4K Trench with garnets in mafic layer.

Aplite: Prior to regional deformation, six to ten centimetres thick dykes of pink to dun coloured aplite cross-cut all of the layered rocks in the Kolme Jarvi trench. Interestingly, in many places the bedding of the layered rocks and the dyke has been rotated into parallelism and the cross-cutting relationship is difficult to see. These dykes may be difficult to recognize in drill core.

Tonalite: 10-centimetre to one metre thick folded tonalitic dykes cut both the layered rocks and the aplite at both the Kolme Jarvi and 4K trenches.

Gabbro: Regionally, a number of medium grained magnetic gabbro intrusions were identified on the Shipley Property associated with airborne magnetic highs. These include one location along the Sultan Industrial Road and another just east of the town of Sultan.

Serpentinized Ultramafic – Shear Zone: In both the Kolme Jarvi and the 4K trenches, a peculiar highly sheared, ultramafic unit cuts through the layered sediments and volcanic rocks as well as the the aplite and the tonalite dykes. In most places it strikes east-west, parallel the axial plane of folding, although in part of the southern Kolme Jarvi trench it is itself folded. This unit appears to represent an ultramafic dyke that preferentially absorbed the strain during deformation, although the exposure is not clear.

Diabase: During reconnaissance traverses, several outcrops of a fine grained diabase dykes were observed, which are interpreted as being of Matachewan age. A number of linear magnetic highs in the airborne magnetic data are also interpreted to represent diabase dykes.

Granitoids of the Ramsey Algoma Batholithic Complex: The greenstone rocks at the Kolme Jarvi showing are bound to the east by a very coarse grained non-magnetic granite-granodiorite intrusive that shows a strong foliation in proximity to the greenstone. A sharp topographic and magnetic linear, as well as a disruption in the interpreted structural trend of the greenstone along this contact suggests this contact may be faulted. The greenstone in the same area is bound to the south by a very strongly magnetic strongly foliated granitoid; this contact on the south parallels the bedding and structural trend of the greenstone rocks and is likely intrusive.

5.2.2 METAMORPHISM

Based on porphyroblastic garnets within the meta-volcanic rocks and biotite within the metapelites, the area is interpreted to have undergone amphibolite grade metamorphism. This is consistent with observations made by Heather (2001) and Heather and Shore (1999) regarding the Biscotasing Arm of the Swayze greenstone.

5.2.3 STRUCTURE

The structural geology of the Property (Figure 4) is dominated by east-west trending shallowly doubly plunging open to isoclinal regional folds which define the outline of the Swayze Greenstone. A very well developed schistosity and stretching lineation is developed in the volcanic and volcanic-clastic rocks. The more siliceous sedimentary rocks that contain less phyllo-silicates have a very well developed mineral stretching lineation, but a foliation is difficult to identify. Contacts of aplite and tonalite dykes observed in the stripped areas are seen to have been rotated sub-parallel to the primary layering and may be difficult to distinguish in drill core.

In the Kolme Jarvi target area (Figure 4 and Figure 11), the two-kilometre sized Kolme Jarvi syncline occurs as an open to tight, upright and shallowly east plunging syncline containing centimetre to metre (and likely hundred metre) sized parasitic folds in each limb. Here the intersection of primary beds and the schistosity parallels measured parasitic fold hinges and a well developed stretching lineation plunging 20-30° eastward. While on the outcrop scale, the schistosity appears to be crudely axial planar to metre- and cm-sized parasitic folds. The schistosity appears to be folded across the regional Kolme Jarvi Syncline reflecting either progressive deformation with development of the regional folds after the schistosity or indicating that the schistosity is related to an earlier phase of deformation altogether.

In the 4K target area (Figure 4 and Figure 7), measurements were limited to exposures within the stripped areas. Here centimetre- to ten-metre sized tight to isoclinal, upright, shallowly east plunging folds are exposed. Here the intersection of primary beds with the schistosity parallels a strongly developed stretching lineation plunging 40-50° to the east-southeast.

5.2.4 ALTERATION

Alteration relating to mineralization during the early volcanological history of the Property is difficult to distinguish in the field due to the high strain and amphibolite facies metamorphic overprint evident in nearly all rock types. A number of samples collected for lithochemical analyses should be useful in quantifying intensity of alteration on the property, this work is ongoing.

A small area at the southern Kolme Jarvi Target trench shows intense pervasive replacement of volcanic rocks (and possibly the tonalite dyke) by epidote, actinolite, chlorite, and quartz (Figure 17 and Figure 16).

At the 4K Trench, coarse 1 cm sized garnets (Figure 15) occur within the meta-volcanic rocks, these may represent an amphibolite facies re-crystallization of aluminous alteration minerals.

There is a possibility that some (or all) of the siliceous chert-iron formation may represent an intensely and pervasively silicified equivalent to some phases in the volcanic-clastic rocks. In some same cases, the two bear remarkable textural similarities beyond their mineralogy. This possibility should be investigated with lithochemistry. Such alteration may be related to the elevated gold values seen within the cherty rocks at the 4K trench.




Figure 16. Epidote, actinolite, chlorite, and quartz alteration at the Kolme Jarvi south trench.




Figure 17. Epidote, actinolite, chlorite, and quartz alteration at the Kolme Jarvi south trench.

5.2.5 GEOPHYSICS

The entire Property (Figure 5) is covered by a publicly available low-resolution airborne magnetic survey (OGS MRD 47) which was flown at 800 metres and covered almost 15000 kilometres squared in northern Ontario. This data identifies a number of broad mag anomalies on the Property and in the surrounding area and was heavily relied upon by Heather (2001) in interpreting the Swayze greenstone in this area. One mag anomaly has been shown by previous Wallbridge drilling to represent rocks of the Wakami Ultramafic to the west of the Shipley Property. A number of anomalies represent the siliceous and sulphide chert-iron formations exposed during trenching on the Shipley Property. Ground follow-up of a number of other anomalies indicate that they represent magnetic gabbro, and may represent targets for nickel-PGE exploration as no detailed EM survey's have ever been complete on many of them.

The 2004 high resolution Wakami Geotech VTEM (Figure 5) survey was previously completed by Wallbridge on the pre-existing Wakami Property to the west and covers a small area in the southwest of the Shipley Property. This survey identified a number of conductors in what has now become the Kolme Jarvi Target area of the Shipley Property.

The 2008 high resolution Aeroquest survey (Figure 5 and Figure 6) covered the southeastern part of the Shipley Property and part of Wallbridge's adjacent Hong Kong Property. It was designed to follow-up the Kolme Jarvi Target following discovery of mineralized boulders. This survey identified a number of strong conductors with associated magnetic anomalies which delineate a horizon of siliceous and sulphide chert-iron formations which were the focus of mechanical stripping, mapping and sampling during the current program in 2008.

5.2.6 SWAYZE GREENSTONE MAGNETIC ANOMALY RECONAISSANCE

Nickel at the Beith showing on the adjacent Hong Kong Property occurs associated with a high-Mg basalt along the margin of a strong regional magnetic high, as well the Wakami ultramafic has a very strong magnetic response; it was therefore thought that the many regional scale magnetic anomalies in this area could represent similar mafic or ultramafic bodies prospective for nickel-PGE mineralization. Staking to cover these features was completed in the spring of 2008 and a number of reconnaissance traverses (Figure 18, AM-01 though AM-015) were completed to follow-up these targets over the summer. Magnetic gabbro was identified explaining a couple of these anomalies, but because of sparse outcrop, most of them remain unexplained. Most of these have never been covered with detailed EM surveys, which are recommended.

AM-01: One days traverse prospecting with a beep mat failed to explain this anomaly, there is no outcrop and the anomaly is centred on swamp. Another day in the area may be warranted to identify outcrop in the area surrounding the anomaly.

AM-02: Two days traversing with a beepmat failed to explain this anomaly, though the area was well covered. There is no outcrop and a lot of overburden.

AM-03: One day was spent traversing with a beepmat. The anomaly is centred on a lake, three outcrops of foliated meta-volcanic and one outcrop of magnetic gabbro, which may explain the magnetic anomaly, were identified surrounding the lake. There is currently no EM coverage over this magnetic anomaly, such survey is recommended to explore for nickel-PGE.

AM-04: Two days were spent traversing with a beepmat. A weakly magnetic granite outcrop was identified in the area but no other outcrop was found. This magnetic anomaly has not been explained.

AM-07: One day was spent traversing with a beepmat. No outcrops were seen and the magnetic anomaly has not been explained.

AM-08: Two days were spent traversing with a beepmat. Intermediate volcanic and volcanoclastic rocks were identified surrounding the anomaly but no outcrop was found on the anomaly, which remains unexplained.

AM-09: Two days were spent traversing with a beepmat. No outcrops were seen and the magnetic anomaly has not been explained.


AM-10&11: One day was spent traversing with a beepmat. No outcrops were found, but it is not thought that the area was adequately covered. One large outcrop of non-magnetic granite was found between the two anomalies, but a large gabbro body was identified to the south (see AM-15 for further discussion). Further work here is recommended.

AM-13: This target includes a conductive trend coincident with a magnetic anomaly on the 2008 Aeroquest survey. One day was spent traversing with a beepmat. Gossanous (pyrite) tuff (the “Woodgrain Unit”), and intermediate-mafic volcanic rocks were identified in the area. The east end of the trend coincides with a strongly gossanous area next to the logging road. Anomalies along the western end of the trend were not explained but are interpreted to have a similar source.

AM-14: This target includes outcrops mapped by Heather (2001) as felsic volcanic, coinciding with two moderate-weak conductors from the 2008 Aeroquest Survey along the flank of a very strong arcuate magnetic anomaly on the eastern end of the Property. This target straddles the Shipley Property and the adjacent Hong Kong Property, but since they are contiguous the results from both are relevant. One day was spent traversing with a beepmat. The conductors were not explained. However, the presence of felsic volcanic rocks has been confirmed indicating the possibility that the conductors represent VMS style base metal ± gold mineralization. As well, an outcrop of magnetic gabbro was identified, which is encouraging as the conductors may therefore represent nickel-PGE mineralization. Drilling of both conductors is recommended. As well, additional traversing to explain the strong arcuate magnetic anomaly is also recommended.

AM-15: One day was spent traversing with a beepmat. The magnetic anomaly can be explained by coarse grained magnetic gabbro that is exposed in outcrops along the Sultan Industrial Road and further south into the woods. The weak conductors in this area are likely cultural, including a drainage culvert beneath the road and two other culverts each used as a rock crib to support hydro poles. This gabbro occurs at the southern end of the magnetic anomalies AM-10 and AM-11, which may represent the same. These have not been covered with EM, which is recommended.

Figure 18. Summary of 2008 Swayze Reconnaissance Targets and Traverses.



6 DEPOSIT TYPES

Based on observed rock types, sampling to date, and mineral occurrences in the surrounding rocks, the Property is prospective for a range of base and precious metals.

Copper, zinc, lead, and gold are often associated with chert iron formation exhalative horizons that extend laterally from mineralized centres within volcanic complexes. Often mineralization is located around a felsic volcanic centre. This style of mineralization usually occurs as semi-massive to massive chalcopyrite, sphalerite, galena, pyrite, and possibly pyrrhotite associated with strongly sericite-chlorite altered volcanic rocks. Geophysically, the iron-sulphide and chalcopyrite in the system will be conductive, with or without a magnetic association. The sphalerite mineralization, however, is a notoriously poor conductor.

Gold mineralization can also occur as replacement mineralization within chert iron formation.

Nickel, copper, and platinum group element mineralization usually occurs related to mafic or ultramafic volcanic and intrusive rocks in greenstone belts. The Beith nickel occurrence (2.25m of 2.02% Ni and 0.89% Cu) occurs associated with high-Mg basalt along strike of the Shipley Property on Wallbridge's adjacent Hong Kong Property. Ultramafic rocks have been identified elsewhere in this portion of the Swayze greenstone as well and gabbroic rocks occur in a number of places on the Property. Geophysically, this type of deposit would be a strong conductor, most likely with an associated magnetic high.

7 MINERALISATION

In 2006, Wallbridge geologist Mark Hall and the author spent one day visiting the property and found boulders of seritized rhyolite with pyrite and sphalerite containing up to 2.36 % Zn (Sample #600376) and small amounts of copper mineralization (0.2 %) in outcrop near the conductive trend. A follow-up visit by the author with Warren Roque identified a mineralized boulder containing 0.23 % Zn approximately a further two kilometres along strike of the conductive trend.

The 2005 Central Swayze Area High-Density Regional Lake Sediment and Water Geochemical Survey, Northeastern Ontario (OGS OFR 6173) identified strong multi-element

anomalies in all three of the small lakes (Elaine Lake being one) near the conductive VTEM trend. The following includes excerpts from page 20, OGS OFR 6173:

Three small lakes in Shipley Township show highly anomalous [98th %ile] concentrations of Ag, Cd, Cu, Pb and Zn in lake sediments. They are also elevated [90th %ile] to anomalous [95th %ile] in Co, Cr, Hg, Mo, and in the rare earth elements (REEs)... ..The lake waters are also characterized by elevated [90th %ile] to anomalous [95th %ile] concentrations of Co, Cu, and Zn... ..the 2 NGR [National Geochemical Reconnaissance] sites adjacent to these sites (GSC 1986) corroborate the high Cu, Hg and Zn concentrations in the lake sediment geochemistry.

During the current exploration program, a brand new gold showing was discovered at the 4K target (Table 2, Figure 7, Figure 8, Figure 9,). Values up to 2.56 g/t Au were identified within siliceous chert-iron formation at the 4K showing. The gold has no correlation with sulphide and the highest grade sample returned only 0.09 %, indicating that it contained less than half a percent sulphide. On the western of the 4K trenches, nearly every sample collected had very strongly anomalous gold concentrations (Figure 9). This may represent a very compelling target for a large low grade gold deposit.

A number of the sulphide rich samples at the 4K trench returned strongly anomalous values of zinc, some with copper (Table 2).

Table 2. Highlights from the 4K Trench, including the brand new gold occurrence.

SampleID	NAD83_E	NAD83_N	Target	g/t Au	% Cu	\$ Zn	% S
801007	377743.00	5267693.00	4K	2.56	0.00	0.01	0.09
801093	377694.50	5267740.00	4K	1.13	0.01	0.01	1.45
802525	377752.82	5267742.09	4K	1.05	0.00	0.01	0.16
801154	377692.60	5267746.05	4K	0.922	0.01	0.01	1.13
802526	377752.42	5267741.95	4K	0.726	0.03	0.01	6.21
801044	377740.00	5267722.00	4K	0.077	0.11	0.45	>10
801142	377739.75	5267741.50	4K	0.049	0.11	0.06	9.45
802505	377752.56	5267742.68	4K	0.049	0.05	0.78	>10
801148	377744.20	5267736.30	4K	0.036	0.06	0.75	>10
802519	377751.90	5267741.44	4K	0.096	0.04	0.58	>10
802502	377751.72	5267741.72	4K	0.098	0.04	0.57	>10
802515	377751.85	5267741.89	4K	0.022	0.02	0.44	6.52
801024	377746.00	5267739.00	4K	0.047	0.02	0.26	3.12
802501	377752.88	5267742.12	4K	0.048	0.03	0.23	2.99
802507	377752.78	5267742.15	4K	0.046	0.04	0.21	4.30
801029	377742.00	5267738.00	4K	0.024	0.07	0.20	3.23
801145	377748.00	5267743.00	4K	0.001	0.01	0.16	0.55
802514	377751.87	5267741.91	4K	0.028	0.03	0.15	4.52
801146	377747.50	5267739.75	4K	0.049	0.03	0.15	5.19
801155	377693.60	5267750.70	4K	0.016	0.01	0.12	1.21
801021	377649.00	5267633.00	4K	0.011	0.02	0.11	2.75
802512	377751.52	5267742.07	4K	0.007	0.03	0.11	4.51
802523	377751.90	5267741.25	4K	0.068	0.05	0.11	>10
801022	377789.00	5267717.00	4K	0.061	0.03	0.10	3.77
801043	377747.00	5267745.00	4K	0.027	0.06	0.10	8.65




Figure 19. Mineralization on the Shipley Property.

8 EXPLORATION

8.1 INTRODUCTION

Between January 31st and February 6th of 2008, Areoquest International completed a 443.4 line-kilometre heli-borne electromagnetic and magnetic survey (see Section 4.2). This survey identified a number of anomalous geophysical trends and very strong conductors.

Between May 20th and August 19th, 2008, a temporary field camp was established near the 4K trenches on the Shipley Property to support field work. Work included a number of reconnaissance scale mapping and prospecting traverses, 1:2,000 geological mapping of selected areas, ground follow-up of airborne geophysical anomalies, and mechanical stripping in five areas with detailed mapping and sampling of the resulting trenches. A total of 187 samples were collected and submitted for precious metal and ICP analyses (along with 9 LDI-3 reference standards and 8 blanks), 110 of these were submitted for whole rock and REE analyses. 16 thin sections and 24 polished thin sections were cut from samples for petrography, which is ongoing.

8.2 FINANCIAL SUMMARY AND BUDGET RECONCILIATION

Table 3. Proposed Shipley Property 2008 Exploration Budget.

Conceptual Budget, Shipley Property, Summer 2008

Item	# Units	\$/ Unit	Total existing claims
Airborne, <i>km+standby</i>	419	\$118	\$77,442
Geophysical Consultant, <i>days</i>	6	\$1,000	\$6,000
Staking, claim unit	370	\$105	\$38,850
Field work, <i>weeks (all in)</i>	6	\$20,000	\$120,000
Drilling, <i>metres (all in)</i>	600	\$300	\$180,000
BHEM, <i>drillholes</i>	3	\$15,000	\$45,000
Admin, Management & Reporting <i>10%</i>			\$42,229
Total			\$509,521
10% contingency			\$50,952
Total with Contingency			\$560,473

Table 4. Shipley Property Expenditures submitted towards assesment.

3(A)	Work performed	comments	from (date)	to (date)	# units of work	Actual costs (\$)
	Geologist/Geophysicist	31 man days planning, compiling, supervising, interpreting; 42 man days mapping and field exploration; 16 man days entering data, digitizing, drafting and reporting; 15 man days supervising trenching.	1-Jan-08	30-Nov-08	104 man days	\$60,884.25
	Geochemical - assays (core and channel samples; and a 100kg sample)	204 samples sent for precious metal and ICP analyses. 110 samples sent for whole rock and REE analyses.	1-Jan-07	30-Nov-08	204 FA, ICP; 110 WR, REE	\$8,969.85
	Technician	25 man days establishing and closing field camp, arrange field supplies, logistics; 70 man days field exploration, mapping, trench mapping, sampling; 86 man-days supervising trenching, washing trenches, sampling trenches; 7 man days data entry, digitizing	1-May-08	31-Aug-08	208 man days	\$33,590.49
	Excavator work & Operator Accomodations	Excavating 5 trenches, operator staying at the Watershed truck Stop	2-Jun-08	19-Jun-08		\$13,947.45
3(B)	Associated costs - supplies, mobilization, demobilisation					
	Supplies	Field office supplies, hand tools, beepmat, mapping equipment, satellite phones, radio's, safety and fire equipment, general camp supplies, etc.	1-May-08	31-Aug-08	4 months	\$3,468.95
3(C)	Transportation/Equipment					
	Trucks	pickup trucks and maintenance, rentals and Wallbridge owned trucks charged to project at commercial rate.	1-May-08	31-Aug-08	124 days	\$9,919.68
	ATV's	ATV's and maintenance (servicing, oil change, etc.)	1-May-08	31-Aug-08	30 days	\$3,750.00
	ATV Trailers		1-May-08	31-Aug-08	20 days	\$1,000.00
	Chainsaw	trail construction	1-May-08	31-Aug-08	15 days	\$1,150.00
	Channelsaw (Rocksaw)	Used for sampling outcrop	1-May-08	31-Aug-08	18 days	\$1,890.00
	Generator	Camp utility	1-May-08	31-Aug-08	4 months	\$1,475.00
	Water Pump	2 pumps, used for washing outcrop	1-May-08	30-Aug-08	3 months	\$2,120.00
	Fuel	All fuel costs for trucks, channel saw, ATV's, and Wajax water pumps, generators, .	1-May-08	31-Aug-08	4 months	\$5,491.13
3(D)	Meals and accomodations					
	accommodations	accommodations at various times during the project at the shipley field camp, the watershed truck stop, and the Village Inn Motel.	1-May-08	31-Aug-08	4 months	\$4,293.00
	Food	Groceries and meals for field crews: Battistellis' Independent Grocery, Chapleau Valu-mart and the watershed truck stop	1-May-08	31-Aug-08	4 months	\$3,331.47

TOTAL EXPENSE \$155,281.27

9 ADJACENT PROPERTIES

Wallbridge's Hong Kong Property is to the southeast and contiguous with the Shipley Property. Nickel mineralisation occurs on the Hong Kong Property at the Beith showing (Oosterman, 2004), which represents a sheared amphibolite-gabbro unit hosting disseminated pyrrhotite, pyrite, and minor chalcopyrite. Assay results from historical drilling indicated metal values of 0.39% Cu, 0.87% Ni (DDH#1) and 0.80% Cu, 0.54% Ni (DDH#3). Similar assays were returned by Wallbridge during a preliminary property visit of 0.4 % Cu, 0.7 % Ni, 0.06 g/t Pt + Pd, 0.01 g/t Au (best results) in between 5% and 10% disseminated sulphide. Follow-up work during the summer of 2004 returned another sample at the Beith Showing with 0.17% Cu, 1.23% Ni, 0.201 TPM. Table 2 summarizes assays from grab samples taken from the Hong Kong property. Drilling by Wallbridge in 2005 defined semi-massive sulphide at depth, apparently plunging 110°, dipping south between 78° and 85°, with a best intersection of up to 2.02% Ni, 0.91% Cu, over 2.25m (~1.59m true width).

10 INTERPRETATION AND CONCLUSIONS

Discovery of gold within the siliceous chert-iron formation at the 4K showing warrants follow-up. As there is no correlation with sulphide, geophysics will not be helpful identifying the extent of this mineralization, nor in targeting a possibly higher grade core. Drilling is required. Access is good in this area and the gold is right at surface. This is a very compelling target for a large low grade gold deposit that could be mined with open pit.

Trenching at the Kolme Jarvi target identified barren pyrrhotite and pyrite but failed to identify any mineralization. However, drilling is ongoing on a number of untested conductors in the area. The outcrop source of the altered and zinc mineralised felsic volcanic boulders has not been identified.

The large arcuate magnetic anomaly on the eastern end of the Shipley Property remains unexplained. Additional fieldwork to explore the nature of this anomaly is warranted.

Several of the regional magnetic anomalies, which are not covered by any EM surveys, can be explained by bodies of magnetic gabbro, the rest could not be explained due to lack of

outcrop. Any of these may represent nickel-PGE targets as they have never been explored. Completion of an airborne survey to cover these targets is warranted.

11 RECOMMENDATIONS

Drilling is ongoing on the Shipley Property testing conductors and geological targets at the Kolme Jarvi and the 4K target areas. The current program includes seven drill holes totalling 1000 metres of drilling.

One month of field work, mapping and prospecting, is recommended for the summer of 2009 in order to further follow-up magnetic anomalies, particularly the large arcuate anomaly in the northeast of the Property.

Further airborne magnetic and electromagnetic (EM) coverage is recommended to follow-up the numerous magnetic anomalies, some of are known to represent gabbroic bodies and may contain nickel-PGE mineralization, which is a highly conductive EM target.

12 REFERENCES

Ayer, J.A. and Trowell, N.F. 2002. Geological compilation of the Swayze Area, Abitibi greenstone belt| Ontario Geological Survey, Preliminary Map P.3511, Scale 1:100,000.

Heather, K.B. 2001. The geological evolution of the Archean Swayze Greenstone Belt, Superior Province, Canada, PhD Thesis, Keele University.

Heather, K.B. and Shore, G.T. 1999. Geology, Swayze Greenstone Belt, Ontario, Geological Survey of Canada, Open File 3384(a-i).

Heather, K.B., Shore, G.T. and van Breman, O. 1995. The convoluted “layer-cake”: an old recipe with new ingredients for the Swayze greenstone belt, southern Superior Province, Ontario *in* Current Research 1995-C, Geological Survey of Canada, p.1-10.

Oosterman, D. 2004. Report of the Hong Kong Property, Northern Ontario, For Wallbridge Mining Company Limited. Wallbridge Mining Internal Report.

Van Breemen, O., Heather, K.B., and Ayer, J.A., 2006: U-Pb geochronology of the Neoproterozoic Swayze sector of the southern Abitibi greenstone belt; Geological Survey of Canada, Current Research 2006-F1, 32 p.

20. Date and Signature Page

I, Joshua Bailey, M.Sc., P.Geo., residing at 96 Maclachlan Street, Sudbury, Ontario, P3E 3V8, do hereby certify that:

1. I am currently employed as Senior Project Geologist with Wallbridge Mining Company Limited.
2. I am a member in good standing of the Association of Professional Geoscientists of Ontario (member 1512).
3. I am a graduate of Memorial University, St. John's, Newfoundland and Labrador (B.Sc. Honours, Earth Science, 2002).
4. I am a graduated of Laurentian University, Sudbury, Ontario (M.Sc., Earth Science 2005).
5. I have been practicing my profession continuously since graduation and have been involved in Mineral Exploration in the Provinces of Ontario, British Columbia, Newfoundland and Labrador, and the Yukon Territory.
6. This technical report has been prepared by me and I am responsible for all sections of this report. The report is based primarily on information derived through Wallbridge and other companies' exploration activities on the property. All sources of documented information are listed in the references section of the report and/or described in Section 2.
7. I visited the property on numerous occasions during the 2008 work program as Senior Project Geologist and directly collected much of the data myself.
8. I am not aware of any material fact or change with respect to the subject matter of this report, which is not reflected in the.

Effective as of
March 28th, 2008

"Signed"


"Joshua Bailey"

Joshua Michael Bailey, M.Sc. P.Geo.

Appendix 1

Various maps showing


- mapping traverses
- sample locations
- stripping and trenching


Shipley Project Assessment Maps


Legend


Nov. 2008 NAD 83 zone 17











































Shipley Project Assessment Maps


Legend

Nov. 2008 NAD 83 zone 17









Appendix 2

Sample locations and descriptions

<u>Sample</u>	<u>Location</u>	<u>NAD83 E</u>	<u>NAD83 N</u>	<u>+/-</u>	<u>Target</u>	<u>T.S. (y/n)</u>	<u>ThinType</u>	<u>SampleType</u>	<u>Geologist</u>	<u>Date Sampled</u>	<u>RockType</u>
501051	SHIPLEY	374802	5266729			N		GRAB			
800059	SHIPLEY	999	999					STD			
800060	SHIPLEY	999	999					BLK			
800065	SHIPLEY	999	999					STD			
801001	SHIPLEY	374482	5266048	10		Y	PTS	GRAB	JD	20/05/2008	GR
801002	SHIPLEY	374184	5266055	10		Y	PTS	GRAB	JD	20/05/2008	GR
801003	SHIPLEY	374246	5266074	8	JK	Y	TS	GRAB	JD	20/05/2008	GWKE
801004	SHIPLEY	374771	5266556	10		Y	TS	GRAB	JD	20/05/2008	GAB
801005	SHIPLEY	374802	5266877	10				GRAB	JD	20/05/2008	GAB
801006	SHIPLEY	383003	5273929	10		Y	TS	GRAB	JD	20/05/2008	GAB
801007	SHIPLEY	377743	5267693	10		Y	TS	GRAB	JD	20/05/2008	GR
801008	SHIPLEY	377741	5267692	10		Y	TS	GRAB	JD	20/05/2008	GR
801009	SHIPLEY	377746	5267696	10		Y	TS	GRAB	JD	20/05/2008	GR
801010	SHIPLEY	377750	5267715	10		Y	TS	GRAB	JD	20/05/2008	GR
801011	SHIPLEY	377680	5267749	10		Y	TS	GRAB	JD	20/05/2008	GR
801012	SHIPLEY	377253	5268493	10		Y	TS	GRAB	JD	26/05/2008	UNKNOWN
801013	SHIPLEY	377880	5267678	10		N		GRAB	JD	26/05/2008	DIOR
801014	SHIPLEY	377875	5267646	10		Y	TS	GRAB	JD	26/05/2008	MYL
801015	SHIPLEY	374725	5266734	8		Y	TS	GRAB	JD	28/05/2008	GAB
801016	SHIPLEY	374726	5266721	10		Y	PTS	GRAB	JD	28/05/2008	UNKNOWN
801017	SHIPLEY	374752	5266800	10		Y	TS	FLOAT	JD	28/05/2008	BSLT
801018	SHIPLEY	374746	5266839	9		Y	TS	GRAB	JD	28/05/2008	GAB
801019	SHIPLEY	374770	5266811	15		Y	PTS	GRAB	JD	28/05/2008	GAB
801020	SHIPLEY	377829	5267684	9	4K	y	PTS	FLOAT	JD	01/06/2008	MV
801021	SHIPLEY	377649	5267633	7	4K			GRAB	JD	01/06/2008	MTSD
801022	SHIPLEY	377789	5267717	10	4K			GRAB	JD	07/06/2008	MTSD
801023	SHIPLEY	377675	5267743	10	4K			GRAB	JD	07/06/2008	MTSD
801024	SHIPLEY	377746	5267739	10	4K			GRAB	JD	07/06/2008	MTSD
801025	SHIPLEY	377704	5267731	13	4K			GRAB	JD	07/06/2008	MTSD
801026	SHIPLEY	377743	5267731	8	4K			GRAB	JD	07/06/2008	MTSD
801027	SHIPLEY	377739	5267732	10	4K			FLOAT	JD	07/06/2008	SCH
801028	SHIPLEY	377747	5267712	10	4K	y	PTS	FLOAT	JD	07/06/2008	ARG
801029	SHIPLEY	377742	5267738	7	4K			GRAB	JD	07/06/2008	ARG
801030	SHIPLEY	377695	5267771	15	4K			GRAB	JD	07/06/2008	CHT
801031	SHIPLEY	377682	5267742	12	4K			GRAB	JD	07/06/2008	SCH
801032	SHIPLEY	377682	5267742	10	4K			GRAB	JD	07/06/2008	SCH

Sample **FieldDesc**

501051
800059
800060
800065
801001 felsic gniess; veinlets of py-cpy-ga
801002 felsic gneiss; strongly lineated
801003 planar bedding, med-fg,
801004 Finegrained gabbro with >1% diss pyrite
801005
801006 med grain gabbro, outcrop/suboutcrop with vfg
801007 Mylonitic siliceous felsic out crop
801008 Mylonitic siliceous felsic out crop
801009 Mylonitic siliceous felsic out crop
801010 Mylonitic felsic gneiss
801011 Siliceous
801012 Highly foliated mafic outcrop
801013 weakly foliated
801014 Metapelite; vfg py "pods" approx. 1-0.5 mm
801015 Metapelite
801016 cpy-py dyke striking NNW
801017 highly magnetic boulder w/ diss. Py
801018 highly conductive and Magnetic sheared gabbro
801019 highly conductive and Magnetic sheared gabbro
801020 altered mafic volcanic, EP, CHL, Garnet alt'n trace py-cp-sph(?)
801021 altered metasediment, siliceous biotite schist, very strong lineation, lineation parallel seams py+-cp
801022 Qtz-chl-musc-schist/phyllite, trace sulfide
801023 Qtz ser schist trace py and po
801024 graphitic argillite, trace py, Cu stain
801025 BT schist/phyllite, trace py
801026 BT schist/phyllite, trace py
801027 chlorite schist, L-tectonite
801028 py and CP in graphitic shale
801029 BT schist, similar to 801028, minor CP&PY
801030 banded cherty and argillaceous cm thick laminations, minor sulfide bands
801031 quartz, chlorite, biotite, sericite, schist
801032 Qtz-chl-garnet schist

Sample Notes

501051 entered from sample book Nov. 7 2008
800059
800060
800065
801001 greenish-white; possible alteration
801002 diss. Py-cpy
801003 diss sulfides
801004 Sample from sub-angular boulder, greenish-gray, possibly chlorite alteration
801005 Errata: LDI-3 material was submitted instead of the sample by mistake. Highly conducted beepmat anomaly buried 1m deep, 1x1m. Trending 310degrees
801006 disseminated py. Outcrop highly to moderately-highly magnetic
801007 Errata: Problem with sample batch see note for 801005, 801007 rep material was resent for analysis Oct 2008. highly lineated//to anomalously on EM 100->33
801008 highly lineated//to anomalously on EM 100->33
801009 highly lineated//to anomalously on EM 100->33
801010 disseminated cpy. Mineralization contained with hematitic qtz vein
801011 highly lineated felsic schist with veinlets of vfg cpy, sp, py
801012 possible chloritic alteration
801013 > 1% vfg ga+py w/in veinlet // to foliation
801014 Sample from angular boulder
801015 strongly foliated 307/62
801016 rusty with within strongly foliated metapelite
801017 well rounded shape
801018 mineralization of cpy-py-po
801019 mineralization of cpy-py-po
801020 metapelite crosscut by siliceous vein; coarse grain py-cpy(?)
801021 strongly foliated; shallow dip NNW vfg diss sulfide py-cpy (?)
801022 silicified/chloritized basalt (?) x-cut 1-2 cm qtz veins w/diss. Py-cpy-sp
801023 silicified/chloritized
801024 graphitic with veinlets of cpy-py-bn
801025 graphitic shale
801026 graphitic shale
801027 chloritic basalt (?) with secondary folding
801028 graphitic shale w/veinlets of cpy-py-bn // to foliation
801029
801030 silicified shale containing "eyes" of fg py
801031 cpy-mineralized graphitic shale
801032 chloritized sheared gabbro w/diss. Mineralization and hydrothermal grt (possibly metamorphic)

<u>Sample</u>	<u>Location</u>	<u>NAD83 E</u>	<u>NAD83 N</u>	<u>+/-</u>	<u>Target</u>	<u>T.S. (y/n)</u>	<u>ThinType</u>	<u>SampleType</u>	<u>Geologist</u>	<u>Date Sampled</u>	<u>RockType</u>
801033	SHIPLEY	377746	5267729	10	4K			GRAB	JD	07/06/2008	SCH
801034	SHIPLEY	377739	5267734	10	4K			GRAB	JD	07/06/2008	GAB
801035	SHIPLEY	377920	5267700	10	KJ			GRAB	JD	08/06/2008	SCH
801036	SHIPLEY	374788	5266700	5	KJ			GRAB	JD	08/06/2008	SCH
801037	SHIPLEY	374742	5266842	5	KJ			GRAB	JD	08/06/2008	SCH
801038	SHIPLEY	374710	5266703	29	KJ			GRAB	JD	08/06/2008	RHY
801039	SHIPLEY	375955	5265961	9	KJ	N		FLOAT	JD	09/06/2008	BSLT
801040	SHIPLEY	374464	5266437	8	KJ	N		GRAB	JD	09/06/2008	SL
801041	SHIPLEY	377737	5267755	21	4K	Y	PTS	GRAB	JD	11/06/2008	SL
801042	SHIPLEY	377777	5267694	16	4K	Y	PTS	GRAB	JD	11/06/2008	SL
801043	SHIPLEY	377747	5267745	9	4K	Y	TS	GRAB	JD	11/06/2008	SL
801044	SHIPLEY	377740	5267722	22	4K	Y	PTS	GRAB	JD	11/06/2008	SL
801045	SHIPLEY	374744	5266805	14	JK	N		GRAB	JD	13/06/2008	SL
801046	SHIPLEY	377750	5267698	24	4K	N		GRAB	JD	14/06/2008	SL
801047	SHIPLEY	377624	5267718	26	4K	N		GRAB	JD	14/06/2008	SL
801048	SHIPLEY	374801	5266311	12	KJ	Y	TS	GRAB	JD	18/06/2008	BSLT
801049	SHIPLEY	999	999			n		BLK	JD	18/06/2008	
801050	SHIPLEY	999	999			n		STD	JD	18/06/2008	
801052	SHIPLEY	344749	5266641			N		GRAB			
801053	SHIPLEY	374701	5266638			N		FLOAT			
801054	SHIPLEY	374738.9	5266799.1	1	KJ	N		GRAB	JL	14/08/2008	
801055	SHIPLEY	374738.9	5266806.8	1	KJ	N		GRAB	JL	14/08/2008	
801056	SHIPLEY	374753.55	5266801.7	1	KJ	N		GRAB	JL	14/08/2008	
801057	SHIPLEY	374753.65	5266804.75	1	KJ	N		GRAB	JL	14/08/2008	
801058	SHIPLEY	374742.72	5266800.75	1	KJ	N		GRAB	JL	14/08/2008	
801059	SHIPLEY	374752.55	5266810.55	1	KJ	N		GRAB	JL	14/08/2008	
801060	SHIPLEY	374744.2	5266806.05	1	KJ	N		GRAB	JL	14/08/2008	
801061	SHIPLEY	374756.3	5266814.45	1	KJ	N		GRAB	JL	14/08/2008	
801062	HONG KONG	374742.5	5266814.5	1	KJ	N		GRAB	JL	14/08/2008	
801063	HONG KONG	374746	5266804.25	1	KJ	N		GRAB	JL	14/08/2008	
801064	HONG KONG	374757	5266816.52	1	KJ	N		GRAB	JL	14/08/2008	
801065	SHIPLEY	374751.75	5266820.9	1	KJ	N		GRAB	JL	14/08/2008	
801066	SHIPLEY	374751.6	5266830.9	1	KJ	N		GRAB	JL	14/08/2008	
801067	SHIPLEY	374750.5	5266833.25	1	KJ	N		GRAB	JL	14/08/2008	
801068	SHIPLEY	374747	5266827.8	1	KJ	N		GRAB	JL	14/08/2008	
801069	SHIPLEY	374803.25	5266867	1	KJ	N		GRAB	JL	14/08/2008	

Sample **FieldDesc**

801033 chlorite, biot, graphite schist
801034 strongly gossanous
801035 chlorite schist
801036 qtz bt chl py schist
801037 qtz bt chl py schist
801038 felsic lense from within mafic volcanic outcrop
801039 x-cut by >1% fg py
801040 metapelite with 2 deg symmetrical folding
801041 metapelite w/1-2 cm wide qtz bodonuge containing py-cpy; malachite alteration (?)
801042 strongly foliated shale w/ fg stringers of py+cpy parallel to foliation
801043 graphic shale x-cut by choatic qtz+cal(?) vein w/diss py+cpy+po+- mag; malachite alteration
801044 graphitic shale w/veinlets of vg py+cpy; veinlets parallel to foliation
801045 metapelite x-cut by 5-7 mm wide qtz vein with fg py+cpy along edge and diss >1% sulfide throughout host rock
801046 metapelite x-cut by qtz vein approx. 3-4 cm wide w/massive py+cpy+ euهدral get(?)
801047 gossenous qtz-grap vein approx. 5-7 cm wide parallel to foliation containing py+cpy
801048 metavolcanic/metabasite w/symmetric to sub symmetric foliation; banding defined by chloritic mafic phases and plg
801049
801050
801052
801053
801054
801055
801056
801057
801058
801059
801060
801061
801062
801063
801064
801065
801066
801067
801068
801069

Sample Notes

801033 graphitic shale containing diss. cpy-bn
801034 gabbro containing vfg diss cpy+bn(?)
801035 chloritized sheared basalt
801036 gossenous;strongly foliated, siliceous sheared gabbro (?)
801037 gossenous;strongly foliated, siliceous sheared gabbro (?)
801038 silieous felsic dyke containing euhedral, fg py-cpy (> 1% diss sulfide)
801039 sub-rounded, highly conductive
801040 hinge zone (?)
801041
801042
801043
801044
801045
801046
801047
801048 possiable hinge zone ; >1% diss sulfides
801049
801050
801052 entered from sample book Nov. 7 2008
801053 entered from sample book Nov. 7 2008
801054 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801055 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801056 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801057 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801058 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801059 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801060 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801061 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801062 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801063 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801064 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801065 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801066 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801067 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801068 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801069 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM

<u>Sample</u>	<u>Location</u>	<u>NAD83 E</u>	<u>NAD83 N</u>	<u>+/-</u>	<u>Target</u>	<u>T.S. (y/n)</u>	<u>ThinType</u>	<u>SampleType</u>	<u>Geologist</u>	<u>Date Sampled</u>	<u>RockType</u>
801070	SHIPLEY	374805.75	5266871.6	1	KJ	N		GRAB	JL	14/08/2008	
801071	SHIPLEY	374810.4	5266871	1	KJ	N		GRAB	JL	14/08/2008	
801072	SHIPLEY	374803.3	5266875.6	1	KJ	N		GRAB	JL	14/08/2008	
801073	SHIPLEY	374747	5266823.4	1	KJ	N		GRAB	JL	15/08/2008	
801074	SHIPLEY	374745.4	5266818	1	KJ	N		GRAB	JL	15/08/2008	
801075	SHIPLEY	374737	5266817	1	KJ	N		GRAB	JL	15/08/2008	
801076	SHIPLEY	374742.3	5266795.25	1	KJ	N		GRAB	JL	15/08/2008	
801077	SHIPLEY	374755	5266806.7	1	KJ	N		GRAB	JL	15/08/2008	
801078	SHIPLEY	374806.5	5266881.35	1	KJ	N		GRAB	JL	15/08/2008	
801079	SHIPLEY	374807.5	5266884.5	1	KJ	N		GRAB	JL	15/08/2008	
801080	SHIPLEY	374810.7	5266887.3	1	KJ	N		GRAB	JL	15/08/2008	
801081	SHIPLEY	374815.8	5266882.3	1	KJ	N		GRAB	JL	15/08/2008	
801082	SHIPLEY	374810.2	5266882.3	1	KJ	N		GRAB	IJ	15/08/2008	
801083	SHIPLEY	374811.5	5266877.2	1	KJ	N		GRAB	JL	15/08/2008	
801084	SHIPLEY	999	999					STD			
801085	SHIPLEY	999	999					BLK			
801086	SHIPLEY	377748.3	5267692.7	1	4K	N		GRAB	JL	15/08/2008	
801087	SHIPLEY	377745.5	5267694	1	4K	N		GRAB	JL	15/08/2008	
801088	SHIPLEY	377743.6	5267694.75	1	4K	N		GRAB	IJ	15/08/2008	
801089	SHIPLEY	377742.5	5267692	1	4K	N		GRAB	IJ	15/08/2008	
801090	SHIPLEY	377745.4	5267698	1	4K	N		GRAB	JL	15/08/2008	
801091	SHIPLEY	377747.8	5267698.6	1	4K	N		GRAB	IJ	15/08/2008	
801092	SHIPLEY	377752.8	5267696.25	1	4K	N		GRAB	JL	15/08/2008	
801093	SHIPLEY	377694.5	5267740	1	4K	N		GRAB	JL	15/08/2008	
801094	SHIPLEY	377691	5267748.9	1	4K	N		GRAB	JL	15/08/2008	
801095	SHIPLEY	377737.65	5267738	1	4K	N		GRAB	JL	16/08/2008	
801096	SHIPLEY	377741.3	5267737.1	1	4K	N		GRAB	JL	16/08/2008	
801097	SHIPLEY	377742.7	5267749.5	1	4K	N		GRAB	JL	16/08/2008	
801098	SHIPLEY	377752.2	5267748.27	1	4K	N		GRAB	JL	16/08/2008	
801099	SHIPLEY	377744.25	5267747.85	1	4K	N		GRAB	JL	16/08/2008	
801100	SHIPLEY	377749.6	5267747	1	4K	N		GRAB	JL	16/08/2008	
801101	SHIPLEY	375808	5266830	6	KJ	N		GRAB	JD	24/06/2008	GAB
801102	SHIPLEY	375808	5266902	9	KJ	N		GRAB	JD	25/06/2008	MV
801103	SHIPLEY	375922	5266589	14	KJ	Y	PTS	GRAB	JD	25/06/2008	MV
801104	SHIPLEY	376875	5275043	16		Y	TS	GRAB	JD	26/06/2008	GAB
801105	SHIPLEY	374627	5266527	10	KJ	N		GRAB	JD	03/07/2008	MV

Sample FieldDesc

801070
801071
801072
801073
801074
801075
801076
801077
801078
801079
801080
801081
801082
801083
801084
801085
801086
801087
801088
801089
801090
801091
801092
801093
801094
801095
801096
801097
801098
801099
801100
801101 med grain w/ altered plg
801102 bt-hbl mafic metavolcanic
801103 metavolcanic
801104 med grain w/ pervasive ep. alteration and plg. alteration
801105 strongly foliated hbl-rich metavolcanic intercalated with bands of siliceous laminations

Sample Notes

801070 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801071 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801072 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801073 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801074 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801075 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801076 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801077 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801078 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801079 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801080 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801081 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801082 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801083 see KJ trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801084 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801085 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801086 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801087 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801088 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801089 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801090 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801091 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801092 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801093 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801094 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801095 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801096 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801097 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801098 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801099 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801100 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801101 weakly magnetic
801102
801103 strongly foliated w/ >1% fine grain py+cpy
801104
801105 F= 304/61 L= 23-> 091

<u>Sample</u>	<u>Location</u>	<u>NAD83 E</u>	<u>NAD83 N</u>	<u>+/-</u>	<u>Target</u>	<u>T.S. (y/n)</u>	<u>ThinType</u>	<u>SampleType</u>	<u>Geologist</u>	<u>Date Sampled</u>	<u>RockType</u>
801106	SHIPLEY	374656	5266627	9	KJ	N		GRAB	JD	03/07/2008	MV
801107	SHIPLEY	374912	5266810	10	KJ	Y	PTS	GRAB	JD	03/07/2008	MV
801108	SHIPLEY	374912	5266168	10	KJ	N		GRAB	JD	03/07/2008	MV
801109	SHIPLEY	374936	5266152	16	KJ	N		GRAB	JD	03/07/2008	SCH
801110	SHIPLEY	375056	5266139	13	KJ	N		GRAB	JD	03/07/2008	SCH
801111	SHIPLEY	374380	5266021	8	KJ	N		GRAB	JD	03/07/2008	SCH
801112	SHIPLEY	376963	5268507	13	4K	N		GRAB	JD	04/07/2008	BX
801113	SHIPLEY	376965	5268551	12	4K	Y	PTS	GRAB	JD	04/07/2008	BX
801114	SHIPLEY	377035	5268709	6	4K	N		GRAB	JD	04/07/2008	MV
801115	SHIPLEY	374876	5266419	9	KJ	N		GRAB	IJ	06/07/2008	MV
801116	SHIPLEY	374805	5266865	8	KJ	Y	PTS	GRAB	JD	07/07/2008	MV
801117	SHIPLEY	374803	5266877	14	KJ	Y	PTS	GRAB	JD	08/07/2008	MV
801118	SHIPLEY	374802	5266886	15	KJ	Y	PTS	GRAB	JD	08/07/2008	SL
801119	SHIPLEY	374813	5266886	8	KJ	N		GRAB	JD	08/07/2008	SL
801120	SHIPLEY	374803	5266885	5	KJ	N		GRAB	JD	08/07/2008	MV
801121	SHIPLEY	374796	5266873	8	KJ	N		GRAB	JD	08/07/2008	SCH
801122	SHIPLEY	374799	5266892	14	KJ	N		GRAB	JD	08/08/2008	MV
801123	SHIPLEY	374735	5266810	18	KJ	N		GRAB	JD	09/08/2008	PEL
801124	SHIPLEY	374754	5266815	13	KJ	N		GRAB	JD	09/08/2008	TON
801125	SHIPLEY	374748	5266840	13	KJ	N		GRAB	JD	09/08/2008	GAB
801126	SHIPLEY	374749	5266817	15	KJ	N		GRAB	JD	09/08/2008	PEL
801127	SHIPLEY	374737	5266814	3	KJ	N		GRAB	JD	09/08/2008	PEL
801128	SHIPLEY	374738	5266819	8	KJ	N		GRAB	JD	09/08/2008	PEL
801129	SHIPLEY	375234	5267289	6	KJ	N		FLOAT	JD	10/08/2008	MV
801130	SHIPLEY	375624	5267201	12	KJ	N		GRAB	JD	10/08/2008	MV
801131	SHIPLEY	375600	5267446	12	KJ	N		GRAB	IJ	07/11/2008	GAB
801132	SHIPLEY	375820	5267355	10	KJ	N		GRAB	IJ	07/11/2008	MV
801133	SHIPLEY	376171	5266065	3	KJ	N		GRAB	IJ	07/12/2008	MV
801134	SHIPLEY	375847	5265937	9	KJ	N		GRAB	IJ	07/12/2008	SCH
801135	SHIPLEY	375265	5266035	8	KJ	N		GRAB	JL	07/13/2008	MV
801136	SHIPLEY	374850	5266325	18	KJ	N		GRAB	IJ	07/13/2008	MV
801137	SHIPLEY	999	999					STD			
801138	SHIPLEY	999	999					BLK			
801139	SHIPLEY	376009	5266703	16	KJ	N		FLOAT	IJ	07/28/2008	OPYXT
801140	SHIPLEY	371970	5273503	8	KJ	N		GRAB	IJ	10/08/2008	GAB
801141	SHIPLEY	371923	5273504	5	KJ	N		GRAB	IJ	10/08/2008	MV

Sample FieldDesc

801106 metavolcanic schist with layers (>1mm) of mafic and siliceous phases
801107 metavolcanic mineralized 1-2 % py; >1 % po; > 1% sp
801108 metavolcanic/mafic schist
801109 mafic schist/metavolcanic
801110 mafic schist/metavolcanic
801111 mafic schist/metavolcanic
801112 mafic flow breccia with enclaves of bio-bearing metapelite
801113 mafic flow breccia with FG cpy (>1%)
801114 metavolcanic/metabasite with pervasive chlorite alteration
801115 mafic schist with some kind of felsic banding F= 278/62, L= 36->090, small amount of py
801116 highly magnetic, sheared metabasite/volcanic w/ > 5% PO and MAG; stringer mineralization; boudins of GRT
801117 stringers of marcasite and >1% cpy; weakly magnetic
801118 siliceous shale/qtz vein with stringers and diss marcasite +/- cpy; malachite/actinolite present
801119 Graphitic shale with 5-7 % po; 1-2 % py; > 1% cpy; highly magnetic; mineralization is chaotic to wispy and localized around 1-2 mm isoclinal siliceous folds
801120 Stratabound layers of euhedral pyrite. Fsh surface is greenish blk w/gr 1-2mm wide laminations of qtz
801121 Sheared metavolcanic/basite with stringers of py and po; moderately magnetic > 1% cpy
801122 Qtz vein/siliceous layer w/in sheared metavolcanic with stringers of py and po; > 1% cpy moderately magnetic
801123 Hydrothermally altered, reworked, turbiditic metapelite with siliceous stratabound qtz laminations
801124 hbl(?) - bio-bearing tonalite w/ >1% diss py; lineation defined by bio xlt
801125 Sheared gabbro/diabase with minor chloritic alteration; strongly lineated; moderately foliated
801126 Metapelite with thin laminations or bedding of siliceous phases and biotite: strongly lineated
801127 Siliceous, reworked turbiditic metapelite with discrete, thin laminations of po containing fg >1 % cpy
801128 Siliceous, reworked turbiditic metapelite with discrete, thin laminations of po containing fg >1 % cpy
801129 acicular grains of amp (hbl?)
801130 1cm thick intercalated bio-rich and siliceous rich beds; local qtz boudins
801131 Massive gabbro very coarse grained
801132 Mafic metavolcanic with felsic banding
801133 Mafic metavolcanic with felsic banding
801134 mafic schist with gossens patches
801135 Mafic metavolcanic with felsic banding
801136 Mafic metavolcanic with felsic banding
801137
801138
801139 Looks gabbroic has high mag.
801140 Massive gabbro, no mag or conductor
801141 Mafic metavolcanic with felsic banding, Foliation 260/58

Sample Notes

801106 L= 21-> 285
801107
801108 fsh surface shows greenish discolouration; indication of chloritization
801109 F= 277/64 L= 32-> 092
801110
801111 F= 287/69
801112 Pervasive qtz veining with possiable sph
801113
801114
801115
801116
801117
801118
801119
801120
801121
801122
801123
801124 L=25->087
801125 F=079/55 L=32->093
801126 L= 19->108
801127
801128 cpy is mobilized parallel to lineation (possibly stretching)
801129
801130 F= 037/43 L= 33-> 076
801131
801132
801133
801134
801135
801136
801137 801137 was analyzed as a standard on certificate SD08101798 and a Blank on SD08118480, 801138 was analyzed as a blank on certificate SD08101798
801138 801137 was analyzed as a standard on certificate SD08101798 and a Blank on SD08118480, 801138 was analyzed as a blank on certificate SD08101798
801139
801140
801141

<u>Sample</u>	<u>Location</u>	<u>NAD83 E</u>	<u>NAD83 N</u>	<u>+/-</u>	<u>Target</u>	<u>T.S. (y/n)</u>	<u>ThinType</u>	<u>SampleType</u>	<u>Geologist</u>	<u>Date Sampled</u>	<u>RockType</u>
801142	SHIPLEY	377739.75	5267741.5	1	4K	N		GRAB	IJ	16/08/2008	
801143	SHIPLEY	377742	5267741.5	1	4K	N		GRAB	IJ	16/08/2008	
801144	SHIPLEY	377744.7	5267743.3	1	4K	N		GRAB	IJ	16/08/2008	
801145	SHIPLEY	377748	5267743	1	4K	N		GRAB	IJ	16/08/2008	
801146	SHIPLEY	377747.5	5267739.75	1	4K	N		GRAB	IJ	16/08/2008	
801147	SHIPLEY	377745	5267737.5	1	4K	N		GRAB	IJ	16/08/2008	
801148	SHIPLEY	377744.2	5267736.3	1	4K	N		GRAB	IJ	16/08/2008	
801149	SHIPLEY	377752.4	5267745.3	1	4K	N		GRAB	IJ	16/08/2008	
801150	SHIPLEY	377743	5267736.35	1	4K	N		GRAB	IJ	16/08/2008	
801151	SHIPLEY	377745.6	5267731.5	1	4K	N		GRAB	IJ	16/08/2008	
801152	SHIPLEY	377740.9	5267734	1	4K	N		GRAB	IJ	16/08/2008	
801153	SHIPLEY	377694.8	5267746.2	1	4K	N		GRAB	IJ	16/08/2008	
801154	SHIPLEY	377692.6	5267746.05	1	4K	N		GRAB	IJ	16/08/2008	
801155	SHIPLEY	377693.6	5267750.7	1	4K	N		GRAB	IJ	16/08/2008	
801156	SHIPLEY	999	999					BLK	IJ	16/08/2008	
801157	SHIPLEY	999	999					STD	IJ	16/08/2008	
801158	SHIPLEY	383695	5273198	8		N		GRAB	JL	17/08/2008	MV
801159	SHIPLEY	383801	5273326	3		N		GRAB	JL	17/08/2008	MV
801160	SHIPLEY	384291	5273374	3		N		GRAB	JL	17/08/2008	MV
801161	SHIPLEY	384275	5273400	4		N		GRAB	JL	17/08/2008	
801162	SHIPLEY	383455	5269412	10		N		GRAB	JL	19/08/2008	GAB
801163	SHIPLEY	383334	5269700	2		N		GRAB	JL	19/08/2008	
801164	SHIPLEY	382901	5269884	2		N		GRAB	JL	19/08/2008	MV
801165	SHIPLEY	383102	5273695	12		N		GRAB	JL	20/08/2008	GAB
801166	SHIPLEY	999	999					BLK			
801167	SHIPLEY	999	999					STD			
801201	SHIPLEY	374096	5266337	9	KJ	Y	PTS	GRAB	JD	09/08/2008	MV
801202	SHIPLEY	374851	5266294	8	KJ	Y	PTS	GRAB	JB	09/08/2008	AMPH
801203	SHIPLEY	374086	5266320		KJ	Y	PTS	GRAB	JD	09/08/2008	GR
801204	SHIPLEY	999	999					STD			
801205	SHIPLEY	999	999					BLK			
802501	SHIPLEY	377752.88	5267742.12	50	4k			GRAB	TJ	11/06/2008	ARG
802502	SHIPLEY	377751.72	5267741.72	50	4k	y	PTS	GRAB	TJ	11/06/2008	
802503	SHIPLEY	377752.21	5267742.21	50	4k	y	PTS	GRAB	TJ	11/06/2008	ARG
802504	SHIPLEY	377751.94	5267742.57	50	4k	y	PTS	GRAB	TJ	11/06/2008	ARG
802505	SHIPLEY	377752.56	5267742.68	50	4k	y	PTS	GRAB	TJ	11/06/2008	

Sample	FieldDesc
801142	
801143	
801144	
801145	
801146	
801147	
801148	
801149	
801150	
801151	
801152	
801153	
801154	
801155	
801156	
801157	
801158	well foliated mafic metavolcanic, large qtz vien parallel to foliation
801159	mafic meta volcanic
801160	Tuff or Metased.
801161	The tuff/metased. Or possible mafic metavolcanic. Very gossanus hard to tell the rock type. Tight isometrical folds were seen. Lots of py in the outcrop
801162	Massive medium grained gabbro
801163	possible felsic volcanic, fine grain light grey with a bit of white. Looks to have lots of plag and little k-spar
801164	Mafic metavolcanic, well foliated; foliation= 122/50
801165	Massive course grained gabbro
801166	
801167	
801201	>1% maricite and malachite
801202	course grain
801203	bio-bearing felsic gneiss. Fabric defined by biotite phases
801204	
801205	
802501	trace sulfide stringers
802502	Massive pyrrhotite
802503	graphititc shaly argillite with Po, CP, Cu staining
802504	graphititc shaly argillite with Po, CP, Cu staining
802505	massive pyrrhotite in contact with siliceous L-Tectonite

Sample Notes

801142 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801143 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801144 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801145 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801146 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801147 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801148 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801149 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801150 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801151 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801152 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801153 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801154 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801155 see 4K trench map for rx type and discription & Julien's book 1 for accurate grid UTM
801156 BLK
801157 STD
801158
801159 hard to get a sample so we just took a rep.
801160 Hard to tell the rock type, it had some kinda bedding or layering. Lots of qtz viens and boudins parallel to foliation/bedding
801161
801162
801163
801164
801165
801166 BLK
801167 STD
801201
801202
801203
801204
801205
802501 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
802502 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
802503 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
802504 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
802505 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.

<u>Sample</u>	<u>Location</u>	<u>NAD83 E</u>	<u>NAD83 N</u>	<u>+/-</u>	<u>Target</u>	<u>T.S. (y/n)</u>	<u>ThinType</u>	<u>SampleType</u>	<u>Geologist</u>	<u>Date Sampled</u>	<u>RockType</u>
802506	SHIPLEY	377752.28	5267742.04	50	4k			GRAB	TJ	11/06/2008	ARG
802507	SHIPLEY	377752.78	5267742.15	50	4k			GRAB	TJ	11/06/2008	ARG
802508	SHIPLEY	377752.75	5267742.07	50	4k	y	PTS	GRAB	TJ	11/06/2008	RHY
802509	SHIPLEY	377752.59	5267742	50	4k			GRAB	JB	12/06/2008	CHT
802510	SHIPLEY	377752.45	5267741.98	50	4k			GRAB	JB	12/06/2008	CHT
802511	SHIPLEY	377752.56	5267741.96	50	4k			GRAB	JB	12/06/2008	MTSD
802512	SHIPLEY	377751.52	5267742.07	50	4k			GRAB	JB	12/06/2008	MTSD
802513	SHIPLEY	377752.02	5267742.43	50	4k			GRAB	JB	12/06/2008	CHT
802514	SHIPLEY	377751.87	5267741.91	50	4k			GRAB	JB	12/06/2008	
802515	SHIPLEY	377751.85	5267741.89	50	4k			GRAB	JB	12/06/2008	MV
802516	SHIPLEY	377752.08	5267741.49	50	4k			GRAB	JB	12/06/2008	MTSD
802517	SHIPLEY	377752.08	5267741.73	50	4k			GRAB	JB	12/06/2008	CHT
802518	SHIPLEY	377752.44	5267741.96	50	4k			GRAB	JB	12/06/2008	CHT
802519	SHIPLEY	377751.9	5267741.44	50	4k			GRAB	JB	12/06/2008	SCH
802520	SHIPLEY	999	999					STD	JB	12/06/2008	
802521	SHIPLEY	999	999					BLK	JB	12/06/2008	
802522	SHIPLEY	377751.99	5267741.63	50	4k			GRAB	JB	12/06/2008	SCH
802523	SHIPLEY	377751.9	5267741.25	50	4k			GRAB	JB	12/06/2008	SCH
802524	SHIPLEY	377752.08	5267742.37	50	4k			GRAB	JB	12/06/2008	RHY
802525	SHIPLEY	377752.82	5267742.09	50	4k	y	PTS	GRAB	JB	12/06/2008	SCH
802526	SHIPLEY	377752.42	5267741.95	50	4k			GRAB	JB	12/06/2008	
802527	SHIPLEY	374750	5266800	50	KJ			GRAB	JB	12/06/2008	SCH
802528	SHIPLEY	377752.55	5267741.82	50	4k			GRAB	JB	12/06/2008	MTSD

Sample **FieldDesc**

802506 shaly/argillite with sulfide stringers
802507 shaly/argillite with sulfide stringers
802508 siliceous L-tectonite
802509 qtz ser phyllite, cherty sediment, L-tectonite
802510 qtz ser phyllite, cherty sediment, L-tectonite
802511 qtz chlorite biotite schist - meta sediment?
802512 qtz chlorite biotite schist - meta sediment?
802513 Siliceous cm-banded cherty sediment with darker (argillite) inlayers
802514
802515 Py Po Cp stringers in chloritic mafic volcanic?
802516 Qtz ser BT schist, metasediment
802517 Siliceous L-tectonite
802518 Siliceous L-Tectonite w/ pyrite and chloritic septa
802519 Graphitic shaly rock with CP strings
802520
802521
802522 chl bt schist in contact with graphitic shaly schist with CP+PO stringers
802523 graphitic shaly schist with CP Po stringers
802524 bleached altered felsic tuff
802525 chl act qtz garnet schist
802526
802527 garnet chlorite schist interbanded with semi-massive Po, Py, Cp, folded banding
802528 Cherty Metasediment

Sample Notes

- 802506 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802507 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802508 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802509 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802510 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802511 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802512 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802513 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802514 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802515 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802516 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802517 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802518 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802519 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802520
- 802521
- 802522 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802523 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802524 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802525 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802526 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.
- 802527 Beautiful showpiece to be polished
- 802528 Samples were collected from excavated pits, mostly for show pieces, precise coordinates not available.

Appendix 3

Assays

Au Pt Pd Ag Al As Ba Be Bi Ca Cd Ce Co Cr Cs
 SD08069835 - Finalized
 CLIENT : "RLH - Wallbridge Mining Company Ltd."
 # of SAMPLES : 13
 DATE RECEIVED : 2008-05-28 DATE FINALIZED : 2008-06-11
 PROJECT : "661"
 CERTIFICATE COMMENTS : "ME-MS61:REE's may not be totally soluble in this method. "
 PO NUMBER : "161081"

	PGM-ICP2	PGM-ICP2	PGM-ICP2	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
SAMPLE DESCRIPTION	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm		
801001	0.001	<0.005	<0.001	<0.01		6.53	<0.2		1230	2.11	0.04	1.11	<0.02	120.5	8.4	7	0.68
801002	0.002	<0.005	0.001	<0.01		6.64	7.5	310	1.17	0.3	0.65	0.03	49.2	9.1	133	6.98	
801003	0.002	<0.005	0.001	0.01		7.44	4.9	740	1.83	0.23	0.56	0.02	21.9	14.1	128	6.66	
801004	0.001	<0.005	<0.001	0.04		0.28	3.1	10	0.07	0.2	0.03	0.04	3.22	1.4	27	0.22	
801005	0.142	0.304	5.2	0.18		5.9	<0.2	30	0.12	0.11	4.81	0.07	2.42	85.2	238	0.99	
801006	0.002	<0.005	0.001	0.08		6.72	<0.2	370	1.18	<0.01	5.24	0.12	57.8	51.3	46	2.62	
801007	2.56	<0.005	<0.001	0.23		0.05	2	10	0.24	0.05	0.27	0.07	1.94	2.5	4	<0.05	
801008	0.027	<0.005	<0.001	0.1		0.06	3.1	110	0.1	0.03	0.19	0.06	1.73	1.5	6	0.06	
801009	0.021	<0.005	0.001	0.07		0.1	1.3	350	0.48	0.03	1.06	0.09	1.91	3.4	10	0.84	
801010	0.002	<0.005	0.001	0.07		1.57	<0.2	10	0.13	0.03	1.75	0.03	1.91	8.8	48	0.13	
801011	0.044	0.016	0.003	0.11		0.12	<0.2	10	0.69	0.1	1.32	0.08	4.54	16.3	10	0.35	
800059	0.116	0.299	5.2	0.22		5.77	<0.2	20	0.12	0.18	4.63	0.07	2.39	83.3	223	1	
800060	0.001	<0.005	0.002	0.02		0.22	<0.2	<10	0.07	<0.01	0.01	<0.02	7.7	0.5	23	<0.05	

SD08074664 - Finalized
 CLIENT : "RLH - Wallbridge Mining Company Ltd."
 # of SAMPLES : 12
 DATE RECEIVED : 2008-06-06 DATE FINALIZED : 2008-06-14
 PROJECT : "661"
 CERTIFICATE COMMENTS : "ME-MS61:REE's may not be totally soluble in this method. "
 PO NUMBER : "161116"

	PGM-ICP2	PGM-ICP2	PGM-ICP2	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	
801012	0.013	0.009	0.014	0.25		7.22	<0.2	130	0.36	0.02	5.71	0.18	9.06	45.8	63	2.13
801013	<0.001	<0.005	<0.001	0.02		7.64	0.8	770	2.02	0.07	2.8	0.14	28.2	7.4	14	2.3
801014	0.008	<0.005	<0.001	0.31		6.09	3.7	720	4.65	0.15	3.78	0.3	175	46	17	6.54
801015	0.001	0.013	0.017	0.09		7.03	0.7	60	0.38	0.4	8.52	0.13	7.16	44.8	170	0.89
801016	0.001	<0.005	<0.001	0.07		6.46	<0.2	610	0.87	0.06	1.73	0.25	24.1	9.2	20	2.48
801017	0.001	<0.005	<0.001	0.07		6.45	0.9	360	0.55	0.06	3.22	0.09	26.2	36.2	19	4.94
801018	0.015	<0.005	<0.001	0.48		1.51	1.1	50	0.72	0.31	1.96	0.23	6.82	7.1	21	3.69

	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
801019	0.039	<0.005	<0.001	0.05	0.16	0.9	10	0.41	0.03	1.03	0.08	1.72	1.5	20	0.77
801051	0.001	0.006	0.006	0.1	7.12	0.2	120	0.22	0.04	7.26	0.15	4.22	47.6	168	0.76
801052	0.001	0.006	0.007	0.09	7.13	0.5	50	0.23	0.03	6.26	0.11	4.43	43.7	119	0.37
801053	0.004	<0.005	<0.001	0.22	6.93	2.1	50	0.19	0.09	7.09	0.79	7.06	42	75	0.85
800065	0.13	0.331	5.08	0.24	5.37	2.5	40	0.11	0.13	4.61	0.08	2.3	83.6	237	1.03

SD08080925 - Finalized

CLIENT : "RLH - Wallbridge Mining Company Ltd."

of SAMPLES : 32

DATE RECEIVED : 2008-06-18 DATE FINALIZED : 2008-07-07

PROJECT : "661"

CERTIFICATE COMMENTS : "ME-MS61:REE's may not be totally soluble in this method. "

PO NUMBER : "251521"

SAMPLE DESCRIPTION	PGM-ICP2	PGM-ICP2	PGM-ICP2	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
801021	0.011	<0.005	0.001	0.43	7.08	1.2	370	0.99	0.86	0.78	2.77	17.75	46.9	28	3.16
801025	0.007	<0.005	<0.001	0.2	6.91	0.8	2320	4.46	0.08	1.93	0.42	176.5	31.9	2	12.8
801026	0.005	<0.005	<0.001	0.19	6.92	0.8	2850	5.43	0.06	2.2	0.42	180.5	31.5	2	8.91
801027	0.003	0.011	0.012	0.05	7.45	<0.2	60	0.15	0.05	6.22	0.13	7.21	43.6	231	0.95
801029	0.024	<0.005	0.001	1.18	4.6	28.1	230	0.28	1.04	0.68	6.22	22.1	42.5	101	4.44
801031	0.046	<0.005	0.001	0.24	0.29	0.9	10	0.6	0.24	1.82	0.19	8.43	10.1	12	0.42
801032	0.168	<0.005	0.001	0.11	3.98	0.9	370	0.29	0.11	1.63	0.19	34.1	14.6	110	5.26
801033	0.061	0.005	0.002	1.4	1.76	50.4	90	0.73	1.07	0.49	2.21	9.13	63.7	25	3.68
801035	0.004	0.011	0.011	0.04	7.84	<0.2	80	0.52	0.1	6.85	0.16	4.67	40.8	261	1.37
801036	0.011	<0.005	0.001	0.33	1.11	1.1	20	0.57	0.39	1.96	0.24	8.69	13.8	12	2.46
801037	0.012	0.01	0.006	0.46	7.91	0.7	240	1.14	0.46	5.78	0.31	5.67	13.7	285	2.04
801038	0.002	<0.005	0.001	0.09	6.8	0.3	480	0.86	0.27	2.19	1.26	19.95	15.9	21	3.5
801039	0.003	0.013	0.009	0.06	7.53	<0.2	370	0.18	0.06	6.52	0.11	5.83	44.5	151	0.89
801040	0.002	0.009	0.007	0.07	8.3	<0.2	410	0.33	0.41	8.5	0.18	8.09	41.4	217	0.79
801041	0.057	<0.005	<0.001	0.28	5.93	0.9	230	4.47	0.12	2.51	0.15	141.5	29.2	7	5.69
801042	0.004	0.01	0.007	0.2	3.66	1.3	520	0.64	0.31	9.04	0.36	48.8	95.1	1540	1.14
801043	0.027	0.007	0.012	0.38	2.89	21.3	40	0.85	0.68	5.44	6.67	23.1	230	535	1.67
802501	0.048	0.005	0.002	0.75	6.09	80.4	340	1.62	0.63	1.58	5.15	38.6	60.2	56	3.01
802507	0.046	0.005	0.002	0.78	3.43	397	70	1.73	0.77	1.03	6.08	10.75	48.2	53	2.89
802508	0.003	<0.005	0.001	0.08	0.08	92.1	20	0.77	0.02	0.67	0.09	6.79	2.2	9	0.24
802509	0.003	<0.005	<0.001	0.09	0.06	26.5	40	0.79	0.03	0.87	0.09	4.98	2.8	9	0.2
802510	0.002	<0.005	<0.001	0.06	0.06	23.4	20	0.59	0.01	0.98	0.07	4.97	2.1	9	0.15
802511	0.016	<0.005	<0.001	0.26	0.17	33.2	20	0.34	0.17	0.83	0.27	2.44	20.4	8	0.23
802513	0.012	<0.005	<0.001	0.18	0.41	90.4	20	0.77	0.08	1.09	0.19	14	12.4	23	0.29
802516	0.006	<0.005	<0.001	0.27	6.71	2.8	1170	4.1	0.1	3.52	0.43	165.5	42.7	8	3.93

	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
802517	0.041	<0.005	0.004	0.56	2.16	20.1	60	0.72	0.66	0.75	2.69	9.29	45.5	26	2.27
802520	0.137	0.286	4.98	0.21	5.36	0.4	40	0.15	0.17	4.49	0.07	2.53	72.1	207	1.01
802521	0.002	<0.005	0.001	0.03	0.3	0.5	10	0.06	0.02	0.02	0.04	7.9	1.1	27	0.08
802524	0.004	<0.005	<0.001	0.14	0.13	49.9	40	0.3	0.03	0.16	0.17	3.25	7	11	0.09
802525	1.05	<0.005	0.001	0.87	2.88	1	140	0.13	0.04	1.05	0.08	11.2	8.3	49	3.63
802526	0.726	0.005	0.004	0.77	5.78	1.3	70	0.49	0.29	4.43	0.43	10.2	12.2	150	2.82
802528	0.241	<0.005	<0.001	0.13	0.26	1.2	10	0.11	0.11	0.87	0.21	5.66	7.8	14	0.2

SD08098338 - Finalized

CLIENT : "RLH - Wallbridge Mining Company Ltd."

of SAMPLES : 50

DATE RECEIVED : 2008-07-18 DATE FINALIZED : 2008-08-03

PROJECT : "661"

CERTIFICATE COMMENTS : "ME-MS61:Interference: Ca>10% on ICP-MS As ICP-AES results shown. ME-MS61:REE's may not be totally soluble in this method. "

PO NUMBER : "085873"

	PGM-ICP2	PGM-ICP2	PGM-ICP2	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	
801101	0.005	0.021	0.015	0.1	7.5	0.9	300	0.49	0.05	5.97	0.08	23.6	46.1	123	1.6	
801102	0.001	0.013	0.009	0.25	7.77	0.9	170	0.29	0.04	6.4	0.12	5.86	37.5	214	0.52	
801103	0.005	0.008	0.009	0.08	8.16	1.4	220	0.41	0.07	4.91	0.15	7.18	47.9	283	3.15	
801104	0.002	<0.005	0.001	0.07	7.76	0.2	1480	0.74	0.08	2.65	0.06	35	20.7	34	1.82	
801105	0.002	0.018	0.015	0.1	7.04	<0.2	110	0.39	0.23	6.76	0.13	14.75	40.4	13	0.39	
801106	0.004	0.012	0.006	0.08	8.1	<0.2	150	0.32	0.04	8.89	0.11	7.81	38.1	505	0.86	
801107	0.003	<0.005	<0.001	0.04	5.51	0.4	120	0.83	0.37	3.21	0.08	20.1	25.6	24	0.43	
801108	0.004	0.011	0.006	0.1	7.81	<0.2	140	0.36	0.1	8.29	0.13	8.15	46.3	207	0.57	
801109	0.003	0.009	0.005	0.11	7.95	<0.2	120	0.26	0.22	9.43	0.14	7.21	46.3	215	0.86	
801110	0.004	0.011	0.005	0.1	7.68	0.5	70	0.2	0.05	7.4	0.12	7.31	42.9	160	0.49	
801111	0.002	0.009	0.012	0.1	6.96	1.1	110	0.34	0.04	5.43	0.15	5.36	45.6	184	1.23	
801112	0.001	0.012	0.006	0.06	5.82	<5	60	0.53	0.89	12.6	0.2	7.23	21.2	232	0.61	
801113	0.001	0.008	0.007	0.4	7.32	<5	50	12.1	8.59	11.9	0.31	7	47.1	180	0.24	
801114	0.001	0.005	0.006	0.1	7.63	0.6	80	0.48	0.34	8.38	0.1	7.29	37.6	223	0.41	
801115	<0.001	<0.005	0.001	0.13	6.62	0.6	70	0.61	0.1	5.28	0.09	12.1	38.9	1	0.36	
801116	0.002	<0.005	0.003	0.09	5.55	0.2	100	0.67	0.19	6.19	0.26	7.58	18.3	154	0.47	
801117	0.002	0.005	0.004	0.16	6.35	1.2	120	0.56	0.13	5.34	0.26	8.87	29.4	179	0.52	
801118	0.002	<0.005	<0.001	0.11	0.24	3.4	10	0.2	0.1	0.32	0.06	1.41	13.4	17	0.22	
801119	0.028	0.013	0.008	0.38	4.65	1.6	50	0.6	1.44	4.99	0.34	11.45	35.2	118	0.32	
801120	0.004	0.009	0.007	0.36	5.73	2.6	60	0.35	2.18	5.94	0.19	9.5	453	142	0.59	
801121	0.002	<0.005	0.005	0.12	6.55	2	70	0.62	0.15	6.87	0.16	9.32	33.4	160	0.42	
801122	0.003	<0.005	0.004	0.41	0.85	1.6	10	0.46	0.62	1.94	0.12	6.17	34.1	27	0.26	
801123	0.017	<0.005	0.003	0.13	5.02	1	90	0.71	0.35	5.39	0.33	3.76	5.9	145	0.4	

	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
801124	<0.001	<0.005	<0.001	0.05	6.79	0.6	790	1.49	0.05	2.49	0.07	34.4	8.3	31	2.12
801125	0.001	<0.005	<0.001	0.03	7.26	0.3	330	0.91	0.04	4.62	0.07	38.9	17.5	50	3.1
801126	0.001	<0.005	0.01	0.06	8.04	0.8	190	0.37	0.2	8.89	0.17	11.15	37.3	247	0.55
801127	0.056	<0.005	<0.001	0.17	0.18	1.1	20	0.3	0.15	1.17	0.19	4.18	5.3	21	0.65
801128	0.031	<0.005	0.002	0.39	0.18	1	10	0.34	0.36	2.68	0.32	8.32	12.3	15	0.3
801129	<0.001	<0.005	<0.001	0.09	6.92	0.5	60	0.58	0.24	6.03	0.1	7.34	34.5	3	2.82
801130	0.001	<0.005	0.001	0.12	7.67	0.8	460	0.85	0.05	4.88	0.14	30.5	30.2	108	1.4
801131	0.002	<0.005	0.01	0.18	4.58	<0.2	110	0.63	0.38	6.74	0.1	25.3	56.3	701	0.23
801132	0.002	<0.005	<0.001	0.17	8.63	0.4	700	0.73	0.07	1.94	0.34	46.7	17.2	22	1.16

SD08101798 - Finalized

CLIENT : "RLH - Wallbridge Mining Company Ltd."

of SAMPLES : 6

DATE RECEIVED : 2008-07-24 DATE FINALIZED : 2008-08-05

PROJECT : "661"

CERTIFICATE COMMENTS : "ME-MS61:REE's may not be totally soluble in this method. "

PO NUMBER : "085874"

	PGM-ICP2	PGM-ICP2	PGM-ICP2	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	
DESCRIPTION	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
801133	<0.001	<0.005	0.001	0.1	7.5	0.3	170	0.29	0.11	4.88	0.11	7.98	50.2	77	0.58	
801134	0.001	0.01	0.009	0.07	7.59	<0.2	210	0.34	0.08	6.37	0.13	10.95	41.6	278	2.03	
801135	<0.001	<0.005	<0.001	0.12	7.44	<0.2	60	0.47	0.21	8.11	0.14	8.71	42.3	158	0.9	
801136	<0.001	<0.005	0.001	0.12	6.72	9.3	50	0.93	0.06	4.74	0.34	13	37	3	0.44	
801137	0.124	0.307	4.98	0.22	5.64	0.2	30	0.08	0.11	4.72	0.08	2.56	81.1	262	1.05	
801138	<0.001	<0.005	0.002	0.01	0.35	<0.2	10	0.08	0.02	0.05	<0.02	7.21	0.9	18	<0.05	

SD08100845 - Finalized

CLIENT : "RLH - Wallbridge Mining Company Ltd."

of SAMPLES : 7

DATE RECEIVED : 2008-07-18 DATE FINALIZED : 2008-08-07

PROJECT : "661"

CERTIFICATE COMMENTS : "ME-MS61:REE's may not be totally soluble in this method. "

PO NUMBER : "085912"

	PGM-ICP2	PGM-ICP2	PGM-ICP2	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	
DESCRIPTION	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
801044	0.077	<0.005	0.002	1.81	4.45	222	200	1.6	1.65	0.99	16.4	24.4	81.1	114	2.91	
801045	0.007	0.016	0.017	0.04	10.3	4.5	670	0.82	0.1	4.85	0.32	11	45.6	359	5	
801046	0.052	<0.005	0.001	0.59	4.2	3.4	350	1.74	0.58	0.95	0.27	17.35	34.1	15	7.34	
801047	0.011	<0.005	0.001	0.32	0.64	3	310	1.09	0.22	0.95	0.12	3.05	9.3	18	1.06	

	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	
801048	0.002	0.011	0.008	0.08		7.9 <0.2		80	0.15	0.06	7.03	0.13	6.03	41.2	220	0.44
801049	0.134	0.306		5.31	0.21	5.87	0.6	40 <0.05		0.19	4.86	0.09	2.55	74.5	225	1.06
801050	0.004	<0.005	0.002	<0.01		0.46	0.5	10 <0.05		0.02	0.08 <0.02		9.23	1	20	0.07

SD08114522 - Finalized

CLIENT : "RLH - Wallbridge Mining Company Ltd."

of SAMPLES : 8

DATE RECEIVED : 2008-08-14 DATE FINALIZED : 2008-08-27

PROJECT : "661"

CERTIFICATE COMMENTS : "ME-MS61:REE's may not be totally soluble in this method. "

PO NUMBER : "086000"

	PGM-ICP2	PGM-ICP2	PGM-ICP2	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	
801201	0.001	0.007	0.006	0.14		6.66	0.7	130	0.36	0.14	5.67	0.16	10.45	47.7	129	0.49
801202	0.001	0.008	0.008	0.04		5.83 <0.2		90	0.26	0.06	7.52	0.13	6.75	70.4	82	0.59
801203	0.011	<0.005	0.001	0.26		6.22	1.6	450	1.29	0.15	0.72	0.81	27	1.3	12	0.84
801204	0.137	0.267		4.62	0.18	5.17	0.5	40	0.11	0.15	4.54	0.08	2.63	79.4	290	1.13
801205	<0.001	<0.005	0.001	0.01		0.38 <0.2		20	0.09	0.01	0.05 <0.02		10.2	0.9	45	0.06
801139	0.002	<0.005	0.001	0.07		6.47	0.2	240	0.81	0.04	6.29	0.17	34.1	54.1	77	0.8
801140	0.001	0.015	0.008	0.09		6.55	0.2	170	0.22	0.09	6.35	0.08	8.25	42.9	92	0.6
801141	<0.001	<0.005	0.001	0.06		7.01 <0.2		130	0.36	0.23	7.32	0.12	9.4	43.9	180	0.4

SD08079483 - Finalized

CLIENT : "RLH - Wallbridge Mining Company Ltd."

of SAMPLES : 20

DATE RECEIVED : 2008-06-18 DATE FINALIZED : 2008-07-09

PROJECT : "661"

CERTIFICATE COMMENTS : "ME-MS61:REE's may not be totally soluble in this method. "

PO NUMBER : "251518"

	PGM-ICP2	PGM-ICP2	PGM-ICP2	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	
801020	0.356	<0.005	0.002	0.21		3.8	3.1	20	0.24	1.35	1.29	0.44	3.67	20.6	24	1.16
801022	0.061	<0.005	<0.001	0.34		0.21	4	20	0.4	0.21	1.09	2.21	6.54	34.3	10	0.11
801023	0.057	<0.005	<0.001	0.44		0.25	1.3	10	0.96	0.41	1.76	0.26	10.4	18.5	13	0.29
801024	0.047	<0.005	0.001	0.59		4.87	809	490	1.04	1.15	0.55	6.29	12.4	84.1	44	1.29
801028	0.11	<0.005	0.001	1.75		3.09	216	200	5.25	2.33	0.62	8.04	18.45	117.5	39	3.34
801030	0.025	<0.005	<0.001	0.46		4.43	15.3	330	1.27	0.33	1.53	0.43	27.6	15.5	21	1.31
801034	0.02	<0.005	0.001	0.84		4.86	81.4	220	2.06	0.48	1.43	0.78	36.6	51.2	41	3.64
802502	0.098	<0.005	0.002	1.51		0.39	191	80	0.31	2.38	0.22	22	4.41	231	2	0.55

	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
802503	0.115	<0.005	0.003	1.58	2.81	258	220	3.56	2.06	0.53	5.46	15.55	113	41	2.59
802504	0.101	<0.005	0.002	2	2.42	90.4	90	1.58	1.75	0.68	4.73	20.7	117	23	3.29
802505	0.049	<0.005	0.002	1.96	0.34	123.5	60	0.26	2.78	0.18	30.5	4.72	216	5	0.49
802506	0.066	<0.005	<0.001	0.77	8.31	413	230	3.16	0.7	1.38	1.44	42.6	58.6	23	2.53
802512	0.007	<0.005	0.002	0.41	4.45	9.9	140	4.07	0.47	2.41	3.5	98.6	47.3	84	4.81
802514	0.028	0.008	0.002	0.42	2.39	13	80	0.59	0.43	0.68	4.05	6.88	43.1	30	2.54
802515	0.022	<0.005	0.004	0.57	6.24	22.4	160	2.35	0.61	1.71	14.25	28.8	60.6	108	6.35
802518	0.015	<0.005	<0.001	0.46	2.41	3.5	200	2.5	0.19	3.67	0.37	49.6	39.3	35	2.28
802519	0.096	<0.005	0.002	1.47	4.66	26	180	2.62	1.8	0.84	13.3	10.1	78.2	39	2.39
802522	0.22	0.005	<0.001	0.5	2.97	2.6	230	1.42	1.36	0.74	8.67	7.87	34.3	38	1.46
802523	0.068	<0.005	<0.001	1.46	3.35	6.4	170	0.61	2.6	0.21	9.64	4.13	83.5	250	0.8
802527	0.082	<0.005	0.004	0.91	4.9	1.9	160	0.71	0.76	3.53	1.59	9.34	47.7	130	1.21

SD08118480 - Finalized

CLIENT : "RLH - Wallbridge Mining Company Ltd."

of SAMPLES : 75

DATE RECEIVED : 2008-08-21 DATE FINALIZED : 2008-09-18

PROJECT : "661"

CERTIFICATE COMMENTS : "ME-MS61:Interference: Ca>10% on ICP-MS As ICP-AES results shown. ME-MS61:REE's may not be totally soluble in this method. "

PO NUMBER : "028638"

SAMPLE DESCRIPTION	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	
	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
801054	0.006	<0.005	0.001	0.13	0.33	0.4	10	0.09	0.15	0.26	0.08	2.38	10.4	14	0.06
801055	0.017	0.006	0.005	0.21	6.77	<0.2	170	0.99	0.38	5.93	0.52	11.85	14.6	183	1.11
801056	0.005	<0.005	0.001	0.17	6.04	0.2	280	0.98	0.37	2.62	0.32	16.65	11.9	17	4.06
801057	<0.001	<0.005	0.005	0.03	7.74	<0.2	80	0.34	0.07	7.23	0.13	8.3	47.2	251	0.85
801058	0.001	0.009	0.009	0.05	7.74	<0.2	530	0.44	0.11	7.38	0.12	10.5	41.2	293	0.78
801059	0.03	<0.005	0.002	0.27	6.5	<0.2	180	0.87	0.5	2.61	0.38	15.6	26	14	1.7
801060	0.003	<0.005	<0.001	0.08	0.15	0.4	10	0.08	0.06	0.23	0.05	1.35	5.2	12	0.05
801061	<0.001	<0.005	<0.001	0.01	5.1	<0.2	30	0.28	0.25	5.65	0.05	26.5	1.7	25	0.05
801062	0.013	<0.005	<0.001	0.21	5.96	<0.2	170	1.04	0.26	5.06	0.43	9.38	15.1	159	2.43
801063	<0.001	<0.005	<0.001	<0.01	6.16	<0.2	160	1.87	0.45	0.34	0.02	16.5	0.3	5	0.8
801064	<0.001	<0.005	<0.001	<0.01	1.27	<0.2	10	0.06	0.02	0.97	0.02	2.25	15.1	14	0.1
801065	0.015	<0.005	0.003	0.17	5.48	<0.2	60	0.93	0.27	5.31	0.41	10.2	36.9	127	2.79
801066	0.034	<0.005	0.001	0.16	0.2	<0.2	<10	0.57	0.22	1.46	0.15	2.95	8.1	20	0.26
801067	0.006	0.011	0.007	0.24	8.54	<0.2	250	1.02	0.36	5.75	0.26	10.2	28.9	277	4.81
801068	0.023	<0.005	0.001	0.43	2.74	<0.2	40	0.77	0.45	1.77	0.42	11.65	14	21	1.03
801069	0.025	<0.005	0.012	0.49	5.12	3.3	180	0.64	1.7	0.73	0.3	19.3	628	37	0.98
801070	0.003	0.013	0.001	0.55	4.9	<0.2	80	1.01	1.02	4.98	0.32	11.25	19.8	121	1.26
801071	0.002	0.011	0.005	0.13	7.29	<0.2	110	0.52	0.17	6.18	0.21	8.1	38.7	178	0.36

	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
801072	0.007	<0.005	0.001	0.33	7.78	1.2	360	0.84	0.8	3.63	0.88	20	32.4	137	3.7
801073	0.046	<0.005	0.002	0.87	2.7	<0.2	60	0.87	0.6	2.76	0.47	7.91	13.4	77	0.74
801074	0.021	0.006	0.004	0.15	6.85	<0.2	150	1.21	0.23	5.44	0.41	10.85	18.2	189	1.55
801075	0.049	<0.005	<0.001	0.17	0.23	1	20	0.53	0.12	0.9	0.31	7.06	3.7	19	0.51
801076	0.001	0.01	0.011	0.03	8.06	<0.2	370	0.41	0.11	7.1	0.14	11.65	47.9	333	5.5
801077	<0.001	0.01	0.01	0.03	7.49	<0.2	160	0.37	0.08	6.23	0.22	9.9	51.9	352	0.91
801078	<0.001	0.005	0.006	0.04	7.41	0.6	80	0.64	0.33	6.06	0.14	7.57	34.4	208	0.22
801079	0.001	<0.005	<0.001	0.01	7.5	0.3	860	0.82	0.06	1.87	0.09	38.3	14.9	66	1.72
801080	<0.001	0.007	0.007	0.05	6.85	<0.2	120	0.66	0.18	5.92	0.25	7.04	32.1	171	0.45
801081	0.001	0.005	0.005	0.07	6.35	<0.2	60	0.53	0.24	6.8	0.21	6.74	40.7	157	0.55
801082	<0.001	0.01	0.005	0.06	6.82	0.2	70	0.78	0.46	6.94	0.23	8.6	31	178	0.14
801083	0.001	<0.005	<0.001	0.04	6.73	0.9	1050	1.48	0.02	1.01	0.04	35.5	1.8	15	0.77
801084	0.118	0.316	5.08	0.2	5.62	6.3	40	0.11	0.16	4.72	0.08	2.58	83.1	276	1.05
801085	<0.001	<0.005	0.001	0.05	0.62	51.7	10	0.12	0.05	0.16	<0.02	8.21	1.3	19	0.05
801086	0.022	<0.005	<0.001	0.04	0.11	44.3	260	0.28	0.05	0.09	0.03	2.78	3.1	18	1.02
801087	0.123	<0.005	<0.001	0.05	0.11	8	80	0.41	0.08	0.26	0.07	1.52	2.8	8	0.72
801088	0.021	<0.005	<0.001	0.06	0.04	34.5	430	0.31	0.06	0.63	0.1	3.07	2.1	8	0.08
801089	0.008	<0.005	<0.001	0.05	0.1	11.1	110	0.41	0.06	0.16	0.15	1.81	3.2	10	0.63
801090	0.008	<0.005	0.001	0.12	0.43	5.9	90	1.52	0.17	1.52	0.14	2	5.2	10	0.44
801091	0.001	<0.005	<0.001	0.08	0.04	3.8	70	1.33	0.06	0.24	0.07	3.05	5.2	10	0.7
801092	0.001	<0.005	<0.001	0.06	0.05	6.6	60	1.05	0.11	0.21	0.08	6.71	3.8	4	0.33
801093	1.13	<0.005	<0.001	0.25	2.35	0.5	70	0.25	0.12	1.52	0.11	4.5	18.2	15	2.33
801094	0.244	<0.005	0.001	0.45	0.11	3.3	30	0.63	0.15	0.33	0.13	7.09	9.4	8	0.72
801095	0.042	<0.005	<0.001	0.48	2.31	17.3	160	0.98	0.26	0.46	0.29	18.7	25.1	9	3.98
801096	0.006	<0.005	0.002	0.4	0.55	3.6	60	0.73	0.13	0.73	0.37	8.43	30	9	0.48
801097	0.002	<0.005	0.001	0.11	5.85	0.3	690	5.13	0.14	5.64	0.24	181.5	66.5	4	6.07
801098	0.001	<0.005	0.012	0.05	7.08	<0.2	60	0.2	0.04	6.93	0.13	5.58	48.5	204	0.64
801099	0.003	0.008	0.012	0.14	3.54	8	300	1.05	0.3	10.6	0.32	27.8	101.5	1870	1.43
801100	<0.001	<0.005	0.003	0.02	7.28	2.1	610	1.39	0.05	4.18	0.11	47.3	25	205	2.36
801137	<0.001	<0.005	0.001	<0.01	0.43	0.3	10	0.08	0.02	0.05	<0.02	9.61	1.1	30	<0.05
801138	0.112	0.32	5.04	0.2	5.51	<0.2	30	0.07	0.13	4.65	0.08	2.42	79.9	250	1.01
801142	0.049	<0.005	0.002	1.64	4.56	82.3	140	1.77	1.02	0.96	0.72	30.9	74.7	124	6.29
801143	0.01	<0.005	0.002	0.17	0.19	2.5	10	0.68	0.08	0.82	0.19	11.25	8.4	18	0.35
801144	0.002	<0.005	0.003	0.03	7.01	1.1	660	1.37	0.05	4.1	0.09	45	25.9	199	1.71
801145	0.001	<0.005	0.001	0.32	6.53	9.2	2530	4.67	0.09	2.23	1.62	152.5	40.7	20	7.51
801146	0.049	<0.005	0.002	0.97	4.71	1.4	310	3.02	0.98	0.92	3.36	21.6	40.1	32	5.41
801147	0.203	0.013	<0.001	0.34	0.95	5.9	30	0.19	0.24	0.97	0.49	13.85	24.7	14	0.43
801148	0.036	<0.005	<0.001	1.44	0.51	102	40	1.34	1.72	0.86	26.8	7.91	117	8	0.29
801149	0.003	<0.005	<0.001	0.09	6.5	0.5	3490	6.37	0.05	2.59	0.41	208	40.1	2	13.45
801150	0.013	<0.005	0.007	0.1	7.2	44.5	1800	2.71	0.11	4.97	0.38	12	48.4	101	3.61
801151	0.011	<0.005	0.001	0.39	0.25	96.7	30	1.73	0.08	2.15	0.2	13.15	20.6	16	0.18

	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	
801152	0.088	0.012	0.002		0.99	2	65.2	180	0.72	0.48	1	1.22	20.2	45.5	12	1.79
801153	0.222	<0.005	<0.001		0.8	1.26	47.8	230	0.78	0.48	0.56	0.15	15.65	21.9	14	4.09
801154	0.922	<0.005	0.001		0.56	0.33	609	40	0.56	0.19	1.31	0.09	9.25	27.8	6	0.74
801155	0.016	<0.005	0.001		0.45	0.05	8.2	20	0.58	0.16	0.31	11.1	4.35	7.6	2	0.22
801156	0.005	<0.005	<0.001		0.01	0.41	2.1	10	0.09	0.01	0.02	0.05	7.67	0.7	22	<0.05
801157	0.094	0.251	4.95		0.18	5.78	1.6	40	0.14	0.26	4.88	0.08	2.6	85.8	263	1.09
801158	0.001	<0.005	0.003		0.04	8.34	1.7	500	0.58	0.08	6.68	0.33	14.1	54.2	169	1.02
801159																
801160	0.001	<0.005	<0.001		0.01	8	0.8	220	1.07	0.09	5.57	0.09	47.7	18.2	30	1.41
801161	0.01	<0.005	0.001		0.22	1.88	1.4	70	1.25	0.24	3.35	0.5	18.05	11.7	15	0.78
801162	0.002	<0.005	0.001		0.05	6.47	0.8	350	1.54	0.05	5.01	0.07	62.1	52.1	18	2.3
801163	<0.001	<0.005	0.002		0.04	7.32	0.2	90	0.44	0.05	6.01	0.16	10.25	43.8	115	0.54
801164	0.003	<0.005	0.006		0.06	7.61	<0.2	240	0.35	0.08	5.27	0.09	7.33	42.9	174	0.5
801165	0.004	<0.005	<0.001		0.01	6.4	0.6	310	1.07	0.03	5.33	0.14	46.1	52.3	49	2.53
801166	0.011	<0.005	0.001		0.01	0.29	0.3	10	0.05	0.02	0.05	<0.02	9.59	0.9	28	<0.05
801167	0.154	0.292	4.87		0.19	5.85	0.9	40	0.06	0.14	4.85	0.08	2.59	84.2	275	1.07

SD08069835 - I
 CLIENT : *RLH
 # of SAMPLES
 DATE RECEIVED
 PROJECT : *66
 CERTIFICATE
 PO NUMBER :

	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
SAMPLE DESCRIPTION	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
801001	7.4	4.25	19.25	0.19	7.3	0.058	2.61	59.6	5.6	0.52	916	1.41	2.64	15.2	1.3
801002	8.8	2.69	16.9	0.12	6.6	0.031	1.24	23	28.8	1.09	225	2.17	3.2	7.8	27.2
801003	19.9	3.56	23.3	0.1	4.8	0.043	1.79	8.5	39.3	1.4	291	1.25	2.81	8.7	46.6
801004	20.1	0.5	0.8	<0.05	0.1	0.012	0.07	1.3	1.1	0.05	46	0.35	0.11	0.9	5.2
801005	511	8.04	10.1	0.17	0.2	0.028	0.19	1.1	22.5	9.24	1480	0.74	0.57	0.3	701
801006	71	10.95	22.1	0.24	5.8	0.108	1.1	25.2	26.3	2.92	1655	1.23	1.93	25.1	53
801007	10.9	13.7	0.52	0.21	<0.1	0.007	0.01	1.1	0.3	0.78	1885	0.25	0.01	0.2	3.2
801008	5.2	8.55	0.51	0.12	<0.1	0.011	0.04	1.1	0.3	0.57	1680	0.17	0.01	0.2	3.1
801009	20.1	9.83	0.81	0.14	<0.1	0.015	0.01	1.2	0.2	0.84	1680	0.43	0.01	0.2	7.3
801010	79	1.81	3.82	0.05	0.1	0.011	0.05	0.9	0.7	0.43	345	0.21	0.29	0.4	11.5
801011	144.5	12.05	0.67	0.19	0.1	0.075	0.01	2.4	0.3	0.76	391	1	0.02	0.2	19.2
800059	501	7.77	9.78	0.15	0.2	0.023	0.19	1.1	22.6	8.96	1430	0.67	0.56	0.3	659
800060	2.6	0.32	0.58	<0.05	0.6	<0.005	0.06	3.6	0.3	0.01	35	0.22	0.05	0.2	2.1

SD08074664 - I
 CLIENT : *RLH
 # of SAMPLES
 DATE RECEIVED
 PROJECT : *66
 CERTIFICATE
 PO NUMBER :

	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
SAMPLE DESCRIPTION	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
801012	98.4	9.64	20.7	0.23	1.4	0.077	0.52	3.7	45.3	3.57	1635	0.54	2.07	3.3	52.5
801013	11.7	3.24	21.3	0.17	2.7	0.031	2.35	14	34	0.64	811	0.21	2.75	4.4	3.4
801014	348	7.77	18.1	0.33	2.4	0.101	1.94	99.6	61.9	2.37	1855	1.26	1.16	88.9	36.8
801015	120.5	9.17	16.9	0.2	0.6	0.067	0.43	3.3	16.7	3.38	3940	0.59	0.84	2.4	139.5
801016	102	2.6	17.45	0.14	3.4	0.052	2.18	10.9	16.6	0.68	554	1.62	2.07	5.5	11.4
801017	20.1	8.47	20.5	0.21	2.4	0.075	0.45	12.1	3.9	1.8	1340	0.8	3.65	3.4	7.8
801018	111.5	14.25	4.36	0.21	0.6	0.071	0.11	4	3.3	1.08	3800	6.69	0.13	0.9	18.9

	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
801019	9.5	12.5	1.07	0.18	0.1	0.011	0.03	1	0.5	1.09	1490	0.36	0.03	0.3	2.1
801051	75	7.68	17.4	0.19	0.5	0.058	0.52	1.6	17	4.64	1365	0.2	1.35	1.5	121.5
801052	61.9	7.85	16.4	0.19	0.6	0.052	0.3	1.5	13.9	4.5	1345	0.32	2.08	1.4	87.4
801053	462	10.55	19.45	0.22	1	0.146	0.27	2.8	22.3	3.21	1685	0.27	0.64	1.9	79.7
800065	454	7.54	10.8	0.2	0.2	0.027	0.18	1.2	21.5	8.93	1335	0.65	0.56	0.3	664

SD08080925 - I

CLIENT : *RLH

of SAMPLES

DATE RECEIVED

PROJECT : *66

CERTIFICATE

PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
SAMPLE DESCRIPTION	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
801021	232	6.26	20.9	0.16	3.6	0.576	2.46	8.9	23.2	0.59	253	3.6	0.68	4.9	39.6	
801025	139.5	9.88	16.9	0.28	6.5	0.063	1.29	99.1	28	2.35	2130	0.81	3.06	87.1	9.8	
801026	140	10.2	17.3	0.29	6.5	0.061	1.5	99.4	38.7	2.17	2370	0.62	2.82	87	10.9	
801027	107	7.65	15	0.17	0.9	0.055	0.23	3	22.8	3.61	1435	0.18	1.77	2.1	104.5	
801029	682	18.1	24.7	0.36	2.6	0.345	0.14	10	29.2	1.15	7170	5.2	0.08	4	44.5	
801031	107.5	16.3	1.82	0.28	0.1	0.26	0.01	4.1	0.8	1.77	415	1.05	0.04	0.5	12.8	
801032	55.2	11.25	12.95	0.24	1.4	0.036	0.36	15.8	24.5	1.87	795	1.74	0.51	1.7	66.3	
801033	440	10.45	11.45	0.24	1	0.25	0.4	5.8	29.8	1.01	3060	4.93	0.07	2.6	79.2	
801035	44.9	8.35	16.05	0.18	1	0.066	0.24	1.7	18.3	3.73	1675	0.77	1.56	1.8	104.5	
801036	91.5	17.5	3.81	0.32	0.4	0.072	0.09	5.2	2.4	1.1	2720	0.8	0.1	0.8	15.9	
801037	116.5	16.75	17.55	0.34	0.9	0.083	0.7	2.7	17.4	1.48	7830	3.68	1.03	2.3	30.8	
801038	177	2.79	19.4	0.1	3.6	0.169	1.4	9	18.4	0.52	508	2.47	2.41	5.9	13.7	
801039	82.6	7.7	15.75	0.18	0.6	0.062	0.9	2.1	35.7	4.26	1810	0.24	1.93	1.9	82.6	
801040	92.9	7.87	18.1	0.17	0.7	0.071	0.55	3	8.1	2.2	1945	0.39	1.36	2.6	111.5	
801041	255	9.42	15.9	0.25	5.1	0.077	1.62	76.4	33.9	2.08	1740	0.73	0.98	75.7	11.1	
801042	230	12.35	14.6	0.3	1.8	0.114	0.59	22.8	10.2	4	3390	0.77	0.52	19.9	719	
801043	568	16.65	9.88	0.34	1.3	0.256	0.57	9.9	9.6	1.6	1665	10.1	0.42	5.5	601	
802501	344	3.67	17.55	0.16	3.1	0.548	4.07	18.7	13.9	0.29	201	12.05	0.45	6.1	85.8	
802507	384	6.34	12.65	0.15	1.7	0.552	1.23	4.5	10	0.35	642	9	0.64	2.8	56.9	
802508	37.3	14	0.62	0.24	<0.1		0.023	0.01	3.2	0.3	1.05	1875	0.5	0.01	0.3	4.2
802509	52.8	6.44	0.54	0.13	<0.1		0.016	0.01	2.4	0.3	0.73	1090	0.41	0.01	0.3	4.7
802510	25.4	10.85	0.48	0.2	<0.1		0.013	0.01	2.4	0.3	0.99	1350	0.34	0.01	0.2	3
802511	199	3.83	1.11	0.09	0.1	0.049	0.02	1.1	1.5	0.93	749	0.7	0.03	0.4	22.8	
802513	111	11.8	2.29	0.21	0.2	0.117	0.01	6.2	0.8	1.3	1435	1.19	0.04	0.6	11.4	
802516	342	11.7	16.65	0.32	5.6	0.074	0.98	95	23.9	2.39	2450	0.39	3.38	79.6	32.2	

	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
802517	389	9.34	7.72	0.1	1	0.239	0.3	4.3	17.3	0.62	4300	5.11	0.16	2.3	49.9
802520	395	7.47	9.02	0.08	0.2	0.024	0.16	1.2	21.7	8.65	1300	0.7	0.52	0.2	589
802521	8.8	0.51	0.7	<0.05	1.3	<0.005	0.09	3.9	0.6	0.02	65	0.69	0.03	0.3	3
802524	314	4.41	0.48	<0.05	0.1	0.036	0.02	1.6	0.3	0.33	720	0.43	0.03	0.3	7.3
802525	12.2	9.37	9.57	0.14	0.4	0.033	0.17	5.1	15.4	1.11	652	0.35	0.22	0.6	29.7
802526	253	22.3	13.45	0.37	0.9	0.094	0.39	4.4	12	1.36	8630	1.71	0.35	2.2	75.2
802528	105	5.8	1.6	0.09	0.1	0.105	0.01	2.9	0.5	0.67	840	0.51	0.03	0.3	9.9

SD08098338 - I
CLIENT : "RLH
of SAMPLES
DATE RECEIVED
PROJECT : '66
CERTIFICATE
PO NUMBER :

SAMPLE DESCRIPTION	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
801101	99.3	7.71	16.8	0.12	1.9	0.052	1.39	10.7	26.3	3.58	1285	0.44	1.53	2.9	110
801102	38.4	6.75	15	0.09	0.5	0.058	0.51	2.1	22.6	4.48	1085	0.24	2.14	1.7	119
801103	49.5	11.65	16.95	0.16	0.7	0.059	0.85	2.7	33.2	2.07	4450	0.23	1.68	1.9	155.5
801104	47.4	3.9	18.15	0.08	1.5	0.039	2.78	16	28.3	1.77	744	0.6	3.14	4.6	38.3
801105	41.2	8.89	18.25	0.14	0.9	0.094	0.35	5.6	12	2.78	1665	0.41	1.76	4.8	35.5
801106	56.8	6.38	14.45	0.1	0.2	0.052	0.23	3	14.2	4.7	1270	0.23	1.19	2.2	74.1
801107	40.6	6.27	15.9	0.09	1.7	0.078	0.13	7.9	14.3	0.86	509	0.59	1.12	2.9	18.9
801108	49.5	7.83	16.45	0.1	0.4	0.061	0.51	3.1	17.9	3.43	1395	0.49	1.9	2	121
801109	120	7.86	16	0.1	0.4	0.061	0.55	2.5	35.4	3.49	1745	0.46	1.23	2	135.5
801110	84.6	7.97	15.6	0.11	0.3	0.059	0.34	2.6	24.2	4.26	1295	0.67	1.86	2	108.5
801111	92	8.17	14.85	0.13	0.4	0.063	0.79	1.7	22.9	4.66	1645	0.23	1.97	1.6	116.5
801112	87.3	8.73	13.85	0.11	0.7	0.042	0.1	3	17.1	2.91	3470	0.74	0.28	2	35.1
801113	805	9.55	16.4	0.15	0.8	0.069	0.14	2.6	9.3	2.16	2810	27.4	0.61	1.9	127
801114	49.2	10.7	14.9	0.13	0.6	0.061	0.53	2.6	13.6	2.45	3220	1.28	0.98	1.9	130
801115	73.2	11.15	22	0.14	0.8	0.106	0.37	3.7	14.8	1.75	1760	1.17	1.71	4	7.4
801116	66.9	22.4	11.35	0.34	0.6	0.055	0.23	3.3	9.1	2.61	11750	0.8	0.5	1.5	58.8
801117	60.8	12.2	13.75	0.15	0.5	0.102	0.58	3.7	15.5	1.81	4130	3.02	0.78	2	82.2
801118	72.2	3.62	1.22	0.08	<0.1	0.062	0.02	0.7	1	0.17	193	0.4	0.02	0.3	18.6
801119	332	17.35	12.3	0.21	0.3	0.148	0.27	5.6	8.4	1.64	3150	0.87	0.47	1.7	109.5
801120	483	16.95	12.7	0.21	0.5	0.119	0.33	4.6	9.3	1.7	2510	0.87	0.57	1.7	112
801121	34.1	16	13.7	0.18	0.5	0.056	0.3	3.8	14.9	2.51	7570	0.28	0.73	1.9	100
801122	271	8.82	3.77	0.1	<0.1	0.096	0.04	3.1	1.3	0.72	1000	0.4	0.05	0.6	56
801123	52.3	17.65	11.65	0.19	0.8	0.076	0.28	1.8	7.7	2.17	6830	0.52	0.64	1.6	16.9

	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
801124	21.4	2.35	24.6	0.08	3.2	0.038	1.22	15.3	30.5	0.71	345	0.35	2.38	3.9	13.7
801125	3.9	3.81	18.25	0.08	2.2	0.033	0.7	15.6	29.6	1.36	756	0.99	1.79	5.2	35.5
801126	15.6	7.68	18.15	0.1	0.6	0.074	0.44	4.2	9.9	3.33	1655	0.72	1	3.1	80.8
801127	64.8	14.8	0.99	0.14	<0.1	0.022	0.02	2	0.5	1.26	1970	0.46	0.02	0.3	13.2
801128	140	18.1	1.2	0.18	<0.1	0.046	0.02	3.7	0.3	1.68	1800	1.31	0.03	0.4	32.5
801129	23.9	10.85	20	0.13	0.9	0.099	0.35	2.4	23.1	2.64	1695	0.55	1.95	3	16.7
801130	64.4	6.24	19.35	0.11	2.6	0.066	1.46	11.7	18.2	1.67	1635	1.21	1.2	7.4	74
801131	52.3	6.25	12.9	0.13	1.6	0.068	0.38	7.5	23.2	8.67	1015	0.17	1.27	1.5	387
801132	78.3	5.1	24.6	0.12	4.2	0.067	2.14	19.7	61.5	2.07	801	0.74	2.57	9.1	44.8

SD08101798 - I
 CLIENT : "RLH
 # of SAMPLES
 DATE RECEIVED
 PROJECT : *66
 CERTIFICATE
 PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
801133	94.3	8.78	18.3	<0.05	1.2	0.072	0.51	2.7	16	2.99	1485	0.58	3.01	3.2	94.9
801134	64.5	5.63	17.35	<0.05	0.6	0.066	0.8	4.2	21.3	3.09	1420	0.4	2.06	3.7	105
801135	81.1	8.41	18.95	0.06	0.7	0.069	0.37	3.1	20.2	3.27	1500	0.34	1.71	3	84.9
801136	28.6	10.7	22.1	0.06	1.5	0.082	0.32	5	22.2	2.65	2460	0.42	3.06	3.6	16.2
801137	452	7.79	10.15	0.05	0.2	0.024	0.19	1.2	24.1	8.94	1390	0.64	0.56	0.4	666
801138	5.1	0.36	0.91	<0.05	1	<0.005	0.1	3.7	0.6	0.03	46	0.25	0.03	0.2	5.2

SD08100845 - I
 CLIENT : "RLH
 # of SAMPLES
 DATE RECEIVED
 PROJECT : *66
 CERTIFICATE
 PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
801044	1090	20.9	20.7	0.33	2.3	0.781	0.74	11.4	29.9	0.72	2310	4.77	1.1	3.3	105.5
801045	17	5.81	26.6	0.14	0.8	0.112	1.72	3.8	74.2	0.71	826	2.16	2.16	4	47
801046	175.5	19.6	10.5	0.13	2.1	0.049	0.4	7.3	12.7	1.1	3470	2.22	0.05	3.6	62.9
801047	89.7	9.33	3.26	0.12	0.4	0.082	0.09	2.1	4.5	0.85	1360	1.28	0.07	0.7	17.3

	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
801048	77.7	7.51	16.2	0.13	0.5	0.056	0.3	2.1	20.8	4.96	1360	0.26	2.01	1.8	134.5
801049	455	7.88	10.4	0.15	0.2	0.025	0.2	1.2	25	9.49	1425	0.63	0.59	0.2	690
801050	6.9	0.46	1.13	<0.05	0.8	<0.005	0.13	4.6	2.8	0.06	54	0.31	0.04	0.2	4.7

SD08114522 - I
CLIENT : *RLH
of SAMPLES
DATE RECEIVED
PROJECT : *66
CERTIFICATE
PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
801201	58.8	7.75	17.6	0.11	0.6	0.073	0.71	3.4	22.4	3.17	1650	0.34	2.32	3.1	98.4
801202	69.5	8.3	15.95	0.13	0.5	0.056	0.22	2.5	19.6	5.16	1710	0.24	0.96	1.6	215
801203	28.4	0.93	20.6	0.05	2.4	0.011	1.32	14.9	12.3	0.13	226	2.26	3.78	2.9	4.1
801204	460	7.37	10.1	0.09	0.2	0.025	0.18	1.2	24.8	8.96	1400	0.63	0.56	0.3	648
801205	3.6	0.32	0.93	<0.05	1.2	<0.005	0.11	5.1	0.7	0.04	38	0.34	0.06	0.2	6.6
801139	181	11.15	21	0.13	3.7	0.106	0.49	15.2	10.6	3.36	1920	0.59	1.61	7	65.6
801140	64.9	6.94	16.25	0.09	0.7	0.057	0.61	3	27.1	3.89	1180	0.41	2.03	1.8	76.9
801141	32.8	7.95	18.25	0.1	0.7	0.071	0.55	3.5	10.2	2.9	1670	0.27	1.99	2.3	91.9

SD08079483 - I
CLIENT : *RLH
of SAMPLES
DATE RECEIVED
PROJECT : *66
CERTIFICATE
PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
801020	83.8	17.9	10.45	0.12	0.1	0.049	0.04	1.7	8.5	1.08	3270	0.5	0.06	0.3	30.8
801022	301	10.55	1.61	0.09	0.1	0.25	0.01	3.1	0.9	1.55	2290	0.65	0.02	0.2	33.4
801023	229	12.45	2.48	0.11	0.1	0.323	0.01	5.5	0.7	1.96	289	0.79	0.02	0.3	18
801024	172	3.97	16.25	0.09	3.3	0.672	3.64	5.4	9.5	0.11	374	11.2	0.88	3.8	111
801028	322	15.95	13.7	0.27	1.5	0.822	1.11	6.6	20.4	0.39	7130	9.67	0.31	2.2	145.5
801030	76.2	8.33	11.35	0.08	2.8	0.09	0.54	13.3	6.7	0.4	1160	2.4	1.44	3.2	15.3
801034	682	10.7	16.35	0.14	2.4	0.296	2.07	16.1	27.1	1.14	622	5.8	0.56	7.7	70.8
802502	408	43.3	3.45	0.6	0.1	1.435	0.03	2.4	1.8	0.34	1235	15.15	0.02	0.5	243

	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
802503	483	15.05	11.55	0.22	1.4	0.595	1.15	5.5	18.4	0.43	5170	8.55	0.24	2.6	140
802504	1170	20.2	10.85	0.27	1	0.435	0.88	8.3	24.2	0.6	1510	8.07	0.23	2.3	160
802505	542	41.4	3.17	0.53	0.1	2.01	0.05	2.9	1.2	0.33	632	14	0.06	0.4	230
802506	310	7.68	25.9	0.13	4.3	0.228	1.63	18.9	26.6	0.44	3650	3.92	2.35	7.1	41.6
802512	286	10.05	12.85	0.18	2.9	0.283	1.66	52.9	35.1	1.81	1520	2.36	0.37	46.4	51.3
802514	263	8.79	9.81	0.09	0.7	0.329	0.43	3.3	24.9	0.72	3290	3.62	0.15	2	43.6
802515	184	11.65	25.4	0.13	3.5	0.789	1.12	13.5	37.5	1.15	2160	4.29	1.11	5.5	54.4
802518	437	7.07	6.93	0.1	1.4	0.149	0.9	26.1	17.6	2.36	2020	0.71	0.18	21.2	34.3
802519	356	12.7	15.95	0.19	2.5	1.3	1.58	3.7	15.6	0.34	2940	9.98	1.04	3.5	109.5
802522	235	6.96	11.2	0.1	1.3	0.332	0.91	3.3	9.8	0.33	1140	7.66	0.73	2.7	51.3
802523	472	12.4	13.55	0.25	1.6	0.399	2.35	1.4	7.3	0.1	3640	7.26	0.29	2.9	132.5
802527	234	25.6	12.4	0.24	0.8	0.165	0.55	4.3	11.7	1.16	4630	2.99	0.43	1.9	114.5

SD08118480 - I

CLIENT : *RLH

of SAMPLES

DATE RECEIVED

PROJECT : *66

CERTIFICATE

PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
SAMPLE DESCRIPTION	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
801054	57.7	3.63	1.35	0.1	0.1	0.016	0.04	1.2	2.2	0.2	0.2	262	0.46	0.05	0.3	15.3
801055	65.7	20.5	14.9	0.33	1	0.076	0.51	5.9	15.4	1.9	8290	1.49	0.91	1.9	38	
801056	185	8.59	15.2	0.19	1.1	0.048	0.98	8.5	32	0.61	782	0.73	0.98	2.6	24.1	
801057	24.4	8.43	16.65	0.18	0.7	0.073	0.41	2.9	11.7	4.49	1700	0.72	1.83	2.5	133.5	
801058	22.3	6.75	16.75	0.16	0.6	0.067	0.66	3.9	22.3	2.97	1615	5.8	1.36	2.9	84.6	
801059	393	10.55	16.05	0.21	0.9	0.067	0.7	8.3	16.7	0.5	810	0.62	1.69	2.6	36.2	
801060	42.2	2.58	0.63	0.09	<0.1	0.005	0.01	0.7	0.8	0.13	210	0.26	0.02	0.2	8.9	
801061	17.6	2.91	13.85	0.13	2.1	0.103	0.11	12.6	6.3	0.16	270	0.11	0.21	3.2	4.4	
801062	94.1	19.8	13.45	0.35	1	0.061	0.25	4.4	12.5	2.07	10750	0.41	0.76	1.7	51.2	
801063	4.1	0.62	19.6	0.11	2.5	0.024	2.66	5.7	6.3	0.04	369	0.17	2.83	14.2	1.1	
801064	2.8	1.95	3.24	0.09	0.1	0.01	0.02	1.2	10	0.4	314	0.12	0.04	0.3	12.1	
801065	113.5	20.5	12.9	0.35	0.8	0.068	0.26	4.8	9.6	2.08	9490	0.95	0.44	1.9	44.4	
801066	106.5	14.9	1.21	0.22	<0.1	0.046	0.01	1.4	0.4	1.23	1250	0.5	0.03	0.2	25.4	
801067	87.4	15.15	18.1	0.27	0.8	0.058	0.64	4.7	20	1.44	6590	0.43	1.38	2.3	66.9	
801068	168	14.7	6.46	0.23	0.9	0.056	0.09	6.2	6.2	0.98	8380	6.04	0.16	1.3	29.3	
801069	427	20.3	13.15	0.34	1.7	0.03	0.6	9.8	36.1	0.73	3100	1.05	1.25	2.6	110	
801070	797	22.1	10.9	0.37	0.3	0.099	0.27	5.4	9	1.53	8740	0.52	0.35	1.6	118	
801071	23.1	14.1	15.7	0.23	0.7	0.066	0.36	3.5	17.3	2.18	5590	1.1	1.12	1.9	114.5	

	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	
801072	179.5	8.09	21.1	0.2	0.9	0.299	1.7	9.6	79.8	2.07	1700	1.47	0.49	3.7	60.7	
801073	1050	20.7	6.68	0.33	0.4	0.055	0.15	4.1	4.5	1.16	4380	0.75	0.23	1.3	54.4	
801074	72.4	17.95	15.25	0.3	0.9	0.066	0.47	5	13.3	1.65	8000	1.36	0.88	1.9	40.7	
801075	55.2	11.75	1.41	0.19	0.1	0.034	0.03	3.8	0.6	1.08	1840	0.6	0.02	0.4	9.7	
801076	42.1	8.29	18.05	0.18	0.6	0.077	0.79	4.6	33.9	3.49	2130	0.62	1.6	3	98.7	
801077	6.6	8.18	16.35	0.2	0.7	0.073	0.67	3.8	14.1	3.84	1790	1.96	1.96	2.7	108	
801078	28.3	12	15.2	0.19	0.6	0.052	0.31	3.2	24	2.34	4060	0.54	1.61	1.8	114.5	
801079	7.8	3.6	17.25	0.14	2.3	0.028	2.03	17.7	31.9	1.43	839	0.75	1.99	4.6	43.1	
801080	32.1	15.05	14.2	0.24	0.8	0.065	0.36	2.9	17.3	2.4	7150	0.32	0.89	1.8	99.7	
801081	62.5	16.85	14.25	0.29	0.8	0.063	0.33	2.7	12.6	2.48	7070	0.19	0.88	1.7	104	
801082	39.4	15.25	14.5	0.14	0.6	0.061	0.38	3.8	13.5	2.46	7020	0.51	0.84	1.7	106.5	
801083	15	1.05	15.1	0.07	2.8	0.016	1.22	16.8	7.3	0.08	225	0.32	3.54	7.4	2.7	
801084	466	7.89	11.2	0.13	0.1	0.026	0.19	1.1	24.3	9.23	1415	0.75	0.57	0.3	669	
801085	3.3	0.56	1.41	<0.05	0.7	<0.005	0.15	4	0.6	0.07	153	0.27	0.07	0.2	5.3	
801086	10.4	4.02	0.71	0.06	<0.1	0.006	0.03	1.3	0.3	0.21	560	0.23	0.02	0.2	10.9	
801087	23.8	7.45	0.93	0.09	<0.1	0.011	0.03	0.9	0.5	0.67	1320	0.35	0.01	0.2	6.3	
801088	4.7	15.2	0.8	0.17	<0.1	0.009	0.02	1.7	<0.2	0.94	2170	0.29	0.01	0.2	4.9	
801089	13.4	15.25	0.92	0.15	<0.1	0.023	0.01	1.3	0.5	1.21	3170	0.6	0.01	0.2	6.6	
801090	17.7	13.5	1.93	0.15	<0.1	0.071	0.03	1.2	0.6	1.28	2720	0.69	0.07	0.5	6.4	
801091	37.8	17	0.72	0.16	<0.1	0.011	0.02	1.9	0.2	0.82	957	0.43	0.01	0.2	13.9	
801092	21	15	0.7	0.15	0.1	0.011	0.02	3.7	0.4	0.79	1780	0.28	0.01	0.2	10	
801093	118.5	10.85	8.95	0.14	0.1	0.05	0.1	1.9	6.4	0.96	854	1.62	0.17	0.2	25.1	
801094	119	19.5	0.91	0.17	<0.1	0.054	0.03	3.7	0.4	0.91	2470	0.3	0.01	0.3	10.3	
801095	332	13.4	7.51	0.16	1.4	0.097	0.23	9.2	19.1	0.8	2200	2.62	0.11	2.2	25.7	
801096	132	10.1	2.46	0.12	0.2	0.071	0.03	3.7	1.4	0.79	2490	2.43	0.02	0.7	26.7	
801097	340	8.33	15.35	0.23	4	0.068	1.56	100.5	42.5	1.88	2240	1.03	0.37	79.9	65	
801098	77.6	7.79	15.25	0.13	0.7	0.056	0.15	2.1	19.9	4.57	1450	0.17	1.53	1.6	109.5	
801099	162.5	10.8	16	0.18	1.3	0.107	0.5	10.5	16.3	3.69	2870	0.66	0.47	9.1	1040	
801100	29.1	4.62	20.1	0.12	3	0.051	0.78	21.8	20.1	2.71	775	0.11	2.51	4.3	69.6	
801137	3.4	0.41	1.07	<0.05	0.6	<0.005	0.13	5	0.6	0.04	53	0.2	0.05	0.2	11.2	
801138	446	7.67	9.59	0.1	0.2	0.027	0.2	1.1	25.3	9.03	1460	0.61	0.54	0.3	670	
801142	1055	14.95	20.3	0.21	2.5	0.044	0.85	14.8	47	1.04	1460	4.67	1.04	4	85.1	
801143	111	13.05	1.29	0.12	0.1	0.087	0.03	5.3	0.8	1.2	2280	1.05	0.03	0.4	10.4	
801144	54.3	4.46	19.85	0.09	2.8	0.05	0.92	19.8	20.3	2.7	757	0.12	2.58	4	68.6	
801145	102	9.3	17.2	0.19	3.8	0.187	2.15	83.3	65.7	2.06	2040	1.23	1.71	72.7	42.8	
801146	327	7.72	16.2	0.14	2.3	0.339	1.68	9.3	43.9	0.57	744	8.27	0.95	4.3	52	
801147	327	8.84	4.47	0.11	0.3	0.196	0.04	7	5.4	0.85	1340	0.63	0.05	0.6	29.8	
801148	629	20	4.94	0.31	0.2	1.66	0.03	3.7	2.7	0.92	1240	17.55	0.03	0.7	109	
801149	250	8.23	17.25	0.18	6.3	0.074	1.36	114.5	74.4	1.93	2180	0.46	2.37	89.9	15.9	
801150	38.2	9.64	17.9	0.12	1.2	0.101	1.73	5.5	29.5	1.97	2150	0.73	0.72	3	53.4	
801151	209	7.88	1.56	0.09	0.1	0.06	0.04	8.2	1.6	2.08	4640	1.38	0.03	0.8	18.6	

	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	
801152	400	10.45	8.57	0.13	0.9	0.107	0.1	9.8	17	1.05	3350	5.24	0.04	2.1	39.3	
801153	459	14.8	5.2	0.16	0.6	0.053	0.07	7.6	3.1	0.9	502	3.96	0.04	1.6	20.9	
801154	69.6	20.1	1.43	0.19	0.1	0.071	0.03	4.8	0.7	1.6	631	0.39	0.03	0.5	8.9	
801155	62	16.55	0.91	0.15	<0.1	0.077	0.02	2.1	0.3	1.1	2880	4.32	0.01	0.2	8.9	
801156	3.4	0.5	0.97	<0.05		1	<0.005	0.13	3.9	0.3	0.04	50	0.24	0.07	0.3	1.7
801157	512	8.16	10.8	0.12	0.2	0.028	0.2	1.2	22.6	9.49	1470	0.85	0.58	0.4	723	
801158	52.9	7.4	20.9	0.11	1.1	0.075	1.45	5.9	17	2.84	2440	1.05	2.04	2.9	128	
801159																
801160	37.8	5.89	22.7	0.09	3.1	0.058	0.81	21	14	1.17	1735	0.97	1.72	11.1	19	
801161	102	16.3	6.94	0.16	1	0.087	0.2	8.2	2.7	2.27	914	1.53	0.11	2.5	14.4	
801162	149	11.4	25.1	0.16	6	0.117	1.4	29.6	29.2	1.96	1520	1.17	1.92	26.6	32.1	
801163	43.1	10.3	22.8	0.11	0.9	0.106	0.44	3.6	14.2	3.53	1625	0.25	2.01	5.1	59	
801164	118	7.86	17.85	0.1	0.4	0.061	0.78	2.7	27.1	3.02	1595	0.31	2.58	2.5	99.2	
801165	71.6	10.3	22.7	0.14	4.2	0.104	1	21.1	34.5	2.95	1505	1.07	1.71	23.2	55.4	
801166	3.6	0.34	0.68	<0.05	0.6	<0.005	0.07	4.8	0.5	0.04	43	0.14	0.04	0.3	5	
801167	504	8.12	10.45	0.11	0.2	0.027	0.19	1.2	22	9.46	1460	0.8	0.57	0.4	711	

P Pb Rb Re S Sb Se Sn Sr Ta Te Th Tl TI U
 SD08069835 - I
 CLIENT : "RLH"
 # of SAMPLES
 DATE RECEIVED
 PROJECT : "66"
 CERTIFICATE
 PO NUMBER :

SAMPLE DESCRIPTION	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	ME-MS61 U ppm	
801001	760	5.7	101	<0.002	0.01	<0.05		2	1.3	167.5	1.02	<0.05	14.8	0.482	0.38	3.5
801002	460	16.9	71.2	0.002	0.01	0.18		2	1.3	209	0.74	0.07	10.5	0.323	0.4	3.7
801003	320	11.9	84.1	<0.002	0.02	0.09		2	2	209	0.81	0.08	8.7	0.346	0.42	2.5
801004	90	6.6	3.2	<0.002	0.01	0.75		2	<0.2	9.3	<0.05	<0.05	1.3	0.011	<0.02	0.7
801005	20	5.3	8.7	<0.002	0.21	0.33		3	<0.2	88.5	<0.05	0.34	<0.2	0.107	0.08	<0.1
801006	1480	4.6	57.8	0.003	0.2	<0.05		3	1.7	378	1.59	0.05	3.5	1.6	0.33	1
801007	160	1.6	0.5	<0.002	0.09	0.06		3	<0.2	2.8	<0.05	0.12	<0.2	0.006	<0.02	0.2
801008	180	1.7	0.9	<0.002	0.15	0.07		2	0.2	6.1	<0.05	0.09	<0.2	0.008	<0.02	0.1
801009	130	1.4	2	<0.002	0.08	<0.05		2	0.2	8.5	<0.05	0.14	<0.2	<0.005	<0.02	0.1
801010	60	1.7	2.5	<0.002	0.11	<0.05		3	0.2	46.5	<0.05	0.07	<0.2	0.081	<0.02	0.3
801011	220	1.4	0.5	0.003	2.5	<0.05		5	0.4	4	<0.05	0.36	<0.2	<0.005	<0.02	0.1
800059	30	4.6	8.5	<0.002	0.2	0.58		3	<0.2	86.3	<0.05	0.46	<0.2	0.103	0.07	<0.1
800060	20	<0.5	2	<0.002	0.01	<0.05		2	<0.2	3.2	<0.05	<0.05	0.9	<0.005	0.05	0.4

SD08074664 - I
 CLIENT : "RLH"
 # of SAMPLES
 DATE RECEIVED
 PROJECT : "66"
 CERTIFICATE
 PO NUMBER :

SAMPLE DESCRIPTION	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	ME-MS61 U ppm	
801012	370	13.7	17.7	<0.002	0.01	0.06		2	0.6	148	0.22	0.13	0.4	0.722	0.13	0.1
801013	940	15.4	80.6	<0.002	0.03	<0.05		2	0.8	461	0.32	0.05	3.4	0.193	0.34	0.9
801014	1580	9.6	680	<0.002	0.96	0.29		3	2.7	240	5.94	0.1	8.3	2.05	1.58	2.2
801015	240	3	11.1	0.002	0.27	<0.05		3	0.6	122.5	0.17	0.16	0.3	0.441	0.1	0.2
801016	440	10.6	98.8	<0.002	0.27	<0.05		2	1.3	145	0.56	0.05	4.8	0.168	0.56	1.2
801017	630	4.5	21	0.002	0.17	0.42		2	0.8	396	0.21	0.05	1.2	0.569	0.11	0.3
801018	180	2.1	9.1	0.002	2.47	0.09		2	1	16.9	0.07	0.36	0.5	0.044	0.12	0.2

	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	
801019	140	0.5	2.5	<0.002	0.11	<0.05		1	0.2	6.2	<0.05	0.07	<0.2	0.008	<0.02	<0.1
801051	250	1.8	31.5	<0.002	0.1	0.06		2	0.5	118.5	0.11	<0.05	0.2	0.367	0.14	0.2
801052	210	1.9	9.5	0.002	0.05	0.08		2	0.4	114.5	0.1	<0.05	0.2	0.427	0.07	<0.1
801053	290	2.5	14.6	<0.002	0.21	0.59		3	1.5	138.5	0.12	<0.05	0.2	0.493	0.04	0.1
800065	20	5.6	8.4	<0.002	0.17	0.97		3	<0.2	85.6	<0.05	0.51	<0.2	0.097	0.09	<0.1

SD08080925 - I

CLIENT : *RLH

of SAMPLES

DATE RECEIVED

PROJECT : *66

CERTIFICATE

PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
801021	290	19.3	105	0.007	2.75	0.16	7	6.5	120	0.41	1.32	3.8	0.22	0.67	1
801025	1350	15.3	74.7	<0.002	0.13	0.14	3	2.6	730	6.69	0.08	11.6	1.345	0.35	3.2
801026	1480	17	65.7	<0.002	0.08	0.15	3	2.7	824	6.61	0.05	11.3	1.38	0.26	2.9
801027	230	1.5	13.7	<0.002	0.07	0.08	2	0.4	106	0.15	<0.05	0.3	0.394	0.07	0.1
801029	410	48.9	8.8	0.007	3.23	0.57	5	2.6	19.4	0.32	1.15	2.5	0.166	0.35	0.7
801031	530	1.6	0.7	0.004	1.75	0.12	5	2.6	6.3	<0.05	0.48	0.2	0.011	0.02	0.1
801032	700	5.4	18	<0.002	0.64	0.07	2	0.4	260	0.11	0.19	2.1	0.138	0.22	0.4
801033	230	31.2	23.7	0.01	6.56	2.32	9	4.7	16	0.13	1.97	1.5	0.088	3.32	0.8
801035	230	2.2	9.1	0.002	0.04	0.05	2	0.6	98	0.12	0.06	0.3	0.424	0.1	0.1
801036	290	2.9	7.5	0.002	1.81	0.1	3	0.6	19.8	0.05	0.23	0.4	0.032	0.13	0.2
801037	250	5.1	17.6	0.004	1.04	0.11	3	0.8	118.5	0.14	0.43	0.2	0.423	0.3	0.2
801038	560	12	64.4	0.004	0.68	0.06	4	1.9	160.5	0.54	0.28	4.3	0.229	0.43	1
801039	250	1	29.7	<0.002	0.06	<0.05	2	0.4	152.5	0.12	<0.05	0.2	0.424	0.21	<0.1
801040	270	3.5	23.5	<0.002	0.34	0.06	3	0.7	113	0.15	0.05	0.2	0.51	0.12	0.2
801041	550	7.6	85.1	0.002	1.25	0.05	5	2.5	256	5.65	0.13	8.9	1.485	0.52	2.4
801042	520	4.3	30.7	0.002	2.32	0.11	3	1.5	191.5	1.27	0.18	2	0.987	0.33	0.5
801043	250	8	37.1	0.008	8.65	0.09	6	2.3	135.5	0.34	0.88	1.3	0.368	0.31	0.4
802501	280	63.9	87.8	0.014	2.99	3.04	6	2.5	309	0.55	0.43	8.1	0.181	2.28	2
802507	200	30.2	49	0.015	4.3	1.47	8	3.4	113.5	0.22	1.52	2.1	0.122	2.32	0.8
802508	360	1.7	0.9	<0.002	0.77	0.69	2	0.4	5	<0.05	0.14	<0.2	<0.005	0.04	<0.1
802509	60	2.1	0.9	<0.002	0.51	0.53	3	0.4	8.4	<0.05	0.06	<0.2	<0.005	0.04	<0.1
802510	220	2.1	0.6	<0.002	0.26	0.59	2	0.2	13.9	<0.05	0.05	<0.2	<0.005	0.04	<0.1
802511	230	5.9	0.8	<0.002	2.41	0.44	4	0.5	8.4	<0.05	0.67	<0.2	0.007	0.1	0.1
802513	230	2.9	0.4	0.002	1.1	0.83	3	3.2	4.1	<0.05	0.23	0.2	0.017	0.03	0.1
802516	1360	12.5	43.5	<0.002	0.15	0.58	3	2.4	670	5.9	0.06	9.5	1.58	0.15	2.1

	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	
802517	230	25.9	13.3	0.01		5.1	0.85	8	4.4	27.8	0.18	1.36	1.4	0.084	1.21	0.4
802520	20	4.7		8 <0.002		0.18	0.56	2 <0.2		78.7 <0.05		0.41 <0.2		0.084	0.1	0.1
802521	20	1.1		3 <0.002		0.09	0.12	1	0.2	3.6 <0.05	<0.05		1.5	0.007	0.09	0.3
802524	70	1.5		0.8 <0.002		0.12	0.41	2	0.8	6.1 <0.05		0.21	0.2	0.006	0.08	0.1
802525	360	2.8		10.7 <0.002		0.16	0.08	2	0.4	101 <0.05	<0.05		0.5	0.035	0.15	0.1
802526	210	3.9		24.1 0.004		6.21	0.14	4	0.9	63.5	0.14	0.36	0.4	0.354	0.45	0.2
802528	130	1.6		0.5 <0.002		0.91	0.13	3	0.7	4.5 <0.05		0.16 <0.2		0.005	0.02	0.1

SD08098338 - I
CLIENT : "RLH
of SAMPLES
DATE RECEIVED
PROJECT : "66
CERTIFICATE
PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
SAMPLE DESCRIPTION	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	
801101	390	4.1	96.7	<0.002		0.05	0.07	2	0.7	208	0.21 <0.05		2.3	0.399	0.41	0.5
801102	220	5.2	21.5	<0.002		0.02	0.07	1	0.5	154.5	0.12 <0.05		0.2	0.377	0.1	0.1
801103	230	2.1	88.3	<0.002		0.1	0.15	2	0.5	191.5	0.13 <0.05		0.2	0.441	0.32	0.1
801104	540	3.4	101.5	<0.002		0.04	0.07	1	0.8	378	0.34 <0.05		3.4	0.339	0.62	0.5
801105	460	6.5	13.5	<0.002		0.04	0.07	2	0.8	115	0.31 <0.05		0.6	0.619	0.06	0.2
801106	220	1.1	5.8	<0.002		0.01	0.06	2	0.4	83.3	0.15 <0.05		0.3	0.348	0.02	0.1
801107	420	7.1	4.7	<0.002		1.55	0.06	3	1.2	661	0.22	0.12	2.9	0.149	0.02	0.8
801108	260	3.4	15.3	<0.002		0.11	0.06	2	0.5	205	0.14	0.06	0.3	0.461	0.07	0.1
801109	260	2	29.1	<0.002		0.14	0.07	2	0.5	150.5	0.12	0.06	0.2	0.447	0.13	0.1
801110	260	1	13.4	<0.002		0.04	0.05	2	0.5	134.5	0.14 <0.05		0.2	0.472	0.07 <0.1	
801111	210	9	61	<0.002		0.02	0.07	1	0.4	90.6	0.11 <0.05		0.2	0.405	0.28 <0.1	
801112	290	5.8	12.6	<0.002		0.11	0.09	2	0.5	133	0.11 <0.05		0.3	0.361	0.04	0.3
801113	220	3.6	7.2	<0.002		1.4	0.06	4	0.6	182	0.11	0.13	0.2	0.399	0.07	0.1
801114	250	2.7	18	<0.002		0.14	0.08	2	0.5	179	0.13	0.14	0.2	0.447	0.12	0.1
801115	580	2.3	20.1	0.002		0.14	0.1	3	0.5	100.5	0.25 <0.05		0.5	0.912	0.09	0.1
801116	170	1.5	12.3	<0.002		1.44	0.08	2	0.5	62	0.1	0.14	0.2	0.321	0.11	0.1
801117	200	3.3	27.3	<0.002		1.35	0.11	3	1	86.3	0.12	0.21	0.4	0.36	0.25	0.2
801118	60	0.9	1	<0.002		0.93	0.06	2	0.3	3.9 <0.05		0.11 <0.2		0.013 <0.02		0.1
801119	180	5.1	6.1	<0.002		7.54	0.1	4	1	62.7	0.1	0.58	0.4	0.268	0.08	0.3
801120	170	9.1	14.8	<0.002	>10.0		0.14	4	0.8	101	0.11	0.46	0.3	0.323	0.18	0.1
801121	210	1.6	9	<0.002		0.64	0.2	2	0.5	94.5	0.13	0.06	0.4	0.364	0.08	0.1
801122	210	3.9	0.6	<0.002		3.78	0.06	5	0.8	29.5 <0.05		0.23	0.2	0.028 <0.02		0.3
801123	200	3.8	10.6	<0.002		0.19	0.14	2	0.6	48.9	0.11	0.18	0.2	0.319	0.12	0.1

	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
801124	540	13.2	44	<0.002	0.18	0.08	2	1.3	620	0.29	<0.05	5	0.222	0.37	1.3
801125	730	6.5	18.5	<0.002	0.02	0.06	1	1	283	0.38	<0.05	2.9	0.292	0.34	0.6
801126	350	5.3	20.7	<0.002	0.05	0.12	2	0.8	192.5	0.2	<0.05	0.4	0.503	0.13	0.1
801127	360	1	1.6	<0.002	2.24	0.06	2	0.3	10.3	<0.05	0.17	<0.2	0.009	<0.02	<0.1
801128	460	2.5	1	<0.002	5.74	0.06	4	0.4	18.7	<0.05	0.46	<0.2	0.006	<0.02	0.1
801129	450	1.6	15.1	<0.002	0.15	0.05	2	0.4	106	0.2	0.07	0.3	0.781	0.07	0.1
801130	990	3.1	79.9	<0.002	0.03	0.23	2	1.1	135.5	0.45	<0.05	1.4	0.689	0.4	0.3
801131	380	3.5	14.6	<0.002	0.03	0.05	1	0.8	96.9	0.11	<0.05	1.2	0.375	0.07	0.3
801132	960	10	106.5	<0.002	0.05	<0.05	2	1.3	256	0.53	<0.05	2.4	0.598	0.5	0.6

SD08101798 - I
CLIENT : "RLH
of SAMPLES
DATE RECEIVED
PROJECT : "66
CERTIFICATE
PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
801133	420	2.9	29.2	<0.002	0.07	0.07	2	0.7	209	0.21	<0.05	0.4	0.675	0.13	0.1
801134	340	4.8	45.2	<0.002	0.09	0.06	2	1.1	156	0.23	0.08	0.4	0.454	0.34	0.1
801135	340	1.2	24.6	<0.002	0.09	0.07	2	0.6	167.5	0.19	0.09	0.3	0.574	0.11	0.1
801136	470	31.5	15.7	<0.002	0.07	0.08	2	0.7	59.5	0.22	<0.05	0.4	0.789	0.07	0.1
801137	20	4.4	9.2	<0.002	0.18	0.44	2	<0.2	85.2	<0.05	0.31	<0.2	0.101	0.09	<0.1
801138	20	0.9	3.5	<0.002	<0.01	0.09	1	<0.2	3.5	<0.05	<0.05	1.3	0.009	0.07	0.3

SD08100845 - I
CLIENT : "RLH
of SAMPLES
DATE RECEIVED
PROJECT : "66
CERTIFICATE
PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
801044	310	76.6	35.6	0.01	>10.0	0.8	15	2.3	94.6	0.3	2.49	2	0.164	1.25	0.7
801045	510	25.5	68.5	0.006	0.29	0.09	3	1.1	211	0.3	0.08	0.6	0.706	1.1	0.2
801046	370	2.5	21	<0.002	5.45	0.12	4	0.9	9.2	0.29	0.4	2.2	0.114	0.7	0.7
801047	180	4	4.5	0.003	1.07	0.14	3	1.2	10.5	0.05	0.25	0.4	0.03	0.14	0.1

	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	
801048	230	1.9	12.2	0.003	0.07	<0.05		2	0.5	143	0.13	<0.05	0.2	0.432	0.06	<0.1
801049	20	4.7	9.5	0.004	0.19	0.74		2	<0.2	83.6	<0.05	0.44	<0.2	0.103	0.1	<0.1
801050	20	0.9	4.7	0.002	0.02	0.08		2	<0.2	5.1	<0.05	<0.05	1.4	0.01	0.12	0.3

SD08114522 - I
 CLIENT : *RLH
 # of SAMPLES
 DATE RECEIVED
 PROJECT : *66
 CERTIFICATE
 PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	
	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	
801201	330	12.5	27.1	<0.002		0.01	0.11	1	0.7	153	0.21	<0.05	0.4	0.586	0.14	0.1
801202	250	1	7.2	<0.002		0.03	0.07	1	0.4	88.9	0.12	<0.05	0.2	0.386	0.06	0.1
801203	170	165	50	<0.002		0.05	0.05	1	0.8	124.5	0.31	0.08	4.1	0.039	0.15	1
801204	20	4.5	9	0.002		0.17	0.85	2	<0.2	83.1	<0.05	0.41	<0.2	0.098	0.1	<0.1
801205	20	2.4	3.9	<0.002	<0.01		0.09	1	<0.2	3.9	<0.05	<0.05	1.3	0.007	0.07	0.4
801139	1070	5.3	28.1	0.002		0.09	0.06	2	1.2	140	0.49	0.05	2.6	1.01	0.11	0.6
801140	260	1.9	31.3	<0.002		0.01	0.07	1	0.4	188	0.13	<0.05	0.3	0.375	0.17	0.1
801141	290	2.7	26.1	<0.002		0.03	0.07	1	0.5	170.5	0.17	<0.05	0.4	0.524	0.13	0.1

SD08079483 - I
 CLIENT : *RLH
 # of SAMPLES
 DATE RECEIVED
 PROJECT : *66
 CERTIFICATE
 PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	
	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	
801020	540	4.5	2.6	<0.002		2.2	0.16	3	0.4	12.1	0.06	1.04	0.2	0.021	0.03	0.1
801022	400	4.7	0.4	<0.002		3.77	0.58	4	3.2	7.6	<0.05	1.17	<0.2	0.005	0.02	0.1
801023	330	2	0.4	0.003		2.75	0.09	5	1.2	5.5	<0.05	0.95	<0.2	0.008	<0.02	0.1
801024	190	114	66.9	0.016		3.12	2.34	6	3.5	146.5	0.39	0.96	3.8	0.154	1.91	1
801028	250	36	52	0.015	>10.0		5.73	20	2.6	70.9	0.19	5.2	1.5	0.107	2.37	0.7
801030	380	13	24.6	0.003		1.74	0.29	4	1.6	172.5	0.34	0.53	3.1	0.12	0.25	0.9
801034	620	19.5	96.6	0.002		3.99	1.82	3	2.3	197.5	0.68	0.48	4	0.24	1.62	1.4
802502	60	60.7	2	0.032	>10.0		1.24	82	2	4.8	<0.05	12.4	0.2	0.015	0.22	0.1

	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
802503	250	32.9	47.8	0.014	>10.0	4.75	18	2.2	67.9	0.22	4.52	1.4	0.109	2.08	0.7
802504	480	53.4	43.3	0.012	>10.0	3.52	22	2.7	56.7	0.21	5.58	1.7	0.08	1.82	0.7
802505	70	69.1	2.5	0.028	>10.0	1.45	77	1.4	12.3	<0.05	12.65	0.2	0.011	0.19	0.2
802506	550	206	53.9	0.006	3.58	1.73	7	10.8	263	0.69	1.35	6.1	0.252	2.38	1.9
802512	710	19.2	87.3	0.004	4.51	0.8	10	2.4	409	3.8	1.59	6	1.08	0.99	1.7
802514	230	25.3	22	0.006	4.52	0.75	7	4.7	32	0.16	1.04	1.1	0.072	1.32	0.4
802515	470	63.6	71.8	0.007	6.52	0.72	9	4.5	168	0.51	1.16	2.8	0.242	4.45	0.9
802518	550	10.5	45.5	<0.002	2.92	0.49	4	1.4	291	1.77	0.4	2.8	0.513	0.55	0.8
802519	230	45.3	49.7	0.021	>10.0	3.96	16	2.5	116.5	0.37	3.15	2.3	0.18	2.18	0.9
802522	200	14.7	35	0.014	4.28	0.38	9	1.3	115.5	0.23	1.56	2	0.112	0.76	0.7
802523	70	67.2	50.4	0.017	>10.0	1.36	16	5.3	61.3	0.25	2.89	1.2	0.119	1.79	0.7
802527	190	9.3	23.4	0.005	>10.0	0.39	6	1.1	77.6	0.15	0.85	0.8	0.277	0.44	0.3

SD08118480 - I
CLIENT : *RLH
of SAMPLES
DATE RECEIVED
PROJECT : *66
CERTIFICATE
PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
801054	40	0.8	1.1	<0.002	1.39	<0.05	2	0.2	3	<0.05	0.23	0.2	0.009	<0.02	0.2
801055	260	7.3	19.5	0.002	2.32	0.14	2	0.6	78.4	0.12	0.17	0.3	0.39	0.21	0.3
801056	360	20.5	57.3	<0.002	2.92	<0.05	3	0.8	121.5	0.2	0.3	1.3	0.167	0.71	0.4
801057	310	3	9.9	<0.002	0.04	<0.05	2	0.5	133.5	0.17	<0.05	0.3	0.503	0.08	0.1
801058	340	2.5	29.1	0.002	0.04	0.08	2	0.6	123.5	0.2	<0.05	0.4	0.475	0.23	0.1
801059	280	10.4	36.7	<0.002	4.41	<0.05	3	0.6	187	0.23	0.27	1.7	0.16	0.29	0.5
801060	20	0.5	0.6	<0.002	1.02	<0.05	2	<0.2	3.3	<0.05	0.05	<0.2	0.007	<0.02	0.1
801061	410	6.8	3.3	<0.002	0.03	<0.05	2	1.2	1230	0.23	<0.05	3.3	0.169	0.03	1
801062	220	3.7	14.1	<0.002	2.8	0.12	2	0.5	96.8	0.11	0.17	0.2	0.354	0.17	0.2
801063	70	8.9	112.5	<0.002	0.01	<0.05	1	3	23.2	2.25	<0.05	5.1	0.008	0.48	3.1
801064	30	0.9	0.9	<0.002	0.04	<0.05	2	0.2	171.5	<0.05	<0.05	0.2	0.015	<0.02	0.1
801065	220	3.5	12	<0.002	3.71	0.09	3	0.7	68.1	0.13	0.25	0.3	0.347	0.18	0.2
801066	180	0.9	0.7	<0.002	2.46	<0.05	2	0.4	14	<0.05	0.23	<0.2	<0.005	<0.02	<0.1
801067	240	5.2	47.6	<0.002	2.34	0.07	3	0.8	159.5	0.14	0.25	0.3	0.425	0.31	0.6
801068	210	2.8	4.6	0.002	3.28	<0.05	3	0.8	18.9	0.11	0.32	0.9	0.062	0.07	0.3
801069	130	14.2	34.6	0.002	>10.0	0.08	5	0.5	80.3	0.24	0.45	2.2	0.136	0.32	0.6
801070	190	6.1	9.6	<0.002	5.96	0.11	4	0.8	80.5	0.1	0.23	0.3	0.303	0.12	0.2
801071	220	2.4	13.9	<0.002	0.49	0.05	2	0.6	138.5	0.12	0.2	0.3	0.413	0.13	0.1

	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
801072	430	19.6	99.4	0.002	2.76	0.06	6	3.7	145	0.27	1	1.3	0.488	1.31	0.4
801073	180	4.2	4.6	<0.002	6.17	0.07	3	0.4	65.9	0.08	0.44	0.3	0.145	0.05	0.3
801074	250	5.1	18	0.002	2.38	0.08	2	0.6	82.9	0.12	0.18	0.3	0.402	0.22	0.3
801075	200	2.9	1.7	<0.002	1.65	<0.05	2	0.4	7.8	<0.05	0.14	<0.2	0.009	0.02	0.1
801076	350	5.2	67.7	<0.002	0.08	<0.05	1	0.7	111.5	0.2	<0.05	0.4	0.491	0.47	0.1
801077	300	5.3	28.1	<0.002	0.13	<0.05	2	0.7	127.5	0.18	<0.05	0.4	0.447	0.15	0.1
801078	180	2.8	9.4	<0.002	0.21	0.05	2	0.5	141	0.11	<0.05	0.3	0.381	0.08	0.3
801079	500	3.9	98.6	<0.002	0.04	<0.05	1	1	233	0.44	<0.05	4.5	0.226	0.75	1.1
801080	210	2.8	20.4	<0.002	0.56	0.07	2	0.6	108	0.11	0.09	0.3	0.401	0.17	0.1
801081	200	2.5	13.6	<0.002	1.17	<0.05	2	0.6	73.1	0.11	<0.05	0.2	0.37	0.11	0.1
801082	220	2.6	6.2	<0.002	0.57	0.06	2	0.5	103	0.11	0.05	0.2	0.406	0.07	0.2
801083	50	19.3	43.7	<0.002	0.2	<0.05	2	1.2	158.5	1.08	<0.05	11.4	0.027	0.25	4.3
801084	20	5.5	9.6	<0.002	0.19	1.21	2	<0.2	87.7	<0.05	0.37	<0.2	0.1	0.08	<0.1
801085	20	1	5.6	<0.002	0.02	1.1	<0.2	<0.2	7.2	<0.05	<0.05	1.2	0.014	0.12	0.3
801086	100	2	1.7	<0.002	0.19	0.74	1	<0.2	3	<0.05	<0.05	<0.2	<0.005	<0.02	0.1
801087	110	3	2.7	<0.002	0.36	0.66	1	0.3	2.8	<0.05	0.11	<0.2	0.005	<0.02	<0.1
801088	280	1.8	0.7	<0.002	0.08	1.22	1	0.2	6.5	<0.05	0.1	<0.2	<0.005	<0.02	<0.1
801089	140	3.4	1.2	<0.002	0.05	1.74	1	0.3	2.5	<0.05	0.07	<0.2	<0.005	<0.02	<0.1
801090	60	1.2	1.2	<0.002	0.1	0.98	2	0.6	9.4	<0.05	0.19	<0.2	0.015	<0.02	<0.1
801091	340	2.5	0.9	<0.002	0.49	0.11	2	0.2	5.7	<0.05	0.07	<0.2	<0.005	<0.02	0.1
801092	470	3.2	0.7	<0.002	0.45	0.17	2	0.2	5.7	<0.05	0.08	<0.2	<0.005	<0.02	0.1
801093	670	9.2	5	<0.002	1.45	0.07	4	0.4	35.6	<0.05	0.35	<0.2	0.01	0.1	<0.1
801094	730	3.9	1.7	<0.002	1.59	0.53	3	0.3	4.1	<0.05	0.47	<0.2	<0.005	0.02	<0.1
801095	330	7.8	10.8	0.005	3.27	0.78	5	1.9	14.6	0.18	0.63	1.2	0.066	0.33	0.4
801096	210	7.9	1.1	0.003	2.54	0.32	4	0.6	6.1	<0.05	0.43	0.3	0.023	0.06	0.2
801097	1580	10.6	88.5	<0.002	1.2	0.07	3	2.3	167.5	6.09	0.09	8.5	1.825	0.77	2.3
801098	210	2.5	5.4	<0.002	0.05	0.07	2	0.4	88.6	0.12	<0.05	0.3	0.372	0.06	0.1
801099	520	5.5	31.1	0.002	1.61	0.14	3	1.6	228	0.54	0.21	0.8	1.04	0.37	0.2
801100	720	15.3	21.7	<0.002	0.08	0.1	2	0.9	679	0.28	<0.05	3.7	0.31	0.28	1
801137	20	1.4	4	<0.002	0.02	0.08	2	<0.2	4.6	<0.05	<0.05	1.3	0.01	0.1	0.2
801138	30	5.4	8.6	<0.002	0.17	0.5	2	<0.2	78.1	<0.05	0.39	<0.2	0.098	0.09	<0.1
801142	380	71.2	54	0.008	9.45	1.5	12	2.9	77.9	0.33	1.48	2.2	0.166	4.02	0.7
801143	170	4.4	0.8	<0.002	0.82	0.4	3	0.6	4	<0.05	0.22	<0.2	0.007	0.03	0.1
801144	710	13.2	14.5	<0.002	0.07	0.11	2	1	647	0.26	<0.05	3.7	0.302	0.22	0.7
801145	1110	13.9	94.7	0.002	0.55	0.44	3	5.9	278	5.42	0.12	8.7	1.38	1.42	2.3
801146	360	36.4	84.3	0.018	5.19	1.83	9	4.1	140	0.35	2.03	3	0.165	3.09	0.9
801147	100	7.4	1.1	<0.002	3.19	0.33	7	10.2	7.4	<0.05	1.18	0.7	0.033	0.07	0.2
801148	120	47.1	1	0.035	>10.0	0.83	37	6	5.3	<0.05	9.07	0.3	0.016	0.2	0.2
801149	1810	15.5	75.8	<0.002	0.15	0.25	2	2.8	921	7.05	0.06	11	1.705	0.33	2.8
801150	330	42.7	92	0.002	0.18	2.03	2	3.1	100.5	0.2	0.15	0.5	0.563	1.24	0.1
801151	220	3.1	0.9	0.002	2.22	0.41	3	0.5	13	<0.05	0.3	0.2	0.015	0.03	0.1

	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
801152	330	10.5	5.4	0.007	2.93	0.35	6	2.9	8.9	0.14	1.42	1.3	0.059	0.24	0.4
801153	250	4.5	4.1	0.011	3.6	0.23	7	0.3	12.1	0.11	0.99	0.7	0.05	0.07	0.3
801154	500	2.4	1.1	<0.002	1.13	0.53	4	0.3	10.8	<0.05	0.44	0.2	0.014	0.02	0.1
801155	400	14.2	0.4	<0.002	1.21	0.6	2	0.3	1.9	<0.05	0.53	<0.2	<0.005	<0.02	0.1
801156	20	1.1	4	<0.002	0.03	0.08	2	<0.2	3.6	<0.05	<0.05	1.3	0.005	0.08	0.3
801157	20	5.9	9.5	<0.002	0.19	0.61	2	0.2	90.7	0.11	0.41	0.2	0.1	0.08	<0.1
801158	390	12	53.8	<0.002	0.04	0.11	1	0.8	231	0.24	0.08	0.8	0.556	0.59	0.2
801159															
801160	1200	3.6	25.9	<0.002	0.03	0.08	2	1.4	361	0.7	0.05	1.9	0.536	0.08	0.4
801161	670	3.5	12.1	0.003	1.23	0.07	3	1.7	27.2	0.21	0.4	1.2	0.066	0.1	0.3
801162	1110	3.1	92.2	0.002	0.09	0.11	2	1.7	282	1.57	0.05	6	1.355	0.37	1.8
801163	610	2.1	24.4	<0.002	0.02	0.05	2	1.1	149	0.37	0.05	0.5	0.876	0.09	0.1
801164	270	2.5	29.6	0.002	0.05	0.05	1	0.6	154.5	0.21	0.06	0.2	0.456	0.18	0.1
801165	1130	4.1	75.3	0.002	0.14	0.07	2	1.5	349	1.35	<0.05	2.9	1.35	0.38	0.8
801166	20	0.8	2.4	<0.002	0.01	0.09	1	<0.2	4.5	<0.05	<0.05	1.1	0.01	0.04	0.3
801167	20	6.6	9.5	<0.002	0.18	1.14	2	<0.2	89.1	0.07	0.41	<0.2	0.098	0.09	<0.1

V W Y Zn Zr Sc
 SD08069835 - I
 CLIENT : "RLH
 # of SAMPLES
 DATE RECEIVI
 PROJECT : "66
 CERTIFICATE
 PO NUMBER :

SAMPLE DESCRIPTION	ME-MS61 V ppm	ME-MS61 W ppm	ME-MS61 Y ppm	ME-MS61 Zn ppm	ME-MS61 Zr ppm	ME-MS61 Sc ppm
801001	24	0.8	32.6	54	277	14.5
801002	73	0.2	8.6	39	223	12.6
801003	100	1	7.3	52	157.5	15.3
801004	3	0.1	0.6	9	4.5	0.7
801005	154	3.4	2.9	101	6.9	46.3
801006	371	0.6	38.5	157	208	42.6
801007	7	0.3	1.4	56	0.9	0.8
801008	7	0.1	1.6	40	2.2	1
801009	13	0.4	2.3	54	1.4	1.5
801010	42	0.1	3.2	16	3.4	7.5
801011	4	0.1	4.1	67	2.6	0.3
800059	148	3.7	2.8	99	7	44.2
800060	1	0.1	0.6 <2		18.5	0.2

SD08074664 - I
 CLIENT : "RLH
 # of SAMPLES
 DATE RECEIVI
 PROJECT : "66
 CERTIFICATE
 PO NUMBER :

SAMPLE DESCRIPTION	ME-MS61 V ppm	ME-MS61 W ppm	ME-MS61 Y ppm	ME-MS61 Zn ppm	ME-MS61 Zr ppm	ME-MS61 Sc ppm
801012	345	0.7	22.3	101	38.9	44.7
801013	36	0.4	11.3	81	93.4	4.1
801014	131	10.2	25.4	253	87.5	13.5
801015	245	0.5	15.5	95	13.2	35.6
801016	37	0.4	4.9	129	100.5	5.2
801017	282	0.6	24.8	95	75.8	36.4
801018	12	0.3	7.4	133	19.5	1.9

	V	W	Y	Zn	Zr	Sc
801019	6	0.2	3.9	57	2.9	0.7
801051	205	0.2	12.8	87	13.4	37.3
801052	228	0.2	13.5	95	14.6	36.2
801053	272	0.5	18.1	271	30.9	50.5
800065	148	0.8	2.8	89	5.7	43

SD08080925 - I

CLIENT : *RLH

of SAMPLES

DATE RECEIVED

PROJECT : *66

CERTIFICATE

PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Sc ppm
801021	60	1.6	6.4	1130	127.5	8.8
801025	27	1.3	27.8	243	268	3.3
801026	29	1.3	27.8	215	268	3.5
801027	240	1.3	16.6	92	27.5	42.5
801029	65	0.8	11.8	2030	87.5	9.2
801031	12	0.5	7.6	167	4.8	1.4
801032	86	1.1	7.5	155	53.1	10
801033	31	0.9	9.2	879	36.2	8.6
801035	260	0.8	16.2	102	28.4	44.2
801036	13	0.3	8.6	159	14.5	1.6
801037	247	0.3	16.3	161	29.4	35.5
801038	45	0.4	7.3	438	125	6.6
801039	245	1.2	17.7	78	13.4	42.1
801040	277	0.5	19.2	95	15.8	40.4
801041	55	14.4	18.6	208	216	5
801042	237	3.2	16.2	423	60.5	31.7
801043	106	2	13	1010	46.8	13.6
802501	51	1	13.6	2280	96.4	10.4
802507	46	0.9	6.6	2090	63.9	9.8
802508	5	0.4	6.8	96	0.9	0.4
802509	6	0.3	4.2	75	2.4	1
802510	4	0.3	5.2	72	0.9	0.5
802511	6	0.4	3.8	669	3.2	1.2
802513	12	1.4	8.8	332	8.3	1.5
802516	99	1.5	27.5	208	232	8.5

	V	W	Y	Zn	Zr	Sc
802517	36	1.4	7.3	931	29	6.7
802520	127	5.4	2.7	74	5.4	35.8
802521	2	0.1	0.8	16	40.3	0.2
802524	3	0.1	1.1	108	2.5	0.5
802525	78	0.1	4.3	88	11.8	8.9
802526	182	0.3	14.7	139	22.4	30
802528	6	0.3	4.5	210	3.2	0.6

SD08098338 - I

CLIENT : "RLH

of SAMPLES

DATE RECEIVED

PROJECT : "66

CERTIFICATE

PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE DESCRIPTION	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Sc ppm
801101	218	0.2	16.4	87	69.8	32
801102	233	0.2	15.5	70	16.6	36.1
801103	263	1.7	18.9	109	24	43.7
801104	94	1.2	11.3	64	52	16.3
801105	302	0.2	33.3	103	25.7	44
801106	205	0.9	17.2	63	6.4	41.9
801107	42	0.1	6.1	46	62	4.6
801108	254	0.3	17.9	91	10.1	40.3
801109	236	0.7	16.6	81	8.5	36.5
801110	257	0.2	17.8	84	6.6	38.8
801111	244	0.1	16.7	117	11.1	44
801112	179	0.3	13.3	80	22.8	32.7
801113	227	0.7	18.5	91	25.1	35.3
801114	250	0.7	17.8	80	20.7	37.8
801115	329	0.4	36.3	115	20	37
801116	170	0.5	16.8	99	21.3	25.7
801117	195	0.4	13.9	194	15.6	27.3
801118	8	0.1	1.6	37	4.7	0.9
801119	161	0.4	12.9	206	9.6	17.9
801120	182	0.4	13.4	108	14.7	26.1
801121	203	0.6	18.1	87	15.8	33.1
801122	28	0.1	5.6	138	4.1	2.5
801123	168	0.7	16.3	177	29.6	25.7

	V	W	Y	Zn	Zr	Sc	
801124	55		0.1	6.4	74	112	6.2
801125	81		0.7	9.9	61	87.8	12.1
801126	269		0.6	21.9	133	18.7	46.4
801127	7		0.3	3.9	151	3.2	0.6
801128	7		0.2	6	208	3.3	0.7
801129	353		0.5	26.3	95	28.5	40.8
801130	193		0.4	24.9	95	101	29
801131	214		0.6	16.1	84	39.6	40.2
801132	113		0.6	17.9	120	149	15.4

SD08101798 - I

CLIENT : *RLH

of SAMPLES

DATE RECEIVED

PROJECT : *66

CERTIFICATE

PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
SAMPLE	V	W	Y	Zn	Zr	Sc	
DESCRIPTION	ppm	ppm	ppm	ppm	ppm	ppm	
801133	304		0.6	25.7	105	35.2	45.7
801134	236		1.2	22.3	76	11.8	44.1
801135	278		0.8	22.8	92	8.9	40.6
801136	341		0.9	29.6	175	40.8	39.7
801137	146		8.2	3.1	90	6.3	41.2
801138	4		0.1	0.8 <2		35.3	0.6

SD08100845 - I

CLIENT : *RLH

of SAMPLES

DATE RECEIVED

PROJECT : *66

CERTIFICATE

PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
SAMPLE	V	W	Y	Zn	Zr	Sc	
DESCRIPTION	ppm	ppm	ppm	ppm	ppm	ppm	
801044	73		0.6	11.1	4540	89	12.2
801045	384		1.6	20.9	126	27.3	65.5
801046	46		2.7	12.7	73	78.4	6.4
801047	10		0.4	5.4	67	13.8	1.6

	V	W	Y	Zn	Zr	Sc
801048	239	0.2	16.6	87	11.4	39.4
801049	151	2.7	3	98	6.3	40.6
801050	4	0.1	0.9	2	30.7	0.6

SD08114522 - I

CLIENT : *RLH

of SAMPLES

DATE RECEIVED

PROJECT : *66

CERTIFICATE

PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE	V	W	Y	Zn	Zr	Sc
DESCRIPTION	ppm	ppm	ppm	ppm	ppm	ppm
801201	299	0.3	26.1	137	9.4	49.6
801202	216	0.3	18.9	92	10.5	45.3
801203	2	0.3	4	711	70.4	1.2
801204	149	1.1	3.1	87	6.3	40.8
801205	2	0.1	1	5	40.7	0.4
801139	400	0.2	38.2	134	137.5	48.4
801140	236	0.4	20.3	66	19.4	47.2
801141	278	0.3	24.1	93	15.1	45.9

SD08079483 - I

CLIENT : *RLH

of SAMPLES

DATE RECEIVED

PROJECT : *66

CERTIFICATE

PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
SAMPLE	V	W	Y	Zn	Zr	Sc
DESCRIPTION	ppm	ppm	ppm	ppm	ppm	ppm
801020	109	0.3	6.6	166	3.4	9.5
801022	11	0.1	7.2	1020	4.9	2.5
801023	14	0.6	6.9	287	4.7	2
801024	43	1.2	7.2	2620	129	10.1
801028	44	0.4	13.8	3420	59.3	13.2
801030	27	0.5	9.2	157	120	5.3
801034	48	0.8	13.4	473	93.6	9.2
802502	10	0.2	2.6	5650	6.1	1

	V	W	Y	Zn	Zr	Sc	
802503	41		0.3	12	2380	54.5	11.4
802504	32		3.3	12.4	1680	41.4	7.8
802505	9		0.1	2.4	7790	4.5	0.9
802506	53		3.8	10.4	708	151.5	11.1
802512	82	11.4		18.6	1120	132.5	9.5
802514	38		1.7	6.8	1510	26.2	6.7
802515	84		0.7	16.8	4350	139.5	14
802518	44		6.7	14.6	395	68.1	6
802519	53		0.6	15	5810	99.2	16
802522	45		0.5	10.9	1225	52.4	11.2
802523	44		2.2	11.1	1080	57.2	9.1
802527	143		0.4	12.9	430	27.1	26.1

SD08118480 - I

CLIENT : *RLH

of SAMPLES

DATE RECEIVI

PROJECT : *66

CERTIFICATE

PO NUMBER :

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
SAMPLE	V	W	Y	Zn	Zr	Sc	
DESCRIPTION	ppm	ppm	ppm	ppm	ppm	ppm	
801054	5		0.7	1.8	42	4.6	1.1
801055	215		0.5	23.8	242	32.2	37.6
801056	38		0.9	5.5	193	40.5	5
801057	252		0.6	20.4	110	15.2	42.8
801058	251		1	21.6	111	13.3	47.8
801059	36		0.2	4.7	144	33.1	5.6
801060	4		0.1	1	20	2.2	0.7
801061	49		0.2	5.9	10	69.7	5.5
801062	185		1.5	18.3	163	31.8	30.3
801063	1		0.6	10.4	19	35.2	2.3
801064	15		0.1	0.9	14	3.5	0.9
801065	170		1.1	18.8	162	23.3	28.1
801066	7		0.2	4.4	118	1.3	0.6
801067	235		0.3	18.5	120	22.2	37
801068	17		0.3	7.6	130	30.9	2.8
801069	60		0.4	8.3	226	44.3	11.1
801070	153		0.7	18.3	161	6.7	25.1
801071	228		0.7	17.1	121	17.5	37.2

	V	W	Y	Zn	Zr	Sc
801072	205	0.8	16.3	752	27.8	29.6
801073	72	0.4	9.1	231	15.2	10.9
801074	219	0.4	19.1	174	28.1	33.8
801075	5	0.1	4.7	172	4.1	0.7
801076	270	0.7	22.2	123	11	55.5
801077	236	1.1	19.4	173	16.3	45.7
801078	207	0.4	15.6	93	14.6	36.8
801079	65	0.4	9	69	81.1	12.1
801080	212	0.4	15.9	116	22.3	32.9
801081	195	0.4	16.9	132	21	33.8
801082	221	0.4	17	96	12.3	39.9
801083	2	0.4	8.9	21	65.3	2.5
801084	151	7.3	3.2	94	6.3	40.6
801085	7	0.5	1	4	27.5	1
801086	3	0.5	1.3	17	1.4	0.3
801087	7	0.2	2.1	43	2.4	0.9
801088	5	0.3	1.5	66	0.7	0.8
801089	6	0.3	1.9	70	1.5	0.5
801090	18	2.2	5.8	90	5.8	3.6
801091	8	0.6	3.4	40	0.9	0.6
801092	7	0.5	6	58	4.9	0.5
801093	76	0.4	5.9	110	3	6.3
801094	10	0.6	6.4	107	1.7	1
801095	26	0.5	8.6	280	52.6	3.7
801096	13	0.3	5.2	354	8.9	1.7
801097	115	4.7	26.1	203	153.5	10.9
801098	240	0.2	16.4	90	21.7	44.6
801099	301	6.4	17.1	344	33.3	40.7
801100	131	0.1	12.8	108	96.3	19
801137	5	0.1	0.7 <2		18.4	0.4
801138	151	1	2.9	92	5.4	38.8
801142	78	0.8	13.5	572	89.8	13.2
801143	12	0.6	7.1	417	4.4	1.5
801144	133	0.2	12.2	78	91.5	18.8
801145	82	1.8	26.9	1555	157	11.1
801146	58	0.9	9.6	1475	77.5	14.6
801147	14	0.3	4.9	309	8.9	1.3
801148	17	0.2	5.8	7460	8.2	1.8
801149	53	1.8	29	181	243	6.3
801150	307	3.6	22.7	267	33.7	50.1
801151	10	0.1	7.3	263	6.9	1.3

	V	W	Y	Zn	Zr	Sc
801152	33	0.3	9.9	603	28.9	5.2
801153	20	0.5	7.7	60	20.4	2.9
801154	9	0.6	7.2	95	5.1	1
801155	5	0.2	4.4	1165	1.9	0.5
801156	3 <0.1		0.8	7	31.9	0.3
801157	157	1	3.1	99	6.2	42.5
801158	280	1.2	21.8	123	33.3	43.1
801159						
801160	138	0.5	23.4	75	122.5	19
801161	25	1	14	213	36.7	3.7
801162	395	0.9	43.4	106	214	38.2
801163	294	0.7	38.7	119	22.2	43.9
801164	268	0.6	16.5	70	9.8	39.3
801165	369	0.5	33.2	124	151.5	39.6
801166	4 <0.1		0.7 <2		17.7	0.4
801167	156	0.9	3	97	6.2	40.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10. WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

COPY

INVOICE NUMBER 1792276

BILLING INFORMATION

Certificate: **SD08119198**

Sample Type: **Rock**

Account: **RLH**

Date: **16-SEP-2008**

Project: **661**

P.O. No.: **028639**

Quote: **ALSC-CE07-048-RLH**

Terms: **Net 30 Days** C1

Comments:

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
39	ME-ICP06	Whole Rock Package - ICP-AES	20.00	780.00
39	ME-MS81	38 element fusion ICP-MS	15.00	585.00

COPY

SUBTOTAL (CAD) \$ 1,365.00

R100938885 GST \$ 68.25

TOTAL PAYABLE (CAD) \$ 1,433.25

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098

Please Remit Payments To :

ALS Chemex

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS CHEMEX

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 16-SEP-2008
Account: RLH

CERTIFICATE SD08119198

Project: 661

P.O. No.: 028639

This report is for 40 Rock samples submitted to our lab in Sudbury, ON, Canada on 25-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis
WEI-21	Received Sample Weight

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
TOT-ICP06	Total Calculation for ICP06	ICP-AES
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS CHEMEX

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

U. WALKERIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - A
Total # Pages: 2 (A - D)
Finalized Date: 16-SEP-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08119198

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
		Recvd Wt. kg 0.02	SiO2 % 0.01	Al2O3 % 0.01	Fe2O3 % 0.01	CaO % 0.01	MgO % 0.01	Na2O % 0.01	K2O % 0.01	Cr2O3 % 0.01	TiO2 % 0.01	MnO % 0.01	P2O5 % 0.01	SrO % 0.01	BaO % 0.01	LOI % 0.01
801054		0.80	91.5	0.61	5.10	0.37	0.35	0.07	0.05	<0.01	0.02	0.04	0.02	<0.01	<0.01	1.30
801055		0.94	39.6	12.30	30.4	8.44	3.14	1.20	0.57	0.05	0.65	1.15	0.08	0.01	0.02	1.46
801056		0.90	62.7	10.95	12.30	3.64	1.04	1.38	1.15	<0.01	0.27	0.11	0.08	0.02	0.03	4.53
801057		0.92	50.7	13.85	12.30	10.15	7.37	2.47	0.47	0.05	0.83	0.23	0.08	0.02	0.01	0.59
801058		0.98	54.8	13.80	9.96	10.50	4.94	1.83	0.75	0.08	0.80	0.22	0.08	0.01	0.08	0.49
801059		0.94	60.0	11.85	15.35	3.72	0.88	2.34	0.82	<0.01	0.28	0.11	0.08	0.02	0.02	3.93
801060		0.70	93.2	0.25	3.51	0.32	0.22	0.02	0.02	<0.01	0.01	0.03	0.01	<0.01	<0.01	0.88
801061		0.90	75.8	9.34	4.27	8.22	0.29	0.30	0.13	<0.01	0.29	0.04	0.10	0.15	<0.01	0.79
801062		0.80	39.3	11.25	30.2	7.39	3.49	1.04	0.32	0.03	0.61	1.54	0.09	0.01	0.02	3.00
801063		0.96	77.2	13.10	0.90	0.51	0.07	4.21	3.40	<0.01	0.01	0.05	0.01	<0.01	0.02	0.30
801064		0.54	92.0	2.33	2.75	1.34	0.70	0.06	0.03	<0.01	0.03	0.04	<0.01	0.02	<0.01	0.49
801065		0.56	42.1	9.82	30.7	7.67	3.39	0.60	0.30	0.02	0.58	1.35	0.04	0.01	0.01	2.34
801066		0.82	70.8	0.32	22.5	2.10	2.15	0.05	0.02	<0.01	<0.01	0.17	0.05	<0.01	<0.01	1.29
801067		0.62	43.3	15.50	22.6	8.25	2.39	1.93	0.71	0.05	0.74	0.92	<0.01	0.01	0.03	1.69
801068		1.08	65.1	5.01	21.3	2.50	1.59	0.27	0.12	<0.01	0.11	1.14	0.05	<0.01	<0.01	1.97
801069		0.90	47.5	9.44	28.5	1.02	1.28	1.74	0.72	0.01	0.22	0.45	0.02	0.01	0.02	7.51
801070		0.68	40.0	8.84	33.1	7.15	2.54	0.50	0.32	0.02	0.52	1.22	0.01	0.01	0.01	4.11
801071		1.00	47.2	13.20	21.4	9.07	3.81	1.58	0.43	0.04	0.71	0.83	0.01	0.02	0.01	1.30
801072		0.82	54.6	14.80	12.50	5.43	3.70	0.70	2.11	0.03	0.68	0.25	0.13	0.02	0.04	4.08
801073		2.28	50.7	4.68	30.0	3.96	1.98	0.32	0.17	0.01	0.23	0.62	0.05	0.01	0.01	5.16
801074		1.56	43.1	12.60	26.3	7.95	2.89	1.24	0.59	0.04	0.65	1.16	0.07	0.01	0.02	2.14
801075		0.84	77.3	0.39	16.65	1.20	1.79	0.04	0.03	<0.01	0.02	0.24	0.07	0.01	<0.01	0.39
801076		0.68	49.5	14.80	12.40	10.10	5.82	2.17	1.00	0.07	0.83	0.34	0.07	0.01	0.04	1.19
801077		0.66	51.2	13.45	12.10	8.67	6.41	2.70	0.78	0.07	0.74	0.25	0.06	0.02	0.02	1.35
801078		1.22	50.1	13.75	18.05	8.72	4.08	2.21	0.38	0.05	0.65	0.59	0.05	0.02	0.01	1.28
801079		1.68	65.5	15.05	5.29	2.75	2.55	2.85	2.49	0.01	0.37	0.12	0.10	0.03	0.10	1.96
801080		0.92	47.2	12.45	22.4	8.54	4.16	1.20	0.41	0.04	0.66	1.02	<0.01	0.02	0.01	1.09
801081		1.70	44.0	11.55	25.4	9.90	4.35	1.20	0.38	0.03	0.62	1.04	0.08	0.01	0.01	1.09
801082		2.06	48.2	11.90	22.2	9.47	4.12	1.06	0.42	0.04	0.65	0.93	0.03	0.01	0.01	0.79
801083		1.66	76.9	12.70	1.51	1.38	0.14	4.95	1.41	<0.01	0.05	0.03	0.02	0.02	0.12	0.88
801086		0.82	92.4	0.19	5.32	0.12	0.33	0.04	0.03	<0.01	<0.01	0.07	0.07	<0.01	0.03	0.50
801087		1.02	87.8	0.20	9.99	0.33	1.04	0.07	0.05	<0.01	0.01	0.17	<0.01	<0.01	0.01	0.20
801158		1.16	52.6	14.30	10.35	9.11	4.64	2.67	1.58	0.03	0.94	0.33	0.09	0.03	0.06	1.29
801159		Not Recvd														
801160		0.62	60.0	15.10	8.65	7.91	2.04	2.35	0.95	<0.01	0.94	0.24	0.36	0.05	0.03	0.90
801161		1.28	63.2	3.18	23.4	4.56	3.70	0.15	0.23	<0.01	0.11	0.12	0.16	0.01	0.01	1.00
801162		1.28	54.0	11.80	15.95	6.94	3.13	2.56	1.57	<0.01	2.34	0.19	0.23	0.02	0.04	1.30
801163		1.20	51.8	12.95	14.35	8.23	5.56	2.61	0.47	0.02	1.50	0.19	0.21	0.01	0.01	0.90
801164		0.84	52.3	15.00	11.95	7.75	5.15	3.62	0.93	0.03	0.87	0.19	0.10	0.02	0.03	1.99
801165		1.08	47.8	12.80	16.55	8.49	5.44	2.53	1.26	0.01	2.64	0.22	0.23	0.04	0.04	1.89



Project: 661

CERTIFICATE OF ANALYSIS SD08119198

Sample Description	Method	TOT-ICP06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Total	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho
Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01	
801054	99.4	<1	7.2	2.3	12.4	20	0.06	60	0.28	0.18	0.15	1.4	0.26	0.2	0.06	
801055	99.1	<1	171.0	10.9	15.9	270	0.93	63	3.39	2.28	1.16	13.0	2.45	1.0	0.75	
801056	98.2	<1	296	16.1	13.3	30	3.71	169	0.89	0.50	0.60	14.5	1.20	1.6	0.18	
801057	99.1	<1	84.5	8.2	57.6	450	0.77	23	3.49	2.18	0.76	16.0	2.49	1.6	0.76	
801058	98.3	<1	559	9.6	47.7	510	0.69	20	3.64	2.28	0.79	15.2	2.64	1.7	0.78	
801059	99.4	<1	166.0	14.8	29.6	40	1.54	345	0.76	0.44	0.53	15.1	1.10	1.7	0.15	
801060	98.5	<1	11.7	1.3	5.6	20	0.05	42	0.15	0.10	0.07	0.7	0.15	<0.2	0.03	
801061	99.7	<1	21.6	25.5	1.9	40	0.05	18	1.11	0.59	0.67	13.0	1.96	3.0	0.20	
801062	98.3	<1	166.5	9.0	15.7	260	2.30	87	2.59	1.77	0.88	12.5	2.03	1.0	0.58	
801063	99.8	<1	169.5	17.1	<0.5	10	0.77	5	3.26	1.80	0.08	19.3	2.51	2.4	0.62	
801064	99.8	<1	5.5	2.2	17.3	20	0.09	<5	0.15	0.09	0.08	3.3	0.19	0.2	0.03	
801065	98.9	<1	63.9	8.9	38.0	180	2.34	88	2.61	1.62	0.85	11.2	2.00	1.0	0.55	
801066	99.5	<1	4.4	2.6	9.7	30	0.23	95	0.53	0.42	0.44	1.4	0.55	0.2	0.12	
801067	98.1	<1	258	9.6	31.9	410	4.29	73	2.67	1.76	1.07	16.0	2.09	1.2	0.58	
801068	99.2	<1	28.9	10.5	15.4	30	0.82	127	0.85	0.54	0.61	5.9	0.96	0.8	0.18	
801069	98.4	<1	190.0	18.7	691	50	0.89	315	1.43	0.84	0.61	12.4	1.61	1.6	0.28	
801070	98.4	<1	75.1	11.6	21.5	190	1.13	549	2.78	1.77	1.12	10.2	2.13	1.0	0.60	
801071	99.6	<1	113.0	8.1	45.5	310	0.31	24	2.77	1.76	0.68	15.1	2.13	1.3	0.58	
801072	99.3	<1	341	19.1	37.4	220	3.38	155	2.69	1.65	0.87	19.9	2.79	2.2	0.57	
801073	97.9	<1	60.6	7.7	15.0	110	0.66	797	1.25	0.62	0.80	6.4	1.18	0.6	0.27	
801074	98.8	<1	164.5	10.2	19.4	280	1.48	57	2.91	1.85	1.07	14.4	2.26	1.2	0.65	
801075	98.1	<1	23.8	7.0	3.9	30	0.43	53	0.64	0.40	0.57	1.4	0.78	0.2	0.14	
801076	98.3	<1	383	10.0	52.9	520	4.61	41	3.42	2.07	0.79	15.9	2.59	1.7	0.71	
801077	98.0	<1	180.5	9.7	61.6	550	0.86	7	3.40	2.13	0.79	15.4	2.59	1.7	0.70	
801078	99.9	<1	90.6	6.8	39.5	350	0.18	30	2.63	1.58	0.60	14.0	1.95	1.0	0.54	
801079	99.2	<1	926	38.5	16.7	100	1.59	9	1.61	0.97	0.68	16.3	2.42	2.8	0.31	
801080	99.2	<1	133.0	6.7	36.3	290	0.42	34	2.69	1.75	0.70	13.8	2.03	1.4	0.55	
801081	99.7	<1	64.5	6.5	44.9	260	0.47	62	2.61	1.75	0.61	13.2	1.93	1.2	0.57	
801082	99.8	<1	88.3	7.6	33.3	280	0.10	39	2.77	1.80	0.75	13.6	2.00	1.1	0.56	
801083	100.0	<1	1055	34.5	2.1	20	0.63	17	2.26	1.31	0.44	15.1	2.68	2.7	0.44	
801086	99.1	<1	259	2.7	3.1	20	0.65	9	0.23	0.11	0.22	0.7	0.27	0.2	0.04	
801087	99.9	<1	71.5	1.4	2.6	10	0.57	24	0.28	0.20	0.11	0.9	0.25	0.2	0.06	
801158	98.0	<1	501	12.9	52.8	240	0.85	50	3.58	2.24	0.90	17.2	2.95	1.9	0.75	
801159																
801160	99.5	<1	227	49.5	17.8	30	1.27	37	4.22	2.29	1.38	19.6	4.80	4.4	0.82	
801161	99.8	<1	64.6	16.1	11.2	30	0.64	97	2.01	1.14	0.91	6.0	2.03	1.2	0.40	
801162	100.0	<1	351	58.2	53.3	30	1.91	149	7.94	4.54	2.08	23.5	8.08	5.6	1.55	
801163	98.8	<1	87.3	8.8	45.1	180	0.41	40	6.19	3.93	1.20	20.6	4.18	2.8	1.33	
801164	99.9	<1	251	7.4	46.1	280	0.46	127	2.99	1.84	0.77	17.0	2.30	1.7	0.61	
801165	99.9	<1	333	43.7	54.4	80	2.21	70	6.56	3.64	1.91	21.1	6.74	4.2	1.22	



ALS CHEMEX
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10. WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - C
 Total # Pages: 2 (A - D)
 Finalized Date: 16-SEP-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08119198

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.05	
801054		2.3	0.03	<2	0.3	1.1	15	<5	0.27	1.1	0.26	<1	3.3	<0.1	0.04	0.19
801055		6.0	0.36	<2	1.5	7.0	35	8	1.50	15.2	2.09	1	69.6	0.1	0.47	0.23
801056		11.1	0.08	<2	2.3	6.6	21	21	1.79	55.5	1.27	1	115.5	0.2	0.17	1.28
801057		3.9	0.35	<2	2.4	6.5	147	<5	1.30	9.4	2.21	1	125.5	0.2	0.50	0.27
801058		4.6	0.34	5	2.7	7.0	86	<5	1.44	28.6	2.33	1	113.5	0.2	0.51	0.32
801059		11.7	0.06	<2	2.4	5.8	36	11	1.58	34.4	1.23	1	175.0	0.2	0.14	1.42
801060		1.8	0.02	<2	0.2	0.6	9	<5	0.13	0.5	0.13	<1	3.1	<0.1	0.02	0.05
801061		13.2	0.08	<2	3.2	11.6	<5	7	3.05	3.5	2.46	1	1185	0.2	0.23	3.12
801062		7.4	0.28	<2	1.4	5.7	39	5	1.28	11.7	1.75	1	92.0	0.1	0.36	0.20
801063		7.1	0.27	<2	14.4	7.9	<5	7	2.26	117.0	2.67	3	23.2	2.4	0.49	5.12
801064		2.1	0.01	<2	0.3	1.0	12	<5	0.26	0.9	0.22	<1	162.5	<0.1	0.03	0.16
801065		7.9	0.25	<2	1.5	5.7	33	6	1.28	9.9	1.66	1	59.8	0.1	0.35	0.28
801066		4.8	0.06	<2	0.2	1.5	26	<5	0.38	0.7	0.42	1	12.7	<0.1	0.09	0.06
801067		8.9	0.26	<2	2.0	6.1	64	5	1.31	42.5	1.94	1	144.0	0.1	0.40	0.23
801068		8.3	0.08	6	1.1	4.3	23	<5	1.19	3.9	0.92	1	15.6	0.1	0.13	0.74
801069		12.4	0.14	<2	2.3	7.6	102	14	2.09	31.0	1.61	1	74.6	0.2	0.23	2.05
801070		9.3	0.28	<2	1.3	6.7	101	7	1.53	8.5	1.88	1	75.8	0.1	0.40	0.26
801071		6.4	0.28	<2	1.8	5.7	122	<5	1.17	12.4	1.72	1	129.5	0.1	0.40	0.29
801072		12.1	0.25	2	3.8	10.2	59	19	2.39	106.5	2.70	4	138.0	0.3	0.47	1.22
801073		7.1	0.13	<2	1.1	4.0	58	5	0.98	4.2	1.02	1	63.2	0.1	0.19	0.28
801074		8.6	0.29	<2	1.7	6.6	38	5	1.43	16.6	1.87	1	79.5	0.1	0.42	0.28
801075		9.8	0.07	<2	0.4	3.2	12	<5	0.80	1.5	0.61	1	7.2	<0.1	0.09	0.11
801076		6.4	0.30	<2	2.8	7.2	98	<5	1.50	61.0	2.30	1	102.0	0.1	0.49	0.34
801077		7.0	0.34	<2	2.6	6.8	117	5	1.38	27.8	2.28	1	126.0	0.1	0.49	0.38
801078		6.0	0.25	<2	1.7	4.7	121	<5	1.00	8.6	1.63	1	132.0	0.1	0.36	0.26
801079		21.6	0.15	<2	4.3	14.5	44	7	4.25	110.5	2.44	1	225	0.4	0.28	4.22
801080		8.4	0.27	<2	1.7	4.8	102	<5	1.00	19.2	1.60	1	105.0	0.1	0.39	0.27
801081		5.9	0.26	<2	1.5	4.8	105	<5	0.92	12.6	1.62	1	68.7	0.1	0.37	0.23
801082		6.6	0.27	<2	1.6	5.4	110	<5	1.09	5.3	1.62	1	93.7	0.1	0.38	0.21
801083		19.9	0.22	<2	7.5	13.2	<5	16	3.81	40.8	2.72	1	155.5	1.1	0.38	10.50
801086		4.5	0.02	<2	0.2	1.3	9	<5	0.31	1.5	0.25	<1	2.8	<0.1	0.04	0.12
801087		4.3	0.04	<2	0.2	0.5	<5	<5	0.15	2.0	0.14	<1	2.1	<0.1	0.04	0.09
801158		6.8	0.32	<2	2.4	8.4	124	12	1.79	58.9	2.50	1	200	0.2	0.53	0.67
801159																
801160		25.6	0.35	<2	9.3	23.4	17	<5	6.04	30.2	4.88	1	348	0.8	0.70	1.97
801181		10.8	0.17	2	2.1	7.4	11	<5	1.95	9.8	1.70	2	21.8	0.2	0.32	1.07
801162		22.6	0.61	<2	23.1	29.7	35	5	7.23	80.7	7.34	2	260	1.5	1.25	5.16
801163		<0.5	0.59	<2	4.0	8.0	65	7	1.48	20.3	3.13	1	132.0	0.2	0.85	0.32
801164		<0.5	0.28	<2	2.1	5.2	109	<5	1.09	38.7	1.95	1	146.0	0.1	0.43	0.20
801165		16.2	0.46	<2	20.6	23.7	62	5	5.65	68.6	6.04	2	335	1.3	1.04	2.51



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Finalized Date: 16-SEP-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08119198

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ti	Tm	U	V	W	Y	Yb	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	0.05	5	1	0.5	0.03	5	2
801054		<0.5	0.02	0.12	11	1	1.8	0.18	57	7
801055		<0.5	0.34	0.22	237	1	21.0	2.36	240	36
801056		0.6	0.06	0.38	58	1	5.2	0.48	208	64
801057		<0.5	0.33	0.08	293	1	19.9	2.20	119	54
801058		<0.5	0.34	0.09	293	2	20.0	2.28	129	56
801059		<0.5	0.05	0.47	49	1	4.3	0.41	157	63
801060		<0.5	0.02	0.05	7	<1	1.0	0.11	33	4
801061		<0.5	0.08	1.00	61	<1	5.7	0.55	24	107
801062		<0.5	0.25	0.16	217	2	16.8	1.76	189	34
801063		<0.5	0.27	3.36	5	1	19.2	1.90	28	35
801064		<0.5	0.01	0.10	21	<1	0.9	0.09	20	6
801065		<0.5	0.23	0.19	191	1	16.2	1.71	179	36
801066		<0.5	0.05	<0.05	21	1	4.2	0.40	128	8
801067		<0.5	0.25	0.49	270	1	16.8	1.85	151	40
801068		<0.5	0.07	0.25	28	1	6.3	0.58	129	32
801069		<0.5	0.11	0.55	74	1	7.3	0.83	313	41
801070		<0.5	0.25	0.21	179	1	16.6	1.77	181	35
801071		<0.5	0.25	0.09	272	2	16.4	1.85	144	42
801072		1.0	0.24	0.31	242	1	15.8	1.59	749	80
801073		<0.5	0.11	0.22	76	1	6.5	0.83	289	23
801074		<0.5	0.28	0.22	249	1	18.0	1.94	189	42
801075		<0.5	0.04	<0.05	12	<1	4.4	0.42	215	9
801076		<0.5	0.30	0.08	283	1	18.5	2.12	137	58
801077		<0.5	0.33	0.07	268	2	19.1	2.24	200	60
801078		<0.5	0.23	0.21	228	1	14.5	1.75	118	37
801079		0.6	0.13	0.99	75	1	8.4	0.93	102	105
801080		<0.5	0.24	0.08	241	1	15.6	1.75	147	49
801081		<0.5	0.25	0.07	225	1	16.0	1.72	157	42
801082		<0.5	0.25	0.14	241	1	16.8	1.75	109	36
801083		<0.5	0.21	4.21	7	1	13.2	1.46	41	62
801086		<0.5	0.01	<0.05	9	1	1.3	0.12	35	8
801087		<0.5	0.02	<0.05	12	<1	1.8	0.23	57	10
801158		0.5	0.31	0.20	287	1	20.4	2.10	123	64
801159										
801160		<0.5	0.33	0.42	151	1	22.6	2.25	92	170
801161		<0.5	0.16	0.22	30	2	12.3	1.19	208	47
801162		<0.5	0.63	1.61	464	1	40.2	4.21	152	205
801163		<0.5	0.58	0.10	342	1	35.0	4.04	142	96
801164		<0.5	0.28	0.05	305	3	16.6	1.87	100	61
801165		<0.5	0.49	0.74	444	2	31.6	3.18	164	153



ALS CHEMEX
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

129 FIELDING RD
 LIVELY ON P3Y 1L7

INVOICE NUMBER 1799743

BILLING INFORMATION

Certificate: **SD08126412**
 Sample Type: **Rock**
 Account: **RLH**
 Date: **15-SEP-2008**
 Project: **256**
 P.O. No.: **028865**
 Quote: **ALSC-CE07-048-RLH**
 Terms: **Net 30 Days** C1
 Comments:

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
2	ME-ICP06	Whole Rock Package - ICP-AES	20.00	40.00
2	ME-MS81	38 element fusion ICP-MS	15.00	30.00

SUBTOTAL (CAD) \$ 70.00

R100938885 GST \$ 3.50

TOTAL PAYABLE (CAD) \$ 73.50

To: **WALLBRIDGE MINING COMPANY LTD.**
 ATTN: ACCOUNTS PAYABLE
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS CHEMEX
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 15-SEP-2008
Account: RLH

CERTIFICATE SD08126412

Project: 256
P.O. No.: 028865

This report is for 2 Rock samples submitted to our lab in Sudbury, ON, Canada on 5-SEP-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis
WEI-21	Received Sample Weight

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
TOT-ICP06	Total Calculation for ICP06	ICP-AES
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10. WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - A
 Total # Pages: 2 (A - D)
 Finalized Date: 15-SEP-2008
 Account: RLH

Project: 256

CERTIFICATE OF ANALYSIS SD08126412

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
		Recvd Wt.	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
801836		1.30	48.7	13.40	15.90	9.50	6.41	1.78	0.45	0.03	1.45	0.25	0.15	0.01	0.01	1.57
804606		1.56	55.0	10.95	17.35	7.48	1.26	0.14	0.10	<0.01	0.85	0.11	0.18	0.03	<0.01	6.02



ALS CHEMEX
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

129 FIELDING RD
 LIVELY ON P3Y 1L7

Total # Pages: 2 (A - D)
 Finalized Date: 15-SEP-2008
 Account: RLH

Project: 256

CERTIFICATE OF ANALYSIS SD08126412

Sample Description	Method Analyte Units LOR	TOT-ICP06	ME-MSB1	ME-MSB1	ME-MSB1	ME-MSB1	ME-MSB1	ME-MSB1	ME-MSB1	ME-MSB1	ME-MSB1	ME-MSB1	ME-MSB1	ME-MSB1	ME-MSB1	ME-MSB1
		Total	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
801836		99.6	<1	87.5	18.5	63.3	190	0.77	1770	5.33	3.31	1.18	18.7	4.41	2.9	1.13
804606		99.5	1	10.2	38.8	166.0	20	0.13	609	6.91	4.39	1.81	28.7	5.81	2.2	1.48



ALS CHEMEX

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 804 984 0221 Fax: 804 984 0218 www.alschemex.com

129 FIELDING RD
LIVELY ON P3Y 1L7

Total # Pages: 2 (A - D)
Finalized Date: 15-SEP-2008
Account: RLH

Project: 256

CERTIFICATE OF ANALYSIS SD08126412

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.05	
801836		7.1	0.47	<2	5.5	12.0	274	12	2.54	16.2	3.51	2	130.0	0.4	0.77	1.79
804606		16.6	0.65	<2	5.2	18.8	133	24	4.42	1.6	4.46	3	289	0.3	0.99	2.38



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

10. WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD
LIVELY ON P3Y 1L7

Total # Pages: 2 (A - D)
Finalized Date: 15-SEP-2008
Account: RLH

Project: 256

CERTIFICATE OF ANALYSIS SD08126412

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	0.05	5	1	0.5	0.03	5	2
801836		<0.5	0.49	0.48	322	1	29.4	3.32	135	99
804608		<0.5	0.64	1.45	305	4	40.5	4.32	59	76



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

COPY

INVOICE NUMBER 1787291

BILLING INFORMATION

Certificate: **SD08114522**
 Sample Type: **Rock**
 Account: **RLH**
 Date: **27-AUG-2008**
 Project: 661
 P.O. No.: 086000
 Quote: ALSC-CE07-048-RLH
 Terms: **Net 30 Days** C1
 Comments:

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
7	PREP-31	Crush, Split, Pulverize	6.00	42.00
8.00	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.60	4.80
1	LOG-24	Pulp Login - Rcd w/o Barcode	1.00	1.00
8	PGM-ICP23	Pt, Pd, Au 30g FA ICP	13.00	104.00
8	ME-MS61	48 element four acid ICP-MS	14.00	112.00
8	GEO-4A01	Four Acid Dig - ME-MS61	4.00	32.00

SUBTOTAL (CAD) \$ 295.80

R100938885 GST \$ 14.79

TOTAL PAYABLE (CAD) \$ 310.59

To: **WALLBRIDGE MINING COMPANY LTD.**
 ATTN: ACCOUNTS PAYABLE
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 27-AUG-2008
Account: RLH

CERTIFICATE SD08114522

Project: 661

P.O. No.: 086000

This report is for 8 Rock samples submitted to our lab in Sudbury, ON, Canada on 14-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 27-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08114522

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
801201		0.72	0.001	0.007	0.006	0.14	6.66	0.7	130	0.36	0.14	5.67	0.16	10.45	47.7	129
801202		2.20	0.001	0.008	0.008	0.04	5.83	<0.2	90	0.26	0.06	7.52	0.13	6.75	70.4	82
801203		1.84	0.011	<0.005	0.001	0.26	6.22	1.6	450	1.29	0.15	0.72	0.81	27	1.3	12
801204		0.08	0.137	0.267	4.62	0.18	5.17	0.5	40	0.11	0.15	4.54	0.08	2.63	79.4	290
801205		0.34	<0.001	<0.005	0.001	0.01	0.38	<0.2	20	0.09	0.01	0.05	<0.02	10.2	0.9	45
801139		1.06	0.002	<0.005	0.001	0.07	6.47	0.2	240	0.81	0.04	6.29	0.17	34.1	54.1	77
801140		1.16	0.001	0.015	0.008	0.09	6.55	0.2	170	0.22	0.09	6.35	0.08	8.25	42.9	92
801141		0.68	<0.001	<0.005	0.001	0.06	7.01	<0.2	130	0.36	0.23	7.32	0.12	9.4	43.9	180



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-AUG-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08114522

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
801201		0.49	58.8	7.75	17.6	0.11	0.6	0.073	0.71	3.4	22.4	3.17	1650	0.34	2.32	3.1
801202		0.59	69.5	8.3	15.95	0.13	0.5	0.056	0.22	2.5	19.6	5.16	1710	0.24	0.96	1.6
801203		0.84	28.4	0.93	20.6	0.05	2.4	0.011	1.32	14.9	12.3	0.13	226	2.26	3.78	2.9
801204		1.13	460	7.37	10.1	0.09	0.2	0.025	0.18	1.2	24.8	8.96	1400	0.63	0.56	0.3
801205		0.06	3.6	0.32	0.93	<0.05	1.2	<0.005	0.11	5.1	0.7	0.04	38	0.34	0.06	0.2
801139		0.8	181	11.15	21	0.13	3.7	0.106	0.49	15.2	10.6	3.36	1920	0.59	1.61	7
801140		0.6	64.9	6.94	16.25	0.09	0.7	0.057	0.61	3	27.1	3.89	1180	0.41	2.03	1.8
801141		0.4	32.8	7.95	18.25	0.1	0.7	0.071	0.55	3.5	10.2	2.9	1670	0.27	1.99	2.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 27-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08114522

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units LOR	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
801201		98.4	330	12.5	27.1	<0.002	0.01	0.11	49.6	1	0.7	153	0.21	<0.05	0.4	0.586
801202		215	250	1	7.2	<0.002	0.03	0.07	45.3	1	0.4	88.9	0.12	<0.05	0.2	0.386
801203		4.1	170	165	50	<0.002	0.05	0.05	1.2	1	0.8	124.5	0.31	0.08	4.1	0.039
801204		648	20	4.5	9	0.002	0.17	0.85	40.8	2	<0.2	83.1	<0.05	0.41	<0.2	0.098
801205		6.6	20	2.4	3.9	<0.002	<0.01	0.09	0.4	1	<0.2	3.9	<0.05	<0.05	1.3	0.007
801139		65.6	1070	5.3	28.1	0.002	0.09	0.06	48.4	2	1.2	140	0.49	0.05	2.6	1.01
801140		76.9	260	1.9	31.3	<0.002	0.01	0.07	47.2	1	0.4	188	0.13	<0.05	0.3	0.375
801141		91.9	290	2.7	26.1	<0.002	0.03	0.07	45.9	1	0.5	170.5	0.17	<0.05	0.4	0.524



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-AUG-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08114522

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.1	1	0.1	0.1	2	0.5
801201		0.14	0.1	299	0.3	26.1	137	9.4
801202		0.06	0.1	216	0.3	18.9	92	10.5
801203		0.15	1	2	0.3	4	711	70.4
801204		0.1	<0.1	149	1.1	3.1	87	6.3
801205		0.07	0.4	2	0.1	1	5	40.7
801139		0.11	0.6	400	0.2	38.2	134	137.5
801140		0.17	0.1	236	0.4	20.3	66	19.4
801141		0.13	0.1	278	0.3	24.1	93	15.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-AUG-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08114522

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

COPY

INVOICE NUMBER 1743494

BILLING INFORMATION	
Certificate:	SD08071472
Sample Type:	Rock
Account:	RLH
Date:	14-JUN-2008
Project:	661 <i>shiplef</i>
P.O. No.:	161082
Quote:	ALSC-CE07-048-RLH
Terms:	Net 30 Days
Comments:	C1

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
10	ME-ICP06	Whole Rock Package - ICP-AES	20.00	200.00
10	ME-MS81	38 element fusion ICP-MS	15.00	150.00

To: **WALLBRIDGE MINING COMPANY LTD.**
 ATTN: ACCOUNTS PAYABLE
 129 FIELDING RD
 LIVELY ON P3Y 1L7

SUBTOTAL (CAD)	\$	350.00
R100938885 GST	\$	17.50
TOTAL PAYABLE (CAD)	\$	367.50

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 14-JUN-2008
Account: RLH

CERTIFICATE SD08071472

Project: 661
P.O. No.: 161082

This report is for 10 Rock samples submitted to our lab in Sudbury, ON, Canada on 2-JUN-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
TOT-ICP06	Total Calculation for ICP06	ICP-AES
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - A
Total # Pages: 2 (A - D)
Finalized Date: 14-JUN-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08071472

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
		Recvd Wt. kg	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %	K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %
801001		0.50	68.8	12.35	6.33	1.61	0.90	3.85	3.25	<0.01	0.83	0.12	0.15	0.02	0.15	0.53
801002		0.82	70.9	13.55	4.21	1.02	1.93	4.95	1.67	0.03	0.59	0.03	0.11	0.03	0.04	0.94
801003		0.86	66.8	14.75	5.33	0.84	2.38	4.17	2.27	0.02	0.59	0.04	0.06	0.03	0.09	1.43
801004		0.54	98.2	0.53	0.72	0.05	0.08	0.16	0.10	0.01	0.02	0.01	0.01	<0.01	<0.01	0.12
801005		0.08	49.8	10.55	11.95	6.89	15.30	0.77	0.23	0.06	0.18	0.20	<0.01	0.01	<0.01	4.07
801006		1.02	48.2	12.35	17.05	7.95	4.96	2.70	1.32	0.01	2.79	0.23	0.33	0.04	0.05	1.90
801007		1.78	77.1	0.08	20.0	0.38	1.29	0.01	0.02	<0.01	0.01	0.24	0.04	<0.01	<0.01	-0.23
801009		1.66	81.6	0.18	13.90	1.47	1.40	0.03	0.01	<0.01	0.01	0.22	0.03	<0.01	0.04	0.32
801010		3.10	90.3	2.88	2.57	2.55	0.70	0.41	0.06	0.01	0.13	0.04	0.02	<0.01	<0.01	0.40
801011		0.60	76.7	0.21	17.85	1.89	1.26	0.03	0.01	<0.01	<0.01	0.05	0.04	<0.01	<0.01	1.73



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Finalized Date: 14-JUN-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08071472

Sample Description	Method Analyte Units LOR	TOT-ICP06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Total	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
801001		98.9	<1	1175	125.5	8.5	10	0.65	9	5.96	3.54	1.66	16.2	7.63	7.4	1.18
801002		100.0	<1	333	51.8	9.7	180	7.02	11	2.68	1.87	0.95	15.2	3.24	8.7	0.53
801003		98.8	<1	728	21.6	13.7	160	6.24	22	1.78	1.26	0.58	19.2	1.42	5.2	0.40
801004		100.0	<1	18.8	3.3	1.4	40	0.23	21	0.15	0.10	0.06	0.9	0.22	0.2	0.03
801005		100.0	<1	36.3	2.3	90.2	390	0.91	487	0.45	0.35	0.15	8.6	0.34	0.2	0.11
801006		99.9	<1	404	58.4	57.6	70	2.54	83	7.65	4.43	2.39	19.8	7.60	5.6	1.55
801007		98.9	<1	17.3	1.9	2.4	<10	0.04	11	0.21	0.16	0.12	0.6	0.15	<0.2	0.04
801009		99.2	<1	333	1.9	3.8	20	0.82	21	0.33	0.24	0.18	1.0	0.25	<0.2	0.08
801010		100.0	<1	20.4	2.0	8.6	50	0.12	77	0.57	0.41	0.17	3.8	0.44	0.3	0.13
801011		99.8	<1	15.9	4.7	15.5	10	0.32	134	0.59	0.39	0.45	0.8	0.58	<0.2	0.13



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Finalized Date: 14-JUN-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08071472

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
801001		83.6	0.50	<2	15.2	51.3	<5	7	14.30	101.0	8.88	1	167.5	1.0	1.11	15.65
801002		24.8	0.28	2	8.6	22.0	29	17	6.05	77.7	3.91	1	225	0.8	0.49	12.05
801003		8.5	0.22	<2	8.6	7.7	47	19	2.10	84.5	1.50	2	222	0.8	0.28	8.96
801004		1.3	0.01	<2	1.0	1.4	5	23	0.40	3.3	0.27	1	9.4	<0.1	0.03	1.30
801005		0.9	0.07	<2	0.2	1.2	744	69	0.29	8.8	0.30	1	84.9	<0.1	0.07	0.09
801006		26.3	0.59	<2	25.8	33.6	60	56	7.75	62.1	7.76	3	388	1.7	1.31	3.89
801007		1.0	0.04	<2	<0.2	0.7	<5	22	0.20	0.5	0.13	1	2.6	<0.1	0.03	<0.05
801009		0.9	0.04	<2	0.2	0.8	7	<5	0.21	2.0	0.20	<1	8.4	<0.1	0.05	0.08
801010		0.9	0.06	<2	0.4	1.2	10	<5	0.27	2.3	0.40	<1	44.1	<0.1	0.10	0.08
801011		2.4	0.06	<2	0.2	2.2	19	<5	0.55	0.4	0.42	<1	3.8	<0.1	0.10	0.06



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0213 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - D
Total # Pages: 2 (A - D)
Finalized Date: 14-JUN-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08071472

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.5	0.01	0.05	5	1	0.5	0.03	5	2	
801001		<0.5	0.51	3.51	24	2	33.2	3.31	47	289
801002		<0.5	0.26	4.16	78	1	15.9	1.70	37	335
801003		<0.5	0.20	2.49	102	2	11.3	1.33	46	194
801004		<0.5	0.02	0.70	<5	1	0.9	0.09	18	5
801005		<0.5	0.06	0.06	149	2	3.0	0.41	104	6
801006		<0.5	0.65	1.12	384	2	41.4	3.93	202	210
801007		<0.5	0.03	0.16	6	1	1.4	0.22	56	2
801009		<0.5	0.04	0.13	13	1	2.3	0.25	53	3
801010		<0.5	0.06	0.24	41	1	3.3	0.38	18	9
801011		<0.5	0.06	0.15	<5	2	4.1	0.37	63	3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221

Fax: 604 984 0218

www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

COPY

INVOICE NUMBER 1743479

BILLING INFORMATION

Certificate: **SD08069835**
 Sample Type: **Rock**
 Account: **RLH**
 Date: **11-JUN-2008**
 Project: 661 *shiplea*
 P.O. No.: 161081
 Quote: ALSC-CE07-048-RLH
 Terms: **Net 30 Days** C1
 Comments:

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
11	PREP-31	Crush, Split, Pulverize	6.00	66.00
12.32	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.60	7.39
2	LOG-24	Pulp Login - Rcd w/o Barcode	1.00	2.00
13	PGM-ICP23	Pt, Pd, Au 30g FA ICP	13.00	169.00
13	ME-MS61	48 element four acid ICP-MS	14.00	182.00
13	GEO-4A01	Four Acid Dig - ME-MS61	4.00	52.00

SUBTOTAL (CAD) \$ 478.39

R100938885 GST \$ 23.92

TOTAL PAYABLE (CAD) \$ 502.31

To: **WALLBRIDGE MINING COMPANY LTD.**
 ATTN: ACCOUNTS PAYABLE
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098

Please Remit Payments To :

ALS Chemex

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 11-JUN-2008
Account: RLH

CERTIFICATE SD08069835

Project: 661

P.O. No.: 161081

This report is for 13 Rock samples submitted to our lab in Sudbury, ON, Canada on 28-MAY-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 11-JUN-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08069835

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
801001		0.50	0.001	<0.005	<0.001	<0.01	6.53	<0.2	1230	2.11	0.04	1.11	<0.02	120.5	8.4	7
801002		0.82	0.002	<0.005	0.001	<0.01	6.64	7.5	310	1.17	0.3	0.65	0.03	49.2	9.1	133
801003		0.86	0.002	<0.005	0.001	0.01	7.44	4.9	740	1.83	0.23	0.56	0.02	21.9	14.1	128
801004		0.54	0.001	<0.005	<0.001	0.04	0.28	3.1	10	0.07	0.2	0.03	0.04	3.22	1.4	27
801005		0.08	0.142	0.304	5.20	0.18	5.9	<0.2	30	0.12	0.11	4.81	0.07	2.42	85.2	238
801006		1.02	0.002	<0.005	0.001	0.08	6.72	<0.2	370	1.18	<0.01	5.24	0.12	57.8	51.3	46
801007		1.78	2.56	<0.005	<0.001	0.23	0.05	2	10	0.24	0.05	0.27	0.07	1.94	2.5	4
801008		1.00	0.027	<0.005	<0.001	0.1	0.06	3.1	110	0.1	0.03	0.19	0.06	1.73	1.5	6
801009		1.66	0.021	<0.005	0.001	0.07	0.1	1.3	350	0.48	0.03	1.06	0.09	1.91	3.4	10
801010		3.10	0.002	<0.005	0.001	0.07	1.57	<0.2	10	0.13	0.03	1.75	0.03	1.91	8.8	48
801011		0.60	0.044	0.016	0.003	0.11	0.12	<0.2	10	0.69	0.1	1.32	0.08	4.54	16.3	10
800059		0.08	0.116	0.299	5.20	0.22	5.77	<0.2	20	0.12	0.18	4.63	0.07	2.39	83.3	223
800060		0.44	0.001	<0.005	0.002	0.02	0.22	<0.2	<10	0.07	<0.01	0.01	<0.02	7.7	0.5	23



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUN-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08069835

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
801001		0.68	7.4	4.25	19.25	0.19	7.3	0.058	2.61	59.6	5.6	0.52	916	1.41	2.64	15.2
801002		6.98	8.8	2.69	16.9	0.12	6.6	0.031	1.24	23	28.8	1.09	225	2.17	3.2	7.8
801003		6.66	19.9	3.56	23.3	0.1	4.8	0.043	1.79	8.5	39.3	1.4	291	1.25	2.81	8.7
801004		0.22	20.1	0.5	0.8	<0.05	0.1	0.012	0.07	1.3	1.1	0.05	46	0.35	0.11	0.9
801005		0.99	511	8.04	10.1	0.17	0.2	0.028	0.19	1.1	22.5	9.24	1480	0.74	0.57	0.3
801006		2.62	71	10.95	22.1	0.24	5.8	0.108	1.1	25.2	26.3	2.92	1655	1.23	1.93	25.1
801007		<0.05	10.9	13.7	0.52	0.21	<0.1	0.007	0.01	1.1	0.3	0.78	1885	0.25	0.01	0.2
801008		0.06	5.2	8.55	0.51	0.12	<0.1	0.011	0.04	1.1	0.3	0.57	1680	0.17	0.01	0.2
801009		0.84	20.1	9.83	0.81	0.14	<0.1	0.015	0.01	1.2	0.2	0.84	1680	0.43	0.01	0.2
801010		0.13	79	1.81	3.82	0.05	0.1	0.011	0.05	0.9	0.7	0.43	345	0.21	0.29	0.4
801011		0.35	144.5	12.05	0.67	0.19	0.1	0.075	0.01	2.4	0.3	0.76	391	1	0.02	0.2
800059		1	501	7.77	9.78	0.15	0.2	0.023	0.19	1.1	22.6	8.96	1430	0.67	0.56	0.3
800060		<0.05	2.6	0.32	0.58	<0.05	0.6	<0.005	0.06	3.6	0.3	0.01	35	0.22	0.05	0.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUN-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08069835

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
801001		1.3	760	5.7	101	<0.002	0.01	<0.05	14.5	2	1.3	167.5	1.02	<0.05	14.8	0.482
801002		27.2	460	16.9	71.2	0.002	0.01	0.18	12.6	2	1.3	209	0.74	0.07	10.5	0.323
801003		46.6	320	11.9	84.1	<0.002	0.02	0.09	15.3	2	2	209	0.81	0.08	8.7	0.346
801004		5.2	90	6.6	3.2	<0.002	0.01	0.75	0.7	2	<0.2	9.3	<0.05	<0.05	1.3	0.011
801005		701	20	5.3	8.7	<0.002	0.21	0.33	46.3	3	<0.2	88.5	<0.05	0.34	<0.2	0.107
801006		53	1480	4.6	57.8	0.003	0.2	<0.05	42.6	3	1.7	378	1.59	0.05	3.5	1.6
801007		3.2	160	1.6	0.5	<0.002	0.09	0.06	0.8	3	<0.2	2.8	<0.05	0.12	<0.2	0.006
801008		3.1	180	1.7	0.9	<0.002	0.15	0.07	1	2	0.2	6.1	<0.05	0.09	<0.2	0.008
801009		7.3	130	1.4	2	<0.002	0.08	<0.05	1.5	2	0.2	8.5	<0.05	0.14	<0.2	<0.005
801010		11.5	60	1.7	2.5	<0.002	0.11	<0.05	7.5	3	0.2	46.5	<0.05	0.07	<0.2	0.081
801011		19.2	220	1.4	0.5	0.003	2.5	<0.05	0.3	5	0.4	4	<0.05	0.36	<0.2	<0.005
800059		659	30	4.6	8.5	<0.002	0.2	0.58	44.2	3	<0.2	86.3	<0.05	0.46	<0.2	0.103
800060		2.1	20	<0.5	2	<0.002	0.01	<0.05	0.2	2	<0.2	3.2	<0.05	<0.05	0.9	<0.005



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 11-JUN-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08069835

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ti ppm 0.02	U ppm 0.1	V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5
801001		0.38	3.5	24	0.8	32.6	54	277
801002		0.4	3.7	73	0.2	8.6	39	223
801003		0.42	2.5	100	1	7.3	52	157.5
801004		<0.02	0.7	3	0.1	0.6	9	4.5
801005		0.08	<0.1	154	3.4	2.9	101	6.9
801006		0.33	1	371	0.6	38.5	157	208
801007		<0.02	0.2	7	0.3	1.4	56	0.9
801008		<0.02	0.1	7	0.1	1.6	40	2.2
801009		<0.02	0.1	13	0.4	2.3	54	1.4
801010		<0.02	0.3	42	0.1	3.2	16	3.4
801011		<0.02	0.1	4	0.1	4.1	67	2.6
800059		0.07	<0.1	148	3.7	2.8	99	7
800060		0.05	0.4	1	0.1	0.6	<2	18.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 11-JUN-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08069835

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**
 129 FIELDING RD
 LIVELY ON P3Y 1L7

COPY

INVOICE NUMBER 1747588

BILLING INFORMATION	
Certificate:	SD08074664
Sample Type:	Rock
Account:	RLH
Date:	14-JUN-2008
Project:	661 <i>chipley</i>
P.O. No.:	161116
Quote:	ALSC-CE07-048-RLH
Terms:	Net 30 Days
Comments:	C1

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
11	PREP-31	Crush, Split, Pulverize	6.00	66.00
10.70	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.60	6.42
1	LOG-24	Pulp Login - Rcd w/o Barcode	1.00	1.00
12	PGM-ICP23	Pt, Pd, Au 30g FA ICP	13.00	156.00
12	ME-MS61	48 element four acid ICP-MS	14.00	168.00
12	GEO-4A01	Four Acid Dig - ME-MS61	4.00	48.00

To: **WALLBRIDGE MINING COMPANY LTD.**
 ATTN: ACCOUNTS PAYABLE
 129 FIELDING RD
 LIVELY ON P3Y 1L7

SUBTOTAL (CAD)	\$	445.42
R100938885 GST	\$	22.27
TOTAL PAYABLE (CAD)	\$	467.69

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 14-JUN-2008
Account: RLH

CERTIFICATE SD08074664

Project: 661

P.O. No.: 161116

This report is for 12 Rock samples submitted to our lab in Sudbury, ON, Canada on 6-JUN-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 14-JUN-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08074664

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd WL. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
801012		0.96	0.013	0.009	0.014	0.25	7.22	<0.2	130	0.36	0.02	5.71	0.18	9.06	45.8	63
801013		1.74	<0.001	<0.005	<0.001	0.02	7.64	0.8	770	2.02	0.07	2.8	0.14	28.2	7.4	14
801014		1.10	0.008	<0.005	<0.001	0.31	6.09	3.7	720	4.65	0.15	3.78	0.3	175	46	17
801015		1.00	0.001	0.013	0.017	0.09	7.03	0.7	60	0.38	0.4	8.52	0.13	7.16	44.8	170
801016		0.56	0.001	<0.005	<0.001	0.07	6.46	<0.2	610	0.87	0.06	1.73	0.25	24.1	9.2	20
801017		0.72	0.001	<0.005	<0.001	0.07	6.45	0.9	360	0.55	0.06	3.22	0.09	26.2	36.2	19
801018		0.38	0.015	<0.005	<0.001	0.48	1.51	1.1	50	0.72	0.31	1.96	0.23	6.82	7.1	21
801019		1.86	0.039	<0.005	<0.001	0.05	0.16	0.9	10	0.41	0.03	1.03	0.08	1.72	1.5	20
801051		0.26	0.001	0.006	0.006	0.1	7.12	0.2	120	0.22	0.04	7.26	0.15	4.22	47.6	168
801052		1.62	0.001	0.006	0.007	0.09	7.13	0.5	50	0.23	0.03	6.26	0.11	4.43	43.7	119
801053		0.50	0.004	<0.005	<0.001	0.22	6.93	2.1	50	0.19	0.09	7.09	0.79	7.06	42	75
800065		0.04	0.130	0.331	5.08	0.24	5.37	2.5	40	0.11	0.13	4.61	0.08	2.3	83.6	237



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 14-JUN-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08074664

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ca	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
801012		2.13	98.4	9.64	20.7	0.23	1.4	0.077	0.52	3.7	45.3	3.57	1635	0.54	2.07	3.3
801013		2.3	11.7	3.24	21.3	0.17	2.7	0.031	2.35	14	34	0.64	811	0.21	2.75	4.4
801014		6.54	348	7.77	18.1	0.33	2.4	0.101	1.94	99.6	61.9	2.37	1855	1.26	1.16	88.9
801015		0.89	120.5	9.17	16.9	0.2	0.6	0.067	0.43	3.3	16.7	3.38	3940	0.59	0.84	2.4
801016		2.48	102	2.6	17.45	0.14	3.4	0.052	2.18	10.9	18.6	0.68	554	1.62	2.07	5.5
801017		4.94	20.1	8.47	20.5	0.21	2.4	0.075	0.45	12.1	3.9	1.8	1340	0.8	3.65	3.4
801018		3.69	111.5	14.25	4.36	0.21	0.6	0.071	0.11	4	3.3	1.08	3800	6.69	0.13	0.9
801019		0.77	9.5	12.5	1.07	0.18	0.1	0.011	0.03	1	0.5	1.09	1490	0.36	0.03	0.3
801051		0.76	75	7.68	17.4	0.19	0.5	0.058	0.52	1.6	17	4.64	1365	0.2	1.35	1.5
801052		0.37	61.9	7.85	16.4	0.19	0.6	0.052	0.3	1.5	13.9	4.5	1345	0.32	2.08	1.4
801053		0.85	462	10.55	19.45	0.22	1	0.146	0.27	2.8	22.3	3.21	1685	0.27	0.64	1.9
800065		1.03	454	7.54	10.8	0.2	0.2	0.027	0.18	1.2	21.5	8.93	1335	0.65	0.56	0.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 14-JUN-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08074664

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
Units		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
LOR		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
801012		52.5	370	13.7	17.7	<0.002	0.01	0.06	44.7	2	0.6	148	0.22	0.13	0.4	0.722
801013		3.4	940	15.4	80.6	<0.002	0.03	<0.05	4.1	2	0.8	461	0.32	0.05	3.4	0.193
801014		36.8	1580	9.6	680	<0.002	0.96	0.29	13.5	3	2.7	240	5.94	0.1	8.3	2.05
801015		139.5	240	3	11.1	0.002	0.27	<0.05	35.6	3	0.6	122.5	0.17	0.16	0.3	0.441
801016		11.4	440	10.6	98.8	<0.002	0.27	<0.05	5.2	2	1.3	145	0.56	0.05	4.8	0.168
801017		7.8	630	4.5	21	0.002	0.17	0.42	36.4	2	0.8	396	0.21	0.05	1.2	0.569
801018		18.9	180	2.1	9.1	0.002	2.47	0.09	1.9	2	1	16.9	0.07	0.36	0.5	0.044
801019		2.1	140	0.5	2.5	<0.002	0.11	<0.05	0.7	1	0.2	6.2	<0.05	0.07	<0.2	0.008
801051		121.5	250	1.8	31.5	<0.002	0.1	0.06	37.3	2	0.5	118.5	0.11	<0.05	0.2	0.367
801052		87.4	210	1.9	9.5	0.002	0.05	0.08	36.2	2	0.4	114.5	0.1	<0.05	0.2	0.427
801053		79.7	290	2.5	14.6	<0.002	0.21	0.59	50.5	3	1.5	138.5	0.12	<0.05	0.2	0.493
800065		664	20	5.6	8.4	<0.002	0.17	0.97	43	3	<0.2	85.6	<0.05	0.51	<0.2	0.097



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 14-JUN-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08074664

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ti	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.1	1	0.1	0.1	2	0.5
801012		0.13	0.1	345	0.7	22.3	101	38.9
801013		0.34	0.9	36	0.4	11.3	81	93.4
801014		1.58	2.2	131	10.2	25.4	253	87.5
801015		0.1	0.2	245	0.5	15.5	95	13.2
801016		0.56	1.2	37	0.4	4.9	129	100.5
801017		0.11	0.3	282	0.6	24.8	95	75.8
801018		0.12	0.2	12	0.3	7.4	133	19.5
801019		<0.02	<0.1	6	0.2	3.9	57	2.9
801051		0.14	0.2	205	0.2	12.8	87	13.4
801052		0.07	<0.1	228	0.2	13.5	95	14.6
801053		0.04	0.1	272	0.5	18.1	271	30.9
800065		0.09	<0.1	148	0.8	2.8	89	5.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14-JUN-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08074664

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

INVOICE NUMBER 1747594

BILLING INFORMATION	
Certificate:	SD08075622
Sample Type:	Rock
Account:	RLH
Date:	24-JUN-2008
Project:	661
P.O. No.:	161117
Quote:	ALSC-CE07-048-RLH
Terms:	Net 30 Days C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
11	ME-ICP06	Whole Rock Package - ICP-AES	20.00	220.00
11	ME-MS81	38 element fusion ICP-MS	15.00	165.00

SUBTOTAL (CAD) \$ 385.00

R100938885 GST \$ 19.25

TOTAL PAYABLE (CAD) \$ 404.25

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
Bank: Royal Bank of Canada
SWIFT: ROYCCAT2
Address: Vancouver, BC, CAN
Account: 003-00010-1001098

Please Remit Payments To :
ALS Chemex

212 Brooksbank Avenue
North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
 Finalized Date: 24-JUN-2008
 Account: RLH

CERTIFICATE SD08075622


Project: 661
 P.O. No.: 161117
 This report is for 11 Rock samples submitted to our lab in Sudbury, ON, Canada on 9-JUN-2008.
 The following have access to data associated with this certificate:
 RANDY DUTCHBURN ACCOUNTS PAYABLE

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
TOT-ICP06	Total Calculation for ICP06	ICP-AES
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - A
Total # Pages: 2 (A - D)
Finalized Date: 24-JUN-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08075622

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	
		Recvd Wt.	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO		LOI	
		kg	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
801012		0.96	46.0	15.90	16.20	8.87	6.43	3.07	0.66	0.01	1.29	0.23	0.08	0.02	0.02	1.44		
801013		1.74	61.4	18.00	5.22	4.29	1.19	4.19	3.03	<0.01	0.34	0.11	0.22	0.06	0.10	2.04		
801014		1.10	53.9	12.45	12.60	5.72	4.12	1.64	2.47	<0.01	3.61	0.26	0.39	0.03	0.56	2.54		
801015		1.00	49.0	14.30	14.50	12.65	5.72	1.13	0.51	0.04	0.76	0.54	0.07	0.01	0.01	1.43		
801016		0.56	70.4	13.70	3.81	2.47	1.10	2.91	2.66	<0.01	0.28	0.07	0.10	0.02	0.08	1.68		
801017		0.72	56.9	13.70	13.70	4.79	3.12	5.29	0.54	<0.01	0.99	0.18	0.15	0.05	0.05	0.63		
801018		0.38	65.6	3.04	22.4	2.83	1.80	0.20	0.14	<0.01	0.08	0.51	0.03	<0.01	0.01	3.49		
801019		1.86	76.1	0.32	19.70	1.44	1.79	0.07	0.04	<0.01	0.01	0.20	0.03	<0.01	<0.01	0.42		
801051		0.26	50.5	13.35	11.65	10.35	7.74	1.86	0.62	0.03	0.66	0.20	0.06	0.02	0.01	1.95		
801052		1.62	49.6	14.65	12.65	9.44	7.89	3.05	0.40	0.02	0.76	0.19	0.04	0.01	0.01	1.39		
801053		0.50	48.6	13.60	16.65	10.45	5.41	0.92	0.35	0.01	0.84	0.23	0.07	0.02	0.01	2.97		



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - B
 Total # Pages: 2 (A - D)
 Finalized Date: 24-JUN-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08075622

Sample Description	Method Analyte Units LOR	TOT-ICP06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Total	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
801012		100.0	1	146.5	10.0	51.2	90	2.10	98	4.30	2.73	0.94	21.4	3.47	2.1	0.96
801013		100.0	<1	829	39.4	7.6	20	2.29	9	2.33	1.51	1.01	20.5	3.22	3.0	0.51
801014		100.5	<1	4280	171.0	48.6	20	5.94	333	5.56	2.99	3.07	17.0	9.19	5.1	1.10
801015		100.5	1	64.8	7.0	47.1	280	0.80	115	2.57	1.83	0.73	16.4	2.06	1.2	0.62
801016		99.3	1	628	27.6	8.9	20	2.39	99	0.86	0.63	0.43	16.7	1.28	3.4	0.19
801017		100.0	1	390	30.1	40.8	20	4.58	16	4.37	3.04	1.17	20.8	4.25	2.7	1.02
801018		100.0	1	51.3	7.3	8.2	20	3.36	113	0.95	0.66	0.70	4.9	0.89	0.6	0.22
801019		100.0	1	13.4	1.8	1.7	20	0.65	9	0.44	0.34	0.25	1.3	0.35	0.2	0.12
801051		99.0	1	126.5	4.7	52.9	270	1.02	70	2.35	1.56	0.65	16.3	1.92	1.4	0.55
801052		100.0	1	54.6	5.2	50.7	170	0.49	61	2.62	1.70	0.64	16.3	2.12	1.4	0.61
801053		100.0	1	51.5	7.4	46.4	100	0.79	461	3.30	2.21	0.74	18.6	2.55	1.4	0.75



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Finalized Date: 24-JUN-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08075622

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
801012		4.3	0.41	<2	3.5	7.4	59	14	1.55	26.2	2.55	1	151.0	0.1	0.70	0.48
801013		20.6	0.24	<2	4.7	16.0	<5	15	4.38	93.6	3.01	1	485	0.3	0.47	4.36
801014		91.1	0.36	<2	88.4	60.0	42	8	18.15	95.9	9.53	2	250	6.9	1.28	8.93
801015		3.3	0.28	<2	2.3	4.9	151	<5	1.03	11.0	1.47	1	120.5	<0.1	0.40	0.21
801016		12.5	0.13	2	6.0	9.3	12	10	2.94	98.7	1.51	1	150.5	0.6	0.18	5.29
801017		13.1	0.47	<2	3.6	15.8	10	5	3.91	23.4	3.50	1	395	0.1	0.76	1.34
801018		4.3	0.11	6	0.9	3.2	23	<5	0.86	8.8	0.73	1	18.6	<0.1	0.16	0.54
801019		1.4	0.05	<2	0.2	0.8	<5	<5	0.20	1.9	0.24	<1	6.7	<0.1	0.07	<0.05
801051		3.9	0.24	<2	1.8	4.0	138	<5	0.78	33.8	1.42	1	119.5	<0.1	0.41	0.15
801052		2.1	0.25	<2	1.7	4.5	101	<5	0.88	11.6	1.60	<1	114.0	<0.1	0.43	0.17
801053		3.2	0.35	<2	2.0	5.8	89	<5	1.16	13.6	1.93	1	133.0	<0.1	0.52	0.20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Finalized Date: 24-JUN-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08075622

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.5	0.01	0.05	5	1	0.5	0.03	5	2
801012		<0.5	0.42	0.14	404	1	23.3	2.61	110	77
801013		<0.5	0.22	1.13	43	3	13.6	1.53	84	131
801014		1.1	0.40	2.33	149	8	25.1	2.47	258	248
801015		<0.5	0.28	0.23	273	1	15.1	1.86	95	46
801016		<0.5	0.10	1.30	41	<1	5.3	0.74	120	129
801017		<0.5	0.47	0.35	327	1	25.6	3.00	103	106
801018		<0.5	0.11	0.21	16	2	7.2	0.65	125	27
801019		<0.5	0.06	<0.05	8	<1	3.8	0.34	61	8
801051		<0.5	0.24	0.20	236	<1	13.3	1.53	96	57
801052		<0.5	0.26	0.06	259	<1	14.4	1.65	102	55
801053		<0.5	0.37	0.07	318	<1	19.2	2.23	271	53



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

INVOICE NUMBER 1753891

BILLING INFORMATION	
Certificate:	SD08080925
Sample Type:	Rock
Account:	RLH
Date:	7-JUL-2008
Project:	661 <i>Shipley</i>
P.O. No.:	251521
Quote:	ALSC-CE07-048-RLH
Terms:	Net 30 Days C1
Comments:	

ANALYSED FOR				UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE		
31	PREP-31	Crush, Split, Pulverize	6.00		186.00
40.90	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.60		24.54
1	LOG-24	Pulp Login - Rcd w/o Barcode	1.00		1.00
32	PGM-ICP23	Pt, Pd, Au 30g FA ICP	13.00		416.00
32	ME-MS61	48 element four acid ICP-MS	14.00		448.00
32	GEO-4A01	Four Acid Dig - ME-MS61	4.00		128.00

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

SUBTOTAL (CAD) \$ 1,203.54
 R100938885 GST \$ 60.18
TOTAL PAYABLE (CAD) \$ 1,263.72

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 7-JUL-2008

Account: RLH

CERTIFICATE SD08080925

Project: 661

P.O. No.: 251521

This report is for 32 Rock samples submitted to our lab in Sudbury, ON, Canada on 18-JUN-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 7-JUL-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08080925

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
801021		0.62	0.011	<0.005	0.001	0.43	7.08	1.2	370	0.99	0.86	0.78	2.77	17.75	46.9	28
801025		1.52	0.007	<0.005	<0.001	0.2	6.91	0.8	2320	4.46	0.08	1.93	0.42	176.5	31.9	2
801026		1.30	0.005	<0.005	<0.001	0.19	6.92	0.8	2850	5.43	0.06	2.2	0.42	180.5	31.5	2
801027		2.32	0.003	0.011	0.012	0.05	7.45	<0.2	60	0.15	0.05	6.22	0.13	7.21	43.6	231
801029		0.98	0.024	<0.005	0.001	1.18	4.6	28.1	230	0.28	1.04	0.68	6.22	22.1	42.5	101
801031		1.12	0.046	<0.005	0.001	0.24	0.29	0.9	10	0.6	0.24	1.82	0.19	8.43	10.1	12
801032		1.86	0.168	<0.005	0.001	0.11	3.98	0.9	370	0.29	0.11	1.63	0.19	34.1	14.6	110
801033		0.56	0.061	0.005	0.002	1.4	1.76	50.4	90	0.73	1.07	0.49	2.21	9.13	63.7	25
801035		0.94	0.004	0.011	0.011	0.04	7.84	<0.2	80	0.52	0.1	6.85	0.16	4.67	40.8	261
801036		0.90	0.011	<0.005	0.001	0.33	1.11	1.1	20	0.57	0.39	1.96	0.24	8.69	13.8	12
801037		1.38	0.012	0.010	0.006	0.46	7.91	0.7	240	1.14	0.48	5.78	0.31	5.67	13.7	285
801038		2.60	0.002	<0.005	0.001	0.09	6.8	0.3	480	0.86	0.27	2.19	1.26	19.95	15.9	21
801039		1.40	0.003	0.013	0.009	0.06	7.53	<0.2	370	0.18	0.06	6.52	0.11	5.83	44.5	151
801040		1.34	0.002	0.009	0.007	0.07	8.3	<0.2	410	0.33	0.41	6.5	0.18	8.09	41.4	217
801041		0.76	0.057	<0.005	<0.001	0.28	5.93	0.9	230	4.47	0.12	2.51	0.15	141.5	29.2	7
801042		1.28	0.004	0.010	0.007	0.2	3.66	1.3	520	0.64	0.31	9.04	0.36	48.8	95.1	1540
801043		0.50	0.027	0.007	0.012	0.38	2.89	21.3	40	0.85	0.68	5.44	6.67	23.1	230	535
802501		1.20	0.048	0.005	0.002	0.75	6.09	80.4	340	1.62	0.83	1.58	5.15	38.6	60.2	56
802507		3.00	0.046	0.005	0.002	0.78	3.43	397	70	1.73	0.77	1.03	6.08	10.75	48.2	53
802508		5.52	0.003	<0.005	0.001	0.08	0.08	92.1	20	0.77	0.02	0.67	0.09	6.79	2.2	9
802509		0.88	0.003	<0.005	<0.001	0.09	0.06	28.5	40	0.79	0.03	0.87	0.09	4.98	2.8	9
802510		2.08	0.002	<0.005	<0.001	0.06	0.06	23.4	20	0.59	0.01	0.98	0.07	4.97	2.1	9
802511		0.82	0.016	<0.005	<0.001	0.26	0.17	33.2	20	0.34	0.17	0.83	0.27	2.44	20.4	8
802513		1.60	0.012	<0.005	<0.001	0.16	0.41	90.4	20	0.77	0.08	1.09	0.19	14	12.4	23
802516		0.30	0.006	<0.005	<0.001	0.27	6.71	2.8	1170	4.1	0.1	3.52	0.43	165.5	42.7	8
802517		0.30	0.041	<0.005	0.004	0.56	2.16	20.1	60	0.72	0.66	0.75	2.69	9.29	45.5	26
802520		0.06	0.137	0.286	4.98	0.21	5.36	0.4	40	0.15	0.17	4.49	0.07	2.53	72.1	207
802521		0.44	0.002	<0.005	0.001	0.03	0.3	0.5	10	0.06	0.02	0.02	0.04	7.9	1.1	27
802524		0.30	0.004	<0.005	<0.001	0.14	0.13	49.9	40	0.3	0.03	0.16	0.17	3.26	7	11
802525		1.66	1.050	<0.005	0.001	0.67	2.88	1	140	0.13	0.04	1.05	0.08	11.2	8.3	49
802526		0.98	0.726	0.005	0.004	0.77	5.78	1.3	70	0.49	0.29	4.43	0.43	10.2	12.2	150
802528		0.44	0.241	<0.005	<0.001	0.13	0.26	1.2	10	0.11	0.11	0.87	0.21	5.86	7.8	14



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 7-JUL-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08080925

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
801021		3.16	232	6.26	20.9	0.16	3.6	0.576	2.46	8.9	23.2	0.59	253	3.6	0.68	4.9
801025		12.8	139.5	9.88	16.9	0.28	6.5	0.063	1.29	99.1	28	2.35	2130	0.81	3.06	87.1
801026		8.91	140	10.2	17.3	0.29	6.5	0.061	1.5	99.4	38.7	2.17	2370	0.62	2.82	87
801027		0.95	107	7.65	15	0.17	0.9	0.055	0.23	3	22.8	3.61	1435	0.18	1.77	2.1
801029		4.44	682	18.1	24.7	0.36	2.6	0.345	0.14	10	29.2	1.15	7170	5.2	0.08	4
801031		0.42	107.5	16.3	1.82	0.28	0.1	0.26	0.01	4.1	0.8	1.77	415	1.05	0.04	0.5
801032		5.26	55.2	11.25	12.95	0.24	1.4	0.036	0.36	15.8	24.5	1.87	795	1.74	0.51	1.7
801033		3.68	440	10.45	11.45	0.24	1	0.25	0.4	5.8	29.8	1.01	3060	4.93	0.07	2.6
801035		1.37	44.9	8.35	16.05	0.18	1	0.066	0.24	1.7	18.3	3.73	1675	0.77	1.56	1.8
801036		2.46	91.5	17.5	3.81	0.32	0.4	0.072	0.09	5.2	2.4	1.1	2720	0.8	0.1	0.8
801037		2.04	116.5	16.75	17.55	0.34	0.9	0.083	0.7	2.7	17.4	1.48	7830	3.68	1.03	2.3
801038		3.5	177	2.79	19.4	0.1	3.6	0.169	1.4	9	18.4	0.52	508	2.47	2.41	5.9
801039		0.89	82.6	7.7	15.75	0.18	0.6	0.062	0.9	2.1	35.7	4.26	1810	0.24	1.93	1.9
801040		0.79	92.9	7.87	18.1	0.17	0.7	0.071	0.55	3	8.1	2.2	1945	0.39	1.36	2.6
801041		5.69	255	9.42	15.9	0.25	5.1	0.077	1.62	76.4	33.9	2.08	1740	0.73	0.98	75.7
801042		1.14	230	12.35	14.6	0.3	1.8	0.114	0.59	22.8	10.2	4	3390	0.77	0.52	19.9
801043		1.67	568	16.65	9.88	0.34	1.3	0.256	0.57	9.9	9.6	1.6	1665	10.1	0.42	5.5
802501		3.01	344	3.67	17.55	0.16	3.1	0.548	4.07	18.7	13.9	0.29	201	12.05	0.45	6.1
802507		2.89	384	6.34	12.65	0.15	1.7	0.552	1.23	4.5	10	0.35	642	9	0.64	2.8
802508		0.24	37.3	14	0.62	0.24	<0.1	0.023	0.01	3.2	0.3	1.05	1875	0.5	0.01	0.3
802509		0.2	52.8	6.44	0.54	0.13	<0.1	0.016	0.01	2.4	0.3	0.73	1090	0.41	0.01	0.3
802510		0.15	25.4	10.85	0.48	0.2	<0.1	0.013	0.01	2.4	0.3	0.99	1350	0.34	0.01	0.2
802511		0.23	199	3.83	1.11	0.09	0.1	0.049	0.02	1.1	1.5	0.93	749	0.7	0.03	0.4
802513		0.29	111	11.8	2.29	0.21	0.2	0.117	0.01	6.2	0.8	1.3	1435	1.19	0.04	0.6
802516		3.93	342	11.7	16.65	0.32	5.6	0.074	0.98	95	23.9	2.39	2450	0.39	3.38	79.6
802517		2.27	389	9.34	7.72	0.1	1	0.239	0.3	4.3	17.3	0.62	4300	5.11	0.16	2.3
802520		1.01	395	7.47	9.02	0.08	0.2	0.024	0.16	1.2	21.7	8.65	1300	0.7	0.52	0.2
802521		0.08	8.8	0.51	0.7	<0.05	1.3	<0.005	0.09	3.9	0.6	0.02	65	0.69	0.03	0.3
802524		0.09	314	4.41	0.48	<0.05	0.1	0.036	0.02	1.6	0.3	0.33	720	0.43	0.03	0.3
802525		3.63	12.2	9.37	9.57	0.14	0.4	0.033	0.17	5.1	15.4	1.11	652	0.35	0.22	0.6
802526		2.82	253	22.3	13.45	0.37	0.9	0.094	0.39	4.4	12	1.36	8630	1.71	0.35	2.2
802528		0.2	105	5.8	1.6	0.09	0.1	0.105	0.01	2.9	0.6	0.67	840	0.51	0.03	0.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 7-JUL-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08080925

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
801021		39.6	290	19.3	105	0.007	2.75	0.16	8.8	7	6.5	120	0.41	1.32	3.8	0.22
801025		9.8	1350	15.3	74.7	<0.002	0.13	0.14	3.3	3	2.6	730	6.69	0.08	11.6	1.345
801026		10.9	1480	17	65.7	<0.002	0.08	0.15	3.5	3	2.7	824	6.61	0.05	11.3	1.38
801027		104.5	230	1.5	13.7	<0.002	0.07	0.08	42.5	2	0.4	106	0.15	<0.05	0.3	0.394
801029		44.5	410	48.9	8.8	0.007	3.23	0.57	9.2	5	2.6	19.4	0.32	1.15	2.5	0.166
801031		12.8	530	1.6	0.7	0.004	1.75	0.12	1.4	5	2.6	6.3	<0.05	0.48	0.2	0.011
801032		66.3	700	5.4	18	<0.002	0.64	0.07	10	2	0.4	260	0.11	0.19	2.1	0.138
801033		79.2	230	31.2	23.7	0.01	6.56	2.32	8.6	9	4.7	16	0.13	1.97	1.5	0.088
801035		104.5	230	2.2	9.1	0.002	0.04	0.05	44.2	2	0.6	98	0.12	0.06	0.3	0.424
801036		15.9	290	2.9	7.5	0.002	1.81	0.1	1.6	3	0.6	19.8	0.05	0.23	0.4	0.032
801037		30.8	250	5.1	17.6	0.004	1.04	0.11	35.5	3	0.8	118.5	0.14	0.43	0.2	0.423
801038		13.7	560	12	64.4	0.004	0.68	0.06	6.6	4	1.9	180.5	0.54	0.28	4.3	0.229
801039		82.6	250	1	29.7	<0.002	0.06	<0.05	42.1	2	0.4	152.5	0.12	<0.05	0.2	0.424
801040		111.5	270	3.5	23.5	<0.002	0.34	0.06	40.4	3	0.7	113	0.15	0.05	0.2	0.51
801041		11.1	550	7.6	85.1	0.002	1.25	0.05	5	5	2.5	256	5.65	0.13	8.9	1.485
801042		719	520	4.3	30.7	0.002	2.32	0.11	31.7	3	1.5	191.5	1.27	0.18	2	0.987
801043		601	250	8	37.1	0.008	8.65	0.09	13.6	6	2.3	135.5	0.34	0.88	1.3	0.368
802501		85.8	280	63.9	87.8	0.014	2.99	3.04	10.4	6	2.5	309	0.55	0.43	8.1	0.181
802507		56.9	200	30.2	49	0.015	4.3	1.47	9.8	8	3.4	113.5	0.22	1.52	2.1	0.122
802508		4.2	360	1.7	0.9	<0.002	0.77	0.69	0.4	2	0.4	5	<0.05	0.14	<0.2	<0.005
802509		4.7	60	2.1	0.9	<0.002	0.51	0.53	1	3	0.4	8.4	<0.05	0.06	<0.2	<0.005
802510		3	220	2.1	0.6	<0.002	0.26	0.59	0.5	2	0.2	13.9	<0.05	0.05	<0.2	<0.005
802511		22.8	230	5.9	0.8	<0.002	2.41	0.44	1.2	4	0.5	8.4	<0.05	0.87	<0.2	0.007
802513		11.4	230	2.9	0.4	0.002	1.1	0.83	1.5	3	3.2	4.1	<0.05	0.23	0.2	0.017
802516		32.2	1360	12.5	43.5	<0.002	0.15	0.58	8.5	3	2.4	670	5.9	0.06	9.5	1.58
802517		49.9	230	25.9	13.3	0.01	5.1	0.85	6.7	8	4.4	27.8	0.18	1.36	1.4	0.084
802520		589	20	4.7	8	<0.002	0.18	0.56	35.8	2	<0.2	78.7	<0.05	0.41	<0.2	0.084
802521		3	20	1.1	3	<0.002	0.09	0.12	0.2	1	0.2	3.6	<0.05	<0.05	1.5	0.007
802524		7.3	70	1.5	0.8	<0.002	0.12	0.41	0.5	2	0.8	6.1	<0.05	0.21	0.2	0.006
802525		29.7	360	2.8	10.7	<0.002	0.16	0.08	8.9	2	0.4	101	<0.05	<0.05	0.5	0.035
802526		75.2	210	3.9	24.1	0.004	6.21	0.14	30	4	0.9	63.5	0.14	0.36	0.4	0.354
802528		9.9	130	1.6	0.5	<0.002	0.91	0.13	0.6	3	0.7	4.5	<0.05	0.16	<0.2	0.005



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 7-JUL-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08080925

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
801021		0.67	1	60	1.6	6.4	1130	127.5
801025		0.35	3.2	27	1.3	27.8	243	268
801026		0.26	2.9	29	1.3	27.8	215	268
801027		0.07	0.1	240	1.3	16.6	92	27.5
801029		0.35	0.7	65	0.8	11.8	2030	87.5
801031		0.02	0.1	12	0.5	7.6	167	4.8
801032		0.22	0.4	86	1.1	7.5	155	53.1
801033		3.32	0.8	31	0.9	9.2	879	36.2
801035		0.1	0.1	260	0.8	16.2	102	28.4
801036		0.13	0.2	13	0.3	8.6	159	14.5
801037		0.3	0.2	247	0.3	16.3	161	29.4
801038		0.43	1	45	0.4	7.3	438	125
801039		0.21	<0.1	245	1.2	17.7	78	13.4
801040		0.12	0.2	277	0.5	19.2	95	15.8
801041		0.52	2.4	55	14.4	18.6	208	216
801042		0.33	0.5	237	3.2	16.2	423	60.5
801043		0.31	0.4	106	2	13	1010	46.8
802501		2.28	2	51	1	13.6	2280	96.4
802507		2.32	0.8	46	0.9	6.6	2090	63.9
802508		0.04	<0.1	5	0.4	6.8	96	0.9
802509		0.04	<0.1	6	0.3	4.2	75	2.4
802510		0.04	<0.1	4	0.3	5.2	72	0.9
802511		0.1	0.1	6	0.4	3.8	669	3.2
802513		0.03	0.1	12	1.4	8.8	332	8.3
802516		0.15	2.1	99	1.5	27.5	208	232
802517		1.21	0.4	36	1.4	7.3	931	29
802520		0.1	0.1	127	5.4	2.7	74	5.4
802521		0.09	0.3	2	0.1	0.8	16	40.3
802524		0.08	0.1	3	0.1	1.1	108	2.5
802525		0.15	0.1	78	0.1	4.3	88	11.8
802526		0.45	0.2	182	0.3	14.7	139	22.4
802528		0.02	0.1	6	0.3	4.5	210	3.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 7-JUL-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08080925

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

INVOICE NUMBER 1753922

BILLING INFORMATION	
Certificate:	SD08081726
Sample Type:	Rock
Account:	RLH
Date:	7-JUL-2008
Project:	661 <i>Shipping</i>
P.O. No.:	251519
Quote:	ALSC-CE07-048-RLH
Terms:	Net 30 Days C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
30	ME-ICP06	Whole Rock Package - ICP-AES	20.00	600.00
30	ME-MS81	38 element fusion ICP-MS	15.00	450.00

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

SUBTOTAL (CAD)	\$	1,050.00
R100938885 GST	\$	52.50
TOTAL PAYABLE (CAD)	\$	<u>1,102.50</u>

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex

212 Brooksbank Avenue
North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 7-JUL-2008

Account: RLH

CERTIFICATE SD08081726

Project: 661

P.O. No.: 251519

This report is for 30 Rock samples submitted to our lab in Sudbury, ON, Canada on 20-JUN-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
TOT-ICP06	Total Calculation for ICP06	ICP-AES
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: **WALLBRIDGE MINING COMPANY LTD.**

ATTN: ACCOUNTS PAYABLE

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - A
 Total # Pages: 2 (A - D)
 Finalized Date: 7-JUL-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08081726

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
		Recvd Wt. kg 0.02	SiO2 % 0.01	Al2O3 % 0.01	Fe2O3 % 0.01	CaO % 0.01	MgO % 0.01	Na2O % 0.01	K2O % 0.01	Cr2O3 % 0.01	TiO2 % 0.01	MnO % 0.01	P2O5 % 0.01	SrO % 0.01	BaO % 0.01	LOI % 0.01
801021		0.62	62.1	14.65	9.21	1.13	1.08	0.95	3.29	<0.01	0.39	0.04	0.06	0.01	0.05	7.08
801025		1.52	52.7	13.75	15.30	2.83	3.87	4.25	1.65	<0.01	2.34	0.32	0.31	0.09	0.30	0.78
801026		1.30	51.2	13.80	15.80	3.28	3.57	4.07	1.94	<0.01	2.41	0.35	0.34	0.10	0.36	1.55
801027		2.32	51.1	14.90	11.80	9.40	5.99	2.49	0.27	0.05	0.72	0.22	0.06	0.01	0.01	1.86
801029		0.98	51.8	8.83	26.5	0.94	1.85	0.07	0.15	0.02	0.28	0.94	0.09	0.01	0.03	7.27
801031		1.12	67.5	0.54	24.0	2.54	2.82	0.01	<0.01	<0.01	0.02	0.06	0.12	<0.01	<0.01	2.04
801032		1.86	67.2	7.80	17.15	2.32	3.04	0.67	0.44	0.02	0.24	0.12	0.15	0.03	0.04	0.99
801033		0.56	60.9	3.49	15.40	0.68	1.63	0.05	0.49	<0.01	0.15	0.44	0.06	<0.01	0.02	16.05
801035		0.94	50.4	15.30	12.45	9.86	5.92	2.09	0.27	0.05	0.73	0.24	0.06	0.01	0.01	1.30
801036		0.90	62.1	2.17	25.6	2.80	1.80	0.11	0.11	<0.01	0.06	0.38	0.05	<0.01	<0.01	3.85
801037		1.38	38.4	16.25	25.9	8.45	2.56	1.36	0.92	0.05	0.74	1.08	0.07	0.02	0.03	4.28
801038		2.60	68.2	14.30	4.09	3.18	0.86	3.38	1.80	<0.01	0.41	0.07	0.12	0.02	0.06	2.06
801039		1.40	49.2	14.75	11.45	9.41	6.81	2.61	1.10	0.03	0.74	0.26	0.04	0.02	0.05	2.32
801040		1.34	49.6	15.75	11.60	12.20	3.53	1.78	0.68	0.04	0.87	0.28	0.06	0.01	0.05	1.76
801041		0.76	56.8	11.60	13.90	3.63	3.35	1.38	2.10	<0.01	2.52	0.25	0.13	0.03	0.59	1.97
801042		1.28	48.7	6.72	19.55	13.05	6.54	0.75	0.73	0.31	1.74	0.49	0.14	0.01	0.08	1.78
801043		0.50	46.0	5.39	25.9	7.72	2.64	0.60	0.71	0.11	0.65	0.24	0.05	0.01	0.14	9.30
802501		1.20	61.8	11.85	5.29	2.15	0.49	0.66	5.22	0.01	0.33	0.03	0.07	0.02	0.10	11.95
802507		3.00	65.8	6.59	8.93	1.35	0.56	0.94	1.57	0.01	0.21	0.08	0.06	<0.01	0.13	14.35
802508		5.52	74.9	0.15	20.7	0.87	1.65	0.02	0.01	<0.01	0.01	0.25	0.08	<0.01	<0.01	1.35
802509		0.88	87.8	0.11	8.97	1.10	1.13	0.01	0.01	<0.01	0.01	0.14	0.05	<0.01	<0.01	0.85
802510		2.08	80.6	0.09	16.05	1.30	1.59	0.01	0.02	<0.01	0.01	0.18	0.06	<0.01	<0.01	0.00
802511		0.82	88.0	0.32	5.13	1.02	1.39	0.05	0.04	<0.01	0.01	0.09	0.06	<0.01	<0.01	3.71
802513		1.60	76.6	0.77	17.30	1.41	2.03	0.06	0.03	<0.01	0.03	0.19	0.05	<0.01	<0.01	1.28
802516		0.30	49.2	12.00	17.75	4.83	3.80	4.51	1.15	<0.01	2.64	0.34	0.33	0.07	0.14	2.66
802517		0.30	68.3	4.11	13.95	1.03	1.04	0.24	0.39	0.01	0.15	0.62	0.04	<0.01	0.04	10.75
802524		0.30	91.7	0.27	6.35	0.22	0.54	0.05	0.04	<0.01	0.02	0.10	0.01	<0.01	<0.01	1.00
802525		1.66	76.5	5.29	14.00	1.41	1.74	0.29	0.21	0.01	0.06	0.09	0.06	<0.01	0.02	0.20
802526		0.98	35.5	11.00	35.4	6.43	2.33	0.49	0.47	0.03	0.60	1.16	0.07	<0.01	0.01	4.69
802528		0.44	85.7	0.49	8.24	1.14	1.05	0.05	0.03	<0.01	0.01	0.11	0.01	<0.01	<0.01	1.32



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - B
 Total # Pages: 2 (A - D)
 Finalized Date: 7-JUL-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08081726

Sample Description	Method Analyte Units LOR	TOT-ICP06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Total	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
801021		100.0	<1	353	17.0	42.5	30	2.91	110	1.04	0.70	0.51	18.5	1.38	3.7	0.24
801025		98.5	<1	1965	147.0	26.5	<10	10.05	111	4.61	2.59	2.23	13.1	7.29	4.8	0.89
801026		98.8	<1	2930	185.5	32.0	<10	8.70	135	6.00	3.41	2.90	16.6	9.74	6.5	1.19
801027		98.9	<1	63.3	7.0	44.2	320	0.93	102	2.85	1.97	0.61	14.2	2.20	1.6	0.68
801029		98.8	<1	226	20.9	42.0	100	4.10	235	2.18	1.29	1.55	22.3	2.23	2.8	0.46
801031		99.7	<1	10.3	8.9	10.2	10	0.39	106	1.22	0.74	0.99	1.7	1.31	0.2	0.26
801032		100.0	<1	393	37.0	15.6	110	5.33	54	1.46	0.79	0.94	13.3	2.57	1.5	0.27
801033		99.4	<1	210	9.6	61.2	30	3.58	133	1.57	1.05	0.84	10.8	1.18	1.9	0.33
801035		98.7	<1	81.2	4.9	40.1	320	1.43	40	2.75	1.93	0.65	15.0	2.11	1.5	0.65
801036		99.0	<1	21.9	9.2	14.4	10	2.42	85	1.04	0.80	0.79	3.7	1.09	0.6	0.26
801037		100.0	<1	259	7.1	15.0	310	2.15	114	2.56	1.87	1.15	17.7	1.97	1.4	0.61
801038		98.6	<1	520	24.4	15.9	20	3.56	175	1.25	0.90	0.59	19.2	1.61	4.1	0.28
801039		98.8	<1	398	6.1	45.8	200	0.90	81	3.04	1.94	0.65	15.0	2.08	1.3	0.67
801040		98.2	<1	426	8.2	41.1	250	0.71	90	3.08	2.08	0.74	17.4	2.56	1.4	0.72
801041		98.3	1	4780	156.5	31.8	10	5.83	249	4.40	2.38	2.21	16.4	7.60	5.0	0.85
801042		100.5	<1	660	50.1	99.5	1880	1.04	184	3.39	1.69	1.40	13.4	4.90	2.5	0.62
801043		99.5	<1	1130	24.0	247	680	1.63	448	2.27	1.17	2.01	9.8	2.76	1.7	0.41
802501		100.0	<1	787	39.1	49.0	60	2.60	137	2.36	1.38	1.98	15.9	2.81	3.0	0.50
802507		100.5	<1	1065	12.7	44.4	50	2.80	116	1.01	0.80	0.90	12.9	1.18	1.7	0.26
802508		100.0	<1	15.5	7.2	2.4	10	0.21	37	0.98	0.62	0.82	0.5	1.02	<0.2	0.22
802509		100.0	<1	22.2	4.7	2.4	10	0.15	45	0.62	0.45	0.49	0.4	0.58	<0.2	0.14
802510		99.9	<1	18.5	4.9	1.9	10	0.12	22	0.78	0.50	0.58	0.4	0.63	<0.2	0.16
802511		99.8	<1	7.3	2.4	16.3	10	0.16	131	0.52	0.29	0.28	0.7	0.34	0.2	0.10
802513		99.8	<1	13.9	13.2	11.7	20	0.25	99	1.53	1.01	1.32	2.1	1.64	0.3	0.35
802516		99.4	<1	1135	157.0	40.4	10	3.44	305	5.40	2.96	2.68	14.8	8.64	4.9	1.03
802517		100.5	<1	310	8.6	40.0	20	1.91	126	1.30	0.91	0.66	7.0	1.22	1.1	0.25
802524		100.5	<1	34.7	3.2	7.9	10	0.06	295	0.20	0.11	0.12	0.6	0.28	0.2	0.04
802525		99.9	<1	152.0	11.4	7.7	50	3.50	12	0.73	0.42	0.47	8.9	1.02	0.3	0.15
802526		98.2	<1	73.1	9.9	10.8	180	2.66	159	2.54	1.55	0.88	12.2	2.16	1.2	0.57
802528		98.2	<1	7.2	5.7	7.5	20	0.17	101	0.68	0.44	0.57	1.5	0.72	<0.2	0.15



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - C
 Total # Pages: 2 (A - D)
 Finalized Date: 7-JUL-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08081726

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
801021		8.2	0.14	3	4.5	6.7	28	13	1.98	114.0	1.22	6	119.0	0.4	0.16	3.54
801025		85.1	0.32	<2	72.4	50.0	7	11	15.65	56.8	7.54	2	605	5.4	0.96	9.11
801026		106.5	0.39	<2	91.0	63.4	9	18	19.55	62.6	9.55	3	833	7.2	1.25	12.15
801027		3.0	0.30	<2	1.8	4.9	105	<5	1.03	13.2	1.59	<1	104.5	0.1	0.43	0.35
801029		10.0	0.24	5	3.6	9.2	30	34	2.47	8.0	2.08	2	16.7	0.3	0.35	2.37
801031		4.8	0.11	<2	0.4	4.4	14	<5	1.16	0.8	1.02	3	6.0	<0.1	0.22	0.17
801032		17.2	0.11	2	1.8	17.0	68	6	4.66	18.3	2.89	<1	275	0.1	0.31	2.22
801033		5.8	0.23	5	2.3	5.5	53	22	1.45	22.2	1.21	4	16.0	0.1	0.20	1.54
801035		1.9	0.30	<2	1.6	4.2	98	<5	0.84	14.4	1.58	1	92.1	0.1	0.44	0.31
801036		5.7	0.11	<2	0.7	4.0	15	<5	1.03	7.1	0.81	1	18.5	0.1	0.17	0.45
801037		3.8	0.27	4	2.2	4.6	32	6	0.98	31.2	1.47	1	118.5	0.1	0.42	0.26
801038		11.9	0.15	3	6.8	9.1	13	13	2.64	71.7	1.73	2	173.0	0.6	0.22	4.69
801039		2.5	0.30	<2	1.7	5.1	85	<5	1.00	38.6	1.72	<1	151.5	0.1	0.44	0.21
801040		3.2	0.30	<2	2.5	6.1	115	<5	1.27	22.0	2.04	1	109.5	0.2	0.49	0.23
801041		92.1	0.30	<2	83.6	53.3	12	7	16.60	86.0	8.13	3	275	6.1	0.93	9.66
801042		23.9	0.20	<2	19.6	25.5	726	5	6.44	27.9	4.86	1	181.5	1.3	0.67	1.92
801043		11.5	0.15	9	5.3	11.8	575	10	3.02	34.1	2.69	2	137.0	0.4	0.41	1.29
802501		19.0	0.22	11	5.8	15.6	62	31	4.58	95.8	2.96	2	317	0.5	0.44	7.62
802507		6.0	0.20	9	2.9	5.6	40	19	1.49	48.0	1.15	3	121.0	0.2	0.16	2.56
802508		3.5	0.09	<2	0.2	3.5	7	<5	0.92	0.8	0.76	<1	4.6	<0.1	0.16	0.06
802509		2.2	0.08	<2	0.2	2.3	<5	<5	0.63	0.7	0.48	<1	7.3	<0.1	0.10	0.06
802510		2.4	0.08	<2	<0.2	2.4	<5	<5	0.65	0.5	0.58	<1	12.3	<0.1	0.12	0.05
802511		16.2	0.06	<2	0.2	1.2	17	6	0.29	0.5	0.28	1	6.4	<0.1	0.07	0.11
802513		6.3	0.17	<2	0.5	6.0	11	<5	1.65	0.4	1.41	3	3.6	<0.1	0.26	0.19
802516		94.3	0.32	<2	74.0	55.8	30	11	17.20	36.1	8.54	2	612	5.9	1.10	9.10
802517		6.5	0.13	5	2.5	3.7	32	18	1.01	12.7	0.83	3	26.4	0.2	0.22	1.34
802524		1.6	0.02	<2	0.3	1.4	8	<5	0.40	0.7	0.25	1	6.6	<0.1	0.03	0.19
802525		5.5	0.05	<2	0.5	5.4	27	<5	1.45	9.5	1.11	<1	101.5	<0.1	0.14	0.50
802526		27.1	0.23	2	1.9	6.1	65	5	1.36	18.5	1.85	1	60.9	0.1	0.35	0.41
802528		3.2	0.06	<2	0.2	2.6	10	<5	0.71	0.4	0.54	1	4.3	<0.1	0.12	0.14



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - D
 Total # Pages: 2 (A - D)
 Finalized Date: 7-JUL-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08081726

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	0.05	5	1	0.5	0.03	5	2
801021		<0.5	0.12	0.93	58	6	6.2	0.86	983	130
801025		<0.5	0.35	2.50	23	2	21.2	2.24	214	215
801026		<0.5	0.46	2.98	30	3	26.6	2.70	236	277
801027		<0.5	0.32	0.10	249	2	16.1	1.90	105	48
801029		<0.5	0.18	0.65	65	6	10.6	1.37	1850	95
801031		<0.5	0.11	0.07	14	2	7.4	0.71	165	7
801032		<0.5	0.10	0.45	94	2	7.6	0.69	163	62
801033		1.8	0.18	0.73	35	4	9.3	1.33	824	66
801035		<0.5	0.30	0.10	249	3	15.5	1.90	104	45
801036		<0.5	0.12	0.18	14	1	8.4	0.76	150	17
801037		<0.5	0.27	0.21	256	1	16.5	1.96	169	47
801038		<0.5	0.14	1.15	49	2	7.9	0.93	443	156
801039		<0.5	0.30	0.05	264	3	17.6	2.03	94	43
801040		<0.5	0.32	0.19	284	2	18.3	2.05	109	48
801041		<0.5	0.34	2.44	60	17	18.9	2.14	237	227
801042		<0.5	0.22	0.42	228	4	15.2	1.45	421	92
801043		<0.5	0.17	0.37	106	4	12.1	1.07	990	56
802501		1.2	0.18	1.84	55	22	12.5	1.52	2040	89
802507		1.3	0.15	0.71	48	5	6.9	1.25	1950	61
802508		<0.5	0.09	<0.05	7	2	6.5	0.65	94	<2
802509		<0.5	0.08	<0.05	5	2	3.8	0.49	66	<2
802510		<0.5	0.08	<0.05	5	1	4.7	0.55	64	<2
802511		<0.5	0.06	0.09	8	5	3.1	0.50	536	<2
802513		<0.5	0.15	0.08	12	2	7.9	1.07	299	8
802516		<0.5	0.38	1.93	93	3	23.8	2.49	220	201
802517		0.7	0.12	0.34	34	6	6.8	0.88	797	24
802524		<0.5	0.02	0.08	<5	1	1.1	0.14	112	4
802525		<0.5	0.06	0.12	84	1	4.1	0.39	95	11
802526		<0.5	0.24	0.14	187	5	13.7	1.61	153	30
802528		<0.5	0.06	0.08	6	3	4.5	0.44	226	<2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD
LIVELY ON P3Y 1L7

COPY

INVOICE NUMBER 1752705

BILLING INFORMATION	
Certificate:	SD08079483
Sample Type:	Rock
Account:	RLH
Date:	9-JUL-2008
Project:	661 <i>Shipley</i>
P.O. No.:	251518
Quote:	ALSC-CE07-048-RLH
Terms:	Net 30 Days C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
20	PREP-31	Crush, Split, Pulverize Rush Charges X 2.0	12.00	240.00
20.96	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize Rush Charge:	1.20	25.15
20	PGM-ICP23	Pt, Pd, Au 30g FA ICP Rush Charges X 2.0	26.00	520.00
20	ME-MS61	48 element four acid ICP-MS Rush Charges X 2.0	28.00	560.00
20	GEO-4A01	Four Acid Dig - ME-MS61 Rush Charges X 2.0	8.00	160.00
20.96	DRY-21	Weight Charge (kg) - High Temperature Drying Rush Cha	0.80	16.77
20	DRY-21	High Temperature Drying Rush Charges X 2.0	4.00	80.00

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

SUBTOTAL (CAD)	\$	1,601.92
R100938885 GST	\$	80.10
TOTAL PAYABLE (CAD)	\$	<u>1,682.02</u>

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 9-JUL-2008

Account: RLH

CERTIFICATE SD08079483

Project: 661

P.O. No.: 251518

This report is for 20 Rock samples submitted to our lab in Sudbury, ON, Canada on 18-JUN-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
DRY-21	High Temperature Drying

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**

ATTN: ACCOUNTS PAYABLE

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 9-JUL-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08079483

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
801020		0.36	0.356	<0.005	0.002	0.21	3.8	3.1	20	0.24	1.35	1.29	0.44	3.67	20.6	24
801022		0.28	0.061	<0.005	<0.001	0.34	0.21	4	20	0.4	0.21	1.09	2.21	6.54	34.3	10
801023		0.60	0.057	<0.005	<0.001	0.44	0.25	1.3	10	0.96	0.41	1.76	0.26	10.4	18.5	13
801024		1.24	0.047	<0.005	0.001	0.59	4.87	809	490	1.04	1.15	0.55	6.29	12.4	84.1	44
801028		0.74	0.110	<0.005	0.001	1.75	3.09	216	200	5.25	2.33	0.62	8.04	18.45	117.5	39
801030		1.50	0.025	<0.005	<0.001	0.46	4.43	15.3	330	1.27	0.33	1.53	0.43	27.6	15.5	21
801034		1.50	0.020	<0.005	0.001	0.84	4.86	81.4	220	2.06	0.48	1.43	0.78	36.6	51.2	41
802502		1.36	0.098	<0.005	0.002	1.51	0.39	191	80	0.31	2.38	0.22	22	4.41	231	2
802503		1.68	0.115	<0.005	0.003	1.58	2.81	258	220	3.56	2.06	0.53	5.46	15.55	113	41
802504		1.62	0.101	<0.005	0.002	2	2.42	90.4	90	1.58	1.75	0.68	4.73	20.7	117	23
802505		1.82	0.049	<0.005	0.002	1.96	0.34	123.5	60	0.26	2.78	0.18	30.5	4.72	216	5
802506		1.52	0.066	<0.005	<0.001	0.77	8.31	413	230	3.16	0.7	1.38	1.44	42.6	58.6	23
802512		2.42	0.007	<0.005	0.002	0.41	4.45	9.9	140	4.07	0.47	2.41	3.5	98.6	47.3	84
802514		0.28	0.028	0.008	0.002	0.42	2.39	13	80	0.59	0.43	0.68	4.05	6.88	43.1	30
802515		0.28	0.022	<0.005	0.004	0.57	6.24	22.4	160	2.35	0.61	1.71	14.25	28.8	60.6	108
802518		0.60	0.015	<0.005	<0.001	0.46	2.41	3.5	200	2.5	0.19	3.67	0.37	49.6	39.3	35
802519		1.34	0.096	<0.005	0.002	1.47	4.66	26	180	2.62	1.8	0.84	13.3	10.1	78.2	39
802522		0.38	0.220	0.005	<0.001	0.5	2.97	2.6	230	1.42	1.36	0.74	8.67	7.87	34.3	38
802523		0.20	0.068	<0.005	<0.001	1.46	3.35	6.4	170	0.61	2.6	0.21	9.64	4.13	83.5	250
802527		1.24	0.082	<0.005	0.004	0.91	4.9	1.9	160	0.71	0.76	3.53	1.59	9.34	47.7	130



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-JUL-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08079483

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	
	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	
801020	1.16	83.8	17.9	10.45	0.12	0.1	0.049	0.04	1.7	8.5	1.08	3270	0.5	0.06	0.3	
801022	0.11	301	10.55	1.61	0.09	0.1	0.25	0.01	3.1	0.9	1.55	2290	0.85	0.02	0.2	
801023	0.29	229	12.45	2.48	0.11	0.1	0.323	0.01	5.5	0.7	1.96	289	0.79	0.02	0.3	
801024	1.29	172	3.97	16.25	0.09	3.3	0.672	3.64	5.4	9.5	0.11	374	11.2	0.88	3.8	
801028	3.34	322	15.95	13.7	0.27	1.5	0.822	1.11	6.6	20.4	0.39	7130	9.67	0.31	2.2	
801030	1.31	76.2	8.33	11.35	0.08	2.8	0.09	0.54	13.3	6.7	0.4	1160	2.4	1.44	3.2	
801034	3.64	682	10.7	16.35	0.14	2.4	0.296	2.07	16.1	27.1	1.14	622	5.8	0.56	7.7	
802502	0.55	408	43.3	3.45	0.6	0.1	1.435	0.03	2.4	1.6	0.34	1235	15.15	0.02	0.5	
802503	2.59	483	15.05	11.55	0.22	1.4	0.595	1.15	5.5	18.4	0.43	5170	8.55	0.24	2.6	
802504	3.29	1170	20.2	10.85	0.27	1	0.435	0.86	8.3	24.2	0.6	1510	8.07	0.23	2.3	
802505	0.49	542	41.4	3.17	0.53	0.1	2.01	0.05	2.9	1.2	0.33	632	14	0.06	0.4	
802506	2.53	310	7.68	25.9	0.13	4.3	0.228	1.63	18.9	26.6	0.44	3650	3.92	2.35	7.1	
802512	4.81	286	10.05	12.85	0.18	2.9	0.283	1.66	52.9	35.1	1.81	1520	2.36	0.37	46.4	
802514	2.54	263	8.79	9.81	0.09	0.7	0.329	0.43	3.3	24.9	0.72	3290	3.62	0.15	2	
802515	6.35	184	11.65	25.4	0.13	3.5	0.789	1.12	13.5	37.5	1.15	2160	4.29	1.11	5.5	
802518	2.28	437	7.07	6.93	0.1	1.4	0.149	0.9	26.1	17.6	2.36	2020	0.71	0.18	21.2	
802519	2.39	356	12.7	15.95	0.19	2.5	1.3	1.58	3.7	15.6	0.34	2940	9.98	1.04	3.5	
802522	1.46	235	6.96	11.2	0.1	1.3	0.332	0.91	3.3	9.8	0.33	1140	7.66	0.73	2.7	
802523	0.8	472	12.4	13.55	0.25	1.6	0.399	2.35	1.4	7.3	0.1	3640	7.26	0.29	2.9	
802527	1.21	234	25.6	12.4	0.24	0.8	0.165	0.55	4.3	11.7	1.16	4630	2.99	0.43	1.9	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-JUL-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08079483

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
801020		30.8	540	4.5	2.6	<0.002	2.2	0.16	9.5	3	0.4	12.1	0.06	1.04	0.2	0.021
801022		33.4	400	4.7	0.4	<0.002	3.77	0.58	2.5	4	3.2	7.6	<0.05	1.17	<0.2	0.005
801023		18	330	2	0.4	0.003	2.75	0.09	2	5	1.2	5.5	<0.05	0.95	<0.2	0.008
801024		111	190	114	66.9	0.016	3.12	2.34	10.1	6	3.5	146.5	0.39	0.98	3.8	0.154
801028		145.5	250	36	52	0.015	>10.0	5.73	13.2	20	2.6	70.9	0.19	5.2	1.5	0.107
801030		15.3	380	13	24.6	0.003	1.74	0.29	5.3	4	1.6	172.5	0.34	0.53	3.1	0.12
801034		70.8	620	19.5	96.6	0.002	3.99	1.82	9.2	3	2.3	197.5	0.68	0.48	4	0.24
802502		243	60	60.7	2	0.032	>10.0	1.24	1	82	2	4.8	<0.05	12.4	0.2	0.015
802503		140	250	32.9	47.8	0.014	>10.0	4.75	11.4	18	2.2	87.9	0.22	4.52	1.4	0.109
802504		160	480	53.4	43.3	0.012	>10.0	3.52	7.8	22	2.7	56.7	0.21	5.58	1.7	0.08
802505		230	70	69.1	2.5	0.028	>10.0	1.45	0.9	77	1.4	12.3	<0.05	12.65	0.2	0.011
802506		41.6	550	206	53.9	0.006	3.58	1.73	11.1	7	10.8	263	0.69	1.35	6.1	0.252
802512		51.3	710	19.2	87.3	0.004	4.51	0.8	9.5	10	2.4	409	3.8	1.59	6	1.08
802514		43.6	230	25.3	22	0.006	4.52	0.75	6.7	7	4.7	32	0.16	1.04	1.1	0.072
802515		54.4	470	63.6	71.8	0.007	6.52	0.72	14	9	4.5	168	0.51	1.16	2.8	0.242
802518		34.3	550	10.5	45.5	<0.002	2.92	0.49	6	4	1.4	291	1.77	0.4	2.8	0.513
802519		109.5	230	45.3	49.7	0.021	>10.0	3.96	16	16	2.5	116.5	0.37	3.15	2.3	0.18
802522		51.3	200	14.7	35	0.014	4.28	0.38	11.2	9	1.3	115.5	0.23	1.56	2	0.112
802523		132.5	70	67.2	50.4	0.017	>10.0	1.36	9.1	16	5.3	61.3	0.25	2.89	1.2	0.119
802527		114.5	190	9.3	23.4	0.005	>10.0	0.39	26.1	6	1.1	77.6	0.15	0.85	0.8	0.277



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 9-JUL-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08079483

Sample Description	Method Analyte Units LOR	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
801020		0.03	0.1	109	0.3	6.6	166	3.4
801022		0.02	0.1	11	0.1	7.2	1020	4.9
801023		<0.02	0.1	14	0.6	6.9	287	4.7
801024		1.91	1	43	1.2	7.2	2620	129
801028		2.37	0.7	44	0.4	13.8	3420	59.3
801030		0.25	0.9	27	0.5	9.2	157	120
801034		1.62	1.4	48	0.8	13.4	473	93.6
802502		0.22	0.1	10	0.2	2.6	5650	6.1
802503		2.08	0.7	41	0.3	12	2380	54.5
802504		1.82	0.7	32	3.3	12.4	1680	41.4
802505		0.19	0.2	9	0.1	2.4	7790	4.5
802506		2.38	1.9	53	3.8	10.4	708	151.5
802512		0.99	1.7	82	11.4	18.6	1120	132.5
802514		1.32	0.4	38	1.7	6.8	1510	26.2
802515		4.45	0.9	84	0.7	16.8	4350	139.5
802518		0.55	0.8	44	6.7	14.6	395	68.1
802519		2.18	0.9	53	0.6	15	5810	99.2
802522		0.76	0.7	45	0.5	10.9	1225	52.4
802523		1.79	0.7	44	2.2	11.1	1080	57.2
802527		0.44	0.3	143	0.4	12.9	430	27.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 9-JUL-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08079483

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

COPY

INVOICE NUMBER 1787356

BILLING INFORMATION	
Certificate:	SD08114666
Sample Type:	Rock
Account:	RLH
Date:	26-AUG-2008
Project:	661
P.O. No.:	085976
Quote:	ALSC-CE07-048-RLH
Terms:	Net 30 Days
Comments:	C1

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
8	ME-ICP06	Whole Rock Package - ICP-AES	20.00	160.00
8	ME-MS81	38 element fusion ICP-MS	15.00	120.00

SUBTOTAL (CAD) \$ 280.00

R100938885 GST \$ 14.00

TOTAL PAYABLE (CAD) \$ 294.00

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :

ALS Chemex

212 Brooksbank Avenue
North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 26-AUG-2008

Account: RLH

CERTIFICATE SD08114666

Project: 661

P.O. No.: 085976

This report is for 8 Rock samples submitted to our lab in Sudbury, ON, Canada on 15-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE

DESCRIPTION

FND-02

Find Sample for Addn Analysis

WEI-21

Received Sample Weight

ANALYTICAL PROCEDURES

ALS CODE

DESCRIPTION

INSTRUMENT

ME-ICP06

Whole Rock Package - ICP-AES

ICP-AES

OA-GRA05

Loss on Ignition at 1000C

WST-SEQ

TOT-ICP06

Total Calculation for ICP06

ICP-AES

ME-MS81

38 element fusion ICP-MS

ICP-MS

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: ACCOUNTS PAYABLE

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Finalized Date: 26-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08114666

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP06 SiO2 %	ME-ICP06 Al2O3 %	ME-ICP06 Fe2O3 %	ME-ICP06 CaO %	ME-ICP06 MgO %	ME-ICP06 Na2O %	ME-ICP06 K2O %	ME-ICP06 Cr2O3 %	ME-ICP06 TiO2 %	ME-ICP06 MnO %	ME-ICP06 P2O5 %	ME-ICP06 SrO %	ME-ICP06 BaO %	OA-GRA05 LOI %
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
801201		0.72	52.0	14.10	12.25	7.82	5.83	3.37	0.90	0.02	1.06	0.22	0.10	0.02	0.01	0.29
801202		2.20	46.1	13.45	13.90	11.70	9.45	1.29	0.26	0.01	0.69	0.23	0.11	0.02	0.01	0.78
801203		1.84	74.2	13.15	1.33	0.92	0.21	5.53	1.62	<0.01	0.07	0.03	0.02	0.02	0.04	1.08
801204		0.08	48.1	10.40	12.50	6.88	15.15	0.73	0.21	0.06	0.18	0.19	0.02	0.02	<0.01	4.11
801205		0.34	97.0	0.65	0.34	<0.01	0.05	0.08	0.09	<0.01	0.02	0.01	0.03	0.01	<0.01	-0.20
801139		1.06	48.3	12.55	18.30	9.32	5.98	2.24	0.57	0.01	1.90	0.28	0.27	0.02	0.02	0.10
801140		1.16	49.5	14.00	11.90	9.85	7.48	2.97	0.75	0.02	0.73	0.18	0.09	0.03	0.01	0.70
801141		0.68	47.9	14.70	13.50	11.35	5.55	2.89	0.68	0.03	1.00	0.24	0.08	0.03	0.01	0.38



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Finalized Date: 26-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08114666

		TOT-ICP06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
Sample Description	Method Analyte Units LOR	Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm
		0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
801201		98.0	<1	132.5	8.6	51.3	170	0.43	68	3.82	2.45	0.89	16.4	2.81	1.8	0.84
801202		98.0	<1	82.5	5.7	73.6	100	1.24	72	2.67	1.61	0.58	14.1	1.81	1.1	0.55
801203		98.2	<1	419	26.6	1.4	10	0.73	32	0.76	0.39	0.29	18.6	1.31	2.3	0.14
801204		98.6	<1	34.9	2.5	89.8	390	0.92	481	0.49	0.35	0.17	9.1	0.24	0.3	0.11
801205		98.1	<1	8.6	9.2	0.9	20	0.02	<5	0.34	0.17	0.09	1.1	0.50	1.6	0.07
801139		99.9	<1	230	30.7	58.5	90	0.65	183	6.21	4.00	1.48	19.8	5.16	3.6	1.38
801140		98.2	<1	174.5	6.9	46.4	120	0.46	73	3.12	1.93	0.73	14.6	2.30	1.4	0.66
801141		98.3	<1	136.0	8.3	51.5	260	0.31	39	3.81	2.39	0.89	18.1	2.74	1.8	0.85



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Finalized Date: 26-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08114666

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
801201		3.0	0.36	<2	2.8	7.1	106	14	1.43	38.6	2.43	1	149.0	0.2	0.57	0.34
801202		2.0	0.26	<2	1.3	4.6	230	5	0.89	13.0	1.43	1	82.7	0.1	0.37	0.19
801203		14.9	0.05	3	2.4	9.2	<5	160	2.72	46.4	1.46	1	128.0	0.3	0.15	4.01
801204		0.8	0.05	<2	0.2	1.2	722	7	0.31	8.5	0.36	<1	79.4	<0.1	0.05	0.08
801205		5.1	0.03	<2	0.3	3.4	5	<5	1.03	3.6	0.53	<1	2.4	<0.1	0.06	1.14
801139		14.7	0.60	<2	6.5	17.6	65	8	4.01	24.2	4.38	1	133.5	0.5	0.95	2.66
801140		2.6	0.29	<2	1.7	5.5	80	<5	1.10	31.8	1.81	1	190.0	0.1	0.45	0.22
801141		3.3	0.37	<2	2.3	6.3	104	<5	1.27	23.7	2.10	1	179.5	0.1	0.53	0.30



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Finalized Date: 26-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08114666

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.5	0.01	0.05	5	1	0.5	0.03	5	2
801201		<0.5	0.35	0.10	321	1	21.2	2.53	154	61
801202		<0.5	0.28	<0.05	218	1	14.8	1.63	103	40
801203		<0.5	0.05	0.92	<5	<1	4.1	0.34	663	68
801204		<0.5	0.05	0.05	152	1	2.8	0.36	100	11
801205		<0.5	0.04	0.31	<5	1	1.7	0.19	20	66
801139		<0.5	0.60	0.62	435	1	34.7	3.79	160	139
801140		<0.5	0.30	0.06	257	1	17.5	1.91	96	50
801141		<0.5	0.36	0.09	314	1	21.1	2.34	117	58



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

COPY

INVOICE NUMBER 1753924

BILLING INFORMATION	
Certificate:	SD08081727
Sample Type:	Rock
Account:	RLH
Date:	13-JUL-2008
Project:	661 <i>Shipley</i>
P.O. No.:	251519
Quote:	ALSC-CE07-048-RLH
Terms:	Net 30 Days C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
20	ME-ICP06	Whole Rock Package - ICP-AES	20.00	400.00
19	ME-MS81	38 element fusion ICP-MS	15.00	285.00

SUBTOTAL (CAD) \$ 685.00

R100938885 GST \$ 34.25

TOTAL PAYABLE (CAD) \$ 719.25

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :

ALS Chemex

212 Brooksbank Avenue
North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 13-JUL-2008

Account: RLH

CERTIFICATE SD08081727

Project: 661

P.O. No.: 251519

This report is for 20 Rock samples submitted to our lab in Sudbury, ON, Canada on 20-JUN-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
TOT-ICP06	Total Calculation for ICP06	ICP-AES
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 13-JUL-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08081727

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP08	ME-ICP08	ME-ICP08	ME-ICP08	ME-ICP08	ME-ICP08	ME-ICP08	ME-ICP08	ME-ICP08	ME-ICP08	ME-ICP08	ME-ICP08	ME-ICP08	ME-ICP08	OA-GRA05
		Recvd Wt. kg	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %	K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
801020		0.36	59.9	7.44	28.7	1.82	1.84	0.11	<0.01	<0.01	0.04	0.44	0.14	<0.01	<0.01	1.15	
801022		0.28	75.1	0.40	15.60	1.49	2.60	0.06	0.02	<0.01	0.01	0.29	0.08	<0.01	<0.01	3.92	
801023		0.60	70.7	0.37	18.10	2.43	3.30	0.06	0.03	<0.01	0.01	0.03	0.07	<0.01	<0.01	3.70	
801024		1.24	60.2	9.23	5.20	0.70	0.19	1.26	4.38	0.01	0.24	0.04	0.05	0.03	0.08	16.00	
801028		0.74	41.9	6.06	23.0	0.86	0.70	0.47	1.43	<0.01	0.17	0.91	0.07	<0.01	0.11	23.8	
801030		1.50	66.3	8.97	13.25	2.27	0.73	2.12	0.73	<0.01	0.28	0.16	0.09	<0.01	0.03	4.86	
801034		1.50	49.0	9.97	16.80	2.19	2.07	0.85	2.64	0.01	0.41	0.07	0.15	<0.01	0.16	13.85	
802502		1.36	12.15	0.71	68.8	0.35	0.65	0.03	0.13	<0.01	0.02	0.18	0.04	<0.01	0.01	17.35	
802503		1.68	44.0	5.89	23.1	0.78	0.82	0.42	1.62	0.01	0.19	0.70	0.05	<0.01	0.16	23.0	
802504		1.62	40.4	4.79	30.2	0.96	1.06	0.36	1.14	<0.01	0.13	0.20	0.11	<0.01	0.04	20.2	
802505		1.82	20.3	0.73	58.0	0.27	0.59	0.10	0.12	<0.01	0.02	0.08	0.03	<0.01	0.01	17.85	
802506		1.52	54.0	16.45	11.25	1.93	0.80	3.30	2.13	<0.01	0.40	0.49	0.13	0.01	0.22	7.66	
802512		2.42	57.6	8.36	14.85	3.44	3.08	0.56	2.03	0.01	1.78	0.20	0.17	0.05	0.35	5.55	
802514		0.28	69.3	4.63	12.75	0.93	1.23	0.24	0.48	<0.01	0.12	0.45	0.05	<0.01	0.04	8.40	
802515		0.28	48.5	12.20	17.30	2.46	2.02	1.57	1.36	0.01	0.39	0.28	0.12	0.01	0.04	12.40	
802518		0.60	67.1	4.74	10.90	5.59	4.30	0.32	1.15	0.01	0.92	0.28	0.14	0.02	0.20	4.58	
802519		1.34	39.9	9.27	17.70	1.18	0.72	1.48	1.95	<0.01	0.29	0.44	0.06	0.02	0.12	25.7	
802522		0.38	67.9	5.79	9.68	1.02	0.63	1.04	1.12	0.01	0.18	0.16	0.06	0.02	0.08	11.75	
802523		0.20	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	
802527		1.24	34.2	9.47	38.7	5.35	2.08	0.60	0.70	0.02	0.48	0.68	0.06	<0.01	<0.01	7.86	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 13-JUL-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08081727

Sample Description	Method Analyte Units LOR	TOT-ICP08	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm
		0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
801020		99.6	<1	18.3	12.9	23.3	40	0.99	82	1.14	0.59	0.51	11.7	1.36	0.6	0.25
801022		99.6	<1	16.0	6.8	37.6	10	0.02	294	1.10	0.68	0.55	2.5	0.88	0.4	0.24
801023		98.8	<1	6.0	9.6	20.7	20	0.17	228	0.91	0.52	0.70	3.1	1.10	0.2	0.25
801024		97.6	<1	752	11.0	76.8	60	1.05	89	1.07	0.97	0.94	18.6	0.94	3.1	0.28
801028		99.5	<1	1005	20.7	109.0	40	2.75	169	1.74	1.17	1.56	12.9	1.93	1.4	0.45
801030		99.8	<1	341	25.0	16.1	40	1.17	52	1.55	0.93	0.93	12.7	2.31	2.9	0.35
801034		98.2	<1	1420	35.7	54.3	60	3.13	391	1.99	1.21	1.39	17.7	2.80	2.8	0.45
802502		100.5	<1	84.8	4.3	94.5	<10	0.45	116	0.26	0.20	0.32	2.5	0.31	<0.2	0.11
802503		100.5	<1	1345	19.7	105.5	50	2.37	260	1.85	1.15	1.37	12.5	1.97	1.5	0.40
802504		99.6	1	476	24.4	127.0	30	3.31	733	1.97	1.16	2.01	12.9	2.48	1.2	0.41
802505		98.1	<1	95.5	4.4	132.5	<10	0.31	188	0.18	0.18	0.31	2.3	0.41	<0.2	0.06
802506		98.8	<1	2040	41.4	58.8	30	2.31	187	1.93	1.03	1.82	26.2	2.85	4.8	0.41
802512		98.0	<1	3120	97.9	48.4	110	4.33	295	3.14	1.63	1.64	12.7	5.47	3.4	0.65
802514		98.6	<1	396	6.3	42.7	30	2.48	144	0.89	0.69	0.61	9.9	0.84	0.8	0.22
802515		98.7	<1	413	28.2	64.8	130	6.37	116	2.54	1.66	1.37	28.0	2.73	4.0	0.60
802518		100.5	<1	1780	49.9	46.3	50	2.16	426	2.78	1.22	1.44	7.7	3.44	1.6	0.53
802519		98.8	<1	1235	12.6	65.8	40	2.13	118	2.00	1.69	1.22	14.6	1.53	2.9	0.54
802522		99.4	<1	975	9.2	31.4	40	1.47	89	1.65	1.33	0.66	10.1	0.96	1.5	0.42
802523		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
802527		100.0	<1	227	9.2	41.0	120	1.10	156	1.94	1.24	0.71	8.8	1.67	1.6	0.40



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08081727

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
801020		6.7	0.12	<2	3.3	5.5	31	11	1.40	3.0	0.97	1	11.7	0.3	0.20	2.76
801022		3.8	0.14	<2	1.2	3.5	33	15	0.88	0.6	0.78	3	7.4	<0.1	0.18	0.44
801023		5.2	0.12	<2	0.9	4.7	21	10	1.20	0.8	0.99	1	5.9	<0.1	0.20	0.31
801024		5.2	0.21	12	4.0	5.2	83	55	1.35	70.6	0.89	3	159.0	0.4	0.16	3.44
801028		9.0	0.21	9	3.0	10.1	95	16	2.66	50.1	2.08	2	78.2	0.2	0.37	1.69
801030		12.8	0.15	3	4.8	10.1	15	10	2.90	25.2	1.94	2	183.5	0.4	0.33	2.59
801034		17.6	0.20	6	8.3	14.8	55	11	4.28	97.9	2.78	2	227	0.6	0.39	3.42
802502		1.7	0.02	13	0.2	2.1	26	52	0.55	2.0	0.39	2	4.8	<0.1	0.04	0.14
802503		8.5	0.26	9	2.9	9.2	87	18	2.50	48.0	1.81	2	80.4	0.2	0.35	1.84
802504		11.9	0.27	8	2.6	12.2	121	27	3.08	46.6	2.61	3	64.1	0.2	0.36	1.84
802505		3.5	0.04	13	<0.2	2.6	58	56	0.61	2.7	0.40	1	11.4	<0.1	0.08	0.12
802506		20.2	0.16	5	7.1	15.8	33	120	4.75	52.6	2.79	9	298	0.7	0.37	5.21
802512		59.0	0.21	3	50.6	35.8	51	26	10.80	87.9	5.56	2	465	3.8	0.67	5.21
802514		3.0	0.13	4	2.0	3.2	39	19	0.79	21.5	0.74	4	31.8	0.1	0.17	1.04
802515		13.3	0.26	5	6.2	12.3	41	41	3.46	74.7	2.43	5	177.0	0.5	0.40	2.49
802518		29.2	0.16	<2	24.5	18.9	36	25	5.58	45.0	3.30	2	321	1.8	0.52	2.63
802519		5.7	0.37	9	3.2	5.9	56	24	1.57	42.2	1.37	2	123.5	0.3	0.32	2.70
802522		4.5	0.29	9	2.1	3.9	35	27	1.22	32.9	0.89	1	116.0	0.2	0.23	2.22
802523		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
802527		3.4	0.19	5	1.6	5.0	76	56	1.27	19.5	1.53	1	62.9	0.1	0.33	0.67



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08081727

Sample Description	Method Analyte Units LOR	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.01	ME-MS81 U ppm 0.05	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.03	ME-MS81 Zn ppm 5	ME-MS81 Zr ppm 2
801020		<0.5	0.11	0.32	131	4	8.3	0.82	203	20
801022		<0.5	0.11	0.10	14	7	7.4	0.87	1080	14
801023		<0.5	0.07	0.07	18	4	7.1	0.72	350	13
801024		1.1	0.19	0.91	53	12	7.8	1.36	2900	117
801028		1.4	0.18	0.62	39	9	12.8	1.46	3440	53
801030		<0.5	0.16	0.79	27	12	11.0	1.10	192	114
801034		1.1	0.19	1.36	53	5	13.0	1.20	535	100
802502		<0.5	0.05	0.07	<5	2	2.6	0.23	5110	7
802503		1.1	0.16	0.61	46	3	11.5	1.38	2500	55
802504		1.3	0.20	0.60	39	9	12.5	1.21	1770	46
802505		<0.5	0.04	0.10	<5	2	2.2	0.14	7230	10
802506		1.6	0.17	1.62	59	19	10.5	0.95	757	162
802512		0.9	0.23	1.42	96	23	17.3	1.44	1170	138
802514		1.0	0.08	0.37	40	7	7.0	0.69	1390	29
802515		3.0	0.24	0.84	92	4	16.6	1.60	4490	138
802518		0.5	0.19	0.80	49	11	14.2	1.11	432	70
802519		0.8	0.30	0.63	56	8	13.6	1.84	5080	98
802522		<0.5	0.25	0.49	43	9	10.6	1.77	1180	58
802523		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
802527		<0.5	0.22	0.10	118	2	10.6	1.34	396	45



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13-JUL-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08081727

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

COPY

INVOICE NUMBER 1774189

BILLING INFORMATION	
Certificate:	SD08102394
Sample Type:	Rock
Account:	RLH
Date:	11-AUG-2008
Project:	661 <i>Shipleu</i>
P.O. No.:	085875
Quote:	ALSC-CE07-048-RLH
Terms:	Net 30 Days C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
4	ME-ICP06	Whole Rock Package - ICP-AES	20.00	80.00
4	ME-MS81	38 element fusion ICP-MS	15.00	60.00

SUBTOTAL (CAD) \$ 140.00

R100938885 GST \$ 7.00

TOTAL PAYABLE (CAD) \$ 147.00

To: **WALLBRIDGE MINING COMPANY LTD.**
 ATTN: ACCOUNTS PAYABLE
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 1
 Finalized Date: 11-AUG-2008
 Account: RLH

CERTIFICATE SD08102394

Project: 661
 P.O. No.: 085875
 This report is for 4 Rock samples submitted to our lab in Sudbury, ON, Canada on 25-JUL-2008.
 The following have access to data associated with this certificate:
 RANDY DUTCHBURN BRUCE JAGO ACCOUNTS PAYABLE

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
TOT-ICP06	Total Calculation for ICP06	ICP-AES
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: WALLBRIDGE MINING COMPANY LTD.
 ATTN: ACCOUNTS PAYABLE
 129 FIELDING RD
 LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - A
 Total # Pages: 2 (A - D)
 Finalized Date: 11-AUG-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08102394

Sample Description	Method	WEI-21	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
	Analyte	Recvd Wt.	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI
	Units LOR	kg	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
801133		1.18	50.8	14.65	13.85	7.24	5.36	4.47	0.61	0.01	1.22	0.22	0.08	0.03	0.02	0.97
801134		0.80	54.9	14.80	8.67	9.45	5.50	3.05	0.98	0.06	0.80	0.20	0.07	0.02	0.03	1.75
801135		1.20	48.5	14.20	13.05	12.85	5.82	2.49	0.44	0.03	1.01	0.21	0.06	0.02	0.01	1.17
801136		2.50	50.7	13.10	16.70	6.90	4.69	4.51	0.38	<0.01	1.39	0.35	0.09	0.01	0.01	0.89



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - B
 Total # Pages: 2 (A - D)
 Finalized Date: 11-AUG-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08102394

Sample Description	Method Analyte Units LOR	TOT-ICP06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm
		0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
801133		99.5	<1	191.5	8.4	68.2	100	0.60	98	4.64	3.07	0.95	18.9	3.67	2.2	0.95
801134		100.5	<1	229	11.5	52.7	410	2.00	62	4.09	2.52	0.85	16.9	3.33	2.3	0.81
801135		99.9	<1	69.6	8.6	54.0	220	0.86	80	3.80	2.51	0.86	18.0	3.00	1.9	0.82
801136		99.7	<1	55.3	13.5	47.9	<10	0.43	25	5.25	3.33	0.91	21.8	3.92	2.6	1.09



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - C
Total # Pages: 2 (A - D)
Finalized Date: 11-AUG-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08102394

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
801133		2.9	0.47	<2	3.3	8.1	100	<5	1.52	28.4	2.70	1	213	0.2	0.69
801134		4.4	0.39	<2	3.6	8.7	106	5	1.85	42.8	2.66	2	153.5	0.2	0.62
801135		3.1	0.40	<2	2.9	7.3	83	<5	1.46	22.0	2.42	1	160.5	0.2	0.57
801136		5.2	0.54	<2	3.6	10.4	17	35	2.19	14.6	3.28	1	58.3	0.2	0.79



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - D
Total # Pages: 2 (A - D)
Finalized Date: 11-AUG-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08102394

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.5	0.01	0.05	5	1	0.5	0.03	5	2
801133		<0.5	0.46	0.09	341	1	25.9	2.89	122	79
801134		<0.5	0.40	0.10	253	2	21.6	2.47	87	81
801135		<0.5	0.40	0.05	306	1	21.8	2.44	103	62
801136		<0.5	0.54	0.11	379	2	29.3	3.46	189	91



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

INVOICE NUMBER 1773914

BILLING INFORMATION

Certificate: **SD08101798**
 Sample Type: **Rock**
 Account: **RLH**
 Date: **5-AUG-2008**
 Project: 661
 P.O. No.: 085874
 Quote: ALSC-CE07-048-RLH
 Terms: **Net 30 Days** C1
 Comments:

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
5	PREP-31	Crush, Split, Pulverize	6.00	30.00
6.12	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.60	3.67
1	LOG-24	Pulp Login - Rcd w/o Barcode	1.00	1.00
6	PGM-ICP23	Pt, Pd, Au 30g FA ICP	13.00	78.00
6	ME-MS61	48 element four acid ICP-MS	14.00	84.00
6	GEO-4A01	Four Acid Dig - ME-MS61	4.00	24.00

SUBTOTAL (CAD) \$ 220.67
 R100938885 GST \$ 11.03
TOTAL PAYABLE (CAD) \$ 231.70

To: **WALLBRIDGE MINING COMPANY LTD.**
 ATTN: ACCOUNTS PAYABLE
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 5-AUG-2008
Account: RLH

CERTIFICATE SD08101798

Project: 661

P.O. No.: 085874

This report is for 6 Rock samples submitted to our lab in Sudbury, ON, Canada on 24-JUL-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-AUG-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08101798

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
801133		1.18	<0.001	<0.005	0.001	0.1	7.5	0.3	170	0.29	0.11	4.88	0.11	7.98	50.2	77
801134		0.80	0.001	0.010	0.009	0.07	7.59	<0.2	210	0.34	0.08	6.37	0.13	10.95	41.6	278
801135		1.20	<0.001	<0.005	<0.001	0.12	7.44	<0.2	60	0.47	0.21	8.11	0.14	8.71	42.3	158
801136		2.50	<0.001	<0.005	0.001	0.12	6.72	9.3	50	0.93	0.06	4.74	0.34	13	37	3
801137		0.06	0.124	0.307	4.98	0.22	5.64	0.2	30	0.08	0.11	4.72	0.08	2.56	81.1	262
801138		0.44	<0.001	<0.005	0.002	0.01	0.35	<0.2	10	0.08	0.02	0.05	<0.02	7.21	0.9	18



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-AUG-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08101798

Sample Description	Method	Analyte	Units	LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61			
					Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
					ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
					0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
801133					0.58	94.3	8.78	18.3	<0.05	1.2	0.072	0.51	2.7	16	2.99	1485	0.58	3.01	3.2
801134					2.03	64.5	5.63	17.35	<0.05	0.6	0.066	0.8	4.2	21.3	3.09	1420	0.4	2.06	3.7
801135					0.9	81.1	8.41	18.95	0.06	0.7	0.069	0.37	3.1	20.2	3.27	1500	0.34	1.71	3
801136					0.44	28.6	10.7	22.1	0.06	1.5	0.082	0.32	5	22.2	2.65	2460	0.42	3.06	3.6
801137					1.05	452	7.79	10.15	0.05	0.2	0.024	0.19	1.2	24.1	8.94	1390	0.64	0.56	0.4
801138					<0.05	5.1	0.36	0.91	<0.05	1	<0.005	0.1	3.7	0.6	0.03	46	0.25	0.03	0.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 5-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08101798

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
801133		94.9	420	2.9	29.2	<0.002	0.07	0.07	45.7	2	0.7	209	0.21	<0.05	0.4	0.675
801134		105	340	4.8	45.2	<0.002	0.09	0.06	44.1	2	1.1	156	0.23	0.08	0.4	0.454
801135		84.9	340	1.2	24.6	<0.002	0.09	0.07	40.6	2	0.6	167.5	0.19	0.09	0.3	0.574
801136		16.2	470	31.5	15.7	<0.002	0.07	0.08	39.7	2	0.7	59.5	0.22	<0.05	0.4	0.789
801137		666	20	4.4	9.2	<0.002	0.18	0.44	41.2	2	<0.2	85.2	<0.05	0.31	<0.2	0.101
801138		5.2	20	0.9	3.5	<0.002	<0.01	0.09	0.6	1	<0.2	3.5	<0.05	<0.05	1.3	0.009



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-AUG-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08101798

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
801133		0.13	0.1	304	0.6	25.7	105	35.2
801134		0.34	0.1	236	1.2	22.3	76	11.8
801135		0.11	0.1	278	0.8	22.8	92	8.9
801136		0.07	0.1	341	0.9	29.6	175	40.8
801137		0.09	<0.1	146	8.2	3.1	90	6.3
801138		0.07	0.3	4	0.1	0.8	<2	35.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 5-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08101798

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

INVOICE NUMBER 1771057

BILLING INFORMATION	
Certificate:	SD08098338
Sample Type:	Rock
Account:	RLH
Date:	3-AUG-2008
Project:	661 <i>66101</i>
P.O. No.:	085873
Quote:	ALSC-CE07-048-RLH
Terms:	Net 30 Days C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
32	PREP-31	Crush, Split, Pulverize	6.00	192.00
30.02	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.60	18.01
32	PGM-ICP23	Pt, Pd, Au 30g FA ICP	13.00	416.00
32	ME-MS61	48 element four acid ICP-MS	14.00	448.00
32	GEO-4A01	Four Acid Dig - ME-MS61	4.00	128.00

To: **WALLBRIDGE MINING COMPANY LTD.**
 ATTN: ACCOUNTS PAYABLE
 129 FIELDING RD
 LIVELY ON P3Y 1L7

SUBTOTAL (CAD)	\$	1,202.01
R100938885 GST	\$	60.10
TOTAL PAYABLE (CAD)	\$	1,262.11

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 3-AUG-2008

Account: RLH

CERTIFICATE SD08098338

Project: 661

P.O. No.: 085873

This report is for 50 Rock samples submitted to our lab in Sudbury, ON, Canada on 18-JUL-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 3-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08098338

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.01	0.1	0.1	1
801101		0.52	0.005	0.021	0.015	0.1	7.5	0.9	300	0.49	0.05	5.97	0.08	23.6	46.1	123
801102		0.74	0.001	0.013	0.009	0.25	7.77	0.9	170	0.29	0.04	6.4	0.12	5.86	37.5	214
801103		1.78	0.005	0.008	0.009	0.08	8.16	1.4	220	0.41	0.07	4.91	0.15	7.18	47.9	283
801104		1.00	0.002	<0.005	0.001	0.07	7.76	0.2	1480	0.74	0.08	2.65	0.06	35	20.7	34
801105		0.94	0.002	0.018	0.015	0.1	7.04	<0.2	110	0.39	0.23	6.76	0.13	14.75	40.4	13
801106		0.76	0.004	0.012	0.006	0.08	8.1	<0.2	150	0.32	0.04	8.89	0.11	7.81	38.1	505
801107		1.08	0.003	<0.005	<0.001	0.04	5.51	0.4	120	0.83	0.37	3.21	0.08	20.1	25.6	24
801108		0.80	0.004	0.011	0.006	0.1	7.81	<0.2	140	0.36	0.1	8.29	0.13	8.15	46.3	207
801109		1.04	0.003	0.009	0.005	0.11	7.95	<0.2	120	0.26	0.22	9.43	0.14	7.21	46.3	215
801110		0.90	0.004	0.011	0.005	0.1	7.68	0.5	70	0.2	0.05	7.4	0.12	7.31	42.9	160
801111		0.86	0.002	0.009	0.012	0.1	6.96	1.1	110	0.34	0.04	5.43	0.15	5.36	45.6	184
801112		0.26	0.001	0.012	0.006	0.06	5.82	<5	60	0.53	0.89	12.6	0.2	7.23	21.2	232
801113		1.50	0.001	0.008	0.007	0.4	7.32	<5	50	12.1	8.59	11.9	0.31	7	47.1	180
801114		0.94	0.001	0.005	0.006	0.1	7.63	0.6	80	0.48	0.34	8.38	0.1	7.29	37.6	223
801115		2.36	<0.001	<0.005	0.001	0.13	6.62	0.6	70	0.61	0.1	5.28	0.09	12.1	38.9	1
801116		0.68	0.002	<0.005	0.003	0.09	5.55	0.2	100	0.67	0.19	6.19	0.26	7.58	18.3	154
801117		0.48	0.002	0.005	0.004	0.16	6.35	1.2	120	0.56	0.13	5.34	0.26	8.87	29.4	179
801118		0.68	0.002	<0.005	<0.001	0.11	0.24	3.4	10	0.2	0.1	0.32	0.06	1.41	13.4	17
801119		0.98	0.028	0.013	0.008	0.38	4.65	1.6	50	0.6	1.44	4.99	0.34	11.45	35.2	118
801120		0.80	0.004	0.009	0.007	0.36	5.73	2.6	60	0.35	2.18	5.94	0.19	9.5	453	142
801121		0.76	0.002	<0.005	0.005	0.12	6.55	2	70	0.62	0.15	6.87	0.16	9.32	33.4	160
801122		0.68	0.003	<0.005	0.004	0.41	0.85	1.6	10	0.46	0.62	1.94	0.12	6.17	34.1	27
801123		1.50	0.017	<0.005	0.003	0.13	5.02	1	90	0.71	0.35	5.39	0.33	3.76	5.9	145
801124		1.10	<0.001	<0.005	<0.001	0.05	6.79	0.6	790	1.49	0.05	2.49	0.07	34.4	8.3	31
801125		0.60	0.001	<0.005	<0.001	0.03	7.26	0.3	330	0.91	0.04	4.62	0.07	38.9	17.5	50
801126		0.28	0.001	<0.005	0.010	0.06	8.04	0.8	190	0.37	0.2	8.89	0.17	11.15	37.3	247
801127		0.62	0.056	<0.005	<0.001	0.17	0.18	1.1	20	0.3	0.15	1.17	0.19	4.18	5.3	21
801128		0.52	0.031	<0.005	0.002	0.39	0.18	1	10	0.34	0.36	2.68	0.32	8.32	12.3	15
801129		1.48	<0.001	<0.005	<0.001	0.09	6.92	0.5	60	0.58	0.24	6.03	0.1	7.34	34.5	3
801130		0.70	0.001	<0.005	0.001	0.12	7.67	0.8	460	0.85	0.05	4.88	0.14	30.5	30.2	108
801131		1.34	0.002	<0.005	0.010	0.18	4.58	<0.2	110	0.63	0.38	6.74	0.1	25.3	56.3	701
801132		1.34	0.002	<0.005	<0.001	0.17	8.63	0.4	700	0.73	0.07	1.94	0.34	46.7	17.2	22
801133		Not Recvd														
801134		Not Recvd														
801135		Not Recvd														
801136		Not Recvd														
801137		Not Recvd														
801138		Not Recvd														
801139		Not Recvd														
801140		Not Recvd														



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 3-AUG-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08098338

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units LOR	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
801101		1.6	99.3	7.71	16.8	0.12	1.9	0.052	1.39	10.7	26.3	3.58	1285	0.44	1.53	2.9
801102		0.52	38.4	6.75	15	0.09	0.5	0.058	0.51	2.1	22.6	4.48	1085	0.24	2.14	1.7
801103		3.15	49.5	11.65	16.95	0.16	0.7	0.059	0.85	2.7	33.2	2.07	4450	0.23	1.68	1.9
801104		1.82	47.4	3.9	18.15	0.08	1.5	0.039	2.78	16	28.3	1.77	744	0.6	3.14	4.6
801105		0.39	41.2	8.89	18.25	0.14	0.9	0.094	0.35	5.6	12	2.78	1665	0.41	1.76	4.8
801106		0.86	56.8	6.38	14.45	0.1	0.2	0.052	0.23	3	14.2	4.7	1270	0.23	1.19	2.2
801107		0.43	40.6	6.27	15.9	0.09	1.7	0.078	0.13	7.9	14.3	0.86	509	0.59	1.12	2.9
801108		0.57	49.5	7.83	16.45	0.1	0.4	0.061	0.51	3.1	17.9	3.43	1395	0.49	1.9	2
801109		0.86	120	7.86	16	0.1	0.4	0.061	0.55	2.5	35.4	3.49	1745	0.46	1.23	2
801110		0.49	84.6	7.97	15.6	0.11	0.3	0.059	0.34	2.6	24.2	4.26	1295	0.67	1.86	2
801111		1.23	92	8.17	14.85	0.13	0.4	0.063	0.79	1.7	22.9	4.66	1645	0.23	1.97	1.6
801112		0.61	87.3	8.73	13.85	0.11	0.7	0.042	0.1	3	17.1	2.91	3470	0.74	0.28	2
801113		0.24	805	9.55	16.4	0.15	0.8	0.069	0.14	2.6	9.3	2.16	2810	27.4	0.61	1.9
801114		0.41	49.2	10.7	14.9	0.13	0.6	0.061	0.53	2.6	13.6	2.45	3220	1.28	0.98	1.9
801115		0.36	73.2	11.15	22	0.14	0.8	0.106	0.37	3.7	14.8	1.75	1760	1.17	1.71	4
801116		0.47	66.9	22.4	11.35	0.34	0.6	0.055	0.23	3.3	9.1	2.61	11750	0.8	0.5	1.5
801117		0.52	60.8	12.2	13.75	0.15	0.5	0.102	0.58	3.7	15.5	1.81	4130	3.02	0.78	2
801118		0.22	72.2	3.62	1.22	0.08	<0.1	0.062	0.02	0.7	1	0.17	193	0.4	0.02	0.3
801119		0.32	332	17.35	12.3	0.21	0.3	0.148	0.27	5.6	8.4	1.64	3150	0.87	0.47	1.7
801120		0.59	483	16.95	12.7	0.21	0.5	0.119	0.33	4.6	9.3	1.7	2510	0.87	0.57	1.7
801121		0.42	34.1	16	13.7	0.18	0.5	0.056	0.3	3.8	14.9	2.51	7570	0.28	0.73	1.9
801122		0.26	271	8.82	3.77	0.1	<0.1	0.096	0.04	3.1	1.3	0.72	1000	0.4	0.05	0.6
801123		0.4	52.3	17.65	11.65	0.19	0.8	0.076	0.28	1.8	7.7	2.17	6830	0.52	0.64	1.6
801124		2.12	21.4	2.35	24.6	0.08	3.2	0.038	1.22	15.3	30.5	0.71	345	0.35	2.38	3.9
801125		3.1	3.9	3.81	18.25	0.08	2.2	0.033	0.7	15.6	29.6	1.36	756	0.99	1.79	5.2
801126		0.55	15.6	7.68	18.15	0.1	0.6	0.074	0.44	4.2	9.9	3.33	1655	0.72	1	3.1
801127		0.65	64.8	14.8	0.99	0.14	<0.1	0.022	0.02	2	0.5	1.26	1970	0.46	0.02	0.3
801128		0.3	140	18.1	1.2	0.18	<0.1	0.046	0.02	3.7	0.3	1.68	1800	1.31	0.03	0.4
801129		2.82	23.9	10.85	20	0.13	0.9	0.099	0.35	2.4	23.1	2.64	1695	0.55	1.95	3
801130		1.4	64.4	6.24	19.35	0.11	2.6	0.066	1.46	11.7	18.2	1.67	1635	1.21	1.2	7.4
801131		0.23	52.3	6.25	12.9	0.13	1.6	0.068	0.38	7.5	23.2	8.67	1015	0.17	1.27	1.5
801132		1.16	78.3	5.1	24.6	0.12	4.2	0.067	2.14	19.7	61.5	2.07	801	0.74	2.57	9.1
801133																
801134																
801135																
801136																
801137																
801138																
801139																
801140																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 3-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08098338

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.05	0.05	0.2	0.005	
801101		110	390	4.1	96.7	<0.002	0.05	0.07	32	2	0.7	208	0.21	<0.05	2.3	0.399
801102		119	220	5.2	21.5	<0.002	0.02	0.07	36.1	1	0.5	154.5	0.12	<0.05	0.2	0.377
801103		155.5	230	2.1	88.3	<0.002	0.1	0.15	43.7	2	0.5	191.5	0.13	<0.05	0.2	0.441
801104		38.3	540	3.4	101.5	<0.002	0.04	0.07	16.3	1	0.8	378	0.34	<0.05	3.4	0.339
801105		35.5	460	6.5	13.5	<0.002	0.04	0.07	44	2	0.8	115	0.31	<0.05	0.6	0.619
801106		74.1	220	1.1	5.8	<0.002	0.01	0.06	41.9	2	0.4	83.3	0.15	<0.05	0.3	0.348
801107		18.9	420	7.1	4.7	<0.002	1.55	0.06	4.6	3	1.2	661	0.22	0.12	2.9	0.149
801108		121	260	3.4	15.3	<0.002	0.11	0.06	40.3	2	0.5	205	0.14	0.06	0.3	0.461
801109		135.5	260	2	29.1	<0.002	0.14	0.07	36.5	2	0.5	150.5	0.12	0.06	0.2	0.447
801110		108.5	260	1	13.4	<0.002	0.04	0.05	38.8	2	0.5	134.5	0.14	<0.05	0.2	0.472
801111		116.5	210	9	61	<0.002	0.02	0.07	44	1	0.4	90.6	0.11	<0.05	0.2	0.405
801112		35.1	290	5.8	12.6	<0.002	0.11	0.09	32.7	2	0.5	133	0.11	<0.05	0.3	0.361
801113		127	220	3.6	7.2	<0.002	1.4	0.06	35.3	4	0.6	182	0.11	0.13	0.2	0.399
801114		130	250	2.7	18	<0.002	0.14	0.08	37.8	2	0.5	179	0.13	0.14	0.2	0.447
801115		7.4	580	2.3	20.1	0.002	0.14	0.1	37	3	0.5	100.5	0.25	<0.05	0.5	0.912
801116		58.8	170	1.5	12.3	<0.002	1.44	0.08	25.7	2	0.5	62	0.1	0.14	0.2	0.321
801117		82.2	200	3.3	27.3	<0.002	1.35	0.11	27.3	3	1	86.3	0.12	0.21	0.4	0.36
801118		18.6	60	0.9	1	<0.002	0.93	0.06	0.9	2	0.3	3.9	<0.05	0.11	<0.2	0.013
801119		109.5	180	5.1	6.1	<0.002	7.54	0.1	17.9	4	1	62.7	0.1	0.58	0.4	0.268
801120		112	170	9.1	14.8	<0.002	>10.0	0.14	26.1	4	0.8	101	0.11	0.46	0.3	0.323
801121		100	210	1.6	9	<0.002	0.64	0.2	33.1	2	0.5	94.5	0.13	0.06	0.4	0.364
801122		56	210	3.9	0.6	<0.002	3.78	0.06	2.5	5	0.8	29.5	<0.05	0.23	0.2	0.028
801123		16.9	200	3.8	10.6	<0.002	0.19	0.14	25.7	2	0.6	48.9	0.11	0.18	0.2	0.319
801124		13.7	540	13.2	44	<0.002	0.18	0.08	6.2	2	1.3	620	0.29	<0.05	5	0.222
801125		35.5	730	6.5	18.5	<0.002	0.02	0.06	12.1	1	1	283	0.38	<0.05	2.9	0.292
801126		80.8	350	5.3	20.7	<0.002	0.05	0.12	46.4	2	0.8	192.5	0.2	<0.05	0.4	0.503
801127		13.2	360	1	1.6	<0.002	2.24	0.06	0.6	2	0.3	10.3	<0.05	0.17	<0.2	0.009
801128		32.5	460	2.5	1	<0.002	5.74	0.06	0.7	4	0.4	18.7	<0.05	0.46	<0.2	0.006
801129		16.7	450	1.6	15.1	<0.002	0.15	0.05	40.8	2	0.4	106	0.2	0.07	0.3	0.781
801130		74	990	3.1	79.9	<0.002	0.03	0.23	29	2	1.1	135.5	0.45	<0.05	1.4	0.689
801131		387	380	3.5	14.6	<0.002	0.03	0.05	40.2	1	0.8	96.9	0.11	<0.05	1.2	0.375
801132		44.8	960	10	106.5	<0.002	0.05	<0.05	15.4	2	1.3	256	0.53	<0.05	2.4	0.598
801133																
801134																
801135																
801136																
801137																
801138																
801139																
801140																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 3-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08098338

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
801101		0.41	0.5	218	0.2	16.4	87	69.8
801102		0.1	0.1	233	0.2	15.5	70	16.6
801103		0.32	0.1	263	1.7	18.9	109	24
801104		0.62	0.5	94	1.2	11.3	64	52
801105		0.06	0.2	302	0.2	33.3	103	25.7
801106		0.02	0.1	205	0.9	17.2	63	6.4
801107		0.02	0.8	42	0.1	6.1	46	62
801108		0.07	0.1	254	0.3	17.9	91	10.1
801109		0.13	0.1	236	0.7	16.6	81	8.5
801110		0.07	<0.1	257	0.2	17.8	84	6.6
801111		0.28	<0.1	244	0.1	16.7	117	11.1
801112		0.04	0.3	179	0.3	13.3	80	22.8
801113		0.07	0.1	227	0.7	18.5	91	25.1
801114		0.12	0.1	250	0.7	17.8	80	20.7
801115		0.09	0.1	329	0.4	36.3	115	20
801116		0.11	0.1	170	0.5	16.8	99	21.3
801117		0.25	0.2	195	0.4	13.9	194	15.6
801118		<0.02	0.1	8	0.1	1.6	37	4.7
801119		0.08	0.3	161	0.4	12.9	206	9.6
801120		0.18	0.1	182	0.4	13.4	108	14.7
801121		0.08	0.1	203	0.6	18.1	87	15.8
801122		<0.02	0.3	28	0.1	5.6	138	4.1
801123		0.12	0.1	168	0.7	16.3	177	29.6
801124		0.37	1.3	55	0.1	6.4	74	112
801125		0.34	0.6	81	0.7	9.9	61	87.8
801126		0.13	0.1	269	0.6	21.9	133	18.7
801127		<0.02	<0.1	7	0.3	3.9	151	3.2
801128		<0.02	0.1	7	0.2	6	208	3.3
801129		0.07	0.1	353	0.5	26.3	95	28.5
801130		0.4	0.3	193	0.4	24.9	95	101
801131		0.07	0.3	214	0.6	16.1	84	39.6
801132		0.5	0.6	113	0.6	17.9	120	149
801133								
801134								
801135								
801136								
801137								
801138								
801139								
801140								



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-AUG-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08098338

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
801141		Not Recvd														
801142		Not Recvd														
801143		Not Recvd														
801144		Not Recvd														
801145		Not Recvd														
801146		Not Recvd														
801147		Not Recvd														
801148		Not Recvd														
801149		Not Recvd														
801150		Not Recvd														



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - B

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 3-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08098338

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
801141																
801142																
801143																
801144																
801145																
801146																
801147																
801148																
801149																
801150																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - C

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 3-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08098338

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
801141																
801142																
801143																
801144																
801145																
801146																
801147																
801148																
801149																
801150																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - D

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 3-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08098338

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.1	1	0.1	0.1	2	0.5
801141 801142 801143 801144 801145								
801146 801147 801148 801149 801150								



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 3-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08098338

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

INVOICE NUMBER 1773249

BILLING INFORMATION	
Certificate:	SD08100845
Sample Type:	Rock
Account:	RLH
Date:	7-AUG-2008
Project:	661 <i>Shiple</i>
P.O. No.:	085912
Quote:	ALSC-CE07-048-RLH
Terms:	Net 30 Days
Comments:	C1

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
6	PREP-31	Crush, Split, Pulverize	6.00	36.00
5.16	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.60	3.10
1	LOG-24	Pulp Login - Rcd w/o Barcode	1.00	1.00
7	PGM-ICP23	Pt, Pd, Au 30g FA ICP	13.00	91.00
7	ME-MS61	48 element four acid ICP-MS	14.00	98.00
7	GEO-4A01	Four Acid Dig - ME-MS61	4.00	28.00

SUBTOTAL (CAD) \$ 257.10

R100938885 GST \$ 12.86

TOTAL PAYABLE (CAD) \$ 269.96

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
Bank: Royal Bank of Canada
SWIFT: ROYCCAT2
Address: Vancouver, BC, CAN
Account: 003-00010-1001098

Please Remit Payments To :

ALS Chemex

212 Brooksbank Avenue
North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 7-AUG-2008

Account: RLH

CERTIFICATE SD08100845

Project: 661

P.O. No.: 085912

This report is for 7 Rock samples submitted to our lab in Sudbury, ON, Canada on 18-JUL-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: ACCOUNTS PAYABLE

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7-AUG-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08100845

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
801044		0.64	0.077	<0.005	0.002	1.81	4.45	222	200	1.6	1.65	0.99	16.4	24.4	81.1	114
801045		0.82	0.007	0.016	0.017	0.04	10.3	4.5	670	0.82	0.1	4.85	0.32	11	45.6	359
801046		0.68	0.052	<0.005	0.001	0.59	4.2	3.4	350	1.74	0.58	0.95	0.27	17.35	34.1	15
801047		1.60	0.011	<0.005	0.001	0.32	0.64	3	310	1.09	0.22	0.95	0.12	3.05	9.3	18
801048		1.04	0.002	0.011	0.008	0.08	7.9	<0.2	80	0.15	0.06	7.03	0.13	6.03	41.2	220
801049		0.06	0.134	0.306	5.31	0.21	5.87	0.6	40	<0.05	0.19	4.86	0.09	2.55	74.5	225
801050		0.38	0.004	<0.005	0.002	<0.01	0.46	0.5	10	<0.05	0.02	0.08	<0.02	9.23	1	20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 7-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08100845

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
Units		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
LOR		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
801044		2.91	1090	20.9	20.7	0.33	2.3	0.781	0.74	11.4	29.9	0.72	2310	4.77	1.1	3.3
801045		5	17	5.81	26.6	0.14	0.8	0.112	1.72	3.8	74.2	0.71	826	2.16	2.16	4
801046		7.34	175.5	19.6	10.5	0.13	2.1	0.049	0.4	7.3	12.7	1.1	3470	2.22	0.05	3.6
801047		1.06	89.7	9.33	3.26	0.12	0.4	0.082	0.09	2.1	4.5	0.85	1360	1.28	0.07	0.7
801048		0.44	77.7	7.51	16.2	0.13	0.5	0.056	0.3	2.1	20.8	4.96	1360	0.26	2.01	1.8
801049		1.06	455	7.88	10.4	0.15	0.2	0.025	0.2	1.2	25	9.49	1425	0.63	0.59	0.2
801050		0.07	6.9	0.46	1.13	<0.05	0.8	<0.005	0.13	4.6	2.8	0.06	54	0.31	0.04	0.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 7-AUG-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08100845

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
801044		105.5	310	76.6	35.6	0.01	>10.0	0.8	12.2	15	2.3	94.6	0.3	2.49	2	0.164
801045		47	510	25.5	68.5	0.006	0.29	0.09	65.5	3	1.1	211	0.3	0.08	0.6	0.706
801046		62.9	370	2.5	21	<0.002	5.45	0.12	6.4	4	0.9	9.2	0.29	0.4	2.2	0.114
801047		17.3	180	4	4.5	0.003	1.07	0.14	1.6	3	1.2	10.5	0.05	0.25	0.4	0.03
801048		134.5	230	1.9	12.2	0.003	0.07	<0.05	39.4	2	0.5	143	0.13	<0.05	0.2	0.432
801049		690	20	4.7	9.5	0.004	0.19	0.74	40.6	2	<0.2	83.6	<0.05	0.44	<0.2	0.103
801050		4.7	20	0.9	4.7	0.002	0.02	0.08	0.6	2	<0.2	5.1	<0.05	<0.05	1.4	0.01



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
 129 FIELDING RD
 LIVELY ON P3Y 1L7

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7-AUG-2008
 Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08100845

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
801044		1.25	0.7	73	0.6	11.1	4540	89
801045		1.1	0.2	384	1.6	20.9	126	27.3
801046		0.7	0.7	46	2.7	12.7	73	78.4
801047		0.14	0.1	10	0.4	5.4	67	13.8
801048		0.06	<0.1	239	0.2	16.6	87	11.4
801049		0.1	<0.1	151	2.7	3	98	6.3
801050		0.12	0.3	4	0.1	0.9	2	30.7



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7-AUG-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08100845

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

COPY

INVOICE NUMBER 1792219

BILLING INFORMATION	
Certificate:	SD08118480
Sample Type:	Rock
Account:	RLH
Date:	18-SEP-2008
Project:	661
P.O. No.:	028638
Quote:	ALSC-CE07-048-RLH
Terms:	Net 30 Days
Comments:	C1

SH

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
70	PREP-31	Crush, Split, Pulverize	6.00	420.00
68.42	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.60	41.05
4	LOG-24	Pulp Login - Rcd w/o Barcode	1.00	4.00
73	PGM-ICP23	Pt, Pd, Au 30g FA ICP	13.00	949.00
1	PGM-ICP23	Pt, Pd, Au 30g FA ICP	13.00	13.00
74	ME-MS61	48 element four acid ICP-MS	14.00	1,036.00
74	GEO-4A01	Four Acid Dig - ME-MS61	4.00	296.00

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: ACCOUNTS PAYABLE
 129 FIELDING RD
 LIVELY ON P3Y 1L7

SUBTOTAL (CAD) \$ 2,759.05
 R100938885 GST \$ 137.95
TOTAL PAYABLE (CAD) \$ 2,897.00

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 18-SEP-2008
Account: RLH

CERTIFICATE SD08118480

Project: 661

P.O. No.: 028638

This report is for 75 Rock samples submitted to our lab in Sudbury, ON, Canada on 21-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: ACCOUNTS PAYABLE
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS CHEMEX

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

129 FIELDING RD
LIVELY ON P3Y 1L7

Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-SEP-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08118480

Sample Description	Method Analyte Units LOR	WEI-21	PGM-HCP23	PGM-HCP23	PGM-HCP23	PGM-HCP23	PGM-HCP23	PGM-HCP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Pt ppm	Pt Check ppm	Pd ppm	Pd Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm
801054		0.80	0.006		<0.005		0.001		0.13	0.33	0.4	10	0.09	0.15	0.28	0.08
801055		0.94	0.017		0.008		0.005		0.21	8.77	<0.2	170	0.99	0.38	5.93	0.52
801056		0.90	0.005		<0.005		0.001		0.17	6.04	0.2	280	0.98	0.37	2.62	0.32
801057		0.92	<0.001		<0.005		0.005		0.03	7.74	<0.2	80	0.34	0.07	7.23	0.13
801058		0.98	0.001		0.009		0.009		0.05	7.74	<0.2	530	0.44	0.11	7.38	0.12
801059		0.94	0.030		<0.005		0.002		0.27	6.5	<0.2	180	0.87	0.5	2.61	0.38
801060		0.70	0.003		<0.005		<0.001		0.08	0.15	0.4	10	0.08	0.06	0.23	0.05
801061		0.90	<0.001		<0.005		<0.001		0.01	5.1	<0.2	30	0.28	0.25	5.65	0.05
801062		0.80	0.013		<0.005		<0.001		0.21	5.96	<0.2	170	1.04	0.26	5.06	0.43
801063		0.96	<0.001		<0.005		<0.001		<0.01	6.16	<0.2	160	1.67	0.45	0.34	0.02
801064		0.54	<0.001		<0.005		<0.001		<0.01	1.27	<0.2	10	0.06	0.02	0.97	0.02
801065		0.56	0.015		<0.005		0.003		0.17	5.48	<0.2	60	0.93	0.27	5.31	0.41
801066		0.82	0.034		<0.005		0.001		0.16	0.2	<0.2	<10	0.57	0.22	1.46	0.15
801067		0.82	0.008		0.011		0.007		0.24	8.54	<0.2	250	1.02	0.36	5.75	0.26
801068		1.08	0.023		<0.005		0.001		0.43	2.74	<0.2	40	0.77	0.45	1.77	0.42
801069		0.90	0.025		<0.005		0.012		0.49	5.12	3.3	180	0.64	1.7	0.73	0.3
801070		0.68	0.003		0.013		0.001		0.55	4.9	<0.2	80	1.01	1.02	4.98	0.32
801071		1.00	0.002		0.011		0.005		0.13	7.29	<0.2	110	0.52	0.17	6.18	0.21
801072		0.82	0.007		<0.005		0.001		0.33	7.76	1.2	360	0.84	0.8	3.63	0.88
801073		2.26	0.046		<0.005		0.002		0.87	2.7	<0.2	80	0.87	0.6	2.78	0.47
801074		1.56	0.021		0.006		0.004		0.15	6.85	<0.2	150	1.21	0.23	5.44	0.41
801075		0.84	0.049		<0.005		<0.001		0.17	0.23	1	20	0.53	0.12	0.9	0.31
801076		0.68	0.001		0.010		0.011		0.03	8.06	<0.2	370	0.41	0.11	7.1	0.14
801077		0.86	<0.001		0.010		0.010		0.03	7.49	<0.2	160	0.37	0.08	6.23	0.22
801078		1.22	<0.001		0.005		0.006		0.04	7.41	0.6	80	0.64	0.33	6.06	0.14
801079		1.68	0.001		<0.005		<0.001		0.01	7.5	0.3	860	0.62	0.06	1.87	0.09
801080		0.92	<0.001		0.007		0.007		0.05	6.85	<0.2	120	0.66	0.18	5.92	0.25
801081		1.70	0.001		0.005		0.005		0.07	6.35	<0.2	60	0.53	0.24	6.8	0.21
801082		2.06	<0.001		0.010		0.005		0.06	6.82	0.2	70	0.78	0.46	6.94	0.23
801083		1.66	0.001		<0.005		<0.001		0.04	6.73	0.9	1050	1.48	0.02	1.01	0.04
801084		0.06	0.118		0.316		5.08		0.2	5.62	6.3	40	0.11	0.16	4.72	0.08
801085		0.34	<0.001		<0.005		0.001		0.05	0.62	51.7	10	0.12	0.05	0.16	<0.02
801086		0.82	0.022		<0.005		<0.001		0.04	0.11	44.3	260	0.28	0.05	0.09	0.03
801087		1.02	0.123		<0.005		<0.001		0.05	0.11	8	80	0.41	0.08	0.26	0.07
801088		1.42	0.021		<0.005		<0.001		0.06	0.04	34.5	430	0.31	0.06	0.63	0.1
801089		0.66	0.008		<0.005		<0.001		0.05	0.1	11.1	110	0.41	0.06	0.16	0.15
801090		1.18	0.008		<0.005		0.001		0.12	0.43	5.9	90	1.52	0.17	1.52	0.14
801091		0.72	0.001		<0.005		<0.001		0.08	0.04	3.8	70	1.33	0.06	0.24	0.07
801092		0.68	0.001		<0.005		<0.001		0.08	0.05	6.6	60	1.05	0.11	0.21	0.08
801093		1.20	1.130		<0.005		<0.001		0.25	2.35	0.5	70	0.25	0.12	1.52	0.11



ALS CHEMEX

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

U. WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 2 - 5
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-SEP-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08118480

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm
		0.01	0.1	1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5
801054		2.38	10.4	14	0.08	57.7	3.63	1.35	0.1	0.1	0.018	0.04	1.2	2.2	0.2	262
801055		11.85	14.6	183	1.11	65.7	20.5	14.9	0.33	1	0.076	0.51	5.9	15.4	1.9	8290
801056		16.65	11.9	17	4.06	185	8.59	15.2	0.19	1.1	0.048	0.98	8.5	32	0.61	782
801057		8.3	47.2	251	0.85	24.4	8.43	16.65	0.18	0.7	0.073	0.41	2.9	11.7	4.49	1700
801058		10.5	41.2	293	0.78	22.3	6.75	16.75	0.16	0.6	0.067	0.66	3.9	22.3	2.97	1615
801059		15.6	26	14	1.7	393	10.55	16.05	0.21	0.9	0.067	0.7	8.3	16.7	0.5	810
801060		1.35	5.2	12	0.05	42.2	2.58	0.63	0.09	<0.1	0.005	0.01	0.7	0.8	0.13	210
801061		26.5	1.7	25	0.05	17.8	2.91	13.85	0.13	2.1	0.103	0.11	12.6	6.3	0.16	270
801062		9.38	15.1	159	2.43	94.1	19.8	13.45	0.35	1	0.061	0.25	4.4	12.5	2.07	10750
801063		18.5	0.3	5	0.8	4.1	0.62	19.6	0.11	2.5	0.024	2.66	5.7	6.3	0.04	369
801064		2.25	15.1	14	0.1	2.8	1.95	3.24	0.09	0.1	0.01	0.02	1.2	10	0.4	314
801065		10.2	38.9	127	2.79	113.5	20.5	12.9	0.35	0.6	0.066	0.26	4.8	9.6	2.08	9490
801066		2.95	8.1	20	0.28	106.5	14.9	1.21	0.22	<0.1	0.046	0.01	1.4	0.4	1.23	1250
801067		10.2	28.9	277	4.81	67.4	15.15	18.1	0.27	0.8	0.058	0.64	4.7	20	1.44	6590
801068		11.65	14	21	1.03	188	14.7	6.46	0.23	0.9	0.056	0.09	6.2	6.2	0.98	8380
801069		19.3	628	37	0.98	427	20.3	13.15	0.34	1.7	0.03	0.6	9.6	36.1	0.73	3100
801070		11.25	19.8	121	1.26	797	22.1	10.9	0.37	0.3	0.099	0.27	5.4	9	1.53	8740
801071		8.1	38.7	178	0.36	23.1	14.1	15.7	0.23	0.7	0.066	0.36	3.5	17.3	2.18	5590
801072		20	32.4	137	3.7	179.5	8.09	21.1	0.2	0.9	0.299	1.7	9.6	79.8	2.07	1700
801073		7.91	13.4	77	0.74	1050	20.7	6.66	0.33	0.4	0.055	0.15	4.1	4.5	1.16	4380
801074		10.85	18.2	189	1.55	72.4	17.95	15.25	0.3	0.9	0.066	0.47	5	13.3	1.65	8000
801075		7.06	3.7	19	0.51	55.2	11.75	1.41	0.19	0.1	0.034	0.03	3.8	0.6	1.08	1840
801076		11.65	47.9	333	5.5	42.1	8.29	18.05	0.18	0.6	0.077	0.79	4.6	33.9	3.49	2130
801077		9.9	51.9	352	0.91	6.6	8.18	18.35	0.2	0.7	0.073	0.67	3.8	14.1	3.84	1790
801078		7.57	34.4	208	0.22	28.3	12	15.2	0.19	0.6	0.052	0.31	3.2	24	2.34	4060
801079		38.3	14.9	66	1.72	7.8	3.6	17.25	0.14	2.3	0.028	2.03	17.7	31.9	1.43	839
801080		7.04	32.1	171	0.45	32.1	15.05	14.2	0.24	0.8	0.065	0.36	2.9	17.3	2.4	7150
801081		6.74	40.7	157	0.55	62.5	16.85	14.25	0.29	0.8	0.063	0.33	2.7	12.6	2.48	7070
801082		8.6	31	178	0.14	39.4	15.25	14.5	0.14	0.6	0.061	0.36	3.8	13.5	2.46	7020
801083		35.5	1.8	15	0.77	15	1.05	15.1	0.07	2.8	0.016	1.22	16.6	7.3	0.06	225
801084		2.58	83.1	278	1.05	466	7.89	11.2	0.13	0.1	0.026	0.19	1.1	24.3	9.23	1415
801085		8.21	1.3	19	0.05	3.3	0.56	1.41	<0.05	0.7	<0.005	0.15	4	0.6	0.07	153
801086		2.78	3.1	18	1.02	10.4	4.02	0.71	0.08	<0.1	0.006	0.03	1.3	0.3	0.21	560
801087		1.52	2.8	8	0.72	23.8	7.45	0.93	0.09	<0.1	0.011	0.03	0.9	0.5	0.67	1320
801088		3.07	2.1	8	0.08	4.7	15.2	0.8	0.17	<0.1	0.009	0.02	1.7	<0.2	0.94	2170
801089		1.81	3.2	10	0.63	13.4	15.25	0.92	0.15	<0.1	0.023	0.01	1.3	0.5	1.21	3170
801090		2	5.2	10	0.44	17.7	13.5	1.93	0.15	0.1	0.071	0.03	1.2	0.6	1.28	2720
801091		3.05	5.2	10	0.7	37.8	17	0.72	0.16	<0.1	0.011	0.02	1.9	0.2	0.82	957
801092		6.71	3.8	4	0.33	21	15	0.7	0.15	0.1	0.011	0.02	3.7	0.4	0.79	1780
801093		4.5	18.2	15	2.33	118.5	10.85	8.95	0.14	0.1	0.05	0.1	1.9	6.4	0.96	854



Project: 661

CERTIFICATE OF ANALYSIS SD08118480

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
	Units LOR	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
801054		0.46	0.05	0.3	15.3	40	0.8	1.1	<0.002	1.39	<0.05	1.1	2	0.2	3	<0.05
801055		1.49	0.91	1.9	38	280	7.3	19.5	0.002	2.32	0.14	37.8	2	0.6	78.4	0.12
801058		0.73	0.98	2.6	24.1	360	20.5	57.3	<0.002	2.92	<0.05	5	3	0.8	121.5	0.2
801057		0.72	1.83	2.5	133.5	310	3	9.9	<0.002	0.04	<0.05	42.8	2	0.5	133.5	0.17
801058		5.8	1.38	2.9	84.6	340	2.5	29.1	0.002	0.04	0.08	47.8	2	0.6	123.5	0.2
801059		0.62	1.69	2.6	36.2	280	10.4	36.7	<0.002	4.41	<0.05	5.6	3	0.6	187	0.23
801080		0.26	0.02	0.2	8.9	20	0.5	0.6	<0.002	1.02	<0.05	0.7	2	<0.2	3.3	<0.05
801061		0.11	0.21	3.2	4.4	410	6.8	3.3	<0.002	0.03	<0.05	5.5	2	1.2	1230	0.23
801082		0.41	0.76	1.7	51.2	220	3.7	14.1	<0.002	2.8	0.12	30.3	2	0.5	96.8	0.11
801063		0.17	2.83	14.2	1.1	70	8.9	112.5	<0.002	0.01	<0.05	2.3	1	3	23.2	2.25
801064		0.12	0.04	0.3	12.1	30	0.9	0.9	<0.002	0.04	<0.05	0.9	2	0.2	171.5	<0.05
801065		0.95	0.44	1.9	44.4	220	3.5	12	<0.002	3.71	0.09	28.1	3	0.7	68.1	0.13
801066		0.5	0.03	0.2	25.4	180	0.9	0.7	<0.002	2.46	<0.05	0.6	2	0.4	14	<0.05
801067		0.43	1.38	2.3	68.9	240	5.2	47.6	<0.002	2.34	0.07	37	3	0.8	159.5	0.14
801068		6.04	0.16	1.3	29.3	210	2.8	4.6	0.002	3.28	<0.05	2.8	3	0.8	18.9	0.11
801069		1.05	1.25	2.6	110	130	14.2	34.6	0.002	>10.0	0.08	11.1	5	0.5	80.3	0.24
801070		0.52	0.35	1.6	118	190	6.1	9.6	<0.002	5.96	0.11	25.1	4	0.8	80.5	0.1
801071		1.1	1.12	1.9	114.5	220	2.4	13.9	<0.002	0.49	0.05	37.2	2	0.6	138.5	0.12
801072		1.47	0.49	3.7	60.7	430	19.6	99.4	0.002	2.76	0.06	29.6	6	3.7	145	0.27
801073		0.75	0.23	1.3	54.4	180	4.2	4.6	<0.002	6.17	0.07	10.9	3	0.4	65.9	0.08
801074		1.36	0.88	1.9	40.7	250	5.1	18	0.002	2.38	0.08	33.8	2	0.6	82.9	0.12
801075		0.6	0.02	0.4	9.7	200	2.9	1.7	<0.002	1.65	<0.05	0.7	2	0.4	7.8	<0.05
801076		0.62	1.6	3	98.7	350	5.2	67.7	<0.002	0.08	<0.05	55.5	1	0.7	111.5	0.2
801077		1.96	1.96	2.7	108	300	5.3	28.1	<0.002	0.13	<0.05	45.7	2	0.7	127.5	0.18
801078		0.54	1.61	1.8	114.5	180	2.8	9.4	<0.002	0.21	0.05	36.8	2	0.5	141	0.11
801079		0.75	1.99	4.6	43.1	500	3.9	98.6	<0.002	0.04	<0.05	12.1	1	1	233	0.44
801080		0.32	0.89	1.8	99.7	210	2.8	20.4	<0.002	0.56	0.07	32.9	2	0.6	106	0.11
801081		0.19	0.88	1.7	104	200	2.5	13.6	<0.002	1.17	<0.05	33.8	2	0.6	73.1	0.11
801082		0.51	0.84	1.7	106.5	220	2.6	6.2	<0.002	0.57	0.06	39.9	2	0.5	103	0.11
801083		0.32	3.54	7.4	2.7	50	19.3	43.7	<0.002	0.2	<0.05	2.5	2	1.2	158.5	1.08
801084		0.75	0.57	0.3	669	20	5.5	9.6	<0.002	0.19	1.21	40.6	2	<0.2	87.7	<0.05
801085		0.27	0.07	0.2	5.3	20	1	5.6	<0.002	0.02	1.1	1	<1	<0.2	7.2	<0.05
801086		0.23	0.02	0.2	10.9	100	2	1.7	<0.002	0.19	0.74	0.3	1	<0.2	3	<0.05
801087		0.35	0.01	0.2	6.3	110	3	2.7	<0.002	0.36	0.66	0.9	1	0.3	2.8	<0.05
801088		0.29	0.01	0.2	4.9	280	1.8	0.7	<0.002	0.08	1.22	0.8	1	0.2	6.5	<0.05
801089		0.6	0.01	0.2	6.6	140	3.4	1.2	<0.002	0.05	1.74	0.5	1	0.3	2.5	<0.05
801090		0.69	0.07	0.5	6.4	60	1.2	1.2	<0.002	0.1	0.98	3.6	2	0.6	9.4	<0.05
801091		0.43	0.01	0.2	13.9	340	2.5	0.9	<0.002	0.49	0.11	0.6	2	0.2	5.7	<0.05
801092		0.28	0.01	0.2	10	470	3.2	0.7	<0.002	0.45	0.17	0.5	2	0.2	5.7	<0.05
801093		1.62	0.17	0.2	25.1	670	9.2	5	<0.002	1.45	0.07	6.3	4	0.4	35.6	<0.05



Project: 661

CERTIFICATE OF ANALYSIS SD08118480

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
Units		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2	0.5
801054		0.23	0.2	0.009	<0.02	0.2	5	0.7	1.8	42	4.6
801055		0.17	0.3	0.39	0.21	0.3	215	0.5	23.8	242	32.2
801056		0.3	1.3	0.167	0.71	0.4	38	0.9	5.5	193	40.5
801057		<0.05	0.3	0.503	0.08	0.1	252	0.6	20.4	110	15.2
801058		<0.05	0.4	0.475	0.23	0.1	251	1	21.8	111	13.3
801059		0.27	1.7	0.16	0.29	0.5	36	0.2	4.7	144	33.1
801060		0.05	<0.2	0.007	<0.02	0.1	4	0.1	1	20	2.2
801061		<0.05	3.3	0.169	0.03	1	49	0.2	5.9	10	69.7
801062		0.17	0.2	0.354	0.17	0.2	185	1.5	18.3	163	31.8
801063		<0.05	5.1	0.008	0.48	3.1	1	0.6	10.4	19	35.2
801064		<0.05	0.2	0.015	<0.02	0.1	15	0.1	0.9	14	3.5
801065		0.25	0.3	0.347	0.18	0.2	170	1.1	18.8	182	23.3
801066		0.23	<0.2	<0.005	<0.02	<0.1	7	0.2	4.4	118	1.3
801067		0.25	0.3	0.425	0.31	0.6	235	0.3	18.5	120	22.2
801068		0.32	0.9	0.062	0.07	0.3	17	0.3	7.8	130	30.9
801069		0.45	2.2	0.136	0.32	0.6	60	0.4	8.3	226	44.3
801070		0.23	0.3	0.303	0.12	0.2	153	0.7	18.3	161	6.7
801071		0.2	0.3	0.413	0.13	0.1	228	0.7	17.1	121	17.5
801072		1	1.3	0.488	1.31	0.4	205	0.8	16.3	752	27.8
801073		0.44	0.3	0.145	0.05	0.3	72	0.4	9.1	231	15.2
801074		0.18	0.3	0.402	0.22	0.3	219	0.4	19.1	174	28.1
801075		0.14	<0.2	0.009	0.02	0.1	5	0.1	4.7	172	4.1
801076		<0.05	0.4	0.491	0.47	0.1	270	0.7	22.2	123	11
801077		<0.05	0.4	0.447	0.15	0.1	236	1.1	19.4	173	16.3
801078		<0.05	0.3	0.381	0.08	0.3	207	0.4	15.6	93	14.6
801079		<0.05	4.5	0.226	0.75	1.1	65	0.4	9	69	81.1
801080		0.09	0.3	0.401	0.17	0.1	212	0.4	15.9	116	22.3
801081		<0.05	0.2	0.37	0.11	0.1	195	0.4	16.9	132	21
801082		0.05	0.2	0.406	0.07	0.2	221	0.4	17	96	12.3
801083		<0.05	11.4	0.027	0.25	4.3	2	0.4	8.9	21	65.3
801084		0.37	<0.2	0.1	0.08	<0.1	151	7.3	3.2	94	6.3
801085		<0.05	1.2	0.014	0.12	0.3	7	0.5	1	4	27.5
801086		<0.05	<0.2	<0.005	<0.02	0.1	3	0.5	1.3	17	1.4
801087		0.11	<0.2	0.005	<0.02	<0.1	7	0.2	2.1	43	2.4
801088		0.1	<0.2	<0.005	<0.02	<0.1	5	0.3	1.5	66	0.7
801089		0.07	<0.2	<0.005	<0.02	<0.1	6	0.3	1.9	70	1.5
801090		0.19	<0.2	0.015	<0.02	<0.1	18	2.2	5.8	90	5.8
801091		0.07	<0.2	<0.005	<0.02	0.1	8	0.6	3.4	40	0.9
801092		0.08	<0.2	<0.005	<0.02	0.1	7	0.5	6	58	4.9
801093		0.35	<0.2	0.01	0.1	<0.1	76	0.4	5.9	110	3



ALS CHEMEX

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

129 FIELDING RD
LIVELY ON P3Y 1L7

Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-SEP-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08118480

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Au Check ppm	Pt ppm	Pt Check ppm	Pd ppm	Pd Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm
801084		1.12	0.244		<0.005		0.001		0.45	0.11	3.3	30	0.63	0.15	0.33	0.13
801095		0.72	0.042		<0.005		<0.001		0.48	2.31	17.3	160	0.98	0.26	0.46	0.29
801096		0.80	0.006		<0.005		0.002		0.4	0.55	3.8	60	0.73	0.13	0.73	0.37
801097		0.68	0.002		<0.005		0.001		0.11	5.85	0.3	690	5.13	0.14	5.84	0.24
801098		0.64	0.001		<0.005		0.012		0.05	7.08	<0.2	60	0.2	0.04	6.93	0.13
801099		0.76	0.003		0.008		0.012		0.14	3.54	8	300	1.05	0.3	10.6	0.32
801100		1.70	<0.001		<0.005		0.003		0.02	7.28	2.1	610	1.39	0.05	4.18	0.11
801137		0.46	<0.001		<0.005		0.001		<0.01	0.43	0.3	10	0.08	0.02	0.05	<0.02
801138		0.08	0.112		0.320		5.04		0.2	5.51	<0.2	30	0.07	0.13	4.65	0.08
801142		1.12	0.049		<0.005		0.002		1.64	4.56	82.3	140	1.77	1.02	0.96	0.72
801143		1.24	0.010		<0.005		0.002		0.17	0.19	2.5	10	0.68	0.08	0.82	0.19
801144		1.04	0.002		<0.005		0.003		0.03	7.01	1.1	660	1.37	0.05	4.1	0.09
801145		0.94	0.001		<0.005		0.001		0.32	6.53	9.2	2530	4.67	0.09	2.23	1.62
801146		1.30	0.049		<0.005		0.002		0.97	4.71	1.4	310	3.02	0.98	0.92	3.36
801147		1.18	0.203		0.013		<0.001		0.34	0.95	5.9	30	0.19	0.24	0.97	0.49
801148		0.74	0.036		<0.005		<0.001		1.44	0.51	102	40	1.34	1.72	0.86	26.8
801149		1.22	0.003		<0.005		<0.001		0.09	6.5	0.5	3490	6.37	0.05	2.59	0.41
801150		0.88	0.013		<0.005		0.007		0.1	7.2	44.5	1800	2.71	0.11	4.97	0.36
801151		1.06	0.011		<0.005		0.001		0.39	0.25	96.7	30	1.73	0.08	2.15	0.2
801152		0.82	0.088	0.066	0.012	<0.005	0.002	0.010	0.99	2	65.2	180	0.72	0.48	1	1.22
801153		0.88	0.222		<0.005		<0.001		0.8	1.26	47.8	230	0.78	0.48	0.58	0.15
801154		0.88	0.922		<0.005		0.001		0.56	0.33	609	40	0.56	0.19	1.31	0.09
801155		0.60	0.016		<0.005		0.001		0.45	0.05	8.2	20	0.58	0.16	0.31	11.1
801156		0.54	0.005		<0.005		<0.001		0.01	0.41	2.1	10	0.09	0.01	0.02	0.05
801157		0.08	0.094		0.251		4.95		0.18	5.78	1.6	40	0.14	0.26	4.88	0.08
801158		1.16	0.001		<0.005		0.003		0.04	8.34	1.7	500	0.58	0.08	6.68	0.33
801159		Not Recvd														
801160		0.82	0.001		<0.005		<0.001		0.01	8	0.8	220	1.07	0.09	5.57	0.09
801161		1.28	0.010		<0.005		0.001		0.22	1.88	1.4	70	1.25	0.24	3.35	0.5
801162		1.28	0.002		<0.005		0.001		0.05	6.47	0.8	350	1.54	0.05	5.01	0.07
801163		1.20	<0.001		<0.005		0.002		0.04	7.32	0.2	90	0.44	0.05	8.01	0.16
801164		0.84	0.003		<0.005		0.006		0.06	7.81	<0.2	240	0.35	0.08	5.27	0.09
801165		1.08	0.004		<0.005		<0.001		0.01	6.4	0.6	310	1.07	0.03	5.33	0.14
801166		0.50	0.011		<0.005		0.001		0.01	0.29	0.3	10	0.05	0.02	0.05	<0.02
801167		0.08	0.154		0.292		4.87		0.19	5.85	0.9	40	0.06	0.14	4.85	0.08

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 3 - 5
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-SEP-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08118480

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Ce	Co	Cr	Cs	Cu	Fe	Ge	Ge	Hf	In	K	La	Li	Mg	Mn
Units		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm
LOR		0.01	0.1	1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5
801084		7.08	9.4	8	0.72	119	19.5	0.91	0.17	<0.1	0.054	0.03	3.7	0.4	0.91	2470
801085		18.7	25.1	9	3.98	332	13.4	7.51	0.18	1.4	0.097	0.23	9.2	19.1	0.8	2200
801086		8.43	30	9	0.48	132	10.1	2.46	0.12	0.2	0.071	0.03	3.7	1.4	0.79	2490
801087		181.5	88.5	4	6.07	340	8.33	15.35	0.23	4	0.068	1.58	100.5	42.5	1.88	2240
801088		5.58	48.5	204	0.64	77.6	7.79	15.25	0.13	0.7	0.056	0.15	2.1	19.9	4.57	1450
801089		27.8	101.5	1870	1.43	162.5	10.8	16	0.18	1.3	0.107	0.5	10.5	16.3	3.89	2870
801100		47.3	25	205	2.36	29.1	4.62	20.1	0.12	3	0.051	0.78	21.8	20.1	2.71	775
801137		9.81	1.1	30	<0.05	3.4	0.41	1.07	<0.05	0.6	<0.005	0.13	5	0.6	0.04	53
801138		2.42	79.9	250	1.01	446	7.87	9.59	0.1	0.2	0.027	0.2	1.1	25.3	9.03	1480
801142		30.9	74.7	124	6.29	1055	14.95	20.3	0.21	2.5	0.044	0.85	14.8	47	1.04	1480
801143		11.25	8.4	18	0.35	111	13.05	1.29	0.12	0.1	0.087	0.03	5.3	0.8	1.2	2280
801144		45	25.9	199	1.71	54.3	4.48	19.85	0.09	2.8	0.05	0.92	19.8	20.3	2.7	757
801145		152.5	40.7	20	7.51	102	9.3	17.2	0.19	3.8	0.187	2.15	83.3	65.7	2.08	2040
801146		21.6	40.1	32	5.41	327	7.72	16.2	0.14	2.3	0.339	1.88	9.3	43.9	0.57	744
801147		13.65	24.7	14	0.43	327	8.84	4.47	0.11	0.3	0.196	0.04	7	5.4	0.85	1340
801148		7.91	117	8	0.29	629	20	4.94	0.31	0.2	1.88	0.03	3.7	2.7	0.92	1240
801149		208	40.1	2	13.45	250	8.23	17.25	0.18	6.3	0.074	1.38	114.5	74.4	1.93	2180
801150		12	48.4	101	3.61	38.2	9.84	17.9	0.12	1.2	0.101	1.73	5.5	29.5	1.97	2150
801151		13.15	20.6	16	0.18	209	7.88	1.56	0.09	0.1	0.06	0.04	8.2	1.6	2.08	4640
801152		20.2	45.5	12	1.79	400	10.45	8.57	0.13	0.9	0.107	0.1	9.8	17	1.05	3350
801153		15.85	21.9	14	4.09	459	14.8	5.2	0.16	0.6	0.053	0.07	7.6	3.1	0.9	502
801154		9.25	27.8	6	0.74	69.6	20.1	1.43	0.19	0.1	0.071	0.03	4.8	0.7	1.6	631
801155		4.35	7.6	2	0.22	62	16.55	0.91	0.15	<0.1	0.077	0.02	2.1	0.3	1.1	2880
801156		7.67	0.7	22	<0.05	3.4	0.5	0.97	<0.05	1	<0.005	0.13	3.9	0.3	0.04	50
801157		2.6	85.6	263	1.09	512	8.16	10.8	0.12	0.2	0.028	0.2	1.2	22.6	9.49	1470
801158		14.1	54.2	189	1.02	52.9	7.4	20.9	0.11	1.1	0.075	1.45	5.9	17	2.84	2440
801159																
801160		47.7	16.2	30	1.41	37.6	5.89	22.7	0.09	3.1	0.056	0.61	21	14	1.17	1735
801161		18.05	11.7	15	0.76	102	16.3	6.94	0.16	1	0.087	0.2	6.2	2.7	2.27	914
801162		62.1	52.1	18	2.3	149	11.4	25.1	0.16	6	0.117	1.4	29.6	29.2	1.96	1520
801163		10.25	43.8	115	0.54	43.1	10.3	22.8	0.11	0.9	0.106	0.44	3.6	14.2	3.53	1625
801164		7.33	42.9	174	0.5	116	7.86	17.65	0.1	0.4	0.081	0.76	2.7	27.1	3.02	1595
801165		46.1	52.3	49	2.53	71.6	10.3	22.7	0.14	4.2	0.104	1	21.1	34.5	2.95	1505
801166		9.59	0.9	28	<0.05	3.6	0.34	0.88	<0.05	0.6	<0.005	0.07	4.6	0.5	0.04	43
801167		2.59	84.2	275	1.07	504	8.12	10.45	0.11	0.2	0.027	0.19	1.2	22	9.46	1480



Project: 661

CERTIFICATE OF ANALYSIS SD08118480

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
		0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05
801094		0.3	0.01	0.3	10.3	730	3.9	1.7	<0.002	1.59	0.53	1	3	0.3	4.1	<0.05
801095		2.62	0.11	2.2	25.7	330	7.8	10.8	0.005	3.27	0.78	3.7	5	1.9	14.6	0.18
801096		2.43	0.02	0.7	28.7	210	7.9	1.1	0.003	2.54	0.32	1.7	4	0.6	8.1	<0.05
801097		1.03	0.37	79.9	65	1580	10.6	88.5	<0.002	1.2	0.07	10.9	3	2.3	167.5	6.09
801098		0.17	1.53	1.6	109.5	210	2.5	5.4	<0.002	0.05	0.07	44.6	2	0.4	88.6	0.12
801099		0.66	0.47	9.1	1040	520	5.5	31.1	0.002	1.61	0.14	40.7	3	1.6	228	0.54
801100		0.11	2.51	4.3	69.6	720	15.3	21.7	<0.002	0.08	0.1	19	2	0.9	879	0.28
801137		0.2	0.05	0.2	11.2	20	1.4	4	<0.002	0.02	0.08	0.4	2	<0.2	4.6	<0.05
801138		0.61	0.54	0.3	670	30	5.4	8.6	<0.002	0.17	0.5	38.8	2	<0.2	78.1	<0.05
801142		4.67	1.04	4	85.1	380	71.2	54	0.006	9.45	1.5	13.2	12	2.9	77.9	0.33
801143		1.05	0.03	0.4	10.4	170	4.4	0.8	<0.002	0.82	0.4	1.5	3	0.6	4	<0.05
801144		0.12	2.58	4	68.6	710	13.2	14.5	<0.002	0.07	0.11	18.6	2	1	647	0.26
801145		1.23	1.71	72.7	42.8	1110	13.9	94.7	0.002	0.55	0.44	11.1	3	5.9	278	5.42
801146		8.27	0.95	4.3	52	360	38.4	84.3	0.018	5.19	1.83	14.6	9	4.1	140	0.35
801147		0.63	0.05	0.6	29.8	100	7.4	1.1	<0.002	3.19	0.33	1.3	7	10.2	7.4	<0.05
801148		17.55	0.03	0.7	109	120	47.1	1	0.035	>10.0	0.83	1.8	37	8	5.3	<0.05
801149		0.46	2.37	69.9	15.9	1810	15.5	75.8	<0.002	0.15	0.25	6.3	2	2.8	921	7.05
801150		0.73	0.72	3	53.4	330	42.7	92	0.002	0.18	2.03	50.1	2	3.1	100.5	0.2
801151		1.38	0.03	0.8	18.6	220	3.1	0.9	0.002	2.22	0.41	1.3	3	0.5	13	<0.05
801152		5.24	0.04	2.1	39.3	330	10.5	5.4	0.007	2.93	0.35	5.2	6	2.9	8.9	0.14
801153		3.96	0.04	1.6	20.9	250	4.5	4.1	0.011	3.6	0.23	2.9	7	0.3	12.1	0.11
801154		0.39	0.03	0.5	8.9	500	2.4	1.1	<0.002	1.13	0.53	1	4	0.3	10.8	<0.05
801155		4.32	0.01	0.2	8.9	400	14.2	0.4	<0.002	1.21	0.6	0.5	2	0.3	1.9	<0.05
801156		0.24	0.07	0.3	1.7	20	1.1	4	<0.002	0.03	0.08	0.3	2	<0.2	3.6	<0.05
801157		0.85	0.58	0.4	723	20	5.9	9.5	<0.002	0.19	0.61	42.5	2	0.2	90.7	0.11
801158		1.05	2.04	2.9	128	390	12	53.8	<0.002	0.04	0.11	43.1	1	0.8	231	0.24
801159																
801160		0.97	1.72	11.1	19	1200	3.6	25.9	<0.002	0.03	0.08	19	2	1.4	361	0.7
801181		1.53	0.11	2.5	14.4	670	3.5	12.1	0.003	1.23	0.07	3.7	3	1.7	27.2	0.21
801182		1.17	1.92	26.6	32.1	1110	3.1	92.2	0.002	0.09	0.11	38.2	2	1.7	282	1.57
801183		0.25	2.01	5.1	59	610	2.1	24.4	<0.002	0.02	0.05	43.9	2	1.1	149	0.37
801184		0.31	2.58	2.5	99.2	270	2.5	29.6	0.002	0.05	0.05	39.3	1	0.8	154.5	0.21
801165		1.07	1.71	23.2	55.4	1130	4.1	75.3	0.002	0.14	0.07	39.6	2	1.5	349	1.35
801166		0.14	0.04	0.3	5	20	0.8	2.4	<0.002	0.01	0.09	0.4	1	<0.2	4.5	<0.05
801167		0.8	0.57	0.4	711	20	6.6	9.5	<0.002	0.18	1.14	40.7	2	<0.2	89.1	0.07



ALS CHEMEX

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 804 984 0221 Fax: 804 984 0218 www.alschemex.com

129 FIELDING RD
LIVELY ON P3Y 1L7

Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-SEP-2008
Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08118480

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Te ppm 0.05	Th ppm 0.2	Ti % 0.005	Tl ppm 0.02	U ppm 0.1	V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5
801094		0.47	<0.2	<0.005	0.02	<0.1	10	0.6	6.4	107	1.7
801095		0.63	1.2	0.066	0.33	0.4	26	0.5	8.6	280	52.6
801096		0.43	0.3	0.023	0.06	0.2	13	0.3	5.2	354	8.9
801097		0.09	8.5	1.825	0.77	2.3	115	4.7	26.1	203	153.5
801098		<0.05	0.3	0.372	0.06	0.1	240	0.2	16.4	90	21.7
801099		0.21	0.8	1.04	0.37	0.2	301	6.4	17.1	344	33.3
801100		<0.05	3.7	0.31	0.28	1	131	0.1	12.8	108	96.3
801137		<0.05	1.3	0.01	0.1	0.2	5	0.1	0.7	<2	16.4
801138		0.39	<0.2	0.098	0.09	<0.1	151	1	2.9	92	5.4
801142		1.48	2.2	0.166	4.02	0.7	78	0.8	13.5	572	89.8
801143		0.22	<0.2	0.007	0.03	0.1	12	0.6	7.1	417	4.4
801144		<0.05	3.7	0.302	0.22	0.7	133	0.2	12.2	78	91.5
801145		0.12	8.7	1.38	1.42	2.3	82	1.8	26.9	1555	157
801146		2.03	3	0.165	3.09	0.9	58	0.9	9.6	1475	77.5
801147		1.16	0.7	0.033	0.07	0.2	14	0.3	4.9	309	8.9
801148		9.07	0.3	0.016	0.2	0.2	17	0.2	5.8	7460	8.2
801149		0.06	11	1.705	0.33	2.8	53	1.8	29	181	243
801150		0.15	0.5	0.563	1.24	0.1	307	3.6	22.7	267	33.7
801151		0.3	0.2	0.015	0.03	0.1	10	0.1	7.3	263	6.9
801152		1.42	1.3	0.059	0.24	0.4	33	0.3	9.9	603	26.9
801153		0.89	0.7	0.05	0.07	0.3	20	0.5	7.7	60	20.4
801154		0.44	0.2	0.014	0.02	0.1	9	0.6	7.2	95	5.1
801155		0.53	<0.2	<0.005	<0.02	0.1	5	0.2	4.4	1165	1.9
801156		<0.05	1.3	0.005	0.08	0.3	3	<0.1	0.8	7	31.9
801157		0.41	0.2	0.1	0.08	<0.1	157	1	3.1	99	6.2
801158		0.08	0.8	0.556	0.59	0.2	280	1.2	21.8	123	33.3
801159											
801160		0.05	1.9	0.536	0.08	0.4	138	0.5	23.4	75	122.5
801161		0.4	1.2	0.066	0.1	0.3	25	1	14	213	36.7
801162		0.05	6	1.355	0.37	1.8	395	0.9	43.4	106	214
801163		0.05	0.5	0.876	0.09	0.1	294	0.7	38.7	119	22.2
801164		0.06	0.2	0.456	0.18	0.1	268	0.6	16.5	70	9.8
801165		<0.05	2.9	1.35	0.38	0.8	369	0.5	33.2	124	151.5
801166		<0.05	1.1	0.01	0.04	0.3	4	<0.1	0.7	<2	17.7
801167		0.41	<0.2	0.098	0.09	<0.1	156	0.9	3	97	6.2



ALS CHEMEX

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

129 FIELDING RD

LIVELY ON P3Y 1L7

Total # Appendix Pages: 1

Finalized Date: 18-SEP-2008

Account: RLH

Project: 661

CERTIFICATE OF ANALYSIS SD08118480

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.