

2.40409


REPORT ON 2008 DIAMOND DRILLING

FOR

AMADOR GOLD CORPATION

THE PATENT GOLD PROPERTY

**SEWELL TOWNSHIP
PORCUPINE MINING DIVISION,
NORTHEASTERN ONTARIO**



February 10, 2009

Charles Hartley, P. Geo.

SUMMARY

The Sewell Property is comprised of optioned mining claims, collectively referred as the "Patent Gold Property". The property consists of a series of 10 contiguous and 1 non-contiguous unpatented mining claims. The contiguous claims contain 84 claim units approximately 2760 hectares and one claim 4209638 is not contiguous and contains 16 units approximately 640 hectares.

This report describes a diamond drilling program on the Sewell "Patents" Property during the spring of 2008.

The diamond drilling program on the Patent's property consisted of four drill holes totalling 1089 metres was completed in May of 2008. The purpose of the program was to follow up the earlier trenching and prospecting indicated that a significant north-south shear structure with silicification and carbonate alteration had returned positive results for gold mineralization.

The drill holes were designed to examine for depth extensions of these shear zones and test for any possible associated gold mineralization.

The diamond drill holes were successful in intersecting a series of strongly alter and sheared chloritized and carbonatized mafic volcanic which contain extensive quartz carbonate veining. The shear zones in some areas exceed 50 metres in width and contain numerous quartz carbonate veins.

Mineralization consists mainly of pyrite within and marginal to the extensive quartz carbonate veining associated with the shearing and alteration.

The analytical results of drill core indicate trace gold values to weakly anomalous 50 to a few hundred ppb gold. However a few erratic samples returned in excess of a gram gold per tonne and one sample returned plus 6000 ppb Au. Results suggest anomalous values in the 100 to 200 ppb Au or higher occur in shears with more intense carbonate alteration with silicification and quartz carbonate veining with higher concentrations of pyrite and/or trace galena and may account for the increase in gold values.

Additional diamond drilling may be warranted to further test these shear zones where possible concentrations of economic gold values may occur.

Additional work will be required to explore the much larger area of the "Patent Agreement" claims. This may include prospecting, geophysical surveys, geological mapping, geochemical soil sampling and possibly more outcrop stripping and channel sampling to better define targets for diamond drilling.

TABLE OF CONTENTS

	Page No.
Summary	
Introduction	1
Location and Access	3
Regional Geology	3
Property Geology	4
Previous work	5
Diamond Drilling and Scope of Work	6
Results and Discussion	7
Conclusions and Recommendations	8
Certificate of Qualifications	9
Bibliography	10

APPENDICES

Appendix A Certificate of Expenditures	11
Appendix B Certificates of analysis	12
Appendix C Diamond drill logs	13

FIGURES

Figure 1	Location map in back of report
Figure 2	Claim map in back of report
Diamond drill hole sections in back of report	
Drill hole location plan in back of report	
Schedule A	List of Mining Claims in back of report

INTRODUCTION

The Sewell Property is comprised of optioned mining claims, collectively referred as the "Patent Gold Property". The property consists of a series of 10 contiguous and 1 non-contiguous unpatented mining claims. The contiguous claims contain 84 claim units approximately 2760 hectares and one claim 4209638 is not contiguous and contains 16 units approximately 640 hectares. This report describes work completed on claims 1236943, 3005387, 3017352 covering approximately 120 hectares in Sewell Township. The claims are registered to F Ross, G Ross, G Windsor, and B Durham and are held under option by Amador Gold Corp. 711 – 675 West Hastings Street, Vancouver, British Columbia.

This report describes a diamond drilling program on the Sewell "Patents" Property during the spring of 2008. The approximate location is given by UTM NAD 83 zone 17 coordinate 5340630N 424590E.

The diamond drilling program on the Patent's property consisted of four drill holes totalling 1089 metres was completed in May of 2008. The diamond drill was mobilized to the property on May 16, 2008 and demobilized on May 31, 2008. The purpose of the program was to follow up the earlier trenching and prospecting programs from 2007. These earlier programs had indicated that a significant north-south shear structure with silicification and carbonate alteration had returned positive results for gold mineralization.

PROPERTY LOCATION AND ACCESS

The Sewell Patent Gold Property held under option by Amador Gold Corp is located approximately 80 kilometres west of Timmins, Ontario (Figure 1). It is comprised of a series 11 unpatented mining claims which contain 84 claim units of in south western section Sewell Township as outlined in schedule "A". The claims are registered to F Ross, G Ross, G Windsor, and B Durham and are held under option by Amador Gold Corp. This report describes work completed on claims 1236943, 3005387, 3017352 covering approximately 120 hectares in Sewell Township. The claims are registered to F. Ross, G Ross et al and are held under option by Amador Gold Corp. 711 – 675 West Hastings Street, Vancouver

The property is readily accessed by motor vehicle from Highway 101 West. The Kenogaming Timber road leads south from highway 101 for approximately 1.5km and then following southwest on a 4x4 truck trail access road for about 3 km to the claim. A series of ATV and 4x4 truck trails off this main gravel road and access trail give further access to the property.

REGIONAL GEOLOGY

The property lies within the Superior Province of Archean basement rocks, in the Eastern Canadian Shield. It is situated in the northeast part of the Swayze Greenstone belt a possible western extension of the Abitibi Greenstone belt.

The region is predominantly underlain by southwest trending metamorphosed (greenschist) volcanics of the Muskego-Reeves Assemblage ranging from ultramafic to felsic in composition. The mafic volcanics are pillow to massive andesitic or basaltic flows. They are the dominant rock type in the area. Ultramafic volcanic flow units and/or intrusive sills trending east-west occurs in the central portion of the property and are intercalated with the mafic volcanics.

The east central portion of the region is underlain by felsic volcanics of the Hanrahan Lake Complex that extend west from Kenogaming Township. The felsic volcanics are comprised of tuffs, lapilli tuffs, agglomerates and intermediate to felsic flows. They form the core of a major northwest plunging antiform fold. A fairly continuous iron formation known as the Nat River iron formation marks the boundary between the felsic volcanics and the mafic volcanics.

In the southwest part of Sewell township metasediments occur. These consist of greywackes and conglomerates. The north of the metasediments the property is underlain by north-south trending ultramafic, mafic and felsic porphyry intrusive units that may be part of a layered complex. These intrusive units are interpreted to be sliced up by a series of northeast trending faults. In the southwest the Kukatash Stock (Biotite hornblende granodiorite) intrudes the volcanics and in the southeast the Kenogamissi Batholith (hornblende and/or biotite bearing granodiorite to tonalite gneiss). Smaller quartz-feldspar and feldspar porphyry intrusive bodies also occur on the property. All the rock types are intruded by late north to north-northwest trending diabase dykes.

The north half of Sewell and Reeves townships is underlain by granitic and hornblende granodioritic rocks.

PROPERTY GEOLOGY

The property lies within the Superior Province of Archean basement rocks, in the Eastern Canadian Shield. It is situated in the northeast part of the Swayze Greenstone belt a possible western extension of the Abitibi Greenstone belt.

The claims area is underlain by early Archean mafic metavolcanics rocks that consist of massive flow, pillow flows, variolitic flow, amygdaloidal flow, brecciated flow, plagioclase-phryic flow, tuff, lapilli tuff, and tuff breccias.

Alteration in the area consists pervasive mid to upper greenschist metamorphism. In the area of mechanical stripping an extensive moderate carbonate alteration zone is noted within a ductile north – south striking shear. The shear contains local extensive 1 to 2 metre wide quartz vein within the central portion of the shear. Weak mineralization observed consists of fine disseminated pyrite and rarely trace galena and is associated with minor fuchsite and often extensive tourmaline typically marginal to the quartz veining.

Gold mineralization within the north Swayze Belt occurs most commonly in mafic volcanics in epigenetic veins within ductile deformation zones associated with carbonatization and/or sericitization usually with disseminated iron sulphides. Tourmaline and green mica may be present locally. In the general area of this project north – south shear structures were observed with significant quartz veining. The veins and shears marginal to the quartz veins were locally noted to contain weak pyrite mineralization and/or trace galena. Visible gold was reported in an earlier prospecting program but was not observed during this project. The large shear structures, the significant alteration, as well as local gold mineralization suggest the structures are favourable and may contain significant gold mineralization.

PREVIOUS WORK

The extent of any previous work in the immediate area of the Patent Gold Property option is not known. However, the original patent claims had not had significant work for many years. But other work in the general area has included geophysical surveys, prospecting, trenching, and diamond drilling. In nearby Keith Twp the Joburke mine produced ½ million tons of ore with an average grade of 0.11 Au oz/ton

Other areas within Sewell Township and the Swayze Greenstone Belt have a long history of exploration and are beyond the scope of this report. The notable exception is the Johnson Wright occurrence in the south western part of Sewell Twp. Mineralization occurs in quartz carbonate veining in sheared and carbonatized mafic volcanic. Associated mineralization includes pyrite, tourmaline, and minor chalcopyrite. Work here in 1987 by Glen Auden Resources has included geophysics, stripping, trenching and diamond drilling.

In 1917 mineralization was reported in south western Sewell twp as quartz veins with associated pyrite, pyrrhotite, chalcopyrite, calcite, and tourmaline and locally with green carbonate, possibly the John Wright occurrence.

The most recent work completed in 2007 by Amador Gold Corp included prospecting, outcrop stripping and channel sampling. This work was recorded in an earlier report.

DIAMOND DRILLING and SCOPE OF WORK

The contract for the diamond drilling was awarded to Forage Orbit from Vald'Or Quebec. The diamond drill was mobilized to the property on May 16, 2008 and demobilized on May 31, 2008.

A diamond drilling program on the Patent's property consisting of four drill holes totalling 1089 metres was completed in May of 2008. The purpose of the program was to follow up the earlier trenching and prospecting programs from 2007. These earlier programs had indicated that the significant north-south shear structure as well as the prospecting and channel sampling had returned positive results for gold mineralization.

The drill holes were designed to examine for depth extensions of these shear zones and test for any possible associated gold mineralization.

Drill holes were located and then surveyed using a hand held GPS unit in UTM coordinates.

All drill core was logged and is stored at facilities of Hastings Management in Timmins, Ontario. Drill core was sawed in half sampled and sent for analyses for gold at Swastika Laboratories in Swastika Ontario. The remaining half has been retained for reference.

Quality control for analyses was monitored by the inserting a series of blanks and standard samples at specified intervals. Also strict security of sample record, shipment and history was maintained at all times

Field work was supervised by G Ross with the assistance of B Lentz. Core logging was completed by geologists either B Lentz or G Sparling. Overall responsibility and supervision was by project geologist C Hartley.

Summary table diamond drilling

Hole No.	Easting	Northing	Azimuth	Dip	Length	Acc length
P-08-01	424589	5340633	120	-45	351	351
P-08-02	424630	5340825	110	-45	231	582
P-08-03	424629	5340534	110	-50	255	837
P-08-04	424524	5340667	120	-45	252	1089
TOTAL						1089 metres

RESULTS AND DISCUSSION

The diamond drill holes intersected a series of typically chloritized and carbonatized mafic volcanics which have been locally intruded by gabbro intrusive. These rocks have been locally strongly sheared and contain extensive quartz veining. Moderate to intense shear zones have been observed to occasionally be in excess of 50 metres and contain numerous quartz and quartz carbonate veins.

Alteration observed consists of moderate to intense chlorite, carbonate and silicification with local moderate fuchsite associated with the shearing. Silicification and carbonate alteration was noted as extensive quartz carbonate veining within the shear zones as well as pervasive carbonate alteration of the mafic volcanics.

Mineralization observed consisted predominantly of pyrite but locally trace pyrrhotite was noted. Pyrite was noted disseminated and/or fracture controlled within chloritized and carbonatized mafic volcanics in trace to 0.5% amounts, but more concentrated within shear zones with more intense alteration where trace to 50% pyrite over narrow widths occurs within and marginal to quartz and quartz carbonate veining. Very rare trace chalcopyrite, galena and/or sphalerite were observed.

The analytical results of the drill core indicate typically trace to 20 ppb gold values to rarely weakly to moderately anomalous 50 to a few hundred ppb gold. However a few erratic samples returned in excess of a gram gold per tonne and one sample returned plus 6000 ppb Au. Results suggest background to weakly anomalous values in the 100 to 200 ppb Au values occur in areas of shearing with more intense carbonate alteration with silicification and quartz carbonate veining with higher concentrations of pyrite and/or trace galena usually along the quartz vein shear contacts or marginal to the quartz veins. Here strong silicification and carbonate alteration possibly with elevated sulphide content may account for the increase in gold values.

Additional diamond drilling may be warranted to locate areas where possible concentrations of economic gold values occur.

Additional work will also be required to explore the much larger area of the "Patent Agreement" claims. This may include prospecting, geophysical surveys, geological mapping, geochemical soil sampling and possibly more outcrop stripping and channel sampling to better define targets for diamond drilling.

CONCLUSION AND RECOMMENDATIONS

A diamond drilling program on the Patent's property consisting of four drill holes totalling 1089 metres was completed in May of 2008. The diamond drill was mobilized to the property on May 16, 2008 and demobilized on May 31, 2008. The purpose of the program was to follow up the earlier trenching and prospecting programs from 2007. These earlier programs had indicated that a significant north-south shear structure with silicification and carbonate alteration had returned positive results for gold mineralization.

The drill holes were designed to examine for depth extensions of these shear zones and test for any possible associated gold mineralization.

The diamond drill holes intersected a series of strongly alter and sheared chloritized and carbonatized mafic volcanics which have been locally intruded by gabbro intrusive. These strongly sheared and altered rocks contain extensive quartz and quartz carbonate veining. Moderate to intense shear zones have been observed to occasionally be in excess of 50 metres in width.

Mineralization consists mainly of pyrite within and marginal to the extensive quartz and quartz carbonate veining associated with the shearing and alteration.

The analytical results of drill core indicate typically trace to 20 ppb gold values and rarely weakly to moderately anomalous 50 to a few hundred ppb gold. However a few erratic samples returned in excess of a gram gold per tonne and one sample returned plus 6000 ppb Au. Results suggest background to weakly anomalous values in the 100 to 200 ppb Au values occur in areas of more intense carbonate alteration with silicification and quartz carbonate veining with higher concentrations of pyrite and/or trace galena usually along the quartz vein shear contacts or marginal to the quartz and quartz carbonate veins. Here strong silicification and carbonate alteration possibly with elevated sulphide content may account for the increase in gold values.

Additional diamond drilling may be warranted to further test these shear zones where possible concentrations of economic gold values may occur.

Additional work will also be required to explore the much larger area of the "Patent Agreement" claims. This may include prospecting, geophysical surveys, geological mapping, geochemical soil sampling and possibly more outcrop stripping and channel sampling to better define targets for diamond drilling.


The approximate total expenditure for this project was \$164 979.77.

CERTIFICATE OF QUALIFICATIONS

I, Charles Hartley, of the City of Timmins, Province of Ontario, do hereby certify that:

- (1) I am a professional Consulting Geologist, residing in Timmins Ontario.
- (2) I hold a B.Sc. degree in Geological Sciences (1977) from St. Francis Xavier University, Antigonish, Nova Scotia and a B.Sc. Degree (1994) in Technology in Environmental Studies from University College of Cape Breton, Sydney, Nova Scotia.
- (3) I am a registered professional geoscientist with the Association of Professional Geoscientists of Ontario. A member of the Canadian Institute of Mining and Metallurgy and the Prospectors and Developers Association of Canada.
- (4) This report is based on supervision of the diamond drill program, previous work, as well as examination of geological reports of Sewell Township and Northern Swayze Greenstone Belt, and assessment reports.
- (5) I have no personal interest in the property covered by this report, either direct or indirect.
- (6) Permission is granted for the use of this report, in whole or in part, for assessment and qualification requirements but not for advertising purposes.

Dated at Timmins, Ontario
February 10, 2009



Charles Hartley P. Geo. B Sc

BIBLIOGRAPHY

- Ayer, J. A. 1995. Precambrian geology, northern Sywayze greenstone belt; Ontario Geological Survey, Report 297, 57p.
- Hartley, C. 2007. Report on Channel Sampling for Amador Gold Corp, The Patent Gold Property Agreement, Claim 3017352, Sewell Township, Porcupine Mining Division, North-eastern, Ontario. Unpublished report.
- Milne, V. G. 1972. Geology of the Kutatush – Sewell Lake area, District of Sudbury; Ontario Division of Mines, GR97, 116p. Accompanied by maps 2230, 2231, scale 1inch to ½ mile.

APPENDIX A CERTIFICATE OF EXPENDITURES

**AMADOR GOLD CORPORATION
711 – 675 WEST HASTINGS ST
VANCOUVER, BRITISH COLUMBIA**

Diamond drilling	1089m @ \$119.37/m	\$129,999.77
Lodging 4 men	\$400 per day x 10 days	\$4 000.00
Supervision	12 days \$600/day	\$7 200.00
Geologist core logging	10 days \$350.00/day	\$3 500.00
Assistant	12 days \$350/day	\$5 250.00
Report Geologist	5 days \$600.00/day	\$3 000.00
Drafting	map prep and plotting	\$1 000.00
Transportation	truck 12 days \$100/day	\$1 200.00
Analyses	544 samples @\$15.00/sample	\$8 160.00
Core saw	5 days @ \$250/day	\$1 250.00
Diamond blades	2 blades @ \$210/blade	\$ 420.00
TOTAL		\$164,979.77

APPENDIX B

CERTIFICATE OF ANALYSIS



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 3

Assay Certificate

8W-1695-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT P-08-02**
Attn: **DAN LARSEN**

Date: **JUL-08-08**

We hereby certify the following Assay of 63 CORE samples submitted JUN-12-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115270	Nil	-
115271	0.01	-
115272	0.01	-
115273	0.02	-
115274	0.01	-
115275	6.19	-
115276	Nil	-
115277	Nil	-
115278	Nil	-
115279	Nil	0.01
115280	Nil	-
115281	Nil	-
115282	Nil	-
115283	Nil	-
115284	Nil	-
115285	0.01	-
115286	0.01	-
115287	Nil	-
115288	Nil	-
115289	0.02	0.01
115290	Nil	-
115291	0.01	-
115292	0.01	-
115293	Nil	-
115294	0.01	-
115295	Nil	-
115296	0.01	-
115297	Nil	-
115298	0.01	-
115299	0.02	0.02

Certified by Denis Cloutier



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 3

Assay Certificate

8W-1695-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT P-08-02**
Attn: **DAN LARSEN**

Date: JUL-08-08

We hereby certify the following Assay of 63 CORE samples submitted JUN-12-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115300	Nil	-
115301	0.02	-
115302	0.02	-
115303	0.07	0.12
115304	0.04	-
115305	0.06	-
115306	Nil	-
115307	Nil	-
115308	Nil	-
115309	Nil	Nil
115310	Nil	-
115311	Nil	-
115312	0.09	-
115313	Nil	-
115314	Nil	-
115315	Nil	-
115316	Nil	-
115317	Nil	-
115318	Nil	-
115319	Nil	Nil
115320	Nil	-
115321	Nil	-
115322	Nil	-
115323	Nil	-
115324	0.01	-
115325	2.27	-
115326	0.01	-
115327	Nil	-
115328	0.02	-
115329	Nil	Nil

Certified by Denis Chretien



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 3 of 3

Assay Certificate

8W-1695-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT P-08-02**
Attn: **DAN LARSEN**

Date: **JUL-08-08**

We hereby certify the following Assay of 63 CORE samples submitted JUN-12-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115330	Nil	-
115331	Nil	-
115332	Nil	-
BLANK	Nil	-
STD OxJ64	2.33	-

Certified by Denis Chaitur



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 3

Assay Certificate

8W-1696-RA1

Company: **AMADOR GOLD CORPORATION**

Date: JUL-08-08

Project: **PATENT P-08-02**

Attn: **DAN LARSEN**

We hereby certify the following Assay of 63 CORE samples submitted JUN-12-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115333	0.02	-
115334	0.01	-
115335	0.01	-
115336	Nil	-
115337	0.01	-
115338	Nil	-
115339	0.02	-
115340	0.01	-
115341	0.01	-
115342	Nil	-
115343	Nil	-
115344	0.01	Nil
115345	Nil	-
115346	Nil	-
115347	Nil	-
115348	0.01	-
115349	Nil	-
115350	Nil	-
115351	0.01	-
115352	0.01	-
115353	Nil	-
115354	0.01	-
115355	Nil	-
115356	Nil	-
115357	0.01	-
115358	Nil	-
115359	Nil	-
115360	Nil	-
115361	0.01	-
115362	0.02	0.01

Certified by Denis Christie



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 3

Assay Certificate

8W-1696-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT P-08-02**
Attn: **DAN LARSEN**

Date: JUL-08-08

We hereby certify the following Assay of 63 CORE samples submitted JUN-12-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115363	0.01	-
115364	Nil	-
115365	Nil	-
115366	0.01	-
115367	0.02	Nil
115368	Nil	-
115369	Nil	-
115370	0.01	-
115371	0.01	-
115372	0.01	-
115373	0.03	0.07
115374	0.02	-
115375	0.26	-
115376	0.01	-
115377	Nil	-
115378	0.01	-
115379	0.02	-
115380	0.01	-
115381	Nil	-
115382	0.01	-
115383	0.01	-
115384	0.03	0.03
115385	0.02	-
115386	Nil	-
115387	0.01	-
115388	Nil	-
115389	0.01	-
115390	0.01	-
115391	0.01	-
115392	0.01	-

Certified by Denis Chotra



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 3 of 3

Assay Certificate

8W-1696-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT P-08-02**
Attn: **DAN LARSEN**

Date: JUL-08-08

We hereby certify the following Assay of 63 CORE samples submitted JUN-12-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115393	0.01	-
115394	0.01	-
115395	Nil	-
BLANK	Nil	-
STD OxJ64	2.37	-

Certified by Denis Chatterjee



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 3

Assay Certificate

8W-1697-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT P-08-02**
Attn: **DAN LARSEN**

Date: **JUL-08-08**

*We hereby certify the following Assay of 66 CORE samples
submitted JUN-12-08 by .*

Sample Number	Au g/tonne	Au Check g/tonne
115396	0.01	-
115397	0.01	-
115398	Nil	-
115399	Nil	-
115400	Nil	-
115401	0.01	-
115402	0.01	-
115403	0.01	-
115404	0.01	-
115405	0.01	-
115406	0.01	-
115407	0.01	-
115408	0.01	-
115409	0.03	-
115410	Nil	0.01
115411	0.01	-
115412	Nil	-
115413	0.01	-
115414	Nil	-
115415	Nil	0.01
115416	0.04	-
115417	0.01	-
115418	Nil	-
115419	0.04	-
115420	Nil	Nil
115421	0.01	-
115422	0.01	-
115423	0.01	-
115424	Nil	-
115425	6.19	-

Certified by Denis Charters



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 3

Assay Certificate

8W-1697-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT P-08-02**
Attn: **DAN LARSEN**

Date: JUL-08-08

*We hereby certify the following Assay of 66 CORE samples
submitted JUN-12-08 by .*

Sample Number	Au g/tonne	Au Check g/tonne
115426	0.01	-
115427	0.01	-
115428	0.02	-
115429	0.01	-
115430	Nil	Nil
115431	0.01	-
115432	0.01	-
115433	Nil	-
115434	0.03	0.01
115435	Nil	-
115436	0.01	-
115437	0.01	-
115438	0.02	-
115439	Nil	-
115440	0.01	0.01
115441	0.01	-
115442	Nil	-
115443	Nil	-
115444	0.02	-
115445	Nil	-
115446	Nil	-
115447	Nil	-
115448	0.01	-
115449	Nil	-
115450	Nil	Nil
115451	Nil	-
115452	0.01	-
115453	Nil	-
115454	Nil	-
115455	Nil	-

Certified by Dan Larsen



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 3 of 3

Assay Certificate

8W-1697-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT P-08-02**
Attn: **DAN LARSEN**

Date: **JUL-08-08**

*We hereby certify the following Assay of 66 CORE samples
submitted JUN-12-08 by .*

Sample Number	Au g/tonne	Au Check g/tonne
115456	Nil	-
115457	Nil	-
115458	0.01	-
115459	Nil	-
115460	0.01	-
115461	0.02	-
BLANK	Nil	-
STD OXJ64	2.21	-

Certified by Denis Chantry



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 3

Assay Certificate

8W-1793-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT 08-01**
Attn: **DAN LARSEN**

Date: JUL-22-08

*We hereby certify the following Assay of 63 CORE samples
submitted JUN-27-08 by .*

Sample Number	Au g/tonne	Au Check g/tonne
115094	0.01	-
115095	0.01	-
115096	Nil	-
115097	0.04	-
115098	Nil	-
115099	0.03	-
115100	Nil	-
115101	0.10	0.17
115102	Nil	-
115103	0.01	-
115104	0.08	-
115105	0.01	-
115106	0.10	-
115107	0.90	0.62
115108	0.14	-
115109	0.13	-
115110	0.01	-
115111	0.02	-
115112	Nil	-
115113	0.07	-
115114	0.01	-
115115	0.02	-
115116	Nil	-
115117	0.01	-
115118	Nil	-
115119	Nil	-
115120	Nil	-
115121	0.02	-
115122	Nil	-
115123	0.02	-

Certified by Denis Clark



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 3

Assay Certificate

8W-1793-RA1

Company: **AMADOR GOLD CORPORATION**

Date: JUL-22-08

Project: PATENT 08-01

Attn: DAN LARSEN

We hereby certify the following Assay of 63 CORE samples submitted JUN-27-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115124	0.02	-
115125	6.24	-
115126	Nil	-
115127	Nil	-
115128	0.02	0.01
115129	0.04	-
115130	0.03	-
115131	0.04	-
115132	0.04	0.07
115133	0.03	-
115134	0.03	-
115135	0.02	-
115136	0.01	-
115137	0.02	-
115138	0.01	-
115139	0.02	-
115140	0.01	-
115141	0.02	-
115142	0.01	-
115143	0.01	-
115144	Nil	-
115145	Nil	-
115146	0.01	-
115147	Nil	0.01
115148	0.01	-
115149	Nil	-
115150	Nil	-
115151	0.01	-
115152	Nil	-
115153	Nil	-

Certified by Denis Chastey



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 3 of 3

Assay Certificate

8W-1793-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT 08-01**
Attn: **DAN LARSEN**

Date: JUL-22-08

We hereby certify the following Assay of 63 CORE samples
submitted JUN-27-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115154	Nil	-
115155	Nil	-
115156	Nil	-
BLANK	Nil	-
STD OxJ64	2.36	-

Certified by Denis Chater



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 3

Assay Certificate

8W-1794-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT 08-01**
Attn: **DAN LARSEN**

Date: JUL-22-08

We hereby certify the following Assay of 62 CORE samples submitted JUN-27-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115157	0.01	-
115158	0.01	-
115159	Ni 1	-
115160	0.01	-
115161	0.01	-
115162	Ni 1	-
115163	0.01	-
115164	0.01	-
115165	0.01	Ni 1
115166	Ni 1	-
115167	0.01	-
115168	0.01	-
115169	0.01	-
115170	0.01	-
115171	0.01	0.01
115172	0.01	-
115173	Ni 1	-
115174	0.01	-
115175	2.28	-
115176	0.01	-
115177	0.01	-
115178	0.01	0.01
115179	0.01	-
115180 MISSING	-	-
115181	0.01	-
115182	Ni 1	-
115183	0.01	-
115184	0.01	-
115185	0.01	-
115186	0.01	-

Certified by Dan Larsen



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 3

Assay Certificate

8W-1794-RA1

Company: **AMADOR GOLD CORPORATION**

Date: JUL-22-08

Project: **PATENT 08-01**

Attn: **DAN LARSEN**

We hereby certify the following Assay of 62 CORE samples submitted JUN-27-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115187	0.01	-
115188	0.01	0.01
115189	0.02	-
115190	0.01	-
115191	0.06	-
115192	0.02	0.03
115193	0.03	-
115194	0.02	-
115195	0.02	-
115196	0.01	-
115197	0.01	-
115198	Ni1	-
115199	0.01	-
115200	Ni1	-
115201	0.02	-
115202	0.01	-
115203	0.01	-
115204	0.01	-
115205	0.01	-
115206	0.02	-
115207	0.01	-
115208	0.01	-
115209	0.01	-
115210	0.01	-
115211	0.01	-
115212	0.01	-
115213	0.01	-
115214	0.01	-
115215	0.01	-
115216	Ni1	-

Certified by Dennis Chiatre



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 3 of 3

Assay Certificate

8W-1794-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT 08-01**
Attn: **DAN LARSEN**

Date: JUL-22-08

*We hereby certify the following Assay of 62 CORE samples
submitted JUN-27-08 by .*

Sample Number	Au g/tonne	Au Check g/tonne
115217	0.01	-
115218	0.01	-
115219	0.01	-
BLANK	Nil	-
STD OxJ64	2.50	-

Certified by *Denis Chastre*



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

Assay Certificate

8W-1795-RA1

Company: **AMADOR GOLD CORPORATION**
Project: **PATENT 08-01**
Attn: **DAN LARSEN**

Date: **JUL-24-08**

*We hereby certify the following Assay of 50 CORE samples
submitted JUN-27-08 by .*

Sample Number	Au g/tonne	Au Check g/tonne
115220	0.01	-
115221	Ni 1	-
115222	Ni 1	Ni 1
115223	Ni 1	-
115224	Ni 1	-
115225	6.21	-
115226	Ni 1	-
115227	0.01	-
115228	0.01	-
115229	0.01	-
115230	Ni 1	-
115231	Ni 1	-
115232	Ni 1	-
115233	Ni 1	-
115234	Ni 1	-
115235	Ni 1	-
115236	Ni 1	-
115237	Ni 1	-
115238	Ni 1	Ni 1
115239	Ni 1	-
115240	Ni 1	-
115241	Ni 1	-
115242	0.01	-
115243	Ni 1	-
115244	Ni 1	-
115245	Ni 1	-
115246	Ni 1	-
115247	Ni 1	-
115248	Ni 1	0.02
115249	Ni 1	-

Certified by Denis Chark



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

Assay Certificate

8W-1795-RA1

Company: **AMADOR GOLD CORPORATION**

Date: JUL-24-08

Project: **PATENT 08-01**

Attn: **DAN LARSEN**

We hereby certify the following Assay of 50 CORE samples submitted JUN-27-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115250	Nil	-
115251	Nil	-
115252	Nil	-
115253	Nil	-
115254	Nil	0.01
115255	Nil	-
115256	Nil	-
115257	0.01	-
115258	0.01	0.01
115259	Nil	-
5260	Nil	-
115261	0.04	-
115262	0.01	-
115263	0.01	-
115264	0.11	-
115265	0.02	0.01
115266	0.10	-
115267	0.04	-
115268	Nil	-
115269	Nil	-
BLANK	Nil	-
STD OxJ64	2.41	-

Certified by Denis Charette



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

Assay Certificate

8W-1858-RA1

Company: **AMADOR GOLD CORP.**
Project: **PATENT 08-03**
Attn: **C.HARTLY**

Date: **JUL-29-08**

We hereby certify the following Assay of 55 CORE samples submitted JUN-30-08 by .

Sample Number	Au g/tonne	Au g/tonne	Check
142151	0.01		-
142152	NIL		-
142153	NIL		-
142154	NIL		-
142155	0.03		-
142156	NIL		-
142157	NIL	NIL	
142158	NIL		-
142159	NIL		-
142160	NIL		-
142161	NIL		-
142162	NIL		-
142163	NIL		-
142164	NIL	NIL	
142165	NIL		-
142166	NIL		-
142167	NIL		-
142168	NIL		-
142169	NIL		-
142170	NIL		-
142171	NIL		-
142172	NIL		-
142173	NIL		-
142174	NIL		-
142175	6.27		-
142176	NIL		-
142177	NIL		-
142178	NIL		-
142179	NIL		-
142180	NIL		-

Certified by Denis Clutru



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

Assay Certificate

8W-1858-RA1

Company: **AMADOR GOLD CORP.**
Project: **PATENT 08-03**
Attn: **C.HARTLY**

Date: **JUL-29-08**

We hereby certify the following Assay of 55 CORE samples submitted JUN-30-08 by .

Sample Number	Au g/tonne	Au g/tonne	Check
142181	NIL	-	
142182	NIL	0.01	
142183	0.02	-	
142184	0.03	-	
142185	NIL	-	
142186	0.04	-	
142187	NIL	-	
142188	NIL	-	
142189	NIL	-	
142190	NIL	-	
142191	NIL	-	
142192	NIL	-	
142193	NIL	-	
142194	NIL	-	
142195	NIL	-	
142196	NIL	-	
142197	0.02	-	
142198	NIL	-	
142199	NIL	-	
142200	NIL	-	
142201	NIL	-	
142202	NIL	-	
142203	NIL	-	
142204	NIL	NIL	
142205	NIL	-	
Blank	NIL	-	
STD OxJ64	2.41	-	

Certified by Dennis Clark



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

Assay Certificate

8W-1859-RA1

Company: **AMADOR GOLD CORP.**
Project: **PATENT 08-03**
Attn: **C.HARTLY**

Date: **JUL-30-08**

We hereby certify the following Assay of 57 CORE samples submitted JUN-30-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115462	0.01	-
115463	MISSING	-
115464	0.01	-
115465	0.01	-
115466	0.01	-
115467	NIL	-
115468	NIL	-
115469	NIL	-
115470	NIL	-
115471	NIL	NIL
115472	0.01	-
115473	NIL	-
115474	NIL	-
115475	NIL	-
115476	0.01	-
115477	0.01	-
115478	0.01	-
115479	0.01	-
115480	0.05	-
115481	0.02	-
115482	0.01	-
115483	0.02	-
115484	NIL	-
115485	0.01	-
115486	0.20	-
115487	0.93	1.06
115488	0.03	-
115489	0.11	-
115490	0.80	0.78
115491	0.72	-

Certified by Denis Chastey



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

Assay Certificate

8W-1859-RA1

Company: **AMADOR GOLD CORP.**
Project: **PATENT 08-03**
Attn: **C.HARTLY**

Date: **JUL-30-08**

We hereby certify the following Assay of 57 CORE samples submitted JUN-30-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
115492	0.23	-
115493	0.73	0.64
115494	0.21	-
115495	0.16	-
115496	0.01	-
115497	0.01	-
115498	NIL	-
115499	NIL	-
115500	NIL	-
142206	NIL	-
142207	NIL	-
142208	NIL	-
142209	NIL	-
142210	0.01	-
142211	0.04	0.06
142212	0.07	-
142213	NIL	-
142214	0.03	-
142215	0.02	-
142216	0.02	-
142217	0.02	-
142218	0.03	-
142219	0.04	-
142220	0.03	-
142221	0.09	-
142222	0.03	-
142223	0.04	0.07
142224	0.05	-
Blank	0.01	-
STD OxJ64	2.22	-

Certified by Denis Chrost



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 3

Assay Certificate

8W-1860-RA1

Company: **AMADOR GOLD CORP.**
Project: **PATENT 08-03**
Attn: **C.HARTLY**

Date: **JUL-31-08**

We hereby certify the following Assay of 68 CORE samples submitted JUN-30-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
142225	2.20	-
142226	0.12	-
142227	0.19	0.16
142228	0.10	-
142229	0.03	-
142230	0.04	-
142231	0.02	-
142232	2.00	2.19
142233	0.03	-
142234	NIL	-
142235	0.01	-
142236	0.10	-
142237	0.62	0.55
142238	0.01	-
142239	0.02	-
142240	0.01	-
142241	0.01	-
142242	0.01	-
142243	0.01	-
142244	NIL	-
142245	0.01	-
142246	0.01	-
142247	0.02	0.01
142248	0.01	-
142249	NIL	-
142250	0.01	-
142251	0.01	-
142252	0.01	-
142253	0.01	-
142254	0.01	-

Certified by Denis Chate



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 3

Assay Certificate

8W-1860-RA1

Company: **AMADOR GOLD CORP.**

Date: JUL-31-08

Project: **PATENT 08-03**

Attn: **C,HARTLY**

We hereby certify the following Assay of 68 CORE samples submitted JUN-30-08 by .

Sample Number	Au g/tonne	Au Check g/tonne
142255	NIL	-
142256	NIL	-
142257	0.01	-
142258	0.01	-
142259	0.01	NIL
142260	0.01	-
142261	NIL	-
142262	0.01	-
142263	0.01	-
142264	0.01	-
142265	0.05	-
142266	NIL	-
142267	0.01	-
142268	0.01	-
142269	0.02	-
142270	0.02	NIL
142271	0.01	-
142272	0.01	-
142273	0.02	-
142274	0.02	-
142275	2.21	-
142276	0.02	-
142277	0.01	-
142278	0.01	-
142279	NIL	-
142280	0.01	-
142281	0.01	-
142282	0.02	-
142283	0.03	-
142284	NIL	-

Certified by Denis Charty



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 3 of 3

Assay Certificate

8W-1860-RA1

Company: **AMADOR GOLD CORP.**
Project: **PATENT 08-03**
Attn: **C.HARTLY**

Date: JUL-31-08

We hereby certify the following Assay of 68 CORE samples submitted JUN-30-08 by .

Sample Number	Au g/tonne	Au g/tonne	Check
142285	NIL	-	
142286	0.04	0.02	
142287	0.05	-	
142288	0.02	-	
142289	NIL	-	
142290	0.01	-	
142291	0.08	-	
142292	0.04	-	
Blank	NIL	-	
STD OxJ64	2.43	-	

Certified by Dennis Hartly

Appendix C

Diamond Drill Logs

Date: 2 Dec, 2008

AMADOR GOLD CORPORATION

Page: 1 of 9

Northing: 5340633.00
Easting: 424589.00
Elevation: 350.00

Collar Azi.: 120.0
Collar Dip: -45.0

Hole length: 351.00
Units: Metric
Core size: NQ
Grid: N/A

Materials left: Casing
Collar survey: Handheld GPS
DH Survey method: Reflex

Comments: N/A
Logged by: B. Lentz
Date(s) logged: May 19, 2008
Purpose: Exploration
Core storage: Hastings Facility Timmins

DRILL HOLE RECORD

Depth	Azi.	Dip
30	117.7	-43.6
87	118.9	-40.9
140	120.5	-39.5
210	121.9	-38.3
255	122.3	-37.9
300	124.9	-37.5
351	125.8	-37.2

Drill Hole:	P-08-01
Project:	The Patents
Property:	The Patents
Claim:	1236943, 3017352
Northing:	N/A
Easting:	N/A
GPS Northing:	5340633
GPS Easting:	424589
Date Started:	May 17, 2008
Date completed:	May 20, 2008
Drilled by:	Orbit
Sample type:	Cut Core
Analyses:	PM, Au 30g FA, BM
Lab:	Expert
Sample series:	115094-269
Lab report:	8W-1793, 1794, 1795

Township - Sewell

E. Hanley

P-08-01 (continued)

Page: 6 of 9

P-08-01 (continued)

Page: 7 of 9

P-08-01 (continued)

P-08-02 (continued)

Page: 3 of 10

P-08-02 (continued)

From	To	Geology	Sample	From	To	L	Au	Pt	Pd	Ag	Cu	Ni	Zn	Pb	Co	Cu(%)	Ni(%)
(m)	(m)			(m)	(m)	(m)	(m)	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
115.345	115.346	Same as 1-14.5m.	115.345	76.00	77.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.346	115.347	15-20% Quartz carbonate stringers, yellow and pink coloration.	115.346	77.00	78.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.347	115.348	2% White translucent quartz stringers and veins, 10-45° overall stringer orientations.	115.347	78.00	78.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.348	115.349	Finely disseminated and trace cubic pyrite localized within stringers.	115.348	78.50	79.00	.50	10	0	0	0	0	0	0	0	0	0	0
115.349	115.350	78.50-79.50 Quartz vein, 3% epidote alteration localized within the contact zone and stringers, 3-5% black tourmaline localized within 2-5mm stringers, trace sulfides, sharp contacts at 25° tca.	115.349	79.00	79.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.350	115.351	110.80 111.30 Quartz vein, 45cm vein without calcite, 1% black tourmaline localized within stringers 1-2mm, 0.5-1% fine grained pyrite and chalco, sharp contacts at 70°.	115.350	79.50	80.50	1.00	10	0	0	0	0	0	0	0	0	0	0
115.351	115.352	117.50 117.80 Quartz vein, 30cm vein without calcite, 1-2% sulfides, finely disseminated along stringers and contacts with pyrite, chalco blebs and cubes 1-2cm, 1% sulfides strong to weakly magnetic, 1% black tourmaline localized within stringers, 1-2mm, sharp contacts at 60°.	115.352	106.00	107.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.352	115.353	118.00 119.30 Quartz vein, 1.3m quartz vein with trace calcite, some brecciation along contacts 2-5mm, trace visible sulfides, stringers, localized at contacts, sharp broken contacts at 50-60°.	115.353	107.00	107.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.353	115.354	127.50 128.50 Calcite vein, cream/white and pink/orange coloration, 80% cloudy cream/white calcite, 20% translucent quartz, 10-20% chlorite alteration, 30% sericite localized within stringers and along contacts, 2-3% epidote alteration at the contacts within stringers, usually associated with the chlorite, 1% overall black tourmaline localized within stringers, 1-2mm, 1-2% pyrite and chalcopyrite finely disseminated with some blebs up to 2cm, dark purple/red band trends through the center of the vein at 0° degrees to core axis, contacts sharp and fingered at 0-10° tca.	115.354	108.00	108.50	109.00	10	0	0	0	0	0	0	0	0	0	0
115.354	115.355	115.361	115.362	110.00	110.80	.80	10	0	0	0	0	0	0	0	0	0	0
115.355	115.356	115.361	115.362	111.00	111.30	.50	10	0	0	0	0	0	0	0	0	0	0
115.356	115.357	115.362	115.363	111.30	112.00	.70	10	0	0	0	0	0	0	0	0	0	0
115.357	115.358	115.363	115.364	111.80	112.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.358	115.359	115.364	115.365	112.00	112.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.359	115.360	115.365	115.366	112.50	113.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.360	115.361	115.366	115.367	113.00	113.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.361	115.362	115.367	115.368	113.50	114.00	1.00	15	0	0	0	0	0	0	0	0	0	0
115.362	115.363	115.368	115.369	114.00	114.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.363	115.364	115.369	115.370	114.50	115.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.364	115.365	115.370	115.371	115.00	116.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.365	115.366	115.371	115.372	116.00	117.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.366	115.367	115.372	115.373	117.00	117.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.367	115.368	115.373	115.374	117.50	118.00	.50	20	0	0	0	0	0	0	0	0	0	0
115.368	115.369	115.374	115.375	118.00	118.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.369	115.370	115.375	115.376	118.50	119.00	.50	10	0	0	0	0	0	0	0	0	0	0
115.370	115.371	115.376	115.377	119.00	119.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.371	115.372	115.377	115.378	120.00	120.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.372	115.373	115.378	115.379	121.00	122.00	1.00	50	0	0	0	0	0	0	0	0	0	0
115.373	115.374	115.379	115.380	122.00	123.00	1.00	20	0	0	0	0	0	0	0	0	0	0
115.374	115.375	115.380	115.381	123.00	123.50	.00	260	0	0	0	0	0	0	0	0	0	0
115.375	115.376	115.381	115.382	123.00	123.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.376	115.377	115.382	115.383	124.00	125.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.377	115.378	115.383	115.384	124.50	125.50	1.00	10	0	0	0	0	0	0	0	0	0	0
115.378	115.379	115.384	115.385	125.00	126.00	1.00	20	0	0	0	0	0	0	0	0	0	0
115.379	115.380	115.385	115.386	126.00	126.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.380	115.381	115.386	115.387	126.50	127.00	.50	10	0	0	0	0	0	0	0	0	0	0
115.381	115.382	115.387	115.388	127.00	127.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.382	115.383	115.388	115.389	128.00	128.50	.50	30	0	0	0	0	0	0	0	0	0	0
115.383	115.384	115.389	115.390	128.50	129.00	.50	20	0	0	0	0	0	0	0	0	0	0
115.384	115.385	115.390	115.391	129.00	129.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.385	115.386	115.391	115.392	129.50	130.00	.50	10	0	0	0	0	0	0	0	0	0	0
115.386	115.387	115.392	115.393	130.00	131.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.387	115.388	115.393	115.394	131.00	132.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.388	115.389	115.394	115.395	132.00	133.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.389	115.390	115.395	115.396	133.00	134.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.390	115.391	115.396	115.397	134.00	135.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.391	115.392	115.397	115.398	135.00	135.50	.50	10	0	0	0	0	0	0	0	0	0	0
115.392	115.393	115.398	115.399	135.50	136.00	.50	10	0	0	0	0	0	0	0	0	0	0
115.393	115.394	115.399	115.395	136.00	137.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.394	115.395	115.395	115.396	137.00	138.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.395	115.396	115.396	115.397	138.00	139.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.396	115.397	115.397	115.398	139.00	140.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.397	115.398	115.398	115.399	140.00	141.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.398	115.399	115.399	115.400	141.00	142.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.399	115.400	115.400	115.401	142.00	143.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.400	115.401	115.401	115.402	143.00	144.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.401	115.402	115.402	115.403	144.00	145.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.402	115.403	115.403	115.404	145.00	146.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.403	115.404	115.404	115.405	146.00	147.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.404	115.405	115.405	115.406	147.00	148.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.405	115.406	115.406	115.407	148.00	149.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.406	115.407	115.407	115.408	149.00	150.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.407	115.408	115.408	115.409	150.00	151.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.408	115.409	115.409	115.410	151.00	152.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.409	115.410	115.410	115.411	152.00	153.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.410	115.411	115.411	115.412	153.00	154.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.411	115.412	115.412	115.413	154.00	155.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.412	115.413	115.413	115.414	155.00	156.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.413	115.414	115.414	115.415	156.00	157.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.414	115.415	115.415	115.416	157.00	158.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.415	115.416	115.416	115.417	158.00	159.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.416	115.417	115.417	115.418	159.00	160.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.417	115.418	115.418	115.419	160.00	161.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.418	115.419	115.419	115.420	161.00	162.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.419	115.420	115.420	115.421	162.00	163.00	1.00	10	0	0	0	0	0	0	0	0	0	0
115.420	115.421	115.421	115.422</td														

From	To	Geology	Sample	From	To	L	Au	Pt	Pd	Ag	Cu	Ni	Zn	Pb	Co	Cu(%)	Ni(%)
(m)	(m)			(m)	(m)	(m)	ppb	ppb	ppb	ppm	ppm						
		sharp contacts at 30° degrees to core axis.		115396	137.00	138.00	1.00	10	10	10	10	10	10	10	10	10	10
				115397	139.00	140.00	1.00	10	10	10	10	10	10	10	10	10	10
142.50	147.00	Calcite vein, series of major stringers trending 0-10° degrees to core axis, 1-2% localized finely disseminated pyrite and chalco within the veins/stringers, contacts sharp, but interfigured within 0-10° degrees to core axis.		115398	140.00	141.00	1.00	10	10	10	10	10	10	10	10	10	10
				115399	141.00	142.00	1.00	10	10	10	10	10	10	10	10	10	10
				115400	142.00	142.00	.00	10	10	10	10	10	10	10	10	10	10
				115401	142.00	142.50	.50	10	10	10	10	10	10	10	10	10	10
				115402	142.50	143.00	.50	10	10	10	10	10	10	10	10	10	10
				115403	143.00	143.50	.50	10	10	10	10	10	10	10	10	10	10
				115404	143.50	144.00	.50	10	10	10	10	10	10	10	10	10	10
				115405	144.00	144.50	.50	10	10	10	10	10	10	10	10	10	10
				115406	144.50	145.00	.50	10	10	10	10	10	10	10	10	10	10
				115407	145.00	145.50	.50	10	10	10	10	10	10	10	10	10	10
				115408	145.50	146.00	.50	10	10	10	10	10	10	10	10	10	10
				115409	146.00	146.50	.50	30	10	10	10	10	10	10	10	10	10
				115410	146.50	147.00	.50	10	10	10	10	10	10	10	10	10	10
				115411	147.00	147.50	.50	10	10	10	10	10	10	10	10	10	10
				115412	147.50	148.00	.50	10	10	10	10	10	10	10	10	10	10
				115413	148.00	148.50	.50	10	10	10	10	10	10	10	10	10	10
				115414	148.50	149.00	.50	10	10	10	10	10	10	10	10	10	10
				115415	149.00	150.00	1.00	10	10	10	10	10	10	10	10	10	10
				115416	150.00	151.00	1.00	40	10	10	10	10	10	10	10	10	10
				115417	151.00	152.00	1.00	10	10	10	10	10	10	10	10	10	10
				115418	152.00	153.00	1.00	10	10	10	10	10	10	10	10	10	10
				115419	153.00	154.00	1.00	40	10	10	10	10	10	10	10	10	10
				115420	160.00	161.00	1.00	10	10	10	10	10	10	10	10	10	10
				115421	161.00	162.00	1.00	10	10	10	10	10	10	10	10	10	10
				115422	162.00	163.00	1.00	10	10	10	10	10	10	10	10	10	10
				115423	163.00	164.00	1.00	10	10	10	10	10	10	10	10	10	10
				115424	164.00	165.00	1.00	10	10	10	10	10	10	10	10	10	10
				115425	165.00	165.00	.00	6190	10	10	10	10	10	10	10	10	10
				115426	165.00	166.00	1.00	10	10	10	10	10	10	10	10	10	10
				115427	174.00	175.00	1.00	10	10	10	10	10	10	10	10	10	10
				115428	175.00	175.50	.50	20	10	10	10	10	10	10	10	10	10
				115429	175.50	176.00	.50	10	10	10	10	10	10	10	10	10	10
				115430	176.00	177.00	1.00	10	10	10	10	10	10	10	10	10	10
				115431	179.00	180.00	1.00	10	10	10	10	10	10	10	10	10	10
				115432	180.00	180.50	.50	10	10	10	10	10	10	10	10	10	10
				115433	180.50	181.00	.50	10	10	10	10	10	10	10	10	10	10
				115434	181.00	181.50	.50	20	10	10	10	10	10	10	10	10	10
				115435	181.50	182.00	.50	10	10	10	10	10	10	10	10	10	10
				115436	182.00	182.50	.50	10	10	10	10	10	10	10	10	10	10
				115437	182.50	183.00	.50	10	10	10	10	10	10	10	10	10	10
				115438	183.00	184.00	1.00	20	10	10	10	10	10	10	10	10	10
				115439	184.00	185.00	1.00	10	10	10	10	10	10	10	10	10	10
				115440	185.00	186.00	1.00	10	10	10	10	10	10	10	10	10	10
				115441	186.00	186.50	.50	10	10	10	10	10	10	10	10	10	10
				115442	186.50	187.00	.50	10	10	10	10	10	10	10	10	10	10
				115443	187.00	188.00	1.00	10	10	10	10	10	10	10	10	10	10
				115444	188.00	189.00	1.00	20	10	10	10	10	10	10	10	10	10
				115445	189.00	190.00	1.00	10	10	10	10	10	10	10	10	10	10
				115446	190.00	191.00	1.00	10	10	10	10	10	10	10	10	10	10
				115447	191.00	192.00	1.00	10	10	10	10	10	10	10	10	10	10
				115448	192.00	193.00	1.00	10	10	10	10	10	10	10	10	10	10
				115449	193.00	194.00	1.00	10	10	10	10	10	10	10	10	10	10
				115450	194.00	195.00	1.00	10	10	10	10	10	10	10	10	10	10
				115451	195.00	196.00	1.00	10	10	10	10	10	10	10	10	10	10
				115452	196.00	197.00	1.00	10	10	10	10	10	10	10	10	10	10
				115453	197.00	198.00	1.00	10	10	10	10	10	10	10	10	10	10
				115454	198.00	199.00	1.00	10	10	10	10	10	10	10	10	10	10
				115455	199.00	200.00	1.00	10	10	10	10	10	10	10	10	10	10
				115456	200.00	201.00	1.00	10	10	10	10	10	10	10	10	10	10
				115457	201.00	202.00	1.00	10	10	10	10	10	10	10	10	10	10
				115458	202.00	203.00	1.00	10	10	10	10	10	10	10	10	10	10
				115459	203.00	204.00	1.00	10	10	10	10	10	10	10	10	10	10
				115460	204.00	205.00	1.00	10	10	10	10	10	10	10	10	10	10
				115461	205.00	206.00	1.00	10	10	10	10	10	10	10	10	10	10
				115462	206.00	207.00	1.00	10	10	10	10	10	10	10	10	10	10
				115463	207.00	208.00	1.00	10	10	10	10	10	10	10	10	10	10
				115464	208.00	209.00	1.00	10	10	10	10	10	10	10	10	10	10
				115465	209.00	210.00	1.00	10	10	10	10	10	10	10	10	10	10
				115466	210.00	211.00	1.00	10	10	10	10	10	10	10	10	10	10
				115467	211.00	212.00	1.00	10	10	10	10	10	10	10	10	10	10
				115468	212.00	213.00	1.00	10	10	10	10	10	10	10	10	10	10
				115469	213.00	214.00	1.00	10	10	10	10	10	10	10	10	10	10
				115470	214.00	215.00	1.00	10	10	10	10	10	10	10	10	10	10
				115471	215.00	216.00	1.00	10	10	10	10	10	10	10	10	10	10
				115472	216.00	217.00	1.00	10	10	10	10	10	10	10	10	10	10
				115473	217.00	218.00	1.00	10	10	10	10	10	10	10	10	10	10
				115474	218.00	219.00	1.00	10	10	10	10	10	10	10	10	10	10
				115475	219.00	220.00	1.00	10	10	10	10	10	10	10	10	10	10
				115476	220.00	221.00	1.00	10	10	10	10	10	10	10	10	10	10
				115477	221.00	222.00	1.00	10	10	10	10	10	10	10	10	10	10
				115478	222.00	223.00	1.00	10	10	10	10	10	10	10	10	10	10
				115479	223.00	224.00	1.00	10	10	10	10	10	10	10	10	10	10
				115480	224.00	225.00	1.00	10	10	10	10	10	10	10	10	10	10
				115481	225.00	226.00	1.00	10	10	10	10	10	10	10	10	10	10
				115482	226.00	227.00	1.00	10	10	10	10	10	10	10	10	10	10
				115483	227.00	228.00	1.00	10	10	10	10	10	10	10	10	10	10
				115484	22												

P-08-02 (continued)

Page: 10 of 10

Date: 2 Dec, 2008

AMADOR GOLD CORPORATION

Page: 1 of 5

Northing: 5340534.00
Easting: 424629.00

Elevation: 350.00

Collar Azi.: 120.0

Collar Dip: -50.0

Hole length: 255.00

Units: Metric

Core size: NQ

Grid: N/A

Materials left: Casing

Collar survey: Handheld GPS.

DH Survey method: Reflex

Comments: N/A

Logged by: G. Sparling

Date(s) logged: May 30-June 1, 2008.

Purpose: Exploration

Core storage: Hastings Facility Timmins

DRILL HOLE RECORD

*** Dip Tests ***
Depth Azi. Dip

21 119.8 -50.3
50 119.5 -49.2
100 121.9 -48.7
150 122.8 -48.4
200 127.3 -48.3
250 129.2 -47.6

Drill Hole: PO08-03

Project: The patents.
Property: The patents.
Claim: 3017352

Northing: N/A
Easting: N/A
GPS Northing: 5340534
GPS Easting: 424629

Date Started: May 21, 2008.

Date completed: May 28, 2008.

Drilled by: ORBIT
Sample type: Cut Core
Analyses: PM 30g FA,
Lab: Swastika Laboratories
Sample series: 142151-142205.
Lab report:

Sewell Twp

C Hartley

Geology

Sample

From

To

L

Au

Pt

Pd

Ag

Cu

Ni

Zn

Pb

Co

Cu(%)

Ni(%)

ppm

ppb

ppb

ppm

		Geology	Sample	From	To	L	Au	Pt	Pd	Ag	Cu	Ni	Zn	Pb	Co	Cu(%)	Ni(%)
				(m)	(m)	(m)	(m)	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		gouge.															
		Weakly foliated-sheared at 60-70 tca.															
		No visible mineralization.															
		Lower contact at 75 tca.															
14.80	17.50	ULTRAMAFIC KOMATIITIC VOLCANIC (UNDIFFERENTIATED)	142151	14.80	15.70	.90	10										
		Altered ultra mafic volcanic.	142152	15.70	16.60	.90	10										
		Pale green-grey, fine grained, moderately soft-hard, non magnetic, weakly foliated-sheared, locally oxidized.	142153	16.60	17.50	.90	10										
		Weak to moderately ankerite-chlorite altered with some very weak fuchsite patches.															
		Weakly foliated-sheared at 60-70 tca.															
		RQD of 75%, with weak to moderate fracturing at 60-70 degrees to core axis with thin chlorite filling.															
		1% Orange-brown disseminations of unknown mineral.															
		A few high angle calcite-ankerite stringers.															
		No visible sulphide mineralization.															
		14.80 15.70 Ankerite, fuchsite, no mineralization.															
		15.70 16.60 Ankerite, fuchsite, no mineralization.															
		16.60 17.50 Ankerite, fuchsite, no mineralization.															
17.50	17.95	QUARTZ VEIN	142154	17.50	17.95	.45	10										
		White grey, minor oxidation, 10% fuchsite altered	142155	17.95	19.00	1.05	30										
		uv and mafic fragments, no visible sulphides.	142156	19.00	20.00	1.00	10										
		Lower contact at 55 tca.	142157	20.00	21.00	1.00	10										
		17.50 17.95 Quartz vein, minor fuchisitic fragments.	142158	21.00	22.00	1.00	10										
			142159	22.00	23.00	1.00	10										
			142160	23.00	24.00	1.00	10										
			142161	24.00	25.00	1.00	10										
			142162	25.00	26.00	1.00	10										
			2-4% +/- White pink calcite +/- quartz	142163	26.00	27.00	1.00	10									
			stringers/veinlets.	142164	27.00	28.00	1.00	10									
			6-10% Quartz veining.	142165	28.00	29.00	1.00	10									
			Trace-1% yellow-brown-yellow pyrite, some cubic.	142166	29.00	30.00	1.00	10									
			28.00 39.80 Brown-green, weak to moderately sericite-ankerite bleached, 10% +/- irregular quartz-ankerite +/-stringers	142167	30.00	31.00	1.00	10									
			with a few veinlets, trace-0.5% pyrite,	142168	31.00	32.00	1.00	10									
			mostly cubic.	142169	32.00	33.00	1.00	10									
			45.00 106.90 Unit grades into weakly calcite altered pale grey-green section with	142170	33.00	34.00	1.00	10									
			2-3% calcite stringers and trace-0.5%	142171	34.00	35.00	1.00	10									
			pyrite.	142172	35.00	36.00	1.00	10									
			142173	36.00	37.00	1.00	10										
			142174	37.00	38.00	1.00	10										
			142175	38.00	38.00	0.00	6270										

PO08-03 (continued) Page: 2 of 5
 From To Geology Sample From To L Au Pt Pd Ag Cu Ni Zn Pb Co Cu(%) Ni(%)
 (m) (m) (m) (m) (m) ppb ppb ppm ppm ppm ppm ppm ppm ppm ppm % %
 14.80 17.50 ULTRAMAFIC KOMATIITIC VOLCANIC (UNDIFFERENTIATED)
 Altered ultra mafic volcanic.
 Pale green-grey, fine grained, moderately soft-hard, non magnetic, weakly foliated-sheared, locally oxidized.
 Weak to moderately ankerite-chlorite altered with some very weak fuchsite patches.
 Weakly foliated-sheared at 60-70 tca.
 RQD of 75%, with weak to moderate fracturing at 60-70 degrees to core axis with thin chlorite filling.
 1% Orange-brown disseminations of unknown mineral.
 A few high angle calcite-ankerite stringers.
 No visible sulphide mineralization.
 14.80 15.70 Ankerite, fuchsite, no mineralization.
 15.70 16.60 Ankerite, fuchsite, no mineralization.
 16.60 17.50 Ankerite, fuchsite, no mineralization.
 17.50 17.95 QUARTZ VEIN
 White grey, minor oxidation, 10% fuchsite altered
 uv and mafic fragments, no visible sulphides.
 Lower contact at 55 tca.
 17.50 17.95 Quartz vein, minor fuchisitic fragments.
 17.95 106.90 BASALT
 Pale green, fine grained, sheared-foliated, hard, non magnetic.
 Weakly patchy calcite and ankerite alterations, rare very weak chlorite, weak brown-yellow sericite-ankerite bleaching.
 Weakly sheared-foliated at 60-70 degrees to core axis, weak to moderately fractured with thin chlorite and calcite filling. RQD of 75-80%.
 2-4% +/- White pink calcite +/- quartz stringers/veinlets.
 6-10% Quartz veining.
 Trace-1% yellow-brown-yellow pyrite, some cubic.
 28.00 39.80 Brown-green, weak to moderately sericite-ankerite bleached, 10% +/- irregular quartz-ankerite +/-stringers with a few veinlets, trace-0.5% pyrite, mostly cubic.
 45.00 106.90 Unit grades into weakly calcite altered pale grey-green section with 2-3% calcite stringers and trace-0.5% pyrite.

From	To	Geology	Sample	From	To	L	Au	Pt	Pd	Ag	Cu	Ni	Zn	Pb	Co	Cu(%)	Ni(%)
(m)	(m)		#	(m)	(m)	(m)	ppb	ppb	ppb	ppm	ppm						
67.40	68.00	Dark grey-black, fine grained, vuggy, 4-5% coarse pyrite, sediment (?).	142176	38.00	39.00	1.00	10	2	2	10	2	2	2	2	2	2	2
17.95	19.00	Gradual lower contact.	142177	39.00	39.80	.80	10	2	2	10	2	2	2	2	2	2	2
19.00	20.00	2-3% quartz-calcite, trace pyrite.	142178	39.80	40.30	.50	10	2	2	10	2	2	2	2	2	2	2
20.00	21.00	Ankerite, 2-3% calcite, 0.5-1% pyrite.	142179	40.30	41.00	.70	10	2	2	10	2	2	2	2	2	2	2
21.00	22.00	21.00 1-2% quartz-cal stringers, trace pyrite.	142180	41.00	42.00	1.00	10	2	2	10	2	2	2	2	2	2	2
22.00	23.00	22.00 10% quartz veining with black chlorite stringers, trace pyrite.	142181	42.00	43.00	1.00	10	2	2	10	2	2	2	2	2	2	2
23.00	24.00	23.00 10% quartz veining with black chlorite stringers, trace pyrite.	142182	43.00	43.90	.90	10	2	2	10	2	2	2	2	2	2	2
24.00	25.00	24.00 Ankerite-ser, 6-8% quartz.	142183	43.90	44.70	.80	20	2	2	10	2	2	2	2	2	2	2
25.00	26.00	25.00 Ankerite, 1-2% calcite stringers, trace pyrite.	142184	44.70	45.70	1.00	30	2	2	10	2	2	2	2	2	2	2
26.00	27.00	26.00 Ankerite-calcite, 3-5% quartz-cal veinlets.	142185	66.90	67.40	.50	10	2	2	10	2	2	2	2	2	2	2
27.00	28.00	27.00 5-7% quartz-cal veining, trace pyrite.	142186	67.40	68.00	.60	40	2	2	10	2	2	2	2	2	2	2
28.00	29.00	28.00 Sericite, 0.5% pyrite.	142187	68.00	68.50	.50	10	2	2	10	2	2	2	2	2	2	2
29.00	30.00	29.00 Trace pyrite, sericite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
30.00	31.00	30.00 Sericite, 0.5% pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
31.00	32.00	31.00 Sericite, 0.5% pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
32.00	33.00	32.00 0.5%-1%, sericite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
33.00	34.00	33.00 Trace pyrite, sericite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
34.00	35.00	34.00 Trace pyrite, sericite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
35.00	36.00	35.00 Trace pyrite, sericite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
36.00	37.00	36.00 Sericite-chlorite, 0.5% pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
37.00	38.00	37.00 Trace pyrite, sericite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
38.00	39.00	38.00 Standard pm 922.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
38.00	39.00	39.00 Sericite, 0.5% pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
39.00	39.80	39.80 Weak sericite, trace pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
39.80	40.30	39.80 40.30 Chlorite, 0.5% pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
40.30	41.00	40.30 40% quartz, trace pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
41.00	42.00	41.00 40% Chlorite, 0.5% py.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
42.00	43.00	42.00 Chlorite, trace pyrite, 7% quartz.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
43.00	43.90	43.00 43.90 Chlorite, 5% quartz 1% pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
43.90	44.70	43.90 44.70 Chlorite-sericite, 0.5% pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
44.70	45.70	44.70 45.70 Chlorite, trace pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
66.90	67.40	66.90 67.40 Trace pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
67.40	68.00	67.40 68.00 4-5% pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
68.00	68.50	68.00 68.50 Trace pyrite.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
106.90	154.10	106.90 154.10 MASSIVE BASALT		2	2	2	10	2	2	10	2	2	2	2	2	2	2
		Massive basalt-gabbro.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
		Dark green, medium grained, massive, hard, non-magnetic, leucoxinitic, spotted textured (2-4mm² chlorite and / or pyroxene).		2	2	2	10	2	2	10	2	2	2	2	2	2	2
		Weakly chlorite-calcite +/- epidote altered.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
		Good RQD of 85% with local calcite and / or chlorite fracture filling.		2	2	2	10	2	2	10	2	2	2	2	2	2	2
		1-3% Variable angle calcite stringers +/- quartz-calcite stringers locally.		2	2	2	10	2	2	10	2	2	2	2	2	2	2

P008-03 (continued)

P008-03 (continued)

Page: 5 of 5

P-08-04 (continued)

Page: 4 of 9

From	To	Geology	Sample	From	To	L	Au	Pt	Pd	Ag	Cu	Ni	Zn	Pb	Co	Cu(%)	Ni(%)	
(m)	(m)		#	#	#	(m)	#	(m)	#	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm
100.50	101.00	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a sulfide mineralization localized ^a within stringers.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
101.00	101.50	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a sulfide mineralization localized ^a within stringers.	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
101.50	102.00	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a sulfide mineralization localized ^a within stringers.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
102.00	102.50	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a sulfide mineralization localized ^a within stringers.	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
102.50	103.00	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a sulfide mineralization localized ^a within stringers.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
103.00	103.50	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a sulfide mineralization localized ^a within stringers.	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
103.50	104.00	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a sulfide mineralization localized ^a within stringers.	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
104.00	104.50	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a sulfide mineralization localized ^a within stringers.	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
104.50	105.00	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a sulfide mineralization localized ^a within stringers.	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
105.00	105.50	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a sulfide mineralization localized ^a within stringers.	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
105.50	Blank.		11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	
105.50	106.00	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a sulfide mineralization localized ^a within stringers.	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
106.00	106.50	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a sulfide mineralization localized ^a within stringers.	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	
106.50	107.00	Shear zone with 3-5% fuchsite ^a alteration and 1% disseminated ^a	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	

P-08-04 (continued)

Page: 6 of 9

P-08-04 (continued)

Page: 9 of 9




Figure 1

Amador Gold Corp.
Patent Gold Property Claim List

Claim Number	Due Date	Work Required	Total Work	Township	Claim Units
4209637	13-Feb-09	\$3,200.00	\$3,200.00	SEWELL	8
4209636	13-Feb-09	\$1,200.00	\$1,200.00	SEWELL	3
4209635	13-Feb-09	\$6,400.00	\$6,400.00	REEVES	16
4209634	13-Feb-09	\$3,600.00	\$3,600.00	SEWELL	9
3005388	29-Nov-09	\$6,400.00	\$12,800.00	SEWELL	16
4202901	1-Jun-10	\$4,800.00	\$14,400.00	SEWELL	12
3005387	28-Oct-10	\$400.00	\$1,200.00	SEWELL	1
1236943	4-Jul-11	\$400.00	\$3,600.00	SEWELL	1
3017352	21-Sep-11	\$400.00	\$1,600.00	SEWELL	1
4220807	12-Jul-12	\$400.00	\$1,200.00	SEWELL	1

Amador Gold Corp.

The Patent Gold Property

