

GEOLOGICAL REPORT CANADIAN ARROW MINES LTD.

“DENMARK LAKE PROPERTY”

**Kenora, Ontario
N.T.S. 052F05NE**

**Sudbury, Ontario
March 2009**

**Jean Bernard
Todd Keast**

SUMMARY

In 2007-2008, Canadian Arrow Mines Ltd identified exploration targets for nickel, copper and Platinum Group Metals on the Denmark Lake Property. An exploration program consisting of airborne AEROTEM-MAG surveys, geological mapping, trenching and diamond drilling was carried out on Canadian Arrow Mines, Ltd, Denmark Lake Property east of Sioux Narrows area, north-western Ontario. Claims K4208705, K4208706, K8208707, K4208708 K4208709 and K4228981 referred to as the property is part of the group of claims controlled by Canadian Arrow Mines Ltd. in the Denmark Lake Area. The work was designed as a preliminary evaluation of the property leading up to the diamond drilling program in the winter of 2008.

Geological mapping, trenching, diamond drilling and sampling of the Caribou Lodge, Ross Creek and Green Bay occurrences were carried out during the years of 2007-2008. Rocks observed were mafic volcanics, diorite, granodiorite, gabbro, pyroxenite, peridotite and amphibolite.

In 2008, Canadian Arrow Mines Ltd. intersected massive Ni-Cu sulphides while drilling the Caribou Lodge Showing. A high grade section assaying **4.51% Ni, 0.44% Cu, 0.15% Co over a core length of 0.75 meters** was discovered in hole CL-08-01. Mineralization consists of massive, blebby and disseminated sulphides positioned near the base of an ultramafic intrusion, a geological setting typical of most magmatic nickel deposits. Platinum and palladium contents are present in the discovery which is consistent with this ultramafic hosted deposit type.

The presence of nickel and copper sulphides associated with mafic and ultramafic rocks in the geologically complex area of western Denmark Lake makes the area an attractive exploration target.

TABLE OF CONTENTS

| | |
|-----------------------------------|----|
| SUMMARY | i |
| 1) INTRODUCTION | 1 |
| 2) LOCATION, ACCESS AND OWNERSHIP | 2 |
| 3) GEOLOGY | 6 |
| 4) PREVIOUS WORK | 8 |
| 5) ECONOMIC GEOLOGY | 17 |
| 6) INTERPRETATION | 30 |
| 7) CONCLUSION AND RECOMMENDATIONS | 32 |
| 8) REFERENCES | 33 |

FIGURES

| | |
|--|----|
| Figure 1: Location Map. | 3 |
| Figure 2: Regional Geology. | 4 |
| Figure 3: Claim Plan. | 5 |
| Figure 4: Regional Geology of Denmark Lake | 7 |
| Figure 5: Huston & Associates Induced Polarization Survey and Showings location. | 12 |
| Figure 6: Diamond Drill Holes before 2008. | 13 |
| Figure 7: Caribou Lodge Showing, trenches, DDH and grab samples. | 14 |
| Figure 8: Ross Creek and Green Bay Showings Location. | 15 |
| Figure 9: Ross Creek Diamond Drill Holes. | 16 |
| Figure 10: Diamond Hole Plan (2008). | 20 |
| Figure 11: Diamond Hole Plan and Trenches (2008). | 20 |
| Figure 12: AEROTEM Z1 OFF-TIME Survey. | 22 |
| Figure 13: TOTAL MAGNETIC INTENSITY Survey. | 23 |
| Figure 14: Cross-Section 1225N (Holes CL-08-01,-02,-04,-05,-08 and CL-08-09). | 27 |
| Figure 15: Cross-Section 1260N (Holes CL-08-03,-06,-07,-10 and CL-08-11). | 28 |
| Figure 16: Cross-Section 1410N (Holes H-4, H-5 and H-9). | 29 |

TABLES

| | |
|--|----|
| Table 1: List of claims. | 2 |
| Table 2: Summary field work. | 17 |
| Table 3: 2007-2008 Grab Samples Results. | 18 |
| Table 4: 2008 Canadian Arrow Mines Ltd Diamond Drilling Program. | 24 |
| Table 5: Diamond Drill Holes on Caribou Lodge Showing. | 25 |
| Table 6: Diamond Drill Holes on Ross Creek and Green Bay Showings. | 26 |

APPENDICES

- Appendix I: Drill Logs
- Appendix II: Lab Certificates
- Appendix III: Trench Map

INTRODUCTION

Between the months of March 2007 and March of 2008, Canadian Arrow Mines Ltd. completed an integrated exploration program on the claims, collectively called Caribou Lodge, Ross Creek and Green Bay Showings all located on the Denmark Lake Property. The following report was prepared primarily for the purpose of fulfilling assessment requirements on the property.

Background work involved in the preparation of this report included a review and compilation past exploration work activities by previous operators and a review a compilation old work completed by Canadian Arrow Mines Ltd on the Denmark Lake Property during the 2007-2008 exploration programs.

In the years of 2007 and of 2008, Canadian Arrow Mines personnel were: Pat Pope (Senior Geologist), Bob Bailey (Prospector) Tamaras Taras (Student Geologist), Peter Mc Chesney (Senior Geologist), Jean Bernard (Senior Geologist) and Todd Keast (P.Geo. Manager).

Mr. Todd Keast, Vice-President of Exploration of Canadian Arrow Mines Ltd, visited the property at different periods between 2007- 2008 during the course of the managing the exploration program for Canadian Arrow Mines Ltd.

The 2007-2008 Canadian Arrow Mines Ltd exploration programs were directed at evaluating the ultramafic rocks favourable for hosting nickel-copper-PGM sulphide mineral.

LOCATION, ACCESS AND OWNERSHIP

The property is located approximately 30 km east of the town of Sioux Narrows Ontario (**Figure 1**).

The Denmark Lake Property includes Caribou Lodge, Ross Creek and Green Bay Showings. The main showing is centred on latitude 49°15'N, longitude 93°30'W or UTM NAD 83 (Zone 15) coordinates 451500E, 5470800N. The Ross Creek Showing is centred on UTM NAD 83 (Zone 15) coordinates 450300E, 5470800N and the Green Bay Showing is located at coordinates 449800E, 5469100N. The property is situated within NTS: 052F/05NE.

This property is situated within the Kenora Mining Division. This report covers 6 contiguous mining claims in the Denmark Lake area. The claims cover the northwest portion of Denmark Lake and the Lawrence River (Ross Creek). The Caribou Lodge Showing is located in the northwest corner of the Denmark Lake about 0.5 km southeast of the Caribou Lodges and situated approximately 10 km south of the Kenbridge deposit. The Maybrun road lies about 1 km north of the claim area. From the Maybrun Road, a good trail provides ready access on the main zone and on Caribou lodges.

The 2007-2008 Denmark Lake Property works consists principally of 6 claims covering 76 claim units, situated within the Atikwa Lake (Grapnel Bay) map of the Kenora Mining Division (**Figure 3**). The claims K4208705, K4208706, K8208707, K4208708 K4208709 and K4228981 are 6 unpatented claims totalling an area of 1216 hectares (**Table 1**). Canadian Arrow Mines Ltd. has an option to earn a 100% interest in these 6 claims (**Figure 3**). A detailed description of the property with claim number, claim size, claim recording, claim expired date, work in reserve, and work required is included in **Table 1**.

The Denmark Lake is characterized by abundant bedrock exposures along the Lawrence River and the north side of Denmark Lake. The Caribou Lodge Showing which is located on the northern part of important ultramafic intrusion mostly situated underneath the Denmark Lake (**Figure 2**). Generally, the property is relatively flat. Elevations range between 400 meters to 450 meters above sea-level. The principal hydrographic elements are Denmark, Caviar (East Bay) Lakes and Lawrence River (Ross Creek). Overburden is residual soil, intermixed with sand, gravel, glacial boulders and debris, with peat and clay in the swampy areas.

Table 1 - List of claims

| Claim Number | Recorded Date | Due Date | Work Required (\$) | Total Reserves (\$) | Total Work (\$) | Claim Units | Surface (Hectares) |
|--------------|---------------|-------------|--------------------|---------------------|-----------------|-------------|--------------------|
| K 4208705 | 2006-02-07 | 20010-02-07 | 4,800 | 458 | 4,800 | 12 | 192 |
| K 4208706 | 2006-02-07 | 20010-02-07 | 4,800 | 458 | 4,800 | 12 | 192 |
| K 4208707 | 2006-02-07 | 20010-02-07 | 4,800 | 458 | 4,800 | 12 | 192 |
| K 4208708 | 2006-02-07 | 20010-02-07 | 4,800 | 458 | 4,800 | 12 | 192 |
| K 4208709 | 2006-02-07 | 20010-02-07 | 6,400 | 611 | 6,400 | 16 | 256 |
| K4228981 | 2008-04-02 | 2010-04-02 | 4,800 | 0 | 0 | 12 | 192 |
| TOTAL | | | | 2901 | | 76 | 1216 |




Figure 1 - Location Map




Figure 2 - Regional Geology

GEOLOGY

The intrusive complex at Denmark Lake consists of peridotite, pyroxenite gabbro, diorite, quartz diorite, granodiorite and amphibolite, with enclosed remnants of metavolcanic rocks (**Figure 4**). Each rock type is compositionally and texturally variable and is intimately associated with other rock types. The oldest rocks of the complex appear to be ultramafic, with gabbro, diorite, quartz diorite, and granodiorite being successively younger.

Peridotite and altered pyroxenite occur south of the west end of Denmark Lake, between the headlands on the northwest shore, on the largest island in the west part of the lake, at the south shore of the narrows, and near the south shore of the eastern part of the lake. Drilling has also encountered serpentinite under the west part of the lake (**Figure 5**). The original minerals of most peridotites are olivine and pyroxene. Olivine generally occurs as round 1 to 2mm grains partly altered to serpentine and magnetite.

Grey to brownish grey-weathering gabbro underlies much of the western end of Denmark Lake and an area north of the narrows. It also occurs near the eastern end of the lake. Finer grained gabbro is in places indistinguishable from the basalt.




Figure 3 - Claim Plan

Diorites and quartz diorites in the complex at Denmark Lake appear to be hybrid rocks, and contain numerous inclusions of basalt and altered gabbro. Contacts are difficult to define. In places the inclusions predominate; north of the eastern part of Denmark Lake. Granodiorite is most abundant in a zone extending along the south edge of the Denmark Lake Complex, from Rowan Lake to eastern Denmark Lake, and north of the eastern end of Denmark Lake (**Figure 4**). The granodiorite is compositionally heterogeneous, in places it grades into quartz diorite.

Within the Denmark Lake area, the metavolcanics are predominantly mafic in composition. Typically, they are greenish grey to black, fine to medium grained, massive basalt flows (**Figure 4**). In many places, very fine-grained andesitic to basaltic pillow flows are abundant. Large areas of brecciated basalt occur north of central and eastern Denmark Lake.

PREVIOUS WORK:

Caribou Lodge Ni-Cu Prospect

Early in 1952, the Caribou Lodge area and adjacent land areas were examined by the International Nickel Company of Canada Limited. A ground magnetic survey was conducted over much of the 56 claim block, and anomalies were further investigated, either by examination of outcrop, or by electromagnetic equipment. Several mag anomalies orientated east-west were considered to be due to magnetite, although a weak conductor was located west of the Caribou Lodge Showing. The remaining interesting anomalies on land all are located in the Caribou Lodge Prospect area.




Figure 4 - Regional Geology of Denmark Lake (Ref: R111)

In 1953, chalcopyrite was discovered in a narrow east-trending shear zone in gabbro on the north shore of Denmark Lake by a prospector calling A. Gauthier. A subsequent prospecting program discovered nickel and copper in peridotite under shallow drift cover. An X-ray hole (67-1) drilled from east to west was reported to contain 0.78% nickel and 0.78% copper over 15m interval (**Figures 5, 6 and 7**).

In 1954, the property was optioned by the M. J. Boylen Engineering Company. Five holes were drilled in the vicinity of the main showing, on the assumption that the mineralization would trend east. Two holes (B-2 and B-4, Figure 6) intersected gabbro and peridotite with minor copper and nickel; the other three holes (B-1, B-3, and B-5, figure 6) intersected basalt and quartz diorite that contained minor sulphide minerals along fractures.

In July 1967, an induced polarization survey carried out by Huston & Associates outlined several northwest-trending anomalous zones. A strong anomaly (Anomaly No 1, **Figures 5 and 6**), located under Denmark Lake about 554 m southwest of the original showing, has a length of at least 215 m. Three holes were drilled (H1, H2, H3, **Figures 5 and 6**), all intersected diorite, gabbro, peridotite, and basalt, but only traces of chalcopyrite, pyrite, and pyrrhotite. A serpentine bearing shear zone en countered in each hole was not considered to have caused the anomaly, and thus the anomaly remains unexplained.

Anomaly No.2 coincides closely with the Caribou Lodge Showing, and is strongest in the vicinity of the showing. Two holes H4, H5 (**Figures 5, 6 and 7**), drilled from the same setup, intersected basalt, gabbro, and serpentized peridotite. A mineralized zone within the gabbro and peridotite apparently dips west at about -55°, and contains chalcopyrite, pyrrhotite, pyrite, and traces of pentlandite. Analyses of this zone in the two holes averaged 0.19% nickel and 0.27% copper over 12.75 m; and 0.23% nickel and 0.26% copper over 11.0 m, respectively. One 1.75m section in the steeper hole averaged 0.79% nickel and 1.12% copper, but wider sections are diluted by barren fine-grained mafic dikes. One hole H9 (**Figures 5 and 6**), drilled beneath a mineralized outcrop of amphibolite west of anomaly No.2, intersected two weakly mineralized zones, neither of which appear to correspond to the surface exposure.

Anomalies No.3, No.4 and No.5 were interpreted as a series of parallel lenses that plunge to the north. Anomalies No.3 and N.4 appear to result from finely disseminated pyrite and pyrrhotite, and traces of chalcopyrite that occur in gabbro, amphibolite, and basalt. The best analyses were 0.08% nickel and a traces of copper over 15.5 m, corresponding with anomaly No.4 (**Figure 5**) Anomaly No.5, and numerous weaker anomalies lying to the north, was not examined by drilling (**Figures 5 and 6**)

In July of 2007, six days of reconnaissance prospecting and geological mapping was carried out by Canadian Arrow Mines Ltd. in vicinity of the Caribou Lodge Ni-Cu Prospect. The work was focused on locating the showing on the north shore of Denmark Lake and evaluating the strong airborne magnetic anomalies located in the north western part of the Denmark Lake area.

The original Caribou Lodge Showing located on the north shore of Denmark Lake consists of a number of narrow rusty zones in gabbro-diorite trending at azimuth 335° and two roughly east-west trending trenches dug across the projected northerly trend of the zone. The first trench, located just north of Denmark Lake, encountered rusty pyroxenite. The second trench, located approximately 50 metres north of the lake, contains rusty gabbro and pyroxenite float, presumably from the trench. Sulphide mineralization consists of 2-20% disseminated pyrrhotite and chalcopyrite (**Figure 7**). It was difficult to determine the geometry and extent of the pyroxenite body associated with the showing due to lack of outcrop. Pyroxenite outcrops on the south shore of Denmark Lake coincident with the same airborne magnetic high suggests a northerly trend to the pyroxenite body. In January of 2008, five trenches were dug in the Caribou Lodge Showing vicinity and confirm a pyroxenitic body trending to the northwest for several meters (**Figure 7**).

A second occurrence of pyroxenite was encountered approximately 200 metres north-northeast of the Caribou Lodge Showing. Based on limited outcrop exposure, this pyroxenite body is estimated to be approximately 10 to 20 metres wide and trends north-north westerly. The pyroxenite contains only trace sulphides; a number of outcrops of gabbro-diorite nearby contain up to 2% chalcopyrite and pyrrhotite. Seven grab samples were taken in the area (14829 to 14835) none returned anomalous base metals or precious metals values.

Two other occurrences of pyroxenite were encountered in the northwestern part of the Denmark Lake area, one just north of Denmark Lake near the eastern claim boundary, and the other near the north western corner of Denmark Lake. No sulphides were encountered in these two occurrences.

Ross Creek Showing

The Ross Creek Showing (**Figure 8**) occurs on the west side of the Lawrence River, about one kilometre below the falls at the outlet of Denmark Lake. In 1956, two meters of medium to very coarse-grained gabbro, cut by coarse-grained granodiorite dikes, has been blasted from a steep rock face at the river's edge. Coarse blebs of pyrrhotite and chalcopyrite occur in the coarser grained phase of the gabbro.

From a point about 17 meters north-northwest of the showing, 4 holes totaling 1,212 meters were drilled in 1956, bearing approximately south, south-southwest, southwest, and west southwest, respectively. All 4 holes intersected gabbro, diorite, peridotite, basalt, and a number of granodiorite dikes. Minor amounts of pyrrhotite, pyrite, and chalcopyrite occur in most of the rock types, but are erratically distributed. In the southwest bearing hole (No 8), the first 33 meters consisted of lightly mineralized gabbro; the best section contained 0.6% nickel and 0.15% copper, across 0.8 m. A vertical hole (**Figure 8**) drilled from the same location did not intersect sulphide minerals. Two holes, drilled north-northeast from the showing (**Figure 9**). Hole No 10 commenced in mineralized, medium grained gabbro, with a 1.2 meters section containing 0.27% nickel and 0.35% copper. A hole drilled under the showing from 60 m northwest, contained only traces of sulphide minerals (**Figure 9**). A trench about 180 m southwest of the Ross Creek showing, and another trench 154 m west-southwest of the first trench, uncovered minor pyrite and chalcopyrite in medium to coarse-grained gabbro. Sulphide minerals appear to be stronger adjacent to minor northwest trending slip zones. A single hole across the apparent strike of the zone intersected only traces of sulphide minerals. A self-potential anomaly on the east shore of the Lawrence River, about 300 m south-southeast of the Ross Creek showing, was tested by two drill holes (No 13 and No14). The anomaly appears to be associated with magnetite bearing gabbro and peridotite. Only traces of pyrite were reported.

In July of 2007, one day of reconnaissance prospecting and geological mapping was carried out by Canadian Arrow Mines in vicinity of the Ross Creek Cu-Ni Prospect. The work was focused on locating and sampling the showings near the western side of the Lawrence River. A total of six grab samples were taken from the area. The Ross Creek showing consists of a number of rusty zones in gabbro-pyroxenite exposed for approximately 15 metres along the western side of the Lawrence River. Sulphide mineralization consists of 1-5% disseminated pyrrhotite and chalcopyrite. A second trench, located approximately 150 metres southwest of the original showing, exposed pyroxenite and gabbro containing up to 10% pyrrhotite and chalcopyrite. Prospecting west of the showings encountered dominantly barren gabbro.

Green Bay Prospect

Green Bay Showing as it is referred to in Green Bay company reports, occurs near the contact between gabbro and basalt, close to the swampy shore of East Bay of Caviar Lake (**Figure 8**). The gabbro is medium to coarse-grained. Coarse blebs of pyrrhotite and chalcopyrite are well exposed in a 14 m trench. Some fracturing is evident, but there is no obvious structural control of the mineralization. Four holes, fanned from a point about 12 m southwest of the trench, intersected gabbro, diorite, and basalt; with basalt predominating east of the southeastern end of the trench (**Figure 8**). Sulphide minerals locally constitute up to 10 percent of the gabbro, but most are confined to the zone between the collar of the hole and the vertical projection of the trench. The best values reported in drill holes were 0.31 % copper, and 0.19 % nickel, over 0.51 m (Hole No 3). In July of 2007, a brief visit was made to locate the Green Bay Ni-Cu showing. A beaver dam, located just southwest of the occurrence, had recently broken, exposing a 20 metre wide section of almost continuous bedrock exposure for approximately 200 metres along the former creek. The wash-out exposed barren gabbro-diorite and local pyroxenite near the west side of Caviar Lake.

Denmark Lake Prospect

In 1973, J.C Davies indicated the “Denmark Lake Showing” where Falconbridge Nickel Mines Limited in 1956-1957 explored a claim group in the vicinity of the mouth of the Overflow River, in the Denmark Lake area. Drilling of electromagnetic anomalies under Denmark Lake indicated the presence of a body of serpentinized peridotite, the edges of which are reddish (hematite) and conductive. Sulphide minerals were not encountered.

From OGS Map 3594 and OGS Nickel-Copper Occurrences report, the Denmark Lake Showing is exactly located west of the Denmark Lake UTM NAD 27 (Zone 15) coordinates 451983E. 5470927N. The Denmark Lake Showing has been noted first time in 1951, outcrops were stripped and grab samples assayed: 0.06% Ni and 0.34% Cu; 0.46% Ni and 0.1% Cu and (**Figures 4 and 5**). The location of this showing is at least 450m northeast of Caribou Lodge Showing and very close with the Huston & Associated IP Anomaly #6 (**Figure 5**).

Krisko #1 and Krisko #2 Showings

The Krisko #1 and #2 showings occur on the east side of the Lawrence River between the latitudes of Ross Creek and Green Bay Showings (**Figure 8**). In 1955, E. Krisko (prospector) sunk several trenches, pits and one shaft. In the same year, 4 holes totalizing 100 meters have been drilled on these two showings. On the first showing, Holes #3 and #4 both intersected from surface to 50' a gabbroic unit with sulphides.

More Important work was done on Showing No 2; Holes #1 and #2 intersected 25' of a mineralized quartz-feldspar porphyry unit. From the prospector sketches, trenching, blasting and drilling areas were associated with gold, nickel and copper mineralization. This zone is located near the gabbro-granodiorite contact with trends northeast (**Figure 4**). Quartz veins (3) are present in northeast trending shear zones situated in andesitic rocks and about 800 m north of the eastern end of East Bay, Caviar Lake (**Figure 4**) The largest exposed vein, lying in the quartz-feldspar porphyry has been trenched along a length of 150 meters, and a shaft has been blasted south of the important scouring area. Mineralization is present from surface to 25' depth in the quartz-feldspar porphyry following by 25' of sheared volcanic rocks. No assays were reported.

Others Prospects

From the OGS map P3594 a nickel-copper showing was found on a small island located in the Denmark Lake south east of Caribou Lodge Showing (**Figure 4**). No more information for this occurrence was found in the OGS files.




Figure 5 - Huston & Associates Induced Polarization Survey and Showings location




Figure 6 - Diamond Drill Holes before 2008





Figure 7 - Caribou Lodge Showing, trenches, DDH and grab samples



Green Bay Mining and Exploration Limited [1956]. Principal mineral showings.

Figure 8 - Ross Creek and Green Bay Showings Location (Ref R111)




Figure 9 - Ross Creek Diamond Drill Holes (Ref: 52F05NE0018)

ECONOMIC GEOLOGY

In the summers of 2007 and of 2008, Canadian Arrow Mines Ltd crew conducted reconnaissance prospecting, trenching and grab sampling on the principal occurrences around Denmark Lake. In March of 2008, a diamond drilling program totalizing 1760 meters were carried out on the Caribou Lodge Showing (figures 10 and 11).

A summary of field work completed during 2007- 2008 programs are show in table 2. Geology, grid, trenches, drill holes collars (CL-08-08-01 to CL-08-011) and grab samples are show on figures 7, 10 and 11.

In the years of 2007-2008, Canadian Arrow Mines Ltd. supplied a crew of 5 men to complete the work.

Table 2 - Summary field work

| Showing Name | Grab Samples | Trenching (m ³) | Gridding (m) | Diamond Drilling (m) |
|---------------|--------------|-----------------------------|--------------|----------------------|
| Caribou Lodge | 35 | 300 | 2,450 | 1760 |
| Denmark Lake | 1 | - | | - |
| Ross Creek | 7 | - | | - |
| Green Bay | - | - | | - |

GRIDDING, SAMPLING AND TRENCHING:

Between July of 2007 and February of 2008, 43 grab samples were collected by Canadian Arrow Mines Ltd in vicinity of the Caribou Lodge and Ross Creek Showings (**Table 3**). In January of 2008, a grid was established and five trenches were dug up to hundred meter northwest of the main showing (**Figure 11**). Sulphide mineralization found in the recent trenches (T1 to T5) consists of 2-20% disseminated pyrrhotite and chalcopyrite comparable from the old works. An estimation of 300 cubic meters of overburden was dug out in these 5 trenches.

Table 3 - 2007-2008 Grab Samples Results

| Sample | Year | Showing | UTM NAD 83 Zone 15 | | | Rock | Trench | Ni % | Cu % | Co % | Pt gm/t | Pd gm/t |
|--------|------|---------|-----------------------|-----------|------|------|--------|--------|--------|-------|------------|------------|
| | | | Easting | Northing | Type | | | | | | | |
| No. | | | | | | | | | | | | |
| 14821 | 2007 | CL | 451670.0 | 5470699.0 | I3A | | | 0.0958 | 0.2908 | 0.004 | 0.146 | 0.06 |
| 14822 | 2007 | CL | 451668.0 | 5470700.0 | I3A | | | 0.0279 | 0.0475 | 0.004 | 0.038 | 0.014 |
| 14823 | 2007 | CL | 451666.0 | 5470707.0 | I4B | | | 0.0658 | 0.0763 | 0.005 | 0.075 | 0.022 |
| 14824 | 2007 | CL | 451639.0 | 5470720.0 | Dio | | | 0.0524 | 0.0916 | 0.005 | 0.064 | 0.02 |
| 14825 | 2007 | CL | 451663.0 | 5470749.0 | I3A | | | 0.0986 | 0.2053 | 0.006 | 0.065 | 0.031 |
| 14826 | 2007 | CL | 451680.0 | 5470742.0 | I4B | | | 0.6101 | 0.1172 | 0.03 | 0.637 | 0.049 |
| 14827 | 2007 | CL | 451659.0 | 5470792.0 | I3A | | | 0.0071 | 0.0081 | 0.002 | <0.015 | <0.01 |
| 14828 | 2007 | CL | 451630.0 | 5470831.0 | I3A | | | 0.0029 | 0.0089 | 0.0 | 0.0 | 0.011 |
| 14829 | 2007 | CL | 451712.0 | 5470940.0 | I3A | | | 0.0533 | 0.0639 | 0.0 | 0.1 | 0.021 |
| 14830 | 2007 | CL | 451728.0 | 5470918.0 | I4B | | | 0.0472 | 0.0494 | 0.0 | 0.0 | 0.071 |
| 14831 | 2007 | CL | 451749.0 | 5470907.0 | GD | | | 0.0253 | 0.0586 | 0.0 | 0.1 | 0.031 |
| 14832 | 2007 | CL | 451767.0 | 5470919.0 | I3A | | | 0.0074 | 0.0077 | 0.0 | <0.015 | <0.01 |
| 14833 | 2007 | CL | 451768.0 | 5470936.0 | I3A | | | 0.0099 | 0.0067 | 0.0 | <0.015 | <0.01 |
| 14834 | 2007 | CL | 451810.0 | 5470946.0 | I3A | | | 0.0101 | 0.0046 | 0.0 | <0.015 | <0.01 |
| 14835 | 2007 | CL | 452117.0 | 5470838.0 | I4B | | | 0.0499 | 0.0075 | 0.0 | <0.015 | <0.01 |
| 396351 | 2008 | CL | 451669 | 5470734 | I4B | T-5 | 0.8 | 0.25 | | 0.08 | 0.3 | 0.15 |
| 396352 | 2008 | CL | 451669 | 5470736 | I4B | T-5 | 0.5 | 0.76 | < LOD | 0.2 | 0.08 | |
| 396353 | 2008 | CL | 451665 | 5470730 | I4B | T-5 | 0.04 | 0.06 | < LOD | 0.01 | 0.01 | |
| 396354 | 2008 | CL | 451663 | 5470732 | I4B | T-5 | 0.03 | 0.01 | < LOD | 0.01 | 0.01 | |
| 396355 | 2008 | CL | 451660 | 5470730 | I4B | T-5 | 0.09 | 0.06 | 0.09 | 0.1 | 0.06 | |
| 396356 | 2008 | CL | 451658 | 5470731 | I4B | T-5 | 0.07 | 0.1 | < LOD | 0.01 | 0.01 | |
| 396357 | 2008 | CL | 451655 | 5470730 | I4B | T-5 | 0.06 | 0.07 | < LOD | 0.01 | 0.01 | |
| 396358 | 2008 | CL | 451650 | 5470732 | I4B | T-5 | 0.14 | 0.14 | 0.06 | 0.01 | 0.01 | |
| 396359 | 2008 | CL | 451645 | 5470731 | I4B | T-5 | 0.05 | 0.03 | < LOD | 0.01 | 0.01 | |
| 396360 | 2008 | CL | 451670 | 5470754 | I4B | T-1 | 0.1 | 0.4 | < LOD | 0.1 | 0.07 | |
| 396361 | 2008 | CL | 451665 | 5470752 | I4B | T-1 | 0.17 | 0.3 | < LOD | 0.1 | 0.07 | |
| 396362 | 2008 | CL | 451660 | 5470753 | I4B | T-1 | 0.19 | 0.3 | < LOD | 0.1 | 0.07 | |
| 396363 | 2008 | CL | 451655 | 5470756 | I4B | T-1 | 0.09 | 0.1 | < LOD | 0.01 | 0.01 | |
| 396364 | 2008 | CL | 451645 | 5470754 | I4B | T-1 | 0.13 | 0.18 | < LOD | 0.01 | 0.01 | |
| 396365 | 2008 | CL | 451645 | 5470780 | I4B | T-3 | 0.03 | 0.02 | < LOD | 0.01 | 0.01 | |
| 396366 | 2008 | CL | 451643 | 5470782 | I4B | T-3 | 0.07 | 0.15 | < LOD | 0.1 | 0.04 | |
| 396367 | 2008 | CL | 4516640 | 5470781 | I4B | T-3 | 0.13 | 0.33 | < LOD | 0.28 | 0.25 | |
| 396368 | 2008 | CL | 451635 | 5470783 | I4B | T-3 | 0.19 | 0.61 | 0.08 | 0.15 | 0.08 | |
| 396369 | 2008 | CL | 451640 | 5470782 | I4B | T-3 | 0.04 | 0.19 | < LOD | 0.01 | 0.01 | |
| 396370 | 2008 | CL | 451644 | 5470800 | I4B | T-4 | 0.15 | 0.56 | < LOD | 0.42 | 0.2 | |
| 396371 | 2008 | CL | 45138 | 5470802 | I4B | T-4 | 0.7 | 0.31 | < LOD | 0.13 | 0.05 | |
| 396372 | 2008 | CL | 451635 | 5470801 | I4B | T-4 | 0.18 | 0.32 | < LOD | 0.13 | 0.05 | |

| Sample | Year | Showing | UTM NAD 83 Zone 15 | | | Rock | Trench | Ni % | Cu % | Co % | Pt gm/t | Pd gm/t |
|--------|------|---------|-----------------------|-----------|------|------|--------|--------|--------|-------|------------|------------|
| | | | Easting | Northing | Type | | | | | | | |
| No. | | | | | | | | | | | | |
| 14836 | 2007 | RC | 450324 | 5470785.0 | I4B | | | 0.257 | 0.4485 | 0.01 | 0.035 | 0.049 |
| 14837 | 2007 | RC | 450326 | 5470787.0 | I4B | | | 0.1915 | 0.4392 | 0.011 | 0.05 | 0.052 |
| 14838 | 2007 | RC | 450330 | 5470788.0 | I3A | | | 0.0206 | 0.0323 | 0.003 | 0.036 | 0.039 |
| 14839 | 2007 | RC | 450212 | 5470796.0 | I3A | | | 0.0085 | 0.0139 | 0.003 | <0.015 | 0.011 |
| 14840 | 2007 | RC | 450208 | 5470663.0 | I3A | | | 0.1553 | 0.3478 | 0.013 | 0.231 | 0.116 |
| 14841 | 2007 | RC | 450204 | 5470667.0 | I4B | | | 0.1258 | 0.469 | 0.011 | 0.143 | 0.085 |
| 396495 | 2008 | RC | 450736 | 5471201 | I3A | | | 0.017 | 0.097 | 0.008 | <0.005 | 0.001 |




Figure 10 - Diamond Hole Plan (2008)




Figure 11 - Diamond Hole Plan and Trenches (2008)

GEOPHYSICS

In February of 2007, Aeroquest completed in the Kenbridge South Block an AEROTEM Z1 OFF-TIME and a TOTAL MAGNETIC INTENSITY surveys and were carried out for Canadian Arrow Mines Ltd. A report covering the results obtained in that work was submitted

(Aeroquest Job # 07062). A number of EM-MAG anomalies were detected by the surveys and are shown on figures 12 and 13.

EM Anomalies

The strongest EM anomalies are dominantly located under the Denmark and the Caviar Lakes (East Bay). The conductors traced are generally occurring near and parallel with shoreline of these two lakes. These EM anomalies may be due to conductive lake bottom sediments or due to shear zones within the underlying rock. Nevertheless, a series of six intriguing EM conductors are located at Ross Creek Showing and northeast of Caribou Lodge Occurrence.

These six isolated EM conductors are moderate to strong, striking northeast-southwest and then east-west. The southerly EM conductor begins east of Ross Creek Showing, the easterly and the strongest EM conductor is situated near the north shoreline of Denmark Lake (**Figure 12**). They are located in the ultramafic unit and close to the volcanic contact (**Figure 4**).

Many strong EM conductors are located in the middle of the Denmark Lake and may be related to the IP anomalies (**Figure 12**). However the IP anomalies are striking NW and the general strike of the EM anomalies are more or less east-west.

MAG Anomalies

Generally speaking, the magnetic survey correlates closely with the known geology of the Denmark Lake area. First, the magnetics may be representative of the contact between the gabbro-pyroxenite and granodiorite or basalts in the area which roughly correlate to the strike of the magnetics, that being northeast and then to the east (**Figure 13**) Secondly, Denmark Lake may be some sort of pipe or plug intrusion and the magnetics are indicating the rim of the feature, thus distorted circular high mag centered in the Denmark Lake.

The magnetics of the TOTAL MAGNETIC INTENSITY survey area have defined a number of features of interest. The magnetic survey has defined moderate (red color, **Figure 13**) responsive north-east elongate arm parallel with the Ross Creek mineralized zone. This anomaly would appear to be reflecting the ultramafic intrusion in contact with the basaltic unit. The magnetic response is quite strong, particularly in the central portion of the Denmark Lake. The origin of this strong anomaly may be due by the serpentinized peridotite under the lake.




Figure 12 - AEROTEM Z1 OFF-TIME Survey




Figure 13 - TOTAL MAGNETIC INTENSITY Survey

DIAMOND DRILLING

Caribou Lodge Showing

In March of 2008, Canadian Arrow Mines Ltd carried out a drilling program of eleven holes totaling 1,760 meters and located at the vicinity of the Caribou Lodge Showing (**Figures 7, 10 and 11**). Four Canadian Arrow Mines holes and two more holes (Huston & Associated) returned significant mineralized core intervals on Caribou Lodge Showing (**Table 5**). A high grade section assaying **4.51% Ni, 0.44% Cu, 0.15% Co over a core length of 0.75 meters** was discovered in the hole CL-08-01 of the exploration program. The mineralization consists of massive, blebby and disseminated sulphides.

Ross Creek and Green Bay Showings:

Three holes were drilled by Green Bay Mining and returned anomalous values of Ni-Cu on Ross Creek and Green Bay Showings (**Table 6**). A **thirite** mineral was found in Hole 3 associated with a mineralized andesite. No description was found for **thirite**, this strange mineral name was mentioned only in Green Bay hole No 3.

Table 4 - 2008 Canadian Arrow Mines Diamond Drilling Program

| Hole Number | Azimuth | Dip | Length (m) | Easting | Northing |
|--------------|---------|------|---------------|---------|----------|
| CL-08-01 | 229° | -49° | 204 | 451682 | 5470754 |
| CL-08-02 | 225° | -49° | 270 | 451700 | 5470772 |
| CL-08-03 | 216° | -54° | 249 | 451654 | 5470793 |
| CL-08-04 | 043° | -88° | 105 | 451656 | 5470730 |
| CL-08-05 | 038° | -67° | 78 | 451656 | 5470730 |
| CL-08-06 | 047° | -87° | 102 | 451619 | 5470766 |
| CL-08-07 | 039° | -54° | 99 | 451619 | 5470766 |
| CL-08-08 | 041° | -44° | 153 | 451572 | 5470648 |
| CL-08-09 | 046° | -68° | 170 | 451572 | 5470648 |
| CL-08-10 | 051° | -44° | 159 | 451534 | 5470676 |
| CL-08-11 | 048° | -63° | 171 | 451534 | 5470674 |
| TOTAL | | | 1760 m | | |

Table 5 - Diamond Drill Holes on Caribou Lodge Showing

| Showing | Company | Drill Hole | From | To | Interval | Ni | Cu | Comments | Target |
|---------------|----------------------|-----------------|------|------|----------|------|--------|---------------------------------------|---------------------------|
| Name | | Number | m | m | m | % | % | | |
| Caribou Lodge | Huston & Associates | 67-1 | ? | ? | 15 | 0,78 | 0,78 | I3A, I4B | Caribou Lodge Showing |
| Caribou Lodge | Boyle Engineering | B-1 | | | | NA | NA | V3,Diorite, sulphides along fractures | East-West mineralization |
| Caribou Lodge | Boyle Engineering | B-2 | | | | NA | NA | I3A, I4B, Po, Cpy | East-West mineralization |
| Caribou Lodge | Boyle Engineering | B-3 | | | | NA | NA | V3,Diorite, sulphides along fractures | East-West mineralization |
| Caribou Lodge | Boyle Engineering | B-4 | | | | NA | NA | I3A, I4B, Po, Cpy | East-West mineralization |
| Caribou Lodge | Boyle Engineering | B-5 | | | | NA | NA | V3,Diorite, sulphides along fractures | East-West mineralization |
| Caribou Lodge | Huston & Associates | H-1 | | | | NA | NA | V3, 13A, I4I, Serpentine | IP #1(no explanation) |
| Caribou Lodge | Huston & Associates | H-2 | | | | NA | NA | V3, 13A, I4I, Serpentine | IP #1(no explanation) |
| Caribou Lodge | Huston & Associates | H-3 | | | | NA | NA | V3, 13A, I4I, Serpentine | IP #1(no explanation) |
| Caribou Lodge | Huston & Associates | H-4 | ? | ? | 12,75 | 0,19 | 0,27 | V3, I3A, I4I (Zone dip at ~55W) | Caribou Lodge zone +IP #2 |
| Caribou Lodge | Huston & Associates | H-5 | ? | ? | 11 | 0,23 | 0,26 | V3, I3A, I4I (Zone dip at ~55W) | Caribou Lodge zone +IP #2 |
| Caribou Lodge | Huston & Associates | H-5 (incl) | ? | ? | 1,75 | 0,79 | 1,12 | V3, I3A, I4I (Zone dip at ~55W) | Caribou Lodge zone +IP #2 |
| Caribou Lodge | Huston & Associates | H-6 | | | | NA | NA | V3, I3A, I4I | IP #3 and IP #4 |
| Caribou Lodge | Huston & Associates | H-7 | | | | NA | NA | V3, I3A, I4I | IP #3 and IP #4 |
| Caribou Lodge | Huston & Associates | H-8 | ? | ? | 15,5 | 0,08 | Traces | V3, I3A, I4I | IP #3 and IP #4 |
| Caribou Lodge | Huston & Associates | H-9 | | | | NA | NA | Beneath a mineralized outcrop | IP # 2 |
| Caribou Lodge | Canadian Arrow Mines | CL-08-01 | 39,4 | 64 | 24,6 | 0,35 | 0,36 | I3A, I4B, I4I, Dio, Po, Cpy | Caribou Lodge zone |
| Caribou Lodge | Canadian Arrow Mines | CL-08-01 (incl) | 40,2 | 41 | 0,75 | 4,51 | 0,5 | I3A, I4B, I4I, Dio, Po, Cpy | Caribou Lodge zone |
| Caribou Lodge | Canadian Arrow Mines | CL-08-03 | 59 | 65,9 | 6,9 | 0,3 | 0,8 | I3A, I4B, I4I, Dio, Po, Cpy | Caribou Lodge zone |
| Caribou Lodge | Canadian Arrow Mines | CL-08-04 | 24,5 | 26,4 | 1,9 | 0,11 | 0,43 | I3A, I4B, I4I, Dio, Po, Cpy | Caribou Lodge zone |
| Caribou Lodge | Canadian Arrow Mines | CL-08-05 | 22 | 24,5 | 2,5 | 0,23 | 1,4 | I3A, I4B, I4I, Dio, Po, Cpy | Caribou Lodge zone |
| Caribou Lodge | Canadian Arrow Mines | CL-08-06 | 57 | 60 | 3 | 0,18 | 0,42 | I3A, I4B, I4I, Dio, Po, Cpy | Caribou Lodge zone |

| | | | | | | | | | |
|---------------|----------------------|----------|-------|-------|-----|------|------|-----------------------------|--------------------|
| Caribou Lodge | Canadian Arrow Mines | CL-08-07 | 30.8 | 31.7 | 0.9 | 0.17 | 0.5 | I3A, I4B, I4I, Dio, Po, Cpy | Caribou Lodge zone |
| Caribou Lodge | Canadian Arrow Mines | CL-08-08 | 106 | 108 | 2 | 0.16 | 0.3 | I3A, I4B, I4I, Dio, Po, Cpy | Caribou Lodge zone |
| Caribou Lodge | Canadian Arrow Mines | CL-08-09 | 130,5 | 133,5 | 2 | 0.24 | 0.66 | I3A, I4B, I4I, Dio, Po, Cpy | Caribou Lodge zone |
| Caribou Lodge | Canadian Arrow Mines | CL-08-10 | 132 | 134,7 | 2,7 | 0.52 | 0.36 | I3A, I4B, I4I, Dio, Po, Cpy | Caribou Lodge zone |
| Caribou Lodge | Canadian Arrow Mines | CL-08-11 | 159 | 160,2 | 1,2 | 0,2 | 0,3 | I3A, I4B, I4I, Dio, Po, Cpy | Caribou Lodge zone |

Table 6 - Diamond Drill Holes on Ross Creek and Green Bay Showings

| Area | Company | Drill Hole | From | To | Interval | Ni | Cu | Comments | Target |
|------------|------------------|------------|------|------|----------|------|--------|-----------------------------|---------------------------|
| | | Number | m | m | m | % | % | | |
| Ross Creek | Green Bay Mining | 5 | 3 | 7,9 | 4,9 | NA | NA | I3A, Po, Cpy | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 6 | 6,7 | 7,9 | 1,2 | NA | NA | I3A, Po, Cpy | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 6 | 67,6 | 71 | 3,4 | NA | NA | I4I, Po, Cpy | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 7 | 2,1 | 4,2 | 2,1 | NA | NA | I3A, Po, Cpy | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 7 | 12,4 | 12,5 | 0,1 | NA | NA | 30% Cpy, Po | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 8 | 9,3 | 10,6 | 1,4 | 0,18 | 0,10 | I3A | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 8 | 24 | 24,6 | 0,6 | 0,15 | 0,8 | I3A, Po, Cpy | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 8 | 29,8 | 30,9 | 1,1 | 0,28 | Traces | I3, Po, Cpy | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 9 | 49,6 | 60,9 | 11,3 | NA | NA | I4B, 5% Po, Cpy | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 10 | 14,5 | 15,2 | 0,7 | 0,18 | Traces | I4B, Po. | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 10 | 15,2 | 16,4 | 1,2 | 0,27 | 0,35 | I4I, Po, Cpy | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 11 | 0 | 25,7 | 25,7 | NA | NA | Po, Cpy | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 11 | 24,5 | 24,8 | 0,3 | NA | NA | 25% Po, Cpy | Beneath a surface showing |
| Ross Creek | Green Bay Mining | 12 | 56 | 58,2 | 1,2 | NA | NA | I3A, specks of Po. | Beneath a surface showing |
| Green Bay | Green Bay Mining | 3 | 15.7 | 16.2 | 0,51 | 0,19 | 0,31 | I3A, 8% Po, Cpy | Green Bay Showing |
| Green Bay | Green Bay Mining | 3 | 10.9 | 21.3 | 10,6 | ? | ? | I3A, 8-12% Po-Cpy | Green Bay Showing |
| Green Bay | Green Bay Mining | 3 | 21.3 | 34.7 | 13,4 | | | Andesite, Po, Cpy, THIRITE? | Green Bay Showing |




Figure 14 - Cross-Section 1225N (Holes CL-08-01,-02,-04,-05,-08 and CL-08-09)




Figure 15 - Cross-Section 1260N (Holes CL-08-03,-06,-07,-10 and CL-08-11)




Figure 16 - Cross-Section 1410N (Holes H-4, H-5 and H-9)

INTERPRETATION

Total Magnetic Intensity Survey

The magnetic response is quite strong, particularly between Denmark and Caviar Lakes and the most prominent magnetic anomaly is located under Denmark Lake. According the geology, the core in the diamond drill holes, this wide magnetic anomaly is created by considerable disseminated and stringers of magnetite. Away from the main anomaly, the magnetic response is rather flat, as is typical of volcanic flows. A northeast-southwest trending airborne magnetic feature is closely coincident with the trend defined by the two sulphide showings on Ross Creek area. This magnetic feature appears to merge with the

strong and broad magnetic body located to the south and east, suggesting it may be an apophysis related to the Denmark Lake intrusion.

AEROTEM Survey

The survey has been detected numerous EM anomalies under Denmark and the Caviar Lakes. Most of them could be explained by changes of conductivity in the overburden on lakes bottom. Six isolated and interesting EM conductors are located between the Ross Creek and the Caribou Lodge Showings. These anomalies are also associated with the favorable host rocks and correspond with the northeast airborne magnetic feature (**Figure 13**).

Showings

The Caribou Lodge Showing was poorly exposed on surface roughly linear, at least 100 m in length body, with a 10 m wide (**Figures 7 and 11**). It is composed of altered pyroxenite. In the recent trenches, 1 to 3 meters exposed mineralized zone consists of 5 to 20% disseminated to blebby chalcopyrite and pyrrhotite. The sulphide mineralization appears relatively simple, consisting primarily of chalcopyrite and pyrrhotite. Some grab samples from the zone yielded anomalous values of PGM for example one sample taken in 2007 retuned $> 0.6\text{gm/t Pt}$.

The Caribou Lodge Occurrence should be continuous to the north west of the line 1410N. The northwestern hole H-5 (Huston & Associates) intersected the zone, assays from this hole returned 0, 79% nickel and 1, 12% copper over 1,75m. The exact length of the Caribou Lodge zone is unknown and still open laterally toward southeast. The Huston & Associates IP survey, could be extends the zone over 300 meters to the southeast (**Figures 6 and 7**).

Three Cross- Sections (1225N, 1260N and 1410N) on Caribou Lodge Showing indicate the zone steeply dips to the southwest and still open at depth (**Figures 14, 15 and 16**). The high grade section in the Hole CL-08-01 assaying 4.51% Ni, 0.44% Cu, 0.15% Co over a core length of 0.75 meters was associated of massive, blebby and disseminated sulphides. It is may be possible to tie this high grade zone with the good mineralization found in the Hole H-5 by Huston & Associates.

The Ross Creek Showing has been described by Green Bay Mining & Exploration Company as the best occurrence on the property. The Ross Creek occurrence gave good nickel values, the sulphide being disseminated trough a gabbroic rock. The strike of the ore body was difficult to determine is rather a scattered dissemination in the pits. The sulphides are heaviest between westerly joints about 10cm wide and disseminated on both sides. Diamond drill located further narrow scattered lenses. Some pillow andesite associated with the showing has replacement pyrrhotite, chalcopyrite and pyrite around the pillow edges and also trough the pillows. The Ross Creek zone is more or less continuous over 150 meters in length and between 3 to 5 meters wide. The Ross Creek zone is interpreted as a steeply dips to the northwest and remains open at depth.

Green Bay Showing is located between gabbro and basalt, close to the swampy shore of East Bay of Caviar Lake and is not easily accessible by Denmark Lake. Green Bay Mining found coarse blebs of pyrrhotite and chalcopyrite are well exposed in a 14 m trench. The brief visit in July of 2007 indicated only the wash-out exposed barren gabbro-diorite and local pyroxenite near the west side of Caviar Lake. A strange mineral name was reported by Green Bay Mining in Hole No3. A thirite mineral is confined with a mineralized andesite under the Ni-Cu zone.

Quartz veins are present on Krisko Showing #2 and located 800m north of the eastern end of East Bay, Caviar Lake. One large exposed veins area, lying in adjacent sheared metavolcanics has been trenched along a length of about 150m. Krisko Showing #2 has many similarities with Caviar Lake Gold Showing (**Figure 4**). Assays of grab samples are reported on Caviar Lake Showing to contain up to 0.4 ounce of gold per ton.

CONCLUSION AND RECOMMENDATIONS

Disseminated sulphide minerals appear to lie in northwest-southeast zones Caribou Lodge and others similar sulphide horizons were detected few hundred meters east of the main showing. Massive sulphide minerals could be concentrated along later (east-trending) fractures in the areas of Ross Creek and Caribou Lodge occurrences. In 1952, International Nickel Company of Canada Limited conducted the ground EM and magnetic surveys on Caribou Lodge area and adjacent lands, the maps from these surveys indicated several conductors in the Caribou Lodge Showing area. Furthermore, several ground mag anomalies on the Caribou Lodge area were interpreted east-west.

In 1954, Boylen assumed that the mineralization on Caribou Lodge Showing would trend east and tested with Holes B-2 and B-4. Both holes intersected gabbro and peridotite with minor nickel and copper. Two directions for mineralization could be considered on Denmark Lake Property. Numerous disseminated sulphide zones oriented NW-SE and possibly massive sulphide lens striking E-W.

Diamond drilling has far been confirmed the extension from Caribou Lodge Showing, at depth and laterally 100m to the northwest and possibly 300 meters to the southeast. The 2008 drilling program has identified a massive sulphide lens in the first hole. Three holes drilled on the strongest IP anomaly No1 from Huston & Associates have not satisfactorily explained the anomaly under the Denmark Lake.

- 1) Further work is recommended to reevaluate the Huston & Associates IP survey and the sulphide mineralization associated with the pyroxenite occurrences in the vicinity of the Caribou Lodge Showing. The work should be undertaken in the winter and would consist of establishing a new grid (base line oriented at N335°) that includes the north western part of Denmark Lake, an IP geophysical survey and ice diamond drilling program to find sulphide bodies under Denmark Lake.
- 2) Further ground works to evaluate between the Lawrence River and the Denmark Lake area. Ross Creek area is constrained by its location adjacent to the Lawrence River. The exploration program would consist of establishing one grid to encompass the EM-MAG anomalies and the showings. The base line should be oriented at N30° and cover Ross Creek zone then tilting the base line at N90° on the north side of Denmark Lake. This east-west base line should combine two objectives; firstly, superpose at least four EM conductors and determine their causes with geophysical surveys. Secondly, to explain the east-west magnetic anomalies situated on the north side of Denmark Lake.
- 3) The Ross Creek Showing could be adequately tested by a couple of drill holes oriented south easterly under the showings and the Lawrence River.
- 4) The Green Bay Showing is not easily accessible by Denmark Lake Property, however access and further works will be more conceivable by Isinglass Property accesses.
- 5) Krisko Showing #2 should be investigated particularly for gold potential.

REFERENCES

- C. C. Huston & Associated. H. Brown IP Survey (52F05NE0047)
- E. Krisko. Operator Model XRT - Serial No. 13113 .Diamond Drilling Cores, June 1955 (52F05NE0039)
- Green Bay Mining & Exploration Company, group of 69 claims on Caviar Lake, (52F05NE 8181).
- Green Bay Mg. & Expl., Diamond Drilling Area of Atikwa Lake. (52F05NE0018, 52F05NE0038)
- O.G.S, Map 2273 Atikwa Lake Kenora District. Scale 1:31,680
- O.G.S. P.R. 1952-4, Preliminary Report on Copper, Nickel, Lead, and Zinc Deposits of Ontario(Second Edition, May, 1952) by Jas. E. Thomson and Resident Geologists.
- O.G.S. Geology Atikwa Lake Area. District of Kenora. By J. C. Davies, Geological Report No 111, 1973.
- Ontario Geological Survey. Preliminary Map R2097. Kenora Data Series. Atikwa Lake Area. District of Kenora Mc Tavish March 30, 1980
- Ontario Geological Survey MAP P.3594, Precambrian Geology Kakagi–Rowan Lales AREA. Scale 1:50 000. NTS Reference: 52 E/1, 8, F/3, 4, 5, 6 and 12
- The International Canada, Mining and Smelting Division Mr. J.F. McFarland. May 27, 1952, (52F05NE0058).

APPENDIX I


DRILL LOGS

APPENDIX II

LAB CERTIFICATES

APPENDIX III

Trench Map



Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008
 Date Completed: May 1, 2008


Job #: 200840898
 Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80669 | 396362 | 29 | 122 | 72 | | 3.65 | 122 | 3012 | | 1918 | | |
| 80670 | 396363 | 20 | 76 | 42 | | 2.76 | 91 | 1114 | | 986 | | |
| 80671 | 396364 | 34 | 115 | 59 | | 3.28 | 108 | 1810 | | 1331 | | |
| 80672 | 396365 | 8 | 34 | 17 | | 2.45 | 63 | 201 | | 395 | | |
| 80673 | 396366 | 24 | 100 | 47 | | 2.56 | 48 | 1586 | | 760 | | |
| 80674 | 396367 | 74 | 289 | 205 | | 4.53 | 65 | 3387 | | 1349 | | |
| 80675 | 396368 | 94 | 152 | 84 | | 5.99 | 136 | 6125 | | 1924 | | |
| 80676 Dup | 396368 | 104 | 169 | 89 | | 6.55 | 141 | 6596 | | 2013 | | |
| 80677 | 396369 | 21 | 78 | 21 | | 2.04 | 61 | 1918 | | 478 | | |
| 80678 | 396370 | 152 | 422 | 198 | | 3.81 | 78 | 5676 | | 1535 | | |
| 80679 | 396371 | 45 | 137 | 52 | | 3.29 | 57 | 3182 | | 730 | | |
| 80680 | 396372 | 45 | 133 | 53 | | 3.28 | 125 | 3233 | | 1812 | | |
| 80681 | 396501 | 8 | 16 | <10 | | 1.44 | 39 | 192 | | 213 | | |
| 80682 | 396502 | 11 | 33 | 21 | | <1 | 23 | 138 | | 171 | | |
| 80683 | 396503 | 7 | <15 | <10 | | 1.22 | 32 | 203 | | 132 | | |
| 80684 | 396504 | <5 | <15 | <10 | | 1.48 | 42 | 138 | | 171 | | |
| 80685 | 396505 | <5 | <15 | <10 | | 1.07 | 56 | 43 | | 546 | | |
| 80686 | 396506 | <5 | 19 | <10 | | 1.72 | 96 | 21 | | 657 | | |
| 80687 Dup | 396506 | 7 | 18 | <10 | | 1.92 | 98 | 19 | | 667 | | |
| 80688 | 396507 | <5 | <15 | 11 | | 2.32 | 102 | 44 | | 869 | | |
| 80689 | 396508 | 5 | <15 | <10 | | 2.33 | 110 | 42 | | 1060 | | |
| 80690 | 396509 | <5 | <15 | <10 | | 2.16 | 100 | 60 | | 955 | | |
| 80691 | 396510 | <5 | 20 | <10 | | 2.05 | 107 | 63 | | 1162 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written
 approval of the laboratory

Jason Moore, General Manager

AL917-0257-05/03/2008 12:46 PM

Certificate of Analysis

Saturday, May 3, 2008

 Canadian Arrow Mines Ltd.
 236 Cedar St.

 Sudbury, ON, CAN
 P3B1M7

Ph#: (705) 673-8259

Fax#: (705) 673-5450

Email#:

dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008

Date Completed: May 1, 2008

Job #: 200840898


Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80692 | 396511 | <5 | <15 | <10 | | 1.85 | 96 | 71 | | 1147 | | |
| 80693 | 396512 | <5 | <15 | <10 | | 1.88 | 45 | 133 | | 101 | | |
| 80694 | 396513 | <5 | 22 | <10 | | 2.15 | 113 | 64 | | 1268 | | |
| 80695 | 396514 | <5 | <15 | <10 | | 2.16 | 111 | 70 | | 1217 | | |
| 80696 | 396515 | <5 | <15 | <10 | | 2.04 | 94 | 48 | | 948 | | |
| 80697 | 396516 | 9 | <15 | <10 | | 2.17 | 113 | 74 | | 1255 | | |
| 80698 Dup | 396516 | <5 | <15 | <10 | | 2.15 | 112 | 78 | | 1236 | | |
| 80699 | 396517 | <5 | 15 | <10 | | 2.38 | 120 | 52 | | 1353 | | |
| 80700 | 396518 | 7 | 23 | <10 | | 2.27 | 92 | 66 | | 916 | | |
| 80701 | 396519 | 7 | 25 | <10 | | 2.22 | 97 | 56 | | 949 | | |
| 80702 | 396520 | <5 | <15 | <10 | | 1.95 | 101 | 61 | | 1040 | | |
| 80703 | 396521 | 8 | 53 | 17 | | 2.35 | 119 | 62 | | 1352 | | |
| 80704 | 396522 | <5 | <15 | <10 | | 2.18 | 108 | 56 | | 1258 | | |
| 80705 | 396523 | 9 | 31 | 11 | | 2.24 | 112 | 87 | | 1208 | | |
| 80706 | 396524 | 10 | 30 | <10 | | 1.99 | 80 | 93 | | 785 | | |
| 80707 | 396525 | <5 | 41 | 13 | | 2.56 | 96 | 67 | | 1019 | | |
| 80708 | 396526 | <5 | 19 | <10 | | 2.38 | 107 | 54 | | 1290 | | |
| 80709 Dup | 396526 | 5 | 27 | <10 | | 2.20 | 105 | 51 | | 1280 | | |
| 80710 | 396527 | 8 | 32 | 12 | | 2.11 | 90 | 47 | | 921 | | |
| 80711 | 396528 | <5 | <15 | <10 | | 2.61 | 26 | 102 | | 202 | | |
| 80712 | 396529 | <5 | <15 | <10 | | 3.12 | 20 | 81 | | 150 | | |
| 80713 | 396530 | 7 | 41 | <10 | | 3.25 | 21 | 85 | | 152 | | |
| 80714 | 396531 | <5 | <15 | <10 | | 2.46 | 21 | 102 | | 73 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written
 approval of the laboratory

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008
 Date Completed: May 1, 2008


Job #: 200840898
 Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80715 | 396532 | <5 | <15 | <10 | | 2.38 | 19 | 91 | | 63 | | |
| 80716 | 396533 | <5 | <15 | <10 | | 2.50 | 22 | 94 | | 67 | | |
| 80717 | 396534 | <5 | <15 | <10 | | 2.07 | 22 | 93 | | 85 | | |
| 80718 | 396535 | 13 | 20 | <10 | | 2.60 | 38 | 506 | | 258 | | |
| 80719 | 396536 | 16 | 29 | <10 | | 3.70 | 35 | 1106 | | 346 | | |
| 80720 Dup | 396536 | 11 | 26 | <10 | | 3.68 | 35 | 1100 | | 341 | | |
| 80721 | 396537 | 6 | <15 | <10 | | 2.75 | 87 | 379 | | 567 | | |
| 80722 | 396538 | 15 | 60 | 39 | | 3.96 | 107 | 1488 | | 1018 | | |
| 80723 | 396539 | 17 | 49 | 32 | | 3.88 | 100 | 1386 | | 1057 | | |
| 80724 | 396540 | 16 | 98 | 139 | | 3.24 | 99 | 713 | | 10945 | | |
| 80725 | 396541 | 13 | 42 | 16 | | 3.51 | 96 | 903 | | 804 | | |
| 80726 | 396542 | 80 | 109 | 67 | | 3.39 | 63 | 2136 | | 1020 | | |
| 80727 | 396543 | 18 | 67 | 33 | | 3.65 | 90 | 829 | | 763 | | |
| 80728 | 396544 | 55 | 130 | 90 | | 4.32 | 140 | 3176 | | 2102 | | |
| 80729 | 396545 | 54 | 175 | 135 | | 5.55 | 163 | 4373 | | 2693 | | |
| 80730 | 396546 | 11 | 42 | <10 | | 2.52 | 45 | 116 | | 89 | | |
| 80731 Dup | 396546 | 12 | 38 | <10 | | 2.42 | 45 | 114 | | 90 | | |
| 80732 | 396547 | 49 | 149 | 77 | | 4.43 | 130 | 2600 | | 1714 | | |
| 80733 | 396548 | 43 | 108 | 49 | | 3.61 | 87 | 1741 | | 1033 | | |
| 80734 | 396549 | 59 | 163 | 131 | | 4.98 | 171 | 5341 | | 2597 | | |
| 80735 | 396550 | 38 | 85 | 56 | | 3.18 | 104 | 1218 | | 1042 | | |
| 80736 | 396551 | 42 | 93 | 45 | | 4.73 | 50 | 1952 | | 647 | | |
| 80737 | 396552 | 69 | 115 | 58 | | 6.18 | 82 | 3786 | | 1327 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written
 approval of the laboratory

Jason Moore, General Manager

AL917-0257-05/03/2008 12:46 PM

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008
 Date Completed: May 1, 2008


Job #: 200840898
 Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80738 | 396553 | 117 | 192 | 126 | | 6.68 | 119 | 6622 | | 2472 | | |
| 80739 | 396554 | 120 | 220 | 147 | | 6.17 | 111 | 6270 | | 2405 | | |
| 80740 | 396555 | 11 | 40 | 11 | | 4.40 | 30 | 232 | | 58 | | |
| 80741 | 396556 | 13 | 40 | 19 | | 3.49 | 40 | 815 | | 224 | | |
| 80742 Dup | 396556 | 20 | 56 | 26 | | 3.67 | 41 | 837 | | 227 | | |
| 80743 | 396557 | <5 | 100 | 44 | | 3.52 | 69 | 1340 | | 999 | | |
| 80744 | 396558 | 10 | 91 | 86 | | 3.73 | 68 | 1420 | | 859 | | |
| 80745 | 396559 | | | | | No Sample Received | | | | | | |
| 80746 | 396560 | <5 | 20 | <10 | | 3.33 | 38 | 130 | | 38 | | |
| 80747 | 396561 | <5 | 30 | 11 | | 3.02 | 32 | 352 | | 83 | | |
| 80748 | 396562 | 34 | 106 | 76 | | 4.33 | 57 | 2136 | | 577 | | |
| 80749 | 396563 | 49 | 178 | 72 | | 3.62 | 43 | 1457 | | 313 | | |
| 80750 | 396564 | 71 | 151 | 200 | | 2.19 | 100 | 712 | | 10932 | | |
| 80751 | 396565 | 93 | 264 | 144 | | 4.26 | 55 | 3549 | | 641 | | |
| 80752 | 396566 | 16 | 34 | 22 | | 2.55 | 43 | 517 | | 155 | | |
| 80753 Dup | 396566 | 14 | 48 | 23 | | 2.43 | 42 | 491 | | 153 | | |
| 80754 | 396567 | 58 | 162 | 112 | | 3.51 | 79 | 1298 | | 881 | | |
| 80755 | 396568 | 52 | 131 | 66 | | 3.07 | 44 | 1453 | | 380 | | |
| 80756 | 396569 | 9 | 30 | 13 | | 2.30 | 27 | 229 | | 130 | | |
| 80757 | 396570 | <5 | <15 | <10 | | 1.13 | 20 | 46 | | 69 | | |
| 80758 | 396571 | 6 | 23 | <10 | | 1.12 | 16 | 23 | | 41 | | |
| 80759 | 396572 | 15 | 34 | <10 | | 1.14 | 19 | 96 | | 109 | | |
| 80760 | 396573 | 12 | 21 | <10 | | 1.02 | 19 | 107 | | 126 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written
 approval of the laboratory

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B 1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008
 Date Completed: May 1, 2008


Job #: 200840898
 Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80761 | 396574 | <5 | 21 | <10 | | <1 | 25 | 125 | | 328 | | |
| 80762 | 396575 | <5 | <15 | <10 | | 1.09 | 45 | 35 | | 499 | | |
| 80763 | 396576 | <5 | 34 | 18 | | <1 | 46 | 52 | | 563 | | |
| 80764 Rep | 396576 | <5 | 21 | 11 | | 1.18 | 50 | 55 | | 581 | | |
| 80765 | 396577 | <5 | <15 | <10 | | 2.27 | 51 | 114 | | 98 | | |
| 80766 | 396578 | 5 | 24 | <10 | | 1.32 | 58 | 49 | | 634 | | |
| 80767 | 396579 | <5 | 23 | 11 | | <1 | 43 | 75 | | 539 | | |
| 80768 | 396580 | <5 | 15 | <10 | | 1.08 | 49 | 68 | | 546 | | |
| 80769 | 396581 | <5 | 30 | 11 | | 1.17 | 59 | 54 | | 691 | | |
| 80770 | 396582 | <5 | 27 | 14 | | 1.73 | 99 | 27 | | 1065 | | |
| 80771 | 396583 | 7 | 43 | 13 | | 2.16 | 108 | 57 | | 1179 | | |
| 80772 | 396584 | <5 | 15 | 15 | | 2.16 | 106 | 38 | | 1271 | | |
| 80773 | 396585 | 15 | 91 | 32 | | 2.22 | 110 | 33 | | 1292 | | |
| 80774 | 396586 | <5 | 18 | 14 | | 2.04 | 97 | 34 | | 1013 | | |
| 80775 Dup | 396586 | 7 | 30 | 13 | | 2.01 | 98 | 37 | | 1042 | | |
| 80776 | 396587 | 9 | 49 | 19 | | 2.11 | 100 | 41 | | 1084 | | |
| 80777 | 396588 | <5 | 17 | <10 | | 1.98 | 96 | 55 | | 1062 | | |
| 80778 | 396589 | 10 | 41 | 15 | | 1.87 | 89 | 60 | | 911 | | |
| 80779 | 396590 | 10 | 48 | 10 | | 2.00 | 51 | 55 | | 413 | | |
| 80780 | 396591 | 12 | 36 | <10 | | 1.77 | 40 | 47 | | 237 | | |
| 80781 | 396592 | 13 | 39 | <10 | | 1.69 | 29 | 47 | | 62 | | |
| 80782 | 396593 | 10 | 35 | <10 | | 2.01 | 29 | 88 | | 109 | | |
| 80783 | 396594 | 7 | 28 | <10 | | 2.28 | 27 | 168 | | 137 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written
 approval of the laboratory

AL917-0257-05/03/2008 12:46 PM

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008
 Date Completed: May 1, 2008

Job #: 200840898


Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80784 | 396595 | 11 | 39 | 10 | | 3.01 | 25 | 304 | | 137 | | |
| 80785 | 396596 | 13 | 31 | <10 | | 2.28 | 16 | 155 | | 66 | | |
| 80786 Dup | 396596 | 9 | 29 | <10 | | 2.19 | 16 | 159 | | 65 | | |
| 80787 | 396597 | 6 | 34 | <10 | | 2.22 | 20 | 152 | | 76 | | |
| 80788 | 396598 | 8 | 42 | <10 | | 2.32 | 26 | 338 | | 163 | | |
| 80789 | 396599 | <5 | 25 | <10 | | 2.24 | 20 | 191 | | 88 | | |
| 80790 | 396600 | <5 | 21 | <10 | | 2.45 | 19 | 238 | | 96 | | |
| 80791 | 396601 | 22 | 51 | <10 | | 2.88 | 49 | 1294 | | 462 | | |
| 80792 | 396602 | 65 | 76 | 17 | | 3.03 | 80 | 2303 | | 888 | | |
| 80793 | 396603 | 48 | 79 | 34 | | 2.86 | 67 | 1888 | | 901 | | |
| 80794 | 396604 | 97 | 187 | 86 | | 5.28 | 167 | 4701 | | 2569 | | |
| 80795 | 396605 | 6 | 23 | <10 | | 1.92 | 37 | 97 | | 79 | | |
| 80796 | 396606 | 119 | 207 | 99 | | 5.91 | 161 | 5212 | | 2449 | | |
| 80797 Dup | 396606 | 104 | 157 | 69 | | 5.85 | 156 | 5482 | | 2470 | | |
| 80798 | 396607 | 20 | 62 | 25 | | 3.20 | 73 | 1180 | | 744 | | |
| 80799 | 396608 | 12 | 47 | 16 | | 2.37 | 62 | 644 | | 535 | | |
| 80800 | 396609 | 12 | 62 | 33 | | 2.23 | 66 | 1247 | | 1133 | | |
| 80801 | 396610 | 168 | 495 | 265 | | 4.10 | 183 | 6879 | | 4410 | | |
| 80802 | 396611 | 9 | <15 | 11 | | 1.71 | 48 | 1016 | | 267 | | |
| 80803 | 396612 | 52 | 21 | <10 | | 4.92 | 275 | 7834 | | 15482 | | |
| 80804 | 396613 | 27 | 215 | 108 | | 3.51 | 457 | 2978 | | 11508 | | |
| 80805 | 396614 | 21 | 91 | 31 | | 2.20 | 28 | 1213 | | 374 | | |
| 80806 | 396615 | 53 | 139 | 64 | | 2.74 | 30 | 2492 | | 427 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written
 approval of the laboratory

AL917-0257-05/03/2008 12:46 PM

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008
 Date Completed: May 1, 2008


Job #: 200840898
 Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80807 | 396616 | 23 | 62 | 23 | | 1.90 | 20 | 918 | | 140 | | |
| 80808 Dup | 396616 | 33 | 65 | 27 | | 1.92 | 20 | 958 | | 144 | | |
| 80809 | 396617 | 14 | 25 | <10 | | 1.64 | 24 | 133 | | 68 | | |
| 80810 | 396618 | 6 | <15 | <10 | | 2.36 | 34 | 85 | | 157 | | |
| 80811 | 396619 | <5 | <15 | <10 | | 1.49 | 33 | 55 | | 163 | | |
| 80812 | 396620 | 8 | <15 | <10 | | 1.17 | 32 | 120 | | 197 | | |
| 80813 | 396621 | <5 | 20 | <10 | | 1.22 | 33 | 87 | | 236 | | |
| 80814 | 396622 | <5 | <15 | <10 | | 1.56 | 42 | 64 | | 303 | | |
| 80815 | 396623 | 6 | <15 | <10 | | 1.55 | 28 | 45 | | 50 | | |
| 80816 | 396624 | <5 | 19 | <10 | | 1.57 | 45 | 18 | | 341 | | |
| 80817 | 396625 | <5 | <15 | <10 | | 1.52 | 25 | 30 | | 31 | | |
| 80818 | 396626 | <5 | <15 | <10 | | 1.57 | 25 | 29 | | 28 | | |
| 80819 Dup | 396626 | 20 | 52 | 14 | | 1.51 | 25 | 30 | | 26 | | |
| 80820 | 396627 | 7 | <15 | <10 | | 1.51 | 23 | 26 | | 25 | | |
| 80821 | 396628 | <5 | <15 | <10 | | 1.48 | 24 | 29 | | 27 | | |
| 80822 | 396629 | <5 | 30 | 16 | | 2.16 | 68 | 2 | | 633 | | |
| 80823 | 396630 | <5 | <15 | <10 | | 2.37 | 83 | 21 | | 654 | | |
| 80824 | 396631 | 5 | <15 | <10 | | 2.73 | 53 | 117 | | 76 | | |
| 80825 | 396632 | <5 | <15 | <10 | | 1.78 | 74 | 12 | | 677 | | |
| 80826 | 396633 | <5 | <15 | <10 | | 1.29 | 21 | 42 | | 29 | | |
| 80827 | 396634 | <5 | 28 | <10 | | 1.81 | 27 | 62 | | 35 | | |
| 80828 | 396635 | 5 | <15 | <10 | | 1.34 | 21 | 59 | | 109 | | |
| 80829 | 396636 | <5 | 23 | <10 | | 1.76 | 54 | 38 | | 425 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written
 approval of the laboratory

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008
 Date Completed: May 1, 2008


Job #: 200840898
 Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80830 Rep | 396636 | 5 | 24 | <10 | | 1.78 | 53 | 36 | | 409 | | |
| 80831 | 396637 | <5 | <15 | <10 | | 1.98 | 35 | 77 | | 150 | | |
| 80832 | 396638 | <5 | <15 | <10 | | 1.91 | 35 | 72 | | 158 | | |
| 80833 | 396639 | 6 | <15 | <10 | | 1.94 | 67 | 54 | | 634 | | |
| 80834 | 396640 | <5 | 20 | <10 | | 1.90 | 82 | 41 | | 769 | | |
| 80835 | 396641 | <5 | <15 | <10 | | 2.05 | 91 | 5 | | 854 | | |
| 80836 | 396642 | <5 | 20 | <10 | | 2.05 | 88 | 18 | | 835 | | |
| 80837 | 396643 | <5 | 15 | <10 | | 1.89 | 54 | 43 | | 463 | | |
| 80838 | 396644 | 10 | 27 | <10 | | 2.20 | 93 | 50 | | 1007 | | |
| 80839 | 396645 | 50 | 108 | 182 | | 2.67 | 99 | 713 | | 10934 | | |
| 80840 | 396646 | 7 | 36 | 15 | | 1.91 | 91 | 27 | | 998 | | |
| 80841 Dup | 396646 | 9 | 32 | <10 | | 1.98 | 96 | 30 | | 1077 | | |
| 80842 | 396647 | 5 | <15 | <10 | | 1.85 | 81 | 12 | | 869 | | |
| 80843 | 396648 | <5 | <15 | <10 | | <1 | 4 | 6 | | 17 | | |
| 80844 | 396649 | 16 | <15 | <10 | | <1 | 4 | 9 | | 13 | | |
| 80845 | 396650 | 8 | <15 | <10 | | <1 | 3 | 15 | | 8 | | |
| 80846 | 396651 | 5 | <15 | <10 | | 1.77 | 48 | 46 | | 297 | | |
| 80847 | 396652 | 8 | <15 | <10 | | 1.86 | 28 | 52 | | 62 | | |
| 80848 | 396653 | 6 | <15 | <10 | | 1.65 | 49 | 54 | | 317 | | |
| 80849 | 396654 | 8 | <15 | <10 | | 2.18 | 42 | 118 | | 79 | | |
| 80850 | 396655 | 16 | 16 | <10 | | 1.91 | 62 | 28 | | 495 | | |
| 80851 | 396656 | 13 | <15 | <10 | | 1.99 | 35 | 52 | | 93 | | |
| 80852 Dup | 396656 | 7 | <15 | <10 | | 1.81 | 34 | 49 | | 90 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written
 approval of the laboratory

AL917-0257-05/03/2008 12:46 PM

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008
 Date Completed: May 1, 2008


Job #: 200840898
 Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80853 | 396657 | <5 | <15 | <10 | | 1.95 | 36 | 52 | | 100 | | |
| 80854 | 396658 | <5 | <15 | <10 | | 1.75 | 53 | 48 | | 438 | | |
| 80855 | 396659 | <5 | <15 | <10 | | 2.46 | 22 | 58 | | 163 | | |
| 80856 | 396660 | <5 | <15 | <10 | | 1.38 | 19 | 57 | | 31 | | |
| 80857 | 396661 | <5 | <15 | <10 | | 2.41 | 17 | 179 | | 69 | | |
| 80858 | 396662 | 12 | <15 | 12 | | 2.21 | 72 | 526 | | 612 | | |
| 80859 | 396663 | 18 | 46 | 34 | | 2.43 | 85 | 1427 | | 1151 | | |
| 80860 | 396664 | 27 | 60 | 52 | | 2.42 | 75 | 1922 | | 1269 | | |
| 80861 | 396665 | 27 | 61 | 54 | | 2.75 | 51 | 1902 | | 949 | | |
| 80862 | 396666 | 8 | <15 | 12 | | 1.70 | 24 | 354 | | 151 | | |
| 80863 Dup | 396666 | <5 | <15 | <10 | | 1.64 | 24 | 353 | | 149 | | |
| 80864 | 396667 | 31 | 71 | 55 | | 2.28 | 43 | 1813 | | 722 | | |
| 80865 | 396668 | 36 | 55 | 48 | | 2.26 | 47 | 1439 | | 775 | | |
| 80866 | 396669 | 16 | 25 | 22 | | 2.50 | 30 | 967 | | 337 | | |
| 80867 | 396670 | 15 | 39 | 31 | | 2.28 | 34 | 915 | | 391 | | |
| 80868 | 396671 | 22 | 46 | 31 | | 2.70 | 32 | 1177 | | 354 | | |
| 80869 | 396672 | 8 | <15 | <10 | | 2.61 | 30 | 605 | | 165 | | |
| 80870 | 396673 | 32 | 102 | 182 | | 2.39 | 100 | 713 | | 10982 | | |
| 80871 | 396674 | 15 | 23 | 22 | | 2.69 | 45 | 872 | | 448 | | |
| 80872 | 396675 | 34 | 69 | 62 | | 3.54 | 97 | 3031 | | 2124 | | |
| 80873 | 396676 | <5 | <15 | <10 | | 2.35 | 15 | 119 | | 45 | | |
| 80874 Dup | 396676 | <5 | <15 | <10 | | 2.46 | 16 | 121 | | 44 | | |
| 80875 | 396677 | 8 | 29 | 13 | | 2.31 | 15 | 79 | | 37 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written
 approval of the laboratory

AL917-0257-05/03/2008 12:46 PM

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008
 Date Completed: May 1, 2008


Job #: 200840898
 Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80876 | 396678 | <5 | <15 | <10 | | 2.44 | 16 | 76 | | 39 | | |
| 80877 | 396679 | <5 | <15 | <10 | | <1 | 16 | 14 | | 51 | | |
| 80878 | 396680 | <5 | <15 | <10 | | <1 | 3 | 19 | | 3 | | |
| 80879 | 396681 | 5 | 21 | <10 | | 1.19 | 29 | 65 | | 139 | | |
| 80880 | 396682 | <5 | 19 | <10 | | 1.93 | 46 | 85 | | 234 | | |
| 80881 | 396683 | 6 | 20 | <10 | | 2.68 | 57 | 110 | | 132 | | |
| 80882 | 396684 | <5 | 23 | <10 | | 2.61 | 48 | 27 | | 284 | | |
| 80883 | 396685 | <5 | 18 | <10 | | 3.18 | 58 | 18 | | 283 | | |
| 80884 | 396686 | 5 | 26 | <10 | | 1.98 | 33 | 60 | | 95 | | |
| 80885 Dup | 396686 | 6 | 22 | <10 | | 1.92 | 34 | 60 | | 97 | | |
| 80886 | 396687 | <5 | <15 | <10 | | 1.05 | 21 | 24 | | 94 | | |
| 80887 | 396688 | 5 | 20 | <10 | | 1.27 | 27 | 94 | | 154 | | |
| 80888 | 396689 | 159 | 142 | 157 | | 5.37 | 290 | 5487 | | 6825 | | |
| 80889 | 396690 | 58 | 124 | 157 | | 2.52 | 99 | 712 | | 10920 | | |
| 80890 | 396691 | 7 | 24 | 21 | | 1.76 | 61 | 753 | | 729 | | |
| 80891 | 396692 | 10 | <15 | <10 | | 1.25 | 36 | 91 | | 201 | | |
| 80892 | 396693 | <5 | <15 | <10 | | 1.31 | 47 | 81 | | 230 | | |
| 80893 | 396694 | 8 | <15 | <10 | | 1.57 | 30 | 121 | | 50 | | |
| 80894 | 396695 | <5 | <15 | <10 | | 1.72 | 24 | 34 | | 45 | | |
| 80895 | 396696 | 15 | <15 | <10 | | 2.17 | 47 | 666 | | 34 | | |
| 80896 Rep | 396696 | <5 | 15 | <10 | | 2.31 | 45 | 657 | | 36 | | |
| 80897 | 396697 | 5 | <15 | <10 | | 1.97 | 45 | 1722 | | 12 | | |
| 80898 | 396698 | <5 | <15 | <10 | | 1.71 | 39 | 307 | | 11 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written
 approval of the laboratory

AL917-0257-05/03/2008 12:46 PM

page 13 of 1

Certificate of Analysis

April 10, 2008

Canadian Arrow Mines Ltd.
 36 Cedar St.
 Sudbury, ON, CAN
 P3B 1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 10, 2008

Job #: 200840673

Reference: Caribou Lodge 18600

Sample #: 162 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57232 | E584453 | 5 | 46 | <10 | | <1 | 22 | 29 | | 27 | | |
| 57233 | E584454 | 21 | 70 | 23 | | 1.17 | 29 | 326 | | 82 | | |
| 57234 | E584455 | 126 | 282 | 165 | | 2.56 | 38 | 2757 | | 282 | | |
| 57235 | E584456 | 14 | 50 | <10 | | <1 | 5 | 12 | | 9 | | |
| 57236 | E584457 | 9 | 62 | 12 | | <1 | 9 | 156 | | 47 | | |
| 57237 | E584458 | 9 | 40 | <10 | | 1.62 | 48 | 24 | | 69 | | |
| 57238 | E584459 | 85 | 331 | 171 | | 2.19 | 71 | 898 | | 605 | | |
| 57239 | E584460 | 28 | 130 | 49 | | 2.91 | 105 | 3276 | | 1694 | | |
| 57240 | E584461 | <5 | 43 | <10 | | 1.71 | 49 | 23 | | 53 | | |
| 57241 | E584462 | 10 | 47 | <10 | | 1.18 | 31 | 69 | | 34 | | |
| 57242 Dup | E584462 | 15 | 36 | <10 | | 1.31 | 33 | 73 | | 35 | | |
| 57243 | E584463 | 78 | 207 | 94 | | 3.99 | 133 | 3986 | | 1887 | | |
| 57244 | E584464 | 109 | 266 | 113 | | 4.21 | 118 | 4466 | | 1681 | | |
| 57245 | E584465 | 25 | 106 | 28 | | 2.78 | 94 | 453 | | 648 | | |
| 57246 | E584466 | 16 | 47 | 13 | | 3.00 | 89 | 717 | | 706 | | |
| 57247 | E584467 | 11 | 51 | 18 | | 3.21 | 100 | 434 | | 705 | | |
| 57248 | E584468 | 42 | 90 | 26 | | 12.14 | 107 | 1486 | | 856 | | |
| 57249 | E584469 | 32 | 24 | <10 | | 3.56 | 62 | 218 | | 171 | | |
| 57250 | E584470 | 34 | 90 | 20 | | 3.71 | 147 | 2555 | | 1413 | | |
| 57251 | E584471 | 54 | 72 | 27 | | 3.58 | 156 | 2569 | | 1808 | | |
| 57252 | E584472 | 51 | 66 | 37 | | 4.77 | 212 | 7416 | | 3097 | | |
| 57253 Dup | E584472 | 38 | 58 | 30 | | 4.78 | 211 | 6872 | | 3302 | | |
| 57254 | E584473 | 76 | 242 | 191 | | 2.84 | 100 | 710 | | 10984 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Ni, AL4Cu, AL4SLF

Certified The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/10/2008 4:47 PM

Certificate of Analysis

Friday, April 10, 2008

Canadian Arrow Mines Ltd.
 36 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 10, 2008

Job #: 200840673

Reference: Caribou Lodge 18600

Sample #: 162 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 57255 | E584474 | 60 | 124 | 41 | | 4.95 | 213 | 7715 | | 3303 | | |
| 57256 | E584475 | 75 | 136 | 61 | | 5.59 | 173 | 7440 | | 4214 | | |
| 57257 | E584476 | 150 | 181 | 98 | | 8.12 | 157 | 8966 | | 4588 | | |
| 57258 | E584477 | 48 | 82 | 30 | | 4.15 | 59 | 3227 | | 1026 | | |
| 57259 | E584478 | 26 | 74 | 26 | | 3.16 | 60 | 2162 | | 729 | | |
| 57260 | E584479 | 10 | 32 | <10 | | 1.79 | <1 | 595 | | <1 | | |
| 57261 | E584480 | 29 | 84 | 30 | | 3.04 | 2 | 2306 | | <1 | | |
| 57262 | E584481 | 10 | 40 | <10 | | 1.95 | 63 | 933 | | 432 | | |
| 57263 | E584482 | 26 | 52 | 18 | | 2.79 | 77 | 2186 | | 744 | | |
| 57264 Dup | E584482 | 26 | 66 | 19 | | 2.73 | 73 | 2220 | | 729 | | |
| 57265 | E584483 | 66 | 58 | 18 | | 3.33 | 81 | 3388 | | 819 | | |
| 57266 | E584484 | 13 | 29 | <10 | | <1 | 56 | 677 | | 341 | | |
| 57267 | E584485 | 14 | 38 | <10 | | 1.71 | 53 | 924 | | 354 | | |
| 57268 | E584486 | 81 | 75 | 11 | | 4.51 | 58 | 1029 | | 556 | | |
| 57269 | E584487 | 36 | 105 | 40 | | <1 | 64 | 688 | | 467 | | |
| 57270 | E584488 | 28 | 55 | <10 | | 2.65 | 47 | 1931 | | 338 | | |
| 57271 | E584489 | 74 | 96 | 28 | | 5.40 | 126 | 6919 | | 10 | | |
| 57272 | E584490 | 14 | 92 | 24 | | 1.31 | 72 | 175 | | 145 | | |
| 57273 | E584491 | 14 | 77 | 20 | | <1 | <1 | <1 | | <1 | | |
| 57274 | E584492 | 86 | 226 | 110 | | 6.33 | 175 | 9763 | | 4013 | | |
| 57275 Dup | E584492 | 93 | 215 | 103 | | 6.22 | 174 | 9790 | | 4014 | | |
| 57276 | E584493 | 78 | 214 | 105 | | 5.81 | 157 | 8261 | | 3129 | | |
| 57277 | E584494 | 85 | 154 | 70 | | 5.62 | 165 | 7342 | | 2973 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Ni, AL4Cu, AL4SLF

Certified

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/10/2008 4:47 PM

Certificate of Analysis

ay, April 10, 2008

Canadian Arrow Mines Ltd.
 36 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 10, 2008

Job #: 200840673

Reference: Caribou Lodge 18600

Sample #: 162 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 57278 | E584495 | 118 | 178 | 75 | | 4.39 | 190 | 6158 | | 3090 | | |
| 57279 | E584496 | 76 | 166 | 70 | | 5.52 | 259 | 5241 | | 3358 | | |
| 57280 | E584497 | 142 | 208 | 83 | | 5.76 | 270 | 8137 | | 3220 | | |
| 57281 | E584498 | 114 | 144 | 64 | | 3.83 | 161 | 4814 | | 2166 | | |
| 57282 | E584499 | 23 | 48 | 13 | | <1 | 43 | 334 | | 147 | | |
| 57283 | E829701 | 24 | 56 | 13 | | 1.12 | 48 | 902 | | 432 | | |
| 57284 | E829702 | 125 | 47 | 12 | | <1 | 26 | 147 | | 101 | | |
| 57285 | E829703 | 32 | 38 | <10 | | 1.66 | 47 | 644 | | 376 | | |
| 57286 Dup | E829703 | 28 | 42 | <10 | | 1.72 | 44 | 697 | | 395 | | |
| 57287 | E829704 | 44 | 45 | <10 | | <1 | 26 | 176 | | 103 | | |
| 57288 | E829705 | 15 | 58 | <10 | | <1 | 27 | 188 | | 110 | | |
| 57289 | E829706 | 7 | 59 | <10 | | <1 | 22 | 100 | | 79 | | |
| 57290 | E829707 | 29 | 53 | <10 | | <1 | 22 | 69 | | 58 | | |
| 57291 | E829708 | 22 | 61 | 13 | | <1 | 41 | 668 | | 300 | | |
| 57292 | E829709 | 66 | 114 | 46 | | 2.20 | 123 | 2415 | | 1166 | | |
| 57293 | E829710 | 99 | 146 | 73 | | 1.91 | 153 | 3354 | | 1571 | | |
| 57294 | E829711 | 66 | 183 | 68 | | 2.55 | 159 | 3801 | | 1882 | | |
| 57295 | E829712 | 7 | 45 | <10 | | <1 | 50 | 66 | | 71 | | |
| 57296 | E829713 | 32 | 103 | 47 | | 4.93 | 246 | 3701 | | 3042 | | |
| 57297 Rep | E829713 | 32 | 99 | 42 | | 6.26 | 263 | 3721 | | 3052 | | |
| 57298 | E829714 | 46 | 98 | 45 | | 3.25 | 139 | 3001 | | 1585 | | |
| 57299 | E829715 | 59 | 96 | 49 | | 3.04 | 125 | 2117 | | 1516 | | |
| 57300 | E829716 | 51 | 36 | <10 | | 1.89 | 44 | 508 | | 150 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Ni, AL4Cu, AL4SLF

Certified

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/10/2008 4:47 PM

Certificate of Analysis

Wednesday, April 9, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 9, 2008

Job #: 200840666

Reference: Caribou Lodge 18600

Sample #: 96 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 56899 | E584357 | 44 | 27 | <10 | | <1 | 29 | 31 | | 50 | | |
| 56900 | E584358 | 34 | 19 | <10 | | <1 | 24 | 33 | | 18 | | |
| 56901 | E584359 | 10 | 16 | <10 | | <1 | 18 | 40 | | 13 | | |
| 56902 | E584360 | 19 | 26 | <10 | | <1 | 14 | 22 | | 8 | | |
| 56903 | E584361 | 9 | 51 | 16 | | <1 | 15 | 33 | | 11 | | |
| 56904 | E584362 | 17 | 15 | <10 | | <1 | 15 | 26 | | 12 | | |
| 56905 | E584363 | 9 | <15 | <10 | | 1.20 | 21 | 26 | | 22 | | |
| 56906 | E584364 | 10 | 19 | <10 | | 1.20 | 22 | 46 | | 23 | | |
| 56907 | E584365 | 7 | 18 | <10 | | 1.33 | 24 | 43 | | 25 | | |
| 56908 | E584366 | 16 | <15 | <10 | | 1.29 | 26 | 57 | | 28 | | |
| 56909 Dup | E584366 | 8 | 25 | <10 | | 1.37 | 26 | 58 | | 26 | | |
| 56910 | E584367 | 7 | 17 | <10 | | 1.69 | 36 | 49 | | 34 | | |
| 56911 | E584368 | 22 | 32 | <10 | | 2.24 | 45 | 64 | | 40 | | |
| 56912 | E584369 | 113 | 397 | 188 | | 2.72 | 99 | 708 | | 10936 | | |
| 56913 | E584370 | 11 | 66 | <10 | | 2.41 | 43 | 50 | | 39 | | |
| 56914 | E584371 | 9 | 62 | <10 | | 1.71 | 32 | 59 | | 31 | | |
| 56915 | E584372 | 11 | 45 | <10 | | 1.86 | 36 | 59 | | 35 | | |
| 56916 | E584373 | 10 | 63 | <10 | | 1.51 | 28 | 66 | | 25 | | |
| 56917 | E584374 | 18 | 95 | 15 | | 1.75 | 38 | 121 | | 35 | | |
| 56918 | E584375 | 10 | 58 | <10 | | 1.65 | 32 | 80 | | 30 | | |
| 56919 | E584376 | 5 | 51 | <10 | | 1.77 | 29 | 56 | | 31 | | |
| 56920 Dup | E584376 | 10 | 47 | <10 | | 1.73 | 29 | 56 | | 30 | | |
| 56921 | E584377 | 10 | 51 | <10 | | 1.64 | 25 | 49 | | 21 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

By:



Certified

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/09/2008 12:56 PM

Certificate of Analysis

Wednesday, April 9, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 9, 2008

Job #: 200840666

Reference: Caribou Lodge 18600

Sample #: 96 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 56922 | E584378 | 9 | 59 | <10 | | 1.55 | 27 | 51 | | 24 | | |
| 56923 | E584379 | 10 | 50 | <10 | | 2.07 | 46 | 133 | | 41 | | |
| 56924 | E584380 | 14 | 57 | <10 | | 2.27 | 53 | 117 | | 112 | | |
| 56925 | E584381 | 10 | 54 | <10 | | 1.91 | 36 | 76 | | 38 | | |
| 56926 | E584382 | 10 | 42 | <10 | | 1.92 | 33 | 57 | | 24 | | |
| 56927 | E584383 | 7 | 50 | <10 | | 1.95 | 32 | 55 | | 18 | | |
| 56928 | E584384 | 9 | 62 | <10 | | 1.64 | 33 | 71 | | 31 | | |
| 56929 | E584385 | 9 | 42 | <10 | | 2.03 | 41 | 75 | | 33 | | |
| 56930 | E584386 | 8 | 52 | <10 | | 1.57 | 31 | 65 | | 28 | | |
| 56931 Dup | E584386 | 10 | 54 | <10 | | 1.52 | 32 | 65 | | 28 | | |
| 56932 | E584387 | 9 | 79 | <10 | | 1.60 | 63 | 450 | | 63 | | |
| 56933 | E584388 | 12 | 49 | <10 | | 1.71 | 40 | 130 | | 29 | | |
| 56934 | E584389 | 25 | 54 | <10 | | 1.35 | 25 | 54 | | 11 | | |
| 56935 | E584390 | 43 | 45 | <10 | | 1.39 | 24 | 38 | | 20 | | |
| 56936 | E584391 | 19 | 53 | <10 | | 1.47 | 24 | 45 | | 22 | | |
| 56937 | E584392 | 10 | 56 | <10 | | 1.70 | 28 | 84 | | 16 | | |
| 56938 | E584393 | 44 | 91 | 25 | | 2.19 | 30 | 1227 | | 238 | | |
| 56939 | E584394 | 9 | 68 | 10 | | 1.91 | 23 | 57 | | 14 | | |
| 56940 | E584395 | 13 | 79 | 10 | | 2.09 | 36 | 78 | | 35 | | |
| 56941 | E584396 | 6 | 40 | <10 | | 2.01 | 39 | 111 | | 30 | | |
| 56942 Dup | E584396 | 7 | 18 | <10 | | 2.52 | 38 | 112 | | 29 | | |
| 56943 | E584397 | 9 | 43 | <10 | | 2.14 | 38 | 37 | | 42 | | |
| 56944 | E584398 | 8 | 30 | <10 | | 1.86 | 30 | 119 | | 39 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

By:



Certified The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

Derek Demianiuk H.Bsc., Laboratory Manager

Certificate of Analysis

Wednesday, April 9, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 9, 2008

Job #: 200840666

Reference: Caribou Lodge 18600

Sample #: 96 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 56945 | E584399 | 45 | 167 | 60 | | 2.63 | 45 | 1546 | | 557 | | |
| 56946 | E584400 | 29 | 78 | 28 | | 2.55 | 29 | 1159 | | 172 | | |
| 56947 | E584401 | 14 | 53 | 18 | | 2.12 | 30 | 280 | | 180 | | |
| 56948 | E584402 | 29 | 66 | 28 | | 2.49 | 35 | 862 | | 237 | | |
| 56949 | E584403 | 17 | 70 | 21 | | 2.71 | 43 | 773 | | 175 | | |
| 56950 | E584404 | 21 | 94 | 21 | | 2.83 | 55 | 903 | | 424 | | |
| 56951 | E584405 | 32 | 94 | 32 | | 3.09 | 47 | 1529 | | 393 | | |
| 56952 | E584406 | 73 | 181 | 80 | | 3.51 | 81 | 3530 | | 1406 | | |
| 56953 Dup | E584406 | 70 | 216 | 75 | | 3.93 | 78 | 3448 | | 1346 | | |
| 56954 | E584407 | 29 | 88 | 39 | | 2.73 | 38 | 1453 | | 473 | | |
| 56955 | E584408 | 29 | 64 | <10 | | 2.31 | 32 | 418 | | 95 | | |
| 56956 | E584409 | 14 | 59 | <10 | | 2.46 | 40 | 351 | | 72 | | |
| 56957 | E584410 | 76 | 254 | 88 | | 4.01 | 75 | 2816 | | 1079 | | |
| 56958 | E584411 | 9 | 28 | <10 | | 2.05 | 45 | 75 | | 83 | | |
| 56959 | E584412 | 25 | 114 | 31 | | 2.88 | 49 | 1192 | | 600 | | |
| 56960 | E584413 | 22 | 70 | 21 | | 2.85 | 42 | 974 | | 223 | | |
| 56961 | E584414 | <5 | 39 | <10 | | 2.64 | 39 | 832 | | 349 | | |
| 56962 | E584415 | 15 | 23 | 13 | | 2.28 | 28 | 213 | | 43 | | |
| 56963 | E584416 | 43 | 94 | 54 | | 2.69 | 102 | 906 | | 985 | | |
| 56964 Rep | E584416 | 39 | 85 | 50 | | 2.75 | 86 | 860 | | 797 | | |
| 56965 | E584417 | <5 | <15 | <10 | | <1 | 10 | 78 | | 80 | | |
| 56966 | E584418 | <5 | <15 | <10 | | 1.82 | 35 | 102 | | 235 | | |
| 56967 | E584419 | 27 | 128 | 16 | | 1.80 | 39 | 91 | | 231 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

Certificate of Analysis

Wednesday, April 9, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 9, 2008

Job #: 200840666

Reference: Caribou Lodge 18600

Sample #: 96 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 56968 | E584420 | 13 | 78 | <10 | | 2.09 | 39 | 93 | | 241 | | |
| 56969 | E584421 | 15 | 50 | <10 | | 2.12 | 41 | 104 | | 274 | | |
| 56970 | E584422 | 18 | 60 | 14 | | 2.04 | 42 | 144 | | 253 | | |
| 56971 | E584423 | 10 | 52 | 13 | | 2.11 | 44 | 103 | | 276 | | |
| 56972 | E584424 | 9 | 60 | <10 | | 2.09 | 37 | 112 | | 226 | | |
| 56973 | E584425 | 15 | 65 | <10 | | 1.97 | 36 | 179 | | 171 | | |
| 56974 | E584426 | 17 | 56 | 24 | | 3.50 | 26 | 564 | | 157 | | |
| 56975 Dup | E584426 | 19 | 58 | 23 | | 3.42 | 25 | 569 | | 156 | | |
| 56976 | E584427 | 30 | 111 | 43 | | 3.55 | 32 | 1300 | | 278 | | |
| 56977 | E584428 | 55 | 227 | 107 | | 4.18 | 43 | 2572 | | 758 | | |
| 56978 | E584429 | 82 | 194 | 81 | | 4.31 | 35 | 3382 | | 573 | | |
| 56979 | E584430 | 46 | 130 | 75 | | 3.72 | 44 | 2335 | | 836 | | |
| 56980 | E584431 | 63 | 66 | 39 | | 2.94 | 37 | 1622 | | 559 | | |
| 56981 | E584432 | 53 | 94 | 99 | | 3.41 | 48 | 2734 | | 952 | | |
| 56982 | E584433 | 103 | 202 | 117 | | 3.66 | 68 | 3290 | | 1467 | | |
| 56983 | E584434 | 111 | 286 | 111 | | 4.88 | 53 | 4167 | | 1284 | | |
| 56984 | E584435 | 158 | 398 | 169 | | 2.15 | 100 | 708 | | 10921 | | |
| 56985 | E584436 | 78 | 164 | 104 | | 3.86 | 38 | 3135 | | 904 | | |
| 56986 Dup | E584436 | 80 | 160 | 104 | | 4.04 | 36 | 3022 | | 846 | | |
| 56987 | E584437 | 9 | 88 | 21 | | 2.27 | 19 | 506 | | 186 | | |
| 56988 | E584438 | 5 | 93 | 23 | | 2.05 | 13 | 260 | | 114 | | |
| 56989 | E584439 | 53 | 134 | 58 | | 2.99 | 34 | 1920 | | 540 | | |
| 56990 | E584440 | 44 | 147 | 51 | | 2.77 | 34 | 1537 | | 602 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/09/2008 12:56 PM



Certificate of Analysis

Wednesday, April 9, 2008

Canadian Arrow Mines Ltd.
236 Cedar St.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 9, 2008

Job #: 200840666

Reference: Caribou Lodge 18600

Sample #: 96 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 56991 | E584441 | 36 | 146 | 53 | | 3.15 | 26 | 1670 | | 369 | | |
| 56992 | E584442 | 14 | 62 | 45 | | 3.31 | 27 | 1921 | | 441 | | |
| 56993 | E584443 | 8 | 54 | 16 | | 2.56 | 19 | 533 | | 163 | | |
| 56994 | E584444 | <5 | 34 | <10 | | 2.30 | 14 | 38 | | 30 | | |
| 56995 | E584445 | <5 | 34 | <10 | | 2.05 | 38 | 68 | | 95 | | |
| 56996 | E584446 | 52 | 37 | <10 | | 1.92 | 31 | 104 | | 82 | | |
| 56997 Dup | E584446 | 47 | 21 | <10 | | 2.02 | 33 | 111 | | 83 | | |
| 56998 | E584447 | <5 | 52 | <10 | | 2.24 | 33 | 78 | | 97 | | |
| 56999 | E584448 | <5 | 35 | <10 | | 2.59 | 28 | 74 | | 70 | | |
| 57000 | E584449 | 11 | 37 | <10 | | 2.55 | 22 | 80 | | 53 | | |
| 57001 | E584450 | 28 | 24 | <10 | | 2.47 | 20 | 88 | | 52 | | |
| 57002 | E584451 | 10 | 34 | <10 | | 1.65 | 23 | 132 | | 71 | | |
| 57003 | E584452 | 7 | 44 | <10 | | 1.38 | 23 | 119 | | 66 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without
the written
approval of the laboratory

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/09/2008 12:56 PM

Certificate of Analysis

, April 7, 2008

Canadian Arrow Mines Ltd.
 36 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008
 Date Completed: Apr 7, 2008
 Job #: 200840672
 Reference: Caribou Lodge 18600
 Sample #: 22 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57209 | E829907 | 14 | 34 | <10 | | <1 | 28 | 139 | | 45 | | |
| 57210 | E829908 | 7 | 30 | <10 | | <1 | 30 | 103 | | 81 | | |
| 57211 | E829909 | 9 | 40 | <10 | | <1 | 48 | 72 | | 54 | | |
| 57212 | E829910 | 8 | 26 | <10 | | <1 | 22 | 215 | | 75 | | |
| 57213 | E829911 | 8 | 49 | <10 | | <1 | 46 | 100 | | 81 | | |
| 57214 | E829912 | 40 | 76 | 23 | | 1.94 | 93 | 1944 | | 758 | | |
| 57215 | E829913 | 71 | 237 | 193 | | 1.63 | 100 | 707 | | 10928 | | |
| 57216 | E829914 | 172 | 103 | 50 | | 4.14 | 105 | 5518 | | 1742 | | |
| 57217 | E829915 | 9 | 39 | <10 | | <1 | 20 | 147 | | 33 | | |
| 57218 | E829916 | 6 | 33 | <10 | | <1 | 31 | 34 | | 53 | | |
| 57219 | E829917 | 8 | 40 | <10 | | 1.26 | 49 | 46 | | 154 | | |
| 57220 | E829918 | 15 | 24 | 10 | | <1 | 23 | 118 | | 33 | | |
| 57221 Dup | E829918 | 12 | 34 | <10 | | <1 | 23 | 114 | | 34 | | |
| 57222 | E829919 | 10 | 37 | <10 | | <1 | 25 | 44 | | 52 | | |
| 57223 | E829920 | 24 | 58 | 20 | | 1.94 | 63 | 716 | | 476 | | |
| 57224 | E829921 | 61 | 140 | 44 | | 1.22 | 60 | 1060 | | 675 | | |
| 57225 | E829922 | 16 | 91 | 25 | | 1.15 | 48 | 585 | | 387 | | |
| 57226 | E829923 | 16 | 78 | 29 | | 1.06 | 43 | 695 | | 441 | | |
| 57227 | E829924 | 29 | 100 | 29 | | 1.64 | 50 | 941 | | 523 | | |
| 57228 | E829925 | 87 | 296 | 134 | | 2.89 | 88 | 2088 | | 1880 | | |
| 57229 | E829926 | 10 | 56 | 13 | | 1.22 | 32 | 90 | | 71 | | |
| 57230 | E829927 | 22 | 72 | 31 | | 2.63 | 14 | 828 | | 228 | | |
| 57231 | E829928 | 9 | 47 | 11 | | <1 | 4 | 113 | | 17 | | |

PROCEDURE CODES: AL4Ag, AL4APP, AL4Co, AL4Cu, AL4Ni, AL4SLF

By:



Certified

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/07/2008 8:00 PM

Certificate of Analysis

, April 7, 2008

Canadian Arrow Mines Ltd.
 36 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 7, 2008

Job #: 200840669

Reference: Caribou Lodge 18600

Sample #: 26 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57107 | E829852 | 26 | 80 | 33 | | 3.01 | 43 | 811 | | 512 | | |
| 57108 | E829853 | 13 | 81 | 19 | | 1.85 | 61 | 433 | | 652 | | |
| 57109 | E829854 | 20 | 106 | 34 | | 1.90 | 52 | 850 | | 698 | | |
| 57110 | E829855 | 7 | 46 | <10 | | 2.54 | 82 | 126 | | 565 | | |
| 57111 | E829856 | 6 | 49 | <10 | | 2.19 | 58 | 100 | | 335 | | |
| 57112 | E829857 | 6 | 41 | <10 | | 1.54 | 48 | 97 | | 292 | | |
| 57113 | E829858 | 10 | 54 | 13 | | 2.23 | 48 | 252 | | 401 | | |
| 57114 | E829859 | 12 | 76 | 25 | | 2.61 | 62 | 349 | | 590 | | |
| 57115 | E829860 | 6 | 45 | <10 | | 2.84 | 52 | 144 | | 395 | | |
| 57116 | E829861 | 30 | 116 | 124 | | 2.98 | 100 | 709 | | 10962 | | |
| 57117 | E829862 | 19 | 82 | 20 | | 2.59 | 44 | 385 | | 456 | | |
| 57118 Dup | E829862 | 12 | 65 | 22 | | 3.17 | 42 | 360 | | 446 | | |
| 57119 | E829863 | 12 | 60 | 19 | | 2.26 | 47 | 297 | | 429 | | |
| 57120 | E829864 | 11 | 62 | 16 | | 1.78 | 37 | 229 | | 405 | | |
| 57121 | E829865 | 9 | 59 | 14 | | 1.83 | 39 | 187 | | 402 | | |
| 57122 | E829866 | 11 | 66 | 17 | | 1.85 | 42 | 176 | | 405 | | |
| 57123 | E829867 | 12 | 87 | 30 | | 2.09 | 49 | 397 | | 577 | | |
| 57124 | E829868 | 52 | 268 | 119 | | 3.51 | 80 | 2350 | | 1639 | | |
| 57125 | E829869 | 301 | 256 | 233 | | 8.65 | 100 | 17999 | | 2559 | | |
| 57126 | E829870 | 8 | 36 | <10 | | 2.35 | 42 | 159 | | 89 | | |
| 57127 | E829871 | 59 | 1000 | 312 | | 3.63 | 93 | 6183 | | 3065 | | |
| 57128 Dup | E829871 | 59 | 1005 | 304 | | 4.12 | 99 | 6601 | | 3257 | | |
| 57129 | E829872 | 47 | 341 | 167 | | 6.68 | 54 | 18180 | | 1581 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

By:



Certified The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/07/2008 8:02 PM

Certificate of Analysis

/, April 7, 2008

nadian Arrow Mines Ltd.
 36 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008
 Date Completed: Apr 7, 2008
 Job #: 200840669
 Reference: Caribou Lodge 18600
 Sample #: 26 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57130 | E829873 | 44 | 169 | 73 | | 3.34 | 35 | 2971 | | 485 | | |
| 57131 | E829874 | 40 | 134 | 38 | | 2.24 | 26 | 1099 | | 245 | | |
| 57132 | E829875 | 59 | 128 | 61 | | 2.67 | 28 | 1081 | | 285 | | |
| 57133 | E829876 | 34 | 211 | 50 | | 2.16 | 23 | 1004 | | 116 | | |
| 57134 | E829877 | 11 | 15 | 18 | | 1.93 | 23 | 320 | | 58 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

By:


Certified

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/07/2008 8:02 PM

Certificate of Analysis

Monday, April 7, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 7, 2008

Job #: 200840671

Reference: Caribou Lodge 18600

Sample #: 29 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57178 | E829878 | 7 | 35 | <10 | | 1.26 | 32 | 269 | | 124 | | |
| 57179 | E829879 | 9 | 34 | <10 | | 1.52 | 26 | 256 | | 107 | | |
| 57180 | E829880 | 9 | 36 | <10 | | <1 | 22 | 225 | | 88 | | |
| 57181 | E829881 | 5 | 50 | <10 | | 2.02 | 44 | 192 | | 141 | | |
| 57182 | E829882 | 76 | 148 | 99 | | 3.51 | 143 | 3634 | | 1755 | | |
| 57183 | E829883 | 71 | 146 | 83 | | 3.32 | 126 | 2267 | | 1596 | | |
| 57184 | E829884 | 104 | 152 | 99 | | 3.41 | 112 | 2227 | | 1533 | | |
| 57185 | E829885 | 57 | 204 | 111 | | 4.01 | 154 | 3183 | | 2351 | | |
| 57186 | E829886 | 87 | 143 | 91 | | 3.46 | 113 | 3393 | | 1624 | | |
| 57187 | E829887 | 65 | 173 | 183 | | 2.31 | 100 | 707 | | 10967 | | |
| 57188 | E829888 | 45 | 92 | 36 | | 4.49 | 137 | 5224 | | 1935 | | |
| 57189 Dup | E829888 | 60 | 128 | 41 | | 4.79 | 139 | 5364 | | 1705 | | |
| 57190 | E829889 | 26 | 96 | 41 | | 3.29 | 107 | 1726 | | 1241 | | |
| 57191 | E829890 | 14 | 43 | 20 | | 2.88 | 85 | 662 | | 808 | | |
| 57192 | E829891 | 9 | 37 | 13 | | 2.26 | 72 | 333 | | 707 | | |
| 57193 | E829892 | 21 | 24 | 11 | | 2.63 | 64 | 266 | | 420 | | |
| 57194 | E829893 | 17 | 62 | 24 | | 2.59 | 65 | 443 | | 777 | | |
| 57195 | E829894 | 25 | 131 | 42 | | 3.56 | 109 | 7318 | | 2662 | | |
| 57196 | E829895 | 68 | 26 | <10 | | 2.48 | 60 | 113 | | 138 | | |
| 57197 | E829896 | 13 | 46 | 19 | | 2.62 | 70 | 476 | | 729 | | |
| 57198 | E829897 | 45 | 93 | 48 | | 3.18 | 102 | 1890 | | 2270 | | |
| 57199 Dup | E829897 | 72 | 129 | 55 | | 3.24 | 99 | 1748 | | 2227 | | |
| 57200 | E829898 | 18 | 21 | <10 | | 1.52 | 34 | 97 | | 46 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

Certificate of Analysis

Monday, April 7, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 7, 2008

Job #: 200840671

Reference: Caribou Lodge 18600

Sample #: 29 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57201 | E829899 | 16 | 20 | 13 | | 2.67 | 71 | 300 | | 787 | | |
| 57202 | E829900 | 19 | <15 | 12 | | 1.63 | 57 | 540 | | 539 | | |
| 57203 | E829901 | 64 | 201 | 85 | | 2.61 | 60 | 2736 | | 994 | | |
| 57204 | E829902 | 48 | 187 | 60 | | 1.82 | 33 | 1591 | | 296 | | |
| 57205 | E829903 | 16 | 68 | 16 | | 1.19 | 26 | 366 | | 66 | | |
| 57206 | E829904 | 19 | <15 | <10 | | <1 | 41 | 44 | | 158 | | |
| 57207 | E829905 | 26 | 68 | 23 | | 1.19 | 29 | 930 | | 146 | | |
| 57208 | E829906 | 7 | <15 | <10 | | <1 | 34 | 100 | | 92 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/07/2008 8:01 PM

Certificate of Analysis

April 7, 2008

Canadian Arrow Mines Ltd.
Cedar St.
Orbey, ON, CAN
J3B1M7
Phone#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 7, 2008

Job #: 200840668

Reference: Caribou Lodge 18600

Sample #: 36 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57068 | E829816 | 20 | 74 | 28 | | 2.20 | 67 | 514 | | 595 | | |
| 57069 | E829817 | 28 | 110 | 40 | | 3.27 | 76 | 1145 | | 953 | | |
| 57070 | E829818 | 34 | 116 | 65 | | 3.74 | 103 | 3827 | | 2189 | | |
| 57071 | E829819 | 18 | 87 | 147 | | 3.42 | 100 | 710 | | 10946 | | |
| 57072 | E829820 | 8 | 50 | 44 | | 2.91 | 66 | 901 | | 1093 | | |
| 57073 | E829821 | 27 | 76 | <10 | | 3.19 | 70 | 195 | | 464 | | |
| 57074 | E829822 | 17 | 76 | 18 | | 3.22 | 66 | 421 | | 550 | | |
| 57075 | E829823 | 17 | 64 | 25 | | 3.50 | 51 | 1006 | | 573 | | |
| 57076 | E829824 | 24 | 111 | 15 | | 2.87 | 50 | 361 | | 313 | | |
| 57077 | E829825 | 26 | 108 | 52 | | 3.49 | 68 | 1425 | | 1024 | | |
| 57078 Dup | E829825 | 11 | 62 | 42 | | 3.58 | 66 | 1384 | | 994 | | |
| 57079 | E829826 | 22 | 95 | 29 | | 2.80 | 56 | 597 | | 647 | | |
| 57080 | E829827 | 18 | 86 | 44 | | 4.22 | 89 | 1269 | | 1111 | | |
| 57081 | E829828 | 14 | 74 | 34 | | 3.67 | 87 | 867 | | 1008 | | |
| 57082 | E829829 | 18 | 99 | 20 | | 3.25 | 62 | 608 | | 670 | | |
| 57083 | E829830 | 14 | 95 | 36 | | 2.35 | 46 | 762 | | 510 | | |
| 57084 | E829831 | 20 | 116 | 34 | | 1.70 | 39 | 456 | | 340 | | |
| 57085 | E829832 | 37 | 196 | 52 | | 2.13 | 50 | 1458 | | 976 | | |
| 57086 | E829833 | 30 | 149 | 82 | | 2.00 | 45 | 1503 | | 983 | | |
| 57087 | E829834 | 13 | 81 | 63 | | 1.31 | 32 | 977 | | 585 | | |
| 57088 | E829835 | 14 | 68 | 25 | | 1.27 | 27 | 608 | | 342 | | |
| 57089 Dup | E829835 | 10 | 65 | 30 | | 1.28 | 29 | 658 | | 365 | | |
| 57090 | E829836 | 14 | 77 | 20 | | 1.41 | 45 | 311 | | 373 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

By:



Certified The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without
the written
approval of the laboratory

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/07/2008 8:07 PM

Certificate of Analysis

April 7, 2008

Canadian Arrow Mines Ltd.
 Cedar St.
 Sudbury, ON, CAN
 P3B 1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 7, 2008

Job #: 200840668

Reference: Caribou Lodge 18600

Sample #: 36 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57091 | E829837 | 7 | 43 | 42 | | 1.26 | 45 | 167 | | 350 | | |
| 57092 | E829838 | 110 | 437 | 231 | | 5.12 | 68 | 6262 | | 1461 | | |
| 57093 | E829839 | 39 | 143 | 67 | | 2.70 | 61 | 2435 | | 854 | | |
| 57094 | E829840 | 22 | 95 | 30 | | 2.30 | 54 | 1354 | | 751 | | |
| 57095 | E829841 | 27 | 157 | 59 | | 2.35 | 68 | 1980 | | 1206 | | |
| 57096 | E829842 | 31 | 194 | 58 | | 2.69 | 43 | 1441 | | 818 | | |
| 57097 | E829843 | 18 | 97 | 26 | | 2.09 | 48 | 813 | | 648 | | |
| 57098 | E829844 | 8 | 32 | <10 | | 1.77 | 42 | 80 | | 90 | | |
| 57099 | E829845 | 32 | 328 | 122 | | 2.08 | 57 | 2229 | | 1655 | | |
| 57100 Dup | E829845 | 23 | 327 | 115 | | 1.96 | 56 | 2205 | | 1544 | | |
| 57101 | E829846 | 16 | 132 | 39 | | 1.19 | 22 | 802 | | 336 | | |
| 57102 | E829847 | 66 | 271 | 112 | | 2.87 | 30 | 2944 | | 498 | | |
| 57103 | E829848 | 84 | 291 | 166 | | 3.30 | 36 | 3787 | | 582 | | |
| 57104 | E829849 | 20 | 64 | 27 | | 1.68 | 37 | 545 | | 100 | | |
| 57105 | E829850 | 40 | 95 | 39 | | 2.66 | 60 | 814 | | 153 | | |
| 57106 | E829851 | 12 | 45 | 11 | | 1.84 | 34 | 347 | | 59 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/07/2008 8:07 PM

Certificate of Analysis

Wednesday, March 26, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 10, 2008
 Date Completed: Mar 25, 2008

Job #: 200840479

Reference:

Sample #: 155 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 41178 | E584201 | 10 | <15 | <10 | | <1 | 16 | 56 | | 25 | | |
| 41179 | E584202 | 46 | <15 | <10 | | <1 | 26 | 35 | | 36 | | |
| 41180 | E584203 | <5 | <15 | <10 | | <1 | 28 | 33 | | 38 | | |
| 41181 | E584204 | 14 | 44 | 13 | | <1 | 29 | 198 | | 59 | | |
| 41182 | E584205 | 15 | <15 | <10 | | <1 | 35 | 247 | | 79 | | |
| 41183 | E584206 | 22 | 55 | 28 | | <1 | 31 | 683 | | 118 | | |
| 41184 | E584207 | 16 | 30 | 21 | | <1 | 30 | 742 | | 111 | | |
| 41185 | E584208 | 44 | 109 | 52 | | <1 | 31 | 720 | | 101 | | |
| 41186 | E584209 | 5 | <15 | <10 | | <1 | 28 | 125 | | 58 | | |
| 41187 | E584210 | <5 | <15 | <10 | | <1 | 26 | 107 | | 40 | | |
| 41188 | E584211 | 15 | <15 | <10 | | <1 | 29 | 289 | | 57 | | |
| 41189 Dup | E584211 | 18 | <15 | 13 | | <1 | 29 | 287 | | 56 | | |
| 41190 | E584212 | 12 | <15 | <10 | | 3.42 | 27 | 364 | | 66 | | |
| 41191 | E584213 | 9 | <15 | 12 | | <1 | 31 | 239 | | 66 | | |
| 41192 | E584214 | <5 | <15 | <10 | | 1.18 | 21 | 128 | | 58 | | |
| 41193 | E584215 | 35 | 58 | 32 | | 1.86 | 36 | 855 | | 322 | | |
| 41194 | E584216 | 32 | 101 | 67 | | 1.72 | 33 | 1576 | | 323 | | |
| 41195 | E584217 | 17 | 167 | 113 | | 2.15 | 155 | 4342 | | 5211 | | |
| 41196 | E584219 | 13 | 17 | <10 | | 1.08 | 53 | 124 | | 140 | | |
| 41197 | E584220 | 178 | 831 | 207 | | 6.38 | 189 | 14340 | | 6355 | | |
| 41198 | E584221 | 27 | 91 | 64 | | 2.48 | 77 | 2863 | | 982 | | |
| 41199 Dup | E584221 | 41 | 125 | 74 | | 2.58 | 82 | 3135 | | 1057 | | |
| 41200 | E584222 | 102 | 432 | 228 | | 3.36 | 92 | 3955 | | 1880 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-03/26/2008 2:51 PM

Certificate of Analysis

Wednesday, March 26, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 10, 2008
 Date Completed: Mar 25, 2008

Job #: 200840479

Reference:

Sample #: 155 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 41201 | E584223 | 114 | 315 | 163 | | 2.72 | 66 | 2229 | | 1667 | | |
| 41202 | E584224 | 34 | 97 | 62 | | 1.60 | 40 | 2014 | | 493 | | |
| 41203 | E584225 | 21 | 123 | 122 | | 1.67 | 59 | 4808 | | 1194 | | |
| 41204 | E584226 | 56 | 207 | 147 | | 2.06 | 64 | 4579 | | 1637 | | |
| 41205 | E584227 | 39 | 110 | 61 | | 1.70 | 33 | 2736 | | 574 | | |
| 41206 | E584228 | 74 | 223 | 83 | | 2.20 | 37 | 3549 | | 597 | | |
| 41207 | E584229 | 118 | 445 | 138 | | 3.50 | 48 | 5719 | | 1226 | | |
| 41208 | E584230 | 54 | 152 | 69 | | 3.22 | 32 | 2404 | | 343 | | |
| 41209 | E584231 | 25 | 50 | 35 | | 1.31 | 34 | 967 | | 228 | | |
| 41210 Dup | E584231 | 24 | 56 | 33 | | 1.40 | 36 | 1005 | | 237 | | |
| 41211 | E584232 | 39 | 74 | 41 | | 2.12 | 48 | 1450 | | 598 | | |
| 41212 | E584233 | 42 | 41 | 56 | | 2.81 | 177 | 2394 | | 3111 | | |
| 41213 | E584234 | 77 | 162 | 104 | | 2.18 | 108 | 3032 | | 2977 | | |
| 41214 | E584235 | 12 | 37 | 31 | | <1 | 39 | 454 | | 565 | | |
| 41215 | E584236 | 12 | 142 | 100 | | 2.06 | 110 | 1956 | | 2847 | | |
| 41216 | E584237 | 56 | <15 | 10 | | 3.98 | 580 | 7820 | | 15467 | | |
| 41217 | E584238 | 27 | 289 | 122 | | 3.33 | 381 | 6714 | | 8968 | | |
| 41218 | E584239 | 26 | 113 | 50 | | 1.92 | 64 | 2337 | | 1272 | | |
| 41219 | E584240 | 29 | 112 | 66 | | 1.92 | 141 | 1948 | | 5049 | | |
| 41220 | E584241 | 71 | 100 | 47 | | 1.45 | 79 | 3941 | | 2270 | | |
| 41221 Dup | E584241 | 64 | 72 | 41 | | 1.90 | 81 | 4005 | | 2411 | | |
| 41222 | E584242 | 30 | 64 | 38 | | 1.56 | 62 | 1209 | | 742 | | |
| 41223 | E584243 | 34 | 134 | 69 | | 1.61 | 88 | 1748 | | 1386 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-03/26/2008 2:51 PM

Certificate of Analysis

Wednesday, March 26, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 10, 2008
 Date Completed: Mar 25, 2008

Job #: 200840479

Reference:

Sample #: 155 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 41224 | E584244 | 37 | 149 | 67 | | 1.80 | 70 | 1859 | | 1292 | | |
| 41225 | E584245 | 25 | 57 | 36 | | 1.33 | 64 | 951 | | 1117 | | |
| 41226 | E584246 | 10 | 27 | 14 | | 1.04 | 54 | 389 | | 535 | | |
| 41227 | E584247 | 20 | 118 | 57 | | 1.49 | 83 | 2062 | | 1540 | | |
| 41228 | E584248 | 25 | 91 | 49 | | 1.48 | 74 | 1856 | | 1199 | | |
| 41229 | E584249 | 50 | 153 | 75 | | 1.95 | 111 | 2093 | | 1632 | | |
| 41230 | E584250 | 36 | 119 | 53 | | 1.80 | 96 | 1641 | | 1358 | | |
| 41231 | E584251 | 9 | 31 | 17 | | <1 | 54 | 325 | | 410 | | |
| 41232 Dup | E584251 | 12 | 18 | 14 | | <1 | 55 | 318 | | 424 | | |
| 41233 | E584252 | 28 | 73 | 48 | | <1 | 58 | 1116 | | 918 | | |
| 41234 | E584253 | 27 | 90 | 45 | | 1.06 | 51 | 970 | | 697 | | |
| 41235 | E584254 | 45 | 65 | 181 | | 1.36 | 98 | 710 | | 10908 | | |
| 41236 | E584255 | 14 | 20 | 17 | | 1.67 | 39 | 627 | | 313 | | |
| 41237 | E584256 | 46 | 60 | 79 | | 1.04 | 42 | 1312 | | 767 | | |
| 41238 | E584257 | 75 | 97 | 31 | | 1.96 | 31 | 1183 | | 448 | | |
| 41239 | E584258 | 27 | 76 | 49 | | <1 | 53 | 1313 | | 824 | | |
| 41240 | E584259 | 24 | 34 | 40 | | 1.93 | 35 | 719 | | 439 | | |
| 41241 | E584260 | 44 | 77 | 40 | | 2.12 | 45 | 1431 | | 641 | | |
| 41242 | E584261 | 49 | 84 | 86 | | 2.36 | 55 | 1726 | | 934 | | |
| 41243 Dup | E584261 | 81 | 108 | 53 | | 2.23 | 52 | 1610 | | 856 | | |
| 41244 | E584262 | 21 | 43 | 147 | | 1.60 | 41 | 743 | | 419 | | |
| 41245 | E584263 | 17 | 26 | 23 | | <1 | 38 | 982 | | 475 | | |
| 41246 | E584264 | 16 | 67 | 29 | | 1.92 | 60 | 1147 | | 768 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-03/26/2008 2:51 PM

Certificate of Analysis

Wednesday, March 26, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 10, 2008
 Date Completed: Mar 25, 2008

Job #: 200840479

Reference:

Sample #: 155 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 41247 | E584265 | 30 | <15 | 10 | | 1.46 | 42 | 356 | | 273 | | |
| 41248 | E584266 | 10 | 28 | 31 | | 1.48 | 45 | 580 | | 376 | | |
| 41249 | E584267 | 11 | <15 | 13 | | 1.49 | 72 | 571 | | 555 | | |
| 41250 | E584268 | 66 | 35 | 28 | | 2.21 | 103 | 1248 | | 1158 | | |
| 41251 | E584269 | 129 | 54 | 25 | | 1.44 | 54 | 956 | | 589 | | |
| 41252 | E584270 | 15 | <15 | <10 | | 1.41 | 27 | 290 | | 174 | | |
| 41253 | E584271 | <5 | <15 | <10 | | 1.44 | 22 | 252 | | 123 | | |
| 41254 Dup | E584271 | <5 | <15 | <10 | | 1.51 | 22 | 255 | | 124 | | |
| 41255 | E584272 | 6 | <15 | <10 | | <1 | 20 | 216 | | 103 | | |
| 41256 | E584273 | <5 | <15 | <10 | | <1 | 20 | 190 | | 93 | | |
| 41257 | E584274 | <5 | <15 | <10 | | <1 | 27 | 390 | | 212 | | |
| 41258 | E584275 | <5 | <15 | <10 | | <1 | 23 | 316 | | 159 | | |
| 41259 | E584276 | <5 | <15 | <10 | | <1 | 24 | 272 | | 133 | | |
| 41260 | E584277 | 90 | <15 | <10 | | 1.01 | 21 | 150 | | 121 | | |
| 41261 | E584278 | 21 | 52 | 51 | | 2.07 | 75 | 1104 | | 949 | | |
| 41262 | E584279 | 25 | 82 | 52 | | 2.44 | 93 | 1415 | | 1281 | | |
| 41263 | E584280 | 8 | 54 | 36 | | <1 | 70 | 806 | | 1172 | | |
| 41264 | E584281 | 7 | <15 | <10 | | <1 | 45 | 110 | | 106 | | |
| 41265 Dup | E584281 | 25 | <15 | 248 | | <1 | 50 | 112 | | 111 | | |
| 41266 | E584282 | 10 | <15 | 26 | | 1.61 | 62 | 598 | | 706 | | |
| 41267 | E584283 | 31 | 37 | 35 | | <1 | 69 | 1568 | | 954 | | |
| 41268 | E584284 | <5 | <15 | <10 | | <1 | 79 | 358 | | 783 | | |
| 41269 | E584285 | <5 | <15 | <10 | | 1.80 | 63 | 480 | | 725 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-03/26/2008 2:51 PM

Certificate of Analysis

Wednesday, March 26, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 10, 2008
 Date Completed: Mar 25, 2008

Job #: 200840479

Reference:

Sample #: 155 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 41270 | E584286 | 19 | 134 | 36 | | 2.09 | 53 | 1245 | | 870 | | |
| 41271 | E584287 | 12 | 24 | 20 | | <1 | 37 | 763 | | 497 | | |
| 41272 | E584288 | 11 | 51 | 25 | | <1 | 74 | 1438 | | 1161 | | |
| 41273 | E584289 | 8 | 28 | 17 | | <1 | 106 | 1232 | | 1208 | | |
| 41274 | E584290 | 11 | 204 | 14 | | <1 | 49 | 662 | | 538 | | |
| 41275 | E584291 | <5 | <15 | <10 | | 2.43 | 77 | 224 | | 609 | | |
| 41276 Dup | E584291 | <5 | <15 | <10 | | 2.53 | 80 | 232 | | 620 | | |
| 41277 | E584292 | <5 | <15 | <10 | | 2.48 | 73 | 685 | | 754 | | |
| 41278 | E584293 | 12 | 35 | 21 | | 2.54 | 46 | 654 | | 573 | | |
| 41279 | E584294 | 25 | 78 | 45 | | 2.46 | 36 | 1445 | | 712 | | |
| 41280 | E584295 | <5 | <15 | 25 | | 1.78 | 16 | 168 | | 123 | | |
| 41281 | E584296 | 11 | 34 | 24 | | 2.38 | 60 | 597 | | 611 | | |
| 41282 | E584297 | 43 | <15 | <10 | | 1.52 | 59 | 214 | | 546 | | |
| 41283 | E584298 | 11 | 89 | 44 | | 2.02 | 68 | 1625 | | 1556 | | |
| 41284 | E584299 | 12 | <15 | 11 | | 2.02 | 50 | 107 | | 118 | | |
| 41285 | E584300 | 43 | 288 | 140 | | 2.96 | 91 | 3037 | | 2568 | | |
| 41286 | E584301 | 12 | 47 | 32 | | 2.10 | 57 | 555 | | 700 | | |
| 41287 Dup | E584301 | 14 | 61 | 34 | | 1.82 | 55 | 540 | | 700 | | |
| 41288 | E584302 | 18 | 55 | 40 | | 1.74 | 52 | 694 | | 737 | | |
| 41289 | E584303 | 10 | 36 | 20 | | 1.73 | 56 | 670 | | 713 | | |
| 41290 | E584304 | 43 | 263 | 129 | | 2.89 | 141 | 3167 | | 3282 | | |
| 41291 | E584305 | 101 | 265 | 151 | | 3.03 | 94 | 3671 | | 2346 | | |
| 41292 | E584306 | 83 | 250 | 227 | | 3.10 | 73 | 2666 | | 1769 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-03/26/2008 2:51 PM

Certificate of Analysis

Wednesday, March 26, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 10, 2008
 Date Completed: Mar 25, 2008

Job #: 200840479

Reference:

Sample #: 155 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 41293 | E584307 | 27 | 93 | 62 | | 2.22 | 80 | 1818 | | 1396 | | |
| 41294 | E584308 | 17 | 44 | 30 | | 2.28 | 54 | 1915 | | 936 | | |
| 41295 | E584309 | 36 | 94 | 68 | | 2.29 | 49 | 1666 | | 954 | | |
| 41296 | E584310 | 60 | 268 | 163 | | 2.99 | 89 | 3959 | | 2086 | | |
| 41297 | E584311 | 31 | 62 | 53 | | 2.33 | 50 | 1383 | | 832 | | |
| 41298 Dup | E584311 | 28 | 61 | 51 | | 2.19 | 53 | 1414 | | 866 | | |
| 41299 | E584312 | 10 | 51 | 29 | | 2.05 | 58 | 1041 | | 861 | | |
| 41300 | E584313 | 20 | 77 | 58 | | 1.96 | 57 | 1513 | | 945 | | |
| 41301 | E584314 | 33 | 61 | 42 | | 2.03 | 56 | 1081 | | 814 | | |
| 41302 | E584315 | 21 | 54 | 40 | | 1.48 | 63 | 1022 | | 980 | | |
| 41303 | E584316 | 41 | 127 | 171 | | 1.47 | 100 | 708 | | 10947 | | |
| 41304 | E584317 | 5 | 30 | 19 | | <1 | 53 | 347 | | 524 | | |
| 41305 | E584318 | 11 | 26 | 40 | | 1.67 | 63 | 1119 | | 718 | | |
| 41306 | E584319 | 54 | 143 | 64 | | 2.51 | 115 | 2884 | | 1778 | | |
| 41307 | E584320 | 19 | 79 | 45 | | 2.06 | 66 | 1227 | | 1060 | | |
| 41308 | E584321 | 7 | 17 | 25 | | 1.55 | 65 | 835 | | 897 | | |
| 41309 Dup | E584321 | 19 | 24 | 25 | | 1.30 | 62 | 819 | | 838 | | |
| 41310 | E584322 | 21 | 77 | 48 | | 1.73 | 77 | 2305 | | 1416 | | |
| 41311 | E584323 | 5 | 18 | <10 | | 1.15 | 46 | 329 | | 163 | | |
| 41312 | E584324 | 29 | 70 | 42 | | 1.58 | 63 | 2114 | | 1195 | | |
| 41313 | E584325 | 47 | 131 | 71 | | 2.45 | 104 | 3086 | | 1794 | | |
| 41314 | E584326 | 15 | 50 | 29 | | 2.05 | 94 | 1468 | | 1283 | | |
| 41315 | E584327 | 22 | 84 | 48 | | 1.55 | 78 | 1717 | | 1421 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

Certificate of Analysis

Wednesday, March 26, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 10, 2008
 Date Completed: Mar 25, 2008

Job #: 200840479

Reference:

Sample #: 155 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 41316 | E584328 | 40 | 165 | 77 | | 2.03 | 67 | 2819 | | 1299 | | |
| 41317 | E584329 | 5 | <15 | <10 | | <1 | 27 | 107 | | 139 | | |
| 41318 | E584330 | 17 | 26 | 18 | | 2.29 | 75 | 410 | | 647 | | |
| 41319 | E584331 | 19 | 76 | 26 | | 2.37 | 81 | 917 | | 978 | | |
| 41320 Dup | E584331 | 26 | 51 | 23 | | 2.31 | 82 | 927 | | 998 | | |
| 41321 | E584332 | 10 | 35 | 25 | | 2.29 | 61 | 246 | | 514 | | |
| 41322 | E584333 | <5 | <15 | <10 | | 2.29 | 60 | 302 | | 538 | | |
| 41323 | E584334 | 18 | 65 | 31 | | 2.96 | 103 | 1363 | | 1357 | | |
| 41324 | E584335 | 36 | 79 | 33 | | 2.52 | 74 | 1299 | | 1131 | | |
| 41325 | E584336 | 34 | 102 | 50 | | 2.67 | 75 | 1647 | | 1582 | | |
| 41326 | E584337 | 174 | 151 | 59 | | 2.73 | 68 | 1900 | | 1472 | | |
| 41327 | E584338 | 60 | 140 | 49 | | 2.69 | 67 | 1955 | | 1271 | | |
| 41328 | E584339 | 45 | 43 | 20 | | 1.44 | 49 | 578 | | 812 | | |
| 41329 | E584340 | 5 | 24 | <10 | | 1.31 | 25 | 95 | | 140 | | |
| 41330 | E584341 | 36 | <15 | <10 | | 1.26 | 23 | 117 | | 124 | | |
| 41331 Dup | E584341 | 14 | <15 | <10 | | 1.07 | 28 | 127 | | 135 | | |
| 41332 | E584342 | 111 | 154 | 68 | | 6.25 | 73 | 3144 | | 1681 | | |
| 41333 | E584343 | 78 | 187 | 84 | | 3.64 | 95 | 3292 | | 1834 | | |
| 41334 | E584344 | 75 | 212 | 71 | | 3.18 | 82 | 2752 | | 1567 | | |
| 41335 | E584345 | 82 | 162 | 64 | | 3.45 | 78 | 2588 | | 1404 | | |
| 41336 | E584346 | 33 | 80 | 34 | | 2.38 | 80 | 1303 | | 951 | | |
| 41337 | E584347 | 47 | 82 | 38 | | 2.30 | 86 | 1388 | | 1043 | | |
| 41338 | E584348 | 83 | 194 | 180 | | 2.27 | 101 | 707 | | 10933 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-03/26/2008 2:51 PM

Certificate of Analysis

Wednesday, March 26, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Mar 10, 2008
 Date Completed: Mar 25, 2008

Job #: 200840479

Reference:

Sample #: 155 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 41339 | E584349 | 41 | 88 | 34 | | 2.80 | 112 | 2097 | | 1480 | | |
| 41340 | E584350 | 15 | 22 | <10 | | 1.97 | 62 | 578 | | 438 | | |
| 41341 | E584351 | 8 | <15 | <10 | | 2.61 | 21 | 176 | | 75 | | |
| 41342 Dup | E584351 | 6 | <15 | <10 | | 2.14 | 20 | 172 | | 77 | | |
| 41343 | E584352 | <5 | <15 | <10 | | 2.96 | 20 | 119 | | 67 | | |
| 41344 | E584353 | <5 | <15 | <10 | | 2.23 | 24 | 125 | | 84 | | |
| 41345 | E584354 | <5 | <15 | <10 | | 2.06 | 19 | 124 | | 76 | | |
| 41346 | E584355 | <5 | <15 | <10 | | 1.60 | 33 | 145 | | 162 | | |
| 41347 | E584356 | 10 | <15 | <10 | | 1.68 | 34 | 126 | | 156 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without
 the written
 approval of the laboratory

By:



Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-03/26/2008 2:51 PM

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON CAN
 P3B 1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachem@canadianarrowmines.com

Date Received: Apr 14, 2008
 Date Completed: May 1, 2008

Job #: 200840898


Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80646 | E829971 | <5 | <15 | <10 | | 1.43 | 23 | 55 | | 32 | | |
| 80647 | E829972 | <5 | <15 | <10 | | 1.20 | 25 | 77 | | 27 | | |
| 80648 | E829973 | <5 | <15 | <10 | | 1.43 | 30 | 104 | | 30 | | |
| 80649 | E829974 | <5 | <15 | 11 | | 1.55 | 28 | 100 | | 31 | | |
| 80650 | E829975 | <5 | <15 | <10 | | 1.74 | 25 | 48 | | 44 | | |
| 80651 | E829976 | <5 | 21 | <10 | | 1.64 | 26 | 56 | | 37 | | |
| 80652 | E829977 | 6 | 33 | <10 | | 1.89 | 30 | 47 | | 27 | | |
| 80653 | E829978 | 8 | 27 | <10 | | 1.80 | 27 | 26 | | 34 | | |
| 80654 Dup | E829978 | 6 | 27 | <10 | | 1.85 | 27 | 26 | | 34 | | |
| 80655 | E829979 | 21 | 29 | <10 | | 2.46 | 83 | 1092 | | 119 | | |
| 80656 | E829980 | 5 | 28 | <10 | | 1.84 | 24 | 61 | | 46 | | |
| 80657 | 396351 | 17 | 315 | 156 | | 3.33 | 373 | 2588 | | 8351 | | |
| 80658 | 396352 | 133 | 236 | 83 | | 3.35 | 264 | 7621 | | 5093 | | |
| 80659 | 396353 | 36 | 188 | 131 | | 3.07 | 49 | 2140 | | 662 | | |
| 80660 | 396354 | 8 | 20 | <10 | | 1.23 | 49 | 127 | | 346 | | |
| 80661 | 396355 | 9 | 26 | 14 | | 2.07 | 60 | 497 | | 604 | | |
| 80662 | 396356 | 49 | 133 | 66 | | 1.72 | 56 | 1205 | | 867 | | |
| 80663 | 396357 | 13 | 63 | 34 | | 1.90 | 66 | 557 | | 709 | | |
| 80664 | 396358 | 15 | 39 | 22 | | 1.90 | 65 | 324 | | 531 | | |
| 80665 Rep | 396358 | 6 | 28 | 14 | | 1.89 | 65 | 322 | | 515 | | |
| 80666 | 396359 | 22 | 50 | 22 | | 1.89 | 67 | 647 | | 325 | | |
| 80667 | 396360 | 52 | 166 | 72 | | 4.02 | 66 | 3963 | | 1044 | | |
| 80668 | 396361 | 62 | 138 | 74 | | 3.71 | 119 | 3213 | | 1718 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written
 approval of the laboratory

AL917-0257-05/03/2008 12:46 PM

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
 236 Cedar St.
 Sudbury, ON, CAN
 P3B1M7
 Ph#: (705) 673-8259
 Fax#: (705) 673-5450
 Email#:
 dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008
 Date Completed: May 1, 2008

Job #: 200840898


Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80669 | 396362 | 29 | 122 | 72 | | 3.65 | 122 | 3012 | | 1918 | | |
| 80670 | 396363 | 20 | 76 | 42 | | 2.76 | 91 | 1114 | | 986 | | |
| 80671 | 396364 | 34 | 115 | 59 | | 3.28 | 108 | 1810 | | 1331 | | |
| 80672 | 396365 | 8 | 34 | 17 | | 2.45 | 63 | 201 | | 395 | | |
| 80673 | 396366 | 24 | 100 | 47 | | 2.56 | 48 | 1586 | | 760 | | |
| 80674 | 396367 | 74 | 289 | 205 | | 4.53 | 65 | 3387 | | 1349 | | |
| 80675 | 396368 | 94 | 152 | 84 | | 5.99 | 136 | 6125 | | 1924 | | |
| 80676 Dup | 396368 | 104 | 169 | 89 | | 6.55 | 141 | 6596 | | 2013 | | |
| 80677 | 396369 | 21 | 78 | 21 | | 2.04 | 61 | 1918 | | 478 | | |
| 80678 | 396370 | 152 | 422 | 198 | | 3.81 | 78 | 5676 | | 1535 | | |
| 80679 | 396371 | 45 | 137 | 52 | | 3.29 | 57 | 3182 | | 730 | | |
| 80680 | 396372 | 45 | 133 | 53 | | 3.28 | 125 | 3233 | | 1812 | | |
| 80681 | 396501 | 8 | 16 | <10 | | 1.44 | 39 | 192 | | 213 | | |
| 80682 | 396502 | 11 | 33 | 21 | | <1 | 23 | 138 | | 171 | | |
| 80683 | 396503 | 7 | <15 | <10 | | 1.22 | 32 | 203 | | 132 | | |
| 80684 | 396504 | <5 | <15 | <10 | | 1.48 | 42 | 138 | | 171 | | |
| 80685 | 396505 | <5 | <15 | <10 | | 1.07 | 56 | 43 | | 546 | | |
| 80686 | 396506 | <5 | 19 | <10 | | 1.72 | 96 | 21 | | 657 | | |
| 80687 Dup | 396506 | 7 | 18 | <10 | | 1.92 | 98 | 19 | | 667 | | |
| 80688 | 396507 | <5 | <15 | 11 | | 2.32 | 102 | 44 | | 869 | | |
| 80689 | 396508 | 5 | <15 | <10 | | 2.33 | 110 | 42 | | 1060 | | |
| 80690 | 396509 | <5 | <15 | <10 | | 2.16 | 100 | 60 | | 955 | | |
| 80691 | 396510 | <5 | 20 | <10 | | 2.05 | 107 | 63 | | 1162 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

The results included on this report relate only to the items tested.
 The Certificate of Analysis should not be reproduced except in full, without the written
 approval of the laboratory

AL917-0257-05/03/2008 12:46 PM

DETAILED LOG

Hole Number: CL-08-11

Units: METRIC

| | | | | | | |
|-----------------|--------------|---------------------|------------|-------------------------|--------------|----------------------------------|
| Project Name: | Denmark Lake | Primary Coordinates | Grid: UTM: | Destination Coordinates | Grid: UTM: | Collar Dip: |
| Project Number: | 18600 | North: | 5470674.00 | North: | 5470674.00 | Collar Az: |
| Location: | Surface | East: | 451534.00 | East: | 451534.00 | Length: 171.00 (m) |
| | | Elev: | 346.00 | Elev: | 346.00 | Start Depth: 0.00 (m) |
| Date Started: | Mar 27, 2008 | Collar Survey: | N | Plugged: | N | Final Depth: 171.00 (m) |
| Date Completed: | Mar 30, 2008 | Multishot Survey: | N | Hole Size: | NQ | Core Storage: Kenbridge Minesite |
| Logged By: | pm | Pulse EM Survey: | N | Casing: | Left in Hole | |
| Comments: | | | | | | |

Sample Averages

Survey Data

| Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments | Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments |
|-----------|-----------------|-------------|-----------|------|----------|-----------|-----------------|-------------|-----------|------|----------|
| 0.00 | 48.10 | -63.40 | EZ | OK | | 51.00 | 68.20 | -63.40 | EZ | DO | |
| 102.00 | 43.70 | -63.20 | EZ | OK | | 150.00 | 47.40 | -63.60 | EZ | OK | |

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|--------|---|---------------|----------|--------|------------|--------|--------|--------|--|--|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% | | |
| 0 | 4.80 | CAS, Casing | | | | | | | | | |
| 4.80 | 15.85 | DIOR, Diorite | | | | | | | | | |
| 15.85 | 20.20 | MD, Mafic Dike Mineralization 15.85 - 20.20 Structure 15.85 - 20.20 : UC Upper Contact, 15 Deg to CA | | | | | | | | | |
| 20.20 | 20.75 | DIOR, Diorite Structure 20.20 - 20.75 : UC Upper Contact, 80 Deg to CA | | | | | | | | | |
| 20.75 | 21.35 | MD, Mafic Dike Mineralization 20.75 - 21.35 Structure 20.75 - 21.35 : UC Upper Contact, 25 Deg to CA | | | | | | | | | |
| 21.35 | 39.70 | DIOR, Diorite Mineralization 21.35 - 39.70 Structure 21.35 - 39.70 : FOL Foliated, 40 Deg to CA 21.35 - 39.70 : UC Upper Contact, 60 Deg to CA | 396618 | 38.70 | 39.70 | 1.00 | 0.0157 | 0.0085 | 0.0034 | | |

DETAILED LOG

Hole Number: CL-08-11

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|---|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 39.70 | 44.00 | PYXT, Pyroxenite Mineralization 39.70 - 44.00 Structure 39.70 - 44.00 : UC Upper Contact, 45 Deg to CA | 396619 | 39.70 | 40.80 | 1.10 | 0.0163 | 0.0055 | 0.0033 |
| | | | 396620 | 40.80 | 41.90 | 1.10 | 0.0197 | 0.0120 | 0.0032 |
| | | | 396621 | 41.90 | 43.00 | 1.10 | 0.0236 | 0.0087 | 0.0033 |
| | | | 396622 | 43.00 | 44.00 | 1.00 | 0.0303 | 0.0064 | 0.0042 |
| | | | 396623 | 44.00 | 45.00 | 1.00 | 0.0050 | 0.0045 | 0.0028 |
| 44.00 | 45.00 | MD, Mafic Dike Mineralization 44.00 - 45.00 Structure 44.00 - 45.00 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| | | | 396624 | 45.00 | 45.90 | 0.90 | 0.0341 | 0.0018 | 0.0045 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 45.00 | 45.90 | PYXT, Pyroxenite Mineralization 45.00 - 45.90 Structure 45.00 - 45.90 : UC Upper Contact, 80 Deg to CA | 396625 | 45.90 | 47.00 | 1.10 | 0.0031 | 0.0030 | 0.0025 |
| | | | 396626 | 47.00 | 48.00 | 1.00 | 0.0028 | 0.0029 | 0.0025 |
| | | | 396627 | 48.00 | 49.10 | 1.10 | 0.0025 | 0.0026 | 0.0023 |
| | | | 396628 | 49.10 | 50.20 | 1.10 | 0.0027 | 0.0029 | 0.0024 |
| | | | 396629 | 50.20 | 51.10 | 0.90 | 0.0633 | 0.0002 | 0.0068 |
| 50.20 | 52.00 | PYXT, Pyroxenite Mineralization 50.20 - 52.00 Structure 50.20 - 52.00 : UC Upper Contact, 50 Deg to CA | 396630 | 51.10 | 52.00 | 0.90 | 0.0654 | 0.0021 | 0.0083 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 52.00 | 54.90 | MD, Mafic Dike Structure 52.00 - 54.90 : UC Upper Contact, 40 Deg to CA 54.50 - 54.90 | 396632 | 52.00 | 53.50 | 1.50 | 0.0677 | 0.0012 | 0.0074 |
| | | | 396633 | 53.50 | 54.90 | 1.40 | 0.0029 | 0.0042 | 0.0021 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 54.90 | 56.30 | PYXT, Pyroxenite Mineralization 54.90 - 56.30 Structure 54.90 - 55.30 54.90 - 56.30 : FOL Foliated, 40 Deg to CA 54.90 - 56.30 : UC Upper Contact, 60 Deg to CA | 396634 | 54.90 | 56.30 | 1.40 | 0.0035 | 0.0062 | 0.0027 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 56.30 | 57.00 | GAB, Gabbro Mineralization 56.30 - 57.00 Structure 56.30 - 57.00 : UC Upper Contact, 70 Deg to CA | 396635 | 56.30 | 57.00 | 0.70 | 0.0109 | 0.0059 | 0.0021 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

DETAILED LOG

Hole Number: CL-08-11

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 57.00 | 58.10 | PYXT, Pyroxenite Mineralization 57.00 - 58.10 Structure 57.00 - 58.10 : UC Upper Contact, 40 Deg to CA | 396636 | 57.00 | 58.10 | 1.10 | 0.0425 | 0.0038 | 0.0054 |
| 58.10 | 59.95 | MD, Mafic Dike Structure 58.10 - 59.95 : UC Upper Contact, 55 Deg to CA | 396637 | 58.10 | 59.00 | 0.90 | 0.0150 | 0.0077 | 0.0035 |
| | | | 396638 | 59.00 | 59.95 | 0.95 | 0.0158 | 0.0072 | 0.0035 |
| 59.95 | 68.40 | PRDT, Peridotite Mineralization 59.95 - 68.40 Structure 59.95 - 68.40 : UC Upper Contact, 45 Deg to CA | 396639 | 59.95 | 61.00 | 1.05 | 0.0634 | 0.0054 | 0.0067 |
| | | | 396640 | 61.00 | 62.00 | 1.00 | 0.0769 | 0.0041 | 0.0082 |
| | | | 396641 | 62.00 | 63.00 | 1.00 | 0.0854 | 0.0005 | 0.0091 |
| | | | 396642 | 63.00 | 64.00 | 1.00 | 0.0835 | 0.0018 | 0.0088 |
| | | | 396643 | 64.00 | 65.10 | 1.10 | 0.0463 | 0.0043 | 0.0054 |
| | | | 396644 | 65.10 | 66.20 | 1.10 | 0.1007 | 0.0050 | 0.0093 |
| | | | 396646 | 66.20 | 67.30 | 1.10 | 0.0998 | 0.0027 | 0.0091 |
| | | | 396647 | 67.30 | 68.40 | 1.10 | 0.0869 | 0.0012 | 0.0081 |
| 68.40 | 75.20 | FD, Felsic Dike Structure 68.40 - 75.20 : UC Upper Contact, 50 Deg to CA | 396648 | 68.40 | 69.40 | 1.00 | 0.0017 | 0.0006 | 0.0004 |
| | | | 396649 | 69.40 | 70.40 | 1.00 | 0.0013 | 0.0009 | 0.0004 |
| | | | 396650 | 74.40 | 75.20 | 0.80 | 0.0008 | 0.0015 | 0.0003 |
| 75.20 | 76.70 | PYXT, Pyroxenite Mineralization 75.20 - 76.70 Structure 75.20 - 76.70 : FOL Foliated, 40 Deg to CA 75.20 - 76.70 : UC Upper Contact, 45 Deg to CA | 396651 | 75.20 | 76.70 | 1.50 | 0.0297 | 0.0046 | 0.0048 |
| 76.70 | 78.20 | MD, Mafic Dike Structure 76.70 - 78.20 : FOL Foliated, 30 Deg to CA 76.70 - 78.20 : UC Upper Contact, 50 Deg to CA | 396652 | 76.70 | 78.20 | 1.50 | 0.0062 | 0.0052 | 0.0028 |
| 78.20 | 80.75 | PYXT, Pyroxenite Mineralization 78.20 - 80.75 Structure 78.20 - 80.75 : FOL Foliated, 30 Deg to CA 78.20 - 80.75 : UC Upper Contact, 30 Deg to CA | 396653 | 78.20 | 79.40 | 1.20 | 0.0317 | 0.0054 | 0.0049 |
| | | | 396655 | 79.40 | 80.75 | 1.35 | 0.0495 | 0.0028 | 0.0062 |
| 80.75 | 82.70 | MD, Mafic Dike Structure 80.75 - 82.70 : UC Upper Contact, 30 Deg to CA | 396656 | 80.75 | 81.70 | 0.95 | 0.0093 | 0.0052 | 0.0035 |
| | | | 396657 | 81.70 | 82.70 | 1.00 | 0.0100 | 0.0052 | 0.0036 |

DETAILED LOG

Hole Number: CL-08-11

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|---|---------------|----------|--------|------------|--------|--------|--------|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 82.70 | 84.00 | PYXT, Pyroxenite Mineralization 82.70 - 84.00 Structure 82.70 - 84.00 : FOL Foliated, 30 Deg to CA 82.70 - 84.00 : UC Upper Contact, 30 Deg to CA | 396658 | 82.70 | 84.00 | 1.30 | 0.0438 | 0.0048 | 0.0053 |
| 84.00 | 84.90 | DIOR, Diorite Structure 84.00 - 84.90 : FOL Foliated, 50 Deg to CA 84.00 - 84.90 : UC Upper Contact, 70 Deg to CA | 396659 | 84.00 | 84.90 | 0.90 | 0.0163 | 0.0058 | 0.0022 |
| 84.90 | 89.90 | MD, Mafic Dike Mineralization 84.90 - 89.90 Structure 84.90 - 89.90 : UC Upper Contact, 35 Deg to CA 86.60 - 87.40 | 396660 | 84.90 | 86.00 | 1.10 | 0.0031 | 0.0057 | 0.0019 |
| 89.90 | 93.90 | DIOR, Diorite Structure 89.90 - 93.90 : FOL Foliated, 45 Deg to CA 89.90 - 93.90 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 93.90 | 98.20 | GAB, Gabbro Structure 93.90 - 98.20 : UC Upper Contact, 80 Deg to CA | | | | | | | |
| 98.20 | 99.50 | DIOR, Diorite Mineralization 98.20 - 99.50 Structure 98.20 - 99.50 : UC Upper Contact, 60 Deg to CA | | | | | | | |
| 99.50 | 101.50 | MV, Mafic Volcanic Structure 99.50 - 101.50 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 101.50 | 108.00 | DIOR, Diorite Mineralization 101.50 - 108.00 Structure 101.50 - 108.00 : FOL Foliated, 40 Deg to CA 101.50 - 108.00 : UC Upper Contact, 40 Deg to CA | | | | | | | |
| 108.00 | 108.70 | MD, Mafic Dike Mineralization 108.00 - 108.70 Structure 108.00 - 108.70 : UC Upper Contact, 60 Deg to CA | | | | | | | |

DETAILED LOG

Hole Number: CL-08-11

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|--|--|--|--|--|--|--|--|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 108.70 | 139.50 | GAB, Gabbro Structure 108.70 - 139.50 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 139.50 | 143.10 | DIOR, Diorite Structure 139.50 - 143.10 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 143.10 | 143.85 | MD, Mafic Dike Mineralization 143.10 - 143.85 Structure 143.10 - 143.85 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 143.85 | 160.20 | DIOR, Diorite Mineralization 143.85 - 160.20 143.85 - 160.20 Structure 143.85 - 160.20 : UC Upper Contact, 60 Deg to CA | 396661 396662 396663 396664 396665 396666 396667 396668 396669 396670 396671 396672 396674 396675 | 146.00 147.00 148.00 149.00 150.00 151.00 152.00 153.00 154.00 155.00 156.00 157.00 158.00 159.00 159.00 | 147.00 148.00 149.00 150.00 151.00 152.00 153.00 154.00 155.00 156.00 157.00 158.00 159.00 160.20 161.10 | 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.20 | 0.0069 0.0612 0.1151 0.1269 0.0949 0.0151 0.0722 0.0775 0.0337 0.0391 0.0354 0.0354 0.0354 0.0448 0.2124 | 0.0179 0.0526 0.1427 0.1922 0.1902 0.0354 0.1813 0.1439 0.0967 0.0915 0.0915 0.0915 0.1177 0.0605 0.0872 0.3031 | 0.0017 0.0072 0.0085 0.0075 0.0051 0.0024 0.0043 0.0047 0.0030 0.0034 0.0032 0.0030 0.0030 0.0045 0.0097 |
| 160.20 | 171.00 | GAB, Gabbro Structure 160.20 - 171.00 : UC Upper Contact, 80 Deg to CA | 396676 396677 396678 | 160.20 161.10 162.00 | 161.10 162.00 163.00 | 0.90 0.90 1.00 | 0.0045 0.0037 0.0039 | 0.0119 0.0079 0.0076 | 0.0015 0.0015 0.0016 |

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|-------------------|----------|--------|--------|--------|--------|
| Sample Type ASSAY | | | | | |
| 396618 | 38.70 | 39.70 | 0.0157 | 0.0085 | 0.0034 |
| 396619 | 39.70 | 40.80 | 0.0163 | 0.0055 | 0.0033 |
| 396620 | 40.80 | 41.90 | 0.0197 | 0.0120 | 0.0032 |
| 396621 | 41.90 | 43.00 | 0.0236 | 0.0087 | 0.0033 |
| 396622 | 43.00 | 44.00 | 0.0303 | 0.0064 | 0.0042 |
| 396623 | 44.00 | 45.00 | 0.0050 | 0.0045 | 0.0028 |
| 396624 | 45.00 | 45.90 | 0.0341 | 0.0018 | 0.0045 |
| 396625 | 45.90 | 47.00 | 0.0031 | 0.0030 | 0.0025 |

Hole Number: CL-08-11

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| 396626 | 47.00 | 48.00 | 0.0028 | 0.0029 | 0.0025 |
| 396627 | 48.00 | 49.10 | 0.0025 | 0.0026 | 0.0023 |
| 396628 | 49.10 | 50.20 | 0.0027 | 0.0029 | 0.0024 |
| 396629 | 50.20 | 51.10 | 0.0633 | 0.0002 | 0.0068 |
| 396630 | 51.10 | 52.00 | 0.0654 | 0.0021 | 0.0083 |
| 396632 | 52.00 | 53.50 | 0.0677 | 0.0012 | 0.0074 |
| 396633 | 53.50 | 54.90 | 0.0029 | 0.0042 | 0.0021 |
| 396634 | 54.90 | 56.30 | 0.0035 | 0.0062 | 0.0027 |
| 396635 | 56.30 | 57.00 | 0.0109 | 0.0059 | 0.0021 |
| 396636 | 57.00 | 58.10 | 0.0425 | 0.0038 | 0.0054 |
| 396637 | 58.10 | 59.00 | 0.0150 | 0.0077 | 0.0035 |
| 396638 | 59.00 | 59.95 | 0.0158 | 0.0072 | 0.0035 |
| 396639 | 59.95 | 61.00 | 0.0634 | 0.0054 | 0.0067 |
| 396640 | 61.00 | 62.00 | 0.0769 | 0.0041 | 0.0082 |
| 396641 | 62.00 | 63.00 | 0.0854 | 0.0005 | 0.0091 |
| 396642 | 63.00 | 64.00 | 0.0835 | 0.0018 | 0.0088 |
| 396643 | 64.00 | 65.10 | 0.0463 | 0.0043 | 0.0054 |
| 396644 | 65.10 | 66.20 | 0.1007 | 0.0050 | 0.0093 |
| 396646 | 66.20 | 67.30 | 0.0998 | 0.0027 | 0.0091 |
| 396647 | 67.30 | 68.40 | 0.0869 | 0.0012 | 0.0081 |
| 396648 | 68.40 | 69.40 | 0.0017 | 0.0006 | 0.0004 |
| 396649 | 69.40 | 70.40 | 0.0013 | 0.0009 | 0.0004 |
| 396650 | 74.40 | 75.20 | 0.0008 | 0.0015 | 0.0003 |
| 396651 | 75.20 | 76.70 | 0.0297 | 0.0046 | 0.0048 |
| 396652 | 76.70 | 78.20 | 0.0062 | 0.0052 | 0.0028 |
| 396653 | 78.20 | 79.40 | 0.0317 | 0.0054 | 0.0049 |
| 396655 | 79.40 | 80.75 | 0.0495 | 0.0028 | 0.0062 |
| 396656 | 80.75 | 81.70 | 0.0093 | 0.0052 | 0.0035 |
| 396657 | 81.70 | 82.70 | 0.0100 | 0.0052 | 0.0036 |
| 396658 | 82.70 | 84.00 | 0.0438 | 0.0048 | 0.0053 |
| 396659 | 84.00 | 84.90 | 0.0163 | 0.0058 | 0.0022 |
| 396660 | 84.90 | 86.00 | 0.0031 | 0.0057 | 0.0019 |
| 396661 | 146.00 | 147.00 | 0.0069 | 0.0179 | 0.0017 |
| 396662 | 147.00 | 148.00 | 0.0612 | 0.0526 | 0.0072 |
| 396663 | 148.00 | 149.00 | 0.1151 | 0.1427 | 0.0085 |
| 396664 | 149.00 | 150.00 | 0.1269 | 0.1922 | 0.0075 |
| 396665 | 150.00 | 151.00 | 0.0949 | 0.1902 | 0.0051 |

Hole Number: CL-08-11

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| 396666 | 151.00 | 152.00 | 0.0151 | 0.0354 | 0.0024 |
| 396667 | 152.00 | 153.00 | 0.0722 | 0.1813 | 0.0043 |
| 396668 | 153.00 | 154.00 | 0.0775 | 0.1439 | 0.0047 |
| 396669 | 154.00 | 155.00 | 0.0337 | 0.0967 | 0.0030 |
| 396670 | 155.00 | 156.00 | 0.0391 | 0.0915 | 0.0034 |
| 396671 | 156.00 | 157.00 | 0.0354 | 0.1177 | 0.0032 |
| 396672 | 157.00 | 158.00 | 0.0165 | 0.0605 | 0.0030 |
| 396674 | 158.00 | 159.00 | 0.0448 | 0.0872 | 0.0045 |
| 396675 | 159.00 | 160.20 | 0.2124 | 0.3031 | 0.0097 |
| 396676 | 160.20 | 161.10 | 0.0045 | 0.0119 | 0.0015 |
| 396677 | 161.10 | 162.00 | 0.0037 | 0.0079 | 0.0015 |
| 396678 | 162.00 | 163.00 | 0.0039 | 0.0076 | 0.0016 |

DETAILED LOG

Hole Number: CL-08-10

Units: METRIC

| | | | | | | |
|-----------------|--------------|---------------------|------------|-------------------------|--------------|----------------------------------|
| Project Name: | Denmark Lake | Primary Coordinates | Grid: UTM: | Destination Coordinates | Grid: UTM: | Collar Dip: |
| Project Number: | 18600 | North: | 5470674.00 | North: | 5470674.00 | Collar Az: |
| Location: | Surface | East: | 451534.00 | East: | 451534.00 | Length: 159.00 (m) |
| | | Elev: | 346.00 | Elev: | 346.00 | Start Depth: 0.00 (m) |
| Date Started: | Mar 25, 2008 | Collar Survey: | N | Plugged: | N | Final Depth: 159.00 (m) |
| Date Completed: | Mar 27, 2008 | Multishot Survey: | N | Hole Size: | NQ | Core Storage: Kenbridge Minesite |
| Logged By: | pm | Pulse EM Survey: | N | Casing: | Left in Hole | |
| Comments: | | | | | | |

Sample Averages

| Average Type | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
|--------------|----------|--------|------------|--------|--------|--------|
| WEIGHTED | 126.95 | 134.70 | 7.75 | 0.3066 | 0.2955 | 0.0156 |
| WEIGHTED | 132.00 | 134.70 | 2.70 | 0.6173 | 0.3950 | 0.0257 |

Survey Data

| Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments | Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments |
|-----------|-----------------|-------------|-----------|------|----------|-----------|-----------------|-------------|-----------|------|----------|
| 0.00 | 51.30 | -44.10 | EZ | OK | | 51.00 | 55.60 | -44.30 | EZ | OK | |
| 102.00 | 42.60 | -44.50 | EZ | DO | | 150.00 | 53.20 | -44.80 | EZ | OK | |

| Detailed Lithology | | Assay Data | | | | | | | | | | |
|--------------------|--------|--|--|--|--|---------------|----------|--------|------------|-----|-----|-----|
| From (m) | To (m) | Lithology | | | | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 0 | 6.00 | CAS, Casing | | | | | | | | | | |
| 6.00 | 12.15 | MD, Mafic Dike Structure 6.00 - 12.15 : FOL Foliated, 70 Deg to CA | | | | | | | | | | |
| 12.15 | 13.00 | DIOR, Diorite Structure 12.15 - 13.00 12.15 - 13.00 : UC Upper Contact, 40 Deg to CA | | | | | | | | | | |
| 13.00 | 13.50 | MD, Mafic Dike Structure 13.00 - 13.50 13.00 - 13.50 : UC Upper Contact, 70 Deg to CA | | | | | | | | | | |
| 13.50 | 14.40 | DIOR, Diorite Structure 13.50 - 14.40 : UC Upper Contact, 60 Deg to CA | | | | | | | | | | |

DETAILED LOG

Hole Number: CL-08-10

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|--|---|--|--|--|--|--|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 14.40 | 16.10 | MD, Mafic Dike Mineralization 14.40 - 16.10 Structure 14.40 - 16.10 : FOL Foliated, 45 Deg to CA 14.40 - 16.10 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 16.10 | 19.60 | DIOR, Diorite Structure 16.10 - 19.60 : FOL Foliated, 50 Deg to CA 16.10 - 19.60 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 19.60 | 23.45 | MD, Mafic Dike Structure 19.60 - 23.45 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 23.45 | 25.50 | DIOR, Diorite Structure 23.45 - 25.50 : UC Upper Contact, 50 Deg to CA | | | | | | | |
| 25.50 | 28.05 | MD, Mafic Dike Structure 25.50 - 28.05 : UC Upper Contact, 60 Deg to CA | | | | | | | |
| 28.05 | 29.55 | DIOR, Diorite Structure 28.05 - 29.55 : FOL Foliated, 60 Deg to CA 28.05 - 29.55 : UC Upper Contact, 60 Deg to CA | | | | | | | |
| 29.55 | 39.70 | PYXT, Pyroxenite Mineralization 29.55 - 39.70 Structure 29.55 - 39.70 : UC Upper Contact, 60 Deg to CA | 396570 396571 396572 396573 396574 396575 396576 | 30.00 31.50 33.00 34.50 36.00 37.30 38.50 | 31.50 33.00 34.50 36.00 37.30 38.50 39.70 | 1.50 1.50 1.50 1.50 1.30 1.20 1.20 | 0.0069 0.0041 0.0109 0.0126 0.0328 0.0499 0.0563 | 0.0046 0.0023 0.0096 0.0107 0.0125 0.0035 0.0052 | 0.0020 0.0016 0.0019 0.0019 0.0025 0.0045 0.0046 |
| 39.70 | 57.00 | PRDT, Peridotite Mineralization 39.70 - 57.00 Structure 39.70 - 57.00 Gradational | 396578 396579 396580 396581 396582 396583 396584 396585 396586 396587 396588 396589 | 39.70 41.00 42.60 44.20 45.80 47.40 49.00 50.00 51.00 52.50 54.00 55.50 57.00 | 41.00 42.60 44.20 45.80 47.40 49.00 50.00 51.00 52.50 54.00 55.50 57.00 | 1.30 1.60 1.60 1.60 1.60 1.60 1.00 1.00 1.50 1.50 1.50 1.50 | 0.0634 0.0539 0.0546 0.0691 0.1065 0.1179 0.1271 0.1292 0.1013 0.1084 0.1062 0.0911 | 0.0049 0.0075 0.0068 0.0054 0.0027 0.0057 0.0038 0.0033 0.0034 0.0041 0.0055 0.0060 | 0.0058 0.0043 0.0049 0.0059 0.0099 0.0108 0.0106 0.0110 0.0097 0.0100 0.0096 0.0089 |

DETAILED LOG

Hole Number: CL-08-10

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|--|---------------|----------|--------|------------|--------|--------|--------|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 57.00 | 57.80 | PYXT, Pyroxenite Mineralization 57.00 - 57.80 Structure 57.00 - 57.80 Gradational | 396590 | 57.00 | 57.80 | 0.80 | 0.0413 | 0.0055 | 0.0051 |
| 57.80 | 61.30 | MD, Mafic Dike Structure 57.80 - 61.30 : UC Upper Contact, 70 Deg to CA | 396591 | 57.80 | 58.90 | 1.10 | 0.0237 | 0.0047 | 0.0040 |
| | | | 396592 | 58.90 | 60.00 | 1.10 | 0.0062 | 0.0047 | 0.0029 |
| 61.30 | 64.00 | PYXT, Pyroxenite Mineralization 61.30 - 64.00 Structure 61.30 - 64.00 : UC Upper Contact, 60 Deg to CA | | | | | | | |
| 64.00 | 69.70 | FD, Felsic Dike Structure 64.00 - 69.70 : FOL Foliated, 30 Deg to CA 64.00 - 69.70 : UC Upper Contact, 40 Deg to CA | | | | | | | |
| 69.70 | 71.50 | MD, Mafic Dike Structure 69.70 - 71.50 : FOL Foliated, 50 Deg to CA 69.70 - 71.50 : UC Upper Contact, 50 Deg to CA | | | | | | | |
| 71.50 | 78.10 | DIOR, Diorite Structure 71.50 - 78.10 : FOL Foliated, 45 Deg to CA 71.50 - 78.10 : UC Upper Contact, 75 Deg to CA | | | | | | | |
| 78.10 | 82.70 | MD, Mafic Dike Mineralization 78.10 - 82.70 Structure 78.10 - 82.70 : FOL Foliated, 70 Deg to CA 78.10 - 82.70 : UC Upper Contact, 50 Deg to CA | | | | | | | |
| 82.70 | 88.90 | DIOR, Diorite Mineralization 82.70 - 88.90 Structure 82.70 - 88.90 : FOL Foliated, 70 Deg to CA 82.70 - 88.90 : UC Upper Contact, 20 Deg to CA | | | | | | | |

DETAILED LOG

Hole Number: CL-08-10

Units: METRIC

| Detailed Lithology | | Lithology | Assay Data | | | | | | |
|--------------------|--------|---|---------------|----------|--------|------------|-----|-----|-----|
| From (m) | To (m) | | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 88.90 | 95.35 | GAB, Gabbro Mineralization 88.90 - 95.35 Structure 88.90 - 95.35 : FOL Foliated, 50 Deg to CA 88.90 - 95.35 : UC Upper Contact, 80 Deg to CA | | | | | | | |
| 95.35 | 95.80 | MD, Mafic Dike Mineralization 95.35 - 95.80 Structure 95.35 - 95.80 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 95.80 | 98.45 | GAB, Gabbro Mineralization 95.80 - 98.45 Structure 95.80 - 98.45 : FOL Foliated, 40 Deg to CA 95.80 - 98.45 : UC Upper Contact, 40 Deg to CA | | | | | | | |
| 98.45 | 99.15 | MD, Mafic Dike Mineralization 98.45 - 99.15 Structure 98.45 - 99.15 : UC Upper Contact, 20 Deg to CA | | | | | | | |
| 99.15 | 108.80 | GAB, Gabbro Mineralization 99.15 - 108.80 Structure 99.15 - 108.80 : FOL Foliated, 40 Deg to CA 99.15 - 108.80 : UC Upper Contact, 80 Deg to CA | | | | | | | |
| 108.80 | 109.20 | MD, Mafic Dike Structure 108.80 - 109.20 Blocky | | | | | | | |
| 109.20 | 111.40 | GAB, Gabbro Mineralization 109.20 - 111.40 Structure 109.20 - 111.40 : FOL Foliated, 60 Deg to CA 109.20 - 111.40 : UC Upper Contact, 30 Deg to CA | | | | | | | |

DETAILED LOG

Hole Number: CL-08-10

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|--------------------------------------|--------------------------------------|--------------------------------------|------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 111.40 | 111.75 | MV, Mafic Volcanic Mineralization 111.40 - 111.75 Structure 111.40 - 111.75 : FOL Foliated, 60 Deg to CA 111.40 - 111.75 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 111.75 | 113.30 | GAB, Gabbro Mineralization 111.75 - 113.30 Structure 111.75 - 113.30 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 113.30 | 118.75 | PYXT, Pyroxenite Mineralization 113.30 - 118.75 Structure 113.30 - 118.75 Gradational | 396593 396594 396595 | 115.00 116.25 117.50 | 116.25 117.50 118.75 | 1.25 1.25 1.25 | 0.0109 0.0137 0.0137 | 0.0088 0.0168 0.0304 | 0.0029 0.0027 0.0025 |
| 118.75 | 122.75 | GAB, Gabbro Mineralization 118.75 - 122.75 Structure 118.75 - 122.75 : UC Upper Contact, 0 Deg to CA Gradational | 396596 396597 396598 396599 | 118.75 120.00 120.90 121.85 | 120.00 120.90 121.85 122.75 | 1.25 0.90 0.95 0.90 | 0.0066 0.0076 0.0163 0.0088 | 0.0155 0.0152 0.0338 0.0191 | 0.0016 0.0020 0.0026 0.0020 |
| 122.75 | 126.95 | PYXT, Pyroxenite Mineralization 122.75 - 126.95 122.75 - 126.95 Structure 122.75 - 126.95 Gradational | 396600 396601 396602 396603 | 122.75 123.90 125.00 126.00 | 123.90 125.00 126.00 126.95 | 1.15 1.10 1.00 0.95 | 0.0096 0.0462 0.0888 0.0901 | 0.0238 0.1294 0.2303 0.1888 | 0.0019 0.0049 0.0080 0.0067 |
| 126.95 | 128.75 | PRDT, Peridotite Mineralization 126.95 - 128.75 Structure 126.95 - 128.75 : UC Upper Contact, 25 Deg to CA | 396604 396606 | 126.95 127.85 | 127.85 128.75 | 0.90 0.90 | 0.2569 0.2449 | 0.4701 0.5212 | 0.0167 0.0161 |
| 128.75 | 133.00 | PYXT, Pyroxenite Mineralization 128.75 - 133.00 Structure 128.75 - 133.00 : FOL Foliated, 60 Deg to CA 128.75 - 133.00 : UC Upper Contact, 0 Deg to CA Gradational | 396607 396608 396609 396610 | 128.75 129.90 131.00 132.00 | 129.90 131.00 132.00 133.00 | 1.15 1.10 1.00 1.00 | 0.0744 0.0535 0.1133 0.4410 | 0.1180 0.0644 0.1247 0.6879 | 0.0073 0.0062 0.0066 0.0183 |

DETAILED LOG

Hole Number: CL-08-10

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|--------------------------------------|--------------------------------------|--------------------------------------|------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 133.00 | 133.65 | MD, Mafic Dike Mineralization 133.00 - 133.65 Structure 133.00 - 133.65 : FOL Foliated, 60 Deg to CA 133.00 - 133.65 : UC Upper Contact, 60 Deg to CA | 396611 | 133.00 | 133.65 | 0.65 | 0.0267 | 0.1016 | 0.0048 |
| 133.65 | 134.70 | PYXT, Pyroxenite Mineralization 133.90 - 134.15 133.65 - 134.70 Structure 133.65 - 134.70 : UC Upper Contact, 30 Deg to CA | 396613 | 133.65 | 134.70 | 1.05 | 1.1508 | 0.2978 | 0.0457 |
| 134.70 | 139.10 | DIOR, Diorite Mineralization 134.70 - 139.10 Structure 134.70 - 139.10 : UC Upper Contact, 60 Deg to CA | 396614 396615 396616 396617 | 134.70 135.80 136.90 138.00 | 135.80 136.90 138.00 139.10 | 1.10 1.10 1.10 1.10 | 0.0374 0.0427 0.0140 0.0068 | 0.1213 0.2492 0.0918 0.0133 | 0.0028 0.0030 0.0020 0.0024 |
| 139.10 | 139.40 | MD, Mafic Dike Structure 139.10 - 139.40 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 139.40 | 149.20 | DIOR, Diorite Mineralization 139.40 - 149.20 Structure 139.40 - 149.20 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 149.20 | 150.00 | FD, Felsic Dike Structure 149.20 - 150.00 : UC Upper Contact, 30 Deg to CA | | | | | | | |
| 150.00 | 158.20 | DIOR, Diorite Structure 150.00 - 158.20 : FOL Foliated, 50 Deg to CA 150.00 - 158.20 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 158.20 | 159.00 | PYXT, Pyroxenite Mineralization 158.20 - 159.00 Structure 158.20 - 159.00 : UC Upper Contact, 70 Deg to CA | | | | | | | |

Hole Number: CL-08-10

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| 396570 | 30.00 | 31.50 | 0.0069 | 0.0046 | 0.0020 |
| 396571 | 31.50 | 33.00 | 0.0041 | 0.0023 | 0.0016 |
| 396572 | 33.00 | 34.50 | 0.0109 | 0.0096 | 0.0019 |
| 396573 | 34.50 | 36.00 | 0.0126 | 0.0107 | 0.0019 |
| 396574 | 36.00 | 37.30 | 0.0328 | 0.0125 | 0.0025 |
| 396575 | 37.30 | 38.50 | 0.0499 | 0.0035 | 0.0045 |
| 396576 | 38.50 | 39.70 | 0.0563 | 0.0052 | 0.0046 |
| 396578 | 39.70 | 41.00 | 0.0634 | 0.0049 | 0.0058 |
| 396579 | 41.00 | 42.60 | 0.0539 | 0.0075 | 0.0043 |
| 396580 | 42.60 | 44.20 | 0.0546 | 0.0068 | 0.0049 |
| 396581 | 44.20 | 45.80 | 0.0691 | 0.0054 | 0.0059 |
| 396582 | 45.80 | 47.40 | 0.1065 | 0.0027 | 0.0099 |
| 396583 | 47.40 | 49.00 | 0.1179 | 0.0057 | 0.0108 |
| 396584 | 49.00 | 50.00 | 0.1271 | 0.0038 | 0.0106 |
| 396585 | 50.00 | 51.00 | 0.1292 | 0.0033 | 0.0110 |
| 396586 | 51.00 | 52.50 | 0.1013 | 0.0034 | 0.0097 |
| 396587 | 52.50 | 54.00 | 0.1084 | 0.0041 | 0.0100 |
| 396588 | 54.00 | 55.50 | 0.1062 | 0.0055 | 0.0096 |
| 396589 | 55.50 | 57.00 | 0.0911 | 0.0060 | 0.0089 |
| 396590 | 57.00 | 57.80 | 0.0413 | 0.0055 | 0.0051 |
| 396591 | 57.80 | 58.90 | 0.0237 | 0.0047 | 0.0040 |
| 396592 | 58.90 | 60.00 | 0.0062 | 0.0047 | 0.0029 |
| 396593 | 115.00 | 116.25 | 0.0109 | 0.0088 | 0.0029 |
| 396594 | 116.25 | 117.50 | 0.0137 | 0.0168 | 0.0027 |
| 396595 | 117.50 | 118.75 | 0.0137 | 0.0304 | 0.0025 |
| 396596 | 118.75 | 120.00 | 0.0066 | 0.0155 | 0.0016 |
| 396597 | 120.00 | 120.90 | 0.0076 | 0.0152 | 0.0020 |
| 396598 | 120.90 | 121.85 | 0.0163 | 0.0338 | 0.0026 |
| 396599 | 121.85 | 122.75 | 0.0088 | 0.0191 | 0.0020 |
| 396600 | 122.75 | 123.90 | 0.0096 | 0.0238 | 0.0019 |
| 396601 | 123.90 | 125.00 | 0.0462 | 0.1294 | 0.0049 |
| 396602 | 125.00 | 126.00 | 0.0888 | 0.2303 | 0.0080 |
| 396603 | 126.00 | 126.95 | 0.0901 | 0.1888 | 0.0067 |
| 396604 | 126.95 | 127.85 | 0.2569 | 0.4701 | 0.0167 |
| 396606 | 127.85 | 128.75 | 0.2449 | 0.5212 | 0.0161 |
| 396607 | 128.75 | 129.90 | 0.0744 | 0.1180 | 0.0073 |
| 396608 | 129.90 | 131.00 | 0.0535 | 0.0644 | 0.0062 |

Hole Number: CL-08-10

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| 396609 | 131.00 | 132.00 | 0.1133 | 0.1247 | 0.0066 |
| 396610 | 132.00 | 133.00 | 0.4410 | 0.6879 | 0.0183 |
| 396611 | 133.00 | 133.65 | 0.0267 | 0.1016 | 0.0048 |
| 396613 | 133.65 | 134.70 | 1.1508 | 0.2978 | 0.0457 |
| 396614 | 134.70 | 135.80 | 0.0374 | 0.1213 | 0.0028 |
| 396615 | 135.80 | 136.90 | 0.0427 | 0.2492 | 0.0030 |
| 396616 | 136.90 | 138.00 | 0.0140 | 0.0918 | 0.0020 |
| 396617 | 138.00 | 139.10 | 0.0068 | 0.0133 | 0.0024 |

DETAILED LOG

Hole Number: CL-08-09

Units: METRIC

| | | | | | | |
|-----------------|--------------|---------------------|------------|-------------------------|--------------|----------------------------------|
| Project Name: | Denmark Lake | Primary Coordinates | Grid: UTM: | Destination Coordinates | Grid: UTM: | Collar Dip: |
| Project Number: | 18600 | North: | 5470648.00 | North: | 5470648.00 | Collar Az: |
| Location: | Surface | East: | 451572.00 | East: | 451572.00 | Length: 170.00 (m) |
| | | Elev: | 341.00 | Elev: | 341.00 | Start Depth: 0.00 (m) |
| Date Started: | Mar 20, 2008 | Collar Survey: | N | Plugged: | N | Final Depth: 170.00 (m) |
| Date Completed: | Mar 22, 2008 | Multishot Survey: | N | Hole Size: | NQ | Core Storage: Kenbridge Minesite |
| Logged By: | pm | Pulse EM Survey: | N | Casing: | Left in Hole | |
| Comments: | | | | | | |

Sample Averages

| Average Type | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
|--------------|----------|--------|------------|--------|--------|--------|
| WEIGHTED | 121.50 | 133.50 | 12.00 | 0.1795 | 0.3850 | 0.0113 |
| WEIGHTED | 125.40 | 133.50 | 8.10 | 0.1741 | 0.4257 | 0.0104 |

Survey Data

| Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments | Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments |
|-----------|-----------------|-------------|-----------|------|----------|-----------|-----------------|-------------|-----------|------|----------|
| 0.00 | 46.00 | -68.00 | EZ | OK | | 51.00 | 52.90 | -68.10 | EZ | DO | |
| 102.00 | 48.70 | -68.10 | EZ | OK | | 150.00 | 63.90 | -67.90 | EZ | DO | |

| Detailed Lithology | | Assay Data | | | | | | | | | | |
|--------------------|--------|---|--|--|--|---------------|----------|--------|------------|-----|-----|-----|
| From (m) | To (m) | Lithology | | | | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 0 | 4.00 | CAS, Casing | | | | | | | | | | |
| 4.00 | 5.95 | MD, Mafic Dike Structure 4.00 - 5.95 : FOL Foliated, 50 Deg to CA | | | | | | | | | | |
| 5.95 | 23.50 | MV, Mafic Volcanic Mineralization 5.95 - 23.50 Structure 5.95 - 23.50 : UC Upper Contact, 45 Deg to CA 5.95 - 23.50 : FOL Foliated, 40 Deg to CA | | | | | | | | | | |
| 23.50 | 24.60 | FD, Felsic Dike Structure 23.50 - 24.60 : UC Upper Contact, 20 Deg to CA | | | | | | | | | | |
| 24.60 | 31.05 | MV, Mafic Volcanic Structure 24.60 - 31.05 : FOL Foliated, 70 Deg to CA 24.60 - 31.05 : UC Upper Contact, 20 Deg to CA | | | | | | | | | | |

DETAILED LOG

Hole Number: CL-08-09

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|--|--|---|--|--|--|--|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 31.05 | 31.80 | FD, Felsic Dike Mineralization 31.05 - 31.80 Structure 31.05 - 31.80 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 31.80 | 36.90 | PYXT, Pyroxenite Mineralization 31.80 - 36.90 Structure 31.80 - 36.90 : UC Upper Contact, 75 Deg to CA | 396501 396502 396503 | 33.00 34.50 36.00 | 34.50 1.50 1.50 | 1.50 0.0171 0.0132 | 0.0213 0.0192 0.0203 | 0.0039 0.0023 0.0032 | |
| 36.90 | 38.35 | MD, Mafic Dike Structure 36.90 - 38.35 : UC Upper Contact, 40 Deg to CA | 396504 | 36.90 | 38.35 | 1.45 | 0.0171 | 0.0138 | 0.0042 |
| 38.35 | 39.70 | PYXT, Pyroxenite Mineralization 38.35 - 39.70 Structure 38.35 - 39.70 : UC Upper Contact, 40 Deg to CA | 396505 | 38.35 | 39.70 | 1.35 | 0.0546 | 0.0043 | 0.0056 |
| 39.70 | 64.80 | PRDT, Peridotite Mineralization 39.70 - 64.80 Structure 39.70 - 64.80 gradational | 396506 396507 396508 396509 396510 396511 396513 396514 396515 396516 396517 396518 396519 396520 396521 396522 396523 | 39.70 40.90 42.00 43.50 45.00 46.50 48.00 49.50 51.00 52.50 54.00 55.50 57.00 58.50 60.00 61.50 63.20 64.80 | 40.90 42.00 43.50 45.00 46.50 48.00 49.50 51.00 52.50 54.00 55.50 57.00 58.50 60.00 61.50 63.20 64.80 | 1.20 1.10 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.60 | 0.0657 0.0869 0.1060 0.0955 0.1162 0.1147 0.1268 0.1217 0.0948 0.1255 0.1353 0.0916 0.0949 0.1040 0.1352 0.1258 0.1208 | 0.0021 0.0044 0.0042 0.0060 0.0063 0.0071 0.0064 0.0070 0.0048 0.0074 0.0052 0.0066 0.0056 0.0061 0.0062 0.0056 0.0087 | 0.0096 0.0102 0.0110 0.0100 0.0107 0.0096 0.0113 0.0111 0.0094 0.0113 0.0120 0.0092 0.0097 0.0101 0.0119 0.0108 0.0112 |
| 64.80 | 69.90 | PYXT, Pyroxenite Mineralization 64.80 - 69.90 Structure 64.80 - 69.90 gradational | 396524 396525 396526 396527 | 64.80 66.00 67.50 68.70 | 66.00 67.50 1.50 1.20 | 1.20 0.1019 0.1290 0.0921 | 0.0785 0.0067 0.0054 0.0047 | 0.0093 0.0096 0.0107 0.0090 | 0.0080 |

DETAILED LOG

Hole Number: CL-08-09

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|---|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 69.90 | 73.75 | DIOR, Diorite Mineralization 69.90 - 73.75 Structure 69.90 - 73.75 : UC Upper Contact, 45 Deg to CA 69.90 - 73.75 : FOL Foliated, 50 Deg to CA | 396528 | 69.90 | 71.00 | 1.10 | 0.0202 | 0.0102 | 0.0026 |
| | | | 396529 | 71.00 | 72.00 | 1.00 | 0.0150 | 0.0081 | 0.0020 |
| | | | 396530 | 72.00 | 73.00 | 1.00 | 0.0152 | 0.0085 | 0.0021 |
| | | | | | | | | | |
| | | | | | | | | | |
| 73.75 | 74.10 | MD, Mafic Dike Structure 73.75 - 74.10 : UC Upper Contact, 50 Deg to CA | | | | | | | |
| 74.10 | 85.30 | DIOR, Diorite Mineralization 74.10 - 85.30 mm blebs Structure 74.10 - 85.30 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 85.30 | 86.70 | FD, Felsic Dike Mineralization 85.30 - 86.70 Structure 85.30 - 86.70 : UC Upper Contact, 30 Deg to CA | | | | | | | |
| 86.70 | 90.20 | GAB, Gabbro Mineralization 86.70 - 90.20 Structure 86.70 - 90.20 : UC Upper Contact, 30 Deg to CA | | | | | | | |
| 90.20 | 90.65 | FD, Felsic Dike Structure 90.20 - 90.65 : UC Upper Contact, 30 Deg to CA | | | | | | | |
| 90.65 | 111.30 | GAB, Gabbro Mineralization 90.65 - 111.30 Structure 90.65 - 111.30 : UC Upper Contact, 30 Deg to CA | 396531 | 108.00 | 109.00 | 1.00 | 0.0073 | 0.0102 | 0.0021 |
| | | | 396532 | 109.00 | 110.00 | 1.00 | 0.0063 | 0.0091 | 0.0019 |
| | | | 396533 | 110.00 | 111.30 | 1.30 | 0.0067 | 0.0094 | 0.0022 |
| | | | | | | | | | |
| | | | | | | | | | |
| 111.30 | 121.50 | PYXT, Pyroxenite Mineralization 111.30 - 121.50 mm blebs 111.30 - 121.50 Structure 111.30 - 121.50 : UC Upper Contact, 0 Deg to CA gradational | 396534 | 111.30 | 112.60 | 1.30 | 0.0085 | 0.0093 | 0.0022 |
| | | | 396535 | 112.60 | 114.00 | 1.40 | 0.0258 | 0.0506 | 0.0038 |
| | | | 396536 | 114.00 | 115.00 | 1.00 | 0.0346 | 0.1106 | 0.0035 |
| | | | 396537 | 115.00 | 116.00 | 1.00 | 0.0567 | 0.0379 | 0.0087 |
| | | | 396538 | 116.00 | 117.10 | 1.10 | 0.1018 | 0.1488 | 0.0107 |
| | | | 396539 | 117.10 | 118.20 | 1.10 | 0.1057 | 0.1386 | 0.0100 |
| | | | 396541 | 118.20 | 119.30 | 1.10 | 0.0804 | 0.0903 | 0.0096 |
| | | | 396542 | 119.30 | 120.40 | 1.10 | 0.1020 | 0.2136 | 0.0063 |
| | | | 396543 | 120.40 | 121.50 | 1.10 | 0.0763 | 0.0829 | 0.0090 |
| | | | | | | | | | |

DETAILED LOG

Hole Number: CL-08-09

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 121.50 | 127.70 | PRDT, Peridotite | 396544 | 121.50 | 122.50 | 1.00 | 0.2102 | 0.3176 | 0.0140 |
| | | Mineralization | 396545 | 122.50 | 123.50 | 1.00 | 0.2693 | 0.4373 | 0.0163 |
| | | 121.50 - 127.70 | 396547 | 123.50 | 124.50 | 1.00 | 0.1714 | 0.2600 | 0.0130 |
| | | Structure | 396548 | 124.50 | 125.40 | 0.90 | 0.1033 | 0.1741 | 0.0087 |
| | | 121.50 - 127.70 : FOL Foliated, 45 Deg to CA | 396549 | 125.40 | 126.40 | 1.00 | 0.2597 | 0.5341 | 0.0171 |
| | | 121.50 - 127.70 : UC Upper Contact, 45 Deg to CA | 396550 | 126.40 | 127.70 | 1.30 | 0.1042 | 0.1218 | 0.0104 |
| | | 125.50 - 126.30 crumbly | | | | | | | |
| | | | | | | | | | |
| 127.70 | 145.20 | DIOR, Diorite | 396551 | 127.70 | 129.00 | 1.30 | 0.0647 | 0.1952 | 0.0050 |
| | | Mineralization | 396552 | 129.00 | 130.50 | 1.50 | 0.1327 | 0.3786 | 0.0082 |
| | | 127.70 - 145.20 | 396553 | 130.50 | 132.00 | 1.50 | 0.2472 | 0.6622 | 0.0119 |
| | | patchy | 396554 | 132.00 | 133.50 | 1.50 | 0.2405 | 0.6270 | 0.0111 |
| | | Structure | 396555 | 133.50 | 135.00 | 1.50 | 0.0058 | 0.0232 | 0.0030 |
| | | 127.70 - 145.20 : UC Upper Contact, 30 Deg to CA | 396556 | 135.00 | 136.50 | 1.50 | 0.0224 | 0.0815 | 0.0040 |
| | | | 396557 | 136.50 | 138.00 | 1.50 | 0.0999 | 0.1340 | 0.0069 |
| | | | 396558 | 138.00 | 139.50 | 1.50 | 0.0859 | 0.1420 | 0.0068 |
| | | | 396560 | 139.50 | 141.00 | 1.50 | 0.0038 | 0.0130 | 0.0038 |
| | | | 396561 | 141.00 | 142.50 | 1.50 | 0.0083 | 0.0352 | 0.0032 |
| | | | 396562 | 142.50 | 144.00 | 1.50 | 0.0577 | 0.2136 | 0.0057 |
| | | | 396563 | 144.00 | 145.20 | 1.20 | 0.0313 | 0.1457 | 0.0043 |
| | | | | | | | | | |
| 145.20 | 146.40 | PYXT, Pyroxenite | 396565 | 145.20 | 146.40 | 1.20 | 0.0641 | 0.3549 | 0.0055 |
| | | Mineralization | | | | | | | |
| | | 145.20 - 146.40 | | | | | | | |
| | | mm blebs | | | | | | | |
| | | Structure | | | | | | | |
| | | 145.20 - 146.40 : UC Upper Contact, 65 Deg to CA | | | | | | | |
| 146.40 | 152.40 | DIOR, Diorite | 396566 | 146.40 | 148.00 | 1.60 | 0.0155 | 0.0517 | 0.0043 |
| | | Mineralization | | | | | | | |
| | | 146.40 - 152.40 | | | | | | | |
| | | Structure | | | | | | | |
| | | 146.40 - 152.40 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 152.40 | 155.55 | PYXT, Pyroxenite | | | | | | | |
| | | Mineralization | | | | | | | |
| | | 152.40 - 155.55 | | | | | | | |
| | | Structure | | | | | | | |
| | | 152.40 - 155.55 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 155.55 | 158.40 | MD, Mafic Dike | | | | | | | |
| | | Mineralization | | | | | | | |
| | | 155.55 - 158.40 | | | | | | | |
| | | Structure | | | | | | | |
| | | 155.55 - 158.40 : UC Upper Contact, 60 Deg to CA | | | | | | | |

DETAILED LOG

Hole Number: CL-08-09

Units: METRIC

| Detailed Lithology | | Lithology | Assay Data | | | | | | |
|--------------------|--------|--|----------------------------|----------------------------|----------------------------|----------------------|----------------------------|----------------------------|----------------------------|
| From (m) | To (m) | | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 158.40 | 159.15 | DIOR, Diorite Mineralization 158.40 - 159.15 Structure 158.40 - 159.15 : UC Upper Contact, 70 Deg to CA 158.40 - 159.15 : FOL Foliated, 60 Deg to CA | | | | | | | |
| 159.15 | 160.75 | MD, Mafic Dike Mineralization 159.15 - 160.75 Structure 159.15 - 160.75 : FOL Foliated, 40 Deg to CA 159.15 - 160.75 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 160.75 | 163.00 | PYXT, Pyroxenite Mineralization 160.75 - 163.00 Structure 160.75 - 163.00 : UC Upper Contact, 70 Deg to CA 160.75 - 163.00 : FOL Foliated, 50 Deg to CA | | | | | | | |
| 163.00 | 164.80 | MV, Mafic Volcanic Mineralization 163.00 - 164.80 Structure 163.00 - 164.80 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 164.80 | 165.20 | MD, Mafic Dike Mineralization 164.80 - 165.20 Structure 164.80 - 165.20 : UC Upper Contact, 40 Deg to CA | | | | | | | |
| 165.20 | 170.00 | DIOR, Diorite Mineralization 165.20 - 170.00 patchy Structure 165.20 - 170.00 : UC Upper Contact, 60 Deg to CA | 396567 396568 396569 | 167.00 168.00 169.00 | 168.00 169.00 170.00 | 1.00 1.00 1.00 | 0.0881 0.0380 0.0130 | 0.1298 0.1453 0.0229 | 0.0079 0.0044 0.0027 |

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|-------------------|----------|--------|--------|--------|--------|
| Sample Type ASSAY | | | | | |
| 396501 | 33.00 | 34.50 | 0.0213 | 0.0192 | 0.0039 |
| 396502 | 34.50 | 36.00 | 0.0171 | 0.0138 | 0.0023 |
| 396503 | 36.00 | 36.90 | 0.0132 | 0.0203 | 0.0032 |

Hole Number: CL-08-09

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| 396504 | 36.90 | 38.35 | 0.0171 | 0.0138 | 0.0042 |
| 396505 | 38.35 | 39.70 | 0.0546 | 0.0043 | 0.0056 |
| 396506 | 39.70 | 40.90 | 0.0657 | 0.0021 | 0.0096 |
| 396507 | 40.90 | 42.00 | 0.0869 | 0.0044 | 0.0102 |
| 396508 | 42.00 | 43.50 | 0.1060 | 0.0042 | 0.0110 |
| 396509 | 43.50 | 45.00 | 0.0955 | 0.0060 | 0.0100 |
| 396510 | 45.00 | 46.50 | 0.1162 | 0.0063 | 0.0107 |
| 396511 | 46.50 | 48.00 | 0.1147 | 0.0071 | 0.0096 |
| 396513 | 48.00 | 49.50 | 0.1268 | 0.0064 | 0.0113 |
| 396514 | 49.50 | 51.00 | 0.1217 | 0.0070 | 0.0111 |
| 396515 | 51.00 | 52.50 | 0.0948 | 0.0048 | 0.0094 |
| 396516 | 52.50 | 54.00 | 0.1255 | 0.0074 | 0.0113 |
| 396517 | 54.00 | 55.50 | 0.1353 | 0.0052 | 0.0120 |
| 396518 | 55.50 | 57.00 | 0.0916 | 0.0066 | 0.0092 |
| 396519 | 57.00 | 58.50 | 0.0949 | 0.0056 | 0.0097 |
| 396520 | 58.50 | 60.00 | 0.1040 | 0.0061 | 0.0101 |
| 396521 | 60.00 | 61.50 | 0.1352 | 0.0062 | 0.0119 |
| 396522 | 61.50 | 63.20 | 0.1258 | 0.0056 | 0.0108 |
| 396523 | 63.20 | 64.80 | 0.1208 | 0.0087 | 0.0112 |
| 396524 | 64.80 | 66.00 | 0.0785 | 0.0093 | 0.0080 |
| 396525 | 66.00 | 67.50 | 0.1019 | 0.0067 | 0.0096 |
| 396526 | 67.50 | 68.70 | 0.1290 | 0.0054 | 0.0107 |
| 396527 | 68.70 | 69.90 | 0.0921 | 0.0047 | 0.0090 |
| 396528 | 69.90 | 71.00 | 0.0202 | 0.0102 | 0.0026 |
| 396529 | 71.00 | 72.00 | 0.0150 | 0.0081 | 0.0020 |
| 396530 | 72.00 | 73.00 | 0.0152 | 0.0085 | 0.0021 |
| 396531 | 108.00 | 109.00 | 0.0073 | 0.0102 | 0.0021 |
| 396532 | 109.00 | 110.00 | 0.0063 | 0.0091 | 0.0019 |
| 396533 | 110.00 | 111.30 | 0.0067 | 0.0094 | 0.0022 |
| 396534 | 111.30 | 112.60 | 0.0085 | 0.0093 | 0.0022 |
| 396535 | 112.60 | 114.00 | 0.0258 | 0.0506 | 0.0038 |
| 396536 | 114.00 | 115.00 | 0.0346 | 0.1106 | 0.0035 |
| 396537 | 115.00 | 116.00 | 0.0567 | 0.0379 | 0.0087 |
| 396538 | 116.00 | 117.10 | 0.1018 | 0.1488 | 0.0107 |
| 396539 | 117.10 | 118.20 | 0.1057 | 0.1386 | 0.0100 |
| 396541 | 118.20 | 119.30 | 0.0804 | 0.0903 | 0.0096 |
| 396542 | 119.30 | 120.40 | 0.1020 | 0.2136 | 0.0063 |

Hole Number: CL-08-09

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| 396543 | 120.40 | 121.50 | 0.0763 | 0.0829 | 0.0090 |
| 396544 | 121.50 | 122.50 | 0.2102 | 0.3176 | 0.0140 |
| 396545 | 122.50 | 123.50 | 0.2693 | 0.4373 | 0.0163 |
| 396547 | 123.50 | 124.50 | 0.1714 | 0.2600 | 0.0130 |
| 396548 | 124.50 | 125.40 | 0.1033 | 0.1741 | 0.0087 |
| 396549 | 125.40 | 126.40 | 0.2597 | 0.5341 | 0.0171 |
| 396550 | 126.40 | 127.70 | 0.1042 | 0.1218 | 0.0104 |
| 396551 | 127.70 | 129.00 | 0.0647 | 0.1952 | 0.0050 |
| 396552 | 129.00 | 130.50 | 0.1327 | 0.3786 | 0.0082 |
| 396553 | 130.50 | 132.00 | 0.2472 | 0.6622 | 0.0119 |
| 396554 | 132.00 | 133.50 | 0.2405 | 0.6270 | 0.0111 |
| 396555 | 133.50 | 135.00 | 0.0058 | 0.0232 | 0.0030 |
| 396556 | 135.00 | 136.50 | 0.0224 | 0.0815 | 0.0040 |
| 396557 | 136.50 | 138.00 | 0.0999 | 0.1340 | 0.0069 |
| 396558 | 138.00 | 139.50 | 0.0859 | 0.1420 | 0.0068 |
| 396560 | 139.50 | 141.00 | 0.0038 | 0.0130 | 0.0038 |
| 396561 | 141.00 | 142.50 | 0.0083 | 0.0352 | 0.0032 |
| 396562 | 142.50 | 144.00 | 0.0577 | 0.2136 | 0.0057 |
| 396563 | 144.00 | 145.20 | 0.0313 | 0.1457 | 0.0043 |
| 396565 | 145.20 | 146.40 | 0.0641 | 0.3549 | 0.0055 |
| 396566 | 146.40 | 148.00 | 0.0155 | 0.0517 | 0.0043 |
| 396567 | 167.00 | 168.00 | 0.0881 | 0.1298 | 0.0079 |
| 396568 | 168.00 | 169.00 | 0.0380 | 0.1453 | 0.0044 |
| 396569 | 169.00 | 170.00 | 0.0130 | 0.0229 | 0.0027 |

DETAILED LOG

Hole Number: CL-08-08

Units: METRIC

Project Name: Denmark Lake

Primary Coordinates Grid: UTM:

North: 5470648.00

East: 451572 0

Elev: 341.00

Collar Summary N Planned N

Collar Survey. N Plugged. N

Multishot Survey: N Hole Size: NQ

Destination Coordinates Grid: UTM:

North: 5470648.00

East: 451572.00

Elev: 341.00

Contractor — Morris Drillings

Collar Dip:

Collar Az:

Length: 153.00 (m)

Start Depth: 0.00 (m)

Final Depth: 1E3.00 (m)

Date Started: Mar 18, 2008

Date Completed: Mar 20, 2003

Logged By: nm

Comments:

| Average Type | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
|--------------|----------|--------|------------|--------|--------|--------|
| WEIGHTED | 104.00 | 111.30 | 7.30 | 0.1228 | 0.2423 | 0.0080 |

Survey Data

| Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments | Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments |
|-----------|-----------------|-------------|-----------|------|----------|-----------|-----------------|-------------|-----------|------|----------|
| 0.00 | 41.80 | -44.00 | EZ | OK | | 51.00 | 44.30 | -43.70 | EZ | OK | |
| 102.00 | 50.00 | -42.70 | EZ | OK | | 150.00 | 92.40 | -42.30 | EZ | DO | |

| Detailed Lithology | | Lithology | Assay Data | | | | | | |
|--------------------|--------|---|---------------|----------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 0 | 5.40 | CAS, Casing | | | | | | | |
| 5.40 | 15.35 | MV, Mafic Volcanic Structure 5.40 - 15.35 : FOL Foliated, 60 Deg to CA | | | | | | | |
| 15.35 | 17.60 | FD, Felsic Dike Structure 15.35 - 17.60 : UC Upper Contact, 30 Deg to CA | | | | | | | |
| 17.60 | 28.20 | MV, Mafic Volcanic Structure 17.60 - 28.20 : FOL Foliated, 30 Deg to CA 17.60 - 28.20 : UC Upper Contact, 30 Deg to CA | | | | | | | |
| 28.20 | 32.30 | PYXT, Pyroxenite Mineralization 28.20 - 32.30 Structure 28.20 - 32.30 blocky | E829929 | 30.00 | 31.15 | 1.15 | 0.0477 | 0.0332 | 0.0048 |
| | | | E829930 | 31.15 | 32.30 | 1.15 | 0.0460 | 0.0096 | 0.0048 |

DETAILED LOG

Hole Number: CL-08-08

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|---|--|--|--|--|--|--|--|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 32.30 | 34.90 | PRDT, Peridotite Mineralization 32.30 - 34.90 Structure 32.30 - 34.90 : UC Upper Contact, 0 Deg to CA gradational | E829931 E829932 | 32.30 33.60 | 33.60 34.90 | 1.30 | 0.0511 0.0417 | 0.0056 0.0056 | 0.0072 0.0055 |
| 34.90 | 37.65 | PYXT, Pyroxenite Mineralization 34.90 - 37.65 Structure 34.90 - 37.65 gradational | E829933 E829934 | 34.90 36.00 | 36.00 37.00 | 1.10 1.00 | 0.0331 0.0348 | 0.0116 0.0079 | 0.0045 0.0043 |
| 37.65 | 38.55 | MD, Mafic Dike Mineralization 37.65 - 38.55 Structure 37.65 - 38.55 : UC Upper Contact, 60 Deg to CA | | | | | | | |
| 38.55 | 40.80 | FD, Felsic Dike Mineralization 40.00 - 40.80 Structure 38.55 - 40.80 : UC Upper Contact, 30 Deg to CA | | | | | | | |
| 40.80 | 56.30 | PRDT, Peridotite Mineralization 52.00 - 56.30 Structure 40.80 - 50.00 40.80 - 56.30 : UC Upper Contact, 55 Deg to CA | | | | | | | |
| 56.30 | 59.60 | PYXT, Pyroxenite Mineralization 56.30 - 59.60 Structure 56.30 - 59.60 : UC Upper Contact, 60 Deg to CA | E829935 E829936 | 57.00 58.30 | 58.30 59.60 | 1.30 | 0.0271 0.0221 | 0.0057 0.0063 | 0.0033 0.0035 |
| 59.60 | 66.10 | GAB, Gabbro Mineralization 59.60 - 66.10 Structure 59.60 - 66.10 : UC Upper Contact, 50 Deg to CA | E829937 E829938 E829939 E829940 E829941 E829942 | 59.60 61.00 62.00 63.00 64.00 65.00 | 61.00 62.00 63.00 64.00 65.00 66.10 | 1.40 1.00 1.00 1.00 1.00 1.10 | 0.0115 0.0047 0.0068 0.0023 0.0023 0.0034 | 0.0096 0.0043 0.0120 0.0286 0.0055 0.0766 | 0.0026 0.0024 0.0032 0.0039 0.0024 0.0040 |

DETAILED LOG

Hole Number: CL-08-08

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|--|--|--|--|--|--|--|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 66.10 | 71.90 | PYXT, Pyroxenite Mineralization 66.10 - 71.90 Structure 66.10 - 71.90 : UC Upper Contact, 50 Deg to CA | E829944 E829945 | 66.10 67.00 | 67.00 68.00 | 0.90 1.00 | 0.0352 0.0443 | 0.0030 0.0026 | 0.0045 0.0044 |
| 71.90 | 72.30 | MD, Mafic Dike Structure 71.90 - 72.30 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 72.30 | 80.10 | PYXT, Pyroxenite Mineralization 72.30 - 80.10 mm blebs Structure 72.30 - 80.10 : FOL Foliated, 40 Deg to CA 72.30 - 80.10 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 80.10 | 94.10 | GAB, Gabbro Mineralization 80.10 - 94.10 Structure 80.10 - 94.10 : UC Upper Contact, 50 Deg to CA | E829946 | 93.00 | 94.10 | 1.10 | 0.0088 | 0.0125 | 0.0027 |
| 94.10 | 100.60 | PYXT, Pyroxenite Mineralization 94.10 - 100.60 mm blebs 94.10 - 100.60 Structure 94.10 - 100.60 gradational | E829947 E829948 E829949 E829950 E829951 E829952 | 94.10 95.00 96.00 97.00 98.00 99.30 | 95.00 96.00 97.00 98.00 99.30 100.60 | 0.90 1.00 1.00 1.00 1.30 1.30 | 0.0088 0.0082 0.0128 0.0458 0.0495 0.0265 | 0.0115 0.0099 0.0194 0.0904 0.0122 0.0363 | 0.0024 0.0023 0.0027 0.0054 0.0060 0.0032 |
| 100.60 | 108.00 | PRDT, Peridotite Mineralization 100.60 - 108.00 Structure 106.30 - 106.90 crumbly 106.30 - 106.90 : UC Upper Contact, 70 Deg to CA | E829953 E829954 E829955 E829956 E829958 E829959 E829960 E829961 | 100.60 101.40 102.20 103.00 104.00 105.00 106.00 107.00 | 101.40 102.20 103.00 104.00 105.00 106.00 107.00 108.00 | 0.80 0.80 0.80 1.00 1.00 1.00 1.00 1.00 | 0.1250 0.0641 0.0663 0.0929 0.1212 0.1265 0.1708 0.1581 | 0.1478 0.0176 0.0251 0.1161 0.2350 0.3114 0.4025 0.2575 | 0.0132 0.0106 0.0106 0.0100 0.0087 0.0088 0.0108 0.0110 |
| 108.00 | 110.60 | PYXT, Pyroxenite Mineralization 108.00 - 110.60 Structure 108.00 - 110.60 gradational | E829962 E829963 E829964 | 108.00 108.90 109.80 | 108.90 0.90 0.90 | 0.80 0.80 0.80 | 0.0506 0.0463 0.1613 | 0.0564 0.0592 0.3231 | 0.0046 0.0036 0.0092 |

DETAILED LOG

Hole Number: CL-08-08

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|---|---|--|--|--|--|--|--|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 110.60 | 149.40 | DIOR, Diorite Mineralization 110.60 - 111.00 Structure 110.60 - 149.40 : UC Upper Contact, 45 Deg to CA | E829966 E829967 E829968 E829969 E829970 E829971 E829972 E829973 E829974 E829975 E829976 E829977 E829978 E829979 E829980 | 110.60 111.30 112.00 113.00 114.00 136.00 137.00 138.00 139.00 140.00 141.00 142.40 143.80 144.60 145.20 145.20 | 111.30 112.00 113.00 114.00 115.00 137.00 138.00 139.00 140.00 141.00 142.40 143.80 144.60 145.20 146.00 | 0.70 0.70 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.40 1.40 0.80 0.60 0.80 | 0.1479 0.0148 0.0097 0.0120 0.0030 0.0032 0.0027 0.0030 0.0031 0.0044 0.0037 0.0027 0.0034 0.0119 0.0046 | 0.2854 0.0535 0.0663 0.1050 0.0065 0.0055 0.0077 0.0104 0.0100 0.0048 0.0056 0.0047 0.0026 0.1092 0.0061 | 0.0063 0.0022 0.0020 0.0022 0.0022 0.0023 0.0025 0.0030 0.0028 0.0025 0.0026 0.0030 0.0027 0.0083 0.0024 |
| 149.40 | 153.00 | GAB, Gabbro Mineralization 149.40 - 153.00 Structure 149.40 - 153.00 : UC Upper Contact, 30 Deg to CA | | | | | | | |

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|-------------------|----------|--------|--------|--------|--------|
| Sample Type ASSAY | | | | | |
| E829929 | 30.00 | 31.15 | 0.0477 | 0.0332 | 0.0046 |
| E829930 | 31.15 | 32.30 | 0.0460 | 0.0096 | 0.0047 |
| E829931 | 32.30 | 33.60 | 0.0511 | 0.0056 | 0.0072 |
| E829932 | 33.60 | 34.90 | 0.0417 | 0.0056 | 0.0055 |
| E829933 | 34.90 | 36.00 | 0.0331 | 0.0116 | 0.0045 |
| E829934 | 36.00 | 37.00 | 0.0348 | 0.0079 | 0.0043 |
| E829935 | 57.00 | 58.30 | 0.0271 | 0.0057 | 0.0033 |
| E829936 | 58.30 | 59.60 | 0.0221 | 0.0063 | 0.0035 |
| E829937 | 59.60 | 61.00 | 0.0115 | 0.0096 | 0.0026 |
| E829938 | 61.00 | 62.00 | 0.0047 | 0.0043 | 0.0024 |
| E829939 | 62.00 | 63.00 | 0.0068 | 0.0120 | 0.0032 |
| E829940 | 63.00 | 64.00 | 0.0023 | 0.0286 | 0.0039 |
| E829941 | 64.00 | 65.00 | 0.0023 | 0.0055 | 0.0024 |
| E829942 | 65.00 | 66.10 | 0.0034 | 0.0766 | 0.0040 |
| E829944 | 66.10 | 67.00 | 0.0352 | 0.0030 | 0.0045 |
| E829945 | 67.00 | 68.00 | 0.0443 | 0.0026 | 0.0044 |

Hole Number: CL-08-08

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E829946 | 93.00 | 94.10 | 0.0088 | 0.0125 | 0.0027 |
| E829947 | 94.10 | 95.00 | 0.0088 | 0.0115 | 0.0024 |
| E829948 | 95.00 | 96.00 | 0.0082 | 0.0099 | 0.0023 |
| E829949 | 96.00 | 97.00 | 0.0128 | 0.0194 | 0.0027 |
| E829950 | 97.00 | 98.00 | 0.0458 | 0.0904 | 0.0054 |
| E829951 | 98.00 | 99.30 | 0.0495 | 0.0122 | 0.0060 |
| E829952 | 99.30 | 100.60 | 0.0265 | 0.0363 | 0.0032 |
| E829953 | 100.60 | 101.40 | 0.1250 | 0.1478 | 0.0132 |
| E829954 | 101.40 | 102.20 | 0.0641 | 0.0176 | 0.0106 |
| E829955 | 102.20 | 103.00 | 0.0663 | 0.0251 | 0.0106 |
| E829956 | 103.00 | 104.00 | 0.0929 | 0.1161 | 0.0100 |
| E829958 | 104.00 | 105.00 | 0.1212 | 0.2350 | 0.0087 |
| E829959 | 105.00 | 106.00 | 0.1265 | 0.3114 | 0.0088 |
| E829960 | 106.00 | 107.00 | 0.1708 | 0.4025 | 0.0108 |
| E829961 | 107.00 | 108.00 | 0.1581 | 0.2575 | 0.0110 |
| E829962 | 108.00 | 108.90 | 0.0506 | 0.0564 | 0.0046 |
| E829963 | 108.90 | 109.80 | 0.0463 | 0.0592 | 0.0036 |
| E829964 | 109.80 | 110.60 | 0.1613 | 0.3231 | 0.0092 |
| E829966 | 110.60 | 111.30 | 0.1479 | 0.2854 | 0.0063 |
| E829967 | 111.30 | 112.00 | 0.0148 | 0.0535 | 0.0022 |
| E829968 | 112.00 | 113.00 | 0.0097 | 0.0663 | 0.0020 |
| E829969 | 113.00 | 114.00 | 0.0120 | 0.1050 | 0.0022 |
| E829970 | 114.00 | 115.00 | 0.0030 | 0.0065 | 0.0022 |
| E829971 | 136.00 | 137.00 | 0.0032 | 0.0055 | 0.0023 |
| E829972 | 137.00 | 138.00 | 0.0027 | 0.0077 | 0.0025 |
| E829973 | 138.00 | 139.00 | 0.0030 | 0.0104 | 0.0030 |
| E829974 | 139.00 | 140.00 | 0.0031 | 0.0100 | 0.0028 |
| E829975 | 140.00 | 141.00 | 0.0044 | 0.0048 | 0.0025 |
| E829976 | 141.00 | 142.40 | 0.0037 | 0.0056 | 0.0026 |
| E829977 | 142.40 | 143.80 | 0.0027 | 0.0047 | 0.0030 |
| E829978 | 143.80 | 144.60 | 0.0034 | 0.0026 | 0.0027 |
| E829979 | 144.60 | 145.20 | 0.0119 | 0.1092 | 0.0083 |
| E829980 | 145.20 | 146.00 | 0.0046 | 0.0061 | 0.0024 |

DETAILED LOG

Hole Number: CL-08-07

Units: METRIC

| | | | | | | |
|-----------------|--------------|---------------------|------------|-------------------------|--------------|----------------------------------|
| Project Name: | Denmark Lake | Primary Coordinates | Grid: UTM: | Destination Coordinates | Grid: UTM: | Collar Dip: |
| Project Number: | 18600 | North: | 5470766.00 | North: | 5470766.00 | Collar Az: |
| Location: | Surface | East: | 451619.00 | East: | 451619.00 | Length: 99.00 (m) |
| | | Elev: | 342.00 | Elev: | 342.00 | Start Depth: 0.00 (m) |
| Date Started: | Mar 17, 2008 | Collar Survey: | N | Plugged: | N | Final Depth: 99.00 (m) |
| Date Completed: | Mar 18, 2008 | Multishot Survey: | N | Hole Size: | NQ | Core Storage: Kenbridge Minesite |
| Logged By: | pm | Pulse EM Survey: | N | Casing: | Left in Hole | |
| Comments: | | | | | | |

Sample Averages

Survey Data

| Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments | Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments |
|-----------|-----------------|-------------|-----------|------|----------|-----------|-----------------|-------------|-----------|------|----------|
| 0.00 | 39.50 | -54.10 | EZ | DO | | 51.00 | 52.80 | -54.00 | EZ | OK | |
| 99.00 | 44.60 | -54.00 | EZ | OK | | | | | | | |

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|--------|--|---------------|----------|--------|------------|--------|--------|--------|--|--|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% | | |
| 0 | 6.80 | CAS, Casing | | | | | | | | | |
| 6.80 | 18.95 | GAB, Gabbro Structure 6.80 - 18.95 | | | | | | | | | |
| 18.95 | 20.60 | FD, Felsic Dike Structure 18.95 - 20.60 : UC Upper Contact, 50 Deg to CA | | | | | | | | | |
| 20.60 | 21.30 | GAB, Gabbro Structure 20.60 - 21.30 : UC Upper Contact, 45 Deg to CA | | | | | | | | | |
| 21.30 | 21.60 | FD, Felsic Dike Structure 21.30 - 21.60 : UC Upper Contact, 50 Deg to CA | | | | | | | | | |
| 21.60 | 23.45 | GAB, Gabbro Structure 21.60 - 23.45 : UC Upper Contact, 20 Deg to CA | | | | | | | | | |
| 23.45 | 23.90 | FD, Felsic Dike Structure 23.45 - 23.90 : UC Upper Contact, 25 Deg to CA | | | | | | | | | |
| 23.90 | 28.25 | GAB, Gabbro Structure 23.90 - 28.25 : UC Upper Contact, 60 Deg to CA | E829907 | 25.50 | 27.00 | 1.50 | 0.0045 | 0.0139 | 0.0028 | | |
| | | | E829908 | 27.00 | 28.25 | 1.25 | 0.0081 | 0.0103 | 0.0030 | | |

DETAILED LOG

Hole Number: CL-08-07

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|--|---------------|----------|--------|------------|--------|--------|--------|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 28.25 | 28.80 | MD, Mafic Dike Mineralization 28.25 - 28.80 Structure 28.25 - 28.80 : UC Upper Contact, 75 Deg to CA | E829909 | 28.25 | 28.80 | 0.55 | 0.0054 | 0.0072 | 0.0048 |
| 28.80 | 29.50 | GAB, Gabbro Mineralization 28.80 - 29.50 mm-cm blebs Structure 28.80 - 29.50 : UC Upper Contact, 40 Deg to CA | E829910 | 28.80 | 29.50 | 0.70 | 0.0075 | 0.0215 | 0.0022 |
| 29.50 | 29.90 | MD, Mafic Dike Mineralization 29.50 - 29.90 Structure 29.50 - 29.90 : UC Upper Contact, 45 Deg to CA | E829911 | 29.50 | 29.90 | 0.40 | 0.0081 | 0.0100 | 0.0046 |
| 29.90 | 31.70 | PYXT, Pyroxenite Mineralization 29.90 - 31.70 Structure 29.90 - 31.70 : UC Upper Contact, 60 Deg to CA | E829912 | 29.90 | 30.80 | 0.90 | 0.0758 | 0.1944 | 0.0093 |
| | | | E829914 | 30.80 | 31.70 | 0.90 | 0.1742 | 0.5518 | 0.0105 |
| 31.70 | 37.60 | FD, Felsic Dike Mineralization 31.70 - 37.60 Structure 31.70 - 37.60 31.70 - 37.60 : UC Upper Contact, 45 Deg to CA | E829915 | 31.70 | 33.00 | 1.30 | 0.0033 | 0.0147 | 0.0020 |
| | | | E829916 | 36.30 | 37.50 | 1.20 | 0.0053 | 0.0034 | 0.0031 |
| | | | E829917 | 37.50 | 38.00 | 0.50 | 0.0154 | 0.0046 | 0.0049 |
| 37.60 | 37.95 | PYXT, Pyroxenite Mineralization 37.60 - 37.95 Structure 37.60 - 37.95 : UC Upper Contact, 20 Deg to CA | | | | | | | |
| 37.95 | 39.15 | FD, Felsic Dike Structure 37.95 - 39.15 : UC Upper Contact, 20 Deg to CA | E829918 | 38.00 | 39.00 | 1.00 | 0.0033 | 0.0118 | 0.0023 |
| 39.15 | 39.75 | MD, Mafic Dike Structure 39.15 - 39.75 : UC Upper Contact, 60 Deg to CA | | | | | | | |
| 39.75 | 44.90 | FD, Felsic Dike Structure 39.75 - 44.90 39.75 - 44.90 : UC Upper Contact, 65 Deg to CA | E829919 | 44.00 | 44.90 | 0.90 | 0.0052 | 0.0044 | 0.0025 |

DETAILED LOG

Hole Number: CL-08-07

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 44.90 | 51.10 | PYXT, Pyroxenite | E829920 | 44.90 | 46.00 | 1.10 | 0.0476 | 0.0716 | 0.0063 |
| | | Mineralization | E829921 | 46.00 | 47.00 | 1.00 | 0.0675 | 0.1060 | 0.0060 |
| | | 44.90 - 51.10 | E829922 | 47.00 | 48.00 | 1.00 | 0.0387 | 0.0585 | 0.0048 |
| | | Structure | E829923 | 48.00 | 49.00 | 1.00 | 0.0441 | 0.0695 | 0.0043 |
| | | 44.90 - 45.50 : FOL Foliated, 15 Deg to CA | E829924 | 49.00 | 50.00 | 1.00 | 0.0523 | 0.0941 | 0.0050 |
| | | Talcose | E829925 | 50.00 | 51.10 | 1.10 | 0.1880 | 0.2088 | 0.0088 |
| | | 44.90 - 51.10 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 51.10 | 66.85 | DIOR, Diorite | E829927 | 51.10 | 52.00 | 0.90 | 0.0228 | 0.0828 | 0.0014 |
| | | Mineralization | E829928 | 52.00 | 53.00 | 1.00 | 0.0017 | 0.0113 | 0.0004 |
| | | 51.10 - 52.00 | | | | | | | |
| | | Structure | | | | | | | |
| 66.85 | 68.50 | 51.10 - 66.85 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| | | MD, Mafic Dike | | | | | | | |
| | | Mineralization | | | | | | | |
| | | 66.85 - 68.50 | | | | | | | |
| 68.50 | 79.40 | Structure | | | | | | | |
| | | 66.85 - 68.50 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| | | DIOR, Diorite | | | | | | | |
| | | Mineralization | | | | | | | |
| 79.40 | 80.20 | 68.50 - 79.40 | | | | | | | |
| | | Structure | | | | | | | |
| | | 68.50 - 79.40 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| | | MD, Mafic Dike | | | | | | | |
| 80.20 | 90.15 | Mineralization | | | | | | | |
| | | 79.40 - 80.20 | | | | | | | |
| | | Structure | | | | | | | |
| | | 79.40 - 80.20 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 90.15 | 91.60 | DIOR, Diorite | | | | | | | |
| | | Mineralization | | | | | | | |
| | | 80.20 - 90.15 | | | | | | | |
| | | Structure | | | | | | | |
| 90.15 | 91.60 | 80.20 - 90.15 : UC Upper Contact, 40 Deg to CA | | | | | | | |
| | | MD, Mafic Dike | | | | | | | |
| 90.15 | 91.60 | Mineralization | | | | | | | |
| | | 90.15 - 91.60 | | | | | | | |
| | | Structure | | | | | | | |
| | | 90.15 - 91.60 : UC Upper Contact, 30 Deg to CA | | | | | | | |

DETAILED LOG

Hole Number: CL-08-07

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|---|---------------|----------|--------|------------|-----|-----|-----|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 91.60 | 99.00 | DIOR, Diorite Mineralization 91.60 - 99.00 Structure 91.60 - 99.00 : UC Upper Contact, 10 Deg to CA | | | | | | | |

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|--------------------------|----------|--------|--------|--------|--------|
| Sample Type ASSAY | | | | | |
| E829907 | 25.50 | 27.00 | 0.0045 | 0.0139 | 0.0028 |
| E829908 | 27.00 | 28.25 | 0.0081 | 0.0103 | 0.0030 |
| E829909 | 28.25 | 28.80 | 0.0054 | 0.0072 | 0.0048 |
| E829910 | 28.80 | 29.50 | 0.0075 | 0.0215 | 0.0022 |
| E829911 | 29.50 | 29.90 | 0.0081 | 0.0100 | 0.0046 |
| E829912 | 29.90 | 30.80 | 0.0758 | 0.1944 | 0.0093 |
| E829914 | 30.80 | 31.70 | 0.1742 | 0.5518 | 0.0105 |
| E829915 | 31.70 | 33.00 | 0.0033 | 0.0147 | 0.0020 |
| E829916 | 36.30 | 37.50 | 0.0053 | 0.0034 | 0.0031 |
| E829917 | 37.50 | 38.00 | 0.0154 | 0.0046 | 0.0049 |
| E829918 | 38.00 | 39.00 | 0.0033 | 0.0118 | 0.0023 |
| E829919 | 44.00 | 44.90 | 0.0052 | 0.0044 | 0.0025 |
| E829920 | 44.90 | 46.00 | 0.0476 | 0.0716 | 0.0063 |
| E829921 | 46.00 | 47.00 | 0.0675 | 0.1060 | 0.0060 |
| E829922 | 47.00 | 48.00 | 0.0387 | 0.0585 | 0.0048 |
| E829923 | 48.00 | 49.00 | 0.0441 | 0.0695 | 0.0043 |
| E829924 | 49.00 | 50.00 | 0.0523 | 0.0941 | 0.0050 |
| E829925 | 50.00 | 51.10 | 0.1880 | 0.2088 | 0.0088 |
| E829927 | 51.10 | 52.00 | 0.0228 | 0.0828 | 0.0014 |
| E829928 | 52.00 | 53.00 | 0.0017 | 0.0113 | 0.0004 |

DETAILED LOG

Hole Number: CL-08-06

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|--|---------------|----------|--------|------------|--------|--------|--------|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 30.55 | 33.30 | MD, Mafic Dike Mineralization 30.55 - 33.30 Structure 30.55 - 33.30 : UC Upper Contact, 40 Deg to CA | | | | | | | |
| 33.30 | 34.90 | DIOR, Diorite Mineralization 33.30 - 34.90 Structure 33.30 - 34.90 : UC Upper Contact, 30 Deg to CA | | | | | | | |
| 34.90 | 40.40 | MD, Mafic Dike Structure 34.90 - 40.40 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 40.40 | 52.05 | DIOR, Diorite Mineralization 40.40 - 52.05 Structure 40.40 - 52.05 : UC Upper Contact, 40 Deg to CA | E829878 | 48.00 | 49.50 | 1.50 | 0.0124 | 0.0269 | 0.0032 |
| | | | E829879 | 49.50 | 51.00 | 1.50 | 0.0107 | 0.0256 | 0.0026 |
| | | | E829880 | 51.00 | 52.05 | 1.05 | 0.0088 | 0.0225 | 0.0022 |
| | | | | | | | | | |
| 52.05 | 53.80 | MD, Mafic Dike Structure 52.05 - 53.80 : UC Upper Contact, 70 Deg to CA | E829881 | 52.05 | 53.80 | 1.75 | 0.0141 | 0.0192 | 0.0044 |
| 53.80 | 55.95 | PYXT, Pyroxenite Mineralization 53.80 - 55.95 Structure 53.80 - 55.95 : UC Upper Contact, 60 Deg to CA | E829882 | 53.80 | 54.90 | 1.10 | 0.1755 | 0.3634 | 0.0143 |
| | | | E829883 | 54.90 | 56.00 | 1.10 | 0.1596 | 0.2267 | 0.0126 |
| | | | | | | | | | |
| | | | | | | | | | |
| 55.95 | 56.30 | FD, Felsic Dike Structure 55.95 - 56.30 : UC Upper Contact, 45 Deg to CA | E829884 | 56.00 | 57.00 | 1.00 | 0.1533 | 0.2227 | 0.0112 |
| 56.30 | 65.85 | PRDT, Peridotite Mineralization 56.30 - 57.50 57.50 - 60.00 sub net 60.00 - 65.00 65.00 - 65.85 cm scale blebs Structure 56.30 - 65.85 : UC Upper Contact, 50 Deg to CA | E829885 | 57.00 | 58.00 | 1.00 | 0.2351 | 0.3183 | 0.0154 |
| | | | E829886 | 58.00 | 59.00 | 1.00 | 0.1624 | 0.3393 | 0.0113 |
| | | | E829888 | 59.00 | 60.00 | 1.00 | 0.1935 | 0.5224 | 0.0137 |
| | | | E829889 | 60.00 | 61.00 | 1.00 | 0.1241 | 0.1726 | 0.0107 |
| | | | E829890 | 61.00 | 62.00 | 1.00 | 0.0808 | 0.0662 | 0.0085 |
| | | | E829891 | 62.00 | 63.00 | 1.00 | 0.0707 | 0.0333 | 0.0072 |
| | | | E829892 | 63.00 | 64.00 | 1.00 | 0.0420 | 0.0266 | 0.0064 |
| | | | E829893 | 64.00 | 65.00 | 1.00 | 0.0777 | 0.0443 | 0.0065 |
| | | | E829894 | 65.00 | 65.85 | 0.85 | 0.2662 | 0.7318 | 0.0109 |
| | | | | | | | | | |

DETAILED LOG

Hole Number: CL-08-06

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|--|--|----------------------------------|----------------------------------|------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 65.85 | 68.10 | PYXT, Pyroxenite Mineralization 65.85 - 68.10 Structure 65.85 - 68.10 grad | E829896 E829897 | 65.85 67.00 | 67.00 68.10 | 1.15 1.10 | 0.0729 0.2270 | 0.0476 0.1890 | 0.0070 0.0102 |
| 68.10 | 69.05 | MD, Mafic Dike Structure 68.10 - 69.05 : UC Upper Contact, 40 Deg to CA | E829898 | 68.10 | 69.05 | 0.95 | 0.0046 | 0.0097 | 0.0034 |
| 69.05 | 69.85 | PYXT, Pyroxenite Mineralization 69.05 - 69.85 Structure 69.05 - 69.85 : FOL Foliated, 30 Deg to CA 69.05 - 69.85 : UC Upper Contact, 40 Deg to CA | E829899 | 69.05 | 69.85 | 0.80 | 0.0787 | 0.0300 | 0.0071 |
| 69.85 | 73.50 | DIOR, Diorite Mineralization 69.85 - 73.50 Structure 69.85 - 73.50 : UC Upper Contact, 80 Deg to CA | E829900 E829901 E829902 E829903 | 69.85 70.70 71.50 72.50 | 70.70 71.50 72.50 73.50 | 0.85 0.80 1.00 1.00 | 0.0539 0.0994 0.0296 0.0066 | 0.0540 0.2736 0.1591 0.0366 | 0.0057 0.0060 0.0033 0.0026 |
| 73.50 | 74.10 | MD, Mafic Dike Mineralization 73.50 - 74.10 Structure 73.50 - 74.10 : UC Upper Contact, 35 Deg to CA | E829904 | 73.50 | 74.10 | 0.60 | 0.0158 | 0.0044 | 0.0041 |
| 74.10 | 102.00 | DIOR, Diorite Mineralization 74.10 - 102.00 Structure 74.10 - 102.00 : UC Upper Contact, 50 Deg to CA | E829905 E829906 | 74.10 75.00 | 75.00 76.00 | 0.90 1.00 | 0.0146 0.0092 | 0.0930 0.0100 | 0.0029 0.0034 |

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|-------------------|----------|--------|--------|--------|--------|
| Sample Type ASSAY | | | | | |
| E829878 | 48.00 | 49.50 | 0.0124 | 0.0269 | 0.0032 |
| E829879 | 49.50 | 51.00 | 0.0107 | 0.0256 | 0.0026 |
| E829880 | 51.00 | 52.05 | 0.0088 | 0.0225 | 0.0022 |
| E829881 | 52.05 | 53.80 | 0.0141 | 0.0192 | 0.0044 |
| E829882 | 53.80 | 54.90 | 0.1755 | 0.3634 | 0.0143 |
| E829883 | 54.90 | 56.00 | 0.1596 | 0.2267 | 0.0126 |

Hole Number: CL-08-06

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E829884 | 56.00 | 57.00 | 0.1533 | 0.2227 | 0.0112 |
| E829885 | 57.00 | 58.00 | 0.2351 | 0.3183 | 0.0154 |
| E829886 | 58.00 | 59.00 | 0.1624 | 0.3393 | 0.0113 |
| E829888 | 59.00 | 60.00 | 0.1935 | 0.5224 | 0.0137 |
| E829889 | 60.00 | 61.00 | 0.1241 | 0.1726 | 0.0107 |
| E829890 | 61.00 | 62.00 | 0.0808 | 0.0662 | 0.0085 |
| E829891 | 62.00 | 63.00 | 0.0707 | 0.0333 | 0.0072 |
| E829892 | 63.00 | 64.00 | 0.0420 | 0.0266 | 0.0064 |
| E829893 | 64.00 | 65.00 | 0.0777 | 0.0443 | 0.0065 |
| E829894 | 65.00 | 65.85 | 0.2662 | 0.7318 | 0.0109 |
| E829896 | 65.85 | 67.00 | 0.0729 | 0.0476 | 0.0070 |
| E829897 | 67.00 | 68.10 | 0.2270 | 0.1890 | 0.0102 |
| E829898 | 68.10 | 69.05 | 0.0046 | 0.0097 | 0.0034 |
| E829899 | 69.05 | 69.85 | 0.0787 | 0.0300 | 0.0071 |
| E829900 | 69.85 | 70.70 | 0.0539 | 0.0540 | 0.0057 |
| E829901 | 70.70 | 71.50 | 0.0994 | 0.2736 | 0.0060 |
| E829902 | 71.50 | 72.50 | 0.0296 | 0.1591 | 0.0033 |
| E829903 | 72.50 | 73.50 | 0.0066 | 0.0366 | 0.0026 |
| E829904 | 73.50 | 74.10 | 0.0158 | 0.0044 | 0.0041 |
| E829905 | 74.10 | 75.00 | 0.0146 | 0.0930 | 0.0029 |
| E829906 | 75.00 | 76.00 | 0.0092 | 0.0100 | 0.0034 |

DETAILED LOG

Hole Number: CL-08-05

Units: METRIC

| | | | | | | | |
|-----------------|--------------|---------------------|------------|-------------------------|--------------|---------------|--------------------|
| Project Name: | Denmark Lake | Primary Coordinates | Grid: UTM: | Destination Coordinates | Grid: UTM: | Collar Dip: | -67.30 |
| Project Number: | 18600 | North: | 5470730.00 | North: | 5470730.00 | Collar Az: | 38.00 |
| Location: | Surface | East: | 451656.00 | East: | 451656.00 | Length: | 78.00 (m) |
| | | Elev: | 338.00 | Elev: | 338.00 | Start Depth: | 0.00 (m) |
| Date Started: | Mar 11, 2008 | Collar Survey: | N | Plugged: | N | Contractor: | Morris Drilling |
| Date Completed: | Mar 16, 2008 | Multishot Survey: | N | Hole Size: | NQ | Core Storage: | Kenbridge Minesite |
| Logged By: | pm | Pulse EM Survey: | N | Casing: | Left in Hole | | |
| Comments: | | | | | | | |

Sample Averages

Survey Data

| Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments | Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments |
|-----------|-----------------|-------------|-----------|------|----------|-----------|-----------------|-------------|-----------|------|----------|
| 0.00 | 38.00 | -67.30 | EZ | DO | | 51.00 | 44.80 | -67.20 | EZ | OK | |

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|--------|---|--|---|---|--|--|--|--|--|--|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% | | |
| 0 | 4.50 | CAS, Casing | | | | | | | | | |
| 4.50 | 23.55 | PYXT, Pyroxenite Mineralization 4.50 - 22.00 increasing down unit 22.00 - 23.55 22.80 - 22.85 popn rimmed with cpy @ 35 deg to CA Structure 4.50 - 10.00 rusty fractures | E829852 E829853 E829854 E829855 E829856 E829857 E829858 E829859 E829860 E829862 E829863 E829864 E829865 E829866 E829867 E829868 E829869 E829871 | 4.50 6.00 7.00 8.00 9.00 10.50 12.00 13.00 14.00 15.00 16.00 17.00 18.00 19.00 20.00 21.00 22.00 22.75 | 6.00 7.00 8.00 9.00 10.50 12.00 13.00 14.00 15.00 16.00 17.00 18.00 19.00 20.00 21.00 22.00 22.75 | 1.50 1.00 1.00 1.00 1.50 1.50 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 0.75 | 0.0512 0.0652 0.0698 0.0565 0.0335 0.0292 0.0401 0.0590 0.0395 0.0456 0.0429 0.0405 0.0402 0.0405 0.0577 0.1639 0.2559 | 0.0811 0.0433 0.0850 0.0126 0.0100 0.0292 0.0252 0.0349 0.0144 0.0385 0.0297 0.0229 0.0187 0.0176 0.0397 0.2350 1.7999 | 0.0043 0.0061 0.0052 0.0082 0.0058 0.0048 0.0048 0.0062 0.0052 0.0044 0.0047 0.0037 0.0039 0.0042 0.0049 0.0080 0.0100 | | |

DETAILED LOG

Hole Number: CL-08-05

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|--|---------------|----------|--------|------------|--------|--------|--------|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 23.55 | 65.85 | DIOR, Diorite | E829872 | 23.55 | 24.25 | 0.70 | 0.1581 | 1.8180 | 0.0054 |
| | | Mineralization | E829873 | 24.25 | 25.00 | 0.75 | 0.0485 | 0.2971 | 0.0035 |
| | | 23.55 - 24.50 | E829874 | 25.00 | 26.00 | 1.00 | 0.0245 | 0.1099 | 0.0026 |
| | | 24.50 - 30.00 | E829875 | 26.00 | 27.00 | 1.00 | 0.0285 | 0.1081 | 0.0028 |
| | | 30.00 - 65.85 | E829876 | 27.00 | 28.00 | 1.00 | 0.0116 | 0.1004 | 0.0023 |
| | | Structure | E829877 | 28.00 | 29.00 | 1.00 | 0.0058 | 0.0320 | 0.0023 |
| | | 23.55 - 65.85 : UC Upper Contact, 30 Deg to CA | | | | | | | |
| 65.85 | 67.40 | FD, Felsic Dike | | | | | | | |
| | | Structure | | | | | | | |
| | | 65.85 - 67.40 : UC Upper Contact, 30 Deg to CA | | | | | | | |
| 67.40 | 78.00 | DIOR, Diorite | | | | | | | |
| | | Structure | | | | | | | |
| | | 67.40 - 78.00 : UC Upper Contact, 20 Deg to CA | | | | | | | |

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|-------------------|----------|--------|--------|--------|--------|
| Sample Type ASSAY | | | | | |
| E829852 | 4.50 | 6.00 | 0.0512 | 0.0811 | 0.0043 |
| E829853 | 6.00 | 7.00 | 0.0652 | 0.0433 | 0.0061 |
| E829854 | 7.00 | 8.00 | 0.0698 | 0.0850 | 0.0052 |
| E829855 | 8.00 | 9.00 | 0.0565 | 0.0126 | 0.0082 |
| E829856 | 9.00 | 10.50 | 0.0335 | 0.0100 | 0.0058 |
| E829857 | 10.50 | 12.00 | 0.0292 | 0.0097 | 0.0048 |
| E829858 | 12.00 | 13.00 | 0.0401 | 0.0252 | 0.0048 |
| E829859 | 13.00 | 14.00 | 0.0590 | 0.0349 | 0.0062 |
| E829860 | 14.00 | 15.00 | 0.0395 | 0.0144 | 0.0052 |
| E829862 | 15.00 | 16.00 | 0.0456 | 0.0385 | 0.0044 |
| E829863 | 16.00 | 17.00 | 0.0429 | 0.0297 | 0.0047 |
| E829864 | 17.00 | 18.00 | 0.0405 | 0.0229 | 0.0037 |
| E829865 | 18.00 | 19.00 | 0.0402 | 0.0187 | 0.0039 |
| E829866 | 19.00 | 20.00 | 0.0405 | 0.0176 | 0.0042 |
| E829867 | 20.00 | 21.00 | 0.0577 | 0.0397 | 0.0049 |
| E829868 | 21.00 | 22.00 | 0.1639 | 0.2350 | 0.0080 |
| E829869 | 22.00 | 22.75 | 0.2559 | 1.7999 | 0.0100 |
| E829871 | 22.75 | 23.55 | 0.3065 | 0.6183 | 0.0093 |
| E829872 | 23.55 | 24.25 | 0.1581 | 1.8180 | 0.0054 |
| E829873 | 24.25 | 25.00 | 0.0485 | 0.2971 | 0.0035 |
| E829874 | 25.00 | 26.00 | 0.0245 | 0.1099 | 0.0026 |
| E829875 | 26.00 | 27.00 | 0.0285 | 0.1081 | 0.0028 |

DETAILED LOG

Hole Number: CL-08-05

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|-------------------|----------|--------|--------|--------|--------|
| Sample Type ASSAY | | | | | |
| E829876 | 27.00 | 28.00 | 0.0116 | 0.1004 | 0.0023 |
| E829877 | 28.00 | 29.00 | 0.0058 | 0.0320 | 0.0023 |

DETAILED LOG

Hole Number: CL-08-04

Units: METRIC

| | | | | | | | |
|-----------------|--------------|---------------------|------------|-------------------------|--------------|---------------|--------------------|
| Project Name: | Denmark Lake | Primary Coordinates | Grid: UTM: | Destination Coordinates | Grid: UTM: | Collar Dip: | -88.00 |
| Project Number: | 18600 | North: | 5470730.00 | North: | 5470730.00 | Collar Az: | 43.70 |
| Location: | Surface | East: | 451656.00 | East: | 451656.00 | Length: | 105.00 (m) |
| | | Elev: | 338.00 | Elev: | 338.00 | Start Depth: | 0.00 (m) |
| Date Started: | Mar 15, 2008 | Collar Survey: | N | Plugged: | N | Contractor: | Morris Drilling |
| Date Completed: | Mar 16, 2008 | Multishot Survey: | N | Hole Size: | NQ | Core Storage: | Kenbridge Minesite |
| Logged By: | pm | Pulse EM Survey: | N | Casing: | Left in Hole | | |
| Comments: | | | | | | | |

Sample Averages

| Average Type | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
|--------------|----------|--------|------------|--------|--------|--------|
| WEIGHTED | 24.50 | 34.00 | 9.50 | 0.0859 | 0.2485 | 0.0048 |

Survey Data

| Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments | Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments |
|-----------|-----------------|-------------|-----------|------|----------|-----------|-----------------|-------------|-----------|------|----------|
| 0.00 | 43.70 | -88.00 | EZ | OK | | 51.00 | 60.20 | -87.90 | EZ | DO | |
| 102.00 | 48.20 | -87.30 | EZ | OK | | | | | | | |

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|--------|---|---|---------------|----------|--------|------------|--------|--------|-----|--|
| From (m) | To (m) | Lithology | | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% | |
| 0 | 4.30 | CAS, Casing | | | | | | | | | |
| 4.30 | 16.90 | PYXT, Pyroxenite Mineralization 4.30 - 16.90 Structure 4.30 - 8.00 rusty fractures | E829816 E829817 E829818 E829820 E829821 E829822 E829823 E829824 E829825 E829826 E829827 E829828 E829829 | 4.30 | 5.10 | 0.80 | 0.0595 | 0.0514 | 0.0067 | | |
| 16.90 | 22.75 | DIOR, Diorite Mineralization 16.90 - 22.75 Structure 16.90 - 22.75 : UC Upper Contact, 70 Deg to CA | E829830 E829831 E829832 E829833 E829834 E829835 | 16.90 | 18.00 | 1.10 | 0.0510 | 0.0762 | 0.0046 | | |
| | | | | 18.00 | 19.00 | 1.00 | 0.0340 | 0.0456 | 0.0039 | | |
| | | | | 19.00 | 20.00 | 1.00 | 0.0976 | 0.1458 | 0.0050 | | |
| | | | | 20.00 | 21.00 | 1.00 | 0.0983 | 0.1503 | 0.0045 | | |
| | | | | 21.00 | 21.90 | 0.90 | 0.0585 | 0.0977 | 0.0032 | | |
| | | | | 21.90 | 22.75 | 0.85 | 0.0342 | 0.0608 | 0.0027 | | |

DETAILED LOG

Hole Number: CL-08-04

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|---|---------------|----------|--------|------------|--------|--------|--------|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 22.75 | 25.50 | PYXT, Pyroxenite Mineralization 22.75 - 25.50 Structure 22.75 - 25.50 : UC Upper Contact, 50 Deg to CA | E829836 | 22.75 | 23.50 | 0.75 | 0.0373 | 0.0311 | 0.0045 |
| | | | E829837 | 23.50 | 24.50 | 1.00 | 0.0350 | 0.0167 | 0.0045 |
| | | | E829838 | 24.50 | 25.50 | 1.00 | 0.1461 | 0.6262 | 0.0068 |
| | | | | | | | | | |
| 25.50 | 28.20 | DIOR, Diorite Mineralization 25.50 - 28.20 Structure 25.50 - 28.20 : UC Upper Contact, 80 Deg to CA | E829839 | 25.50 | 26.40 | 0.90 | 0.0854 | 0.2435 | 0.0061 |
| | | | E829840 | 26.40 | 27.30 | 0.90 | 0.0751 | 0.1354 | 0.0054 |
| | | | E829841 | 27.30 | 28.20 | 0.90 | 0.1206 | 0.1980 | 0.0068 |
| | | | | | | | | | |
| 28.20 | 31.70 | PYXT, Pyroxenite Mineralization 28.20 - 31.70 Structure 28.20 - 31.70 : UC Upper Contact, 40 Deg to CA | E829842 | 28.20 | 29.10 | 0.90 | 0.0818 | 0.1441 | 0.0043 |
| | | | E829843 | 29.10 | 30.00 | 0.90 | 0.0648 | 0.0813 | 0.0048 |
| | | | E829845 | 30.00 | 30.80 | 0.80 | 0.1655 | 0.2229 | 0.0057 |
| | | | E829846 | 30.80 | 31.70 | 0.90 | 0.0336 | 0.0802 | 0.0022 |
| 31.70 | 58.80 | DIOR, Diorite Mineralization 31.70 - 42.75 decreasing down unit 42.75 - 42.90 massive py vein in qtz vein Structure 31.70 - 58.80 : UC Upper Contact, 60 Deg to CA | E829847 | 31.70 | 33.00 | 1.30 | 0.0498 | 0.2944 | 0.0030 |
| | | | E829848 | 33.00 | 34.00 | 1.00 | 0.0582 | 0.3787 | 0.0036 |
| | | | E829849 | 41.50 | 42.50 | 1.00 | 0.0100 | 0.0545 | 0.0037 |
| | | | E829850 | 42.50 | 43.00 | 0.50 | 0.0153 | 0.0814 | 0.0060 |
| | | | E829851 | 43.00 | 44.00 | 1.00 | 0.0059 | 0.0347 | 0.0034 |
| | | | | | | | | | |
| 58.80 | 60.45 | MV, Mafic Volcanic Structure 58.80 - 60.45 : UC Upper Contact, 40 Deg to CA | | | | | | | |
| 60.45 | 105.00 | DIOR, Diorite Structure 60.45 - 105.00 : UC Upper Contact, 60 Deg to CA | | | | | | | |

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|-------------------|----------|--------|--------|--------|--------|
| Sample Type ASSAY | | | | | |
| E829816 | 4.30 | 5.10 | 0.0595 | 0.0514 | 0.0067 |
| E829817 | 5.10 | 6.00 | 0.0953 | 0.1145 | 0.0076 |
| E829818 | 6.00 | 7.00 | 0.2189 | 0.3827 | 0.0103 |
| E829820 | 7.00 | 8.00 | 0.1093 | 0.0901 | 0.0066 |
| E829821 | 8.00 | 9.00 | 0.0464 | 0.0195 | 0.0070 |
| E829822 | 9.00 | 10.00 | 0.0550 | 0.0421 | 0.0066 |
| E829823 | 10.00 | 11.00 | 0.0573 | 0.1006 | 0.0051 |

Hole Number: CL-08-04

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E829824 | 11.00 | 12.00 | 0.0313 | 0.0361 | 0.0050 |
| E829825 | 12.00 | 13.00 | 0.1024 | 0.1425 | 0.0068 |
| E829826 | 13.00 | 14.00 | 0.0647 | 0.0597 | 0.0056 |
| E829827 | 14.00 | 15.00 | 0.1111 | 0.1269 | 0.0089 |
| E829828 | 15.00 | 16.00 | 0.1008 | 0.0867 | 0.0087 |
| E829829 | 16.00 | 16.90 | 0.0670 | 0.0608 | 0.0062 |
| E829830 | 16.90 | 18.00 | 0.0510 | 0.0762 | 0.0046 |
| E829831 | 18.00 | 19.00 | 0.0340 | 0.0456 | 0.0039 |
| E829832 | 19.00 | 20.00 | 0.0976 | 0.1458 | 0.0050 |
| E829833 | 20.00 | 21.00 | 0.0983 | 0.1503 | 0.0045 |
| E829834 | 21.00 | 21.90 | 0.0585 | 0.0977 | 0.0032 |
| E829835 | 21.90 | 22.75 | 0.0342 | 0.0608 | 0.0027 |
| E829836 | 22.75 | 23.50 | 0.0373 | 0.0311 | 0.0045 |
| E829837 | 23.50 | 24.50 | 0.0350 | 0.0167 | 0.0045 |
| E829838 | 24.50 | 25.50 | 0.1461 | 0.6262 | 0.0068 |
| E829839 | 25.50 | 26.40 | 0.0854 | 0.2435 | 0.0061 |
| E829840 | 26.40 | 27.30 | 0.0751 | 0.1354 | 0.0054 |
| E829841 | 27.30 | 28.20 | 0.1206 | 0.1980 | 0.0068 |
| E829842 | 28.20 | 29.10 | 0.0818 | 0.1441 | 0.0043 |
| E829843 | 29.10 | 30.00 | 0.0648 | 0.0813 | 0.0048 |
| E829845 | 30.00 | 30.80 | 0.1655 | 0.2229 | 0.0057 |
| E829846 | 30.80 | 31.70 | 0.0336 | 0.0802 | 0.0022 |
| E829847 | 31.70 | 33.00 | 0.0498 | 0.2944 | 0.0030 |
| E829848 | 33.00 | 34.00 | 0.0582 | 0.3787 | 0.0036 |
| E829849 | 41.50 | 42.50 | 0.0100 | 0.0545 | 0.0037 |
| E829850 | 42.50 | 43.00 | 0.0153 | 0.0814 | 0.0060 |
| E829851 | 43.00 | 44.00 | 0.0059 | 0.0347 | 0.0034 |

DETAILED LOG

Hole Number: CL-08-03

Units: METRIC

| | | | | | | | |
|-----------------|--------------|---------------------|------------|-------------------------|--------------|---------------|--------------------|
| Project Name: | Denmark Lake | Primary Coordinates | Grid: UTM: | Destination Coordinates | Grid: UTM: | Collar Dip: | -54.70 |
| Project Number: | 18600 | North: | 5470793.00 | North: | 5470793.00 | Collar Az: | 216.80 |
| Location: | Surface | East: | 451654.00 | East: | 451654.00 | Length: | 249.00 (m) |
| | | Elev: | 350.00 | Elev: | 350.00 | Start Depth: | 0.00 (m) |
| Date Started: | Mar 12, 2008 | Collar Survey: | N | Plugged: | N | Contractor: | Morris Drilling |
| Date Completed: | Mar 15, 2008 | Multishot Survey: | N | Hole Size: | NQ | Core Storage: | Kenbridge Minesite |
| Logged By: | pm | Pulse EM Survey: | N | Casing: | Left in Hole | | |

Comments:

Sample Averages

| Average Type | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
|--------------|----------|--------|------------|--------|--------|--------|
| WEIGHTED | 41.00 | 45.00 | 4.00 | 0.3801 | 0.7884 | 0.0189 |
| WEIGHTED | 59.00 | 65.90 | 6.90 | 0.3150 | 0.7136 | 0.0197 |
| WEIGHTED | 79.10 | 83.75 | 4.65 | 0.1947 | 0.3230 | 0.0166 |

Survey Data

| Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments | Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments |
|-----------|-----------------|-------------|-----------|------|----------|-----------|-----------------|-------------|-----------|------|----------|
| 12.00 | 216.80 | -54.70 | EZ | OK | | 51.00 | 224.00 | -54.60 | EZ | OK | |
| 102.00 | 228.00 | -54.50 | EZ | OK | | 150.00 | 232.00 | -54.50 | EZ | OK | |
| 201.00 | 227.80 | -54.00 | EZ | OK | | 249.00 | 229.40 | -54.30 | EZ | OK | |

| Detailed Lithology | | Assay Data | | | | | | | | |
|--------------------|--------|--|--|---------------|----------|--------|------------|--------|--------|--------|
| From (m) | To (m) | Lithology | | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 0 | 2.00 | CAS, Casing | | | | | | | | |
| 2.00 | 18.05 | DI OR, Diorite | | E584453 | 8.00 | 9.00 | 1.00 | 0.0027 | 0.0029 | 0.0022 |
| | | | | E584454 | 9.00 | 10.00 | 1.00 | 0.0082 | 0.0326 | 0.0029 |
| | | | | E584455 | 10.00 | 11.00 | 1.00 | 0.0282 | 0.2757 | 0.0038 |
| 18.05 | 25.30 | FD, Felsic Dike Structure 18.05 - 25.30 : UC Upper Contact, 40 Deg to CA | | E584456 | 23.00 | 24.00 | 1.00 | 0.0009 | 0.0012 | 0.0005 |
| | | | | E584457 | 24.00 | 25.30 | 1.30 | 0.0047 | 0.0156 | 0.0009 |
| 25.30 | 26.15 | MD, Mafic Dike Structure 25.30 - 26.15 blocky | | E584458 | 25.30 | 26.15 | 0.85 | 0.0069 | 0.0024 | 0.0048 |
| 26.15 | 27.70 | PYXT, Pyroxenite Mineralization 26.15 - 27.70 Structure 26.15 - 27.70 : UC Upper Contact, 40 Deg to CA | | E584459 | 26.15 | 26.90 | 0.75 | 0.0605 | 0.0898 | 0.0071 |
| | | | | E584460 | 26.90 | 27.70 | 0.80 | 0.1694 | 0.3276 | 0.0105 |

DETAILED LOG

Hole Number: CL-08-03

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|--|---------------|----------|--------|------------|--------|--------|--------|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 27.70 | 29.30 | MD, Mafic Dike Structure 27.70 - 29.30 : UC Upper Contact, 40 Deg to CA | E584461 | 27.70 | 28.70 | 1.00 | 0.0053 | 0.0023 | 0.0049 |
| 29.30 | 33.20 | FD, Felsic Dike Structure 29.30 - 33.20 rusty fractures 29.30 - 33.20 : UC Upper Contact, 60 Deg to CA | E584462 | 32.30 | 33.20 | 0.90 | 0.0034 | 0.0069 | 0.0031 |
| 33.20 | 38.50 | PYXT, Pyroxenite Mineralization 33.20 - 38.50 Structure 33.20 - 38.50 : UC Upper Contact, 50 Deg to CA | E584463 | 33.20 | 34.10 | 0.90 | 0.1887 | 0.3986 | 0.0133 |
| | | | E584464 | 34.10 | 35.00 | 0.90 | 0.1681 | 0.4466 | 0.0118 |
| | | | E584465 | 35.00 | 36.00 | 1.00 | 0.0648 | 0.0453 | 0.0094 |
| | | | E584466 | 36.00 | 36.75 | 0.75 | 0.0706 | 0.0717 | 0.0089 |
| | | | E584467 | 36.75 | 37.50 | 0.75 | 0.0705 | 0.0434 | 0.0100 |
| | | | E584468 | 37.50 | 38.50 | 1.00 | 0.0856 | 0.1486 | 0.0107 |
| 38.50 | 39.40 | MD, Mafic Dike Structure 38.50 - 39.40 : UC Upper Contact, 75 Deg to CA | E584469 | 38.50 | 39.40 | 0.90 | 0.0171 | 0.0218 | 0.0062 |
| 39.40 | 51.75 | PYXT, Pyroxenite Mineralization 39.40 - 51.75 Structure 39.40 - 51.75 : UC Upper Contact, 40 Deg to CA | E584470 | 39.40 | 40.20 | 0.80 | 0.1413 | 0.2555 | 0.0147 |
| | | | E584471 | 40.20 | 41.00 | 0.80 | 0.1808 | 0.2569 | 0.0156 |
| | | | E584472 | 41.00 | 42.00 | 1.00 | 0.3097 | 0.7416 | 0.0212 |
| | | | E584474 | 42.00 | 43.00 | 1.00 | 0.3303 | 0.7715 | 0.0213 |
| | | | E584475 | 43.00 | 44.00 | 1.00 | 0.4214 | 0.7440 | 0.0173 |
| | | | E584476 | 44.00 | 45.00 | 1.00 | 0.4588 | 0.8966 | 0.0157 |
| | | | E584477 | 45.00 | 46.00 | 1.00 | 0.1026 | 0.3227 | 0.0059 |
| | | | E584478 | 46.00 | 47.00 | 1.00 | 0.0729 | 0.2162 | 0.0060 |
| | | | E584479 | 47.00 | 48.00 | 1.00 | 0.0001 | 0.0595 | 0.0001 |
| | | | E584480 | 48.00 | 49.00 | 1.00 | 0.0001 | 0.2306 | 0.0002 |
| | | | E584481 | 49.00 | 50.00 | 1.00 | 0.0432 | 0.0933 | 0.0063 |
| | | | E584482 | 50.00 | 51.00 | 1.00 | 0.0744 | 0.2186 | 0.0077 |
| | | | E584483 | 51.00 | 51.75 | 0.75 | 0.0819 | 0.3388 | 0.0081 |
| 51.75 | 57.20 | GAB, Gabbro Mineralization 51.75 - 57.20 Structure 51.75 - 57.20 : UC Upper Contact, 40 Deg to CA | E584484 | 51.75 | 53.00 | 1.25 | 0.0341 | 0.0677 | 0.0056 |
| | | | E584485 | 53.00 | 54.00 | 1.00 | 0.0354 | 0.0924 | 0.0053 |
| | | | E584486 | 54.00 | 55.00 | 1.00 | 0.0556 | 0.1029 | 0.0058 |
| | | | E584487 | 55.00 | 56.00 | 1.00 | 0.0467 | 0.0688 | 0.0064 |
| | | | E584488 | 56.00 | 57.20 | 1.20 | 0.0338 | 0.1931 | 0.0047 |

DETAILED LOG

Hole Number: CL-08-03

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 57.20 | 65.90 | PYXT, Pyroxenite Mineralization 57.20 - 65.90 Structure 57.20 - 65.90 : UC Upper Contact, 40 Deg to CA | E584489 | 57.20 | 58.00 | 0.80 | 0.0010 | 0.6919 | 0.0126 |
| | | | E584491 | 58.00 | 59.00 | 1.00 | 0.0001 | 0.0001 | 0.0001 |
| | | | E584492 | 59.00 | 60.00 | 1.00 | 0.4013 | 0.9763 | 0.0175 |
| | | | E584493 | 60.00 | 61.00 | 1.00 | 0.3129 | 0.8261 | 0.0157 |
| | | | E584494 | 61.00 | 62.00 | 1.00 | 0.2973 | 0.7342 | 0.0165 |
| | | | E584495 | 62.00 | 63.00 | 1.00 | 0.3090 | 0.6158 | 0.0190 |
| | | | E584496 | 63.00 | 64.00 | 1.00 | 0.3358 | 0.5241 | 0.0259 |
| | | | E584497 | 64.00 | 65.00 | 1.00 | 0.3220 | 0.8137 | 0.0270 |
| | | | E584498 | 65.00 | 65.90 | 0.90 | 0.2166 | 0.4814 | 0.0161 |
| | | | E584499 | 65.90 | 67.00 | 1.10 | 0.0147 | 0.0334 | 0.0043 |
| 65.90 | 68.20 | MD, Mafic Dike Structure 65.90 - 68.20 : UC Upper Contact, 20 Deg to CA | E584500 | 67.00 | 68.20 | 1.20 | 0.0105 | 0.0099 | 0.0035 |
| | | | E829701 | 68.20 | 69.00 | 0.80 | 0.0432 | 0.0902 | 0.0048 |
| | | | E829702 | 69.00 | 70.00 | 1.00 | 0.0101 | 0.0147 | 0.0026 |
| | | | E829703 | 70.00 | 71.00 | 1.00 | 0.0376 | 0.0644 | 0.0047 |
| | | | E829704 | 71.00 | 72.00 | 1.00 | 0.0103 | 0.0176 | 0.0026 |
| | | | E829705 | 72.00 | 73.50 | 1.50 | 0.0110 | 0.0188 | 0.0027 |
| | | | E829706 | 73.50 | 75.00 | 1.50 | 0.0079 | 0.0100 | 0.0022 |
| | | | E829707 | 75.00 | 76.60 | 1.60 | 0.0058 | 0.0069 | 0.0022 |
| | | | E829708 | 76.60 | 78.20 | 1.60 | 0.0300 | 0.0668 | 0.0041 |
| | | | E829709 | 78.20 | 79.10 | 0.90 | 0.1166 | 0.2415 | 0.0123 |
| 78.20 | 83.75 | PRDT, Peridotite Mineralization 78.20 - 83.75 Structure 78.20 - 83.75 gradational | E829710 | 79.10 | 80.00 | 0.90 | 0.1571 | 0.3354 | 0.0153 |
| | | | E829711 | 80.00 | 81.00 | 1.00 | 0.1882 | 0.3801 | 0.0159 |
| | | | E829713 | 81.00 | 82.00 | 1.00 | 0.3042 | 0.3701 | 0.0246 |
| | | | E829714 | 82.00 | 82.90 | 0.90 | 0.1585 | 0.3001 | 0.0139 |
| | | | E829715 | 82.90 | 83.75 | 0.85 | 0.1516 | 0.2117 | 0.0125 |
| | | | E829716 | 83.75 | 84.50 | 0.75 | 0.0150 | 0.0508 | 0.0044 |
| 83.75 | 84.50 | MD, Mafic Dike Structure 83.75 - 84.50 : UC Upper Contact, 40 Deg to CA | E829717 | 84.50 | 85.25 | 0.75 | 0.0200 | 0.0204 | 0.0058 |
| | | | E829718 | 85.25 | 86.00 | 0.75 | 0.0196 | 0.0285 | 0.0048 |
| | | | E829719 | 86.00 | 87.00 | 1.00 | 0.0301 | 0.0507 | 0.0058 |
| | | | E829720 | 87.00 | 88.20 | 1.20 | 0.0118 | 0.0201 | 0.0039 |
| | | | E829721 | 88.20 | 89.40 | 1.20 | 0.0147 | 0.0293 | 0.0043 |
| | | | E829722 | 89.40 | 89.90 | 0.50 | 0.0171 | 0.0054 | 0.0053 |
| 89.40 | 89.90 | MD, Mafic Dike Structure 89.40 - 89.90 : UC Upper Contact, 60 Deg to CA | E829723 | 89.90 | 90.60 | 0.70 | 0.0101 | 0.0096 | 0.0036 |
| | | | E829724 | 90.60 | 91.30 | 0.70 | 0.0101 | 0.0096 | 0.0036 |
| | | | E829725 | 91.30 | 92.00 | 0.70 | 0.0101 | 0.0096 | 0.0036 |
| | | | E829726 | 92.00 | 92.70 | 0.70 | 0.0101 | 0.0096 | 0.0036 |
| 89.90 | 90.60 | PYXT, Pyroxenite Mineralization 89.90 - 90.60 Structure 89.90 - 90.60 : UC Upper Contact, 10 Deg to CA | E829727 | 92.70 | 93.40 | 0.70 | 0.0101 | 0.0096 | 0.0036 |
| | | | E829728 | 93.40 | 94.10 | 0.70 | 0.0101 | 0.0096 | 0.0036 |
| | | | E829729 | 94.10 | 94.80 | 0.70 | 0.0101 | 0.0096 | 0.0036 |
| | | | E829730 | 94.80 | 95.50 | 0.70 | 0.0101 | 0.0096 | 0.0036 |

DETAILED LOG

Hole Number: CL-08-03

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|--|--|--|---|--|--|--|--|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 90.60 | 92.10 | MD, Mafic Dike Structure 90.60 - 92.10 blocky | E829724 | 90.60 | 92.10 | 1.50 | 0.0188 | 0.0021 | 0.0048 |
| 92.10 | 95.10 | PYXT, Pyroxenite Mineralization 92.10 - 95.10 Structure 92.10 - 95.10 : UC Upper Contact, 30 Deg to CA | E829725 E829726 E829727 E829728 | 92.10 93.00 94.00 95.00 | 93.00 94.00 95.00 96.00 | 0.90 1.00 1.00 1.00 | 0.0106 0.0075 0.0295 0.0167 | 0.0123 0.0138 0.0696 0.0224 | 0.0036 0.0024 0.0048 0.0040 |
| 95.10 | 95.40 | FD, Felsic Dike Structure 95.10 - 95.40 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 95.40 | 98.30 | PYXT, Pyroxenite Mineralization 95.40 - 98.30 Structure 95.40 - 98.30 : UC Upper Contact, 30 Deg to CA | E829729 E829730 | 96.00 97.10 | 97.10 98.30 | 1.10 1.20 | 0.0676 0.1678 | 0.0737 0.2725 | 0.0089 0.0127 |
| 98.30 | 107.85 | PRDT, Peridotite Mineralization 98.30 - 107.85 98.30 - 107.85 Structure 98.30 - 107.85 : UC Upper Contact, 40 Deg to CA | E829732 E829733 E829734 E829735 E829736 E829737 E829738 E829739 E829740 E829741 | 98.30 99.20 100.10 101.00 102.00 103.00 104.00 105.00 106.00 106.90 | 99.20 100.10 101.00 102.00 103.00 104.00 105.00 106.00 106.90 107.85 | 0.90 0.90 0.90 1.00 1.00 1.00 1.00 1.00 0.90 0.95 | 0.1631 0.1881 0.1018 0.0599 0.0912 0.2021 0.1360 0.1961 0.2705 0.0901 | 0.2741 0.2746 0.2023 0.1062 0.1147 0.3206 0.1394 0.3103 0.4145 0.1339 | 0.0126 0.0138 0.0110 0.0081 0.0103 0.0152 0.0132 0.0132 0.0167 0.0089 |
| 107.85 | 108.25 | MD, Mafic Dike Structure 107.85 - 108.25 : UC Upper Contact, 40 Deg to CA | E829742 | 107.85 | 108.25 | 0.40 | 0.0533 | 0.0694 | 0.0079 |
| 108.25 | 113.90 | PRDT, Peridotite Mineralization 108.25 - 113.90 Structure 108.25 - 113.90 : UC Upper Contact, 40 Deg to CA | E829743 E829744 E829745 E829746 E829747 E829748 | 108.25 109.00 110.00 111.00 112.00 113.00 | 109.00 110.00 111.00 112.00 113.00 113.90 | 0.75 1.00 1.00 1.00 1.00 0.90 | 0.0756 0.0470 0.0403 0.0442 0.0598 0.0593 | 0.1450 0.0804 0.0460 0.0492 0.1766 0.1161 | 0.0089 0.0077 0.0076 0.0079 0.0082 0.0066 |
| 113.90 | 116.20 | DIOR, Diorite Structure 113.90 - 116.20 : UC Upper Contact, 45 Deg to CA | E829749 E829750 | 113.90 115.00 | 115.00 116.00 | 1.10 1.00 | 0.0114 0.0098 | 0.0111 0.0132 | 0.0028 0.0026 |
| 116.20 | 116.60 | MD, Mafic Dike Structure 116.20 - 116.60 : UC Upper Contact, 40 Deg to CA | | | | | | | |

DETAILED LOG

Hole Number: CL-08-03

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|--|-------------------------------|----------------------------|----------------------------|----------------------|----------------------------|----------------------------|----------------------------|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 116.60 | 120.90 | DIOR, Diorite Structure 116.60 - 120.90 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 120.90 | 123.30 | PYXT, Pyroxenite Mineralization 120.90 - 123.30 Structure 120.90 - 123.30 : UC Upper Contact, 50 Deg to CA | | | | | | | |
| 123.30 | 126.70 | DIOR, Diorite Mineralization 123.30 - 126.70 Structure 123.30 - 126.70 : UC Upper Contact, 45 Deg to CA | E829751 E829752 E829753 | 124.00 124.90 125.80 | 124.90 125.80 126.70 | 0.90 0.90 0.90 | 0.0128 0.0197 0.0099 | 0.0228 0.0164 0.0157 | 0.0033 0.0035 0.0029 |
| 126.70 | 128.25 | PYXT, Pyroxenite Mineralization 126.70 - 128.25 Structure 126.70 - 128.25 : UC Upper Contact, 60 Deg to CA | E829754 | 126.70 | 128.25 | 1.55 | 0.1555 | 0.3197 | 0.0084 |

DETAILED LOG

Hole Number: CL-08-03

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|---|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 128.25 | 186.60 | DIOR, Diorite Mineralization 128.25 - 186.60 Structure 128.25 - 186.60 : UC Upper Contact, 45 Deg to CA 128.25 - 186.60 : FOL Foliated, 45 Deg to CA | E829756 | 128.25 | 129.50 | 1.25 | 0.0710 | 0.2643 | 0.0047 |
| | | | E829757 | 129.50 | 130.75 | 1.25 | 0.0391 | 0.1562 | 0.0033 |
| | | | E829758 | 130.75 | 132.00 | 1.25 | 0.0328 | 0.1361 | 0.0025 |
| | | | E829759 | 132.00 | 133.00 | 1.00 | 0.0645 | 0.2897 | 0.0039 |
| | | | E829760 | 133.00 | 134.00 | 1.00 | 0.0404 | 0.1717 | 0.0039 |
| | | | E829761 | 134.00 | 135.00 | 1.00 | 0.0622 | 0.2563 | 0.0042 |
| | | | E829762 | 135.00 | 136.00 | 1.00 | 0.0596 | 0.2717 | 0.0045 |
| | | | E829763 | 136.00 | 137.00 | 1.00 | 0.0544 | 0.2613 | 0.0040 |
| | | | E829765 | 137.00 | 138.00 | 1.00 | 0.1184 | 0.3524 | 0.0052 |
| | | | E829766 | 138.00 | 139.00 | 1.00 | 0.0636 | 0.2479 | 0.0036 |
| | | | E829767 | 139.00 | 140.00 | 1.00 | 0.0318 | 0.1620 | 0.0026 |
| | | | E829768 | 140.00 | 141.00 | 1.00 | 0.0848 | 0.2442 | 0.0044 |
| | | | E829769 | 141.00 | 142.00 | 1.00 | 0.1032 | 0.2293 | 0.0049 |
| | | | E829770 | 142.00 | 143.00 | 1.00 | 0.1302 | 0.3115 | 0.0076 |
| | | | E829771 | 143.00 | 144.00 | 1.00 | 0.0440 | 0.1920 | 0.0040 |
| | | | E829772 | 144.00 | 145.00 | 1.00 | 0.0887 | 0.2158 | 0.0049 |
| | | | E829773 | 145.00 | 146.00 | 1.00 | 0.0393 | 0.0925 | 0.0041 |
| | | | E829774 | 146.00 | 147.00 | 1.00 | 0.0590 | 0.1548 | 0.0043 |
| | | | E829775 | 147.00 | 148.50 | 1.50 | 0.0930 | 0.2874 | 0.0052 |
| | | | E829776 | 148.50 | 150.00 | 1.50 | 0.1061 | 0.2616 | 0.0060 |
| | | | E829777 | 150.00 | 151.50 | 1.50 | 0.0644 | 0.1884 | 0.0052 |
| | | | E829778 | 151.50 | 153.00 | 1.50 | 0.0159 | 0.0426 | 0.0037 |
| | | | E829779 | 153.00 | 154.50 | 1.50 | 0.0590 | 0.1381 | 0.0046 |
| | | | E829780 | 154.50 | 156.00 | 1.50 | 0.0483 | 0.1181 | 0.0045 |
| | | | E829781 | 156.00 | 157.50 | 1.50 | 0.0286 | 0.0593 | 0.0037 |
| | | | E829782 | 157.50 | 159.00 | 1.50 | 0.0289 | 0.0556 | 0.0037 |
| | | | E829783 | 159.00 | 160.50 | 1.50 | 0.0195 | 0.0417 | 0.0034 |
| | | | E829784 | 160.50 | 162.00 | 1.50 | 0.0047 | 0.0172 | 0.0026 |
| | | | E829785 | 162.00 | 163.50 | 1.50 | 0.0357 | 0.0673 | 0.0040 |
| | | | E829786 | 177.00 | 178.50 | 1.50 | 0.0533 | 0.1303 | 0.0042 |
| | | | E829787 | 178.50 | 180.00 | 1.50 | 0.0661 | 0.1715 | 0.0045 |
| | | | E829788 | 180.00 | 181.50 | 1.50 | 0.0834 | 0.1821 | 0.0055 |
| | | | E829789 | 181.50 | 183.00 | 1.50 | 0.0799 | 0.1912 | 0.0055 |
| | | | E829790 | 183.00 | 184.40 | 1.40 | 0.0784 | 0.1718 | 0.0051 |
| | | | E829791 | 184.40 | 185.80 | 1.40 | 0.0588 | 0.1595 | 0.0042 |
| | | | E829792 | 185.80 | 186.60 | 0.80 | 0.0776 | 0.1980 | 0.0053 |
| 186.60 | 189.00 | GAB, Gabbro Mineralization 186.60 - 189.00 Structure 186.60 - 189.00 : UC Upper Contact, 50 Deg to CA | E829794 | 186.60 | 187.80 | 1.20 | 0.0967 | 0.2219 | 0.0047 |
| | | | E829795 | 187.80 | 189.00 | 1.20 | 0.1451 | 0.3038 | 0.0058 |

DETAILED LOG

Hole Number: CL-08-03

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 189.00 | 193.20 | PYXT, Pyroxenite Mineralization 189.00 - 193.20 Structure 189.00 - 193.20 gradational | E829796 | 189.00 | 190.00 | 1.00 | 0.1532 | 0.3537 | 0.0062 |
| | | | E829797 | 190.00 | 191.00 | 1.00 | 0.1250 | 0.2157 | 0.0073 |
| | | | E829798 | 191.00 | 192.10 | 1.10 | 0.0297 | 0.0362 | 0.0045 |
| | | | E829799 | 192.10 | 193.20 | 1.10 | 0.0330 | 0.0706 | 0.0049 |
| 193.20 | 194.00 | MD, Mafic Dike Structure 193.20 - 194.00 : UC Upper Contact, 50 Deg to CA | E829800 | 193.20 | 194.00 | 0.80 | 0.0095 | 0.0147 | 0.0036 |
| | | | | | | | | | |
| | | | E829801 | 194.00 | 195.45 | 1.45 | 0.1269 | 0.2561 | 0.0059 |
| 194.00 | 195.45 | GAB, Gabbro Mineralization 194.00 - 195.45 Structure 194.00 - 195.45 : UC Upper Contact, 40 Deg to CA | E829802 | 195.45 | 196.40 | 0.95 | 0.0772 | 0.1999 | 0.0045 |
| | | | E829803 | 196.40 | 197.40 | 1.00 | 0.0775 | 0.2703 | 0.0042 |
| | | | | | | | | | |
| | | | | | | | | | |
| 195.45 | 197.40 | PYXT, Pyroxenite Mineralization 195.45 - 197.40 Structure 195.45 - 197.40 : UC Upper Contact, 70 Deg to CA | E829804 | 197.40 | 198.40 | 1.00 | 0.0561 | 0.1657 | 0.0045 |
| | | | E829805 | 198.40 | 199.40 | 1.00 | 0.0715 | 0.1516 | 0.0057 |
| | | | E829806 | 199.40 | 200.35 | 0.95 | 0.1255 | 0.3059 | 0.0064 |
| | | | | | | | | | |
| 197.40 | 200.35 | GAB, Gabbro Mineralization 197.40 - 200.35 Structure 197.40 - 200.35 gradational | E829807 | 200.35 | 201.20 | 0.85 | 0.2768 | 0.7684 | 0.0097 |
| | | | E829808 | 201.20 | 202.00 | 0.80 | 0.0854 | 0.2525 | 0.0046 |
| | | | E829810 | 202.00 | 203.00 | 1.00 | 0.1053 | 0.2556 | 0.0059 |
| | | | E829811 | 203.00 | 204.00 | 1.00 | 0.0157 | 0.0320 | 0.0031 |
| 200.35 | 207.80 | PYXT, Pyroxenite Mineralization 200.35 - 207.80 decreasing down unit Structure 200.35 - 207.80 gradational | E829812 | 204.00 | 205.30 | 1.30 | 0.0074 | 0.0177 | 0.0027 |
| | | | E829813 | 205.30 | 206.60 | 1.30 | 0.0062 | 0.0111 | 0.0024 |
| | | | E829814 | 206.60 | 207.80 | 1.20 | 0.0062 | 0.0098 | 0.0025 |
| | | | | | | | | | |
| 207.80 | 238.40 | GAB, Gabbro Mineralization 207.80 - 238.40 Structure 207.80 - 238.40 : UC Upper Contact, 35 Deg to CA | E829815 | 207.80 | 209.00 | 1.20 | 0.0047 | 0.0087 | 0.0019 |
| | | | | | | | | | |
| | | | | | | | | | |

DETAILED LOG

Hole Number: CL-08-03

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|--|---------------|----------|--------|------------|-----|-----|-----|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 238.40 | 249.00 | PYXT, Pyroxenite Mineralization 238.40 - 249.00 Structure 238.40 - 249.00 gradational | | | | | | | |

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|--------------------------|----------|--------|--------|--------|--------|
| Sample Type ASSAY | | | | | |
| E584453 | 8.00 | 9.00 | 0.0027 | 0.0029 | 0.0022 |
| E584454 | 9.00 | 10.00 | 0.0082 | 0.0326 | 0.0029 |
| E584455 | 10.00 | 11.00 | 0.0282 | 0.2757 | 0.0038 |
| E584456 | 23.00 | 24.00 | 0.0009 | 0.0012 | 0.0005 |
| E584457 | 24.00 | 25.30 | 0.0047 | 0.0156 | 0.0009 |
| E584458 | 25.30 | 26.15 | 0.0069 | 0.0024 | 0.0048 |
| E584459 | 26.15 | 26.90 | 0.0605 | 0.0898 | 0.0071 |
| E584460 | 26.90 | 27.70 | 0.1694 | 0.3276 | 0.0105 |
| E584461 | 27.70 | 28.70 | 0.0053 | 0.0023 | 0.0049 |
| E584462 | 32.30 | 33.20 | 0.0034 | 0.0069 | 0.0031 |
| E584463 | 33.20 | 34.10 | 0.1887 | 0.3986 | 0.0133 |
| E584464 | 34.10 | 35.00 | 0.1681 | 0.4466 | 0.0118 |
| E584465 | 35.00 | 36.00 | 0.0648 | 0.0453 | 0.0094 |
| E584466 | 36.00 | 36.75 | 0.0706 | 0.0717 | 0.0089 |
| E584467 | 36.75 | 37.50 | 0.0705 | 0.0434 | 0.0100 |
| E584468 | 37.50 | 38.50 | 0.0856 | 0.1486 | 0.0107 |
| E584469 | 38.50 | 39.40 | 0.0171 | 0.0218 | 0.0062 |
| E584470 | 39.40 | 40.20 | 0.1413 | 0.2555 | 0.0147 |
| E584471 | 40.20 | 41.00 | 0.1808 | 0.2569 | 0.0156 |
| E584472 | 41.00 | 42.00 | 0.3097 | 0.7416 | 0.0212 |
| E584474 | 42.00 | 43.00 | 0.3303 | 0.7715 | 0.0213 |
| E584475 | 43.00 | 44.00 | 0.4214 | 0.7440 | 0.0173 |
| E584476 | 44.00 | 45.00 | 0.4588 | 0.8966 | 0.0157 |
| E584477 | 45.00 | 46.00 | 0.1026 | 0.3227 | 0.0059 |
| E584478 | 46.00 | 47.00 | 0.0729 | 0.2162 | 0.0060 |
| E584479 | 47.00 | 48.00 | 0.0001 | 0.0595 | 0.0001 |
| E584480 | 48.00 | 49.00 | 0.0001 | 0.2306 | 0.0002 |
| E584481 | 49.00 | 50.00 | 0.0432 | 0.0933 | 0.0063 |

Hole Number: CL-08-03

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E584482 | 50.00 | 51.00 | 0.0744 | 0.2186 | 0.0077 |
| E584483 | 51.00 | 51.75 | 0.0819 | 0.3388 | 0.0081 |
| E584484 | 51.75 | 53.00 | 0.0341 | 0.0677 | 0.0056 |
| E584485 | 53.00 | 54.00 | 0.0354 | 0.0924 | 0.0053 |
| E584486 | 54.00 | 55.00 | 0.0556 | 0.1029 | 0.0058 |
| E584487 | 55.00 | 56.00 | 0.0467 | 0.0688 | 0.0064 |
| E584488 | 56.00 | 57.20 | 0.0338 | 0.1931 | 0.0047 |
| E584489 | 57.20 | 58.00 | 0.0010 | 0.6919 | 0.0126 |
| E584491 | 58.00 | 59.00 | 0.0001 | 0.0001 | 0.0001 |
| E584492 | 59.00 | 60.00 | 0.4013 | 0.9763 | 0.0175 |
| E584493 | 60.00 | 61.00 | 0.3129 | 0.8261 | 0.0157 |
| E584494 | 61.00 | 62.00 | 0.2973 | 0.7342 | 0.0165 |
| E584495 | 62.00 | 63.00 | 0.3090 | 0.6158 | 0.0190 |
| E584496 | 63.00 | 64.00 | 0.3358 | 0.5241 | 0.0259 |
| E584497 | 64.00 | 65.00 | 0.3220 | 0.8137 | 0.0270 |
| E584498 | 65.00 | 65.90 | 0.2166 | 0.4814 | 0.0161 |
| E584499 | 65.90 | 67.00 | 0.0147 | 0.0334 | 0.0043 |
| E584500 | 67.00 | 68.20 | 0.0105 | 0.0099 | 0.0035 |
| E829701 | 68.20 | 69.00 | 0.0432 | 0.0902 | 0.0048 |
| E829702 | 69.00 | 70.00 | 0.0101 | 0.0147 | 0.0026 |
| E829703 | 70.00 | 71.00 | 0.0376 | 0.0644 | 0.0047 |
| E829704 | 71.00 | 72.00 | 0.0103 | 0.0176 | 0.0026 |
| E829705 | 72.00 | 73.50 | 0.0110 | 0.0188 | 0.0027 |
| E829706 | 73.50 | 75.00 | 0.0079 | 0.0100 | 0.0022 |
| E829707 | 75.00 | 76.60 | 0.0058 | 0.0069 | 0.0022 |
| E829708 | 76.60 | 78.20 | 0.0300 | 0.0668 | 0.0041 |
| E829709 | 78.20 | 79.10 | 0.1166 | 0.2415 | 0.0123 |
| E829710 | 79.10 | 80.00 | 0.1571 | 0.3354 | 0.0153 |
| E829711 | 80.00 | 81.00 | 0.1882 | 0.3801 | 0.0159 |
| E829713 | 81.00 | 82.00 | 0.3042 | 0.3701 | 0.0246 |
| E829714 | 82.00 | 82.90 | 0.1585 | 0.3001 | 0.0139 |
| E829715 | 82.90 | 83.75 | 0.1516 | 0.2117 | 0.0125 |
| E829716 | 83.75 | 84.50 | 0.0150 | 0.0508 | 0.0044 |
| E829717 | 84.50 | 85.25 | 0.0200 | 0.0204 | 0.0058 |
| E829718 | 85.25 | 86.00 | 0.0196 | 0.0285 | 0.0048 |
| E829719 | 86.00 | 87.00 | 0.0301 | 0.0507 | 0.0058 |
| E829720 | 87.00 | 88.20 | 0.0118 | 0.0201 | 0.0039 |

Hole Number: CL-08-03

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E829721 | 88.20 | 89.40 | 0.0147 | 0.0293 | 0.0043 |
| E829722 | 89.40 | 89.90 | 0.0171 | 0.0054 | 0.0053 |
| E829723 | 89.90 | 90.60 | 0.0101 | 0.0096 | 0.0036 |
| E829724 | 90.60 | 92.10 | 0.0188 | 0.0021 | 0.0048 |
| E829725 | 92.10 | 93.00 | 0.0106 | 0.0123 | 0.0036 |
| E829726 | 93.00 | 94.00 | 0.0075 | 0.0138 | 0.0024 |
| E829727 | 94.00 | 95.00 | 0.0295 | 0.0696 | 0.0048 |
| E829728 | 95.00 | 96.00 | 0.0167 | 0.0224 | 0.0040 |
| E829729 | 96.00 | 97.10 | 0.0676 | 0.0737 | 0.0089 |
| E829730 | 97.10 | 98.30 | 0.1678 | 0.2725 | 0.0127 |
| E829732 | 98.30 | 99.20 | 0.1631 | 0.2741 | 0.0126 |
| E829733 | 99.20 | 100.10 | 0.1881 | 0.2746 | 0.0138 |
| E829734 | 100.10 | 101.00 | 0.1018 | 0.2023 | 0.0110 |
| E829735 | 101.00 | 102.00 | 0.0599 | 0.1062 | 0.0081 |
| E829736 | 102.00 | 103.00 | 0.0912 | 0.1147 | 0.0103 |
| E829737 | 103.00 | 104.00 | 0.2021 | 0.3206 | 0.0152 |
| E829738 | 104.00 | 105.00 | 0.1360 | 0.1394 | 0.0132 |
| E829739 | 105.00 | 106.00 | 0.1961 | 0.3103 | 0.0132 |
| E829740 | 106.00 | 106.90 | 0.2705 | 0.4145 | 0.0167 |
| E829741 | 106.90 | 107.85 | 0.0901 | 0.1339 | 0.0089 |
| E829742 | 107.85 | 108.25 | 0.0533 | 0.0694 | 0.0079 |
| E829743 | 108.25 | 109.00 | 0.0756 | 0.1450 | 0.0089 |
| E829744 | 109.00 | 110.00 | 0.0470 | 0.0804 | 0.0077 |
| E829745 | 110.00 | 111.00 | 0.0403 | 0.0460 | 0.0076 |
| E829746 | 111.00 | 112.00 | 0.0442 | 0.0492 | 0.0079 |
| E829747 | 112.00 | 113.00 | 0.0598 | 0.1766 | 0.0082 |
| E829748 | 113.00 | 113.90 | 0.0593 | 0.1161 | 0.0066 |
| E829749 | 113.90 | 115.00 | 0.0114 | 0.0111 | 0.0028 |
| E829750 | 115.00 | 116.00 | 0.0098 | 0.0132 | 0.0026 |
| E829751 | 124.00 | 124.90 | 0.0128 | 0.0228 | 0.0033 |
| E829752 | 124.90 | 125.80 | 0.0197 | 0.0164 | 0.0035 |
| E829753 | 125.80 | 126.70 | 0.0099 | 0.0157 | 0.0029 |
| E829754 | 126.70 | 128.25 | 0.1555 | 0.3197 | 0.0084 |
| E829756 | 128.25 | 129.50 | 0.0710 | 0.2643 | 0.0047 |
| E829757 | 129.50 | 130.75 | 0.0391 | 0.1562 | 0.0033 |
| E829758 | 130.75 | 132.00 | 0.0328 | 0.1361 | 0.0025 |
| E829759 | 132.00 | 133.00 | 0.0645 | 0.2897 | 0.0039 |

Hole Number: CL-08-03

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E829760 | 133.00 | 134.00 | 0.0404 | 0.1717 | 0.0039 |
| E829761 | 134.00 | 135.00 | 0.0622 | 0.2563 | 0.0042 |
| E829762 | 135.00 | 136.00 | 0.0596 | 0.2717 | 0.0045 |
| E829763 | 136.00 | 137.00 | 0.0544 | 0.2613 | 0.0040 |
| E829765 | 137.00 | 138.00 | 0.1184 | 0.3524 | 0.0052 |
| E829766 | 138.00 | 139.00 | 0.0636 | 0.2479 | 0.0036 |
| E829767 | 139.00 | 140.00 | 0.0318 | 0.1620 | 0.0026 |
| E829768 | 140.00 | 141.00 | 0.0848 | 0.2442 | 0.0044 |
| E829769 | 141.00 | 142.00 | 0.1032 | 0.2293 | 0.0049 |
| E829770 | 142.00 | 143.00 | 0.1302 | 0.3115 | 0.0076 |
| E829771 | 143.00 | 144.00 | 0.0440 | 0.1920 | 0.0040 |
| E829772 | 144.00 | 145.00 | 0.0887 | 0.2158 | 0.0049 |
| E829773 | 145.00 | 146.00 | 0.0393 | 0.0925 | 0.0041 |
| E829774 | 146.00 | 147.00 | 0.0590 | 0.1548 | 0.0043 |
| E829775 | 147.00 | 148.50 | 0.0930 | 0.2874 | 0.0052 |
| E829776 | 148.50 | 150.00 | 0.1061 | 0.2616 | 0.0060 |
| E829777 | 150.00 | 151.50 | 0.0644 | 0.1884 | 0.0052 |
| E829778 | 151.50 | 153.00 | 0.0159 | 0.0426 | 0.0037 |
| E829779 | 153.00 | 154.50 | 0.0590 | 0.1381 | 0.0046 |
| E829780 | 154.50 | 156.00 | 0.0483 | 0.1181 | 0.0045 |
| E829781 | 156.00 | 157.50 | 0.0286 | 0.0593 | 0.0037 |
| E829782 | 157.50 | 159.00 | 0.0289 | 0.0556 | 0.0037 |
| E829783 | 159.00 | 160.50 | 0.0195 | 0.0417 | 0.0034 |
| E829784 | 160.50 | 162.00 | 0.0047 | 0.0172 | 0.0026 |
| E829785 | 162.00 | 163.50 | 0.0357 | 0.0673 | 0.0040 |
| E829786 | 177.00 | 178.50 | 0.0533 | 0.1303 | 0.0042 |
| E829787 | 178.50 | 180.00 | 0.0661 | 0.1715 | 0.0045 |
| E829788 | 180.00 | 181.50 | 0.0834 | 0.1821 | 0.0055 |
| E829789 | 181.50 | 183.00 | 0.0799 | 0.1912 | 0.0055 |
| E829790 | 183.00 | 184.40 | 0.0784 | 0.1718 | 0.0051 |
| E829791 | 184.40 | 185.80 | 0.0588 | 0.1595 | 0.0042 |
| E829792 | 185.80 | 186.60 | 0.0776 | 0.1980 | 0.0053 |
| E829794 | 186.60 | 187.80 | 0.0967 | 0.2219 | 0.0047 |
| E829795 | 187.80 | 189.00 | 0.1451 | 0.3038 | 0.0058 |
| E829796 | 189.00 | 190.00 | 0.1532 | 0.3537 | 0.0062 |
| E829797 | 190.00 | 191.00 | 0.1250 | 0.2157 | 0.0073 |
| E829798 | 191.00 | 192.10 | 0.0297 | 0.0362 | 0.0045 |

Hole Number: CL-08-03

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E829799 | 192.10 | 193.20 | 0.0330 | 0.0706 | 0.0049 |
| E829800 | 193.20 | 194.00 | 0.0095 | 0.0147 | 0.0036 |
| E829801 | 194.00 | 195.45 | 0.1269 | 0.2561 | 0.0059 |
| E829802 | 195.45 | 196.40 | 0.0772 | 0.1999 | 0.0045 |
| E829803 | 196.40 | 197.40 | 0.0775 | 0.2703 | 0.0042 |
| E829804 | 197.40 | 198.40 | 0.0561 | 0.1657 | 0.0045 |
| E829805 | 198.40 | 199.40 | 0.0715 | 0.1516 | 0.0057 |
| E829806 | 199.40 | 200.35 | 0.1255 | 0.3059 | 0.0064 |
| E829807 | 200.35 | 201.20 | 0.2768 | 0.7684 | 0.0097 |
| E829808 | 201.20 | 202.00 | 0.0854 | 0.2525 | 0.0046 |
| E829810 | 202.00 | 203.00 | 0.1053 | 0.2556 | 0.0059 |
| E829811 | 203.00 | 204.00 | 0.0157 | 0.0320 | 0.0031 |
| E829812 | 204.00 | 205.30 | 0.0074 | 0.0177 | 0.0027 |
| E829813 | 205.30 | 206.60 | 0.0062 | 0.0111 | 0.0024 |
| E829814 | 206.60 | 207.80 | 0.0062 | 0.0098 | 0.0025 |
| E829815 | 207.80 | 209.00 | 0.0047 | 0.0087 | 0.0019 |

DETAILED LOG

Hole Number: CL-08-02

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 27.80 | 29.00 | DIOR, Diorite Structure 27.80 - 29.00 : UC Upper Contact, 60 Deg to CA | | | | | | | |
| 29.00 | 29.45 | MV, Mafic Volcanic Structure 29.00 - 29.45 : UC Upper Contact, 50 Deg to CA | | | | | | | |
| 29.45 | 31.00 | DIOR, Diorite Structure 29.45 - 31.00 : UC Upper Contact, 60 Deg to CA | | | | | | | |
| 31.00 | 31.40 | MV, Mafic Volcanic Structure 31.00 - 31.40 : UC Upper Contact, 50 Deg to CA | | | | | | | |
| 31.40 | 47.30 | DIOR, Diorite Structure 31.40 - 47.30 : UC Upper Contact, 40 Deg to CA | | | | | | | |
| 47.30 | 47.70 | MV, Mafic Volcanic Structure 47.30 - 47.70 : UC Upper Contact, 35 Deg to CA | | | | | | | |
| 47.70 | 72.05 | DIOR, Diorite Structure 47.70 - 72.05 : FOL Foliated, 30 Deg to CA 47.70 - 72.05 : UC Upper Contact, 45 Deg to CA | E584362 | 59.00 | 60.00 | 1.00 | 0.0012 | 0.0026 | 0.0015 |
| | | | E584363 | 60.00 | 61.00 | 1.00 | 0.0022 | 0.0026 | 0.0021 |
| | | | E584364 | 61.00 | 62.00 | 1.00 | 0.0023 | 0.0046 | 0.0022 |
| | | | E584365 | 62.00 | 63.00 | 1.00 | 0.0025 | 0.0043 | 0.0024 |
| 72.05 | 74.00 | MV, Mafic Volcanic Structure 72.05 - 74.00 : UC Upper Contact, 80 Deg to CA | | | | | | | |

DETAILED LOG

Hole Number: CL-08-02

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|---|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 74.00 | 165.00 | DIOR, Diorite Mineralization 74.00 - 165.00 Structure 74.00 - 165.00 : UC Upper Contact, 80 Deg to CA | E584366 | 93.00 | 94.00 | 1.00 | 0.0028 | 0.0057 | 0.0026 |
| | | | E584367 | 94.00 | 95.00 | 1.00 | 0.0034 | 0.0049 | 0.0036 |
| | | | E584368 | 95.00 | 96.00 | 1.00 | 0.0040 | 0.0064 | 0.0045 |
| | | | E584370 | 96.00 | 97.00 | 1.00 | 0.0039 | 0.0050 | 0.0043 |
| | | | E584371 | 97.00 | 98.00 | 1.00 | 0.0031 | 0.0059 | 0.0032 |
| | | | E584372 | 98.00 | 99.00 | 1.00 | 0.0035 | 0.0059 | 0.0036 |
| | | | E584373 | 99.00 | 100.00 | 1.00 | 0.0025 | 0.0066 | 0.0028 |
| | | | E584374 | 100.00 | 101.00 | 1.00 | 0.0035 | 0.0121 | 0.0038 |
| | | | E584375 | 101.00 | 102.00 | 1.00 | 0.0030 | 0.0080 | 0.0032 |
| | | | E584376 | 102.00 | 103.00 | 1.00 | 0.0031 | 0.0056 | 0.0029 |
| | | | E584377 | 110.00 | 111.00 | 1.00 | 0.0021 | 0.0049 | 0.0025 |
| | | | E584378 | 111.00 | 112.00 | 1.00 | 0.0024 | 0.0051 | 0.0027 |
| | | | E584379 | 112.00 | 113.00 | 1.00 | 0.0041 | 0.0133 | 0.0046 |
| | | | E584381 | 113.00 | 114.00 | 1.00 | 0.0038 | 0.0076 | 0.0036 |
| | | | E584382 | 114.00 | 115.00 | 1.00 | 0.0024 | 0.0057 | 0.0033 |
| | | | E584383 | 129.00 | 130.00 | 1.00 | 0.0018 | 0.0055 | 0.0032 |
| | | | E584384 | 130.00 | 131.00 | 1.00 | 0.0031 | 0.0071 | 0.0033 |
| | | | E584385 | 131.00 | 132.00 | 1.00 | 0.0033 | 0.0075 | 0.0041 |
| | | | E584386 | 132.00 | 133.00 | 1.00 | 0.0028 | 0.0065 | 0.0031 |
| | | | E584387 | 133.00 | 134.00 | 1.00 | 0.0063 | 0.0450 | 0.0063 |
| | | | E584388 | 134.00 | 135.00 | 1.00 | 0.0029 | 0.0130 | 0.0040 |
| | | | E584389 | 135.00 | 136.00 | 1.00 | 0.0011 | 0.0054 | 0.0025 |
| | | | E584390 | 136.00 | 137.00 | 1.00 | 0.0020 | 0.0038 | 0.0024 |
| | | | E584391 | 137.00 | 138.00 | 1.00 | 0.0022 | 0.0045 | 0.0024 |
| | | | E584392 | 155.00 | 156.00 | 1.00 | 0.0016 | 0.0084 | 0.0028 |
| | | | E584393 | 156.00 | 157.00 | 1.00 | 0.0238 | 0.1227 | 0.0030 |
| | | | E584394 | 157.00 | 158.00 | 1.00 | 0.0014 | 0.0057 | 0.0023 |
| | | | E584395 | 164.00 | 165.00 | 1.00 | 0.0035 | 0.0078 | 0.0036 |
| 165.00 | 169.10 | MV, Mafic Volcanic Mineralization 165.00 - 169.10 Structure 165.00 - 169.10 gradational | E584396 | 165.00 | 166.00 | 1.00 | 0.0030 | 0.0111 | 0.0039 |
| | | | E584397 | 166.00 | 167.00 | 1.00 | 0.0042 | 0.0037 | 0.0038 |
| 169.10 | 171.00 | DIOR, Diorite Structure 169.10 - 171.00 : UC Upper Contact, 75 Deg to CA | | | | | | | |
| 171.00 | 171.55 | MV, Mafic Volcanic Structure 171.00 - 171.55 : UC Upper Contact, 80 Deg to CA | | | | | | | |

DETAILED LOG

Hole Number: CL-08-02

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 171.55 | 194.75 | DIOR, Diorite | E584398 | 177.00 | 178.00 | 1.00 | 0.0039 | 0.0119 | 0.0030 |
| | | Mineralization | E584399 | 178.00 | 179.00 | 1.00 | 0.0557 | 0.1546 | 0.0045 |
| | | 171.55 - 194.75 patchy, up to 3-5% locally | E584400 | 179.00 | 180.00 | 1.00 | 0.0172 | 0.1159 | 0.0029 |
| | | Structure | E584401 | 180.00 | 181.00 | 1.00 | 0.0180 | 0.0280 | 0.0030 |
| | | 171.55 - 194.75 : UC Upper Contact, 55 Deg to CA | E584402 | 181.00 | 182.00 | 1.00 | 0.0237 | 0.0862 | 0.0035 |
| | | | E584403 | 182.00 | 183.00 | 1.00 | 0.0175 | 0.0773 | 0.0043 |
| | | | E584404 | 183.00 | 184.00 | 1.00 | 0.0424 | 0.0903 | 0.0055 |
| | | | E584405 | 184.00 | 185.00 | 1.00 | 0.0393 | 0.1529 | 0.0047 |
| | | | E584406 | 185.00 | 186.00 | 1.00 | 0.1406 | 0.3530 | 0.0081 |
| | | | E584407 | 186.00 | 187.00 | 1.00 | 0.0473 | 0.1453 | 0.0038 |
| | | | E584408 | 187.00 | 188.00 | 1.00 | 0.0095 | 0.0418 | 0.0032 |
| | | | E584409 | 188.00 | 189.00 | 1.00 | 0.0072 | 0.0351 | 0.0040 |
| | | | E584410 | 189.00 | 190.00 | 1.00 | 0.1079 | 0.2816 | 0.0075 |
| | | | E584412 | 190.00 | 191.00 | 1.00 | 0.0600 | 0.1192 | 0.0049 |
| | | | E584413 | 191.00 | 192.00 | 1.00 | 0.0223 | 0.0974 | 0.0042 |
| | | | E584414 | 192.00 | 193.00 | 1.00 | 0.0349 | 0.0832 | 0.0039 |
| | | | E584415 | 193.00 | 194.00 | 1.00 | 0.0043 | 0.0213 | 0.0028 |
| | | | E584416 | 194.00 | 194.75 | 0.75 | 0.0985 | 0.0906 | 0.0102 |
| 194.75 | 195.75 | FD, Felsic Dike | E584417 | 194.75 | 195.75 | 1.00 | 0.0080 | 0.0078 | 0.0010 |
| 195.75 | 204.40 | Structure | | | | | | | |
| | | 194.75 - 195.75 : UC Upper Contact, 30 Deg to CA | | | | | | | |
| | | PYXT, Pyroxenite | E584418 | 195.75 | 197.00 | 1.25 | 0.0235 | 0.0102 | 0.0035 |
| | | Mineralization | E584419 | 197.00 | 198.00 | 1.00 | 0.0231 | 0.0091 | 0.0039 |
| | | 195.75 - 204.40 | E584420 | 198.00 | 199.00 | 1.00 | 0.0241 | 0.0093 | 0.0039 |
| | | Structure | E584421 | 199.00 | 200.00 | 1.00 | 0.0274 | 0.0104 | 0.0041 |
| | | 195.75 - 204.40 : UC Upper Contact, 50 Deg to CA | E584422 | 200.00 | 201.00 | 1.00 | 0.0253 | 0.0144 | 0.0042 |
| | | | E584423 | 201.00 | 202.00 | 1.00 | 0.0276 | 0.0103 | 0.0044 |
| | | | E584424 | 202.00 | 203.20 | 1.20 | 0.0226 | 0.0112 | 0.0037 |
| | | | E584425 | 203.20 | 204.40 | 1.20 | 0.0171 | 0.0179 | 0.0036 |
| 204.40 | 212.00 | DIOR, Diorite | E584426 | 204.40 | 205.20 | 0.80 | 0.0157 | 0.0564 | 0.0026 |
| | | Mineralization | E584427 | 205.20 | 206.00 | 0.80 | 0.0278 | 0.1300 | 0.0032 |
| | | 204.40 - 212.00 | E584428 | 206.00 | 207.00 | 1.00 | 0.0758 | 0.2572 | 0.0043 |
| | | Structure | E584429 | 207.00 | 208.00 | 1.00 | 0.0573 | 0.3382 | 0.0035 |
| | | 204.40 - 212.00 : UC Upper Contact, 45 Deg to CA | E584430 | 208.00 | 209.00 | 1.00 | 0.0836 | 0.2335 | 0.0044 |
| | | | E584431 | 209.00 | 210.00 | 1.00 | 0.0559 | 0.1622 | 0.0037 |
| | | | E584432 | 210.00 | 211.00 | 1.00 | 0.0952 | 0.2734 | 0.0048 |
| | | | E584433 | 211.00 | 212.00 | 1.00 | 0.1467 | 0.3290 | 0.0068 |

DETAILED LOG

Hole Number: CL-08-02

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|---|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 212.00 | 226.70 | GAB, Gabbro Mineralization 212.00 - 226.70 Structure 212.00 - 226.70 : UC Upper Contact, 70 Deg to CA | E584434 | 212.00 | 213.00 | 1.00 | 0.1284 | 0.4167 | 0.0053 |
| | | | E584436 | 213.00 | 214.00 | 1.00 | 0.0904 | 0.3135 | 0.0038 |
| | | | E584437 | 214.00 | 215.00 | 1.00 | 0.0186 | 0.0506 | 0.0019 |
| | | | E584438 | 215.00 | 216.00 | 1.00 | 0.0114 | 0.0260 | 0.0013 |
| | | | E584439 | 216.00 | 217.00 | 1.00 | 0.0540 | 0.1920 | 0.0034 |
| | | | E584440 | 217.00 | 218.00 | 1.00 | 0.0602 | 0.1537 | 0.0034 |
| | | | E584441 | 218.00 | 219.00 | 1.00 | 0.0369 | 0.1670 | 0.0026 |
| | | | E584442 | 219.00 | 220.00 | 1.00 | 0.0441 | 0.1921 | 0.0027 |
| | | | E584443 | 220.00 | 221.00 | 1.00 | 0.0163 | 0.0533 | 0.0019 |
| | | | E584444 | 221.00 | 222.00 | 1.00 | 0.0030 | 0.0038 | 0.0014 |
| 226.70 | 227.00 | MV, Mafic Volcanic Structure 226.70 - 227.00 : UC Upper Contact, 35 Deg to CA | | | | | | | |
| 227.00 | 233.40 | GAB, Gabbro Mineralization 227.00 - 233.40 Structure 227.00 - 233.40 : UC Upper Contact, 45 Deg to CA | | | | | | | |
| 233.40 | 242.00 | FD, Felsic Dike Mineralization 233.40 - 242.00 Structure 233.40 - 242.00 : FOL Foliated, 30 Deg to CA 233.40 - 242.00 : UC Upper Contact, 25 Deg to CA | E584445 | 240.00 | 241.00 | 1.00 | 0.0095 | 0.0068 | 0.0038 |
| | | | E584446 | 241.00 | 242.00 | 1.00 | 0.0082 | 0.0104 | 0.0031 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 242.00 | 243.90 | PYXT, Pyroxenite Mineralization 242.00 - 243.90 Structure 242.00 - 243.90 : UC Upper Contact, 30 Deg to CA | E584447 | 242.00 | 243.00 | 1.00 | 0.0097 | 0.0078 | 0.0033 |
| | | | E584448 | 243.00 | 243.90 | 0.90 | 0.0070 | 0.0074 | 0.0028 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 243.90 | 249.55 | DI OR, Diorite Mineralization 243.90 - 249.55 mm scale Structure 243.90 - 249.55 : UC Upper Contact, 35 Deg to CA | E584449 | 243.90 | 245.00 | 1.10 | 0.0053 | 0.0080 | 0.0022 |
| | | | E584450 | 245.00 | 246.00 | 1.00 | 0.0052 | 0.0088 | 0.0020 |
| | | | E584451 | 246.00 | 247.00 | 1.00 | 0.0071 | 0.0132 | 0.0023 |
| | | | E584452 | 247.00 | 248.00 | 1.00 | 0.0066 | 0.0119 | 0.0023 |
| | | | | | | | | | |
| | | | | | | | | | |
| 249.55 | 250.00 | MV, Mafic Volcanic Structure 249.55 - 250.00 : UC Upper Contact, 40 Deg to CA | | | | | | | |

DETAILED LOG

Hole Number: CL-08-02

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | |
|--------------------|--------|---|---------------|----------|--------|------------|-----|-----|-----|
| From (m) | To (m) | Lithology | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 250.00 | 258.05 | DIOR, Diorite Mineralization 250.00 - 258.05 Structure 250.00 - 258.05 : UC Upper Contact, 70 Deg to CA | | | | | | | |
| 258.05 | 258.40 | MD, Mafic Dike Structure 258.05 - 258.40 : UC Upper Contact, 40 Deg to CA | | | | | | | |
| 258.40 | 262.20 | DIOR, Diorite Structure 258.40 - 262.20 : UC Upper Contact, 60 Deg to CA | | | | | | | |
| 262.20 | 264.15 | MD, Mafic Dike Structure 262.20 - 264.15 : UC Upper Contact, 35 Deg to CA | | | | | | | |
| 264.15 | 270.00 | DIOR, Diorite Structure 264.15 - 270.00 : UC Upper Contact, 15 Deg to CA | | | | | | | |

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|-------------------|----------|--------|--------|--------|--------|
| Sample Type ASSAY | | | | | |
| E584357 | 16.75 | 18.00 | 0.0050 | 0.0031 | 0.0029 |
| E584358 | 18.00 | 19.25 | 0.0018 | 0.0033 | 0.0024 |
| E584359 | 19.25 | 20.10 | 0.0013 | 0.0040 | 0.0018 |
| E584360 | 20.10 | 21.00 | 0.0008 | 0.0022 | 0.0014 |
| E584361 | 21.00 | 22.00 | 0.0011 | 0.0033 | 0.0015 |
| E584362 | 59.00 | 60.00 | 0.0012 | 0.0026 | 0.0015 |
| E584363 | 60.00 | 61.00 | 0.0022 | 0.0026 | 0.0021 |
| E584364 | 61.00 | 62.00 | 0.0023 | 0.0046 | 0.0022 |
| E584365 | 62.00 | 63.00 | 0.0025 | 0.0043 | 0.0024 |
| E584366 | 93.00 | 94.00 | 0.0028 | 0.0057 | 0.0026 |
| E584367 | 94.00 | 95.00 | 0.0034 | 0.0049 | 0.0036 |
| E584368 | 95.00 | 96.00 | 0.0040 | 0.0064 | 0.0045 |
| E584370 | 96.00 | 97.00 | 0.0039 | 0.0050 | 0.0043 |
| E584371 | 97.00 | 98.00 | 0.0031 | 0.0059 | 0.0032 |
| E584372 | 98.00 | 99.00 | 0.0035 | 0.0059 | 0.0036 |
| E584373 | 99.00 | 100.00 | 0.0025 | 0.0066 | 0.0028 |
| E584374 | 100.00 | 101.00 | 0.0035 | 0.0121 | 0.0038 |
| E584375 | 101.00 | 102.00 | 0.0030 | 0.0080 | 0.0032 |

Hole Number: CL-08-02

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E584376 | 102.00 | 103.00 | 0.0031 | 0.0056 | 0.0029 |
| E584377 | 110.00 | 111.00 | 0.0021 | 0.0049 | 0.0025 |
| E584378 | 111.00 | 112.00 | 0.0024 | 0.0051 | 0.0027 |
| E584379 | 112.00 | 113.00 | 0.0041 | 0.0133 | 0.0046 |
| E584381 | 113.00 | 114.00 | 0.0038 | 0.0076 | 0.0036 |
| E584382 | 114.00 | 115.00 | 0.0024 | 0.0057 | 0.0033 |
| E584383 | 129.00 | 130.00 | 0.0018 | 0.0055 | 0.0032 |
| E584384 | 130.00 | 131.00 | 0.0031 | 0.0071 | 0.0033 |
| E584385 | 131.00 | 132.00 | 0.0033 | 0.0075 | 0.0041 |
| E584386 | 132.00 | 133.00 | 0.0028 | 0.0065 | 0.0031 |
| E584387 | 133.00 | 134.00 | 0.0063 | 0.0450 | 0.0063 |
| E584388 | 134.00 | 135.00 | 0.0029 | 0.0130 | 0.0040 |
| E584389 | 135.00 | 136.00 | 0.0011 | 0.0054 | 0.0025 |
| E584390 | 136.00 | 137.00 | 0.0020 | 0.0038 | 0.0024 |
| E584391 | 137.00 | 138.00 | 0.0022 | 0.0045 | 0.0024 |
| E584392 | 155.00 | 156.00 | 0.0016 | 0.0084 | 0.0028 |
| E584393 | 156.00 | 157.00 | 0.0238 | 0.1227 | 0.0030 |
| E584394 | 157.00 | 158.00 | 0.0014 | 0.0057 | 0.0023 |
| E584395 | 164.00 | 165.00 | 0.0035 | 0.0078 | 0.0036 |
| E584396 | 165.00 | 166.00 | 0.0030 | 0.0111 | 0.0039 |
| E584397 | 166.00 | 167.00 | 0.0042 | 0.0037 | 0.0038 |
| E584398 | 177.00 | 178.00 | 0.0039 | 0.0119 | 0.0030 |
| E584399 | 178.00 | 179.00 | 0.0557 | 0.1546 | 0.0045 |
| E584400 | 179.00 | 180.00 | 0.0172 | 0.1159 | 0.0029 |
| E584401 | 180.00 | 181.00 | 0.0180 | 0.0280 | 0.0030 |
| E584402 | 181.00 | 182.00 | 0.0237 | 0.0862 | 0.0035 |
| E584403 | 182.00 | 183.00 | 0.0175 | 0.0773 | 0.0043 |
| E584404 | 183.00 | 184.00 | 0.0424 | 0.0903 | 0.0055 |
| E584405 | 184.00 | 185.00 | 0.0393 | 0.1529 | 0.0047 |
| E584406 | 185.00 | 186.00 | 0.1406 | 0.3530 | 0.0081 |
| E584407 | 186.00 | 187.00 | 0.0473 | 0.1453 | 0.0038 |
| E584408 | 187.00 | 188.00 | 0.0095 | 0.0418 | 0.0032 |
| E584409 | 188.00 | 189.00 | 0.0072 | 0.0351 | 0.0040 |
| E584410 | 189.00 | 190.00 | 0.1079 | 0.2816 | 0.0075 |
| E584412 | 190.00 | 191.00 | 0.0600 | 0.1192 | 0.0049 |
| E584413 | 191.00 | 192.00 | 0.0223 | 0.0974 | 0.0042 |
| E584414 | 192.00 | 193.00 | 0.0349 | 0.0832 | 0.0039 |

Hole Number: CL-08-02

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E584415 | 193.00 | 194.00 | 0.0043 | 0.0213 | 0.0028 |
| E584416 | 194.00 | 194.75 | 0.0985 | 0.0906 | 0.0102 |
| E584417 | 194.75 | 195.75 | 0.0080 | 0.0078 | 0.0010 |
| E584418 | 195.75 | 197.00 | 0.0235 | 0.0102 | 0.0035 |
| E584419 | 197.00 | 198.00 | 0.0231 | 0.0091 | 0.0039 |
| E584420 | 198.00 | 199.00 | 0.0241 | 0.0093 | 0.0039 |
| E584421 | 199.00 | 200.00 | 0.0274 | 0.0104 | 0.0041 |
| E584422 | 200.00 | 201.00 | 0.0253 | 0.0144 | 0.0042 |
| E584423 | 201.00 | 202.00 | 0.0276 | 0.0103 | 0.0044 |
| E584424 | 202.00 | 203.20 | 0.0226 | 0.0112 | 0.0037 |
| E584425 | 203.20 | 204.40 | 0.0171 | 0.0179 | 0.0036 |
| E584426 | 204.40 | 205.20 | 0.0157 | 0.0564 | 0.0026 |
| E584427 | 205.20 | 206.00 | 0.0278 | 0.1300 | 0.0032 |
| E584428 | 206.00 | 207.00 | 0.0758 | 0.2572 | 0.0043 |
| E584429 | 207.00 | 208.00 | 0.0573 | 0.3382 | 0.0035 |
| E584430 | 208.00 | 209.00 | 0.0836 | 0.2335 | 0.0044 |
| E584431 | 209.00 | 210.00 | 0.0559 | 0.1622 | 0.0037 |
| E584432 | 210.00 | 211.00 | 0.0952 | 0.2734 | 0.0048 |
| E584433 | 211.00 | 212.00 | 0.1467 | 0.3290 | 0.0068 |
| E584434 | 212.00 | 213.00 | 0.1284 | 0.4167 | 0.0053 |
| E584436 | 213.00 | 214.00 | 0.0904 | 0.3135 | 0.0038 |
| E584437 | 214.00 | 215.00 | 0.0186 | 0.0506 | 0.0019 |
| E584438 | 215.00 | 216.00 | 0.0114 | 0.0260 | 0.0013 |
| E584439 | 216.00 | 217.00 | 0.0540 | 0.1920 | 0.0034 |
| E584440 | 217.00 | 218.00 | 0.0602 | 0.1537 | 0.0034 |
| E584441 | 218.00 | 219.00 | 0.0369 | 0.1670 | 0.0026 |
| E584442 | 219.00 | 220.00 | 0.0441 | 0.1921 | 0.0027 |
| E584443 | 220.00 | 221.00 | 0.0163 | 0.0533 | 0.0019 |
| E584444 | 221.00 | 222.00 | 0.0030 | 0.0038 | 0.0014 |
| E584445 | 240.00 | 241.00 | 0.0095 | 0.0068 | 0.0038 |
| E584446 | 241.00 | 242.00 | 0.0082 | 0.0104 | 0.0031 |
| E584447 | 242.00 | 243.00 | 0.0097 | 0.0078 | 0.0033 |
| E584448 | 243.00 | 243.90 | 0.0070 | 0.0074 | 0.0028 |
| E584449 | 243.90 | 245.00 | 0.0053 | 0.0080 | 0.0022 |
| E584450 | 245.00 | 246.00 | 0.0052 | 0.0088 | 0.0020 |
| E584451 | 246.00 | 247.00 | 0.0071 | 0.0132 | 0.0023 |

DETAILED LOG

Hole Number: CL-08-02

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|-------------------|----------|--------|--------|--------|--------|
| Sample Type ASSAY | | | | | |
| E584452 | 247.00 | 248.00 | 0.0066 | 0.0119 | 0.0023 |

DETAILED LOG

Hole Number: CL-08-01

Units: METRIC

| | | | | | | | |
|-----------------|--------------|---------------------|------------|-------------------------|--------------|---------------|--------------------|
| Project Name: | Denmark Lake | Primary Coordinates | Grid: UTM: | Destination Coordinates | Grid: UTM: | Collar Dip: | -49.00 |
| Project Number: | 18600 | North: | 5470754.00 | North: | 5470754.00 | Collar Az: | 229.60 |
| Location: | Surface | East: | 451682.00 | East: | 451682.00 | Length: | 204.00 (m) |
| | | Elev: | 341.00 | Elev: | 341.00 | Start Depth: | 0.00 (m) |
| Date Started: | Mar 06, 2008 | Collar Survey: | N | Plugged: | N | Contractor: | Morris Drilling |
| Date Completed: | Mar 08, 2008 | Multishot Survey: | N | Hole Size: | NQ | Core Storage: | Kenbridge Minesite |
| Logged By: | pm | Pulse EM Survey: | N | Casing: | Left in Hole | | |
| Comments: | | | | | | | |

Sample Averages

| Average Type | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
|--------------|----------|--------|------------|--------|--------|--------|
| WEIGHTED | 39.40 | 42.00 | 2.60 | 1.7186 | 0.8562 | 0.0596 |
| WEIGHTED | 56.25 | 64.00 | 7.75 | 0.3391 | 0.2862 | 0.0136 |

Survey Data

| Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments | Depth (m) | Azimuth Decimal | Dip Decimal | Test Type | Flag | Comments |
|-----------|-----------------|-------------|-----------|------|----------|-----------|-----------------|-------------|-----------|------|----------|
| 54.00 | 229.60 | -49.00 | EZ | OK | | 102.00 | 222.80 | -47.90 | EZ | DO | |
| 150.00 | 228.10 | -48.20 | EZ | OK | | 204.00 | 234.20 | -48.10 | EZ | OK | |

| Detailed Lithology | | Assay Data | | | | | | | | | | |
|--------------------|--------|---|--|--|--|---------------|----------|--------|------------|-----|-----|-----|
| From (m) | To (m) | Lithology | | | | Sample Number | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 0 | 7.60 | CAS, Casing | | | | | | | | | | |
| 7.60 | 9.35 | MV, Mafic Volcanic Structure 7.60 - 9.35 : FOL Foliated, 50 Deg to CA | | | | | | | | | | |
| 9.35 | 9.90 | DIOR, Diorite Mineralization 9.35 - 9.90 Structure 9.35 - 9.90 : FOL Foliated, 40 Deg to CA 9.35 - 9.90 : UC Upper Contact, 40 Deg to CA | | | | | | | | | | |
| 9.90 | 10.20 | MV, Mafic Volcanic Structure 9.90 - 10.20 Irregular | | | | | | | | | | |
| 10.20 | 10.65 | DIOR, Diorite Structure 10.20 - 10.65 : FOL Foliated, 40 Deg to CA 10.20 - 10.65 : UC Upper Contact, 35 Deg to CA | | | | | | | | | | |

DETAILED LOG

Hole Number: CL-08-01

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|---|---|---|---|--|--|--|--|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 10.65 | 11.15 | MV, Mafic Volcanic Structure 10.65 - 11.15 : UC Upper Contact, 40 Deg to CA | | | | | | | |
| 11.15 | 27.60 | DIOR, Diorite Mineralization 11.15 - 27.60 Structure 11.15 - 27.60 : UC Upper Contact, 40 Deg to CA | E584201 E584202 E584203 E584204 | 22.50 24.00 25.20 26.40 | 24.00 25.20 26.40 27.60 | 1.50 1.20 1.20 1.20 | 0.0025 0.0036 0.0038 0.0059 | 0.0056 0.0035 0.0033 0.0198 | 0.0016 0.0026 0.0028 0.0029 |
| 27.60 | 28.10 | MD, Mafic Dike Structure 27.60 - 28.10 : FOL Foliated, 60 Deg to CA 27.60 - 28.10 : UC Upper Contact, 70 Deg to CA | E584205 | 27.60 | 28.10 | 0.50 | 0.0079 | 0.0247 | 0.0035 |
| 28.10 | 39.40 | DIOR, Diorite Mineralization 28.10 - 39.40 Structure 28.10 - 39.40 : UC Upper Contact, 40 Deg to CA | E584206 E584207 E584208 E584209 E584210 E584211 E584212 E584213 E584214 E584215 E584216 | 28.10 29.00 30.00 31.00 32.00 33.00 34.00 35.00 36.00 37.00 38.20 | 29.00 30.00 31.00 32.00 33.00 34.00 35.00 36.00 37.00 38.20 39.40 | 0.90 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.20 1.20 | 0.0118 0.0111 0.0101 0.0058 0.0040 0.0057 0.0066 0.0066 0.0058 0.0322 0.0323 | 0.0683 0.0742 0.0720 0.0125 0.0107 0.0289 0.0364 0.0239 0.0128 0.0855 0.1576 | 0.0031 0.0030 0.0031 0.0028 0.0026 0.0029 0.0027 0.0031 0.0021 0.0036 0.0033 |
| 39.40 | 40.20 | PYXT, Pyroxenite Mineralization 39.40 - 40.20 Structure 39.40 - 40.20 : UC Upper Contact, 30 Deg to CA | E584217 | 39.40 | 40.20 | 0.80 | 0.5211 | 0.4342 | 0.0155 |
| 40.20 | 40.95 | MS, Massive Sulphide | E584218 | 40.20 | 40.95 | 0.75 | 4.5122 | 0.4972 | 0.1637 |
| 40.95 | 44.50 | PYXT, Pyroxenite Mineralization 40.95 - 44.50 Structure 40.95 - 44.50 : UC Upper Contact, 40 Deg to CA | E584220 E584221 E584222 | 40.95 42.00 43.25 | 42.00 43.25 44.50 | 1.05 1.25 1.25 | 0.6355 0.0982 0.1880 | 1.4340 0.2863 0.3955 | 0.0189 0.0077 0.0092 |
| 44.50 | 54.60 | DIOR, Diorite Mineralization 44.50 - 54.60 Structure 44.50 - 54.60 : UC Upper Contact, 80 Deg to CA | E584223 E584224 E584225 E584226 E584227 E584228 E584229 E584230 | 44.50 45.75 47.00 48.00 49.50 51.00 52.50 53.50 | 45.75 47.00 48.00 49.50 51.00 52.50 53.50 54.60 | 1.25 1.25 1.00 1.50 1.50 1.50 1.00 1.10 | 0.1667 0.0493 0.1194 0.1637 0.0574 0.0597 0.1226 0.0343 | 0.2229 0.2014 0.4808 0.4579 0.2736 0.3549 0.5719 0.2404 | 0.0066 0.0040 0.0059 0.0064 0.0033 0.0037 0.0048 0.0032 |

DETAILED LOG

Hole Number: CL-08-01

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|--|---|--|--|--|--|--|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 54.60 | 56.25 | MV, Mafic Volcanic Structure 54.60 - 56.25 : FOL Foliated, 70 Deg to CA 56.00 - 56.25 | E584231 E584232 | 54.60 55.40 | 55.40 56.25 | 0.80 0.85 | 0.0228 0.0598 | 0.0967 0.1450 | 0.0034 0.0048 |
| 56.25 | 88.20 | PYXT, Pyroxenite Mineralization 56.25 - 88.20 Structure 56.25 - 88.20 : UC Upper Contact, 60 Deg to CA | E584233 E584234 E584235 E584236 E584238 E584239 E584240 E584241 E584242 E584243 E584244 E584245 E584246 E584247 E584248 E584249 E584250 E584251 E584252 E584253 E584255 E584256 E584257 E584258 E584259 E584260 E584261 E584262 E584263 E584264 E584265 E584266 | 56.25 57.00 58.00 59.00 60.00 61.00 62.00 63.00 64.00 65.00 66.00 67.00 68.00 69.00 70.00 71.00 72.00 73.00 74.00 75.00 76.00 77.00 78.00 79.00 80.00 81.00 82.00 83.00 84.00 85.00 86.00 87.00 88.20 | 57.00 58.00 59.00 60.00 61.00 62.00 63.00 64.00 65.00 66.00 67.00 68.00 69.00 70.00 71.00 72.00 73.00 74.00 75.00 76.00 77.00 78.00 79.00 80.00 81.00 82.00 83.00 84.00 85.00 86.00 87.00 88.20 | 0.75 1.00 1.20 | 0.3111 0.2977 0.0565 0.2847 0.8968 0.1272 0.5049 0.2270 0.0742 0.1386 0.1292 0.1117 0.0535 0.1540 0.1199 0.1632 0.1358 0.0410 0.0918 0.0697 0.0313 0.0767 0.0448 0.0824 0.0439 0.0641 0.0934 0.0419 0.0475 0.0768 0.0273 0.0376 | 0.2394 0.3032 0.0454 0.1956 0.6714 0.2337 0.1948 0.3941 0.1209 0.1748 0.1859 0.0951 0.0389 0.2062 0.1856 0.2093 0.1641 0.0325 0.1116 0.0970 0.0627 0.1312 0.1183 0.1313 0.0719 0.1431 0.1726 0.0743 0.0982 0.1147 0.0356 0.0580 | 0.0177 0.0108 0.0039 0.0110 0.0381 0.0064 0.0141 0.0079 0.0062 0.0088 0.0070 0.0064 0.0054 0.0083 0.0074 0.0111 0.0096 0.0054 0.0058 0.0051 0.0039 0.0042 0.0031 0.0053 0.0035 0.0045 0.0055 0.0041 0.0038 0.0060 0.0042 |
| 88.20 | 88.75 | GAB, Gabbro Mineralization 88.20 - 88.75 Structure 88.20 - 88.75 : UC Upper Contact, 45 Deg to CA | E584267 | 88.20 | 88.75 | 0.55 | 0.0555 | 0.0571 | 0.0072 |

DETAILED LOG

Hole Number: CL-08-01

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|--|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 88.75 | 97.85 | PYXT, Pyroxenite | E584268 | 88.75 | 90.00 | 1.25 | 0.1158 | 0.1248 | 0.0103 |
| | | Mineralization | E584269 | 90.00 | 91.00 | 1.00 | 0.0589 | 0.0956 | 0.0054 |
| | | 88.75 - 97.85 | E584270 | 91.00 | 92.00 | 1.00 | 0.0174 | 0.0290 | 0.0027 |
| | | mm scale blebs | E584271 | 92.00 | 93.00 | 1.00 | 0.0123 | 0.0252 | 0.0022 |
| | | 88.75 - 97.85 | E584272 | 93.00 | 94.00 | 1.00 | 0.0103 | 0.0216 | 0.0020 |
| | | Structure | E584273 | 94.00 | 95.00 | 1.00 | 0.0093 | 0.0190 | 0.0020 |
| | | 88.75 - 97.85 : UC Upper Contact, 40 Deg to CA | E584274 | 95.00 | 96.00 | 1.00 | 0.0212 | 0.0390 | 0.0027 |
| | | | E584275 | 96.00 | 97.00 | 1.00 | 0.0159 | 0.0316 | 0.0023 |
| | | | E584276 | 97.00 | 97.85 | 0.85 | 0.0133 | 0.0272 | 0.0024 |
| | | | E584277 | 97.85 | 98.65 | 0.80 | 0.0121 | 0.0150 | 0.0021 |
| 97.85 | 98.65 | GAB, Gabbro | | | | | | | |
| | | Structure | | | | | | | |
| | | 97.85 - 98.65 : UC Upper Contact, 35 Deg to CA | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 98.65 | 103.15 | PYXT, Pyroxenite | E584278 | 98.65 | 99.80 | 1.15 | 0.0949 | 0.1104 | 0.0075 |
| | | Mineralization | E584279 | 99.80 | 101.00 | 1.20 | 0.1281 | 0.1415 | 0.0093 |
| | | 98.65 - 103.15 | E584280 | 101.00 | 102.00 | 1.00 | 0.1172 | 0.0806 | 0.0070 |
| | | mm-cm scale blebs | E584282 | 102.00 | 103.15 | 1.15 | 0.0706 | 0.0598 | 0.0062 |
| | | 98.65 - 103.15 | | | | | | | |
| 103.15 | 104.10 | Structure | | | | | | | |
| | | 98.65 - 103.15 : UC Upper Contact, 35 Deg to CA | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 103.15 | 104.10 | GAB, Gabbro | E584283 | 103.15 | 104.10 | 0.95 | 0.0954 | 0.1568 | 0.0069 |
| | | Mineralization | | | | | | | |
| | | 103.15 - 104.10 | | | | | | | |
| | | Structure | | | | | | | |
| 103.15 | 104.10 | 103.15 - 104.10 : UC Upper Contact, 60 Deg to CA | | | | | | | |

DETAILED LOG

Hole Number: CL-08-01

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|---|---|--|--|--|--|--|--|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 104.10 | 161.30 | PYXT, Pyroxenite Mineralization 104.10 - 161.30 few up to 3 cm 104.10 - 161.30 Structure 104.10 - 161.30 : UC Upper Contact, 60 Deg to CA | E584284 E584285 E584286 E584287 E584288 E584289 E584290 E584291 E584292 E584293 E584294 E584295 E584296 E584297 E584298 E584300 E584301 E584302 E584303 E584304 E584305 E584306 E584307 E584308 E584309 E584310 E584311 E584312 E584313 E584314 E584315 E584317 E584318 E584319 E584320 E584321 E584322 E584324 E584325 E584326 E584327 E584328 E584329 | 104.10 105.00 106.00 107.00 108.00 109.50 111.00 112.50 114.00 115.50 117.00 118.50 118.50 120.00 121.50 121.50 123.00 124.00 124.00 125.00 126.00 126.00 127.00 127.00 128.00 129.00 129.00 130.00 131.00 131.00 132.00 132.00 133.00 134.00 134.00 135.00 135.00 136.00 136.00 137.00 137.00 138.00 138.00 139.00 140.00 141.00 142.00 143.00 144.00 145.00 146.00 147.00 148.00 149.00 150.00 151.00 152.00 | 105.00 106.00 107.00 108.00 109.50 111.00 112.50 114.00 115.50 117.00 118.50 120.00 121.50 123.00 124.00 125.00 126.00 127.00 128.00 129.00 130.00 131.00 132.00 133.00 134.00 135.00 136.00 137.00 138.00 139.00 140.00 141.00 142.00 143.00 144.00 145.00 146.00 147.00 148.00 149.00 150.00 151.00 152.00 | 0.90 1.00 1.00 1.00 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.00 | 0.0783 0.0725 0.0870 0.0497 0.1161 0.1208 0.0538 0.0609 0.0754 0.0573 0.0712 0.0123 0.0611 0.0546 0.1556 0.2568 0.0700 0.0737 0.0713 0.3282 0.2346 0.1769 0.1396 0.0936 0.0954 0.2086 0.0832 0.0861 0.0945 0.0814 0.0980 0.0524 0.0718 0.1778 0.1060 0.0897 0.1416 0.1195 0.1794 0.1283 0.1421 0.1299 0.0139 | 0.0358 0.0480 0.1245 0.0763 0.1438 0.1232 0.0662 0.0224 0.0685 0.0654 0.1445 0.0168 0.0597 0.0214 0.1625 0.3037 0.0555 0.0694 0.0670 0.3167 0.3671 0.2666 0.1818 0.1915 0.1666 0.3959 0.1383 0.1041 0.1513 0.1081 0.1022 0.0347 0.1119 0.2884 0.1227 0.0835 0.2305 0.2114 0.3086 0.1468 0.1717 0.2819 0.0107 0.0027 | 0.0079 0.0063 0.0053 0.0037 0.0074 0.0106 0.0049 0.0077 0.0073 0.0046 0.0036 0.0016 0.0060 0.0059 0.0068 0.0091 0.0057 0.0052 0.0056 0.0141 0.0094 0.0073 0.0080 0.0054 0.0049 0.0089 0.0050 0.0058 0.0057 0.0056 0.0063 0.0053 0.0115 0.0066 0.0065 0.0077 0.0063 0.0104 0.0094 0.0078 0.0067 |

DETAILED LOG

Hole Number: CL-08-01

Units: METRIC

| Detailed Lithology | | Lithology | Sample Number | Assay Data | | | | | |
|--------------------|--------|---|---------------|------------|--------|------------|--------|--------|--------|
| From (m) | To (m) | | | From (m) | To (m) | Length (m) | Ni% | Cu% | Co% |
| 161.30 | 174.00 | MV, Mafic Volcanic Mineralization 161.30 - 174.00 near contacts Structure 161.30 - 174.00 : UC Upper Contact, 40 Deg to CA | E584330 | 152.00 | 153.00 | 1.00 | 0.0647 | 0.0410 | 0.0075 |
| | | | E584331 | 153.00 | 154.00 | 1.00 | 0.0978 | 0.0917 | 0.0081 |
| | | | E584332 | 154.00 | 155.00 | 1.00 | 0.0514 | 0.0246 | 0.0061 |
| | | | E584333 | 155.00 | 156.00 | 1.00 | 0.0538 | 0.0302 | 0.0060 |
| | | | E584334 | 156.00 | 157.00 | 1.00 | 0.1357 | 0.1363 | 0.0103 |
| | | | E584335 | 157.00 | 158.00 | 1.00 | 0.1131 | 0.1299 | 0.0074 |
| | | | E584336 | 158.00 | 159.00 | 1.00 | 0.1582 | 0.1647 | 0.0075 |
| | | | E584337 | 159.00 | 160.10 | 1.10 | 0.1472 | 0.1900 | 0.0068 |
| | | | E584338 | 160.10 | 161.30 | 1.20 | 0.1271 | 0.1955 | 0.0067 |
| | | | E584339 | 161.30 | 162.00 | 0.70 | 0.0812 | 0.0578 | 0.0049 |
| | | | E584340 | 162.00 | 163.00 | 1.00 | 0.0140 | 0.0095 | 0.0025 |
| | | | E584341 | 173.00 | 174.00 | 1.00 | 0.0124 | 0.0117 | 0.0023 |
| 174.00 | 181.20 | PYXT, Pyroxenite Mineralization 174.00 - 181.20 few mm blebs 174.00 - 181.20 Structure 174.00 - 181.20 vague | E584342 | 174.00 | 175.00 | 1.00 | 0.1681 | 0.3144 | 0.0073 |
| | | | E584343 | 175.00 | 176.00 | 1.00 | 0.1834 | 0.3292 | 0.0095 |
| | | | E584344 | 176.00 | 177.00 | 1.00 | 0.1567 | 0.2752 | 0.0082 |
| | | | E584345 | 177.00 | 178.00 | 1.00 | 0.1404 | 0.2588 | 0.0078 |
| | | | E584346 | 178.00 | 179.00 | 1.00 | 0.0951 | 0.1303 | 0.0080 |
| | | | E584347 | 179.00 | 180.10 | 1.10 | 0.1043 | 0.1388 | 0.0086 |
| | | | E584349 | 180.10 | 181.20 | 1.10 | 0.1480 | 0.2097 | 0.0112 |
| | | | E584350 | 181.20 | 182.60 | 1.40 | 0.0438 | 0.0578 | 0.0062 |
| 181.20 | 204.00 | GAB, Gabbro Mineralization 181.20 - 204.00 Structure 181.20 - 204.00 : UC Upper Contact, 35 Deg to CA | E584351 | 182.60 | 184.00 | 1.40 | 0.0075 | 0.0176 | 0.0021 |
| | | | E584352 | 184.00 | 185.00 | 1.00 | 0.0067 | 0.0119 | 0.0020 |
| | | | E584353 | 185.00 | 186.00 | 1.00 | 0.0084 | 0.0125 | 0.0024 |
| | | | E584354 | 186.00 | 187.00 | 1.00 | 0.0076 | 0.0124 | 0.0019 |
| | | | E584355 | 187.00 | 188.00 | 1.00 | 0.0162 | 0.0145 | 0.0033 |
| | | | E584356 | 188.00 | 189.00 | 1.00 | 0.0156 | 0.0126 | 0.0034 |

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E584201 | 22.50 | 24.00 | 0.0025 | 0.0056 | 0.0016 |
| E584202 | 24.00 | 25.20 | 0.0036 | 0.0035 | 0.0026 |
| E584203 | 25.20 | 26.40 | 0.0038 | 0.0033 | 0.0028 |
| E584204 | 26.40 | 27.60 | 0.0059 | 0.0198 | 0.0029 |
| E584205 | 27.60 | 28.10 | 0.0079 | 0.0247 | 0.0035 |
| E584206 | 28.10 | 29.00 | 0.0118 | 0.0683 | 0.0031 |
| E584207 | 29.00 | 30.00 | 0.0111 | 0.0742 | 0.0030 |

Hole Number: CL-08-01

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E584208 | 30.00 | 31.00 | 0.0101 | 0.0720 | 0.0031 |
| E584209 | 31.00 | 32.00 | 0.0058 | 0.0125 | 0.0028 |
| E584210 | 32.00 | 33.00 | 0.0040 | 0.0107 | 0.0026 |
| E584211 | 33.00 | 34.00 | 0.0057 | 0.0289 | 0.0029 |
| E584212 | 34.00 | 35.00 | 0.0066 | 0.0364 | 0.0027 |
| E584213 | 35.00 | 36.00 | 0.0066 | 0.0239 | 0.0031 |
| E584214 | 36.00 | 37.00 | 0.0058 | 0.0128 | 0.0021 |
| E584215 | 37.00 | 38.20 | 0.0322 | 0.0855 | 0.0036 |
| E584216 | 38.20 | 39.40 | 0.0323 | 0.1576 | 0.0033 |
| E584217 | 39.40 | 40.20 | 0.5211 | 0.4342 | 0.0155 |
| E584218 | 40.20 | 40.95 | 4.5122 | 0.4972 | 0.1637 |
| E584220 | 40.95 | 42.00 | 0.6355 | 1.4340 | 0.0189 |
| E584221 | 42.00 | 43.25 | 0.0982 | 0.2863 | 0.0077 |
| E584222 | 43.25 | 44.50 | 0.1880 | 0.3955 | 0.0092 |
| E584223 | 44.50 | 45.75 | 0.1667 | 0.2229 | 0.0066 |
| E584224 | 45.75 | 47.00 | 0.0493 | 0.2014 | 0.0040 |
| E584225 | 47.00 | 48.00 | 0.1194 | 0.4808 | 0.0059 |
| E584226 | 48.00 | 49.50 | 0.1637 | 0.4579 | 0.0064 |
| E584227 | 49.50 | 51.00 | 0.0574 | 0.2736 | 0.0033 |
| E584228 | 51.00 | 52.50 | 0.0597 | 0.3549 | 0.0037 |
| E584229 | 52.50 | 53.50 | 0.1226 | 0.5719 | 0.0048 |
| E584230 | 53.50 | 54.60 | 0.0343 | 0.2404 | 0.0032 |
| E584231 | 54.60 | 55.40 | 0.0228 | 0.0967 | 0.0034 |
| E584232 | 55.40 | 56.25 | 0.0598 | 0.1450 | 0.0048 |
| E584233 | 56.25 | 57.00 | 0.3111 | 0.2394 | 0.0177 |
| E584234 | 57.00 | 58.00 | 0.2977 | 0.3032 | 0.0108 |
| E584235 | 58.00 | 59.00 | 0.0565 | 0.0454 | 0.0039 |
| E584236 | 59.00 | 60.00 | 0.2847 | 0.1956 | 0.0110 |
| E584238 | 60.00 | 61.00 | 0.8968 | 0.6714 | 0.0381 |
| E584239 | 61.00 | 62.00 | 0.1272 | 0.2337 | 0.0064 |
| E584240 | 62.00 | 63.00 | 0.5049 | 0.1948 | 0.0141 |
| E584241 | 63.00 | 64.00 | 0.2270 | 0.3941 | 0.0079 |
| E584242 | 64.00 | 65.00 | 0.0742 | 0.1209 | 0.0062 |
| E584243 | 65.00 | 66.00 | 0.1386 | 0.1748 | 0.0088 |
| E584244 | 66.00 | 67.00 | 0.1292 | 0.1859 | 0.0070 |
| E584245 | 67.00 | 68.00 | 0.1117 | 0.0951 | 0.0064 |
| E584246 | 68.00 | 69.00 | 0.0535 | 0.0389 | 0.0054 |

Hole Number: CL-08-01

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E584247 | 69.00 | 70.00 | 0.1540 | 0.2062 | 0.0083 |
| E584248 | 70.00 | 71.00 | 0.1199 | 0.1856 | 0.0074 |
| E584249 | 71.00 | 72.00 | 0.1632 | 0.2093 | 0.0111 |
| E584250 | 72.00 | 73.00 | 0.1358 | 0.1641 | 0.0096 |
| E584251 | 73.00 | 74.00 | 0.0410 | 0.0325 | 0.0054 |
| E584252 | 74.00 | 75.00 | 0.0918 | 0.1116 | 0.0058 |
| E584253 | 75.00 | 76.00 | 0.0697 | 0.0970 | 0.0051 |
| E584255 | 76.00 | 77.00 | 0.0313 | 0.0627 | 0.0039 |
| E584256 | 77.00 | 78.00 | 0.0767 | 0.1312 | 0.0042 |
| E584257 | 78.00 | 79.00 | 0.0448 | 0.1183 | 0.0031 |
| E584258 | 79.00 | 80.00 | 0.0824 | 0.1313 | 0.0053 |
| E584259 | 80.00 | 81.00 | 0.0439 | 0.0719 | 0.0035 |
| E584260 | 81.00 | 82.00 | 0.0641 | 0.1431 | 0.0045 |
| E584261 | 82.00 | 83.00 | 0.0934 | 0.1726 | 0.0055 |
| E584262 | 83.00 | 84.00 | 0.0419 | 0.0743 | 0.0041 |
| E584263 | 84.00 | 85.00 | 0.0475 | 0.0982 | 0.0038 |
| E584264 | 85.00 | 86.00 | 0.0768 | 0.1147 | 0.0060 |
| E584265 | 86.00 | 87.00 | 0.0273 | 0.0356 | 0.0042 |
| E584266 | 87.00 | 88.20 | 0.0376 | 0.0580 | 0.0045 |
| E584267 | 88.20 | 88.75 | 0.0555 | 0.0571 | 0.0072 |
| E584268 | 88.75 | 90.00 | 0.1158 | 0.1248 | 0.0103 |
| E584269 | 90.00 | 91.00 | 0.0589 | 0.0956 | 0.0054 |
| E584270 | 91.00 | 92.00 | 0.0174 | 0.0290 | 0.0027 |
| E584271 | 92.00 | 93.00 | 0.0123 | 0.0252 | 0.0022 |
| E584272 | 93.00 | 94.00 | 0.0103 | 0.0216 | 0.0020 |
| E584273 | 94.00 | 95.00 | 0.0093 | 0.0190 | 0.0020 |
| E584274 | 95.00 | 96.00 | 0.0212 | 0.0390 | 0.0027 |
| E584275 | 96.00 | 97.00 | 0.0159 | 0.0316 | 0.0023 |
| E584276 | 97.00 | 97.85 | 0.0133 | 0.0272 | 0.0024 |
| E584277 | 97.85 | 98.65 | 0.0121 | 0.0150 | 0.0021 |
| E584278 | 98.65 | 99.80 | 0.0949 | 0.1104 | 0.0075 |
| E584279 | 99.80 | 101.00 | 0.1281 | 0.1415 | 0.0093 |
| E584280 | 101.00 | 102.00 | 0.1172 | 0.0806 | 0.0070 |
| E584282 | 102.00 | 103.15 | 0.0706 | 0.0598 | 0.0062 |
| E584283 | 103.15 | 104.10 | 0.0954 | 0.1568 | 0.0069 |
| E584284 | 104.10 | 105.00 | 0.0783 | 0.0358 | 0.0079 |
| E584285 | 105.00 | 106.00 | 0.0725 | 0.0480 | 0.0063 |

Hole Number: CL-08-01

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E584286 | 106.00 | 107.00 | 0.0870 | 0.1245 | 0.0053 |
| E584287 | 107.00 | 108.00 | 0.0497 | 0.0763 | 0.0037 |
| E584288 | 108.00 | 109.50 | 0.1161 | 0.1438 | 0.0074 |
| E584289 | 109.50 | 111.00 | 0.1208 | 0.1232 | 0.0106 |
| E584290 | 111.00 | 112.50 | 0.0538 | 0.0662 | 0.0049 |
| E584291 | 112.50 | 114.00 | 0.0609 | 0.0224 | 0.0077 |
| E584292 | 114.00 | 115.50 | 0.0754 | 0.0685 | 0.0073 |
| E584293 | 115.50 | 117.00 | 0.0573 | 0.0654 | 0.0046 |
| E584294 | 117.00 | 118.50 | 0.0712 | 0.1445 | 0.0036 |
| E584295 | 118.50 | 120.00 | 0.0123 | 0.0168 | 0.0016 |
| E584296 | 120.00 | 121.50 | 0.0611 | 0.0597 | 0.0060 |
| E584297 | 121.50 | 123.00 | 0.0546 | 0.0214 | 0.0059 |
| E584298 | 123.00 | 124.00 | 0.1556 | 0.1625 | 0.0068 |
| E584300 | 124.00 | 125.00 | 0.2568 | 0.3037 | 0.0091 |
| E584301 | 125.00 | 126.00 | 0.0700 | 0.0555 | 0.0057 |
| E584302 | 126.00 | 127.00 | 0.0737 | 0.0694 | 0.0052 |
| E584303 | 127.00 | 128.00 | 0.0713 | 0.0670 | 0.0056 |
| E584304 | 128.00 | 129.00 | 0.3282 | 0.3167 | 0.0141 |
| E584305 | 129.00 | 130.00 | 0.2346 | 0.3671 | 0.0094 |
| E584306 | 130.00 | 131.00 | 0.1769 | 0.2666 | 0.0073 |
| E584307 | 131.00 | 132.00 | 0.1396 | 0.1818 | 0.0080 |
| E584308 | 132.00 | 133.00 | 0.0936 | 0.1915 | 0.0054 |
| E584309 | 133.00 | 134.00 | 0.0954 | 0.1666 | 0.0049 |
| E584310 | 134.00 | 135.00 | 0.2086 | 0.3959 | 0.0089 |
| E584311 | 135.00 | 136.00 | 0.0832 | 0.1383 | 0.0050 |
| E584312 | 136.00 | 137.00 | 0.0861 | 0.1041 | 0.0058 |
| E584313 | 137.00 | 138.00 | 0.0945 | 0.1513 | 0.0057 |
| E584314 | 138.00 | 139.00 | 0.0814 | 0.1081 | 0.0056 |
| E584315 | 139.00 | 140.00 | 0.0980 | 0.1022 | 0.0063 |
| E584317 | 140.00 | 141.00 | 0.0524 | 0.0347 | 0.0053 |
| E584318 | 141.00 | 142.00 | 0.0718 | 0.1119 | 0.0063 |
| E584319 | 142.00 | 143.00 | 0.1778 | 0.2884 | 0.0115 |
| E584320 | 143.00 | 144.00 | 0.1060 | 0.1227 | 0.0066 |
| E584321 | 144.00 | 145.00 | 0.0897 | 0.0835 | 0.0065 |
| E584322 | 145.00 | 146.00 | 0.1416 | 0.2305 | 0.0077 |
| E584324 | 146.00 | 147.00 | 0.1195 | 0.2114 | 0.0063 |
| E584325 | 147.00 | 148.00 | 0.1794 | 0.3086 | 0.0104 |

Hole Number: CL-08-01

Units: METRIC

Samples

| Sample Number | From (m) | To (m) | Ni% | Cu% | Co% |
|---------------|----------|--------|--------|--------|--------|
| Sample Type | ASSAY | | | | |
| E584326 | 148.00 | 149.00 | 0.1283 | 0.1468 | 0.0094 |
| E584327 | 149.00 | 150.00 | 0.1421 | 0.1717 | 0.0078 |
| E584328 | 150.00 | 151.00 | 0.1299 | 0.2819 | 0.0067 |
| E584329 | 151.00 | 152.00 | 0.0139 | 0.0107 | 0.0027 |
| E584330 | 152.00 | 153.00 | 0.0647 | 0.0410 | 0.0075 |
| E584331 | 153.00 | 154.00 | 0.0978 | 0.0917 | 0.0081 |
| E584332 | 154.00 | 155.00 | 0.0514 | 0.0246 | 0.0061 |
| E584333 | 155.00 | 156.00 | 0.0538 | 0.0302 | 0.0060 |
| E584334 | 156.00 | 157.00 | 0.1357 | 0.1363 | 0.0103 |
| E584335 | 157.00 | 158.00 | 0.1131 | 0.1299 | 0.0074 |
| E584336 | 158.00 | 159.00 | 0.1582 | 0.1647 | 0.0075 |
| E584337 | 159.00 | 160.10 | 0.1472 | 0.1900 | 0.0068 |
| E584338 | 160.10 | 161.30 | 0.1271 | 0.1955 | 0.0067 |
| E584339 | 161.30 | 162.00 | 0.0812 | 0.0578 | 0.0049 |
| E584340 | 162.00 | 163.00 | 0.0140 | 0.0095 | 0.0025 |
| E584341 | 173.00 | 174.00 | 0.0124 | 0.0117 | 0.0023 |
| E584342 | 174.00 | 175.00 | 0.1681 | 0.3144 | 0.0073 |
| E584343 | 175.00 | 176.00 | 0.1834 | 0.3292 | 0.0095 |
| E584344 | 176.00 | 177.00 | 0.1567 | 0.2752 | 0.0082 |
| E584345 | 177.00 | 178.00 | 0.1404 | 0.2588 | 0.0078 |
| E584346 | 178.00 | 179.00 | 0.0951 | 0.1303 | 0.0080 |
| E584347 | 179.00 | 180.10 | 0.1043 | 0.1388 | 0.0086 |
| E584349 | 180.10 | 181.20 | 0.1480 | 0.2097 | 0.0112 |
| E584350 | 181.20 | 182.60 | 0.0438 | 0.0578 | 0.0062 |
| E584351 | 182.60 | 184.00 | 0.0075 | 0.0176 | 0.0021 |
| E584352 | 184.00 | 185.00 | 0.0067 | 0.0119 | 0.0020 |
| E584353 | 185.00 | 186.00 | 0.0084 | 0.0125 | 0.0024 |
| E584354 | 186.00 | 187.00 | 0.0076 | 0.0124 | 0.0019 |
| E584355 | 187.00 | 188.00 | 0.0162 | 0.0145 | 0.0033 |
| E584356 | 188.00 | 189.00 | 0.0156 | 0.0126 | 0.0034 |

Canadian Arrow Mines Ltd.

Date Created: 08-04-15 10:29:29 AM

* The results included on this report relate only to the items tested

Job Number: 200840673

 * This Certificate of Analysis should not be reproduced except in full, without
 the written approval of the laboratory.

Date Received: Mar 25, 2008

*The methods used for these analysis are not accredited under ISO/IEC 17025

Number of Samples: 162

Type of Sample: Core

Date Completed: Apr 10, 2008

Project ID: Caribou Lodge 18600

| Accur. # Client Tag | S | % |
|---------------------|---------|------|
| 57271 | E584489 | 1.59 |
| 57272 | E584490 | 0.18 |
| 57273 | E584491 | 2.86 |
| 57274 | E584492 | 2.52 |
| 57276 | E584493 | 2.06 |
| 57277 | E584494 | 2.02 |
| 57278 | E584495 | 1.84 |
| 57279 | E584496 | 1.90 |
| 57280 | E584497 | 1.82 |
| 57281 | E584498 | 1.71 |
| 57282 | E584499 | 0.13 |
| 57283 | E829701 | 0.52 |
| 57284 | E829702 | 0.10 |
| 57285 | E829703 | 0.48 |
| 57287 | E829704 | 0.11 |
| 57288 | E829705 | 0.12 |
| 57289 | E829706 | 0.06 |
| 57290 | E829707 | 0.04 |
| 57291 | E829708 | 0.27 |
| 57292 | E829709 | 0.90 |
| 57293 | E829710 | 1.22 |
| 57294 | E829711 | 1.64 |
| 57295 | E829712 | 0.12 |
| 57296 | E829713 | 1.38 |
| 57298 | E829714 | 1.35 |
| 57299 | E829715 | 1.17 |
| 57300 | E829716 | 0.19 |
| 57301 | E829717 | 0.17 |
| 57302 | E829718 | 0.20 |
| 57303 | E829719 | 0.38 |
| 57304 | E829720 | 0.17 |
| 57305 | E829721 | 0.28 |
| 57306 | E829722 | 0.54 |
| 57308 | E829723 | 0.19 |
| 57309 | E829724 | 0.50 |
| 57310 | E829725 | 0.10 |

 Certified By: _____
 Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 622-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.

Date Created: 08-04-15 10:29:29 AM

* The results included on this report relate only to the items tested

Job Number: 200840673

* This Certificate of Analysis should not be reproduced except in full, without
the written approval of the laboratory.

Date Received: Mar 25, 2008

*The methods used for these analysis are not accredited under ISO/IEC 17025

Number of Samples: 162

Type of Sample: Core

Date Completed: Apr 10, 2008

Project ID: Caribou Lodge 18600

| Accur. # Client Tag | S | % |
|---------------------|---------|------|
| 57311 | E829726 | 0.09 |
| 57312 | E829727 | 0.39 |
| 57313 | E829728 | 0.14 |
| 57314 | E829729 | 0.45 |
| 57315 | E829730 | 1.39 |
| 57316 | E829731 | 1.20 |
| 57317 | E829732 | 1.36 |
| 57319 | E829733 | 1.14 |
| 57320 | E829734 | 0.58 |
| 57321 | E829735 | 0.28 |
| 57322 | E829736 | 0.33 |
| 57323 | E829737 | 1.32 |
| 57324 | E829738 | 0.79 |
| 57325 | E829739 | 1.36 |
| 57326 | E829740 | 1.95 |
| 57327 | E829741 | 0.51 |
| 57328 | E829742 | 0.88 |
| 57330 | E829743 | 0.54 |
| 57331 | E829744 | 0.30 |
| 57332 | E829745 | 0.19 |
| 57333 | E829746 | 0.21 |
| 57334 | E829747 | 0.60 |
| 57335 | E829748 | 0.47 |
| 57336 | E829749 | 0.05 |
| 57337 | E829750 | 0.04 |
| 57338 | E829751 | 0.07 |
| 57339 | E829752 | 0.07 |
| 57341 | E829753 | 0.06 |
| 57342 | E829754 | 1.29 |
| 57343 | E829755 | 0.10 |
| 57344 | E829756 | 0.67 |
| 57345 | E829757 | 0.38 |
| 57346 | E829758 | 0.30 |
| 57347 | E829759 | 0.66 |
| 57348 | E829760 | 0.38 |
| 57349 | E829761 | 0.62 |

Certified By: _____
Derek Demianiuk, H.Bsc.

Canadian Arrow Mines Ltd.

Date Created: 08-04-15 10:29:29 AM

* The results included on this report relate only to the items tested

Job Number: 200840673

 * This Certificate of Analysis should not be reproduced except in full, without
 the written approval of the laboratory.

Date Received: Mar 25, 2008

*The methods used for these analysis are not accredited under ISO/IEC 17025

Number of Samples: 162

Type of Sample: Core

Date Completed: Apr 10, 2008

Project ID: Caribou Lodge 18600

| Accr. # Client Tag | S | % |
|--------------------|---------|------|
| 57350 | E829762 | 0.62 |
| 57352 | E829763 | 0.58 |
| 57353 | E829764 | 1.21 |
| 57354 | E829765 | 1.06 |
| 57355 | E829766 | 0.69 |
| 57356 | E829767 | 0.39 |
| 57357 | E829768 | 0.88 |
| 57358 | E829769 | 0.94 |
| 57359 | E829770 | 0.41 |
| 57360 | E829771 | 0.50 |
| 57361 | E829772 | 0.93 |
| 57363 | E829773 | 0.47 |
| 57364 | E829774 | 0.64 |
| 57365 | E829775 | 0.96 |
| 57366 | E829776 | 0.98 |
| 57367 | E829777 | 0.70 |
| 57368 | E829778 | 0.25 |
| 57369 | E829779 | 0.58 |
| 57370 | E829780 | 0.54 |
| 57371 | E829781 | 0.38 |
| 57372 | E829782 | 0.36 |
| 57374 | E829783 | 0.32 |
| 57375 | E829784 | 0.13 |
| 57376 | E829785 | 0.46 |
| 57377 | E829786 | 0.54 |
| 57378 | E829787 | 0.68 |
| 57379 | E829788 | 0.75 |
| 57380 | E829789 | 0.77 |
| 57381 | E829790 | 0.70 |
| 57382 | E829791 | 0.57 |
| 57383 | E829792 | 0.67 |
| 57385 | E829793 | 1.19 |
| 57386 | E829794 | 0.71 |
| 57387 | E829795 | 1.22 |
| 57388 | E829796 | 1.25 |
| 57389 | E829797 | 0.88 |

 Certified By: _____
 Derek Demianiuk, H.B.Sc.

Canadian Arrow Mines Ltd.

Date Created: 08-04-15 10:29:29 AM

* The results included on this report relate only to the items tested

Job Number: 200840673

 * This Certificate of Analysis should not be reproduced except in full, without
 the written approval of the laboratory.

Date Received: Mar 25, 2008

*The methods used for these analysis are not accredited under ISO/IEC 17025

Number of Samples: 162

Type of Sample: Core

Date Completed: Apr 10, 2008

Project ID: Caribou Lodge 18600

Accur. # Client Tag

S

%

| | | |
|-------|---------|------|
| 57390 | E829798 | 0.22 |
| 57391 | E829799 | 0.38 |
| 57392 | E829800 | 0.11 |
| 57393 | E829801 | 1.00 |
| 57394 | E829802 | 0.76 |
| 57396 | E829803 | 0.72 |
| 57397 | E829804 | 0.51 |
| 57398 | E829805 | 0.61 |
| 57399 | E829806 | 0.97 |
| 57400 | E829807 | 2.17 |
| 57401 | E829808 | 0.67 |
| 57402 | E829809 | 0.18 |
| 57403 | E829810 | 0.93 |
| 57404 | E829811 | 0.14 |
| 57405 | E829812 | 0.10 |
| 57407 | E829813 | 0.07 |
| 57408 | E829814 | 0.06 |
| 57409 | E829815 | 0.06 |

 Certified By: _____

 Derek Demianiuk, H.BSc®



1046 Gorham Street,
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, April 10, 2008

Canadian Arrow Mines Ltd.
236 Cedar St.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 10, 2008

Job #: 200840673

Reference: Caribou Lodge 18600

Sample #: 162 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57301 | E829717 | 17 | 41 | <10 | | 2.07 | 58 | 204 | | 200 | |
| 57302 | E829718 | 9 | 40 | <10 | | 1.62 | 48 | 285 | | 196 | |
| 57303 | E829719 | 10 | 44 | <10 | | 1.86 | 58 | 507 | | 301 | |
| 57304 | E829720 | 10 | 46 | <10 | | 1.32 | 39 | 201 | | 118 | |
| 57305 | E829721 | 10 | 43 | <10 | | 1.34 | 43 | 293 | | 147 | |
| 57306 | E829722 | 38 | 47 | <10 | | 1.27 | 53 | 54 | | 171 | |
| 57307 Dup | E829722 | 45 | 51 | <10 | | 1.40 | 53 | 52 | | 172 | |
| 57308 | E829723 | 8 | 46 | <10 | | 1.58 | 36 | 96 | | 101 | |
| 57309 | E829724 | 37 | 43 | <10 | | 1.61 | 48 | 21 | | 188 | |
| 57310 | E829725 | 13 | 56 | <10 | | 1.34 | 36 | 123 | | 106 | |
| 57311 | E829726 | 11 | 56 | <10 | | 1.52 | 24 | 138 | | 75 | |
| 57312 | E829727 | 23 | 59 | <10 | | 1.90 | 48 | 696 | | 295 | |
| 57313 | E829728 | 16 | 55 | <10 | | 1.41 | 40 | 224 | | 167 | |
| 57314 | E829729 | 46 | 77 | 30 | | 2.12 | 89 | 737 | | 676 | |
| 57315 | E829730 | 72 | 188 | 94 | | 3.45 | 127 | 2725 | | 1678 | |
| 57316 | E829731 | 78 | 263 | 180 | | 1.90 | 98 | 708 | | 10929 | |
| 57317 | E829732 | 80 | 199 | 90 | | 3.73 | 126 | 2741 | | 1631 | |
| 57318 Dup | E829732 | 67 | 169 | 83 | | 3.74 | 128 | 2755 | | 1634 | |
| 57319 | E829733 | 66 | 168 | 95 | | 3.79 | 138 | 2746 | | 1881 | |
| 57320 | E829734 | 29 | 67 | 35 | | 3.24 | 110 | 2023 | | 1018 | |
| 57321 | E829735 | 41 | 67 | 33 | | 2.16 | 81 | 1062 | | 599 | |
| 57322 | E829736 | 30 | 59 | 31 | | 2.33 | 103 | 1147 | | 912 | |
| 57323 | E829737 | 45 | 129 | 70 | | 3.77 | 152 | 3206 | | 2021 | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Ni, AL4Cu, AL4SLF

By:

Certified

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, with
the written
approval of the laboratory

Derek Demianiuk H.BSc., Laboratory Manager

AL917-0257-04/10/2008 4:4



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, April 10, 2008

Canadian Arrow Mines Ltd.
236 Cedar St.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 10, 2008

Job #: 200840673

Reference: Caribou Lodge 18600

Sample #: 162 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57324 | E829738 | 38 | 93 | 49 | | 3.15 | 132 | 1394 | | 1360 | |
| 57325 | E829739 | 59 | 105 | 73 | | 3.14 | 132 | 3103 | | 1961 | |
| 57326 | E829740 | 83 | 179 | 139 | | 3.22 | 167 | 4145 | | 2705 | |
| 57327 | E829741 | 31 | 90 | 43 | | 2.37 | 89 | 1339 | | 901 | |
| 57328 | E829742 | 14 | 39 | 16 | | 1.73 | 79 | 694 | | 533 | |
| 57329 Dup | E829742 | 12 | 29 | 13 | | 1.92 | 80 | 707 | | 546 | |
| 57330 | E829743 | 36 | 43 | 29 | | 3.00 | 89 | 1450 | | 756 | |
| 57331 | E829744 | 27 | 50 | 23 | | 2.52 | 77 | 804 | | 470 | |
| 57332 | E829745 | 18 | 36 | 12 | | 1.81 | 76 | 460 | | 403 | |
| 57333 | E829746 | 21 | <15 | <10 | | 1.96 | 79 | 492 | | 442 | |
| 57334 | E829747 | 21 | 21 | 14 | | 2.56 | 82 | 1766 | | 598 | |
| 57335 | E829748 | 34 | 55 | 31 | | 2.24 | 66 | 1161 | | 593 | |
| 57336 | E829749 | 9 | <15 | <10 | | 1.14 | 28 | 111 | | 114 | |
| 57337 | E829750 | 7 | <15 | <10 | | 1.08 | 26 | 132 | | 98 | |
| 57338 | E829751 | 16 | <15 | <10 | | 1.37 | 33 | 228 | | 128 | |
| 57339 | E829752 | 14 | 53 | <10 | | 1.07 | 35 | 164 | | 197 | |
| 57340 Dup | E829752 | 16 | 51 | 10 | | 1.06 | 36 | 162 | | 201 | |
| 57341 | E829753 | 11 | <15 | <10 | | 1.25 | 29 | 157 | | 99 | |
| 57342 | E829754 | 65 | 165 | 88 | | 3.11 | 84 | 3197 | | 1555 | |
| 57343 | E829755 | 10 | <15 | <10 | | 1.30 | 44 | 101 | | 83 | |
| 57344 | E829756 | 73 | 152 | 71 | | 2.80 | 47 | 2643 | | 710 | |
| 57345 | E829757 | 35 | .97 | 42 | | 2.44 | 33 | 1562 | | 391 | |
| 57346 | E829758 | 47 | 100 | 43 | | 1.86 | 25 | 1361 | | 328 | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Ni, AL4Cu, AL4SLF

By:

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, with
the written
approval of the laboratory

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/10/2008 4:4



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, April 10, 2008

Canadian Arrow Mines Ltd.
236 Cedar St.
Sudbury, ON, CAN
P3B 1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008
Date Completed: Apr 10, 2008
Job #: 200840673
Reference: Caribou Lodge 18600

Sample #: 162 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57347 | E829759 | 85 | 182 | 80 | | 3.04 | 39 | 2897 | | 645 | |
| 57348 | E829760 | 56 | 120 | 51 | | 2.31 | 39 | 1717 | | 404 | |
| 57349 | E829761 | 125 | 222 | 80 | | 3.13 | 42 | 2563 | | 622 | |
| 57350 | E829762 | 124 | 176 | 74 | | 3.12 | 45 | 2717 | | 596 | |
| 57351 Dup | E829762 | 163 | 170 | 71 | | 3.28 | 44 | 2714 | | 589 | |
| 57352 | E829763 | 82 | 159 | 65 | | 3.08 | 40 | 2613 | | 544 | |
| 57353 | E829764 | 56 | 77 | 203 | | 2.10 | 101 | 708 | | 10929 | |
| 57354 | E829765 | 97 | 248 | 112 | | 3.40 | 52 | 3524 | | 1184 | |
| 57355 | E829766 | 192 | 123 | 49 | | 2.81 | 36 | 2479 | | 636 | |
| 57356 | E829767 | 74 | 73 | 51 | | 2.18 | 26 | 1620 | | 318 | |
| 57357 | E829768 | 43 | 171 | 98 | | 2.26 | 44 | 2442 | | 848 | |
| 57358 | E829769 | 44 | 186 | 65 | | 2.04 | 49 | 2293 | | 1032 | |
| 57359 | E829770 | 33 | 82 | 35 | | 3.99 | 76 | 3115 | | 1302 | |
| 57360 | E829771 | 58 | 138 | 58 | | 2.68 | 40 | 1920 | | 440 | |
| 57361 | E829772 | 65 | 149 | 77 | | 2.28 | 49 | 2158 | | 887 | |
| 57362 Dup | E829772 | 63 | 143 | 76 | | 2.16 | 48 | 2215 | | 899 | |
| 57363 | E829773 | 27 | 74 | 36 | | 2.05 | 41 | 925 | | 393 | |
| 57364 | E829774 | 41 | 138 | 51 | | 1.96 | 43 | 1548 | | 590 | |
| 57365 | E829775 | 74 | 190 | 78 | | 2.47 | 52 | 2874 | | 930 | |
| 57366 | E829776 | 44 | 152 | 68 | | 2.48 | 60 | 2616 | | 1061 | |
| 57367 | E829777 | 85 | 158 | 69 | | 2.38 | 52 | 1884 | | 644 | |
| 57368 | E829778 | 12 | 57 | 17 | | 1.39 | 37 | 426 | | 159 | |
| 57369 | E829779 | 60 | 139 | 50 | | 1.93 | 46 | 1381 | | 590 | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Ni, AL4Cu, AL4SLF

By:

Certified

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, with
the written
approval of the laboratory

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/10/2008 4:41



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, April 10, 2008

Canadian Arrow Mines Ltd.
236 Cedar St.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 10, 2008

Job #: 200840673

Reference: Caribou Lodge 18600

Sample #: 162 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57370 | E829780 | 31 | 97 | 38 | | 1.78 | 45 | 1181 | | 483 | |
| 57371 | E829781 | 18 | 60 | 13 | | 1.30 | 37 | 593 | | 286 | |
| 57372 | E829782 | 13 | 96 | 25 | | 1.72 | 37 | 556 | | 289 | |
| 57373 Dup | E829782 | 13 | 88 | 28 | | 1.75 | 36 | 584 | | 293 | |
| 57374 | E829783 | 8 | 60 | 14 | | 1.16 | 34 | 417 | | 195 | |
| 57375 | E829784 | 7 | 54 | <10 | | 1.25 | 26 | 172 | | 47 | |
| 57376 | E829785 | 15 | 71 | 23 | | 1.51 | 40 | 673 | | 357 | |
| 57377 | E829786 | 32 | 102 | 40 | | 1.80 | 42 | 1303 | | 533 | |
| 57378 | E829787 | 40 | 114 | 50 | | 1.94 | 45 | 1715 | | 661 | |
| 57379 | E829788 | 37 | 141 | 58 | | 2.56 | 55 | 1821 | | 834 | |
| 57380 | E829789 | 37 | 141 | 56 | | 2.82 | 55 | 1912 | | 799 | |
| 57381 | E829790 | 46 | 148 | 61 | | 2.51 | 51 | 1718 | | 784 | |
| 57382 | E829791 | 33 | 130 | 48 | | 2.59 | 42 | 1595 | | 588 | |
| 57383 | E829792 | 49 | 157 | 67 | | 2.88 | 53 | 1980 | | 776 | |
| 57384 Dup | E829792 | 39 | 146 | 62 | | 3.37 | 52 | 1991 | | 772 | |
| 57385 | E829793 | 56 | 200 | 173 | | 1.91 | 100 | 709 | | 10942 | |
| 57386 | E829794 | 47 | 201 | 78 | | 3.12 | 47 | 2219 | | 967 | |
| 57387 | E829795 | 102 | 320 | 161 | | 3.79 | 58 | 3038 | | 1451 | |
| 57388 | E829796 | 78 | 269 | 126 | | 4.06 | 62 | 3537 | | 1532 | |
| 57389 | E829797 | 47 | 132 | 59 | | 2.83 | 73 | 2157 | | 1250 | |
| 57390 | E829798 | 13 | 62 | 12 | | 1.12 | 45 | 362 | | 297 | |
| 57391 | E829799 | 16 | 66 | 16 | | 1.26 | 49 | 706 | | 330 | |
| 57392 | E829800 | 6 | 39 | <10 | | 1.78 | 36 | 147 | | 95 | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Ni, AL4Cu, AL4SLF

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, with
the written approval of the laboratory

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/10/2008 4:



1046 Gocham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, April 10, 2008

Canadian Arrow Mines Ltd.
236 Cedar St.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Mar 25, 2008

Date Completed: Apr 10, 2008

Job #: 200840673

Reference: Caribou Lodge 18600

Sample #: 162 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 57393 | E829801 | 52 | 186 | 82 | | 2.60 | 59 | 2561 | | 1269 | |
| 57394 | E829802 | 48 | 173 | 80 | | 2.99 | 45 | 1999 | | 772 | |
| 57395 Dup | E829802 | 46 | 184 | 81 | | 3.19 | 49 | 2143 | | 854 | |
| 57396 | E829803 | 75 | 228 | 126 | | 3.74 | 42 | 2703 | | 775 | |
| 57397 | E829804 | 45 | 183 | 81 | | 3.21 | 45 | 1657 | | 561 | |
| 57398 | E829805 | 49 | 143 | 57 | | 3.24 | 57 | 1516 | | 715 | |
| 57399 | E829806 | 72 | 260 | 131 | | 4.32 | 64 | 3059 | | 1255 | |
| 57400 | E829807 | 216 | 686 | 395 | | 6.05 | 97 | 7684 | | 2768 | |
| 57401 | E829808 | 63 | 216 | 107 | | 3.98 | 46 | 2525 | | 854 | |
| 57402 | E829809 | 7 | 41 | <10 | | 1.10 | 42 | 129 | | 93 | |
| 57403 | E829810 | 58 | 240 | 108 | | 3.54 | 59 | 2556 | | 1053 | |
| 57404 | E829811 | 19 | 58 | 11 | | 2.27 | 31 | 320 | | 157 | |
| 57405 | E829812 | 7 | 52 | <10 | | 1.77 | 27 | 177 | | 74 | |
| 57406 Dup | E829812 | 8 | 74 | <10 | | 1.81 | 27 | 175 | | 73 | |
| 57407 | E829813 | 6 | 49 | <10 | | 1.80 | 24 | 111 | | 62 | |
| 57408 | E829814 | 5 | 51 | <10 | | 1.49 | 25 | 98 | | 62 | |
| 57409 | E829815 | <5 | 54 | <10 | | 1.67 | 19 | 87 | | 47 | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Ni, AL4Cu, AL4SLF

Certified

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, with
the written approval of the laboratory.

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-04/10/2008 4:



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.

Date Created: 08-05-23 08:33:20 AM
Job Number: 200840898
Date Received: Apr 14, 2008
Number of Samples: 371
Type of Sample: Core
Date Completed: May 1, 2008
Project ID: 18600 C.L.

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without
the written approval of the laboratory.
* The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # Client Tag | S % |
|---------------------|--------|
| 80600 E829929 | 0.16 |
| 80601 E829930 | 0.02 |
| 80602 E829931 | 0.03 |
| 80603 E829932 | 0.01 |
| 80604 E829933 | 0.01 |
| 80605 E829934 | 0.02 |
| 80606 E829935 | 0.02 |
| 80607 E829936 | 0.05 |
| 80608 E829937 | 0.04 |
| 80609 E829938 | 0.05 |
| 80611 E829939 | 0.11 |
| 80612 E829940 | 0.46 |
| 80613 E829941 | 0.04 |
| 80614 E829942 | 0.80 |
| 80615 E829943 | 0.14 |
| 80616 E829944 | 0.04 |
| 80617 E829945 | 0.03 |
| 80618 E829946 | 0.12 |
| 80619 E829947 | 0.10 |
| 80620 E829948 | 0.09 |
| 80622 E829949 | 0.16 |
| 80623 E829950 | 0.49 |
| 80624 E829951 | 0.09 |
| 80625 E829952 | 0.14 |
| 80626 E829953 | 0.51 |
| 80627 E829954 | 0.08 |
| 80628 E829955 | 0.11 |
| 80629 E829956 | 0.38 |
| 80630 E829957 | 1.26 |
| 80631 E829958 | 1.09 |
| 80633 E829959 | 1.20 |
| 80634 E829960 | 1.45 |
| 80635 E829961 | 1.14 |
| 80636 E829962 | 0.33 |
| 80637 E829963 | 1.12 |
| 80638 E829964 | 1.09 |

Certified By:
Derek Demianiuk, H.Bsc.

Canadian Arrow Mines Ltd.

Date Created: 08-05-23 08:33:20 AM

* The results included on this report relate only to the items tested

Job Number: 200840898

 * This Certificate of Analysis should not be reproduced except in full, without
 the written approval of the laboratory.

Date Received: Apr 14, 2008

*The methods used for these analysis are not accredited under ISO/IEC 17025

Number of Samples: 371

Type of Sample: Core

Date Completed: May 1, 2008


Project ID: 18600-C.L.

Accur. # Client Tag

S

%

| | | |
|-------|---------|------|
| 80639 | E829965 | 0.10 |
| 80640 | E829966 | 1.39 |
| 80641 | E829967 | 0.19 |
| 80642 | E829968 | 0.16 |
| 80644 | E829969 | 0.21 |
| 80645 | E829970 | 0.09 |
| 80646 | E829971 | 0.15 |
| 80647 | E829972 | 0.21 |
| 80648 | E829973 | 0.39 |
| 80649 | E829974 | 0.35 |
| 80650 | E829975 | 0.12 |
| 80651 | E829976 | 0.10 |
| 80652 | E829977 | 0.10 |
| 80653 | E829978 | 0.06 |
| 80655 | E829979 | 1.01 |
| 80656 | E829980 | 0.14 |
| 80657 | 396351 | 7.20 |
| 80658 | 396352 | 4.40 |
| 80659 | 396353 | 0.33 |
| 80660 | 396354 | 0.10 |
| 80661 | 396355 | 0.05 |
| 80662 | 396356 | 0.52 |
| 80663 | 396357 | 0.37 |
| 80664 | 396358 | 0.16 |
| 80666 | 396359 | 0.24 |
| 80667 | 396360 | 1.03 |
| 80668 | 396361 | 1.05 |
| 80669 | 396362 | 1.10 |
| 80670 | 396363 | 0.33 |
| 80671 | 396364 | 0.73 |
| 80672 | 396365 | 0.09 |
| 80673 | 396366 | 0.67 |
| 80674 | 396367 | 1.28 |
| 80675 | 396368 | 2.06 |
| 80677 | 396369 | 0.71 |
| 80678 | 396370 | 1.18 |

Certified By: 
 Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

MAY 29 2008

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
236 Cedar St.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008
Date Completed: May 1, 2008

Job #: 200840898
Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80600 | E829929 | 36 | 46 | 29 | | 1.41 | 46 | 332 | | 477 | | |
| 80601 | E829930 | <5 | 20 | 11 | | 1.27 | 47 | 96 | | 460 | | |
| 80602 | E829931 | <5 | 19 | <10 | | 1.83 | 72 | 56 | | 511 | | |
| 80603 | E829932 | 21 | 20 | 14 | | 1.25 | 55 | 56 | | 417 | | |
| 80604 | E829933 | 8 | 25 | 11 | | 1.29 | 45 | 116 | | 331 | | |
| 80605 | E829934 | 27 | 22 | 11 | | 1.32 | 43 | 79 | | 348 | | |
| 80606 | E829935 | 9 | 23 | 12 | | <1 | 33 | 57 | | 271 | | |
| 80607 | E829936 | 6 | 19 | <10 | | 1.33 | 35 | 63 | | 221 | | |
| 80608 | E829937 | <5 | <15 | <10 | | 1.82 | 26 | 96 | | 115 | | |
| 80609 | E829938 | 26 | <15 | <10 | | 1.25 | 24 | 43 | | 47 | | |
| 80610 Dup | E829938 | 7 | <15 | <10 | | 1.39 | 24 | 43 | | 47 | | |
| 80611 | E829939 | 14 | <15 | <10 | | 1.47 | 32 | 120 | | 68 | | |
| 80612 | E829940 | 26 | <15 | <10 | | 1.65 | 39 | 286 | | 23 | | |
| 80613 | E829941 | <5 | <15 | <10 | | 1.31 | 24 | 55 | | 23 | | |
| 80614 | E829942 | 82 | <15 | <10 | | 1.86 | 40 | 766 | | 34 | | |
| 80615 | E829943 | 10 | 15 | <10 | | 2.75 | 54 | 137 | | 92 | | |
| 80616 | E829944 | 6 | 15 | <10 | | 1.61 | 45 | 30 | | 352 | | |
| 80617 | E829945 | 7 | 19 | <10 | | 1.68 | 44 | 26 | | 443 | | |
| 80618 | E829946 | <5 | 16 | <10 | | 2.67 | 27 | 125 | | 88 | | |
| 80619 | E829947 | <5 | <15 | <10 | | 2.58 | 24 | 115 | | 88 | | |
| 80620 | E829948 | <5 | <15 | <10 | | 2.57 | 23 | 99 | | 82 | | |
| 80621 Dup | E829948 | 8 | <15 | <10 | | 2.56 | 24 | 103 | | 83 | | |
| 80622 | E829949 | <5 | <15 | <10 | | 3.01 | 27 | 194 | | 128 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL917-0257-05/03/2008 12:46 PM



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
236 Cedar St.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008
Date Completed: May 1, 2008

Job #: 200840898
Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80623 | E829950 | 9 | <15 | <10 | | 3.52 | 54 | 904 | | 458 | | |
| 80624 | E829951 | <5 | 25 | <10 | | 2.73 | 60 | 122 | | 495 | | |
| 80625 | E829952 | 6 | 16 | 14 | | 2.76 | 32 | 363 | | 265 | | |
| 80626 | E829953 | 11 | 23 | 16 | | 4.01 | 132 | 1478 | | 1250 | | |
| 80627 | E829954 | <5 | <15 | <10 | | 3.22 | 106 | 176 | | 641 | | |
| 80628 | E829955 | <5 | 22 | <10 | | 3.43 | 106 | 251 | | 663 | | |
| 80629 | E829956 | 18 | 46 | 33 | | 3.64 | 100 | 1161 | | 929 | | |
| 80630 | E829957 | 45 | 113 | 165 | | <1 | 102 | 708 | | 10977 | | |
| 80631 | E829958 | 39 | 58 | 35 | | 3.58 | 87 | 2350 | | 1212 | | |
| 80632 Dup | E829958 | 42 | 55 | 46 | | 3.48 | 86 | 2320 | | 1204 | | |
| 80633 | E829959 | 49 | 95 | 76 | | 4.22 | 88 | 3114 | | 1265 | | |
| 80634 | E829960 | 74 | 102 | 67 | | 4.72 | 108 | 4025 | | 1708 | | |
| 80635 | E829961 | 23 | 67 | 28 | | 3.75 | 110 | 2575 | | 1581 | | |
| 80636 | E829962 | 8 | 39 | 15 | | 1.99 | 46 | 564 | | 506 | | |
| 80637 | E829963 | 14 | 54 | 31 | | 1.80 | 36 | 592 | | 463 | | |
| 80638 | E829964 | 69 | 278 | 115 | | 3.84 | 92 | 3231 | | 1613 | | |
| 80639 | E829965 | <5 | 15 | <10 | | 2.21 | 48 | 110 | | 90 | | |
| 80640 | E829966 | 29 | 95 | 62 | | 2.83 | 63 | 2854 | | 1479 | | |
| 80641 | E829967 | 11 | 40 | 20 | | 1.57 | 22 | 535 | | 148 | | |
| 80642 | E829968 | 9 | 55 | 17 | | 1.66 | 20 | 663 | | 97 | | |
| 80643 Dup | E829968 | 10 | 63 | 19 | | 1.63 | 21 | 655 | | 98 | | |
| 80644 | E829969 | 43 | 70 | 33 | | 2.07 | 22 | 1050 | | 120 | | |
| 80645 | E829970 | <5 | <15 | <10 | | 1.56 | 22 | 65 | | 30 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory.

AL917-0257-05/03/2008 12:46 PM



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Saturday, May 3, 2008

Canadian Arrow Mines Ltd.
236 Cedar St.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Apr 14, 2008

Date Completed: May 1, 2008

Job #: 200840898

Reference: 18600 C.L.

Sample #: 371 Core

| Acc # | Client ID | Au ppb | Pt ppb | Pd ppb | Rh ppb | Ag ppm | Co ppm | Cu ppm | Fe ppm | Ni ppm | Pb ppm | Zn ppm |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 80646 | E829971 | <5 | <15 | <10 | | 1.43 | 23 | 55 | | 32 | | |
| 80647 | E829972 | <5 | <15 | <10 | | 1.20 | 25 | 77 | | 27 | | |
| 80648 | E829973 | <5 | <15 | <10 | | 1.43 | 30 | 104 | | 30 | | |
| 80649 | E829974 | <5 | <15 | 11 | | 1.55 | 28 | 100 | | 31 | | |
| 80650 | E829975 | <5 | <15 | <10 | | 1.74 | 25 | 48 | | 44 | | |
| 80651 | E829976 | <5 | 21 | <10 | | 1.64 | 26 | 56 | | 37 | | |
| 80652 | E829977 | 6 | 33 | <10 | | 1.89 | 30 | 47 | | 27 | | |
| 80653 | E829978 | 8 | 27 | <10 | | 1.80 | 27 | 26 | | 34 | | |
| 80654 Dup | E829978 | 6 | 27 | <10 | | 1.85 | 27 | 26 | | 34 | | |
| 80655 | E829979 | 21 | 29 | <10 | | 2.46 | 83 | 1092 | | 119 | | |
| 80656 | E829980 | 5 | 28 | <10 | | 1.84 | 24 | 61 | | 46 | | |
| 80657 | 396351 | 17 | 315 | 156 | | 3.33 | 373 | 2588 | | 8351 | | |
| 80658 | 396352 | 133 | 236 | 83 | | 3.35 | 264 | 7621 | | 5093 | | |
| 80659 | 396353 | 36 | 188 | 131 | | 3.07 | 49 | 2140 | | 662 | | |
| 80660 | 396354 | 8 | 20 | <10 | | 1.23 | 49 | 127 | | 346 | | |
| 80661 | 396355 | 9 | 26 | 14 | | 2.07 | 60 | 497 | | 604 | | |
| 80662 | 396356 | 49 | 133 | 66 | | 1.72 | 56 | 1205 | | 867 | | |
| 80663 | 396357 | 13 | 63 | 34 | | 1.90 | 66 | 557 | | 709 | | |
| 80664 | 396358 | 15 | 39 | 22 | | 1.90 | 65 | 324 | | 531 | | |
| 80665 Rep | 396358 | 6 | 28 | 14 | | 1.89 | 65 | 322 | | 515 | | |
| 80666 | 396359 | 22 | 50 | 22 | | 1.89 | 67 | 647 | | 325 | | |
| 80667 | 396360 | 52 | 166 | 72 | | 4.02 | 66 | 3963 | | 1044 | | |
| 80668 | 396361 | 62 | 138 | 74 | | 3.71 | 119 | 3213 | | 1718 | | |

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

MONCRIEF CONSTRUCTION

MORRIS DRILLING , MAYBRUN ROAD

PAGE 2

MORRIS DRILLING INC 17355233396

J7

| | Description | Date | Employee | Labour | Travel | 1/2 ton /day | 6x6 ATV/Day | D6 | 270 Hitachi | Line Truck | Lo |
|--------------------|---|-----------|----------|--------------------|----------|--------------|-------------|----------|-------------|------------|----------|
| 1 | Build Skid Trails | 5-Feb-08 | Darren | 1 | 2 | 1 | 1 | 1 | | 6 | |
| 2 | Build Skid Trails | | Bill | 7 | 2 | | | | | | |
| 3 | Move drill rig, fuel skid | 13-Feb-08 | Rob | | 2 | 1 | | | 8.5 | | |
| 4 | Steel sloop, water pump shack Kenbridge to May | 14-Feb-08 | Rob | | 2 | 1 | | | 9 | | |
| 5 | Steel sloop, water pump shack Kenbridge to May | 15-Feb-08 | Sean | | 2 | | | | | 9 | |
| 6 | Pull large drill rig to Maybrun Mine | 15-Feb-08 | Rob | | 2 | 1 | | | 8 | | |
| 7 | Pull drill rig to new site, leveled 3 drill sites | 16-Feb-08 | Rob | | 2 | 1 | | | 8 | | |
| 8 | Pull 3 skids into new site | 17-Feb-08 | Rob | | 2 | 1 | | | 8 | | |
| 9 | Digging trenches at new mine site | 18-Feb-08 | Rob | 2 | 2 | 1 | | | | 7.5 | |
| 10 | Level trail half way to site, trail into lake, backblad | 20-Feb-08 | Rob | | 2 | 1 | | | 6.5 | | |
| 11 | Move pump shack, dig trenches walk machine in | 21-Feb-08 | Rob | | 2 | 1 | | | 6.5 | | |
| 12 | Set up drill rig mine site 3 new drill site, dug hole | 22-Feb-08 | Rob | | 2 | 1 | | | 6 | | |
| 13 | Pull Slew & Pump shack to Maybrun Rd | 23-Feb-08 | Rob | | 2 | 1 | | | 8 | | |
| 14 | Float 450 to Km 11 Cameron Lk Rd try to pull pu | 23-Feb-08 | Sean | | | | | | | | |
| | | 23-Feb-08 | Herb | 5 | 2 | | | | | | |
| 15 | Walked 14 km to mine site pull drill rig out | 24-Feb-08 | Rob | | 2 | 1 | | | 7.5 | | |
| 16 | Load & unload float truck. Walk machine to road | 25-Feb-08 | Rob | | 2 | 1 | | | 4 | | |
| 17 | Prep drill site, brush 2 roads | 26-Feb-08 | Rob | | 2 | 1 | | | 8 | | |
| 18 | Arrange for fuel slip tank | 26-Feb-08 | Randy | 2 | | | | | | | |
| 19 | Set up drill, dug 30m trenchwalk machine to May | 27-Feb-08 | Rob | | 3 | 1 | | | 2 | 7.5 | |
| 20 | Push 4 rds to dif sites,knock down trees between | 28-Feb-08 | Rob | | 2 | 1 | | | 7 | | |
| 21 | Cameron Rd unload tanks with Line truck | 29-Feb-08 | Don | | | | | | | 6 | |
| 22 | Fuel Slip Tank Rental Feb 26 - March 25/08 | | | \$200.00 | | | | | | | |
| 23 | 610 l Coloured Diesel @ .9587 | 17-Feb-08 | | \$584.81 | | | | | | | |
| 24 | 2" ratchet strap | 26-Feb-08 | | \$28.23 | | | | | | | |
| TOTAL HOURS | | | | | 17 | 39 | 16 | 1 | 76.5 | 50.5 | 6 |
| RATE | | | | | \$55.00 | \$55.00 | \$180.00 | \$150.00 | \$145.00 | \$140.00 | \$85.00 |
| TOTAL | | | | \$813.04 | \$935.00 | \$2,145.00 | \$2,880.00 | \$150.00 | \$11,092.50 | \$7,070.00 | \$510.00 |
| TOTAL | | | | \$26,113.04 | | | | | | | |

**TRENCHING ADDENDUM
CANADIAN ARROW MINES LTD.**

“DENMARK LAKE PROPERTY”

Trenching 2008
Kenora, Ontario
N.T.S. 052F05NE

Sudbury, Ontario
July 2009

Jean Bernard
Todd Keast
K. Kettles

TRENCHING SUMMARY

In 2007-2008, Canadian Arrow Mines Ltd identified exploration targets for nickel, copper and Platinum Group Metals on the Denmark Lake Property. An exploration program consisting of airborne AEROTEM-MAG survey, geological mapping, trenching and diamond drilling was carried out on Canadian Arrow Mines Ltd., Denmark Lake Property east of Sioux Narrows area, northwestern Ontario. Claims 4208705, 4208706, 8208707, 4208708 4208709 and 4228981 referred to as the property is part of the group of claims controlled by Canadian Arrow Mines Ltd. in the Denmark Lake Area. The work was designed as a preliminary evaluation of the property leading up to the diamond drilling program in the winter of 2008. This report describes the stripping performed on claim 4208708 in more detail.

Trenching was carried out on claim 4208708 from Feb. 18 to Feb. 21, 2008. The stripping was performed by Moncrief Construction, using a 270 Hitachi. The actual trenching was performed over 2 days, the other days were partial works days spent travelling and moving machines. A total of 5 trenches were exposed, totalling approximately 302 m². The five trenches were located 100 m northwest of the main Caribou Lodge Showing (Figure 11 – Main report). The trenching was followed by washing of the trenches, sampling, and mapping. Work was carried out by Jean Bernard and Todd Keast.

Rocks exposed by the trenching were diorite, gabbro, and pyroxenite. Mineralization exposed was 1-12 m wide, consisted of 5 to 20% disseminated to blebby chalcopyrite and pyrrhotite. The sulphide mineralization appears relatively simple, consisting primarily of chalcopyrite and pyrrhotite within the pyroxenite. Some grab samples from the zone yielded anomalous values of PGM for example one sample taken in 2007 retuned > 0.6 g/t Pt within the pyroxenite. A total of 22 grab samples were taken from four trenches, the fifth trench (Trench 2) contained no outcrop. The mineralization in the five trenches appears to be trending NNW and steeply dipping, this is supported by the drilling. This mineralization was also intersected in several drill holes, reported on in the main body of the report. Samples 396371, 396368, 396362, 396352, and 396351 returned anomalous to higher grade values of Ni and Cu, as well as anomalous Pt-Pd-Au values. Table 3A below gives the results of the trench samples.

From the drilling and trenching it can be noted that two directions for mineralization could be considered on Denmark Lake Property. Numerous disseminated sulphide zones oriented NW-SE to NNW-SSE and possibly massive sulphide lenses striking E-W. The Caribou Lodge Occurrence should be continuous to the north west of the line 1410N. The northwestern hole H-5 (Huston & Associates) intersected the zone, assays from this hole returned 0.79% nickel and 1.12% copper over 1.75m. The exact length of the Caribou Lodge zone is unknown and still open laterally toward southeast. The Huston & Associates IP survey suggests the zone extends over 300 meters to the southeast (Figures 6 and 7 Main report).

Three Cross- Sections (1225N, 1260N and 1410N – Main report) on Caribou Lodge Showing indicate the zone steeply dips to the southwest and still open at depth (Figures 14, 15 and 16- Main report). The high grade section in the Hole CL-08-01 assaying 4.51% Ni, 0.44% Cu, 0.15% Co over a core length of 0.75 meters was associated of massive, blebby and disseminated sulphides. It is may be possible to tie this high grade zone with the good mineralization found in the Hole H-5 by Huston & Associates.

CONCLUSION AND RECOMMENDATIONS

Disseminated sulphide minerals appear to lie in northwest-southeast zones at Caribou Lodge and others similar sulphide horizons were detected few hundred meters east of the main showing. Massive sulphide minerals could be concentrated along later (east-trending) fractures in the areas of Ross Creek and Caribou Lodge occurrences. In 1952, International Nickel Company of Canada Limited conducted the ground EM and magnetic surveys on Caribou Lodge area and adjacent lands, the maps from these surveys indicated several conductors in the Caribou Lodge Showing area. Furthermore, several ground mag anomalies on the Caribou Lodge area were interpreted east-west.

In 1954, Boylen assumed that the mineralization on Caribou Lodge Showing would trend east and tested with Holes B-2 and B-4. Both holes intersected gabbro and peridotite with minor nickel and copper. Two directions for mineralization could be considered on Denmark Lake Property. Numerous disseminated sulphide zones oriented NW-SE and possibly massive sulphide lens striking E-W.

Diamond drilling and trenching has so far confirmed the extension from Caribou Lodge Showing, at depth and laterally 100m to the northwest and possibly 300 meters to the southeast. The 2008 drilling program has identified a massive sulphide lens in the first hole. Three holes drilled on the strongest IP anomaly No1 from Huston & Associates have not satisfactorily explained the anomaly under the Denmark Lake.


Further work is recommended to reevaluate the Huston & Associates IP survey and the sulphide mineralization associated with the pyroxenite occurrences in the vicinity of the Caribou Lodge Showing. The work should be undertaken in the winter and would consist of establishing a new grid (base line oriented at N335°) that includes the north western part of Denmark Lake, an IP geophysical survey and ice diamond drilling program to find sulphide bodies under Denmark Lake.

Table 3A – Grab Samples from Trenches 1 to 5, Caribou Lodge Showing

| Sample | Year | Showing | UTM NAD 83 Zone 15 | | Rock | Trench | Ni % | Cu % | Co % | Pt gm/t | Pd gm/t |
|--------|------|---------|-----------------------|----------|------|--------|------|------|-------|------------|------------|
| | | | Easting | Northing | | | | | | | |
| 396351 | 2008 | CL | 451669 | 5470734 | I4B | T-5 | 0.8 | 0.25 | 0.08 | 0.3 | 0.15 |
| 396352 | 2008 | CL | 451669 | 5470736 | I4B | T-5 | 0.5 | 0.76 | < LOD | 0.2 | 0.08 |
| 396353 | 2008 | CL | 451665 | 5470730 | I4B | T-5 | 0.04 | 0.06 | < LOD | 0.01 | 0.01 |
| 396354 | 2008 | CL | 451663 | 5470732 | I4B | T-5 | 0.03 | 0.01 | < LOD | 0.01 | 0.01 |
| 396355 | 2008 | CL | 451660 | 5470730 | I4B | T-5 | 0.09 | 0.06 | 0.09 | 0.1 | 0.06 |
| 396356 | 2008 | CL | 451658 | 5470731 | I4B | T-5 | 0.07 | 0.1 | < LOD | 0.01 | 0.01 |
| 396357 | 2008 | CL | 451655 | 5470730 | I4B | T-5 | 0.06 | 0.07 | < LOD | 0.01 | 0.01 |
| 396358 | 2008 | CL | 451650 | 5470732 | I4B | T-5 | 0.14 | 0.14 | 0.06 | 0.01 | 0.01 |
| 396359 | 2008 | CL | 451645 | 5470731 | I4B | T-5 | 0.05 | 0.03 | < LOD | 0.01 | 0.01 |
| 396360 | 2008 | CL | 451670 | 5470754 | I4B | T-1 | 0.1 | 0.4 | < LOD | 0.1 | 0.07 |
| 396361 | 2008 | CL | 451665 | 5470752 | I4B | T-1 | 0.17 | 0.3 | < LOD | 0.1 | 0.07 |
| 396362 | 2008 | CL | 451660 | 5470753 | I4B | T-1 | 0.19 | 0.3 | < LOD | 0.1 | 0.07 |
| 396363 | 2008 | CL | 451655 | 5470756 | I4B | T-1 | 0.09 | 0.1 | < LOD | 0.01 | 0.01 |
| 396364 | 2008 | CL | 451645 | 5470754 | I4B | T-1 | 0.13 | 0.18 | < LOD | 0.01 | 0.01 |
| 396365 | 2008 | CL | 451645 | 5470780 | I4B | T-3 | 0.03 | 0.02 | < LOD | 0.01 | 0.01 |
| 396366 | 2008 | CL | 451643 | 5470782 | I4B | T-3 | 0.07 | 0.15 | < LOD | 0.1 | 0.04 |
| 396367 | 2008 | CL | 4516640 | 5470781 | I4B | T-3 | 0.13 | 0.33 | < LOD | 0.28 | 0.25 |
| 396368 | 2008 | CL | 451635 | 5470783 | I4B | T-3 | 0.19 | 0.61 | 0.08 | 0.15 | 0.08 |
| 396369 | 2008 | CL | 451640 | 5470782 | I4B | T-3 | 0.04 | 0.19 | < LOD | 0.01 | 0.01 |
| 396370 | 2008 | CL | 451644 | 5470800 | I4B | T-4 | 0.15 | 0.56 | < LOD | 0.42 | 0.2 |
| 396371 | 2008 | CL | 45138 | 5470802 | I4B | T-4 | 0.7 | 0.31 | < LOD | 0.13 | 0.05 |
| 396372 | 2008 | CL | 451635 | 5470801 | I4B | T-4 | 0.18 | 0.32 | < LOD | 0.13 | 0.05 |

APPENDIX III

Trench Map



- ▲ Sample, number indicated
- Outline of trench
- Old Trench
- Outcrop, with Rock Code - see Rock Legend
- Mineralized Zone Contact
- Mineralized Interval: Ni%-Cu%-PGM g/t over length (m)
- Drill hole with trace projected to surface
- Gravel, overburden - all other material is outcrop
- - Trail, Drill Road

Caribou Lodge Trench Plan CRO Drill hole Locations and Historic Drill holes



CANADIAN
ARROW MINES LTD.