

**Diamond Drill Assessment Report on the
Hook and Owaissa Projects**

for

Auger Resources Ltd.

Sudbury Mining Division, Ontario

April 25, 2010

Todd Keast, P.Geo

Summary

Between November 2009 and February 2010, Auger Resources Ltd. completed a diamond drill program on the Hook Property and Owaissa Property. The properties are located within the townships of Strathy and Best, of the Sudbury Mining Division.

Previous exploration programs on the Hook Property identified a prospective surface showing with anomalous copper and zinc values. The horizon is coincident with a prominent airborne geophysical response and was partially tested during a drill program a previous operator. The Owaissa Property hosts an untested high grade cobalt- gold-copper showing. Auger Resources completed linecutting, ground geophysical surveys, mapping and prospecting, in preparation for the drill program.

Project Location and Access

The properties are located approximately 9 kilometers north of the town of Temagami, Ontario in northwestern Strathy Township (**Figure 1**). Access to the grid area is via provincial highway 11 to Red Squirrel Road. Travel west on Red Squirrel Road for approximately 2.5 km crosses the Owassia grid. Further along the Red Squirrel road is a series of bush roads and trails which leads to the northern end of the Hook Grid and provides access to all lines.




Figure 1 – Location Map

LAND TENURE AND OWNERSHIP

The Hook Property consists of 11 claims, situated within Best and Strathy townships (**Figure 2**). The Owaissa Property consists 7 claims located in Best and Strathy townships (**Figure 3**). A listing of claims is included in **Table 1**.

Table 1 - Claim Listing for Hook and Owasisa Projects

Project	Twp	Claim #	Due Date	Claim Holder
Hook	BEST	1206957	2010-Jul-16	50% Todd Mathieu, 50% Richard Mathieu
Hook	BEST	1223724	2010-Jul-16	50% Todd Mathieu, 50% Richard Mathieu
Hook	BEST	4212251	2010-Jun-12	100% Todd Mathieu
Hook	BEST	4245021	2010-Jun-23	100% Todd Mathieu
Hook	Best	4248083	2011-Dec14	100% Todd Mathieu
Hook	STRATHY	1190393	2010-Jun-12	100% Todd Mathieu
Hook	STRATHY	1223723	2011-Jun-05	100% Todd Mathieu
Hook	STRATHY	4212248	2011-Jun-05	100% Todd Mathieu
Hook	STRATHY	4212250	2010-Jul-16	100% Todd Mathieu
Hook	STRATHY	4212252	2011-Mar-25	100% Todd Mathieu
Hook	STRATHY	4227418	2011-Jun-05	100% Todd Mathieu
Hook	STRATHY	4227419	2010-Jun-12	100% Todd Mathieu
Owaissa	BEST	1223732	2010-Feb-03	100% Todd Mathieu
Owaissa	BEST	4212254	2009-Sep-27	100% Todd Mathieu
Owaissa	BEST	4227412	2010-Jul-16	100% Todd Mathieu
Owaissa	BEST	4227417	2010-Jul-16	100% Todd Mathieu
Owaissa	BEST	4248081	2011-Aug-19	100% Todd Mathieu
Owaissa	STRATHY	1223725	2010-May-30	100% Todd Mathieu
Owaissa	STRATHY	4248085	2011-Aug-19	100% Todd Mathieu




Figure 2 – Hook Project Claim map and Grid Location




Figure 3 – Owaissa Claim map and Grid Location

Auger Resource Ltd. Drill Program

In 2009 and 2010 Auger Resources completed a diamond drill program on two projects in the Temagami area. A total of 1,692 m of drilling was completed on the Hook Property, and a total of 1,502 m of drilling was completed on the Owaissa grid. Bradley Bros. Limited was contracted to complete the diamond drilling. Core was transported and logged at a secured facility in Temagami.

A summary of the drilling is included on **Table 2**. Drill logs, assay certificates, sections and location maps are included in **Appendix I**.

Table 2 – Summary of Drill Holes for Hook and Owaissa

Property	DDH #	Grid E	Grid N	UTM E	UTM N	Az/Dip	Length
Hook	HK-09-01	900 E	965 N	587144	5221439	140/-45	173
Hook	HK-09-02	900 E	965 N	587144	5221439	140/-65	221
Hook	HK-09-03	800 E	740 N	587090	5221336	320/-45	161
Hook	HK-09-04	800 E	740 N	587090	5221336	320/-75	206
Hook	HK-09-05	700 E	725 N	587014	5221271	140/-45	164
Hook	HK-09-06	590 E	650 N	586972	5221154	320/-45	200
Hook	HK-09-07	500 E	665 N	586871	5221101	320/-50	152
Hook	HK-09-08	490 E	715 N	-	-	320/-50	68
Hook	HK-09-09	850 E	700 N	587144	5221350	330/-70	347
							1692

Owaissa	OW-09-01	1100 E	850 N	-	-	350/-45	236
Owaissa	OW-09-02	1000 E	1125 N	-	-	170/-60	194
Owaissa	OW-09-03	1000 E	800 N	-	-	170/-45	212
Owaissa	OW-09-04	1000 E	1170 N	-	-	350/-45	131
Owaissa	OW-09-05	1000 E	1170 N	-	-	350/-70	191
Owaissa	OW-09-06	1200 E	1090 N	592132	5222004	170/-45	224
Owaissa	OW-09-07	1400 E	1090 N	592346	5221886	170/-45	86
Owaissa	OW-09-08	1400 E	1090 N	592346	5221886	170/-65	89
Owaissa	OW-09-09	1490 E	1040 N	592432	5221908	170/-45	83
Owaissa	OW-09-10	1600 E	1025 N	592550	5221906	170/-45	62
							1508

Total m **3200**


Results

On the Hook Property anomalous copper and zinc assay results were returned from in several holes over narrow 1m intervals. Pyrite and pyrrhotit stringers and veins is believed to be the source of the geophysical responses.

On the Owaissa several narrow anomalous cobalt sections were intersected.

Appendix I

Drill Logs, Certificates Sections and Plans




Legend for Rock Code

HoleID
 Sample_# Text
 Rock_Code Text
 Rock_Code Trace Shade
 EOH








Position of Surface IP anomalies

- CAS - Casing
- FI - Felsic Intrusive
- FT - Felsic Tuff
- MV - Mafic Volcanic
- MVM - Massive Mafic Volcanic
- MVP - Pillowed Mafic Volcanic
- FLT - Fault


AUGER RESOURCES LTD.	
Looking West	Hook Grid 2009 Drilling Section L600 East Lithology, Samples IP Chargeability on Surface Drillhole HK-09-06
Date: 26/12/2009	
Author: K. Kettles	
Office: Sudbury	
Drawing: L600E	
Scale: 1:500	Projection: NAD 83 Zone 17




Legend for Rock Code

	CAS - Casing
	FI - Felsic Intrusive
	FT - Felsic Tuff
	MV - Mafic Volcanic
	MVM - Massive Mafic Volcanic
	MVP - Pillowed Mafic Volcanic
	FLT - Fault


Position of Surface IP anomalies

 Position of Surface IP anomalies


HoleID

 HoleID


Sample_#

 Sample_#


Text

 Text


Rock_Code

 Rock_Code


Text

 Text


Rock_Code


 Rock_Code

Trace Shade


 Trace Shade

EOH

 EOH



AUGER RESOURCES LTD.	
Looking West	Hook Grid 2009 Drilling Section L700 East Lithology, Samples IP Chargeability on Surface Drillhole HK-09-05
Date: 26/12/2009	
Author: K. Kettles	
Office: Sudbury	
Drawing: L700E	
Scale: 1:500	Projection: NAD 83 Zone 17



Legend for Rock Code

Position of Surface IP anomalies

HoleID


Sample_#
Text

Rock_Code
Text


Rock_Code
Trace Shade

EOH

- CAS - Casing
- FI - Felsic Intrusive
- FT - Felsic Tuff
- MV - Mafic Volcanic
- MVM - Massive Mafic Volcanic
- MVP - Pillowed Mafic Volcanic
- FLT - Fault




AUGER RESOURCES LTD.	
Looking West	<p>Hook Grid 2009 Drilling Section L800 East Lithology, Samples IP Chargeability on Surface Drillholes HK-09-03, 04</p>
Date: 26/12/2009	
Author: K. Kettles	
Office: Sudbury	
Drawing: L800E	
Scale: 1:500	Projection: NAD 83 Zone 17




Legend for Rock Code


HoleID	Position of Surface IP anomalies
Sample_# Text	CAS - Casing
Rock_Code Text	FI - Felsic Intrusive
Rock_Code Trace Shade	FT - Felsic Tuff
ECH	MV - Mafic Volcanic
	MVM - Massive Mafic Volcanic
	MVP - Pillowed Mafic Volcanic
	FLT - Fault



AUGER RESOURCES LTD.	
Looking West	Hook Grid 2009 Drilling Section L850 East Lithology, Samples IP Chargeability on Surface Drillhole HK-09-09
Date: 26/12/2009	
Author: K. Kettles	
Office: Sudbury	
Drawing: L80E	
Scale: 1:500	Projection: NAD 83 Zone 17



AUGER RESOURCES LTD.	
Looking West	Hook Grid 2009 Drilling Section L900 East Lithology, Samples IP Chargeability on Surface Drillholes HK-09-01, 02
Date: 26/12/2009	
Author: K. Kettles	
Office: Sudbury	
Drawing: L900E	
Scale: 1:500	Projection: NAD 83 Zone 17



Legend for Rock Code

Position of Surface IP anomalies

2DIP Inversion Chargeability Background

- CAS - Casing
- DB - Diabase
- GAB - Gabbro
- FD, GR - Felsic Dike, Granite
- MIN - Mineralized Zone


HoleID

Sample_# Text


Rock_Code Text

Rock_Code Trace Shade

EOH



AUGER RESOURCES LTD.	
Looking West	Owaissa Grid - 2009 Section L1000 East Lithology, Samples IP Chargeability On Surface Drill holes OW-09-02 to 05
Date: 22/12/2009	
Author: K. Kettles	
Office: Sudbury	
Drawing: L1000E	
Scale: 1:1,000	Projection: NAD83 Zone 17



HoleID

Sample_#
Text

Rock_Code
Text

Rock_Code
Trace Shade


EOH

Position of Surface IP anomalies

2DIP Inversion Chargeability Background

- CAS - Casing
- DB - Diabase
- GAB - Gabbro
- FD, GR - Felsic Dike, Granite
- MIN - Mineralized Zone

Legend for Rock Code



AUGER RESOURCES LTD.	
Looking West	Owaissa Grid 2009 Drilling Section L1100 East Lithology, Samples IP Chargeability on Surface Drillhole OW-09-01
Date: 22/12/2009	
Author: K. Kettles	
Office: Sudbury	
Drawing: L1100E	
Scale: 1:750	Projection: NAD 83 Zone 17

Legend for Rock Code

Position of Surface IP anomalies

2DIP Inversion Chargeability Background

- CAS - Casing
- DB - Diabase
- GAB - Gabbro
- FD, GR - Felsic Dike, Granite
- MIN - Mineralized Zone


HoleID

Sample_# Text


Rock_Code Text


Rock_Code Trace Shade

EOH



AUGER RESOURCES LTD.	
Looking West	Owaisa Grid - 2009 Section L1200 East Lithology, Samples IP Chargeability On Surface Drill holes OW-09-06
Date: 23/04/2010	
Author: K. Kettles	
Office: Sudbury	
Dwg: Sec1200E	
Scale: 1:750	Projection: NAD83 Zone 17





B

||

OW-09-09

CAS

E503880
E503881

E503882

GAB

E503883

E503884

GRD

GAB


GRD

E503887
E503889

E503885
E503886

E503888
E503890

OW-09-09
83m



5.221,850mN

5.221,850mN

5.221,850mN

5.221,900mN


5.221,750mN

300m


300m

250m

250m





Legend for Rock Code



AUGER RESOURCES LTD.

Looking West	<p>Owaissa Grid - 2009 Section L1600 East Lithology, Samples IP Chargeability On Surface Drill hole OW-09-10</p>
Date: 23/04/2010	
Author: K. Kettles	
Office: Sudbury	
Dwg: Sec1600E	
Scale: 1:750	Projection: NAD83 Zone 17





5,222,200 mN

591,800 mE

4227412

592,000 mE

4212254

592,200 mE

592,400 mE

592,600 mE

592,800 mE



4227417

5,222,000 mN

OW-09-04

OW-09-05

OW-09-06

OW-09-02

OW-09-07

OW-09-08

OW-09-09

OW-09-10

BL 10 N

5,221,800 mN

5,221,600 mN

1223722

12237325

OW-09-01

OW-09-03

L10+00 E


L11+00 E

L12+00 E

L13+00 E

L14+00 E

L15+00 E



5,221,400 mN

Auger Resources

PROSPECT: Hook

DDH#: HK-09-01

GRID: Hook

Core: NQ

Azimuth and Dip: 140/-45

E.O.H: 173m

GRID LOCATION: 900 965

UTM, type: 587144E 5221439N, non-diff

Claim # : 4212252

Start: Dec.13, 2009 End: Dec.19, 2009

Drill Company:

Bradley Brothers Drilling

Logged by:

P.McChesney

From	To	Rock Type	Code	Description	Recovery
0.00	3.60	Casing	CAS		
3.60	173.00	Pillowed Mafic Volcanics	MV	<p>Pillowed fg mafic volcanics. Chloritic. Patchy chl-carb altered salvages. Minor chl-carb irregular stringers. Few brecciated QVs p to 20cm. Tr po diss throughout. Tr pocpy diss and stringers within salvages. Tr pocpysph diss and blebs in large QVs.</p> <p>3.6-14.5m Mg massive mafic flow.</p> <p>35.95-36.15m Brecciated QV with tr-1% po,cpy,sph 50 deg to CA.</p> <p>67.9-69.3m 3-5% pocpysph diss and irregular stringers.</p> <p>71.55-71.8 Brecciated QV with tr pocpysph. UC 25 deg to CA. LC 45 deg to CA.</p> <p>82.5-86.25 Massive mg flow.</p> <p>122-124m Silicified salvages with tr pocpysph.</p> <p>140-149m Minor irregulat qtz-carb strgrs. Tr pocpy.</p>	

EZ-Shot Survey:

Depth: 164.0

Corrected Azimuth: 148.0

Dip: 43.3

EOH: 173

Casing left in hole

41 boxes of core stored at N. Temagami

Hole: HK-09-01

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm
HK-09-01	E503501	13.50	14.50	1.00	MV	SD10011805	<0.005	<1	152	7.7	51.4
HK-09-01	E503502	14.50	15.50	1.00	MV	SD10011805	<0.005	<1	116.5	8.4	54.7
HK-09-01	E503503	15.50	16.50	1.00	MV	SD10011805	<0.005	<1	125	8.6	58.6
HK-09-01	E503504	16.50	17.50	1.00	MV	SD10011805	0.005	<1	106.5	8.5	67.3
HK-09-01	E503505	17.50	18.50	1.00	MV	SD10011805	<0.005	<1	141.5	8.7	56.3
HK-09-01	E503506	21.20	22.20	1.00	MV	SD10011805	<0.005	<1	148.5	8.4	55.2
HK-09-01	E503507	22.20	22.70	0.50	MV	SD10011805	0.01	<1	69.7	7	65.6
HK-09-01	E503508	22.70	23.70	1.00	MV	SD10011805	<0.005	<1	147	8.9	54.9
HK-09-01	E503509	35.00	35.90	0.90	MV	SD10011805	<0.005	<1	136.5	8.7	55.2
HK-09-01	E503510	35.90	36.40	0.50	MV	SD10011805	<0.005	<1	87.7	8.5	53.4
HK-09-01	E503511	36.40	37.20	0.80	MV	SD10011805	<0.005	<1	108	8.6	53.5
HK-09-01	E503512	37.20	38.00	0.80	MV	SD10011805	<0.005	<1	177.5	8.1	56.1
HK-09-01	E503513	38.00	39.00	1.00	MV	SD10011805	0.006	<1	121.5	8.5	55
HK-09-01	E503514	39.00	40.00	1.00	MV	SD10011805	<0.005	<1	109.5	8.8	65.2
HK-09-01	E503515	40.00	41.00	1.00	MV	SD10011805	0.008	1	227	8.1	81.3
HK-09-01	E503515A	Standard				SD10011805	NSS	40	758	26.8	12
HK-09-01	E503516	56.00	57.00	1.00	MV	SD10011805	0.007	<1	145	7.9	58.8
HK-09-01	E503517	57.00	58.00	1.00	MV	SD10011805	0.014	1	161.5	9.2	60.9
HK-09-01	E503518	58.00	59.00	1.00	MV	SD10011805	<0.005	<1	119.5	9	63.6
HK-09-01	E503519	66.00	67.00	1.00	MV	SD10011805	0.006	<1	119	50.3	23
HK-09-01	E503520	67.00	67.90	0.90	MV	SD10011805	<0.005	<1	137	45.3	22.8
HK-09-01	E503521	67.90	68.60	0.70	MV	SD10011805	0.006	1	205	20.3	84.7
HK-09-01	E503522	68.60	69.30	0.70	MV	SD10011805	0.009	1	177.5	12.4	89.3
HK-09-01	E503523	69.30	70.00	0.70	MV	SD10011805	<0.005	<1	95.9	8.9	57.8
HK-09-01	E503524	70.00	71.00	1.00	MV	SD10011805	<0.005	<1	94.9	9.2	60.9
HK-09-01	E503525	71.00	72.00	1.00	MV	SD10011805	<0.005	<1	93.3	7.6	49.6
HK-09-01	E503526	72.00	73.00	1.00	MV	SD10011805	<0.005	<1	86	7.7	58.1
HK-09-01	E503527	121.00	122.00	1.00	MV	SD10011805	0.04	<1	250	10	217
HK-09-01	E503528	122.00	123.00	1.00	MV	SD10011805	<0.005	<1	141	9.4	54.6
HK-09-01	E503529	123.00	124.00	1.00	MV	SD10011805	<0.005	<1	224	8.8	60.6
HK-09-01	E503530	124.00	125.00	1.00	MV	SD10011805	<0.005	<1	216	8.4	62.5
HK-09-01	E503531	125.00	126.00	1.00	MV	SD10011805	<0.005	<1	229	9.6	53.5
HK-09-01	E503532	126.00	127.00	1.00	MV	SD10011805	<0.005	<1	280	9.3	55

Hole: HK-09-01

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au ppm	Ag ppm	Ba ppm	Ce ppm	Co ppm
HK-09-01	E503533	127.00	128.00	1.00	MV	SD10011805	<0.005	<1	224	7.9	59.1
HK-09-01	E503534	128.00	129.00	1.00	MV	SD10011805	<0.005	<1	224	10.1	55.9
HK-09-01	E503534A	Standard				SD10011805	NSS	37	788	27.5	13
HK-09-01	E503535	129.00	130.00	1.00	MV	SD10011805	0.01	<1	316	8.8	63.4
HK-09-01	E503536	142.00	143.00	1.00	MV	SD10011805	<0.005	<1	205	8.6	48.9
HK-09-01	E503537	143.00	144.00	1.00	MV	SD10011805	0.01	<1	303	6.8	50.9
HK-09-01	E503538	144.00	145.00	1.00	MV	SD10011805	0.027	<1	384	9.1	71.6
HK-09-01	E503539	145.00	146.00	1.00	MV	SD10011805	0.008	<1	307	13.1	70.9
HK-09-01	E503540	146.00	147.00	1.00	MV	SD10011805		<1	404	7.7	57

<0.005

Hole: HK-09 DDH#	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
HK-09-01	310	0.12	156	3.3	2.18	0.83	18.3	2.5	1.6	0.71	3.1	0.33
HK-09-01	250	0.26	119	3.79	2.51	0.89	16.9	3	1.6	0.84	3	0.39
HK-09-01	280	0.17	141	4.41	2.79	1.03	18.4	3.33	1.8	0.96	3.1	0.42
HK-09-01	240	0.13	270	4.04	2.67	0.94	17.5	3.06	1.7	0.88	2.9	0.4
HK-09-01	270	0.15	130	4.07	2.66	0.96	17.4	3.17	1.8	0.91	3	0.41
HK-09-01	260	0.13	97	4.01	2.6	0.98	18.2	3.13	1.6	0.88	3.2	0.39
HK-09-01	160	0.14	311	3.06	2.01	0.64	12.7	2.34	1.2	0.67	2.7	0.31
HK-09-01	280	0.13	140	4.06	2.72	0.96	18.3	3.2	1.7	0.9	3.3	0.42
HK-09-01	280	0.12	60	4.07	2.78	0.98	19.9	3.3	1.7	0.89	3.2	0.41
HK-09-01	210	0.23	262	4.05	2.75	0.89	15.2	3.13	1.5	0.9	2.9	0.42
HK-09-01	330	0.16	71	3.85	2.53	0.94	17.2	3.08	1.8	0.84	3.2	0.4
HK-09-01	250	0.29	110	3.88	2.57	0.88	16.9	3.06	1.7	0.84	3	0.4
HK-09-01	260	0.13	113	3.96	2.65	0.96	17.5	2.99	1.8	0.86	3.1	0.41
HK-09-01	250	0.38	370	3.95	2.67	0.84	19.4	2.93	1.7	0.87	3.2	0.39
HK-09-01	240	0.24	422	3.98	2.62	0.91	17.8	3.06	1.7	0.88	2.9	0.37
HK-09-01	30	1.99	5440	2.97	1.96	0.79	15.7	2.99	3.8	0.61	13.8	0.3
HK-09-01	250	0.22	149	3.89	2.58	0.94	17.9	3.01	1.8	0.86	2.9	0.36
HK-09-01	250	0.2	408	4.21	2.72	1.05	19.3	3.1	1.8	0.91	3.7	0.39
HK-09-01	280	0.29	170	4.4	2.86	0.98	19.7	3.4	2	0.96	3.2	0.42
HK-09-01	140	0.29	56	2.56	1.49	1.08	17.8	3.66	3.8	0.51	23.5	0.19
HK-09-01	170	0.22	18	2.68	1.62	1.02	16.8	3.55	3.8	0.53	20.8	0.21
HK-09-01	150	0.3	457	3.57	2.27	1.12	19	3.3	1.6	0.76	10.3	0.34
HK-09-01	130	0.16	714	4.53	3.1	1.3	16.7	3.54	1.5	1.05	5.2	0.44
HK-09-01	280	0.17	76	4.12	2.76	0.99	19	3.2	1.9	0.94	3.2	0.39
HK-09-01	270	0.19	220	4.15	2.69	1.02	18.4	3.2	1.9	0.92	3.4	0.39
HK-09-01	230	0.26	79	3.65	2.49	0.81	15.8	2.88	1.7	0.82	2.8	0.35
HK-09-01	250	0.16	146	3.82	2.58	0.89	17.9	2.91	1.7	0.85	2.8	0.36
HK-09-01	280	0.23	83	4.39	2.85	1.15	18.6	3.35	2.1	0.97	3.8	0.4
HK-09-01	250	0.17	88	4.03	2.63	1.04	19.6	3.08	1.8	0.86	3.7	0.38
HK-09-01	260	0.37	31	4.15	2.67	1.02	18	3.12	1.9	0.9	3.4	0.38
HK-09-01	230	0.28	102	3.65	2.42	0.97	17	2.88	1.6	0.82	3.4	0.36
HK-09-01	260	0.2	22	4.28	2.73	1.32	19.7	3.42	1.8	0.92	4	0.39
HK-09-01	250	0.29	104	4.24	2.81	1.07	19.5	3.21	1.8	0.92	3.5	0.4

Hole: HK-09	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm
DDH#												
HK-09-01	260	0.36	94	4.04	2.66	0.94	18	3.02	1.9	0.87	2.9	0.38
HK-09-01	250	0.24	121	4.33	2.83	1.25	20.7	3.35	1.9	0.94	4	0.39
HK-09-01	50	2.12	6600	3.06	1.98	0.84	16.2	3.07	3.9	0.64	14	0.31
HK-09-01	240	0.36	182	4.41	2.89	1.07	18.7	3.18	1.9	0.97	3.3	0.41
HK-09-01	250	0.17	19	4.16	2.76	0.99	18.8	3.2	1.8	0.92	3.1	0.4
HK-09-01	240	0.42	143	3.9	2.6	0.92	21	2.86	1.7	0.86	2.3	0.38
HK-09-01	150	0.56	182	4.09	2.7	0.92	19.7	3.15	2	0.9	3.3	0.4
HK-09-01	170	0.48	236	4.12	2.68	0.93	20.6	3.34	2.2	0.9	5.3	0.4
HK-09-01	230	0.39	164	3.63	2.38	0.84	17.7	2.62	1.6	0.79	3	0.34

Hole: HK-09 DDH#	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm
HK-09-01	<2	2	6.3	109	12	1.22	14.7	1.98	1	195.5	0.1	0.5
HK-09-01	<2	2.3	6.8	111	<5	1.34	20.2	2.27	1	126.5	0.1	0.58
HK-09-01	<2	2.4	7.5	115	5	1.49	12.6	2.5	1	142	0.1	0.63
HK-09-01	<2	2.3	7	127	6	1.41	11	2.25	1	154.5	0.1	0.59
HK-09-01	<2	2.4	7.2	117	<5	1.44	13.8	2.37	1	144	0.1	0.6
HK-09-01	<2	2.2	7.1	110	5	1.37	13	2.31	1	200	0.1	0.6
HK-09-01	2	1.5	5.4	99	29	1.09	6	1.81	1	66.3	0.1	0.46
HK-09-01	<2	2.3	7.5	109	5	1.45	13.7	2.46	1	219	0.1	0.61
HK-09-01	<2	2.4	7.5	105	<5	1.46	14	2.51	1	195.5	0.1	0.63
HK-09-01	<2	2	7.2	93	8	1.38	13.9	2.36	1	78	0.1	0.6
HK-09-01	<2	2.4	7.3	109	<5	1.47	14.1	2.45	1	132	0.1	0.6
HK-09-01	<2	2.3	7.2	108	<5	1.4	24	2.33	<1	132.5	0.1	0.58
HK-09-01	<2	2.3	7.1	109	<5	1.4	13.5	2.42	1	164.5	0.1	0.6
HK-09-01	<2	2.3	7.3	119	<5	1.46	11.7	2.5	1	78.8	0.1	0.57
HK-09-01	<2	2.3	7	131	7	1.31	16.8	2.26	1	134.5	0.1	0.58
HK-09-01	1470	7	13.9	15	77	3.51	55.8	2.97	3	91	0.6	0.48
HK-09-01	6	2.3	6.8	119	5	1.36	17.8	2.4	1	155	0.1	0.56
HK-09-01	<2	2.3	7.6	111	64	1.47	13.8	2.51	1	206	0.1	0.61
HK-09-01	3	2.7	7.8	122	5	1.49	14.3	2.64	1	140	0.2	0.65
HK-09-01	4	6.3	23.1	88	18	6.16	12.2	3.83	1	88	0.4	0.5
HK-09-01	2	5.9	21.7	77	13	5.63	16.1	3.76	1	53.4	0.4	0.49
HK-09-01	<2	1.9	11.1	192	115	2.57	23.4	2.72	2	44.1	0.1	0.56
HK-09-01	<2	1.7	9.3	163	56	1.87	19.4	2.82	1	66.8	0.1	0.68
HK-09-01	<2	2.6	7.8	118	7	1.44	10.9	2.59	1	180	0.2	0.61
HK-09-01	<2	2.6	7.7	119	5	1.53	11.9	2.54	1	151	0.1	0.62
HK-09-01	<2	2.3	6.6	106	5	1.27	12.3	2.24	1	95.8	0.1	0.57
HK-09-01	<2	2.3	6.9	113	7	1.3	9.8	2.34	<1	132.5	0.1	0.56
HK-09-01	<2	2.7	8.3	124	11	1.61	24.3	2.6	1	162.5	0.2	0.65
HK-09-01	<2	2.4	7.7	105	11	1.54	13.1	2.51	1	132.5	0.1	0.6
HK-09-01	<2	2.6	7.6	96	8	1.46	24.1	2.53	1	131	0.2	0.61
HK-09-01	<2	2.2	6.9	110	5	1.34	21.4	2.29	2	113	0.1	0.55
HK-09-01	<2	2.4	7.8	130	<5	1.52	19.7	2.57	2	178.5	0.2	0.61
HK-09-01	<2	2.5	7.9	130	<5	1.54	28.1	2.62	1	160.5	0.1	0.62

Hole: HK-09	ME-MS81 Mo ppm	ME-MS81 Nb ppm	ME-MS81 Nd ppm	ME-MS81 Ni ppm	ME-MS81 Pb ppm	ME-MS81 Pr ppm	ME-MS81 Rb ppm	ME-MS81 Sm ppm	ME-MS81 Sn ppm	ME-MS81 Sr ppm	ME-MS81 Ta ppm	ME-MS81 Tb ppm
DDH#												
HK-09-01	<2	2.5	7.1	141	7	1.33	25.8	2.38	1	129.5	0.1	0.59
HK-09-01	<2	2.5	8.3	132	5	1.65	20	2.77	1	173	0.2	0.62
HK-09-01	1530	6.8	14.5	24	67	3.65	59.5	3.11	2	96.8	0.6	0.5
HK-09-01	3	2.5	7.7	144	25	1.47	30	2.47	1	128	0.2	0.64
HK-09-01	<2	2.4	7.4	109	7	1.44	11.6	2.5	1	169	0.2	0.62
HK-09-01	<2	2.3	6.5	102	9	1.2	24.3	2.41	1	95.7	0.1	0.57
HK-09-01	<2	3.2	7.9	86	53	1.54	44.4	2.6	1	43.5	0.2	0.6
HK-09-01	<2	3.2	9.8	91	24	1.99	35.4	3	1	51	0.2	0.62
HK-09-01	2	2.1	6.5	116	13	1.21	24	2.18	1	79	0.1	0.53

Hole: HK-09 DDH#	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
HK-09-01	0.29	<0.5	0.32	0.07	275	1	19.1	2.09	123	53
HK-09-01	0.32	<0.5	0.36	0.08	299	<1	21.8	2.4	125	55
HK-09-01	0.26	<0.5	0.41	0.07	313	1	24.1	2.72	143	60
HK-09-01	0.35	<0.5	0.39	0.1	293	<1	22.8	2.51	152	59
HK-09-01	0.25	<0.5	0.4	0.07	303	<1	23.6	2.51	148	59
HK-09-01	0.22	<0.5	0.38	0.08	294	1	22.8	2.48	125	55
HK-09-01	0.2	<0.5	0.29	0.1	213	1	16.8	1.99	1440	41
HK-09-01	0.24	<0.5	0.39	0.06	308	1	24.1	2.66	151	59
HK-09-01	0.24	<0.5	0.4	0.06	311	1	24	2.57	100	60
HK-09-01	0.28	<0.5	0.4	0.1	264	1	24.3	2.72	730	52
HK-09-01	0.24	<0.5	0.38	0.05	294	<1	22.9	2.46	125	60
HK-09-01	0.21	<0.5	0.39	0.06	296	<1	23	2.52	152	57
HK-09-01	0.24	<0.5	0.39	0.06	308	<1	23.3	2.52	124	58
HK-09-01	0.28	<0.5	0.39	0.09	293	1	22.9	2.57	177	58
HK-09-01	0.27	<0.5	0.37	0.07	287	2	21.2	2.56	150	59
HK-09-01	4.74	<0.5	0.28	2.81	102	19	16.1	1.99	108	144
HK-09-01	0.26	<0.5	0.38	0.06	295	2	21.1	2.45	114	58
HK-09-01	0.24	<0.5	0.4	0.1	303	3	22.2	2.62	145	59
HK-09-01	0.3	<0.5	0.44	0.07	333	3	23.2	2.86	149	67
HK-09-01	2.73	<0.5	0.18	0.56	94	2	12.9	1.35	74	147
HK-09-01	2.39	<0.5	0.23	0.53	127	2	13.6	1.46	110	142
HK-09-01	0.68	<0.5	0.33	0.16	190	2	19.6	2.2	430	57
HK-09-01	0.57	<0.5	0.46	0.22	173	2	28	2.84	165	51
HK-09-01	0.25	<0.5	0.42	0.05	319	2	22.9	2.65	122	65
HK-09-01	0.33	<0.5	0.4	0.07	307	1	22.9	2.6	147	64
HK-09-01	0.26	<0.5	0.36	0.06	274	1	20.2	2.35	114	54
HK-09-01	0.24	<0.5	0.39	<0.05	289	1	21.1	2.48	118	56
HK-09-01	0.31	<0.5	0.41	0.09	321	2	23.3	2.8	154	68
HK-09-01	0.29	<0.5	0.39	0.1	290	4	21.5	2.53	522	60
HK-09-01	0.27	<0.5	0.4	0.14	301	4	22.4	2.59	272	65
HK-09-01	0.23	<0.5	0.36	0.15	276	2	20.6	2.51	126	56
HK-09-01	0.27	<0.5	0.4	0.13	306	2	23.5	2.69	131	62
HK-09-01	0.28	<0.5	0.42	0.09	298	2	24	2.75	149	62

Hole: HK-09 DDH#	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
HK-09-01	0.29	<0.5	0.4	0.08	297	1	22.2	2.49	162	62
HK-09-01	0.3	<0.5	0.42	0.11	305	1	23.6	2.7	159	63
HK-09-01	5.05	<0.5	0.31	4.32	104	22	16.6	1.97	113	145
HK-09-01	0.3	<0.5	0.43	0.09	299	1	23.8	2.76	359	62
HK-09-01	0.25	<0.5	0.43	0.05	295	1	22.8	2.71	150	60
HK-09-01	0.22	<0.5	0.39	0.06	282	2	21	2.58	214	56
HK-09-01	0.42	<0.5	0.41	0.14	253	3	21.2	2.75	308	72
HK-09-01	0.43	<0.5	0.42	0.15	264	3	22.2	2.7	256	73
HK-09-01	0.21	<0.5	0.37	0.09	274	2	19.6	2.33	151	54

Auger Resources

PROSPECT: Hook

DDH#: HK-09-02

GRID: Hook

Core: NQ

Azimuth and Dip: 140/-65

E.O.H: 221m

GRID LOCATION: 900 965

UTM, type: 587144E 5221429N, non-diff

Claim # : 4212252

Start: Dec.19, 2009 End: Jan. 7, 2010

Drill Company:

Bradley Brothers Drilling

Logged by:

J. Taylor

From	To	Rock Type	Code	Description	Recovery
0.00	3.30	Casing	CAS		
3.30	57.00	Pillowed Mafic Volcanics	PMV	3.3-15.7m: cg flow, tr po,cpy andspl in qtz-carb vns 15.7-57m: pillowed flows, tr po, py,cpy in carb vns w/ C.A. 30 @ 27m: mnr cpy and po @ pillow boundary @ 34.2m: ~5% sulphides (po,cpy, tr spl) in 30 cm mineralized zone at top of pillows 42-50m:narrow (1-2cm) veinlets w/ mnr sulphides (po,cpy,py), vns are eradically spaced w/ C.A. 45-60 50.9-53m: fracture filling w/ qtz and k-feldspar w/ up to 10% sulphides (mostly po, with minor cpy and tr spl) @55.8m: several narrow carb vns w/ sulphides (po,cpy,spl) w/ C.A. of 60	
57.00	173.10	Mafic Volcanics	MV	cg, grdg to fg at top of each flow, increase in veins (qtz/carb w/ k-feldspar) and sulphides at top of each flow (tr po,cpy and spl) 163-171.5m: shear zone/ fault gauge	
173.10	221.00	Felsic Tuff	FT	cg matrix w/ up to block size (>10cm) clasts, clasts are silica rich angular to sub angular, w/ tr sulphides (po,cpy) @ clast boundaries. Clast size and abundance increases towards center of unit. (i.e 1-2cm clasts, 5-15% at top of unit, increasing to 5-15cm clasts, 30-50% clasts from 192-198m)	

EZ-Shot Survey:

EOH: 221

Casing left in hole

XX boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au	Ag	Ba	Ce	Co	Cr
							ppm	ppm	ppm	ppm	ppm	ppm
HK-09-02	E503541	27.00	27.50	0.50	MV	SD10011807	<0.005	<1	142.5	7.6	51.5	220
HK-09-02	E503542	34.00	35.00	1.00	MV	SD10011807	0.086	3	156.5	7	65.7	180
HK-09-02	E503543	42.00	43.00	1.00	MV	SD10011807	<0.005	<1	134	8.4	55.7	250
HK-09-02	E503544	45.00	46.00	1.00	MV	SD10011807	<0.005	<1	184	8.6	58.8	250
HK-09-02	E503544A	Standard				SD10011807	4	49	746	26.8	12.3	30
HK-09-02	E503545	46.00	47.00	1.00	MV	SD10011807	0.021	<1	131.5	7.9	72.6	230
HK-09-02	E503546	50.00	51.00	1.00	MV	SD10011807	0.016	1	66.6	15.1	104.5	230
HK-09-02	E503547	51.00	52.00	1.00	MV	SD10011807	0.019	<1	189.5	13.9	52.5	140
HK-09-02	E503548	52.00	53.00	1.00	MV	SD10011807	0.042	1	62.5	17.6	37.5	130
HK-09-02	E503549	55.80	56.30	0.50	MV	SD10011807	0.007	<1	230	9.4	74.6	240
HK-09-02	E503550	59.00	60.00	1.00	MV	SD10011807	<0.005	<1	330	6	51.1	190
HK-09-02	E504851	66.00	67.00	1.00	MV	SD10011807	<0.005	<1	264	7.7	77.3	230
HK-09-02	E504852	69.50	70.50	1.00	MV	SD10011807	0.005	1	234	6.5	54.1	250
HK-09-02	E504853	73.00	74.00	1.00	MV	SD10011807	0.011	1	258	4.1	62.4	220
HK-09-02	E504854	75.00	76.00	1.00	MV	SD10011807	<0.005	<1	242	5.2	47.3	230
HK-09-02	E504855	94.00	95.00	1.00	MV	SD10011807	0.018	<1	353	4.4	105.5	220
HK-09-02	E504856	116.40	117.40	1.00	MV	SD10011807	0.013	<1	233	7.8	36.9	100
HK-09-02	E504857	141.50	142.20	0.70	MV	SD10011807	<0.005	<1	385	13.8	36.3	60
HK-09-02	E504858	172.10	173.00	0.90	MV	SD10011807	<0.005	<1	279	46.3	48.1	560
HK-09-02	E504859	175.50	175.80	0.30	FT	SD10011807	<0.005	<1	166.5	4.6	43.4	230
HK-09-02	E504860	185.50	186.00	0.50	FT	SD10011807	<0.005	<1	51.5	3.8	41	270
HK-09-02	E504861	192.00	193.00	1.00	FT	SD10011807	<0.005	<1	74.8	3.1	40.4	170
HK-09-02	E504862	193.00	194.00	1.00	FT	SD10011807	<0.005	<1	48.3	2.9	26.9	130
HK-09-02	E504863	194.00	195.00	1.00	FT	SD10011807	<0.005	<1	46.8	1.9	23.5	100
HK-09-02	E504864	195.00	196.00	1.00	FT	SD10011807	<0.005	<1	90.5	2.7	36.1	180
HK-09-02	E504865	196.00	197.00	1.00	FT	SD10011807	<0.005	<1	84.5	3.4	31.3	140
HK-09-02	E504866	197.00	198.00	1.00	FT	SD10011807	<0.005	<1	29.1	0.6	6.1	70
HK-09-02	E504867	206.00	207.00	1.00	FT	SD10011807	<0.005	<1	82.1	4.4	57.1	240
HK-09-02	E504868	218.00	219.00	1.00	FT	SD10011807	<0.005	<1	77.2	4.1	46	220

	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Cs	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Lu	Mo
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503541	0.23	105	3.72	2.4	0.89	15.6	2.82	1.7	0.81	2.6	0.38	<2
E503542	0.24	1980	3.09	2	0.78	19.3	2.31	1.3	0.66	2.5	0.34	<2
E503543	0.19	94	4.03	2.64	0.93	16.9	3.12	1.8	0.9	3	0.4	<2
E503544	0.24	144	4.06	2.63	0.96	17.2	3.2	1.8	0.88	3.2	0.42	<2
E503544A	2.09	6530	3.01	1.9	0.79	15.3	3.08	4	0.64	13.9	0.33	1515
E503545	0.21	307	3.7	2.43	0.95	15.5	3.01	1.6	0.82	2.9	0.37	3
E503546	0.1	877	4.21	2.72	1.26	16.2	3.7	1.7	0.92	6.8	0.41	<2
E503547	0.12	259	2.22	1.51	0.6	11.6	1.89	1	0.51	7.8	0.25	<2
E503548	0.05	780	2.33	1.64	0.77	20.3	2.08	1	0.51	10.2	0.28	<2
E503549	0.2	293	3.78	2.55	1.14	17.1	3.08	1.7	0.83	3.8	0.38	<2
E503550	0.3	99	3.09	2.04	0.84	15.2	2.45	1.5	0.67	2	0.31	<2
E504851	0.4	92	3.75	2.53	0.99	16.7	2.97	1.7	0.84	2.9	0.39	<2
E504852	0.3	288	3.95	2.55	1.04	17.9	3.17	1.7	0.82	1.8	0.37	3
E504853	0.26	695	3.47	2.36	0.7	18	2.54	1.6	0.78	1.2	0.37	<2
E504854	0.24	123	3.37	2.26	0.58	14.1	2.41	1.8	0.73	1.8	0.34	<2
E504855	0.34	104	3.74	2.42	0.8	16.3	2.74	1.7	0.81	1.3	0.38	4
E504856	0.35	113	3.35	2.19	0.7	12.7	2.65	1.8	0.74	3	0.33	2
E504857	0.32	107	5.78	3.8	1.27	16.4	4.72	3.1	1.28	5	0.61	<2
E504858	1.04	25	3.28	1.9	1.37	15	4.43	2.6	0.62	18.9	0.26	<2
E504859	0.57	89	2.91	1.84	0.65	16.1	2.18	1.3	0.61	1.6	0.27	<2
E504860	0.62	104	2.52	1.61	0.56	16.9	1.93	1.1	0.55	1.4	0.26	<2
E504861	0.51	86	2.04	1.33	0.46	15.9	1.48	0.8	0.42	1.2	0.2	<2
E504862	0.53	52	1.57	1.04	0.45	15.8	1.18	0.6	0.35	1.1	0.17	<2
E504863	1.43	75	1.31	0.91	0.42	16.6	0.95	0.5	0.3	0.7	0.13	<2
E504864	0.74	63	1.87	1.24	0.46	14.9	1.36	0.8	0.41	0.9	0.19	<2
E504865	0.74	80	1.7	1.07	0.44	15.6	1.35	0.6	0.37	1.8	0.16	<2
E504866	0.9	27	0.23	0.15	0.26	18.4	0.19	<0.2	0.05	<0.5	0.02	<2
E504867	0.75	86	2.86	1.88	0.61	14.8	2.18	1.2	0.61	1.4	0.28	<2
E504868	0.66	92	2.67	1.69	0.55	15.6	1.96	1.2	0.56	1.4	0.25	<2

	ME-MS81 Nb	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503541	2.1	7	94	52	1.32	20.6	2.3	1	107.5	0.1	0.56	0.27
E503542	1.3	5.4	80	1735	1.1	19.7	1.75	3	88.4	0.1	0.43	0.21
E503543	2.3	7.2	111	5	1.41	15.7	2.42	1	144	0.1	0.62	0.24
E503544	2.3	7.5	105	20	1.43	17.4	2.54	1	148.5	0.1	0.61	0.24
E503544A	6.4	14	15	85	3.62	61.9	2.9	3	92.4	0.5	0.54	5.04
E503545	2.1	7	111	58	1.32	11.7	2.25	1	123	0.1	0.57	0.24
E503546	2.2	9.8	124	15	2.12	8.7	2.9	2	64.3	0.1	0.67	0.26
E503547	1.2	6.5	82	27	1.64	26.9	1.6	3	39.6	0.1	0.36	0.14
E503548	1.2	7.4	58	31	1.95	14	1.69	3	112.5	0.1	0.36	0.15
E503549	2.2	7.4	110	41	1.48	22.2	2.39	1	136.5	0.1	0.57	0.22
E503550	1.8	5.7	105	33	1.06	33.3	1.87	1	64.8	0.1	0.49	0.19
E504851	2.2	6.9	125	180	1.29	23.4	2.27	1	132.5	0.1	0.56	0.23
E504852	1.8	6.7	101	895	1.27	9.9	2.52	1	95.5	0.1	0.6	0.28
E504853	1.9	4.9	121	528	0.85	16	1.87	1	96.4	0.1	0.52	0.18
E504854	2.2	5	102	23	0.92	13.9	1.83	1	75.4	0.1	0.49	0.21
E504855	2.1	5.4	106	39	0.91	28.1	2.08	1	73	0.1	0.55	0.22
E504856	2.6	6.5	61	16	1.26	20.8	2.12	1	38.7	0.2	0.53	0.29
E504857	4.2	11.9	36	8	2.33	33	3.79	1	74.5	0.3	0.92	0.48
E504858	4.2	23.4	222	17	6.13	62.1	4.5	<1	142	0.2	0.6	2.97
E504859	0.9	4.1	93	28	0.78	29.4	1.55	<1	165.5	0.1	0.41	0.12
E504860	0.7	3.3	94	7	0.64	13.2	1.26	<1	131	0.1	0.37	0.08
E504861	0.5	2.7	120	12	0.51	18.6	1.04	<1	122.5	<0.1	0.29	0.05
E504862	0.6	2.5	76	8	0.47	9.8	0.83	<1	144.5	<0.1	0.23	0.05
E504863	0.4	1.9	76	9	0.35	9.4	0.7	<1	161	<0.1	0.2	<0.05
E504864	0.7	2.6	116	9	0.5	22.6	1.02	<1	121	<0.1	0.27	0.06
E504865	0.3	2.5	91	5	0.5	13.5	0.86	<1	141.5	<0.1	0.24	<0.05
E504866	<0.2	0.4	12	14	0.08	3.9	0.12	<1	216	<0.1	0.03	<0.05
E504867	0.8	3.9	187	18	0.73	25.7	1.44	<1	88.1	0.1	0.41	0.09
E504868	0.7	3.5	101	11	0.67	19.3	1.35	<1	114.5	0.1	0.37	0.1

	ME-MS81 Tl	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
E503541	<0.5	0.33	0.17	278	1	20.8	2.31	180	56			
E503542	<0.5	0.34	0.28	272	2	18.1	2.21	9370	42	50.8	12.85	14.4
E503543	<0.5	0.36	0.06	298	1	22.5	2.56	115	61			
E503544	<0.5	0.36	0.07	306	1	22.5	2.53	138	62			
E503544A	<0.5	0.27	9.54	103	16	16.5	2.05	102	152			
E503545	<0.5	0.33	0.13	279	1	20.3	2.37	228	57			
E503546	<0.5	0.4	0.36	286	1	23.1	2.64	236	60			
E503547	<0.5	0.2	0.32	170	1	12.1	1.5	129	33			
E503548	<0.5	0.22	0.17	158	<1	13.5	1.65	103	34			
E503549	<0.5	0.34	0.15	287	1	21.1	2.37	112	57			
E503550	<0.5	0.29	0.19	248	1	16.4	2.06	161	50			
E504851	<0.5	0.35	0.12	286	1	21.4	2.4	277	59			
E504852	<0.5	0.41	0.47	308	4	22.8	2.42	934	57	49.1	13.75	14
E504853	<0.5	0.3	0.13	266	2	19.6	2.27	396	54			
E504854	<0.5	0.29	0.07	277	1	18.8	2.16	118	58			
E504855	<0.5	0.34	0.51	278	2	20.6	2.37	169	57			
E504856	<0.5	0.31	0.16	193	1	18.6	2.14	118	62			
E504857	<0.5	0.54	0.1	346	3	32.2	3.78	111	107			
E504858	<0.5	0.28	0.57	221	2	17.5	1.72	135	99	49.2	14.2	10.35
E504859	<0.5	0.29	<0.05	280	2	16.4	1.78	108	41	48.7	15.55	11.5
E504860	<0.5	0.26	<0.05	240	1	14.6	1.64	85	33	48.5	17.6	10.45
E504861	<0.5	0.23	<0.05	194	1	11.7	1.29	86	27	47.8	19.5	9.18
E504862	<0.5	0.13	<0.05	123	1	8.6	0.99	50	19			
E504863	<0.5	0.11	<0.05	103	1	7.4	0.82	46	16			
E504864	<0.5	0.17	<0.05	159	<1	10.2	1.19	69	25			
E504865	<0.5	0.17	<0.05	153	2	10	1.05	54	21	46.3	19.75	7.71
E504866	<0.5	0.02	<0.05	19	1	1.5	0.14	23	2	44.9	27.5	2.51
E504867	<0.5	0.28	<0.05	273	1	16.3	1.89	97	38	48.2	14.15	13.1
E504868	<0.5	0.29	<0.05	257	1	15.4	1.64	83	35	46.9	16.45	11.45

	ME-ICP06 CaO	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%	%
E503541												
E503542	10.05	4.26	2.8	0.8	0.02	0.68	0.24	0.05	0.01	0.02	1.49	98.5
E503543												
E503544												
E503544A												
E503545												
E503546												
E503547												
E503548												
E503549												
E503550												
E504851												
E504852	9.79	6.11	2.72	0.44	0.03	0.92	0.24	0.08	0.01	0.03	2.29	99.5
E504853												
E504854												
E504855												
E504856												
E504857												
E504858	9	9.58	2.15	1.3	0.07	0.87	0.17	0.28	0.02	0.03	2.9	100
E504859	10.5	6.97	2.26	0.83	0.03	0.7	0.18	0.05	0.02	0.02	2.2	99.5
E504860	12.3	5.85	1.57	0.32	0.04	0.59	0.16	0.02	0.01	0.01	1.89	99.3
E504861	11.15	5.89	2.13	0.43	0.02	0.5	0.13	0.03	0.01	0.01	2.79	99.6
E504862												
E504863												
E504864												
E504865	12.8	4.76	2.15	0.52	0.02	0.38	0.11	0.02	0.02	0.01	5.68	100
E504866	20.4	0.52	0.77	0.11	0.01	0.04	0.06	<0.01	0.03	<0.01	3.3	100
E504867	9.75	9.17	1.6	0.55	0.03	0.69	0.21	0.04	0.01	0.01	2.59	100
E504868	10.55	6.64	2.17	0.43	0.03	0.65	0.18	0.04	0.01	0.01	4.18	99.7

Auger Resources

PROSPECT: Hook

DDH#: HK-09-03

GRID: Hook

Core: NQ

Azimuth and Dip: 320/-45

E.O.H: 161m

GRID LOCATION: 800 740

UTM, type: 587090E 5221336N, non-diff

Claim # : 4212252

Start: Jan. 8, 2010 End: Jan. 11, 2010

Drill Company:

Bradley Brothers Drilling

Logged by:

Jonathan Taylor

From	To	Rock Type	Code	Description	Mineralization (% sulphide)	Recovery
0.00	3.00	Casing	CAS			
3.00	11.30	Mafic Volcanics	MV	cg, massive, few narrow carb vns relatively barren of sulphides w/ C.A. of 25	tr	
11.30	32.00	Pillowed Mafic Volcanics	PMV	fg, pillowed w/ abnt sulphides at pillow boundaries sulphide mineralization dominately po, w/ mnr amounts of cpy,py, spl and tr ga, increased alteration (ser,sil) surrounding sulphide zones, sulphide % decreases towards base	10	
32.00	120.00	Mafic Volcanics	MV	fg, bcmg cg near center of massive flows (71-95m), po minerlaization at top of unit in pillow boundaries, w/ tr cpy and spl, sulphides bcmg confined to sporadic qtz/k-spar and carb veining towards base of unit.C.A. of vns from 25-50 deg	3	
120.00	161.00	Felsic Tuff	FT	matrix is slightly darker then unit found in HK-09-02. Felsic clasts are generally smaller (1 -5cm) and sub rounded to sub angular, sulphides within unit are confined to carb vns and surrounding felsic clasts (tr po,pycpy)	1	

EZ-Shot Survey:

Depth: 152.0
Corrected Azimuth: 322.5
Dip: 46.2

EOH: 161

Casing left in hole

41 boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	sample type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
								Au	Ag	Ba	Ce	Co	Cr
								ppm	ppm	ppm	ppm	ppm	ppm
HK-09-03	E504869	10.00	11.00	1.00	MV	whole rock	SD10011808	0.005	<1	211	12.3	44.5	90
HK-09-03	E504870	11.00	12.00	1.00	MV		SD10011808	0.006	4	193	12	105.5	190
HK-09-03	E504871			0.00	GRD	blank	SD10011808	<0.005	<1	506	40.3	6.2	10
HK-09-03	E504872	12.00	13.00	1.00	MV		SD10011808	0.013	2	84	8.7	95.4	230
HK-09-03	E504873	13.00	14.00	1.00	MV		SD10011808	0.008	1	131	9.5	110.5	230
HK-09-03	E504874	14.00	15.00	1.00	MV		SD10011808	0.006	1	109	12.9	74.9	240
HK-09-03	E504875	15.00	16.00	1.00	MV		SD10011808	0.006	1	77.6	13.4	71.5	220
HK-09-03	E504876	16.00	17.00	1.00	MV	whole rock	SD10011808	0.006	<1	69.3	9.6	115.5	210
HK-09-03	E504877	17.00	18.00	1.00	MV		SD10011808	<0.005	1	135.5	11.1	67.2	240
HK-09-03	E504878	18.00	19.00	1.00	MV		SD10011808	<0.005	1	168.5	11.6	63.3	310
HK-09-03	E504879	19.00	20.00	1.00	MV		SD10011808	<0.005	1	179.5	10.7	61.2	240
HK-09-03	E504880	20.00	21.00	1.00	MV		SD10011808	<0.005	1	128	10.4	53.6	220
HK-09-03	E504881	21.00	22.00	1.00	MV		SD10011808	<0.005	1	122.5	8.7	46.2	240
HK-09-03	E504881A	Standard					SD10011808	4.24	31	742	26.8	12	30
HK-09-03	E504882	22.00	23.00	1.00	MV		SD10011808	0.005	1	104	9.9	55.6	280
HK-09-03	E504883	23.00	24.00	1.00	MV		SD10011808	<0.005	1	99.2	8.9	50.7	270
HK-09-03	E504884	24.00	25.00	1.00	MV		SD10011808	<0.005	1	95.3	10.4	71.9	250
HK-09-03	E504885	25.00	26.00	1.00	MV		SD10011808	<0.005	1	99	9.9	66.6	240
HK-09-03	E504886	26.00	27.00	1.00	MV		SD10011808	<0.005	1	153	9.7	54.4	250
HK-09-03	E504887	27.00	28.00	1.00	MV		SD10011808	<0.005	1	98.2	10.6	72.1	260
HK-09-03	E504888	28.00	29.00	1.00	MV		SD10011808	<0.005	1	120	9.8	53.9	250
HK-09-03	E504889	29.00	30.00	1.00	MV		SD10011808	<0.005	1	97.7	9.1	63.2	260
HK-09-03	E504890	30.00	31.00	1.00	MV		SD10011808	<0.005	1	114	9	50.3	240
HK-09-03	E504891	31.00	32.00	1.00	MV		SD10011808	<0.005	<1	102	10.3	62.8	250
HK-09-03	E504892	50.00	51.00	1.00	MV		SD10011808	0.007	1	227	8	87.2	250
HK-09-03	E504893	53.00	54.00	1.00	MV		SD10011808	<0.005	1	125	9.4	66.7	270
HK-09-03	E504894	57.00	58.00	1.00	MV		SD10011808	0.008	1	205	8.9	56.1	230
HK-09-03	E504895	58.00	59.00	1.00	MV		SD10011808	<0.005	<1	250	9	55	240
HK-09-03	E504896	62.40	63.00	0.60	MV		SD10011808	<0.005	<1	936	8.1	66.3	240

DDH#	Sample #	From	To	Width	Rock Type	sample type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
								Au	Ag	Ba	Ce	Co	Cr
								ppm	ppm	ppm	ppm	ppm	ppm
HK-09-03	E504897	73.00	74.00	1.00	MV		SD10011808	<0.005	<1	233	7.5	50.3	230
HK-09-03	E504898	76.00	77.00	1.00	MV		SD10011808	<0.005	<1	193	6	48.6	230
HK-09-03	E504899	83.00	84.00	1.00	MV		SD10011808	<0.005	2	148.5	6.7	46.7	220
HK-09-03	E504900	84.00	85.00	1.00	MV		SD10011808	<0.005	1	203	7.2	59.5	220
HK-09-03	E503901	85.00	86.00	1.00	MV	series change	SD10011808	0.007	1	236	7.4	72.5	220
HK-09-03	E503902	95.00	96.00	1.00	MV		SD10011808	<0.005	1	190.5	7.7	52.5	250
HK-09-03	E503903	96.00	97.00	1.00	MV		SD10011808	<0.005	<1	105.5	16.1	38.9	90
HK-09-03	E503904	97.00	98.00	1.00	MV		SD10011808	<0.005	<1	69.2	16.7	48.7	60
HK-09-03	E503905	98.00	99.00	1.00	MV		SD10011808	<0.005	<1	55.3	15.7	45.5	70
HK-09-03	E503906	99.00	100.00	1.00	MV		SD10011808	<0.005	<1	33.5	13.9	47.8	60
HK-09-03	E503907	100.00	101.00	1.00	MV		SD10011808	<0.005	1	36.3	15.2	68	50
HK-09-03	E503908	101.00	102.00	1.00	MV		SD10011808	<0.005	<1	45.5	15.5	45	60
HK-09-03	E503909	102.00	103.00	1.00	MV		SD10011808	<0.005	<1	51	16.3	44.2	60
HK-09-03	E503910	103.00	104.00	1.00	MV		SD10011808	<0.005	<1	73.5	14.7	42.9	60
HK-09-03	E503911	104.00	105.00	1.00	MV		SD10011808	<0.005	<1	57.9	16.3	45.2	60
HK-09-03	E503912	105.00	106.00	1.00	MV		SD10011808	<0.005	<1	173.5	13.9	43.5	70
HK-09-03	E503912A	Standard					SD10011808	4.26	45	661	24	11.6	20
HK-09-03	E503913	106.00	107.00	1.00	MV		SD10011808	0.005	1	148.5	13.4	40.5	60
HK-09-03	E503914	107.00	108.00	1.00	MV		SD10011808	0.011	1	187.5	14.3	44.9	70
HK-09-03	E503915	108.00	109.00	1.00	MV		SD10011808	<0.005	<1	268	13.1	41	60
HK-09-03	E503916	109.00	110.00	1.00	MV		SD10011808	<0.005	<1	491	14.6	35.1	70
HK-09-03	E503917	110.00	111.00	1.00	MV		SD10011808	0.005	1	504	13.1	46	60
HK-09-03	E503918	111.00	112.00	1.00	MV		SD10011808	0.014	1	444	22	32.9	60
HK-09-03	E503919	119.00	120.00	1.00	MV		SD10011808	<0.005	1	335	19.7	52.9	230
HK-09-03	E503920	133.00	134.00	1.00	FT	whole rock	SD10011808	<0.005	<1	97.1	4.5	52.6	210
HK-09-03	E503921	139.00	140.00	1.00	FT		SD10011808	0.017	1	169.5	4.8	71.8	230
HK-09-03	E503922	144.00	145.00	1.00	FT		SD10011808	<0.005	1	141	4.3	47.9	240
HK-09-03	E503923	145.00	146.00	1.00	FT		SD10011808	<0.005	1	160.5	4.3	51.7	250
HK-09-03	E503924	146.00	147.00	1.00	FT		SD10011808	<0.005	1	95	4.1	52.3	240
HK-09-03	E503925	147.00	148.00	1.00	FT		SD10011808	<0.005	1	67.8	4.2	48.8	220
HK-09-03	E503926	148.00	149.00	1.00	FT		SD10011808	<0.005	1	84.2	4.4	49.9	230

DDH#	Sample #	From	To	Width	Rock Type	sample type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
								Au	Ag	Ba	Ce	Co	Cr
								ppm	ppm	ppm	ppm	ppm	ppm
HK-09-03	E503927	149.00	150.00	1.00	FT		SD10011808	<0.005	1	102.5	4.1	47.9	220
HK-09-03	E503928	150.00	151.00	1.00	FT		SD10011808	<0.005	1	91.8	4.2	49	220
HK-09-03	E503929	151.00	152.00	1.00	FT		SD10011808	<0.005	1	101	4.8	50.2	230
HK-09-03	E503930	152.00	153.00	1.00	FT		SD10011808	<0.005	1	74.4	3.9	51.4	230
HK-09-03	E503931	153.00	154.00	1.00	FT		SD10011808	<0.005	<1	60.8	4.2	48.1	220

62 samples

	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo	ME-MS81 Nb
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E504869	0.45	64	4.07	2.61	1.04	18.1	3.48	2.1	0.87	4.9	0.39	<2	3.5
E504870	0.45	618	3.78	2.39	1.23	22.1	3.25	2	0.84	4.9	0.37	<2	2.8
E504871	0.7	8	1.81	0.95	0.82	19.7	2.76	4.7	0.34	20.9	0.13	<2	6.2
E504872	0.44	514	3.53	2.26	0.89	18	2.92	1.6	0.77	3.4	0.36	<2	2.1
E504873	0.49	573	3.47	2.22	0.9	17.3	2.99	1.6	0.78	3.9	0.34	<2	2.2
E504874	0.86	219	3.69	2.34	1.13	18.9	3.2	1.7	0.83	6.2	0.36	<2	2.2
E504875	1.22	283	3.32	2.11	0.99	22.7	2.91	1.5	0.74	7.2	0.32	<2	2.1
E504876	0.13	454	3.44	2.32	1.06	21.5	2.9	1.8	0.79	4.4	0.34	<2	2.2
E504877	0.21	193	3.58	2.31	1.04	19.6	3.08	1.7	0.81	5.1	0.36	<2	2.3
E504878	0.31	234	4.23	2.63	0.96	20.4	3.48	1.8	0.94	5.1	0.43	<2	2.4
E504879	0.29	176	4.48	2.91	1	21.5	3.66	1.8	1.04	4	0.47	<2	2.5
E504880	0.22	156	3.29	2.14	0.93	17.1	2.9	1.6	0.76	4.4	0.33	<2	2.2
E504881	0.32	144	3.63	2.34	0.78	16.7	3.05	1.6	0.81	3.1	0.35	<2	2.2
E504881A	2.04	5570	2.82	1.77	0.71	15.1	2.93	3.6	0.6	13.8	0.3	1500	6.4
E504882	0.37	162	4.14	2.64	1	18.7	3.51	1.9	0.92	3.8	0.41	4	2.5
E504883	0.2	140	4.04	2.55	0.86	18.2	3.31	1.8	0.91	3.2	0.39	2	2.3
E504884	0.17	338	4.24	2.79	0.98	19.1	3.47	1.9	0.98	4	0.44	<2	2.5
E504885	0.23	327	3.73	2.37	0.92	17.9	3.08	1.9	0.83	3.8	0.38	<2	2.5
E504886	0.19	151	3.6	2.34	0.85	17.7	3.08	1.8	0.81	3.7	0.36	<2	2.4
E504887	0.25	203	4.05	2.66	1.11	19	3.47	2	0.92	4.1	0.42	<2	2.7
E504888	0.35	107	4.16	2.69	1.03	18.5	3.48	1.8	0.94	3.8	0.42	<2	2.4
E504889	0.21	127	4	2.53	0.94	19.3	3.23	1.8	0.9	3.4	0.4	<2	2.4
E504890	0.27	87	3.67	2.35	0.82	18.2	3.04	1.7	0.83	3.4	0.36	<2	2.3
E504891	0.2	207	4.16	2.71	0.96	19.4	3.48	1.9	0.96	4	0.43	<2	2.5
E504892	0.13	291	3.65	2.42	0.93	20.9	2.98	1.6	0.85	2.9	0.37	<2	2.1
E504893	0.12	198	4.21	2.74	1.03	19.6	3.45	1.8	0.94	3.5	0.41	<2	2.4
E504894	0.14	131	3.56	2.33	0.94	17.6	2.95	1.5	0.8	3.6	0.36	2	2
E504895	0.19	96	3.99	2.67	1.06	17.5	3.2	1.8	0.78	3.4	0.35	<2	2.3
E504896	0.37	207	3.89	2.58	0.73	21.6	2.92	1.8	0.78	3.2	0.37	<2	2.2

	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo	ME-MS81 Nb
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E504897	0.26	203	3.5	2.34	0.87	18.5	2.73	1.7	0.7	2.7	0.32	<2	2.1
E504898	0.33	162	3.4	2.22	0.6	17.1	2.62	1.7	0.67	2.3	0.29	<2	2.1
E504899	0.19	158	3.37	2.18	0.72	15.4	2.36	1.4	0.73	2.5	0.34	<2	1.9
E504900	0.15	98	3.7	2.36	0.76	15.6	2.62	1.6	0.81	2.6	0.36	<2	2.1
E503901	0.19	237	3.75	2.45	0.79	16.4	2.74	1.7	0.82	2.6	0.39	<2	2.1
E503902	0.24	70	3.72	2.39	0.81	17.6	2.66	1.6	0.8	2.7	0.37	<2	2.1
E503903	0.29	77	5.53	3.6	1.14	18.3	4.22	3.1	1.22	6.4	0.55	<2	4.5
E503904	0.98	25	6.73	4.43	1.41	18.3	5.16	3.4	1.47	6.2	0.68	<2	4.8
E503905	0.89	37	6.64	4.31	1.31	18.3	4.98	3.3	1.46	5.8	0.67	<2	4.7
E503906	0.49	79	5.93	3.81	1.21	17.6	4.27	2.9	1.29	5.1	0.61	<2	4
E503907	0.44	213	6.49	4.17	1.36	18.8	4.82	3.1	1.42	5.6	0.64	<2	4.4
E503908	0.88	68	6.7	4.37	1.31	18.3	4.93	3.3	1.47	5.7	0.68	<2	4.6
E503909	0.97	133	6.38	4.14	1.34	18.3	4.89	3.2	1.42	6.4	0.64	<2	4.5
E503910	1.31	163	5.69	3.69	1.24	18.4	4.17	2.9	1.24	5.6	0.58	<2	4.2
E503911	1.13	64	6.46	4.18	1.39	19.4	4.78	3.2	1.4	6	0.65	<2	4.7
E503912	0.59	54	5.91	3.88	1.15	19.3	4.36	3	1.29	5.1	0.6	<2	4.3
E503912A	1.64	5350	2.52	1.64	0.62	14.3	2.48	3.3	0.52	12.2	0.27	1405	5.7
E503913	0.53	82	5.77	3.84	1.18	17.5	4.34	2.9	1.27	4.9	0.61	3	4
E503914	0.41	151	5.96	3.98	1.14	18.7	4.45	3	1.31	5.3	0.61	<2	4.1
E503915	0.43	56	5.96	3.89	1.04	18.8	4.43	3	1.31	4.9	0.63	<2	4.2
E503916	0.53	24	6.4	4.27	1.36	20.6	4.7	3.2	1.41	5.5	0.65	<2	4.5
E503917	0.54	122	5.32	3.59	1.17	18.2	4.01	2.7	1.17	4.8	0.56	<2	3.9
E503918	0.47	219	4.5	2.89	1.39	17.3	3.68	3	0.96	9.7	0.43	3	4.7
E503919	0.22	233	2.94	1.84	0.95	15.5	2.7	1.6	0.62	8.6	0.29	<2	2.1
E503920	0.31	161	2.71	1.82	0.63	15.9	2.05	1.2	0.63	1.6	0.29	<2	1.1
E503921	0.35	193	2.89	1.93	0.59	15.9	1.99	1.1	0.65	1.9	0.31	<2	1.1
E503922	0.42	118	2.83	1.88	0.55	15.7	1.9	1.1	0.64	1.4	0.3	<2	1.1
E503923	0.28	189	2.96	1.94	0.53	15.2	1.98	1	0.65	1.4	0.31	<2	1.1
E503924	0.27	93	2.81	1.92	0.5	14.1	1.87	1.2	0.62	1.3	0.3	<2	1.1
E503925	0.17	140	2.76	1.81	0.54	15.2	1.9	1	0.61	1.4	0.28	<2	1.1
E503926	0.23	107	2.91	2	0.66	15.8	1.96	1.1	0.65	1.4	0.32	<2	1.1

	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo	ME-MS81 Nb
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503927	0.37	98	2.94	1.95	0.52	14.6	1.98	1.1	0.64	1.3	0.3	<2	1.1
E503928	0.24	118	2.93	1.95	0.59	15.4	1.99	1.1	0.65	1.4	0.32	<2	1.1
E503929	0.18	117	3.18	2.08	0.72	17	2.15	1.2	0.69	1.7	0.33	<2	1.1
E503930	0.17	188	2.69	1.84	0.54	15	1.83	1	0.6	1.3	0.3	<2	1
E503931	0.28	91	3.06	2	0.7	15.7	2.09	1.1	0.64	1.5	0.29	<2	1.1

	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th	ME-MS81 Tl
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E504869	9.6	59	34	1.94	26.8	2.85	1	120	0.3	0.64	0.54	<0.5
E504870	8.6	99	7860	1.76	23.1	2.47	1	186	0.2	0.61	0.56	<0.5
E504871	16.8	<5	10	4.58	42.6	2.99	1	211	0.7	0.38	3.92	<0.5
E504872	6.9	131	161	1.35	14.2	2.23	1	165.5	0.1	0.56	0.36	<0.5
E504873	7.3	125	81	1.45	20.5	2.33	1	147.5	0.1	0.56	0.34	<0.5
E504874	8.2	87	406	1.71	19	2.35	1	129.5	0.1	0.6	0.3	<0.5
E504875	7.5	78	28	1.68	19.8	2.24	2	122	0.1	0.53	0.27	<0.5
E504876	7.3	125	20	1.44	6.7	2.22	2	174	0.2	0.55	0.32	<0.5
E504877	7.6	83	15	1.54	11.8	2.31	2	123	0.1	0.58	0.3	<0.5
E504878	8.2	97	21	1.73	18.3	2.7	1	136	0.1	0.66	0.46	<0.5
E504879	8.6	103	46	1.63	19.2	2.77	1	131.5	0.2	0.71	0.47	<0.5
E504880	7.3	85	27	1.5	15.2	2.21	1	102	0.1	0.53	0.41	<0.5
E504881	7.1	89	8	1.36	31.7	2.3	1	128	0.1	0.58	0.28	<0.5
E504881A	13.6	18	75	3.47	63	2.89	3	92.4	0.6	0.5	4.73	<0.5
E504882	8.1	99	7	1.57	29.7	2.61	1	137	0.2	0.66	0.33	<0.5
E504883	7.5	96	6	1.43	13.4	2.48	1	133.5	0.1	0.63	0.29	<0.5
E504884	8.3	105	5	1.65	13.5	2.79	1	108.5	0.2	0.68	0.43	<0.5
E504885	7.8	109	6	1.52	15.7	2.54	1	116	0.2	0.6	0.4	<0.5
E504886	7.7	95	8	1.47	18.5	2.49	1	107.5	0.2	0.58	0.42	<0.5
E504887	8.3	114	5	1.64	15.9	2.62	1	131.5	0.2	0.66	0.48	<0.5
E504888	8	111	<5	1.55	21.2	2.65	1	127	0.2	0.65	0.31	<0.5
E504889	7.6	117	<5	1.44	15.1	2.54	1	137	0.1	0.63	0.34	<0.5
E504890	7.3	92	<5	1.44	15	2.38	1	130	0.1	0.6	0.31	<0.5
E504891	8.1	106	<5	1.6	10.4	2.69	1	125	0.2	0.66	0.42	<0.5
E504892	6.8	107	130	1.29	16.3	2.27	1	181	0.1	0.57	0.25	<0.5
E504893	7.9	110	17	1.5	14.6	2.65	1	222	0.1	0.66	0.26	<0.5
E504894	7.2	99	7	1.39	13.9	2.29	1	170	0.1	0.56	0.21	<0.5
E504895	7.9	103	16	1.57	13.8	2.51	1	172.5	0.2	0.53	0.21	<0.5
E504896	6.7	110	89	1.38	26.4	2.31	1	104	0.2	0.51	0.19	<0.5

	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th	ME-MS81 Tl
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E504897	6.8	106	28	1.33	20.9	2.27	1	99.6	0.2	0.47	0.18	<0.5
E504898	5.5	103	9	1.1	11.5	1.97	1	79.5	0.2	0.46	0.19	<0.5
E504899	5.9	93	132	1.12	7.4	1.96	1	116.5	0.1	0.49	0.16	<0.5
E504900	6.5	96	163	1.19	9.3	2.15	1	132	0.1	0.52	0.17	<0.5
E503901	7	98	166	1.27	14.7	2.39	1	114.5	0.1	0.55	0.18	<0.5
E503902	7	110	7	1.29	12.3	2.35	1	141	0.1	0.53	0.19	<0.5
E503903	12.2	45	<5	2.47	10	3.84	1	99.6	0.3	0.81	0.95	<0.5
E503904	13.9	41	<5	2.72	12.4	4.44	1	69.2	0.3	0.99	0.58	<0.5
E503905	13.4	38	<5	2.59	11	4.32	1	66.3	0.3	0.98	0.51	<0.5
E503906	11.7	36	<5	2.27	5.6	3.85	1	48.9	0.2	0.86	0.47	<0.5
E503907	13.1	40	<5	2.47	5.9	4.23	1	52.5	0.3	0.95	0.5	<0.5
E503908	13.4	35	<5	2.58	9.9	4.31	1	57.8	0.3	0.97	0.5	<0.5
E503909	13.5	36	<5	2.62	11.1	4.21	1	59.5	0.3	0.93	0.71	<0.5
E503910	12	44	<5	2.39	16.9	3.82	1	64.7	0.3	0.84	0.49	<0.5
E503911	13.7	44	<5	2.65	14.9	4.26	1	64.7	0.3	0.94	0.46	<0.5
E503912	12	48	<5	2.29	16.8	3.92	1	86	0.3	0.87	0.41	<0.5
E503912A	12.7	13	75	3.13	58.1	2.75	3	82.6	0.4	0.41	3.99	<0.5
E503913	11.5	41	<5	2.2	17	3.68	1	89.8	0.2	0.83	0.42	<0.5
E503914	12.2	44	<5	2.39	18.5	3.88	1	79.2	0.3	0.9	0.44	<0.5
E503915	11.1	46	<5	2.14	25.5	3.6	1	58	0.3	0.87	0.46	<0.5
E503916	12.7	52	9	2.39	42.3	4.06	1	107	0.3	0.95	0.46	<0.5
E503917	11.2	45	80	2.15	51.8	3.59	1	100	0.2	0.79	0.38	<0.5
E503918	13.7	45	24	3.08	42.6	3.55	1	143	0.3	0.68	1.93	<0.5
E503919	12.4	87	40	2.82	15.9	2.8	1	217	0.1	0.45	1.06	<0.5
E503920	4.3	105	35	0.78	13.8	1.59	<1	147	0.2	0.42	0.14	<0.5
E503921	4.5	106	14	0.78	18.1	1.59	1	114.5	0.1	0.41	0.09	<0.5
E503922	4.1	105	10	0.74	24.9	1.5	<1	154.5	0.1	0.39	0.08	<0.5
E503923	4.3	112	20	0.74	11.7	1.57	<1	113	<0.1	0.41	0.08	<0.5
E503924	4.2	116	<5	0.74	10	1.58	<1	106.5	0.1	0.38	0.08	<0.5
E503925	4.2	103	<5	0.74	8.6	1.54	<1	121.5	0.1	0.38	0.07	<0.5
E503926	4.4	106	<5	0.75	13.1	1.58	<1	125.5	0.1	0.41	0.08	<0.5

	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th	ME-MS81 Tl
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503927	4.1	104	7	0.72	16.7	1.55	<1	110.5	0.1	0.4	0.07	<0.5
E503928	4.2	109	<5	0.74	14.5	1.57	<1	117.5	0.1	0.41	0.08	<0.5
E503929	4.7	107	17	0.83	9.2	1.68	1	151	0.1	0.42	0.09	<0.5
E503930	3.9	109	7	0.7	11.3	1.5	<1	136.5	<0.1	0.38	0.07	<0.5
E503931	4	109	<5	0.72	10.3	1.51	<1	124	0.1	0.44	0.1	<0.5

	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3	ME-ICP06 CaO
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%
E504869	0.36	0.13	327	1	22.1	2.4	124	72	50.1	13.4	14.6	8.65
E504870	0.38	0.18	289	1	21.5	2.47	4810	72				
E504871	0.13	1.07	25	2	9.3	0.88	44	174	71.3	14.3	3.38	1.8
E504872	0.35	0.13	274	1	20.3	2.4	195	59				
E504873	0.35	0.13	281	1	20.3	2.27	167	61				
E504874	0.36	0.15	274	1	20.8	2.31	897	59				
E504875	0.31	0.15	255	<1	18.8	2.13	442	54				
E504876	0.35	0.13	269	2	20.8	2.23	460	59	47.1	13.8	18.9	7.6
E504877	0.35	0.16	290	1	21.4	2.42	182	63				
E504878	0.43	0.2	302	1	24.8	2.85	214	67				
E504879	0.45	0.18	314	1	25.8	3.12	239	70				
E504880	0.33	0.2	264	1	19.4	2.25	274	62				
E504881	0.34	0.11	284	<1	20.9	2.45	132	61				
E504881A	0.27	4.19	99	17	16.4	1.92	109	148				
E504882	0.41	0.11	322	<1	23.4	2.72	155	70				
E504883	0.4	0.09	303	1	23.2	2.7	193	64				
E504884	0.44	0.16	315	1	25.6	2.94	143	71				
E504885	0.37	0.17	286	1	22.1	2.48	136	67				
E504886	0.35	0.19	285	1	22.2	2.36	188	66				
E504887	0.41	0.19	306	<1	24.6	2.67	140	72				
E504888	0.42	0.11	300	<1	24.2	2.86	143	66				
E504889	0.38	0.13	310	<1	23.6	2.64	154	67				
E504890	0.36	0.11	289	<1	22	2.41	150	63				
E504891	0.41	0.17	307	1	23.9	2.8	186	69				
E504892	0.37	0.06	279	1	21.5	2.48	123	59				
E504893	0.41	0.07	310	1	24.5	2.81	132	67				
E504894	0.36	0.06	282	1	21.1	2.39	121	59				
E504895	0.35	0.05	306	2	22.4	2.51	137	62				
E504896	0.37	0.05	308	4	23.4	2.46	232	62				

	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3	ME-ICP06 CaO
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%
E504897	0.33	0.05	287	2	20.6	2.32	167	59				
E504898	0.32	0.07	291	2	18.2	2.19	124	58				
E504899	0.31	<0.05	242	1	18.3	2.22	426	51				
E504900	0.34	<0.05	261	1	19.6	2.45	288	57				
E503901	0.34	0.09	261	1	20.5	2.55	368	58				
E503902	0.34	<0.05	294	1	20.7	2.41	191	57				
E503903	0.52	0.24	293	2	30.7	3.67	163	109				
E503904	0.64	0.14	341	<1	37	4.42	139	116				
E503905	0.63	0.12	352	<1	37.6	4.41	132	116				
E503906	0.57	0.11	301	<1	32.3	3.79	121	101				
E503907	0.6	0.11	307	<1	35.6	4.19	132	109				
E503908	0.64	0.11	330	<1	37	4.53	131	114				
E503909	0.61	0.16	313	<1	35.2	4.25	142	115				
E503910	0.53	0.13	338	1	32.3	3.72	155	104				
E503911	0.6	0.1	340	1	35.3	4.22	120	112				
E503912	0.57	0.09	368	2	33.8	3.96	115	107				
E503912A	0.22	2.52	90	17	14.7	1.83	95	133				
E503913	0.55	0.09	327	2	31.8	3.83	92	99				
E503914	0.57	0.1	349	2	33.8	3.98	101	106				
E503915	0.59	0.11	341	3	33.6	3.99	149	106				
E503916	0.62	0.11	376	3	35.8	4.22	132	111				
E503917	0.51	0.1	330	4	30.3	3.56	115	97				
E503918	0.39	0.64	219	4	23.8	2.86	166	108				
E503919	0.25	0.3	195	2	16.3	1.86	302	57				
E503920	0.29	<0.05	238	2	15.9	1.84	120	37	46.5	14.35	13.6	12.1
E503921	0.27	0.08	242	1	16.4	2.04	248	40				
E503922	0.26	<0.05	238	2	16	2.01	127	38				
E503923	0.28	<0.05	242	2	16.7	2.05	247	39				
E503924	0.26	<0.05	250	1	16.4	1.97	102	43				
E503925	0.25	<0.05	238	1	16	1.94	78	39				
E503926	0.28	<0.05	244	1	16.7	2.06	85	40				

	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3	ME-ICP06 CaO
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%
E503927	0.28	<0.05	243	1	16.4	1.97	106	38				
E503928	0.27	<0.05	245	1	16.4	2.05	101	38				
E503929	0.29	<0.05	254	1	17.3	2.15	113	39				
E503930	0.26	<0.05	233	1	16.5	1.97	103	38				
E503931	0.3	<0.05	260	1	16.4	1.88	84	38				

	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%
E504869	5.12	2.83	0.81	0.01	1.31	0.23	0.1	0.01	0.02	1.2	98.4
E504870											
E504871	0.81	5.23	1.5	<0.01	0.28	0.05	0.08	0.02	0.06	1.2	100
E504872											
E504873											
E504874											
E504875											
E504876	3.5	4.01	0.29	0.03	0.97	0.2	0.06	0.02	0.01	3.59	100
E504877											
E504878											
E504879											
E504880											
E504881											
E504881A											
E504882											
E504883											
E504884											
E504885											
E504886											
E504887											
E504888											
E504889											
E504890											
E504891											
E504892											
E504893											
E504894											
E504895											
E504896											

	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%
E504897											
E504898											
E504899											
E504900											
E503901											
E503902											
E503903											
E503904											
E503905											
E503906											
E503907											
E503908											
E503909											
E503910											
E503911											
E503912											
E503912A											
E503913											
E503914											
E503915											
E503916											
E503917											
E503918											
E503919											
E503920	7.76	1.46	0.38	0.03	0.68	0.24	0.05	0.02	0.01	2.29	99.5
E503921											
E503922											
E503923											
E503924											
E503925											
E503926											

	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%
E503927											
E503928											
E503929											
E503930											
E503931											

Auger Resources

PROSPECT: Hook

DDH#: HK-09-04

GRID: Hook

Core: NQ

Azimuth and Dip: 320/-75

E.O.H: 206m

GRID LOCATION: 800 740

UTM, type: 587090E 5221336N, non-diff

Claim # : 4212252

Start: Jan.11, 2010 End: Jan.13, 2010

Drill Company:

Bradley Brothers Drilling

Logged by:

Jonathan Taylor

From	To	Rock Type	Code	Description	Mineralization (% sulphide)	Recovery
0.00	3.00	Casing	CAS			
3.00	7.20	Mafic Volcanics	MV	cg, massive, dark coloured, tr po,cpy @ flow boundaries and fracture infill	tr	
7.20	65.00	Pillowed Mafic Volcanics	PMV	pillowed, dark grnsh-gy, w/ abnt sulphide mineralization at pillow boundaries (10% po, tr, cpy,spl and gal) 15.1-16m: ~10% spl w/ po cpy and py in selvage below qtz vn @ 15m 24-65m: predominately po (decreasing from 10% to 5%) w/ tr cpy and spl	15 10 5 1	
65.00	156.00	Mafic Volcanics	MV	cg, massive, fining to fg at top of flows, 5 distinguishable flows from 65m to 114.6m. Narrow qtz vns w/ tr po throughout unit (C.A 20-50). C.A. of flow contacts ~20deg. Increase in mineralization at top of flows. @ 96.5m: spl and po in qtz vn (1%) 114.6-124m: fg, occasionally pillowed, increase in sulphides 124-139.8m: cg, w/ blebs of rounded felsic clasts (phenocrysts??), minor po w/ tr cpy and spl in qtz/k-spar vn @ base of zone (btm ctc C.A. 30 degrees) 139.8-156m: fg, occasionally pillowed, slight increase in sulphides but mainly confined to qtz or carb vns w/ C.A from 20-60deg	tr 1 tr	
156.00	206.00	Felsic Tuff	FT	increase in size and density of felsic clasts (1-3cm <5 % at top and btm of unit, 5-10cm 20% from 160-164m) w/ subsequent increase in sulphides (minor po w/ tr cpy and spl) 202-206m: highly altered (sil) felsic volcanic rocks w/ tr po and cpy	tr	

EZ-Shot Survey:

Depth: 197.0

Corrected Azimuth: 321.0

Dip: 75.3

EOH: 206

Casing left in hole

41 boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au	Ag	Ba	Ce	Co	Cr
							ppm	ppm	ppm	ppm	ppm	ppm
HK-09-04	E503932	7.00	8.00	1.00	MV	SD10011806	0.005	<1	241	13.7	50.9	110
HK-09-04	E503933	8.00	9.00	1.00	MV	SD10011806	<0.005	<1	168.5	13	51.9	110
HK-09-04	E503934	9.00	10.00	1.00	MV	SD10011806	<0.005	<1	172.5	13.2	50.4	100
HK-09-04	E503935	10.00	11.00	1.00	MV	SD10011806	<0.005	1	210	12	74.4	100
HK-09-04	E503936	11.00	12.00	1.00	MV	SD10011806	<0.005	<1	264	12	60.9	100
HK-09-04	E503937	12.00	13.00	1.00	MV	SD10011806	<0.005	<1	137	11.2	41	90
HK-09-04	E503938	13.00	14.00	1.00	MV	SD10011806	<0.005	<1	281	13.8	53	100
HK-09-04	E503939	14.00	15.00	1.00	MV	SD10011806	0.005	1	220	9.2	48.3	100
HK-09-04	E503940	15.00	16.00	1.00	MV	SD10011806	0.02	2	46.8	12.5	114	190
HK-09-04	E503941	16.00	17.00	1.00	MV	SD10011806	0.021	2	68.3	8.8	138	230
HK-09-04	E503941A	Standard				SD10011806	4.15	48	723	26.2	12.1	30
HK-09-04	E503942	17.00	18.00	1.00	MV	SD10011806	0.017	2	54.9	9	130.5	240
HK-09-04	E503943	18.00	19.00	1.00	MV	SD10011806	0.014	1	42.1	11	147.5	230
HK-09-04	E503944	19.00	20.00	1.00	MV	SD10011806	0.013	1	48.4	9	91.5	230
HK-09-04	E503945	20.00	21.00	1.00	MV	SD10011806	0.008	1	69.1	8.9	79.8	240
HK-09-04	E503946	21.00	22.00	1.00	MV	SD10011806	0.006	<1	120.5	9.4	77.8	250
HK-09-04	E503947	22.00	23.00	1.00	MV	SD10011806	<0.005	<1	181.5	9.2	45	270
HK-09-04	E503948	23.00	24.00	1.00	MV	SD10011806	<0.005	<1	184	9.3	55.9	280
HK-09-04	E503949	24.00	25.00	1.00	MV	SD10011806	<0.005	<1	146.5	8.3	46.8	260
HK-09-04	E503950	25.00	26.00	1.00	MV	SD10011806	0.006	<1	317	9	77.6	260
HK-09-04	E503551	26.00	27.00	1.00	MV	SD10011806	<0.005	1	104	4.9	48.1	260
HK-09-04	E503552	27.00	28.00	1.00	MV	SD10013660	0.007	1	259	10.3	73.5	300
HK-09-04	E503553	28.00	29.00	1.00	MV	SD10011806	<0.005	1	279	10.2	62.2	240
HK-09-04	E503554	29.00	30.00	1.00	MV	SD10011806	<0.005	<1	239	11.7	54.8	220
HK-09-04	E503555	30.00	31.00	1.00	MV	SD10011806	<0.005	<1	211	10.3	41.1	230
HK-09-04	E503556	31.00	32.00	1.00	MV	SD10011806	<0.005	<1	122	13.6	43	220
HK-09-04	E503557	32.00	33.00	1.00	MV	SD10011806	<0.005	<1	127.5	12.7	66.9	190
HK-09-04	E503558	33.00	34.00	1.00	MV	SD10013660	0.005	<1	150.5	10.3	69.2	260
HK-09-04	E503559	34.00	35.00	1.00	MV	SD10011806	<0.005	<1	162	9.3	52.6	230
HK-09-04	E503560	35.00	36.00	1.00	MV	SD10011806	<0.005	<1	151.5	9.7	52.8	250
HK-09-04	E503561	36.00	37.00	1.00	MV	SD10011806	<0.005	<1	298	11.9	92	220
HK-09-04	E503562	37.00	38.00	1.00	MV	SD10011806	<0.005	<1	171	9.9	58.6	270
HK-09-04	E503563	38.00	39.00	1.00	MV	SD10011806	<0.005	<1	253	8.3	50.3	250

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au	Ag	Ba	Ce	Co	Cr
							ppm	ppm	ppm	ppm	ppm	ppm
HK-09-04	E503564	39.00	40.00	1.00	MV	SD10011806	<0.005	<1	173	8.9	59.5	240
HK-09-04	E503565	40.00	41.00	1.00	MV	SD10011806	<0.005	<1	157	9.3	59.1	250
HK-09-04	E503566	41.00	42.00	1.00	MV	SD10011806	<0.005	<1	216	9.1	60.7	250
HK-09-04	E503567	42.00	43.00	1.00	MV	SD10011806	<0.005	<1	157	9.2	51.8	260
HK-09-04	E503568	43.00	44.00	1.00	MV	SD10011806	<0.005	<1	210	9.5	58.4	240
HK-09-04	E503569	44.00	45.00	1.00	MV	SD10011806	<0.005	<1	268	9.9	61.9	240
HK-09-04	E503570	59.00	60.00	1.00	MV	SD10011806	<0.005	<1	370	14.3	37.4	240
HK-09-04	E503571	60.00	61.00	1.00	MV	SD10011806	<0.005	<1	241	11.8	48.5	250
HK-09-04	E503572	61.00	62.00	1.00	MV	SD10011806	<0.005	<1	142	11.9	45.1	220
HK-09-04	E503573	62.00	63.00	1.00	MV	SD10011806	0.009	<1	224	10.5	47.9	220
HK-09-04	E503574	63.00	64.00	1.00	MV	SD10011806	0.006	1	260	13	49.9	230
HK-09-04	E503575	64.00	65.00	1.00	MV	SD10011806	<0.005	<1	268	12.7	40.1	210
HK-09-04	E503576	94.00	95.00	1.00	MV	SD10011806	<0.005	<1	279	6.8	49.2	340
HK-09-04	E503577	95.00	96.00	1.00	MV	SD10011806	<0.005	<1	290	11.5	71.6	540
HK-09-04	E503578	96.00	97.00	1.00	MV	SD10011806	0.005	<1	413	8.6	43.5	170
HK-09-04	E503579	97.00	98.00	1.00	MV	SD10011806	0.01	<1	280	4.3	51.7	200
HK-09-04	E503580	104.50	105.50	1.00	MV	SD10011806	0.006	1	118	34.6	23.3	130
HK-09-04	E503581	121.00	122.00	1.00	MV	SD10011806	0.021	<1	316	24	37.4	70
HK-09-04	E503582	122.00	123.00	1.00	MV	SD10011806	0.019	<1	360	21.4	48.3	70
HK-09-04	E503583	123.00	124.00	1.00	MV	SD10011806	0.01	<1	397	16.8	47	140
HK-09-04	E503584	114.60	115.60	1.00	MV	SD10013660	<0.005	<1	187	33	39	270
HK-09-04	E503585	136.00	137.00	1.00	MV	SD10011806	<0.005	<1	295	7	34.4	280
HK-09-04	E503585A	Standard				SD10011806	4.08	59	731	26.3	12	50
HK-09-04	E503586	143.00	144.00	1.00	MV	SD10011806	0.006	<1	101.5	4.1	50.8	220
HK-09-04	E503587	144.00	145.00	1.00	MV	SD10011806	0.022	<1	125.5	4.7	53.4	240
HK-09-04	E503588	145.00	146.00	1.00	MV	SD10011806	<0.005	<1	59	4.6	52.7	250
HK-09-04	E503589	146.00	147.00	1.00	MV	SD10011806	<0.005	<1	143.5	4	58	210
HK-09-04	E503590	147.00	148.00	1.00	MV	SD10011806	<0.005	<1	104.5	5	46.7	220
HK-09-04	E503591	148.00	149.00	1.00	MV	SD10011806	<0.005	1	134	4.4	47.4	230
HK-09-04	E503592	149.00	150.00	1.00	MV	SD10011806	<0.005	1	149.5	4.6	47	230
HK-09-04	E503593	150.00	151.00	1.00	MV	SD10011806	<0.005	1	107.5	4.1	46.4	210
HK-09-04	E503594	151.00	152.00	1.00	MV	SD10011806	<0.005	1	126	4.3	46.6	210
HK-09-04	E503595	152.00	153.00	1.00	MV	SD10011806	<0.005	1	90.6	4.3	48.3	230
HK-09-04	E503596	160.00	161.00	1.00	FT	SD10011806	<0.005	1	63.5	3.6	69.2	180

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au	Ag	Ba	Ce	Co	Cr
							ppm	ppm	ppm	ppm	ppm	ppm
HK-09-04	E503597	161.00	162.00	1.00	FT	SD10011806	<0.005	1	69.7	3.4	38.6	180
HK-09-04	E503598	162.00	163.00	1.00	FT	SD10011806	<0.005	1	52.8	3.1	34.9	180
HK-09-04	E503599	163.00	164.00	1.00	FT	SD10011806	<0.005	1	54	3.4	38.3	180
HK-09-04	E503600	164.00	165.00	1.00	FT	SD10013660	<0.005	<1	82.3	4	46.1	240
HK-09-04	E503601	165.00	166.00	1.00	FT	SD10011806	<0.005	1	30.4	4.1	50.7	210
HK-09-04	E503602	166.00	167.00	1.00	FT	SD10011806	0.01	1	40.4	3.7	68	210
HK-09-04	E503603	167.00	168.00	1.00	FT	SD10011806	<0.005	1	33.9	4.7	47.9	210
HK-09-04	E503625	204.00	205.00	1.00	FT	SD10023627	<0.005	<1	82	3	40.2	160

73 samples

	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503932	0.35	76	4.29	2.84	1.14	20.1	3.53	2.1	0.94	5.3	0.39	<2
E503933	0.37	84	4.21	2.69	1.15	19.9	3.32	2.2	0.93	5.1	0.37	2
E503934	0.45	82	4.3	2.76	1.17	19.9	3.55	2.3	0.96	5	0.4	<2
E503935	0.42	180	4.29	2.72	1.12	20.5	3.54	2.2	0.91	4.5	0.39	<2
E503936	0.33	107	4.41	2.86	1.24	19.5	3.6	2.2	0.96	4.1	0.4	<2
E503937	0.29	68	4.28	2.67	1.02	20.3	3.42	2.2	0.93	4	0.4	<2
E503938	0.38	111	4.48	2.87	1.27	21.3	3.74	2.3	0.99	5.5	0.39	<2
E503939	0.39	305	4.1	2.73	0.86	19.8	3.17	2.2	0.91	3.3	0.38	<2
E503940	0.15	972	3.19	2.09	1.02	12.1	2.9	1.4	0.67	5.8	0.29	<2
E503941	0.69	722	3.9	2.51	1.01	16.8	3.27	1.8	0.84	3	0.36	<2
E503941A	1.97	5810	2.79	1.89	0.75	15	2.99	3.8	0.59	13.6	0.3	1480
E503942	0.91	819	4.04	2.68	1.08	17.3	3.33	1.9	0.92	3.1	0.4	3
E503943	2.05	259	3.76	2.46	0.98	18.8	3.04	1.9	0.82	4.6	0.37	<2
E503944	2.13	431	3.87	2.61	0.99	17.8	3.12	1.9	0.86	3.4	0.37	<2
E503945	2.36	419	4.2	2.78	1.08	17	3.4	2.1	0.94	3.1	0.41	<2
E503946	1.8	166	4.31	2.87	1.02	19.1	3.37	2.1	0.93	3.6	0.41	<2
E503947	0.92	191	4.02	2.6	1.07	18	3.21	2	0.92	3.6	0.38	<2
E503948	1.23	116	4.26	2.82	0.99	16.9	3.34	2.1	0.97	3.4	0.42	<2
E503949	0.97	138	3.93	2.56	0.93	22.9	3.24	2	0.87	3	0.37	<2
E503950	0.96	224	4.52	2.92	1.05	19.3	3.5	2	0.98	3.1	0.42	<2
E503551	0.51	312	3.79	2.49	0.56	18.2	2.82	2.1	0.82	1.4	0.39	2
E503552	0.84	551	4.16	2.57	1.03	19.1	3.37	2.1	0.87	3.8	0.37	<2
E503553	0.84	327	4.04	2.74	1	19.3	3.28	1.9	0.88	4	0.39	<2
E503554	0.97	235	4.34	2.88	1.01	19.1	3.57	2.1	0.95	4.7	0.45	<2
E503555	0.36	108	4.34	2.86	0.99	18.4	3.42	2.1	0.95	4	0.45	<2
E503556	0.16	206	3.8	2.39	1.15	16	3.11	1.6	0.82	7.2	0.37	2
E503557	0.22	214	4.42	2.91	1.15	19.6	3.58	1.8	0.97	5.5	0.45	2
E503558	0.37	298	4.69	2.89	0.97	18.5	3.78	2.2	0.98	3.7	0.43	<2
E503559	0.54	139	4.4	2.75	1.01	18.5	3.47	1.9	0.95	3.3	0.44	<2
E503560	0.3	148	4.45	2.86	1.08	17.8	3.61	2.1	0.98	3.6	0.42	<2
E503561	0.53	297	5.02	3.43	1.5	26.3	4.05	2	1.13	4.8	0.53	<2
E503562	0.37	132	4.47	2.98	1.08	19.1	3.59	2	1.01	3.8	0.43	<2
E503563	0.46	74	4.42	2.89	0.95	18.3	3.37	1.9	0.96	3	0.44	<2

	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503564	0.31	276	4.05	2.68	0.96	17.2	3.2	2	0.88	3.3	0.4	<2
E503565	0.29	320	4.57	3.08	1	17	3.58	1.9	1	3.4	0.49	<2
E503566	0.38	261	4.43	2.87	1	17.9	3.51	2	0.96	3.3	0.42	<2
E503567	0.45	145	4.21	2.71	1.08	18.4	3.48	2.1	0.93	3.4	0.4	<2
E503568	0.46	300	4.2	2.64	1.12	19.4	3.33	2	0.88	3.7	0.39	<2
E503569	0.28	263	4.17	2.72	1.09	18.3	3.51	2.1	0.92	3.8	0.39	<2
E503570	0.63	205	4.7	3.07	1.21	18.6	3.86	2.2	1.02	6.6	0.45	<2
E503571	0.36	85	4.42	2.95	1.18	20.1	3.66	2	0.97	4.6	0.45	<2
E503572	0.18	101	4.54	2.9	1.09	19.2	3.7	2.2	0.96	4.7	0.43	<2
E503573	0.25	198	4.26	2.92	1.14	18.7	3.47	2	0.93	4.2	0.42	<2
E503574	0.17	298	4.02	2.66	1.17	21	3.4	2	0.87	5.6	0.4	<2
E503575	0.18	101	4.42	2.96	1.11	19.1	3.57	2.3	0.96	5.2	0.44	<2
E503576	0.43	138	3.2	2.15	0.79	15.5	2.57	1.5	0.7	2.7	0.33	<2
E503577	0.65	24	1.83	1.22	0.52	14.8	1.85	1.4	0.4	5	0.18	<2
E503578	0.33	54	3.46	2.27	0.81	14.9	2.85	1.4	0.77	3.5	0.35	<2
E503579	0.25	242	2.51	1.7	0.69	16.9	1.9	0.9	0.57	1.7	0.26	<2
E503580	0.14	642	2.39	1.42	0.91	15.4	3.25	3.3	0.49	16.9	0.19	<2
E503581	1.34	256	4.33	2.77	1.01	18.8	3.94	3.3	0.95	11	0.43	<2
E503582	1.06	150	4.67	3	1.04	16.4	4.1	3.2	1.01	9.1	0.45	2
E503583	0.37	323	2.7	1.71	0.73	14.5	2.51	2.1	0.58	7.8	0.27	2
E503584	0.33	75	5.68	3.5	1.23	18.4	5.12	4.3	1.18	14.6	0.56	<2
E503585	0.26	113	3.4	2.23	0.91	14.9	2.59	1.5	0.75	2.7	0.33	<2
E503585A	2.02	6650	2.98	1.93	0.79	15.2	3.02	4	0.63	13.6	0.32	1570
E503586	0.23	68	2.93	1.97	0.65	14.8	2.15	1.2	0.65	1.4	0.31	3
E503587	0.27	58	3.24	2.18	0.66	15.5	2.35	1.3	0.74	1.5	0.35	<2
E503588	0.19	147	3.06	2.06	0.79	16.3	2.3	1.2	0.68	1.6	0.32	<2
E503589	0.28	114	3	1.96	0.67	15.7	2.17	1.1	0.63	1.4	0.3	<2
E503590	0.26	108	3.03	2.01	0.74	17.3	2.26	1.2	0.66	1.8	0.31	<2
E503591	0.34	141	3.02	1.93	0.61	15.5	2.27	1	0.68	1.5	0.31	<2
E503592	0.4	107	2.94	1.86	0.62	14.8	2.26	1.1	0.68	1.6	0.3	<2
E503593	0.42	153	2.69	1.78	0.57	14.6	2.09	1	0.64	1.4	0.29	<2
E503594	0.33	175	2.95	1.95	0.66	15.9	2.23	1	0.68	1.5	0.31	<2
E503595	0.36	101	2.85	1.91	0.62	15.1	2.21	1.1	0.66	1.5	0.31	<2
E503596	0.33	132	2.36	1.58	0.53	15.7	1.84	0.8	0.55	1.3	0.26	<2

	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503597	0.39	112	2.32	1.54	0.49	15.3	1.8	0.8	0.54	1.2	0.25	<2
E503598	0.34	94	2.13	1.42	0.47	16.2	1.59	0.7	0.49	1	0.22	<2
E503599	0.33	70	2.33	1.54	0.5	15.6	1.76	0.8	0.54	1.1	0.24	<2
E503600	0.37	119	2.62	1.75	0.61	17	2.05	1.1	0.59	1.4	0.27	<2
E503601	0.17	420	2.7	1.82	0.58	15.6	1.99	0.9	0.64	1.5	0.29	<2
E503602	0.23	301	2.52	1.68	0.58	15.8	1.9	0.9	0.58	1.3	0.27	<2
E503603	0.17	109	2.99	2.01	0.69	18.6	2.25	1.1	0.69	1.7	0.33	<2
E503625	0.95	134	2.03	1.4	0.47	12.7	1.46	0.8	0.47	1.2	0.23	8

	ME-MS81 Nb	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503932	3.9	10.4	67	11	2.12	26.6	3.05	1	127	0.2	0.67	0.55
E503933	3.9	9.8	71	10	2.03	22.8	2.97	1	135	0.2	0.64	0.64
E503934	3.9	10.2	71	133	2.09	25	2.95	1	135	0.2	0.68	0.52
E503935	3.9	9.6	76	191	1.92	25.8	2.92	<1	130.5	0.2	0.64	0.53
E503936	3.9	10.2	73	128	2.03	21.7	3.16	1	99.9	0.2	0.67	0.5
E503937	4	9.4	65	189	1.85	15.8	2.9	1	74.3	0.2	0.65	0.53
E503938	4.1	10.6	71	135	2.11	22	3.25	1	140	0.2	0.71	0.52
E503939	4	8.2	65	90	1.56	17.2	2.76	1	89.8	0.2	0.61	0.52
E503940	1.9	8.3	75	1040	1.8	5.8	2.31	2	64.3	0.1	0.51	0.28
E503941	2.5	7.8	116	356	1.51	11.1	2.56	1	118.5	0.2	0.61	0.33
E503941A	6.2	13.6	15	69	3.49	60.2	2.95	3	89.1	0.5	0.5	4.77
E503942	2.5	8.1	72	88	1.53	10.3	2.62	1	99.5	0.2	0.66	0.39
E503943	2.3	7.8	105	422	1.7	20.8	2.3	1	109.5	0.1	0.6	0.32
E503944	2.4	7.4	104	225	1.44	20.7	2.39	1	103	0.2	0.6	0.33
E503945	2.6	7.7	98	101	1.53	23.1	2.74	2	74.1	0.2	0.67	0.38
E503946	2.6	7.7	106	39	1.53	17.1	2.54	1	102	0.1	0.68	0.35
E503947	2.5	7.6	91	32	1.49	13.8	2.54	1	126	0.1	0.64	0.28
E503948	2.6	8.2	120	14	1.59	15.7	2.59	1	127	0.1	0.66	0.28
E503949	2.5	7.3	102	12	1.4	11.9	2.5	1	140	0.1	0.63	0.27
E503950	2.5	8.1	96	40	1.57	17.3	2.83	1	125	0.1	0.71	0.27
E503551	2.6	5.5	87	283	0.94	7.5	2.08	1	58.9	0.2	0.59	0.28
E503552	2.5	7.8	122	57	1.61	20.1	2.53	1	127.5	0.2	0.63	0.3
E503553	2.5	8.2	101	37	1.63	19.1	2.65	1	124.5	0.2	0.62	0.35
E503554	2.7	9.1	103	26	1.82	18.2	2.89	1	119	0.2	0.69	0.62
E503555	2.7	8.7	95	19	1.69	12.2	2.75	1	116	0.2	0.68	0.45
E503556	4.3	8.7	83	60	1.95	11.9	2.46	3	64.4	0.1	0.55	0.81
E503557	3.1	8.9	90	82	1.86	9.4	2.87	2	87.3	0.1	0.65	0.76
E503558	2.4	8.1	120	29	1.64	10.3	2.82	1	114.5	0.2	0.7	0.47
E503559	2.6	8	102	12	1.54	12	2.54	1	103.5	0.2	0.64	0.38
E503560	2.6	8.2	99	18	1.61	12.6	2.73	1	121.5	0.1	0.64	0.34
E503561	2.6	9.8	117	25	1.93	32.8	3.09	1	164.5	0.2	0.72	0.46
E503562	2.8	8.4	112	13	1.66	16	2.86	1	126	0.1	0.65	0.34
E503563	2.5	7.4	103	10	1.44	18.5	2.55	1	128.5	0.1	0.62	0.22

	ME-MS81 Nb	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503564	2.6	7.6	98	25	1.52	14.8	2.59	1	121	0.2	0.6	0.36
E503565	2.6	8.2	92	13	1.62	16.8	2.7	1	114	0.2	0.65	0.25
E503566	2.6	8.4	105	15	1.55	15.4	2.69	1	115	0.1	0.65	0.27
E503567	2.7	8.1	94	8	1.57	15.8	2.78	1	118	0.2	0.62	0.35
E503568	2.7	8.3	86	25	1.59	18.8	2.65	1	133.5	0.2	0.6	0.38
E503569	2.7	8.5	84	15	1.68	18.8	2.71	1	150.5	0.2	0.61	0.39
E503570	2.9	10.1	83	13	2.11	21.7	3.01	1	156	0.2	0.69	0.5
E503571	2.8	9.3	100	8	1.93	19.1	2.91	1	171.5	0.2	0.66	0.43
E503572	3	9	99	8	1.89	11.4	2.79	1	173.5	0.2	0.66	0.58
E503573	2.7	8.4	100	31	1.71	13.3	2.79	1	169	0.2	0.63	0.43
E503574	2.6	9.2	108	288	1.95	29.3	2.67	2	217	0.1	0.6	0.51
E503575	3	9.6	71	27	2	16.8	2.97	1	190	0.2	0.63	0.6
E503576	2	5.9	133	36	1.16	36.3	1.92	<1	137	0.1	0.46	0.19
E503577	2.1	6.9	491	47	1.64	26	1.57	<1	52.7	0.1	0.3	0.57
E503578	2	6.8	100	43	1.38	35.1	2.18	<1	115	0.1	0.48	0.2
E503579	0.9	3.8	156	108	0.73	18.4	1.34	<1	128	0.1	0.35	0.09
E503580	4.8	16.8	97	22	4.41	14.8	3.05	1	76.5	0.4	0.43	2.48
E503581	4.9	14	49	11	3.32	51.9	3.48	2	174	0.3	0.65	1.82
E503582	4.8	13.2	53	6	3.07	42.7	3.63	1	163	0.3	0.71	1.92
E503583	3.1	9.4	63	10	2.26	38	2.31	1	279	0.2	0.41	1.7
E503584	5.7	16.4	136	6	4.2	17.7	4.3	1	110.5	0.4	0.91	2.29
E503585	1.9	6.3	94	7	1.15	26.7	2	1	189	0.1	0.5	0.2
E503585A	6.5	14.2	22	76	3.61	61	2.91	3	90.3	0.5	0.48	4.74
E503586	1.1	4.1	108	45	0.77	11.1	1.62	<1	108	0.1	0.41	0.09
E503587	1.2	4.6	122	21	0.82	11.3	1.61	<1	114	0.1	0.46	0.1
E503588	1.2	4.5	113	48	0.82	7	1.63	<1	121	0.1	0.44	0.1
E503589	1	4	111	30	0.74	11.7	1.58	<1	112.5	0.1	0.41	0.08
E503590	1.1	4.8	109	21	0.87	8.8	1.7	<1	97.3	0.1	0.44	0.09
E503591	1.1	4.1	101	47	0.74	14	1.54	<1	89.2	0.1	0.45	0.1
E503592	1.1	4.2	104	24	0.77	19.4	1.51	<1	99.2	0.1	0.45	0.11
E503593	1	3.9	98	51	0.71	19.5	1.4	<1	95.4	0.1	0.42	0.1
E503594	1	4.1	101	19	0.73	19.3	1.55	<1	126.5	0.1	0.45	0.1
E503595	1	4.1	102	15	0.72	18	1.54	<1	104	0.1	0.44	0.11
E503596	0.8	3.2	93	5	0.6	10.8	1.24	<1	120	<0.1	0.36	0.07

	ME-MS81 Nb	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503597	0.8	3.3	80	<5	0.59	14.2	1.25	<1	118	<0.1	0.36	0.08
E503598	0.8	3	73	6	0.53	8.2	1.15	<1	141.5	<0.1	0.32	0.07
E503599	0.8	3.2	81	5	0.57	9.7	1.18	<1	126	<0.1	0.35	0.08
E503600	0.8	3.6	100	20	0.67	13.6	1.4	<1	126.5	0.1	0.4	0.08
E503601	1	4	94	5	0.72	4.5	1.46	<1	129.5	0.1	0.41	0.1
E503602	1	3.6	118	8	0.63	5.1	1.38	<1	132.5	0.1	0.39	0.09
E503603	1.2	4.4	92	23	0.8	4.8	1.63	1	139.5	0.1	0.46	0.11
E503625	0.8	3	103	<5	0.54	18.7	1.13	<1	27	<0.1	0.31	0.11

	ME-MS81 Tl	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
E503932	<0.5	0.4	0.15	351	2	23.1	2.67	103	77			
E503933	<0.5	0.41	0.12	345	2	22.6	2.58	102	72			
E503934	<0.5	0.43	0.13	348	2	23.4	2.66	143	76			
E503935	<0.5	0.41	0.13	354	3	22.9	2.65	321	74			
E503936	<0.5	0.43	0.2	328	3	23.5	2.84	164	75			
E503937	<0.5	0.43	0.14	308	2	23.1	2.7	366	78			
E503938	<0.5	0.43	0.18	344	2	24.8	2.74	420	79			
E503939	<0.5	0.42	0.17	354	3	22.6	2.59	233	79			
E503940	<0.5	0.27	0.24	210	2	17.4	1.93	2610	50			
E503941	<0.5	0.35	0.17	295	2	20.6	2.39	353	63			
E503941A	<0.5	0.26	2.7	99	18	15.7	1.91	100	146			
E503942	<0.5	0.39	0.18	305	2	22.6	2.58	203	65			
E503943	<0.5	0.35	0.14	303	1	20	2.26	1425	63			
E503944	<0.5	0.35	0.15	295	1	21.5	2.39	816	64			
E503945	<0.5	0.38	0.23	301	1	23	2.65	358	71			
E503946	<0.5	0.39	0.13	326	1	23.4	2.7	186	72			
E503947	<0.5	0.36	0.1	321	1	21.5	2.51	95	68			
E503948	<0.5	0.39	0.1	318	1	24.1	2.63	108	68			
E503949	<0.5	0.36	0.1	332	1	22.2	2.51	90	66			
E503950	<0.5	0.4	0.1	322	1	24.6	2.73	116	66			
E503551	<0.5	0.35	0.12	315	2	20.1	2.38	2070	69			
E503552	<0.5	0.4	0.08	392	2	23.8	2.48	256	70	51.8	16.1	12.95
E503553	<0.5	0.38	0.12	303	1	22.1	2.51	111	65			
E503554	<0.5	0.4	0.23	294	1	24.2	2.72	199	73			
E503555	<0.5	0.4	0.15	310	1	23.3	2.79	164	71			
E503556	<0.5	0.34	0.22	265	3	20.3	2.33	76	59			
E503557	<0.5	0.41	0.24	280	2	23.7	2.82	135	66			
E503558	<0.5	0.45	0.15	377	2	26.7	2.8	145	70	52.8	14.95	13.25
E503559	<0.5	0.4	0.14	307	2	22.8	2.81	122	66			
E503560	<0.5	0.39	0.13	311	2	22.9	2.74	117	68			
E503561	<0.5	0.5	0.18	323	2	28	3.41	111	70			
E503562	<0.5	0.4	0.11	314	2	24.4	2.8	124	70			
E503563	<0.5	0.4	0.06	317	2	22.8	2.78	137	66			

	ME-MS81 Ti	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
E503564	<0.5	0.37	0.11	303	2	21.2	2.53	160	67			
E503565	<0.5	0.44	0.07	304	2	26.1	2.98	143	66			
E503566	<0.5	0.42	0.09	296	2	23.6	2.86	150	68			
E503567	<0.5	0.38	0.1	310	2	22.3	2.61	127	71			
E503568	<0.5	0.38	0.13	314	1	21.6	2.53	133	70			
E503569	<0.5	0.38	0.12	311	2	21.9	2.62	94	70			
E503570	<0.5	0.44	0.18	296	2	24.6	2.91	478	77			
E503571	<0.5	0.4	0.13	300	1	24	2.81	164	70			
E503572	<0.5	0.41	0.16	274	1	23.2	2.81	246	78			
E503573	<0.5	0.4	0.14	285	2	23.3	2.7	924	69			
E503574	<0.5	0.37	0.17	280	2	21.6	2.59	2760	70			
E503575	<0.5	0.4	0.16	259	2	23.6	2.82	555	85			
E503576	<0.5	0.31	0.06	267	2	17.5	2.02	158	50			
E503577	<0.5	0.15	0.13	158	3	10	1.19	486	52			
E503578	<0.5	0.32	0.07	265	2	18.3	2.23	181	50			
E503579	<0.5	0.23	<0.05	322	2	13.4	1.69	737	28			
E503580	<0.5	0.18	0.47	97	2	11.7	1.24	136	129			
E503581	<0.5	0.39	0.48	236	6	23.3	2.73	125	120			
E503582	<0.5	0.43	0.53	212	9	24.8	2.85	105	120			
E503583	<0.5	0.24	0.51	153	4	13.8	1.71	84	78			
E503584	<0.5	0.58	0.45	305	2	32.4	3.44	178	162	53.9	12.75	12.55
E503585	<0.5	0.31	0.06	268	2	18.2	2.12	180	49			
E503585A	<0.5	0.27	3.35	97	22	16.1	1.99	104	154			
E503586	<0.5	0.28	<0.05	250	2	15.6	1.94	349	41			
E503587	<0.5	0.3	<0.05	263	2	17.6	2.09	251	43			
E503588	<0.5	0.29	<0.05	254	2	16.5	2.04	179	42			
E503589	<0.5	0.27	<0.05	238	2	15.8	1.93	197	40			
E503590	<0.5	0.28	<0.05	248	2	16.2	1.97	186	42			
E503591	<0.5	0.3	<0.05	253	2	17.2	2	284	40			
E503592	<0.5	0.29	<0.05	256	1	16	1.97	282	40			
E503593	<0.5	0.27	<0.05	236	1	15.4	1.83	379	38			
E503594	<0.5	0.3	<0.05	250	1	16.7	2.01	115	38			
E503595	<0.5	0.3	<0.05	250	1	16.4	1.96	96	39			
E503596	<0.5	0.26	<0.05	196	1	13.7	1.7	84	30			

	ME-MS81 Tl	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
E503597	<0.5	0.23	<0.05	195	1	13.5	1.64	81	31			
E503598	<0.5	0.21	<0.05	185	1	12.3	1.49	76	29			
E503599	<0.5	0.25	<0.05	203	1	13.4	1.64	73	31			
E503600	<0.5	0.28	<0.05	271	2	15.7	1.75	99	37	48.7	17.2	10.95
E503601	<0.5	0.28	<0.05	242	1	16.4	1.92	99	36			
E503602	<0.5	0.26	<0.05	225	1	14.9	1.81	98	35			
E503603	<0.5	0.31	<0.05	248	1	17.8	2.13	93	40			
E503625	<0.5	0.25	<0.05	194	62	12	1.42	106	28			

	ME-ICP06 CaO	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%	%
E503932												
E503933												
E503934												
E503935												
E503936												
E503937												
E503938												
E503939												
E503940												
E503941												
E503941A												
E503942												
E503943												
E503944												
E503945												
E503946												
E503947												
E503948												
E503949												
E503950												
E503551												
E503552	4.23	3.81	5.66	0.62	0.04	1.15	0.17	0.08	0.01	0.03	2.29	98.9
E503553												
E503554												
E503555												
E503556												
E503557												
E503558	5.56	3.95	5.45	0.35	0.03	1.05	0.23	0.07	0.01	0.02	2.1	99.8
E503559												
E503560												
E503561												
E503562												
E503563												

	ME-ICP06 CaO	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%	%
E503564												
E503565												
E503566												
E503567												
E503568												
E503569												
E503570												
E503571												
E503572												
E503573												
E503574												
E503575												
E503576												
E503577												
E503578												
E503579												
E503580												
E503581												
E503582												
E503583												
E503584	6.4	6.29	3.15	0.64	0.03	1.24	0.24	0.13	0.01	0.02	2.59	99.9
E503585												
E503585A												
E503586												
E503587												
E503588												
E503589												
E503590												
E503591												
E503592												
E503593												
E503594												
E503595												
E503596												

	ME-ICP06 CaO	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%	%
E503597												
E503598												
E503599												
E503600	12.1	5.56	1.77	0.32	0.03	0.62	0.18	0.04	0.01	0.01	1.49	99
E503601												
E503602												
E503603												
E503625												

Auger Resources

PROSPECT: Hook

DDH#: HK-09-05

GRID: Hook

Core: NQ

Azimuth and Dip: 140/-45

E.O.H: 164m

GRID LOCATION: 700 725

UTM, type: 587014E 5221271N, non-diff

Claim # : 4212252

Start: Jan. 13, 2010 End: Jan. 17, 2010

Drill Company:

Bradley Brothers Drilling

Logged by:

Jonathan Taylor

From	To	Rock Type	Code	Description	Mineralization (% sulphide)	Recovery
0.00	3.00	Casing	CAS			
3.00	46.00	Pillowed Mafic Volcanics	PMV	fg, dark grnsh-gy, sulphide mineralization dominated by po w/ tr cpy, spl and py, narrow (<.5) carb vns w/ C.A. of 30-55 deg throughout unit with tr assoc. sulphides (po, cpy) 28-36m: increase in sulphides (po w/ tr cpy and spl) to 10%, sulphides mineralized at pillow boundaries. 36-46m: decrease in sulphides (and pillows)	tr 10 5 tr	
46.00	164.00	Mafic Volcanics	MV	fg to cg, rarely pillowed, sulphides confined to qtz / carb vns (C.A. 30-50deg) and at top of pillowed flows (tr po, cpy, spl) 97.4-141.8: series of 5 more massive flows @ 116.5m: 2 cm qtz vn w/ mnr po and cpy	tr 1	

EZ-Shot Survey:

Depth: 155.0
Corrected Azimuth: 144.5
Dip: 44.8

EOH: 164

Casing left in hole

xx boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au	Ag	Ba	Ce	Co	Cr
							ppm	ppm	ppm	ppm	ppm	ppm
HK-09-05	E503604	9.00	10.00	1.00	MV	SD10013664	<0.005	<1	173.5	8.4	57.7	260
HK-09-05	E503605	11.50	12.50	1.00	MV	SD10013664	0.006	<1	89.8	9.4	78.9	240
HK-09-05	E503606	25.00	26.00	1.00	MV	SD10013664	<0.005	<1	113.5	8.6	53.2	260
HK-09-05	E503607	26.00	27.00	1.00	MV	SD10013664	<0.005	<1	136	9	89.8	260
HK-09-05	E503608	27.00	28.00	1.00	MV	SD10013664	<0.005	<1	120.5	11.5	49.8	270
HK-09-05	E503609	28.00	29.00	1.00	MV	SD10013664	<0.005	1	77.7	8.2	102.5	200
HK-09-05	E503610	29.00	30.00	1.00	MV	SD10013664	0.04	1	82.2	8.5	355	240
HK-09-05	E503610A	Standard				SD10013664	3.87	66	774	28	13	30
HK-09-05	E503611	30.00	31.00	1.00	MV	SD10013664	<0.005	1	67	7.9	103.5	200
HK-09-05	E503612	31.00	32.00	1.00	MV	SD10013664	<0.005	<1	59.2	7.4	73.2	180
HK-09-05	E503613	32.00	33.00	1.00	MV	SD10013664	<0.005	<1	106.5	7.4	48.2	240
HK-09-05	E503614	33.00	34.00	1.00	MV	SD10013664	<0.005	<1	100	7.4	57.8	230
HK-09-05	E503615	34.00	35.00	1.00	MV	SD10013664	<0.005	<1	177	7.7	68	230
HK-09-05	E503616	35.00	36.00	1.00	MV	SD10013664	<0.005	<1	29.1	7.9	44.8	340
HK-09-05	E503617	40.00	41.00	1.00	MV	SD10013664	<0.005	<1	164	13.5	42.1	110
HK-09-05	E503618	41.00	42.00	1.00	MV	SD10013664	<0.005	<1	151	13	45.5	120
HK-09-05	E503619	42.00	43.00	1.00	MV	SD10013664	<0.005	<1	178.5	11.9	59	250
HK-09-05	E503620	43.00	44.00	1.00	MV	SD10013664	<0.005	<1	146.5	13	86	190
HK-09-05	E503621	44.00	45.00	1.00	MV	SD10013664	<0.005	<1	158.5	9.6	99.1	240
HK-09-05	E503622	45.00	46.00	1.00	MV	SD10013664	<0.005	1	207	9.5	105.5	230
HK-09-05	E503623	46.00	47.00	1.00	MV	SD10013664	<0.005	<1	230	13.4	45.9	100
HK-09-05	E503624	47.00	48.00	1.00	MV	SD10013664	<0.005	<1	216	12.3	39.4	100
HK-09-05	E503626	48.00	49.00	1.00	MV	SD10013664	0.011	1	361	16.5	30.4	230
HK-09-05	E503627	49.00	50.00	1.00	MV	SD10013664	<0.005	<1	207	10.8	25.9	180
HK-09-05	E503628	50.00	51.00	1.00	MV	SD10013664	0.012	1	251	13.9	37.4	100
HK-09-05	E503629	51.00	52.00	1.00	MV	SD10013664	<0.005	<1	292	14.3	49	100
HK-09-05	E503630	54.00	54.50	0.50	MV	SD10013664	<0.005	<1	153	12	53.5	90
HK-09-05	E503631	57.20	58.20	1.00	MV	SD10013664	<0.005	<1	71.8	13.3	58.3	90
HK-09-05	E503631A	Standard				SD10013664	3.84	60	764	28	12.6	30
HK-09-05	E503632	59.00	60.00	1.00	MV	SD10013664	<0.005	1	223	13.7	53.1	100
HK-09-05	E503633	62.50	63.30	0.80	MV	SD10013664	<0.005	<1	130	15	47.2	100
HK-09-05	E503634	65.60	66.40	0.80	MV	SD10013664	<0.005	<1	239	12.9	59.6	110
HK-09-05	E503635	67.60	68.10	0.50	MV	SD10013664	<0.005	<1	88	12.1	48.8	100

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au	Ag	Ba	Ce	Co	Cr
							ppm	ppm	ppm	ppm	ppm	ppm
HK-09-05	E503636	68.10	69.10	1.00	MV	SD10013664	<0.005	<1	90.8	12.8	52.3	100
HK-09-05	E503637	72.00	73.00	1.00	MV	SD10013664	<0.005	<1	113.5	11.9	46.4	100
HK-09-05	E503638	73.00	74.00	1.00	MV	SD10013664	<0.005	<1	113.5	12.1	49.2	100
HK-09-05	E503639	74.00	75.00	1.00	MV	SD10013664	<0.005	<1	100	12.8	48.3	110
HK-09-05	E503640	75.00	76.00	1.00	MV	SD10013664	<0.005	<1	115.5	12.7	47.8	100
HK-09-05	E503641	76.00	77.00	1.00	MV	SD10013664	<0.005	<1	196	12.3	46.8	100
HK-09-05	E503642	79.00	80.00	1.00	MV	SD10013664	<0.005	<1	205	12.5	48.1	100
HK-09-05	E503643	82.50	83.30	0.80	MV	SD10013664	<0.005	<1	73.7	12	47.8	100
HK-09-05	E503644	83.50	84.50	1.00	MV	SD10013664	<0.005	<1	86.3	11.6	48.5	100
HK-09-05	E503645	86.50	87.20	0.70	MV	SD10013664	<0.005	<1	346	12.1	47.1	100
HK-09-05	E503646	88.30	89.00	0.70	MV	SD10013664	<0.005	<1	65.7	11.7	49.9	110
HK-09-05	E503647	113.00	114.00	1.00	MV	SD10013664	0.005	<1	51.5	10.8	44.3	90
HK-09-05	E503648	114.00	115.00	1.00	MV	SD10013664	<0.005	<1	74.3	12.3	46.7	100
HK-09-05	E503649	117.00	118.00	1.00	MV	SD10013664	0.021	<1	54.9	10.7	45.6	80
HK-09-05	E503650	118.00	119.00	1.00	MV	SD10013664	0.008	<1	144	16.8	61.8	100
HK-09-05	E503651	119.00	120.00	1.00	MV	SD10013664	<0.005	<1	110.5	12.9	43.5	90
HK-09-05	E503652	120.00	121.00	1.00	MV	SD10013664	<0.005	<1	99.5	12.3	44.8	100
HK-09-05	E503653	126.00	127.00	1.00	MV	SD10013664	0.007	<1	80.5	9.3	42.1	80
HK-09-05	E503654	127.00	128.00	1.00	MV	SD10013664	<0.005	<1	142	11.3	43.1	100
HK-09-05	E503655	128.00	129.00	1.00	MV	SD10013664	<0.005	<1	207	12.3	41.4	100
HK-09-05	E503656	129.00	130.00	1.00	MV	SD10013664	0.005	<1	126.5	11.4	39.9	100
HK-09-05	E503656A	Standard				SD10013664	4.36	50	739	26.8	12.6	30
HK-09-05	E503657	130.00	131.00	1.00	MV	SD10013664	0.006	<1	154.5	11.8	44.9	100
HK-09-05	E503658	133.60	134.60	1.00	MV	SD10013664	<0.005	<1	128	10.7	49	150
HK-09-05	E503659	134.60	135.60	1.00	MV	SD10013664	<0.005	<1	144	12.3	43	90
HK-09-05	E503660	135.60	136.60	1.00	MV	SD10013664	<0.005	<1	137.5	42.8	38.1	230
HK-09-05	E503661	136.60	137.60	1.00	MV	SD10013664	<0.005	<1	176.5	12	46.8	110
HK-09-05	E503662	140.00	140.50	0.50	MV	SD10013664	<0.005	<1	71.4	12.3	47.1	100
HK-09-05	E503663	144.50	145.50	1.00	MV	SD10013664	<0.005	<1	176.5	12	49.7	90
HK-09-05	E503664	147.50	148.50	1.00	MV	SD10013664	<0.005	<1	182	11.7	48	100
HK-09-05	E503665	151.50	152.50	1.00	MV	SD10013664	<0.005	<1	201	11.9	43.9	100
HK-09-05	E503666	154.30	155.30	1.00	MV	SD10013664	0.011	<1	45.2	10.3	43.6	80

62 samples

	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503604	0.17	45	3.93	2.67	0.92	17.9	3.2	1.7	0.81	3.3	0.38	<2
E503605	0.22	771	4.21	2.75	1.14	19.2	3.41	1.9	0.9	4.1	0.42	<2
E503606	0.27	90	3.92	2.68	0.9	17.2	3.23	1.8	0.87	3.5	0.38	<2
E503607	0.19	137	4.1	2.66	1	18.4	3.23	1.9	0.85	3.4	0.38	<2
E503608	0.26	81	4.36	2.86	0.99	20.1	3.59	1.9	0.92	5	0.37	<2
E503609	0.24	490	3.13	1.93	0.78	15	2.56	1.6	0.62	3.8	0.29	4
E503610	0.27	291	3.62	2.4	0.7	14.8	2.91	1.7	0.7	3.9	0.32	<2
E503610A	2.1	7960	2.97	2.02	0.79	15.8	3.12	3.8	0.59	14.6	0.3	1585
E503611	0.39	449	2.93	2.06	0.75	15.4	2.54	1.5	0.64	3.2	0.29	15
E503612	0.42	421	3.02	1.92	0.78	13.2	2.33	1.6	0.58	3.4	0.25	4
E503613	0.36	115	3.53	2.32	0.65	15.8	2.81	1.7	0.71	3	0.3	2
E503614	0.47	133	3.42	2.19	0.69	14.7	2.58	1.7	0.69	3.2	0.3	2
E503615	0.34	257	3.07	2.03	0.69	14.8	2.66	1.7	0.67	3	0.29	<2
E503616	0.17	111	2.24	1.48	0.71	9.7	1.9	1.1	0.44	3.7	0.18	<2
E503617	0.28	38	4.15	2.73	1.12	18.7	3.63	2.3	0.84	5.8	0.38	<2
E503618	0.28	42	4.07	2.64	1.07	18.8	3.47	2.1	0.83	5.5	0.36	<2
E503619	0.36	180	3.94	2.46	1.23	18	3.23	2.1	0.79	5	0.35	<2
E503620	0.44	425	3.12	2.01	0.78	14.5	2.83	1.9	0.62	5.9	0.27	<2
E503621	0.29	466	3.7	2.27	1	15.8	3.02	1.7	0.75	4.3	0.31	<2
E503622	0.4	279	3.04	1.97	0.84	14.9	2.78	1.7	0.65	4.3	0.28	<2
E503623	0.26	83	4.26	2.68	1.19	18.8	3.47	2.1	0.86	5.6	0.37	<2
E503624	0.3	76	4.4	2.71	1.08	18.3	3.71	2.2	0.86	5.1	0.37	<2
E503626	0.49	838	3.02	1.96	0.72	16.7	2.8	2.1	0.57	7.4	0.25	<2
E503627	0.4	334	2.36	1.54	0.51	14	2.02	1.7	0.46	4.8	0.22	<2
E503628	0.22	487	4.43	2.91	1.27	19.8	3.77	2.2	0.91	5.9	0.39	<2
E503629	0.35	123	4.45	3.05	1.2	19.9	4.19	2.1	0.93	5.9	0.41	<2
E503630	0.2	115	3.89	2.52	1	17.8	3.44	2	0.77	5.4	0.37	<2
E503631	0.22	174	4.53	3.01	1.18	19.4	3.78	2.1	0.94	5.7	0.43	<2
E503631A	2.09	7340	3.01	1.9	0.78	15.7	3.04	3.7	0.57	14.6	0.29	1555
E503632	0.33	96	4.93	3.18	1.22	20.2	4.08	2.3	1.02	5.4	0.46	4
E503633	0.25	177	4.63	2.96	1.59	20.9	3.73	2.4	0.94	6.4	0.35	<2
E503634	0.41	163	4.19	2.56	1.09	19.5	3.51	2.3	0.94	6.7	0.35	<2
E503635	0.18	93	3.92	2.44	1.05	18.1	3.31	2.1	0.83	4.8	0.25	<2

	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503636	0.2	132	4.38	2.66	1.07	19.2	3.76	2.5	0.93	5.3	0.36	<2
E503637	0.19	76	3.79	2.49	1.01	17.7	3.27	2.4	0.81	4.7	0.31	<2
E503638	0.14	120	3.91	2.6	0.99	17.6	3.49	2.2	0.81	4.9	0.29	<2
E503639	0.22	82	4.09	2.62	1.11	19	3.31	2.3	0.9	5.3	0.35	<2
E503640	0.17	106	4.22	2.59	1.1	17.9	3.44	2.2	0.88	5	0.32	<2
E503641	0.19	91	4.11	2.67	1.1	18.1	3.47	2.2	0.88	5.1	0.35	<2
E503642	0.12	81	4.03	2.55	1.08	18.7	3.31	2.4	0.91	5	0.38	<2
E503643	0.15	117	4	2.65	1.03	17.9	3.29	2.4	0.89	4.8	0.31	<2
E503644	0.11	114	4.04	2.67	1.04	18.8	3.25	2.3	0.89	4.7	0.34	<2
E503645	0.29	84	4.02	2.66	1.14	17.8	3.29	2.6	0.89	5.3	0.33	<2
E503646	0.14	100	4.08	2.65	1.01	18.9	3.32	2.5	0.9	5.1	0.34	<2
E503647	0.17	126	3.64	2.26	0.86	17.3	3.18	2.1	0.72	4.5	0.24	<2
E503648	0.19	63	4.22	2.56	1.13	18.5	3.23	2.2	0.85	5.1	0.28	<2
E503649	0.03	332	3.29	2.04	1.09	18.7	2.8	1.8	0.71	4.7	0.25	<2
E503650	0.31	489	4.6	2.89	1.39	19	4.23	2.3	0.99	7.1	0.37	<2
E503651	0.16	67	4.07	2.5	1.08	19.6	3.46	2.7	0.91	5.4	0.37	<2
E503652	0.17	110	4.15	2.59	1.18	18.9	3.68	2.5	0.92	5	0.35	<2
E503653	0.13	126	3.01	1.97	0.79	16.7	2.61	1.8	0.6	4.2	0.24	<2
E503654	0.15	27	3.72	2.42	1.04	17.6	2.93	2.4	0.84	4.7	0.3	<2
E503655	0.17	36	3.95	2.61	1.09	18.4	3.2	2.2	0.88	5.1	0.29	<2
E503656	0.1	34	3.84	2.45	1.15	18.2	3.22	2	0.79	4.8	0.26	<2
E503656A	1.96	7160	2.9	1.83	0.7	15.5	2.96	3.8	0.61	13.7	0.26	1505
E503657	0.21	61	3.66	2.35	1.06	17.8	3.35	2.4	0.82	5.1	0.3	9
E503658	0.16	71	3.79	2.21	0.92	18.3	2.99	2	0.81	4.5	0.29	3
E503659	0.26	66	3.73	2.39	1.1	20.4	3.31	2.1	0.83	5.3	0.31	2
E503660	0.23	52	3.59	2.18	1.36	19.9	4.48	3	0.72	18.6	0.25	<2
E503661	0.32	85	4.16	2.73	0.99	19.4	3.29	2.1	0.93	5.3	0.32	<2
E503662	0.37	82	4.09	2.64	1.06	19.1	3.17	2.2	0.82	5.2	0.34	<2
E503663	0.46	263	3.99	2.39	0.96	18.7	3.22	2	0.86	5.1	0.34	<2
E503664	0.24	93	3.68	2.37	0.96	17.7	3.28	2	0.79	4.7	0.29	<2
E503665	0.23	66	3.95	2.56	0.99	17.7	3.36	2.2	0.82	4.9	0.32	<2
E503666	0.44	413	3.49	2.22	0.97	17.2	2.96	1.8	0.74	4.2	0.3	<2

	ME-MS81 Nb	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503604	2.3	7	101	50	1.32	15.6	2.45	1	108.5	0.1	0.57	0.27
E503605	2.2	7.8	137	12	1.47	8.8	2.74	1	148	0.1	0.58	0.48
E503606	2.3	7	114	8	1.34	12.4	2.72	1	138.5	0.1	0.56	0.29
E503607	2.3	7.5	112	13	1.37	16	2.46	1	133.5	0.1	0.6	0.28
E503608	2.5	8.9	117	12	1.73	11	3.02	1	157	0.1	0.57	0.3
E503609	2	6.5	149	22	1.19	6.5	1.92	1	117.5	0.1	0.44	0.3
E503610	2	6.9	138	78	1.33	7.2	2.29	1	109	0.1	0.48	0.32
E503610A	6.6	13.9	18	64	3.5	59.5	3.07	3	92.8	0.5	0.47	5.11
E503611	2.1	6.6	169	5	1.2	6.1	1.99	1	93.8	0.1	0.44	0.33
E503612	1.8	5.6	140	<5	1.09	5.6	1.85	1	86.9	0.1	0.38	0.24
E503613	2.1	6.6	120	<5	1.22	9.8	2.32	1	107	0.1	0.45	0.26
E503614	2.2	6.3	134	10	1.21	9.6	2.12	1	95.1	0.1	0.48	0.27
E503615	2.1	6.5	121	61	1.21	12.3	2.04	1	108	0.1	0.42	0.27
E503616	1.7	5.1	89	5	1.07	1.6	1.49	1	81.2	0.1	0.33	0.28
E503617	3.6	9.4	64	<5	1.96	18.6	2.94	1	125	0.2	0.56	0.5
E503618	3.6	9.6	90	7	1.92	17	3.2	1	115.5	0.2	0.6	0.51
E503619	3.3	8.8	94	10	1.72	21.9	2.58	1	130.5	0.2	0.57	0.56
E503620	2.7	8.1	133	14	1.79	27	2.31	1	122.5	0.2	0.47	1.03
E503621	2.2	7.4	154	8	1.42	17.8	2.42	1	168.5	0.1	0.51	0.44
E503622	2.4	6.6	143	47	1.34	20.7	2.05	1	119.5	0.1	0.46	0.46
E503623	3.7	10	70	21	1.94	20.9	3.21	1	146.5	0.2	0.62	0.52
E503624	3.5	9	73	13	1.88	19.5	2.93	1	122.5	0.2	0.61	0.53
E503626	3.2	9.8	107	11	2.15	28.2	2.49	1	58.3	0.2	0.44	1.71
E503627	2.5	6.9	64	13	1.52	17.3	1.77	1	49.8	0.2	0.33	1.24
E503628	3.8	10.2	59	18	2.04	20	3.3	1	101	0.2	0.69	0.55
E503629	3.6	10.1	75	52	2.09	23	3.34	1	106.5	0.2	0.7	0.52
E503630	3.3	9	71	<5	1.79	13.8	2.81	1	132.5	0.2	0.58	0.48
E503631	3.2	10.1	66	12	1.97	7.7	2.9	1	134	0.2	0.64	0.5
E503631A	6.6	13.9	17	78	3.53	59.1	3.02	3	92.4	0.5	0.47	4.99
E503632	3.9	10.8	70	<5	2.07	16.5	3.35	1	139	0.2	0.7	0.58
E503633	3.5	10.5	74	50	2.19	11	2.85	1	153	0.6	0.68	0.49
E503634	3.6	9.7	75	7	2.05	13.9	2.98	1	128	0.6	0.63	0.54
E503635	3.6	8.8	69	<5	1.77	9.4	2.54	1	108	0.6	0.56	0.45

	ME-MS81 Nb	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503636	3.8	9.4	78	<5	1.88	10.7	2.74	1	133.5	0.6	0.65	0.45
E503637	3.6	8.8	64	<5	1.72	11.6	2.51	1	95.1	0.6	0.59	0.48
E503638	3.5	9.3	75	5	1.67	11.4	2.55	1	114.5	0.6	0.58	0.47
E503639	3.8	9.3	87	5	1.94	11.4	2.84	1	133.5	0.6	0.62	0.45
E503640	3.7	9.2	74	5	1.87	12.7	2.83	1	139.5	0.6	0.61	0.45
E503641	3.6	9.4	67	7	1.92	16.6	2.68	1	156	0.6	0.62	0.48
E503642	3.7	9.2	62	12	1.84	14.5	2.88	1	117.5	0.6	0.64	0.43
E503643	3.6	9.2	77	<5	1.87	10.1	2.59	1	130	0.6	0.58	0.43
E503644	3.7	9	73	<5	1.83	9.6	2.71	1	146.5	0.6	0.61	0.41
E503645	3.5	8.8	69	<5	1.89	15.3	2.76	1	153	0.6	0.61	0.43
E503646	3.7	8.8	77	<5	1.78	7.5	2.76	1	124	0.6	0.61	0.47
E503647	3.4	8.5	66	<5	1.66	5.9	2.25	1	98.1	0.6	0.54	0.43
E503648	3.8	9.4	71	5	1.82	12.9	2.62	1	115.5	0.6	0.66	0.48
E503649	2.7	7.5	77	5	1.6	10	2.26	1	75.7	0.5	0.51	0.31
E503650	3.7	12.2	66	6	2.54	17.9	3.54	1	124.5	0.3	0.75	0.49
E503651	3.8	10	77	5	1.93	10.8	2.93	1	158.5	0.6	0.67	0.42
E503652	3.7	9.4	68	6	1.93	10.3	2.93	1	143.5	0.6	0.64	0.49
E503653	2.7	7.1	62	<5	1.38	8.4	2.11	1	133	0.5	0.43	0.33
E503654	3.3	8.6	66	5	1.68	12.4	2.62	1	119	0.6	0.6	0.44
E503655	3.6	9.2	60	5	1.94	17.9	2.51	1	113	0.6	0.59	0.45
E503656	3.1	9	65	9	1.69	13.6	2.68	1	123.5	0.5	0.59	0.4
E503656A	6.4	13.4	16	58	3.51	59.8	2.75	2	93.3	0.6	0.45	4.72
E503657	3.3	8.5	77	5	1.85	16.1	2.53	1	119.5	0.6	0.6	0.47
E503658	2.9	7.9	88	<5	1.62	16.4	2.45	1	133.5	0.5	0.53	0.38
E503659	3.3	8.9	64	<5	1.83	16.3	2.57	1	155	0.5	0.59	0.44
E503660	5.3	24	83	<5	5.69	16.5	4.38	1	171	0.6	0.65	2.24
E503661	3.5	9.3	94	<5	1.92	22	2.82	1	130	0.6	0.59	0.44
E503662	3.6	8.7	78	<5	1.86	10.4	2.64	1	112	0.6	0.61	0.43
E503663	3.4	8.7	66	6	1.8	17.6	2.61	1	128.5	0.5	0.59	0.43
E503664	3.5	8.6	66	7	1.81	17.9	2.73	1	114.5	0.6	0.6	0.43
E503665	3.7	9	66	<5	1.81	14.8	2.71	1	116.5	0.6	0.57	0.44
E503666	3.1	7.7	54	<5	1.57	5.4	2.36	1	53	0.3	0.53	0.4

	ME-MS81 Tl	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503604	<0.5	0.36	0.07	314	1	22.4	2.49	320	62
E503605	<0.5	0.45	0.17	334	1	25.1	2.73	156	71
E503606	<0.5	0.37	0.07	332	1	22.1	2.43	120	65
E503607	<0.5	0.38	0.07	329	<1	22.4	2.62	256	62
E503608	<0.5	0.43	0.09	357	2	23.9	2.51	219	69
E503609	<0.5	0.35	0.12	267	2	17	1.8	362	58
E503610	<0.5	0.39	0.11	292	1	19.3	2.08	1460	63
E503610A	<0.5	0.28	5.6	114	23	16.8	1.99	102	148
E503611	<0.5	0.28	0.15	266	1	18.1	1.97	109	54
E503612	<0.5	0.29	0.15	248	1	16.8	1.77	96	54
E503613	<0.5	0.32	0.08	309	1	19.5	2.13	116	58
E503614	<0.5	0.31	0.1	290	1	18.1	2.16	109	61
E503615	<0.5	0.28	0.12	299	2	17.6	1.93	106	62
E503616	<0.5	0.26	0.09	180	9	13.6	1.38	101	43
E503617	<0.5	0.37	0.11	357	1	23.3	2.54	118	77
E503618	<0.5	0.39	0.11	369	1	23.4	2.55	133	77
E503619	<0.5	0.39	0.13	307	1	21.3	2.52	136	75
E503620	<0.5	0.3	0.29	240	1	17.8	1.85	140	70
E503621	<0.5	0.36	0.13	279	2	20.9	2.26	103	63
E503622	<0.5	0.3	0.11	277	2	17.3	1.9	210	59
E503623	<0.5	0.37	0.12	355	1	24	2.75	176	76
E503624	<0.5	0.41	0.12	366	1	23.2	2.57	143	78
E503626	<0.5	0.21	0.26	250	3	16.3	1.73	379	77
E503627	<0.5	0.2	0.2	190	5	13	1.4	435	61
E503628	<0.5	0.39	0.16	357	17	24.8	2.7	258	76
E503629	<0.5	0.43	0.13	362	3	24.1	2.85	210	77
E503630	<0.5	0.39	0.12	341	5	21.3	2.38	115	71
E503631	<0.5	0.39	0.1	335	2	25.7	2.73	107	74
E503631A	<0.5	0.27	2.81	110	19	16.7	1.88	108	148
E503632	<0.5	0.45	0.14	384	10	26.7	3.02	130	83
E503633	<0.5	0.36	0.13	352	6	25.3	2.72	221	80
E503634	<0.5	0.34	0.16	348	8	23.9	2.74	149	83
E503635	<0.5	0.29	0.08	314	7	22.2	2.22	122	79

	ME-MS81 Tl	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503636	<0.5	0.3	0.13	349	5	24.1	2.8	123	83
E503637	<0.5	0.25	0.13	328	6	21.4	2.29	121	79
E503638	<0.5	0.27	0.11	325	6	21.8	2.33	122	79
E503639	<0.5	0.35	0.13	346	5	23.1	2.48	122	80
E503640	<0.5	0.32	0.09	334	5	22.7	2.53	120	79
E503641	<0.5	0.33	0.13	339	5	22.9	2.56	113	79
E503642	<0.5	0.3	0.14	328	10	23.1	2.64	302	80
E503643	<0.5	0.34	0.11	333	5	22.2	2.47	129	82
E503644	<0.5	0.36	0.12	339	5	22.8	2.38	123	82
E503645	<0.5	0.31	0.21	328	5	22.2	2.53	133	78
E503646	<0.5	0.32	0.16	337	5	22.3	2.58	178	77
E503647	<0.5	0.23	0.11	299	5	19.5	2.11	186	76
E503648	<0.5	0.3	0.09	349	5	21.7	2.42	134	78
E503649	<0.5	0.32	0.13	257	7	17.7	2.11	61	56
E503650	<0.5	0.38	0.16	320	11	25.4	2.76	78	80
E503651	<0.5	0.32	0.15	294	6	22.4	2.51	113	85
E503652	<0.5	0.36	0.17	324	6	22.2	2.55	118	77
E503653	<0.5	0.24	0.06	283	6	16.9	1.85	126	67
E503654	<0.5	0.3	0.18	331	5	20.6	2.13	112	73
E503655	<0.5	0.33	0.11	343	6	23.1	2.37	113	79
E503656	<0.5	0.33	0.11	334	7	20.8	2.26	112	70
E503656A	<0.5	0.24	3.95	104	21	16.7	1.91	108	149
E503657	<0.5	0.32	0.17	349	7	20.1	2.22	115	76
E503658	<0.5	0.29	0.1	299	5	21	2.34	112	68
E503659	<0.5	0.29	0.15	308	5	21.6	2.26	126	71
E503660	<0.5	0.23	0.47	235	5	19.7	1.92	103	116
E503661	<0.5	0.32	0.12	330	6	24.1	2.5	123	78
E503662	<0.5	0.36	0.14	347	5	22.7	2.62	106	80
E503663	<0.5	0.31	0.17	315	7	21.1	2.39	440	72
E503664	<0.5	0.26	0.1	330	5	21.7	2.21	145	72
E503665	<0.5	0.32	0.12	339	5	23	2.49	140	78
E503666	<0.5	0.29	0.11	301	7	19.4	2.19	115	64

Auger Resources

PROSPECT: Hook

DDH#: HK-09-06

GRID: Hook

Core: NQ

Azimuth and Dip: 320/-45

E.O.H: 200m

GRID LOCATION: 590 East 650 North

UTM, type: 586972E 5221154N, non-diff North

Claim # : 4212252

Start: Jan. 18, 2010 End: Jan. 20, 2010

Drill Company:

Bradley Brothers Drilling

Logged by:

Jonathan Taylor

From	To	Rock Type	Code	Description	Mineralization (% sulphide)	Recovery
0.00	3.00	Casing	CAS			
3.00	19.30	Mafic Volcanics	MV	grnsh-gy, mg fining uphole to fg, carb vns at top of several smaller flows w/ tr sulphides	tr	
19.30	54.50	Pillowed Mafic Volcanics	PMV	fg pillowed flows w/ significantly less sulphides then seen in previous holes, abnt narrow carb vns w/ core angles 50-70, predominately po w/ tr cpy @ pillow boundaries 51.4-52.3m: brecciated qtz vn, blk core, increased alteration (possible fault)	<5 tr	
54.50	155.30	Mafic Volcanics	MV	multiple massive flows, grd to cg in larger flows, tr sulphides confined to narrow qtz/k-spar vns and carb vns (<.5cm), bcmg darker towards base of unit w/ sharp ctc w/ btm unit (60 degrees)	tr	
155.30	158.20	Felsic Intrusive	FI	cg, porphyritic, pink (k-spar) alteration	tr	
158.20	163.30	Mafic Volcanics	MV	fg mafic flow, sil alteraiton, tr sulphides	tr	
163.30	165.90	Felsic Intrusive	FI	cg, porphyritic, pink (k-spar) alteration	tr	
165.90	170.70	Mafic Volcanics	MV	fg mafic flow, sil alteraiton,w/ inc sulphides at pillow boundaries (5%, mostly po w/ tr cpy)	5	
170.70	171.10	Felsic intrusive	FI	cg, porphyritic, light brown alteration	tr	
171.10	177.30	Mafic Volcanics	MV	fg to mg sil alt basalt	tr	
177.30	200.00	Felsic Tuff	FT	flesic clasts are small (<2cm) and make up less then 5% of rock, occasional but rare larger clast (~5cm), tr sulphides, (small bleb @ 179.7m and 187.5m; po,cpy)	tr	

EZ-Shot Survey:

Depth: 191.0
Corrected Azimuth: 330.9
Dip: 50.2

EOH: 200
Casing left in hole
xx boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au	Ag	Ba	Ce	Co	Cr
							ppm	ppm	ppm	ppm	ppm	ppm
HK-09-06	E503667	7.00	8.00	1.00	MV	SD10013668	-0.005	-1	87.2	10.8	88.6	100
HK-09-06	E503668	17.00	18.00	1.00	MV	SD10013668	-0.005	-1	280	14.6	48.1	110
HK-09-06	E503669	19.00	20.00	1.00	MV	SD10013668	-0.005	-1	125.5	13.6	73.6	80
HK-09-06	E503670	20.00	21.00	1.00	MV	SD10013668	-0.005	-1	206	12.3	54.1	90
HK-09-06	E503671	21.00	22.00	1.00	MV	SD10013668	-0.005	-1	493	53.9	36.1	400
HK-09-06	E503672	22.00	23.00	1.00	MV	SD10013668	-0.005	-1	480	30.3	39.9	210
HK-09-06	E503672A	Standard				SD10013668	4.56	51	772	26.4	12	30
HK-09-06	E503673	23.00	24.00	1.00	MV	SD10013668	0.008	-1	208	12.9	65.9	180
HK-09-06	E503674	24.00	25.00	1.00	MV	SD10013668	-0.005	-1	138	8.5	47.7	240
HK-09-06	E503675	25.00	26.00	1.00	MV	SD10013668	-0.005	-1	71.1	7.2	37.6	200
HK-09-06	E503676	26.00	27.00	1.00	MV	SD10013668	0.01	-1	151.5	8.5	50.4	220
HK-09-06	E503677	27.00	28.00	1.00	MV	SD10013668	-0.005	-1	155.5	8.8	53.2	250
HK-09-06	E503678	28.00	29.00	1.00	MV	SD10013668	-0.005	-1	142	9.2	86.2	250
HK-09-06	E503679	29.00	30.00	1.00	MV	SD10013668	-0.005	-1	117.5	9.2	50.4	260
HK-09-06	E503680	30.00	31.00	1.00	MV	SD10013668	-0.005	-1	161.5	8.4	57.5	250
HK-09-06	E503681	31.00	32.00	1.00	MV	SD10013668	0.014	-1	169	8.5	46.5	240
HK-09-06	E503682	32.00	33.00	1.00	MV	SD10013668	-0.005	-1	153	9.5	50.4	250
HK-09-06	E503683	36.00	37.00	1.00	MV	SD10013668	-0.005	-1	243	7.8	73.2	200
HK-09-06	E503684	37.00	38.00	1.00	MV	SD10013668	-0.005	-1	249	9.1	54.7	250
HK-09-06	E503685	38.00	39.00	1.00	MV	SD10013668	-0.005	-1	182.5	8.4	59	240
HK-09-06	E503686	39.00	40.00	1.00	MV	SD10013668	0.006	-1	116.5	8.4	56.4	240
HK-09-06	E503687	40.00	41.00	1.00	MV	SD10013668	0.013	-1	139.5	7.8	131.5	230
HK-09-06	E503688	41.00	42.00	1.00	MV	SD10013669	-0.005	-1	179	7.1	61	240
HK-09-06	E503689	42.00	43.00	1.00	MV	SD10013668	-0.005	-1	183	11.2	36.3	250
HK-09-06	E503690	43.00	44.00	1.00	MV	SD10013668	0.005	-1	533	11.7	38.7	180
HK-09-06	E503691	44.00	45.00	1.00	MV	SD10013668	0.025	-1	316	11.9	70	210
HK-09-06	E503692	45.00	46.00	1.00	MV	SD10013668	<0.005	<1	303	10	67.4	210
HK-09-06	E503693	46.00	47.00	1.00	MV	SD10013668	<0.005	<1	179.5	11.5	56.8	210
HK-09-06	E503693A	Standard				SD10013668	4.47	55	760	26.4	11.7	30
HK-09-06	E503694	47.00	48.00	1.00	MV	SD10013668	0.008	2	238	11.4	64.5	210
HK-09-06	E503695	48.00	49.00	1.00	MV	SD10013668	<0.005	<1	260	11.5	50.7	250
HK-09-06	E503696	49.00	50.00	1.00	MV	SD10013668	0.006	<1	203	10.3	49	210
HK-09-06	E503697	62.00	63.00	1.00	MV	SD10013668	<0.005	<1	46.7	8.9	50.3	250

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au	Ag	Ba	Ce	Co	Cr
							ppm	ppm	ppm	ppm	ppm	ppm
HK-09-06	E503698	63.00	64.00	1.00	MV	SD10013668	0.007	<1	77.2	9.9	50.6	220
HK-09-06	E503699	69.00	70.00	1.00	MV	SD10013668	0.012	<1	88.5	8.5	51.9	240
HK-09-06	E503700	70.00	71.00	1.00	MV	SD10013668	0.007	<1	98.3	7.8	57.1	240
HK-09-06	E503701	71.00	72.00	1.00	MV	SD10013668	<0.005	<1	88.1	9	57.4	260
HK-09-06	E503702	78.90	79.40	0.50	MV	SD10013668	<0.005	<1	117	7.7	51	240
HK-09-06	E503703	84.00	85.00	1.00	MV	SD10013668	<0.005	<1	94.7	9	58.6	230
HK-09-06	E503704	95.00	96.00	1.00	MV	SD10013668	0.006	<1	145	8.9	53.7	270
HK-09-06	E503705	96.00	97.00	1.00	MV	SD10013668	0.008	<1	36.4	8.5	51.7	220
HK-09-06	E503706	97.00	98.00	1.00	MV	SD10013669	<0.005	<1	55.2	8.1	51.4	210
HK-09-06	E503707	98.00	99.00	1.00	MV	SD10013668	<0.005	<1	46.5	10.9	48.2	130
HK-09-06	E503708	99.00	100.00	1.00	MV	SD10013668	<0.005	<1	31.7	9.2	56.7	130
HK-09-06	E503709	114.00	115.00	1.00	MV	SD10013668	<0.005	<1	225	10.9	57	250
HK-09-06	E503710	123.00	124.00	1.00	MV	SD10013668	0.005	<1	156.5	6.9	49.8	200
HK-09-06	E503711	135.80	136.50	0.70	MV	SD10013668	<0.005	<1	22.6	6.7	51	180
HK-09-06	E503712	144.60	145.70	1.10	MV	SD10013668	0.005	<1	49.6	12.6	45.1	100
HK-09-06	E503713	149.50	150.00	0.50	MV	SD10013668	<0.005	<1	142	16.2	43.1	40
HK-09-06	E503714	157.50	158.10	0.60	FI	SD10013669	<0.005	<1	314	31.4	7.8	30
HK-09-06	E503715	166.00	167.00	1.00	MV	SD10013669	0.008	<1	773	29.4	42.3	160
HK-09-06	E503716	179.00	180.00	1.00	FT	SD10013669	<0.005	<1	61.9	3.4	52.5	220
HK-09-06	E503717	180.00	181.00	1.00	FT	SD10013668	<0.005	<1	50.5	4.6	63.2	230
HK-09-06	E503718	182.00	183.00	1.00	FT	SD10013669	<0.005	<1	86.9	4	57.1	220
HK-09-06	E503719	187.00	188.00	1.00	FT	SD10013668	<0.005	<1	37.2	4.8	56.2	220
HK-09-06	E503720	189.00	190.00	1.00	FT	SD10013668	<0.005	<1	27.7	4	55.5	210
HK-09-06	E503721	192.00	193.00	1.00	FT	SD10013668	<0.005	<1	13.1	4.2	57.4	190
HK-09-06	E503722	194.60	195.60	1.00	MV	SD10013669	<0.005	<1	16.8	4.1	55.2	230

56 samples

	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503667	0.06	274	3.8	2.39	0.78	16.7	3.09	1.9	0.86	4.6	0.3	-2
E503668	0.24	53	4.18	2.66	1.13	18.3	3.81	2.5	0.88	5.9	0.38	-2
E503669	0.2	348	4.74	3.28	1.09	16.9	4.06	1.9	1.02	5.8	0.54	-2
E503670	0.19	302	3.9	2.52	0.99	17.5	3.45	2.3	0.81	5	0.39	-2
E503671	0.33	62	4.02	2.15	1.76	16.9	5.85	3.8	0.78	23.9	0.28	-2
E503672	0.3	33	4.34	2.62	1.36	18.5	4.63	3.1	0.86	13	0.37	-2
E503672A	2.02	6380	2.86	1.89	0.77	14.9	2.97	3.9	0.6	13.8	0.31	1460
E503673	0.24	177	3.39	2.1	1.01	15.3	3.04	2.2	0.71	6	0.36	9
E503674	0.26	106	3.58	2.46	0.93	17.2	2.94	1.8	0.84	3.3	0.39	3
E503675	0.12	113	3.24	2.12	0.87	19.5	2.59	1.5	0.7	2.8	0.31	2
E503676	0.19	209	3.51	2.49	1	17.1	2.87	1.7	0.83	3.6	0.38	-2
E503677	0.16	95	4.22	2.66	0.91	17.9	3.11	1.9	0.9	3.5	0.42	-2
E503678	0.18	326	3.78	2.57	1.14	18.9	3.06	2.1	0.84	3.8	0.4	-2
E503679	0.19	121	3.67	2.55	0.95	17.9	3.08	2.1	0.81	3.7	0.39	-2
E503680	0.22	349	3.77	2.57	0.89	17.4	3.12	2.1	0.84	3.3	0.4	-2
E503681	0.25	93	4.05	2.55	0.94	17.3	3.09	1.8	0.86	3.2	0.38	-2
E503682	0.19	90	4.32	2.78	1.08	18.8	3.37	2	0.94	3.6	0.41	-2
E503683	0.24	317	3.21	2.09	0.76	15.9	2.62	1.7	0.71	2.9	0.34	-2
E503684	0.24	45	4.17	2.68	1.04	18.2	3.33	2	0.94	3.4	0.4	-2
E503685	0.24	81	3.69	2.38	0.98	17.9	2.76	1.9	0.83	3.1	0.35	-2
E503686	0.16	177	3.91	2.51	1.01	17.7	2.88	1.9	0.86	3.4	0.38	-2
E503687	0.2	360	3.45	2.2	0.99	18.3	2.71	1.8	0.73	2.9	0.34	-2
E503688	0.21	193	3.4	2.26	0.97	16.5	2.67	1.8	0.7	2.5	0.31	-2
E503689	0.24	64	3.82	2.46	0.86	14.2	3.12	2	0.8	4.3	0.36	-2
E503690	0.33	59	3.14	2.01	0.97	14.9	2.77	1.4	0.67	4.9	0.29	-2
E503691	0.24	204	3.93	2.53	1.14	17.4	3.07	1.9	0.89	5.2	0.4	3
E503692	0.3	230	3.81	2.61	0.79	16.5	3.13	1.9	0.91	4.1	0.41	<2
E503693	0.21	148	3.99	2.83	0.89	17.2	3.39	2	0.94	5.1	0.41	<2
E503693A	2.01	6640	2.89	1.86	0.76	15	3.01	3.8	0.64	13.5	0.3	1485
E503694	0.25	316	3.93	2.5	0.95	16.9	3.35	2.2	0.83	5.1	0.41	47
E503695	0.26	98	4.16	2.62	1.06	17.8	3.3	2.1	0.87	4.9	0.41	3
E503696	0.26	124	3.62	2.49	0.94	16.5	3.13	2.1	0.86	4.5	0.37	2
E503697	0.08	89	4.06	2.7	0.96	18	3.29	1.8	0.9	3.4	0.42	<2

	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503698	0.07	55	4.01	2.64	1.14	18.6	3.24	1.7	0.88	4.1	0.39	<2
E503699	0.11	85	3.88	2.6	0.91	16.6	3.17	1.9	0.91	3.2	0.4	<2
E503700	0.08	49	3.86	2.53	0.93	16.8	2.97	1.8	0.83	2.9	0.39	<2
E503701	0.13	91	4.09	2.72	0.93	17.8	3.28	1.9	0.93	3.4	0.42	<2
E503702	0.34	118	3.66	2.46	0.81	16.6	2.69	1.9	0.84	3.3	0.36	<2
E503703	0.18	215	3.88	2.6	1.01	19.5	3.28	1.9	0.86	3.6	0.35	<2
E503704	0.18	160	4.18	2.68	0.81	16	3.33	1.9	0.91	3.3	0.41	<2
E503705	0.06	105	4.06	2.61	0.87	18.5	3.12	1.7	0.86	3.2	0.4	<2
E503706	0.08	116	3.71	2.41	0.95	16.1	2.9	1.7	0.77	3.2	0.35	<2
E503707	0.11	157	4.99	3.28	1.11	18.9	3.89	2.4	1.05	3.9	0.49	<2
E503708	0.09	215	4.18	2.83	0.99	16.9	3.31	2.1	0.9	3.6	0.43	<2
E503709	0.47	165	3.57	2.27	0.78	16.7	2.83	1.7	0.78	4.4	0.34	<2
E503710	0.22	73	3.23	2.11	0.74	17	2.61	1.4	0.71	2.6	0.32	<2
E503711	0.11	441	3.38	2.32	0.71	15.1	2.72	1.4	0.8	2.4	0.35	<2
E503712	0.24	141	3.8	2.46	0.93	15.1	2.92	2	0.79	5.1	0.37	<2
E503713	0.32	77	6.37	4.16	1.28	18.1	5.11	3	1.35	6.4	0.62	<2
E503714	1.84	17	0.96	0.51	0.67	18.8	2.11	2.8	0.16	15.7	0.06	8
E503715	0.76	140	2.27	1.38	0.98	13.8	3.2	2.8	0.42	14.1	0.18	4
E503716	0.39	283	2.75	1.93	0.6	15.1	2.06	1.2	0.57	1	0.25	<2
E503717	0.3	306	3.03	1.91	0.6	15.6	2.06	1.2	0.63	1.9	0.29	<2
E503718	0.46	129	2.74	1.86	0.6	15	1.92	1.1	0.57	1.4	0.26	<2
E503719	0.17	158	3.13	2.11	0.59	15.5	2.26	1.2	0.66	2.2	0.32	<2
E503720	0.13	443	2.8	1.73	0.58	14.9	1.93	1.2	0.57	1.6	0.25	<2
E503721	0.14	84	2.77	1.86	0.5	14.3	2.04	1	0.58	1.8	0.26	<2
E503722	0.18	293	2.96	2.05	0.64	14.8	2.12	1.2	0.64	1.4	0.3	<2

	ME-MS81 Nb	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503667	2.9	8.1	73	10	1.66	6.8	2.39	1	68.4	0.6	0.57	0.44
E503668	4	10.7	81	11	2.25	21.6	3.18	1	162	0.6	0.71	0.77
E503669	3.1	10.3	77	7	1.99	10.2	3.06	1	126	0.6	0.71	0.49
E503670	3.4	9.3	81	6	1.91	15.4	2.69	1	195	0.6	0.62	0.5
E503671	5.2	31.5	200	93	7.35	18.5	6.48	1	304	0.4	0.84	3.64
E503672	4.5	18.6	116	94	4.25	23.5	4.39	1	233	0.4	0.73	1.77
E503672A	6.2	13.7	20	91	3.47	61	2.81	2	96.6	0.6	0.51	4.92
E503673	2.9	8.7	101	6	1.89	15.5	2.3	1	142	0.6	0.54	1.03
E503674	2.3	6.9	102	7	1.29	14.3	2.22	1	148.5	0.5	0.56	0.3
E503675	1.9	5.8	80	10	1.18	6	2.08	1	168	0.5	0.5	0.25
E503676	2.1	7.4	98	18	1.44	10.4	2.29	1	158	0.5	0.58	0.27
E503677	2.4	7.6	115	-5	1.4	11.7	2.42	1	157	0.5	0.64	0.32
E503678	2.4	7.6	134	-5	1.51	10.2	2.38	1	174	0.5	0.61	0.34
E503679	2.3	7.5	115	-5	1.46	13.4	2.42	1	139	0.5	0.6	0.23
E503680	2.5	6.9	117	-5	1.32	16	2.31	1	138.5	0.5	0.6	0.31
E503681	2.3	7.3	100	5	1.39	17.3	2.4	1	167.5	0.5	0.62	0.27
E503682	2.4	8	113	-5	1.55	18	2.56	1	156	0.3	0.66	0.31
E503683	2	6.7	110	8	1.34	13.7	2.1	1	126	0.5	0.5	0.3
E503684	2.5	7.8	108	5	1.48	25.6	2.65	1	175.5	0.2	0.65	0.27
E503685	2.2	7.1	100	5	1.37	23.3	2.39	1	158	0.5	0.57	0.29
E503686	2.3	6.9	104	7	1.35	11.8	2.32	1	151	0.5	0.59	0.27
E503687	2.2	6.5	180	7	1.26	11.7	1.99	1	142.5	0.5	0.54	0.3
E503688	2.3	6.5	97	6	1.18	14.1	2.13	1	130	0.2	0.48	0.28
E503689	2.5	8.7	81	-5	1.74	24.5	2.7	1	86.4	0.2	0.61	0.29
E503690	1.8	8.5	81	8	1.78	82.5	2.28	1	108	0.2	0.52	0.24
E503691	2.5	8.8	106	6	1.88	23	2.71	1	124.5	0.5	0.64	0.57
E503692	2.6	7.8	116	7	1.53	15.8	2.34	1	129	0.5	0.59	0.62
E503693	2.6	8.4	126	6	1.79	15	2.45	1	132.5	0.5	0.62	0.76
E503693A	6.4	13.5	15	77	3.49	60.5	2.83	2	94.8	0.6	0.5	4.91
E503694	2.8	8.5	119	10	1.69	16.5	2.57	1	141.5	0.5	0.65	0.86
E503695	2.6	9	125	<5	1.77	19.6	2.58	1	151	0.5	0.66	0.59
E503696	2.5	7.6	108	<5	1.55	11.8	2.55	1	151	0.5	0.61	0.64
E503697	2.4	7.7	105	6	1.46	4.4	2.61	1	153.5	0.2	0.64	0.3

	ME-MS81 Nb	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503698	2.1	8	97	12	1.54	7.2	2.43	1	175.5	0.2	0.64	0.24
E503699	2.4	7.4	106	<5	1.4	6.9	2.4	1	143	0.2	0.63	0.3
E503700	2.2	6.8	127	11	1.29	8.5	2.27	1	154.5	0.2	0.6	0.25
E503701	2.4	7.7	116	<5	1.44	7.6	2.6	1	125	0.3	0.65	0.28
E503702	2.1	6.6	116	<5	1.27	15.2	2.33	1	102.5	0.5	0.53	0.26
E503703	2.5	7.9	107	<5	1.46	4.5	2.57	1	74.6	0.5	0.57	0.21
E503704	2.6	7.7	102	<5	1.47	7.2	2.54	<1	108.5	0.3	0.62	0.28
E503705	2.3	7.1	103	<5	1.35	1.9	2.36	1	134	0.2	0.6	0.24
E503706	2.1	6.9	96	<5	1.32	2.8	2.38	1	117	0.1	0.5	0.33
E503707	3.3	9.5	70	<5	1.79	1.5	3.18	1	80.7	0.5	0.72	0.29
E503708	2.5	8.1	65	<5	1.56	2.1	2.51	<1	92.4	0.5	0.59	0.23
E503709	2.3	8	102	<5	1.67	20.2	2.31	1	115.5	0.2	0.52	0.46
E503710	1.9	6	91	<5	1.13	12.4	1.99	<1	88.4	0.2	0.47	0.19
E503711	1.7	6.3	102	<5	1.1	2.2	1.9	1	51.4	0.5	0.49	0.19
E503712	2.9	8.6	64	<5	1.79	7.9	2.58	1	99.2	0.5	0.53	0.67
E503713	4.6	12.9	26	<5	2.6	11.7	4.04	1	74.6	0.6	0.86	0.53
E503714	2.5	15.2	23	<5	3.94	64.4	2.35	<1	188.5	0.2	0.21	3.18
E503715	4.1	15.8	89	36	3.76	48.1	3.14	1	211	0.3	0.4	2.37
E503716	1	3.9	105	<5	0.62	13.4	1.47	<1	155	0.1	0.37	0.1
E503717	1.1	4.2	135	<5	0.76	10.2	1.62	1	119.5	0.4	0.4	0.12
E503718	1	4	114	<5	0.71	15.7	1.49	<1	105	0.1	0.37	0.13
E503719	1	4.1	118	<5	0.76	3.7	1.36	<1	91.8	0.4	0.38	0.06
E503720	1	3.7	106	<5	0.74	2.8	1.39	1	90.3	0.4	0.36	0.06
E503721	0.9	3.7	105	<5	0.72	1.7	1.25	<1	84.5	0.4	0.38	0.08
E503722	1.1	4.2	125	<5	0.7	2.1	1.54	<1	95.5	0.1	0.41	0.11

	ME-MS81 Tl	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
E503667	-0.5	0.26	0.1	299	5	23.3	2.57	973	69			
E503668	-0.5	0.46	0.14	332	5	23.2	2.53	129	86			
E503669	-0.5	0.49	0.14	295	4	29.5	3.15	133	67			
E503670	-0.5	0.39	0.14	319	5	21.8	2.49	588	75			
E503671	-0.5	0.29	1.17	178	2	20.3	1.88	127	142			
E503672	-0.5	0.36	0.57	289	3	22.8	2.35	209	108			
E503672A	-0.5	0.3	3.85	101	19	16.2	1.92	104	148			
E503673	-0.5	0.35	0.28	238	6	18.8	2.01	147	75			
E503674	-0.5	0.38	0.1	295	4	20.3	2.4	123	63			
E503675	-0.5	0.38	0.09	264	5	18.5	2.01	172	53			
E503676	-0.5	0.45	0.12	285	5	20.8	2.33	148	59			
E503677	-0.5	0.46	0.1	317	4	22.8	2.58	171	67			
E503678	-0.5	0.41	0.13	312	4	21.7	2.47	130	72			
E503679	-0.5	0.43	0.1	316	5	21.7	2.49	153	73			
E503680	-0.5	0.43	0.1	316	4	21.1	2.5	120	70			
E503681	-0.5	0.43	0.1	310	4	21.7	2.46	112	63			
E503682	-0.5	0.42	0.11	322	2	24.5	2.7	128	69			
E503683	-0.5	0.37	0.13	251	4	18.6	1.96	157	57			
E503684	-0.5	0.43	0.08	305	1	23.2	2.62	122	70			
E503685	-0.5	0.38	0.1	292	4	20.4	2.42	113	61			
E503686	-0.5	0.46	0.06	305	5	22.2	2.38	128	65			
E503687	-0.5	0.33	0.13	286	5	19	2.22	127	65			
E503688	-0.5	0.3	0.1	304	2	19.1	2.11	367	60	51.5	15.05	12.9
E503689	-0.5	0.37	0.12	308	3	20.8	2.35	152	68			
E503690	-0.5	0.28	0.11	234	2	17.4	1.86	170	48			
E503691	-0.5	0.37	0.22	265	6	22.3	2.52	129	71			
E503692	<0.5	0.36	0.22	275	5	22.1	2.54	217	70			
E503693	<0.5	0.38	0.31	281	4	23.8	2.8	159	70			
E503693A	<0.5	0.3	3.52	99	20	16.4	1.87	104	144			
E503694	<0.5	0.42	0.35	283	5	22.1	2.42	156	74			
E503695	<0.5	0.45	0.22	311	5	23	2.7	161	76			
E503696	<0.5	0.37	0.23	271	4	21.5	2.34	141	72			
E503697	<0.5	0.41	0.08	305	2	23.2	2.56	98	64			

	ME-MS81 Tl	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
E503698	<0.5	0.41	0.08	290	2	22.9	2.53	92	56			
E503699	<0.5	0.4	0.08	298	2	22.8	2.58	106	62			
E503700	<0.5	0.4	0.06	294	2	21.9	2.46	98	60			
E503701	<0.5	0.43	0.08	317	1	23.1	2.69	145	65			
E503702	<0.5	0.45	0.07	288	6	20.6	2.33	158	65			
E503703	<0.5	0.44	0.05	324	5	21.8	2.39	156	66			
E503704	<0.5	0.4	0.07	314	2	23.2	2.57	162	71			
E503705	<0.5	0.37	0.06	300	2	22.7	2.47	112	62			
E503706	<0.5	0.32	0.05	287	<1	22.2	2.34	115	56	43.1	13.2	12.85
E503707	<0.5	0.54	0.07	317	4	27.8	3.11	139	85			
E503708	<0.5	0.44	0.06	289	4	24	2.64	121	84			
E503709	<0.5	0.33	0.13	265	2	19.2	2.11	537	61			
E503710	<0.5	0.31	<0.05	256	2	18.7	2.02	192	51			
E503711	<0.5	0.39	<0.05	240	5	20.9	2.36	153	50			
E503712	<0.5	0.36	0.16	223	5	21.4	2.36	120	71			
E503713	<0.5	0.62	0.11	287	4	36.2	4.05	146	115			
E503714	<0.5	0.04	0.91	47	1	4.7	0.42	146	101	67.5	15.4	2.79
E503715	<0.5	0.16	0.6	121	252	12.2	1.23	125	110	57.7	11.35	10
E503716	<0.5	0.24	<0.05	255	<1	16.2	1.96	110	39	46.3	14.35	15.7
E503717	<0.5	0.34	<0.05	255	5	16.6	1.88	105	41			
E503718	<0.5	0.24	<0.05	252	2	16.1	1.83	130	39	46.7	15.05	13.2
E503719	<0.5	0.34	<0.05	253	5	16.7	1.89	89	45			
E503720	<0.5	0.29	<0.05	241	5	15.1	1.73	98	45			
E503721	<0.5	0.3	<0.05	224	4	16.5	1.73	135	38			
E503722	<0.5	0.27	<0.05	259	1	17.5	2.02	102	40	49.4	14.8	13.45

	ME-ICP06 CaO	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%	%
E503667												
E503668												
E503669												
E503670												
E503671												
E503672												
E503672A												
E503673												
E503674												
E503675												
E503676												
E503677												
E503678												
E503679												
E503680												
E503681												
E503682												
E503683												
E503684												
E503685												
E503686												
E503687												
E503688	7.6	3.82	4.32	0.58	0.03	1.1	0.2	0.08	0.02	0.02	2.05	99.3
E503689												
E503690												
E503691												
E503692												
E503693												
E503693A												
E503694												
E503695												
E503696												
E503697												

	ME-ICP06 CaO	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%	%
E503698												
E503699												
E503700												
E503701												
E503702												
E503703												
E503704												
E503705												
E503706	18.05	4.08	1.96	0.17	0.03	0.97	0.22	0.07	0.01	0.01	5.34	100
E503707												
E503708												
E503709												
E503710												
E503711												
E503712												
E503713												
E503714	3.27	1.2	5.34	1.57	<0.01	0.35	0.04	0.07	0.02	0.04	2.4	100
E503715	6.04	4.95	2.69	2.04	0.02	0.55	0.12	0.21	0.03	0.09	3.09	98.9
E503716	10.65	6.72	1.18	0.4	0.03	0.68	0.28	0.05	0.02	0.01	2.23	98.6
E503717												
E503718	11.65	7.11	1.17	0.43	0.03	0.7	0.24	0.03	0.01	0.01	3.4	99.7
E503719												
E503720												
E503721												
E503722	9.53	7.25	1.7	0.09	0.03	0.76	0.22	0.06	0.01	<0.01	2.7	100

Auger Resources

PROSPECT: Hook

DDH#: HK-09-07

GRID: Hook

Core: NQ

Azimuth and Dip: 320/50

E.O.H: 152m

GRID LOCATION: 500 E 665 N

UTM, type: 586871E 5221101N, non-diff

Claim # : 4212252

Start: Jan. 20, 2010 End: Jan. 22, 2010

Drill Company:

Bradley Brothers Drilling

Logged by:

Jonathan Taylor

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Code</i>	<i>Description</i>	<i>Mineralization (% sulphide)</i>	<i>Recovery</i>
0.00	3.00	Casing	CAS			
3.00	79.90	Mafic Volcanics	MV	fg, occlly grdg to mg, dark grnsh gy; where flows are pillowed, qtz/carb vns w/ assoc alt (sil) and mnr (1-2%) sulphides (po,cpy,py) occur @43.6m: tr spl	1 tr	
79.90	129.00	Massive Mafic Volcanics	MMV	massive flows, grdg to cg towards center of flows, tr sulphides (po,cpy) confined to fracture fill (carb)	tr	
129.00	130.00	Felsic Intrusive	FI	cg, porphyritic, k-spar altered, barren of sulphides		
130.00	149.00	Massive Mafic Volcanics	MMV	predominatley fg, occlly mg, relatively barren of sulphides	tr	
149.00	152.00	Felsic Tuff	FT	felsic clasts are <1cm and make up <5% of rock, tr po and cpy in carb/ qtz vns	tr	

EZ-Shot Survey:

Depth: 143.0
Corrected Azimuth: 332.2
Dip: 50.2

EOH: 152

Casing left in hole

xx boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au ppm	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm
HK-09-07	E503723	18.00	19.00	1.00	MV	SD10016471	<0.005	<1	97.1	14.7	45.2	120
HK-09-07	E503724	19.00	20.00	1.00	MV	SD10016471	<0.005	1	68	9.6	79.7	270
HK-09-07	E503725	20.00	21.00	1.00	MV	SD10016471	<0.005	<1	122	9.2	39.1	270
HK-09-07	E503726	21.00	22.00	1.00	MV	SD10016471	<0.005	<1	238	8.8	42.1	120
HK-09-07	E503727	32.00	33.00	1.00	MV	SD10016471	<0.005	1	159.5	9.8	65.4	140
HK-09-07	E503727A	Standard				SD10016471	4.54	56	780	28.6	13.8	30
HK-09-07	E503728	33.00	34.00	1.00	MV	SD10016471	<0.005	<1	120.5	9.3	45.4	250
HK-09-07	E503729	34.00	35.00	1.00	MV	SD10016471	<0.005	<1	98.8	10.1	60.6	270
HK-09-07	E503730	35.00	36.00	1.00	MV	SD10016470	<0.005	<1	98.9	9.7	59.8	250
HK-09-07	E503731	36.00	37.00	1.00	MV	SD10016471	<0.005	<1	110.5	10.1	59.2	260
HK-09-07	E503732	37.00	38.00	1.00	MV	SD10016471	<0.005	<1	109.5	10	65.6	270
HK-09-07	E503733	39.00	40.00	1.00	MV	SD10016471	<0.005	<1	56.8	9.3	66	270
HK-09-07	E503734	40.00	41.00	1.00	MV	SD10016471	<0.005	<1	146.5	10.6	63	260
HK-09-07	E503735	43.00	44.00	1.00	MV	SD10016471	<0.005	<1	187	8.5	58.6	260
HK-09-07	E503736	44.00	45.00	1.00	MV	SD10016471	<0.005	<1	581	8.9	51.5	240
HK-09-07	E503737	45.00	46.00	1.00	MV	SD10016471	<0.005	<1	179	9.2	55.4	260
HK-09-07	E503738	46.00	47.00	1.00	MV	SD10016471	<0.005	<1	431	8.8	54.1	230
HK-09-07	E503739	47.00	48.00	1.00	MV	SD10016471	<0.005	<1	256	9.9	54.4	250
HK-09-07	E503740	48.00	49.00	1.00	MV	SD10016471	<0.005	<1	229	9.3	58.2	250
HK-09-07	E503741	49.00	50.00	1.00	MV	SD10016471	<0.005	<1	192	8.4	48.8	220
HK-09-07	E503742	50.00	51.00	1.00	MV	SD10016471	<0.005	<1	180	8.7	67.4	250
HK-09-07	E503743	51.00	52.00	1.00	MV	SD10016471	<0.005	<1	114.5	8.9	100.5	230
HK-09-07	E503744	52.00	53.00	1.00	MV	SD10016471	<0.005	<1	160	8.7	57.3	260
HK-09-07	E503745	53.00	53.80	0.80	MV	SD10016471	<0.005	<1	102	8.9	61.5	250
HK-09-07	E503746	59.00	60.00	1.00	MV	SD10016471	<0.005	<1	87	9.1	60.9	250
HK-09-07	E503747	60.00	61.00	1.00	MV	SD10016471	<0.005	<1	178.5	9	52.9	250
HK-09-07	E503748	61.00	62.00	1.00	MV	SD10016471	<0.005	<1	286	8.6	55.6	250
HK-09-07	E503749	71.00	72.00	1.00	MV	SD10016471	<0.005	<1	62.3	8.5	54.5	250
HK-09-07	E503749A	Standard				SD10016471	4.44	50	767	28.1	12.4	30
HK-09-07	E503750	72.00	73.00	1.00	MV	SD10016471	<0.005	<1	82	8.8	54.6	250
HK-09-07	E503751	73.00	74.00	1.00	MV	SD10016471	<0.005	<1	84.6	9.2	51.8	240
HK-09-07	E503752	74.00	75.00	1.00	MV	SD10016470	<0.005	<1	66.5	9.3	60.5	240
HK-09-07	E503753	75.00	76.00	1.00	MV	SD10016471	<0.005	<1	121.5	8.8	63.9	230

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au ppm	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm
HK-09-07	E503754	76.00	77.00	1.00	MV	SD10016471	<0.005	<1	222	8.5	46.7	240
HK-09-07	E503755	92.00	93.00	1.00	MV	SD10016471	<0.005	<1	225	9.8	53.7	230
HK-09-07	E503756	103.30	104.30	1.00	MV	SD10016471	<0.005	<1	105	7.7	54	240
HK-09-07	E503757	118.30	119.30	1.00	MV	SD10016471	<0.005	<1	381	52.6	47.1	20
HK-09-07	E503758	142.00	143.00	1.00	MV	SD10016471	<0.005	<1	415	16	49.9	60
HK-09-07	E503759	143.00	144.00	1.00	MV	SD10016471	<0.005	<1	338	18.2	44.5	70
HK-09-07	E503760	144.00	145.00	1.00	MV	SD10016471	<0.005	<1	250	15.8	41.6	70
HK-09-07	E503761	145.00	146.00	1.00	MV	SD10016471	<0.005	<1	266	18.6	39.9	60
HK-09-07	E503762	146.00	147.00	1.00	MV	SD10016471	<0.005	<1	266	24.6	51	60
HK-09-07	E503763	147.00	148.00	1.00	MV	SD10016471	<0.005	<1	93	17.6	91.1	60
HK-09-07	E503764	149.00	150.00	1.00	FT	SD10016471	<0.005	<1	67.5	15	62.1	70
HK-09-07	E503765	150.00	151.00	1.00	FT	SD10016471	<0.005	<1	54	15.4	38.6	70
HK-09-07	E503766	151.00	152.00	1.00	FT	SD10016470	<0.005	<1	80.4	14.4	38.4	70

Sample #	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm	ME-MS81 Mo ppm
E503723	0.13	84	4.48	2.93	1.23	21	3.53	2.3	1.04	6	0.45	<2
E503724	0.14	711	3.21	2.05	0.69	15.4	2.34	1.5	0.71	3.9	0.31	<2
E503725	0.16	94	4.01	2.66	0.89	18.8	2.86	1.8	0.92	3.6	0.38	5
E503726	0.26	48	3.09	2.07	0.65	15.4	2.23	1.5	0.73	3.4	0.34	<2
E503727	0.29	159	3.22	2.24	0.77	16.4	2.31	1.6	0.78	3.9	0.34	<2
E503727A	2.17	6900	2.95	1.91	0.77	16.4	2.83	3.9	0.66	14.5	0.31	1605
E503728	0.21	71	4.15	2.72	1.02	19.6	3	1.9	0.97	3.6	0.38	3
E503729	0.16	133	4.16	2.78	1.01	19.9	3.05	2	0.99	3.8	0.4	2
E503730	0.11	225	4.05	2.58	0.95	17.8	3.19	1.9	0.88	3.8	0.4	<2
E503731	0.17	188	4.1	2.69	0.95	18.4	2.99	1.9	0.93	3.8	0.39	<2
E503732	0.18	152	4.12	2.73	0.95	19.5	3	1.9	0.95	3.7	0.41	<2
E503733	0.09	163	4.08	2.8	0.96	19.8	2.93	1.8	0.94	3.4	0.43	<2
E503734	0.17	94	4.04	2.75	0.95	19.5	2.95	1.7	0.96	4.2	0.4	<2
E503735	0.31	45	3.87	2.64	0.9	18.5	2.73	1.8	0.9	3.1	0.39	<2
E503736	0.44	90	3.92	2.56	0.89	16.7	2.77	1.7	0.91	3.2	0.38	<2
E503737	0.23	63	4.08	2.75	1.02	19.9	2.94	1.8	0.95	3.5	0.42	<2
E503738	0.36	92	3.94	2.57	0.89	17.6	2.73	1.7	0.89	3.2	0.37	<2
E503739	0.53	82	4.1	2.63	0.93	20.4	2.91	2.3	0.96	3.9	0.41	<2
E503740	0.2	69	3.93	2.66	0.98	19.8	2.86	1.7	0.91	3.4	0.39	<2
E503741	0.21	43	3.56	2.38	0.92	17.1	2.58	1.6	0.85	3.1	0.37	<2
E503742	0.3	156	3.98	2.65	0.88	17.8	2.83	1.7	0.91	3.3	0.4	<2
E503743	0.22	844	3.85	2.5	0.83	18.4	2.75	1.8	0.87	3.4	0.39	<2
E503744	0.18	71	3.93	2.57	0.9	16.9	2.73	1.8	0.91	3.2	0.38	<2
E503745	0.15	172	3.96	2.56	0.91	18	2.88	1.7	0.9	3.2	0.39	<2
E503746	0.1	104	3.95	2.68	0.93	20.8	2.91	1.8	0.93	3.7	0.4	<2
E503747	0.23	249	4	2.65	0.93	20.1	3.11	1.9	0.87	3.4	0.4	<2
E503748	0.36	85	4.04	2.71	0.91	17.2	3.2	1.9	0.89	3.2	0.4	<2
E503749	0.17	131	3.91	2.62	0.81	17.8	3.06	1.8	0.83	3.2	0.38	<2
E503749A	2.09	6140	3.03	1.98	0.77	16.5	3.08	3.9	0.64	14.4	0.31	1580
E503750	0.14	83	4.14	2.72	0.9	18.1	3.16	1.9	0.9	3.3	0.39	3
E503751	0.35	104	4.01	2.6	0.87	18.1	3.15	2.4	0.88	3.7	0.39	2
E503752	0.18	151	4.02	2.68	0.99	17.9	3.09	1.9	0.91	3.6	0.4	<2
E503753	0.21	146	3.95	2.71	0.92	18.1	3.12	1.9	0.87	3.4	0.38	<2

Sample #	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm	ME-MS81 Mo ppm
E503754	0.27	81	3.93	2.67	0.9	16.9	3.06	1.9	0.85	3.2	0.39	<2
E503755	0.16	130	3.88	2.65	0.92	18.8	3.17	1.8	0.86	4.3	0.4	<2
E503756	0.29	121	3.66	2.5	0.85	17.3	2.82	1.7	0.82	2.8	0.37	<2
E503757	0.51	153	4.15	2.56	1.33	18.5	4.82	4.3	0.84	25.1	0.38	<2
E503758	0.83	95	6.25	4.05	1.36	20.8	5.06	3.2	1.32	6.6	0.61	<2
E503759	0.71	56	6.81	4.56	1.26	20.7	5.53	3.6	1.48	7.4	0.68	<2
E503760	0.59	96	6.51	4.46	1.18	19.9	5.34	3.4	1.44	6	0.66	<2
E503761	0.52	38	6.14	4.05	0.98	20.6	4.96	3.5	1.33	7.7	0.6	<2
E503762	0.6	301	5.17	3.45	1.39	21.9	4.77	3.5	1.11	10.7	0.54	<2
E503763	0.3	291	6.18	4.07	1.33	20.6	4.98	3.2	1.34	7	0.61	<2
E503764	0.36	124	6.36	4.29	1.32	20.3	5.06	3.2	1.39	5.5	0.64	<2
E503765	0.21	22	6.14	4.13	1.36	19.6	5.02	3.2	1.35	5.9	0.62	<2
E503766	0.39	67	6.01	3.98	1.33	19	4.89	3	1.33	5.3	0.59	<2

Sample #	ME-MS81 Nb ppm	ME-MS81 Nd ppm	ME-MS81 Ni ppm	ME-MS81 Pb ppm	ME-MS81 Pr ppm	ME-MS81 Rb ppm	ME-MS81 Sm ppm	ME-MS81 Sn ppm	ME-MS81 Sr ppm	ME-MS81 Ta ppm	ME-MS81 Tb ppm	ME-MS81 Th ppm
E503723	4	10.7	69	<5	2.21	8.8	3.27	1	154.5	0.3	0.72	0.57
E503724	2.1	7.1	107	<5	1.44	7.8	2.18	1	135.5	0.1	0.48	0.44
E503725	2.4	7.6	102	<5	1.5	12.7	2.51	1	157.5	0.1	0.58	0.32
E503726	2	6.3	55	5	1.33	28.9	1.97	1	109	0.1	0.45	0.36
E503727	2	7.1	70	6	1.46	26.8	2.14	1	115.5	0.1	0.5	0.39
E503727A	6.6	14.7	14	78	3.74	67.5	3.13	3	99.1	0.6	0.49	4.82
E503728	2.4	7.9	94	<5	1.51	20.8	2.61	1	151.5	0.1	0.62	0.3
E503729	2.6	8.3	111	<5	1.62	15.4	2.8	1	156.5	0.2	0.64	0.35
E503730	2.5	7.8	106	<5	1.55	13.6	2.56	1	164.5	0.2	0.61	0.44
E503731	2.5	8.4	102	<5	1.64	16.3	2.65	1	154.5	0.2	0.62	0.31
E503732	2.6	8.1	120	<5	1.58	17.5	2.68	1	137.5	0.2	0.61	0.32
E503733	2.4	7.9	127	<5	1.53	8.9	2.66	1	162	0.1	0.62	0.26
E503734	2.4	8.2	125	<5	1.64	25.8	2.63	1	160.5	0.1	0.61	0.25
E503735	2.3	7.3	109	<5	1.37	33.8	2.42	1	122	0.1	0.59	0.26
E503736	2.3	7.5	100	<5	1.41	77.3	2.56	1	122	0.1	0.58	0.24
E503737	2.3	8	109	<5	1.53	34	2.66	1	149	0.1	0.63	0.24
E503738	2.2	7.4	107	<5	1.4	66.7	2.44	1	127.5	0.1	0.58	0.24
E503739	2.4	8.1	109	<5	1.55	48.9	2.62	1	154	0.1	0.59	0.36
E503740	2.2	7.8	106	<5	1.51	40.7	2.62	1	172.5	0.1	0.61	0.22
E503741	2	7.1	93	<5	1.35	33.7	2.38	1	148	0.1	0.55	0.22
E503742	2.3	7.3	115	<5	1.4	31.9	2.46	1	126.5	0.1	0.59	0.27
E503743	2.2	7.4	159	<5	1.42	18.7	2.41	1	134.5	0.1	0.58	0.38
E503744	2.3	7.4	114	<5	1.42	25.9	2.51	1	130	0.1	0.6	0.23
E503745	2.2	7.4	113	<5	1.44	16.9	2.51	1	134	0.1	0.6	0.23
E503746	2.3	7.7	113	<5	1.5	19.1	2.51	1	190	0.1	0.6	0.24
E503747	2.4	7.4	110	<5	1.44	26	2.43	1	151.5	0.1	0.59	0.22
E503748	2.4	7.2	108	<5	1.44	40.1	2.44	1	106.5	0.1	0.58	0.22
E503749	2.5	7.3	103	<5	1.42	7.9	2.39	1	107	0.1	0.55	0.24
E503749A	7	14.4	14	91	3.79	63.1	3.15	3	97.6	0.6	0.48	4.83
E503750	2.4	7.4	111	<5	1.43	10	2.45	1	116	0.1	0.6	0.24
E503751	2.6	7.7	100	<5	1.53	13.5	2.5	1	109	0.2	0.57	0.34
E503752	2.4	7.6	114	<5	1.5	10	2.4	1	123.5	0.1	0.62	0.45
E503753	2.3	7.3	117	<5	1.45	17.2	2.46	1	132.5	0.1	0.57	0.35

Sample #	ME-MS81 Nb ppm	ME-MS81 Nd ppm	ME-MS81 Ni ppm	ME-MS81 Pb ppm	ME-MS81 Pr ppm	ME-MS81 Rb ppm	ME-MS81 Sm ppm	ME-MS81 Sn ppm	ME-MS81 Sr ppm	ME-MS81 Ta ppm	ME-MS81 Tb ppm	ME-MS81 Th ppm
E503754	2.3	7.2	102	6	1.4	36	2.37	1	142	0.1	0.57	0.22
E503755	2.2	7.7	106	5	1.56	12.8	2.45	1	199	0.1	0.58	0.2
E503756	2.2	6.8	104	<5	1.29	11.1	2.29	<1	145.5	0.1	0.52	0.19
E503757	6.9	25.4	24	5	6.65	19.4	4.78	1	156.5	0.4	0.68	3
E503758	4.4	12.6	37	<5	2.6	18.5	4.06	1	102	0.3	0.93	0.47
E503759	5	14.1	42	<5	2.92	15.7	4.32	1	113	0.3	1.01	0.53
E503760	4.8	12.9	36	<5	2.55	13.7	4.15	1	109.5	0.3	0.96	0.51
E503761	4.7	13.3	37	<5	2.85	14.2	4.03	1	87.4	0.3	0.91	0.9
E503762	5.5	15.4	40	10	3.53	23.3	4.15	1	132.5	0.3	0.81	1.25
E503763	4.8	13.6	61	6	2.75	8	4.15	1	121	0.3	0.92	0.57
E503764	4.5	12.6	49	<5	2.46	5.6	3.97	1	113	0.3	0.93	0.45
E503765	4.6	12.7	48	<5	2.55	4.3	4.08	1	154.5	0.3	0.89	0.44
E503766	4.3	11.8	41	<5	2.34	8.8	3.69	1	137	0.3	0.92	0.48

Sample #	ME-MS81 Tl ppm	ME-MS81 Tm ppm	ME-MS81 U ppm	ME-MS81 V ppm	ME-MS81 W ppm	ME-MS81 Y ppm	ME-MS81 Yb ppm	ME-MS81 Zn ppm	ME-MS81 Zr ppm	ME-ICP06 SiO2 %	ME-ICP06 Al2O3 %	ME-ICP06 Fe2O3 %
E503723	<0.5	0.45	0.16	400	2	26.6	2.94	170	77			
E503724	<0.5	0.31	0.12	257	2	18.3	2.09	153	48			
E503725	<0.5	0.41	0.1	351	7	23.4	2.65	137	60			
E503726	<0.5	0.32	0.09	307	2	18.2	2.22	227	46			
E503727	<0.5	0.34	0.11	317	2	19.8	2.26	153	51			
E503727A	<0.5	0.29	3.18	118	23	17.7	2.13	120	142			
E503728	<0.5	0.4	0.09	340	2	24.2	2.63	113	60			
E503729	<0.5	0.4	0.13	364	3	24.9	2.79	115	64			
E503730	<0.5	0.39	0.14	311	1	22.8	2.52	102	69	49.3	14.3	12.8
E503731	<0.5	0.4	0.11	347	2	24.2	2.66	131	62			
E503732	<0.5	0.41	0.11	353	2	24.2	2.81	119	61			
E503733	<0.5	0.43	0.08	335	2	24.8	2.78	106	58			
E503734	<0.5	0.42	0.07	334	2	24.6	2.68	103	57			
E503735	<0.5	0.39	0.08	330	2	23.4	2.67	175	58			
E503736	<0.5	0.39	0.07	321	2	22.9	2.67	160	55			
E503737	<0.5	0.41	0.07	339	2	25.1	2.78	223	60			
E503738	<0.5	0.38	0.07	322	2	23.2	2.61	123	54			
E503739	<0.5	0.42	0.13	332	2	24.6	2.7	110	82			
E503740	<0.5	0.39	0.07	334	2	24	2.66	91	55			
E503741	<0.5	0.37	0.07	298	1	22.2	2.42	85	51			
E503742	<0.5	0.4	0.09	328	2	23.8	2.73	185	57			
E503743	<0.5	0.4	0.11	318	2	23.3	2.64	172	57			
E503744	<0.5	0.39	0.06	336	1	23.5	2.59	144	57			
E503745	<0.5	0.4	0.07	325	2	23.3	2.67	138	56			
E503746	<0.5	0.43	0.07	334	2	24.4	2.66	94	57			
E503747	<0.5	0.38	0.06	313	1	23.6	2.56	125	55			
E503748	<0.5	0.39	0.06	308	1	23.6	2.61	144	55			
E503749	<0.5	0.39	0.07	303	<1	22.5	2.5	137	56			
E503749A	<0.5	0.29	2.88	108	24	17.6	2	112	145			
E503750	<0.5	0.39	0.07	303	<1	23.8	2.62	135	57			
E503751	<0.5	0.38	0.11	296	1	22.7	2.56	149	76			
E503752	<0.5	0.4	0.11	303	1	23	2.62	127	68	47.6	14.3	15
E503753	<0.5	0.38	0.1	293	1	23	2.46	147	55			

Sample #	ME-MS81 Tl ppm	ME-MS81 Tm ppm	ME-MS81 U ppm	ME-MS81 V ppm	ME-MS81 W ppm	ME-MS81 Y ppm	ME-MS81 Yb ppm	ME-MS81 Zn ppm	ME-MS81 Zr ppm	ME-ICP06 SiO2 %	ME-ICP06 Al2O3 %	ME-ICP06 Fe2O3 %
E503754	<0.5	0.39	0.06	299	<1	22.7	2.53	132	59			
E503755	<0.5	0.38	0.06	289	1	22.9	2.56	129	54			
E503756	<0.5	0.38	0.05	294	<1	22	2.36	116	50			
E503757	<0.5	0.36	0.64	103	1	23.4	2.44	109	161			
E503758	<0.5	0.59	0.12	357	1	35.7	3.94	133	104			
E503759	<0.5	0.68	0.14	382	2	39	4.37	142	117			
E503760	<0.5	0.65	0.13	378	1	38.9	4.3	133	114			
E503761	<0.5	0.58	0.23	330	2	34.1	3.81	127	114			
E503762	<0.5	0.5	0.33	306	3	30.6	3.42	130	123			
E503763	<0.5	0.6	0.18	353	3	36.2	3.97	131	105			
E503764	<0.5	0.63	0.12	382	1	36.9	4.22	134	106			
E503765	<0.5	0.6	0.12	383	1	36.5	3.95	125	103			
E503766	<0.5	0.6	0.11	381	1	35	3.78	123	108	49.7	13.05	16.8

Sample #	ME-ICP06 CaO %	ME-ICP06 MgO %	ME-ICP06 Na2O %	ME-ICP06 K2O %	ME-ICP06 Cr2O3 %	ME-ICP06 TiO2 %	ME-ICP06 MnO %	ME-ICP06 P2O5 %	ME-ICP06 SrO %	ME-ICP06 BaO %	OA-GRA05 LOI %	TOT-ICP06 Total %
E503723												
E503724												
E503725												
E503726												
E503727												
E503727A												
E503728												
E503729												
E503730	12.25	4.17	1.6	0.45	0.04	1.04	0.24	0.08	0.02	0.01	3.46	99.8
E503731												
E503732												
E503733												
E503734												
E503735												
E503736												
E503737												
E503738												
E503739												
E503740												
E503741												
E503742												
E503743												
E503744												
E503745												
E503746												
E503747												
E503748												
E503749												
E503749A												
E503750												
E503751												
E503752	12.65	4.27	1.68	0.32	0.04	0.97	0.3	0.08	0.01	0.01	2.55	99.8
E503753												

	ME-ICP06 CaO	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%	%
E503754												
E503755												
E503756												
E503757												
E503758												
E503759												
E503760												
E503761												
E503762												
E503763												
E503764												
E503765												
E503766	10.3	4.72	1.45	0.31	0.01	1.62	0.39	0.16	0.02	0.01	1.08	99.6

Auger Resources

PROSPECT: Hook

DDH#: HK-09-08

GRID: Hook

Core: NQ

Azimuth and Dip: 150/50

E.O.H: 68m

GRID LOCATION: 490 E 715 N

UTM, type: 586839E 5221125N, non-diff

Claim # : 4212252

Start: Jan. 22, 2010 End: Jan. 23, 2010

Drill Company:

Bradley Brothers Drilling

Logged by:

Jonathan Taylor

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Code</i>	<i>Description</i>	<i>Mineralization (% sulphide)</i>	<i>Recovery</i>
0.00	3.00	Casing	CAS			
3.00	68.00	Mafic Volcanics	MV	6.3-29m: fg, dark grnsh gy, sil alteration w/ cpy, po in carb/qtz vns (1-2cm wide)	1 tr	

EZ-Shot Survey:

Depth: 59.0
Corrected Azimuth: 144.2
Dip: 49.4

EOH: 68
Casing left in hole
xx boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	SAMPLE DESCRIPTION	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm
HK-09-08	E503767	6.00	7.00	1.00	MV	SD10013665	E503767	0.008	<1	213	8.5	80.6
HK-09-08	E503768	7.00	8.00	1.00	MV	SD10013665	E503768	0.005	<1	111	9.3	67.2
HK-09-08	E503769	8.00	9.00	1.00	MV	SD10013665	E503769	0.011	<1	198	9	58
HK-09-08	E503770	9.00	10.00	1.00	MV	SD10013665	E503770	0.102	<1	339	21.9	81.8
HK-09-08	E503771	10.00	11.00	1.00	MV	SD10013665	E503771	0.033	<1	288	8.4	49.6
HK-09-08	E503772	11.00	12.00	1.00	MV	SD10013665	E503772	0.007	<1	317	8.9	50.4
HK-09-08	E503772A	Standard				SD10013665	E503772A	4.63	53	759	26.8	12.5
HK-09-08	E503773	12.00	13.00	1.00	MV	SD10013665	E503773	0.005	1	220	8.4	56
HK-09-08	E503774	13.00	14.00	1.00	MV	SD10013665	E503774	0.005	<1	476	8.3	51.3
HK-09-08	E503775	14.00	15.00	1.00	MV	SD10013665	E503775	0.014	<1	281	10.7	80.4
HK-09-08	E503776	15.00	16.00	1.00	MV	SD10013665	E503776	0.013	<1	169.5	10.3	52.8
HK-09-08	E503777	16.00	17.00	1.00	MV	SD10013665	E503777	0.01	<1	98.6	8.3	53.9
HK-09-08	E503778	17.00	18.00	1.00	MV	SD10013665	E503778	0.007	<1	70	8.6	58.8
HK-09-08	E503779	18.00	19.00	1.00	MV	SD10013665	E503779	0.006	<1	158	9.1	60.4
HK-09-08	E503780	19.00	20.00	1.00	MV	SD10013665	E503780	<0.005	<1	141.5	9.5	60.1
HK-09-08	E503781	20.00	21.00	1.00	MV	SD10013665	E503781	0.008	<1	120.5	9.4	55.3
HK-09-08	E503782	21.00	22.00	1.00	MV	SD10013665	E503782	0.009	<1	224	9.9	75.7
HK-09-08	E503783	22.00	23.00	1.00	MV	SD10013665	E503783	<0.005	<1	138	9	56.4
HK-09-08	E503784	23.00	24.00	1.00	MV	SD10013665	E503784	<0.005	<1	103.5	9.4	62
HK-09-08	E503785	24.00	25.00	1.00	MV	SD10013665	E503785	0.021	<1	126.5	10.3	55.2
HK-09-08	E503786	25.00	26.00	1.00	MV	SD10013665	E503786	0.006	<1	153.5	9.9	69.2
HK-09-08	E503787	26.00	27.00	1.00	MV	SD10013665	E503787	0.006	<1	90.7	9.2	66.1
HK-09-08	E503788	27.00	28.00	1.00	MV	SD10013665	E503788	<0.005	<1	203	8.4	44.5
HK-09-08	E503789	28.00	29.00	1.00	MV	SD10013665	E503789	0.019	<1	212	9.7	41.2
HK-09-08	E503790	29.00	30.00	1.00	MV	SD10013665	E503790	0.012	<1	170.5	9.3	46.8
HK-09-08	E503791	30.00	31.00	1.00	MV	SD10013665	E503791	0.017	<1	169	9.1	48
HK-09-08	E503792	39.00	40.00	1.00	MV	SD10013665	E503792	0.005	<1	89.6	9.5	47.4
HK-09-08	E503793	40.00	41.00	1.00	MV	SD10013665	E503793	0.005	<1	135	9	52.7
HK-09-08	E503794	47.00	48.00	1.00	MV	SD10013665	E503794	0.005	<1	149.5	9.9	46.1
HK-09-08	E503795	48.00	49.00	1.00	MV	SD10013665	E503795	0.009	1	187	11.1	64.8
HK-09-08	E503796	49.00	50.00	1.00	MV	SD10013665	E503796	0.008	<1	147	10.1	50.9
HK-09-08	E503797	50.90	51.90	1.00	MV	SD10013665	E503797	0.008	<1	487	32.2	30.4
HK-09-08	E503797A	Standard				SD10013665	E503797A	4.31	57	827	28.6	12.9

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	SAMPLE	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							DESCRIPTION	Au ppm	Ag ppm	Ba ppm	Ce ppm	Co ppm
HK-09-08	E503798	51.90	53.00	1.10	MV	SD10013665	E503798	0.005	<1	224	27.1	27.2
HK-09-08	E503799	53.00	54.00	1.00	MV	SD10013665	E503799	<0.005	<1	147	9.9	47.2
HK-09-08	E503800	65.40	66.60	1.20	MV	SD10013665	E503800	0.005	<1	125	11.7	60.7

34 samples

	ME-MS81 Cr	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503767	230	0.18	213	3.86	2.57	0.92	16.3	3.11	1.8	0.84	3.1	0.36	<2
E503768	260	0.15	186	4.29	2.72	1.11	18.8	3.24	1.9	0.92	3.3	0.4	<2
E503769	240	0.15	138	4.18	2.69	1.07	21	3.22	1.9	0.88	3.4	0.4	<2
E503770	230	0.23	172	4.6	2.76	1.46	18.9	3.98	1.7	0.93	9.8	0.37	<2
E503771	220	0.35	260	3.45	2.19	0.73	15.8	2.85	1.8	0.75	3.2	0.33	<2
E503772	240	0.25	68	3.96	2.56	1	17	3.06	1.8	0.86	3.1	0.37	<2
E503772A	20	1.95	6710	2.93	1.87	0.81	15.2	2.93	3.8	0.61	13.1	0.29	1500
E503773	230	0.24	31	3.91	2.46	0.93	16.8	3.12	1.8	0.85	2.9	0.36	4
E503774	240	0.34	27	4	2.62	0.94	17.5	3.12	1.8	0.84	3.1	0.37	<2
E503775	220	0.26	144	4.15	2.67	0.94	17.7	3.14	2	0.88	4	0.37	<2
E503776	220	0.18	98	4.06	2.58	0.94	17.5	3.26	2	0.88	3.8	0.39	<2
E503777	240	0.09	121	4.13	2.67	0.95	18.2	3.12	1.8	0.86	2.9	0.39	<2
E503778	230	0.09	183	3.96	2.61	1.01	19	3.15	1.8	0.87	3.1	0.38	<2
E503779	250	0.23	184	4.18	2.72	0.98	17.7	3.32	1.9	0.9	3.3	0.4	<2
E503780	250	0.2	117	4.23	2.69	1.05	17.7	3.28	1.9	0.89	3.4	0.39	<2
E503781	260	0.2	135	4.16	2.72	1.02	18.7	3.32	1.9	0.93	3.2	0.39	<2
E503782	230	0.16	100	4.22	2.74	1.03	18.6	3.48	1.9	0.89	3.7	0.37	<2
E503783	250	0.17	117	4.33	2.68	1.03	18	3.29	2	0.92	3.2	0.4	<2
E503784	260	0.21	97	4.35	2.88	1	18.8	3.26	2	0.93	3.3	0.4	<2
E503785	250	0.18	103	4.3	2.76	0.97	18	3.49	2	0.89	3.8	0.42	<2
E503786	230	0.2	257	3.9	2.57	0.88	18	3.17	1.9	0.86	3.6	0.39	<2
E503787	230	0.23	176	4.18	2.68	0.94	18.3	3.29	1.8	0.89	3.3	0.38	<2
E503788	220	0.26	79	3.9	2.49	0.86	15.8	2.79	1.7	0.8	3.1	0.34	<2
E503789	230	0.21	210	3.83	2.48	1.03	20.2	3.05	1.7	0.86	3.8	0.37	<2
E503790	180	0.24	64	3.68	2.48	0.81	15.8	3.04	1.8	0.81	3.5	0.36	<2
E503791	120	0.36	121	3.07	2	0.69	15.5	2.38	1.5	0.66	3.6	0.3	<2
E503792	250	0.25	46	3.97	2.71	0.91	18.6	3.27	1.9	0.86	3.4	0.39	<2
E503793	240	0.27	55	4.11	2.68	0.94	19.1	3.32	1.9	0.9	3.2	0.4	<2
E503794	250	0.32	132	4.15	2.56	0.97	19.5	3.18	1.9	0.85	3.6	0.36	<2
E503795	250	0.27	538	4	2.41	0.89	18.5	3.41	1.9	0.83	4.4	0.36	<2
E503796	240	0.2	111	4.18	2.69	1.05	20	3.39	1.9	0.89	3.8	0.39	<2
E503797	110	0.38	92	3.19	2.09	1.06	15.8	3.26	3.5	0.68	14.7	0.32	<2
E503797A	30	2.04	6360	2.96	1.94	0.78	16.4	3.03	4.2	0.62	14.2	0.3	1575

	ME-MS81 Cr	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503798	120	0.38	74	3.21	2.06	0.98	15.9	3.15	2.8	0.67	12	0.3	6
E503799	230	0.25	147	3.91	2.48	0.93	18	3.14	1.9	0.86	3.7	0.36	2
E503800	230	0.29	194	4.16	2.67	1.06	18.8	3.31	2	0.89	4.5	0.39	<2

	ME-MS81 Nb	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503767	2.2	6.9	126	20	1.33	20.6	2.27	1	152	0.1	0.59	0.3
E503768	2.5	7.6	123	<5	1.43	10.6	2.44	1	192	0.1	0.65	0.34
E503769	2.4	7.2	116	5	1.42	18.4	2.45	1	215	0.1	0.63	0.34
E503770	2.2	13	194	5	2.91	30.8	3.42	1	167	0.1	0.7	0.32
E503771	1.9	6.1	101	12	1.31	19.2	2.1	1	90.3	0.2	0.52	0.36
E503772	2.2	7.4	100	20	1.43	25.6	2.4	1	111.5	0.1	0.61	0.29
E503772A	6	13.2	14	79	3.39	59.3	2.8	3	87.3	0.5	0.49	4.7
E503773	2.2	6.9	107	11	1.31	19.4	2.34	1	139	0.1	0.59	0.31
E503774	2.3	6.8	101	16	1.31	33.6	2.31	1	143	0.1	0.61	0.29
E503775	2.5	8.1	94	14	1.6	26	2.47	1	115	0.2	0.62	0.5
E503776	2.5	7.9	96	8	1.59	19.1	2.56	1	131.5	0.1	0.65	0.48
E503777	2.2	7.1	100	5	1.34	9.3	2.37	1	179	0.1	0.61	0.26
E503778	2.2	7.3	121	<5	1.32	7	2.35	1	202	0.1	0.6	0.25
E503779	2.4	7.7	112	<5	1.44	16	2.53	1	141.5	0.2	0.64	0.25
E503780	2.4	7.6	114	8	1.49	19.4	2.58	1	146	0.1	0.65	0.29
E503781	2.4	7.7	111	<5	1.49	17.4	2.49	1	153.5	0.1	0.64	0.29
E503782	2.3	8	130	5	1.55	15.6	2.6	1	138.5	0.1	0.67	0.33
E503783	2.3	7.4	111	<5	1.47	16.1	2.53	1	138.5	0.2	0.62	0.28
E503784	2.4	8	132	<5	1.53	13.1	2.67	1	130	0.1	0.68	0.29
E503785	2.3	7.8	110	6	1.6	14.6	2.54	1	134.5	0.2	0.65	0.48
E503786	2.3	7.9	112	<5	1.5	16.4	2.44	1	115.5	0.2	0.59	0.42
E503787	2.3	7.5	134	<5	1.46	12	2.39	1	116.5	0.1	0.63	0.37
E503788	2.1	6.9	86	5	1.29	30.1	2.2	1	100	0.1	0.56	0.28
E503789	2.1	7.7	88	5	1.48	30.8	2.42	1	145	0.1	0.6	0.25
E503790	2.1	7.2	72	<5	1.46	25.4	2.27	1	113	0.1	0.57	0.35
E503791	1.7	6.1	57	16	1.33	36.8	1.9	<1	100.5	0.1	0.45	0.36
E503792	2.4	7.5	97	<5	1.47	18.4	2.51	1	102.5	0.1	0.62	0.31
E503793	2.3	7.6	105	<5	1.5	26.8	2.61	1	112	0.1	0.65	0.28
E503794	2.5	7.7	83	<5	1.56	32.2	2.65	1	127.5	0.2	0.61	0.39
E503795	2	8.1	94	101	1.65	30.8	2.51	1	141	0.2	0.63	0.33
E503796	2.4	8	99	<5	1.55	24.4	2.49	1	144.5	0.2	0.63	0.35
E503797	5.3	15	36	6	3.91	44.8	2.87	1	93.9	0.3	0.53	2.46
E503797A	6.6	14.3	15	72	3.68	62.7	3.03	3	92.7	0.5	0.49	4.93

	ME-MS81 Nb	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E503798	4.2	13.5	53	7	3.27	23.1	2.81	1	67.4	0.2	0.54	1.91
E503799	2.4	7.7	90	<5	1.6	23.2	2.54	1	145.5	0.1	0.61	0.47
E503800	2.7	8.9	103	<5	1.78	16.9	2.8	1	136.5	0.2	0.65	0.52

	ME-MS81 Tl	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
E503767	<0.5	0.35	0.08	301	1	20.6	2.3	97	60			
E503768	<0.5	0.38	0.1	326	1	22.8	2.68	108	64			
E503769	<0.5	0.38	0.11	312	1	21.8	2.58	101	65			
E503770	<0.5	0.41	0.12	293	2	23	2.55	94	59			
E503771	<0.5	0.35	0.11	299	3	20.6	2.14	197	60	52.2	12.95	11.85
E503772	<0.5	0.36	0.1	289	2	21.2	2.4	121	61			
E503772A	<0.5	0.27	3.23	105	16	15.8	1.82	102	149			
E503773	<0.5	0.35	0.08	289	1	20.5	2.35	124	58			
E503774	<0.5	0.36	0.09	307	2	21.1	2.45	163	63			
E503775	<0.5	0.37	0.16	293	2	21.9	2.43	131	66			
E503776	<0.5	0.36	0.12	307	1	21.8	2.51	123	67			
E503777	<0.5	0.39	0.07	305	1	21.2	2.48	112	59			
E503778	<0.5	0.38	0.06	304	1	21.5	2.46	93	60			
E503779	<0.5	0.4	0.07	325	1	22.7	2.49	123	64			
E503780	<0.5	0.39	0.07	325	1	22.4	2.51	157	65			
E503781	<0.5	0.41	0.08	330	<1	23.1	2.66	136	63			
E503782	<0.5	0.39	0.09	315	1	22.2	2.63	186	64			
E503783	<0.5	0.38	0.07	317	1	22.3	2.54	117	62			
E503784	<0.5	0.42	0.07	335	1	23.4	2.66	136	65			
E503785	<0.5	0.44	0.07	341	3	24.8	2.62	129	65	50.3	14.95	14
E503786	<0.5	0.37	0.13	301	2	22.4	2.48	180	65			
E503787	<0.5	0.4	0.1	296	1	22.3	2.5	133	64			
E503788	<0.5	0.35	0.07	275	1	20.4	2.23	85	57			
E503789	<0.5	0.34	0.07	300	1	21.8	2.32	74	58			
E503790	<0.5	0.34	0.08	287	1	20.5	2.21	111	59			
E503791	<0.5	0.33	0.06	299	1	17.7	1.98	140	50	50.9	13.3	13.55
E503792	<0.5	0.4	0.09	321	1	22.9	2.5	137	64			
E503793	<0.5	0.4	0.07	311	1	22.8	2.61	129	66			
E503794	<0.5	0.35	0.12	315	2	21.7	2.34	141	66			
E503795	<0.5	0.37	0.07	331	3	22.5	2.37	1200	61	47.5	14.8	12.05
E503796	<0.5	0.38	0.11	309	1	22.3	2.54	111	66			
E503797	<0.5	0.31	0.5	95	1	17.1	2.03	129	135			
E503797A	<0.5	0.28	4.99	109	24	16.5	1.91	107	160			

	ME-MS81 Tl	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
E503798	<0.5	0.3	0.38	138	2	16.8	1.88	124	107			
E503799	<0.5	0.36	0.15	299	1	20.9	2.36	234	66			
E503800	<0.5	0.4	0.2	317	1	22.9	2.54	155	71			

	ME-ICP06 CaO	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%	%
E503767												
E503768												
E503769												
E503770												
E503771	7.44	3.69	3.25	0.76	0.03	0.93	0.19	0.06	0.01	0.03	5.55	98.9
E503772												
E503772A												
E503773												
E503774												
E503775												
E503776												
E503777												
E503778												
E503779												
E503780												
E503781												
E503782												
E503783												
E503784												
E503785	11.3	3.82	2.11	0.52	0.03	1.04	0.27	0.07	0.02	0.01	1.27	99.7
E503786												
E503787												
E503788												
E503789												
E503790												
E503791	9.69	6.42	1.95	0.89	0.02	0.74	0.23	0.05	0.01	0.02	1.66	99.4
E503792												
E503793												
E503794												
E503795	13.1	4.12	1.74	1.02	0.03	1.03	0.24	0.08	0.02	0.02	3.09	98.8
E503796												
E503797												
E503797A												

	ME-ICP06 CaO	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%	%
E503798												
E503799												
E503800												

Auger Resources

PROSPECT: Hook

DDH#: HK-09-09

GRID: Hook

Core: NQ

Azimuth and Dip: 330/70

E.O.H: 347m

GRID LOCATION: 850 E 700 N

UTM, type: 587144E 5221350N, non-diff

Claim # : 4212252

Start: Jan. 23, 2010 End: Jan. 29, 2010

Drill Company:

Bradley Brothers Drilling

Logged by:

Jonathan Taylor

From	To	Rock Type	Code	Description	Mineralization (% sulphide)	Recovery
0.00	3.00	Casing	CAS			
3.00	6.50	Massive Mafic Volcanics	MMV	fg grdg to cg, sil alteration	tr	
6.50	15.90	Pillowed Mafic Volcanics	PMV	intense sil alteration, fractured carb / qtz vns (<.5cm-2cm) w/ po,cpy, spl and tr ga, and py. Po @ pillow boundaries; vns have low C.A (ie. 20 deg)	5	
15.90	129.50	Massive Mafic Volcanics	MMV	multiple flows, fg-mg, occlly grdg to cg @ center of larger flows 51-59m: broken core, brecciated fg mv @ 55m w/ carb infill and tr cpy, po.	tr	
129.50	299.00	Felsic Tuff	FT	137.6-157.5m: clasts range in size from <1cm to 5cm, 10-20% decreasing in size and intensity towards base 157.5-173m: 5 to 15 cm clasts, 40-60%, decreasing downhole 173-216m: 2-10 cm clasts, 25-45%, tr po and cpy in rare narrow carb vns 216-269m: 1-3cm clasts, 5% 269-299m: <5 % clasts, but clasts are more euhedral (up to 5cm), fg matrix	tr	
299.00	347.00	Massive Mafic Volcanics	MMV	massive, fg-mg, not pillowed, carb vns <.5cm wide @ random orientations, barren of sulphides	tr	

EZ-Shot Survey:

EOH: 347

Casing left in hole

xx boxes of core stored at N. Temagami

Depth:		160.0	338
Corrected Azimuth:		339.7	347
Dip:		71.2	71.7

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au	Ag	Ba	Ce	Co	Cr
							ppm	ppm	ppm	ppm	ppm	ppm
HK-09-09	E504601	5.00	6.00	1.00	MV	SD10015987	<0.005	<1	713	11.2	53.6	830
HK-09-09	E504602	6.00	7.00	1.00	MV	SD10015987	0.014	<1	306	13.7	83.9	370
HK-09-09	E504603	7.00	8.00	1.00	MV	SD10015987	0.007	<1	337	14.7	64.5	250
HK-09-09	E504604	8.00	9.00	1.00	MV	SD10015988	0.006	1	420	22	37.7	330
HK-09-09	E504605	9.00	10.00	1.00	MV	SD10015987	<0.005	1	121	8.8	94	280
HK-09-09	E504605A	Standard				SD10015987	4.28	69	784	28.7	13.1	30
HK-09-09	E504606	10.00	11.00	1.00	MV	SD10015987	<0.005	1	236	7.8	50.6	240
HK-09-09	E504607	11.00	12.00	1.00	MV	SD10015987	<0.005	<1	210	9	52.8	250
HK-09-09	E504608	12.00	13.00	1.00	MV	SD10015987	<0.005	<1	178	10.1	45.3	260
HK-09-09	E504609	13.00	14.00	1.00	MV	SD10015987	<0.005	<1	148	9.2	57.3	230
HK-09-09	E504610	14.00	15.00	1.00	MV	SD10015987	<0.005	<1	155.5	10.1	56	250
HK-09-09	E504611	15.00	16.00	1.00	MV	SD10015987	<0.005	<1	187	10.1	62.6	240
HK-09-09	E504612	17.00	17.80	0.80	MV	SD10015988	<0.005	<1	118	6.8	34.7	210
HK-09-09	E504613	23.50	24.00	0.50	MV	SD10015987	<0.005	<1	136.5	12.4	52.4	90
HK-09-09	E504614	31.00	32.00	1.00	MV	SD10015987	<0.005	<1	225	9.7	48.6	90
HK-09-09	E504615	32.00	33.00	1.00	MV	SD10015987	<0.005	<1	177.5	12.2	41.8	90
HK-09-09	E504616	34.00	35.00	1.00	MV	SD10015987	<0.005	<1	216	14.4	48.4	130
HK-09-09	E504617	38.00	39.00	1.00	MV	SD10015987	<0.005	<1	147.5	10.4	48.6	270
HK-09-09	E504618	39.00	40.00	1.00	MV	SD10015987	<0.005	<1	151	18	58.2	280
HK-09-09	E504619	40.00	41.00	1.00	MV	SD10015987	<0.005	<1	156.5	11	63.9	250
HK-09-09	E504620	41.00	42.00	1.00	MV	SD10015987	<0.005	<1	94.6	11.3	58.4	250
HK-09-09	E504621	42.00	43.00	1.00	MV	SD10015987	<0.005	<1	110.5	10.3	54.7	260
HK-09-09	E504622	43.00	44.00	1.00	MV	SD10015987	<0.005	<1	158	10.2	56.6	260
HK-09-09	E504623	44.00	45.00	1.00	MV	SD10015987	<0.005	<1	128.5	9.7	56.9	260
HK-09-09	E504624	45.00	46.00	1.00	MV	SD10015987	<0.005	<1	111	9.7	66.4	260
HK-09-09	E504625	46.00	47.00	1.00	MV	SD10015987	<0.005	<1	106.5	9.8	59.4	260
HK-09-09	E504625A	Standard				SD10015987	4.23	71	772	28.6	13.2	30
HK-09-09	E504626	47.00	48.00	1.00	MV	SD10015987	0.009	<1	86.8	9.7	64.6	260
HK-09-09	E504627	48.00	49.00	1.00	MV	SD10015987	0.005	<1	94.8	10.3	107.5	280
HK-09-09	E504628	49.00	50.00	1.00	MV	SD10015987	<0.005	<1	48.7	8.8	69.7	260
HK-09-09	E504629	55.00	56.00	1.00	MV	SD10015987	<0.005	<1	78.4	9.5	59.9	260
HK-09-09	E504630	63.50	65.00	1.50	MV	SD10015987	<0.005	<1	141.5	9.1	60.3	250
HK-09-09	E504631	83.50	84.10	0.60	MV	SD10015987	<0.005	<1	60.4	8	56.3	240

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA24	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
							Au	Ag	Ba	Ce	Co	Cr
							ppm	ppm	ppm	ppm	ppm	ppm
HK-09-09	E504632	93.50	95.00	1.50	MV	SD10015988	0.005	<1	218	8.6	49.5	240
HK-09-09	E504633	95.50	96.50	1.00	MV	SD10015987	<0.005	<1	339	8.7	54.5	270
HK-09-09	E504634	117.50	119.00	1.50	MV	SD10015987	<0.005	<1	89.5	16.6	46.2	60
HK-09-09	E504635	123.00	124.50	1.50	MV	SD10015987	<0.005	<1	408	23.6	49.3	130
HK-09-09	E504636	128.50	129.50	1.00	MV	SD10015988	<0.005	<1	339	38.8	19.2	120
HK-09-09	E504637	133.00	134.00	1.00	MV	SD10015988	<0.005	<1	917	48.4	31.2	290
HK-09-09	E504638	146.00	147.00	1.00	FT	SD10015988	<0.005	<1	88.2	4.4	44.1	220
HK-09-09	E504639	147.00	148.00	1.00	FT	SD10015987	<0.005	<1	87.7	4.6	49.2	230
HK-09-09	E504640	148.00	149.00	1.00	FT	SD10015987	<0.005	<1	99.7	4.8	52	230
HK-09-09	E504641	149.00	150.00	1.00	FT	SD10015987	<0.005	1	187.5	5.1	62	260
HK-09-09	E504642	150.00	151.00	1.00	FT	SD10015987	<0.005	<1	81.4	5	64.1	250
HK-09-09	E504643	151.00	152.00	1.00	FT	SD10015987	<0.005	<1	64.2	4	66.4	210
HK-09-09	E504644	156.40	157.40	1.00	FT	SD10015988	<0.005	<1	493	2.6	61.4	210
HK-09-09	E504645	161.00	162.00	1.00	FT	SD10015988	<0.005	<1	36.7	2.7	26.4	140
HK-09-09	E504646	168.00	169.00	1.00	FT	SD10015987	<0.005	<1	27	3.8	48.6	200
HK-09-09	E504647	176.00	177.00	1.00	FT	SD10015987	<0.005	<1	36.7	4.3	48.8	220
HK-09-09	E504648	178.00	178.60	0.60	FT	SD10015988	<0.005	<1	33	3.9	45.8	200
HK-09-09	E504649	187.00	188.00	1.00	FT	SD10015987	<0.005	<1	58.7	4.4	51.3	230
HK-09-09	E504650	198.00	199.00	1.00	FT	SD10015987	<0.005	<1	103	3.6	56	200
HK-09-09	E504651	209.00	210.00	1.00	FT	SD10015987	<0.005	<1	74.1	4.5	54.2	240
HK-09-09	E504652	215.30	216.00	0.70	FT	SD10015988	<0.005	<1	92.1	3.3	32.4	170
HK-09-09	E504653	216.50	217.50	1.00	FT	SD10015988	<0.005	<1	15.7	9.8	46.4	100
HK-09-09	E504654	221.00	222.00	1.00	FT	SD10015987	0.006	<1	78.1	4.7	58.9	250
HK-09-09	E504655	225.00	226.00	1.00	FT	SD10015988	<0.005	<1	54	4.5	45.6	230
HK-09-09	E504656	245.20	246.20	1.00	FT	SD10015988	<0.005	<1	41.8	3.9	36.7	200
HK-09-09	E504657	256.00	257.00	1.00	FT	SD10015988	<0.005	<1	86.5	4.4	47.1	220
HK-09-09	E504658	261.00	262.00	1.00	FT	SD10015987	<0.005	<1	48	4.7	65.2	250
HK-09-09	E504659	264.00	265.10	1.10	FT	SD10015988	<0.005	<1	76.6	4.2	46.9	220
HK-09-09	E504660	272.00	273.00	1.00	FT	SD10015988	<0.005	<1	121	7.4	44.4	300
HK-09-09	E504661	280.00	281.00	1.00	FT	SD10015987	<0.005	<1	88.7	4.4	58.9	230
HK-09-09	E504662	309.00	310.00	1.00	FT	SD10015988	<0.005	<1	73.2	11.7	48	90
HK-09-09	E504663	344.00	345.00	1.00	FT	SD10015987	<0.005	<1	137.5	16.4	48.7	370

63 samples

	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E504601	1.02	10	2	1.23	0.58	14.1	2.05	1.6	0.42	4.4	0.17	<2
E504602	0.48	529	3.2	2.11	0.91	17	2.84	2.1	0.69	5.5	0.31	<2
E504603	0.27	302	3.48	2.27	1.02	19.6	3.02	2	0.76	6.9	0.36	<2
E504604	0.51	394	2.9	1.88	0.87	15.6	2.72	1.5	0.63	11.7	0.27	<2
E504605	0.55	478	3.75	2.4	0.88	19.1	3.06	1.9	0.8	3.5	0.35	<2
E504605A	2.16	6500	3.06	2	0.74	16.7	3.04	4.3	0.62	14.7	0.33	1645
E504606	0.53	358	3.16	2.11	0.65	17.3	2.5	2	0.67	2.9	0.3	3
E504607	0.31	173	3.57	2.37	0.84	18.6	2.83	2	0.79	3.5	0.35	<2
E504608	0.21	209	4.19	2.72	0.88	19.4	3.22	2.1	0.89	3.7	0.41	<2
E504609	0.15	165	3.84	2.56	0.89	18.3	2.97	2	0.84	3.6	0.38	<2
E504610	0.17	169	4.07	2.64	0.85	18.9	3.14	2.2	0.86	4	0.39	<2
E504611	0.18	118	3.91	2.61	0.9	18.9	3.04	2.1	0.85	4.1	0.38	<2
E504612	0.12	102	2.75	1.8	0.74	16.8	2.19	1.3	0.62	2.8	0.29	<2
E504613	0.26	187	4.38	2.84	0.98	19.9	3.4	2.5	0.93	4.8	0.4	<2
E504614	0.23	36	4.32	2.8	0.9	18.8	3.4	2.5	0.93	3.3	0.42	3
E504615	0.14	89	4.07	2.63	0.98	21.2	3.3	2.3	0.86	5.3	0.38	<2
E504616	0.17	128	4.02	2.68	1.09	21.5	3.38	2.2	0.88	6.7	0.39	<2
E504617	0.24	35	4.31	2.84	0.97	18.4	3.41	2.3	0.93	4.1	0.42	<2
E504618	0.22	111	4.55	3	1.41	20.4	3.73	2.5	0.98	8.8	0.43	<2
E504619	0.2	200	4.61	3.07	0.92	19.3	3.57	2.2	1.02	4.2	0.45	<2
E504620	0.21	96	4.49	2.96	0.96	19.5	3.45	2.3	0.98	4.3	0.42	<2
E504621	0.27	104	4.29	2.85	0.92	18.8	3.24	2.2	0.91	4	0.42	<2
E504622	0.31	148	4.5	2.93	0.93	20.3	3.4	2.3	0.94	4	0.44	<2
E504623	0.28	112	4.4	2.89	0.97	21.2	3.37	2.2	0.93	3.5	0.43	<2
E504624	0.27	219	4.47	3.01	0.92	20.4	3.57	2.1	0.99	3.6	0.45	<2
E504625	0.31	105	4.47	3	0.9	20.3	3.47	2.2	0.94	3.6	0.44	<2
E504625A	2.12	6520	3	1.94	0.77	16.6	3.2	4.1	0.62	14.7	0.31	1585
E504626	0.45	134	4.17	2.83	0.82	22.9	3.3	2.3	0.92	3.7	0.41	3
E504627	0.34	91	3.99	2.66	0.81	18.2	3.05	2.3	0.87	4.2	0.38	<2
E504628	0.2	125	4.2	2.86	0.79	18.4	3.14	2.2	0.91	3.3	0.42	<2
E504629	0.12	176	4.23	2.85	1	19.9	3.25	2.2	0.91	3.5	0.4	<2
E504630	0.19	170	4.26	2.84	0.91	19.1	3.19	2.1	0.94	3.3	0.42	<2
E504631	0.22	119	3.8	2.5	0.82	17.5	2.95	1.9	0.81	2.9	0.37	<2

	ME-MS81 Cs	ME-MS81 Cu	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Mo
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E504632	0.21	192	3.76	2.51	1	16.6	3.04	2	0.85	3.2	0.37	<2
E504633	0.29	50	4.46	3.01	1.02	19.3	3.49	2.2	0.97	3.1	0.45	<2
E504634	0.27	65	6.53	4.39	1.25	20.1	5.14	3.6	1.41	6	0.65	<2
E504635	0.3	542	4.47	2.91	1.18	17.6	4.14	3	0.96	10.3	0.43	2
E504636	0.32	14	2.47	1.45	0.91	16	3.23	3.6	0.5	19.3	0.2	2
E504637	0.52	92	3.09	1.6	1.51	15.8	4.91	3.1	0.58	22	0.21	<2
E504638	0.14	133	2.81	1.85	0.68	15.7	2.05	1.2	0.62	1.6	0.29	<2
E504639	0.31	149	2.96	2.12	0.66	17.2	2.15	1.4	0.67	1.6	0.32	<2
E504640	0.26	132	3.1	2.16	0.6	15	2.26	1.4	0.69	1.6	0.32	<2
E504641	0.33	215	3.21	2.23	0.72	16.4	2.17	1.3	0.76	1.7	0.32	<2
E504642	0.29	421	3.18	2.16	0.84	17.9	2.1	1.3	0.74	1.8	0.33	<2
E504643	0.3	529	2.67	1.85	0.56	14.8	1.74	1	0.63	1.3	0.28	<2
E504644	0.59	122	2.63	1.83	0.42	14	1.76	1.2	0.61	0.9	0.29	<2
E504645	0.47	53	1.78	1.15	0.49	15.9	1.22	0.8	0.38	0.9	0.18	<2
E504646	0.31	291	2.41	1.63	0.58	17.2	1.64	1	0.57	1.3	0.25	<2
E504647	0.43	105	2.72	1.84	0.6	16.9	1.79	1.1	0.64	1.5	0.29	<2
E504648	0.23	185	2.59	1.75	0.67	15.8	1.81	1.1	0.6	1.4	0.27	<2
E504649	0.42	125	2.91	2	0.62	16.5	1.93	1.2	0.67	1.5	0.31	<2
E504650	0.6	110	2.2	1.51	0.51	16	1.47	0.8	0.52	1.3	0.23	<2
E504651	0.74	105	2.93	2.02	0.64	17.3	1.98	1.1	0.69	1.6	0.3	<2
E504652	0.52	46	2.1	1.39	0.54	17.6	1.52	0.8	0.46	1.2	0.22	<2
E504653	0.34	137	3.68	2.4	0.75	16	3.02	2	0.81	3.7	0.33	<2
E504654	0.44	114	3.09	2.17	0.67	17.8	2.11	1.2	0.74	1.6	0.34	<2
E504655	0.19	60	2.99	2	0.72	16.9	2.2	1.2	0.65	1.6	0.3	<2
E504656	0.28	92	2.61	1.82	0.63	17.4	1.89	1.1	0.6	1.6	0.27	<2
E504657	0.41	126	2.9	1.95	0.62	15	2.13	1.2	0.64	1.6	0.3	<2
E504658	0.38	185	3.04	2.16	0.67	16.1	2.02	1.2	0.73	1.7	0.34	<2
E504659	0.39	90	2.75	1.87	0.58	14.9	2.03	1.1	0.6	1.5	0.28	<2
E504660	0.99	111	3.09	1.98	0.76	15.9	2.43	1.5	0.68	2.8	0.3	<2
E504661	0.74	97	2.92	1.98	0.67	18.4	1.87	1.2	0.69	1.5	0.32	<2
E504662	0.6	103	4.17	2.7	1.02	19.3	3.38	2.2	0.9	5.1	0.39	<2
E504663	1.54	39	2.25	1.43	0.92	14.5	2.07	1.5	0.51	6.9	0.21	<2

63 samples

	ME-MS81 Nb	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E504601	2.5	7.5	531	347	1.62	31.9	1.96	<1	107	0.1	0.33	0.87
E504602	3.1	9.1	239	43	1.97	23.3	2.46	1	179.5	0.2	0.5	0.68
E504603	3.1	9.1	122	178	1.99	23.9	2.49	1	165	0.2	0.52	0.52
E504604	1.9	9.7	112	198	2.58	25.2	2.21	1	130	0.1	0.47	0.33
E504605	2.4	7.2	147	27	1.37	13.4	2.41	1	175	0.1	0.54	0.32
E504605A	6.8	14.4	15	89	3.7	62.8	3.09	3	98.5	0.6	0.49	5.06
E504606	2.5	6.4	91	21	1.23	21.8	2.05	1	112.5	0.2	0.46	0.38
E504607	2.5	7.2	91	9	1.43	21.5	2.38	1	155.5	0.1	0.51	0.33
E504608	2.7	7.9	87	8	1.58	21	2.69	1	155	0.2	0.58	0.4
E504609	2.5	7.5	94	6	1.5	17.6	2.52	1	132.5	0.2	0.54	0.48
E504610	2.8	8	97	5	1.57	17	2.63	<1	153	0.2	0.58	0.45
E504611	2.6	7.8	108	5	1.56	17.6	2.44	1	148.5	0.2	0.55	0.55
E504612	1.6	5	81	20	1.05	10.7	1.64	1	158.5	0.1	0.42	0.26
E504613	2.8	9.2	72	11	1.85	22.4	2.82	1	121	0.2	0.64	0.51
E504614	2.8	8.4	72	147	1.62	13.5	2.77	1	86.5	0.2	0.64	0.51
E504615	2.7	8.6	66	126	1.78	10.7	2.69	1	119.5	0.2	0.59	0.47
E504616	2.6	9.3	78	289	2	17.4	2.68	2	164	0.2	0.6	0.43
E504617	2.9	8.4	104	9	1.63	12.8	2.84	1	142	0.2	0.63	0.39
E504618	3.1	10.8	100	16	2.38	11.8	3.12	2	141.5	0.2	0.66	0.62
E504619	2.8	8.6	107	25	1.69	9	2.79	1	139.5	0.2	0.66	0.56
E504620	2.8	8.4	109	19	1.7	8.8	2.75	1	148.5	0.2	0.64	0.54
E504621	2.7	8.1	117	61	1.59	9.3	2.7	1	143.5	0.2	0.61	0.39
E504622	2.8	8.1	105	38	1.61	10	2.65	1	126	0.2	0.64	0.49
E504623	2.7	7.9	110	42	1.56	8.5	2.67	1	141	0.2	0.63	0.37
E504624	2.7	8.3	121	32	1.54	7.7	2.8	1	143.5	0.2	0.63	0.37
E504625	2.7	8.1	105	40	1.58	8.2	2.75	1	145	0.2	0.64	0.31
E504625A	6.9	14.3	20	66	3.67	61.8	3.03	3	98.7	0.6	0.48	5.01
E504626	2.7	7.7	117	107	1.53	6	2.58	1	114	0.2	0.61	0.39
E504627	2.8	7.8	108	16	1.55	7.8	2.54	1	93.2	0.2	0.59	0.35
E504628	2.6	7.3	118	22	1.42	2.7	2.44	1	83.5	0.2	0.59	0.37
E504629	2.7	7.8	120	6	1.51	4.8	2.67	1	138.5	0.2	0.59	0.33
E504630	2.5	7.7	112	17	1.44	9.5	2.58	1	171	0.2	0.59	0.26
E504631	2.2	6.7	108	5	1.29	11.7	2.31	<1	154.5	0.1	0.53	0.23

	ME-MS81 Nb	ME-MS81 Nd	ME-MS81 Ni	ME-MS81 Pb	ME-MS81 Pr	ME-MS81 Rb	ME-MS81 Sm	ME-MS81 Sn	ME-MS81 Sr	ME-MS81 Ta	ME-MS81 Tb	ME-MS81 Th
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
E504632	2.2	7.2	95	21	1.42	20.5	2.29	1	133.5	0.1	0.57	0.23
E504633	2.6	7.6	106	12	1.45	32.1	2.71	1	150	0.2	0.64	0.27
E504634	4.9	13.1	36	6	2.61	8.2	4.23	1	88.9	0.3	0.95	0.55
E504635	4.1	14.3	56	14	3.21	32.6	3.76	1	198.5	0.3	0.7	1.44
E504636	5.2	17	75	38	4.67	37.5	3.03	1	277	0.4	0.45	2.98
E504637	4.1	25.7	83	9	6.29	62.2	5.36	1	670	0.3	0.64	3.17
E504638	1.1	4	99	19	0.75	9.1	1.47	<1	183.5	0.1	0.41	0.12
E504639	1.2	4.4	108	7	0.78	10.8	1.62	<1	139.5	0.1	0.41	0.12
E504640	1.2	4.5	110	8	0.8	9.6	1.59	<1	144.5	0.1	0.42	0.12
E504641	1.2	4.8	129	184	0.88	15.8	1.84	<1	151	0.1	0.47	0.1
E504642	1.1	4.7	121	5	0.86	14.3	1.77	<1	179	0.1	0.46	0.1
E504643	1	3.9	109	5	0.7	16.5	1.44	<1	150.5	<0.1	0.38	0.08
E504644	1.1	2.8	103	40	0.47	27.5	1.25	<1	56.8	0.1	0.37	0.1
E504645	0.7	2.4	60	6	0.45	11.2	0.89	<1	141.5	<0.1	0.26	0.06
E504646	0.9	3.6	102	<5	0.65	6.6	1.28	<1	140	<0.1	0.35	0.07
E504647	1	4.1	95	<5	0.75	8.7	1.54	<1	132.5	<0.1	0.39	0.08
E504648	1	3.7	93	6	0.68	7	1.37	<1	141	0.1	0.37	0.09
E504649	1.1	4.3	98	<5	0.75	8.4	1.61	<1	117.5	0.1	0.42	0.09
E504650	0.8	3.4	195	<5	0.6	16	1.26	<1	88.3	<0.1	0.34	0.07
E504651	1.1	4.4	117	<5	0.77	11.7	1.58	<1	112.5	0.1	0.43	0.09
E504652	0.8	3.1	73	13	0.57	12.8	1.12	<1	175	<0.1	0.32	0.08
E504653	2.3	7.4	68	<5	1.53	1.7	2.38	<1	75.9	0.1	0.57	0.39
E504654	1.2	4.5	117	<5	0.81	7.9	1.68	<1	107	0.1	0.45	0.11
E504655	1.1	4.2	106	<5	0.79	3.6	1.52	<1	92.2	0.1	0.43	0.11
E504656	0.9	3.6	90	<5	0.66	6.1	1.31	<1	106.5	0.1	0.39	0.09
E504657	1.1	4.1	104	<5	0.74	10.2	1.53	<1	94.6	0.1	0.42	0.1
E504658	1.2	4.5	121	<5	0.83	5.8	1.62	<1	75	0.1	0.45	0.11
E504659	1	3.9	99	<5	0.72	8.6	1.51	<1	91.2	0.1	0.41	0.09
E504660	2.1	5.8	128	6	1.18	25.6	1.87	<1	124	0.1	0.47	0.21
E504661	1.1	4.3	113	<5	0.76	14.8	1.55	<1	90.6	0.1	0.43	0.09
E504662	2.6	8.5	67	6	1.78	13.6	2.67	1	123	0.2	0.67	0.49
E504663	2.6	9.9	173	5	2.29	34.9	2.24	<1	34.6	0.1	0.39	1.14

63 samples

Sample #	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06
	Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	
E504601	<0.5	0.17	0.21	144	1	10.9	1.11	327	56				
E504602	<0.5	0.29	0.16	260	1	18.3	1.94	194	73				
E504603	<0.5	0.33	0.19	319	2	19.5	2.19	597	69				
E504604	<0.5	0.27	0.2	242	1	15.9	1.72	971	50	50.6	14.85	13.15	
E504605	<0.5	0.34	0.13	309	1	20.4	2.26	115	63				
E504605A	<0.5	0.29	2.93	108	19	17.6	1.99	121	168				
E504606	<0.5	0.3	0.19	285	2	17.1	2.05	128	66				
E504607	<0.5	0.34	0.14	292	1	20.3	2.27	80	64				
E504608	<0.5	0.39	0.17	326	1	23.7	2.56	115	71				
E504609	<0.5	0.36	0.19	291	1	22.4	2.47	130	65				
E504610	<0.5	0.37	0.18	318	1	22.3	2.54	147	74				
E504611	<0.5	0.35	0.19	304	1	22.2	2.46	166	68				
E504612	<0.5	0.28	0.07	246	1	15.9	1.8	104	44	49.9	13.4	12.8	
E504613	<0.5	0.39	0.12	338	1	24.5	2.61	115	85				
E504614	<0.5	0.41	0.29	325	2	23.7	2.68	1155	84				
E504615	<0.5	0.37	0.13	311	1	22.9	2.44	313	78				
E504616	<0.5	0.39	0.2	308	1	23.2	2.5	742	73				
E504617	<0.5	0.41	0.25	336	1	24.3	2.68	247	76				
E504618	<0.5	0.43	0.41	317	2	26.4	2.79	173	84				
E504619	<0.5	0.45	0.21	329	1	26.6	2.87	178	77				
E504620	<0.5	0.41	0.21	329	1	25.9	2.84	363	75				
E504621	<0.5	0.42	0.19	328	1	24.5	2.69	327	72				
E504622	<0.5	0.43	0.15	338	1	25.4	2.84	188	79				
E504623	<0.5	0.43	0.12	336	1	25	2.8	237	73				
E504624	<0.5	0.42	0.12	336	1	26.1	2.87	228	74				
E504625	<0.5	0.41	0.11	343	1	25.3	2.81	225	72				
E504625A	<0.5	0.29	3.41	107	20	17.2	1.96	116	165				
E504626	<0.5	0.39	0.15	335	1	24.6	2.67	280	75				
E504627	<0.5	0.38	0.2	321	3	22.5	2.55	166	75				
E504628	<0.5	0.39	0.12	323	1	23.4	2.63	191	72				
E504629	<0.5	0.4	0.09	335	1	24.6	2.69	137	73				
E504630	<0.5	0.41	0.08	322	1	24.2	2.68	180	68				
E504631	<0.5	0.37	0.05	293	<1	21.7	2.37	118	60				

	ME-MS81 Tl	ME-MS81 Tm	ME-MS81 U	ME-MS81 V	ME-MS81 W	ME-MS81 Y	ME-MS81 Yb	ME-MS81 Zn	ME-MS81 Zr	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3
Sample #	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
E504632	<0.5	0.36	0.07	290	1	21.5	2.44	174	67	50.7	14.5	13.75
E504633	<0.5	0.43	0.07	335	1	25.7	2.83	336	72			
E504634	<0.5	0.63	0.12	345	1	38.2	4.21	148	129			
E504635	<0.5	0.42	0.38	249	4	25.3	2.73	155	107			
E504636	<0.5	0.19	0.62	107	5	12.8	1.27	135	142	61	14.65	6.87
E504637	<0.5	0.2	0.84	130	1	14.8	1.33	85	116	53.2	12.1	8.81
E504638	<0.5	0.29	<0.05	248	1	16.4	1.91	88	40	49.6	15.45	11.7
E504639	<0.5	0.31	<0.05	260	1	17.8	2.03	120	43			
E504640	<0.5	0.3	<0.05	266	1	18.4	2.06	131	42			
E504641	<0.5	0.33	<0.05	314	3	19.5	2.35	134	40			
E504642	<0.5	0.34	<0.05	300	12	19.3	2.18	128	39			
E504643	<0.5	0.28	<0.05	262	19	16.6	1.92	146	32			
E504644	<0.5	0.26	<0.05	243	2	15.7	1.92	233	39	47.8	13.95	13.15
E504645	<0.5	0.18	<0.05	153	1	9.9	1.13	64	27	47.4	21.5	7.48
E504646	<0.5	0.26	<0.05	234	2	14.6	1.69	83	30			
E504647	<0.5	0.28	<0.05	262	2	16.5	1.91	95	33			
E504648	<0.5	0.26	<0.05	227	1	15.4	1.72	88	37	49.1	16.2	11.05
E504649	<0.5	0.29	<0.05	276	1	17.2	2.05	157	35			
E504650	<0.5	0.24	<0.05	211	1	13.5	1.53	113	27			
E504651	<0.5	0.3	<0.05	283	1	17.5	2.04	92	36			
E504652	<0.5	0.21	<0.05	184	<1	12.3	1.35	75	30	48.6	19.85	8.52
E504653	<0.5	0.35	0.09	283	1	20.9	2.26	98	67	48.4	13.8	12.8
E504654	<0.5	0.34	<0.05	302	1	19	2.24	118	38			
E504655	<0.5	0.31	<0.05	262	1	17.5	1.99	98	42	48.2	15.45	12.85
E504656	<0.5	0.27	<0.05	226	<1	15.6	1.72	66	36	51.6	14.4	9.99
E504657	<0.5	0.3	<0.05	246	<1	16.8	1.94	91	39	49	14.95	13
E504658	<0.5	0.33	<0.05	302	1	19	2.22	115	39			
E504659	<0.5	0.3	<0.05	238	<1	16.3	1.88	88	37	51.9	14.05	11.65
E504660	<0.5	0.32	0.05	249	1	17.8	1.95	104	50	48.6	14.85	11
E504661	<0.5	0.32	<0.05	283	1	17.7	2.09	128	36			
E504662	<0.5	0.39	0.12	319	1	23.3	2.6	109	75	50.5	13.65	14.2
E504663	<0.5	0.22	0.23	204	4	12.8	1.46	289	55			

63 samples

	ME-ICP06 CaO	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%	%
E504601												
E504602												
E504603												
E504604	5.66	6.05	4.49	0.92	0.05	0.82	0.27	0.06	0.02	0.05	2.43	99.4
E504605												
E504605A												
E504606												
E504607												
E504608												
E504609												
E504610												
E504611												
E504612	13.4	5.96	1.48	0.47	0.03	0.72	0.22	0.04	0.02	0.01	1.87	100.5
E504613												
E504614												
E504615												
E504616												
E504617												
E504618												
E504619												
E504620												
E504621												
E504622												
E504623												
E504624												
E504625												
E504625A												
E504626												
E504627												
E504628												
E504629												
E504630												
E504631												

	ME-ICP06 CaO	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	OA-GRA05 LOI	TOT-ICP06 Total
Sample #	%	%	%	%	%	%	%	%	%	%	%	%
E504632	10.7	4.88	2.55	0.72	0.04	1.01	0.22	0.07	0.02	0.02	1.08	100.5
E504633												
E504634												
E504635												
E504636	4.26	3.69	5.69	1.48	0.02	0.64	0.11	0.17	0.04	0.04	1.27	99.9
E504637	8.26	8.34	2.75	3	0.05	0.64	0.17	0.54	0.09	0.1	2.05	100
E504638	12.7	5.58	2.47	0.38	0.03	0.7	0.19	0.05	0.02	0.01	1.75	100.5
E504639												
E504640												
E504641												
E504642												
E504643												
E504644	7.62	8.06	2.96	1.07	0.03	0.69	0.23	0.03	0.01	0.06	4.32	100
E504645	14.55	4.03	1.8	0.26	0.02	0.43	0.14	0.02	0.02	<0.01	2.34	100
E504646												
E504647												
E504648	12.6	6.26	1.92	0.21	0.03	0.64	0.17	0.03	0.02	<0.01	1.47	99.7
E504649												
E504650												
E504651												
E504652	12.1	4.76	2.65	0.31	0.02	0.47	0.15	0.03	0.02	0.01	2.5	100
E504653	11	5.84	1.38	0.07	0.02	0.97	0.2	0.08	0.01	<0.01	3.62	98.2
E504654												
E504655	10.95	7.46	2.27	0.15	0.03	0.72	0.25	0.06	0.01	0.01	2.06	100.5
E504656	12.6	4.89	1.48	0.16	0.03	0.61	0.16	0.04	0.01	<0.01	2.15	98.1
E504657	11.4	7.25	1.9	0.29	0.03	0.68	0.24	0.04	0.01	0.01	1.63	100.5
E504658												
E504659	10.55	7	1.98	0.25	0.03	0.67	0.21	0.05	0.01	0.01	1.75	100
E504660	10.9	7.57	1.9	0.58	0.04	0.8	0.18	0.07	0.01	0.01	3.72	100
E504661												
E504662	9.91	6.02	2.14	0.4	0.01	1.06	0.24	0.09	0.01	0.01	1.84	100
E504663												

63 samples

Auger Resources

PROSPECT: Owaissa

DDH#: OW-09-01

GRID: Owaissa

Core: NQ

Azimuth and Dip: 350/-45

E.O.H: 236m

GRID LOCATION: 1100 E 850 N

UTM: 592073E ; 5221667N

Claim # : 1223725

Start: Dec 4, 2009 End: Dec 6, 2009

Drill Company:

Bradley Brothers Drilling

Logged by:

P.McChesney

From	To	Rock Type	Code	Description	Recovery
0.00	4.10	Casing	CAS		
4.10	163.00	Gabbro	GAB	Grey, mg-cg, leucocratic patches. No visible sulphides. 57-59m Tr cpy diss 77m Py stringers 30 deg to CA 109- 149m Blocky, chlorite alteration zone, minor carbonate stringers 40 60 deg to CA. No visible sulphides	
163.00	236.00	Diabase	DB	Grey, cg-vcg. 5m fg chill margin at upper contact. Patchy weak to strongly magnetic. Minor chlorite seams up to 2cm 10-50 deg to CA. Minor biotite-phlogopite throughout. 163- 175m No visible sulphides 175- 236m Tr popy diss	

EOH: 236m

Casing left in hole

57 boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA25	Ag-OG62	Co-OG62	Cu-OG62
							Au ppm	Ag ppm	Co %	Cu %
OW-09-01	H925901	57.00	58.00	1.00	GAB	SD10016434	<0.01	<1	0.005	0.017
OW-09-01	H925902	58.00	59.00	1.00	GAB	SD10016434	0.01	<1	0.006	0.031
OW-09-01	H925903	59.00	60.00	1.00	GAB	SD10016434	<0.01	<1	0.005	0.015
OW-09-01	H925904	75.00	76.00	1.00	GAB	SD10016434	<0.01	<1	0.005	0.016
OW-09-01	H925905	76.00	77.00	1.00	GAB	SD10016434	0.01	<1	0.007	0.02
OW-09-01	H925906	77.00	78.00	1.00	GAB	SD10016434	<0.01	<1	0.006	0.012
OW-09-01	H925907	195.00	196.00	1.00	DB	SD10016434	<0.01	<1	0.005	0.005
OW-09-01	H925908	196.00	197.00	1.00	DB	SD10016434	<0.01	<1	0.004	0.005
OW-09-01	H925909	197.00	198.00	1.00	DB	SD10016434	<0.01	<1	0.006	0.006
OW-09-01	H925910	216.00	217.00	1.00	DB	SD10016434	0.01	<1	0.005	0.008
OW-09-01	H925911	217.00	218.00	1.00	DB	SD10016434	<0.01	<1	0.006	0.008
OW-09-01	H925912	218.00	219.00	1.00	DB	SD10016434	<0.01	<1	0.005	0.008

12 Samples

Auger Resources

PROSPECT: Owaissa

DDH#: OW-09-02 Azimuth and Dip: 170/-60

GRID: Owaissa

Core: NQ

E.O.H: 194m

GRID LOCATION: 1000 E 1125 N

UTM: 591933E ; 5221924N

Claim # : 1223725

Start: Dec 8 2009 End: Dec 11 2009

Drill Company:

Bradley Brothers Drilling

Logged by:

P.McChesney

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Code</i>	<i>Description</i>	<i>Recovery</i>
0.00	4.10	Casing	CAS		
4.10	194.00	Diabase	DB	Cg, patchy weak to strongly magnetic. Chlorite-serpentine-epidote seams 5-80 deg to CA. Trace py within seams. 116-194m Tr po diss	

EOH: 194

Casing left in hole

46 boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
OW-09-02	H925928	22.00	23.00	1.00	DB	SD10016430	0.01	-1	0.005	0.009
OW-09-02	H925929	23.00	24.00	1.00	DB	SD10016430	-0.01	-1	0.005	0.007
OW-09-02	H925930	24.00	25.00	1.00	DB	SD10016430	-0.01	-1	0.004	0.006
OW-09-02	H925931	57.00	58.00	1.00	DB	SD10016430	<0.01	<1	0.005	0.009
OW-09-02	H925932	58.00	59.00	1.00	DB	SD10016430	<0.01	<1	0.005	0.011
OW-09-02	H925933	59.00	60.00	1.00	DB	SD10016430	<0.01	<1	0.005	0.009
OW-09-02	H925934	76.00	77.00	1.00	DB	SD10016430	<0.01	<1	0.006	0.008
OW-09-02	H925935	77.00	78.00	1.00	DB	SD10016430	<0.01	<1	0.007	0.01
OW-09-02	H925936	78.00	79.00	1.00	DB	SD10016430	<0.01	<1	0.005	0.022
OW-09-02	H925937	115.00	116.00	1.00	DB	SD10016430	<0.01	<1	0.005	0.008
OW-09-02	H925938	116.00	117.00	1.00	DB	SD10016430	0.01	<1	0.005	0.007
OW-09-02	H925939	117.00	118.00	1.00	DB	SD10016430	<0.01	<1	0.005	0.007
OW-09-02	H925940	118.00	119.00	1.00	DB	SD10016430	<0.01	<1	0.005	0.007
OW-09-02	H925941	164.00	165.00	1.00	DB	SD10016430	<0.01	<1	0.006	0.008
OW-09-02	H925942	165.00	166.00	1.00	DB	SD10016430	<0.01	<1	0.006	0.009
OW-09-02	H925943	166.00	167.00	1.00	DB	SD10016430	<0.01	<1	0.006	0.008
OW-09-02	H925944	190.00	191.00	1.00	DB	SD10016430	<0.01	<1	0.005	0.008
OW-09-02	H925945	191.00	192.00	1.00	DB	SD10016430	<0.01	<1	0.005	0.007
OW-09-02	H925946	192.00	193.00	1.00	DB	SD10016430	<0.01	<1	0.005	0.008
OW-09-02	H925947	193.00	194.00	1.00	DB	SD10016430	<0.01	<1	0.006	0.008

20 samples

Auger Resources

PROSPECT: Owaissa

DDH#: OW-09-03

GRID: Owaissa

Core: NQ

Azimuth and Dip: 170/-45

E.O.H: 212 m

GRID LOCATION: 1000 800

UTM, type: 591993E 5221600N, NAD 83

Claim # : 12237325

Start: Dec 6 2009

End: Dec 8 2009

Drill Company:

Bradley Brothers Drilling

Logged by:

P.McChesney

From	To	Rock Type	Code	Description	Recovery
0.00	4.20	Casing	CAS		
4.20	212.00	Gabbro	GAB	Grey, mg, leucocratic to melanocratic gabbro. No visible sulphides. 4.9-27m Leucocratic 27- 93m Melanocratic 63.5m 1cm QV 40 dec to CA. Tr cpy blebs. 92-113m Leucocratic 113- 173m Melanocratic 173-179 Leucocratic 179-202m Melanocratic 202-212 Finer grained 209m 5cm epidote patch	

EOH: 212

Casing left in hole

51 boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
OW-09-03	H925913	62.00	63.00	1.00	GAB	SD10016432	<0.01	<1	0.004	0.015
OW-09-03	H925914	63.00	64.00	1.00	GAB	SD10016432	0.01	<1	0.004	0.056
OW-09-03	H925914A	Standard				SD10016432	4.43	97	0.001	1.005
OW-09-03	H925915	64.00	65.00	1.00	GAB	SD10016432	<0.01	1	0.004	0.021
OW-09-03	H925916	120.00	121.00	1.00	GAB	SD10016432	0.01	<1	0.005	0.02
OW-09-03	H925917	121.00	122.00	1.00	GAB	SD10016432	0.01	<1	0.005	0.015
OW-09-03	H925918	122.00	123.00	1.00	GAB	SD10016432	0.01	<1	0.004	0.014
OW-09-03	H925919	187.00	188.00	1.00	GAB	SD10016432	<0.01	<1	0.005	0.009
OW-09-03	H925920	188.00	189.00	1.00	GAB	SD10016432	<0.01	<1	0.005	0.009
OW-09-03	H925921	189.00	190.00	1.00	GAB	SD10016432	<0.01	<1	0.005	0.008
OW-09-03	H925922	197.00	198.00	1.00	GAB	SD10016432	<0.01	<1	0.007	0.02
OW-09-03	H925923	198.00	199.00	1.00	GAB	SD10016432	<0.01	<1	0.006	0.016
OW-09-03	H925924	199.00	200.00	1.00	GAB	SD10016432	<0.01	<1	0.005	0.01
OW-09-03	H925925	204.50	205.50	1.00	GAB	SD10016432	<0.01	<1	0.005	0.013
OW-09-03	H925926	205.50	206.50	1.00	GAB	SD10016432	<0.01	<1	0.006	0.015
OW-09-03	H925927	208.50	209.50	1.00	GAB	SD10016432	<0.01	<1	0.005	0.015

15 samples

Auger Resources

PROSPECT: Owaissa

DDH#: OW-09-04

GRID: Owaissa

Core: NQ

Azimuth and Dip: 350/-45

E.O.H: 131m

GRID LOCATION: 1000 E 1170 N

UTM, type: 591928E 5221960N, non-diff

Claim # : 1223725

Start: Dec. 11, 2009 End: Dec. 12, 2009

Drill Company:

Bradley Brothers Drilling

Logged by:

P.McChesney

From	To	Rock Type	Code	Description	Recovery
0.00	7.10	Casing	CAS		
7.10	58.30	Gabbro	GAB	Melano, mg, msassive, nil sulphides, LC 45	
58.30	59.70	Intermediate Dyke	ID	Vcg felspars, mg pyroxense, strongly silicified, massive, 1-2% cpy, po blebby. Sections of partially digested gabbro. LC 30.	
59.70	67.50	Gabbro	GAB	Melano mg, massive, nil sulphides, LC 65	
67.50	72.50	Intermediate Dyke	ID	Vcg felspars, mg pyroxense, strongly silicified, massive, 2-3% cpy, po blebby + minor stringers. Sections of partially digested gabbro. LC 30.	
72.50	76.20	Gabbro	GAB	Melano mg, massive, nil sulphides, LC Irregular (~70)	
76.20	77.10	Intermediate Dyke	ID	Vcg felspars, mg pyroxense, strongly silicified, massive, 1% cpy, po minor stringers + dissiminated. LC 50.	
77.10	127.80	Gabbro	GAB	Melano, massive, nil sulphides. 77.1-90m mg, + 90-127.8 cg. LC broken	
127.80	128.30	Felsic Dyke	FD	Mg, massive, chlorite slips, 1% po fracture filled. LC 60	
128.30	131.00	Gabbro	GAB	Melano, cg, massive, nil sulphides.	

EOH: 131

Casing left in hole

XX boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
OW-09-04	H925948	57.00	58.30	1.30	GAB	SD10016433	<0.01	1	0.005	0.023
OW-09-04	H925949	58.30	59.00	0.70	ID	SD10016433	<0.01	<1	0.008	0.009
OW-09-04	H925950	59.00	59.70	0.70	ID	SD10016433	0.01	<1	0.003	0.014
OW-09-04	H925951	59.70	61.00	1.30	GAB	SD10016433	<0.01	1	0.005	0.017
OW-09-04	H925952	66.00	67.50	1.50	GAB	SD10016433	<0.01	<1	0.005	0.017
OW-09-04	H925953	67.50	68.50	1.00	ID	SD10016433	<0.01	1	0.006	0.014
OW-09-04	H925954	68.50	69.50	1.00	ID	SD10016433	0.02	1	0.005	0.069
OW-09-04	H925955	69.50	70.50	1.00	ID	SD10016433	<0.01	<1	0.004	0.073
OW-09-04	H925955A	Standard				SD10016433	4.56	96	0.001	0.996
OW-09-04	H925956	70.50	71.50	1.00	ID	SD10016433	0.01	1	0.002	0.17
OW-09-04	H925957	71.50	72.50	1.00	ID	SD10016433	<0.01	1	0.004	0.015
OW-09-04	H925958	72.50	74.00	1.50	GAB	SD10016433	<0.01	<1	0.004	0.016
OW-09-04	H925959	74.00	75.00	1.00	GAB	SD10016433	<0.01	1	0.005	0.02
OW-09-04	H925960	75.00	76.20	1.20	GAB	SD10016433	<0.01	<1	0.004	0.013
OW-09-04	H925961	76.20	77.10	0.90	ID	SD10016433	0.02	<1	0.003	0.083
OW-09-04	H925962	77.10	78.00	0.90	GAB	SD10016433	<0.01	<1	0.005	0.016
OW-09-04	H925963	127.00	127.80	0.80	GAB	SD10016433	<0.01	<1	0.005	0.013
OW-09-04	H925964	127.80	128.30	0.50	FD	SD10016433	<0.01	<1	0.003	0.007
OW-09-04	H925965	128.30	129.50	1.20	GAB	SD10016433	<0.01	<1	0.004	0.009

18 samples

Auger Resources

PROSPECT: Owaissa

DDH#: OW-09-05

GRID: Owaissa

Core: NQ

Azimuth and Dip: 350/-70

E.O.H: 191m

GRID LOCATION: 1000 E 1170 N

UTM, type: 591928E 5221960N, non-diff

Claim # : 12237325

Start: Dec. 13, 2009

End: Dec. 15, 2009

Drill Company:

Bradley Brothers Drilling

Logged by:

Jason Pattison

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Code</i>	<i>Description</i>	<i>Recovery</i>
0.00	7.00	Casing	CAS		
7.00	191.00	Gabbro	GAB	Melano, massive, no sulphides, epidote veinlets: 7-23m fg-mg, 23-65m mg, 65-150m cg, 150-191m mg. QV at 63.7 2cm wide + 2% po, QV at 145.4 2cm wide +2% po, cpy	

EOH: 191

Casing left in hole

XX boxes of core stored at N. Temagami

3

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA25	Ag-OG62	Co-OG62	Cu-OG62
							Au ppm	Ag ppm	Co %	Cu %
OW-09-05	H925966	62.50	63.50	1.00	GAB	SD10016431	<0.01	<1	0.004	0.014
OW-09-05	H925967	63.50	64.00	0.50	GAB	SD10016431	0.01	<1	0.006	0.003
OW-09-05	H925968	64.00	65.00	1.00	GAB	SD10016431	<0.01	<1	0.004	0.014
OW-09-05	H925969	104.20	105.00	0.80	GAB	SD10016431	0.01	<1	0.004	0.012
OW-09-05	H925970	105.00	106.00	1.00	GAB	SD10016431	0.01	<1	0.004	0.013
OW-09-05	H925971	106.00	107.00	1.00	GAB	SD10016431	0.01	<1	0.005	0.016
OW-09-05	H925972	112.00	113.00	1.00	GAB	SD10016431	0.01	<1	0.004	0.013
OW-09-05	H925973	113.00	114.00	1.00	GAB	SD10016431	<0.01	<1	0.004	0.013
OW-09-05	H925974	114.00	115.00	1.00	GAB	SD10016431	<0.01	1	0.005	0.014
OW-09-05	H925975	140.00	140.80	0.80	GAB	SD10016431	<0.01	<1	0.005	0.009
OW-09-05	H925976	140.80	141.30	0.50	GAB	SD10016431	0.05	1	0.034	0.201
OW-09-05	H925976A	Standard				SD10016431	4.31	100	0.001	1.065
OW-09-05	H925977	145.00	145.70	0.70	GAB	SD10016431	0.02	<1	0.007	0.019
OW-09-05	H925978	145.70	147.00	1.30	GAB	SD10016431	<0.01	<1	0.002	0.004

13 samples

Auger Resources

PROSPECT: Owaissa

DDH#: OW-09-06

GRID: Owaissa

Core: NQ

Azimuth and Dip: 170/-45

E.O.H: 224 m

GRID LOCATION: 1200 E 1090 N

UTM, type: 592132E 5222004N, non-diff

Claim # : 12237325

Start: Dec. 15, 2009

End: Dec. 21, 2009

Drill Company:

Bradley Brothers Drilling

Logged by:

Jason Pattison

From	To	Rock Type	Code	Description	Recovery
0.00	4.20	Casing	CAS		
4.20	203.60	Gabbro	GAB	<p>Melano, mg, massive, tr py in fractures and minor qtz veins. Sparatically magnetic.</p> <p>23.5-49m: veins of cpy, po, + py, ranger from <0.1cm to 4cm. Veins are sparatically spaced, core angles vary from 20-60, dominantly near 45.</p> <p>26m: Large cpy, py, and po vein, 2cm wide 20 C.A.</p> <p>48.5m: Large cpy, py, and po vein, 4cm wide 50 C.A.</p> <p>40-52m: Blocky core.</p> <p>56.85m: Large py, po vein, 3cm wide, 65 C.A.</p> <p>59.8m: Large py, po vein, 1cm wide, 35 C.A.</p> <p>70-74m: Minor veins of py, po <0.1-0.5cm wide, variable core angles.</p> <p>67-76m: Blocky core</p> <p>89-99: Minor veins of py, po, variable core angles.</p> <p>93m: Large py, po vein, 5cm wide, 50 C.A.</p> <p>98.5m: Large vein py, po vein, 1cm wide, hematite vein, 30 C.A.</p> <p>112.6- 121m: Minor veins of cpy, py, and po, variable core angles.</p> <p>118.9m: Large cpy, py, and po vein, 2cm wide, 55 C.A.</p> <p>121-151m: Very rare veins of cpy, py and po. Variable core angles 30-55.</p> <p>177.7-177.9m: FD, massive, UC: 50, LC: 50.</p> <p>184-188m: Rare cpy, py, and po veins. Variable core angles.</p> <p>183.6m: Large 30% cpy, py, po vein, 2cm wide, 65 C.A.</p> <p>187.6m: Large 30% py, po vein, 1.5cm wide, 20 C.A.</p> <p>186.5- m: fg-mg gabbro, sections are more leucocratic.</p>	
203.60	224.00	Granite	GRAN	Red medium grained crystalline instrusion, sharp contact	

EOH: 224

Casing left in hole

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Code</i>	<i>Description</i>	<i>Recovery</i>
-------------	-----------	------------------	-------------	--------------------	-----------------

XX boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA25	Ag-OG62	Co-OG62	Cu-OG62
							Au	Ag	Co	Cu
							ppm	ppm	%	%
OW-09-06	H925979	11.00	12.00	1.00	GAB	SD10016439	<0.01	<1	0.005	0.013
OW-09-06	H925980	12.00	13.00	1.00	GAB	SD10016439	<0.01	<1	0.008	0.022
OW-09-06	H925981	13.00	14.00	1.00	GAB	SD10016439	<0.01	<1	0.004	0.014
OW-09-06	H925982	22.00	23.50	1.50	GAB	SD10016439	<0.01	<1	0.005	0.013
OW-09-06	H925983	23.50	24.00	0.50	GAB	SD10016439	<0.01	<1	0.031	0.036
OW-09-06	H925984	24.00	25.60	1.60	GAB	SD10016439	<0.01	1	0.005	0.014
OW-09-06	H925985	25.60	26.10	0.50	GAB	SD10016439	0.07	2	0.02	0.965
OW-09-06	H925986	26.10	27.00	0.90	GAB	SD10016439	<0.01	2	0.004	0.016
OW-09-06	H925986A	Standard				SD10016439	4.45	105	0.001	1.06
OW-09-06	H925987	27.00	28.50	1.50	GAB	SD10016439	<0.01	<1	0.004	0.022
OW-09-06	H925988	28.50	29.00	0.50	GAB	SD10016439	<0.01	<1	0.007	0.095
OW-09-06	H925989	29.00	30.00	1.00	GAB	SD10016439	<0.01	<1	0.004	0.015
OW-09-06	H925990	30.00	31.50	1.50	GAB	SD10016439	<0.01	<1	0.005	0.016
OW-09-06	H925991	31.50	32.50	1.00	GAB	SD10016439	0.03	1	0.011	0.069
OW-09-06	H925992	32.50	34.00	1.50	GAB	SD10016439	<0.01	<1	0.005	0.014
OW-09-06	H925993	34.00	35.50	1.50	GAB	SD10016439	<0.01	1	0.004	0.013
OW-09-06	H925994	35.50	37.00	1.50	GAB	SD10016439	0.01	<1	0.004	0.013
OW-09-06	H925995	37.00	38.50	1.50	GAB	SD10016439	<0.01	<1	0.004	0.013
OW-09-06	H925996	38.50	40.00	1.50	GAB	SD10016439	<0.01	<1	0.005	0.013
OW-09-06	H925997	40.00	41.00	1.00	GAB	SD10016439	<0.01	1	0.004	0.013
OW-09-06	H925998	41.00	41.70	0.70	GAB	SD10016439	<0.01	1	0.004	0.069
OW-09-06	H925999	41.70	43.00	1.30	GAB	SD10016439	<0.01	<1	0.004	0.029
OW-09-06	H926000	43.00	44.00	1.00	GAB	SD10016439	<0.01	1	0.004	0.018
OW-09-06	E503801	44.00	44.50	0.50	GAB	SD10016439	0.03	3	0.017	0.506
OW-09-06	E503802	44.50	45.00	0.50	GAB	SD10016439	<0.01	<1	0.005	0.097
OW-09-06	E503803	45.00	45.50	0.50	GAB	SD10016439	0.01	1	0.027	0.037
OW-09-06	E503804	45.50	47.00	1.50	GAB	SD10016439	<0.01	<1	0.005	0.014
OW-09-06	E503805	47.00	48.00	1.00	GAB	SD10016439	<0.01	<1	0.005	0.021
OW-09-06	E503806	48.00	49.00	1.00	GAB	SD10016439	0.14	2	0.004	0.715
OW-09-06	E503807	49.00	50.00	1.00	GAB	SD10016439	<0.01	1	0.005	0.025
OW-09-06	E503808	50.00	51.00	1.00	GAB	SD10016439	<0.01	<1	0.004	0.025
OW-09-06	E503809	55.00	56.50	1.50	GAB	SD10016439	<0.01	<1	0.004	0.015
OW-09-06	E503810	56.50	57.00	0.50	GAB	SD10016439	0.07	1	0.015	0.029

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA25	Ag-OG62	Co-OG62	Cu-OG62
							Au	Ag	Co	Cu
							ppm	ppm	%	%
OW-09-06	E503810A	Standard				SD10016439	4.31	101	0.001	1.035
OW-09-06	E503811	57.00	58.00	1.00	GAB	SD10016439	<0.01	<1	0.005	0.016
OW-09-06	E503812	58.00	59.00	1.00	GAB	SD10016439	<0.01	<1	0.004	0.015
OW-09-06	E503813	59.00	60.00	1.00	GAB	SD10016439	<0.01	<1	0.008	0.03
OW-09-06	E503814	60.00	61.00	1.00	GAB	SD10016439	<0.01	<1	0.005	0.015
OW-09-06	E503815	69.00	70.00	1.00	GAB	SD10016439	<0.01	<1	0.004	0.014
OW-09-06	E503816	70.00	71.00	1.00	GAB	SD10016439	0.05	<1	0.01	0.031
OW-09-06	E503817	71.00	72.00	1.00	GAB	SD10016439	<0.01	1	0.005	0.045
OW-09-06	E503818	72.00	73.00	1.00	GAB	SD10016439	<0.01	<1	0.004	0.043
OW-09-06	E503819	73.00	74.00	1.00	GAB	SD10016439	<0.01	1	0.011	0.03
OW-09-06	E503820	74.00	75.00	1.00	GAB	SD10016439	<0.01	<1	0.004	0.059
OW-09-06	E503821	75.00	76.00	1.00	GAB	SD10016439	<0.01	<1	0.005	0.014
OW-09-06	E503822	88.00	89.00	1.00	GAB	SD10016439	<0.01	1	0.004	0.02
OW-09-06	E503823	89.00	89.50	0.50	GAB	SD10016439	0.01	<1	0.007	0.064
OW-09-06	E503824	89.50	90.50	1.00	GAB	SD10016439	<0.01	<1	0.005	0.016
OW-09-06	E503825	92.00	92.80	0.80	GAB	SD10016439	0.01	<1	0.004	0.016
OW-09-06	E503825A	Standard				SD10016439	4.33	99	0.001	1.035
OW-09-06	E503826	92.80	93.30	0.50	GAB	SD10016439	0.02	<1	0.044	0.03
OW-09-06	E503827	93.30	94.00	0.70	GAB	SD10016439	<0.01	<1	0.004	0.014
OW-09-06	E503828	97.00	98.00	1.00	GAB	SD10016439	<0.01	<1	0.006	0.055
OW-09-06	E503829	98.00	98.80	0.80	GAB	SD10016439	<0.01	<1	0.01	0.049
OW-09-06	E503830	111.50	112.60	1.10	GAB	SD10016439	<0.01	<1	0.004	0.014
OW-09-06	E503831	112.60	113.60	1.00	GAB	SD10016439	0.03	1	0.015	0.195
OW-09-06	E503832	113.60	115.00	1.40	GAB	SD10016439	<0.01	<1	0.004	0.013
OW-09-06	E503833	115.00	116.50	1.50	GAB	SD10016439	<0.01	<1	0.005	0.013
OW-09-06	E503834	116.50	118.00	1.50	GAB	SD10016439	<0.01	<1	0.004	0.012
OW-09-06	E503835	118.00	119.10	1.10	GAB	SD10016439	0.02	1	0.007	0.675
OW-09-06	E503835A	Standard				SD10016439	4.37	108	0.001	1.05
OW-09-06	E503836	119.10	120.50	1.40	GAB	SD10016439	0.01	<1	0.004	0.013
OW-09-06	E503837	120.50	121.00	0.50	GAB	SD10016439	<0.01	<1	0.005	0.015
OW-09-06	E503838	121.00	122.00	1.00	GAB	SD10016439	<0.01	<1	0.005	0.011
OW-09-06	E503839	123.60	124.50	0.90	GAB	SD10016439	<0.01	<1	0.004	0.01
OW-09-06	E503840	124.50	125.00	0.50	GAB	SD10016439	0.01	<1	0.005	0.049
OW-09-06	E503841	125.00	126.00	1.00	GAB	SD10016439	<0.01	<1	0.005	0.011

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA25	Ag-OG62	Co-OG62	Cu-OG62
							Au	Ag	Co	Cu
							ppm	ppm	%	%
OW-09-06	E503842	133.00	134.00	1.00	GAB	SD10016439	<0.01	<1	0.004	0.011
OW-09-06	E503843	134.00	134.50	0.50	GAB	SD10016439	<0.01	<1	0.005	0.036
OW-09-06	E503844	134.50	135.50	1.00	GAB	SD10016439	<0.01	<1	0.004	0.01
OW-09-06	E503845	141.50	142.50	1.00	GAB	SD10016439	<0.01	<1	0.004	0.011
OW-09-06	E503846	142.50	143.00	0.50	GAB	SD10016439	<0.01	<1	0.005	0.018
OW-09-06	E503847	143.00	144.00	1.00	GAB	SD10016439	<0.01	<1	0.004	0.011
OW-09-06	E503848	150.00	151.20	1.20	GAB	SD10016439	<0.01	<1	0.005	0.011
OW-09-06	E503849	151.20	151.70	0.50	GAB	SD10016439	<0.01	<1	0.005	0.102
OW-09-06	E503850	151.70	153.00	1.30	GAB	SD10016439	<0.01	1	0.006	0.011
OW-09-06	E503851	176.50	177.50	1.00	GAB	SD10016439	<0.01	1	0.005	0.012
OW-09-06	E503852	177.50	178.00	0.50	GAB	SD10016439	0.01	<1	0.004	0.011
OW-09-06	E503853	178.00	179.00	1.00	GAB	SD10016439	0.01	<1	0.005	0.011
OW-09-06	E503854	182.50	183.50	1.00	GAB	SD10016439	<0.01	<1	0.005	0.012
OW-09-06	E503855	183.50	184.00	0.50	GAB	SD10016439	0.01	1	0.01	0.048
OW-09-06	E503856	184.00	185.00	1.00	GAB	SD10016439	<0.01	<1	0.005	0.012
OW-09-06	E503857	185.00	186.50	1.50	GAB	SD10016439	0.01	<1	0.005	0.012
OW-09-06	E503858	186.50	187.50	1.00	GAB	SD10016439	<0.01	<1	0.005	0.002
OW-09-06	E503859	187.50	188.00	0.50	GAB	SD10016439	0.07	<1	0.01	0.001
OW-09-06	E503860	188.00	189.00	1.00	GAB	SD10016439	<0.01	<1	0.005	0.009

Auger Resources

PROSPECT: Owaissa

DDH#: OW-09-07

GRID: Owaissa

Core: NQ

Azimuth and Dip: 170/-45

E.O.H: 86m

GRID LOCATION: 1400 E 1090 N

UTM: 592346E 5221886N, 331 msl, NAD83

Claim # : 12237325

Start: Jan. 6, 2010 End: Jan. 9, 2010

Drill Company:

Bradley Brothers Drilling

Logged by:

Jonathan Taylor

From	To	Rock Type	Code	Description	Mineralization	Recovery
0.00	4.00	Casing	CAS			
4.00	86.00	Gabbro	GAB	Melano, mg, massive, tr py in fractures and minor qtz veins. Spartatically magnetic. 4-16.5m: blocky core 16.5-20.5m: tr po,py,cpy and spl in narrow qtz and carb vns.c.a.20 31.1-32m: several narrow vns, larger (2cm wide) vn has 50% cpy and py, w/ mnr py and spl,inc chl alteration surrounding vns 42.7m: narrow (~1cm) sulphide veinlet (cpy,py,po) 43.3m: narrow (~1cm) sulphide veinlet (cpy,py,po) 43.7m: narrow (~1cm) sulphide veinlet (cpy,py,po) 52.1m: 2 cm qtz vn w/ 20% sulphides (py,po,tr cpy and spl) 64m: narrow (~1cm) carb vn w/ mnr py and tr cpy 69.9m: 0.5cm sulphide vn (50% po, with mnr cpy and py) 80.5m: 0.5 cm qtz vn w/ 30% cpy and 30%po		

EZ-Shot Survey:

Depth: 77.0
Corrected Azimuth: 170.9
Dip: 48.4

EOH: 86
Casing left in hole
XX boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	SAMPLE DESCRIP	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
OW-09-07	E503861	16.00	17.00	1.00	GAB	SD10015984	E503861	<0.01	<1	0.004	0.009
OW-09-07	E503862	17.00	18.00	1.00	GAB	SD10015984	E503862	0.01	<1	0.004	0.016
OW-09-07	E503863	18.00	19.00	1.00	GAB	SD10015984	E503863	0.01	<1	0.005	0.017
OW-09-07	E503864	19.00	20.00	1.00	GAB	SD10015984	E503864	<0.01	<1	0.004	0.009
OW-09-07	E503865	31.00	32.00	1.00	GAB	SD10015984	E503865	0.13	1	0.007	0.341
OW-09-07	E503865A	Standard				SD10015984	E503865A	4.15	100	0.001	1.05
OW-09-07	E503866	42.50	43.50	1.00	GAB	SD10015984	E503866	0.49	4	0.014	0.756
OW-09-07	E503867	43.50	44.50	1.00	GAB	SD10015984	E503867	0.94	2	0.03	0.631
OW-09-07	E503868	Blank			GRD	SD10015984	E503868	0.01	<1	<0.001	0.003
OW-09-07	E503869	52.00	52.50	0.50	GAB	SD10015984	E503869	0.29	1	0.025	0.112
OW-09-07	E503870	63.50	64.50	1.00	GAB	SD10015984	E503870	0.01	<1	0.005	0.019
OW-09-07	E503871	69.50	70.50	1.00	GAB	SD10015984	E503871	0.21	<1	0.029	0.085
OW-09-07	E503872	80.00	81.00	1.00	GAB	SD10015984	E503872	0.07	<1	0.01	0.06

12 Samples

Auger Resources

PROSPECT: Owaissa

DDH#: OW-09-08

GRID: Owaissa

Core: NQ

Azimuth and Dip: 170/-65

E.O.H: 89 m

GRID LOCATION: 1490 E 1040 N

UTM: 592346E 5221886N, 331 msl, non-diff

Claim # : 12237325

Start: Jan. 9, 2010 End: Jan.10, 2010

Drill Company:

Bradley Brothers Drilling

Logged by:

Jonathan Taylor

From	To	Rock Type	Code	Description	Mineralization	Recovery
0.00	4.00	Casing	CAS			
4.00	76.20	Gabbro	GAB	Melano, mg to cg, massive, tr py in fractures and minor qtz veins. Sparatically magnetic. 17-27m: blocky core, highly altered (fault gauge) w/ k spar vns @29m: tr cpy,pyr,spl in qtz vn (.5cm) c.a 20 @30m: qtz vein w/ chloritic alteration, silicification, 1% Cpy, Po, Py, C. A. 25 30-76.2m: Multiple narrow carbonate, qtz veins w/ C.A. 20-30, relatively barren of sulphides except @ 59.3m (tr Po, Cpy) and @ 62.3m (tr Cpy, Py). Grading to fine grade towards base of zone, chill margin.		
76.20	89.00	Granodiorite	GRD	Massive, coarse grain w/ C.A. 80 at contact with Gabbro. 76.2-81m: Altered mingling zone 81-89m: Chloritic alteration along planes w/ C.A. 20-40		

EZ-Shot Survey:

Depth: 80.0
Corrected Azimuth: 171.6
Dip: 64.7

EOH: 89
Casing left in hole
XX boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
OW-09-08	E503873	27.00	28.00	1.00	GAB	SD10015983	0.02	1	0.007	0.125
OW-09-08	E503874	28.00	29.00	1.00	GAB	SD10015983	<0.01	<1	0.004	0.013
OW-09-08	E503874A					SD10015983	4.29	96	0.002	1.045
OW-09-08	E503875	29.00	30.00	1.00	GAB	SD10015983	0.02	1	0.004	0.012
OW-09-08	E503876	30.00	31.00	1.00	GAB	SD10015983	0.01	<1	0.004	0.039
OW-09-08	E503877	33.20	34.00	0.80	GAB	SD10015983	<0.01	<1	0.004	0.009
OW-09-08	E503878	59.00	60.00	1.00	GAB	SD10015983	0.01	<1	0.006	0.01
OW-09-08	E503879	62.00	63.00	1.00	GAB	SD10015983	<0.01	<1	0.006	0.009

7 samples

Auger Resources

PROSPECT: Owaissa

DDH#: OW-09-09

GRID: Owaissa

Core: NQ

Azimuth and Dip: 170/-45

E.O.H: 83 m

GRID LOCATION: 1490 E 1040 N

UTM: 592432E 5221908N, 328 msl, non-diff

Claim # : 12237325

Start: Jan. 11, 2010 End: Jan. 12, 2010

Drill Company:

Bradley Brothers Drilling

Logged by:

Jonathan Taylor

From	To	Rock Type	Code	Description	Recovery
0.00	4.00	Casing	CAS		
4.00	69.50	Gabbro	GAB	Melano, mg to cg, massive, tr py in fractures and minor qtz veins. @31m: 1-2 cm qtz vns w/ cpy w/ C.A. of 45 @52.3m: <0.5cm qtz vn w/ tr cpy and py @61.2m and 61.6m: <0.5cm w/ tr cpy, py, po. 60-69.5m: Fine grained chill margin	
69.50	75.00	Granodiorite	GRD	Massive, coarse grain w/ C.A. 80 at contact with Gabbro. 69.5m-75m: Chloritic alteration along planes w/ C.A. 45	
75.00	77.80	Gabbro	GAB	fg (possible "dyke" from main gab intrusion) w/ multiple qtz vns <0.5cm relatively barren of sulphides. @76.6m: larger (3cm) qtz vn w/ tr cpy], C.A. 45 sharp contact @ base w/ C.A. of 45 (but perpendicular to qtz vns)	
77.80	83.00	Granodiorite	GRD	massive, cg, narrow (<0.5cm) barren qtz vns w/ C.A. 45	

EZ-Shot Survey:

Depth: 68.0
Corrected Azimuth: 175.8
Dip: 47.4

EOH: 83
Casing left in hole
XX boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
OW-09-09	E503880	30.00	31.00	1.00	GAB	SD10015985	<0.01	<1	0.005	0.014
OW-09-09	E503881	31.00	32.00	1.00	GAB	SD10015985	<0.01	<1	0.006	0.054
OW-09-09	E503881A	Standard				SD10015985	3.14	101	0.001	1.08
OW-09-09	E503882	39.20	39.70	0.50	GAB	SD10015985	0.01	<1	0.005	0.014
OW-09-09	E503883	52.00	52.50	0.50	GAB	SD10015985	<0.01	2	0.005	0.012
OW-09-09	E503884	61.10	61.70	0.60	GAB	SD10015985	0.03	<1	0.001	0.001
OW-09-09	E503885	76.00	77.00	1.00	GAB	SD10015985	<0.01	<1	0.004	0.003
OW-09-09	E503886	77.00	78.00	1.00	GAB	SD10015985	<0.01	<1	0.003	0.002
OW-09-09	E503886A					SD10015985	4.3	99	0.001	1.055
OW-09-09	E503887	78.00	79.00	1.00	GAB	SD10015985	0.01	<1	0.001	0.004
OW-09-09	E503888	79.00	80.00	1.00	GAB	SD10015985	<0.01	<1	<0.001	0.044
OW-09-09	E503889	80.00	81.00	1.00	GAB	SD10015985	<0.01	<1	0.001	0.002
OW-09-09	E503890	81.00	82.00	1.00	GAB	SD10015985	<0.01	1	0.001	0.016

Auger Resources

PROSPECT: Owaissa

DDH#: OW-09-10

GRID: Owaissa

Core: NQ

Azimuth and Dip: 170/-45

E.O.H: 62 m

GRID LOCATION: 1600 E 1025 N

UTM: 592550E 5221906N, 316 msl, non-diff

Claim # : 12237325

Start: Jan. 12, 2010 End: Jan. 15, 2010

Drill Company:

Bradley Brothers Drilling

Logged by:

Jonathan Taylor

From	To	Rock Type	Code	Description	Recovery
0.00	2.00	Casing	CAS		
2.00	50.50	Granodiorite	GRD	massive, coarse grain, chloritic alteration along planes w/ C.A. 45. qtz vns throughout granodiorite (<.5cm - 5cm), relatively barren of sulphides, C.A. 35-45 at top of hole and bcmg steeper at 29m (50-70 degrees) @ 24.5m:tr py in and around qtz vn (1cm) c.a 45	
50.50	52.00	Gabbro	GAB	5 cm qtz vn @ top contact, barren	
52.00	55.90	Granodiorite	GRD	massive, coarse grain, C.A. 10 deg @ base ctc	
55.90	56.70	Gabbro	GAB	fine grained "dyke" of main intrusion	
56.70	62.00	Granodiorite	GRD	massive, cg, top contact C.A. of 45	


EZ-Shot Survey:

Depth: 53.0
Corrected Azimuth: 180.1
Dip: 45.5


EOH: 62
Casing left in hole
XX boxes of core stored at N. Temagami

DDH#	Sample #	From	To	Width	Rock Type	Certificate #		Au-AA25	Ag-OG62	Co-OG62	Cu-OG62
							SAMPLE DESCRIP	Au ppm	Ag ppm	Co %	Cu %
OW-09-10	E503891	24.00	25.00	1.00	GRD	SD10015986	E503891	<0.01	<1	<0.001	<0.001
OW-09-10	E503892	27.00	28.00	1.00	GRD	SD10015986	E503892	<0.01	1	0.001	<0.001
OW-09-10	E503893	28.00	29.00	1.00	GRD	SD10015986	E503893	<0.01	<1	<0.001	<0.001
OW-09-10	E503894	29.00	30.00	1.00	GRD	SD10015986	E503894	<0.01	<1	<0.001	<0.001
OW-09-10	E503895	30.00	31.00	1.00	GRD	SD10015986	E503895	<0.01	1	<0.001	<0.001
OW-09-10	E503896	31.00	32.00	1.00	GRD	SD10015986	E503896	<0.01	<1	0.001	<0.001
OW-09-10	E503896A	Standard				SD10015986	E503896A	4.42	106	0.002	1.025
OW-09-10	E503897	32.00	33.00	1.00	GRD	SD10015986	E503897	<0.01	<1	0.001	0.005
OW-09-10	E503898	45.00	46.00	1.00	GRD	SD10015986	E503898	<0.01	1	0.001	<0.001
OW-09-10	E503899	46.00	47.00	1.00	GRD	SD10015986	E503899	<0.01	<1	0.001	0.008
OW-09-10	E503900	47.00	48.00	1.00	GRD	SD10015986	E503900	<0.01	1	<0.001	<0.001

10 Samples



AUGER RESOURCES
Hook Property
Claim Plan
1:35,000
Projection: UTM NAD83 Zone 17





ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 27-FEB-2010
This copy reported on 31-MAR-2010
Account: AUGER

CERTIFICATE SD10016470

Project: HOOK

P.O. No.:

This report is for 3 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - A
 Total # Pages: 2 (A - D)
 Finalized Date: 27-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10016470
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503730		3.00	<0.005	<1	98.9	9.7	59.8	250	0.11	225	4.05	2.58	0.95	17.8	3.19	1.9
E503752		3.14	<0.005	<1	66.5	9.3	60.5	240	0.18	151	4.02	2.68	0.99	17.9	3.09	1.9
E503766		3.01	<0.005	<1	80.4	14.4	38.4	70	0.39	67	6.01	3.98	1.33	19.0	4.89	3.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - B
 Total # Pages: 2 (A - D)
 Finalized Date: 27-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10016470

Method Analyte Units LOR	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm	ME-MS81 Mo ppm	ME-MS81 Nb ppm	ME-MS81 Nd ppm	ME-MS81 Ni ppm	ME-MS81 Pb ppm	ME-MS81 Pr ppm	ME-MS81 Rb ppm	ME-MS81 Sm ppm	ME-MS81 Sn ppm	ME-MS81 Sr ppm	ME-MS81 Ta ppm	ME-MS81 Tb ppm
Sample Description	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503730	0.88	3.8	0.40	<2	2.5	7.8	106	<5	1.55	13.6	2.56	1	164.5	0.2	0.61
E503752	0.91	3.6	0.40	<2	2.4	7.6	114	<5	1.50	10.0	2.40	1	123.5	0.1	0.62
E503766	1.33	5.3	0.59	<2	4.3	11.8	41	<5	2.34	8.8	3.69	1	137.0	0.3	0.92



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - C
 Total # Pages: 2 (A - D)
 Finalized Date: 27-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10016470
-------------------------	------------

Method Analyte Units LOR	ME-MS81 Th ppm 0.05	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.01	ME-MS81 U ppm 0.05	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.03	ME-MS81 Zn ppm 5	ME-MS81 Zr ppm 2	ME-ICP06 SiO2 % 0.01	ME-ICP06 Al2O3 % 0.01	ME-ICP06 Fe2O3 % 0.01	ME-ICP06 CaO % 0.01	ME-ICP06 MgO % 0.01
Sample Description															
E503730	0.44	<0.5	0.39	0.14	311	1	22.8	2.52	102	69	49.3	14.30	12.80	12.25	4.17
E503752	0.45	<0.5	0.40	0.11	303	1	23.0	2.62	127	68	47.6	14.30	15.00	12.65	4.27
E503766	0.48	<0.5	0.60	0.11	381	1	35.0	3.78	123	108	49.7	13.05	16.80	10.30	4.72



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - D
Total # Pages: 2 (A - D)
Finalized Date: 27-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10016470

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06
		Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
		%	%	%	%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
E503730		1.60	0.45	0.04	1.04	0.24	0.08	0.02	0.01	3.46	99.8
E503752		1.68	0.32	0.04	0.97	0.30	0.08	0.01	0.01	2.55	99.8
E503766		1.45	0.31	0.01	1.62	0.39	0.16	0.02	0.01	1.08	99.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 28-FEB-2010
This copy reported on 31-MAR-2010
Account: AUGER

CERTIFICATE SD10016439

Project: OW-09-06

P.O. No.:

This report is for 86 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	VARIABLE
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 4 (A)
Finalized Date: 28-FEB-2010
Account: AUGER

Project: OW-09-06

CERTIFICATE OF ANALYSIS SD10016439

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA25	Ag-OG62	Co-OG62	Cu-OG62
		Recvd Wt. kg	Au ppm	Ag ppm	Co %	Cu %
		0.02	0.01	1	0.001	0.001
H925979		2.85	<0.01	<1	0.005	0.013
H925980		1.87	<0.01	<1	0.008	0.022
H925981		2.40	<0.01	<1	0.004	0.014
H925982		3.73	<0.01	<1	0.005	0.013
H925983		1.36	<0.01	<1	0.031	0.036
H925984		4.50	<0.01	1	0.005	0.014
H925985		1.40	0.07	2	0.020	0.965
H925986		2.19	<0.01	2	0.004	0.016
H925986A		0.07	4.45	105	0.001	1.060
H925987		4.24	<0.01	<1	0.004	0.022
H925988		1.81	<0.01	<1	0.007	0.095
H925989		2.42	<0.01	<1	0.004	0.015
H925990		4.26	<0.01	<1	0.005	0.016
H925991		2.16	0.03	1	0.011	0.069
H925992		4.04	<0.01	<1	0.005	0.014
H925993		3.78	<0.01	1	0.004	0.013
H925994		4.41	0.01	<1	0.004	0.013
H925995		4.15	<0.01	<1	0.004	0.013
H925996		3.76	<0.01	<1	0.005	0.013
H925997		2.15	<0.01	1	0.004	0.013
H925998		1.69	<0.01	1	0.004	0.069
H925999		2.90	<0.01	<1	0.004	0.029
H926000		1.86	<0.01	1	0.004	0.018
E503801		1.10	0.03	3	0.017	0.506
E503802		1.00	<0.01	<1	0.005	0.097
E503803		1.29	0.01	1	0.027	0.037
E503804		3.97	<0.01	<1	0.005	0.014
E503805		3.19	<0.01	<1	0.005	0.021
E503806		2.73	0.14	2	0.004	0.715
E503807		1.48	<0.01	1	0.005	0.025
E503808		3.62	<0.01	<1	0.004	0.025
E503809		3.04	<0.01	<1	0.004	0.015
E503810		1.48	0.07	1	0.015	0.029
E503810A		0.07	4.31	101	0.001	1.035
E503811		2.72	<0.01	<1	0.005	0.016
E503812		3.10	<0.01	<1	0.004	0.015
E503813		2.78	<0.01	<1	0.008	0.030
E503814		2.96	<0.01	<1	0.005	0.015
E503815		2.65	<0.01	<1	0.004	0.014
E503816		2.71	0.05	<1	0.010	0.031



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - A
Total # Pages: 4 (A)
Finalized Date: 28-FEB-2010
Account: AUGER

Project: OW-09-06

CERTIFICATE OF ANALYSIS SD10016439

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA25	Ag-OG62	Co-OG62	Cu-OG62
		Recvd Wt. kg	Au ppm	Ag ppm	Co %	Cu %
		0.02	0.01	1	0.001	0.001
E503817		2.35	<0.01	1	0.005	0.045
E503818		2.50	<0.01	<1	0.004	0.043
E503819		3.15	<0.01	1	0.011	0.030
E503820		1.88	<0.01	<1	0.004	0.059
E503821		2.48	<0.01	<1	0.005	0.014
E503822		2.48	<0.01	1	0.004	0.020
E503823		1.37	0.01	<1	0.007	0.064
E503824		7.18	<0.01	<1	0.005	0.016
E503825		2.11	0.01	<1	0.004	0.016
E503825A		0.08	4.33	99	0.001	1.035
E503826		1.21	0.02	<1	0.044	0.030
E503827		3.81	<0.01	<1	0.004	0.014
E503828		2.40	<0.01	<1	0.006	0.055
E503829		2.24	<0.01	<1	0.010	0.049
E503830		3.19	<0.01	<1	0.004	0.014
E503831		2.32	0.03	1	0.015	0.195
E503832		3.36	<0.01	<1	0.004	0.013
E503833		3.91	<0.01	<1	0.005	0.013
E503834		3.90	<0.01	<1	0.004	0.012
E503835		2.25	0.02	1	0.007	0.675
E503835A		0.08	4.37	108	0.001	1.050
E503836		4.01	0.01	<1	0.004	0.013
E503837		1.55	<0.01	<1	0.005	0.015
E503838		2.87	<0.01	<1	0.005	0.011
E503839		2.31	<0.01	<1	0.004	0.010
E503840		1.31	0.01	<1	0.005	0.049
E503841		2.62	<0.01	<1	0.005	0.011
E503842		2.30	<0.01	<1	0.004	0.011
E503843		1.25	<0.01	<1	0.005	0.036
E503844		3.58	<0.01	<1	0.004	0.010
E503845		2.55	<0.01	<1	0.004	0.011
E503846		1.19	<0.01	<1	0.005	0.018
E503847		2.58	<0.01	<1	0.004	0.011
E503848		3.14	<0.01	<1	0.005	0.011
E503849		1.69	<0.01	<1	0.005	0.102
E503850		3.50	<0.01	1	0.006	0.011
E503851		2.47	<0.01	1	0.005	0.012
E503852		2.00	0.01	<1	0.004	0.011
E503853		2.30	0.01	<1	0.005	0.011
E503854		2.13	<0.01	<1	0.005	0.012



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 4 - A
Total # Pages: 4 (A)
Finalized Date: 28-FEB-2010
Account: AUGER

Project: OW-09-06

CERTIFICATE OF ANALYSIS SD10016439

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
E503855		1.17	0.01	1	0.010	0.048
E503856		2.44	<0.01	<1	0.005	0.012
E503857		4.22	0.01	<1	0.005	0.012
E503858		2.12	<0.01	<1	0.005	0.002
E503859		1.26	0.07	<1	0.010	0.001
E503860		3.14	<0.01	<1	0.005	0.009



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 27-FEB-2010
This copy reported on 31-MAR-2010
Account: AUGER

CERTIFICATE SD10015988

Project: HOOK

P.O. No.:

This report is for 17 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A - D)
Finalized Date: 27-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10015988

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
Sample Description	0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E504604	2.41	0.006	1	420	22.0	37.7	330	0.51	394	2.90	1.88	0.87	15.6	2.72	1.5
E504612	2.41	<0.005	<1	118.0	6.8	34.7	210	0.12	102	2.75	1.80	0.74	16.8	2.19	1.3
E504632	3.65	0.005	<1	218	8.6	49.5	240	0.21	192	3.76	2.51	1.00	16.6	3.04	2.0
E504636	1.95	<0.005	<1	339	38.8	19.2	120	0.32	14	2.47	1.45	0.91	16.0	3.23	3.6
E504637	2.70	<0.005	<1	917	48.4	31.2	290	0.52	92	3.09	1.60	1.51	15.8	4.91	3.1
E504638	2.57	<0.005	<1	88.2	4.4	44.1	220	0.14	133	2.81	1.85	0.68	15.7	2.05	1.2
E504644	2.59	<0.005	<1	493	2.6	61.4	210	0.59	122	2.63	1.83	0.42	14.0	1.76	1.2
E504645	2.77	<0.005	<1	36.7	2.7	26.4	140	0.47	53	1.78	1.15	0.49	15.9	1.22	0.8
E504648	1.68	<0.005	<1	33.0	3.9	45.8	200	0.23	185	2.59	1.75	0.67	15.8	1.81	1.1
E504652	1.81	<0.005	<1	92.1	3.3	32.4	170	0.52	46	2.10	1.39	0.54	17.6	1.52	0.8
E504653	2.38	<0.005	<1	15.7	9.8	46.4	100	0.34	137	3.68	2.40	0.75	16.0	3.02	2.0
E504655	2.58	<0.005	<1	54.0	4.5	45.6	230	0.19	60	2.99	2.00	0.72	16.9	2.20	1.2
E504656	3.14	<0.005	<1	41.8	3.9	36.7	200	0.28	92	2.61	1.82	0.63	17.4	1.89	1.1
E504657	3.46	<0.005	<1	86.5	4.4	47.1	220	0.41	126	2.90	1.95	0.62	15.0	2.13	1.2
E504659	3.57	<0.005	<1	76.6	4.2	46.9	220	0.39	90	2.75	1.87	0.58	14.9	2.03	1.1
E504660	3.12	<0.005	<1	121.0	7.4	44.4	300	0.99	111	3.09	1.98	0.76	15.9	2.43	1.5
E504662	2.42	<0.005	<1	73.2	11.7	48.0	90	0.60	103	4.17	2.70	1.02	19.3	3.38	2.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 2 (A - D)
Finalized Date: 27-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10015988

Method Analyte Units LOR	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm	ME-MS81 Mo ppm	ME-MS81 Nb ppm	ME-MS81 Nd ppm	ME-MS81 Ni ppm	ME-MS81 Pb ppm	ME-MS81 Pr ppm	ME-MS81 Rb ppm	ME-MS81 Sm ppm	ME-MS81 Sn ppm	ME-MS81 Sr ppm	ME-MS81 Ta ppm	ME-MS81 Tb ppm
Sample Description	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E504604	0.63	11.7	0.27	<2	1.9	9.7	112	198	2.58	25.2	2.21	1	130.0	0.1	0.47
E504612	0.62	2.8	0.29	<2	1.6	5.0	81	20	1.05	10.7	1.64	1	158.5	0.1	0.42
E504632	0.85	3.2	0.37	<2	2.2	7.2	95	21	1.42	20.5	2.29	1	133.5	0.1	0.57
E504636	0.50	19.3	0.20	2	5.2	17.0	75	38	4.67	37.5	3.03	1	277	0.4	0.45
E504637	0.58	22.0	0.21	<2	4.1	25.7	83	9	6.29	62.2	5.36	1	670	0.3	0.64
E504638	0.62	1.6	0.29	<2	1.1	4.0	99	19	0.75	9.1	1.47	<1	183.5	0.1	0.41
E504644	0.61	0.9	0.29	<2	1.1	2.8	103	40	0.47	27.5	1.25	<1	56.8	0.1	0.37
E504645	0.38	0.9	0.18	<2	0.7	2.4	60	6	0.45	11.2	0.89	<1	141.5	<0.1	0.26
E504648	0.60	1.4	0.27	<2	1.0	3.7	93	6	0.68	7.0	1.37	<1	141.0	0.1	0.37
E504652	0.46	1.2	0.22	<2	0.8	3.1	73	13	0.57	12.8	1.12	<1	175.0	<0.1	0.32
E504653	0.81	3.7	0.33	<2	2.3	7.4	68	<5	1.53	1.7	2.38	<1	75.9	0.1	0.57
E504655	0.65	1.6	0.30	<2	1.1	4.2	106	<5	0.79	3.6	1.52	<1	92.2	0.1	0.43
E504656	0.60	1.6	0.27	<2	0.9	3.6	90	<5	0.66	6.1	1.31	<1	106.5	0.1	0.39
E504657	0.64	1.6	0.30	<2	1.1	4.1	104	<5	0.74	10.2	1.53	<1	94.6	0.1	0.42
E504659	0.60	1.5	0.28	<2	1.0	3.9	99	<5	0.72	8.6	1.51	<1	91.2	0.1	0.41
E504660	0.68	2.8	0.30	<2	2.1	5.8	128	6	1.18	25.6	1.87	<1	124.0	0.1	0.47
E504662	0.90	5.1	0.39	<2	2.6	8.5	67	6	1.78	13.6	2.67	1	123.0	0.2	0.67



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 2 (A - D)
Finalized Date: 27-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10015988

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
	Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%
	LOR	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01
E504604		0.33	<0.5	0.27	0.20	242	1	15.9	1.72	971	50	50.6	14.85	13.15	5.66	6.05
E504612		0.26	<0.5	0.28	0.07	246	1	15.9	1.80	104	44	49.9	13.40	12.80	13.40	5.96
E504632		0.23	<0.5	0.36	0.07	290	1	21.5	2.44	174	67	50.7	14.50	13.75	10.70	4.88
E504636		2.98	<0.5	0.19	0.62	107	5	12.8	1.27	135	142	61.0	14.65	6.87	4.26	3.69
E504637		3.17	<0.5	0.20	0.84	130	1	14.8	1.33	85	116	53.2	12.10	8.81	8.26	8.34
E504638		0.12	<0.5	0.29	<0.05	248	1	16.4	1.91	88	40	49.6	15.45	11.70	12.70	5.58
E504644		0.10	<0.5	0.26	<0.05	243	2	15.7	1.92	233	39	47.8	13.95	13.15	7.62	8.06
E504645		0.06	<0.5	0.18	<0.05	153	1	9.9	1.13	64	27	47.4	21.5	7.48	14.55	4.03
E504648		0.09	<0.5	0.26	<0.05	227	1	15.4	1.72	88	37	49.1	16.20	11.05	12.60	6.26
E504652		0.08	<0.5	0.21	<0.05	184	<1	12.3	1.35	75	30	48.6	19.85	8.52	12.10	4.76
E504653		0.39	<0.5	0.35	0.09	283	1	20.9	2.26	98	67	48.4	13.80	12.80	11.00	5.84
E504655		0.11	<0.5	0.31	<0.05	262	1	17.5	1.99	98	42	48.2	15.45	12.85	10.95	7.46
E504656		0.09	<0.5	0.27	<0.05	226	<1	15.6	1.72	66	36	51.6	14.40	9.99	12.60	4.89
E504657		0.10	<0.5	0.30	<0.05	246	<1	16.8	1.94	91	39	49.0	14.95	13.00	11.40	7.25
E504659		0.09	<0.5	0.30	<0.05	238	<1	16.3	1.88	88	37	51.9	14.05	11.65	10.55	7.00
E504660		0.21	<0.5	0.32	0.05	249	1	17.8	1.95	104	50	48.6	14.85	11.00	10.90	7.57
E504662		0.49	<0.5	0.39	0.12	319	1	23.3	2.60	109	75	50.5	13.65	14.20	9.91	6.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - D
 Total # Pages: 2 (A - D)
 Finalized Date: 27-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10015988

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06
		Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
		%	%	%	%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
E504604		4.49	0.92	0.05	0.82	0.27	0.06	0.02	0.05	2.43	99.4
E504612		1.48	0.47	0.03	0.72	0.22	0.04	0.02	0.01	1.87	100.5
E504632		2.55	0.72	0.04	1.01	0.22	0.07	0.02	0.02	1.08	100.5
E504636		5.69	1.48	0.02	0.64	0.11	0.17	0.04	0.04	1.27	99.9
E504637		2.75	3.00	0.05	0.64	0.17	0.54	0.09	0.10	2.05	100.0
E504638		2.47	0.38	0.03	0.70	0.19	0.05	0.02	0.01	1.75	100.5
E504644		2.96	1.07	0.03	0.69	0.23	0.03	0.01	0.06	4.32	100.0
E504645		1.80	0.26	0.02	0.43	0.14	0.02	0.02	<0.01	2.34	100.0
E504648		1.92	0.21	0.03	0.64	0.17	0.03	0.02	<0.01	1.47	99.7
E504652		2.65	0.31	0.02	0.47	0.15	0.03	0.02	0.01	2.50	100.0
E504653		1.38	0.07	0.02	0.97	0.20	0.08	0.01	<0.01	3.62	98.2
E504655		2.27	0.15	0.03	0.72	0.25	0.06	0.01	0.01	2.06	100.5
E504656		1.48	0.16	0.03	0.61	0.16	0.04	0.01	<0.01	2.15	98.1
E504657		1.90	0.29	0.03	0.68	0.24	0.04	0.01	0.01	1.63	100.5
E504659		1.98	0.25	0.03	0.67	0.21	0.05	0.01	0.01	1.75	100.0
E504660		1.90	0.58	0.04	0.80	0.18	0.07	0.01	0.01	3.72	100.0
E504662		2.14	0.40	0.01	1.06	0.24	0.09	0.01	0.01	1.84	100.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 26-FEB-2010
This copy reported on 31-MAR-2010
Account: AUGER

CERTIFICATE SD10015987

Project: HOOK

P.O. No.:

This report is for 48 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10015987

Sample Description	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
	0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E504601	3.14	<0.005	<1	713	11.2	53.6	830	1.02	10	2.00	1.23	0.58	14.1	2.05	1.6
E504602	2.77	0.014	<1	306	13.7	83.9	370	0.48	529	3.20	2.11	0.91	17.0	2.84	2.1
E504603	2.38	0.007	<1	337	14.7	64.5	250	0.27	302	3.48	2.27	1.02	19.6	3.02	2.0
E504605	2.53	<0.005	1	121.0	8.8	94.0	280	0.55	478	3.75	2.40	0.88	19.1	3.06	1.9
E504605A	0.08	4.28	69	784	28.7	13.1	30	2.16	6500	3.06	2.00	0.74	16.7	3.04	4.3
E504606	2.84	<0.005	1	236	7.8	50.6	240	0.53	358	3.16	2.11	0.65	17.3	2.50	2.0
E504607	2.63	<0.005	<1	210	9.0	52.8	250	0.31	173	3.57	2.37	0.84	18.6	2.83	2.0
E504608	2.52	<0.005	<1	178.0	10.1	45.3	260	0.21	209	4.19	2.72	0.88	19.4	3.22	2.1
E504609	2.58	<0.005	<1	148.0	9.2	57.3	230	0.15	165	3.84	2.56	0.89	18.3	2.97	2.0
E504610	2.74	<0.005	<1	155.5	10.1	56.0	250	0.17	169	4.07	2.64	0.85	18.9	3.14	2.2
E504611	2.98	<0.005	<1	187.0	10.1	62.6	240	0.18	118	3.91	2.61	0.90	18.9	3.04	2.1
E504613	1.73	<0.005	<1	136.5	12.4	52.4	90	0.26	187	4.38	2.84	0.98	19.9	3.40	2.5
E504614	2.36	<0.005	<1	225	9.7	48.6	90	0.23	36	4.32	2.80	0.90	18.8	3.40	2.5
E504615	2.66	<0.005	<1	177.5	12.2	41.8	90	0.14	89	4.07	2.63	0.98	21.2	3.30	2.3
E504616	3.34	<0.005	<1	216	14.4	48.4	130	0.17	128	4.02	2.68	1.09	21.5	3.38	2.2
E504617	2.28	<0.005	<1	147.5	10.4	48.6	270	0.24	35	4.31	2.84	0.97	18.4	3.41	2.3
E504618	2.84	<0.005	<1	151.0	18.0	58.2	280	0.22	111	4.55	3.00	1.41	20.4	3.73	2.5
E504619	2.54	<0.005	<1	156.5	11.0	63.9	250	0.20	200	4.61	3.07	0.92	19.3	3.57	2.2
E504620	2.40	<0.005	<1	94.6	11.3	58.4	250	0.21	96	4.49	2.96	0.96	19.5	3.45	2.3
E504621	3.01	<0.005	<1	110.5	10.3	54.7	260	0.27	104	4.29	2.85	0.92	18.8	3.24	2.2
E504622	2.90	<0.005	<1	158.0	10.2	56.6	260	0.31	148	4.50	2.93	0.93	20.3	3.40	2.3
E504623	3.14	<0.005	<1	128.5	9.7	56.9	260	0.28	112	4.40	2.89	0.97	21.2	3.37	2.2
E504624	2.63	<0.005	<1	111.0	9.7	66.4	260	0.27	219	4.47	3.01	0.92	20.4	3.57	2.1
E504625	2.88	<0.005	<1	106.5	9.8	59.4	260	0.31	105	4.47	3.00	0.90	20.3	3.47	2.2
E504625A	0.07	4.23	71	772	28.6	13.2	30	2.12	6520	3.00	1.94	0.77	16.6	3.20	4.1
E504626	2.69	0.009	<1	86.8	9.7	64.6	260	0.45	134	4.17	2.83	0.82	22.9	3.30	2.3
E504627	2.78	0.005	<1	94.8	10.3	107.5	280	0.34	91	3.99	2.66	0.81	18.2	3.05	2.3
E504628	2.40	<0.005	<1	48.7	8.8	69.7	260	0.20	125	4.20	2.86	0.79	18.4	3.14	2.2
E504629	2.64	<0.005	<1	78.4	9.5	59.9	260	0.12	176	4.23	2.85	1.00	19.9	3.25	2.2
E504630	4.08	<0.005	<1	141.5	9.1	60.3	250	0.19	170	4.26	2.84	0.91	19.1	3.19	2.1
E504631	2.12	<0.005	<1	60.4	8.0	56.3	240	0.22	119	3.80	2.50	0.82	17.5	2.95	1.9
E504633	2.83	<0.005	<1	339	8.7	54.5	270	0.29	50	4.46	3.01	1.02	19.3	3.49	2.2
E504634	4.25	<0.005	<1	89.5	16.6	46.2	60	0.27	65	6.53	4.39	1.25	20.1	5.14	3.6
E504635	2.55	<0.005	<1	408	23.6	49.3	130	0.30	542	4.47	2.91	1.18	17.6	4.14	3.0
E504639	2.85	<0.005	<1	87.7	4.6	49.2	230	0.31	149	2.96	2.12	0.66	17.2	2.15	1.4
E504640	2.48	<0.005	<1	99.7	4.8	52.0	230	0.26	132	3.10	2.16	0.60	15.0	2.26	1.4
E504641	2.65	<0.005	1	187.5	5.1	62.0	260	0.33	215	3.21	2.23	0.72	16.4	2.17	1.3
E504642	2.81	<0.005	<1	81.4	5.0	64.1	250	0.29	421	3.18	2.16	0.84	17.9	2.10	1.3
E504643	2.83	<0.005	<1	64.2	4.0	66.4	210	0.30	529	2.67	1.85	0.56	14.8	1.74	1.0
E504646	3.11	<0.005	<1	27.0	3.8	48.6	200	0.31	291	2.41	1.63	0.58	17.2	1.64	1.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10015987
-------------------------	------------

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E504601		0.42	4.4	0.17	<2	2.5	7.5	531	347	1.62	31.9	1.96	<1	107.0	0.1	0.33
E504602		0.69	5.5	0.31	<2	3.1	9.1	239	43	1.97	23.3	2.46	1	179.5	0.2	0.50
E504603		0.76	6.9	0.36	<2	3.1	9.1	122	178	1.99	23.9	2.49	1	165.0	0.2	0.52
E504605		0.80	3.5	0.35	<2	2.4	7.2	147	27	1.37	13.4	2.41	1	175.0	0.1	0.54
E504605A		0.62	14.7	0.33	1645	6.8	14.4	15	89	3.70	62.8	3.09	3	98.5	0.6	0.49
E504606		0.67	2.9	0.30	3	2.5	6.4	91	21	1.23	21.8	2.05	1	112.5	0.2	0.46
E504607		0.79	3.5	0.35	<2	2.5	7.2	91	9	1.43	21.5	2.38	1	155.5	0.1	0.51
E504608		0.89	3.7	0.41	<2	2.7	7.9	87	8	1.58	21.0	2.69	1	155.0	0.2	0.58
E504609		0.84	3.6	0.38	<2	2.5	7.5	94	6	1.50	17.6	2.52	1	132.5	0.2	0.54
E504610		0.86	4.0	0.39	<2	2.8	8.0	97	5	1.57	17.0	2.63	<1	153.0	0.2	0.58
E504611		0.85	4.1	0.38	<2	2.6	7.8	108	5	1.56	17.6	2.44	1	148.5	0.2	0.55
E504613		0.93	4.8	0.40	<2	2.8	9.2	72	11	1.85	22.4	2.82	1	121.0	0.2	0.64
E504614		0.93	3.3	0.42	3	2.8	8.4	72	147	1.62	13.5	2.77	1	86.5	0.2	0.64
E504615		0.86	5.3	0.38	<2	2.7	8.6	66	126	1.78	10.7	2.69	1	119.5	0.2	0.59
E504616		0.88	6.7	0.39	<2	2.6	9.3	78	289	2.00	17.4	2.68	2	164.0	0.2	0.60
E504617		0.93	4.1	0.42	<2	2.9	8.4	104	9	1.63	12.8	2.84	1	142.0	0.2	0.63
E504618		0.98	8.8	0.43	<2	3.1	10.8	100	16	2.38	11.8	3.12	2	141.5	0.2	0.66
E504619		1.02	4.2	0.45	<2	2.8	8.6	107	25	1.69	9.0	2.79	1	139.5	0.2	0.66
E504620		0.98	4.3	0.42	<2	2.8	8.4	109	19	1.70	8.8	2.75	1	148.5	0.2	0.64
E504621		0.91	4.0	0.42	<2	2.7	8.1	117	61	1.59	9.3	2.70	1	143.5	0.2	0.61
E504622		0.94	4.0	0.44	<2	2.8	8.1	105	38	1.61	10.0	2.65	1	126.0	0.2	0.64
E504623		0.93	3.5	0.43	<2	2.7	7.9	110	42	1.56	8.5	2.67	1	141.0	0.2	0.63
E504624		0.99	3.6	0.45	<2	2.7	8.3	121	32	1.54	7.7	2.80	1	143.5	0.2	0.63
E504625		0.94	3.6	0.44	<2	2.7	8.1	105	40	1.58	8.2	2.75	1	145.0	0.2	0.64
E504625A		0.62	14.7	0.31	1585	6.9	14.3	20	66	3.67	61.8	3.03	3	98.7	0.6	0.48
E504626		0.92	3.7	0.41	3	2.7	7.7	117	107	1.53	6.0	2.58	1	114.0	0.2	0.61
E504627		0.87	4.2	0.38	<2	2.8	7.8	108	16	1.55	7.8	2.54	1	93.2	0.2	0.59
E504628		0.91	3.3	0.42	<2	2.6	7.3	118	22	1.42	2.7	2.44	1	83.5	0.2	0.59
E504629		0.91	3.5	0.40	<2	2.7	7.8	120	6	1.51	4.8	2.67	1	138.5	0.2	0.59
E504630		0.94	3.3	0.42	<2	2.5	7.7	112	17	1.44	9.5	2.58	1	171.0	0.2	0.59
E504631		0.81	2.9	0.37	<2	2.2	6.7	108	5	1.29	11.7	2.31	<1	154.5	0.1	0.53
E504633		0.97	3.1	0.45	<2	2.6	7.6	106	12	1.45	32.1	2.71	1	150.0	0.2	0.64
E504634		1.41	6.0	0.65	<2	4.9	13.1	36	6	2.61	8.2	4.23	1	88.9	0.3	0.95
E504635		0.96	10.3	0.43	2	4.1	14.3	56	14	3.21	32.6	3.76	1	198.5	0.3	0.70
E504639		0.67	1.6	0.32	<2	1.2	4.4	108	7	0.78	10.8	1.62	<1	139.5	0.1	0.41
E504640		0.69	1.6	0.32	<2	1.2	4.5	110	8	0.80	9.6	1.59	<1	144.5	0.1	0.42
E504641		0.76	1.7	0.32	<2	1.2	4.8	129	184	0.88	15.8	1.84	<1	151.0	0.1	0.47
E504642		0.74	1.8	0.33	<2	1.1	4.7	121	5	0.86	14.3	1.77	<1	179.0	0.1	0.46
E504643		0.63	1.3	0.28	<2	1.0	3.9	109	5	0.70	16.5	1.44	<1	150.5	<0.1	0.38
E504646		0.57	1.3	0.25	<2	0.9	3.6	102	<5	0.65	6.6	1.28	<1	140.0	<0.1	0.35



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10015987

Sample Description	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E504601	0.87	<0.5	0.17	0.21	144	1	10.9	1.11	327	56
E504602	0.68	<0.5	0.29	0.16	260	1	18.3	1.94	194	73
E504603	0.52	<0.5	0.33	0.19	319	2	19.5	2.19	597	69
E504605	0.32	<0.5	0.34	0.13	309	1	20.4	2.26	115	63
E504605A	5.06	<0.5	0.29	2.93	108	19	17.6	1.99	121	168
E504606	0.38	<0.5	0.30	0.19	285	2	17.1	2.05	128	66
E504607	0.33	<0.5	0.34	0.14	292	1	20.3	2.27	80	64
E504608	0.40	<0.5	0.39	0.17	326	1	23.7	2.56	115	71
E504609	0.48	<0.5	0.36	0.19	291	1	22.4	2.47	130	65
E504610	0.45	<0.5	0.37	0.18	318	1	22.3	2.54	147	74
E504611	0.55	<0.5	0.35	0.19	304	1	22.2	2.46	166	68
E504613	0.51	<0.5	0.39	0.12	338	1	24.5	2.61	115	85
E504614	0.51	<0.5	0.41	0.29	325	2	23.7	2.68	1155	84
E504615	0.47	<0.5	0.37	0.13	311	1	22.9	2.44	313	78
E504616	0.43	<0.5	0.39	0.20	308	1	23.2	2.50	742	73
E504617	0.39	<0.5	0.41	0.25	336	1	24.3	2.68	247	76
E504618	0.62	<0.5	0.43	0.41	317	2	26.4	2.79	173	84
E504619	0.56	<0.5	0.45	0.21	329	1	26.6	2.87	178	77
E504620	0.54	<0.5	0.41	0.21	329	1	25.9	2.84	363	75
E504621	0.39	<0.5	0.42	0.19	328	1	24.5	2.69	327	72
E504622	0.49	<0.5	0.43	0.15	338	1	25.4	2.84	188	79
E504623	0.37	<0.5	0.43	0.12	336	1	25.0	2.80	237	73
E504624	0.37	<0.5	0.42	0.12	336	1	26.1	2.87	228	74
E504625	0.31	<0.5	0.41	0.11	343	1	25.3	2.81	225	72
E504625A	5.01	<0.5	0.29	3.41	107	20	17.2	1.96	116	165
E504626	0.39	<0.5	0.39	0.15	335	1	24.6	2.67	280	75
E504627	0.35	<0.5	0.38	0.20	321	3	22.5	2.55	166	75
E504628	0.37	<0.5	0.39	0.12	323	1	23.4	2.63	191	72
E504629	0.33	<0.5	0.40	0.09	335	1	24.6	2.69	137	73
E504630	0.26	<0.5	0.41	0.08	322	1	24.2	2.68	180	68
E504631	0.23	<0.5	0.37	0.05	293	<1	21.7	2.37	118	60
E504633	0.27	<0.5	0.43	0.07	335	1	25.7	2.83	336	72
E504634	0.55	<0.5	0.63	0.12	345	1	38.2	4.21	148	129
E504635	1.44	<0.5	0.42	0.38	249	4	25.3	2.73	155	107
E504639	0.12	<0.5	0.31	<0.05	260	1	17.8	2.03	120	43
E504640	0.12	<0.5	0.30	<0.05	266	1	18.4	2.06	131	42
E504641	0.10	<0.5	0.33	<0.05	314	3	19.5	2.35	134	40
E504642	0.10	<0.5	0.34	<0.05	300	12	19.3	2.18	128	39
E504643	0.08	<0.5	0.28	<0.05	262	19	16.6	1.92	146	32
E504646	0.07	<0.5	0.26	<0.05	234	2	14.6	1.69	83	30



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 26-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10015987

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E504647		2.73	<0.005	<1	36.7	4.3	48.8	220	0.43	105	2.72	1.84	0.60	16.9	1.79	1.1
E504649		4.56	<0.005	<1	58.7	4.4	51.3	230	0.42	125	2.91	2.00	0.62	16.5	1.93	1.2
E504650		2.69	<0.005	<1	103.0	3.6	56.0	200	0.60	110	2.20	1.51	0.51	16.0	1.47	0.8
E504651		2.79	<0.005	<1	74.1	4.5	54.2	240	0.74	105	2.93	2.02	0.64	17.3	1.98	1.1
E504654		2.39	0.006	<1	78.1	4.7	58.9	250	0.44	114	3.09	2.17	0.67	17.8	2.11	1.2
E504658		2.63	<0.005	<1	48.0	4.7	65.2	250	0.38	185	3.04	2.16	0.67	16.1	2.02	1.2
E504661		3.49	<0.005	<1	88.7	4.4	58.9	230	0.74	97	2.92	1.98	0.67	18.4	1.87	1.2
E504663		2.65	<0.005	<1	137.5	16.4	48.7	370	1.54	39	2.25	1.43	0.92	14.5	2.07	1.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10015987

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E504647		0.64	1.5	0.29	<2	1.0	4.1	95	<5	0.75	8.7	1.54	<1	132.5	<0.1	0.39
E504649		0.67	1.5	0.31	<2	1.1	4.3	98	<5	0.75	8.4	1.61	<1	117.5	0.1	0.42
E504650		0.52	1.3	0.23	<2	0.8	3.4	195	<5	0.60	16.0	1.26	<1	88.3	<0.1	0.34
E504651		0.69	1.6	0.30	<2	1.1	4.4	117	<5	0.77	11.7	1.58	<1	112.5	0.1	0.43
E504654		0.74	1.6	0.34	<2	1.2	4.5	117	<5	0.81	7.9	1.68	<1	107.0	0.1	0.45
E504658		0.73	1.7	0.34	<2	1.2	4.5	121	<5	0.83	5.8	1.62	<1	75.0	0.1	0.45
E504661		0.69	1.5	0.32	<2	1.1	4.3	113	<5	0.76	14.8	1.55	<1	90.6	0.1	0.43
E504663		0.51	6.9	0.21	<2	2.6	9.9	173	5	2.29	34.9	2.24	<1	34.6	0.1	0.39



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10015987

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E504647		0.08	<0.5	0.28	<0.05	262	2	16.5	1.91	95	33
E504649		0.09	<0.5	0.29	<0.05	276	1	17.2	2.05	157	35
E504650		0.07	<0.5	0.24	<0.05	211	1	13.5	1.53	113	27
E504651		0.09	<0.5	0.30	<0.05	283	1	17.5	2.04	92	36
E504654		0.11	<0.5	0.34	<0.05	302	1	19.0	2.24	118	38
E504658		0.11	<0.5	0.33	<0.05	302	1	19.0	2.22	115	39
E504661		0.09	<0.5	0.32	<0.05	283	1	17.7	2.09	128	36
E504663		1.14	<0.5	0.22	0.23	204	4	12.8	1.46	289	55



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 26-FEB-2010
This copy reported on 31-MAR-2010
Account: AUGER

CERTIFICATE SD10013669

Project: HOOK

P.O. No.:

This report is for 7 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - A
 Total # Pages: 2 (A - D)
 Finalized Date: 26-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013669

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503688		3.07	<0.005	<1	179.0	7.1	61.0	240	0.21	193	3.40	2.26	0.97	16.5	2.67	1.8
E503706		2.56	<0.005	<1	55.2	8.1	51.4	210	0.08	116	3.71	2.41	0.95	16.1	2.90	1.7
E503714		1.71	<0.005	<1	314	31.4	7.8	30	1.84	17	0.96	0.51	0.67	18.8	2.11	2.8
E503715		2.62	0.008	<1	773	29.4	42.3	160	0.76	140	2.27	1.38	0.98	13.8	3.20	2.8
E503716		3.01	<0.005	<1	61.9	3.4	52.5	220	0.39	283	2.75	1.93	0.60	15.1	2.06	1.2
E503718		2.89	<0.005	<1	86.9	4.0	57.1	220	0.46	129	2.74	1.86	0.60	15.0	1.92	1.1
E503722		2.61	<0.005	<1	16.8	4.1	55.2	230	0.18	293	2.96	2.05	0.64	14.8	2.12	1.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - B
 Total # Pages: 2 (A - D)
 Finalized Date: 26-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013669
-------------------------	------------

	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
Method Analyte Units LOR	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm
Sample Description	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503688	0.70	2.5	0.31	<2	2.3	6.5	97	6	1.18	14.1	2.13	1	130.0	0.2	0.48
E503706	0.77	3.2	0.35	<2	2.1	6.9	96	<5	1.32	2.8	2.38	1	117.0	0.1	0.50
E503714	0.16	15.7	0.06	8	2.5	15.2	23	<5	3.94	64.4	2.35	<1	188.5	0.2	0.21
E503715	0.42	14.1	0.18	4	4.1	15.8	89	36	3.76	48.1	3.14	1	211	0.3	0.40
E503716	0.57	1.0	0.25	<2	1.0	3.9	105	<5	0.62	13.4	1.47	<1	155.0	0.1	0.37
E503718	0.57	1.4	0.26	<2	1.0	4.0	114	<5	0.71	15.7	1.49	<1	105.0	0.1	0.37
E503722	0.64	1.4	0.30	<2	1.1	4.2	125	<5	0.70	2.1	1.54	<1	95.5	0.1	0.41



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 2 (A - D)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013669
-------------------------	------------

Method Analyte Units LOR	ME-MS81 Th ppm 0.05	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.01	ME-MS81 U ppm 0.05	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.03	ME-MS81 Zn ppm 5	ME-MS81 Zr ppm 2	ME-ICP06 SiO2 % 0.01	ME-ICP06 Al2O3 % 0.01	ME-ICP06 Fe2O3 % 0.01	ME-ICP06 CaO % 0.01	ME-ICP06 MgO % 0.01
Sample Description															
E503688	0.28	<0.5	0.30	0.10	304	2	19.1	2.11	367	60	51.5	15.05	12.90	7.60	3.82
E503706	0.33	<0.5	0.32	0.05	287	<1	22.2	2.34	115	56	43.1	13.20	12.85	18.05	4.08
E503714	3.18	<0.5	0.04	0.91	47	1	4.7	0.42	146	101	67.5	15.40	2.79	3.27	1.20
E503715	2.37	<0.5	0.16	0.60	121	252	12.2	1.23	125	110	57.7	11.35	10.00	6.04	4.95
E503716	0.10	<0.5	0.24	<0.05	255	<1	16.2	1.96	110	39	46.3	14.35	15.70	10.65	6.72
E503718	0.13	<0.5	0.24	<0.05	252	2	16.1	1.83	130	39	46.7	15.05	13.20	11.65	7.11
E503722	0.11	<0.5	0.27	<0.05	259	1	17.5	2.02	102	40	49.4	14.80	13.45	9.53	7.25



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - D
Total # Pages: 2 (A - D)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013669

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06
		Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
		%	%	%	%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
E503688		4.32	0.58	0.03	1.10	0.20	0.08	0.02	0.02	2.05	99.3
E503706		1.96	0.17	0.03	0.97	0.22	0.07	0.01	0.01	5.34	100.0
E503714		5.34	1.57	<0.01	0.35	0.04	0.07	0.02	0.04	2.40	100.0
E503715		2.69	2.04	0.02	0.55	0.12	0.21	0.03	0.09	3.09	98.9
E503716		1.18	0.40	0.03	0.68	0.28	0.05	0.02	0.01	2.23	98.6
E503718		1.17	0.43	0.03	0.70	0.24	0.03	0.01	0.01	3.40	99.7
E503722		1.70	0.09	0.03	0.76	0.22	0.06	0.01	<0.01	2.70	100.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 23-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10013668

Project: HOOK

P.O. No.:

This report is for 51 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013668
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503667		3.02	<0.005	<1	87.2	10.8	88.6	100	0.06	274	3.80	2.39	0.78	16.7	3.09	1.9
E503668		2.83	<0.005	<1	280	14.6	48.1	110	0.24	53	4.18	2.66	1.13	18.3	3.81	2.5
E503669		2.82	<0.005	<1	125.5	13.6	73.6	80	0.20	348	4.74	3.28	1.09	16.9	4.06	1.9
E503670		2.87	<0.005	<1	206	12.3	54.1	90	0.19	302	3.90	2.52	0.99	17.5	3.45	2.3
E503671		3.08	<0.005	<1	493	53.9	36.1	400	0.33	62	4.02	2.15	1.76	16.9	5.85	3.8
E503672		2.63	<0.005	<1	480	30.3	39.9	210	0.30	33	4.34	2.62	1.36	18.5	4.63	3.1
E503672A		0.08	4.56	51	772	26.4	12.0	30	2.02	6380	2.86	1.89	0.77	14.9	2.97	3.9
E503673		2.86	0.008	<1	208	12.9	65.9	180	0.24	177	3.39	2.10	1.01	15.3	3.04	2.2
E503674		2.88	<0.005	<1	138.0	8.5	47.7	240	0.26	106	3.58	2.46	0.93	17.2	2.94	1.8
E503675		3.49	<0.005	<1	71.1	7.2	37.6	200	0.12	113	3.24	2.12	0.87	19.5	2.59	1.5
E503676		2.80	0.010	<1	151.5	8.5	50.4	220	0.19	209	3.51	2.49	1.00	17.1	2.87	1.7
E503677		3.23	<0.005	<1	155.5	8.8	53.2	250	0.16	95	4.22	2.66	0.91	17.9	3.11	1.9
E503678		3.13	<0.005	<1	142.0	9.2	86.2	250	0.18	326	3.78	2.57	1.14	18.9	3.06	2.1
E503679		2.97	<0.005	<1	117.5	9.2	50.4	260	0.19	121	3.67	2.55	0.95	17.9	3.08	2.1
E503680		3.06	<0.005	<1	161.5	8.4	57.5	250	0.22	349	3.77	2.57	0.89	17.4	3.12	2.1
E503681		3.05	0.014	<1	169.0	8.5	46.5	240	0.25	93	4.05	2.55	0.94	17.3	3.09	1.8
E503682		3.17	<0.005	<1	153.0	9.5	50.4	250	0.19	90	4.32	2.78	1.08	18.8	3.37	2.0
E503683		3.32	<0.005	<1	243	7.8	73.2	200	0.24	317	3.21	2.09	0.76	15.9	2.62	1.7
E503684		2.77	<0.005	<1	249	9.1	54.7	250	0.24	45	4.17	2.68	1.04	18.2	3.33	2.0
E503685		2.93	<0.005	<1	182.5	8.4	59.0	240	0.24	81	3.69	2.38	0.98	17.9	2.76	1.9
E503686		2.92	0.006	<1	116.5	8.4	56.4	240	0.16	177	3.91	2.51	1.01	17.7	2.88	1.9
E503687		3.34	0.013	<1	139.5	7.8	131.5	230	0.20	360	3.45	2.20	0.99	18.3	2.71	1.8
E503689		2.78	<0.005	<1	183.0	11.2	36.3	250	0.24	64	3.82	2.46	0.86	14.2	3.12	2.0
E503690		2.86	0.005	<1	533	11.7	38.7	180	0.33	59	3.14	2.01	0.97	14.9	2.77	1.4
E503691		2.74	0.025	<1	316	11.9	70.0	210	0.24	204	3.93	2.53	1.14	17.4	3.07	1.9
E503692		2.58	<0.005	<1	303	10.0	67.4	210	0.30	230	3.81	2.61	0.79	16.5	3.13	1.9
E503693		2.99	<0.005	<1	179.5	11.5	56.8	210	0.21	148	3.99	2.83	0.89	17.2	3.39	2.0
E503693A		0.08	4.47	55	760	26.4	11.7	30	2.01	6640	2.89	1.86	0.76	15.0	3.01	3.8
E503694		2.80	0.008	2	238	11.4	64.5	210	0.25	316	3.93	2.50	0.95	16.9	3.35	2.2
E503695		3.34	<0.005	<1	260	11.5	50.7	250	0.26	98	4.16	2.62	1.06	17.8	3.30	2.1
E503696		2.89	0.006	<1	203	10.3	49.0	210	0.26	124	3.62	2.49	0.94	16.5	3.13	2.1
E503697		3.08	<0.005	<1	46.7	8.9	50.3	250	0.08	89	4.06	2.70	0.96	18.0	3.29	1.8
E503698		2.95	0.007	<1	77.2	9.9	50.6	220	0.07	55	4.01	2.64	1.14	18.6	3.24	1.7
E503699		3.57	0.012	<1	88.5	8.5	51.9	240	0.11	85	3.88	2.60	0.91	16.6	3.17	1.9
E503700		2.64	0.007	<1	98.3	7.8	57.1	240	0.08	49	3.86	2.53	0.93	16.8	2.97	1.8
E503701		2.74	<0.005	<1	88.1	9.0	57.4	260	0.13	91	4.09	2.72	0.93	17.8	3.28	1.9
E503702		1.68	<0.005	<1	117.0	7.7	51.0	240	0.34	118	3.66	2.46	0.81	16.6	2.69	1.9
E503703		2.57	<0.005	<1	94.7	9.0	58.6	230	0.18	215	3.88	2.60	1.01	19.5	3.28	1.9
E503704		2.95	0.006	<1	145.0	8.9	53.7	270	0.18	160	4.18	2.68	0.81	16.0	3.33	1.9
E503705		3.32	0.008	<1	36.4	8.5	51.7	220	0.06	105	4.06	2.61	0.87	18.5	3.12	1.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013668

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503667		0.86	4.6	0.30	<2	2.9	8.1	73	10	1.66	6.8	2.39	1	68.4	0.6	0.57
E503668		0.88	5.9	0.38	<2	4.0	10.7	81	11	2.25	21.6	3.18	1	162.0	0.6	0.71
E503669		1.02	5.8	0.54	<2	3.1	10.3	77	7	1.99	10.2	3.06	1	126.0	0.6	0.71
E503670		0.81	5.0	0.39	<2	3.4	9.3	81	6	1.91	15.4	2.69	1	195.0	0.6	0.62
E503671		0.78	23.9	0.28	<2	5.2	31.5	200	93	7.35	18.5	6.48	1	304	0.4	0.84
E503672		0.86	13.0	0.37	<2	4.5	18.6	116	94	4.25	23.5	4.39	1	233	0.4	0.73
E503672A		0.60	13.8	0.31	1460	6.2	13.7	20	91	3.47	61.0	2.81	2	96.6	0.6	0.51
E503673		0.71	6.0	0.36	9	2.9	8.7	101	6	1.89	15.5	2.30	1	142.0	0.6	0.54
E503674		0.84	3.3	0.39	3	2.3	6.9	102	7	1.29	14.3	2.22	1	148.5	0.5	0.56
E503675		0.70	2.8	0.31	2	1.9	5.8	80	10	1.18	6.0	2.08	1	168.0	0.5	0.50
E503676		0.83	3.6	0.38	<2	2.1	7.4	98	18	1.44	10.4	2.29	1	158.0	0.5	0.58
E503677		0.90	3.5	0.42	<2	2.4	7.6	115	<5	1.40	11.7	2.42	1	157.0	0.5	0.64
E503678		0.84	3.8	0.40	<2	2.4	7.6	134	<5	1.51	10.2	2.38	1	174.0	0.5	0.61
E503679		0.81	3.7	0.39	<2	2.3	7.5	115	<5	1.46	13.4	2.42	1	139.0	0.5	0.60
E503680		0.84	3.3	0.40	<2	2.5	6.9	117	<5	1.32	16.0	2.31	1	138.5	0.5	0.60
E503681		0.86	3.2	0.38	<2	2.3	7.3	100	5	1.39	17.3	2.40	1	167.5	0.5	0.62
E503682		0.94	3.6	0.41	<2	2.4	8.0	113	<5	1.55	18.0	2.56	1	156.0	0.3	0.66
E503683		0.71	2.9	0.34	<2	2.0	6.7	110	8	1.34	13.7	2.10	1	126.0	0.5	0.50
E503684		0.94	3.4	0.40	<2	2.5	7.8	108	5	1.48	25.6	2.65	1	175.5	0.2	0.65
E503685		0.83	3.1	0.35	<2	2.2	7.1	100	5	1.37	23.3	2.39	1	158.0	0.5	0.57
E503686		0.86	3.4	0.38	<2	2.3	6.9	104	7	1.35	11.8	2.32	1	151.0	0.5	0.59
E503687		0.73	2.9	0.34	<2	2.2	6.5	180	7	1.26	11.7	1.99	1	142.5	0.5	0.54
E503689		0.80	4.3	0.36	<2	2.5	8.7	81	<5	1.74	24.5	2.70	1	86.4	0.2	0.61
E503690		0.67	4.9	0.29	<2	1.8	8.5	81	8	1.78	82.5	2.28	1	108.0	0.2	0.52
E503691		0.89	5.2	0.40	3	2.5	8.8	106	6	1.88	23.0	2.71	1	124.5	0.5	0.64
E503692		0.91	4.1	0.41	<2	2.6	7.8	116	7	1.53	15.8	2.34	1	129.0	0.5	0.59
E503693		0.94	5.1	0.41	<2	2.6	8.4	126	6	1.79	15.0	2.45	1	132.5	0.5	0.62
E503693A		0.64	13.5	0.30	1485	6.4	13.5	15	77	3.49	60.5	2.83	2	94.8	0.6	0.50
E503694		0.83	5.1	0.41	47	2.8	8.5	119	10	1.69	16.5	2.57	1	141.5	0.5	0.65
E503695		0.87	4.9	0.41	3	2.6	9.0	125	<5	1.77	19.6	2.58	1	151.0	0.5	0.66
E503696		0.86	4.5	0.37	2	2.5	7.6	108	<5	1.55	11.8	2.55	1	151.0	0.5	0.61
E503697		0.90	3.4	0.42	<2	2.4	7.7	105	6	1.46	4.4	2.61	1	153.5	0.2	0.64
E503698		0.88	4.1	0.39	<2	2.1	8.0	97	12	1.54	7.2	2.43	1	175.5	0.2	0.64
E503699		0.91	3.2	0.40	<2	2.4	7.4	106	<5	1.40	6.9	2.40	1	143.0	0.2	0.63
E503700		0.83	2.9	0.39	<2	2.2	6.8	127	11	1.29	8.5	2.27	1	154.5	0.2	0.60
E503701		0.93	3.4	0.42	<2	2.4	7.7	116	<5	1.44	7.6	2.60	1	125.0	0.3	0.65
E503702		0.84	3.3	0.36	<2	2.1	6.6	116	<5	1.27	15.2	2.33	1	102.5	0.5	0.53
E503703		0.86	3.6	0.35	<2	2.5	7.9	107	<5	1.46	4.5	2.57	1	74.6	0.5	0.57
E503704		0.91	3.3	0.41	<2	2.6	7.7	102	<5	1.47	7.2	2.54	<1	108.5	0.3	0.62
E503705		0.86	3.2	0.40	<2	2.3	7.1	103	<5	1.35	1.9	2.36	1	134.0	0.2	0.60



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013668

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte Units LOR	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
		0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E503667		0.44	<0.5	0.26	0.10	299	5	23.3	2.57	973	69
E503668		0.77	<0.5	0.46	0.14	332	5	23.2	2.53	129	86
E503669		0.49	<0.5	0.49	0.14	295	4	29.5	3.15	133	67
E503670		0.50	<0.5	0.39	0.14	319	5	21.8	2.49	588	75
E503671		3.64	<0.5	0.29	1.17	178	2	20.3	1.88	127	142
E503672		1.77	<0.5	0.36	0.57	289	3	22.8	2.35	209	108
E503672A		4.92	<0.5	0.30	3.85	101	19	16.2	1.92	104	148
E503673		1.03	<0.5	0.35	0.28	238	6	18.8	2.01	147	75
E503674		0.30	<0.5	0.38	0.10	295	4	20.3	2.40	123	63
E503675		0.25	<0.5	0.38	0.09	264	5	18.5	2.01	172	53
E503676		0.27	<0.5	0.45	0.12	285	5	20.8	2.33	148	59
E503677		0.32	<0.5	0.46	0.10	317	4	22.8	2.58	171	67
E503678		0.34	<0.5	0.41	0.13	312	4	21.7	2.47	130	72
E503679		0.23	<0.5	0.43	0.10	316	5	21.7	2.49	153	73
E503680		0.31	<0.5	0.43	0.10	316	4	21.1	2.50	120	70
E503681		0.27	<0.5	0.43	0.10	310	4	21.7	2.46	112	63
E503682		0.31	<0.5	0.42	0.11	322	2	24.5	2.70	128	69
E503683		0.30	<0.5	0.37	0.13	251	4	18.6	1.96	157	57
E503684		0.27	<0.5	0.43	0.08	305	1	23.2	2.62	122	70
E503685		0.29	<0.5	0.38	0.10	292	4	20.4	2.42	113	61
E503686		0.27	<0.5	0.46	0.06	305	5	22.2	2.38	128	65
E503687		0.30	<0.5	0.33	0.13	286	5	19.0	2.22	127	65
E503689		0.29	<0.5	0.37	0.12	308	3	20.8	2.35	152	68
E503690		0.24	<0.5	0.28	0.11	234	2	17.4	1.86	170	48
E503691		0.57	<0.5	0.37	0.22	265	6	22.3	2.52	129	71
E503692		0.62	<0.5	0.36	0.22	275	5	22.1	2.54	217	70
E503693		0.76	<0.5	0.38	0.31	281	4	23.8	2.80	159	70
E503693A		4.91	<0.5	0.30	3.52	99	20	16.4	1.87	104	144
E503694		0.86	<0.5	0.42	0.35	283	5	22.1	2.42	156	74
E503695		0.59	<0.5	0.45	0.22	311	5	23.0	2.70	161	76
E503696		0.64	<0.5	0.37	0.23	271	4	21.5	2.34	141	72
E503697		0.30	<0.5	0.41	0.08	305	2	23.2	2.56	98	64
E503698		0.24	<0.5	0.41	0.08	290	2	22.9	2.53	92	56
E503699		0.30	<0.5	0.40	0.08	298	2	22.8	2.58	106	62
E503700		0.25	<0.5	0.40	0.06	294	2	21.9	2.46	98	60
E503701		0.28	<0.5	0.43	0.08	317	1	23.1	2.69	145	65
E503702		0.26	<0.5	0.45	0.07	288	6	20.6	2.33	158	65
E503703		0.21	<0.5	0.44	0.05	324	5	21.8	2.39	156	66
E503704		0.28	<0.5	0.40	0.07	314	2	23.2	2.57	162	71
E503705		0.24	<0.5	0.37	0.06	300	2	22.7	2.47	112	62



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 23-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013668

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503707		2.97	<0.005	<1	46.5	10.9	48.2	130	0.11	157	4.99	3.28	1.11	18.9	3.89	2.4
E503708		2.97	<0.005	<1	31.7	9.2	56.7	130	0.09	215	4.18	2.83	0.99	16.9	3.31	2.1
E503709		2.62	<0.005	<1	225	10.9	57.0	250	0.47	165	3.57	2.27	0.78	16.7	2.83	1.7
E503710		3.26	0.005	<1	156.5	6.9	49.8	200	0.22	73	3.23	2.11	0.74	17.0	2.61	1.4
E503711		1.72	<0.005	<1	22.6	6.7	51.0	180	0.11	441	3.38	2.32	0.71	15.1	2.72	1.4
E503712		2.41	0.005	<1	49.6	12.6	45.1	100	0.24	141	3.80	2.46	0.93	15.1	2.92	2.0
E503713		1.88	<0.005	<1	142.0	16.2	43.1	40	0.32	77	6.37	4.16	1.28	18.1	5.11	3.0
E503717		3.07	<0.005	<1	50.5	4.6	63.2	230	0.30	306	3.03	1.91	0.60	15.6	2.06	1.2
E503719		3.16	<0.005	<1	37.2	4.8	56.2	220	0.17	158	3.13	2.11	0.59	15.5	2.26	1.2
E503720		3.14	<0.005	<1	27.7	4.0	55.5	210	0.13	443	2.80	1.73	0.58	14.9	1.93	1.2
E503721		2.94	<0.005	<1	13.1	4.2	57.4	190	0.14	84	2.77	1.86	0.50	14.3	2.04	1.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013668

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503707		1.05	3.9	0.49	<2	3.3	9.5	70	<5	1.79	1.5	3.18	1	80.7	0.5	0.72
E503708		0.90	3.6	0.43	<2	2.5	8.1	65	<5	1.56	2.1	2.51	<1	92.4	0.5	0.59
E503709		0.78	4.4	0.34	<2	2.3	8.0	102	<5	1.67	20.2	2.31	1	115.5	0.2	0.52
E503710		0.71	2.6	0.32	<2	1.9	6.0	91	<5	1.13	12.4	1.99	<1	88.4	0.2	0.47
E503711		0.80	2.4	0.35	<2	1.7	6.3	102	<5	1.10	2.2	1.90	1	51.4	0.5	0.49
E503712		0.79	5.1	0.37	<2	2.9	8.6	64	<5	1.79	7.9	2.58	1	99.2	0.5	0.53
E503713		1.35	6.4	0.62	<2	4.6	12.9	26	<5	2.60	11.7	4.04	1	74.6	0.6	0.86
E503717		0.63	1.9	0.29	<2	1.1	4.2	135	<5	0.76	10.2	1.62	1	119.5	0.4	0.40
E503719		0.66	2.2	0.32	<2	1.0	4.1	118	<5	0.76	3.7	1.36	<1	91.8	0.4	0.38
E503720		0.57	1.6	0.25	<2	1.0	3.7	106	<5	0.74	2.8	1.39	1	90.3	0.4	0.36
E503721		0.58	1.8	0.26	<2	0.9	3.7	105	<5	0.72	1.7	1.25	<1	84.5	0.4	0.38



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 23-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013668

Method Analyte Units LOR	ME-MS81 Th ppm	ME-MS81 Tl ppm	ME-MS81 Tm ppm	ME-MS81 U ppm	ME-MS81 V ppm	ME-MS81 W ppm	ME-MS81 Y ppm	ME-MS81 Yb ppm	ME-MS81 Zn ppm	ME-MS81 Zr ppm
Sample Description	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E503707	0.29	<0.5	0.54	0.07	317	4	27.8	3.11	139	85
E503708	0.23	<0.5	0.44	0.06	289	4	24.0	2.64	121	84
E503709	0.46	<0.5	0.33	0.13	265	2	19.2	2.11	537	61
E503710	0.19	<0.5	0.31	<0.05	256	2	18.7	2.02	192	51
E503711	0.19	<0.5	0.39	<0.05	240	5	20.9	2.36	153	50
E503712	0.67	<0.5	0.36	0.16	223	5	21.4	2.36	120	71
E503713	0.53	<0.5	0.62	0.11	287	4	36.2	4.05	146	115
E503717	0.12	<0.5	0.34	<0.05	255	5	16.6	1.88	105	41
E503719	0.06	<0.5	0.34	<0.05	253	5	16.7	1.89	89	45
E503720	0.06	<0.5	0.29	<0.05	241	5	15.1	1.73	98	45
E503721	0.08	<0.5	0.30	<0.05	224	4	16.5	1.73	135	38



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 23-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10013667

Project: HOOK

P.O. No.:

This report is for 4 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - A
 Total # Pages: 2 (A - D)
 Finalized Date: 23-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013667
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503771		3.08	0.033	<1	288	8.4	49.6	220	0.35	260	3.45	2.19	0.73	15.8	2.85	1.8
E503785		2.47	0.021	<1	126.5	10.3	55.2	250	0.18	103	4.30	2.76	0.97	18.0	3.49	2.0
E503791		2.60	0.017	<1	169.0	9.1	48.0	120	0.36	121	3.07	2.00	0.69	15.5	2.38	1.5
E503795		2.87	0.009	1	187.0	11.1	64.8	250	0.27	538	4.00	2.41	0.89	18.5	3.41	1.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 2 (A - D)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013667
-------------------------	------------

Method Analyte Units LOR	ME-MS81 Ho ppm 0.01	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.01	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 0.2	ME-MS81 Nd ppm 0.1	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.03	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.03	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.1	ME-MS81 Tb ppm 0.01
Sample Description															
E503771	0.75	3.2	0.33	<2	1.9	6.1	101	12	1.31	19.2	2.10	1	90.3	0.2	0.52
E503785	0.89	3.8	0.42	<2	2.3	7.8	110	6	1.60	14.6	2.54	1	134.5	0.2	0.65
E503791	0.66	3.6	0.30	<2	1.7	6.1	57	16	1.33	36.8	1.90	<1	100.5	0.1	0.45
E503795	0.83	4.4	0.36	<2	2.0	8.1	94	101	1.65	30.8	2.51	1	141.0	0.2	0.63



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - C
 Total # Pages: 2 (A - D)
 Finalized Date: 23-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013667
-------------------------	------------

Method Analyte Units LOR	ME-MS81 Th ppm 0.05	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.01	ME-MS81 U ppm 0.05	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.03	ME-MS81 Zn ppm 5	ME-MS81 Zr ppm 2	ME-ICP06 SiO2 % 0.01	ME-ICP06 Al2O3 % 0.01	ME-ICP06 Fe2O3 % 0.01	ME-ICP06 CaO % 0.01	ME-ICP06 MgO % 0.01
E503771	0.36	<0.5	0.35	0.11	299	3	20.6	2.14	197	60	52.2	12.95	11.85	7.44	3.69
E503785	0.48	<0.5	0.44	0.07	341	3	24.8	2.62	129	65	50.3	14.95	14.00	11.30	3.82
E503791	0.36	<0.5	0.33	0.06	299	1	17.7	1.98	140	50	50.9	13.30	13.55	9.69	6.42
E503795	0.33	<0.5	0.37	0.07	331	3	22.5	2.37	1200	61	47.5	14.80	12.05	13.10	4.12



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - D
Total # Pages: 2 (A - D)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013667

Sample Description	Method	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06
	Analyte	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
	Units	%	%	%	%	%	%	%	%	%	%
	LOR	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
E503771		3.25	0.76	0.03	0.93	0.19	0.06	0.01	0.03	5.55	98.9
E503785		2.11	0.52	0.03	1.04	0.27	0.07	0.02	0.01	1.27	99.7
E503791		1.95	0.89	0.02	0.74	0.23	0.05	0.01	0.02	1.66	99.4
E503795		1.74	1.02	0.03	1.03	0.24	0.08	0.02	0.02	3.09	98.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **AUGER RESOURCES**
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 20-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10013665

Project: HOOK
P.O. No.:
This report is for 32 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:
WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA24	Au 50g FA AA finish	AAS

To: **AUGER RESOURCES**
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 20-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013665
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503767		2.67	0.008	<1	213	8.5	80.6	230	0.18	213	3.86	2.57	0.92	16.3	3.11	1.8
E503768		2.95	0.005	<1	111.0	9.3	67.2	260	0.15	186	4.29	2.72	1.11	18.8	3.24	1.9
E503769		3.02	0.011	<1	198.0	9.0	58.0	240	0.15	138	4.18	2.69	1.07	21.0	3.22	1.9
E503770		2.71	0.102	<1	339	21.9	81.8	230	0.23	172	4.60	2.76	1.46	18.9	3.98	1.7
E503772		2.64	0.007	<1	317	8.9	50.4	240	0.25	68	3.96	2.56	1.00	17.0	3.06	1.8
E503772A		0.06	4.63	53	759	26.8	12.5	20	1.95	6710	2.93	1.87	0.81	15.2	2.93	3.8
E503773		2.54	0.005	1	220	8.4	56.0	230	0.24	31	3.91	2.46	0.93	16.8	3.12	1.8
E503774		2.99	0.005	<1	476	8.3	51.3	240	0.34	27	4.00	2.62	0.94	17.5	3.12	1.8
E503775		2.67	0.014	<1	281	10.7	80.4	220	0.26	144	4.15	2.67	0.94	17.7	3.14	2.0
E503776		3.12	0.013	<1	169.5	10.3	52.8	220	0.18	98	4.06	2.58	0.94	17.5	3.26	2.0
E503777		3.12	0.010	<1	98.6	8.3	53.9	240	0.09	121	4.13	2.67	0.95	18.2	3.12	1.8
E503778		2.80	0.007	<1	70.0	8.6	58.8	230	0.09	183	3.96	2.61	1.01	19.0	3.15	1.8
E503779		2.55	0.006	<1	158.0	9.1	60.4	250	0.23	184	4.18	2.72	0.98	17.7	3.32	1.9
E503780		2.46	<0.005	<1	141.5	9.5	60.1	250	0.20	117	4.23	2.69	1.05	17.7	3.28	1.9
E503781		2.81	0.008	<1	120.5	9.4	55.3	260	0.20	135	4.16	2.72	1.02	18.7	3.32	1.9
E503782		2.84	0.009	<1	224	9.9	75.7	230	0.16	100	4.22	2.74	1.03	18.6	3.48	1.9
E503783		3.13	<0.005	<1	138.0	9.0	56.4	250	0.17	117	4.33	2.68	1.03	18.0	3.29	2.0
E503784		2.88	<0.005	<1	103.5	9.4	62.0	260	0.21	97	4.35	2.88	1.00	18.8	3.26	2.0
E503786		3.60	0.006	<1	153.5	9.9	69.2	230	0.20	257	3.90	2.57	0.88	18.0	3.17	1.9
E503787		2.72	0.006	<1	90.7	9.2	66.1	230	0.23	176	4.18	2.68	0.94	18.3	3.29	1.8
E503788		2.90	<0.005	<1	203	8.4	44.5	220	0.26	79	3.90	2.49	0.86	15.8	2.79	1.7
E503789		2.38	0.019	<1	212	9.7	41.2	230	0.21	210	3.83	2.48	1.03	20.2	3.05	1.7
E503790		2.44	0.012	<1	170.5	9.3	46.8	180	0.24	64	3.68	2.48	0.81	15.8	3.04	1.8
E503792		3.01	0.005	<1	89.6	9.5	47.4	250	0.25	46	3.97	2.71	0.91	18.6	3.27	1.9
E503793		3.11	0.005	<1	135.0	9.0	52.7	240	0.27	55	4.11	2.68	0.94	19.1	3.32	1.9
E503794		2.60	0.005	<1	149.5	9.9	46.1	250	0.32	132	4.15	2.56	0.97	19.5	3.18	1.9
E503796		3.46	0.008	<1	147.0	10.1	50.9	240	0.20	111	4.18	2.69	1.05	20.0	3.39	1.9
E503797		2.38	0.008	<1	487	32.2	30.4	110	0.38	92	3.19	2.09	1.06	15.8	3.26	3.5
E503797A		0.05	4.31	57	827	28.6	12.9	30	2.04	6360	2.96	1.94	0.78	16.4	3.03	4.2
E503798		2.88	0.005	<1	224	27.1	27.2	120	0.38	74	3.21	2.06	0.98	15.9	3.15	2.8
E503799		2.85	<0.005	<1	147.0	9.9	47.2	230	0.25	147	3.91	2.48	0.93	18.0	3.14	1.9
E503800		3.06	0.005	<1	125.0	11.7	60.7	230	0.29	194	4.16	2.67	1.06	18.8	3.31	2.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 20-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013665
-------------------------	------------

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503767		0.84	3.1	0.36	<2	2.2	6.9	126	20	1.33	20.6	2.27	1	152.0	0.1	0.59
E503768		0.92	3.3	0.40	<2	2.5	7.6	123	<5	1.43	10.6	2.44	1	192.0	0.1	0.65
E503769		0.88	3.4	0.40	<2	2.4	7.2	116	5	1.42	18.4	2.45	1	215	0.1	0.63
E503770		0.93	9.8	0.37	<2	2.2	13.0	194	5	2.91	30.8	3.42	1	167.0	0.1	0.70
E503772		0.86	3.1	0.37	<2	2.2	7.4	100	20	1.43	25.6	2.40	1	111.5	0.1	0.61
E503772A		0.61	13.1	0.29	1500	6.0	13.2	14	79	3.39	59.3	2.80	3	87.3	0.5	0.49
E503773		0.85	2.9	0.36	4	2.2	6.9	107	11	1.31	19.4	2.34	1	139.0	0.1	0.59
E503774		0.84	3.1	0.37	<2	2.3	6.8	101	16	1.31	33.6	2.31	1	143.0	0.1	0.61
E503775		0.88	4.0	0.37	<2	2.5	8.1	94	14	1.60	26.0	2.47	1	115.0	0.2	0.62
E503776		0.88	3.8	0.39	<2	2.5	7.9	96	8	1.59	19.1	2.56	1	131.5	0.1	0.65
E503777		0.86	2.9	0.39	<2	2.2	7.1	100	5	1.34	9.3	2.37	1	179.0	0.1	0.61
E503778		0.87	3.1	0.38	<2	2.2	7.3	121	<5	1.32	7.0	2.35	1	202	0.1	0.60
E503779		0.90	3.3	0.40	<2	2.4	7.7	112	<5	1.44	16.0	2.53	1	141.5	0.2	0.64
E503780		0.89	3.4	0.39	<2	2.4	7.6	114	8	1.49	19.4	2.58	1	146.0	0.1	0.65
E503781		0.93	3.2	0.39	<2	2.4	7.7	111	<5	1.49	17.4	2.49	1	153.5	0.1	0.64
E503782		0.89	3.7	0.37	<2	2.3	8.0	130	5	1.55	15.6	2.60	1	138.5	0.1	0.67
E503783		0.92	3.2	0.40	<2	2.3	7.4	111	<5	1.47	16.1	2.53	1	138.5	0.2	0.62
E503784		0.93	3.3	0.40	<2	2.4	8.0	132	<5	1.53	13.1	2.67	1	130.0	0.1	0.68
E503786		0.86	3.6	0.39	<2	2.3	7.9	112	<5	1.50	16.4	2.44	1	115.5	0.2	0.59
E503787		0.89	3.3	0.38	<2	2.3	7.5	134	<5	1.46	12.0	2.39	1	116.5	0.1	0.63
E503788		0.80	3.1	0.34	<2	2.1	6.9	86	5	1.29	30.1	2.20	1	100.0	0.1	0.56
E503789		0.86	3.8	0.37	<2	2.1	7.7	88	5	1.48	30.8	2.42	1	145.0	0.1	0.60
E503790		0.81	3.5	0.36	<2	2.1	7.2	72	<5	1.46	25.4	2.27	1	113.0	0.1	0.57
E503792		0.86	3.4	0.39	<2	2.4	7.5	97	<5	1.47	18.4	2.51	1	102.5	0.1	0.62
E503793		0.90	3.2	0.40	<2	2.3	7.6	105	<5	1.50	26.8	2.61	1	112.0	0.1	0.65
E503794		0.85	3.6	0.36	<2	2.5	7.7	83	<5	1.56	32.2	2.65	1	127.5	0.2	0.61
E503796		0.89	3.8	0.39	<2	2.4	8.0	99	<5	1.55	24.4	2.49	1	144.5	0.2	0.63
E503797		0.68	14.7	0.32	<2	5.3	15.0	36	6	3.91	44.8	2.87	1	93.9	0.3	0.53
E503797A		0.62	14.2	0.30	1575	6.6	14.3	15	72	3.68	62.7	3.03	3	92.7	0.5	0.49
E503798		0.67	12.0	0.30	6	4.2	13.5	53	7	3.27	23.1	2.81	1	67.4	0.2	0.54
E503799		0.86	3.7	0.36	2	2.4	7.7	90	<5	1.60	23.2	2.54	1	145.5	0.1	0.61
E503800		0.89	4.5	0.39	<2	2.7	8.9	103	<5	1.78	16.9	2.80	1	136.5	0.2	0.65



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 20-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013665

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E503767		0.30	<0.5	0.35	0.08	301	1	20.6	2.30	97	60
E503768		0.34	<0.5	0.38	0.10	326	1	22.8	2.68	108	64
E503769		0.34	<0.5	0.38	0.11	312	1	21.8	2.58	101	65
E503770		0.32	<0.5	0.41	0.12	293	2	23.0	2.55	94	59
E503772		0.29	<0.5	0.36	0.10	289	2	21.2	2.40	121	61
E503772A		4.70	<0.5	0.27	3.23	105	16	15.8	1.82	102	149
E503773		0.31	<0.5	0.35	0.08	289	1	20.5	2.35	124	58
E503774		0.29	<0.5	0.36	0.09	307	2	21.1	2.45	163	63
E503775		0.50	<0.5	0.37	0.16	293	2	21.9	2.43	131	66
E503776		0.48	<0.5	0.36	0.12	307	1	21.8	2.51	123	67
E503777		0.26	<0.5	0.39	0.07	305	1	21.2	2.48	112	59
E503778		0.25	<0.5	0.38	0.06	304	1	21.5	2.46	93	60
E503779		0.25	<0.5	0.40	0.07	325	1	22.7	2.49	123	64
E503780		0.29	<0.5	0.39	0.07	325	1	22.4	2.51	157	65
E503781		0.29	<0.5	0.41	0.08	330	<1	23.1	2.66	136	63
E503782		0.33	<0.5	0.39	0.09	315	1	22.2	2.63	186	64
E503783		0.28	<0.5	0.38	0.07	317	1	22.3	2.54	117	62
E503784		0.29	<0.5	0.42	0.07	335	1	23.4	2.66	136	65
E503786		0.42	<0.5	0.37	0.13	301	2	22.4	2.48	180	65
E503787		0.37	<0.5	0.40	0.10	296	1	22.3	2.50	133	64
E503788		0.28	<0.5	0.35	0.07	275	1	20.4	2.23	85	57
E503789		0.25	<0.5	0.34	0.07	300	1	21.8	2.32	74	58
E503790		0.35	<0.5	0.34	0.08	287	1	20.5	2.21	111	59
E503792		0.31	<0.5	0.40	0.09	321	1	22.9	2.50	137	64
E503793		0.28	<0.5	0.40	0.07	311	1	22.8	2.61	129	66
E503794		0.39	<0.5	0.35	0.12	315	2	21.7	2.34	141	66
E503796		0.35	<0.5	0.38	0.11	309	1	22.3	2.54	111	66
E503797		2.46	<0.5	0.31	0.50	95	1	17.1	2.03	129	135
E503797A		4.93	<0.5	0.28	4.99	109	24	16.5	1.91	107	160
E503798		1.91	<0.5	0.30	0.38	138	2	16.8	1.88	124	107
E503799		0.47	<0.5	0.36	0.15	299	1	20.9	2.36	234	66
E503800		0.52	<0.5	0.40	0.20	317	1	22.9	2.54	155	71



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 24-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10013664

Project: HOOK
P.O. No.:
This report is for 65 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:
WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 24-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013664

Sample Description	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
	0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503604	2.77	<0.005	<1	173.5	8.4	57.7	260	0.17	45	3.93	2.67	0.92	17.9	3.20	1.7
E503605	2.76	0.006	<1	89.8	9.4	78.9	240	0.22	771	4.21	2.75	1.14	19.2	3.41	1.9
E503606	2.96	<0.005	<1	113.5	8.6	53.2	260	0.27	90	3.92	2.68	0.90	17.2	3.23	1.8
E503607	2.85	<0.005	<1	136.0	9.0	89.8	260	0.19	137	4.10	2.66	1.00	18.4	3.23	1.9
E503608	2.54	<0.005	<1	120.5	11.5	49.8	270	0.26	81	4.36	2.86	0.99	20.1	3.59	1.9
E503609	2.26	<0.005	1	77.7	8.2	102.5	200	0.24	490	3.13	1.93	0.78	15.0	2.56	1.6
E503610	2.67	0.040	1	82.2	8.5	355	240	0.27	291	3.62	2.40	0.70	14.8	2.91	1.7
E503610A	0.05	3.87	66	774	28.0	13.0	30	2.10	7960	2.97	2.02	0.79	15.8	3.12	3.8
E503611	2.71	<0.005	1	67.0	7.9	103.5	200	0.39	449	2.93	2.06	0.75	15.4	2.54	1.5
E503612	2.66	<0.005	<1	59.2	7.4	73.2	180	0.42	421	3.02	1.92	0.78	13.2	2.33	1.6
E503613	2.60	<0.005	<1	106.5	7.4	48.2	240	0.36	115	3.53	2.32	0.65	15.8	2.81	1.7
E503614	2.99	<0.005	<1	100.0	7.4	57.8	230	0.47	133	3.42	2.19	0.69	14.7	2.58	1.7
E503615	3.17	<0.005	<1	177.0	7.7	68.0	230	0.34	257	3.07	2.03	0.69	14.8	2.66	1.7
E503616	2.92	<0.005	<1	29.1	7.9	44.8	340	0.17	111	2.24	1.48	0.71	9.7	1.90	1.1
E503617	2.55	<0.005	<1	164.0	13.5	42.1	110	0.28	38	4.15	2.73	1.12	18.7	3.63	2.3
E503618	2.99	<0.005	<1	151.0	13.0	45.5	120	0.28	42	4.07	2.64	1.07	18.8	3.47	2.1
E503619	2.64	<0.005	<1	178.5	11.9	59.0	250	0.36	180	3.94	2.46	1.23	18.0	3.23	2.1
E503620	2.52	<0.005	<1	146.5	13.0	86.0	190	0.44	425	3.12	2.01	0.78	14.5	2.83	1.9
E503621	2.98	<0.005	<1	158.5	9.6	99.1	240	0.29	466	3.70	2.27	1.00	15.8	3.02	1.7
E503622	3.04	<0.005	1	207	9.5	105.5	230	0.40	279	3.04	1.97	0.84	14.9	2.78	1.7
E503623	2.72	<0.005	<1	230	13.4	45.9	100	0.26	83	4.26	2.68	1.19	18.8	3.47	2.1
E503624	3.07	<0.005	<1	216	12.3	39.4	100	0.30	76	4.40	2.71	1.08	18.3	3.71	2.2
E503626	1.61	0.011	1	361	16.5	30.4	230	0.49	838	3.02	1.96	0.72	16.7	2.80	2.1
E503627	2.01	<0.005	<1	207	10.8	25.9	180	0.40	334	2.36	1.54	0.51	14.0	2.02	1.7
E503628	2.36	0.012	1	251	13.9	37.4	100	0.22	487	4.43	2.91	1.27	19.8	3.77	2.2
E503629	3.08	<0.005	<1	292	14.3	49.0	100	0.35	123	4.45	3.05	1.20	19.9	4.19	2.1
E503630	1.24	<0.005	<1	153.0	12.0	53.5	90	0.20	115	3.89	2.52	1.00	17.8	3.44	2.0
E503631	3.51	<0.005	<1	71.8	13.3	58.3	90	0.22	174	4.53	3.01	1.18	19.4	3.78	2.1
E503631A	0.05	3.84	60	764	28.0	12.6	30	2.09	7340	3.01	1.90	0.78	15.7	3.04	3.7
E503632	3.05	<0.005	1	223	13.7	53.1	100	0.33	96	4.93	3.18	1.22	20.2	4.08	2.3
E503633	1.69	<0.005	<1	130.0	15.0	47.2	100	0.25	177	4.63	2.96	1.59	20.9	3.73	2.4
E503634	1.99	<0.005	<1	239	12.9	59.6	110	0.41	163	4.19	2.56	1.09	19.5	3.51	2.3
E503635	1.72	<0.005	<1	88.0	12.1	48.8	100	0.18	93	3.92	2.44	1.05	18.1	3.31	2.1
E503636	3.05	<0.005	<1	90.8	12.8	52.3	100	0.20	132	4.38	2.66	1.07	19.2	3.76	2.5
E503637	2.91	<0.005	<1	113.5	11.9	46.4	100	0.19	76	3.79	2.49	1.01	17.7	3.27	2.4
E503638	2.82	<0.005	<1	113.5	12.1	49.2	100	0.14	120	3.91	2.60	0.99	17.6	3.49	2.2
E503639	2.89	<0.005	<1	100.0	12.8	48.3	110	0.22	82	4.09	2.62	1.11	19.0	3.31	2.3
E503640	3.01	<0.005	<1	115.5	12.7	47.8	100	0.17	106	4.22	2.59	1.10	17.9	3.44	2.2
E503641	2.85	<0.005	<1	196.0	12.3	46.8	100	0.19	91	4.11	2.67	1.10	18.1	3.47	2.2
E503642	3.10	<0.005	<1	205	12.5	48.1	100	0.12	81	4.03	2.55	1.08	18.7	3.31	2.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 24-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013664

Sample Description	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm
	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503604	0.81	3.3	0.38	<2	2.3	7.0	101	50	1.32	15.6	2.45	1	108.5	0.1	0.57
E503605	0.90	4.1	0.42	<2	2.2	7.8	137	12	1.47	8.8	2.74	1	148.0	0.1	0.58
E503606	0.87	3.5	0.38	<2	2.3	7.0	114	8	1.34	12.4	2.72	1	138.5	0.1	0.56
E503607	0.85	3.4	0.38	<2	2.3	7.5	112	13	1.37	16.0	2.46	1	133.5	0.1	0.60
E503608	0.92	5.0	0.37	<2	2.5	8.9	117	12	1.73	11.0	3.02	1	157.0	0.1	0.57
E503609	0.62	3.8	0.29	4	2.0	6.5	149	22	1.19	6.5	1.92	1	117.5	0.1	0.44
E503610	0.70	3.9	0.32	<2	2.0	6.9	138	78	1.33	7.2	2.29	1	109.0	0.1	0.48
E503610A	0.59	14.6	0.30	1585	6.6	13.9	18	64	3.50	59.5	3.07	3	92.8	0.5	0.47
E503611	0.64	3.2	0.29	15	2.1	6.6	169	5	1.20	6.1	1.99	1	93.8	0.1	0.44
E503612	0.58	3.4	0.25	4	1.8	5.6	140	<5	1.09	5.6	1.85	1	86.9	0.1	0.38
E503613	0.71	3.0	0.30	2	2.1	6.6	120	<5	1.22	9.8	2.32	1	107.0	0.1	0.45
E503614	0.69	3.2	0.30	2	2.2	6.3	134	10	1.21	9.6	2.12	1	95.1	0.1	0.48
E503615	0.67	3.0	0.29	<2	2.1	6.5	121	61	1.21	12.3	2.04	1	108.0	0.1	0.42
E503616	0.44	3.7	0.18	<2	1.7	5.1	89	5	1.07	1.6	1.49	1	81.2	0.1	0.33
E503617	0.84	5.8	0.38	<2	3.6	9.4	64	<5	1.96	18.6	2.94	1	125.0	0.2	0.56
E503618	0.83	5.5	0.36	<2	3.6	9.6	90	7	1.92	17.0	3.20	1	115.5	0.2	0.60
E503619	0.79	5.0	0.35	<2	3.3	8.8	94	10	1.72	21.9	2.58	1	130.5	0.2	0.57
E503620	0.62	5.9	0.27	<2	2.7	8.1	133	14	1.79	27.0	2.31	1	122.5	0.2	0.47
E503621	0.75	4.3	0.31	<2	2.2	7.4	154	8	1.42	17.8	2.42	1	168.5	0.1	0.51
E503622	0.65	4.3	0.28	<2	2.4	6.6	143	47	1.34	20.7	2.05	1	119.5	0.1	0.46
E503623	0.86	5.6	0.37	<2	3.7	10.0	70	21	1.94	20.9	3.21	1	146.5	0.2	0.62
E503624	0.86	5.1	0.37	<2	3.5	9.0	73	13	1.88	19.5	2.93	1	122.5	0.2	0.61
E503626	0.57	7.4	0.25	<2	3.2	9.8	107	11	2.15	28.2	2.49	1	58.3	0.2	0.44
E503627	0.46	4.8	0.22	<2	2.5	6.9	64	13	1.52	17.3	1.77	1	49.8	0.2	0.33
E503628	0.91	5.9	0.39	<2	3.8	10.2	59	18	2.04	20.0	3.30	1	101.0	0.2	0.69
E503629	0.93	5.9	0.41	<2	3.6	10.1	75	52	2.09	23.0	3.34	1	106.5	0.2	0.70
E503630	0.77	5.4	0.37	<2	3.3	9.0	71	<5	1.79	13.8	2.81	1	132.5	0.2	0.58
E503631	0.94	5.7	0.43	<2	3.2	10.1	66	12	1.97	7.7	2.90	1	134.0	0.2	0.64
E503631A	0.57	14.6	0.29	1555	6.6	13.9	17	78	3.53	59.1	3.02	3	92.4	0.5	0.47
E503632	1.02	5.4	0.46	4	3.9	10.8	70	<5	2.07	16.5	3.35	1	139.0	0.2	0.70
E503633	0.94	6.4	0.35	<2	3.5	10.5	74	50	2.19	11.0	2.85	1	153.0	0.6	0.68
E503634	0.94	6.7	0.35	<2	3.6	9.7	75	7	2.05	13.9	2.98	1	128.0	0.6	0.63
E503635	0.83	4.8	0.25	<2	3.6	8.8	69	<5	1.77	9.4	2.54	1	108.0	0.6	0.56
E503636	0.93	5.3	0.36	<2	3.8	9.4	78	<5	1.88	10.7	2.74	1	133.5	0.6	0.65
E503637	0.81	4.7	0.31	<2	3.6	8.8	64	<5	1.72	11.6	2.51	1	95.1	0.6	0.59
E503638	0.81	4.9	0.29	<2	3.5	9.3	75	5	1.67	11.4	2.55	1	114.5	0.6	0.58
E503639	0.90	5.3	0.35	<2	3.8	9.3	87	5	1.94	11.4	2.84	1	133.5	0.6	0.62
E503640	0.88	5.0	0.32	<2	3.7	9.2	74	5	1.87	12.7	2.83	1	139.5	0.6	0.61
E503641	0.88	5.1	0.35	<2	3.6	9.4	67	7	1.92	16.6	2.68	1	156.0	0.6	0.62
E503642	0.91	5.0	0.38	<2	3.7	9.2	62	12	1.84	14.5	2.88	1	117.5	0.6	0.64



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 24-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013664

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2	
E503604		0.27	<0.5	0.36	0.07	314	1	22.4	2.49	320	62
E503605		0.48	<0.5	0.45	0.17	334	1	25.1	2.73	156	71
E503606		0.29	<0.5	0.37	0.07	332	1	22.1	2.43	120	65
E503607		0.28	<0.5	0.38	0.07	329	<1	22.4	2.62	256	62
E503608		0.30	<0.5	0.43	0.09	357	2	23.9	2.51	219	69
E503609		0.30	<0.5	0.35	0.12	267	2	17.0	1.80	362	58
E503610		0.32	<0.5	0.39	0.11	292	1	19.3	2.08	1460	63
E503610A		5.11	<0.5	0.28	5.60	114	23	16.8	1.99	102	148
E503611		0.33	<0.5	0.28	0.15	266	1	18.1	1.97	109	54
E503612		0.24	<0.5	0.29	0.15	248	1	16.8	1.77	96	54
E503613		0.26	<0.5	0.32	0.08	309	1	19.5	2.13	116	58
E503614		0.27	<0.5	0.31	0.10	290	1	18.1	2.16	109	61
E503615		0.27	<0.5	0.28	0.12	299	2	17.6	1.93	106	62
E503616		0.28	<0.5	0.26	0.09	180	9	13.6	1.38	101	43
E503617		0.50	<0.5	0.37	0.11	357	1	23.3	2.54	118	77
E503618		0.51	<0.5	0.39	0.11	369	1	23.4	2.55	133	77
E503619		0.56	<0.5	0.39	0.13	307	1	21.3	2.52	136	75
E503620		1.03	<0.5	0.30	0.29	240	1	17.8	1.85	140	70
E503621		0.44	<0.5	0.36	0.13	279	2	20.9	2.26	103	63
E503622		0.46	<0.5	0.30	0.11	277	2	17.3	1.90	210	59
E503623		0.52	<0.5	0.37	0.12	355	1	24.0	2.75	176	76
E503624		0.53	<0.5	0.41	0.12	366	1	23.2	2.57	143	78
E503626		1.71	<0.5	0.21	0.26	250	3	16.3	1.73	379	77
E503627		1.24	<0.5	0.20	0.20	190	5	13.0	1.40	435	61
E503628		0.55	<0.5	0.39	0.16	357	17	24.8	2.70	258	76
E503629		0.52	<0.5	0.43	0.13	362	3	24.1	2.85	210	77
E503630		0.48	<0.5	0.39	0.12	341	5	21.3	2.38	115	71
E503631		0.50	<0.5	0.39	0.10	335	2	25.7	2.73	107	74
E503631A		4.99	<0.5	0.27	2.81	110	19	16.7	1.88	108	148
E503632		0.58	<0.5	0.45	0.14	384	10	26.7	3.02	130	83
E503633		0.49	<0.5	0.36	0.13	352	6	25.3	2.72	221	80
E503634		0.54	<0.5	0.34	0.16	348	8	23.9	2.74	149	83
E503635		0.45	<0.5	0.29	0.08	314	7	22.2	2.22	122	79
E503636		0.45	<0.5	0.30	0.13	349	5	24.1	2.80	123	83
E503637		0.48	<0.5	0.25	0.13	328	6	21.4	2.29	121	79
E503638		0.47	<0.5	0.27	0.11	325	6	21.8	2.33	122	79
E503639		0.45	<0.5	0.35	0.13	346	5	23.1	2.48	122	80
E503640		0.45	<0.5	0.32	0.09	334	5	22.7	2.53	120	79
E503641		0.48	<0.5	0.33	0.13	339	5	22.9	2.56	113	79
E503642		0.43	<0.5	0.30	0.14	328	10	23.1	2.64	302	80



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 24-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013664
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503643		3.02	<0.005	<1	73.7	12.0	47.8	100	0.15	117	4.00	2.65	1.03	17.9	3.29	2.4
E503644		3.37	<0.005	<1	86.3	11.6	48.5	100	0.11	114	4.04	2.67	1.04	18.8	3.25	2.3
E503645		1.85	<0.005	<1	346	12.1	47.1	100	0.29	84	4.02	2.66	1.14	17.8	3.29	2.6
E503646		2.01	<0.005	<1	65.7	11.7	49.9	110	0.14	100	4.08	2.65	1.01	18.9	3.32	2.5
E503647		2.46	0.005	<1	51.5	10.8	44.3	90	0.17	126	3.64	2.26	0.86	17.3	3.18	2.1
E503648		2.53	<0.005	<1	74.3	12.3	46.7	100	0.19	63	4.22	2.56	1.13	18.5	3.23	2.2
E503649		2.66	0.021	<1	54.9	10.7	45.6	80	0.03	332	3.29	2.04	1.09	18.7	2.80	1.8
E503650		1.64	0.008	<1	144.0	16.8	61.8	100	0.31	489	4.60	2.89	1.39	19.0	4.23	2.3
E503651		2.66	<0.005	<1	110.5	12.9	43.5	90	0.16	67	4.07	2.50	1.08	19.6	3.46	2.7
E503652		2.60	<0.005	<1	99.5	12.3	44.8	100	0.17	110	4.15	2.59	1.18	18.9	3.68	2.5
E503653		2.72	0.007	<1	80.5	9.3	42.1	80	0.13	126	3.01	1.97	0.79	16.7	2.61	1.8
E503654		2.86	<0.005	<1	142.0	11.3	43.1	100	0.15	27	3.72	2.42	1.04	17.6	2.93	2.4
E503655		3.09	<0.005	<1	207	12.3	41.4	100	0.17	36	3.95	2.61	1.09	18.4	3.20	2.2
E503656		2.46	0.005	<1	126.5	11.4	39.9	100	0.10	34	3.84	2.45	1.15	18.2	3.22	2.0
E503656A		0.05	4.36	50	739	26.8	12.6	30	1.96	7160	2.90	1.83	0.70	15.5	2.96	3.8
E503657		2.99	0.006	<1	154.5	11.8	44.9	100	0.21	61	3.66	2.35	1.06	17.8	3.35	2.4
E503658		2.87	<0.005	<1	128.0	10.7	49.0	150	0.16	71	3.79	2.21	0.92	18.3	2.99	2.0
E503659		2.47	<0.005	<1	144.0	12.3	43.0	90	0.26	66	3.73	2.39	1.10	20.4	3.31	2.1
E503660		2.82	<0.005	<1	137.5	42.8	38.1	230	0.23	52	3.59	2.18	1.36	19.9	4.48	3.0
E503661		2.41	<0.005	<1	176.5	12.0	46.8	110	0.32	85	4.16	2.73	0.99	19.4	3.29	2.1
E503662		1.70	<0.005	<1	71.4	12.3	47.1	100	0.37	82	4.09	2.64	1.06	19.1	3.17	2.2
E503663		3.06	<0.005	<1	176.5	12.0	49.7	90	0.46	263	3.99	2.39	0.96	18.7	3.22	2.0
E503664		2.69	<0.005	<1	182.0	11.7	48.0	100	0.24	93	3.68	2.37	0.96	17.7	3.28	2.0
E503665		3.12	<0.005	<1	201	11.9	43.9	100	0.23	66	3.95	2.56	0.99	17.7	3.36	2.2
E503666		2.55	0.011	<1	45.2	10.3	43.6	80	0.44	413	3.49	2.22	0.97	17.2	2.96	1.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 24-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013664

Method Analyte Units LOR	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm	ME-MS81 Mo ppm	ME-MS81 Nb ppm	ME-MS81 Nd ppm	ME-MS81 Ni ppm	ME-MS81 Pb ppm	ME-MS81 Pr ppm	ME-MS81 Rb ppm	ME-MS81 Sm ppm	ME-MS81 Sn ppm	ME-MS81 Sr ppm	ME-MS81 Ta ppm	ME-MS81 Tb ppm
Sample Description	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503643	0.89	4.8	0.31	<2	3.6	9.2	77	<5	1.87	10.1	2.59	1	130.0	0.6	0.58
E503644	0.89	4.7	0.34	<2	3.7	9.0	73	<5	1.83	9.6	2.71	1	146.5	0.6	0.61
E503645	0.89	5.3	0.33	<2	3.5	8.8	69	<5	1.89	15.3	2.76	1	153.0	0.6	0.61
E503646	0.90	5.1	0.34	<2	3.7	8.8	77	<5	1.78	7.5	2.76	1	124.0	0.6	0.61
E503647	0.72	4.5	0.24	<2	3.4	8.5	66	<5	1.66	5.9	2.25	1	98.1	0.6	0.54
E503648	0.85	5.1	0.28	<2	3.8	9.4	71	5	1.82	12.9	2.62	1	115.5	0.6	0.66
E503649	0.71	4.7	0.25	<2	2.7	7.5	77	5	1.60	10.0	2.26	1	75.7	0.5	0.51
E503650	0.99	7.1	0.37	<2	3.7	12.2	66	6	2.54	17.9	3.54	1	124.5	0.3	0.75
E503651	0.91	5.4	0.37	<2	3.8	10.0	77	5	1.93	10.8	2.93	1	158.5	0.6	0.67
E503652	0.92	5.0	0.35	<2	3.7	9.4	68	6	1.93	10.3	2.93	1	143.5	0.6	0.64
E503653	0.60	4.2	0.24	<2	2.7	7.1	62	<5	1.38	8.4	2.11	1	133.0	0.5	0.43
E503654	0.84	4.7	0.30	<2	3.3	8.6	66	5	1.68	12.4	2.62	1	119.0	0.6	0.60
E503655	0.88	5.1	0.29	<2	3.6	9.2	60	5	1.94	17.9	2.51	1	113.0	0.6	0.59
E503656	0.79	4.8	0.26	<2	3.1	9.0	65	9	1.69	13.6	2.68	1	123.5	0.5	0.59
E503656A	0.61	13.7	0.26	1505	6.4	13.4	16	58	3.51	59.8	2.75	2	93.3	0.6	0.45
E503657	0.82	5.1	0.30	9	3.3	8.5	77	5	1.85	16.1	2.53	1	119.5	0.6	0.60
E503658	0.81	4.5	0.29	3	2.9	7.9	88	<5	1.62	16.4	2.45	1	133.5	0.5	0.53
E503659	0.83	5.3	0.31	2	3.3	8.9	64	<5	1.83	16.3	2.57	1	155.0	0.5	0.59
E503660	0.72	18.6	0.25	<2	5.3	24.0	83	<5	5.69	16.5	4.38	1	171.0	0.6	0.65
E503661	0.93	5.3	0.32	<2	3.5	9.3	94	<5	1.92	22.0	2.82	1	130.0	0.6	0.59
E503662	0.82	5.2	0.34	<2	3.6	8.7	78	<5	1.86	10.4	2.64	1	112.0	0.6	0.61
E503663	0.86	5.1	0.34	<2	3.4	8.7	66	6	1.80	17.6	2.61	1	128.5	0.5	0.59
E503664	0.79	4.7	0.29	<2	3.5	8.6	66	7	1.81	17.9	2.73	1	114.5	0.6	0.60
E503665	0.82	4.9	0.32	<2	3.7	9.0	66	<5	1.81	14.8	2.71	1	116.5	0.6	0.57
E503666	0.74	4.2	0.30	<2	3.1	7.7	54	<5	1.57	5.4	2.36	1	53.0	0.3	0.53



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 24-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013664

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E503643		0.43	<0.5	0.34	0.11	333	5	22.2	2.47	129	82
E503644		0.41	<0.5	0.36	0.12	339	5	22.8	2.38	123	82
E503645		0.43	<0.5	0.31	0.21	328	5	22.2	2.53	133	78
E503646		0.47	<0.5	0.32	0.16	337	5	22.3	2.58	178	77
E503647		0.43	<0.5	0.23	0.11	299	5	19.5	2.11	186	76
E503648		0.48	<0.5	0.30	0.09	349	5	21.7	2.42	134	78
E503649		0.31	<0.5	0.32	0.13	257	7	17.7	2.11	61	56
E503650		0.49	<0.5	0.38	0.16	320	11	25.4	2.76	78	80
E503651		0.42	<0.5	0.32	0.15	294	6	22.4	2.51	113	85
E503652		0.49	<0.5	0.36	0.17	324	6	22.2	2.55	118	77
E503653		0.33	<0.5	0.24	0.06	283	6	16.9	1.85	126	67
E503654		0.44	<0.5	0.30	0.18	331	5	20.6	2.13	112	73
E503655		0.45	<0.5	0.33	0.11	343	6	23.1	2.37	113	79
E503656		0.40	<0.5	0.33	0.11	334	7	20.8	2.26	112	70
E503656A		4.72	<0.5	0.24	3.95	104	21	16.7	1.91	108	149
E503657		0.47	<0.5	0.32	0.17	349	7	20.1	2.22	115	76
E503658		0.38	<0.5	0.29	0.10	299	5	21.0	2.34	112	68
E503659		0.44	<0.5	0.29	0.15	308	5	21.6	2.26	126	71
E503660		2.24	<0.5	0.23	0.47	235	5	19.7	1.92	103	116
E503661		0.44	<0.5	0.32	0.12	330	6	24.1	2.50	123	78
E503662		0.43	<0.5	0.36	0.14	347	5	22.7	2.62	106	80
E503663		0.43	<0.5	0.31	0.17	315	7	21.1	2.39	440	72
E503664		0.43	<0.5	0.26	0.10	330	5	21.7	2.21	145	72
E503665		0.44	<0.5	0.32	0.12	339	5	23.0	2.49	140	78
E503666		0.40	<0.5	0.29	0.11	301	7	19.4	2.19	115	64



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 23-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10013661

Project: HOOK

P.O. No.:

This report is for 10 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - A
 Total # Pages: 2 (A - D)
 Finalized Date: 23-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013661
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503542		2.09	0.086	3	156.5	7.0	65.7	180	0.24	1980	3.09	2.00	0.78	19.3	2.31	1.3
E504852		2.69	0.005	1	234	6.5	54.1	250	0.30	288	3.95	2.55	1.04	17.9	3.17	1.7
E504858		1.09	<0.005	<1	279	46.3	48.1	560	1.04	25	3.28	1.90	1.37	15.0	4.43	2.6
E504859		0.89	<0.005	<1	166.5	4.6	43.4	230	0.57	89	2.91	1.84	0.65	16.1	2.18	1.3
E504860		1.57	<0.005	<1	51.5	3.8	41.0	270	0.62	104	2.52	1.61	0.56	16.9	1.93	1.1
E504861		2.80	<0.005	<1	74.8	3.1	40.4	170	0.51	86	2.04	1.33	0.46	15.9	1.48	0.8
E504865		2.57	<0.005	<1	84.5	3.4	31.3	140	0.74	80	1.70	1.07	0.44	15.6	1.35	0.6
E504866		2.01	<0.005	<1	29.1	0.6	6.1	70	0.90	27	0.23	0.15	0.26	18.4	0.19	<0.2
E504867		2.28	<0.005	<1	82.1	4.4	57.1	240	0.75	86	2.86	1.88	0.61	14.8	2.18	1.2
E504868		3.00	<0.005	<1	77.2	4.1	46.0	220	0.66	92	2.67	1.69	0.55	15.6	1.96	1.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - B
 Total # Pages: 2 (A - D)
 Finalized Date: 23-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013661

Method Analyte Units LOR	ME-MS81 Ho ppm 0.01	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.01	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 0.2	ME-MS81 Nd ppm 0.1	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.03	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.03	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.1	ME-MS81 Tb ppm 0.01
E503542	0.66	2.5	0.34	<2	1.3	5.4	80	1735	1.10	19.7	1.75	3	88.4	0.1	0.43
E504852	0.82	1.8	0.37	3	1.8	6.7	101	895	1.27	9.9	2.52	1	95.5	0.1	0.60
E504858	0.62	18.9	0.26	<2	4.2	23.4	222	17	6.13	62.1	4.50	<1	142.0	0.2	0.60
E504859	0.61	1.6	0.27	<2	0.9	4.1	93	28	0.78	29.4	1.55	<1	165.5	0.1	0.41
E504860	0.55	1.4	0.26	<2	0.7	3.3	94	7	0.64	13.2	1.26	<1	131.0	0.1	0.37
E504861	0.42	1.2	0.20	<2	0.5	2.7	120	12	0.51	18.6	1.04	<1	122.5	<0.1	0.29
E504865	0.37	1.8	0.16	<2	0.3	2.5	91	5	0.50	13.5	0.86	<1	141.5	<0.1	0.24
E504866	0.05	<0.5	0.02	<2	<0.2	0.4	12	14	0.08	3.9	0.12	<1	216	<0.1	0.03
E504867	0.61	1.4	0.28	<2	0.8	3.9	187	18	0.73	25.7	1.44	<1	88.1	0.1	0.41
E504868	0.56	1.4	0.25	<2	0.7	3.5	101	11	0.67	19.3	1.35	<1	114.5	0.1	0.37



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - C
 Total # Pages: 2 (A - D)
 Finalized Date: 23-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013661
-------------------------	------------

Method Analyte Units LOR	ME-MS81 Th ppm	ME-MS81 Tl ppm	ME-MS81 Tm ppm	ME-MS81 U ppm	ME-MS81 V ppm	ME-MS81 W ppm	ME-MS81 Y ppm	ME-MS81 Yb ppm	ME-MS81 Zn ppm	ME-MS81 Zr ppm	ME-ICP06 SiO2 %	ME-ICP06 Al2O3 %	ME-ICP06 Fe2O3 %	ME-ICP06 CaO %	ME-ICP06 MgO %
Sample Description	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01
E503542	0.21	<0.5	0.34	0.28	272	2	18.1	2.21	9370	42	50.8	12.85	14.40	10.05	4.26
E504852	0.28	<0.5	0.41	0.47	308	4	22.8	2.42	934	57	49.1	13.75	14.00	9.79	6.11
E504858	2.97	<0.5	0.28	0.57	221	2	17.5	1.72	135	99	49.2	14.20	10.35	9.00	9.58
E504859	0.12	<0.5	0.29	<0.05	280	2	16.4	1.78	108	41	48.7	15.55	11.50	10.50	6.97
E504860	0.08	<0.5	0.26	<0.05	240	1	14.6	1.64	85	33	48.5	17.60	10.45	12.30	5.85
E504861	0.05	<0.5	0.23	<0.05	194	1	11.7	1.29	86	27	47.8	19.50	9.18	11.15	5.89
E504865	<0.05	<0.5	0.17	<0.05	153	2	10.0	1.05	54	21	46.3	19.75	7.71	12.80	4.76
E504866	<0.05	<0.5	0.02	<0.05	19	1	1.5	0.14	23	2	44.9	27.5	2.51	20.4	0.52
E504867	0.09	<0.5	0.28	<0.05	273	1	16.3	1.89	97	38	48.2	14.15	13.10	9.75	9.17
E504868	0.10	<0.5	0.29	<0.05	257	1	15.4	1.64	83	35	46.9	16.45	11.45	10.55	6.64



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - D
Total # Pages: 2 (A - D)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013661

Sample Description	Method	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06
	Analyte	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
	Units LOR	%	%	%	%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
E503542		2.80	0.80	0.02	0.68	0.24	0.05	0.01	0.02	1.49	98.5
E504852		2.72	0.44	0.03	0.92	0.24	0.08	0.01	0.03	2.29	99.5
E504858		2.15	1.30	0.07	0.87	0.17	0.28	0.02	0.03	2.90	100.0
E504859		2.26	0.83	0.03	0.70	0.18	0.05	0.02	0.02	2.20	99.5
E504860		1.57	0.32	0.04	0.59	0.16	0.02	0.01	0.01	1.89	99.3
E504861		2.13	0.43	0.02	0.50	0.13	0.03	0.01	0.01	2.79	99.6
E504865		2.15	0.52	0.02	0.38	0.11	0.02	0.02	0.01	5.68	100.0
E504866		0.77	0.11	0.01	0.04	0.06	<0.01	0.03	<0.01	3.30	100.0
E504867		1.60	0.55	0.03	0.69	0.21	0.04	0.01	0.01	2.59	100.0
E504868		2.17	0.43	0.03	0.65	0.18	0.04	0.01	0.01	4.18	99.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 23-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10013660

Project: HOOK

P.O. No.:

This report is for 4 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A - D)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013660

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503552		2.79	0.007	1	259	10.3	73.5	300	0.84	551	4.16	2.57	1.03	19.1	3.37	2.1
E503558		2.86	0.005	<1	150.5	10.3	69.2	260	0.37	298	4.69	2.89	0.97	18.5	3.78	2.2
E503584		2.22	<0.005	<1	187.0	33.0	39.0	270	0.33	75	5.68	3.50	1.23	18.4	5.12	4.3
E503600		3.07	<0.005	<1	82.3	4.0	46.1	240	0.37	119	2.62	1.75	0.61	17.0	2.05	1.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - B
 Total # Pages: 2 (A - D)
 Finalized Date: 23-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013660
-------------------------	------------

Method Analyte Units LOR	ME-MS81 Ho ppm 0.01	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.01	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 0.2	ME-MS81 Nd ppm 0.1	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.03	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.03	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.1	ME-MS81 Tb ppm 0.01
E503552	0.87	3.8	0.37	<2	2.5	7.8	122	57	1.61	20.1	2.53	1	127.5	0.2	0.63
E503558	0.98	3.7	0.43	<2	2.4	8.1	120	29	1.64	10.3	2.82	1	114.5	0.2	0.70
E503584	1.18	14.6	0.56	<2	5.7	16.4	136	6	4.20	17.7	4.30	1	110.5	0.4	0.91
E503600	0.59	1.4	0.27	<2	0.8	3.6	100	20	0.67	13.6	1.40	<1	126.5	0.1	0.40



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - C
 Total # Pages: 2 (A - D)
 Finalized Date: 23-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013660
-------------------------	------------

Method Analyte Units LOR	ME-MS81 Th ppm 0.05	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.01	ME-MS81 U ppm 0.05	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.03	ME-MS81 Zn ppm 5	ME-MS81 Zr ppm 2	ME-ICP06 SiO2 % 0.01	ME-ICP06 Al2O3 % 0.01	ME-ICP06 Fe2O3 % 0.01	ME-ICP06 CaO % 0.01	ME-ICP06 MgO % 0.01
Sample Description															
E503552	0.30	<0.5	0.40	0.08	392	2	23.8	2.48	256	70	51.8	16.10	12.95	4.23	3.81
E503558	0.47	<0.5	0.45	0.15	377	2	26.7	2.80	145	70	52.8	14.95	13.25	5.56	3.95
E503584	2.29	<0.5	0.58	0.45	305	2	32.4	3.44	178	162	53.9	12.75	12.55	6.40	6.29
E503600	0.08	<0.5	0.28	<0.05	271	2	15.7	1.75	99	37	48.7	17.20	10.95	12.10	5.56



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - D
Total # Pages: 2 (A - D)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013660

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06
		Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
		%	%	%	%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
E503552		5.66	0.62	0.04	1.15	0.17	0.08	0.01	0.03	2.29	98.9
E503558		5.45	0.35	0.03	1.05	0.23	0.07	0.01	0.02	2.10	99.8
E503584		3.15	0.64	0.03	1.24	0.24	0.13	0.01	0.02	2.59	99.9
E503600		1.77	0.32	0.03	0.62	0.18	0.04	0.01	0.01	1.49	99.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 23-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10013569

Project: HOOK

P.O. No.:

This report is for 4 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 2 - A
 Total # Pages: 2 (A - D)
 Finalized Date: 23-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013569
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E504869		2.78	0.005	<1	211	12.3	44.5	90	0.45	64	4.07	2.61	1.04	18.1	3.48	2.1
E504871		1.73	<0.005	<1	506	40.3	6.2	10	0.70	8	1.81	0.95	0.82	19.7	2.76	4.7
E504876		3.17	0.006	<1	69.3	9.6	115.5	210	0.13	454	3.44	2.32	1.06	21.5	2.90	1.8
E503920		2.84	<0.005	<1	97.1	4.5	52.6	210	0.31	161	2.71	1.82	0.63	15.9	2.05	1.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 2 (A - D)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013569

Method Analyte Units LOR	ME-MS81 Ho ppm 0.01	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.01	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 0.2	ME-MS81 Nd ppm 0.1	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.03	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.03	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.1	ME-MS81 Tb ppm 0.01
Sample Description															
E504869	0.87	4.9	0.39	<2	3.5	9.6	59	34	1.94	26.8	2.85	1	120.0	0.3	0.64
E504871	0.34	20.9	0.13	<2	6.2	16.8	<5	10	4.58	42.6	2.99	1	211	0.7	0.38
E504876	0.79	4.4	0.34	<2	2.2	7.3	125	20	1.44	6.7	2.22	2	174.0	0.2	0.55
E503920	0.63	1.6	0.29	<2	1.1	4.3	105	35	0.78	13.8	1.59	<1	147.0	0.2	0.42



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 2 (A - D)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10013569
-------------------------	------------

Sample Description	Method	Analyte	Units	LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
					Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	
					0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	
E504869					0.54	<0.5	0.36	0.13	327	1	22.1	2.40	124	72	50.1	13.40	14.60	8.65	5.12	
E504871					3.92	<0.5	0.13	1.07	25	2	9.3	0.88	44	174	71.3	14.30	3.38	1.80	0.81	
E504876					0.32	<0.5	0.35	0.13	269	2	20.8	2.23	460	59	47.1	13.80	18.90	7.60	3.50	
E503920					0.14	<0.5	0.29	<0.05	238	2	15.9	1.84	120	37	46.5	14.35	13.60	12.10	7.76	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - D
Total # Pages: 2 (A - D)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10013569

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06
		Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
		%	%	%	%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
E504869		2.83	0.81	0.01	1.31	0.23	0.10	0.01	0.02	1.20	98.4
E504871		5.23	1.50	<0.01	0.28	0.05	0.08	0.02	0.06	1.20	100.0
E504876		4.01	0.29	0.03	0.97	0.20	0.06	0.02	0.01	3.59	100.0
E503920		1.46	0.38	0.03	0.68	0.24	0.05	0.02	0.01	2.29	99.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 23-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10011808

Project: HOOK

P.O. No.:

This report is for 61 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10011808
-------------------------	------------

Sample Description	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
	0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E504870	3.15	0.006	4	193.0	12.0	105.5	190	0.45	618	3.78	2.39	1.23	22.1	3.25	2.0
E504872	2.75	0.013	2	84.0	8.7	95.4	230	0.44	514	3.53	2.26	0.89	18.0	2.92	1.6
E504873	2.89	0.008	1	131.0	9.5	110.5	230	0.49	573	3.47	2.22	0.90	17.3	2.99	1.6
E504874	2.89	0.006	1	109.0	12.9	74.9	240	0.86	219	3.69	2.34	1.13	18.9	3.20	1.7
E504875	2.87	0.006	1	77.6	13.4	71.5	220	1.22	283	3.32	2.11	0.99	22.7	2.91	1.5
E504877	2.35	<0.005	1	135.5	11.1	67.2	240	0.21	193	3.58	2.31	1.04	19.6	3.08	1.7
E504878	3.18	<0.005	1	168.5	11.6	63.3	310	0.31	234	4.23	2.63	0.96	20.4	3.48	1.8
E504879	2.89	<0.005	1	179.5	10.7	61.2	240	0.29	176	4.48	2.91	1.00	21.5	3.66	1.8
E504880	2.51	<0.005	1	128.0	10.4	53.6	220	0.22	156	3.29	2.14	0.93	17.1	2.90	1.6
E504881	2.85	<0.005	1	122.5	8.7	46.2	240	0.32	144	3.63	2.34	0.78	16.7	3.05	1.6
E504881A	0.07	4.24	31	742	26.8	12.0	30	2.04	5570	2.82	1.77	0.71	15.1	2.93	3.6
E504882	2.84	0.005	1	104.0	9.9	55.6	280	0.37	162	4.14	2.64	1.00	18.7	3.51	1.9
E504883	3.20	<0.005	1	99.2	8.9	50.7	270	0.20	140	4.04	2.55	0.86	18.2	3.31	1.8
E504884	2.78	<0.005	1	95.3	10.4	71.9	250	0.17	338	4.24	2.79	0.98	19.1	3.47	1.9
E504885	2.75	<0.005	1	99.0	9.9	66.6	240	0.23	327	3.73	2.37	0.92	17.9	3.08	1.9
E504886	2.99	<0.005	1	153.0	9.7	54.4	250	0.19	151	3.60	2.34	0.85	17.7	3.08	1.8
E504887	2.57	<0.005	1	98.2	10.6	72.1	260	0.25	203	4.05	2.66	1.11	19.0	3.47	2.0
E504888	2.93	<0.005	1	120.0	9.8	53.9	250	0.35	107	4.16	2.69	1.03	18.5	3.48	1.8
E504889	3.00	<0.005	1	97.7	9.1	63.2	260	0.21	127	4.00	2.53	0.94	19.3	3.23	1.8
E504890	3.02	<0.005	1	114.0	9.0	50.3	240	0.27	87	3.67	2.35	0.82	18.2	3.04	1.7
E504891	2.71	<0.005	<1	102.0	10.3	62.8	250	0.20	207	4.16	2.71	0.96	19.4	3.48	1.9
E504892	2.51	0.007	1	227	8.0	87.2	250	0.13	291	3.65	2.42	0.93	20.9	2.98	1.6
E504893	2.60	<0.005	1	125.0	9.4	66.7	270	0.12	198	4.21	2.74	1.03	19.6	3.45	1.8
E504894	2.73	0.008	1	205	8.9	56.1	230	0.14	131	3.56	2.33	0.94	17.6	2.95	1.5
E504895	2.61	<0.005	<1	250	9.0	55.0	240	0.19	96	3.99	2.67	1.06	17.5	3.20	1.8
E504896	1.72	<0.005	<1	936	8.1	66.3	240	0.37	207	3.89	2.58	0.73	21.6	2.92	1.8
E504897	2.96	<0.005	<1	233	7.5	50.3	230	0.26	203	3.50	2.34	0.87	18.5	2.73	1.7
E504898	2.67	<0.005	<1	193.0	6.0	48.6	230	0.33	162	3.40	2.22	0.60	17.1	2.62	1.7
E504899	2.86	<0.005	2	148.5	6.7	46.7	220	0.19	158	3.37	2.18	0.72	15.4	2.36	1.4
E504900	2.79	<0.005	1	203	7.2	59.5	220	0.15	98	3.70	2.36	0.76	15.6	2.62	1.6
E503901	2.68	0.007	1	236	7.4	72.5	220	0.19	237	3.75	2.45	0.79	16.4	2.74	1.7
E503902	2.93	<0.005	1	190.5	7.7	52.5	250	0.24	70	3.72	2.39	0.81	17.6	2.66	1.6
E503903	3.14	<0.005	<1	105.5	16.1	38.9	90	0.29	77	5.53	3.60	1.14	18.3	4.22	3.1
E503904	2.51	<0.005	<1	69.2	16.7	48.7	60	0.98	25	6.73	4.43	1.41	18.3	5.16	3.4
E503905	2.54	<0.005	<1	55.3	15.7	45.5	70	0.89	37	6.64	4.31	1.31	18.3	4.98	3.3
E503906	2.57	<0.005	<1	33.5	13.9	47.8	60	0.49	79	5.93	3.81	1.21	17.6	4.27	2.9
E503907	3.40	<0.005	1	36.3	15.2	68.0	50	0.44	213	6.49	4.17	1.36	18.8	4.82	3.1
E503908	2.41	<0.005	<1	45.5	15.5	45.0	60	0.88	68	6.70	4.37	1.31	18.3	4.93	3.3
E503909	2.57	<0.005	<1	51.0	16.3	44.2	60	0.97	133	6.38	4.14	1.34	18.3	4.89	3.2
E503910	2.59	<0.005	<1	73.5	14.7	42.9	60	1.31	163	5.69	3.69	1.24	18.4	4.17	2.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10011808
-------------------------	------------

Sample Description	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E504870	0.84	4.9	0.37	<2	2.8	8.6	99	7860	1.76	23.1	2.47	1	186.0	0.2	0.61
E504872	0.77	3.4	0.36	<2	2.1	6.9	131	161	1.35	14.2	2.23	1	165.5	0.1	0.56
E504873	0.78	3.9	0.34	<2	2.2	7.3	125	81	1.45	20.5	2.33	1	147.5	0.1	0.56
E504874	0.83	6.2	0.36	<2	2.2	8.2	87	406	1.71	19.0	2.35	1	129.5	0.1	0.60
E504875	0.74	7.2	0.32	<2	2.1	7.5	78	28	1.68	19.8	2.24	2	122.0	0.1	0.53
E504877	0.81	5.1	0.36	<2	2.3	7.6	83	15	1.54	11.8	2.31	2	123.0	0.1	0.58
E504878	0.94	5.1	0.43	<2	2.4	8.2	97	21	1.73	18.3	2.70	1	136.0	0.1	0.66
E504879	1.04	4.0	0.47	<2	2.5	8.6	103	46	1.63	19.2	2.77	1	131.5	0.2	0.71
E504880	0.76	4.4	0.33	<2	2.2	7.3	85	27	1.50	15.2	2.21	1	102.0	0.1	0.53
E504881	0.81	3.1	0.35	<2	2.2	7.1	89	8	1.36	31.7	2.30	1	128.0	0.1	0.58
E504881A	0.60	13.8	0.30	1500	6.4	13.6	18	75	3.47	63.0	2.89	3	92.4	0.6	0.50
E504882	0.92	3.8	0.41	4	2.5	8.1	99	7	1.57	29.7	2.61	1	137.0	0.2	0.66
E504883	0.91	3.2	0.39	2	2.3	7.5	96	6	1.43	13.4	2.48	1	133.5	0.1	0.63
E504884	0.98	4.0	0.44	<2	2.5	8.3	105	5	1.65	13.5	2.79	1	108.5	0.2	0.68
E504885	0.83	3.8	0.38	<2	2.5	7.8	109	6	1.52	15.7	2.54	1	116.0	0.2	0.60
E504886	0.81	3.7	0.36	<2	2.4	7.7	95	8	1.47	18.5	2.49	1	107.5	0.2	0.58
E504887	0.92	4.1	0.42	<2	2.7	8.3	114	5	1.64	15.9	2.62	1	131.5	0.2	0.66
E504888	0.94	3.8	0.42	<2	2.4	8.0	111	<5	1.55	21.2	2.65	1	127.0	0.2	0.65
E504889	0.90	3.4	0.40	<2	2.4	7.6	117	<5	1.44	15.1	2.54	1	137.0	0.1	0.63
E504890	0.83	3.4	0.36	<2	2.3	7.3	92	<5	1.44	15.0	2.38	1	130.0	0.1	0.60
E504891	0.96	4.0	0.43	<2	2.5	8.1	106	<5	1.60	10.4	2.69	1	125.0	0.2	0.66
E504892	0.85	2.9	0.37	<2	2.1	6.8	107	130	1.29	16.3	2.27	1	181.0	0.1	0.57
E504893	0.94	3.5	0.41	<2	2.4	7.9	110	17	1.50	14.6	2.65	1	222	0.1	0.66
E504894	0.80	3.6	0.36	2	2.0	7.2	99	7	1.39	13.9	2.29	1	170.0	0.1	0.56
E504895	0.78	3.4	0.35	<2	2.3	7.9	103	16	1.57	13.8	2.51	1	172.5	0.2	0.53
E504896	0.78	3.2	0.37	<2	2.2	6.7	110	89	1.38	26.4	2.31	1	104.0	0.2	0.51
E504897	0.70	2.7	0.32	<2	2.1	6.8	106	28	1.33	20.9	2.27	1	99.6	0.2	0.47
E504898	0.67	2.3	0.29	<2	2.1	5.5	103	9	1.10	11.5	1.97	1	79.5	0.2	0.46
E504899	0.73	2.5	0.34	<2	1.9	5.9	93	132	1.12	7.4	1.96	1	116.5	0.1	0.49
E504900	0.81	2.6	0.36	<2	2.1	6.5	96	163	1.19	9.3	2.15	1	132.0	0.1	0.52
E503901	0.82	2.6	0.39	<2	2.1	7.0	98	166	1.27	14.7	2.39	1	114.5	0.1	0.55
E503902	0.80	2.7	0.37	<2	2.1	7.0	110	7	1.29	12.3	2.35	1	141.0	0.1	0.53
E503903	1.22	6.4	0.55	<2	4.5	12.2	45	<5	2.47	10.0	3.84	1	99.6	0.3	0.81
E503904	1.47	6.2	0.68	<2	4.8	13.9	41	<5	2.72	12.4	4.44	1	69.2	0.3	0.99
E503905	1.46	5.8	0.67	<2	4.7	13.4	38	<5	2.59	11.0	4.32	1	66.3	0.3	0.98
E503906	1.29	5.1	0.61	<2	4.0	11.7	36	<5	2.27	5.6	3.85	1	48.9	0.2	0.86
E503907	1.42	5.6	0.64	<2	4.4	13.1	40	<5	2.47	5.9	4.23	1	52.5	0.3	0.95
E503908	1.47	5.7	0.68	<2	4.6	13.4	35	<5	2.58	9.9	4.31	1	57.8	0.3	0.97
E503909	1.42	6.4	0.64	<2	4.5	13.5	36	<5	2.62	11.1	4.21	1	59.5	0.3	0.93
E503910	1.24	5.6	0.58	<2	4.2	12.0	44	<5	2.39	16.9	3.82	1	64.7	0.3	0.84



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011808

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E504870		0.56	<0.5	0.38	0.18	289	1	21.5	2.47	4810	72
E504872		0.36	<0.5	0.35	0.13	274	1	20.3	2.40	195	59
E504873		0.34	<0.5	0.35	0.13	281	1	20.3	2.27	167	61
E504874		0.30	<0.5	0.36	0.15	274	1	20.8	2.31	897	59
E504875		0.27	<0.5	0.31	0.15	255	<1	18.8	2.13	442	54
E504877		0.30	<0.5	0.35	0.16	290	1	21.4	2.42	182	63
E504878		0.46	<0.5	0.43	0.20	302	1	24.8	2.85	214	67
E504879		0.47	<0.5	0.45	0.18	314	1	25.8	3.12	239	70
E504880		0.41	<0.5	0.33	0.20	264	1	19.4	2.25	274	62
E504881		0.28	<0.5	0.34	0.11	284	<1	20.9	2.45	132	61
E504881A		4.73	<0.5	0.27	4.19	99	17	16.4	1.92	109	148
E504882		0.33	<0.5	0.41	0.11	322	<1	23.4	2.72	155	70
E504883		0.29	<0.5	0.40	0.09	303	1	23.2	2.70	193	64
E504884		0.43	<0.5	0.44	0.16	315	1	25.6	2.94	143	71
E504885		0.40	<0.5	0.37	0.17	286	1	22.1	2.48	136	67
E504886		0.42	<0.5	0.35	0.19	285	1	22.2	2.36	188	66
E504887		0.48	<0.5	0.41	0.19	306	<1	24.6	2.67	140	72
E504888		0.31	<0.5	0.42	0.11	300	<1	24.2	2.86	143	66
E504889		0.34	<0.5	0.38	0.13	310	<1	23.6	2.64	154	67
E504890		0.31	<0.5	0.36	0.11	289	<1	22.0	2.41	150	63
E504891		0.42	<0.5	0.41	0.17	307	1	23.9	2.80	186	69
E504892		0.25	<0.5	0.37	0.06	279	1	21.5	2.48	123	59
E504893		0.26	<0.5	0.41	0.07	310	1	24.5	2.81	132	67
E504894		0.21	<0.5	0.36	0.06	282	1	21.1	2.39	121	59
E504895		0.21	<0.5	0.35	0.05	306	2	22.4	2.51	137	62
E504896		0.19	<0.5	0.37	0.05	308	4	23.4	2.46	232	62
E504897		0.18	<0.5	0.33	0.05	287	2	20.6	2.32	167	59
E504898		0.19	<0.5	0.32	0.07	291	2	18.2	2.19	124	58
E504899		0.16	<0.5	0.31	<0.05	242	1	18.3	2.22	426	51
E504900		0.17	<0.5	0.34	<0.05	261	1	19.6	2.45	288	57
E503901		0.18	<0.5	0.34	0.09	261	1	20.5	2.55	368	58
E503902		0.19	<0.5	0.34	<0.05	294	1	20.7	2.41	191	57
E503903		0.95	<0.5	0.52	0.24	293	2	30.7	3.67	163	109
E503904		0.58	<0.5	0.64	0.14	341	<1	37.0	4.42	139	116
E503905		0.51	<0.5	0.63	0.12	352	<1	37.6	4.41	132	116
E503906		0.47	<0.5	0.57	0.11	301	<1	32.3	3.79	121	101
E503907		0.50	<0.5	0.60	0.11	307	<1	35.6	4.19	132	109
E503908		0.50	<0.5	0.64	0.11	330	<1	37.0	4.53	131	114
E503909		0.71	<0.5	0.61	0.16	313	<1	35.2	4.25	142	115
E503910		0.49	<0.5	0.53	0.13	338	1	32.3	3.72	155	104



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011808

Sample Description	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
	0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503911	3.01	<0.005	<1	57.9	16.3	45.2	60	1.13	64	6.46	4.18	1.39	19.4	4.78	3.2
E503912	2.90	<0.005	<1	173.5	13.9	43.5	70	0.59	54	5.91	3.88	1.15	19.3	4.36	3.0
E503912A	0.07	4.26	45	661	24.0	11.6	20	1.64	5350	2.52	1.64	0.62	14.3	2.48	3.3
E503913	3.08	0.005	1	148.5	13.4	40.5	60	0.53	82	5.77	3.84	1.18	17.5	4.34	2.9
E503914	3.42	0.011	1	187.5	14.3	44.9	70	0.41	151	5.96	3.98	1.14	18.7	4.45	3.0
E503915	2.50	<0.005	<1	268	13.1	41.0	60	0.43	56	5.96	3.89	1.04	18.8	4.43	3.0
E503916	3.36	<0.005	<1	491	14.6	35.1	70	0.53	24	6.40	4.27	1.36	20.6	4.70	3.2
E503917	2.76	0.005	1	504	13.1	46.0	60	0.54	122	5.32	3.59	1.17	18.2	4.01	2.7
E503918	1.95	0.014	1	444	22.0	32.9	60	0.47	219	4.50	2.89	1.39	17.3	3.68	3.0
E503919	2.21	<0.005	1	335	19.7	52.9	230	0.22	233	2.94	1.84	0.95	15.5	2.70	1.6
E503921	3.21	0.017	1	169.5	4.8	71.8	230	0.35	193	2.89	1.93	0.59	15.9	1.99	1.1
E503922	3.12	<0.005	1	141.0	4.3	47.9	240	0.42	118	2.83	1.88	0.55	15.7	1.90	1.1
E503923	2.89	<0.005	1	160.5	4.3	51.7	250	0.28	189	2.96	1.94	0.53	15.2	1.98	1.0
E503924	3.01	<0.005	1	95.0	4.1	52.3	240	0.27	93	2.81	1.92	0.50	14.1	1.87	1.2
E503925	2.65	<0.005	1	67.8	4.2	48.8	220	0.17	140	2.76	1.81	0.54	15.2	1.90	1.0
E503926	2.47	<0.005	1	84.2	4.4	49.9	230	0.23	107	2.91	2.00	0.66	15.8	1.96	1.1
E503927	2.49	<0.005	1	102.5	4.1	47.9	220	0.37	98	2.94	1.95	0.52	14.6	1.98	1.1
E503928	2.79	<0.005	1	91.8	4.2	49.0	220	0.24	118	2.93	1.95	0.59	15.4	1.99	1.1
E503929	3.57	<0.005	1	101.0	4.8	50.2	230	0.18	117	3.18	2.08	0.72	17.0	2.15	1.2
E503930	3.50	<0.005	1	74.4	3.9	51.4	230	0.17	188	2.69	1.84	0.54	15.0	1.83	1.0
E503931	2.95	<0.005	<1	60.8	4.2	48.1	220	0.28	91	3.06	2.00	0.70	15.7	2.09	1.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011808

Method Analyte Units LOR	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm	ME-MS81 Mo ppm	ME-MS81 Nb ppm	ME-MS81 Nd ppm	ME-MS81 Ni ppm	ME-MS81 Pb ppm	ME-MS81 Pr ppm	ME-MS81 Rb ppm	ME-MS81 Sm ppm	ME-MS81 Sn ppm	ME-MS81 Sr ppm	ME-MS81 Ta ppm	ME-MS81 Tb ppm
Sample Description	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503911	1.40	6.0	0.65	<2	4.7	13.7	44	<5	2.65	14.9	4.26	1	64.7	0.3	0.94
E503912	1.29	5.1	0.60	<2	4.3	12.0	48	<5	2.29	16.8	3.92	1	86.0	0.3	0.87
E503912A	0.52	12.2	0.27	1405	5.7	12.7	13	75	3.13	58.1	2.75	3	82.6	0.4	0.41
E503913	1.27	4.9	0.61	3	4.0	11.5	41	<5	2.20	17.0	3.68	1	89.8	0.2	0.83
E503914	1.31	5.3	0.61	<2	4.1	12.2	44	<5	2.39	18.5	3.88	1	79.2	0.3	0.90
E503915	1.31	4.9	0.63	<2	4.2	11.1	46	<5	2.14	25.5	3.60	1	58.0	0.3	0.87
E503916	1.41	5.5	0.65	<2	4.5	12.7	52	9	2.39	42.3	4.06	1	107.0	0.3	0.95
E503917	1.17	4.8	0.56	<2	3.9	11.2	45	80	2.15	51.8	3.59	1	100.0	0.2	0.79
E503918	0.96	9.7	0.43	3	4.7	13.7	45	24	3.08	42.6	3.55	1	143.0	0.3	0.68
E503919	0.62	8.6	0.29	<2	2.1	12.4	87	40	2.82	15.9	2.80	1	217	0.1	0.45
E503921	0.65	1.9	0.31	<2	1.1	4.5	106	14	0.78	18.1	1.59	1	114.5	0.1	0.41
E503922	0.64	1.4	0.30	<2	1.1	4.1	105	10	0.74	24.9	1.50	<1	154.5	0.1	0.39
E503923	0.65	1.4	0.31	<2	1.1	4.3	112	20	0.74	11.7	1.57	<1	113.0	<0.1	0.41
E503924	0.62	1.3	0.30	<2	1.1	4.2	116	<5	0.74	10.0	1.58	<1	106.5	0.1	0.38
E503925	0.61	1.4	0.28	<2	1.1	4.2	103	<5	0.74	8.6	1.54	<1	121.5	0.1	0.38
E503926	0.65	1.4	0.32	<2	1.1	4.4	106	<5	0.75	13.1	1.58	<1	125.5	0.1	0.41
E503927	0.64	1.3	0.30	<2	1.1	4.1	104	7	0.72	16.7	1.55	<1	110.5	0.1	0.40
E503928	0.65	1.4	0.32	<2	1.1	4.2	109	<5	0.74	14.5	1.57	<1	117.5	0.1	0.41
E503929	0.69	1.7	0.33	<2	1.1	4.7	107	17	0.83	9.2	1.68	1	151.0	0.1	0.42
E503930	0.60	1.3	0.30	<2	1.0	3.9	109	7	0.70	11.3	1.50	<1	136.5	<0.1	0.38
E503931	0.64	1.5	0.29	<2	1.1	4.0	109	<5	0.72	10.3	1.51	<1	124.0	0.1	0.44



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011808

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E503911		0.46	<0.5	0.60	0.10	340	1	35.3	4.22	120	112
E503912		0.41	<0.5	0.57	0.09	368	2	33.8	3.96	115	107
E503912A		3.99	<0.5	0.22	2.52	90	17	14.7	1.83	95	133
E503913		0.42	<0.5	0.55	0.09	327	2	31.8	3.83	92	99
E503914		0.44	<0.5	0.57	0.10	349	2	33.8	3.98	101	106
E503915		0.46	<0.5	0.59	0.11	341	3	33.6	3.99	149	106
E503916		0.46	<0.5	0.62	0.11	376	3	35.8	4.22	132	111
E503917		0.38	<0.5	0.51	0.10	330	4	30.3	3.56	115	97
E503918		1.93	<0.5	0.39	0.64	219	4	23.8	2.86	166	108
E503919		1.06	<0.5	0.25	0.30	195	2	16.3	1.86	302	57
E503921		0.09	<0.5	0.27	0.08	242	1	16.4	2.04	248	40
E503922		0.08	<0.5	0.26	<0.05	238	2	16.0	2.01	127	38
E503923		0.08	<0.5	0.28	<0.05	242	2	16.7	2.05	247	39
E503924		0.08	<0.5	0.26	<0.05	250	1	16.4	1.97	102	43
E503925		0.07	<0.5	0.25	<0.05	238	1	16.0	1.94	78	39
E503926		0.08	<0.5	0.28	<0.05	244	1	16.7	2.06	85	40
E503927		0.07	<0.5	0.28	<0.05	243	1	16.4	1.97	106	38
E503928		0.08	<0.5	0.27	<0.05	245	1	16.4	2.05	101	38
E503929		0.09	<0.5	0.29	<0.05	254	1	17.3	2.15	113	39
E503930		0.07	<0.5	0.26	<0.05	233	1	16.5	1.97	103	38
E503931		0.10	<0.5	0.30	<0.05	260	1	16.4	1.88	84	38



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 23-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10011807

Project: HOOK

P.O. No.:

This report is for 19 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011807

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
Sample Description	0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503541	2.10	<0.005	<1	142.5	7.6	51.5	220	0.23	105	3.72	2.40	0.89	15.6	2.82	1.7
E503543	3.33	<0.005	<1	134.0	8.4	55.7	250	0.19	94	4.03	2.64	0.93	16.9	3.12	1.8
E503544	2.99	<0.005	<1	184.0	8.6	58.8	250	0.24	144	4.06	2.63	0.96	17.2	3.20	1.8
E503544A	0.07	4.00	49	746	26.8	12.3	30	2.09	6530	3.01	1.90	0.79	15.3	3.08	4.0
E503545	3.01	0.021	<1	131.5	7.9	72.6	230	0.21	307	3.70	2.43	0.95	15.5	3.01	1.6
E503546	2.67	0.016	1	66.6	15.1	104.5	230	0.10	877	4.21	2.72	1.26	16.2	3.70	1.7
E503547	2.86	0.019	<1	189.5	13.9	52.5	140	0.12	259	2.22	1.51	0.60	11.6	1.89	1.0
E503548	2.69	0.042	1	62.5	17.6	37.5	130	0.05	780	2.33	1.64	0.77	20.3	2.08	1.0
E503549	1.91	0.007	<1	230	9.4	74.6	240	0.20	293	3.78	2.55	1.14	17.1	3.08	1.7
E503550	2.60	<0.005	<1	330	6.0	51.1	190	0.30	99	3.09	2.04	0.84	15.2	2.45	1.5
E504851	3.13	<0.005	<1	264	7.7	77.3	230	0.40	92	3.75	2.53	0.99	16.7	2.97	1.7
E504853	2.76	0.011	1	258	4.1	62.4	220	0.26	695	3.47	2.36	0.70	18.0	2.54	1.6
E504854	2.65	<0.005	<1	242	5.2	47.3	230	0.24	123	3.37	2.26	0.58	14.1	2.41	1.8
E504855	3.03	0.018	<1	353	4.4	105.5	220	0.34	104	3.74	2.42	0.80	16.3	2.74	1.7
E504856	2.85	0.013	<1	233	7.8	36.9	100	0.35	113	3.35	2.19	0.70	12.7	2.65	1.8
E504857	1.94	<0.005	<1	385	13.8	36.3	60	0.32	107	5.78	3.80	1.27	16.4	4.72	3.1
E504862	2.64	<0.005	<1	48.3	2.9	26.9	130	0.53	52	1.57	1.04	0.45	15.8	1.18	0.6
E504863	2.52	<0.005	<1	46.8	1.9	23.5	100	1.43	75	1.31	0.91	0.42	16.6	0.95	0.5
E504864	2.71	<0.005	<1	90.5	2.7	36.1	180	0.74	63	1.87	1.24	0.46	14.9	1.36	0.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011807

Method Analyte Units LOR	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm	ME-MS81 Mo ppm	ME-MS81 Nb ppm	ME-MS81 Nd ppm	ME-MS81 Ni ppm	ME-MS81 Pb ppm	ME-MS81 Pr ppm	ME-MS81 Rb ppm	ME-MS81 Sm ppm	ME-MS81 Sn ppm	ME-MS81 Sr ppm	ME-MS81 Ta ppm	ME-MS81 Tb ppm
Sample Description	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503541	0.81	2.6	0.38	<2	2.1	7.0	94	52	1.32	20.6	2.30	1	107.5	0.1	0.56
E503543	0.90	3.0	0.40	<2	2.3	7.2	111	5	1.41	15.7	2.42	1	144.0	0.1	0.62
E503544	0.88	3.2	0.42	<2	2.3	7.5	105	20	1.43	17.4	2.54	1	148.5	0.1	0.61
E503544A	0.64	13.9	0.33	1515	6.4	14.0	15	85	3.62	61.9	2.90	3	92.4	0.5	0.54
E503545	0.82	2.9	0.37	3	2.1	7.0	111	58	1.32	11.7	2.25	1	123.0	0.1	0.57
E503546	0.92	6.8	0.41	<2	2.2	9.8	124	15	2.12	8.7	2.90	2	64.3	0.1	0.67
E503547	0.51	7.8	0.25	<2	1.2	6.5	82	27	1.64	26.9	1.60	3	39.6	0.1	0.36
E503548	0.51	10.2	0.28	<2	1.2	7.4	58	31	1.95	14.0	1.69	3	112.5	0.1	0.36
E503549	0.83	3.8	0.38	<2	2.2	7.4	110	41	1.48	22.2	2.39	1	136.5	0.1	0.57
E503550	0.67	2.0	0.31	<2	1.8	5.7	105	33	1.06	33.3	1.87	1	64.8	0.1	0.49
E504851	0.84	2.9	0.39	<2	2.2	6.9	125	180	1.29	23.4	2.27	1	132.5	0.1	0.56
E504853	0.78	1.2	0.37	<2	1.9	4.9	121	528	0.85	16.0	1.87	1	96.4	0.1	0.52
E504854	0.73	1.8	0.34	<2	2.2	5.0	102	23	0.92	13.9	1.83	1	75.4	0.1	0.49
E504855	0.81	1.3	0.38	4	2.1	5.4	106	39	0.91	28.1	2.08	1	73.0	0.1	0.55
E504856	0.74	3.0	0.33	2	2.6	6.5	61	16	1.26	20.8	2.12	1	38.7	0.2	0.53
E504857	1.28	5.0	0.61	<2	4.2	11.9	36	8	2.33	33.0	3.79	1	74.5	0.3	0.92
E504862	0.35	1.1	0.17	<2	0.6	2.5	76	8	0.47	9.8	0.83	<1	144.5	<0.1	0.23
E504863	0.30	0.7	0.13	<2	0.4	1.9	76	9	0.35	9.4	0.70	<1	161.0	<0.1	0.20
E504864	0.41	0.9	0.19	<2	0.7	2.6	116	9	0.50	22.6	1.02	<1	121.0	<0.1	0.27



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011807

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E503541		0.27	<0.5	0.33	0.17	278	1	20.8	2.31	180	56
E503543		0.24	<0.5	0.36	0.06	298	1	22.5	2.56	115	61
E503544		0.24	<0.5	0.36	0.07	306	1	22.5	2.53	138	62
E503544A		5.04	<0.5	0.27	9.54	103	16	16.5	2.05	102	152
E503545		0.24	<0.5	0.33	0.13	279	1	20.3	2.37	228	57
E503546		0.26	<0.5	0.40	0.36	286	1	23.1	2.64	236	60
E503547		0.14	<0.5	0.20	0.32	170	1	12.1	1.50	129	33
E503548		0.15	<0.5	0.22	0.17	158	<1	13.5	1.65	103	34
E503549		0.22	<0.5	0.34	0.15	287	1	21.1	2.37	112	57
E503550		0.19	<0.5	0.29	0.19	248	1	16.4	2.06	161	50
E504851		0.23	<0.5	0.35	0.12	286	1	21.4	2.40	277	59
E504853		0.18	<0.5	0.30	0.13	266	2	19.6	2.27	396	54
E504854		0.21	<0.5	0.29	0.07	277	1	18.8	2.16	118	58
E504855		0.22	<0.5	0.34	0.51	278	2	20.6	2.37	169	57
E504856		0.29	<0.5	0.31	0.16	193	1	18.6	2.14	118	62
E504857		0.48	<0.5	0.54	0.10	346	3	32.2	3.78	111	107
E504862		0.05	<0.5	0.13	<0.05	123	1	8.6	0.99	50	19
E504863		<0.05	<0.5	0.11	<0.05	103	1	7.4	0.82	46	16
E504864		0.06	<0.5	0.17	<0.05	159	<1	10.2	1.19	69	25



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 23-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10011806

Project: HOOK

P.O. No.:

This report is for 70 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10011806
-------------------------	------------

Sample Description	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
	0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503932	3.03	0.005	<1	241	13.7	50.9	110	0.35	76	4.29	2.84	1.14	20.1	3.53	2.1
E503933	3.31	<0.005	<1	168.5	13.0	51.9	110	0.37	84	4.21	2.69	1.15	19.9	3.32	2.2
E503934	2.69	<0.005	<1	172.5	13.2	50.4	100	0.45	82	4.30	2.76	1.17	19.9	3.55	2.3
E503935	3.21	<0.005	1	210	12.0	74.4	100	0.42	180	4.29	2.72	1.12	20.5	3.54	2.2
E503936	2.89	<0.005	<1	264	12.0	60.9	100	0.33	107	4.41	2.86	1.24	19.5	3.60	2.2
E503937	2.79	<0.005	<1	137.0	11.2	41.0	90	0.29	68	4.28	2.67	1.02	20.3	3.42	2.2
E503938	3.12	<0.005	<1	281	13.8	53.0	100	0.38	111	4.48	2.87	1.27	21.3	3.74	2.3
E503939	3.00	0.005	1	220	9.2	48.3	100	0.39	305	4.10	2.73	0.86	19.8	3.17	2.2
E503940	2.90	0.020	2	46.8	12.5	114.0	190	0.15	972	3.19	2.09	1.02	12.1	2.90	1.4
E503941	2.96	0.021	2	68.3	8.8	138.0	230	0.69	722	3.90	2.51	1.01	16.8	3.27	1.8
E503941A	0.07	4.15	48	723	26.2	12.1	30	1.97	5810	2.79	1.89	0.75	15.0	2.99	3.8
E503942	2.82	0.017	2	54.9	9.0	130.5	240	0.91	819	4.04	2.68	1.08	17.3	3.33	1.9
E503943	2.99	0.014	1	42.1	11.0	147.5	230	2.05	259	3.76	2.46	0.98	18.8	3.04	1.9
E503944	2.81	0.013	1	48.4	9.0	91.5	230	2.13	431	3.87	2.61	0.99	17.8	3.12	1.9
E503945	2.76	0.008	1	69.1	8.9	79.8	240	2.36	419	4.20	2.78	1.08	17.0	3.40	2.1
E503946	3.18	0.006	<1	120.5	9.4	77.8	250	1.80	166	4.31	2.87	1.02	19.1	3.37	2.1
E503947	2.74	<0.005	<1	181.5	9.2	45.0	270	0.92	191	4.02	2.60	1.07	18.0	3.21	2.0
E503948	2.97	<0.005	<1	184.0	9.3	55.9	280	1.23	116	4.26	2.82	0.99	16.9	3.34	2.1
E503949	3.08	<0.005	<1	146.5	8.3	46.8	260	0.97	138	3.93	2.56	0.93	22.9	3.24	2.0
E503950	3.08	0.006	<1	317	9.0	77.6	260	0.96	224	4.52	2.92	1.05	19.3	3.50	2.0
E503551	2.30	<0.005	1	104.0	4.9	48.1	260	0.51	312	3.79	2.49	0.56	18.2	2.82	2.1
E503553	3.30	<0.005	1	279	10.2	62.2	240	0.84	327	4.04	2.74	1.00	19.3	3.28	1.9
E503554	2.65	<0.005	<1	239	11.7	54.8	220	0.97	235	4.34	2.88	1.01	19.1	3.57	2.1
E503555	2.32	<0.005	<1	211	10.3	41.1	230	0.36	108	4.34	2.86	0.99	18.4	3.42	2.1
E503556	3.12	<0.005	<1	122.0	13.6	43.0	220	0.16	206	3.80	2.39	1.15	16.0	3.11	1.6
E503557	2.72	<0.005	<1	127.5	12.7	66.9	190	0.22	214	4.42	2.91	1.15	19.6	3.58	1.8
E503559	2.88	<0.005	<1	162.0	9.3	52.6	230	0.54	139	4.40	2.75	1.01	18.5	3.47	1.9
E503560	2.95	<0.005	<1	151.5	9.7	52.8	250	0.30	148	4.45	2.86	1.08	17.8	3.61	2.1
E503561	2.54	<0.005	<1	298	11.9	92.0	220	0.53	297	5.02	3.43	1.50	26.3	4.05	2.0
E503562	3.02	<0.005	<1	171.0	9.9	58.6	270	0.37	132	4.47	2.98	1.08	19.1	3.59	2.0
E503563	2.32	<0.005	<1	253	8.3	50.3	250	0.46	74	4.42	2.89	0.95	18.3	3.37	1.9
E503564	3.05	<0.005	<1	173.0	8.9	59.5	240	0.31	276	4.05	2.68	0.96	17.2	3.20	2.0
E503565	2.69	<0.005	<1	157.0	9.3	59.1	250	0.29	320	4.57	3.08	1.00	17.0	3.58	1.9
E503566	2.72	<0.005	<1	216	9.1	60.7	250	0.38	261	4.43	2.87	1.00	17.9	3.51	2.0
E503567	2.76	<0.005	<1	157.0	9.2	51.8	260	0.45	145	4.21	2.71	1.08	18.4	3.48	2.1
E503568	2.97	<0.005	<1	210	9.5	58.4	240	0.46	300	4.20	2.64	1.12	19.4	3.33	2.0
E503569	2.97	<0.005	<1	268	9.9	61.9	240	0.28	263	4.17	2.72	1.09	18.3	3.51	2.1
E503570	2.35	<0.005	<1	370	14.3	37.4	240	0.63	205	4.70	3.07	1.21	18.6	3.86	2.2
E503571	2.87	<0.005	<1	241	11.8	48.5	250	0.36	85	4.42	2.95	1.18	20.1	3.66	2.0
E503572	2.85	<0.005	<1	142.0	11.9	45.1	220	0.18	101	4.54	2.90	1.09	19.2	3.70	2.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10011806
-------------------------	------------

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503932		0.94	5.3	0.39	<2	3.9	10.4	67	11	2.12	26.6	3.05	1	127.0	0.2	0.67
E503933		0.93	5.1	0.37	2	3.9	9.8	71	10	2.03	22.8	2.97	1	135.0	0.2	0.64
E503934		0.96	5.0	0.40	<2	3.9	10.2	71	133	2.09	25.0	2.95	1	135.0	0.2	0.68
E503935		0.91	4.5	0.39	<2	3.9	9.6	76	191	1.92	25.8	2.92	<1	130.5	0.2	0.64
E503936		0.96	4.1	0.40	<2	3.9	10.2	73	128	2.03	21.7	3.16	1	99.9	0.2	0.67
E503937		0.93	4.0	0.40	<2	4.0	9.4	65	189	1.85	15.8	2.90	1	74.3	0.2	0.65
E503938		0.99	5.5	0.39	<2	4.1	10.6	71	135	2.11	22.0	3.25	1	140.0	0.2	0.71
E503939		0.91	3.3	0.38	<2	4.0	8.2	65	90	1.56	17.2	2.76	1	89.8	0.2	0.61
E503940		0.67	5.8	0.29	<2	1.9	8.3	75	1040	1.80	5.8	2.31	2	64.3	0.1	0.51
E503941		0.84	3.0	0.36	<2	2.5	7.8	116	356	1.51	11.1	2.56	1	118.5	0.2	0.61
E503941A		0.59	13.6	0.30	1480	6.2	13.6	15	69	3.49	60.2	2.95	3	89.1	0.5	0.50
E503942		0.92	3.1	0.40	3	2.5	8.1	72	88	1.53	10.3	2.62	1	99.5	0.2	0.66
E503943		0.82	4.6	0.37	<2	2.3	7.8	105	422	1.70	20.8	2.30	1	109.5	0.1	0.60
E503944		0.86	3.4	0.37	<2	2.4	7.4	104	225	1.44	20.7	2.39	1	103.0	0.2	0.60
E503945		0.94	3.1	0.41	<2	2.6	7.7	98	101	1.53	23.1	2.74	2	74.1	0.2	0.67
E503946		0.93	3.6	0.41	<2	2.6	7.7	106	39	1.53	17.1	2.54	1	102.0	0.1	0.68
E503947		0.92	3.6	0.38	<2	2.5	7.6	91	32	1.49	13.8	2.54	1	126.0	0.1	0.64
E503948		0.97	3.4	0.42	<2	2.6	8.2	120	14	1.59	15.7	2.59	1	127.0	0.1	0.66
E503949		0.87	3.0	0.37	<2	2.5	7.3	102	12	1.40	11.9	2.50	1	140.0	0.1	0.63
E503950		0.98	3.1	0.42	<2	2.5	8.1	96	40	1.57	17.3	2.83	1	125.0	0.1	0.71
E503551		0.82	1.4	0.39	2	2.6	5.5	87	283	0.94	7.5	2.08	1	58.9	0.2	0.59
E503553		0.88	4.0	0.39	<2	2.5	8.2	101	37	1.63	19.1	2.65	1	124.5	0.2	0.62
E503554		0.95	4.7	0.45	<2	2.7	9.1	103	26	1.82	18.2	2.89	1	119.0	0.2	0.69
E503555		0.95	4.0	0.45	<2	2.7	8.7	95	19	1.69	12.2	2.75	1	116.0	0.2	0.68
E503556		0.82	7.2	0.37	2	4.3	8.7	83	60	1.95	11.9	2.46	3	64.4	0.1	0.55
E503557		0.97	5.5	0.45	2	3.1	8.9	90	82	1.86	9.4	2.87	2	87.3	0.1	0.65
E503559		0.95	3.3	0.44	<2	2.6	8.0	102	12	1.54	12.0	2.54	1	103.5	0.2	0.64
E503560		0.98	3.6	0.42	<2	2.6	8.2	99	18	1.61	12.6	2.73	1	121.5	0.1	0.64
E503561		1.13	4.8	0.53	<2	2.6	9.8	117	25	1.93	32.8	3.09	1	164.5	0.2	0.72
E503562		1.01	3.8	0.43	<2	2.8	8.4	112	13	1.66	16.0	2.86	1	126.0	0.1	0.65
E503563		0.96	3.0	0.44	<2	2.5	7.4	103	10	1.44	18.5	2.55	1	128.5	0.1	0.62
E503564		0.88	3.3	0.40	<2	2.6	7.6	98	25	1.52	14.8	2.59	1	121.0	0.2	0.60
E503565		1.00	3.4	0.49	<2	2.6	8.2	92	13	1.62	16.8	2.70	1	114.0	0.2	0.65
E503566		0.96	3.3	0.42	<2	2.6	8.4	105	15	1.55	15.4	2.69	1	115.0	0.1	0.65
E503567		0.93	3.4	0.40	<2	2.7	8.1	94	8	1.57	15.8	2.78	1	118.0	0.2	0.62
E503568		0.88	3.7	0.39	<2	2.7	8.3	86	25	1.59	18.8	2.65	1	133.5	0.2	0.60
E503569		0.92	3.8	0.39	<2	2.7	8.5	84	15	1.68	18.8	2.71	1	150.5	0.2	0.61
E503570		1.02	6.6	0.45	<2	2.9	10.1	83	13	2.11	21.7	3.01	1	156.0	0.2	0.69
E503571		0.97	4.6	0.45	<2	2.8	9.3	100	8	1.93	19.1	2.91	1	171.5	0.2	0.66
E503572		0.96	4.7	0.43	<2	3.0	9.0	99	8	1.89	11.4	2.79	1	173.5	0.2	0.66



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011806

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E503932		0.55	<0.5	0.40	0.15	351	2	23.1	2.67	103	77
E503933		0.64	<0.5	0.41	0.12	345	2	22.6	2.58	102	72
E503934		0.52	<0.5	0.43	0.13	348	2	23.4	2.66	143	76
E503935		0.53	<0.5	0.41	0.13	354	3	22.9	2.65	321	74
E503936		0.50	<0.5	0.43	0.20	328	3	23.5	2.84	164	75
E503937		0.53	<0.5	0.43	0.14	308	2	23.1	2.70	366	78
E503938		0.52	<0.5	0.43	0.18	344	2	24.8	2.74	420	79
E503939		0.52	<0.5	0.42	0.17	354	3	22.6	2.59	233	79
E503940		0.28	<0.5	0.27	0.24	210	2	17.4	1.93	2610	50
E503941		0.33	<0.5	0.35	0.17	295	2	20.6	2.39	353	63
E503941A		4.77	<0.5	0.26	2.70	99	18	15.7	1.91	100	146
E503942		0.39	<0.5	0.39	0.18	305	2	22.6	2.58	203	65
E503943		0.32	<0.5	0.35	0.14	303	1	20.0	2.26	1425	63
E503944		0.33	<0.5	0.35	0.15	295	1	21.5	2.39	816	64
E503945		0.38	<0.5	0.38	0.23	301	1	23.0	2.65	358	71
E503946		0.35	<0.5	0.39	0.13	326	1	23.4	2.70	186	72
E503947		0.28	<0.5	0.36	0.10	321	1	21.5	2.51	95	68
E503948		0.28	<0.5	0.39	0.10	318	1	24.1	2.63	108	68
E503949		0.27	<0.5	0.36	0.10	332	1	22.2	2.51	90	66
E503950		0.27	<0.5	0.40	0.10	322	1	24.6	2.73	116	66
E503551		0.28	<0.5	0.35	0.12	315	2	20.1	2.38	2070	69
E503553		0.35	<0.5	0.38	0.12	303	1	22.1	2.51	111	65
E503554		0.62	<0.5	0.40	0.23	294	1	24.2	2.72	199	73
E503555		0.45	<0.5	0.40	0.15	310	1	23.3	2.79	164	71
E503556		0.81	<0.5	0.34	0.22	265	3	20.3	2.33	76	59
E503557		0.76	<0.5	0.41	0.24	280	2	23.7	2.82	135	66
E503559		0.38	<0.5	0.40	0.14	307	2	22.8	2.81	122	66
E503560		0.34	<0.5	0.39	0.13	311	2	22.9	2.74	117	68
E503561		0.46	<0.5	0.50	0.18	323	2	28.0	3.41	111	70
E503562		0.34	<0.5	0.40	0.11	314	2	24.4	2.80	124	70
E503563		0.22	<0.5	0.40	0.06	317	2	22.8	2.78	137	66
E503564		0.36	<0.5	0.37	0.11	303	2	21.2	2.53	160	67
E503565		0.25	<0.5	0.44	0.07	304	2	26.1	2.98	143	66
E503566		0.27	<0.5	0.42	0.09	296	2	23.6	2.86	150	68
E503567		0.35	<0.5	0.38	0.10	310	2	22.3	2.61	127	71
E503568		0.38	<0.5	0.38	0.13	314	1	21.6	2.53	133	70
E503569		0.39	<0.5	0.38	0.12	311	2	21.9	2.62	94	70
E503570		0.50	<0.5	0.44	0.18	296	2	24.6	2.91	478	77
E503571		0.43	<0.5	0.40	0.13	300	1	24.0	2.81	164	70
E503572		0.58	<0.5	0.41	0.16	274	1	23.2	2.81	246	78



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011806

Sample Description	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
	0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503573	2.73	0.009	<1	224	10.5	47.9	220	0.25	198	4.26	2.92	1.14	18.7	3.47	2.0
E503574	2.34	0.006	1	260	13.0	49.9	230	0.17	298	4.02	2.66	1.17	21.0	3.40	2.0
E503575	2.49	<0.005	<1	268	12.7	40.1	210	0.18	101	4.42	2.96	1.11	19.1	3.57	2.3
E503576	1.74	<0.005	<1	279	6.8	49.2	340	0.43	138	3.20	2.15	0.79	15.5	2.57	1.5
E503577	4.96	<0.005	<1	290	11.5	71.6	540	0.65	24	1.83	1.22	0.52	14.8	1.85	1.4
E503578	0.59	0.005	<1	413	8.6	43.5	170	0.33	54	3.46	2.27	0.81	14.9	2.85	1.4
E503579	2.93	0.010	<1	280	4.3	51.7	200	0.25	242	2.51	1.70	0.69	16.9	1.90	0.9
E503580	2.10	0.006	1	118.0	34.6	23.3	130	0.14	642	2.39	1.42	0.91	15.4	3.25	3.3
E503581	3.02	0.021	<1	316	24.0	37.4	70	1.34	256	4.33	2.77	1.01	18.8	3.94	3.3
E503582	2.50	0.019	<1	360	21.4	48.3	70	1.06	150	4.67	3.00	1.04	16.4	4.10	3.2
E503583	2.54	0.010	<1	397	16.8	47.0	140	0.37	323	2.70	1.71	0.73	14.5	2.51	2.1
E503585	3.06	<0.005	<1	295	7.0	34.4	280	0.26	113	3.40	2.23	0.91	14.9	2.59	1.5
E503585A	0.07	4.08	59	731	26.3	12.0	50	2.02	6650	2.98	1.93	0.79	15.2	3.02	4.0
E503586	2.58	0.006	<1	101.5	4.1	50.8	220	0.23	68	2.93	1.97	0.65	14.8	2.15	1.2
E503587	2.93	0.022	<1	125.5	4.7	53.4	240	0.27	58	3.24	2.18	0.66	15.5	2.35	1.3
E503588	2.28	<0.005	<1	59.0	4.6	52.7	250	0.19	147	3.06	2.06	0.79	16.3	2.30	1.2
E503589	2.28	<0.005	<1	143.5	4.0	58.0	210	0.28	114	3.00	1.96	0.67	15.7	2.17	1.1
E503590	2.52	<0.005	<1	104.5	5.0	46.7	220	0.26	108	3.03	2.01	0.74	17.3	2.26	1.2
E503591	2.69	<0.005	1	134.0	4.4	47.4	230	0.34	141	3.02	1.93	0.61	15.5	2.27	1.0
E503592	3.17	<0.005	1	149.5	4.6	47.0	230	0.40	107	2.94	1.86	0.62	14.8	2.26	1.1
E503593	3.13	<0.005	1	107.5	4.1	46.4	210	0.42	153	2.69	1.78	0.57	14.6	2.09	1.0
E503594	2.80	<0.005	1	126.0	4.3	46.6	210	0.33	175	2.95	1.95	0.66	15.9	2.23	1.0
E503595	2.83	<0.005	1	90.6	4.3	48.3	230	0.36	101	2.85	1.91	0.62	15.1	2.21	1.1
E503596	2.92	<0.005	1	63.5	3.6	69.2	180	0.33	132	2.36	1.58	0.53	15.7	1.84	0.8
E503597	3.33	<0.005	1	69.7	3.4	38.6	180	0.39	112	2.32	1.54	0.49	15.3	1.80	0.8
E503598	2.93	<0.005	1	52.8	3.1	34.9	180	0.34	94	2.13	1.42	0.47	16.2	1.59	0.7
E503599	3.02	<0.005	1	54.0	3.4	38.3	180	0.33	70	2.33	1.54	0.50	15.6	1.76	0.8
E503601	2.80	<0.005	1	30.4	4.1	50.7	210	0.17	420	2.70	1.82	0.58	15.6	1.99	0.9
E503602	3.21	0.010	1	40.4	3.7	68.0	210	0.23	301	2.52	1.68	0.58	15.8	1.90	0.9
E503603	3.16	<0.005	1	33.9	4.7	47.9	210	0.17	109	2.99	2.01	0.69	18.6	2.25	1.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011806

Method Analyte Units LOR	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm	ME-MS81 Mo ppm	ME-MS81 Nb ppm	ME-MS81 Nd ppm	ME-MS81 Ni ppm	ME-MS81 Pb ppm	ME-MS81 Pr ppm	ME-MS81 Rb ppm	ME-MS81 Sm ppm	ME-MS81 Sn ppm	ME-MS81 Sr ppm	ME-MS81 Ta ppm	ME-MS81 Tb ppm
Sample Description	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503573	0.93	4.2	0.42	<2	2.7	8.4	100	31	1.71	13.3	2.79	1	169.0	0.2	0.63
E503574	0.87	5.6	0.40	<2	2.6	9.2	108	288	1.95	29.3	2.67	2	217	0.1	0.60
E503575	0.96	5.2	0.44	<2	3.0	9.6	71	27	2.00	16.8	2.97	1	190.0	0.2	0.63
E503576	0.70	2.7	0.33	<2	2.0	5.9	133	36	1.16	36.3	1.92	<1	137.0	0.1	0.46
E503577	0.40	5.0	0.18	<2	2.1	6.9	491	47	1.64	26.0	1.57	<1	52.7	0.1	0.30
E503578	0.77	3.5	0.35	<2	2.0	6.8	100	43	1.38	35.1	2.18	<1	115.0	0.1	0.48
E503579	0.57	1.7	0.26	<2	0.9	3.8	156	108	0.73	18.4	1.34	<1	128.0	0.1	0.35
E503580	0.49	16.9	0.19	<2	4.8	16.8	97	22	4.41	14.8	3.05	1	76.5	0.4	0.43
E503581	0.95	11.0	0.43	<2	4.9	14.0	49	11	3.32	51.9	3.48	2	174.0	0.3	0.65
E503582	1.01	9.1	0.45	2	4.8	13.2	53	6	3.07	42.7	3.63	1	163.0	0.3	0.71
E503583	0.58	7.8	0.27	2	3.1	9.4	63	10	2.26	38.0	2.31	1	279	0.2	0.41
E503585	0.75	2.7	0.33	<2	1.9	6.3	94	7	1.15	26.7	2.00	1	189.0	0.1	0.50
E503585A	0.63	13.6	0.32	1570	6.5	14.2	22	76	3.61	61.0	2.91	3	90.3	0.5	0.48
E503586	0.65	1.4	0.31	3	1.1	4.1	108	45	0.77	11.1	1.62	<1	108.0	0.1	0.41
E503587	0.74	1.5	0.35	<2	1.2	4.6	122	21	0.82	11.3	1.61	<1	114.0	0.1	0.46
E503588	0.68	1.6	0.32	<2	1.2	4.5	113	48	0.82	7.0	1.63	<1	121.0	0.1	0.44
E503589	0.63	1.4	0.30	<2	1.0	4.0	111	30	0.74	11.7	1.58	<1	112.5	0.1	0.41
E503590	0.66	1.8	0.31	<2	1.1	4.8	109	21	0.87	8.8	1.70	<1	97.3	0.1	0.44
E503591	0.68	1.5	0.31	<2	1.1	4.1	101	47	0.74	14.0	1.54	<1	89.2	0.1	0.45
E503592	0.68	1.6	0.30	<2	1.1	4.2	104	24	0.77	19.4	1.51	<1	99.2	0.1	0.45
E503593	0.64	1.4	0.29	<2	1.0	3.9	98	51	0.71	19.5	1.40	<1	95.4	0.1	0.42
E503594	0.68	1.5	0.31	<2	1.0	4.1	101	19	0.73	19.3	1.55	<1	126.5	0.1	0.45
E503595	0.66	1.5	0.31	<2	1.0	4.1	102	15	0.72	18.0	1.54	<1	104.0	0.1	0.44
E503596	0.55	1.3	0.26	<2	0.8	3.2	93	5	0.60	10.8	1.24	<1	120.0	<0.1	0.36
E503597	0.54	1.2	0.25	<2	0.8	3.3	80	<5	0.59	14.2	1.25	<1	118.0	<0.1	0.36
E503598	0.49	1.0	0.22	<2	0.8	3.0	73	6	0.53	8.2	1.15	<1	141.5	<0.1	0.32
E503599	0.54	1.1	0.24	<2	0.8	3.2	81	5	0.57	9.7	1.18	<1	126.0	<0.1	0.35
E503601	0.64	1.5	0.29	<2	1.0	4.0	94	5	0.72	4.5	1.46	<1	129.5	0.1	0.41
E503602	0.58	1.3	0.27	<2	1.0	3.6	118	8	0.63	5.1	1.38	<1	132.5	0.1	0.39
E503603	0.69	1.7	0.33	<2	1.2	4.4	92	23	0.80	4.8	1.63	1	139.5	0.1	0.46



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011806

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E503573		0.43	<0.5	0.40	0.14	285	2	23.3	2.70	924	69
E503574		0.51	<0.5	0.37	0.17	280	2	21.6	2.59	2760	70
E503575		0.60	<0.5	0.40	0.16	259	2	23.6	2.82	555	85
E503576		0.19	<0.5	0.31	0.06	267	2	17.5	2.02	158	50
E503577		0.57	<0.5	0.15	0.13	158	3	10.0	1.19	486	52
E503578		0.20	<0.5	0.32	0.07	265	2	18.3	2.23	181	50
E503579		0.09	<0.5	0.23	<0.05	322	2	13.4	1.69	737	28
E503580		2.48	<0.5	0.18	0.47	97	2	11.7	1.24	136	129
E503581		1.82	<0.5	0.39	0.48	236	6	23.3	2.73	125	120
E503582		1.92	<0.5	0.43	0.53	212	9	24.8	2.85	105	120
E503583		1.70	<0.5	0.24	0.51	153	4	13.8	1.71	84	78
E503585		0.20	<0.5	0.31	0.06	268	2	18.2	2.12	180	49
E503585A		4.74	<0.5	0.27	3.35	97	22	16.1	1.99	104	154
E503586		0.09	<0.5	0.28	<0.05	250	2	15.6	1.94	349	41
E503587		0.10	<0.5	0.30	<0.05	263	2	17.6	2.09	251	43
E503588		0.10	<0.5	0.29	<0.05	254	2	16.5	2.04	179	42
E503589		0.08	<0.5	0.27	<0.05	238	2	15.8	1.93	197	40
E503590		0.09	<0.5	0.28	<0.05	248	2	16.2	1.97	186	42
E503591		0.10	<0.5	0.30	<0.05	253	2	17.2	2.00	284	40
E503592		0.11	<0.5	0.29	<0.05	256	1	16.0	1.97	282	40
E503593		0.10	<0.5	0.27	<0.05	236	1	15.4	1.83	379	38
E503594		0.10	<0.5	0.30	<0.05	250	1	16.7	2.01	115	38
E503595		0.11	<0.5	0.30	<0.05	250	1	16.4	1.96	96	39
E503596		0.07	<0.5	0.26	<0.05	196	1	13.7	1.70	84	30
E503597		0.08	<0.5	0.23	<0.05	195	1	13.5	1.64	81	31
E503598		0.07	<0.5	0.21	<0.05	185	1	12.3	1.49	76	29
E503599		0.08	<0.5	0.25	<0.05	203	1	13.4	1.64	73	31
E503601		0.10	<0.5	0.28	<0.05	242	1	16.4	1.92	99	36
E503602		0.09	<0.5	0.26	<0.05	225	1	14.9	1.81	98	35
E503603		0.11	<0.5	0.31	<0.05	248	1	17.8	2.13	93	40



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 23-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10011805

Project: HOOK

P.O. No.:

This report is for 42 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10011805
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503501		2.83	<0.005	<1	152.0	7.7	51.4	310	0.12	156	3.30	2.18	0.83	18.3	2.50	1.6
E503502		2.81	<0.005	<1	116.5	8.4	54.7	250	0.26	119	3.79	2.51	0.89	16.9	3.00	1.6
E503503		2.94	<0.005	<1	125.0	8.6	58.6	280	0.17	141	4.41	2.79	1.03	18.4	3.33	1.8
E503504		2.57	0.005	<1	106.5	8.5	67.3	240	0.13	270	4.04	2.67	0.94	17.5	3.06	1.7
E503505		3.05	<0.005	<1	141.5	8.7	56.3	270	0.15	130	4.07	2.66	0.96	17.4	3.17	1.8
E503506		2.90	<0.005	<1	148.5	8.4	55.2	260	0.13	97	4.01	2.60	0.98	18.2	3.13	1.6
E503507		1.28	0.010	<1	69.7	7.0	65.6	160	0.14	311	3.06	2.01	0.64	12.7	2.34	1.2
E503508		2.56	<0.005	<1	147.0	8.9	54.9	280	0.13	140	4.06	2.72	0.96	18.3	3.20	1.7
E503509		2.23	<0.005	<1	136.5	8.7	55.2	280	0.12	60	4.07	2.78	0.98	19.9	3.30	1.7
E503510		1.39	<0.005	<1	87.7	8.5	53.4	210	0.23	262	4.05	2.75	0.89	15.2	3.13	1.5
E503511		2.27	<0.005	<1	108.0	8.6	53.5	330	0.16	71	3.85	2.53	0.94	17.2	3.08	1.8
E503512		2.19	<0.005	<1	177.5	8.1	56.1	250	0.29	110	3.88	2.57	0.88	16.9	3.06	1.7
E503513		2.59	0.006	<1	121.5	8.5	55.0	260	0.13	113	3.96	2.65	0.96	17.5	2.99	1.8
E503514		2.66	<0.005	<1	109.5	8.8	65.2	250	0.38	370	3.95	2.67	0.84	19.4	2.93	1.7
E503515		2.67	0.008	1	227	8.1	81.3	240	0.24	422	3.98	2.62	0.91	17.8	3.06	1.7
E503515A		0.07	NSS	40	758	26.8	12.0	30	1.99	5440	2.97	1.96	0.79	15.7	2.99	3.8
E503516		2.54	0.007	<1	145.0	7.9	58.8	250	0.22	149	3.89	2.58	0.94	17.9	3.01	1.8
E503517		2.64	0.014	1	161.5	9.2	60.9	250	0.20	408	4.21	2.72	1.05	19.3	3.10	1.8
E503518		2.70	<0.005	<1	119.5	9.0	63.6	280	0.29	170	4.40	2.86	0.98	19.7	3.40	2.0
E503519		2.01	0.006	<1	119.0	50.3	23.0	140	0.29	56	2.56	1.49	1.08	17.8	3.66	3.8
E503520		1.98	<0.005	<1	137.0	45.3	22.8	170	0.22	18	2.68	1.62	1.02	16.8	3.55	3.8
E503521		2.18	0.006	1	205	20.3	84.7	150	0.30	457	3.57	2.27	1.12	19.0	3.30	1.6
E503522		2.08	0.009	1	177.5	12.4	89.3	130	0.16	714	4.53	3.10	1.30	16.7	3.54	1.5
E503523		1.67	<0.005	<1	95.9	8.9	57.8	280	0.17	76	4.12	2.76	0.99	19.0	3.20	1.9
E503524		2.75	<0.005	<1	94.9	9.2	60.9	270	0.19	220	4.15	2.69	1.02	18.4	3.20	1.9
E503525		2.90	<0.005	<1	93.3	7.6	49.6	230	0.26	79	3.65	2.49	0.81	15.8	2.88	1.7
E503526		2.81	<0.005	<1	86.0	7.7	58.1	250	0.16	146	3.82	2.58	0.89	17.9	2.91	1.7
E503527		2.99	0.040	<1	250	10.0	217	280	0.23	83	4.39	2.85	1.15	18.6	3.35	2.1
E503528		2.53	<0.005	<1	141.0	9.4	54.6	250	0.17	88	4.03	2.63	1.04	19.6	3.08	1.8
E503529		2.35	<0.005	<1	224	8.8	60.6	260	0.37	31	4.15	2.67	1.02	18.0	3.12	1.9
E503530		2.74	<0.005	<1	216	8.4	62.5	230	0.28	102	3.65	2.42	0.97	17.0	2.88	1.6
E503531		2.96	<0.005	<1	229	9.6	53.5	260	0.20	22	4.28	2.73	1.32	19.7	3.42	1.8
E503532		2.85	<0.005	<1	280	9.3	55.0	250	0.29	104	4.24	2.81	1.07	19.5	3.21	1.8
E503533		2.57	<0.005	<1	224	7.9	59.1	260	0.36	94	4.04	2.66	0.94	18.0	3.02	1.9
E503534		2.80	<0.005	<1	224	10.1	55.9	250	0.24	121	4.33	2.83	1.25	20.7	3.35	1.9
E503534A		0.07	NSS	37	788	27.5	13.0	50	2.12	6600	3.06	1.98	0.84	16.2	3.07	3.9
E503535		2.64	0.010	<1	316	8.8	63.4	240	0.36	182	4.41	2.89	1.07	18.7	3.18	1.9
E503536		3.04	<0.005	<1	205	8.6	48.9	250	0.17	19	4.16	2.76	0.99	18.8	3.20	1.8
E503537		2.64	0.010	<1	303	6.8	50.9	240	0.42	143	3.90	2.60	0.92	21.0	2.86	1.7
E503538		2.98	0.027	<1	384	9.1	71.6	150	0.56	182	4.09	2.70	0.92	19.7	3.15	2.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10011805
-------------------------	------------

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503501		0.71	3.1	0.33	<2	2.0	6.3	109	12	1.22	14.7	1.98	1	195.5	0.1	0.50
E503502		0.84	3.0	0.39	<2	2.3	6.8	111	<5	1.34	20.2	2.27	1	126.5	0.1	0.58
E503503		0.96	3.1	0.42	<2	2.4	7.5	115	5	1.49	12.6	2.50	1	142.0	0.1	0.63
E503504		0.88	2.9	0.40	<2	2.3	7.0	127	6	1.41	11.0	2.25	1	154.5	0.1	0.59
E503505		0.91	3.0	0.41	<2	2.4	7.2	117	<5	1.44	13.8	2.37	1	144.0	0.1	0.60
E503506		0.88	3.2	0.39	<2	2.2	7.1	110	5	1.37	13.0	2.31	1	200.0	0.1	0.60
E503507		0.67	2.7	0.31	2	1.5	5.4	99	29	1.09	6.0	1.81	1	66.3	0.1	0.46
E503508		0.90	3.3	0.42	<2	2.3	7.5	109	5	1.45	13.7	2.46	1	219	0.1	0.61
E503509		0.89	3.2	0.41	<2	2.4	7.5	105	<5	1.46	14.0	2.51	1	195.5	0.1	0.63
E503510		0.90	2.9	0.42	<2	2.0	7.2	93	8	1.38	13.9	2.36	1	78.0	0.1	0.60
E503511		0.84	3.2	0.40	<2	2.4	7.3	109	<5	1.47	14.1	2.45	1	132.0	0.1	0.60
E503512		0.84	3.0	0.40	<2	2.3	7.2	108	<5	1.40	24.0	2.33	<1	132.5	0.1	0.58
E503513		0.86	3.1	0.41	<2	2.3	7.1	109	<5	1.40	13.5	2.42	1	164.5	0.1	0.60
E503514		0.87	3.2	0.39	<2	2.3	7.3	119	<5	1.46	11.7	2.50	1	78.8	0.1	0.57
E503515		0.88	2.9	0.37	<2	2.3	7.0	131	7	1.31	16.8	2.26	1	134.5	0.1	0.58
E503515A		0.61	13.8	0.30	1470	7.0	13.9	15	77	3.51	55.8	2.97	3	91.0	0.6	0.48
E503516		0.86	2.9	0.36	6	2.3	6.8	119	5	1.36	17.8	2.40	1	155.0	0.1	0.56
E503517		0.91	3.7	0.39	<2	2.3	7.6	111	64	1.47	13.8	2.51	1	206	0.1	0.61
E503518		0.96	3.2	0.42	3	2.7	7.8	122	5	1.49	14.3	2.64	1	140.0	0.2	0.65
E503519		0.51	23.5	0.19	4	6.3	23.1	88	18	6.16	12.2	3.83	1	88.0	0.4	0.50
E503520		0.53	20.8	0.21	2	5.9	21.7	77	13	5.63	16.1	3.76	1	53.4	0.4	0.49
E503521		0.76	10.3	0.34	<2	1.9	11.1	192	115	2.57	23.4	2.72	2	44.1	0.1	0.56
E503522		1.05	5.2	0.44	<2	1.7	9.3	163	56	1.87	19.4	2.82	1	66.8	0.1	0.68
E503523		0.94	3.2	0.39	<2	2.6	7.8	118	7	1.44	10.9	2.59	1	180.0	0.2	0.61
E503524		0.92	3.4	0.39	<2	2.6	7.7	119	5	1.53	11.9	2.54	1	151.0	0.1	0.62
E503525		0.82	2.8	0.35	<2	2.3	6.6	106	5	1.27	12.3	2.24	1	95.8	0.1	0.57
E503526		0.85	2.8	0.36	<2	2.3	6.9	113	7	1.30	9.8	2.34	<1	132.5	0.1	0.56
E503527		0.97	3.8	0.40	<2	2.7	8.3	124	11	1.61	24.3	2.60	1	162.5	0.2	0.65
E503528		0.86	3.7	0.38	<2	2.4	7.7	105	11	1.54	13.1	2.51	1	132.5	0.1	0.60
E503529		0.90	3.4	0.38	<2	2.6	7.6	96	8	1.46	24.1	2.53	1	131.0	0.2	0.61
E503530		0.82	3.4	0.36	<2	2.2	6.9	110	5	1.34	21.4	2.29	2	113.0	0.1	0.55
E503531		0.92	4.0	0.39	<2	2.4	7.8	130	<5	1.52	19.7	2.57	2	178.5	0.2	0.61
E503532		0.92	3.5	0.40	<2	2.5	7.9	130	<5	1.54	28.1	2.62	1	160.5	0.1	0.62
E503533		0.87	2.9	0.38	<2	2.5	7.1	141	7	1.33	25.8	2.38	1	129.5	0.1	0.59
E503534		0.94	4.0	0.39	<2	2.5	8.3	132	5	1.65	20.0	2.77	1	173.0	0.2	0.62
E503534A		0.64	14.0	0.31	1530	6.8	14.5	24	67	3.65	59.5	3.11	2	96.8	0.6	0.50
E503535		0.97	3.3	0.41	3	2.5	7.7	144	25	1.47	30.0	2.47	1	128.0	0.2	0.64
E503536		0.92	3.1	0.40	<2	2.4	7.4	109	7	1.44	11.6	2.50	1	169.0	0.2	0.62
E503537		0.86	2.3	0.38	<2	2.3	6.5	102	9	1.20	24.3	2.41	1	95.7	0.1	0.57
E503538		0.90	3.3	0.40	<2	3.2	7.9	86	53	1.54	44.4	2.60	1	43.5	0.2	0.60



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011805

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	Th	TI	Tm	U	V	W	Y	Yb	Zn	
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
LOR	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2	
E503501		0.29	<0.5	0.32	0.07	275	1	19.1	2.09	123	53
E503502		0.32	<0.5	0.36	0.08	299	<1	21.8	2.40	125	55
E503503		0.26	<0.5	0.41	0.07	313	1	24.1	2.72	143	60
E503504		0.35	<0.5	0.39	0.10	293	<1	22.8	2.51	152	59
E503505		0.25	<0.5	0.40	0.07	303	<1	23.6	2.51	148	59
E503506		0.22	<0.5	0.38	0.08	294	1	22.8	2.48	125	55
E503507		0.20	<0.5	0.29	0.10	213	1	16.8	1.99	1440	41
E503508		0.24	<0.5	0.39	0.06	308	1	24.1	2.66	151	59
E503509		0.24	<0.5	0.40	0.06	311	1	24.0	2.57	100	60
E503510		0.28	<0.5	0.40	0.10	264	1	24.3	2.72	730	52
E503511		0.24	<0.5	0.38	0.05	294	<1	22.9	2.46	125	60
E503512		0.21	<0.5	0.39	0.06	296	<1	23.0	2.52	152	57
E503513		0.24	<0.5	0.39	0.06	308	<1	23.3	2.52	124	58
E503514		0.28	<0.5	0.39	0.09	293	1	22.9	2.57	177	58
E503515		0.27	<0.5	0.37	0.07	287	2	21.2	2.56	150	59
E503515A		4.74	<0.5	0.28	2.81	102	19	16.1	1.99	108	144
E503516		0.26	<0.5	0.38	0.06	295	2	21.1	2.45	114	58
E503517		0.24	<0.5	0.40	0.10	303	3	22.2	2.62	145	59
E503518		0.30	<0.5	0.44	0.07	333	3	23.2	2.86	149	67
E503519		2.73	<0.5	0.18	0.56	94	2	12.9	1.35	74	147
E503520		2.39	<0.5	0.23	0.53	127	2	13.6	1.46	110	142
E503521		0.68	<0.5	0.33	0.16	190	2	19.6	2.20	430	57
E503522		0.57	<0.5	0.46	0.22	173	2	28.0	2.84	165	51
E503523		0.25	<0.5	0.42	0.05	319	2	22.9	2.65	122	65
E503524		0.33	<0.5	0.40	0.07	307	1	22.9	2.60	147	64
E503525		0.26	<0.5	0.36	0.06	274	1	20.2	2.35	114	54
E503526		0.24	<0.5	0.39	<0.05	289	1	21.1	2.48	118	56
E503527		0.31	<0.5	0.41	0.09	321	2	23.3	2.80	154	68
E503528		0.29	<0.5	0.39	0.10	290	4	21.5	2.53	522	60
E503529		0.27	<0.5	0.40	0.14	301	4	22.4	2.59	272	65
E503530		0.23	<0.5	0.36	0.15	276	2	20.6	2.51	126	56
E503531		0.27	<0.5	0.40	0.13	306	2	23.5	2.69	131	62
E503532		0.28	<0.5	0.42	0.09	298	2	24.0	2.75	149	62
E503533		0.29	<0.5	0.40	0.08	297	1	22.2	2.49	162	62
E503534		0.30	<0.5	0.42	0.11	305	1	23.6	2.70	159	63
E503534A		5.05	<0.5	0.31	4.32	104	22	16.6	1.97	113	145
E503535		0.30	<0.5	0.43	0.09	299	1	23.8	2.76	359	62
E503536		0.25	<0.5	0.43	0.05	295	1	22.8	2.71	150	60
E503537		0.22	<0.5	0.39	0.06	282	2	21.0	2.58	214	56
E503538		0.42	<0.5	0.41	0.14	253	3	21.2	2.75	308	72



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10011805
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503539		2.91	0.008	<1	307	13.1	70.9	170	0.48	236	4.12	2.68	0.93	20.6	3.34	2.2
E503540		2.89	<0.005	<1	404	7.7	57.0	230	0.39	164	3.63	2.38	0.84	17.7	2.62	1.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10011805
-------------------------	------------

Method Analyte Units LOR	ME-MS81 Ho ppm 0.01	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.01	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 0.2	ME-MS81 Nd ppm 0.1	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.03	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.03	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.1	ME-MS81 Tb ppm 0.01
E503539	0.90	5.3	0.40	<2	3.2	9.8	91	24	1.99	35.4	3.00	1	51.0	0.2	0.62
E503540	0.79	3.0	0.34	2	2.1	6.5	116	13	1.21	24.0	2.18	1	79.0	0.1	0.53



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - C
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011805

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E503539		0.43	<0.5	0.42	0.15	264	3	22.2	2.70	256	73
E503540		0.21	<0.5	0.37	0.09	274	2	19.6	2.33	151	54



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10011805

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 13-MAR-2010
This copy reported on 31-MAR-2010
Account: AUGER

CERTIFICATE SD10023627

Project: HOOK

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 13-MAR-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10023627

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
Sample Description	0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503625	2.43	<0.005	<1	82.0	3.0	40.2	160	0.95	134	2.03	1.40	0.47	12.7	1.46	0.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 13-MAR-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10023627

Method Analyte Units LOR	ME-MS81 Ho ppm 0.01	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.01	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 0.2	ME-MS81 Nd ppm 0.1	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.03	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.03	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.1	ME-MS81 Tb ppm 0.01
E503625	0.47	1.2	0.23	8	0.8	3.0	103	<5	0.54	18.7	1.13	<1	27.0	<0.1	0.31



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 13-MAR-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10023627

Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr	
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2	
E503625	0.11	<0.5	0.25	<0.05	194	62	12.0	1.42	106	28	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 26-FEB-2010
This copy reported on 31-MAR-2010
Account: AUGER

CERTIFICATE SD10016471

Project: HOOK

P.O. No.:

This report is for 43 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA24	Au 50g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10016471
-------------------------	------------

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
Sample Description	0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503723	2.77	<0.005	<1	97.1	14.7	45.2	120	0.13	84	4.48	2.93	1.23	21.0	3.53	2.3
E503724	3.04	<0.005	1	68.0	9.6	79.7	270	0.14	711	3.21	2.05	0.69	15.4	2.34	1.5
E503725	3.20	<0.005	<1	122.0	9.2	39.1	270	0.16	94	4.01	2.66	0.89	18.8	2.86	1.8
E503726	3.34	<0.005	<1	238	8.8	42.1	120	0.26	48	3.09	2.07	0.65	15.4	2.23	1.5
E503727	3.02	<0.005	1	159.5	9.8	65.4	140	0.29	159	3.22	2.24	0.77	16.4	2.31	1.6
E503727A	0.07	4.54	56	780	28.6	13.8	30	2.17	6900	2.95	1.91	0.77	16.4	2.83	3.9
E503728	2.53	<0.005	<1	120.5	9.3	45.4	250	0.21	71	4.15	2.72	1.02	19.6	3.00	1.9
E503729	3.01	<0.005	<1	98.8	10.1	60.6	270	0.16	133	4.16	2.78	1.01	19.9	3.05	2.0
E503731	3.22	<0.005	<1	110.5	10.1	59.2	260	0.17	188	4.10	2.69	0.95	18.4	2.99	1.9
E503732	3.07	<0.005	<1	109.5	10.0	65.6	270	0.18	152	4.12	2.73	0.95	19.5	3.00	1.9
E503733	3.35	<0.005	<1	56.8	9.3	66.0	270	0.09	163	4.08	2.80	0.96	19.8	2.93	1.8
E503734	3.45	<0.005	<1	146.5	10.6	63.0	260	0.17	94	4.04	2.75	0.95	19.5	2.95	1.7
E503735	3.05	<0.005	<1	187.0	8.5	58.6	260	0.31	45	3.87	2.64	0.90	18.5	2.73	1.8
E503736	2.83	<0.005	<1	581	8.9	51.5	240	0.44	90	3.92	2.56	0.89	16.7	2.77	1.7
E503737	3.10	<0.005	<1	179.0	9.2	55.4	260	0.23	63	4.08	2.75	1.02	19.9	2.94	1.8
E503738	2.91	<0.005	<1	431	8.8	54.1	230	0.36	92	3.94	2.57	0.89	17.6	2.73	1.7
E503739	3.30	<0.005	<1	256	9.9	54.4	250	0.53	82	4.10	2.63	0.93	20.4	2.91	2.3
E503740	2.91	<0.005	<1	229	9.3	58.2	250	0.20	69	3.93	2.66	0.98	19.8	2.86	1.7
E503741	2.97	<0.005	<1	192.0	8.4	48.8	220	0.21	43	3.56	2.38	0.92	17.1	2.58	1.6
E503742	2.83	<0.005	<1	180.0	8.7	67.4	250	0.30	156	3.98	2.65	0.88	17.8	2.83	1.7
E503743	2.97	<0.005	<1	114.5	8.9	100.5	230	0.22	844	3.85	2.50	0.83	18.4	2.75	1.8
E503744	2.84	<0.005	<1	160.0	8.7	57.3	260	0.18	71	3.93	2.57	0.90	16.9	2.73	1.8
E503745	2.77	<0.005	<1	102.0	8.9	61.5	250	0.15	172	3.96	2.56	0.91	18.0	2.88	1.7
E503746	3.11	<0.005	<1	87.0	9.1	60.9	250	0.10	104	3.95	2.68	0.93	20.8	2.91	1.8
E503747	2.85	<0.005	<1	178.5	9.0	52.9	250	0.23	249	4.00	2.65	0.93	20.1	3.11	1.9
E503748	2.45	<0.005	<1	286	8.6	55.6	250	0.36	85	4.04	2.71	0.91	17.2	3.20	1.9
E503749	2.95	<0.005	<1	62.3	8.5	54.5	250	0.17	131	3.91	2.62	0.81	17.8	3.06	1.8
E503749A	0.08	4.44	50	767	28.1	12.4	30	2.09	6140	3.03	1.98	0.77	16.5	3.08	3.9
E503750	3.36	<0.005	<1	82.0	8.8	54.6	250	0.14	83	4.14	2.72	0.90	18.1	3.16	1.9
E503751	2.85	<0.005	<1	84.6	9.2	51.8	240	0.35	104	4.01	2.60	0.87	18.1	3.15	2.4
E503753	2.82	<0.005	<1	121.5	8.8	63.9	230	0.21	146	3.95	2.71	0.92	18.1	3.12	1.9
E503754	2.52	<0.005	<1	222	8.5	46.7	240	0.27	81	3.93	2.67	0.90	16.9	3.06	1.9
E503755	3.04	<0.005	<1	225	9.8	53.7	230	0.16	130	3.88	2.65	0.92	18.8	3.17	1.8
E503756	2.87	<0.005	<1	105.0	7.7	54.0	240	0.29	121	3.66	2.50	0.85	17.3	2.82	1.7
E503757	2.34	<0.005	<1	381	52.6	47.1	20	0.51	153	4.15	2.56	1.33	18.5	4.82	4.3
E503758	3.01	<0.005	<1	415	16.0	49.9	60	0.83	95	6.25	4.05	1.36	20.8	5.06	3.2
E503759	3.03	<0.005	<1	338	18.2	44.5	70	0.71	56	6.81	4.56	1.26	20.7	5.53	3.6
E503760	3.39	<0.005	<1	250	15.8	41.6	70	0.59	96	6.51	4.46	1.18	19.9	5.34	3.4
E503761	2.91	<0.005	<1	266	18.6	39.9	60	0.52	38	6.14	4.05	0.98	20.6	4.96	3.5
E503762	3.29	<0.005	<1	266	24.6	51.0	60	0.60	301	5.17	3.45	1.39	21.9	4.77	3.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS	SD10016471
-------------------------	------------

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	
E503723	1.04	6.0	0.45	<2	4.0	10.7	69	<5	2.21	8.8	3.27	1	154.5	0.3	0.72	
E503724	0.71	3.9	0.31	<2	2.1	7.1	107	<5	1.44	7.8	2.18	1	135.5	0.1	0.48	
E503725	0.92	3.6	0.38	5	2.4	7.6	102	<5	1.50	12.7	2.51	1	157.5	0.1	0.58	
E503726	0.73	3.4	0.34	<2	2.0	6.3	55	5	1.33	28.9	1.97	1	109.0	0.1	0.45	
E503727	0.78	3.9	0.34	<2	2.0	7.1	70	6	1.46	26.8	2.14	1	115.5	0.1	0.50	
E503727A	0.66	14.5	0.31	1605	6.6	14.7	14	78	3.74	67.5	3.13	3	99.1	0.6	0.49	
E503728	0.97	3.6	0.38	3	2.4	7.9	94	<5	1.51	20.8	2.61	1	151.5	0.1	0.62	
E503729	0.99	3.8	0.40	2	2.6	8.3	111	<5	1.62	15.4	2.80	1	156.5	0.2	0.64	
E503731	0.93	3.8	0.39	<2	2.5	8.4	102	<5	1.64	16.3	2.65	1	154.5	0.2	0.62	
E503732	0.95	3.7	0.41	<2	2.6	8.1	120	<5	1.58	17.5	2.68	1	137.5	0.2	0.61	
E503733	0.94	3.4	0.43	<2	2.4	7.9	127	<5	1.53	8.9	2.66	1	162.0	0.1	0.62	
E503734	0.96	4.2	0.40	<2	2.4	8.2	125	<5	1.64	25.8	2.63	1	160.5	0.1	0.61	
E503735	0.90	3.1	0.39	<2	2.3	7.3	109	<5	1.37	33.8	2.42	1	122.0	0.1	0.59	
E503736	0.91	3.2	0.38	<2	2.3	7.5	100	<5	1.41	77.3	2.56	1	122.0	0.1	0.58	
E503737	0.95	3.5	0.42	<2	2.3	8.0	109	<5	1.53	34.0	2.66	1	149.0	0.1	0.63	
E503738	0.89	3.2	0.37	<2	2.2	7.4	107	<5	1.40	66.7	2.44	1	127.5	0.1	0.58	
E503739	0.96	3.9	0.41	<2	2.4	8.1	109	<5	1.55	48.9	2.62	1	154.0	0.1	0.59	
E503740	0.91	3.4	0.39	<2	2.2	7.8	106	<5	1.51	40.7	2.62	1	172.5	0.1	0.61	
E503741	0.85	3.1	0.37	<2	2.0	7.1	93	<5	1.35	33.7	2.38	1	148.0	0.1	0.55	
E503742	0.91	3.3	0.40	<2	2.3	7.3	115	<5	1.40	31.9	2.46	1	126.5	0.1	0.59	
E503743	0.87	3.4	0.39	<2	2.2	7.4	159	<5	1.42	18.7	2.41	1	134.5	0.1	0.58	
E503744	0.91	3.2	0.38	<2	2.3	7.4	114	<5	1.42	25.9	2.51	1	130.0	0.1	0.60	
E503745	0.90	3.2	0.39	<2	2.2	7.4	113	<5	1.44	16.9	2.51	1	134.0	0.1	0.60	
E503746	0.93	3.7	0.40	<2	2.3	7.7	113	<5	1.50	19.1	2.51	1	190.0	0.1	0.60	
E503747	0.87	3.4	0.40	<2	2.4	7.4	110	<5	1.44	26.0	2.43	1	151.5	0.1	0.59	
E503748	0.89	3.2	0.40	<2	2.4	7.2	108	<5	1.44	40.1	2.44	1	106.5	0.1	0.58	
E503749	0.83	3.2	0.38	<2	2.5	7.3	103	<5	1.42	7.9	2.39	1	107.0	0.1	0.55	
E503749A	0.64	14.4	0.31	1580	7.0	14.4	14	91	3.79	63.1	3.15	3	97.6	0.6	0.48	
E503750	0.90	3.3	0.39	3	2.4	7.4	111	<5	1.43	10.0	2.45	1	116.0	0.1	0.60	
E503751	0.88	3.7	0.39	2	2.6	7.7	100	<5	1.53	13.5	2.50	1	109.0	0.2	0.57	
E503753	0.87	3.4	0.38	<2	2.3	7.3	117	<5	1.45	17.2	2.46	1	132.5	0.1	0.57	
E503754	0.85	3.2	0.39	<2	2.3	7.2	102	6	1.40	36.0	2.37	1	142.0	0.1	0.57	
E503755	0.86	4.3	0.40	<2	2.2	7.7	106	5	1.56	12.8	2.45	1	199.0	0.1	0.58	
E503756	0.82	2.8	0.37	<2	2.2	6.8	104	<5	1.29	11.1	2.29	<1	145.5	0.1	0.52	
E503757	0.84	25.1	0.38	<2	6.9	25.4	24	5	6.65	19.4	4.78	1	156.5	0.4	0.68	
E503758	1.32	6.6	0.61	<2	4.4	12.6	37	<5	2.60	18.5	4.06	1	102.0	0.3	0.93	
E503759	1.48	7.4	0.68	<2	5.0	14.1	42	<5	2.92	15.7	4.32	1	113.0	0.3	1.01	
E503760	1.44	6.0	0.66	<2	4.8	12.9	36	<5	2.55	13.7	4.15	1	109.5	0.3	0.96	
E503761	1.33	7.7	0.60	<2	4.7	13.3	37	<5	2.85	14.2	4.03	1	87.4	0.3	0.91	
E503762	1.11	10.7	0.54	<2	5.5	15.4	40	10	3.53	23.3	4.15	1	132.5	0.3	0.81	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10016471

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte Units LOR	Th ppm 0.05	Tl ppm 0.5	Tm ppm 0.01	U ppm 0.05	V ppm 5	W ppm 1	Y ppm 0.5	Yb ppm 0.03	Zn ppm 5	Zr ppm 2
E503723		0.57	<0.5	0.45	0.16	400	2	26.6	2.94	170	77
E503724		0.44	<0.5	0.31	0.12	257	2	18.3	2.09	153	48
E503725		0.32	<0.5	0.41	0.10	351	7	23.4	2.65	137	60
E503726		0.36	<0.5	0.32	0.09	307	2	18.2	2.22	227	46
E503727		0.39	<0.5	0.34	0.11	317	2	19.8	2.26	153	51
E503727A		4.82	<0.5	0.29	3.18	118	23	17.7	2.13	120	142
E503728		0.30	<0.5	0.40	0.09	340	2	24.2	2.63	113	60
E503729		0.35	<0.5	0.40	0.13	364	3	24.9	2.79	115	64
E503731		0.31	<0.5	0.40	0.11	347	2	24.2	2.66	131	62
E503732		0.32	<0.5	0.41	0.11	353	2	24.2	2.81	119	61
E503733		0.26	<0.5	0.43	0.08	335	2	24.8	2.78	106	58
E503734		0.25	<0.5	0.42	0.07	334	2	24.6	2.68	103	57
E503735		0.26	<0.5	0.39	0.08	330	2	23.4	2.67	175	58
E503736		0.24	<0.5	0.39	0.07	321	2	22.9	2.67	160	55
E503737		0.24	<0.5	0.41	0.07	339	2	25.1	2.78	223	60
E503738		0.24	<0.5	0.38	0.07	322	2	23.2	2.61	123	54
E503739		0.36	<0.5	0.42	0.13	332	2	24.6	2.70	110	82
E503740		0.22	<0.5	0.39	0.07	334	2	24.0	2.66	91	55
E503741		0.22	<0.5	0.37	0.07	298	1	22.2	2.42	85	51
E503742		0.27	<0.5	0.40	0.09	328	2	23.8	2.73	185	57
E503743		0.38	<0.5	0.40	0.11	318	2	23.3	2.64	172	57
E503744		0.23	<0.5	0.39	0.06	336	1	23.5	2.59	144	57
E503745		0.23	<0.5	0.40	0.07	325	2	23.3	2.67	138	56
E503746		0.24	<0.5	0.43	0.07	334	2	24.4	2.66	94	57
E503747		0.22	<0.5	0.38	0.06	313	1	23.6	2.56	125	55
E503748		0.22	<0.5	0.39	0.06	308	1	23.6	2.61	144	55
E503749		0.24	<0.5	0.39	0.07	303	<1	22.5	2.50	137	56
E503749A		4.83	<0.5	0.29	2.88	108	24	17.6	2.00	112	145
E503750		0.24	<0.5	0.39	0.07	303	<1	23.8	2.62	135	57
E503751		0.34	<0.5	0.38	0.11	296	1	22.7	2.56	149	76
E503753		0.35	<0.5	0.38	0.10	293	1	23.0	2.46	147	55
E503754		0.22	<0.5	0.39	0.06	299	<1	22.7	2.53	132	59
E503755		0.20	<0.5	0.38	0.06	289	1	22.9	2.56	129	54
E503756		0.19	<0.5	0.38	0.05	294	<1	22.0	2.36	116	50
E503757		3.00	<0.5	0.36	0.64	103	1	23.4	2.44	109	161
E503758		0.47	<0.5	0.59	0.12	357	1	35.7	3.94	133	104
E503759		0.53	<0.5	0.68	0.14	382	2	39.0	4.37	142	117
E503760		0.51	<0.5	0.65	0.13	378	1	38.9	4.30	133	114
E503761		0.90	<0.5	0.58	0.23	330	2	34.1	3.81	127	114
E503762		1.25	<0.5	0.50	0.33	306	3	30.6	3.42	130	123



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10016471

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm
Sample Description	0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
E503763	2.93	<0.005	<1	93.0	17.6	91.1	60	0.30	291	6.18	4.07	1.33	20.6	4.98	3.2
E503764	2.91	<0.005	<1	67.5	15.0	62.1	70	0.36	124	6.36	4.29	1.32	20.3	5.06	3.2
E503765	3.16	<0.005	<1	54.0	15.4	38.6	70	0.21	22	6.14	4.13	1.36	19.6	5.02	3.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
 65 QUEEN STREET WEST
 SUITE 800
 TORONTO ON M5H 2M5

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 26-FEB-2010
 Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10016471

Method Analyte Units LOR	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm	ME-MS81 Mo ppm	ME-MS81 Nb ppm	ME-MS81 Nd ppm	ME-MS81 Ni ppm	ME-MS81 Pb ppm	ME-MS81 Pr ppm	ME-MS81 Rb ppm	ME-MS81 Sm ppm	ME-MS81 Sn ppm	ME-MS81 Sr ppm	ME-MS81 Ta ppm	ME-MS81 Tb ppm
Sample Description	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
E503763	1.34	7.0	0.61	<2	4.8	13.6	61	6	2.75	8.0	4.15	1	121.0	0.3	0.92
E503764	1.39	5.5	0.64	<2	4.5	12.6	49	<5	2.46	5.6	3.97	1	113.0	0.3	0.93
E503765	1.35	5.9	0.62	<2	4.6	12.7	48	<5	2.55	4.3	4.08	1	154.5	0.3	0.89



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: HOOK

CERTIFICATE OF ANALYSIS SD10016471

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
E503763		0.57	<0.5	0.60	0.18	353	3	36.2	3.97	131	105
E503764		0.45	<0.5	0.63	0.12	382	1	36.9	4.22	134	106
E503765		0.44	<0.5	0.60	0.12	383	1	36.5	3.95	125	103



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 23-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10016431

Project: OWAISSA

P.O. No.:

This report is for 14 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	VARIABLE
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: OWAISSA

CERTIFICATE OF ANALYSIS SD10016431

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
		0.02	0.01	1	0.001	0.001
H925966		2.80	<0.01	<1	0.004	0.014
H925967		1.31	0.01	<1	0.006	0.003
H925968		2.79	<0.01	<1	0.004	0.014
H925969		1.94	0.01	<1	0.004	0.012
H925970		2.64	0.01	<1	0.004	0.013
H925971		2.87	0.01	<1	0.005	0.016
H925972		2.73	0.01	<1	0.004	0.013
H925973		2.81	<0.01	<1	0.004	0.013
H925974		2.52	<0.01	1	0.005	0.014
H925975		2.25	<0.01	<1	0.005	0.009
H925976		1.53	0.05	1	0.034	0.201
H925976A		0.07	4.31	100	0.001	1.065
H925977		2.00	0.02	<1	0.007	0.019
H925978		3.78	<0.01	<1	0.002	0.004



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 23-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10016434

Project: OWAISSA

P.O. No.:

This report is for 12 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	VARIABLE
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 23-FEB-2010
Account: AUGER

Project: OWAISSA

CERTIFICATE OF ANALYSIS SD10016434

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
Sample Description	0.02	0.01	1	0.001	0.001
H925901	2.45	<0.01	<1	0.005	0.017
H925902	2.55	0.01	<1	0.006	0.031
H925903	2.60	<0.01	<1	0.005	0.015
H925904	2.71	<0.01	<1	0.005	0.016
H925905	2.61	0.01	<1	0.007	0.020
H925906	2.63	<0.01	<1	0.006	0.012
H925907	2.82	<0.01	<1	0.005	0.005
H925908	2.78	<0.01	<1	0.004	0.005
H925909	2.66	<0.01	<1	0.006	0.006
H925910	2.93	0.01	<1	0.005	0.008
H925911	2.87	<0.01	<1	0.006	0.008
H925912	2.88	<0.01	<1	0.005	0.008



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 24-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10016433

Project: OWAISSA

P.O. No.:

This report is for 19 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	VARIABLE
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 24-FEB-2010
Account: AUGER

Project: OWAISSA

CERTIFICATE OF ANALYSIS SD10016433

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
Sample Description	0.02	0.01	1	0.001	0.001
H925948	2.71	<0.01	1	0.005	0.023
H925949	1.90	<0.01	<1	0.008	0.009
H925950	1.94	0.01	<1	0.003	0.014
H925951	3.23	<0.01	1	0.005	0.017
H925952	4.28	<0.01	<1	0.005	0.017
H925953	2.33	<0.01	1	0.006	0.014
H925954	2.25	0.02	1	0.005	0.069
H925955	2.39	<0.01	<1	0.004	0.073
H925955A	0.08	4.56	96	0.001	0.996
H925956	2.53	0.01	1	0.002	0.170
H925957	2.48	<0.01	1	0.004	0.015
H925958	4.20	<0.01	<1	0.004	0.016
H925959	2.83	<0.01	1	0.005	0.020
H925960	2.93	<0.01	<1	0.004	0.013
H925961	2.35	0.02	<1	0.003	0.083
H925962	3.15	<0.01	<1	0.005	0.016
H925963	1.96	<0.01	<1	0.005	0.013
H925964	1.25	<0.01	<1	0.003	0.007
H925965	2.95	<0.01	<1	0.004	0.009



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 24-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10016432

Project: OWAISSA

P.O. No.:

This report is for 16 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	VARIABLE
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 24-FEB-2010
Account: AUGER

Project: OWAISSA

CERTIFICATE OF ANALYSIS SD10016432

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
Sample Description	0.02	0.01	1	0.001	0.001
H925913	2.61	<0.01	<1	0.004	0.015
H925914	2.35	0.01	<1	0.004	0.056
H925914A	0.08	4.43	97	0.001	1.005
H925915	2.85	<0.01	1	0.004	0.021
H925916	2.64	0.01	<1	0.005	0.020
H925917	2.57	0.01	<1	0.005	0.015
H925918	2.58	0.01	<1	0.004	0.014
H925919	1.86	<0.01	<1	0.005	0.009
H925920	2.35	<0.01	<1	0.005	0.009
H925921	2.29	<0.01	<1	0.005	0.008
H925922	2.45	<0.01	<1	0.007	0.020
H925923	2.45	<0.01	<1	0.006	0.016
H925924	2.62	<0.01	<1	0.005	0.010
H925925	2.61	<0.01	<1	0.005	0.013
H925926	4.14	<0.01	<1	0.006	0.015
H925927	2.33	<0.01	<1	0.005	0.015



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 24-FEB-2010
This copy reported on 3-MAR-2010
Account: AUGER

CERTIFICATE SD10016430

Project: OWAISSA

P.O. No.:

This report is for 20 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	VARIABLE
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 24-FEB-2010
Account: AUGER

Project: OWAISSA

CERTIFICATE OF ANALYSIS SD10016430

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
Sample Description	0.02	0.01	1	0.001	0.001
H925928	3.06	0.01	<1	0.005	0.009
H925929	2.47	<0.01	<1	0.005	0.007
H925930	2.44	<0.01	<1	0.004	0.006
H925931	3.05	<0.01	<1	0.005	0.009
H925932	2.46	<0.01	<1	0.005	0.011
H925933	2.51	<0.01	<1	0.005	0.009
H925934	2.78	<0.01	<1	0.006	0.008
H925935	3.00	<0.01	<1	0.007	0.010
H925936	2.19	<0.01	<1	0.005	0.022
H925937	2.82	<0.01	<1	0.005	0.008
H925938	2.81	0.01	<1	0.005	0.007
H925939	3.05	<0.01	<1	0.005	0.007
H925940	2.42	<0.01	<1	0.005	0.007
H925941	3.15	<0.01	<1	0.006	0.008
H925942	2.90	<0.01	<1	0.006	0.009
H925943	2.77	<0.01	<1	0.006	0.008
H925944	3.00	<0.01	<1	0.005	0.008
H925945	3.06	<0.01	<1	0.005	0.007
H925946	2.89	<0.01	<1	0.005	0.008
H925947	2.88	<0.01	<1	0.006	0.008



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 26-FEB-2010
This copy reported on 31-MAR-2010
Account: AUGER

CERTIFICATE SD10015985

Project: OWAISSA

P.O. No.:

This report is for 13 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	VARIABLE
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: OWAISSA

CERTIFICATE OF ANALYSIS SD10015985

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
		0.02	0.01	1	0.001	0.001
E503880		3.20	<0.01	<1	0.005	0.014
E503881		2.61	<0.01	<1	0.006	0.054
E503881A		0.08	3.14	101	0.001	1.080
E503882		1.56	0.01	<1	0.005	0.014
E503883		1.06	<0.01	2	0.005	0.012
E503884		1.54	0.03	<1	0.001	0.001
E503885		2.47	<0.01	<1	0.004	0.003
E503886		3.25	<0.01	<1	0.003	0.002
E503886A		0.07	4.30	99	0.001	1.055
E503887		2.55	0.01	<1	0.001	0.004
E503888		2.57	<0.01	<1	<0.001	0.044
E503889		2.40	<0.01	<1	0.001	0.002
E503890		2.54	<0.01	1	0.001	0.016



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 26-FEB-2010
This copy reported on 31-MAR-2010
Account: AUGER

CERTIFICATE SD10015984

Project: OWAISSA

P.O. No.:

This report is for 13 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	VARIABLE
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: OWAISSA

CERTIFICATE OF ANALYSIS SD10015984

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
		0.02	0.01	1	0.001	0.001
E503861		2.69	<0.01	<1	0.004	0.009
E503862		1.85	0.01	<1	0.004	0.016
E503863		2.19	0.01	<1	0.005	0.017
E503864		2.06	<0.01	<1	0.004	0.009
E503865		3.32	0.13	1	0.007	0.341
E503865A		0.08	4.15	100	0.001	1.050
E503866		2.37	0.49	4	0.014	0.756
E503867		2.38	0.94	2	0.030	0.631
E503868		2.30	0.01	<1	<0.001	0.003
E503869		1.60	0.29	1	0.025	0.112
E503870		2.81	0.01	<1	0.005	0.019
E503871		1.73	0.21	<1	0.029	0.085
E503872		2.65	0.07	<1	0.010	0.060



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 26-FEB-2010
This copy reported on 31-MAR-2010
Account: AUGER

CERTIFICATE SD10015986

Project: OWAISSA

P.O. No.:

This report is for 11 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	VARIABLE
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 26-FEB-2010
Account: AUGER

Project: OWAISSA

CERTIFICATE OF ANALYSIS SD10015986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
E503891		2.52	<0.01	<1	<0.001	<0.001
E503892		2.42	<0.01	1	0.001	<0.001
E503893		2.62	<0.01	<1	<0.001	<0.001
E503894		2.51	<0.01	<1	<0.001	<0.001
E503895		2.49	<0.01	1	<0.001	<0.001
E503896		1.95	<0.01	<1	0.001	<0.001
E503896A		0.08	4.42	106	0.002	1.025
E503897		2.66	<0.01	<1	0.001	0.005
E503898		2.74	<0.01	1	0.001	<0.001
E503899		2.12	<0.01	<1	0.001	0.008
E503900		2.85	<0.01	1	<0.001	<0.001



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 1
Finalized Date: 25-FEB-2010
This copy reported on 31-MAR-2010
Account: AUGER

CERTIFICATE SD10015983

Project: OWAISSA

P.O. No.:

This report is for 8 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-FEB-2010.

The following have access to data associated with this certificate:

WILL RANDALL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	VARIABLE
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: AUGER RESOURCES
ATTN: WILL RANDALL
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGER RESOURCES
65 QUEEN STREET WEST
SUITE 800
TORONTO ON M5H 2M5

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 25-FEB-2010
Account: AUGER

Project: OWAISSA

CERTIFICATE OF ANALYSIS SD10015983

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA25 Au ppm	Ag-OG62 Ag ppm	Co-OG62 Co %	Cu-OG62 Cu %
		0.02	0.01	1	0.001	0.001
E508873		2.62	0.02	1	0.007	0.125
E508874		2.78	<0.01	<1	0.004	0.013
E508874A		0.07	4.29	96	0.002	1.045
E508875		2.29	0.02	1	0.004	0.012
E508876		2.34	0.01	<1	0.004	0.039
E508877		1.56	<0.01	<1	0.004	0.009
E508878		2.42	0.01	<1	0.006	0.010
E508879		2.84	<0.01	<1	0.006	0.009