

Summary Report

Prospecting Activities in

Cobb Bay Area -Penassi Lake

Northwestern Ontario

October 9th – October 17^h, 2010

Prepared for:

Ministry of Northern Development and Mines

Submitted by:

3936449 Canada Incorporated

December, 2009

Table of Contents

KEY PLAN.....0.5

INTRODUCTION1.0

LOCATION AND ACCESS.....2.0

PERSONNEL.....3.0

REGIONAL GEOLOGY -COBB BAY AREA.....4.0

RATIONALE FOR THE WORK PERFORMED.....5.0

DAILY LOG.....6.0

APPENDIX A – “SGH SURVEY – COBB BAY PROJECT” Report by Activation Laboratories Ltd.

APPENDIX B – Map of Claims 3014787 & 3019927and Sampling Plan


APPENDIX C –Sample Description/Location List

APPENDIX D –Assay Certificate

APPENDIX E – SGH Sample Analysis

APPENDIX F – SGH Sample Methodology

0.5 KEY PLAN



1.0 INTRODUCTION

A prospecting and sampling program was undertaken on part of the Cobbe Bay claims held by 3936449 Canada Incorporated in the Sturgeon Lake greenstone belt during the period of October 9 to October 17, 2010. All of the work was done on claim # 3019927 and claim # 3014787.

2.0 LOCATION AND ACCESS

The claims (approx 49.97° north / 91.05° west) are located approximately 0.75 kilometers east of Provincial Road 599, north of Cobbe Lake and west of Sturgeon Lake, Ontario. Cobbe Bay Lodge was used by field personnel who accessed the property by the Cobbe Bay Lodge Road, and a south of same.

3.0 PERSONNEL

For the entire period of the program in the field, Michael Bulatovich (MB), the company's Chief Operations Officer, was assisted by Hunter Fassett (HF), Jonah Fassett (JF) and Caleb Fassett (CF) who acted as helpers on various days. See Daily Logs below for detail.

4.0 REGIONAL GEOLOGY -COBB BAY AREA

The Cobb Bay area is located with the Archean greenstone belt of the Wabigoon Subprovince. The rocks have been subject to greenschist to lower-amphibolite facies metamorphism and as such are referred to as metavolcanic and metasedimentary units. The area is underlain by felsic to intermediate tuffs and quartz-feldspar porphyry. There are substantial occurrences mafic intrusives of gabbro and diorite, which are sometimes porphyritic themselves, and other mafic metavolcanic flows (Trowell, 1983). Other authors have indicated that the work by Trowell was incorrect as to the preponderance of mafic intrusives in the area, finding few mafic intrusives in the area, but rather mafic flows and frequent quartz-feldspar porphyries (Jobin-Bevans, 1996).

5.0 RATIONALE FOR THE WORK PERFORMED

1. Previous exploration, including drilling, on the property has indicated the presence of gold along a wide structural trend.
2. OGS mapping indicates the presence of a copper occurrence on the same trend and on the same property.
3. Geophysical work previously performed has suggested that locations where there is limited outcrop should be investigated for mineralization.
4. Modern geochemistry is capable of indicating mineralized zones with good edge definition and without being subject to the confusing intervention of glacial drift.
5. Gold assays have been related to quartz feldspar porphyries to date on this property or to quartz veins so while sampling for soil, any porphyritic rock encountered was grab sampled for gold assay.

6.0 DAILY LOG

Saturday October 9th, 2010

The crew left the lodge at 8:00 a.m. by boat, rode to Aur Lake, and portaged to Cobb Lake. Lines K, L and M were sampled by MB and HF while JF drove the boat to specific locations to drop them off and pick them up. The crew then portaged back down to Aur Lake, and completed parts of sample grid lines east of Aur Lake and its outlet stream. The eastern extremities of lines H, G, F and E were done in this manner on this day.

The crew returned to the lodge by boat by 5:30 p.m.

Sunday October 10th, 2010

The crew, which today was comprised of MB, HF, and CF, left the lodge at 8:00 a.m. by boat and continued the geochemical sampling starting with line A. Sampling was done by MB and HF while CF supported by driving both the boat and an ATV to drop off and pick up points along the way. The crew completed lines A to C, and line D from UTM 641250E to 642350E.

The crew returned to the lodge by boat by 5:00 p.m.

Monday October 11th, 2010

The crew, which today was comprised of HF and CF, left the lodge at 9:00 a.m. by boat and continued the geochemical sampling starting with the remainder of line D. Sampling was done by HF alone or with CF, while CF sometimes supported by driving the boat to drop off and pick up points. The crew completed the remaining sections of lines E and F west of the Aur Lake outlet stream.

The crew returned to the lodge by boat by 5:00 p.m.

Tuesday October 12th, 2010

The crew, which today was comprised of HF and CF, left the lodge at 8:30 a.m. by ATV and continued the geochemical sampling completing with the remainder of lines G and H west of the Aur Lake outlet stream. Sampling was done by HF with CF in one continuous loop.

The crew returned to the lodge by ATV by 5:00 p.m.

Thursday October 14th, 2010

The crew, which today was comprised of HF and CF, left the lodge at 8:30 a.m. by ATV and continued the geochemical sampling completing with the remainder of lines I and J west of the Aur Lake. Sampling was done by HF with CF in one continuous loop.

The crew returned to the lodge by ATV by 4:30 p.m.

Sunday October 17th, 2010

MB spent the morning cataloguing and organizing the soil samples and rock samples collected at the lodge, and then packing the soil samples for transport. Around 12:30 MB took a boat and inspected the Cobb Bay shoreline in the areas where the OGS mapping showed porphyritic intrusives and collected samples at intervals for assay. A total of 14 samples were taken, with all but one of them being an intermediate intrusive with feldspar phenocrysts and without obvious signs of alteration. The one different sample was taken from a narrow course grained red dyke (#2).

Monday October 18th, 2010

Monday was spent packing up all samples and equipment and driving back to Thunder Bay. The pump and accessories were put into storage, and the samples were delivered to Activation Labs. The rental truck was returned and MB flew back to Toronto, arriving in the evening.

This report was completed on December 20th, 2010 by Michael Bulatovich.

A handwritten signature in black ink, appearing to read 'Michael Bulatovich', with a stylized flourish at the end.

APPENDIX A

“SGH SURVEY – COBB BAY PROJECT” Report by Activation Laboratories Ltd.



**SGH – SOIL GAS HYDROCARBON
Predictive Geochemistry**

for

3936449 CANADA INC.

***"SGH SURVEY –
COBB BAY PROJECT"***

November 23, 2010

** Dale Sutherland, Eric Hoffman*

Activation Laboratories Ltd

(- author)*

EVALUATION OF SGH DATA FOR "SOIL SAMPLES"

EXPLORATION FOR: "GOLD and/or VMS" TARGETS

Workorder: A10-7405

Table Of Contents

Heading	Page Location
SGH Geochemistry Overview:	3
Sample Type and Survey Design	4
Sample Preparation and Analysis	5
Mobilized Inorganic Geochemical Anomalies	5
The Nugget Effect	5
SGH Interpretation Report	6
SGH Rating System:	
Description	6
History and Understanding	7
SGH Data Quality:	
Reporting Limit	10
Laboratory Replicate Analysis	10
Historical SGH Precision	11
Laboratory Materials Blank – Quality Assurance (LMB-QA)	12
Geochemical Threshold	13
Data Magnitude and Data Leveling	14
Forensic Geochemical Signature	15
Disclaimer	19
SGH Survey Interpretation and Sample Location Map	20
SGH “VMS” Pathfinder Class Map, Interpretation and Rating	22
SGH “GOLD” Pathfinder Class Map, Interpretation and Rating	27
SGH Survey Recommendations	31
In-fill Sampling Recommendations for SGH Analyses	32
Cautionary Note Regarding Assumptions and Forward Looking Statements	33
Certificate of Analysis	34

SOIL GAS HYDROCARBON (SGH) GEOCHEMISTRY - OVERVIEW

SGH is a deep penetrating geochemistry that involves the analysis of surficial samples from over potential mineral or petroleum targets. The analysis involves the testing for 162 hydrocarbon compounds in the C5-C17 carbon series range applicable to a wide variety of sample types. SGH has been successful for delineating targets found at over 500 metres in depth. Samples of various media have been successfully analyzed such as soil (any horizon), drill core, rock, peat, lake-bottom sediments and even snow. The SGH analysis incorporates a very weak leach, essentially aqueous, that only extracts the surficial bound hydrocarbon compounds and those compounds in interstitial spaces around the sample particles. These are the hydrocarbons that have been mobilized from the target depth. SGH is unique and should not be confused with other hydrocarbon tests or traditional analyses that measure C1 (Methane) to C5 (Pentane) or other gases. SGH is also different from soil hydrocarbon tests that thermally extract or desorb all of the hydrocarbons from the whole soil sample. This test is less specific as it does not separate the hydrocarbons and thus does not identify or measure the responses as precisely. These tests also do not use a forensic approach to identification. The hydrocarbons in the SGH extract are separated by high resolution capillary column gas chromatography to isolate, confirm, and measure the presence of only the individual hydrocarbons that have been found to be of interest from initial research and development and from performance testing in two Canadian Mining Industry Research Organization (CAMIRO) projects (97E04 and 01E02).

Over the past 14 years of research, Activation Laboratories Ltd. has developed an in-depth understanding of the unique SGH signatures associated with different commodity targets. Using a forensic approach we have developed target signatures or templates for identification, and the understanding of the expected geochromatography that is exhibited by each class of SGH compounds. In 2004 we began to include an SGH interpretation report delivered with the data to enable our clients to realize the complete value and understanding of the SGH results in the shortest time frame and provide the benefit from past research sponsored by Actlabs, CAMIRO, OMET and other projects.

SGH has attracted the attention of a large number of Exploration companies. In the above mentioned research projects the sponsors have included (in no order): Western Mining Corporation, BHP-Billiton, Inco, Noranda, Outokumpu, Xstrata, Cameco, Cominco, Rio Algom, Alberta Geological Survey, Ontario Geological Survey, Manitoba Geological Survey and OMET. Further, beyond this research, Activation Laboratories Ltd. has interpreted the SGH data for over 400 targets from clients since January of 2004. In both CAMIRO research projects over known mineralization and in exploration projects over unknown targets, SGH has performed exceptionally well. As an example, in the first CAMIRO research project that commenced in 1997 (Project 97E04), there were 10 study areas that were submitted blindly to Actlabs. These study sites were selected since other inorganic geochemistries were unsuccessful at illustrating anomalies related to the target.

SOIL GAS HYDROCARBONS (SGH) GEOCHEMISTRY – OVERVIEW

Although Actlabs was only provided with the samples and their coordinates, SGH was able to locate the blind mineralization with exceptional accuracy in 9 of the 10 surveys. SGH has recently been very successful in exploration and discovery of unknown targets e.g. Golden Band Resources drilled an SGH anomaly and discovered a significant vein containing “visible” gold. (www.goldenbandresources.com)

Sample Type and Survey Design: It is highly recommended that a ***minimum*** of 50 sample “locations” is preferred to obtain enough samples into background areas on both sides of **small** suspected targets (wet gas plays, Kimberlite pipes, Uranium Breccia pipes, veins, etc.). SGH is not interpreted in the same way as inorganic based geochemistries. SGH must have enough samples over both the target and background areas in order to fully study the dispersion patterns or geochromatography of the SGH classes of compounds. Based on our minimum recommendation of at least 50 sample locations we further suggest that all samples be **evenly spaced** with about one-third of the samples over the target and one-third on each side of the target in order for SGH to be used for exploration. Targets other than gas plays, pipes, dykes or veins usually require additional samples to represent both the target and background areas.

SGH has been shown to be very robust to the use of different sample types even “within” the same survey or transect. Research has illustrated that it is far more important to the ultimate interpretation of the results to take a complete sample transect or grid than to skip samples due to different sample media. The most ideal natural sample is still believed to be soil from the “Upper B-Horizon”, however excellent results can also be obtained from other soil horizons, humus, peat, lake-bottom sediments, and even snow. The sampling design is suggested to use evenly spaced samples from 15 metres to 200 metres and line spacing from 50 metres to 500 metres depending on the size and type of target. A 4:1 ratio is suggested, however, larger orientation surveys have also been successful. Ideally even large grids should have one-third of the samples over the target and two-thirds of the samples into anticipated background areas. This will allow the proper assessment of the SGH geochromatographic vectoring and background site signature levels with minimal bias. Individual samples taken at significant distances from the main survey area to represent background are not of value in the SGH interpretation as SGH results are not background subtracted. Samples can be drip dried in the field and do not need special preservation for shipping and has been specifically designed to avoid common contaminants from sample handling and shipping. SGH has also been shown to be robust to cultural activities even to the point that successful results and interpretation has been obtained from roadside right-of-ways.

SOIL GAS HYDROCARBONS (SGH) GEOCHEMISTRY – OVERVIEW

Sample Preparation and Analysis: Upon receipt at Activation Laboratories the samples are air-dried in isolated and dedicated environmentally controlled rooms set to 40°C. The dried samples are then sieved. In the sieving process, it is important that compressed air is not used to clean the sieves between samples as trace amounts of compressor oils "may" poison the samples and significantly affect some target signatures. At Activation Laboratories a vacuum is used to clean the sieve between each sample. The -60 mesh sieve fraction (<250 microns, although different mesh sizes can be used at the preference of the exploration geologist) is collected and packaged in a Kraft paper envelope and transported from our sample preparation building to our analytical building on the same street in Ancaster Ontario. Each sample is then extracted, separated by gas chromatography and analyzed by mass spectrometry using customized parameters enabling the highly specific detection of the 162 targeted hydrocarbons at a reporting limit of one part-per-trillion (ppt). This trace level limit of reporting is critical to the detection of these hydrocarbons that, through research, have been found to be related at least in part to the breakdown and release of hydrocarbons from the death phase of microbes directly interacting with a deposit at depth. The hydrocarbon signatures are directly linked to the deposit type which is used as a food source. The hydrocarbons that are mobilized and metabolized by the microbes are released in the death phase of each successive generation. Very few of the hydrocarbons measured are actually due to microbe cell structure, or hydrocarbons present or formed in the genesis of the deposit or from anthropogenic contamination. The results of the SGH analysis is reported in raw data form in an Excel spreadsheet as "semi-quantitative" concentrations without any additional statistical modification.

Mobilized Inorganic Geochemical Anomalies: It is important to note that SGH is essentially "blind" to any inorganic content in samples as only organic compounds as hydrocarbons are measured. Thus inorganic geochemical surface anomalies that have migrated away from the mineral source, and thus may be interpreted and found to be a false target location, is not detected and does not affect SGH results. This fact is of great advantage when comparing the SGH results to inorganic geochemical results. If there is agreement in the location of the anomalies between the organic and inorganic technique, such as Actlabs' Enzyme Leach, a significant increase in confidence in the target location can be realized. If there is no agreement or a shift in the location of the anomalies between the techniques, the inorganic anomaly may have been mobilized in the surficial environment.

The Nugget Effect: As SGH is "blind" to the inorganic content in the survey samples, any concern of a "nugget effect" will not be encountered with SGH data. A "nugget effect" may be of a concern for inorganic geochemistries from surveys over copper, gold, lead, nickel, etc. type targets.

SOIL GAS HYDROCARBONS (SGH) GEOCHEMISTRY – OVERVIEW

SGH Interpretation Report: All SGH submissions must be accompanied by relative or UTM coordinates so that we may ensure that the sample survey design is appropriate for use with SGH, and to provide an SGH interpretation with the results. In our interpretation procedure, we separate the results into 19 SGH sub-classes. These classes include specific alkanes, alkenes, thiophenes, aromatic, and polyaromatic compounds. Note that none of the SGH hydrocarbons are “gaseous” at room temperature and pressure. The classes are then evaluated in terms of their geochromatography and for coincident compound class anomalies that are unique to different types of mineralization. Actlabs uses a six point scale in assigning a subjective rating of similarity of the SGH signatures found in the submitted survey to signatures previously reviewed and researched from known case studies over the same commodity type. Also factored into this rating is the appropriateness of the survey and amount of data/sample locations that is available for interpretation. This rating scale is described in detail in the following section.

SGH RATING SYSTEM - DESCRIPTION

To date SGH has been found to be successful in the depiction of buried mineralization for Gold, Nickel, VMS, SEDEX, Uranium, Polymetallic, and Copper, as well as for Kimberlites. SGH data has developed into a dual exploration tool. From the interpretation, a vertical projection of the predicted location of the target can be made as well as a statement on the rating of the comparability of the identification of the anticipated target type to that from known case studies, as an example: if the client anticipates the target to be a Gold deposit, what is the rating or comparability that the target is similar to the SGH results over a Gold deposit in Nunavut, shear hosted and sediment hosted deposits in Nevada, or Paleochannel Gold mineralization in Western Australia.

- A rating of “6” is the highest or best rating, and means that the SGH classes most important to describing a Gold related hydrocarbon signature are all present and consistently vector to the same location with well defined anomalies. To obtain this rating there also needs to be other SGH classes that when mapped lend support to the predicted location.
- A rating of “5” means that the SGH classes most important to describing a Gold signature are all present and consistently describe the same location with well defined anomalies. The SGH signatures may not be strong enough to also develop additional supporting classes.
- A rating of “4” means that the SGH classes most important to describing a Gold signature are mostly present describing the location with well defined anomalies. Supporting classes may also be present.

SGH RATING SYSTEM - DESCRIPTION (continued)

- A rating of "3" means that the SGH classes most important to describing a Gold signature are mostly present and describe the same location with fairly well defined anomalies. Some supporting classes may or may not be present.
- A rating of "2" means that some of the SGH classes most important to describing a Gold signature are present but a predicted location is difficult to determine. Some supporting classes may be present
- A rating of "1" is the lowest rating, and means that one of the SGH classes most important to describing a Gold signature is present but a predicted location is difficult to determine. Supporting classes are also not helpful.
- The SGH rating is directly and significantly affected by the survey design. Small data sets, especially if significantly <50 sample locations, or transects/surveys that are geographically too short will automatically receive a lower rating no matter how impressive an SGH anomaly might be. When there is not enough sample locations to adequately review the SGH class geochromatography, or when the sample spacing is inadequate, or if the spacing is highly variable such that it biases the interpretation of the results, then the confidence in the interpretation of any geochemistry is adversely affected. The SGH rating is not just a rating of the agreement between the SGH pathfinder classes for a particular target type; it is a rating of the overall confidence in the SGH results from this particular survey. The interpretation is only based on the SGH results without any information from other geochemical, geological or geophysical information unless otherwise specified.

SGH RATING SYSTEM – HISTORY & UNDERSTANDING

The subjective SGH rating system has been used since 2004 when Activation Laboratories started providing an SGH Interpretation Report with ever submission for SGH analysis to aid our clients in understanding this organic geochemistry and ensuring that they obtain the best results for their surveys. As explained in the previous section, the SGH rating is not just a rating of how definitive an SGH anomaly is, and is not based just on the map(s) provided in this report. It is a rating of "confidence in the interpreted anomaly" from the combination of (i) are the expected SGH Pathfinder Classes of compounds present from the template for this target type (one Pathfinder Class map is shown in the report, at least three must be present to adequately describe the correct signature for a particular target), (ii) how well do these SGH Pathfinder Classes agree in describing an particular area, (iii) how well does this agreement compare to SGH case studies over known targets of that type, (iv) how well is the interpreted anomaly defined by the survey (i.e. a single


SGH RATING SYSTEM – HISTORY & UNDERSTANDING (cont.)

transect does not provide the same confidence as a complete grid of samples), and (v) is there at least a minimum of 50 sample locations in the survey so that there may be an adequate amount of data to observe the geochromatography of the different SGH Pathfinder Class of compounds.

The question often arises by clients as to the frequency of a rating, e.g. “how often is a rating of 5.0 given in an interpretation”. To better understand this we present this review of the history of the SGH rating program since 2004 and some of the underlying situations that can affect the historical rating charts.


Originally it was recommended that a minimum of 35 sample location be used for small target exploration, however it was quite quickly realized that this is often insufficient and at least 50 sample locations were required. In 2007, the rating scale was refined to include increments of 0.5 units rather than just integer values from 0 to 6.

A rating frequency may be biased high as most clients conduct an orientation study over a known target, thus several of these projects result in high ratings. Note that, at this time, the rating is not said to be linked to grade of a deposit or depth to the target. Even in exploration surveys clients tend to submit samples over more promising targets due to knowledge of the geology and prior geochemical or geophysical results. As shown in the following chart, projects with SGH data from 200 or more sample locations have a higher level of confidence in the interpretation as the geochromatography of the SGH Pathfinder Classes of compounds can be more completely observed and reviewed.




SGH RATING SYSTEM – HISTORY & UNDERSTANDING (cont.)

The rating frequency may be biased low as research projects often include a bare minimum of samples to reduce costs. Research projects may also be over targets known to be difficult to depict with geochemistry. Multiple targets in close vicinity in a survey may result in a low bias as the Pathfinder Class geochromatography is more difficult to deconvolute. Ratings may also be biased low if less than the recommended 50 sample locations is submitted as indicated by the following chart. This chart also illustrates that there is no interpretation bias to a particular rating value.




The overall rating frequency for over 400 targets from January 2004 to December 2009 is shown in the chart below illustrating that surveys over more promising targets are most often submitted for best use of research or exploration dollars. It also indicates that the 0.5 increments were less frequent as they started in 2007.



SGH RATING SYSTEM – HISTORY & UNDERSTANDING (cont.)

More specific for SGH interpretation for Gold targets, the overall rating frequency for 97 targets from January 2004 to December 2009 is shown in the chart below that also illustrates that surveys over more promising Gold targets are most often submitted for best use of research or exploration dollars.



SGH DATA QUALITY

- Reporting Limit:** The SGH Excel spreadsheet of results contains the raw unaltered concentrations of the individual SGH compounds in units of "part-per-trillion" (ppt). The reporting of these ultra low levels is vital to the measurement of the small amounts of hydrocarbons now known to be leached/metabolized and subsequently released by dead bacteria that have been interacting with the ore at depth. To ensure that the data has a high level of confidence, a "reporting limit" is used. The reporting limit of 1 ppt actually represents a level of confidence of approximately 5 standard deviations where SGH data is assured to be "real" and non-zero. Thus in SGH the use of a reporting limit automatically removes site variability and there is no need to further background subtract any data as the reporting limit has already filtered out any site background effects. Thus we recommend that all data that is equal to or greater than 2 ppt should be used in any data review. It is important to review all SGH data as low values that may be the centre of halo anomalies and higher values as apical anomalies or as halo ridges are all important.
- Laboratory Replicate Analysis:** A laboratory replicate is a sample taken randomly from the submitted survey being analyzed and are not unrelated samples taken from some large stockpile of bulk material. In the Organics laboratory an equal portion of this sieved sample, or pulp, is taken and analyzed in the same manner using the Gas Chromatography/Mass Spectrometer. The comparison of laboratory replicate and field duplicate results for chemical tests in the parts-per-million or even parts-per-billion range has typically

SGH DATA QUALITY (continued)

been done using an absolute "relative percent difference (RPD)" statistic which is an easy proxy for error estimation rather than a more complete analysis of precision as specified by Thompson and Howarth. An RPD statistic is not appropriate for SGH results as the reporting limit for SGH is 1 part-per-trillion. Further, SGH is a semi-quantitative technique and was not designed to have the same level of precision as other less sensitive geochemistry's as it is only used as an exploration tool and not for any assay work. SGH is also designed to cover a wide range of organic compounds with an unprecedented 162 compounds being measured for each sample. In order to analyze such a wide molecular weight range of compounds, sacrifices were made to the variability especially in the low molecular weight range of the SGH analysis. The result is that the first fifteen SGH compounds in the Excel spreadsheet is expected to exhibit more imprecision than the other 147 compounds. An SGH laboratory replicate is a large set of data for comparison even for just a few pairs of analyses. Precision calculations using a Thompson and Howarth approach should only be used for estimating error in individual measurements, and not for describing the average error in a larger data set. In geochemical exploration geochemists seek concentration patterns to interpret and thus rigorous precision in individual samples is not required because the concentrations of many samples are interpreted collectively. For these reasons recent and independent research at Acadia University in Canada promote that a percent Coefficient of Variation (%CV) should be used as a universal measurement of relative error in all geochemical applications. As SGH results are a relatively large data set for nearly all submissions, %CV is a better statistic for use with SGH. By using %CV, the concentration of duplicate pairs is irrelevant because the units of concentration cancel out in the formation of the coefficient of variation ratio. For SGH, the %CV is calculated on all values ≥ 2 ppt. These values are averaged and represent a value for each pair of replicate analysis of the sample. All of the %CV values for the replicates are then averaged to report one %CV value to represent the overall estimate of the relative error in the laboratory sub-sampling from the prepared samples, and any instrumental variability, in the SGH data set for the survey. Actlabs' has successfully addressed the analytical challenge to minimize analytical variability for such a large list of compounds. Thus as SGH is also interpreted as a signature and is solely used for exploration and not assay measurement, the data from SGH is **"fit for purpose"** as a geochemical exploration tool.

- **Historical SGH Precision:** In the general history of geochemistry, studies indicate that a large component of total measurement error is introduced during the collection of the initial sample and in sub-sampling, and that only a subordinate amount of error in the result is introduced during preparation and analysis. A historical record encompassing many projects for SGH, including a wide variety of sample

SGH DATA QUALITY (continued)

types, geology and geography, shows that the consistency and precision for the analysis of SGH is excellent with an overall precision of 6.8% Coefficient of Variation (%CV). When last calculated, this number has a range having a maximum of 12.4% CV, a minimum of 3.0% CV, with a standard deviation of 1.6%, in a population made up of over 400 targets (over 45,000 samples) interpreted since June of 2004. Again the precision of 6.8% CV included all of the sample types as soil from different horizons, peat, till, humus, lake-bottom sediments, ocean-bottom sediments, and even snow. When field duplicates have been revealed to us, we have found that the precision of the field duplicates are in the range of about 9 to 12 %CV. As SGH is interpreted using a combination of compounds as a chemical "class" or signature, the affect of a few concentrations that may be imprecise in a direct comparison of duplicates is not significant. Further, projects that have been re-sampled at different times or seasons are expected to have different SGH concentrations. The SGH anomalies may not be in exactly the same position or of the same intensity due to variable conditions that may have affected the dispersion of different pathfinder classes. However, the SGH "signature" as to the presence of the specific mix of SGH pathfinder classes will definitely still exist, and will retain the ability to identify the deposit type and vector to the same target location.

- **LABORATORY MATERIALS BLANK – QUALITY ASSURANCE (LMB-QA):**

The Laboratory Materials Blank Quality Assurance measurements (LMB-QA) shown in the SGH spreadsheet of results are matrix free blanks analyzed for SGH. These blanks are not standard laboratory blanks as they do not accurately reflect an amount expected to be from laboratory handling or laboratory conditions that may be present and affect the sample analysis result. The LMB-QA measurements are a pre-warning system to only detect any contamination originating from laboratory glassware, vials or caps. As there is no substrate to emulate the sample matrix, the full solvating power of the SGH leaching solution, effectively a water leach, is fully directed at the small surface area of the glassware, vials or caps. In a sample analysis the solvating power of the SGH leaching solution is distributed between the large sample surface area (from soil, humus, sediments, peat, till, etc.) and the relatively small contribution from the laboratory materials surfaces. The sample matrix also buffers the solvating or leaching effect in the sample versus the more vigorous leaching of the laboratory materials which do not experience this buffering effect. Thus the level of the LMB-QA reported is biased high relative to the sample concentration and the actual contribution of the laboratory reagents, equipment, handling, etc. to the values in samples is significantly lower. This situation in organic laboratory analysis only occurs at such extremely low part-per-trillion (ppt) measurement levels. This is one of the reasons that SGH uses a reporting limit and not a detection limit. The 1 ppt reporting limit used in the SGH spreadsheet of raw concentration data is 3 to 5

SGH DATA QUALITY (continued)

times greater than a detection limit. The reporting limit automatically filters out analytical noise, the actual LMB-QA, and most of the sample survey site background. This has been proven as SGH values of 1 to 3 parts-per-trillion (ppt) have very often illustrated the outline of anomalies directly related to mineral targets. Thus all SGH values greater than or equal to 1 or 2 ppt should be used as reliable values for interpretations.

The LMB-QA values thus should not be used to background subtract any SGH data. The LMB-QA values are only an early warning as a quality assurance procedure to indicate the relative cleanliness of laboratory glassware, vials, caps, and the laboratory water supply at the ppt concentration level. Do not subtract the LMB-QA values from SGH sample data.

SGH DATA INTERPRETATION

- **GEOCHEMICAL ANOMALY THRESHOLD VALUE:**

In the interpretation of "inorganic" geochemical data one of the determinations to be made is to calculate a "Threshold" value above which data is considered anomalous. This is done on an element by element basis. In the interpretation of this "organic" geochemical data this determination is done differently. The determination of a threshold value is not calculated for each hydrocarbon compound. The determination of a threshold value is also a concentration below which geochemical data is considered as "noise" for the purposes of geochemical interpretation. As discussed on page 10, SGH uses a "Reporting Limit" instead of some type of Detection Limit. The amount of noise that is already eliminated in the data, as below the Reporting Limit of 1 part-per-trillion (shown in the data spreadsheet as "-1" as "not-detected at a Reporting Limit of 1 ppt") is equivalent to approximately 5 standard deviations of variability. To thus calculate an additional Threshold Value is a loss of real and valuable data. Further, in the interpretation of SGH data, individual compounds are not considered (unless explicitly mentioned in the report). The interpretation of SGH data is exclusively conducted by "compound chemical class" which is the sum of four to fourteen individual hydrocarbons in the same organic chemical class as these compounds naturally have the same chemical properties that ultimately define their spatial dispersion characteristics in their rise from a mineral target through the overburden. This combined class is more reliable than the measurement of any one compound. SGH also eliminates the need for a Threshold value determination above the Reporting Limit due to the "high specificity" of the specific hydrocarbons and the classes they form. Each of the hydrocarbons has been hand selected due to their lower probability of being found in general surface soils. Further, only those classes where the majority of the compounds are detected above the Reporting Limit are considered in the interpretation. This defines the SGH geochemistry as having less

SGH DATA INTERPRETATION (continued)

GEOCHEMICAL ANOMALY THRESHOLD VALUE: (continued)

geochemical noise due to the use of a reporting limit and as having higher confidence in the use of groups (classes) of data instead of individual compounds. However the most important aspect of interpretation is the use of a forensic signature. At least three specific "Pathfinder" classes, based on the combinations or template of classes we have developed, must be present to define the hydrocarbon signature to confidently predict the presence of a specific type of mineral target. Do not calculate another Threshold value. FACT: It has been proven many times that important chemical anomalies can exist even at 5 ppt.

- **SGH PATHFINDER CLASS MAGNITUDE:**

The magnitude of any individual concentration or that of a hydrocarbon class does not imply that the data is of more importance or that mineralization is of higher quantity or grade. SGH interpretation must use the review of the combination of specific hydrocarbon classes to make any interpretation.

- **SGH DATA LEVELING:**


The combination of SGH data from different field sampling events has rarely required leveling in order to combine survey grids. The only circumstances that have occasionally required leveling has been the combination of samples that are very fine in texture, thus having a combined large surface area to samples of peat that may be in nearby areas. Even after maceration of the peat and in using the maximum size of sample amenable to this test method, peat samples have a significantly lower surface area. Peat samples have only required leveling in one survey in the last 500 SGH interpretations.

In only the last year it has been observed that SGH data may require leveling when different field sampling events have significantly different soil temperature. It has been documented that only when "soil" samples are taken from "frozen" ground that data leveling may be required as frozen sample act as a frozen cap to the hydrocarbon flux and may collect a higher concentration of hydrocarbon compounds compared to sampling during seasons where the samples are not frozen. Only two surveys have required leveling in the last 500 SGH interpretations.

The author has taken introductory training in the leveling of geochemical data. If leveling is required, both data sets are reviewed in terms of maximum, minimum and average values for each SGH Pathfinder Class intended for use in the interpretation. Data is sectioned into quartiles and each section is assigned specific leveling factors that is then applied to one data set. It should be noted that any type of data leveling is an approximation.

SGH – FORENSIC GEOCHEMICAL SIGNATURES


- One of the first experiments in 1996 in the development of the SGH analysis was to observe if an SGH response could be obtained directly from an ore sample. From office shelf specimens, small rock chips were obtained which were then crushed and milled. The fine pulp obtained was then subjected to the SGH analysis. These shelf specimen samples were from well known Volcanic Massive Sulphide deposits of the Mattabi deposit from the Archean Sturgeon Lake Camp in Northwestern Ontario and from the Kidd Creek Archean volcanic-hosted copper-zinc deposit. Even these specimen samples contain a geochemical record of the hydrocarbons produced by the bacteria that had been feeding on these deposits at depth. As a comparison, SGH analysis were similarly conducted on modern-day VMS ore samples taken from a “black smoker” hydrothermal volcanic vent from the deep sea bed of the Juan de Fuca Ridge where high concentrations of microbial growth was also known to exist. The raw data profiles as GC/MS Total Ion Chromatograms are shown below to illustrate the “visible” portion of the VMS signature obtained from the SGH analysis.




The top two profiles were obtained from two samples of the modern day “black smokers”. The third and fourth chromatograms in the above image were obtained from the Pre-Cambrian Zn-Cu Kidd Creek and Mattabi deposits. The red arrows point to three compounds that are a portion of the SGH signature for VMS type deposits. This visible portion of the VMS signature of hydrocarbons can easily be seen in the analysis of each of these four samples.

SGH – FORENSIC GEOCHEMICAL SIGNATURES (cont.)

The next question in our early objectives was to see if this SGH signature could also be observed in surficial soil samples that had been taken over VMS deposits. Through our research projects, soil samples were obtained from over the Ruttan Cu-Zn VMS deposit near Leaf Rapids, Manitoba and located in the Paleoproterozoic Rusty Lake greenstone belt. The profile obtained, as observed in the raw GC/MS chromatogram, is shown in this next image below:




The three compounds indicated by the red arrows represent the same visible portion of the VMS signature observed from the modern day black smoker samples and the ore samples taken from the Mattabi and Kidd Creek, even though this soil was taken from over a different VMS deposit in a geographically different area. Is this coincidence? Another soil sample was obtained from Noranda's Gilmour South base-metal occurrence in the Bathurst Mining camp in northern New Brunswick. As shown below, this sample contained a very complex SGH signature, however the visible portion of the VMS signature as indicated by the red arrows is still observed as in the black smoker, Mattabi and Kidd Creek ore samples.



SGH – FORENSIC GEOCHEMICAL SIGNATURES (cont.)

In research conducted by the Ontario Geological Survey, this same portion of the SGH signature was also observed over the VMS deposit at Cross Lake in Ontario. Note that the visible signature shown as the three compounds indicated by the red arrows is only a small portion of the complete SGH VMS signature. The full VMS signature is made up of at least three groups, as three organic chemical classes, that together contain at least 35 of the individual SGH hydrocarbons.


The chromatograms shown on the preceding page from the GC/MS analysis are not used directly in the interpretation of SGH data. As we are only interested in a specific list of 162 hydrocarbons, the mass spectrometer and associated software programs specifically identifies the hydrocarbons of interest, runs calculations using relative responses to a short list of hydrocarbons used as standards, and develops an Excel spreadsheet of semi-quantitative concentration data to represent the sample. Thus the SGH results for a sample, like that observed in ore from the Ruttan, are filtered to obtain the concentrations for the specific 162 hydrocarbons. A simple bar graph drawn from the Excel spreadsheet of the hydrocarbons and their concentrations results in a DNA like **forensic SGH signature** as shown below. The portion discussed here as the “visible” SGH VMS signature in the GC/MS chromatograms, is again shown by the red arrows.



Through the work done in the SGH CAMIRO research projects, it was observed that the hydrocarbon signature produced by the SGH technique appeared to also be able to be used to differentiate barren from ore-bearing conductors. This was explored further through the submission and analysis of specific specimen samples that represented a barren pyritic conductor and a barren graphitic conductor.

SGH – FORENSIC GEOCHEMICAL SIGNATURES (cont.)

The GC/MS chromatograms from these two specimens are compared to that obtained from the Kidd-Creek ore as shown below. This diagram conclusively shows that the SGH signatures obtained from the two types of barren conductors are completely different than that obtained by SGH over VMS type ore. SGH is thus able to differentiate between ore-bearing conductors and barren conductors as the Forensic SGH Geochemical signature is different.



- SGH has been described by the Ontario Geological Survey of Canada (OGS) as a “REDOX cell locator”. Many SGH surveys for Gold and other mineral targets can result in multiple types of anomalies, depending on the class of SGH compounds, even over the same target and in the same set of samples. Thus “Apical”, “Nested-Halo”, and “Rabbit-Ear” or “Halo” type SGH anomalies are all typically observed from the effect of REDOX cells that have developed over deposits. REDOX cells are also related to the presence of bacteriological activity.
- The VMS template of SGH Pathfinder Classes uses low and medium weight classes of hydrocarbon compounds. Again, at least three Pathfinder Class group maps, associated with the SGH signature for VMS, must be present to begin to be considered for assignment of a good rating. The Pathfinder Class anomalies in these maps must logically concur and support a consistent interpretation in relation to the expected geochromatographic characteristics of the Pathfinder Class, for a specific area.
- The interpretation development history shown here on pages 16-19 for VMS SGH Pathfinder Class map(s) shown in this report is similar to the development history for other target types. The reader should not draw a conclusion that SGH is used only for sulphide based mineralization as some of the most intense SGH anomaly have been associated with Kimberlites where sulphides are essentially not present.

SGH DATA INTERPRETATION


DISCLAIMER

This "SGH Interpretation Report" has been prepared to assist the user in understanding the development and capabilities of this Organic based Geochemistry. The interpretation of the Soil Gas Hydrocarbon (SGH) data is in reference to a template or group of SGH classes of compounds specific to a type of mineralization or target that is chosen by the client (i.e. the template for gold, copper, VMS, uranium, etc.). Although the template of SGH Pathfinder Classes that has been developed through research and review of case studies has proven to be able to address many lithologies, Activation Laboratories Ltd. cannot guarantee that the template is applicable to every type of target in every type of environment. The interpretation in this report attempts to identify an anomaly that has the best SGH signature in the survey for the type of mineralization or target chosen by the client. However, this interpretation is not exhaustive and there may be additional SGH anomalies that may warrant interest and interpretation. It should not be viewed due to the generation of this SGH report, that Activation Laboratories Ltd. has the expertise or is in the business of interpreting geochemical data as a general service. As the author is the originator of the SGH geochemistry, has researched and developed this exploration tool since 1996, and has produced similar interpretations using SGH data for over 500 surveys, he is the best qualified to prepare this interpretation as assistance to clients who wish to use SGH. Also, any mention of a "drill target" is to help the reader focus on the specific anomaly or specific area of the survey where the SGH geochemical data vectors to and implies the best spatial location as a vertical projection over the centre of the mineralization if present. The author and/or Activation Laboratories has no professional expertise in drilling techniques to explore and drill any of the targets or anomalies mentioned. Activation Laboratories Ltd. can offer assistance in general suggestions for sampling protocols and in initial sample grid location design; however we accept no responsibility to the appropriateness of the samples taken. Activation Laboratories Ltd. has made every attempt to ensure the accuracy and reliability of the information provided in this report. Activation Laboratories Ltd. or its employees, does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information or description of processes contained in this report. The information is provided "as is" without a guarantee of any kind in the interpretation or use of the results of the SGH geochemistry. The client or user accepts all risks and responsibility for losses, damages, costs and other consequences resulting directly or indirectly from using any information or material contained in this report.

INTERPRETION OF SGH RESULTS – A10-7405
3936499 CANADA INC. – COBB BAY SGH SURVEY

SGH SURVEY INTERPRETATION

- This report is based on the SGH results from the analysis of a total of 233 samples from locations at the Cobb Bay survey. About 12 parallel east-west trending sample lines or transects were used to survey this area. Transects were about 200 metres apart with samples spaced at approximately 50 metres. The resultant grid of same locations is shown in the following map:



INTERPRETION OF SGH RESULTS – A10-7405
3936499 CANADA INC. – COBB BAY SGH SURVEY

- The number of samples submitted for this project is adequate to use SGH as an exploration tool. Note that the SGH data is only reviewed for the particular target deposit type requested, in this case for the presence of VMS based mineralization. It is also assumed that there is only one potential target. To obtain the best interpretation the client should indicate if there are possible multiple targets, say from geophysical data. The possibility of multiple targets "in close proximity" should be known due to potential overlap and increased complexity of resulting geochromatographic anomalies which could alter the interpretation.
- Note that the associated SGH results are presented in a separate Excel spreadsheet. This raw data is semi-quantitative and is presented in units of picograms/ gram (pg/g) or parts-per-trillion (ppt) as the concentration of specific hydrocarbons in each sample.

SGH SURVEY INTERPRETATION

- **The overall precision of the SGH analysis for the Cobb Bay samples was excellent** as demonstrated by 16 samples used for laboratory replicate analysis. The average Coefficient of Variation (%CV) of the replicate results was 6.4% CV. This represents an excellent level of analytical performance especially at the low parts-per-trillion (ppt) scale of measurements in the SGH geochemistry. Field duplicates were not identified in this project.
- SGH has been observed to reflect the presence of a REDOX cell. SGH is described by the Ontario Geological Survey of Canada (OGS) as a "REDOX cell locator". Many SGH surveys for Gold and other mineral targets can result in multiple types of anomalies, depending on the class of SGH compounds, even over the same target and in the same set of samples. Thus "Apical", "Nested-Halo", and "Rabbit-Ear" or "Halo" type anomalies are all typically observed from the effect of REDOX cells that have developed over deposits. REDOX cells are also related to the presence of bacteriological activity.
- Note that SGH is "blind" to the presence of inorganic elements that may represent mobilized anomalies.
- SGH results have also been shown to correlate well with geophysical anomalies such as magnetic anomalies and those of CSAMT.
- The client provided the correct UTM coordinates in WA264 datum and verified the complete survey orientation prior to this report.

INTERPRETION OF SGH RESULTS – A10-7405
3936499 CANADA INC. – COBB BAY SGH SURVEY

SGH SURVEY INTERPRETATION – VMS PATHFINDER CLASS MAPS – Pages 24 and 25

- The map shown on page 24 in plan view, and page 25 in 3D view, represent the results obtained from the Cobb Bay samples and are SGH "Pathfinder Class maps" for targeting **VMS** mineralization. Each SGH Pathfinder Class map represents the simple summation of several individual hydrocarbon compound concentrations, that are grouped from within the same organic chemical class, that has been associated with VMS mineralization from several years of case study research. This VMS Pathfinder Class map is different than the Pathfinder Class map associated with Gold mineralization that is shown on pages 29 and 30. SGH Pathfinder Class maps have been shown to be robust as they are each described using from 4 to 14 (unless otherwise stated) chemically related SGH compounds which are simply summed to create each class map. Thus each map has a higher level of confidence as it is not illustrating just one compound response. A legend of the compound classes appears at the bottom of the SGH data spreadsheet.
- The overall SGH interpretation Rating has even a higher level of confidence as it further relies on the consensus between at least two additional SGH VMS Pathfinder classes (not shown in this report) that together make the signature of the target at depth.
- The VMS template of SGH Pathfinder Classes uses low and medium weight classes of hydrocarbon compounds. At least three Pathfinder Class maps, associated with the SGH signature for VMS must be present to begin to be considered for assignment of a good rating. Only one SGH VMS Pathfinder Class map has been shown in this report to keep the SGH price as reasonable as possible. The Pathfinder Class anomalies must also concur and support a consistent interpretation, in relation to the expected geochromatographic characteristics of the Pathfinder Class, for a specific area. This map is part of the general SGH VMS template that has been shown to be applicable to Kuroko type massive sulphide, and other VMS related types of deposits. The Pathfinder Class map on page 24 is just one map that is diagnostic for the presence of VMS based mineralization.


INTERPRETION OF SGH RESULTS – A10-7405
3936499 CANADA INC. – COBB BAY SGH SURVEY

SGH SURVEY “VMS” INTERPRETATION

- SGH responses are affected by the presence of REDOX cell conditions in the overburden and are related bacteriological activity as biofilms in contact with the deposit. In the case of VMS deposits the theory is that sulphide reducing bacteria thrive on the ore body and these processes develop strong REDOX cells that are formed in the overburden. Note that SGH is not a sulphide detector as some of the strongest SGH responses have shown REDOX cells over Kimberlite Pipes that are not associated with the presence of sulphides. The SGH VMS Pathfinder map on page 24 is of a class of compounds that is reliable and expected to form a halo type anomaly for VMS. This map does appear to illustrate an excellent halo anomaly that could indicate the presence of a REDOX cell however it is also encircling an area where no samples have been collected. As this reduces the confidence of the interpretation of an SGH Pathfinder Class with a dispersion halo, this will impact the rating significantly. The outlined boundary of this halo anomaly has been shown as a light blue solid irregular oval on the SGH Pathfinder Class map on page 24. Note that SGH does not exhibit “platform” type apical anomalies. Other SGH Pathfinder Classes (not shown in this report) together define the VMS SGH signature and confirm the possible presence of VMS style mineralization “*within*” the light blue oval as the outer edge of a REDOX cell in the overburden. Again, each SGH Pathfinder Class map is the plot of the simple summation of several of the hydrocarbons in one of the chemical classes, from the Excel spreadsheet of results, which have been associated with VMS deposits.

INTERPRETION OF SGH RESULTS – A10-7405
3936499 CANADA INC. – COBB BAY SGH SURVEY

SGH "VMS" PATHFINDER CLASS MAP



SGH VMS – HALO Anomaly


Potential SGH VMS – Drill Target



Results represent only the material tested. Actlabs is not liable for any claim/damage from the use of this report in excess of the test cost. Samples are discarded in 90 days unless requested otherwise. This report is only to be reproduced in full.

INTERPRETION OF SGH RESULTS – A10-7405
3936499 CANADA INC. – COBB BAY SGH SURVEY

SGH "VMS" PATHFINDER CLASS MAP



Results represent only the material tested. Actlabs is not liable for any claim/damage from the use of this report in excess of the test cost. Samples are discarded in 90 days unless requested otherwise. This report is only to be reproduced in full.

INTERPRETION OF SGH RESULTS – A10-7405
3936499 CANADA INC. – COBB BAY SGH SURVEY

SGH SURVEY INTERPRETATION RATING FOR PRESENCE OF "VMS" MINERALIZATION

- A reduction in the rating of a value of 1.0 is made as there is a lack of samples within and around the zone outlined by the light blue irregular circle applied to the SGH Pathfinder Class map on page 24.
- After review of all of the SGH Pathfinder Class maps developed from the samples collected in October 2010 the SGH results suggest a **"rating of 5.0"** for the areas within the solid blue oval line in relation to the presence of a VMS based target. This rating is subjective and is based on a scale of 6.0, in increments of 0.5, with a value of 6.0 being the best. This rating represents the similarity of these SGH results with case studies over Volcanic Massive Sulphide (VMS) type targets from SGH case studies conducted at the Hanson Lake VMS deposit in Saskatchewan, the South Gilmour VMS deposit in New Brunswick and the Cross Lake VMS deposit in Ontario. The degree of confidence in the rating only starts to be "good" at a level of 4.0.
- The location shown as a drill target on the map on page 24, as the centre of the halo anomaly illustrating the REDOX cell response, would represent the best vertical spatial projection of the location for a drill target at this "Cobb Bay" survey.
- The identification of a drill target is not an explicit recommendation to drill test the associated SGH anomaly. A drill target is indicated to ensure that the reader is aware of the location having the highest confidence of being the centre of a REDOX cell and thus the vertical projection of the portion of the target that has the most effect of creating the strongest oxidation-reduction conditions in the overburden. We believe that, as a vertical projection, it is the location of the highest confidence in intersecting the target mineralization. This location is identified only through the use of SGH data. Other geological, geochemical and/or geophysical information should always be considered. This is also not a recommendation for vertical drilling or that vertical drilling would be the best approach to explore this mineralization at this location. Activation Laboratories Ltd. has no experience in actual exploration drilling.
- Again, this interpretation is based only on the interpretation of this SGH data.
- The client should use a combination of these SGH results and its report with additional geochemical, geophysical, and geological information to possibly obtain a more confident and precise target location.

INTERPRETION OF SGH RESULTS – A10-7405
3936499 CANADA INC. – COBB BAY SGH SURVEY

SGH SURVEY INTERPRETATION – GOLD PATHFINDER CLASS MAPS – Pages 29 and 30

- The map shown on page 29 in plan view, and page 30 in 3D view, represent the results obtained from the Cobb Bay samples and are SGH “Pathfinder Class maps” for targeting **GOLD** mineralization. Each SGH Pathfinder Class map represents the simple summation of several individual hydrocarbon compound concentrations, that are grouped from within the same organic chemical class, that has been associated with VMS mineralization from several years of case study research. This GOLD Pathfinder Class map is different than the Pathfinder Class map associated with VMS mineralization that is shown on pages 24 and 25. SGH Pathfinder Class maps have been shown to be robust as they are each described using from 4 to 14 (unless otherwise stated) chemically related SGH compounds which are simply summed to create each class map. Thus each map has a higher level of confidence as it is not illustrating just one compound response. A legend of the compound classes appears at the bottom of the SGH data spreadsheet.
- The overall SGH interpretation Rating has even a higher level of confidence as it further relies on the consensus between at least two additional SGH GOLD Pathfinder classes (not shown in this report) that together make the signature of the target at depth.
- The GOLD template of SGH Pathfinder Classes also uses low and medium weight classes of hydrocarbon compounds. At least three Pathfinder Class maps, associated with the SGH signature for GOLD must be present to begin to be considered for assignment of a good rating. Only one SGH GOLD Pathfinder Class map has been shown in this report to keep the SGH price as reasonable as possible. The Pathfinder Class anomalies must also concur and support a consistent interpretation, in relation to the expected geochromatographic characteristics of the Pathfinder Class, for a specific area. This map is part of the general SGH GOLD template that has been shown to be applicable to a very wide range of lithologies of Gold based deposits. The Pathfinder Class map on page 29 is just one map that is diagnostic for the presence of GOLD based mineralization.


INTERPRETION OF SGH RESULTS – A10-7405
3936499 CANADA INC. – COBB BAY SGH SURVEY

SGH SURVEY “GOLD” INTERPRETATION

- SGH responses are affected by the presence of REDOX cell conditions in the overburden and are related bacteriological activity as biofilms in contact with the deposit. In the case of GOLD deposits the theory is that sulphide reducing bacteria thrive on the ore body and synthesize specific organic hydrocarbons that define a signature associated with the gold deposit. It has been found that the most prominent compounds that are synthesized by bacteria feeding on Gold deposits are easily transported through the overburden and develop apical SGH anomalies. The SGH GOLD Pathfinder Class map on page 29 is the class of compounds that is reliable and expected to form this apical type anomaly for over Gold mineralization. This map does appear to illustrate an excellent apical anomaly however there are some locations within the two transects in this zone where there are samples missing and an area within the VMS halo anomaly, directly to the north, where no samples have been collected. As this reduces the confidence of the interpretation of this SGH Pathfinder Class this will impact the rating significantly. The outlined boundary of this apical anomaly has been shown as a dashed yellow outline on the SGH Pathfinder Class map on page 29. Note that SGH does not exhibit “platform” type apical anomalies. Other SGH Pathfinder Classes (not shown in this report) together define the SGH signature for GOLD and confirms the possible presence of GOLD style mineralization “*within*” the yellow dashed outline. Again, each SGH Pathfinder Class map is the plot of the simple summation of several of the hydrocarbons in one of the chemical classes, from the Excel spreadsheet of results, which have been associated with GOLD mineralization.
- The interpretation for the presence of an SGH Gold signature is shown on the SGH Pathfinder Class map associated with previous case studies for Gold on page 29. This Pathfinder Class map is expected to illustrate apical anomalies over Gold mineralization. The apical response on page 29, encircled with a dashed yellow outline, is coincident with a portion of the VMS dispersion halo anomaly shown on page 24. This perhaps illustrates the possible presence of gold mineralization that flanks the area identified by SGH to potentially contain VMS based mineralization within the outline as a light blue solid circle. This type of flanking mineralization has been documented before in a similar fashion using this SGH geochemistry. Note that the positioning of these interpreted areas is approximate and is directly influenced by the sample survey design.

INTERPRETION OF SGH RESULTS – A10-7405
3936499 CANADA INC. – COBB BAY SGH SURVEY

SGH "GOLD" PATHFINDER CLASS MAP



SGH VMS – Halo Anomaly

SGH GOLD – Apical Anomaly


Potential SGH GOLD – Drill Target



Results represent only the material tested. Actlabs is not liable for any claim/damage from the use of this report in excess of the test cost. Samples are discarded in 90 days unless requested otherwise. This report is only to be reproduced in full.

INTERPRETION OF SGH RESULTS – A10-7405
3936499 CANADA INC. – COBB BAY SGH SURVEY

SGH "GOLD" PATHFINDER CLASS MAP



Results represent only the material tested. Actlabs is not liable for any claim/damage from the use of this report in excess of the test cost. Samples are discarded in 90 days unless requested otherwise. This report is only to be reproduced in full.

November 23, 2010

Activation Laboratories Ltd.

Page 30 of 34

1336 Sandhill Drive • Ancaster, ON • L9G 4V5 • Tel: (905) 648-9611 • Fax: (905) 648-9613 • Toll Free: 1-888-ACTLABS

E-mail: dalesutherland@actlabsint.com • Web Site: www.actlabs.com

INTERPRETION OF SGH RESULTS – A10-7405
3936499 CANADA INC. – COBB BAY SGH SURVEY

SGH SURVEY INTERPRETATION RATING

- A reduction in the rating of a value of 1.0 is made as there is a lack of samples directly to the north of this apical anomaly on the SGH Pathfinder Class map on page 29.
- After review of all of the SGH Pathfinder Class maps developed from the samples collected in October 2010 the SGH results suggest a **"rating of 5.0"** for the areas within the dashed yellow out line in relation to the presence of a Gold based target. This rating is subjective and is based on a scale of 6.0, in increments of 0.5, with a value of 6.0 being the best. This rating represents for this site, the similarity of these SGH results primarily to case studies for Gold in Nunavut, shear hosted as well as sediment hosted deposits in Nevada, and Paleochannel Gold deposits in Australia. The degree of confidence in these ratings only starts to be "good" at a level of 4.0. This interpretation is based only on the interpretation of this SGH data.
- The location shown on the map on page 29, as the centre of the apical anomaly would represent the best vertical spatial projection of the location for a drill target at this "Cobb Bay" survey. The identification of a drill target is not an explicit recommendation to drill test the associated SGH anomaly. A drill target is indicated to ensure that the reader is aware of the location having the highest confidence of being the centre of a REDOX cell and thus the vertical projection of the portion of the target that has the most effect of creating the strongest oxidation-reduction conditions in the overburden. We believe that, as a vertical projection, it is the location of the highest confidence in intersecting the target mineralization. This location is identified only through the use of SGH data. Other geological, geochemical and/or geophysical information should always be considered. This is also not a recommendation for vertical drilling or that vertical drilling would be the best approach to explore this mineralization at this location. Activation Laboratories Ltd. has no experience in actual exploration drilling.

SGH SURVEY - RECOMMENDATIONS

- Additional sampling within the light blue outline applied to the maps on page 24 and 29, as well as sample to the north, east, and west of this northern area of the Cobb Bay survey would significantly improve the confidence in identification and would provide better drill targets especially relative to the presence of VMS mineralization. This may further improve the associated SGH rating. Note that SGH is able to analyze even fully submerged lake-bottom sediments if this is the reason that sample locations were missed within the light blue outlined zone. Please review the information on in-fill sampling using the SGH geochemistry in the following section of this report.

IN-FILL SAMPLING RECOMMENDATIONS FOR SGH ANALYSIS

- Based on the results of this report and/or other information, the client may decide that infill sampling may be warranted. To obtain the best results from additional sampling for SGH it is recommended that some sample locations within, or bordering, the area of interest be re-sampled for reference rather than combining just new samples with the sample data from the initial survey. Although several SGH surveys have previously been easily and directly, combined without data leveling, it cannot be guaranteed that data leveling will not be required. It has been found that data leveling is more apt to be required should the new samples be collected under significantly different environmental conditions than during the initial sample survey, i.e. summer collection versus winter collection, or if the survey is located north of a latitude of 60°. The process of data leveling adds a minimum of 3 to 5 days of work to conduct the additional data evaluation, develop additional plots of the results, conduct new interpretations, and in additional report descriptions. Results from data leveling is also always considered "an approximation" thus having a lower level of confidence that newly re-sampled locations would have. As of September 2010, an additional cost will be invoiced should data leveling operations be required if the client requests that two SGH data sets be interpreted and reported together. Thus re-sampling locations will provide better data leveling an potentially a faster turnaround time for results. These re-sampled reference points will provide more accurate and confident surveys for evaluation and aid in deciding specific drill targets.

Cautionary Note Regarding Assumptions and Forward Looking Statements

The statements and target rating made in the Soil Gas Hydrocarbon (SGH) interpretive report or in other communications may contain certain forward-looking information related to a target or SGH anomaly.

Statements related to the rating of a target are based on comparison of the SGH signatures derived by Activation Laboratories Ltd. through previous research on known case studies. The rating is not derived from any statistics or other formula. The rating is a subjective value on a scale of 0 to 6 relative to the similarity of the SGH signature reviewed compared to the results of previous scientific research and case studies based on the analysis of surficial samples over known ore bodies. No information on other geochemistries, geophysics, or geology is usually available as additional information for the interpretation and assignment of a rating value unless otherwise stated. The rating does not imply ore grade and is not to be used in mineral resource estimate calculations. References to the rating should be viewed as forward-looking statements to the extent that it involves a subjective comparison to known SGH case studies. As with other geochemistries, the implied rating and anticipated target characteristics may be different than that actually encountered if the target is drilled or the property developed.

Activation Laboratories Ltd. may also make a scientifically based reference in this interpretive report to an area that might be used as a drill target. Usually the nearest sample is identified as an approximation to a "possible drill target" location. This is based only on SGH results and is to be regarded as a guide based on the current state of this science.

Unless stated, Activation Laboratories Ltd. has not physically observed the exploration site and has no prior knowledge of any site description or details. Actlabs makes general recommendations for sampling and shipping of samples. Unless stated, the laboratory does not witness sampling, does not take into consideration the specific sampling procedures used, season, handling, packaging, or shipping methods. The majority of the time, Activation Laboratories Ltd. has had no input into sampling survey design. Where specified Activation Laboratories Ltd. may not have conducted sample preparation procedures as it may have been conducted at the client's assigned laboratory. Although the Company has attempted to identify important factors that could cause actual actions, events or results to differ scientifically which may impact the associated interpretation and target rating from those described in forward-looking statements, there may be other factors that cause actions, events or results not to be as anticipated, estimated or intended.

In general, any statements that express or involve discussions with respect to predictions, expectations, beliefs, plans, projections, objectives, assumptions, future events or performance are not statements of historical fact. These "scientifically based educated theories" should be viewed as "forward-looking statements".

Readers of this interpretive report are cautioned not to place undue reliance on forward-looking information. Forward looking statements are made based on scientific beliefs, estimates and opinions on the date the statements are made and the interpretive report issued. The Company undertakes no obligation to update forward-looking statements or otherwise revise previous reports if these beliefs, estimates and opinions, future scientific developments, other new information, or other circumstances should change that may affect the analytical results, rating, or interpretation.

Actlabs nor its employees shall be liable for any claims or damages as a result of this report,
any interpretation, omissions in preparation, or in the test conducted.

This report is to be reproduced in full, unless approved in writing.

Date Submitted: October 19, 2010

Date Analyzed: October 27-November 2, 2010

SGH Interpretation Report: November 23, 2010

3936449 CANADA INC.

95 Springdale Blvd.
Toronto, Ontario

Attention: Michael Bulatovich

RE: Your Reference: **COBB BAY SURVEY**

CERTIFICATE OF ANALYSIS

233 Soil samples were submitted for analysis.

The following sample preparation was completed: Code S4 – Drying at 40°C, Sieving -60 mesh

The following analytical package was requested: Code SGH – Soil Gas Hydrocarbon Geochemistry

REPORT/WORKORDER: A10-7405


This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at the time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of the material submitted for analysis.

Notes:

The SGH – Soil Gas Hydrocarbon Geochemistry is a semi-quantitative analytical procedure to detect and measure 162 hydrocarbon compounds as the organic signature in the sample material collected from a survey area. It is not an assay of mineralization but is a predictive geochemical tool used for exploration. This certificate pertains only to the SGH data presented in the associated Microsoft Excel spreadsheet of results.

The author of this SGH Interpretation Report, Mr. Dale Sutherland, is the creator of the SGH organic geochemistry. He is a Chartered Chemist (C.Chem.) and Forensic Scientist specializing in organic chemistry. He is not a professional geologist or geochemist.


CERTIFIED BY:



Dale Sutherland, B.Sc.,B.Sc.,B.Ed.,C.Chem.
Forensic Scientist, Organics Manager,
Director of Research
Activation Laboratories Ltd.

APPENDIX B

Map of Claims 3014787 & 3019927 and Sampling Plan




SOIL SAMPLE NUMBERING NOTE:

Soil sample numbers indicate the last four digits of the easting coordinate of the sample location relative to UTM U-15 coordinate system. To obtain the sample site coordinates add 640000 to the sample number for the easting and refer to the line northing coordinates as indicated at left. Positions are approximate due to GPS unit accuracy and availability of accessible soil at the precise coordinates.

Cobb Bay

UNITRONIX MINING AND EXPLORATION
(1522923 Ontario Incorporated)

Map of Claims 3014787 & 3019927 and Sampling Plan



1:5000 Scale
Revision Date: 19 Feb. 2010
File Name: fal2010cob
View Name: keymap



Legend	
	CLAIM BOUNDARY CORNER
	CLAIM BOUNDARY
	TRENCH / STRIPPING AREA
	GRAB SAMPLE SITE & NUMBER
	SOIL SAMPLE SITE & NUMBER

APPENDIX C

Sample Description/Location List

Sample	Latitude	Longitude	Description
1	49.969270°	-91.038786°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
2	49.969269°	-91.038787°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
3	49.969268°	-91.038789°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
4	49.969272°	-91.038790°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
5	49.969269°	-91.038792°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
6	49.969273°	-91.038753°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
7	49.969275°	-91.038754°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
8	49.969275°	-91.038754°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
9	49.969271°	-91.038768°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
10	49.969269°	-91.038770°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
11	49.969337°	-91.039108°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
12	49.969332°	-91.039115°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
13	49.969348°	-91.039108°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
14	49.969353°	-91.039097°	Fine grained intermediate metavolcanic with white feldspar phenocrysts
151	49.975660°	-91.016453°	Felsic tuff with 1mm quartz phenocrysts. Hematite staining.
152	49.975834°	-91.015799°	Intermediate volcanic with minor quartz phenocrysts, and iron carbonate
153	49.982981°	-91.023079°	Gabbro/diabase, med. Grained, with phenocrysts of hornblende and biotite
154	49.981146°	-91.022435°	Intermediate to felsic volcanic, 5% euhedral pyrite, and minor iron carbonate
155	49.981146°	-91.037339°	Mafic volcanic, 2% euhedral pyrite (1 mm.)
156	49.981074°	-91.037381°	Quartz Feldspar Porphyry (QFP), minor pyrite
157	49.980775°	-91.037993°	Sheared mafic volcanic with quartz vein, minor iron carb., biotite in vein.
158	49.981265°	-91.038559°	Sheared QFP, minor pyrite, minor iron carb.
160	49.981285°	-91.038856°	QFP, dark, minor euhedral pyrite
161	49.979111°	-91.013688°	QFP, dark, minor euhedral pyrite
162	49.976400°	-91.018419°	QFP, white, minor euhedral pyrite and iron carb.
163	49.977746°	-91.033313°	QFP, dark, minor iron carb.
164	49.977740°	-91.034166°	Sheared QFP
166	49.977858°	-91.035079°	Quartz vein with iron carb.
168	49.977923°	-91.032226°	Sheared mafic volcanic with sericite alt.
169	49.975908°	-91.022158°	QFP, dark, minor euhedral pyrite, minor sericite
170	49.973906°	-91.025378°	QFP, 5mm quartz phenocrysts, iron carbonates, minor euhedral pyrite
171	49.974062°	-91.026965°	QFP, 2% euhedral pyrite
172	49.973988°	-91.028548°	QFP, deep pink and black, minor pyrite
173	49.973945°	-91.028899°	Coarse QFP, with major iron carbonate content
174	49.974064°	-91.031839°	Coarse felsic volcanics with minor quartz phenocrysts

APPENDIX D

Assay Certificate



Date Submitted: 21-Oct-10
Invoice No.: A10-7405 (i)
Invoice Date: 24-Nov-10
Your Reference: Cobb Bay

3936449
same info as Aur Lake

ATTN: Michael Bulatovich

CERTIFICATE OF ANALYSIS

37 Rock samples and 234 Soil samples were submitted for analysis.

The following analytical packages were requested: Code 1A2 Au - Fire Assay AA
Code SGH Soil Gas Hydrocarbons

REPORT **A10-7405 (i)**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

Sample A1750 should be B1750 as per client

CERTIFIED BY :

A handwritten signature in black ink, appearing to read "Emmanuel Esemé". The signature is written over a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Analyte Symbol	Au
Unit Symbol	ppb
Detection Limit	5
Analysis Method	FA-AA

1	< 5
2	< 5
3	< 5
4	< 5
5	< 5
6	< 5
7	< 5
8	< 5
9	< 5
10	< 5
11	< 5
12	< 5
13	< 5
14	< 5
151	< 5
152	< 5
153	< 5
154	< 5
155	< 5
156	< 5
157	< 5
158	< 5
160	< 5
161	< 5
162	< 5
163	< 5
164	< 5
165	< 5
166	< 5
168	< 5
169	< 5
170	9
171	42
172	34
173	6
174	< 5

Quality Control	
Analyte Symbol	Au
Unit Symbol	ppb
Detection Limit	5
Analysis Method	FA-AA

CDN-CGS-13 Meas	1060
CDN-CGS-13 Cert	1010
CDN-CGS-13 Meas	964
CDN-CGS-13 Cert	1010
CDN-CGS-13 Meas	1050
CDN-CGS-13 Cert	1010
CDN-CGS-13 Meas	950
CDN-CGS-13 Cert	1010
CDN-CGS-13 Meas	909
CDN-CGS-13 Cert	1010
CDN-CGS-24 Meas	533
CDN-CGS-24 Cert	487
CDN-CGS-24 Meas	492
CDN-CGS-24 Cert	487
CDN-CGS-24 Meas	509
CDN-CGS-24 Cert	487
CDN-CGS-24 Meas	480
CDN-CGS-24 Cert	487
CDN-CGS-24 Meas	530
CDN-CGS-24 Cert	487
10 Orig	< 5
10 Dup	< 5
156 Orig	< 5
156 Dup	< 5
168 Orig	< 5
168 Dup	< 5
Method Blank Method	< 5
Blank	
Method Blank Method	< 5
Blank	
Method Blank Method	< 5
Blank	
Method Blank Method	< 5
Blank	
Method Blank Method	< 5
Blank	

APPENDIX E

SGH Sample Analysis

	.001-LA	.002-LA	.003-LB	.004-LA	.005-LB	.006-LB	.007-LA	.008-LB	.009-LB	.010-LB	.011-LA	.012-LB	.013-LBA	.014-LB
A-1200	18	56	21	16	6	18	6	11	2	2	2	-1	2	2
A-1600	21	96	26	31	10	34	12	46	9	9	4	5	7	1
A-1650	20	86	24	26	15	41	12	78	16	12	3	6	5	-1
A-1700	23	102	45	27	1	79	11	100	20	16	4	7	4	3
B-400	16	53	47	11	12	34	3	10	2	1	-1	-1	2	-1
B-400-R	16	56	50	11	13	42	3	12	2	2	1	-1	-1	-1
B-450	22	83	46	25	-1	92	11	127	27	26	4	14	4	1
B-500	18	67	36	20	16	76	12	157	33	36	-1	22	6	2
B-550	17	62	43	24	22	66	10	52	10	8	2	4	-1	-1
B-600	22	87	112	23	52	132	10	106	22	18	2	8	2	3
B-650	15	62	71	23	21	66	6	43	8	7	3	3	-1	-1
B-700	26	101	82	27	45	154	9	150	31	23	4	14	5	5
B-750	12	77	80	23	-1	99	10	130	27	32	4	4	5	-1
B-800	21	94	78	27	50	130	8	156	33	35	5	20	4	2
B-850	2	83	54	25	35	131	15	212	44	33	4	14	7	2
B-900	17	55	112	14	39	129	6	91	19	14	2	3	2	-1
B-950	32	60	152	5	39	153	8	78	16	13	3	7	2	-1
B-1000	20	68	289	19	99	285	6	134	28	21	3	3	3	1
B-1050	15	54	123	12	1	110	5	58	12	10	1	2	-1	-1
B-1100	27	87	178	24	51	176	13	84	17	12	4	6	-1	1
B-1150	17	65	52	21	34	106	14	207	43	42	7	9	7	2
B-1150-R	18	67	53	21	83	119	15	221	46	42	6	9	6	3
B-1350	21	82	78	23	-1	147	14	193	40	35	6	17	6	4
B-1400	19	86	40	25	35	107	15	181	38	37	7	22	6	5
B-1450	21	87	51	26	-1	77	5	76	16	16	4	9	4	2
B-1500	15	54	30	11	11	34	5	30	6	6	2	3	2	-1
B-1550	17	54	23	12	10	26	2	24	5	4	2	2	-1	-1
B-1600	19	76	27	17	8	24	3	24	5	4	3	2	2	1
B-1650	19	64	23	15	13	41	6	39	8	6	4	3	3	-1
B-1700	16	58	19	13	8	23	5	15	3	3	3	1	2	1
B-1750	19	107	47	33	20	69	8	107	22	21	6	8	5	3
C-750	21	83	33	21	13	58	6	100	21	20	6	10	1	3
C-800	23	77	75	23	1	74	4	54	11	11	4	6	3	1
C-850	20	74	38	18	30	94	8	183	39	32	5	17	1	4
C-1350	30	82	74	22	21	72	10	78	16	14	4	8	3	4
C-1400	15	60	47	18	32	92	17	351	73	40	10	7	11	-1
C-1450	18	59	48	14	1	54	7	112	24	24	5	6	1	4
C-1450-R	17	57	42	16	-1	53	10	89	18	19	5	5	1	4
C-1500	34	93	218	29	64	217	16	112	23	15	-1	7	3	1
C-1550	29	75	102	18	32	122	11	120	25	19	5	4	1	2
C-1600	17	59	58	21	28	116	17	247	51	42	7	12	2	-1
C-2400	5	76	160	21	64	197	9	265	54	37	6	8	3	2
D-800	26	81	137	18	36	137	10	98	20	16	4	4	2	4
D-850	19	76	148	22	48	227	16	267	56	48	6	12	2	2
D-900	27	76	107	19	34	132	13	167	34	31	6	16	5	6
D-950	8	92	146	19	43	166	10	153	31	29	4	6	5	3
D-1000	23	77	153	19	36	138	9	99	20	18	4	4	-1	4
D-1050	16	90	173	24	42	143	9	114	25	26	4	12	2	3
D-1250	15	58	70	17	26	74	6	76	16	15	3	4	2	2
D-1300	24	76	100	20	28	103	13	118	24	23	5	18	1	3
D-1350	20	69	112	18	35	150	11	158	32	29	5	6	2	2
D-1400	5	82	60	14	-1	56	9	70	14	11	3	7	1	3
D-1450	21	77	70	29	31	123	9	239	49	34	8	12	2	10
D-1450-R	20	73	71	27	32	142	10	238	49	28	8	7	4	10

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.001-LA	.002-LA	.003-LB	.004-LA	.005-LB	.006-LB	.007-LA	.008-LB	.009-LB	.010-LB	.011-LA	.012-LB	.013-LBA	.014-LB
D-1750	21	75	60	20	21	85	9	103	21	16	5	8	2	-1
D-1800	19	81	39	16	-1	39	4	35	7	7	4	4	3	-1
D-2200	18	59	32	14	10	39	7	44	9	8	3	5	3	2
D-2250	24	65	33	17	1	40	6	29	6	6	3	3	1	-1
D-2300	19	65	20	19	10	36	3	44	9	8	5	5	4	1
D-2350	19	57	23	16	7	25	5	15	3	2	3	2	3	-1
D-2400	20	65	53	20	21	105	7	193	41	30	7	9	8	3
E-750	20	65	60	17	22	94	6	132	27	23	4	5	2	4
E-800	15	54	81	13	24	68	9	92	19	15	4	4	6	7
E-850	39	96	99	28	31	142	8	190	39	26	8	2	3	-8
E-900	17	56	81	17	28	142	13	249	52	34	7	5	8	2
E-950	21	82	130	19	26	95	8	72	15	12	2	3	1	-3
E-1000	37	128	236	64	62	272	41	343	70	35	24	7	26	24
E-1050	20	65	116	19	41	213	14	332	68	34	9	13	2	-51
E-1100	38	104	649	29	150	690	19	521	106	55	8	17	7	-1
E-1100-R	36	104	607	29	173	523	17	478	99	42	7	6	6	-1
E-1300	19	68	77	20	-1	113	7	220	45	30	7	13	7	5
E-1350	24	75	142	24	45	208	22	434	89	49	15	21	20	29
E-1400	19	69	152	19	1	259	16	362	76	41	7	23	9	-1
E-1450	21	73	83	20	32	147	13	261	54	36	7	4	13	-3
E-1500	33	97	119	27	20	77	14	52	10	7	3	4	5	-1
E-1550	17	59	250	17	40	215	10	118	24	14	4	3	2	-1
E-1600	17	58	96	23	19	80	9	52	11	9	2	6	2	-1
E-1650	19	60	32	12	5	25	6	18	3	2	2	-1	1	-1
E-1700	18	51	28	11	5	20	4	13	2	1	2	-1	-1	-1
E-1760	24	72	13	10	3	10	3	4	-1	-1	1	-1	-1	-1
E-1800	21	-1	15	19	5	17	2	12	2	1	3	-1	-1	1
E-1850	18	73	17	15	7	21	9	11	2	-1	3	-1	-1	-1
E-1900	18	64	18	14	6	24	6	13	2	1	3	-1	-1	-1
E-1950	14	56	20	14	5	21	1	13	2	-1	2	-1	3	-1
E-2000	26	63	19	10	5	17	2	5	1	-1	1	-1	3	-1
E-2000-R	24	66	19	11	5	17	3	6	-1	-1	1	-1	2	-1
E-2050	19	58	19	10	5	16	4	5	-1	-1	2	-1	1	-1
E-2100	13	50	13	10	6	20	4	13	2	1	1	-1	2	-1
E-2150	15	52	19	6	7	31	2	14	2	1	2	-1	-1	-1
E-2200	37	81	31	17	9	34	2	13	3	-1	2	-1	2	-1
E-2250	16	58	21	13	5	15	2	8	1	-1	2	-1	3	1
E-2300	32	63	18	14	6	22	1	9	2	-1	2	-1	1	-1
E-2350	26	61	21	11	6	19	3	10	2	1	1	-1	1	-1
F-700	23	70	20	18	7	29	5	12	2	1	3	-1	-1	-1
F-750	18	59	19	20	6	29	3	15	3	1	3	-1	1	-1
F-800	57	30	34	71	11	41	9	13	-1	3	3	-1	2	-1
F-850	27	60	17	15	6	21	-1	9	2	-1	2	-1	1	-1
F-900	25	82	19	19	6	21	3	10	-1	-1	2	-1	1	-1
F-950	32	75	17	18	7	28	3	14	2	-1	3	-1	3	-1
F-1000	24	72	25	24	5	19	-1	12	-1	-1	2	-1	5	-1
F-1050	31	71	14	19	3	11	5	3	-1	-1	1	-1	-1	-1
F-1050-R	29	71	15	18	3	9	6	3	-1	-1	1	-1	2	-1
F-1100	18	47	16	34	6	22	-1	11	2	-1	4	-1	-1	-1
F-1150	30	75	16	21	5	12	3	6	-1	-1	2	-1	1	-1
F-1200	22	64	20	12	5	16	4	8	-1	-1	2	-1	4	-1
F-1250	39	88	16	20	5	17	-1	14	-1	2	8	-1	-1	-1
F-1300	26	73	31	47	8	39	5	7	1	-1	1	-1	3	-1
F-1350	22	85	20	15	5	20	7	17	1	3	3	-1	3	2

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.001-LA	.002-LA	.003-LB	.004-LA	.005-LB	.006-LB	.007-LA	.008-LB	.009-LB	.010-LB	.011-LA	.012-LB	.013-LBA	.014-LB
F-1400	17	53	15	21	6	26	-1	12	2	2	2	-1	-1	-1
F-1450	22	86	16	20	4	14	2	0	-1	-1	2	-1	2	-1
F-1500	28	87	42	40	14	41	7	7	2	-1	1	-1	3	-1
F-1550	30	84	30	27	10	35	7	7	1	-1	1	-1	2	-1
F-1600	33	74	18	18	6	25	2	10	2	1	2	-1	3	-1
F-1650	22	61	25	14	5	21	2	4	-1	-1	1	-1	-1	-1
F-1700	37	57	29	23	2	35	3	9	1	-1	5	-1	3	-1
F-1750	22	58	17	13	5	21	2	14	2	2	3	1	1	-1
F-1800	24	59	27	16	8	33	5	15	3	1	3	-1	3	-1
F-1800-R	24	47	25	18	9	29	3	17	3	1	3	-1	2	-1
F-1850	32	32	57	63	-1	41	-1	17	3	-1	2	-1	3	-1
F-1900	17	88	27	18	7	28	-1	15	3	2	2	-1	2	-1
F-1950	18	60	27	13	8	22	3	10	2	-1	1	-1	3	-1
G-600	61	9	44	131	12	47	-1	11	2	1	2	-1	-1	-1
G-650	25	46	18	22	1	20	-1	12	-1	2	2	-1	1	-1
G-700	28	46	26	20	9	30	4	11	2	-1	3	-1	-1	-1
G-750	25	75	21	20	11	36	5	16	3	2	4	-1	1	-1
G-800	14	48	19	8	4	13	4	4	2	13	3	4	-1	-1
G-850	25	52	20	28	8	38	3	15	3	1	5	-1	5	-1
G-900	25	60	18	13	6	22	3	7	-1	-1	2	-1	1	-1
G-950	26	65	13	15	4	14	-1	9	2	-1	3	-1	-1	-1
G-1000	23	60	18	11	6	22	4	5	-1	-1	2	-1	2	-1
G-1050	64	150	20	43	6	20	11	11	1	-1	3	-1	3	-1
G-1100	50	113	26	58	11	33	7	7	2	3	4	-1	4	5
G-1150	15	46	22	10	6	26	3	9	2	1	1	-1	-1	-1
G-1150-R	21	63	24	13	8	29	5	10	2	-1	2	-1	2	-1
G-1200	19	54	18	11	4	14	4	11	-1	1	1	-1	2	-1
G-1250	21	59	28	11	8	33	4	13	3	1	-1	-1	1	-1
G-1300	34	83	32	16	10	34	4	17	3	2	1	-1	2	1
G-1350	29	72	34	11	11	44	5	18	3	2	-1	-1	1	-1
G-1400	29	67	29	15	6	25	5	13	2	-1	-1	-1	-1	-1
G-1450	22	62	16	14	6	24	4	17	3	2	8	1	2	-1
G-1500	30	74	25	16	7	28	5	15	3	2	3	-1	1	-1
G-1550	35	88	19	20	-1	20	4	9	2	-1	2	-1	3	-1
G-1600	53	117	15	27	4	12	7	13	2	1	2	-1	2	-1
G-1650	43	131	34	17	7	31	4	12	2	-1	-1	-1	-1	-1
G-1700	43	22	62	39	8	31	-1	21	4	3	-1	-1	2	1
G-1750	57	154	33	36	9	29	6	10	2	-1	-1	-1	1	-1
G-1800	25	63	18	11	3	14	4	5	-1	-1	1	-1	1	-1
G-1900	18	62	14	4	3	10	2	4	-1	-1	1	-1	2	-1
G-1950	78	190	15	73	5	12	14	4	-1	-1	3	-1	-1	-1
G-1950-R	70	180	14	68	4	12	14	4	-1	-1	2	-1	1	-1
G-2000	12	38	11	7	4	15	2	3	-1	-1	-1	-1	2	-1
H-550	33	76	13	16	3	10	3	10	-1	-1	3	-1	2	-1
H-600	20	51	10	9	2	5	-1	2	-1	-1	-1	-1	4	-1
H-650	25	69	12	17	4	14	3	8	1	-1	2	-1	1	-1
H-700	16	11	11	19	3	8	3	-1	-1	-1	-1	-1	2	-1
H-750	25	67	13	22	3	11	2	4	-1	-1	2	-1	1	-1
H-800	61	31	22	66	11	34	3	9	-1	-1	1	-1	3	-1
H-850	42	109	18	60	8	28	5	5	-1	-1	1	-1	-1	-1
H-900	28	62	10	13	3	8	4	3	-1	-1	1	-1	3	-1
H-950	29	36	12	19	7	18	-1	6	-1	-1	2	-1	3	-1
H-1000	18	57	13	16	6	23	4	7	1	-1	3	-1	1	-1
H-1050	29	80	16	32	5	15	6	8	-1	-1	2	-1	2	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.001-LA	.002-LA	.003-LB	.004-LA	.005-LB	.006-LB	.007-LA	.008-LB	.009-LB	.010-LB	.011-LA	.012-LB	.013-LBA	.014-LB
H-1100	38	90	20	24	7	24	7	5	-1	-1	1	-1	-1	-1
H-1150	26	84	21	19	8	27	4	4	-1	-1	-1	-1	-1	-1
H-1200	21	61	13	19	4	12	6	5	-1	-1	3	-1	2	-1
H-1200-R	18	49	11	10	4	10	1	2	-1	-1	1	-1	1	-1
H-1250	19	57	13	17	6	19	5	5	-1	-1	2	-1	-1	-1
H-1300	26	64	13	20	5	15	5	8	-1	-1	1	-1	-1	-1
H-1350	30	75	18	27	6	21	6	9	-1	-1	1	-1	2	-1
H-1400	26	76	16	32	8	18	8	6	-1	-1	2	-1	1	-1
H-1450	30	72	17	28	5	13	4	7	1	-1	3	-1	-1	-1
H-1500	47	110	33	63	-1	58	14	10	-1	-1	2	-1	3	-1
H-1550	32	88	18	29	7	19	5	8	1	-1	6	-1	2	-1
H-1600	21	57	15	6	5	14	-1	3	-1	-1	2	-1	-1	-1
H-1750	27	76	23	33	12	34	9	10	1	-1	2	-1	2	-1
H-1800	29	85	18	26	9	22	9	8	-1	-1	2	-1	1	-1
H-1850	33	94	19	27	10	27	9	8	1	-1	2	-1	-1	-1
H-1900	27	71	24	29	15	40	8	7	-1	-1	2	-1	-1	-1
H-1950	23	61	19	29	9	27	7	7	-1	-1	2	-1	-1	-1
H-2000	23	84	16	21	23	15	-1	8	-1	-1	3	-1	-1	-1
I-500	21	60	15	26	4	12	13	8	1	-1	-1	-1	-1	-1
I-500-R	21	58	13	23	4	9	12	8	-1	-1	-1	-1	-1	-1
I-550	24	69	17	20	6	22	7	7	1	-1	2	-1	5	-1
I-600	25	68	18	21	5	15	8	12	2	-1	3	-1	-1	-1
I-650	63	123	21	39	8	27	5	12	-1	-1	2	-1	2	-1
I-700	23	67	16	18	4	12	2	7	-1	-1	2	-1	-1	-1
I-750	29	78	16	24	4	12	2	9	2	-1	3	-1	-1	-1
I-800	27	68	15	17	4	12	5	3	-1	-1	1	-1	-1	-1
I-850	48	102	18	32	8	20	8	12	-1	-1	2	-1	2	-1
I-900	44	92	20	37	10	29	7	8	-1	-1	2	-1	2	-1
I-950	55	74	27	154	10	32	6	13	2	-1	2	-1	3	1
I-1000	34	99	37	290	-1	68	16	12	2	-1	2	-1	2	-1
I-1050	41	117	36	109	19	67	20	9	2	-1	2	-1	3	-1
I-1100	41	111	33	238	20	56	11	7	-1	-1	2	-1	2	-1
I-1150	15	37	5	7	-1	2	-1	-1	-1	-1	-1	-1	1	-1
I-1200	42	103	25	205	12	37	7	5	-1	-1	2	-1	2	-1
I-1250	27	66	14	18	1	11	3	4	-1	-1	2	-1	2	-1
I-1250-R	25	71	13	19	-1	10	5	4	-1	-1	2	-1	3	-1
I-1300	23	66	12	23	1	8	6	2	-1	-1	2	-1	1	-1
I-1350	54	150	11	61	4	12	19	12	-1	-1	5	-1	2	-1
J-550	31	81	14	20	4	8	8	1	-1	-1	2	-1	2	-1
J-600	21	48	12	13	-1	7	2	1	-1	-1	1	-1	1	-1
J-650	24	62	17	17	7	18	5	3	-1	-1	1	-1	2	-1
J-700	24	54	12	15	1	8	1	6	-1	-1	4	-1	2	-1
J-750	24	69	14	17	3	10	6	10	1	-1	2	-1	3	-1
J-800	27	71	15	13	4	13	4	9	-1	-1	2	-1	3	-1
J-850	25	61	16	13	5	16	7	6	1	-1	3	-1	2	-1
J-900	24	64	15	15	3	9	2	7	-1	-1	2	-1	-1	-1
J-950	30	71	18	15	6	16	4	16	3	-1	3	-1	3	1
J-1000	29	72	16	21	10	34	4	9	2	-1	2	-1	4	-1
J-1050	30	71	16	21	5	13	4	13	-1	1	1	-1	3	-1
J-1100	51	125	29	23	11	29	3	8	-1	-1	-1	-1	1	-1
J-1150	33	91	17	23	6	16	4	5	-1	-1	3	-1	4	-1
J-1150-R	34	92	17	24	7	18	6	5	-1	-1	8	-1	4	-1
J-1200	22	59	12	15	4	10	-1	5	-1	-1	3	-1	1	-1
J-1250	25	42	16	31	5	15	1	13	2	-1	3	-1	3	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.001-LA	.002-LA	.003-LB	.004-LA	.005-LB	.006-LB	.007-LA	.008-LB	.009-LB	.010-LB	.011-LA	.012-LB	.013-LBA	.014-LB
J-1300	36	74	15	14	5	11	1	3	-1	-1	2	-1	1	-1
J-1350	27	94	14	28	-1	17	1	7	-1	-1	8	-1	2	-1
J-1450	22	52	15	15	5	12	2	5	-1	-1	2	-1	2	-1
J-1500	27	66	13	30	3	8	3	11	-1	-1	2	-1	2	-1
K-750	24	73	16	29	6	13	4	4	-1	-1	2	-1	3	-1
K-800	23	59	27	18	10	29	-1	5	-1	-1	-1	-1	3	-1
K-850	27	65	35	61	7	22	5	5	-1	-1	1	-1	2	-1
K-900	33	61	20	15	6	16	4	3	-1	-1	1	-1	-1	-1
K-1000	22	66	22	36	9	25	-1	15	3	1	5	-1	7	1
K-1050	26	73	25	27	10	29	11	17	3	2	5	-1	5	3
K-1200	24	70	18	16	8	23	8	7	1	-1	-1	-1	-1	-1
K-1250	21	57	13	18	4	19	2	9	-1	-1	2	-1	3	-1
K-1300	24	74	19	27	7	21	6	18	3	2	5	-1	6	-1
K-1300-R	27	76	19	24	8	23	11	18	3	2	-1	-1	7	-1
K-1350	18	44	12	10	3	6	5	2	-1	-1	2	-1	2	-1
K-1400	33	90	30	23	13	44	9	7	-1	-1	-1	-1	-1	-1
L-900	25	71	25	24	7	19	7	12	2	-1	5	-1	4	-1
L-950	32	71	15	23	32	4	10	-1	3	-1	3	-1	4	-1
L-1000	38	85	17	27	5	14	3	15	2	-1	2	-1	3	2
L-1050	32	40	16	19	9	23	6	8	-1	-1	-1	-1	-1	-1
L-1100	34	8	17	41	11	27	-1	5	-1	-1	2	-1	2	-1
M-800	39	76	29	59	8	22	11	7	-1	-1	4	-1	-1	-1
M-850	22	69	14	30	5	11	3	4	-1	-1	3	-1	1	-1
M-900	27	77	15	46	4	13	4	6	-1	-1	4	-1	5	-1
M-950	37	95	27	132	11	28	13	9	-1	-1	2	-1	2	-1
M-1000	35	4	16	69	9	29	-1	7	-1	-1	1	-1	-1	-1
M-1050	25	64	15	20	5	12	4	10	2	-1	3	-1	4	-1
M-1100	21	51	13	10	3	7	2	4	-1	-1	1	-1	2	-1
M-1150	19	53	17	9	4	8	5	5	-1	-1	-1	-1	1	-1
M-1150-R	22	53	13	13	3	5	10	7	-1	-1	-1	-1	2	-1
M-1200	46	-1	22	220	6	17	-1	12	1	2	2	-1	3	1
M-1250	25	70	17	20	5	16	4	8	-2	-1	8	-1	2	-1
M-1300	25	55	22	34	8	21	-1	14	3	2	6	-1	10	-1
J-1400	28	58	20	34	5	15	-1	11	2	-1	4	-1	5	-1
LMB-QA	2	42	3	6	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	13	9	2	3	-1	1	1	1	-1	-1	-1	-1	-1	-1
LMB-QA	13	34	12	6	1	2	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	13	39	11	1	-1	-1	2	-1	-1	-1	-1	-1	-1	-1
LMB-QA	13	35	7	-1	-1	-1	1	-1	-1	-1	-1	-1	2	-1
LMB-QA	12	4	8	4	-1	-1	-1	-1	-1	-1	-1	-1	2	-1
LMB-QA	12	5	8	6	-1	-1	-1	-1	-1	-1	-1	-1	2	-1
LMB-QA	13	38	9	3	-1	-1	1	-1	-1	-1	-1	-1	3	-1

SOIL GAS HYDROCARBONS (SGH) by GC/MS

A10-7405 - Date: October 27, 2010 - Activation Laboratories Ltd.

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days

This report is only to be reproduced in full.

3936449 Canada Inc. - Michael Bulatovich

Cobb Bay Survey

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

.001-LA	.002-LA	.003-LB	.004-LA	.005-LB	.006-LB	.007-LA	.008-LB	.009-LB	.010-LB	.011-LA	.012-LB	.013-LBA	.014-LB
---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	----------	---------

R=Replicate Sample

-1=Reporting Limit of 1pg/g (ppt=parts per trillion)

LMB-QA = Laboratory Materials Blank - Quality Assurance

LEGEND FOR COLUMN HEADINGS - SGH COMPOUND CLASSES

LA, HA, LBA, HBA = ALKYL-ALKANES

LB, HB, LPB, HPB = ALKYL-BENZENES

LAR, MAR, HAR = ALKYL-AROMATICS

LBI, MBI, HBI, LPH, MPH, HPH = ALKYL-POLYAROMATICS

THI = ALKYL-DIVINYLENE SULPHIDES

ALK = ALKYL-ALKENES

	.015-LAR	.016-LB	.017-LB	.018-LB	.019-LB	.020-LA	.021-LPH	.022-LBA	.023-LAR	.024-LB	.025-LAR	.026-LBA	.027-LB	.028-ALK
A-1200	-1	-1	1	2	1	2	-1	2	-1	-1	-1	3	-1	-1
A-1600	-1	4	8	9	5	10	-1	-1	-1	-1	-1	4	1	2
A-1650	-1	7	13	15	9	8	-1	9	-1	-1	-1	5	2	2
A-1700	-1	11	20	21	13	8	-1	8	-1	-1	-1	2	2	1
B-400	-1	-1	1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1
B-400-R	-1	-1	1	1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
B-450	-1	12	22	24	15	7	-1	7	-1	-1	-1	4	1	1
B-500	-1	15	27	29	17	6	-1	3	-1	-1	-1	6	1	2
B-550	-1	2	4	4	3	4	-1	5	-1	-1	-1	3	-1	-1
B-600	-1	6	11	12	7	5	-1	5	-1	-1	-1	3	-1	1
B-650	-1	3	5	5	3	2	-1	3	-1	-1	-1	1	-1	1
B-700	-1	8	14	16	9	1	-1	3	-1	-1	-1	5	1	2
B-750	-1	16	28	30	19	6	-1	7	-1	1	-1	2	2	1
B-800	-1	12	21	22	13	6	-1	2	-1	-1	-1	4	1	1
B-850	-1	13	21	23	13	7	-1	3	-1	-1	-1	5	1	2
B-900	-1	5	9	8	6	2	-1	2	-1	-1	-1	1	-1	-1
B-950	-1	4	7	8	5	2	-1	-1	-1	-1	-1	2	-1	-1
B-1000	-1	8	11	12	7	3	-1	3	-1	-1	-1	2	-1	1
B-1050	-1	3	6	5	4	2	-1	2	-1	-1	-1	-1	-1	-1
B-1100	-1	3	5	4	3	4	-1	4	-1	-1	-1	2	-1	1
B-1150	-1	21	37	40	24	8	-1	4	-1	2	-1	7	2	2
B-1150-R	-1	26	43	46	28	11	-1	11	-1	2	-1	7	2	2
B-1350	-1	15	26	28	17	4	-1	3	-1	1	-1	5	1	2
B-1400	-1	14	24	26	16	5	-1	3	-1	1	-1	5	1	2
B-1450	-1	7	13	14	9	5	-1	5	-1	-1	-1	3	2	2
B-1500	-1	2	4	4	3	2	-1	2	-1	-1	-1	2	-1	-1
B-1550	-1	2	2	2	2	2	-1	2	-1	-1	-1	2	-1	-1
B-1600	-1	2	4	4	3	3	-1	2	-1	-1	-1	3	-1	1
B-1650	-1	2	4	3	3	2	-1	2	-1	-1	-1	4	-1	1
B-1700	-1	1	2	2	1	2	-1	1	-1	-1	-1	2	-1	1
B-1750	-1	11	18	20	11	7	-1	8	-1	-1	-1	2	1	2
C-750	-1	10	18	21	12	5	-1	7	-1	-1	-1	4	1	1
C-800	-1	2	4	4	3	2	-1	-1	-1	-1	-1	2	-1	-1
C-850	-1	13	23	26	16	6	-1	2	-1	-1	-1	4	2	2
C-1350	-1	5	8	9	6	4	-1	5	-1	-1	-1	3	-1	1
C-1400	-1	36	61	66	40	18	-1	21	-1	2	-1	11	2	4
C-1450	-1	16	29	32	20	8	-1	10	-1	1	-1	5	2	2
C-1450-R	-1	12	21	23	14	7	-1	7	-1	-1	-1	4	2	2
C-1500	-1	3	5	6	4	4	-1	4	-1	-1	-1	2	-1	-1
C-1550	-1	7	12	13	8	6	-1	7	-1	-1	-1	4	-1	2
C-1600	-1	28	50	55	34	8	-1	10	-1	2	1	4	2	2
C-2400	-1	19	33	37	22	6	-1	6	-1	1	-1	3	-1	-1
D-800	-1	5	10	12	7	5	-1	7	-1	-1	-1	3	-1	-1
D-850	-1	23	42	45	28	11	-1	13	-1	2	1	7	2	2
D-900	-1	13	23	26	16	6	-1	8	-1	-1	-1	6	1	2
D-950	-1	10	21	24	15	7	-1	8	-1	-1	-1	5	2	2
D-1000	-1	6	12	13	8	4	-1	4	-1	-1	-1	3	-1	-1
D-1050	-1	6	12	14	9	4	-1	1	-1	-1	-1	3	-1	1
D-1250	-1	10	19	21	13	5	-1	6	-1	1	-1	3	2	1
D-1300	-1	9	17	19	12	6	-1	7	-1	-1	-1	4	1	1
D-1350	-1	15	29	31	19	5	-1	1	-1	1	-1	4	1	1
D-1400	-1	4	7	9	6	4	-1	5	-1	-1	-1	3	1	1
D-1450	-1	21	42	46	29	12	-1	15	-1	2	1	7	2	2
D-1450-R	-1	19	35	39	24	12	-1	13	-1	1	-1	6	2	2

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.015-LAR	.016-LB	.017-LB	.018-LB	.019-LB	.020-LA	.021-LPH	.022-LBA	.023-LAR	.024-LB	.025-LAR	.026-LBA	.027-LB	.028-ALK
D-1750	-1	7	14	16	10	5	-1	6	-1	-1	-1	3	1	2
D-1800	-1	3	6	7	4	2	-1	-1	-1	-1	-1	4	-1	-1
D-2200	-1	3	5	6	4	1	-1	-1	-1	-1	-1	4	-1	1
D-2250	-1	2	4	4	3	1	-1	-1	-1	-1	-1	2	-1	-1
D-2300	-1	2	5	6	3	-1	-1	2	-1	-1	-1	4	-1	1
D-2350	-1	1	2	2	1	-1	-1	1	-1	-1	-1	3	-1	-1
D-2400	-1	16	31	28	21	7	-1	9	-1	-1	1	5	1	1
E-750	-1	10	19	21	14	4	-1	-1	-1	-1	-1	3	-1	-1
E-800	-1	11	23	25	16	8	-1	9	-1	1	-1	4	1	1
E-850	-1	11	21	24	15	5	-1	1	-1	-1	-1	5	1	-1
E-900	-1	19	37	42	26	8	-1	2	-1	-1	-1	5	1	1
E-950	-1	4	7	9	6	2	-1	-1	-1	-1	-1	2	-1	-1
E-1000	-1	40	74	82	52	40	-1	50	1	4	2	24	2	5
E-1050	-1	23	43	49	31	6	-1	8	-1	1	1	5	1	1
E-1100	-1	30	63	70	46	11	-1	13	-1	2	2	5	-1	2
E-1100-R	-1	27	57	64	41	10	-1	11	-1	2	2	5	-1	1
E-1300	-1	32	67	75	48	10	-1	13	-1	4	2	7	3	2
E-1350	-1	48	91	102	65	19	-1	24	-1	4	2	13	2	3
E-1400	-1	32	63	68	43	8	-1	10	-1	3	3	5	2	2
E-1450	-1	22	45	50	33	-1	-1	3	-1	2	1	7	-1	2
E-1500	-1	2	5	6	4	2	-1	3	-1	-1	-1	2	-1	-1
E-1550	-1	4	10	11	8	3	-1	3	-1	-1	-1	2	-1	-1
E-1600	-1	3	5	6	4	2	-1	2	-1	-1	-1	1	-1	-1
E-1650	-1	-1	1	2	1	-1	-1	-1	-1	-1	-1	-1	-1	-1
E-1700	-1	-1	1	2	1	-1	-1	-1	-1	-1	-1	1	-1	-1
E-1760	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
E-1800	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	1
E-1850	-1	-1	-1	-1	-1	2	-1	1	-1	2	-1	2	-1	1
E-1900	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	-1
E-1950	-1	2	2	-1	-1	1	-1	-1	-1	-1	-1	3	2	-1
E-2000	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
E-2000-R	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
E-2050	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
E-2100	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	1	-1	-1
E-2150	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	2	-1	-1
E-2200	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1
E-2250	-1	-1	-1	-1	-1	1	-1	2	-1	-1	-1	2	-1	-1
E-2300	-1	-1	-1	-1	-1	1	-1	2	-1	-1	-1	1	-1	-1
E-2350	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
F-700	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1
F-750	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	2	-1	-1
F-800	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
F-850	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
F-900	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
F-950	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1
F-1000	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
F-1050	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
F-1050-R	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
F-1100	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	4	-1	1
F-1150	-1	-1	-1	-1	-1	-1	-1	1	3	-1	-1	3	-1	-1
F-1200	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1
F-1250	-1	-1	-1	-1	-1	2	-1	1	-1	-1	-1	3	-1	-1
F-1300	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
F-1350	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	3	-1	2

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.015-LAR	.016-LB	.017-LB	.018-LB	.019-LB	.020-LA	.021-LPH	.022-LBA	.023-LAR	.024-LB	.025-LAR	.026-LBA	.027-LB	.028-ALK
F-1400	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	1
F-1450	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1
F-1500	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	1	-1	-1
F-1550	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
F-1600	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1
F-1650	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
F-1700	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	-1	2	-1	-1
F-1750	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1
F-1800	-1	-1	-1	-1	-1	1	-1	1	-1	-1	-1	3	-1	-1
F-1800-R	-1	-1	-1	-1	-1	3	-1	1	-1	-1	-1	3	-1	-1
F-1850	-1	-1	-1	-1	-1	3	-1	2	-1	-1	-1	1	-1	-1
F-1900	-1	-1	-1	2	-1	2	-1	-1	-1	-1	-1	2	-1	-1
F-1950	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	1	-1	-1
G-600	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
G-650	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	2	-1	-1
G-700	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1
G-750	-1	-1	2	2	-1	-1	-1	1	-1	-1	-1	3	-1	-1
G-800	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-850	-1	-1	2	2	-1	-1	-1	2	-1	-1	-1	5	-1	2
G-900	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	2	-1	-1
G-950	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1
G-1000	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1
G-1050	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	3	-1	-1
G-1100	-1	4	2	-1	17	-1	-1	-1	-1	-1	-1	2	-1	-1
G-1150	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-1150-R	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
G-1200	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
G-1250	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-1300	-1	-1	1	1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1350	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-1400	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-1450	-1	-1	2	2	-1	-1	-1	1	-1	-1	-1	2	-1	-1
G-1500	-1	-1	2	2	1	1	-1	-1	-1	-1	-1	2	-1	-1
G-1550	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1
G-1600	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1
G-1650	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-1700	-1	-1	1	1	-1	1	-1	1	-1	-1	-1	-1	-1	-1
G-1750	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	-1
G-1800	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1900	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-1950	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	1	-1	-1
G-1950-R	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	2	-1	-1
G-2000	-1	-1	-1	-1	-1	3	-1	2	-1	-1	-1	2	-1	-1
H-550	-1	-1	-1	-1	-1	2	-1	1	-1	-1	-1	3	-1	-1
H-600	-1	-1	-1	-1	-1	2	-1	1	-1	-1	-1	2	-1	-1
H-650	-1	-1	-1	-1	-1	5	-1	-1	-1	-1	-1	3	-1	-1
H-700	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	1	-1	-1
H-750	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	3	-1	-1
H-800	-1	-1	-1	-1	-1	2	-1	1	-1	-1	-1	1	-1	-1
H-850	-1	-1	-1	-1	-1	2	-1	1	-1	-1	-1	1	-1	-1
H-900	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	2	-1	-1
H-950	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
H-1000	-1	-1	-1	-1	-1	3	-1	1	-1	-1	-1	3	-1	-1
H-1050	-1	-1	-1	-1	-1	1	-1	2	-1	-1	-1	3	-1	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.015-LAR	.016-LB	.017-LB	.018-LB	.019-LB	.020-LA	.021-LPH	.022-LBA	.023-LAR	.024-LB	.025-LAR	.026-LBA	.027-LB	.028-ALK
H-1100	-1	-1	-1	-1	-1	1	-1	2	-1	-1	-1	1	-1	-1
H-1150	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
H-1200	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	3	-1	-1
H-1200-R	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	1	-1	-1
H-1250	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	2	-1	-1
H-1300	-1	-1	-1	-1	-1	1	-1	2	-1	-1	-1	1	-1	-1
H-1350	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
H-1400	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	2	-1	-1
H-1450	-1	-1	-1	-1	-1	4	-1	2	-1	-1	-1	4	-1	2
H-1500	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	3	-1	-1
H-1550	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	4	-1	1
H-1600	-1	-1	-1	-1	-1	3	-1	3	-1	-1	-1	4	-1	-1
H-1750	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	1	-1	-1
H-1800	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	1	-1	-1
H-1850	-1	-1	-1	-1	-1	3	-1	1	-1	-1	-1	5	-1	-1
H-1900	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	1	-1	-1
H-1950	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1
H-2000	-1	-1	-1	-1	-1	4	-1	5	-1	-1	-1	8	-1	2
I-500	-1	-1	-1	-1	-1	7	-1	8	-1	-1	-1	8	-1	2
I-500-R	-1	-1	-1	-1	-1	6	-1	8	-1	-1	-1	3	-1	2
I-550	-1	-1	-1	-1	-1	6	-1	5	-1	-1	-1	4	-1	1
I-600	-1	-1	-1	-1	-1	5	-1	6	-1	-1	-1	7	-1	3
I-650	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	2	-1	-1
I-700	-1	-1	-1	-1	-1	2	-1	3	-1	-1	-1	4	-1	-1
I-750	-1	-1	-1	-1	-1	4	-1	5	-1	-1	-1	5	1	2
I-800	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
I-850	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1
I-900	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	-1	-1	-1
I-950	-1	1	-1	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	-1
I-1000	-1	-1	-1	-1	-1	2	-1	1	-1	-1	-1	-1	-1	-1
I-1050	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	1	-1	-1
I-1100	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	-1	-1	-1
I-1150	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
I-1200	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
I-1250	-1	-1	-1	-1	-1	1	-1	2	-1	-1	-1	-1	-1	-1
I-1250-R	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	1	-1	-1
I-1300	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	2	-1	-1
I-1350	-1	-1	-1	-1	-1	15	-1	19	-1	-1	-1	11	-1	2
J-550	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	2	-1	-1
J-600	-1	-1	-1	-1	-1	1	-1	1	-1	-1	-1	1	-1	-1
J-650	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
J-700	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1
J-750	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	2	-1	1
J-800	-1	-1	-1	-1	-1	1	-1	1	-1	-1	-1	3	-1	-1
J-850	-1	-1	-1	-1	-1	1	-1	1	-1	-1	-1	3	-1	-1
J-900	-1	-1	-1	-1	-1	2	-1	3	-1	-1	-1	1	-1	-1
J-950	-1	-1	1	1	-1	2	-1	2	-1	-1	-1	5	-1	1
J-1000	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1
J-1050	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	2	-1	-1
J-1100	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1
J-1150	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	2	-1	-1
J-1150-R	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	-1
J-1200	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1
J-1250	-1	-1	-1	-1	-1	5	-1	1	-1	-1	-1	3	-1	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.015-LAR	.016-LB	.017-LB	.018-LB	.019-LB	.020-LA	.021-LPH	.022-LBA	.023-LAR	.024-LB	.025-LAR	.026-LBA	.027-LB	.028-ALK
J-1300	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1
J-1350	-1	-1	-1	-1	-1	5	-1	-1	-1	-1	-1	3	-1	-1
J-1450	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1
J-1500	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1
K-750	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	-1
K-800	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
K-850	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
K-900	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
K-1000	-1	-1	-1	-1	1	13	-1	3	-1	-1	-1	7	1	2
K-1050	-1	2	3	4	2	22	-1	27	-1	-1	-1	10	-1	2
K-1200	-1	-1	-1	-1	-1	3	-1	3	-1	-1	-1	1	-1	-1
K-1250	-1	-1	-1	-1	-1	5	-1	6	-1	-1	-1	-1	-1	-1
K-1300	-1	2	2	2	1	7	-1	2	-1	-1	-1	6	1	2
K-1300-R	-1	-1	-1	-1	-1	7	-1	4	-1	-1	-1	6	-1	3
K-1350	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	2	-1	-1
K-1400	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	1	-1	-1
L-900	-1	-1	2	2	-1	4	-1	1	-1	-1	-1	3	1	1
L-950	-1	-1	-1	-1	-1	4	-1	4	-1	-1	-1	2	-1	-1
L-1000	-1	-1	-1	-1	-1	3	-1	-1	-1	-1	-1	2	1	1
L-1050	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	-1	-1	-1
L-1100	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1
M-800	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
M-850	-1	-1	-1	-1	-1	2	-1	1	-1	-1	-1	3	-1	1
M-900	-1	-1	-1	-1	-1	5	-1	4	-1	-1	-1	3	-1	-1
M-950	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
M-1000	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
M-1050	-1	-1	-1	-1	-1	1	-1	2	-1	-1	-1	4	-1	1
M-1100	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	-1
M-1150	-1	-1	1	1	-1	8	-1	9	-1	-1	-1	5	1	4
M-1150-R	-1	-1	-1	-1	-1	9	-1	10	-1	-1	-1	5	2	4
M-1200	-1	-1	-1	-1	1	7	-1	8	-1	-1	-1	1	-1	-1
M-1250	-1	-1	-1	-1	-1	1	-1	2	-1	-1	-1	4	-1	-1
M-1300	-1	2	2	2	1	4	-1	1	-1	-1	-1	5	1	2
J-1400	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	4	-1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	3	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	2	-1	1	-1	-1	-1	1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	1	-1	-1

	.015-LAR	.016-LB	.017-LB	.018-LB	.019-LB	.020-LA	.021-LPH	.022-LBA	.023-LAR	.024-LB	.025-LAR	.026-LBA	.027-LB	.028-ALK
--	----------	---------	---------	---------	---------	---------	----------	----------	----------	---------	----------	----------	---------	----------



	.029-.HB	.030-.HB	.031-.HB	.032-.HB	.033-.HB	.034-.HB	.035-.LAR	.036-.LBA	.037-.HB	.038-.LBA	.039-.LAR	.040-.LRB	.041-.LBA	.042-.LRB
A-1200	1	-1	-1	-1	-1	-1	-1	3	-1	3	-1	-1	2	-1
A-1600	3	-1	-1	-1	-1	-1	-1	6	-1	7	-1	-1	6	-1
A-1650	5	2	2	2	-1	-1	-1	2	2	8	1	-1	7	1
A-1700	8	4	2	2	-1	-1	-1	6	2	6	1	-1	-1	2
B-400	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	1	-1
B-400-R	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1	1	-1
B-450	8	3	2	2	1	1	-1	2	5	2	6	2	-1	6
B-500	8	3	2	2	1	-1	-1	6	2	9	1	-1	8	1
B-550	1	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
B-600	3	-1	-1	-1	-1	-1	-1	3	-1	4	-1	-1	4	-1
B-650	1	-1	2	-1	-1	-1	-1	-1	-1	2	-1	-1	1	-1
B-700	4	2	-1	-1	-1	-1	-1	5	-1	8	-1	-1	7	-1
B-750	10	4	2	3	2	-1	-1	5	2	6	2	-1	5	2
B-800	6	2	1	2	1	-1	-1	5	2	6	1	-1	5	1
B-850	6	2	2	2	-1	-1	-1	7	2	7	-1	-1	7	1
B-900	3	1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	1	-1
B-950	-1	1	-1	-1	-1	-1	-1	3	-1	4	-1	-1	4	-1
B-1000	3	1	1	1	-1	-1	-1	2	-1	3	-1	-1	3	1
B-1050	3	1	1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
B-1100	-1	-1	-1	-1	-1	-1	-1	3	-1	4	-1	-1	3	-1
B-1150	15	7	3	5	2	1	-1	5	4	11	3	1	10	4
B-1150-R	17	8	4	6	2	2	-1	8	3	11	3	1	10	4
B-1350	9	4	2	3	1	-1	-1	-1	1	8	2	-1	7	2
B-1400	9	4	2	2	2	-1	-1	6	3	7	2	-1	7	2
B-1450	6	3	1	2	1	-1	-1	3	2	5	2	-1	5	2
B-1500	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	2	-1
B-1550	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1	3	-1
B-1600	2	-1	-1	-1	-1	-1	-1	4	-1	5	-1	-1	5	-1
B-1650	-1	-1	-1	-1	-1	-1	-1	5	-1	5	-1	-1	5	-1
B-1700	-1	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	2	-1
B-1750	6	2	2	2	1	-1	-1	5	2	6	1	-1	2	1
C-750	6	2	2	2	-1	-1	-1	4	-1	6	4	-1	6	-1
C-800	1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
C-850	8	2	2	2	1	-1	-1	8	2	8	1	-1	7	1
C-1350	2	1	-1	-1	-1	-1	-1	3	-1	2	-1	-1	4	-1
C-1400	18	7	5	4	2	1	-1	12	3	11	2	1	17	3
C-1450	9	4	3	3	2	-1	-1	5	3	10	1	-1	9	2
C-1450-R	8	3	2	2	1	-1	-1	5	2	8	1	-1	7	2
C-1500	1	-1	-1	-1	-1	-1	-1	3	-1	5	-1	-1	4	-1
C-1550	3	1	-1	-1	-1	-1	-1	4	-1	3	-1	-1	6	-1
C-1600	16	6	4	4	2	-1	-1	6	3	8	2	-1	7	3
C-2400	10	4	3	3	1	-1	-1	4	-1	5	4	-1	5	-1
D-800	3	1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	2	-1
D-850	15	6	3	4	3	1	-1	7	-1	5	2	1	10	-1
D-900	8	3	2	2	1	-1	-1	5	1	4	1	-1	7	2
D-950	8	3	1	2	1	-1	-1	4	-1	7	1	-1	6	2
D-1000	5	2	1	1	-1	-1	-1	2	-1	4	-1	-1	4	1
D-1050	5	2	-1	2	-1	-1	-1	3	1	2	-1	-1	4	1
D-1250	10	5	3	4	2	1	-1	4	1	7	2	-1	6	3
D-1300	8	3	2	2	1	-1	-1	4	1	6	1	-1	6	2
D-1350	11	5	3	4	2	1	-1	4	-1	6	2	-1	6	3
D-1400	3	-1	1	-1	-1	-1	-1	2	-1	2	-1	-1	4	-1
D-1450	19	8	4	5	3	1	-1	6	2	5	3	1	10	5
D-1450-R	14	5	4	3	2	-1	-1	5	3	9	2	-1	9	3

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.029-.HB	.030-.HB	.031-.HB	.032-.HB	.033-.HB	.034-.HB	.035-.LBA	.036-.LBA	.037-.HB	.038-.LBA	.039-.LAR	.040-.LPB	.041-.LBA	.042-.LPB
D-1750	6	3	2	2	1	-1	-1	2	2	6	1	-1	5	2
D-1800	2	-1	-1	-1	-1	-1	-1	3	-1	5	-1	-1	5	-1
D-2200	1	1	1	-1	-1	-1	-1	3	-1	4	-1	-1	4	-1
D-2250	2	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
D-2300	2	-1	-1	-1	-1	-1	-1	3	-1	5	-1	-1	5	-1
D-2350	-1	-1	-1	-1	-1	-1	-1	4	-1	4	-1	-1	4	-1
D-2400	12	4	3	3	1	-1	-1	5	2	7	2	-1	6	2
E-750	7	2	2	2	1	-1	-1	2	-1	4	1	-1	4	2
E-800	11	5	3	3	2	-1	-1	5	1	8	1	-1	8	3
E-850	7	2	2	2	1	-1	-1	4	-1	6	-1	-1	6	-1
E-900	14	4	3	3	2	-1	-1	5	2	7	1	-1	8	2
E-950	3	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1
E-1000	28	15	6	11	6	2	-1	19	2	16	4	3	31	8
E-1050	14	5	4	4	2	-1	-1	5	1	3	2	1	6	3
E-1100	21	10	5	7	4	2	-1	7	1	10	3	2	10	6
E-1100-R	21	9	4	6	4	-1	-1	5	-1	9	3	2	9	6
E-1300	34	16	9	11	6	2	-1	6	2	10	6	3	10	10
E-1350	41	17	10	12	6	3	-1	12	3	18	5	3	17	11
E-1400	28	11	6	8	5	2	-1	6	2	4	4	2	7	8
E-1450	22	9	5	6	4	1	-1	6	-1	9	3	2	9	6
E-1500	3	1	-1	-1	-1	-1	-1	2	1	3	-1	-1	3	1
E-1550	4	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
E-1600	2	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
E-1650	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1
E-1700	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
E-1760	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
E-1800	-1	-1	1	-1	-1	-1	-1	2	-1	4	-1	-1	1	-1
E-1850	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1	3	-1
E-1900	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
E-1950	-1	-1	-1	-1	-1	-1	-1	1	-1	3	-1	-1	2	-1
E-2000	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	1	-1
E-2000-R	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	1	-1
E-2050	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
E-2100	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
E-2150	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
E-2200	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
E-2250	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1	1	-1
E-2300	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1	2	-1
E-2350	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	1	-1
F-700	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
F-750	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1	1	-1
F-800	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	1	-1
F-850	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	2	-1
F-900	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
F-950	-1	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
F-1000	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	-1	-1
F-1050	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	1	-1
F-1050-R	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	2	-1
F-1100	-1	-1	1	-1	-1	-1	-1	3	-1	2	-1	-1	4	-1
F-1150	-1	-1	-1	-1	-1	-1	-1	2	-1	1	-1	-1	3	-1
F-1200	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
F-1250	-1	-1	1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
F-1300	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1
F-1350	-1	-1	-1	-1	-1	-1	-1	1	-1	4	-1	-1	3	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.029-.HB	.030-.HB	.031-.HB	.032-.HB	.033-.HB	.034-.HB	.035-.LBA	.036-.LBA	.037-.HB	.038-.LBA	.039-.LAR	.040-.LPB	.041-.LBA	.042-.LPB
F-1400	-1	-1	1	-1	-1	-1	-1	2	-1	4	-1	-1	2	-1
F-1450	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1	2	-1
F-1500	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1
F-1550	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1
F-1600	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	1	-1
F-1650	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1
F-1700	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
F-1750	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	2	-1
F-1800	-1	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
F-1800-R	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1	3	-1
F-1850	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1
F-1900	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	1	-1
F-1950	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	1	-1
G-600	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	1	-1
G-650	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
G-700	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-750	-1	-1	1	-1	-1	-1	-1	1	-1	4	-1	-1	3	-1
G-800	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1
G-850	-1	-1	1	-1	-1	-1	-1	3	-1	6	-1	-1	6	-1
G-900	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
G-950	-1	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
G-1000	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1	2	-1
G-1050	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1	3	-1
G-1100	-1	-1	2	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1
G-1150	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1
G-1150-R	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-1200	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1	-1	-1
G-1250	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	1	-1
G-1300	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1	-1	-1
G-1350	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-1400	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	1	-1
G-1450	-1	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
G-1500	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	2	-1
G-1550	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	2	-1
G-1600	-1	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
G-1650	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-1700	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-1750	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	2	-1
G-1800	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1	1	-1
G-1900	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
G-1950	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
G-1950-R	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	2	-1
G-2000	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1	-1	-1
H-550	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1	3	-1
H-600	-1	-1	1	-1	-1	-1	-1	1	-1	2	-1	-1	-1	-1
H-650	-1	-1	-1	-1	-1	-1	-1	2	-1	4	-1	-1	4	-1
H-700	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1	-1	-1
H-750	-1	-1	-1	-1	-1	-1	-1	3	-1	4	-1	-1	3	-1
H-800	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
H-850	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	1	-1
H-900	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	2	-1
H-950	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	1	-1
H-1000	-1	-1	-1	-1	-1	-1	-1	3	-1	3	-1	-1	3	-1
H-1050	-1	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.029-.HB	.030-.HB	.031-.HB	.032-.HB	.033-.HB	.034-.HB	.035-.LAR	.036-.LBA	.037-.HB	.038-.LBA	.039-.LAR	.040-.LPB	.041-.LBA	.042-.LPB
H-1100	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
H-1150	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	1	-1
H-1200	-1	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
H-1200-R	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
H-1250	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
H-1300	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
H-1350	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1
H-1400	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
H-1450	-1	-1	1	-1	-1	-1	-1	2	-1	5	-1	-1	5	-1
H-1500	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	2	-1
H-1550	-1	-1	1	-1	-1	-1	-1	4	-1	6	-1	-1	5	-1
H-1600	-1	-1	-1	-1	-1	-1	-1	2	-1	4	-1	-1	3	-1
H-1750	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
H-1800	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	2	-1
H-1850	-1	-1	-1	-1	-1	-1	-1	4	-1	3	-1	-1	3	-1
H-1900	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
H-1950	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	1	-1
H-2000	-1	-1	-1	-1	-1	-1	-1	5	-1	5	-1	-1	3	-1
I-500	-1	-1	-1	-1	-1	-1	-1	9	-1	8	-1	-1	1	-1
I-500-R	-1	-1	-1	-1	-1	-1	-1	2	-1	7	-1	-1	6	-1
I-550	-1	-1	-1	-1	-1	-1	-1	4	-1	4	-1	-1	2	-1
I-600	-1	-1	-1	-1	-1	-1	-1	4	-1	7	-1	-1	6	-1
I-650	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
I-700	-1	-1	-1	-1	-1	-1	-1	4	-1	-1	-1	-1	1	-1
I-750	-1	-1	1	-1	-1	-1	-1	5	-1	5	-1	-1	3	-1
I-800	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	-1	-1
I-850	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
I-900	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
I-950	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1	1	-1
I-1000	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	2	-1
I-1050	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
I-1100	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	2	-1
I-1150	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
I-1200	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	-1	-1
I-1250	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1	-1	-1
I-1250-R	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
I-1300	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	2	-1
I-1350	-1	-1	-1	-1	-1	-1	-1	3	-1	10	-1	-1	11	-1
J-550	-1	-1	-1	-1	-1	-1	-1	2	-1	4	-1	-1	3	-1
J-600	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1
J-650	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	1	-1
J-700	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	1	-1
J-750	-1	-1	1	-1	-1	-1	-1	-1	-1	1	-1	-1	2	-1
J-800	-1	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
J-850	-1	-1	-1	-1	-1	-1	-1	3	-1	3	-1	-1	3	-1
J-900	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
J-950	-1	-1	1	-1	-1	-1	-1	2	-1	5	-1	-1	6	-1
J-1000	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1	3	-1
J-1050	-1	-1	1	-1	-1	-1	-1	-1	-1	2	-1	-1	-1	-1
J-1100	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
J-1150	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
J-1150-R	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1
J-1200	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	2	-1
J-1250	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	029-HB	030-HB	031-HB	032-HB	033-HB	034-HB	035-LAR	036-LBA	037-HB	038-LBA	039-LAR	040-LPB	041-LBA	042-LPB
J-1300	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	1	-1
J-1350	-1	-1	-1	-1	-1	-1	-1	3	-1	4	-1	-1	4	-1
J-1450	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1
J-1500	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1	2	-1
K-750	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1	1	-1
K-800	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	-1	-1	2	-1
K-850	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1
K-900	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1
K-1000	-1	-1	2	-1	-1	-1	-1	6	-1	9	-1	-1	9	-1
K-1050	-1	-1	2	-1	-1	-1	-1	8	-1	12	-1	-1	12	-1
K-1200	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
K-1250	-1	-1	-1	-1	-1	-1	-1	3	-1	4	-1	-1	4	-1
K-1300	-1	-1	1	-1	-1	-1	-1	7	1	10	1	-1	9	-1
K-1300-R	-1	-1	1	-1	-1	-1	-1	7	-1	10	-1	-1	9	-1
K-1350	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
K-1400	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
L-900	-1	-1	1	-1	-1	-1	-1	4	-1	5	-1	-1	5	-1
L-950	-1	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
L-1000	-1	-1	1	-1	-1	-1	-1	-1	-1	3	-1	-1	3	-1
L-1050	-1	-1	-1	-1	-1	-1	-1	2	-1	1	-1	-1	2	-1
L-1100	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	2	-1
M-800	-1	-1	-1	-1	-1	-1	-1	-1	-1	2	-1	-1	2	-1
M-850	-1	-1	-1	-1	-1	-1	-1	3	-1	4	-1	-1	4	-1
M-900	-1	-1	-1	-1	-1	-1	-1	4	-1	5	-1	-1	5	-1
M-950	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	2	-1
M-1000	-1	-1	-1	-1	-1	-1	-1	1	-1	2	-1	-1	2	-1
M-1050	-1	-1	1	-1	-1	-1	-1	3	-1	2	-1	-1	2	-1
M-1100	-1	-1	-1	-1	-1	-1	-1	2	-1	3	-1	-1	3	-1
M-1150	-1	-1	1	-1	-1	-1	-1	8	-1	11	-1	-1	10	-1
M-1150-R	-1	-1	1	-1	-1	-1	-1	9	-1	12	-1	-1	12	-1
M-1200	-1	-1	-1	-1	-1	-1	-1	-1	-1	3	-1	-1	3	-1
M-1250	-1	-1	1	-1	-1	-1	-1	3	-1	5	-1	-1	4	-1
M-1300	-1	-1	1	-1	-1	-1	-1	-1	-1	4	1	-1	3	-1
J-1400	-1	-1	1	-1	-1	-1	-1	1	-1	5	-1	-1	5	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	-1	-1	1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1	1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1	1	-1

	.029-HB	.030-HB	.031-HB	.032-HB	.033-HB	.034-HB	.035-LAR	.036-LBA	.037-HB	.038-LBA	.039-LAR	.040-LPB	.041-LBA	.042-LPB

	.043-.HB	.044-.HB	.045-.LA	.046-.LPH	.047-.LBA	.048-.HB	.049-.HB	.050-.LBA	.051-.LBI	.052-.LPB	.053-.LPB	.054-.HB	.055-.LPB	.056-.LBI
A-1200	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
A-1600	-1	-1	13	-1	8	-1	-1	5	-1	-1	-1	-1	-1	-1
A-1650	-1	-1	13	-1	9	1	1	5	-1	-1	-1	-1	-1	-1
A-1700	-1	-1	9	-1	5	1	1	4	-1	-1	-1	-1	-1	-1
B-400	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
B-400-R	-1	-1	2	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1
B-450	-1	-1	10	-1	5	-1	-1	4	-1	-1	-1	-1	-1	-1
B-500	-1	-1	16	-1	8	-1	-1	6	-1	-1	-1	-1	-1	-1
B-550	-1	-1	5	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
B-600	-1	-1	6	-1	3	-1	-1	3	-1	-1	-1	-1	-1	-1
B-650	-1	-1	4	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
B-700	-1	-1	13	-1	7	-1	-1	5	-1	-1	-1	-1	-1	-1
B-750	-1	-1	7	-1	4	-1	-1	3	-1	-1	1	-1	-1	-1
B-800	-1	-1	8	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
B-850	-1	-1	11	-1	2	-1	-1	5	-1	-1	-1	-1	-1	-1
B-900	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
B-950	-1	-1	6	-1	2	-1	-1	3	-1	-1	-1	-1	-1	-1
B-1000	-1	-1	4	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
B-1050	-1	-1	2	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1
B-1100	-1	-1	7	-1	2	-1	-1	3	-1	-1	-1	-1	-1	-1
B-1150	-1	-1	14	-1	7	1	1	5	-1	-1	2	1	-1	-1
B-1150-R	-1	-1	15	-1	6	1	1	6	-1	-1	2	1	-1	-1
B-1350	-1	-1	10	-1	5	1	-1	4	-1	-1	1	-1	-1	-1
B-1400	-1	-1	11	-1	6	-1	-1	4	-1	-1	-1	-1	-1	-1
B-1450	-1	-1	9	-1	5	-1	-1	3	-1	-1	-1	-1	-1	-1
B-1500	-1	-1	6	-1	3	-1	-1	3	-1	-1	-1	-1	-1	-1
B-1550	-1	-1	5	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
B-1600	-1	-1	13	-1	7	-1	-1	4	-1	-1	-1	-1	-1	-1
B-1650	-1	-1	10	-1	6	-1	-1	4	-1	-1	-1	-1	-1	-1
B-1700	-1	-1	7	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
B-1750	-1	-1	8	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
G-750	-1	-1	12	-1	7	-1	-1	4	-1	-1	-1	-1	-1	-1
C-800	-1	-1	7	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
C-850	-1	-1	15	-1	10	-1	-1	8	-1	-1	-1	-1	-1	-1
C-1350	-1	-1	10	-1	7	-1	-1	4	-1	-1	-1	-1	-1	-1
C-1400	-1	-1	35	-1	20	-1	-1	10	-1	-1	-1	-1	-1	-1
C-1450	-1	-1	26	-1	15	-1	-1	8	-1	-1	-1	-1	-1	-1
C-1450-R	-1	-1	19	-1	11	-1	-1	6	-1	-1	-1	-1	-1	-1
C-1500	-1	-1	11	-1	6	-1	-1	3	-1	-1	-1	-1	-1	-1
C-1550	-1	-1	23	-1	13	-1	-1	7	-1	-1	-1	-1	-1	-1
C-1600	-1	-1	12	-1	7	1	-1	4	-1	-1	-1	-1	-1	-1
G-2400	-1	-1	7	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
D-800	-1	-1	5	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
D-850	-1	-1	14	-1	9	-1	-1	8	-1	-1	-1	-1	-1	-1
D-900	-1	-1	14	-1	9	-1	-1	5	-1	-1	-1	-1	-1	-1
D-950	-1	-1	10	-1	6	-1	-1	4	-1	-1	-1	-1	-1	-1
D-1000	-1	-1	6	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
D-1050	-1	-1	8	-1	5	-1	-1	3	-1	-1	-1	-1	-1	-1
D-1250	-1	-1	10	-1	7	-1	-1	4	-1	-1	1	-1	-1	-1
D-1300	-1	-1	11	-1	7	-1	-1	4	-1	-1	-1	-1	-1	-1
D-1350	-1	-1	7	-1	5	-1	-1	3	-1	-1	1	-1	-1	-1
D-1400	-1	-1	8	-1	5	-1	-1	3	-1	-1	-1	-1	-1	-1
D-1450	-1	-1	16	-1	11	1	1	6	-1	-1	2	1	-1	-1
D-1450-R	-1	-1	16	-1	11	1	1	8	-1	-1	1	1	-1	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	043-HB	044-HB	045-LA	046-LPH	047-LBA	048-HB	049-HB	050-LBA	051-LBI	052-LPB	053-LPB	054-HB	055-LPB	056-LBI
D-1750	-1	-1	13	-1	9	-1	-1	4	-1	-1	-1	-1	-1	-1
D-1800	-1	-1	12	-1	9	-1	-1	4	-1	-1	-1	-1	-1	-1
D-2200	-1	-1	9	-1	7	-1	-1	4	-1	-1	-1	-1	-1	-1
D-2250	-1	-1	5	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
D-2300	-1	-1	10	-1	7	-1	-1	4	-1	-1	-1	-1	-1	-1
D-2350	-1	-1	12	-1	9	-1	-1	4	-1	-1	-1	-1	-1	-1
D-2400	-1	-1	9	-1	6	-1	-1	4	-1	-1	-1	-1	-1	-1
E-750	-1	-1	4	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
E-800	-1	-1	10	-1	9	-1	-1	5	-1	-1	-1	-1	-1	-1
E-850	-1	-1	11	-1	8	-1	-1	4	-1	-1	-1	-1	-1	-1
E-900	-1	-1	11	-1	9	-1	-1	5	-1	-1	-1	-1	-1	-1
E-950	-1	-1	4	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
E-1000	-1	-1	58	-1	40	1	1	19	-1	-1	2	-1	-1	-1
E-1050	-1	-1	6	-1	5	-1	-1	3	-1	-1	1	-1	-1	-1
E-1100	-1	-1	10	-1	8	1	1	5	-1	-1	2	1	-1	-1
E-1100-R	-1	-1	10	-1	7	-1	-1	4	-1	-1	2	-1	-1	-1
E-1300	-1	-1	11	-1	8	1	1	5	-1	-1	3	-1	-1	-1
E-1350	-1	-1	17	-1	13	1	1	8	-1	-1	3	1	-1	-1
E-1400	-1	-1	8	-1	6	1	1	4	-1	-1	3	-1	-1	-1
E-1450	-1	-1	13	-1	10	1	1	5	-1	-1	2	-1	-1	-1
E-1500	-1	-1	5	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
E-1550	-1	-1	4	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
E-1600	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
E-1650	-1	-1	1	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
E-1700	-1	-1	4	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
E-1760	-1	-1	1	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
E-1800	-1	-1	7	-1	5	-1	-1	3	-1	-1	-1	-1	-1	-1
E-1850	-1	-1	5	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
E-1900	-1	-1	4	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
E-1950	-1	-1	6	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
E-2000	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
E-2000-R	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
E-2050	-1	-1	3	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
E-2100	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
E-2150	-1	-1	4	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
E-2200	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
E-2250	-1	-1	4	-1	3	-1	-1	1	-1	-1	-1	-1	-1	-1
E-2300	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
E-2350	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
F-700	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
F-750	-1	-1	5	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
F-800	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
F-850	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
F-900	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
F-950	-1	-1	5	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
F-1000	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
F-1050	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
F-1050-R	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
F-1100	-1	-1	7	-1	5	-1	-1	3	-1	-1	-1	-1	-1	-1
F-1150	-1	-1	6	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
F-1200	-1	-1	3	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
F-1250	-1	-1	6	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
F-1300	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
F-1350	-1	-1	6	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.043-.HB	.044-.HB	.045-.LA	.046-.LPH	.047-.LBA	.048-.HB	.049-.HB	.050-.LBA	.051-.LBI	.052-.LPB	.053-.LPB	.054-.HB	.055-.LPB	.056-.LBI
F-1400	-1	-1	6	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
F-1450	-1	-1	7	-1	5	-1	-1	3	-1	-1	-1	-1	-1	-1
F-1500	-1	-1	3	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
F-1550	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
F-1600	-1	-1	3	-1	3	-1	-1	1	-1	-1	-1	-1	-1	-1
F-1650	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
F-1700	-1	-1	5	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
F-1750	-1	-1	5	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
F-1800	-1	-1	6	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
F-1800-R	-1	-1	5	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
F-1850	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
F-1900	-1	-1	5	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
F-1950	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
G-600	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
G-650	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
G-700	-1	-1	4	-1	3	-1	-1	1	-1	-1	-1	-1	-1	-1
G-750	-1	-1	7	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
G-800	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
G-850	-1	-1	11	-1	8	-1	-1	4	-1	-1	-1	-1	-1	-1
G-900	-1	-1	4	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
G-950	-1	-1	7	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
G-1000	-1	-1	4	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
G-1050	-1	-1	5	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
G-1100	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1150	-1	-1	1	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1150-R	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1200	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1250	-1	-1	1	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1300	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1350	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1400	-1	-1	1	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1450	-1	-1	5	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
G-1500	-1	-1	4	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
G-1550	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1600	-1	-1	5	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
G-1650	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1700	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1750	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1800	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1900	-1	-1	1	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
G-1950	-1	-1	4	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
G-1950-R	-1	-1	4	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
G-2000	-1	-1	1	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
H-550	-1	-1	4	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
H-600	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
H-650	-1	-1	6	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
H-700	-1	-1	1	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
H-750	-1	-1	5	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
H-800	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
H-850	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
H-900	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
H-950	-1	-1	4	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
H-1000	-1	-1	7	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
H-1050	-1	-1	3	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	043-HB	044-HB	045-LA	046-LPH	047-LBA	048-HB	049-HB	050-LBA	051-LBI	052-LPB	053-LPB	054-HB	055-LPB	056-LBI
H-1100	-1	-1	1	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
H-1150	-1	-1	1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1
H-1200	-1	-1	4	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
H-1200-R	-1	-1	4	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
H-1250	-1	-1	4	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
H-1300	-1	-1	1	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1
H-1350	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
H-1400	-1	-1	3	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
H-1450	-1	-1	6	-1	3	-1	-1	3	-1	-1	-1	-1	-1	-1
H-1500	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
H-1550	-1	-1	9	-1	5	-1	-1	3	-1	-1	-1	-1	-1	-1
H-1600	-1	-1	6	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
H-1750	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
H-1800	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
H-1850	-1	-1	5	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
H-1900	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
H-1950	-1	-1	2	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1
H-2000	-1	-1	6	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
I-500	-1	-1	15	-1	7	-1	-1	5	-1	-1	-1	-1	-1	-1
I-500-R	-1	-1	12	-1	5	-1	-1	4	-1	-1	-1	-1	-1	-1
I-550	-1	-1	6	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
I-600	-1	-1	9	-1	5	-1	-1	4	-1	-1	-1	-1	-1	-1
I-650	-1	-1	5	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
I-700	-1	-1	4	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
I-750	-1	-1	7	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
I-800	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
I-850	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
I-900	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
I-950	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
I-1000	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
I-1050	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
I-1100	-1	-1	2	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1
I-1150	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
I-1200	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
I-1250	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
I-1250-R	-1	-1	3	-1	2	-1	-1	-1	-1	-1	-1	-1	-1	-1
I-1300	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
I-1350	-1	-1	23	-1	13	-1	-1	8	-1	-1	-1	-1	-1	-1
J-550	-1	-1	8	-1	5	-1	-1	3	-1	-1	-1	-1	-1	-1
J-600	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
J-650	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
J-700	-1	-1	2	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1
J-750	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
J-800	-1	-1	6	-1	4	-1	-1	2	-1	-1	-1	-1	-1	-1
J-850	-1	-1	5	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
J-900	-1	-1	3	-1	3	-1	-1	-1	-1	-1	-1	-1	-1	-1
J-950	-1	-1	10	-1	6	-1	-1	4	-1	-1	-1	-1	-1	-1
J-1000	-1	-1	6	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
J-1050	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
J-1100	-1	-1	2	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1
J-1150	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
J-1150-R	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
J-1200	-1	-1	5	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
J-1250	-1	-1	6	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	043-HB	044-HB	045-LA	046-LPH	047-LBA	048-HB	049-HB	050-LBA	051-LBI	052-LPB	053-LPB	054-HB	055-LPB	056-LBI
J-1300	-1	-1	2	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1
J-1350	-1	-1	9	-1	5	-1	-1	3	-1	-1	-1	-1	-1	-1
J-1450	-1	-1	3	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
J-1500	-1	-1	3	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
K-750	-1	-1	3	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
K-800	-1	-1	2	-1	1	-1	-1	1	-1	-1	-1	-1	-1	-1
K-850	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
K-900	-1	-1	2	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1
K-1000	-1	-1	17	-1	7	-1	-1	5	-1	-1	-1	-1	-1	-1
K-1050	-1	-1	24	-1	11	-1	-1	8	-1	-1	-1	-1	-1	-1
K-1200	-1	-1	3	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
K-1250	-1	-1	6	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
K-1300	-1	-1	19	-1	9	-1	-1	6	-1	-1	-1	-1	-1	-1
K-1300-R	-1	-1	16	-1	9	-1	-1	6	-1	-1	-1	-1	-1	-1
K-1350	-1	-1	4	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
K-1400	-1	-1	3	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
L-900	-1	-1	12	-1	6	-1	-1	4	-1	-1	-1	-1	-1	-1
L-950	-1	-1	7	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
L-1000	-1	-1	4	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
L-1050	-1	-1	3	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
L-1100	-1	-1	2	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1
M-800	-1	-1	2	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1
M-850	-1	-1	8	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
M-900	-1	-1	14	-1	7	-1	-1	4	-1	-1	-1	-1	-1	-1
M-950	-1	-1	2	-1	2	-1	-1	1	-1	-1	-1	-1	-1	-1
M-1000	-1	-1	2	-1	-1	-1	-1	1	-1	-1	-1	-1	-1	-1
M-1050	-1	-1	6	-1	3	-1	-1	2	-1	-1	-1	-1	-1	-1
M-1100	-1	-1	4	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
M-1150	-1	-1	17	-1	8	-1	-1	6	-1	-1	-1	-1	-1	-1
M-1150-R	-1	-1	19	-1	9	-1	-1	7	-1	-1	-1	-1	-1	-1
M-1200	-1	-1	3	-1	2	-1	-1	2	-1	-1	-1	-1	-1	-1
M-1250	-1	-1	7	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
M-1300	-1	-1	11	-1	6	-1	-1	4	-1	-1	-1	-1	-1	-1
J-1400	-1	-1	9	-1	4	-1	-1	3	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
LMB-QA	-1	-1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1

	.043-HB	.044-HB	.045-LA	.046-LPH	.047-LBA	.048-HB	.049-HB	.050-LBA	.051-LBI	.052-LPB	.053-LPB	.054-HB	.055-LPB	.056-LBI

	.057-ALK	.058-LPB	.059-LPB	.060-LPH	.061-LBI	.062-LBA	.063-LPH	.064-LBA	.065-HPB	.066-LBA	.067-LBI	.068-HPB	.069-LA	.070-HPB
A-1200	-1	-1	-1	-1	1	2	-1	2	-1	3	-1	-1	4	-1
A-1600	-1	-1	-1	-1	2	7	-1	6	-1	9	-1	-1	15	-1
A-1650	-1	-1	-1	-1	2	6	-1	7	-1	8	1	-1	15	-1
A-1700	-1	-1	-1	-1	1	4	-1	5	-1	6	-1	-1	10	-1
B-400	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	-1	3	-1
B-400-R	-1	-1	-1	-1	-1	-1	-1	-2	-1	1	-1	-1	4	-1
B-450	-1	-1	-1	-1	1	5	1	5	1	7	1	-1	11	-1
B-500	-1	-1	-1	-1	2	7	-1	7	-1	11	1	-1	18	1
B-550	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	6	-1
B-600	-1	-1	-1	-1	-1	3	-1	4	-1	5	-1	-1	8	-1
B-650	-1	-1	-1	-1	-1	3	-1	5	-1	4	-1	-1	7	-1
B-700	-1	-1	-1	-1	1	6	-1	7	-1	10	1	-1	17	-1
B-750	-1	-1	-1	-1	1	5	-1	4	1	6	-1	-1	9	-1
B-800	-1	-1	-1	-1	1	4	-1	5	-1	6	-1	-1	9	-1
B-850	-1	-1	-1	-1	1	6	-1	6	-1	8	1	-1	13	-1
B-900	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
B-950	-1	-1	-1	-1	-1	5	-1	5	-1	7	-1	-1	12	-1
B-1000	-1	-1	-1	-1	-1	4	-1	4	-1	5	-1	-1	6	-1
B-1050	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	-1	4	-1
B-1100	-1	-1	-1	-1	1	3	-1	3	-1	5	-1	-1	7	-1
B-1150	-1	1	1	-1	1	7	1	7	-1	9	1	1	14	1
B-1150-R	-1	-1	-1	-1	2	8	-1	7	-1	9	1	1	14	-1
B-1350	-1	-1	-1	-1	1	5	-1	5	-1	7	1	-1	9	-1
B-1400	-1	-1	-1	-1	1	5	-1	5	-1	6	-1	-1	10	-1
B-1450	-1	-1	-1	-1	1	5	1	5	-1	6	1	-1	10	-1
B-1500	-1	-1	-1	-1	1	4	-1	4	-1	5	-1	-1	8	-1
B-1550	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	6	-1
B-1600	-1	-1	-1	-1	1	6	-1	6	-1	9	-1	-1	17	-1
B-1650	-1	-1	-1	-1	1	5	-1	5	-1	8	1	-1	11	-1
B-1700	-1	-1	-1	-1	1	4	-1	4	-1	6	-1	-1	10	-1
B-1750	-1	-1	-1	-1	1	4	-1	4	-1	6	-1	-1	8	-1
G-750	-1	-1	-1	-1	1	6	-1	6	-1	8	1	-1	12	-1
C-800	-1	-1	-1	-1	1	4	-1	4	-1	6	-1	-1	8	-1
C-850	-1	-1	-1	-1	1	7	-1	8	-1	11	-1	-1	15	-1
C-1350	-1	-1	-1	-1	1	5	-1	5	-1	6	-1	-1	9	-1
C-1400	-1	-1	-1	-1	3	14	-1	16	-1	25	3	-1	36	-1
C-1450	-1	-1	-1	-1	2	8	-1	10	-1	15	2	-1	27	-1
C-1450-R	-1	-1	-1	-1	2	8	-1	8	-1	12	-1	-1	19	-1
C-1500	-1	-1	-1	-1	1	4	-1	5	-1	6	-1	-1	9	-1
C-1550	-1	-1	-1	-1	1	8	-1	8	-1	11	-1	-1	22	-1
C-1600	-1	-1	-1	-1	1	5	-1	5	-1	7	1	-1	10	-1
G-2400	-1	-1	-1	-1	1	4	-1	4	-1	5	-1	-1	7	-1
D-800	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	7	-1
D-850	-1	-1	-1	-1	1	8	-1	8	-1	13	-1	-1	18	-1
D-900	-1	-1	-1	-1	1	7	-1	7	1	10	1	-1	19	-1
D-950	-1	-1	-1	-1	1	5	-1	5	-1	6	-1	-1	13	-1
D-1000	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	7	-1
D-1050	-1	-1	-1	-1	1	4	-1	4	-1	6	-1	-1	11	-1
D-1250	-1	-1	-1	-1	1	6	-1	6	2	8	1	-1	12	-1
D-1300	-1	-1	-1	-1	1	5	-1	6	-1	8	-1	-1	14	-1
D-1350	-1	-1	-1	-1	-1	4	-1	4	1	5	-1	-1	7	-1
D-1400	-1	-1	-1	-1	-1	4	-1	4	-1	6	-1	-1	11	-1
D-1450	-1	-1	-1	-1	1	8	-1	8	2	10	1	1	18	-1
D-1450-R	-1	-1	-1	-1	1	8	-1	8	-1	11	2	1	23	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.057-ALK	.058-LPB	.059-LPB	.060-LPH	.061-LBI	.062-LBA	.063-LPH	.064-LBA	.065-HPB	.066-LBA	.067-LBI	.068-HPB	.069-LA	.070-HPB
D-1750	-1	-1	-1	-1	1	5	-1	5	1	8	1	-1	15	-1
D-1800	-1	-1	-1	-1	1	5	-1	0	-1	9	-1	-1	16	-1
D-2200	-1	-1	-1	-1	1	5	-1	5	-1	7	-1	-1	14	-1
D-2250	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	6	-1
D-2300	-1	-1	-1	-1	1	5	-1	5	-1	8	1	-1	12	-1
D-2350	-1	-1	-1	-1	-1	5	-1	5	-1	7	-1	-1	14	-1
D-2400	-1	-1	-1	-1	1	5	-1	5	-1	8	-1	-1	10	-1
E-750	-1	-1	-1	-1	-1	3	-1	3	-1	5	-1	-1	7	-1
E-800	-1	-1	-1	-1	1	6	-1	7	-1	12	-1	-1	19	-1
E-850	-1	-1	-1	-1	1	5	-1	5	-1	8	-1	-1	14	-1
E-900	-1	-1	-1	-1	1	5	-1	5	-1	8	1	-1	15	-1
E-950	-1	-1	-1	-1	-1	2	-1	3	-1	4	-1	-1	5	-1
E-1000	1	2	1	-1	3	17	-1	22	2	31	2	2	64	1
E-1050	-1	-1	-1	-1	-1	4	-1	4	-1	6	-1	-1	9	-1
E-1100	-1	-1	1	-1	-1	5	-1	4	2	6	-1	1	7	-1
E-1100-R	-1	-1	-1	-1	-1	5	-1	5	-1	6	-1	-1	7	-1
E-1300	-1	2	2	-1	1	6	1	6	3	8	-1	2	11	1
E-1350	-1	2	2	-1	1	9	-1	8	1	9	-1	1	13	-1
E-1400	-1	2	2	-1	1	4	-1	4	2	6	-1	1	7	1
E-1450	-1	2	1	-1	1	7	-1	6	2	8	-1	1	12	-1
E-1500	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	6	-1
E-1550	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
E-1600	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	3	-1
E-1650	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	2	-1
E-1700	-1	-1	-1	-1	-1	3	-1	2	-1	3	-1	-1	5	-1
E-1760	-1	-1	-1	-1	-1	-1	-1	2	-1	2	-1	-1	3	-1
E-1800	-1	-1	-1	-1	-1	4	-1	4	-1	4	-1	-1	10	-1
E-1850	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	6	-1
E-1900	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	4	-1
E-1950	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	7	-1
E-2000	-1	-1	-1	-1	-1	2	-1	2	-1	4	-1	-1	5	-1
E-2000-R	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	5	-1
E-2050	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	5	-1
E-2100	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	4	-1
E-2150	-1	-1	-1	-1	-1	2	-1	2	-1	4	-1	-1	5	-1
E-2200	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	5	-1
E-2250	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	7	-1
E-2300	-1	-1	-1	-1	-1	2	-1	2	-1	1	-1	-1	5	-1
E-2350	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
F-700	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
F-750	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	6	-1
F-800	-1	-1	-1	-1	-1	2	-1	2	-1	1	-1	-1	4	-1
F-850	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	3	-1
F-900	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
F-950	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	6	-1
F-1000	-1	-1	-1	-1	-1	2	-1	2	-1	1	-1	-1	5	-1
F-1050	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	6	-1
F-1050-R	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	6	-1
F-1100	-1	-1	-1	-1	-1	5	-1	5	-1	8	-1	-1	12	-1
F-1150	-1	-1	-1	-1	-1	4	-1	4	-1	6	-1	-1	11	-1
F-1200	-1	-1	-1	-1	-1	3	-1	2	-1	3	-1	-1	5	-1
F-1250	-1	-1	-1	-1	-1	4	-1	4	-1	5	-1	-1	9	-1
F-1300	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	2	-1
F-1350	-1	-1	-1	-1	-1	4	-1	4	-1	5	-1	-1	7	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.057 - ALK	.058 - LPB	.059 - LPB	.060 - LPH	.061 - LBI	.062 - LBA	.063 - LPH	.064 - LBA	.065 - HPB	.066 - LBA	.067 - LBI	.068 - HPB	.069 - LA	.070 - HPB
F-1400	-1	-1	-1	-1	-1	4	-1	4	-1	3	-1	-1	9	-1
F-1450	-1	-1	-1	-1	-1	4	-1	4	-1	6	-1	-1	11	-1
F-1500	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	6	-1
F-1550	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
F-1600	-1	-1	-1	-1	-1	2	-1	3	-1	3	-1	-1	4	-1
F-1650	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
F-1700	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	8	-1
F-1750	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	7	-1
F-1800	-1	-1	-1	-1	-1	4	-1	4	-1	5	-1	-1	9	-1
F-1800-R	-1	-1	-1	-1	-1	4	-1	3	-1	5	-1	-1	8	-1
F-1850	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
F-1900	-1	-1	-1	-1	-1	3	-1	3	-1	5	-1	-1	9	-1
F-1950	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	5	-1
G-600	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	4	-1
G-650	-1	-1	-1	-1	-1	3	-1	3	-1	3	-1	-1	5	-1
G-700	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	-1	5	-1
G-750	-1	-1	-1	-1	-1	-1	-1	3	-1	5	-1	-1	8	-1
G-800	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	-1	3	-1
G-850	-1	-1	-1	-1	1	6	-1	5	-1	7	-1	-1	12	-1
G-900	-1	-1	-1	-1	-1	3	-1	3	-1	2	-1	-1	6	-1
G-950	-1	-1	-1	-1	-1	4	-1	4	-1	5	-1	-1	9	-1
G-1000	-1	-1	-1	-1	-1	3	-1	3	-1	3	-1	-1	6	-1
G-1050	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	7	-1
G-1100	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
G-1150	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	2	-1
G-1150-R	-1	-1	-1	-1	-1	2	-1	2	-1	1	-1	-1	3	-1
G-1200	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
G-1250	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	2	-1
G-1300	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	2	-1
G-1350	-1	-1	-1	-1	-1	1	-1	2	-1	2	-1	-1	2	-1
G-1400	-1	-1	-1	-1	-1	2	-1	1	-1	2	-1	-1	2	-1
G-1450	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	6	-1
G-1500	-1	-1	-1	-1	-1	3	-1	3	-1	3	-1	-1	6	-1
G-1550	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
G-1600	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	7	-1
G-1650	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	2	-1
G-1700	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
G-1750	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	4	-1
G-1800	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
G-1900	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
G-1950	-1	-1	-1	-1	-1	3	-1	3	-1	3	-1	-1	5	-1
G-1950-R	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	6	-1
G-2000	-1	-1	-1	-1	-1	2	-1	1	-1	1	-1	-1	1	-1
H-550	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	7	-1
H-600	-1	-1	-1	-1	1	2	-1	2	-1	3	-1	-1	5	-1
H-650	-1	-1	-1	-1	-1	4	-1	4	-1	3	-1	-1	13	-1
H-700	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	2	-1
H-750	-1	-1	-1	-1	1	4	-1	4	-1	-1	-1	-1	9	-1
H-800	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
H-850	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
H-900	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	5	-1
H-950	-1	-1	-1	-1	-1	2	-1	3	-1	3	-1	-1	5	-1
H-1000	-1	-1	-1	-1	1	4	-1	4	-1	5	-1	-1	9	-1
H-1050	-1	-1	-1	-1	1	3	-1	3	-1	2	-1	-1	5	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.057 - ALK	.058 - LPB	.059 - LPB	.060 - LPH	.061 - LBI	.062 - LBA	.063 - LPH	.064 - LBA	.065 - HPB	.066 - LBA	.067 - LBI	.068 - HPB	.069 - LA	.070 - HPB
H-1100	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
H-1150	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
H-1200	-1	-1	-1	-1	1	3	-1	4	-1	4	-1	-1	9	-1
H-1200-R	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	7	-1
H-1250	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	7	-1
H-1300	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	2	-1
H-1350	-1	-1	-1	-1	-1	2	-1	2	-1	1	-1	-1	3	-1
H-1400	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	-1	4	-1
H-1450	1	-1	-1	-1	1	4	-1	5	-1	7	-1	-1	9	-1
H-1500	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
H-1550	-1	-1	-1	-1	1	5	-1	5	-1	7	-1	-1	11	-1
H-1600	1	-1	-1	-1	1	4	-1	4	-1	6	-1	-1	10	-1
H-1750	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	3	-1
H-1800	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
H-1850	1	-1	-1	-1	-1	2	-1	3	-1	4	-1	-1	6	-1
H-1900	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
H-1950	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	3	-1
H-2000	2	1	-1	-1	1	2	-1	4	-1	1	-1	-1	8	-1
I-500	2	-1	-1	-1	2	6	-1	7	-1	10	-1	-1	20	-1
I-500-R	2	-1	-1	-1	1	5	-1	7	-1	7	-1	-1	15	-1
I-550	1	-1	-1	-1	1	3	-1	4	-1	6	-1	-1	8	-1
I-600	2	-1	-1	-1	2	5	-1	6	-1	9	-1	-1	11	-1
I-650	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	7	-1
I-700	1	-1	-1	-1	1	3	-1	4	-1	5	-1	-1	6	-1
I-750	1	-1	-1	-1	1	5	-1	5	-1	7	-1	-1	8	-1
I-800	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	3	-1
I-850	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	3	-1
I-900	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	3	-1
I-950	-1	-1	-1	-1	1	3	-1	3	-1	3	-1	-1	3	-1
I-1000	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
I-1050	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	3	-1
I-1100	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
I-1150	-1	-1	-1	-1	-1	1	-1	1	-1	1	-1	-1	2	-1
I-1200	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
I-1250	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	-1	4	-1
I-1250-R	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
I-1300	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	6	-1
I-1350	-1	-1	-1	-1	2	10	-1	11	-1	15	-1	-1	155	-1
J-550	-1	-1	-1	-1	-1	-1	-1	5	-1	7	-1	-1	12	-1
J-600	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
J-650	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	2	-1
J-700	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	5	-1
J-750	-1	-1	-1	-1	-1	-1	-1	3	-1	3	-1	-1	5	-1
J-800	-1	-1	-1	-1	-1	-1	-1	3	-1	4	-1	-1	9	-1
J-850	-1	-1	-1	-1	-1	4	-1	3	-1	5	-1	-1	7	-1
J-900	-1	-1	-1	-1	-1	3	-1	2	-1	3	-1	-1	5	-1
J-950	-1	-1	-1	-1	-1	-1	-1	6	-1	8	-1	-1	15	-1
J-1000	-1	-1	-1	-1	-1	3	-1	3	-1	5	-1	-1	7	-1
J-1050	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	4	-1
J-1100	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
J-1150	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
J-1150-R	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
J-1200	-1	-1	-1	-1	-1	3	-1	3	-1	2	-1	-1	8	-1
J-1250	-1	-1	-1	-1	-1	3	-1	4	-1	5	-1	-1	11	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.057 - ALK	.058 - LPB	.059 - LPB	.060 - LPH	.061 - LBI	.062 - LBA	.063 - LPH	.064 - LBA	.065 - HPB	.066 - LBA	.067 - LBI	.068 - HPB	.069 - LA	.070 - HPB
J-1300	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
J-1350	-1	-1	-1	-1	-1	5	-1	5	-1	4	-1	-1	15	-1
J-1450	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	4	-1
J-1500	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	6	-1
K-750	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	5	-1
K-800	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
K-850	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	2	-1
K-900	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	4	-1
K-1000	-1	-1	-1	-1	1	7	-1	7	-1	10	-1	-1	25	-1
K-1050	-1	-1	-1	-1	2	12	-1	12	-1	17	2	-1	47	-1
K-1200	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
K-1250	-1	-1	-1	-1	-1	4	-1	3	-1	5	-1	-1	9	-1
K-1300	-1	-1	-1	-1	1	10	1	9	-1	2	1	-1	25	-1
K-1300-R	-1	-1	-1	-1	1	8	1	8	-1	8	1	-1	21	-1
K-1350	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	6	-1
K-1400	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
L-900	-1	-1	-1	-1	1	6	-1	6	-1	7	-1	-1	16	-1
L-950	-1	-1	-1	-1	-1	4	-1	4	-1	4	-1	-1	9	-1
L-1000	-1	-1	-1	-1	-1	3	-1	3	-1	3	-1	-1	6	-1
L-1050	-1	-1	-1	-1	-1	2	-1	2	-1	3	-1	-1	4	-1
L-1100	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
M-800	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
M-850	-1	-1	-1	-1	-1	5	-1	5	-1	-1	-1	-1	12	-1
M-900	-1	-1	-1	-1	1	7	-1	8	-1	10	-1	-1	23	-1
M-950	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	4	-1
M-1000	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
M-1050	-1	-1	-1	-1	-1	4	-1	4	-1	5	-1	-1	8	-1
M-1100	-1	-1	-1	-1	-1	3	-1	3	-1	4	-1	-1	8	-1
M-1150	1	-1	-1	-1	1	11	1	11	-1	18	1	-1	37	-1
M-1150-R	1	-1	-1	-1	1	12	1	13	-1	19	1	-1	36	-1
M-1200	-1	-1	-1	-1	-1	3	-1	3	-1	3	-1	-1	7	-1
M-1250	-1	-1	-1	-1	1	5	-1	5	-1	7	-1	-1	10	-1
M-1300	-1	-1	-1	-1	1	7	1	8	-1	13	1	-1	19	1
J-1400	-1	-1	-1	-1	-1	5	-1	8	-1	6	-1	-1	14	-1
LMB-QA	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	-1	2	-1
LMB-QA	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	-1	3	-1
LMB-QA	-1	-1	-1	-1	-1	2	-1	1	-1	2	-1	-1	2	-1
LMB-QA	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	3	-1
LMB-QA	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	2	-1
LMB-QA	-1	-1	-1	-1	-1	2	-1	2	-1	-1	-1	-1	3	-1
LMB-QA	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	1	-1
LMB-QA	-1	-1	-1	-1	-1	2	-1	2	-1	2	-1	-1	2	-1

.057 - ALK	.058 - LPB	.059 - LPB	.060 - LPH	.061 - LBI	.062 - LBA	.063 - LPH	.064 - LBA	.065 - HPB	.066 - LBA	.067 - LBJ	.068 - HPB	.069 - LA	.070 - HPB
------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	-----------	------------

	.071 - HPB	.072 - HRB	.073 - HBA	.074 - HBA	.075 - HPB	.076 - LPH	.077 - MAR	.078 - ALK	.079 - LBI	.080 - LPH	.081 - MAR	.082 - LPH	.083 - HBA	.084 - HBA
A-1200	-1	-1	2	2	-1	-1	-1	-1	-1	-1	1	1	2	1
A-1600	1	1	6	4	1	2	2	2	-1	2	2	2	9	2
A-1650	-1	-1	6	5	-1	-1	2	2	-1	2	2	2	11	2
A-1700	-1	-1	4	3	-1	1	1	2	-1	2	1	2	7	2
B-400	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	1
B-400-R	-1	-1	2	3	-1	-1	-1	-1	-1	-1	1	1	2	1
B-450	-1	-1	4	3	-1	1	1	2	-1	2	1	2	7	1
B-500	1	1	6	4	-1	2	2	3	-1	2	1	2	14	2
B-550	-1	-1	2	2	-1	-1	-1	1	-1	1	1	1	5	1
B-600	-1	-1	3	2	-1	-1	-1	1	-1	1	1	2	5	1
B-650	-1	-1	3	2	-1	-1	-1	1	-1	1	1	1	3	1
B-700	-1	-1	6	5	-1	1	1	3	-1	2	1	2	14	2
B-750	-1	-1	3	2	-1	-1	1	2	-1	1	1	1	8	1
B-800	-1	-1	4	3	-1	-1	1	2	-1	2	1	2	8	2
B-850	-1	-1	5	4	-1	1	2	2	-1	2	1	2	11	1
B-900	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	-1	1	4	1
B-950	-1	-1	5	3	-1	-1	-1	2	-1	1	-1	1	12	1
B-1000	-1	-1	2	2	-1	-1	-1	1	-1	-1	-1	1	6	1
B-1050	-1	-1	3	3	-1	-1	-1	-1	-1	-1	1	1	3	-1
B-1100	-1	-1	3	2	-1	-1	-1	1	-1	1	1	1	5	1
B-1150	1	1	5	4	-1	1	1	2	-1	2	1	2	14	2
B-1150-R	1	1	5	4	1	1	2	3	-1	2	1	2	11	-1
B-1350	-1	-1	4	2	-1	1	1	2	-1	2	1	2	9	2
B-1400	-1	-1	4	3	-1	1	1	2	-1	2	1	2	7	2
B-1450	-1	-1	4	2	-1	1	1	-1	-1	2	1	2	7	1
B-1500	-1	-1	4	2	-1	-1	1	2	-1	-1	-1	2	7	1
B-1550	-1	-1	2	2	-1	-1	-1	1	-1	1	1	1	5	1
B-1600	-1	-1	5	5	-1	-1	-1	2	-1	1	1	2	12	1
B-1650	-1	-1	5	2	-1	1	2	2	-1	1	1	2	10	2
B-1700	-1	-1	3	3	-1	-1	1	2	-1	1	1	2	4	1
B-1750	-1	-1	4	5	-1	1	-1	2	-1	1	1	1	5	1
G-750	-1	-1	6	8	-1	-1	1	2	-1	1	1	2	10	-1
C-800	-1	-1	4	5	-1	-1	-1	2	-1	1	-1	1	9	1
C-850	-1	-1	8	9	-1	-1	1	3	-1	2	1	2	13	1
C-1350	-1	-1	6	6	-1	-1	1	2	-1	1	1	2	7	1
C-1400	-1	-1	16	23	-1	2	3	5	-1	3	2	3	35	3
C-1450	-1	-1	11	14	-1	1	2	4	-1	2	1	2	24	2
C-1450-R	-1	-1	9	11	-1	-1	1	3	-1	1	1	2	18	1
C-1500	-1	-1	5	6	-1	-1	-1	2	-1	1	1	2	5	1
C-1550	-1	-1	9	13	-1	-1	1	3	-1	1	1	2	11	1
C-1600	-1	-1	5	6	-1	-1	-1	2	-1	1	1	2	10	1
G-2400	-1	-1	4	4	-1	-1	-1	1	-1	1	1	1	7	-1
D-800	-1	-1	3	3	-1	-1	-1	1	-1	1	1	1	7	1
D-850	-1	-1	7	5	-1	-1	1	3	-1	1	1	2	18	-1
D-900	-1	-1	7	6	-1	-1	1	3	-1	1	1	2	15	2
D-950	-1	-1	4	3	-1	-1	-1	2	-1	1	1	1	6	1
D-1000	-1	-1	3	2	-1	-1	-1	1	-1	-1	-1	1	6	-1
D-1050	-1	-1	5	3	-1	-1	-1	2	-1	1	1	2	3	1
D-1250	-1	-1	5	6	-1	-1	-1	2	-1	1	1	1	10	1
D-1300	-1	-1	7	7	-1	-1	1	2	-1	1	1	1	5	1
D-1350	-1	-1	4	6	-1	-1	-1	2	-1	1	1	1	4	1
D-1400	-1	-1	5	3	-1	-1	-1	2	-1	1	1	1	9	1
D-1450	1	1	8	6	1	1	1	2	-1	1	2	2	15	2
D-1450-R	-1	-1	10	12	-1	-1	1	3	-1	1	2	2	12	2

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.071 - HPB	.072 - HPB	.073 - HBA	.074 - HBA	.075 - HPB	.076 - LPH	.077 - MAR	.078 - ALK	.079 - LBI	.080 - LPH	.081 - MAR	.082 - LPH	.083 - HBA	.084 - HBA
D-1750	-1	-1	7	9	-1	-1	1	2	-1	1	1	2	4	1
D-1800	-1	-1	7	6	-1	-1	-1	2	-1	1	1	2	9	-1
D-2200	-1	-1	6	2	-1	-1	-1	2	-1	1	1	1	9	1
D-2250	-1	-1	3	4	-1	-1	-1	1	-1	-1	-1	1	6	-1
D-2300	-1	-1	6	2	-1	-1	1	2	-1	1	1	2	13	1
D-2350	-1	-1	6	2	-1	-1	-1	2	-1	1	-1	2	8	1
D-2400	-1	-1	5	2	-1	-1	-1	2	-1	1	-1	1	9	1
E-750	-1	-1	4	5	-1	-1	-1	1	-1	-1	-1	1	7	1
E-800	-1	-1	8	6	-1	-1	-1	3	-1	-1	1	1	22	1
E-850	-1	-1	6	6	-1	-1	-1	2	-1	1	-1	2	7	-1
E-900	-1	-1	7	7	-1	-1	-1	2	-1	1	1	1	4	1
E-950	-1	-1	3	1	-1	-1	-1	1	-1	-1	-1	1	-1	-1
E-1000	1	2	21	14	1	-1	2	6	-1	2	2	2	18	2
E-1050	-1	-1	4	5	-1	-1	-1	2	-1	1	-1	1	6	-1
E-1100	-1	-1	3	1	-1	-1	-1	1	-1	-1	1	1	4	-1
E-1100-R	-1	-1	3	2	-1	-1	-1	1	-1	-1	-1	1	6	-1
E-1300	1	1	5	1	1	-1	-1	2	-1	1	1	1	5	1
E-1350	1	1	6	5	1	-1	-1	2	-1	1	-1	2	5	1
E-1400	-1	-1	4	4	-1	-1	-1	1	-1	1	1	1	1	1
E-1450	-1	-1	6	5	-1	-1	-1	2	-1	1	-1	1	7	-1
E-1500	-1	-1	3	4	-1	-1	-1	1	-1	-1	-1	1	6	1
E-1550	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	-1	5	-1
E-1600	-1	-1	2	2	-1	-1	-1	-1	-1	-1	1	1	4	-1
E-1650	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	1	-1
E-1700	-1	-1	3	3	-1	-1	-1	1	-1	-1	-1	1	3	-1
E-1760	-1	-1	3	2	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
E-1800	-1	-1	5	3	-1	-1	-1	2	-1	1	2	1	9	1
E-1850	-1	-1	3	4	-1	-1	-1	1	-1	1	-1	1	4	1
E-1900	-1	-1	3	-1	-1	-1	-1	1	-1	-1	1	1	3	-1
E-1950	-1	-1	3	3	-1	-1	-1	1	-1	1	-1	1	7	-1
E-2000	-1	-1	3	3	-1	-1	-1	1	-1	-1	1	1	5	-1
E-2000-R	-1	-1	2	-1	-1	-1	-1	1	-1	-1	-1	1	4	-1
E-2050	-1	-1	3	3	-1	-1	-1	1	-1	-1	-1	1	7	1
E-2100	-1	-1	3	-1	-1	-1	-1	1	-1	-1	1	1	4	-1
E-2150	-1	-1	3	3	-1	-1	-1	1	-1	-1	-1	1	6	1
E-2200	-1	-1	2	2	-1	-1	-1	2	-1	-1	-1	1	5	-1
E-2250	-1	-1	3	2	-1	-1	-1	1	-1	-1	-1	1	5	1
E-2300	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	6	1
E-2350	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	5	1
F-700	-1	-1	3	3	-1	-1	-1	-1	-1	-1	-1	1	5	-1
F-750	-1	-1	3	3	-1	-1	-1	1	-1	-1	1	1	3	1
F-800	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
F-850	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	2	1
F-900	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	5	-1
F-950	-1	-1	4	1	-1	-1	-1	2	-1	-1	1	1	2	1
F-1000	-1	-1	3	4	-1	-1	-1	-1	-1	-1	-1	1	2	-1
F-1050	-1	-1	4	4	-1	-1	-1	1	-1	-1	-1	1	3	1
F-1050-R	-1	-1	3	3	-1	-1	-1	-1	-1	-1	-1	1	3	1
F-1100	-1	-1	6	4	-1	-1	-1	2	-1	1	1	1	11	1
F-1150	-1	-1	5	3	-1	-1	-1	2	-1	-1	-1	1	5	-1
F-1200	-1	-1	2	2	-1	-1	-1	1	-1	-1	1	1	5	1
F-1250	-1	-1	4	4	-1	-1	-1	2	-1	1	1	1	6	-1
F-1300	-1	-1	2	2	-1	-1	-1	-1	-1	-1	1	1	3	-1
F-1350	-1	-1	4	3	-1	-1	-1	1	-1	-1	1	1	4	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.071 - HPB	.072 - HPB	.073 - HBA	.074 - HBA	.075 - HPB	.076 - LPH	.077 - MAR	.078 - ALK	.079 - LBI	.080 - LPH	.081 - MAR	.082 - LPH	.083 - HBA	.084 - HBA
F-1400	-1	-1	4	2	-1	-1	-1	2	-1	1	-1	1	8	1
F-1450	-1	-1	4	5	-1	-1	-1	2	-1	-1	-1	1	8	-1
F-1500	-1	-1	2	2	-1	-1	-1	-1	-1	-1	1	1	4	-1
F-1550	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	4	-1
F-1600	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	4	1
F-1650	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	4	1
F-1700	-1	-1	3	2	-1	-1	-1	1	-1	-1	-1	1	6	1
F-1750	-1	-1	3	2	-1	-1	-1	1	-1	-1	-1	1	7	1
F-1800	-1	-1	4	5	-1	-1	-1	1	-1	-1	1	1	5	1
F-1800-R	-1	-1	4	3	-1	-1	-1	-1	-1	-1	-1	1	5	-1
F-1850	-1	-1	2	1	-1	-1	-1	-1	-1	-1	-1	1	3	1
F-1900	-1	-1	4	-1	-1	-1	-1	1	-1	-1	-1	1	6	-1
F-1950	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	2	1
G-600	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	-1
G-650	-1	-1	3	4	-1	-1	-1	-1	-1	-1	-1	1	5	-1
G-700	-1	-1	3	3	-1	-1	-1	-1	-1	-1	-1	1	5	1
G-750	-1	-1	3	2	-1	-1	-1	1	-1	-1	1	1	7	1
G-800	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	-1	1	3	-1
G-850	-1	-1	5	4	-1	-1	-1	2	-1	1	1	2	7	1
G-900	-1	-1	3	3	-1	-1	-1	1	-1	-1	-1	1	3	1
G-950	-1	-1	4	3	-1	-1	-1	1	-1	-1	-1	1	9	1
G-1000	-1	-1	3	3	-1	-1	-1	1	-1	-1	-1	1	8	-1
G-1050	-1	-1	3	2	-1	-1	-1	1	-1	-1	-1	1	6	1
G-1100	-1	-1	2	3	-1	-1	-1	-1	-1	-1	4	1	2	1
G-1150	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
G-1150-R	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
G-1200	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	-1
G-1250	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	1
G-1300	-1	-1	2	2	-1	-1	-1	-1	-1	-1	1	1	3	-1
G-1350	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	1
G-1400	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	2	-1
G-1450	-1	-1	3	3	-1	-1	-1	1	-1	-1	-1	1	6	1
G-1500	-1	-1	3	-1	-1	-1	-1	1	-1	-1	-1	1	6	1
G-1550	-1	-1	3	-1	-1	-1	-1	-1	-1	-1	-1	1	6	1
G-1600	-1	-1	3	4	-1	-1	-1	1	-1	-1	-1	1	7	1
G-1650	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	4	-1
G-1700	-1	-1	2	3	-1	-1	-1	-1	-1	-1	1	1	4	-1
G-1750	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	4	1
G-1800	-1	-1	2	2	-1	-1	-1	-1	-1	-1	1	1	5	-1
G-1900	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	4	1
G-1950	-1	-1	2	1	-1	-1	-1	-1	-1	-1	-1	1	-1	1
G-1950-R	-1	-1	3	4	-1	-1	-1	-1	-1	-1	-1	1	3	-1
G-2000	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	2	-1
H-550	-1	-1	3	2	-1	-1	-1	1	-1	-1	-1	1	4	-1
H-600	-1	-1	3	3	-1	-1	-1	1	-1	-1	1	1	4	1
H-650	-1	-1	5	2	-1	-1	-1	2	-1	-1	1	1	10	1
H-700	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	2	1
H-750	-1	-1	4	2	-1	-1	-1	2	-1	-1	-1	1	6	1
H-800	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	-1	1
H-850	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	-1
H-900	-1	-1	3	3	-1	-1	-1	1	-1	-1	1	1	3	1
H-950	-1	-1	2	-1	-1	-1	-1	1	-1	-1	4	1	3	-1
H-1000	-1	-1	1	3	-1	-1	-1	2	-1	-1	-1	1	7	1
H-1050	-1	-1	3	2	-1	-1	-1	1	-1	-1	-1	1	8	1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.071 - HPB	.072 - HPB	.073 - HBA	.074 - HBA	.075 - HPB	.076 - LPH	.077 - MAR	.078 - ALK	.079 - LBI	.080 - LPH	.081 - MAR	.082 - LPH	.083 - HBA	.084 - HBA
H-1100	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	3	-1
H-1150	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	3	-1
H-1200	-1	-1	5	3	-1	-1	-1	2	-1	-1	-1	1	7	1
H-1200-R	-1	-1	2	2	-1	-1	-1	1	-1	-1	-1	1	6	1
H-1250	-1	-1	4	4	-1	-1	-1	2	-1	-1	-1	1	-1	1
H-1300	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	4	1
H-1350	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	3	1
H-1400	-1	-1	2	1	-1	-1	-1	1	-1	-1	-1	1	4	1
H-1450	-1	-1	2	4	1	-1	-1	2	-1	1	1	1	6	1
H-1500	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
H-1550	-1	-1	5	2	1	-1	-1	2	-1	1	1	1	8	1
H-1600	-1	-1	1	3	-1	-1	-1	2	-1	-1	-1	1	9	-1
H-1750	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	2	1
H-1800	-1	-1	1	2	-1	-1	-1	-1	-1	-1	-1	1	4	-1
H-1850	-1	-1	1	3	-1	-1	-1	1	-1	-1	-1	1	-1	1
H-1900	-1	-1	1	2	-1	-1	-1	-1	-1	-1	-1	1	3	-1
H-1950	-1	-1	-1	2	-1	-1	-1	-1	-1	-1	1	1	3	-1
H-2000	-1	-1	1	4	-1	-1	-1	2	-1	-1	2	1	8	1
I-500	-1	-1	3	6	1	-1	-1	3	-1	1	2	1	14	1
I-500-R	-1	-1	1	7	1	-1	-1	3	-1	1	1	1	8	-1
I-550	-1	-1	3	4	-1	-1	-1	2	-1	-1	1	1	7	1
I-600	-1	-1	3	6	1	-1	-1	2	-1	1	2	2	8	-1
I-650	-1	-1	-1	3	-1	-1	-1	1	-1	-1	1	1	7	1
I-700	-1	-1	-1	3	-1	-1	-1	1	-1	-1	-1	1	3	-1
I-750	-1	-1	5	5	1	-1	-1	2	-1	1	1	1	8	1
I-800	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	-1
I-850	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	4	-1
I-900	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	-1
I-950	-1	-1	2	2	-1	-1	-1	-1	-1	-1	1	1	3	1
I-1000	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	-1
I-1050	-1	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	1	3	1
I-1100	-1	-1	1	2	-1	-1	-1	-1	-1	-1	-1	1	3	-1
I-1150	-1	-1	1	1	-1	-1	-1	-1	-1	-1	-1	1	2	-1
I-1200	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	-1
I-1250	-1	-1	3	2	-1	-1	-1	-1	-1	-1	-1	1	3	1
I-1250-R	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	4	-1
I-1300	-1	-1	3	2	-1	-1	-1	1	-1	-1	-1	1	7	1
I-1350	-1	-1	21	14	-1	-1	-1	4	-1	1	2	2	31	2
J-550	-1	-1	7	3	-1	-1	-1	2	-1	1	-1	1	6	1
J-600	-1	-1	3	3	-1	-1	-1	-1	-1	-1	-1	1	4	-1
J-650	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	-1	4	-1
J-700	-1	-1	3	3	-1	-1	-1	1	-1	-1	-1	1	-1	-1
J-750	-1	-1	2	2	-1	-1	-1	1	-1	-1	-1	1	3	1
J-800	-1	-1	4	3	-1	-1	-1	1	-1	-1	-1	1	10	-1
J-850	-1	-1	4	2	-1	-1	-1	1	-1	-1	1	1	8	1
J-900	-1	-1	3	-1	-1	-1	-1	-1	-1	-1	-1	1	6	-1
J-950	-1	-1	6	5	-1	-1	-1	2	-1	1	3	1	14	1
J-1000	-1	-1	3	3	-1	-1	-1	-1	-1	-1	-1	1	6	-1
J-1050	-1	-1	2	3	-1	-1	-1	-1	-1	-1	1	1	4	-1
J-1100	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	-1
J-1150	-1	-1	2	1	-1	-1	-1	1	-1	-1	-1	1	2	1
J-1150-R	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
J-1200	-1	-1	3	2	-1	-1	-1	2	-1	-1	1	1	4	1
J-1250	-1	-1	3	2	-1	-1	-1	2	-1	-1	1	1	6	-1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.071 - HPB	.072 - HPB	.073 - HBA	.074 - HBA	.075 - HPB	.076 - LPH	.077 - MAR	.078 - ALK	.079 - LBI	.080 - LPH	.081 - MAR	.082 - LPH	.083 - HBA	.084 - HBA
J-1300	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	-1	3	-1
J-1350	-1	-1	5	3	-1	-1	-1	2	-1	1	-1	1	11	-1
J-1450	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	3	1
J-1500	-1	-1	3	2	-1	-1	-1	2	-1	-1	-1	1	8	-1
K-750	-1	-1	2	2	-1	-1	-1	1	-1	-1	-1	1	4	-1
K-800	-1	-1	2	3	-1	-1	-1	-1	-1	-1	-1	1	3	-1
K-850	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	2	-1
K-900	-1	-1	-1	3	-1	-1	-1	-1	-1	-1	1	1	4	-1
K-1000	-1	-1	6	5	-1	1	1	3	-1	1	1	2	17	1
K-1050	-1	-1	12	11	-1	-1	2	5	-1	2	2	2	34	-2
K-1200	-1	-1	2	3	-1	-1	-1	1	-1	-1	-1	1	4	1
K-1250	-1	-1	3	2	-1	-1	-1	2	-1	-1	-1	1	3	-1
K-1300	1	1	9	6	-1	1	2	3	-1	2	2	2	23	2
K-1300-R	-1	-1	8	3	-1	-1	2	3	-1	2	1	2	22	-2
K-1350	-1	-1	3	2	-1	-1	-1	1	-1	-1	1	1	9	1
K-1400	-1	-1	1	2	-1	-1	-1	-1	-1	-1	-1	1	5	-1
L-900	-1	-1	5	4	-1	-1	-1	2	-1	1	1	1	11	1
L-950	-1	-1	3	1	-1	-1	-1	1	-1	-1	1	1	3	-1
L-1000	-1	-1	3	4	-1	-1	-1	1	-1	-1	1	1	4	1
L-1050	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	4	-1
L-1100	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	1
M-800	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	-1
M-850	-1	-1	5	4	-1	-1	-1	2	-1	1	1	1	12	1
M-900	-1	-1	8	5	-1	-1	-1	3	-1	1	1	1	18	-1
M-950	-1	-1	1	2	-1	-1	-1	-1	-1	-1	-1	1	4	1
M-1000	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	3	-1
M-1050	-1	-1	4	2	-1	-1	-1	2	-1	1	1	1	9	1
M-1100	-1	-1	3	2	-1	-1	-1	2	-1	-1	-1	1	9	-1
M-1150	-1	1	12	8	1	1	1	6	-1	2	2	2	30	2
M-1150-R	-1	-1	11	6	1	1	1	6	-1	2	2	2	30	-2
M-1200	-1	-1	3	4	-1	-1	-1	1	-1	-1	2	1	6	1
M-1250	-1	-1	4	3	-1	-1	-1	2	-1	1	1	1	12	-1
M-1300	1	1	7	4	-1	1	1	3	-1	2	2	2	14	1
J-1400	-1	-1	5	3	-1	-1	-1	2	-1	1	2	1	12	-1
LMB-QA	-1	-1	2	1	-1	-1	-1	-1	-1	-1	-1	1	1	-1
LMB-QA	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	1
LMB-QA	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	-1	-1
LMB-QA	-1	-1	2	2	-1	-1	-1	1	-1	-1	-1	1	-1	-1
LMB-QA	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	1	-1
LMB-QA	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	-1	1	3	-1
LMB-QA	-1	-1	2	-1	-1	-1	-1	-1	-1	-1	-1	1	2	-1
LMB-QA	-1	-1	2	2	-1	-1	-1	-1	-1	-1	-1	1	2	-1

	.071 - HPB	.072 - HPB	.073 - HBA	.074 - HBA	.075 - HPB	.076 - LPH	.077 - MAR	.078 - ALK	.079 - LBI	.080 - LPH	.081 - MAR	.082 - LPH	.083 - HBA	.084 - HBA
--	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------

	.085 - LPH	.086 - LBI	.087 - MAR	.088 - HBA	.089 - THI	.090 - HPB	.091 - LBI	.092 - LPH	.093 - LA	.094 - LBI	.095 - MAR	.096 - LPH	.097 - HBA	.098 - THI
A-1200	3	-1	1	2	-1	1	1	1	11	1	2	1	10	2
A-1600	16	2	2	12	-1	2	3	2	40	3	3	3	38	6
A-1650	15	2	2	12	-1	2	3	2	42	2	4	2	39	6
A-1700	7	1	1	5	1	1	2	1	24	2	2	2	23	3
B-400	3	-1	1	2	-1	1	1	-1	8	1	1	1	7	2
B-400-R	4	-1	1	3	-1	1	1	-1	12	2	1	1	11	2
B-450	10	2	1	11	-1	1	2	1	35	3	2	2	32	4
B-500	22	2	1	17	-1	1	3	2	58	4	3	2	54	8
B-550	6	-1	1	5	-1	1	1	1	18	2	1	1	16	2
B-600	8	1	1	7	-1	1	2	1	22	2	2	1	19	3
B-650	8	1	1	8	-1	1	2	1	21	2	2	1	19	3
B-700	22	2	1	20	-1	1	2	1	61	4	4	2	56	6
B-750	7	1	1	7	-1	1	2	1	22	2	2	2	19	3
B-800	12	1	1	8	-1	1	2	1	22	2	2	2	19	2
B-850	13	2	1	14	-1	1	2	1	41	3	2	2	39	4
B-900	4	-1	1	4	-1	1	1	-1	10	1	1	1	9	1
B-950	17	2	1	16	-1	1	2	1	44	3	1	2	42	5
B-1000	7	-1	1	4	-1	1	1	1	17	2	1	1	16	2
B-1050	4	-1	-1	3	-1	1	1	-1	8	1	1	1	6	1
B-1100	8	1	1	8	-1	1	2	1	21	2	1	1	19	3
B-1150	14	2	1	12	-1	1	2	1	38	3	2	2	36	4
B-1150-R	13	2	1	12	-1	1	2	1	41	3	2	2	38	4
B-1350	8	1	1	7	-1	1	2	1	21	2	2	2	19	2
B-1400	12	1	1	10	-1	1	2	1	25	2	2	2	23	3
B-1450	10	2	1	11	-1	1	2	1	33	3	2	2	31	4
B-1500	9	1	1	7	-1	1	2	1	23	2	2	1	22	3
B-1550	8	1	1	6	-1	1	1	1	19	2	2	1	17	2
B-1600	17	2	1	16	-1	1	3	1	62	4	3	2	61	7
B-1650	13	1	1	12	-1	1	2	1	33	2	2	2	31	4
B-1700	12	1	1	10	-1	1	2	1	34	3	2	2	33	4
B-1750	9	1	1	5	-1	1	1	1	16	2	2	2	15	2
G-750	12	-1	1	10	-1	1	2	1	37	3	3	2	36	4
C-800	11	-1	1	9	-1	1	2	1	32	2	3	2	31	4
C-850	17	1	1	13	-1	1	2	1	44	3	4	2	43	5
C-1350	9	-1	2	6	-1	1	2	2	27	2	5	1	25	3
C-1400	39	2	2	31	-1	1	5	2	124	6	4	3	118	13
C-1450	27	2	1	27	-1	1	5	2	125	6	3	2	123	16
C-1450-R	21	2	1	18	-1	1	3	1	74	5	2	2	73	9
C-1500	10	-1	5	8	-1	2	2	2	23	2	2	1	23	3
C-1550	20	1	2	16	-1	1	3	1	73	4	3	2	73	9
C-1600	11	1	1	8	-1	1	2	1	27	2	2	2	25	3
G-2400	9	-1	1	7	-1	1	1	1	20	2	4	1	19	3
D-800	9	1	1	7	-1	1	2	1	24	2	2	1	23	3
D-850	18	2	1	15	-1	1	2	1	59	3	4	2	58	7
D-900	19	2	1	17	-1	1	3	1	75	4	5	2	75	9
D-950	13	2	1	13	-1	1	2	1	45	3	2	2	45	6
D-1000	8	-1	1	10	-1	1	1	1	24	2	2	1	24	3
D-1050	13	1	2	7	-1	1	2	1	42	3	4	1	42	6
D-1250	12	1	1	9	-1	1	2	1	48	3	2	2	47	6
D-1300	15	1	1	11	-1	1	2	1	53	3	2	2	54	7
D-1350	10	-1	1	6	-1	1	1	1	14	1	2	1	13	2
D-1400	11	-1	1	7	-1	1	2	1	36	3	2	1	36	5
D-1450	17	1	1	12	-1	1	2	1	45	3	2	2	45	5
D-1450-R	21	1	2	9	-1	1	2	1	56	3	2	2	54	7

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.085 - LPH	.086 - LBI	.087 - MAR	.088 - HBA	.089 - THI	.090 - HPB	.091 - LBI	.092 - LPH	.093 - LA	.094 - LBI	.095 - MAR	.096 - LPH	.097 - HBA	.098 - THI
D-1750	17	1	1	10	-1	1	2	1	48	3	2	2	48	6
D-1800	19	2	1	19	-1	1	3	1	72	4	2	2	73	9
D-2200	15	1	1	11	-1	1	2	-1	41	3	2	1	41	5
D-2250	7	-1	1	6	-1	1	1	-1	15	1	2	1	14	2
D-2300	15	2	1	11	-1	1	2	1	33	2	2	2	32	4
D-2350	15	2	1	17	-1	1	2	-1	44	3	2	1	44	5
D-2400	11	1	1	8	-1	1	1	-1	23	2	1	1	23	3
E-750	10	-1	1	8	-1	1	1	-1	14	1	1	1	13	2
E-800	21	2	1	17	-1	1	2	-1	53	3	2	1	54	7
E-850	14	-1	1	13	-1	1	2	-1	46	3	2	2	45	6
E-900	13	1	1	8	-1	1	2	1	42	3	2	1	41	5
E-950	10	-1	1	7	-1	1	1	-1	19	2	2	1	20	3
E-1000	46	4	2	48	-1	2	7	1	185	8	4	2	184	22
E-1050	10	-1	1	8	-1	1	1	-1	21	2	2	1	20	3
E-1100	6	-1	2	6	-1	1	1	-1	13	1	1	1	12	2
E-1100-R	7	-1	2	6	-1	1	1	-1	13	1	1	1	12	2
E-1300	12	1	1	7	-1	1	1	1	23	2	1	2	22	3
E-1350	13	1	1	11	-1	1	2	1	32	2	2	1	32	4
E-1400	9	-1	1	8	-1	1	1	-1	13	1	1	1	13	2
E-1450	15	-1	1	12	-1	1	2	-1	38	3	2	1	39	5
E-1500	7	-1	3	6	-1	2	1	-1	17	2	1	1	18	2
E-1550	5	-1	1	5	-1	1	1	-1	9	1	1	-1	9	2
E-1600	3	-1	2	3	-1	1	1	-1	7	1	1	1	7	1
E-1650	4	-1	2	2	-1	1	1	-1	5	-1	-1	1	5	1
E-1700	7	-1	1	7	-1	1	1	-1	17	2	1	1	18	2
E-1760	3	-1	1	2	-1	1	1	-1	7	1	1	1	6	1
E-1800	11	1	1	10	-1	1	2	1	33	2	3	1	33	4
E-1850	8	-1	1	5	-1	1	1	-1	14	1	2	1	14	2
E-1900	6	-1	-1	3	-1	1	1	-1	12	1	1	1	12	2
E-1950	9	-1	1	8	-1	1	1	-1	25	2	1	1	25	3
E-2000	8	-1	-1	7	-1	1	1	-1	14	1	1	1	14	2
E-2000-R	7	-1	-1	7	-1	1	1	-1	13	1	1	1	12	2
E-2050	8	-1	1	6	-1	1	1	-1	14	2	1	1	15	2
E-2100	5	-1	-1	4	-1	1	1	-1	11	1	1	1	11	2
E-2150	7	-1	1	4	-1	1	1	-1	16	2	1	1	15	2
E-2200	6	-1	-1	6	-1	1	1	-1	11	1	1	1	11	2
E-2250	9	1	1	7	-1	1	1	-1	31	2	1	1	31	4
E-2300	6	-1	-1	5	-1	1	1	-1	15	2	1	1	15	2
E-2350	6	-1	1	4	-1	1	1	-1	8	1	1	-1	7	1
F-700	6	-1	-1	4	-1	1	1	-1	11	1	1	1	11	2
F-750	9	-1	1	8	-1	1	1	-1	18	2	2	1	19	3
F-800	5	-1	4	4	-1	2	1	-1	11	1	3	1	5	1
F-850	6	-1	1	3	-1	1	1	-1	10	1	1	1	9	2
F-900	8	-1	1	6	-1	1	1	-1	14	1	1	1	14	2
F-950	9	-1	1	6	-1	1	1	-1	16	2	2	1	15	2
F-1000	6	-1	-1	4	-1	1	1	-1	9	1	1	1	9	1
F-1050	7	-1	1	5	-1	1	1	-1	18	2	1	1	18	3
F-1050-R	7	-1	-1	8	-1	2	1	-1	29	2	1	1	29	4
F-1100	12	1	1	11	-1	2	2	1	49	3	2	2	50	6
F-1150	14	-1	1	13	-1	2	3	1	56	3	2	1	60	7
F-1200	7	-1	1	5	-1	1	1	-1	15	2	3	1	15	2
F-1250	10	-1	2	8	-1	1	2	1	34	2	4	2	35	4
F-1300	3	-1	1	3	-1	1	1	-1	7	1	1	1	6	1
F-1350	10	-1	1	9	-1	1	1	-1	26	2	3	1	27	3

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.085 - LPH	.086 - LBI	.087 - MAR	.088 - HBA	.089 - THI	.090 - HPB	.091 - LBI	.092 - LPH	.093 - LA	.094 - LBI	.095 - MAR	.096 - LPH	.097 - HBA	.098 - THI
F-1400	12	1	1	9	-1	1	2	1	39	3	2	2	40	5
F-1450	12	-1	1	12	-1	1	2	1	56	3	1	2	58	7
F-1500	6	-1	2	6	-1	1	1	-1	19	2	1	1	19	3
F-1550	4	-1	3	3	-1	1	1	-1	8	1	1	1	7	1
F-1600	5	-1	-1	4	-1	1	1	-1	11	1	1	1	11	2
F-1650	5	-1	1	3	-1	1	-1	-1	11	1	1	-1	12	2
F-1700	9	-1	1	7	-1	1	1	-1	38	3	1	1	39	5
F-1750	7	-1	1	5	-1	1	1	-1	21	2	1	1	20	3
F-1800	10	1	1	9	-1	1	1	-1	25	2	1	1	26	3
F-1800-R	10	-1	1	8	-1	1	1	-1	26	2	1	1	26	3
F-1850	4	-1	1	3	-1	1	-1	-1	9	1	-1	1	9	2
F-1900	9	-1	1	4	-1	1	1	-1	30	2	1	1	30	4
F-1950	6	-1	-1	4	-1	1	1	-1	16	2	1	1	16	2
G-600	5	-1	1	5	-1	1	1	-1	11	1	1	1	11	2
G-650	6	-1	1	5	-1	1	1	-1	19	2	1	1	18	2
G-700	7	-1	1	5	-1	1	1	-1	16	2	2	1	15	2
G-750	9	1	1	9	-1	1	1	1	22	2	1	1	23	3
G-800	4	-1	1	4	-1	1	1	1	9	1	1	-1	9	1
G-850	13	1	1	11	-1	1	2	1	45	3	2	2	44	5
G-900	8	-1	1	5	-1	1	1	-1	19	2	1	1	19	2
G-950	12	2	1	10	-1	1	2	-1	38	2	2	1	38	4
G-1000	9	-1	1	7	-1	1	1	1	16	2	2	1	16	2
G-1050	8	1	5	7	-1	2	2	1	27	2	3	1	29	4
G-1100	6	-1	18	5	-1	6	2	2	21	2	4	3	38	9
G-1150	4	-1	2	3	-1	1	1	-1	7	1	1	1	7	1
G-1150-R	4	-1	1	3	-1	1	1	-1	7	1	1	-1	7	1
G-1200	5	-1	1	4	-1	1	-1	-1	6	1	1	1	6	1
G-1250	3	-1	2	3	-1	1	-1	-1	5	-1	1	1	5	1
G-1300	4	-1	3	3	-1	2	-1	-1	5	-1	2	1	5	1
G-1350	4	-1	2	2	-1	1	1	-1	6	1	2	1	6	1
G-1400	3	-1	4	2	-1	2	-1	-1	4	-1	1	1	4	1
G-1450	9	-1	1	8	-1	1	1	-1	21	2	1	1	22	3
G-1500	8	-1	1	8	-1	1	1	-1	19	2	1	1	19	2
G-1550	7	-1	1	6	-1	1	1	-1	14	1	1	1	13	2
G-1600	9	1	2	9	-1	1	1	-1	20	2	1	-1	20	2
G-1650	5	-1	3	4	-1	2	-1	-1	6	-1	1	1	5	1
G-1700	5	-1	7	4	-1	2	1	1	9	1	2	1	9	2
G-1750	4	-1	5	4	-1	2	1	-1	9	1	1	1	8	2
G-1800	6	-1	2	6	-1	1	1	-1	13	1	1	1	13	2
G-1900	3	-1	1	2	-1	1	-1	-1	5	-1	-1	1	4	1
G-1950	6	-1	1	5	-1	1	1	-1	18	2	1	1	18	2
G-1950-R	7	-1	1	7	-1	1	1	-1	21	2	4	1	21	3
G-2000	2	-1	1	2	-1	1	-1	-1	4	-1	-1	1	3	-1
H-550	7	-1	1	7	-1	1	1	-1	17	1	1	1	16	2
H-600	9	1	1	9	-1	1	1	-1	23	2	2	1	22	3
H-650	15	2	1	14	-1	1	2	1	39	2	1	1	38	4
H-700	4	-1	-1	2	-1	1	-1	-1	5	-1	-1	-1	4	-1
H-750	15	1	1	14	-1	1	1	-1	31	2	2	1	29	3
H-800	5	-1	2	5	-1	1	1	-1	10	1	-1	1	9	1
H-850	5	-1	2	4	-1	1	1	-1	7	1	1	1	3	1
H-900	7	-1	-1	6	-1	1	1	-1	12	1	2	-1	11	2
H-950	6	-1	1	5	-1	-1	1	-1	14	1	4	1	13	2
H-1000	13	1	1	10	-1	1	1	1	33	2	2	1	30	4
H-1050	10	-1	1	8	-1	1	1	-1	14	1	1	1	13	1

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.085 - LPH	.086 - LBI	.087 - MAR	.088 - HBA	.089 - THI	.090 - HPB	.091 - LBI	.092 - LPH	.093 - LA	.094 - LBI	.095 - MAR	.096 - LPH	.097 - HBA	.098 - THI
H-1100	5	-1	2	4	-1	1	-1	-1	7	1	1	1	-1	-1
H-1150	4	-1	2	4	-1	1	-1	-1	6	1	-1	1	6	-1
H-1200	14	2	1	13	-1	1	2	-1	42	3	-1	1	40	5
H-1200-R	9	1	1	8	-1	1	1	-1	26	2	1	1	24	3
H-1250	10	-1	1	8	-1	1	1	-1	23	2	1	1	23	3
H-1300	5	-1	1	3	-1	1	-1	-1	3	-1	-1	1	5	1
H-1350	5	-1	1	4	-1	1	-1	-1	6	-1	1	1	5	1
H-1400	6	-1	1	4	-1	1	1	-1	9	1	1	1	8	1
H-1450	8	1	1	7	-1	1	2	1	27	2	1	2	24	3
H-1500	5	-1	1	4	-1	1	-1	-1	10	1	-1	1	9	-1
H-1550	12	1	1	10	-1	1	2	1	31	2	2	2	28	3
H-1600	14	-1	1	15	-1	1	2	1	57	3	1	1	54	6
H-1750	5	-1	2	4	-1	1	1	-1	10	1	1	1	9	2
H-1800	5	-1	2	4	-1	1	-1	-1	9	1	-1	1	8	2
H-1850	8	-1	1	7	-1	1	1	-1	16	2	1	1	15	2
H-1900	5	-1	1	4	-1	1	-1	-1	7	1	-1	1	7	1
H-1950	5	-1	1	4	-1	1	-1	-1	9	1	1	1	8	1
H-2000	12	-1	1	9	-1	1	1	2	26	2	2	1	24	3
I-500	21	2	2	19	-1	1	3	2	107	5	3	2	96	10
I-500-R	12	-1	1	10	-1	1	2	1	54	3	3	2	48	5
I-550	9	-1	1	8	-1	1	2	1	36	2	2	2	31	4
I-600	9	-1	1	9	-1	1	2	1	43	3	2	2	39	4
I-650	8	-1	2	7	-1	1	1	-1	28	2	-1	1	27	3
I-700	6	-1	1	5	-1	1	1	-1	20	2	1	1	18	2
I-750	10	1	1	9	-1	1	2	1	32	2	1	2	31	3
I-800	5	-1	1	3	-1	1	1	-1	10	1	1	1	9	2
I-850	5	-1	2	4	-1	1	1	-1	9	1	1	1	8	1
I-900	5	-1	2	4	-1	1	1	-1	9	1	-1	1	8	1
I-950	5	-1	4	4	-1	2	1	1	11	1	2	1	10	2
I-1000	5	-1	2	4	-1	1	1	-1	10	1	1	1	9	1
I-1050	5	-1	2	4	-1	1	-1	-1	8	1	1	1	7	1
I-1100	4	-1	2	4	-1	1	-1	-1	7	1	1	1	6	-1
I-1150	2	-1	1	2	-1	1	-1	-1	4	-1	1	-1	3	-1
I-1200	4	-1	2	3	-1	1	-1	-1	7	1	-1	1	6	1
I-1250	5	-1	1	3	-1	1	1	-1	11	1	-1	1	10	1
I-1250-R	5	-1	1	4	-1	1	1	-1	12	1	1	1	12	2
I-1300	8	-1	1	7	-1	1	1	-1	23	2	1	1	23	3
I-1350	43	4	2	43	-1	2	5	2	153	6	3	2	145	13
J-550	17	1	1	10	-1	1	2	-1	48	3	2	1	46	4
J-600	5	-1	1	4	-1	1	1	-1	10	1	1	1	10	1
J-650	4	-1	-1	3	-1	1	-1	-1	1	-1	-1	-1	4	-1
J-700	5	-1	1	3	-1	1	-1	-1	10	1	4	1	9	-1
J-750	5	-1	1	5	-1	1	1	-1	12	1	1	1	11	2
J-800	11	-1	2	8	-1	1	2	1	27	2	3	1	26	3
J-850	10	1	1	8	-1	1	1	1	23	2	2	1	22	2
J-900	7	-1	1	5	-1	1	1	-1	15	1	1	1	15	2
J-950	18	2	1	20	-1	1	2	1	47	3	2	2	46	4
J-1000	11	2	1	9	-1	1	1	-1	23	2	1	1	22	2
J-1050	5	-1	1	4	-1	1	1	-1	10	1	-1	1	10	2
J-1100	4	-1	2	4	-1	1	-1	-1	8	1	1	1	7	1
J-1150	5	-1	1	4	-1	1	-1	-1	11	1	1	1	10	1
J-1150-R	5	-1	1	4	-1	1	-1	-1	8	1	4	1	7	1
J-1200	10	1	1	7	-1	1	1	1	22	2	1	1	21	2
J-1250	9	-1	1	8	-1	1	1	-1	25	2	1	1	23	2

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.085 - LPH	.086 - LBI	.087 - MAR	.088 - HBA	.089 - THI	.090 - HPP	.091 - LBI	.092 - LPH	.093 - LA	.094 - LBI	.095 - MAR	.096 - LPH	.097 - HBA	.098 - THI
J-1300	4	-1	1	4	-1	1	1	-1	11	1	-1	1	9	1
J-1350	17	2	1	17	-1	1	2	1	53	3	4	2	48	4
J-1450	6	-1	-1	5	-1	1	1	1	12	1	1	1	11	1
J-1500	10	-1	2	9	-1	1	1	-1	22	2	-1	1	21	2
K-750	6	-1	1	4	-1	1	-1	-1	14	1	1	1	13	2
K-800	4	-1	2	4	-1	1	-1	-1	8	1	1	1	7	1
K-850	4	-1	1	3	-1	1	-1	-1	6	1	-1	-1	5	1
K-900	5	-1	1	4	-1	1	1	-1	7	1	1	1	6	1
K-1000	26	3	1	25	-1	1	3	2	108	5	1	2	96	7
K-1050	46	4	2	51	-1	2	4	2	154	6	-1	4	134	10
K-1200	5	-1	1	4	-1	1	1	-1	10	1	1	1	8	1
K-1250	9	-1	1	7	-1	1	1	-1	24	2	4	1	21	2
K-1300	2	3	1	34	-1	1	3	2	117	5	-1	3	105	8
K-1300-R	29	3	1	25	-1	1	2	2	75	3	1	2	65	5
K-1350	11	1	-1	8	-1	1	1	-1	19	2	1	1	18	2
K-1400	6	-1	2	5	-1	-1	-1	-1	11	-1	1	1	10	1
L-900	18	2	1	18	-1	-1	2	2	77	4	2	2	71	6
L-950	10	1	1	9	-1	1	2	1	38	3	1	2	31	3
L-1000	5	-1	1	5	-1	1	1	1	14	1	1	1	12	2
L-1050	5	-1	2	5	-1	1	1	-1	11	1	-1	1	10	1
L-1100	5	-1	1	3	-1	1	1	-1	7	1	-1	1	6	1
M-800	4	-1	1	4	-1	1	1	-1	7	1	4	1	2	-1
M-850	17	1	1	15	-1	1	1	1	32	2	1	2	30	2
M-900	28	3	1	24	-1	1	2	-1	108	4	1	2	102	8
M-950	5	-1	2	5	-1	1	1	-1	11	1	1	1	9	1
M-1000	4	-1	-1	3	-1	-1	-1	-1	8	-1	1	1	7	1
M-1050	10	1	1	9	-1	1	1	1	31	2	1	1	27	2
M-1100	12	1	-1	9	-1	-1	2	-1	37	2	1	1	34	3
M-1150	50	5	1	50	-1	2	6	3	300	7	-1	4	252	18
M-1150-R	46	4	2	45	-1	1	5	3	238	6	1	4	193	13
M-1200	8	-1	1	8	-1	1	1	-1	17	2	1	1	15	2
M-1250	12	-1	1	12	-1	1	1	1	35	2	-1	2	31	-3
M-1300	18	2	1	15	-1	1	2	2	77	4	1	3	67	5
J-1400	16	2	1	17	-1	1	2	1	50	3	1	2	45	4
LMB-QA	3	-1	-1	2	-1	-1	1	-1	5	-1	1	1	4	1
LMB-QA	2	-1	-1	-1	-1	1	-1	-1	4	1	1	1	3	-1
LMB-QA	2	-1	-1	-1	-1	-1	-1	-1	4	-1	-1	-1	3	-1
LMB-QA	2	-1	-1	-1	-1	-1	-1	-1	4	-1	-1	-1	-1	1
LMB-QA	4	-1	-1	1	-1	1	-1	-1	5	-1	-1	-1	4	1
LMB-QA	4	-1	-1	2	-1	-1	-1	-1	4	-1	-1	-1	3	-1
LMB-QA	3	-1	-1	-1	-1	-1	-1	-1	4	-1	-1	-1	-1	-1
LMB-QA	3	-1	-1	2	-1	-1	-1	-1	4	-1	-1	-1	-1	-1

.085 - LPH	.086 - LBI	.087 - MAR	.088 - HBA	.089 - THI	.090 - HPB	.091 - LBI	.092 - LPH	.093 - LA	.094 - LBI	.095 - MAR	.096 - LPH	.097 - HBA	.098 - THI
------------	------------	------------	------------	------------	------------	------------	------------	-----------	------------	------------	------------	------------	------------

	.099 - LPH	.100 - LPH	.101 - MAR	.102 - MBI	.103 - LPH	.104 - MAR	.105 - ALK	.106 - MBI	.107 - MBI	.108 - LPH	.109 - MAR	.110 - HBA	.111 - MAR	.112 - MBI
A-1200	1	1	-1	4	1	1	2	1	1	4	16	10	3	3
A-1600	3	2	-1	5	1	3	4	2	2	4	21	22	4	6
A-1650	2	2	-1	6	2	2	4	3	2	4	22	21	4	7
A-1700	2	2	-1	4	1	2	3	2	2	4	19	17	3	8
B-400	1	1	-1	4	1	1	1	-1	1	4	17	8	3	3
B-400-R	1	1	-1	4	1	1	2	1	1	4	17	11	3	3
B-450	2	2	-1	4	1	2	2	2	2	4	17	19	4	7
B-500	2	2	-1	5	1	2	3	3	2	4	21	26	5	7
B-550	1	1	-1	4	1	1	2	1	2	4	16	13	3	4
B-600	1	1	-1	4	1	1	3	1	2	4	16	13	4	4
B-650	1	2	-1	4	1	1	2	1	2	4	14	14	3	4
B-700	1	2	-1	4	1	2	4	2	2	5	17	26	4	5
B-750	2	2	-1	4	1	1	2	1	2	4	14	14	3	6
B-800	2	2	-1	4	1	2	2	1	2	4	16	16	3	4
B-850	2	2	-1	4	1	2	4	2	2	4	16	23	4	6
B-900	1	1	-1	3	1	1	2	-1	1	4	12	9	3	4
B-950	1	2	-1	3	1	2	4	2	2	4	15	24	4	4
B-1000	1	2	-1	3	1	1	2	-1	2	4	13	13	3	4
B-1050	1	1	-1	3	1	1	1	-1	1	4	11	8	3	3
B-1100	1	1	-1	3	1	1	2	1	1	4	11	12	3	4
B-1150	2	2	-1	4	1	2	3	2	2	4	14	16	4	6
B-1150-R	2	2	-1	4	2	2	4	2	2	4	14	19	4	8
B-1350	2	2	-1	3	1	2	3	1	2	4	13	14	3	5
B-1400	2	2	-1	3	1	2	3	2	2	4	13	16	3	6
B-1450	2	2	-1	3	1	2	3	2	2	4	11	19	3	8
B-1500	1	2	-1	3	1	1	2	-1	2	4	15	15	3	5
B-1550	1	1	-1	3	1	1	2	1	2	4	11	12	3	4
B-1600	2	2	-1	3	1	2	3	3	2	4	13	30	4	6
B-1650	2	2	-1	3	1	2	4	3	2	4	13	17	3	5
B-1700	1	2	-1	3	1	2	3	1	2	4	12	15	3	4
B-1750	2	2	-1	3	1	2	2	-1	1	4	10	12	3	6
G-750	2	2	-1	3	1	2	2	3	2	4	10	20	3	7
C-800	1	1	-1	2	1	1	3	2	2	4	11	17	3	4
C-850	2	2	-1	3	1	1	4	2	2	4	11	22	4	6
C-1350	1	2	-1	3	1	1	2	2	2	4	10	14	3	4
C-1400	2	2	-1	5	1	2	5	5	3	5	18	48	6	9
C-1450	2	2	-1	3	1	2	4	6	3	5	15	43	6	9
C-1450-R	2	2	-1	3	1	2	4	3	2	4	12	29	4	6
C-1500	1	1	-1	2	1	1	3	1	1	4	9	14	3	4
C-1550	2	2	-1	3	1	2	3	3	2	4	11	27	4	5
C-1600	1	2	-1	2	1	2	2	1	2	4	10	14	3	5
G-2400	1	2	-1	2	1	2	2	1	1	4	10	12	3	4
D-800	1	1	-1	2	1	1	3	1	2	4	9	14	3	4
D-850	2	2	-1	3	1	2	4	2	2	4	11	25	4	5
D-900	2	2	-1	3	1	2	4	3	2	4	11	30	4	5
D-950	1	1	-1	2	1	2	3	2	2	4	9	23	4	5
D-1000	1	1	-1	2	1	1	2	1	1	4	8	13	3	4
D-1050	1	1	-1	2	1	2	3	2	2	4	9	18	3	4
D-1250	2	2	-1	2	1	1	3	2	2	3	8	21	4	6
D-1300	2	2	-1	2	1	2	1	2	2	4	10	22	4	4
D-1350	1	2	-1	2	1	1	2	-1	1	4	8	11	3	4
D-1400	1	1	-1	2	1	1	3	1	2	4	9	18	3	4
D-1450	2	2	-1	2	1	2	4	2	2	4	9	22	3	7
D-1450-R	2	2	-1	3	1	2	4	2	2	4	11	23	4	5

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.099-LPH	.100-LPH	.101-MAR	.102-MBI	.103-LPH	.104-MAR	.105-ALK	.106-MBI	.107-MBI	.108-LPH	.109-MAR	.110-HBA	.111-MAR	.112-MBI
D-1750	2	2	-1	2	1	2	3	2	2	4	9	21	3	6
D-1800	1	2	-1	2	1	1	3	2	2	3	9	29	4	5
D-2200	1	2	-1	2	1	2	3	2	2	4	9	19	3	4
D-2250	1	1	-1	2	1	1	2	1	1	4	8	11	3	4
D-2300	2	2	-1	2	1	2	4	2	2	4	10	20	3	5
D-2350	1	2	-1	2	1	2	3	2	2	4	9	22	3	4
D-2400	1	1	-1	2	1	1	2	1	1	4	8	12	2	4
E-750	1	1	-1	2	1	1	2	-1	2	4	7	8	3	4
E-800	1	1	-1	2	1	1	4	2	2	4	9	26	4	5
E-850	1	2	-1	2	1	2	3	2	2	4	9	20	3	4
E-900	1	1	-1	2	1	1	3	1	1	3	8	17	3	5
E-950	1	1	-1	2	1	1	2	1	-1	4	7	12	3	3
E-1000	2	2	-1	3	1	3	6	5	2	4	12	55	6	6
E-1050	1	1	-1	2	1	1	2	1	1	4	8	13	3	4
E-1100	1	1	-1	2	1	1	2	-1	1	3	6	10	3	3
E-1100-R	1	1	-1	2	1	1	1	-1	1	3	7	8	2	3
E-1300	1	2	-1	2	1	1	3	1	1	3	7	14	3	5
E-1350	1	1	-1	2	1	1	3	1	2	3	8	17	3	4
E-1400	1	1	-1	2	1	1	2	-1	1	3	7	10	2	4
E-1450	1	1	-1	2	1	1	3	2	2	3	8	19	3	4
E-1500	1	1	-1	2	1	-1	2	1	1	3	6	12	3	3
E-1550	1	1	-1	2	1	1	1	-1	-1	3	6	9	2	3
E-1600	1	1	-1	1	1	1	1	-1	1	3	6	7	2	3
E-1650	1	1	-1	1	1	1	1	-1	1	4	6	8	2	3
E-1700	-1	1	-1	2	1	1	2	1	1	4	6	12	3	3
E-1760	-1	1	-1	1	1	1	1	-1	1	3	6	8	2	3
E-1800	1	2	-1	2	1	2	3	1	1	4	7	17	3	6
E-1850	1	1	-1	2	1	1	2	-1	1	3	6	10	2	3
E-1900	1	1	-1	2	1	1	2	-1	1	3	6	9	2	3
E-1950	1	1	-1	2	1	1	2	1	1	3	6	14	2	4
E-2000	1	1	-1	2	1	1	2	1	1	3	6	12	3	4
E-2000-R	1	1	-1	1	1	1	2	1	1	3	6	12	3	4
E-2050	-1	1	-1	2	1	1	2	1	1	4	6	14	3	3
E-2100	1	1	-1	1	1	1	2	-1	1	3	6	9	3	3
E-2150	1	1	-1	2	1	1	2	-1	1	4	6	10	2	4
E-2200	1	1	-1	1	1	1	3	-1	-1	3	6	9	2	3
E-2250	1	1	-1	2	1	1	3	1	1	4	7	17	3	4
E-2300	1	1	-1	1	1	1	2	1	1	3	5	10	3	3
E-2350	-1	1	-1	1	1	1	1	-1	1	4	6	5	2	3
F-700	1	1	-1	1	1	1	2	-1	1	3	5	10	2	3
F-750	1	1	-1	1	1	1	2	1	1	4	6	12	3	3
F-800	2	2	-1	1	1	4	2	-1	1	4	6	9	2	4
F-850	1	1	-1	1	1	-1	1	1	1	3	5	8	2	4
F-900	1	1	-1	1	1	1	2	1	1	4	6	11	3	4
F-950	1	1	-1	2	1	1	2	1	1	3	5	10	2	4
F-1000	1	1	-1	1	1	1	2	-1	1	3	5	9	2	3
F-1050	1	1	-1	1	1	1	2	-1	1	4	6	11	3	3
F-1050-R	1	1	-1	1	1	1	3	-1	1	4	6	14	3	3
F-1100	2	2	-1	2	1	2	4	2	2	4	8	24	3	5
F-1150	1	2	-1	2	1	1	4	2	2	4	7	26	4	4
F-1200	1	1	-1	1	1	1	2	1	1	4	6	12	2	4
F-1250	2	2	-1	2	1	2	3	1	1	3	6	17	3	4
F-1300	1	1	-1	1	1	1	1	-1	1	4	5	6	2	3
F-1350	1	2	-1	1	1	1	3	1	1	4	6	15	3	4

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.099-LPH	.100-LPH	.101-MAR	.102-MBI	.103-LPH	.104-MAR	.105-ALK	.106-MBI	.107-MBI	.108-LPH	.109-MAR	.110-HBA	.111-MAR	.112-MBI
F-1400	2	2	-1	2	1	1	4	2	2	4	7	21	3	4
F-1450	1	1	-1	2	1	1	3	2	2	3	6	25	3	5
F-1500	1	1	-1	1	1	1	4	-1	1	4	6	9	2	3
F-1550	1	1	-1	1	-1	1	1	-1	1	3	5	7	2	3
F-1600	1	1	-1	1	1	1	2	-1	1	3	6	9	2	4
F-1650	1	1	-1	1	1	1	1	-1	1	3	5	9	2	3
F-1700	1	1	-1	1	1	1	2	1	1	4	6	13	2	3
F-1750	1	1	-1	1	1	1	2	-1	1	3	6	12	2	4
F-1800	1	1	-1	2	1	1	2	1	1	3	5	14	3	3
F-1800-R	1	1	-1	2	1	1	3	1	2	4	6	15	3	4
F-1850	1	1	-1	1	1	1	1	-1	1	4	5	7	2	3
F-1900	1	1	-1	2	1	1	2	1	-1	4	6	14	3	4
F-1950	1	1	-1	1	1	1	2	-1	1	4	5	11	3	4
G-600	-1	1	-1	1	1	1	1	-1	1	4	5	8	2	3
G-650	1	1	-1	1	1	1	2	-1	1	4	6	12	2	4
G-700	-1	1	-1	1	-1	1	2	-1	1	3	5	11	2	3
G-750	1	2	-1	1	1	1	2	1	1	4	6	13	2	4
G-800	1	1	-1	1	1	1	3	-1	1	3	5	9	2	3
G-850	2	2	-1	2	1	2	2	2	2	4	8	20	3	5
G-900	1	1	-1	1	1	1	2	-1	1	3	5	11	2	4
G-950	1	1	-1	2	1	1	3	2	1	3	6	19	3	5
G-1000	1	1	-1	1	1	1	2	1	-1	4	5	13	3	3
G-1050	2	2	-1	2	1	2	4	1	1	4	6	13	3	4
G-1100	6	6	-1	1	4	19	3	2	3	11	6	15	3	16
G-1150	1	1	-1	1	1	1	1	-1	1	4	5	7	2	3
G-1150-R	-1	1	-1	1	1	1	2	-1	1	4	5	8	2	3
G-1200	1	1	-1	1	-1	1	2	-1	1	3	5	10	2	3
G-1250	1	1	-1	1	1	1	1	-1	1	3	5	7	2	3
G-1300	1	2	-1	1	1	2	2	-1	1	3	5	7	2	3
G-1350	1	1	-1	1	1	2	1	-1	1	3	5	7	2	3
G-1400	1	1	-1	1	1	1	1	-1	1	3	5	6	2	3
G-1450	1	1	-1	1	1	1	3	1	1	4	6	16	3	4
G-1500	1	1	-1	1	1	1	2	1	-1	3	6	13	3	3
G-1550	1	1	-1	1	1	1	2	-1	1	3	6	12	3	3
G-1600	-1	1	-1	1	1	1	2	1	1	4	6	11	3	3
G-1650	-1	1	-1	1	1	2	1	-1	1	4	5	9	2	4
G-1700	1	2	-1	1	1	4	2	1	2	8	5	15	2	-1
G-1750	1	1	-1	1	1	3	1	-1	2	5	6	11	2	4
G-1800	1	1	-1	1	1	2	2	1	2	5	5	13	2	4
G-1900	-1	1	-1	1	1	1	1	-1	1	4	5	8	2	3
G-1950	1	1	-1	1	1	1	2	-1	1	3	5	11	2	3
G-1950-R	-1	1	-1	1	1	1	2	-1	1	4	5	13	2	3
G-2000	-1	1	-1	1	-1	1	1	-1	1	4	7	6	2	3
H-550	1	1	-1	2	-1	1	2	1	-1	3	7	12	3	4
H-600	1	1	-1	2	1	1	3	1	2	4	8	21	3	4
H-650	-1	1	-1	2	1	1	3	2	2	4	8	23	4	4
H-700	-1	1	-1	2	1	1	1	-1	1	4	6	9	2	3
H-750	-1	1	-1	2	1	1	4	-1	1	3	7	27	4	5
H-800	1	1	-1	2	1	-1	2	-1	1	4	7	10	2	4
H-850	1	1	-1	2	1	2	4	-1	1	4	7	8	2	3
H-900	1	1	-1	2	1	1	1	-1	1	4	7	10	3	3
H-950	1	1	-1	2	1	1	2	-1	1	4	6	10	3	5
H-1000	1	1	-1	2	1	1	3	1	1	4	7	17	3	4
H-1050	1	1	-1	2	1	1	2	1	-1	3	6	17	3	4

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.099-LPH	.100-LPH	.101-MAR	.102-MBI	.103-LPH	.104-MAR	.105-ALK	.106-MBI	.107-MBI	.108-LPH	.109-MAR	.110-HBA	.111-MAR	.112-MBI
H-1100	1	1	-1	2	1	1	2	-1	1	4	6	9	2	4
H-1150	-1	-1	-1	1	1	1	1	1	-1	3	6	7	2	3
H-1200	1	1	-1	1	1	1	3	2	2	4	7	22	3	4
H-1200-R	1	1	-1	2	1	1	3	1	1	4	7	16	3	4
H-1250	1	1	-1	2	1	1	2	-1	1	4	7	14	3	4
H-1300	1	1	-1	2	1	1	1	-1	1	3	6	9	3	3
H-1350	1	1	-1	1	1	1	1	-1	1	3	6	8	2	3
H-1400	1	1	-1	2	1	1	2	-1	1	3	6	10	2	4
H-1450	2	2	-1	2	1	2	3	1	1	4	7	18	3	6
H-1500	1	-1	-1	2	1	-1	2	-1	-1	4	6	9	2	3
H-1550	2	2	-1	2	1	2	3	1	2	4	7	17	3	5
H-1600	1	-1	-1	2	1	1	2	1	2	4	7	24	3	4
H-1750	1	1	-1	2	1	1	1	-1	1	4	6	8	2	3
H-1800	-1	-1	-1	1	-1	1	1	-1	1	4	6	9	2	3
H-1850	1	1	-1	2	1	1	2	-1	1	4	6	11	2	4
H-1900	-1	1	-1	1	1	-1	1	-1	1	4	5	8	2	3
H-1950	1	1	-1	1	1	2	2	-1	1	3	6	9	2	3
H-2000	1	2	2	2	1	1	4	1	1	4	7	15	2	5
I-500	2	2	-1	2	1	2	4	3	2	4	8	36	4	10
I-500-R	1	2	-1	2	1	2	3	2	1	3	7	23	3	9
I-550	1	2	-1	2	1	2	4	2	2	4	7	18	3	5
I-600	2	-1	-1	2	1	2	4	2	2	4	7	21	3	6
I-650	1	1	-1	1	1	1	2	1	1	4	6	15	2	3
I-700	1	1	-1	1	1	1	2	1	1	4	6	12	2	5
I-750	2	2	-1	2	1	2	3	1	2	4	7	20	3	5
I-800	-1	1	-1	1	1	-1	2	-1	1	3	5	9	2	3
I-850	1	1	-1	1	-1	-1	2	-1	1	3	6	9	2	3
I-900	-1	1	-1	1	1	-1	2	-1	1	4	5	9	3	3
I-950	1	2	-1	1	2	5	3	-1	2	4	6	9	2	4
I-1000	1	1	-1	1	1	1	1	-1	1	4	5	8	2	3
I-1050	-1	1	-1	1	1	1	1	-1	1	3	5	8	2	3
I-1100	-1	-1	-1	1	-1	1	1	-1	1	3	5	7	2	3
I-1150	-1	1	-1	1	-1	-1	1	-1	1	3	5	6	2	3
I-1200	1	1	-1	1	1	1	1	-1	-1	3	4	7	2	3
I-1250	1	1	-1	1	1	1	2	-1	1	4	5	9	2	4
I-1250-R	1	1	-1	1	1	1	2	-1	1	3	5	10	2	4
I-1300	1	1	-1	1	1	1	2	1	1	3	6	14	3	3
I-1350	2	2	-1	2	1	2	5	4	2	4	9	45	5	5
J-550	1	1	-1	2	1	1	4	2	2	4	7	23	3	4
J-600	1	1	-1	1	-1	1	2	-1	1	3	5	9	2	3
J-650	-1	1	-1	1	-1	1	1	-1	1	3	5	7	2	3
J-700	-1	-1	-1	1	-1	1	1	-1	1	3	5	9	2	3
J-750	1	1	-1	1	1	1	2	-1	1	4	5	10	2	3
J-800	1	1	-1	2	1	2	3	1	1	4	6	17	3	4
J-850	1	1	-1	1	1	1	2	1	1	4	6	15	3	4
J-900	-1	-1	-1	1	1	1	2	-1	1	3	5	12	2	4
J-950	1	2	-1	1	1	1	4	2	2	4	7	22	3	4
J-1000	-1	1	-1	1	1	1	3	-1	1	3	5	14	2	4
J-1050	1	1	-1	1	1	1	2	-1	1	3	5	9	2	3
J-1100	1	1	-1	1	-1	2	3	-1	1	3	5	8	2	3
J-1150	1	1	-1	1	1	1	2	-1	1	4	5	10	2	3
J-1150-R	1	1	-1	1	1	1	1	-1	1	4	6	8	2	3
J-1200	1	1	-1	1	1	1	3	-1	1	4	6	14	2	4
J-1250	1	1	-1	1	1	1	2	1	1	4	5	15	3	5

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.099 - LPH	.100 - LPH	.101 - MAR	.102 - MBI	.103 - LPH	.104 - MAR	.105 - ALK	.106 - MBI	.107 - MBI	.108 - LPH	.109 - MAR	.110 - HBA	.111 - MAR	.112 - MBI
J-1300	1	1	-1	1	-1	1	2	-1	1	4	5	10	2	3
J-1350	1	2	-1	2	1	1	4	2	2	4	7	26	3	5
J-1450	1	1	-1	1	1	1	2	-1	1	3	5	9	2	4
J-1500	1	1	-1	1	1	1	3	1	1	4	5	18	3	4
K-750	1	1	-1	1	1	1	2	-1	1	4	5	10	2	4
K-800	1	1	-1	1	1	1	1	-1	1	3	5	8	2	3
K-850	-1	1	-1	1	-1	1	1	-1	1	3	4	7	2	3
K-900	-1	1	-1	1	1	1	1	-1	1	3	5	8	2	3
K-1000	2	2	-1	2	1	2	5	2	2	4	8	39	4	5
K-1050	3	3	-1	3	2	3	6	4	2	5	10	64	6	9
K-1200	1	1	-1	1	-1	1	1	-1	1	3	4	8	2	3
K-1250	1	1	-1	1	1	1	3	1	-1	-1	6	14	3	5
K-1300	2	2	-1	2	2	2	7	3	2	4	11	48	5	6
K-1300-R	2	2	-1	2	2	2	5	2	2	4	10	38	4	7
K-1350	1	1	-1	1	1	1	3	-1	1	4	5	19	3	5
K-1400	1	1	-1	1	1	2	2	-1	1	3	4	10	2	3
L-900	2	2	-1	2	1	2	3	2	1	4	7	29	4	6
L-950	1	2	-1	2	1	1	2	1	1	3	5	19	3	7
L-1000	1	2	-1	1	1	1	2	-1	1	3	5	11	2	5
L-1050	1	1	-1	1	1	1	1	-1	1	-1	5	9	2	3
L-1100	1	1	-1	1	1	1	1	-1	1	4	5	7	2	3
M-800	1	1	-1	1	1	1	1	-1	1	4	4	7	2	3
M-850	1	2	-1	2	1	1	3	2	2	4	6	29	3	7
M-900	2	2	-1	2	1	1	4	2	2	4	8	52	4	7
M-950	1	1	-1	1	1	1	2	-1	1	4	5	8	2	3
M-1000	-1	1	-1	-1	1	1	1	-1	1	3	4	8	2	3
M-1050	1	2	-1	1	1	1	3	1	1	4	6	18	3	5
M-1100	-1	1	-1	1	1	1	3	-1	1	3	5	22	3	4
M-1150	2	2	1	3	2	2	12	5	3	6	12	169	9	15
M-1150-R	3	2	-1	3	2	2	7	4	3	-1	13	146	7	22
M-1200	1	1	-1	1	1	1	2	-1	1	4	5	13	2	4
M-1250	2	2	-1	1	1	1	4	1	2	4	6	22	3	5
M-1300	2	2	-1	2	2	2	4	1	2	4	8	35	4	7
J-1400	2	2	-1	1	1	1	3	2	2	4	6	23	3	4
LMB-QA	-1	1	-1	4	1	1	1	-1	1	4	16	8	3	3
LMB-QA	-1	1	-1	2	1	1	1	-1	1	4	7	6	2	3
LMB-QA	-1	1	-1	1	-1	-1	-1	-1	1	3	5	6	2	3
LMB-QA	-1	1	-1	1	1	1	-1	-1	1	3	5	6	2	3
LMB-QA	-1	1	-1	1	1	1	1	-1	1	3	7	7	2	3
LMB-QA	-1	1	-1	1	-1	-1	1	-1	1	3	4	6	2	3
LMB-QA	-1	1	-1	1	-1	1	1	-1	1	3	4	7	2	3
LMB-QA	-1	1	-1	1	1	-1	1	-1	1	3	4	6	2	3

.099-LPH	.100-LPH	.101-MAR	.102-MBI	.103-LPH	.104-MAR	.105-ALK	.106-MBI	.107-MBI	.108-LPH	.109-MAR	.110-HBA	.111-MAR	.112-MBI
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

	.113-HBA	.114-MBI	.115-MBI	.116-MAR	.117-HA	.118-MPH	.119-HBA	.120-TLH	.121-MPH	.122-MPH	.123-MPH	.124-MBI	.125-HAR	.126-MPH
A-1200	10	3	3	4	28	4	11	4	4	17	4	4	5	4
A-1600	16	4	5	5	40	5	17	5	5	19	4	9	6	4
A-1650	19	5	5	5	44	5	17	5	5	20	-1	11	6	5
A-1700	14	5	5	4	31	4	12	4	4	19	-1	8	5	4
B-400	8	3	3	4	20	4	12	4	4	17	4	5	5	4
B-400-R	12	3	4	4	31	3	14	4	3	16	4	6	5	4
B-450	17	4	5	5	41	4	16	5	4	17	-1	9	5	4
B-500	23	5	5	5	62	5	19	5	4	18	5	12	6	5
B-550	12	4	4	4	34	4	15	-1	4	15	-1	6	5	4
B-600	12	3	4	4	28	3	11	4	4	15	4	1	5	4
B-650	12	3	4	4	32	4	14	4	4	15	4	7	4	4
B-700	22	4	5	5	58	4	18	4	4	16	-1	10	6	4
B-750	12	4	4	4	29	3	12	4	3	14	4	6	4	4
B-800	13	4	4	4	30	4	14	4	4	14	4	6	5	4
B-850	20	4	5	4	52	4	16	4	4	16	4	11	5	5
B-900	10	3	4	3	20	4	10	3	4	14	3	5	4	4
B-950	19	3	4	4	51	4	15	4	4	13	4	9	5	4
B-1000	12	3	4	3	25	4	10	4	4	14	4	7	5	4
B-1050	7	3	3	3	16	3	12	3	3	12	3	4	4	4
B-1100	11	4	4	4	25	4	11	4	4	13	4	5	4	4
B-1150	16	4	4	4	43	4	15	4	4	15	4	7	5	4
B-1150-R	16	5	5	4	44	4	15	4	4	13	4	7	5	4
B-1350	12	4	4	3	26	4	13	4	4	13	-1	6	5	4
B-1400	15	4	5	4	30	4	13	4	4	13	-1	6	5	4
B-1450	16	5	5	4	42	4	15	4	4	13	-1	8	5	4
B-1500	11	4	4	3	28	4	11	3	4	12	4	6	4	4
B-1550	10	4	4	3	24	3	12	4	3	11	3	6	4	4
B-1600	21	5	6	5	72	4	22	5	4	13	4	12	5	4
B-1650	15	4	5	4	36	4	15	-1	3	13	4	7	4	4
B-1700	12	3	4	4	38	4	14	-1	4	12	4	7	5	4
B-1750	12	4	4	3	26	4	12	3	4	12	4	5	5	4
C-750	16	5	5	4	40	4	21	3	4	12	-1	5	5	4
C-800	15	3	4	4	37	4	20	3	4	12	-1	1	5	4
C-850	16	4	5	4	38	4	22	4	4	11	-1	6	5	4
C-1350	12	4	4	4	27	4	15	3	4	11	4	4	4	4
C-1400	38	6	8	6	111	4	44	-1	4	14	-1	9	7	4
C-1450	35	6	8	7	108	4	42	-1	4	12	4	8	6	4
C-1450-R	20	5	6	5	71	4	34	4	4	12	-1	6	5	4
C-1500	13	3	4	3	30	4	3	3	4	11	4	-1	5	4
C-1550	19	4	5	4	53	4	28	3	4	11	4	5	5	4
C-1600	12	4	4	4	28	3	16	3	3	10	4	5	4	4
C-2400	10	4	4	3	23	4	14	3	3	10	8	5	4	4
D-800	14	3	4	3	32	3	12	3	3	10	4	7	4	4
D-850	19	4	5	4	63	4	21	4	4	10	4	9	8	4
D-900	21	4	5	5	66	4	25	4	4	11	4	11	5	4
D-950	20	4	4	4	59	4	20	4	4	10	4	11	5	4
D-1000	13	3	4	4	32	3	13	-1	3	10	4	6	4	4
D-1050	15	3	4	4	51	3	18	3	4	11	-1	7	5	4
D-1250	17	5	5	4	55	4	23	3	4	11	-1	7	4	4
D-1300	17	4	4	4	49	4	24	3	4	10	-1	6	4	4
D-1350	10	3	4	3	24	4	15	3	4	9	3	4	4	3
D-1400	17	3	4	4	43	4	18	3	4	10	-1	8	4	4
D-1450	16	5	4	4	45	4	24	3	4	11	-1	6	5	4
D-1450-R	29	4	5	4	58	4	26	-1	5	11	-1	6	5	4

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	113-HBA	114-MBI	115-MBI	116-MAR	117-HA	118-MPH	119-HBA	120-THL	121-MPH	122-MPH	123-MPH	124-MBI	125-HAR	126-MPH
D-1750	18	4	5	4	53	4	21	-1	4	9	4	6	4	4
D-1800	19	4	5	4	74	4	26	4	4	10	4	12	5	4
D-2200	15	3	4	4	47	4	18	3	4	9	4	7	4	4
D-2250	10	3	3	3	22	3	12	3	3	9	3	5	4	4
D-2300	16	4	4	3	43	4	15	-1	4	9	4	8	5	4
D-2350	17	4	4	4	50	4	19	4	3	9	4	10	4	3
D-2400	11	3	3	3	29	4	12	3	3	8	3	6	4	4
E-750	10	3	4	3	23	4	12	3	4	8	-1	5	4	4
E-800	21	4	5	4	71	4	26	2	4	10	-1	15	4	4
E-850	16	4	4	4	44	3	18	3	4	9	4	7	4	4
E-900	14	4	4	4	54	4	17	4	4	9	-1	7	4	4
E-950	12	3	4	3	29	3	12	3	3	9	9	7	4	3
E-1000	35	5	6	6	122	8	37	2	9	10	8	19	5	5
E-1050	11	3	4	3	32	4	14	3	4	8	4	6	4	4
E-1100	8	3	3	3	17	3	8	3	3	7	3	5	4	3
E-1100-R	9	3	3	3	18	3	9	-1	3	8	3	5	4	3
E-1300	11	4	4	3	35	3	14	-1	3	8	3	6	4	4
E-1350	15	3	3	3	37	3	15	3	3	9	3	7	4	4
E-1400	9	3	4	2	20	3	11	3	3	7	3	5	4	3
E-1450	17	3	4	3	41	3	17	-1	3	9	4	8	-1	4
E-1500	11	3	4	3	24	3	16	3	4	8	3	7	4	3
E-1550	9	2	3	3	16	3	2	3	3	8	8	4	4	3
E-1600	8	3	3	3	14	3	4	3	3	8	3	4	4	3
E-1650	8	3	3	2	15	3	11	3	3	7	3	4	3	3
E-1700	12	3	3	3	24	3	18	3	3	8	3	5	4	3
E-1760	6	3	3	2	16	3	6	3	3	7	3	4	3	3
E-1800	13	4	4	3	29	3	13	-1	4	9	4	8	4	4
E-1850	9	3	3	2	18	3	11	3	4	8	4	5	4	3
E-1900	8	3	3	3	19	3	12	3	3	7	3	5	4	3
E-1950	11	3	3	3	27	3	13	3	3	8	3	8	4	3
E-2000	10	3	4	3	25	3	13	3	3	8	3	7	4	3
E-2000-R	10	3	4	3	21	-1	13	-1	3	7	8	7	4	3
E-2050	13	3	4	3	26	3	13	3	3	8	3	7	4	3
E-2100	8	3	3	2	18	3	9	3	3	7	3	5	4	3
E-2150	9	3	3	2	21	3	10	-1	-1	7	3	5	4	3
E-2200	9	3	3	3	17	3	9	3	3	7	3	5	4	3
E-2250	15	3	4	3	40	3	17	-1	4	8	4	12	4	4
E-2300	8	3	3	3	20	3	11	3	3	8	3	6	4	3
E-2350	7	3	3	3	15	3	11	3	3	7	3	4	3	3
F-700	9	3	3	2	19	3	10	3	3	7	-1	6	4	3
F-750	11	3	4	3	27	3	12	3	3	7	3	6	4	3
F-800	8	4	5	3	48	4	11	-1	4	7	-1	7	4	4
F-850	9	3	3	3	17	3	7	3	3	7	3	5	4	3
F-900	11	3	4	3	22	3	12	3	3	7	3	6	4	3
F-950	9	3	3	3	23	3	15	3	3	7	-1	5	4	4
F-1000	9	3	3	3	21	3	13	3	4	8	4	5	4	3
F-1050	11	3	4	3	29	3	13	-1	3	7	3	6	4	4
F-1050-R	13	3	4	3	37	3	15	3	3	7	3	7	4	4
F-1100	21	4	5	4	64	4	23	-1	4	9	4	9	5	4
F-1150	19	4	5	4	72	3	23	3	8	8	3	12	4	4
F-1200	10	3	3	2	24	3	13	3	3	7	3	5	4	3
F-1250	14	3	4	3	89	4	16	3	6	8	-1	6	4	4
F-1300	7	3	3	2	12	3	4	3	3	7	-1	-1	4	3
F-1350	12	3	4	3	31	4	15	3	3	7	3	6	4	3

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	113-HBA	114-MBI	115-MBI	116-MAR	117-HA	118-MPH	119-HBA	120-THL	121-MPH	122-MPH	123-MPH	124-MBI	125-HAR	126-MPH
F-1400	15	4	4	4	51	3	18	-1	3	8	3	9	4	4
F-1450	29	4	5	4	67	4	25	-1	3	8	8	10	4	4
F-1500	9	3	4	3	19	3	11	-1	3	7	3	5	4	4
F-1550	7	3	3	3	13	3	10	3	3	6	3	4	3	3
F-1600	8	3	3	2	19	3	13	3	3	7	3	5	4	3
F-1650	9	3	3	2	18	3	1	3	3	7	3	4	4	3
F-1700	11	3	3	3	36	3	13	3	3	7	3	5	4	3
F-1750	11	3	4	3	27	3	12	3	3	7	4	5	4	4
F-1800	11	3	4	3	30	3	12	3	3	8	3	7	4	4
F-1800-R	13	3	4	3	31	4	13	3	4	8	-1	7	4	4
F-1850	8	3	3	3	13	3	9	3	4	6	4	4	4	4
F-1900	12	3	4	3	99	4	20	3	4	7	-1	5	4	4
F-1950	10	3	3	3	24	-1	11	3	3	6	4	6	4	3
G-600	8	3	3	3	18	3	8	-1	3	7	3	5	4	3
G-650	9	3	3	3	28	3	13	3	4	8	4	5	4	4
G-700	8	3	3	3	22	3	10	3	3	7	3	5	4	3
G-750	12	3	4	3	29	4	14	3	4	7	4	6	4	4
G-800	9	3	3	2	18	3	10	2	3	7	-1	5	4	3
G-850	16	4	4	4	46	4	16	3	4	7	-1	6	4	4
G-900	10	4	4	3	29	3	13	3	3	7	3	6	4	4
G-950	13	4	4	3	43	3	17	-1	3	7	3	10	4	4
G-1000	10	3	3	2	25	4	12	3	3	7	8	6	4	3
G-1050	13	4	5	3	31	4	14	-1	4	8	-1	9	4	4
G-1100	15	23	16	3	27	7	15	3	7	8	6	9	16	6
G-1150	7	3	3	2	14	4	8	3	3	6	3	5	4	3
G-1150-R	8	3	3	3	14	3	8	3	3	6	3	4	3	3
G-1200	9	3	3	2	17	3	11	3	3	7	3	5	3	3
G-1250	8	3	3	3	12	3	9	3	3	7	3	4	4	3
G-1300	8	3	3	3	12	3	10	3	3	7	3	4	4	3
G-1350	7	3	3	2	14	3	10	-1	3	7	3	5	4	3
G-1400	6	3	4	2	11	3	4	3	3	6	3	-1	4	3
G-1450	14	3	4	3	84	3	14	3	3	7	8	7	4	4
G-1500	13	3	3	3	27	3	12	-1	3	7	3	7	4	3
G-1550	10	3	3	3	23	3	12	3	3	6	3	6	4	3
G-1600	11	3	3	3	23	3	11	3	3	6	3	6	4	3
G-1650	9	4	4	2	14	3	10	-1	3	7	-1	5	4	3
G-1700	11	8	7	3	19	4	10	3	4	7	-1	6	11	4
G-1750	9	5	5	3	18	3	9	3	3	7	4	3	6	4
G-1800	11	5	5	3	22	3	10	3	3	7	3	2	6	4
G-1900	7	3	3	3	13	3	8	3	3	6	3	5	4	3
G-1950	9	3	3	3	24	3	11	-1	3	7	-1	6	4	3
G-1950-R	11	3	4	3	30	3	13	3	3	7	3	6	3	3
G-2000	6	3	3	2	10	3	8	3	3	8	3	3	3	3
H-550	11	3	4	3	29	3	11	-1	4	10	4	7	4	4
H-600	19	4	5	4	92	4	30	4	4	10	4	10	4	4
H-650	20	4	5	4	99	4	42	4	4	10	4	10	4	4
H-700	10	3	3	3	37	3	15	3	3	9	3	1	4	3
H-750	23	4	5	3	109	4	44	3	4	9	4	10	4	4
H-800	9	3	3	3	32	3	14	3	3	8	3	5	4	4
H-850	8	3	3	2	28	3	7	3	-1	8	3	-1	4	3
H-900	11	3	3	3	40	3	17	3	3	8	3	5	4	3
H-950	9	4	4	3	29	3	12	3	3	8	8	5	4	3
H-1000	16	3	4	4	94	4	38	3	4	10	3	7	4	4
H-1050	15	3	4	3	69	3	28	3	3	9	3	8	-1	3

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.113-HBA	.114-MBI	.115-MBI	.116-MAR	.117-HA	.118-MPH	.119-HBA	.120-THL	.121-MPH	.122-MPH	.123-MPH	.124-MBI	.125-HAR	.126-MPH
H-1100	9	3	3	3	27	3	14	3	3	7	3	4	3	3
H-1150	7	3	3	2	28	3	15	3	3	7	3	4	4	3
H-1200	19	4	5	4	107	3	34	4	3	8	4	9	-1	4
H-1200-R	16	3	4	3	90	3	33	3	3	9	3	7	4	3
H-1250	12	3	4	3	49	3	18	3	3	9	3	1	4	4
H-1300	9	3	3	2	35	3	21	3	3	8	3	4	4	3
H-1350	8	3	3	2	17	3	5	3	3	7	3	4	4	3
H-1400	11	3	4	3	40	-1	15	3	3	8	3	4	4	3
H-1450	16	4	4	3	76	4	27	3	4	9	-1	6	4	4
H-1500	9	3	4	3	31	3	15	3	3	8	3	-1	4	3
H-1550	13	4	4	3	53	4	22	-1	4	9	-1	5	4	4
H-1600	17	4	5	5	143	4	48	2	4	9	9	7	4	4
H-1750	8	3	3	3	31	-1	3	3	3	7	3	4	4	3
H-1800	8	3	3	2	31	3	15	3	3	7	3	-1	4	3
H-1850	10	3	4	3	32	3	16	3	3	7	3	5	4	3
H-1900	8	3	3	2	29	3	13	3	3	7	3	-1	4	3
H-1950	8	3	3	3	41	3	20	3	3	8	3	4	5	3
H-2000	14	3	4	3	92	4	24	3	3	8	4	6	4	4
I-500	27	7	7	6	295	4	100	4	4	9	4	7	5	4
I-500-R	19	5	5	4	103	4	69	3	4	8	4	6	5	4
I-550	17	3	5	3	76	4	29	3	4	8	4	5	4	4
I-600	17	5	5	4	93	4	41	-1	4	8	4	5	5	4
I-650	12	3	4	3	49	3	21	3	3	7	3	4	4	3
I-700	11	3	4	3	53	3	22	3	3	7	3	4	4	3
I-750	15	4	5	4	66	4	29	3	4	8	4	-1	5	4
I-800	8	3	3	3	34	3	17	3	3	7	3	4	4	3
I-850	8	3	3	2	37	3	20	3	3	6	-1	4	4	3
I-900	7	3	3	3	29	3	12	3	3	7	3	4	4	3
I-950	10	5	5	3	39	4	17	3	3	7	4	5	7	4
I-1000	9	3	4	3	33	3	16	3	3	7	3	4	4	3
I-1050	7	3	3	2	27	-1	13	2	3	6	3	4	4	3
I-1100	7	3	3	2	23	3	12	3	3	6	-1	4	4	3
I-1150	6	3	3	2	11	3	10	3	3	6	3	3	3	3
I-1200	7	3	3	3	20	3	12	3	3	7	3	4	3	3
I-1250	9	3	3	2	24	3	14	3	3	6	3	4	4	3
I-1250-R	9	3	4	3	26	3	8	3	3	7	3	4	4	3
I-1300	13	3	4	3	33	3	12	3	3	7	3	7	4	3
I-1350	37	4	6	5	127	5	37	5	5	8	6	19	5	5
J-550	18	4	5	4	65	3	31	3	3	8	3	5	4	3
J-600	9	3	3	2	26	3	14	-1	3	7	3	4	4	3
J-650	8	3	3	2	19	3	3	3	3	6	3	4	4	4
J-700	8	3	3	3	23	3	14	3	3	6	3	4	4	3
J-750	10	3	4	2	25	3	11	3	4	7	-1	6	4	3
J-800	12	4	5	3	34	4	14	3	4	7	4	7	4	4
J-850	12	3	4	3	31	3	11	3	3	7	3	6	4	4
J-900	9	3	3	3	22	4	14	3	4	6	3	7	4	5
J-950	17	4	5	3	46	4	16	3	4	7	4	10	4	4
J-1000	11	3	4	3	38	3	15	3	3	7	3	7	4	3
J-1050	7	3	4	2	22	3	10	2	3	6	3	5	4	3
J-1100	8	3	3	2	18	3	11	3	3	6	3	4	4	3
J-1150	10	3	3	3	24	3	11	3	3	7	3	5	4	4
J-1150-R	8	3	3	2	19	3	11	3	3	6	3	4	4	3
J-1200	13	3	4	3	34	3	12	3	3	7	3	6	4	4
J-1250	13	3	4	3	32	4	13	3	4	7	4	6	4	4

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	113-HBA	114-MBI	115-MBI	116-MAR	117-HA	118-MPH	119-HBA	120-THI	121-MPH	122-MPH	123-MPH	124-MBI	125-HAR	126-MPH
J-1300	9	3	4	3	19	4	10	3	3	6	3	-1	4	4
J-1350	20	4	5	4	56	4	17	4	4	8	4	8	5	4
J-1450	9	4	4	2	20	3	9	3	3	6	3	5	4	3
J-1500	14	3	4	3	48	4	15	3	4	7	4	7	4	4
K-750	10	3	4	3	23	3	11	3	4	7	4	5	4	4
K-800	9	3	3	2	22	3	11	3	3	6	3	4	4	3
K-850	8	3	3	2	16	3	11	3	3	6	3	4	4	3
K-900	8	3	3	2	18	3	12	3	3	6	3	-1	3	3
K-1000	26	5	6	5	108	8	24	5	9	9	8	14	5	6
K-1050	41	6	8	6	131	15	41	4	16	9	13	15	6	11
K-1200	8	3	3	3	20	3	13	3	4	7	3	4	4	4
K-1250	13	4	4	3	94	3	13	3	4	7	4	5	4	4
K-1300	32	5	7	6	125	5	29	5	5	9	5	12	6	5
K-1300-R	25	5	6	5	88	5	25	4	4	8	4	9	5	4
K-1350	18	4	4	3	40	4	18	3	4	6	4	7	4	4
K-1400	8	4	4	2	24	3	12	3	-1	7	3	-1	4	4
L-900	19	5	6	5	76	4	19	4	4	7	4	7	5	4
L-950	13	4	5	4	49	4	16	3	4	7	4	7	4	4
L-1000	9	4	4	3	24	4	11	3	4	6	3	5	4	4
L-1050	8	3	3	3	25	3	6	3	3	6	3	4	4	3
L-1100	7	3	3	3	15	3	8	3	3	5	3	4	4	3
M-800	7	3	3	2	14	3	10	3	3	5	3	4	4	3
M-850	24	5	6	4	67	4	25	3	4	7	4	9	4	4
M-900	32	5	7	6	128	4	33	5	4	7	-1	15	5	4
M-950	9	3	4	3	28	3	12	3	3	6	3	4	4	3
M-1000	8	3	3	2	10	-1	6	3	3	6	-1	4	4	3
M-1050	16	4	4	3	46	4	16	3	3	7	3	6	5	4
M-1100	16	4	4	4	60	3	17	4	3	7	3	9	4	3
M-1150	87	10	21	15	741	7	124	10	7	11	1	37	7	6
M-1150-R	78	11	18	13	505	7	94	9	7	10	1	32	7	6
M-1200	12	3	3	3	31	3	16	3	3	6	3	-1	4	4
M-1250	18	4	5	4	61	4	20	4	3	7	4	6	5	4
M-1300	26	5	6	5	96	4	27	4	4	8	4	8	5	4
J-1400	18	4	4	4	57	4	18	3	4	7	4	8	4	4
LMB-QA	9	3	4	3	18	3	8	4	3	16	-1	-1	4	3
LMB-QA	7	3	3	3	14	3	8	3	3	9	3	4	3	3
LMB-QA	6	3	3	2	13	3	8	3	3	7	3	3	3	3
LMB-QA	7	3	3	2	15	3	8	3	3	6	3	3	4	3
LMB-QA	9	3	3	2	15	3	9	3	3	8	3	3	3	3
LMB-QA	7	2	3	2	13	3	7	3	3	6	3	3	3	3
LMB-QA	6	3	3	2	11	3	8	3	3	6	3	4	3	3
LMB-QA	6	2	3	2	11	3	8	3	3	6	3	3	4	3

	.113.-HBA	.114.-MBI	.115.-MBL	.116.-MAR	.117.-HA	.118.-MPH	.119.-HBA	.120.-TFL	.121.-MPH	.122.-MPH	.123.-MPH	.124.-MBI	.125.-HAR	.126.-MPH

	.127 - MPH	.128 - MPH	.129 - HAR	.130 - HAR	.131 - MPH	.132 - ALK	.133 - HAR	.134 - HAR	.135 - MPH	.136 - MPH	.137 - HBI	.138 - HBI	.139 - HPH	.140 - HPH
A-1200	3	3	4	5	4	11	11	30	8	6	3	6	7	6
A-1600	3	3	4	5	4	29	13	35	9	7	5	7	7	7
A-1650	4	3	4	5	4	19	13	37	8	7	5	7	8	7
A-1700	3	3	4	5	4	16	12	34	8	7	5	7	1	6
B-400	3	2	3	4	4	10	10	30	8	6	4	6	7	7
B-400-R	3	3	3	4	3	13	11	32	7	7	4	6	7	6
B-450	3	3	4	4	4	18	12	32	8	7	4	7	8	7
B-500	4	3	3	4	4	24	14	37	8	7	4	7	8	7
B-550	3	3	3	4	4	13	11	29	7	6	4	6	7	7
B-600	3	3	3	4	4	13	11	28	8	7	4	6	7	6
B-650	3	2	3	4	3	13	11	27	8	7	4	6	7	6
B-700	3	3	3	4	4	22	12	32	8	8	5	7	7	6
B-750	3	3	3	4	4	13	10	29	8	6	4	7	7	6
B-800	3	3	3	4	4	15	11	28	7	6	4	6	1	6
B-850	3	3	3	4	4	22	12	30	8	8	5	6	7	6
B-900	3	2	3	4	4	11	10	25	7	7	4	6	1	6
B-950	3	4	3	4	4	17	11	27	8	8	4	6	7	6
B-1000	3	2	3	4	4	11	9	24	7	7	5	6	7	8
B-1050	3	2	3	4	3	9	10	24	7	7	4	6	7	6
B-1100	3	2	3	4	3	11	10	25	8	7	4	6	7	6
B-1150	3	3	3	4	4	18	12	27	8	8	5	7	7	6
B-1150-R	3	3	3	4	4	18	11	27	7	7	5	6	7	6
B-1350	3	3	3	4	4	13	10	26	7	7	4	6	1	5
B-1400	3	3	3	4	4	15	10	23	8	6	4	6	7	6
B-1450	3	3	3	4	4	17	11	25	8	7	5	7	7	6
B-1500	3	2	3	3	4	13	10	23	7	7	4	6	7	6
B-1550	3	3	3	3	4	12	10	23	8	7	4	6	7	6
B-1600	3	3	3	4	4	27	11	26	8	6	4	7	7	6
B-1650	3	3	3	4	4	16	10	23	8	6	4	7	7	6
B-1700	3	3	3	4	3	16	10	22	8	6	5	6	6	6
B-1750	3	2	3	4	4	13	9	21	8	7	4	6	7	6
G-750	3	3	3	3	3	18	10	22	7	7	4	6	2	6
C-800	3	2	3	4	4	16	10	19	7	8	4	6	7	6
C-850	3	2	3	4	4	18	10	21	7	7	5	6	1	6
C-1350	3	3	3	3	3	13	9	19	8	7	4	6	7	6
C-1400	3	3	3	4	4	35	15	30	8	7	5	8	8	7
C-1450	3	3	3	4	4	37	16	28	8	7	5	7	7	6
C-1450-R	3	3	3	4	4	28	12	23	8	7	5	7	7	6
C-1500	3	2	3	3	4	12	9	17	7	6	4	6	6	6
C-1550	3	3	3	4	4	21	12	20	7	7	5	6	1	6
C-1600	3	2	3	3	4	14	10	18	7	7	4	6	1	6
G-2400	3	2	3	3	4	12	9	18	8	6	4	5	7	6
D-800	3	2	3	4	3	14	8	17	8	6	4	7	-1	5
D-850	3	3	3	4	4	24	11	21	7	7	5	7	1	6
D-900	3	3	3	4	4	22	10	21	7	7	4	6	7	6
D-950	3	3	3	4	4	20	11	20	7	6	4	6	1	6
D-1000	3	2	3	4	3	14	9	17	7	6	4	6	6	5
D-1050	3	2	3	4	4	19	10	18	8	7	5	7	7	6
D-1250	3	2	3	3	4	20	10	19	7	6	4	6	7	5
D-1300	3	2	3	4	4	17	10	18	7	7	4	6	6	5
D-1350	3	2	3	4	4	12	9	16	6	6	4	6	6	5
D-1400	3	2	3	4	3	17	10	18	7	7	4	6	7	5
D-1450	3	3	3	4	4	17	10	18	7	6	4	6	7	6
D-1450-R	3	3	3	4	4	22	10	19	8	7	4	6	1	6

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	127-MPH	128-MPH	129-HAR	130-HAR	131-MPH	132-ALK	133-HAR	134-HAR	135-MPH	136-MPH	137-HBI	138-HBI	139-HPH	140-HPH
D-1750	3	3	3	4	3	20	10	19	8	7	4	6	7	6
D-1800	3	2	3	4	4	26	10	20	7	6	5	6	1	6
D-2200	3	2	3	4	4	18	9	16	6	6	4	6	6	5
D-2250	3	2	3	4	3	11	9	16	7	6	4	6	1	5
D-2300	3	3	3	4	4	18	9	17	7	6	4	6	1	5
D-2350	3	3	3	4	3	19	9	18	7	6	4	6	7	6
D-2400	3	2	3	3	3	14	9	16	6	6	4	6	1	6
E-750	3	2	2	3	3	11	8	14	7	6	4	6	6	6
E-800	3	2	3	3	3	26	11	19	7	7	5	7	6	6
E-850	3	2	3	4	4	17	9	17	7	7	4	6	6	6
E-900	3	2	3	4	4	20	10	16	7	6	4	6	-1	5
E-950	3	2	2	3	3	14	8	15	7	6	4	6	6	5
E-1000	3	3	3	4	4	32	12	22	8	8	5	7	1	6
E-1050	3	2	3	3	4	14	8	15	7	6	4	6	7	6
E-1100	3	2	2	3	3	9	8	13	7	6	3	5	7	5
E-1100-R	2	2	3	3	3	9	8	14	7	6	4	5	6	5
E-1300	3	2	3	3	3	15	9	14	7	7	3	6	1	5
E-1350	3	2	3	3	3	15	9	16	7	6	4	6	1	5
E-1400	3	2	3	3	3	11	8	14	6	6	4	5	6	5
E-1450	3	2	3	3	3	15	9	16	7	6	4	6	-1	5
E-1500	3	2	3	3	3	11	9	14	6	6	4	5	1	5
E-1550	2	2	3	3	3	9	7	13	6	6	3	5	6	5
E-1600	3	2	2	3	3	9	8	13	6	6	4	5	7	5
E-1650	3	2	3	3	3	9	7	11	7	5	3	5	6	5
E-1700	2	2	3	3	3	12	8	13	7	6	4	5	6	5
E-1760	3	2	2	3	3	10	8	13	6	5	3	5	7	6
E-1800	3	2	3	4	3	12	8	13	6	6	4	6	6	5
E-1850	3	2	3	3	3	10	8	13	7	6	4	6	6	5
E-1900	3	2	3	3	3	10	8	13	7	6	4	5	6	5
E-1950	3	2	2	3	3	13	8	14	7	6	4	5	-1	5
E-2000	2	2	3	3	4	14	8	13	7	6	3	5	1	5
E-2000-R	3	2	2	3	3	11	8	13	7	5	3	6	6	5
E-2050	3	2	2	3	3	13	9	14	7	7	4	6	6	5
E-2100	3	2	3	3	3	10	8	11	6	5	3	5	6	5
E-2150	2	2	3	3	3	11	7	13	7	6	3	5	6	5
E-2200	2	2	2	3	3	9	7	12	6	6	4	5	6	5
E-2250	3	2	3	3	3	18	9	15	7	7	4	6	6	5
E-2300	3	2	3	3	3	10	8	12	7	6	4	5	6	5
E-2350	2	2	3	3	3	8	7	12	6	5	3	5	6	6
F-700	2	2	2	3	3	10	7	13	6	6	4	5	6	5
F-750	3	2	3	3	3	11	8	12	6	6	4	6	7	5
F-800	3	2	3	3	3	9	7	11	6	6	3	5	1	6
F-850	3	2	2	3	3	9	7	11	6	5	3	5	-1	5
F-900	3	2	3	3	3	12	8	12	7	5	3	6	6	6
F-950	3	2	3	3	3	12	8	11	7	6	3	5	6	6
F-1000	2	2	3	4	3	11	7	11	7	6	4	5	6	5
F-1050	3	2	3	3	3	12	8	12	7	6	4	6	6	5
F-1050-R	3	2	3	3	3	14	8	13	6	6	4	6	7	5
F-1100	3	2	3	3	4	22	9	17	8	6	4	6	7	5
F-1150	3	2	3	3	3	22	10	15	7	6	4	6	6	6
F-1200	3	2	3	3	3	12	8	12	7	6	4	5	-1	5
F-1250	3	2	3	4	4	15	8	13	7	7	4	6	7	6
F-1300	3	2	3	3	3	8	8	11	6	6	4	5	6	5
F-1350	3	2	3	4	3	13	7	13	7	6	4	6	6	5

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	127-MPH	128-MPH	129-HAR	130-HAR	131-MPH	132-ALK	133-HAR	134-HAR	135-MPH	136-MPH	137-HBI	138-HBI	139-HPH	140-HPH
F-1400	3	2	3	4	3	19	9	15	7	7	4	6	7	5
F-1450	3	2	3	3	3	26	10	10	7	6	4	6	6	6
F-1500	3	2	2	3	3	9	7	11	7	6	4	5	6	5
F-1550	3	2	2	3	3	8	7	11	7	6	3	5	7	5
F-1600	3	2	3	3	3	10	7	11	6	6	4	5	6	5
F-1650	3	2	3	3	3	9	7	11	7	6	4	6	6	5
F-1700	3	2	2	3	3	13	7	12	7	5	3	5	-1	5
F-1750	3	2	3	3	3	13	8	12	7	6	4	5	6	5
F-1800	3	2	3	3	3	14	8	14	7	6	4	6	2	5
F-1800-R	3	2	3	3	3	13	8	12	7	7	4	6	7	5
F-1850	3	2	3	3	3	8	7	10	7	5	3	5	6	6
F-1900	3	2	3	4	3	16	8	12	7	6	4	6	1	5
F-1950	3	2	3	3	3	12	8	11	7	6	3	5	6	5
G-600	3	2	2	3	3	9	7	11	6	6	4	5	6	5
G-650	3	2	3	3	3	13	7	12	7	6	4	6	7	5
G-700	3	2	2	3	3	11	8	12	6	6	4	5	6	5
G-750	3	2	3	4	3	12	8	13	7	5	4	6	6	6
G-800	2	2	2	3	3	9	8	11	7	9	6	11	5	6
G-850	3	3	3	4	4	17	9	14	7	6	4	6	7	6
G-900	3	2	3	3	3	13	8	11	7	6	4	6	7	5
G-950	3	2	3	4	3	17	9	13	7	6	4	5	6	6
G-1000	3	2	2	3	3	13	8	11	7	6	3	5	7	5
G-1050	3	2	3	4	3	12	8	12	7	7	4	6	7	5
G-1100	4	2	3	4	4	11	7	12	7	8	4	6	1	5
G-1150	3	2	3	3	3	9	8	11	6	6	4	5	6	5
G-1150-R	3	2	2	3	3	7	7	11	6	5	3	5	6	5
G-1200	3	2	3	3	3	10	7	11	7	5	4	5	6	5
G-1250	3	2	2	3	3	8	7	11	7	5	4	6	6	5
G-1300	3	2	3	3	3	8	7	12	6	5	3	5	7	6
G-1350	3	2	3	3	3	8	7	11	7	6	4	5	6	5
G-1400	3	2	2	3	3	8	7	12	6	6	4	5	6	5
G-1450	3	2	3	3	3	15	8	13	6	5	6	6	6	6
G-1500	2	2	2	3	3	13	8	12	7	7	4	6	6	5
G-1550	3	2	2	3	3	11	7	11	7	5	4	5	6	5
G-1600	3	2	2	3	3	10	8	11	6	6	4	6	6	5
G-1650	3	2	3	3	3	9	8	11	6	6	3	5	6	5
G-1700	4	2	5	5	4	12	8	12	8	7	3	5	7	5
G-1750	3	2	3	4	3	10	8	12	6	6	4	5	6	5
G-1800	3	2	3	4	3	12	9	13	7	7	4	6	6	6
G-1900	3	2	2	3	3	9	7	12	6	6	4	5	6	1
G-1950	3	2	2	3	3	10	8	11	6	6	4	5	-1	5
G-1950-R	3	2	2	3	3	11	7	12	7	5	3	5	6	6
G-2000	3	2	2	3	3	7	8	12	6	7	5	4	6	5
H-550	3	2	2	3	3	12	8	13	7	6	4	6	-1	5
H-600	3	2	3	4	4	25	9	15	7	7	4	6	6	6
H-650	3	2	3	4	4	21	10	15	7	6	4	6	6	5
H-700	2	2	3	3	3	11	7	13	7	6	4	5	6	5
H-750	3	2	3	4	4	21	9	15	7	7	4	6	7	6
H-800	3	2	3	4	3	9	8	12	7	6	4	5	-1	6
H-850	2	2	3	4	3	8	7	11	6	6	4	5	6	5
H-900	3	2	3	3	3	11	7	12	6	5	4	5	6	5
H-950	3	2	3	3	3	14	9	13	6	6	4	5	6	5
H-1000	3	2	3	4	3	18	9	14	7	6	4	6	6	5
H-1050	3	2	3	3	3	17	9	14	6	7	4	5	1	5

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	127-MPH	128-MPH	129-HAR	130-HAR	131-MPH	132-ALK	133-HAR	134-HAR	135-MPH	136-MPH	137-HBI	138-HBI	139-HPH	140-HPH
H-1100	3	2	2	3	3	9	7	11	7	6	3	5	6	6
H-1150	3	2	3	3	3	8	7	10	7	6	3	5	6	5
H-1200	3	2	3	4	3	20	10	16	7	6	4	6	6	5
H-1200-R	3	2	3	3	3	16	8	12	7	7	4	6	7	5
H-1250	3	2	3	3	3	16	8	13	7	6	4	6	-1	6
H-1300	3	2	2	3	3	10	7	12	7	6	4	5	6	5
H-1350	3	2	2	3	3	8	7	10	7	6	4	5	6	5
H-1400	3	2	3	3	4	11	8	12	7	6	3	5	7	6
H-1450	3	2	3	3	4	17	9	14	8	7	4	6	7	6
H-1500	3	2	2	3	3	9	8	12	6	6	4	5	6	5
H-1550	3	2	3	3	4	15	9	13	7	7	4	6	1	5
H-1600	3	2	3	4	4	21	10	14	8	7	4	5	7	5
H-1750	3	2	3	4	3	9	8	12	7	6	3	5	6	6
H-1800	2	2	3	3	3	8	7	11	6	6	4	5	1	5
H-1850	3	2	2	3	3	11	7	13	7	6	4	6	6	5
H-1900	2	2	3	3	3	9	7	10	7	6	4	5	6	5
H-1950	3	2	3	3	3	9	7	11	6	6	4	5	6	5
H-2000	3	2	2	3	4	16	9	13	7	6	4	6	6	5
I-500	3	3	3	4	4	30	12	17	8	6	5	7	1	6
I-500-R	3	2	3	4	4	23	8	15	7	7	5	6	7	5
I-550	3	2	3	3	4	17	9	14	7	7	4	6	7	6
I-600	3	2	3	4	4	22	10	14	7	6	4	6	6	6
I-650	3	2	3	4	3	13	8	12	7	6	4	6	6	5
I-700	3	2	2	3	3	13	8	12	7	7	4	6	1	5
I-750	3	2	3	4	3	19	9	14	7	6	4	6	6	5
I-800	2	2	3	3	3	10	7	10	7	7	3	5	6	5
I-850	3	2	3	3	3	9	7	11	7	6	4	5	6	5
I-900	3	2	2	3	3	9	7	10	6	5	4	5	-1	5
I-950	3	2	3	3	3	10	7	10	8	6	4	5	6	5
I-1000	2	2	3	3	3	9	7	10	6	6	4	5	6	5
I-1050	2	2	3	3	3	8	7	10	6	6	3	5	6	6
I-1100	3	2	2	3	3	8	7	10	6	6	3	5	6	6
I-1150	2	2	3	3	3	6	7	10	6	6	4	5	1	5
I-1200	3	2	2	3	3	8	7	10	6	5	3	5	-1	5
I-1250	3	2	2	3	3	11	8	11	7	7	4	6	6	5
I-1250-R	3	2	3	3	3	11	7	11	7	6	4	5	7	5
I-1300	3	2	2	3	3	14	8	12	7	6	4	5	6	5
I-1350	3	2	3	4	4	32	11	17	8	8	4	6	7	6
J-550	3	2	3	4	3	20	9	14	7	6	4	6	6	5
J-600	2	2	2	3	3	10	7	11	7	6	4	5	6	5
J-650	3	2	2	3	3	8	7	11	6	6	4	5	6	5
J-700	3	2	3	3	3	10	7	11	7	6	3	6	6	5
J-750	3	2	3	3	3	12	7	12	7	6	3	5	6	5
J-800	3	2	3	3	3	15	8	14	7	6	3	5	6	5
J-850	3	2	2	3	3	13	8	13	7	6	4	5	6	5
J-900	3	2	3	4	3	11	8	13	6	6	3	5	6	6
J-950	3	2	3	4	3	17	8	14	7	7	4	6	7	5
J-1000	3	2	3	3	3	13	8	13	7	6	3	5	6	5
J-1050	2	2	3	3	3	9	7	12	6	6	4	5	6	5
J-1100	3	2	2	3	3	8	7	12	6	5	3	5	6	6
J-1150	3	2	2	3	3	11	7	11	7	6	4	5	6	5
J-1150-R	3	2	2	3	3	19	7	11	7	6	4	6	6	5
J-1200	3	2	2	3	3	16	7	13	7	6	4	6	6	5
J-1250	3	2	3	3	4	15	9	13	7	7	4	6	6	5

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	127-MPH	128-MPH	129-HAR	130-HAR	131-MPH	132-ALK	133-HAR	134-HAR	135-MPH	136-MPH	137-HBI	138-HBI	139-HPH	140-HPH
J-1300	3	2	2	4	4	10	7	11	7	5	4	6	7	6
J-1350	3	2	3	3	4	22	8	14	7	7	4	6	7	6
J-1450	3	2	2	3	3	10	7	11	6	6	4	5	6	6
J-1500	3	2	3	4	3	17	8	13	7	6	3	6	6	6
K-750	3	2	3	3	3	11	8	12	7	6	4	6	1	6
K-800	3	2	3	3	3	9	7	11	7	6	3	6	1	5
K-850	2	2	3	3	3	8	7	10	7	6	3	5	6	5
K-900	3	2	3	3	3	11	8	11	7	6	4	6	1	5
K-1000	3	3	3	4	4	30	10	16	8	7	5	7	7	6
K-1050	4	3	3	4	5	39	11	20	9	9	6	8	8	6
K-1200	3	2	3	3	3	9	8	10	7	6	4	5	-1	5
K-1250	3	2	3	4	3	13	8	11	7	6	4	5	6	6
K-1300	3	3	3	4	4	38	12	22	8	7	5	8	1	6
K-1300-R	3	2	3	4	4	30	11	17	7	7	5	7	1	6
K-1350	3	2	3	3	3	18	8	12	7	7	5	6	1	5
K-1400	3	2	3	3	3	10	7	10	7	7	4	6	6	5
L-900	3	2	3	3	4	25	10	15	7	6	4	6	7	6
L-950	3	2	3	3	4	17	8	12	7	7	4	6	7	8
L-1000	3	2	3	3	3	12	8	11	7	6	4	6	7	6
L-1050	3	2	3	3	3	9	7	9	6	5	3	5	6	5
L-1100	3	2	3	3	3	8	7	10	6	6	4	5	6	5
M-800	3	2	3	3	3	8	8	9	6	6	3	5	6	5
M-850	3	2	3	4	3	27	9	14	7	7	4	6	6	5
M-900	3	2	3	4	4	35	11	19	8	8	5	7	6	6
M-950	3	2	2	4	3	9	7	10	6	6	3	6	6	6
M-1000	3	2	3	3	3	9	7	10	7	5	3	5	6	5
M-1050	3	2	3	3	3	17	8	13	7	7	4	6	6	5
M-1100	3	2	3	4	4	22	9	13	7	7	4	6	7	5
M-1150	4	3	4	5	7	127	30	39	15	16	11	15	8	8
M-1150-R	5	3	4	5	7	89	23	32	13	14	9	13	1	8
M-1200	3	2	3	4	3	12	8	10	7	5	4	6	7	5
M-1250	3	2	3	4	4	21	8	13	7	7	5	6	7	5
M-1300	3	3	3	4	4	31	10	18	8	7	5	7	7	6
J-1400	3	2	3	3	4	22	9	12	7	8	4	6	-1	6
LMB-QA	3	3	3	4	4	9	11	30	7	6	3	5	7	6
LMB-QA	3	2	3	3	3	8	8	15	7	6	4	5	7	5
LMB-QA	2	2	2	3	3	8	7	12	7	6	4	5	6	5
LMB-QA	3	2	3	3	3	8	7	11	6	6	4	5	6	5
LMB-QA	3	2	3	3	3	8	7	11	7	6	3	5	6	6
LMB-QA	2	2	2	3	3	7	7	10	6	6	4	5	6	5
LMB-QA	2	2	2	3	3	7	7	9	7	6	4	5	6	5
LMB-QA	2	2	2	3	3	8	7	9	6	5	4	5	6	5

	.127 - MPH	.128 - MPH	.129 - HAR	.130 - HAR	.131 - MPH	.132 - ALK	.133 - HAR	.134 - HAR	.135 - MPH	.136 - MPH	.137 - HBI	.138 - HBI	.139 - HPH	.140 - HPH
--	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------

--

	141-HBI	142-HPH	143-HA	144-HBI	145-HBA	146-HPH	147-HBI	148-HPH	149-HBI	150-HPH	151-HBI	152-HPH	153-HPH	154-HPH
A-1200	6	8	32	8	23	2	5	6	1	7	6	2	11	11
A-1600	7	8	54	8	42	13	5	6	9	8	7	9	13	12
A-1650	7	8	52	9	42	2	5	6	8	8	7	9	12	12
A-1700	7	8	49	9	33	13	5	6	8	11	7	1	11	11
B-400	7	8	36	7	24	1	5	6	8	7	6	9	11	2
B-400-R	6	1	44	8	29	2	5	6	1	1	7	1	10	11
B-450	7	1	62	9	39	2	5	6	8	8	7	2	11	11
B-500	8	8	79	10	51	13	8	6	8	8	7	1	12	12
B-550	6	1	46	8	30	2	5	6	7	7	7	9	11	11
B-600	6	1	45	8	30	2	5	6	7	1	6	1	11	11
B-650	7	8	49	9	33	1	5	6	8	7	1	2	14	12
B-700	7	8	71	9	48	1	5	6	1	7	7	2	12	12
B-750	7	8	46	9	32	2	5	6	8	7	6	8	11	11
B-800	7	9	44	9	34	13	5	6	8	8	7	9	2	12
B-850	7	7	86	10	49	3	6	6	1	8	7	9	12	2
B-900	6	7	39	8	21	12	5	6	8	7	7	9	11	2
B-950	7	8	75	9	45	13	5	6	8	7	7	9	12	1
B-1000	6	7	45	8	24	11	4	5	8	11	7	9	11	2
B-1050	6	1	30	7	20	2	5	6	8	7	6	1	10	11
B-1100	6	8	39	8	24	3	5	6	8	7	7	9	12	11
B-1150	7	7	60	8	33	3	5	6	8	7	7	2	11	11
B-1150-R	7	7	57	9	39	12	5	6	8	8	7	9	12	12
B-1350	6	8	35	8	29	3	5	6	7	1	6	9	12	11
B-1400	6	7	41	8	27	2	5	6	8	8	6	2	11	11
B-1450	7	8	56	9	39	12	6	6	1	8	7	2	11	11
B-1500	7	8	41	8	29	2	5	6	7	1	7	1	2	11
B-1550	6	7	39	8	28	12	5	5	8	7	6	1	11	10
B-1600	8	8	118	10	68	3	6	6	9	7	7	9	13	11
B-1650	7	1	52	8	37	2	5	6	8	7	6	8	11	2
B-1700	6	7	54	8	33	11	5	6	8	7	7	9	11	11
B-1750	6	7	33	7	30	2	5	6	7	1	6	8	11	11
G-750	7	8	56	9	39	12	5	6	8	7	6	2	12	10
C-800	6	7	52	8	37	12	5	6	7	7	6	1	12	2
C-850	7	8	50	8	36	12	5	6	8	7	6	2	11	10
C-1350	6	8	36	8	28	12	5	6	8	1	6	9	12	10
C-1400	8	7	143	11	90	1	6	6	9	7	7	9	11	12
C-1450	7	8	153	12	84	13	6	6	9	8	7	9	11	11
C-1450-R	7	7	96	10	63	12	6	5	8	7	6	2	11	11
C-1500	6	7	41	8	27	12	5	6	7	8	6	2	11	11
C-1550	6	7	65	8	44	12	5	6	8	1	7	9	12	11
C-1600	6	7	42	8	27	2	5	6	8	7	6	9	10	10
G-2400	7	8	37	7	26	1	5	6	1	7	6	2	11	11
D-800	6	6	49	8	30	3	5	6	7	7	7	2	10	11
D-850	7	7	90	9	56	12	5	6	8	7	7	2	12	11
D-900	7	8	77	9	53	12	5	6	7	7	7	9	13	2
D-950	6	7	88	9	52	1	6	6	8	7	6	8	12	11
D-1000	6	1	50	8	34	2	5	5	8	7	6	8	10	2
D-1050	6	6	72	8	45	11	5	6	1	7	6	1	10	11
D-1250	6	7	84	9	49	11	5	6	7	7	6	8	10	10
D-1300	6	7	60	8	42	11	5	6	2	6	6	2	10	11
D-1350	5	6	31	7	22	11	5	5	7	7	6	8	2	2
D-1400	6	7	56	8	40	2	5	6	8	7	6	1	12	10
D-1450	6	7	57	8	39	3	5	6	7	7	6	2	11	11
D-1450-R	6	7	66	8	53	1	5	6	8	7	6	8	11	11

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	141-HBI	142-HPH	143-HA	144-HBI	145-HBA	146-HPH	147-HBI	148-HPH	149-HBI	150-HPH	151-HBI	152-HPH	153-HPH	154-HPH
D-1750	6	7	71	8	59	2	5	6	7	7	6	8	11	11
D-1800	6	8	101	9	67	3	5	5	7	7	6	8	11	10
D-2200	6	7	55	8	52	11	5	5	7	7	6	8	11	10
D-2250	6	1	29	7	25	1	5	5	1	6	6	8	1	10
D-2300	6	7	52	8	42	11	5	6	7	1	6	2	10	10
D-2350	7	7	64	8	54	2	5	5	8	7	6	1	10	10
D-2400	6	6	39	7	35	2	4	5	7	7	6	2	10	10
E-750	6	1	30	7	32	2	5	5	7	6	6	1	10	10
E-800	6	7	114	9	70	11	5	6	8	7	6	8	11	1
E-850	6	7	52	7	37	2	5	6	7	7	6	8	11	10
E-900	6	-1	67	8	64	2	5	5	7	7	6	1	10	10
E-950	5	6	40	7	90	1	4	5	1	7	6	8	10	1
E-1000	7	8	117	9	81	1	5	5	1	7	6	2	12	10
E-1050	6	-1	40	7	44	1	4	5	6	6	6	8	10	11
E-1100	5	-1	29	6	19	1	4	5	-1	1	6	8	10	10
E-1100-R	-5	6	31	7	18	10	4	5	7	6	6	8	9	10
E-1300	6	7	42	7	45	10	4	6	6	6	6	8	10	10
E-1350	6	6	49	7	33	-1	7	4	5	7	6	8	10	10
E-1400	5	-1	29	7	24	1	4	5	7	6	6	1	9	10
E-1450	6	7	44	7	36	10	5	5	7	6	6	8	10	2
E-1500	6	-1	36	7	26	1	4	5	6	6	6	1	11	10
E-1550	5	6	29	7	18	1	4	5	7	6	6	2	10	-1
E-1600	5	1	28	7	14	2	4	5	7	7	6	8	10	10
E-1650	6	7	23	6	22	10	4	5	6	6	5	8	10	10
E-1700	5	6	36	6	28	10	4	5	6	6	6	2	10	10
E-1760	-5	1	25	6	29	2	5	6	1	6	5	8	10	10
E-1800	6	6	38	7	30	1	4	5	6	1	6	8	11	10
E-1850	5	1	26	7	24	2	4	6	8	7	5	8	10	10
E-1900	5	6	28	6	24	2	4	6	7	1	6	2	9	10
E-1950	5	1	38	6	27	2	4	6	7	6	6	2	10	10
E-2000	5	1	35	7	35	1	5	5	7	7	6	8	10	2
E-2000-R	6	7	30	7	27	-1	4	6	7	6	6	2	11	10
E-2050	5	6	35	8	32	-1	4	5	7	6	6	-1	9	10
E-2100	-5	7	30	6	22	2	4	5	6	7	6	1	9	10
E-2150	6	7	29	7	24	1	4	5	6	7	6	1	9	10
E-2200	-5	7	23	6	20	2	4	5	1	6	6	-1	10	2
E-2250	6	6	67	7	41	11	5	5	7	7	6	1	10	2
E-2300	5	7	32	7	25	11	4	5	7	1	6	8	2	2
E-2350	6	-1	23	7	21	1	4	5	6	7	6	8	9	1
F-700	5	6	29	7	23	2	4	5	7	6	6	1	10	10
F-750	6	-1	33	8	29	1	5	5	7	6	6	8	10	10
F-800	6	7	25	7	20	-1	4	5	1	7	6	8	11	2
F-850	5	7	27	6	24	2	4	5	6	6	5	7	9	10
F-900	6	6	34	7	28	2	5	5	7	7	5	8	10	10
F-950	6	6	29	7	23	2	4	5	7	6	6	8	10	2
F-1000	5	6	28	6	22	2	4	6	7	6	6	8	11	11
F-1050	5	1	43	7	24	1	5	5	7	-1	6	1	10	10
F-1050-R	-5	1	56	8	32	2	4	5	7	7	6	8	10	1
F-1100	7	1	74	9	52	1	5	6	1	1	6	1	10	10
F-1150	6	7	98	8	51	11	5	6	2	7	6	2	10	10
F-1200	6	7	32	7	24	2	4	5	7	6	6	1	10	10
F-1250	6	7	51	8	34	2	4	5	7	7	6	-1	11	10
F-1300	4	6	24	7	15	3	4	5	6	6	6	8	10	10
F-1350	5	1	36	7	33	2	5	6	7	6	6	8	11	10

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	141-HBI	142-HPH	143-HA	144-HBI	145-HBA	146-HPH	147-HBI	148-HPH	149-HBI	150-HPH	151-HBI	152-HPH	153-HPH	154-HPH
F-1400	6	1	68	8	41	2	5	5	7	7	6	8	10	10
F-1450	7	7	93	9	58	11	5	6	7	1	7	8	11	10
F-1500	6	6	32	6	18	1	4	6	7	6	8	10	10	10
F-1550	5	1	24	6	15	2	4	5	6	6	1	10	10	2
F-1600	5	6	31	7	23	2	5	5	1	7	6	2	9	2
F-1650	5	6	31	7	21	3	4	5	7	6	6	8	10	9
F-1700	6	6	50	7	28	10	4	5	6	1	6	8	9	10
F-1750	6	7	38	7	27	10	4	5	7	6	6	8	11	10
F-1800	6	7	39	7	32	2	4	5	7	1	6	1	10	11
F-1800-R	6	6	36	7	31	2	4	5	7	6	6	8	10	10
F-1850	6	6	23	6	14	10	4	5	6	6	5	8	10	2
F-1900	6	7	58	7	44	11	5	6	7	6	6	8	10	10
F-1950	6	-1	38	7	29	1	4	5	7	7	6	2	9	10
G-600	5	6	32	7	18	10	4	5	7	6	6	1	10	10
G-650	5	6	46	7	28	3	4	5	7	1	6	-1	10	1
G-700	5	7	31	6	26	-2	4	5	6	6	6	1	10	2
G-750	6	7	37	7	29	-1	4	5	7	7	6	1	10	11
G-800	5	6	28	6	19	2	4	5	7	6	6	7	9	11
G-850	6	8	55	8	37	11	5	6	7	6	6	8	11	11
G-900	6	7	41	7	31	3	4	6	6	1	6	8	10	1
G-950	6	7	59	7	29	11	4	5	7	6	6	8	2	10
G-1000	6	-1	32	7	53	1	4	5	7	6	6	1	10	-2
G-1050	5	-1	37	7	28	1	4	6	7	7	6	8	11	11
G-1100	6	9	29	8	20	13	5	6	7	7	6	2	13	12
G-1150	5	6	30	7	16	11	7	5	1	7	6	8	10	10
G-1150-R	5	7	25	7	17	2	4	5	7	7	6	1	10	10
G-1200	5	6	27	7	21	2	4	5	1	-1	5	1	10	10
G-1250	5	8	21	8	16	2	4	5	6	7	6	1	9	2
G-1300	5	7	21	6	16	1	4	5	6	1	6	8	10	2
G-1350	5	6	24	7	18	2	4	5	1	7	6	8	10	10
G-1400	5	6	22	7	15	2	4	5	7	6	6	1	9	10
G-1450	6	7	55	8	83	11	4	5	7	6	6	-1	10	10
G-1500	6	6	34	7	28	2	4	5	6	1	6	8	1	10
G-1550	5	7	33	7	28	2	4	5	7	6	6	2	10	10
G-1600	5	7	32	6	24	10	4	5	6	7	6	1	10	10
G-1650	5	7	24	7	18	2	4	5	6	6	5	7	1	2
G-1700	6	7	31	7	23	11	5	6	1	1	6	8	10	11
G-1750	5	-1	30	7	20	1	4	5	1	7	6	2	10	10
G-1800	6	6	31	7	28	2	4	5	7	7	6	8	10	10
G-1900	6	6	20	8	19	3	4	6	7	7	6	8	9	10
G-1950	5	6	37	7	23	1	4	5	7	-1	6	8	10	10
G-1950-R	6	-1	41	7	26	2	4	5	7	7	6	1	10	10
G-2000	5	6	18	6	15	2	4	5	6	6	6	7	10	10
H-550	6	6	38	7	42	10	4	6	6	-1	6	8	10	10
H-600	-1	7	63	8	61	2	5	5	7	6	6	8	12	2
H-650	6	7	82	8	61	11	5	5	1	6	6	2	10	10
H-700	5	6	15	6	28	2	4	5	7	7	6	8	10	10
H-750	6	7	63	8	61	11	5	6	7	7	6	2	12	11
H-800	6	7	28	7	19	2	4	5	6	6	6	2	10	10
H-850	5	7	23	7	17	2	4	5	2	1	5	2	10	9
H-900	5	7	28	7	25	1	4	-1	6	6	6	1	10	10
H-950	6	6	34	7	25	2	4	5	1	6	6	8	10	10
H-1000	6	7	64	7	46	12	5	6	1	6	6	8	10	11
H-1050	5	7	44	7	42	11	4	5	6	6	6	2	10	10

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	141-HBI	142-HPH	143-HA	144-HBI	145-HBA	146-HPH	147-HBI	148-HPH	149-HBI	150-HPH	151-HBI	152-HPH	153-HPH	154-HPH
H-1100	6	7	23	6	20	1	4	6	6	6	6	8	10	10
H-1150	6	7	23	7	15	-1	4	5	7	-1	6	8	10	10
H-1200	6	7	87	8	59	-1	5	6	7	7	6	2	11	1
H-1200-R	6	1	62	8	44	1	5	5	7	6	6	1	11	10
H-1250	6	7	53	8	54	11	5	5	7	6	6	8	10	10
H-1300	5	7	24	6	25	2	4	5	6	1	6	8	11	10
H-1350	5	6	21	6	18	2	4	5	1	7	6	1	9	2
H-1400	6	1	31	7	30	2	4	6	7	-1	6	8	10	11
H-1450	6	8	62	8	40	12	5	6	7	7	6	1	11	10
H-1500	5	6	29	7	18	-4	4	5	-1	6	6	1	9	10
H-1550	5	-1	47	7	32	1	5	6	7	7	6	2	12	2
H-1600	6	8	131	9	51	1	5	6	7	1	6	8	1	10
H-1750	6	7	28	1	19	2	5	5	1	6	6	1	10	2
H-1800	5	6	26	6	20	11	4	5	7	1	6	8	1	10
H-1850	5	6	38	7	22	3	4	5	6	7	5	1	1	10
H-1900	5	6	23	6	15	-1	4	5	7	6	6	7	9	10
H-1950	5	-1	26	7	19	1	4	5	7	7	6	8	10	10
H-2000	5	7	53	7	39	3	4	5	7	7	5	1	11	10
I-500	7	8	177	10	70	13	6	6	1	1	7	4	15	11
I-500-R	6	7	83	8	72	1	5	6	7	7	6	5	12	11
I-550	6	1	54	8	36	2	5	5	7	1	5	1	12	10
I-600	6	7	70	8	45	19	5	6	7	7	6	1	12	11
I-650	5	7	48	7	26	10	4	5	7	-1	6	8	10	10
I-700	5	7	42	7	28	1	4	5	6	6	6	8	11	10
I-750	6	1	62	8	42	2	5	6	1	7	6	8	10	10
I-800	5	6	33	7	23	2	4	5	7	7	6	2	9	10
I-850	6	6	27	7	20	10	4	5	7	6	6	1	9	2
I-900	5	8	27	7	15	1	4	5	7	7	6	1	9	10
I-950	6	7	28	7	19	11	4	5	7	7	6	8	10	10
I-1000	5	1	27	6	19	1	4	5	6	7	6	8	10	10
I-1050	5	7	23	6	18	10	4	5	1	-1	5	-1	10	10
I-1100	6	6	22	6	15	2	4	5	6	6	6	1	9	10
I-1150	5	1	19	6	15	1	4	5	6	6	5	7	10	10
I-1200	6	-1	24	6	15	-1	4	5	6	6	6	2	9	10
I-1250	5	6	30	7	26	-1	4	6	6	6	5	1	10	10
I-1250-R	5	7	34	7	24	-1	4	5	7	7	6	-1	10	10
I-1300	5	6	45	7	32	2	4	5	1	7	6	8	9	10
I-1350	6	7	106	9	75	1	5	5	7	6	6	5	14	10
J-550	6	7	55	8	57	2	4	5	6	7	6	8	10	11
J-600	5	1	33	8	26	1	4	5	6	7	5	8	9	2
J-650	5	6	23	7	18	10	4	5	1	-1	5	1	9	10
J-700	5	7	30	7	29	2	4	5	6	6	5	8	10	9
J-750	5	6	29	7	28	10	4	5	7	7	5	9	14	2
J-800	5	6	38	7	32	1	4	5	7	7	6	9	14	11
J-850	-1	6	39	7	33	1	4	5	-1	7	6	8	9	10
J-900	5	1	31	7	25	2	4	5	7	6	5	8	11	10
J-950	6	7	58	7	41	1	4	5	1	7	6	8	11	10
J-1000	5	6	39	7	31	10	4	5	6	6	6	8	10	10
J-1050	5	6	28	6	21	3	4	5	7	-1	6	8	10	2
J-1100	5	6	24	7	16	2	4	5	7	6	5	7	10	2
J-1150	5	6	31	7	29	10	4	5	7	-1	5	2	10	10
J-1150-R	5	6	26	7	27	1	4	5	-1	7	6	-1	1	10
J-1200	6	7	46	7	29	2	4	5	7	7	6	8	10	11
J-1250	6	7	41	7	37	10	5	6	7	7	6	2	11	11

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	141-HBI	142-HPH	143-HA	144-HBI	145-HBA	146-HPH	147-HBI	148-HPH	149-HBI	150-HPH	151-HBI	152-HPH	153-HPH	154-HPH
J-1300	6	1	31	7	26	2	4	6	7	6	6	1	10	11
J-1350	6	7	73	8	50	2	5	5	7	6	6	1	10	2
J-1450	6	7	33	7	23	11	5	5	7	5	5	2	11	10
J-1500	6	1	53	7	52	2	5	5	7	6	6	8	10	2
K-750	6	6	37	7	30	2	4	6	7	1	6	8	10	2
K-800	5	7	25	7	17	2	4	5	6	6	1	1	10	10
K-850	5	-1	24	7	18	1	4	5	1	6	5	8	10	2
K-900	5	6	14	7	32	3	4	5	7	7	6	1	9	10
K-1000	6	7	125	9	75	1	5	6	8	7	6	9	12	11
K-1050	7	-1	124	10	103	2	6	6	8	7	6	5	17	12
K-1200	5	7	26	7	18	2	4	5	1	1	6	8	11	11
K-1250	6	6	40	7	40	3	4	5	-1	7	6	8	10	10
K-1300	7	8	162	10	88	13	6	6	9	7	7	8	11	2
K-1300-R	7	8	105	9	78	12	5	6	8	7	6	1	11	11
K-1350	6	7	49	7	51	1	5	5	1	7	6	2	10	10
K-1400	6	6	27	6	18	2	4	6	1	7	6	2	10	10
L-900	7	8	99	9	51	11	5	6	7	7	7	2	11	11
L-950	6	7	80	7	41	11	5	5	1	7	6	2	10	2
L-1000	6	7	36	7	26	-1	5	6	7	-1	6	8	10	10
L-1050	5	7	26	7	18	10	4	5	-1	6	6	1	10	10
L-1100	5	1	23	7	15	2	4	5	7	-1	6	8	9	2
M-800	6	7	22	7	17	10	4	5	7	7	6	8	10	10
M-850	6	7	69	8	81	2	5	5	7	7	6	8	10	10
M-900	7	7	166	10	99	12	5	6	8	7	6	1	11	10
M-950	5	6	25	7	19	-1	4	5	6	6	6	1	10	10
M-1000	6	7	26	7	10	11	4	6	7	7	6	8	10	10
M-1050	6	7	63	8	42	2	5	5	1	7	6	1	10	10
M-1100	6	7	100	9	52	11	5	5	7	7	6	1	9	10
M-1150	15	18	1750	32	414	24	13	7	17	9	15	12	17	12
M-1150-R	14	14	1230	26	321	22	12	7	3	8	13	1	15	12
M-1200	6	6	49	7	26	2	4	5	7	7	6	8	2	10
M-1250	6	8	65	8	43	1	5	6	7	7	6	2	11	11
M-1300	7	8	135	9	77	12	6	6	7	7	6	2	11	11
J-1400	6	8	70	8	52	11	5	8	7	7	6	5	14	1
LMB-QA	6	7	26	7	27	2	5	5	7	7	6	8	11	1
LMB-QA	6	7	19	6	23	10	4	5	6	6	5	1	9	11
LMB-QA	5	7	19	7	20	2	4	5	6	6	5	8	10	10
LMB-QA	5	6	13	6	14	10	4	5	6	7	6	8	9	2
LMB-QA	5	7	22	8	19	1	4	5	6	6	5	8	10	10
LMB-QA	5	7	18	7	21	2	5	5	6	6	6	8	2	10
LMB-QA	5	6	21	6	19	2	4	5	6	1	6	1	2	10
LMB-QA	5	6	19	6	18	10	4	5	6	6	6	1	9	10

	.141-HBI	.142-HPH	.143-HA	.144-HBI	.145-HBA	.146-HPH	.147-HBI	.148-HPH	.149-HBI	.150-HPH	.151-HBI	.152-HPH	.153-HPH	.154-HPH
--	----------	----------	---------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

	.155-HPH	.156-HBI	.157-HAR	.158-HBA	.159-HBA	.160-HBI	.161-HA	.162-HPH
A-1200	11	10	10	26	12	12	4	2
A-1690	11	10	10	30	12	12	41	19
A-1650	12	11	10	31	12	13	41	2
A-1700	12	10	11	31	13	2	42	3
B-400	11	9	10	28	12	11	38	2
B-400-R	12	10	10	31	12	13	40	12
B-450	12	10	11	34	12	12	45	12
B-500	11	11	11	35	13	2	43	13
B-550	11	10	10	28	2	2	42	12
B-600	12	9	10	24	12	13	32	13
B-650	11	10	10	31	12	1	38	13
B-700	11	40	10	32	2	12	41	12
B-750	12	10	10	27	12	12	39	13
B-800	11	10	10	30	12	12	6	12
B-850	12	10	10	37	13	2	48	13
B-900	12	10	10	27	13	13	38	12
B-950	12	10	10	33	13	13	68	12
B-1000	12	10	10	29	12	12	127	13
B-1050	11	10	10	24	12	13	35	11
B-1100	11	9	10	26	12	12	36	3
B-1150	11	10	10	29	13	3	38	12
B-1150-R	12	40	10	29	12	2	35	13
B-1350	11	9	10	25	12	12	29	12
B-1400	11	10	10	28	11	11	34	2
B-1450	11	10	10	31	1	13	41	2
B-1500	11	10	9	25	12	12	19	2
B-1550	11	9	10	26	12	12	16	12
B-1600	11	9	10	40	12	12	59	12
B-1650	11	9	9	28	12	12	36	12
B-1700	11	9	9	28	12	13	38	12
B-1750	11	10	10	26	12	12	32	1
C-750	11	9	10	33	2	11	42	12
C-800	10	9	10	27	11	12	34	11
C-850	11	9	9	27	11	11	34	2
C-1350	10	8	9	24	12	12	13	2
C-1400	11	10	10	45	13	13	56	12
C-1450	12	10	10	43	2	12	57	13
C-1450-R	11	10	10	36	12	12	44	12
C-1500	11	10	9	25	11	2	33	12
C-1550	11	10	9	28	12	12	38	12
C-1600	10	9	10	25	2	11	18	12
C-2400	11	9	10	27	11	11	35	2
D-800	11	10	10	28	2	11	36	12
D-850	11	10	10	34	12	12	41	12
D-900	10	9	9	28	2	12	19	1
D-950	11	9	9	34	11	2	47	12
D-1000	11	9	9	29	11	11	33	1
D-1050	10	9	9	29	2	12	39	12
D-1250	10	9	10	32	12	12	45	12
D-1300	11	9	9	27	11	11	37	11
D-1350	11	9	9	23	2	11	28	1
D-1400	10	9	9	28	12	12	35	2
D-1450	11	9	9	28	11	11	35	2
D-1450-R	11	9	9	29	2	2	3	2

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.155-HPH	.156-HBI	.157-HAR	.158-HBA	.159-HBA	.160-HBI	.161-HA	.162-HPH
D-1750	10	9	9	30	11	11	39	12
D-1800	10	9	10	33	11	11	43	11
D-2200	10	9	9	26	11	11	29	11
D-2250	10	9	9	25	11	12	31	2
D-2300	11	9	9	27	11	11	33	2
D-2350	10	8	9	28	11	11	40	11
D-2400	10	9	8	25	11	11	28	2
E-750	10	8	8	23	10	10	30	11
E-800	11	9	9	36	2	11	49	2
E-850	10	9	9	26	10	11	37	14
E-900	10	9	9	27	11	11	36	11
E-950	10	8	9	23	11	11	29	2
E-1000	11	9	9	32	11	11	48	11
E-1050	10	8	9	23	10	2	29	10
E-1100	9	9	9	22	10	10	57	11
E-1100-R	10	9	8	23	1	11	56	11
E-1300	10	8	9	23	10	10	31	11
E-1350	10	9	9	25	11	10	32	11
E-1400	10	8	8	23	10	2	28	11
E-1450	10	9	9	25	1	10	30	14
E-1500	10	8	8	25	2	10	34	11
E-1550	10	9	9	23	11	2	30	14
E-1600	11	9	9	23	11	2	29	2
E-1650	10	8	9	22	10	11	27	11
E-1700	10	8	9	23	11	11	30	11
E-1750	10	9	9	20	10	10	27	12
E-1800	10	9	8	25	10	10	31	11
E-1850	2	8	9	24	2	11	32	2
E-1900	10	10	9	23	10	11	14	11
E-1950	2	8	9	12	11	11	32	11
E-2000	10	9	9	27	2	11	34	2
E-2000-R	10	9	9	25	10	11	33	2
E-2050	11	8	9	23	11	11	31	11
E-2100	10	8	9	24	2	11	5	11
E-2150	12	9	9	25	11	2	5	12
E-2200	10	8	9	20	10	10	28	11
E-2250	10	9	9	28	2	11	18	11
E-2300	10	8	9	23	2	11	30	2
E-2350	10	8	9	20	10	11	10	11
F-700	10	9	8	22	10	11	28	1
F-750	10	9	9	25	11	2	26	11
F-800	10	8	8	22	10	11	4	14
F-850	9	9	8	20	10	10	15	11
F-900	10	9	9	24	11	10	30	2
F-950	10	8	8	22	10	11	30	11
F-1000	10	9	8	22	2	2	30	2
F-1050	11	9	8	25	10	10	30	11
F-1050-R	10	8	8	26	11	11	32	2
F-1100	11	9	9	30	12	12	38	11
F-1150	10	9	9	31	11	11	39	11
F-1200	10	9	9	25	11	10	32	11
F-1250	10	9	9	26	11	11	5	12
F-1300	10	8	9	19	11	11	14	1
F-1300	10	9	9	25	11	10	34	2

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.155-.HPH	.156-.HBI	.157-.HAR	.158-.HBA	.159-.HBA	.160-.HBI	.161-.HA	.162-.HPH
F-1400	10	9	9	29	10	2	37	3
F-1450	11	9	9	40	11	11	51	11
F-1500	10	9	9	26	11	12	2	3
F-1550	2	9	8	23	10	2	25	11
F-1600	10	9	9	25	11	11	4	2
F-1650	10	8	9	23	11	2	29	11
F-1700	10	8	8	22	10	2	28	11
F-1750	10	9	9	25	10	11	34	11
F-1800	10	8	9	26	11	11	32	11
F-1800-R	10	8	9	25	11	11	13	14
F-1850	10	9	-1	24	11	10	16	11
F-1900	10	8	9	27	1	11	36	11
F-1950	11	9	8	23	10	10	32	11
G-600	10	9	9	25	11	11	31	12
G-650	10	-1	9	24	11	11	29	11
G-700	10	9	9	22	10	10	29	1
G-750	11	9	9	25	11	12	32	12
G-800	10	9	8	22	11	11	12	1
G-850	11	8	10	26	2	2	33	2
G-900	11	9	9	-1	11	2	31	14
G-950	10	9	9	26	10	10	33	2
G-1000	10	9	9	23	10	-1	5	14
G-1050	10	9	9	24	2	11	32	2
G-1100	10	9	9	20	11	11	29	2
G-1150	11	8	9	22	11	2	30	11
G-1150-R	10	9	9	24	11	10	29	11
G-1200	10	8	9	22	10	1	11	1
G-1250	10	8	8	21	1	11	26	11
G-1300	9	9	8	18	1	11	24	11
G-1350	10	8	8	22	10	11	26	12
G-1400	9	8	9	22	11	10	24	11
G-1450	11	9	9	29	11	10	38	11
G-1500	10	9	9	22	10	11	30	11
G-1550	10	8	9	-1	1	10	29	2
G-1600	10	9	8	21	11	10	30	11
G-1650	10	9	9	21	10	10	31	2
G-1700	10	9	9	24	10	10	30	11
G-1750	10	9	9	24	11	2	29	10
G-1800	1	9	9	24	10	11	33	11
G-1900	11	8	9	23	11	2	31	14
G-1950	10	9	8	24	11	10	32	10
G-1950-R	10	9	9	25	2	11	32	14
G-2000	10	8	9	21	10	11	24	1
H-550	10	9	9	25	2	11	30	12
H-600	10	9	9	32	11	11	42	11
H-650	11	9	9	30	11	11	40	10
H-700	11	8	9	26	11	11	32	2
H-750	10	9	10	33	11	12	45	2
H-800	10	8	8	-1	2	10	30	11
H-850	10	8	9	24	10	10	32	14
H-900	9	9	8	21	11	2	27	10
H-950	10	8	8	23	10	11	33	14
H-1000	10	9	9	26	11	11	39	11
H-1050	11	9	9	29	11	10	34	2

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	.155-.HPH	.156-.HBI	.157-.HAR	.158-.HBA	.159-.HBA	.160-.HBI	.161-.HA	.162-.HPH
H-1100	10	8	9	24	2	11	28	11
H-1150	9	8	9	24	2	11	30	11
H-1200	10	9	10	34	11	11	44	2
H-1200-R	10	9	9	30	11	11	38	11
H-1250	10	9	9	27	10	11	28	11
H-1300	10	8	9	23	10	11	29	11
H-1350	11	9	9	21	11	11	3	11
H-1400	11	9	9	27	11	11	33	2
H-1450	10	9	9	31	10	11	39	2
H-1500	10	8	9	24	11	11	32	12
H-1550	10	9	9	27	11	11	16	11
H-1600	11	9	9	37	1	2	53	2
H-1750	10	8	9	25	10	10	31	11
H-1800	10	8	9	23	11	10	29	11
H-1850	11	8	9	24	10	11	32	11
H-1900	10	9	9	23	2	11	11	11
H-1950	10	8	9	22	11	11	31	11
H-2000	10	9	9	27	11	11	34	1
I-500	11	10	9	43	11	12	61	12
I-500-R	11	9	9	33	11	11	47	2
I-550	10	8	9	29	2	10	39	11
I-600	10	8	9	31	11	12	41	12
I-650	11	9	9	29	10	2	39	11
I-700	10	9	9	25	1	10	32	11
I-750	10	9	9	28	11	11	37	12
I-800	10	9	8	22	10	11	30	11
I-850	10	9	8	22	10	11	31	11
I-900	10	9	8	22	10	11	28	2
I-950	11	8	9	22	10	10	27	12
I-1000	10	9	9	24	2	2	31	11
I-1050	10	8	8	19	10	2	28	2
I-1100	10	8	9	22	11	10	27	10
I-1150	10	8	8	21	10	10	25	11
I-1200	10	9	9	18	11	2	26	2
I-1250	10	8	9	24	10	2	29	2
I-1250-R	10	9	9	25	10	11	7	11
I-1300	10	9	9	26	2	11	36	10
I-1350	10	9	9	32	11	11	40	11
J-550	2	9	8	27	10	10	33	11
J-600	10	9	9	21	2	10	22	10
J-650	2	8	8	-1	10	11	16	11
J-700	10	8	9	23	2	10	26	4
J-750	10	8	8	24	10	10	29	11
J-800	10	9	8	25	11	2	31	10
J-850	10	8	9	24	11	1	28	11
J-900	10	-1	9	23	10	11	28	10
J-950	10	9	8	27	10	11	33	11
J-1000	10	8	9	25	11	10	31	2
J-1050	10	9	8	23	11	10	29	11
J-1100	10	8	8	20	10	1	14	11
J-1150	10	9	9	24	11	10	28	11
J-1150-R	11	-1	9	23	10	11	29	4
J-1200	10	9	9	26	2	11	18	11
J-1250	11	9	9	27	11	11	34	11

Results represent only the material tested. Actlabs is not liable for any claim/damage from use of this report in excess of the test cost. Unless requested samples are discarded in 90 days. This report is only to be reproduced in full.

	155-HPH	156-HBI	157-HAR	158-HBA	159-HBA	160-HBI	161-HA	162-HPH
J-1300	11	9	9	26	11	10	32	11
J-1350	11	9	9	31	2	11	41	12
J-1450	11	9	9	24	11	11	30	2
J-1500	11	9	10	28	11	11	36	2
K-750	11	8	9	23	11	11	15	11
K-800	10	9	9	25	11	1	30	11
K-850	10	8	8	21	10	1	29	11
K-900	10	8	9	23	12	2	30	10
K-1000	10	9	9	33	2	12	42	3
K-1050	11	9	10	37	12	12	47	2
K-1200	10	9	9	-1	2	2	32	11
K-1250	10	9	9	25	10	10	33	8
K-1300	11	9	10	39	2	11	50	2
K-1300-R	11	9	9	34	11	11	45	2
K-1350	11	9	9	29	11	10	33	11
K-1400	11	9	9	25	11	11	44	2
L-900	10	9	9	31	11	12	43	2
L-950	11	9	9	31	11	11	42	12
L-1000	11	9	10	24	12	11	33	12
L-1050	10	8	9	22	10	10	30	2
L-1100	10	9	9	22	10	1	29	11
M-800	10	9	9	20	10	11	19	14
M-850	10	9	9	32	11	2	25	11
M-900	11	9	10	44	11	12	62	2
M-950	10	8	9	24	11	11	30	12
M-1000	10	9	9	24	10	11	30	11
M-1050	11	9	10	1	11	11	36	11
M-1100	11	9	9	33	2	12	45	11
M-1150	13	18	17	220	19	22	419	3
M-1150-R	12	16	15	186	17	20	305	16
M-1200	10	9	9	30	2	1	37	12
M-1250	11	10	10	29	2	12	40	2
M-1300	11	9	9	33	11	12	44	11
J-1400	11	8	8	27	10	10	38	10
LMB-QA	11	9	10	26	12	12	34	12
LMB-QA	10	9	9	23	10	11	17	11
LMB-QA	10	9	9	23	10	10	27	1
LMB-QA	10	8	8	20	10	10	28	11
LMB-QA	10	8	9	25	10	10	36	11
LMB-QA	10	8	8	22	1	10	25	11
LMB-QA	10	8	9	23	11	11	24	14
LMB-QA	10	8	9	22	10	2	3	1

	.155 - HPH	.156 - HBI	.157 - HAR	.158 - HBA	.159 - HBA	.160 - HBI	.161 - HA	.162 - HPH

APPENDIX F

SGH Sample Methodology

Soil samples were gathered with a metal "Dutch" or hand auger at approximately 50 meter intervals east to west on sample lines 200 meters apart north to south. Positions were determined with GPS units.

After removing the top organic black layer from the bit and the leached A0 horizon, 200-300 grams of inorganic soil, typically from the B horizon, was placed in a heavy duty polyethylene Ziploc bag after removing as much of the air inside as possible. The bags were then labeled on the exterior with an indelible marker, and carried in a back pack.

Typical sample depths were between 2 and 8 inches below the surface and the samples were shipped to the lab in the Ziploc bags.