

**Assessment Report for
Diamond Drilling on the
Brady-Charron Arbutus Option Property,
Arbutus, Huffman, Osway Townships,
Porcupine Mining Division,
Ontario, Canada**

**Performed by
Augen Gold Corp.**

**Mining Claims 4202371,
4202343**

**NAD 83 ZONE 17
4241714 E 5275108 N**

Gordon McRoberts, M.Sc, P.Geo.

15 October, 2010

TABLE OF CONTENTS

1.0 INTRODUCTION

- 1.1 Purpose of the Report
- 1.2 The Augen Gold Drill Program - Overview

2.0 ACCESSIBILITY, CLIMATE AND PHYSIOGRAPHY

- 2.1 Accessibility
- 2.2 Climate and Physiography

3.0 PROPERTY DESCRIPTION AND LOCATION

- 3.1 Description and Location
- 3.2 Option Agreement

4.0 GEOLOGICAL SETTING

- 4.1 Regional Geology
- 4.2 Property Geology

5.0 PREVIOUS EXPLORATION WORK BY OTHERS

- 5.1 North Central Part of the Property
- 5.2 Gagne Claims
- 5.3 Northeast Part of the Property

6.0 PREVIOUS EXPLORATION WORK AND ACTIVITIES - AUGEN GOLD

- 6.1 Airborne Survey
- 6.2 Acquisition of the Brady-Charron Arbutus Option Property
- 6.3 Prospecting Program
- 6.4 Ground Geophysical Surveys

7.0 AUGEN GOLD DIAMOND DRILL PROGRAM

- 7.1 Diamond Drill Program
- 7.2 Results of Diamond Drill Program - Overview
- 7.3 Drill hole BC09-12
- 7.4 Drill hole BC09-13
- 7.5 Drill hole BC09-14
- 7.6 Drill hole BC09-27

8.0 OVERVIEW OF SAMPLING

9.0 CONCLUSIONS AND RECOMMENDATIONS

- 9.1 Conclusions
- 9.2 Recommendations

REFERENCES

STATEMENT OF QUALIFICATIONS

LIST OF FIGURES

- Figure 1: Brady-Charron Arbutus Property Location Map
- Figure 2: Brady-Charron Arbutus Property Claim Map
- Figure 3: Regional Geology of the Southern Swayze Area, Abitibi Greenstone Belt
- Figure 4: Brady-Charron Project Plan View Map
- Figure 5: Fugro Airborne Survey Electromagnetic Anomalies
- Figure 6: Fugro Airborne Survey Residual Magnetic Field
- Figure 7: Brady-Charron Arbutus Property - Spectral I. P./Resistivity Survey

LIST OF TABLES

- Table 1: List of Claims
- Table 2: Summary of Jerome Mine Resources
- Table 3: Summary of Gold Resources in Chester Township
- Table 4: Drill Hole Collar Information
- Table 5: Best Drill Hole Intersections

LIST OF APPENDICES

- APPENDIX A: Logs for Drill Holes BC09-12, BC09-13, BC09-14, BC09-27
- APPENDIX B: Certificates of Analysis
- APPENDIX C: Cross-Sections for Drill Holes BC09-12, BC09-13, BC09-14, BC09-27
- APPENDIX D: Magnetic Susceptibility and Conductivity Profiles for Drill Holes BC09-12, BC09-13, BC09-14, BC09-27

1.0 INTRODUCTION

1.1 PURPOSE OF THE REPORT

This report has been prepared to meet requirements for the filing of Assessment Work under the provisions of the Ontario Mining Act. The report describes results of a diamond drill program performed by Augen Gold Corporation on the Brady-Charron Arbutus Option Property in Arbutus and Huffman Townships, Porcupine Mining District, Ontario.

1.2 AUGEN GOLD DRILL PROGRAM - OVERVIEW

Fours drill holes (BC09-12, BC09-13, BC09-14, BC09-27) totaling 751.82 metres tested geophysical targets within claims 4202371 and 4202343 in the central part of the Brady-Charron Arbutus Option Property near the Huffman\Arbutus Township boundary.

The diamond drill program was performed between November 01, 2009 and November 10, 2009 and between December 19, 2009 and January 13, 2010. Core logging was completed between January 13, 2010 and January 19, 2010. The author was on-site during the drilling and for the logging of core.

2.0 ACCESSIBILITY, CLIMATE AND PHYSIOGRAPHY

2.1 ACCESSIBILITY

The Brady-Charron Arbutus Option Property lies sixteen kilometers west of Highway 144, midway between Timmins and Sudbury (Figure 1) to the southwest of the town of Gogama. The eastern and central part of the property is accessible via the Old Arbutus Road, a ten km long secondary gravel logging road that heads north from the Sultan Road near kilometer 28. The western part of the property is accessible via the Jerome Road, another gravel road that heads northeast from the Sultan Road between kilometer 42 and 43. The Sultan Road begins at Highway 144, at its junction with Highway 560.

2.2 CLIMATE AND PHYSIOGRAPHY

The climate on the Brady-Charron Arbutus Option Property is similar to that of Timmins, to the north for which Environment Canada indicates that the 10-year temperature range is from +38.9°C to -45.6°C. The average annual precipitation in the form of snow and rain is approximately 85 cm and falls evenly throughout the year.

The property is typical of the Ontario northland, with extensive tree cover and limited topographic relief, accompanied by local swamps.

3.0 PROPERTY DESCRIPTION AND LOCATION

3.1 DESCRIPTION AND LOCATION

The Brady-Charron Arbutus Option Property, approximately centered at 424714 E and 5275108 N (NAD 83, Zone 17) is an east-west, roughly rectangular block of claims approximately six kilometers in length that traverses portions of Osway, Huffman, Fingal and Arbutus Townships, Porcupine Mining Division, District of Sudbury, Ontario, Canada.

Ontario




Figure 1: Brady-Charron Arbutus Property location map

The property is a contiguous assemblage of six unpatented claims (Figure 2) listed below in Table 1.

Table 1: List of Claims

Claim Number	Claim Units	Owner	Claim Due Date	Township
3018320	13	50% J. Brady & 50% R. Charron	Jul-13-2011	OSWAY
4202336	9	50% J. Brady & 50% R. Charron	Feb-16-2011	OSWAY
4202343	8	50% J. Brady & 50% R. Charron	Feb-16-2011	HUFFMAN
4202371	10	50% J. Brady & 50% R. Charron	Feb-16-2011	ARBUTUS
4202372	10	50% J. Brady & 50% R. Charron	Feb-16-2011	HAFFMAN
4202373	16	50% J. Brady & 50% R. Charron	Feb-16-2011	ARBUTUS

3.2 OPTION AGREEMENT

The Brady-Charron Arbutus Option Property claims were staked by John Brady of Sudbury, Ontario and Reg Charron of Capreol, Ontario, and subsequently optioned to Augen Gold Corporation as recorded in an Option Agreement dated June 30, 2008.

4.0 GEOLOGICAL SETTING

4.1 REGIONAL GEOLOGY


The Brady-Charron Arbutus Option Property lies within the southern Swayze Greenstone Belt - a northwest-trending belt of metamorphosed Archean volcanic, sedimentary and intrusive rock that is bounded on the southwest and northeast by granitoid batholiths (Figure 3) (Ayer & Trowell, 2002). This belt is considered to be a western continuation of the richly mineral-endowed Abitibi Greenstone Belt.


The property lies south of a prominent sedimentary band that is up to several kilometers wide and that has been assigned to the late Archean Timiskaming Series. This band is similar in age and composition to a unique band of Timiskaming sedimentary rock in the Kirkland Lake gold camp 230 kilometers to the northeast, has been intruded by intermediate feldspar porphyry and is host to a considerable amount of the most prominent gold mineralization in the area, including the Jerome Mine.

The volcanic rock that engulfs the Timiskaming band is assigned to the older Keewatin series, and in this part of the Swayze Greenstone Belt, is mainly mafic and intermediate in composition. Subordinate relatively narrow intercalated sedimentary bands within this volcanic rock are comprised of wacke, siltstone, argillite and iron formation. Intrusive bodies of granodiorite, gabbro, quartz-feldspar porphyry, lamprophyre and diabase are also present.

Shearing is common throughout the southern Swayze, with foliation, shear planes, and primary layering mainly sub-vertical. Several of the deformation zones that are present are thought to be extensions of zones in the Kirkland Lake camp, and these cut Timiskaming rock, younger intrusive feldspar porphyry and older Keewatin volcanic and sedimentary rock.

BRADY-CHARRON PROPERTY OUTLINE





355,000 mE 400,000 mE 405,000 mE 410,000 mE 415,000 mE 420,000 mE 425,000 mE 430,000 mE

5d Breccia, pyroclastic breccia

4 Felsic (to Intermediate) Metavolcanic Rock Intrusions

- 4a Massive flows
- 4b Tuff, aggl. tuff
- 4c Tuff breccia, pyroclastic breccia
- 4d Porphyritic
- 4e Schistic
- 4f Schistose-textured
- 4c Calc-silicic
- 4f Troctolite

3 Intermediate (to Felsic) Metavolcanic Rock Intrusions

- 3a Massive flows
- 3b Pillowed flows
- 3c Veritc. flows
- 3d Hyaloclastite, flow breccia
- 3e Amygdaloidal flows
- 3f Tuff, aggl. tuff
- 3g Tuff breccia, pyroclastic breccia
- 3h Schistose-textured
- 3c Calc-silicic
- 3f Troctolite

2 Mafic (to Intermediate) Metavolcanic Rock Intrusions

- 2a Massive flows
- 2b Pillowed flows
- 2c Veritc. flows
- 2d Hyaloclastite, flow breccia
- 2e Amygdaloidal flows
- 2f Tuff, aggl. tuff
- 2g Tuff breccia, pyroclastic breccia
- 2h Schistose-textured
- 2c Calc-silicic
- 2f High-iron troctolite
- 2h High-magnesium troctolite
- 2f Troctolite

1 Ultramafic (to Mafic) Metavolcanic Rock Intrusions

- 1a Massive flows
- 1b Polycrystalline flows
- 1c Spinifex-textured flows
- 1d Pillowed flows
- 1f Schistose-textured
- 1g Basaltic komatiite
- 1K Komatiite
- 1O Olivine-sphalerite

^aThis is a compilation legend.

^bUnits preceded by "G" are based on interpretation from

Metamorphism within the southern part of the Swayze Greenstone Belt is largely upper greenschist facies.

The central part of the Brady Charron Arbutus Option Property is located 4.5 kilometers southeast of the Jerome Mine that produced 56,000 ounces of gold and 15,600 ounces of silver between 1939 and 1943, with significant resources remaining (table 2).

Table 2: Summary of Jerome Mine Resources

Deposit	Tons	Grade	Ounces	Classification
Jerome ¹	577,495	0.20	115,713	Probable + possible

Source: Millard, 1989 (equivalent to Inferred resource under current guidelines);

In addition, there are several gold deposits in Chester Township nine to ten kilometers east-southeast of the Brady Charron Arbutus Option Property with significant resources as shown below in table 3.

Table 3: Summary of Gold Resources in Chester Township

Deposit	Tons	Grade	Ounces	Classification
Murgold-Chesbar	159,000	0.43	68,400	Measured resource
Young-Shannon	222,000	0.354	77,900	Indicated resource
Jack Rabbit	342,000	0.36	123,000	Indicated resource
Total	723,000	0.37	269,300	
Additional resources				
Murgold-Chesbar	240,000	0.19	41,800	Inferred resource
Young-Shannon	725,000	0.16	116,000	Inferred resource
Jack Rabbit	100,000	0.36	36,000	Inferred resource
Total	1,045,000	0.19	193,800	

Source: McBride, 2002.

4.2 PROPERTY GEOLOGY

The Brady-Charron Arbutus Option Property is underlain by Keewatin volcanic rock with subordinate intercalated sedimentary bands, 750 meters to one kilometer south of the east-southeast striking contact between Keewatin rock and Timiskaming rock. The southeastern portion of the property (claim 4202373) straddles the east-striking volcanic\granitoid contact.

The Arbutus Lake Fault, a regional northwest-striking structure strikes southeast through the eastern part of the Brady-Charron Arbutus Option Property and offsets the granitoid\volcanic contact several hundreds of meters, in a sinistral sense (Heather & Shore, 1999).

The east-west striking volcanic succession west of the fault, south to north is mafic volcanic (Arbutus Formation), felsic to intermediate volcanic (Yeo Formation) and mafic volcanic (of unknown stratigraphic association). Narrow discontinuous bands of iron formation occur along the contact between the Arbutus and Yeo Formations (Heather & Shore, 1999), and in places, carry significant zinc mineralization.

The Bi-Ore Occurrence located hundreds of meters north of the west-central part of the property is the nearest gold mineralization to the property returning up to 4.25 g/t Au (Marmont et al, 2009). This gold occurrence lies in an easterly-striking zone sub-parallel to that which hosts the Jerome Mine.

5.0 PREVIOUS EXPLORATION WORK BY OTHERS

5.1 NORTH CENTRAL PART OF THE PROPERTY

1984: Tonapah Resources conducted line cutting, ground magnetometer and VLF electromagnetic surveys and geological mapping over 35 claims in Huffman Township, part of which covered the northern portion of the Brady-Charron Arbutus Option Property.

1986: Tonapah Resources conducted a soil sampling program and a 2500 ppb gold anomaly was recorded immediately south of Boundary Lake.

5.2 GAGNE CLAIMS

1998: Goodwin Resources Exploration conducted work for Prospectors Alliance Group that included B-horizon and humus soil sampling, airborne and ground geophysical surveys and drilling within the Gagne claims, one claim (1217741) which still remains in that name of Gagne and that is surrounded by claims of the Brady Charron Arbutus Option Property. Significant intersections were reported in drill core including 7.06% over 2.0 ft.

5.3 NORTHEAST PART OF THE PROPERTY

Previous work on a prospect historically known as the Davidson ‘Area’ (MDI 41009E012) and located in claim 4202372 in the northeast part of the Brady-Charron Arbutus Option Property is summarized below.

1938: The ground was originally staked for Mrs. Davidson

1939: Venture Claims optioned the property and conducted three years of exploration prior to patenting the ground in 1946. No work was recorded.

1966: Falconbridge Nickel drilled two holes totaling 800 feet and minor copper mineralization (0.59% over 11 ft) was reported.

1980: Hargor Resources carried out a regional magnetic and electromagnetic survey, part of which covered the area.

1984: Tonapah Resources performed a ground magnetic and electromagnetic survey with a mapping program over the western extension of the iron formation.

1986: Tonapah Resources carried a soil and humus sampling program followed by a small drill program. Disseminated sulphide in sheared graphitic conglomerate showed discouraging assays.

1988: Tonapah Resources performed geological work.

6.0 PREVIOUS EXPLORATION WORK AND ACTIVITIES - AUGEN GOLD

6.1 AIRBORNE SURVEY

Fugro Airborne Surveys completed an airborne geophysical survey for Augen Gold in October-November 2007 (Fugro Airborne Surveys, 2008). The survey encompassed both Augen’s entire South Swayze Property that bordered the Brady-Charron Arbutus Option Property on four sides and the Brady-Charron Arbutus Option Property itself. Magnetic, EM and radiometric properties were measured.

The survey defined magnetic and EM anomalies trending east-west across the Brady-Charron Arbutus Option Property.

6.2 ACQUISITION OF THE BRADY-CHARRON ARBUTUS OPTION PROPERTY

The Brady-Charron Arbutus Option Property was optioned by Augen Gold in June 2008 because of the existence of magnetic and EM anomalies noted above, and the fact that zinc mineralization had been reported in drill holes along the trend of these geophysical anomalies within the Gagne claim (1217741), the four-unit claim in the centre of the Brady-Charron Property (Chris Marmont et al, 2009).

6.3 PROSPECTING PROGRAM

As part of a regional prospecting program over Augen Gold's entire South Swayze Property, the company examined three areas within the adjoining Brady-Charron Arbutus Option Property in 2008 (Chris Marmont et al, 2009).

Sixty-three grab samples were collected within claims 4202343 and 4202371 in the central part of the Brady-Charron Arbutus Option Property and returned highlights of up to 0.159 g/t and up to 3,430 ppm Zn. Another fifty-two grab samples were collected within claim 4202472 in the northeastern corner of the property and these returned low gold values although many zinc assays exceeded 1,000 ppm, up to 6,990 ppm. The area of this sampling is 400 meters south of the Davidson occurrence described in section five.

A series of traverses was conducted over the most western claims of the property near the Jerome Mine Road but no samples were collected.

6.4 GROUND GEOPHYSICAL SURVEYS

An I P survey was conducted by JVX Ltd of Richmond Hill, Ontario in late October 2009 on a 1 km by 1.2 km grid that was completed earlier in mid-October 2009 by Compass Explorations of Timmins within the central part of the property. Magnetic and VLF surveys by JVX Ltd. were completed on this grid after the drilling in February 2010. All geophysical survey results are reported in an assessment report submitted in February 2010 (JVX Ltd, 2010)

7.0 AUGEN GOLD DIAMOND DRILL PROGRAM

7.1 DIAMOND DRILL PROGRAM

Fours drill holes (BC09-12, BC09-13, BC09-14, BC09-27) totaling 751.20 metres tested geophysical targets defined by JVX Ltd. and Fugro Surveys within claims 4202343 and 4202371 in the central part of the Brady-Charron Arbutus Option Property. This work formed part of an extensive drilling campaign by Augen Gold where holes were drilled in several locals within Augen Gold's adjoining South Swayze Property and in other ground optioned by Augen Gold internal to their property.

Collar information for the four drill holes is summarized below (table 4) and a drill hole plan view is given in Figure 4.




Table 4: Drill Hole Collar Information

Drill Hole Number	UTM NAD83 Zone 17 EASTING	UTM NAD83 Zone 17 NORTHING	Grid Co-ord	Azimuth (°)	Dip (°)	Depth (m)	Dates of Drilling	
							(Start)	(Finish)
BC09-12	410714	5270718	102+00E 7+32 N	359	45	180.00	Nov-01- 2009	Nov-04- 2009
BC09-13	410175	5270346	102+00E 2+50 N	359	45	183.00	Nov-04- 2009	Nov-07- 2009
BC09-14	409597	5270619	96+00E 6+20 N	359	45	193.00	Nov-07- 2009	Nov-10- 2009
BC09-27	409206	5270754	92+00E 7+50 N	360	50	195.82	Dec-19- 2009	Jan-13- 2010

Chernier Drilling of Hamner, Ontario employed a light-weight hydraulic drill (Hydracore: Gopher 1500 Man-Portable) to drill a total of 751.82 metres of BTW-sized drill core in the four holes, to a maximum down-hole depth of 195.20 m. Core recovery was very high. Drill hole inclination was surveyed at 50 m intervals using test tubes and hydrofluoric acid.

The drill program was supervised by Chris Marmont of Oakville, Ontario in November 2009 and by Gordon McRoberts of Dundas, Ontario in December 2009 and January 2010. Drill core logging was performed by F.C. Racicot, P. Geo. and Eldon Phillips, both of Sudbury, Ontario, and core handling, sampling, sawing and bagging was performed by Art Constant of Timmins, Ontario, Wally Collins of Markstay, Ontario and Shane O'Neill of Sudbury, Ontario. This work was conducted at Augen Gold's exploration camp behind the Watershed Car & Truck Stop at the junction of Highways 144 and 560.

Drill Logs are provided in Appendix A, Certificates of Analysis in Appendix B, Drill Cross-Sections in Appendix C and Magnetic Susceptibility and Conductivity Profiles in Appendix D.

7.2 RESULTS OF DIAMOND DRILL PROGRAM - OVERVIEW

The drill program successfully tested four I. P. targets within and near the magnetic-EM trend in the central part of the Brady-Charron Arbutus Option Property (Figures 5, 6, 7). Unfortunately, assays returned few anomalous intersections as shown in table 5.

Table 5: Best Drill Hole Intersections

Drill Hole Number	Sample Number	From (m)	To (m)	Width (m)	Au (g/t)	Ag (ppm)	Zn (%)	Cu (ppm)	Pb (ppm)
BC09-12	E428429	49.00	50.00	1.00	0.166				
BC09-12	E428433	53.00	54.00	1.00	0.068				
BC09-12	E428436	56.00	57.00	1.00	0.171	3.5	1.235		9060
BC09-12	E428441	60.00	61.00	1.00			1.035		3240

However, drilling did indicate that the I. P anomalies are attributed to disseminated magnetite, pyrrhotite and pyrite and that pyrrhotite concentrations along with local graphitic layers account for the airborne EM anomalies (at least locally). Pyrrhotite and magnetite explain the magnetic highs. The EM anomalies are more or less coincident with the I. P. anomalies tested by drill holes BC09-12 and BC09-27.

The area of the drilling is immediately west of the Gagne claim and more or less overlaps with one of the areas prospected and sampled by Augen Gold in 2008. The magnitude of the few anomalies in Augen Gold drill core is similar to those anomalies found at surface by Augen Gold and in historical drilling on the Gagne claim. Of note, the best base metal intersections occur in drill hole BC09-12, the closest Augen Gold drill hole to anomalous base metal mineralization reported in the Gagne claim.

The absence of arsenopyrite and the low arsenic abundance in assays supports the interpretation that there is no gold-bearing trend similar to that found west of Boundary Lake (Skye, Bi-Ore Gold Occurrences), immediately north of the property.

7.3 DRILL HOLE BC09-12

Drill hole BC09-12 collared at 102+00E 7+32N was drilled north with 45 degrees dip and 359 degrees azimuth and tested an I P chargeability anomaly centered at 102+00E 8+00N that was thought to be associated with iron formation. This drill hole is several hundreds of metres along strike from several historic drill holes in the adjacent Gagne claim.

The drill hole intersected volcanic rock of mafic, intermediate and felsic composition intercalated with iron formation, and in one place, graphitic argillite. Gabbro occupies a considerable part of the lower third of the drill hole. The iron formation and gabbro are distinctive on the magnetic susceptibility profile (Appendix D).

The I P anomaly is explained by magnetite and/or pyrrhotite within sediment logged as iron formation at 42.50-44.00 m, 47.10-60.90 m and 85.70-91.00 m.

The best intersections for gold & silver occur within this iron formation between 49.00 m and 57.00 m and include 0.166 g/t Au over 1.00 m (49.00-50.00 m), 0.068 g/t Au & 0.70 g/t Ag over 1.00 m (53.00-54.00 m) and 0.171 g/t Au & 3.5 g/t Ag over 1.00 m (56.00-57.00 m).

Arsenic a common associate to gold in the Skye and Bi-Ore Occurrences immediately north of the property is low (up to 83 ppm) although abundance is higher than in the three other holes drilled in the property.

There are two significant intersections of zinc; 1.235% over 1.00 m (56.00-57.00 m) and 1.035% over 1.00 m (60.00-61.00 m) in iron formation. Copper is low (up to 600 ppm), although abundance is higher than in other drill holes, and lead locally is anomalous (up to 9,600 ppm). These results are similar to those within drill holes in the adjacent Gagne claim

7.4 DRILL HOLE BC09-13

Drill hole BC09-13 collared at 102+00E 3+50N was drilled north with 45 degrees dip and 359 degrees azimuth and tested an I P chargeability anomaly centered at 102+00E 4+30N. This anomaly is 370 meters south of the anomaly tested by drill hole BC09-12.

The drill hole intersected intercalated mafic volcanic rock and intermediate lapilli tuff-breccia and cherty tuff. The I P anomaly is explained by pyrite concentrations of up to 3% in places, between 144.00 m and 183.00 m. Several narrow spikes in magnetic susceptibility occur within the mafic volcanic intervals (Appendix D).

There were no anomalies in gold or silver (all samples show <0.005 g/t Au & <0.5 g/t Ag), and gold pathfinder arsenic is low (up to 9 ppm). Base metal abundance is low, with zinc up to 179 ppm, copper up to 181 ppm and lead up to 3 ppm.

7.5 DRILL HOLE BC09-14

Drill hole BC09-14 collared at 96+00E 6+20 N was drilled north with 45 degrees dip and 359 degrees azimuth and tested an I P chargeability anomaly centered at 96+00E 7+50N.

This drill hole is 600 meters west of drill hole BC09-12 and intersected (from top to bottom): mafic volcanic and porphyritic volcanic, dark grey to black siltstone and banded cherty tuff. The I P anomaly is explained by minor pyrite (9.90-124.90 m) and minor magnetite (25.20-152.50 m) within the volcanic rock and the siltstone.

The magnetic susceptibility profile shows numerous spikes throughout the drill hole (Appendix D).

There were no anomalies in gold or silver (all samples show <0.005 g/t Au & <0.5 g/t Ag), and the gold pathfinder arsenic is very low (up to 19 ppm). Base metal abundance is low, with zinc up to 267 ppm, copper up to 206 ppm and lead up to 10 ppm.


7.6 DRILL HOLE BC09-27


Drill hole BC09-27 collared at 92+00E 7+50N was drilled north with 50 degrees dip and 360 degrees azimuth and tested an I. P. chargeability anomaly centered at 92+00E 8+50 N where the high magnetic susceptibility associated with the east-west trending conductor to the east, abruptly disappeared (although the conductor continues westward). This was as viewed on the Fugro airborne map (Fugro Airborne Survey, 2008).


The probability that the absence of this high magnetic susceptibility was related to sulphidization and magnetite-destruction associated with a gold-bearing splay was being tested.

The drill hole intersected mafic volcanic with intermediate tuff, intercalated with siltstone bands. Elevated pyrite observed at 52.00-63.00 m and 102.00-106.00 m occurs mainly in siltstone and this would explain the chargeability anomaly. Several spikes in the magnetic susceptibility profile are attributed to minor magnetite (Appendix D). Minor granodiorite near the top of the drill hole resembles granodiorite in Chester Township.

There was one very weak anomaly in gold (0.012 g/t Au over 1.00m) (106.00-107.00 m). Further, silver is mainly below detection (although locally up to 0.7 ppm), arsenic is very low (up to 11 ppm) and base metal abundance is low (zinc is up to 230 ppm, copper is up to 230 ppm and lead is up to 9 ppm).







8.0 OVERVIEW OF SAMPLING

One hundred and ninety samples were collected from the four drill holes, as sulphide-bearing sections, altered sections, and quartz veins were sampled. Sample widths varied from 0.50 to 1.00 m wide in drill holes BC09-12, BC09-13, and BC09-14 and 0.30 to 1.52 m wide for drill hole BC09-27.

Drill core was boxed and taped shut at the drill by Chernier Drilling personnel, and brought directly to Augen's core logging area at Watershed. All core was tested by a MPP2 magnetic susceptibility-conductivity meter manufactured by Instrumentation GDD of Quebec, prior to geological logging. Sample descriptions, numbers and intervals were recorded directly into laptop computers using an Excel logging sheet. Core was then photographed in detail to retain a record of sample intervals and lithology.

Core samples were sawn in half using a 3HP saw supplied by Van Con Marketing of Sudbury, Ontario. Half the core was retained for reference and half was bagged for analysis. Reference core is stored in racks at the Jerome Mine site.

Samples bagged for analysis were driven directly by Augen personnel from the work site to ALS Chemex preparation laboratory in Timmins, where they were crushed and pulverized. Sample pulps are forwarded by ALS Chemex to its analytical laboratories in Val d'Or and Vancouver for determination of gold by fire assay, and determination of trace elements by ICP-MS, respectively.

Augen inserted commercially certified gold standards provided by Analytical Solutions Ltd. of Toronto into the sample stream every twenty-five meters. The standards used were OREAS 6Pc (1.52 ppm Au - greywacke - 60 gm); OREAS 10Pb (7.15 ppm Au - meta-basalt - 60 gm); and OREAS 60b (2.57 ppm Au; 4.96 ppm Ag - meta-andesite - 60 gm).

Duplicate riffle splits were also performed at twenty-five meter intervals at the Prep. Lab prior to pulverization, and separate pulps analyzed as a check that the sampling process is representative of the core.

Analytical procedures employed by ALS Chemex are as follows:

Prep-31B: crush to \geq 70 passing 2 mm
Riffle split crushed sample to 1000g
Pulverise split to \geq 85% passing 75 micron

Au-AA23 30g fire assay and AAS

ME-ICP61 33 element four acid ICP-AES

9.0 CONCLUSIONS & RECOMMENDATIONS

9.1 CONCLUSIONS

The drilling failed to outline significant base metal mineralization associated with magnetite, pyrrhotite or pyrite-bearing sedimentary lithologies within the Brady-Charron Arbutus Option Property. In addition, drill hole BC09-27 demonstrated that there is no significant gold-bearing splay in the area as indicated by the absence of diagnostic gold-related alteration, mineralization and assays.

9.2 RECOMMENDATIONS

Soil samples collected along and adjacent to the favorable magnetic-EM trend should be analyzed for their Soil Gas Survey (SGH) signature. This would help in delineating hidden and potentially deep-seated base metal mineralization.

REFERENCES

- Ayer, J.A and Trowell, N.F. 2002. Geological Compilation of the Swayze Area, Abitibi Greenstone Belt, Ontario Geological Survey, Preliminary Map P.3511, 1: 100 000.
- Fugro Airborne Surveys. 2008. Dighem Survey for Augen Gold Corp. Gogama Project, Ontario. NTS 41O/9, 41P/5, 12.
- Heather, K.B., & Shore, G.T., 1999; Geology, Opeepeesway Lake, Swayze Greenstone Belt, Ontario; Geological Survey of Canada, Open File 3384f, scale 1:50,000.
- JVX Ltd., 2010; Logistical Report on Spectral IP/Resistivity and Magnetic/VLF Surveys - Brady Grid - South Swayze Project, Gogama Area, Ontario.
- Marmont, C., McRoberts, G., and Racicot, F. C. 2009; Assessment Report on Prospecting in the Townships of Arbutus, Benton, Chester, Esther, Fingal, Huffman, Osway, Potier and Yeo, Porcupine Mining Division, Ontario, Canada.
- McBride, D.E. 2002: Qualifiying Report on the Chester Township Property for Northville Gold Corporation. Filed on SEDAR
- Millard, J.E., 1989; Jerome Gold Project Exploration Report for the Period Dec 1987 through April 1989; 62 p.

STATEMENT OF QUALIFICATIONS

Gordon McRoberts, M.Sc., P.Geo.

Tel : (905) 627-4153

E-Mail: g.mcroberts@sympatico.ca

88 Skyline Drive
Dundas, Ontario
L9H 3S6

I, Gordon McRoberts, P.Geo. do hereby certify that:

1. I have been the Project Geologist for Augen Gold Corporation since December 01, 2009.
2. I graduated with a B.Sc. Major Degree in Geology & Geography from the McMaster University in 1980. I completed a M.Sc. Degree in Geology at McMaster University in 1986.
3. I am a Practicing Member in good standing of the Association of Professional Geoscientists of Ontario (Member 1736), a member of the Prospectors and Developers Association of Canada and a member of the Canadian Institute of Mining and Metallurgy, Society of Exploration Geologists.
4. I have worked as a geologist for more than 15 years since my graduation from university.
5. I am responsible for the preparation of this assessment report.
6. I have been involved in the exploration program in the Brady-Charron Arbutus Option Project since late October 2009 and was on site from November 2009 through January 2010.

Dated this Fifteenth day of October, 2010.

Gordon McRoberts, M.Sc., P. Geo.
Project Geologist,
Augen Gold Corporation.

APPENDIX A

LOGS FOR DRILL HOLES
BC09-12,
BC09-13, BC09-14 & BC09-27

Augen Gold Corp.**Drill Hole Data Cover Sheet**

<u>Property</u> <u>Township</u>	Brady-Charron Arbutus Option Huffman	<u>NTS</u> <u>Mining District</u>	41 O/09 Porcupine
------------------------------------	---	--------------------------------------	----------------------

<u>Drill Hole ID</u>	<u>Collar Location</u>	Grid:	<u>Section Line</u>	<u>Northing</u>
BC09-12		UTM:	102+00E 410714E	7+32N 5270718N
Elevation:	Collar Azimuth:	359	Dip:	-45

Purpose Of Hole

To test an I P chargeability associated with iron formation.

Proposed Depth (m): 175 m

<u>Drill Information</u>	
Contractor	Chenier Drilling Services Inc.
Core Diameter	BTW
Drill Rig	Hydracore Gopher 1500 Man-Portable
Date Started	Nov-01-2009
Date Finished	Nov-04-2009
Geology Logged By	Eldon Phillips
Geotechnical Logging By	Shane O'Neill, Wally Collins.
Sampling By	Shane O'Neill, Wally Collins.

Survey Data				Post Drilling Data
Depth (m)	Dip Obs	Dip Corr	Method	Hole Status: Gear Left on site: Casing, capped
50.00	52.00	42.50	HF	
100.00	51.50	42.00	HF	
150.00	52.00	42.50	HF	Final Depth: 180.00 metres Depth of Hole from Top of Casing
				Horizontal Trace Vertical Depth
				Casing left in ground: Yes
				OR: Casing cut off

DDH BC09-12					
Hole ID	From	To	Interval	Rock Name	Major Unit
BC09-12	0.00	24.30	24.30	Overburden	Overburden
	24.30	29.10	4.80	Mafic Volcanic	Light grey-green, fine to medium grained with a moderate foliation and moderate carbonate alteration. Carbonate veinlets are parallel to the foliation.
BC09-12	29.10	36.10	7.00	Felsic Tuff	Tan to light brown and fine grained with laminated structure. There are several dark colored bands measuring a few mm in width that separate the lighter colored bands. Moderate sericite alteration present makes the unit moderately soft. Light grey-brown tuff located at 32.6 to 32.9 m.
	36.10	38.80	2.70	Mineralized Cherty Tuff	Light grey, strongly laminated with 2 to 5 % pyrite. Laminations are 1 to 2 mm in width. Very hard with silica flooding present.
BC09-12	38.80	42.50	3.70	Felsic Tuff	Similar to 29.10-36.10 m.
	42.50	44.00	1.50	Iron Formation	Strongly banded with strong silica flooding and strong pyrrhotite mineralization. Possible zinc mineralization also present in the form of reddish brown sphalerite. Alternating bands of silica with pyrite and pyrrhotite present.
BC09-12	44.00	47.10	3.10	Intermediate Tuff	Light greenish grey color and fine grained with strongly laminated texture. Minor silica flooding with trace pyrite over the
	47.10	60.90	13.80	Iron Formation	Similar to that seen above. The iron formation is interbedded with the green tuff intervals measuring several cm wide. Several graphitic bands are also present. Some moderate folding is present over this interval.
BC09-12	60.90	85.70	24.80	Mafic Volcanic	Similar to above.
	85.70	91.00	5.30	Iron Formation	
BC09-12	91.00	94.10	3.10	Felsic Tuff	Similar to above but with a lighter brownish color and less obvious banding.
	94.10	98.70	4.60	Graphitic Argillite	Dark grey-black, fine grained with a couple of large graphite seams at 94.20-96.00 m and at 96.80-98.70 m. These seams are strongly broken and fractured. Trace to minor amounts of pyrite locally.
BC09-12	98.70	102.10	3.40	Gabbro	Light grey-green, fine to medium grained with a massive, uniform composition. Weak sulphide mineralization locally.
	102.10	118.80	16.70	Mineralized Cherty Tuff	Similar to the unit above with moderate mineralization (pyrite) at the upper contact down-hole to 106.00 m. Below this the pyrite mineralization decreases to trace amounts. There are trace amounts of cpy from 106.00 to 107.00 m.
BC09-12	118.80	165.80	47.00	Gabbro	Similar to the gabbro seen above. There appears to be a chill margin from 118.80 m to approximately 120.00 m in that it is very fine grained, dark grey and very hard.

DDH BC09-12					
Hole ID	From	To	Interval	Rock Name	Major Unit
	165.80	180.00	14.20	Intermediate Tuff	Similar to above. There is a small amount of chalcopyrite as well as pyrite present in the interval with the distinctive fine laminations defined by alternating dark and light grey bands. The sulphides are found along the bedding planes as well as cross-cutting veins.
					EOH (180.00 meters)

Hole ID	From	To	Width	Angle	Type	Description of Veins
BC09-12	31.1			45		White with trace sulphides (22 mm wide)
	33.4			45		Grey-white with no sulphides (18 mm wide)
	34.6		50			Grey-white with trace sulphides and moderate fracturing (200 mm wide)
	36.1			40		White with trace sulphides (5 mm wide)
	39.0			45		Grey-white with no sulphides (5 mm wide)
	39.5		55			Grey-white with no sulphides (10 mm wide)
	79.3			60		White with no sulphides (22 mm wide)
	79.6			40		White with no sulphides (100 mm wide)
	93.8			90		White with irregular margins. (20 mm wide)
	178.6		60			Clear with a light milky white color to it with no sulphides (15 mm wide)

Hole ID	From	To	Core angle	Type	Description of Structure
BC09-12	24.2			Ct	Lower contact of the overburden and upper contact of the mafic volcanic.
	29.1		50	Ct	Gradational lower contact between mafic volcanic and upper contact of felsic tuff.
	36.1		55	Ct	Sharp lower contact of the felsic tuff and the upper contact of the mineralized tuff.
	38.8		70	Ct	Sharp lower contact of the mineralized tuff and the upper contact of the a felsic tuff.
	42.5		65	Ct	Sharp lower contact of a felsic tuff and the upper contact of iron formation.
	44.0		60	Ct	Sharp lower contact of the iron formation and the upper contact of intermediate tuff.
	47.1		45	Ct	Sharp lower contact of the intermediate tuff and the upper contact of iron formation.
	60.9		45	Flt	Faulted lower contact of the iron formation and the upper contact of a mafic volcanic unit.
	85.7		60	Ct	Sharp lower contact of the mafic volcanic unit and the upper contact of an iron formation.
	91.0		60	Ct	Sharp lower contact of the iron formation and the upper contact of the felsic tuff.
	94.1		30	Ct	Sharp lower contact of the felsic tuff and the upper contact of the graphitic argillite.
	98.8		55	Ct	Sharp lower contact of the graphitic argillite and the upper contact of a gabbro.
	102.1		60	Ct	Sharp lower contact of the gabbro and the upper contact of the mineralized cherty tuff.
	118.8		60	Ct	Sharp lower contact of the mineralized cherty tuff and the upper contact of a gabbro.
	165.8		35	Ct	Sharp lower contact of the gabbro and the upper contact of a weakly mineralized tuff/sediment.

Hole ID	From	To	Alter	Alter	Alter	Description of Alteration
BC09-12	24.2	30.1	Chlorite	Calcite		Moderate chlorite and carbonate alteration present.
	30.1	36.1	Sericite	Silica		Sericite alteration is predominate over the interval with sporadic silica alteration.
	36.1	38.8	silica	Serictie		Weak sericite and silica alteration.
	38.8	42.5	Sericite	Silica		Sericite alteration is predominate over the interval with sporadic silica alteration.
	42.5	44.0	Silica			Moderate to strong silica alteration.
	44.0	47.1	Chlorite	Calcite		Weak to moderate chlorite and carbonate mineralization.
	47.1	60.9	Silica			Moderate to strong silica alteration.
	60.1	85.7	Chlorite	Serictite		Weak chlorite alteration and moderate sericite alteration.
	85.7	91.0	Silica			Moderate to strong silica alteration.
	91.0	94.1	Sericite			
	94.1	98.9				Strong graphite present.
	98.8	102.1	Chlorite	Silica		
	102.1	118.8	Sericite			Strong sericite alteration.
	118.8	165.8	Chlorite	Silica	Epidote	Weak epidote alteration as small boclches. This is more prominant down-hole of 137 m.
	165.8	180.0	Silica	Albite		

Hole ID	From	To	% Py	% Arsy	% Po	% Cpy	% Sph	% Mag	Description of Mineralization
BC09-12	24.30	29.10	0.1						
	29.10	36.10	0.1						
	36.10	38.80	2.0		0.5				
	38.80	42.50	0.1						
	42.50	44.00	0.5		5		0.5	10.0	Strong magnetite mineralization as discrete black bands intermixed with pyrrhotite. Small amounts of sphalerite also present.
	44.00	47.10	0.1		0.5				
	47.10	60.90	0.5		5		0.5	10.0	Strong magnetite mineralization as discrete black bands intermixed with pyrrhotite. Small amounts of sphalerite also present.
	60.90	85.80	0.1						
	85.80	91.00	5.0		10			5.0	Less magnetite present but a moderate increase in pyrite and pyrrhotite mineralization present.
	91.00	94.10	0.1						
	94.10	98.80	0.5						Minor amounts of pyrite within graphite seams.
	98.80	102.10	0.1						Sporadic pyrite at upper and lower contacts.
	102.10	106.00	2.0						
	106.00	107.00			0.1				
	107.00	118.80	0.1						
	118.80	168.80							No sulphides present.
	165.80	180.00	0.5		1.0	0.5		1.0	Moderately to strongly magnetic at 170-172 m with a weak magnetic signature at 172-180 m.
									There is also a minor to trace amounts of cpy associated with the increase in the magnetic signature.

Hole ID	Sample #	From	To	Width	Sample Description	Sample #	Au (g/t)	Ag (ppm)	Cu (ppm)	Zn (ppm)	Pb (ppm)
BC09-12	E428420	34.50	35.00	0.50		E428420	<0.005	<0.5	3	20	5
	E428421	36.00	37.00	1.00		E428421	<0.005	<0.5	5	44	5
	E428422	37.00	38.00	1.00		E428422	<0.005	<0.5	4	37	<2
	E428423	38.00	39.00	1.00		E428423	<0.005	<0.5	3	30	3
	E428424	42.50	43.00	0.50		E428424	0.005	<0.5	105	93	3
	E428425	43.00	44.00	1.00		E428425	0.006	<0.5	173	92	3
	E428426	47.10	48.00	0.90		E428426	0.029	<0.5	195	1670	17
	E428427	48.00	49.00	1.00		E428427	0.039	<0.5	82	304	13
	E428428	Standard			STANDARD (OREAS 6Pc = 1.52 Au g/t)	E428428	1.56	0.6	33	49	20
	E428429	49.00	50.00	1.00		E428429	0.166	<0.5	223	488	6
BC09-12	E428430	50.00	51.00	1.00		E428430	0.015	<0.5	248	263	8
	E428431	51.00	52.00	1.00		E428431	0.029	0.7	368	1640	27
	E428432	52.00	53.00	1.00		E428432	0.022	<0.5	208	1580	45
	E428433	53.00	54.00	1.00		E428433	0.068	0.7	389	5530	89
	E428434	54.00	55.00	1.00		E428434	0.044	0.5	219	924	26
	E428435	55.00	56.00	1.00		E428435	0.007	<0.5	89	4640	1400
	E428436	56.00	57.00	1.00		E428436	0.171	3.5	391	1.235%	9060
	E428437	57.00	58.00	1.00		E428437	0.017	0.6	94	6160	2510
	E428438	58.00	59.00	1.00		E428438	0.026	<0.5	60	819	304
	E428439	Duplicate of E428438			DUPLICATE	E428439	0.028	0.7	67	757	313
BC09-12	E428440	59.00	60.00	1.00		E428440	0.049	0.9	111	2160	403
	E428441	60.00	61.00	1.00		E428441	<0.005	1.3	106	1.035%	3240
	E428442	79.40	79.90	0.50		E428442	<0.005	<0.5	67	55	10
	E428443	85.70	86.30	0.60		E428443	<0.005	<0.5	33	139	22
	E428444	86.30	87.00	0.70		E428444	<0.005	0.8	107	249	9
	E428445	87.00	88.00	1.00		E428445	<0.005	0.5	143	1060	59
	E428446	88.00	89.00	1.00		E428446	0.015	1.7	116	2370	445
	E428447	89.00	90.00	1.00		E428447	<0.005	0.6	104	759	19
	E428448	90.00	91.00	1.00		E428448	0.01	1.5	121	1550	702
	E428449	94.10	95.00	0.90		E428449	0.036	1	340	2940	340
BC09-12	E428450	95.00	96.00	1.00		E428450	<0.005	0.6	153	2640	342
	E428451	96.00	97.00	1.00		E428451	<0.005	<0.5	170	894	104
	E428452	97.00	98.00	1.00		E428452	0.005	0.6	191	207	153
	E428453	Standard			STANDARD (OREAS 10Pb = 7.15 Au g/t)	E428453	7.11	1.7	125	126	16
	E428454	98.00	98.80	0.80		E428454	0.011	0.8	263	3850	253
	E428455	102.10	103.00	0.90		E428455	<0.005	<0.5	68	79	7
	E428456	103.00	104.00	1.00		E428456	0.006	<0.5	229	66	16
	E428457	104.00	105.00	1.00		E428457	0.014	<0.5	222	70	20
	E428458	105.00	106.00	1.00		E428458	0.007	0.5	544	62	17
	E428459	106.00	107.00	1.00		E428459	0.015	0.6	445	56	21
BC09-12	E428460	167.00	168.00	1.00		E428460	<0.005	<0.5	161	55	3

Hole ID	Sample #	From	To	Width	Sample Description	Sample #	Au (g/t)	Ag (ppm)	Cu (ppm)	Zn (ppm)	Pb (ppm)
	E428461	168.00	169.00	1.00		E428461	<0.005	<0.5	129	77	<2
	E428462	169.00	170.00	1.00		E428462	0.006	0.5	146	70	4
	E428463	170.00	171.00	1.00		E428463	<0.005	0.6	193	68	3
	E428464	171.00	172.00	1.00		E428464	<0.005	0.7	600	72	9
BC09-12	E428465	Duplicate of E428464		DUPLICATE		E428465	<0.005	<0.5	114	66	3

Augen Gold Corp.**Drill Hole Data Cover Sheet**

<u>Property</u> <u>Township</u>	Brady-Charron Arbutus Option Arbutus	<u>NTS</u> <u>Mining District</u>	41 O/09 Porcupine
------------------------------------	---	--------------------------------------	----------------------

<u>Drill Hole ID</u> BC09-13	<u>Collar Location</u>	Grid: UTM:	102+00E 3+50N 410175E 5270346N
Elevation:	Collar Azimuth:	359	Dip: -45

<u>Purpose Of Hole</u>	To test an I P anomaly south of ddh BC09-12.
	Proposed Depth (m): 175

<u>Drill Information</u>	
Contractor	Chenier Drilling Services Inc.
Core Diameter	BTW
Drill Rig	Hydracore Gopher 1500 Man-Portable
Date Started	Nov-04-2009
Date Finished	Nov-07-2009
Geology Logged By:	Eldon Phillips (0.00-139.00 m); Frank Racicot (139.00-183.00 m)
Geotechnical Logging By	Shane O'Neill, Wally Collins
Sampling By	Shane O'Neill, Wally Collins

<u>Survey Data</u>				<u>Post Drilling Data</u>
Depth (m)	Dip Obs	Dip Corr	Method	Hole Status:
50	53.00	43.50	HF	Gear Left on site: Casing, capped
100	52.00	42.50	HF	Final Depth: 183.00 metres
150	52.00	42.50	HF	Depth of Hole from Top of Casing
				Horizontal Trace
				Vertical Depth
				Casing left in ground: Yes
				OR: Casing cut off

DDH BC09-13						
Hole ID	From	To	Interval	Rock Name		Major Unit
BC09-13	0.00	1.00	1.00	Overburden		Overburden
	1.00	5.70	4.70	Gabbro	Light green and medium to medium-coarse grained. Weakly foliated with few quartz veins present. Non magnetic with little to no sulphide present.	
BC09-13	5.70	32.30	26.60	Cherty Tuff	Light grey-green with well defined bands intermixed with cross-cutting carbonate veinlets. Several cherty intervals present from 5.70 to 6.30 m, 10.20 to 11.10 m, 16.40 to 17.10 m and 29.40 to 30.80 m. There is also a plagioclase porphyritic dyke at 30.80-32.00 m.	
	32.30	48.80	16.50	Mafic Volcanic	Medium to dark green, fine grained with weak pyrite mineralization. Weakly foliated. There are a few white massive quartz veins that lack sulphide.	
BC09-13	48.80	51.40	2.60	Cherty Tuff	Similar to the 5.70-32.20 m.	
	51.40	128.60	77.20	Mafic Volcanic	Similar to 32.3 to 48.8 m interval. A few of the quartz veins contain minor py, po and trace cpy. There are a few small to medium sized silicified tuffs within this mafic volcanic unit. These are located at 89.9-90.2 m, 90.6-91.7 m, 93.9-94.3 m, 94.6-95 m, 95.9-96.4 m, 102.1-103.5 m and 103.7-104.1 m, and most are orientated 50 to 60 degrees to the core axis.	
BC09-13	128.60	134.00	5.40	Lappili Tuff Breccia	Light greenish colored matrix with creamy white phenocrysts or fragments measuring 1 to 2 cm wide and 3 to 4 cm long. Most of the phenocrysts are stretched out in the plane of the foliation. The unit is weak to moderately foliated at about 60 degrees.	
	134.00	137.10	3.10	Cherty Tuff	Same as above.	
	137.10	144.74	7.64	Lappili Tuff Breccia	Same as above.	
BC09-13	144.74	183.00	38.26	Mafic Volcanic	Fine grained, medium to dark green with minor 1-3 mm wide calcite veinlets scattered throughout. In addition, minor amounts of 1 to 5 cm wide irregular qtz veins or qtz zones are scattered throughout with a higher abundance of veins from 157.00-173.00 m. Noticeable increase in disseminated pyrite (2-4% per meter) from 156.00-173.00 m and 181.00-183.00 m. Moderately to well foliated in places....ie 181-183 m; possible interflow- sediment that resembles volcanic?	
						EOH (183.00 meters)

Hole ID	Depth	Width	Angle	Type	Description of Veins
		(mm)			
BC09-13	4.6	30	60		
	13.3	30	25		
	17.4	35	70		
	20.5	52	50		
	27.8	30	50		
	32.7	40	60		
	39.6	42	50		
	40.1	110	40		
	46.6	16	60		
	53.9	11	50		
BC09-13	54.1	9	40		
	55.1	12	50		
	62.9	10	35		
	64.1	11	60		
	64.5	5	40		
	65.8	35	60		
	67.1	17	55		
	68.4	10	60		
	69.3	15	40		
	70.8	24	25		
BC09-13	71.4	10	35		
	74.8	20	35		
	78.9	12	55		
	81.4	15	50		
	82.2	5	60		
	88.1	8	25		
	102.4	28	60		
	102.7	7	50		
	116.0	4	45		
	116.5	10	50		
BC09-13	120.6	15	60		
	120.7	7	60		
	120.9	22	60		
	137.4	40	45		
	139.46	55			1 cm white qv
	141.45				6-8 cm irregular white and grey qv
	142.65	50	lower		11 cm grey plus white irregular qv
	143.77	60			3-4 cm dirty white qv
	144.67	20			1.5 cm qv
	145.30				3-6 cm irregular white qv;

BC09-13	147.84				1-10 cm wide irregular qv with minor po and py; tr cp
	149.55				3-6 cm wide irregular qv with tr po, py, cp
	150.95	45			1/2- 1 cm wide qv with tr po,py
	151.03	65			1/2-1 cm wide irregular qv with 1% po and tr py
	151.10				Irregular 3 cm wide qtz pod
	151.34	50			1/2 cm wide qv
	151.61	75/60			5-6 cm wide white qv
	151.91	55			1-2 cm wide qv
	152.00	45			1 cm wide irregular qv
	152.91	45			1/2 cm wide qv
BC09-13	152.95	40			1-3 cm wide white qv
	154.15	40-50			2 cm wide split qv
	156.80	60			1 cm wide qv
	156.82	60			1/2 cm wide qv
	158.30	30			1-3 cm wide white and grey qv
	158.62	30			2-3 cm wide white and grey qv contaminated with host rock and chlorite
	160.71	50			1-2 cm wide qtz calcite vein
	161.45				1-10 cm wide irregular grey qtz pod
	161.84				1-3 cm wide irregular qtz pod; tr py
	164.20				1/2-3 cm wide irregular qv
BC09-13	165.10				1-3 cm wide qtz-feldspar vein
	165.54				1-4 cm wide irregular qv
	165.75	45			1/2-1 cm wide qv with py
	165.81	45			1/2-2 cm wide qv with 5% py gobs
	166.06	80			1.5 cm wide qv
	166.33	65			5 cm wide white qv
	166.49				3-5 cm wide irregular qv with tr py
	167.40	70			1 cm wide qtz calcite vein
	169.95				3-7 cm wide irregular contaminated qv with epidote and py
	170.30				1 cm wide discontinuous qv with 4% py
BC09-13	171.33	65			8-10 cm wide white and grey qtz and feldspar zone with 5-7% py
	171.61	80			1/2-1 cm wide qv
	172.11	60			1/2-1 cm wide qv
	172.14	80			3-5 cm wide irregular grey qv with tr py
	172.38				7-9 cm wide qtz/calcite and epidote in folded vein; 4% py
	174.02	80			2-12 mm wide qv with tr py

Hole ID	From	To	Core angle	Type	Description of Structure
BC09-13	0.0	1.0			Lower contact of the OVBD and a Gabbro
	5.7	40	Ct		Lower contact of a Gabbroic unit and the upper contact of a Cherty Tuff is sharp
10.0	11.0	35	Bd		Banding or Layering
25.0	26.0	50	Bd		Banding or Layering
	32.4	34	Ct		Lower contact of the Cherty Tuff and the upper contact of a Mafic Volcanic unit is sharp
42.0	43.0	45	Fol		Foliation angle
	58.8	50	Ct		Lower contact of the Mafic Volcanic and the upper contact of a Cherty Tuff.
	51.5	60	Ct		Lower contact of a Cherty Tuff and the upper contact of a Mafic Volcanic.
	128.6	65	Ct		Lower contact of the Mafic Volcanic and the upper contact of a Lappili Tuff?
	134.0	55	Ct		Lower contact of the Lappili Tuff and the upper contact of a Cherty Tuff.
	137.1	65	Ct		Lower contact of the Cherty Tuff and the upper contact of a Lappili Tuff?
	141.0	80	Fol		Foliation
	144.7	70	Ct		Lower contact of lapilli tuff
	155.0	65	Fol		Foliation
	161.0	60	Fol		Foliation
	182.5	70	Fol		Py band along foliation

Hole ID	From	To	Alter	Alter	Description of Alteration
BC09-13	1.0	5.7	Chlorite		
	5.7	32.4	Silica		
	32.4	48.8	Chlorite		
	48.8	51.5	Silica		
	51.5	128.6	Chlorite		There are a few silicified zones present over this interval.
	128.6	134.0	Albite		

Hole ID	From	To	% Py	% Arsy	% Po	% Cpy	% Sph	% Other	Description of Mineralization
BC09-13									
	1.00	5.70	0.1						
	5.70	32.40	0.1						
	32.40	35.00	0.5						
	35.00	48.80	0.1						
	48.80	51.50	0.1						
	51.50	128.60	0.1		0.1	0.1			
	128.60	134.00	0.1						
	134.00	137.10	0.1						
	137.10	139.00	0.1						
	139.00	144.00	<1/4						Small 2-4 cm chlorite or qtz rich sections with 2-5% py; <1/4% overall in lapalli tuff unit
	144.00	144.74	3						3% py gobs associated with irregular narrow qtz stringer, diss py in chlorite concentrations,or in core matrix
	145.00	155.73							Rare scattered py- except for 2% py in 1st 20 cm
	155.73	156.00	3						Diss py mainly from 3 1/2- 2 cm grey bands with 10% py
	156.00	161.00	1						Diss py along foliations
	161.00	164.00	1/2.						
	164.00	166.00	2						Mainly diss py along foliations and
	166.00	169.70	trace						
	169.70	173.00	1-2.						Diss py along foliations
	173.00	181.00	<1/2						
	181.00	183.00	2-4.						2-4% over short sections (avg 1-2%) ; not sampled; FR

Hole ID	Sample #	From	To	Width	Sample Description	Sample #	Au (g/t)	Ag (ppm)	Cu (ppm)	Zn (ppm)	Pb (ppm)
BC09-13	E428535	4.50	5.00	0.50		E428535	<0.005	<0.5	126	99	<2
	E428536	13.00	13.50	0.50		E428536	<0.005	<0.5	154	116	2
	E428537	17.20	17.70	0.50		E428537	<0.005	<0.5	50	127	<2
	E428538	32.40	33.00	0.60		E428538	<0.005	<0.5	116	107	<2
	E428539	Duplicate of E428538			DUPLICATE	E428539	<0.005	<0.5	115	103	<2
	E428540	33.00	34.00	1.00		E428540	<0.005	<0.5	72	98	<2
	E428541	34.00	35.00	1.00		E428541	<0.005	<0.5	59	125	<2
	E428542	35.00	35.50	0.50		E428542	<0.005	<0.5	100	92	<2
	E428543	39.50	40.50	1.00		E428543	<0.005	<0.5	99	81	<2
	E428544	54.00	55.00	1.00		E428544	<0.005	<0.5	131	162	<2
BC09-13	E428545	64.00	65.00	1.00		E428545	<0.005	<0.5	73	117	<2
	E428546	65.00	66.00	1.00		E428546	<0.005	<0.5	91	110	<2
	E428547	70.50	71.00	0.50		E428547	<0.005	<0.5	133	92	<2
	E428548	73.00	74.00	1.00		E428548	<0.005	<0.5	155	129	3
	E428549	81.00	81.50	0.50		E428549	<0.005	<0.5	94	201	3
	E428550	92.00	93.00	1.00		E428550	<0.005	<0.5	63	107	<2
	E428551	93.00	94.00	1.00		E428551	<0.005	<0.5	54	99	2
	E428552	97.50	98.00	0.50		E428552	<0.005	<0.5	66	96	<2
	E428553	Standard			STANDARD (OREAS 6Pc = 1.52 Au g/t)	E428553	1.565	<0.5	34	50	20
	E428554	98.00	99.00	1.00		E428554	<0.005	<0.5	47	94	<2
BC09-13	E428555	99.00	100.00	1.00		E428555	<0.005	<0.5	73	93	<2
	E428556	106.50	107.00	0.50		E428556	<0.005	<0.5	141	131	<2
	E428557	107.00	108.00	1.00		E428557	<0.005	<0.5	137	125	<2
	E428558	108.00	109.00	1.00		E428558	<0.005	<0.5	146	124	<2
	E428559	109.00	110.00	1.00		E428559	<0.005	<0.5	160	132	2
	E428560	110.00	111.00	1.00		E428560	<0.005	<0.5	141	179	<2
	E428561	111.00	112.00	1.00		E428561	<0.005	<0.5	127	143	<2
	E428562	112.00	112.50	0.50		E428562	<0.005	<0.5	112	129	<2
	E428563	117.00	118.00	1.00		E428563	<0.005	<0.5	161	146	2
	E428564	118.00	119.00	1.00		E428564	<0.005	<0.5	181	117	<2
BC09-13	E428565	120.50	121.50	1.00		E428565	<0.005	<0.5	94	104	<2
	E428566	Duplicate of E428565			DUPLICATE	E428566	<0.005	<0.5	91	104	<2
	E428567	124.00	125.00	1.00		E428567	<0.005	<0.5	106	97	<2
	E428568	137.10	138.00	1.00		E428568	<0.005	<0.5	101	70	2
	E428569	138.00	139.00	1.00		E428569	<0.005	<0.5	66	57	2
	E428570	142.15	143.03	0.88	1/2% py plus qv	E428570	<0.005	<0.5	34	45	3
	E428571	144.00	144.74	0.74	2-3% py in lapilli tuff	E428571	<0.005	<0.5	48	47	<2
	E428572	144.74	145.41	0.79	1/2-1% py +8 cm wide qtz	E428572	<0.005	<0.5	126	172	<2
	E428573	147.68	147.94	0.26	2-15 cm wide qtz pod + py	E428573	<0.005	<0.5	102	68	<2
	E428574	149.40	149.73	0.23	4-5 cm wide qv	E428574	<0.005	<0.5	122	94	<2
BC09-13	E428575	150.83	151.93	1.10	5 qv	E428575	<0.005	<0.5	99	90	<2

Hole ID	Sample #	From	To	Width	Sample Description	Sample #	Au (g/t)	Ag (ppm)	Cu (ppm)	Zn (ppm)	Pb (ppm)
	E428576	155.73	156.23	0.50	2-3% py in disseminated bands (10% py in 2-3 cm wide grey bands)	E428576	<0.005	<0.5	34	84	2
	E428577	163.95	164.45	0.50	1% py plus some 1-4 cm quartz pods	E428577	<0.005	<0.5	123	103	<2
	E428578	Standard			STANDARD (OREAS 60b = 2.57 Au g/t)	E428578	2.55	4.4	104	97	17
	E428579	165.00	166.00	1.00	5 quartz veins + 1-2% py	E428579	<0.005	<0.5	117	92	<2
	E428580	166.00	166.60	0.60	3 quartz veins	E428580	<0.005	<0.5	66	101	<2
	E428581	171.00	172.00	1.00	7-9 cm wide quartz veins with py + 1-2 quartz veins	E428581	<0.005	<0.5	115	94	<2
	E428582	172.00	173.00	1.00	3 quartz veins + 1% py	E428582	<0.005	<0.5	137	88	<2
	E428583	177.00	178.00	1.00	5 wispy quartz veins and 1-3 cm wide quartz pod	E428583	<0.005	<0.5	123	97	<2
BC09-13	E428584	169.84	170.34	0.50	2-10% py + 2-3 cm wide quartz veins with chlorite	E428584	<0.005	<0.5	167	107	<2

Augen Gold Corp.**Drill Hole Data Cover Sheet**

<u>Property</u> <u>Township</u>	Brady-Charron Arbutus Option Arbutus	<u>NTS</u> <u>Mining District</u>	41 O/09 Porcupine
------------------------------------	---	--------------------------------------	----------------------

<u>Drill Hole ID</u> BC09-14	<u>Collar Location</u>	Grid: UTM:	96+00E 409597E	6+20N 5270619N
Elevation:	Collar Azimuth:	359	Dip:	45

<u>Purpose Of Hole</u>	To test an IP anomaly.
	Proposed Depth (m): 175

<u>Drill Information</u>	
Contractor	Chenier Drilling Services Inc.
Core Diameter	BTW
Drill Rig	Hydracore Gopher 1500 Man-Portable
Date Started	Nov-07-2009
Date Finished	Nov-10-2009
Geology Logged By	Eldon Phillips
Geotechnical Logging By	Shane O'Neill, Wally Collins
Sampling By	Shane O'Neill, Wally Collins

<u>Survey Data</u>				<u>Post Drilling Data</u>
Depth (m)	Dip Obs	Dip Corr	Method	Hole Status:
50	54.5	45.0	HF	Gear Left on site: Casing, capped Yes
100	53.0	43.5	HF	Final Depth: 193.00 metres
150	50.0	40.0	HF	Depth of Hole from Top of Casing
193	50.0	40.0	HF	Horizontal Trace
				Vertical Depth
				Casing left in ground: Yes
				OR: Casing cut off

DDH BC09-14						
Hole ID	From	To	Interval	Rock Name		Major Unit
BC09-14	0.00	2.10	2.10	Overburden		Overburden
	2.10	9.90	7.80	Mafic Volcanic		Light grey-green medium grained, weak to moderately foliated mafic volcanic. Medium grained at the upper contact becoming finer grained towards the lower contact. Few quartz veins visible with a few quartz carbonate veinlets also present. Little to no sulphides present.
BC09-14	9.90	25.20	15.30	Sheared Mafic Volcanic		Light greenish-grey and medium to fine grained with a moderately sheared appearance. Shearing waxes and wanes over the length of the unit but is always present. Strong increase in sulphide content over the length of the unit.
	25.20	40.40	15.20	Feldspar Porphyry Volcanic		Light greenish-grey in color with a fine grained matrix with large feldspar phenocrysts measuring 5 to 10 mm in size. There is also a moderate amount of sulphides present. There are a few small medium grained plagioclase porphyritic dykes also present. These are located at 32.5 to 32.8 m, 35.2 to 36.1 m, and 38.1 to 38.7 m. The phenocrysts are more visible and coarser grained in some areas and finer grained and less visible in others. The feldspar porphyry is weakly magnetic. There are also a few small intervals of a dark grey black siltstone material between the feldspar porphyry units and the plagioclase porphyry dykes that are more strongly magnetic.
BC09-14	40.40	124.90	84.50	Siltstone		Dark grey-black in color and very fine grained with minor pyrite present throughout. The unit is extremely hard with a high silica content. Numerous quartz veins present with minor sulphides present. Some areas show weak banding with small bands of calcite separating some of the bands.
	124.90	150.80	25.90	Banded Cherty Tuff\ Crystal Tuff		Light grey to light brown with moderately banded appearance. Weakly mineralized with pyrite and non magnetic. There are several plagioclase porphyritic dykes present as well. Some of these dykes are small measuring only a few cm wide and others are somewhat large measuring just over a meter in length. These could be crystal tuffs? The largest of these dykes is located at 128.5 to 129.8 m.
BC09-14	150.80	152.50	1.70	Sheared Mafic Volcanic		Similar to 9.9 to 25.2 m. Weakly magnetic primarily at the lower contact where it is strongly magnetic with well defined magnetite grains visible.
	152.50	178.70	26.20	Banded Cherty Tuff		Similar to 124.9 to 150.8 m.
BC09-14	178.70	184.20	5.50	Gabbro Dyke		Light greenish in color and medium to medium-coarse grained with the upper and lower contacts being moderately finer grained. Weakly foliated with several albite veins as well as quartz carbonate veinlets. The unit is non magnetic with a mostly massive uniform composition.
	184.20	193.00	8.80	Banded Cherty Tuff		Same as above.
						EOH (193.00 meters)

Hole ID		Depth	Width (mm)	Angle	Type	Description of Veins
BC09-14		4.6	130	30	qv	Quartz vein with no sulphides
		11.5	8	45	qv	
		11.6	18	55	qv	
		14.3	8	55	qv	
		14.5	15	50	qv	
		14.6	10	35	qv	
		18.8	22	55	qv	
		19.8	23	60	qv	
		23.4	260	60	qv	
		27.9	28	40	qv	
		36.6	7	70	qv	
		39.9	25	55	qv	
		47.9	40	40	qv	
		48.3	53	50	qv	
		48.4	100	60	qv	
		48.6	68	75	qv	
		48.9	12	45	qv	
		50.4	9	55	qv	
		50.5	4	55	qv	
		50.8	13	40	qv	
BC09-14		54.7	45	50	qv	
		55.0	4	25	qv	
		55.1	20	40	qv	
		58.1	9	50	qv	
		63.2	31	55	qv	
		70.9	600	50	qv	
		72.8	200	45	qv	
		75.2	30	45	qv	
		76.0	13	45	qv	
		79.0	100	60	qv	
		80.1	25	45	qv	
		81.1	8	30	qv	
		81.3	8	55	qv	
		87.3	20	45	qv	
		88.1	40	60	qv	
		94.5	40	60	qv	
		97.9	18	50	qv	
		100.9	7	45	qv	
		104.7	55	60	qv	
		108.2	30	35	qv	
BC09-14		109.5	11	50	qv	

	109.8	10	20	qv	
	112.4	45	25	qv	
	114.5	40	45	qv	
	117.5	80	50	qv	
	123.3	20	40	qv	
	124.7	65	55	qv	
	136.6	40	60	qv	
	144.1	20	35	qv	
	144.2	21	65	qv	
	145.5	7	40	qv	
	145.8	10	45	qv	
	146.7	15	45	qv	
	146.8	38	65	qv	
	147.0	63	70	qv	
	147.1	25	45	qv	
	147.2	80	70	qv	
	150.7	25	45	qv	
	160.6	110	40	qv	
	165.1	20	50	qv	
BC09-14	167.3	38	60	qv	
	169.6	10	30	qv	
	185.7	55	40	qv	

Hole ID	From	To	Core angle	Type	Description of Structure
BC09-14	0.0	2.1		ct	Lower contact of the Overburden and the upper contact of a Mafic Volcanic
		9.9	35	ct	Lower contact of the Mafic Volcanic and the upper contact of a Sheared Mafic Volcanic unit is sharp and well defined
	11.0	12.0	60	fol	Foliation
		25.2	55	ct	Lower contact of the Sheared Mafic Volcanic and the upper contact of a Feldspar Porphyry
	30.0	31.0	35	fol	Foliation
		40.4	50	ct	Lower contact of the feldspar porphyry and the upper contact of a dark grey to black siltstone.
	48.0	49.0	60	fol	Foliation
		81.4	50	fol	Foliation
		97.4	40	fol	Foliation
		113.7	50	fol	Foliation
		124.9		ct	Lower contact of the Black Siltstone and the upper contact of the weakly banded cherty tuff.
		150.8		ct	Lower contact of the banded cherty tuff and the upper contact of a Sheared Mafic Volcanic unit.
	151.0	152.0	45	fol	Foliation
		152.5	35	ct	Lower contact of the Sheared Mafic Volcanic unit and the upper contact of a Banded Cherty Tuff.
		178.7	70	ct	Lower contact with the Banded Cherty Tuff and the upper contact with a gabbro dyke is sharp
		184.2	40	ct	Lower contact of the Gabbro dyke and the upper contact of a banded Cherty Tuff.

Hole ID	From	To	Alter	Alter	Alter	Description of Alteration
BC09-14	2.10	9.90	Chlorite			
	9.90	25.20	Chlorite			
	25.50	40.40	Albite	Silica		
	40.40	124.90	Silica			
	124.90	150.80	Silica	Sericite		A few locations have a weak sericite alteration present.
	150.80	152.50	Chlorite			
	152.50	178.70	Silica	Carbonate		
	178.70	184.20	Chlorite			
	184.20	193.00	Silica	Carbonate		

Hole ID	From	To	% Py	% Arsy	% Po	% Cpy	% Sph	% Other	Description of Mineralization
BC09-14	2.10	9.90	0.1						
	9.90	25.20	5.0						Sulphide content varies between 2 to 5 % with 5 % being more common.
	25.20	40.40	1.0				2		About 1% pyrite and about 2% magnetite present.
	40.40	124.90	1.0				1		About 1% pyrite and from 1 to 2% magnetite present.
	124.90	150.80	0.1						
	150.80	152.50	0.1				0.5		Trace pyrite and minor magnetite present.
	152.50	178.70	0.1						
	178.70	184.20	0.1						
	184.20	193.00	0.1						

Hole ID	Sample #	From	To	Width	Sample Description	Sample #	Au (g/t)	Ag (ppm)	Cu (ppm)	Zn (ppm)	Pb (ppm)
BC09-14	E428480	10.00	11.00	1.00		E428480	<0.005	<0.5	115	88	<2
	E428481	11.00	12.00	1.00		E428481	<0.005	<0.5	117	75	<2
	E428482	12.00	13.00	1.00		E428482	<0.005	<0.5	104	151	<2
	E428483	13.00	14.00	1.00		E428483	<0.005	<0.5	143	107	10
	E428484	14.00	15.00	1.00		E428484	<0.005	<0.5	110	71	8
	E428485	15.00	16.00	1.00		E428485	<0.005	<0.5	106	92	7
	E428486	16.00	17.00	1.00		E428486	<0.005	<0.5	140	95	3
	E428487	17.00	18.00	1.00		E428487	<0.005	<0.5	181	94	4
	E428488	18.00	19.00	1.00		E428488	<0.005	<0.5	171	98	6
	E428489	19.00	20.00	1.00		E428489	<0.005	<0.5	150	104	5
BC09-14	E428490	20.00	21.00	1.00		E428490	<0.005	<0.5	182	109	2
	E428491	Duplicate of E428491			DUPLICATE	E428491	<0.005	<0.5	176	106	3
	E428492	21.00	22.00	1.00		E428492	<0.005	<0.5	82	93	2
	E428493	22.00	23.00	1.00		E428493	<0.005	<0.5	206	97	2
	E428494	23.00	24.00	1.00		E428494	<0.005	0.5	159	103	<2
	E428495	24.00	25.00	1.00		E428495	<0.005	<0.5	127	115	<2
	E428496	33.00	34.00	1.00		E428496	<0.005	<0.5	136	100	<2
	E428497	34.00	35.00	1.00		E428497	<0.005	<0.5	133	98	3
	E428498	35.00	36.00	1.00		E428498	<0.005	<0.5	98	102	4
	E428499	36.00	37.00	1.00		E428499	<0.005	<0.5	127	105	<2
BC09-14	E428500	37.00	38.00	1.00		E428500	<0.005	<0.5	116	93	<2
	E428501	38.00	39.00	1.00		E428501	<0.005	<0.5	101	93	<2
	E428502	39.00	40.00	1.00		E428502	<0.005	<0.5	94	100	2
	E428503	Standard (OREAS 6Pc)			STANDARD (OREAS 6Pc = 1.52 Au g/t)	E428503	1.51	0.6	34	49	21
	E428504	40.00	40.50	0.50		E428504	<0.005	<0.5	134	92	3
	E428505	41.00	42.00	1.00		E428505	<0.005	<0.5	116	100	<2
	E428506	42.00	43.00	1.00		E428506	<0.005	<0.5	134	104	<2
	E428507	43.00	44.00	1.00		E428507	<0.005	<0.5	99	104	4
	E428508	44.00	45.00	1.00		E428508	<0.005	<0.5	113	107	<2
	E428509	45.00	46.00	1.00		E428509	<0.005	<0.5	104	121	5
BC09-14	E428510	46.00	47.00	1.00		E428510	<0.005	<0.5	129	121	4
	E428511	47.00	48.00	1.00		E428511	<0.005	<0.5	131	117	<2
	E428512	48.00	49.00	1.00		E428512	<0.005	<0.5	101	127	<2
	E428513	57.00	58.00	1.00		E428513	<0.005	<0.5	26	71	<2
	E428514	Duplicate of E428513			DUPLICATE	E428514	<0.005	<0.5	28	80	3
	E428515	58.00	59.00	1.00		E428515	<0.005	<0.5	38	90	2
	E428516	59.00	60.00	1.00		E428516	<0.005	<0.5	27	58	3
	E428517	60.00	60.50	0.50		E428517	<0.005	<0.5	29	69	3
	E428518	66.00	67.00	1.00		E428518	<0.005	<0.5	41	72	2
	E428519	67.00	68.00	1.00		E428519	<0.005	<0.5	21	66	2
BC09-14	E428520	68.00	69.00	1.00		E428520	<0.005	<0.5	25	68	<2

Hole ID	Sample #	From	To	Width	Sample Description	Sample #	Au (g/t)	Ag (ppm)	Cu (ppm)	Zn (ppm)	Pb (ppm)
	E428521	69.00	70.00	1.00		E428521	<0.005	<0.5	3	75	5
	E428522	70.00	71.00	1.00		E428522	<0.005	<0.5	16	44	<2
	E428523	132.00	133.00	1.00		E428523	<0.005	<0.5	40	74	4
	E428524	133.00	134.00	1.00		E428524	<0.005	<0.5	36	64	5
	E428525	134.00	135.00	1.00		E428525	<0.005	<0.5	81	70	4
	E428526	142.00	143.00	1.00		E428526	<0.005	<0.5	53	68	6
	E428527	143.00	144.00	1.00		E428527	<0.005	<0.5	38	60	6
	E428528	Standard (Oreas 10Pb)			STANDARD (OREAS 10Pb = 7.15 Au g/t)	E428528	6.99	0.7	124	121	14
	E428529	144.00	145.00	1.00		E428529	<0.005	<0.5	51	65	4
	E428530	145.00	146.00	1.00		E428530	<0.005	<0.5	67	73	6
	E428531	146.00	147.00	1.00		E428531	<0.005	<0.5	36	50	6
	E428532	147.00	148.00	1.00		E428532	<0.005	<0.5	99	109	4
	E428533	160.50	161.00	0.50		E428533	<0.005	<0.5	107	123	<2
BC09-14	E428534	176.00	177.00	1.00		E428534	<0.005	<0.5	145	267	<2

Augen Gold Corp.**Drill Hole Data Cover Sheet**

<u>Property</u> <u>Township</u>	Brady-Charron Arbutus Option Huffman	<u>NTS</u> <u>Mining District</u>	41 O/09 Porcupine
------------------------------------	---	--------------------------------------	----------------------

<u>Drill Hole ID</u> BC09-27	<u>Collar Location</u>	Grid: UTM:	92+00E 409206E	7+50N 5270754N
Elevation:	Collar Azimuth:	360	Dip:	50

Purpose Of Hole

To test an airborne conductor in an area of low magnetic susceptibility.

Proposed Depth (m): 200

<u>Drill Information</u>	
Contractor	Chenier Drilling Services Inc.
Core Diameter	BTW
Drill Rig	Hydracore Gopher 1500 Man-Portable
Date Started	Dec-19-2009
Date Finished	Jan-13-2010
Geology Logged By	Frank Racicot
Geotechnical Logging By	Shane O'Neill, Wally Collins
Sampling By	Shane O'Neill, Wally Collins

<u>Survey Data</u>				<u>Post Drilling Data</u>
Depth (m)	Dip Obs	Dip Corr	Method	Hole Status:
50	55.0	45.5	HF	Gear Left on site: Casing, capped
100	55.0	45.5	HF	Final Depth: 195.82 metres
150	55.0	45.5	HF	Depth of Hole from Top of Casing
195.82	57.0	48.0	HF	Horizontal Trace
				Vertical Depth
				Casing left in ground:
				OR: Casing cut off

DDH BC09-27						
Hole ID	From	To	Interval	Rock Name	Major Unit	
BC09-27	0.00	0.85	0.85	Overburden	Overburden	
	0.85	12.22	11.37	Variably Porphyritic Crystal Tuff		Generally fine grained, dark grey to black, foliated porphyritic 'volcanic' rock; phenocrysts are generally white, subhedral to euhedral plagioclase ranging in size from 2-5 mm in size and from 0% to 20% (ave 5%). Phenocrysts are frequently aligned parallel to sub parallel to the foliation. Initially called a "Porphyritic Mafic Volcanic". Some narrow bands (1-12 cm) with almost 100% small plagioclase phenocrysts (5.46 m, 5.90 m, 10.55 m, 11.80 m). 0.5 m "xenolith" or vein of light grey, medium grained granodiorite at 11.40 m. Minor py overall: 10% py at 11.30 m over 10 cm above xenolith and 20% py over 10 cm at 12.12 m above granodiorite. 5-7% py in "xenolith". Some minor qtz veins.
BC09-27	12.22	27.60	15.38	Granodiorite		Light grey, medium grained slightly gneissic granodiorite with approx 10% mafic minerals; finer grained in places; lacks igneous texture. Feldspar crystals often less than anhedral in 'shape'. 3-5 % py in the first 40 cm and then generally <1/2% py. 2-3 1/2 to 1 cm, white qtz veins per meter at variable angles to cax from 12.22 m to 20.90 m. Several larger (3-5cm) white qtz veins after 20.9m. A 32 cm wide white qtz vein at 26.77m is 'contaminated' with granodiorite and minor associated py. Several larger (3-5cm) white qtz veins down-hole of 20.90 m. 32 cm white qtz vein at 26.77 m; this vein is 'contaminated' with granodiorite and minor associated py. A 0.5 m wide fine grained, dark mafic dike at 25.3 m bears 10% disseminated py.
BC09-27	27.60	30.24	2.64	Dark, Laminated, Argillaceous Siltstone		Fine grained, dark argillaceous sediment that is finely laminated in places. 3-5% py in the first meter; contains fine laminations of py. Also contains a 4 cm and a 20 cm band of porphyritic mafic tuff(?). Some thin 2-5 mm qtz veins parallel to the cax or at irregular angles for first several meters.
	30.24	34.47	4.23	Mafic Volcanic		Fine grained, dark green mafic volcanic; 2-5% py locally over 10-20 cm; numerous, thin (1-4mm) wispy calcite veins.
BC09-27	34.47	40.43	5.96	Porphyritic Intermediate Crystal Tuff		Mainly fine grained, light grey matrix with 10-20% white 2-4 mm long plagioclase phenocrysts; also contains several, interbedded dark green mafic volcanics (as above)- ranging from 4 cm at 39.4 m to 80 cm at 35.55 m.
	40.43	44.00	3.57	Mafic Volcanic		Fine grained, dark green mafic volcanic (as above) interbedded with porphyritic crystal tuff beds ranging from 4 cm at 41.8 m to 55 cm at 43.1 m.
BC09-27	44.00	46.00	2.00	Porphyritic Intermediate Crystal Tuff and Mafic Volcanic		Mainly as above initially but contains a 12 cm wide mafic volcanic band at 45 m. Mainly mafic volcanic at 45.28 m to 46 m except for a 5 cm wide and a 14 cm wide band of porphyritic crystal tuff.
	46.00	50.50	4.50	Dark Finely Laminated Siltstone		Dark grey, fine grained, finely laminated mafic sediments; laminations are usually lighter coloured; minor py but up to 3-4% py over 10 cm in places.
BC09-27	50.50	53.07	2.57	Porphyritic Intermediate Crystal Tuff		As above; approx 5% plagioclase phenocrysts; also contains some thin inter-bedded sediments in places; slightly vague contacts.

DDH BC09-27					
Hole ID	From	To	Interval	Rock Name	Major Unit
	53.07	63.50	10.43	Dark, Finely Laminated Siltstone	As above but much more disseminated py along laminations: averages 1-2% py; up to 10-20% py over 1 meter along laminations: also includes minor mafic volcanic unit from 54.52 m to 55.88 m.
BC09-27	63.50	68.10	4.60	Mafic Volcanic	As above; vague/transitional lower contact; slight foliation
	68.10	75.20	7.10	Dark, Interbedded Siltstone	Mainly dark, fine grained, finely laminated siltstone, interbedded with light grey, medium grained porphyritic crystal tuff from 71.95 to 73.45 m and minor mafic volcanic from 71.07 m to 71.68 m
BC09-27	75.20	79.50	4.30	Interbedded Felsic and Mafic Tuffs	Initially fine grained, beige, finely bedded felsic tuffs for approx 1/2m- and then inter-bedded with fine grained, dark mafic tuffs/sediments until lower contact; 1 cm of xtal tuff at lower contact; less beige tuffs after 78.55 m and more light grey or dark tuffs.
	79.50	83.34	3.84	Mafic Volcanic	Fine grained as above: contains 32 cm dark sediment band with 2-3% fine py from 82.56 m. Minor 1/2cm qtz 'gashes' but much irregular calcite veining in last 40 cm near lower contact.
BC09-27	83.34	100.83	17.49	Dark, Finely Laminated Siltstone	Mainly dark, fine grained, finely laminated siltstone, interbedded with minor light grey, medium grained porphyritic crystal tuff, 1 to 12 cm wide and 0.72 m of minor mafic volcanic from 89.28 m: minor non magnetic po and trace cp at lower contact just above quartz
	100.83	101.04	0.21	Quartz Vein	White quartz vein with minor non magnetic po and trace cp at contact and minor black vein material in qtz (tourmaline?? no crystals)
BC09-27	101.04	107.65	6.61	Medium Grey Laminated Siltstone	Thin alternating laminations of light and medium grey siltstone with < 1/2% scattered py laminations over a few mm or cm in some places.
	107.65	136.05	28.40	Beige and Grey, Silicified, "Micro-laminated" Siltstone	Very fine grained, light to medium grey and/or light beige, micro-laminated, moderately to strongly silicified siltstone: generally medium grey - but colour varies throughout. Very rare py.
BC09-27	136.05	136.72	0.67	Mafic Volcanic	Fine grained, dark green with many thin calcite veins.
	136.72	171.00	34.28	Variably Coloured, Laminated Siltstone	Fine grained, thinly bedded, light-dark grey or beige 0.1mm to 1 mm to 10 mm wide bands of well bedded siltstone. Laminations are quite rhythmic and give the rock a 'zebra' texture. Scattered 1/2- 1 cm wide irregular qtz-feldspar veins; rare pyrite. 5% 1-3 mm wide blue quartz 'eyes' from 139.80-140.00 m; also a 1 cm wide blue qtz eye at 141.10 m.
BC09-27	171.00	195.82	24.82	Light Grey Laminated Siltstone	Fine grained, thinly bedded as above: rare py and rare qtz. Last 1.5 meters is beige colour. Approximately 0.5 m wide irregular qtz zone at 188.5 m; 20 cm wide porphyritic 'crystal tuff' layer at 192.55 m bearing 1-3 mm plagioclase phenocrysts.
					EOH (195.82 meters)

Hole ID	From	To	Angle	Type	Description of Veining
BC09-27	2.70	2.83	40		3 1/2 to 1 cm qtz veins/gashes with minor carbonate and green epidote(?)
	9.11	9.13	50		2 cm white qtz vein
	7.60				1 cm qtz vein
	20.90	20.93	45		3.5 cm white qtz
	24.04		45		1-4 cm deformed white qtz vein
	25.24		20		3 cm white qtz vein at contact of py rich (10%+py) mafic dike?
	26.19				2-3 cm deformed white qtz vein
	26.77	27.10			this vein is 'contaminated' with granodiorite and minor associated py; irregular contacts
	33.00		45		2-3 mm qtz calcite vein
	33.14		35		2-5 mm light grey qtz wedge
	44.40		60		1-4 cm deformed white qtz vein
	45.99		70		2-10 mm deformed qtz vein at sediment contact
	102.58		45		1-2 cm irregular qtz vein
	103.10		65		1-2 cm irregular qtz vein
	103.75	103.85			20 % qtz in 2 separate irregular 'pods'; some possible tourmaline; tr po
	110.00	110.50	50		5-6 <1/2 cm discontinuous qtz veins; possible tourmaline in lower vein
	111.40		25		several qtz veins over 1 cm; no py; not sampled
	114.15				irregular qtz vein <1/2 cm possible tourmaline?
	116.00		65		13 cm white and grey qtz
	124.30		50		5 cm qtz vein; not sampled
	143.72		35		6 cm quartz vein ;no py ; no sample
	155.50		40		3-4 cm qtz zone
	158.48	158.66	35		22 cm qtz zone with 10% biotite
	170.80		40		2-3 cm qtz vein with trace py
	174.22	174.66	60		4 whitish qtz veins; 1-5 cm wide

Hole ID	From	To	Core angle	Type	Description of Structure
BC09-27	2.00		40		Foliation
	8.00		45		Foliation
	11.00		40		Foliation
	11.40		60		Upper 'xenolith' contact
	11.90		45		Lower 'xenolith' contact
	12.22		50		Contact
	24.00		45		Foliation
	25.22				irregular
	26.77				irregular
	27.80		45		
	28.00		30		Foliation
	40.43		28		Contact
	41.88		40		Contact with X tal tuff and volcanics
	43.10		35		Contact
	48.80		35		Bedding
	54.50		35		Contact
	61.80		42		1 cm py bands in siltstone
	66.00		66		Foliation in volcanics
	90.00		50		Foliation
	85.00		40		Foliation
	100.00		40		Foliation
	111.00		50		Foliation
	140.00		40		Foliation
	153.00		40		Foliation
	158.48		40		Qtz vein contact
	180.00		45		Foliation
	192.55		50		Contact

Hole ID	From	To	Alter	Alter	Description of Alteration
BC09-27	102.00	104.00			Some thin bands of hard, beige, silicified material.
	104.80	107.66			Alternating light grey and beige bands of hard (silicified) rock and greenish-beige (sericitized?) rock.
	107.66	136.05			Very fine grained, light to medium grey and/or light beige, micro-laminated, moderately to strongly silicified siltstone.

Hole ID	Sample #	From	To	Width	Sample Description	Sample #	Au (g/t)	Ag (ppm)	Cu (ppm)	Zn (ppm)	Pb (ppm)
BC09-27	E429201	11.00	11.40	0.40	mafic volc	E429201	<0.005	<0.5	47	66	3
	E429202	11.40	11.90	0.50	5-10% py in granodiorite xenolith	E429202	<0.005	<0.5	34	67	4
	E429203	Standard			STANDARD (Oreas 6Pc = 1.52 Au g/t)	E429203	1.485	<0.5	33	49	24
	E429204	11.90	12.20	0.30	1-10% py	E429204	<0.005	<0.5	19	27	4
	E429205	12.20	13.20	1.00	2-3 small qtz veins per meter	E429205	<0.005	<0.5	30	46	8
	E429206	13.20	15.00	1.80	2-3 small qtz veins per meter	E429206	<0.005	<0.5	45	39	5
	E429207	15.00	16.50	1.50	2-3 small qtz veins per meter	E429207	<0.005	<0.5	31	38	5
	E429208	16.50	18.00	1.50	2-3 small qtz veins per meter	E429208	<0.005	0.7	41	42	4
	E429209	18.00	19.52	1.52	2-3 small qtz veins per meter	E429209	<0.005	<0.5	24	50	4
	E429210	19.52	21.00	1.48	3.5 cm white qtz	E429210	<0.005	<0.5	18	38	8
BC09-27	E429211	21.00	22.50	1.50		E429211	<0.005	<0.5	22	27	3
	E429212	22.50	24.00	1.50		E429212	<0.005	<0.5	17	43	6
	E429213	24.00	25.22	1.22		E429213	<0.005	0.5	18	31	5
	E429214	Duplicate of E429213			DUPLICATE	E429214	<0.005	<0.5	19	30	3
	E429215	25.22	25.80	0.58	10% py in mafic volcanic 'xenolith' plus 2-3 cm qtz at upper contact	E429215	<0.005	<0.5	31	121	3
	E429216	25.80	26.77	0.97	three 1 cm qtz veins in 1st half in granodiorite; < 14% py overall	E429216	<0.005	<0.5	50	36	3
	E429217	26.77	27.60	0.83	33 cm qtz vein plus 50 cm granodiorite with 3 small qv and 1/2% py	E429217	<0.005	<0.5	14	20	2
	E429218	27.60	28.60	1.00	3-5% disseminated py along foliation planes	E429218	<0.005	<0.5	38	57	4
	E429219	32.83	33.23	0.40	5-7% py and 2-3mm qtz calcite vein and 2-5 mm light grey qtz wedge	E429219	<0.005	<0.5	134	83	<2
	E429220	61.80	62.30	0.50	15-20% bedded/laminated pyrite; up to 10% py for next 20 cm (approx) not sampled; plus short barren zone	E429220	<0.005	<0.5	28	41	3
BC09-27	E429221	100.70	101.03	0.33	70% qtz; 30 % laminated siltstone with tr cp and minor non magnetic po	E429221	<0.005	<0.5	40	42	<2
	E429222	101.03	102.00	0.97		E429222	<0.005	<0.5	14	21	3
	E429223	102.00	103.00	1.00	2-3% py in 1st 35 cm	E429223	<0.005	<0.5	26	37	3
	E429224	103.00	103.97	0.97	20 % qtz in 2 separate irregular 'pods'; some possible tourmaline; tr po	E429224	<0.005	<0.5	176	143	4
	E429225	103.97	105.00	1.03	minor py	E429225	0.005	<0.5	89	83	5
	E429226	105.00	106.00	1.00	rare py	E429226	<0.005	<0.5	7	45	7
	E429227	106.00	107.00	1.00	Thin alternating laminations of light and medium grey siltstone with < 1/2% py in laminations in places	E429227	0.012	0.7	230	134	5
	E429228	Standard			STANDARD (Oreas 60b = 2.57 Au g/t)	E429228	2.49	4.7	108	101	15
	E429229	107.00	107.65	0.65	<1/2% py in laminated siltstone	E429229	<0.005	<0.5	57	199	9
	E429230	107.65	109.00	1.35	start of 'silicified zone'	E429230	<0.005	<0.5	14	217	9
BC09-27	E429231	109.00	110.00	1.00	silicified' siltstone	E429231	<0.005	<0.5	2	45	8
	E429232	110.00	110.50	0.50	5-6 < 1/2 cm discontinuous qtz veins; possible tourmaline	E429232	<0.005	<0.5	3	25	6
	E429233	115.95	116.15	0.20	75% qtz vein	E429233	<0.005	<0.5	4	15	4
	E429234	118.00	119.00	1.00	beige siltstone with pseudo qtz flooding	E429234	<0.005	<0.5	2	18	5
	E429235	114.00	114.50	0.50	irregular <1/2 cm qtz vein; possible tourmaline	E429235	<0.005	<0.5	4	40	7
	E429236	121.00	122.00	1.00	beige siltstone with 'zebra' qtz veins in last 3rd; no py	E429236	<0.005	<0.5	2	46	5
	E429237	127.00	128.00	1.00	beige siltstone	E429237	<0.005	<0.5	1	21	8
	E429238	133.00	134.00	1.00	medium grey siltstone with some irregular qtz pod and tourmaline	E429238	<0.005	<0.5	1	41	4
	E429239	Duplicate of E429239			DUPLICATE	E429239	<0.005	<0.5	1	42	5

Hole ID	Sample #	From	To	Width	Sample Description	Sample #	Au (g/t)	Ag (ppm)	Cu (ppm)	Zn (ppm)	Pb (ppm)
	E429240	158.40	158.80	0.40	22 cm of qtz with 10% biotite	E429240	<0.005	<0.5	<1	59	9
	E429241	174.15	174.65	0.50	4 whitish qtz veins ; 1-5 cm wide	E429241	<0.005	<0.5	2	43	3
BC09-27	E429242	188.50	189.10	0.60	50% irregular qtz vein	E429242	<0.005	<0.5	1	20	<2

APPENDIX B

CERTIFICATES OF ANALYSIS

**ALS Chemex**

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

CERTIFICATE TM10006907

Project: SOUTHERN SWAYZE

P.O. No.:

This report is for 61 Drill Core samples submitted to our lab in Timmins, ON, Canada on
21-JAN-2010.

The following have access to data associated with this certificate:

GORDON MCROBERTS

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 1

Finalized Date: 28-JAN-2010

This copy reported on 1-FEB-2010

Account: AUGGLD

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rod w/o BarCode
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarcode Dup
CRU-31	Fine crushing - 70% <2mm
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split - Dup 85% <75um
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
LOG-23	Pulp Login - Recvd with Barcode
PUL-QC	Pulverizing QC Test
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: AUGEN GOLD CORP.
ATTN: GORDON MCROBERTS
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 28-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006907

Sample Description	Method Analyte Units LOQ	WEI-21	Au-AA23	ME-ICP61											
		Recd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	g	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm
E428476		0.96	<0.005	<0.5	4.41	7	20	<0.5	2	9.97	<0.5	38	130	251	5.65
E428477		1.58	<0.005	<0.5	5.62	<5	20	<0.5	2	8.64	<0.5	38	197	2280	7.37
E428478		0.07	2.70	<0.5	7.10	2180	760	13.2	2	0.03	<0.5	<1	151	100	3.35
E428479		1.76	0.005	<0.5	4.54	6	20	0.6	2	10.45	<0.5	33	143	831	6.25
E429233		1.15	<0.005	<0.5	6.03	<5	650	1.7	<2	0.72	<0.5	<1	3	4	0.66
E429234		1.72	<0.005	<0.5	5.98	<5	530	1.5	<2	0.52	<0.5	<1	3	2	0.60
E429235		0.90	<0.005	<0.5	6.16	<5	730	1.5	<2	0.35	<0.5	<1	4	4	0.77
E429236		1.82	<0.005	<0.5	5.97	<5	660	1.4	<2	0.26	<0.5	<1	4	2	0.67
E429237		1.74	<0.005	<0.5	5.99	<5	530	1.7	<2	0.44	<0.5	<1	2	1	0.51
E429238		1.77	<0.005	<0.5	6.26	<5	570	1.5	<2	0.72	<0.5	<1	3	1	0.72
E429239		<0.02	<0.005	<0.5	6.24	<5	570	1.5	<2	0.71	<0.5	<1	2	1	0.72
E429240		0.66	<0.005	<0.5	6.72	5	360	2.1	2	3.58	<0.5	4	4	<1	2.10
E429241		0.97	<0.005	<0.5	5.89	<5	310	1.2	<2	1.48	<0.5	2	5	2	1.45
E429242		1.06	<0.005	<0.5	1.69	<5	100	<0.5	<2	1.03	<0.5	<1	7	1	0.94
E428538		1.19	<0.005	<0.5	7.13	<5	210	<0.5	<2	7.06	<0.5	41	62	116	7.48
E428539		<0.02	<0.005	<0.5	7.00	<5	210	<0.5	<2	6.93	<0.5	38	65	115	7.32
E428540		1.84	<0.005	<0.5	7.56	<5	180	0.5	2	4.54	<0.5	28	63	72	5.89
E428541		2.12	<0.005	<0.5	8.08	7	300	<0.5	2	6.17	<0.5	42	190	59	8.10
E428542		1.08	<0.005	<0.5	8.13	<5	30	<0.5	<2	7.20	<0.5	41	213	100	8.27
E428543		2.00	<0.005	<0.5	6.69	<5	20	<0.5	<2	6.13	<0.5	38	191	99	7.26
E428544		2.03	<0.005	<0.5	7.43	6	120	<0.5	<2	6.12	0.5	46	127	131	7.46
E428545		1.98	<0.005	<0.5	7.66	<5	50	<0.5	<2	6.25	<0.5	49	35	73	9.97
E428546		1.90	<0.005	<0.5	8.16	<5	180	<0.5	<2	6.47	<0.5	43	44	91	9.19
E428547		0.90	<0.005	<0.5	6.57	<5	50	<0.5	2	5.82	<0.5	37	62	133	8.61
E428548		2.14	<0.005	<0.5	7.16	7	60	<0.5	<2	6.47	<0.5	43	59	155	10.60
E428549		0.96	<0.005	<0.5	6.04	<5	130	0.9	<2	5.75	0.6	30	6	94	11.75
E428550		1.94	<0.005	<0.5	8.06	8	140	0.6	<2	5.36	<0.5	34	64	63	6.95
E428551		1.96	<0.005	<0.5	8.29	<5	110	0.6	<2	4.80	<0.5	33	65	54	6.84
E428552		1.01	<0.005	<0.5	7.96	<5	100	0.5	<2	5.34	<0.5	35	59	66	7.02
E428553		0.07	1.565	<0.5	6.67	1440	580	10.1	<2	0.02	<0.5	3	264	34	3.29
E428554		1.99	<0.005	<0.5	7.81	5	70	0.5	<2	5.33	<0.5	34	58	47	6.91
E428555		1.70	<0.005	<0.5	7.54	<5	170	0.6	<2	4.63	<0.5	32	52	73	6.45
E428556		0.99	<0.005	<0.5	7.30	<5	160	<0.5	2	7.38	<0.5	46	94	141	8.69
E428557		1.96	<0.005	<0.5	7.38	<5	100	<0.5	2	6.03	<0.5	47	115	137	8.53
E428558		2.06	<0.005	<0.5	6.75	<5	120	0.6	<2	6.47	<0.5	56	200	146	9.26
E428559		1.84	<0.005	<0.5	7.60	<5	80	<0.5	<2	6.40	<0.5	50	105	160	8.91
E428560		1.97	<0.005	<0.5	7.34	<5	130	0.5	5	7.09	<0.5	47	138	141	9.22
E428561		2.04	<0.005	<0.5	7.59	<5	70	<0.5	<2	7.81	<0.5	54	99	127	9.81
E428562		1.37	<0.005	<0.5	8.02	<5	140	0.6	<2	6.23	<0.5	36	47	112	8.14
E428563		1.94	<0.005	<0.5	7.31	<5	160	<0.5	<2	6.81	0.6	42	112	161	9.17



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 28-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006907

Sample Description	Method Analyte	ME-ICP61														
		K	La	Mg	Mn	Mb	Nb	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
E428476		0.03	10	2.68	1155	<1	1.04	70	220	<2	0.57	<5	24	59	<20	0.34
E428477		0.02	30	3.77	1090	<1	1.38	96	250	<2	1.47	<5	37	97	<20	0.42
E428478		3.00	40	0.36	70	2	0.09	10	330	25	0.02	152	14	138	<20	0.21
E428479		0.06	20	3.38	1265	<1	1.15	76	210	<2	0.91	<5	32	82	<20	0.36
E429233		2.61	10	0.34	270	2	2.11	1	70	4	0.01	<5	3	56	<20	0.03
E429234		2.49	10	0.23	243	1	2.44	<1	70	5	0.02	<5	3	52	<20	0.03
E429235		2.48	10	0.16	379	1	2.58	2	70	7	0.05	<5	3	54	<20	0.03
E429236		2.18	10	0.10	259	1	2.84	1	70	5	0.02	<5	3	51	<20	0.03
E429237		1.76	10	0.26	185	<1	2.82	1	70	8	0.12	<5	4	56	<20	0.03
E429238		2.50	10	0.44	335	1	2.10	1	70	4	0.01	<5	3	56	<20	0.03
E429239		2.47	10	0.43	326	2	2.09	2	70	5	0.01	<5	3	56	<20	0.03
E429240		1.14	30	1.38	803	<1	2.32	6	350	9	0.01	<5	5	233	<20	0.15
E429241		1.39	50	0.88	493	2	0.84	4	230	3	0.03	<5	4	97	<20	0.09
E429242		0.39	10	0.32	273	4	0.32	1	70	<2	0.01	<5	2	39	<20	0.03
E428538		0.92	10	2.37	1380	1	2.48	49	400	<2	1.21	<5	35	133	<20	0.64
E428539		0.88	10	2.28	1360	1	2.46	47	390	<2	1.20	5	34	132	<20	0.63
E428540		0.87	10	2.22	1020	<1	3.39	55	450	<2	0.52	<5	28	123	<20	0.55
E428541		1.30	10	4.25	1310	<1	2.03	109	290	<2	0.42	<5	35	102	<20	0.51
E428542		0.13	10	4.04	1355	1	1.88	60	310	<2	0.09	<5	40	123	<20	0.53
E428543		0.10	10	3.29	1190	<1	1.29	66	260	<2	0.10	<5	35	97	<20	0.47
E428544		0.34	10	3.41	1340	2	2.11	70	340	<2	0.45	6	38	115	<20	0.59
E428545		0.13	10	3.09	1540	<1	1.82	70	420	<2	0.17	<5	31	106	<20	0.69
E428546		0.17	10	2.70	1360	<1	2.45	52	430	<2	0.47	<5	32	164	<20	0.67
E428547		0.10	10	2.23	1275	<1	1.90	34	400	<2	0.62	<5	33	102	<20	0.62
E428548		0.12	10	2.73	1625	1	1.97	37	510	3	0.28	<5	44	111	<20	0.65
E428549		0.16	10	1.12	1885	<1	2.27	1	1120	3	0.58	<5	33	156	<20	1.05
E428550		0.94	10	2.83	1125	<1	2.88	68	590	<2	0.39	<5	21	250	<20	0.70
E428551		0.85	10	2.73	1075	1	3.25	68	570	2	0.32	<5	20	260	<20	0.67
E428552		0.53	10	2.64	1115	<1	2.69	66	600	<2	0.54	<5	20	263	<20	0.71
E428553		2.56	40	0.32	68	2	0.08	24	340	20	0.01	101	14	91	<20	0.27
E428554		0.52	10	2.62	1095	<1	2.87	87	560	<2	0.20	<5	20	267	<20	0.69
E428555		0.75	10	2.15	1015	1	2.84	63	480	<2	0.62	<5	20	197	<20	0.54
E428556		1.01	10	3.11	1575	7	1.01	66	430	<2	0.41	<5	40	93	<20	0.73
E428557		0.62	10	3.26	1370	<1	2.47	87	510	<2	0.41	<5	40	108	<20	0.75
E428558		0.54	10	4.55	1685	<1	2.06	219	520	<2	0.41	<5	37	130	<20	0.77
E428559		0.39	10	2.97	1630	<1	2.50	69	450	2	0.58	5	43	103	<20	0.78
E428560		0.48	10	3.21	2070	<1	1.95	75	640	<2	0.66	<5	40	161	<20	0.72
E428561		0.28	10	2.94	1970	<1	1.63	71	420	<2	0.97	<5	39	139	<20	0.70
E428562		0.36	10	2.02	1450	1	2.08	40	590	<2	0.44	<5	28	111	<20	0.73
E428563		0.53	10	3.18	1660	1	2.09	73	410	2	1.13	<5	37	96	<20	0.69



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 28-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006907

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn	Te
		ppm	ppm	ppm	ppm	ppm	ppm
E428476		<10	<10	163	<10	51	<10
E428477		<10	<10	229	<10	82	<10
E428478		<10	<10	98	10	17	<10
E428479		<10	<10	181	<10	61	<10
E429233		<10	10	1	<10	15	<10
E429234		<10	10	<1	<10	18	<10
E429235		<10	10	<1	<10	40	<10
E429236		<10	10	<1	<10	46	<10
E429237		<10	10	<1	<10	21	<10
E429238		<10	<10	<1	<10	41	<10
E429239		<10	10	<1	<10	42	<10
E429240		<10	<10	21	<10	59	<10
E429241		<10	<10	12	<10	43	<10
E429242		<10	<10	6	<10	20	<10
E428538		<10	10	272	<10	107	<10
E428539		<10	10	266	<10	103	<10
E428540		<10	10	215	<10	98	<10
E428541		<10	10	261	<10	125	<10
E428542		<10	<10	264	<10	92	<10
E428543		<10	10	237	<10	81	<10
E428544		<10	<10	281	<10	162	<10
E428545		<10	<10	274	<10	117	<10
E428546		<10	10	269	<10	110	<10
E428547		<10	<10	259	<10	92	<10
E428548		<10	<10	393	<10	129	<10
E428549		<10	<10	54	<10	201	<10
E428550		<10	10	160	<10	107	<10
E428551		<10	10	150	<10	99	<10
E428552		<10	10	150	<10	96	<10
E428553		<10	<10	92	10	50	<10
E428554		<10	10	155	<10	94	<10
E428555		<10	10	144	<10	93	<10
E428556		<10	<10	312	<10	131	<10
E428557		<10	<10	302	<10	125	<10
E428558		<10	<10	301	<10	124	<10
E428559		<10	10	353	<10	132	<10
E428560		<10	<10	329	<10	179	<10
E428561		<10	<10	317	<10	143	<10
E428562		<10	<10	236	<10	129	<10
E428563		<10	<10	299	<10	146	<10



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 28-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006907

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	ME-ICP61											
		Recd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	g/t	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm
E428564		2.05	<0.005	<0.5	7.26	<5	140	<0.5	3	6.08	<0.5	48	115	181	8.78
E428565		1.84	<0.005	<0.5	7.30	<5	90	<0.5	<2	6.31	<0.5	42	109	94	9.11
E428566		<0.02	<0.005	<0.5	7.25	<5	90	<0.5	<2	6.24	<0.5	41	112	91	9.02
E428567		2.12	<0.005	<0.5	7.54	<5	220	0.5	2	7.44	<0.5	41	114	106	7.84
E428568		1.66	<0.005	<0.5	8.92	<5	120	0.5	<2	7.90	<0.5	32	144	101	6.27
E428569		1.21	<0.005	<0.5	9.52	<5	130	<0.5	<2	8.67	<0.5	24	97	66	4.75
E428570		1.67	<0.005	<0.5	9.09	<5	90	<0.5	<2	8.82	<0.5	16	80	34	3.92
E428571		1.37	<0.005	<0.5	9.40	<5	140	<0.5	<2	8.00	<0.5	20	79	48	4.61
E428572		1.34	<0.005	<0.5	7.05	<5	40	<0.5	<2	6.96	<0.5	39	121	126	7.52
E428573		0.60	<0.005	<0.5	6.36	<5	60	<0.5	2	7.15	<0.5	35	103	102	6.07
E428574		0.63	<0.005	<0.5	7.44	5	60	<0.5	2	5.87	<0.5	44	125	122	7.88
E428575		2.16	<0.005	<0.5	6.70	<5	50	<0.5	3	6.83	<0.5	41	134	99	7.34
E428576		0.61	<0.005	<0.5	7.08	5	540	0.9	<2	4.17	<0.5	31	460	34	4.77
E428577		1.02	<0.005	<0.5	7.47	<5	50	<0.5	<2	7.33	<0.5	46	128	123	8.61
E428578		0.07	2.55	4.4	7.04	9	530	1.0	<2	2.70	1.0	15	16	104	3.87
E428579		1.85	<0.005	<0.5	7.56	<5	160	<0.5	2	7.24	<0.5	41	123	117	7.85
E428580		1.21	<0.005	<0.5	7.60	<5	70	<0.5	<2	7.40	<0.5	49	132	66	8.42
E428581		1.90	<0.005	<0.5	7.26	<5	100	<0.5	<2	7.26	<0.5	42	129	115	8.20
E428582		1.97	<0.005	<0.5	6.53	<5	130	<0.5	<2	7.90	<0.5	41	121	137	7.47
E428583		2.08	<0.005	<0.5	7.59	6	80	<0.5	<2	7.59	<0.5	40	119	123	8.57
E428584		0.94	<0.005	<0.5	7.35	<5	90	<0.5	<2	6.56	<0.5	52	96	167	8.37



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 28-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006907

Sample Description	Method Analyte	ME-ICP61														
		K	La	Mg	Mn	Mb	Nb	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		%	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%
	LOD	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
E428564		0.60	10	3.70	1355	1	2.25	76	330	<2	0.98	<5	41	85	<20	0.54
E428565		0.39	10	3.45	1445	1	1.97	63	430	<2	0.45	<5	38	117	<20	0.67
E428566		0.38	10	3.42	1430	1	1.98	63	430	<2	0.45	<5	38	116	<20	0.67
E428567		0.52	20	3.76	1395	1	2.12	115	660	<2	0.46	<5	32	330	<20	0.55
E428568		0.66	10	3.01	1105	1	2.11	81	270	2	0.83	<5	28	119	<20	0.38
E428569		0.56	<10	1.27	968	5	2.01	44	190	2	0.23	<5	16	123	<20	0.29
E428570		0.39	<10	1.06	976	4	2.12	35	140	3	0.21	<5	16	133	<20	0.26
E428571		0.57	<10	1.06	1160	2	2.78	38	170	<2	1.12	<5	15	121	<20	0.25
E428572		0.14	10	3.02	1570	2	1.43	73	300	<2	0.41	<5	36	106	<20	0.45
E428573		0.13	10	2.50	1360	1	1.48	71	550	<2	0.21	<5	29	116	<20	0.36
E428574		0.14	10	3.58	1555	3	1.48	68	260	<2	0.16	5	37	109	<20	0.46
E428575		0.13	10	3.25	1480	1	1.19	64	280	<2	0.11	<5	39	86	<20	0.48
E428576		1.06	40	4.72	757	<1	3.04	197	1480	2	0.32	<5	17	692	<20	0.43
E428577		0.21	10	3.82	1775	2	1.60	92	290	<2	0.37	<5	42	101	<20	0.51
E428578		2.09	20	1.30	948	7	1.53	45	1070	17	0.75	6	15	364	<20	0.38
E428579		0.49	10	3.76	1580	2	1.61	101	350	<2	0.42	<5	39	102	<20	0.46
E428580		0.25	10	4.24	1675	1	1.36	111	270	<2	0.21	<5	42	94	<20	0.52
E428581		0.40	10	3.45	1630	1	2.02	64	290	<2	0.60	<5	41	106	<20	0.50
E428582		0.65	10	3.23	1590	1	1.86	78	310	<2	1.34	<5	37	88	<20	0.45
E428583		0.22	10	3.24	2270	2	1.49	79	320	<2	0.21	<5	38	103	<20	0.48
E428584		0.32	10	3.67	1640	2	1.68	78	330	<2	0.83	<5	34	95	<20	0.49



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 28-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006907

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn	Te
		ppm	ppm	ppm	ppm	ppm	ppm
E428564		<10	10	285	<10	117	<10
E428565		<10	<10	311	<10	104	<10
E428566		<10	<10	312	<10	104	<10
E428567		<10	<10	226	<10	97	<10
E428568		<10	10	207	<10	70	<10
E428569		<10	10	166	<10	57	<10
E428570		<10	10	127	<10	45	<10
E428571		<10	10	126	<10	47	<10
E428572		<10	<10	246	<10	172	<10
E428573		<10	10	198	<10	68	<10
E428574		<10	<10	260	<10	94	<10
E428575		<10	<10	264	<10	90	<10
E428576		<10	<10	110	<10	84	<10
E428577		<10	<10	288	<10	103	<10
E428578		<10	<10	127	<10	97	<10
E428579		<10	10	256	<10	92	<10
E428580		<10	<10	282	<10	101	<10
E428581		<10	10	274	<10	94	<10
E428582		<10	10	251	<10	88	<10
E428583		<10	<10	263	<10	97	<10
E428584		<10	<10	248	<10	107	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 1

Finalized Date: 29-JAN-2010

This copy reported on 1-FEB-2010

Account: AUGGLD

CERTIFICATE TM10006908

Project: SOUTHERN SWAYZE

P.O. No.:

This report is for 90 Drill Core samples submitted to our lab in Timmins, ON, Canada on 21-JAN-2010.

The following have access to data associated with this certificate:

GORDON MCROBERTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rod w/o BarCode
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
CRU-31	Fine crushing - 70% <2mm
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split - Dup 85% <75um
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-23	Pulp Login - Rcvd with Barcode
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: AUGEN GOLD CORP.
ATTN: GORDON MCROBERTS
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006908

Sample Description	Method Analyte Units LOQ	WEI-21	Au-AA23	ME-ICP61												
		Recd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg	g	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	
E429201		0.89	<0.005	<0.5	7.06	5	520	1.0	<2	2.44	<0.5	12	22	47	3.57	20
E429202		0.56	<0.005	<0.5	6.72	8	530	1.0	<2	2.26	<0.5	13	20	34	3.53	20
E429203		0.07	1.485	<0.5	6.69	1410	680	9.7	<2	0.02	<0.5	3	256	33	3.25	20
E429204		0.81	<0.005	<0.5	6.78	6	370	1.0	2	1.47	<0.5	6	14	19	1.58	20
E429205		1.77	<0.005	<0.5	6.93	<5	580	1.1	<2	1.71	<0.5	5	21	30	1.75	20
E429206		3.00	<0.005	<0.5	6.80	<5	510	1.1	<2	1.43	<0.5	5	16	45	1.44	20
E429207		2.85	<0.005	<0.5	6.79	5	600	1.1	<2	1.42	<0.5	4	13	31	1.36	20
E429208		2.59	<0.005	0.7	6.53	<5	570	1.1	<2	1.60	<0.5	6	34	41	1.47	20
E429209		2.73	<0.005	<0.5	6.71	<5	680	1.0	<2	2.03	<0.5	5	57	24	1.79	20
E429210		2.32	<0.005	<0.5	6.37	<5	600	0.9	<2	1.35	<0.5	4	15	18	1.31	20
E429211		2.56	<0.005	<0.5	6.62	<5	670	1.0	<2	1.61	<0.5	6	22	22	1.47	20
E429212		2.54	<0.005	<0.5	6.82	<5	650	1.1	3	1.66	<0.5	5	28	17	1.58	20
E429213		2.01	<0.005	0.5	6.24	<5	620	1.1	<2	1.54	<0.5	4	16	18	1.36	20
E429214		<0.02	<0.005	<0.5	6.11	<5	620	1.1	<2	1.47	<0.5	4	15	19	1.34	20
E429215		0.96	<0.005	<0.5	5.82	8	410	1.0	2	3.24	<0.5	20	127	31	3.42	10
E429216		1.54	<0.005	<0.5	6.51	6	630	1.1	<2	1.65	<0.5	6	27	50	1.56	20
E429217		1.31	<0.005	<0.5	4.68	<5	480	0.8	<2	0.95	<0.5	2	16	14	0.96	10
E429218		3.43	<0.005	<0.5	6.89	<5	680	1.0	<2	1.62	<0.5	12	34	38	3.37	20
E429219		1.93	<0.005	<0.5	8.08	<5	100	<0.5	2	7.02	<0.5	38	30	134	8.04	20
E429220		1.03	<0.005	<0.5	6.56	7	260	0.7	<2	3.02	<0.5	42	26	28	8.13	10
E429221		0.70	<0.005	<0.5	3.17	<5	300	0.7	<2	1.47	<0.5	1	9	40	2.29	10
E429222		1.67	<0.005	<0.5	6.02	<5	410	1.2	<2	1.13	<0.5	3	5	14	2.01	20
E429223		1.91	<0.005	<0.5	5.83	<5	360	1.2	<2	1.35	<0.5	3	4	26	2.24	20
E429224		1.81	<0.005	<0.5	6.24	<5	320	0.9	<2	2.43	<0.5	18	21	176	3.37	20
E429225		1.83	0.005	<0.5	7.25	<5	160	0.5	<2	5.98	<0.5	36	70	89	6.28	20
E429226		1.85	<0.005	<0.5	6.29	5	320	1.1	2	1.16	<0.5	<1	4	7	1.11	20
E429227		1.55	0.012	0.7	7.05	<5	150	0.6	<2	5.27	<0.5	25	16	230	5.83	20
E429228		0.07	2.49	4.7	7.48	11	550	1.0	<2	2.78	1.0	16	16	108	3.98	20
E429229		1.21	<0.005	<0.5	6.18	<5	370	1.1	<2	1.14	<0.5	7	4	57	2.22	20
E429230		2.29	<0.005	<0.5	6.31	5	610	1.4	<2	0.66	0.6	2	3	14	0.77	20
E429231		1.83	<0.005	<0.5	6.26	<5	600	1.5	<2	0.59	<0.5	1	2	2	0.74	20
E429232		0.90	<0.005	<0.5	6.12	<5	640	1.6	<2	0.51	<0.5	<1	3	3	0.88	20
E428480		1.89	<0.005	<0.5	7.74	<5	70	<0.5	<2	8.24	<0.5	48	128	115	7.98	20
E428481		2.15	<0.005	<0.5	7.48	<5	60	<0.5	<2	10.65	<0.5	44	124	117	9.10	20
E428482		2.08	<0.005	<0.5	7.50	<5	170	<0.5	3	7.93	0.5	42	150	104	8.56	20
E428483		2.15	<0.005	<0.5	7.69	11	170	<0.5	<2	8.57	<0.5	40	153	143	7.67	20
E428484		2.01	<0.005	<0.5	7.17	<5	270	0.7	<2	5.17	<0.5	21	83	110	5.32	20
E428485		2.13	<0.005	<0.5	7.78	<5	70	<0.5	<2	8.20	<0.5	43	166	106	8.16	10
E428486		2.27	<0.005	<0.5	7.97	7	80	<0.5	<2	8.38	<0.5	46	175	140	8.35	10
E428487		1.99	<0.005	<0.5	7.66	<5	190	<0.5	<2	7.61	<0.5	41	70	181	8.69	20



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006908

Sample Description	Method Analyte	ME-ICP61														
		K	La	Mg	Mn	Mb	Nb	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
E429201		1.39	10	1.18	582	3	3.36	26	490	3	0.22	<5	10	318	<20	0.31
E429202		1.56	10	1.16	538	<1	3.09	24	460	4	0.31	<5	9	300	<20	0.29
E429203		2.54	40	0.32	67	1	0.08	23	340	24	0.01	101	14	92	<20	0.25
E429204		0.81	10	0.40	215	1	4.36	8	350	4	0.54	<5	3	389	<20	0.11
E429205		1.37	10	0.51	245	<1	3.88	11	430	8	0.36	<5	4	452	<20	0.16
E429206		1.31	10	0.37	193	<1	3.82	7	320	5	0.27	<5	3	464	<20	0.13
E429207		1.21	10	0.33	182	3	3.95	6	290	5	0.25	<5	3	452	<20	0.12
E429208		1.20	10	0.56	197	7	3.89	16	420	4	0.28	<5	3	484	<20	0.12
E429209		1.41	10	0.75	254	<1	3.64	21	480	4	0.13	<5	4	449	<20	0.15
E429210		1.11	10	0.32	172	<1	3.90	7	270	8	0.37	<5	3	428	<20	0.10
E429211		1.18	10	0.47	212	2	3.91	13	310	3	0.44	<5	3	434	<20	0.12
E429212		1.32	10	0.58	233	<1	3.98	20	380	6	0.42	<5	3	504	<20	0.12
E429213		1.15	10	0.36	190	<1	3.56	8	310	5	0.38	<5	3	458	<20	0.10
E429214		1.17	10	0.35	188	<1	3.49	7	300	3	0.34	<5	3	450	<20	0.10
E429215		1.82	40	2.31	565	43	2.83	97	1140	3	1.09	<5	11	417	<20	0.25
E429216		1.44	10	0.54	247	1	3.54	18	360	3	0.27	<5	4	438	<20	0.13
E429217		1.00	10	0.27	135	2	2.37	6	270	2	0.12	<5	2	281	<20	0.07
E429218		1.99	20	1.52	485	1	2.46	22	470	4	0.58	<5	8	312	<20	0.26
E429219		1.00	10	3.25	1355	9	1.21	53	340	<2	0.49	5	36	141	<20	0.55
E429220		1.05	10	1.24	995	1	2.06	45	390	3	5.99	<5	10	116	<20	0.28
E429221		0.93	20	0.35	422	1	0.38	2	100	<2	0.64	<5	2	42	<20	0.05
E429222		2.47	40	0.33	308	1	0.29	1	50	3	0.56	<5	5	48	<20	0.07
E429223		2.00	30	0.29	388	1	0.76	1	80	3	0.59	<5	4	65	<20	0.06
E429224		1.75	20	1.02	502	1	1.00	18	150	4	0.75	<5	9	87	<20	0.15
E429225		0.71	10	3.36	991	<1	1.23	66	280	5	0.36	<5	26	99	<20	0.27
E429226		1.96	10	0.59	264	<1	0.99	2	50	7	0.36	<5	3	37	<20	0.03
E429227		0.75	10	2.18	1130	<1	1.33	24	310	5	0.12	<5	23	100	<20	0.33
E429228		2.15	20	1.33	979	8	1.58	46	1100	15	0.78	<5	15	382	<20	0.39
E429229		2.27	10	0.94	669	<1	0.45	6	180	9	0.35	<5	4	81	<20	0.08
E429230		1.95	10	0.25	519	2	2.40	1	80	9	0.15	<5	3	58	<20	0.03
E429231		2.12	10	0.25	519	2	2.53	<1	70	8	0.05	<5	3	55	<20	0.03
E429232		2.08	10	0.19	655	3	2.44	1	60	6	0.03	<5	3	46	<20	0.03
E428480		0.29	10	2.97	1440	1	1.54	92	340	<2	0.28	<5	36	127	<20	0.49
E428481		0.24	10	2.32	2430	<1	1.12	91	260	<2	1.83	<5	35	132	<20	0.49
E428482		0.90	10	3.85	1665	1	1.80	68	250	<2	0.52	6	35	137	<20	0.45
E428483		0.73	10	3.12	1485	1	1.20	92	280	10	0.64	<5	34	230	<20	0.43
E428484		1.04	20	1.34	855	1	1.91	38	270	8	0.84	<5	19	156	<20	0.32
E428485		0.42	10	3.33	1405	9	1.43	96	250	7	0.12	<5	39	150	<20	0.48
E428486		0.45	10	3.59	1535	5	1.74	104	240	3	0.21	<5	40	159	<20	0.50
E428487		0.97	10	2.62	1535	1	1.11	53	240	4	1.31	<5	40	169	<20	0.52



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006908

Sample Description	Method Analyte Units LDR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn	Te
		ppm	ppm	ppm	ppm	ppm	ppm
E429201		<10	10	74	<10	66	<10
E429202		<10	<10	72	<10	67	<10
E429203		<10	<10	90	10	49	<10
E429204		<10	10	27	<10	27	<10
E429205		<10	10	37	<10	46	<10
E429206		<10	10	29	<10	39	<10
E429207		<10	10	29	<10	38	<10
E429208		<10	10	31	<10	42	<10
E429209		<10	10	34	<10	50	<10
E429210		<10	10	24	<10	38	<10
E429211		<10	10	32	<10	27	<10
E429212		<10	10	36	<10	43	<10
E429213		<10	10	26	<10	31	<10
E429214		<10	10	27	<10	30	<10
E429215		<10	<10	96	<10	121	<10
E429216		<10	10	37	<10	36	<10
E429217		<10	10	19	<10	20	<10
E429218		<10	10	51	<10	57	<10
E429219		<10	<10	261	<10	83	<10
E429220		<10	<10	64	<10	41	<10
E429221		<10	<10	1	<10	42	<10
E429222		<10	<10	1	<10	21	<10
E429223		<10	<10	3	<10	37	<10
E429224		<10	<10	42	<10	143	<10
E429225		<10	<10	149	<10	83	<10
E429226		<10	<10	2	<10	45	<10
E429227		<10	10	155	<10	134	<10
E429228		<10	<10	129	<10	101	<10
E429229		<10	<10	13	<10	199	<10
E429230		<10	10	<1	<10	217	<10
E429231		<10	10	<1	<10	45	<10
E429232		<10	10	<1	<10	25	<10
E428480		<10	<10	266	<10	88	<10
E428481		<10	<10	272	<10	75	<10
E428482		<10	<10	237	<10	151	<10
E428483		<10	<10	248	<10	107	<10
E428484		<10	<10	120	<10	71	<10
E428485		<10	<10	268	<10	92	<10
E428486		<10	<10	272	<10	95	<10
E428487		<10	<10	280	<10	94	<10



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006908

Sample Description	Method Analyte Units LOQ	WEI-21	Au-AA23	ME-ICP61												
		Recd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	
		kg	g	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	
E428488		2.16	<0.005	<0.5	7.17	6	150	<2	7.89	<0.5	49	76	171	9.03	20	
E428489		1.79	<0.005	<0.5	6.79	8	130	<2	7.61	<0.5	49	40	150	9.26	20	
E428490		1.90	<0.005	<0.5	7.65	6	90	<0.5	<2	7.02	<0.5	49	38	182	9.85	10
E428491		<0.02	<0.005	<0.5	7.53	8	80	<0.5	<2	6.92	<0.5	47	38	176	9.80	10
E428492		1.70	<0.005	<0.5	7.82	<5	90	<0.5	<2	7.34	<0.5	43	148	82	7.94	10
E428493		2.45	<0.005	<0.5	7.48	<5	140	<0.5	<2	6.20	<0.5	45	111	206	8.67	10
E428494		2.00	<0.005	0.5	7.06	6	70	<0.5	<2	7.74	<0.5	55	29	159	8.58	10
E428495		2.15	<0.005	<0.5	7.72	<5	50	<0.5	<2	7.36	<0.5	49	39	127	9.76	20
E428496		2.01	<0.005	<0.5	7.23	<5	90	<0.5	<2	6.49	<0.5	45	48	136	9.97	10
E428497		1.88	<0.005	<0.5	7.20	<5	50	<0.5	<2	6.58	<0.5	46	59	133	9.80	10
E428498		2.09	<0.005	<0.5	7.20	6	190	<0.5	<2	4.68	<0.5	39	33	98	8.84	20
E428499		2.04	<0.005	<0.5	7.15	7	110	<0.5	<2	6.03	<0.5	45	37	127	9.94	20
E428500		1.98	<0.005	<0.5	7.01	10	50	<0.5	<2	6.28	<0.5	46	78	116	9.46	10
E428501		1.72	<0.005	<0.5	7.14	<5	210	0.5	<2	5.32	<0.5	33	41	101	7.40	10
E428502		2.04	<0.005	<0.5	7.04	9	50	<0.5	<2	6.34	<0.5	44	40	94	9.60	10
E428503		0.07	1.510	0.6	6.85	1370	640	9.7	<2	0.03	<0.5	2	259	34	3.37	10
E428504		1.88	<0.005	<0.5	7.54	5	90	<0.5	<2	6.26	<0.5	41	40	134	8.86	10
E428505		1.67	<0.005	<0.5	7.04	<5	40	<0.5	<2	6.72	<0.5	44	44	116	9.59	10
E428506		2.14	<0.005	<0.5	7.23	<5	30	<0.5	<2	6.34	<0.5	46	49	134	10.10	10
E428507		2.05	<0.005	<0.5	7.19	<5	190	0.5	<2	5.59	<0.5	37	35	99	8.75	20
E428508		1.93	<0.005	<0.5	6.96	5	170	0.5	<2	6.91	<0.5	44	26	113	8.66	20
E428509		1.95	<0.005	<0.5	7.39	8	30	<0.5	<2	6.93	<0.5	48	33	104	9.78	20
E428510		2.40	<0.005	<0.5	7.13	<5	60	<0.5	<2	5.52	<0.5	48	28	129	10.85	20
E428511		1.74	<0.005	<0.5	7.07	<5	60	<0.5	<2	5.30	<0.5	38	22	131	9.88	10
E428512		2.02	<0.005	<0.5	5.71	<5	130	0.5	<2	4.44	<0.5	34	24	101	10.25	10
E428513		1.80	<0.005	<0.5	7.19	8	310	0.8	<2	2.53	<0.5	14	17	26	5.07	20
E428514		<0.02	<0.005	<0.5	6.92	6	330	0.8	<2	2.27	<0.5	14	17	28	4.56	20
E428515		1.85	<0.005	<0.5	7.32	<5	300	0.8	<2	1.99	<0.5	15	25	38	4.13	20
E428516		1.66	<0.005	<0.5	6.43	11	310	1.0	<2	1.45	<0.5	9	30	27	3.24	10
E428517		0.84	<0.005	<0.5	6.88	8	300	1.0	<2	2.51	<0.5	13	27	29	4.14	20
E428518		1.95	<0.005	<0.5	7.45	5	300	0.7	<2	4.03	<0.5	20	69	41	4.35	20
E428519		1.72	<0.005	<0.5	7.93	<5	260	0.9	<2	3.66	<0.5	14	22	21	3.53	20
E428520		1.80	<0.005	<0.5	7.68	<5	290	0.9	<2	3.26	<0.5	12	12	25	3.29	20
E428521		1.82	<0.005	<0.5	8.28	6	330	1.0	<2	3.41	<0.5	17	17	3	4.03	20
E428522		2.23	<0.005	<0.5	6.22	5	190	0.6	<2	2.87	<0.5	12	30	16	2.79	10
E428523		1.76	<0.005	<0.5	7.61	5	480	1.0	<2	4.13	<0.5	12	35	40	3.84	20
E428524		2.02	<0.005	<0.5	7.64	11	330	0.9	<2	4.77	<0.5	13	10	36	4.51	20
E428525		1.94	<0.005	<0.5	7.53	<5	330	0.7	<2	3.97	<0.5	16	25	81	5.77	20
E428526		1.79	<0.005	<0.5	6.99	6	330	0.8	<2	3.60	<0.5	20	69	53	4.60	20
E428527		1.71	<0.005	<0.5	6.83	7	450	1.1	<2	3.46	<0.5	15	117	38	3.01	20



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006908

Sample Description	Method Analyte	ME-ICP61															
		K	La	Mg	Mn	Mb	Nb	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	
Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	
LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01		
E428488	0.93	10	2.82	1645	2	0.81	58	220	6	1.60	<5	43	158	<20	0.55		
E428489	0.82	10	2.87	1540	<1	1.38	47	250	5	2.06	<5	38	131	<20	0.53		
E428490	0.44	10	2.84	1650	3	1.92	53	280	2	0.30	<5	46	117	<20	0.64		
E428491	0.42	10	2.81	1630	4	1.91	46	270	3	0.28	<5	46	115	<20	0.62		
E428492	0.36	10	4.24	1420	2	2.20	117	310	2	0.06	<5	38	135	<20	0.44		
E428493	0.51	10	3.57	1470	6	2.20	82	240	2	0.46	<5	40	111	<20	0.51		
E428494	0.39	10	2.93	1645	4	1.54	46	210	<2	0.66	<5	29	116	<20	0.46		
E428495	0.33	10	3.07	1665	5	1.52	51	300	<2	0.35	<5	47	139	<20	0.67		
E428496	0.40	10	3.44	1550	3	2.33	51	340	<2	0.18	<5	41	149	<20	0.62		
E428497	0.32	10	3.50	1505	4	1.84	53	300	3	0.16	<5	42	196	<20	0.60		
E428498	0.54	10	2.67	1290	2	2.82	35	420	4	0.20	<5	35	278	<20	0.62		
E428499	0.39	10	3.16	1445	4	2.47	40	360	<2	0.33	<5	42	194	<20	0.67		
E428500	0.31	10	3.69	1400	4	2.72	64	290	<2	0.56	<5	41	116	<20	0.59		
E428501	0.77	10	2.51	1115	1	2.78	36	370	<2	0.75	<5	30	292	<20	0.48		
E428502	0.44	10	3.37	1460	<1	2.73	44	290	2	1.45	<5	41	130	<20	0.60		
E428503	2.60	40	0.33	69	2	0.07	24	330	21	0.02	95	14	96	20	0.27		
E428504	0.72	10	3.27	1260	3	2.24	45	290	3	0.71	<5	38	142	<20	0.55		
E428505	0.37	10	3.52	1440	9	1.55	46	340	<2	0.22	<5	41	139	<20	0.61		
E428506	0.26	10	3.56	1585	4	2.34	50	340	<2	0.26	<5	43	147	<20	0.64		
E428507	0.67	10	2.72	1320	2	2.81	35	320	4	0.86	<5	35	115	<20	0.65		
E428508	0.59	10	1.73	1340	2	1.74	39	330	<2	0.87	<5	33	126	<20	0.57		
E428509	0.24	10	2.36	1490	2	2.13	49	380	5	1.00	<5	44	143	<20	0.74		
E428510	0.41	10	3.22	1605	3	1.92	43	410	4	0.22	<5	41	194	<20	0.75		
E428511	0.33	10	2.83	1445	2	2.60	32	380	<2	0.20	<5	39	145	<20	0.72		
E428512	0.34	10	1.98	1415	2	1.72	21	630	<2	0.47	<5	29	120	<20	0.77		
E428513	1.35	10	1.40	644	1	2.49	18	380	<2	0.15	<5	12	163	<20	0.37		
E428514	1.42	10	1.32	577	1	2.35	20	360	3	0.16	<5	11	153	<20	0.33		
E428515	0.59	10	1.22	744	2	4.30	26	380	2	0.41	<5	12	269	<20	0.33		
E428516	0.99	20	0.97	525	1	3.73	24	300	3	0.18	<5	9	149	<20	0.23		
E428517	1.09	20	1.22	702	2	3.40	23	360	3	0.25	<5	11	180	<20	0.33		
E428518	1.20	10	1.93	710	2	2.98	56	310	2	0.28	<5	13	208	<20	0.32		
E428519	1.18	10	1.24	559	2	3.51	25	350	2	0.15	<5	9	247	<20	0.30		
E428520	1.06	10	1.02	542	2	3.51	16	360	<2	0.26	<5	8	211	<20	0.27		
E428521	1.34	20	1.41	594	6	4.19	26	420	5	0.57	<5	10	298	<20	0.33		
E428522	0.91	10	0.94	451	2	2.62	25	250	<2	0.37	<5	8	150	<20	0.21		
E428523	1.43	20	1.30	656	2	2.54	29	570	4	0.24	<5	11	319	<20	0.34		
E428524	1.28	20	0.89	932	2	2.12	11	480	5	0.09	<5	10	216	<20	0.35		
E428525	1.34	20	1.62	1385	12	2.16	30	450	4	0.39	<5	14	194	<20	0.37		
E428526	1.10	10	1.53	897	1	2.27	54	440	6	0.44	<5	14	203	<20	0.35		
E428527	1.47	20	1.45	500	<1	3.00	41	660	6	0.24	<5	10	485	<20	0.27		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006908

Sample Description	Method Analyte Units LDR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn	Te
		ppm	ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2	10
E428488		10	<10	293	<10	98	<10
E428489		<10	<10	274	<10	104	<10
E428490		<10	<10	346	<10	109	<10
E428491		<10	<10	333	<10	106	<10
E428492		<10	<10	255	<10	93	<10
E428493		<10	<10	274	<10	97	<10
E428494		<10	<10	229	<10	103	<10
E428495		<10	<10	338	<10	115	<10
E428496		<10	<10	313	<10	100	<10
E428497		<10	<10	312	<10	98	<10
E428498		<10	<10	281	<10	102	<10
E428499		<10	<10	328	<10	105	<10
E428500		<10	<10	310	<10	93	<10
E428501		<10	<10	230	<10	93	<10
E428502		<10	<10	302	<10	100	<10
E428503		<10	<10	93	10	49	<10
E428504		<10	<10	280	<10	92	<10
E428505		<10	<10	313	<10	100	<10
E428506		<10	<10	328	<10	104	<10
E428507		<10	<10	259	<10	104	<10
E428508		<10	<10	262	<10	107	<10
E428509		<10	<10	351	<10	121	<10
E428510		<10	<10	348	<10	121	<10
E428511		<10	<10	336	<10	117	<10
E428512		<10	<10	154	<10	127	<10
E428513		<10	<10	67	<10	71	<10
E428514		<10	<10	62	<10	80	<10
E428515		<10	<10	76	<10	90	<10
E428516		<10	<10	47	<10	58	<10
E428517		<10	<10	64	<10	69	<10
E428518		<10	<10	102	<10	72	<10
E428519		<10	<10	78	<10	66	<10
E428520		<10	<10	62	<10	68	<10
E428521		<10	<10	84	<10	75	<10
E428522		<10	<10	58	<10	44	<10
E428523		<10	<10	86	<10	74	<10
E428524		<10	<10	85	<10	64	<10
E428525		<10	<10	114	<10	70	<10
E428526		<10	<10	98	<10	68	<10
E428527		<10	<10	85	<10	60	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006908

Sample Description	Method Analyte Units LDR	WEI-21	Au-AA23	ME-ICP61											
		Revd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	pt	ppm	%	ppm	%	ppm							
E428528		0.07	6.99	0.7	6.06	7880	250	0.8	<2	4.39	<0.5	33	142	124	10.35
E428529		1.76	<0.005	<0.5	6.81	19	400	0.7	<2	3.86	<0.5	25	89	51	4.43
E428530		2.01	<0.005	<0.5	6.61	7	260	0.7	<2	5.95	<0.5	30	128	67	6.37
E428531		1.70	<0.005	<0.5	6.75	8	360	1.3	<2	2.91	<0.5	11	63	36	9.14
E428532		1.86	<0.005	<0.5	6.15	7	150	0.9	<2	3.82	<0.5	27	21	99	7.58
E428533		0.95	<0.005	<0.5	6.52	6	100	<0.5	<2	4.22	<0.5	34	10	107	10.85
E428534		1.70	<0.005	<0.5	7.20	7	270	1.0	<2	4.76	0.6	31	79	145	5.48
E428535		0.97	<0.005	<0.5	7.48	<5	150	<0.5	<2	6.28	<0.5	43	124	126	8.81
E428536		1.05	<0.005	<0.5	7.95	8	70	<0.5	<2	6.69	<0.5	44	33	154	10.15
E428537		0.88	<0.005	<0.5	7.32	7	50	<0.5	<2	7.16	<0.5	41	89	50	10.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 29-JAN-2010

Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006908

Sample Description	Method	ME-ICP61														
	Analyte	K	La	Mg	Mn	Mb	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
E428528		0.53	20	3.04	2800	3	1.45	119	1840	14	3.10	7	15	288	<20	0.71
E428529		1.71	20	1.66	1125	4	1.59	101	420	4	0.69	<5	11	158	<20	0.30
E428530		1.37	20	2.48	1355	6	1.53	149	500	6	1.69	<5	14	188	<20	0.36
E428531		2.05	20	1.26	772	2	1.56	38	330	6	0.50	<5	7	208	<20	0.19
E428532		1.20	20	1.87	1385	1	1.57	22	630	4	0.14	<5	25	233	<20	0.65
E428533		0.22	10	2.28	1730	1	2.39	23	690	<2	0.06	<5	37	110	<20	0.98
E428534		1.27	10	2.75	1005	1	1.06	64	230	<2	0.64	<5	25	72	<20	0.32
E428535		0.88	10	3.74	1510	1	1.86	60	340	<2	0.68	<5	39	107	<20	0.58
E428536		0.32	10	2.76	1545	1	2.23	53	460	2	1.23	<5	34	176	<20	0.80
E428537		0.29	10	3.86	1560	<1	1.33	63	440	<2	0.04	<5	40	94	<20	0.75

**ALS Chemex**

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006908

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Tl	U	V	W	Zn	Te
	Units	ppm	ppm	ppm	ppm	ppm	ppm
E428528		<10	<10	139	<10	121	<10
E428529		<10	<10	76	<10	65	<10
E428530		<10	<10	102	<10	73	<10
E428531		<10	<10	51	<10	50	<10
E428532		<10	<10	219	<10	109	<10
E428533		<10	<10	162	<10	123	<10
E428534		<10	<10	159	<10	267	<10
E428535		<10	<10	284	<10	99	<10
E428536		<10	<10	293	<10	116	<10
E428537		<10	<10	340	<10	127	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 1

Finalized Date: 29-JAN-2010

This copy reported on 1-FEB-2010

Account: AUGGLD

CERTIFICATE TM10006909

Project: SOUTHERN SWAYZE

P.O. No.:

This report is for 81 Drill Core samples submitted to our lab in Timmins, ON, Canada on 21-JAN-2010.

The following have access to data associated with this certificate:

GORDON MCROBERTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rod w/o BarCode
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
CRU-31	Fine crushing - 70% <2mm
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split - Dup 85% <75um
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-23	Pulp Login - Rcvd with Barcode
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS

To: AUGEN GOLD CORP.
ATTN: GORDON MCROBERTS
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006909

Sample Description	Method Analyte Units LOQ	WEI-21	Au-AA23	ME-ICP61											
		Recd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	g	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm
E429113		1.77	<0.005	<0.5	6.13	<5	510	1.1	<2	1.09	<0.5	4	9	52	1.31
E429114		<0.02	<0.005	0.6	8.25	<5	520	1.1	<2	1.13	<0.5	2	10	58	1.33
E429115		1.64	<0.005	0.6	6.02	6	610	1.2	<2	1.20	<0.5	3	12	47	1.52
E429116		1.43	<0.005	<0.5	6.08	<5	430	1.2	<2	1.37	<0.5	2	10	86	1.06
E429117		0.71	0.007	<0.5	6.39	<5	520	1.6	<2	0.86	<0.5	5	11	200	1.42
E429118		0.52	<0.005	<0.5	5.85	<5	480	1.1	<2	0.80	<0.5	1	12	7	1.21
E429119		0.31	<0.005	<0.5	6.29	8	560	1.3	<2	1.16	<0.5	<1	9	3	1.15
E429120		0.24	<0.005	<0.5	5.93	7	330	1.4	<2	0.99	<0.5	13	11	10	0.99
E429121		0.17	0.009	<0.5	6.09	14	620	1.2	<2	1.04	<0.5	6	10	56	1.25
E429122		0.10	0.100	<0.5	4.43	10	510	0.8	<2	0.53	<0.5	16	6	186	1.84
E429123		0.29	<0.005	<0.5	6.16	<5	420	1.3	<2	0.93	<0.5	2	11	3	1.34
E429124		0.19	<0.005	<0.5	5.60	5	640	1.3	<2	1.50	<0.5	2	9	4	1.29
E429125		0.79	0.010	<0.5	5.59	6	540	1.2	<2	1.66	<0.5	2	9	16	1.10
E429146		0.94	<0.005	<0.5	5.83	8	440	1.2	<2	1.03	<0.5	2	9	23	1.13
E429147		0.38	<0.005	0.5	5.97	5	560	1.1	<2	0.94	<0.5	1	11	12	1.17
E429148		0.58	<0.005	<0.5	6.31	9	570	1.3	<2	1.10	<0.5	2	10	14	1.34
E429149		1.61	<0.005	<0.5	6.34	6	620	1.3	<2	1.15	<0.5	3	10	21	1.17
E429150		2.08	<0.005	<0.5	5.52	20	560	1.2	<2	1.26	<0.5	1	11	15	1.02
E429151		0.42	<0.005	<0.5	5.51	10	550	1.3	<2	1.75	<0.5	2	10	10	1.24
E429152		1.26	<0.005	<0.5	5.99	16	550	1.3	<2	1.03	<0.5	2	8	8	1.07
E429153		0.07	2.61	5.1	7.50	50	500	1.0	<2	2.85	1.0	16	15	104	4.01
E429154		1.68	<0.005	0.8	5.98	43	470	1.4	<2	1.02	<0.5	2	13	15	0.99
E429155		1.80	0.015	<0.5	5.90	25	460	1.2	<2	0.85	<0.5	3	9	13	1.06
E429156		1.57	<0.005	<0.5	6.01	20	350	1.1	<2	0.30	<0.5	2	10	6	1.25
E429157		0.97	<0.005	<0.5	6.05	9	350	1.1	<2	0.27	<0.5	3	9	5	1.46
E428420		1.23	<0.005	<0.5	5.55	8	330	1.1	<2	1.13	<0.5	1	15	3	1.36
E428421		2.10	<0.005	<0.5	5.60	6	410	1.4	<2	1.52	<0.5	<1	4	5	5.46
E428422		1.98	<0.005	<0.5	5.64	10	430	1.2	<2	1.14	<0.5	<1	7	4	6.14
E428423		1.59	<0.005	<0.5	5.84	9	470	1.2	<2	1.14	<0.5	<1	5	3	6.14
E428424		0.73	0.005	<0.5	0.76	17	<10	<0.5	<2	1.61	<0.5	11	12	105	17.15
E428425		2.14	0.006	<0.5	0.85	16	10	<0.5	<2	1.11	<0.5	24	22	173	24.0
E428426		1.50	0.029	<0.5	5.34	10	150	0.6	<2	3.17	3.6	38	151	195	14.10
E428427		1.59	0.039	<0.5	0.92	42	<10	0.8	<2	3.05	<0.5	10	18	82	15.70
E428428		0.07	1.560	0.6	6.71	1330	630	9.3	2	0.02	<0.5	3	245	33	8.31
E428429		1.90	0.166	<0.5	2.16	<5	<10	0.9	<2	2.51	0.7	13	32	223	15.70
E428430		1.95	0.015	<0.5	2.86	19	110	0.9	<2	2.75	<0.5	14	12	248	14.85
E428431		1.74	0.029	0.7	4.46	62	110	0.9	<2	1.88	3.8	53	121	368	13.40
E428432		1.65	0.022	<0.5	2.27	81	40	0.7	<2	2.07	2.7	48	166	208	18.65
E428433		2.37	0.068	0.7	2.60	13	20	0.8	<2	1.13	12.1	46	23	389	20.3
E428434		1.94	0.044	0.5	1.56	11	20	0.9	<2	1.49	1.9	13	29	219	17.05



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006909

Sample Description	Method Analyte	ME-ICP61															
		K	La	Mg	Mn	Mb	Nb	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	
Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	
LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01		
E429113		1.72	20	0.18	169	<1	2.64	3	90	<2	0.08	<5	2	61	<20	0.08	
E429114		1.75	20	0.18	162	<1	2.65	4	100	<2	0.09	<5	2	62	<20	0.08	
E429115		2.03	20	0.25	186	<1	2.16	4	140	2	0.07	<5	2	56	<20	0.09	
E429116		1.62	20	0.15	146	<1	3.09	2	100	<2	0.02	<5	2	80	<20	0.08	
E429117		1.77	20	0.20	130	<1	2.99	4	110	<2	0.10	<5	2	88	<20	0.08	
E429118		1.89	10	0.18	113	<1	2.59	3	90	<2	0.01	<5	2	76	<20	0.07	
E429119		2.23	20	0.20	153	<1	2.84	2	90	2	<0.01	<5	3	98	<20	0.08	
E429120		0.76	20	0.23	130	<1	3.86	4	100	4	0.17	<5	2	160	<20	0.07	
E429121		2.10	20	0.16	182	<1	2.65	3	110	3	0.03	<5	2	130	<20	0.08	
E429122		1.34	30	0.15	87	<1	1.71	4	60	<2	0.98	<5	1	64	<20	0.06	
E429123		1.22	30	0.24	188	1	3.30	4	110	<2	<0.01	<5	2	193	<20	0.08	
E429124		1.77	20	0.25	215	1	2.16	3	80	<2	<0.01	<5	2	113	<20	0.08	
E429125		1.88	20	0.14	270	<1	2.51	3	100	3	0.02	<5	2	99	<20	0.07	
E429146		1.50	20	0.15	156	1	2.94	3	100	2	0.03	<5	2	109	<20	0.08	
E429147		2.10	20	0.14	177	<1	2.49	1	90	2	0.02	<5	2	96	<20	0.08	
E429148		2.20	20	0.16	204	1	2.81	3	110	2	0.01	<5	2	109	<20	0.08	
E429149		1.87	20	0.16	207	2	2.85	3	100	5	0.04	<5	2	115	<20	0.08	
E429150		1.60	20	0.14	211	<1	2.31	4	90	2	0.03	<5	2	93	<20	0.07	
E429151		1.51	90	0.17	298	<1	2.61	4	100	2	0.01	<5	2	120	<20	0.08	
E429152		1.95	20	0.18	127	<1	2.79	3	100	<2	0.01	<5	2	81	<20	0.08	
E429153		2.13	20	1.32	959	8	1.59	45	1030	15	0.74	<5	15	395	<20	0.39	
E429154		1.65	10	0.20	120	<1	3.10	4	100	2	0.01	<5	2	66	<20	0.08	
E429155		1.79	10	0.27	123	<1	3.04	3	110	<2	0.02	<5	2	68	<20	0.08	
E429156		1.40	10	0.46	100	<1	3.25	4	100	<2	0.01	<5	2	70	<20	0.08	
E429157		1.27	10	0.62	115	<1	3.13	5	110	<2	0.01	<5	2	59	<20	0.08	
E428420		2.55	10	0.63	480	2	0.09	8	160	5	0.02	<5	4	35	<20	0.07	
E428421		1.93	10	0.91	2140	10	0.74	2	70	5	0.38	<5	2	56	<20	0.08	
E428422		1.34	10	0.69	2370	21	3.12	3	70	<2	0.91	<5	2	83	<20	0.03	
E428423		2.02	10	0.68	2930	14	1.63	3	70	3	0.51	<5	3	66	<20	0.03	
E428424		0.04	<10	1.48	8770	2	<0.01	15	60	3	3.26	<5	1	24	<20	0.03	
E428425		0.20	<10	1.05	6110	4	0.03	37	100	3	7.22	<5	4	15	<20	0.05	
E428426		0.41	10	1.98	1795	1	0.49	77	410	17	3.74	<5	25	29	<20	0.41	
E428427		0.01	10	1.47	1715	1	<0.01	15	570	13	1.29	<5	3	14	<20	0.06	
E428428		2.57	40	0.33	69	2	0.07	23	310	20	0.02	94	14	95	<20	0.27	
E428429		0.01	10	2.03	1120	<1	<0.01	21	440	6	1.75	<5	7	21	<20	0.15	
E428430		0.43	10	2.04	1490	1	0.01	25	440	8	2.46	<5	5	46	<20	0.13	
E428431		0.52	10	2.37	952	2	0.02	77	440	27	3.90	<5	13	32	<20	0.24	
E428432		0.24	10	2.01	1265	2	0.09	70	520	45	3.63	<5	6	44	<20	0.09	
E428433		0.08	10	1.34	1050	5	<0.01	48	510	89	6.09	<5	6	44	<20	0.10	
E428434		0.03	10	1.56	1910	1	<0.01	20	520	26	2.39	<5	3	52	<20	0.05	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006909

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-OG62	ME-ICP61
		Tl	U	V	W	Zn	Zn	Te
		ppm	ppm	ppm	ppm	ppm	%	ppm
		10	10	1	10	2	0.001	10
E429113		<10	<10	8	<10	13	<10	
E429114		<10	<10	7	<10	13	<10	
E429115		<10	<10	12	<10	14	<10	
E429116		<10	<10	7	<10	12	<10	
E429117		<10	<10	8	<10	16	<10	
E429118		<10	<10	7	<10	12	<10	
E429119		<10	<10	11	<10	20	<10	
E429120		<10	<10	14	<10	9	<10	
E429121		<10	<10	7	<10	18	<10	
E429122		<10	<10	8	<10	8	<10	
E429123		<10	<10	9	<10	24	<10	
E429124		<10	<10	12	<10	17	<10	
E429125		<10	<10	6	<10	14	<10	
E429146		<10	<10	7	<10	12	<10	
E429147		<10	<10	7	<10	20	<10	
E429148		<10	<10	7	<10	22	<10	
E429149		<10	<10	8	<10	31	<10	
E429150		<10	<10	7	<10	13	<10	
E429151		<10	<10	8	<10	13	<10	
E429152		<10	<10	7	<10	12	<10	
E429153		<10	<10	127	<10	93	<10	
E429154		<10	10	7	<10	14	<10	
E429155		<10	<10	7	<10	12	<10	
E429156		<10	<10	7	<10	18	<10	
E429157		<10	<10	10	<10	17	<10	
E428420		<10	<10	15	<10	20	<10	
E428421		<10	<10	5	<10	44	<10	
E428422		<10	<10	39	<10	37	<10	
E428423		<10	<10	5	<10	30	<10	
E428424		<10	<10	8	<10	93	<10	
E428425		<10	<10	34	<10	92	<10	
E428426		<10	<10	207	<10	1670	<10	
E428427		<10	<10	26	<10	304	<10	
E428428		<10	<10	89	<10	49	<10	
E428429		<10	<10	60	<10	488	<10	
E428430		<10	<10	37	<10	263	<10	
E428431		<10	<10	102	<10	1640	<10	
E428432		10	<10	36	<10	1580	<10	
E428433		<10	<10	30	<10	5630	<10	
E428434		<10	<10	19	<10	924	<10	



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006909

Sample Description	Method Analyte Units LOQ	WEI-21	Au-AA23	ME-ICP61											
		Recd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	g	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm
E428435		1.81	0.007	<0.5	2.46	14	80	0.6	<2	4.21	19.6	7	21	89	8.28
E428436		1.45	0.171	3.5	0.28	14	<10	<0.5	<2	4.57	66.1	37	11	391	11.55
E428437		1.73	0.017	0.6	0.24	15	<10	<0.5	<2	7.40	26.2	8	15	94	4.81
E428438		2.02	0.026	<0.5	0.27	7	10	0.5	<2	5.14	3.1	4	19	60	8.07
E428439		<0.02	0.028	0.7	0.27	5	10	<0.5	<2	4.79	2.8	5	17	67	7.82
E428440		1.77	0.049	0.9	0.53	7	30	<0.5	<2	3.43	8.6	12	16	111	7.39
E428441		1.81	<0.005	1.3	2.49	37	160	<0.5	2	2.83	43.2	30	56	106	7.48
E428442		0.84	<0.005	<0.5	4.01	<5	70	<0.5	<2	3.42	<0.5	22	68	67	3.89
E428443		1.08	<0.005	<0.5	6.55	<5	220	0.9	<2	8.90	<0.5	14	158	33	8.34
E428444		1.16	<0.005	0.8	2.09	<5	200	0.5	<2	0.94	0.5	9	26	107	12.00
E428445		1.79	<0.005	0.5	1.19	9	30	0.5	<2	0.98	3.4	9	18	143	16.40
E428446		1.90	0.015	1.7	1.45	62	50	<0.5	3	0.91	8.8	57	27	116	17.30
E428447		1.90	<0.005	0.6	1.38	42	60	0.5	<2	1.10	1.4	16	31	104	11.80
E428448		1.93	0.010	1.5	5.45	62	110	0.9	2	0.88	4.5	30	201	121	15.25
E428449		1.65	0.036	1.0	4.53	27	90	0.5	<2	4.79	8.2	70	321	340	6.57
E428450		1.96	<0.005	0.6	6.67	35	100	0.7	<2	6.82	7.6	47	179	153	6.05
E428451		1.72	<0.005	<0.5	6.62	83	70	0.5	<2	7.03	2.3	52	269	170	7.32
E428452		1.42	0.005	0.8	7.37	49	100	0.8	<2	3.40	0.6	57	294	191	8.37
E428453		0.07	7.11	1.7	6.06	9010	250	0.8	<2	4.44	<0.5	34	135	125	10.50
E428454		1.09	0.011	0.8	5.71	87	20	0.6	<2	3.71	12.3	48	230	263	7.43
E428455		1.81	<0.005	<0.5	8.06	31	70	0.9	2	2.91	<0.5	36	110	68	7.70
E428456		1.81	0.006	<0.5	7.03	49	30	1.3	<2	4.01	<0.5	51	266	229	8.06
E428457		1.96	0.014	<0.5	7.42	50	30	<0.5	<2	2.82	<0.5	56	110	222	11.05
E428458		1.85	0.007	0.5	7.04	52	30	<0.5	2	4.48	<0.5	84	61	544	11.20
E428459		1.95	0.015	0.6	7.41	27	20	<0.5	<2	4.60	<0.5	44	56	445	10.05
E428460		1.96	<0.005	<0.5	7.67	9	30	<0.5	<2	4.42	<0.5	53	60	161	10.35
E428461		1.93	<0.005	<0.5	6.83	12	30	<0.5	3	5.51	<0.5	51	56	129	11.75
E428462		1.95	0.006	0.5	7.29	12	30	<0.5	<2	3.85	<0.5	54	65	146	10.90
E428463		1.88	<0.005	0.6	7.61	5	30	<0.5	<2	3.99	<0.5	53	65	193	11.20
E428464		1.87	<0.005	0.7	7.37	20	40	<0.5	<2	4.06	<0.5	67	61	600	13.75
E428465		1.71	<0.005	<0.5	7.60	5	50	<0.5	<2	4.20	<0.5	53	60	114	10.95
E428466		<0.02	<0.005	<0.5	7.67	<5	50	<0.5	<2	4.21	<0.5	52	61	109	10.90
E428467		0.93	0.012	<0.5	7.30	212	160	<0.5	<2	4.31	<0.5	36	157	71	7.58
E428468		0.73	0.032	0.5	8.04	79	300	0.8	<2	3.41	<0.5	27	104	64	4.90
E428469		0.93	<0.005	<0.5	7.46	152	280	0.6	<2	2.52	<0.5	29	93	103	4.38
E428470		0.83	0.005	<0.5	7.97	80	290	0.7	<2	1.11	<0.5	28	109	79	4.86
E428471		0.98	0.013	0.7	6.01	124	260	<0.5	<2	2.03	12.8	16	43	42	2.83
E428472		0.86	0.006	0.7	6.05	44	180	<0.5	<2	2.86	2.5	10	29	180	2.46
E428473		0.94	0.007	<0.5	4.76	47	240	<0.5	<2	3.27	<0.5	9	38	28	2.11
E428474		0.94	0.030	0.5	6.36	120	290	0.5	<2	5.20	<0.5	37	80	49	8.13



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006909

Sample Description	Method Analyte	ME-ICP61															
		K	La	Mg	Mn	Mb	Nb	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	
Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	
LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01		
E428435	0.22	10	1.01	1105	1	0.03	15	420	1400	1.11	<5	2	26	<20	0.08		
E428436	0.03	10	1.30	1380	1	<0.01	53	430	9060	9.02	<5	1	19	<20	0.01		
E428437	0.01	10	0.68	1360	1	<0.01	16	340	2510	1.55	<5	1	28	<20	0.01		
E428438	0.05	10	0.77	1300	<1	0.01	11	390	304	1.82	<5	1	29	<20	0.01		
E428439	0.06	10	0.80	1245	<1	0.01	10	390	313	1.98	<5	1	28	<20	0.01		
E428440	0.09	10	1.41	1165	1	0.04	20	460	403	3.03	<5	1	22	<20	0.01		
E428441	0.09	<10	1.87	785	1	0.01	95	150	3240	2.18	<5	9	12	<20	0.09		
E428442	0.31	<10	1.46	611	<1	0.82	41	120	10	0.10	<5	20	40	<20	0.19		
E428443	0.92	20	4.17	3410	4	1.67	51	510	22	2.17	<5	36	151	<20	0.22		
E428444	0.30	10	0.85	735	1	0.40	40	280	9	5.50	<5	4	37	<20	0.06		
E428445	0.04	<10	0.77	1160	1	0.03	44	230	59	6.91	<5	3	12	<20	0.05		
E428446	0.26	<10	0.77	1085	<1	0.06	36	230	445	>10.0	<5	3	17	<20	0.03		
E428447	0.33	<10	0.75	1240	1	0.10	31	240	19	6.68	<5	4	22	<20	0.03		
E428448	0.73	<10	1.90	1050	1	0.09	61	410	702	9.28	<5	27	47	<20	0.07		
E428449	0.76	10	1.25	572	3	0.96	220	280	340	4.32	<5	23	81	<20	0.12		
E428450	0.65	10	2.13	908	4	1.84	99	320	342	1.31	<5	32	107	<20	0.27		
E428451	0.33	10	3.16	1085	1	1.54	167	270	104	0.66	<5	37	89	<20	0.39		
E428452	0.53	10	3.54	946	<1	2.16	161	300	153	2.04	<5	42	105	<20	0.42		
E428453	0.52	20	3.08	2790	2	1.48	126	1800	16	3.24	8	15	292	<20	0.72		
E428454	0.03	10	3.79	926	3	1.86	156	450	253	1.09	<5	27	67	<20	0.35		
E428455	0.15	20	3.42	1355	<1	4.65	71	1220	7	0.43	<5	23	240	<20	0.53		
E428456	0.07	30	3.17	1115	3	4.28	112	1530	16	1.19	<5	27	191	<20	0.49		
E428457	0.08	10	2.60	1400	1	3.99	85	530	20	2.16	5	42	96	<20	0.75		
E428458	0.03	10	3.34	1775	<1	3.42	66	430	17	1.52	<5	46	91	<20	0.73		
E428459	0.06	10	3.20	1745	<1	3.68	59	470	21	0.16	<5	44	131	<20	0.76		
E428460	0.08	10	2.55	1720	<1	3.95	63	490	3	0.05	<5	46	221	<20	0.78		
E428461	0.10	10	3.51	2200	<1	3.07	59	430	<2	0.15	<5	40	182	<20	0.59		
E428462	0.08	10	2.71	1700	<1	4.07	68	520	4	0.13	<5	44	199	<20	0.77		
E428463	0.10	10	2.43	1755	<1	4.06	65	530	3	0.19	<5	46	210	<20	0.79		
E428464	0.13	10	2.97	2080	<1	3.57	68	490	9	0.62	<5	52	209	<20	0.77		
E428465	0.19	10	3.87	1495	<1	3.48	81	490	3	0.10	<5	43	197	<20	0.79		
E428466	0.19	10	3.90	1500	<1	3.46	79	480	2	0.10	<5	45	197	<20	0.78		
E428467	0.93	10	2.29	1655	<1	1.14	96	450	<2	0.41	<5	30	98	<20	0.45		
E428468	1.73	10	1.44	1250	<1	1.46	69	370	2	0.22	<5	19	169	<20	0.35		
E428469	1.61	10	1.28	914	1	1.42	73	370	4	0.34	<5	18	142	<20	0.30		
E428470	1.59	10	1.51	617	1	1.46	71	450	2	0.29	<5	20	147	<20	0.31		
E428471	1.31	20	0.94	497	1	1.50	31	300	643	0.34	<5	10	106	<20	0.20		
E428472	0.86	20	0.88	536	1	2.58	18	310	38	0.08	<5	6	95	<20	0.16		
E428473	1.27	10	0.57	484	1	0.88	23	250	<2	0.38	<5	7	79	<20	0.13		
E428474	0.80	10	3.32	1110	<1	1.41	50	380	2	0.16	<5	36	112	<20	0.60		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006909

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-OG62	ME-ICP61
		Tl	U	V	W	Zn	Zn	Te
		ppm	ppm	ppm	ppm	ppm	%	ppm
		10	10	1	10	2	0.001	10
E428435		<10	<10	19	<10	4640		<10
E428436		<10	<10	5	<10	>10000	1.235	<10
E428437		<10	<10	6	<10	6160		<10
E428438		<10	<10	6	<10	819		<10
E428439		<10	<10	7	<10	757		<10
E428440		<10	<10	8	<10	2160		<10
E428441		<10	10	55	<10	>10000	1.035	<10
E428442		<10	10	117	<10	55		<10
E428443		<10	10	183	<10	139		<10
E428444		<10	<10	34	<10	249		<10
E428445		<10	<10	17	<10	1060		<10
E428446		<10	<10	23	<10	2370		<10
E428447		10	<10	23	<10	759		<10
E428448		<10	<10	155	<10	1550		<10
E428449		<10	10	122	<10	2940		<10
E428450		<10	10	170	<10	2640		<10
E428451		<10	10	229	<10	894		<10
E428452		<10	10	253	<10	207		<10
E428453		<10	<10	142	<10	126		<10
E428454		<10	10	170	<10	3850		<10
E428455		<10	10	195	<10	79		<10
E428456		<10	10	198	<10	66		<10
E428457		<10	10	336	<10	70		<10
E428458		<10	10	343	<10	62		<10
E428459		<10	10	345	<10	66		<10
E428460		<10	20	356	<10	55		<10
E428461		<10	10	311	<10	77		<10
E428462		<10	10	342	<10	70		<10
E428463		<10	10	357	<10	68		<10
E428464		<10	10	366	<10	72		<10
E428465		<10	10	355	<10	66		<10
E428466		<10	10	353	<10	65		<10
E428467		<10	<10	201	<10	91		<10
E428468		<10	10	151	<10	98		<10
E428469		<10	10	138	<10	80		<10
E428470		<10	<10	145	<10	93		<10
E428471		<10	<10	63	<10	3540		<10
E428472		<10	10	43	<10	733		<10
E428473		<10	<10	46	<10	46		<10
E428474		<10	10	275	10	87		<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 29-JAN-2010
Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006909

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61												
	Analyte	Revd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	g	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
LOR		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
E428475		1.00	0.123	<0.5	6.34	731	130	0.6	<2	4.45	1.0	30	6	51	9.96	20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 29-JAN-2010

Account: AUGGLD

Project: SOUTHERN SWAYZE

CERTIFICATE OF ANALYSIS TM10006909

Sample Description	Method	ME-ICP61														
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
LOR	0.01	10	0.01	5	1	0.01	1	10	870	47	1.35	<5	29	134	<20	0.79
E428475		0.45	10	1.80	1475	<1	2.27	10	870	47	1.35	<5	29	134	<20	0.79

**ALS Chemex**

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AUGEN GOLD CORP.
130 KING ST. WEST
SUITE 720
TORONTO ON M5X 1A6

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 29-JAN-2010

Account: AUGGLD


Project: SOUTHERN SWAYZE


CERTIFICATE OF ANALYSIS TM10006909


Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Zn-OG62 Zn % 0.001	ME-ICP61 Te ppm 10
E428475		<10	<10	126	10	259		<10


APPENDIX C

CROSS-SECTIONS FOR DRILL HOLES
BC09-12,
BC09-13, BC09-14 & BC09-27











APPENDIX D

**MAGNETIC SUSCEPTABILITY AND CONDUCTIVITY
PROFILES FOR DRILL HOLES
BC09-12,
BC09-13, BC09-14 & BC09-27**


BC09-12 Magnetic Susceptibility and Conductivity



BC09-13 Magnetic Susceptibility and Conductivity



BC09-14 Magnetic Susceptibility and Conductivity



BC09-27 Magnetic Susceptibility & Conductivity

