

**REPORT OF DIAMOND DRILLING
SEWELL PROPERTY**

**UTM Zone 17 at 426120mE, 5340740mN
NTS: 42A/04 and 42A/05**

Porcupine Mining Division, Ontario

**Benton Resources Corp.
3250 Hwy. 130
Rosslyn, Ontario
P7K 0B1**

**Paul Degagne, P.Geo.
Exploration Manager
Benton Resources Corp.**

March 12, 2012

TABLE OF CONTENTS

	SUMMARY AND RECOMMENDATIONS	1
1.0	PROPERTY DESCRIPTION AND LOCATION	2
2.0	ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY	3
	2.1 Accessibility	3
	3.2 Climate	3
	3.3 Local Resources.	3
	3.4 Infrastructure	3
	3.5 Physiography	4
3.0	HISTORY	4
4.0	GEOLOGICAL SETTING	6
	5.1 Regional Geology	6
	5.2 Property Geology	6
5.0	MINERALIZATION	7
6.0	DIAMOND DRILLING	9
7.0	SAMPLING, ANALYSIS AND SECURITY OF SAMPLES	12
8.0	CONCLUSIONS AND RECOMMENDATIONS	12

List of Tables

Table 1.1	List of Claims	2
Table 6.1	2011 Drill hole Co-ordinates	11
Table 6.2	2011 Drilling Assay Highlights	11

List of Figures

Figure 1.1	Location Map	2
Figure 5.1	Sewell Property Map with Showings	8
Figure 6.1	2011 Drill Hole Location Plan	10

List of Appendices

Appendix I	Diamond Drill Logs
Appendix II	Diamond Drill Hole Sections
Appendix III	Assay Certificates

SUMMARY AND RECOMENDATIONS

The Sewell Property, under option to Benton Resources Corp. (Benton), is located approximately 60 km west of the city of Timmins, Ontario, and is centered on UTM coordinates 426640mE and m5340970mN (NAD 83, Zone 17). The property is readily accessible by motor vehicle. Highway 101 west crosses the northern portion of the claim block. Access to the southern part of the property is gained by turning south from Highway 101 onto Kenogaming Road for two kilometers then turning right onto a narrow bush road that crosses the southern claims.

The property consists of 13 contiguous claims totaling 107 units or 1,712 hectares. The claim group is located in southwest Sewell and southeast Reeves Townships, within the Porcupine Mining Division.

From November 21 to December 16, 2011, eight core (8) holes totaling 1,477 meters were drilled over a strike length of 300 meters to test for economic gold mineralization associated with the Baseline showing. The Baseline Showing strikes at an azimuth of between 300° to 310° and consists of sheared and carbonate altered mafic to ultramafic volcanic rocks and iron formation. Surface grab samples collected across the showing have returned anomalous gold values of up to 5.09 g/t Au. Gold mineralization appears to be associated with areas of heavy sulphide (pyrite) mineralization in both the mafic rocks and iron formation.

Norex Drilling of Timmins, Ontario was the drill contractor for the program. Drill core logging was completed by Ryan Verbruggen under the supervision of Paul Degagne (P.Geo). Core samples were sent to Accurassay Laboratories and assayed for gold by fire assay with an AA finish.

A small budget of \$100,000 is recommended to complete geochemical and geophysical (induced polarization) surveys north of hole SW11-08, with the objective of defining conductive targets (sulphide mineralization) and gold geochemical anomalies north and on strike of the known gold mineralization.

1.0 PROPERTY DESCRIPTION AND LOCATION

The Sewell property consists of 13 contiguous unpatented mineral exploration claims totaling 1,712 hectares in area. The claims, as listed in Table 1.1, are located in southwest Sewell and southeast Reeves Townships, within the Porcupine Mining Division (see figure 1.1). The property is located approximately 60 kilometers west of the city of Timmins, Ontario. The center of the property is located at UTM83 coordinates 426640mE and m5340970N, zone 17.

Claim	Township	Units	Due Date
4209635	REEVES	16	13-Feb-15
3005388	SEWELL	16	29-Nov-14
4209637	SEWELL	8	13-Feb-15
4220807	SEWELL	1	12-Jul-14
1236943	SEWELL	1	4-Jul-14
3005387	SEWELL	1	28-Oct-16
3017352	SEWELL	1	21-Sept-14
4202901	SEWELL	12	1-Jun-14
4209636	SEWELL	3	13-Feb-16
4209634	SEWELL	9	13-Feb-15
4259548	SEWELL	15	15-Jul-14
4259547	SEWELL	12	15-Jul-13
4264208	SEWELL	12	15-Jul-13

Table 1.1: List of Claims



Figure 1.1: Location Map

The Sewell property is subject to an option agreement dated July 15, 2011 between Benton Resources Corp. and claim holders Garry Windsor, George Ross, Frederick Ross of Timmins, Ontario and Bruce Durham of Toronto, Ontario. The option agreement is a four year option whereby Benton can earn a 100% interest in the property, subject to a 2% NSR royalty, by making cash payments totaling \$200,000 and issuing a total of 200,000 company shares. Benton has the right to purchase one half (1%) of the NSR royalty for the sum of Cdn\$1,000,000.

2.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

2.1 Accessibility

The Sewell Property is located 60 km west of Timmins, Ontario. The property is readily accessible by motor vehicle. Highway 101 west crosses the northern portion of the claim block. Access to the southern part of the property is gained by turning south from Highway 101 onto Kenogaming Road for two kilometers then turning right onto a narrow bush road that crosses the southern claims. A series of trails that branch off of the main access roads allow 4x4 access throughout the property.

2.2 Climate

The climate in the Sewell project area is best described as a continental climate that is characterized by cold winters (-10°C to -30°C) and relatively warm summers (+10°C to +30°C). Average monthly precipitation is 72 mm. Winter conditions can generally be expected between the months of November and April. On average, winter precipitation in the form of snow can total 2.5 meters in an average year.

2.3 Local Resources

Highway 101 west and a hydro-electric transmission line cross the northern part of the property. The CN mainline crosses the southern part of Penhorwood Township, approximately 12 km southwest of the claim block. The Sewell Property is located 60 km west of the city of Timmins, Ontario, which has a population of 45,000. The population has a skilled workforce with considerable experience and history in mining and mineral processing. Infrastructure is adequate to supply potential power and services for developing local resources, as well as mineral exploration activities.

2.4 Infrastructure

With the exception of the Highway 101 west and a hydro-electric transmission line that crosses the northern part of the property, there is no infrastructure on the property. The Sewell project surface area is large enough to accommodate all future mining related infrastructures.

2.5 Physiography

The topography on the property is generally gently rolling, with high points seldom exceeding 50 m above local lake levels. Elevations on the Property are generally between 330 m and 380 m above sea level. The higher ground usually consists of glacial till or soil over bedrock. Only about 15% of the claims are covered with bedrock located predominantly in the north half of the property. Lower areas of relief are covered by cedar swamp, several small circular ponds and lesser areas of deep glacial till. Sewell Lake covers the northwest part of claim 4247219. The northern half of the property has been logged and vegetation in this part of the property consists of second generation poplar and jack pine. The south half of the property is covered with cedar and black spruce in the lower areas and locally by mature jack pine on the sandy ridges.

3.0 HISTORY

The Sewell Township area has been explored by various parties for gold, nickel and asbestos mineralization. Various reports describe work dating back as far back as 1898. Reports from 1916, describe quartz veins with associated pyrite, pyrrhotite, chalcopyrite, calcite, and tourmaline in south western Sewell Township. The area was regionally mapped on numerous occasions by the Ontario Department of Mines / Ministry of Northern Development and Mines. The most recent geological map that covers Sewell and Reeves townships was published in 2011 and is titled: MRD282, Geological Compilation of the Abitibi Greenstone Belt, authored by J.A. Ayer and J.E Chartrand.

Listed below is a record of exploration completed on the Sewell claims.

1916: Work on five patented claims, referred to as the Lamport-Lumbers property describe a quartz vein cutting sheared mafic volcanic rocks. An assay from pits excavated on the property returned 0.02 ounces per ton gold. Pyrite and chalcopyrite mineralization was reported in the sheared rocks. These claims are located along the Reeves – Sewell Township line on present day claims 4220807, 1236943 and 3005387.

1947: A report authored by Fawcett describes the drilling of 8 holes totaling 197 meters on a series of quartz veins located approximately 1 km northwest of Sewell Lake on the northeast part of the current claim block. No assay values were attached to the drill logs.

1957: Canadian Johns-Manville Co Ltd. completed a mapping program on their 31 claim Sewell Lake Property which covers the Baseline and West Grid showings on the current claims

1972: John J. Johnson completed 46.9 line miles of ground magnetic and vertical loop EM surveys over a block of 50 claims which covered an area including the south half of the Sewell property.

1974: Card Lake Copper Mines Ltd. drilled 3 holes totaling 366 meters on claims covering the West Grid showing. No assay values were attached to the drill logs.

1982: Gold Fields Canadian Mining Ltd. completed a 22.7 km ground magnetics and VLF survey

over the southwest part of the property

1983: H.W.S. Syndicate completed a 997 km Dighem airborne survey (200 meter spaced flight lines) over a large part of Sewell, Reeves and Kenogaming Townships, including the current Sewell claim block.

1986: R.U. Tremblay drilled 5 holes totaling 778 meters on a claim covering the West Grid Showing. Drill logs describe variably sheared and mineralized (pyrite) diorite and quartz veining. No assay values were attached to the drill logs.

1988: American Barrick Resources Corp., Glen Auden Resources Inc. and Goldrock Resources Inc. completed a 46.85 km pole-dipole induced polarization survey over a block of 66 claims including a large part of the south part of the current Sewell claim block. Mechanical stripping and washing of bedrock was undertaken on several outcrops currently associated with the Baseline Showing shear zone. Channel sampling on these trenches returned trace to weakly anomalous (<400 ppb Au) gold values.

1989: American Barrick Resources Corp. completed 3 diamond drill holes totaling 194.4 meters on what is now the Baseline Showing shear zone. All holes intersected sheared, locally pyritic mafic volcanic rocks and quartz feldspar porphyry. Intersections of grey quartz noted in the logs most likely refer to the cherty iron formation recognized in the surface outcrops. The vast majority of core samples returned anomalous values ranging from 100 to 300 ppb Au. The highest sample returned 870 ppb Au over 1.0 meters.

1989: American Barrick Resources Corp. completed a reconnaissance geological survey over a large block of claims including the Sewell property. In addition, trenching was completed over a portion of the shear zone associated with the Baseline Showing. Samples from the trenches returned weakly anomalous (100 ppb Au) to 2,480 ppb Au.

1989: American Barrick Resources Corp., Glen Auden Resources Inc. and Goldrock Resources Inc. completed a 59.75 km total field magnetics survey over a large block of claims including the south half of the current Sewell claim block.

1996: Sewell Mining Corp. completed a 93.8 km total field magnetics and time domain induced polarization survey over a block of 20 claims, the northwest part of which covers the Baseline and West Grid showing areas of the current property

2000: Prospectors Windsor and Ross completed hand stripping and trenching on several old pits located on claim 1236943 (Green Carb showing). Twenty grab samples were sent for assay, with numerous samples returning anomalous gold values ranging from 500 to 1000 ppb Au. Two samples of pyrite rich and silicified volcanic rocks returned 6,242 and 1,436 ppb Au.

2002: Prospectors Windsor and Ross reported additional sampling from several old pits located on claim 1236943 (Green Carb showing). Significant results include 1,150 and 2,190 ppb Au.

2007: Amador Gold Corp. completed a four hole, 1,089 meter diamond drilling program on claims 1236943, 3005387, and 3017352, testing the Green Carb Showing area. The holes

intersected quartz-carbonate and chlorite altered volcanic rock locally mineralized with disseminated pyrite. Samples generally returned weakly anomalous gold values ranging from 50 to 200 ppb Au. A single sample returned 6000 ppb Au.

2007: Amador Gold Corp. completed a mechanical stripping, washing and channel sampling program on claim 3017352 at the Green Carb Showing area. Assay results of green carbonate altered volcanic rocks only returned background to weakly anomalous gold values.

4.0 GEOLOGICAL SETTING

4.1 Regional Geology

The Sewell Property occurs within the northern portion of the Swayze Greenstone Belt (SGB) of the Archean aged western Abitibi Sub-province of the Superior Province. The SGB is bounded to the west by the Kapuskasing Structural Zone; east by the Kenogamissi Batholith; north by the Nat River granitoid complex, and south by the Ramsey-Algoma granitoid complex. The belt is connected to the Abitibi greenstone belt by two thin bands of sheared supracrustal rocks that wrap around the north and south margins of the Kenogamissi Batholith. The northern sheared band may mark the western extension of the Destor-Porcupine Fault Zone. Similarly the southern sheared band may mark the western extension of the Larder Lake Break.

A wide variety of rock types occur within the SGB in repetitive cycles (Heather and Van Breemen 1994, Jackson and Fyon 1991). These rocks include metavolcanic rocks ranging from ultramafic komatiites to felsic metavolcanic rocks and metasedimentary rocks ranging from epiclastic rocks (including Timiskaming-like sediments), to chemical metasediments and banded iron formations. The supracrustal rocks are intruded by several large granitic bodies located throughout the greenstone belt.

Numerous north-northwest striking faults cut across the rock types in the area. Three Proterozoic diabase dyke swarms intrude the Archean rocks: the north trending Matachewan swarm; northwest trending Sudbury swarm, and east to northeast trending Abitibi swarm.

With the exception of a talc mine in Kenogaming Township, there are no active mining operations in the belt. However, numerous deposits and/or occurrences of copper, zinc, lead, nickel, iron, molybdenum, asbestos and talc are widely distributed throughout.

4.2 Property Geology

Outcrop exposures represent approximately 15% of property. Six main rock types have been identified through mapping and core logging: massive to pillow mafic volcanic rocks, ultramafic volcanic rocks (komatiitic flows), chert +/- magnetite iron formation, quartz-feldspar porphyry intrusive sills and a distinctive blue quartz eye diorite intrusion

Mafic volcanic rocks are the predominant lithology, underlying approximately 80% of the property. Although mostly massive, fine grained to aphanitic and green to dark green in colour, there are variable differences in colour and texture and pillow selvages have been recognized in several outcrops. A 20 to 30 meter wide zone of strong zone of shearing, with a strike of 320° occurs between two small ponds on claim 4209636. The mafic rocks within this shear zone are well foliated to schistose, moderately magnetic and have undergone strong carbonate alteration. Fine disseminated bands to cubic disseminated pyrite grains are locally concentrated along the planes of foliation / shearing. Narrow quartz +/- calcite stringers (mm to cm in thickness) commonly occur throughout the unit. Anomalous gold mineralization is associated with the more pyritic phases of this unit.

Ultramafic volcanic rocks have been observed in two area of the property. A dark black, massive and talc altered flow of approximately 50 meters in thickness lies to the west and in contact with the mafic shear zone located on claim 4209636. On claims 1236943 and 3005387, located in the central-west part of the claim block along the Sewell-Reeves township line, large outcrops of strong carbonate and fuchsite altered ultramafic rocks are exposed in old trenches and pits (Green Carb Showing listed in figure 1.2). The extent of the ultramafic package on this part of the property is unknown due to limited exposure of bedrock.

Several narrow interbeds of carbonate altered chert and magnetite iron formation (IF) occurs intercalated with the sheared mafic / ultramafic volcanic rocks described earlier. This unit is composed of approximately 60% greyish white to sugary white chert, interbedded with magnetite and chlorite. The unit is well mineralized with up to 20% secondary pyrite, which occurs as fine grained to cubic grains replacing magnetite or less commonly as disseminations within the chert itself. Sampling of the unit has returned values of up to 5.09 g/t Au, with numerous samples returning >2.0 g/t Au (Baseline showing, figure 1.2).

Two parallel quartz-feldspar porphyry sills, each averaging 2 meters in thickness and spaced approximately 25 meters apart, intrude the sheared mafic volcanic rocks on claim 4209636. The unit has a siliceous, grey, aphanitic to fine grained matrix with approximately 5% to 20% feldspar and 20% quartz phenocrysts.

A blue quartz-eye phryic diorite intrusion is exposed in the west half of claim 4209901 and is host to the West Grid Showing (see figure 1.2). The unit varies from fine grained, black, massive and strongly magnetic with 2% mm scale blue quartz eyes to an equigranular gabbroic- looking, medium grained leucocratic rock.

5.0 MINERALIZATION

Three known areas of mineralization occur on the property. The mineralized areas are shown on Figure 5.1 and are described below. Since acquiring the property in July of 2011, Benton's focused exploration work on the cut grid with emphasis on delineating mineralization in the area of the Baseline Showing.




Figure 5.1: Property Map with Mineral Showings

Green Carb Showing:

The Green Carb Showing, originally referred to as the Lamport-Lumbers property is located along the Reeves-Sewell township line on the western part of the property, centered on UTM co-ordinates 424620E and 5340610N. The showing is hosted by intense carbonate-fuchsite-quartz-albite altered ultramafic rocks intruded by numerous secondary quartz veins. While generally barren of sulphides, heavy pyrite mineralization (5% to 15% fine disseminated grains and coarse cubes) occur locally along what may be small scale north trending structure. The showing itself is exposed in an old overgrown blast pit measuring approximately 2x3 meters in area. Of four samples collected by Benton, three returned values of less than 0.05 g/t Au, while a single sample returned 3.68 g/t Au. Two other samples collected approximately 200 meters north and possibly along strike of the main showing returned 1.49 and 1.43 g/t Au.

The showing area was tested by 4 drill holes in 2007 By Amador Resources. Assay results from the drilling were generally negative, returning only trace to weakly anomalous gold values. A single sample returned 6.0 g/t Au.

West Grid Showing

The West Grid Showing is located on the west side of claim 4202901 at UTM co-ordinate 426120 east and 5340740 north. A shear zone, 2 to 4 meters in width cuts through a strongly

magnetic blue quartz eye diorite unit. The shear is represented by quartz veining hosted within variably sheared, carbonate altered, silicified and bleached host rock. Sulphides of up to 10% pyrite (locally) occur within the altered host, while disseminated galena and chalcopyrite occurs within the quartz veins themselves. Eight historic holes drilled in two separate drilling campaigns tested the showing, however, no assay values were listed in the drill logs.

Gold values appear to be related to the sulphide-bearing sections of quartz vein. A total of 19 grab samples of mineralized diorite and quartz were collected by Benton, 3 of which returned values between 0.1 and 0.3 g/t Au, 2 samples of mixed quartz and sheared sulphide-rich diorite returned 4.96 and 1.26 g/t Au.

Baseline Showing

A 320° trending, 30 to 50 meter wide zone of strong shearing and deformation in the south-central part of the grid, referred to as the Baseline Showing area, has altered the mafic rocks to a carbonate +/- quartz, chlorite and magnetite-rich schist. Up to 15% pyrite as disseminated grains or cm scale bands occur within the altered mafic units. Narrow interbeds of re-crystallized chert-magnetite iron formation, varying from 0.5 to 2 meters in thickness and mineralized with up to 20% pyrite occurs within the sheared mafic rock sequence. Talc and green carbonate / fuchsite altered rocks of probable ultramafic composition border both sides of the iron formation. Anomalous gold values (up to 5.09 g/t) are associated with the sulphide mineralization in both the sheared mafic rocks and with the iron formation. Three holes drilled by American Barrick in 1989, tested the south part of the zone between Lines 51N and 53N. The holes intersected variably sheared and carbonate altered mafic volcanic rocks, with multiple intersections of narrow quartz stringers and spotty pyrite mineralization throughout. Numerous samples returned anomalous gold values ranging from 0.1 to 0.75 g/t, however no economic grades were intersected. In 2011, Benton collected 38 sample from various locations on the shear zone.. Of these, 16 samples returned values between 0.15 and 0.92 g/t Au and 10 samples returned values between 1.39 and 5.09 g/t Au.

6.0 DIAMOND DRILLING

From November 21 to December 16, 2011, Benton Resources Corp. drilled 8 HQ-size core boreholes totaling 1,477 meters to test the Baseline Showing.

Norex Drilling of Timmins, Ontario was the drill contractor for the program. The core is stored at the Norex Drilling office in Porcupine, Ontario and is available for review.

Figure 6.1 is a plan showing the drill hole locations. Drill hole collars were surveyed by GPS with an accuracy of <5.0 meters and are listed in table 6.1. Collar azimuth and dip were set by compass and down the hole surveys were achieved with the Reflex downhole surveying instrument. Drill holes were logged and sections plotted using Geotek Logger and Downhole Explorer software.




Figure 6.1: Drill Hole Plan Map

All holes with the exception of SW11-08 were drilled grid east (~230° azimuth) with dips ranging from 44 to 66 degrees, over a strike length of 300 meters. For logistical reasons, drill hole SW11-08 was drilled oblique to the grid at an azimuth of 276° and was designed to intersect the target 50 meters north of holes SW11-01 and 02.

DDH	Grid East	Grid North	UTM East	UTM North	Azimuth	Dip	Length (m)
SW11-01	100+14	55+58	426641	5341245	237.7	-44.8	148.0
SW11-02	100+14	55+58	426641	5341245	230.1	-64.7	208.0
SW11-03	99+95	54+97	426665	5341187	231.1	-44.4	161.0
SW11-04	99+95	54+97	426665	5341187	226.7	-66.4	261.0
SW11-05	100+08	54+00	426726	5341120	231.7	-44.0	164.0
SW11-06	99+25	52+50	426762	5340948	235.8	-44.1	145.0
SW11-07	99+25	52+50	426762	5340948	231.9	-58.9	211.0
SW11-08	100+36	55+54	426660	5341255	276.8	-44.7	199.0

Table 6.1 Drill Hole Collar Locations

All holes drilled through the targeted shear zone, intersecting several narrow beds of sulphide rich iron formation and variably sheared and altered (carbonate, magnetite, +/- albite, +/- sericite, +/- silica) mafic volcanic rocks. A total of 667 sample of core were split and sent to Accurassay Laboratories in Thunder Bay for fire assay analysis. Of these samples, only 23 returned values greater than 0.1 (g/t) Au and of these samples only 4 samples of sulphide-rich iron formation returned values between 1.0 and 3.0 g/t Au. A single sample of albite and sericite altered mafic volcanic with 5% fine pyrite mineralization returned 94.02 g/t Au. Assay highlights are outlined in table 6.2. Drill logs, drill sections and assay certificates are appended.

DDH	FROM	TO	INT (m)	Au (g/t)
SW11-01	52.2	54.6	2.4	0.34
incl.	54.1	54.6	0.5	1.13
SW11-02				NSA
SW11-03	116.6	117.7	1.1	94.02
SW11-04				NSA
SW11-05				NSA
SW11-06	85.2	87.5	2.3	1.38
SW11-07	149.5	149.9	0.4	0.52
SW11-08	101.6	106.5	4.9	0.69
incl.	103.3	104.4	1.1	1.44

Table 6.2 Diamond Drilling Assay Highlights

7.0 SAMPLING, ANALYSIS AND SECURITY OF SAMPLES

The drill core from the Benton 2011 drill program was logged at a core logging facility located on the grounds of Norex Drilling of Porcupine, Ontario. All eight holes sampled chert-magnetite iron formation and sulphide bearing altered mafic volcanic rocks associated with the Baseline Showing shear zone.

Sample lengths varied from 0.4 meter to 1.5 meter increments depending on the length of alteration/mineralized. Samples were not taken across lithological contacts and at least three meters on each side the mineralization or alteration were sampled. The core was logged and sample intervals were marked up and then split with a hydraulic splitter. One half of each sample was left in the core tray and the other half was tagged, bagged, sealed and personally delivered to the Accurassay Laboratorieis prep lab in Timmins, Ontario. The Timmins prep lab prepared the samples which were then sent to Accurassay's fire assay lab located in Thunder Bay, Ontario for fire analysis.

The results of the drill program were reported in ppb gold with the detection limit for gold being 5 ppb. Standards and blanks were inserted by the geologist every 20 samples. All rejects and pulps are currently in storage at Accurassay Laboratories.

Accurassay Laboratories assays samples according to standard industry practices and is currently ISO 17025 registered. The procedure at the lab is to dry each sample, jaw crush it to 0.25 inch, cone crush to -8 mesh and riffle split. A 200 gram sample is then pulverized to -150 mesh. From this a 30 gram sample is then fire assayed with an AA finish.

8.0 Conclusions and Recommendations

Eight (8) holes totaling 1,477 meters were drilled on the Sewell Property to test the Baseline showing for economic gold mineralization. Assay results from 7 of the 8 holes (SW11-01-02, 04 to 08), returned background to weakly anomalous gold values from the sulphide-rich iron formation. Hole SW11-03 returned 94.02 g/t Au over 1.1 meters in a pyrite-rich, sericitie altered mafic volcanic rock. Additional work is recommended to follow up on this gold intersection.

A budget of \$100,000 is recommended to complete geochemical and geophysical (IP) surveys north of drill hole SW11-08. A small drilling program is recommended to test any new targets outlined new targets outlined by these surveys.

Respectfully Submitted,



Paul Degagne, P.Geo.
Benton Resources Corp.



March 12, 2012

APPENDIX I

DIAMOND DRILL LOGS

BENTON RESOURCES CORP.

DDH:	SW11-01	Claims title:	4209636	Section:	55+50E
		Township:	SEWELL	Level:	Surface
		Range:		Work place:	Timmins
Drilled by:	Norex Drilling	Lot:			
Described by:	R. Verbruggen	From:	11/21/2011	Description date:	
		To:	11/24/2011		
Collar					
			GRID	UTM nad83	
Azimuth:	230.0°	East	10,014	426,641	
Dip:	-45.0°	North	5,558	5,341,245	
Length:	148.00 m	Elevation	351	351	
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
REFLEX	10.00	237.7°	-44.8°	No	
REFLEX	82.00	233.5°	-43.3°	No	
REFLEX	148.00	244.3°	-42.3°	Yes	magnetic rocks
REFLEX	148.00	244.3°	-42.3°	Yes	magnetic rocks
Description					
<ul style="list-style-type: none"> - bedrock setting, no casing - baseline azimuth = 320 degrees 					
Core size:	NQ		Cemented:	No	
				Stored: Yes	

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
0.00	3.40	VMO Mafic Volcanic - pale green in colour with mottled texture due to pervasive carbonate alteration - Weakly foliated @ 35 degrees TCA - Weak to moderate carbonate (ankerite?) as porphyroblastic grains and as 15% carb stringers and threads throughout unit - no visible sulphides							
3.40	30.10	VMO_cb Mafic Volcanic - carbonate altered - as above but more intense carbonare (ankerite?) alteration - weakly foliated (35 degrees TCA) - weak to Moderate Carb altered mafic volcanic, - locally magnetic - 20% carb stringers and threads - 5-8% smokey white Quartz veins (2-15cm) throughout - 1-2% fine disseminated Po & Py	3.40	4.40	735351	1.00	0.007		
			4.40	5.00	735352	0.60	<0.005		
			5.00	6.10	735353	1.10	<0.005		
			6.10	6.90	735354	0.80	0.014		
			6.90	7.70	735355	0.80	0.009		
			7.70	8.30	735356	0.60	0.009		
			8.30	9.20	735357	0.90	0.008		
			9.20	10.20	735358	1.00	0.130		
			10.20	11.10	735359	0.90	0.007		
			11.10	11.10	735360 (Std)	0.00	2.305		
			11.10	11.80	735361	0.70	<0.005		
			11.80	12.60	735362	0.80	<0.005		
			12.60	13.20	735363	0.60	<0.005		
			13.20	14.00	735364	0.80	0.015		
			14.00	14.70	735365	0.70	<0.005		
			14.70	15.30	735366	0.60	0.007		
			15.30	16.00	735367	0.70	0.007		
			16.00	17.00	735368	1.00	0.008		
			17.00	18.00	735369	1.00	<0.005		
			18.00	18.00	735370 (Bln)	0.00	<0.005		
			18.00	19.00	735371	1.00	<0.005		
			19.00	20.00	735372	1.00	<0.005		
			20.00	21.30	735373	1.30	<0.005		
			21.30	22.30	735374	1.00	<0.005		
			22.30	23.30	735375	1.00	<0.005		
			23.30	24.30	735376	1.00	0.010		

BENTON RESOURCES CORP.

		Description	Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
30.10	30.60	IFP_qf Quartz-Feldspar Porphyry - fine to medium grained - moderately siliceous - brownish-orange in colour due to pervasive carbonate alteration - 15% quartz eyes - no visible pyrite	24.30	25.30	735377	1.00	0.012		
			25.30	26.30	735378	1.00	0.011		
			26.30	26.80	735379	0.50	0.011		
			26.80	26.80	735380 (Std)	0.00	5.496		
			26.80	27.80	735381	1.00	<0.005		
			27.80	29.10	735382	1.30	<0.005		
			29.10	30.10	735383	1.00	0.007		
			30.10	30.60	735384	0.50	<0.005		
30.60	33.80	VMO_cb Mafic Volcanic - carbonate altered - light green, fine grained mottled texture due to carbonate alteration - magnetic - 25% carb stringers / threads throughout - weak to moderately foliated at 40 to 45 degrees TCA - trace disseminated, and blebby Py +/- Po (up to 2% disseminated, and in hairline fractures - locally brecciated	30.60	31.60	735385	1.00	0.006		
			31.60	32.60	735386	1.00	0.006		
			32.60	33.10	735387	0.50	0.028		
			33.10	33.80	735388	0.70	0.009		
33.80	37.30	IFP_qf Quartz-Feldspar Porphyry - massive, brownish pink in colour with 20% 2mm smokey white quartz and lesser feldspar phenocrysts, minor muscovite - pervasive carbonate altered with 1% fine disseminated pyrite	33.80	34.80	735389	1.00	<0.005		
			34.80	34.80	735390 (Bln)	0.00	0.009		
			34.80	35.80	735391	1.00	<0.005		
			35.80	36.81	735392	1.01	0.007		
			36.81	37.30	735393	0.49	<0.005		
37.30	46.00	VMO Mafic Volcanic - massive to weakly foliated, fine grained and light green to green grey in colour - weak pervasive carbonate alteration - unmineralized	37.30	37.80	735394	0.50	0.017		
			37.80	38.80	735395	1.00	<0.005		
			38.80	39.80	735396	1.00	0.033		
			39.80	40.80	735397	1.00	0.014		
			40.80	41.80	735398	1.00	0.007		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
46.00	49.70	FD Felsic Dyke - medium grained, massive, siliceous and brownish-pink in colour - generally equigranular with 10% mafic minerals and predominantly feldspathic in composition	41.80	42.80	735399	1.00	0.006		
			42.80	42.80	735400 (Std)	0.00	2.058		
			42.80	43.80	735401	1.00	<0.005		
			43.80	44.40	735402	0.60	0.041		
			44.40	44.90	735403	0.50	0.071		
			44.90	45.80	735404	0.90	0.035		
			45.80	46.30	735405	0.50	0.046		
			46.30	47.30	735406	1.00	0.007		
			47.30	48.30	735407	1.00	0.010		
			48.30	49.20	735408	0.90	<0.005		
			49.20	49.70	735409	0.50	<0.005		
49.70	52.20	VMO_cb Mafic Volcanic - carbonate altered - pale green in colour, moderately foliated at 60 degrees TCA - strong pervasive carbonate alteration giving unit a green / white spackled texture - 25% quartz-carbonate stringers and threads throughout - trace to 2 % fine disseminated pyrite throughout	49.70	49.70	735410 (Bln)	0.00	<0.005		
			49.70	50.70	735411	1.00	0.020		
			50.70	51.60	735412	0.90	0.022		
			51.60	52.20	735413	0.60	0.063		
52.20	55.00	IF_ch,py Sulfide-Chert Iron Formation - predominantly grey to smokey grey chert, locally brecciated with magnetite and chlorite interbeds or as matrix - sulphide rich, up to 20% (py +/-po) in fractures, sulfide veinlets and disseminated in the matrix - minor barren late quartz stringers, veinlets can be seen cutting the chert - unit strongly magnetic but variable depending on the magnetite content	52.20	52.80	735414	0.60	0.221		
			52.80	53.20	735415	0.40	0.014		
			53.20	54.10	735416	0.90	0.139		
			54.10	54.60	735417	0.50	1.127		
			54.60	55.50	735418	0.90	0.058		
55.00	73.80	VMO_cb Mafic Volcanic - carbonate altered - pale grey-green in colour, massive to weakly foliated at 45 degrees TCA - moderate carbonate alteration as prevasive fine grained porphyroblast and as hairline threads and stringers (20%), weak sericite alteration locally - locally narrow quartz veins and blebs, barren, making up less than 5% of section - 1% fine grained pyrite as blebs and disseminations	55.50	56.80	735419	1.30	0.012		
			56.80	56.80	735420 (Std)	0.00	1.948		
			56.80	57.60	735421	0.80	0.013		
			57.60	58.60	735422	1.00	0.008		
			58.60	59.60	735423	1.00	0.009		
			59.60	60.60	735424	1.00	0.029		
			60.60	61.60	735425	1.00	<0.005		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
73.80	80.00	VMO_alt Mafic Volcanic - altered - light green in colour, 15% carbonate threads throughout, weak to moderately foliated at 60 degrees TCA - strongly magnetic with 3% magnetite grains throughout - several 1 to 2 cm silicified and bleached bands (chert?) throughout - 2% fracture filled fine pyrite locally	61.60	62.60	735426	1.00	<0.005		
			62.60	63.60	735427	1.00	<0.005		
			63.60	64.60	735428	1.00	<0.005		
			64.60	65.40	735429	0.80	<0.005		
			65.40	65.40	735430 (Std)	0.00	6.147		
			65.40	66.40	735431	1.00	0.011		
			66.40	67.10	735432	0.70	<0.005		
			67.10	67.60	735433	0.50	<0.005		
			67.60	68.50	735434	0.90	<0.005		
			68.50	69.40	735435	0.90	<0.005		
			69.40	70.40	735436	1.00	<0.005		
			70.40	71.10	735437	0.70	0.007		
			71.10	71.60	735438	0.50	<0.005		
			71.60	72.40	735439	0.80	<0.005		
			72.40	72.40	735440 (Bln)	0.00	<0.005		
			72.40	73.00	735441	0.60	<0.005		
			73.00	73.80	735442	0.80	<0.005		
80.00	80.20	IFP_qf Quartz-Feldspar Porphyry - pale grey in colour, massive and siliceous - 20% quartz eyes	73.80	74.30	735443	0.50	0.006		
			74.30	75.10	735444	0.80	<0.005		
			75.10	76.10	735445	1.00	0.008		
			76.10	76.70	735446	0.60	0.009		
			76.70	77.30	735447	0.60	<0.005		
			77.30	78.10	735448	0.80	<0.005		
			78.10	79.00	735449	0.90	<0.005		
			79.00	79.00	735450 (Bln)	0.00	<0.005		
			79.00	79.50	735451	0.50	0.020		
			79.50	80.00	735452	0.50	<0.005		
80.20	82.00	VMT_alt Mafic Tuff - Altered - pale apple green coloured, magnetite rich, moderately foliated	80.00	81.00	735453	1.00	<0.005		
			81.00	82.00	735454	1.00	<0.005		

BENTON RESOURCES CORP.

Description		Assay						
		From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
82.00	84.80	IF_ch,py Sulfide-Chert Iron Formation - predominantly grey to smokey grey chert, locally brecciated with magnetite and chlorite interbeds or as matrix - sulphide rich, up to 5% (py +/-po) in fractures, sulfide veinlets and disseminated in the matrix - minor barren late quartz stringers, veinlets can be seen cutting the chert - unit strongly magnetic but variable depending on the magnetite content - minor fuchsite altered volcanics as xenoliths	82.00 83.00 83.80 84.30	83.00 83.80 84.30 84.80	735455 735456 735457 735458	1.00 0.80 0.50 0.50	0.092 0.053 0.041 <0.005	
84.80	86.80	VMO Mafic Volcanic - weak to moderately foliated, fine grained, green to greenish black in colour - 15% carbonate stringers and veinlets throughout - less than 1% medium grained Py as blebs	84.80 85.80 85.80	85.80 85.80 86.80	735459 735460 (Std) 735461	1.00 0.00 1.00	<0.005 2.313 <0.005	
86.80	90.40	IF_ch,py Sulfide-Chert Iron Formation - predominantly grey to smokey grey chert, locally brecciated with magnetite and chlorite interbeds or as matrix - sulphide rich, up to 5% (py +/-po) in fractures, sulfide veinlets and disseminated in the matrix - minor barren late quartz stringers, veinlets can be seen cutting the chert - unit strongly magnetic but variable depending on the magnetite content	86.80 87.70	87.70 88.40	735462 735463	0.90 0.70	<0.005 0.013	
87.80	88.10	IFP_qf Quartz-Feldspar Porphyry - grey to greyish green in colour - 20% 1 to 2mm Quartz phenos	88.40 89.40	89.40 90.40	735464 735465	1.00 1.00	0.023 0.089	
90.40	127.20	VMO_alt Mafic Volcanic - altered - weakly altered with carbonate - moderately sheared (foliated), fine grained, dark greenish black in colour - variable foliation from parallel TCA to 60 degrees TCA (complex folding evident) - pervasive weak carbonate throughout - locally banding of sericitic and ankerite alteration parallel to foliation	90.40 91.30 92.30 93.30	91.30 92.30 93.30 94.10	735466 735467 735468 735469	0.90 1.00 1.00 0.80	0.007 <0.005 <0.005 0.013	

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
		(creamy white to creamy grey in colour) - trace to 1% fine disseminated Py as grains and blebs							
94.10	94.40	QV Quartz Vein - smokey white in colour, unmineralized	94.10	94.10	735470 (Std)	0.00	6.296		
			94.10	94.60	735471	0.50	<0.005		
			94.60	95.60	735472	1.00	<0.005		
			95.60	96.60	735473	1.00	<0.005		
96.60	97.10	IF_ch.py Sulfide-Chert Iron Formation - weakly banded with chert and magnetite/chlorite - 8cm late barrois smokey grey Quartz vein - less than 1% fine grained Py	96.60	97.10	735474	0.50	<0.005		
			97.10	98.10	735475	1.00	<0.005		
			98.10	99.10	735476	1.00	0.006		
			99.10	100.00	735477	0.90	<0.005		
			107.50	108.10	735478	0.60	0.007		
122.80	123.10	QV Quartz Vein - smokey white to smokey grey, unmineralized	122.80	123.80	735479	1.00	<0.005		
			123.80	123.80	735480 (Std)	0.00	2.226		
			123.80	124.80	735481	1.00	<0.005		
			124.80	125.80	735482	1.00	0.007		
			125.80	126.40	735483	0.60	0.020		
			126.40	127.20	735484	0.80	<0.005		
127.20	127.80	IF_ch.py Sulfide-Chert Iron Formation - predominantly grey to smokey grey chert, locally brecciated with magnetite and chlorite interbeds or as matrix - sulphide rich, up to 10% (py +/-po) in fractures, sulfide veinlets and disseminated in the matrix - minor barren late quartz stringers, veinlets can be seen cutting the chert - unit strongly magnetic but variable depending on the magnetite content	127.20	127.80	735485	0.60	0.057		
127.80	128.70	VMO Mafic Volcanic - moderately foliated (60 degrees TCA), black in colour (possibly ultramafic) - moderate carb stringers and threads (8%) - weak patchy mag alteration	127.80	128.70	735486	0.90	<0.005		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
128.70	129.20	IF_ch,py Sulfide-Chert Iron Formation - predominantly grey to smokey grey chert, locally brecciated with magnetite and chlorite interbeds or as matrix - sulphide rich, up to 10% (py +/- po) in fractures, sulfide veinlets and disseminated in the matrix - minor barren late quartz stringers, veinlets can be seen cutting the chert - unit strongly magnetic but variable depending on the magnetite content	128.70	129.20	735487	0.50	0.027		
129.20	148.00	VMO Mafic Volcanic - black, weakly foliated (sheared) possibly ultramafic in composition - patchy weak magnetite alteration - less than 1% localised disseminated fine grained Py	129.20	130.20	735488	1.00	<0.005		
			130.20	131.20	735489	1.00	<0.005		
			131.20	131.20	735490 (Bln)	0.00	<0.005		
			131.20	132.20	735491	1.00	<0.005		
			138.40	138.90	735492	0.50	<0.005		
			139.60	140.60	735493	1.00	<0.005		
			140.60	141.20	735494	0.60	<0.005		
			141.20	142.30	735495	1.10	<0.005		
			147.30	147.80	735496	0.50	<0.005		
148.00	End of DDH Number of samples: 132 Number of QAQC samples: 14 Total sampled length: 110.30								

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
3.40	4.40	735351	1.00		0.007		
4.40	5.00	735352	0.60		<0.005		
5.00	6.10	735353	1.10		<0.005		
6.10	6.90	735354	0.80		0.014		
6.90	7.70	735355	0.80		0.009		
7.70	8.30	735356	0.60		0.009		
8.30	9.20	735357	0.90		0.008		
9.20	10.20	735358	1.00		0.130		
10.20	11.10	735359	0.90		0.007		
11.10	11.80	735361	0.70		<0.005		
11.80	12.60	735362	0.80		<0.005		
12.60	13.20	735363	0.60		<0.005		
13.20	14.00	735364	0.80		0.015		
14.00	14.70	735365	0.70		<0.005		
14.70	15.30	735366	0.60		0.007		
15.30	16.00	735367	0.70		0.007		
16.00	17.00	735368	1.00		0.008		
17.00	18.00	735369	1.00		<0.005		
18.00	19.00	735371	1.00		<0.005		
19.00	20.00	735372	1.00		<0.005		
20.00	21.30	735373	1.30		<0.005		
21.30	22.30	735374	1.00		<0.005		
22.30	23.30	735375	1.00		<0.005		
23.30	24.30	735376	1.00		0.010		
24.30	25.30	735377	1.00		0.012		
25.30	26.30	735378	1.00		0.011		
26.30	26.80	735379	0.50		0.011		
26.80	27.80	735381	1.00		<0.005		
27.80	29.10	735382	1.30		<0.005		
29.10	30.10	735383	1.00		0.007		
30.10	30.60	735384	0.50		<0.005		
30.60	31.60	735385	1.00		0.006		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
31.60	32.60	735386	1.00		0.006		
32.60	33.10	735387	0.50		0.028		
33.10	33.80	735388	0.70		0.009		
33.80	34.80	735389	1.00		<0.005		
34.80	35.80	735391	1.00		<0.005		
35.80	36.81	735392	1.01		0.007		
36.81	37.30	735393	0.49		<0.005		
37.30	37.80	735394	0.50		0.017		
37.80	38.80	735395	1.00		<0.005		
38.80	39.80	735396	1.00		0.033		
39.80	40.80	735397	1.00		0.014		
40.80	41.80	735398	1.00		0.007		
41.80	42.80	735399	1.00		0.006		
42.80	43.80	735401	1.00		<0.005		
43.80	44.40	735402	0.60		0.041		
44.40	44.90	735403	0.50		0.071		
44.90	45.80	735404	0.90		0.035		
45.80	46.30	735405	0.50		0.046		
46.30	47.30	735406	1.00		0.007		
47.30	48.30	735407	1.00		0.010		
48.30	49.20	735408	0.90		<0.005		
49.20	49.70	735409	0.50		<0.005		
49.70	50.70	735411	1.00		0.020		
50.70	51.60	735412	0.90		0.022		
51.60	52.20	735413	0.60		0.063		
52.20	52.80	735414	0.60		0.221		
52.80	53.20	735415	0.40		0.014		
53.20	54.10	735416	0.90		0.139		
54.10	54.60	735417	0.50		1.127		
54.60	55.50	735418	0.90		0.058		
55.50	56.80	735419	1.30		0.012		
56.80	57.60	735421	0.80		0.013		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
57.60	58.60	735422	1.00		0.008		
58.60	59.60	735423	1.00		0.009		
59.60	60.60	735424	1.00		0.029		
60.60	61.60	735425	1.00		<0.005		
61.60	62.60	735426	1.00		<0.005		
62.60	63.60	735427	1.00		<0.005		
63.60	64.60	735428	1.00		<0.005		
64.60	65.40	735429	0.80		<0.005		
65.40	66.40	735431	1.00		0.011		
66.40	67.10	735432	0.70		<0.005		
67.10	67.60	735433	0.50		<0.005		
67.60	68.50	735434	0.90		<0.005		
68.50	69.40	735435	0.90		<0.005		
69.40	70.40	735436	1.00		<0.005		
70.40	71.10	735437	0.70		0.007		
71.10	71.60	735438	0.50		<0.005		
71.60	72.40	735439	0.80		<0.005		
72.40	73.00	735441	0.60		<0.005		
73.00	73.80	735442	0.80		<0.005		
73.80	74.30	735443	0.50		0.006		
74.30	75.10	735444	0.80		<0.005		
75.10	76.10	735445	1.00		0.008		
76.10	76.70	735446	0.60		0.009		
76.70	77.30	735447	0.60		<0.005		
77.30	78.10	735448	0.80		<0.005		
78.10	79.00	735449	0.90		<0.005		
79.00	79.50	735451	0.50		0.020		
79.50	80.00	735452	0.50		<0.005		
80.00	81.00	735453	1.00		<0.005		
81.00	82.00	735454	1.00		<0.005		
82.00	83.00	735455	1.00		0.092		
83.00	83.80	735456	0.80		0.053		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
83.80	84.30	735457	0.50		0.041		
84.30	84.80	735458	0.50		<0.005		
84.80	85.80	735459	1.00		<0.005		
85.80	86.80	735461	1.00		<0.005		
86.80	87.70	735462	0.90		<0.005		
87.70	88.40	735463	0.70		0.013		
88.40	89.40	735464	1.00		0.023		
89.40	90.40	735465	1.00		0.089		
90.40	91.30	735466	0.90		0.007		
91.30	92.30	735467	1.00		<0.005		
92.30	93.30	735468	1.00		<0.005		
93.30	94.10	735469	0.80		0.013		
94.10	94.60	735471	0.50		<0.005		
94.60	95.60	735472	1.00		<0.005		
95.60	96.60	735473	1.00		<0.005		
96.60	97.10	735474	0.50		<0.005		
97.10	98.10	735475	1.00		<0.005		
98.10	99.10	735476	1.00		0.006		
99.10	100.00	735477	0.90		<0.005		
107.50	108.10	735478	0.60		0.007		
122.80	123.80	735479	1.00		<0.005		
123.80	124.80	735481	1.00		<0.005		
124.80	125.80	735482	1.00		0.007		
125.80	126.40	735483	0.60		0.020		
126.40	127.20	735484	0.80		<0.005		
127.20	127.80	735485	0.60		0.057		
127.80	128.70	735486	0.90		<0.005		
128.70	129.20	735487	0.50		0.027		
129.20	130.20	735488	1.00		<0.005		
130.20	131.20	735489	1.00		<0.005		
131.20	132.20	735491	1.00		<0.005		
138.40	138.90	735492	0.50		<0.005		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
139.60	140.60	735493	1.00		<0.005		
140.60	141.20	735494	0.60		<0.005		
141.20	142.30	735495	1.10		<0.005		
147.30	147.80	735496	0.50		<0.005		

BENTON RESOURCES CORP.

QAQC

From	To	Number	Reference	Length	Au (fire assay) (g/t)
11.10	11.10	735360	GS-2F	0.00	2.305
18.00	18.00	735370	PD	0.00	<0.005
26.80	26.80	735380	GS-7B	0.00	5.496
34.80	34.80	735390	CDN-BL-6	0.00	0.009
42.80	42.80	735400	GS-2F	0.00	2.058
49.70	49.70	735410	CDN-BL-6	0.00	<0.005
56.80	56.80	735420	GS-2F	0.00	1.948
65.40	65.40	735430	GS-7B	0.00	6.147
72.40	72.40	735440	CDN-BL-6	0.00	<0.005
79.00	79.00	735450	CDN-BL-6	0.00	<0.005
85.80	85.80	735460	GS-2F	0.00	2.313
94.10	94.10	735470	GS-7B	0.00	6.296
123.80	123.80	735480	GS-2F	0.00	2.226
131.20	131.20	735490	CDN-BL-6	0.00	<0.005

BENTON RESOURCES CORP.

DDH:	SW11-02	Claims title:	4209636	Section:	55+00E
		Township:	SEWELL	Level:	surface
		Range:		Work place:	Timmins
Drilled by:	Norex Drilling	Lot:			
Described by:	R. Verbruggen	From:	11/25/2011	Description date:	
		To:	11/26/2011		
Collar					
			GRID	UTM nad83	
Azimuth:	230.0°	East	10,014	426,640	
Dip:	-65.0°	North	5,558	5,341,245	
Length:	208.00 m	Elevation	351	351	
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
REFLEX	13.00	230.1°	-64.7°	No	
REFLEX	100.00	235.4°	-64.1°	No	
REFLEX	208.00	239.7°	-62.5°	No	
Description					
<ul style="list-style-type: none"> - no casing (bedrock set-up) - grid baseline azimuth = 320 degrees 					
Core size:	NQ		Cemented:	No	
				Stored: Yes	

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
0.00	14.10	VMO Mafic Volcanic - weakly foliated (45 degrees TCA), dark green to greenish black in colour, fine grained - weak carbonate alteration as stringers and threads (2-3%) - weakly magnetic - - < 1% disseminated coarse Py locally - rare smokey white quartz veinlets (less than 1%) parallel to foliation	5.30	5.80	735497	0.50	<0.005		
14.10	25.00	VMO_bl Mafic Volcanic - bleached - bleached mafic volcanic (grey to pale green), fine grained, weakly sheared / foliated - localised 10cm creamy white alteration bands parallel to foliation - weak carb alteration, weakly magnetic - no visible sulphides							
25.00	56.50	VMO Mafic Volcanic - weakly foliated (45 degrees TCA), dark green to black in colour - weak carbonate alteration as stringers and threads (2-3%) - weakly magnetic	27.50	28.50	735498	1.00	<0.005		
			28.50	29.50	735499	1.00	<0.005		
			29.50	29.50	735500 (Std)	0.00	2.029		
			29.50	30.50	1230551	1.00	<0.005		
			30.50	31.50	1230552	1.00	<0.005		
			31.50	32.50	1230553	1.00	<0.005		
56.50	58.90	FD Felsic Dyke - coarse grained, brownish pink to pale grey (granodiorite composition) - massive, siliceous							
58.90	59.60	VMO Mafic Volcanic - pale greyish green in colour, weakly foliated at 40 degrees TCA - unmineralized	58.90	59.60	1230554	0.70	<0.005		
59.60	62.10	FD Felsic Dyke - coarse grained, massive, granodioritic in composition - brownish pink in colour (weakly altered) Dyke - 1% fine grained disseminated Py	59.60	60.30	1230555	0.70	<0.005		
			60.30	61.00	1230556	0.70	<0.005		
			61.00	62.10	1230557	1.10	<0.005		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
62.10	166.00	VMO Mafic Volcanic - green to dark green black, variable foliation (15 to 40 degrees TCA), fine grained - relatively unaltered with minor carbonated threads throughout - unmineralized	161.20	162.20	1230558	1.00	<0.005		
			162.20	163.00	1230559	0.80	0.011		
			163.00	163.00	1230560 (Std)	0.00	2.233		
			163.00	163.80	1230562	0.80	<0.005		
			163.80	165.00	1230563	1.20	<0.005		
			165.00	166.00	1230564	1.00	<0.005		
166.00	208.00	VMO Mafic Volcanic - as above but slightly bleached and slight increase in carbonate threads and veinlets (5%) - localized fracture filled Py (tr Cpy), fine grained and <1% of section with slight increase in py content in carbonate-rich pillow selvages?	166.00	166.80	1230565	0.80	<0.005		
			166.80	168.00	1230566	1.20	<0.005		
			168.00	169.00	1230567	1.00	<0.005		
			169.00	170.00	1230568	1.00	<0.005		
			170.00	171.00	1230569	1.00	0.013		
			171.00	171.00	1230570 (Std)	0.00	2.051		
			171.00	172.00	1230572	1.00	0.005		
			172.00	173.40	1230573	1.40	<0.005		
			173.40	174.40	1230574	1.00	<0.005		
			174.40	175.70	1230575	1.30	<0.005		
			175.70	176.70	1230576	1.00	<0.005		
			176.70	177.50	1230577	0.80	0.005		
			177.50	178.50	1230578	1.00	0.006		
			178.50	179.50	1230579	1.00	0.007		
			179.50	179.50	1230580 (Bln)	0.00	<0.005		
			179.50	180.60	1230582	1.10	0.008		
			180.60	181.50	1230583	0.90	0.009		
			181.50	182.50	1230584	1.00	0.011		
			182.50	183.40	1230585	0.90	0.018		
			183.40	184.00	1230586	0.60	0.009		
			184.00	185.00	1230587	1.00	0.008		
			185.00	186.00	1230588	1.00	0.005		
			186.00	187.00	1230589	1.00	0.005		
			187.00	187.00	1230590 (Std)	0.00	5.831		
			187.00	188.00	1230591	1.00	0.009		
			188.00	189.00	1230592	1.00	<0.005		

BENTON RESOURCES CORP.

Description	Assay						
	From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
	189.00	190.00	1230593	1.00	<0.005		
	190.00	191.00	1230594	1.00	<0.005		
	191.00	192.00	1230595	1.00	0.007		
	192.00	193.00	1230596	1.00	<0.005		
	193.00	194.00	1230597	1.00	<0.005		
	194.00	195.00	1230598	1.00	0.030		
	195.00	196.00	1230599	1.00	0.019		
	196.00	196.00	1230600 (Bln)	0.00	0.012		
	196.00	197.00	1230601	1.00	<0.005		
	197.00	198.00	1230602	1.00	<0.005		
	198.00	199.00	1230603	1.00	<0.005		
	199.00	200.00	1230604	1.00	<0.005		
	200.00	201.00	1230605	1.00	<0.005		
	201.00	202.00	1230606	1.00	<0.005		
	202.00	203.00	1230607	1.00	<0.005		
	203.00	204.00	1230608	1.00	<0.005		
	204.00	205.00	1230609	1.00	<0.005		
	205.00	205.00	1230610 (Bln)	0.00	<0.005		
	205.00	206.00	1230611	1.00	<0.005		
	206.00	207.00	1230612	1.00	0.007		
	207.00	208.00	1230613	1.00	0.011		
208.00	End of DDH Number of samples: 57 Number of QAQC samples: 7 Total sampled length: 55.50						

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
5.30	5.80	735497	0.50		<0.005		
27.50	28.50	735498	1.00		<0.005		
28.50	29.50	735499	1.00		<0.005		
29.50	30.50	1230551	1.00		<0.005		
30.50	31.50	1230552	1.00		<0.005		
31.50	32.50	1230553	1.00		<0.005		
58.90	59.60	1230554	0.70		<0.005		
59.60	60.30	1230555	0.70		<0.005		
60.30	61.00	1230556	0.70		<0.005		
61.00	62.10	1230557	1.10		<0.005		
161.20	162.20	1230558	1.00		<0.005		
162.20	163.00	1230559	0.80		0.011		
163.00	163.80	1230562	0.80		<0.005		
163.80	165.00	1230563	1.20		<0.005		
165.00	166.00	1230564	1.00		<0.005		
166.00	166.80	1230565	0.80		<0.005		
166.80	168.00	1230566	1.20		<0.005		
168.00	169.00	1230567	1.00		<0.005		
169.00	170.00	1230568	1.00		<0.005		
170.00	171.00	1230569	1.00		0.013		
171.00	172.00	1230572	1.00		0.005		
172.00	173.40	1230573	1.40		<0.005		
173.40	174.40	1230574	1.00		<0.005		
174.40	175.70	1230575	1.30		<0.005		
175.70	176.70	1230576	1.00		<0.005		
176.70	177.50	1230577	0.80		0.005		
177.50	178.50	1230578	1.00		0.006		
178.50	179.50	1230579	1.00		0.007		
179.50	180.60	1230582	1.10		0.008		
180.60	181.50	1230583	0.90		0.009		
181.50	182.50	1230584	1.00		0.011		
182.50	183.40	1230585	0.90		0.018		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
183.40	184.00	1230586	0.60		0.009		
184.00	185.00	1230587	1.00		0.008		
185.00	186.00	1230588	1.00		0.005		
186.00	187.00	1230589	1.00		0.005		
187.00	188.00	1230591	1.00		0.009		
188.00	189.00	1230592	1.00		<0.005		
189.00	190.00	1230593	1.00		<0.005		
190.00	191.00	1230594	1.00		<0.005		
191.00	192.00	1230595	1.00		0.007		
192.00	193.00	1230596	1.00		<0.005		
193.00	194.00	1230597	1.00		<0.005		
194.00	195.00	1230598	1.00		0.030		
195.00	196.00	1230599	1.00		0.019		
196.00	197.00	1230601	1.00		<0.005		
197.00	198.00	1230602	1.00		<0.005		
198.00	199.00	1230603	1.00		<0.005		
199.00	200.00	1230604	1.00		<0.005		
200.00	201.00	1230605	1.00		<0.005		
201.00	202.00	1230606	1.00		<0.005		
202.00	203.00	1230607	1.00		<0.005		
203.00	204.00	1230608	1.00		<0.005		
204.00	205.00	1230609	1.00		<0.005		
205.00	206.00	1230611	1.00		<0.005		
206.00	207.00	1230612	1.00		0.007		
207.00	208.00	1230613	1.00		0.011		

BENTON RESOURCES CORP.

QAQC

From	To	Number	Reference	Length	Au (fire assay) (g/t)
29.50	29.50	735500	GS-2F	0.00	2.029
163.00	163.00	1230560	GS-2F	0.00	2.233
171.00	171.00	1230570	GS-2F	0.00	2.051
179.50	179.50	1230580	CDN-BL-6	0.00	<0.005
187.00	187.00	1230590	GS-7B	0.00	5.831
196.00	196.00	1230600	CDN-BL-6	0.00	0.012
205.00	205.00	1230610	CDN-BL-6	0.00	<0.005

BENTON RESOURCES CORP.

DDH:	SW11-03	Claims title:	4209636	Section:	55+00N
		Township:	SEWELL	Level:	Surface
		Range:		Work place:	Timmins
Drilled by:	Norex Drilling	Lot:			
Described by:	R. Verbruggen	From:	11/26/2011	Description date:	
		To:	11/27/2011		
Collar					
Azimuth:	231.1°	GRID	UTM nad83		
Dip:	-44.4°	East	9,995	426,665	
Length:	151.00 m	North	5,497	5,341,187	
		Elevation	351	351	
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
REFLEX	13.00	231.1°	-44.4°	No	
REFLEX	82.00	174.7°	-42.9°	Yes	azimuth affected by magnetics
REFLEX	82.00	174.7°	-42.9°	Yes	azimuth affected by magnetics
REFLEX	151.00	232.6°	-42.8°	No	
Description					
- casing pulled					
Core size:	NQ		Cemented:	No	Stored: Yes

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
0.00	2.80	OB Overburden - casing pulled							
2.80	14.20	VMO Mafic Volcanic - weakly foliated at 60 degrees TCA, dark green in colour, fine grained - 3% carb stringers - weakly magnetic	13.00	14.20	1230614	1.20	<0.005		
14.20	14.90	FD Felsic Dyke - granitic composition, fine to medium grained, greyish pink in colour - less than 1% fine grained disseminated Py	14.20	14.90	1230615	0.70	<0.005		
14.90	20.40	VMO Mafic Volcanic -weakly foliated at 60 degrees TCA, dark green, fine grained - 5% carb stringers - strong magnetite alteration - 1% fine grained disseminated and fracture filled Py	14.90	15.90	1230616	1.00	<0.005		
			15.90	16.90	1230617	1.00	<0.005		
			16.90	17.90	1230618	1.00	<0.005		
			17.90	18.90	1230619	1.00	0.034		
			18.90	18.90	1230620 (Std)	0.00	1.979		
			18.90	19.90	1230621	1.00	0.006		
			19.90	20.40	1230622	0.50	<0.005		
20.40	23.00	FD Felsic Dyke - granitic composition, abundant 4mm crmy gry feldspar phenos and moderately stretched black fragments	20.40	21.50	1230623	1.10	<0.005		
			21.50	22.30	1230624	0.80	<0.005		
			22.30	23.00	1230625	0.70	<0.005		
23.00	31.50	VMO Mafic Volcanic - weakly foliated @ 60 degrees TCA, dark greenin colour, fine grained - weak to Moderate patchy magnetite alteration, 4% carb stringers and threads - less than 1% localised disseminated fine grained Py	23.00	23.90	1230626	0.90	<0.005		
			23.90	24.90	1230627	1.00	<0.005		
			24.90	25.90	1230628	1.00	<0.005		
			25.90	26.70	1230629	0.80	<0.005		
			26.70	26.70	1230630 (Bln)	0.00	<0.005		
			26.70	27.60	1230631	0.90	<0.005		
			27.60	28.50	1230632	0.90	<0.005		
			28.50	29.40	1230633	0.90	<0.005		
			29.40	30.60	1230634	1.20	<0.005		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
31.50	31.90	FD Felsic Dyke - granitic to granodioritic in composition - coarse grained, massive texture - abundant 2mm black stretched fragments	30.60	31.50	1230635	0.90	0.011		
			31.50	32.00	1230636	0.50	0.014		
31.90	33.50	VMO Mafic Volcanic - weakly foliated @ 45 degrees TCA, dark green to black in colour - 10% carb stringers - localised fine grained Py as hairline stringers and disseminated grains	32.00	32.80	1230637	0.80	0.011		
			32.80	33.50	1230638	0.70	0.010		
33.50	33.80	FD Felsic Dyke - granitic to granodioritic in composition - coarse grained, massive texture - abundant 2mm black stretched fragments	33.50	34.20	1230639	0.70	0.008		
33.80	89.30	VMO Mafic Volcanic - grey green to dark green, fine grained, weakly foliated @ 50 degrees TCA - moderate pervasive carb alteration, weak patchy mag alteration, 5-8% carb stringers / threads - 74.1 - 74.2 smokey white to smokey grey quartz vein - nil to 1% fine disseminate Py locally throughout	34.20	34.20	1230640 (Std)	0.00	5.349		
			34.20	35.20	1230641	1.00	0.033		
			53.80	54.80	1230642	1.00	0.010		
			54.80	55.80	1230643	1.00	<0.005		
			72.40	73.40	1230644	1.00	0.149		
			73.40	74.40	1230645	1.00	0.011		
			82.00	83.00	1230646	1.00	<0.005		
			83.00	84.00	1230647	1.00	0.007		
			84.00	85.10	1230648	1.10	0.012		
			85.10	86.10	1230649	1.00	0.011		
			86.10	87.10	1230501	1.00	0.009		
			87.10	88.20	1230502	1.10	0.008		
			88.20	89.20	1230503	1.00	0.016		
			89.20	90.00	1230504	0.80	0.014		
89.30	90.00	VMO_bl Mafic Volcanic - bleached - grey, buff brown colored, bleached altered mafic volcanic - 2-3% fine and medium grained fracture filled disseminated Py +/- Po - weak silica alteration, minor smokey grey quartz blebs (2-5cm) minor cherty bands -							

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
		moderately foliated at variable angle TCA (70, 15, 30 degrees)							
90.00	93.70	IF_ch,py Sulfide-Chert Iron Formation - predominantly grey to smokey grey chert (60%), locally brecciated, with magnetite and chlorite interbeds or as matrix - sulphide rich, up to 10% (py +/-po) in fractures, sulfide veinlets and disseminated in the matrix - minor barren late quartz stringers, veinlets can be seen cutting the cherts - unit strongly magnetic but variable depending on the magnetite content	90.00	91.00	1230505	1.00	0.011		
			91.00	92.10	1230506	1.10	0.032		
			92.10	93.20	1230507	1.10	0.057		
			93.20	93.70	1230508	0.50	0.120		
93.70	108.50	VMO Mafic Volcanic - grey black to green grey black, fine grained, strongly foliated @ 55degrees TCA but variable (ie. 5 degrees TCA @ 100 meters) - weak sparse patchy mag alteration, moderate pervasive carb alteration weak silica alteration - from 98.7-99.2: silica rich rehealed joint - less than 1% disseminated fine grained Py	93.70	94.70	1230509	1.00	0.008		
			94.70	94.70	1230510 (Bln)	0.00	<0.005		
			94.70	95.60	1230511	0.90	<0.005		
			95.60	96.70	1230512	1.10	0.009		
			96.70	97.70	1230513	1.00	0.010		
			97.70	98.70	1230514	1.00	0.007		
			98.70	99.30	1230515	0.60	0.008		
			99.30	100.00	1230516	0.70	<0.005		
			100.00	101.00	1230517	1.00	0.005		
			101.00	102.00	1230518	1.00	0.007		
			102.00	103.00	1230519	1.00	0.007		
			103.00	103.00	1230520 (Std)	0.00	2.000		
			103.00	104.00	1230521	1.00	<0.005		
			104.00	105.00	1230522	1.00	0.005		
			105.00	106.00	1230523	1.00	0.006		
			106.00	107.10	1230524	1.10	<0.005		
			107.10	107.90	1230525	0.80	0.010		
			107.90	108.50	1230526	0.60	0.008		
108.50	109.10	IF_ch,py Sulfide-Chert Iron Formation - predominantly grey to smokey grey chert, locally brecciated with magnetite and chlorite interbeds or as matrix	108.50	109.10	1230527	0.60	0.463		

BENTON RESOURCES CORP.

Description		Assay						
		From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
109.10	109.60	- sulphide rich, up to 8% (py +/-po) in fractures, sulfide veinlets and disseminated in the matrix - minor barren late quartz stringers, veinlets can be seen cutting the cherts - unit strongly magnetic but variable depending on the magnetite content	109.10	109.60	1230528	0.50	0.010	
		FD Felsic Dyke - mostly pink, equigranular and granitic / dioritic in appearance - 10% 2mm mafic fragments (biotite) - weakly magnetic						
109.60	110.10	FZ Fault Zone - rehealed fault composed primarily of felsic dyke unit described above	109.60	110.10	1230529	0.50	0.007	
110.10	112.50	VMO_alt Mafic Volcanic - altered - buff brown alteration (albite?), moderate silica alteration, strong mag alteration - fine grained to aphanitic - moderately foliated (variable ranging between 15 and 55 degrees TCA) - 3% disseminated very fine grained Py (+/- Po) disseminations and hairline stringers	110.10	110.10	1230530 (Bln)	0.00	<0.005	
			110.10	111.40	1230531	1.30	0.044	
			111.40	111.80	1230532	0.40	0.011	
			111.80	112.50	1230533	0.70	0.017	
112.50	114.60	FD Felsic Dyke - as above, medium grained, equigranular, granitic in appearance	112.50	113.50	1230534	1.00	0.006	
			113.50	114.60	1230535	1.10	0.006	
114.60	140.00	VMO Mafic Volcanic - fine grained to aphanitic, dark green to green grey in colour - weak to moderate patchy mag alteration, weakly sheared - 1-2% very fine grained disseminated Py - from 120-120.5: buff brown alteration with strong mag alteration, abundant quartz stringers and 2-3% very fine grained disseminated Py	114.60	115.60	1230536	1.00	0.069	
			115.60	116.60	1230537	1.00	0.012	
			116.60	117.70	1230538	1.10	61.985	94.02
			117.70	118.30	1230539	0.60	0.144	
			118.30	118.30	1230540 (Std)	0.00	5.567	
			118.30	118.80	1230541	0.50	0.029	
			118.80	119.40	1230542	0.60	0.019	
			119.40	120.00	1230543	0.60	0.022	
			120.00	120.50	1230544	0.50	0.007	
			120.50	121.00	1230545	0.50	0.007	
			121.00	121.90	1230546	0.90	0.009	

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
121.90	122.10	FD Felsic Dyke - as above, granitic looking, medium grained, pinkish white in colour	121.90	122.90	1230547	1.00	0.008		
			122.90	123.90	1230548	1.00	<0.005		
			123.90	124.90	1230549	1.00	<0.005		
			124.90	124.90	1230550 (Bln)	0.00	<0.005		
			124.90	126.00	1230651	1.10	<0.005		
			126.00	127.00	1230652	1.00	<0.005		
			127.00	128.00	1230653	1.00	0.005		
			128.00	129.00	1230654	1.00	0.005		
			129.00	130.00	1230655	1.00	<0.005		
			130.00	131.00	1230656	1.00	<0.005		
			131.00	132.00	1230657	1.00	0.021		
			132.00	133.00	1230658	1.00	0.008		
			133.00	134.00	1230659	1.00	<0.005		
			134.00	134.00	1230660 (Std)	0.00	5.445		
			134.00	135.00	1230661	1.00	0.006		
			135.00	136.00	1230662	1.00	0.007		
			136.00	137.30	1230663	1.30	0.007		
			137.30	138.30	1230664	1.00	<0.005		
			138.30	139.40	1230665	1.10	0.021		
			139.40	139.90	1230666	0.50	0.036		
			139.90	140.40	1230667	0.50	0.113		
140.00	140.40	IF_ch,py Sulfide-Chert Iron Formation - predominantly grey to smokey grey chert, locally brecciated with magnetite and chlorite interbeds or as matrix - sulphide rich, up to 5% (py +/-po) in fractures, sulfide veinlets and disseminated in the matrix - minor barren late quartz stringers, veinlets can be seen cutting the chert - unit strongly magnetic but variable depending on the magnetite content							
140.40	148.40	VMO Mafic Volcanic - pale green to greenish grey in colour, fine grained, moderately foliated @ 60 TCA - abundant carb stringers / threads, weak to moderate patchy mag alteration - less than 1% fine grained localised disseminated Py	140.40	141.40	1230668	1.00	0.008		
			141.40	142.40	1230669	1.00	0.009		
			142.40	142.40	1230670 (Bln)	0.00	<0.005		
			142.40	143.40	1230671	1.00	<0.005		
			143.40	144.40	1230672	1.00	0.007		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
148.40	151.00	VUO Ultramafic Volcanic - greyish black to black, fine grained - 1mm pervasive carbonate "spots" throughout - moderate patchy mag alteration	144.40	145.40	1230673	1.00	0.011		
			145.40	146.40	1230674	1.00	0.006		
			146.40	147.40	1230675	1.00	<0.005		
			147.40	148.40	1230676	1.00	0.006		
151.00	End of DDH Number of samples: 102 Number of QAQC samples: 10 Total sampled length: 92.60								

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
13.00	14.20	1230614	1.20		<0.005		
14.20	14.90	1230615	0.70		<0.005		
14.90	15.90	1230616	1.00		<0.005		
15.90	16.90	1230617	1.00		<0.005		
16.90	17.90	1230618	1.00		<0.005		
17.90	18.90	1230619	1.00		0.034		
18.90	19.90	1230621	1.00		0.006		
19.90	20.40	1230622	0.50		<0.005		
20.40	21.50	1230623	1.10		<0.005		
21.50	22.30	1230624	0.80		<0.005		
22.30	23.00	1230625	0.70		<0.005		
23.00	23.90	1230626	0.90		<0.005		
23.90	24.90	1230627	1.00		<0.005		
24.90	25.90	1230628	1.00		<0.005		
25.90	26.70	1230629	0.80		<0.005		
26.70	27.60	1230631	0.90		<0.005		
27.60	28.50	1230632	0.90		<0.005		
28.50	29.40	1230633	0.90		<0.005		
29.40	30.60	1230634	1.20		<0.005		
30.60	31.50	1230635	0.90		0.011		
31.50	32.00	1230636	0.50		0.014		
32.00	32.80	1230637	0.80		0.011		
32.80	33.50	1230638	0.70		0.010		
33.50	34.20	1230639	0.70		0.008		
34.20	35.20	1230641	1.00		0.033		
53.80	54.80	1230642	1.00		0.010		
54.80	55.80	1230643	1.00		<0.005		
72.40	73.40	1230644	1.00		0.149		
73.40	74.40	1230645	1.00		0.011		
82.00	83.00	1230646	1.00		<0.005		
83.00	84.00	1230647	1.00		0.007		
84.00	85.10	1230648	1.10		0.012		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
85.10	86.10	1230649	1.00		0.011		
86.10	87.10	1230501	1.00		0.009		
87.10	88.20	1230502	1.10		0.008		
88.20	89.20	1230503	1.00		0.016		
89.20	90.00	1230504	0.80		0.014		
90.00	91.00	1230505	1.00		0.011		
91.00	92.10	1230506	1.10		0.032		
92.10	93.20	1230507	1.10		0.057		
93.20	93.70	1230508	0.50		0.120		
93.70	94.70	1230509	1.00		0.008		
94.70	95.60	1230511	0.90		<0.005		
95.60	96.70	1230512	1.10		0.009		
96.70	97.70	1230513	1.00		0.010		
97.70	98.70	1230514	1.00		0.007		
98.70	99.30	1230515	0.60		0.008		
99.30	100.00	1230516	0.70		<0.005		
100.00	101.00	1230517	1.00		0.005		
101.00	102.00	1230518	1.00		0.007		
102.00	103.00	1230519	1.00		0.007		
103.00	104.00	1230521	1.00		<0.005		
104.00	105.00	1230522	1.00		0.005		
105.00	106.00	1230523	1.00		0.006		
106.00	107.10	1230524	1.10		<0.005		
107.10	107.90	1230525	0.80		0.010		
107.90	108.50	1230526	0.60		0.008		
108.50	109.10	1230527	0.60		0.463		
109.10	109.60	1230528	0.50		0.010		
109.60	110.10	1230529	0.50		0.007		
110.10	111.40	1230531	1.30		0.044		
111.40	111.80	1230532	0.40		0.011		
111.80	112.50	1230533	0.70		0.017		
112.50	113.50	1230534	1.00		0.006		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
113.50	114.60	1230535	1.10		0.006		
114.60	115.60	1230536	1.00		0.069		
115.60	116.60	1230537	1.00		0.012		
116.60	117.70	1230538	1.10		61.985		94.02
117.70	118.30	1230539	0.60		0.144		
118.30	118.80	1230541	0.50		0.029		
118.80	119.40	1230542	0.60		0.019		
119.40	120.00	1230543	0.60		0.022		
120.00	120.50	1230544	0.50		0.007		
120.50	121.00	1230545	0.50		0.007		
121.00	121.90	1230546	0.90		0.009		
121.90	122.90	1230547	1.00		0.008		
122.90	123.90	1230548	1.00		<0.005		
123.90	124.90	1230549	1.00		<0.005		
124.90	126.00	1230651	1.10		<0.005		
126.00	127.00	1230652	1.00		<0.005		
127.00	128.00	1230653	1.00		0.005		
128.00	129.00	1230654	1.00		0.005		
129.00	130.00	1230655	1.00		<0.005		
130.00	131.00	1230656	1.00		<0.005		
131.00	132.00	1230657	1.00		0.021		
132.00	133.00	1230658	1.00		0.008		
133.00	134.00	1230659	1.00		<0.005		
134.00	135.00	1230661	1.00		0.006		
135.00	136.00	1230662	1.00		0.007		
136.00	137.30	1230663	1.30		0.007		
137.30	138.30	1230664	1.00		<0.005		
138.30	139.40	1230665	1.10		0.021		
139.40	139.90	1230666	0.50		0.036		
139.90	140.40	1230667	0.50		0.113		
140.40	141.40	1230668	1.00		0.008		
141.40	142.40	1230669	1.00		0.009		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
142.40	143.40	1230671	1.00		<0.005		
143.40	144.40	1230672	1.00		0.007		
144.40	145.40	1230673	1.00		0.011		
145.40	146.40	1230674	1.00		0.006		
146.40	147.40	1230675	1.00		<0.005		
147.40	148.40	1230676	1.00		0.006		

BENTON RESOURCES CORP.

QAQC

From	To	Number	Reference	Length	Au (fire assay) (g/t)
18.90	18.90	1230620	GS-2F	0.00	1.979
26.70	26.70	1230630	CDN-BL-6	0.00	<0.005
34.20	34.20	1230640	GS-7B	0.00	5.349
94.70	94.70	1230510	CDN-BL-6	0.00	<0.005
103.00	103.00	1230520	GS-2F	0.00	2.000
110.10	110.10	1230530	CDN-BL-6	0.00	<0.005
118.30	118.30	1230540	GS-7B	0.00	5.567
124.90	124.90	1230550	CDN-BL-6	0.00	<0.005
134.00	134.00	1230660	GS-7B	0.00	5.445
142.40	142.40	1230670	CDN-BL-6	0.00	<0.005

BENTON RESOURCES CORP.

DDH:	SW11-04	Claims title:	4209636	Section:	55+00E
		Township:	SEWELL	Level:	surface
		Range:		Work place:	Timmins
Drilled by:	Norex Drilling	Lot:			
Described by:	R. Verbruggen	From:	11/27/2011	Description date:	
		To:	11/28/2011		
Collar					
Azimuth:	236.1°	GRID	UTM nad83		
Dip:	-65.0°	East	9,995	426,665	
Length:	251.00 m	North	5,497	5,341,187	
		Elevation	351	351	
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
REFLEX	13.00	226.7°	-65.4°	No	
REFLEX	100.00	228.6°	-64.4°	No	
Description					
- casing left in hole					
Core size:	NQ		Cemented:	No	Stored: Yes

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
0.00	1.20	OB Overburden - casing / overburden							
1.20	4.00	IFP_qf Quartz-Feldspar Porphyry - carbonate altered (pervasive brown in colour), massive, siliceous grey matrix - 15% quartz phenocrysts - trace cubic pyrite	1.20 2.20	2.20 4.00	1230677 1230678	1.00 1.80	0.009 <0.005		
4.00	24.90	VMO Mafic Volcanic - green, fine grained, weakly foliated at 30 degrees TCA - weak pervasive carbonate altered (speckles and hairline fractures) - trace fine disseminated pyrite locally distributed throughout - several quartz+carbonate veins/blebs - magnetic	4.00 4.50	4.50 4.50	1230679 1230680 (Std)	0.50 0.00	<0.005 2.412		
24.90	25.70	IFP_fp Feldspar Porphyry - 60% feldspar phenocrysts in a grey, siliceous matrix (15% mafic material) - unmineralized							
25.70	38.00	VMO Mafic Volcanic - weak pervasive carbonate altered, pale green / green in colour - foliation at 25 - 30 degrees TCA - 5% carbonate as threads / stringers throughout - trace amounts of disseminated pyrite (fine cubes or disseminated grain throughout)	36.30 37.00	37.00 38.00	1230681 1230682	0.70 1.00	<0.005 0.007		
38.00	44.00	IFP_fp Feldspar Porphyry - grey to white, massive, crowded feldspar porphyry - 70% coarse feldspar phenos - contact at 25 degrees TCA - unaltered	38.00 39.00 40.00 41.00 42.00 43.00	39.00 40.00 41.00 42.00 43.00 44.00	1230683 1230684 1230685 1230686 1230687 1230688	1.00 1.00 1.00 1.00 1.00 1.00	<0.005 <0.005 <0.005 <0.005 <0.005 <0.005		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
44.00	85.70	VMO Mafic Volcanic - pale green in colour, weak pervasive carbonate altered - local trace amounts of fine disseminated pyrite - 10% carb threads and spots throughout	44.00	45.00	1230689	1.00	<0.005		
			45.00	45.00	1230690 (Bln)	0.00	<0.005		
53.60	54.30	QV Quartz Vein - bull white, unmineralized - runs parallel to core axis							
85.70	87.90	FD Felsic Dyke - massive, medium grained, siliceous - granodioritic in appearance							
87.90	185.30	VMO Mafic Volcanic - dark green to green, fine grained - weakly foliated between 20 and 30 degrees TCA - fine to medium grained - weak to moderate carb alteration - 5% carb stringers throughout							
160.60	161.00	FD Felsic Dyke - granodioritic looking							
161.80	162.30	FD Felsic Dyke - granodioritic looking							
162.90	163.30	FD Felsic Dyke - granodioritic looking	178.80	179.80	1230691	1.00	<0.005		
			179.80	180.80	1230692	1.00	0.005		
			180.80	181.80	1230693	1.00	0.005		
			181.80	182.80	1230694	1.00	0.007		
			182.80	183.80	1230695	1.00	0.012		
			183.80	184.60	1230696	0.80	0.017		
			184.60	185.30	1230697	0.70	0.086		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
185.30	197.20	VMO_alt	185.30	185.90	1230698	0.60	0.034		
		Mafic Volcanic - altered	185.90	187.00	1230699	1.10	0.026		
		- moderately siliceous, 10% brecciated quartz / chert (5-15cm) with up to 5% fine grained fracture filled pyrite stringers throughout	187.00	187.00	1230700 (Std)	0.00	5.356		
		- light green (weakly bleached) - foliated at 35 degrees TCA	187.00	188.90	1230701	1.90	0.009		
			188.90	190.00	1230702	1.10	0.008		
			190.00	190.80	1230703	0.80	0.007		
			190.80	191.70	1230704	0.90	0.007		
			191.70	192.70	1230705	1.00	0.009		
			192.70	193.70	1230706	1.00	0.008		
			193.70	194.70	1230707	1.00	0.016		
197.20	200.10	IF_ch,py	197.20	197.20	1230710 (Std)	0.00	2.181		
		Sulfide-Chert Iron Formation	197.20	197.70	1230711	0.50	0.017		
		- predominantly grey to smokey grey chert, locally brecciated with magnetite and chlorite interbeds or as matrix							
		- sulphide rich, up to 10% (py +/-po) in fractures, sulfide veinlets and disseminated in the matrix							
		- minor barren late quartz stringers, veinlets can be seen cutting the chert							
		- unit strongly magnetic but variable depending on the magnetite content							
		MIN_py	197.70	198.20	1230713	0.50	0.016		
		Mineralized Zone (Pyrite)	198.20	198.70	1230714	0.50	0.011		
		- 10% Py in stringers	198.70	199.50	1230715	0.80	0.007		
			199.50	200.10	1230716	0.60	<0.005		
200.10	206.90	FD							
		Felsic Dyke							
206.90	208.50	VMO_alt	206.90	208.50	1230717	1.60	0.007		
		Mafic Volcanic - altered							
		- brownish grey in appearance - strongly magnetic - up to 1.5% very fine grained disseminated pyrite throughout							

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
208.50	247.00	VMO Mafic Volcanic - dark green to breen black, fine grained (possibly ultramafic injections) moderately foliated in a complex nature, mostly 20 degrees TCA & 85 degrees (late carb) - 15% carb threads throughout - strongly magnetic, but magnetic content varies - 1-2% very fine grained disseminated pyrite throughout with some local fracture filled pyrite stringers	208.50	209.50	1230718	1.00	<0.005		
			209.50	210.50	1230719	1.00	<0.005		
			210.50	210.50	1230720 (Bln)	0.00	<0.005		
			210.50	211.50	1230721	1.00	<0.005		
			211.50	212.50	1230722	1.00	<0.005		
			212.50	213.50	1230723	1.00	<0.005		
			213.50	214.50	1230724	1.00	0.014		
			214.50	215.50	1230725	1.00	0.018		
			215.50	216.50	1230726	1.00	0.021		
			216.50	217.50	1230727	1.00	0.021		
			217.50	218.50	1230728	1.00	0.009		
			218.50	219.50	1230729	1.00	0.006		
			219.50	219.50	1230730 (Std)	0.00	5.023		
			219.50	220.50	1230731	1.00	0.006		
			220.50	221.50	1230732	1.00	0.009		
			221.50	222.50	1230733	1.00	<0.005		
			222.50	223.50	1230734	1.00	<0.005		
			223.50	224.50	1230735	1.00	<0.005		
			224.50	225.50	1230736	1.00	0.009		
			225.50	226.50	1230737	1.00	<0.005		
			226.50	227.50	1230738	1.00	<0.005		
			227.50	228.50	1230739	1.00	0.006		
			228.50	228.50	1230740 (Bln)	0.00	<0.005		
			228.50	229.50	1230741	1.00	<0.005		
			229.50	230.50	1230742	1.00	<0.005		
			230.50	231.50	1230743	1.00	<0.005		
			231.50	232.50	1230744	1.00	<0.005		
			232.50	233.50	1230745	1.00	<0.005		
			233.50	234.50	1230746	1.00	<0.005		
			234.50	235.50	1230747	1.00	<0.005		

BENTON RESOURCES CORP.

Description	Assay						
	From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
	235.50	236.50	1230748	1.00	<0.005		
	236.50	237.50	1230749	1.00	0.008		
	237.50	237.50	1230750 (Std)	0.00	2.217		
	237.50	238.50	1230751	1.00	0.012		
	238.50	239.50	1230752	1.00	<0.005		
	239.50	240.50	1230753	1.00	<0.005		
	240.50	241.50	1230754	1.00	0.020		
	241.50	242.50	1230755	1.00	0.006		
	242.50	243.50	1230757	1.00	<0.005		
	243.50	244.50	1230756	1.00	0.007		
	244.50	246.00	1230758	1.50	0.009		
	246.00	247.00	1230759	1.00	0.009		
251.00	End of DDH Number of samples: 74 Number of QAQC samples: 8 Total sampled length: 73.40						

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
1.20	2.20	1230677	1.00		0.009		
2.20	4.00	1230678	1.80		<0.005		
4.00	4.50	1230679	0.50		<0.005		
36.30	37.00	1230681	0.70		<0.005		
37.00	38.00	1230682	1.00		0.007		
38.00	39.00	1230683	1.00		<0.005		
39.00	40.00	1230684	1.00		<0.005		
40.00	41.00	1230685	1.00		<0.005		
41.00	42.00	1230686	1.00		<0.005		
42.00	43.00	1230687	1.00		<0.005		
43.00	44.00	1230688	1.00		<0.005		
44.00	45.00	1230689	1.00		<0.005		
178.80	179.80	1230691	1.00		<0.005		
179.80	180.80	1230692	1.00		0.005		
180.80	181.80	1230693	1.00		0.005		
181.80	182.80	1230694	1.00		0.007		
182.80	183.80	1230695	1.00		0.012		
183.80	184.60	1230696	0.80		0.017		
184.60	185.30	1230697	0.70		0.086		
185.30	185.90	1230698	0.60		0.034		
185.90	187.00	1230699	1.10		0.026		
187.00	188.90	1230701	1.90		0.009		
188.90	190.00	1230702	1.10		0.008		
190.00	190.80	1230703	0.80		0.007		
190.80	191.70	1230704	0.90		0.007		
191.70	192.70	1230705	1.00		0.009		
192.70	193.70	1230706	1.00		0.008		
193.70	194.70	1230707	1.00		0.016		
194.70	195.70	1230708	1.00		0.009		
195.70	197.20	1230709	1.50		0.005		
197.20	197.70	1230711	0.50		0.017		
197.70	198.20	1230713	0.50		0.016		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
198.20	198.70	1230714	0.50		0.011		
198.70	199.50	1230715	0.80		0.007		
199.50	200.10	1230716	0.60		<0.005		
206.90	208.50	1230717	1.60		0.007		
208.50	209.50	1230718	1.00		<0.005		
209.50	210.50	1230719	1.00		<0.005		
210.50	211.50	1230721	1.00		<0.005		
211.50	212.50	1230722	1.00		<0.005		
212.50	213.50	1230723	1.00		<0.005		
213.50	214.50	1230724	1.00		0.014		
214.50	215.50	1230725	1.00		0.018		
215.50	216.50	1230726	1.00		0.021		
216.50	217.50	1230727	1.00		0.021		
217.50	218.50	1230728	1.00		0.009		
218.50	219.50	1230729	1.00		0.006		
219.50	220.50	1230731	1.00		0.006		
220.50	221.50	1230732	1.00		0.009		
221.50	222.50	1230733	1.00		<0.005		
222.50	223.50	1230734	1.00		<0.005		
223.50	224.50	1230735	1.00		<0.005		
224.50	225.50	1230736	1.00		0.009		
225.50	226.50	1230737	1.00		<0.005		
226.50	227.50	1230738	1.00		<0.005		
227.50	228.50	1230739	1.00		0.006		
228.50	229.50	1230741	1.00		<0.005		
229.50	230.50	1230742	1.00		<0.005		
230.50	231.50	1230743	1.00		<0.005		
231.50	232.50	1230744	1.00		<0.005		
232.50	233.50	1230745	1.00		<0.005		
233.50	234.50	1230746	1.00		<0.005		
234.50	235.50	1230747	1.00		<0.005		
235.50	236.50	1230748	1.00		<0.005		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
236.50	237.50	1230749	1.00		0.008		
237.50	238.50	1230751	1.00		0.012		
238.50	239.50	1230752	1.00		<0.005		
239.50	240.50	1230753	1.00		<0.005		
240.50	241.50	1230754	1.00		0.020		
241.50	242.50	1230755	1.00		0.006		
242.50	243.50	1230757	1.00		<0.005		
243.50	244.50	1230756	1.00		0.007		
244.50	246.00	1230758	1.50		0.009		
246.00	247.00	1230759	1.00		0.009		

BENTON RESOURCES CORP.

QAQC

From	To	Number	Reference	Length	Au (fire assay) (g/t)
4.50	4.50	1230680	GS-2F	0.00	2.412
45.00	45.00	1230690	CDN-BL-6	0.00	<0.005
187.00	187.00	1230700	GS-5E	0.00	5.356
197.20	197.20	1230710	GS-2F	0.00	2.181
210.50	210.50	1230720	CDN-BL-6	0.00	<0.005
219.50	219.50	1230730	GS-5E	0.00	5.023
228.50	228.50	1230740	CDN-BL-6	0.00	<0.005
237.50	237.50	1230750	GS-2F	0.00	2.217

BENTON RESOURCES CORP.

DDH:	SW11-05	Claims title:	4209636	Section:	54+00E
		Township:	SEWELL	Level:	Surface
		Range:		Work place:	Timmins
Drilled by:	Norex Drilling	Lot:			
Described by:	R. Verbruggen	From:	11/28/2011	Description date:	
		To:	11/29/2011		
Collar					
			GRID	UTM nad83	
Azimuth:	231.7°	East	10,008	426,726	
Dip:	-44.0°	North	5,400	5,341,120	
Length:	164.00 m	Elevation	351	351	
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
REFLEX	13.00	231.7°	-44.0°	No	
REFLEX	91.00	226.5°	-42.8°	Yes	- possible magnetic effect on azimuth
REFLEX	91.00	226.5°	-42.8°	Yes	- possible magnetic effect on azimuth
REFLEX	164.00	231.1°	-41.8°	No	
Description					
- casing left in hole					
Core size:	NQ		Cemented:	No	
				Stored: Yes	

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
0.00	3.00	OB Overburden - casing left in hole							
3.00	13.50	VMO Mafic Volcanic - green to dark green, fine grained, foliated at 55 degrees TCA - up to 5% carb stringers on same plane as foliation, weak pervasive carb alteration, weak patchy mag alteration - trace amounts of up to 1% fracture filled and localised disseminated PY, observed as both fine grained and coarse grained (up to 2mm)	3.70	4.30	1230761	0.60	<0.005		
			4.30	4.30	1230760 (Bln)	0.00	0.007		
			4.30	5.30	1230762	1.00	0.007		
			5.30	6.30	1230763	1.00	0.010		
			6.30	7.30	1230764	1.00	<0.005		
			7.30	8.30	1230765	1.00	<0.005		
			8.30	9.30	1230766	1.00	0.009		
			9.30	10.30	1230767	1.00	0.011		
			10.30	11.30	1230768	1.00	0.026		
			11.30	12.30	1230769	1.00	0.007		
			12.30	12.30	1230770 (Std)	0.00	5.241		
			12.30	13.50	1230771	1.20	0.009		
13.50	18.80	FD Felsic Dyke - medium grained, grey, siliceous (granodioritic looking), quartz porphyritic - contact 40 degrees TCA	15.40	16.10	1230772	0.70	0.014		
			16.10	16.90	1230773	0.80	<0.005		
18.80	99.00	VMO Mafic Volcanic - green to dark green, fine grained, foliated at 65 degrees TCA - weak pervasive carb alteration, 3% carb stringers / threads - up to 1% very fine grained localised disseminated PY - minimal white quartz veins. Up to 10cm wide carrying no mineralization	25.80	26.80	1230774	1.00	0.013		
			26.80	27.80	1230775	1.00	0.006		
			27.80	28.80	1230776	1.00	0.006		
			61.60	62.30	1230777	0.70	0.013		
			62.30	63.20	1230778	0.90	0.006		
			63.20	63.80	1230779	0.60	0.007		
			63.80	63.80	1230780 (Std)	0.00	2.275		
			68.90	69.50	1230781	0.60	<0.005		
			69.50	70.60	1230782	1.10	<0.005		
			83.00	84.00	1230783	1.00	<0.005		
			94.00	95.00	1230784	1.00	<0.005		
			95.00	96.00	1230785	1.00	<0.005		
			96.00	97.00	1230786	1.00	<0.005		
			97.00	98.00	1230787	1.00	<0.005		
			98.00	99.00	1230788	1.00	0.006		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
99.00	115.40	VMO_alt	99.00	100.00	1230789	1.00	0.008		
		Mafic Volcanic - altered	100.00	100.00	1230790 (Bln)	0.00	0.008		
		- green to locally brownish grey in colour, foliated at 55 degrees TCA	100.00	101.00	1230791	1.00	0.010		
		- 15% carbonate stringers / threads, as well as pervasive weak	101.00	102.00	1230792	1.00	<0.005		
		carbonate alteration throughout	102.00	103.00	1230793	1.00	0.011		
		- moderate to strongly magnetic	103.00	104.00	1230794	1.00	<0.005		
		- siliceous	104.00	105.00	1230795	1.00	0.008		
		- 2% disseminated Py from 113.7 to end of section	105.00	106.00	1230796	1.00	0.005		
			106.00	107.00	1230797	1.00	<0.005		
			107.00	108.00	1230798	1.00	0.012		
			108.00	109.00	1230799	1.00	0.011		
			109.00	109.00	1230800 (Std)	0.00	5.069		
			109.00	110.00	1230802	1.00	0.005		
			110.00	111.00	1230803	1.00	0.008		
115.40	122.30	FD	111.00	112.00	1230804	1.00	0.021		
		Felsic Dyke	112.00	113.00	1230805	1.00	<0.005		
		- grey to grey black in colour, massive, siliceous, granodioritic in appearance	113.00	113.70	1230806	0.70	0.014		
		- contacts at 40 degrees TCA	113.70	114.60	1230807	0.90	0.011		
			114.60	115.50	1230808	0.90	<0.005		
122.30	124.40	IF_ch,py	122.30	123.30	1230809	1.00	0.015		
		Sulfide-Chert Iron Formation	123.30	123.30	1230810 (Bln)	0.00	<0.005		
		- predominantly grey to smokey grey chert, locally brecciated with magnetite and chlorite interbeds or as matrix	123.30	124.40	1230811	1.10	0.303		
		- sulphide rich, up to 10% (py +/-po) in fractures, sulfide veinlets and disseminated in the matrix							
		- minor barren late quartz stringers, veinlets can be seen cutting the chert							
124.40	127.30	- unit strongly magnetic but variable depending on the magnetite content							
		- sulphide stringers @ 70 degrees TCA							
		VMO	124.40	125.40	1230812	1.00	0.017		
		Mafic Volcanic	125.40	126.40	1230813	1.00	0.032		
		- green to dark green in colour							

BENTON RESOURCES CORP.

		Description	Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
127.30	127.80	IF_ch,py Sulfide-Chert Iron Formation - fine grained, foliated at 65 degrees TCA - 10% carbonate as stringers / bands throughout - 1% fine and medium grained cubic Py, fracture filled	126.40	127.30	1230814	0.90	0.026		
127.80	132.80	VMO Mafic Volcanic - predominantly grey to smokey grey chert, locally brecciated with magnetite and chlorite interbeds or as matrix - sulphide rich, up to 5% (py +/-po) in fractures, sulfide veinlets and disseminated in the matrix - minor barren late quartz stringers, veinlets can be seen cutting the chert - unit strongly magnetic but variable depending on the magnetite content	127.30	128.10	1230815	0.80	0.016		
132.80	134.40	IF_ch,py Sulfide-Chert Iron Formation - fine grained, dark green with up to 25% carbonate banding. unit is essentially a chlorite schist - locally trace to 1% fine disseminated Py	128.10	129.20	1230816	1.10	0.006		
134.40	164.00	VMO Mafic Volcanic - chlorite schist as above	129.20	130.20	1230817	1.00	0.009		
			130.20	130.80	1230818	0.60	0.037		
			130.80	131.80	1230819	1.00	0.006		
			131.80	131.80	1230820 (Std)	0.00	2.060		
			131.80	132.80	1230821	1.00	0.005		
			132.80	134.00	1230822	1.20	0.009		
			134.00	135.00	1230823	1.00	0.018		
			135.00	136.00	1230824	1.00	0.009		
			136.00	137.00	1230825	1.00	0.013		
			137.00	138.00	1230826	1.00	0.007		
			138.00	139.00	1230827	1.00	0.006		
			139.00	140.00	1230828	1.00	0.011		
			140.00	141.00	1230829	1.00	0.006		
			141.00	141.00	1230830 (Std)	0.00	4.950		
			141.00	142.00	1230831	1.00	0.012		
			142.00	143.00	1230832	1.00	0.010		
			143.00	144.00	1230833	1.00	0.009		

BENTON RESOURCES CORP.

Description	Assay						
	From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
144.00	145.00	1230834	1.00	0.014			
145.00	146.00	1230835	1.00	0.010			
146.00	147.00	1230836	1.00	0.007			
147.00	148.00	1230837	1.00	0.008			
148.00	149.00	1230838	1.00	0.009			
149.00	150.00	1230839	1.00	0.011			
150.00	150.00	1230840 (Bln)	0.00	0.007			
150.00	151.00	1230841	1.00	0.017			
151.00	152.00	1230842	1.00	0.005			
152.00	153.00	1230843	1.00	0.015			
153.00	154.00	1230844	1.00	0.009			
154.00	155.00	1230845	1.00	<0.005			
155.00	155.90	1230846	0.90	0.008			
159.00	159.00	1230850 (Std)	0.00	1.971			
164.00	End of DDH						
	Number of samples: 77						
	Number of QAQC samples: 10						
	Total sampled length: 74.30						

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
3.70	4.30	1230761	0.60		<0.005		
4.30	5.30	1230762	1.00		0.007		
5.30	6.30	1230763	1.00		0.010		
6.30	7.30	1230764	1.00		<0.005		
7.30	8.30	1230765	1.00		<0.005		
8.30	9.30	1230766	1.00		0.009		
9.30	10.30	1230767	1.00		0.011		
10.30	11.30	1230768	1.00		0.026		
11.30	12.30	1230769	1.00		0.007		
12.30	13.50	1230771	1.20		0.009		
15.40	16.10	1230772	0.70		0.014		
16.10	16.90	1230773	0.80		<0.005		
25.80	26.80	1230774	1.00		0.013		
26.80	27.80	1230775	1.00		0.006		
27.80	28.80	1230776	1.00		0.006		
61.60	62.30	1230777	0.70		0.013		
62.30	63.20	1230778	0.90		0.006		
63.20	63.80	1230779	0.60		0.007		
68.90	69.50	1230781	0.60		<0.005		
69.50	70.60	1230782	1.10		<0.005		
83.00	84.00	1230783	1.00		<0.005		
94.00	95.00	1230784	1.00		<0.005		
95.00	96.00	1230785	1.00		<0.005		
96.00	97.00	1230786	1.00		<0.005		
97.00	98.00	1230787	1.00		<0.005		
98.00	99.00	1230788	1.00		0.006		
99.00	100.00	1230789	1.00		0.008		
100.00	101.00	1230791	1.00		0.010		
101.00	102.00	1230792	1.00		<0.005		
102.00	103.00	1230793	1.00		0.011		
103.00	104.00	1230794	1.00		<0.005		
104.00	105.00	1230795	1.00		0.008		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
105.00	106.00	1230796	1.00		0.005		
106.00	107.00	1230797	1.00		<0.005		
107.00	108.00	1230798	1.00		0.012		
108.00	109.00	1230799	1.00		0.011		
109.00	110.00	1230802	1.00		0.005		
110.00	111.00	1230803	1.00		0.008		
111.00	112.00	1230804	1.00		0.021		
112.00	113.00	1230805	1.00		<0.005		
113.00	113.70	1230806	0.70		0.014		
113.70	114.60	1230807	0.90		0.011		
114.60	115.50	1230808	0.90		<0.005		
122.30	123.30	1230809	1.00		0.015		
123.30	124.40	1230811	1.10		0.303		
124.40	125.40	1230812	1.00		0.017		
125.40	126.40	1230813	1.00		0.032		
126.40	127.30	1230814	0.90		0.026		
127.30	128.10	1230815	0.80		0.016		
128.10	129.20	1230816	1.10		0.006		
129.20	130.20	1230817	1.00		0.009		
130.20	130.80	1230818	0.60		0.037		
130.80	131.80	1230819	1.00		0.006		
131.80	132.80	1230821	1.00		0.005		
132.80	134.00	1230822	1.20		0.009		
134.00	135.00	1230823	1.00		0.018		
135.00	136.00	1230824	1.00		0.009		
136.00	137.00	1230825	1.00		0.013		
137.00	138.00	1230826	1.00		0.007		
138.00	139.00	1230827	1.00		0.006		
139.00	140.00	1230828	1.00		0.011		
140.00	141.00	1230829	1.00		0.006		
141.00	142.00	1230831	1.00		0.012		
142.00	143.00	1230832	1.00		0.010		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
143.00	144.00	1230833	1.00		0.009		
144.00	145.00	1230834	1.00		0.014		
145.00	146.00	1230835	1.00		0.010		
146.00	147.00	1230836	1.00		0.007		
147.00	148.00	1230837	1.00		0.008		
148.00	149.00	1230838	1.00		0.009		
149.00	150.00	1230839	1.00		0.011		
150.00	151.00	1230841	1.00		0.017		
151.00	152.00	1230842	1.00		0.005		
152.00	153.00	1230843	1.00		0.015		
153.00	154.00	1230844	1.00		0.009		
154.00	155.00	1230845	1.00		<0.005		
155.00	155.90	1230846	0.90		0.008		

BENTON RESOURCES CORP.

QAQC

From	To	Number	Reference	Length	Au (fire assay) (g/t)
4.30	4.30	1230760	CDN-BL-6	0.00	0.007
12.30	12.30	1230770	GS-5E	0.00	5.241
63.80	63.80	1230780	GS-2F	0.00	2.275
100.00	100.00	1230790	CDN-BL-6	0.00	0.008
109.00	109.00	1230800	GS-5E	0.00	5.069
123.30	123.30	1230810	CDN-BL-6	0.00	<0.005
131.80	131.80	1230820	GS-2F	0.00	2.060
141.00	141.00	1230830	GS-5E	0.00	4.950
150.00	150.00	1230840	CDN-BL-6	0.00	0.007
159.00	159.00	1230850	GS-2F	0.00	1.971

BENTON RESOURCES CORP.

DDH:	SW11-06	Claims title:	4209636	Section:	52+50N
		Township:	SEWELL	Level:	Surface
		Range:		Work place:	Timmins
Drilled by:	Norex Drilling	Lot:			
Described by:	R. Verbruggen	From:		Description date:	
To:					
Collar					
			GRID	UTM nad83	
Azimuth:	235.0°	East	9,925	426,762	
Dip:	-44.0°	North	5,250	5,340,948	
Length:	145.00 m	Elevation	351	351	
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
REFLEX	16.00	235.8°	-44.1°	No	
REFLEX	88.00	229.7°	-42.1°	No	
REFLEX	145.00	231.2°	-39.5°	No	
Description					
- casing pulled					
Core size:	NQ	Cemented: No			Stored: Yes

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
0.00	1.90	OB Overburden - casing pulled							
1.90	35.90	VMO Mafic Volcanic - fine grained, slightly grey green to dark green in colour - weakly foliated at 40 degrees TCA - weakly magnetic, minimal carb stringers / threads (weak carb altered) - trace to locally 2% very fine grained disseminated Py	3.00	3.50	1230858	0.50	<0.005		
			3.50	4.50	1230859	1.00	<0.005		
			4.50	4.50	1230860 (Bln)	0.00	<0.005		
			4.50	5.50	1230861	1.00	<0.005		
			5.50	6.60	1230862	1.10	0.008		
6.20	6.60	FZ Fault Zone - faulted mafic volcanic, fault contact 50 degrees TCA - up to 5% pervasive disseminated Py in faulted area - moderately magnetic	6.60	7.50	1230863	0.90	0.008		
			7.50	8.50	1230864	1.00	0.014		
			8.50	9.50	1230865	1.00	<0.005		
			9.50	10.50	1230866	1.00	0.010		
			10.50	11.50	1230867	1.00	<0.005		
			11.50	12.50	1230868	1.00	<0.005		
			12.50	13.50	1230869	1.00	0.008		
			13.50	13.50	1230870 (Std)	0.00	4.615		
			13.50	14.50	1230871	1.00	0.016		
			14.50	15.50	1230872	1.00	0.005		
			15.50	16.50	1230873	1.00	0.026		
			16.50	17.50	1230874	1.00	0.006		
			17.50	18.50	1230875	1.00	0.014		
35.90	48.40	FD Felsic Dyke - massive, medium grained, grey with a slight pink and green colour, 10% 2mm mafic fragments, 10% 4mm rounded smokey white quartz eyes. (granodioritic looking QFP) - 36.4-41.9m medium grained, pink with 20% 2mm mafic fragments (biotite), abundant rounded 5mm felsic phenos	35.90	36.30	1230876	0.40	0.006		
			36.30	37.70	1230877	1.40	<0.005		
48.40	77.00	VMO Mafic Volcanic	48.40	49.40	1230878	1.00	0.070		
			49.40	50.40	1230879	1.00	<0.005		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
77.00	78.50	<p>- fine grained, dark green, 8% carbonate stringers / threads throughout - foliation at 55 degrees TCA</p> <p>- minor quartz veinlets near end of section, trace amounts of localized fine grained Py near end of section</p> <p>VMO_alt</p> <p>Mafic Volcanic - altered</p> <p>- fine grained, grey with pale brown alteration, siliceous</p> <p>- complex multi orientated foliation, 70, 50, 60, 15 degrees TCA - 2-3% disseminated fine grained PY throughout</p>	50.40	50.40	1230880 (Std)	0.00	2.198		
			50.40	51.40	1230881	1.00	<0.005		
			51.40	52.40	1230882	1.00	<0.005		
			67.40	68.20	1230883	0.80	<0.005		
			70.00	71.00	1230884	1.00	<0.005		
			71.00	72.00	1230885	1.00	<0.005		
			72.00	73.00	1230886	1.00	<0.005		
			73.00	74.00	1230887	1.00	<0.005		
			74.00	75.00	1230888	1.00	<0.005		
			75.00	76.00	1230889	1.00	<0.005		
78.50	85.20	<p>VMO</p> <p>Mafic Volcanic</p> <p>- dark green, fine grained - weak to moderately foliated at 35 degrees TCA - weakly magnetic at start of section, towards the end the unit becomes strongly magnetic - 5% pervasive carb stringers with foliation 2 3% fine grained disseminated and fracture filled Py throughout section</p>	77.00	77.80	1230892	0.80	<0.005		
			77.80	78.50	1230893	0.70	0.006		
			78.50	79.50	1230894	1.00	0.005		
			79.50	80.50	1230895	1.00	0.005		
			80.50	81.50	1230896	1.00	0.006		
			81.50	82.50	1230897	1.00	<0.005		
			82.50	83.50	1230898	1.00	<0.005		
			83.50	84.50	1230899	1.00	0.005		
			84.50	84.50	1230900 (Std)	0.00	5.319		
			84.50	85.20	1230901	0.70	0.007		
85.20	87.50	<p>IF_ch,py</p> <p>Sulfide-Chert Iron Formation</p> <p>- mainly smokey grey secondary quartz (60%) with weakly banded chert, mafic volcanics, and quartz carb stringers - minimal magnetite stringers - trace amounts of some visible "bladed" ankerite - up to 10% fine grained PY stringers sometimes appearing semi massive foliated at 45d TCA,</p>	85.20	86.00	1230902	0.80	0.377		
			86.00	86.50	1230903	0.50	2.119		
			86.50	87.50	1230904	1.00	1.816		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
87.50	103.50	VIO_chl Chlorite Schist - schistose, well foliated mafic volcanic - fine grained, dark green / black with pervasive (20%) carb bands foliated at 40 degrees TCA - weakly magnetic - trace amounts of localized Py, mostly fine grained, a few coarse grained cubic Py were observed	87.50	88.50	1230905	1.00	0.023		
			88.50	89.50	1230906	1.00	0.009		
			89.50	90.50	1230907	1.00	0.006		
			90.50	91.50	1230908	1.00	0.005		
			91.50	92.50	1230909	1.00	<0.005		
			92.50	92.50	1230910 (Std)	0.00	1.870		
			92.50	93.50	1230911	1.00	<0.005		
			93.50	94.50	1230912	1.00	<0.005		
			94.50	95.50	1230913	1.00	<0.005		
			95.50	96.50	1230914	1.00	<0.005		
			96.50	97.50	1230915	1.00	<0.005		
			97.50	98.50	1230916	1.00	<0.005		
			98.50	99.50	1230917	1.00	<0.005		
			99.50	100.50	1230918	1.00	<0.005		
			100.50	101.50	1230919	1.00	<0.005		
			101.50	101.50	1230920 (Bln)	0.00	0.006		
			101.50	102.50	1230921	1.00	0.006		
			102.50	103.00	1230922	0.50	0.005		
			103.00	103.50	1230923	0.50	<0.005		
103.50	105.00	IF_ch.py Sulfide-Chert Iron Formation - 30% smokey grey quartz veins (chert?) and mafic volcanics observed as bands at 55 degrees TCA, minimal areas of weakly brecciated smokey grey quartz - abundant (up to 20%) carb stringers, trace amounts of localized magnetite - trace amounts of localised Py	103.50	104.00	1230924	0.50	0.006		
			104.00	105.00	1230925	1.00	<0.005		
105.00	131.50	VIO_chl Chlorite Schist - strongly foliated / sheared mafic volcanic at 50 degrees TCA	105.00	106.00	1230926	1.00	<0.005		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
123.60	125.00	<p>FZ Fault Zone - faulted mafic volcanic, fault contact ~ 45 degrees TCA</p>							
131.50	145.00	<p>VMO Mafic Volcanic - fine grained, but a little larger grain size than the previous mafic volcanic units logged - dark green to black in appearance (possible ultramafic) - moderate to strong magnetite alteration throughout, trace amounts of localized Py</p>							
145.00		<p>End of DDH Number of samples: 62 Number of QAQC samples: 7 Total sampled length: 58.10</p>							

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
3.00	3.50	1230858	0.50		<0.005		
3.50	4.50	1230859	1.00		<0.005		
4.50	5.50	1230861	1.00		<0.005		
5.50	6.60	1230862	1.10		0.008		
6.60	7.50	1230863	0.90		0.008		
7.50	8.50	1230864	1.00		0.014		
8.50	9.50	1230865	1.00		<0.005		
9.50	10.50	1230866	1.00		0.010		
10.50	11.50	1230867	1.00		<0.005		
11.50	12.50	1230868	1.00		<0.005		
12.50	13.50	1230869	1.00		0.008		
13.50	14.50	1230871	1.00		0.016		
14.50	15.50	1230872	1.00		0.005		
15.50	16.50	1230873	1.00		0.026		
16.50	17.50	1230874	1.00		0.006		
17.50	18.50	1230875	1.00		0.014		
35.90	36.30	1230876	0.40		0.006		
36.30	37.70	1230877	1.40		<0.005		
48.40	49.40	1230878	1.00		0.070		
49.40	50.40	1230879	1.00		<0.005		
50.40	51.40	1230881	1.00		<0.005		
51.40	52.40	1230882	1.00		<0.005		
67.40	68.20	1230883	0.80		<0.005		
70.00	71.00	1230884	1.00		<0.005		
71.00	72.00	1230885	1.00		<0.005		
72.00	73.00	1230886	1.00		<0.005		
73.00	74.00	1230887	1.00		<0.005		
74.00	75.00	1230888	1.00		<0.005		
75.00	76.00	1230889	1.00		<0.005		
76.00	77.00	1230891	1.00		<0.005		
77.00	77.80	1230892	0.80		<0.005		
77.80	78.50	1230893	0.70		0.006		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
78.50	79.50	1230894	1.00		0.005		
79.50	80.50	1230895	1.00		0.005		
80.50	81.50	1230896	1.00		0.006		
81.50	82.50	1230897	1.00		<0.005		
82.50	83.50	1230898	1.00		<0.005		
83.50	84.50	1230899	1.00		0.005		
84.50	85.20	1230901	0.70		0.007		
85.20	86.00	1230902	0.80		0.377		
86.00	86.50	1230903	0.50		2.119		
86.50	87.50	1230904	1.00		1.816		
87.50	88.50	1230905	1.00		0.023		
88.50	89.50	1230906	1.00		0.009		
89.50	90.50	1230907	1.00		0.006		
90.50	91.50	1230908	1.00		0.005		
91.50	92.50	1230909	1.00		<0.005		
92.50	93.50	1230911	1.00		<0.005		
93.50	94.50	1230912	1.00		<0.005		
94.50	95.50	1230913	1.00		<0.005		
95.50	96.50	1230914	1.00		<0.005		
96.50	97.50	1230915	1.00		<0.005		
97.50	98.50	1230916	1.00		<0.005		
98.50	99.50	1230917	1.00		<0.005		
99.50	100.50	1230918	1.00		<0.005		
100.50	101.50	1230919	1.00		<0.005		
101.50	102.50	1230921	1.00		0.006		
102.50	103.00	1230922	0.50		0.005		
103.00	103.50	1230923	0.50		<0.005		
103.50	104.00	1230924	0.50		0.006		
104.00	105.00	1230925	1.00		<0.005		
105.00	106.00	1230926	1.00		<0.005		

BENTON RESOURCES CORP.

QAQC

From	To	Number	Reference	Length	Au (fire assay) (g/t)
4.50	4.50	1230860	CDN-BL-6	0.00	<0.005
13.50	13.50	1230870	GS-5E	0.00	4.615
50.40	50.40	1230880	GS-2F	0.00	2.198
76.00	76.00	1230890	CDN-BL-6	0.00	<0.005
84.50	84.50	1230900	GS-5E	0.00	5.319
92.50	92.50	1230910	GS-2F	0.00	1.870
101.50	101.50	1230920	CDN-BL-6	0.00	0.006

BENTON RESOURCES CORP.

DDH:	SW11-07	Claims title:	4209636	Section:	52+50N
		Township:	SEWELL	Level:	Surface
		Range:		Work place:	Timmins
Drilled by:	Norex Drilling	Lot:			
Described by:	R. Verbruggen	From:		Description date:	
To:					
Collar					
			GRID	UTM nad83	
Azimuth:	232.0°	East	9,925	426,762	
Dip:	-59.0°	North	5,250	5,340,948	
Length:	211.00 m	Elevation	351	351	
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
REFLEX	16.00	231.9°	-58.9°	No	
REFLEX	103.00	236.2°	-54.4°	No	
REFLEX	202.00	236.5°	-51.1°	No	
Description					
- casing pulled					
Core size:	NQ	Cemented: No			Stored: Yes

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
0.00	1.60	OB Overburden - casing pulled							
1.60	50.60	VMO Mafic Volcanic - fine grained, green to dark green in colour - weakly foliated at 30 degrees TCA - moderate pervasive carbonate alteration, carbonate stringers (3 to 55%) on foliated planes - weakly magnetic, increases close to contact with Q.F.P - 3% quartz carb +/- veinlets, 85-90 degrees TCA - < 1% fine grained disseminated pyrite throughout	2.00	3.00	1230927	1.00	<0.005		
			3.00	4.00	1230928	1.00	<0.005		
			4.00	5.00	1230929	1.00	<0.005		
			5.00	5.00	1230930 (Std)	0.00	4.918		
			5.00	6.00	1230931	1.00	<0.005		
			6.00	7.00	1230932	1.00	<0.005		
			7.00	8.00	1230933	1.00	<0.005		
			8.00	9.00	1230934	1.00	<0.005		
8.50	11.30	FZ Fault Zone - strongly fractured / jointed "unaltered" mafic volcanic - trace amounts of fine grained gauge on jointed surfaces	9.00	10.00	1230935	1.00	0.029		
			10.00	11.00	1230936	1.00	0.019		
			11.00	12.00	1230937	1.00	<0.005		
			12.00	13.00	1230938	1.00	<0.005		
			13.00	14.00	1230939	1.00	<0.005		
			14.00	14.00	1230940 (Bln)	0.00	<0.005		
			14.00	15.00	1230941	1.00	<0.005		
			15.00	16.00	1230942	1.00	<0.005		
			16.00	17.00	1230943	1.00	0.006		
			17.00	18.00	1230944	1.00	<0.005		
			18.00	19.00	1230945	1.00	<0.005		
			19.00	20.00	1230946	1.00	0.010		
			20.00	21.00	1230947	1.00	<0.005		
			21.00	22.00	1230948	1.00	0.010		
			22.00	23.00	1230949	1.00	<0.005		
			23.00	23.00	1230950 (Std)	0.00	4.955		
			23.00	24.00	1230951	1.00	0.016		
			24.00	25.00	1230952	1.00	0.005		
			25.00	26.00	1230953	1.00	0.008		
			26.00	27.00	1230954	1.00	0.036		
			27.00	28.00	1230955	1.00	0.012		
			28.00	29.00	1230956	1.00	0.020		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
30.00	30.40	FZ Fault Zone - 2mm gouge, slickensided joints	29.00	30.00	1230957	1.00	0.019		
			30.00	31.00	1230958	1.00	0.006		
			31.00	32.00	1230959	1.00	0.008		
			32.00	32.00	1230960 (Bln)	0.00	<0.005		
			32.00	33.00	1230961	1.00	0.011		
			33.00	34.00	1230962	1.00	0.012		
			34.00	35.00	1230963	1.00	<0.005		
			35.00	36.00	1230964	1.00	<0.005		
			36.00	37.00	1230965	1.00	0.008		
			37.00	38.00	1230966	1.00	0.007		
			38.00	39.00	1230967	1.00	0.015		
			39.00	40.00	1230968	1.00	0.012		
			40.00	41.00	1230969	1.00	0.013		
			41.00	41.00	1230970 (Std)	0.00	6.010		
44.10	44.40	QV Quartz Vein - quartz +/- carb vein with a chalcopyrite bleb (trace)	41.00	42.00	1230971	1.00	0.014		
			42.00	43.00	1230972	1.00	0.029		
			43.00	44.00	1230973	1.00	0.014		
			44.00	45.00	1230974	1.00	0.025		
			45.00	46.00	1230975	1.00	0.052		
			46.00	47.00	1230976	1.00	0.007		
			47.00	48.00	1230977	1.00	<0.005		
			48.00	49.00	1230978	1.00	<0.005		
			49.00	50.00	1230979	1.00	<0.005		
			50.00	50.00	1230980 (Std)	0.00	5.061		
50.60	68.90	IFP_qz Quartz Porphyry - medium grained, brownish pink with pervasive 2-4mm rounded white quartz phenos, siliceous, massive (granodioritic looking towards bottom of section) - trace amounts of fine grained pyrite (locally)	50.00	50.60	1230981	0.60	0.005		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
59.30	60.00	VMO_alt Mafic Volcanic - altered - fine grained, buff brown altered to black in colour - siliceous, strongly magnetic - 3%fine grained disseminated pyrite throughout	59.30	60.00	1230982	0.70	0.009		
			60.00	61.00	1230983	1.00	0.022		
			61.00	62.00	1230984	1.00	0.019		
			62.00	63.00	1230985	1.00	0.019		
			63.00	64.00	1230986	1.00	<0.005		
			64.00	65.00	1230987	1.00	<0.005		
			65.00	66.00	1230988	1.00	0.007		
			66.00	67.00	1230989	1.00	<0.005		
			67.00	67.00	1230990 (Bln)	0.00	<0.005		
			67.00	68.00	1230991	1.00	0.009		
68.90	70.00	VMO_alt Mafic Volcanic - altered - fine grained, light grey / faded fuff brown to grey - moderate to strongly foliated at 35 degrees TCA - minor quartz stringers - up to 1% very fine grained disseminated pyrite - strongly magnetic throughout	68.90	70.00	1230993	1.10	<0.005		
70.00	145.00	VMO Mafic Volcanic - fine grained, dark grey green to black - weakly foliated at 30 to 40 degrees TCA - minor carbonate as stringers (10 % stringers / threads from 87.0 to 99.6 m) - trace to 1% very fine grained pyrite throughout (83 - 84m 1% coarse grained cubic pyrite) - weakly magnetic throughout	70.00	71.00	1230994	1.00	0.006		
			71.00	72.00	1230995	1.00	<0.005		
			72.00	73.00	1230996	1.00	0.006		
			73.00	74.00	1230997	1.00	0.005		
			74.00	75.00	1230998	1.00	<0.005		
			75.00	76.00	1230999	1.00	<0.005		
			76.00	77.00	1231501	1.00	<0.005		
			77.00	78.00	1231502	1.00	<0.005		
			78.00	79.00	1231503	1.00	0.007		
			79.00	80.00	1231504	1.00	0.012		
			80.00	81.00	1231505	1.00	<0.005		
			81.00	82.00	1231506	1.00	<0.005		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
86.70	87.00	FZ Fault Zone - strongly fractured to gravel size and sand size							
99.60	101.00	FZ Fault Zone - strongly fractured / ground to gravel size	141.00	142.00	1231573	1.00	0.007		
			142.00	143.00	1231574	1.00	0.017		
			143.00	144.00	1231575	1.00	0.009		
			144.00	145.00	1231576	1.00	0.006		
145.00	149.90	IF_ch.py Sulfide-Chert Iron Formation - bands of alternating quartz (+/-chert) and mafic volcanics - magnetite rich - weak localized serecite alteration - 5% fracture filled fine grained pyrite stringers throughout	145.00	146.00	1231577	1.00	0.010		
			146.00	147.00	1231578	1.00	0.035		
			147.00	148.00	1231579	1.00	<0.005		
			148.00	148.00	1231580 (Std)	0.00	5.001		
			148.00	149.50	1231581	1.50	0.018		
			149.50	149.90	1231582	0.40	0.520		
149.90	211.00	VMO Mafic Volcanic - alternating sections of chlorite schist and weakly foliated mafic volcanic rock - pervasive carbonate alteration, generally weak - foliation at 40 degrees TCA - unit varies in colour from dark to light green - minor trace disseminated pyrite	149.90	151.00	1231583	1.10	0.008		
			151.00	152.00	1231584	1.00	<0.005		
			152.00	153.00	1231585	1.00	<0.005		
			153.00	154.00	1231586	1.00	<0.005		
			167.00	168.00	1231602	1.00	0.006		
			168.00	169.00	1231603	1.00	0.008		
			169.00	170.00	1231604	1.00	0.015		
			170.00	171.00	1231605	1.00	0.034		
			171.00	172.00	1231606	1.00	0.006		
			172.00	173.00	1231607	1.00	0.007		
			173.00	174.00	1231608	1.00	<0.005		
			174.00	175.00	1231609	1.00	0.008		
			175.00	175.00	1231610 (Bln)	0.00	<0.005		
			175.00	176.00	1231611	1.00	0.013		
			176.00	177.00	1231612	1.00	0.006		
			177.00	178.00	1231613	1.00	<0.005		
			178.00	179.00	1231614	1.00	0.010		

BENTON RESOURCES CORP.

Description	Assay						
	From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
	179.00	180.00	1231615	1.00	0.007		
211.00 End of DDH Number of samples: 98 Number of QAQC samples: 9 Total sampled length: 97.30							

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
2.00	3.00	1230927	1.00		<0.005		
3.00	4.00	1230928	1.00		<0.005		
4.00	5.00	1230929	1.00		<0.005		
5.00	6.00	1230931	1.00		<0.005		
6.00	7.00	1230932	1.00		<0.005		
7.00	8.00	1230933	1.00		<0.005		
8.00	9.00	1230934	1.00		<0.005		
9.00	10.00	1230935	1.00		0.029		
10.00	11.00	1230936	1.00		0.019		
11.00	12.00	1230937	1.00		<0.005		
12.00	13.00	1230938	1.00		<0.005		
13.00	14.00	1230939	1.00		<0.005		
14.00	15.00	1230941	1.00		<0.005		
15.00	16.00	1230942	1.00		<0.005		
16.00	17.00	1230943	1.00		0.006		
17.00	18.00	1230944	1.00		<0.005		
18.00	19.00	1230945	1.00		<0.005		
19.00	20.00	1230946	1.00		0.010		
20.00	21.00	1230947	1.00		<0.005		
21.00	22.00	1230948	1.00		0.010		
22.00	23.00	1230949	1.00		<0.005		
23.00	24.00	1230951	1.00		0.016		
24.00	25.00	1230952	1.00		0.005		
25.00	26.00	1230953	1.00		0.008		
26.00	27.00	1230954	1.00		0.036		
27.00	28.00	1230955	1.00		0.012		
28.00	29.00	1230956	1.00		0.020		
29.00	30.00	1230957	1.00		0.019		
30.00	31.00	1230958	1.00		0.006		
31.00	32.00	1230959	1.00		0.008		
32.00	33.00	1230961	1.00		0.011		
33.00	34.00	1230962	1.00		0.012		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
34.00	35.00	1230963	1.00		<0.005		
35.00	36.00	1230964	1.00		<0.005		
36.00	37.00	1230965	1.00		0.008		
37.00	38.00	1230966	1.00		0.007		
38.00	39.00	1230967	1.00		0.015		
39.00	40.00	1230968	1.00		0.012		
40.00	41.00	1230969	1.00		0.013		
41.00	42.00	1230971	1.00		0.014		
42.00	43.00	1230972	1.00		0.029		
43.00	44.00	1230973	1.00		0.014		
44.00	45.00	1230974	1.00		0.025		
45.00	46.00	1230975	1.00		0.052		
46.00	47.00	1230976	1.00		0.007		
47.00	48.00	1230977	1.00		<0.005		
48.00	49.00	1230978	1.00		<0.005		
49.00	50.00	1230979	1.00		<0.005		
50.00	50.60	1230981	0.60		0.005		
59.30	60.00	1230982	0.70		0.009		
60.00	61.00	1230983	1.00		0.022		
61.00	62.00	1230984	1.00		0.019		
62.00	63.00	1230985	1.00		0.019		
63.00	64.00	1230986	1.00		<0.005		
64.00	65.00	1230987	1.00		<0.005		
65.00	66.00	1230988	1.00		0.007		
66.00	67.00	1230989	1.00		<0.005		
67.00	68.00	1230991	1.00		0.009		
68.00	68.90	1230992	0.90		0.017		
68.90	70.00	1230993	1.10		<0.005		
70.00	71.00	1230994	1.00		0.006		
71.00	72.00	1230995	1.00		<0.005		
72.00	73.00	1230996	1.00		0.006		
73.00	74.00	1230997	1.00		0.005		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
74.00	75.00	1230998	1.00		<0.005		
75.00	76.00	1230999	1.00		<0.005		
76.00	77.00	1231501	1.00		<0.005		
77.00	78.00	1231502	1.00		<0.005		
78.00	79.00	1231503	1.00		0.007		
79.00	80.00	1231504	1.00		0.012		
80.00	81.00	1231505	1.00		<0.005		
81.00	82.00	1231506	1.00		<0.005		
141.00	142.00	1231573	1.00		0.007		
142.00	143.00	1231574	1.00		0.017		
143.00	144.00	1231575	1.00		0.009		
144.00	145.00	1231576	1.00		0.006		
145.00	146.00	1231577	1.00		0.010		
146.00	147.00	1231578	1.00		0.035		
147.00	148.00	1231579	1.00		<0.005		
148.00	149.50	1231581	1.50		0.018		
149.50	149.90	1231582	0.40		0.520		
149.90	151.00	1231583	1.10		0.008		
151.00	152.00	1231584	1.00		<0.005		
152.00	153.00	1231585	1.00		<0.005		
153.00	154.00	1231586	1.00		<0.005		
167.00	168.00	1231602	1.00		0.006		
168.00	169.00	1231603	1.00		0.008		
169.00	170.00	1231604	1.00		0.015		
170.00	171.00	1231605	1.00		0.034		
171.00	172.00	1231606	1.00		0.006		
172.00	173.00	1231607	1.00		0.007		
173.00	174.00	1231608	1.00		<0.005		
174.00	175.00	1231609	1.00		0.008		
175.00	176.00	1231611	1.00		0.013		
176.00	177.00	1231612	1.00		0.006		
177.00	178.00	1231613	1.00		<0.005		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
178.00	179.00	1231614	1.00		0.010		
179.00	180.00	1231615	1.00		0.007		

BENTON RESOURCES CORP.

QAQC

From	To	Number	Reference	Length	Au (fire assay) (g/t)
5.00	5.00	1230930	GS-5E	0.00	4.918
14.00	14.00	1230940	CDN-BL-6	0.00	<0.005
23.00	23.00	1230950	GS-5E	0.00	4.955
32.00	32.00	1230960	CDN-BL-6	0.00	<0.005
41.00	41.00	1230970	GS-7B	0.00	6.010
50.00	50.00	1230980	GS-5E	0.00	5.061
67.00	67.00	1230990	CDN-BL-6	0.00	<0.005
148.00	148.00	1231580	GS-5E	0.00	5.001
175.00	175.00	1231610	CDN-BL-6	0.00	<0.005

BENTON RESOURCES CORP.

DDH:	SW11-08	Claims title:	4209636	Section:	56+00N
		Township:	SEWELL	Level:	Surface
		Range:		Work place:	Timmins
Drilled by:	Norex Drilling	Lot:			
Described by:	R. Verbruggen	From:	12/15/2011	Description date:	
		To:	12/16/2011		
Collar					
				GRID	UTM nad83
Azimuth:	270.0°	East	10,036	426,660	
Dip:	-45.0°	North	5,554	5,341,255	
Length:	199.00 m	Elevation	348	348	
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
REFLEX	16.00	276.8°	-44.7°	No	
REFLEX	100.00	272.8°	-41.8°	No	
Description					
- Casing left in hole					
Core size:	NQ		Cemented:	No	Stored: Yes

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
0.00	1.20	OB Overburden - casing left in hole							
1.20	71.10	VMO Mafic Volcanic - fine grained, green, weakly foliated @ 40 degrees TCA - carbonate altered (10% carb stringers and threads parallel to foliation) - unmineralized							
57.90	58.30	QV Quartz Vein - bull white vein, unmineralized, contacts parallel to core axis							
71.10	73.70	FD Felsic Dyke - essentially a quartz porphyry but medium grained with a granodioritic texture - light brownish pink with pervasive 4mm rounded quartz phenocrysts							
73.70	82.60	VMO Mafic Volcanic - green, slightly greyish, fine grained, moderately foliated at 40 degrees TCA (to core axis) - minor pervasive carb stringers parallel to foliation -trace amounts of fine grained disseminated pyrite - weakly magnetic							
82.60	83.30	VMO_alt Mafic Volcanic - altered - fine grained, grey with buff brown alteration - moderate to strongly foliated and fractured - 1% fine and coarse grained disseminated pyrite throughout - strongly magnetic (magnetite alteration)							

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
83.30	90.80	FD Felsic Dyke - medium grained, brownish pink, abundant 2-5mm rounded quartz phenos, massive, siliceous	90.60	91.10	1231662	0.50	0.009		
90.80	101.60	VMO Mafic Volcanic - fine grained, green to greenish black, foliated (variable core axis) - 1-2% fine grained disseminated pyrite throughout - minimal to moderate carbonate stringers - narrow local zones of grey / buff brown alteration (albitization?) - weak to moderately magnetic, varies depending on magnetic content	91.10	92.00	1231663	0.90	<0.005		
			92.00	93.00	1231664	1.00	0.011		
			93.00	94.00	1231665	1.00	<0.005		
			94.00	95.00	1231666	1.00	0.006		
			95.00	96.00	1231667	1.00	<0.005		
			96.00	97.00	1231668	1.00	<0.005		
			97.00	98.00	1231669	1.00	0.010		
			98.00	98.00	1231670 (Std)	0.00	4.724		
			98.00	99.00	1231671	1.00	0.006		
			99.00	100.00	1231672	1.00	0.006		
			100.00	101.00	1231673	1.00	0.007		
			101.00	101.60	1231674	0.60	0.011		
101.60	112.40	IF_ch.py Sulfide-Chert Iron Formation - predominantly grey to smokey grey chert, locally brecciated with magnetite and chlorite interbeds or as matrix - sulphide rich, up to 10% (py +/-po) in fractures, sulfide veinlets and disseminated in the matrix - minor barren late quartz stringers, veinlets can be seen cutting the chert - unit strongly magnetic but variable depending on the magnetite content	101.60	102.30	1231675	0.70	0.659		
			102.30	103.30	1231676	1.00	0.456		
			103.30	104.40	1231677	1.10	1.441		
			104.40	105.20	1231678	0.80	0.318		
			105.20	106.50	1231679	1.30	0.475		
			106.50	106.50	1231680 (Bln)	0.00	<0.005		
			106.50	107.50	1231681	1.00	0.016		
			107.50	108.50	1231682	1.00	<0.005		
			108.50	109.50	1231683	1.00	<0.005		
			109.50	110.50	1231684	1.00	0.006		
			110.50	111.50	1231685	1.00	<0.005		
			111.50	112.50	1231686	1.00	<0.005		
112.40	122.60	VMO Mafic Volcanic - fine to slightly medium grained, dark grey to greyish black (possible ultramafic) - moderately foliated with 2mm rounded carb flecks throughout, in some cases, carb is observed as stringers - minor	112.50	113.50	1231687	1.00	0.005		
			113.50	114.50	1231688	1.00	<0.005		
			114.50	115.50	1231689	1.00	0.007		

BENTON RESOURCES CORP.

Description		Assay						
		From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
122.60	171.80	amounts of pyrite localised to fracture filled along perimeter of quartz vein (15d TCA) 114 - 114.2m						
	VMO_alt	136.00	137.00	1231714	1.00	0.010		
	Mafic Volcanic - altered	137.00	138.00	1231715	1.00	0.010		
	- dark green grey to moderate buff brown alteration - fine grained, green with buff brownish grey altered bands - moderately foliated at 30 degrees TCA	138.00	139.00	1231716	1.00	0.013		
	-1-2% fine and coarse grained disseminated pyrite locally throughout, areas with increased buff brown alteration contain larger amounts of sulfides, trace amounts of chalcopyrite blebbs	139.00	140.30	1231717	1.30	0.009		
		140.30	141.00	1231718	0.70	0.010		
		141.00	142.00	1231719	1.00	0.007		
		142.00	142.00	1231720 (Std)	0.00	4.907		
		142.00	143.00	1231721	1.00	0.009		
		143.00	144.00	1231722	1.00	0.013		
		144.00	145.00	1231723	1.00	0.023		
		145.00	146.00	1231724	1.00	0.012		
		146.00	147.20	1231725	1.20	0.227		
		147.20	148.00	1231726	0.80	0.021		
		148.00	149.00	1231727	1.00	0.016		
		149.00	150.00	1231728	1.00	0.010		
		150.00	151.00	1231729	1.00	0.016		
		151.00	151.00	1231730 (Bln)	0.00	<0.005		
		151.00	152.00	1231731	1.00	0.017		
		152.00	152.80	1231732	0.80	0.023		
		152.80	154.00	1231733	1.20	0.048		
		154.00	155.00	1231734	1.00	0.008		
		155.00	156.00	1231735	1.00	0.009		
		156.00	157.00	1231736	1.00	0.008		
		157.00	158.00	1231737	1.00	0.012		
		158.00	159.00	1231738	1.00	0.050		
		159.00	160.00	1231739	1.00	0.013		
		160.00	160.00	1231740 (Std)	0.00	5.207		
		160.00	161.00	1231741	1.00	<0.005		
		161.00	162.00	1231742	1.00	0.016		
		162.00	163.00	1231743	1.00	0.022		

BENTON RESOURCES CORP.

Description			Assay						
			From	To	Number	Length	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
171.80	173.40	IF_ch,py Sulfide-Chert Iron Formation - mostly buff brown altered mafic volcanics, siliceous "cherty" fragments present, with local apple green (fuchsite) alteration - 3% localised fine grained pyrite stringers	163.00	164.00	1231744	1.00	0.257		
			164.00	165.00	1231745	1.00	0.057		
			165.00	166.00	1231746	1.00	0.014		
			166.00	167.00	1231747	1.00	0.015		
			167.00	168.00	1231748	1.00	0.020		
			168.00	169.00	1231749	1.00	0.018		
			169.00	169.00	1231750 (Bln)	0.00	0.010		
			169.00	170.00	1231751	1.00	0.017		
			170.00	170.80	1231752	0.80	<0.005		
			170.80	171.80	1231753	1.00	0.015		
			171.80	172.60	1231754	0.80	0.217		
			172.60	173.40	1231755	0.80	0.070		
173.40	199.00	VIO_chl Chlorite Schist - pale green to green in colour, fine grained - well deveoped foliation at 35 degrees TCA - infilled carbonate stringers on foliation plane throughout - trace amounts of disseminated fine grained pyrite	173.40	174.00	1231756	0.60	0.007		
199.00		End of DDH Number of samples: 65 Number of QAQC samples: 6 Total sampled length: 62.90							

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
90.60	91.10	1231662	0.50		0.009		
91.10	92.00	1231663	0.90		<0.005		
92.00	93.00	1231664	1.00		0.011		
93.00	94.00	1231665	1.00		<0.005		
94.00	95.00	1231666	1.00		0.006		
95.00	96.00	1231667	1.00		<0.005		
96.00	97.00	1231668	1.00		<0.005		
97.00	98.00	1231669	1.00		0.010		
98.00	99.00	1231671	1.00		0.006		
99.00	100.00	1231672	1.00		0.006		
100.00	101.00	1231673	1.00		0.007		
101.00	101.60	1231674	0.60		0.011		
101.60	102.30	1231675	0.70		0.659		
102.30	103.30	1231676	1.00		0.456		
103.30	104.40	1231677	1.10		1.441		
104.40	105.20	1231678	0.80		0.318		
105.20	106.50	1231679	1.30		0.475		
106.50	107.50	1231681	1.00		0.016		
107.50	108.50	1231682	1.00		<0.005		
108.50	109.50	1231683	1.00		<0.005		
109.50	110.50	1231684	1.00		0.006		
110.50	111.50	1231685	1.00		<0.005		
111.50	112.50	1231686	1.00		<0.005		
112.50	113.50	1231687	1.00		0.005		
113.50	114.50	1231688	1.00		<0.005		
114.50	115.50	1231689	1.00		0.007		
136.00	137.00	1231714	1.00		0.010		
137.00	138.00	1231715	1.00		0.010		
138.00	139.00	1231716	1.00		0.013		
139.00	140.30	1231717	1.30		0.009		
140.30	141.00	1231718	0.70		0.010		
141.00	142.00	1231719	1.00		0.007		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
142.00	143.00	1231721	1.00		0.009		
143.00	144.00	1231722	1.00		0.013		
144.00	145.00	1231723	1.00		0.023		
145.00	146.00	1231724	1.00		0.012		
146.00	147.20	1231725	1.20		0.227		
147.20	148.00	1231726	0.80		0.021		
148.00	149.00	1231727	1.00		0.016		
149.00	150.00	1231728	1.00		0.010		
150.00	151.00	1231729	1.00		0.016		
151.00	152.00	1231731	1.00		0.017		
152.00	152.80	1231732	0.80		0.023		
152.80	154.00	1231733	1.20		0.048		
154.00	155.00	1231734	1.00		0.008		
155.00	156.00	1231735	1.00		0.009		
156.00	157.00	1231736	1.00		0.008		
157.00	158.00	1231737	1.00		0.012		
158.00	159.00	1231738	1.00		0.050		
159.00	160.00	1231739	1.00		0.013		
160.00	161.00	1231741	1.00		<0.005		
161.00	162.00	1231742	1.00		0.016		
162.00	163.00	1231743	1.00		0.022		
163.00	164.00	1231744	1.00		0.257		
164.00	165.00	1231745	1.00		0.057		
165.00	166.00	1231746	1.00		0.014		
166.00	167.00	1231747	1.00		0.015		
167.00	168.00	1231748	1.00		0.020		
168.00	169.00	1231749	1.00		0.018		
169.00	170.00	1231751	1.00		0.017		
170.00	170.80	1231752	0.80		<0.005		
170.80	171.80	1231753	1.00		0.015		
171.80	172.60	1231754	0.80		0.217		
172.60	173.40	1231755	0.80		0.070		

BENTON RESOURCES CORP.

Assay

From	To	Number	Length	Description	Au (fire assay) (g/t)	Au grav (g/t)	Au metallics (g/t)
173.40	174.00	1231756	0.60		0.007		


BENTON RESOURCES CORP.


QAQC


From	To	Number	Reference	Length	Au (fire assay) (g/t)
98.00	98.00	1231670	GS-5E	0.00	4.724
106.50	106.50	1231680	CDN-BL-6	0.00	<0.005
142.00	142.00	1231720	GS-5E	0.00	4.907
151.00	151.00	1231730	CDN-BL-6	0.00	<0.005
160.00	160.00	1231740	GS-5E	0.00	5.207
169.00	169.00	1231750	CDN-BL-6	0.00	0.010


APPENDIX II


DIAMOND DRILL SECTIONS











APPENDIX III

ASSAY CERTIFICATES

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/14/2011

Date Completed: 01/17/2012


Job #: 201161137

Reference:

Sample #: 77

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
116071	1230778	6	<0.001	0.006
116072	1230779	7	<0.001	0.007
116073	1230780	2275	0.066	2.275
116074	1230781	<5	<0.001	<0.005
116075	1230782	<5	<0.001	<0.005
116076	1230783	<5	<0.001	<0.005
116077	1230784	<5	<0.001	<0.005
116078	1230785	<5	<0.001	<0.005
116079	1230786	<5	<0.001	<0.005
116080	1230787	<5	<0.001	<0.005
116081 Dup	1230787	<5	<0.001	<0.005
116082	1230788	6	<0.001	0.006
116083	1230789	8	<0.001	0.008
116084	1230790	8	<0.001	0.008
116085	1230791	10	<0.001	0.010
116086	1230792	<5	<0.001	<0.005
116087	1230793	11	<0.001	0.011
116088	1230794	<5	<0.001	<0.005
116089	1230795	8	<0.001	0.008
116090	1230796	5	<0.001	0.005
116091	1230797	<5	<0.001	<0.005
116092 Dup	1230797	<5	<0.001	<0.005
116093	1230798	12	<0.001	0.012
116094	1230799	11	<0.001	0.011
116095	1230800	5069	0.148	5.069
116096	1230802	5	<0.001	0.005
116097	1230803	8	<0.001	0.008
116098	1230804	21	<0.001	0.021
116099	1230805	<5	<0.001	<0.005
116100	1230806	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/14/2011

Date Completed: 01/17/2012


Job #: 201161137

Reference:

Sample #: 77

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
116101	1230807	11	<0.001	0.011
116102	1230808	<5	<0.001	<0.005
116103 Dup	1230808	11	<0.001	0.011
116104	1230809	15	<0.001	0.015
116105	1230810	<5	<0.001	<0.005
116106	1230811	303	0.009	0.303
116107	1230812	17	<0.001	0.017
116108	1230813	32	<0.001	0.032
116109	1230814	26	<0.001	0.026
116110	1230815	16	<0.001	0.016
116111	1230816	6	<0.001	0.006
116112	1230817	9	<0.001	0.009
116113	1230818	37	0.001	0.037
116114 Dup	1230818	8	<0.001	0.008
116115	1230819	6	<0.001	0.006
116116	1230820	2060	0.060	2.060
116117	1230821	5	<0.001	0.005
116118	1230822	9	<0.001	0.009
116119	1230823	18	<0.001	0.018
116120	1230824	9	<0.001	0.009
116121	1230825	13	<0.001	0.013
116122	1230826	7	<0.001	0.007
116123	1230827	6	<0.001	0.006
116124	1230828	11	<0.001	0.011
116125 Dup	1230828	7	<0.001	0.007
116126	1230829	6	<0.001	0.006
116127	1230830	4950	0.144	4.950
116128	1230831	12	<0.001	0.012
116129	1230832	10	<0.001	0.010
116130	1230833	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/14/2011

Date Completed: 01/17/2012


Job #: 201161137

Reference:

Sample #: 77

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
116131	1230834	14	<0.001	0.014
116132	1230835	10	<0.001	0.010
116133	1230836	7	<0.001	0.007
116134	1230837	8	<0.001	0.008
116135	1230838	9	<0.001	0.009
116136 Rep	1230838	10	<0.001	0.010
116137	1230839	11	<0.001	0.011
116138	1230840	7	<0.001	0.007
116139	1230841	17	<0.001	0.017
116140	1230842	5	<0.001	0.005
116141	1230843	15	<0.001	0.015
116142	1230844	9	<0.001	0.009
116143	1230845	<5	<0.001	<0.005
116144	1230846	8	<0.001	0.008
116145	1230847	<5	<0.001	<0.005
116146	1230848	<5	<0.001	<0.005
116147 Dup	1230848	<5	<0.001	<0.005
116148	1230849	<5	<0.001	<0.005
116149	1230850	1971	0.058	1.971
116150	1230851	<5	<0.001	<0.005
116151	1230852	<5	<0.001	<0.005
116152	1230853	9	<0.001	0.009
116153	1230854	14	<0.001	0.014
116154	1230855	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/15/2011

Date Completed: 01/17/2012


Job #: 201161138

Reference:

Sample #: 120

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
116155	1230856	<5	<0.001	<0.005
116156	1230857	10	<0.001	0.010
116157	1230858	<5	<0.001	<0.005
116158	1230859	<5	<0.001	<0.005
116159	1230860	<5	<0.001	<0.005
116160	1230861	<5	<0.001	<0.005
116161	1230862	8	<0.001	0.008
116162	1230863	8	<0.001	0.008
116163	1230864	14	<0.001	0.014
116164	1230865	<5	<0.001	<0.005
116165 Dup	1230865	9	<0.001	0.009
116166	1230866	10	<0.001	0.010
116167	1230867	<5	<0.001	<0.005
116168	1230868	<5	<0.001	<0.005
116169	1230869	8	<0.001	0.008
116170	1230870	4615	0.135	4.615
116171	1230871	16	<0.001	0.016
116172	1230872	5	<0.001	0.005
116173	1230873	26	<0.001	0.026
116174	1230874	6	<0.001	0.006
116175	1230875	14	<0.001	0.014
116176 Dup	1230875	9	<0.001	0.009
116177	1230876	6	<0.001	0.006
116178	1230877	<5	<0.001	<0.005
116179	1230878	70	0.002	0.070
116180	1230879	<5	<0.001	<0.005
116181	1230880	2198	0.064	2.198
116182	1230881	<5	<0.001	<0.005
116183	1230882	<5	<0.001	<0.005
116184	1230883	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/15/2011

Date Completed: 01/17/2012


Job #: 201161138

Reference:

Sample #: 120

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
116185	1230884	<5	<0.001	<0.005
116186	1230885	<5	<0.001	<0.005
116187 Dup	1230885	<5	<0.001	<0.005
116188	1230886	<5	<0.001	<0.005
116189	1230887	<5	<0.001	<0.005
116190	1230888	<5	<0.001	<0.005
116191	1230889	<5	<0.001	<0.005
116192	1230890	<5	<0.001	<0.005
116193	1230891	<5	<0.001	<0.005
116194	1230892	<5	<0.001	<0.005
116195	1230893	6	<0.001	0.006
116196	1230894	5	<0.001	0.005
116197	1230895	5	<0.001	0.005
116198 Dup	1230895	6	<0.001	0.006
116199	1230896	6	<0.001	0.006
116200	1230897	<5	<0.001	<0.005
116201	1230898	<5	<0.001	<0.005
116202	1230899	5	<0.001	0.005
116203	1230900	5319	0.155	5.319
116204	1230901	7	<0.001	0.007
116205	1230902	377	0.011	0.377
116206	1230903	2119	0.062	2.119
116207	1230904	1816	0.053	1.816
116208	1230905	23	<0.001	0.023
116209 Dup	1230905	24	<0.001	0.024
116210	1230906	9	<0.001	0.009
116211	1230907	6	<0.001	0.006
116212	1230908	5	<0.001	0.005
116213	1230909	<5	<0.001	<0.005
116214	1230910	1870	0.055	1.870

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstares@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/15/2011

Date Completed: 01/17/2012


Job #: 201161138

Reference:

Sample #: 120

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
116215	1230911	<5	<0.001	<0.005
116216	1230912	<5	<0.001	<0.005
116217	1230913	<5	<0.001	<0.005
116218	1230914	<5	<0.001	<0.005
116219	1230915	<5	<0.001	<0.005
116220 Rep	1230915	<5	<0.001	<0.005
116221	1230916	<5	<0.001	<0.005
116222	1230917	<5	<0.001	<0.005
116223	1230918	<5	<0.001	<0.005
116224	1230919	<5	<0.001	<0.005
116225	1230920	6	<0.001	0.006
116226	1230921	6	<0.001	0.006
116227	1230922	5	<0.001	0.005
116228	1230923	<5	<0.001	<0.005
116229	1230924	6	<0.001	0.006
116230	1230925	<5	<0.001	<0.005
116231 Dup	1230925	<5	<0.001	<0.005
116232	1230926	<5	<0.001	<0.005
116233	1230927	<5	<0.001	<0.005
116234	1230928	<5	<0.001	<0.005
116235	1230929	<5	<0.001	<0.005
116236	1230930	4918	0.143	4.918
116237	1230931	<5	<0.001	<0.005
116238	1230932	<5	<0.001	<0.005
116239	1230933	<5	<0.001	<0.005
116240	1230934	<5	<0.001	<0.005
116241	1230935	29	<0.001	0.029
116242 Dup	1230935	6	<0.001	0.006
116243	1230936	19	<0.001	0.019
116244	1230937	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/15/2011

Date Completed: 01/17/2012


Job #: 201161138

Reference:

Sample #: 120

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
116245	1230938	<5	<0.001	<0.005
116246	1230939	<5	<0.001	<0.005
116247	1230940	<5	<0.001	<0.005
116248	1230941	<5	<0.001	<0.005
116249	1230942	<5	<0.001	<0.005
116250	1230943	6	<0.001	0.006
116251	1230944	<5	<0.001	<0.005
116252	1230945	<5	<0.001	<0.005
116253 Dup	1230945	<5	<0.001	<0.005
116254	1230946	10	<0.001	0.010
116255	1230947	<5	<0.001	<0.005
116256	1230948	10	<0.001	0.010
116257	1230949	<5	<0.001	<0.005
116258	1230950	4955	0.145	4.955
116259	1230951	16	<0.001	0.016
116260	1230952	5	<0.001	0.005
116261	1230953	8	<0.001	0.008
116262	1230954	36	0.001	0.036
116263	1230955	12	<0.001	0.012
116264 Dup	1230955	22	<0.001	0.022
116265	1230956	20	<0.001	0.020
116266	1230957	19	<0.001	0.019
116267	1230958	6	<0.001	0.006
116268	1230959	8	<0.001	0.008
116269	1230960	<5	<0.001	<0.005
116270	1230961	11	<0.001	0.011
116271	1230962	12	<0.001	0.012
116272	1230963	<5	<0.001	<0.005
116273	1230964	<5	<0.001	<0.005
116274	1230965	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/15/2011

Date Completed: 01/17/2012

Job #: 201161138

Reference:

Sample #: 120

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
116275	Dup 1230965	6	<0.001	0.006
116276	1230966	7	<0.001	0.007
116277	1230967	15	<0.001	0.015
116278	1230968	12	<0.001	0.012
116279	1230969	13	<0.001	0.013
116280	1230970	6010	0.175	6.010
116281	1230971	14	<0.001	0.014
116282	1230972	29	<0.001	0.029
116283	1230973	14	<0.001	0.014
116284	1230974	25	<0.001	0.025
116285	1230975	52	0.002	0.052
116286	Rep 1230975	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/19/2011

Date Completed: 01/17/2012


Job #: 201161166

Reference:

Sample #: 129

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
119498	1230976	7	<0.001	0.007
119499	1230977	<5	<0.001	<0.005
119500	1230978	<5	<0.001	<0.005
119501	1230979	<5	<0.001	<0.005
119502	1230980	5061	0.148	5.061
119503	1230981	5	<0.001	0.005
119504	1230982	9	<0.001	0.009
119505	1230983	22	<0.001	0.022
119506	1230984	19	<0.001	0.019
119507	1230985	19	<0.001	0.019
119508 Dup	1230985	10	<0.001	0.010
119509	1230986	<5	<0.001	<0.005
119510	1230987	<5	<0.001	<0.005
119511	1230988	7	<0.001	0.007
119512	1230989	<5	<0.001	<0.005
119513	1230990	<5	<0.001	<0.005
119514	1230991	9	<0.001	0.009
119515	1230992	17	<0.001	0.017
119516	1230993	<5	<0.001	<0.005
119517	1230994	6	<0.001	0.006
119518	1230995	<5	<0.001	<0.005
119519 Dup	1230995	<5	<0.001	<0.005
119520	1230996	6	<0.001	0.006
119521	1230997	5	<0.001	0.005
119522	1230998	<5	<0.001	<0.005
119523	1230999	<5	<0.001	<0.005
119524	1231501	<5	<0.001	<0.005
119525	1231502	<5	<0.001	<0.005
119526	1231503	7	<0.001	0.007
119527	1231504	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/19/2011

Date Completed: 01/17/2012


Job #: 201161166

Reference:

Sample #: 129

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
119528	1231505	<5	<0.001	<0.005
119529	1231506	<5	<0.001	<0.005
119530	1231662	9	<0.001	0.009
119531	1231663	<5	<0.001	<0.005
119532	1231664	11	<0.001	0.011
119533	1231665	<5	<0.001	<0.005
119534	1231666	6	<0.001	0.006
119535	1231667	<5	<0.001	<0.005
119536	1231668	<5	<0.001	<0.005
119537	1231669	10	<0.001	0.010
119538	1231670	4724	0.138	4.724
119539	1231671	6	<0.001	0.006
119540	1231672	6	<0.001	0.006
119541 Dup	1231672	<5	<0.001	<0.005
119542	1231673	7	<0.001	0.007
119543	1231674	11	<0.001	0.011
119544	1231675	659	0.019	0.659
119545	1231676	456	0.013	0.456
119546	1231677	1441	0.042	1.441
119547	1231678	318	0.009	0.318
119548	1231679	475	0.014	0.475
119549	1231680	<5	<0.001	<0.005
119550	1231681	16	<0.001	0.016
119551	1231682	<5	<0.001	<0.005
119552 Dup	1231682	8	<0.001	0.008
119553	1231683	<5	<0.001	<0.005
119554	1231684	6	<0.001	0.006
119555	1231685	<5	<0.001	<0.005
119556	1231686	<5	<0.001	<0.005
119557	1231687	5	<0.001	0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/19/2011

Date Completed: 01/17/2012


Job #: 201161166

Reference:

Sample #: 129

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
119558	1231688	<5	<0.001	<0.005
119559	1231689	7	<0.001	0.007
119560	1231602	6	<0.001	0.006
119561	1231603	8	<0.001	0.008
119562	1231604	15	<0.001	0.015
119563	Rep 1231604	11	<0.001	0.011
119564	1231605	34	<0.001	0.034
119565	1231606	6	<0.001	0.006
119566	1231607	7	<0.001	0.007
119567	1231608	<5	<0.001	<0.005
119568	1231609	8	<0.001	0.008
119569	1231610	<5	<0.001	<0.005
119570	1231611	13	<0.001	0.013
119571	1231612	6	<0.001	0.006
119572	1231613	<5	<0.001	<0.005
119573	1231614	10	<0.001	0.010
119574	Dup 1231614	11	<0.001	0.011
119575	1231615	7	<0.001	0.007
119576	1231714	10	<0.001	0.010
119577	1231715	10	<0.001	0.010
119578	1231716	13	<0.001	0.013
119579	1231717	9	<0.001	0.009
119580	1231718	10	<0.001	0.010
119581	1231719	7	<0.001	0.007
119582	1231720	4907	0.143	4.907
119583	1231721	9	<0.001	0.009
119584	1231722	13	<0.001	0.013
119585	Dup 1231722	15	<0.001	0.015
119586	1231723	23	<0.001	0.023
119587	1231724	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstares@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/19/2011

Date Completed: 01/17/2012


Job #: 201161166

Reference:

Sample #: 129

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
119588	1231725	227	0.007	0.227
119589	1231726	21	<0.001	0.021
119590	1231727	16	<0.001	0.016
119591	1231728	10	<0.001	0.010
119592	1231729	16	<0.001	0.016
119593	1231730	<5	<0.001	<0.005
119594	1231731	17	<0.001	0.017
119595	1231732	23	<0.001	0.023
119596 Dup	1231732	35	0.001	0.035
119597	1231733	48	0.001	0.048
119598	1231734	8	<0.001	0.008
119599	1231735	9	<0.001	0.009
119600	1231736	8	<0.001	0.008
119601	1231737	12	<0.001	0.012
119602	1231738	50	0.001	0.050
119603	1231739	13	<0.001	0.013
119604	1231740	5207	0.152	5.207
119605	1231741	<5	<0.001	<0.005
119606	1231742	16	<0.001	0.016
119607 Dup	1231742	10	<0.001	0.010
119608	1231743	22	<0.001	0.022
119609	1231744	257	0.007	0.257
119610	1231745	57	0.002	0.057
119611	1231746	14	<0.001	0.014
119612	1231747	15	<0.001	0.015
119613	1231748	20	<0.001	0.020
119614	1231749	18	<0.001	0.018
119615	1231750	10	<0.001	0.010
119616	1231751	17	<0.001	0.017
119617	1231752	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 17, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/19/2011

Date Completed: 01/17/2012


Job #: 201161166

Reference:

Sample #: 129

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
119618	Dup 1231752	5	<0.001	0.005
119619	1231753	15	<0.001	0.015
119620	1231754	217	0.006	0.217
119621	1231755	70	0.002	0.070
119622	1231756	7	<0.001	0.007
119623	1231573	7	<0.001	0.007
119624	1231574	17	<0.001	0.017
119625	1231575	9	<0.001	0.009
119626	1231576	6	<0.001	0.006
119627	1231577	10	<0.001	0.010
119628	1231578	35	0.001	0.035
119629	Rep 1231578	31	<0.001	0.031
119630	1231579	<5	<0.001	<0.005
119631	1231580	5001	0.146	5.001
119632	1231581	18	<0.001	0.018
119633	1231582	520	0.015	0.520
119634	1231583	8	<0.001	0.008
119635	1231584	<5	<0.001	<0.005
119636	1231585	<5	<0.001	<0.005
119637	1231586	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1

Certified By: 
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 23, 2011


Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 11/28/2011
 Date Completed: 12/23/2011
 Job #: 201161040
 Reference: Sewell Project
 Sample #: 72

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
105077	735351	7	<0.001	0.007
105078	735352	<5	<0.001	<0.005
105079	735353	<5	<0.001	<0.005
105080	735354	14	<0.001	0.014
105081	735355	9	<0.001	0.009
105082	735356	9	<0.001	0.009
105083	735357	8	<0.001	0.008
105084	735358	130	0.004	0.130
105085	735359	7	<0.001	0.007
105086	735360	2305	0.067	2.305
105088	735361	<5	<0.001	<0.005
105089	735362	<5	<0.001	<0.005
105090	735363	<5	<0.001	<0.005
105091	735364	15	<0.001	0.015
105092	735365	<5	<0.001	<0.005
105093	735366	7	<0.001	0.007
105094	735367	7	<0.001	0.007
105095	735368	8	<0.001	0.008
105096	735369	<5	<0.001	<0.005
105097	735370	<5	<0.001	<0.005
105099	735371	<5	<0.001	<0.005
105100	735372	<5	<0.001	<0.005
105101	735373	<5	<0.001	<0.005
105102	735374	<5	<0.001	<0.005
105103	735375	<5	<0.001	<0.005
105104	735376	10	<0.001	0.010
105105	735377	12	<0.001	0.012
105106	735378	11	<0.001	0.011
105107	735379	11	<0.001	0.011
105108	735380	5496	0.160	5.496

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 23, 2011

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstares@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 11/28/2011

Date Completed: 12/23/2011


Job #: 201161040

Reference: Sewell Project

Sample #: 72

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
105110	735381	<5	<0.001	<0.005
105111	735382	<5	<0.001	<0.005
105112	735383	7	<0.001	0.007
105113	735384	<5	<0.001	<0.005
105114	735385	6	<0.001	0.006
105115	735386	6	<0.001	0.006
105116	735387	28	<0.001	0.028
105117	735388	9	<0.001	0.009
105118	735389	<5	<0.001	<0.005
105119	735390	9	<0.001	0.009
105121	735391	<5	<0.001	<0.005
105122	735392	7	<0.001	0.007
105123	735393	<5	<0.001	<0.005
105124	735394	17	<0.001	0.017
105125	735395	<5	<0.001	<0.005
105126	735396	33	<0.001	0.033
105127	735397	14	<0.001	0.014
105128	735398	7	<0.001	0.007
105129	735399	6	<0.001	0.006
105130	735400	2058	0.060	2.058
105131 Dup	735401	<5	<0.001	<0.005
105133	735402	41	0.001	0.041
105134	735403	71	0.002	0.071
105135	735404	35	0.001	0.035
105136	735405	46	0.001	0.046
105137	735406	7	<0.001	0.007
105138	735407	10	<0.001	0.010
105139	735408	<5	<0.001	<0.005
105140	735409	<5	<0.001	<0.005
105141	735410	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 23, 2011

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 11/28/2011
 Date Completed: 12/23/2011
 Job #: 201161040
 Reference: Sewell Project
 Sample #: 72

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
105143	735411	20	<0.001	0.020
105144	735412	22	<0.001	0.022
105145	735413	63	0.002	0.063
105146	735414	221	0.006	0.221
105147	735415	14	<0.001	0.014
105148	735416	139	0.004	0.139
105149	735417	1127	0.033	1.127
105150	735418	58	0.002	0.058
105151	735419	12	<0.001	0.012
105152	735420	1948	0.057	1.948
105154	735421	13	<0.001	0.013
105155	735422	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, January 6, 2012


Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstares@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 11/30/2011
 Date Completed: 01/06/2012
 Job #: 201161058
 Reference: Sewell Project
 Sample #: 97

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
107248	735423	9	<0.001	0.009
107249	735424	29	<0.001	0.029
107250	735425	<5	<0.001	<0.005
107251	735426	<5	<0.001	<0.005
107252	735427	<5	<0.001	<0.005
107253	735428	<5	<0.001	<0.005
107254	735429	<5	<0.001	<0.005
107255	735430	6147	0.179	6.147
107256	735431	11	<0.001	0.011
107257	735432	<5	<0.001	<0.005
107258 Dup	735432	5	<0.001	0.005
107259	735433	<5	<0.001	<0.005
107260	735434	<5	<0.001	<0.005
107261	735435	<5	<0.001	<0.005
107262	735436	<5	<0.001	<0.005
107263	735437	7	<0.001	0.007
107264	735438	<5	<0.001	<0.005
107265	735439	<5	<0.001	<0.005
107266	735440	<5	<0.001	<0.005
107267	735441	<5	<0.001	<0.005
107268	735442	<5	<0.001	<0.005
107269 Dup	735442	5	<0.001	0.005
107270	735443	6	<0.001	0.006
107271	735444	<5	<0.001	<0.005
107272	735445	8	<0.001	0.008
107273	735446	9	<0.001	0.009
107274	735447	<5	<0.001	<0.005
107275	735448	<5	<0.001	<0.005
107276	735449	<5	<0.001	<0.005
107277	735450	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, January 6, 2012


Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstares@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 11/30/2011
 Date Completed: 01/06/2012
 Job #: 201161058
 Reference: Sewell Project
 Sample #: 97

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
107278	735451	20	<0.001	0.020
107279	735452	<5	<0.001	<0.005
107280 Dup	735452	<5	<0.001	<0.005
107281	735453	<5	<0.001	<0.005
107282	735454	<5	<0.001	<0.005
107283	735455	92	0.003	0.092
107284	735456	53	0.002	0.053
107285	735457	41	0.001	0.041
107286	735458	<5	<0.001	<0.005
107287	735459	<5	<0.001	<0.005
107288	735460	2313	0.067	2.313
107289	735461	<5	<0.001	<0.005
107290	735462	<5	<0.001	<0.005
107291 Dup	735462	7	<0.001	0.007
107292	735463	13	<0.001	0.013
107293	735464	23	<0.001	0.023
107294	735465	89	0.003	0.089
107295	735466	7	<0.001	0.007
107296	735467	<5	<0.001	<0.005
107297	735468	<5	<0.001	<0.005
107298	735469	13	<0.001	0.013
107299	735470	6296	0.184	6.296
107300	735471	<5	<0.001	<0.005
107301	735472	<5	<0.001	<0.005
107302 Dup	735472	25	<0.001	0.025
107303	735473	<5	<0.001	<0.005
107304	735474	<5	<0.001	<0.005
107305	735475	<5	<0.001	<0.005
107306	735476	6	<0.001	0.006
107307	735477	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, January 6, 2012


Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstares@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 11/30/2011
 Date Completed: 01/06/2012
 Job #: 201161058
 Reference: Sewell Project
 Sample #: 97

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
107308	735478	7	<0.001	0.007
107309	735479	<5	<0.001	<0.005
107310	735480	2226	0.065	2.226
107311	735481	<5	<0.001	<0.005
107312	735482	7	<0.001	0.007
107313 Rep	735482	11	<0.001	0.011
107314	735483	20	<0.001	0.020
107315	735484	<5	<0.001	<0.005
107316	735485	57	0.002	0.057
107317	735486	<5	<0.001	<0.005
107318	735487	27	<0.001	0.027
107319	735488	<5	<0.001	<0.005
107320	735489	<5	<0.001	<0.005
107321	735490	<5	<0.001	<0.005
107322	735491	<5	<0.001	<0.005
107323	735492	<5	<0.001	<0.005
107324 Dup	735492	<5	<0.001	<0.005
107325	735493	<5	<0.001	<0.005
107326	735494	<5	<0.001	<0.005
107327	735495	<5	<0.001	<0.005
107328	735496	<5	<0.001	<0.005
107329	735497	<5	<0.001	<0.005
107330	735498	<5	<0.001	<0.005
107331	735499	<5	<0.001	<0.005
107332	735500	2029	0.059	2.029
107333	1230550	<5	<0.001	<0.005
107334	1230551	<5	<0.001	<0.005
107335 Dup	1230551	<5	<0.001	<0.005
107336	1230552	<5	<0.001	<0.005
107337	1230553	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, January 6, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 11/30/2011
 Date Completed: 01/06/2012
 Job #: 201161058
 Reference: Sewell Project
 Sample #: 97

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
107338	1230554	<5	<0.001	<0.005
107339	1230555	<5	<0.001	<0.005
107340	1230556	<5	<0.001	<0.005
107341	1230557	<5	<0.001	<0.005
107342	1230558	<5	<0.001	<0.005
107343	1230559	11	<0.001	0.011
107344	1230560	2233	0.065	2.233
107345	1230561	No Sample Received		
107346 Dup	1230561	No Sample Received		
107347	1230562	<5	<0.001	<0.005
107348	1230563	<5	<0.001	<0.005
107349	1230564	<5	<0.001	<0.005
107350	1230565	<5	<0.001	<0.005
107351	1230566	<5	<0.001	<0.005
107352	1230567	<5	<0.001	<0.005
107353	1230568	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, January 6, 2012


Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/06/2011
 Date Completed: 01/06/2012
 Job #: 201161086
 Reference: Sewell Project
 Sample #: 66

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
109403	1230569	13	<0.001	0.013
109404	1230570	2051	0.060	2.051
109405	1230571	No Sample Received		
109406	1230572	5	<0.001	0.005
109407	1230573	<5	<0.001	<0.005
109408	1230574	<5	<0.001	<0.005
109409	1230575	<5	<0.001	<0.005
109410	1230576	<5	<0.001	<0.005
109411	1230577	5	<0.001	0.005
109412	1230578	6	<0.001	0.006
109413	Dup 1230578	<5	<0.001	<0.005
109414	1230579	7	<0.001	0.007
109415	1230580	<5	<0.001	<0.005
109417	1230582	8	<0.001	0.008
109418	1230583	9	<0.001	0.009
109419	1230584	11	<0.001	0.011
109420	1230585	18	<0.001	0.018
109421	1230586	9	<0.001	0.009
109422	1230587	8	<0.001	0.008
109423	1230588	5	<0.001	0.005
109424	Dup 1230588	8	<0.001	0.008
109425	1230589	5	<0.001	0.005
109426	1230590	5831	0.170	5.831
109427	1230591	9	<0.001	0.009
109428	1230592	<5	<0.001	<0.005
109429	1230593	<5	<0.001	<0.005
109430	1230594	<5	<0.001	<0.005
109431	1230595	7	<0.001	0.007
109432	1230596	<5	<0.001	<0.005
109433	1230597	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, January 6, 2012


Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstares@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/06/2011
 Date Completed: 01/06/2012
 Job #: 201161086
 Reference: Sewell Project
 Sample #: 66

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
109434	1230598	30	<0.001	0.030
109435 Dup	1230598	<5	<0.001	<0.005
109436	1230599	19	<0.001	0.019
109437	1230600	12	<0.001	0.012
109438	1230601	<5	<0.001	<0.005
109439	1230602	<5	<0.001	<0.005
109440	1230603	<5	<0.001	<0.005
109441	1230604	<5	<0.001	<0.005
109442	1230605	<5	<0.001	<0.005
109443	1230606	<5	<0.001	<0.005
109444	1230607	<5	<0.001	<0.005
109445	1230608	<5	<0.001	<0.005
109446 Dup	1230608	20	<0.001	0.020
109447	1230609	<5	<0.001	<0.005
109448	1230610	<5	<0.001	<0.005
109449	1230611	<5	<0.001	<0.005
109450	1230612	7	<0.001	0.007
109451	1230613	11	<0.001	0.011
109452	1230614	<5	<0.001	<0.005
109453	1230615	<5	<0.001	<0.005
109454	1230616	<5	<0.001	<0.005
109455	1230617	<5	<0.001	<0.005
109456	1230618	<5	<0.001	<0.005
109457 Dup	1230618	<5	<0.001	<0.005
109458	1230619	34	0.001	0.034
109459	1230620	1979	0.058	1.979
109460	1230621	6	<0.001	0.006
109461	1230622	<5	<0.001	<0.005
109462	1230623	<5	<0.001	<0.005
109463	1230624	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, January 6, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/06/2011
 Date Completed: 01/06/2012
 Job #: 201161086
 Reference: Sewell Project
 Sample #: 66

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
109464	1230625	<5	<0.001	<0.005
109465	1230626	<5	<0.001	<0.005
109466	1230627	<5	<0.001	<0.005
109467	1230628	<5	<0.001	<0.005
109468 Rep	1230628	19	<0.001	0.019
109469	1230629	<5	<0.001	<0.005
109470	1230630	<5	<0.001	<0.005
109471	1230631	<5	<0.001	<0.005
109472	1230632	<5	<0.001	<0.005
109473	1230633	<5	<0.001	<0.005
109474	1230634	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1

Certified By: 
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 10, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstares@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/09/2011

Date Completed: 01/10/2012


Job #: 201161108

Reference: Sewell Project

Sample #: 57

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
112636	1230635	11	<0.001	0.011
112637	1230636	14	<0.001	0.014
112638	1230637	11	<0.001	0.011
112639	1230638	10	<0.001	0.010
112640	1230639	8	<0.001	0.008
112641	1230640	5349	0.156	5.349
112642	1230641	33	<0.001	0.033
112643	1230642	10	<0.001	0.010
112644	1230643	<5	<0.001	<0.005
112645	1230644	149	0.004	0.149
112646 Dup	1230644	149	0.004	0.149
112647	1230645	11	<0.001	0.011
112648	1230646	<5	<0.001	<0.005
112649	1230647	7	<0.001	0.007
112650	1230648	12	<0.001	0.012
112651	1230649	11	<0.001	0.011
112652	1230501	9	<0.001	0.009
112653	1230502	8	<0.001	0.008
112654	1230503	16	<0.001	0.016
112655	1230504	14	<0.001	0.014
112656	1230505	11	<0.001	0.011
112657 Dup	1230505	14	<0.001	0.014
112658	1230506	32	<0.001	0.032
112659	1230507	57	0.002	0.057
112660	1230508	120	0.004	0.120
112661	1230509	8	<0.001	0.008
112662	1230510	<5	<0.001	<0.005
112663	1230511	<5	<0.001	<0.005
112664	1230512	9	<0.001	0.009
112665	1230513	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 10, 2012


Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstares@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/09/2011
 Date Completed: 01/10/2012
 Job #: 201161108
 Reference: Sewell Project
 Sample #: 57

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
112666	1230514	7	<0.001	0.007
112667	1230515	8	<0.001	0.008
112668 Dup	1230515	9	<0.001	0.009
112669	1230516	<5	<0.001	<0.005
112670	1230517	5	<0.001	0.005
112671	1230518	7	<0.001	0.007
112672	1230519	7	<0.001	0.007
112673	1230520	2000	0.058	2.000
112674	1230521	<5	<0.001	<0.005
112675	1230522	5	<0.001	0.005
112676	1230523	6	<0.001	0.006
112677	1230524	<5	<0.001	<0.005
112678	1230525	10	<0.001	0.010
112679 Dup	1230525	7	<0.001	0.007
112680	1230526	8	<0.001	0.008
112681	1230527	463	0.014	0.463
112682	1230528	10	<0.001	0.010
112683	1230529	7	<0.001	0.007
112684	1230530	<5	<0.001	<0.005
112685	1230531	44	0.001	0.044
112686	1230532	11	<0.001	0.011
112687	1230533	17	<0.001	0.017
112688	1230534	6	<0.001	0.006
112689	1230535	6	<0.001	0.006
112690 Dup	1230535	9	<0.001	0.009
112691	1230536	69	0.002	0.069
112692	1230537	12	<0.001	0.012
112693	1230538	61985	1.808	61.985
112694	1230539	144	0.004	0.144
112695	1230540	5567	0.162	5.567

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, January 10, 2012

Certificate of Analysis

Benton Resources Corp.
3250 Hwy 130
Rosslyn, ON, CA
P7K 0B1
Ph#: (807) 475-7474
Fax#: (807) 475-7200
Email: sstares@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/09/2011

Date Completed: 01/10/2012

Job #: 201161108

Reference: Sewell Project

Sample #: 57

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
112696	1230541	29	<0.001	0.029
112697	1230542	19	<0.001	0.019

PROCEDURE CODES: ALP1, ALFA1


Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Thursday, January 12, 2012


Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/12/2011
 Date Completed: 01/12/2012
 Job #: 201161119
 Reference: Sewell Project
 Sample #: 134

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
113796	1230543	22	<0.001	0.022
113797	1230544	7	<0.001	0.007
113798	1230545	7	<0.001	0.007
113799	1230546	9	<0.001	0.009
113800	1230547	8	<0.001	0.008
113801	1230548	<5	<0.001	<0.005
113802	1230549	<5	<0.001	<0.005
113803	1230651	<5	<0.001	<0.005
113804	1230652	<5	<0.001	<0.005
113805	1230653	5	<0.001	0.005
113806 Dup	1230653	<5	<0.001	<0.005
113807	1230654	5	<0.001	0.005
113808	1230655	<5	<0.001	<0.005
113809	1230656	<5	<0.001	<0.005
113810	1230657	21	<0.001	0.021
113811	1230658	8	<0.001	0.008
113812	1230659	<5	<0.001	<0.005
113813	1230660	5445	0.159	5.445
113814	1230661	6	<0.001	0.006
113815	1230662	7	<0.001	0.007
113816	1230663	7	<0.001	0.007
113817 Dup	1230663	<5	<0.001	<0.005
113818	1230664	<5	<0.001	<0.005
113819	1230665	21	<0.001	0.021
113820	1230666	36	0.001	0.036
113821	1230667	113	0.003	0.113
113822	1230668	8	<0.001	0.008
113823	1230669	9	<0.001	0.009
113824	1230670	<5	<0.001	<0.005
113825	1230671	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 12, 2012


Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/12/2011
 Date Completed: 01/12/2012
 Job #: 201161119
 Reference: Sewell Project
 Sample #: 134

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
113826	1230672	7	<0.001	0.007
113827	1230673	11	<0.001	0.011
113828 Dup	1230673	8	<0.001	0.008
113829	1230674	6	<0.001	0.006
113830	1230675	<5	<0.001	<0.005
113831	1230676	6	<0.001	0.006
113832	1230677	9	<0.001	0.009
113833	1230678	<5	<0.001	<0.005
113834	1230679	<5	<0.001	<0.005
113835	1230680	2412	0.070	2.412
113836	1230681	<5	<0.001	<0.005
113837	1230682	7	<0.001	0.007
113838	1230683	<5	<0.001	<0.005
113839 Dup	1230683	<5	<0.001	<0.005
113840	1230684	<5	<0.001	<0.005
113841	1230685	<5	<0.001	<0.005
113842	1230686	<5	<0.001	<0.005
113843	1230687	<5	<0.001	<0.005
113844	1230688	<5	<0.001	<0.005
113845	1230689	<5	<0.001	<0.005
113846	1230690	<5	<0.001	<0.005
113847	1230691	<5	<0.001	<0.005
113848	1230692	5	<0.001	0.005
113849	1230693	5	<0.001	0.005
113850 Dup	1230693	<5	<0.001	<0.005
113851	1230694	7	<0.001	0.007
113852	1230695	12	<0.001	0.012
113853	1230696	17	<0.001	0.017
113854	1230697	86	0.002	0.086
113855	1230698	34	<0.001	0.034

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 12, 2012


Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/12/2011
 Date Completed: 01/12/2012
 Job #: 201161119
 Reference: Sewell Project
 Sample #: 134

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
113856	1230699	26	<0.001	0.026
113857	1230700	5356	0.156	5.356
113858	1230701	9	<0.001	0.009
113859	1230702	8	<0.001	0.008
113860	1230703	7	<0.001	0.007
113861 Rep	1230703	<5	<0.001	<0.005
113862	1230704	7	<0.001	0.007
113863	1230705	9	<0.001	0.009
113864	1230706	8	<0.001	0.008
113865	1230707	16	<0.001	0.016
113866	1230708	9	<0.001	0.009
113867	1230709	5	<0.001	0.005
113868	1230710	2181	0.064	2.181
113869	1230711	17	<0.001	0.017
113870	1230712	9	<0.001	0.009
113871	1230713	16	<0.001	0.016
113872 Dup	1230713	15	<0.001	0.015
113873	1230714	11	<0.001	0.011
113874	1230715	7	<0.001	0.007
113875	1230716	<5	<0.001	<0.005
113876	1230717	7	<0.001	0.007
113877	1230718	<5	<0.001	<0.005
113878	1230719	<5	<0.001	<0.005
113879	1230720	<5	<0.001	<0.005
113880	1230721	<5	<0.001	<0.005
113881	1230722	<5	<0.001	<0.005
113882	1230723	<5	<0.001	<0.005
113883 Dup	1230723	<5	<0.001	<0.005
113884	1230724	14	<0.001	0.014
113885	1230725	18	<0.001	0.018

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 12, 2012


Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/12/2011
 Date Completed: 01/12/2012
 Job #: 201161119
 Reference: Sewell Project
 Sample #: 134

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
113886	1230726	21	<0.001	0.021
113887	1230727	21	<0.001	0.021
113888	1230728	9	<0.001	0.009
113889	1230729	6	<0.001	0.006
113890	1230730	5023	0.147	5.023
113891	1230731	6	<0.001	0.006
113892	1230732	9	<0.001	0.009
113893	1230733	<5	<0.001	<0.005
113894 Dup	1230733	<5	<0.001	<0.005
113895	1230734	<5	<0.001	<0.005
113896	1230735	<5	<0.001	<0.005
113897	1230736	9	<0.001	0.009
113898	1230737	<5	<0.001	<0.005
113899	1230738	<5	<0.001	<0.005
113900	1230739	6	<0.001	0.006
113901	1230740	<5	<0.001	<0.005
113902	1230741	<5	<0.001	<0.005
113903	1230742	<5	<0.001	<0.005
113904	1230743	<5	<0.001	<0.005
113905 Dup	1230743	<5	<0.001	<0.005
113906	1230744	<5	<0.001	<0.005
113907	1230745	<5	<0.001	<0.005
113908	1230746	<5	<0.001	<0.005
113909	1230747	<5	<0.001	<0.005
113910	1230748	<5	<0.001	<0.005
113911	1230749	8	<0.001	0.008
113912	1230750	2217	0.065	2.217
113913	1230751	12	<0.001	0.012
113914	1230752	<5	<0.001	<0.005
113915	1230753	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1


 Certified By: Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 12, 2012

Certificate of Analysis

Benton Resources Corp.
 3250 Hwy 130
 Rosslyn, ON, CA
 P7K 0B1
 Ph#: (807) 475-7474
 Fax#: (807) 475-7200
 Email: sstakes@bentonresources.ca, cbarr@bentonresources.ca

Date Received: 12/12/2011
 Date Completed: 01/12/2012
 Job #: 201161119
 Reference: Sewell Project
 Sample #: 134

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
113916	Dup 1230753	8	<0.001	0.008
113917	1230754	20	<0.001	0.020
113918	1230755	6	<0.001	0.006
113919	1230756	7	<0.001	0.007
113920	1230757	<5	<0.001	<0.005
113921	1230758	9	<0.001	0.009
113922	1230759	9	<0.001	0.009
113923	1230760	7	<0.001	0.007
113924	1230761	<5	<0.001	<0.005
113925	1230762	7	<0.001	0.007
113926	1230763	10	<0.001	0.010
113927	Rep 1230763	11	<0.001	0.011
113928	1230764	<5	<0.001	<0.005
113929	1230765	<5	<0.001	<0.005
113930	1230766	9	<0.001	0.009
113931	1230767	11	<0.001	0.011
113932	1230768	26	<0.001	0.026
113933	1230769	7	<0.001	0.007
113934	1230770	5241	0.153	5.241
113935	1230771	9	<0.001	0.009
113936	1230772	14	<0.001	0.014
113937	1230773	<5	<0.001	<0.005
113938	Dup 1230773	9	<0.001	0.009
113939	1230774	13	<0.001	0.013
113940	1230775	6	<0.001	0.006
113941	1230776	6	<0.001	0.006
113942	1230777	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1

Certified By: 
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory