

We are committed to providing [accessible customer service](#).
If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).
Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

Drilling Report 2012
Lakeland Resources Inc
KAM Project
Kamichisitit Twp

M. A. Tremblay

September 23, 2015

Table of Contents

Introduction	page	1
Location & Access		1
History		1
Regional Geological Setting		2
Property Geology		3
2012 Program		4
2015 Mapping		4
Results		5
Recommendations		7
List of Diagrams		
Location Map		3
Claim Map	in attachments	
Trench Location Map		6
Drill Plan	in attachments	
Appendix A - Drill Logs	in attachments	
Appendix B - Assay Certificates	in attachments	
Appendix C - Drill Sections	in attachments	
Certificate		8

Introduction

The Lakeland Resources Kam Project consists of 8 claims and (35 units) covers most of the known mineralized zones around the past producing Crownbridge and Copper Prince Mines in Kamichisitit Township, Sault Ste. Marie Mining Division Ontario.

During the late fall 2012 a 500m drill program and minor power-stripping was carried out to test the Copper Prince deposit. In September 2015 the trenches were cleaned out and mapped.

Location and Access

The property is accessed from the village of Iron Bridge, Ontario 130km east of Sault Ste. Marie on Highway 17, by travelling north for 11km along Highway 554, then 25 km along Highway 546 to the Cannon Mine road. The Cannon (Crownbridge) Mine road provides access throughout the property.

History

Copper mineralization was first reported at the Copper Prince property by S. Dillabough in 1928. This showing was sold to Consolidated Mining and Smelting who carried an 18 hole drill program, some hand trenching and outlined a small reserve.

In the early 1940s copper mineralization was discovered at the Cannon Prospect.

In 1966-67 Crownbridge Copper Mines Ltd constructed a 250 tpd mill to process material from their mine and other nearby properties.

In the late 1960s and early 1970s mining was carried out at both the Copper Prince and Cannon Mines, however no record of this production could be located at the time of writing.

The OGS Resident Geologist's office have published tonnage and grade estimates for the Copper Prince and Cannon Mines of 43,359t @ 3% copper and 415,000t @ 1.8% copper respectively.



Mill Buildings at Crownbridge Mine circa 1981.


Regional Geological Setting

Geological work by the Ontario Geological Survey indicates the property is underlain by the Gowganda Formation which is part of the Proterozoic Huronian Supergroup metasedimentary rocks of the Southern Province.

Property Geology

A review of published maps, assessment files and field observations show the Kam Project to be underlain by rocks of the Gowganda Formation of the Huronian Supergroup.

Mineralization consists of chalcopyrite and pyrite, both disseminated and massive, in structurally controlled quartz veins. Minor gold values have been reported in some zones. Alteration of the host Gowganda Formation consists of chlorite, chlorite/silica, hematite and hematite/silica alteration.



2012 Program

Lakeland Resources initiated a 500m drill program in November 2012 to verify historic mineralization reported on the Copper Prince property by previous workers.

A total of 4 holes were drilled on 3 sections.

A small power-stripping program was also carried out, but due to early snowfall geological was postponed to a later date.

Copper mineralization was noted in all drill holes. In holes Kam-01 and 02 a narrow upper zone was noted, with values of 1.68/0.9m and 0.497/0.8m respectively.

The best intersection of the program came from Kam-01 and assayed 1.75 % Cu/3.0m, including 2.36 Cu/1.0m (main zone).

2015 Program

Following up work from 2012, the author spent 5 days cleaning and mapping trenches A and B.


At the time of writing no sampling has yet been done, however the vein system and alteration types are well exposed in Trench A.



(Lto R) Keith Sayers and Alesia Boyer Natural Resources Dept. Mississagi First Nation with Elder Willy Pine in front of adit at Copper Prince Mine (October 2012).

Results

The 2012 drilling program at Kam did confirm copper mineralization at the Copper Prince property. Mineralization was noted in all 4 drill holes with the best intersection being in the main zone in hole Kam-01, which returned 1.75 Cu/3.0m including 2.36 Cu/1.0m. See Appendix B.



Recommendations

Prior to future drilling, it is recommended that a thorough compilation be undertaken to help determine 'ore shoot' orientation as discussed by previous workers at Copper Prince.

Further stripping of old trenches along with channel sampling is also recommended.

This along with magnetic and IP surveys should be carried out ahead of a more substantial drill program.

Respectfully submitted,

M.A. Tremblay

September 23, 2015


Certificate

I, Michael A. Tremblay, do hereby certify that:

- 1. I am a graduate of Sault College AAT Geological Engineering Technician Program (1983);**
- 2. I have been involved in mineral exploration since graduation as my primary means of income;**
- 3. I carried-out/supervised all field works herein reported;**
- 4. I have no interest in the subject property; and**
- 5. This report is based upon the study of all available technical data and field observations of work carried out and herein reported.**

M.A. Tremblay

September 23, 2015



Drillhole Location Map



Mining Claim - 4269947

KAM-01 KAM-02 KAM-04 KAM-03


DB OA

Trench Location Map

Legend

- Drill Collar
- Drillhole Trace
- Mining Claim


NAD 83 UTM Zone 17





343200 343300 343400 343500 343600 343700

5153020
5152960
5152900
5152840
5152780
5152720


5153020
5152960
5152900
5152840
5152780
5152720






Trench A

Lakeland Res.
Copper Prince Property




17 343514 m E
S152906 m N



0 1 2 3
| | | | m

Trench B

Lakeland Res.
Copper Prince Property



Drillhole: KAM-01

Collar at 17 0343504mE 5152977mN NAD 83.

Azimuth 180 deg, dip (-45).

BTW core by Chenier Drilling.

Hole started Nov 29, 2012, finished Nov 30,2012.

Core stored on site.

Dip tests: 30m 185.9AZ, (-40.4) 54500 gammas.
 50m 185.9AZ, (-39.6), 55030 gammas
 100m 184.7 AZ, (-36.2), 54600 gammas
 110m 184.5AZ, (-36.1) 56040 gammas.

Logged by M. Tremblay Nov 29-30, 2012.

Drill Log: KAM-01

Hole No.	From	To	Width	Code	Comments
KAM-01	0.00	16.90	16.9	o/b	Sand to sandy gravel. 50cm of till @ LC
	16.90	33.20		Sed	UC to 24.8 unit is fine grained grey to pinkish-grey with 5% disseminated qtz masses to 3mm, locally to 15%. 24.8-26.7- medium grained with angular k-spar grains to 4mm, 5% qtz masses locally to 10% and up to 2 x 4mm. Unit is pink/orange. LC sharp @ 10-15% CA. 26.7-30.6- fine grained brown-pink to pink/orange, local sections of more gritty pink k-spar. 30.6-LC-unit has a granitic appearance with fine swerly siliceous veinlets to .5mm. Unit becomes darker and siliceous towards LC.
	33.20	40.00		Diabase	Nippissing(?) Dark green/black aphanitic @ contacts which are sharp @ 20deg CA. 34-38.6 unit is medium grained, local sections with k-spar (granophyre?) and olivine to 4mm
	40.00	41.70		Sed	Siliceous and fine grained with micro brecciation @ UC and in center of section. LC faulted @ approx. 80deg CA.
	41.70	42.60		Qtz-Cpy	Qtz breccia with 5% cpy blebs to 5mm. Sericite(?), k-spar and chlorite. Upper 5cm is fault gouged. Unit has a pronounced fabric @ approx. 50degCA. LC sharp @ approx 60degCA.
	42.60	90.40		Sed	Pink/orange k-spar rich sed with up to 10% diss. Qtz masses(eyes?). Unit is hematized(?). Localized fracture controlled qtz stringers with cpy at: 45.9m(2cm), 47.1m (50% to 5cm @50deg), 48.4 (50% to 3cm @ 50deg for 10cm), 58.0 (5cm @ 45deg). Fault @45degCA at 65.0m. 71.6-71.8m pebble bed, irregular contacts ant approx. 35degCA. 65.9m(qtz-chl-cpy veinlet 3cm @ 70deg). 77.0-77.3 (40% qtz-chl-cpy @ 65degCA).75.6m 8cm qtz-chl-cpy @ 65degCA. 89.9m to LC- brecciated with 25% qtz veining with cpy.
	90.40	98.10		Main Zone	Qtz-chl-cpy veins and stringers. Varies from 20 fracture controlled veinlets to 100% veins to 70cm. Cpy in blebs and patches 3-5% overall, with up to 20% locally
	98.10	115.00		Sed	Conglomeratic in upper section. 108.3-108.7m fault zone with gouge to 1cm. 110.0m 3cm gouge @ 50degCA. 111.1m fault with 2cm gouge @ 70deg CA.
	115.00			EOH	End of Hole

Drillhole: KAM-02

Collar at 17 0343504mE 5152977mN NAD 83.

Azimuth 180 deg, dip (-55).

BTW core by Chenier Drilling.

Hole started Nov 30, 2012, finished Dec 3,2012.

Core stored on site.

**Dip tests: 18m 189.7AZ, (-53.0) 54530 gammas.
 50m 190.2AZ, (-53.3), 54670 gammas
 100m 194.0 AZ, (-53.7), 54510 gammas
 150m 197.0AZ, (-53.6) 54690 gammas
 165m 197.2AZ,(-53.1),54620 gammas.**

Logged by M. Tremblay Dec 3, 2012.

Drill Log: KAM-02

Hole No.	From	To	Width	Code	Comments
KAM-02	0.00	14.50	14.5	o/b	Sand to sandy gravel. 50cm of till @ LC
	14.50	39.60		Sed	Fine grained brown to (salmon)orange to 23.3m. Coarse grained and gritty with occasional pebble beds. Small fault @ 55degCA at 25.1m. 30.3-31.0 Rubble, broken core, possible fault (chloritic along fractures). 5cm black dyke 28.6m @ 70degCA. Lower contact irregular and faulted at approx 60degCA.
	39.60	47.50		Diabase	Nippising(?) Darkgreen/black, aphanitic proximal to contacts, medium grained in center. Rubbly sections at 43-44m, 46.8-47.5m. Fault gouge at LC 40degCA.
	47.50	48.30		Qtz-Cpy	Qtz-breccia veining(fault?) 1-2 % cpy disseminated throughout. LC sharp irregular @ 60degCA.
	48.30	77.90		Sed	Pink/orange finegrained sediment. 10% fracture controlled QS with cpy in upper 2m. Pebble beds at 63.2m, 69.5m. 65.2m-Qtz-cpy veining (10cm) @45degCA. 71.8m- 5cm @70degCA,70.4m 20% Qtz-cpy @ 50degCA. 1cm faults @ 25degCA at 64.9 & 70.4m
	77.90	89.00		Sed	Conglomerate, black (chloritic/argillaceous) matrix with occasional granite pebbles. UC sharp and irregular @ 45degCA. FZ @50degCA at 79.8m. Qtz-cpy veins as follows: 85.2m 2x5cm @ 30-50degCA.,86.0m 2cm @ 30degCA., 87.8m 12cm @ 50degCA, 91.1m 15cm with massive CPY @ 50degCA. Unit is hematized (orange) @ LC which is faulted @ 45deg CA with 5cm gouge.
	89.00	147.60		Sed	Brown to orange fg sediment as above. 91.1 15cm massive cpy in vein @50degCA. 92.1 1cm tr cpy @ 50degCA. 95.0- 20cm qtz breccia tr cpy. Fault Zone: 96.4m 3cm gouge @ 70degCA.; 97.8m @50degCA.; 103-105m broken ground. Unit is brown coloured through FZ. 106.0-107.5 pebble bed with black (chlorite) matrix. 110.5-111.0 blocky. 119.6-131.0 unit becomes dark(chloritic). 120.0-121.9- pebble conglomerate 30degCA. FZ 122.2m, 129.0 and 132.2 @ 45degCA. 130.5- 183.5 unit is clast supported. LC sharp irregular @ 80degCA.
	147.60	165.00		Sed	Siltstone/mudstone- siliceous brownish-grey bands with alternating reddish bands (Jasper?). Local slumping/kink banding.
	165.00			EOH	End of Hole

Drillhole: KAM-03

Collar: 17 343553mE 5152977mN

180degAZ (-45).

Drilled by Chenier Drilling Dec 2-5, 2012.

Logged by M. Tremblay Dec 5-6, 2012.

Core stored on site.

Dip Tests:

0.00				180degAZ, -45,
37.00				184.2degAZ, -44.3, 54600 gammas
50.00				185.1degAZ, -43.5, 55210 gammas
100.00				187.1degAZ, -43.154610 gammas

Drill Log: KAM-03

Hole No.	From	To	Width	Code	Comments
KAM-03	0.00	29.00		o/b	Gravel and sandy gravel. 0.5m of till at LC
	29.00	82.40		Sed	Orange fine grained sediment with occasional medium grained gritty sections. Occasional fracture controlled qtz stringers +/- cpy generally 1cm, up to 3cm, commonly at 45degCA. RQD on entire unit is poor. 75-77.3m core recovery 70%, 40% qtz-+/- cpy. LC approx 30degCA, sharp. Lower 0.5m is a QFP boulder(?).
	82.40	91.70		Sed	Conglomerate with dark fine grained supporting QFP clasts. Occasional Qtz-cpy fracture controlled stringers to 1cm @ 45-70degCA.
	91.70	92.90		Sed	Orange fg sediment as above. 5% frac con stringers to 1cm.
	92.90	96.00		Qtz-Cpy	Main Zone. Qtz-cpy veining and breccia veining. 20cm vein at UC. 93.1-94.8- 20-25% veining.94.8-96.0 Qtz-cpy vein. RQD low throughout zone.
	96.00	103.00		Sed	Conglomeratae as above. Broken ground 98 to 99m.
	103.00			EOH	

Drillhole: KAM-04

Collar at 17 343525mE 5152972mN(NAD83).

Drilling by Chenier Drilling Dec 6-8, 2012.

Logged by M. Tremblay Dec 6-10, 2012.

Core stored on site.

Hole oriented at 180degAZ, (-45).

Tests at:

- 27m 181.2AZ, (-45.1) 55610 gammas.**
- 50m 182.4AZ, (-44.3), 55060 gammas.**
- 100m 183.1AZ, (-44) 55500 gammas.**
- 117m 183.4AZ, (-43.7), 55060 gammas.**

Drill Log: KAM-04

Hole No.	From	To	Width	Code	Comments
KAM-04	0.00	21.00	21	o/b	Gravel to sandy gravel.
	21.00	22.40		Sed	Pink/orange fine to medium grained sediment. LC sharp irregular @ approx 80degCA.
	22.40	33.00		Diabase	Nippising(?) aphanitic proximal to contacts. Medium grained in center section. LC sharp irregular @ approx. 80degCA.
	33.00	41.00		Sed	Pink/orange fine grained sediment. Up to 5% frac con Qtz-cpy stringers to 1cm in bottom half of unit. 31.6m 10cm of rubble. 38.8 fracture zone @ 45degCA. LC sharp @ 60degCA.
	41.00	41.80		Qtz-Cpy	Upper Zone. 20-40% qtz-cpy veining to 10cm with up to 10% cpy.
	41.80	53.30		Sed	Pink/orange fg sediment as above. Rare frac con stringers to 1cm.
	53.30	55.00		Qtz	60% qtz-cpy veining to 15cm @ 35degCA. Cpy to 5%.
	55.00	87.00		Sed	Orange fg sediment as above. Rare granite clast. 60.2-60.4 Qtz-cpy vein @ 30degCA. 65.6- 5cm qtz-cpy vein @ 45degCA. 73.5-78.0- 20% qtz breccia and stringers. 81.2-81.4- qtz-cpy vein @ approx. 70degCA. LC brecciated @ approx. 70degCA.
	87.00	94.40		Qtz-Cpy	Main Zone. Chloritic @ UC. 87.0-87.5- 20% brecciated qtz-cpy veining mainly @ 70degCA. 87.5-90.2- qtz-cpy breccia veining to 70%, locally cpy to 10% as blebs to 1cm. 90.2 to LC- 20% veining, brecciated with chlorite, hosted in conglomerate. Becomes more vein dominated to LC. Veins to 15cm.
	94.40	108.20		Sed	Conglomerate. Dark(chl) matrix supporting granite clasts. 95.5- 5cm qtz cpy @ 50degCA. 98.1- 10cm @ 30degCA. 99.0m- 5mm fault gouge @ 20-30degCA. 103.0- Two 5cm faults with gouge @ 60degCA. Faults with 5cm gouge @ 45deg ca at 104.0, 104.1 and 105.0. Unit is hematized (orange) from 99.0m to LC.
	108.20	117.00		Sed	fg sediment with disseminated qtz masses(eyes?). Unit weakly hematized. 113.5m to LC is either granitized or is a granite boulder.
	117.00			EOH	

DDH	Sample#	From (m)	To (m)	Length (m)	Description	Cu %	Ag gpt	Au gpt
KAM-01	5378560	41.7	42.6	0.9		1.68	1.1	0.04
KAM-01	5378561	42.6	43.1	0.5	Dupl8565	0.0372	nil	nil
KAM-01	5378562	89.9	90.5	0.6		0.104	nil	0.005
KAM-01	5378563	90.5	91.5	1		0.278	nil	0.002
KAM-01	5378564	91.5	92.5	1		2.36	0.9	0.025
KAM-01	5378565	42.6	43.1	0.5	Dupl8561	0.0585	nil	nil
KAM-01	5378566	92.5	93.5	1		1.61	0.8	0.027
KAM-01	5378567	93.5	94.5	1		1.29	0.8	0.06
KAM-01	5378568	Standard	OREAS		201		nil	0.507
KAM-01	5378569	94.5	95.5	1		0.613	0.3	0.053
KAM-01	5378570	95.5	96.2	0.7		0.214	0.2	0.011
KAM-01	5378571	96.2	97.1	0.9		0.614	0.4	0.004
KAM-02	5378572	Blank	Kam02		45.1-45.3	0.0168	nil	nil
KAM-01	5378573	97.1	98.1	1		0.123	nil	0.001
KAM-01	5378574	98.1	99.2	0.9		0.0723	nil	0.011
KAM-02	5378575	47.5	48.3	0.8		0.497	0.6	0.02
Kam-02	5378576	45.3	45.5	0.2	Blank	0.0087	nil	0.002
KAM-02	5378577	48.3	49.5	1.2		0.0496	nil	0.001
KAM-02	5378578	49.5	50.5	1		0.0135	nil	0.001
KAM-02	5378579	Standard	OREAS		203	0.0077	nil	0.887
KAM-02	5378580	84.9	86	1.1		0.157	nil	0.004
KAM-02	5378581	87.8	88.2	0.4		0.013	nil	0.001
KAM-02	5378582	91.1	92.1	1		0.802	nil	0.013
KAM-02	5378583	95	95.6	0.6		0.035	nil	nil
KAM-03	5378584	75	76	1		0.036	nil	nil
KAM-03	5378585	76	77	1		0.1	nil	0.003
KAM-03	5378586	91.7	92.8	0.9		nil	nil	0.001
KAM-03	5378587	92.8	93.6	0.8		0.036	nil	0.001
KAM-03	5378588	93.6	94.3	0.7		0.091	nil	0.006
KAM-02	5378589	94.3	95	0.7		0.056	nil	0.001
KAM-03	5378590	95	96	1		1.62	1.1	0.022
KAM-04	5378591	41	41.8	0.8		0.08	nil	nil
KAM-04	5378592	73.5	75	1.5		0.588	0.5	0.004
KAM-04	5378593	75	76.5	1.5		0.07	nil	0.002
KAM-04	5378594	76.5	78	1.5		0.1	nil	0.002
KAM-04	5378595	86	87	1	Dupl 8597		nil	0.002
KAM-04	5378596	87	88	1		0.61	0.7	0.065
KAM-04	5378597	86	87	1	Dupl 8595		nil	0.001
KAM-04	5378598	88	89	1		0.56	0.8	0.02
KAM-04	5378599	89	89.7	0.7		0.69	0.7	0.013
KAM-04	5378600	89.7	90.4	0.7		2.14	1.1	0.048
KAM-04	5378601	90.4	91.1	0.7		0.188	nil	0.004
KAM-04	5378602	91.1	92	0.9		0.151	nil	0.003
KAM-04	5378603	92	93	1		0.397	0.3	0.029
KAM-04	5378604	93	93.7	0.7		0.096	nil	0.003
KAM-04	5378605	93.7	94.4	0.7		0.107	nil	0.001



CLIENT NAME: LAKELAND RESOURCES INC
284 SPRING GARDEN ROAD
OAKVILLE, ON L6L5H4
(403)

ATTENTION TO: JONATHAN ARMES

PROJECT NO: KAM

AGAT WORK ORDER: 12U673237

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Dec 19, 2012

PAGES (INCLUDING COVER): 10

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 12U673237

PROJECT NO: KAM

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: LAKELAND RESOURCES INC

ATTENTION TO: JONATHAN ARMES

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Dec 13, 2012	DATE RECEIVED: Dec 13, 2012					DATE REPORTED: Dec 19, 2012					SAMPLE TYPE: Drill Core				
Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01	
378560	1.1	0.67	23	6	14	<0.5	2	1.36	<0.5	23	32.2	36.9	>10000	3.34	
378561	<0.2	0.20	10	<5	16	<0.5	<1	0.60	<0.5	10	1.8	35.2	372	0.35	
378562	<0.2	0.58	<1	<5	10	<0.5	3	0.20	<0.5	45	12.9	37.7	1040	1.19	
378563	<0.2	1.76	2	<5	14	<0.5	6	0.43	<0.5	59	22.2	65.1	2780	3.47	
378564	0.9	0.51	<1	<5	4	<0.5	32	0.96	<0.5	19	7.2	31.4	>10000	3.17	
378565	<0.2	0.19	32	<5	14	<0.5	<1	0.55	<0.5	10	1.7	38.8	585	0.33	
378566	0.8	0.67	<1	<5	4	<0.5	18	0.42	<0.5	7	9.3	31.2	>10000	2.95	
378567	0.8	1.23	3	<5	5	<0.5	34	0.43	<0.5	13	15.6	71.7	>10000	3.62	
378568	<0.2	1.14	309	<5	104	<0.5	<1	1.00	<0.5	29	23.7	37.6	62.0	4.81	
378569	0.3	0.90	<1	<5	9	<0.5	12	0.44	<0.5	13	19.4	54.0	6130	2.29	
378570	0.2	0.84	20	<5	10	<0.5	38	0.49	<0.5	66	23.4	75.3	2140	1.77	
378571	0.4	0.22	1	<5	2	<0.5	<1	1.03	<0.5	4	4.6	34.3	6140	1.22	
378572	<0.2	2.36	<1	11	23	0.5	13	1.41	<0.5	24	35.4	85.1	168	5.93	
378573	<0.2	0.89	<1	<5	10	<0.5	4	0.40	<0.5	26	24.7	51.0	1230	1.82	
378574	<0.2	0.96	6	<5	10	<0.5	45	0.16	<0.5	34	30.8	74.0	723	2.14	

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12U673237

PROJECT NO: KAM

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: LAKELAND RESOURCES INC

ATTENTION TO: JONATHAN ARMES

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Dec 13, 2012	DATE RECEIVED: Dec 13, 2012						DATE REPORTED: Dec 19, 2012					SAMPLE TYPE: Drill Core			
Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10	
378560	6	<1	<1	0.16	9	10	0.33	303	31.8	<0.01	17.1	486	16.4	18	
378561	<5	<1	2	0.11	4	1	0.04	115	19.9	0.06	1.3	176	<0.5	<10	
378562	<5	<1	<1	0.06	20	5	0.35	148	19.6	0.07	6.9	200	4.2	<10	
378563	9	<1	2	0.11	24	20	1.27	298	13.3	0.05	32.2	471	4.7	15	
378564	6	<1	<1	0.03	7	4	0.54	535	28.7	0.03	5.5	256	12.3	<10	
378565	<5	<1	<1	0.09	4	1	0.04	122	22.8	0.05	1.3	146	<0.5	<10	
378566	<5	<1	2	0.03	3	8	0.48	233	16.9	0.03	9.9	235	12.9	<10	
378567	8	<1	3	0.03	5	16	0.94	218	19.5	0.03	23.0	340	9.5	<10	
378568	5	<1	<1	0.15	13	6	2.10	1180	26.0	0.17	96.3	1620	4.2	29	
378569	<5	<1	<1	0.05	5	10	0.62	197	21.2	0.08	15.1	374	2.1	<10	
378570	<5	<1	1	0.06	27	9	0.61	242	16.9	0.07	16.1	425	<0.5	<10	
378571	<5	<1	<1	<0.01	1	2	0.17	370	28.5	0.01	2.6	59	<0.5	<10	
378572	10	<1	<1	0.09	8	25	2.62	609	20.7	0.05	35.6	1130	14.4	16	
378573	<5	<1	<1	0.06	10	9	0.61	202	20.9	0.08	15.7	395	3.8	<10	
378574	6	<1	2	0.05	13	10	0.67	135	12.5	0.10	19.6	422	4.0	<10	

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12U673237

PROJECT NO: KAM

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: LAKELAND RESOURCES INC

ATTENTION TO: JONATHAN ARMES

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Dec 13, 2012	DATE RECEIVED: Dec 13, 2012					DATE REPORTED: Dec 19, 2012					SAMPLE TYPE: Drill Core				
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1	
Sample Description															
378560	2.59	<1	7.4	<10	<5	5.8	<10	22	<5	<0.01	<5	<5	20.3	53	
378561	0.070	<1	1.9	<10	<5	5.9	<10	12	<5	<0.01	<5	<5	3.2	<1	
378562	0.161	1	3.7	<10	<5	3.9	<10	<10	8	<0.01	50	<5	17.4	15	
378563	0.340	<1	6.9	<10	<5	5.2	<10	<10	17	0.01	9	5	46.3	57	
378564	2.10	8	7.4	48	<5	5.8	<10	21	<5	<0.01	<5	<5	14.8	51	
378565	0.069	3	2.1	<10	<5	4.8	<10	12	<5	<0.01	<5	<5	3.6	3	
378566	1.60	<1	8.2	<10	<5	3.8	<10	12	<5	<0.01	6	<5	18.5	43	
378567	1.29	<1	6.9	<10	<5	2.2	<10	<10	8	<0.01	12	<5	37.4	60	
378568	0.418	<1	6.3	<10	8	49.1	<10	<10	6	0.15	44	<5	43.3	82	
378569	0.692	<1	5.9	<10	<5	4.8	<10	<10	7	<0.01	15	<5	28.7	34	
378570	0.292	<1	4.9	<10	<5	6.8	<10	<10	7	<0.01	<5	<5	26.9	26	
378571	0.698	<1	6.5	<10	<5	10.4	<10	14	<5	<0.01	<5	<5	6.3	14	
378572	0.168	<1	12.2	<10	20	24.2	<10	<10	<5	0.39	48	<5	180	109	
378573	0.211	5	5.3	<10	10	5.9	<10	<10	9	<0.01	<5	<5	29.3	28	
378574	0.167	<1	5.3	<10	<5	3.7	<10	<10	9	0.01	24	<5	38.2	28	

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12U673237

PROJECT NO: KAM

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: LAKELAND RESOURCES INC

ATTENTION TO: JONATHAN ARMES

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Dec 13, 2012 DATE RECEIVED: Dec 13, 2012 DATE REPORTED: Dec 19, 2012 SAMPLE TYPE: Drill Core

Sample Description	Analyte: Unit: RDL:	Y ppm 1	Zn ppm 0.5	Zr ppm 5	Cu-OL % 0.01
378560		4	10.7	10	1.68
378561		2	2.4	9	
378562		4	14.9	12	
378563		8	9.8	19	
378564		6	5.0	6	2.36
378565		2	<0.5	9	
378566		3	4.1	<5	1.61
378567		5	7.1	9	1.29
378568		14	66.5	21	
378569		5	5.0	14	
378570		4	4.4	11	
378571		2	2.6	<5	
378572		13	58.5	12	
378573		4	1.8	15	
378574		5	6.6	17	

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12U673237

PROJECT NO: KAM

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: LAKELAND RESOURCES INC

ATTENTION TO: JONATHAN ARMES

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Dec 13, 2012 DATE RECEIVED: Dec 13, 2012 DATE REPORTED: Dec 19, 2012 SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
378560		1.54	0.040
378561		0.52	<0.001
378562		1.26	0.005
378563		2.44	0.002
378564		1.92	0.025
378565		0.64	<0.001
378566		1.60	0.027
378567		1.54	0.060
378568		0.10	0.507
378569		1.64	0.053
378570		1.16	0.011
378571		1.40	0.004
378572		0.60	<0.001
378573		2.48	0.001
378574		2.80	0.011

Comments: RDL - Reported Detection Limit

Certified By:



Quality Assurance

CLIENT NAME: LAKELAND RESOURCES INC
PROJECT NO: KAM

AGAT WORK ORDER: 12U673237
ATTENTION TO: JONATHAN ARMES

Solid Analysis											
RPT Date: Dec 19, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	4022586	0.040	0.034	16.2%	< 0.001	1.1	1.1	97%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	4022598	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	4022586	1.1	1.3	16.7%	< 0.2	15.1	13.0	116%	80%	120%
Al	1	4022586	0.667	0.745	11.0%	< 0.01				80%	120%
As	1	4022586	23	24	4.3%	< 1				80%	120%
B	1	4022586	6	6	0.0%	< 5				80%	120%
Ba	1	4022586	14	15	6.9%	< 1				80%	120%
Be	1	4022586	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	4022586	2	4		< 1				80%	120%
Ca	1	4022586	1.36	1.50	9.8%	< 0.01				80%	120%
Cd	1	4022586	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	4022586	23	25	8.3%	< 1				80%	120%
Co	1	4022586	32.2	34.7	7.5%	< 0.5				80%	120%
Cr	1	4022586	36.9	38.9	5.3%	< 0.5				80%	120%
Cu	1	4022586	> 10000	> 10000	0.0%	< 0.5	6164	6000	102%	80%	120%
Fe	1	4022586	3.34	3.69	10.0%	< 0.01				80%	120%
Ga	1	4022586	6	6	0.0%	< 5				80%	120%
Hg	1	4022586	< 1	< 1	0.0%	< 1				80%	120%
In	1	4022586	< 1	< 1	0.0%	< 1				80%	120%
K	1	4022586	0.16	0.17	6.1%	< 0.01				80%	120%
La	1	4022586	9	10	10.5%	< 1				80%	120%
Li	1	4022586	10	11	9.5%	< 1				80%	120%
Mg	1	4022586	0.334	0.370	10.2%	< 0.01				80%	120%
Mn	1	4022586	303	334	9.7%	< 1				80%	120%
Mo	1	4022586	31.8	27.0	16.3%	< 0.5	383	360	106%	80%	120%
Na	1	4022586	< 0.01	0.01		< 0.01				80%	120%
Ni	1	4022586	17.1	18.7	8.9%	< 0.5				80%	120%
P	1	4022586	486	516	6.0%	< 10				80%	120%
Pb	1	4022586	16.4	19.7	18.3%	< 0.5				80%	120%
Rb	1	4022586	18	20	10.5%	< 10				80%	120%
S	1	4022586	2.59	2.76	6.4%	< 0.005				80%	120%
Sb	1	4022586	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	4022586	7.44	8.44	12.6%	< 0.5				80%	120%
Se	1	4022586	< 10	14		< 10				80%	120%
Sn	1	4022586	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	4022586	5.81	6.60	12.7%	< 0.5				80%	120%
Ta	1	4022586	< 10	< 10	0.0%	< 10				80%	120%
Te	1	4022586	22	15		< 10				80%	120%
Th	1	4022586	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	4022586	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	4022586	< 5	< 5	0.0%	< 5				80%	120%



Quality Assurance

CLIENT NAME: LAKELAND RESOURCES INC
PROJECT NO: KAM

AGAT WORK ORDER: 12U673237
ATTENTION TO: JONATHAN ARMES

Solid Analysis (Continued)											
RPT Date: Dec 19, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
U	1	4022586	< 5	< 5	0.0%	< 5				80%	120%
V	1	4022586	20.3	22.2	8.9%	< 0.5				80%	120%
W	1	4022586	53	59	10.7%	< 1				80%	120%
Y	1	4022586	4	5	22.2%	< 1				80%	120%
Zn	1	4022586	10.7	12.3	13.9%	< 0.5				80%	120%
Zr	1	4022586	10	11	9.5%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	4022598	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	4022598	2.36	2.60	9.7%	< 0.01				80%	120%
As	1	4022598	< 1	< 1	0.0%	< 1				80%	120%
B	1	4022598	11	11	0.0%	< 5				80%	120%
Ba	1	4022598	23	24	4.3%	< 1				80%	120%
Be	1	4022598	0.5	0.5	0.0%	< 0.5				80%	120%
Bi	1	4022598	13	< 1		< 1				80%	120%
Ca	1	4022598	1.41	1.50	6.2%	< 0.01				80%	120%
Cd	1	4022598	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	4022598	24	25	4.1%	< 1				80%	120%
Co	1	4022598	35.4	35.7	0.8%	< 0.5				80%	120%
Cr	1	4022598	85.1	91.3	7.0%	< 0.5				80%	120%
Cu	1	4022598	168	182	8.0%	< 0.5				80%	120%
Fe	1	4022598	5.93	6.39	7.5%	< 0.01				80%	120%
Ga	1	4022598	10	11	9.5%	< 5				80%	120%
Hg	1	4022598	< 1	< 1	0.0%	< 1				80%	120%
In	1	4022598	< 1	< 1	0.0%	< 1				80%	120%
K	1	4022598	0.090	0.098	8.5%	< 0.01				80%	120%
La	1	4022598	8	8	0.0%	< 1				80%	120%
Li	1	4022598	25	28	11.3%	< 1				80%	120%
Mg	1	4022598	2.62	2.86	8.8%	< 0.01				80%	120%
Mn	1	4022598	609	647	6.1%	< 1				80%	120%
Mo	1	4022598	20.7	22.6	8.8%	< 0.5				80%	120%
Na	1	4022598	0.05	0.05	0.0%	< 0.01				80%	120%
Ni	1	4022598	35.6	37.9	6.3%	< 0.5				80%	120%
P	1	4022598	1130	1190	5.2%	< 10				80%	120%
Pb	1	4022598	14.4	9.1		< 0.5				80%	120%
Rb	1	4022598	16	18	11.8%	< 10				80%	120%
S	1	4022598	0.168	0.178	5.8%	< 0.005				80%	120%
Sb	1	4022598	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	4022598	12.2	13.1	7.1%	< 0.5				80%	120%
Se	1	4022598	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	4022598	20	20	0.0%	< 5				80%	120%
Sr	1	4022598	24.2	26.6	9.4%	< 0.5				80%	120%
Ta	1	4022598	< 10	< 10	0.0%	< 10				80%	120%
Te	1	4022598	< 10	< 10	0.0%	< 10				80%	120%
Th	1	4022598	5	6	18.2%	< 5				80%	120%



Quality Assurance

CLIENT NAME: LAKELAND RESOURCES INC
 PROJECT NO: KAM

AGAT WORK ORDER: 12U673237
 ATTENTION TO: JONATHAN ARMES

Solid Analysis (Continued)

RPT Date: Dec 19, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Ti	1	4022598	0.39	0.42	7.4%	< 0.01			80%	120%
Tl	1	4022598	48	32		< 5			80%	120%
U	1	4022598	< 5	< 5	0.0%	< 5			80%	120%
V	1	4022598	180	191	5.9%	< 0.5			80%	120%
W	1	4022598	109	118	7.9%	< 1			80%	120%
Y	1	4022598	13	14	7.4%	< 1			80%	120%
Zn	1	4022598	58.5	61.2	4.5%	< 0.5			80%	120%
Zr	1	4022598	12	14	15.4%	< 5			80%	120%

Certified By: _____

Method Summary

CLIENT NAME: LAKELAND RESOURCES INC

AGAT WORK ORDER: 12U673237

PROJECT NO: KAM

ATTENTION TO: JONATHAN ARMES

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP/OES
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Cu-OL	MIN-200-12032		AA
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



CLIENT NAME: LAKELAND RESOURCES INC
284 SPRING GARDEN ROAD
OAKVILLE, ON L6L5H4
(403)

ATTENTION TO: JONATHAN ARMES

PROJECT NO: KAM

AGAT WORK ORDER: 12U674165

SOLID ANALYSIS REVIEWED BY: Yufei Chen, Analyst

DATE REPORTED: Jan 07, 2013

PAGES (INCLUDING COVER): 12

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 12U674165

PROJECT NO: KAM

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: LAKELAND RESOURCES INC

ATTENTION TO: JONATHAN ARMES

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Dec 17, 2012	DATE RECEIVED: Dec 17, 2012					DATE REPORTED: Jan 07, 2013					SAMPLE TYPE: Drill Core				
Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01	
S378575	0.6	0.32	<1	5	7	<0.5	<1	0.63	1.3	12	15.4	27.1	4970	1.31	
S378576	<0.2	2.22	3	6	18	<0.5	103	1.66	4.8	25	33.5	81.5	87.6	5.03	
S378577	<0.2	0.13	<1	5	7	<0.5	<1	0.59	<0.5	22	2.0	20.8	496	0.25	
S378578	<0.2	0.17	3	5	6	<0.5	21	0.70	<0.5	29	3.5	23.5	135	0.36	
S378579	<0.2	1.69	474	5	145	0.6	<1	1.02	3.8	33	22.8	54.8	77.1	5.23	
S378580	<0.2	1.90	<1	5	12	<0.5	<1	0.19	3.8	37	22.1	63.4	1570	3.95	
S378581	<0.2	0.19	<1	5	7	<0.5	11	0.74	<0.5	25	3.0	21.4	133	0.40	
S378582	0.6	0.91	20	5	6	<0.5	<1	0.80	1.8	14	20.4	39.1	8020	2.73	
S378583	<0.2	0.24	<1	5	4	<0.5	18	0.35	<0.5	8	8.0	28.7	347	0.50	
S378584	<0.2	0.16	<1	5	5	<0.5	2	0.11	<0.5	9	1.9	34.0	365	0.37	
S378585	<0.2	0.18	18	5	6	<0.5	12	0.16	0.6	7	2.9	30.9	1000	0.53	
S378586	<0.2	0.27	<1	5	6	<0.5	<1	0.43	0.8	13	11.7	47.4	45.1	0.65	
S378587	<0.2	0.23	<1	5	5	<0.5	43	0.26	<0.5	6	14.6	41.2	358	0.60	
S378588	<0.2	0.43	<1	5	4	<0.5	25	0.36	0.5	10	20.1	48.8	909	0.95	
S378589	<0.2	0.37	<1	5	4	<0.5	33	0.68	0.6	9	16.2	50.7	559	0.81	
S378590	1.1	0.25	<1	5	2	<0.5	36	0.83	1.3	5	6.8	41.1	>10000	2.07	
S378591	<0.2	0.17	<1	5	7	<0.5	53	0.94	<0.5	11	1.8	33.7	807	0.45	
S378592	0.5	0.21	<1	5	6	<0.5	40	0.21	0.9	14	3.5	41.1	5880	0.86	
S378593	<0.2	0.28	4	5	8	<0.5	27	0.15	<0.5	18	4.7	46.0	763	0.63	
S378594	<0.2	0.21	<1	5	7	<0.5	4	0.19	<0.5	38	1.5	38.2	1050	0.48	
S378595	<0.2	0.28	2	5	6	<0.5	25	0.08	<0.5	15	5.3	28.3	45.8	0.48	
S378596	0.7	1.16	<1	5	5	<0.5	52	0.34	2.0	96	20.1	42.4	6130	2.64	
S378597	<0.2	0.27	<1	5	5	<0.5	4	0.07	0.7	14	5.1	30.8	43.9	0.46	
S378598	0.8	0.49	23	5	4	<0.5	35	0.97	1.1	9	10.4	40.7	5600	1.40	
S378599	0.7	0.66	<1	5	6	<0.5	1	0.32	<0.5	20	11.3	45.8	6900	1.75	
S378600	1.1	0.15	<1	5	3	<0.5	10	0.04	0.8	2	3.7	34.0	>10000	2.17	
S378601	<0.2	0.76	<1	5	7	<0.5	56	0.12	0.8	42	18.8	50.6	1880	1.56	
S378602	<0.2	0.51	<1	5	6	<0.5	5	0.39	0.7	14	16.4	34.4	1510	1.05	
S378603	0.3	0.95	<1	5	4	<0.5	38	0.27	1.4	9	15.9	44.0	3970	2.10	
S378604	<0.2	0.43	<1	5	6	<0.5	8	0.21	<0.5	13	22.2	57.5	965	0.99	
S378605	<0.2	0.45	<1	5	6	<0.5	<1	0.08	1.4	7	18.7	56.1	1070	1.01	

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12U674165

PROJECT NO: KAM

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: LAKELAND RESOURCES INC

ATTENTION TO: JONATHAN ARMES

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Dec 17, 2012	DATE RECEIVED: Dec 17, 2012							DATE REPORTED: Jan 07, 2013				SAMPLE TYPE: Drill Core			
Analyte: Unit: RDL:	Ga ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Rb ppm	
Sample Description	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10	
S378575	<5	<1	<1	0.06	5	5	0.19	119	27.7	<0.01	6.1	217	7.1	<10	
S378576	10	<1	<1	0.07	8	24	2.33	599	35.7	0.03	37.9	947	9.2	14	
S378577	<5	<1	1	0.05	9	<1	0.05	124	30.5	0.03	1.5	177	<0.5	<10	
S378578	<5	<1	<1	0.05	13	1	0.08	157	27.2	0.03	1.7	189	<0.5	<10	
S378579	9	6	1	0.36	15	14	1.84	1750	52.7	0.14	86.9	1670	14.1	78	
S378580	9	8	<1	0.09	15	20	1.41	250	16.9	0.03	35.5	489	9.9	12	
S378581	<5	2	<1	0.05	11	1	0.09	142	24.1	0.03	1.5	222	<0.5	<10	
S378582	7	<1	<1	0.05	6	10	0.67	256	34.1	0.03	19.4	383	17.0	<10	
S378583	<5	<1	2	0.03	3	2	0.11	94	24.7	0.03	2.1	161	<0.5	<10	
S378584	<5	<1	<1	0.03	4	1	0.08	54	14.5	0.03	1.6	87	3.1	<10	
S378585	<5	<1	2	0.02	3	2	0.12	99	17.7	0.02	2.6	107	4.4	<10	
S378586	<5	<1	<1	0.03	5	2	0.16	123	26.4	0.04	4.2	233	7.2	<10	
S378587	<5	<1	2	0.02	2	2	0.13	89	18.5	0.03	4.4	202	<0.5	<10	
S378588	<5	7	1	0.02	4	4	0.29	137	20.8	0.03	7.6	330	1.9	<10	
S378589	<5	<1	<1	0.02	4	4	0.23	208	30.3	0.03	5.7	357	<0.5	<10	
S378590	<5	<1	3	0.01	2	2	0.15	228	33.9	0.01	4.1	233	14.6	<10	
S378591	<5	<1	<1	0.04	4	2	0.07	255	31.1	0.02	1.6	148	0.7	<10	
S378592	<5	<1	3	0.04	5	2	0.11	106	29.1	0.03	2.6	184	<0.5	<10	
S378593	<5	<1	2	0.04	7	2	0.15	78	20.6	0.03	3.8	105	2.3	<10	
S378594	<5	4	1	0.04	17	1	0.10	85	20.2	0.03	2.1	81	<0.5	<10	
S378595	<5	<1	<1	0.03	6	2	0.15	55	8.4	0.03	3.0	94	1.2	<10	
S378596	7	<1	<1	0.04	40	13	0.86	212	15.0	0.01	20.8	283	7.9	<10	
S378597	<5	14	<1	0.03	6	2	0.14	50	9.7	0.03	2.4	110	<0.5	<10	
S378598	<5	<1	<1	0.02	4	5	0.37	310	31.0	0.02	6.0	242	<0.5	<10	
S378599	<5	<1	3	0.04	8	7	0.46	136	25.2	0.02	10.5	341	6.5	<10	
S378600	<5	14	2	0.01	<1	1	0.11	44	10.7	0.01	2.8	39	19.7	<10	
S378601	<5	<1	2	0.05	16	8	0.52	116	17.8	0.02	16.4	311	5.1	<10	
S378602	<5	3	<1	0.04	5	6	0.35	149	23.3	0.02	6.6	235	1.2	<10	
S378603	<5	<1	<1	0.03	3	11	0.73	184	22.4	0.01	17.1	251	3.2	<10	
S378604	<5	5	4	0.03	5	5	0.30	115	23.9	0.03	9.2	253	<0.5	<10	
S378605	<5	5	1	0.03	3	5	0.31	89	12.6	0.03	10.5	150	<0.5	<10	

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12U674165

PROJECT NO: KAM

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: LAKELAND RESOURCES INC

ATTENTION TO: JONATHAN ARMES

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Dec 17, 2012	DATE RECEIVED: Dec 17, 2012					DATE REPORTED: Jan 07, 2013					SAMPLE TYPE: Drill Core				
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1	
S378575	0.848	<1	1.6	17	<5	6.8	<10	18	<5	<0.01	<5	<5	8.3	<1	
S378576	0.121	<1	10.4	19	<5	29.9	<10	30	<5	0.40	<5	<5	163	<1	
S378577	0.051	2	1.5	22	<5	6.3	<10	29	<5	<0.01	<5	<5	4.9	<1	
S378578	0.026	12	1.9	<10	<5	7.2	<10	18	7	<0.01	<5	<5	8.2	<1	
S378579	0.620	<1	8.5	23	<5	43.3	<10	30	7	0.13	<5	<5	61.9	<1	
S378580	0.177	<1	7.6	<10	<5	4.1	<10	14	16	<0.01	<5	5	48.0	<1	
S378581	0.026	<1	1.8	<10	<5	7.0	<10	18	6	<0.01	<5	<5	7.6	<1	
S378582	1.05	<1	7.2	32	<5	9.2	<10	26	5	<0.01	<5	<5	33.0	<1	
S378583	0.060	<1	1.5	<10	<5	5.3	<10	<10	<5	<0.01	<5	<5	7.7	<1	
S378584	0.041	11	0.8	33	<5	3.3	<10	<10	<5	<0.01	<5	<5	4.5	<1	
S378585	0.112	<1	0.8	<10	<5	2.9	<10	<10	<5	<0.01	<5	<5	4.9	<1	
S378586	0.051	12	2.1	17	<5	5.9	<10	21	<5	<0.01	<5	<5	14.1	<1	
S378587	0.078	<1	2.1	10	<5	4.8	<10	18	<5	<0.01	<5	<5	13.5	<1	
S378588	0.131	2	3.1	52	<5	5.0	<10	15	<5	<0.01	<5	<5	21.7	<1	
S378589	0.089	11	3.0	34	5	7.5	<10	24	<5	<0.01	<5	<5	17.7	<1	
S378590	1.27	<1	5.6	40	<5	8.7	<10	14	<5	<0.01	<5	<5	8.4	<1	
S378591	0.076	<1	2.5	46	<5	8.5	<10	24	<5	<0.01	<5	<5	4.2	<1	
S378592	0.427	<1	2.3	<10	<5	3.0	<10	19	6	<0.01	<5	<5	9.9	<1	
S378593	0.105	<1	1.4	14	<5	2.6	<10	17	5	<0.01	<5	<5	8.5	<1	
S378594	0.106	<1	1.5	12	<5	3.5	<10	<10	<5	<0.01	<5	<5	5.7	<1	
S378595	0.023	2	1.4	<10	<5	2.9	<10	<10	<5	<0.01	<5	<5	8.4	<1	
S378596	0.518	<1	5.7	29	<5	4.8	<10	<10	8	<0.01	<5	5	28.8	<1	
S378597	0.023	<1	1.4	32	<5	2.9	<10	<10	<5	<0.01	<5	<5	7.9	<1	
S378598	0.498	<1	4.4	<10	<5	7.6	<10	18	<5	<0.01	<5	<5	14.5	<1	
S378599	0.592	<1	4.2	92	<5	4.4	<10	<10	<5	<0.01	<5	<5	21.6	<1	
S378600	1.23	<1	1.7	53	<5	2.4	<10	<10	<5	<0.01	<5	<5	5.7	<1	
S378601	0.203	5	3.7	17	<5	4.0	<10	<10	6	<0.01	<5	<5	29.8	<1	
S378602	0.173	<1	3.2	20	<5	5.8	<10	16	<5	<0.01	<5	<5	13.9	<1	
S378603	0.374	6	4.5	19	<5	3.7	<10	15	<5	<0.01	<5	<5	24.1	<1	
S378604	0.136	3	2.8	22	<5	3.2	<10	<10	5	<0.01	<5	<5	16.2	<1	
S378605	0.132	<1	2.2	36	<5	3.1	<10	<10	<5	<0.01	<5	<5	13.9	<1	

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12U674165

PROJECT NO: KAM

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: LAKELAND RESOURCES INC

ATTENTION TO: JONATHAN ARMES

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Dec 17, 2012 DATE RECEIVED: Dec 17, 2012 DATE REPORTED: Jan 07, 2013 SAMPLE TYPE: Drill Core

Sample Description	Analyte: Unit: RDL:	Y ppm 1	Zn ppm 0.5	Zr ppm 5	Cu-OL % 0.01
S378575		2	6.6	<5	
S378576		13	71.5	12	
S378577		2	3.0	6	
S378578		2	4.7	7	
S378579		14	89.7	23	
S378580		7	22.8	25	
S378581		2	4.1	7	
S378582		3	12.2	10	
S378583		1	8.4	<5	
S378584		<1	3.0	<5	
S378585		<1	10.0	<5	
S378586		2	3.9	7	
S378587		2	6.7	6	
S378588		3	12.7	8	
S378589		2	5.9	7	
S378590		2	11.8	<5	1.62
S378591		1	3.4	<5	
S378592		2	8.4	7	
S378593		2	9.1	6	
S378594		2	4.3	5	
S378595		2	2.0	6	
S378596		4	13.8	10	
S378597		2	2.2	6	
S378598		2	7.0	5	
S378599		2	8.7	8	
S378600		<1	<0.5	<5	2.14
S378601		4	8.8	10	
S378602		3	3.7	5	
S378603		4	8.8	7	
S378604		5	5.4	10	
S378605		5	5.3	8	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12U674165

PROJECT NO: KAM

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: LAKELAND RESOURCES INC

ATTENTION TO: JONATHAN ARMES

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Dec 17, 2012

DATE RECEIVED: Dec 17, 2012

DATE REPORTED: Jan 07, 2013

SAMPLE TYPE: Drill Core

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12U674165

PROJECT NO: KAM

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: LAKELAND RESOURCES INC

ATTENTION TO: JONATHAN ARMES

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Dec 17, 2012 DATE RECEIVED: Dec 17, 2012 DATE REPORTED: Jan 07, 2013 SAMPLE TYPE: Drill Core

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg 0.01	Au ppm 0.001
S378575		1.66	0.020
S378576		0.72	0.002
S378577		0.56	0.001
S378578		2.14	0.001
S378579		0.10	0.887
S378580		2.96	0.004
S378581		0.80	0.001
S378582		2.08	0.013
S378583		0.86	<0.001
S378584		1.22	<0.001
S378585		1.20	0.003
S378586		2.06	0.001
S378587		1.16	0.001
S378588		1.74	0.006
S378589		1.30	0.001
S378590		1.74	0.022
S378591		1.64	<0.001
S378592		2.96	0.004
S378593		2.88	0.002
S378594		2.68	0.002
S378595		0.94	0.002
S378596		1.82	0.065
S378597		0.86	0.001
S378598		2.32	0.020
S378599		1.30	0.013
S378600		1.10	0.048
S378601		1.16	0.004
S378602		1.86	0.003
S378603		2.60	0.029
S378604		1.30	0.003
S378605		1.36	0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12U674165

PROJECT NO: KAM

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: LAKELAND RESOURCES INC

ATTENTION TO: JONATHAN ARMES

Fire Assay - Trace Au, ICP-OES finish (202052)			
DATE SAMPLED: Dec 17, 2012	DATE RECEIVED: Dec 17, 2012	DATE REPORTED: Jan 07, 2013	SAMPLE TYPE: Drill Core

Comments: RDL - Reported Detection Limit

Certified By:



Quality Assurance

CLIENT NAME: LAKELAND RESOURCES INC
PROJECT NO: KAM

AGAT WORK ORDER: 12U674165
ATTENTION TO: JONATHAN ARMES

Solid Analysis											
RPT Date: Jan 07, 2013		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	4030532	0.020	0.023	14.0%	< 0.001	1.57	1.52	103%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	4030544	0.001	0.013		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	4030557	0.048	0.023		< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	4030532	0.6	0.6	0.0%	< 0.2	14.1	13.0	108%	80%	120%
Al	1	4030532	0.32	0.32	0.0%	< 0.01				80%	120%
As	1	4030532	< 1	< 1	0.0%	< 1				80%	120%
B	1	4030532	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	4030532	7	6	15.4%	< 1				80%	120%
Be	1	4030532	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	4030532	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	4030532	0.629	0.622	1.1%	< 0.01				80%	120%
Cd	1	4030532	1.3	1.1	16.7%	< 0.5				80%	120%
Ce	1	4030532	12	12	0.0%	< 1				80%	120%
Co	1	4030532	15.4	15.5	0.6%	< 0.5				80%	120%
Cr	1	4030532	27.1	26.6	1.9%	< 0.5				80%	120%
Cu	1	4030532	4970	4930	0.8%	< 0.5	5748	6000	95%	80%	120%
Fe	1	4030532	1.31	1.29	1.5%	< 0.01				80%	120%
Ga	1	4030532	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	4030532	< 1	< 1	0.0%	< 1				80%	120%
In	1	4030532	< 1	< 1	0.0%	< 1				80%	120%
K	1	4030532	0.06	0.06	0.0%	< 0.01				80%	120%
La	1	4030532	5	5	0.0%	< 1				80%	120%
Li	1	4030532	5	5	0.0%	< 1				80%	120%
Mg	1	4030532	0.19	0.19	0.0%	< 0.01				80%	120%
Mn	1	4030532	119	118	0.8%	< 1				80%	120%
Mo	1	4030532	27.7	30.7	10.3%	< 0.5	408	380	107%	80%	120%
Na	1	4030532	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	4030532	6.1	6.4	4.8%	< 0.5				80%	120%
P	1	4030532	217	192	12.2%	< 10				80%	120%
Pb	1	4030532	7.08	8.76	21.2%	< 0.5				80%	120%
Rb	1	4030532	< 10	< 10	0.0%	< 10				80%	120%
S	1	4030532	0.848	0.847	0.1%	< 0.005				80%	120%
Sb	1	4030532	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	4030532	1.6	1.6	0.0%	< 0.5				80%	120%
Se	1	4030532	17	27		< 10				80%	120%
Sn	1	4030532	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	4030532	6.8	6.8	0.0%	< 0.5				80%	120%
Ta	1	4030532	< 10	< 10	0.0%	< 10				80%	120%
Te	1	4030532	18	23	24.4%	< 10				80%	120%



Quality Assurance

CLIENT NAME: LAKELAND RESOURCES INC
 PROJECT NO: KAM

AGAT WORK ORDER: 12U674165
 ATTENTION TO: JONATHAN ARMES

Solid Analysis (Continued)												
RPT Date: Jan 07, 2013			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Th	1	4030532	< 5	< 5	0.0%	< 5				80%	120%	
Ti	1	4030532	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Tl	1	4030532	< 5	< 5	0.0%	< 5				80%	120%	
U	1	4030532	< 5	< 5	0.0%	< 5				80%	120%	
V	1	4030532	8.3	8.4	1.2%	< 0.5				80%	120%	
W	1	4030532	< 1	< 1	0.0%	< 1				80%	120%	
Y	1	4030532	2	2	0.0%	< 1				80%	120%	
Zn	1	4030532	6.64	8.23	21.4%	< 0.5				80%	120%	
Zr	1	4030532	< 5	< 5	0.0%	< 5				80%	120%	
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)												
Ag	1	4030544	< 0.2	< 0.2	0.0%	< 0.2	13.8	13.0	106%	80%	120%	
Al	1	4030544	0.231	0.236	2.1%	< 0.01				80%	120%	
As	1	4030544	< 1	< 1	0.0%	< 1				80%	120%	
B	1	4030544	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	4030544	5	7		< 1				80%	120%	
Be	1	4030544	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Bi	1	4030544	43	40	7.2%	< 1				80%	120%	
Ca	1	4030544	0.264	0.271	2.6%	< 0.01				80%	120%	
Cd	1	4030544	< 0.5	0.6		< 0.5				80%	120%	
Ce	1	4030544	6	6	0.0%	< 1				80%	120%	
Co	1	4030544	14.6	15.3	4.7%	< 0.5				80%	120%	
Cr	1	4030544	41.2	43.1	4.5%	< 0.5				80%	120%	
Cu	1	4030544	358	366	2.2%	< 0.5	5711	6000	95%	80%	120%	
Fe	1	4030544	0.603	0.617	2.3%	< 0.01				80%	120%	
Ga	1	4030544	< 5	< 5	0.0%	< 5				80%	120%	
Hg	1	4030544	< 1	< 1	0.0%	< 1				80%	120%	
In	1	4030544	2	< 1		< 1				80%	120%	
K	1	4030544	0.02	0.02	0.0%	< 0.01				80%	120%	
La	1	4030544	2	2	0.0%	< 1				80%	120%	
Li	1	4030544	2	2	0.0%	< 1				80%	120%	
Mg	1	4030544	0.134	0.138	2.9%	< 0.01				80%	120%	
Mn	1	4030544	89	93	4.4%	< 1				80%	120%	
Mo	1	4030544	18.5	23.5	23.8%	< 0.5	381	380	100%	80%	120%	
Na	1	4030544	0.03	0.03	0.0%	< 0.01				80%	120%	
Ni	1	4030544	4.4	4.4	0.0%	< 0.5				80%	120%	
P	1	4030544	202	214	5.8%	< 10				80%	120%	
Pb	1	4030544	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Rb	1	4030544	< 10	< 10	0.0%	< 10				80%	120%	
S	1	4030544	0.078	0.082	5.0%	< 0.005				80%	120%	
Sb	1	4030544	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	4030544	2.10	2.18	3.7%	< 0.5				80%	120%	
Se	1	4030544	10	20		< 10				80%	120%	
Sn	1	4030544	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	4030544	4.78	4.54	5.2%	< 0.5				80%	120%	



Quality Assurance

CLIENT NAME: LAKELAND RESOURCES INC
 PROJECT NO: KAM

AGAT WORK ORDER: 12U674165
 ATTENTION TO: JONATHAN ARMES

Solid Analysis (Continued)

RPT Date: Jan 07, 2013		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Ta	1	4030544	< 10	< 10	0.0%	< 10			80%	120%
Te	1	4030544	18	18	0.0%	< 10			80%	120%
Th	1	4030544	< 5	< 5	0.0%	< 5			80%	120%
Ti	1	4030544	< 0.01	< 0.01	0.0%	< 0.01			80%	120%
Tl	1	4030544	< 5	< 5	0.0%	< 5			80%	120%
U	1	4030544	< 5	< 5	0.0%	< 5			80%	120%
V	1	4030544	13.5	14.3	5.8%	< 0.5			80%	120%
W	1	4030544	< 1	< 1	0.0%	< 1			80%	120%
Y	1	4030544	2	2	0.0%	< 1			80%	120%
Zn	1	4030544	6.7	6.4	4.6%	< 0.5			80%	120%
Zr	1	4030544	6	6	0.0%	< 5			80%	120%

Certified By: _____

Method Summary



CLIENT NAME: LAKELAND RESOURCES INC

AGAT WORK ORDER: 12U674165

PROJECT NO: KAM

ATTENTION TO: JONATHAN ARMES

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP/OES
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Cu-OL	MIN-200-12032		AA
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



HOLES PLOTTED

TOTAL 2	
KAM-01	KAM-02

<p>BAR GRAPHS L/R COL</p> <p>Cu_Pct </p>	<p>POSTED TEXT L/R TEXT ITEMS</p> <p>Code ----- All</p>
--	---

SECTION SPECS:

REF. PT. E, N	343505 m	5152930 m
EXTENTS	301.8 m	178.1 m
SECTION TOP, BOT	19.17 m	-159 m
TOLERANCE +/-	12.5 m	

SCALE



(m)

*unknown

AZIMUTH = 0°


KAM-01 and KAM-02

343505E SECTION



HOLES PLOTTED

TOTAL 1
KAM-03

BAR GRAPHS	L/R	COL
Cu_Pct		


POSTED TEXT	L/R	TEXT	ITEMS
Code		-----	All

SECTION SPECS:

REF. PT. E, N	343555 m	5152930 m
EXTENTS	301.8 m	178.1 m
SECTION TOP, BOT	19.17 m	-159 m
TOLERANCE +/-	12.5 m	


SCALE

(m)





*unknown

AZIMUTH = 0°



KAM-03
343555E SECTION



HOLES PLOTTED

TOTAL 1
KAM-04

BAR GRAPHS		L/R	COL
Cu_Pct			

POSTED TEXT			
Code	L/R	TEXT	ITEMS
		-----	All

SECTION SPECS:

REF. PT. E, N	343525 m	5152930 m
EXTENTS	301.8 m	178.1 m
SECTION TOP, BOT	19.17 m	-159 m
TOLERANCE +/-	12.5 m	

SCALE

(m)

*unknown

AZIMUTH = 0°

KAM-04

343525E SECTION