

We are committed to providing [accessible customer service](#).

If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).

Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

**REPORT
on
2018 DIAMOND DRILLING
on the**

CURRIE PROJECT

Currie Township
Timiskaming District
Larder Lake Mining Division
Northeastern Ontario

NTS Sheet 42 A07

UTM Zone 17 N
52691E 5370701N

Prepared by:
James Hedalen B.Sc
And
Dirk Tempelman-Kluit, Ph.D., P.Geo.
Prosper Gold Corp.

September 2018

Contents

A.	SUMMARY	3
B.	LOCATION AND ACCESS	3
C.	CLAIM INFORMATION	5
D.	PREVIOUS WORK	7
E.	GEOLOGY	7
	Regional Geology	7
	Property Geology	7
F.	2018 DRILLING	8
G.	DATA VERIFICATION	10
H.	RESULTS	10
I.	CONCLUSIONS & RECOMMENDATIONS	10

List of Figures

1	Regional Location Map	4
2	Claim Map	6

List of Tables

1	Drill Hole Information	8
2	Drill Hole Lithology	9
3	Selected Assay Results	10

List of Appendices

Appendix A:	References
Appendix B:	Mineral Claim Information
Appendix C:	Statement of Expenditures
Appendix D:	Drill Hole Plan
Appendix E:	Drill Hole Section
Appendix F:	Drill Hole Log
Appendix H:	Drill Hole Assays
Appendix I:	Geologist's Certificate
Appendix J:	Certificates of Analysis & Quality Control / Quality Assurance

A. SUMMARY

The Currie Property is approximately 50km east of Timmins, Ontario, covering the central-southern part of Currie Township. The property consists of 131 claim cells covering a total of 1,912 contiguous hectares.


From August 31st to September 14th, 2018, a 277m diamond drill hole was completed to test gold and base metal mineralization in the previously known Grindstone Creek Zone (GCZ). Drilling in 1999 at the GCZ intersected 2.08 gpt Au, 19 gpt Ag, and 0.5% Zn over 18.9 meters in hole CB-04. (Reid, W. & Greenwood, R. 2007)

Results from a drilling program in 2000 were mixed. Three holes tested the GCZ and intersected long intervals of pyrite-sericite schist classed as the Grindstone Creek horizon. Significant gold mineralization was intersected in hole CB-07, which returned 3.95 gpt Au, 132 gpt Ag and 3% Zn over 2.1m (HW zone) and 2.04 gpt Au, 4.9 gpt Ag and 0.1 % Zn over 9.8m (FW zone). Anomalous silver and zinc values were intersected in holes CB-06 and CB-08, which returned up to 0.11 gpt Au, 2.4 gpt Ag and 1.3% Zn over 5.0 meters and 0.13 gpt Au, 23.4 gpt Ag and 0.1 % Zn over 9.2 meters respectively. (Reid, W. & Greenwood, R. 2007)

B. LOCATION AND ACCESS






The Currie claims are in central and south-central Currie Township. The west edge of the property is approximately 50km from Timmins, Ontario, and the east edge of the property is approximately 12km southwest of Matheson, Ontario. The south edge of the property is at the boundary between Currie and Egan Townships.



The claims are accessible via all season gravel road extending south from Highway 101. Access to the Grindstone Creek Zone is 5km south of Highway 101 on Currie Township Road 4 followed by an 800m all season trail south of the intersection of Currie Township Road 4 and Bob Cat Road.



PGX PROSPER GOLD CORP

Legend

-  Currie Project Outline
-  Currie Project Cell Claims
-  Ontario Highways
-  Ontario Roads
-  Township



C. CLAIM INFORMATION

The Currie Project consists of 131 contiguous claim cells that are under option by Prosper Gold Corp.

As per the February 8, 2017 option agreement with Edward Korba and Recoski Contracting Limited, Prosper Gold Corp. has the option to earn a 100% interest all 131 claims.

For complete list of claims see Appendix B.

525000

530000

Grassy Lake

181061	181060	205603	117780	181743													
168255	197649	330805	343329	320932													
181062	216439	342654	272313	198337	289357	233258	149405	185463	245420	258524	210902	210388	229419	204237			
166432	104232	245914	121889	121888	178682	133486	289358	225248	149406	275198	248301	192162	210903	240815			
252049	179860	233720	104233	215177	287980	210937	210936	208566	303716	136720	107494	335737	128102	248302			
185901	166433	104234	215178	271124	274937	219778	118402	126462	227721	154425	328796	214971	140147	287443			

CURRIE

		219780	207015	219779	118406	173775	219781	214972	340654								
189816	173772	227717	293831	173776	293833	335358	299024	299023									
335355	287021	227718	189817	323044	207019	126463	173777										
207016	266948	227719	340576	179031	281649	118408	118407										
266950	335356	207018	340577	298935	298934												
154424	103104	274939	225622	225621	225620	225619	194962										
126461	335357	287023	101430	281650	225623	121030	194963										

Bradley Lake





EGAN


525000

530000



Legend

-  Currie Project Outline
-  Currie Project Cell Claims
-  Township
-  Ontario Roads



D. PREVIOUS WORK

The Grindstone Creek Zone (GCZ) was first drilled by Falconbridge in 1995/1996 while exploring for base metals. Five holes were drilled approximately 450 meters east of Grindstone Creek to test HLEM and enzyme leach anomalies. Although no significant base metals were intersected, the holes drilled through a thick zone of auriferous pyrite-sericite schist with anomalous gold values including 3.5 gpt Au over 2.25 meters (CUR32-2). In December, 1998, Echo Bay Mines Ltd. optioned the property from Falconbridge and completed an IP survey west of the Falconbridge drilling. In February and March of 1999, five holes totaling 1,550 meters were drilled to test the west strike extension of the mineralization intersected in the Falconbridge drill holes. Echo Bay extended drilling into 2000 with 4 more holes on the GCZ. Later in 2002, 4 holes totaling 1,311 meters were drilled to test the western plunge of the GCZ at depth, and east of the GCZ.

E. GEOLOGY

Regional Geology

With a lack of outcrop in Currie Township, the bedrock geology is inferred from geophysical surveys and drill holes. The property is said to be within the Kinojevis North Assemblage. Overburden, mainly clay and stony clay, is up to 75 meters thick and is above 40 m in all holes. The Kinojevis North Assemblage is a steeply dipping, south facing succession of pillowed, tholeiitic basalt and minor rhyolite. Interflow meta-sedimentary rocks, including chert, carbonaceous siltstone, lithic-wacke and crystal tuff are scarce. Meta-basalt members; laterally continuous over tens of kilometres, form distinct magnesium and iron-rich units. Some flows are locally feldspar phyric and/or variolitic. The assemblage is truncated to the north by the Porcupine-Destor deformation zone. (*OGS publication Geology of Ontario, Special Volume 4, Part I. Most information on the regional geology of the Currie and Bowman Townships has been drawn from this study.)

Property Geology

Mineralization appears to be stratabound, hosted within a thick unit of foliated felsic volcanoclastic rocks (dacite tuff), at or near the south contact with graphitic argillite. Thick sills of feldspar porphyry are spatially associated with the mineralization and intrude the argillitic sediments and felsic volcanoclastic rocks. Sills are generally unaltered to weakly altered and devoid of mineralization. Pyrite content of the zone ranges from massive to semi-massive near the argillite contact, to banded and disseminated, away from the contact. The thickness of pyrite mineralization and sericite alteration generally reaches 30 meters, with the intensity gradually diminishing northwards into a relatively unaltered felsic volcanoclastic (dacite tuff) rock.

All holes intersected 30 to 50 meters of pyrite-sericite schist associated with the Grindstone Creek Zone. A diabase sill averaging 25 meters in drill thickness separates the zone into hanging wall and footwall segments. In general, the hanging wall portion of the zone includes an interval of massive to semi-massive pyrite stratigraphically along an argillite-dacite tuff contact, grading to heavily banded pyrite (>20%) within silicified to sericite altered dacite tuff. Footwall to the dyke,

pyrite content generally decreases to between 10% and 20% and occurs as bands or laminations parallel to foliation and fine disseminated grains within a moderate to strong sericite altered dacite tuff. Pyrite content and intensity of alteration decrease gradually down hole into a relatively unaltered and un-mineralized tuff. Sphalerite occurs as both fine to coarse stringers associated with galena in late cross-cutting quartz stringers within the massive to semi-massive portion of the zone, or as fine yellow to yellowish brown disseminated grains in the underlying banded pyrite-sericite schist.

F. 2018 DRILLING

Work was performed August 31st to September 14th, 2018. A diamond drill was mobilized to site and drilled one 277m hole. The core was shipped daily to our core logging facility near Connaught, Ontario, where the core was systematically logged and tagged for sampling. The core was then securely shipped to our core cutting facility in Matachewan, Ontario, where samples were bagged and sent to Actlabs in Timmins, Ontario.

Sampling was completed in mostly 1.5m sections with the exception of certain samples that were cut-off at lithological boundaries.

Hole-ID	C001
Property	Currie
Target	Grindstone Creek Zone
Collar Location (NAD83E)	526,691
Collar Location (NAD83N)	5,370,701
Elevation (m)	270
Azimuth	220
Dip	-70
Total Depth (m)	277
Date Started	August 31, 2018
Date Completed	September 6, 2018
Drilling Contractor	LaFramboise Drilling

Table 1: Drill Hole Information

No surface exposures are seen so the geology is inferred from drill results to date and from geophysical data, mainly airborne magnetic. The target is the Grind Creek massive and banded pyrite zone, part of a sequence of felsic volcanic rocks and argillite cut by diabase. The sequence strikes ESE and dips steeply southwest as interpreted from drilling. Rocks are strained and especially the felsic volcanic rocks show a strong SW dipping single phase fabric into which any earlier layering would have been transposed. The diabase, a dyke or sill, dips steeply with the strata. Drill intersection modeling shows it is a branching anastomosing unit with two or three separate arms, not a simple sheet. The collective diabase intersection envelope trends ESE, dips

steeply, and is about 60 m thick. Overburden thickness is consistently about 50 m as shown by the earlier holes.

The 15 holes drilled previously at Currie occupy an ESE trending area about 1 km long and 400 m wide. Twelve holes were drilled to the north with dips about -50 degrees, three holes were drilled to the south at similar dips. Seven holes returned encouraging gold and zinc results. They are in about 300 m of the 1000 m zone at depths between 100 and 300m vertically. Notable is that gold and zinc occur together and are concentrated at, or near, diabase contacts in many historic holes.

C001 was drilled steeply southwest. It aims to test the intersection between a NW striking structure, inferred from earlier drilling results, and the Grind Creek zone. Below 30 m of overburden the hole intersected about 100 m of pale grey strongly foliated phyllitic dacite. Below this are 20 meters of massive pyritic rock and banded pyrite and another 20 m of phyllitic dacite, followed by 15 m of banded pyritic horizons and argillite. Next come sixty meters of diabase with more banded pyritic phyllite and phyllitic dacite to the end of hole at 277 m.

Significant gold/silver results are seen in four intervals. The massive pyritic unit, nearest the collar, carries gold, silver, zinc and lead values. The second interval, hosted in argillite, carries the best gold values; 4.79 g/t Au and 118 g/t Ag over six metres. The third and fourth intervals, in banded pyritic phyllite, about 250 m deep, are separated by 3 m of barren diabase.

Hole ID	From (m)	To (m)	Lithology	Lithology
C001	0	32.1	OB	Overburden
C001	32.1	48.4	PH DAC	Phyllitic dacite
C001	48.4	120.7	PH CHL DAC	Phyllitic dacite chloritic
C001	120.7	127.1	BD PY PH	Banded pyritic phyllite
C001	127.1	143.4	MS PY	Massive sulphide
C001	143.4	146.4	BD PY PH	Banded pyritic phyllite
C001	146.4	166.1	PH PPY	Phyllitic dacite porphyry
C001	166.1	170.4	BD PY PH	Banded pyritic phyllite
C001	170.4	172.7	DIA CH	Diabase chilled
C001	172.7	175.1	BD PY PH	Banded pyritic phyllite
C001	175.1	183.1	ARG	Argillite
C001	183.1	245.4	DIA MED GR	Diabase medium grained
C001	245.4	248.4	BD PY PH	Banded pyritic phyllite
C001	248.4	253.4	DIA CH	Diabase chilled
C001	253.4	263.4	BD PY PH	Banded pyritic phyllite
C001	263.4	266.1	PH CHL DAC	Phyllitic dacite chloritic
C001	266.1	266.7	MS PY	Massive sulphide
C001	266.7	274.7	ARG PH	Argillaceous phyllite
C001	274.7	275.1	MS PY	Massive sulphide
C001	275.1	277	ARG PH	Argillaceous phyllite

Table 2: Drill Hole Lithology

G. DATA VERIFICATION

Drill core was stored in a locked secure building after retrieval from the drill. Here it was logged and sample intervals determined. It was then transported to the company's core logging facility in Matachewan for sawing lengthwise and sampling. Half of the core is placed in plastic bags and sealed. The remaining half core is retained in core boxes stored in Matachewan. The program includes chain of custody of samples from drill to laboratory.

A standard sample, a blank sample, or a duplicate sample is inserted into the sample stream every tenth sample. Three certified ore assay laboratory standards used in the process. In total, 14 quality control samples (about 9.5% of 148 samples) were analyzed.

Samples, including those for quality control, were shipped to Actlabs in Timmins, Ontario, where they were crushed, ground and analyzed for gold by fire assay (Actlabs code 1A1) and for a suite of elements by optical emission spectrometry following aqua regia partial extraction (Actlabs code 1E3).

H. RESULTS

Selected results table below.

Hole ID – C001	From (m)	To (m)	Interval (m)	Au g/t	Ag g/t	Zn %
Massive Pyrite	126.4	146	19.6	1.04	118.7	1.6
incl	126.4	134	7.6	0.67	195	0.88
incl	134	140	6	0.57	47.5	0.37
incl	140	146	6	1.96	93.4	3.75
Argillite	177.5	183.5	6	4.79	118.4	N/A
Banded Pyritic Phyllite	245	249.5	4.5	1.76	23.8	0.28
Banded Pyritic Phyllite	252.5	263	10.5	1.58	25.3	0.59

Table 3: Selected Assay Results

I. CONCLUSIONS & RECOMMENDATIONS

Drilling at Currie confirms and augments results of earlier drilling. Gold with silver, lead and zinc occur in pyrite rich rocks in sheared felsic volcanic strata and are concentrated where host rocks are cut by steep dipping diabase dykes/sills. A 300 m long WNW trending mineralized zone, 100 to 300 metres below surface, is confirmed by current work.

Because five historic holes and C001 are mineralized at or near the end-of-hole, drilling deeper than 300 m, the depth of existing holes, is warranted to test the deep potential of the system.

A 6 holes follow-up program for a total of 2,500m of drilling is recommended confirm and refine the orientation of the massive pyrite layer intersected in C001 and test for mineralization in previously untested areas as well as diabase margins where gold, silver and lead-zinc are concentrated. This program would cost approximately \$500,000.

APPENDIX A: REFERENCES

De Shutter, G. 1997: Report on Activities Currie-Bowman Option, for Falconbridge Limited

DeGagne, P. 2002: Diamond Drilling, Currie West Claims, Falconbridge Option, Currie Bowman Project. (prepared For: Echo Bay Mines).

Reid, W. & Greenwood, R. 2007: Re-Logging of Diamond Drill Core and Litho-Geochemical Sampling, Currie Bowman Property. (prepared for North American Uranium Inc.)

APPENDIX B: MINERAL CLAIM INFORMATION


Tenure ID	Township / Area	Legacy Claim Id	Tenure Type	Anniversary Date	Tenure Status
101430	CURRIE,EGAN	4287691	Boundary Cell Mining Claim	2020-01-09	Active
103104	CURRIE	4287691	Single Cell Mining Claim	2020-01-09	Active
104232	CURRIE	4278521	Single Cell Mining Claim	2019-05-02	Active
104233	CURRIE	4278521	Single Cell Mining Claim	2019-05-02	Active
104234	CURRIE	4278521	Boundary Cell Mining Claim	2019-05-02	Active
107494	CURRIE	3002545	Boundary Cell Mining Claim	2019-10-25	Active
117780	CURRIE	4287437	Boundary Cell Mining Claim	2020-01-09	Active
118402	CURRIE	3002444	Single Cell Mining Claim	2020-01-09	Active
118406	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
118407	CURRIE	4285207	Boundary Cell Mining Claim	2020-01-09	Active
118408	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
121030	CURRIE,EGAN	4287692	Boundary Cell Mining Claim	2020-01-09	Active
121888	CURRIE	3002444	Single Cell Mining Claim	2019-05-02	Active
121889	CURRIE	4278521	Single Cell Mining Claim	2019-05-02	Active
126461	CURRIE,EGAN	4287691	Boundary Cell Mining Claim	2020-01-09	Active
126462	CURRIE	3002529	Single Cell Mining Claim	2020-01-09	Active
126463	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
128102	CURRIE	4278522	Single Cell Mining Claim	2019-10-25	Active
133486	CURRIE	3002444	Single Cell Mining Claim	2019-04-18	Active
136720	CURRIE	4262519	Boundary Cell Mining Claim	2018-12-15	Active
140147	CURRIE	4278522	Boundary Cell Mining Claim	2019-10-25	Active
149405	CURRIE	3002526	Boundary Cell Mining Claim	2019-01-11	Active
149406	CURRIE	3002526	Boundary Cell Mining Claim	2019-05-02	Active
154424	CURRIE	4287691	Boundary Cell Mining Claim	2020-01-09	Active
154425	CURRIE	3002545	Single Cell Mining Claim	2020-01-09	Active
166432	CURRIE	4278521	Boundary Cell Mining Claim	2019-05-02	Active
166433	CURRIE	4278521	Boundary Cell Mining Claim	2019-05-02	Active
168255	CURRIE	4287436	Boundary Cell Mining Claim	2020-01-09	Active
173772	CURRIE	4287700	Single Cell Mining Claim	2020-01-09	Active
173775	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
173776	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
173777	CURRIE	4285207	Boundary Cell Mining Claim	2020-01-09	Active
178682	CURRIE	3002444	Single Cell Mining Claim	2019-04-18	Active
179031	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
179860	CURRIE	4278521	Single Cell Mining Claim	2019-05-02	Active
181060	CURRIE	4287436	Boundary Cell Mining Claim	2020-01-09	Active
181061	CURRIE	4287436	Boundary Cell Mining Claim	2020-01-09	Active
181062	CURRIE	4278521	Boundary Cell Mining Claim	2020-01-09	Active
181743	CURRIE	4287437	Boundary Cell Mining Claim	2020-01-09	Active
185463	CURRIE	3002526	Boundary Cell Mining Claim	2019-01-11	Active
185901	CURRIE	4278521	Boundary Cell Mining Claim	2019-05-02	Active
189816	CURRIE	4287700	Boundary Cell Mining Claim	2020-01-09	Active
189817	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active

192162	CURRIE	4278522	Single Cell Mining Claim	2019-10-25	Active
194962	CURRIE	4287692	Boundary Cell Mining Claim	2020-01-09	Active
194963	CURRIE,EGAN	4287692	Boundary Cell Mining Claim	2020-01-09	Active
197649	CURRIE	4287436	Single Cell Mining Claim	2020-01-09	Active
198337	CURRIE	4278521	Single Cell Mining Claim	2020-01-09	Active
204237	CURRIE	4278522	Single Cell Mining Claim	2019-10-25	Active
205603	CURRIE	4287436	Boundary Cell Mining Claim	2020-01-09	Active
207015	CURRIE	4287700	Single Cell Mining Claim	2020-01-09	Active
207016	CURRIE	4287691	Boundary Cell Mining Claim	2020-01-09	Active
207018	CURRIE	4287691	Single Cell Mining Claim	2020-01-09	Active
207019	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
208566	CURRIE	3002529	Single Cell Mining Claim	2019-04-18	Active
210388	CURRIE	4278522	Single Cell Mining Claim	2019-10-25	Active
210902	CURRIE	3002544	Single Cell Mining Claim	2019-10-25	Active
210903	CURRIE	4278522	Single Cell Mining Claim	2019-10-25	Active
210936	CURRIE	3002444	Single Cell Mining Claim	2019-04-18	Active
210937	CURRIE	3002444	Single Cell Mining Claim	2019-04-18	Active
214971	CURRIE	4278522	Boundary Cell Mining Claim	2020-01-09	Active
214972	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
215177	CURRIE	3002444	Single Cell Mining Claim	2019-05-02	Active
215178	CURRIE	4278521	Boundary Cell Mining Claim	2019-05-02	Active
216439	CURRIE	4278521	Single Cell Mining Claim	2020-01-09	Active
218580	CURRIE	4262519	Boundary Cell Mining Claim	2018-12-15	Active
219778	CURRIE	3002444	Single Cell Mining Claim	2020-01-09	Active
219779	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
219780	CURRIE	4287700	Single Cell Mining Claim	2020-01-09	Active
219781	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
225248	CURRIE	3002526	Single Cell Mining Claim	2019-04-18	Active
225619	CURRIE	4287692	Single Cell Mining Claim	2020-01-09	Active
225620	CURRIE	4287692	Single Cell Mining Claim	2020-01-09	Active
225621	CURRIE	4287692	Single Cell Mining Claim	2020-01-09	Active
225622	CURRIE	4287691	Single Cell Mining Claim	2020-01-09	Active
225623	CURRIE,EGAN	4287692	Boundary Cell Mining Claim	2020-01-09	Active
227717	CURRIE	4287700	Single Cell Mining Claim	2020-01-09	Active
227718	CURRIE	4287700	Single Cell Mining Claim	2020-01-09	Active
227719	CURRIE	4287691	Single Cell Mining Claim	2020-01-09	Active
227721	CURRIE	3002545	Single Cell Mining Claim	2020-01-09	Active
229419	CURRIE	4278522	Single Cell Mining Claim	2019-10-25	Active
233258	CURRIE	3002526	Single Cell Mining Claim	2019-01-11	Active
233720	CURRIE	4278521	Single Cell Mining Claim	2019-05-02	Active
240815	CURRIE	4278522	Single Cell Mining Claim	2019-10-25	Active
245420	CURRIE	3002526	Boundary Cell Mining Claim	2019-05-02	Active
245914	CURRIE	4278521	Single Cell Mining Claim	2019-05-02	Active
248301	CURRIE	3002544	Boundary Cell Mining Claim	2019-10-25	Active
248302	CURRIE	4278522	Boundary Cell Mining Claim	2019-10-25	Active
252049	CURRIE	4278521	Boundary Cell Mining Claim	2019-05-02	Active

258524	CURRIE	3002544	Single Cell Mining Claim	2019-05-02	Active
266948	CURRIE	4287691	Single Cell Mining Claim	2020-01-09	Active
266950	CURRIE	4287691	Boundary Cell Mining Claim	2020-01-09	Active
271124	CURRIE	3002444	Boundary Cell Mining Claim	2019-05-02	Active
272313	CURRIE	4278521	Single Cell Mining Claim	2020-01-09	Active
274937	CURRIE	3002444	Single Cell Mining Claim	2020-01-09	Active
274939	CURRIE	4287691	Single Cell Mining Claim	2020-01-09	Active
275198	CURRIE	3002544	Boundary Cell Mining Claim	2019-05-02	Active
281649	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
281650	CURRIE,EGAN	4287692	Boundary Cell Mining Claim	2020-01-09	Active
284541	CURRIE	4262519	Boundary Cell Mining Claim	2018-12-15	Active
284542	CURRIE	4262519	Boundary Cell Mining Claim	2018-12-15	Active
287021	CURRIE	4287700	Single Cell Mining Claim	2020-01-09	Active
287023	CURRIE,EGAN	4287691	Boundary Cell Mining Claim	2020-01-09	Active
287443	CURRIE	4278522	Boundary Cell Mining Claim	2019-10-25	Active
287980	CURRIE	3002444	Single Cell Mining Claim	2019-04-18	Active
289357	CURRIE	3002526	Single Cell Mining Claim	2019-01-11	Active
289358	CURRIE	3002444	Single Cell Mining Claim	2019-04-18	Active
293831	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
293833	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
298934	CURRIE	4287692	Single Cell Mining Claim	2020-01-09	Active
298935	CURRIE	4287692	Single Cell Mining Claim	2020-01-09	Active
299023	CURRIE	4287690	Boundary Cell Mining Claim	2020-01-09	Active
299024	CURRIE	4285207	Boundary Cell Mining Claim	2020-01-09	Active
303716	CURRIE	3002529	Boundary Cell Mining Claim	2019-04-18	Active
320932	CURRIE	4287437	Single Cell Mining Claim	2020-01-09	Active
321798	CURRIE	4262519	Boundary Cell Mining Claim	2018-12-15	Active
323044	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
328796	CURRIE	3002545	Single Cell Mining Claim	2020-01-09	Active
330805	CURRIE	4287436	Single Cell Mining Claim	2020-01-09	Active
335355	CURRIE	4287700	Boundary Cell Mining Claim	2020-01-09	Active
335356	CURRIE	4287691	Single Cell Mining Claim	2020-01-09	Active
335357	CURRIE,EGAN	4287691	Boundary Cell Mining Claim	2020-01-09	Active
335358	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
335737	CURRIE	4278522	Single Cell Mining Claim	2019-10-25	Active
340576	CURRIE	4285207	Single Cell Mining Claim	2020-01-09	Active
340577	CURRIE	4287691	Single Cell Mining Claim	2020-01-09	Active
340654	CURRIE	4287690	Boundary Cell Mining Claim	2020-01-09	Active
342505	CURRIE	3002545	Boundary Cell Mining Claim	2019-02-16	Active
342654	CURRIE	4278521	Single Cell Mining Claim	2020-01-09	Active
343329	CURRIE	4287437	Single Cell Mining Claim	2020-01-09	Active
344205	CURRIE	4262519	Boundary Cell Mining Claim	2018-12-15	Active

APPENDIX C: STATEMENT OF EXPENDITURES

2018 Currie DDH Program		
Wages	Employees	\$ 17,750.00
	Consultants	\$ 4,189.87
Equipment	Gear	\$ 508.67
	Truck	\$ 250.00
Drilling	Contractor	\$ 34,896.66
Assay	ActLabs	\$ 4,621.21
Accommodation	Matachewan	\$ 1,500.00
	Timmins/Connaught	\$ 1,308.88
	Core Shack	\$ 750.00
Fuel	Gas/Diesel	\$ 595.60
Food	Meals	\$ 564.87
	TOTAL	\$ 66,935.76
Work Costs	\$ 61,457.74	
Associated Costs	\$ 508.67	
Transport Costs	\$ 845.60	
Food/Lodging	\$ 4,123.75	



Appendix D: Drill Hole Plan

Exploration Permit PR-18-11312
C001: Azimuth 220, Dip -70, Length 277m

178682



133486

287980





PROSPER GOLD CORP

Legend

-  Currie Project Outline
-  Currie Project Cell Claims

DDH_ID


-  C001



APPENDIX E: DRILL HOLE SECTION



C001 E526691 N5370701 E1 270
Az 220, Dip -70



Lithology

- OB
- PH
- PH PPY
- PH DAC
- PH CHL DAC
- ARG
- ARG PH
- BA
- BD PY PH
- BD SULPH
- MS
- MS PY
- DIA CH
- DIA MED GR
- DIA

APPENDIX F: DRILL HOLE LOG

Hole ID	From (m)	To (m)	Lith Code	Lithology	Colour	Texture	CA	Pyrite %
C001	0	32.1	OB	Overburden	grey			
C001	32.1	48.4	PH DAC	Phyllitic dacite	light grey	strongly fissile	25	0-3
C001	48.4	120.7	PH CHL DAC	Phyllitic dacite chloritic	light green-grey	strongly fissile	15	4-6
C001	120.7	127.1	BD PY PH	Banded pyritic phyllite	dark grey metallic		20	25
C001	127.1	143.4	MS PY	Massive sulphide	dark grey metallic	banded locally brecciated	25	90-100
C001	143.4	146.4	BD PY PH	Banded pyritic phyllite	dark grey metallic	banded	20	25
C001	146.4	166.1	PH PPY	Phyllitic dacite porphyry	medium grey w white mottling	fissile	5	0.5
C001	166.1	170.4	BD PY PH	Banded pyritic phyllite	medium to dark grey	banded locally brecciated	20	8
C001	170.4	172.7	DIA CH	Diabase chilled	dark green, fine grained	massive	NA	0
C001	172.7	175.1	BD PY PH	Banded pyritic phyllite	medium grey	banded	15	8
C001	175.1	183.1	ARG	Argillite	dark grey to black	graphitic	10	6
C001	183.1	245.4	DIA MED GR	Diabase medium grained	dark green, med grained equigranular	massive	NA	0
C001	245.4	248.4	BD PY PH	Banded pyritic phyllite	dark grey metallic	banded	15	8
C001	248.4	253.4	DIA CH	Diabase chilled	dark green, aphanitic	massive	NA	0
C001	253.4	263.4	BD PY PH	Banded pyritic phyllite	medium to dark grey	banded	15	7
C001	263.4	266.1	PH CHL DAC	Phyllitic dacite chloritic	medium to dark grey	fissile	20	1
C001	266.1	266.7	MS PY	Massive sulphide	dark grey metallic	banded	15	25
C001	266.7	274.7	ARG PH	Argillaceous phyllite	dark grey to black	graphitic	15	1
C001	274.7	275.1	MS PY	Massive sulphide	dark grey metallic	banded	15	25
C001	275.1	277	ARG PH	Argillaceous phyllite	dark grey to black	graphitic	15	1

Appendix G: Drill Hole Assays

ID	From (m)	To (m)	Sample #	Report Number	Au ppm	Ag ppm	Pb ppm	Bi ppm	Fe %	S %	Cd ppm	As ppm	Co %	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Al %	Zn ppm	B ppm	Ba ppm	Sr ppm	Si ppm	Ca %	Co ppm	Cr ppm	Ga ppm	Hg ppm	La ppm	Mg %	Na %	P %	Sb ppm	Sc ppm	Se ppm	Ti %	Tb ppm	Te ppm	Th ppm	U ppm	V ppm	W ppm	Zr ppm		
C001	36	38	710001	A18-12962	710001	412	22.9	509	1140	7.9	7.02	4.1	42	0.89	24	546	1	49	1.14	5	19	2.5	1	1.83	26	13	5	<1	5	0.57	0.09	0.046	2	2	21	0.67	10	<1	1	1	5	15	5	5	20

CO01	252.5	254	710132	A18-13098	710132	532	2.7	165	232	8.91	0.82	0.6	9	0.35	63	620	<1	34	2.14	5	54	0.5	1	1.84	34	25	10	<1	24	1.24	0.117	0.161	4	34	26	0.61	10	8	1	5	203	5	28	37
CO01	254	255.5	710133	A18-13098	710133	1740	32.2	1240	2380	5.59	4.26	6.4	114	0.26	146	95	2	20	0.82	5	21	2.5	1	0.09	24	56	5	<1	5	0.21	0.038	0.004	4	2	7	0.04	10	1	1	5	20	5	2	13
CO01	255.5	257	710134	A18-13098	710134	1601	1001	2401	5201	6.63	6.8	12.6	158	0.22	153	53	<1	16	0.51	5	32	2.5	1	0.05	15	41	5	1	5	0.22	0.038	0.002	7	1	9	0.01	10	<1	1	5	4	5	1	19
CO01	257	258.5	710135	A18-13098	710135	1050	8.7	1600	3730	11.9	13.1	10	194	0.26	118	56	<1	20	0.65	5	5	2.5	1	0.07	15	35	5	2	5	0.21	0.043	0.002	10	1	10	0.02	10	<1	3	5	10	5	1	26
CO01	258.5	260	710136	A18-13098	710136	2460	15.6	5490	12100	17.4	19.8	36.3	451	0.16	250	60	<1	16	0.51	5	5	2.5	3	0.09	10	28	5	4	5	0.21	0.044	0.002	14	1	9	0.02	10	<1	6	5	10	31	<1	21
CO01	260	261.5	710137	A18-13098	710137	2290	17.4	1070	4310	17.3	20	15.2	414	0.19	92	45	<1	17	0.58	5	5	2.5	3	0.23	13	38	4	5	4	0.22	0.055	0.003	16	3	15	0.02	10	3	5	11	7	1	26	
CO01	261.5	263	710138	A18-13098	710138	2280	10.4	4370	13300	18	20	41.8	500	0.17	189	46	<1	18	0.56	5	5	2.5	1	0.05	10	31	5	3	5	0.16	0.053	0.002	13	<1	11	<0.01	10	<1	5	5	8	17	<1	22
CO01	263	264.5	710139	A18-13098	710139	135	4	1370	3380	4.9	2.9	10.8	37	0.09	147	517	<1	51	1.86	5	29	2.5	1	2.54	21	190	5	<1	10	2.6	0.108	0.079	4	5	30	0.18	10	<1	1	5	82	5	4	20
CO01	264.5	266	710140	A18-13098	710140	192	4.9	71	106	18.8	18.9	2.5	193	0.2	63	279	<1	35	1.76	5	11	2.5	1	0.49	31	65	5	1	5	1.35	0.068	0.049	13	3	22	0.08	10	4	1	5	44	5	4	27
CO01	266	267.5	710142	A18-13098	710142	299	6.8	95	119	19.3	19.5	2.5	226	0.15	78	251	<1	36	1.64	5	5	2.5	4	0.16	31	37	5	2	5	0.91	0.053	0.028	21	2	16	0.02	10	<1	2	5	23	5	3	31
CO01	267.5	269	710143	A18-13098	710143	15	1.7	31	517	4.96	2.13	6.1	43	0.21	36	418	<1	47	2.65	5	42	2.5	1	0.47	21	58	5	<1	5	2.03	0.087	0.063	5	3	25	0.02	10	<1	1	5	40	5	5	28
CO01	269	270.5	710144	A18-13098	710144	6	0.1	24	141	3.38	1.42	2.5	18	0.14	34	312	1	44	2.01	5	35	2.5	1	0.97	21	98	5	<1	13	1.86	0.122	0.071	1	4	21	0.05	10	<1	1	5	52	5	6	21
CO01	270.5	272	710145	A18-13098	710145	10	1	5401	405	13.5	10.1	1.7	44	0.08	139	530	<1	60	2.49	5	15	2.5	1	2.05	16	66	10	1	15	1.65	0.071	0.065	7	4	28	0.06	10	1	1	5	47	5	9	41
CO01	272	273.5	710146	A18-13098	710146	28	0.2	321	414	5.21	1.36	1.4	19	0.15	28	552	<1	54	1.11	5	29	2.5	1	0.35	20	96	10	<1	5	2.72	0.097	0.077	3	4	17	0.06	10	<1	1	5	59	5	6	29
CO01	273.5	275	710147	A18-13098	710147	21	0.2	158	5760	4.73	1.01	22.3	28	0.07	40	585	<1	63	2.78	5	16	2.5	1	0.31	21	148	10	<1	5	2.47	0.084	0.077	4	6	8	0.11	10	4	1	5	75	5	7	27
CO01	275	277	710148	A18-13098	710148	17	0.1	98	1090	5.28	2.25	3.9	28	0.21	24	497	1	61	2.64	5	37	2.5	1	0.24	25	105	5	<1	5	1.76	0.083	0.041	4	5	19	0.11	10	<1	1	5	48	5	6	31


GEOLOGIST'S CERTIFICATE

Dirk Tempelman-Kluit
1592 Island Park Walk
Vancouver, BC, Canada

I, Dirk Jacob Tempelman-Kluit, hereby certify that:

1. I am a geologist residing in Vancouver, B.C.
2. I obtained a Bachelor of Applied Science degree in Geological Engineering in 1962 and a Master of Applied Science degree in Geological Engineering in 1964 from The University of British Columbia, Vancouver, British Columbia, Canada and obtained a PhD in Geology in 1968 from McGill University in Montreal, Quebec, Canada.
3. I have practiced my profession as a geologist since 1962 for the Geological Survey of Canada and several junior exploration companies. I have directly supervised and conducted programs of geological mapping, soil sampling, and drilling.
4. I am a Fellow of the Geological Association of Canada, fellow #1969.
5. I am a member of the Association of Professional Engineers and Geoscientists of BC (#39197)
6. I am an officer and director of Prosper Gold Corp.
7. I supervised and worked on the Currie Project.
8. I am the author of this report
9. I believe the report accurately depicts the information available at the time of its writing

Dated in Vancouver, British Columbia this 26th day of November, 2018



Dirk Jacob Tempelman-Kluit





Date Submitted: 12-Sep-18
Invoice No.: A18-12962
Invoice Date: 09-Oct-18
Your Reference: Sept 12/18

Prosper Gold Corp.
Unit B - 468 Reid Street
Quesnel BC V2J 2M6
Canada

ATTN: Dirk Tempelman-Kluit (Reports)

CERTIFICATE OF ANALYSIS

50 Rock samples were submitted for analysis.

The following analytical package(s) were requested:

Code 1A2-Timmins Au - Fire Assay AA

Code 1E3-Timmins Aqua Regia ICP(AQUAGEO)

REPORT **A18-12962**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3.

Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

A handwritten signature in black ink, appearing to be "Emmanuel Esemé", written over a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
1752 Riverside Drive, Timmins, Ontario, Canada, P4R 1N1
TELEPHONE +705 264-0123 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Timmins@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Activation Laboratories Ltd.

Report: A18-12962

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
710001	412	22.9	4.1	24	546	1	49	509	1140	1.14	42	< 10	19	< 0.5	< 2	1.83	26	13	7.90	< 10	< 1	0.09	< 10
710002	348	7.1	5.6	83	596	< 1	24	699	1680	1.38	21	< 10	24	< 0.5	< 2	1.23	16	13	4.27	< 10	< 1	0.10	< 10
710003	123	2.2	0.7	21	180	< 1	25	58	224	0.69	24	< 10	24	< 0.5	< 2	0.45	17	8	3.67	< 10	< 1	0.11	< 10
710004	36	0.6	< 0.5	18	710	< 1	22	24	226	1.26	11	< 10	28	< 0.5	< 2	1.23	14	14	3.13	< 10	< 1	0.12	< 10
710005	23	0.4	< 0.5	16	927	< 1	22	13	167	1.76	6	< 10	30	< 0.5	< 2	1.25	13	20	3.57	< 10	< 1	0.12	< 10
710006	32	< 0.2	< 0.5	17	901	< 1	17	7	241	2.39	3	< 10	38	< 0.5	< 2	0.56	12	19	4.37	< 10	< 1	0.12	19
710007	30	0.3	< 0.5	11	1110	1	22	7	178	1.82	4	< 10	32	< 0.5	< 2	1.60	13	22	3.70	< 10	< 1	0.13	< 10
710008	179	1.4	< 0.5	15	775	< 1	26	91	215	1.32	19	< 10	24	< 0.5	< 2	1.19	15	15	5.42	< 10	< 1	0.16	< 10
710009	16	0.4	< 0.5	9	1130	< 1	23	9	138	1.72	12	< 10	25	< 0.5	2	2.54	14	17	3.98	< 10	< 1	0.16	< 10
710010	344	< 0.2	< 0.5	111	1030	4	120	2	75	1.51	208	< 10	98	< 0.5	< 2	1.26	28	51	5.87	< 10	< 1	0.12	19
710011	5	< 0.2	< 0.5	5	1300	< 1	20	4	92	2.20	4	< 10	23	< 0.5	< 2	3.03	13	22	3.86	< 10	< 1	0.14	< 10
710012	10	0.6	< 0.5	8	1070	< 1	21	7	72	1.55	10	< 10	24	< 0.5	3	3.00	14	16	3.70	< 10	< 1	0.16	< 10
710013	21	0.4	0.7	9	953	< 1	20	8	239	1.42	12	< 10	24	< 0.5	< 2	2.40	14	15	3.71	< 10	< 1	0.18	< 10
710014	45	1.0	3.5	20	494	< 1	23	11	876	0.65	17	< 10	24	< 0.5	< 2	1.79	15	6	3.64	< 10	< 1	0.17	< 10
710015	22	1.4	< 0.5	23	858	2	36	9	134	1.55	15	< 10	28	< 0.5	3	1.64	17	26	3.20	< 10	< 1	0.18	< 10
710016	< 5	0.5	< 0.5	21	765	14	37	5	170	1.08	15	< 10	27	< 0.5	3	2.24	17	19	3.39	< 10	< 1	0.18	< 10
710017	9	0.6	0.5	18	654	< 1	37	9	116	0.77	24	< 10	30	< 0.5	< 2	2.77	16	12	3.87	< 10	< 1	0.20	< 10
710018	20	0.7	1.4	33	417	< 1	41	27	349	0.65	19	< 10	29	< 0.5	< 2	1.63	18	9	4.68	< 10	< 1	0.20	< 10
710019	13	0.7	4.8	20	480	< 1	74	14	1090	0.75	37	< 10	31	< 0.5	< 2	2.05	20	10	4.33	< 10	< 1	0.20	< 10
710020	18	0.7	1.7	27	407	< 1	42	24	400	0.60	18	< 10	28	< 0.5	2	1.63	18	9	4.37	< 10	< 1	0.19	< 10
710021	16	0.7	2.0	27	460	< 1	34	11	482	0.55	23	< 10	29	< 0.5	< 2	2.26	16	7	3.83	< 10	< 1	0.19	11
710022	8	0.5	0.7	21	399	< 1	33	19	200	0.50	19	< 10	29	< 0.5	< 2	2.03	18	7	3.04	< 10	< 1	0.19	< 10
710023	7	0.5	1.3	29	306	< 1	42	22	405	0.70	25	< 10	28	< 0.5	< 2	1.31	19	12	3.40	< 10	< 1	0.17	< 10
710024	12	0.8	1.0	29	265	< 1	47	57	373	0.65	36	< 10	27	< 0.5	< 2	1.27	20	16	3.56	< 10	< 1	0.16	< 10
710025	13	0.7	< 0.5	20	200	< 1	42	40	168	0.57	29	< 10	25	< 0.5	< 2	1.06	19	12	4.09	< 10	< 1	0.16	< 10
710026	25	1.1	1.2	23	199	1	37	28	613	0.61	30	< 10	21	< 0.5	< 2	0.94	17	11	5.90	< 10	< 1	0.17	< 10
710027	10	0.8	2.9	51	530	2	32	12	1170	0.76	15	< 10	31	< 0.5	< 2	2.44	15	11	2.64	< 10	< 1	0.20	< 10
710028	11	1.2	0.7	35	321	< 1	40	14	230	0.47	27	< 10	35	< 0.5	2	1.89	18	6	2.95	< 10	< 1	0.20	< 10
710029	12	0.7	0.8	22	298	< 1	37	16	274	0.40	24	< 10	31	< 0.5	< 2	1.73	17	5	3.80	< 10	< 1	0.20	10
710030	< 5	< 0.2	< 0.5	39	545	1	122	< 2	67	1.05	< 2	< 10	36	< 0.5	< 2	0.96	28	39	4.90	< 10	< 1	0.05	16
710031	9	0.9	0.9	33	765	1	34	15	260	0.95	24	< 10	31	< 0.5	< 2	2.26	17	15	3.54	< 10	< 1	0.19	15
710032	27	1.1	2.0	19	432	1	34	15	586	0.94	42	< 10	25	< 0.5	< 2	1.24	16	13	3.27	< 10	< 1	0.19	11
710033	35	0.6	< 0.5	15	423	< 1	30	8	119	1.18	34	< 10	24	< 0.5	< 2	0.56	13	16	2.71	< 10	< 1	0.17	< 10
710034	21	0.6	< 0.5	13	190	< 1	36	15	143	0.93	49	< 10	23	< 0.5	< 2	0.37	17	13	3.25	< 10	< 1	0.17	< 10
710035	27	1.3	0.7	15	264	2	36	49	229	0.96	67	< 10	22	< 0.5	< 2	0.64	17	16	3.66	< 10	< 1	0.17	< 10
710036	26	1.1	0.7	21	170	< 1	38	35	324	1.13	56	< 10	28	< 0.5	< 2	0.55	18	15	4.28	< 10	< 1	0.20	< 10
710037	14	0.8	< 0.5	17	174	< 1	32	43	221	1.16	43	10	26	< 0.5	< 2	0.59	16	18	3.34	< 10	< 1	0.17	< 10
710038	27	1.6	4.5	25	150	< 1	46	28	1250	1.09	46	< 10	16	< 0.5	< 2	0.57	17	17	7.05	< 10	< 1	0.15	< 10
710039	25	1.5	1.2	25	139	< 1	44	36	319	1.00	50	< 10	16	< 0.5	< 2	0.61	17	17	7.50	< 10	< 1	0.15	< 10
710040	538	< 0.2	< 0.5	155	740	< 1	65	< 2	65	3.53	3	40	21	< 0.5	< 2	2.70	29	96	6.23	10	1	0.04	< 10
710041	19	0.9	2.5	28	156	< 1	33	14	633	0.66	39	< 10	20	< 0.5	< 2	1.03	14	12	4.85	< 10	< 1	0.16	< 10
710042	31	2.6	< 0.5	32	137	< 1	28	32	59	0.62	36	< 10	16	< 0.5	< 2	0.87	13	16	7.31	< 10	< 1	0.15	< 10

Results

Activation Laboratories Ltd.

Report: A18-12962

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
710043	20	1.6	< 0.5	26	100	1	41	24	20	0.72	44	< 10	20	< 0.5	< 2	0.80	18	13	6.16	< 10	< 1	0.16	< 10
710044	20	1.2	< 0.5	23	72	< 1	35	17	15	0.64	41	< 10	18	< 0.5	< 2	0.76	16	13	6.16	< 10	< 1	0.13	< 10
710045	17	0.8	< 0.5	17	90	4	33	13	45	0.62	42	< 10	21	< 0.5	< 2	0.93	15	11	4.75	< 10	< 1	0.13	< 10
710046	19	0.9	< 0.5	20	102	< 1	35	13	51	0.66	41	< 10	21	< 0.5	< 2	0.95	17	12	4.79	< 10	< 1	0.13	< 10
710047	6	1.2	< 0.5	26	85	5	36	23	43	0.68	38	< 10	24	< 0.5	< 2	0.85	18	11	5.08	< 10	< 1	0.15	< 10
710048	18	0.9	< 0.5	22	70	< 1	35	17	34	0.74	36	< 10	24	< 0.5	< 2	0.76	18	13	5.11	< 10	< 1	0.14	< 10
710049	15	0.6	< 0.5	17	98	< 1	33	12	37	0.74	37	< 10	23	< 0.5	< 2	0.94	15	13	4.59	< 10	< 1	0.13	< 10
710050	15	0.6	< 0.5	16	101	< 1	31	12	48	0.58	36	< 10	18	< 0.5	< 2	1.05	15	10	4.25	< 10	< 1	0.10	< 10

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
710001	0.52	0.090	0.046	7.02	2	2	21	0.07	< 20	< 1	< 2	< 10	15	< 10	5	20
710002	0.67	0.090	0.058	2.69	< 2	2	19	0.06	< 20	< 1	< 2	< 10	17	< 10	6	19
710003	0.17	0.092	0.056	3.11	< 2	1	16	0.06	< 20	2	< 2	< 10	9	< 10	5	21
710004	0.56	0.088	0.055	1.65	< 2	2	20	0.06	< 20	2	< 2	< 10	14	< 10	7	18
710005	0.88	0.089	0.058	0.93	< 2	2	20	0.06	< 20	< 1	< 2	< 10	20	< 10	7	19
710006	1.42	0.053	0.097	0.23	< 2	3	36	0.07	< 20	2	< 2	< 10	32	< 10	9	8
710007	0.98	0.066	0.059	0.63	< 2	2	18	0.02	< 20	< 1	< 2	< 10	19	< 10	6	15
710008	0.68	0.062	0.060	3.72	3	1	15	< 0.01	< 20	< 1	< 2	< 10	12	< 10	5	18
710009	1.03	0.056	0.059	1.71	2	1	17	< 0.01	< 20	< 1	< 2	< 10	13	< 10	6	13
710010	2.26	0.321	0.144	0.25	2	3	84	0.23	< 20	2	< 2	< 10	41	< 10	14	7
710011	1.40	0.047	0.057	0.62	< 2	2	17	< 0.01	< 20	< 1	< 2	< 10	16	< 10	6	11
710012	0.98	0.053	0.060	1.78	< 2	1	16	< 0.01	< 20	2	< 2	< 10	11	< 10	7	14
710013	0.90	0.046	0.056	2.19	< 2	1	13	< 0.01	< 20	3	< 2	< 10	11	< 10	5	14
710014	0.31	0.059	0.055	3.37	< 2	< 1	13	< 0.01	< 20	< 1	< 2	< 10	6	< 10	5	17
710015	1.14	0.047	0.057	1.66	< 2	1	12	< 0.01	< 20	1	< 2	< 10	13	< 10	5	16
710016	0.72	0.040	0.057	2.55	< 2	1	14	< 0.01	< 20	2	< 2	< 10	9	< 10	4	21
710017	0.42	0.040	0.060	3.33	< 2	< 1	16	< 0.01	< 20	< 1	< 2	< 10	7	< 10	6	20
710018	0.27	0.043	0.063	4.28	2	< 1	13	< 0.01	< 20	1	< 2	< 10	6	< 10	8	26
710019	0.40	0.041	0.064	3.81	2	< 1	12	< 0.01	< 20	2	< 2	< 10	7	< 10	10	22
710020	0.25	0.035	0.064	3.99	2	< 1	12	< 0.01	< 20	< 1	< 2	< 10	6	< 10	9	24
710021	0.28	0.037	0.061	3.50	2	< 1	13	< 0.01	< 20	< 1	< 2	< 10	6	< 10	8	19
710022	0.21	0.033	0.063	2.79	< 2	< 1	14	< 0.01	< 20	2	< 2	< 10	6	< 10	6	17
710023	0.34	0.060	0.065	2.82	< 2	1	15	0.03	< 20	2	< 2	< 10	11	< 10	7	21
710024	0.30	0.068	0.067	2.97	< 2	2	16	0.07	< 20	2	< 2	< 10	15	< 10	7	24
710025	0.29	0.066	0.065	3.73	< 2	1	13	0.07	< 20	4	< 2	< 10	12	< 10	7	23
710026	0.29	0.050	0.061	5.60	2	1	12	0.06	< 20	3	< 2	< 10	9	< 10	6	26
710027	0.39	0.034	0.063	2.08	< 2	1	18	0.04	< 20	< 1	< 2	< 10	8	< 10	7	20
710028	0.13	0.038	0.064	2.78	< 2	< 1	14	0.01	< 20	2	< 2	< 10	5	< 10	6	18
710029	0.23	0.032	0.061	3.67	< 2	< 1	10	0.02	< 20	< 1	< 2	< 10	5	< 10	6	19
710030	2.22	0.251	0.136	< 0.01	< 2	3	67	0.25	< 20	4	< 2	< 10	31	< 10	13	6
710031	0.75	0.033	0.055	2.45	< 2	1	12	< 0.01	< 20	1	< 2	< 10	9	< 10	9	17
710032	0.37	0.070	0.063	2.78	< 2	1	15	0.06	< 20	4	< 2	< 10	9	< 10	6	18
710033	0.59	0.081	0.059	2.00	< 2	1	15	0.04	< 20	< 1	< 2	< 10	11	< 10	5	16
710034	0.39	0.080	0.062	2.84	< 2	1	15	0.08	< 20	< 1	< 2	< 10	10	< 10	5	20
710035	0.54	0.067	0.061	3.21	< 2	1	13	0.07	< 20	1	< 2	< 10	11	< 10	5	20
710036	0.43	0.108	0.060	3.88	2	2	23	0.09	< 20	5	< 2	< 10	13	< 10	6	21
710037	0.52	0.109	0.053	2.83	2	2	24	0.09	< 20	2	< 2	< 10	14	< 10	6	18
710038	0.57	0.101	0.050	6.89	3	2	23	0.05	< 20	2	< 2	< 10	15	< 10	5	20
710039	0.53	0.090	0.049	7.49	4	2	21	0.04	< 20	2	< 2	< 10	14	< 10	5	19
710040	2.05	0.086	0.040	0.13	< 2	8	27	0.43	< 20	5	< 2	< 10	169	< 10	14	21
710041	0.25	0.072	0.042	4.65	2	2	17	0.05	< 20	< 1	< 2	< 10	10	< 10	6	14
710042	0.29	0.073	0.029	7.28	3	2	16	0.03	< 20	4	< 2	< 10	12	< 10	6	13

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
710043	0.24	0.098	0.043	6.13	3	2	22	0.08	< 20	3	< 2	< 10	14	< 10	6	16
710044	0.18	0.096	0.040	6.23	3	2	21	0.10	< 20	5	< 2	< 10	13	< 10	5	15
710045	0.23	0.089	0.034	4.51	2	1	20	0.04	< 20	2	< 2	< 10	10	< 10	5	14
710046	0.28	0.089	0.041	4.50	3	1	21	0.02	< 20	1	< 2	< 10	10	< 10	5	14
710047	0.24	0.098	0.041	4.79	3	2	23	0.07	< 20	< 1	< 2	< 10	12	< 10	5	18
710048	0.20	0.105	0.042	4.90	3	2	25	0.12	< 20	3	< 2	< 10	13	< 10	5	18
710049	0.26	0.104	0.046	4.26	< 2	2	25	0.09	< 20	2	< 2	< 10	12	< 10	6	16
710050	0.27	0.077	0.047	4.13	< 2	1	20	0.08	< 20	< 1	< 2	< 10	10	< 10	6	15

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas		29.2	2.3	1180	879	15	36	678	707	0.32	388	< 10	305	0.9	1480	0.70	7	7	24.6	< 10	3	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-1 Meas		29.5	2.3	1210	878	15	33	695	731	0.33	400	11	237	0.9	1510	0.72	6	7	25.1	< 10	3	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-6 Meas		0.3	< 0.5	69	1130	2	25	101	126	7.09	250	< 10	957	1.0	< 2	0.16	12	85	5.86	20	1	1.06	11
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
GXR-6 Meas		< 0.2	< 0.5	66	1110	1	22	96	127	7.01	246	< 10	953	1.0	< 2	0.16	13	84	5.82	20	< 1	1.04	11
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
OREAS 134b (AQUA REGIA) Meas		> 100	579	1490				> 5000	> 10000		239						99		13.4				
OREAS 134b (AQUA REGIA) Cert		204	563	1360				133000	177000		221						110		12.25				
OREAS 133a (Aqua Regia) Meas		99.8	300	335				> 5000	> 10000		143		18				21		8.29				
OREAS 133a (Aqua Regia) Cert		97	297	324				48600.00	106000.00		140		59				23		7.92				
OREAS 923 (AQUA REGIA) Meas		1.5	0.7	4450	953	< 1	32	83	356	2.87	6		64	0.7	17	0.37	20	45	6.42	< 10		0.35	37
OREAS 923 (AQUA REGIA) Cert		1.62	0.40	4248	850	0.84	32.7	81	335	2.80	7.07		54	0.61	21.8	0.326	22.2	39.4	5.91	8.01		0.322	30.0
OREAS 907 (Aqua Regia) Meas		1.3	0.7	6540	380	5	6	36	152	1.11	37		238	1.1	25	0.27	44	9	8.77	20		0.32	42
OREAS 907 (Aqua Regia) Cert		1.30	0.540	6370	330	5.64	4.74	34.1	139	0.945	37.0		225	0.870	22.3	0.280	43.7	8.59	8.18	14.7		0.286	36.1
OREAS 907 (Aqua Regia) Meas		1.3	0.9	6450	373	6	4	36	150	1.11	39		236	1.1	19	0.27	44	9	8.58	20		0.31	42
OREAS 907 (Aqua Regia) Cert		1.30	0.540	6370	330	5.64	4.74	34.1	139	0.945	37.0		225	0.870	22.3	0.280	43.7	8.59	8.18	14.7		0.286	36.1
OREAS 220 (Fire Assay) Meas	905																						
OREAS 220 (Fire Assay) Cert	866																						
OREAS 220 (Fire Assay) Meas	862																						
OREAS 220 (Fire Assay) Cert	866																						
OREAS 224 Meas	2250																						
OREAS 224 Cert	2150																						
OREAS 224 Meas	2220																						
OREAS 224 Cert	2150																						

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
710003 Orig		2.6	0.6	22	182	< 1	25	58	228	0.70	24	< 10	24	< 0.5	< 2	0.45	17	8	3.70	< 10	< 1	0.11	< 10
710003 Dup		1.8	0.8	21	179	< 1	26	57	221	0.69	23	< 10	24	< 0.5	< 2	0.45	17	8	3.64	< 10	< 1	0.11	< 10
710011 Orig	5	< 0.2	< 0.5	5	1300	< 1	20	4	91	2.20	4	< 10	22	< 0.5	< 2	3.04	13	22	3.86	< 10	< 1	0.14	< 10
710011 Dup	5	< 0.2	< 0.5	5	1290	< 1	20	4	92	2.19	4	< 10	23	< 0.5	< 2	3.01	13	22	3.86	< 10	< 1	0.14	< 10
710020 Orig	18																						
710020 Dup	18																						
710031 Orig	9																						
710031 Dup	8																						
710045 Orig	17																						
710045 Dup	17																						
710050 Orig	15	0.6	< 0.5	16	101	< 1	31	12	48	0.58	36	< 10	18	< 0.5	< 2	1.05	15	10	4.25	< 10	< 1	0.10	< 10
710050 Split PREP DUP	15	0.6	< 0.5	16	99	< 1	31	12	49	0.58	35	< 10	18	< 0.5	< 2	1.03	15	10	4.19	< 10	< 1	0.10	< 10
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10
Method Blank	< 5																						
Method Blank	< 5																						

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas	0.13	0.049	0.039	0.19	84	1	163	< 0.01	< 20	9	< 2	30	74	141	24	15
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	2.44	13.0	0.390	34.9	80.0	164	32.0	38.0
GXR-1 Meas	0.13	0.050	0.041	0.19	85	1	167	< 0.01	< 20	18	< 2	30	76	141	25	15
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	2.44	13.0	0.390	34.9	80.0	164	32.0	38.0
GXR-6 Meas	0.39	0.091	0.034	0.01	4	22	38		< 20	< 1	< 2	< 10	160	< 10	6	14
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		5.30	0.0180	2.20	1.54	186	1.90	14.0	110
GXR-6 Meas	0.39	0.090	0.034	0.01	5	22	38		< 20	< 1	< 2	< 10	162	< 10	6	16
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		5.30	0.0180	2.20	1.54	186	1.90	14.0	110
OREAS 134b (AQUA REGIA) Meas				14.6												
OREAS 134b (AQUA REGIA) Cert				19.31												
OREAS 133a (Aqua Regia) Meas				10.7	140											
OREAS 133a (Aqua Regia) Cert				10.7	147											
OREAS 923 (AQUA REGIA) Meas	1.46		0.063	0.63	3	4	15		< 20		< 2	< 10	32	< 10	17	34
OREAS 923 (AQUA REGIA) Cert	1.43		0.061	0.684	0.58	3.09	13.6		14.3		0.12	1.80	30.6	1.96	14.3	22.5
OREAS 907 (Aqua Regia) Meas	0.23	0.099	0.026	0.06	6	2	14	0.02	< 20	3	< 2	< 10	6	< 10	7	52
OREAS 907 (Aqua Regia) Cert	0.221	0.0860	0.0240	0.0660	2.28	2.16	11.7	0.0170	8.04	0.230	0.120	2.15	5.12	0.980	6.52	43.7
OREAS 907 (Aqua Regia) Meas	0.23	0.097	0.025	0.06	6	2	13	0.02	< 20	< 1	< 2	< 10	6	< 10	7	47
OREAS 907 (Aqua Regia) Cert	0.221	0.0860	0.0240	0.0660	2.28	2.16	11.7	0.0170	8.04	0.230	0.120	2.15	5.12	0.980	6.52	43.7
OREAS 220 (Fire Assay) Meas																
OREAS 220 (Fire Assay) Cert																
OREAS 220 (Fire Assay) Meas																
OREAS 220 (Fire Assay) Cert																
OREAS 224 Meas																
OREAS 224 Cert																
OREAS 224 Meas																
OREAS 224 Cert																

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
710003 Orig	0.18	0.093	0.056	3.15	< 2	1	16	0.06	< 20	2	< 2	< 10	9	< 10	5	21
710003 Dup	0.17	0.091	0.055	3.06	< 2	1	16	0.06	< 20	1	< 2	< 10	9	< 10	5	21
710011 Orig	1.40	0.046	0.057	0.63	< 2	2	18	< 0.01	< 20	< 1	< 2	< 10	16	< 10	6	10
710011 Dup	1.40	0.047	0.057	0.62	< 2	2	17	< 0.01	< 20	< 1	< 2	< 10	16	< 10	6	11
710020 Orig																
710020 Dup																
710031 Orig																
710031 Dup																
710045 Orig																
710045 Dup																
710050 Orig	0.27	0.077	0.047	4.13	< 2	1	20	0.08	< 20	< 1	< 2	< 10	10	< 10	6	15
710050 Split PREP DUP	0.26	0.077	0.046	4.00	< 2	1	20	0.08	< 20	< 1	< 2	< 10	10	< 10	6	15
Method Blank																
Method Blank																
Method Blank	< 0.01	0.012	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1
Method Blank	< 0.01	0.012	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1
Method Blank	< 0.01	0.011	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1
Method Blank	< 0.01	0.011	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1
Method Blank																
Method Blank																



Date Submitted: 14-Sep-18
Invoice No.: A18-13098
Invoice Date: 22-Oct-18
Your Reference: Sept 14/18

Prosper Gold Corp.
Unit B - 468 Reid Street
Quesnel BC V2J 2M6
Canada

ATTN: Dirk Tempelman-Kluit (Reports)

CERTIFICATE OF ANALYSIS

98 Rock samples were submitted for analysis.

The following analytical package(s) were requested:

Code 1A2-Timmins Au - Fire Assay AA

Code 1E3-Timmins Aqua Regia ICP(AQUAGEO)

REPORT **A18-13098**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3.

Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

A handwritten signature in black ink, appearing to be "Emmanuel Esemé". The signature is written in a cursive style with a large, stylized 'E' and 'S'.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
1752 Riverside Drive, Timmins, Ontario, Canada, P4R 1N1
TELEPHONE +705 264-0123 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Timmins@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Activation Laboratories Ltd.

Report: A18-13098

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
710051	10	0.7	< 0.5	22	90	< 1	34	14	42	0.93	37	11	26	< 0.5	< 2	0.83	18	26	4.67	< 10	< 1	0.17	< 10
710052	11	1.0	< 0.5	17	86	< 1	29	15	95	0.73	37	< 10	23	< 0.5	< 2	0.79	16	25	4.57	< 10	< 1	0.14	< 10
710053	17	1.1	1.9	16	77	< 1	28	22	311	0.92	44	< 10	24	< 0.5	< 2	0.74	15	24	4.86	< 10	< 1	0.18	< 10
710054	30	1.4	2.4	17	77	< 1	30	67	642	1.00	59	< 10	23	< 0.5	< 2	0.45	16	28	5.29	< 10	< 1	0.20	< 10
710055	19	1.1	2.1	12	72	< 1	29	52	537	0.73	52	< 10	21	< 0.5	< 2	0.44	15	22	4.95	< 10	< 1	0.12	< 10
710056	26	2.2	3.8	23	105	< 1	26	46	545	0.92	61	< 10	14	< 0.5	< 2	0.84	14	22	8.75	< 10	< 1	0.17	< 10
710057	28	2.2	1.1	20	103	< 1	31	78	257	0.88	63	< 10	14	< 0.5	< 2	0.58	15	27	8.77	< 10	< 1	0.15	< 10
710058	22	1.7	0.6	19	128	< 1	28	66	212	1.04	49	< 10	20	< 0.5	< 2	0.79	15	31	6.45	< 10	< 1	0.16	< 10
710059	24	3.2	2.6	28	138	< 1	29	187	767	1.23	54	< 10	18	< 0.5	< 2	0.56	16	27	7.15	< 10	< 1	0.16	< 10
710060	5	< 0.2	< 0.5	40	536	1	108	< 2	68	1.13	< 2	< 10	37	< 0.5	< 2	1.05	30	40	4.80	< 10	< 1	0.05	17
710061	30	1.9	6.7	21	144	< 1	33	46	1480	1.49	66	< 10	19	< 0.5	< 2	0.37	17	31	7.61	< 10	< 1	0.17	< 10
710062	26	1.6	5.6	19	112	1	27	31	889	1.05	58	< 10	18	< 0.5	< 2	0.44	15	26	5.74	< 10	< 1	0.16	< 10
710063	33	3.3	16.0	65	159	4	37	66	2870	1.54	107	< 10	15	< 0.5	< 2	0.46	21	30	9.33	< 10	3	0.17	< 10
710064	42	6.0	5.8	46	181	< 1	43	53	1040	1.90	114	< 10	11	< 0.5	< 2	0.23	21	42	13.9	< 10	2	0.19	< 10
710065	61	7.1	8.3	31	197	1	42	50	1270	1.62	138	< 10	13	< 0.5	< 2	0.46	22	41	11.9	< 10	< 1	0.18	< 10
710066	88	13.3	31.5	42	222	< 1	26	147	6270	1.89	158	< 10	14	< 0.5	< 2	0.37	18	33	10.7	< 10	3	0.22	< 10
710067	1100	> 100	36.6	37	95	1	15	1660	5880	0.58	446	< 10	< 10	< 0.5	2	0.21	6	19	18.2	< 10	7	0.07	< 10
710068	821	> 100	146	93	94	< 1	8	> 5000	> 10000	0.08	656	< 10	< 10	< 0.5	4	0.54	3	10	17.8	< 10	22	< 0.01	< 10
710069	360	> 100	59.8	261	76	7	6	4700	> 10000	0.15	686	< 10	< 10	< 0.5	< 2	0.27	5	16	17.9	< 10	10	0.02	< 10
710070	872	0.3	< 0.5	126	665	< 1	80	7	68	2.84	4	21	27	< 0.5	< 2	2.33	31	92	5.59	< 10	< 1	0.06	< 10
710071	423	> 100	13.4	467	62	< 1	6	1070	1820	0.10	336	< 10	< 10	< 0.5	2	0.06	2	15	18.7	< 10	7	0.02	< 10
710072	640	88.2	12.6	72	95	< 1	6	665	2940	0.16	362	< 10	< 10	< 0.5	4	0.37	4	15	18.2	< 10	3	0.03	< 10
710073	937	57.8	15.3	57	123	< 1	8	564	3320	0.32	520	< 10	< 10	< 0.5	3	0.42	5	19	17.5	< 10	4	0.04	< 10
710074	618	39.0	36.6	50	137	< 1	7	734	5240	0.29	456	< 10	< 10	< 0.5	3	0.31	4	11	19.0	< 10	5	0.03	< 10
710075	707	47.4	13.2	58	98	< 1	9	371	1760	0.09	383	< 10	< 10	< 0.5	2	0.40	4	15	19.2	< 10	3	< 0.01	< 10
710076	5	45.7	25.0	37	91	< 1	6	1530	4450	0.20	384	< 10	< 10	< 0.5	3	0.20	2	12	18.6	< 10	3	0.02	< 10
710077	1720	85.5	46.9	72	133	< 1	8	2590	6430	0.52	2390	< 10	< 10	< 0.5	4	0.07	3	18	19.0	< 10	5	0.06	< 10
710078	1940	> 100	168	476	89	< 1	5	> 5000	> 10000	0.23	2010	< 10	< 10	< 0.5	12	0.05	5	11	17.7	< 10	16	0.02	< 10
710079	1020	> 100	295	703	124	< 1	9	> 5000	> 10000	0.47	1030	< 10	< 10	< 0.5	< 2	0.06	7	18	16.7	< 10	39	0.05	< 10
710080	947	> 100	246	645	118	< 1	8	> 5000	> 10000	0.54	1090	< 10	< 10	< 0.5	< 2	0.07	9	19	16.8	< 10	35	0.07	< 10
710081	3170	88.1	184	955	126	< 1	12	> 5000	> 10000	0.42	4000	< 10	< 10	< 0.5	< 2	0.04	8	24	17.5	< 10	23	0.06	< 10
710082	168	5.8	11.8	83	361	< 1	21	1410	3520	1.88	69	< 10	49	< 0.5	< 2	1.93	11	39	3.54	< 10	1	0.24	11
710083	13	1.1	0.5	10	326	< 1	23	45	175	1.47	13	< 10	40	< 0.5	< 2	2.04	11	87	2.29	< 10	< 1	0.08	11
710084	8	0.7	< 0.5	10	352	3	22	16	109	1.61	18	< 10	48	< 0.5	< 2	2.45	11	55	2.17	< 10	< 1	0.13	11
710085	11	1.3	< 0.5	5	368	11	19	23	109	1.46	18	< 10	43	< 0.5	< 2	3.19	10	38	1.91	< 10	< 1	0.15	< 10
710086	8	0.5	< 0.5	6	430	< 1	20	22	106	1.54	13	< 10	50	< 0.5	< 2	3.23	10	30	2.09	< 10	< 1	0.16	12
710087	7	0.6	< 0.5	12	421	2	22	18	111	1.60	19	< 10	49	< 0.5	< 2	2.87	11	32	2.16	< 10	< 1	0.16	13
710088	6	2.3	< 0.5	7	369	2	20	6	70	1.55	19	< 10	44	< 0.5	< 2	2.60	11	33	2.02	< 10	< 1	0.17	16
710089	7	5.0	< 0.5	3	371	2	21	7	57	1.50	19	< 10	37	< 0.5	< 2	2.53	10	30	2.13	< 10	< 1	0.14	20
710090	< 5	< 0.2	< 0.5	39	529	1	106	3	66	1.04	< 2	< 10	33	< 0.5	< 2	1.00	30	38	4.66	< 10	< 1	0.05	17
710091	9	0.4	< 0.5	8	381	5	20	3	55	1.65	16	< 10	43	< 0.5	< 2	2.29	10	31	2.19	< 10	< 1	0.16	13
710092	8	2.6	< 0.5	6	370	9	24	5	59	1.70	29	< 10	45	< 0.5	< 2	2.33	11	42	2.38	< 10	< 1	0.14	< 10

Results

Activation Laboratories Ltd.

Report: A18-13098

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
710093	15	1.2	< 0.5	12	408	8	23	21	86	1.69	27	< 10	49	< 0.5	< 2	2.87	12	34	2.38	< 10	< 1	0.15	< 10
710094	33	1.8	0.5	13	390	< 1	23	70	185	1.39	67	< 10	51	< 0.5	< 2	1.65	12	89	2.20	< 10	< 1	0.13	10
710095	93	2.1	< 0.5	13	482	< 1	23	56	180	1.49	73	< 10	43	< 0.5	< 2	1.73	12	60	2.49	< 10	< 1	0.12	10
710096	377	7.8	4.9	36	218	1	28	143	1430	1.10	214	< 10	19	< 0.5	< 2	1.10	16	33	6.75	< 10	< 1	0.20	< 10
710097	486	11.1	< 0.5	34	107	< 1	28	73	261	0.70	517	< 10	< 10	< 0.5	< 2	0.39	16	33	15.1	< 10	3	0.16	< 10
710098	183	7.3	2.3	47	358	< 1	46	258	833	1.58	369	16	16	< 0.5	< 2	1.13	22	76	7.62	< 10	2	0.25	< 10
710099	110	5.2	1.6	42	672	< 1	16	141	627	1.86	156	< 10	25	0.5	< 2	1.82	35	22	10.7	10	< 1	0.16	20
710100	336	< 0.2	< 0.5	110	986	5	106	3	74	1.53	201	< 10	94	< 0.5	< 2	1.33	30	54	5.57	< 10	< 1	0.13	19
710101	< 5	0.7	< 0.5	39	850	< 1	15	32	164	2.41	49	11	45	0.6	< 2	2.31	39	18	9.25	20	< 1	0.15	28
710102	33	6.0	3.6	106	472	1	38	307	946	2.07	178	11	< 10	0.5	< 2	0.50	41	36	15.5	10	1	0.27	< 10
710103	69	9.8	1.0	75	672	< 1	29	422	397	2.13	196	< 10	< 10	0.6	< 2	1.28	49	23	19.1	10	< 1	0.13	16
710104	20	1.3	0.6	47	873	< 1	13	65	184	2.42	71	11	40	0.6	< 2	2.37	38	18	9.66	20	< 1	0.11	28
710105	> 5000	47.7	2.2	235	698	5	41	911	635	2.65	316	< 10	49	0.6	< 2	1.20	33	45	7.75	10	< 1	0.20	19
710106	4410	> 100	< 0.5	371	347	< 1	56	3440	187	2.78	797	17	78	< 0.5	< 2	0.23	23	52	4.99	< 10	< 1	0.58	11
710107	> 5000	> 100	< 0.5	383	561	< 1	47	4380	230	2.46	1250	12	68	< 0.5	< 2	0.86	34	52	6.37	10	1	0.44	14
710108	2780	29.0	0.5	123	462	< 1	54	638	178	2.60	78	15	89	< 0.5	< 2	0.72	30	50	5.30	10	< 1	0.50	12
710109	472	3.7	0.6	60	694	< 1	22	50	144	2.62	30	13	53	0.6	< 2	1.60	37	31	8.96	20	< 1	0.22	26
710110	11	0.9	< 0.5	36	679	< 1	25	25	137	2.62	27	13	54	0.6	< 2	1.57	36	30	8.84	20	< 1	0.23	24
710111	30	1.1	< 0.5	50	669	< 1	26	17	105	2.64	31	17	67	0.7	< 2	1.63	36	32	8.29	10	< 1	0.25	24
710112	< 5	0.8	0.5	31	707	< 1	14	32	130	2.30	23	13	34	0.6	< 2	3.67	38	15	8.96	20	< 1	0.12	26
710113	11	2.0	0.8	46	751	< 1	14	48	260	2.34	35	13	37	0.5	< 2	2.24	40	16	8.85	10	< 1	0.13	26
710114	< 5	0.9	1.1	54	825	< 1	15	55	290	2.61	34	11	21	0.6	< 2	2.74	40	27	8.65	10	< 1	0.07	27
710115	< 5	1.1	0.6	52	774	< 1	15	25	225	2.41	27	11	26	0.7	< 2	1.83	40	24	8.78	10	< 1	0.09	27
710116	< 5	0.7	< 0.5	32	926	< 1	19	24	162	2.96	45	< 10	23	< 0.5	< 2	1.96	44	24	10.1	20	1	0.06	26
710117	9	0.8	< 0.5	34	696	< 1	21	150	129	2.40	83	11	45	< 0.5	< 2	1.99	39	41	8.66	10	< 1	0.14	24
710118	< 5	0.8	0.6	41	756	< 1	15	67	174	2.46	51	11	36	0.5	< 2	2.05	38	31	8.70	10	< 1	0.12	22
710119	< 5	0.6	< 0.5	24	715	< 1	11	36	86	2.74	64	12	28	0.5	< 2	2.67	40	31	7.66	10	< 1	0.08	24
710120	< 5	< 0.2	< 0.5	41	539	1	110	< 2	68	1.14	< 2	< 10	38	< 0.5	< 2	1.06	31	41	4.82	< 10	< 1	0.05	17
710121	5	0.5	0.6	27	661	< 1	10	23	153	2.38	74	10	50	< 0.5	< 2	2.53	47	37	6.93	10	< 1	0.09	24
710122	< 5	0.6	0.5	34	528	< 1	9	18	138	1.98	22	< 10	47	< 0.5	< 2	1.83	32	29	7.73	10	< 1	0.20	24
710123	10	0.7	0.6	36	636	< 1	9	15	129	2.19	20	11	65	< 0.5	< 2	1.90	35	24	8.19	10	< 1	0.18	22
710124	< 5	0.5	< 0.5	47	829	< 1	12	16	119	2.72	26	12	37	0.5	< 2	2.31	39	37	8.88	10	< 1	0.13	23
710125	< 5	0.4	< 0.5	2	962	< 1	14	10	91	2.96	30	13	47	0.6	< 2	2.43	43	49	9.23	10	1	0.12	21
710126	1460	9.9	5.8	139	463	1	18	751	1790	1.94	53	< 10	42	< 0.5	< 2	0.76	26	57	8.14	10	< 1	0.16	11
710127	2970	50.8	10.2	136	119	< 1	20	784	3910	1.25	62	< 10	18	< 0.5	< 2	0.05	16	52	9.15	< 10	3	0.33	< 10
710128	853	10.7	6.7	108	486	1	15	436	2760	2.06	20	< 10	35	< 0.5	< 2	1.16	30	42	10.2	10	2	0.23	18
710129	9	0.7	< 0.5	39	671	< 1	14	35	140	2.24	5	10	49	< 0.5	< 2	1.90	35	28	8.77	10	< 1	0.15	26
710130	544	0.2	< 0.5	164	744	< 1	60	5	66	3.64	4	45	25	< 0.5	< 2	2.94	33	97	6.48	10	< 1	0.04	< 10
710131	8	0.7	< 0.5	37	652	< 1	13	34	133	2.11	7	< 10	68	< 0.5	< 2	2.10	35	26	8.33	10	< 1	0.15	26
710132	532	2.7	0.6	63	620	< 1	14	165	232	2.14	9	< 10	54	0.5	< 2	1.84	34	25	8.91	10	< 1	0.15	24
710133	1740	12.2	6.4	146	95	2	20	1240	2380	0.82	114	< 10	21	< 0.5	< 2	0.09	24	56	5.59	< 10	< 1	0.26	< 10
710134	1660	> 100	12.6	153	53	< 1	16	2430	5230	0.51	158	< 10	12	< 0.5	< 2	0.05	15	41	6.63	< 10	1	0.22	< 10

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
710135	1090	8.7	10.0	118	56	< 1	20	1600	3730	0.65	194	< 10	< 10	< 0.5	< 2	0.07	15	35	11.9	< 10	2	0.26	< 10
710136	2460	15.6	36.3	250	60	< 1	16	> 5000	> 10000	0.51	451	< 10	< 10	< 0.5	3	0.09	10	28	17.4	< 10	4	0.16	< 10
710137	1290	27.4	15.2	92	55	< 1	17	1070	4310	0.59	414	< 10	< 10	< 0.5	3	0.23	13	38	17.3	< 10	5	0.19	< 10
710138	2280	10.4	41.8	189	46	< 1	18	4370	> 10000	0.56	500	< 10	< 10	< 0.5	< 2	0.05	10	31	18.0	< 10	3	0.17	< 10
710139	135	4.0	10.8	147	517	< 1	51	1370	3380	1.86	37	< 10	29	< 0.5	< 2	2.54	21	190	4.90	< 10	< 1	0.09	10
710140	89	2.3	8.4	112	512	< 1	51	1060	2630	1.95	30	< 10	30	< 0.5	< 2	2.19	19	191	4.48	< 10	< 1	0.10	11
710141	192	4.9	< 0.5	63	279	< 1	35	71	106	1.76	193	< 10	11	< 0.5	< 2	0.49	31	65	18.8	< 10	1	0.20	< 10
710142	299	6.8	< 0.5	78	251	< 1	36	95	119	1.64	226	< 10	< 10	< 0.5	4	0.16	31	37	19.3	< 10	2	0.15	< 10
710143	15	1.7	6.1	36	418	< 1	47	31	517	2.65	43	< 10	42	< 0.5	< 2	0.47	21	58	4.96	< 10	< 1	0.21	< 10
710144	6	< 0.2	< 0.5	34	312	1	44	24	143	2.01	18	< 10	35	< 0.5	< 2	0.97	21	98	3.38	< 10	< 1	0.14	13
710145	10	1.0	1.7	139	539	< 1	60	> 5000	405	2.49	44	< 10	15	< 0.5	< 2	2.05	16	66	13.5	10	1	0.08	15
710146	28	0.2	1.4	28	552	< 1	54	321	414	3.11	19	< 10	29	< 0.5	< 2	0.35	20	96	5.21	10	< 1	0.15	< 10
710147	21	0.2	22.3	40	585	< 1	63	158	5760	2.78	28	< 10	16	< 0.5	< 2	0.31	21	148	4.73	10	< 1	0.07	< 10
710148	17	< 0.2	3.9	24	497	1	61	98	1090	2.66	28	< 10	37	< 0.5	< 2	0.24	25	104	5.78	< 10	< 1	0.21	< 10

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g/tonne
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1	0.03
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA- GRA
710051	0.27	0.139	0.047	4.79	2	2	32	0.07	< 20	< 1	< 2	< 10	14	< 10	7	19	
710052	0.21	0.105	0.044	4.63	3	1	24	0.06	< 20	< 1	< 2	< 10	10	< 10	6	18	
710053	0.24	0.122	0.040	5.01	3	1	28	0.02	< 20	< 1	< 2	< 10	11	< 10	5	16	
710054	0.32	0.117	0.045	5.34	4	1	25	< 0.01	< 20	< 1	< 2	< 10	12	< 10	4	18	
710055	0.36	0.070	0.043	5.07	3	1	15	0.01	< 20	< 1	< 2	< 10	9	< 10	4	16	
710056	0.36	0.089	0.038	9.62	4	1	19	< 0.01	< 20	2	< 2	< 10	10	< 10	4	20	
710057	0.44	0.077	0.044	9.40	5	1	15	0.01	< 20	2	< 2	< 10	10	< 10	4	22	
710058	0.60	0.075	0.049	6.73	4	1	17	0.02	< 20	< 1	2	< 10	11	< 10	5	21	
710059	0.82	0.077	0.049	7.56	4	1	16	0.02	< 20	2	< 2	< 10	13	< 10	5	22	
710060	2.25	0.287	0.140	0.01	< 2	3	74	0.25	< 20	< 1	< 2	< 10	30	< 10	14	5	
710061	1.15	0.075	0.053	7.92	4	1	15	< 0.01	< 20	1	< 2	< 10	16	< 10	5	22	
710062	0.70	0.062	0.045	5.89	3	< 1	12	< 0.01	< 20	1	< 2	< 10	11	< 10	4	17	
710063	1.24	0.071	0.072	9.85	6	1	15	< 0.01	< 20	2	2	< 10	16	< 10	6	26	
710064	1.53	0.095	0.073	15.4	7	2	20	< 0.01	< 20	3	< 2	< 10	21	< 10	5	30	
710065	1.23	0.073	0.077	12.9	7	1	17	< 0.01	< 20	6	< 2	< 10	16	< 10	6	37	
710066	1.39	0.094	0.072	11.7	7	2	21	< 0.01	< 20	1	< 2	< 10	16	< 10	5	39	
710067	0.26	0.039	0.002	> 20.0	16	< 1	10	< 0.01	< 20	10	2	< 10	6	< 10	1	16	
710068	0.06	0.018	0.002	> 20.0	26	< 1	2	< 0.01	< 20	1	< 2	< 10	2	27	1	7	
710069	0.13	0.015	0.002	> 20.0	20	< 1	2	< 0.01	< 20	2	< 2	< 10	2	< 10	< 1	7	
710070	2.22	0.164	0.071	0.15	2	6	49	0.35	< 20	4	< 2	< 10	113	< 10	13	24	
710071	0.04	0.017	0.003	> 20.0	21	< 1	2	< 0.01	< 20	3	3	< 10	2	< 10	< 1	7	
710072	0.08	0.019	0.004	> 20.0	17	< 1	4	< 0.01	< 20	5	2	< 10	3	< 10	< 1	8	
710073	0.15	0.023	0.005	19.7	20	< 1	7	< 0.01	< 20	6	< 2	< 10	5	< 10	< 1	11	
710074	0.21	0.021	0.002	> 20.0	17	< 1	4	< 0.01	< 20	< 1	3	< 10	5	< 10	< 1	10	
710075	0.07	0.013	< 0.001	> 20.0	19	< 1	2	< 0.01	< 20	5	< 2	< 10	3	< 10	< 1	8	
710076	0.15	0.017	< 0.001	> 20.0	18	< 1	3	< 0.01	< 20	1	2	< 10	4	< 10	< 1	9	
710077	0.39	0.022	0.002	> 20.0	18	< 1	5	< 0.01	< 20	3	< 2	< 10	7	< 10	< 1	12	
710078	0.16	0.018	0.002	> 20.0	23	< 1	2	< 0.01	< 20	2	< 2	< 10	5	20	< 1	8	
710079	0.29	0.021	0.006	> 20.0	31	< 1	5	< 0.01	< 20	2	3	< 10	8	22	< 1	10	
710080	0.33	0.023	0.006	> 20.0	27	< 1	6	< 0.01	< 20	2	2	< 10	8	22	< 1	10	
710081	0.27	0.020	0.003	> 20.0	26	< 1	4	< 0.01	< 20	< 1	< 2	< 10	7	21	< 1	12	
710082	1.17	0.100	0.049	1.81	4	2	31	< 0.01	< 20	1	< 2	< 10	23	< 10	3	26	
710083	1.06	0.102	0.055	0.29	< 2	3	22	< 0.01	< 20	< 1	< 2	< 10	38	< 10	2	19	
710084	1.07	0.102	0.053	0.16	< 2	2	25	< 0.01	< 20	< 1	< 2	< 10	32	< 10	2	20	
710085	0.99	0.085	0.052	0.21	< 2	1	31	< 0.01	< 20	< 1	< 2	< 10	22	< 10	2	18	
710086	1.10	0.075	0.055	0.19	< 2	2	32	< 0.01	< 20	< 1	< 2	< 10	21	< 10	3	18	
710087	1.15	0.089	0.058	0.21	< 2	2	29	< 0.01	< 20	< 1	< 2	< 10	27	< 10	3	19	
710088	1.13	0.087	0.055	0.14	< 2	2	25	< 0.01	< 20	< 1	< 2	< 10	24	< 10	5	18	
710089	1.15	0.087	0.055	0.21	< 2	2	23	< 0.01	< 20	3	< 2	< 10	25	< 10	6	19	
710090	2.21	0.261	0.139	< 0.01	< 2	3	69	0.24	< 20	2	< 2	< 10	29	< 10	13	6	
710091	1.31	0.096	0.057	0.10	< 2	2	22	< 0.01	< 20	2	< 2	< 10	27	< 10	4	18	

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g/tonne
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1	0.03
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA- GRA
710092	1.20	0.100	0.060	0.10	< 2	2	19	0.05	< 20	5	< 2	< 10	31	< 10	3	20	
710093	1.20	0.102	0.063	0.18	< 2	2	31	0.02	< 20	< 1	< 2	< 10	27	< 10	3	22	
710094	1.03	0.171	0.055	0.27	< 2	4	21	0.09	< 20	< 1	< 2	< 10	51	< 10	3	29	
710095	1.28	0.106	0.059	0.18	2	3	20	0.07	< 20	3	< 2	< 10	44	< 10	3	28	
710096	0.67	0.068	0.041	6.39	4	2	21	0.02	< 20	1	< 2	< 10	20	< 10	4	29	
710097	0.22	0.061	0.005	16.7	11	1	17	0.01	< 20	3	5	< 10	13	< 10	1	22	
710098	0.89	0.072	0.060	6.86	6	5	26	0.09	< 20	1	< 2	< 10	45	< 10	5	31	
710099	1.16	0.092	0.141	5.02	8	11	24	0.67	< 20	8	< 2	< 10	156	< 10	23	70	
710100	2.24	0.346	0.146	0.25	2	4	91	0.23	< 20	3	< 2	< 10	40	< 10	14	6	
710101	1.44	0.117	0.179	0.46	5	14	30	0.86	< 20	10	< 2	< 10	226	< 10	32	40	
710102	1.23	0.073	0.069	12.2	11	10	16	0.29	< 20	6	< 2	< 10	88	< 10	11	40	
710103	1.26	0.083	0.113	13.8	15	13	17	0.62	< 20	7	< 2	< 10	151	< 10	21	67	
710104	1.52	0.105	0.185	0.41	7	13	25	0.91	< 20	12	< 2	< 10	228	< 10	32	45	
710105	1.82	0.072	0.120	0.68	7	12	17	0.57	< 20	8	< 2	< 10	152	< 10	21	44	5.27
710106	1.48	0.061	0.052	1.43	22	7	18	0.05	< 20	< 1	3	< 10	54	< 10	9	42	
710107	1.33	0.083	0.085	1.08	13	11	16	0.40	< 20	2	< 2	< 10	127	< 10	15	46	6.70
710108	1.39	0.070	0.069	0.39	4	11	18	0.43	< 20	4	< 2	< 10	98	< 10	13	44	
710109	1.63	0.139	0.157	0.24	5	16	22	0.73	< 20	9	< 2	< 10	210	< 10	29	40	
710110	1.62	0.135	0.153	0.26	4	16	23	0.72	< 20	14	< 2	< 10	207	< 10	29	37	
710111	1.65	0.125	0.149	0.33	4	17	25	0.81	< 20	11	< 2	< 10	210	< 10	30	49	
710112	1.63	0.124	0.181	0.42	5	15	31	0.69	< 20	8	< 2	< 10	222	< 10	31	42	
710113	1.58	0.121	0.180	0.24	3	13	44	0.63	< 20	8	< 2	< 10	216	< 10	30	33	
710114	1.66	0.094	0.185	0.25	4	13	66	0.87	< 20	5	< 2	< 10	206	< 10	30	46	
710115	1.64	0.105	0.185	0.23	4	13	31	0.78	< 20	10	< 2	< 10	223	< 10	30	36	
710116	1.92	0.089	0.187	0.20	4	12	40	1.02	< 20	12	< 2	< 10	232	< 10	31	51	
710117	1.52	0.135	0.168	0.20	4	13	35	0.77	< 20	8	< 2	< 10	216	< 10	28	36	
710118	1.52	0.110	0.178	0.19	4	13	54	0.78	< 20	5	< 2	< 10	198	< 10	28	35	
710119	1.63	0.045	0.178	0.16	5	12	153	1.05	< 20	15	< 2	< 10	168	< 10	28	35	
710120	2.26	0.292	0.140	< 0.01	< 2	3	75	0.25	< 20	7	< 2	< 10	31	< 10	14	5	
710121	1.39	0.071	0.184	0.18	5	10	117	0.87	< 20	13	< 2	< 10	156	< 10	28	31	
710122	0.99	0.132	0.188	0.17	3	9	39	0.52	< 20	4	< 2	< 10	165	< 10	30	16	
710123	1.18	0.133	0.180	0.17	2	10	48	0.64	< 20	8	< 2	< 10	173	< 10	29	21	
710124	1.65	0.105	0.186	0.17	2	13	81	0.89	< 20	15	< 2	< 10	200	< 10	29	34	
710125	1.93	0.062	0.176	0.20	3	13	109	1.04	< 20	11	< 2	< 10	188	< 10	26	40	
710126	0.81	0.056	0.073	1.82	5	13	11	0.53	< 20	6	< 2	< 10	121	< 10	16	45	
710127	0.12	0.019	0.003	6.61	6	1	5	0.02	< 20	3	< 2	< 10	16	< 10	1	12	
710128	0.87	0.124	0.124	3.37	4	8	19	0.54	< 20	10	< 2	< 10	152	< 10	20	39	
710129	1.23	0.126	0.186	0.19	3	10	39	0.72	< 20	6	< 2	< 10	208	< 10	29	31	
710130	2.15	0.099	0.042	0.14	3	8	30	0.47	< 20	3	< 2	< 10	174	< 10	14	23	
710131	1.13	0.124	0.181	0.20	3	10	43	0.57	< 20	8	< 2	< 10	201	< 10	30	21	
710132	1.24	0.117	0.161	0.82	4	14	26	0.61	< 20	8	< 2	< 10	203	< 10	28	37	
710133	0.21	0.038	0.004	4.26	4	2	7	0.04	< 20	1	< 2	< 10	20	< 10	2	13	

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g/tonne
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1	0.03
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA- GRA
710134	0.12	0.038	0.002	6.80	7	1	9	0.01	< 20	< 1	< 2	< 10	8	< 10	1	19	
710135	0.21	0.043	0.002	13.1	10	1	10	0.02	< 20	< 1	3	< 10	10	< 10	1	26	
710136	0.21	0.044	0.002	19.8	14	1	9	0.02	< 20	< 1	6	< 10	10	11	< 1	21	
710137	0.15	0.055	0.003	> 20.0	16	1	15	0.02	< 20	1	5	< 10	11	< 10	1	26	
710138	0.16	0.053	0.002	> 20.0	13	< 1	11	< 0.01	< 20	< 1	5	< 10	8	17	< 1	22	
710139	2.60	0.108	0.079	2.90	4	5	30	0.18	< 20	< 1	< 2	< 10	82	< 10	4	20	
710140	2.69	0.100	0.079	2.41	3	5	27	0.18	< 20	< 1	< 2	< 10	83	< 10	4	20	
710141	1.35	0.068	0.049	18.9	13	3	22	0.08	< 20	4	< 2	< 10	42	< 10	4	27	
710142	0.93	0.053	0.028	19.5	21	2	16	0.02	< 20	< 1	2	< 10	23	< 10	3	31	
710143	2.03	0.087	0.063	2.13	5	3	25	0.02	< 20	< 1	< 2	< 10	40	< 10	5	28	
710144	1.86	0.122	0.071	1.42	< 2	4	21	0.05	< 20	< 1	< 2	< 10	52	< 10	6	21	
710145	1.65	0.071	0.065	10.1	7	4	28	0.06	< 20	1	< 2	< 10	47	< 10	9	41	
710146	2.72	0.097	0.077	1.36	3	4	17	0.06	< 20	< 1	< 2	< 10	59	< 10	6	29	
710147	2.47	0.084	0.077	1.01	4	6	8	0.11	< 20	4	< 2	< 10	75	< 10	7	27	
710148	1.76	0.083	0.041	2.25	4	5	19	0.11	< 20	< 1	< 2	< 10	48	< 10	6	33	

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas		30.1	2.3	1200	847	15	32	682	736	0.32	384	< 10	222	0.9	1430	0.72	7	7	23.7	< 10	4	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-1 Meas		30.4	2.4	1200	863	15	26	694	731	0.32	385	10	256	0.9	1440	0.74	8	7	23.5	< 10	4	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-1 Meas		30.3	2.1	1230	857	15	26	696	738	0.33	394	< 10	214	0.9	1460	0.74	7	8	24.3	< 10	5	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-6 Meas		0.3	< 0.5	67	1060	1	19	99	130	6.70	235	< 10	897	1.0	< 2	0.16	13	85	5.50	20	< 1	1.05	11
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
GXR-6 Meas		0.2	< 0.5	70	1110	1	19	100	127	7.03	240	< 10	938	1.0	< 2	0.16	14	88	5.82	20	< 1	1.09	11
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
GXR-6 Meas		0.2	< 0.5	68	1090	2	18	100	125	6.95	237	< 10	945	1.0	< 2	0.16	14	87	5.69	20	1	1.09	11
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
OREAS 134b (AQUA REGIA) Meas		> 100	587	1390				> 5000	> 10000		226						107		12.2				
OREAS 134b (AQUA REGIA) Cert		204	563	1360				133000	177000		221						106		12.25				
OREAS 133a (Aqua Regia) Meas		89.6	298	296				> 5000	> 10000		136		10				23		7.47				
OREAS 133a (Aqua Regia) Cert		97	297	324				48600.00	106000.00		140		59				23		7.92				
OREAS 923 (AQUA REGIA) Meas		1.7	< 0.5	4560	934	< 1	28	85	347	2.80	5		62	0.7	14	0.37	24	48	6.37	< 10		0.35	38
OREAS 923 (AQUA REGIA) Cert		1.62	0.40	4248	850	0.84	32.7	81	335	2.80	7.07		54	0.61	21.8	0.326	22.2	39.4	5.91	8.01		0.322	30.0
OREAS 923 (AQUA REGIA) Meas		1.7	< 0.5	4490	919	< 1	28	91	344	2.81	5		63	0.7	17	0.37	23	47	6.25	< 10		0.37	38
OREAS 923 (AQUA REGIA) Cert		1.62	0.40	4248	850	0.84	32.7	81	335	2.80	7.07		54	0.61	21.8	0.326	22.2	39.4	5.91	8.01		0.322	30.0
OXN117 Meas																							
OXN117 Cert																							
OREAS 907 (Aqua Regia) Meas		1.3	0.6	6400	355	5	3	39	163	1.05	36		224	1.1	21	0.26	46	11	8.18	20		0.31	42
OREAS 907 (Aqua Regia) Cert		1.30	0.540	6370	330	5.64	4.74	34.1	139	0.945	37.0		225	0.870	22.3	0.280	43.7	8.59	8.18	14.7		0.286	36.1
OREAS 907 (Aqua Regia) Meas		1.3	0.6	6690	364	5	4	41	150	1.06	37		227	1.1	24	0.27	49	10	8.43	20		0.32	44
OREAS 907 (Aqua Regia) Cert		1.30	0.540	6370	330	5.64	4.74	34.1	139	0.945	37.0		225	0.870	22.3	0.280	43.7	8.59	8.18	14.7		0.286	36.1

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
OREAS 907 (Aqua Regia) Meas		1.4	0.5	6710	377	5	3	41	153	1.14	38		239	1.2	21	0.28	49	9	8.54	20		0.34	44
OREAS 907 (Aqua Regia) Cert		1.30	0.540	6370	330	5.64	4.74	34.1	139	0.945	37.0		225	0.870	22.3	0.280	43.7	8.59	8.18	14.7		0.286	36.1
OREAS 220 (Fire Assay) Meas	873																						
OREAS 220 (Fire Assay) Cert	866																						
OREAS 220 (Fire Assay) Meas	861																						
OREAS 220 (Fire Assay) Cert	866																						
OREAS 220 (Fire Assay) Meas	869																						
OREAS 220 (Fire Assay) Cert	866																						
OREAS 224 Meas	2090																						
OREAS 224 Cert	2150																						
OREAS 224 Meas	2110																						
OREAS 224 Cert	2150																						
OREAS 224 Meas	2200																						
OREAS 224 Cert	2150																						
OREAS 257 Meas																							
OREAS 257 Cert																							
710053 Orig		1.0	1.9	16	77	< 1	28	22	311	0.91	44	< 10	23	< 0.5	< 2	0.74	15	24	4.86	< 10	< 1	0.18	< 10
710053 Dup		1.1	1.8	16	77	< 1	29	21	311	0.92	44	< 10	25	< 0.5	< 2	0.74	15	24	4.87	< 10	< 1	0.19	< 10
710061 Orig	30	1.9	6.6	22	144	< 1	33	48	1490	1.49	67	< 10	18	< 0.5	< 2	0.37	17	32	7.66	< 10	< 1	0.17	< 10
710061 Dup	29	1.9	6.7	21	144	< 1	32	45	1480	1.50	66	< 10	19	< 0.5	< 2	0.37	17	31	7.56	< 10	< 1	0.17	< 10
710071 Orig	417																						
710071 Dup	428																						
710080 Orig	1010																						
710080 Dup	880																						
710095 Orig	97																						
710095 Dup	89																						
710101 Orig	< 5	0.7	< 0.5	39	850	< 1	15	32	164	2.41	49	11	45	0.6	< 2	2.31	39	18	9.25	20	< 1	0.15	28
710101 Split PREP DUP	< 5	0.7	< 0.5	38	848	< 1	15	34	181	2.41	51	11	44	0.6	< 2	2.23	37	18	9.29	20	< 1	0.15	28
710101 Orig		0.7	< 0.5	39	850	< 1	16	32	165	2.42	49	11	45	0.6	< 2	2.31	39	18	9.23	20	< 1	0.15	28
710101 Dup		0.7	0.6	40	850	< 1	13	32	162	2.40	49	11	45	0.6	< 2	2.31	39	18	9.27	20	< 1	0.15	28
710104 Orig	20																						
710104 Dup	20																						
710113 Orig		1.9	0.7	47	760	< 1	15	47	263	2.37	35	13	37	0.6	< 2	2.28	40	16	8.96	10	< 1	0.13	26
710113 Dup		2.1	0.9	46	742	< 1	14	50	257	2.32	35	12	37	0.5	< 2	2.20	39	16	8.75	10	< 1	0.13	26

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
710114 Orig	< 5																						
710114 Dup	< 5																						
710116 Orig		0.8	< 0.5	32	922	< 1	19	23	162	2.95	46	< 10	23	< 0.5	< 2	1.96	44	24	10.0	20	1	0.06	26
710116 Dup		0.7	< 0.5	32	930	< 1	18	26	162	2.98	45	10	23	< 0.5	< 2	1.96	44	25	10.2	20	1	0.06	26
710129 Orig	11	0.7	< 0.5	38	668	< 1	14	36	141	2.22	5	10	49	< 0.5	< 2	1.88	35	27	8.70	10	< 1	0.15	26
710129 Dup	6	0.7	< 0.5	39	674	< 1	14	35	139	2.26	5	10	50	< 0.5	< 2	1.91	36	29	8.85	10	< 1	0.15	26
710139 Orig	140																						
710139 Dup	130																						
710141 Orig		5.0	< 0.5	64	280	< 1	34	69	108	1.77	195	< 10	11	< 0.5	< 2	0.49	30	66	19.0	< 10	1	0.20	< 10
710141 Dup		4.8	< 0.5	63	279	< 1	36	73	104	1.76	191	< 10	11	< 0.5	3	0.48	31	64	18.7	< 10	1	0.20	< 10
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10
Method Blank		0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank																							
Method Blank																							

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g/tonne
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1	0.03
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA- GRA
GXR-1 Meas	0.13	0.050	0.041	0.20	83	1	167	< 0.01	< 20	18	< 2	27	72	142	25	15	
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	2.44	13.0	0.390	34.9	80.0	164	32.0	38.0	
GXR-1 Meas	0.13	0.051	0.041	0.20	80	1	165	< 0.01	< 20	12	< 2	27	73	135	25	15	
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	2.44	13.0	0.390	34.9	80.0	164	32.0	38.0	
GXR-1 Meas	0.14	0.052	0.043	0.20	84	1	171	< 0.01	< 20	18	< 2	27	74	144	26	16	
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	2.44	13.0	0.390	34.9	80.0	164	32.0	38.0	
GXR-6 Meas	0.38	0.093	0.034	0.01	5	21	38		< 20	< 1	< 2	< 10	154	< 10	5	15	
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		5.30	0.0180	2.20	1.54	186	1.90	14.0	110	
GXR-6 Meas	0.40	0.098	0.036	0.01	5	22	38		< 20	3	< 2	< 10	161	< 10	6	14	
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		5.30	0.0180	2.20	1.54	186	1.90	14.0	110	
GXR-6 Meas	0.40	0.098	0.035	0.01	3	22	38		< 20	2	2	< 10	159	< 10	5	16	
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		5.30	0.0180	2.20	1.54	186	1.90	14.0	110	
OREAS 134b (AQUA REGIA) Meas				14.7													
OREAS 134b (AQUA REGIA) Cert				19.31													
OREAS 133a (Aqua Regia) Meas				8.91	131												
OREAS 133a (Aqua Regia) Cert				10.7	147												
OREAS 923 (AQUA REGIA) Meas	1.53		0.065	0.65	4	4	16		< 20		< 2	< 10	32	< 10	18	35	
OREAS 923 (AQUA REGIA) Cert	1.43		0.061	0.684	0.58	3.09	13.6		14.3		0.12	1.80	30.6	1.96	14.3	22.5	
OREAS 923 (AQUA REGIA) Meas	1.50		0.063	0.64	< 2	4	16		< 20		< 2	< 10	32	< 10	18	32	
OREAS 923 (AQUA REGIA) Cert	1.43		0.061	0.684	0.58	3.09	13.6		14.3		0.12	1.80	30.6	1.96	14.3	22.5	
OXN117 Meas																	7.36
OXN117 Cert																	7.679
OREAS 907 (Aqua Regia) Meas	0.23	0.098	0.025	0.06	6	2	13	0.02	< 20	6	< 2	< 10	5	< 10	7	52	
OREAS 907 (Aqua Regia) Cert	0.221	0.0860	0.0240	0.0660	2.28	2.16	11.7	0.0170	8.04	0.230	0.120	2.15	5.12	0.980	6.52	43.7	
OREAS 907 (Aqua Regia) Meas	0.24	0.100	0.026	0.06	7	2	14	0.02	< 20	1	< 2	< 10	6	< 10	7	54	
OREAS 907	0.221	0.0860	0.0240	0.0660	2.28	2.16	11.7	0.0170	8.04	0.230	0.120	2.15	5.12	0.980	6.52	43.7	

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g/tonne
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1	0.03
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA- GRA
(Aqua Regia) Cert																	
OREAS 907 (Aqua Regia) Meas	0.24	0.106	0.027	0.06	6	3	14	0.02	< 20	4	< 2	< 10	6	< 10	8	55	
OREAS 907 (Aqua Regia) Cert	0.221	0.0860	0.0240	0.0660	2.28	2.16	11.7	0.0170	8.04	0.230	0.120	2.15	5.12	0.980	6.52	43.7	
OREAS 220 (Fire Assay) Meas																	
OREAS 220 (Fire Assay) Cert																	
OREAS 220 (Fire Assay) Meas																	
OREAS 220 (Fire Assay) Cert																	
OREAS 220 (Fire Assay) Meas																	
OREAS 220 (Fire Assay) Cert																	
OREAS 224 Meas																	
OREAS 224 Cert																	
OREAS 224 Meas																	
OREAS 224 Cert																	
OREAS 224 Meas																	
OREAS 224 Cert																	
OREAS 257 Meas																	14.4
OREAS 257 Cert																	14.18
710053 Orig	0.24	0.120	0.040	5.00	3	1	28	0.02	< 20	< 1	< 2	< 10	11	< 10	5	16	
710053 Dup	0.24	0.123	0.040	5.01	3	1	28	0.02	< 20	< 1	< 2	< 10	11	< 10	5	16	
710061 Orig	1.15	0.074	0.053	7.96	4	1	14	< 0.01	< 20	1	< 2	< 10	16	< 10	4	22	
710061 Dup	1.14	0.076	0.052	7.87	4	1	15	< 0.01	< 20	1	< 2	< 10	16	< 10	5	22	
710071 Orig																	
710071 Dup																	
710080 Orig																	
710080 Dup																	
710095 Orig																	
710095 Dup																	
710101 Orig	1.44	0.117	0.179	0.46	5	14	30	0.86	< 20	10	< 2	< 10	226	< 10	32	40	
710101 Split PREP DUP	1.45	0.122	0.181	0.46	6	14	29	0.87	< 20	10	< 2	< 10	229	< 10	33	38	
710101 Orig	1.44	0.117	0.178	0.46	6	14	30	0.86	< 20	12	< 2	< 10	227	< 10	32	41	
710101 Dup	1.44	0.117	0.179	0.47	5	14	29	0.86	< 20	8	< 2	< 10	226	< 10	32	39	
710104 Orig																	
710104 Dup																	
710113 Orig	1.60	0.121	0.181	0.24	3	13	45	0.64	< 20	7	< 2	< 10	220	< 10	31	34	

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr	Au
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g/tonne
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1	0.03
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	FA- GRA
710113 Dup	1.56	0.121	0.179	0.24	4	12	44	0.61	< 20	9	< 2	< 10	213	< 10	30	32	
710114 Orig																	
710114 Dup																	
710116 Orig	1.90	0.090	0.187	0.20	5	12	40	1.02	< 20	15	< 2	< 10	231	< 10	31	51	
710116 Dup	1.93	0.089	0.186	0.20	3	12	40	1.01	< 20	9	< 2	< 10	233	< 10	31	52	
710129 Orig	1.22	0.124	0.185	0.19	4	9	38	0.71	< 20	5	< 2	< 10	206	< 10	29	30	
710129 Dup	1.24	0.129	0.187	0.19	3	10	39	0.72	< 20	6	< 2	< 10	211	< 10	29	32	
710139 Orig																	
710139 Dup																	
710141 Orig	1.35	0.069	0.049	19.1	14	3	22	0.08	< 20	2	< 2	< 10	42	< 10	4	27	
710141 Dup	1.34	0.068	0.048	18.8	13	3	22	0.08	< 20	7	< 2	< 10	42	< 10	4	26	
Method Blank	< 0.01	0.011	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1	
Method Blank	< 0.01	0.011	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1	
Method Blank	< 0.01	0.011	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1	
Method Blank	< 0.01	0.010	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1	
Method Blank	< 0.01	0.011	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1	
Method Blank																	
Method Blank																	
Method Blank																	
Method Blank																	
Method Blank																	
Method Blank																	< 0.03
Method Blank																	< 0.03