

We are committed to providing [accessible customer service](#).

If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).

Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

Report on Diamond Drilling
2018 and 2019
Carnegie Township Project
Visa Gold Resources

September 29, 2020

William E. MacRae, M.Sc, P.Geo
John R. Walmsley

Table of Contents

EXECUTIVE SUMMARY	3
INTRODUCTION	3
LOCATION AND ACCESS	4
PROPERTY DESCRIPTION	6
TOPOGRAPHY	8
PREVIOUS WORK.....	8
RECENT WORK.....	10
KIDD CREEK MINE	11
GEOLOGICAL SETTING	12
REGIONAL GEOLOGY	12
PROPERTY GEOLOGY	12
DIAMOND DRILLING.....	13
DRILL HOLE SUMMARY.....	15
CG18-01.....	15
CG19-01.....	15
CG19-02.....	15
CG19-03.....	15
CG19-04.....	15
CG19-05.....	15
CG18-06.....	15
CG19-07.....	15
CG19-08.....	16
CG19-09.....	16
DISTRIBUTION OF WORK	16
2018 Drilling	16
2019 Drilling	16
DISCUSSION AND RECOMMENDATIONS.....	17
 <u>LIST OF FIGURES</u>	
Figure 1. Property Location	5
Figure 2. Land Dispositions Carnegie Township.....	7
Figure 3. Areas Flown By Airborne Surveys	11
Figure 4. Regional Geology after Ontario Geological Survey 2011. 1:250 000 scale bedrock geology of Ontario; Ontario Geological Survey, Miscellaneous Release–Data 126 - Revision 1	12
Figure 5. Drill Hole Locations.....	14

LIST OF TABLES

Table 1. Patents On Which Work Was Performed 6
Table 2. Relevant Assessment Files..... 8
Table 3. Recent Airborne Surveys Used For Target Selection 10

Table 4. Drilling Program Stats 13
Table 5. Drill Hole Stats 13
Table 6. 2018 Work Distribution 16
Table 7. 2019 Work Distribution 16

APPENDICES

- APPENDIX A - PATENT PROPERTY DETAILS
- APPENDIX B – DRILL HOLE PLANS
- APPENDIX C – DRILL HOLE SECTIONS
- APPENDIX D – DRILL LOGS
- APPENDIX E – ASSAY CERTIFICATES
- APPENDIX F – EXPLORATION COSTS

Executive Summary

The Carnegie Township Property consists of 77 patented mining claims under option from Nobel Mineral Exploration Inc. as per Option and JV Agreement between Nobel and private investors dated August 25, 2017. Visa Gold Resources provided geological consulting expertise as well as planning and budgeting for the property. Noble Minerals wholly owns the mining and surface rights to these patents as well as others in the township.

Visa-Gold completed the 3 drill programs listed below:

1. Early winter/spring 2018, 1 drill hole
2. Spring 2019, 7 drill holes
3. Fall 2019, 2 drill holes

Total core drilled was 2889m in 10 drill holes.

The drilling was completed to test a number of airborne EM anomalies, ground EM anomalies and airborne gravity anomalies defined during 2018 and 2019.

The drilling intersected graphitic argillite beds that were generally mineralized with pyrrhotite and pyrite and lesser sphalerite. Four of the holes returned low anomalous assays for Zn and Cu.

Based on the success of the drilling programs, further drilling is recommended to further assess along strike the existing intersections and other EM anomalies on the property.

Introduction

Between 2018 and 2019, Visa Gold Resources completed three (3) diamond drill programs on ten (10) patents located in Carnegie Township, Cochrane District of Ontario. The patents are wholly owned by Nobel Mineral Exploration Inc. and are under option to Private Investors. The programs completed a total of 2889m of NQ drilling in 10 holes. The purpose of the programs was to test several airborne EM anomalies, ground EM anomalies and airborne gravity anomalies to evaluate their potential for base metals and gold. The property is located approximately 8km north of the Kidd Creek Mine, a volcanogenic base metal deposit, making the area of the property in a proven zone of economic potential.


This report describes the methods and results of the programs.

Location and Access

The Carnegie Township Property is located in Carnegie Township, approximately 35km due north of the city centre of Timmins, Ontario. It is approximately 7.5km north of the Kidd Creek Mine.

Access to the property is via Highway 655, followed north from the City of Timmins, Ontario. From the intersection of Highway 655 and Highway 101 it is approximately 35km to the east side of the property. A number of trails/logging roads head west onto the property, accessing the drill hole locations.

Figure 1 Property Location



Property Description


Carnegie Township is located in Northeastern Ontario approximately 20km north of the city of Timmins, Ontario. The centre of the township is 7.8km north-northwest of the Kidd Creek VMS deposit (see Figure 1). A detailed map can be found in the Appendices.

The 3 drill programs (2018 and 2019) were performed on a total of ten (10) patented parcels in Carnegie Township, wholly owned by Noble Mineral Exploration Inc. under an option agreement with Visa-Gold Resources.

Table 1 Patents On Which Work Was Performed

Tenure Number	PIN	Township	Conc/Lot	Title Type	Disposition	Holder	Area (h)
PAT-49468	65328-0040(LT)	Carnegie	S 1/2 LOT 5 CON 5	Patent	Mining and Surface Rights	Noble Mineral Exploration Inc.	64.952
PAT-49466	65328-0039(LT)	Carnegie	S 1/2 LOT 4 CON 5	Patent	Mining and Surface Rights	Noble Mineral Exploration Inc.	64.952
PAT-49437	65328-0056(LT)	Carnegie	N 1/2 LOT 5 CON 4	Patent	Mining and Surface Rights	Noble Mineral Exploration Inc.	64.952
PAT-49428	65328-0075(LT)	Carnegie	N 1/2 LOT 6 CON 3	Patent	Mining and Surface Rights	Noble Mineral Exploration Inc.	64.75
PAT-49429	65328-0086(LT)	Carnegie	S 1/2 LOT 6 CON 3	Patent	Mining and Surface Rights	Noble Mineral Exploration Inc.	64.75
PAT-49420	65328-0095(LT)	Carnegie	N 1/2 LOT 8 CON 2	Patent	Mining and Surface Rights	Noble Mineral Exploration Inc.	64.345
PAT-49421	65328-0092(LT)	Carnegie	N 1/2 LOT 10 CON 2	Patent	Mining and Surface Rights	Noble Mineral Exploration Inc.	65.154
PAT-49432	65328-0089(LT)	Carnegie	S 1/2 LOT 10 CON 3	Patent	Mining and Surface Rights	Noble Mineral Exploration Inc.	64.952
PAT-50004	65328-0122(LT)	Carnegie	N 1/2 LOT 5 CON 1	Patent	Mining and Surface Rights	Noble Mineral Exploration Inc.	63.94
PAT-49418	65328-0104(LT)	Carnegie	S 1/2 LOT 4 CON 2	Patent	Mining and Surface Rights	Noble Mineral Exploration Inc.	64.75

Figure 2. Land Dispositions Carnegie Township



Topography

The property is generally flat lying with gentle undulations. Streams drain northwest across the township. Low laying areas are generally swampy. Much of the township has been logged.

Previous Work

The township has seen considerable past exploration work, the majority of which dates to the discovery of the Kidd Creek Mine in 1963. Work types have included ground geophysics and airborne geophysics, overburden drilling, diamond drilling, and assaying. Table 2 lists 80 assessment files from the Ontario Assessment File Database that either cover the patents on which work covered in this report or on ground immediately adjacent to these patents.

Table 2. Relevant Assessment Files

AOFD ID	Year	Company	Work Completed
20000017093	2019	Explor Resources Inc	Induced Polarization
20000014098	2016	Explor Resources Inc	Electromagnetic Very Low Frequency, Linecutting
20000014097	2016	Explor Resources Inc	Electromagnetic Very Low Frequency, Linecutting, Magnetic / Magnetometer Survey
20000008611	2015	Explor Resources Inc	Electromagnetic Very Low Frequency, Linecutting, Magnetic / Magnetometer Survey
20000008732	2015	Explor Resources Inc	Electromagnetic Very Low Frequency
20000008732	2015	Explor Resources Inc	Electromagnetic Very Low Frequency
20000008611	2015	Explor Resources Inc	Electromagnetic Very Low Frequency, Linecutting, Magnetic / Magnetometer Survey
20000008201	2014	Explor Resources Inc	Electromagnetic Very Low Frequency, Induced Polarisation, Linecutting, Magnetic / Magnetometer Survey
20000007152	2012	Explor Resources Inc	Induced Polarisation, Magnetic / Magnetometer Survey
20000007152	2012	Explor Resources Inc	Induced Polarisation, Magnetic / Magnetometer Survey
20000005924	2010	Explor Resources Inc	Linecutting, Magnetic / Magnetometer Survey
20000005924	2010	Explor Resources Inc	Linecutting, Magnetic / Magnetometer Survey
20000006468	2010	Explor Resources Inc	Electromagnetic, Linecutting, Magnetic / Magnetometer Survey
20000003928	2009	Explor Resc Inc	Electromagnetic, Linecutting, Magnetic / Magnetometer Survey
20000003928	2009	Explor Resc Inc	Electromagnetic, Linecutting, Magnetic / Magnetometer Survey
20000003833	2009	Explor Resc Inc	Induced Polarisation
20000008034	2008	Teck Resources Ltd, Xstrata Canada Corp	Assaying and Analyses, Diamond Drilling, Downhole Geophysics
20000008034	2008	Teck Resources Ltd, Xstrata Canada Corp	Assaying and Analyses, Diamond Drilling, Downhole Geophysics
20000002934	2008	Explor Resc Inc	Electromagnetic Very Low Frequency, Linecutting, Magnetic / Magnetometer Survey
20000002013	2007	Explor Resources Inc	Linecutting, Magnetic / Magnetometer Survey
20000002049	2006 - 2007	1571925 Ontario Ltd, Explor Resc Inc	Assaying and Analyses, Diamond Drilling
42A11NW2023	2002 - 2003	Falconbridge Ltd	Assaying and Analyses, Diamond Drilling
42A14SW2004	1999	Falconbridge Ltd	Electromagnetic, Magnetic / Magnetometer Survey, Open Cutting
42A11NW2012	1999	Falconbridge Ltd	Diamond Drilling

42A11NW2003	1998	Falconbridge Ltd	Assaying and Analyses, Diamond Drilling, Electromagnetic, Magnetic / Magnetometer Survey, Open Cutting
42A11NW0011	1995	Douglas Londry	Electromagnetic, Electromagnetic Very Low Frequency, Magnetic / Magnetometer Survey, Open Cutting
42A11NW0023	1995	Falconbridge Ltd	Electromagnetic, Magnetic / Magnetometer Survey, Open Cutting
42A11NW8551	1990	Falconbridge Ltd	Diamond Drilling
42A14SW0091	1990	Falconbridge Ltd	Electromagnetic Very Low Frequency
42A11NW0108	1990	Falconbridge Ltd	Diamond Drilling
42A14SW0092	1990	Falconbridge Ltd	Diamond Drilling
42A11NW0010	1989	Falconbridge Ltd	Electromagnetic, Magnetic / Magnetometer Survey
42A11NW0012	1988	Falconbridge Ltd	Overburden Drilling
42A14SW0100	1988	Falconbridge Ltd, Kidd Creek Mines Ltd	Overburden Drilling
42A14SW0101	1988	Falconbridge Ltd, Kidd Creek Mines Ltd	Overburden Drilling
42A14SW0101	1988	Falconbridge Ltd, Kidd Creek Mines Ltd	Overburden Drilling
42A14SW0094	1988	Falconbridge Ltd	Electromagnetic, Magnetic / Magnetometer Survey
42A14SW0094	1988	Falconbridge Ltd	Electromagnetic, Magnetic / Magnetometer Survey
42A14SW0094	1988	Falconbridge Ltd	Electromagnetic, Magnetic / Magnetometer Survey
42A11NW0012	1988	Falconbridge Ltd	Overburden Drilling
42A14SW0203	1985	Lacana Mining Corp	Electromagnetic Very Low Frequency, Magnetic / Magnetometer Survey
42A14SW0039	1985	Chevron Canada Resc Ltd	Electromagnetic, Gravity, Magnetic / Magnetometer Survey
42A14SW0110	1983	Mattagami Lake Expl Ltd	Assaying and Analyses, Diamond Drilling
42A11NW0017	1981	Rosario Resc Canada Ltd	Diamond Drilling, Geochemical
42A14SW0109	1981	Mattagami Lake Expl Ltd	Electromagnetic, Magnetic / Magnetometer Survey
42A14SW0204	1981	Mattagami Lake Expl Ltd	Induced Polarisation
42A14SW0109	1981	Mattagami Lake Expl Ltd	Electromagnetic, Magnetic / Magnetometer Survey
42A14SW0204	1981	Mattagami Lake Expl Ltd	Induced Polarisation
42A11NW0014	1981	Rosario Resc Canada Ltd	Induced Polarisation
42A11NW0015	1980	Rosario Resc Canada Ltd	Electromagnetic, Magnetic / Magnetometer Survey
42A11NW0500	1974	Ecstall Mining Ltd	Diamond Drilling
42A14SW0224	1973	Hollinger Mines Ltd	Diamond Drilling
42A11NW0035	1973	Phelps Dodge Corp Of Can	Diamond Drilling
42A11NW0035	1973	Phelps Dodge Corp Of Can	Diamond Drilling
42A14SW0215	1972	Hollinger Mines Ltd	Electromagnetic
42A14SW0027	1972	Mcintyre Porcupine Mines	Magnetic / Magnetometer Survey
42A11NW0037	1971	Hollinger Mines Ltd	Diamond Drilling
42A11NW0021	1971	Galex Mines Ltd	Assaying and Analyses
42A11NW0034	1971	Hollinger Mines Ltd	Diamond Drilling
42A14SW0226	1970	Cromarty Expl Co Ltd	Diamond Drilling
20000005033	1970	Hollinger Mines Ltd	Airborne Electromagnetic
42A14SW0097	1969 - 1982	Abitibi Paper Co Ltd, Abitibi-Price Inc, Amax Minerals Expl Ltd, McIntyre Porcupine Mines, Price Co Ltd, Various	Airborne Electromagnetic, Assaying and Analyses, Compilation and Interpretation - Ground Geophysics, Diamond Drilling, Electromagnetic, Geochemical, Induced Polarisation, Magnetic / Magnetometer Survey, Miscellaneous Compilation and Interpretation, Over*
42A11NW0025	1969	Lamaque Mining Co Ltd	Electromagnetic, Magnetic / Magnetometer Survey

42A11NE0123	1969	Mcintyre Porcupine Mines	Electromagnetic, Magnetic / Magnetometer Survey
42A11NW0025	1969	Lamaque Mining Co Ltd	Electromagnetic, Magnetic / Magnetometer Survey
42A11NW0022	1968	Hollinger Mines Ltd	Magnetic / Magnetometer Survey
42A11NW0022	1968	Hollinger Mines Ltd	Magnetic / Magnetometer Survey
42A11NW0042	1967	Conwest Expl Co Ltd	Diamond Drilling
42A14SW0222	1967	Keevil Mining Group	Electromagnetic, Magnetic / Magnetometer Survey
42A11NW8603	1967	Conwest Expl Co Ltd	Induced Polarisation
42A14SE0106	1966 - 1973	Abitibi Mining Corp, Canico, Cromarty Expl Co Ltd, McIntyre Porcupine Mines	Airborne Electromagnetic, Airborne Magnetometer, Assaying and Analyses, Geochemical, Miscellaneous Compilation and Interpretation, Other
42A14SW0120	1966	Keevil Mining Group	Airborne Electromagnetic, Airborne Magnetometer, Electromagnetic, Magnetic / Magnetometer Survey
42A14SW0120	1966	Keevil Mining Group	Airborne Electromagnetic, Airborne Magnetometer, Electromagnetic, Magnetic / Magnetometer Survey
42A11NW0033	1965	Inco Ltd	Diamond Drilling
42A11NW0039	1965	Ryanor Mines	Diamond Drilling
42A11NW0028	1965	Conduc Mines Ltd	Electromagnetic, Gravity, Induced Polarisation, Magnetic / Magnetometer Survey
42A14SW0219	1965	R J Jowsey Mining Co Ltd	Electromagnetic, Magnetic / Magnetometer Survey
42A11NW0043	1965	Mercury Chipman Co Ltd	Diamond Drilling
42A11NW0029	1964	Conwest Expl Co Ltd	Airborne Electromagnetic
42A11NW0031	1964	Chance Mining & Expl Ltd	Electromagnetic, Magnetic / Magnetometer Survey

Recent Work

In 2018 and 2019, 3 airborne surveys were flown over the property including gravity, electromagnetics and magnetics. These surveys identified several anomalies that, combined with results from ground geophysics, provided the basis for the drill hole targets covered in this report.

Table 3 Recent Airborne Surveys Used For Target Selection

Contractor	Date Flown	Type		Total km Flown
GEDEX	early 2018	HD-AGG	Gravity	
CGG Canada Services Ltd.	Aug-18	FALCON	Gravity, TMI	934.4
Balch Exploration Consulting Inc. (BECI)	Apr-19	AirTEM	TEM, Magnetics	379.8




Figure 3 Areas Flown By Airborne Surveys

Kidd Creek Mine

The Kidd Creek Mine is an operating mine located approximately 25km north of Timmins, Ontario and approximately 7.5km south of the Carnegie Township Project. Discovered in 1963, it went into production in 1966 originally as an open pit mine and evolved to include underground operations. It is one of the largest volcanogenic massive sulphide deposits in the world. The main commodities produced are copper and zinc. It has an annual production of 42,700t copper and 119,960t zinc.

Geological Setting

Regional Geology

The property is located within the Kidd-Munro Assemblage of the Abitibi Subprovince (Abitibi Greenstone Belt) of the Superior Province. In the region of Carnegie Township, the assemblage is comprised mainly of thick sequences of basaltic rocks with lesser lenses of intermediate volcanics and local sedimentary units. Gabbros and diabase dykes intrude all other rocks.




Figure 4 . Regional Geology after Ontario Geological Survey 2011. 1:250 000 scale bedrock geology of Ontario; Ontario Geological Survey, Miscellaneous Release–Data 126 - Revision 1

Property Geology

No outcrop occurs on the patents comprising the Carnegie Township Project, consequently, detailed geology is not available. The geology of the property is primary from compilation and interpretation of historical diamond drilling.

The property is largely underlain by early Archean mafic to intermediate metavolcanics, with lesser intercalated felsic metavolcanics, mafic and ultramafic intrusions, and interflow sediments including argillites (often graphitic) and iron formation. The general trend of the units is west north-west.

Diamond Drilling

Drilling for the 3 programs was carried out by NPLH Drilling of Timmins Ontario. MacRae Geoservices of Timmins, Ontario managed the project, provided logistical support and completed the core logging and sampling. Core was saw cut with QC inserted samples inserted (blanks, lab duplicates and standards). Geological consultation expertise was provided by Visa-Gold Resources. Analysis for base metals was completed by Activation Laboratories.

1. Winter 2018 Program- a single drill hole was completed to test an HLEM conductor with a associated PEM conductor and a gravity anomaly. Total footage drilled was 565m and 37 samples were taken for analysis
2. Spring 2019 Program – seven (7) drill holes were completed to test a number of HLEM conductors. Total footage was 1634m and 132 samples were taken for analysis
3. Summer-Fall 2019 – an additional two (2) holes were completed in August/September to test HLEM conductors and 30 samples were taken


Table 4. Drilling Program Stats

Program	# of Drill Holes	Total Footage (m)	Total Samples
Winter-Spring 2018	1	565.45	37
Spring 2019	7	1634	132
Summer Fall 2019	2	690	30

Table 5. Drill Hole Stats

Hole No	Easting	Northing	Elevation	Length (m)	Core Size	Collar Az	Collar Dip	Started	Complete
CG18-01	471408	5401825	297	565.45	NQ	50	-55	2018-04-08	2018-04-16
CG19-01	472774	5397282	282	332	NQ	255	-55	2019-01-19	2019-01-25
CG19-02	472552	5397183	281	201	NQ	255	-65	2019-01-26	2019-01-29
CG19-03	471760	5396800	276	204	NQ	225	-65	2019-01-30	2019-02-04
CG19-04	468996	5398449	273	180	NQ	190	-55	2019-02-05	2019-02-09
CG19-05	468023	5398716	274	264	NQ	225	-55	2019-02-10	2019-02-13
CG19-06	470718	5400194	276	234	NQ	195	-55	2019-02-18	2019-02-22
CG19-07	470575	5398975	275	219	NQ	180	-55	2019-02-23	2019-02-26
CG19-08	472584	5402701	293	330	NQ	220	-65	2019-08-26	2019-08-03
CG19-09	472072	5402510	293	360	NQ	220	-65	2019-08-31	2019-09-05
			Total	2889.45					

Figure 5 Drill Hole Locations



Drill Hole Summary

CG18-01

Collared in pillowed mafic volcanics and transitions to felsic volcanics on moving down hole. Interflow graphitic argillite with up to 10% pyritic lenses mixed with felsic volcanics was intersected from 403.65-418.0m. Predominantly felsic volcanics finish the hole to 565.45 with some mafic volcanics.

CG19-01

Collared in mafic to ultramafic volcanics becoming more mafic on moving downhole. Felsic volcanics were intersected from 83m to 230.4m with sulphide mineralization locally up to 10% pyrite, up to 5% pyrrhotite and minor sphalerite. The units grade back to mafic volcanics below 230.4m to 332m.

CG19-02

Collared in mafic volcanics to 65m before intersecting interflow sediments comprised of interbedded graphitic argillite and chert. Disseminated pyrite up to 2% in argillite and chert and marcasite nodules in the argillites. Felsic volcanics finish the hole from 117.2m to 201m.

CG19-03

Collared in mafic volcanics, followed by felsic volcanics to 174.3m. Below the felsic volcanics, to 195.35, interbedded graphitic argillite and chert with pyrite, marcasite and pyrrhotite. Felsic volcanics finish the hole to 204m

CG19-04

Collared in rubble/fault zone with abundant gouge. Fault zones and mafic volcanics continue to 86m. Below the faulting, predominantly mafic volcanics are intercalated with lesser ultramafic flows. A mineralized felsic breccia was intersected from 164.2-171.3m with some thin, interflow argillite beds containing up to 5% pyrrhotite. Felsic volcanics comprise the remainder of the hole to 180m with locally 1% pyrrhotite and 25% disseminated graphite.

CG19-05

Collared in interbedded graphitic argillite and chert to 136.5m with felsic volcanics from 136.5-187.1m. Below 187.1m graphitic argillite, and argillite interbedded with quartzite mineralized with pyrite and pyrrhotite, up to 3%. Quartz veining and quartz masses were found within the argillite. The remainder of the hole is mafic volcanics below 263.45m to 264m.

CG18-06

Collared in felsic to intermediate volcanics to 11.5m with an ultramafic intrusive from 61.2-74.3m. A short mafic volcanics unit was intersected below the felsic volcanics to 127.4 before interflow graphitic argillite, containing up to 5% pyrite masses, to 132.4. Below the sediments, felsic volcanics were found to 165.9m and then mafic volcanics to end of hole 234m

CG19-07

Collared in intermediate to mafic volcanics with mafic volcanics dominant to 127.9m. A thin layer of graphitic argillite separates the mafic volcanics from felsic volcanics below the sediments. Intercalated mafic and felsic volcanics to the end of hole at 219m. Several zones of up to 3% pyrite were intersected in felsic volcanics from 186m to 198m.

CG19-08

Collared in mafic volcanics and predominantly mafic volcanics to end of hole at 330m with massive, flow brecciated and pillowed textures. Four (4) thin, graphitic argillite units intercalated with the volcanics over the bottom ½ of the hole.

CG19-09

Collared in mafic volcanics with flows extending to 278.65m, pillowed and flow brecciated with some leucoxene (Ti) units. 278.65 to end of hole 360m, mafic volcanics continue as above but intercalated with tin graphitic argillite sediments containing locally up to 20% pyrrhotite and 5% chalcopyrite.

Distribution of Work

2018 Drilling

Table 6. 2018 Work Distribution

Patent	Hole Number	% On Patent	Hole Depth (m)	Depth On Patent (m)	% Of Work
PAT-49468	CG18-01	65	565	367	65.00%
PAT-49437	CG18-01	35	565	198	35.00%
			Total Footage (m)	565	100.00%

2019 Drilling

Table 7. 2019 Work Distribution

Patent	Hole Number	% On Patent	Hole Depth (m)	Depth On Patent (m)	% Of Work
PAT-49418	CG19-01, CG19-02	100	533	533	22.95%
PAT-50004	CG19-03	100	204	204	8.75%
PAT-49420	CG19-04	100	180	180	7.75%
PAT-49432	CG19-05	25	264	66	2.85%
PAT-49421	CG19-05	75	264	198	8.55%
PAT-49428	CG19-06	100	234	234	10.00%
PAT-49429	CG19-07	100	219	219	9.40%
PAT-49466	CG19-08	100	330	330	14.25%
PAT-49468	CG19-09	100	360	360	15.50%
			Total Footage (m)	2324	100.00%

Discussion and Recommendations

All holes were in part targeted based on EM data obtained from airborne geophysics and ground geophysics. The sources of the anomalies are most likely the graphitic argillite beds intersected in drill core. These beds are mineralized with varying amounts of pyrrhotite and pyrite and in hole CG18-01 minor sphalerite. Though only, the sulphides within the argillites do carry anomalous copper and zinc values as returned by holes CG19-01, CG19-02, CG19-06 and CG19-09 (low anomalous Zn results above 0.1% with low anomalous Cu results above 0.1%). The methodology of choosing drill targets based on airborne EM anomalies was successful.

Because of the success of targeting EM anomalies in the township, it is recommended that further drilling be carried out.

Certificate of Qualifications

I, John R. Walmsley, B.Sc., residing at RR #1, Richards Landing, Ontario, do certify that:

1. I am a contract geologist of PensInk Information Technologies Ltd.
2. I graduated with a Bachelor of Science in Geology from the University of Western Ontario in 1984.
3. I am a member of the Prospectors and Developers Association of Canada.
4. I have been employed continuously as a geologist for the past 33 years since my graduation from University
5. I have had prior involvement with the property that is the subject of the Assessment Report in conducting exploration work in 2009 and 2011
6. I completed portions of the work described in this report and supervised all other work completed and I am the sole author of this Technical Report
7. I am not aware of any material fact or material change with respect to the subject matter of the Technical Report that is not reflected in the Technical Report, the omission to disclose which makes the Technical Report misleading.

Dated this 28th day of September, 2020.

John R. Walmsley, B.Sc.

Certificate of Qualifications

I, William E. MacRae ,MSc. P.Geo., residing at 9 Martineau Ave., Timmins, Ontario, do certify that:

With reference to Report on Diamond Drilling, 2018 and 2019 in Carnegie Township Property for Visa Gold Resources, dated September 29, 2020,

I, William E. MacRae, of the City of Timmins, Ontario, do hereby certify and state that:

1) I have graduated from Lakehead University with the degree of Bachelor of Science (Honours) in 1975 and have obtained the degree of Masters of Science from McMaster University in 1982;

(2) I have practised my profession continuously for the past thirty eight years;

(3) I have no interest, direct or indirect, in the mining claims comprising the properties described in this report nor do I expect to receive any; and

(4) this report is based on personal knowledge and supervision of the project.

Dated this 29th day of September 29, 2020

Timmins, Ontario.

A handwritten signature in black ink, appearing to read 'W. MacRae', written in a cursive style.

W. MacRae, M.Sc. P.Geo.

MacRae Geoservices Inc.



Appendix A – Patent/Property Details

Portion	Lot	Concession	MRO	Ownership	PIN	
S½	Lot1	C5	Y	Noble Mineral Exploration Incorporated	65328-0207	
S½	Lot4	C5	Y	Noble Mineral Exploration Incorporated	65328-0209	
S½	Lot6	C5	Y	Noble Mineral Exploration Incorporated	65328-0213	
N	Broken Lot6	C6	Y	Noble Mineral Exploration Incorporated	65328-0163	
N½	Lot1	C6	Y	Noble Mineral Exploration Incorporated	65328-0169	
S½	Lot1	C6	Y	Noble Mineral Exploration Incorporated	65328-0171	
N½	Lot2	C6	Y	Noble Mineral Exploration Incorporated	65328-0167	
S½	Lot2	C6	Y	Noble Mineral Exploration Incorporated	65328-0173	
S½	Lot4	C6	Y	Noble Mineral Exploration Incorporated	65328-0175	
N½	Lot5	C6	Y	Noble Mineral Exploration Incorporated	65328-0165	
N½	Lot7	C6	Y	Noble Mineral Exploration Incorporated	65328-0161	
N½	Lot8	C6	Y	Noble Mineral Exploration Incorporated	65328-0159	
N½	Lot11	C1	Y	Noble Mineral Exploration Incorporated	65328-0292	
N½	Lot12	C1	Y	Noble Mineral Exploration Incorporated	65328-0290	
N½	Lot5	C1	Y	Noble Mineral Exploration Incorporated	65328-0300	
S½	Lot5	C1	Y	Noble Mineral Exploration Incorporated	65328-0302	
N½	Lot6	C1	Y	Noble Mineral Exploration Incorporated	65328-0298	
S½	Lot6	C1	Y	Noble Mineral Exploration Incorporated	65328-0304	
S½	Lot7	C1	Y	Noble Mineral Exploration Incorporated	65328-0306	
N½	Lot8	C1	Y	Noble Mineral Exploration Incorporated	65328-0296	
N½	Lot9	C1	Y	Noble Mineral Exploration Incorporated	65328-0294	
N½	Lot10	C2	Y	Noble Mineral Exploration Incorporated	65328-0278	
S½	Lot10	C2	Y	Noble Mineral Exploration Incorporated	65328-0286	
N½	Lot11	C2	Y	Noble Mineral Exploration Incorporated	65328-0276	
S½	Lot11	C2	Y	Noble Mineral Exploration Incorporated	65328-0288	
N½	Lot12	C2	Y	Noble Mineral Exploration Incorporated	65328-0274	
S½	Lot4	C2	Y	Noble Mineral Exploration Incorporated	65328-0282	
S½	Lot6	C2	Y	Noble Mineral Exploration Incorporated	65328-0284	
N½	Lot8	C2	Y	Noble Mineral Exploration Incorporated	65328-0280	
S½	Lot10	C3	Y	Noble Mineral Exploration Incorporated	65328-0272	
N½	Lot11	C3	Y	Noble Mineral Exploration Incorporated	65328-0255	
N½	Lot12	C3	Y	Noble Mineral Exploration Incorporated	65328-0253	
N½	Lot3	C3	Y	Noble Mineral Exploration Incorporated	65328-0265	Special Conditions

N½	Lot4	C3	Y	Noble Mineral Exploration Incorporated	65328-0263	Broken Lot
N½	Lot5	C3	Y	Noble Mineral Exploration Incorporated	65328-0261	
N½	Lot6	C3	Y	Noble Mineral Exploration Incorporated	65328-0259	
S½	Lot6	C3	Y	Noble Mineral Exploration Incorporated	65328-0268	
S½	Lot8	C3	Y	Noble Mineral Exploration Incorporated	65328-0270	
N½	Lot9	C3	Y	Noble Mineral Exploration Incorporated	65328-0257	
N½	Lot10	C4	Y	Noble Mineral Exploration Incorporated	65328-0227	
S½	Lot10	C4	Y	Noble Mineral Exploration Incorporated	65328-0249	
S½	Lot11	C4	Y	Noble Mineral Exploration Incorporated	65328-0251	
N½	Lot12	C4	Y	Noble Mineral Exploration Incorporated	65328-0225	
	Lot3	C4	Y	Noble Mineral Exploration Incorporated	65328-0237	
S½	Lot4	C4	Y	Noble Mineral Exploration Incorporated	65328-0239	
N½	Lot5	C4	Y	Noble Mineral Exploration Incorporated	65328-0235	
N½	Lot6	C4	Y	Noble Mineral Exploration Incorporated	65328-0233	
S½	Lot7	C4	Y	Noble Mineral Exploration Incorporated	65328-0243	
N½	Lot8	C4	Y	Noble Mineral Exploration Incorporated	65328-0231	
S½	Lot8	C4	Y	Noble Mineral Exploration Incorporated	65328-0245	
N½	Lot9	C4	Y	Noble Mineral Exploration Incorporated	65328-0229	
S½	Lot9	C4	Y	Noble Mineral Exploration Incorporated	65328-0247	
N½	Lot10	C5	Y	Noble Mineral Exploration Incorporated	65328-0193	
S½	Lot10	C5	Y	Noble Mineral Exploration Incorporated	65328-0219	
N½	Lot11	C5	Y	Noble Mineral Exploration Incorporated	65328-0191	
S½	Lot11	C5	Y	Noble Mineral Exploration Incorporated	65328-0221	
N½	Lot12	C5	Y	Noble Mineral Exploration Incorporated	65328-0189	
S½	Lot12	C5	Y	Noble Mineral Exploration Incorporated	65328-0223	
N½	Lot4	C5	Y	Noble Mineral Exploration Incorporated	65328-0203	
N½	Lot5	C5	Y	Noble Mineral Exploration Incorporated	65328-0201	
S½	Lot5	C5	Y	Noble Mineral Exploration Incorporated	65328-0211	
N½	Lot6	C5	Y	Noble Mineral Exploration Incorporated	65328-0199	
N½	Lot7	C5	Y	Noble Mineral Exploration Incorporated	65328-0197	
S½	Lot7	C5	Y	Noble Mineral Exploration Incorporated	65328-0215	
N½	Lot8	C5	Y	Noble Mineral Exploration Incorporated	65328-0310	
S½	Lot8	C5	Y	Noble Mineral Exploration Incorporated	65328-0217	
N½	Lot9	C5	Y	Noble Mineral Exploration Incorporated	65328-0195	

S pt	Broken Lot6	C6	Y	Noble Mineral Exploration Incorporated	65328-0177	
N½	Lot10	C6	Y	Noble Mineral Exploration Incorporated	65328-0155	
N½	Lot11	C6	Y	Noble Mineral Exploration Incorporated	65328-0153	
S½	Lot11	C6	Y	Noble Mineral Exploration Incorporated	65328-0185	
S½	Lot12	C6	Y	Noble Mineral Exploration Incorporated	65328-0187	
S Part	Lot6	C6	Y	Noble Mineral Exploration Incorporated	65328-0177	
S½	Lot7	C6	Y	Noble Mineral Exploration Incorporated	65328-0179	
S½	Lot8	C6	Y	Noble Mineral Exploration Incorporated	65328-0181	
N½	Lot9	C6	Y	Noble Mineral Exploration Incorporated	65328-0157	
S½	Lot9	C6	Y	Noble Mineral Exploration Incorporated	65328-0183	

Appendix B – Drill Hole Locations



Legend

- Township Boundary
- Utility Line
- Trail
- Highway
- Drill Collar
- Patent

Datum: NAD83
 Projection: UTM
 UTM Zone: 17N



Visa Gold
 Carnegie Township Project

Property Map Of Patents

Drafting Scale: 1:10 000
 Drawn By: JRW

Date: August 2020





Legend

- Drill Collar
- Drill Hole Trace
- Lithology**
- ▨ Fault
- UP-Ultramafic Intrusive Rocks
- ▨ ST10-Graphitic Argillite (Timiskaming)
- SS10-Graphitic Argillite
- SS8-Argillite
- ▨ CS6-Chert
- MP6-Diorte
- VF-Felsic Metavolcanics
- VF1-Rhyolite
- VI-Intermediate Metavolcanics
- VM-Mafic Metavolcanics
- VM1-High Fe Basalt
- UM-Ultramafic Metavolcanics
- Gravity Anomaly
- ⊕ HLEM Anomaly
- ▭ Patent
- ▭ Township Boundary
- Utility Line
- Trail
- Highway


Datum: NAD83
 Projection: UTM
 UTM Zone: 17N



Visa Gold
 Carnegie Township Project

Diamond Drill Hole Plan
 2018-2019

Carnegie East

Drafting Scale: 1:3 000 Date: August 2020
 Drawn By: JRW





Legend

- Patent
- Township Boundary
- Utility Line
- Trail
- Highway
- Drill Collar
- Drill Hole Trace
- Lithology**
- Fault
- UP-Ultramafic Intrusive Rocks
- ST10-Graphitic Argillite (Timiskaming)
- SS10-Graphitic Argillite
- SS8-Argillite
- CS6-Chert
- MP6-Diorite
- VF-Felsic Metavolcanics
- VF1-Rhyolite
- VI-Intermediate Metavolcanics
- VM-Mafic Metavolcanics
- VM1-High Fe Basalt
- UM-Ultramafic Metavolcanics
- Gravity Anomaly
- HLEM Anomaly

Datum: NAD83
 Projection: UTM
 UTM Zone: 17N



Visa Gold
 Carnegie Township Project

Diamond Drill Hole Plan
 2018-2019

North Carnegie

Drafting Scale: 1:5 000 Date: August 2020
 Drawn By: JRW

Appendix C – Drill Hole Sections



Legend


- Lithology**
- CAS/Overburden
 - Fault
 - UP-Ultramafic Intrusive Rocks
 - ST10-Graphitic Argillite (Timiskaming)
 - SS10-Graphitic Argillite
 - SS8-Argillite
 - CS6-Chert
 - MP6-Diorite
 - VF-Felsic Metavolcanics
 - VF1-Rhyolite
 - VI-Intermediate Metavolcanics
 - VM-Mafic Metavolcanics
 - VM1-High Fe Basalt
 - UM-Ultramafic Metavolcanics

Assays

- Zinc Assay Result (ppm)
- Copper Assay Result (ppm)
- 705956 Sample Location with Sample Number
- Sample Bar Scale
1cm = 50ppm

Key

- HLEM Anomaly
- Gravity Anomaly with Designation
- Geophysical Anomaly Projection
- Drill Hole Collar
- Drill Hole Trace



Plan and Section
Projection: NAD83, UTM Zone 17N
Units: metres




Visa Gold

Carnegie Township Project

Diamond Drill Hole Section
Drill Hole CG18-01

Section Looking West

Date: August 2020	Drafting Scale: 1:750
Drawn By: JRW	Year Drilled: 2019



Legend

Lithology

- CAS/Overburden
- Fault
- UP-Ultramafic Intrusive Rocks
- ST10-Graphitic Argillite (Timiskaming)
- SS10-Graphitic Argillite
- SS8-Argillite
- CS6-Chert
- MP6-Diorite
- VF-Felsic Metavolcanics
- VF1-Rhyolite
- VI-Intermediate Metavolcanics
- VM-Mafic Metavolcanics
- VM1-High Fe Basalt
- UM-Ultramafic Metavolcanics

Assays

- Zinc Assay Result (ppm)
- Copper Assay Result (ppm)

705956 Sample Location with Sample Number

Sample Bar Scale
1cm = 50ppm

Key

- HLEM Anomaly
- Gravity Anomaly with Designation
- Geophysical Anomaly Projection
- Drill Hole Collar
- Drill Hole Trace




Plan and Section
Projection: NAD83, UTM Zone 17N
Units: metres

Visa Gold
Carnegie Township Project

Diamond Drill Hole Section
Drill Hole CG19-01

Section Looking West

Date: August 2020 Drafting Scale: 1:500
Drawn By: JRW Year Drilled: 2019



- Legend**
- Lithology**
- CAS/Overburden
 - Fault
 - UP-Ultramafic Intrusive Rocks
 - ST10-Graphitic Argillite (Timiskaming)
 - SS10-Argillite
 - SS8-Argillite
 - CS6-Chert
 - MP6-Diorite
 - VF-Felsic Metavolcanics
 - VF1-Rhyolite
 - VI-Intermediate Metavolcanics
 - VM-Mafic Metavolcanics
 - VM1-High Fe Basalt
 - UM-Ultramafic Metavolcanics
- Assays**
- Zinc Assay Result (ppm)
 - Copper Assay Result (ppm)
 - Sample Location with Sample Number
 - Sample Bar Scale 1cm = 50ppm
- Key**
- HLEM Anomaly
 - Gravity Anomaly with Designation
 - Geophysical Anomaly Projection
 - Drill Hole Collar
 - Drill Hole Trace




Plan and Section
 Projection: NAD83, UTM Zone 17N
 Units: metres

Visa Gold
 Carnegie Township Project

Diamond Drill Hole Section
Drill Hole CG19-02

Section Looking West

Date: August 2020	Drafting Scale: 1:500
Drawn By: JRW	Year Drilled: 2019



Legend

Lithology

- CAS/Overburden
- Fault
- UP-Ultramafic Intrusive Rocks
- ST10-Graphitic Argillite (Timiskaming)
- SS10-Graphitic Argillite
- SS8-Argillite
- CS6-Chert
- MP6-Diorite
- VF-Felsic Metavolcanics
- VF1-Rhyolite
- VI-Intermediate Metavolcanics
- VM-Mafic Metavolcanics
- VM1-High Fe Basalt
- UM-Ultramafic Metavolcanics

Assays

- Zinc Assay Result (ppm)
- Copper Assay Result (ppm)
- 705956 Sample Location with Sample Number
- Sample Bar Scale
1cm = 50ppm

Key

- HLEM Anomaly
- Gravity Anomaly with Designation
- Geophysical Anomaly Projection
- Drill Hole Collar
- Drill Hole Trace



Plan and Section
Projection: NAD83, UTM Zone 17N
Units: metres

Visa Gold
Carnegie Township Project


Diamond Drill Hole Section
Drill Hole CG19-03

Section Looking West

Date: August 2020 Drafting Scale: 1:500
Drawn By: JRW Year Drilled: 2019



- Legend**
- Lithology**
- CAS/Overburden
 - Fault
 - UP-Ultramafic Intrusive Rocks
 - ST10-Graphitic Argillite (Timiskaming)
 - SS10-Graphitic Argillite
 - SS8-Argillite
 - CS6-Chert
 - MP6-Diorite
 - VF-Felsic Metavolcanics
 - VF1-Rhyolite
 - VI-Intermediate Metavolcanics
 - VM-Mafic Metavolcanics
 - VM1-High Fe Basalt
 - UM-Ultramafic Metavolcanics
- Assays**
- Zinc Assay Result (ppm)
 - Copper Assay Result (ppm)
 - Sample Location with Sample Number
 - Sample Bar Scale 1cm = 50ppm
- Key**
- HLEM Anomaly
 - Gravity Anomaly with Designation
 - Geophysical Anomaly Projection
 - Drill Hole Collar
 - Drill Hole Trace





Plan and Section
 Projection: NAD83, UTM Zone 17N
 Units: metres

Visa Gold
 Carnegie Township Project

Diamond Drill Hole Section
 Drill Hole CG19-04

Section Looking West

Date: August 2020 Drafting Scale: 1:500
 Drawn By: JRW Year Drilled: 2019



Legend


- Lithology**
- CAS/Overburden
 - Fault
 - UP-Ultramafic Intrusive Rocks
 - ST10-Graphitic Argillite (Timiskaming)
 - SS10-Graphitic Argillite
 - SS8-Argillite
 - CS6-Chert
 - MP6-Diorite
 - VF-Felsic Metavolcanics
 - VF1-Rhyolite
 - VI-Intermediate Metavolcanics
 - VM-Mafic Metavolcanics
 - VM1-High Fe Basalt
 - UM-Ultramafic Metavolcanics

Assays

- Zinc Assay Result (ppm)
- Copper Assay Result (ppm)
- Sample Location with Sample Number
- Sample Bar Scale
1cm = 50ppm




Key

- HLEM Anomaly
- Gravity Anomaly with Designation
- Geophysical Anomaly Projection
- Drill Hole Collar
- Drill Hole Trace



Plan and Section
Projection: NAD83, UTM Zone 17N
Units: metres

Visa Gold	
Carnegie Township Project	
Diamond Drill Hole Section Drill Hole CG19-05	
Section Looking West	
Date: August 2020	Drafting Scale: 1:500
Drawn By: JRW	Year Drilled: 2019



- Legend**
- Lithology**
- CAS/Overburden
 - Fault
 - UP-Ultramafic Intrusive Rocks
 - ST10-Graphitic Argillite (Timiskaming)
 - SS10-Graphitic Argillite
 - SS8-Argillite
 - CS6-Chert
 - MP6-Diortite
 - VF-Felsic Metavolcanics
 - VF1-Rhyolite
 - VI-Intermediate Metavolcanics
 - VM-Mafic Metavolcanics
 - VM1-High Fe Basalt
 - UM-Ultramafic Metavolcanics
- Assays**
- Zinc Assay Result (ppm)
 - Copper Assay Result (ppm)
 - Sample Location with Sample Number
 - Sample Bar Scale
1cm = 50ppm
- Key**
- HLEM Anomaly
 - Gravity Anomaly with Designation
 - Geophysical Anomaly Projection
 - Drill Hole Collar
 - Drill Hole Trace

Plan and Section
 Projection: NAD83, UTM Zone 17N
 Units: metres




Visa Gold

Carnegie Township Project

Diamond Drill Hole Section
 Drill Hole CG19-06

Section Looking West

Date: August 2020	Drafting Scale: 1:500
Drawn By: JRW	Year Drilled: 2019



Legend

Lithology

- CAS/Overburden
- Fault
- UP-Ultramafic Intrusive Rocks
- ST10-Graphitic Argillite (Timiskaming)
- SS10-Graphitic Argillite
- SS8-Argillite
- CS6-Chert
- MP6-Diorite
- VF-Felsic Metavolcanics
- VF1-Rhyolite
- VI-Intermediate Metavolcanics
- VM-Mafic Metavolcanics
- VM1-High Fe Basalt
- UM-Ultramafic Metavolcanics

Assays

- Zinc Assay Result (ppm)
- Copper Assay Result (ppm)
- 705956 Sample Location with Sample Number
- Sample Bar Scale
1cm = 50ppm

Key

- HLEM Anomaly
- Gravity Anomaly with Designation
- Geophysical Anomaly Projection
- Drill Hole Collar
- Drill Hole Trace



Plan and Section
Projection: NAD83, UTM Zone 17N
Units: metres

Visa Gold
Carnegie Township Project

Diamond Drill Hole Section
Drill Hole CG19-07

Section Looking West

Date: August 2020 Drafting Scale: 1:500
Drawn By: JRW Year Drilled: 2019



Legend


- Lithology**
- CAS/Oberburden
 - Fault
 - UP-Ultramafic Intrusive Rocks
 - ST10-Graphitic Argillite (Timiskaming)
 - SS10-Graphitic Argillite
 - SS8-Argillite
 - CS6-Chert
 - MP6-Diorite
 - VF-Felsic Metavolcanics
 - VF1-Rhyolite
 - VI-Intermediate Metavolcanics
 - VM-Mafic Metavolcanics
 - VM1-High Fe Basalt
 - UM-Ultramafic Metavolcanics

Assays

- Zinc Assay Result (ppm)
- Copper Assay Result (ppm)
- Sample Location with Sample Number
- Sample Bar Scale
1cm = 50ppm

Key

- HLEM Anomaly
- Gravity Anomaly with Designation
- Geophysical Anomaly Projection
- Drill Hole Collar
- Drill Hole Trace



Plan and Section
 Projection: NAD83, UTM Zone 17N
 Units: metres




Visa Gold

Carnegie Township Project

Diamond Drill Hole Section
 Drill Hole CG19-08

Section Looking West

Date: August 2020	Drafting Scale: 1:500
Drawn By: JRW	Year Drilled: 2019



Legend

Lithology

- CAS/Overburden
- Fault
- UP-Ultramafic Intrusive Rocks
- ST10-Graphitic Argillite (Timiskaming)
- SS10-Graphitic Argillite
- SS8-Argillite
- CS6-Chert
- MP6-Diorite
- VF-Felsic Metvolcanics
- VF1-Rhyolite
- VI-Intermediate Metvolcanics
- VM-Mafic Metvolcanics
- VM1-High Fe Basalt
- UM-Ultramafic Metvolcanics

Assays

- Zinc Assay Result (ppm)
- Copper Assay Result (ppm)
- 705956 Sample Location with Sample Number
- Sample Bar Scale
1cm = 100ppm

Key

- HLEM Anomaly
- Gravity Anomaly with Designation
- Geophysical Anomaly Projection
- Drill Hole Collar
- Drill Hole Trace

Plan and Section
Projection: NAD83, UTM Zone 17N
Units: metres

Visa Gold
Carnegie Township Project

Diamond Drill Hole Section
Drill Hole CG19-09

Section Looking West

Date: August 2020 Drafting Scale: 1:500
Drawn By: JRW Year Drilled: 2019

Appendix D – Drill Logs

VISA GOLD

Hole #	Easting	Northing	Elevation	Length	Date	Test	Core Size	Logged By	U/S	Target	Location \ Comments:
CG18-01	471408	5401825	297	565.45	2018-04-23	Reflex	NQ	W. MacRae	S	Gravi Anom G-06	Located with GPS +/- 3 metres

DISTANCE	AZIMUTH	DIP	REMARKS
0.00	50	-55	
42.00	51.3	-58.3	
93.00	52	-58.3	
141.00	52.2	-57.6	
195.00	50.9	-55.7	
246.00	50	-54.8	
297.00	50	-53.8	
396.00	47.4	-49.4	
450.00	47.1	-48.4	
501.00	47.1	-47.2	
549.00	47.1	-46	

Drilling Company	Drilling Started	Drilling Ended	Date Logged
NPLH Drilling	2018-04-08	2018-04-16	2018-04-23
Remarks:			

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU G/T	Cu ppm	Pb ppm	Zn ppm	Remarks
0.00	36.00	CAS				406.40	407.40	1.00	693001	0.050	77.2	12	133	
36.00	49.00	VM1			BOULDER OVERBURDEN - Broken and rubbly. Granitic and mafic volcanic boulders to 35.0m. From 45.0 to 49.0 broken and weathered.	407.40	407.70	0.30	693002	0.050	81.1	14.2	398	
						407.70	408.00	0.30	693003	0.050	277	57	971	
49.00	103.00	VM1			PILLOWED MAFIC VOLCANIC - Medium to light green in colour, fine grained. From 77.1 to 77.17 a quartz vein at 50° to core axis. Light olive green varioles 2mm to 5mm in size, individual at or near pillow margins coalescing to the centre of the pillow. From 78.14 to 78.35 a quartz vein with 5% wispy bands of graphite at 90° to core axis.	408.00	409.00	1.00	693004	0.050	10.1	6.6	62	
						409.00	410.00	1.00	693005	0.050	7.9	5.5	24	
						410.00	411.00	1.00	693006	0.050	14	9.5	45	
						411.00	412.00	1.00	693007	0.050	10.9	5.6	96	
103.00	114.00	VF1			TRANSITION ZONE - Predominately light olive green with dark green pillow selvages. From 110.45 to 110.6 a white massive quartz vein.	412.00	413.00	1.00	693008	0.050	8.3	4.2	57	
						413.00	414.00	1.00	693009	0.050	77.2	12	133	
114.00	403.65	VF1			FELSIC VOLCANIC - RHYOLITE - Light olive green in colour and very fine grained. Massive and highly silicious (hard). Generally unit is porphyritic with up to 20% anhedral to subhedral feldspar masses. Minor pyrite (1%) finely disseminated throughout. From 118.48 to 118.6 massive white quartz vein. From 118.98 to 119.05 massive white quartz vein. From 123.0 to 123.1 massive white quartz vein at 45° to core axis. From 131.0 to 131.12 white quartz vein with a pyrite seam up to 5cm wide. Massive white quartz veins at 45° to core axis at: 157.2 to 157.32, 166.1 to 166.3, 166.7 to 166.8. From 167.1 to 168.0 85% white quartz mass. From 169.5 to 169.63 massive white quartz vein. From 181.85 to 270.25 a series of 5 massive white quartz veins from 10 to 25 cm in width and at 45° to core axis. At 290.5 to 290.53 and 291.45 to 291.5 quartz and graphite breccia. From 399.5 to 403.65 porphyritic rhyolite gradually becomes blacker as graphite content increases.	414.00	415.00	1.00	693010	0.050	54	13.5	304	
						415.00	416.00	1.00	693011	0.050	8.9	7	76	
						416.00	417.00	1.00	693012	0.050	24.6	24.6	123	
						417.00	418.00	1.00	693013	0.050	27	17.2	176	
						418.00	419.00	1.00	693014	0.050	11.5	4.7	63	
						419.00	420.00	1.00	693015	0.050	6.7	5.3	49	
						420.00	421.00	1.00	693016	0.050	7.8	8	51	
						421.00	422.00	1.00	693017	0.050	9.8	8.9	61	
						422.00	423.00	1.00	693018	0.050	10	5.1	54	
						423.00	424.00	1.00	693019	0.050	12	3.4	114	
						424.00	425.00	1.00	693020	0.050	27.7	4.1	75	
403.65	418.00	VF1			GRAPHITIC ARGILLITE/FELSIC VOLCANIC - Black in colour and fine grained. From 407.0 to 418.0 rhyolitic breccia with graphitic matrix containing 1% to 2% pyrite. From 407.77 to 408.0 graphitic shale with 10% pyrite in bands and masses. From 413.4 to 417.6 up to 15% pyrite as masses and stringers.	425.00	426.00	1.00	693021	0.050	16.1	9.5	74	
						426.00	426.75	0.75	693022	0.050	11.8	7.2	65	
						426.75	427.15	0.40	693023	0.050	50.4	143	93	
						427.15	428.00	0.85	693025	0.050	42.3	24.7	178	
						428.00	429.00	1.00	693026	0.050	18.4	13.9	114	
						429.00	430.00	1.00	693028	0.050	24.9	18	67	

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU	G/T	Cu	Pb	Zn	ppm	Remarks
418.00	426.75	VF1			FELSIC VOLCANIC BRECCIA - Mottled light olive green in colour. 1% to 2% disseminated pyrite. 80% rhyolitic fragments in a grey silicious matrix. Up to 2% black graphitic shale fragments and wispy stringers. From 424.1 to 424.17 graphite seam with 30% carbonate stringers and masses.	430.00	430.25	0.25	693029	0.200	108	142	85			
						430.25	431.00	0.75	693031	0.050	25.2	11.7	229			
						431.00	432.00	1.00	693032	0.050	46.5	16.1	260			
						432.00	433.00	1.00	693033	0.050	31.8	9.1	314			
426.75	430.27	VF1			FELSIC VOLCANIC BRECCIA - Large blocks of rhyolite with graphite and sulphides (pyrite) matrix. From 426.75 to 427.15 85% sulphides (pyrite) with 15% graphite. At 427.8 a 6cm mass of pyrite. From 429.03 to 429.08 a band of semi massive pyrite. From 430.0 to 430.27 massive sulphides (pyrite) with minor silicious material.	433.00	434.00	1.00	693034	0.050	19.7	9.2	110			
						434.00	435.00	1.00	693035	0.050	19.6	9.9	53			
						435.00	436.00	1.00	693036	0.050	28.6	8.7	56			
						436.00	437.00	1.00	693037	0.050	27.5	9.3	113			
430.27	438.35	VF1			FELSIC VOLCANIC BRECCIA - Light grey fragments in a black (graphitic?) matrix. Fragments from millimetre to 8 cm in size. From 435.65 to 435.95 quartz-carbonate vein with wispy graphite.											
438.35	478.75	VF1			FELSIC VOLCANIC - Fine grained and light grey grading to light olive green in colour at 444.0. From 438.35 to 443.1 rhyolite breccia with black (graphitic?) matrix. From 478.3 to 478.4 fault gouge at 50° to core axis. Fault contact with unit below at 50° to core axis.											
478.75	512.35	VM1			MAFIC VOLCANIC - Light green in colour, fine grained and massive. Weakly foliated at 40° to core axis. From 497.0 to 501.5 weak sericite alteration with <1% pyrite.											
512.35	565.45	VF1			FELSIC VOLCANIC FRAGMENTAL - Light grey to light olive green in colour and fine grained. From 522.0 to 546.9 up to 5% wispy black graphitic material. From 542.0 to 564.45 light olive green in colour and mottled appearance.											
565.45	565.45	EOH			END OF HOLE.											

Assay QC

430	430.25	Duplicate	693030	0.200	108	137	88	
		Standard	693027	0.900	35.2	22	66	OREAS 2Pb
		Blank	693024	0.050	13.2	4.2	62	

VISA GOLD

Hole #	Easting	Northing	Elevation	Length	Date	Test	Core Size	Logged By	U/S	Target	Location \ Comments:
CG19-01	472774	5397282	282	332	2019-01-24	Reflex	NQ	W. MacRae	S		

DISTANCE	AZIMUTH	DIP	REMARKS
48.00	226.5	-55.2	
251.00	232.5	-55.1	
303.00	2533.6	-54.7	

Drilling Company	Drilling Started	Drilling Ended	Date Logged
NPLH Drilling	2019-01-19	2019-01-25	2019-01-24

Remarks:	
-----------------	--

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU	G/T	Cu	ppm	Pb	ppm	Zn	ppm	Remarks
0.00	36.00	CAS				141.00	142.60	1.60	705601	0.050	48.8	2.3	132					
36.00	45.00	VM			MAFIC/ULTRAMAFIC VOLCANICS:: Dark green to black in colour. Fine grained and massive.	142.60	143.60	1.00	705602	0.400	108	26	177					
						143.60	144.90	1.30	705603	0.050	88.6	14.7	246					
45.00	57.00	UM			ULTRAMAFIC VOLCANIC: Dark green to black in colour. Moyyled in appearance. Massive. Weak to moderate magnitism. From 53.7 to 54.0 Rubbly fgault. From 54.95 to 55.2 rubbly fault.	144.90	145.20	0.30	705604	0.050	60.7	2.4	144					
						145.20	147.40	2.20	705605	0.050	79	3.4	132					
						147.40	148.40	1.00	705606	0.050	71.6	4.6	148					
57.00	83.00	VM			MAFIC/ULTRAMAFIC VOLCANICS: Dark green to black in colour. Fine grained and massive. Weak foliation at 40 deg to core axis. From 70.0 to 73.0 epidote/serpentine developed.	165.00	166.00	1.00	705607	0.050	45.1	2.6	130					
						166.00	167.00	1.00	705608	0.050	79.5	3.4	148					
						167.00	168.00	1.00	705609	0.050	52.3	2.7	130					
83.00	86.10	VM			MAFIC VOLCANIC: Medium to dark green to black in colour. Fine grained and massive.	168.00	169.00	1.00	705610	0.050	67.7	2.9	145					
86.10	120.10	VF			FERLSIC VOLCANIC: Dark grey in colour. Very fine grained, hard and massive. 108.1 to 109.1 pophyritic.	169.00	170.00	1.00	705611	0.050	39.7	1.3	113					
120.10	141.00	VF			FERLSIC VOLCANIC: Light green in colour. Very fine grained and massive. Moderatye foliation from 121.9 to 124.9 with 5 cm fault gogue at 123.7. From 123.3 to 123.8 up to 5% pyrite. Trace to 1% pyrite throughout unit.	170.00	171.00	1.00	705612	0.050	57.4	4.6	127					
						171.00	172.00	1.00	705613	0.050	26.6	3.5	162					
						172.00	173.00	1.00	705614	0.050	29.5	4.6	167					
						173.00	174.00	1.00	705615	0.050	58.6	12.8	93					
						174.00	175.00	1.00	705616	0.050	48.9	6.4	114					
141.00	230.40	VF			FERLSIC VOLCANIC: Light to medium grey in colour. Very fine grained. From 141.0 to 154.8 up to 10% pyrite in masses, seams and disseminated. From 163.5 to 185.6 up to 10% disseminated pyrrhotite and minor pyrite. At 178.25 a 2 to 3 mm seam of sphalerite. From 164.2 to 228.7 patchy amygdules/phenocrysts. From 189.0 to 212.0 2% to 3% pyrite as masses and disseminated with heavier concentrations at 201.3 to 201.75 50% pyrite and 5% pyrrhotite. From 220.3 to 222.0 5% pyrite. From 227.2 to 230.4 contact with mafic volcanics - 40% pyrite as masses and stringers. At 228.05 a 2 cm quartz-carbonate vein with 10% sphalerite.	175.00	176.00	1.00	705617	0.050	344	60	305					
						176.00	177.00	1.00	705618	0.050	88.5	5.5	158					
						177.00	178.00	1.00	705619	0.050	257	25	343					
						178.00	178.65	0.65	705620	0.050	85.8	707	2570					
						178.65	179.10	0.45	705622	0.050	59.1	180	2070					
						179.10	180.00	0.90	705623	0.050	45.9	108	410					
						180.00	181.00	1.00	705624	0.050	60.6	191	1360					
						181.00	182.00	1.00	705625	0.050	76.2	9.7	281					
230.40	248.00	VM			MAFIC VOLCANIC: Dark green in colour. Fine grained to very fine grained and massive. From 247.8 to 248.0 fault with semi-consolidated gogue.	182.00	183.00	1.00	705626	0.050	132	6	550					
						183.00	184.00	1.00	705628	0.050	33.5	4	270					
248.00	253.30	VM			MAFIC VOLCANIC (Silicified Flow Top): Light grey to light green in colour. Fine grained and hard. Strongly silicifide. From 248.0 to 250.3 mixture of mafic and silicified flow top.	184.00	185.00	1.00	705629	0.050	78.1	14.8	278					
						219.00	220.00	1.00	705631	0.050	50.4	33	2200					
						220.00	221.00	1.00	705632	0.050	34.7	92.7	1400					
						221.00	222.00	1.00	705633	0.050	59.9	164	3600					
						222.00	223.00	1.00	705634	0.050	65.3	109	6500					
						223.00	224.00	1.00	705635	0.050	75	4941	2000					
						224.00	225.00	1.00	705636	0.050	127	19201	4300					

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU	G/T	Cu	ppm	Pb	ppm	Zn	ppm	Remarks
253.30	332.00	VM			MAFIC VOLCANIC: Medium to dark green in colour. Fine grained and massive. 5% quartz stringers up to 2mm in thickness and 50deg to core axis. From 282.3 to 285.4 fault gouge and rubble. Around 292.0 the texture changes from massive to pillowed. Euhedral pyrite crystals associated with pillow selvages. At 318.15 quartz-carbonate veining with 2% to 3% sphalerite. At 316.6 and 318.1 pyrrhotite and pyrite. From 328.25 to 329.15 light green hydromuscovite in stringers.	225.00	226.00	1.00	705637	0.050		103	17315	100				
						226.00	227.00	1.00	705638	0.050		57.4	40.4	6700				
						227.00	227.70	0.70	705639	0.050		63.4	103	1000				
						227.70	228.20	0.50	705640	0.050		58	28911	1100				
						228.20	229.00	0.80	705641	0.050		60.3	884	5100				
						229.00	230.00	1.00	705642	0.050		45.7	270	1000				
332.00	332.00	EOH					230.00	231.00	1.00	705643	0.050		41	1080	8800			

Assay QC

Standard	705630	0.800	32.4	18.9	62	OREAS 2Pb
Duplicate	705627	0.050	66.8	5.6	546	
Blank	705621	0.050	28.6	6.1	144	

VISA GOLD

Hole #	Easting	Northing	Elevation	Length	Date	Test	Core Size	Logged By	U/S	Target	Location \ Comments:
CG19-02	472552	5397183	281	201	2019-01-24	Reflex	NQ	W. MacRae	S		

DISTANCE	AZIMUTH	DIP	REMARKS
0.00	225	-55	
75.00	228.3	-54	
122.00	228.1	-53.6	
177.00	227	-52.9	

Drilling Company	Drilling Started	Drilling Ended	Date Logged
NPLH Drilling	2019-01-26	2019-01-29	2019-01-24

Remarks:	
-----------------	--

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU G/T	Cu ppm	Pb ppm	Zn ppm	Remarks
0.00	63.00	CAS				63.50	64.20	0.70	705644	0.050	65	52.7	103	
63.00	63.50	VM			MAFIC VOLCANIC: Variolitic, possible boulder.	64.20	65.20	1.00	705645	0.050	78.6	6.8	900	
63.50	64.20	SS10			GRAPHITIC ARGILLITE: Black in colour. Fine grained. .	65.20	66.50	1.30	705646	0.050	85.5	6.4	1200	
64.20	67.60	CS6			CHERT: Light grey to light green in colour. Two %5 to 8% pyrite throughout. Two 10cm to 20 cm graphitic sections.	183.00	184.25	1.25	705647	0.050	106	0.8	97	
67.60	108.10	SS10			GRAPHITIC ARGILLITE: Black in colour. Fine grained. Soft, broken and rubbly. 5% marcasite nodules and masses.	184.25	185.10	0.85	705648	0.050	100	5.8	72	
108.10	109.80	CS6			CHERT: Light grey in colour. Very fine grained. 1% to 2% disseminated pyrite.	185.10	186.00	0.90	705649	0.050	101	10.5	1400	
109.80	110.20	ST10			GRAPHITIC ARGILLITE: Black in colour. 5% marcasite nodules up to 2cm in size.									
110.20	111.60	CS6			CHERT: Light grey in colour. Very fine grained. 1% finely disseminated pyrite.									
111.60	112.50	SS10			GRAPHITIC ARGILLITE: Black in colour. Fine grained.									
112.50	113.00	CS6			CHERT: Light grey in colour. Very fine grained.									
113.00	117.20	SS10			GRAPHITIC ARGILLITE: Black in colour. Fine grained. Up to 15% marcasite nodules up to 3cm in size.									
117.20	201.00	VF			FERLSIC VOLCANIC: Light grey in colour. Very fine grained and massive. Weakly magnetic patches through. Coarse to medium felsic volcanic breccia, "Mill Rock?" from 125.7 to 128.75, 130.35 to 131.0, 134.6 to 138.85, 140.25 to 143.9 and 162.0 to 171.45. From 184.25 to 185.1 interflow breccia with quartz-carbonate masses. From 176.3 to 201.0 breccia with up to 1% pyrite									
201.00	201.00	EOH												

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU G/T	Cu ppm	Pb ppm	Zn ppm	Remarks
------	----	-----------	------	-----	---------	------	----	-------	----------	--------	--------	--------	--------	---------

Assay QC

VISA GOLD

Hole #	Easting	Northing	Elevation	Length	Date	Test	Core Size	Logged By	U/S	Target	Location \ Comments:
CG19-03	471760	5396800	276	204	2019-01-24	Reflex	NQ	W. MacRae	S		

DISTANCE	AZIMUTH	DIP	REMARKS
0.00	225	-65	
63.00	225.4	-63.3	
114.00	224	-62.5	
163.00	222	-62	
201.00	225.7	-61.7	

Drilling Company	Drilling Started	Drilling Ended	Date Logged
NPLH Drilling	2019-01-30	2019-02-04	2019-01-24
Remarks:			

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU G/T	Cu ppm	Pb ppm	Zn ppm	Remarks
0.00	54.40	CAS				144.00	145.00	1.00	705650	0.050	91.2	0.6	96	
54.40	148.95	VM			MAFIC VOLCANIC: Light green in colour. Pillowed. Very fine grained. Pillow breccia at: 58.45 to 59.15, 59.8 to 60.65, 61.4 to 61.8, 66.75 to 67.2, 82.5 to 85.8, 89.8 to 104.7, 117.45 to 125.1 and 128.7 to 148.95. 1% quartz-carbonate stringers at various angles. From 107.0 to 112.3 graphitic with 1% to 2% pyrite in a flow breccia. From 147.6 to 148.95 breccia becomes finergrained with 3% disseminated pyrite/pyrrhotite.	145.00	146.00	1.00	705651	0.050	105	0.5	88	
						146.00	147.00	1.00	705652	0.050	94.9	0.5	97	
						147.00	148.00	1.00	705653	0.300	103	0.7	136	
						148.00	148.95	0.95	705654	0.050	112	1.5	176	
						148.95	150.00	1.05	705655	0.050	151	40.2	259	
						150.00	151.00	1.00	705657	0.050	38.8	44.8	169	
148.95	174.30	VF			FERLSIC VOLCANIC: Fine grained. White to light grey fragments in a graphitic + pyrite + pyrrhotite matrix. From 149.1 to 149.8 Massive sulphides consisting of 7% pyrrhotite and 25% pyrite. From 149.8 to 174.3 15% pyrite and 5% pyrrhotite.	151.00	152.00	1.00	705658	0.050	54.6	13.6	358	
						152.00	153.00	1.00	705660	0.050	66.2	11.5	324	
						153.00	154.00	1.00	705661	0.050	63.4	5.6	246	
174.30	194.30	SS10			GRAPHITIC ARGILLITE: Black in colour. Very fine grained. Rubbly from 174.3 to 177.2. Nodular pyrite (marcasite) varying from 10% to 20%.	154.00	155.00	1.00	705662	0.050	59.4	3.1	331	
						155.00	156.00	1.00	705663	0.100	79.1	11	464	
						156.00	157.00	1.00	705664	0.200	91	5.4	422	
194.30	195.00	CS6			CHERT: Light grey in colour. Very fine grained. Massive.	157.00	158.00	1.00	705666	0.100	88.4	4.9	437	
						158.00	159.00	1.00	705667	0.050	90.8	2.9	350	
195.00	195.35	SS10			GRAPHITIC ARGILLITE: Black in colour. Very fine grained. 10% pyrrhotite as masses and stringers.	159.00	160.00	1.00	705668	0.050	105	3.6	265	
						160.00	161.00	1.00	705669	0.050	106	2.8	331	
195.35	204.00	VF			FERLSIC VOLCANIC: Light grey in colour. Very fine grained. Massive. From 195.35 to 198.9 1% to 2% disseminated pyrrhotite and pyrite.	161.00	162.00	1.00	705670	0.050	98.3	5.8	890	
						162.00	163.00	1.00	705671	0.050	92.6	10.5	506	
204.00	204.00	EOH				163.00	164.00	1.00	705672	0.050	36.5	3.8	275	
						164.00	165.00	1.00	705673	0.050	47.7	5.8	278	
						165.00	166.00	1.00	705674	0.050	46.2	3.9	195	
						166.00	167.00	1.00	705675	0.050	31.5	2.3	149	
						167.00	168.00	1.00	705676	0.050	42.4	5	159	
						168.00	169.00	1.00	705677	0.050	50.5	7.1	199	
						169.00	170.00	1.00	705678	0.050	63.6	8.1	201	
						170.00	171.00	1.00	705679	0.050	42.6	5.1	147	
						171.00	172.00	1.00	705680	0.050	52	8.9	183	
						172.00	173.00	1.00	705681	0.050	42.7	9.1	173	
						173.00	174.30	1.30	705682	0.050	49.8	8.9	102	
						185.00	186.00	1.00	705683	0.050	58.6	26.1	428	

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU G/T	Cu ppm	Pb ppm	Zn ppm	Remarks	
						186.00	187.00	1.00	705684	0.050	39	11.7	316		
						187.00	188.00	1.00	705685	0.050	36.5	8.2	261		
						188.00	189.00	1.00	705687	0.050	52.7	21.7	215		
						189.00	190.00	1.00	705689	0.050	74.5	31.1	234		
						190.00	191.00	1.00	705690	0.050	46.4	27	227		
						191.00	192.00	1.00	705691	0.050	78.8	25.6	257		
									Assay QC						
									Blank	705688	0.050	31.8	2.8	135	
									Duplicate	705686	0.050	37.2	8.6	266	
									Standard	705665	0.900	38.8	36.6	64	
									Duplicate	705659	0.050	55	14.1	371	
						150			Blank	705656	0.050	29	3.2	171	

VISA GOLD

Hole #	Easting	Northing	Elevation	Length	Date	Test	Core Size	Logged By	U/S	Target	Location \ Comments:
CG19-04	468996	5398449	273	180	2019-01-24	Reflex	NQ	W. MacRae	S		

DISTANCE	AZIMUTH	DIP	REMARKS
0.00	190	-55	
133.00	189.5	-53.9	
184.00	189.1	-52.9	

Drilling Company	Drilling Started	Drilling Ended	Date Logged
NPLH Drilling	2019-02-05	2019-02-09	2019-01-24

Remarks:	
-----------------	--

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU G/T Cu ppm Pb ppm Zn ppm	Remarks
0.00	55.50	CAS									
55.50	78.00	Fault			FAULT: Rusty red in colour. Very rubbly with abundant fault gogue. No piece of core larger than 3".						
78.00	80.25	VM			MAFIC VOLCANIC: Light green in colour. Massive. Vuggy near contacts.						
80.25	83.80	Fault			FAULT: Very rubbly. No fault gogue.						
83.80	85.40	VM			MAFIC VOLCANIC: Light green in colour. Massive. Up to 3% quartz-carbonate stringers.						
85.40	86.00	Fault			FAULT: Very rubbly and vuggy.						
86.00	111.80	VM			MAFIC VOLCANIC: Light green in colour. Massive. Very fine grained. From 87.1 to 88.5 amygdaloidal - 20%. From 95.5 to 105.1 20% amygdules. Lower contact at 30 deg to core axis.						
111.80	119.05	VM			MAFICéULTRAMAFIC VOLCANICS: Black in colour. Fine grained. Non magnetic. Possible cumulate textureobserved.						
119.05	164.20	VM			MAFIC VOLCANIC: Medium grey to black in colour. mFine grained. Mainly massive. 2% to 3% quartz-carbonate stringers.						
164.20	171.30	VF			FELSIC BRECCIA: Light green to grey in colour. Fine grained. Lighter coloured fragments up to 5 cm in size in a darker fine grained matrix. Lower contact becomes fine grained argillite light and dark bands containing 5% phytrotite over 13 cm (40 deg to CA).						
171.30	180.00	VF			FERLSIC VOLCANIC: Light grey in colour. Very fine grained. Magnetic with up to 1% phytrotite. From 178.85 to 179.4 darker colour due to 1% to 2% disseminated graphite.						
180.00	180.00	EOH									

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU G/T	Cu ppm	Pb ppm	Zn ppm	Remarks
------	----	-----------	------	-----	---------	------	----	-------	----------	--------	--------	--------	--------	---------

Assay QC

VISA GOLD

Hole #	Easting	Northing	Elevation	Length	Date	Test	Core Size	Logged By	U/S	Target	Location \ Comments:
CG19-05	468023	5398716	274	264	2019-01-24	Reflex	NQ	W. MacRae	S		

DISTANCE	AZIMUTH	DIP	REMARKS
0.00	225	-55	
78.00	227.5	-54.8	
128.00	227	-53.9	
178.00	227.7	-53.2	
227.00	227.5	-52.4	
260.00	227.7	-52.1	

Drilling Company	Drilling Started	Drilling Ended	Date Logged
NPLH Drilling	2019-02-10	2019-02-13	2019-01-24

Remarks:	
-----------------	--

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU	G/T	Cu	ppm	Pb	ppm	Zn	ppm	Remarks
0.00	69.70	CAS				129.00	130.00	1.00	705692	0.050		46		1		87		
69.70	71.70	SS10			GRAPHITIC ARGILLITE: Black in colour. Very rubbly. !0% to 15% pyrite with graphite. Rusty and vuggy.	130.00	131.00	1.00	705694	0.050		145		5.4		421		
						131.00	132.00	1.00	705695	0.050		41.3		2.7		117		
71.70	77.70	CS6			CHERT: Light gray in colour. Drecciated and rubbly. From 74.3 to 77.3 more intensely broken. Graphitic matrix - block supported. Lower contact at 30 deg to core axis.	132.00	133.00	1.00	705696	0.050		34.9		3.6		92		
						133.00	134.00	1.00	705697	0.050		40.7		3.8		116		
						134.00	135.00	1.00	705698	0.050		29.5		2.3		99		
77.70	86.00	SS10			GRAPHITIC ARGILLITE: Black in colour. Rubbly. 5% pyrite as crystals and masses.	135.00	136.00	1.00	705699	0.050		27.9		1.8		85		
						136.00	137.00	1.00	705700	0.050		41.2		1.8		84		
86.00	118.40	VF			FELSIC VOLCANIC: Light gray in colour. Generally massive. 2% to 3% graphitic stringers. From 91.4 to 94.6 felsic breccia eith graphitic rich matrix. From 97.2 to 98.7 sand seam with 50%felsic fragments.	137.00	138.00	1.00	705701	0.050		39.5		1.5		64		
						220.50	221.50	1.00	705702	0.050		36.7		5.1		197		
118.40	136.50	SS10			GRAPHITIC ARGILLITE: Black in colour. Very fine grained. 10% pyrite as nodules and masses. <1% disseminated phyrrotite.	221.50	222.50	1.00	705703	0.050		29		2.8		113		
						222.50	223.50	1.00	705704	0.050		8.2		4.1		17		
136.50	182.75	VF			FELSIC VOLCANIC: Dark gray at contact to 138.0 then becomes light gray in colour. Fine grained. Massive. From 153.5 to 158.4 appears fragmental with a felsic matrix.	223.50	224.50	1.00	705705	0.050		21.3		8.4		43		
						254.50	255.50	1.00	705706	0.050		37.5		9.9		104		
						255.50	256.50	1.00	705707	0.050		26.6		9.9		97		
182.75	187.10	VF			FELSIC VOLCANIC: Light grey in colour. Fine grained. 2% scattered pyrite cubes up to 5mm. Lower contact at 65 deg to core axis.													
187.10	189.85	SS10			GRAPHITIC ARGILLITE: Black in colour. 3% sulphides, pyrite and phyrrotiteneat upper contact.													
189.85	222.40	SS8			ARGILLITE: Argillite intercalated with quartzite. Fine grained. Foliation generally 40 deg to core axis. Up to 1% disseminated pyrite. From 213.25 to 214.1 quartz as veining and masses (80%0. From 214.1 to 222.4 2% to 3% pyrite as masses and nodules. From 222.2 to 222.4 10% 10% as stringers and masses..													
222.40	256.50	VF			FELSIC VOLCANIC: Light grey in colour. Massive and fine grained. 1% quartz stringers. From 256.1 to 256.5 5% pyrite cubes and masses.													
256.50	263.45	SS8			ARGILLITE: Black in colour. Very fine grained. Foliation at 30 deg to 45 deg to core axis. <1% scattered pyrite cubes.													
263.45	264.00	VM			MAFIC VPLCANIC: Light to medium gray in colour. Fine grained and massive.													
264.00	264.00	EOH																

					Assay QC			Standard	705693	0.700	35.4	21	65					OREAS 2Pb
--	--	--	--	--	-----------------	--	--	----------	--------	-------	------	----	----	--	--	--	--	-----------

VISA GOLD

Hole #	Easting	Northing	Elevation	Length	Date	Test	Core Size	Logged By	U/S	Target	Location \ Comments:
CG19-06	470718	5400194	276	234	2019-01-24	Reflex	NQ	W. MacRae	S		

DISTANCE	AZIMUTH	DIP	REMARKS
0.00	195	-55	
57.00	193.5	-56.6	
159.00	194.4	-55.8	
207.00	195.9	-55.3	

Drilling Company	Drilling Started	Drilling Ended	Date Logged
NPLH Drilling	2019-02-18	2019-02-22	2019-01-24
Remarks:			

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU G/T	Cu ppm	Pb ppm	Zn ppm	Remarks
0.00	44.80	CAS				120.00	121.50	1.50	705708	0.050	127	1.9	103	
44.80	61.20	VF			FELSIUC VOLCANIC: Light grey in colour. Fine grained and massive. From 46.8 to 48.5 rubbly. From 50.2 to 50.5 fault gogue. From 52.3 to 53.4 rubbly and fault gogue. From 57.8 to 64.0 1% rusty slip faces.	121.50	122.50	1.00	705709	0.050	42.9	1	135	
						122.50	123.50	1.00	705710	0.050	44.2	0.8	97	
						123.50	124.50	1.00	705711	0.050	46.3	1	160	
61.20	74.30	UP			ULTRAMAFIC INTRUSIVE: Soapy feel and soft. Dark green to black in colour. Both upper and lower contacts contain graphite over 10 cm. From 61.2 to 68.0 rubbly. Serpentine developed from 65.0 to 67.0. Generally talcose.	124.50	125.50	1.00	705712	0.050	59.7	0.3	82	
						125.50	126.50	1.00	705713	0.050	57.8	1.1	82	
						126.50	127.60	1.09	705714	0.050	56.9	1.9	76	
						127.60	129.00	1.40	705715	0.050	93.5	3.9	51	
74.30	121.50	VF			FELSIC TO INTERMEDIATE VOLCANICS: Light gray to light green in colour. Fine grained and massive. From 86.7 to 87.6 2% wispy graphite and 1% pyrite (probable flow contact). From 91.25 to 91.8 flow contact with 10% graphite and 3% pyrite as masses and nodules. From 100.8 to 101.15 quartz vein, white in colour.	129.00	130.00	1.00	705716	0.050	158	23.2	563	
						130.00	131.00	1.00	705717	0.050	149	14	414	
						131.00	132.40	1.40	705718	0.050	245	62.7	1640	
						132.40	133.50	1.10	705719	0.050	97	1.3	123	
121.50	127.60	VM			MAFIC VOLVANIC: Light to medium green in colour. Fine grained. Wispy graphite. Strong foliation from 40 deg to 50 deg to core axis. Moderately magnetic from 126.5 to 127.6. 1% finely disseminated sulphides throughout.	133.50	135.00	1.50	705720	0.050	70.6	0.9	143	
						164.50	165.90	1.40	705721	0.050	94.1	0.8	86	
						165.90	167.00	1.10	705722	0.050	136	1.4	57	
127.60	132.40	SS10			GRAPHITIC ARGILLITE: Black in colour. Strong foliation at 50deg to core axis. 75% graphitic material containing 5% pyrite as masses and nodules.	167.00	168.00	1.00	705723	0.050	151	1.7	58	
						168.00	169.00	1.00	705724	0.050	141	1.5	57	
						169.00	170.00	1.00	705725	0.050	180	1.7	57	
132.40	165.90	VF			FELSIC VOLCANIC: Light green in colour. Fine grained and massive. Appears to contain flow structures. Magnetic probably due to finely disseminated phyrrotite and magnetite.	170.00	171.00	1.00	705726	0.050	230	1.8	45	
						171.00	172.00	1.00	705727	0.050	175	1.9	50	
165.90	174.00	VM			VOLCANIC FLOW CONTACT: Light gray in colour. Very fine grained. Flow breccia with fragments and blocks showing chill marginsd. 3% graphite in matrix containing pyrrhotite = pyrite and magnetite.	172.00	173.00	1.00	705728	0.050	108	0.9	93	
						173.00	174.00	1.00	705729	0.050	88.5	1	69	
						174.00	175.50	1.50	705730	0.050	85	0.6	82	
174.00	180.50	VM			MAFIC VOLCANIC: Medium green in colour. Mottled appearance, almost porphyritic. <1% disseminated pyrite.	182.00	183.00	1.00	705731	0.050	93.8	1	149	
						183.00	184.00	1.00	705732	0.050	83.1	0.8	191	
180.50	196.80	VM			VOLCANIC FLOW CONTACT: Light green to gray in colour. Strong foliation at 50 deg to core axis. 1% to 2% pyrrhotite as stringers. From 193.1 to 193.5 rubbly with vugs. Strongly silicious.	184.00	185.10	1.10	705733	0.050	258	4.7	217	
						185.10	186.00	0.90	705735	0.050	186	2.7	85	
196.80	234.00	VM			MAFIC VOLCANIC: Colour variable from dark to light green. Masdsive. Porphyritic with irregular white masses (crystals) from 199.1 to 203.8 and 223.7 to 232.5.									
234.00	234.00	EOH												

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU	G/T	Cu	ppm	Pb	ppm	Zn	ppm	Remarks
					Assay QC			Blank	705734	0.050	22.4	2.5	126					

VISA GOLD

Hole #	Easting	Northing	Elevation	Length	Date	Test	Core Size	Logged By	U/S	Target	Location \ Comments:
CG19-07	470575	5398975	275	219	2019-05-26	Reflex	NQ	W. MacRae	S		

DISTANCE	AZIMUTH	DIP	REMARKS
0.00	180	-55	
96.00	180.7	-55.3	
147.00	181.5	-55.4	
198.00	150.5	-55.2	

Drilling Company	Drilling Started	Drilling Ended	Date Logged
NPLH Drilling	2019-02-23	2019-02-26	2019-05-26
Remarks:			

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU	G/T	Cu	ppm	Pb	ppm	Zn	ppm	Remarks	
0.00	80.00	CAS				125.50	126.50	1.00	705736	0.050		57.6	0.6	107					
80.00	86.60	VI			INTERMEDIATE TO MAFIC VOLCANIC: Light beige in colour. Fine grained. Trace disseminated pyrite. From 84.2 to 84.5 rubbly and fault gogue	126.50	127.50	1.00	705739	0.050		69.7	0.9	109					
						127.50	127.90	0.40	705740	0.050		44.7	1.9	58					
						127.90	129.10	1.20	705741	0.050		316	34.8	313					
86.60	110.95	VM			MAFIC TO INTERMEDIATE VOLCANICS: Light to dark green in colour. Medeiium grained and massive. Fine white irregular phenocrysts - leucoxene?	129.10	130.00	0.90	705742	0.050		70	3.1	55					
						130.00	131.00	1.00	705743	0.050		61.3	1.3	55					
						131.00	132.00	1.00	705744	0.050		65.4	0.9	50					
110.95	127.90	VM			MAFIC VOLCANICS: Light green to medium green in colour. Fine grained. From 127.5 to 127.9 pyrite content increases to 10%. 1% quartz-carbonate stringers.														
127.90	129.10	SS10			GRAPHITIC ARGILLITE: Black in colour. Finegrained and soft and crumbly. Up to 10% pyrite.														
129.10	159.40	VF			FELSIC VOLCANIC: Light gray in colour. Very fine grained. From 132.25 to 140.75 up to 1% disseminated pyrite. 2% quartz-carbonate veining up to 6 cm. From 153.0 to 157.0 50% rubble.														
159.40	186.40	VM			MAFIC TO INTERMEDIATE VOLCANICS: Dark to light green in colour. Medium grained and massive. From 161.0 to 162.0 rubbly.														
186.40	206.60	VF			FELSIC VOLCANIC: Light to medium gray in colour. Fine grained and massive. .1% disseminated pyrite. From 186.40 to 187.0 70% quartz Dark gray to white in colour and 3% pyrite.From 197.8 to 198.3 carbonate breccia with angular blocks and 3% pyrite. From 197.8 to 198.3 carbonate breccia with angular blocks and 2% pyrite.. From 198.3 to 198.8 8% pyrite.														
206.60	219.00	VM			MAFIC VOLCANIC: Medium to dark ghreen in colour. Fine grained and massive. From 206.6 to 208.4 25% graphite material with masses and nodules of pyrite. In more massive sections leucoxene was observed.														
219.00	219.00	EOH																	

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU G/T	Cu ppm	Pb ppm	Zn ppm	Remarks
					Assay QC			Standard	705738	0.800	35.8	20.6	66	OREAS 2Pb
								Duplicate	705737	0.050	60.3	0.5	99	

VISA GOLD

Hole #	Easting	Northing	Elevation	Length	Date	Test	Core Size	Logged By	U/S	Target	Location \ Comments:
CG19-08	472584	5402701	293	330	2020-06-24	Reflex	NQ	W. MacRae	S		

DISTANCE	AZIMUTH	DIP	REMARKS
0.00	220	-65	
18.00	217.7	-64.3	
69.00	218	-64.1	
120.00	217.8	-63.6	
171.00	217.9	-63.1	
222.00	217.9	-62.6	
273.00	216.9	-61.7	
324.00	218	-61.8	

Drilling Company	Drilling Started	Drilling Ended	Date Logged
NPLH Drilling	2019-08-26		2020-06-24
Remarks:			

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU G/T	Cu ppm	Pb ppm	Zn ppm	Remarks
0.00	7.50	CAS				186.00	187.10	1.10	705751	0.050	105	0.5	88	
7.50	22.50	VM			Mafic Volcanic: Flow Breccia. Medium to light green in colour. Breccia fragments up to 5 centimetres. Epidote masses up to 2% scattered through unit. At 22.5 a 2 centimetre pyrite seam in epidote seam.	187.10	187.90	0.80	705752	0.050	94.9	0.5	97	
						187.90	188.45	0.55	705753	0.300	103	0.7	136	
						188.45	189.50	1.05	705754	0.050	112	1.5	176	
22.50	48.00	VM			Mafic Volcanic: Flow Breccia. Light green in colour. 80% epidote in masses and stringers. From 37.1 to 37.7 a pinkish quartz vein. From 38.0 to 38.3 a pinkish quartz vein. From 44.5 to 48.0 massive volcanic. Up to 3% scattered pyrite.	189.50	190.50	1.00	705755	0.050	151	40.2	259	
						232.60	233.60	1.00	705756	0.050	29	3.2	171	
						233.60	234.80	1.20	705757	0.050	38.8	44.8	169	
						234.80	235.80	1.00	705758	0.050	54.6	13.6	358	
48.00	58.70	VM			Mafic Volcanic: Massive. Dark green in colour. <1% epidote in stringers.	237.50	238.50	1.00	705759	0.050	55	14.1	371	
58.70	105.55	VM			Mafic Volcanic: Fine grained, light to medium green in colour. From 79.0 to 105.5 becomes a flow breccia with 15% epidotization.	238.50	239.10	0.60	705760	0.050	66.2	11.5	324	
						239.10	240.00	0.90	705761	0.050	63.4	5.6	246	
105.55	108.75	MP			Mafic Dike: Fine grained and light green in colour. Massive with 1% quartz stringers.	240.00	241.00	1.00	705763	0.100	79.1	11	464	
						241.00	241.75	0.75	705764	0.200	91	5.4	422	
108.75	121.60	VM			Mafic Volcanic: Flow breccia with breccia fragments up to 7 cm in size. Mottled in appearance do th variable epidotization.	241.75	243.00	1.25	705765	0.900	38.8	36.6	64	
121.60	165.10	VM			Mafic Volcanic: Fine grained and massive. Medium green in colour. Minor quartz/carbonate stringers.									
165.10	178.05	VM			Mafic Volcanic: Pillowed. Medium green in colour and fine grained. Dark green to black pillow rims up to 5 cm in width. Trace disseminated pyrite.									
178.05	178.25	SS10			Graphitic Argillite: Fine grained and bedded at 45deg to core axis. Up to 10% sulphides as seams and masses of pyrite.									
178.25	187.90	VM			Mafic Volcanic: Medium to dark green in colour. Fine grained and massive. Up 2% quartz stringers.									
187.90	188.45	SS10			Graphitic Argillite: Crudelly bedded at 35deg. Up to 20% pyrite as nodules and stringers.									
188.45	208.50	VM			Mafic Volcanic: Pillowed. Medium to dark green in colour and fine grained. Pillow selvages up to 5 cm in thickness.									
208.50	216.00	VM			Mafic Volcanic: Black in colour. Very fine grained and massive.									

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU	G/T	Cu	ppm	Pb	ppm	Zn	ppm	Remarks	
216.00	218.60	VM			Mafic Volcanic: Fine grained and black in colour. Rubbly. Up to 20% quartz/carbonate veining.														
218.60	233.60	VM			Mafic Volcanic: Medium to dark green in colour. Fine grained and massive. 2% quartz stringers.														
233.60	234.80	SS10			Graphitic Argillite: Black in colour and bedded at 40 deg to core axis. Fine grained. Up to 5% pyrite as stringers and masses.														
234.80	238.50	VM			Mafic Volcanic: Medium to dark green in colour. Fine grained and massive. 2% quartz stringers.														
238.50	241.75	SS10			Graphitic Argillite: Black in colour. Rubbly. From 235.15 to 235.6 - 80% pyrite. From 235.6 to 236.2 a quartz/carbonate vein with 90% quartz.														
241.75	330.00	VM			Mafic Volcanic: Pillowed. Light to medium green in colour. Fine grained. At 276.45 a 2 cm band of pyrrhotite. At 281.2 a 4 cm band of pyrrhotite.														
330.00	330.00	EOH																	

Assay QC

Blank 705762 0.050 59.4 3.1 331

VISA GOLD

Hole #	Easting	Northing	Elevation	Length	Date	Test	Core Size	Logged By	U/S	Target	Location \ Comments:
CG19-09	472072	5402510	293	360	2020-06-24	Reflex	NQ	W. MacRae	S		

DISTANCE	AZIMUTH	DIP	REMARKS
0.00	220	-65	
39.00	217.5	-64.7	
90.00	214.7	-64.1	
140.00	215.8	-63.8	
182.00	215.8	-63.3	
243.00	215.8	-63.3	
294.00	215.6	-62.6	
345.00	217.2	-62.4	

Drilling Company	Drilling Started	Drilling Ended	Date Logged
NPLH			2020-06-24
Remarks:			

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU G/T	Cu ppm	Pb ppm	Zn ppm	Remarks
0.00	30.00	CAS				277.00	278.65	1.65	705766	#####	88.4	4.9	437	
30.00	46.50	VM			Mafic Volcanic: Pillowed. Light to medium green in colour. From 37.95 to 38.2 rubble. From 45.0 to 45.3 rubble. 5% bleached selvages.	278.65	279.60	0.95	705767	0.100	90.8	2.9	350	
						279.60	280.60	1.00	705768	0.050	105	3.6	265	
46.50	108.70	VM			Mafic Volcanic: Medium green in colour. High titanium (leucoxene). Fine to medium grained and massive. 5% leucoxene throughout.	280.60	281.60	1.00	705769	0.050	106	2.8	331	
						281.60	282.60	1.00	705770	0.050	98.3	5.8	890	
108.70	132.05	VM			Mafic Volcanic: Pillow breccia. Light to medium green in colour. Breccia fragments up to 10 cmBlack matrix of graphitic or glassy material.	282.60	283.60	1.00	705771		761	49	5090	
						283.60	284.60	1.00	705772		2270	1511	10000	
						284.60	285.35	0.75	705773		1040	83	6060	
132.05	162.50	VM			Mafic Volcanic: Pillowed. Medium to dark green in colour. Fine grained. Pillow selvages several metres apart.	285.35	287.00	1.65	705774		121	2	177	
						320.00	321.00	1.00	705775		90	1	100	
162.50	230.10	VM			Mafic Volcanic: High titanium. Medium to dark green in colour. Medium grained and massive. From 222.25 to 222.4 white quartz. <1% quartz stringers.	321.00	322.00	1.00	705776		235	1	269	
						322.00	323.20	1.20	705777		284	20	1020	
230.10	237.25	VM			Mafic Volcanic: Light to medium green in colour. Very fine grained. Flow contacts at 230.1, 231.5, 236.05 and 237.25. Minor epidotization.	323.20	324.00	0.80	705778		51	1	132	
						324.00	325.00	1.00	705779		359	22	1650	
237.25	262.45	VM			Mafic Volcanic: High titanium. Medium to dark green in colour. Medium grained and massive.	325.00	326.10	1.10	705780		166	2	399	
						326.10	327.30	1.20	705781		114	1	95	
262.45	278.65	VM			Mafic Volcanic: Light to medium green in colour. Massive and fine grained.									
278.65	279.60	SS10			Graphitic Argillite: Black in colour. Crudely bedded. Sulphides up to 18% with 15% pyrrhotite and 3% chalcopyrite as stringers and masses.									
279.60	282.65	VM			Mafic Volcanic: Breccia. Medium to dark green in colour. Up to 8% pyrrhotite as stringers and disseminated.									
282.65	285.30	SS10			Graphitic Argillite: Black in colour. Up to 20% pyrrhotite in stringers and masses.									
285.30	321.90	VM			Mafic Volcanic: High titanium. Medium to dark green in colour. Medium grained and massive.									
321.90	326.10	SS10			Graphitic Argillite: Very fine grained and black in colour. Bedding at 50 deg to core axis. From 323.35 to 324.0 light grey, fine grained mafic volcanic. Graphitic material contains up to 3% disseminated and blebs of pyrrhotite.									

FROM	TO	ROCK-TYPE	C.A.	RQD	REMARKS	FROM	TO	WIDTH	SAMPLE #	AU G/T	Cu ppm	Pb ppm	Zn ppm	Remarks
326.10	360.00	VM			Mafic Volcanic: Pillowed. Light green in colour and fine grained. From 336.85 to 339.0 flow breccia.									
360.00	360.00	EOH												

Assay QC

Appendix E – Assay Certificates



Date Submitted: 28-Jan-19
Invoice No.: A19-01527Final2
Invoice Date: 03-Jun-19
Your Reference: January 28/19

Visa Gold Resources
PO Box 417
Timmins Ontario P4N 7E3
Canada

ATTN: William MacRae

CERTIFICATE OF ANALYSIS

35 Rock samples were submitted for analysis.

The following analytical package(s) were requested:

Code 8-Peroxide ICP Sodium Peroxide Fusion ICP

REPORT **A19-01527Final2**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

CERTIFIED BY:

A handwritten signature in black ink, consisting of several loops and a long horizontal stroke at the end.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Analyte Symbol	Zn
Unit Symbol	%
Lower Limit	0.01
Method Code	FUS- Na2O2
705631	0.22
705632	0.14
705633	0.36
705634	0.65
705635	1.20

Analyte Symbol	Zn
Unit Symbol	%
Lower Limit	0.01
Method Code	FUS- Na2O2
OREAS 134b (Fusion) Meas	18.0
OREAS 134b (Fusion) Cert	18.12
MP-1b Meas	16.7
MP-1b Cert	16.7
CZN-4 Meas	57.5
CZN-4 Cert	55.07
Method Blank	< 0.01



Date Submitted: 28-Jan-19
Invoice No.: A19-01527
Invoice Date: 26-Feb-19
Your Reference: January 28/19

Visa Gold Resources
PO Box 417
Timmins Ontario P4N 7E3
Canada

ATTN: William MacRae

CERTIFICATE OF ANALYSIS

35 Rock samples were submitted for analysis.

The following analytical package(s) were requested:

Code UT-4M Total Digestion ICP/MS

REPORT **A19-01527**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

Any values for Au are for informational purposes and should be checked by fire assay code 1A2

CERTIFIED BY:

A handwritten signature in black ink, consisting of several loops and a long horizontal stroke at the end.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Activation Laboratories Ltd.

Report: A19-01527

Analyte Symbol	Al	Ag	As	Au	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Cs	Fe	Hf	K	La	Li	Na	Nb	Ni	P
Unit Symbol	%	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%
Lower Limit	0.01	0.1	1	100	1	1	0.1	0.01	0.1	1	0.2	1	0.1	0.1	0.01	0.1	0.01	0.1	0.1	0.001	0.1	0.1	0.001
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
705601	6.68	< 0.1	4	< 100	155	< 1	< 0.1	4.58	< 0.1	29	36.1	38	48.8	0.7	6.72	1.9	0.65	13.0	27.3	2.43	2.3	58.9	0.077
705602	5.17	0.6	69	400	55	< 1	< 0.1	2.65	0.4	20	52.0	27	108	1.2	17.7	2.1	0.95	8.3	28.8	0.416	4.2	67.0	0.051
705603	7.12	0.3	39	< 100	53	< 1	0.1	3.40	0.7	27	43.2	39	88.6	1.4	14.9	2.9	1.26	11.3	38.8	0.568	5.7	69.9	0.075
705604	7.64	< 0.1	11	< 100	229	< 1	0.1	5.35	< 0.1	30	38.3	52	60.7	1.2	7.55	2.6	1.11	12.7	34.8	1.75	4.3	67.4	0.088
705605	6.81	< 0.1	11	< 100	101	< 1	< 0.1	5.31	< 0.1	26	37.6	48	79.0	0.9	7.66	2.7	0.78	11.3	31.9	1.22	2.2	56.3	0.070
705606	6.69	0.1	21	< 100	90	< 1	< 0.1	3.48	< 0.1	25	43.4	57	71.6	0.6	10.2	2.9	0.44	10.6	36.1	1.59	7.0	58.8	0.078
705607	7.32	< 0.1	6	< 100	91	< 1	< 0.1	3.23	0.1	30	30.2	45	45.1	0.7	7.47	2.2	0.42	13.2	42.4	2.39	1.2	54.8	0.077
705608	6.68	0.1	2	< 100	97	< 1	< 0.1	5.14	0.3	32	40.8	37	79.5	0.8	9.50	2.7	0.50	14.2	42.9	1.92	1.9	68.0	0.068
705609	7.31	0.1	13	< 100	183	< 1	< 0.1	3.80	0.2	26	32.0	41	52.3	1.2	6.96	3.0	0.89	10.9	40.1	2.08	7.5	51.4	0.082
705610	7.09	0.1	2	< 100	187	< 1	< 0.1	3.26	0.3	28	33.2	46	67.7	1.2	8.66	2.9	0.96	12.1	45.4	1.68	5.4	55.1	0.078
705611	7.04	< 0.1	22	< 100	194	< 1	< 0.1	6.22	0.2	27	29.6	35	39.7	1.3	4.94	2.6	0.87	12.1	35.8	2.47	3.4	49.5	0.078
705612	5.65	0.2	2	< 100	154	< 1	< 0.1	6.01	0.1	26	38.1	45	57.4	0.9	10.3	2.5	0.65	11.6	42.4	1.51	1.0	56.4	0.065
705613	6.37	0.1	7	< 100	272	< 1	< 0.1	4.19	0.4	23	26.9	49	26.6	1.6	6.46	3.0	1.17	9.0	42.4	1.55	5.0	47.3	0.068
705614	6.84	< 0.1	3	< 100	208	< 1	< 0.1	5.07	0.3	26	23.4	38	29.5	1.2	6.40	2.3	1.01	12.2	39.7	1.78	1.1	43.9	0.043
705615	6.29	0.2	2	< 100	150	< 1	< 0.1	5.54	0.2	30	30.7	63	58.6	1.2	8.20	2.6	0.85	13.8	41.1	1.70	1.1	53.5	0.070
705616	6.92	< 0.1	7	< 100	155	< 1	< 0.1	5.23	0.2	28	32.7	35	48.9	1.1	6.76	2.3	0.91	12.3	45.3	1.88	1.3	56.0	0.072
705617	7.31	0.2	17	< 100	160	< 1	< 0.1	4.54	1.4	24	38.3	31	344	1.1	6.76	2.7	0.90	11.3	47.0	2.16	2.6	47.6	0.052
705618	7.52	< 0.1	25	< 100	166	< 1	< 0.1	3.53	0.4	21	29.0	25	88.5	1.2	4.98	1.6	0.87	10.2	43.8	2.19	0.1	40.2	0.040
705619	8.34	0.1	23	< 100	254	< 1	< 0.1	4.19	1.6	22	27.4	32	257	1.9	6.10	2.2	1.34	10.2	52.1	1.75	1.0	55.3	0.046
705620	6.80	0.2	4	< 100	161	< 1	< 0.1	3.24	16.2	18	39.6	71	85.8	1.0	9.96	2.6	0.76	8.1	50.0	1.27	2.7	68.0	0.036
705621	6.02	< 0.1	1	< 100	199	< 1	< 0.1	4.06	0.1	38	16.9	2	28.6	0.7	1.98	0.5	0.57	16.0	5.2	3.71	< 0.1	8.7	0.062
705622	7.01	< 0.1	16	< 100	123	< 1	< 0.1	4.58	11.9	18	25.7	28	59.1	0.7	4.76	2.0	0.54	8.0	33.3	2.98	0.8	36.2	0.038
705623	7.86	< 0.1	19	< 100	229	< 1	< 0.1	5.75	1.6	22	29.0	26	45.9	1.2	5.29	2.1	0.97	10.6	42.7	2.29	0.4	50.3	0.040
705624	6.96	0.1	18	< 100	155	< 1	< 0.1	6.18	7.0	20	29.4	29	60.6	0.8	7.52	2.5	0.70	9.7	47.1	1.53	4.0	50.6	0.040
705625	6.62	0.1	10	< 100	203	< 1	< 0.1	6.13	0.9	21	33.5	30	76.2	1.0	8.37	2.5	0.85	10.1	42.7	1.33	2.4	54.2	0.037
705626	6.41	0.1	15	< 100	113	< 1	< 0.1	6.38	1.4	20	44.5	31	132	0.7	12.2	2.4	0.53	9.7	51.9	0.916	2.5	79.4	0.033
705627	6.30	0.1	13	< 100	113	< 1	< 0.1	6.41	1.4	20	43.6	37	66.8	0.7	12.1	2.3	0.51	9.5	51.3	0.913	3.1	77.6	0.033
705628	5.60	< 0.1	1	< 100	82	< 1	< 0.1	7.88	0.3	18	24.3	36	33.5	0.5	10.5	2.2	0.39	8.8	46.5	1.09	1.6	45.2	0.034
705629	5.75	0.2	< 1	< 100	184	< 1	< 0.1	6.74	0.8	20	32.3	30	78.1	1.1	11.0	2.2	0.86	9.6	37.3	1.22	0.9	48.5	0.035
705630	5.94	< 0.1	581	800	556	6	0.3	0.01	< 0.1	70	3.6	178	32.4	6.4	3.41	0.9	2.12	36.3	29.1	0.067	0.2	29.1	0.022
705631	6.65	< 0.1	14	< 100	191	< 1	< 0.1	4.01	11.1	17	23.8	55	50.4	2.4	4.69	2.2	1.41	8.4	33.2	2.14	3.7	31.7	0.039
705632	6.60	0.2	57	< 100	122	< 1	0.1	4.44	8.8	16	38.8	31	34.7	2.2	10.1	2.3	0.80	7.5	41.4	2.29	4.3	44.3	0.039
705633	5.87	0.4	96	< 100	72	< 1	< 0.1	6.81	22.0	18	52.8	39	59.9	1.7	13.2	1.9	0.76	8.9	27.6	2.21	3.5	46.7	0.034
705634	6.17	0.4	61	< 100	76	< 1	< 0.1	6.83	39.8	15	39.8	32	65.3	1.6	11.8	2.0	0.67	7.2	40.6	2.09	3.8	41.0	0.034
705635	5.70	0.4	33	< 100	88	< 1	< 0.1	7.20	72.0	19	34.0	51	75.0	1.5	8.83	2.0	0.64	9.4	25.9	2.41	3.5	32.5	0.034

Results

Activation Laboratories Ltd.

Report: A19-01527

Analyte Symbol	Rb	Pb	S	Mg	Mn	Mo	Sb	Sc	Sn	Sr	Ta	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit Symbol	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.1	1	0.01	1	0.1	0.1	1	0.1	1	0.1	0.1	0.001	0.05	0.1	4	0.1	0.1	1	0.1
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
705601	20.1	2.3	2	2.15	1090	0.2	< 0.1	22	1.0	144	< 0.1	1.2	0.396	0.13	0.3	93	0.9	19.7	132	75.1
705602	28.9	26.0	> 10.0	2.16	883	1.1	3.8	20	0.9	50	0.3	0.9	0.364	0.42	0.2	131	1.2	17.5	177	87.0
705603	38.5	14.7	7	2.98	1040	1.3	2.4	25	1.2	68	0.4	1.3	0.480	0.36	0.4	170	1.3	23.6	246	117
705604	31.8	2.4	2	2.96	1230	0.4	0.1	24	1.2	113	< 0.1	1.3	0.546	0.23	0.3	135	0.7	27.0	144	103
705605	19.8	3.4	2	2.71	1020	0.1	0.1	21	1.1	106	< 0.1	1.1	0.471	0.18	0.3	155	0.5	24.1	132	113
705606	10.9	4.6	4	2.95	1030	0.7	0.6	23	1.3	124	0.5	1.1	0.632	0.15	0.3	173	0.8	22.9	148	119
705607	14.6	2.6	1	2.87	1310	0.2	< 0.1	25	1.1	115	< 0.1	1.3	0.432	0.13	0.3	111	0.3	24.5	130	79.3
705608	16.5	3.4	2	2.79	1550	0.3	< 0.1	27	1.0	113	< 0.1	1.2	0.424	0.15	0.3	144	0.4	26.2	148	106
705609	27.6	2.7	1	2.47	1400	0.9	< 0.1	24	1.2	114	0.5	1.2	0.628	0.25	0.3	175	0.5	23.8	130	120
705610	28.1	2.9	2	2.69	1300	0.7	< 0.1	27	1.0	91	0.3	1.2	0.571	0.30	0.3	166	0.5	25.0	145	116
705611	29.1	1.3	< 1	1.97	1850	0.2	< 0.1	23	1.0	122	< 0.1	1.3	0.467	0.25	0.3	130	0.4	25.2	113	104
705612	20.3	4.6	2	2.25	1670	0.2	< 0.1	21	0.7	91	< 0.1	1.0	0.354	0.21	0.3	126	0.3	20.6	127	97.5
705613	34.6	3.5	1	2.32	1490	0.5	< 0.1	21	1.2	85	0.1	1.0	0.570	0.37	0.3	165	0.4	21.5	162	119
705614	32.3	4.6	1	2.24	1430	0.5	< 0.1	24	1.0	99	< 0.1	1.3	0.404	0.30	0.3	139	0.3	19.8	167	89.9
705615	27.8	12.8	2	2.16	1780	0.2	0.1	23	0.9	99	< 0.1	1.2	0.333	0.28	0.3	121	0.2	24.1	93	101
705616	29.1	6.4	1	2.39	1850	0.1	< 0.1	24	1.1	111	< 0.1	1.3	0.402	0.28	0.3	112	0.2	24.2	114	89.6
705617	29.3	60.0	1	2.64	1430	0.5	0.2	24	1.0	115	< 0.1	1.4	0.464	0.30	0.4	150	0.3	20.0	305	106
705618	29.9	5.5	< 1	2.52	1240	< 0.1	< 0.1	22	0.3	100	< 0.1	1.4	0.144	0.31	0.4	65	0.3	14.0	158	62.9
705619	46.0	25.0	< 1	2.92	1550	0.2	< 0.1	28	0.3	100	< 0.1	1.6	0.293	0.47	0.4	100	0.4	16.7	343	86.8
705620	25.9	707	2	2.83	1590	1.0	< 0.1	23	0.9	68	0.1	1.4	0.401	0.27	0.3	150	0.5	12.1	2570	102
705621	19.7	6.1	< 1	0.46	795	< 0.1	< 0.1	17	< 0.1	129	< 0.1	1.8	0.138	0.09	0.5	26	0.2	36.6	144	39.0
705622	17.4	180	< 1	1.85	1370	0.3	< 0.1	21	1.0	126	< 0.1	1.4	0.374	0.19	0.4	102	0.2	14.3	2070	71.3
705623	33.3	108	< 1	2.24	1860	< 0.1	< 0.1	25	0.2	110	< 0.1	1.5	0.226	0.35	0.4	84	0.2	14.6	410	85.5
705624	23.4	191	< 1	2.43	2330	0.9	< 0.1	24	0.9	95	0.3	1.3	0.432	0.24	0.3	148	0.4	13.4	1360	102
705625	28.0	9.7	1	2.13	2470	1.5	< 0.1	24	0.8	105	0.1	1.3	0.396	0.32	0.3	138	0.3	12.7	281	95.3
705626	16.9	6.0	2	2.43	3160	1.4	< 0.1	23	1.0	97	0.1	1.3	0.373	0.21	0.3	140	0.4	13.6	550	100
705627	16.8	5.6	2	2.35	3150	2.6	< 0.1	23	1.0	94	0.2	1.3	0.390	0.21	0.3	140	0.3	13.1	546	94.2
705628	11.2	4.0	1	2.04	3830	0.6	0.2	20	0.8	114	< 0.1	1.1	0.355	0.15	0.3	128	0.2	14.3	270	86.9
705629	28.5	14.8	2	1.84	2570	0.5	0.2	21	0.7	108	< 0.1	1.2	0.318	0.32	0.3	125	0.2	13.1	278	90.0
705630	125	18.9	< 1	0.32	55	0.1	3.3	12	0.7	58	< 0.1	14.0	0.112	0.68	3.4	44	0.2	16.9	62	38.3
705631	48.6	33.0	2	1.77	1020	0.7	0.2	21	0.9	81	0.2	1.0	0.504	0.76	0.3	152	0.6	11.7	2240	91.7
705632	30.8	92.7	5	2.24	920	1.1	1.7	22	0.9	81	0.3	1.2	0.506	1.02	0.3	155	0.7	14.0	1540	91.1
705633	29.5	164	9	1.72	1090	1.8	3.3	20	1.0	69	0.2	0.9	0.415	1.29	0.3	136	0.6	17.1	4150	74.3
705634	26.1	109	7	2.17	1300	1.4	2.6	21	1.1	80	0.3	1.0	0.446	0.70	0.3	143	0.7	14.5	7070	79.6
705635	24.3	494	5	1.75	1550	0.9	1.9	20	1.0	92	0.3	0.8	0.440	0.66	0.2	135	0.6	20.0	> 10000	78.1

Analyte Symbol	Al	Ag	As	Au	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Cs	Fe	Hf	K	La	Li	Na	Nb	Ni	P
Unit Symbol	%	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%
Lower Limit	0.01	0.1	1	100	1	1	0.1	0.01	0.1	1	0.2	1	0.1	0.1	0.01	0.1	0.01	0.1	0.1	0.001	0.1	0.1	0.001
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
GXR-4 Meas	6.39	3.3	94	400	123	2	17.6	0.94	< 0.1	103	13.7	36	5420	2.9	3.25	1.2	3.27	56.0	10.5	0.501	9.7	37.2	0.128
GXR-4 Cert	7.20	4.0	98.0	500	1640	1.90	19.0	1.01	0.860	102	14.6	64.0	6520	2.80	3.09	6.30	4.01	64.5	11.1	0.564	10.0	42.0	0.120
GXR-6 Meas	12.1	0.3	298	< 100	1180	1	0.2	0.15	< 0.1	31	12.3	65	64.9	4.3	5.21	2.6	1.85	11.8	31.1	0.087	4.7	23.3	0.037
GXR-6 Cert	17.7	1.30	330	95.0	1300	1.40	0.290	0.180	1.00	36.0	13.8	96.0	66.0	4.20	5.58	4.30	1.87	13.9	32.0	0.104	7.50	27.0	0.0350
OREAS 98 (4 Acid) Meas		41.9					89.2				119		> 10000										
OREAS 98 (4 Acid) Cert		45.1					97.2				121		14800 0.0										
DNC-1a Meas					97			8.05			51.6	136	101		6.60			3.4	4.3	1.39	1.6	256	
DNC-1a Cert					118			8.21			57	270	100		6.97			3.6	5.2	1.40	3	247	
705608 Orig	6.75	0.1	2	< 100	98	< 1	< 0.1	5.16	0.3	33	41.3	37	80.4	0.8	9.58	2.7	0.51	14.2	43.1	1.92	1.5	69.2	0.068
705608 Dup	6.61	0.1	3	100	95	< 1	< 0.1	5.12	0.3	32	40.3	37	78.6	0.7	9.43	2.6	0.49	14.3	42.8	1.92	2.3	66.8	0.067
705623 Orig	7.89	< 0.1	21	< 100	230	< 1	< 0.1	5.71	1.6	23	29.1	25	50.0	1.2	5.37	1.9	0.98	10.6	43.1	2.29	0.4	50.2	0.042
705623 Dup	7.83	< 0.1	16	< 100	227	< 1	< 0.1	5.79	1.6	22	29.0	27	41.8	1.2	5.21	2.3	0.97	10.6	42.3	2.28	0.3	50.4	0.039
705629 Orig	5.93	0.2	< 1	100	186	< 1	< 0.1	6.86	0.9	20	32.8	32	78.9	1.2	11.1	2.3	0.88	9.9	37.6	1.23	0.7	48.4	0.035
705629 Dup	5.57	0.2	3	< 100	181	< 1	< 0.1	6.62	0.6	20	31.7	28	77.3	1.0	11.0	2.2	0.85	9.3	37.1	1.21	1.1	48.6	0.035
Method Blank	< 0.01	< 0.1	< 1	< 100	< 1	< 1	< 0.1	< 0.01	< 0.1	< 1	< 0.2	5	0.4	< 0.1	< 0.01	< 0.1	< 0.01	< 0.1	< 0.1	< 0.001	< 0.1	0.2	< 0.001
Method Blank	< 0.01	< 0.1	< 1	< 100	< 1	< 1	< 0.1	< 0.01	< 0.1	< 1	< 0.2	5	< 0.1	< 0.1	< 0.01	< 0.1	< 0.01	< 0.1	< 0.1	< 0.001	< 0.1	0.4	< 0.001

Analyte Symbol	Rb	Pb	S	Mg	Mn	Mo	Sb	Sc	Sn	Sr	Ta	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit Symbol	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.1	1	0.01	1	0.1	0.1	1	0.1	1	0.1	0.1	0.001	0.05	0.1	4	0.1	0.1	1	0.1
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
GXR-4 Meas	135	48.6	2	1.70	148	315	3.8	7	6.6	220	0.7	19.0	0.260	3.00	5.8	78	35.3	13.1	68	40.4
GXR-4 Cert	160	52.0	1.77	1.66	155	310	4.80	7.70	5.60	221	0.790	22.5	0.29	3.20	6.20	87.0	30.8	14.0	73.0	186
GXR-6 Meas	82.1	92.8	< 1	0.59	877	2.3	2.0	23	1.2	36	0.2	4.8		2.04	1.4	162	1.0	11.7	123	92.2
GXR-6 Cert	90.0	101	0.0160	0.609	1010	2.40	3.60	27.6	1.70	35.0	0.485	5.30		2.20	1.54	186	1.90	14.0	118	110
OREAS 98 (4 Acid) Meas		300	> 10.0				5.4		189											1390
OREAS 98 (4 Acid) Cert		345	15.5				20.1		206											1360
DNC-1a Meas	3.2	5.4					0.7	26		148			0.269			137		15.3	59	33.6
DNC-1a Cert	5	6.3					0.96	31		144			0.29			148		18.0	70	38.0
705608 Orig	16.7	3.4	2	2.80	1580	0.3	< 0.1	27	1.0	113	< 0.1	1.2	0.415	0.16	0.3	141	0.4	26.7	149	106
705608 Dup	16.2	3.4	2	2.78	1510	0.4	< 0.1	27	0.9	112	< 0.1	1.2	0.433	0.15	0.3	146	0.4	25.7	147	106
705623 Orig	33.7	110	< 1	2.25	1890	0.1	< 0.1	24	0.2	110	< 0.1	1.5	0.201	0.35	0.4	70	0.2	14.8	414	79.6
705623 Dup	32.9	107	< 1	2.23	1820	< 0.1	< 0.1	25	0.1	111	< 0.1	1.5	0.252	0.34	0.3	97	0.2	14.3	406	91.4
705629 Orig	29.1	15.0	2	1.87	2560	0.5	0.3	22	0.8	108	< 0.1	1.2	0.317	0.34	0.3	126	0.2	13.3	288	88.5
705629 Dup	27.9	14.6	2	1.81	2580	0.4	0.2	21	0.7	108	< 0.1	1.2	0.320	0.31	0.3	124	0.3	12.9	268	91.6
Method Blank	< 0.1	< 0.1	< 1	< 0.01	6	< 0.1	< 0.1	< 1	< 0.1	< 1	< 0.1	< 0.1	< 0.001	< 0.05	< 0.1	< 4	< 0.1	< 0.1	< 1	0.2
Method Blank	< 0.1	< 0.1	< 1	< 0.01	5	< 0.1	< 0.1	< 1	< 0.1	< 1	< 0.1	< 0.1	< 0.001	< 0.05	< 0.1	< 4	0.2	< 0.1	< 1	0.3



Date Submitted: 06-Feb-19
Invoice No.: A19-01911Final2
Invoice Date: 03-Jun-19
Your Reference: February 06/19

Visa Gold Resources
PO Box 417
Timmins Ontario P4N 7E3
Canada

ATTN: William MacRae

CERTIFICATE OF ANALYSIS

35 Rock samples were submitted for analysis.

The following analytical package(s) were requested:

Code 8-Peroxide ICP Sodium Peroxide Fusion ICP

REPORT **A19-01911Final2**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

CERTIFIED BY:

A handwritten signature in black ink, appearing to be "Emmanuel Esemé". The signature is written over a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Analyte Symbol	Zn
Unit Symbol	%
Lower Limit	0.01
Method Code	FUS- Na2O2
705636	1.43
705637	1.51
705638	0.67
705639	0.10
705640	1.11
705641	0.51
705642	0.10
705643	0.88
705644	< 0.01
705645	0.09
705646	0.12

Analyte Symbol	Zn
Unit Symbol	%
Lower Limit	0.01
Method Code	FUS- Na2O2
OREAS 134b (Fusion) Meas	18.0
OREAS 134b (Fusion) Cert	18.12
MP-1b Meas	16.7
MP-1b Cert	16.7
CZN-4 Meas	57.5
CZN-4 Cert	55.07
705638 Orig	0.67
705638 Dup	0.67
705645 Orig	0.09
705645 Dup	0.10
Method Blank	< 0.01



Date Submitted: 06-Feb-19
Invoice No.: A19-01911
Invoice Date: 01-Mar-19
Your Reference: February 06/19

Visa Gold Resources
PO Box 417
Timmins Ontario P4N 7E3
Canada

ATTN: William MacRae

CERTIFICATE OF ANALYSIS

35 Rock samples were submitted for analysis.

The following analytical package(s) were requested:

Code UT-4M Total Digestion ICP/MS

REPORT **A19-01911**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

Any values for Au are for informational purposes and should be checked by fire assay code 1A2

CERTIFIED BY:

A handwritten signature in black ink, appearing to be "Emmanuel Esemé". The signature is written in a cursive style with a large, stylized 'E' and 'S'.

Emmanuel Esemé, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Activation Laboratories Ltd.

Report: A19-01911

Analyte Symbol	Al	Ag	As	Au	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Cs	Fe	Hf	K	La	Li	Na	Nb	Ni	P
Unit Symbol	%	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%
Lower Limit	0.01	0.1	1	100	1	1	0.1	0.01	0.1	1	0.2	1	0.1	0.1	0.01	0.1	0.01	0.1	0.1	0.001	0.1	0.1	0.001
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
705636	3.45	0.8	23	< 100	67	< 1	< 0.1	7.69	92.8	22	25.8	29	127	1.1	14.5	1.4	0.46	10.8	23.9	1.04	2.7	48.7	0.018
705637	5.70	0.6	36	< 100	100	< 1	< 0.1	7.05	86.9	28	40.1	40	103	1.3	10.3	2.1	0.55	12.6	38.0	2.11	3.8	32.7	0.027
705638	5.65	0.2	46	< 100	102	1	< 0.1	6.99	39.2	30	37.3	58	57.4	1.5	6.93	2.0	0.58	13.7	42.0	2.41	3.5	28.5	0.028
705639	3.90	0.6	49	< 100	84	1	0.2	7.36	7.7	55	55.3	24	63.4	1.3	12.7	2.9	0.65	24.5	21.6	0.997	9.3	38.2	0.009
705640	3.18	0.8	64	< 100	75	< 1	0.3	7.87	73.8	38	68.7	28	58.0	1.1	14.4	1.7	0.53	16.5	15.8	1.13	4.5	46.9	0.013
705641	5.87	0.5	25	< 100	106	1	0.1	7.08	32.9	32	32.4	34	60.3	2.0	7.62	3.6	1.22	14.6	23.4	2.04	7.1	40.4	0.023
705642	2.66	1.1	68	< 100	80	< 1	0.3	6.11	7.2	40	61.5	15	45.7	1.3	20.6	3.2	0.66	17.2	17.6	0.304	8.9	64.4	0.007
705643	5.28	0.5	4	< 100	167	2	0.3	5.98	60.4	46	11.7	27	41.0	2.0	4.95	5.8	1.22	18.8	20.3	1.18	18.5	13.6	0.005
705644	3.04	0.8	203	< 100	109	< 1	0.4	0.41	0.5	49	34.0	47	65.0	1.6	20.8	5.3	1.11	20.6	11.0	0.087	17.6	38.7	0.006
705645	8.11	< 0.1	13	< 100	37	< 1	< 0.1	0.30	0.3	23	63.7	94	78.6	1.6	9.81	1.8	1.32	8.5	60.1	0.241	4.4	178	0.040
705646	8.35	< 0.1	16	< 100	74	< 1	< 0.1	0.25	0.3	16	59.5	83	85.5	1.2	9.52	1.4	1.14	6.1	62.0	0.200	2.7	163	0.030
705647	7.35	< 0.1	2	< 100	16	< 1	< 0.1	6.84	< 0.1	14	46.2	42	106	0.2	10.2	1.6	0.02	5.3	16.4	2.74	2.7	34.3	0.053
705648	5.14	< 0.1	< 1	< 100	70	< 1	< 0.1	6.85	0.1	14	35.3	29	100	1.0	8.39	1.1	0.07	5.8	45.1	0.997	0.3	24.9	0.032
705649	7.14	0.1	< 1	< 100	19	< 1	< 0.1	6.82	11.8	21	55.3	42	101	0.6	9.68	2.1	0.04	8.2	48.7	2.07	3.8	32.4	0.053
705650	6.29	< 0.1	7	< 100	110	< 1	< 0.1	7.03	0.2	9	50.2	68	91.2	0.3	8.22	1.1	0.14	3.6	31.1	1.44	0.1	54.5	0.023
705651	5.51	< 0.1	13	< 100	121	< 1	< 0.1	7.48	< 0.1	14	43.2	80	105	0.4	7.38	0.6	0.17	5.5	30.2	1.44	< 0.1	53.4	0.027
705652	6.81	< 0.1	16	< 100	129	< 1	< 0.1	7.16	0.2	12	49.7	93	94.9	0.6	8.49	0.9	0.30	4.7	38.2	1.63	0.1	60.5	0.032
705653	7.30	< 0.1	< 1	300	396	< 1	< 0.1	5.15	< 0.1	15	50.7	66	103	2.4	9.36	1.5	1.34	6.1	37.8	0.818	0.3	50.2	0.039
705654	7.73	< 0.1	< 1	< 100	62	< 1	< 0.1	0.80	0.1	17	51.8	55	112	3.4	13.1	2.5	2.08	6.4	46.3	0.061	1.7	39.8	0.044
705655	1.49	0.7	168	< 100	52	< 1	0.1	0.09	0.4	6	180	27	151	1.5	37.7	0.8	0.57	2.3	5.3	0.030	1.6	94.3	0.007
705656	7.91	< 0.1	1	< 100	366	1	< 0.1	3.97	0.3	49	33.3	40	29.0	0.8	7.66	2.4	0.68	21.2	18.2	2.71	0.4	15.4	0.143
705657	4.88	0.5	109	< 100	134	< 1	0.1	1.12	0.1	19	64.3	29	38.8	2.9	18.1	2.5	1.34	7.3	15.4	0.779	4.4	47.6	0.033
705658	5.10	0.4	144	< 100	171	< 1	< 0.1	1.27	0.3	21	34.1	31	54.6	3.7	20.3	2.8	1.76	8.4	20.6	0.163	4.4	46.8	0.031
705659	5.62	0.4	139	< 100	68	< 1	< 0.1	1.25	0.4	21	35.8	32	55.0	3.7	19.6	2.7	1.68	7.8	21.2	0.167	4.5	48.4	0.032
705660	5.91	0.4	150	< 100	78	< 1	< 0.1	0.93	0.2	23	36.8	26	66.2	4.0	19.9	3.1	1.70	9.5	19.6	0.583	5.0	53.4	0.036
705661	5.10	0.2	129	< 100	73	< 1	< 0.1	1.02	0.2	24	47.4	28	63.4	3.1	17.1	2.7	1.39	10.1	16.7	1.07	4.5	54.1	0.035
705662	7.94	0.1	60	< 100	60	< 1	< 0.1	1.57	0.2	31	28.8	50	59.4	4.1	10.1	3.8	1.74	13.5	24.6	1.83	6.9	59.8	0.052
705663	2.30	0.3	265	100	83	< 1	0.1	1.03	0.5	16	36.3	99	79.1	1.8	26.7	1.5	0.66	6.9	9.6	0.457	2.8	64.1	0.013
705664	5.28	0.2	157	200	90	< 1	< 0.1	1.32	0.5	24	36.5	49	91.0	3.3	17.3	2.9	1.18	10.3	13.4	1.48	4.6	68.2	0.031
705665	6.72	< 0.1	769	900	607	8	0.4	0.02	< 0.1	75	4.1	234	38.8	6.8	3.42	1.8	1.80	39.4	34.2	0.072	3.8	28.4	0.025
705666	6.98	0.2	110	100	103	< 1	< 0.1	2.43	0.5	31	37.6	67	88.4	3.4	12.5	3.4	1.35	14.1	12.1	2.71	5.9	87.3	0.046
705667	8.27	0.1	42	< 100	58	< 1	< 0.1	1.72	0.5	35	34.2	73	90.8	3.6	8.83	3.8	1.49	15.2	23.2	2.76	7.4	95.5	0.051
705668	7.66	0.1	33	< 100	84	< 1	< 0.1	2.74	0.4	33	34.2	37	105	2.4	12.2	3.5	1.04	15.4	25.3	3.45	6.7	73.3	0.052
705669	7.89	0.1	17	< 100	131	< 1	< 0.1	4.15	0.5	33	42.3	55	106	2.3	7.20	3.8	1.04	15.3	18.0	4.06	7.1	127	0.054
705670	8.54	0.2	46	< 100	98	< 1	< 0.1	1.55	0.6	33	34.7	31	98.3	2.8	9.86	4.1	1.18	14.5	23.5	3.85	7.5	66.7	0.055

Results

Activation Laboratories Ltd.

Report: A19-01911

Analyte Symbol	Rb	Pb	S	Mg	Mn	Mo	Sb	Sc	Sn	Sr	Ta	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit Symbol	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.1	1	0.01	1	0.1	0.1	1	0.1	1	0.1	0.1	0.001	0.05	0.1	4	0.1	0.1	1	0.1
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
705636	21.1	1920	> 10.0	1.42	2210	1.3	5.8	16	0.9	74	0.2	0.7	0.277	0.61	0.2	103	0.5	20.4	> 10000	55.1
705637	23.9	173	7	1.82	1610	1.0	3.2	19	1.4	79	0.3	1.0	0.424	0.63	0.3	139	0.6	19.9	> 10000	76.2
705638	24.9	40.4	3	1.76	1600	2.0	1.1	17	1.4	85	0.1	0.9	0.444	0.44	0.3	132	0.4	20.6	6030	74.0
705639	30.4	103	> 10.0	1.11	1630	17.9	3.1	11	1.7	70	0.5	1.7	0.217	0.99	0.5	80	0.6	56.5	1060	79.9
705640	26.1	289	> 10.0	0.73	1810	84.0	4.2	11	2.5	110	0.3	1.0	0.199	0.93	0.4	81	0.8	67.6	> 10000	52.4
705641	53.9	884	6	1.25	1730	1.0	2.7	17	1.6	92	0.6	1.9	0.392	0.87	0.4	119	0.7	23.0	4880	104
705642	31.7	270	> 10.0	1.03	1450	2.4	7.8	6	1.4	44	0.6	2.1	0.099	1.20	0.5	34	0.3	48.7	1100	77.4
705643	55.8	1080	3	1.07	1250	2.4	1.3	7	5.0	62	0.8	3.6	0.166	0.68	1.0	42	0.5	46.5	8430	133
705644	46.3	52.7	> 10.0	1.18	282	2.5	4.3	4	3.1	13	1.0	2.6	0.117	4.19	0.8	22	0.3	31.2	103	173
705645	40.9	6.8	5	6.92	916	0.7	0.3	33	0.8	11	0.2	0.4	0.457	3.82	0.2	196	0.3	21.3	1040	65.9
705646	36.5	6.4	5	7.04	859	0.4	0.2	36	0.5	13	0.1	0.3	0.473	2.70	0.1	208	0.2	13.0	1270	50.8
705647	0.2	0.8	< 1	3.37	2720	0.2	< 0.1	41	0.4	56	0.1	0.6	0.693	< 0.05	0.1	285	< 0.1	22.4	97	54.9
705648	2.0	5.8	< 1	3.54	2160	0.2	0.1	29	0.5	47	< 0.1	0.4	0.413	< 0.05	0.1	173	< 0.1	19.0	72	38.4
705649	0.5	10.5	< 1	4.23	2300	0.3	0.3	41	0.8	44	0.2	0.6	0.800	< 0.05	0.2	313	0.2	35.2	1400	73.7
705650	5.3	0.6	< 1	2.85	1560	< 0.1	< 0.1	37	< 0.1	102	< 0.1	0.4	0.355	0.11	0.1	190	< 0.1	18.0	96	36.7
705651	6.1	0.5	< 1	2.32	1370	< 0.1	< 0.1	36	0.3	93	< 0.1	0.4	0.177	0.14	0.1	134	< 0.1	17.8	88	20.5
705652	11.6	0.5	< 1	2.94	1910	< 0.1	< 0.1	40	0.1	95	< 0.1	0.4	0.334	0.27	0.1	164	< 0.1	20.2	97	31.2
705653	51.4	0.7	1	3.06	2170	< 0.1	< 0.1	44	0.6	58	< 0.1	0.5	0.472	1.08	0.2	201	< 0.1	21.9	136	50.5
705654	74.8	1.5	3	3.86	1830	0.2	< 0.1	48	0.9	10	< 0.1	0.6	0.701	1.53	0.2	296	< 0.1	26.5	176	91.4
705655	28.8	40.2	> 10.0	0.35	474	2.1	2.6	5	0.5	3	0.1	0.5	0.092	3.60	0.2	32	0.1	4.8	259	33.2
705656	23.6	3.2	< 1	1.88	1520	< 0.1	< 0.1	31	1.3	131	< 0.1	2.2	0.317	0.10	0.6	55	< 0.1	44.9	171	81.0
705657	56.8	44.8	> 10.0	0.84	572	1.5	4.0	9	1.1	23	0.3	1.1	0.243	3.45	0.4	59	0.2	13.9	169	98.0
705658	73.7	13.6	> 10.0	1.41	768	1.5	4.9	11	1.1	16	0.3	1.0	0.254	4.19	0.4	77	0.2	13.9	358	104
705659	70.5	14.1	> 10.0	1.44	748	1.8	4.8	11	1.1	16	0.3	0.9	0.252	3.99	0.4	78	0.3	13.9	371	106
705660	73.7	11.5	> 10.0	1.30	536	2.5	5.1	13	1.2	24	0.3	1.1	0.283	3.91	0.4	86	0.3	14.7	324	118
705661	60.8	5.6	> 10.0	1.12	646	1.8	3.2	11	1.1	35	0.3	1.1	0.253	3.94	0.4	79	0.3	13.6	246	103
705662	73.4	3.1	7	1.73	696	1.3	1.4	17	1.6	56	0.5	1.7	0.395	2.94	0.5	109	0.4	19.9	331	145
705663	31.2	11.0	> 10.0	0.43	506	1.7	6.3	6	1.0	26	0.2	0.9	0.122	6.45	0.2	39	0.2	8.0	464	57.6
705664	57.7	5.4	> 10.0	0.87	603	1.5	3.5	11	1.4	53	0.3	1.3	0.252	4.98	0.4	82	0.3	14.0	422	106
705665	121	36.6	< 1	0.29	70	1.8	14.2	14	2.6	57	0.2	15.6	0.360	0.78	3.7	74	2.7	16.6	64	98.3
705666	58.9	4.9	10	0.84	941	2.0	2.4	14	1.8	90	0.4	1.6	0.340	3.55	0.5	97	0.4	19.8	437	127
705667	61.9	2.9	5	1.72	666	2.1	0.6	16	1.8	83	0.5	1.7	0.409	2.18	0.5	111	0.4	20.8	350	149
705668	41.7	3.6	6	1.74	922	1.1	0.4	16	1.3	117	0.4	1.7	0.397	1.47	0.5	108	0.4	19.9	265	141
705669	40.1	2.8	3	1.24	1080	2.7	0.2	15	1.6	145	0.5	1.8	0.411	1.16	0.5	109	0.5	20.0	331	146
705670	47.0	5.8	6	1.63	603	1.4	0.7	17	1.8	116	0.5	2.0	0.425	2.13	0.6	115	0.5	23.3	890	155

Analyte Symbol	Al	Ag	As	Au	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Cs	Fe	Hf	K	La	Li	Na	Nb	Ni	P
Unit Symbol	%	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%
Lower Limit	0.01	0.1	1	100	1	1	0.1	0.01	0.1	1	0.2	1	0.1	0.1	0.01	0.1	0.01	0.1	0.1	0.001	0.1	0.1	0.001
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
OREAS 97 (4 Acid) Meas		19.7					42.6				66.2		> 10000										
OREAS 97 (4 Acid) Cert		19.6					40.1				62.9		63100.00										
OREAS 96 (4 Acid) Meas		11.1					28.4				50.2		> 10000										
OREAS 96 (4 Acid) Cert		11.5					26.3				49.9		39300										
OREAS 96 (4 Acid) Meas		11.3					26.4				50.2		> 10000										
OREAS 96 (4 Acid) Cert		11.5					26.3				49.9		39300										
OREAS 520 (4 Acid) Meas	5.21	0.4	106			< 1	2.8	3.81		71	192	44	2710	0.7	16.4	3.3	2.92	71.0	15.4	1.28	2.2	69.1	0.062
OREAS 520 (4 Acid) Cert	5.63	0.450	153			1.06	2.94	4.10		86.0	203	36.4	2930	0.800	16.4	3.53	3.46	85.0	16.9	1.35	5.68	76.0	0.0740
705645 Orig	7.83	< 0.1	13	< 100	36	< 1	< 0.1	0.30	0.3	23	63.4	95	78.4	1.6	9.75	1.8	1.31	8.6	59.6	0.240	4.5	179	0.039
705645 Dup	8.38	< 0.1	14	< 100	39	< 1	< 0.1	0.30	0.3	23	64.1	93	78.8	1.6	9.88	1.8	1.34	8.5	60.5	0.242	4.3	177	0.040
705670 Orig	8.60	0.2	45	< 100	96	< 1	< 0.1	1.55	0.6	33	34.4	29	95.8	2.8	9.86	4.1	1.16	14.2	23.1	3.79	7.5	65.2	0.054
705670 Dup	8.48	0.2	47	< 100	100	< 1	< 0.1	1.56	0.6	34	34.9	32	101	2.7	9.86	4.1	1.20	14.7	23.9	3.92	7.5	68.3	0.055
Method Blank	< 0.01	< 0.1	< 1	< 100	< 1	< 1	< 0.1	< 0.01	< 0.1	< 1	< 0.2	1	< 0.1	< 0.1	< 0.01	< 0.1	< 0.01	< 0.1	< 0.1	< 0.001	< 0.1	< 0.1	< 0.001
Method Blank	< 0.01	< 0.1	< 1	< 100	< 1	< 1	< 0.1	< 0.01	< 0.1	< 1	< 0.2	< 1	0.5	< 0.1	< 0.01	< 0.1	< 0.01	< 0.1	< 0.1	< 0.001	< 0.1	< 0.1	< 0.001

Analyte Symbol	Rb	Pb	S	Mg	Mn	Mo	Sb	Sc	Sn	Sr	Ta	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit Symbol	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.1	1	0.01	1	0.1	0.1	1	0.1	1	0.1	0.1	0.001	0.05	0.1	4	0.1	0.1	1	0.1
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
OREAS 97 (4 Acid) Meas		139	7				8.0		94.8										655	
OREAS 97 (4 Acid) Cert		147	6.07				9.23		95.7										646	
OREAS 96 (4 Acid) Meas		98.5	5				4.7		63.2										454	
OREAS 96 (4 Acid) Cert		101	4.19				5.09		65.6										457	
OREAS 96 (4 Acid) Meas		103	5				4.3		64.4										441	
OREAS 96 (4 Acid) Cert		101	4.19				5.09		65.6										457	
OREAS 520 (4 Acid) Meas	103	6.1	< 1	1.02	2430	56.7	1.4	15	4.3	82	< 0.1	8.1	0.418	0.25	17.4	231	10.7	18.3	17	126
OREAS 520 (4 Acid) Cert	111	5.85	1.01	1.19	2420	65.0	3.21	17.0	4.76	104	0.470	9.62	0.445	0.260	17.9	257	43.8	20.8	22.7	134
705645 Orig	38.6	6.9	5	6.79	918	0.9	0.3	32	0.8	12	0.2	0.4	0.457	3.87	0.2	199	0.3	21.4	1050	67.6
705645 Dup	43.3	6.7	5	7.04	913	0.6	0.3	33	0.8	11	0.2	0.4	0.457	3.78	0.2	194	0.3	21.1	1040	64.1
705670 Orig	46.4	5.8	6	1.58	599	1.6	0.7	17	1.8	115	0.5	2.0	0.420	2.11	0.5	113	0.5	23.1	868	154
705670 Dup	47.5	5.8	6	1.68	606	1.2	0.8	18	1.9	116	0.5	2.0	0.429	2.14	0.6	116	0.6	23.4	912	157
Method Blank	< 0.1	< 0.1	< 1	< 0.01	1	< 0.1	< 0.1	< 1	< 0.1	< 1	< 0.1	< 0.1	< 0.001	< 0.05	< 0.1	< 4	< 0.1	< 0.1	< 1	0.4
Method Blank	< 0.1	< 0.1	< 1	< 0.01	12	< 0.1	< 0.1	< 1	< 0.1	< 1	< 0.1	< 0.1	< 0.001	< 0.05	< 0.1	< 4	< 0.1	< 0.1	< 1	0.3



Date Submitted: 15-Feb-19
Invoice No.: A19-02363
Invoice Date: 01-Mar-19
Your Reference: February 15/19

Visa Gold Resources
PO Box 417
Timmins Ontario P4N 7E3
Canada

ATTN: William MacRae

CERTIFICATE OF ANALYSIS

37 Rock samples were submitted for analysis.

The following analytical package(s) were requested:

Code UT-4M Total Digestion ICP/MS

REPORT **A19-02363**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

Any values for Au are for informational purposes and should be checked by fire assay code 1A2

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé". The signature is stylized with loops and is positioned above a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Activation Laboratories Ltd.

Report: A19-02363

Analyte Symbol	Al	Ag	As	Au	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Cs	Fe	Hf	K	La	Li	Na	Nb	Ni	P
Unit Symbol	%	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%
Lower Limit	0.01	0.1	1	100	1	1	0.1	0.01	0.1	1	0.2	1	0.1	0.1	0.01	0.1	0.01	0.1	0.1	0.001	0.1	0.1	0.001
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
705671	7.17	0.2	98	< 100	88	< 1	0.2	2.13	0.4	33	36.2	40	92.6	3.1	10.5	3.6	1.37	13.8	15.1	2.28	5.6	79.0	0.054
705672	7.02	0.1	42	< 100	132	< 1	< 0.1	4.16	0.1	36	23.5	28	36.5	2.9	5.47	3.6	1.32	16.6	11.7	2.82	6.0	48.6	0.061
705673	7.57	0.2	66	< 100	119	< 1	0.1	2.24	0.3	33	28.8	28	47.7	2.7	8.63	3.5	1.26	14.7	17.4	2.96	5.9	51.4	0.055
705674	6.61	0.2	44	< 100	97	< 1	0.1	5.77	0.2	33	25.7	24	46.2	1.3	6.67	3.3	0.58	15.1	12.9	3.36	5.3	60.6	0.052
705675	7.35	0.1	23	< 100	112	< 1	< 0.1	3.32	0.2	31	17.8	26	31.5	1.2	5.66	3.3	0.57	13.5	17.7	3.68	5.5	38.8	0.056
705676	6.85	0.2	39	< 100	154	< 1	< 0.1	2.30	0.2	30	23.1	23	42.4	1.7	7.66	3.6	0.78	13.6	20.3	3.19	5.7	47.3	0.052
705677	5.59	0.2	63	< 100	63	< 1	0.1	4.24	0.3	26	27.4	21	50.5	1.8	8.71	3.0	0.81	11.3	17.5	2.36	4.9	52.5	0.037
705678	7.86	0.2	58	< 100	112	< 1	0.1	1.68	0.3	28	26.6	16	63.6	3.0	9.84	3.8	1.31	12.1	26.3	2.00	6.1	49.4	0.048
705679	8.24	0.2	47	< 100	59	< 1	< 0.1	1.63	0.1	31	26.3	20	42.6	3.0	8.07	3.9	1.38	13.7	27.8	2.35	6.3	45.6	0.062
705680	4.72	0.4	64	< 100	75	< 1	0.2	3.05	0.3	37	23.2	22	52.0	1.8	9.34	3.0	0.90	16.5	13.6	1.68	5.9	37.6	0.033
705681	7.85	0.3	65	< 100	50	< 1	< 0.1	2.24	0.2	33	25.0	47	42.7	3.0	10.2	3.8	1.30	14.0	29.7	1.94	6.0	43.9	0.048
705682	6.70	0.2	44	< 100	137	< 1	< 0.1	4.78	< 0.1	31	21.1	18	49.8	2.5	6.93	3.3	1.08	13.9	26.9	2.01	5.2	39.1	0.048
705683	5.57	0.3	175	< 100	40	1	0.4	3.41	0.7	50	24.4	25	58.6	3.0	8.46	5.1	1.47	20.9	4.6	2.20	10.6	47.0	0.035
705684	4.16	0.7	252	< 100	60	< 1	0.2	3.37	0.6	33	30.8	22	39.0	2.8	16.3	3.4	1.19	13.2	4.3	1.42	9.8	33.7	0.023
705685	4.62	0.6	222	< 100	89	1	0.2	2.51	0.5	50	26.9	22	36.5	2.7	16.2	5.5	1.23	20.5	7.6	1.29	11.9	30.1	0.021
705686	4.22	0.7	228	< 100	35	1	0.2	2.42	0.5	51	27.3	19	37.2	2.9	16.4	5.7	0.97	20.6	8.0	1.33	12.4	29.4	0.023
705687	3.72	0.7	224	< 100	95	< 1	0.3	1.11	0.4	57	22.8	15	52.7	2.6	17.1	5.7	0.97	23.9	9.7	0.740	13.7	23.1	0.014
705688	6.82	< 0.1	< 1	< 100	89	1	< 0.1	4.47	< 0.1	44	23.4	9	31.8	0.2	6.30	2.2	0.18	18.4	15.4	2.81	< 0.1	11.8	0.138
705689	4.39	0.6	182	< 100	59	1	0.5	1.45	0.5	63	25.2	20	74.5	2.6	13.8	6.6	1.24	26.1	10.8	1.00	14.7	34.3	0.018
705690	5.82	0.5	116	< 100	43	2	0.4	1.46	0.4	64	21.2	23	46.4	3.6	8.64	8.9	1.73	25.9	9.9	1.34	18.8	36.8	0.024
705691	4.00	0.4	130	< 100	47	1	0.4	3.21	0.5	63	22.8	30	78.8	2.2	6.75	5.9	1.08	26.6	10.0	1.23	13.6	58.0	0.015
705692	9.03	< 0.1	< 1	< 100	248	< 1	< 0.1	5.34	< 0.1	33	18.6	41	46.0	2.9	3.73	3.8	1.23	15.1	38.4	2.84	5.9	51.9	0.076
705693	6.81	< 0.1	720	700	531	8	0.4	0.02	< 0.1	75	3.8	232	35.4	6.1	3.33	0.4	1.77	38.5	34.7	0.073	0.6	29.8	0.027
705694	7.59	0.2	3	< 100	181	< 1	0.2	4.01	0.8	31	64.9	35	145	3.3	8.25	3.3	1.41	13.9	28.9	1.49	5.0	114	0.045
705695	6.37	0.1	< 1	< 100	243	< 1	< 0.1	5.20	0.2	26	24.0	32	41.3	3.3	5.22	3.2	1.54	11.4	32.0	1.05	5.1	51.3	0.033
705696	6.59	< 0.1	< 1	< 100	166	< 1	< 0.1	6.55	< 0.1	34	22.0	27	34.9	2.1	5.27	3.1	1.00	16.1	33.2	1.97	4.8	49.0	0.059
705697	8.74	0.1	< 1	< 100	184	< 1	< 0.1	3.00	< 0.1	30	22.4	38	40.7	2.3	7.48	3.8	1.11	13.8	57.1	1.92	6.0	55.5	0.045
705698	7.63	< 0.1	< 1	< 100	119	< 1	< 0.1	4.08	< 0.1	29	19.5	34	29.5	1.4	6.26	3.3	0.71	13.3	47.8	2.16	4.8	48.6	0.054
705699	7.56	< 0.1	< 1	< 100	166	< 1	< 0.1	6.42	< 0.1	31	18.4	32	27.9	1.8	5.17	3.3	1.00	14.7	36.0	2.32	5.1	42.3	0.057
705700	7.48	< 0.1	< 1	< 100	190	< 1	< 0.1	6.48	0.1	31	18.6	27	41.2	2.2	5.41	3.3	1.19	14.3	34.1	1.72	4.3	39.0	0.055
705701	6.54	< 0.1	5	< 100	153	< 1	< 0.1	3.64	< 0.1	25	14.9	26	39.5	1.8	3.35	1.9	0.98	11.3	21.1	2.05	0.5	20.7	0.053
705702	8.06	0.2	< 1	< 100	243	2	0.1	1.10	0.3	68	10.5	15	36.7	5.7	3.80	2.8	3.99	31.9	12.0	0.062	7.6	13.6	0.045
705703	8.12	0.2	< 1	< 100	390	2	< 0.1	0.35	0.1	70	7.5	14	29.0	5.0	3.28	4.7	4.00	32.9	10.1	0.076	8.1	10.1	0.040
705704	4.76	0.2	< 1	< 100	218	< 1	< 0.1	1.94	< 0.1	88	2.3	20	8.2	1.3	1.23	6.2	1.47	40.4	2.4	1.41	16.1	3.8	0.005
705705	5.11	0.3	< 1	< 100	410	2	0.2	0.20	< 0.1	88	3.9	21	21.3	1.7	1.63	6.7	2.28	39.6	2.6	0.167	19.6	9.8	0.003
705706	5.87	0.3	16	< 100	256	1	0.1	3.72	0.2	72	12.3	47	37.5	3.2	3.34	6.3	2.02	31.4	16.7	1.20	19.0	33.9	0.007
705707	6.17	0.3	15	< 100	257	1	0.1	3.70	0.2	69	11.0	55	26.6	3.2	3.22	6.3	2.06	31.0	16.6	1.21	19.0	31.3	0.007

Results

Activation Laboratories Ltd.

Report: A19-02363

Analyte Symbol	Rb	Pb	S	Mg	Mn	Mo	Sb	Sc	Sn	Sr	Ta	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit Symbol	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.1	1	0.01	1	0.1	0.1	1	0.1	1	0.1	0.1	0.001	0.05	0.1	4	0.1	0.1	1	0.1
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
705671	55.8	10.5	8	1.07	595	3.0	1.7	15	2.6	89	0.4	1.8	0.363	2.81	0.6	105	0.5	18.2	506	148
705672	51.5	3.8	4	0.88	967	2.1	0.9	14	2.2	128	0.4	1.9	0.393	1.80	0.5	103	0.6	19.5	275	145
705673	46.1	5.8	6	1.22	628	2.3	1.1	16	2.2	99	0.4	2.0	0.361	2.13	0.5	103	0.6	17.6	278	145
705674	21.6	3.9	4	0.92	976	2.0	0.8	14	1.9	164	0.4	1.8	0.345	1.02	0.5	94	0.7	16.2	195	132
705675	19.3	2.3	3	1.21	661	1.9	0.4	13	2.0	122	0.4	1.8	0.353	0.74	0.5	94	1.3	17.8	149	136
705676	29.5	5.0	4	1.39	612	1.8	0.7	14	2.1	109	0.4	1.9	0.356	1.10	0.5	100	0.8	18.2	159	146
705677	31.4	7.1	6	1.12	862	2.4	1.1	13	1.9	127	0.4	1.7	0.287	1.29	0.4	85	0.6	16.7	199	120
705678	51.9	8.1	7	1.73	582	1.7	1.0	16	2.3	72	0.4	1.8	0.331	1.71	0.5	102	0.6	18.1	201	144
705679	52.7	5.1	5	1.93	533	1.8	0.7	17	2.2	84	0.5	1.7	0.377	1.65	0.5	110	0.6	20.9	147	155
705680	34.5	8.9	7	0.83	576	7.0	1.5	10	2.1	88	0.4	2.2	0.223	1.18	0.5	63	0.7	21.1	183	117
705681	51.5	9.1	6	1.96	609	1.4	1.4	16	2.2	76	0.4	1.7	0.358	1.92	0.5	107	0.6	18.8	173	152
705682	43.1	8.9	4	1.76	837	0.9	0.7	14	2.3	114	0.4	1.7	0.345	1.26	0.4	100	0.7	18.8	102	135
705683	60.7	26.1	8	0.20	833	3.6	2.9	11	3.7	88	0.7	2.3	0.234	2.32	0.7	66	0.7	33.4	428	191
705684	52.8	11.7	> 10.0	0.18	790	2.9	4.3	6	3.3	80	0.5	1.6	0.180	4.77	0.5	46	0.5	31.7	316	128
705685	53.4	8.2	> 10.0	0.38	686	3.0	3.8	7	3.2	62	0.8	2.2	0.180	4.69	0.7	46	0.5	36.3	261	193
705686	49.9	8.6	> 10.0	0.37	674	3.0	5.2	7	3.3	63	0.8	2.4	0.190	4.97	0.7	44	0.5	36.9	266	203
705687	46.1	21.7	> 10.0	0.51	461	2.8	5.2	5	3.3	36	0.9	2.6	0.139	5.02	0.7	28	0.5	41.3	215	194
705688	5.6	2.8	< 1	1.49	1260	0.1	< 0.1	25	1.6	149	< 0.1	2.1	0.215	< 0.05	0.5	47	< 0.1	39.1	135	77.4
705689	49.1	31.1	> 10.0	0.61	520	3.8	3.8	6	3.5	47	1.0	2.7	0.144	3.07	0.8	30	0.3	40.3	234	225
705690	70.7	27.0	8	0.52	479	3.4	1.9	8	4.4	51	1.3	3.0	0.200	2.03	1.0	45	0.4	47.0	227	313
705691	41.5	25.6	6	0.56	717	4.5	1.7	5	3.1	65	0.9	2.7	0.139	1.58	0.8	27	0.4	38.9	257	209
705692	41.3	1.0	< 1	1.82	1280	0.5	< 0.1	16	2.4	108	0.5	2.0	0.423	0.97	0.6	120	0.5	20.1	87	149
705693	102	21.0	< 1	0.29	57	1.3	2.5	14	2.1	55	< 0.1	15.4	0.346	0.73	3.7	73	0.3	15.7	65	39.2
705694	46.2	5.4	5	1.34	1180	7.9	< 0.1	14	3.0	104	0.4	2.1	0.365	1.10	0.6	102	0.7	16.7	421	128
705695	49.7	2.7	1	1.41	1090	0.9	< 0.1	13	2.0	96	0.4	1.8	0.362	1.07	0.5	102	0.7	15.2	117	130
705696	33.0	3.6	1	1.54	1110	0.6	< 0.1	14	1.8	94	0.4	1.7	0.364	0.66	0.5	103	0.4	21.4	92	122
705697	39.5	3.8	< 1	2.64	1140	0.8	< 0.1	19	2.0	76	0.5	2.1	0.432	0.67	0.5	132	0.4	16.8	116	154
705698	24.7	2.3	< 1	2.14	1290	1.1	< 0.1	16	1.9	79	0.3	1.9	0.390	0.38	0.5	112	0.2	16.7	99	133
705699	34.2	1.8	< 1	1.58	1620	1.0	< 0.1	16	2.0	101	0.4	1.9	0.395	0.54	0.5	111	0.3	18.3	85	133
705700	39.3	1.8	< 1	1.33	1760	0.6	< 0.1	16	2.0	99	0.3	1.8	0.384	0.63	0.4	113	0.3	18.0	84	128
705701	31.9	1.5	< 1	0.85	994	0.2	< 0.1	13	1.3	85	< 0.1	1.5	0.199	0.50	0.4	67	< 0.1	13.8	64	84.2
705702	126	5.1	1	0.52	335	3.4	0.2	8	3.3	33	0.2	4.1	0.248	0.68	1.0	24	0.8	27.4	197	189
705703	122	2.8	1	0.44	204	7.7	< 0.1	7	3.9	19	0.3	3.8	0.215	0.58	0.9	18	1.1	38.9	113	231
705704	41.7	4.1	< 1	0.07	608	12.6	0.1	3	3.3	150	0.6	5.5	0.063	0.18	1.2	< 4	0.6	37.3	17	180
705705	61.2	8.4	< 1	0.06	140	16.5	0.1	4	5.7	18	1.2	5.7	0.073	0.25	1.4	< 4	0.7	40.8	43	202
705706	70.9	9.9	< 1	0.85	695	20.5	0.2	10	4.7	63	1.3	5.1	0.164	0.39	1.3	46	1.7	36.4	104	182
705707	70.4	9.9	< 1	0.85	692	20.4	0.2	9	4.7	64	1.2	5.1	0.167	0.39	1.3	45	1.6	36.9	97	190

Analyte Symbol	Al	Ag	As	Au	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Cs	Fe	Hf	K	La	Li	Na	Nb	Ni	P
Unit Symbol	%	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%
Lower Limit	0.01	0.1	1	100	1	1	0.1	0.01	0.1	1	0.2	1	0.1	0.1	0.01	0.1	0.01	0.1	0.1	0.001	0.1	0.1	0.001
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
GXR-4 Meas	8.22	3.4	105	400	124	2	19.5	0.99	0.2	107	14.0	48	6210	2.5	3.07	1.4	4.23	56.5	13.3	0.534	9.1	39.5	0.140
GXR-4 Cert	7.20	4.0	98.0	500	1640	1.90	19.0	1.01	0.860	102	14.6	64.0	6520	2.80	3.09	6.30	4.01	64.5	11.1	0.564	10.0	42.0	0.120
SDC-1 Meas	8.23		< 1		625	3		1.00		85	17.4	45	33.4	3.8	4.66	0.8	2.76	40.1	34.8	1.47	< 0.1	34.6	0.054
SDC-1 Cert	8.34		0.220		630	3.00		1.00		93.00	18.0	64.00	30.000	4.00	4.82	8.30	2.72	42.00	34.0	1.52	21.00	38.0	0.0690
GXR-6 Meas	> 20.0	0.4	323	< 100	1210	1	0.2	0.16	< 0.1	36	13.7	76	73.9	3.9	5.60	2.8	1.99	12.9	36.2	0.098	4.9	25.9	0.040
GXR-6 Cert	17.7	1.30	330	95.0	1300	1.40	0.290	0.180	1.00	36.0	13.8	96.0	66.0	4.20	5.58	4.30	1.87	13.9	32.0	0.104	7.50	27.0	0.0350
OREAS 97 (4 Acid) Meas		17.2					38.6				56.7		> 10000										
OREAS 97 (4 Acid) Cert		19.6					40.1				62.9		63100.00										
OREAS 98 (4 Acid) Meas		40.9					84.5				115		> 10000										
OREAS 98 (4 Acid) Cert		45.1					97.2				121		14800.0										
OREAS 45d (4-Acid) Meas	8.24		8		187	< 1	0.3	0.18		38	29.7	524	371	3.6	14.5	2.0	0.43	17.5	21.2	0.088	0.3	237	0.036
OREAS 45d (4-Acid) Cert	8.150		13.8		183.0	0.79	0.31	0.185		37.20	29.50	549	371	3.910	14.5	3.830	0.412	16.9	21.5	0.101	14.50	231.0	0.042
OREAS 96 (4 Acid) Meas		10.3					27.2				47.5		> 10000										
OREAS 96 (4 Acid) Cert		11.5					26.3				49.9		39300										
OREAS 923 (4 Acid) Meas	7.56	1.6	6		429	2	18.8	0.45	0.4	80	22.4	74	4100	6.1	6.24	3.5	2.49	41.8	30.4	0.304	14.2	37.1	0.061
OREAS 923 (4 Acid) Cert	7.29	1.60	7.61		434	2.42	21.4	0.473	0.420	83.0	23.1	71.0	4230	6.70	6.43	3.42	2.51	42.2	31.4	0.324	14.1	35.8	0.0630
OREAS 621 (4 Acid) Meas	6.43	58.9	69			2	3.9	1.89	267	46	29.6	31	3400	3.0	3.85	4.5	2.25	18.8	15.1	1.24	9.3	27.6	0.034
OREAS 621 (4 Acid) Cert	6.40	69.0	77.0			1.69	3.93	1.97	284	46.6	29.3	37.1	3630	3.28	3.70	4.41	2.20	21.6	14.2	1.31	8.61	26.2	0.0359
OREAS 520 (4 Acid) Meas	5.44	0.5	144			1	3.0	4.17		76	188	42	2710	0.7	16.5	3.6	3.44	68.6	16.8	1.18	6.2	75.9	0.070
OREAS 520 (4 Acid) Cert	5.63	0.450	153			1.06	2.94	4.10		86.0	203	36.4	2930	0.800	16.4	3.53	3.46	85.0	16.9	1.35	5.68	76.0	0.0740
705671 Orig	7.30	0.2	98	< 100	94	< 1	0.2	2.10	0.4	32	36.5	46	92.1	3.2	10.6	3.6	1.36	13.8	15.0	2.29	5.6	79.2	0.054
705671 Dup	7.04	0.2	97	< 100	82	< 1	0.2	2.16	0.4	33	35.8	34	93.1	3.1	10.3	3.6	1.39	13.8	15.2	2.28	5.6	78.8	0.053
705688 Orig	6.68	< 0.1	< 1	< 100	89	1	< 0.1	4.43	< 0.1	44	23.2	8	32.3	0.3	6.28	2.2	0.18	18.5	15.2	2.75	< 0.1	11.8	0.136
705688 Dup	6.95	< 0.1	< 1	< 100	90	1	< 0.1	4.51	< 0.1	45	23.6	9	31.3	0.2	6.32	2.3	0.19	18.4	15.5	2.86	0.2	11.9	0.141
705703 Orig	8.60	0.2	< 1	< 100	506	2	< 0.1	0.36	0.1	71	7.6	14	30.2	5.1	3.33	4.8	3.84	33.7	10.3	0.082	8.1	10.5	0.042
705703 Dup	7.65	0.2	< 1	< 100	275	2	< 0.1	0.34	0.2	69	7.4	14	27.8	5.0	3.23	4.6	4.15	32.2	9.8	0.071	8.1	9.6	0.037
Method Blank	< 0.01	< 0.1	< 1	< 100	< 1	< 1	< 0.1	< 0.01	< 0.1	< 1	< 0.2	4	< 0.1	< 0.1	< 0.01	< 0.1	< 0.01	< 0.1	< 0.001	< 0.1	< 0.1	< 0.001	
Method Blank	< 0.01	< 0.1	< 1	< 100	< 1	< 1	< 0.1	< 0.01	< 0.1	< 1	< 0.2	3	0.2	< 0.1	< 0.01	< 0.1	< 0.01	< 0.1	< 0.001	< 0.1	< 0.1	< 0.001	
Method Blank	< 0.01	< 0.1	< 1	< 100	< 1	< 1	< 0.1	< 0.01	< 0.1	< 1	< 0.2	4	< 0.1	< 0.1	< 0.01	< 0.1	< 0.01	< 0.1	< 0.001	< 0.1	< 0.1	< 0.001	

Analyte Symbol	Rb	Pb	S	Mg	Mn	Mo	Sb	Sc	Sn	Sr	Ta	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit Symbol	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.1	1	0.01	1	0.1	0.1	1	0.1	1	0.1	0.1	0.001	0.05	0.1	4	0.1	0.1	1	0.1
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
GXR-4 Meas	135	48.6	2	1.78	141	300	4.4	7	7.8	204	0.6	18.9	0.279	3.13	5.8	86	36.3	12.6	70	46.8
GXR-4 Cert	160	52.0	1.77	1.66	155	310	4.80	7.70	5.60	221	0.790	22.5	0.29	3.20	6.20	87.0	30.8	14.0	73.0	186
SDC-1 Meas	110	23.5		0.99	816		< 0.1	14	1.1	162	< 0.1	11.7	0.082	0.61	2.7	30	< 0.1		107	27.5
SDC-1 Cert	127.00	25.00		1.02	880.00		0.54	17.00	3.00	180.00	1.20	12.00	0.606	0.70	3.10	102.00	0.80		103.00	290.00
GXR-6 Meas	78.5	98.1	< 1	0.60	1060	2.1	2.6	27	2.3	34	0.2	5.2		2.11	1.4	185	0.8	11.7	129	98.9
GXR-6 Cert	90.0	101	0.0160	0.609	1010	2.40	3.60	27.6	1.70	35.0	0.485	5.30		2.20	1.54	186	1.90	14.0	118	110
OREAS 97 (4 Acid) Meas		129	6				6.7		84.4											569
OREAS 97 (4 Acid) Cert		147	6.07				9.23		95.7											646
OREAS 98 (4 Acid) Meas		283	> 10.0				10.2		174											1220
OREAS 98 (4 Acid) Cert		345	15.5				20.1		206											1360
OREAS 45d (4-Acid) Meas	40.6	21.3	< 1	0.20	486	0.3	< 0.1	50	1.2	31	< 0.1	14.8	0.212	0.25	2.8	101	< 0.1	10.7	42	80.9
OREAS 45d (4-Acid) Cert	42.1	21.8	0.049	0.245	490.000	2.500	0.82	49.30	2.78	31.30	1.02	14.5	0.773	0.27	2.63	235.0	1.62	9.53	45.7	141
OREAS 96 (4 Acid) Meas		94.6	4				4.5		60.4											417
OREAS 96 (4 Acid) Cert		101	4.19				5.09		65.6											457
OREAS 923 (4 Acid) Meas	148	77.5	< 1	1.64	947	1.0	1.2	12	13.6	40	1.1	16.6	0.393	0.83	3.1	84	4.5	23.6	338	127
OREAS 923 (4 Acid) Cert	166	83.0	0.691	1.69	950	0.930	1.29	13.1	13.3	43.0	1.11	16.5	0.405	0.860	3.06	91.0	4.85	26.4	345	116
OREAS 621 (4 Acid) Meas	76.2	> 5000	4	0.49	531	13.1	26.2	6	5.7	65		5.1	0.191	1.98	2.9	35	2.2	11.2	> 10000	171
OREAS 621 (4 Acid) Cert	84.0	13600	4.48	0.507	532	13.6	139	6.24	5.25	91.0		7.48	0.149	1.96	2.83	31.8	2.35	11.1	52200	168
OREAS 520 (4 Acid) Meas	104	6.4	< 1	1.08	2430	66.0	1.4	17	5.9	85	0.5	8.8	0.499	0.25	18.1	265	42.3	19.4	16	148
OREAS 520 (4 Acid) Cert	111	5.85	1.01	1.19	2420	65.0	3.21	17.0	4.76	104	0.470	9.62	0.445	0.260	17.9	257	43.8	20.8	22.7	134
705671 Orig	55.0	10.4	8	1.08	598	2.9	1.7	14	2.6	90	0.4	1.8	0.362	2.79	0.6	105	0.5	18.1	500	148
705671 Dup	56.5	10.6	8	1.06	592	3.0	1.7	15	2.6	89	0.4	1.8	0.364	2.82	0.6	106	0.5	18.3	511	148
705688 Orig	5.5	2.8	< 1	1.47	1260	0.1	< 0.1	24	1.6	150	< 0.1	2.1	0.181	< 0.05	0.5	45	< 0.1	39.2	134	74.4
705688 Dup	5.6	2.7	< 1	1.52	1250	0.2	< 0.1	25	1.7	149	< 0.1	2.1	0.248	< 0.05	0.5	49	< 0.1	39.1	137	80.5
705703 Orig	121	2.9	1	0.46	211	8.1	0.1	7	4.0	19	0.3	4.0	0.219	0.59	0.9	18	1.1	40.3	115	232
705703 Dup	122	2.7	1	0.43	198	7.4	< 0.1	7	3.8	19	0.3	3.7	0.211	0.58	0.9	18	1.1	37.5	111	231
Method Blank	< 0.1	0.3	< 1	< 0.01	5	< 0.1	< 0.1	< 1	1.1	< 1	< 0.1	< 0.1	< 0.001	< 0.05	< 0.1	< 4	< 0.1	< 0.1	< 1	< 0.1
Method Blank	< 0.1	< 0.1	< 1	< 0.01	3	< 0.1	< 0.1	< 1	0.9	< 1	< 0.1	< 0.1	< 0.001	< 0.05	< 0.1	< 4	0.1	< 0.1	< 1	< 0.1
Method Blank	< 0.1	< 0.1	< 1	< 0.01	3	< 0.1	< 0.1	< 1	1.1	< 1	< 0.1	< 0.1	< 0.001	< 0.05	< 0.1	< 4	< 0.1	< 0.1	< 1	< 0.1



Date Submitted: 26-Feb-19
Invoice No.: A19-03019
Invoice Date: 13-Mar-19
Your Reference: February 26/2019

Visa Gold Resources
PO Box 417
Timmins Ontario P4N 7E3
Canada

ATTN: William MacRae

CERTIFICATE OF ANALYSIS

37 Rock samples were submitted for analysis.

The following analytical package(s) were requested:

Code UT-4M Total Digestion ICP/MS

REPORT **A19-03019**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

Any values for Au are for informational purposes and should be checked by fire assay code 1A2

CERTIFIED BY:

A handwritten signature in black ink, consisting of several loops and a vertical line, positioned above a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Activation Laboratories Ltd.

Report: A19-03019

Analyte Symbol	Al	Ag	As	Au	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Cs	Fe	Hf	K	La	Li	Na	Nb	Ni	P
Unit Symbol	%	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%
Lower Limit	0.01	0.1	1	100	1	1	0.1	0.01	0.1	1	0.2	1	0.1	0.1	0.01	0.1	0.01	0.1	0.1	0.001	0.1	0.1	0.001
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
705708	5.19	< 0.1	19	< 100	32	< 1	0.2	7.35	< 0.1	7	72.6	782	127	0.3	7.99	1.0	0.09	3.0	25.9	0.739	1.4	421	0.022
705709	3.92	< 0.1	19	< 100	9	< 1	< 0.1	8.81	0.1	9	48.0	806	42.9	0.2	5.77	1.3	0.03	4.1	18.6	0.660	1.7	377	0.023
705710	2.69	< 0.1	30	< 100	1	< 1	< 0.1	12.0	< 0.1	2	83.0	1780	44.2	0.3	6.38	0.5	< 0.01	0.8	13.6	0.025	0.4	1110	0.008
705711	2.50	< 0.1	48	< 100	2	< 1	< 0.1	17.9	0.6	2	88.9	1770	46.3	0.2	5.70	0.4	< 0.01	0.8	11.9	0.012	0.3	1050	0.008
705712	4.64	< 0.1	36	< 100	1	< 1	< 0.1	5.88	< 0.1	2	67.4	990	59.7	0.4	8.11	0.6	< 0.01	0.7	25.4	0.022	0.6	455	0.013
705713	4.25	< 0.1	78	< 100	18	< 1	< 0.1	13.2	< 0.1	3	74.8	1120	57.8	0.2	6.29	0.4	0.05	1.3	24.7	0.257	0.5	479	0.012
705714	4.00	< 0.1	59	< 100	201	< 1	< 0.1	15.1	< 0.1	4	70.8	1210	56.9	0.8	5.63	0.5	0.71	1.4	21.5	0.407	0.5	486	0.012
705715	6.06	0.2	14	< 100	253	< 1	0.2	7.82	< 0.1	35	31.2	246	93.5	2.2	3.27	3.8	2.84	14.8	13.4	0.725	5.4	168	0.052
705716	4.64	0.2	61	< 100	143	< 1	0.5	6.84	1.1	21	46.6	143	158	1.6	4.98	3.0	1.49	8.7	20.2	0.140	4.2	143	0.029
705717	4.25	0.2	59	< 100	9	< 1	0.3	5.19	0.7	9	67.6	1100	149	0.5	6.64	1.4	0.04	3.8	35.3	0.007	1.9	387	0.017
705718	3.95	0.6	181	< 100	127	< 1	1.0	6.41	3.3	29	72.8	185	245	2.4	6.01	2.6	1.47	12.2	14.4	0.155	4.1	248	0.026
705719	6.99	< 0.1	18	< 100	203	< 1	< 0.1	6.83	< 0.1	19	42.7	117	97.0	0.8	6.92	1.9	0.67	7.7	10.6	1.46	1.2	129	0.023
705720	7.84	< 0.1	22	< 100	85	< 1	< 0.1	7.97	< 0.1	9	44.4	112	70.6	0.3	8.03	1.0	0.16	3.3	7.9	1.22	0.5	148	0.026
705721	6.87	< 0.1	< 1	< 100	123	< 1	0.3	4.17	< 0.1	17	42.4	42	94.1	0.4	9.31	1.6	0.22	6.2	12.8	2.42	1.7	36.1	0.051
705722	7.13	< 0.1	< 1	< 100	279	< 1	0.8	3.38	< 0.1	17	45.1	44	136	1.0	10.1	1.7	0.71	6.4	14.3	2.62	2.1	37.0	0.051
705723	7.02	< 0.1	< 1	< 100	176	< 1	1.0	2.99	< 0.1	17	56.5	52	151	0.7	11.4	1.8	0.40	6.4	17.1	2.60	2.0	42.5	0.056
705724	6.77	< 0.1	< 1	< 100	189	< 1	1.0	2.73	< 0.1	18	42.9	52	141	0.7	10.4	1.9	0.42	6.9	17.4	2.61	0.4	34.3	0.050
705725	6.84	< 0.1	< 1	< 100	74	< 1	1.4	2.32	< 0.1	17	58.0	39	180	0.4	11.7	2.0	0.19	6.1	20.5	2.40	0.6	43.6	0.050
705726	6.68	< 0.1	< 1	< 100	101	< 1	1.4	2.41	< 0.1	17	54.2	38	230	0.7	11.2	1.7	0.35	6.6	18.4	2.51	0.6	40.9	0.048
705727	6.99	< 0.1	< 1	< 100	52	< 1	1.0	2.73	< 0.1	18	47.6	43	175	0.3	10.2	1.9	0.10	6.5	20.6	2.65	2.2	41.1	0.053
705728	6.04	< 0.1	5	< 100	169	< 1	< 0.1	6.89	< 0.1	12	43.2	52	108	0.9	8.49	1.5	0.39	4.3	22.8	1.53	0.9	45.5	0.041
705729	5.97	< 0.1	3	< 100	144	< 1	< 0.1	7.63	< 0.1	13	43.6	74	88.5	1.3	7.98	1.6	0.34	5.0	30.0	1.35	1.9	53.1	0.038
705730	6.27	< 0.1	3	< 100	56	< 1	< 0.1	5.99	< 0.1	11	41.7	66	85.0	0.3	8.43	1.5	0.07	3.9	9.0	1.69	2.4	55.4	0.039
705731	5.99	< 0.1	14	< 100	92	< 1	< 0.1	6.21	0.2	12	45.1	73	93.8	0.3	8.59	1.5	0.26	4.5	23.8	1.22	0.3	56.5	0.033
705732	5.88	< 0.1	36	< 100	199	< 1	< 0.1	6.56	0.3	12	45.2	100	83.1	1.2	9.02	1.1	0.77	4.5	23.0	1.07	< 0.1	57.8	0.026
705733	6.40	< 0.1	120	< 100	137	< 1	0.1	6.64	0.2	25	48.7	64	258	0.6	8.08	2.5	0.35	10.6	14.7	3.32	0.4	83.5	0.034
705734	5.85	< 0.1	< 1	< 100	69	< 1	< 0.1	4.13	0.5	39	19.5	7	22.4	0.2	3.44	2.2	0.16	15.8	8.6	3.41	0.1	10.9	0.110
705735	6.43	< 0.1	16	< 100	30	< 1	< 0.1	4.14	< 0.1	23	54.0	15	186	0.3	11.1	2.1	0.02	8.8	15.4	2.57	1.5	19.0	0.096
705736	7.00	< 0.1	58	< 100	358	< 1	< 0.1	5.43	< 0.1	18	48.3	127	57.6	3.6	8.43	1.1	1.20	6.2	77.3	0.436	2.0	114	0.063
705737	7.43	< 0.1	57	< 100	375	< 1	< 0.1	5.54	< 0.1	19	49.2	131	60.3	3.7	8.58	1.2	1.24	6.5	79.4	0.459	2.1	114	0.064
705738	6.69	< 0.1	675	800	603	7	0.4	0.01	< 0.1	77	3.9	164	35.8	6.4	3.36	1.5	2.46	37.8	32.4	0.066	0.8	30.0	0.027
705739	6.98	< 0.1	60	< 100	222	< 1	< 0.1	5.93	< 0.1	18	48.2	175	69.7	2.9	8.50	1.3	1.06	6.3	65.6	0.685	2.5	114	0.065
705740	6.01	< 0.1	148	< 100	117	< 1	< 0.1	8.12	< 0.1	17	42.7	93	44.7	3.1	7.34	1.1	1.28	6.0	4.5	2.34	2.0	102	0.056
705741	3.56	1.1	648	< 100	86	< 1	1.6	3.98	0.7	32	95.7	68	316	4.3	14.4	2.0	1.31	12.9	8.5	0.221	1.5	432	0.061
705742	8.12	< 0.1	204	< 100	96	< 1	< 0.1	4.70	< 0.1	20	59.5	107	70.0	4.8	5.53	1.5	2.80	6.5	3.5	2.09	1.9	131	0.073
705743	6.34	< 0.1	195	< 100	291	< 1	< 0.1	7.97	< 0.1	19	48.0	94	61.3	4.1	6.28	1.1	2.30	6.6	4.4	0.910	1.2	108	0.058
705744	6.84	< 0.1	183	< 100	320	< 1	< 0.1	8.25	< 0.1	18	51.1	103	65.4	4.7	6.30	1.2	2.55	6.2	4.9	0.678	1.1	110	0.056

Results

Activation Laboratories Ltd.

Report: A19-03019

Analyte Symbol	Rb	Pb	S	Mg	Mn	Mo	Sb	Sc	Sn	Sr	Ta	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit Symbol	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.1	1	0.01	1	0.1	0.1	1	0.1	1	0.1	0.1	0.001	0.05	0.1	4	0.1	0.1	1	0.1
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
705708	2.8	1.9	< 1	6.67	1740	0.5	0.1	29	0.8	37	< 0.1	0.3	0.316	0.06	< 0.1	167	0.2	12.1	103	34.7
705709	0.8	1.0	< 1	6.51	1470	0.4	< 0.1	18	2.2	33	0.1	0.7	0.222	< 0.05	0.2	95	0.2	10.0	135	48.6
705710	0.1	0.8	< 1	8.92	1620	0.4	< 0.1	17	0.2	41	< 0.1	< 0.1	0.151	0.05	< 0.1	81	0.1	5.9	97	15.3
705711	< 0.1	1.0	< 1	5.97	2310	0.6	< 0.1	16	0.1	71	< 0.1	< 0.1	0.128	< 0.05	< 0.1	70	0.1	7.5	160	12.2
705712	0.1	0.3	< 1	9.69	1770	0.2	< 0.1	29	0.2	13	< 0.1	< 0.1	0.259	< 0.05	< 0.1	161	0.1	9.5	82	16.6
705713	1.7	1.1	< 1	4.73	2370	0.2	< 0.1	25	0.2	57	< 0.1	< 0.1	0.231	0.06	< 0.1	146	0.2	12.1	82	14.0
705714	26.3	1.9	2	3.26	2420	0.2	< 0.1	25	0.2	71	< 0.1	< 0.1	0.220	0.69	< 0.1	137	0.2	11.9	76	16.0
705715	97.7	3.9	1	1.55	1130	2.3	< 0.1	15	1.5	40	0.4	2.5	0.348	2.28	0.6	91	0.5	18.6	51	137
705716	55.1	23.2	3	3.23	1090	3.9	1.6	11	1.9	62	0.4	2.2	0.232	1.46	0.6	68	0.4	12.4	563	105
705717	1.0	14.0	3	6.66	1500	1.9	1.4	21	1.1	50	0.1	1.0	0.209	0.39	0.3	107	0.7	10.1	414	46.1
705718	60.5	62.7	5	1.81	730	8.0	7.8	14	4.7	52	0.3	2.8	0.182	2.79	0.9	62	0.5	15.4	1640	87.2
705719	24.1	1.3	< 1	3.54	1480	0.7	< 0.1	28	1.7	99	< 0.1	1.0	0.349	0.54	0.2	165	0.1	19.5	123	56.4
705720	5.0	0.9	< 1	3.31	2180	0.8	0.1	35	1.5	134	< 0.1	0.3	0.353	0.11	< 0.1	177	0.1	16.5	143	30.2
705721	6.9	0.8	1	4.00	2030	0.3	< 0.1	44	1.4	77	< 0.1	0.6	0.609	0.09	0.1	282	< 0.1	26.1	86	55.3
705722	25.3	1.4	2	4.68	1960	0.2	< 0.1	43	1.7	58	< 0.1	0.6	0.666	0.32	0.1	281	< 0.1	26.5	57	57.0
705723	15.0	1.7	3	5.18	1920	0.2	< 0.1	44	1.7	51	< 0.1	0.6	0.671	0.20	0.1	286	0.1	28.0	58	63.7
705724	14.4	1.5	3	4.93	1670	0.1	< 0.1	43	1.0	47	< 0.1	0.6	0.435	0.17	0.1	253	< 0.1	26.3	57	71.1
705725	6.6	1.7	4	5.35	1750	0.1	< 0.1	42	2.0	36	< 0.1	0.7	0.455	0.12	0.2	217	0.1	26.3	57	69.9
705726	13.5	1.8	4	4.86	1670	0.1	< 0.1	41	1.6	40	< 0.1	0.6	0.470	0.20	0.1	200	< 0.1	26.1	45	63.0
705727	2.6	1.9	3	4.55	1770	0.5	< 0.1	44	1.3	40	< 0.1	0.6	0.664	0.08	0.1	288	0.3	27.8	50	68.9
705728	15.0	0.9	1	3.05	1490	0.2	< 0.1	37	0.6	43	< 0.1	0.5	0.509	0.15	0.1	214	0.2	21.8	93	51.4
705729	11.6	1.0	< 1	3.43	1290	0.6	0.2	37	0.5	56	< 0.1	0.4	0.567	0.11	0.1	240	0.7	20.5	69	53.9
705730	1.4	0.6	< 1	3.84	1260	0.2	< 0.1	39	0.5	94	0.1	0.4	0.610	< 0.05	0.1	259	0.4	19.7	82	55.9
705731	8.3	1.0	< 1	3.28	1440	0.1	< 0.1	38	< 0.1	108	< 0.1	0.4	0.347	0.06	0.1	205	0.2	10.5	149	51.1
705732	28.5	0.8	< 1	3.03	1290	< 0.1	< 0.1	38	0.1	113	< 0.1	0.4	0.256	0.22	0.1	180	0.1	12.5	191	37.9
705733	11.4	4.7	1	1.63	982	0.4	< 0.1	32	1.4	126	< 0.1	1.5	0.310	0.09	0.4	167	0.1	19.2	217	88.3
705734	4.3	2.5	< 1	0.77	701	< 0.1	< 0.1	19	0.8	137	< 0.1	1.8	0.219	< 0.05	0.5	39	< 0.1	33.2	126	77.1
705735	0.3	2.7	< 1	2.29	1180	0.6	< 0.1	28	1.4	89	< 0.1	0.5	0.549	< 0.05	0.1	162	< 0.1	23.5	85	85.1
705736	41.4	0.6	< 1	3.85	1460	0.4	< 0.1	32	0.3	123	< 0.1	0.2	0.419	0.58	< 0.1	210	0.1	7.9	107	45.5
705737	43.0	0.5	< 1	3.99	1490	0.3	< 0.1	33	0.3	128	< 0.1	0.2	0.415	0.57	< 0.1	215	0.2	8.0	99	49.2
705738	126	20.6	< 1	0.26	56	0.4	6.4	14	1.3	58	< 0.1	14.9	0.189	0.76	3.4	50	0.4	16.9	66	64.5
705739	37.7	0.9	< 1	4.00	1260	0.3	< 0.1	34	0.4	175	0.1	0.2	0.482	0.52	< 0.1	215	0.4	8.3	109	51.0
705740	42.0	1.9	4	2.75	1320	0.3	0.3	29	0.9	224	< 0.1	0.2	0.403	0.62	< 0.1	187	0.7	7.6	58	44.2
705741	47.3	34.8	> 10.0	0.73	1010	19.0	9.1	15	1.8	84	< 0.1	2.7	0.097	1.56	0.8	81	1.5	17.5	313	80.5
705742	76.8	3.1	4	1.44	1630	0.6	1.1	40	0.7	102	< 0.1	0.2	0.414	0.93	< 0.1	271	2.3	8.5	55	58.3
705743	68.1	1.3	2	2.36	2700	0.5	0.3	30	0.3	159	< 0.1	0.2	0.238	0.73	< 0.1	187	1.4	7.1	55	43.0
705744	77.7	0.9	< 1	2.42	2790	1.0	0.2	33	0.3	168	< 0.1	0.2	0.255	0.87	< 0.1	205	1.1	6.8	50	46.2

Analyte Symbol	Al	Ag	As	Au	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Cs	Fe	Hf	K	La	Li	Na	Nb	Ni	P
Unit Symbol	%	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%
Lower Limit	0.01	0.1	1	100	1	1	0.1	0.01	0.1	1	0.2	1	0.1	0.1	0.01	0.1	0.01	0.1	0.1	0.001	0.1	0.1	0.001
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
GXR-4 Meas	7.18	3.1	103	400	275	2	19.5	0.97	0.1	98	13.2	45	5830	2.5	2.94	1.3	3.90	51.9	12.0	0.475	8.4	36.9	0.133
GXR-4 Cert	7.20	4.0	98.0	500	1640	1.90	19.0	1.01	0.860	102	14.6	64.0	6520	2.80	3.09	6.30	4.01	64.5	11.1	0.564	10.0	42.0	0.120
SDC-1 Meas	8.30		< 1		640	3		1.00		86	17.7	57	30.9	3.8	4.89	1.1	2.46	36.7	34.3	1.52	< 0.1	35.6	0.061
SDC-1 Cert	8.34		0.220		630	3.00		1.00		93.00	18.0	64.00	30.000	4.00	4.82	8.30	2.72	42.00	34.0	1.52	21.00	38.0	0.0690
GXR-6 Meas	12.9	0.3	308	< 100	1370	1	0.2	0.17	< 0.1	35	12.9	70	69.5	3.8	5.32	2.8	1.83	12.3	35.1	0.099	5.1	22.5	0.037
GXR-6 Cert	17.7	1.30	330	95.0	1300	1.40	0.290	0.180	1.00	36.0	13.8	96.0	66.0	4.20	5.58	4.30	1.87	13.9	32.0	0.104	7.50	27.0	0.0350
OREAS 98 (4 Acid) Meas		46.4					86.1				134		> 10000										
OREAS 98 (4 Acid) Cert		45.1					97.2				121		14800 0.0										
DNC-1a Meas					109			8.04			58.3	141	108		7.21			3.7	4.7	1.40	1.6	272	
DNC-1a Cert					118			8.21			57	270	100		6.97			3.6	5.2	1.40	3	247	
SBC-1 Meas			26		811	3	0.7		0.4	100	22.1	100	33.0	7.8		3.5		47.0	165		15.2	86.6	
SBC-1 Cert			25.7		788.0	3.20	0.70		0.40	108.0	22.7	109	31.0	8.2		3.7		52.5	163		15.3	82.8	
OREAS 45d (4-Acid) Meas	8.07		8		195	< 1	0.4	0.18		39	32.9	528	404	3.7	15.7	1.3	0.44	17.2	21.9	0.094	0.1	252	0.038
OREAS 45d (4-Acid) Cert	8.150		13.8		183.0	0.79	0.31	0.185		37.20	29.50	549	371	3.910	14.5	3.830	0.412	16.9	21.5	0.101	14.50	231.0	0.042
OREAS 96 (4 Acid) Meas		10.4					26.9				51.1		> 10000										
OREAS 96 (4 Acid) Cert		11.5					26.3				49.9		39300										
OREAS 923 (4 Acid) Meas	7.74	1.6	7		438	2	20.2	0.49	0.4	79	23.0	84	4250	6.2	6.58	3.6	2.72	38.8	30.9	0.318	14.6	36.8	0.068
OREAS 923 (4 Acid) Cert	7.29	1.60	7.61		434	2.42	21.4	0.473	0.420	83.0	23.1	71.0	4230	6.70	6.43	3.42	2.51	42.2	31.4	0.324	14.1	35.8	0.0630
OREAS 621 (4 Acid) Meas	6.48	58.1	69			2	3.9	1.91	279	51	29.2	31	3570	3.0	3.76	4.6	2.32	22.1	13.3	1.27	9.6	27.3	0.037
OREAS 621 (4 Acid) Cert	6.40	69.0	77.0			1.69	3.93	1.97	284	46.6	29.3	37.1	3630	3.28	3.70	4.41	2.20	21.6	14.2	1.31	8.61	26.2	0.0359
OREAS 520 (4 Acid) Meas	5.44	0.4	107			1	3.0	4.13		77	195	46	2850	0.7	17.1	3.5	3.43	64.0	15.7	1.27	1.6	77.3	0.072
OREAS 520 (4 Acid) Cert	5.63	0.450	153			1.06	2.94	4.10		86.0	203	36.4	2930	0.800	16.4	3.53	3.46	85.0	16.9	1.35	5.68	76.0	0.0740
705710 Orig	2.70	< 0.1	31	< 100	1	< 1	< 0.1	12.1	< 0.1	2	84.7	2000	43.9	0.3	6.45	0.5	< 0.01	0.8	13.9	0.026	0.4	1120	0.009
705710 Dup	2.68	< 0.1	28	< 100	2	< 1	< 0.1	11.8	< 0.1	2	81.4	1560	44.5	0.3	6.31	0.4	< 0.01	0.8	13.4	0.025	0.4	1100	0.008
705721 Orig	6.85	< 0.1	< 1	< 100	124	< 1	0.4	4.18	< 0.1	17	43.0	41	92.4	0.4	9.36	1.6	0.22	6.3	12.9	2.41	1.4	35.7	0.050
705721 Dup	6.89	< 0.1	< 1	< 100	121	< 1	0.3	4.16	< 0.1	17	41.8	44	95.8	0.4	9.27	1.6	0.21	6.2	12.6	2.43	2.0	36.6	0.051
705734 Orig	5.81	< 0.1	< 1	< 100	69	< 1	< 0.1	4.10	0.5	39	19.4	8	21.0	0.2	3.44	2.2	0.16	16.0	8.6	3.40	0.2	10.2	0.111
705734 Dup	5.89	< 0.1	1	< 100	69	< 1	< 0.1	4.16	0.5	38	19.6	6	23.7	0.2	3.45	2.3	0.17	15.5	8.6	3.42	0.1	11.6	0.109
Method Blank	< 0.01	< 0.1	< 1	< 100	< 1	< 1	< 0.1	< 0.01	< 0.1	< 1	< 0.2	4	< 0.1	< 0.1	< 0.01	< 0.1	< 0.01	< 0.1	< 0.1	< 0.001	< 0.1	< 0.1	< 0.001

Analyte Symbol	Rb	Pb	S	Mg	Mn	Mo	Sb	Sc	Sn	Sr	Ta	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit Symbol	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.1	1	0.01	1	0.1	0.1	1	0.1	1	0.1	0.1	0.001	0.05	0.1	4	0.1	0.1	1	0.1
Method Code	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS	TD-MS
GXR-4 Meas	131	46.9	2	1.65	163	270	4.0	7	6.4	203	0.5	20.7	0.248	2.98	5.4	78	36.3	12.0	76	41.0
GXR-4 Cert	160	52.0	1.77	1.66	155	310	4.80	7.70	5.60	221	0.790	22.5	0.29	3.20	6.20	87.0	30.8	14.0	73.0	186
SDC-1 Meas	109	23.7		0.98	874		< 0.1	15	0.3	175	< 0.1	11.3	0.196	0.64	2.6	50	< 0.1		111	41.4
SDC-1 Cert	127.00	25.00		1.02	880.00		0.54	17.00	3.00	180.00	1.20	12.00	0.606	0.70	3.10	102.00	0.80		103.00	290.00
GXR-6 Meas	74.5	96.2	< 1	0.60	1010	2.8	2.0	24	1.2	41	0.2	5.2		2.18	1.4	165	0.9	11.3	131	91.4
GXR-6 Cert	90.0	101	0.0160	0.609	1010	2.40	3.60	27.6	1.70	35.0	0.485	5.30		2.20	1.54	186	1.90	14.0	118	110
OREAS 98 (4 Acid) Meas		292	> 10.0				10.1		206											1440
OREAS 98 (4 Acid) Cert		345	15.5				20.1		206											1360
DNC-1a Meas	3.7	6.0					0.8	32		156			0.291			146		16.4	71	40.1
DNC-1a Cert	5	6.3					0.96	31		144			0.29			148		18.0	70	38.0
SBC-1 Meas	134	35.6				2.1	0.9	20	3.3	179	1.1	15.6	0.489	0.92	5.6	209	1.6	29.4	206	134
SBC-1 Cert	147	35.0				2.4	1.01	20.0	3.3	178.0	1.10	15.8	0.51	0.89	5.76	220.0	1.60	36.5	186	134.0
OREAS 45d (4-Acid) Meas	47.2	21.0	< 1	0.20	534	0.3	< 0.1	52	0.6	35	< 0.1	14.4	0.166	0.25	2.7	88	< 0.1	11.8	50	55.8
OREAS 45d (4-Acid) Cert	42.1	21.8	0.049	0.245	490.000	2.500	0.82	49.30	2.78	31.30	1.02	14.5	0.773	0.27	2.63	235.0	1.62	9.53	45.7	141
OREAS 96 (4 Acid) Meas		93.4	4				4.9		62.0											484
OREAS 96 (4 Acid) Cert		101	4.19				5.09		65.6											457
OREAS 923 (4 Acid) Meas	154	81.5	< 1	1.71	1000	1.6	1.2	12	13.3	43	1.1	16.2	0.396	0.85	2.9	86	4.6	24.7	361	126
OREAS 923 (4 Acid) Cert	166	83.0	0.691	1.69	950	0.930	1.29	13.1	13.3	43.0	1.11	16.5	0.405	0.860	3.06	91.0	4.85	26.4	345	116
OREAS 621 (4 Acid) Meas	81.0	> 5000	4	0.50	548	13.5	34.3	6	5.1	80		7.1	0.182	2.08	2.8	32	2.2	12.2	> 10000	170
OREAS 621 (4 Acid) Cert	84.0	13600	4.48	0.507	532	13.6	139	6.24	5.25	91.0		7.48	0.149	1.96	2.83	31.8	2.35	11.1	52200	168
OREAS 520 (4 Acid) Meas	112	5.5	1	1.16	2530	55.2	1.2	17	4.3	92	< 0.1	7.0	0.417	0.26	17.1	255	5.8	20.8	20	145
OREAS 520 (4 Acid) Cert	111	5.85	1.01	1.19	2420	65.0	3.21	17.0	4.76	104	0.470	9.62	0.445	0.260	17.9	257	43.8	20.8	22.7	134
705710 Orig	0.1	0.8	< 1	9.09	1640	0.2	< 0.1	18	0.2	41	< 0.1	0.1	0.154	0.05	< 0.1	76	0.1	6.0	97	15.3
705710 Dup	0.1	0.8	< 1	8.76	1610	0.6	< 0.1	17	0.2	40	< 0.1	< 0.1	0.148	0.05	< 0.1	86	0.2	5.7	97	15.2
705721 Orig	7.1	0.8	1	4.01	2030	0.2	< 0.1	44	1.6	77	< 0.1	0.6	0.569	0.09	0.1	274	< 0.1	26.3	85	55.3
705721 Dup	6.7	0.8	1	3.99	2030	0.4	< 0.1	43	1.1	78	< 0.1	0.6	0.650	0.08	0.1	289	0.1	25.9	88	55.4
705734 Orig	4.3	2.5	< 1	0.76	699	0.3	< 0.1	18	0.6	137	< 0.1	1.8	0.212	< 0.05	0.5	40	< 0.1	33.3	125	76.0
705734 Dup	4.4	2.4	< 1	0.78	702	< 0.1	< 0.1	19	0.9	136	< 0.1	1.7	0.226	< 0.05	0.5	39	< 0.1	33.1	127	78.2
Method Blank	< 0.1	< 0.1	< 1	< 0.01	4	< 0.1	< 0.1	< 1	< 0.1	< 1	< 0.1	< 0.1	< 0.001	< 0.05	< 0.1	< 4	0.1	< 0.1	< 1	< 0.1



Date Submitted: 03-Sep-19
Invoice No.: A19-11669
Invoice Date: 11-Sep-19
Your Reference: Sept 03/19

Visa Gold Resources
789 Aragon Ave.
Toronto ON M1T 1Y1
Canada

ATTN: Sethu Raman

CERTIFICATE OF ANALYSIS

15 Rock samples were submitted for analysis.

The following analytical package(s) were requested:

1E3-Timmins	QOP AquaGeo (Aqua Regia ICPOES)
-------------	---------------------------------

REPORT A19-11669

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

Emmanuel Eseme , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
1752 Riverside Drive, Timmins, Ontario, Canada, P4R 1N1
TELEPHONE +705 264-0123 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Timmins@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La	Mg
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	%
Lower Limit	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10	0.01
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
705751	< 0.2	< 0.5	76	1080	< 1	124	< 2	82	3.76	32	< 10	40	< 0.5	< 2	4.58	32	130	7.80	< 10	< 1	0.17	< 10	2.69
705752	< 0.2	< 0.5	54	1100	< 1	125	< 2	100	4.03	42	< 10	24	< 0.5	< 2	4.12	34	140	7.96	10	2	0.10	< 10	3.11
705753	0.3	1.8	125	471	4	48	10	623	0.86	9	< 10	34	< 0.5	< 2	4.08	25	6	4.35	< 10	< 1	0.16	< 10	0.37
705754	< 0.2	< 0.5	70	964	< 1	128	< 2	116	2.09	31	< 10	35	< 0.5	< 2	5.13	44	129	5.40	< 10	< 1	0.16	< 10	1.24
705755	< 0.2	0.6	81	1350	< 1	155	< 2	106	2.97	53	< 10	30	< 0.5	< 2	4.18	48	180	7.07	< 10	< 1	0.14	< 10	1.59
705756	< 0.2	1.0	44	1130	< 1	20	3	335	3.28	12	< 10	11	< 0.5	< 2	3.78	21	23	8.85	20	< 1	0.02	< 10	1.56
705757	< 0.2	1.9	89	338	4	17	14	399	0.71	6	< 10	60	< 0.5	< 2	1.64	30	4	3.36	< 10	< 1	0.18	21	0.26
705758	< 0.2	4.3	21	1120	< 1	11	< 2	955	3.61	8	< 10	19	< 0.5	< 2	3.09	17	12	9.39	20	< 1	0.04	11	1.86
705759	< 0.2	0.9	44	1210	< 1	12	< 2	275	3.42	3	< 10	16	< 0.5	< 2	3.13	21	15	9.38	20	< 1	0.04	< 10	1.84
705760	0.6	< 0.5	40	971	2	126	116	118	2.28	39	< 10	14	< 0.5	3	2.60	189	16	16.5	< 10	< 1	0.06	< 10	1.17
705761	< 0.2	0.5	22	1200	1	28	17	51	1.91	6	< 10	13	< 0.5	< 2	4.88	28	12	7.08	< 10	< 1	0.04	< 10	0.99
705762	< 0.2	< 0.5	122	1750	< 1	82	< 2	94	3.36	< 2	< 10	< 10	< 0.5	< 2	4.16	43	148	8.41	10	< 1	< 0.01	< 10	2.10
705763	0.3	< 0.5	108	1240	< 1	53	36	109	1.74	11	< 10	12	< 0.5	< 2	5.55	31	13	10.7	< 10	< 1	0.04	< 10	0.90
705764	0.4	10.1	223	663	2	67	42	3790	1.56	8	< 10	32	< 0.5	< 2	1.75	53	8	9.87	< 10	< 1	0.14	< 10	0.74
705765	< 0.2	< 0.5	56	2950	< 1	9	6	146	2.97	19	< 10	24	< 0.5	< 2	3.05	22	12	10.3	10	1	0.07	< 10	1.65

Analyte Symbol	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
705751	0.017	0.044	0.31	< 2	8	44	0.28	< 20	< 1	< 2	< 10	91	< 10	11	7
705752	0.018	0.044	0.02	3	9	102	0.23	< 20	< 1	< 2	< 10	103	< 10	7	6
705753	0.014	0.021	2.59	< 2	2	39	0.06	< 20	< 1	< 2	< 10	9	< 10	10	15
705754	0.036	0.030	0.88	< 2	9	52	0.34	< 20	1	< 2	< 10	86	< 10	10	5
705755	0.043	0.036	0.30	3	12	44	0.35	< 20	< 1	< 2	< 10	128	< 10	10	5
705756	0.032	0.172	0.16	2	26	45	0.01	< 20	< 1	< 2	< 10	88	< 10	17	10
705757	0.017	0.012	2.04	< 2	1	9	< 0.01	< 20	< 1	< 2	< 10	3	< 10	9	13
705758	0.028	0.251	0.17	3	23	33	0.01	< 20	< 1	< 2	< 10	48	< 10	15	9
705759	0.026	0.221	0.47	2	23	32	0.01	< 20	< 1	< 2	< 10	59	< 10	20	10
705760	0.014	0.050	10.7	17	8	12	< 0.01	< 20	< 1	< 2	< 10	41	< 10	12	16
705761	0.015	0.030	2.07	5	7	40	< 0.01	< 20	2	< 2	< 10	31	< 10	14	10
705762	0.043	0.026	0.10	< 2	16	21	0.39	< 20	< 1	< 2	< 10	232	< 10	10	6
705763	0.013	0.034	6.19	7	7	33	< 0.01	< 20	< 1	< 2	< 10	30	< 10	15	10
705764	0.017	0.024	7.03	6	2	15	< 0.01	< 20	< 1	< 2	< 10	15	< 10	6	22
705765	0.024	0.049	1.08	3	16	59	0.05	< 20	< 1	< 2	< 10	123	< 10	5	12

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La	Mg
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	%
Lower Limit	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10	0.01
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-6 Meas	0.2	< 0.5	71	970	1	20	87	116	6.32	230	< 10	832	0.8	< 2	0.14	10	79	5.38	20	< 1	0.94	< 10	0.35
GXR-6 Cert	1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9	0.609
OREAS 134b (AQUA REGIA) Meas	> 100	604	1450				> 5000	> 10000		226						94		11.8					
OREAS 134b (AQUA REGIA) Cert	204	563	1360				133000	177000		221						110		12.25					
OREAS 133a (Aqua Regia) Meas	90.2	295	327				> 5000	> 10000		131		31				18		7.23					
OREAS 133a (Aqua Regia) Cert	97	297	324				48600.00	106000.00		140		59				23		7.92					
OREAS 907 (Aqua Regia) Meas	1.2	0.8	6890	339	5	4	34	149	1.08	36		225	1.0	18	0.24	42	9	8.29	20		0.30	36	0.21
OREAS 907 (Aqua Regia) Cert	1.30	0.540	6370	330	5.64	4.74	34.1	139	0.945	37.0		225	0.870	22.3	0.280	43.7	8.59	8.18	14.7		0.286	36.1	0.221
Oreas 621 (Aqua Regia) Meas	69.1	300	3970	553	13	29	> 5000	> 10000	1.66	83			0.6	< 2	1.49	29	36	3.54	< 10	4	0.32	20	0.43
Oreas 621 (Aqua Regia) Cert	68.0	278	3660	520	13.3	25.8	13600	51700	1.60	75.0			0.530	3.85	1.65	27.9	31.3	3.43	9.29	3.93	0.333	19.4	0.436
705751 Orig	< 0.2	< 0.5	76	1090	< 1	125	< 2	82	3.79	32	< 10	40	< 0.5	< 2	4.61	32	131	7.94	< 10	< 1	0.17	< 10	2.73
705751 Dup	< 0.2	< 0.5	76	1070	< 1	122	< 2	82	3.73	32	< 10	39	< 0.5	2	4.55	32	129	7.67	< 10	1	0.17	< 10	2.65
Method Blank	< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10	< 0.01

Analyte Symbol	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-6 Meas	0.083	0.029	0.01	5	19	33		< 20	< 1	< 2	< 10	168	< 10	5	12
GXR-6 Cert	0.104	0.0350	0.0160	3.60	27.6	35.0		5.30	0.0180	2.20	1.54	186	1.90	14.0	110
OREAS 134b (AQUA REGIA) Meas			15.0												
OREAS 134b (AQUA REGIA) Cert			19.31												
OREAS 133a (Aqua Regia) Meas			9.13	145											
OREAS 133a (Aqua Regia) Cert			10.7	147											
OREAS 907 (Aqua Regia) Meas	0.098	0.023	0.06	5	2	13	0.02	< 20	< 1	< 2	< 10	6	< 10	7	53
OREAS 907 (Aqua Regia) Cert	0.0860	0.0240	0.0660	2.28	2.16	11.7	0.0170	8.04	0.230	0.120	2.15	5.12	0.980	6.52	43.7
Oreas 621 (Aqua Regia) Meas	0.173	0.033	4.27	132	2	20		< 20		< 2	< 10	13	< 10	7	68
Oreas 621 (Aqua Regia) Cert	0.160	0.0335	4.50	107	2.20	18.9		5.91		0.770	1.63	10.9	1.00	6.87	55.0
705751 Orig	0.017	0.044	0.31	< 2	9	44	0.28	< 20	< 1	< 2	< 10	92	< 10	11	7
705751 Dup	0.017	0.043	0.30	2	8	44	0.28	< 20	< 1	< 2	< 10	91	< 10	11	6
Method Blank	< 0.001	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1



Date Submitted: 09-Sep-19
Invoice No.: A19-11965
Invoice Date: 11-Sep-19
Your Reference: Sept 09/19

Visa Gold Resources
PO Box 417
Timmins Ontario P4N 7E3
Canada

ATTN: William MacRae

CERTIFICATE OF ANALYSIS

16 Rock samples were submitted for analysis.

The following analytical package(s) were requested:

1E3-Timmins	QOP AquaGeo (Aqua Regia ICPOES)
-------------	---------------------------------

REPORT A19-11965

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

Emmanuel Eseme , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
1752 Riverside Drive, Timmins, Ontario, Canada, P4R 1N1
TELEPHONE +705 264-0123 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Timmins@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Activation Laboratories Ltd.

Report: A19-11965

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La	Mg
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	%
Lower Limit	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10	0.01
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
705766	< 0.2	< 0.5	113	1290	< 1	63	4	122	2.73	38	< 10	< 10	< 0.5	< 2	2.72	35	128	6.40	< 10	< 1	< 0.01	< 10	1.89
705767	0.9	7.8	387	714	2	73	47	3230	1.09	54	10	24	< 0.5	< 2	2.55	64	63	6.76	< 10	< 1	0.13	< 10	0.97
705768	0.6	3.5	251	258	2	26	29	1850	0.66	17	< 10	28	< 0.5	< 2	0.56	23	7	3.78	< 10	< 1	0.18	15	0.38
705769	< 0.2	1.0	93	342	< 1	5	10	538	0.73	5	< 10	27	< 0.5	< 2	0.74	6	8	2.46	< 10	< 1	0.15	< 10	0.44
705770	0.6	4.1	244	300	1	18	34	2070	0.47	25	< 10	22	< 0.5	< 2	2.26	19	9	2.46	< 10	< 1	0.11	< 10	0.30
705771	1.2	10.6	761	343	2	61	49	5090	0.76	7	< 10	39	< 0.5	< 2	0.42	56	5	6.92	< 10	< 1	0.21	12	0.57
705772	5.2	34.0	2270	345	5	139	151	> 10000	0.38	106	< 10	24	< 0.5	< 2	2.12	138	16	8.54	< 10	1	0.12	< 10	0.25
705773	1.8	12.8	1040	565	4	133	83	6060	0.67	107	< 10	17	< 0.5	< 2	2.80	163	19	11.7	< 10	< 1	0.07	15	0.65
705774	< 0.2	0.8	121	1250	< 1	77	2	177	3.36	3	< 10	< 10	< 0.5	< 2	1.82	40	163	8.00	10	< 1	< 0.01	< 10	2.60
705775	< 0.2	0.5	90	1190	< 1	66	< 2	100	3.35	11	< 10	< 10	< 0.5	< 2	4.02	34	131	7.82	< 10	< 1	< 0.01	< 10	2.69
705776	0.2	0.7	235	1680	< 1	83	< 2	269	3.56	27	< 10	22	< 0.5	< 2	5.50	52	125	9.29	10	< 1	0.09	< 10	2.62
705777	0.5	2.1	284	361	2	44	20	1020	0.44	20	< 10	32	< 0.5	< 2	5.26	60	6	3.69	< 10	< 1	0.19	< 10	0.16
705778	< 0.2	< 0.5	51	1070	< 1	3	< 2	132	2.39	3	< 10	24	< 0.5	< 2	2.28	20	4	7.13	< 10	1	0.14	10	1.46
705779	0.6	3.3	359	1180	3	71	22	1650	2.12	34	< 10	21	< 0.5	< 2	2.34	71	19	8.68	< 10	1	0.12	< 10	1.18
705780	< 0.2	0.8	166	2180	< 1	98	2	399	3.51	2	< 10	< 10	< 0.5	< 2	3.62	29	176	13.0	< 10	< 1	0.01	< 10	1.74
705781	< 0.2	0.6	114	1450	< 1	131	< 2	95	2.95	2	< 10	< 10	< 0.5	< 2	3.07	39	289	8.05	< 10	1	< 0.01	< 10	2.03

Analyte Symbol	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
705766	0.037	0.038	0.49	3	9	25	0.38	< 20	< 1	< 2	< 10	146	< 10	10	11
705767	0.053	0.038	3.71	2	10	9	0.32	< 20	< 1	< 2	< 10	91	< 10	13	16
705768	0.049	0.039	1.95	< 2	3	4	0.13	< 20	< 1	< 2	< 10	10	< 10	7	30
705769	0.080	0.027	1.01	< 2	2	7	0.09	< 20	2	< 2	< 10	8	< 10	5	25
705770	0.060	0.022	1.29	< 2	2	14	0.07	< 20	3	< 2	< 10	7	< 10	3	15
705771	0.036	0.029	4.15	3	1	3	0.09	< 20	4	< 2	< 10	5	< 10	5	37
705772	0.042	0.032	6.36	6	5	7	0.16	< 20	3	< 2	< 10	22	18	10	22
705773	0.044	0.044	7.76	6	6	9	0.21	< 20	4	< 2	< 10	30	< 10	14	52
705774	0.049	0.042	0.25	4	9	9	0.42	< 20	< 1	< 2	< 10	182	< 10	12	11
705775	0.033	0.031	0.13	2	9	9	0.40	< 20	< 1	< 2	< 10	182	< 10	13	9
705776	0.017	0.037	0.80	4	11	12	0.32	< 20	< 1	< 2	< 10	159	< 10	14	8
705777	0.018	0.046	1.90	< 2	2	13	0.15	< 20	3	< 2	< 10	9	< 10	10	15
705778	0.018	0.094	1.17	2	7	7	0.36	< 20	4	< 2	< 10	10	< 10	18	21
705779	0.018	0.026	2.31	3	3	9	0.09	< 20	4	< 2	< 10	26	< 10	4	17
705780	0.012	0.016	1.73	5	11	9	0.10	< 20	< 1	< 2	< 10	118	< 10	3	6
705781	0.050	0.015	0.81	3	12	9	0.34	< 20	< 1	< 2	< 10	152	< 10	5	7

Analyte Symbol	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La	Mg
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	%
Lower Limit	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10	0.01
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-6 Meas	0.2	< 0.5	71	970	1	20	87	116	6.32	230	< 10	832	0.8	< 2	0.14	10	79	5.38	20	< 1	0.94	< 10	0.35
GXR-6 Cert	1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9	0.609
OREAS 134b (AQUA REGIA) Meas	> 100	604	1450				> 5000	> 10000		226						94		11.8					
OREAS 134b (AQUA REGIA) Cert	204	563	1360				133000	177000		221						110		12.25					
OREAS 133a (Aqua Regia) Meas	90.2	295	327				> 5000	> 10000		131		31					18		7.23				
OREAS 133a (Aqua Regia) Cert	97	297	324				48600.00	106000.00		140		59					23		7.92				
OREAS 907 (Aqua Regia) Meas	1.2	0.8	6890	339	5	4	34	149	1.08	36		225	1.0	18	0.24	42	9	8.29	20		0.30	36	0.21
OREAS 907 (Aqua Regia) Cert	1.30	0.540	6370	330	5.64	4.74	34.1	139	0.945	37.0		225	0.870	22.3	0.280	43.7	8.59	8.18	14.7		0.286	36.1	0.221
Oreas 621 (Aqua Regia) Meas	69.1	300	3970	553	13	29	> 5000	> 10000	1.66	83			0.6	< 2	1.49	29	36	3.54	< 10	4	0.32	20	0.43
Oreas 621 (Aqua Regia) Cert	68.0	278	3660	520	13.3	25.8	13600	51700	1.60	75.0			0.530	3.85	1.65	27.9	31.3	3.43	9.29	3.93	0.333	19.4	0.436
Method Blank	< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10	< 0.01

Analyte Symbol	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-6 Meas	0.083	0.029	0.01	5	19	33		< 20	< 1	< 2	< 10	168	< 10	5	12
GXR-6 Cert	0.104	0.0350	0.0160	3.60	27.6	35.0		5.30	0.0180	2.20	1.54	186	1.90	14.0	110
OREAS 134b (AQUA REGIA) Meas			15.0												
OREAS 134b (AQUA REGIA) Cert			19.31												
OREAS 133a (Aqua Regia) Meas			9.13	145											
OREAS 133a (Aqua Regia) Cert			10.7	147											
OREAS 907 (Aqua Regia) Meas	0.098	0.023	0.06	5	2	13	0.02	< 20	< 1	< 2	< 10	6	< 10	7	53
OREAS 907 (Aqua Regia) Cert	0.0860	0.0240	0.0660	2.28	2.16	11.7	0.0170	8.04	0.230	0.120	2.15	5.12	0.980	6.52	43.7
Oreas 621 (Aqua Regia) Meas	0.173	0.033	4.27	132	2	20		< 20		< 2	< 10	13	< 10	7	68
Oreas 621 (Aqua Regia) Cert	0.160	0.0335	4.50	107	2.20	18.9		5.91		0.770	1.63	10.9	1.00	6.87	55.0
Method Blank	< 0.001	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1

Appendix F – Exploration Costs