



32E12SW0015 2.10757 NOSEWORTHY

010

**RECEIVED**

**JAN 22 1988**

**MINING LANDS SECTION**

COGEMA CANADA LIMITED

BURNTBUSH RIVER PROJECT

FINAL REPORT - 1987

"REVERSE CIRCULATION DRILLING"

VOLUME 1 of 3

Ref. No. 87-CND-47-04A  
(Doc. #0076U)

By: *J. Learn*  
January 1988

*2.9701*



32E12SW0015 2.10757 NOSEWORTHY

010C

TABLE OF CONTENTS

	<u>page</u>
1. <u>INTRODUCTION</u> .....	1
1.1 Summary of Work Performed to date on the Burntbush River Project .....	1
1.2 Location and Access .....	2
1.3 Technical Summary .....	2
1.4 Generalized Quaternary Stratigraphy of Northeastern Ontario .....	4
1.5 Bedrock Geology of the Burntbush River Project Area .....	6
2. <u>DESCRIPTION OF FIELD WORK</u> .....	8
2.1 Field Procedures .....	8
2.2 Drilling and Sample Statistics .....	13
3. <u>OVERBURDEN RESULTS</u> .....	16
3.1 Presentation of Drill Hole Sections .....	16
3.2 Sample Results .....	19
3.3 Discussion of Background and Threshold Values .....	33
3.4 Interpretation of Overburden Results .....	34
4. <u>BEDROCK GEOLOGY</u> .....	40
4.1 Introduction .....	40
4.2 Metasedimentary Rocks .....	40
4.3 Metagabbros and Mafic to Intermediate Metavolcanics .....	41
4.4 Felsic to Intermediate Metavolcanic Rocks .....	46
4.5 General Summary of Bedrock Chip Studies .....	48
4.6 New Outcrop .....	49
5. <u>CONCLUSIONS</u> .....	50
5.1 Overburden Stratigraphy .....	50
5.2 Overburden Sampling .....	51
5.3 Bedrock Geology .....	51
6. <u>REFERENCE LIST</u> .....	53

LIST OF FIGURES

	<u>page</u>
<u>Figure 1-1</u> : Location of the Burntbush River Property, Northeastern Ontario .....	3
<u>Figure 3-1</u> : Overburden Thicknesses on the Burntbush River Property. ....	17
<u>Figure 3-2</u> : Drill Section L-L' .....	19
<u>Figure 3-3</u> : Total Gold Grain Counts for Overburden Drill Holes .	22
<u>Figure 3-4</u> : Comparative Histograms of Gold Grain Volumes reported by ODM from the Winter and Summer Programs .....	24
<u>Figure 3-5</u> : Effects of Glacial Transport on Gold Particle Size and Shape .....	25
<u>Figure 3-6</u> : Distribution of Irregular and Delicate Gold Grains. ....	26

LIST OF TABLES

	<u>page</u>
<u>Table 1-1</u> : Generalized Quaternary Stratigraphy Northeastern Ontario .....	5
<u>Table 2-1</u> : Drilling Statistics .....	14
<u>Table 2-2</u> : Sample Statistics .....	15
<u>Table 3-1</u> : Gold Grain Counts - A Summary .....	21
<u>Table 3-2</u> : Summary of the other elements analyzed for in Heavy Mineral Concentrates .....	28
<u>Table 3-3</u> : As Results from Heavy Mineral Concentrates from two Tills in Holes BOB-01 and BOB-02 .....	32
<u>Table 4-1</u> : Metasedimentary Rocks - Summary of Analytical Results .....	42
<u>Table 4-2</u> : Metagabbros - Summary of Analytical Results .....	44
<u>Table 4-3</u> : Mafic to Intermediate Metavolcanic Rocks - Summary of Analytical Results .....	45
<u>Table 4-4</u> : Felsic to Intermediate Metavolcanic Rocks - Summary of Analytical Results .....	47



LIST OF MAPS

Map 1 : Drill Hole Location Map. Scale 1:20 000

Maps 2 to 9 : Drill Hole Sections. Horizontal Scale 1:5000,  
Vertical scale 1:500

Map 10 : Bedrock Geology. Scale 1:20 000

LIST OF APPENDICES

VOLUME 2 of 3:

Appendix I : Drilling Summary and Field Logging Sheets

VOLUME 3 of 3:

Appendix II : ODM Overburden Sample Treatment and Results

Appendix III : Chimatec HMC Sample Treatment and Results

Appendix IV : Bedrock Chip Descriptions and Chemistry Results

## 1. INTRODUCTION

### 1.1 Summary of Work Performed to date on the Burntbush River Project

The Burntbush River project is a joint venture gold exploration program between COGEMA Canada Ltd and AMERITEX Resources Ltd. The property comprises 312 contiguous mining claims situated in northeastern Ontario.

Most of the project area (300 claims) was staked for AMERITEX in January, 1984. The only work performed by them on the claims was an airborne VLF-EM and magnetics survey, which was contracted to Aerodat Ltd (Ameritex, 1984).

In May 1986, COGEMA and AMERITEX signed a joint venture agreement naming COGEMA operator of the exploration program and all subsequent work has been performed by ourselves. At this time, a block of 12 claims (previously held by DOME EXPLORATIONS Ltd) was added to the property.

The first field program was performed in the summer of 1986, and comprised geologic traverses aimed at locating, mapping and sampling outcrops. Traverse spacing ranged from 50 to 100 m and numerous undocumented outcrops were found and described (COGEMA Ref. No. 86-CND-47-02).

Later, in the fall of 1986, five of the larger outcrops were stripped and detailed mapping was performed in order to better understand the geology. These outcrops are fairly well distributed across the property and represent an important step in understanding the property geology at a broader scale (COGEMA Ref. No. 87-CND-47-01).

Finally, in December 1986, a second airborne survey was commissioned, this time to DIGHEM Surveys Ltd, mostly because the previous airborne survey did not include low frequency or time domain EM instrumentation (COGEMA Ref. No. 87-CND-47-02).

The winter 1987 program represents the next step in our evaluation of the project area. This program consisted of reverse circulation (overburden) drilling at ~400 m x 400 m spacing and was planned to cover the southern ~ one third of the property. Unfortunately, 23 of the planned drill holes could not be completed due to mild weather which made it necessary to abandon work on the east side of the Burntbush River.

Reverse circulation drilling was therefore resumed during the summer 1987 program. This program was designed to complete the reconnaissance holes not yet drilled, and also to perform some detailed follow-up drilling (~200 m x 200 m spacing) in areas of interest interpreted from the results of the winter program. Results of the two programs are combined in this report.

## 1.2 Location and Access

The Burntbush River property covers about 50 km<sup>2</sup> in the townships of Hoblitzell and Noseworthy, northeastern Ontario (see Fig. 1-1).

During the winter program, access to the area was by winter road via Tomlinson Road, which connects to a main east-west maintained gravel road connecting La Sarre, Que. and Iroquois Falls, Ont.


During the summer program, helicopter support from La Sarre, Que. and Cochrane, Ont. was used, but the drill itself was driven along the winter road to the property.

## 1.3. Technical Summary

Reverse circulation drilling is a commonly used technique in gold exploration in Canada, particularly where outcrop exposure is poor and where glacial overburden deposits are thick. The method is relatively well known and various aspects are described in Averill and Thomson (1981), and in Shelp (1985), and for this reason no detailed technical description will be given.

Any such program is generally designed to test for 1) gold (or other) anomalies in glacial sediments (usually till) which represent mechanical dispersion trains that can hopefully be traced back to their source, and 2) bedrock mineralization.

The results are therefore presented separately in two main parts: the first part (section 3) covers the Quaternary aspect of the program, and the second part (section 4) covers the bedrock geology aspect of the program.



**Figure 1-1 : Location of the Burntbrush River Property,  
Northeastern Ontario.  
Scale 1:250 000**

The drilling contract was awarded to HEATH and SHERWOOD Drilling Ltd who used a Nodwell mounted Acker drill, as well as a GT1000 tracked vehicle to supply water. Road clearing was performed by NORTHLAND Explorations Ltd using TD-15 (narrow track) and D-6-LGP (wide track) bulldozers.

Drilling was performed between March 3 and April 4, 1987 and again between June 20 and July 7, 1987. All road construction was performed between February 17 and March 28, 1987. Note also that a total of 25.7 km of line was cut between Feb. 25 and March 14, 1987 so that drill hole locations could be precisely measured.

#### 1.4. Generalized Quaternary Stratigraphy of Northeastern Ontario

The Abitibi region of northeastern Ontario and northwestern Quebec is overlain by a fairly complex Quaternary stratigraphy. Some published information is available (eg Boissoneau 1965, Clark and Stearn 1968, Bouchard 1986), but there is no comprehensive detailed summary. Much of the information presented below has been furnished by OVERBURDEN DRILLING MANAGEMENT Ltd (ODM), who were contracted to train us in the recognition and sampling of the various Quaternary units using the reverse circulation method.

During the Pleistocene in continental North America, four major periods of glaciation are recognized. Very little evidence of the first two glaciations has been documented in the Abitibi region. The two major glaciations of importance are the Illinoian advance (>125 000 years ago) and the Wisconsinan advance (from ~100 000 to ~10 000 years ago).

A generalized stratigraphic section is presented in Table 1-1.

The Lower Till was deposited in Illinoian time and is generally preserved only in deep bedrock valleys; in most other cases it has been reworked by the more recent Wisconsinan advance.

The Matheson Till was deposited in Wisconsinan time and is the major widespread till sheet in the western Abitibi region. In the northern part, a minor re-advance in late Wisconsinan time deposited the Cochrane Till.

Table 1-1 : GENERALIZED QUATERNARY STRATIGRAPHY  
OF NORTHEASTERN ONTARIO

COCHRANE TILL (CT) (very late Wisconsinan)

- Cochrane Till has mostly reworked clays deposited within Lake Ojibway II and is therefore very clayey.
- Cochrane Till may be overlain by a thin veneer of glaciolacustrine sediments similar to those which overlie the other till sheets.

OJIBWAY II SEDIMENTS (OII) (late Wisconsinan)

- glaciofluvial esker/delta sands and gravels
- glaciolacustrine fine sands, silts, clays (fining upward sequence - ice retreat)

MATHESON TILL (MT) (Wisconsinan)

- pebbly, cobbly and/or bouldery tills with unsorted sandy, silty and locally clayey matrix
- commonly this unit will contain thin, discontinuous layers of sorted material

MISSINAIBI SEDIMENTS (MS) (early Wisconsinan and Sangamon)

- Ojibway I glaciolacustrine sediments
- glaciofluvial sands and gravels

LOWER TILL (LT) (Illinoian)

- pebbly, cobbly and/or bouldery tills with unsorted sandy, silty and locally clayey matrix

OLDER SEDIMENTS AND TILLS (OS) ?

During advance and retreat of the main Wisconsin ice sheet, the region was flooded by Lakes Ojibway I and II. Clay, silt and fine sands deposited at the lake bottom overlie both the Lower and Matheson Tills. Meltwater rivers that fed these lakes deposited glaciofluvial sands and gravels.

In addition to the Quaternary stratigraphy, it is necessary to review our knowledge of the direction of the ice advances, since any dispersion train discovered would have to be traced back to its source.

The most recent comprehensive study of ice-flow directions for this area was performed by Veillette (1986), who used cross-striated outcrop surfaces to determine relative ages and directions of ice flow. He concludes that:

- i) the ice direction during the last glacial maximum was south-southwest ( $180^{\circ}$ - $220^{\circ}$ );
- ii) during late Wisconsinan time, a change in the ice flow direction occurred, towards the south-southeast ( $130^{\circ}$ - $170^{\circ}$ );
- iii) striae trending west-southwest ( $230^{\circ}$ - $270^{\circ}$ ) can be attributed to early Wisconsinan or pre-Wisconsinan glaciation.

Veillette does not specifically discuss ice-flow directions for the Cochrane readvance, which affects only a minor section of the northern part of his study area. A review of airphotos in this area, together with a glance at the map of Boissoneau (1965), suggests though, that the Cochrane ice-flow direction here was close to  $135^{\circ}$ .

In addition to the above information, we have recorded 78 striae measures on outcrops stripped during fall 1986. Of these, 69 fall between  $125^{\circ}$  and  $150^{\circ}$  with two additional measures at  $160^{\circ}$  (group ii above). One measure was taken at  $180^{\circ}$ , and one at  $190^{\circ}$  (group i above) and four measures fall between  $230^{\circ}$  to  $250^{\circ}$  (group iii above).

In the Burntbush area, then, the Lower Till ice direction may be at  $230^{\circ}$  to  $250^{\circ}$ . Matheson Till ice-flow directions could range from  $125^{\circ}$  to  $190^{\circ}$ , but striae trending  $125^{\circ}$  to  $150^{\circ}$  may also be due in part, or in whole, to the Cochrane readvance.

#### 1.5 Bedrock Geology of the Burntbush River Project Area

The bedrock geology of the area was first studied by Thomson (1936) and more recently by Johns (1982). The following brief summary serves only as an introduction; the reader is referred to our earlier reports for more detail (COGEMA Ref. Nos. 86-CND-47-02, 87-CND-47-01) and to section 4 of this report.

The property has been informally subdivided into a "northern low magnetic terrane" and "southern high magnetic terrane".

Very few outcrops occur in the north part of the property, and from these it is interpreted that the area is underlain by predominantly high grade metasedimentary rocks (turbidites ?), with lesser predominantly mafic, metavolcanic rocks. A few intrusive metagabbros are present and there are numerous late dykes and veins of various compositions. On the east side, near the northern boundary, a high magnetic trend has been interpreted to be a sulfide facies iron formation.

The southern part of the property appears to be less strongly metamorphosed than the northern part, and outcrop exposure is somewhat better. Tuffs and flows of mostly intermediate compositions have been mapped. These rocks have been intruded by various others, including metagabbros and diabase, but veining seems to be less common than in the north.

It is believed that one or more major east-west structures transect the property and this is supported to some extent by our surface mapping.



## 2. DESCRIPTION OF FIELD WORK

### 2.1. Field Procedures

This section details the field procedures adopted by the project personnel before, during and after the drilling of any overburden (reverse circulation) drill hole.

Holes were spotted, and drill roads flagged by two-person teams. Using airphoto control, a 100 m nylon rope and compass, traverses were conducted. Drill roads were flagged and hole positions were marked with a picket and given a site number. In cases where dense bush or heavy deadfall were encountered, alternate access routes were flagged where possible.

Linecutting started at about the same time as the hole spotting, and so cut lines were not completed in time to be of assistance in the hole positioning.

Drilling required 5 persons. The driller, helper and water carrier ensured the smooth continuous running of the drill rig, and were together mechanically capable of keeping down-time to a minimum. A geologist and technician performed the logging and sampling. We used two teams of two persons during the winter program, and rotated the work between three persons during the summer program. During the first three weeks of the winter program, a consultant geologist from ODM was engaged (as a sixth person) to train us in the logging and sampling of the overburden and bedrock materials.

The following text describes the logging criteria, and describes in detail each of the Quaternary units in order of appearance during a typical reverse circulation drill hole on the Burntbush River property.

#### CT - Cochrane Till (and Sediments)

The Cochrane Till is a very clayey unit. The clay contains a few pebbles and rarely cobbles and/or boulders but always contains minor sand and granules. The sandy nature of the clay is evident when it is squeezed between the fingers. The unit is light brown to light grey in colour and the clay is soft. In the upper ~50 cm though, the clay may be fairly hard and compact and dark brown. Minor sandy sections with very little clay are not uncommon. In places, the till is overlain by a thin veneer of pure clay (glaciolacustrine sediments) similar to those units which overlie the older tills.

In the case of hole BOB-95, the Cochrane Till was very sandy and gravelly with only minor clayey sections because the hole was drilled very close to an esker which was slightly reworked by the Cochrane ice sheet.

#### OII - Ojibway II Sediments

The Ojibway II Sediments comprise predominantly glaciolacustrine pure clays. The contact between these clays and the overlying clayey till is not abrupt and it is therefore probable that the contact has been logged deeper than it really is in some of the drill holes, i.e. Ojibway II clays are logged when the clay becomes pure, which is again evident when squeezed between the fingers. The clay is soft and light grey to bluish gray in colour.

Fine sands and silts also represent a common overburden type logged as Ojibway II sediments. These generally underlie the pure clays or are interbedded with them. They are usually light brown in colour and are well sorted. Very minor coarse sand or pebbly interbeds may occur.

In hole BOB-95, coarse sand and gravels are interpreted to represent an esker, part of the Ojibway II Sediments unit, which has no topographic relief due to later reworking by the Cochrane ice sheet.

#### MT - Matheson Till

The Matheson Till underlies the above two units in nearly every hole drilled. The contact between this unit and the overlying Ojibway II Sediments (or Cochrane Till) is generally very abrupt.

The coarse fraction of the Matheson Till unit is observed on a 10 mesh screen and generally comprises pebble and cobble chips of various compositions. Most rock chips are coarse grained granitoids and metavolcanic and metasedimentary rocks. Generally, a few limestone clasts are encountered. These rock chips are logged in terms of their relative proportions over several metre intervals. Boulders are also commonly encountered and these are individually described.

The fine fraction of the till is described using a scoop. The fines generally consist of fine sands and silt of light grey-beige colour. Occasionally, the matrix of the till will be clayey due to reworking of the Ojibway I clays. In general, the Matheson Till is a poorly sorted, typical till unit, and it is therefore mostly described over several meter intervals.

In some cases, sorted sand and gravel sections of limited depth extent are observed.

#### MS - Missinaibi Sediments

The Missinaibi Sediments unit as observed on the Burntbush River property comprises two members.

Ojibway I pure gray clays have been encountered in a few drill holes. The clays are gray in colour and are generally compact and hard. When squeezed between the fingers they prove to be pure clay, but their compact nature requires some effort before they will compress. This is the only major difference between Ojibway I and Ojibway II clays. As with the younger (Ojibway II) glaciolacustrine unit, there may be sandy or pebbly interbeds of minor importance.

Additionally, thick sections of sand and gravel have been encountered below the Matheson Till unit. These are heterogeneous. Coarse, medium and/or fine well sorted sands may be present or interbedded. Clean gravels with no supporting matrix may be encountered. Sandy gravels are also common and these may be difficult to distinguish from till. Careful attention must be paid when sandy gravels are being drilled due to their similarity to till, but generally some interbedding and/or sorting will be present to assist in their proper identification. There is also generally a very high rate of sample return when these materials are being drilled, which aids in identifying them.

#### LT - Lower Till

The Lower Till is in every respect similar to the Matheson Till. The only real field criteria which distinguishes it is the presence of the Missinaibi Sediments between the two till units. During reverse circulation drilling, it would be nearly impossible to distinguish it from Matheson Till if they were in contact with each other.

Field procedures for sampling the Quaternary units are as follows:

- 1) The Matheson and Lower Tills are considered the most important sampling media, since it is these ice sheets which eroded the most bedrock, and would therefore be most likely to contain a gold bearing mechanical dispersion train.

These tills are ideally sampled at 1.5 m intervals, since this length of sample most consistently gives an adequate quantity of sample material. And, more importantly, most dispersion trains are expected to have a minimum thickness of about 2 m at or very near to their source (eg at Golden Pond, Sauerbrei *et al*, 1987). With increasing transport distance, the anomaly should weaken but the thickness should increase. Thus, a dispersion train, if intersected, should give anomalous results in two (or more) adjacent overburden samples (within the same unit). Isolated, single sample anomalies must be very carefully evaluated before it is concluded that they represent a mechanical dispersion train.

If, however, the sample return over a 1.5 m interval is considered insufficient, the sample length may be extended to 2 or even 3 m.

In most pebbly and cobbly sections, up to 75% of the rock chips which land on the 10 mesh screen are discarded. Thus, we attempt to sample predominantly the fine matrix material.

Boulders are not sampled together with overburden materials, thus mixing of overburden and rock cuttings is avoided. In the event that a boulder is encountered and there is less than 1.5 m of overburden material in the sampling buckets, one of the three following procedures is adopted:

- i) if there is a sufficient quantity of material to give a sample of ~8 kg, the sample is taken as such, even though the sample interval is less than 1.5 m;
- ii) if there is an insufficient quantity of material, the previous (overlying) sample may be extended to a length of greater than 1.5 m, or
- iii) this material may be added to material sampled below the boulder to give a total sampled length of 1.5 m.

- 2) Sands and gravels which represent glaciofluvial deposits are also sampled, based on the premise that any Au anomaly found could be traced back to its source. However, these samples are considered of lower priority since the surface area of bedrock eroded by the glacio-fluvial systems would be much less.

For this reason, sample intervals are generally greater, ~3 m. Samples of shorter length have been taken, though, due to the high sample return in this overburden type.

- 3) Fine sands of glaciolacustrine origin were occasionally sampled on the advice of the ODM consultant in the event that a placer deposit was present. This practice was discontinued after the winter program.
- 4) The clayey Cochrane Till was not sampled, since it has eroded very little bedrock.

In some cases, sandy sections of the Cochrane Till were sampled. This is due to its similarity in isolated cases to the Matheson Till. When very clayey till was re-entered, the geologist chose to retain the sample so as not to waste time rejecting it.

- 5) Pure clays were never sampled, since there would be very little or no heavy mineral concentrate, and since the source area for these deposits could be several (hundreds of ?) kilometres away.

After drilling the Quaternary section, bedrock is drilled for ~1.5 m. The bedrock is briefly described using hand lens, 10% HCl, magnet, etc.

Bedrock is sampled over 1.5 m and the hole is stopped at this point. Whereas the Quaternary section sample comprises mostly the fine materials, the bedrock sample is ideally comprised exclusively of chips, and the -10 mesh material is discarded.

Also note that the occasional metasedimentary or metavolcanic boulder may be greater than 1.5 m in thickness. In isolated cases then, it is possible that a boulder has been sampled and called bedrock. No hole was stopped in a granite boulder of this size.

In some cases, due to caving in of overburden material around the rods, the bedrock sample was contaminated with foreign material. When the rock was soft enough that the bit advanced reasonably quickly, a good uncontaminated sample was obtained. For example in hole BOB-39, ~7 m of bedrock was drilled before a sample was taken. In cases where the bit advanced very slowly, a contaminated sample was taken.

Such contaminated samples would be unsuitable for major element analyses, but should be suitable for Au geochemistry; any significant Au anomaly would, however have to be studied with this in mind.

Most contamination of this type occurred in bedrock overlain by sands and gravels, which have a stronger tendency to cave in around the rods.

Finally, in order to determine as precisely as possible the drill hole positions, we tied drill holes to the cut grid using chain and compass along the drill roads. In this manner, straight line distances of up to 100 m could be easily measured. Where drill roads cross the cut grid, the chainage on the cut grid at that point was used as a control. Where the same hole has been tied to the grid in two places, the calculated errors are generally less than 5 m (eg BOB-31 has been tied to BLO+00 at 2980E, and to L4900E at 666N). Additionally, claim posts which were visible from drill roads were tied to the cut grid in the same manner.

## 2.2 Drilling and Sample Statistics

In total, 133 different hole positions were drilled. Other pertinent information is provided in Table 2-1.

Sample statistics are summarized in Table 2-2.

A drilling summary is presented in Appendix I, as are the field logging sheets. Map 1 shows the drill hole locations.

Table 2-1 : DRILLING STATISTICS

WINTER PROGRAM

(BOB-01 to BOB-95)

# of holes	95		
# of metres	2034.5	<u>MAXIMUM</u>	<u>MINIMUM</u>
AVG HOLE DEPTH	21.4 m	48.0 m	3.3 m
AVG DEPTH PER SHIFT*	61.6 m	100.8 m	29.3 m

\* excludes 22 and 23 March: drill was moved from hole BOB-39 to west side of river, hole BOB-40 was drilled - total depth 3.3 m - then drill was inoperative until 24 March when drilling was resumed.

SUMMER PROGRAM

(BOB-96 to BOB-133)

# of holes	39		
# of metres	1124.5	<u>MAXIMUM</u>	<u>MINIMUM</u>
AVG HOLE DEPTH	28.8 m	45.6 m	11.2 m
AVG DEPTH PER SHIFT*	66.1 m	102.4 m	24.0 m

\* excludes 6 July: drill was moved from hole BOB-130 to west side of river, no drilling was accomplished.

CUMULATIVE RESULTS

# of holes	134	(BOB-125 drilled twice)
# of metres	3159	
AVG HOLE DEPTH	23.6 m	
AVG DEPTH PER SHIFT*	63.1 m	

\* excludes 22 and 23 March, 6 July.

Table 2-2 : SAMPLE STATISTICS

A) OVERBURDEN SAMPLES (TO OVERBURDEN DRILLING MANAGEMENT LTD, HEAVY MINERAL CONCENTRATES TO CHIMITEC)

WINTER PROGRAM (BOB-01 to BOB-95)

Unit*	# Samples	Remarks
CT	5	
OII	13	
MT	527	
MS	35.5	sample BOB-31-20 straddles contact between MS and LT
LT	69.5	
BK	<u>1</u>	sample BOB-37-23 (bedrock sent to wrong laboratory)
Total:	651	

SUMMER PROGRAM (BOB-96 to BOB-133)

CT	3
OII	6
MT	376
MS	13
LT	<u>12</u>
Total:	410

B) BEDROCK SAMPLES (TO CHIMITEC)

WINTER PROGRAM	98
SUMMER PROGRAM	<u>43</u>
TOTAL:	141

\* This compilation based on field designations equivalent to those given in the Drilling Summary and on Drill Hole Sections, but see also Section 3.1 in text.



### 3. OVERBURDEN RESULTS

#### 3.1 Presentation of Drill Hole Sections

The first objective of the drill hole sections is to show the local Quaternary stratigraphy (Maps 2 to 9; see Map 1 for key to sections). Although a few minor changes were made to the field logs based on hole to hole correlations during their construction, the stratigraphy presented is essentially a field interpretation.

The drill holes are plotted at nominal distances of 400 m (for most holes) and 200 m (for follow-up holes) and not at their precise positions as determined by chaining. The collar elevations were estimated from the topographic map and from field notes.

From these sections, the following introductory remarks are drawn:

- i) overburden depths on the east side of the Burntbush River are, on average, greater than on the west side (see also Fig. 3-1). This confirms our previous interpretation using airborne VLF-EM results, and justifies our having traversed this area at greater spacing during the summer 1986 field season (see COGEMA Ref. No. 86-CND-47-02).
- ii) this thicker overburden is due mostly to a thick blanket of till. We had previously thought that the thicker overburden would be due to glaciolacustrine clays, as is the case on many properties in the "Casa Berardi area".
- iii) a thin veneer of Cochrane Till is everywhere present. This result was not expected, most maps published up to now draw the limit of the Cochrane advance just north of the property. However, we have previously reported that boulders and cobbles "are numerous and can be found almost anywhere when the grubhoe is used diligently" (COGEMA Ref. No. 86-CND-47-02, p.8), indicating that this could have been deduced earlier.
- iv) pre-Wisconsinan units (Missinaibi Sediments and Lower Till) were logged in several holes, mostly on the eastern side of the property.

Further discussion of this last remark is necessary, and important revisions of the field interpretations are presented below. These revisions have not been indicated on the drill sections, which were previously noted to represent field interpretations.




Figure 3-1 : Overburden Thicknesses on the Burntbush River Property.  
Scale 1:40 000

For example, on section G-G' (Map 8), we have logged Lower Till in holes BOB-89, 90, 91 and 93. This interpretation is suspect for three reasons: 1) Lower Till is known to be preserved generally only in deep bedrock depressions, preferably oriented ~ east-west, 2) the two tills are separated by only a thin veneer of sediments, and furthermore, 3) in hole BOB-90, the "Lower Till" is underlain by more sediments. It is probable that this thin unit of sediments indicates a minor interstadial period, and that the main Wisconsinan ice sheet retreated briefly from this area.

Further evidence of a minor retreat and subsequent readvance is present on the east side of the river, and is illustrated by a north-south section including holes BOB-125, 33, 21 and 22 (see Fig. 3-2). On this section, we drilled abundant fine sands, thought to be of glaciolacustrine origin (note the fining upward sequence in the southern part). It is now possible to recognize on the airphotos, though, a weakly developed esker north of hole BOB-125. This esker has been partly reworked and in hole BOB-21, we are able to see the buried esker, a till overlying it, and sediments deposited by the rejuvenated esker near the top of the section.

This esker appears to be of late-Wisconsinan, but pre-Cochrane age. Most Cochrane eskers near here trend close to southeast (eg just west of the Burntbush River, see Map 4 in COGEMA Ref. No. 86-CND-47-02), whereas this esker trends close to north-south and is overlain by a thin veneer of Cochrane Till.

We conclude from these results that two tills of Wisconsinan age (excluding the very late Wisconsinan Cochrane Till) have been drilled on the property. The older Wisconsinan till may correlate with "classical" Matheson Till, while the younger till would be due to a minor late Wisconsinan readvance. These results seem to agree with those of Veillette (1986), who proposes a shift in ice-flow direction in late Wisconsinan time. Perhaps this change in ice-flow direction correlates with this late Wisconsinan readvance.

Lower Till interpreted to occur in drill holes adjacent to this section (holes BOB-23, 24, 25, 31, 32, 34, 124, 126, 128, 129) may therefore be re-interpreted as Matheson Till.

A second buried esker of Wisconsinan age might also be postulated just west of Nedlog Lake (holes BOB-36, 37, 104, 107, 109) on similar grounds, but with no subsequent development of a "rejuvenated" esker.

N

S




Figure 3-2 : Drill Section L-L'. See Map 1 for section location. Horizontal scale 1:5000, vertical scale 1:500, vertical exaggeration 10X.

Other holes which were thought to contain Lower Till are BOB-01, 02 and 12. It is now believed that the Lower Till in hole BOB-12 are sands and gravels similar to those logged in the adjacent hole BOB-114. Due to the significant numbers of gold grains in these holes (see next section), these samples were studied under the binocular microscope by S. Averill (of ODM) and he confirms them to be such. In the area of holes BOB-01 and 02, a glance at section A-A' shows that Ojibway II clays in hole BOB-04 are at the same elevation as "Ojibway I" clays in these two holes. Thus, a late Wisconsinan till overlies Ojibway II clays in holes BOB-01 and 02.

In summary, it seems very probable that no Lower Till was intersected in our drilling, and that two Matheson Tills are present. Much of the sands and gravels drilled are part of the Ojibway II glaciofluvial unit, and not of pre-Wisconsinan age. Perhaps the only pre-Wisconsinan materials drilled on the property are in the lower sections of holes BOB-12, 114 and 115 (Missinaibi Sediments glaciofluvial unit), where the steepest bedrock topography is present.

### 3.2 Sample Results

Our overburden samples were sent to ODM laboratories in Nepean, Ont. (holes BOB-01 to BOB-95, winter program) and Rouyn, Que. (holes BOB-96 to BOB-133, summer program). This initial sample treatment yields a variety of data (see Appendix II for a procedural summary and a full listing of their results) but the most important work they perform is gold grain counts and the preparation of a heavy mineral concentrate (HMC).

The purpose of gold grain counts is to detect by physical means any mechanical dispersion train present. The HMC is analyzed in an effort to detect gold which is too fine to physically (visually) detect, and/or to check for fine gold occluded in sulfide minerals. Commonly, though, a high gold value in the HMC is due to a single coarse grain (nugget effect) and the gold grain count can eliminate most of these "anomalies" at an early stage.

The results of the gold grain counts (raw data) have been added to the field logs and are plotted on the drill sections. Also, the results are summarized in Table 3-1 and a plan map showing the total number of gold grains found in all samples of each drill hole is shown in Figure 3-3.

Table 3-1 : GOLD GRAIN COUNTS - A SUMMARY

WINTER PROGRAM (BOB-01 to BOB-95)

# samples (overburden) 650  
# samples with Au grains 188 (29%)  
# Au grains 361  
Average # Au grains/sample having Au grains 1.9  
# of samples with 1 Au grain 132 (20% of total samples)  
(70% of samples with Au grains)  
# of samples with 2-4 Au grains 41 (6% of total samples)  
(22% of samples with Au grains)  
# of samples with 5 or more Au grains 15 (2% of total samples)  
(2 samples have more than 10 grains) (8% of samples with Au grains)

SUMMER PROGRAM (BOB-96 to BOB-133)

# samples (overburden) 410  
# samples with Au grains 218 (53%)  
# Au grains 560  
Average # Au grains/sample having Au grains 2.6  
# of samples with 1 Au grain 120 (29% of total samples)  
(55% of samples with Au grains)  
# of samples with 2-4 Au grains 55 (13% of total samples)  
(25% of samples with Au grains)  
# of sample with 5 or more Au grains 43 (11% of total samples)  
(no samples have more than 10 grains) (20% of samples with Au grains)




Figure 3-3 : Total Gold Grain Counts for Overburden Drill Holes. Scale 1:40 000

From Table 3-1, we see that significantly more gold grains were counted (relative to the number of samples taken) from the summer program (Rouyn lab) compared to the winter program (Nepean lab). This makes comparison of results from the two programs more difficult. We might suggest that samples from the winter program carrying 2 or more gold grains (8% of total samples) are equivalent to samples from the summer program which carry 5 or more gold grains (11% of total samples). Meanwhile, Figure 3-3 shows that there is some correlation between total gold grain counts and overburden thickness (compare with Figure 3-1). Thicker overburden sections are producing higher total grain counts.

As noted in Appendix II, the gold grains are eventually returned to the non-magnetic portion of the HMC. But first, the dimensions of each grain are recorded, and from this a "calculated ppb" is estimated for each sample. This value can be compared with the analytical result to help identify those results which are due to free gold only from those which might be due to fine and/or occluded gold (see later).


Using the grain dimensions, we have constructed comparative histograms of gold grain volumes counted in the Nepean and Rouyn laboratories. Figure 3-4 shows that the Rouyn lab was capable of detecting more fine gold than the Nepean lab, which helps explain the differences observed in Table 3-1.

Also, the form (degree of rounding) of each individual grain is recorded. The form of a gold grain is believed to be related to its distance of transport (Averill and Zimmerman, 1986; see Fig. 3-5). This concept does not take into consideration the possibility of a gold grain being released from a boulder already removed from its source, nor are the stated transport distances particularly well documented.

Of 926 gold grains counted in overburden samples from the two programs, nearly every grain was abraded. No rounded grains were found, thirty-one grains were classed as irregular and four grains were classed as delicate. Figure 3-6 shows the distribution of irregular and delicate grains.

After these studies are completed, and when the HMC is ready for analysis, the sample is split into two parts, and one part is sent to CHIMITEC Ltee. The non-magnetic HMC is analyzed by neutron activation for Au plus 33 other elements and for Cu by atomic absorption. A procedural summary and a complete listing of results is given in Appendix III.





**Figure 3-4 :** Comparative Histograms of Gold Grain Volumes Reported by ODM from the Winter (Nepean lab) and Summer (Rouyn lab) Programs. The volumes are in  $\ln \mu^3$  (natural logarithm of the product of the three estimated dimensions of each grain). The vertical (frequency) scale is 1 grain/mm




Figure 3-5 : Effects of Glacial Transport on Gold Particle Size and Shape (Developed by ODM)

- ★ = 1 irregular grain
- ★ = 1 delicate grain
- indicates sample near base of Quaternary Section




Figure 3-6 : Distribution of Irregular and Delicate Gold Grains. Scale 1:40 000

Au results range from very low (below detection limits) to 24 900 ppb (sample BOB-122-03). Although this result sounds very interesting, it is due mostly to a single coarse abraded nugget detected during sample treatment. The "calculated ppb" of this nugget is 21 204 ppb. This is an example of the precision between "calculated" and analytical results. In fact, a correlation coefficient of 0.85 was obtained when "calculated" and analytical results for gold were compared (for samples carrying detected gold grains).

The high correlation is even more surprising when we consider the implications of the actual procedures involved. Remember that the HMC is split into a 3/4 (analyzed) fraction and a 1/4 (retained) fraction. Some of the gold grains are certain to fall into the retained fraction such as probably happened in the case of sample BOB-56-03 where the "calculated ppb" was 9443 ppb and the analytical result was 794 ppb (total of 5 gold grains summed in "calculated ppb").

The other elements analyzed for are listed in Table 3-2. Of all of these, As seems to give the only meaningful results for this program. The first evidence of this are the contrasting As values in holes BOB-01 and 02 from two different till sheets separated by a glacio-lacustrine clay horizon. Table 3-3 summarizes these results.

Table 3-2 : SUMMARY OF THE OTHER ELEMENTS ANALYZED FOR  
IN HEAVY MINERAL CONCENTRATES

ELEMENT	MEAN*	STANDARD DEVIATION	N*	DETECTION LIMIT	COMMENTS
Sb	0.5	0.2	982	0.1 ppm	no anomalous results associated with high Au values, results too uniform to be useful
As	27.5	36.2	940	0.5 ppm	no anomalous results associated with high Au values, probable stratigraphic use to separate two Wisconsinan tills
Ba	146	45	63	50 ppm	too few results above detection limit
Cd	16	7	39	5 ppm	too few results above detection limit
Cs	1.3	0.5	94	0.5 ppm	too few results above detection limit
Cr	871	158	1060	20 ppm	could be tested for stratigraphic use
Co	125	63	1060	5 ppm	could be tested for stratigraphic use
Eu	8	2	1060	1 ppm	results too uniform to be useful
Hf	251	69	1060	1 ppm	could be tested for stratigraphic use, high correlation with Zr, U
Ir	--	--	0	50 ppm	no results above detection limit
Fe	22.4	2.5	1060	0.2%	could be tested for stratigraphic use

(cont'd)

Table 3-2 : SUMMARY OF THE OTHER ELEMENTS ANALYZED FOR  
IN HEAVY MINERAL CONCENTRATES

(cont'd)

ELEMENT	MEAN*	STANDARD DEVIATION	N*	DETECTION LIMIT	COMMENTS
La	423	126	1060	2 ppm	could be tested for stratigraphic use, high correlation with Th, Ce, Tb, Yb, Lu
Mo	5	7	456	1 ppm	no anomalous results associated with high Au values, most results below detection limit
Ni	94	45	939	20 ppm	could be tested for stratigraphic use
Rb	19	8	257	5 ppm	most results below detection limit
Sc	87.7	10.7	1060	0.2 ppm	could be tested for stratigraphic use, high correlation with Yb
Se	14	1	2	5 ppm	too few results above detection limit
Ag	9	0	1	2 ppm	too few results above detection limit
Ta	24.2	26.3	1060	0.5 ppm	could be tested for stratigraphic use
Tb	8.7	1.7	1060	0.5 ppm	could be tested for stratigraphic use, high correlation with La, Th, Ce, U, Yb, Lu
Th	188.5	73.6	1060	0.2 ppm	could be tested for stratigraphic use, high correlation with La, Ce, Tb, U, Yb, Lu

(cont'd)

Table 3-2 : SUMMARY OF THE OTHER ELEMENTS ANALYZED FOR  
IN HEAVY MINERAL CONCENTRATES

(cont'd)

ELEMENT	MEAN*	STANDARD DEVIATION	N*	DETECTION LIMIT	COMMENTS
W	46	115	864	1 ppm	some high results in Missinaibi gravels with Au, danger of contamination from tungsten carbide drill bits
U	21.7	4.9	1059	0.2 ppm	could be tested for stratigraphic use high correlation with Hf, Zr, Th, Tb
Yb	32	5	1059	2 ppm	could be tested for stratigraphic use, high correlation with Lu, Ce, La, Th, Tb, Sc
Zn	177	46	695	100 ppm	no anomalous results associated with high Au values, could be tested for stratigraphic use
Ce	745	214	1060	5 ppm	could be tested for stratigraphic use, high correlation with La, Th, Tb, Lu, Yb
Na	0.38	0.26	756	0.02%	could be tested for stratigraphic use
Sn	245	74	422	100 ppm	no anomalous results associated with high Au values, most results below detection limit
Te	41	13	321	10 ppm	no anomalous results associated with high Au values, most results below detection limit
Zr	12330	3319	1060	200 ppm	could be tested for stratigraphic use, high correlation with Hf, U

(cont'd)

Table 3-2 : SUMMARY OF THE OTHER ELEMENTS ANALYZED FOR  
IN HEAVY MINERAL CONCENTRATES

(cont'd)

ELEMENT	MEAN*	STANDARD DEVIATION	N*	DETECTION LIMIT	COMMENTS
Br	5.9	3.2	574	0.5 ppm	could be tested for stratigraphic use
Lu	5.3	0.9	1059	0.2 ppm	could be tested for stratigraphic use, high correlation with Yb, Ce, La, Th, Tb
Sm	62.14	18.73	1060	0.05 ppm	could be tested for stratigraphic use
Cu	115	71	1060	1 ppm	no anomalous results associated with high Au values, could be tested for stratigraphic use

\* arithmetic mean used; only results above detection limit used in this table, N = number of results above detection limit; total number of samples is 1060.



Table 3-3 : As RESULTS FROM HEAVY MINERAL CONCENTRATES  
FROM TWO TILLS IN HOLES BOB-01 and BOB-02

YOUNGER TILL

Sample #	As (ppm)	Sample #	As (ppm)
01-01	2	02-01	7
-02	3.9	-02	28
-03	22	-03	33
-04	16	-04	34
-05	78	-05	16

OLDER TILL

Sample #	As (ppm)	Sample #	As (ppm)
01-06	98.8	02-06	38
-07	57.8	-07	91.6
-08	68.5	-08	196
-09	73.4	-09	49
		-10	54.8

### 3.3 Discussion of Background and Threshold Values

Our reverse circulation program generated 1060 overburden samples. This is a large amount of data, most of which, in all probability represent background results. This section discusses how we might differentiate background results from those which are, or may be, indicative of a mechanical dispersion train.

Background and threshold values for gold grains in tills of the northern Abitibi are suggested to be between 200 and 500 grains/m<sup>3</sup>, and 2500 grains/m<sup>3</sup>, respectively (Averill, 1988). Most of our overburden samples weighed 8 to 10 kg and had an approximate volume of 0.004 to 0.005 m<sup>3</sup>. Background till samples would then be expected to carry 0.8 to 2.5 gold grains (assuming all of the gold grains are detected). Similarly, the threshold value can be calculated to be approximately 10 gold grains per sample.

Some published literature describes mechanical gold dispersion from known bedrock occurrences. In all cases, there is little discussion of actual background and threshold values, but examples of anomalous results are given.

Averill and Zimmerman (1984) discovered a dispersion train which led to the discovery of the EP zone at Waddy Lake, Saskatchewan. They used 10 gold grains per sample as a threshold value, but the dispersion train they describe contained 100 gold grains per sample. These samples had HMC assay values of >100 000 ppb Au.

Sauerbrei *et al* (1987) drilled reverse circulation holes up-ice and down-ice from the Golden Pond discovery in Casa Berardi Township, Quebec. They were able to detect mechanical dispersion of gold in till down-ice from the deposit. They later used the method to test the strike extension of the mineralization and found new anomalies which led to the discovery of the Golden Pond East and West zones.

One anomalous sample they describe contained approximately 700 delicate gold grains and assayed 106 000 ppb Au (in the HMC). This sample proved to be directly adjacent to bedrock mineralization. A much less spectacular result taken at about 400 m down-ice from the deposits contained 7 abraded and 2 irregular grains and assayed 9100 ppb Au (in the HMC).

They also note that most anomalous samples also gave high As values (eg 3060 to 140 000 ppm) and oversized HMCs, rich in pyrite and arsenopyrite (eg 100 g concentrates rather than 10 to 30 g for background samples).

Finally, for gold assays in the HMCs, one of their figures describes results >2000 ppb as being anomalous, 500-2000 ppb as weakly anomalous and <500 ppb as non-anomalous. However, they acknowledge that erratic, isolated values higher up in the Quaternary section are probably not related to the bedrock mineralization.

Some published studies give HMC results but do not give gold grain count results. Harron et al (1987) contoured anomalous HMC assays at 2000 ppb Au and noted results as high as 19 000 ppb for a program near Timmins, Ont. Gleeson and Sheehan (1987) suggested lower threshold values be used at the Doyon and Bousquet deposits but their heavy liquid density was 2.96 (compared to 3.3 for most programs).

In summary, very strongly anomalous till samples should be easy to distinguish. However, criteria to separate weakly anomalous samples (truly indicative of bedrock mineralization) from background samples (especially high background samples) of no value are poorly defined.

#### 3.4 Interpretation of Overburden Results

None of our samples can be described as strongly anomalous. No samples contained abundant delicate or irregular gold grains. Most of the high assays for gold are due to a single coarse gold grain which cannot be presumed to indicate nearby bedrock mineralization. Associated elements results (eg As, Cu, Zn, Sb) are low and do not correlate with the Au results. No oversized HMCs rich in metallic minerals were found.

We have, however, discovered that two Wisconsinan tills (excluding Cochrane Till) are present on the property. The younger till was probably deposited close to the ice front of a minor readvance during late Wisconsinan time. If true, this ice sheet would have been less thick and would have been less capable of significantly eroding the bedrock surface. Therefore, we could postulate that a mechanical dispersion train in this late till might be less evident than in some of the examples reviewed.

For this reason, we have chosen the following threshold values:

- i) minimum 5 gold grains per sample, or
- ii) >500 ppb Au in the HMC.

Out of the total 1060 samples taken, 194 were selected for further examination using these criteria. Most were eliminated as non-anomalous based on the following observations:

- i) Many high HMC results are due to the presence of a single coarse (eg >500 ppb) gold grain. Such coarse grains occur erratically in tills (Averill, 1988). A few samples even contained two coarse (eg >500 ppb), abraded gold grains.
- ii) In other cases, a moderately high HMC result was shown to be due to well-travelled, background grains not coarse enough to (by themselves) cause a 500 ppb result.
- iii) Isolated high HMC results from the near-surface in areas of thick overburden were assumed to be caused by background grains (or, perhaps, a single coarse nugget) that were not detected during sample treatment.
- iv) Samples with more than 5 grains but with HMC results <500 ppb were also eliminated and interpreted to be high background samples. Most of these samples have only 5 to 7 grains and were drilled in summer (Rouyn lab).

Using these guidelines, nearly all of the 194 samples were classed as non-anomalous, high background or erratic values. A few samples, though, could not be easily rejected and these were classed as possibly anomalous. In most cases, analyses of the 1/4 (retained) split of these samples was requested. All possibly anomalous samples are discussed below, and results of the second analyses are given.

Area 1 (east of Blue Lake)

<u>Sample #</u>	<u># gold grains</u>	<u>calc ppb</u> ( <u>of gold grains</u> )	<u>HMC</u>	
			<u>assay ppb</u> ( <u>3/4 split</u> )	<u>2nd assay ppb</u> ( <u>1/4 split</u> )
BOB-06-02	2	2877	7410	23
BOB-07-05	0	0	1850	622
BOB-02-09	1	2539	1090	<18
BOB-04-03	1	4296	1600	---

Each of these samples was taken at or near the base of the Quaternary section. Stratigraphic considerations and As geochemistry suggest that the samples come from the older Matheson Till.

Hole BOB-06 is located southeast of a short electromagnetic conductor which was drilled in 1976 by Geophysical Engineering Ltd. A few short sections of massive pyrrhotite and pyrite were drilled along with quartz and quartz-carbonate veins. Assays over 8 to 13 foot lengths (2.4 to 4.0 m) returned "nil" gold values.

The basal sample from hole BOB-06 contained two gold grains; both are abraded and one is very coarse (accounting for 2527 ppb by itself). Both gold grains are probably well-travelled background grains, but the HMC assay is quite high relative to the expected result. Since the HMC was rich in pyrite (~35%), the high result may be due to fine or occluded gold. Analysis of the 1/4 split gave a result of 23 ppb. This suggests that no fine or occluded gold is present in the sample, i.e. the calculated ppb of the detected grains was underestimated, or an additional coarse grain was missed during sample treatment.

Hole BOB-07 (located at ~400 m west-southwest of hole BOB-06) gave one sample with a HMC result of 1850 ppb, but contained no visible gold and very few sulfide minerals. A second analysis was requested to determine whether the result was erratic (i.e. due to undetected gold grain(s)), or was perhaps due to abundant fine gold. This second analysis gave a result of 622 ppb. Although this result is higher than the threshold of 500 ppb which we used, it is much lower than the first analysis. This strongly suggests that a few background gold grains were missed during sample treatment. This sample, though, is classed as possibly anomalous as it may be indicative of a weak dispersion train carrying fine gold.

Holes BOB-02 and BOB-04 are at ~400 m down-ice from holes BOB-06 and BOB-07, respectively. In both cases, the HMC result is much lower than the expected value estimated from the volume of single coarse grains. The low value may indicate that the coarse grains remained in the 1/4 split, and that abundant fine gold (or an undetected second coarse grain) is present in the sample. Alternatively, the low assay may be due to an imprecise volume estimate and/or INA shielding. A second assay on sample BOB-02-09 gave a result of <18 ppb. This result shows that no fine gold anomaly is present.

Area 2 (northeast corner of Blue Lake)

<u>Sample #</u>	<u># of gold grains</u>	<u>calc ppb</u>	<u>HMC assay ppb</u>
BOB-12-09	8	3260	1490
BOB-12-12	19	7568	6020
BOB-12-15	7	489	373
BOB-12-16	13	593	868
BOB-12-17	1	82	764
BOB-114-09	4	2561	1490
BOB-114-10	8	1006	160
BOB-114-11	3	794	1390
BOB-114-12	6	1216	1900
BOB-115-15	1	291	5360

These samples were taken from buried glaciofluvial sands and gravels of pre-Wisconsinan age (Missinaibi Sediments), except BOB-12-09 which is a basal till sample of the same (slightly reworked) material. All of the discussion presented on background and thresholds deals with tills, and we are not certain that similar thresholds can be applied to this unit.

Most of the gold grains in these samples are relatively coarse and of uniform size. These samples suggest the presence of a low grade, buried placer deposit. It is not improbable that coarse gold of unknown provenance was concentrated out of older tills into these gravels.

Due, however, to the restricted distribution of these sediments, and the local steep bedrock topography, it might be unwise to categorically conclude that these results have no exploration significance.

Area 3 (west-northwest of camp)

<u>Sample #</u>	<u># of gold grains</u>	<u>calc ppb</u>	<u>HMC assay ppb</u>	<u>2nd assay ppb</u>
BOB-93-04	7	1092	1110	160
BOB-94-07	3	360	1100	180
BOB-132-05	1	2608	1420	56
BOB-58-03	0	0	1520	<21

These samples were all taken at or near the base of the Quaternary section. As geochemistry might suggest that these samples come from the younger, late Wisconsinan till.

Sample BOB-94-07 contained 3 gold grains of similar grain size, and all were classed by ODM as irregular. The HMC assay result was higher than expected, and so a second analysis was requested. The new result is 180 ppb.

Sample 93-04 contained 5 abraded and 2 irregular grains and is located 400 m west of hole BOB-94. This sample contains a 1 m section of sorted sandy gravelly material, which renders interpretation of the result more difficult. However, a second analysis was requested which gave a result of 160 ppb.

Second analyses were also requested from BOB-58-03 and 132-05. These results also show low values.

We interpret from these results that no important dispersion train has been intersected in this area.

Other possibly anomalous samples

<u>Sample #</u>	<u># of gold grains</u>	<u>calc ppb</u>	<u>HMC assay ppb</u>	<u>2nd assay ppb</u>
BOB-34-12	0	0	1600	25
BOB-34-15	0	0	1470	41
BOB-64-03	0	0	5400	<20
BOB-74-02	1	587	1240	29
BOB-86-05	4	2749	3300	59
BOB-89-09	0	0	2500	<18
BOB-101-14	4	514	1030	590
BOB-104-18	7	703	1450	43

These samples come from at or near the base of the Quaternary section and are scattered (more or less) across the property. Second analyses of the 1/4 split were requested to check for the possibility of abundant fine gold. In all cases except one, the second analysis gives a very low result which rules out the possibility of a fine gold anomaly. But, similar to sample BOB-07-05 (discussed earlier), sample BOB-101-14 gives a result over 500 ppb, but significantly lower than the first analysis. This sample is classed as possibly anomalous.

In summary, the results of the overburden sampling show no clearly defined anomalies. The best results come from Missinaibi sands and gravels from northeast of Blue Lake. But, since we have very limited data from this unit, it is difficult to assess these results.

Although samples BOB-07-05 and BOB-101-14 have been classed as possibly anomalous, the weak response of the second analysis (relative to the first analysis) suggest that only limited, if any, follow-up work is warranted.



#### 4. BEDROCK GEOLOGY

##### 4.1 Introduction

Bedrock chip samples were individually studied under the binocular microscope and these descriptions are given in Appendix IV, along with a full listing of the chemistry results. The chemistry results for ten elements (Ba, Cs, Cr, Co, Fe, La, Rb, Sc, Th, Na) were used together with the descriptions to subdivide the bedrock chip samples into three major groups: metasediments, metagabbros and mafic to intermediate metavolcanics, and finally, felsic to intermediate metavolcanics.

The metasedimentary rock descriptions are all very similar, as are the chemistry results, and this subdivision was quite easy to make. The other rock descriptions show more variation and the chemistry results were useful in subdividing them into units. These units are more heterogeneous and further work will be needed to better subdivide them.

Finally, a new outcrop was discovered on the property adjacent to one of the newly constructed drill roads. This outcrop is described in section 4.6, and chemistry results for one sample (JL-40-1) are given at the end of Appendix IV.

##### 4.2 Metasedimentary Rocks

Bedrock samples taken from the eastern part of the property (eg east of Nedlog Lake) are mostly very similar. These are quartz-feldspar-biotite  $\pm$  amphibole  $\pm$  garnet schists which are interpreted to be strongly metamorphosed greywackes.

In general, these metasedimentary rocks are fresh and unaltered. A few samples drilled to a rock flour clay, and this may be due to preglacial weathering (eg in hole BOB-12, which was protected by the Missinaibi Sediments unit) or other reasons. Occasional samples contained disseminated pyrite or pyrite in thin quartz veinlets, but overall, the samples are very uniform in appearance.

These samples are identified on MAP 10 as biotite schists (BS). A summary of the chemistry results for 10 elements is given in Table 4-1. Although a few of these samples were difficult to identify because they drilled to clay, their locations and similar chemistry strongly suggest that they are the same rock type (see descriptions in Appendix IV).

Also given in Table 4-1 are average results for two metasediments taken from outcrops JB-7 and JB-8 and two float boulders taken from the Burntbush River. The results are comparable, but the bedrock chip samples carry slightly higher Cr, Co, Fe and Na.

In addition to the abundant greywacke samples, two argillites were drilled, one within the metasedimentary terrane on the east side of the property (BOB-127-21), the other within the metavolcanic terrane west of the Burntbush River (BOB-88-07). These two samples have low Cs, Cr, Co, Fe and Sc contents compared to the greywackes and in some respects more closely resemble the chemistry of those samples taken during the summer 1986 program.

Gold content of the metasedimentary rocks is low. Most samples yield results <2 ppb (detection limit). Eight samples show >5 ppb with a maximum of 9 ppb in BOB-21-18. The maximum arsenic value in the east is 10 ppm (BOB-01-10), while BOB-128-17 gave 6.8 ppm. The argillite sample from the west side (BOB-88-07) gave 11 ppm As. All other metasedimentary rocks show <3 ppm As.

#### 4.3 Metagabbros and Mafic to Intermediate Metavolcanics

Bedrock samples from twenty-two drill holes (total 26 samples) have been tentatively identified as metagabbro. It is probable that some of these rocks are flows, but the size of the bedrock chips makes identifications difficult. They are composed predominantly of feldspar and amphibole; biotite and quartz were observed in a few samples. Most are massive to very weakly foliated and some show a lination.

These metagabbros (MG) are also shown on MAP 10 and it can be seen that their distribution is somewhat erratic. There is good grouping of metagabbro south and southeast of trench 2, but isolated drill holes across the metavolcanic terrane have also been labelled metagabbro. Note that four metagabbros were mapped in outcrop (at trenches 1, 2 and 3 and outcrops JL-17) and that each is associated with relatively high magnetic signature. Not all of the bedrock chip samples identified as such fall in high magnetic areas, though.

Table 4-1 : METASEDIMENTARY ROCKS -  
SUMMARY OF ANALYTICAL RESULTS

	greywackes	metasediments	argillites	
	$\bar{x} + \sigma_n$ (max,min) n = 55	summer '86 $\bar{x}$ n = 4	BOB-127 n = 1	BOB-88 n = 1
Ba (ppm)	740 $\pm$ 210 (1400,420)	620	580	630
Cs (ppm)	4.1 $\pm$ 1.6 (8.1,1.4)	4.4	1.7	1.5
Cr (ppm)	310 $\pm$ 62 (460,170)	130	160	160
Co (ppm)	28 $\pm$ 5 (40,19)	13	13	12
Fe (%)	4.9 $\pm$ 0.7 (6.7,3.4)	3.7	3.1	1.9
La (ppm)	31 $\pm$ 18 * (150,17)	20	33	32
Rb (ppm)	85 $\pm$ 24 (140,34)	83	71	80
Sc (ppm)	16 $\pm$ 2.5 (22.8,11.0)	11.4	10	6.4
Th (ppm)	6.5 $\pm$ 2.0 (14,3.2)	6.3	5.4	18.0
Na (%)	2.9 $\pm$ 0.5 (4.26,2.01)	1.76	2.48	2.41

\* if one value of 150 is omitted, the new mean for La is 29  $\pm$  7 (new maximum value of 57).

In Table 4-2, these "metagabbro" samples are compared with the four metagabbro outcrops using the same ten elements as in Table 4-1.

In all cases, the chemistry results are comparable. There are some differences: for example Cs values at the sheared metagabbro are high, and Fe values at trench 3 are low; La and Th results in the three metagabbros which occur in the northern (high metamorphic) terrane are also low (trench 1 and 2, outcrop JL-17). It is also evident that these ten elements can be used to distinguish these rock types from the metasediments.

The best gold value obtained from the metagabbros drilled was 14 ppb from hole BOB-45. It also gave the highest As result (1.6 ppm). All other gold and arsenic values are less than 10 ppb, and 1 ppm, respectively. However, three adjacent holes (BOB-102, 103, 105) just east of the Burntbush River gave weakly anomalous results of 7 to 8 ppb Au.

The remaining bedrock chip samples have all been identified as metavolcanic rocks. However, the samples are heterogeneous, i.e. they are not easily subdivided into units due to their non-uniform appearance. For this reason we have chosen to subdivide all of the rocks into two major groups: mafic to intermediate metavolcanics and felsic to intermediate metavolcanics.

Mafic to intermediate rocks were distinguished from felsic to intermediate rocks mostly using chemistry results for Fe and Th. Of course, the descriptions were taken into account, and we found that high Fe and low Th rocks were nearly always associated with chip samples identified as intermediate tuffs, while low Fe and high Th samples were nearly always associated with felsic tuffs.

Table 4-3 summarizes the chemistry results for 24 bedrock chip samples which have been classed as mafic to intermediate metavolcanic rocks (MV on MAP 10). When these results are compared with bedrock chip samples identified as metagabbro, it can be seen that the results are quite similar. However, on average, the metavolcanics have slightly lower values for elements associated with mafic minerals (eg Cr, Co, Fe, Sc) and slightly higher values for elements associated with felsic minerals (eg. Ba, Cs, La, Rb, Th, Na). This suggests that in general, we have been able to separate more mafic rocks from rocks closer to an intermediate composition quite well using the binocular microscope.

Also shown on Table 4-3 are chemistry results for other metavolcanic rocks from outcrops within the property.

Table 4-2 : METAGABBROS -  
SUMMARY OF ANALYTICAL RESULTS

	"metagabbros" bedrock chips $\bar{x} + \sigma_n$ (max,min) n = 25	metagabbro trench 1 $\bar{x}$ (max,min) n = 5	metagabbro outcrop JL-17 $\bar{x}$ (max,min) n = 6	sheared metagabbro trench 2 $\bar{x} + \sigma_n$ (max,min) n = 50	metagabbro trench 3 $\bar{x}$ (max,min) n = 5
Ba (ppm)	190 ± 80 (230,<50)	100 (190,<50)	150 (220,54)	90 ± 90 * (610,<50)	170 (410,86)
Cs (ppm)	1.7 ± 1.3 (5.9,<0.5)	1.0 (3.0,<0.5)	1.9 (3.3,0.6)	7.0 ± 14 * (96.4,0.8)	1.6 (3.8,<0.5)
Cr (ppm)	230 ± 130 (580,72)	160 (220,64)	380 (1100,24)	330 ± 110 (560,170)	200 (280,73)
Co (ppm)	50 ± 24 (140,19)	33 (37,29)	33 (43,22)	42 ± 6 (53,27)	29 (39,19)
Fe (%)	9.2 ± 2.1 (13.0,6.0)	9.2 (12.0,7.5)	8.4 (11.0,5.5)	9.4 ± 0.9 (12.0,6.8)	6.2 (7.3,5.0)
La (ppm)	12 ± 4 (28,5)	5 (7,2)	4 (5,3)	3 ± 1 (7,<2)	13 (18,9)
Rb (ppm)	24 ± 11 (28,5)	18 (39,<5)	38 (59,10)	21 ± 29 * (170,<5)	31 (88,10)
Sc (ppm)	29 ± 8 (49.2,18.0)	36 (44.8,30.4)	32 (34.7,25.6)	42 ± 5 (51.7,29.3)	26 (34.5,17.0)
Th (ppm)	1.0 ± 0.5 (2.3,0.3)	0.3 (0.4,<0.2)	0.3 (0.8,<0.2)	0.2 ± 0.2 (1.1,<0.2)	0.8 (1.5,0.5)
Na (%)	2.0 ± 0.7 (3.50,0.64)	2.0 (2.9,1.0)	1.5 (1.9,1.1)	1.6 ± 0.4 (2.36,0.55)	3.3 * (3.99,1.3)

\* if one value of 610 is omitted, the new mean for Ba is 80 ± 50 (new maximum value of 260).

\* if one value of 96.4 is omitted, the new mean for Cs is 5.2 ± 7 (new maximum value of 36.0).

\* if one value of 170 is omitted, the new mean for Rb is 18 ± 20 (new maximum value of 120).

\* for Na at trench 3, n = 4.

Table 4-3 : MAFIC TO INTERMEDIATE METAVOLCANIC ROCKS -  
SUMMARY OF ANALYTICAL RESULTS

	metavolcanics bedrock chips $\bar{x} \pm \sigma_{n-1}$ (max,min) n = 24	pillowed basalts trench 1 $\bar{x} \pm \sigma_{n-1}$ (max,min) n = 17	pillowed andesites trench 4 $\bar{x}$ (max,min) n = 7	dacitic tuffs trenches 3, 5 $\bar{x}$ (max,min) n = 12
Ba (ppm)	225 $\pm$ 90 (430,120)	105 $\pm$ 75 (280,<50)	113 (230,67)	330 (690,75)
Cs (ppm)	2.0 $\pm$ 1.0 (5.0,0.8)	1.1 $\pm$ 1.4 (5.8,<0.5)	2.5 (4.0,1.5)	1.6 (3.7<0.5)
Cr (ppm)	210 $\pm$ 100 (510,57)	230 $\pm$ 130 (680,64)	85 (140,48)	20 (58,<20)
Co (ppm)	36 $\pm$ 15 (75,7)	33 $\pm$ 7 (43,21)	26 (41,20)	12 (18,8)
Fe (%)	7.5 $\pm$ 1.5 (11.0,5.3)	8.6 $\pm$ 1.2 (12.0,6.4)	5.6 (9.1,4.5)	5.4 (12.0,3.0)
La (ppm)	16 $\pm$ 6 (31,10)	5 $\pm$ 2 (9,3)	11 (13,10)	12 (18,9)
Rb (ppm)	37 $\pm$ 16 (84,17)	18 $\pm$ 15 (66,<5)	15 (23,8)	31 (62,3)
Sc (ppm)	23 $\pm$ 6 (35.2,11.0)	37 $\pm$ 7 (45.3,26.2)	20 (31.7,16.0)	11 (18.0,7.3)
Th (ppm)	1.3 $\pm$ 0.7 (2.8,0.4)	0.3 $\pm$ 0.2 (1.0,<0.2)	0.8 (1.1,0.7)	1.5 (2.2,1.1)
Na (ppm)	2.3 $\pm$ 0.8 (4.34,0.58)	1.9 $\pm$ 0.4 (2.5,1.1)	3.0 * (3.54,2.58)	2.1 * (2.91,0.84)

\* for Na at trench 4, n = 3; at trenches 3, 5, n = 10

The best gold value obtained from these mafic to intermediate metavolcanic rocks is 31 ppb in hole BOB-58. This drill hole is located very close to a northwest trending fault, and just north of where this fault intersects a second, east-west trending, fault. Three other samples gave results of 12 to 13 ppb Au (BOB-51-03, 65-05, 67-08). Arsenic values are all <3 ppm.

#### 4.4 Felsic to Intermediate Metavolcanic Rocks

Using descriptions in Appendix IV, and using chemistry results (summarized in Table 4-4), we have classed all of the remaining bedrock chip samples as felsic to intermediate metavolcanic rocks.

Five of the drill holes, however, intersected a distinctive reddish coloured quartzo-feldspathic rock type which can be easily separated from the other felsic to intermediate rocks. It is described as porphyritic, carrying rounded to slightly elongate quartz eyes and generally also carrying feldspar phenocrysts. These samples are identified as felsic crystal tuffs (XT) on MAP 10, but it may be a flow rock since the groundmass is very fine grained to aphanitic.

All of these samples were taken along drill section E-E', at the far western end of the property and are associated with low magnetic signature. They have very low Cr, Co and Fe values and high Ba and Na values (see Table 4-4), and are therefore easily distinguished from the metasedimentary and more mafic metavolcanic rock types using the chemistry results.

Three additional samples of feldspar crystal tuff were taken from low magnetic areas at the far western end of the property. These samples lack the distinctive reddish colour of those described above, but they too, show very high Na values. However, they probably represent a different or related subunit of the felsic crystal tuffs described above since important chemistry differences are apparent (eg lower Ba, higher Cr, Co, Fe, Sc and Th; see Table 4-4).

On MAP 10, these three drill holes are also labelled felsic crystal tuffs (XT); they can be differentiated from the previous five reddish-coloured tuffs since they do not fall on section E-E'.

Table 4-4 : FELSIC TO INTERMEDIATE METAVOLCANIC ROCKS -  
SUMMARY OF ANALYTICAL RESULTS

	felsic crystal tuffs	feldspar crystal tuffs	felsic tuffs	int. tuffs	int. to felsic flows or tuffs	BOB-101-16
	$\bar{x}$ (max,min) n = 5	$\bar{x}$ (max,min) n = 3	$\bar{x}$ (max,min) n = 4	$\bar{x}$ (max,min) n = 4	$\bar{x}$ (max,min) n = 9	x n = 1
Ba	1360 (ppm) (1500,1200)	705 (930,330)	1300 (1500,1100)	720 (860,600)	450 (730,220)	1200
Cs	3 (ppm) (4.4,1.7)	1.9 (2.9,1.3)	8.5 (12.0,5.5)	12 (16,6.7)	2.6 (3.9,1.1)	3.6
Cr	130 (ppm) (150,110)	250 (340,190)	310 (440,230)	330 (430,220)	140 (200,<20)	84
Co	4 (ppm) (6,<5)	14 (17,10)	16 (23,12)	30 (36,23)	15 (24,6)	10
Fe	1.8 (%) (2.2,1.6)	2.9 (3.2,2.5)	2.9 (3.3,2.2)	4.9 (6.2,3.8)	2.9 (4.6,0.6)	4.5
La	38 (ppm) (48,30)	36 (38,33)	37 (42,29)	30 (39,19)	36 (150,16)	19
Rb	58 (ppm) (63,55)	43 (51,31)	98 (110,84)	118 (160,72)	53 (75,32)	55
Sc	3.6 (ppm) (4.6,3.2)	6.9 (8.6,4.6)	9.4 (11.0,7.3)	16 (21.7,14.0)	8.1 (15.0,5.3)	10
Th	3.7 (ppm) (4.0,3.5)	5.1 (5.6,4.7)	5.8 (6.7,4.7)	5.7 (7.6,2.7)	3.5 (5.3,1.7)	2.8
Na	4.3 (%) (5.15,3.68)	4.3 (4.52,4.11)	1.9 (2.62,0.85)	1.4 (2.41,0.38)	2.7 (4.34,1.0)	0.64



All of the remaining bedrock chip samples are classed simply as felsic to intermediate metavolcanics (FV) on MAP 10. These have been subdivided in Table 4-4 to show that their chemistry is not uniform. However, they can all be easily distinguished from the metasedimentary and more mafic metavolcanic rock types.

For example, three drill holes along section E-E' are classed as felsic tuffs in Table 4-4 (samples BOB-77-03, 77-04, 82-13, 85-10). Their location and descriptions suggest that they are similar to the reddish-coloured felsic crystal tuffs but they are greenish coloured and have low Na values (along with Co, Cr and Fe values more resembling the feldspar crystal tuffs north of section E-E').

The four remaining samples from profile E-E' are classed (on Table 4-4) as intermediate tuffs. They show higher Co, Fe and Sc than the felsic tuffs.

The other bedrock chip samples which are included in the felsic to intermediate metavolcanic group are more or less scattered across the western part of the property. In all cases except one (BOB-90-15), they are characterized by low magnetic signature. Sample BOB-101-16 may be unique in that it represents the most strongly fractured and altered bedrock sample taken (although it contains no gold).

Gold values along section E-E' are rather interesting. From felsic to intermediate rock types, five of twelve drill holes gave 10 ppb or greater with a maximum value of 28 ppb. Also note that one metagabbro sample on this section gave 14 ppb Au. Evidence of shearing was noted in some of these samples, but the bedrock chips are very small and interpretation of shearing in these samples is difficult. The aeromagnetic data does not rule out the presence of an east-west fault close to this drill section.

In the other felsic to intermediate rock samples (those not located on section E-E'), gold values are all less than 10 ppb. Arsenic values are <3 ppm except for hole BOB-53, which gave 10 ppm.

#### 4.5 General Summary of Bedrock Chip Studies

Bedrock samples taken from reverse circulation drill holes support the main interpretation of the property bedrock geology given in previous reports. That is, the property can be separated into two major terranes. To the north, and to the east, the property is

underlain by a thick sequence of metasediments. These are principally greywackes and are strongly metamorphosed. In the south-central and south-western parts, the bedrock consists of a complex mixture of metavolcanic flows and tuffs.

The nature of the contact between these two terranes is not yet known; however, we suspect it is a major east-west break. Furthermore, we are now beginning to have evidence that the metavolcanic rocks south of this contact may host multiple, parallel fault zones.

Our present rock unit subdivisions are adequate only in the metasedimentary terrane. Further detailing of rock units must be done in the metavolcanic terrane. Future studies will include comparison of our rock chips to outcrop samples and diamond drill core (diamond drilling will be performed starting in February, 1988) and additional chemistry analyses (eg major element whole rocks) on selected samples.

#### 4.6 New Outcrop

A previously unreported outcrop was discovered adjacent to a drill road during the winter 1987 reverse circulation program. It is located between holes BOB-40 and BOB-50, at about 1 km due west of trench 3.

The outcrop is small, only a few metres square. It is composed of mainly plagioclase and amphibole, similar to the garnetiferous tuffs at trench 3. A few garnets were observed but they are generally lacking. The other major difference between this outcrop and the garnetiferous tuff unit is the abundance of calcite.

Calcite-rich layers are thinly interbedded with the plagioclase-amphibole layers and the layering is tightly folded at cm scale (upright, open folds) and nearly horizontal, with fold axes all plunging gently (~25°) to the east.

A few sterile discordant quartz veins are present.

This outcrop further confirms the abundance of near-horizontal rocks in the southern metavolcanic terrane.

## 5. CONCLUSIONS

### 5.1 Overburden Stratigraphy

Our interpretation of the overburden stratigraphy strongly suggests that a relatively complex sequence of Wisconsinan glacial deposits is present in this part of northeastern Ontario. The main Wisconsinan ice sheet appears to have briefly withdrawn and readvanced over the area, resulting in deposition of two tills.

We conclude that till logged during the field program as "Lower Till" is in fact equivalent to Matheson Till, and that the younger till is a late phase also equivalent to Matheson Till (in a regional context).

During the brief interstadial period which separates these two tills, glaciofluvial and glaciolacustrine sediments were deposited. Since, in many cases, these are overlain by the younger till, they were also incorrectly logged during the field program. Thus, most of the glaciofluvial and glaciolacustrine materials are of late Wisconsinan age (i.e. Ojibway II unit) and not early Wisconsinan or Sangamon (i.e. Missinaibi Sediments unit).

It is concluded that pre-Wisconsinan overburden was drilled only in a restricted area northeast of Blue Lake, where Missinaibi sands and gravels have been preserved in an area of steep bedrock topography.

In some drill holes, the two Wisconsinan till units are present, separated by a glaciofluvial or glaciolacustrine marker. In other holes, where only one till unit was logged in the field, it may be possible to distinguish which of the two tills is present, or if both are present. We have not yet fully evaluated our ability to do so, but As geochemistry results in tills from holes BOB-01 and BOB-02 suggest that there are chemical differences between the two tills.

It is interesting to note that Veillette (1986) has proposed a shift in ice-flow direction in late Wisconsinan time for the Abitibi-Timiskaming region. It is possible that this ice-flow direction change is related to the deposition of the younger till observed in this area and that the interstadial period recognized in this area is more a regional than local phenomenon.

## 5.2 Overburden Sampling

Gold grain counts and analyses of heavy mineral concentrates from the overburden samples do not show strong evidence for a mechanical dispersion train over the southern part of the property.

The best results were taken in an area northeast of Blue Lake, where protective topography has preserved Missinaibi sands and gravels which contain significant gold. It is difficult to conclude whether these results are indicative of bedrock mineralization, or whether there has been a concentration of gold from pre-existing tills.

We have found that gold grain counts for samples treated at ODM laboratories in Nepean and Rouyn are not comparable. It is difficult to assess some of the till samples treated at Rouyn which contain abundant gold grains (eg 5 to 9 grains) but which give low Au analyses. Although we conclude that no dispersion train was found, it is tempting to suggest that some high background samples (eg in the central part of the property east of the Burntbush River) may represent the terminal part of a dispersion train which could be better identified further up-ice.

## 5.3 Bedrock Geology

The results of our work on the bedrock chip samples confirm our earlier interpretations of the bedrock geology. As we have stated in our previous reports, the property can be subdivided into two main lithological domains.

The low magnetic area which underlies the northern and eastern part of the property is considered to be mostly a monotonous, strongly metamorphosed turbidite sequence. Although outcrops of metabasalt and metagabbro have been found in this northern domain, none were intersected in the reverse circulation drill holes.

The high magnetic area which underlies the south-central and south-western parts of the property is composed of a complex metavolcanic stratigraphy with minor metasedimentary rocks and with interflow sills and/or intrusive bodies. Metavolcanic rock chips are variable in appearance and composition and individual rock units are difficult to map using the drill hole spacing of 400 x 400 m. One exception is the high-Na, high-Ba reddish coloured quartzo-feldspathic crystal tuff which is well defined by its low magnetic signature and which was drilled in five holes near Spade Lake.

Gold geochemistry of the bedrock chips suggest that the "complex" southern domain may hold more potential for mineralization than the "monotonous" northern domain. We suspect that the contact between the two domains is a shear zone, and therefore a target for gold mineralization. But, gold values from the southern domain commonly exceed 10 ppb, whereas this has not yet happened in the northern domain (except in the sheared metagabbro outcrops interpreted to have intruded the contact area). Aeromagnetics data and the linear continuity of anomalous gold results along drill section E-E' suggest that east-west trending shears are also present within the southern domain and these targets may be as important as the main sheared contact zone.

6. REFERENCE LIST

ASSESSMENT REPORTS (LARDER LAKE MINING DISTRICT)

Ameritex, 1984  
COGEMA CANADA LTD, 1987  
Geophysical Engineering Ltd, 1976

Averill, S.A. and Thomson, I., 1981, Reverse circulation rotary drilling and deep overburden geochemical sampling in Master, Skead, Gauthier and Hearst Townships, District of Timiskaming, Ont. Geol. Surv. Open File Rept 5335, 276p.

Averill, S.A. and Zimmerman, J.R., 1986, The riddle resolved: The discovery of the Partridge gold zone using sonic drilling in glacial overburden at Waddy Lake, Saskatchewan, Can. Geol. J., CIMM v.1, p.14-20.

Averill, S.A., 1988, abstract from a paper to be presented at the Prospecting in Glaciated Terrain symposium in Halifax.

Boissoneau, A.N., 1965, Algoma-Cochrane, Surficial Geology, Ont. Dept. Lands and Forests Map S365, Scale 1:506 880.

Bouchard, M.A., 1986, Pleistocene stratigraphy of northwestern Abitibi from boreholes and excavations at Selbaie Mine, Quebec, Geol. Assoc. Can./Mineral. Assoc. Can. Joint Annual Mtg 1986, Program with Abstracts, p.47.

Clark, T.H., and Stearn, C.W., 1968, Geological Evolution of North America, 2nd ed, The Ronald Press Co, New York, 570p.

Gleeson, C.F. and Sheehan, D.G., 1987, Humus and till geochemistry over the Doyon, Bousquet and Williams gold deposits, CIM Bull. v.80, no. 898, p.58-66.

Harron, G.A., Middleton, R.S., Durham, R.B., and Philipp, A., 1987, Geochemical and geophysical gold exploration in the Timmins area, Ontario: a case history, CIM Bull. v.80, no. 898, p.52-57.

Johns, G.W., 1982, Geology of the Burntbush-Detour Lakes area,  
District of Cochrane, Ont. Geol. Surv. Rept 199, 82p.

Sauerbrei, J.A., Pattison, E.F., and Averill, S.A., 1987, Till  
sampling in the Casa-Berardi gold area, Quebec: a case history  
in orientation and discovery, J. Geochem. Expl. v.28, p.297-314.

Shelp, G.S., 1985, The distribution and dispersion of gold in glacial  
till associated with gold mineralization in the Canadian Shield,  
M.Sc thesis, Queen's University, Kingston, Ont., 155p.

Thomson, R., 1936, Geology of the Burntbush River area, Ont. Dept.  
Mines, Annual Rept v.45, Part 6, p.49-63.

Veillette, J.J., 1986, Former southwesterly ice flows in the  
Abitibi-Timiskaming regions: implications for the configuration  
of the late Wisconsinan ice sheet, Can. J. Earth Sci., v.23,  
p.1724-1741.



Ontario

Ministry of  
Northern Development  
and Mines



32E125W0015 2.10757 NOSEWORTHY

900

Ministère du  
Développement du Nord  
et des Mines

January 25, 1988

Your File: W8808.018

Our File: 2.10757

Mining Recorder  
Ministry of Northern Development and Mines  
4 Government Road East  
Kirkland Lake, Ontario  
P2N 1A2

Dear Sir:

RE: Data for Assaying submitted under Section 77(19)  
of the Mining Act R.S.O. 1980 on Mining Claim  
L 789211 et al in Hoblitzell and Noseworthy Townships

The enclosed statement of assessment work credits for assaying  
has been approved as of the above date.

Please inform the recorded holder of these mining claims and  
so indicate on your records.

Yours sincerely,


W.R. Cowan, Manager  
Mining Lands Section  
Mines & Minerals Division

Whitney Block, Room 6610  
Queen's Park  
Toronto, Ontario  
M7A 1W3

Telephone: (416) 965-4888

*km*

RM:p1  
Enclosure (2)



cc: Resident Geologist  
Kirkland Lake, Ontario

Cogema Canada Limited  
2000 Mansfield Street  
Suite 400  
Montreal, Quebec  
H3A 2Z1





~~CONFIDENTIAL - ORB 9275~~


8 55am  
Ⓢ

L789211	50	L789243	50	L789275	50	L789307	50L	L789339	50
L789212	50	L789244	50	L789276	50	L789308	50	L789340	50
L789213	50	L789245	50	L789277	50	L789309	50	L789341	50
L789214	50	L789246	50	L789278	50	L789310	50	L789342	50
L789215	50	L789247	50	L789279	50	L789311	50	L789343	50
L789216	50	L789248	50	L789280	50	L789312	50	L789344	50
L789217	50	L789249	50	L789281	50	L789313	50	L789345	50
L789218	50	L789250	50	L789282	50	L789314	50	L789346	50
L789219	50	L789251	50	L789283	50	L789315	50	L789347	50
L789220	50	L789252	50	L789284	50	L789316	50	L789348	50
L789221	50	L789253	50	L789285	50	L789317	50	L789349	50
L789222	50	L789254	50	L789286	50	L789318	50	L789350	50
L789223	50	L789255	50	L789287	50	L789319	50	L789351	50
L789224	50	L789256	50	L789288	50	L789320	50	L789352	50
L789225	50	L789257	50	L789289	50	L789321	50	L789353	40*
L789226	50	L789258	50	L789290	50	L789322	50	L789354	50
L789227	50	L789259	50	L789291	50	L789323	50	L789355	50
L789228	50	L789260	50	L789292	40*	L789324	50	L789356	50
L789229	50	L789261	50	L789293	50	L789325	50	L789357	50
L789230	50	L789262	50	L789294	50	L789326	50	L789358	50
L789231	50	L789263	50	L789295	50	L789327	50	L789359	50
L789232	50	L789264	50	L789296	50	L789328	50	L789360	50
L789233	50	L789265	50	L789297	50	L789329	50	L789361	50
L789234	50	L789266	50	L789298	50	L789330	50	L789362	50
L789235	50	L789267	50	L789299	50	L789331	50	L789363	50
L789236	50	L789268	50	L789300	50	L789332	50	L789364	50
L789237	50	L789269	50	L789301	50	L789333	50	L789365	50
L789238	50	L789270	50	L789302	50	L789334	50	L789366	50
L789239	50	L789271	50	L789303	50	L789335	50	L789367	50
L789240	50	L789272	50	L789304	50	L789336	50	L789368	50
L789241	50	L789273	50	L789305	40*	L789337	50	L789369	50
L789242	50	L789274	50	L789306	40*	L789338	50	L789370	50

~~CONFIDENTIAL~~


~~CONFIDENTIAL~~

L789371	50	L789403	50	L789435	50	L789467	50	L789499	50
L789372	50	L789404	50	L789436	50	L789468	50	L789500	50
L789373	50	L789405	50	L789437	50	L789469	50	L789501	50
L789374	50	L789406	50	L789438	50	L789470	50	L789502	50
L789375	50	L789407	50	L789439	50	L789471	50	L789503	50
L789376	50	L789408	50	L789440	50	L789472	50	L789504	50
L789377	40*	L789409	50	L789441	50	L789473	50	L789505	50
L789378	50	L789410	50	L789442	50	L789474	50	L789506	50
L789379	50	L789411	50	L789443	50	L789475	50	L789507	50
L789380	50	L789412	50	L789444	50	L789476	50	L789508	42*
L789381	50	L789413	50	L789445	50	L789477	50		
L789382	50	L789414	50	L789446	50	L789478	50	L789561	40*
L789383	50	L789415	50	L789447	50	L789479	50	L789562	40*
L789384	50	L789416	50	L789448	50	L789480	50		
L789385	50	L789417	50	L789449	50	L789481	50		
L789386	50	L789418	50	L789450	50	L789482	50		
L789387	50	L789419	50	L789451	50	L789483	50		
L789388	50	L789420	50	L789452	50	L789484	50		
L789389	50	L789421	50	L789453	50	L789485	50		
L789390	50	L789422	50	L789454	50	L789486	50		
L789391	50	L789423	50	L789455	50	L789487	50		
L789392	50	L789424	50	L789456	50	L789488	50		
L789393	50	L789425	50	L789457	50	L789489	50		
L789394	50	L789426	50	L789458	50	L789490	50		
L789395	50	L789427	50	L789459	50	L789491	50		
L789396	50	L789428	50	L789460	50	L789492	50		
L789397	50	L789429	50	L789461	50	L789493	50		
L789398	40*	L789430	50	L789462	50	L789494	50		
L789399	50	L789431	50	L789463	50	L789494	50		
L789400	50	L789432	50	L789464	50	L789495	50		
L789401	50	L789433	50	L789465	50	L789496	50		
L789402	50	L789434	50	L789466	50	L789498	50		

RECEIVED  
JAN 18 1988  
8.55 am  


WORK PERFORMED FROM APPROX. 1985 TO 1986

WORK PERFORMED ON THE FOLLOWING CLAIMS




<u>Claim #</u>	<u>Drill Hole #(s)</u>	<u>Claim #</u>	<u>Drill Hole #(s)</u>
L789223	BOB-71,72	L789320	BOB-54
L789224	BOB-80	L789321	BOB-44
L789225	BOB-79	L789322	BOB-57
L789226	BOB-70,73	L789323	BOB-94,131,132
L789237	BOB-68,74	L789324	BOB-95
L789238	BOB-78	L789326	BOB-55
L789239	BOB-76,77	L789327	BOB-56
L789240	BOB-66,75	L789328	BOB-43
L789241	BOB-69	L789329	BOB-42
L789251	BOB-67	L789330	BOB-53
L789254	BOB-81	L789331	BOB-50
L789255	BOB-65	L789332	BOB-40
L789256	BOB-86	L789333	BOB-48
L789267	BOB-87	L789335	BOB-52
L789268	BOB-64	L789336	BOB-51
L789269	BOB-82	L789337	BOB-41,105
L789270	BOB-83	L789351	BOB-102
L789271	BOB-63	L789352	BOB-49
L789272	BOB-88	L789357	BOB-101
L789281	BOB-89	L789359	BOB-103,106
L789282	BOB-62	L789360	BOB-107
L789283	BOB-84	L789372	BOB-104
L789284	BOB-85	L789373	BOB-100
L789285	BOB-61	L789375	BOB-99
L789286	BOB-90	L789379	BOB-98
L789310	BOB-91	L789381	BOB-109
L789311	BOB-60	L789382	BOB-108
L789312	BOB-47	L789393	BOB-110
L789313	BOB-46	L789395	BOB-37,96
L789314	BOB-59	L789396	BOB-97
L789315	BOB-92	L789401	BOB-38
L789316	BOB-93,133	L789402	BOB-39
L789317	BOB-58	L789403	BOB-36
L789318	BOB-45	L789404	BOB-130

... cont'd

WORK PERFORMED ON THE FOLLOWING CLAIMS  
(cont'd)

<u>Claim #</u>	<u>Drill Hole #(s)</u>	<u>Claim #</u>	<u>Drill Hole #(s)</u>
L789416	BOB-28	L789490	BOB-09
L789417	BOB-27,29	L789491	BOB-13
L789418	BOB-129	L789492	BOB-03
L789419	BOB-128	L789494	BOB-04,07,111,113
L789430	BOB-127	L789495	BOB-08,112
L789431	BOB-30	L789503	BOB-02,06
L789432	BOB-26	L789504	BOB-01
L789433	BOB-25	L789505	BOB-05
L789434	BOB-31		
L789436	BOB-126		
L789445	BOB-125,125A		
L789447	BOB-24,32		
L789449	BOB-22		
L789450	BOB-21		
L789451	BOB-33		
L789452	BOB-124		
L789461	BOB-35,122,123		
L789462	BOB-34		
L789463	BOB-20		
L789464	BOB-23		
L789465	BOB-17		
L789466	BOB-16		
L789467	BOB-18,19		
L789468	BOB-12,119,120		
L789469	BOB-115,117,118,121		
L789476	BOB-116		
L789477	BOB-11,114		
L789480	BOB-15		
L789481	BOB-14		
L789483	BOB-10		





Recorded Holder  
**Cigema Canada Limited**

Township ~~XXXX~~  
**Hoblitzell and Noseworthy**

Type of survey and number of Assessment days credit per claim	Mining Claims Assessed																																				
<b>Geophysical</b>	<p>\$223,684.82 SPENT ON DRILLING AND ANALYSES OF SAMPLES TAKEN FROM MINING CLAIMS:</p> <table border="0"> <tr> <td>L789223 to 226 inclusive</td> <td>L789395 to 396 inclusive</td> </tr> <tr> <td>789237 to 241 inclusive</td> <td>789401 to 404 inclusive</td> </tr> <tr> <td>789251</td> <td>789416 to 419 inclusive</td> </tr> <tr> <td>789254 to 256 inclusive</td> <td>789430 to 434 inclusive</td> </tr> <tr> <td>789267 to 272 inclusive</td> <td>789436</td> </tr> <tr> <td>789281 to 286 inclusive</td> <td>789445</td> </tr> <tr> <td>789310 to 318 inclusive</td> <td>789447</td> </tr> <tr> <td>789320 to 324 inclusive</td> <td>789449 to 452 inclusive</td> </tr> <tr> <td>789326 to 333 inclusive</td> <td>789461 to 469 inclusive</td> </tr> <tr> <td>789335 to 337 inclusive</td> <td>789476 to 477 inclusive</td> </tr> <tr> <td>789351 to 352 inclusive</td> <td>789480 to 481 inclusive</td> </tr> <tr> <td>789357</td> <td>789483</td> </tr> <tr> <td>789359 to 360 inclusive</td> <td>789490 to 492 inclusive</td> </tr> <tr> <td>789372 to 373 inclusive</td> <td>789494 to 495 inclusive</td> </tr> <tr> <td>789375</td> <td>789503 to 505 inclusive</td> </tr> <tr> <td>789379</td> <td></td> </tr> <tr> <td>789381 to 382 inclusive</td> <td></td> </tr> <tr> <td>789393</td> <td></td> </tr> </table> <p>14,912 ASSESSMENT WORK DAYS ARE ALLOWED WHICH MAY BE GROUPED IN ACCORDANCE WITH SECTION 76(6) OF THE MINING ACT.</p>	L789223 to 226 inclusive	L789395 to 396 inclusive	789237 to 241 inclusive	789401 to 404 inclusive	789251	789416 to 419 inclusive	789254 to 256 inclusive	789430 to 434 inclusive	789267 to 272 inclusive	789436	789281 to 286 inclusive	789445	789310 to 318 inclusive	789447	789320 to 324 inclusive	789449 to 452 inclusive	789326 to 333 inclusive	789461 to 469 inclusive	789335 to 337 inclusive	789476 to 477 inclusive	789351 to 352 inclusive	789480 to 481 inclusive	789357	789483	789359 to 360 inclusive	789490 to 492 inclusive	789372 to 373 inclusive	789494 to 495 inclusive	789375	789503 to 505 inclusive	789379		789381 to 382 inclusive		789393	
L789223 to 226 inclusive		L789395 to 396 inclusive																																			
789237 to 241 inclusive		789401 to 404 inclusive																																			
789251		789416 to 419 inclusive																																			
789254 to 256 inclusive		789430 to 434 inclusive																																			
789267 to 272 inclusive		789436																																			
789281 to 286 inclusive		789445																																			
789310 to 318 inclusive		789447																																			
789320 to 324 inclusive		789449 to 452 inclusive																																			
789326 to 333 inclusive		789461 to 469 inclusive																																			
789335 to 337 inclusive		789476 to 477 inclusive																																			
789351 to 352 inclusive		789480 to 481 inclusive																																			
789357		789483																																			
789359 to 360 inclusive		789490 to 492 inclusive																																			
789372 to 373 inclusive		789494 to 495 inclusive																																			
789375		789503 to 505 inclusive																																			
789379																																					
789381 to 382 inclusive																																					
789393																																					
Electromagnetic _____ days																																					
Magnetometer _____ days																																					
Radiometric _____ days																																					
Induced polarization _____ days																																					
Other _____ days																																					
Section 77 (19) See "Mining Claims Assessed" column																																					
Geological _____ days																																					
Geochemical _____ days																																					
Man days <input type="checkbox"/> Airborne <input type="checkbox"/>																																					
Special provision <input type="checkbox"/> Ground <input type="checkbox"/>																																					
<input type="checkbox"/> Credits have been reduced because of partial coverage of claims.																																					
<input type="checkbox"/> Credits have been reduced because of corrections to work dates and figures of applicant.																																					

Special credits under section 77 (16) for the following mining claims

No credits have been allowed for the following mining claims

not sufficiently covered by the survey       insufficient technical data filed

The Mining Recorder may reduce the above credits if necessary in order that the total number of approved assessment days recorded on each claim does not exceed the maximum allowed as follows: Geophysical - 80; Geological - 40; Geochemical - 40; Section 77(19) - 60.

**RECEIVED**

**JAN 22 1988**

**MINING LANDS SECTION**

COGEMA CANADA LIMITED  
BURNBUSH RIVER PROJECT

FINAL REPORT - 1987  
"REVERSE CIRCULATION DRILLING"

VOLUME 2 of 3

Ref. No. 87-CND-47-04A  
(Doc. #0076U)

By: J. Learn  
January 1988



32E12SW0015 2.10757 NOSEWORTHY

020C

LIST OF APPENDICES

VOLUME 2 of 3:

Appendix I : Drilling Summary and Field Logging Sheets

VOLUME 3 of 3:

Appendix II : ODM Overburden Sample Treatment and Results

Appendix III : Chimitec HMC Sample Treatment and Results

Appendix IV : Bedrock Chip Descriptions and Chemistry Results



A P P E N D I X I

DRILLING SUMMARY AND FIELD LOGGING SHEETS

- Reverse Circulation Drill Summary
- Reverse Circulation Drill Hole Logs

Ref. No. 87-CND-47-04  
(Doc. #0076U)

By: J. Learn  
R. St-Jean  
A. Morin  
D. Holmes  
March to July, 1987

REVERSE CIRCULATION  
DRILLING SUMMARY

HOLE # DATE	CO-ORD	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK
BOB-01 3/3/87	X	7750E	CT 0-3.6	18.6-20.2
	Y	900N	OII 3.6-4.8	MS, minor sf, cc, q
	Z	279	MT 4.8-13.0	5
			MS 13.0-14.0	
			LT 14.0-18.6	4
BOB-02 3/3/87	X	7350E	CT 0-3.5	27.5-29.0
	Y	775N	MT 3.5-12.4	MS, minor sf, cc, q
	Z	281	MS 12.4-18.2	
			LT 18.2-27.5	5
BOB-03 3-4/3/87	X	6525E	CT 0-2.0	12.0-13.5
	Y	535N	MT 2.0-12.0	MS
	Z	280		
BOB-04 4/3/87	X	6925E	OG 0-2.0	25.6-27.0
	Y	645N	CT 2.0-13.0	MV
	Z	278	OII 13.0-18.0	
			MT 18.0-25.6	4
BOB-05 4/3/87	X	7460E	CT 0-6.2	19.5-21.0
	Y	1125N	OII 6.2-6.8	MS, minor sf
	Z	279	MT 6.8-19.5	6
BOB-06 4/3/87	X	7070E	OG 0-2.0	20.2-21.7
	Y	980N	CT 2.0-5.5	
	Z	278	OII 5.5-16.5	MS, minor q
			MT 16.5-20.2	2
BOB-07 4-5/3/87	X	6675E	CT 0-2.5	12.7-14.3
	Y	780N	MT 2.5-12.7	MS, minor q
	Z	280		
BOB-08 5/3/87	X	6935E	OG 0-0.5	18.5-20.0
	Y	1350N	CT 0.5-11.0	MS
	Z	275	OII 11.0-17.6	
			MT 17.6-18.5	2
BOB-09 5/3/87	X	6550E	OG 0-1.0	21.5-23.0
	Y	1210N	CT 1.0-6.5	MS
	Z	277	OII 6.5-7.5	
			MT 7.5-21.5	10

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK
BOB-10 5/3/87	X	6175E	OG 0-0.6	13.0-14.5
	Y	1080N	CT 0.6-1.5	MS, MV minor cc, q
	Z	281	MT 1.5-13.0	4
BOB-11 6/3/87	X	5790E	OG 0-1.0	9.6-11.1
	Y	955N	CT 1.0-7.0	MS, minor q
	Z	280	OII 7.0-8.5	
			MT 8.5-9.6	1
BOB-12 6/3/87	X	5425E	OG 0-1.2	37.2-38.7
	Y	840N	CT 1.2-4.4	MV, minor sf, cc
	Z	278	OII 4.4-6.8	
			MT 6.8-24.3	10
			MS 24.3-25.1	
			LT 25.1-37.2	9
BOB-13 6/3/87	X	6285E	CT 0-1.8	8.5-10.0
	Y	685N	MT 1.8-8.5	MS, minor q
	Z	284		3
BOB-14 7/3/87	X	5905E	OG 0-1.5	7.7-9.2
	Y	645N	CT 1.5-5.1	MS, minor m.d., q, sf
	Z	280	MT 5.1-7.7	2
BOB-15 7/3/87	X	5875E	OG 0-2.0	9.0-10.5
	Y	150N	CT 2.0-6.0	MS, minor q
	Z	278	OII 6.0-8.0	
			MT 8.0-9.0	1
BOB-16 7/3/87	X	5490E	CT 0-9.5	21.0-22.5
	Y	0+20N	OII 9.5-12.0	MS, minor q, m.d.
	Z	280	MT 12.0-21.0	6
BOB-17 7/3/87	X	5130E	CT 0-4.2	38.1-39.8
	Y	110S	MT 4.2-38.1	MS, m.d., minor sf
	Z	287		20
BOB-18 8/3/87	X	5525E	OG 0-1.5	22.5-27.2
	Y	505N	CT 1.5-11.5	MS
	Z	278	OII 11.5-14.7	
			MT 14.7-22.5	5

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK	
BOB-19 8/3/87	X	5185E	OG 0-4.4	26.8-28.3 MS, minor q	
	Y	335N	CT 4.4-12.5		
	Z	278	OII 12.5-17.5		
			MT 17.5-26.8		6
BOB-20 8/3/87	X	4795E	OG 0-1.0	31.8-33.8 MS	
	Y	210N	CT 1.0-5.5		
	Z	282	OII 5.5-7.8		
			MT 7.8-23.0		10
			MS 23.0-31.8		5
BOB-21 9/3/87	X	4410E	OG 0-0.5	43.6-45.1 MS, minor m.d.	
	Y	0+95N	CT 0.5-3.7		
	Z	283	OII 3.7-15.5		2
			MT 15.5-33.5		11
			MS 33.5-43.6		4
BOB-22 9/3/87	X	4360E	OG 0-3.0	31.2-32.7 MS	
	Y	355S	CT 3.0-6.2		
	Z	281	OII 6.2-31.2		4
BOB-23 9-10/3/87	X	4755E	OG 0-0.5	32.6-34.1 MS, minor cc	
	Y	245S	CT 0.5-6.5		
	Z	288	OII 6.5-12.5		
			MT 12.5-23.0		6
			MS 23.0-24.0		
			LT 24.0-32.6		6
BOB-24 10/3/87	X	4030E	OG 0-0.2	40.8-41.6 MS, minor cc	
	Y	0+40S	CT 0.2-2.9		
	Z	283	MT 2.9-24.2		14
			MS 24.2-39.5		2
			LT 39.5-40.8		1
BOB-25 11/3/87	X	3650E	OG 0-0.2	38.0-40.5 MV, minor cc, q	
	Y	180S	CT 0.2-1.7		
	Z	282	MT 1.7-25.8		13
			MS 25.8-30.0		
			LT 30.0-38.0		5
BOB-26 11-12/3/87	X	3280E	OG 0-0.2	35.8-37.5 MS, minor cc, sf, q	
	Y	330S	CT 0.2-2.0		
	Z	281	MT 2.0-34.4		22
			MS 34.4-35.8		1

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK
BOB-27 12/3/87	X	2905E	OG 0-3.5	36.9-38.4
	Y	475S	CT 3.5-9.5	MS, minor q
	Z	277	OII 9.5-16.4	
			MT 16.4-36.9	14
BOB-28 13/3/87	X	2445E	OG 0-2.5	27.8-29.3
	Y	245S	CT 2.5-8.5	MS
	Z	276	OII 8.5-18.0	
			MT 18.0-27.8	7
BOB-29 14/3/87	X	2815E	OG 0-1.5	27.0-29.0
	Y	0+85S	CT 1.5-3.0	MS, minor q, cc
	Z	279	OII 3.0-4.4	
			MT 4.4-27.0	15
BOB-30 14/3/87	X	3150E	OG 0-1.0	45.8-47.3
	Y	0+20N	CT 1.0-1.5	MS, minor q, abund.
	Z	281	MT 1.5-26.0	dissem. sf (~1%) py,
			MS 26.0-45.8	6 asp
BOB-31 15/3/87	X	3550E	CT 0-1.0	39.3-40.5
	Y	185N	MT 1.0-31.8	MS, minor ep, q
	Z	282	MS 31.8-34.2	1.5
			LT 34.2-39.3	3.5
BOB-32 16/3/87	X	3925E	OG 0-0.1	37.1-38.6
	Y	335N	CT 0.1-2.4	MS, minor cc, q
	Z	284	OII 2.4-5.0	
			MT 5.0-19.8	7
			MS 19.8-26.8	
BOB-33 16/3/87	X	4290E	OG 0-0.2	42.1-43.5
	Y	470N	CT 0.2-2.4	MS, minor cc, q
	Z	283	OII 2.4-21.5	
			MT 21.5-42.1	2 12
BOB-34 17/3/87	X	4665E	OG 0-0.3	- not reached
	Y	590N	CT 0.3-1.9	
	Z	281	OII 1.9-3.0	
			MT 3.0-13.8	6
			MS 13.8-27.8	5
		LT 27.8-38.0	6	

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK	
BOB-35 18/3/87	X	5025E	OG 0-3.0	29.0-30.6 MS, minor cc, mt	
	Y	730N	CT 3.0-9.6		
	Z	278	OII 9.6-13.0		
			MT 13.0-26.7		9
			MS 26.7-29.0		
BOB-36 18/3/87	X	2070E	OG 0-0.5	34.8-36.5 MS, minor cc, mt, q, py	
	Y	400S	CT 0.5-5.3		
	Z	277	OII 5.3-7.2		
			MT 7.2-24.2		11
			MS 24.2-33.5		3
		LT 33.5-34.8	1		
BOB-37 19/3/87	X	1685E	OG 0-1.6	45.1-46.0 MV	
	Y	530S	CT 1.6-3.0		
	Z	278	OII 3.0-4.6		
			MT 4.6-34.0		16
			MS 34.0-36.0		1
		LT 36.0-45.1	5		
BOB-38 20/3/87	X	1830E	OG 0-0.8	38.0-39.5 MS, MV minor cc, q, py	
	Y	895S	CT 0.8-4.0		
	Z	278	OII 4.0-4.6		
			MT 4.6-30.3		13
			MS 30.3-38.0		3
BOB-39 21/3/87	X	2175E	OG 0-0.2	40.2-48.0 MV, minor cc, sf	
	Y	810S	CT 0.2-2.5		
	Z	279	MT 2.5-34.3		16
			MS 34.3-40.2		1
BOB-40 22/3/87	X	835W	OG 0-1.0	2.6-3.3 MV, minor cc, sf, mt, q	
	Y	1330S	CT 1.0-2.6		
	Z	289			
BOB-41 24/3/87	X	510W	CT 0-3.0	14.5-16.0 MS, minor cc, q	
	Y	295S	OII 3.0-7.8		1
	Z	272	MT 7.8-14.5		4
BOB-42 24/3/87	X	920W	OG 0-1.2	16.3-17.8 MV, minor q	
	Y	305S	CT 1.2-2.6		1
	Z	279	MT 2.6-16.3		7

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK	
BOB-43 24-25/3/87	X	1320W	OG 0-0.4	15.2-16.5 MS/MV, minor cc	
	Y	325S	CT 0.4-3.7		
	Z	284	MT 3.7-15.2		7
BOB-44 25/3/87	X	1725W	OG 0-0.3	3.3-5.0 MV, minor cc, sf	
	Y	350S	CT 0.3-3.3		
	Z	288			
BOB-45 25/3/87	X	2135W	OG 0-0.3	9.0-10.5 MV, q, minor cc	
	Y	330S	CT 0.3-5.5		
	Z	288	OII 5.5-7.2		1
			MT 7.2-9.0		
BOB-46 25/3/87	X	2545W	OG 0-0.2	7.0-8.5 MV	
	Y	335S	CT 0.2-2.6		
	Z	286	MT 2.6-7.0		2
BOB-47 25/3/87	X	2950W	OG 0-0.2	16.0-17.5 MV, minor sf, cc, q	
	Y	345S	CT 0.2-2.6		
	Z	285	MT 2.6-16.0		6
BOB-48 26/3/87	X	440W	OG 0-0.2	1.8-3.3 MV, minor cc, sf, q	
	Y	1220S	CT 0.2-1.8		
	Z	284			
BOB-49 26/3/87	X	0+70W	OG 0-0.2	9.0-10.5 MV, minor cc, sf, q	
	Y	1110S	CT 0.2-1.2		
	Z	276	MT 1.2-9.0		4
BOB-50 26/3/87	X	1210W	OG 0-1.4	2.0-3.5 MV, minor cc, sf, q	
	Y	1485S	CT 1.4-2.0		
	Z	289			
BOB-51 26/3/87	X	410W	OG 0-1.3	5.6-7.5 MV, sf, minor q	
	Y	760S	CT 1.3-1.9		
	Z	277	MT 1.9-5.6		2
BOB-52 26/3/87	X	800W	OG 0-1.0	7.3-8.8 MV, cc, minor sf	
	Y	880S	CT 1.0-3.5		
	Z	284	OII 3.5-4.5		2
			MT 4.5-7.3		

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK	
BOB-53 26/3/87	X	1185W	OG 0-0.1	3.7-5.2 MV, minor sf, q	
	Y	995S	CT 0.1-2.5		
	Z	290	MT 2.5-3.7		1
BOB-54 27/3/87	X	1565W	OG 0-2.0	9.5-11.0 MV, minor sf	
	Y	1095S	CT 2.0-3.8		
	Z	292	OII 3.8-4.4		3
			MT 4.4-9.5		
BOB-55 27/3/87	X	890W	OG 0-0.1	14.9-16.3 MV, minor cc	
	Y	0+30S	CT 0.1-1.9		
	Z	276	OII 1.9-3.1		7
			MT 3.1-14.9		
BOB-56 27/3/87	X	1285W	OG 0-0.2	10.8-13.0 MV, minor cc, sf, q	
	Y	0+20S	CT 0.2-2.6		
	Z	282	OII 2.6-5.8		3
			MT 5.8-10.8		
BOB-57 27/3/87	X	1695W	OG 0-1.6	18.3-20.0 MS, minor cc, q	
	Y	0+05N	CT 1.6-8.0		
	Z	283	OII 8.0-15.2		2
			MT 15.2-18.3		
BOB-58 27/3/87	X	2120W	OG 0-2.0	18.9-22.5 MS, MV, minor cc, q	
	Y	0+20N	CT 2.0-8.0		
	Z	283	OII 8.0-14.5		3
			MT 14.5-18.9		
BOB-59 27-28/3/87	X	2525W	OG 0-0.7	9.8-11.3 MS, minor cc, q	
	Y	0+30N	CT 0.7-2.0		
	Z	283	MT 2.0-9.8		5
BOB-60 28/3/87	X	2950W	OG 0-0.4	10.7-12.5 MV, q, minor cc	
	Y	0+45N	CT 0.4-3.8		
	Z	282	OII 3.8-4.3		4
			MT 4.3-10.7		
BOB-61 28/3/87	X	3360W	OG 0-1.0	23.5-25.0 MV, minor cc, p	
	Y	0+50N	CT 1.0-2.3		
	Z	284	MT 2.3-23.5		13



REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK	
BOB-62 28/3/87	X	3765W	OG 0-2.0	27.5-29.0 MV, minor q	
	Y	0+45N	CT 2.0-6.5		
	Z	285	OII 6.5-8.5		
			MT 8.5-27.5		11
BOB-63 28/3/87 (80)	X	4175W	OG 0-1.5	10.0-11.5 MV, minor cc	
	Y	0+55N	CT 1.5-3.8		
	Z	286	OII 3.8-9.0		
			MT 9.0-10.0		1
BOB-64 28/3/87	X	4585W	OG 0-1.2	9.8-11.3 MS, minor sf	
	Y	0+75N	CT 1.2-4.6		
	Z	285	OII 4.6-6.2		
			MT 6.2-9.8		2
BOB-65 28/3/87	X	4950W	OG 0-1.6	21.9-23.4 MS, minor q	
	Y	0+75N	CT 1.6-9.2		
	Z	283	OII 9.2-14.2		
			MT 14.2-21.9		4
BOB-66 29/3/87	X	5325W	OG 0-1.2	11.0-12.5 MV, minor cc, sf, q	
	Y	220N	CT 1.2-5.0		
	Z	285	OII 5.0-11.0		1
BOB-67 29/3/87	X	5310W	OG 0-0.2	25.9-27.1 MS, minor cc, q	
	Y	645N	CT 0.2-6.0		
	Z	284	OII 6.0-13.3		
			MT 13.3-25.6		6
			MS 25.6-25.9		
BOB-68 29/3/87	X	6110W	OG 0-0.2	2.8-4.5 MV, minor sf, q	
	Y	605N	CT 0.2-2.0		
	Z	288	OII 2.0-2.6		
			MT 2.6-2.8		
BOB-69 29/3/87	X	5775W	OG 0-1.5	8.2-10.0 MV, minor sf, q	
	Y	620N	CT 1.5-4.0		
	Z	285	OII 4.0-8.0		
			MT 8.0-8.2		
BOB-70 29/3/87	X	6525W	OG 0-0.2	5.3-6.8 MV, minor sf	
	Y	625N	CT 0.2-2.5		
	Z	292	OII 2.5-2.8		
			MT 2.8-5.3		2

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK
BOB-71 29/3/87	X	6920W	OG 0-1.5	4.7-6.2
	Y	610N	CT 1.5-2.8	MV, minor sf, cc
	Z	293	OII 2.8-4.6 MT 4.6-4.7	
BOB-72 29/3/87	X	6970W	OG 0-1.0	15.2-16.5
	Y	285N	CT 1.0-8.5	MV, minor cc, q
	Z	293	OII 8.5-9.5 MT 9.5-15.2	3
BOB-73 29/3/87	X	6560W	OG 0-0.2	8.2-9.7
	Y	270N	CT 0.2-5.0	MV, minor q
	Z	292	OII 5.0-7.0 MT 7.0-8.2	1
BOB-74 29/3/87	X	6145W	OG 0-0.2	15.7-17.2
	Y	245N	CT 0.2-8.7	MV, minor cc, q
	Z	290	OII 8.7-11.5 MT 11.5-15.7	2
BOB-75 29/3/87	X	5730W	OG 0-1.1	13.0-14.5
	Y	255N	CT 1.1-9.2	MV, minor cc, sf, q
	Z	288	OII 9.2-13.0	
BOB-76 29/3/87	X	5370W	CT 0-3.7	6.9-8.4
	Y	145S	OII 3.7-6.8	MV, minor cc, q
	Z	287	MT 6.8-6.9	
BOB-77 29-30/3/87	X	5760W	OG 0-0.6	17.3-18.8
	Y	105S	CT 0.6-10.6	MV, sf, minor cc, q,
	Z	290	OII 10.6-14.7 MT 14.7-17.3	ep 2
BOB-78 30/3/87	X	6175W	OG 0-2.6	17.9-19.4
	Y	150S	CT 2.6-8.2	MV, minor sf, q, ep
	Z	291	OII 8.2-9.8 MT 9.8-17.9	5
BOB-79 30/3/87	X	6570W	OG 0-0.1	5.0-6.5
	Y	120S	CT 0.1-1.4	MV, minor sf
	Z	295	MT 1.4-5.0	2

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK
BOB-80 30/3/87	X	6990W	OG 0-3.1	21.2-22.7
	Y	120S	CT 3.1-9.9	MV, minor sf, q
	Z	293	OII 9.9-18.0	
			MT 18.0-21.2	1
BOB-81 30/3/87	X	4975W	OG 0-2.0	26.4-28.0
	Y	585S	CT 2.0-12.5	MV
	Z	284	OII 12.5-26.2	
			MT 26.2-26.4	
BOB-82 30/3/87	X	4575W	OG 0-0.1	22.6-24.1
	Y	330S	CT 0.1-3.6	MV, minor cc, mt, q
	Z	290	OII 3.6-4.0	
			MT 4.0-22.6	12
BOB-83 30/3/87	X	4170W	OG 0-2.8	10.8-12.3
	Y	325S	CT 2.8-6.9	MV, minor cc, q
	Z	287	OII 6.9-10.2	
			MT 10.2-10.8	1
BOB-84 30/3/87	X	3765W	OG 0-3.3	20.6-22.5
	Y	335S	CT 3.3-6.3	MV, minor sf, cc, q
	Z	286	OII 6.3-8.5	
			MT 8.5-20.6	7
BOB-85 31/3/87	X	3360W	OG 0-3.0	27.8-29.1
	Y	355S	CT 3.0-7.4	MV, minor cc, sf
	Z	285	OII 7.4-11.0	
			MT 11.0-27.8	9
BOB-86 31/3/87	X	4955W	OG 0-1.3	20.0-21.5
	Y	430N	CT 1.3-8.5	MS, minor cc, q
	Z	282	OII 8.5-12.5	
			MT 12.5-20.0	5
BOB-87 31/3/87	X	4555W	OG 0-2.0	18.3-19.8
	Y	435N	CT 2.0-5.5	MV, minor cc, sf, q
	Z	285	OII 5.5-11.0	
			MT 11.0-18.3	3

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK	
BOB-88 31/3/87	X	4145W	OG 0-1.4	20.6-22.1 MS, sf	
	Y	415N	CT 1.4-4.0		
	Z	284	OII 4.0-8.5		
			MT 8.5-20.6		6
BOB-89 31/3/87	X	3730W	OG 0-1.3	24.3-25.5 MV, minor sf	
	Y	390N	CT 1.3-4.7		
	Z	285	OII 4.7-9.6		
			MT 9.6-15.0		3
			MS 15.0-16.2		1
			LT 16.2-24.3		6
BOB-90 01/4/87	X	3330W	CT 0-1.6	28.3-31.0 MV, minor cc, q	
	Y	360N	MT 1.6-12.3		7
	Z	286	MS 12.3-13.2		
			LT 13.2-22.5		5
			MS 22.5-28.3		2
BOB-91 01/4/87	X	2915W	OG 0-0.3	20.9-22.4 MV	
	Y	330N	CT 0.3-5.8		
	Z	284	OII 5.8-10.5		
			MT 10.5-15.3		4
			MS 15.3-15.4		
			LT 15.4-20.9		3
BOB-92 01/4/87	X	2515W	OG 0-1.4	8.1-9.6 MV, q, cc, sf	
	Y	305N	CT 1.4-2.9		
	Z	284	OII 2.9-3.3		
			MT 3.3-8.1		3
BOB-93 1-2/4/87	X	2105W	OG 0-1.8	17.7-19.2 MV	
	Y	290N	CT 1.8-4.3		
	Z	283	OII 4.3-6.8		
			MT 6.8-9.8		2
			MS 9.8-11.8		
			LT 11.8-17.7		4
BOB-94 02/4/87	X	1700W	OG 0-1.4	15.4-16.9 MV, minor q, cc	
	Y	265N	CT 1.4-3.8		
	Z	283	MT 3.8-15.4		7

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD (APPROX)	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK
BOB-95 02/4/87	X 1290W	OG 0-0.3		15.5-17.0
	Y 270N	CT 0.3-10.0	3	MV, minor q, cc
	Z 280	OII 10.0-15.5	2	
BOB-96 20/6 (46)	X 1315E	CT 0-1.7		31.2-33.2
	Y 655S	MT 1.7-31.2	16	MV, minor q, cc, sf
	Z 282			
BOB-97 20/6 (49)	X 1450E	OG 0-0.5		24.2-25.7
	Y 1090S	CT 0.5-1.5		MV
	Z 282	MT 1.5-24.2	15	
BOB-98 21/6 (61)	X 1060E	CT 0-2.8		22.3-24.0
	Y 1175S	MT 2.8-22.3	12	MV, minor cc, sf
	Z 279			
BOB-99 22/6 (60)	X 675E	CT 0-7.0	2	10.1-11.7
	Y 1285S	OII 7.0-7.2		MV, minor cc, sf, q
	Z 279	MT 7.2-10.1	2	
BOB-100 22/6 (62)	X 930E	OG 0-0.5		32.2-33.7
	Y 790S	MT 0.5-32.2	18	MV, minor cc, mt
	Z 281			
BOB-101 22/6 (59)	X 545E	OG 0-3.5		33.0-35.5
	Y 905S	CT 3.5-10.0	1	MV, v.minor cc,
	Z 275	OII 10.0-11.0		strongly altered to
		MT 11.0-33.0	14	rusty colour
BOB-102 23/6 (58)	X 0+65E	CT 0-7.0		37.0-38.0
	Y 570S	OII 7.0-9.5		MV, minor cc
	Z 277	MT 9.5-37.0	13	
BOB-103 23/6 (55)	X 420E	CT 0-1.5		30.9-32.4
	Y 425S	MT 1.5-30.9	17	MV, minor sf
	Z 278			
BOB-104 23-24/6 (54)	X 800E	OG 0-0.4		36.8-38.4
	Y 280S	CT 0.4-2.3		MV, minor sf, q
	Z 281	MT 2.3-35.1	18	
		MS 35.1-36.0		
		LT 36.0-36.8	1	

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD (APPROX)	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK
BOB-105 24/6 (57)	X 110W Y 195S Z 272	OG 0-0.9 MT 0.9-18.5	8	18.5-20.0 MV, minor sf, cc, q
BOB-106 24/6 (56)	X 280E Y 0+60S Z 282	CT 0-1.0 MT 1.0-32.8	18	not reached
BOB-107 25/6 (53)	X 650E Y 0+80N Z 282	OG 0-0.5 CT 0.5- 1.5 MT 1.5-26.6 MS 26.6-30.5 LT 30.5-38.6	16 1 5	38.6-40.1 MS, minor sf, cc, q
BOB-108 26/6 (52)	X 1020E Y 195N Z 277	OG 0-2.5 CT 2.5- 7.6 OII 7.6- 9.0 MT 9.0-28.6	13	28.6-31.0 MS, minor sf
BOB-109 26/6 (51)	X 1165E Y 135S Z 278	OG 0-0.8 CT 0.8-2.0 MT 2.0-31.9 MS 31.9-34.5 LT 34.5-35.0	18 1	35.0-37.1 MS, minor sf, q
BOB-110 26/6 (50)	X 1560E Y 0+05N Z 276	OG 0-1.3 CT 1.3-4.1 OII 4.1-6.0 MT 6.0-26.2	1 11	26.2-28.5 MS, q, v.minor sf
BOB-111 27/6 (119)	X 6630E Y 1010N Z 278	OG 0-1.0 CT 1.0-5.0 OII 5.0-6.7 MT 6.7-23.8	11	23.8-24.3 MV, v.minor cc, sf 24.3-25.3 MS
BOB-112 28/6 (121)	X 6995E Y 1155N Z 276	OG 0-0.2 CT 0.2-9.5 OII 9.5-14.5 MT 14.5-23.6	6	23.6-25.1 MS, v.minor q, sf

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD (APPROX)	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK	
BOB-113 28/6 (120)	X	6810E	OG 0-0.2	25.0-26.5 MS, v.minor sf, q	
	Y	1080N	CT 0.2-1.5		
	Z	277	MT 1.5-24.9		
			MS 24.9-25.0		12
BOB-114 28/6 (122)	X	5600E	OG 0-2.2	37.4-38.9 MS, v.minor sf	
	Y	890N	CT 2.2-11.3		
	Z	278	MT 11.3-25.0		
			MS 25.0-37.4		8 5
BOB-115 29/6 (124)	X	5525E	OG 0-1.4	40.6-41.8? MS, minor sf, q	
	Y	1065N	CT 1.4-6.1		
	Z	279	OII 6.1-11.4		
			MT 11.4-31.1		13
			MS 31.1-40.6		4
BOB-116 30/6 (123)	X	5715E	OG 0-1.1	19.7-21.2 MS, minor sf, q	
	Y	1130N	CT 1.1-7.5		
	Z	279	OII 7.5-12.8		
			MT 12.8-19.7		4
BOB-117 30/6 (127)	X	5450E	OG 0-1.5	19.0-20.8 MS, v.minor q	
	Y	1255N	CT 1.5-7.4		
	Z	279	OII 7.4-11.9		
			MT 11.9-19.0		5
BOB-118 1/7 (128)	X	5260E	OG 0-2.6	24.1-26.0 MS, minor q	
	Y	1185N	CT 2.6-10.8		
	Z	278	OII 10.8-12.5		
			MT 12.5-24.1		7
BOB-119 1/7 (125)	X	5315E	OG 0-2.4	14.8-17.0 MS, minor sf, cc, q	
	Y	990N	CT 2.4-8.5		
	Z	278	OII 8.5-13.1		
			MT 13.1-14.8		1
BOB-120 1/7 (126)	X	5190E	OG 0-3.0	17.1-19.5 MS, minor sf, q	
	Y	945N	CT 3.0-11.0		
	Z	278	OII 11.0-14.7		
			MT 14.7-17.1		1

REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD (APPROX)	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK
BOB-121 1/7 (129)	X	5120E	OG 0-3.2	17.5-19.5
	Y	1115N	CT 3.2-10.5	MS, minor sf, q
	Z	277	OII 10.5-16.5	
			MT 16.5-17.5	1
BOB-122 2/7 (28)	X	4895E	OG 0-1.0	20.4-22.5
	Y	1110N	CT 1.0-4.0	MS, minor cc, ep,
	Z	278	OII 4.0-5.0	q, sf
			MT 5.0-20.4	9
BOB-123 2/7 (130)	X	4980E	OG 0-1.1	20.0-22.3
	Y	920N	CT 1.1-8.8	MS, minor sf, q
	Z	278	OII 8.8-11.0	
			MT 11.0-20.0	6
BOB-124 2-3/7 (29)	X	4480E	CT 0-2.0	45.0-45.6
	Y	1020N	OII 2.0-12.5	MS
	Z	287	MT 12.5-36.7	13
			MS 36.7-42.0	
			LT 42.0-45.0	2
BOB-125 3/7 (30)	X	4130E	CT 0-1.3	32.2-32.5
	Y	820N	OII 1.3-32.2	MS, q, sf
	Z	285		
BOB-125A 3/7 (30)	X	4120E	CT 0-1.3	39.8-42.0
	Y	820N	OII 1.3-39.8	MS, q, sf
	Z	285		
BOB-126 3-4/7 (31)	X	3740E	OG 0-0.2	32.4-34.5
	Y	710N	CT 0.2-5.0	MS
	Z	280	OII 5.0-13.5	
			MT 13.5-20.8	4
			MS 20.8-31.7	
		LT 31.7-32.4	1	
BOB-127 4/7 (32)	X	3340E	CT 0-1.5	38.5-40.0
	Y	570N	MT 1.5-38.5	MS, v.minor sf
	Z	282		



REVERSE CIRCULATION  
DRILLING SUMMARY  
(cont'd)

HOLE # DATE	CO-ORD (APPROX)	STRAT'Y AND DEPTHS (O/B)	# OF SAMPLES	BEDROCK
BOB-128 5/7 (33)	X 2980E Y 430N Z 280	OG 0-0.8 CT 0.8-2.6 OII 2.6-3.6 MT 3.6-26.4 MS 26.4-26.9 LT 26.9-31.2	14   2	31.2-33.0 MS, q, minor sf
BOB-129 5/7 (34)	X 2590E Y 310N Z 278	OG 0-2.2 CT 2.2-10.3 OII 10.3-16.2 MT 16.2-28.5 MS 28.5-32.3 LT 32.3-34.4	7 2 1	34.4-36.2 MS, minor sf
BOB-130 5/7 (35)	X 2240E Y 135N Z 276	OG 0-1.2 CT 1.2-5.0 OII 5.0-10.4 MT 10.4-26.9	10	26.9-28.5 MS, minor sf, q, local silicification
BOB-131 7/7 (134)	X 1500W Y 480N Z 281	OG 0-0.8 CT 0.8-1.6 OII 1.6-2.1 MT 2.1-15.5 MS 15.5-16.2	7	16.2-17.5 MV, MS ? cc, sf, minor ep.
BOB-132 7/7 (133)	X 1705W Y 435N Z 283	OG 0-0.5 CT 0.5-2.0 MT 2.0-13.4	7	13.4-15.0 MV, q, cc, minor sf, ep.
BOB-133 7/7 (132)	X 1895W Y 465N Z 283	OG 0-1.5 CT 1.5-5.1 OII 5.1-8.8 MT 8.8-9.9	1	9.9-11.2 MV, q, cc, minor sf, ep.

JL/21.07.87  
(doc. #0068U)

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 3 Mars 1987 Sondage No: BOB-D1 Localisation: Site 19

Géologue: DH, RSS, RM Sondeur: H. Durett Outil: CB68817 Métrage: 0-20.2

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 10:00 → 12:30

TOTAL \_\_\_\_\_ NEW BIT# CB68817 NEW BIT SUB

~~travail fond route 6:30 - 9:30, travail 1<sup>st</sup> site 9:30 - 9:30,~~

Contractant (heures) \_\_\_\_\_ Divers: set up at 1<sup>st</sup> site 9:30 → 10:00

Déplacement sur le site suivant: 12:30 → 12:45

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom. type	Au	As		calc pb.
0.0-4.8			OJIBWAY II SEDIMENTS						
0.0-3.6			Fine grey beige, sandy silt clay matrix few pebbles and granules 50/50 clasts rounded						
3.6-4.8			Pure soft grey clay.						
4.8-13.0			MATHESON TILL						
4.8-5.2		01	Boulder - grey wacke -	1	A	23500	2.0		11628
5.2-11.0		02	Fine grey beige sandy silt matrix pebbles and small cobbles 60% meta-volcanics/sediments 40% granitoids.	1	A	703	3.9		683
		03		0	-	14	22.0		-
11.0-12.0		04	Boulders - intermediate volcanics	0	-	130	16.0		-
12.0-13.0		05	Clayrich till. Fine silt and grey clay matrix - cobbles. 70% meta-volcanics/sediments 30% granitoids	0	-	200	78.0		-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-01

ECHELLE: 1:100

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)							
				#	dom. type	Au	As						
1													
2													
3													
14													
13.0-14.0		06	MISSINAIBI SEDIMENTS	0	-	120	98.8						
			Pure dark grey clay										
15			very compact "superclay"										
16		07	Occasional thin silt and fine grey sand horizons	0	-	17	57.8						
17													
18		08	14.0-18.6 LOWER TILL	0	-	120	68.5						
19													
20		09	Fine grey sand-silt matrix pebbles and cobbles.	0	-	75	73.4						
		10	60% local rocks 40% granitoids	-	-	4	10.0						
21			18.6-20.2 BEDROCK										
22			Dark grey to black color.										
23			Fine grained granular texture moderate to strong foliations.										
4			~1% Quartz veins										
5			<1% disseminated sulfides										
6			disseminated carbonates										
7			hard to drill => Grey wackes.										
20.2			E.O.H.										

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 3 Mars 1987 Sondage No: BoB-02 Localisation: Site 20

Géologue: RJS, DH, RM Sondeur: H. Du rett Outil: CB68017 Métrage: 20.2 - 49.2

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 12:45 - 15:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 15:45 → 16:15

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc mg
0 - 3.5			OSIBWAY II SEDIMENTS 0-1.5 pure brown clay, very compact at surface, soft downsection 1.5-3.5 fine beige sand and beige clay with pebble and granule interbeds						
4	Δ	01		0	-	120	7.0		-
3.5 - 12.4			MATHESON TILL - distinct contact with overlying clay unit - light grey colour fine sand-silt matrix; pebble and small cobble clasts; composition approximately 60-70% volcanics and sed 30-40% granitoid						
5	Δ	02		0	-	120	28.0		-
6	Δ								
7	Δ								
8	Δ	03		0	-	120	33.0		-
9	Δ								
10	Δ	04		0	-	110	34.0		-
11	Δ								
12.4 - 18.2			MISSINAIBI SEDIMENTS - gradational contact with overlying till unit 12.4 - 15.5 light grey coloured clay, pure, soft - occasional very thin fine beige sand and pebble interbeds						
12	Δ	05		0	-	207	16.0		-
13		No Sample							
14									

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

BOB-02

Page 2 de 3

ECHELLE: 1:100

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As	Sb	calc mpb
1									
2									
3									
4									
15		No	15.5-18.2 clay becomes very compact, very hard to drill 'superclay'						
16		Sample							
17			18.2 - 27.5 LOWER TILL						
18			18.2-19.0 boulder-met-sediment, greywacke						
19			19.0-21.0 light grey colour fine sand silt matrix; pebble and cobble clast composition 60% volcanics/sediments, 40% granitoid	0	-	190	38.0		-
20		06							
21									
22		07	21.0-27.5 till becomes cobbly, matrix changes to fine grey sand-silt and compact clay/silt	0	-	24	91.6		-
23									
24		08	matrix, clast composition 80% volcanics/sediments	0	-	68	196.0	3.1	-
25			20% granitoid						
26		09		1	I	1090	49.0		2539
27		10		0	-	293	54.8		-
28			11 Bedrock						

"PAN"

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-02

Page 3 de 3

ECHELLE: 1:100

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analyses of HMC (or bedrock)								
				#	gem type	Au	As							
1														
2														
3														
4														
5														
6														
27														
28														
29		11	27.5 - 29.0 BEDROCK			5	1.2							
30			- dark grey to dark brown colour											
31			- Fine grained											
32			- moderate to strong foliation											
33			- visible biotite flakes											
34			- < 1% disseminated sulphides											
35			- < 1% disseminated carbonate											
36			- < 1% quartz veins with finely disseminated sulphides											
37			- Metasediment - graywacke											
38			29.0 EOH											

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 34 Mars 1987 Sondage No: BOB-03 Localisation: SITE 22  
 Géologue: DH, RST-S, RM Sondeur: H. Dunett Outil: CB68817 Métrage: 49.2-62.7  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 16:15 → 17:30 07:30 → 08:30  
 TOTAL Problèmes: \_\_\_\_\_  
 Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: 8:30 → 8:45

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		Analysis of HMC (on bedrock)			
				#	dom type	Au	As		calc Mb
0-2.0		N/S	<u>OJIBWAY II SEDS</u> soft brown clay some sandy intervals.						
2.0-12.0			<u>MATHESON TILL.</u> (Distinct contact)						
2.0-9.5	Δ	01	50-60% meta seds - nodules 40-50% granite pebbles & cobbles light gray silty sandy matrix.	0	-	209	3.8		-
9.5-11.0	Δ	02	Till. becomes very cobbly fine grained sand-silt matrix.	0	-	249	2.8		-
11.0-11.5	Δ	03	clast composition 75% metaseds-nodules. 25% granitoids	0	-	228	2.9		-
11.5-12.0	Δ	04	Metasediments boulder.	0	-	272	25.0		-
12.0-13.5	Δ	05	Till 80% metaseds-nodules 20% granitoids	0	-	<6	27.0		-
	Δ	06	- Strong foliation. Biotite rich.	0	-	21	19.0		-
	Δ	07	Dark brown color. => metasediment	0	-	10	18.0		-
	Δ	08		-	-	<2	0.7		
13.5			<u>EOH</u>						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE Mars 4 19 87 Sondage No: BOB 04 Localisation: site 21

Géologue: DH, RSTJ, RM Sondeur: H. Du reff Outil: CB68017 Métrage: 62.7-89.7

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 8:45 - 12:15

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: ~~12:15 - 12:30~~

Déplacement sur le site suivant: 12:15 → 12:30

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION					
0	^		0 - 2.0 Organics					
1	^		2.0 - 18.0 OSIBWAY II SEDIMENTS					
2	^		2.0-13.0 light gray colour pure clay					
3	^		with silt and fine sand interbeds, soft					
4	^		13.0 - 18.0 pure gray clay, soft					
5	^							
6	^							
7	^							
8	^							
9	^							
10	^							
11	^							
12	^							
13	^							
14	^							



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-04

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		conc. ppb
1									
2									
3									
14									
15			18.0 - 25.6 MATHESON TILL						
16			18.0 - 19.5 light gray colour fine sand-silt matrix; clast composition ~70% meta volcanics and sediments ~30% granitoid, ~1% limestone						
17			19.5 - 22.4 till as above with a grey clay-silt component to the matrix						
18									
19	Δ	01		0	-	56	90.1		-
20	Δ	02	22.4 - 22.7 boulder - diorite	0	-	46	28.0		-
21	Δ		22.7 - 24.6 till similar to 19.5 22.4						
22	Δ	03	24.6 - 24.8 boulder - metasediment	1	A	1600	37.0		4296
23	⊗	No sample	24.8 - 24.9 till with fine grey sand silt matrix, 90% metasediments clasts and 20% granitoid clasts						
24	Δ	04	24.9 - 25.4 boulder - diorite	0	-	263	23.0		-
25	⊗	No sample	25.4 - 25.6 till similar to 24.8 24.9						
26	⊗	No sample	25.6 - 27.0 BEDROCK						
27	⊗	BEDROCK	- dark green rock chips and light green rock-flour-clay - chips are fine grained; moderate to strong foliation; granular texture - No disseminated sulphides or carbonate - hard to drill Intermediate to mafic volcanic	-	-	3	1.3		

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 4 Mars 1987 Sondage No: BOB-05 Localisation: Site # 18

Géologue: DH, RST-J, RM Sondeur: H. Durett Outil: CB68818 Métrage: 0-21.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 12:30 → 13:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT # CB68818

Déplacement sur le site suivant: 13:45 → 14:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		Analysis of HMC (on bedrock)			
				#	dom type	Au	As		calc mb
0.0 - 6.8			<u>OJIBWAY II SEDS</u> 0.0-6.2 fine brown-beige soft clay fine sand and pebbles interbeds 6.2-6.8 fine gray beige soft clay.						
6.8 - 19.5		N-5	<u>MATHESON TILL</u> 6.8-16.2 fine gray beige sand-silt matrix pebbles and cobble clasts: 60% meta sediment/rocks, 40% granitoids.						
9.0 - 10.0		01		0	-	120	37.0		-
12.0 - 13.0		02		0	-	13	41.0		-
16.0 - 17.0		03		1	I	16	21.0		481

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB - 05

Page 2 de 2

ECHELLE: 1:100

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)								
				#	dom type	Aw	As							
1														
2														
3														
14		03												
15		04			0	-	61	29.0						
16			16.2 - 19.5. Tall as above with clay-silt matrix.		0	-	94	38.0						
17		05												
18		06			0	-	64	37.0						
19			19.5 - 21.0 <u>BASEMENT.</u>											
20		07	fine grained, dark brown strongly foliated metasediment. some pyrite. (on fracture?) biotite rich.		-	-	<2	<0.5						
21		BE ROCK												
22														
23														
24			21.0 EOH											
25														
6														
7														
8														



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-06

ECHELLE: 1:100

Page 2 de 2

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)		
			#	dom type	Au	As	calc Mb
1							
2							
3							
14							
15		16.5-20.2 <u>MATHESON TILL</u> light gray sand-silt matrix very cobbly and pebbly.					
16	N/S						
17		clasts: 70% meta seds - volcs 30% granitoids					
18		up to 2% limestones					
19	01	16.8-17.4 metasediment boulders.	0	-	29	59.8	-
20	02	17.4-18.5 diorite(?) boulders	2	A	7410	68.2	2977
21	03	20.2-21.7 <u>BEDROCK</u> Dark brown, strongly foliated metasediment ~1% quartz veins. biotite rich. some contamination from O/B.	-	-	<2	<0.5	
22							
23							
24							
25							
6							
7							
8							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE Mars 4, 5 19 87 Sondage No: BOB-07 Localisation: site 16

Géologue: DH, RSTJ, RM sondeur: H. Du veff Outil: CB6801B Métrage: 42.7-57.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 16:15 - 18:00 07:30 → 08:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 8:45- 9:15

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analyses of HMC (on bedrock)			
				#	dom TYPE	Au	As	Cu / Sb	alc ppb
0-2.5			OSIBWAY II SEDIMENTS light brown colour sandy and silty clay						
2.5-12.7		01	MATHESON TILL distinct contact with overlying clay	1	A	235	2.5		198
2.5-8.3		02	light gray colour fine sand-silt matrix; pebble and cobble clasts composition	1	A	110	1.9		38
5.0-8.3		03	50% volcanics/sediments 50% granitoid	0	-	57	16.0		-
8.3-9.2		04	boulder - meta sediment	2	A	713	19.0		580
9.2-10.8		No sample	till similar to 2.5-8.3						
10.8-12.7		05	till clasts composition changes to approximately 80% volcanics/sediments 20% granitoid and 1-2% limestone	0	-	1850	31.0		-
12.7-14.3		06	BEDROCK	0	-	24	54.0	596	-
14.3		07	Dark brown to dark gray strongly foliated meta-sediment brown and an (unidentifiable?) some quartz veins some contamination from above	1	A	160	47.0	4.7	7362
14.3		08	BEV ROCC	-	-	<2	<0.5		

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 5 Mars 1987 Sondage No: BOB-08 Localisation: SITE 23

Géologue: RST-J. DHRM Sondeur: H. Duneth Outil: CB 68818 Métrage: 570 77.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 09:15 - 11:15

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 11:15 - 11:30

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION						
0.0 - 0.5			ORGANICS						
0.5 - 17.6			OJIBWAY II SEDS						
0.5 - 0.8			light brown clay.						
0.8 - 3.2			sand intervals with silty interbeds.						
3.2 - 17.6			pure soft light gray clay with sandy interbeds.						
			clay is pure after 11.0.						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB 08

Page 2 de 2

ECHELLE: 1:100

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bed rock)			
				#	dom type	Au	As		calc m/b
1									
2									
3									
4									
15			17.6 - 18.5 <u>MATHESON TILL</u>						
16			Very sandy, light beige Till matrix, cobbles, pebbles. Clasts: 40% volca-seeds. 60% granitoids						
17									
18	△	01		0	-	<6	14.0		-
18	△	02		0	-	26	16.0		-
19		03	(large amount of sample return)						
20		GEO. Rock		-	-	6	0.6		
21			18.5 - 20.0 <u>BEDROCK</u>						
22			- Dark brown to dark gray - strong foliation - biotite - hornblende(?) - chlorite. => metasediment.						
23									
24									
25			20.0 EDH						
6									
7									



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 5 Mars 1987 Sondage No: BOB 09 Localisation: Site 24  
 Géologue: RSTJ, DH, RM Sondeur: H. Dunett Outil: CB 68818 Métrage: 77.0-88.2  
CB 68820 0-11.8  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 11:30 - 14:30  
 TOTAL Problèmes: Pull rods and replace bit at 11.2 m.  
 Contractant (heures) \_\_\_\_\_ Divers: New BIT # CB 68820  
 Déplacement sur le site suivant: 14:30-14:45

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As	W	calc Mb
0.0 - 1.0	^ ^ ^		<u>ORGANICS</u>						
1.0 - 6.5	Δ / .		<u>COCHRANE TILL</u> light gray brown silty-sandy till with clay in matrix. few pebbles and granites 50% granitoids 45% meta rocks + sed 5% limestone						
6.5 - 7.5			<u>OJIBWAY II SEDS</u> gradational contact to fine gray clays	0	-	<5	24.0		-
7.5 - 21.5	Δ / .		<u>MATHESON TILL</u> light gray to light beige sandy silty till	0	-	93	19.0		-
7.5 - 11.2	Δ / .	01		0	-	110	18.0	173	-
11.2 - 12.0	⊗	NS	matrix: 70% meta rocks - rocks 30% granitoids <1% limestone	0	-	60	21.0		-
12.0 - 14.0	Δ / .	02	Granitoid boulders very hard to drill						
	Δ / .	03							
	Δ / .	04							
	Δ / .	05							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 2

BOB-09

Profondeur (M)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dom type	Au	AS		auk ppb
1									
2									
3									
14									
15	Δ	05	12.0 - 20.5 Very sandy - silty light gray till	0	-	94	36.0		-
16	Δ	06	clasts: 80% meta volcs - sds 20% granitoïds	0	-	21	25.0		-
17	Δ	07	silty interbeds						
18	Δ	07	20.5 - 20.6 metavolcanics boulder	1	A	223	34.0		75
19	Δ	08	20.6 - 21.0 till same as above	0	-	18	20.0		-
20	Δ	09	21.0 - 21.5 clay rich till fine grey sand - silt and gritty clay grey clay matrix	0	-	54	29.0		-
21	Δ	10	pebbles and cobbles	0	-	54	19.0		-
22		11	clasts: 80% meta volcs - sds 20% granitoïds						
23			21.5 - 23.0 <u>BEDROCK</u>						
24			Dark green to dark brown strongly foliated						
25			biotite - amphibole						
26			=> metasediment						
27									
28			23.0 EOH						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 5 Mar 1987 Sondage No: BOB-10 Localisation: Site 25

Géologue: DH RST-JRM Sondeur: H. Durett Outil: CB 68820 Métrage: 11.8-26.3

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 14:45 - 16:45

TOTAL Problèmes: pour sample recuperation in till

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 16:45-17:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dom type	Au	As	W	calc Mb
0.0 - 0.6			<u>ORGANICS</u>						
0.6 - 1.5			<u>COCHRANE TILL</u> light brown sandy clay.						
1.5 - 13.0			<u>MATHESON TILL</u> light grey to beige sandy-silty matrix, pebbles, cobbles clasts: 50% meta-volc. sedc 50% granitoids						
2.2 - 2.5			metasediment boulder						
4.2 - 5.0			Granitoids boulders very hard to drill.	0	-	130	67.7		-
13.0 - 13.0			Till as above clay in matrix						
13.0 - 14.5			<u>BEDROCK</u> Dark green to dark grey rock Biotite-chlorite fissure up to 1.5 cm (size) carbonate (calcite) crystals up to 3mm (HCl test +) Sandy matrix	0	-	485	24.0		-
				1	A	160	25.0		171
				-	-	<2	1.2		

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-10

ECHELLE: 1:100

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)								
				#	dom type	A4	A5							
1														
2														
3														
4														
4		05	<p><b>BEDROCK (cont'd)</b></p> <p>There is a definite alternance of dark green facies (metavolcanics) and dark brown facies (metasediments)</p> <p>=&gt; Transition zone between the two facies.</p>											
5														
6														
7														
8														
9														
0														
1														
2														
3														
4														
5														
6														
7														
8														

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 6/3 1987 Sondage No: BOB-11 Localisation: Site 26

Géologue: DH, JL, YB Sondeur: H. Durett Outil: CB68820 Métrage: 26.3-37.4

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: drill 7:00-8:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 8:45-9:00

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)				
				#	dom type	Au	As		calc H <sub>2</sub> O	
0-1.0			Organics							
1.0-7.0			COCHRANE TILL pure beige brownish clay with fine sand and much grit (gritty clayey matrix) few pebbles, clasts 50% vol/sed, 45% granite, 5% limestone							
7.0-8.5			OJIBWAY II SEDIMENTS gradational contact with overlying clayey till pure gray clay, soft							
8.5-9.6		01	MATHESON TILL distinct contact with overlying clay figr. sandy silty matrix with pebbles and small cobbles 58% vol/sed, 40% granite, 2% limestone	0	-	47	28.0			-
9.6-11.1		02	BEDROCK figr. dark grey biotite amphibole schist (metasediment) ~5-10% qtz vein no calcite, no visible sulfide	-	-	3	0.6			

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE Mars 6 19 87 Sondage No: BOB-12 Localisation: site 27  
 Géologue: JL, DH, YB Sondeur: H. Durett Outil: CB68820 Métrage: 37.4 - 71.2  
 Poste (heures) \_\_\_\_\_ CB68819 0 - 4.9  
 à \_\_\_\_\_ Sondage: 9:00 - 14:15  
 TOTAL Problèmes: pull rods to replace bit at 33.8m  
 Contractant (heures) \_\_\_\_\_ Divers: .NEW BIT CB68819  
 Déplacement sur le site suivant: 14:15 → 15:45

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dom type	A <sub>4</sub>	A <sub>5</sub>		calc #/g
0-1.2			Organics						
1.2-4.4			COCHRANE TILL - gritty gray-beige clay matrix; clasts composition ~50% volcanics ~50% granitoid ~1% limestone						
4.4-6.8			OJIBWAY II SEDIMENTS - pure gray clay, soft						
6.8-24.3			MATHESON TILL - distinct contact with overlying clay unit						
6.8-21.9		01	fine gray-beige sand-silt matrix; pebbles and small cobbles composition approximately 60% volcanics/sediments 40% granitoid trace limestone	7	A	1270	28.0		1373
		02		0	-	352	24.0		-
		03		1	A	130	28.0		498
		04	- upto 90% volcanics/sediments clasts and 20% granitoid downsection to 21.9	0	-	55	18.0		-
		05							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB - 12

ECHELLE: 1:100

Page 2 de 3

Profondeur (m)	log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc MP
1									
2									
3									
14									
15	Δ	05		0	-	140	29.0		-
16	Δ	06	21.9-24.3 very clay-rich till green-gray gritty, compact clay matrix, clast composition - 60% volcanics, 40% granitoid	0	-	110	19.0		-
17	Δ	07		0	-	130	23.0		-
18	Δ	08	24.3 - 25.1 MISSINAIBI SEDIMENTS (OSIBWAY I SEDIMENTS)	0	-	30	30.0		-
19	Δ		- gradual contact with overlying till unit						
20	Δ	09	- pure gray-green clay, very compact, very hard to drill	8	A	1490	89.4		3260
21	Δ								
22	Δ								
23	Δ	10	25.1-37.2 LOWER TILL - distinct contact	0	-	337	47.0		-
24	Δ								
25		No sample	25.1-28.5 gray-beige to grey colour, fine sand to silt matrix; cobble clasts composition approximately 50-60% granitoid ~ 40% volcanics/sediments ~ 1% limestone						
26	Δ	11		2	A	33	20.0		23
27	Δ								
28	Δ	12		19	A	6020	32.0		7568

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-12

Page 3 de 3

ECHELLE: 1:100

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAIN		analysis of HMC (or bedrock)			
				#	dom type	Au	As		late ppb
1									
2									
3									
4									
5									
6									
7									
28									
29	Δ	12	fill very cobbly after 28.5m, clast composition same as 25.1-28.5	3	A	1300	5.3		2117
30	Δ	13							
31	Δ	14	→ pull rods at 33.8 m to replace b.t.	1	A	439	<4.1		523
32	Δ	15	37.2-38.7 BEDROCK	7	A	373	<4.5		489
33	Δ	16							
34	Δ	17	- Quartz-chlorite-Feldspar schist sheared andesite or intermediate tuff,	13	A	868	<3.9		593
35	Δ	18	≤ 1% sulphides ≤ 1% carbonate	1	A	764	7.0		82
36	Δ	19							
37	Δ	20	30.7 EOH	0	-	413	<3.2		-
38	Δ			0	-	<13	6.8		-
				-	-	3	<0.5		



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 6/3 1987 Sondage No: BOB-13 Localisation: site 15

Géologue: JF, DA, YB Sondeur: H. Durett Outil: CB68819 Métrage: 4.9-14.9

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 15:45 → 17:15

TOTAL Problèmes: bouldery till, slow drilling

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 17:15 → 17:30

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dom type	Au	As		calc mp
0-1.8			COCHRANE TILL light beige brown clay v. minor sand						
1.8-8.5		01	MATHESON TILL distinct contact with overlying clays very cobbly till, fine gr. sandy silty matrix 58% vol/sed, 40% granitic, 2% limestone clasts	1	A	1320	7.3		832
3.5-4.0		N/S	3.5-4.0 - meta-sediment boulder						
3.5-4.0		02		1	A	52	71.6		557
8.5-10.0		03	BEDROCK f.g. amphibole biotite schist (meta-sediment) no visible sulfide, no visible calcite well foliated <1% qtz weinlets	0	-	97	39.0		-
8.5-10.0		04		-	-	<2	0.6		
10.0			EOH 10.0						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 7/3 1997 Sondage No: B0B-14 Localisation: Site 14  
 Géologue: X, DH, YB Sondeur: H. Durell Outil: CB6819 Métrage: 14.9-24.1  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 7:00 - 8:45  
 TOTAL Problèmes: \_\_\_\_\_  
 Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: 8:45 - 9:00  
 ECHELLE: 1:100 Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)		
				#	dom type	Au	As	calc rpb
0 - 1.5	^ ^ ^		organics					
1.5 - 5.1	Δ Δ Δ		Cochrane Till sandy brown clay turns quickly to sandy gritty grey clay, clasts ~5% sand content decreases with depth but no really pure clay					
4.0 - 4.4	○		granite boulder					
5.1 - 7.7	Δ ○		MATHESON Till abrupt contact with overlying unit light beige grey fine sandy silty matrix pebbles, cobbles ~50/50 (MV, MS/ GRANITIC) with ~1% limestone	0	-	243	33.0	-
7.7 - 9.2	Δ ○		Bedrock metasediment biotite amphibole schist, foliated, fine gr, dark grey	0	-	<9	34.0	-
7.9	○		minor green dyke or alteration on fractures			6	0.6	
8.2	○		qtz vein with minor sulfide					
8.9	○		qtz veinlets					
EDH 9.2								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 7/3 1997 Sondage No: 30B-1S Localisation: Site 5  
 Géologue: JL, DH, YB Sondeur: H. Durell Outil: CB 68819 Métrage: 24.1-34.6  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 9:00 - 10:20  
 TOTAL Problèmes: Not enough sample, redrilled 8.0-9.0 for  
more sample volume  
 Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: 10:20 - 10:30  
 ECHELLE: 1:100 Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	A4	A5		calc %
1	^ ^ ^		0-2.0 ORGANICS						
2	^ ^ ^		2.0-6.0 COCHRANE Till pure grey clay changes quickly to sandy, then sandy gritty grey clay						
3	^ ^ ^								
4	^ ^ ^								
5	^ ^ ^								
6	^ ^ ^		6.0-8.0 OSIBWAY II SEDIMENTS pure grey clay, gradational contact with Cochrane Till						
7	^ ^ ^								
8	^ ^ ^		8.0-9.0 MATHESON Till abrupt contact with overlying clays f. sandy silty grey bergematrix but cobbly clasts 70/30 (MV, MS/GR) with ~1% limestone						
9	^ ^ ^	01			0	-	48	28.0	-
10	^ ^ ^	02 BEDROCK		-	-	<2	<0.5		
11	^ ^ ^		9.0-10.5 BEDROCK metasediments f. gr. grey biot. amph. schist v. minor qtz veinlet < cm scale no visible sulfide, no calcite 10.5 thin qtz vein						
12	^ ^ ^								
13	^ ^ ^								
14	^ ^ ^								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 7/3 1947 Sondage No: B-16 Localisation: Site 4

Géologue: JL, DH, YB Sondeur: H. Durell Outil: CB 68819 Métrage: 34.6-57.1

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 10:30 - 12:15

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 12:15 - 12:30

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	A <sub>4</sub>	A <sub>5</sub>		calc Mb
0 - 9.5			COCHRANE TILL 0-4.0 pure brown clay quickly becomes sandy 4.0-9.5 grey, sandy, gritty soft clay						
9.5 - 12.0			OJIBWAY II SEDIMENTS pure dark grey soft clay transitional contact with Cochrane Till						
12.0 - 21.0			MATHESON Till abrupt contact with overlying clays fine sandy silty light beige matrix clasts ~ 50/50 (MS, MV/GR) with ~1% limestone	0	-	71	17.0		-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB - 16

Page 2 de 2

Profondeur (m)	log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dam type	Au	As		calc Mb
1									
2									
3									
14									
15	Δ ○	01		0	-	130	16.0		-
16	Δ ○	03	16.0 - 21.0 note that clasts now ~ 80/20 (MS, MV/GR)	0	-	249	22.0		-
17	Δ ○	04	17.5 - 18.8 matrix becomes bluish and clayey (still fine sand and silt in matrix)	0	-	31	21.0		-
18	Δ ○								
19	Δ ○	05	19.5 - 21.0 till very cobbly, sample probably not very good (rock flour contamination)	0	-	160	52.2		-
20	Δ ○	06		0	-	607	20.0		-
21	Δ ○		21.0 - 22.5 BEDROCK						
22	///	07	metasediment	-	-	4	<0.5		
23			f. gr. biot. amph. schist						
24			dark greenish grey, becomes more dark grey with depth (fresher rock)						
25			v. minor qtz vein, no visible sulf, no cc						
26			21.7 greenish mafic dyke?						
27			EOH 22.5						
28									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 7/3 1987 Sondage No: B02-17 Localisation: Site 3

Géologue: JL, DH, YB Sondeur: H. Durett Outil: CB 68821 Métrage: 0-39.8

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 12:30 - 17:30

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB 68821

\_\_\_\_\_ Déplacement sur le site suivant: 17:30 - 18:00

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc Mb
0 - 4.2			COCHRANE Till brown clay with minor grit hard at surface, softer at depth						
4.2 - 38.1			MATHESON Till abrupt contact with overlying clay fine sandy, silty light beige matrix pebbly, clasts ~ 50/50 (MS, MV/GR)						
5	01			0	-	1100	<3.5		-
7	02			0	-	2350	3.7		-
9	03			0	-	14	10.0		-
11	04			0	-	<9	18.0		-
12	05			0	-	160	26.0		-
14									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-17

Page 2 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dom type	Au	As		calc mb
1			X						
2									
3									
14	Δ	06		0	-	120	24.0		-
15	Δ								
16	Δ	07		0	-	720	23.0		-
17	Δ								
18	Δ	08		0	-	33	17.0		-
19	Δ								
20	Δ	10		0	-	100	28.0		-
21	Δ								
22	Δ	11		0	-	332	31.0		-
23	Δ								
24	Δ	12		0	-	150	21.0		-
25	Δ	13							
26	Δ	N/S	13.2-13.8 Zmica granite boulder						
27	Δ	13		0	-	42	33.0		-
28									

22.5 → ~ 28m  
matrix becomes clayey and greyish  
still f. sandy silty  
pebbly, clasts ~ 70/30 (M.S.MV/GR)

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 3 de 4

BOB - 17

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dem type	A <sub>u</sub>	A <sub>s</sub>		calc mg
1									
2									
3									
4									
5									
6									
27									
27.7	▲	13	metasediment boulder						
28	▲	14	~28m → ~33m still clayey till, grey beige f. sandy silty matrix	1	A	25	50.7		22
29	▲	N/S	pebbly, cobbly, clasts ~80% metaseds						
30	▲	15	29.2-29.5 pink granite boulder 29.5-29.9 metasediment boulder	0	-	69	41.0		-
31	▲	N/S	30.8-31.3 mostly metasediments boulders, minor granite cobbles	↑	↑	↑	↑	↑	↑
32	▲	N/S	31.5-31.8 meta gabbro boulders (like at AM-15)						
33	▲	16	~33m → 38.1 m still clayey till but not as clayey as above 29m	0	-	67	32.0		-
34	▲	17	variably light beige gray to greenish beige matrix, f. sandy, silty	(1→I) 3	A	438	30.0		214
35	▲	18	pebbly, cobbly, clasts ~90% metasediments with ~1% limestone	1	A	282	30.0		123
36	▲								
37	▲	19		1	A	62	24.0		358
38									



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-17

Page 4 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)								
				#	dom type	Au.	As							
1														
2														
3														
4														
5														
6														
7														
8		20	38.1 - 39.8 BEDROCK	0	-	110	21.0							
9		21	metasediments biotite-amphibole schist f. gr, dark grey w/ minor visible sulf, no cc	-	-	< 2	0.5							
0			<u>but</u> 38.9-39.3 green mafic dyke rock flour ground to green clay with few rock chips also at 39.5 same as above											
1														
2														
3														
4														
5														
6														
7														
8														

EOH 39.8

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 8/3 1987 Sondage No: BoB-18 Localisation: Site 13

Géologue: JL, DH, YB Sondeur: H. Durett Outil: CB 68822 Métrage: 0.-27.2

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 7:00 - 11:00

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Divers: NEW BIT CB68822 BUT CB68821 still good; bit was

Contractant (heures) \_\_\_\_\_ changed in anticipation of deep hole

Déplacement sur le site suivant: 11:00 - 11:15

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION						
0	Λ		0 - 1,5 ORGANICS						
1	Λ		1,5 - 11,5 COCHRANE SEDIMENTS/TILL grey clay becomes sandy, gritty with depth.						
2	Λ								
3									
4	Δ								
5	Δ								
6	Δ								
7	Δ	N/5							
8	Δ								
9	Δ								
10	Δ								
11	Δ								
12			11,5 - 14,7 OSIBWAY II SEDIMENTS						
13			pure clay, soft, grey contact not distinct						
14									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-18

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on detrock)				
				#	dom type	Au	As	W	calc mb	
1										
2										
3										
14										
14.7 - 22.5		N/S	MATHESON TILL							
15	Δ	01	contact with overlying clays seemed abrupt, then clayrafts and clayey till were encountered over first ~ 2m	1	A	180	46.0			190
16	Δ									
17	Δ	02	fine sandy, silty grey beige matrix pebbly, cobbly, clasts ~ 50/50 (MV, MS/BR) with ~ 1% limestone	0	-	<13	27.0	155		-
18	Δ									
19	Δ	03	19.5-21.0 very cobbly till	0	-	32	25.0			-
20	Δ									
21	Δ	04								
22	Δ	05								
22.5 - 27.2			BEDROCK							
23		N/S	22.5-25.5 bedrock strongly contaminated with material from overlying till due to caving in around rods and/or very fractured or rubble bedrock							
24										
25										
26			→ metasedimentary biot amph schist f.g. dark grey							
27		06 Bedrock								
28										

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 8/3 1997 Sondage No: 20B-19 Localisation: Site 12  
 Géologue: JL, DH, YB Sondeur: H. Durett Outil: CB68822 Métrage: 27.2-55,5  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 11:15 - 13:45  
 TOTAL Problèmes: \_\_\_\_\_  
 Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: 13:45 - 14:00  
 ECHELLE: 1:100 Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION					
0	^ ^		0 - 4,4 ORGANICS					
1	^ ^							
2	^ ^							
3	^ ^							
4	^ ^							
5	Δ /		4,4 - 12,5 COCHRANE TILL					
6	Δ /		blue grey very clayey till					
7	Δ /	N/S	minor sand, grit, soft					
8	Δ /							
9	Δ /							
10	Δ /							
11	Δ /							
12	Δ /							
13	▬		12,5 - 17,5 OSIBWAY II SEDIMENTS					
14	▬		contact with till above reasonably distinct					
			soft pure blue grey clay					

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-19

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or dedrock)			
				#	dom type	Au	As		alk mb
1									
2									
3									
14									
15									
16			minor sand lens just above Matheson Till						
17									
17.5 - 26.8			MATHESON Till						
18	Δ	01	contact with overlying clays abrupt fine sandy, silty grey beige matrix pebbly, cobbly, clasts ~50/50 (MS, MV/GR) with ~1% limestone	1	A	302	23.0		166
19	Δ								
20	Δ	02	21.7-22.2 gabbro boulder	0	-	24	33.0		-
21	Δ	03	23.5-26.8 till becomes clayey (hard clay) but still fine sandy, silty, grey beige clasts now ~80% MS, MV	1	I	1250	26.0		100
22	⊗	N/S							
23	Δ	04		0	-	87	4.0		-
24	Δ								
25	Δ	05	26.8-28.3 BEDROCK metasediment arg biot-amph schist	1	A	265	11.0		150
26	Δ	06	fig. dark grey minor quartz vein	0	-	36	17.0		-
27	Δ	07	minor contamination from above units	-	-	<2	0.9		
28			Bedrock						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 8/3 1987 Sondage No: BoB-20 Localisation: Site 11  
 Géologue: DH, VB, JL Sondeur: H. Durett Outil: CB68822 Métrage: 55,5 - 89,3  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 14:00 - 19:15 pm  
 TOTAL Problèmes: \_\_\_\_\_  
 Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: 19:15 - 19:30

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or ded rock)			
				#	dom type	Au	As		calc Mb
0			0 - 1.0 ORGANICS						
1			1.0 - 5.5 COCHRANE SEDIMENTS/Till						
2		N/S	1.0 - 4.0 gritty gray-beige clay few pebbles						
3									
4			4.0 - 5.5 beige sand						
5			5.5 - 7.8 OJIBWAY II SEDIMENTS						
6			pure gray clay moderately compact						
7			- gradational contact with overlying sediments						
8			7.8 - 23.0 MATHESON Till						
9		01	- distinct abrupt contact	0	-	180	38.0		-
10		02	7.8 - 13.5 Fine gray sand-silt matrix Pebbles and Cobbles composition ~ 60% V/S 40% Granitoide	0	-	17	30.0		-
11									
12		03	13.5 - 20.5 More pink cobbles i.e. increase in % of granitoide cobbles	0	-	<8	29.0		-
13		04		0	-	170	21.0		-
14		05							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 3

BOB - 20

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or detrock)			
				#	dom type	Au	As		calc Mb
1									
2									
3									
14									
15	Δ ○	05		1	A	180	25.0		50
16	Δ ○	06		1	A	120	26.0		54
17	Δ ○								
18	Δ ○	07		1	A	1890	27.0		1424
19	Δ ○	08	20.5 - 23.0 Clay - rich till - Gray Sand, silt and grey-green clay matrix Pebbles/Cobbles ~ 75/25	0	-	100	19.0		-
20	Δ ○								
21	Δ ○	09		0	-	94	20.0		-
22	Δ ○								
23	Δ ○	10		0	-	50	15.0		-
24	Δ ○								
25	Δ ○	11	23.0 - 31.8 MISSISSAUGA SEDIMENTS - thin layer of very compact platy grey-green pure clay overlying sand	0	-	40	15.0		-
26	Δ ○								
27	Δ ○	12	- Interbedded medium and coarse beige sand (some fine sand interbeds) and thin pebble gravel beds - almost composition ~ 75% granitoid, 5% limestone, 20% vls	1	A	39	4.2		90
28	Δ ○	13	- Very high rate of sample return, veins - - -						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-20

Page 3 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dem type	Au	As		cube m <sup>3</sup>
1									
2									
3									
4									
5									
6									
7									
28									
19		13	30.8-31.2 pebble/cobble gravel with some fine, medium to coarse sand; clasts ≈ 70/30	0	-	<10	5.6		-
30		14	31.2-31.5 Coarse, medium sand interbedded with pebble ≈ 20-30, 8	0	-	<9	4.1		-
31		15	31.5-31.8 Pebble/cobble gravel ≈ 20.8-31.2	0	-	100	4.8		-
32		16	31.8-33.8 BEDROCK	-	-				
33			- A lot of contamination from overlying sand and gravel unit due to casing around rods - Bedrock soft and possibly fractured			5	1.0		
34			- Dark gray brown colour						
35			- Fine grained; granular texture						
36			- Moderate to strong Foliation						
37			- Metasediments						



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 9/3 1987 Sondage No: Bob-21 Localisation: site 10

Géologue: RST, DH, RM Sondeur: H. Dureff Outil: CB68822 Métrage: 89.3-114.4

Poste (heures) \_\_\_\_\_ CB68847 0-20.0

à \_\_\_\_\_ Sondage: 7:30-13:15

TOTAL Problèmes: pull rods to change bit at 25.1m

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68847 NEW BIT SVB

Déplacement sur le site suivant: 13:15-13:30

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		ANALYSIS OF HMC (or bedrock)			
				#	dom type	Au	As		conc mpb
0			<u>0-0.5 ORGANICS</u>						
0.5			<u>0.5-3.7 COCHRANE TILL</u>						
1			Light brown clay with pebbles and sandy-silty interbeds						
2									
3			<u>3.7-15.5 OSIBWAY II SEDIMENTS</u>						
4			3.7-8.0 light gray clay with few pebbles and fine grained sand interbeds						
5		N/S							
6			8.0-15.5 light beige fine sand and silt						
7									
8			13.0-13.0 organic material medium red-brown wood and branches.						
9									
10									
11									
12		01		0	-	14	(2.4		-
13									
14									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-21

Page 2 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	Ps		calc mpb
1									
2									
3									
14		02		0	-	46	13.0		-
15									
16			<u>15.5-33.5 MATHESON TILL</u>						
17		03	<sup>15.5-33.0</sup> light gray sand-silt matrix cobbles, pebbles clasts composition: 70% meta rocks + sands 30% granitoids + others	0	-	80	24.0		-
18									
19		04		0	-	<8	14.0		-
20		05		0	-	<8	16.0		-
21									
22		06		0	-	<8	20.0		-
23									
24		07	23.0-25.0 Till as above, but up to 3% limestone.	0	-	160	15.0		-
25		08	25.0-28.1 Till as above, no limestone	0	-	16	10.0		-
26		09		0	-	180	24.0		-
27									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-21

Page 3 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analyse. of HMC (or bedrock)			
				#	dom type	Au	As		calc m/b
1									
2									
3									
4									
5									
6									
27									
28	△ ○	10	28.1-28.3 Metasediments boulders very hard to drill.	6	A	180	20.0		669
28	△ ○	NIS							
29	△ ○	11	28.3-33.5 Till becoming very sandy, light gray color.	1	A	1990	21.0		1850
30	△ ○								
31	△ ○	12		4	A	150	33.0		98
32	△ ○	13		1	A	268	19.0		161
33	△ ○								
34	△ ○		<u>33.5-43.6 MISSINIAIBI SEDIMENTS</u>						
35	△ ○	14	33.5-36.5 light beige to light gray medium sand with interbeds of fine sand, pebbles and pure gray clay.	0	-	58	13.0		-
36	△ ○								
7									
8									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-21

Page 4 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dcm type	Au	As		cube m <sup>3</sup>
1									
2									
3									
4									
5									
6									
37	oooo	15	36.5 - 41.0 Gravel with light gray sand interbeds	4	A	98	2.9		1659
38	oooo		clasts composition:						
39	oooo	N/S	40% metavolcs + sedls						
40	oooo	16	60% granitoids + others						
41	oooo		38.5 - 38.8 light gray diorite (?) boulder. - hard to drill -	0	-	<14	<3.9		-
42	oooo	17	from 39.0: incoming water						
43	oooo	N/S	41.0 - 42.5 light gray fine sand	0	-	<10	<3.0		-
44	oooo	18	42.5 - 43.2 Metasediments boulder						
45	oooo		43.2 - 43.3 Gravel						
6	oooo		43.3 - 43.6 Metasediments boulder?						
7	oooo		43.6 - 45.1 <u>BEDROCK</u>						
8	oooo		- Dark brown colour						
	oooo		- well foliated						
	oooo		=> metasediment						
	oooo		with dark green clay (mafic dykes ??)						
	oooo		10-15 cm thick						
	oooo		45.1 EOH						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 9/3 1987 Sondage No: BOB-22 Localisation: site 1

Géologue: RSE, DH, RM Sondeur: H. Durett Outil: CB68847 Métrage: 20.0-52.7

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 13:30 - 15:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 15:45 - 16:00

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION					
0	^ ^		<u>0-3.0 ORGANICS</u>					
1	^ ^							
2	^ ^							
3	^ ^		<u>3.0 - 6.2 COCHRANE SEDIMENTS/TILL</u>					
4	^ ^		<i>Light gray sandy clay medium hardness some pebbles</i>					
5	^ ^							
6	^ ^		<u>6.2 - 31.2 QIBWAY II SEDIMENTS</u>					
7	^ ^	N/S	<i>6.2-12.0 Pure light gray clay. very soft with fine sand interbeds fining upward sequence.</i>					
8	^ ^							
9	^ ^							
10	^ ^		<i>12.0-26.5 Mostly fine silty sand with interbeds of light gray clay. or coarser sand.</i>					
11	^ ^							
12	^ ^							
13	^ ^							
14	^ ^							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-22

Page 2 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc mg
1									
2									
3									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
6									
7									
8									

N/S

16.5 organic material  
medium red-brown wood  
and branches in fine sand.

22.5 organic material.

01

1 A <10 17.0 57

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB - 22

Page 3 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	A <sub>4</sub>	A <sub>5</sub>		calc Mb
1									
2									
3									
4									
5									
26			26.5-31.2 light beige to light gray fine sand with coarse sand intervals and fine light gray clay interbeds.	0	-	100	20.0		-
27		02							
28									
29		03		0	-	75	22.0		-
30		04		0	-	<8	12.0		-
31		05	<u>31.2 - 32.7 BEDROCK</u>						
32		BEDROCK	- Dark gray color - fine grained - very strong foliation - no carbonates - soft rock (breaks with fingernail) => metasediment.	-	-	<2	<0.5		
33									
34									
5									
6									
7			<u>32.7 EOH</u>						

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 9-10 Mars 1987 Sondage No: BOB-23 Localisation: SITE #2  
 Géologue: R.S.J., D.H., R.M. Sondeur: H. Durett Outil: CB 68847 Métrage: 52.7-86.8  
 Poste (heures) \_\_\_\_\_  
 \_\_\_\_\_ à \_\_\_\_\_ Sondage: 16:00-18:00 09:00-11:15  
 TOTAL Problèmes: 87-03-10 Drill defreezing 07:30-09:00  
No sample returned 23.0-24.0 Pulled rods: bit was plugged  
 Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 \_\_\_\_\_ Déplacement sur le site suivant: 11:15-12:00  
 ECHELLE: 1:100 Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of Hmc (or bedrock)			
				#	dom type	Au	As		calc mg
0.0 - 0.5	^ ^ ^		<u>ORGANICS</u> O, A, B Horizons						
0.5 - 6.5			<u>COCHRANE SEDS</u> light brown to light gray clay, sandy and pebbly						
6.5 - 12.5		N/S	<u>OJIBWAY II SEDS</u> light greenish-gray pure clay						
12.5 - 23.0			<u>MATHESON TILL</u> Distinct contact with overlying clay						
12.5 - 17.7	△ △ △	01	fine gray-beige sand silt matrix, pebbles and cobbles clasts composition: 60% meta-volcanics 40% granitoids + others 1-2% limestones	1	A	86	19.0		99



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-23

ECHELLE: 1:100

Page 2 de 3

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analyses of HMC (or bedrock)		
			H Fi	dom type	A4	A5	calc MB
1							
2							
3							
14							
15	01						
16	02		0	-	170	27.0	-
17	03		0	-	<9	32.0	-
18	N/S	17.7-18.2 Metasediments boulder					
19	04	18.2-21.1 Till as above clasts composition	1	A	445	29.0	713
20	05	70% meta seds + rocks. 30% granitoids + others	1	A	3550	31.0	3088
21	N/S	21.1-21.4 Metasediments boulder					
22	06	21.4-22.5 Till as above	0	-	130	22.0	-
23	N/S	22.5-23.0 Till as above with sandy and pebbly clay					
24	N/S	23.0-24.0 OSIBWAY I SEDIMENTS?					
25	07	No sample returned from 23.0- 24.0. Rods are pulled. Bit is plugged by very compact gray clay.	1	A	190	31.0	26
26	08	24.0-32.6 LOWER TILL.	0	-	<9	39.0	-
27	09	Fine gray sand and silt matrix	1	A	724	38.0	400

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB 23

ECHELLE: 1:100

Page 3 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)		
				#	dom type	Au	As	
1								
2								
3								
4								
5								
6								
7								
28		09						
29		10	pebbles and much cobbles. clasts composition: 60-70% meta rocks + sands 30-40% granitoids + others.	0	-	49	93.5	-
30		N/S						
31		11	27.5-30.0 Till as above - clay rich fine grained sand-silt and compact gritty grey clay matrix pebbles and cobbles	1	A	506	80.9	722
32		12	clasts composition: 75% meta rocks + sands 25% granitoids + others	3	A	1580	13.0	5343
33		13	30.0-30.2 Metasediment boulder					
34		Bedrock	30.2-31.4 Till as above (27.5-30.0)					
35			31.4-31.6 Metasediment boulder					
36			31.6-32.6 Very cobbly till, very little matrix. clasts composition: 60% meta rocks + sands 40% granitoids + others.					
37								
38								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB 23

ECHELLE: 1:100

Page \_\_\_ de \_\_\_

page 3 continued

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION						
1			<u>32.6 - 34.1 BEDROCK</u>						
2			- dark gray color						
3			- fine grained						
4			- strong foliation						
5			- granular texture						
6			- <1% disseminated carbonates						
7			=> metasediment						
8			<u>34.1 EOH</u>						
9									
0									
1									
2									
3									
4									
5									
6									
7									
8									

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 10 Mars 1987 Sondage No: BOB 24 Localisation: Site # 9

Géologue: RSTJ, DH, RM Sondeur: H. Durette Outil: CB68848 Métrage: 0.0-41.6

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 12:00 - 18:00

TOTAL Problèmes: Rods stuck in hole - "Super Poly 2000" used to pull rods  
Drill maintenance 18:00 - 18:30 (hydraulic hoses)

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68848

Déplacement sur le site suivant: \_\_\_\_\_ 18:30 - 19:00

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)				
				#	dom type	Au	As		calc MP%	
0.0 - 0.2			ORGANICS							
0.2 - 2.9		N/S	COCHRANE SEDS light brown sandy and pebbly "hard" clay							
2.9 - 24.2		N/S	MATHESON TILL	↑	↑	↑	↑	↑	↑	↑
2.9 - 3.0		N/S	Light gray sandy-silty matrix pebbles and cobbles	0	-	<7	<2.3			-
3.0 - 3.5		03	clasts composition: 60% meta rocks + sands 40% granitoids + others	0	-	349	<3.0			-
3.5 - 3.8		03	Metasediment boulder	0	-	100	<2.8			-
3.8 - 4.4		04	Till as above	0	-	39	8.0			-
4.4 - 5.8		05	Metasediment boulder	0	-	22	18.0			-
5.8 - 7.0		06	Till with light gray sand silt matrix, pebbles, cobbles	0	-	110	16.0			-
7.0 - 18.0		07	clasts 50-60% meta rocks + rocks 50-40% granitoids	1	I	<10	20.0			60
7.0 - 18.0		08	Till as in 4.4 - 5.8							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB 24

ECHELLE: 1:100

Page 2 de 4

Profondeur (m)	LOG graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc mg
1									
2									
3									
14									
15	Δ	08		0	-	28	40.0		-
16	Δ	09		0	-	120	22.0		-
17	Δ	10		0	-	31	20.0		-
18	Δ		18.0-19.5 Till as above with						
19	Δ	11	sandy light gray clay lumps and clay on pebbles.	0	-	130	26.0		-
20	Δ		19.5-24.2 Till as 7.0-18.0						
21	Δ	12		0	-	76	22.0		-
22	Δ	13		0	-	120	25.0		-
23	Δ	14		0	-	930	29.0		-
24	Δ		24.2-39.5 MISSINAIBI SEDS						
25	Δ	15	24.2-28.0 Very fine gray-beige to beige sand. Few pebbles.						
26	Δ		* poor return	0	-	55	13.0		-
27									
28									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB 24

Page 3 de 4

ECHELLE: 1:100

Profondeur (M)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)								
				#	dom type	Au	As							
1														
2														
3														
4														
5														
6														
7														
28		15												
29			28.0-32.5	Very fine and fine grey sand with thin compact fine gray clay and pebbles interbeds										
30				* poor return										
31														
32			32.5-37.0	fine beige sand										
33		N/S	37.0-39.4	Very fine beige to grey beige sand.										
34														
35														
36														
37														
38		16												

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BoB-24

Page 4 de 4

ECHELLE: 1:100

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc m/b
1									
2									
3									
4									
5									
6									
7									
38									
39		16	39.4-39.5 <i>Meta volcanics boulders</i>	0	-	21	40.0		-
40		17	39.5-40.8 <u>LOWER TILL</u> <i>light gray fine sand and silt matrix cobbles, pebbles. Clasts composition: 50% meta sands + rocks</i>	1	I	512	44.0		156
41		18	45-47% <i>granitoids</i>	-	-	<2	<0.5		
42			3-5% <i>limestones</i> <i>very cobbly, few matrix.</i>						
43									
44			40.8-41.6 <u>BEDROCK</u>						
45			- Dark grey color. - Fine grained - moderate to strong foliation - disseminated carbonates. => <i>metasediment</i>						
46									
47			41.6 <u>EOH</u>						
48			<i>Hole stopped because of very high torque on rods.</i>						

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 11 Mars 1987 Sondage No: BOB 25 Localisation: Site #B  
 Géologue: R. St-J, DH, RM Sondeur: H. Durett Outil: CB68848 Métrage: 41.6-82.1  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 07:30 - 14:45  
 TOTAL Problèmes: SP 2000 drilling fluid still in tanks this morning =>  
lots of fines in suspension for samples  $\phi 1$  to  $\phi 5$   
 Contractant (heures) Divers: Rods stuck in hole - SP 2000 used to pull rods  
 Déplacement sur le site suivant: 14:45-15:00  
 ECHELLE: 1:100 Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bed rock)			
				#	dom type	Au	As		calc rpb
1		N/S	<u>0.0-0.2 ORGANICS</u> <u>0.2-1.7 COCHRANE SEDS</u> light brown silty-sandy clays						
2									
3		01	<u>1.7-25.8 MATHESON TILL</u> light beig sandy silty matrix	0	-	89	<3.7		-
4		02	cobbles, pebbles. Clasts composition: 60% meta rocks + rods	0	-	110	3.7		-
5			40% granitoids						
6		03	≤ 3% limestones						
7			1.7-2.0 Metasediment boulder	0	-	26	16.0		-
8			2.0-5.0 Till as above						
9		04	5.0-12.6 Till as above with light gray matrix	0	-	<10	20.0		-
10			12.6-13.2 Metasediment boulder						
11		05	13.2-16.5 Till as above (5.0-12.6)	0	-	120	22.0		-
12		06		0	-	81	25.0		-
13		N/S							
14		07		0	-	110	40.0		-



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB 25

Page 2 de 4

ECHELLE: 1:100

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of #MC (or bedrock)		
			#	to m type	Au	As	value µg/g
1							
2							
3							
14							
15	07	16.5-19.5 Very fine light gray sand and silt. Light gray soft fine clay intervals with coarse sand intervals. <u>Very sandy</u>	1	I	930	24.0	386
16	08						
17		19.5-23.3 Light gray sandy-silty matrix, <u>very cobbly</u> and pebbly. clastic composition: 60% meta sed + volcs 40% granitoids + others.	3	A (I-D)	227	20.0	323
18	09						
19							
20	10	23.3-23.8 Metasediment boulder	1	A	261	27.0	95
21		23.8-25.8 Till as above with 1-2% limestone.	0	-	130	29.0	-
22	11						
23	12	25.8-30.0 MISSINAIBI SEDS light gray, sandy-silty, hard clay with coarse sand intervals, cobbles and pebbles.	0	-	36	23.0	-
24	N/S						
25	13		0	-	17	28.0	-
26							
27	N/S						
28							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB 25

ECHELLE: 1:100

Page 3 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analyses of HMC (or bedrock)				
				#	dom type	As	As			
1										
2										
3										
4										
5										
6										
7										
28										
29		N/S	<u>30.0-38.0 LOWER TILL</u>							
30			30.0-32.8 Light gray silt-sand matrix, light gray clay in tubeds, cobbles, pebbles clasts composition: 50% meta volcanics 50% granitoids	0	-	93	25.0			-
31		14	1% limestone							
32		15	32.8-34.5 Till as above, clay rich 34.5-34.9 Metasediment boulders	0	-	120	28.0			-
33			34.9-35.6 Till as above light gray sandy matrix, very cobbly							
34		16	clasts composition: 60% meta volcanics 40% granitoids	0	-	<10	33.0			-
35		N/S	3-4% limestone							
36		17	35.6-36.4 Till as above, very sandy	0	-	37	77.3			-
37		N/S	36.4-37.4 Light to medium sand gray clay, fissile (platy) with silty-sandy interbeds							
38		18		1	A	11910	47.0			1313

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB 25

ECHELLE: 1:100

Page 4 de 4

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
			#	dom type	Au	As		
1								
2								
3								
4								
5								
6								
7								
38								
39	19 BEDROCK	37.4-38.0 Till, clay rich compact gritty, gray to gray green silt-clay matrix; pebbles, cobbles. Clastic composition: 60% meta volca. rocks 40% granitoids+others	-	-	<2	1.1		
40								
41		<u>38.0-40.5 BEDROCK</u>						
42		Mixed bedrock rock cuttings and clay.						
43		Clay is: - Dark green (chlorite) - soft.						
44		Rock is: - very foliated - very soft						
45		- very fissile and friable						
46		- rich in chlorite, phyllosilicates						
47		- includes quartz veins with tourmaline granites						
48		Fac' drilling => clay is coming up. Slow drilling => rock cuttings + casing produces contamination						

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 11-12 Mars 1987 Sondage No: BOB 26 Localisation: Site #7

Géologue: RST, J, DH, RM Sondeur: H. Duret Outil: CB68848 Métrage: 82.1-113.1  
CB68821 39.8-46.3

Poste (heures) JL, DH, YB  
 à Sondage: 15:00-17:30 07:00-14:15

TOTAL Problèmes: Pull rods to change bit at 31.0

Contractant (heures) Divers: REPLACEMENT BIT USED PREVIOUSLY (BOB-17)

Déplacement sur le site suivant: to BOB 27 14:15 - 14:30

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As		calc M <sup>10</sup>
0.0 - 0.2			ORGANICS						
0.2 - 2.0			COCHRANE SEDS						
			Light to medium beige sandy hard clays						
2.0 - 35.8			MATHESON TILL						
2.0 - 3.0		01		1	A	247	<3.2		671
3.0 - 4.0		02	Light gray silty sandy matrix cobbles, pebbles. Clasts composition	1	A	673	12.0		334
4.0 - 5.0		N/S	40% meta seds + soles						
5.0 - 6.0		03	60% granitoids	0	-	56	<3.4		-
6.0 - 7.0		N/S	2-4% limestones						
7.0 - 8.0		04	4.0-4.3 Till as above clasts composition	0	-	<7	45.0		-
8.0 - 9.0		N/S	60% meta soles + seds						
9.0 - 10.0		05	4.0-4.8 dirty quartz (?) boulder (hard to drill)						
10.0 - 11.0		05	4.8-5.9 Till as above very cobbly	0	-	190	4.0		-
11.0 - 12.0		06	5.9-6.1 Metasediment boulder						
12.0 - 13.0		06	6.1-7.5 Till as above (4.8-5.9)						
13.0 - 14.0		07	7.5-9.0 Very bouldery pink-white grained meta sediments	0	-	33	19.0		-
			9.0-9.5 Metasediment boulder						
				0	-	73	16.0		-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB 26

Page 2 de 3

ECHELLE: 1:100

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dom type	A <sub>4</sub>	A <sub>5</sub>		
1									
2									
3									
14									
15	△	08	9.5 - EOH 12/3/87 Matheson Till	0	-	47	23.0		-
16	△		light beige gray matrix, fine sandy silty pebbly						
17	△	09	very cobbly to 11.0, then less cobbly clasts ~50/50 (MS, MV/GR) with ~5% limestone	0	-	46	17.0		-
18	△	10	(starting 11.0 samples very good quality)	0	-	190	22.0		-
19	△	11		0	-	99	35.0		-
20	△								
21	△	12	21.0 a few minor interlayers clean sand.	0	-	25	46.0		-
22	△	13		0	-	34	20.0		-
23	○		23.0-24.3 clean gravel (no matrix) with a few inter layers coarse and fine sand clasts ~50/50/2 (MV, MS/GR/LS)	0	-	31	31.0		-
24	○	14	24.3-28.5 very sandy till (pebbly as well) some silt in the matrix	0	-	150	25.0		-
25	△	15		0	-	16	20.0		-
26	△	16		0	-				
27	△								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-26

Page 3 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)		
				#	size type	Au	As	W
1								
2								
3								
4								
5								
26								
27	▲	17		0	-	234	31.0	-
28	▲		28.5- 28.9 clean gravel no fines					
29	▲		28.9- 29.1 metasediment boulder					
30	▲	18	29.1- 33.0 fill is sandy, pebbly with increasing silt content in matrix with depth light grey beige colour clast composition ~80/20 (MS, MV/GR) some hard clayey matrix at 32.0	1	A	1190	20.0	731
31	▲	19		0	-	238	34.0	154
32	▲	20		1	A	802	17.0	115
33	▲	21	33.0- 33.2 white granite boulder (tried to scoop off rock flour from sample)	0	-	13	18.0	-
34	▲	22	33.2- 34.4 hard greyish clayey matrix to till	0	-	150	7.5	-
35	○	23	34.4- 35.8 interbedded gravels and sands well sorted	0	-	223	<2.8	-
36	▨	24	35.8- 37.5 BEDROCK					
7	▨		f. ground med to dark grey metasediment biotite rich, no visible amphibole minor carbonate, minor visible sulfide, quartz veinlets parallel foliation and in cross-cutting fractures minor chlorite on foliation planes and/or	-	-	<2	<0.5	
8								

NOTE: based on cross-section, the interval 34.4-35.8 has been assigned to MISSINAIBI SEDIMENTS

"PAR"

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 12/3 1987 Sondage No: BB-27 Localisation: Site 6

Géologue: J, DH, YB Sondeur: H.D. Outil: CB68851 Métrage: 0-38.4

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 14:30 - 19:00

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68851

Déplacement sur le site suivant: 7:00 - 7:30 (13/3)

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION					
0	^^		0-3.5	ORGANICS				
1	^^							
2	^^							
3	^^		3.5-9.5	COCHRANE TILL				
4	△△			bluish grey sandy, soft clay (minor gnt)				
5	△△							
6	△△							
7	△△							
8	△△							
9	△△		9.5-16.4	DJIBWAY II SEDIMENTS				
10	△△			contact with Cochrane Till more or less distinct				
11	△△			pure, bluish grey, soft clays				
12	△△							
13	△△		13.1	a little sand				
14	△△							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

B6B-27

Page 2 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc m/s
1									
2									
3									
14									
15									
16									
16.4 - 36.9			MATHESON TILL abrupt contact with overlying clays light grey beige, fine sandy silty matrix pebbly - clast composition 50/50/1 (MV, MS/GR/LS)						
17	Δ	01		0	-	74	19.0		-
18	Δ			0	-	46	15.0		-
19	Δ	02		0	-	31	28.0		-
20	Δ	03		0	-	110	45.0		-
21	Δ								
22	Δ	04							
23.0 - 29.7			fill is quite cobbly still 50/50/1						
23	Δ	05		5	A	328	33.0		1285
24	Δ								
25	Δ	06		3	A	542	26.0		527
26	Δ								
26.9		07	26.9 a little clay in the matrix	0	-	37	37.0		-
27									



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-27

Page 3 de 3

Profondeur (m)	log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As	W	calc mls
1									
2									
3									
4									
5									
6									
27									
28	Δ	08		0	-	<9	30.0		-
29	Δ	09	29.7-30.0 hard brownish grey clay in the matrix	0	-	23	54.3	139	-
30	Δ	10		0	-	16	37.0		-
31	Δ	11	31.8-34.0 mostly very clayey matrix, but still with fine sand and silt still pebbly (50/50)	1	A	445	38.0		201
32	Δ	12	34.0-36.9 very silty matrix, some clay very little sand still pebbly (50/50)	0	-	21	28.0		-
33	Δ	13		0	-	295	25.0		-
34	Δ	14		1	A	130	25.0		67
35	Δ	15	36.9-38.4 BEDROCK	-	-	<2	<05		
36	Δ		fine grained grey metasediment biotitic, no visible amphibole, well foliated no calcite, no sulfide						
37	Δ								
7									
8									

(Doc. #0050U-A)

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 13/3 1987 Sondage No: BOB-28 Localisation: site 43

Géologue: JL DH YB Sondeur: HD Outil: C068851 Métrage: 38.4-67.7

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 8:15 - 12:00

TOTAL Problèmes: cold weather start-up problems 7:30 - 8:15

air compressor shutting off, stop working

Contractant (heures) Divers: Artesian hole (87-03-17)

Déplacement sur le site suivant: 17:45 - 18:00

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION						
0			0-2.5 ORGANICS						
1	^ ^ ^								
2	^ ^ ^								
2.5			2.5-8.5 COCHRANE TILL/SEDIMENTS						
3			pure clay fairly compact						
4	△ △ △		followed by soft sandy gritty clay						
5	△ △ △		blue-grey colour						
6	△ △ △								
7	△ △ △								
8	△ △ △		8.5-18.0 OJIBWAY II SEDIMENTS						
9			contact with Cochrane Till						
10			reasonably distinct						
11			pure grey clay, soft						
12									
13									
14									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-28

Page 2 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	form type	Au	As		calc mg
1									
2									
3									
4									
5									
6									
7									
18									
18.0 - 27.8			MATHESON TILL contact with overlying clays abrupt fine sandy silty light beige matrix followed quickly by very clayey (brownish, compact) matrix with some fine sand and silt pebbly - 70/30/1 (ms, mv/gr/l)	0	-	18	28.0		-
19		01							
20		02		0	-	514	21.0		-
21									
22		03		0	-	14	15.0		-
23		04		0	-	110	18.0		-
23.3 - 23.5			pink granite boulder						
23.5 - 27.8			very clayey fill (brownish grey, compact), very few pebbles (90/9/1), still somewhat sandy, silty	3	A	1730	11.0		4570
24		05							
25									
26									
7									
8									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 3 de 3

BOB-28

Profondeur (m)	LOG graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc mg
1									
2									
3									
4									
25									
26		06	26.3-26.5 grey metasediment boulder	0	-	503	32.0		-
27		07		0	-	226	16.0		-
28		08	27.8-29.3 BEDROCK						
29		Bedrock	fine gr. grey biotite schist metasediment no sulfide, no calcite	-	-	<2	<0.5		
0			28.2 1/2 cm quartz vein						
1									
2									
3									
4									
5									
6									
7									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 14/3 19 87 Sondage No: BOB-29 Localisation: site 42

Géologue: JL DH YB Sondeur: HD Outil: CB68851 Métrage: 67.7-93.2

Poste (heures) \_\_\_\_\_ Outil: CB68849 0-3.5

à \_\_\_\_\_ Sondage: 7:30-13:15

TOTAL Problèmes: new helper, new water carrier

\_\_\_\_\_ pull rods to change bit at 25.5 m

Contractant (heures) Divers: NEW BIT CB68849

\_\_\_\_\_ Déplacement sur le site suivant: 13:15-13:30

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bed rock)			
				#	form type	Au	As		calc mb
0-1.5	▲▲▲▲		ORGANICS						
1.5-3.0	▲▲▲▲		COCHRANE TILL/SEDIMENTS pure soft greyish clay followed by sandy clay						
3.0-4.4	▲▲▲▲		OJIBWAY II SEDIMENTS pure soft greyish clay contact with Cochrane Till reasonably distinct						
4.4-27.0	▲▲▲▲		MATHESON TILL abrupt contact with overlying clays light beige grey matrix, fine sandy silty pebbly, clasts 50/50/1 (MS, MV/GR/Ls)						
5	▲▲▲▲	01		0	-	16	8.3		-
6	▲▲▲▲	02		0	-	<7	12.0		-
7	▲▲▲▲	03	7.4-7.5 metasediment boulder						
8	▲▲▲▲	04		0	-	14	19.0		-
9	▲▲▲▲	05		0	-	<9	14.0		-
10	▲▲▲▲	06		0	-	110	23.0		-
11	▲▲▲▲			2	A	14	15.0		124
12	▲▲▲▲								
13	▲▲▲▲								
14	▲▲▲▲								



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-29

Page 3 de 3

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
			#	dom type	Au	As		
1								
2								
3								
4								
5								
6		27.0-29.0 BEDROCK						
		27.0-27.5 mixed bedrock and hard, compact, greyish clay						
27	N/S							
28	16 BED ROCK	27.5-29.0 f.gr. biotite schist → metasediment minor quartz vein (quartz with minor biotite)	-	-	<2	1.0		
29		minor calcite in host and some veinlets no visible sulfide						
30								
1								
2		EOH 29.0						
3								
4								
5								
6								
7								
8								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 14/3 1987 Sondage No: BoB-30 Localisation: site 41

Géologue: JL DH YB Sondeur: HD Outil: CB68849 Métrage: 3.5-50.8

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 13:30-18:15

TOTAL Problèmes: boulder at surface, moved 2m, another boulder at surface

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 18:15-18:30

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc mpb
0-1.0			ORGANICS						
1.0-1.5			COCHRANE SEDIMENTS organics and brown clay						
1.5-26.0			MATHESON TILL						
1.5-2.0		01	boulders, no fines	1	A	689	10.0		11099
		02	contact abrupt (boulder) fine sandy silty matrix, light beige grey	0	-	100	15.0		-
		03	locally few fines at top of section	5	A	251	18.0		326
		04	very pebbly till 50/50/1 (MS, MV/GK/LS)	5	A	460	26.0		215
		05		1	A	<9	38.0		519
		06		0	-	120	22.0		-
		07		0	-	30	19.0		-



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BoB-30

Page 2 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dem type	Au	As		
1									
12									
13	△	08		0	-	49	21.0		-
14	△								
15	△	09		0	-	73	27.0		-
16	△								
17	△								
18	△	10		1	A	<9	20.0		1506
19	△								
20	△								
21	△	11		0	-	13	20.0		-
22	△								
23	△	12		0	-	100	21.0		-
24	△	13		0	-	<8	21.0		-
24	▨	N/S	24.0-24.7 white granite boulder						
25	△	13							
26	△	14	26.0-27.2 OSIGWAY I SEDIMENTS	0	-	<11	20.0		-
27	▨	N/S	hard greyish pure clay minor sand and pebble interbeds at top						
28	△		contact with overlying till abrupt						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-30

Page 3 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAYS		analysis of HMC (or bedrock)			
				#	dm type	Au	As		calc mg
1									
2									
3									
4									
5									
6									
27			27.2 - 45.8 MISSINAIBI SEDIMENTS contact with overlying clays abrupt						
28			27.2 - 31.0 fine sand, clean, greyish to greyish green colour everything passes through 10 mesh screen						
29		15		0	-	55	3.3		-
30									
31			31.0 - 37.5 coarse sands and gravels interbedded						
32			gravel less frequent at bottom of section						
33		16	mostly granitic pebbles in gravel	0	-	28	<3.4		-
34			minor fine sand						
35									
36		17		0	-	91	<3.0		-
37									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-30

Page 4 de 4

Profondeur (M)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc py
1									
2									
3									
4									
5									
6									
37									
38			37.5-45.8 mostly fine sand, clean some coarse sand and gravel especially at top of section						
39		18		0	-	120	<2.8		-
40			40.3 minor hard clay						
41									
42		19		0	-	110	8.0		-
43									
44									
45		20	44.7-45.0 very coarse metasediment gravel or cobbles (or boulder?) → very easy to drill	0	-	77	23.0		-
46		21	45.8-47.3 BEDROCK						
47		BEDROCK	fine grained grey siliceous metasediment no calcite, abundant py (~1%) dissem. - thin pink granite dyke at top	-	-	<2	0.7		
48			46.2 siliceous green dyke minor sf minor dirty quartz vein with sf (arsenopyrite?)						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 15/3 19 87 Sondage No: BOB-31 Localisation: site 40

Géologue: JL YB Sondeur: HD Outil: CB68849 Métrage: 50.8-67.3

Poste (heures) \_\_\_\_\_ Outil: CB68850 0-24.0

à \_\_\_\_\_ Sondage: 7:00 - 15:00

TOTAL Problèmes: 2nd rod stuck with sand from BOB-30, pull rods to change bit at 16.5m,  
rods stuck at EDH, pump mud to get rods out 15:00 - 19:15

Contractant (heures) Divers: NEW BIT CB68850, NEW BIT SUB

Déplacement sur le site suivant: 19:15 - 19:30

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As		calc mg
0-1.0			COCHRANE SEDIMENTS hard brown clay, minor sand						
1.0-39.3			MATHESON TILL contact abrupt and quick						
1.0-4.5			much sand contamination sample not taken (see problems above)						
			light beige grey matrix, fine sandy silty pebbly 50/50/1 (MS, MV/6R/LS)						
5		01		0	-	246	<3.1		-
7		02		0	-	68	<2.8		-
8			not enough sample, had to take 2.3 m sample						
9		03		0	-	46	<2.5		-
11		04		0	-	150	2.4		-
11.4-11.6			green metavolcanic boulder						
12		05		0	-	13	22.0		-
12.5-12.75			green metavolcanic boulder						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-31

Page 2 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	A4	As		calc M/b
1									
12									
13									
14		06	14.3-19.5 locally clayey till	0	-	190	10.0		-
15		07	hard compact sandy bluish grey clay turns brownish with depth	0	-	76	25.0		-
16		08	pull rods to change bit at 16.5m	0	-	95	7.4		-
17									
18		09	18.5-21.0 locally very cobbly till over short intervals	0	-	18	15.0		-
19		10		1	A	6260	34.0		4110
20									
21		11		0	-	49	19.0		-
22		12		0	-	83	20.0		-
23									
24		13		0	-	19	21.0		-
25									
26									
27									
28									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-31

Page 3 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)					
				#	dem type	Au	As				
1			Note: from cross-section the interval <u>31.8-34.2</u> has been assigned to <u>MISSINAIBI SEDS</u> and the interval <u>34.2-39.3</u> has been assigned to the <u>LOWER TILL</u>								
2											
3											
24											
25	△	14		1	A	65	11.0			277	
26	△										
27	△	15		4	A	853	78.5			824	
28	△		27.6-28.8 could be sand and sandy gravels or very sandy till								
29	△	16		1	A	205	30.0			731	
30	△	17		0	-	42	24.0			-	
31	△	18	30.7-31.4 clayey till								
32	△		31.8-34.2 again, this could be sand and sandy gravels or very sandy till								
33	△	19		0	-	<8	14.0			-	
34	△	20	34.2-39.3 clayey till, hard, compact, brownish grey sandy, silty clayey matrix								
35	△			0	-	73	68.5			-	
36	△	21	pebbles 80% metasediments to ~37.0m, then 50/50 (MS, MV/GR)								
37	△			0	-	23	71.9			-	

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-31

Page 4 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of AMC (or bed rock)			
				#	dom type	Au	As		calc mg/g
1									
2									
3									
4									
5									
36									
37	Δ	22		0	-	84	82.6		-
38	Δ								
39	Δ	23		0	-	92	56.7		-
40	///	24 BEDROCK	39.3 - 40.5 BEDROCK fine gr. dark grey biotite schist meta sediment no sulfide, no calcite detected 39.6 - 39.7 light grey fine gr. rock with abundant epidote - quartz - pyrite veinlets 40.2 - 40.3 dirty quartzite or quartz vein (abundant biotite)	-	-	3	0.9		
41									
2									
3									
4									
5									
6									
7									
8									

EDH 40.5

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 11/3 1947 Sondage No: B2B-32 Localisation: Site 39

Géologue: R St-J, R M Sondeur: HD Outil: CB68850 Métrage: 14.0 - 30.5  
CB68862 0 - 32.1

Poste (heures) \_\_\_\_\_ à \_\_\_\_\_ Sondage: 7:00 - 11:30

TOTAL Problèmes: some mud in the water in the morning, pull rods to change bit at 6.5m,

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68862, but CB68850 still good

Déplacement sur le site suivant: 11:30 - 11:45

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dom type	Au	As		calc pb
0-0.1			ORGANICS						
0.1-2.4			COCHRANE TILL light brown clay, few pebbles in 10 first cm platy clay sandy, silty						
2.4-5.0			OSIBWAY II SEDIMENTS light beige silt and fine sand minor light beige silty clay interbeds						
5.0-19.8			MATHESON TILL light beige sand and silt matrix pebbles, cobbles. 60/40 (MS+MV/GR)	1	A	44	13.0		1288
6.5m			Pull rods, change bit.						
6.5-6.6			very cobbly till						
6.6-7.0			Metasediment boulders	0	-	110	6.2		-
7.0-12.0			Till as above clasts 60/38/2 (MS+MV/GR/LS)						
12.0-13.2			Till as above, very cobbly	0	-	66	12.0		-
				0	-	91	24.0		-



**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 3

BOB-32

Profondeur (m)	LOG graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As		calc mg
1									
2									
3									
14	Δ Δ Δ Δ	05	13.2 - 19.0 Till as above (7.0-12.0)	0	-	180	21.0		-
15	Δ Δ Δ Δ		19.0 - 19.8 Till as above						
16	Δ Δ Δ Δ	06	Thin clay interbeds	1	A	326	18.0		358
17	Δ Δ Δ Δ		<u>19.8 - 26.8 MISSINAIBI SEDS</u>						
18	Δ Δ Δ Δ	07	Light gray sand and silt and light gray clay interbeds rare pebbles.	0	-	410	29.0		-
19	Δ Δ Δ Δ	low return	26.0 - 26.8 light gray hard fine clay.						
20	Δ Δ Δ Δ								
21	Δ Δ Δ Δ								
22	Δ Δ Δ Δ	N/S	<u>26.8 - 37.1 LOWER TILL</u>						
23	Δ Δ Δ Δ		light gray sandy-silty matrix pebbles, cobbles 60/40 (MS+MV/GR)						
24	Δ Δ Δ Δ		some sandy clay interbeds						
25	Δ Δ Δ Δ		some pebbles covered by light gray clay						
26	Δ Δ Δ Δ								
27	Δ Δ Δ Δ	08							
28	Δ Δ Δ Δ	low return							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 3 de 3

BOB-32

Profondeur (m)	log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dom type	A <sub>4</sub>	A <sub>5</sub>		call M/b
1									
2									
3									
4									
5									
6									
7									
28									
29	Δ	08		0	-	16	21.0		-
30	Δ	09	32.5-32.6 light gray fine clay interbeds	3	A (1-D)	564	29.0		517
31	Δ	low return	32.6-37.1 Till as above clasts: 70/30 (MS+MV/GR)						
32	Δ	10	37.1-38.6 <u>BEDROCK</u>	0	-	190	21.0		-
33	Δ		- dark brown to dark gray						
34	Δ	11	- biotite rich	0	-	53	68.2		-
35	Δ		- minor quartz veins						
36	Δ	12	- strong foliation	0	-	52	58.7		-
37	Δ	13	- minor carbonates (HCP test)	0	-	230	41.0		-
38	Δ	14	- brittle => Biotite schist (Metasediment)						
38.6			<u>EDH</u>						
38				-	-	3	<0.5		

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 16/3 1987 Sondage No: BoB-33 Localisation: Site 38

Géologue: R St-J/RM Sondeur: H. Durette Outil: CB68862 Métrage: 32.1-75.6

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 12:15 - 13:00, 14:30 - 20:45

TOTAL \_\_\_\_\_

Problèmes: 13:00 - 14:30 problem with air compressor - No drill

11:45 - 12:15 problem with main hydraulic cylinder

Contractant (heures) \_\_\_\_\_

Divers: \_\_\_\_\_

Déplacement sur le site suivant: 20:45 - 21:00

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)				
				#	dom type	A4	A5		calc mb	
0.0 - 0.2			ORGANICS							
0.2 - 2.4			COCHRANE TILL light beige, silty sandy clay pebbles.							
2.4 - 21.5		N/S	OJIBWAY II SEDS							
2.4 - 6.5			light beige fine sand and silt. Some light beige fine clay interbeds.							
6.5 - 16.0		N/S	light beige medium sand and pebbles.							
12.0		01		0	-	<12	5.3			-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-33

Page 2 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dom type	Au	As		calcs MS
1									
2									
3									
14									
15		N/S	16.0-19.2. Metric fining upward graded beds.						
16			clay-silt-sand-coarse pebbly sand. etc.						
17									
18			19.2-19.4 LG pure clay bed						
19			19.4-21.5 Metric fining upward beds.						
20			21.5-42.1 MATHESON TILL						
21		02	Light beige to light gray sandy silty matrix Pebbles.	0	-	68	18.0		-
22		03	clasts: 65/35/2 (MS+MV/GR/LS) locally very sandy.	1	A	593	12.0		104
23									
24		04	24.4-24.6 Pink granite boulders.	5	A	6200	18.0		14930
25		05	24.6-25.5 Till as above very coarse, sandy few silt.	1	I	322	31.0		181
26		06	25.5-26.6 Till as above very cobbly few sand-silt.	0	-	41	58.1		-
27		07	clasts: 75/25/1 (MS+MV/GR/LS)						
28				0	-	630	33.0		-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 3 de 4

BOB-33

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)				
				#	com type	Au	Ag			
1										
2										
3										
4										
5										
6										
7										
28										
29	Δ	07	26.6-34.4 Till as above, less cobbly.							
30	○ Δ	08	light gray sandy silty matrix pebbles (cobbles) clasts 60/35/5 (MS+MV/GR/LS)	0	-	27	21.0			-
31	○ Δ		medium beige limestone.							
32	○ Δ	09	33.0-33.1 light gray fine clay interbeds - hard - 34.4-39.5 Till as above clasts 60/38/2 (MS+MS/GR/LS)	0	-	16	24.0			-
33	○ Δ									
34	○ Δ	10								
35	○ Δ									
36	○ Δ									
37	○ Δ	11								
38	○ Δ									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-33

Page 4 de 4

Profondeur (M)	Log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
			#	dom type	Au	As		
1								
2								
3								
4								
5								
6								
7								
38								
39	12	39.5 - 40.0 much silt-sand. low return	0	-	180	38.0		-
40	13	40.0 - 42.1 much sandy till as above very hard clay interbeds.	0	-	92	27.0		-
41	14	42.1 - 43.5 <u>BEDROCK</u>	0	-	150	27.0		-
42	15	- minor quartz vein - minor carbonates (HCl test) - biotite rich						
43	Bedrock	- much foliation - dark brown to dark grey => Biotite schist (Metasediment)						
44								
45								
46		43.5 EOH						
47								
48								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 17 Mars 1987 Sondage No: BDB-34 Localisation: Site 37

Géologue: RST-J, RM Sondeur: H. Durotto Outil: CB 68862 Métrage: 75.6-89.4

Poste (heures) \_\_\_\_\_ CB 68850 CB 68889 30.5-54.7  
 \_\_\_\_\_ 0 (hit cones)

à \_\_\_\_\_ Sondage: 8:00-18:00

TOTAL Problèmes: Pull rods at 13.8 and 38.0 to change bit

Some drilling mud in water this morning

Contractant (heures) \_\_\_\_\_ Divers: \*Hole stopped at 38.0 m - bit cones left in hole

Déplacement sur le site suivant: 7:00-7:30 (18/3/87)

ECHELLE: 1:100

New sub with CB68889  
New bit CB68889

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As		scale ppb
0.0-0.3			ORGANICS						
0.3-1.9			COCHRANE TILL Light beige sandy hard clay.						
1.9-3.0			OSIBWAY II SEDS Light gray to light beige soft fine clay.						
3.0-13.8			MATHESON TILL						
3.0-4.6		01	light gray sandy silty matrix. Pebbles, (cobbles) clasts 50/48/2 (MS+MV/GR/Ls)	0	-	150	3.6		-
4.6-4.8		02	Metavolcanic boulder.	0	-	23	5.2		-
4.8-6.5		03	Till as above more cobbles.	0	-	1060	3.9		-
6.5-11.0		04	Till as above (3.0-4.6)	0	-	205	3.1		-
11.0-12.4		05	Very fine light gray sand-silt. Some pebbles. (very sandy interval of MT?)	0	-	150	11.0		-
12.4-12.9			Till as above (3.0-4.6)						
12.9-13.3			Metasediment boulder.						
13.3-13.8			Till as above (3.0-4.6)						
13.8		06	Pull rods to change bit.	0	-	120	4.7		-

"PAN"

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-34

Page 2 de 3

ECHELLE: 1:100

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As	W	calc M/b
1									
2									
3									
14									
15		07	<p align="center"><u>13.8 - 27.8 MISSINAIBI SEDS.</u></p> <p>Very fine sand to very coarse sand. light - medium beige. fining upward 1.0 - 2.0 m cycle</p>	0	-	16	<2.7	117	-
16									
17									
18		08		0	-	44	3.6	1020	-
19									
20									
21		09		0	-	<10	7.4		-
22									
23									
24		10		0	-	<10	11.0		-
25									
26									
27		11		0	-	21	39.0		-
28									



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-34

Page 3 de 3

ECHELLE: 1:100

Profondeur (m)	log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As		calc Mb
1									
2									
3									
4									
5									
6									
7									
28									
		11	27.8 - 38.0 (?) LOWER TILL						
29		12	27.8-30.2 light gray sandy-silty matrix pebbles (cobbles)	0	-	1600	110.0		-
30		N/S	clasts 65/35 (MS+MV/GR)						
31		13	30.2 - 30.4 Metasediment boulder	1	A	329	84.0		281
32		14	30.4 - 31.8 Till as above (27.8-30.2) clasts 70/29/1 (MS+MS/GR/LS)	0	-	280	106.0		-
33									
34		15	31.8 - 38.0 (?) Hard sandy clay matrix and interbeds.	0	-	1470	87.8		-
35									
36		16	34.0 clay on pebbles.	0	-	100	48.0		-
37		17	38.0 Pull rods to change bit cones of bit left in hole. Rods were put back in hole and at 38.0 started drilling cones. → Hole stopped at 38.0 m.	0	-	100	43.0		-
38			38.0 EOH						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 18 Mars 1987 Sondage No: B0B-35 Localisation: Site 36

Géologue: RSt-J, RM Sondeur: H Duvette H4S Outil: CB 68889 Métrage: 0-30.6

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 07:30 - 11:30

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: 11:30 - 12:00 Clean water tanks.

Déplacement sur le site suivant: 12:00 - 13:30

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc Mb
0.0 - 3.0			ORGANICS.						
3.0 - 9.6			COCHRANE TILL light gray sandy silty soft clay. Pebbles.						
9.6 - 13.0			OJIBWAY II SEDS. light gray fine very soft clay.						
13.0 - 14.0		01		1	A	522	24.0		371

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB -35

ECHELLE: 1:100

Page 2 de 3

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)		
			#	dom type	Au	As	cube m <sup>3</sup>
1							
2							
3							
14							
15	02	<u>13.0-26.7 MATHESON TILL</u> 13.0-18.0 light gray very sandy silty matrix. Pebbles (cobbles) dasts: 70/28/2 (MS+MV/GR/LS)	0	-	351	20.0	-
16							
17	03	18.0-19.8 Sandy till	1	A	505	38.0	79
18	04	19.8-22.0 Till as above (13.0-18.0)	(1-1) 3	A	961	33.0	766
19							
20	05	22.0-23.0 Some light gray sandy clay interbeds	(1-5) 6	A	1570	37.0	1242
21							
22	06	24.0-25.3 Very sandy till. 25.3-26.7 Generally bouldery Till.	0	-	75	23.0	-
23							
24	07	<u>26.7-29.0 MISSINAIBI SEDS</u> <u>26.7-27.6 OJIBWAY I SEDS</u> 26.7-27.3 light gray silty hard clay. Some sand, some pebbles.	1	A	202	24.0	163
25	08	27.2-27.6 Pure clay	1	A	304	12.0	145
26	09	27.6-27.8 light gray sandy silty clayey matrix.	0	-	30	7.9	-
27	MS						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-35

ECHELLE: 1:100

Page 3 de 3

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)	
			#	form type	Au	As
1						
2						
3						
4						
5						
6						
7						
28						
28.8-28.7	M/S	light gray sandy silty clay passing to light gray pure clay.				
28.7-29.0	10 BEDROCK	several metasediment boulders	-	-	2	0.7
29.0-30.6		<u>BEDROCK</u> - dark brown to dark gray - fine grained - biotite rich - magnetite - strong foliation - some calcite => Biotite schist (Metasediment) * some calcite veins of sample from O/B.				
30.6		<u>EOH</u>				

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 18 Mars 1987 Sondage No: BOB-36 Localisation: Site 44

Géologue: RST-J, RM. Sondeur: H. Durette H4S Outil: CB68886 Métrage: 0-36.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 13:30-16:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68886

Déplacement sur le site suivant: to BOB 37 16:45-17:00

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	30 m type	Au	As		calc m/s
0.0-0.5			ORGANICS						
0.5-5.3			COCHRANE TILL. light beige. sandy pebbly clay						
5.3-7.2			OSIBWAY II SEDS light gray soft fine clay.						
7.2-24.2			MATHESON TILL 7.2-13.5 light beige to light gray silty sandy matrix. Pebbles, cobbles clasts composition 70/28/2 (MS+MV/GR/LS) generally very sandy.						
8		01		0	-	19	30.0		-
9		02		0	-	55	29.0		-
11		03		0	-	47	20.0		-
13		04		4	A	265	27.0		296
14		05							

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

BOB - 36

ECHELLE: 1:100

Page 2 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	A <sub>4</sub>	A <sub>s</sub>		
1									
2									
3									
14									
15	▲	05	13.5-15.0 Till as above, much metasediments cobbles.	1	A	215	27.0		308
16	▲	06	15.0-18.5 Till as above. (7.2-13.5)	0	-	426	25.0		-
17	▲	07	18.5-19.2 Sandy clay interbeds, very clayey till. light gray silty sandy matrix and light gray	0	-	591	41.0		-
18	▲		sandy clay. Pebbles, (cobbles)						
19	▲	08	clasts: 70/30/1 (MS+MV/GR/LS)	0	-	218	15.0		-
20	▲	09	19.2-21.0 Till as above (7.2-13.5)	0	-	110	15.0		-
21	▲		21.0-24.0 Very sandy Till						
22	▲	10	24.0-33.5 Dispersed organic material (red brown wood)	0	-	<8	15.0		-
23	▲								
24	▲	11	24.2-33.5 MISSISSAUGA SEDS	0	-	<9	10.0		-
25	▲		light gray fine sand with medium gray clay interbeds.						
26	▲	12	dispersed pebbles.	1	A	120	17.0		38
27	▲								
28									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-36

ECHELLE: 1:100

Page 3 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)								
				#	dom type	Au	As							
1														
2														
3														
4														
5														
6														
7														
28		12												
29			<u>33.5-34.8. LOWER TILL</u>											
30		13	light gray sandy silty matrix. cobbles, pebbles. clasts 70/30 (MS+MV/GR)	1	A	236	36.0						76	
31			* Sample 15 contaminated by bedrock.											
32														
33		14	<u>34.8-36.5 BEDROCK</u>	0	-	110	17.0						-	
34			- dark brown colour.											
35		15	- biotite rich	0	-	87	13.1						-	
36		16	- much foliation/schistosity											
37			- very brittle											
38			- some magnetite.											
			- some carbonate.											
			- sandy veins with quartz.											
			=> Biotite schist (Metasediment)											
			<u>36.5 EOH.</u>											

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 19 Mars 1987 Sondage No: BOC-37 Localisation: Site 45  
 Géologue: RST-J, RM Sondeur: H. Duroth H4S Outil: CB 68886 Métrage: 36.5-76.1  
CB 68888 0-6.4  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 07:00 - 19:00  
 TOTAL Problèmes: No drilling 07:40-08:10 no H<sub>2</sub>O.  
Pulled rods and change bit at 39.6m delay ~ 1 hour  
 Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: 7:15-7:30 (20/3/87)  
 ECHELLE: 1:100 New bit CB68888. Page 1 de 4.

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	gem type	Au	As		calc Mb
1	^ ^ ^ ^		0.0-1.6 ORGANICS						
2	^ ^ ^ ^		1.6-3.0 COCKEANE TILL						
3	^ ^ ^ ^	N/S	Light beige sandy pebbly very clayey till.						
4	^ ^ ^ ^		3.0-4.6 OJIBWAY II SEDS.						
5	^ ^ ^ ^		Light gray fine soft clay.						
6	^ ^ ^ ^	01	4.6-34.0 MATHESON TILL						
7	^ ^ ^ ^	02	4.6-9.4 light gray sandy silty matrix	1	A	140	22.0		151
8	^ ^ ^ ^	03	Pebbles cobbles. Elast 65/35 (MS+MV/GR)	0	-	180	50.5		-
9	^ ^ ^ ^	04	9.4-9.8 Very sandy with light gray clay interbeds	0	-	120	28.0		-
10	^ ^ ^ ^	05	9.8-9.9 Pink granite boulder	0	-	140	20.0		-
11	^ ^ ^ ^	06	9.9-14.0 Cobble till - much meta-volcanic cobbles	0	-	<11	30.0		-
12	^ ^ ^ ^	07	14.0-14.2 Sandy-silty and light gray clay interbeds	0	-	<10	18.0		-
13	^ ^ ^ ^		14.2-14.4 Till on above (4.6-9.4)						
14	^ ^ ^ ^								



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-37

ECHELLE: 1:100

Page 2 de 4

Profondeur (m)	LOG graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dem type	Au	As		
1									
2									
3									
14									
14.4 - 15.4	07		Metaroles + Metaseds boulders	1	A	853	21.0		3553
15.4 - 16.0			Till as above (9.6 - 9.9)						
16.0 - 16.2	08		Some clay interbeds.	0	-	<11	22.0		-
16.2 - 25.4	08 poor return		Till as above (9.9 - 14.0)						
25.4 - 28.0	09		light gray clay and sand few pebbles.	1	A	4030	22.0		2183
	10		very low return	1	A	83	18.0		90
	11		slow-drilling	1	A	273	26.0		134
	12		(very sandy interval of MATHESON?)	1	A	190	24.0		156
	13			0	-	64	23.0		-
	14			1	A	342	112.0		62

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-37

ECHELLE: 1:100

Page 3 de 4

Profondeur (m)	LOG graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dom type	Au	As		calc %
1									
2									
3									
4									
5									
6									
7									
28									
28	△△△	14							
29	△△△	N/S							
30	△△△	15	28.0-28.4 light gray to light beige sandy matrix. Pebbles, cobbles, clasts (70/30) (MS+MV/GR)	0	-	190	63.8		-
31	△△△	N/S							
32	△△△		28.4-28.7 Metavolcanic boulder.						
33	△△△	16	28.7-29.5 Till as above (28.0-28.4) sandy silty clay interbeds.						
34	△△△		29.5-30.9 Very clayey till as above hard light gray sandy silty clay lump	0	-	75	74.3		-
35	△△△		30.9-31.3 Metavolc boulder.						
36	△△△	17	31.3-33.0 Till as above (28.0-28.4) 33.0-34.0 Medium to light gray sandy silty clayey matrix. Cobble pebbles 80/18/2 (MS+MV/GR/Ls)	0	-	140	33.0		-
37	△△△	N/S							
38	△△△	18	34.0-36.0 MISSINAIBI SEDS Hard sandy light gray clay some pebbles.						

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

BOB-37

Page 4 de 4

ECHELLE: 1:100

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As		calc m/s
1									
2									
3									
4									
5									
6									
7									
38									
39		18	36.0-45.1 LOWER TILL	0	-	1550	23.0		-
			36.0-36.4 Pink granite boulder.						
			36.5-37.4 Metasediment boulder.						
40		19	37.4-39.0 light gray sandy matrix cobbles, pebbles 50/50% (MS+MV/GR/S) some sandy clay interbeds.	0	-	120	23.0		-
41		20	39.0-40.2 light gray sandy silty matrix pebbles, cobbles 70/30% (MS+MV/GR/S)	3	A	64	23.0		271
42			40.2-41.0 Sandy clay matrix						
43		21	41.0-41.8 Till as above (39.0-40.2)	1	A	231	10.0		3631
			41.8-43.0 Very cobbly Till 60/40/1						
44		22	43.0-44.0 Till as above (39.0-40.2)	0	-	40	16.0		-
			44.0-44.8 much olive green calc in caple 75/23/3						
45		N15	44.8-44.9 coarse sand, internal ?						
46		23	44.9-45.1 Metasediment boulder.	1	A	4450	56.8		7724
			45.1-46.0 BEDROCK ??						
47			Much olive green calc (METAUDLCS) much calc. tab. from above 15-20% limestone much sand in matrix epigamular cuttings 1-3mm 1cm lvs						
48									

↖ this bk sample sent to wrong lab?

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 20/3 1987 Sondage No: BDB-38 Localisation: site 48

Géologue: JL YB Sondeur: HD Outil: CB6888 Métrage: 6.9-29.6

Poste (heures) \_\_\_\_\_ CB68890 0-16.3

à \_\_\_\_\_ Sondage: 10:30-20:15

TOTAL Problèmes: 7:30-10:30 work on equipment; new tire for 60 TRACK,  
new fuel filter, injector for Acker, pull rods to change bit

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68890 at 23.2m

Déplacement sur le site suivant: 7:15-7:30 (21/3/87)

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dem type	Au	As		calc MP
0-0.8			ORGANICS						
0.8-4.0			COCHRANE TILL sandy gritty soft grey clay (a little harder at surface) 3.0-4.0 sandy silty till						
4.0-4.6			OSIGWAY II SEDIMENTS pure soft grey clay						
4.6-30.3			MATHESON TILL fine sandy silty pebbly till light beige grey matrix pebbles ~ 50/50/1 (MS, MV/GR/LS) 5.3-5.7 pink granite boulder						
5		01							
6		N15							
6		01		1	A	211	15.0		159
8		02		0	-	83	19.0		-
11		03		0	-	<11	23.0		-
13		04		0	-	61	27.0		-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-38

Page 2 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As	W	calc mg/b
1									
2									
13									
14	▲▲▲	05	14.7-14.9 white granite boulder	0	-	20	25.0		-
15	▲▲▲	06	15.4-15.7 white granite boulder						
16	▲▲▲	06		0	-	24	16.0		-
17	▲▲▲	07		0	-	36	13.0		-
18	▲▲▲	N/S	17.5-18.2 metasediment boulders						
19	▲▲▲	08		0	-	218	15.0		-
20	▲▲▲	09	22.2-30.3 till is clayey, sandy, silty clay is greyish, compact, silty	0	-	160	19.0	162	-
21	▲▲▲								
22	▲▲▲	10	pull rods to change bit at 23.2m	0	-	281	15.0		-
23	▲▲▲								
24	▲▲▲	11		0	-	66	24.0		-
25	▲▲▲								
26									
27									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-38

Page 3 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	A <sub>u</sub>	A <sub>s</sub>		calc M <sub>6</sub>
1									
2									
3									
4									
25									
26									
27		12		0	-	120	22.0		-
28		NIS	27.5-27.8 pure grey clay, compact, hard 27.8-28.0 clean fine sand berge 28.0-30.3 very clayey till						
29		13	Note 27.5 → 30.3 could be interpreted as Ojibway I sediments and lower Till but I interpret pure clay as rip up clast in Matheson Till	0	-	39	18.0		-
30									
31			30.3-38.0 MISSINAIBI SEDIMENTS						
32		14	30.3-34.5 fine sand, clean, minor gravel inter beds	0	-	<11	26.0		-
33			34.5-36.3 interbedded coarse sands and gravels						
34		15		0	-	<10	23.0		-
35									
36		16		0	-	44	33.0		-
37									
38									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-38

Page 4 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)								
				#	dom type	Au	As							
1														
2														
3														
4														
5														
36														
37		N/S	36.3 - 37.5 no return, rods stuck with sand and with clay, pulled up 2 rods till recovery regained, little or no return when redrilled											
38		16	37.5 - 38.0 coarse sand and gravel	see	page	3								
39		17 BEDROCK	38.0 - 39.5 BEDROCK 38.0 - 38.7 dark grey biotite qtz schist → metasediment pervasive minor cc, also cc veinlets minor quartz veins afew cm muscovite flakes	-	-	4	1.1							
40														
41														
2			38.7 - 39.5 light grey very fine grained quartz eye tuff very minor pyrite, as fracture coating still minor cc											
3														
4														
5														
6														
7														
8														

EDH 39.5

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 21/3 1987 Sondage No: BOB-39 Localisation: site 47

Géologue: JL YB Sondeur: HD Outil: CB68890 Métrage: 16.3-64.3

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 7:30-16:30

TOTAL Problèmes: no water 8:00-8:30

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 16:30-17:00, 7:00-10:00

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dcm type	Au	As		alc mb
0			0-0.2 ORGANICS						
0.2			0.2-2.5 COCHRANE TILL/SEDIMENTS pure brown clay, compact, dark brown, then light brown with depth						
1.0			1.0-2.5 brown clay with sand, grit, soft						
2.5			2.5-34.3 MATHESON TILL fine sandy silty matrix, light beige grey, cobbly at top, pebbly SD/SD/1 (MS, MV/GR/LS)						
3		01	problems with return	0	-	110	8.2		-
4									
5									
6									
7		02							
8									
9									
10		03		1	A	333	22.0		143
11									
12		04		0	-	92	15.0		-
13									
14									



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

B013-39

Page 2 de 4

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bebrock)			
			#	dem type	Au	As		cube m <sup>3</sup>
11								
12								
13	05	13.0-13.8 clayey matrix (sandy grey clay, fairly soft, but compact)						
14			1	A	89	20.0		37
15								
16	06	16.3-19.5 clayey matrix, some of the clayey matrix is quite compact						
17			0	-	150	21.0		-
18								
19	07	19.5-22.5 only minor clay in the matrix brownish grey, silty sandy, compact						
20			0	-	252	27.0		-
21								
22	08	22.5-23.4 clean, fine sand, greyish brown	0	-	140	71.2		-
23	09	23.4-26.5 clayey matrix	0	-	98	30.0		-
24	10		0	-	190	32.0		-
25	N/S	24.8-25.0 white granite boulder						
26	11		0	-	21	35.0		-
27								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-39

Page 3 de 4

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
			#	dcm type	A <sub>4</sub>	A <sub>5</sub>	W	calc M/s
1								
2								
3								
4								
25								
26								
27								
28	12		1	A	448	37.0		220
29	N/S	28.8 - 29.0 metasediment boulder						
30	13	29.0 - 34.3 pebbles composition 70/30/1 (MS, MV/GZ/LS) and very clayey till (blue grey sandy silty clay)	0	-	226	44.0	140	-
31	14		0	-	<14	35.0		-
32	N/S							
33	15		0	-	264	42.0		-
34	16	34.3 - 37.0 OJIBWAY I SEDIMENTS	1	A	25	36.0		94
35		pure blue grey, fairly compact clay interbedded with fine, clean sand, a few pebbly intervals, minor silty, sandy clay						
36	N/S							
37								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 4 de 4

Profondeur (m)	LOG graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
			#	dom type	Au	As		calc m/s
1								
2								
3								
4								
5								
6								
37								
38	17	37.0 - 40.2 MISSINAIBI SEDIMENTS sandy gravels, not well interbedded, could have been misinterpreted as till, very minor interbeds of sand, gravel with little matrix. → high return, slow drilling gravel clasts ~ 60/40 (GR/MS,MV)	0	-	<13	14.0		-
39								
40								
41		40.2 - 48.0 BEDROCK bedrock soft, drills to rock flour → on +10 mesh mostly clay balls → 40.2 - 47.0 much contamination from sand and gravel above caving in around rods → basalt - porphyritic with very fine grained matrix → dark greenish black (up to 3mm white plagioclase phenocrysts) much minor dissem. sf, pervasive cc						
42								
43	N/S							
44								
45								
46								
47	18 BEDROCK		-	-	3	1.5		
48								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 22/3 1987 Sondage No: BOB-40 Localisation: site 116

Géologue: JL YB Sondeur: HD Outil: CB68892 Métrage: 0-3.3

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 10:00 - 13:00

TOTAL Problèmes: ran out of water twice, water carrier lost a tire, work stopped at 13:30, HD to K.L. to get replacement

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68892

Déplacement sur le site suivant: \_\_\_\_\_

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analyses of HMC (or bedrock)								
				#	form type	Au	As							
0-1.0			ORGANICS											
1.0-2.6			COCHRANE TILL fairly compact light brown sandy gritty clay											
2.2-2.5		01	white granite boulder											
2.6-3.3			BEDROCK  siliceous dacite v. fine grained, mm biotite pervasive calcite, minor qtz-calcite stockwork minor v. fine dissem. sf minor euhedral mm magnetite  very slow drilling hole stopped at 3.3m due to lack of water and disabled water carrier	-	-	22	0.5							
EDH 3.3														

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 24 Mars 1987 Sondage No: BOB-41 Localisation: Site 67  
 Géologue: RSt-J, R.M Sondeur: H. Durett H+S Outil: CB68892 Métrage: 3.3 - 19.3

Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 06:00 - 10:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: to BOB-42 10:45-11:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As		calc %
0.0 - 0.2			ORGANICS						
0.2 - 3.0			COCHRANE TILL light beige sandy-clayey matrix						
3.0 - 7.8			OJIBWAY II SEDS						
3.0 - 4.3		N/S	light gray to light beige, fine, soft clay						
4.3 - 7.8			light beige sandy matrix cobbly to very cobbly internals 40/58/2 (MS+MV/GR/AS)						
4.5 - 6.0		01	gravel and sand, sorted very bouldery interval.	0	-	190	5.4		-
7.8 - 14.5			MATHESON TILL						
7.8 - 10.4		02	light gray to light beige sandy silty matrix, pebbles, cobbles 50/48/2 (MS+MV/GR/LS)	0	-	<11	20.0		-
		03	light gray sandy clay interbeds	0	-	69	31.0		-
		N/S							
10.4 - 11.2		04	Very bouldery	0	-	234	49.0		-
11.2 - 12.6		05	light gray to light beige sandy matrix pebbles, cobbles 75/23/2 (MS+MV, GR, LS)	0	-	<11	43.0		-
			light gray sandy clay interbeds						



**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 24 Mars 1987 Sondage No: BOB-42 Localisation: SITE 68

Géologue: RST-J, RM Sondeur: H. Durett, H+S Outil: CB68892 Métrage: 19.3-37.1

Poste (heures) \_\_\_\_\_  
à \_\_\_\_\_ Sondage: 12:00 - 13:30

TOTAL Problèmes: 11:00 - 12:00. Speed shifter problem.

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
Déplacement sur le site suivant: To BOB 43 13:30 - 13:45

ECHELLE: 1:100 Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	boom type	Au	As		cobles nps
1	▲▲▲▲▲▲▲▲▲▲	N/S	0.0 - 1.2 ORGANICS						
2	▲▲▲▲▲▲▲▲▲▲	01	1.2 - 2.6 COCHRANE TILL Light beige sandy-clayey matrix pebbles.	0	-	42	28.0		-
3	▲▲▲▲▲▲▲▲▲▲		2.6 - 16.3 MATHESON TILL						
4	▲▲▲▲▲▲▲▲▲▲	02	Light gray sandy (silty) matrix Pebbles, cobbles 50/49/1 (MV+MS, GR, LS)	0	-	46	16.0		-
5	▲▲▲▲▲▲▲▲▲▲	03		0	-	73	20.0		-
6	▲▲▲▲▲▲▲▲▲▲			0	-	71	50.4		-
7	▲▲▲▲▲▲▲▲▲▲	04		0	-	32	23.0		-
8	▲▲▲▲▲▲▲▲▲▲	05		2	A	333	24.0		201
9	▲▲▲▲▲▲▲▲▲▲	06	10.5 - 12.0 No return!						
10	▲▲▲▲▲▲▲▲▲▲								
11	▲▲▲▲▲▲▲▲▲▲								
12	▲▲▲▲▲▲▲▲▲▲	07		0	-	25	24.0		-
13	▲▲▲▲▲▲▲▲▲▲								
14	▲▲▲▲▲▲▲▲▲▲								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-42

ECHELLE: 1:100

Page 2 de 2

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
			#	dom type	Au	As		
1								
2								
3								
14								
15	07	15.4-16.3 Light greenish gray, sandy clay interbeds.						
16	08		0	-	<16	22.0		-
17	09	<u>16.3-17.8 BEDROCK</u>						
18	BRK	- dark green colour - fine grained. - good to strong foliation - chlorite. - quartz veins → chlorite schist (Metavolcanic)	-	-	6	0.9		
19								
20								
21								
22		17.3 rock chips becoming medium green clay lumps						
23								
24		<u>17.8 EOH</u>						
25								
26								
27								
28								



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 24-25 Mars 1987 Sondage No: BOB-43 Localisation: Site 69

Géologue: RSt-J, RM Sondeur: H. Durett H+S Outil: CB68892 Métrage: 37.1 → 43.9  
CB68767 0 → 9.7

Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 03/24 13:45 - 17:30 / 03/25 07:00 - 09:00

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: Hole stopped at 10.5 m 87-03-24

Déplacement sur le site suivant: to BOB 44 09:00 - 09:15

ECHELLE: 1:100 New bit # CB68767 Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dcm type	A4	A5		calc mg
1	△		0.0 - 0.4 ORGANICS						
2	△	N/S	0.4 - 3.7 COCHRANE TILL light beige sandy (silty) clayey matrix. Pebbles.						
3	△		3.7 - 15.2 MATHESON TILL						
4	△	01	3.7-6.4 light gray sandy matrix. Pebbles, cobbles 50/48/2(5) (MS+MV, GR, LS)	0	-	89	53.5		-
5	△	02	6.4-6.7 Cobbley till with boulders.	0	-	20	20.0		-
6	△		6.7-7.2 Very hard gabbro boulder						
7	△	N/S	Very slow drilling (1m:3h!) 6.8. Pull rods to change bit.						
8	△	03	7.2-11.5 light gray sandy silty matrix, pebbles cobbles, 60/37/3 (MS+MV, GR, LS)	0	-	95	107.0		-
9	△								
10	△	04	8.6-11.5 light gray sandy clay into beds	0	-	120	38.0		-
11	△	05	8.8-9.8 Very cobbly	0	-	110	23.0		-
12	△		11.5-12.2 light gray clay with pebbles into beds						
13	△	06		0	-	34	29.0		-
14	△	07	12.2-14.0 Till as above 7.2-11.5						

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

BOB-43

Page 2 de 2

ECHELLE: 1:100

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Ag	As		calc %
1									
2									
3									
4									
4.0-4.5		07	cobbly till	0	-	220	43.0		-
4.5-4.9		08	light gray, hard sandy clay matrix						
4.9-5.2		BRK	very cobbly till	-	-	11	1.7		
5.2-16.5			<u>BEDROCK</u> - dark gray to dark brown color - relatively soft - some carbonates - fine grained - moderate porosity - gneiss ?? => Metasediment						
16.4-16.5			interlayered with mafic volcanics. ? represented by light greenish gray clay.						
16.5			<u>EOH</u>						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 25 Mars 1987 Sondage No: BOB-44 Localisation: Site 70

Géologue: RSt-J RM Sondeur: H. Durett H+S Outil: CB 68767 Métrage: 9.7 - 14.7

Poste (heures) \_\_\_\_\_  
à \_\_\_\_\_ Sondage: 09:15 - 11:00

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: To BOB 45 11:00 - 11:15

ECHELLE: 1:100 Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)								
				#	dom type	A <sub>H</sub>	A <sub>S</sub>							
0.0 - 0.3			ORGANICS											
0.3 - 3.3		N/S	COCHRANE TILL light beige sandy clayey matrix pebbly, cobbly.											
3.3 - 5.0		01 BRK	BEDROCK - dark to light gray color. - fine grained. - much disseminated pyrite, pyroxene? - magnetite - silica rich - carbonate rich → Andesite → Meta volcanic	-	-	8	<0.5							
5.0			EOH											

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 25 Mars 1987 Sondage No: BOB-45 Localisation: Site 71  
 Géologue: RSt-J RM Sondeur: H. Durth H+S Outil: CB68768 Métrage: 14.7-25.2

Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 11:15 - 13:00

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: To BOB 46 13:00 - 13:15

ECHELLE: 1:100 Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of H/C (or bedrock)			
				#	dom type	Au	As		calc m/s
0.0 - 0.3			ORGANICS						
0.3 - 5.5			COCHRANE TILL light beige sandy clayey matrix pebbles. gradually becoming less sandy toward OJIBWAY II						
5.5 - 7.2			OJIBWAY II SEDS light gray soft fine clay.						
7.2 - 9.0			MATHESON TILL light gray sandy matrix, cobbles, pebbles 50/47/3 (MS+MV/GR/LS) cobbly till and pink granite boulders.	0	-	200	11.0		-
9.0 - 10.5			BEDROCK - Dark gray, black to dark green - much quartz veining (some pyrite in quartz veins) - Some carbonates (HCO Test +) → Andesite (Metavolcanic)	-	-	14	1.6		
10.2 - 10.4			Light green clay.						
10.5			EOH						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 25 Mar 19 87 Sondage No: BOB-46 Localisation: Site 72  
 Géologue: RSt-J, RM Sondeur: H. Durett H+S Outil: CB68767 Métrage: 25.2-33.7

Poste (heures) \_\_\_\_\_  
 \_\_\_\_\_ à \_\_\_\_\_ Sondage: 13:15 - 14:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: To BOB-47 14:45-15:00

ECHELLE: 1:100 Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	A <sub>4</sub>	A <sub>5</sub>		
1	▲		0.0 - 0.2 ORGANICS						
2	▲	N/S	0.2 - 2.6 COCHRANE TILL light gray sandy clayey matrix pebbles.						
3	▲		2.6 - 7.0 MATHESON TILL						
4	▲	01	2.6-6.2 light gray sandy silty matrix pebbles cobbles 50/47/3 (MS+MV/GR/LS)	0	-	47	11.0		-
5	▲	02	6.2 - 6.5 Metavolcanic boulders	0	-	22	14.0		-
6	▲	N/S	6.5 - 7.0 Till as above (2.6-6.2) very sandy						
7	▲								
8	▲	03 BRK	7.0 - 8.5 BEDROCK - dark green colour. - thinly bedded (mm) alternating millimetric layers of light quartz rich and dark chlorite rich "beds" → Tuff? → Metavolcanic	-	-	4	0.7		
9									
10									
11									
12			8.5 EOH						
13									
14									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 25 Mars 1987 Sondage No: BOB-47 Localisation: Site 73

Géologue: RSt-J, RM Sondeur: H. Dault, H+S Outil: CB68767 Métrage: 33.7-51.2

Poste (heures) \_\_\_\_\_

\_\_\_\_\_ à \_\_\_\_\_ Sondage: 15:00 - 17:00

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: To BOB-48 17:00 - 18:30

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As	Ag	calcs M <sup>3</sup>
1	▲▲▲		0.0-0.2 ORGANICS						
2	▲▲▲	N/S	<u>0.2-2.6 COCHRANE TILL</u> light gray sandy - clayey matrix pebbles.						
3	▲▲▲		<u>2.6-16.0 MATHESON TILL</u>						
4	▲▲▲		2.6-3.0 Metavolcanic boulder						
5	▲▲▲	01	3.0-5.0 light gray to light beige sandy matrix, cobbles, pebbles	0	-	120	31.0		-
6	▲▲▲		60/38/2 (MS+MV,GR,LS)						
7	▲▲▲	02	cobbly till	0	-	140	31.0	9	-
8	▲▲▲		5.0-8.0 fine light gray sand and pebbles - no sorting - very sandy till						
9	▲▲▲	03	8.0-12.5 Till as above (3.0-5.0)	0	-	418	18.0		-
10	▲▲▲		12.5-15.0 sandy clay in matrix.						
11	▲▲▲	04		0	-	190	44.0		-
12	▲▲▲								
13	▲▲▲	05		0	-	293	21.0		-
14	▲▲▲	06							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-47

Page 2 de 2

ECHELLE: 1:100

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)								
				#	den type	Au	As							
1														
2														
3														
14														
15	△	06	15.0 - 16.0 Very clayey till.	1	A	222	24.0						4	
16	△		16.0 - 17.5 <u>BEDROCK</u>											
17	△	07	- Dark green to dark grey color.	-	-	4	0.9							
18	BRK		- Strong foliation											
19			- fine grained											
20			- disseminated pyrite.											
21			- Some carbonate (HCl Test +)											
22			- Quartz veins											
23			→ Andesite?											
24			→ Meta volcanic.											
25			<u>17.5 EOH</u>											
26														
27														
28														

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 26/3 1987 Sondage No: BpB-48 Localisation: site 117

Géologue: JL YB Sondeur: HD Outil: CB68767 Métrage: 51.2-54.5

Poste (heures) \_\_\_\_\_  
à \_\_\_\_\_ Sondage: 6:30 - 8:00

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
Déplacement sur le site suivant: 8:00 - 8:15

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)								
				#	dom type	Au	As							
0-0.2			ORGANICS											
0.2-1.8			COCHRANE TILL hard medium brown sandy clay turns light brown and soft downsection, very minor pebbles											
1.8-3.3			BEDROCK dark greenish very fine grained tuffs minor 3mm qtz eyes, feldspar crystals, well defined wrinkly foliation minor cc and very thin cc and qtz veinlets minor v. fine disseminated sulfide may be weakly silicified											
1.8-2.2			abundant rusty fracture surfaces (sample 01)											
2.8 →			abundant white quartz veinlets with coarse (~3mm) muscovite flakes											
3.3			EOH											



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 26/3 19 87 Sondage No: BOB-49 Localisation: site 118

Géologue: JL YB Sondeur: HD Outil: CB68767 Métrage: 54.5-65.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 8:15-9:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 9:45-10:15

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bed rock)			
				#	dom type	Au	As		scale ppm
0-0.2			ORGANICS						
0.2-1.2			COCHRANE TILL/SEDIMENTS dark brown hard pure clay turns quickly to soft sandy light brown clay	0	-	41	4.4		-
1.2-9.0			MATHESON TILL abrupt contact with overlying clays fine sandy silty light beige grey matrix pebbly, cobbly, 60/40/2 (GR/MS/MV/LS)	0	-	14	7.9		-
3.1			minor brown clayey till						
3.5-5.7			low return → long sample						
5.7-6.0			MV boulder with contamination from above or very cobbly till → no matrix, just rock flour						
6.0-7.5			minor clayey till	0	-	<8	10.0		-
7.5-9.0			variously very cobbly or very clayey till						
6.0-9.0			pebbles composition 70/30/1 (MS,MV/GR/LS)	0	-	45	12.0		-
9.0-10.5			BEDROCK thinly laminated f. grained quartz eye tuff - medium grey pervasive minor cc, minor v. fine grained disseminated sulfide	-	-	<2	<0.5		
9.0-9.7 and also at 10.3:			thin chocolate brown wispy laminations → carbonate veinlets						
9.7-10.5			local minor strong silicification and minor quartz veining						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 26/3 1987 Sondage No: BOB-50 Localisation: site 115

Géologue: JL YB Sondeur: AD Outil: CB68768 Métrage: 0-3.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 10:15-12:45

TOTAL Problèmes: Fuel line clogged 11:00-12:30

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68768

\_\_\_\_\_ Déplacement sur le site suivant: 12:45-13:45

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)							
				#	dom type	A <sub>4</sub>	A <sub>5</sub>						
0-1.4	^ ^ ^ ^		ORGANICS										
1-2.0	^ ^ ^ ^		COCHRANE TILL soft light brown sandy clay										
2.0-3.5	▲▲▲▲	01	BEDROCK										
2.0-2.5	▲▲▲▲	BEDROCK	light grey fine grained siliceous tuff with quartz eyes well foliated (biotite laminations) pervasive cc, minor f. grained disseminated sulfide in tuff and in minor quartz veinlets	-	-	<2	<0.5						
2.5-3.5			abundant quartz-calcite veins within medium to dark green granular magnetic tuff → medium grained										
3-4													
4-5													
5-6													
6-7													
7-8													
8-9													
9-10													
10-11													
11-12													
12-13													
13-14													

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 26/3 1987 Sondage No: BoB-51 Localisation: site 66

Géologue: JL YB Sondeur: HD Outil: CB68768 Métrage: 3.5-11.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 13:45-14:20

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 14:20-14:30

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)					
				#	dom type	A <sub>4</sub>	A <sub>5</sub>				
0-1.3	^ ^ ^		ORGANICS								
1.3-1.9	^ ^ ^		COCHRANE TILL								
1.9-5.6	△ △ △		MATHESON TILL								
	△ △ △	01	fine sandy silty light grey beige matrix pebbly, cobbly, 60/40/2 (GR/MS,MV/LS)	0	-	47	13.0				-
	△ △ △	02		0	-	59	26.0				-
5.6-7.5	///	03	BEDROCK (soft, easy to drill)								
5.6-6.5	///	04	thinly laminated light grey v. fine grained siliceous tuff	-	-	12	1.5				-
	///		>2 and up to 5% fine dissem'd pyrite, no cc	-	-	<2	0.5				
6.5-7.5			dark green chloritic tuff, v. fine grained, thinly laminated, chloritic glossy surfaces, v. minor disseminated sulfide in locally siliceous parts, no cc, minor qtz vein below 7.1m								
EOH			7.5								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 26/3 19 87 Sondage No: BOB-52 Localisation: site 65

Géologue: JL YB Sondeur: HD Outil: CB68768 Métrage: 11.0-19.8

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 14:30-16:30

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 16:30-16:45

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analyse de HMC (on bedrock)			
				#	cm type	Au	As		
0-1.0			ORGANICS						
1.0-3.5			Cochrane Till/Sediments hard dark brown pure clay followed immediately by light brown sandy clay, locally sandy, 2.8- metasediment boulder						
3.5-4.5			QUIBWAY II SEDIMENTS pure soft grey clay						
4.5-7.3		01	MATHESON TILL fine sandy silty light grey beige matrix pebbly, cobbly, 50/50/1 (MS, MV/GR/LS) contact with overlying clays abrupt.	0	-	120	13.0		-
7.3-8.8		02	BEDROCK (minor contamination from above due to caving in around rods)	0	-	78	22.0		-
8.0		03	hard, v. fine grained medium to dark grey tuff, thinly laminated, pervasive cc, v. minor sulfide	-	-	6	<0.5		
8.0			v. minor thin pale green veinlets						
EOH			8.8						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 26/3 1987 Sondage No: BOB-53 Localisation: site 64

Géologue: JL YB Sondeur: HD Outil: CB68768 Métrage: 19.8-25.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 16:45 - 18:15

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 18:15 - 18:30

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		
0			0-0.1 ORGANICS						
0.1 - 2.5			COCHRANE TILL light brown sandy clay, pebbly at 2.0 m						
2.5 - 3.7		01	MATHESON TILL light beige gray fine sandy silty matrix, pebbly, cobbly	0	-	67	15.0		-
3.7 - 5.2		02 BEDROCK	clast composition ~ 50/50/2 (MS, MV/GR/LS)	-	-	3	10.0		
3.7 - 5.2			BEDROCK white to light beige to light grey v. fine grained siliceous tuff (or laminated quartz vein) v. minor sulfide generally associated with mafic minerals (minor biotite) sulfide locally abundant ~1% eg at 4.8m minor rusty coated fracture surfaces at 4.5m and at 5.0m						
5.2			EOH 5.2						

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE le 27 Mars 1987 Sondage No: BOB-54 Localisation: Site 63.

Géologue: RST-1, RM Sondeur: H. Durett. Outil: CB68768 Métrage: 25.0-36.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 06:30-08:30

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: Clean and fill water tanks. (while moving)

\_\_\_\_\_ Déplacement sur le site suivant: To BOB 55 08:30-11:00

ECHELLE: 1:100 Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	A4	A5		
0.0 - 2.0			ORGANICS						
2.0 - 3.8			COCHRANE TILL						
2		N/S	light beige sandy clayey matrix very pebbly.						
3.8 - 4.4			OJIBWAY II SEDS.						
4			light gray fine soft clay with sandy interbeds						
5		01							
4.4 - 9.5			MATHESON TILL						
6			light gray sandy silty matrix pebbly some cobbles						
7		02	Clasts 60/38/2 (MV+MS/GR/LS)	0	-	63	14.0		-
8		03	6.7-6.8 Sandy clay in matrix	1	A	605	20.0		128
9			6.8-8.0 Cobbley-bouldery till	1	A	262	35.0		528
10		04	8.0-8.8 clay in matrix.						
11		Bedrock	9.2-9.5 cobbley-bouldery till.	-	-	<2	<0.5		
9.5 - 11.0			BEDROCK						
12			- limonite surface alteration						
13			- light to medium gray colour						
14			- fine grain						
			- fine disseminated pyrite						
			- siliceous - chlorite						
			→ Dacite? → Truff.?						

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 27 Mars 1987 Sondage No: BOB-55 Localisation: Site 88

Géologue: RSt-J. RM Sondeur: H. Durett Outil: CB 68768 Métrage: 36.0-52.3

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 11:00 - 13:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: Bit broke at 16.3m. - ended hole. -

Déplacement sur le site suivant: To BOB 56 : 13:45 - 14:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As	W	coll ppb
0.0 - 0.1			ORGANICS						
0.1 - 1.9			COCHRANE TILL						
		N/S	light beige sandy matrix, pebbles						
1.9 - 3.1			OSIBWAY II SEDS						
			light beige to light gray fine clay.						
3.1 - 14.9			MATHESON TILL.						
3.1 - 7.4		01	light beige sandy silty matrix, pebbles (cobble) clasts 40/60 (MS+MV/GR)	0	-	251	22.6		-
7.4 - 7.9		02	light gray sandy clay in matrix pebbles, cobbles.	0	-	205	22.4		-
			clasts: 60/39/1 (MS+MV/GR/LS)						
7.9 - 9.5		03	Till as above (3.1-7.4)	0	-	48	8.2		-
9.5 - 9.8		04	light gray sandy clay in matrix	1	A	226	13.0		303
9.8 - 11.9			Till as above (3.1-7.4)						
11.9 - 14.8		05	light gray hard sandy clay with rare pebbles and sandy interbeds.	0	-	41	21.0		-
			(could be Missinaibi Seds)						
		06		5	A	425	15.0		2639
		07		1	A	120	17.0	117	113

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 2

Profondeur (m)	log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analyses of HMC (or bedrock)	
			#	dom type	Au	As
1						
2						
3						
4						
14	07	14.8-14.9 Till with light gray sandy matrix. (Could be Lower Till)				
15	08					
16	BEDROCK	14.9-16.3 <u>BEDROCK.</u> - Dark grey to dark green color. - fine grain. - some carbonates (HCl test +) - moderately foliated / schistose - siliceous, chlorite - dark red brown alteration on fractures ⇒ Metavolcanic.	-	-	4	<0.5
17						
18						
19						
20						
1						
2		16.3 <u>EOH</u>				
3						
4						
5						
6						
7						
8						



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 27 Mars 1987 Sondage No: BOB-56 Localisation: Site B7

Géologue: RSt-J RM Sondeur: H. Darnett Outil: CB 68973 Métrage: 0-13.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 14:00 - 16:00

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: To BOB-57 : 16:00 - 16:30

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analyses of HMC (or bedrock)			
				#	dom type	Au	As		
0.0 - 0.2			<u>ORGANICS</u>						
0.2 - 2.6			<u>COCHRANE TILL</u> Light beige sandy clayey matrix pebbles						
2.6 - 5.8			<u>OJIBWAY II SEDS</u> Light gray soft fine clay						
5.8 - 10.8		N/S	<u>MATHESON TILL</u> Light beige sandy matrix. Pebbles. Clasts: 40/58/2 (MS+MV/GR/LS)						
7.5 - 8.0			Bouldery till						
8.0 - 9.0		01	Cobbly till; clasts 70/58/2	0	-	77	6.7		-
9.0 - 9.6			Till as above.						
9.6 - 10.4		02	Light gray sandy clay in matrix	2	A	<8	10.0		566
10.4 - 10.8			Metasediment boulder						
10.8 - 13.0		03	<u>BEDROCK</u>	5	A	794	14.0		9443
10.8 - 12.3		N/S	- dark to medium gray. - fine disseminated fgntr - medium grain						
		04 BRK	- siliceous - "blue" quartz	-	-	<2	1.1		
		05 BRK	- carbonates (HCL test +) - moderate schistosity	-	-	3	1.5		
			→ Diort → Metavolcanic						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page      de       
page 1 cont'd

Profondeur (m)	Log graphique	Echantillon No	<u>DESCRIPTION</u>						
1			<p>12.3 - 13.0</p> <ul style="list-style-type: none"> <li>- medium to dark green (olive) to dark gray color.</li> <li>- fine to medium grain.</li> <li>- centimetric white quartz veins.</li> </ul>						
2									
3									
4									
5									
6									
6			<p><u>13.0 EOH</u></p>						
7									
8									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 27/3 1987 Sondage No: BOB-57 Localisation: site 86

Géologue: JL YB Sondeur: G. DUDGEON Outil: CB68973 Métrage: 13.0-33.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 18:30 - 20:30

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 20:30 - 20:45

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION						
0	^ ^		0 - 1.6 ORGANICS						
1	^ ^								
2	^ ^		1.6 - 8.0 COCHRANE TILL						
3	^ ^		soft grey sandy clay						
4	^ ^								
5	^ ^								
6	^ ^								
7	^ ^								
8	^ ^		8.0 - 15.2 OJIBWAY II SEDIMENTS						
9	^ ^		pure grey clay, soft						
10	^ ^		a few sandy interbeds						
11	^ ^								
12	^ ^								
13	^ ^								
14	^ ^								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-57

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	A <sub>4</sub>	A <sub>5</sub>		calc MB
1									
2									
3									
14									
15			15.2 - 18.3 MATHESON TILL						
16		01	abrupt contact with overlying clays fine sandy silty light beige grey matrix pebbly, cobbly 50/50/3	0	-	12	20.0		-
17			16.6-17.5 very sandy, few pebbles						
18		02		1	A	259	16.0		126
19		03	18.3 - 20.0 BED ROCK						
20		BEDROCK	fine grained black biotite schist metasediment (very soft, have to drill slow, grinds to rock flour clay) no visible sulfide, but a few rusty fracture surfaces minor calcite and quartz veins	-	-	<2	<0.5		
21			18.8-19.0 thin light to medium grey felsic dyke (?) v. fine grained						
2									
3									
4									
5									
6									
7									
8									

EOH 20.0



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-58

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)				
				#	dom type	Au	As			
14.5 - 18.9			MATHESON TILL abrupt contact with overlying clays fine sandy silty beige grey matrix pebbly, cobbly 55/40/5 (MS, MV/GR/LS)	0	-	559	22.0			-
15	01			0	-	32	17.0			-
16	02			0	-	1520	16.0			-
17	03									
18.9 - 22.5			BEDROCK 18.9-21.5 very soft rock, drills easily, turns to rock flour clay black coloured chips, but clay is slightly greenish. minor quartz vein, calcite 20.8-21.5 rods dropped ~0.7m very fractured, oxidized fracture surfaces → METASEDIMENT (?)							
20	04			-	-	31	1.7			
21		BEDROCK								
22										
23										
4			21.5 - 22.5 light to medium grey, but locally dark green, thinly laminated tuff (?) fractured surfaces common							
5										
6										
7										
8										

EOH 22.5



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 28/3 1987 Sondage No: BOB-60 Localisation: site 83

Géologue: JL YB Sondeur: G DUDGEDN Outil: CB68975 Métrage: 0-12.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 3:45 - 4:00

TOTAL Problèmes: repair headlights 4:00 - 4:45

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68975 NEW BIT SUB

\_\_\_\_\_ Déplacement sur le site suivant: 4:45 - 5:00

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dom type	Au	As		calc Mb
0			0-0.4 ORGANICS						
0.4			0.4-3.8 COCHRANE TILL dark brown, then light brown very pebbly sandy clay						
3.8			3.8-4.3 OJIBWAY II SEDIMENTS pure, soft, clay						
4.3			4.3-10.7 MATHESON TILL fine sandy silty light beige grey matrix pebbly, cobbly 60/40/1 (MS, MV/GR/LS)	0	-	<10	20.0		-
4.3		01	4.3-4.8 very sandy						
4.8			4.8- minor hard, very compact brown clay	2	A	511	15.0		4/6
4.3		02	(4.3-4.8 may be lower part of OJIBWAY II SEDIMENTS)						
8		03		0	-	66	19.0		-
10.7			10.7-12.5 BEDROCK	4	A	2040	45.0		6074
10.7			10.7-11.0 strong contamination from above due to caving in around rods						
11.0			11.0-11.5 mostly qtz-carbonate vein quartz translucent to white, carbonate brownish (some host, see below) (also briefly occurs at 11.9)	-	-	5	<0.5		
11.9			11.9-12.5 dark green fine grained granular → METAVOLCANIC (?) minor calcite, no visible sulfide						



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 28/3 1987 Sondage No: BOB-61 Localisation: site 82

Géologue: JL YB; RST-J RM Sondeur: GD; HO Outil: CB68975 Métrage: 12.5-34.0  
CB68893 0-3.5

Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 5:00 - 12:15

TOTAL \_\_\_\_\_ Problèmes: pull rods to change bit at 21.5m, wait for water 8:30-9:30,

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68893

Déplacement sur le site suivant: 12:15 - 12:30

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	A <sub>4</sub>	A <sub>5</sub>		
0-1.0			ORGANICS						
1.0-2.3			COCHRANE TILL dark brown sandy clay changes quickly to light brown sandy clay, a few cobbles						
2.3-23.5		01	MATHESON TILL fine sandy silty light grey beige matrix pebbly, cobbly 50/50/1	0	-	40	3.4		-
		02		0	-	329	15.0		-
6.9-11.8		03	clayey till, locally very clayey, hard compact bluish grey clay	0	-	63	21.0		-
7.4-8.5			two metasediment boulders						
8		N/S							
		04		0	-	64	13.0		-
		05		0	-	68	18.0		-
12.45-12.55			pink granite boulder						
		06		0	-	17	19.0		-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB- 61

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As		calc Hb
1									
2									
3									
14									
15	△	07		0	-	110	29.0		-
16	△	08	16.0-16.2 white granite boulder						
16	△	08		0	-	<8	15.0		-
17	△	08	change shift (end night shift) at 17.0m						
18	△	09	16.2-18.5 light gray sandy matrix, pebbles. Clasts: 50/50/1	0	-	120	13.0		-
19	△	10	18.5-18.6 light gray sandy clay.						
20	△	10	18.6-19.4 Till as above (16.2-18.5)						
20	△	10	19.4-20.0 light gray sandy clay matrix	0	-	36	10.0		-
20	△	10	20.0-22.3 Till as above (16.2-18.5)						
21	△	11	22.3-22.5 white granite boulder	(1-2) 3	A	289	14.0		397
21	△	11	22.5-23.0 Cobble bouldery till						
22	△	12	23.0-23.5 Metavolcanic boulder	1	A	130	11.0		144
23	△	13	23.5-25.0 BEDROCK	4	A	4860	26.0		5708
24	△	14	- medium to light brown - fine grain - fine pyrite crystals						
25	△	14	- some carbonates (HCE test + - strong foliation /schistosity	-	-	9	0.7		
26	△	14	- crosscutted by light to dark green chlorite-muscovite (1cm) - Quartz - Feldspar dyke (10cm thick)						
27	△	14	⇒ Metavolcanic						
28	△	14	25.0 EOH						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 28 Mar 1987 Sondage No: BOB-62 Localisation: Site 81

Géologue: RSt-J, RM Sondeur: H. Durett Outil: CB 68893 Métrage: 3.5-32.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 12:30 - 15:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 15:45 - 16:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		alc MB
0.0 - 2.0			ORGANICS						
2.0 - 6.5			COCHRANE TILL light beige sandy clayey matrix Pebbles						
6.5 - 8.5			OJIBWAY II SEDS light gray soft fine clay.						
8.5 - 19.2			MATHESON TILL 8.5-12.4 light gray sandy silty matrix. Pebbles (cobbles) clasts: 40/58/2 (MS+MV/GR/LS)						
9.0 - 10.0		01		3	A	58	45.0		284
11.0 - 12.0		02		0	-	<7	43.0		-
12.4 - 14.0		03	light gray sandy clay in matrix and covering pebbles.	0	-	120	54.8		-
14.0 - 15.0		04							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Bob-62

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As	Zn	
1			<p align="center"><b>NOTE</b> The entire section 8.5-27.5 has been assigned to MATHESON TILL on the cross-section</p>						
2									
3									
4									
14	△	04	14.0-16.8 Cobbley-bouldery till	0	-	100	52.2		-
15	△	05	15.3-15.7 white granite boulder						
16	△	N/S		↓	↓				
16	△	05	16.8-18.4 Till as above (8.5-12.4)	0	-	<8	53.9		-
17	△		18.4-18.6 light gray sandy clay						
17	△	06	18.6-19.2 Till as above (8.5-12.4)	2	A	83	113.0	500	88
18			19.2-21.0 MISSINAIBI SEDS?						
19	△	07	19.2-19.3 light gray hard sandy clay.	0	-	45	51.9		-
20	?	N/S	19.3-21.0 no samples, bit is plugged? - rods go down easily!						
21	△								
22	△	08	21.0-27.5 LOWER TILL? Light gray very sandy till Pebbles. Clasts: 60/38/2	0	-	20	47.0		-
23	△	09	27.5-29.0 BED ROCK	0	-	26	36.0		-
24	△								
25	△	10	- Dark green color. - very fine grain - much schistosity - Quartz veins	0	-	201	41.0		
26	△		- "soft" rock which turns easily into clay → chlorite schist → Metavolcanic	0	-	231	47.0		
27	△	11							
28	△	12	29.0 EOH	-	-	<2	1.3		

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 28 Mars 1987 Sondage No: BOB-63 Localisation: Site 80

Géologue: RST-J, RM. Sondeur: H. Durett Outil: CB68893 Métrage: 32.5-44.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 16:00-17:15

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 17:15-17:30

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc mg
0.0 - 1.5			<u>ORGANICS</u>						
1.5 - 3.8			<u>COCHRANE TILL.</u> Light gray sandy clayey matrix Pebbles.						
3.8 - 9.0			<u>OJIBWAY II SEDS</u> Light gray soft fine clay						
9.0 - 10.0		N/S	<u>MATHESON TILL</u> light gray sandy silty matrix pebbles, cobbles clasts: 50/48/2 (MS+MV/GR/LS)						
10.0 - 11.5			<u>BEDROCK</u> - Dark gray to black color. - Some carbonates (HCL test +) - fine grain - Siliceous? → Important contamination! → Andesite → Metabasalt	0	-	120	27.0		-
11.5		01 02 BRK	<u>EOH</u>	-	-	<2	<0.5		



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 28/3 1987 Sondage No: BoB-65 Localisation: site 99

Géologue: JL YB Sondeur: GD Outil: CB68893 Métrage: 55.3-70.1

Poste (heures) \_\_\_\_\_ Outil: CB68974 Métrage: 0-8.6

à \_\_\_\_\_ Sondage: 20:30-23:50

TOTAL Problèmes: pull rods to change bit at 14.8m

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68974

\_\_\_\_\_ Déplacement sur le site suivant: 23:50-0:15

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION						
0	▲		0-1.6 ORGANICS						
1	▲		1.6-9.2 COCHRANE TILL/SEDIMENTS  fine sands quickly followed by brownish grey, soft, sandy clay - a few pebbles						
2	▲								
3	▲								
4	▲								
5	▲								
6	▲								
7	▲								
8	▲								
9	▲		9.2-14.2 OJIBWAY II SEDIMENTS  pure soft grey clay						
10	▲								
11	▲								
12	▲								
13	▲								
14	▲								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-65

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	A <sub>4</sub>	A <sub>5</sub>		calc MB
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17		01		1	A	423	18.0		311
18		02		0	-	120	5.0		-
19		02		4	A	1790	6.3		1917
20		03		2	A	68	4.0		210
21		04		-	-	12	1.0		
22		05							
23		BEDROCK							
24									
25									
26									
27									
28									
29									
30									
31									
32									
33									
34									
35									
36									
37									
38									
39									
40									
41									
42									
43									
44									
45									
46									
47									
48									
49									
50									

14.2 - 21.9 MATHESON TILL (?)  
 several boulders are followed by what was first perceived to be very cobbly till  
 → by about 17.5m it seemed possible that these were sandy gravels  
 → by about 20m it became apparent that these were sands and sandy gravels  
 → this hole was artesian and it is most probable that groundwater movement has removed fines from the till → the hole is positioned at about 5m from a stream.

- 14.2 - 14.8 metasediment boulder
- 14.8 - 15.2 metavolcanic boulder
- 15.4 - 15.7 white granite boulder
- 17.7 - 17.9 white granite boulder

21.9 - 23.4 BEDROCK  
 Fine grained dark to medium grey biotite schist → metasediment  
 minor quartz vein  
 much contamination from above



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 29/3 19 87 Sondage No: BOB-66 Localisation: site 100

Géologue: JL YB Sondeur: GD Outil: CB68974 Métrage: 8.6-21.1

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 0:15 - 1:15

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 1:15 - 1:30

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)									
				#	dom type	A <sub>4</sub>	A <sub>5</sub>								
0	^ ^		0-1.2 ORGANICS												
1	^ ^		1.2-5.0 COCHRANE TILL												
2	^ ^		hard light brown sandy clay followed by sandy till, then hard, then soft grey sandy clay												
3	^ ^														
4	^ ^														
5	^ ^		5.0-11.0 OJIBWAY II SEDIMENTS												
6	^ ^		5.0-6.5 pure soft grey clay sand and pebble interbeds												
7	^ ^		6.5-10.5 fine and medium sands, light brown, very few pebbles												
8	^ ^		10.5-11.0 coarse, clean gravel, 50/50/2 very little matrix												
9	^ ^	01	11.0-12.5 BEDROCK	0	-	14	12.0								
10	^ ^		thinly laminated crystal tuff (white to greenish up to ~3mm plagioclase laths)												
11	^ ^	N/S													
12	^ ^	02	groundmass v. fine grained, medium grey minor calcite, quartz vein very minor sulfide → pyrrhotite?	-	-	<2	2.5								
13	^ ^	BEDROCK	12.0 abundant quartz vein												
14	^ ^		EOH 12.5												

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 29/3 1987 Sondage No: BOB-67 Localisation: site 101

Géologue: JL YB Sondeur: GD Outil: CB68974 Métrage: 21.1-48.2

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 1:30-6:15

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 6:15-6:30

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As	Cu	calc Mb
0			0-0.2 ORGANICS						
0.2			0.2-6.0 COCHRANE TILL						
1			dark brown, then light brown						
2			sandy clay						
2.0			2.0-3.4 very sandy, but still clayey till						
3									
4									
5									
6			6.0-13.3 OSIBWAY II SEDIMENTS						
6			pure, soft grey clay						
7									
8									
9			9.0 pebbly interbeds						
10			10.0-13.3 medium and coarse sands and gravels, some clean gravel with no matrix						
11			→ interbedded						
12		01	some sands are magnetite rich	0	-	120	22.0	518	-
13									
14									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-67

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)								
				#	dom type	Au	As							
1														
2														
13			13.3- 25.6 MATHESON TILL											
14	△	02	fine sandy silty matrix, light beige grey pebbly cobbly 50/50/3	0	-	19	33.0							-
15	△		14.6-14.8 granite boulder											
16	△	03	16.3-16.9 green metavolcanic boulder showing fault breccia textures and minor arsenopyrite mineralization	0	-	18	25.0							-
17	△	04	→ SAMPLED	-	-	<2	<0.5							
18	△	05	18.7-25.6 compact grey clay in the matrix increases in quantity until till is sandy clay	5	A	1310	42.0							1014
19	△	06	19.1-19.7 driller playing with rods, very significant sandy contamination from above (hard metasediment boulder moving around)											
20	△	N/S												
21	△	06	20.5-20.8 white granite boulder	0	-	35	54.6							-
22	△	N/S	20.8-22.1 hard clay and metasediment chips → geologist thought he was in bedrock → no sample											
23	△		20.8-25.6 very clayey till, only minor sand and silt in the matrix, poor return clasts 70/30 (MS, MV/GR)											
24	△	07	22.1-22.5 metasediment boulder											
25	△		25.6-25.9 MISSINAIBI SEDIMENTS	1	A	251	49.0							46
26	△	N/S	OSIBWAY I clays, pure hard grey clay											
27	△	08	25.9-27.1 BEDROCK											
28	△	BEDROCK	black fine grained dark grey biot. schist → metasediment	-	-	13	<0.5							
			minor calcite, quartz											

EDH 27.1

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 29 Mars 1987 Sondage No: BOB-6B Localisation: Site 110  
 Géologue: RSt-J, RM Sondeur: H. Durott Outil: CB68974 Métrage: 48.2-52.7  
 Poste (heures) \_\_\_\_\_  
 \_\_\_\_\_ à \_\_\_\_\_ Sondage: 06:30 - 08:15  
 TOTAL Problèmes: Water in fuel during move - stop 15 min  
 \_\_\_\_\_  
 Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 \_\_\_\_\_ Déplacement sur le site suivant: 08:15 - 08:45

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)								
				#	dom type	Au	As							
0.0 - 0.2			ORGANICS											
0.2 - 2.0		N/S	COCHRANE TILL light beige sandy clayey matrix, pebbles.											
2.0 - 2.6		01 BRK	OJIBWAY II SEDS Medium gray fine soft clay	-	-	7	<0.5							
2.6 - 2.8			MATHESON TILL 2.6 - 2.8 Metasediment boulder.											
2.8 - 4.5			BEDROCK - Dark gray color - fine grain - moderate foliation / schistosity - disseminated pyrite - Quartz veins (white) - soft rock → Andesite → Metasediment etc.											
4.5			EOH											

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 29 Mars 1987 Sondage No: B03-69 Localisation: Site 109

Géologue: RST-J RM Sondeur: H. Dunett Outil: CB 68974 Métrage: 52.7-62.7

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 09:30 - 10:15.

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: Clean water tanks before starting hole 08:45-09:30

\_\_\_\_\_ Déplacement sur le site suivant: 10:15-10:45

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analyses: HMC (or bedrock)								
				#	den type	Au	As							
0.0 - 1.5			ORGANICS											
1.5 - 4.0			COCHRANE TILL light gray sandy clayey matrix pebbles.											
4.0 - 8.0			OJIBWAY II SEDS Medium gray soft fine clay											
8.0 - 8.2			MATHESON TILL light gray sandy silty matrix Pebbles.											
8.2 - 10.0			BEDROCK - Dark gray - Medium grain - Biotite - chlorite - Disseminated pyrite → Andesite? → Metasolcanic interlayered with 10-15 cm thick - light brown to medium gray - biotite rich - very fine grain - pyrite rich → Tuff? interlayered with 10 cm thick - dark green - very soft - chloritic - Quartz veins (white yellow) → Tuff.											
8.2 - 10.0		01 BRK						5	<0.5					

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 29 Mars 1987 Sondage No: BOB-70 Localisation: Site III  
 Géologue: RSt-J, RM Sondeur: H. Durett Outil: CB 68974 Métrage: 62.7-69.5  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 10:45 - 12:00  
 TOTAL Problèmes: \_\_\_\_\_  
 Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: 12:00 - 12:15  
 ECHELLE: 1:100 Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analyses of HMC (on bedrock)			
				#	dom type	Au	As		mlc mlb
0.0 - 0.2			ORGANICS						
0.2 - 2.5		N/S	COCHRANE TILL light beige sandy clayey matrix Pebbles.						
2.5 - 2.8			OJIBWAY II SEDS. Medium grey soft fine clay.						
2.8 - 5.3		01	MATHESON TILL Medium to dark grey sandy. matrix. Very pebbly Very cobbly.	1	A	22	3.2		376
5.0 - 5.3		02	elasts: 70/28/2 (MS+MV/GR/LS)	1	A	13	<2.2		4
5.0 - 5.3		03 BRK	Metasediment boulder.	-	-	<2	<0.5		
5.3 - 6.8			BEDROCK - Dark grey to dark green. - moderate schistosity / foliation - disseminated pyrite - much amphibole / biotite - some contamination from above. → Andesite? → Metavolcanic						
6.8			EOH						

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 29 Mars 1987 Sondage No: BOB-71 Localisation: Site 112  
 Géologue: RST-J, RM. Sondeur: H. Durott Outil: CB 68974 Métrage: 69.5-75.7  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 12:15-13:15  
 TOTAL Problèmes: \_\_\_\_\_  
 Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: 13:15-13:30  
 ECHELLE: 1:100 Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)					
				#	dem type	Hu	As				
0.0-1.5			ORGANICS								
1.5-2.8			COCHRANE TILL light beige sandy clayey matrix. Pebbles.								
2.8-4.6		N/S	OJIBWAY II SEDS Medium gray soft fine clay.								
4.6-4.7			MATHESON TILL? light gray sandy silty matrix. Pebbles.								
4.7-6.2		01 BRK	BED ROCK	-	-	3	<0.5				
6.2-11			- light to medium gray - coarse grain - disseminated pyrite - biotite hornblende - carbonates (HCl test +) → Diorite? → Metarhyolite								
11-14			6.2 EOH								

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 29 Mars 1987 Sondage No: B00-72 Localisation: Site 113  
 Géologue: RSt-J, RM Sondeur: H. Durett Outil: CB 68974 Métrage: 75.7-92.2  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 13:30 - 15:15  
 TOTAL Problèmes: \_\_\_\_\_  
 Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: 15:15 - 15:45  
 ECHELLE: 1:100 Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		
0.0 - 1.0			ORGANICS						
1.0 - 8.5			COCHRANE TILL Light beige sandy clayey matrix. Pebbles.						
8.5 - 9.5			OJIBWAY II SEDS Medium gray soft fine clay						
9.5 - 15.2			MATHESON TILL Light gray sandy silty matrix Pebbles. Clasts: 40/58/2 (MS+M)/SR/L3						
12.5 - 13.0			Light gray sandy clay matrix						
13.0 - 13.6			Light gray sandy clay <u>till!</u>						
13.6 - 13.8			Light gray sandy clay matrix. Pebbles, cobbles.						
13.8 - 14.2			Bouldery till - pink granite and volcanics.						
14.2 - 15.2			Light gray sandy very clayey matrix						
11		01		1	A	293	<2.5		25
13		02		2	A	545	21.0		164
14		03							



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-72

ECHELLE: 1:100

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	gem type	Au	As		
1									
2									
3									
14									
15		03	<u>15.2 - 16.5 BEDROCK</u>	1	A	524	13.0		123
16		04 BRK	- Dark green color. - fine grain - strong schistosity - chlorite rich - some carbonates - quartz veins. - chlorite schist → Metavolcanic	-	-	<2	<0.5		
17									
18									
19									
20			<u>16.5 EOH</u>						
21									
22									
23									
24									
25									
26									
27									
28									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 29 Mars 1987 Sondage No: BOB-73 Localisation: Site # 108

Géologue: RST-J, RM Sondeur: H. Dunnett Outil: CB 68853 Métrage: 0.0-9.7

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 15:45 - 16:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: New bit CB 68853

Déplacement sur le site suivant: 16:45 - 17:00

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)			
				#	dom type	Au	As		calc rpb
0.0 - 0.2			ORGANICS						
0.2 - 5.0			COCHRANE TILL Light beige sandy clayey matrix Pebbles.						
5.0 - 7.0			OJIBWAY II SEDS. 5.0 - 5.8 Medium gray. soft fine clay. 5.8 - 7.0 Light gray very fine sand						
7.0 - 8.2			MATHESON TILL 7.0 - 7.8 Light gray sandy silty matrix Very pebbly 7.8 - 8.2 Metavolcanic boulder.	0	-	14	16.0		-
8.2 - 9.7			BEDROCK - Dark grey to dark greenish gray color. - fine dark gray matrix - Feldspar porphyroclasts up to 3mm. - Turns easily into clay. - Quartz veins. → Porphyroblastic Truff	-	-	6	1.8		
9.7			EOH						

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 29 Mars 1987 Sondage No: B06-74 Localisation: Site 107  
 Géologue: Rst-J, RM Sondeur: H. Duvett Outil: CB 68853 Métrage: 9.7-26.9  
 Poste (heures) JL, YB. G.D.  
 à \_\_\_\_\_ Sondage: 17:00 - 20:15  
 TOTAL Problèmes: \_\_\_\_\_  
 Contractant (heures) Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: 20:15 - 20:30  
 ECHELLE: 1:100 Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)		
				#	dom type	Au	As	
0.0 - 0.2			ORGANICS					
0.2 - 8.7			COCHRANE TILL					
0.2 - 8.5			Light beige sandy clayey matrix, pebbly.					
8.5 - 8.7			Medium beige sandy matrix. Pebbly till.					
8.7 - 11.5			DJIBWAY II SEDS					
			Medium gray soft pure clay.					
11.5 - 15.7			MATHESON TILL.					
11.5 - 13.2			Light gray sandy silty matrix. Pebbly.					
			Clasts: 50/47/3 (MS+MV/GR/LS)					
13.2 - 15.7			Clay in matrix more coll. by.					
12		01		0	-	130	17.0	-
13		02						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-74

Page 2 de 2

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
			#	dem type	Au	As		note Mb
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14	02	13.5-15.3 very clayey till, some sand and silt in the matrix, not too pebbly						
15		15.3-15.7 pebbly	1	A	1240	18.0		587
16	03	15.7-17.2 BEDROCK						
17	BEDROCK	fine to medium grained dark green andesite hornblende crystals up to 1mm minor calcite, quartz veinlets → some contamination from above due to caving in around rods	-	-	<2	0.9		
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
41								
42								
43								
44								
45								
46								
47								
48								
49								
50								
51								
52								
53								
54								
55								
56								
57								
58								
59								
60								
61								
62								
63								
64								
65								
66								
67								
68								
69								
70								
71								
72								
73								
74								
75								
76								
77								
78								
79								
80								
81								
82								
83								
84								
85								
86								
87								
88								
89								
90								
91								
92								
93								
94								
95								
96								
97								
98								
99								
100								

EOH 17.2



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 29/3 19 87 Sondage No: BOB-76 Localisation: site 103

Géologue: JL YB Sondeur: GD Outil: CB68853 Métrage: 41.4-49.8

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 21:30 - 23:15

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 23:15 - 23:30

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		
0-3.7			COCHRANE TILL dark brown sandy clay followed immediately by light brown sandy clay - few pebbles 3.1 - 3.7 granitoid boulders						
3.7-6.8			OJIBWAY II SEDIMENTS very fine light brown sands and silts interbeds of pure grey clay						
6.8-6.9			MATHESON TILL (?) sandy and pebbly for 10 cm interval						
6.9-8.4		01	BEDROCK porphyritic reddish brown dacite tuff weak foliation → biotite feldspar phenocrysts and quartz eyes (mm) minor calcite, quartz veinlets minor green mafic dykes	-	-	9	0.7		
EOH 8.4			EOH 8.4						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 29-30/3/1987 Sondage No: B08-77 Localisation: site 104

Géologue: JL YB Sondeur: GD Outil: C868853 Métrage: 49.8-68.6

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 23:30 - 0:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 0:45-1:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION				
0			0-0.6 ORGANICS				
1	▲▲		0.6-10.6 COCHRANE TILL				
2	▲▲		light brown sandy clay,				
3	▲▲		few pebbles				
4	▲▲						
5	▲▲						
6	▲▲						
7	▲▲						
8	▲▲						
9	▲▲						
10	▲▲		10.6-14.7 QIBWAY II SEDIMENTS				
11			pure soft grey clay				
12							
13							
14							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-77

Page 2 de 2

Profondeur (m)	log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc mg
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15		01	14.7-17.3 MATHESON TILL						
16		02	16.2-16.5 very clayey	1	A	140	27.0		50
17		03		0	-	61	15.0		-
18		04*	17.3-18.8 BEDROCK	-	-	15	2.1		
19			v. fine grained siliceous rhyolite or dacite brownish grey colour with occasional black layers → layered → tuffs! weakly porphyritic - fspar, qtz eyes abundant v. fine disseminated sulfide (sulfide in black layers more coarse) minor calcite, quartz vein, epidote veinlets	*	04*	10	2.0		
20			18.3-18.4 (sample 04) grey thinly laminated host with abundant free quartz vein abundant pyrite in host						
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									
31									
32									
33									
34									
35									
36									
37									
38									
39									
40									
41									
42									
43									
44									
45									
46									
47									
48									
49									
50									
51									
52									
53									
54									
55									
56									
57									
58									
59									
60									
61									
62									
63									
64									
65									
66									
67									
68									
69									
70									
71									
72									
73									
74									
75									
76									
77									
78									
79									
80									
81									
82									
83									
84									
85									
86									
87									
88									
89									
90									
91									
92									
93									
94									
95									
96									
97									
98									
99									
100									



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 30/3 1987 Sondage No: BOB-78 Localisation: site 105

Géologue: JL YB Sondeur: GD Outil: CB68853 Métrage: 68.6-88.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 1:00 - 2:45

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 2:45 - 3:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bed rock)			
				#	dom type	Au	As		code rps
0 - 2.6	ORGANICS								
2.6 - 8.2	COCHRANE TILL		grey sandy clay locally pebbly						
8.2 - 9.8	QJIBWAY II SEDIMENTS		pure grey clay, soft						
9.8 - 17.9	MATHESON TILL		abrupt contact with overlying clays fine sandy silty, light beige grey matrix pebbly ~ 50/50/1	0	-	110	16.0		-
9.9 - 10.5	porphyritic dark green metavolcanic boulder	01		1	A	505	114.0		311
		02							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-78

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As	W	
1									
2									
3									
14	△	03	14.7-16.4 <u>sandy</u> till (still pebbly, silty)	0	-	25	17.0		-
15	△								
16	△	04		0	-	95	26.0		-
17	△		17.6-17.9 a little hard grey clay in the matrix						
18	△	05		2	A	229	23.0	116	742
19	///	06	17.9-19.4 BEDROCK						
19	///	BEDROCK	v. fine grained reddish brown to brownish grey quartz eye tuff (rhyolite or dacite) well laminated	-	-	3	<0.5		
20			minor v. fine disseminate sulfide, minor quartz veinlets, epidote veinlets occasional greenish coloured fracture surfaces						
21									
22									
3									
4									
5			EOH 19.4						
6									
7									
8									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 30/3 1987 Sondage No: BOB-79 Localisation: site 106

Géologue: JL YB Sondeur: GD Outil: CB68853 Métrage: 88.0-94.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 3:00 - 3:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 3:45 - 4:00

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)				
				#	dm type	Au	As			
0-0.1			ORGANICS							
0.1-1.4			COCHRANE TILL light brown sandy clay							
1										
2		01		1	A	247	9.0			151
1.4-5.0			MATHESON TILL fine sandy silty light beige grey matrix pebbly ~ 50/50/1	↑	↑					
3		01								
2.0-2.4			very clayey till, hard bluish grey clay in the matrix	0	-	33	10.0			-
4		02								
2.4-2.7			green metavolcanic boulder							
5		03								
2.7-3.0			locally clayey till	-	-	<2	<0.5			
6			locally very sandy till							
4.2			~10cm pink granite boulder							
5.0-6.5			BEDROCK							
8			brownish reddish v. fine grained siliceous quartz eye tuff very minor disseminated sulfide							
9										
10										
11										
12										
13										
14										

EOH 6.5

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 30/3 19 87 Sondage No: BOB-80 Localisation: site 114

Géologue: JL, YB; RST-JRM Sondeur: GD, HD Outil: CB68855 Métrage: 0-22.7

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 5:00-6:15 ; 8:00-9:15

TOTAL Problèmes: waiting for water, clean mud tanks 4:00-5:00 ; day shift  
late start due to problem with helicopter

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68855

\_\_\_\_\_ Déplacement sur le site suivant: 9:15-11:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION					
0	^		0-3.1	ORGANICS				
1	^							
2	^							
3	^		3.1-9.9	COCHRANE TILL				
4	△			light grey soft sandy clay				
5	△			a few pebbles				
6	△							
7	△							
8	△							
9	△		9.9-18.0	WIBWAY II SEDIMENTS				
10	△			pure grey clay, soft				
11	△			a few fine sand and pebbly				
12	△			interbeds in lower part				
13	△							
14	△							

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

BOB-80

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc Mt
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19		01	18.0-21.2 MATHESON TILL abrupt contact with overlying clays 18.0-19.5 very little return 19.5 end of night shift	3	A	266	62.6		33
20			19.5 Bit is plugged by light gray sandy clay. (Missinabi Sds?)						
21		02	19.5-21.2 light gray sandy silty matrix, pebbles. sample 01 slightly contaminated by bedrock.	-	-	28	4.9		
22		BRK							
23									
24			21.2-22.7 BEDROCK - Dark green to dark gray - Strong schistosity - brittle - Quartz veins - Pyrite (disseminated?) → chlorite schist - Missinabi → Metavolcanic - crosscutted by 10cm dyamatic?						
25									
26									
27									
28									
29									
30									

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 30 Mars 1987 Sondage No: B0B-81 Localisation: relocated Site 7B

Géologue: RSt-J, RM Sondeur: H. Durett. Outil: CB 68855 Métrage: 22.7-50.7

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 11:00 - 13:00

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 13:00 - 14:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION						
0.0 - 2.0			ORGANICS						
2.0 - 12.5			COCHRANE TILL						
			Light gray to light beige. soft sandy clay. Pebbles.						
12.5 - 26.2			OJIBWAY II SEDS						
			12.5-21.5 medium gray soft. fine clay.						
6		N/S							
7									
8									
9									
10									
11									
12									
13									
14									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-81

ECHELLE: 1:100

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		
1									
2									
3									
14									
15									
16									
17		NS							
18			21.5-26.2 light gray very fine sand.						
19			<u>26.2-26.4 MATHESON TILL</u>						
20			light gray sandy silty matrix cobbly.						
21			<u>26.4-28.0 BEDROCK.</u>						
22			- medium brown to medium red color.						
23			- large feldspar porphyroids in fine grained red brown matrix.						
24			→ Dacite? → metavolcanic.						
25			<u>28.0 EOH</u>						
26									
27		01 CRK				2	<05		
28									

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 30 Mars 1987 Sondage No: BOB-82 Localisation: Site 77  
 Géologue: RST-J, RM Sondeur: H. Duritt Outil: CB 68855 Métrage: 50.7-74.8

Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 14:00 - 17:30

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: 18:30 - 19:00 Pull rods.  
 Déplacement sur le site suivant: 19:00 - 19:15

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of Hmc (or bedrock)					
				#	dom type	Au	As				
0.0-0.1			ORGANICS								
0.1-3.6			COCHRANE TILL								
0.1-1.8			light beige sandy clayey matrix pebbles.								
1.8-3.6			light beige to light gray sandy silty clayey matrix. Pebbles.								
3.6-4.0			OJIBWAY II SEDS								
			Light to medium gray sandy clay almost pure clay.								
4.0-22.6		01	MATHESON TILL	0	-	1140	20.0				-
4.0-10.4		02	Light gray sandy silty matrix. Pebbles, cobbles. Clasts 45/49/2 (MS+MU/GR/LS)	0	-	37	20.0				-
10.4-11.2		03	light gray sandy clay in matrix	0	-	64	128.0				-
11.2-14.5		04	Till as above (4.0-10.4)	0	-	53	10.0				-
		05		0	-	170	22.0				-
		06		0	-	32	27.0				-
		07									



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

BOB-82

ECHELLE: 1:100

Page 2 de 2

Profondeur (m)	log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analyses of HMC (on bedrock)				
				#	form type	Au	As			
1										
2										
3										
14		07	14.5-14.8 Very sandy-clayey till.	3	A	1020	17.0			745
15		N/S	14.8-15.0 Till as above (4.0-10.4)	1	↑					
16		07	15.0-15.4 Dacite? boulder.	1	↑					
17		07	15.4-16.8 very sandy-clayey till matrix Pebbles. Clasts: 50/50							
18		N/S	16.8-17.5 Metavolcanic boulder.							
19		08	17.5-18.2 Light gray very sandy very clayey matrix till	0	-	65	18.0			-
20		N/S	18.2-18.4 Light gray sandy silty matrix							
21		09	clasts: 75/25/2.	0	-	130	8.7			-
22		10	18.4-18.6 Metavolcanic boulder.	0	-	26	14.0			-
23		11	18.6-20.0 light gray sandy clay till matrix. 15% Pebbles Clasts 57/40/3	0	-	100	21.0			-
24		12	20.0-20.3 Boulders.							
25		12	20.3-22.6 clayey till as above (18.6-22.0)	0	-	16	24.0			-
26		13	22.6-24.1 <u>BEDROCK.</u>							
27		BR	- Medium greenish gray to medium gray brown to medium olive green!	-	-	8	4.5			
28			- some very magnetic black grains (no crystalline forms)							
29			- some carbonates							
30			- Quartz grains							
31			=> Tuff							
32			24.1 EDH							

Note: only 12 samples marked on log, but 13 samples sent to labs, #13 is bedrock, position of #12 not exactly known.  
(Doc. #0050U-A)



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 30/3 1987 Sondage No: BOB-84 Localisation: site 75

Géologue: JL YB Sondeur: GD Outil: CB68855 Métrage: 87.1-109.2

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 20:45 - 23:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: clean mud tanks

\_\_\_\_\_ Déplacement sur le site suivant: 23:45 - 0:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		color
0-3.3	^ ^		ORGANICS						
3.3-6.3	△ △		COCHRANE TILL/SEDIMENTS pure grey clay followed quickly by sandy clay, a few pebbles						
6.3-8.5	▨ ▨		OJIBWAY II SEDIMENTS pure grey clay, soft						
8.5-20.6	△ △	01	MATHESON TILL abrupt contact with overlying clays fine sandy silty matrix, light beige grey pebbly ~ 50/50/3	0	-	130	22.0		80?
	△ △	02		1	A	120	31.0		8A

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-84

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		calc Mb
11									
12									
13	△	03	13.0 - 18.3 a little hard, grey, sandy clay in the matrix	0	-	51	20.0		340?
14	△	04	14.8 - 16.5 cobbly, more metasediment and metavolcanic clasts than above and below eg ~ 70/30 (MS, MV/GR)	1	A	40	26.0		197
15	△	05		1	A	130	30.0		270
16	△	06		0	-	42	41.0		-
17	△								
18	△	07	18.3 - 18.7 green metavolcanic boulder						
18	▨	N/S	qtz-carbonate stockwork and sulfide						
19	△		18.7 - 20.0 very clayey matrix						
19	△	07	20.0 - 20.6 sandy clay matrix, few pebbles	0	-	110	42.0		-
20	△								
21	▨	08	20.6 - 22.5 <b>BEDROCK</b>						
22	▨	BEDROCK	fine grained thinly laminated medium to dark grey ash fall tuff	-	-	17	0.8		
22	▨		fine disseminated sulfide, minor calcite, minor quartz veinlet						
23			22.0 - 22.5 interbeds of light greenish very fine grained thinly laminated siliceous tuff						
24									
25									
6			EOH 22.5						
7									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 31/3 1987 Sondage No: BOB-85 Localisation: site 74

Géologue: JL YB Sondeur: GD Outil: CB68854 Métrage: 0-29.1

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 0:00 - 4:00

TOTAL Problèmes: 4:00 - 5:00 engine stalled, engine using too much oil, try to restart machine

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68854

\_\_\_\_\_ Déplacement sur le site suivant: 5:00 - 6:15

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION						
0	^		0-3.0 ORGANICS						
1	^								
2	^								
3	^		3.0-7.4 COCHRANE TILL grey sandy clay, soft						
4	▲								
5	▲								
6	▲								
7	▲		7.4-11.0 OJIBWAY II SEDIMENTS pure grey clay, soft 10.5-11.0 interbedded fine sands and pebbles						
8	▨								
9	▨								
10	▨								
11	●								
12									
13									
14									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-85

Page 2 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	com type	Au	As		
11			11.0-27.8 MATHESON TILL						
12		01	11.0-11.3 pink granite boulder						
13		02	11.3-24.0 fine sandy silty matrix, light beige grey not as pebbly as usual clasts ~ 60/40/1 (MS, MV/60/LS)	0	-	160	24.0		-
14		03	the till may be clayey, (hard, compact sandy grey clay in the matrix) and is quite cobbly from 17.7-19.4	0	-	84	21.0		423?
15		04		1	A	618	15.0		365
16		05		1	A	45	17.0		37
17		06		4	A	258	45.0		339
18		07		0	-	160	63.4		-
19		08		1	I	474	54.7		339
20			23.1-23.4 pink granite boulder						
21			24.0-27.1 sandy gravels with a few interbeds of coarse sand slow, difficult drilling, very high return	1	A	59	34.0		276
22									
23		N/S							
24									
25									
26									
27									
28									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-85

Page 3 de 3

Profondeur (m)	LOG graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (on bedrock)		
				#	dom type	Au	As	W
1								
2								
3								
24								
25								
26		09		0	-	160	785	178
27		N/S	27.1-27.8 clayey till, but very low return 27.1-27.5 driller moving rods up and down contaminating sample with sand and gravel from above (difficult drilling, high torque, rods stop turning all the time)					
28		10		-	-	10	1.4	
29		BEDROCK						
30			27.8-29.1 BEDROCK					
31			light green v. fine grained siliceous tuff					
32			thinly laminated					
3			a few feldspar phenocrysts					
4			very minor calcite					
5			very minor v. finely disseminated sulfide					
6			some contamination from above due to caving in around rods					
7								
8								

EOH 29.1

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 31 Mars 1987 Sondage No: BOB-86 Localisation: Site 98  
 Géologue: RSt-J, RM Sondeur: H. Durett Outil: CB 68854 Métrage: 29.1-50.6  
 Poste (heures) 07:00 - 08:45  
 à \_\_\_\_\_ Sondage: \_\_\_\_\_  
 TOTAL Problèmes: \_\_\_\_\_  
 Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_  
 Déplacement sur le site suivant: 08:45 - 09:00  
 ECHELLE: 1:100 Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		
0.0 - 1.3			ORGANICS						
1.3 - 8.5			COCHRANE TILL - light beige sandy clayey matrix pebbles.						
8.5 - 12.5			OJIBWAY II SEDS. - Medium gray soft fine clay.						
12.5 - 20.0			MATHESON TILL.  12.5-18.0 much return. 17.5-18.5 light gray to light beige sandy matrix 85% Pebbles clasts: 50/47/3 (MS+MV/GR/Ls)						
18.5 - 20.0			Light gray sandy matrix. 90% Pebbles (cobbles) clasts: 70/27/3						
13		01		1	A	61	32.0		455



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

B015-86

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)				
				#	dom type	Au	As			
1										
2										
3										
4										
14										
15	Δ	01	19.5-20.0 Dark green coating on pebbles! chlorite?							
16	Δ	02		0	-	355	26.0			-
17	Δ	03	<u>20.0-21.5 BEDROCK</u>							
18	Δ	04	- Dark brown to dark grey color. - fine grain.	0	-	28	22.0			-
19	Δ	05	- some quartz veins. - siliceous	1	A	305	51.2			346
20	Δ	06	- carbonates (HCl test +)	4	A	3300	46.0			2749
21	BRK	BRK	- strong foliation - some biotite. → Metasediment.	-	-	<2	<0.5			
22										
23			<u>21.5 EOH</u>							
24										
25										
26										
27										
28										

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 31 Mars 1981 Sondage No: BOG-87 Localisation: Site 97.

Géologue: RST-J, RM. Sondeur: H. Durett Outil: CB 68854 Métrage: 50.6-70.4

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 09:00-10:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 10:45-11:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dem type	Au	As		
0.0 - 2.0			ORGANICS						
2.0 - 5.5			COCHRANE TILL light beige sandy clay matrix, pebbles						
5.5 - 11.0			OJIBWAY II SEDS. 5.5-9.5 Medium gray fine soft clay. 9.5-13.0 No sample returned. pull rods to check.						
11.0 - 18.3			MATHESON TILL light gray sandy silty matrix, cobbles pebbles 70/27/3 15.5-18.3 very cobbly and bouldery till.						
12.0		01		0	-	<8	19.0		-
14.0		02							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-87

Page 2 de 2

Profondeur (m)	log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Au	As		calc Mb
1									
2									
3									
14									
15	△	02		1	A	474	27.0		368
16	△	03	15.8-16.0 Metasediment boulder.	1	A	2320	16.0		1725
17	△	N/S	16.0-17.0 Metavolcanic boulder						
18	△		17.0-18.3 Metased + Metavolc boulder.						
19	△	04	<u>18.3-19.8 BEDROCK</u>						
20	△	BRK	- Dark gray to dark green color.	-	-	3	40.5		
21			- Strong schistosity						
22			- Carbonates (HCl test +)						
23			- fine grain						
24			- pyrite in veins and disseminated						
25			- Quartz veins						
26			- chlorite - biotite						
27			⇒ chlorite schist						
28			→ Metavolcanic.						
29			<u>19.8 EOH</u>						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 31 Mars 1987 Sondage No: BOB 88 Localisation: Site 96

Géologue: RSt-J RM. Sondeur: H Dmett. Outil: CB 68854 Métrage: 70.4-92.5

Poste (heures) 11:00-13:30

à Sondage:

TOTAL Problèmes:

Contractant (heures) Divers:

Déplacement sur le site suivant: 13:30-13:45

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As		
0.0 - 1.4			ORGANICS						
1.4 - 4.0			COCHRANE TILL Light large sandy clayey matrix pebbles.						
4.0 - 8.5			OJIBWAY II SEDS Medium gray fine soft clay.						
8.5 - 20.6		N/S	MATHESON TILL 8.5-9.2 Light gray sandy silty matrix. Pebbles. Clasts 65/33/2 9.2-9.7 Granite boulders. 9.7-10.5 Till as above (8.5-9.2)						
10.5 - 16.1		01	Light gray sandy clay matrix	4	A	70	26.0		608
		N/S							
		02	low return	3	A	446	21.0		226

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

308-88

ECHELLE: 1:100

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)				
				#	dom type	Au	As			
1										
2										
3										
14										
15	03		16.1-16.3 Light gray sandy silty clayey till.	4	A	455	26.0			396
16	low return		16.3-17.0 white and pink granite boulder							
17	N15		17.0-18.5 Till as above (16.1-16.3)							
18	04		18.5-18.7 white granite boulder.	0	-	46	63.8			-
19	N15		18.7-18.9 light gray slightly sandy hard clay (almost fine). Some pebbles and granules. (OSIBWAY I raft?)	0	-	47	24.0			-
20	06		18.9-20.5 Till as above (8.5-9.2)	0	-	47	86.9			-
21	07		20.5-20.6 Cobbley till.							
22	BRK		20.6-22.1 <u>BEDROCK</u> - Medium to dark gray - very fine grain. - much pyrite - strong schistosity / foliation → Mudstone? → Metasediment	-	-	4	11.0			
23										
24										
25										
26										
27			22.1 <u>EOH</u>							
28										

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 31 Mars 1987 Sondage No: BOB-89 Localisation: Site 95

Géologue: RST-J, RM Sondeur: H. Durett Outil: CB 68856 Métrage: 0-25.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 13:45 - 17:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: New bit #CB68856 new sub.

Déplacement sur le site suivant: 17:45 - 18:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)			
				#	dom type	Fu	Fs		
0.0 - 1.3			ORGANICS						
1.3 - 4.7			COCHRANE TILL Light gray sandy clayey matrix Pebbles.						
4.7 - 9.6			OJIBWAY II SEDS. Medium gray soft fine clay.						
9.6 - 15.0			MATHESON TILL 4.6-12.0 Light gray sandy matrix Pebbles. Clasts: 70/28/2						
12.0 - 13.5			Light gray sandy silty clayey matrix.						
13.5 - 15.0			very sandy till clasts: 50/47/3						
15.0 - 16.2			MISSINAIBI SEDS. 15.0-16.2 very fine sand and gravel ??						
10.0 - 11.0		01		0	-	<11	29.0		-
11.0 - 12.0		02	16.2-24.3 LOWER TILL 16.2-20.1 Light gray sandy silty matrix Pebbles.	2	A	77	19.0		65
12.0 - 13.0		03							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

B00-89

ECHELLE: 1:100

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)				
				#	gem type	Au	As			
1										
2										
3										
14										
15	03		20.1-20.2 Very cobbly Till	0	-	25	7.0			-
16	04		20.2-20.4 Light gray very fine sand. 20.4-21.0 Cobbly Till	3	A	337	11.0			640
17	05		21.0-22.0 Pebbly Till 22.0-22.7 Very pebbly - almost gravel. 22.7-23.1 Pink granite boulder.	1	A	<11	5.1			47
18	06		23.1-23.4 Cobbly Till							
19	06		23.4-24.3 Light gray sandy matrix 95% Pebbles 75/23/2	1	A	73	7.2			55
20	07		24.3-25.5 <u>BEDROCK</u> - Dark green (olive) to dark gray color. - Strong schistosity	1	I	1340	5.7			1698
21	08		- very fine grain - disseminated pyrite.	0	-	<8	4.9			-
22	09			0	-	2500	432			-
23	N15		⇒ Chlorite schist → Metavolcanic	0	-	249	11.0			-
24	10									
25	N15									
26	11	BRK	- Some contamination from above. - Artesian well.	-	-	3	2.4			
27			25.5 <u>EOH</u>							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 1/4 1987 Sondage No: BOB-90 Localisation: site 94

Géologue: JL YB Sondeur: HD Outil: CB68856 Métrage: 25.5-56.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 7:00-12:00

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 12:00-12:15

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As	W/Cu	calc mb
0-1.6			COCHRANE TILL						
1.6-12.3			MATHESON TILL						
2		01	fine sandy silty matrix, light beige grey pebbly ~ 50/50/2	0	-	494	<5.3		-
4		02		1	A	1600	<5.0		2332
5		03	5.3-5.5 very cobbly, little matrix mostly rock flour	0	-	150	10.0		-
6		NIS	5.5-5.8 white granite boulder	↑	↑	↑	↑		
6		03							
7		04	6.8 very minor hard platy clay						
7		NIS	7.5-7.7 rods going up and down, sample contaminated	0	-	<11	19.0		-
8									
9		05		1	A	72	13.0	109	10
10		06	9.9-10.0 white granite boulder	1	A	51	12.0		19
11									
11		07	11.1-11.7 matrix a bit clayey	0	-	130	15.0	800	-
12									
13									
14									



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-90

Page 2 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bed rock)				
				#	dom type	Au	As			
11										
12			12.3-13.2 MISSINAIBI SEDIMENTS							
13		N/S	(OSIBWAY I clays)							
14		08	pure, hard, compact grey clay with a few pebbly interbeds	0	-	200	10.0			-
15		N/S	13.2 - 22.5 LOWER TILL							
16		08	mostly clayey, fine sandy silty matrix light beige grey to greyish							
17		N/S	pebbly, locally cobbly ~ 70/30 (MS, MV/CR)							
18		09	14.3 - 14.8 metasediment, then two metavolcanic boulders							
19		10	15.0 - 15.3 green metagabbro boulder (like Trench 2)	0	-	214	16.0			-
20		11	16.5 - 16.8 green metagabbro boulder (like Trench 2)	0	-	83	13.0			-
21			20.4-21.0 sample in #1 bucket mistakenly thrown out by technician, #2 bucket sampled	0	-	539	7.5			-
22		12	22.5 - 28.3 MISSINAIBI SEDIMENTS	1	A	204	16.0			142
23			interbedded sands and gravels gravels are mostly sandy, but some are clean with no matrix							
24		13	clast composition in gravel ~ 50/50/3	0	-	233	10.0			-
25			sands may be fine, medium, coarse in fine sands there are occasional thin beds of hard, platy, pure clay (light grey colour)							
26			sands are light brown							
27										
28										

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-90

Page 3 de 3

Profondeur (m)	log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)								
				#	dcm type	Au	As							
1														
2														
3														
24														
25														
26														
27		14			0	-	19	23.0					-	
28			28.3 - 31.0 BEDROCK											
29		N/S	28.3 - 29.6 much contamination from above, may be rubbly bedrock or boulder lying on bedrock											
30		15			-	-	3	2.1						
31		BEDROCK	→ light green fine to medium grained granular rock with well defined foliation, oxidation on most foliation planes → much of bedrock drills to green rock flour clay, few chips → could be sheared metagabbro as at trench 2 minor calcite 29.9. abundant quartz vein with the host rock											
32														
3														
4														
5														
6														
7														
8														

EOH 31.0

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 1/4 1987 Sondage No: BOB-91 Localisation: site 93

Géologue: JL YB Sondeur: HD Outil: CB68857 Métrage: 0-22.4

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 12:15-15:15

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68857

Déplacement sur le site suivant: 15:15-15:30

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)				
				#	dom type	Au	As		cds Mb	
0-0.3			ORGANICS							
0.3-5.8			COCHRANE TILL dark brown, then light brown, then grey, sandy clay							
5.8-10.5			OJIBWAY II SEDIMENTS 5.8-7.5 pure soft grey clay 7.5-10.5 interbedded pure clay and sand and gravel							
10.5-15.3		01	MATHESON TILL fine sandy silty light beige grey matrix pebbly, cobbly ~50/50/2	0	-	<9	31.0			-
12.7-15.3		02	very cobbly	0	-	160	24.0			-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-91

Page 2 de 2

Profondeur (m)	LOG graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)		
				#	dem type	Au	As	W
11								
13	△	03	14.1 ~5cm lined metagabbro boulder	0	-	66	19.0	-
14	△	04		1	A	130	11.0	43
15			15.3-15.4 MISSINAIBI SEDIMENTS					
16	△	N/S	(OJIBWAY I clays) hard, compact pure grey clay					
17	△	05	15.4-20.9 LOWER TILL	0	-	110	11.0	111
18	△	N/S	15.4-15.6 pink granite boulder → fine sandy silty, locally clayey matrix light beige grey colour pebbly, locally cobbly ~ 50/50/3					
19	△	06		1	I	140	43.0	56
20	△	07	17.7-18.0 lined metagabbro boulder	0	-	57	27.0	-
20	△	N/S	20.1-20.3 green metavolcanic boulder	↑	↑	↑	↑	
20	△	07						
21	△	N/S	20.6-20.9 coarse green metagabbro boulder					
21	△	08						
22	///	BEDROCK	20.9-22.4 BEDROCK	-	-	<2	0.6	
22			black fine to med grained granular metavolcanic mostly well laminated, might be lined					
23								
24			21.4-21.6 green rock flour clay					
25								
6			EDH 22.4					
7								
8								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 1/4 19 87 Sondage No: BOB-92 Localisation: site 92

Géologue: JL YB Sondeur: HD Outil: CB68857 Métrage: 22.5-32.1

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 15:30 - 16:45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 16:45 - 17:00

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)			
				#	dom type	Au	As	calc	MY
0-1.4	^ ^		ORGANICS						
1.4-2.9	^ ^		COCHRANE TILL light brown sandy clay turns grey a little harder than usual, not soft clay minor interbed fine sand						
2.9-3.3	^ ^		OJIBWAY II SEDIMENTS grey pure clay, a little harder than usual						
3.3-8.1	^ ^	01	MATHESON TILL abrupt contact with overlying clays fine sandy, silty matrix, light beige grey pebbly, cobbly ~50/50/1	1	A	170	16.0		50
4.0-4.2	^ ^	N/S	brown granite boulder	0	-	51	19.0		-
7.5-8.1	^ ^	01	a little clay in the matrix						
8.1-9.6	^ ^	02	BEDROCK black to grey to green medium to fine grained metavolcanic or meta-intrusive (gabbro) massive, no laminations except where there are quartz veinlets minor calcite	0	-	48	20.0		-
9.1-9.4	^ ^	03	abundant quartz-carbonate-pyrite veinlets (carbonate is brownish)						
9.4-9.6	^ ^	04	massive pyrite veinlets up to 5mm pyrite 2-5%						
10-14	^ ^	BEDROCK							

EOH 9.6



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-93

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD analysis of GRAINS HMC (or bedrock)					
				#	dom type	Au	As		
11			11.8 - 17.7 LOWER TILL						
12	△		fine sandy silty matrix, pebbly and cobbly ~50/50						
13	△	03	locally very small amounts of clayey matrix	0	-	<8	4.9		-
14	△	04	commonly cobbly, or sandy till probably some sorted sandy gravels below 14.0	7	(2-I) A	1110	7.4		1092
15	△		1/4 stop at 13.5m						
16	△	05	2/4 start at 13.5m	1	A	381	10.0		187
16.0	■	N/S	16.0 pull rods to check bit, slightly plugged with sand, cones not turning						
17	△	06	16.3-16.6 green metavolcanic boulder	3	A	931	8.6		1102
18	///	07	17.7-19.2 BEDROCK						
19	///	BEDROCK	foliated dark green granular sheared metagabbro	-	-	5	<0.5		
20			after ~17.9 drills to green rock flour clay						
21									
22									
23									
24			EOH 19.2						
25									
6									
7									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 2/4 1987 Sondage No: BOB-94 Localisation: site 90

Géologue: JL YB Sondeur: HD Outil: CB68858 Métrage: 0-16.9

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 13:45-16:30

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB68858

Déplacement sur le site suivant: 16:30-16:45

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		Analysis of Hmc (or bed rock)			
				#	dom type	Au	As		
0-1.4	^ ^ ^		ORGANICS						
1.4-3.8	^ ^ ^		COCHRANE TILL grey sandy clay						
2.8-4.5	^ ^ ^		no return, bit plugged with clay, drilled pushed bit fast to clean bit, felt bump at 3.8m (pulled rods at 4.5 to clean bit)						
3.8-15.4	^ ^ ^		MATHESON TILL fine sandy silty grey beige matrix pebbly, cobbly ~ 50/50/2	0	-	140	22.0		-
5.6-6.0	^ ^ ^	N/S	lined metagabbro boulder						
	^ ^ ^	01		1	A	120	22.0		1879
	^ ^ ^	02		1	A	140	16.0		79
	^ ^ ^	03		0	-	23	19.0		-
	^ ^ ^	04		0	-	170	11.0		-
	^ ^ ^	05	11.0 a little clay in the matrix	0	-	<9	12.0		-
	^ ^ ^	06							



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-94

Page 2 de 2

Profondeur (m)	log graphique Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)		
			#	dom type	Au	As	
14.1-14.3	07	fine sandy section	3	I	1100	5.9	360
14.5		~5cm pink granite boulder					
15.4-16.9	08 BEDROCK	BEDROCK	-	-	5	0.7	
15.7-15.8		abundant quartz-calcite veining					
16.2		additional quartz-calcite veining					
16.9		EOH 16.9					

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 2/4 19 87 Sondage No: BOB-95 Localisation: site 89

Géologue: JL YB Sondeur: HD Outil: CB68858 Métrage: 16.9-33.9

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 16:45-19:00

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: to CAMP 19:00-20:00

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		<i>analyses</i> HMC (or bed rock)			
				#	dom type	Au	As		
0-0.3			ORGANICS						
0.3-10.0			COCHRANE TILL light brown sandy clay turns quickly to fine sandy and bouldery till						
4-10.0		01	very minor sandy brown clay only locally present down to 10.0m most of section is sands and gravels → only very locally derived and very marginally reworked OJIBWAY II SEDIMENTS	0	-	170	<3.9		-
6-7.5		02	always pebbly, fines present but not abundant.	1	A	110	<3.0		490
8		NIS	clast composition ~ 60/30/10 (GR/MS,MV/LS)						
9-10.0		03	2.2-2.3 white granite boulder 2.3-2.5 pink granite boulder 2.6-2.7 pink granite boulder 7.8-7.9 pink granite boulder	1	A	46	<3.1		152
10.0-15.5		04	OJIBWAY II SEDIMENTS glaciofluvial member - esker sandy gravels, not clearly interbedded pebbly, cobbly ~ 70/20/10 (GR/MS,MV/LS)	1	A	<9	12.0		11
15.5-16.9			contact arbitrarily placed just below last observed sandy brown clay						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-95

Page 2 de 2

Profondeur (M)	Log graphique	Echantillon No	DESCRIPTION	GOLD GRAINS		analysis of HMC (or bedrock)					
				#	dom type	Au	As				
11											
12											
13			14.5-14.8 green metavolcanic boulder								
14		05	14.8-15.2 bedrock boulder								
15			15.2-15.5 burst of sand, then bedrock	1	A	9130	3.7				7576
16		N/S	Note: This is an esker, there is no surface relief due to erosion/reworking by the Cochrane Till.								
17		06	15.5-17.0 BEDROCK	-	-	3	0.6				
18			fine grained dark green metagabbro								
19			minor quartz-calcite veinlets								
20											
21											
22											
23											
4											
5											
6											
7											
8											

EOH 17.0

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 20/6 1987 Sondage No: BOB-96 Localisation: site 4b

Géologue: JL/AM/RM Sondeur: WAYNE GOODYEAR Outil: CB69076 Métrage: 0-28.2

Poste (heures) \_\_\_\_\_ CB69094 0-5.0

à \_\_\_\_\_ Sondage: 10h 15 - 13h 13h 45 - 15h

TOTAL Problèmes: 13h - 13h45 pulling rods to change bit

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB69076, NEW BIT SUB, NEW BIT CB69094

\_\_\_\_\_ Déplacement sur le site suivant: 15h - 15h30

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)				
				#	dom. type	Au	As		code pp <sup>h</sup>	
0 - 1.7			<u>COCHRANE TILL</u> lt brown sandy clay fairly compact.							
1.7 - 31.2			<u>MATHESON TILL</u> top 50cm somewhat clayey (Cochrane Till?)	3	A	440	<3.9			63
3 - 4		01								
4 - 5		N/S	fine sandy silty light grey matrix pebbly, cobbly ~ 40/60 (MS, MV/GR)							
5 - 6		02								
6 - 7		N/S	3.3 - 3.5 dk grey MS bldr 3.7 - 4.0 lt green MV bldr 4.4 - 4.9 pink GR bldr 5.2 - 5.5 black MS bldr	1	A	62	<4.4			15
7 - 8		02								
8 - 9		03	Note: sample 02 slightly contaminated by ~ 5cm black MS cobble ~ 6.8	0	-	<13	<3.8			-
9 - 10		04		1	A	66	<4.2			8
10 - 11		05	by ~ 12m pebbles ~ 50/50/1 (MS, MV/GR/LS)	1	A	150	<4.3			33
11 - 12		06		1	A	50	<4.1			10
12 - 13										
13 - 14										

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-96

Page 2 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)					
				#	horn type	Au	As				
1											
2											
13											
14	△	07	14.2 - 14.8 wh GR bldr	1	A	<13	<4.0				22
	△	N/S	14.8 - 15.0 black MS bldr								
15	△		17.1 - 17.4 wh GR bldr								
16	△	08		1	A	265	<3.4				206
17	△	09									
	△	N/S									
18	△	09	by ~17.0m pebbles are ~70/30 (MS, MV/GR)	0	-	120	14.0				-
19	△	10		0	-	87	16.0				-
20	△			0	-	57	14.0				-
21	△	11									
22	△	12		2	A	64	23.0				439
23	△										
24	△	13	25.0 - 30.0 locally clayey till (light grey, compact sandy till in matrix)	5	A	234	12.0				186
25	△		~25.6 ~10cm fine sand								
26	△	14		4	A	87	18.0				134
27											
28											

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-96

Page 3 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)								
				#	dom type	Au	As							
1														
2														
3														
4														
5														
26														
27	▲▲	N/S	26.9 - 27.5 black MS bldr											
28	?		27.5 - 28.2 no return, bit pulled, plugged with clay and one conc new bit put in hole											
29	▲▲	15	~30m MS cobbles	0	-	100	19.0							
30	▲▲	16	pebbles now 90/10/1 (MS, MV/GR/Ls)	1	A	42	22.0						9	
31	▲▲	N/S	31.2 - 33.2 BEDROCK											
32	▲▲	17	31.2 - 31.6 fine sand (bedrock?) and 100% black MS chips altered bedrock?											
33	▲▲	BEDROCK	31.6 - 33.2 f.gr. lt to med grey tuff (or metased?) minor sulfide (py) minor disseminated calcite minor chloritic fracture surfaces											
34														
5														
6														
6			31.8-32.0 minor qtz veins ~32.8 minor qtz veins											
7			EOH 33.2											
8														

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 20/06 19 27 Sondage No: BOB 97 Localisation: Situ 49

Géologue: AM/dw/RM Sondeur: W. Goodyear Outil: CB 69084 Métrage: 50-30.7

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 15:20 - 17:45

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 17:45 - 18:15

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grams		analyse of HMC (or bedrock)		
				#	dom type	Au	As	cake MP
0-0.5			Organic					
0.5-1.5		N/S	<u>COCHRANE TILL</u> light brown clayed matrix with few pebbles.					
1.5-24.2		01	<u>MATHESON TILL</u> Light gray to gray fine sandy matrix - No clasts - Very pebbly 10 / 90 MV-MS/G	0	-	<14	<4.6	-
		02		0	-	110	<4.4	-
		03		0	-	97	<4.1	-
6.0-12		04	light gray to beige fine sandy matrix low pebbly 25 / 75 / 1 MV-MS/G/W	0	-	130	<4.1	-
		05		3	A	492	<4.7	535
		06		0	-	79	<5.0	-
		07		0	-	46	16.0	-
12.0-18		08	matrix (dum) 40 / 60 / 2	0	-	45	14.0	-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 2

BOB 97

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grams		analysis of HMC (or bedrock)			
				#	corn type	Au	As		
1									
2									
3									
14	Δ	09	18-21 matris idem 60/40/1 MV-M5/G/W	0	-	<23	18.0		-
15	Δ								
16	Δ	10	21-24.2 matris idem	0	-	120	22.0		-
17	Δ								
18	Δ	11	70/30/1	1	A	180	20.0		396
19	Δ	12	* Sample 16 does not exist (this sample was only 20 cm long and was mixed with sample #15)	0	-	<16	19.0		-
20	Δ	13		0	-	33	143.0		-
21	Δ								
22	Δ	14		6	A	90	21.0		89
23	Δ	15		4	A	32	14.0		26
24	Δ	*	24.2-25.7 <u>bedrock</u>						
25	▨	17	Medium/dark green, fine grained foliated (?) meta volcanics (Tuff?) No sulphide No quartz veins No reaction with HCl Samples w very homogeneous.	-	-				
26	▨	BEDROCK							
7									
8									



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 21/6 1987 Sondage No: BOB-98 Localisation: site 61

Géologue: JL/AM/RM Sondeur: W G Outil: CB69094 Métrage: 30.7 - 54.7

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 7h 30 - 9h 30

TOTAL Problèmes: 30m before reaching site 60 track on Nodwell broke,  
drill on next hole at end of day

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 9h 30 - 9h 45 / 19h 55 - 20h

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (oc bedrock)			
				#	down type	Au	As		calc Mt
0			0 - 2.8 <u>COCHRANE TILL</u> soft grey sandy clay few pebbles						
2.8			2.8 - 22.3 <u>MATHESON TILL</u> fine sandy silty matrix (light grey) pebbly ~ 60/40/1 (MS, MV/BR/LS)						
4		01		0	-	67	22.0		-
5		02		0	-	92	20.0		-
6		03		0	-	130	19.0		-
7		04		0	-	<21	15.0		-
8		05		0	-	39	18.0		-
9		06		2	A	73	27.0		534
10		07		1	A	42	14.0		58
11									
12									
13									
14									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-98

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses of HMC (or bedrock)								
				#	dom type	Au	As							
1														
2														
13														
14	△	08		1	A	190	21.0						6	
15	△													
16	△	09		0	-	425	20.0						-	
17	△													
18	△	10		1	A	29	17.						19	
19	△													
20	△	11	21.0-22.3 very minor clay in the matrix, pebbles ~ 75/25/1	1	A	511	18						43	
21	△	12	22.3-24.0 <u>BEDROCK</u> mixed thinly bedded felsic (to int.) tuffs followed by more mafic (to int.) tuffs	0	-	335	13						-	
22	△													
23	///	13	v.f.gr. to feldspar porphyritic pink feldspars locally stretched (cls ~ 1:1 to 4:1)	-	-									
24	///		f.gr. groundmass may be light green, light brown, light grey, dark grey, and near end of hole, dark green. appears to be magnetic disseminated calcite (strong HCl reaction) a few rusty fracture surfaces and abundant py near end of hole											
25														
26														
7														
8														

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 22/07 1987 Sondage No: BOB 99 Localisation: Site 60

Géologue: AM/UL/RM Sondeur: W/G Outil: CB 69073 Métrage: 0-11.7

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 7hr<sup>30</sup> - 8hr<sup>45</sup>

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: new bit CB 69073

Déplacement sur le site suivant: 8hr<sup>45</sup> - 9hr<sup>15</sup>

ECHELLE: 1:100

Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)					
				#	down type	Au	As				
0-7.0			<u>Cochran Tuff</u> light buff to grey (down section), sandy clay, with few pebbles - Compact, hard clay  The matrix becomes more sandy <sup>from</sup> 4.5m down, the pebble content also increases	0	-	25	18				
7.0-7.2		01	<u>Juelow II</u> Small intervals of soft pure clay, medium grey	1	A	279	44			149	
7.2-10.1		02	<u>Matheson Tuff</u> light buff to grey fine sandy to silty matrix (matrix to occasional pebbles)	0	-	89	15				
7.7m - 2.4m		03	pebbly, no or small pebbles	6	A	540	30			112	
10.1-11.7		04	<u>70/30/1 (M.V.-MS/G/L)</u> medium to dark grey, fine grained crystalline tuff with widespread fine ash (?) intense to mafic in composition Good reaction with HCl	-	-						
		05	BED ROCK								

BURNT BUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 22.06.19.87 Sondage No: BOR 100 Localisation: Sib 62

Géologue: AM/JL/RM Sondeur: W. G Outil: CB 69073 Métrage: 11.7-45.4

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 9 hr<sup>15</sup> - 12<sup>00</sup>

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 12<sup>00</sup> - 12<sup>15</sup>

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses of HMC (or bedrock)		
				#	dom type	Au	As	calc mpb
0-0.5			Orange					
0.5-32.2			Matheron Till					
1			Light beige to grey fine sandy silty matrix. Slightly pebbly					
2								
3		01	60/40 (MV-M=GR)	1	A	623	4	516
4			5.0 - 40/60/1					
5		02		1	A	96	6	41
6			6.5 - 13.5 (more pebbly)					
7		03	60/40/1 (more pebbly)	1	A	45	17	17
8								
9		04	2.0 - 20/30/1	0	-	57	17	-
10								
11		05		5	A	76	19	86
12								
13								
14								

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 3

BOB 100

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	A4 grains		analysis of HMC (or bedrock)			
				#	dom type	A4	A5	W	calc mpb
12	Δ		13.5-17.0 Very bouldery and cobby till 70/30 matrix (dew)						
13	Δ	06		6	A	110	18	127	161
14	Δ	07		3	A	110	15		27
15	Δ								
16	Δ	08		6	A	234	14		118
17	Δ		17.0-19.5 clayed matrix (medium grey, soft)	0	-	86	17		-
18	Δ	09							
19	Δ		19.5-20.5 back to a pebbly, fine sandy matrix						
20	Δ	10	90/10 MV-M5/GR	3	A	66	29		136
21	Δ		20.5-22.5 Cobby till, clay in matrix 210- <del>matrix</del> matrix						
22	Δ	11	22.5-23.6 pebbly, fine sandy matrix	6	A	140	28		180
23	Δ								
24	Δ	12	23.6-24.0 Small interval of pure soft grey clay in Matheson Till	2	A	206	25		98
25	Δ	13	24.0-27.2 Pebbly till, fine sandy matrix - matrix	1	A	233	17		91
26	Δ		75/25/1						
27	Δ	14		0	-	40	13		-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 3 de 3

BOB 100

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	Au grams		analysis of HMC (or bedrock)		
			#	type	A4	AS	colle ml
1							
2							
3							
4							
25							
26		27.2-28.5 Slightly clayed till pebble content average					
27							
28	15	28.5-30.5 Cobbley till, fine sandy silty matrix 75/25/1	1	A	77	20	45
29		30.5-31.5 Pebbley till, matrix ident					
30	16	31.5-32.2 Sand and gravel un- sorted with silt. High return	3	A	160	16	108
31	17	Slow draining - water laid till??	6	A	82	10	59
32	18	32.2-33.7 Minor contamination from above due to paving on around rods	5	A	37	21	56
33	19 bedrock	Very fine grained, dark grey to green inter, matrix MV (tuff?) Good reaction with HCl Locally magnetic Very homogeneous rock fx with epidote (matrix no sulphide)	-	-			
4							
5							
6							
7							
8							

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 22/06/1977 Sondage No: BIP 101 Localisation: Site 59  
 Géologue: AV 106 FM Sondeur: W (Gardner) Outil: CP 69072 Métrage: 45.4-76.3  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 12 hr<sup>15</sup> - 17 hr  
 TOTAL Problèmes: 14<sup>20</sup> - 15<sup>45</sup> pump out rods to 31.5m  
(cleaned up) (water tank), rod pot, stuck 17 (rod)  
 Contractant (heures) Divers: new bit CB 69072  
 Déplacement sur le site suivant: 7h<sup>15</sup> - 7h<sup>45</sup> (23/06)  
 ECHELLE: 1:100 Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses of HMC (or bedrock)		
				#	dom type	Au	As	calc mpb
0 - 3.5	^ ^		Organic					
3.5 - 10.0	^ ^ ^		<u>Coarse Till</u> medium to coarse to very, compact sandy clay with few pebbles					
5.5 - 8.4	^ ^ ^		<u>Sandy, medium Till</u> light grey / beige fine/medium grained sandy matrix very friable					
7.0	^ ^ ^	01		0	-	23	29	-
3.4 - 10	^ ^ ^		back into a silty matrix with rare pebbles					
10.0 - 11.0	^ ^ ^		<u>O. gibber II</u> pure soft medium gray clay					
11.0 - 33.0	^ ^ ^		<u>Medium Till</u> light grey to beige fine sandy to silty matrix, pebbles, non-erible					
12.0	^ ^ ^	02		1	A	42	15	56
13.0	^ ^ ^	03	40/60/2 MV-MS/GR/L	1	A	46	17	5
11.4 - 11.5	^ ^ ^		granule obble					

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 3

BOR 101

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or Sedrock)			
				#	Type	A <sub>4</sub>	A <sub>5</sub>		
1									
2									
3									
14			14m-19m very pebbly till						
15	Δ	04	60/40/2	1	A	490	13		16
16	Δ	05		7	A	405	21		744
17	Δ								
18	Δ	06		5	A	66	30		569
19	Δ		19-20 Cobblely till						
20	Δ	07	80/20/1	0	-	<12	18		-
21	Δ	08	20-22 low pebbles, sand pebbles matrix dense 80/10	5	A	345	17		264
22	Δ	09	22- granite pebbles	3	A	44	16		59
23	Δ		23-27 3 moderately pebbly till						
24	Δ	10	35/14/1	1	A	<12	25		93
25	Δ								
26									
27									
28									

\* one irregular grain  
\* one irregular grain



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 3 de 3

BOB 101

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)					
				#	dom type	Au	As				
1											
2											
3											
4											
25											
26	△ ○	11	273-31 Clayed sand with very few pebbles. % clay very important medium grey. M. low compact than pure clay O II	0	-	82	13				-
27	△ ○										
28	△ ○	12	31. - 33 back inter <sup>silly, sandy</sup> till, clayed matrix few pebbles, medium grey	1	A	85	20				29
29	△ ○										
30	△ ○	13	312-313 granule cobble	0	-	50	16				-
31	△ ○	14		4	A	1030	21				514
32	△ ○	15									
33	△ ○		330-35.5								
34	△ ○	16	bed rock Strongly altered m. Br-6 Gr <sup>very</sup> fine grained felsic? MV. Well indurated - Very soft to drill → into YBn clay hard to get chips - Rusty color - Non magnetic - reaction with HCl at top	-	-	140	32				-
35											
6											
7											
8			EOH 35.5								

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 23-06-19 95 Sondage No: BOB-102 Localisation: Situ 58

Géologue: AM/DL/RM Sondeur: W.G. Outil: CR 690=2 Métrage: 4.0-42.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 7<sup>45</sup> - 11<sup>30</sup>

TOTAL Problèmes: moving from BOB-102 to 103 had to work out of hole

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 11<sup>30</sup> - 12<sup>00</sup>

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)			
				#	down type	Au	As		calc ppb
1	[Symbol]		3.0-7.0 <u>Cochran's Tail</u> increased to light brown (pale) porous sandy clay with few splint						
2			1.8-42 <u>Gravelly sand</u> within the site fine sand and silt						
3	[Symbol]								
4									
5			5.0-6.6 <u>FSH by the, sandstone matrix</u>						
6	[Symbol]								
7			7.0-9.5 <u>Cochran II</u> Pore water in sandstone						
8	[Symbol]								
9									
10			11.0-11.5 <u>Mottled Tail</u>						
11	[Symbol]		9.5-10.5 <u>sandstone, splint</u>						
12			10.2-13.1 <u>splint, sandstone, green to 11-12</u>	0	-	33	7.0		-
13	[Symbol]		13.1-13.3 <u>matrix sandstone</u>						
14									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 4

BOB 102

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses of HMC (or bedrock)					
				#	dm type	Au	As				
1											
2											
3											
13.8-15	Δ	2	Back onto real till silty, fine sands - matrix 40/60/1 MS-MV/GR/W	1	A	130	<5.6				1475
17.8-19.4	Δ	3	Cobbly, pebbly till fine sandy matrix 60/40/1	1	A	120	<4.9				107
19.4-20.9	Δ	4	White granular pebbles	0	-	211	<4.9				-
19.4-22	Δ	5	less pebbles but very fine matrix clay 70/30/1	0	-	<13	20.0				-
23-27	Δ	6	less pebbly and silty 75/25	8	A	509	26.0				349
	Δ	7		0	-	28	14.0				-
	Δ	8		1	A	92	34.0				83

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 3 de 4

BOP: 102

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)	
				#	dm type	Au	As
1							
2							
3							
4							
5							
6							
7	Δ	9	27.0-27.4 granite boulder				
8	Δ	10	28-28.3 granite boulder	1	A	90	41.0
9	Δ	11	smelted (den) 80/18/3	0	-	27	40.0
10	Δ	12	30.0 low pebbly & pebbly 80/20/1	0	-	90	41.0
11	Δ	13	32.0-32.4 MV boulder				
12	Δ	14	Tuff (den) 90/10/1	0	-	272	42.0
13	Δ	15	34.0-34.2 Granite boulder				
14	Δ	16	35.2-35.7 Granite boulder				
15	Δ	17	35.7-37.0 Pel. in sil				
16	Δ	18	37.0-38.0 Dark sand, (non-saturated), low gravel, non magnetic tuff with petroclastic feldspar & quartzite?? Gentle to medium compaction	0	-	87	41.0
17	Δ	19		-	-		

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 4 de 4

BOF 102

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)			
			#	size type				
1								
2								
3								
4								
5								
6								
37								
38	14	<p>No contamination                      Only 1 meter of rock was                      drilled from a high torque                      point at 38 metres</p> <p>ECH 38.10</p>						
39								
40								
41								
42								
43								
44								
45								
46								
47								
48								

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 23-06-1997 Sondage No: PRP 102 Localisation: Site 55

Géologue: AM/dk/RM Sondeur: WG Outil: CB 69074 Métrage: 0 - 32.4

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 12<sup>00</sup> - 15<sup>30</sup>

TOTAL Problèmes: rod stuck in hole when pulling at end

Contractant (heures) \_\_\_\_\_ Divers: new bit CB 69074

\_\_\_\_\_ Déplacement sur le site suivant: 15<sup>30</sup> - 15<sup>45</sup>

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyse of HMC (or bedrock)			
				#	dom type	Au	As		code m/s
0-1.5			<u>Copious Till</u> <u>Brown pebbly clay</u>						
1.5-30.9			<u>Mottled Till</u> <u>Slightly clayed at top</u> <u>Fine sandy silty matrix. Pebbly till</u>						
		01							
		N5	<u>20/80 MV-MS/GR</u>						
2.0-3.0			<u>Noxton</u>	1	A	34	7.8		14
3.5-3.9		01	<u>White granite boulder</u>						
3.9-5.5			<u>Cobbly till, clay in matrix</u>						
5.5-5.9		N5	<u>Granite boulder</u>						
5.9-8.6		02	<u>Pebbly + Cobbly till</u> <u>Fine sandy silty matrix</u> <u>65/35/2</u>	5	A	77	13.0		109
8.6-11.6		03	<u>Very pebbly till, rare pebble</u>	4	A	865	17.0		888
11.6-13.2			<u>Clay in matrix</u>						
		04		3	A	380	24.0		125
		05		1	A	63	19.0		294
		06		1	A	42	12.0		235

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 3

BOB-103

Profondeur (M)	Log graphique Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)		
			#	form type	Au	As	
1							
2							
13							
14	07		0	-	<13	8.3	-
15		15.0-17.5 Fine matup - clay ?? Low pebbly					
16	08		0	-	40	14.0	-
17		17.5-21.2 Med pebbly and cobbly coarser matrix than before					
18	09	Sandy silty matrix 70/29/1	0	-	46	11.0	-
19							
20	10		0	-	55	32.0	-
21	11		1	A	180	37.0	190
22	12	21.2-21.4 Granite boulders 21.4-24.6 Cobble & pebbly till matrix clay 85/14/1	0	-	42	28.0	-
23							
24	13		0	-	47	35.0	-
25	14	24.6-24.7 med cobble	0	-	<12	22.0	-
26							
27							
28							

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 3 de 3

BOB 103

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)				
				#	dm type	Au	As			
1										
2										
3										
4										
25			25.5-28.9 less pebbly and cobbly matrix dense							
26		15	70/30/1	0	-	463	26.0			-
27										
28		16		0	-	40	41.0			-
29		N/S	28.9-29.2 granite boulder							
30			29.2-30.9 Clay matrix							
31		17	30.9-32.4	0	-	48	58.4			-
32		18 Bedrock	Dark green to black, homogeneous fine grained mafic metavolcanic (diabase) with minor disseminated sulfides (pyrite). Massive looking. Non magnetic no reaction with HCl Minor epidote/chlorite etc	0	-					
33										
34										
35										
36										
37										
38										



**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 23-24/6 19 87 Sondage No: ROP 104 Localisation: Site 54  
 Géologue: AM/CH/RM Sondeur: W/G Outil: CB 69074 Métrage: 22.4-64.4  
CB 69075 0-6.4  
 Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 23-06/87 15<sup>45</sup>-17<sup>15</sup> 24-06-87 7<sup>15</sup>-9<sup>45</sup>  
 TOTAL Problèmes: 23-06-87 17<sup>15</sup>-18<sup>30</sup> change bit + hydraulic problems  
24-06-87 7<sup>45</sup>-8<sup>05</sup> clay stick in rods  
 Contractant (heures) \_\_\_\_\_ Divers: New bit CB 69075  
 Déplacement sur le site suivant: 9<sup>45</sup>-10<sup>15</sup>

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grams analysis of HMC (or bedrock)				
				#	dom type	Au	As	calc ppb
0-0.4			Oxide					
0.4-2.3			<u>Cochran Till</u> Medium brown to green sandy clay with few pebbles					
2.3-35.1			<u>Matheson Till</u> Fine sandy/silty matrix, light beige to grey					
4.0-6.0/2			Ms-MV/GF/L	0	-	57	<5.6	-
4.5-8			Cobbly till	0	-	214	14.0	-
8-10			hard cobbly pebbly, matrix idem					
10-13			Pebbly and cobbly till	0	-	56	20.0	-
		04		0	-	<14	18.0	-
		05		6	A	236	17.0	171
		06		7	A	120	21.0	49

\*one avg. grain

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 4

BOP 104

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses of HMC (or bedrock)			
				#	dom type	Au	As		calc m/s
13.0-14.5			Pebbly till, matrix calc 70/30/1						
14.5-17.3		07	Box return, fine matrix * one meg grain	4	A	140	21.0		69
17.3-18.4		08	Clay w/ matrix, less pebbly	1	A	72	10.0		32
18.4-21		09	Pebbly & pebbly till 60/40/1	0	-	88	7.1		-
21.0-22.5		10	Good return. Very sandy	5	A	<15	<6.0		104
22.5-23		11	Return below normal very fine sandy to silty matrix	0	-	<13	<8.6		-
23-24		12	light grey to beige	0	-	26	11.0		-
24-25		13	85/15/1 Slightly pebbly, matrix	1	A	<16	41.0		

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 3 de 4

BOB 104

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)		
				#	corn type		W	
1								
2								
3								
4								
5								
26								
27	△	14	28-30.5 Cobble till, slightly coarse matrix 90/10	3	A	74	28.0	-
28	○							
29	○	15		1	A	1230	38.0	1341
30	○							
30.5-30.9	▨	N/S	Granite boulder					
30.9-32.5	○	16	Pebbly till, fine sand to silty matrix, light brown clay	1	A	74	27.0	1500 40
32.5-35.1	○	N/S	Clayey till, not very pebbly					
33	○	17		0	-	24	32.0	-
34	○							
35.1-36	○	18	Mississippi Sediments Oolite II - Fine hard clay, some to dark grey	7	A	1450	42.0	703
36	○	NE						
36.-36.8	○	19	Laminated very fine sanding - Good return. Sandy, silty matrix less pebbly	2	A	<15	13.0	16
37	○							
38								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 4 de 4

BOP 104

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyse of FANC (or lead)					
				#	form type	Au	As				
1											
2											
3											
4											
5											
6											
37			26.8 (37?) - 38.4 bedrock								
38		20 bed rock	Black to dark grey, fine grained meta-siltstone (?) (type 1) with disseminated pyrite (1-2%) up to 50 cm abundant quartz, varying from 40 cm	-	-						
39			27.5-37.7 clay - medium grey with fine to 10 depth								
0			Moderate to coarse sandstone (poorly sorted)								
1			Non magnetic								
2			impure sandstone H <sub>2</sub> O								
3											
4											
5											
6											
7											
8											

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 24.04.1987 Sondage No: POP 105 Localisation: 9.10 = 7

Géologue: AM/RM Sondeur: W G Outil: CB 69075 Métrage: 6.4 - 26.4

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 10<sup>15</sup> - 12<sup>30</sup>

TOTAL Problèmes: planned (up) water tank 12<sup>30</sup> - 13<sup>00</sup>

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 13<sup>00</sup> - 13<sup>15</sup>

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (in bedrock)		
				#	dom type	Au	As	calc Mb
0-0.9			Organic					
0.9-1.25			Matheron Till					
1.5-5.0		01	Sand and gravel, cobbly at top, no pebbles, medium to coarse sandy matrix rounded clast? (Fines were washed out by surface water to river?)	4	A	974	<13.0	1873
5.0-8.4		02	Fine, sandy/silty matrix light base 40/60/2 MS-MV/GR/L	0	-	<17	17.0	-
8.4-8.9		03	granite boulder	1	A	88	<9.9	31
2.9-13.2		04	Very fine sand, silty and clayed matrix. Not very fine nor silty 20/20/1	<del>1</del>	<del>A</del>	<del>260</del>	<del>25.0</del>	<del>-</del>
11-12		05	red bedded to tan (red) rhyolite; very clayed matrix	0	-	53	29.0	-
13.2-13.4			granite boulder					

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 2

BOB 105

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (on bedrock)		
				#	Sam Type	Au	As	
1								
2								
3								
13.4-14.5		06	Slightly coarse matrix, less clay	3	A	93	33.0	43
14.5-14.9		N/S	Pink granite breccia	<del>1</del>	<del>A</del>	<del>1</del>	<del>1</del>	
14.9-16.3		06	Cobbly and Pebbly till	<del>1</del>	<del>A</del>	<del>1</del>	<del>1</del>	
16.3-16.45		07	Boulders	3	A	120	38.0	631
16.45-17		07	matrix dense 70/30/2	<del>1</del>	<del>A</del>	<del>1</del>	<del>1</del>	
17-18		08	clay w/ matrix 80/20	0	-	28	40.0	-
18.5-20		BED ROCK 09	Bedrock Dark grey to black, very fine grained, mafic MV or metabasalt Non-sensitized. 1-2% dissemi- nated pyrite (pyrite) Weak HCl response for the first 20-30 cm Matrix sandstone 19-19.5 19.5-19.5 matrix 19.5-20 sandstone matrix with HCl, very purple  Weak to no response	-	-			
20								
21								
22								
23								
24								
25								
26								
27								
28								

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 24-25/06 19 27 Sondage No: FB 106 Localisation: S.5) 56  
 Géologue: AM/RM Sondeur: W.G. Outil: CB 69074 Métrage: 26.4 - 59.2  
69092  
 Poste (heures) \_\_\_\_\_ à \_\_\_\_\_ Sondage: 13<sup>15</sup> - 17<sup>15</sup> (24-06) 07-06-7<sup>00</sup> - 8<sup>00</sup>  
 TOTAL Problèmes: 16<sup>40</sup> - 17<sup>15</sup> changed bit at 32.8  
7<sup>00</sup> - 8<sup>15</sup> run bit in debris during use - flat on 15m  
 Contractant (heures) \_\_\_\_\_ Divers: new bit 69092  
 Déplacement sur le site suivant: 7<sup>00</sup> - 8<sup>30</sup>

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains analysis of HMC (or bedrock)				
				#	dom type	Au	As	calc mg
0-1.0	^ ^ ^		<u>Cochranes Till</u> <u>Brown clay with sm. pebbles</u>					
1.0-15.8	Δ Δ Δ	01	<u>Matherons Till</u> <u>32.8 fine sandy silty, light base to grey massive</u>	0	-	56	<10.0	-
1.0-6.0	Δ Δ Δ	02	<u>Cobbles till</u> <u>40/60</u>	1	A	87	<11.0	14
6.0-8.2	Δ Δ Δ	03	<u>Low pebbly till</u> <u>50/50</u>	0	A	<16	35.0	-
6.0-8.2	Δ Δ Δ	04		5	A	120	<11.0	87
8.2-8.7	Δ Δ Δ	05	<u>MV boulders</u>					
8.7-11.0	Δ Δ Δ	06	<u>Cobbly till</u> <u>60/40/1</u>	4	A	110	<11.0	198
11.0-11.8	Δ Δ Δ	07	<u>clay in matrix</u>	3	A	150	22.0	109
11.8-15.8	Δ Δ Δ		<u>Fine rhyolite, argilla- ceous to silty. Row pebbles, su- ccible. Transitional contact with unit above. Return below average</u>	0	-	96	<12.0	

*corrected  
error or  
+ sect.??*

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 3

BOP 106

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyse of HMC (or bedrock)			
				#	don't type	Au	As		calc m/s
1			<p><del>ENTIRE SECTION MT/MS/LT assigned to MATHESON TILL IN CROSS-SECTION (similar till above and below clay,</del></p>						
2									
3									
4									
5		08	<p align="center"><u>MISSISSAUGA SEDIMENTS</u></p> <p>16.5-17.5 (Silty clay)</p>	0	-	34	15.0		-
6		N/S							
7		09	<p><del>16.5-17.5 LOWER TILL</del></p> <p>17.5-18.4 (Silty clay)</p>						
8		N/S							
9		03	<p>18-18.4 (Silty clay)</p>	1	A	50	14.0		60
10		10	<p>18.4-23.2 (Silty clay)</p> <p>fine sand, with (Silty clay, fine sand) near</p>	1	A	367	19.0		51
11		11	<p>23.2-26.4 (Silty clay)</p>	0	-	418	40.0		-
12		12	<p>26.4-28.7 (Silty clay)</p>	0	-	88	52.3		-
13		N/S							
14		12	<p>28.7-30.0 (Silty clay)</p>	0	-	48	98.7		-
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									



**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 3 de 2

P. 11

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au primaire		analyses of HMC (on bedrock)			
				#	down type	Au	As		
1									
2									
3									
4									
5									
6	14	14	23.4-25.0 clayey sand 15/13/2	0	-	19	29.0		-
7	15	15	25.0-26.0 clayey sand, sandy clay not very plastic	0	-	49	50.5		-
8	16	16		1	A	160	43.0		149
9	17	17	26.0-27.5 sandy silt 15/15/1	0	-	64	53.1		-
10	18	18	27.5-29.0 silty clay less plastic	6	A	341	74.9		318
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									
31									
32									
33									
34									
35									
36									
37									
38									
39									
40									
41									
42									
43									
44									
45									
46									
47									
48									
49									
50									
51									
52									
53									
54									
55									
56									
57									
58									
59									
60									
61									
62									
63									
64									
65									
66									
67									
68									
69									
70									
71									
72									
73									
74									
75									
76									
77									
78									
79									
80									
81									
82									
83									
84									
85									
86									
87									
88									
89									
90									
91									
92									
93									
94									
95									
96									
97									
98									
99									
100									

hole abandoned at 32.8  
bit broken at 32.8m, went down  
with new bit, broke new bit at  
21.5m.

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 25-06-19 77 Sondage No: ROP 107 Localisation: Site 53

Géologue: A.M. G.F.K. Sondeur: W.G. Outil: CB 690 97 Métrage: 0-36

Poste (heures) \_\_\_\_\_ CB 690 96 0-4.1

à \_\_\_\_\_ Sondage: 8<sup>30</sup> - 16<sup>00</sup>

TOTAL Problèmes: 10<sup>45</sup> - 15<sup>15</sup> changed head rod, play (Tuc) in part; no return

Contractant (heures) Divers: new bit CB 690 97 + new sub: new bit CB 690 96

Déplacement sur le site suivant: #CB 690 97 still good 30' short hole 16 - 16 45

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyse de HMC (or bedrock)		
				#	don't type	Au	As	value M <sup>3</sup>
0-0.5			Dynamic					
0.5-1.5			Cochran's Test medium to fine sandy clay homogeneous					
1.5-26.6		01	Mottled Test fine to medium sand with some silt and clay	0	-	<15	<10.0	-
1.5-7.0		02	Widely graded fine sand	0	-	110	<13.0	-
7.0-10			10-50-8 fine to medium sand with some silt and clay	1	A	110	<14.0	6
10.0-7.0			fine to medium sand with some silt and clay	0	-	79	<12.0	-
				0	-	36	<12.0	-
10.0-16.5			10-50-8 fine to medium sand with some silt and clay	1	A	3280	14.0	3460
				0	-	160	22.0	-

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 4

P.N.F. 107

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses d'UIC (or bedrock)		
				#	taille	Au	As	
1								
2								
3								
4	Δ			6	A	160	14.0	98
5	Δ							
6	Δ		16.5-20.0 m. ...	4	A	97	16.0	190
7	Δ							
8	Δ			6	A	180	24.0	109
9	Δ							
10	Δ			1	A	150	13.0	88
11	Δ							
12	Δ			1	A	140	13.0	35
13	Δ							
14	Δ			4	A	130	18.0	130
15	Δ							
16	Δ			1	A	<14	14.0	40
17	Δ							
18	Δ			3	A	<13	6.8	37
19	Δ							
20	Δ			0	-	65	5.1	-

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 3 de 4

P.O.F. 107

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyse de <sup>MC</sup> (or bedrock)			
				#	donnée type	Au	As		
1									
2									
3									
4									
5									
6									
27			26.6-30 E <sup>1</sup> Sand & Gravel						
28		17	For 30m (see 27) (medium) grains, color (see 27) (see 27) Very poor bedding	1	A	160	9.4		101
29			Harder than D						
30			20.5-30.7 <sup>1</sup> Sand & Gravel (see 27) (see 27) (see 27) bed						
31	Δ	18	For 30m (see 27) (see 27) (see 27) bed	1	A	42	53.8		23
32	Δ								
33	Δ	19	25/15 MV-MG/GR	1	A	55	45.0		44
34	Δ								
35	Δ		30.7-38.6 Very coarse bed	1	A	110	37.0		16
36	Δ								
37	Δ								
38	Δ								



**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 26-06-1987 Sondage No: POP 108 Localisation: site 52

Géologue: AM/PM Sondeur: W/G Outil: CB 69096 Métrage: 41-25.1

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 7<sup>h</sup> 30 - 9<sup>h</sup> 45

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 9<sup>h</sup> 15 - 10<sup>h</sup> 15

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyse de 47 MC (at bedrock)		
				#	down type	Qu	As	vale MP%
0-2.5			Sponnes					
2.5-7.6			Cochonnet Till Clayey till with few pebbles medium to dark grey. Harder near surface, softer down section					
50-56			sand and gravel Gradual contact with Subway II					
7.6-9.0			Subsoil II Fine soft grey clay					
9.0-22.6			10-11 m till fine to medium sand and gravel with some clay pebbles	4	A	286	<230.0	725
		01		1	A	<470	X	33
		02		3	A	50	7.3	75

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 3

F 12 103

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	Au grams		analysis of HMC (or bedrock)		
			#	type	Au	As	
1							
2							
3							
4	04	138-142 Medium sand					
4	04	142-145 Coarse sand & pebbles with some small stones, no motu	↓	↓	↓	↓	
5	04		6	A	110	11.0	93
6	04						
6	04	145-148 fine ph. very pebbly with some small stones	3	A	230	11.0	210
7							
8			6	A	140	11.0	181
9							
10			6	A	382	34.0	306
20		200-213 soft yellow loam with small stones 214-215					
21		213-215 fine sand	1	A	60	51.3	7
22							
23		215-216 Coarse sand & pebbles	0	-	69	11.0	-
24							
24		216-217 medium sand	4	A	32	26.0	152
25		217-218 Coarse sand, not sampling					
26			0	-	203	11.0	-
27			5	A	223	32.0	306

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 3 de 3

POP. 179

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grams		analysis of HMC (or bedrock)	
				#	form type	Au	As
1							
2							
3							
4							
5							
6							
27							
28	13	13	23.0-28.1 Fine sand, local rich in iron - Non magnetic - No reaction with HCL - Homogeneous	10	-	<16	84.8
29	13	13					
20	14	14	- Homogeneous - fine white pyrite 29.0-29.5 - Dark sand with local iron pyrite	-	-		
31	BECK						
2							
3							
4							
5							
6							
7							
8							



**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 26-06-1987 Sondage No: BOF 102 Localisation: Site 51

Géologue: AM/RM Sondeur: W/G Outil: CB69096 Métrage: 35.1-72.2

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 10<sup>15</sup>-13<sup>15</sup>

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 12<sup>15</sup>-13<sup>30</sup>

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (in bedrock)		
				#	less fines	D <sub>4</sub>	P <sub>5</sub>	calc %
0-0.3	▲▲▲▲		Organic					
0.4-2.0	▲▲▲▲		Coarse sand Very clean, washed, with few pebbles					
2.0-3.9	▲▲▲▲		Medium sand Mostly clean, some pebbles					
4.0-5.9	▲▲▲▲	01	Very clean, washed, with few pebbles	1	A	47	30.0	42
6.0-7.5	▲▲▲▲	02	Very clean, washed, with pebbles, Pebbles	1	A	72	24.0	18
7.5-10.5	▲▲▲▲	03	Very clean, washed, with pebbles	5	A	190	18.0	105
10.5-11.6	▲▲▲▲	04	Very clean, washed, with pebbles	6	A	303	18.0	139
11.6-12.5	▲▲▲▲	05	Very clean, washed, with pebbles	0	-	100	43.0	-
12.5-15.4	▲▲▲▲	06	Very clean, washed, with pebbles	1	A	48	12.0	164

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 2

P.02-104

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses (HMC (or bedrock))		
				#	Lim Type	Au	As	
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14		07		0	-	219	<6.2	-
15			15.4-16.9 Fine matrix, fine sandy to silty. Very pebbly					
16		03	50/50	1	A	35	6.7	26
17			16.9-19.2 Matrix sand, low silty					
18		09		1	A	60	<6.1	17
19			19.2-19.5 Fine sand to, high silty coarse matrix siltstone and sandstone					
20		10	fine matrix	0	-	95	<6.0	-
21			19.5-19.9 Gravelly sandstone					
22		N/A	19.9-22.1 Pebbly & cobble till Fine matrix 50/50/2	0	-	160	15.0	-
23		11						
24			22.1-23.8 Variable matrix (size) Fine sandy to medium sand, silty					
25		12	75/25/2	0	-	<17	33.0	-
26								
27		13		0	-	<17	46.0	-
28								
29		14		1	A	54	30.0	25
30								

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 3 de 3

BOP 109

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses of ... (y bedrock)				
				#	type	Au	As			
1										
2										
3										
4										
25			22.8-23.0 Fsking till, fine sand to siltstone							
26	A		30/10							
27	15		23.5-24.4 Clay in matrix, not very plenty LOT of matrix	1	A	110	33.0			82
28	12			1	A	33	20.0			14
29			27.4-31.9 Shaly siltstone, matrix is siltstone claystone not pure & w/ flakes. Lots of samples	0	-	61	95.0			-
30										
31			31.9-32.0 Fine sand very clay	31	3-2	45	MS			
32			32.0-34.0 Sandy clay with siltstone	24	5-	25	LT			
33			24.2-24.3 Fine sand clay	(18)	1	A	56	142.0		11
34			24.3-24.5 Sandstone with fine siltstone	(19)	5	A	140	41.0		154
35			24.5-24.8 Sandstone siltstone							
36			24.8-25.0 Sandstone siltstone							
37			25.0-25.1 Sandstone siltstone							
38			25.1-25.2 Sandstone siltstone							
39			25.2-25.3 Sandstone siltstone							
40			25.3-25.4 Sandstone siltstone							
41			25.4-25.5 Sandstone siltstone							
42			25.5-25.6 Sandstone siltstone							
43			25.6-25.7 Sandstone siltstone							
44			25.7-25.8 Sandstone siltstone							
45			25.8-25.9 Sandstone siltstone							
46			25.9-26.0 Sandstone siltstone							
47			26.0-26.1 Sandstone siltstone							
48			26.1-26.2 Sandstone siltstone							
49			26.2-26.3 Sandstone siltstone							
50			26.3-26.4 Sandstone siltstone							
51			26.4-26.5 Sandstone siltstone							
52			26.5-26.6 Sandstone siltstone							
53			26.6-26.7 Sandstone siltstone							
54			26.7-26.8 Sandstone siltstone							
55			26.8-26.9 Sandstone siltstone							
56			26.9-27.0 Sandstone siltstone							
57			27.0-27.1 Sandstone siltstone							
58			27.1-27.2 Sandstone siltstone							
59			27.2-27.3 Sandstone siltstone							
60			27.3-27.4 Sandstone siltstone							
61			27.4-27.5 Sandstone siltstone							
62			27.5-27.6 Sandstone siltstone							
63			27.6-27.7 Sandstone siltstone							
64			27.7-27.8 Sandstone siltstone							
65			27.8-27.9 Sandstone siltstone							
66			27.9-28.0 Sandstone siltstone							
67			28.0-28.1 Sandstone siltstone							
68			28.1-28.2 Sandstone siltstone							
69			28.2-28.3 Sandstone siltstone							
70			28.3-28.4 Sandstone siltstone							
71			28.4-28.5 Sandstone siltstone							
72			28.5-28.6 Sandstone siltstone							
73			28.6-28.7 Sandstone siltstone							
74			28.7-28.8 Sandstone siltstone							
75			28.8-28.9 Sandstone siltstone							
76			28.9-29.0 Sandstone siltstone							
77			29.0-29.1 Sandstone siltstone							
78			29.1-29.2 Sandstone siltstone							
79			29.2-29.3 Sandstone siltstone							
80			29.3-29.4 Sandstone siltstone							
81			29.4-29.5 Sandstone siltstone							
82			29.5-29.6 Sandstone siltstone							
83			29.6-29.7 Sandstone siltstone							
84			29.7-29.8 Sandstone siltstone							
85			29.8-29.9 Sandstone siltstone							
86			29.9-30.0 Sandstone siltstone							
87			30.0-30.1 Sandstone siltstone							
88			30.1-30.2 Sandstone siltstone							
89			30.2-30.3 Sandstone siltstone							
90			30.3-30.4 Sandstone siltstone							
91			30.4-30.5 Sandstone siltstone							
92			30.5-30.6 Sandstone siltstone							
93			30.6-30.7 Sandstone siltstone							
94			30.7-30.8 Sandstone siltstone							
95			30.8-30.9 Sandstone siltstone							
96			30.9-31.0 Sandstone siltstone							
97			31.0-31.1 Sandstone siltstone							
98			31.1-31.2 Sandstone siltstone							
99			31.2-31.3 Sandstone siltstone							
100			31.3-31.4 Sandstone siltstone							

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 26-02-1972 Sondage No: POP 11 Localisation: Site 50

Géologue:                      Sondeur:                      Outil: CP 69707 Métrage: 0-22.5

Poste (heures)                     

à                      Sondage:                      - 17<sup>00</sup>

TOTAL Problèmes: 10h30-11h working on GT 1000 which broke down

300 m before BOB-111 (27/6)

Contractant (heures)                      Divers:                     

Déplacement sur le site suivant:                      7h30-11h45

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyse de HMC (or bedrock)			
				#	type	Au	As		calc
0-1.2									
1									
2									
3									
4			4.1-6.0 <u>Oyibany II</u>						
5		01	6.0-6.1 <u>For</u>	2	A	54	31.0		91
6			6.0-20.2 <u>Matheson Tall</u>						
7		02		1	A	47	16.0		144
8									
9		03		2	A	2610	12.0		1341
10				1	A	62	<10.0		39
11									
12		04		↓	↓	↓	↓		
13		05		1	A	709	13.0		842
14									

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 3

P.P.P. 110

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Analyses		analyses of HMC (or bedrock)		
				#	son type	Qu	As	
1								
2								
3								
4	36	NS	13.2-14.0 Fine sandy silty light to medium grey matrix calc. clay (slaw to hard, not fused) Pebbly till	↓	↓	↓	↓	
5	15			0	-	30	17.0	-
6			14.0-14.2 (sample for test)	1	A	75	<10.0	142
7			14.2-16.0 Till like 13.2-14.					
8	39		16.0-16.3 Ojibwan I ?? Brown hard silty clay	0	-	63	<11.0	-
9			16.3-20.1 Lower till ??	4	A	390	<12.0	447
10	13	NS	16.3-20.1 Fines silty hard medium grey silty matrix	↓	↓	↓	↓	
11	10			6	A	652	<11.0	168
12	12		20.1-20.25 Fines silty hard 20.25-21.0 Fines silty hard 16.3-20.1	↑	↑	↑	↑	
13			21.0-21.5 Fines silty hard 21.5-21.6 Fines silty hard	0	-	95	59.0	-
14	11		21.6-22.2 Fines silty hard	↑	↑	↑	↑	
15			22.2-23.0 Fines silty hard Fines silty hard					
16			23.0-23.9 Hard silty clay with few pebbles					
17			23.9-24.5 Very hard silty clay silty					
18			24.5-24.7					

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 3 de 3

B0B-110

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)				
				#	corn type	Au	As			
1			NOTE: FROM CROSS-SECTION, the entire fill sequence (6.0-26.2) has been assigned to the <u>MATHESON TILL</u>							
2										
3										
4										
25			24.5-26.2 Very clayey sand with fine (fine) particles							
26		12	80/20	1	A	390	99.0			26
27		13	26.2-28.5 Bedrock							
28			First 20 cm is silty clay very soft dark grey with clay							
29			Deposited in water with clay to block, coarse sand particles with silty clay matrix							
30			(from 26.2-27.5 m). Local west clayey sand non magnetic							
1			red brownish HCL							
2			No sample							
3			From 27.5-28.5 m. red to dark grey silty clay							
4			with silty clay matrix							
5										
6										
7										
8										

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 27/6 1987 Sondage No: BOB-111 Localisation: site 119

Géologue: JL/RM Sondeur: WG Outil: CB69090 Métrage: 28.5-53.8

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 11h45 - 14h30

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: moving to next site - cut road / brushcreek

\_\_\_\_\_ Déplacement sur le site suivant: 14h30 - 18h30 7h - 9h15 (28/6)

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of IINC (or bedrock)		
				#	down type	Au	As	calc mg
0-1.0			ORGANICS					
1.0-5.0			COCHRANE TILL grey soft sandy clay few pebbles					
3.8-4.0			wh GR bldr					
5.0-6.7			QJIBWAY II SEDIMENTS pure soft lt grey clay					
6.7-23.8			MATHESON TILL fine sandy silty light grey matrix pebbly 70/30 MV, MS/GR contact with overlying clays abrupt.					
7-8		01		1	A	89	33.0	46
8-9		02		2	A	61	12.0	46
9-10		03		0	-	51	15.0	-
10-11		04		0	-	45	28.0	-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-111

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)							
				#	form type	A <sub>4</sub>	A <sub>5</sub>						
1													
2													
13													
14	Δ	05	relatively homogeneous sandy silty till	0	-	140	19.0					-	
15	Δ	06		1	A	37	17.0					67	
16	Δ	07		1	A	230	22.0					38	
17	Δ	08		0	-	65	17.0					-	
18	Δ	09		0	-	41	28.0					-	
19	Δ	10	23.8 - 25.3 BEDROCK	6	A	48	17.0					83	
20	Δ	11	fine to medium grained silicic to intermediate (biotitic) tuff pronounced foliation	0	-	44	23.0					-	
21	Δ	12	v. minor py at top (w.o.s.) smeared in foliation planes (sheared?) v. minor HCl reaction	-	-								
22	▨	BEDROCK	light to med grey last metre is darker grey and more resembles biotite schist (metasediment)										
23													
24													
25													
26													
7													
8													

EOH 25.3



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 28/6 1987 Sondage No: BOB-112 Localisation: site 121

Géologue: JL/AM Sondeur: WG Outil: CB69090 Métrage: 53.8-78.9

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 9h15 - 11h15

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: 11h15 - 12h clean tanks fill with water

Déplacement sur le site suivant: 12h - 12h15

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of AMC (or bedrock)								
				#	corn type	Au	As							
0			0-0.2 <u>ORGANICS</u>											
0.2			0.2-9.5 <u>COCHRANE TILL</u>											
0.2			0.2-4.5 light grey sandy clay, few pebbles											
4.5			4.5-7.5 few pebbles, no fines											
7.5			7.5-9.5 poor return, silty, clayey, few pebbles											
9.5			9.5-14.5 <u>OJIBWAY II SEDIMENTS</u>											
9.5			9.5-12.5 pure soft light grey clay, watery with thin interbeds fine light brown sands											

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 2

BOB-112

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyse of HMC (or bedrock)		
				#	down Type	Au	As	
11								
12			12.5 - 14.5 fine to medium sands, well sorted, minor gravel, pebbly					
13			interbeds grades downwards to coarse sand, minor gravel					
14								
15		01	<u>14.5 - 23.6 MATHESON TILL</u> fine sandy, silty light beige-grey matrix	1	A	190	22.0	85
16			pebbly 60/40 (MS, MV/GR)					
17		02		0	-	57	16.0	-
18								
19		03	17.0 - 20.0 pebbles ~ 70/30 (MS, MV/GR)	4	A	64	29.0	82
20		04		4	A	280	24.0	141
21		05	20.0 - 23.6 pebbles ~ 60/40 as before	1	A	26	14.0	34
22								
23		06	22.8 - 23.0 possibly a coarse sand and gravel interval	0	-	<20	17.0	-
24		07	<u>23.6 - 25.1 BEDROCK</u>					
25			fine to medium grained dark grey biotite-hornblende schist (metased.) v. minor sf v. minor quartz vein with sulfide no HCl reaction	-	-			
26								
27								
28			<u>25.1 EOH</u>					

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 28/06 1987 Sondage No: BOB-113 Localisation: NW 120

Géologue: AM/LL Sondeur: GWG Outil: CB 69095 Métrage: 0-26.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 12<sup>15</sup> - 15<sup>00</sup>

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: new bit CB 69095

Déplacement sur le site suivant: 15<sup>00</sup> - 16<sup>15</sup> (had to get fuel & byranks from  
At the G1000)

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)		
				#	Grain Type	Au	As	calc Hb
0-0.2			Organic					
0.2-1.5			<u>Cobble Till</u> Medium brown to medium grey - down section sandy clay with few pebbles					
1.5-24.9		01	<u>Matrix Till</u> Fine sandy to silty, light beige, grey green matrix 1.5-5.5 Cobble till	0	-	260	<10.0	-
5.5-5.8		02	Ms boulder					
5.8-7.0		02	Pebbly till					
7.0-7.6		02	Medium sand, no pebbles					
7.6-7.8		02	Ms boulder					
7.8-8.5		NE	Cobble, matrix, ms dominantly					
8.5-10.4		03	Pebbly till, matrix silt	1	A	66	<6.7	19
10.4-12.2		04	medium-coarse graded sand, pebbly	2	A	375	<6.7	486
From 8.5 to 16.0		05	pebbly till, sand & gravel	0	-	92	9.5	-

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 2

BOB 113

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)			
				#	form type	Au	As		calc ppb
12.2-12.6			till						
12.6-13.5		06	gravel, very little sand	0	-	49	27.0		-
13.5-14.1			till, matrix as usual						
14.1-14.5		N/S	Ms boulder						
14.5-16.0		07	Back in till, light greenish grey fine sandy silty matrix	0	-	64	11.0		-
			75/24/1 Ms-MV/GR/L						
16.0-18		08	pebbly till, matrix w decreasing exposure, now silty	1	A	40	11.0		15
18.0-19.7		09	Low return, flake of grey hard clay flakes (not pure) mixed with silt	1	A	50	21.0		9
			Slightly pebbly						
19.7-22.2		10	Pebbly till, coarse matrix fine sd & matrix	0	-	78	20.0		-
22.2-22.4		11	Cobbles, no matrix						
22.4-24.9			Pebbly till with clayey till 85/15	0	-	<16	27.0		-
24.9-25.0		12	Ojibway I	0	-	<18	84.0		-
			Fluvial grey clay						
25.0-26.5		13	Bedrock easy to drill						
			fine to medium grained black, with pholite bluish schist (metasediment) no reaction with HCl, non magnetic very much spgule						
25.5-26.2			very mixed quartz vein						
26.2-26.5			rocky look some felsic in composition						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 28/6 1987 Sondage No: BOB-114 Localisation: site 122

Géologue: JL/AM Sondeur: WG Outil: CB69095 Métrage: 26.5-28.0  
CB69137 0-37.4

Poste (heures) \_\_\_\_\_  
 à \_\_\_\_\_ Sondage: 16h15 - 20h00

TOTAL Problèmes: BIT LEAKS change at 1.5m

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB69137

Déplacement sur le site suivant: 7h-9h15 (29/6)

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	A <sub>4</sub> grains		analysis of HMC (or bedrock)			
				#	dom type	A <sub>4</sub>	A <sub>5</sub>		
0	>>>		0-2.2 <u>ORGANICS</u>						
2.2	>>>		2.2 - 11.3 <u>COCHRANE TILL</u>						
3	△/△		light grey sandy clay few pebbles						
4	△/△								
5	△/△								
6	△/△								
7	△/△								
8	△/△								
9	△/△		9.6 - 10.9 no return - water seam						
10	△/△								
11	△/△		11.3 - 25.0 <u>MATHESON TILL</u>						
12	△/△	01	fine sandy silty light beige grey matrix pebbly 60/40/1 (MS, MV/BR/LS)	4	A	100	31.0		53
13	△/△								
14	△/△								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB - 114

Page 2 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HM C (or bedrock)		
				#	dm type	Au	As	calc Mb
11								
12								
13								
14	△	02	relatively homogeneous fine sandy, silty, pebbly fill.	1	A	60	35.0	22
15	△	03		6	A	25	37.0	104
16	△	04		4	A	339	26.0	215
17	△	05		1	A	130	34.0	32
18	△	06		1	A	28	14.0	17
19	△							
20	△							
21	△		21.2 - 21.5 dark grey MS boulder					
22	△	07		1	A	550	19.0	145
23	△	08		1	A	33	21.0	14
24	△		24.0 - 24.4 dark grey MS boulder					
25	△	N/S	24.4 - 24.6 pink and black GR boulder					
26	△		24.6 - 25.0 white GR boulder					
27								
28								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BoB-114

Page 3 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses of HMC (on bedrock)		
				#	form type	Au	As	calc mg
1								
2								
23								
24								
25			25.0 - 37.4 <u>MISSISSAUGA SEDIMENTS</u>					
26		09	25.0 - 32.9 coarse to medium sands and sandy gravels gravels ~ 30/70 (MS, MV/GK)	4	A	1490	9.3	2561
27			few interbeds fine sands very high return					
28		10		8	A	160	<8.6	1006
29								
30								
31		11		3	A	1390	<8.1	794
32								
33		N/S	32.9 - 33.1 hard pure grey clay					
34			33.1 - 37.4 return to sand and gravel, but with slightly more fine sand interbeds					
35		12		6	A	1900	<9.0	1216
36								
37								
38								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BoB-114

Page 4 de 4

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	Au grams		analysis of HMC (or bedrock)		
			#	form type	Au	As	calc H <sub>2</sub> O
1							
2							
3							
4							
35							
36							
37	13	37.4-38.9 <u>BEDROCK</u>	4	A	347	<9.1	202
38	14 BEDROCK	medium grey fine to med. grained biot schist (metasediment) minor pyrite at top sample 14 strongly contaminated sample 15 less contaminated contamination is due to caving in of overlying materials around rods	-	-			
39	15 BEDROCK						
40							
1							
2							
3							
4							
5		EOH 38.9					
6							
7							





BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 4

BOB 115

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	Analysis of HMC (or bedrock)						
			#	dom type	Au	As	W	calc MP	
1									
2									
13									
14	02	13.3-17.6 Pebbly and cobbly till	4	A	40	47.0	134	415	
15									
16	02		1	A	110	40.0	154	17	
17	04	17.6-17.75 grains (lower)	1	A	120	27.0	112	272	
18	04	17.75-20.8 Pebbly till matrix iden	<del>1</del>	<del>A</del>	<del>120</del>	<del>27.0</del>	<del>112</del>	<del>272</del>	
19	05		7	A	255	32.0	119	178	
20		20.8- clay matrix							
21	06	20.8-23 Pebbly till 80/20/1 matrix iden	1	A	30	22.0	205	55	
22	07		0	-	<24	27.0	279	-	
23		23-30.1 slow drilling, high return							
24	08	Pebbly, no cobbly matrix iden 70/30/1	4	A	45	22.0	143	133	
25	09		1	A	43	22.0	380	397	
26									
27	10		0	-	91	13.0	189	-	
28									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 3 de 4

BOB 115

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains analysis of HMC (or bedrock)					
				#	dom type	Au	As	W	
1									
2									
3									
4									
5									
6									
27			30.2- clay on matrix, less pebbly						
28	Δ	11	31.1-40.6 <u>Muskegonite</u>	0	-	639	34.0		-
29	Δ		31.1-31.9 <u>Ojibway I</u>						
30	Δ	12	Pure hard, compact, grey clay interbedded with sandy clay and pebbles	0	-	25	26.0		-
31	Δ	13	Intervals: Pure clay 31.1-31.4 ; 31.5-31.7.	0	-	<20	30.0		-
32		NS							
33	○	14	31.9-40.6 Interbedded sand & gravel at top grading downward into gravel (with no matrix)	0	-	96	14.0		-
34	○		- Rounded pebbles						
35	○		- Very slow drilling						
36	○	15		1	A	5360	16.0	1290	291
37	○		37.5 - pulled out to change the bit						
38									




BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 4 de 4

BOB 115

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)			
				#	dom type	Au	As	W	
1									
2									
3									
4									
5									
6									
37									
38		16	37.8 lots of sulphides mineralization in gravel	0	-	70	20.0	2500	-
39									
40		17	38.5-38.65 Ms boulder	2	A	180	106.0		506
41		18	40.6-41.8 Bedrock ?? Strongly contaminated boulder rich schist with disseminated sulphides and minor quartz veins ??	-	-				
42									
3									
4									
5									
6									
7									
8									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 30/6 1987 Sondage No: BoB-116 Localisation: site 123

Géologue: JL/AM Sondeur: GWG Outil: CB69138 Métrage: 0-21.2

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 12h 15 - 14h 15

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB69138

\_\_\_\_\_ Déplacement sur le site suivant: 14h 15 - 15h

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grams		analysis of HMC (or bedrock)	
				#	dom type	Au	As
0-1.1			ORGANICS				
1.1-7.5			COCHRANE TILL light grey sandy clay few pebbles.				
2.2-2.6			black and white granite boulder				
5.5-6.7			water seam - no return				
7.0-7.4			water seam - no return				
7.5-12.8			OJIBWAY II SEDIMENTS pure soft grey clay.				
11.0-11.5			medium to coarse sands and gravel.				
12.0-12.8			clay inter bedded with fine sand.				

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 2

BOB-116

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)			
				#	don type	Au	As		calc Mb
1									
12									
13	Δ		12.8-19.7 MATHESON TILL						
14	Δ	01	fine sandy silty light beige grey matrix pebbly ~ 60/40 (MS, MV/OR)	1	A	35	16.0		29
15	Δ								
16	Δ	02	sample #2 visible pyrite in #1 bucket	2	A	44	17.0		2860
17	Δ								
18	Δ	03		0	-	<11	40.0		-
19	Δ	04	sample #4 abundant py in metasediment chips on +10 mesh	1	A	53	19.0		78
20	///	05	19.7-21.2 BEDROCK	-	-				
21	///	BEDROCK	fine grained medium grey to greyish green metasediment biotite schist / chlorite schist minor pyrite minor quartz vein at 20.5m						
22									
23									
4									
5			EOH 21.2						
6									
7									
8									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 30-06 1987 Sondage No: BOB 117 Localisation: Site 127

Géologue: AM/du Sondeur: GWG Outil: CB 69138 Métrage: 212-420

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 15<sup>00</sup>-16<sup>45</sup>

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 16<sup>45</sup>-17<sup>30</sup>

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)		
				#	diam type	Au	As	calc Mb
0-1.5			Organic					
1.5-7.4			<u>Cochran Till / Sediments</u>					
1.5-2.0			<u>Cochran Sediments</u>					
			Pure hard grey clay					
2.0-7.4			Sandy clay with interbeds of pebbles getting softer down section. Gradational contact with unit below					
7.4-11.9		N/S	<u>Ojibway II</u>					
			Pure soft grey clay with interbeds of pebbles					
11.9-19			<u>Matheson Till</u>					
11.9-12.1		ci	gravel - MS boulder	4	A	398	38.0	181

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 2

BOB 117

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)				
				#	dom tip	Au	As	W	calc mg	
1										
2										
13										
14	Δ	02	Fine sandy silty, light greenish grey to grey, pebbly till 60/491 Ms-MV/GR/W	1	A	214	45.0	146	3077	
15	Δ									
16	Δ	03	Good return 15-19.0 Very pebbly till	6	A	36	27.0		808	
17	Δ		70/392							
18	Δ	04		0	-	88	21.0		-	
19	Δ	05	19.0-20.8 Bedrock	0	-	<9	14.0		-	
20	hatched	06	First 40 cm NOT sampled - too contaminated Well foliated, fine to medium grained black, biotite schist (metasediment)	-	-					
21										
22			Nonmagnetic No reaction w HCL No phosphides Very minor quartz, vein at 295							
3										
4										
5										
6										
7										
8										





BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 2

BOB - 118

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains analysis of HMC (as bedrock)						
				#	form type	Au	As	W	calc mp	
11										
12										
13	Δ	01	12.5 - 24.1 MATHESON TILL fine sandy silty light beige grey matrix pebbly ~ 50/50/1 (MS, MV/GR/LS) abrupt contact with overlying clays	1	A	160	16.0		11	
14	Δ	02		0	-	209	15.0		-	
15	Δ	03								
16	Δ	03	16.2 - 16.5 white granite boulder	1	A	307	17.0		34	
17	Δ	03		<del>1</del>	<del>A</del>	<del>307</del>	<del>17.0</del>		<del>34</del>	
18	Δ	04	20.2 - 20.5 dark grey MS boulder	6	A	45	21.0		885	
19	Δ	05		1	A	66	17.0	115	14	
20	Δ	NIS								
21	Δ	06	24.1 - 26.0 BEDROCK dark grey fine to med. grained biotite-hornblende schist (MS) minor quartz vein at 24.3, 25.3 a few greenish schistosity planes no sulfide, no reaction with HCl 24.1 - 24.6 not sampled due to contamination from casing in around rods.	0	-	15	25.0		-	
22	Δ	07		3	A	130	22.0		122	
23	Δ	NIS								
24	Δ	08								
25	Δ	BEDROCK								
26	Δ									
27	Δ									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 1/7 19 87 Sondage No: BOP 119 Localisation: Site 125

Géologue: AM/ JB Sondeur: G W/G Outil: CB 69132 Métrage: 260-430

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 10hr - 11hr <sup>15</sup>

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 11 <sup>15</sup> - 11 <sup>30</sup>

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION				
0			0-2.4	Oxide			
2			2.4 - 8.5	<u>Cochran Till</u> light to medium grey, sandy clay with pebbly interbeds 7-7.5 pebbly clayey till			
8			8.5 - 13.1	<u>Opokwe II ?</u> Very fast draining no till			
13			13.1 - <sup>14.8</sup>	<u>Matheson Till</u>			

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 2

BOB 119

Profondeur (m)	Log graphique Echantillon No	DESCRIPTION	Au grains analyses of HMC (or bedrock)					
			#	down type	Au	As	calc 196	
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14	01	Fine sandy, silty, pebbly till light gray	3	A	16	17.0		43
15		14.8-17.0 bedrock						
16	02 bear	Black to (exposed) dark green well sorted, fine to medium grained biotite (hornblende) schist (metasediment). Minor quartz veins at top. Minor disseminated sulphides	-	-				
17		Now magnetic Carbonated on fractures						
18		16-162 1-2% sulphides						
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 1/7 1987 Sondage No: BOB-120 Localisation: site 126

Géologue: JL/AM Sondeur: GWG Outil: CB69/32 Métrage: 43.0-62.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 11h30-13h

TOTAL Problèmes: we got stuck and nearly tipped the Nedwell during the move to the next hole

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 17h-16h

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION				
0-3.0	ORGANICS dark brown soup						
3.0-11.0	COCHRANE TILL light grey sandy clay, few pebbles						
6.5-7.5	water seam						
9.5-9.7	fine sandy silty pebbly till						
11.0-14.7	QIBWAY II SEDIMENTS pure soft grey clay						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-120

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grams analysis of HMC (or bedrock)					
				#	dom type	Du	As	calc ppb	
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16	△	01	14.7 - 17.1 MATHESON TILL fine sandy silty light beige gray matrix pebbly ~ 60/40 (MS, MV/GZ) abrupt contact with overlying clays	4	A	190	42.0	138	
17	△								
18	△	M/S							
19	△	02	17.1 - 19.5 BEDROCK bedrock is fractured, with 10-20cm intervals of sand and small pebbles, particularly 17.1-18.0 - dark grey biotite - (hornblende?) - schist (MS) 18.3-18.7 some of the rock is drilling to rock flour clay 18.0 - 18.7 much weathered rock, rusty schistosity planes, also minor quartz vein. - also minor sulfide throughout no reaction with HCl	-	-				
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									
31									
32									
33									
34									
35									
36									
37									
38									
39									
40									
41									
42									
43									
44									
45									
46									
47									
48									
49									
50									
51									
52									
53									
54									
55									
56									
57									
58									
59									
60									
61									
62									
63									
64									
65									
66									
67									
68									
69									
70									
71									
72									
73									
74									
75									
76									
77									
78									
79									
80									
81									
82									
83									
84									
85									
86									
87									
88									
89									
90									
91									
92									
93									
94									
95									
96									
97									
98									
99									
100									

EDH 19.5

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 1-7 19 87 Sondage No: BOP 121 Localisation: Site 129

Géologue: AM/JW Sondeur: GWG Outil: CB 69132 Métrage: 62.5-82.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 16<sup>00</sup>-17<sup>00</sup>

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 17<sup>00</sup>-17<sup>30</sup>

ECHELLE: 1:100

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION						
0-3.2	^ ^ ^ ^		Organic						
3.2-10.5	^ ^ ^ ^		Cochran Till Medium grey sandy clay with few pebbles (interbed)						
6.0-7.1	/ / / /		no return						
7.1-9.3	/ / / /		light to medium grey fine medium sand, no pebbles						
9.0-10.5	/ / / /		slaty till						
10.5-16.5	/ / / /		Oxbow II ? - no return - fine sand - Rare clay plate in profile						

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 2

BOB-121

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grams		analyses of FMC (or bedrock)				
				#	from sample	Au	As		calc Mg	
			BOB 121							
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16			16.5-17.5 Matheron Till Fine sandy silty pebbly till							
17		01		9	A	180	18.0			138
18			17.5-19.5 Bedrock							
19		02 BED ROCK		-	-					
20			17.5-18.4- Black, well foliated, fine to medium grained biotite schist (metasediments) with disseminated sulphides. Abundant quartz veins with sulphides							
1			18.4-19.4 Homogeneous biotite schist with minor quartz veins & sulphides							
2			19.4-19.5 - 1-2% sulphides on fractures							
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										



**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 2-07 1987 Sondage No: BOF 122 Localisation: Site 28

Géologue: EMRM Sondeur: WIG Outil: CB 69133 Métrage: 0-22.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 7<sup>30</sup> - 9<sup>45</sup>

TOTAL Problèmes: 7<sup>15</sup> - 7<sup>30</sup> changed up rodster

9<sup>45</sup> - 10<sup>00</sup> changed up water tank

Contractant (heures) Divers: new bit CB 69133

Déplacement sur le site suivant: 10<sup>00</sup> - 10<sup>15</sup>

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyse of HMC (on bedrock)		
				#	type	Au	As	
0-1.0			Gravel					
1.0-4.0			<u>Cochran Tell</u> First 20-30 cm pure hard grey clay - Cochran (pediment) Sandy clay with few wt. % of pebbles - softer down pediment					
4.0-5.0			<u>Ojibway II</u> Grey, pure, soft clay. Gradational contact with overlying unit					
5.0-20.4		01	<u>Matheson Tell</u> Sharp contact with overlying unit	1	A	381	16.0	134
5.0-11.5		02	<u>Pebbly &amp; pebbly till</u> Fine sandy, with light grey matrix	1	A	21	23.0	43
		03		3	A	24900	36.0	21239
		04	00/40/2 MS-MV/G/W	0	-	120	29.0	-
		05	11.5-13 Pebbly till, fine matrix	0	-	30	12.0	-

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 2

BOB 122

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)		
				#	dom type	Au	As	
1								
2								
13		06	13-13.4 fine-medium sand with Very few pebbles)					
14		06	13.4-13.7 Till as usual	0	-	71	16.0	-
15		07	13.7-13.9 MS boulder					
16		08	13.9-17. Pebbly till, fine matrix Very fine sandy silty light grey matrix	0	-	48	14.0	-
17		08	70/30/1	0	-	22	7.8	-
18		09	17-18 sand					
19		09	18-19.8 Till (as 13.9-17m)	0	-	47	17.0	-
20		02	19.8-20 m.s boulder					
20		02	20-20.4 Till					
21		10	20.4-22.5 Bedrock					
22		10	Fine grained, black, well foliated biotite schist -> metamorphosed Now magnetic	-	-			
23			Mixed quartz veins at 21.2m, desulfurated sulphides					
4			Carbonate, chlorite, epidote Fx					
5								
6								
7								
8								



BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 7 de 2

FOUR 103

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses of HMC (on bedrock)								
				H	dom type	Au	As							
11.0-13.5			till											
13.5-14.5			fine / medium sand, no pebbles											
14.5-15.6		02	Till, dense 11.0-13.5	0	-	120	8.5							
15.6-16.2			Free sand to pit, no pebbles											
16.5-16.6		02		0	-	39	14.0							
16.2-19			Light greenish grey fine sandy silty, very pebbly till											
		04		0	-	19	10.0							
		05		0	-	39	16.0							
19.0-19.7			Free matrix											
19.7-20		06	Medium to coarse sand few pebbles	0	-	95	5.3							
20.0-22.3			Bedrock											
		07		-	-									
			Black to dark green, well foliated biotite (hornblende?) schist (metasediment)											
		08												
		09	Fine to medium grained											
			Minor quartz, rare - brownish, hard, non effervescent											
			Minor disseminated sulphides											
			22-22.2 ~1% sulphides											
			Sample 07 is now contaminated											
			08 is strongly contaminated because fine bedrock											
			09 is slightly contaminated											
			Only Sample 07 was sent to Chemtec											

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 2-3/071987 Sondage No: BOB 124 Localisation: pu 29

Géologue: AM/RM Sondeur: W/G Outil: CB 69133 Métrage: 448-808

Poste (heures) \_\_\_\_\_ Outil: CB 69131 0-0.6m

à \_\_\_\_\_ Sondage: 12<sup>15</sup> - 15<sup>15</sup> (2-07) 3-07 → 8<sup>00</sup> - 9<sup>00</sup>

TOTAL \_\_\_\_\_ Problèmes: 14<sup>15</sup> - 15<sup>15</sup> pulled out changed bit ; 15<sup>15</sup> - 17<sup>10</sup> changed blades  
3-07-97 7<sup>15</sup> - 8<sup>00</sup> putting back in (in hole)

Contractant (heures) \_\_\_\_\_ Divers: new bit CB 69131

Déplacement sur le site suivant: 9<sup>00</sup> - 9<sup>45</sup>

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grams		analysis of HMC (or bedrock)	
				#	ton type	Au	As
0-2	Δ /		<u>Cochrane's Till</u> <u>Light brown sand. clay</u>				
2-12.5	Δ /		<u>Ojibway II</u> <u>2-5.0 a bit of clay vs peep!</u> <u>nothing else</u> <u>5.0-12.5 Very fine sand to silt</u> <u>No pebbles</u> <u>Very low return</u>				
10		01		0	-	47	<48

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 4

BOB 124

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)					
				#	don Type	Au	As				
12.5-36.7			<u>Matheron Till</u> Fine sandy silty light grey, pebbly till								
12.5-17.2	02		50/50/2 MS-MV/G/L	0	-	14	<4.8				-
17.2-19.5	03		Fine matrix, very fine sandy, silty Very few pebbles	0	-	218	<4.3				-
	04			0	-	34	<4.7				-
	05			0	-	<10	<4.6				-
19.5-23.5	06		Clayey silty to very fine sandy silty till Very low silt, Very few pebbles	0	-	100	12.0				-
23.5-25.8	07		Clay or matrix Rare pebbles	0	-	<19	<8.9				-
	08			0	-	130	<8.0				-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 3 de 4

BOB 124

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses of HMC (or bedrock)					
				#	dom type	Au	As				
1											
2											
3											
4											
5											
26	Δ	9	25.8-32.6 Very fine sandy silty till Very few pebbles	0	-	67	8.1				-
27	Δ	10	70/30/1	0	-	<19	<8.7				-
28	Δ	11		0	-	58	9.3				-
29	Δ	12	32.6-36.7 Light to medium grey silty till NOT silty pebbly	1	A	93	11.0				13
30	Δ	13	80/20 Clay in matrix - flakes (fairly hard)	0	-	52	19.0				-
31	Δ	14	Gradational contact with underlying - 100% sandstone	0	-	95	12.0				-
32	Δ										
33	Δ										
34	Δ										
35	Δ										
36	Δ										
37	Δ										

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page A de 4

BOB124

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	A4 grains		analysis of HMC (on bedrock)			
				#	dom type	A4	A5		
1									
2									
3									
4									
5									
36.7-42.0			<p><u>Missinabi sediments</u>                      Ojibway I                      Medium to dark grey, pure, compact clay getting slightly softer down hole                      Few pebbles interbeds near top</p>						
37									
38									
39		N/S							
40									
41									
42.0-45			<p><u>Lower Till</u>                      42-42.1 granite cobble                      Fine sandy silty, light grey to beige pebbly till                      45- changed bit</p>						
42		15			0	-	31	<9.1	-
43									
44		16			1	A	997	30.0	915
45									
45-45.6			<p><u>Bedrock?</u>                      No chips, only rock flour -                      Van steel bottom                      magnetite flour!                      biotite schist</p>						
6									
7									
8									

Bucket #1 was pumped for analysis



**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 3/7 1987 Sondage No: BOB-125 Localisation: site 30

Géologue: JL/AM Sondeur: WG Outil: B000139 Métrage: 0-32.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 9h45 - 13h15

TOTAL Problèmes: bit plunged at bedrock, pulled rods, went back down, plugged bit again and flattened it.


Contractant (heures) \_\_\_\_\_ Divers: 4 rods thrown out - cracks in inner tubes

Déplacement sur le site suivant: to BOB-125A 5 minutes

ECHELLE: 1:100

NEW BIT B000139

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION				
0 - 1.3			COCHRANE TILL light brown sandy, pebbly clay				
1.3 - 32.2			OSIBWAY II SEDIMENTS fine sand, light brown occasional pure clay interbeds, coarse sand and gravel interbeds, and wood fragments				
7		N/S					
8							
9							
10							
11							
12							
13							
14							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-125

Page 2 de 3

Profondeur (M)	Log graphique	Echantillon No	<u>DESCRIPTION</u>							
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20		N/S								
21										
22										
23										
24										
25										
26										
27										
28										

light brown colour gradually becomes a little more greyish

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-125

Page 3 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)								
				#	dom type	Au	As							
1														
2														
3														
4														
25														
26														
27														
28														
29														
30														
31														
32		01			3	A	2210	23.0					2725	
		02			-	-								
33														
34														
5														
6														
7														
8														

N/S

01  
02  
↑  
BEDROCK

32.2 - 32.5 BEDROCK  
strongly contaminated  
a few chips of quartz-pyrite vein  
in dark grey metasediment  
interpreted to be bedrock  
no geochemistry sample, only  
a small geological sample  
hole stopped because bit plugged  
moved ~ 5m and drilled BOB-125A

32.5 EOH

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 3/7 1987 Sondage No: BOB-125A Localisation: site 30

Géologue: JL/AM Sondeur: WG Outil: CB69136 Métrage: 0-42.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 13h15 - 16h15

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB69136

Déplacement sur le site suivant: 16h15 - 16h30

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION						
0			0-1.3 COCHRANE TILL						
1			1.3 - 39.8 OJIBWAY II SEDIMENTS						
2			fine sand, light brown						
3			occasional pure clay interbeds,						
4			coarse sand and gravel interbeds						
5			and wood fragments						
6			- coarse sands and gravel at base						
7			(Missinaibi Sediments??)						
8			N/S						
9									
10									
11									
12									
13									
14									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BoB-125A

Page 2 de 4

Profondeur (M)	Log graphique	Echantillon No	<u>DESCRIPTION</u>							
1										
2										
3										
4										
5										
6										
7										
8										

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 3 de 4

BOB-125A

Profondeur (F)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)		
				#	don type	Au	As	
1								
2								
3								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33		01		0	-	343	<10.0	-
34								
35								
36		02		1	A	929	<9.8	450
37								
38								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

B0B-125A

Page 4 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grams		analysis of HMC (of bedrock)			
				#	dom type	H <sub>4</sub>	As		
1									
2									
3									
4									
5									
36									
37									
38									
39		03							
40			39.8-42.0 BEDROCK	1	A	140	195		76
41		04	dark grey biotite (garnet?) schist with more or less abundant quartz veining and pyrite (in quartz and in metasediment)	-	-				
42		BEDROCK	some contamination but this is mostly sand falling through 10 mesh screen						
43			bit plugged again and chip return poor						
4			no core sample, geological sample (chips) only.						
5									
6									
7									
8									

EOH 42.0

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 3-4/07 19 27 Sondage No: BOB 126 Localisation: Site 31

Géologue: AM/UL Sondeur: WLR Outil: DR 2026 Métrage: 40.0-40.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 16<sup>30</sup> - 18<sup>30</sup> = 02 11 30

TOTAL Problèmes: 17<sup>15</sup> - 17<sup>45</sup> pour pénétration 17<sup>45</sup> - 18<sup>15</sup>

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: 11h 30 - 11h 45

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION						
0	^		0-0.2 Orange						
0.2	Δ		0.2-50 <u>Clay</u>						
1	Δ		soft medium brown sandy clay with few pebbles						
2	Δ		2-2.4 m? <u>excavation</u>						
3	Δ		3-4.0						
4	Δ		medium grey <u>dark pebbles</u>						
5	Δ								
6	?	15	5.0-13.5 <u>Section II</u>						
7	?		5-7.5 <u>is (thin) Very soft</u>						
8			7.5-9.0 <u>with clay comp</u>						
9			9.0-13.5 <u>Medium to dark grey</u>						
10			<u>soft pale clay with few</u>						
11			<u>sand and silt pebbles</u>						
12									
13									
14									



**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 3

BOB 12.6

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses of HMC (or bedrock)		
				#	com type	Au	As	
1								
2								
13								
14	Δ	01	13.5-20.8 <u>Mauve Tull</u> light grey fine sand with potash	1	A	130	17.0	65
15	Δ							
16	Δ	02	13.5-17.0 50/50/2 MS-MV/G/L	0	-	82	27.0	-
17	Δ							
18	Δ	03	17.0-20 Tull with small sand interbed	1	A	118	17.0	11
19	Δ		20-20.8 - claystone					
20	Δ	04	20.8-31.7 <u>Mauve Tull</u>	1	A	100	21.0	130
21	Δ		Dark green to grey claystone					
22			Pure, hard, impure clay					
23			Slow sand					
24			Little potash side depth					
25								
26								
27								
28								

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 3 de 3

BOP 136

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (in bedrock)		
				#	down type	Au	As	Cu
1								
2								
3								
4								
5								
6								
27			28.5-31.5 Fasten packing clay a little softer					
28								
29								
30			31.7-32.4 Lower Till					
31			Light grey fine sandy clay matrix 8920					
32	As	102	32.1-32.4 white granular green bedr	0	-	37	55.4	500
33			32.4-34.5 Bedrock					
4			Very fine sand silt (MS)					
5								
6			Contaminated at top due to packing					
7			#1 bucket taken at top, just below					

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 4/7 19 87 Sondage No: BOB-127 Localisation: site 32

Géologue: JL/RM Sondeur: WG Outil: CB69135 Métrage: 0-40.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 11h45 - 16h30

TOTAL Problèmes: pull rods to unplug bit 14h-15h, work on hydraulic hose

Contractant (heures) \_\_\_\_\_ Divers: NE W BIT CB69135

Déplacement sur le site suivant: 16h30 - 16h45

ECHELLE: 1:100

Page 1 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)		
				#	down type	Au	As	calc Hk
0-1.5			COCHRANE TILL light brown sandy clay, pebbles					
1.5-38.5			MATHESON TILL fine sandy, silty light beige grey matrix pebbly ~ 40/60/1 (MS, MV/GR/LS)					
2.5-2.7		01	gray and green metagabbro boulder	0	-	50	18.6	-
2.8-3.0		N/S	dark grey MS boulder					
		02	sample 01 → low return.	0	-	100	18.9	-
		03		0	-	38	18.6	-
		N/S	9.2-9.4 pink GR boulder					
		04		0	-	46	11.0	-
		05		1	A	110	22.0	24

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB - 127

Page 2 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grams		analyse sur / HMC (on bedrock)				
				#	down type	Au	As			
13.0	△ ○	06	13.0-14.5 pebbles are ~5% limestone	1	A	31	26.0			21
15.0	△ ○	07		0	-	84	19.0			-
17.7	△ ○	08	17.7-19.4 fine sandy silty till only a few pebbles	0	-	51	10.0			-
18.0	△ ○	09		1	A	190	13.0			252
19.0	△ ○	10		0	-	<18	48.8			-
20.5	△ ○	11	20.5-21.7 fine sand section	1	A	89	49.9			6
23.0	△ ○	12	23.0-25.0 fine sandy silty fill only a few pebbles	0	-	25	15.0			-
24.0	△ ○	13		0	-	46	20.0			-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB - 127

Page 3 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyse sw of HMC (on bedrock)				
				#	dom type	A <sub>4</sub>	A <sub>5</sub>			
1										
2										
3										
4										
25										
26	Δ	14		0	-	<20	14.0			-
27	Δ		27.2-27.7 thin very pebbly or gravel section	0	-	<18	26.0			-
28	Δ	15								
29	Δ		pebble proportions now ~ 50/50/1	7	-	150	22.0			206
30	Δ	16								
31	Δ	17	32.0-34.5 cobbly till pebble/cobbles ~ 60/40	0	-	<17	17.0			-
32	Δ	18	33.5-33.7 grey MS boulder	1	A	274	22.0			94
33	Δ	19								
34	Δ	N/S								
34	Δ	19	34.5-35.4 very clean gravel ~ 60/40/1 no matrix	0	-	39	30.0			-
35	Δ	N/S								
35	Δ		35.4-35.8 green and white coarse grained meta gabbro boulder							
36	Δ									
37										
38										

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BoB-127

Page 4 de 4

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grams		analysis of HMC (or bedrock)		
				#	don type	Au	As	calc Mb
1								
2								
3								
4								
35								
36			35.8-37.5 clean gravel interbedded with coarse sand					
37		20	37.5-38.5 unsorted matrix with pebble chips - looks like till again	1	A	110	380	13
38								
39		N/S	38.5-40.0 BEDROCK					
40		21 BEDROCK	bedrock drills to clay with numerous small chips					
41			bedrock is very fine grained black argillite, v. minor sulfide no reaction with HCl					
42			bit plugged at 40m → EOH					
43								
44								
45			40.0 EOH					
46								
7								
8								

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 5/7 1987 Sondage No: B08-128 Localisation: site 33

Géologue: AM/RM Sondeur: WG Outil: CB69125 Métrage: 0-33.0

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 9h45 - 12h45

TOTAL Problèmes: 7h-9h45 change head swivel, check rods

clean water tanks at EDH

Contractant (heures) Divers: NEW BIT CB69125 NEW BITSUB

Déplacement sur le site suivant: 12h45 - 13h15

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grams		analysis of HMC (in bedrock)			
				#	dom type	Au	As		
0			0-0.8 ORGANICS						
0.8			0.8-2.6 COCHRANE TILL						
2			medium grey sandy clay						
2.6			2.6-3.6 OJIBWAY II SEDIMENTS						
3			clean gravel, no matrix						
4			slow drilling						
3.6			3.6-26.4 MATHESON TILL						
5		01	3.6-3.8 granite boulder	4	A	485	23.0		643
6			light grey fine sandy silty matrix						
7		02	pebbly till, commonly cobbly till	1	A	56	17.0		25
8			60/40/2 (MS, MV/GR/LS)						
8		03	locally clay in matrix	0	-	91	12.0		-
9									
10		04		5	A	345	15.0		199
11									
11		05		0	-	<16	<8.5		-
12			pebbles now ~ 70/30/1						
13		06		0	-	23	19.0		-
14									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-128

Page 2 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyse of HMC (in bedrock)		
				±	form type	Au	As	calc m <sup>3</sup>
1								
2								
13								
14		07	14.2 - 15.0 clay - pure? hard rip up clast?	0	-	<17	16.0	-
15		N/S						
16		08	16.0 - 18.5 sand, rare pebbles	0	-	<15	11.0	-
17								
18		09		0	-	52	13.0	-
19								
20		10		0	-	75	24.0	-
21		11		0	-	33	26.0	-
22		12	pebbles now ~ 90/10/1	1	A	120	47.0	283
23								
24		13		0	-	35	27.0	-
25								
26		14		0	-	110	<9.3	-
27								



**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

BOB-128

Page 3 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (or bedrock)								
				#	dom type	Au	As							
1														
2														
3														
4														
5														
26			26.4-26.9 MISSINAIBI SEDIMENTS											
27		N/S	OSIBWAY I clay member hard, pure clay											
28		15	26.9-31.2 LOWER TILL light grey fine sandy silty matrix pebbly 70/30	0	-	33	12.0							
29		N/S	locally clay in matrix											
30		16	31.2-31.5 probably bedrock drilling to clay but originally thought to be clayey till	1	A	71	36.0						29	
31		N/S	26.9-27.1 granite boulder											
32		17	28.3-28.6 granite boulder											
33		BEDROCK	28.6-28.8 meta-volcanic boulder											
34			30.8-31.2 granite boulder											
35			31.2-33.0 BEDROCK											
6			bedrock drills to clay with a few chips moderate contamination from above											
7			→ black, fine grained biotite schist with disseminated sulfides abundant quartz veining											

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 5/7 1987 Sondage No: BOB-129 Localisation: site 34

Géologue: AM/RM Sondeur: WG Outil: CB69125 Métrage: 33.0-69.2

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 13h15-15h45

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

\_\_\_\_\_ Déplacement sur le site suivant: 15h45-16h

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION					
0	^ ^		0-2.2 ORGANICS					
1	^ ^		2.2-10.3 COCHRANE TILL/SEDIMENTS					
2	^ ^		7.2-4.0 pure grey clay is hard but becomes soft downsection					
3	^ ^		4.0-10.3 COCHRANE TILL					
4	^ ^		6.0-7.0 no return - water seam					
5	^ ^							
6	^ ^							
7	^ ^							
8	^ ^							
9	^ ^							
10	^ ^		10.3-16.2 OJIBWAY II SEDIMENTS					
11	^ ^		pure clay, soft					
12	^ ^							
13	^ ^							
14	^ ^							

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-129

Page 2 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analyses d'HM c (on bedrock)			
				#	form Type	Au	As		calc H.b
1									
2									
13									
14									
15									
16			16.2 - 28.5 MATHESON TILL						
17	△	01	light grey fine sandy silty matrix locally very fine matrix pebbly 70/30/1 (MS, MV, OR, LS)	0	-	100	14.0		-
18	△								
19	△	02	sample 02 contains 10 cm MS boulder	1	A	214	14.0		54
20	△	03		0	-	120	36.0		-
21	△	04		1	A	439	25.0		670
22	▣	NIS	21.9 - 22.3 granite boulder						
		04	22.6 - 22.7 hard clay?						
23	△		22.7 - 24.5 mostly fine sand with clay, very few pebbles	0	-	160	28.0		-
24	△	05							
25	△	06	24.5 - 27.8 clay in matrix	0	-	47	12.0		-
26	△								
27									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-129

Page 3 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of H.N.C (in bedrock)			
				#	dom Type	Au	As		
1									
2									
3									
4									
25									
26									
27	△	07	27.8-28.5 pebbly till 70/30/1	0	-	52	18.0		-
28	△		28.5 - 32.3 MISSINAIBI SEDIMENTS						
29	○	08	interbedded medium to coarse sands and gravel. high return	1	A	270	14.0		152
30	○								
31	○	09	32.3 - 34.4 LOWER TILL	0	-	57	21.0		-
32	○		Fine sandy silt with small pebbles						
33	△								
34	△	10	34.0-34.4 MV, GR. MS cobbles, no matrix	6	A	284	154.0		575
35	▨	NIS	34.4 - 36.2 BEDROCK						
36	▨	11	black biotite schist (metasediment) drilling to grey clay considerable contamination from above first 10cm abundant disseminated sulfides very slow drilling - high torque on rods	-	-				
37									
38									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 5/7 1987 Sondage No: B0B-130 Localisation: site 35

Géologue: AM/RM Sondeur: GWL Outil: CB69134 Métrage: 0-28.5

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 16h - 18h30

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: NEW BIT CB69134

Déplacement sur le site suivant: 6/7 → 7h → 16h30 (long max/crossivi)

ECHELLE: 1:100

Page 1 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of LMC (in bedrock)			
				#	don't type	Au	As		
0-1.2	^ ^ ^		ORGANICS						
1.2-5.0			COCHRANE TILL/SEDIMENTS						
1.2-1.7			pure soft grey clay						
1.7-5.0			grey soft sandy clay						
5.0-10.4			OSIBWAY II SEDIMENTS						
5.0-7.5			no return, very fast drilling						
7.5-10.4			pure soft grey clay pebble interbeds						
10.4-26.9			MATHESON TILL						
			abrupt contact with overlying clays						
		01	fine sandy silty light grey matrix	1	A	594	19.0		435
			10.4-14.4 very pebbly till						
		02	~50/50/2	0	-	<19	15.0		-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-130

Page 2 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of UMC (in bedrock)			
				#	dom type	Au	As		
1									
2									
3									
14	△	03		0	-	534	16.0		-
15	△								
16	△	04		0	-	43	12.0		-
17	△								
18	△	05		0	-	52	26.0		-
19	△								
20	△	06	pebbles now ~ 70/30/1	1	A	<17	12.0		20
21	△								
22	△	07		0	-	53	<10.0		-
23	△								
24	△	08		0	-	54	17.0		-
25	△								
26	△	09		0	-	110	49.0		-
27	△								
28	△	10	pebbles now ~ 80/20	0	-	94	77.4		-

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

BOB-130

Page 3 de 3

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (on bedrock)								
				#	dom type	Au	As							
1														
2														
3														
4														
5														
6														
7														
8			26.9-28.5 BEDROCK											
9			black to dark grey biotite schist											
0			slightly silicified at top											
1			disseminated sulfides											
2			27.3-27.4 quartz veining											
3			also → 1cm chloritized biotite flakes											
4			inter bedded with very fine grained felsic material - silicified?											
5			27.5-27.6 ~1% pyrite											
6			27.6 disseminated sulfides											
7			28.0 minor quartz vein											
8			after 28.1 softer rock											
9			black to dark green											
0			slight chloritization											
1			disseminated sulfides											
2														
3														
4														
5														
6														
7														
8														
9														

EDH 28.5

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 7-07 1987 Sondage No: BOB 131 Localisation: Site 134

Géologue: AM/RM Sondeur: W/G Outil: CB 69134 Métrage: 29.5-46

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 9<sup>00</sup>-11<sup>30</sup>

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

8<sup>15</sup>-9<sup>00</sup> ready to drill, no water

Contractant (heures) \_\_\_\_\_ Divers: 7h15-8h15 cut around site

Déplacement sur le site suivant: 11<sup>30</sup>-12<sup>00</sup>

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of HMC (in bedrock)		
				#	dom type	Au	As	
0-0.8			Organic					
0.8-1.6			Cochran Till Light brown sandy clay					
1.6-2.1		01	Ojibway II Light brown pure soft clay	4	A	537	<12.0	520
2.1-15.5			Matheron Till					
5-6		02	Light brown to grey fine sandy silty pebbly till 40/60/2	1	A	<21	<12.0	3
7-8		03	4.2-4.4 granite boulder	2	A	61	<12.0	76
5.5-7.6			Cobbly till					
7.6-8.3		04	clayey till	1	A	58	<13.0	16
8.3-8.7			Pure hard grey clay not ojibway I					
8.7-13.0		05	Cobbly till	0	-	50	<10.0	-
13.0-15.5		06	Clayey till Locally cobbly	0	-	<40	<22.0	-



**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

ECHELLE: 1:100

Page 2 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		L.M.C. (in bedrock)			
				#	sorti type	Au	As		
1									
2									
13									
14	▲	07	15.5-16.2 <u>Micaceous sediments</u>	0	-	49	62.0		-
15	▲		Pure hard greenish grey clay						
16	▨	145							
16.2	▨	08	16.2-17.5 Bedrock	-	-				
17	▨	09	16.2-16.8 Fine grained, black to dark green, massive looking melagabbe? Non magnetic, Strong reaction with HCl (abundant cc veining) ~1% sulphides epidote 16.5-16.8						
18			16.8-17.5 - Very slow drilling						
9			- Faster drilling						
0			- no more calcite veining						
1			- more sulphides						
2			- rock looks much more like meta-sediment??						
3									
4									
5									
6									
7									
8									

Comment: OI 8.3-8.7?  
bedrock 15.5-16.2?

**BURNTBUSH RIVER PROJECT**

**LOG SONDAGE, CIRCULATION INVERSE**

DATE 7-07 1997 Sondage No: BRB 132 Localisation: Site 133

Géologue: AM/RM Sondeur: WG Outil: CB 69126 Métrage: 0-150

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 12<sup>00</sup> - 13<sup>00</sup>

TOTAL Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: new bit CB 69126, new sub

\_\_\_\_\_ Déplacement sur le site suivant: 13<sup>00</sup> - 1315

ECHELLE: 1:100

Page 1 de 2

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		analysis of H <sub>2</sub> O (in bedrock)			
				#	dom type	Au	As		calc mg/l
0-0.5			Oxide						
0.5-2.0			Cochran's Till light brown sandy clay						
2.0-13.4			Mathews Till						
3.0		01	light beige sand & dy matrix	0	-	27	<9.1		-
4.0			2.0-2.3 pebbly till						
5.0		02	30/70 MS-MV/GR	1	A	378	<8.4		208
6.0									
7.0		03		6	A	160	<12.0		190
8.0			8.3-13.4 F3 low till						
9.0		04	60/40/1 MS-MV/GR/W	1	A	66	<12.0		643
10.0		05		1	A	1420	15.0		2608
11.0		06		0	-	39	13.0		-
12.0									
13.0		07		0	-	59	<12.0		-
14.0									

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

ECHELLE: 1:100

Page 2 de 2

BUR 122

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au graine		analyse d'ANC (air bedrock)					
				#	donnée	Au	As				
1											
2											
3											
4		203	13.4-15.0 <i>Bedrock</i>								
5		203	<i>Bedrock</i>	-	-						
6			<i>Bedrock</i>	-	-						
7			<i>Bedrock</i>								
8											
9											
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											
21											
22											
23											
24											
25											
26											
27											
28											
29											
30											

BURNTBUSH RIVER PROJECT

LOG SONDAGE, CIRCULATION INVERSE

DATE 7-9 1989 Sondage No: BRB 133 Localisation: Site 132

Géologue: AM/RM Sondeur: WG Outil: CB 69126 Métrage: 15-262

Poste (heures) \_\_\_\_\_

à \_\_\_\_\_ Sondage: 13<sup>15</sup> - 14<sup>45</sup>

TOTAL \_\_\_\_\_ Problèmes: \_\_\_\_\_

Contractant (heures) \_\_\_\_\_ Divers: \_\_\_\_\_

Déplacement sur le site suivant: \_\_\_\_\_

ECHELLE: 1:100 Page 1 de 1

Profondeur (m)	Log graphique	Echantillon No	DESCRIPTION	Au grains		Anomalies HMC (on bedrock)							
				#	mm - exp	Au	As						
0-1.5			Organics										
1.5-5.1			<u>Cocheaux Till</u> light grey sandy clay, few pebbles intertbed										
4.4-4.8			sand & gravel										
4.8-5.1			sandy clay										
5.1-8.8			<u>Sjohwan II</u> Fine soft grey clay										
8.8-9.9			<u>Matheron Till</u> light grey fine sandy silty pebbles										
9.9-11.2		01	Very slow drilling	1	A	120	10.0					12	
10.2-10.3		02	Black matrix, fine gravel micropbbles	-	-								
10.5-			abundant quartz veins cc fx disseminated sulphides										
11.0-			rock look slightly more siliceous dark green Muscovite pbbles fx, mica (fine bed)										
			Black, mafic, non magnetic MG										
			good reaction HCL										

**RECEIVED**

**JAN 22 1988**

**MINING LANDS SECTION**

COGEMA CANADA LIMITED  
BURNTBUSH RIVER PROJECT

FINAL REPORT - 1987  
"REVERSE CIRCULATION DRILLING"

VOLUME 3 of 3

Ref. No. 87-CND-47-04A  
(Doc. #0076U)

By: J. Learn  
January 1988



32E12SW0015 2.10757 NOSEWORTHY

030C

LIST OF APPENDICES

VOLUME 2 of 3:

Appendix I : Drilling Summary and Field Logging Sheets

VOLUME 3 of 3:

Appendix II : ODM Overburden Sample Treatment and Results

Appendix III : Chimitec HMC Sample Treatment and Results

Appendix IV : Bedrock Chip Descriptions and Chemistry Results

A P P E N D I X I I

ODM OVERBURDEN SAMPLE TREATMENT AND RESULTS

- Full listing of results from OVERBURDEN DRILLING  
MANAGEMENT LTD
- Treatment of Samples
- Laboratory Sample Logs
- Gold Classifications

Note: SAMPLES BOB-01-01 to BOB-95-05  
treated at Nepean Lab  
SAMPLES BOB-96-01 to BOB-133-01  
treated at Rouyn Lab

Ref. No. 87-CND-47-04  
(Doc. #0076U)

Compiled by: J. Learn  
January 1988

## A P P E N D I X II

### TREATMENT OF OVERBURDEN SAMPLES

Overburden samples were first sent to OVERBURDEN DRILLING MANAGEMENT Ltd for preliminary treatment. This laboratory has a specialized capacity to prepare heavy mineral concentrates, and at the same time check for visible gold grains in the samples.

A flow chart supplied to us by them is reproduced in Figure 6-1 and is described below:


- 1) The sample taken in the field generally weighs 8 to 10 kg.
- 2) First, ~250 g is removed and stored, as a representative sample of the original.
- 3) Next the sample is wet sieved to remove all of the +10 mesh (1700 m) pebble and cobble chips. The relative amounts of metavolcanic and metasedimentary, granitoid and limestone clasts are recorded, as well as the dominant clast size, which is estimated by the proportion of rounded (i.e. worn) surfaces. This part of the sample is then discarded.
- 4) The remainder of the sample, generally 7 to 9 kg, is then fed onto a vibrating table, which is the first step in the preparation of the heavy mineral concentrate. As the sample feeds down the table, the heavy minerals are closely watched, and any visible gold grains are removed and set aside. The light fraction is also observed, and parameters such as grain size, sorting and colour are noted.

The light fraction is then discarded, and at this point, the sample weight is greatly reduced (eg to ~200 g).

- 4A) In the event that 2 or more gold grains are found, or if there are significant sulfides which might be concealing gold grains, the sample is subjected to a refined panning process to test for additional (smaller) gold particles. Any grains found during this step are also set aside. For most samples, though, this step is bypassed.
- 5) The sample then undergoes a heavy liquid separation using methylene iodide (S.G. = 3.3). This further reduces the sample weight, generally to ~30 g. The light fraction is stored.



SAMPLE PROCESSING FLOW SHEET



- 6) The last step in the preparatory process removes magnetic minerals and drill steel from the sample. This fraction is also stored.
- 7) Each gold grain detected in steps 4 and 4A is individually studied (see below) and then returned to the non-magnetic heavy mineral fraction (generally ~20 g). This fraction is then split, ~75% is sent to CHIMITEC Ltée for analysis, and ~25% is stored as a representative sample.

Individual gold grains are studied in the following manner:

- i) they are classed as abraded, irregular or delicate, which is an effort to estimate the distance of transport;
- ii) their dimensions are measured. From this, the estimated gold concentration due to the grain(s) for the heavy mineral concentrate is calculated. This helps to establish whether there is any nugget effect in the CHIMITEC analysis;

CHIMITEC Ltée then receives the heavy mineral concentrate (non-magnetic fraction) and analyzes for Au and 33 other elements by neutron activation.

OVERBURDEN DRILLING MANAGEMENT LIMITED - LABORATORY SAMPLE LOG

ABBREVIATIONS

CLAST:

SIZE OF CLAST:

G: GRANULES  
F: PEBBLES  
C: COBBLES  
BL: BOULDER CHIPS  
BK: BEDROCK CHIPS

% CLAST COMPOSITION

V/S VOLCANICS AND SEDIMENTS  
GR GRANITICS  
LS LIMESTONE  
OT OTHER LITHOLOGIES (REFER TO FOOTNOTES BELOW)  
TR ONLY TRACE PRESENT  
NA NOT APPLICABLE

MATRIX:

S/U SORTED OR UNSORTED  
SD SAND : Y YES FRACTION PRESENT : F: FINE  
ST SILT : N FRACTION NOT PRESENT : M: MEDIUM  
CY CLAY : : C: COARSE

COLOR:

B: BEIGE  
GY: GREY  
GB: GREY BEIGE  
GN: GREEN  
GG: GREY GREEN  
BN: BROWN  
BK: BLACK  
OC: OCHRE  
PK: PINK  
OE: ORANGE

DESCRIPTION:

BLD: BOULDER CHIPS  
BDK: BEDROCK CHIPS

FOOTNOTES:

A GRITTY CLAY LUMPS PRESENT

B SMOOTH CLAY LUMPS PRESENT

C ORGANICS PRESENT

D SAMPLE HIGHLY OXIDIZED

ABBREVIATIONS

NUMBER OF GRAINS:

T: NUMBER FOUND ON SHAKING TABLE  
P: NUMBER FOUND AFTER PANNING

THICKNESS:

C: CALCULATED THICKNESS OF GRAIN  
M: ACTUAL MEASURED THICKNESS OF GRAIN

cobolmar.wrl

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 24

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION					CLASS							
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M.I. LIGHTS	CONC. TOTAL	NON MAG	NO. MAG	CALC V.G.	PPB	SIZE	%	MATRIX			ST	CY	COLOR				
											V/S	GR	LS	OT	S/U	SD		SD	CY			
BOB-87																						
01-01	8.8	0.5	8.3	208.4	179.2	29.2	18.7	10.5	1	11628	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-02	7.8	0.7	7.1	173.7	147.3	26.4	16.7	9.7	1	683	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-03	8.3	1.0	7.3	157.3	127.0	30.3	19.0	11.3	0	NA	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-04	8.2	0.4	7.8	131.1	100.3	30.8	19.0	11.8	0	NA	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-05	4.5	0.9	3.6	99.1	80.5	18.6	12.6	6.0	0	NA	P,C	90	10	NA	B	U	Y	Y	Y	GB	GB	TILL
-06	8.9	1.0	7.9	183.9	143.6	40.3	27.7	12.6	0	NA	P,C	85	15	NA	B	U	Y	Y	Y	GB	GB	TILL
-07	8.3	1.2	7.1	160.8	125.4	35.4	22.9	12.5	0	NA	P	85	14	1	NA	U	Y	Y	Y	GB	GB	TILL
-08	7.8	0.5	7.3	132.4	106.5	25.9	17.5	8.4	0	NA	P,C	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	5.3	0.5	4.8	141.6	115.7	25.9	18.4	7.5	0	NA	P,BK	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL
02-01	8.3	0.6	7.7	160.7	125.7	35.0	22.5	12.5	0	NA	P	69	30	1	NA	U	Y	Y	Y	B	B	TILL
-02	9.2	0.8	8.4	157.9	120.4	37.5	24.6	12.9	0	NA	P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-03	9.8	0.8	9.0	184.7	144.8	39.9	25.6	14.3	0	NA	P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-04	9.9	1.0	8.9	190.1	146.6	43.5	26.1	17.4	0	NA	P	80	20	TR	NA	U	Y	Y	Y	B	B	TILL
-05	4.5	0.2	4.3	140.9	123.7	17.2	13.1	4.1	0	NA	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-06	9.9	0.1	9.8	187.3	155.0	32.3	20.7	11.6	0	NA	P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-07	8.6	1.6	7.0	160.4	131.2	29.2	19.8	9.4	0	NA	P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-08	7.4	1.0	6.4	166.4	144.2	22.2	14.3	7.9	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.5	1.2	8.3	186.1	157.8	28.3	18.0	10.3	1	2539	P	90	10	TR	NA	U	Y	Y	Y	GB	GB	TILL
-10	6.6	0.6	6.0	198.9	181.3	17.6	11.8	5.8	0	NA	P	80	20	TR	NA	U	Y	Y	Y	GB	GB	TILL
03-01	9.9	0.8	9.1	202.2	174.8	27.4	14.7	12.7	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-02	10.0	1.0	9.0	179.2	150.8	28.4	16.9	11.5	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-03	7.2	0.9	6.3	136.4	114.6	21.8	12.4	9.4	0	NA	P	35	65	NA	NA	U	Y	Y	Y	B	B	TILL
-04	9.3	1.0	8.3	164.2	134.5	29.7	18.0	11.7	0	NA	P	40	60	TR	NA	U	Y	Y	Y	B	B	TILL
03-05	9.5	0.8	8.7	174.4	131.0	43.4	16.7	26.7	0	NA	P	88	10	2	NA	U	Y	Y	Y	GB	GB	TILL

cobo2mar.wr1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 34

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION						CLASS						
	TABLE SPLIT	+10 CHIPS	TABLE FEED	M. I. CONC				NO. V.G.	CALC PPB	CLAST			MATRIX			ST	CY	COLOR				
				TABLE CONC	M.I. LIGHTS	CONC. TOTAL	NON MAG			NO. MAG	SIZE	%	S/U	SD	ST				CY	COLOR		
											V/S	GR	LS	OT							SD	CY
BOB-87																						
03-06	8.4	0.8	7.6	162.8	139.9	22.9	14.3	8.6	0	NA	P	80	20	TR	NA	U	Y	Y	Y	GB	GB	TILL
-07	6.7	0.8	5.9	128.9	107.0	21.9	14.0	7.9	0	NA	P,BK	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL&BOK
04-01	9.3	3.0	6.3	147.6	115.9	31.7	18.2	13.5	0	NA	P	75	25	TR	NA	U	Y	Y	Y	GB	GB	TILL
-02	8.4	1.0	7.4	149.3	125.6	23.7	15.3	8.4	0	NA	P	84	15	1	NA	U	Y	Y	Y	GB	GB	TILL
-03	8.8	0.8	8.0	111.6	92.1	19.5	13.1	6.4	1	4296	P	80	20	NA	A	U	Y	Y	Y	GB	GB	TILL
-04	9.9	0.8	9.1	115.2	94.5	20.7	13.1	7.6	0	NA	P	20	80	NA	A	U	Y	Y	Y	GB	GB	TILL&BOK
05-01	9.6	1.5	8.1	97.1	71.5	25.6	16.2	9.4	0	NA	P,C	75	25	NA	A	U	Y	Y	Y	B	B	TILL
-02	8.7	2.0	6.7	109.4	82.2	27.2	17.2	10.0	0	NA	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-03	8.5	1.2	7.3	76.2	51.6	24.6	16.1	8.5	1	481	P	89	10	1	NA	U	Y	Y	Y	B	B	TILL
-04	9.2	1.8	7.4	110.4	82.2	28.2	17.0	11.2	0	NA	P	90	10	NA	NA	U	Y	Y	Y	GB	B	TILL
-05	9.8	1.5	8.3	135.3	108.6	26.7	15.7	11.0	0	NA	P	90	10	NA	NA	U	Y	Y	Y	GB	B	TILL
-06	6.8	0.8	6.0	147.5	130.7	16.8	10.8	6.0	0	NA	P	80	20	NA	A	U	Y	Y	Y	GB	GY	TILL
06-01	9.8	3.0	6.8	325.8	293.5	32.3	20.5	11.8	0	NA	P	70	30	NA	NA	U	Y	Y	N	GB	N	TILL
-02	9.6	2.4	7.2	346.2	303.8	42.4	27.0	15.4	2	2877	P	80	20	NA	NA	U	Y	Y	Y	GB	GY	TILL
07-01	8.5	1.6	6.9	122.4	96.3	26.1	14.6	11.5	1	198	P	60	40	NA	NA	U	Y	Y	N	B	N	TILL
-02	8.9	1.0	7.9	116.5	88.1	28.4	16.8	11.6	1	38	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-03	9.7	1.8	7.9	189.4	158.8	30.6	17.6	13.0	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	8.9	1.0	7.9	124.1	101.3	22.8	13.5	9.3	2	580	P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.4	1.9	7.5	152.9	117.9	35.0	20.0	15.0	0	NA	P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.4	2.1	7.3	290.2	254.5	35.7	21.5	14.2	0	NA	C	60	40	TR	NA	U	Y	Y	N	GB	N	TILL
-07	9.7	2.1	7.6	188.1	160.1	28.0	16.3	11.7	1	7362	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
08-01	8.7	0.4	8.3	98.1	76.0	22.1	15.5	6.6	0	NA	C	55	45	NA	NA	U	Y	Y	Y	B	B	TILL
-02	7.6	0.2	7.4	100.3	78.1	22.2	16.0	6.2	0	NA	BK	100	NA	NA	NA	U	Y	Y	Y	B	B	TILL&BOK
09-01	8.8	0.7	8.1	189.2	157.7	31.5	20.1	11.4	0	NA	C	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-02	9.3	1.6	7.7	150.5	113.6	36.9	22.3	14.6	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-03	9.0	1.0	8.0	141.9	107.2	34.7	21.7	13.0	0	NA	P	65	35	NA	NA	U	Y	Y	Y	B	B	TILL
-04	9.2	0.6	8.6	158.6	127.6	31.0	19.2	11.8	0	NA	P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-05	7.8	0.6	7.2	128.6	97.9	30.7	20.2	10.5	0	NA	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-06	8.9	1.7	7.2	159.6	126.3	33.3	22.2	11.1	0	NA	P	80	20	TR	NA	U	Y	Y	Y	B	B	TILL
-07	9.4	2.0	7.4	170.9	139.6	31.3	20.0	11.3	1	75	P	80	20	TR	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.2	0.4	8.8	123.0	94.9	28.1	16.6	11.5	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.4	1.3	8.1	118.6	94.6	24.0	13.5	10.5	0	NA	P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-10	5.3	0.3	5.0	73.1	56.5	16.6	11.0	5.6	0	NA	P	80	20	NA	A	U	Y	Y	Y	GB	GB	TILL
10-01	8.7	1.4	7.3	126.0	95.7	30.3	16.5	13.8	0	NA	P	55	40	5	NA	U	Y	Y	Y	GB	GB	TILL

COG03MAR.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION						CLASS						
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC			NO. V.G.	CALC PPB	CLAST			MATRIX			COLOR						
					M.I. LIGHTS	CONC. TOTAL	NON MAG			SIZE	%	S/U	SD	ST	CY	SD	CY					
BOB-87																						
10-02	9.3	1.2	8.1	81.7	54.2	27.5	17.1	10.4	0	NA	P	45	50	5	NA	U	Y	Y	Y	GB	GB	TILL
-03	8.3	0.6	7.7	108.8	82.5	26.3	16.3	10.0	0	NA	P	40	50	10	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.6	1.0	8.6	103.7	76.8	26.9	16.9	10.0	1	171	P	30	60	10	NA	U	Y	Y	Y	GB	GB	TILL
11-01	8.2	0.7	7.5	99.1	73.9	25.2	15.6	9.6	0	NA	P	60	40	TR	A	U	Y	Y	Y	GB	GB	TILL
12-01	9.7	0.8	8.9	122.6	90.1	32.5	20.5	12.0	7	1373	P	65	35	TR	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.0	0.5	8.5	119.0	87.9	31.1	19.8	11.3	0	NA	P	50	50	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.2	0.6	8.6	102.2	67.2	35.0	22.9	12.1	1	498	P	50	50	TR	NA	U	Y	Y	Y	GB	GB	TILL
-04	8.9	0.7	8.2	104.1	74.4	29.7	20.2	9.5	0	NA	C	55	45	TR	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.1	0.1	9.0	113.8	89.3	24.5	15.8	8.7	0	NA	C	55	45	TR	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.7	0.6	9.1	185.4	161.6	23.8	13.8	10.0	0	NA	C	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	8.4	1.0	7.4	117.6	93.2	24.4	15.8	8.6	0	NA	C,BL	70	30	TR	NA	U	Y	Y	Y	GB	GB	TILL
-08	8.8	0.5	8.3	166.8	131.5	35.3	23.8	11.5	0	NA	P,BL	80	20	TR	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.1	1.1	8.0	243.6	193.4	50.2	29.4	20.8	8	3260	C	55	45	TR	A	U	Y	Y	Y	GB	GB	TILL
-10	8.8	0.8	8.0	135.8	102.9	32.9	21.9	11.0	0	NA	P	60	40	TR	A	U	Y	Y	Y	GB	GB	TILL
-11	9.1	0.4	8.7	158.2	124.1	34.1	24.1	10.0	2	23	C	80	20	TR	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.2	1.5	7.7	289.3	235.8	53.5	30.4	23.1	19	7568	P,BL	55	45	TR	NA	U	Y	Y	Y	GB	GB	TILL&BLD
-13	9.2	1.2	8.0	203.9	166.6	37.3	23.2	14.1	3	2117	P,BL	50	50	TR	NA	U	Y	Y	Y	B	B	TILL&BLD
-14	9.4	2.2	7.2	227.9	190.2	37.7	21.8	15.9	1	523	P	55	45	TR	NA	U	Y	Y	N	B	NA	TILL
-15	9.7	2.1	7.6	269.4	188.0	81.4	45.0	36.4	7	489	P	55	45	TR	NA	U	Y	Y	N	B	NA	TILL
-16	9.8	1.0	8.8	227.5	149.1	78.4	46.3	32.1	13	593	P	60	40	TR	NA	U	Y	Y	N	B	NA	TILL
-17	8.9	1.0	7.9	260.0	225.4	34.6	18.4	16.2	1	82	P	30	70	TR	NA	U	Y	Y	N	B	NA	TILL
-18	9.0	0.9	8.1	165.2	144.2	21.0	14.5	6.5	0	NA	P	30	69	1	NA	U	Y	Y	N	B	NA	TILL
-19	8.9	1.2	7.7	235.2	228.0	7.2	4.8	2.4	0	NA	P	40	59	1	NA	U	Y	Y	N	B	NA	TILL
13-01	5.8	1.2	4.6	105.2	81.0	24.2	13.7	10.5	1	832	P	40	60	NA	NA	U	Y	Y	Y	B	B	TILL
-02	7.3	1.8	5.5	150.8	124.8	26.0	13.9	12.1	1	557	P	45	55	TR	NA	U	Y	Y	N	B	NA	TILL
-03	7.9	1.0	6.9	149.1	123.7	25.4	15.2	10.2	0	NA	P,BK	69	25	1	NA	U	Y	Y	Y	GB	GB	TILL
14-01	9.4	1.7	7.7	122.8	93.5	29.3	17.4	11.9	0	NA	P	45	54	1	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.1	1.6	7.5	126.3	97.0	29.3	18.0	11.3	0	NA	P	40	59	1	NA	U	Y	Y	Y	GB	GB	TILL
15-01	8.7	1.0	7.7	178.7	148.5	30.2	20.2	10.0	0	NA	P	65	35	TR	NA	U	Y	Y	Y	B	GB	TILL
16-01	9.3	0.5	8.8	228.2	189.8	38.4	25.4	13.0	0	NA	P	30	70	NA	NA	U	Y	Y	Y	B	B	TILL
-02	6.9	0.5	6.4	194.1	167.4	26.7	17.2	9.5	0	NA	P	35	64	1	NA	U	Y	Y	Y	B	B	TILL
-03	8.3	0.6	7.7	192.5	161.9	30.6	19.1	11.5	0	NA	P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-04	9.1	0.3	8.8	188.6	158.7	29.9	19.0	10.9	0	NA	P	60	40	NA	A	U	Y	Y	Y	B	GB	TILL
-05	9.2	0.4	8.8	208.9	172.0	36.9	22.1	14.8	0	NA	P	80	20	NA	A	U	Y	Y	Y	GB	GY	TILL
-06	9.2	0.8	8.4	200.1	168.9	31.2	20.8	10.4	0	NA	P	90	10	NA	NA	U	Y	Y	Y	GY	GY	TILL
17-01	6.3	0.4	5.9	173.5	152.9	20.6	12.3	8.3	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-02	9.0	0.5	8.5	193.8	163.4	30.4	19.4	11.0	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-03	8.8	0.5	8.3	203.7	175.0	28.7	18.4	10.3	0	NA	P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-04	9.2	0.4	8.8	214.8	185.9	28.9	18.6	10.3	0	NA	P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
17-05	8.5	0.3	8.2	208.5	175.4	33.1	22.5	10.6	0	NA	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL





COB01APR.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION							CLASS				
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M.I. LIGHTS	CONC. TOTAL	NON MAG	NO. MAG	CALC V.G.	CLAST SIZE	%		MATRIX								
										V/S	GR	LS	OT	S/U	SD	ST	CY	COLOR	SD	CY	
BOB-87																					
21-01	7.5	0.0	7.5	120.3	91.3	29.0	20.1	8.9	0	NA TR	NA	NA	NA	NA	S	F	Y	Y	B	B	SAND
-02	8.5	0.0	8.5	140.2	95.8	44.4	28.8	15.6	0	NA TR	NA	NA	NA	NA	S	F	Y	Y	B	B	SAND
-03	6.8	0.9	5.9	186.1	155.6	30.5	19.4	11.1	0	NA P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-04	6.4	0.5	5.9	125.1	94.8	30.3	20.1	10.2	0	NA P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-05	6.6	0.6	6.0	140.1	112.0	28.1	17.5	10.6	0	NA P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-06	9.0	1.2	7.8	149.7	116.1	33.6	20.7	12.9	0	NA P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-07	7.2	0.9	6.3	142.7	118.2	24.5	15.0	9.5	0	NA P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-08	9.0	1.0	8.0	159.5	111.0	48.5	33.8	14.7	0	NA C	85	15	NA	NA	U	Y	Y	Y	B	B	TILL
-09	10.2	3.3	6.9	149.7	115.5	34.2	21.3	12.9	0	NA C	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-10	9.4	1.2	8.2	114.4	81.4	33.0	21.3	11.7	6	669 P,C	75	25	TR	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.4	1.2	8.2	193.4	62.0	131.4	19.7	111.7	1	1850 C	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.7	1.4	8.3	76.6	53.5	23.1	12.6	10.5	4	98 C	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	9.2	2.0	7.2	100.8	72.2	28.6	18.0	10.6	1	161 P	80	20	TR	NA	U	Y	Y	Y	GB	GB	TILL
-14	8.9	0.1	8.8	76.7	56.3	20.4	12.6	7.8	0	NA P	80	20	TR	NA	S	M,F	N	N	B	B	SAND
-15	9.6	2.2	7.4	113.3	72.5	40.8	19.4	21.4	4	1659 P	40	60	TR	NA	U	Y	Y	N	B	NA	TILL
-16	9.3	1.6	7.7	135.7	113.5	22.2	12.7	9.5	0	NA C	35	60	5	NA	U	Y	Y	N	B	NA	TILL
-17	9.2	0.3	8.9	113.9	89.8	24.1	16.2	7.9	0	NA P	25	65	10	NA	S	M,F	Y	N	B	NA	SAND
22-01	8.9	0.0	8.9	91.2	62.2	29.0	17.8	11.2	1	57 TR	NA	NA	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.0	0.0	9.0	127.6	99.3	28.3	16.9	11.4	0	NA TR	NA	NA	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	8.9	0.5	8.4	126.9	99.8	27.1	16.5	10.6	0	NA P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	8.6	0.1	8.5	159.9	132.0	27.9	19.4	8.5	0	NA C	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
23-01	9.1	1.0	8.1	133.0	105.0	28.0	17.1	10.9	1	88 P	80	20	TR	NA	U	Y	Y	Y	B	B	TILL
-02	9.1	1.0	8.1	148.1	116.5	31.6	19.4	12.2	0	NA C	80	20	TR	NA	U	Y	Y	Y	B	B	TILL
-03	9.3	0.8	8.5	136.8	108.2	28.6	17.5	11.1	0	NA C	85	15	TR	NA	U	Y	Y	Y	B	B	TILL
-04	9.1	0.9	8.2	122.6	96.1	26.5	16.0	10.5	1	713 C	85	15	TR	NA	U	Y	Y	Y	B	B	TILL
-05	8.8	0.7	8.1	212.3	188.3	24.0	14.8	9.2	1	3088 P	80	20	NA	A	U	Y	Y	Y	GB	GB	TILL
-06	7.6	0.2	7.4	126.8	101.1	25.7	16.6	9.1	0	NA P	85	15	TR	NA	U	Y	Y	Y	B	B	TILL
-07	9.3	1.2	8.1	120.0	96.3	23.7	14.5	9.2	1	26 P	90	10	TR	NA	U	Y	Y	Y	B	B	TILL
-08	7.9	0.9	7.0	173.9	153.6	20.3	12.5	7.8	0	NA P	80	20	TR	A	U	Y	Y	Y	B	B	TILL
-09	8.5	1.0	7.5	207.5	182.3	25.2	15.6	9.6	1	400 P	80	20	NA	A	U	Y	Y	Y	B	B	TILL
-10	8.2	0.9	7.3	146.8	123.6	23.2	14.3	8.9	0	NA P	75	25	TR	A	U	Y	Y	Y	B	B	TILL
-11	8.8	0.8	8.0	151.3	129.5	21.8	13.1	8.7	1	722 P	70	30	TR	NA	U	Y	Y	Y	B	GB	TILL
-12	9.0	1.8	7.2	227.0	190.5	36.5	16.3	20.2	3	5343 P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
24-01	8.2	1.5	6.7	124.9	101.1	23.8	16.3	7.5	0	NA P	70	30	TR	NA	U	Y	Y	Y	B	BN	TILL
-02	9.1	1.0	8.1	137.0	113.8	23.2	13.6	9.6	0	NA P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-03	8.9	0.7	8.2	128.2	99.1	29.1	18.0	11.1	0	NA P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-04	8.5	0.4	8.1	111.1	83.7	27.4	16.7	10.7	0	NA P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-05	8.8	0.9	7.9	126.2	94.6	31.6	19.8	11.8	0	NA P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-06	9.5	0.8	8.7	114.5	86.1	28.4	17.3	11.1	0	NA P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
24-07	8.8	1.1	7.7	156.8	129.5	27.3	16.9	10.4	1	60 P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL

cobo2apr.wri

## OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

## LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION						CLASS						
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC			NO. V.G.	CALC PPB	CLAST		MATRIX				ST	CY	COLOR	SD	CY		
					M.I.	CONC.	NON			SIZE	%	S/U	SD	ST	CY						COLOR	
					LIGHTS	TOTAL	MAG															V/S
808-87																						
24-08	9.3	1.2	8.1	113.8	90.1	23.7	13.9	9.8	0	NA	P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-09	8.3	1.3	7.0	92.2	70.2	22.0	12.8	9.2	0	NA	P	25	75	TR	NA	U	Y	Y	Y	GB	GB	TILL
-10	8.8	0.9	7.9	132.7	110.1	22.6	13.8	8.8	0	NA	P	80	20	TR	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.6	1.0	8.6	120.4	93.7	26.7	16.2	10.5	0	NA	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-12	9.0	0.6	8.4	123.2	96.1	27.1	16.1	11.0	0	NA	P	75	25	TR	NA	U	Y	Y	Y	B	B	TILL
-13	9.0	0.7	8.3	85.8	61.3	24.5	14.8	9.7	0	NA	P	80	20	TR	NA	U	Y	Y	Y	B	B	TILL
-14	8.2	0.9	7.3	84.6	68.4	16.2	10.0	6.2	0	NA	P	80	20	TR	NA	U	Y	Y	Y	B	B	TILL
-15	9.0	0.0	9.0	58.9	39.6	19.3	12.6	6.7	0	NA	TR	NA	NA	NA	NA	S	Y	Y	Y	B	B	SAND
-16	8.3	0.0	8.3	117.1	97.7	19.4	11.9	7.5	0	NA	TR	NA	NA	NA	NA	S	Y	Y	Y	B	B	SAND&BLD
-17	9.4	1.5	7.9	129.5	95.5	34.0	18.6	15.4	1	156	G,P	70	30	NA	NA	U	Y	Y	Y	GB	B	TILL
25-01	8.2	1.3	6.9	119.9	100.0	19.9	10.9	9.0	0	NA	P	40	60	NA	NA	U	Y	Y	Y	B	B	TILL
-02	8.2	0.8	7.4	104.7	80.3	24.4	13.4	11.0	0	NA	P	40	60	NA	NA	U	Y	Y	Y	B	B	TILL
-03	9.6	1.0	8.6	77.2	53.9	23.3	14.3	9.0	0	NA	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-04	9.4	1.1	8.3	115.0	90.9	24.1	14.7	9.4	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	B	TILL
-05	9.9	1.5	8.4	111.9	86.6	25.3	15.4	9.9	0	NA	P	80	10	10	NA	U	Y	Y	Y	B	B	TILL
-06	8.9	1.3	7.6	90.5	67.0	23.5	14.5	9.0	0	NA	P	80	10	10	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.6	1.2	8.4	78.9	55.9	23.0	13.3	9.7	0	NA	P	80	16	4	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.6	1.2	8.4	82.9	60.2	22.7	12.8	9.9	1	386	P	85	14	1	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.4	0.3	9.1	80.4	63.0	17.4	11.0	6.4	3	323	P	85	14	1	A	U	Y	Y	Y	GB	GB	TILL
-10	9.4	0.7	8.7	113.7	88.3	25.4	15.8	9.6	1	95	P	85	14	1	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.4	0.5	8.9	128.1	96.6	31.5	19.5	12.0	0	NA	P	85	14	1	NA	U	Y	Y	Y	B	B	TILL
-12	8.8	0.5	8.3	142.9	110.8	32.1	19.5	12.6	0	NA	P	85	15	TR	NA	U	Y	Y	Y	B	B	TILL
-13	9.4	1.1	8.3	107.5	79.1	28.4	15.5	12.9	0	NA	P	80	20	TR	NA	U	Y	Y	Y	B	B	TILL
-14	7.0	0.5	6.5	118.9	102.7	16.2	9.7	6.5	0	NA	P	65	35	TR	NA	U	Y	Y	Y	B	B	TILL
-15	9.8	0.7	9.1	118.0	92.4	25.6	15.9	9.7	0	NA	P	85	15	TR	A	U	Y	Y	Y	B	B	TILL
-16	9.1	0.3	8.8	125.9	98.4	27.5	17.9	9.6	0	NA	P	80	20	TR	A	U	Y	Y	Y	GB	GB	TILL
-17	9.4	1.3	8.1	130.9	95.6	35.3	19.3	16.0	0	NA	P	80	20	TR	NA	U	Y	Y	Y	GB	GB	TILL
-18	5.0	0.4	4.6	122.1	102.2	19.9	12.2	7.7	1	1313	P	80	20	TR	A	U	Y	Y	Y	GB	GY	TILL
26-01	9.4	1.3	8.1	150.1	121.0	29.1	17.0	12.1	1	671	P	70	15	15	NA	U	Y	Y	Y	B	B	TILL
-02	9.5	1.4	8.1	117.2	92.6	24.6	14.8	9.8	1	334	P	80	15	5	NA	U	Y	Y	Y	B	B	TILL
-03	9.5	1.2	8.3	175.7	147.5	28.2	16.7	11.5	0	NA	P	80	19	1	NA	U	Y	Y	Y	B	B	TILL
-04	9.2	1.5	7.7	161.6	128.5	33.1	18.2	14.9	0	NA	P	80	19	1	NA	U	Y	Y	Y	B	B	TILL
-05	9.3	0.7	8.6	173.6	146.2	27.4	16.3	11.1	0	NA	P	80	19	1	NA	U	Y	Y	Y	B	B	TILL
-06	9.4	0.7	8.7	193.7	161.4	32.3	21.0	11.3	0	NA	P	70	20	5	NA	U	Y	Y	Y	B	B	TILL
-07	9.6	1.0	8.6	188.3	151.5	36.8	25.3	11.5	0	NA	P	75	10	15	NA	U	Y	Y	Y	B	B	TILL
-08	8.6	0.5	8.1	182.1	149.8	32.3	21.6	10.7	0	NA	P	70	15	5	NA	U	Y	Y	Y	B	B	TILL
-09	9.7	0.9	8.8	157.5	124.4	33.1	22.2	10.9	0	NA	P	80	15	5	NA	U	Y	Y	Y	B	B	TILL
-10	9.7	1.6	8.1	127.1	95.1	32.0	20.4	11.6	0	NA	P	64	35	1	NA	U	Y	Y	Y	B	B	TILL
-11	9.0	1.2	7.8	127.4	98.2	29.2	19.3	9.9	0	NA	P	65	34	1	NA	U	Y	Y	Y	B	B	TILL
26-12	9.3	1.0	8.3	97.1	80.7	16.4	11.5	4.9	0	NA	C	35	25	40	NA	U	Y	Y	Y	B	B	TILL

COB03APR.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION					CLASS		
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M.I. LIGHTS	CONC. TOTAL	NON MAG	NO. MAG	CALC V.G.	NO. PPB	CLAST SIZE	%			MATRIX S/U SD ST CY COLOR		
											V/S	GR	LS	OT		SD	CY
BOB-87																	
26-13	9.8	1.0	8.8	88.0	73.4	14.6	10.6	4.0	0	NA P	65	5	30	NA	U U	U U	GB GB TILL
-14	9.7	2.4	7.3	150.1	123.5	26.6	16.3	10.3	0	NA P	55	30	15	NA	U U	U N	GB N TILL
-15	9.8	1.6	8.2	197.4	170.5	26.9	16.6	10.3	0	NA P	60	30	10	NA	U U	U U	GB GB TILL
-16	10.0	1.9	8.1	134.9	115.1	19.8	12.8	7.0	0	NA P	70	25	5	NA	U U	U U	GB GB TILL
-17	10.1	2.0	8.1	96.6	70.7	25.9	15.4	10.5	0	NA P	74	25	1	NA	U U	U U	GB GB TILL
-18	9.9	1.9	8.0	179.3	136.5	42.8	21.9	20.9	1	731 P	85	14	1	NA	U U	U U	GB GB TILL
-19	9.6	2.0	7.6	179.1	147.9	31.2	18.8	12.4	0	NA P	85	15	TR	NA	U U	U U	GB GB TILL
-20	9.1	1.6	7.5	254.8	228.5	26.3	18.5	7.8	1	115 P	80	20	NA	NA	U U	U U	GB GB TILL
-21	6.6	0.5	6.1	137.3	115.8	21.5	14.3	7.2	0	NA C	90	10	NA	NA	U U	U U	GB GB TILL
-22	9.3	1.1	8.2	199.4	175.8	23.6	15.4	8.2	0	NA P	70	30	TR	NA	U U	U U	GB GB TILL
-23	9.1	1.4	7.7	156.6	126.1	30.5	18.8	11.7	0	NA P	60	40	TR	NA	U U	U U	GB GB TILL
27-01	7.7	1.4	6.3	150.5	101.9	48.6	29.6	19.0	0	NA C	80	20	NA	NA	U U	U U	GB GB TILL
-02	9.6	1.0	8.6	156.3	127.4	28.9	19.3	9.6	0	NA P	70	30	TR	NA	U U	U U	GB GB TILL
-03	7.3	0.4	6.9	137.2	112.6	24.6	16.6	8.0	0	NA P,C	25	75	NA	NA	U U	U U	GB GB TILL
-04	9.7	1.7	8.0	165.7	129.2	36.5	22.4	14.1	0	NA P	55	40	5	NA	U U	U U	GB GB TILL
-05	9.7	2.2	7.5	170.3	137.5	32.8	20.5	12.3	5	1285 P	45	50	5	NA	U U	U U	GB GB TILL
-06	9.0	0.8	8.2	196.8	160.6	36.2	22.7	13.5	3	527 P	60	40	TR	NA	U U	U U	GB GB TILL
-07	9.0	1.4	7.6	121.9	94.7	27.2	16.0	11.2	0	NA P	50	50	NA	NA	U U	U U	GB GB TILL
-08	9.3	1.3	8.0	168.2	134.7	33.5	20.7	12.8	0	NA P	70	30	TR	NA	U U	U U	GB GB TILL
-09	9.5	1.5	8.0	121.3	92.5	28.8	17.0	11.8	0	NA P	60	40	TR	NA	U U	U U	GB GB TILL
-10	8.5	0.8	7.7	125.4	99.4	26.0	15.9	10.1	0	NA P	60	40	TR	NA	U U	U U	GB GB TILL
-11	8.2	0.6	7.6	85.7	62.5	23.2	14.4	8.8	1	201 P	60	40	TR	A	U U	U U	GB GB TILL
-12	9.3	0.4	8.9	74.7	51.6	23.1	14.9	8.2	0	NA P	40	60	TR	A	U U	U U	GB GB TILL
-13	9.0	0.3	8.7	113.0	87.2	25.8	15.3	10.5	0	NA P	40	60	TR	A	U U	U U	GB GB TILL
-14	8.7	0.4	8.3	131.5	107.4	24.1	15.0	9.1	1	67 P	60	40	TR	A	U U	U U	GB GB TILL
28-01	8.7	1.0	7.7	170.1	144.9	25.2	17.0	8.2	0	NA P	40	60	NA	A	U U	U U	GB GB TILL
-02	7.2	0.6	6.6	161.4	141.6	19.8	13.9	5.9	0	NA P	65	35	TR	A	U U	U U	GB GB TILL
-03	9.4	0.9	8.5	254.4	228.6	25.8	17.0	8.8	0	NA P	70	30	TR	A	U U	U U	B B TILL
-04	7.3	0.5	6.8	191.8	173.9	17.9	11.5	6.4	0	NA P	40	60	TR	A	U U	U U	B B TILL
-05	8.4	0.4	8.0	190.2	174.3	15.9	11.1	4.8	3	4579 P	60	40	NA	NA	U U	U U	B B TILL
-06	8.4	0.6	7.8	197.9	178.2	19.7	13.8	5.9	0	NA P	60	40	NA	A	U U	U U	B B TILL
-07	8.3	0.6	7.7	201.5	179.9	21.6	16.1	5.5	0	NA P	90	10	NA	A	U U	U U	GB B TILL
29-01	9.1	0.8	8.3	193.8	162.4	31.4	19.4	12.0	0	NA P	60	40	TR	NA	U U	U U	B B TILL
-02	9.8	1.2	8.6	201.6	165.5	36.1	24.5	11.6	0	NA P	60	40	TR	NA	U U	U U	B B TILL
-03	9.4	1.6	7.8	213.0	182.7	30.3	20.4	9.9	0	NA C	60	35	5	NA	U U	U U	B B TILL
-04	9.4	1.1	8.3	220.1	185.7	34.4	22.3	12.1	0	NA C	35	60	5	NA	U U	U U	B B TILL
-05	9.7	1.6	8.1	205.4	170.7	34.7	21.9	12.8	0	NA P	40	60	TR	NA	U U	U U	B GB TILL
-06	9.3	0.8	8.5	239.5	202.7	36.8	25.2	11.6	2	124 P	60	40	TR	NA	U U	U U	B GB TILL
-07	9.7	0.8	8.9	106.3	70.4	35.9	25.5	10.4	0	NA P	30	70	TR	NA	U U	U U	B GB TILL
29-08	9.7	1.4	8.3	123.3	94.6	28.7	17.5	11.2	0	NA P	40	60	TR	NA	U U	U U	GB GB TILL

COB04APR.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION						CLASS						
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M.I. LIGHTS	CONC. TOTAL	NON MAG	MAG	NO. V.G.	CALC PPB	SIZE	%		MATRIX		ST	CY	COLOR				
											V/S	GR	LS	OT	S/U	SD	ST	CY	COLOR			
BOB-87																						
29-09	9.3	1.2	8.1	138.1	115.3	22.8	14.3	8.5	0	NA	P	30	70	TR	NA	U	Y	Y	Y	GB	GB	TILL
-10	8.8	0.6	8.2	98.5	68.1	30.4	20.0	10.4	0	NA	P	40	60	TR	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.4	1.2	8.2	202.2	171.4	30.8	17.3	13.5	0	NA	P	40	60	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.4	1.1	8.3	94.3	63.0	31.3	16.9	14.4	0	NA	P	45	55	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	8.6	0.5	8.1	75.5	51.5	24.0	14.9	9.1	1	25	P	30	70	TR	NA	U	Y	Y	Y	GB	GB	TILL
-14	9.5	0.9	8.6	133.0	108.2	24.8	15.6	9.2	1	3607	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-15	9.0	1.0	8.0	287.6	257.8	29.8	16.6	13.2	0	NA	P	45	55	TR	NA	U	Y	Y	Y	GB	GB	TILL
30-01	6.2	1.5	4.7	106.3	79.7	26.6	15.4	11.2	1	11099	P	44	55	1	NA	U	Y	Y	Y	B	B	TILL
-02	7.9	1.0	6.9	87.7	62.8	24.9	16.2	8.7	0	NA	P	50	50	TR	NA	U	Y	Y	Y	B	GB	TILL
-03	9.5	1.4	8.1	160.6	127.0	33.6	22.5	11.1	5	326	P	45	55	TR	NA	U	Y	Y	Y	B	GB	TILL
-04	9.5	1.4	8.1	74.8	53.3	21.5	13.4	8.1	5	215	P	35	65	NA	NA	U	Y	Y	Y	B	GB	TILL
-05	8.0	0.4	7.6	94.1	69.5	24.6	14.9	9.7	1	519	P	50	50	TR	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.1	2.0	7.1	129.8	106.7	23.1	13.5	9.6	0	NA	P	60	39	1	NA	U	Y	Y	Y	GB	GB	TILL
-07	6.1	0.4	5.7	94.7	67.8	26.9	19.5	7.4	0	NA	P, BL	95	4	1	NA	U	Y	Y	Y	GB	GB	TILL
-08	6.6	0.4	6.2	148.7	130.7	18.0	11.5	6.5	0	NA	P	39	60	1	NA	U	Y	Y	Y	B	GB	TILL
-09	9.1	0.4	8.7	214.6	188.3	26.3	16.5	9.8	0	NA	P	45	50	5	NA	U	Y	Y	Y	B	B	TILL
-10	9.0	0.4	8.6	187.8	163.7	24.1	14.4	9.7	1	1506	C	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-11	9.0	0.4	8.6	164.4	134.7	29.7	17.0	12.7	0	NA	P, C	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-12	8.6	0.7	7.9	188.5	168.3	20.2	11.5	8.7	0	NA	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-13	9.8	1.0	8.8	178.7	153.2	25.5	14.9	10.6	0	NA	P	55	45	TR	NA	U	Y	Y	Y	B	B	TILL
-14	6.4	0.4	6.0	145.6	132.9	12.7	7.5	5.2	0	NA	P	55	45	TR	NA	U	Y	Y	Y	B	B	TILL
-15	9.3	0.0	9.3	175.2	140.9	34.3	20.6	13.7	0	NA	TR	NA	NA	NA	NA	S	F	Y	Y	GB	GB	SAND
-16	9.2	0.6	8.6	286.5	272.2	14.3	9.3	5.0	0	NA	P, C	50	50	TR	NA	U	Y	Y	Y	GB	GB	TILL
-17	9.0	0.2	8.8	302.7	287.4	15.3	10.2	5.1	0	NA	C	10	90	TR	NA	U	Y	Y	Y	B	B	TILL
-18	9.3	0.2	9.1	243.2	214.3	28.9	17.3	11.6	0	NA	P	20	80	TR	NA	U	Y	Y	Y	B	B	TILL
-19	8.4	0.3	8.1	116.9	85.0	31.9	20.1	11.8	0	NA	P	55	45	TR	A	U	Y	Y	Y	GB	GB	TILL
-20	8.7	0.1	8.6	112.3	85.6	26.7	16.4	10.3	0	NA	P, BK	95	5	TR	NA	U	Y	Y	Y	GY	GY	TILL
31-01	4.7	0.4	4.3	61.4	46.5	14.9	9.7	5.2	0	NA	P	45	55	TR	NA	U	Y	Y	Y	B	B	TILL
-02	7.4	0.4	7.0	61.9	40.7	21.2	13.3	7.9	0	NA	P	55	40	5	NA	U	Y	Y	Y	B	B	TILL
-03	8.8	0.3	8.5	146.0	120.8	25.2	17.0	8.2	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-04	9.4	1.2	8.2	139.5	111.8	27.7	18.8	8.9	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-05	9.5	1.0	8.5	118.3	90.7	27.6	18.4	9.2	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-06	9.2	0.4	8.8	82.3	58.2	24.1	15.2	8.9	0	NA	P	65	35	TR	NA	U	Y	Y	Y	B	B	TILL
-07	9.9	0.8	9.1	126.1	95.2	30.9	18.4	12.5	0	NA	P, C	65	35	TR	A	U	Y	Y	Y	GB	GB	TILL
-08	9.8	0.5	9.3	94.1	72.6	21.5	14.4	7.1	0	NA	P	60	40	TR	A	U	Y	Y	Y	GB	GB	TILL
-09	8.4	0.4	8.0	94.0	68.3	25.7	16.8	8.9	0	NA	C	60	40	TR	A	U	Y	Y	Y	GB	GB	TILL
-10	9.1	0.7	8.4	124.5	96.3	28.2	16.6	11.6	1	4110	C	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	8.7	0.4	8.3	106.0	81.1	24.9	16.1	8.8	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.1	0.5	8.6	92.4	64.4	28.0	17.3	10.7	0	NA	P	50	50	TR	NA	U	Y	Y	Y	B	GB	TILL
31-13	9.1	1.2	7.9	166.8	135.6	31.2	20.6	10.6	0	NA	P	35	65	TR	NA	U	Y	Y	Y	B	GB	TILL

COBOSAPR.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU	DESCRIPTION	CLASS											
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONDC	M. I. CONC		NON MAG				NO. V.G.	CALC PPB	CLAST SIZE	MATRIX							
					M.I. LIGHTS	CONC. TOTAL								S/U	SD	ST	CY	COLOR			
											V/S	GR	LS	OT	SD	CY					
BOB-87																					
31-14	9.2	0.4	8.8	137.5	109.9	27.6	17.8	9.8	1	277 P	45	55	TR	NA	U	Y	Y	Y	B	B	TILL
-15	9.4	0.6	8.8	134.8	109.5	25.3	15.9	9.4	4	824 C	60	40	NA	NA	U	Y	Y	Y	B	GB	TILL
-16	9.1	1.2	7.9	199.1	174.2	24.9	15.6	9.3	1	731 P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-17	8.8	0.8	8.0	182.6	155.5	27.1	18.6	8.5	0	NA G	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-18	9.4	0.9	8.5	129.6	102.3	27.3	17.9	9.4	3	1430 TR	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-19	9.7	2.2	7.5	178.3	141.1	37.2	23.7	13.5	0	NA P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-20	9.5	0.8	8.7	225.5	202.9	22.6	15.0	7.6	0	NA P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-21	9.0	0.5	8.5	98.0	70.8	27.2	19.1	8.1	0	NA P	60	35	5	A	U	Y	Y	Y	GB	GB	TILL
-22	9.0	0.6	8.4	174.4	138.9	35.5	25.8	9.7	0	NA P	70	30	TR	NA	U	Y	Y	Y	GB	GB	TILL
-23	8.7	0.5	8.2	198.4	167.1	31.3	22.5	8.8	0	NA P	70	30	TR	A	U	Y	Y	Y	GB	GB	TILL
32-01	8.9	2.1	6.8	221.2	186.8	34.4	22.1	12.3	1	1288 P	55	40	5	NA	U	Y	Y	Y	B	B	TILL
-02	9.7	1.2	8.5	177.9	151.3	26.6	16.6	10.0	0	NA C	35	60	5	NA	U	Y	Y	Y	B	B	TILL
-03	9.8	1.0	8.8	180.6	152.3	28.3	18.1	10.2	0	NA P	30	65	5	NA	U	Y	Y	Y	B	B	TILL
-04	9.3	1.0	8.3	177.0	153.5	23.5	15.4	8.1	0	NA C	35	65	NA	NA	U	Y	Y	Y	B	B	TILL
-05	7.2	0.6	6.6	130.8	110.9	19.9	12.8	7.1	0	NA P	35	65	TR	NA	U	Y	Y	Y	B	GB	TILL
-06	9.7	0.5	9.2	146.8	119.6	27.2	17.4	9.8	1	358 P	40	60	NA	NA	U	Y	Y	Y	B	GB	TILL
-07	9.5	0.6	8.9	110.4	83.7	26.7	16.5	10.2	0	NA P	30	70	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	7.6	0.5	7.1	77.9	58.7	19.2	12.7	6.5	0	NA P	45	55	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.4	0.6	8.8	107.0	83.4	23.6	15.5	8.1	3	517 C, BL	50	50	TR	A	U	Y	Y	Y	GB	GB	TILL
-10	7.5	0.2	7.3	74.8	60.5	14.3	10.3	4.0	0	NA P	50	50	TR	A	U	Y	Y	Y	GB	GB	TILL
-11	10.1	1.3	8.8	124.7	97.0	27.7	17.4	10.3	0	NA P	85	14	1	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.2	0.8	8.4	109.2	85.7	23.5	14.9	8.6	0	NA P	90	10	TR	NA	U	Y	Y	Y	GB	GB	TILL
-13	8.3	0.6	7.7	122.1	97.1	25.0	15.8	9.2	0	NA P	90	10	TR	NA	U	Y	Y	Y	GB	GB	TILL
33-01	8.8	0.1	8.7	162.1	147.6	14.5	9.2	5.3	0	NA G	70	90	NA	NA	U	Y	Y	Y	B	B	THE SAND
-02	8.8	0.0	8.8	99.7	87.2	12.5	7.9	4.6	0	NA TR	NA	NA	NA	NA	U	Y	Y	Y	B	GB	THE SAND
-03	9.5	2.2	7.3	95.3	68.9	26.4	14.4	12.0	1	104 P	85	15	TR	NA	U	Y	Y	N	B	N	TILL
-04	10.0	3.1	6.9	294.1	257.9	36.2	21.6	14.6	5	14930 P	75	14	1	NA	U	Y	Y	N	B	N	TILL
-05	10.1	3.5	6.6	266.1	231.4	34.7	21.1	13.6	1	181 P	70	30	TR	NA	U	Y	Y	N	GB	N	TILL
-06	9.2	1.6	7.6	200.3	172.5	27.8	17.8	10.0	0	NA P	80	20	NA	NA	U	Y	Y	N	GB	N	TILL
-07	8.1	0.4	7.7	82.8	58.2	24.6	15.2	9.4	0	NA P	60	30	10	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.1	1.3	7.8	96.1	70.6	25.5	16.1	9.4	0	NA P	70	30	TR	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.9	2.0	7.9	174.2	157.4	16.8	11.0	5.8	0	NA C	75	24	1	NA	U	Y	Y	Y	GB	GB	TILL
-10	9.8	1.2	8.6	76.2	59.3	16.9	10.2	6.7	0	NA P	75	24	1	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.8	0.9	8.9	96.0	69.5	26.5	16.5	10.0	0	NA C	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.5	0.9	8.6	72.9	52.0	20.9	12.7	8.2	0	NA P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	9.7	0.2	9.5	76.2	63.3	12.9	5.2	7.7	0	NA P	35	65	TR	NA	U	Y	Y	Y	GB	GB	TILL
-14	9.5	0.5	9.0	60.5	43.7	16.8	10.8	6.0	0	NA P	35	65	TR	NA	U	Y	Y	Y	GB	GB	TILL
34-01	9.5	0.9	8.6	76.5	54.4	22.1	13.2	8.9	0	NA P	35	65	NA	NA	U	Y	Y	Y	B	B	TILL
-02	4.9	0.3	4.6	71.8	59.8	12.0	7.9	4.1	0	NA C, BL	20	80	NA	NA	U	Y	Y	Y	B	B	TILL
34-03	8.6	0.6	8.0	75.1	50.9	24.2	14.2	10.0	0	NA P	45	55	NA	NA	U	Y	Y	Y	B	B	TILL

COB06APR.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION						CLASS					
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M.I. LIGHTS	CONC. TOTAL	NON MAG	MAG	NO. V.G.	CALC PPB	CLAST SIZE	%	S/U	SD	ST		CY	COLOR			
				M. I. CONC						CLAST			MATRIX								
										V/S GR			LS OT			SD CY					
B08-B7																					
34-04	9.4	0.4	9.0	61.1	40.4	20.7	13.1	7.6	0	NA C	15	85	TR	NA	U	Y	Y	Y	B	B	TILL
-05	8.0	0.4	7.6	65.8	47.0	18.8	12.6	6.2	0	NA C	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.0	0.6	8.4	76.1	57.2	18.9	12.2	6.7	0	NA C	50	50	NA	NA	U	Y	Y	Y	B	GB	TILL
-07	9.4	0.5	8.9	121.5	91.8	29.7	15.9	13.8	0	NA P	43	55	NA	NA	U	Y	Y	Y	B	B	TILL
-08	9.8	0.8	9.0	92.6	71.5	21.1	12.1	9.0	0	NA F	50	50	NA	NA	U	Y	Y	Y	B	GB	TILL
-09	9.4	0.4	9.0	74.4	55.7	18.7	11.4	7.3	0	NA P	45	55	TR	NA	U	Y	Y	Y	B	GB	TILL
-10	9.7	0.0	9.7	77.7	59.2	18.5	12.3	6.2	0	NA TR	NA	NA	NA	NA	U	Y	Y	Y	B	GB	TILL
-11	9.7	0.4	9.3	128.5	103.7	24.8	16.2	8.6	0	NA P	80	20	TR	NA	U	Y	Y	Y	GB	GB	TILL
-12	10.0	0.9	9.1	166.7	123.3	43.4	30.4	13.0	0	NA C	95	5	TR	NA	U	Y	Y	Y	GY	GY	TILL
-13	9.1	1.0	8.1	187.6	157.6	30.0	22.2	7.8	1	281 P	80	20	TR	NA	U	Y	Y	Y	GY	GB	TILL
-14	9.6	0.4	9.2	88.0	61.1	26.9	17.6	9.3	0	NA P	50	50	NA	NA	U	Y	Y	Y	GB	GB	TILL
-15	10.2	0.8	9.4	130.3	106.3	24.0	14.4	9.6	0	NA P	45	55	TR	NA	U	Y	Y	Y	GB	GB	TILL
-16	9.9	0.4	9.5	103.0	77.0	26.0	15.4	10.6	0	NA P	55	45	TR	NA	U	Y	Y	Y	GB	GB	TILL
-17	9.9	0.5	9.4	119.2	89.0	30.2	17.0	13.2	0	NA P	50	50	TR	NA	U	Y	Y	Y	GB	GB	TILL
35-01	10.1	0.6	9.5	76.9	55.4	21.5	13.3	8.2	1	371 C	50	50	TR	NA	U	Y	Y	Y	B	GB	TILL
-02	9.7	0.8	8.9	109.2	98.3	10.9	7.4	3.5	0	NA P	45	55	TR	NA	U	Y	Y	Y	GB	GB	TILL
-03	10.0	1.7	8.3	132.3	81.2	51.1	26.9	24.2	1	79 P	50	50	1	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.8	1.8	8.0	120.4	84.8	35.6	18.9	16.7	3	766 F	60	39	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	10.5	1.7	8.8	76.2	53.0	23.2	13.5	9.7	6	1242 P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	10.0	1.5	8.5	121.0	99.5	21.5	13.0	8.5	0	NA P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.5	0.8	8.7	100.3	83.6	16.7	6.2	10.5	1	163 P/C	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	10.2	0.6	9.6	96.4	70.9	25.5	14.6	10.9	1	145 P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	10.0	1.2	8.8	102.4	69.6	32.8	19.0	13.8	0	NA P	50	50	TR	NA	U	Y	Y	Y	GB	GB	TILL
36-01	9.5	1.4	8.1	94.3	70.8	23.5	12.9	10.6	0	NA C	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	10.0	1.6	8.4	131.0	101.8	29.2	16.3	12.9	0	NA P,EL	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	10.2	1.8	8.4	88.2	54.5	33.7	19.9	13.8	0	NA P,C	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	10.6	1.0	9.6	105.9	80.5	25.4	14.5	10.9	4	296 P,C	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	10.2	1.4	8.8	130.9	99.8	31.1	16.0	15.1	1	308 P,C	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.9	1.4	8.5	88.9	65.7	23.2	13.2	10.0	0	NA C	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	10.0	1.7	8.3	138.0	120.9	17.1	9.9	7.2	0	NA C	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.8	1.4	8.4	190.2	168.3	21.9	15.1	6.8	0	NA P,C	70	30	NA	A	U	Y	Y	Y	GB	GB	TILL
-09	10.1	0.7	9.4	238.4	219.5	18.9	13.4	5.5	0	NA P,C	90	10	TR	NA	U	Y	Y	Y	GB	GB	TILL
-10	10.1	0.4	9.7	258.2	242.5	15.7	13.3	2.4	0	NA P,C	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	10.2	0.2	10.0	124.1	107.8	16.3	12.2	4.1	0	NA P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.8	0.1	9.7	179.6	155.4	24.2	17.0	7.2	1	38 P	85	15	NA	A	S	F	Y	Y	B	B	SAND
-13	9.2	0.1	9.1	151.8	135.1	16.7	13.3	3.4	1	76 P	85	15	NA	NA	S	F	Y	Y	B	B	SAND
-14	9.8	0.1	9.7	175.9	151.7	24.2	17.0	7.2	0	NA P	85	15	NA	NA	S	F	Y	Y	B	B	SAND
-15	10.1	0.6	9.5	209.2	177.7	31.5	20.3	11.2	0	NA P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
37-01	9.5	1.4	8.1	241.5	211.5	30.0	19.2	10.8	1	151 P	40	60	TR	NA	U	Y	Y	Y	B	B	TILL
37-02	10.0	1.2	8.8	169.2	141.8	27.4	17.8	9.6	0	NA P	35	65	TR	NA	U	Y	Y	Y	B	B	TILL

ccbo7apr.wr1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU	DESCRIPTION										CLASS			
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC				NO. V.G.	CALC PPB	CLAST			MATRIX								
					M.I. LIGHTS	CONC. TOTAL	NON MAG				SIZE	%	S/U	SD	ST	CY	COLOR					
										V/S	GR	LS	OT				SD	CY				
BOB-87																						
37-03	11.0	2.3	8.7	169.9	148.5	21.4	11.8	9.6	0	NA	P	60	39	1	NA	U	Y	Y	Y	B	B	TILL
-04	10.4	1.4	9.0	146.8	120.3	26.5	16.5	10.0	0	NA	P,C	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-05	10.1	0.5	9.6	161.4	132.6	28.8	17.7	11.1	0	NA	P	60	20	NA	NA	U	Y	Y	Y	B	B	TILL
-06	10.2	1.4	8.8	101.5	71.3	30.2	18.0	12.2	0	NA	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-07	10.5	1.3	9.2	180.6	148.8	31.8	19.2	12.6	1	3553	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	10.0	0.4	9.6	142.8	114.3	28.5	17.1	11.4	0	NA	P	80	20	TR	NA	U	Y	Y	Y	B	B	TILL
-09	10.6	0.6	10.0	130.3	104.8	25.5	16.7	8.8	1	2183	P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-10	10.0	0.6	9.4	226.3	182.4	43.9	32.2	11.7	1	90	P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-11	10.5	0.7	9.8	144.4	112.5	31.9	21.6	10.3	1	134	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	10.7	1.2	9.5	168.7	131.3	37.4	24.6	12.8	1	156	P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-13	10.3	1.1	9.2	203.0	166.0	37.0	24.8	12.2	0	NA	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-14	11.0	0.5	10.5	120.0	93.8	26.2	16.3	9.9	1	62	P	75	24	1	NA	U	Y	Y	Y	GB	GB	TILL
-15	10.7	0.7	10.0	184.0	151.0	33.0	21.7	11.3	0	NA	P	80	20	NA	A	U	Y	Y	Y	GB	GB	TILL
-16	9.9	0.7	9.2	120.1	94.1	26.0	17.2	8.8	0	NA	P	80	20	TR	A	U	Y	Y	Y	B	GB	TILL
-17	8.8	0.3	8.5	120.0	101.4	18.6	12.4	6.2	0	NA	P	80	20	TR	A	U	Y	Y	Y	B	GB	TILL
-18	10.8	1.2	9.6	231.3	203.1	28.2	18.3	9.9	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-19	10.5	1.2	9.3	156.6	130.1	26.5	16.9	9.6	0	NA	P	70	30	TR	A	U	Y	Y	Y	B	B	TILL
-20	10.5	1.0	9.5	170.4	132.3	38.1	24.3	13.8	3	271	P	50	50	TR	A	U	Y	Y	Y	B	GB	TILL
-21	10.4	1.2	9.2	83.0	58.7	24.3	15.5	8.8	1	3631	P	50	50	TR	NA	U	Y	Y	Y	GB	GB	TILL
-22	9.8	0.4	9.4	87.8	70.4	17.4	12.2	5.2	0	NA	P	65	15	TR	NA	U	Y	Y	Y	GB	GB	TILL
-23	9.5	0.5	9.0	191.8	170.4	21.4	14.6	6.8	1	7724	P	65	35	TR	NA	U	Y	Y	Y	B	B	TILL
38-01	9.6	1.2	8.4	169.8	140.7	29.1	18.2	10.9	1	159	P,C	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-02	9.9	1.0	8.9	163.9	132.0	31.9	19.6	12.3	0	NA	P,C	65	34	1	NA	U	Y	Y	Y	B	B	TILL
-03	10.0	1.2	8.8	148.9	117.2	31.7	20.2	11.5	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-04	9.5	0.7	8.8	175.9	146.5	29.4	18.6	10.8	0	NA	P	65	35	TR	NA	U	Y	Y	Y	B	B	TILL
-05	9.7	0.7	9.0	165.5	140.4	25.1	15.3	9.8	0	NA	P	69	30	1	NA	U	Y	Y	Y	B	B	TILL
-06	10.0	0.9	9.1	181.3	149.2	32.1	20.2	11.9	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-07	9.5	0.7	8.8	165.7	123.2	42.5	30.4	12.1	0	NA	P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-08	9.8	1.0	8.8	206.6	177.1	29.5	18.7	10.8	0	NA	P,C	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-09	10.1	0.8	9.3	208.5	171.9	36.6	23.1	13.5	0	NA	P	80	20	TR	NA	U	Y	Y	Y	B	B	TILL
-10	9.6	0.6	9.0	180.3	145.3	35.0	22.2	12.8	0	NA	P,C	75	25	TR	NA	U	Y	Y	Y	B	B	TILL
-11	9.9	0.5	9.4	155.8	127.5	28.3	18.4	9.9	0	NA	P	80	20	TR	A	U	Y	Y	Y	B	GB	TILL
-12	7.3	0.5	6.8	173.8	154.6	19.2	12.9	6.3	0	NA	P	70	30	TR	A	U	Y	Y	Y	GB	GB	TILL
-13	9.9	0.4	9.5	164.4	137.2	27.2	18.6	8.6	0	NA	P	70	30	TR	A	U	Y	Y	Y	GB	GB	TILL
-14	9.9	0.2	9.7	216.4	193.1	23.3	16.9	6.4	0	NA	C	50	50	TR	NA	S	F	Y	Y	B	B	SAND
-15	10.0	0.0	10.0	166.4	135.7	30.7	23.0	7.7	0	NA	TR	NA	NA	NA	S	F	Y	Y	Y	B	B	SAND
-16	10.1	0.2	9.9	209.5	177.9	31.6	21.0	10.6	0	NA	C, BL	40	60	NA	NA	U	Y	Y	Y	B	B	TILL
39-01	10.1	0.8	9.3	176.8	140.3	36.5	23.4	13.1	0	NA	P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-02	9.7	0.8	8.9	169.0	134.2	34.8	23.2	11.6	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
39-03	9.7	0.9	8.8	211.3	180.7	30.6	20.2	10.4	1	143	P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL



COB08APR.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU	DESCRIPTION							CLASS						
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC		NON MAG		NO. V.G.	CALC PPB	CLAST		MATRIX									
					M.I. LIGHTS	CONC. TOTAL					SIZE	%	S/U	SD	ST		CY	COLOR				
										V/S	GR	LS	OT	SD	CY							
808-87																						
39-04	8.3	0.2	8.1	161.0	133.2	27.8	18.1	9.7	0	NA	P	55	45	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.3	0.4	8.9	88.0	60.6	27.4	17.5	9.9	1	37	P	70	30	TR	A	U	Y	Y	Y	GB	GB	TILL
-06	9.9	0.4	9.5	105.1	81.2	23.9	15.1	8.8	0	NA	P	60	40	TR	A	U	Y	Y	Y	GB	GB	TILL
-07	9.8	0.6	9.2	137.7	111.5	26.2	15.7	10.5	0	NA	P	65	35	TR	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.6	0.8	8.8	107.7	78.4	29.3	17.2	12.1	0	NA	P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-09	6.8	0.2	6.6	153.5	130.0	23.5	15.2	8.3	0	NA	P	65	35	TR	NA	U	Y	Y	Y	GB	GB	TILL
-10	8.6	0.8	7.8	117.5	97.1	20.4	12.5	7.9	0	NA	P	70	30	TR	NA	U	Y	Y	Y	GB	GB	TILL
-11	7.5	0.8	6.7	79.4	60.0	19.4	13.6	5.8	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.9	1.0	8.9	142.5	115.8	26.7	17.4	9.3	1	220	P	60	40	TR	A	U	Y	Y	Y	GB	GB	TILL
-13	8.7	0.9	7.8	152.6	128.4	24.2	15.8	8.4	0	NA	P	65	35	NA	A	U	Y	Y	Y	GB	GB	TILL
-14	8.3	0.8	7.5	90.3	72.1	18.2	12.2	6.0	0	NA	P	70	30	TR	A	U	Y	Y	Y	GB	GB	TILL
-15	9.4	0.8	8.6	103.7	80.9	22.8	15.0	7.8	0	NA	P	80	20	NA	A	U	Y	Y	Y	GB	GB	TILL
-16	8.2	0.4	7.8	119.6	96.5	23.1	15.9	7.2	1	94	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-17	10.0	1.5	8.5	140.2	113.3	26.9	17.4	9.5	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
41-01	9.7	1.2	8.5	148.3	112.6	35.7	23.2	12.5	0	NA	P	30	70	TR	NA	U	Y	Y	Y	B	B	TILL
-02	9.7	1.0	8.7	128.3	94.7	33.6	21.7	11.9	0	NA	P	55	45	NA	NA	U	Y	Y	Y	B	B	TILL
-03	6.2	0.5	5.7	112.8	87.5	25.3	17.8	7.5	0	NA	P	45	55	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.6	0.7	8.9	160.2	125.4	34.8	23.3	11.5	0	NA	P	55	45	TR	NA	U	Y	Y	Y	GB	GB	TILL
-05	10.2	0.8	9.4	129.5	99.0	30.5	21.5	9.0	0	NA	P	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL
42-01	10.1	0.6	9.5	168.3	130.7	37.6	24.0	13.6	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-02	10.1	1.4	8.7	180.3	151.0	29.3	17.1	12.2	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-03	10.5	1.1	9.4	182.9	152.0	30.9	18.2	12.7	0	NA	P	45	50	5	NA	U	Y	Y	Y	B	B	TILL
-04	10.1	1.4	8.7	161.7	129.9	31.8	18.6	13.2	0	NA	P	40	55	5	NA	U	Y	Y	Y	B	B	TILL
-05	8.2	0.9	7.3	151.0	121.9	29.1	18.3	10.8	0	NA	P	50	50	TR	NA	U	Y	Y	Y	B	B	TILL
-06	8.9	0.1	8.8	184.2	151.2	33.0	21.1	11.9	2	201	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-07	10.4	2.0	8.4	232.1	198.9	33.2	20.6	12.6	0	NA	P	65	30	5	NA	U	Y	Y	Y	B	B	TILL
-08	6.4	0.5	5.9	138.1	121.0	17.1	11.0	6.1	0	NA	P	60	35	5	A	U	Y	Y	Y	GB	GB	TILL
43-01	10.2	1.8	8.4	151.2	128.0	23.2	14.3	8.9	0	NA	P	65	35	TR	NA	U	Y	Y	Y	B	B	TILL
-02	10.3	2.2	8.1	179.5	144.0	35.5	21.1	14.4	0	NA	P	60	35	5	NA	U	Y	Y	Y	B	B	TILL
-03	10.5	1.9	8.6	155.1	125.8	29.3	18.3	11.0	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	GB	TILL
-04	9.7	0.9	8.8	154.2	121.9	32.3	21.2	11.1	0	NA	P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-05	10.0	0.4	9.6	125.2	94.6	30.6	20.1	10.5	0	NA	P	60	40	TR	A	U	Y	Y	Y	GB	GB	TILL
-06	9.6	0.6	9.0	141.4	111.7	29.7	18.4	11.3	0	NA	P	70	30	NA	A	U	Y	Y	Y	GB	GB	TILL
-07	5.4	0.8	4.6	145.6	123.5	22.1	16.2	5.9	0	NA	P	60	40	TR	A	U	Y	Y	Y	GB	GB	TILL
45-01	10.4	1.1	9.3	210.0	175.4	34.6	20.3	14.3	0	NA	P	25	75	TR	NA	U	Y	Y	Y	B	B	TILL
46-01	10.0	2.0	8.0	158.4	135.5	22.9	12.8	10.1	0	NA	P	50	50	TR	NA	U	Y	Y	Y	B	B	TILL
-02	9.8	0.8	9.0	169.1	141.1	28.0	17.4	10.6	0	NA	P	20	80	TR	NA	U	Y	Y	Y	B	B	TILL
47-01	9.8	1.0	8.8	140.9	110.8	30.1	19.5	10.6	0	NA	P	65	35	TR	NA	U	Y	Y	Y	B	GB	TILL
-02	8.5	0.3	8.2	155.8	130.6	25.2	16.8	8.4	0	NA	P	40	60	TR	NA	U	Y	Y	Y	B	GB	TILL
47-03	9.7	0.5	9.2	137.2	119.2	18.0	10.9	7.1	0	NA	P	50	50	TR	NA	U	Y	Y	Y	B	GB	TILL

cobo9apr.wrl

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 41

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION							CLASS					
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC			NO. V.G.	CALC PPB	CLAST			MATRIX									
					M.I. LIGHTS	CONC. TOTAL	NON MAG			SIZE	%	S/U	SD	ST	CY	COLOR						
										V/S	GR	LS	OT				SD	CY				
808-87																						
47-04	9.3	0.6	8.7	170.0	150.4	19.6	11.8	7.8	0	NA	P	25	75	NA	NA	U	Y	Y	Y	B	GB	TILL
-05	10.2	0.9	9.3	173.7	150.0	23.7	15.6	8.1	0	NA	P	50	50	TR	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.9	0.9	9.0	200.1	173.4	26.7	18.4	8.3	1	4	P	60	40	NA	A	U	Y	Y	Y	GB	GB	TILL
49-01	8.1	1.2	6.9	295.1	272.0	23.1	15.7	7.4	0	NA	P	10	90	NA	NA	U	Y	Y	Y	OE	OEB	TILL
-02	10.1	2.4	7.7	137.0	112.8	24.2	16.1	8.1	0	NA	P	45	55	TR	NA	U	Y	Y	Y	B	B	TILL
-03	10.2	2.0	8.2	233.1	207.9	25.2	17.0	8.2	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-04	10.0	1.4	8.6	221.8	193.1	28.7	19.9	8.8	0	NA	P	90	10	NA	NA	U	Y	Y	Y	B	B	TILL
51-01	9.8	1.2	8.6	198.7	178.2	20.5	12.7	7.8	0	NA	P,BK	40	50	10	NA	U	Y	Y	Y	OEB	B	TILL
-02	9.9	0.6	9.3	155.4	128.5	26.9	19.1	7.8	0	NA	P	65	30	5	NA	U	Y	Y	Y	B	GB	TILL
52-01	9.6	1.1	8.5	164.2	138.4	25.8	15.8	10.0	0	NA	P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-02	9.6	0.8	8.8	240.1	207.4	32.7	21.5	11.2	0	NA	P	75	25	TR	A	U	Y	Y	Y	B	B	TILL
53-01	10.0	1.4	8.6	209.2	173.6	35.6	21.8	13.8	0	NA	P	65	35	TR	NA	U	Y	Y	Y	B	B	TILL
54-01	9.9	1.2	8.7	276.0	238.0	38.0	26.7	11.3	0	NA	C	90	10	NA	A	U	Y	Y	Y	GB	GB	TILL
-02	10.5	3.3	7.2	246.6	201.7	44.9	29.9	15.0	1	128	P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-03	7.8	0.6	7.2	245.7	213.8	31.9	21.6	10.3	1	528	P	50	50	TR	NA	U	Y	Y	Y	GB	GB	TILL
55-01	9.9	1.1	8.8	228.1	202.0	26.1	15.4	10.7	0	NA	P	45	55	NA	NA	U	Y	Y	Y	B	B	TILL
-02	10.0	0.8	9.2	199.0	167.4	31.6	19.9	11.7	0	NA	P	30	70	TR	NA	U	Y	Y	Y	B	B	TILL
-03	9.8	1.2	8.6	171.4	139.8	31.6	21.1	10.5	0	NA	C	50	50	NA	NA	U	Y	Y	Y	B	B	TILL
-04	10.0	1.3	8.7	264.8	232.3	32.5	20.6	11.9	1	303	P	45	54	1	NA	U	Y	Y	Y	B	B	TILL
-05	8.9	1.2	7.7	186.0	154.2	31.8	20.3	11.5	0	NA	C	35	65	NA	NA	U	Y	Y	Y	B	B	TILL
-06	10.2	1.3	8.9	163.6	127.0	36.6	21.1	15.5	5	2639	P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.1	0.4	8.7	178.8	150.4	28.4	18.8	9.6	1	113	P	60	40	TR	A	U	Y	Y	Y	B	B	TILL
56-01	9.9	2.2	7.7	192.7	161.4	31.3	17.9	13.4	0	NA	P	47	50	3	NA	U	Y	Y	Y	B	B	TILL
-02	10.0	1.7	8.3	183.3	145.9	37.4	21.8	15.6	2	566	P	40	60	TR	NA	U	Y	Y	Y	GB	GB	TILL
-03	10.3	1.9	8.4	324.4	276.2	48.2	25.3	22.9	5	9443	P	90	10	TR	NA	U	Y	Y	Y	GB	GB	TILL&BDK
57-01	10.0	0.6	9.4	282.5	239.5	43.0	27.1	15.9	0	NA	P	40	60	TR	NA	S	M	Y	N	B	NA	SAND
-02	7.1	0.3	6.8	126.4	98.5	27.9	16.8	11.1	1	126	P	40	60	TR	NA	S	M	Y	N	B	NA	SAND
58-01	9.8	1.5	8.3	171.9	132.5	39.4	22.3	17.1	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-02	10.0	1.0	9.0	132.0	102.5	29.5	17.8	11.7	0	NA	P	65	35	TR	NA	U	Y	Y	Y	B	B	TILL
-03	9.5	0.6	8.9	158.6	126.0	32.6	18.8	13.8	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
59-01	9.6	0.5	9.1	144.9	114.7	30.2	18.1	12.1	1	1573	P	70	30	NA	NA	S	M	Y	N	B	NA	SAND
-02	9.7	1.0	8.7	149.0	117.0	32.0	20.6	11.4	1	103	C	90	10	TR	NA	U	Y	Y	Y	B	B	TILL
-03	9.6	1.3	8.3	136.0	97.2	38.8	23.4	15.4	0	NA	P,C	65	35	TR	NA	U	Y	Y	Y	B	B	TILL
-04	10.1	1.2	8.9	162.9	114.0	48.9	25.9	23.0	1	191	P	40	60	TR	NA	U	Y	Y	Y	B	B	TILL
-05	10.0	1.3	8.7	194.9	141.7	53.2	28.6	24.6	0	NA	P	30	65	5	NA	U	Y	Y	Y	B	B	TILL
60-01	9.9	0.5	9.4	97.3	71.9	25.4	15.7	9.7	0	NA	P	20	80	TR	NA	U	Y	Y	Y	B	B	TILL
-02	9.6	1.2	8.4	111.9	80.7	31.2	18.8	12.4	2	416	P	50	50	TR	NA	U	Y	Y	Y	B	B	TILL
-03	9.4	0.5	8.9	106.8	74.3	32.5	20.5	12.0	0	NA	P,C	60	39	1	NA	U	Y	Y	Y	B	B	TILL
-04	10.3	1.3	9.0	106.9	74.7	32.2	19.5	12.7	4	6074	P,C	65	34	1	NA	U	Y	Y	Y	B	B	TILL
61-01	9.7	0.7	9.0	132.9	103.5	29.4	17.7	11.7	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL



COBOBAPR.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION					CLASS							
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M.I. LIGHTS	CONC. TOTAL	NON MAG	MAG MAG	NO. V.6.	CALC PPB	SIZE	%	CLAST			MATRIX						
										V/S	GR	LS	OT	S/U	SD	ST	CY	COLOR	SD	CY		
BOB-87																						
72-02	8.7	0.7	8.0	94.0	69.5	24.5	15.3	9.2	2	164	P	70	25	5	A	U	Y	Y	Y	GB	GB	TILL
-03	6.9	0.5	6.4	89.4	72.8	16.6	12.2	4.4	1	123	C	40	55	5	A	U	Y	Y	Y	GB	6Y	TILL
73-01	10.1	1.3	8.8	114.5	83.1	31.4	17.0	14.4	0	NA	C	10	90	TR	NA	U	Y	Y	Y	GB	GB	TILL
74-01	10.0	1.4	8.6	169.2	135.1	34.1	23.6	10.5	0	NA	P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-02	9.4	1.0	8.4	99.3	77.8	21.5	16.1	5.4	1	587	P	40	60	TR	A	U	Y	Y	Y	GB	6Y	TILL
77-01	10.0	1.7	8.3	124.2	90.3	33.9	20.2	13.7	1	50	P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.7	1.0	8.7	206.2	179.6	26.6	18.1	8.5	0	NA	P	60	40	TR	A	U	Y	Y	Y	B	B	TILL
78-01	9.7	1.4	8.3	146.2	115.2	31.0	20.8	10.2	0	NA	P	35	60	5	NA	U	Y	Y	Y	B	B	TILL
-02	10.0	1.6	8.4	171.9	135.8	36.1	24.9	11.2	1	311	P	35	60	5	NA	U	Y	Y	Y	B	B	TILL
-03	9.5	1.4	8.1	117.8	87.8	30.0	20.6	9.4	0	NA	P	35	60	5	NA	U	Y	Y	Y	B	B	TILL
-04	9.7	1.0	8.7	185.1	149.7	35.4	24.0	11.4	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-05	9.0	0.9	8.1	163.2	129.5	33.7	23.6	10.1	2	742	P	50	45	5	NA	U	Y	Y	Y	GB	GB	TILL
79-01	9.3	1.2	8.1	179.0	132.2	46.8	32.6	14.2	1	151	P	15	70	15	A	U	Y	Y	Y	B	B	TILL
-02	9.8	0.8	9.0	191.3	151.4	39.9	24.8	15.1	0	NA	P	50	50	TR	NA	U	Y	Y	Y	B	B	TILL
80-01	10.0	0.8	9.2	207.6	152.0	55.6	37.1	18.5	3	33	P	20	70	10	NA	U	Y	Y	Y	GB	GB	TILL
82-01	9.5	1.7	7.8	156.5	121.4	35.1	20.9	14.2	0	NA	P	40	60	TR	NA	U	Y	Y	Y	B	B	TILL
-02	9.8	1.5	8.3	195.8	160.7	35.1	22.1	13.0	0	NA	P, BL	65	35	TR	NA	U	Y	Y	Y	B	B	TILL
-03	10.0	0.8	9.2	205.7	169.3	36.4	24.1	12.3	0	NA	P	40	60	TR	NA	U	Y	Y	Y	B	B	TILL
-04	8.0	0.5	7.5	171.2	132.6	38.6	25.3	13.3	0	NA	P	50	45	5	NA	U	Y	Y	Y	B	B	TILL
-05	8.0	0.8	7.2	136.2	105.1	31.1	19.2	11.9	0	NA	P	55	45	TR	A	U	Y	Y	Y	B	B	TILL
-06	10.2	0.8	9.4	157.4	128.6	28.8	18.9	9.9	0	840	P	65	35	NA	A	U	Y	Y	Y	B	B	TILL
-07	10.2	0.5	9.7	151.0	121.0	30.0	21.3	8.7	3	745	P	70	30	TR	A	U	Y	Y	Y	GB	GB	TILL
-08	10.1	0.3	9.8	187.1	137.6	49.5	29.5	20.0	0	NA	P	70	30	TR	A	U	Y	Y	Y	GB	GB	TILL
-09	10.1	0.3	9.8	178.2	142.8	35.4	22.3	13.1	0	NA	P	65	35	TR	A	U	Y	Y	Y	GB	GB	TILL
-10	9.6	0.1	9.5	161.3	131.2	30.1	21.0	9.1	0	NA	P	60	40	TR	A	U	Y	Y	Y	GB	GB	TILL
-11	9.8	0.8	9.0	191.5	171.0	20.5	15.6	4.9	0	NA	P	70	30	TR	A	U	Y	Y	Y	GB	GB	TILL
-12	10.2	0.6	9.6	199.1	172.5	26.6	17.4	9.2	0	NA	P	75	25	TR	A	U	Y	Y	Y	GB	GB	TILL
83-01	8.2	0.8	7.4	147.7	118.5	29.2	17.3	11.9	0	NA	P	70	30	TR	NA	U	Y	Y	Y	GB	GB	TILL
84-01	9.7	1.0	8.7	157.9	127.6	30.3	18.7	11.6	0	80	P	70	30	TR	A	U	Y	Y	Y	GB	GB	TILL
-02	9.4	0.6	8.8	191.9	164.4	27.5	17.9	9.6	1	84	P	40	60	TR	NA	U	Y	Y	Y	B	B	TILL
-03	9.4	1.0	8.4	185.8	165.1	20.7	14.5	6.2	0	340	P	40	60	TR	NA	U	Y	Y	Y	B	B	TILL
-04	9.3	1.3	8.0	184.5	148.6	35.9	25.1	10.8	1	197	P	50	50	TR	NA	U	Y	Y	Y	B	B	TILL
-05	9.1	0.8	8.3	193.6	153.4	40.2	28.7	11.5	1	270	P	65	35	TR	NA	U	Y	Y	Y	B	B	TILL
-06	9.3	0.7	8.6	170.0	135.5	34.5	22.9	11.6	0	NA	P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-07	9.2	0.6	8.6	195.5	159.7	35.8	24.9	10.9	0	NA	P, BK	80	20	NA	A	U	Y	Y	Y	GB	GB	TILL&BDK
85-01	9.4	0.6	8.8	180.4	150.1	30.3	19.8	10.5	0	NA	P, C	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.0	0.4	8.6	184.5	154.6	29.9	18.3	11.6	0	423	P, C	70	30	TR	NA	U	Y	Y	Y	GB	GB	TILL
-03	8.3	0.6	7.7	227.4	194.6	32.8	21.2	11.6	1	365	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.6	0.9	8.7	91.2	64.9	26.3	17.3	9.0	1	37	P	70	30	TR	NA	U	Y	Y	Y	GB	GB	TILL
85-05	9.6	0.9	8.7	105.9	81.4	24.5	15.6	8.9	4	339	P	80	20	NA	A	U	Y	Y	Y	GB	GB	TILL

COBOCAPR.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU	DESCRIPTION							CLASS					
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC				NO. V.G.	CALC PPB	CLAST			MATRIX							
					M.I. LIGHTS	CONC. TOTAL	NON MAG				SIZE	%	S/U	SD	ST		CY	COLOR			
											V/S	GR	LS	OT		SD	CY				
BOB-87																					
85-06	10.0	0.6	9.4	230.4	196.2	34.2	23.4	10.8	0	NA P	75	25	TR	NA	U	Y	Y	Y	B	B	TILL
-07	10.0	0.7	9.3	186.5	152.1	34.4	22.8	11.6	1	339 P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-08	9.6	0.6	9.0	180.6	145.6	35.0	22.6	12.4	1	276 P,C	60	39	1	NA	U	Y	Y	Y	B	B	TILL
-09	9.8	0.7	9.1	158.3	118.4	39.9	26.8	13.1	0	NA P,C	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
86-01	9.0	0.5	8.5	140.2	112.4	27.8	17.0	10.8	1	455 P,C	60	40	TR	A	U	Y	Y	Y	B	B	TILL
-02	10.0	0.9	9.1	187.9	153.5	34.4	20.8	13.6	0	NA P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-03	10.2	1.5	8.7	172.9	138.7	34.2	20.7	13.5	0	NA P,C	70	29	1	NA	U	Y	Y	Y	B	B	TILL
-04	11.0	3.3	7.7	174.8	144.1	30.7	18.0	12.7	1	346 P,C	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-05	10.9	2.3	8.6	283.5	257.0	26.5	16.7	9.8	4	2749 P,BK	80	20	TR	NA	U	Y	Y	Y	B	B	TILL
87-01	10.9	1.1	9.8	211.7	180.4	31.3	19.1	12.2	0	NA P,C	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
-02	10.3	2.2	8.1	127.4	96.9	30.5	21.0	9.5	1	368 C	80	20	TR	NA	U	Y	Y	Y	GB	GB	TILL
-03	7.7	0.9	6.8	141.1	118.0	23.1	16.5	6.6	1	1725 P,BK	80	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
88-01	10.2	1.4	8.8	119.0	86.0	33.0	18.7	14.3	4	608 C	55	45	NA	NA	U	Y	Y	Y	B	B	TILL
-02	9.8	0.8	9.0	81.4	56.7	24.7	16.1	8.6	3	226 P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	10.0	0.4	9.6	88.0	62.0	26.0	17.4	8.6	4	396 P	60	40	NA	A	U	Y	Y	Y	GB	GY	TILL
-04	6.7	0.3	6.4	61.2	41.4	19.8	12.8	7.0	0	NA P	60	40	TR	A	U	Y	Y	Y	GB	GY	TILL
-05	10.5	0.9	9.6	106.9	80.0	26.9	17.4	9.5	0	NA P	49	49	2	A	U	Y	Y	Y	GB	GY	TILL
-06	9.2	0.8	8.4	98.3	68.9	29.4	20.2	9.2	0	NA P,C	60	40	TR	A	U	Y	Y	Y	GB	GY	TILL
89-01	7.0	0.4	6.6	72.1	51.3	20.8	13.3	7.5	0	NA P	55	40	5	NA	U	Y	Y	Y	B	B	TILL
-02	9.6	0.6	9.0	112.8	79.2	33.6	21.3	12.3	2	65 P	45	54	1	A	U	Y	Y	Y	GB	GB	TILL
-03	9.2	0.2	9.0	81.7	56.1	25.6	17.3	8.3	0	NA P	48	48	4	NA	U	Y	Y	Y	B	B	TILL
-04	9.5	0.8	8.7	161.3	134.0	27.3	17.2	10.1	3	640 P,C	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.8	0.6	9.2	206.1	175.2	30.9	21.3	9.6	1	47 P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-06	10.0	1.6	8.4	186.9	160.0	26.9	18.3	8.6	1	55 P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	10.0	1.0	9.0	225.5	190.6	34.9	24.1	10.8	1	1698 P,C	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	10.0	1.6	8.4	284.4	248.7	35.7	24.2	11.5	0	NA P,C	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-09	7.3	1.3	6.0	164.7	144.9	19.8	13.3	6.5	0	NA C	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-10	9.9	1.4	8.5	253.9	206.0	47.9	33.4	14.5	0	NA P,BK	80	20	TR	NA	U	Y	Y	Y	GB	GB	TILL
90-01	9.8	1.1	8.7	172.4	144.9	27.5	17.2	10.3	0	NA C	50	50	NA	NA	U	Y	Y	Y	B	B	TILL
-02	10.5	2.4	8.1	166.6	136.3	30.3	19.6	10.7	1	2332 C	50	50	NA	NA	U	Y	Y	Y	B	B	TILL
-03	9.8	1.6	8.2	179.2	146.9	32.3	19.7	12.6	0	NA C	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-04	9.3	0.7	8.6	197.2	167.9	29.3	18.2	11.1	0	NA C	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.4	1.7	7.7	111.7	78.0	33.7	19.9	13.8	1	10 C	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.0	1.1	7.9	201.8	170.2	31.6	19.5	12.1	1	19 C	60	25	15	NA	U	Y	Y	Y	GB	GB	TILL
-07	5.3	0.6	4.7	165.4	139.4	26.0	18.9	7.1	0	NA P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.6	1.2	8.4	144.3	119.8	24.5	17.9	6.6	0	NA P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	7.7	0.6	7.1	90.5	71.5	19.0	12.8	6.2	0	NA P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-10	8.8	1.0	7.8	107.7	85.3	22.4	15.7	6.7	0	NA P	80	20	NA	A	U	Y	Y	Y	GB	GB	TILL
-11	9.7	0.6	9.1	159.2	132.3	26.9	18.6	8.3	0	NA P	80	20	NA	A	U	Y	Y	Y	GB	GB	TILL
90-12	9.8	1.0	8.8	126.9	97.4	29.5	20.4	9.1	1	142 P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL

cobodapr.wr1

## OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 30

## LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)					AU		DESCRIPTION					CLASS					
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC			NO. MAG	CALC V.G.	CLAST			MATRIX		ST	CY	COLOR				
					M.I.	CONC.	NON			SIZE	%	S/U	SD	SD				CY			
BOB-87																					
90-13	9.8	1.3	8.5	139.2	120.7	18.5	11.4	7.1	0	NA P,C	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-14	9.6	0.8	8.8	206.4	186.3	20.1	13.8	6.3	0	NA P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
91-01	9.3	0.4	8.9	158.8	133.5	25.3	15.9	9.4	0	NA P	60	40	TR	A	U	Y	Y	Y	GB	GB	TILL
-02	8.9	0.8	8.1	185.6	154.6	31.0	19.3	11.7	0	NA P,C	65	35	TR	NA	U	Y	Y	Y	GB	GB	TILL
-03	8.8	1.0	7.8	235.7	193.8	41.9	24.7	17.2	0	NA G,P	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.3	1.0	8.3	213.0	177.3	35.7	23.6	12.1	1	43 P	50	50	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	8.2	0.6	7.6	234.5	208.2	26.3	16.4	9.9	0	NA P	40	60	NA	A	U	Y	Y	Y	GB	GB	TILL
-06	10.0	0.8	9.2	240.6	200.7	39.9	26.6	13.3	1	56 P	60	40	TR	A	U	Y	Y	Y	GB	GB	TILL
-07	9.7	1.6	8.1	230.1	175.5	54.6	38.6	16.0	0	NA P,BK	70	30	TR	NA	U	Y	Y	Y	GB	GB	TILL
92-01	10.0	1.4	8.6	172.2	140.1	32.1	20.1	12.0	1	50 P,C	80	20	TR	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.2	0.5	8.7	202.7	167.6	35.1	21.8	13.3	0	NA C	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-03	10.4	1.9	8.5	179.7	148.0	31.7	19.8	11.9	0	NA C	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
93-01	7.6	0.7	6.9	170.4	145.6	24.8	15.9	8.9	1	487 P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.3	1.1	8.2	179.1	147.4	31.7	20.3	11.4	1	1796 C	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.9	1.6	8.3	227.0	198.9	28.1	18.6	9.5	0	NA C	70	30	TR	NA	U	Y	Y	Y	GB	GB	TILL
-04	10.0	2.4	7.6	209.5	180.5	29.0	18.3	10.7	7	1092 C	60	40	TR	NA	U	Y	Y	Y	GB	GB	TILL
-05	10.2	1.6	8.6	254.3	212.3	42.0	26.4	15.6	1	187 C	70	30	TR	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.9	3.6	6.3	208.1	174.2	33.9	21.8	12.1	3	1102 P	70	30	TR	NA	U	Y	Y	Y	GB	GB	TILL
94-01	9.5	1.5	8.0	195.1	163.6	31.5	18.8	12.7	0	NA P	60	40	TR	NA	U	Y	Y	Y	B	B	TILL
-02	9.4	1.0	8.4	189.1	157.5	31.6	19.4	12.2	1	1879 P	25	70	5	NA	U	Y	Y	Y	B	B	TILL
-03	8.5	0.4	8.1	163.0	133.1	29.9	18.9	11.0	1	79 P	25	70	5	NA	U	Y	Y	Y	B	B	TILL
-04	9.5	0.8	8.7	164.9	132.2	32.7	20.7	12.0	0	NA P	25	70	5	NA	U	Y	Y	Y	B	B	TILL
-05	9.5	0.9	8.6	176.2	146.6	29.6	18.3	11.3	0	NA P	20	75	5	NA	U	Y	Y	Y	B	B	TILL
-06	9.4	0.8	8.6	166.8	137.0	29.8	18.8	11.0	0	NA P	25	70	5	NA	U	Y	Y	Y	B	B	TILL
-07	9.5	1.0	8.5	202.0	163.5	38.5	24.3	14.2	3	360 P	70	30	TR	NA	U	Y	Y	Y	B	B	TILL
95-01	7.7	0.7	7.0	143.1	117.4	25.7	15.2	10.5	0	NA P	20	75	5	NA	U	Y	Y	Y	B	B	TILL
-02	9.2	0.6	8.6	189.8	158.1	31.7	19.3	12.4	1	490 P	20	75	5	NA	U	Y	Y	Y	B	B	TILL
-03	9.7	1.2	8.5	207.7	176.1	31.6	19.0	12.6	1	152 P	20	75	5	NA	U	Y	Y	Y	B	B	TILL
-04	9.3	0.9	8.4	237.6	207.2	30.4	18.3	12.1	1	11 P	25	70	5	NA	U	Y	Y	Y	B	B	TILL
95-05	9.7	2.6	7.1	294.7	260.9	33.8	19.8	14.0	1	7576 P	60	35	5	NA	U	Y	Y	Y	B	B	TILL



coba2jul.wrl

## OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

## LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION					CLASS							
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC			NO. V.6.	CALC PPB	CLAST			MATRIX		ST	CY	COLOR					
					M.I. LIGHTS	CONC. TOTAL	NON MAG			SIZE	%	S/U	SD	SD				CY				
										V/S	GR	LS	DT									
808-87																						
98-10	8.2	0.2	8.0	218.6	191.3	27.3	19.6	7.7	1	19	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-11	8.9	0.2	8.7	130.5	97.0	33.5	23.4	10.1	1	43	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-12	9.9	0.4	9.5	210.7	188.4	22.3	15.5	6.8	0	NA	C	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
99-01	9.6	0.3	9.3	149.6	121.4	28.2	20.9	7.3	0	NA	P	40	60	NA	NA	U	Y	Y	Y	B	B	TILL
-02	8.2	0.1	8.1	124.8	106.1	18.7	14.2	4.5	1	149	P	30	70	NA	NA	U	Y	Y	Y	B	B	TILL
-03	9.7	0.4	9.3	196.9	154.3	42.6	31.1	11.5	0	NA	P	65	35	NA	NA	U	Y	Y	Y	B	B	TILL
-04	9.4	0.4	9.0	134.3	99.4	34.9	25.2	9.7	6	112	C	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
100-01	9.2	0.2	9.0	161.8	131.5	30.3	26.3	4.0	1	516	P	65	35	NA	NA	U	Y	Y	Y	B	B	TILL
-02	9.4	0.2	9.2	133.9	97.4	36.5	24.4	12.1	1	41	C	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-03	9.1	0.0	9.1	153.8	119.3	34.5	22.6	11.9	1	17	TR	NA	NA	NA	NA	U	Y	Y	Y	B	B	TILL
-04	8.9	0.2	8.7	144.9	109.3	35.6	23.3	12.3	0	NA	P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-05	9.5	0.2	9.3	160.3	118.8	41.5	27.9	13.6	5	86	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-06	9.6	0.2	9.4	207.0	171.9	35.1	23.2	11.9	6	161	C	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-07	9.9	0.4	9.5	159.7	123.5	36.2	24.1	12.1	3	27	P	65	35	NA	NA	U	Y	Y	Y	B	B	TILL
-08	9.3	0.2	9.1	185.4	149.6	35.8	23.3	12.5	6	118	P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-09	9.1	0.2	8.9	109.8	76.7	33.1	22.5	10.6	0	NA	P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-10	9.8	0.5	9.3	145.4	112.0	33.4	23.7	9.7	3	136	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.8	0.8	9.0	123.1	93.0	30.1	21.5	8.6	6	180	P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	7.7	0.2	7.5	142.7	119.3	23.4	16.9	6.5	2	98	P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	8.1	0.2	7.9	166.8	135.8	31.0	23.4	7.6	1	91	P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-14	7.6	0.3	7.3	168.7	130.6	38.1	30.0	8.1	0	NA	P	95	5	NA	NA	U	Y	Y	Y	GB	GB	TILL
-15	9.7	0.3	9.4	251.1	208.9	42.2	33.0	9.2	1	45	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-16	9.5	0.6	8.9	261.1	209.7	51.4	39.5	11.9	3	108	P	95	5	NA	NA	U	Y	Y	Y	GB	GB	TILL
-17	9.4	0.5	8.9	268.8	224.2	44.6	33.7	10.9	6	59	P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-18	10.1	0.8	9.3	289.3	234.0	55.3	41.0	14.3	5	56	P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
101-01	9.7	0.8	8.9	199.3	175.1	24.2	18.7	5.5	0	NA	P	55	45	NA	NA	U	Y	Y	Y	B	B	TILL
-02	8.9	0.4	8.5	206.6	168.6	38.0	26.8	11.2	1	56	C	50	50	NA	NA	U	Y	Y	Y	B	B	TILL
-03	10.3	0.7	9.6	365.2	309.7	55.5	39.6	15.9	1	5	C	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-04	9.5	0.3	9.2	346.1	291.7	54.4	39.6	14.8	1	16	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-05	9.9	0.6	9.3	255.1	202.7	52.4	36.6	15.8	7	744	P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-06	10.0	0.5	9.5	273.5	222.6	50.9	36.0	14.9	5	569	P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-07	9.3	0.4	8.9	208.4	168.5	39.9	30.1	9.8	0	NA	C	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-08	7.2	0.4	6.8	219.4	181.9	37.5	28.9	8.6	5	264	C	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.5	0.4	9.1	185.9	143.2	42.7	30.0	12.7	3	59	C	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL
-10	10.0	0.6	9.4	235.7	194.1	41.6	31.1	10.5	1	93	C	95	5	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.8	0.6	9.2	234.9	187.4	47.5	36.6	10.9	0	NA	C	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.5	0.2	9.3	231.6	186.2	45.4	34.7	10.7	1	29	C	95	5	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	10.0	0.0	10.0	181.5	138.8	42.7	32.2	10.5	0	NA	TR	NA	NA	NA	NA	U	Y	Y	Y	GB	GB	TILL
-14	9.4	0.3	9.1	226.1	185.8	40.3	31.1	9.2	4	514	C	95	5	NA	NA	U	Y	Y	Y	GB	GB	TILL
101-15	8.7	0.5	8.2	170.5	139.1	31.4	23.5	7.9	0	NA	C	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL



COB03JUL.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION						CLASS						
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC			NO. V.G.	CALC PPB	CLAST			MATRIX			ST	CY	COLOR				
					M.I. LIGHTS	CONC. TOTAL	NON MAG			SIZE V/S	% GR	LS	OT	S/U	SD							
80B-87																						
102-01	10.0	1.8	8.2	245.5	215.7	29.8	19.8	10.0	0	NA	P	55	45	NA	NA	U	Y	Y	Y	B	B	TILL
-02	9.8	0.5	9.3	243.8	213.1	30.7	19.3	11.4	1	1475	P	65	35	NA	NA	U	Y	Y	Y	B	B	TILL
-03	8.8	0.4	8.4	236.8	207.8	29.0	19.9	9.1	1	107	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.7	0.7	9.0	215.8	175.9	39.9	25.8	14.1	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	10.0	0.5	9.5	246.6	199.2	47.4	33.6	13.8	0	NA	C	75	25	NA	NA	U	Y	Y	Y	GY	GY	TILL
-06	9.9	0.6	9.3	209.9	160.5	49.4	35.6	13.8	8	348	C	85	15	NA	NA	U	Y	Y	Y	GY	GY	TILL
-07	6.3	0.2	6.1	107.4	80.9	26.5	20.1	6.4	0	NA	C	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.6	0.5	9.1	206.3	171.6	34.7	25.7	9.0	1	83	C	85	15	NA	NA	U	Y	Y	Y	GY	GY	TILL
-09	9.3	0.4	8.9	199.4	162.2	37.2	27.3	9.9	1	181	P	70	30	NA	NA	U	Y	Y	Y	GY	GY	TILL
-10	9.5	0.4	9.1	215.2	173.3	41.9	30.9	11.0	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	10.0	0.4	9.6	190.8	153.8	37.0	26.1	10.9	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.2	0.2	9.0	164.5	125.0	39.5	29.6	9.9	0	NA	C	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	9.5	0.4	9.1	265.0	223.7	41.3	30.9	10.4	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GY	GY	TILL
103-01																						
103-01	9.7	0.6	9.1	137.4	99.8	37.6	26.8	10.8	1	14	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.6	0.4	9.2	149.9	113.4	36.5	24.7	11.8	5	109	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.6	0.6	9.0	175.4	141.2	34.2	23.0	11.2	4	888	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.3	0.6	8.7	163.6	128.5	35.1	23.0	12.1	3	125	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.7	0.4	9.3	160.7	136.1	24.6	16.8	7.8	1	294	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	8.2	0.4	7.8	128.9	103.7	25.2	16.3	8.9	1	235	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.2	0.5	8.7	231.8	218.5	13.3	9.5	3.8	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-08	8.7	0.2	8.5	109.7	95.8	13.9	9.2	4.7	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-09	9.4	0.7	8.7	168.6	140.2	28.4	19.7	8.7	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-10	9.7	0.6	9.1	217.1	186.7	30.4	22.5	7.9	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	8.3	0.4	7.9	154.9	119.6	35.3	26.0	9.3	1	190	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.2	0.4	8.8	158.4	118.3	40.1	25.5	14.6	0	NA	P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	9.8	0.5	9.3	197.6	162.9	34.7	25.3	9.4	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-14	8.2	0.3	7.9	192.5	167.6	24.9	18.3	6.6	0	NA	C	75	25	NA	NA	U	Y	Y	Y	GY	GY	TILL
-15	8.4	0.5	7.9	199.8	174.0	25.8	18.1	7.7	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-16	8.2	0.4	7.8	115.6	86.4	29.2	21.3	7.9	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-17	8.7	0.9	7.8	140.1	105.5	34.6	26.7	7.9	0	NA	P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
104-01																						
104-01	7.3	0.2	7.1	158.4	119.9	38.5	26.5	12.0	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-02	9.3	0.2	9.1	190.4	152.8	37.6	24.8	12.8	0	NA	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-03	9.3	0.4	8.9	221.7	187.3	34.4	22.8	11.6	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.5	0.4	9.1	225.1	182.4	42.7	28.5	14.2	0	NA	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-05	9.4	0.4	9.0	151.9	113.9	38.0	25.1	12.9	6	171	C	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.6	0.3	9.3	229.3	187.5	41.8	28.2	13.6	7	49	C	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.3	0.4	8.9	167.8	129.8	38.0	26.0	12.0	4	69	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	8.6	0.4	8.2	148.9	120.0	28.9	20.3	8.6	1	32	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	6.5	0.5	6.0	145.1	118.5	26.6	19.6	7.0	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
104-10	10.2	0.4	9.8	168.0	126.6	41.4	29.3	12.1	5	104	P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL



COB01AUG.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

## LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG. NET)			WEIGHT (GRAMS DRY)			AU	DESCRIPTION						CLASS								
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M.I. LIGHTS	CONC. TOTAL		NON MAG	NO. MAG	CALC V.G.	CLAST SIZE	%	MATRIX S/U SD		ST CY	CO. OR						
											V/S	GR	LS	QT	SD	CY						
608-87																						
107-06	9.7	0.3	9.4	138.6	105.7	32.9	21.6	11.3	1	3460	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-07	9.5	0.3	9.2	124.3	97.7	26.6	17.4	9.2	0	NA	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-08	9.3	0.2	9.1	150.8	115.0	35.8	24.0	11.8	6	88	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.6	0.4	9.2	157.7	123.6	34.1	22.9	11.2	4	190	P	90	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-10	9.6	0.4	9.2	136.1	105.8	30.3	19.9	10.4	6	109	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	8.5	0.0	8.5	115.2	90.8	24.4	17.1	7.3	1	88	TR	NA	NA	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.4	0.0	9.4	141.0	113.7	27.3	18.5	8.8	1	35	TR	NA	NA	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	8.9	0.0	8.9	135.8	110.0	25.8	17.4	8.4	4	130	TR	NA	NA	NA	NA	U	Y	Y	Y	GB	GB	TILL
-14	8.7	0.2	8.5	114.2	90.5	23.7	16.1	7.6	1	40	P	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL
-15	9.1	0.2	8.9	150.5	122.7	27.8	20.3	7.5	3	37	P	90	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-16	9.8	0.1	9.7	139.3	112.2	27.1	18.1	9.0	0	NA	P	90	20	NA	NA	U	Y	Y	Y	B	B	TILL
-17	9.9	3.0	6.9	276.8	244.8	32.0	21.1	10.9	1	101	P	90	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-18	9.9	1.9	8.0	246.7	205.6	41.1	28.0	13.1	1	23	P	90	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-19	9.9	0.4	9.5	277.4	233.1	44.3	33.9	10.4	1	44	P	90	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-20	9.3	0.4	8.9	293.3	232.0	61.3	40.2	21.1	1	16	P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-21	9.4	0.9	8.5	175.4	134.3	41.1	29.4	11.7	1	22	P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-22	9.7	0.5	9.2	187.0	148.1	38.9	27.2	11.7	9	211	P	90	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
108-01	9.3	0.7	8.6	190.2	141.0	49.2	35.8	13.4	4	725	F	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-02	8.9	0.4	8.5	197.0	155.9	41.1	30.2	10.9	1	33	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-03	9.1	0.4	8.7	162.4	128.7	33.7	23.0	10.7	3	75	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-04	9.2	0.3	8.9	191.1	154.0	37.1	27.0	10.1	6	93	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
-05	9.7	0.4	9.3	210.1	170.0	40.1	27.7	12.4	3	210	P	90	20	NA	NA	U	Y	Y	Y	B	B	TILL
-06	8.9	0.4	8.5	160.0	126.5	33.5	23.9	9.6	6	181	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-07	9.1	0.4	8.7	216.4	179.0	37.4	26.8	10.6	6	306	P	90	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.3	0.4	8.9	182.8	143.8	39.0	27.7	11.3	1	7	P	90	20	NA	NA	U	Y	Y	Y	B	B	TILL
-09	9.0	0.3	8.7	181.2	143.6	37.6	26.0	11.6	0	NA	P	90	10	NA	NA	U	Y	Y	Y	B	B	TILL
-10	8.8	0.4	8.4	169.6	134.5	35.1	24.0	11.1	4	152	P	85	15	NA	NA	U	Y	Y	Y	B	B	TILL
-11	7.6	0.4	7.2	148.3	120.5	27.8	19.6	8.2	0	NA	P	90	20	NA	NA	U	Y	Y	Y	B	B	TILL
-12	9.4	0.3	9.1	128.8	100.6	28.2	19.1	9.1	5	306	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-13	5.2	0.4	4.8	143.2	128.7	14.5	10.7	3.8	0	NA	P	95	5	NA	NA	U	Y	Y	Y	GB	GB	TILL
109-01	8.9	0.3	8.6	186.2	149.8	36.4	24.1	12.3	1	42	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.4	0.5	8.9	191.4	159.2	32.2	20.4	11.8	1	18	P	90	20	NA	NA	U	Y	Y	Y	B	B	TILL
-03	8.9	0.4	8.5	128.7	95.3	33.4	21.6	11.8	5	105	P	90	20	NA	NA	U	Y	Y	Y	B	B	TILL
-04	9.4	0.2	9.2	180.2	147.0	33.2	19.4	13.8	6	139	P	90	20	NA	NA	U	Y	Y	Y	B	B	TILL
-05	10.1	0.9	9.2	183.3	154.6	28.7	17.8	10.9	0	NA	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-06	9.9	0.3	9.6	246.1	220.1	26.0	17.6	8.4	1	164	P	65	35	NA	NA	U	Y	Y	Y	B	B	TILL
-07	8.7	1.4	7.3	219.4	175.4	44.0	28.6	15.4	0	NA	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-08	10.3	1.0	9.3	207.6	172.2	35.4	24.5	10.9	1	26	P	65	35	NA	NA	U	Y	Y	Y	B	B	TILL
-09	9.6	0.4	9.2	201.2	169.1	32.1	22.1	16.0	1	17	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
109-10	10.0	0.6	9.4	161.1	132.5	28.6	20.1	8.5	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL

cobo2aug.wr1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION						CLASS						
	TABLE SPLIT	+10 CHIPS	TABLE FEED	M. I. CONC				NO. V.G.	CALC PPB	CLAST			MATRIX			ST	CY	COLOR				
				TABLE CONC	M.I. LIGHTS	CONC. TOTAL	NON MAG			SIZE	%	S/U	SD	OT	SD				CY			
																				TABLE CONC	M.I. LIGHTS	CONC. TOTAL
808-87																						
109-11	9.6	0.7	8.9	222.0	184.0	38.0	26.2	11.8	0	NA	P	55	45	NA	NA	U	Y	Y	Y	B	B	TILL
-12	9.7	0.3	9.4	192.2	150.5	41.7	28.0	13.7	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	9.2	0.3	8.9	235.2	192.7	42.5	30.7	11.8	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-14	9.6	0.4	9.2	193.6	156.2	37.4	25.9	11.5	1	25	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-15	8.8	0.4	8.4	202.2	165.0	37.2	25.9	11.3	1	82	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-16	8.3	0.6	7.7	178.3	140.8	37.5	27.3	10.2	1	14	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-17	9.5	0.2	9.3	173.7	131.6	42.1	31.0	11.1	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-18	10.1	0.1	10.0	193.0	148.2	44.8	33.7	11.1	1	11	P	50	50	NA	NA	U	Y	Y	Y	GB	GB	TILL
-19	9.0	0.4	8.6	165.5	131.8	33.7	24.5	9.2	5	154	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
110-01	8.9	0.0	8.9	182.6	118.1	64.5	46.7	17.8	2	91	TR	NA	NA	NA	NA	U	Y	Y	Y	B	B	TILL
-02	9.5	0.1	9.4	184.5	136.3	48.2	34.2	14.0	1	144	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	8.7	0.3	8.4	248.6	215.1	33.5	24.9	8.6	2	1341	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	8.8	0.4	8.4	233.0	211.8	21.2	16.4	4.8	1	39	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	10.0	0.7	9.3	194.6	151.9	42.7	29.6	13.1	1	842	P	55	45	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.7	0.8	8.9	217.0	175.5	41.5	28.7	12.8	0	NA	P	50	50	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	8.6	0.6	8.0	264.6	216.8	47.8	34.8	13.0	1	142	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	10.0	0.4	9.6	262.0	214.6	47.4	32.9	14.5	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.6	0.6	9.0	275.2	229.0	46.2	28.0	18.2	4	447	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-10	10.4	1.4	9.0	256.0	172.2	83.8	51.5	32.3	6	168	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.1	1.1	8.0	197.2	159.1	38.1	28.7	9.4	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	3.7	0.4	3.3	99.1	79.8	19.3	14.3	5.0	1	26	P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
111-01	9.9	0.8	9.1	264.3	216.8	47.5	32.3	15.2	1	46	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.1	0.5	8.6	192.7	147.2	45.5	30.3	15.2	2	46	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.6	0.6	9.0	222.0	180.7	41.3	27.1	14.2	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	8.8	0.4	8.4	267.7	227.0	40.7	25.9	14.8	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.6	0.6	9.0	224.9	192.1	32.8	22.7	10.1	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	7.3	0.4	6.9	171.6	138.5	33.1	22.4	10.7	1	67	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.5	1.0	8.5	167.3	127.4	39.9	26.7	13.2	1	38	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.4	0.7	8.7	148.0	108.0	40.0	26.7	13.3	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	8.9	0.4	8.5	194.6	155.6	39.0	25.0	14.0	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-10	9.5	0.5	9.0	272.4	227.8	44.6	29.4	15.2	6	83	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.4	0.4	9.0	224.1	156.8	67.3	43.8	23.5	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
112-01	9.1	0.8	8.3	231.5	182.3	49.2	34.2	15.0	1	85	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.0	0.8	8.2	147.8	111.1	36.7	26.1	10.6	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	8.8	1.0	7.8	168.5	122.8	45.7	31.6	14.1	4	82	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.4	1.1	8.3	209.4	162.9	46.5	32.1	14.4	4	141	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	8.9	0.4	8.5	214.7	189.8	24.9	18.7	6.2	1	34	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.1	0.4	8.7	161.2	128.0	33.2	24.3	8.9	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
113-01	8.6	0.3	8.3	182.5	149.5	33.0	22.6	10.4	0	NA	P	65	35	NA	NA	U	Y	Y	Y	B	B	TILL
113-02	9.6	0.4	9.2	165.7	132.8	32.9	22.3	10.6	0	NA	P	65	35	NA	NA	U	Y	Y	Y	B	B	TILL

COBOSAG.MR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU	DESCRIPTION						CLASS							
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC				NO. V.G.	CALC PPB	CLAST			MATRIX								
					M.I. LIGHTS	CONC. TOTAL	NON MAG				SIZE	%	S/U	SD		ST	CY	COLOR				
											V/S	GR	LS	OT		SD	CY					
BOB-87																						
113-03	8.7	0.1	8.6	190.1	142.1	48.0	33.6	14.4	1	19	P	80	20	NA	NA	U	Y	Y	Y	B	B	TILL
-04	8.9	0.8	8.1	225.4	196.1	29.3	20.3	9.0	2	486	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-05	8.1	0.6	7.5	211.0	183.3	27.7	20.9	6.8	0	NA	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-06	8.8	1.4	7.4	201.3	163.7	37.6	26.3	11.3	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.7	0.6	9.1	202.5	157.3	45.2	31.2	14.0	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.1	0.4	8.7	197.7	163.1	34.6	24.7	9.9	1	15	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	8.7	0.1	8.6	143.1	112.7	30.4	21.9	8.5	1	9	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-10	9.4	0.8	8.6	195.9	154.0	41.9	28.6	13.3	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.2	0.4	8.8	169.5	134.6	34.9	24.5	10.4	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	8.5	0.9	7.6	196.6	168.0	28.6	19.5	9.1	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
114-01																						
8.7	0.6	8.1	250.0	208.7	41.3	30.3	11.0	4	53	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL	
-02	8.6	0.8	7.8	212.4	171.7	40.7	29.0	11.7	1	22	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.1	0.4	8.7	264.9	219.8	45.1	32.3	12.8	6	104	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.5	1.0	8.5	219.2	173.0	46.2	33.8	12.4	4	215	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.4	0.7	8.7	226.2	181.8	44.4	31.4	13.0	1	32	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.6	0.6	9.0	288.6	236.9	51.7	38.5	13.2	1	17	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.3	0.4	8.9	213.8	177.0	36.8	26.3	10.5	1	145	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	8.4	0.6	7.8	196.4	160.4	36.0	26.1	9.9	1	14	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.0	1.6	7.4	217.9	188.7	29.2	21.0	8.2	4	2561	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-10	8.6	0.8	7.8	246.8	190.4	56.4	34.3	22.1	8	1006	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-11	8.7	1.8	6.9	205.4	171.3	34.1	25.1	9.0	3	794	P	50	50	NA	NA	U	Y	Y	Y	B	B	TILL
-12	9.1	1.6	7.5	224.2	180.1	44.1	31.4	12.7	6	1216	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-13	9.2	1.4	7.8	262.8	220.2	42.6	29.9	12.7	4	202	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
115-01																						
9.2	0.4	8.8	259.2	212.7	46.5	34.2	12.3	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL	
-02	9.8	0.8	9.0	247.5	198.3	49.2	36.5	12.7	4	415	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.9	0.8	9.1	230.5	181.7	48.8	36.7	12.1	1	17	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.7	0.8	8.9	198.4	150.7	47.7	34.8	12.9	1	272	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.9	0.6	9.3	261.6	215.2	46.4	33.4	13.0	7	178	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.7	0.8	8.9	190.1	149.8	40.3	27.5	12.8	1	55	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	8.9	0.5	8.4	151.5	117.5	34.0	23.8	10.2	0	NA	P	50	50	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.3	0.6	8.7	195.9	159.3	36.6	26.3	10.3	4	133	P	70	25	5	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.5	0.7	8.8	202.0	168.5	33.5	23.8	9.7	1	397	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-10	9.2	0.6	8.6	186.3	149.7	36.6	25.8	10.8	0	NA	P	50	50	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.4	0.7	8.7	209.6	179.6	30.0	21.2	8.8	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.6	0.7	8.9	242.8	207.0	35.8	26.1	9.7	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	8.2	0.4	7.8	205.6	177.6	28.0	21.0	7.0	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-14	9.8	0.7	9.1	186.3	167.9	18.4	13.7	4.7	0	NA	P	45	55	NA	NA	U	Y	Y	Y	B	B	TILL
-15	9.1	2.1	7.0	156.6	117.9	38.7	26.6	12.1	1	291	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-16	9.0	1.8	7.2	124.9	98.9	26.0	18.8	7.2	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
115-17																						
9.8	2.5	7.3	187.7	160.9	26.8	20.6	6.2	2	508	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL	

COB04AUG.WR1

## OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

## LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.MET)			WEIGHT (GRAMS DRY)				AU	DESCRIPTION								CLASS					
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC				NO. V.G.	CALC PPB	CLAST			MATRIX								
					M.I. LIGHTS	CONC. TOTAL	NON MAG				SIZE	%	S/U	SD	ST	CY		COLOR				
																			V/S	GR	LS	OT
808-87																						
116-01	9.3	0.4	8.9	225.1	176.1	49.0	35.1	13.9	1	29	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.6	0.9	8.7	255.9	194.5	61.4	45.9	15.5	2	2860	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.6	1.2	8.4	219.8	202.4	17.4	11.3	6.1	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.5	0.8	8.7	191.6	171.6	20.0	12.9	7.1	1	78	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
117-01	8.6	0.7	7.9	242.2	218.7	23.5	15.8	7.7	4	181	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.5	0.9	8.6	232.8	220.6	12.2	8.1	4.1	1	3077	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.8	1.8	8.0	247.7	219.0	28.7	20.5	8.2	6	808	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.4	1.5	7.9	185.6	167.2	18.4	13.2	5.2	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	10.0	1.0	9.0	190.9	143.8	47.1	36.8	10.3	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
118-01	9.1	0.4	8.7	162.7	116.1	46.6	34.4	12.2	1	11	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.4	0.8	8.6	207.0	160.8	46.2	33.2	13.0	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.2	0.8	8.4	182.6	139.1	43.5	29.7	13.8	1	34	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.1	0.8	8.3	225.4	181.5	43.9	31.5	12.4	6	885	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.2	0.6	8.6	174.1	136.6	37.5	26.4	11.1	1	14	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.7	0.8	8.9	241.4	202.6	38.8	28.8	10.0	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.6	0.6	9.0	162.3	129.7	32.6	22.0	10.6	3	122	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
119-01	10.0	0.7	9.3	190.8	144.1	46.7	33.9	12.8	3	43	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
120-01	9.7	0.8	8.9	188.2	134.6	53.6	37.7	15.9	4	89	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
121-01	9.6	0.7	8.9	164.4	117.9	46.5	32.9	13.6	9	138	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
122-01	10.0	0.6	9.4	258.8	207.8	51.0	36.8	14.2	1	134	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	10.0	1.0	9.0	207.4	158.1	49.3	35.2	14.1	1	43	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.8	0.9	8.9	247.6	182.7	64.9	43.0	21.9	3	21239	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.9	1.1	8.8	216.8	163.9	52.9	35.6	17.3	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.7	0.4	9.3	216.5	171.4	45.1	33.1	12.0	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.6	0.6	9.0	213.1	178.7	34.4	25.6	8.8	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.8	0.4	9.4	198.2	154.4	43.8	31.8	12.0	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	10.2	0.3	9.9	296.2	256.4	39.8	30.8	9.0	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-09	9.3	0.3	9.0	174.1	132.2	41.9	31.0	10.9	0	NA	P	65	35	NA	NA	U	Y	Y	Y	B	B	TILL
123-01	10.3	0.6	9.7	168.4	126.0	42.4	29.6	12.8	5	284	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.9	0.3	9.6	253.7	208.6	45.1	33.6	11.5	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-03	9.6	0.2	9.4	115.6	71.1	44.5	32.9	11.6	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.3	0.0	9.3	118.8	69.5	49.3	37.1	12.2	0	NA	TR	NA	NA	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.8	0.4	9.4	188.5	148.3	40.2	27.9	12.3	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-06	10.2	0.6	9.6	206.6	178.3	28.3	21.2	7.1	0	NA	P	65	35	NA	NA	U	Y	Y	Y	B	B	TILL
124-01	10.1	0.0	10.1	196.8	154.7	42.1	30.3	11.8	0	NA	TR	NA	NA	NA	NA	U	Y	Y	Y	B	B	TILL
-02	9.8	0.5	9.3	165.1	129.2	35.9	24.3	11.6	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-03	9.8	0.6	9.2	187.8	151.4	36.4	24.0	12.4	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-04	9.6	0.0	9.6	141.2	102.4	38.8	27.2	11.6	0	NA	TR	NA	NA	NA	NA	S	F	Y	Y	B	B	SAND
-05	9.3	0.0	9.3	137.0	100.0	37.0	25.7	11.3	0	NA	TR	NA	NA	NA	NA	S	F	Y	Y	B	B	SAND
124-06	9.6	0.2	9.4	128.5	101.0	27.5	20.1	7.4	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL

COB05AUG.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 40

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION							CLASS					
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC			NO. V.G.	CALC FPB	CLAST			MATRIX									
					M.I.	CONC.	NON			SIZE	%	S/U	SD	ST	CY	COLOR						
					LIGHTS	TOTAL	MAG											V/S	GR	LS	OT	SD
BOB-87																						
124-07	9.7	0.2	9.5	181.1	155.1	26.0	18.1	7.9	0	NA	P	65	35	NA	NA	U	Y	Y	Y	B	B	TILL
-08	9.5	0.1	9.4	128.1	100.7	27.4	19.7	7.7	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-09	9.7	0.4	9.3	124.6	94.9	29.7	22.7	7.0	0	NA	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-10	10.0	0.1	9.9	117.1	92.1	25.0	18.3	6.7	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.7	0.4	9.3	136.9	101.6	35.3	25.2	10.1	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.8	0.2	9.6	123.1	84.3	38.8	28.7	10.1	1	13	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	9.1	0.4	8.7	141.8	111.3	30.5	22.6	7.9	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-14	9.6	0.4	9.2	145.9	120.3	25.6	18.9	6.7	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-15	10.5	1.4	9.1	224.0	184.1	39.9	27.7	12.2	0	NA	P	70	30	NA	NA	U	Y	Y	Y	B	B	TILL
-16	10.6	0.7	9.9	259.8	213.5	46.3	31.1	15.2	1	915	P	75	25	NA	NA	U	Y	Y	Y	B	B	TILL
125-01	8.7	0.6	8.1	164.5	115.3	49.2	33.0	16.2	3	2725	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
125A-01	9.7	1.9	7.8	183.8	159.1	24.7	17.9	6.8	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	10.0	0.2	9.8	265.2	237.6	27.6	21.0	6.6	1	450	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.1	0.2	8.9	193.1	168.5	24.6	19.8	4.8	1	76	P	45	55	NA	NA	U	Y	Y	Y	GB	GB	TILL
126-01	9.7	0.6	9.1	218.6	173.4	45.2	32.5	12.7	1	65	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.4	0.6	8.8	88.6	54.1	34.5	24.1	10.4	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	10.1	0.4	9.7	219.0	193.7	25.3	18.1	7.2	1	11	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.6	0.2	9.4	181.3	128.0	53.3	38.0	15.3	1	130	P	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	10.9	1.0	9.9	177.0	142.7	34.3	23.1	11.2	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
127-01	9.4	0.6	8.8	164.7	132.2	32.5	23.4	9.1	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-02	9.3	0.4	8.9	175.4	137.4	38.0	27.3	10.7	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-03	8.7	0.3	8.4	130.4	91.3	39.1	29.2	9.9	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-04	9.5	0.6	8.9	173.9	131.8	42.1	31.0	11.1	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.7	0.2	9.5	227.3	171.9	55.4	42.0	13.4	1	24	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.8	0.7	9.1	190.6	149.2	41.4	31.0	10.4	1	21	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.4	0.7	8.7	152.8	120.3	32.5	23.8	8.7	0	NA	P	60	40	NA	NA	U	Y	Y	Y	B	B	TILL
-08	9.2	0.2	9.0	131.9	105.6	26.3	20.9	5.4	0	NA	P	40	60	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.2	0.4	8.8	154.6	112.1	42.5	30.7	11.8	1	252	P	45	55	NA	NA	U	Y	Y	Y	GB	GB	TILL
-10	9.4	0.2	9.2	170.5	131.6	38.9	29.0	9.9	0	NA	P	45	55	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	9.2	0.2	9.0	164.0	120.0	44.0	33.9	10.1	1	6	P	50	50	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.6	0.3	9.3	180.5	147.0	33.5	24.8	8.7	0	NA	P	50	50	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	8.9	0.4	8.5	159.5	117.5	42.0	32.5	9.5	0	NA	P	55	45	NA	NA	U	Y	Y	Y	GB	GB	TILL
-14	8.0	0.0	8.0	112.3	79.4	32.9	24.5	8.4	0	NA	TR	NA	NA	NA	NA	U	Y	Y	Y	GB	GB	TILL
-15	9.3	0.8	8.5	160.2	127.4	32.8	24.6	8.2	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-16	7.9	0.5	7.4	125.2	92.1	33.1	23.7	9.4	7	206	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-17	9.3	0.6	8.7	224.4	185.7	38.7	27.7	11.0	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-18	10.8	1.5	9.3	198.2	152.9	45.3	30.9	14.4	1	94	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-19	10.7	1.1	9.6	200.1	151.0	49.1	34.2	14.9	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-20	9.1	0.8	8.3	235.2	196.7	38.5	28.5	10.0	1	13	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
128-01	10.8	0.9	9.9	210.9	165.0	45.9	31.7	14.2	4	643	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL

COB06AUG.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 50

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION							CLASS					
	TABLE SPLIT	+10 CHIPS	TABLE FEED	TABLE CONC	M. I. CONC		NON MAG	NO. V.G.	CALC FPB	CLAST			MATRIX				ST	CY	COLOR			
					M.I.	CONC.				SIZE	%	S/U	SD	ST	CY	COLOR						
					LIGHTS	TOTAL				V/S	GR	LS	OT	SD	CY							
808-87																						
128-02	0.9	0.9	0.0	231.6	194.5	37.1	25.8	11.3	1	25	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.7	0.8	8.9	201.9	154.4	47.5	32.4	15.1	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.1	0.4	8.7	155.4	105.3	50.1	32.2	17.9	5	199	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.4	0.3	9.1	177.3	147.6	29.7	21.3	8.4	0	NA	P	90	10	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.8	0.4	9.4	157.6	114.4	43.2	30.3	12.9	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.7	0.4	9.3	185.0	139.1	45.9	31.1	14.8	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.9	0.8	9.1	226.8	189.7	37.1	25.6	11.5	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	9.5	0.2	9.3	163.8	131.1	32.7	23.4	9.3	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-10	8.8	0.4	8.4	201.5	172.9	28.6	21.7	6.9	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-11	8.9	0.8	8.1	180.0	146.7	33.3	25.6	7.7	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-12	9.7	0.6	9.1	192.1	154.6	37.5	27.3	10.2	1	263	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-13	9.6	0.9	8.7	210.3	170.9	39.4	28.6	10.8	0	NA	P	85	15	NA	NA	U	Y	Y	Y	GB	GB	TILL
-14	9.8	0.3	9.5	204.2	170.5	33.7	25.1	8.6	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-15	8.7	0.2	8.5	159.0	130.0	29.0	20.5	8.5	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-16	10.2	0.5	9.7	215.9	170.5	45.4	34.3	11.1	1	29	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
129-01	10.4	0.8	9.6	214.4	168.7	45.7	31.6	14.1	0	NA	P	75	25	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	9.9	0.6	9.3	174.7	136.9	37.8	27.8	10.0	1	54	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.1	0.4	8.7	143.9	110.6	33.3	25.2	8.1	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.0	0.3	8.7	185.8	153.7	32.1	23.9	8.2	1	670	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.7	0.2	9.5	177.9	157.2	20.7	14.5	6.2	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.6	0.2	9.4	199.5	180.1	19.4	14.3	5.1	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	8.3	0.5	7.8	142.7	114.7	28.0	21.3	6.7	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.7	0.5	9.2	318.5	293.9	24.6	19.0	5.6	1	152	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	10.3	1.1	9.2	304.3	267.9	36.4	24.7	11.7	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-10	9.7	0.5	9.2	240.2	217.8	22.4	15.6	6.8	6	575	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
30-01	10.2	1.4	8.8	309.5	256.0	53.5	36.8	16.7	1	435	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-02	10.1	0.7	9.4	174.8	133.9	40.9	29.0	11.9	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.7	0.6	9.1	225.3	186.2	39.1	27.1	12.0	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.8	0.6	9.2	145.8	111.7	34.1	24.5	9.6	0	NA	P	60	40	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.9	0.8	9.1	154.6	120.7	33.9	24.1	9.8	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.0	0.4	8.6	157.8	132.9	24.9	18.2	6.7	1	20	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.4	0.3	9.1	167.4	137.2	30.2	21.5	8.7	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-08	9.7	0.2	9.5	205.0	170.8	34.2	24.3	9.9	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-09	7.7	0.3	7.4	147.1	122.9	24.2	17.3	6.9	0	NA	P	65	35	NA	NA	U	Y	Y	Y	GB	GB	TILL
-10	9.1	0.6	8.5	207.4	174.5	32.9	23.3	9.6	0	NA	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
131-01	9.7	0.5	9.2	253.0	210.7	42.3	28.3	14.0	4	520	P	40	60	NA	NA	U	Y	Y	Y	B	B	TILL
-02	9.7	0.9	8.8	197.6	150.4	47.2	31.5	15.7	1	3	P	40	60	NA	NA	U	Y	Y	Y	GB	GB	TILL
-03	9.8	0.6	9.2	183.5	140.4	43.1	28.3	14.8	2	76	P	55	45	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.6	0.4	9.2	225.8	191.5	34.3	24.0	10.3	1	16	P	70	30	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	9.3	0.4	8.9	179.3	142.1	37.2	26.3	10.9	0	NA	P	80	20	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.2	0.4	8.8	216.3	187.3	29.0	19.4	9.6	0	NA	P	30	70	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	8.8	0.2	8.6	147.2	111.9	35.3	22.8	12.5	0	NA	P	40	60	NA	NA	U	Y	Y	Y	GB	GB	TILL
132-01	9.1	0.6	8.5	240.7	208.6	32.1	20.4	11.7	0	NA	P	40	60	NA	NA	U	Y	Y	Y	B	B	TILL
-02	9.0	0.6	8.4	209.9	173.5	36.4	23.7	12.7	1	208	P	40	60	NA	NA	U	Y	Y	Y	B	B	TILL



COB06AUG.WR1

OVERBURDEN DRILLING MANAGEMENT LIMITED

TOTAL # OF SAMPLES IN THIS REPORT = 50

LABORATORY SAMPLE LOG

SAMPLE NO.	WEIGHT (KG.WET)			WEIGHT (GRAMS DRY)				AU		DESCRIPTION						CLASS		
	TABLE	+10	TABLE	TABLE	M.I.	CONC.	NON	NO.	CALC	CLAST			MATRIX					
	SPLIT	CHIPS	FEED	CONC	LIGHTS	TOTAL	MAG	MAG	V.G.	PPB	SIZE	%	S/U	SD	ST	CY	COLOR	
											V/5	GR	LS	DT			SD	CY

BOB-87

-03	8.8	0.4	8.4	182.0	148.1	33.9	23.6	10.3	6	190	P	50	50	NA	NA	U	Y	Y	Y	GB	GB	TILL
-04	9.2	0.4	8.8	174.6	137.0	37.6	24.9	12.7	1	643	P	30	70	NA	NA	U	Y	Y	Y	GB	GB	TILL
-05	8.7	0.4	8.3	196.8	161.7	35.1	23.8	11.3	1	2608	P	30	70	NA	NA	U	Y	Y	Y	GB	GB	TILL
-06	9.6	0.4	9.2	201.2	160.1	41.1	27.9	13.2	0	NA	P	40	60	NA	NA	U	Y	Y	Y	GB	GB	TILL
-07	9.8	0.4	9.4	209.2	170.2	39.0	27.3	11.7	0	NA	P	50	50	NA	NA	U	Y	Y	Y	GB	GB	TILL
133-01	9.6	1.0	8.6	236.6	188.9	47.7	31.8	15.9	1	12	P	50	50	NA	NA	U	Y	Y	Y	GB	GB	TILL

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobolmar.wri

TOTAL # OF PANNINGS 0

NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P						
BOB-87																	
01-01	N	500 X 650	88 C	1										1			
														1	18.7	11628	
-02	N	150 X 250	38 C	1										1			
														1	16.7	683	
-03	N	NO VISIBLE GOLD															
-04	N	NO VISIBLE GOLD															
-05	N	NO VISIBLE GOLD															
-06	N	NO VISIBLE GOLD															
-07	N	NO VISIBLE GOLD															
-08	N	NO VISIBLE GOLD															
-09	N	NO VISIBLE GOLD															
02-01	N	NO VISIBLE GOLD															
-02	N	NO VISIBLE GOLD															
-03	N	NO VISIBLE GOLD															
-04	N	NO VISIBLE GOLD															
-05	N	NO VISIBLE GOLD															
-06	N	NO VISIBLE GOLD															
-07	N	NO VISIBLE GOLD															
-08	N	NO VISIBLE GOLD															
-09	N	200 X 450	58 C				1							1			
														1	18.0	2539	
-10	N	NO VISIBLE GOLD															
03-01	N	NO VISIBLE GOLD															

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

coboimar.wrl

NUMBER OF GRAINS

TOTAL # OF PANNINGS 0

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG	GMS	CALC V.G. ASSAY	PPB	REMARKS
					T	P	T	P	T	P								

BOB-B7

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

03-05 N NO VISIBLE GOLD

## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobo2mar.wr1

## NUMBER OF GRAINS

TOTAL # OF PANNINGS 2

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P	T	P						
BOB-87																			
03-06	N	NO VISIBLE GOLD																	
-07	N	NO VISIBLE GOLD																	
04-01	N	NO VISIBLE GOLD																	
-02	N	NO VISIBLE GOLD																	
-03	N	350 X 350	61 C	1												1			
																1	13.1	4296	
-04	N	NO VISIBLE GOLD																	
05-01	N	NO VISIBLE GOLD																	
-02	N	NO VISIBLE GOLD																	
-03	N	150 X 200	34 C													1			
																1	16.1	481	
-04	N	NO VISIBLE GOLD																	
-05	N	NO VISIBLE GOLD																	
-06	N	NO VISIBLE GOLD																	
06-01	N	NO VISIBLE GOLD																	
-02	Y	125 X 250	36 C	1												1		EST. 35% PYRITE	
		250 X 500	65 C	1												1			
																2	27.0	2877	
07-01	N	100 X 150	25 C	1												1			
																1	14.6	198	
-02	N	50 X 100	15 C	1												1			
																1	16.8	38	
-03	N	NO VISIBLE GOLD																	
-04	Y	100 X 150	25 C	1												1		EST. 1% PYRITE	
		150 X 150	29 C	1												1			

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobo2mar.wr1

TOTAL # OF PANNINGS 2

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON MAG	GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P	T	P	T	P							

BOB-87

2 13.5 580

-05 N NO VISIBLE GOLD

-06 N NO VISIBLE GOLD

-07 N 400 X 400 100 M 1

1 16.3 7362

08-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

09-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

-05 N NO VISIBLE GOLD

-06 N NO VISIBLE GOLD

-07 N 75 X 125 20 C 1

1 20.0 75

-08 N NO VISIBLE GOLD

-09 N NO VISIBLE GOLD

-10 N NO VISIBLE GOLD

10-01 N NO VISIBLE GOLD

## GOLD CLASSIFICATION

## =====

COBOSMAR.WR1

TOTAL # OF PANNINGS 7

## NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								
BOB-87																			
10-02	N	NO VISIBLE GOLD																	
-03	N	NO VISIBLE GOLD																	
-04	N	100 X 150	25 C	1												1			
																1	16.9	171	
11-01	N	NO VISIBLE GOLD																	
12-01	Y	25 X 25	5 C		1											1		EST. 3% PYRITE	
		50 X 50	10 C		1											1			
		75 X 75	15 C		1											1			
		75 X 150	22 C	1												1			
		100 X 125	22 C	1												1			
		175 X 200	36 C	1												1			
		200 X 225	40 C	1												1			
																7	20.5	1373	
-02	N	NO VISIBLE GOLD																	
-03	N	125 X 275	38 C	1												1			
																1	22.9	498	
-04	N	NO VISIBLE GOLD																	
-05	N	NO VISIBLE GOLD																	
-06	N	NO VISIBLE GOLD																	
-07	N	NO VISIBLE GOLD																	
-08	N	NO VISIBLE GOLD																	
-09	Y	25 X 75	10 C		1											1		EST. 5% PYRITE	
		50 X 50	10 C		1											1		30% GARNET	
		75 X 75	15 C		1											1			
		75 X 125	20 C		1											1			
		125 X 150	27 C	1												1			
		100 X 150	25 C	1												1			
		250 X 375	56 C	1												1			
		275 X 375	58 C	1												1			
																8	29.4	3260	

## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBOSMAR.WR1

## NUMBER OF GRAINS

TOTAL # OF PANNINGS 7

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	NUMBER OF GRAINS				TOTAL NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					ABRADED T	IRREGULAR P	DELICATE T	TOTAL P			
BOB-87											
-10	N		NO VISIBLE GOLD								
-11	Y		50 X 50	10 C		1			1	EST. 5% PYRITE 10% GARNET	
			50 X 75	13 C		1			1		
									2	24.1	23
-12	Y		25 X 25	5 C		1			1	EST. 3% PYRITE 25% GARNET	
			100 X 125	22 C		2			2		
			100 X 250	34 C	1				1		
			125 X 125	25 C		1			1		
			125 X 150	27 C	1				1		
			125 X 175	29 C		1			1		
			150 X 175	31 C	1				1		
			150 X 200	34 C	1				1		
			150 X 225	36 C	1				1		
			150 X 250	38 C	1				1		
			175 X 225	38 C		1			1		
			175 X 250	40 C		1			1		
			200 X 250	42 C	2				2		
			200 X 275	44 C	1				1		
			250 X 250	46 C	1				1		
			250 X 300	50 C	1				1		
			250 X 400	58 C	1				1		
									19	30.4	7568
-13	Y		100 X 200	29 C	1				1	EST. 0.5% PYRITE 20% GARNET	
			150 X 200	34 C	1				1		
			250 X 350	54 C	1				1		
									3	23.2	2117
-14	N		200 X 200	38 C	1				1		
									1	21.8	523
-15	Y		75 X 100	18 C	2	1			3	NO SULPHIDES 30% GARNET	
			100 X 125	22 C	1				1		
			100 X 150	25 C	1				1		
			150 X 175	31 C	1				1		
			175 X 175	34 C	1				1		
									7	45.0	489
-16	Y		25 X 25	5 C		1			1	NO SULPHIDES 30% GARNET	
			50 X 100	15 C	1				1		

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB03MAR.WR1

TOTAL # OF PANNINGS 7

NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P						
BOB-B7		50 X 175	22 C	1							1				
		75 X 75	15 C			1					1				
		75 X 100	18 C	1	2			1			4				
		100 X 125	22 C	1							1				
		100 X 100	20 C	1							1				
		125 X 175	29 C	1							1				
		150 X 250	38 C	1							1				
											13	46.3	593		
-17	N	75 X 125	20 C	1							1				
											1	18.4	82		
-18	N	NO VISIBLE GOLD													
-19	N	NO VISIBLE GOLD													
13-01	N	150 X 250	38 C	1							1				
											1	13.7	832		
-02	N	150 X 200	34 C	1							1				
											1	13.9	557		
-03	N	NO VISIBLE GOLD													
14-01	N	NO VISIBLE GOLD													
-02	N	NO VISIBLE GOLD													
15-01	N	NO VISIBLE GOLD													
16-01	N	NO VISIBLE GOLD													
-02	N	NO VISIBLE GOLD													
-03	N	NO VISIBLE GOLD													
-04	N	NO VISIBLE GOLD													
-05	N	NO VISIBLE GOLD													
-06	N	NO VISIBLE GOLD													
17-01	N	NO VISIBLE GOLD													



GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBOSMAR.MR1

TOTAL # OF PANNINGS 7

NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON	MAG	CALC V.G.	ASSAY	REMARKS
				T	P	T	P	T	P	T	P	T	P	T	P						

BOB-87

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

17-05 N NO VISIBLE GOLD

## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04MAR.WR1

TOTAL # OF PANNINGS 1

## NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON	CALC V.G.	REMARKS
				T	P	T	P	T	P	T	P	MAG	PPB	ASSAY					

BOB-87

17-06 N NO VISIBLE GOLD

-07 N NO VISIBLE GOLD

-08 N NO VISIBLE GOLD

-09 N NO VISIBLE GOLD

-10 N NO VISIBLE GOLD

-11 N NO VISIBLE GOLD

-12 N NO VISIBLE GOLD

-13 N NO VISIBLE GOLD

-14 N 50 X 75 13 C 1

1

1 16.8 22

-15 N NO VISIBLE GOLD

-16 N NO VISIBLE GOLD

-17 Y 50 X 100 15 C 1

1

1

EST. 3% PYRITE

75 X 75 15 C 1

1

100 X 100 20 C 1

1

3 13.0 214

-18 N 75 X 150 22 C 1

1

1 17.2 123

-19 N 125 X 150 27 C 1

1

1 10.7 358

-20 N NO VISIBLE GOLD

18-01 N 100 X 150 25 C 1

1

1 15.2 190

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04MAR.WR1

TOTAL # OF PANNINGS 1

## NUMBER OF GRAINS

SAMPLE #	FANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P						

BOB-87

-04 N NO VISIBLE GOLD

-05 N 100 X 125 22 C 1

1

1 15.7 135

19-01 N 75 X 150 22 C 1

1

1 12.8 166

-02 N NO VISIBLE GOLD

-03 N 200 X 250 42 C 1

1

1 16.0 1001

-04 N NO VISIBLE GOLD

-05 N 100 X 150 25 C 1

1

1 19.3 150

-06 N NO VISIBLE GOLD

20-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

-05 N 100 X 100 20 C 1

1

1 29.9 50

-06 N 100 X 100 20 C 1

1

1 27.6 54

-07 N 200 X 400 54 C 1

1

1 25.6 1424

-08 N NO VISIBLE GOLD

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04MAR.WR1

TOTAL # OF PANNINGS 1

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON	MAG	CALC V.G.	ASSAY	REMARKS
					T	P	T	P	T	P	T	P						

BOB-87

-09 N NO VISIBLE GOLD

-10 N NO VISIBLE GOLD

-11 N NO VISIBLE GOLD

-12 N 100 X 100 20 C 1

1	16.7	90
---	------	----

-13 N NO VISIBLE GOLD

-14 N NO VISIBLE GOLD

20-15 N NO VISIBLE GOLD

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB01APR.WR1

TOTAL # OF PANNINGS

4

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P						
BOB-87																
21-01	N		NO VISIBLE GOLD													
-02	N		NO VISIBLE GOLD													
-03	N		NO VISIBLE GOLD													
-04	N		NO VISIBLE GOLD													
-05	N		NO VISIBLE GOLD													
-06	N		NO VISIBLE GOLD													
-07	N		NO VISIBLE GOLD													
-08	N		NO VISIBLE GOLD													
-09	N		NO VISIBLE GOLD													
-10	Y		25 X	50	8 C		1			1			2			EST. 3% PYRITE
			50 X	50	10 C		1						1			
			50 X	75	13 C		1						1			
			75 X	150	22 C				1				1			
			175 X	225	38 C		1						1			
													6	21.3	669	
-11	N		300 X	300	54 C		1						1			
													1	19.7	1850	
-12	Y		25 X	25	5 C			1					1			EST. 7% PYRITE
			50 X	50	10 C		1						1			
			50 X	75	13 C		1						1			
			75 X	75	15 C			1					1			
													4	12.6	98	
-13	N		75 X	175	25 C		1						1			
													1	18.0	161	
-14	N		NO VISIBLE GOLD													
-15	Y		25 X	75	10 C		1						1			EST. 1% PYRITE
			75 X	150	22 C		1						1			
			125 X	175	29 C		1						1			
			225 X	300	48 C		1						1			

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB01APR.WR1

TOTAL # OF PANNINGS 4

NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY FPB	REMARKS
				T	P	T	P	T	P						

BOB-87

-16 N NO VISIBLE GOLD

-17 N NO VISIBLE GOLD

22-01 N 75 X 100 18 C 1

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

23-01 N 100 X 100 20 C 1

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N 150 X 250 38 C 1

-05 N 250 X 400 58 C 1

-06 N NO VISIBLE GOLD

-07 N 50 X 75 13 C 1

-08 N NO VISIBLE GOLD

-09 N 125 X 200 31 C 1

-10 N NO VISIBLE GOLD

4	19.4	1659
1		
1	17.8	57
1		
1	17.1	88
1		
1	16.0	713
1		
1	14.8	3088
1		
1	14.5	26
1		
1	15.6	400

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB01APR.WR1

TOTAL # OF PANNINGS 4

NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON ASSAY PPB	CALC V.G. REMARKS
				T	P	T	P	T	P	T	P							
BOB-87																		
-11	N	150 X	225	36	C	1								1				
														1	13.1	722		
-12	Y	25 X	50	8	C			1						1				EST. 0.5% PYRITE
		200 X	325	48	C			1						1				
		325 X	400	63	C			1						1				
														3	16.3	5343		
24-01	N	NO VISIBLE GOLD																
-02	N	NO VISIBLE GOLD																
-03	N	NO VISIBLE GOLD																
-04	N	NO VISIBLE GOLD																
-05	N	NO VISIBLE GOLD																
-06	N	NO VISIBLE GOLD																
24-07	N	50 X	125	18	C			1						1				
														1	16.9	60		

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobo2apr.wrl

TOTAL # OF PANNINGS 1

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P						

BOB-87

24-08	N		NO VISIBLE GOLD													
-09	N		NO VISIBLE GOLD													
-10	N		NO VISIBLE GOLD													
-11	N		NO VISIBLE GOLD													
-12	N		NO VISIBLE GOLD													
-13	N		NO VISIBLE GOLD													
-14	N		NO VISIBLE GOLD													
-15	N		NO VISIBLE GOLD													
-16	N		NO VISIBLE GOLD													
-17	N		125 X 125	25 C					1			1				
													1	18.6	156	

25-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

-05 N NO VISIBLE GOLD

-06 N NO VISIBLE GOLD

-07 N NO VISIBLE GOLD

-08	N		100 X 200	29 C					1			1				
													1	12.8	386	

-09	Y		25 X 25	5 C					1			1				EST. 1% PYRITE
			75 X 75	15 C					1			1				
			100 X 150	25 C					1			1				

3 11.0 323





GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobo2apr.wr1

TOTAL # OF PANNINGS 1

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON	MAG	CALC V.G.	ASSAY	PPB	REMARKS
					T	P	T	P	T	P	T	P	T	P	T	P							

808-87

26-12 N NO VISIBLE GOLD

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB03APR.WR1

TOTAL # OF PANNINGS

4

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.6. ASSAY PPB	REMARKS
					T	P	T	P	T	P	T	P				

BOB-87

26-13 N NO VISIBLE GOLD

-14 N NO VISIBLE GOLD

-15 N NO VISIBLE GOLD

-16 N NO VISIBLE GOLD

-17 N NO VISIBLE GOLD

-18 N 200 X 250 42 C 1

1

1 21.9 731

-19 N NO VISIBLE GOLD

-20 N 100 X 125 22 C 1

1

1 18.5 115

-21 N NO VISIBLE GOLD

-22 N NO VISIBLE GOLD

-23 N NO VISIBLE GOLD

27-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

-05 Y 25 X 25 5 C 1

1

EST. 3% PYRITE

75 X 100 18 C 1

1

100 X 100 20 C 1

1

100 X 125 22 C 1

1

200 X 300 46 C 1

1

5 20.5 1285

-06 Y 50 X 50 10 C 1

1

EST. 7% PYRITE

50 X 75 13 C 1

1

200 X 200 38 C 1

1

3 22.7 527

## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB03APR.WR1

TOTAL # OF PANNINGS 4

## NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								

BOB-87

-07 N NO VISIBLE GOLD

-08 N NO VISIBLE GOLD

-09 N NO VISIBLE GOLD

-10 N NO VISIBLE GOLD

-11 N 100 X 150 25 C 1

1

1 14.4 201

-12 N NO VISIBLE GOLD

-13 N NO VISIBLE GOLD

-14 N 75 X 100 18 C 1

1

1 15.0 67

28-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

-05 Y 50 X 50 10 C 1

1

EST. 1% PYRITE

150 X 150 29 C 1

1

250 X 400 58 C 1

1

3 11.1 4579

-06 N NO VISIBLE GOLD

-07 N NO VISIBLE GOLD

29-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB03APR.WR1

TOTAL # OF PANNINGS 4

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON	MAG	GMS	CALC V.G.		REMARKS
					T	P	T	P	T	P	T	P	T	P	PPB	ASSAY							

BOB-87

-05 N NO VISIBLE GOLD

-06 Y 75 X 100 18 C 1  
100 X 125 22 C 1

1  
1

EST. 3% PYRITE

2 25.2 124

-07 N NO VISIBLE GOLD

29-08 N NO VISIBLE GOLD

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04APR.WR1

TOTAL # OF PANNINGS 3

NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL GMS	NON MAG	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P						
BOB-87															
29-09	N	NO VISIBLE GOLD													
-10	N	NO VISIBLE GOLD													
-11	N	NO VISIBLE GOLD													
-12	N	NO VISIBLE GOLD													
-13	N	50 X 75	13 C	1							1				
											1	14.9	25		
-14	N	300 X 400	61 C	1							1				
											1	15.6	3607		
-15	N	NO VISIBLE GOLD													
30-01	N	500 X 550	83 C	1							1				
											1	15.4	11099		
-02	N	NO VISIBLE GOLD													
-03	Y	50 X 50	10 C		2						2			EST. 3% PYRITE	
		75 X 100	18 C	1							1				
		75 X 200	27 C			1					1				
		100 X 125	22 C		1						1				
											5	22.5	326		
-04	Y	25 X 25	5 C		1						1			EST. 1% PYRITE	
		50 X 50	10 C		1						1				
		50 X 100	15 C				1				1				
		75 X 100	18 C	2							2				
											5	13.4	215		
-05	N	125 X 225	34 C	1							1				
											1	14.9	519		
-06	N	NO VISIBLE GOLD													
-07	N	NO VISIBLE GOLD													
-08	N	NO VISIBLE GOLD													

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04APR.WR1

TOTAL # OF PANNINGS 3

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON	CALC V.6.	ASSAY	REMARKS
					T	P	T	P	T	P	T	P	MAG	GMS			

BOB-87

-09 N NO VISIBLE GOLD

-10 N 225 X 275 46 C 1

1

1 14.4 1506

-11 N NO VISIBLE GOLD

-12 N NO VISIBLE GOLD

-13 N NO VISIBLE GOLD

-14 N NO VISIBLE GOLD

-15 N NO VISIBLE GOLD

-16 N NO VISIBLE GOLD

-17 N NO VISIBLE GOLD

-18 N NO VISIBLE GOLD

-19 N NO VISIBLE GOLD

-20 Y NO VISIBLE GOLD

EST. 50% PYRITE

31-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

-05 N NO VISIBLE GOLD

-06 N NO VISIBLE GOLD

-07 N NO VISIBLE GOLD

-08 N NO VISIBLE GOLD

-09 N NO VISIBLE GOLD

-10 N 250 X 500 65 C 1

1

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04APR.WR1

TOTAL # OF PANNINGS 3

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED		IRREGULAR		DELICATE		TOTAL	NON	MAG	GMS	CALC	V.G.	ASSAY	PPB	REMARKS
					T	P	T	P	T	P									

BOB-87

1 16.6 4110

-11 N NO VISIBLE GOLD

-12 N NO VISIBLE GOLD

31-13 N NO VISIBLE GOLD



## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBOSAPR.WR1

## NUMBER OF GRAINS

TOTAL # OF PANNINGS 4

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								

BOB-87

31-14	N	125 X 175	29 C	1										1			
														1	17.8	277	

-15	Y	75 X 75	15 C		1									1			EST. 5% PYRITE
		75 X 125	20 C	2										2			
		150 X 225	36 C	1										1			

4	15.9	824
---	------	-----

-16	N	175 X 225	38 C	1										1			
														1	15.6	731	

-17 N NO VISIBLE GOLD

-18	Y	25 X 25	5 C		1									1			EST. 1% PYRITE
		50 X 100	15 C	1										1			
		200 X 325	48 C	1										1			

3	17.9	1430
---	------	------

-19 N NO VISIBLE GOLD

-20 N NO VISIBLE GOLD

-21 N NO VISIBLE GOLD

-22 N NO VISIBLE GOLD

-23 N NO VISIBLE GOLD

32-01	N	175 X 375	50 C	1										1			
														1	22.1	1288	

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

-05 N NO VISIBLE GOLD

-06	N	100 X 225	31 C	1										1			
														1	17.4	758	

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBOSAPR.WR1

TOTAL # OF PANNINGS 4

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P						

BOB-87

-07	N		NO VISIBLE GOLD													
-08	N		NO VISIBLE GOLD													
-09	Y		50 X 50	10 C								1	1		EST. 10% PYRITE	
			75 X 175	25 C	1								1			
			125 X 175	29 C	1								1			
												<hr/>	3	15.5	517	

-10 N NO VISIBLE GOLD

-11 N NO VISIBLE GOLD

-12 N NO VISIBLE GOLD

-13 N NO VISIBLE GOLD

33-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

-03	N		75 X 125	20 C	1								1			
												<hr/>	1	14.4	104	

-04	Y		25 X 25	5 C		1							1		EST. 1% PYRITE	
			50 X 150	20 C		1							1			
			150 X 350	46 C	1								1			
			350 X 350	61 C	1								1			
			500 X 700	90 C	1								1			
												<hr/>	5	21.6	14930	

-05	N		75 X 200	27 C			1						1			
												<hr/>	1	21.1	181	

-06 N NO VISIBLE GOLD

-07 N NO VISIBLE GOLD

-08 N NO VISIBLE GOLD

-09 N NO VISIBLE GOLD

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB05APR.WR1

TOTAL # OF PANNINGS 4

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON	MAG	CALC V.G.	ASSAY	REMARKS	
					T	P	T	P	T	P	T	P							GMS
BOB-87																			
-10	N																		NO VISIBLE GOLD
-11	N																		NO VISIBLE GOLD
-12	N																		NO VISIBLE GOLD
-13	N																		NO VISIBLE GOLD
-14	N																		NO VISIBLE GOLD
34-01	N																		NO VISIBLE GOLD
-02	N																		NO VISIBLE GOLD
34-03	N																		NO VISIBLE GOLD

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB06APR.WR1

TOTAL # OF PANNINGS 4

NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IFREGULAR		DELICATE		TOTAL GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P						
BOB-87															
34-04	N														
-05	N														
-06	N														
-07	N														
-08	N														
-09	N														
-10	N														
-11	N														
-12	N														
-13	Y	100 X	225	31	C						1			EST. 3% PYRITE 15% MARCASITE PELLETS	
											1	22.2	281		
-14	N														
-15	N														
-16	N														
-17	N														
35-01	N	100 X	200	29	C						1				
											1	13.3	371		
-02	N														
-03	N	100 X	125	22	C						1				
											1	26.9	79		
-04	Y	50 X	50	10	C						1			EST. 3% PYRITE 75 MARCASITE PELLETS	
		75 X	175	25	C						1				
		175 X	225	38	C						1				
											3	18.9	766		
-05	Y	25 X	25	5	C						2			EST. 3% PYRITE	

## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB06APR.WR1

TOTAL # OF FANNINGS

4

## NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P						
BOB-87			50 X 75	13 C								1	1			
			50 X 100	15 C					1				1			
			100 X 125	22 C	1								1			
			200 X 225	40 C	1								1			
													6	13.5	1242	
-06	N		NO VISIBLE GOLD													
-07	N		75 X 100	18 C	1								1			
													1	6.2	163	
-08	N		75 X 150	22 C	1								1			
													1	14.6	145	
-09	N		NO VISIBLE GOLD													
36-01	N		NO VISIBLE GOLD													
-02	N		NO VISIBLE GOLD													
-03	N		NO VISIBLE GOLD													
-04	Y		25 X 25	5 C				1					1			EST. 3% PYRITE
			75 X 75	15 C				1					1			
			75 X 125	20 C	1								1			
			100 X 125	22 C	1								1			
													4	14.5	296	
-05	N		150 X 150	29 C	1								1			
													1	16.0	308	
-06	N		NO VISIBLE GOLD													
-07	N		NO VISIBLE GOLD													
-08	N		NO VISIBLE GOLD													
-09	N		NO VISIBLE GOLD													
-10	N		NO VISIBLE GOLD													
-11	N		NO VISIBLE GOLD													

## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB06APR.WR1

TOTAL # OF PANNINGS 4

## NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	F	T	P	T	P	T	P				
BOB-87															
-12	N	75 X 75	15 C	1								1			
												1	17.0	38	
-13	N	75 X 100	18 C	1								1			
												1	13.3	76	
-14	N	NO VISIBLE GOLD													
-15	N	NO VISIBLE GOLD													
37-01	N	100 X 150	25 C	1								1			
												1	19.2	151	
37-02	N	NO VISIBLE GOLD													











GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB08APR.WR1

TOTAL # OF PANNINGS 2

NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								

BOB-87

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

-05 N NO VISIBLE GOLD

-06 Y 100 X 125 22 C 2

2

EST. 3% PYRITE

2 21.1 201

-07 N NO VISIBLE GOLD

-08 N NO VISIBLE GOLD

43-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

-05 N NO VISIBLE GOLD

-06 N NO VISIBLE GOLD

-07 Y NO VISIBLE GOLD

EST. 3% PYRITE  
3% MARCASITE PELLETS

45-01 N NO VISIBLE GOLD

46-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

47-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

47-03 N NO VISIBLE GOLD



GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobo9apr.wr1

TOTAL # OF PANNINGS 8

NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG	NON MAG	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P	T	P	T	P				
BOB-87																			
-06	Y	50 X 75	13 C	2											2			EST. 2% PYRITE	
		75 X 125	20 C			1									1				
		150 X 200	34 C	1											1				
		300 X 350	58 C	1											1				
															5	21.1	2639		
-07	Y	100 X 125	22 C	1											1			EST. 1% PYRITE	
															1	18.8	113		
56-01	N	NO VISIBLE GOLD																	
-02	Y	100 X 150	25 C	1											1			EST. 1% PYRITE	
		175 X 200	36 C	1											1				
															2	21.8	566		
-03	Y	125 X 150	27 C	1											1			EST. 0.5% PYRITE	
		175 X 200	36 C			1									1				
		200 X 275	44 C	1											1				
		250 X 275	48 C	1											1				
		400 X 675	84 C	1											1				
															5	25.3	9443		
57-01	N	NO VISIBLE GOLD																	
-02	N	100 X 125	22 C	1											1				
															1	16.8	126		
58-01	N	NO VISIBLE GOLD																	
-02	N	NO VISIBLE GOLD																	
-03	N	NO VISIBLE GOLD																	
59-01	N	250 X 300	50 C	1											1				
															1	18.1	1573		
-02	N	100 X 125	22 C	1											1				
															1	20.6	103		

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobo9apr.wr1

TOTAL # OF PANNINGS

8

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P						
B08-87																
-03	N		NO VISIBLE GOLD													
-04	N		100 X 200	29 C					1				1			
													1	25.9	191	
-05	N		NO VISIBLE GOLD													
60-01	N		NO VISIBLE GOLD													
-02	Y		100 X 150	25 C	1								1			EST. 3% PYRITE
			150 X 150	29 C	1								1			
													2	18.8	416	
-03	N		NO VISIBLE GOLD													
-04	Y		50 X 50	10 C						1			1			EST. 1% PYRITE
			100 X 250	34 C	1								1			
			200 X 300	46 C	1								1			
			225 X 600	70 C					1				1			
													4	19.5	6074	
61-01	N		NO VISIBLE GOLD													
61-02	N		NO VISIBLE GOLD													

## GOLD CLASSIFICATION

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBDAAPR.WR1

TOTAL # OF PANNINGS 8

## NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED		IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P				
808-87													
61-03	N	NO VISIBLE GOLD											
-04	N	NO VISIBLE GOLD											
-05	N	NO VISIBLE GOLD											
-06	N	NO VISIBLE GOLD											
-07	N	NO VISIBLE GOLD											
-08	N	NO VISIBLE GOLD											
-09	N	NO VISIBLE GOLD											
-10	N	NO VISIBLE GOLD											
-11	Y	50 X 75	13 C		1					1			EST. 1% PYRITE
		75 X 100	18 C	1						1			
		125 X 175	29 C			1				1			
										3	15.9	397	
-12	N	125 X 150	27 C	1						1			
										1	26.5	144	
-13	Y	150 X 200	34 C	1						1			EST. 1% PYRITE 1 GRAIN GALENA
		175 X 300	44 C		1					1			
		175 X 600	66 C		1					1			
		300 X 425	63 C	1						1			
										4	28.6	5708	
62-01	Y	25 X 50	8 C		1					1			EST. 7% PYRITE
		50 X 75	13 C	1						1			
		75 X 200	27 C	1						1			
										3	15.1	284	
-02	N	NO VISIBLE GOLD											
-03	N	NO VISIBLE GOLD											
-04	N	NO VISIBLE GOLD											
-05	N	NO VISIBLE GOLD											

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBDAAPR.WR1

TOTAL # OF PANNINGS 8

NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P							
BOB-87																		
-06	Y	50 X 50	10 C			1								1			EST. 55% PYRITE	
		100 X 125	22 C			1								1				
														2	26.3	88		
-07	N	NO VISIBLE GOLD																
-08	N	NO VISIBLE GOLD																
-09	N	NO VISIBLE GOLD																
-10	N	NO VISIBLE GOLD																
-11	N	NO VISIBLE GOLD																
63-01	N	NO VISIBLE GOLD																
64-01	N	NO VISIBLE GOLD																
-02	N	450 X 550	80 C	1										1				
														1	21.5	6977		
-03	N	NO VISIBLE GOLD																
65-01	N	175 X 200	36 C	1										1				
														1	30.4	311		
-02	N	NO VISIBLE GOLD																
-03	Y	75 X 100	18 C			1								1			EST. 1% PYRITE	
		75 X 125	20 C			1								1				
		100 X 200	29 C	1										1				
		300 X 300	54 C	1										1				
														4	22.9	1917		
-04	Y	100 X 150	25 C	1										1			EST. 0.25% PYRITE	
		100 X 175	27 C	1										1				
														2	32.0	210		
66-01	N	NO VISIBLE GOLD																
67-01	N	NO VISIBLE GOLD																



GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBDAAPR.WR1

TOTAL # OF PANNINGS 8

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG	GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P							
BOB-87																	
-02	N		NO VISIBLE GOLD														
-03	N		NO VISIBLE GOLD														
-05	Y		50 X 75	13 C	1								1				EST. 3% PYRITE
			75 X 75	15 C									1				
			75 X 100	18 C									1				
			100 X 200	29 C									1				
			150 X 200	34 C	1								1				
													5	14.5	1014		
-06	N		NO VISIBLE GOLD														
-07	N		50 X 100	15 C	1								1				
													1	14.0	46		
70-01	N		100 X 300	38 C	1								1				
													1	30.3	376		
-02	Y		25 X 100	13 C					1				1				EST. 3% PYRITE
													1	100.2	4		
72-01	N		50 X 75	13 C	1								1				
													1	15.2	25		

## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBOBAPR.WR1

TOTAL # OF PANNINGS 6

## NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								
BOB-87																			
72-02	Y	75 X 100	18 C	1										1				EST. 1% PYRITE	
		75 X 125	20 C	1										1					
														2	15.3	164			
-03	N	75 X 125	20 C	1										1					
														1	12.2	123			
73-01	N	NO VISIBLE GOLD																	
74-01	N	NO VISIBLE GOLD																	
-02	N	150 X 225	36 C	1										1					
														1	16.1	587			
77-01	N	75 X 100	18 C	1										1					
														1	20.2	50			
-02	N	NO VISIBLE GOLD																	
78-01	N	NO VISIBLE GOLD																	
-02	N	150 X 200	34 C	1										1					
														1	24.9	311			
-03	N	NO VISIBLE GOLD																	
-04	N	NO VISIBLE GOLD																	
-05	Y	100 X 100	20 C	1										1				EST. 1% PYRITE	
		150 X 300	42 C	1										1					
														2	23.6	742			
79-01	N	150 X 150	29 C	1										1					
														1	32.6	151			
-02	N	NO VISIBLE GOLD																	
80-01	Y	25 X 25	5 C	1										1				EST. 20% PYRITE	
		50 X 50	10 C	1										1					
		75 X 100	18 C	1										1					

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBOBAPR.WR1

TOTAL # OF PANNINGS 6

NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P	T	P						

BOB-87

3 37.1 33

82-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

-05 N NO VISIBLE GOLD

-06 N NO VISIBLE GOLD

-07 Y 75 X 75 15 C 1 1 EST. 1% PYRITE  
 125 X 150 27 C 1  
 150 X 250 38 C 1

3 21.3 745

-08 N NO VISIBLE GOLD

-09 N NO VISIBLE GOLD

-10 N NO VISIBLE GOLD

-11 N NO VISIBLE GOLD

-12 N NO VISIBLE GOLD

83-01 N NO VISIBLE GOLD

84-01 N NO VISIBLE GOLD

-02 N 50 X 150 20 C 1 1

1 17.9 84

-03 N NO VISIBLE GOLD

-04 N 150 X 150 29 C 1 1

1 25.1 197

-05 N 150 X 200 34 C 1 1

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBOBAPR. WR1

TOTAL # OF PANNINGS 6

NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P	T	P					
808-87															1	28.7	270	
-06	N	NO VISIBLE GOLD																
-07	N	NO VISIBLE GOLD																
85-01	N	NO VISIBLE GOLD																
-02	N	NO VISIBLE GOLD																
-03	Y	150 X 200	34 C	1											1			
															1	21.2	365	
-04	N	50 X 100	15 C	1											1			
															1	17.3	37	
85-05	Y	50 X 75	13 C	1											1			EST. 3% PYRITE
		75 X 100	18 C	2											2			
		100 X 150	25 C	1											1			
															4	15.6	339	

## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COEOCAPR.WR1

## NUMBER OF GRAINS

TOTAL # OF PANNINGS 7

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL GMS	NON MAG	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P						
BOB-87															
85-06	N	NO VISIBLE GOLD													
-07	N	150 X 200	34 C			1					1				
											1	22.8	339		
-08	N	150 X 175	31 C	1							1				
											1	22.6	276		
-09	N	NO VISIBLE GOLD													
86-01	N	150 X 200	34 C	1							1				
											1	17.0	455		
-02	N	NO VISIBLE GOLD													
-03	N	NO VISIBLE GOLD													
-04	N	150 X 175	31 C	1							1				
											1	18.0	346		
-05	Y	25 X 25	5 C			1					1				EST. 3% PYRITE
		125 X 175	29 C	1							1				
		200 X 250	42 C	1							1				
		250 X 275	48 C	1							1				
											4	16.7	2749		
87-01	N	NO VISIBLE GOLD													
-02	N	150 X 200	34 C	1							1				
											1	21.0	368		
-03	N	150 X 400	50 C	1							1				
											1	16.5	1725		
88-01	Y	50 X 100	15 C	2							2				EST. 3% PYRITE
		75 X 75	15 C			1					1				
		150 X 225	36 C	1							1				
											4	18.7	608		

## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBOCAPR. WR1

## NUMBER OF GRAINS

TOTAL # OF PANNINGS 7

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P						
BOB-87																
-02	Y		50 X 75	13 C	2							2				EST. 5% PYRITE
			100 X 150	25 C		1						1				
												3	16.1	226		
-03	Y		50 X 75	13 C	1							1				EST. 10% PYRITE
			75 X 125	20 C		1						1				
			75 X 150	22 C	1							1				
			100 X 150	25 C		1						1				
												4	17.4	396		
-04	N		NO VISIBLE GOLD													
-05	N		NO VISIBLE GOLD													
-06	Y		NO VISIBLE GOLD													EST. 20% PYRITE
89-01	N		NO VISIBLE GOLD													
-02	Y		50 X 75	13 C	1							1				EST. 7% PYRITE
			75 X 100	18 C	1							1				
												2	21.3	65		
-03	N		NO VISIBLE GOLD													
-04	Y		50 X 75	13 C		1						1				EST. 0.5% PYRITE
			100 X 150	25 C	1							1				
			100 X 250	34 C	1							1				
												3	17.2	640		
-05	N		50 X 125	18 C	1							1				
												1	21.3	47		
-06	N		75 X 100	18 C	1							1				
												1	18.3	55		
-07	N		175 X 450	56 C		1						1				
												1	24.1	1698		
-08	N		NO VISIBLE GOLD													

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBOCAPR.WR1

TOTAL # OF PANNINGS 7

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P						
BOB-B7																
-09	N		NO VISIBLE GOLD													
-10	N		NO VISIBLE GOLD													
90-01	N		NO VISIBLE GOLD													
-02	N		175 X	475	58 C	1							1			
													1	19.6	2332	
-03	N		NO VISIBLE GOLD													
-04	N		NO VISIBLE GOLD													
-05	N		50 X	50	10 C	1							1			
													1	19.9	10	
-06	N		50 X	75	13 C	1							1			
													1	19.5	19	
-07	N		NO VISIBLE GOLD													
-08	N		NO VISIBLE GOLD													
-09	N		NO VISIBLE GOLD													
-10	N		NO VISIBLE GOLD													
-11	N		NO VISIBLE GOLD													
90-12	N		100 X	150	25 C	1							1			
													1	20.4	142	

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobodapr.wrl

TOTAL # OF PANNINGS 3

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P						
BOB-87																
90-13	N		NO VISIBLE GOLD													
-14	N		NO VISIBLE GOLD													
91-01	N		NO VISIBLE GOLD													
-02	N		NO VISIBLE GOLD													
-03	N		NO VISIBLE GOLD													
-04	N		75 X 100	18 C	1							1				
												1	23.6	43		
-05	N		NO VISIBLE GOLD													
-06	N		100 X 100	20 C				1				1				
												1	26.6	56		
-07	N		NO VISIBLE GOLD													
92-01	N		75 X 100	18 C	1							1				
												1	20.1	50		
-02	N		NO VISIBLE GOLD													
-03	N		NO VISIBLE GOLD													
93-01	N		150 X 200	34 C	1							1				
												1	15.9	487		
-02	N		200 X 400	54 C	1							1				
												1	20.3	1796		
-03	N		NO VISIBLE GOLD													
-04	Y		50 X 50	10 C		1			1			2				EST. 1% PYRITE
			75 X 75	15 C		1						1				
			75 X 100	18 C		1						1				
			100 X 150	25 C		1						1				
			125 X 200	31 C				1				1				
			175 X 200	36 C	1							1				



GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobodapr.wr1

TOTAL # OF PANNINGS 3

NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P					
B08-87											7	18.3	1092	
-05	N	125 X 175	29 C	1							1			
											1	26.4	187	
-06	Y	50 X 75	13 C			1					1			EST. 1% PYRITE
		150 X 150	29 C	1							1			
		200 X 275	44 C	1							1			
											3	21.8	1102	
94-01	N	NO VISIBLE GOLD												
-02	N	250 X 350	54 C	1							1			
											1	19.4	1879	
-03	N	100 X 100	20 C	1							1			
											1	18.9	79	
-04	N	NO VISIBLE GOLD												
-05	N	NO VISIBLE GOLD												
-06	N	NO VISIBLE GOLD												
-07	Y	75 X 100	18 C					1			1			EST. 3% PYRITE
		75 X 125	20 C			1					1			
		100 X 225	31 C			1					1			
											3	24.3	360	
95-01	N	NO VISIBLE GOLD												
-02	N	150 X 225	36 C	1							1			
											1	19.3	490	
-03	N	100 X 150	25 C	1							1			
											1	19.0	152	
-04	N	50 X 50	10 C	1							1			
											1	18.3	11	



## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB01JUL.WR1

TOTAL # OF PANNINGS 8

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	NUMBER OF GRAINS						NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS	
				ABRADED		IRREGULAR		DELICATE					TOTAL
				T	P	T	P	T	P				
BOB-87													
96-01	Y	50 X 50	10 C		1				1			NO SULPHIDES	
		50 X 75	13 C	1					1				
		75 X 125	20 C	1					1				
									3	32.6	63		
-02	N	50 X 75	13 C	1					1				
									1	25.3	15		
-03	N	NO VISIBLE GOLD											
-04	N	50 X 50	10 C	1					1				
									1	23.7	8		
-05	N	75 X 75	15 C	1					1				
									1	19.3	33		
-06	N	50 X 50	10 C	1					1				
									1	19.8	10		
-07	N	50 X 75	13 C	1					1				
									1	17.0	22		
-08	N	100 X 175	27 C	1					1				
									1	18.6	206		
-09	N	NO VISIBLE GOLD											
-10	N	NO VISIBLE GOLD											
-11	N	NO VISIBLE GOLD											
-12	Y	50 X 100	15 C	1					1			EST. 2% PYRITE	
		175 X 200	36 C	1					1				
									2	23.0	439		
-13	Y	25 X 25	5 C		1				1			EST. 1% PYRITE	
		50 X 50	10 C	1					1				
		75 X 100	18 C		2				2				
		100 X 125	22 C	1					1				

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB01JUL.WR1

TOTAL # OF PANNINGS B

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON	MAG	CALC V.G.	ASSAY	PPB	REMARKS
					T	P	T	P	T	P	T	P	T	P	T	P							

BOB-87

																		5	23.5	186	
-14	Y		50 X 50	10 C														1			EST. 1% PYRITE
			50 X 100	15 C														1			
			75 X 75	15 C														1			
			75 X 100	18 C														1			

4 18.6 134

-15 N NO VISIBLE GOLD

-16 N 50 X 50 10 C 1

1 21.1 9

97-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

-05	Y		50 X 75	13 C														1			NO SULPHIDES
			75 X 75	15 C														1			
			200 X 200	38 C														1			

3 23.2 535

-06 N NO VISIBLE GOLD

-07 N NO VISIBLE GOLD

-08 N NO VISIBLE GOLD

-09 N NO VISIBLE GOLD

-10 N NO VISIBLE GOLD

-11 N 175 X 225 38 C 1

1 28.8 396

-12 N NO VISIBLE GOLD

-13 N NO VISIBLE GOLD

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB01JUL.WR1

TOTAL # OF PANNINGS 8

NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								

BOB-87

-14	Y	25 X 25	5 C			1								1		EST. 2% PYRITE
		25 X 50	8 C	1										1		
		50 X 75	13 C	1	1									2		
		75 X 100	18 C			2								2		
													6	32.2	89	

-15	Y	25 X 25	5 C			1								1		EST. 1% PYRITE
		50 X 50	10 C	2										2		
		50 X 75	13 C	1										1		
													4	30.5	26	

98-01 N NO VISIBLE GOLD

-02 N NO VISIBLE GOLD

-03 N NO VISIBLE GOLD

-04 N NO VISIBLE GOLD

-05 N NO VISIBLE GOLD

-06	Y	125 X 150	27 C	1										1		EST. 1% PYRITE
		125 X 275	38 C	1										1		
													2	28.5	534	

-07	N	100 X 100	20 C	1										1		
													1	26.0	58	

-08	N	25 X 50	8 C	1										1		
													1	14.2	6	

98-09 N NO VISIBLE GOLD

## GOLD CLASSIFICATION

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

coba2jul.wrl

TOTAL # OF PANNINGS 16

## NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS	
					T	P	T	P	T	P							
80B-87																	
98-10	N		50 X 75	13 C	1							1					
												1	19.6	19			
-11	N		75 X 100	18 C	1							1					
												1	23.4	43			
-12	N		NO VISIBLE GOLD														
99-01	N		NO VISIBLE GOLD														
-02	N		100 X 125	22 C	1							1					
												1	14.2	149			
-03	N		NO VISIBLE GOLD														
-04	Y		25 X 50	8 C								2				EST. 1% PYRITE	
			50 X 75	13 C	1							1					
			75 X 75	15 C	2							2					
			75 X 100	18 C	1							1					
												6	25.2	112			
100-01	N		175 X 250	40 C	1							1					
												1	26.3	516			
-02	N		75 X 100	18 C	1							1					
												1	24.4	41			
-03	N		50 X 75	13 C	1							1					
												1	22.6	17			
-04	N		NO VISIBLE GOLD														
-05	Y		50 X 50	10 C								2				EST. 2% PYRITE	
			50 X 75	13 C	1							1					
			50 X 100	15 C								1					
			75 X 100	18 C	1							1					
												5	27.9	86			
-06	Y		25 X 25	5 C								1				EST. 2% PYRITE	

## GOLD CLASSIFICATION

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobo2jul.wrl

TOTAL # OF PANNINGS 16

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	NUMBER OF GRAINS								NON MAG GMS	CALC V.G. ASSAY FPB	REMARKS
				ABRADED		IRREGULAR		DELICATE		TOTAL				
				T	P	T	P	T	P	T	P			
60B-87		25 X 75	10 C		1						1			
		50 X 75	13 C	1							1			
		75 X 75	15 C		1						1			
		75 X 100	18 C	1							1			
		100 X 100	20 C		1						1			
											6	23.2	161	
-07	Y	25 X 50	8 C	1							1			EST. 2% PYRITE
		50 X 50	10 C	1							1			
		50 X 75	13 C		1						1			
											3	24.1	27	
-08	Y	25 X 25	5 C		1						1			EST. 2% PYRITE
		25 X 75	10 C	2							2			
		50 X 50	10 C	1							1			
		50 X 100	15 C	1							1			
		75 X 125	20 C	1							1			
											6	23.3	118	
-09	N	NO VISIBLE GOLD												
-10	Y	25 X 50	8 C		1						1			EST. 1% PYRITE
		75 X 100	18 C	1							1			
		100 X 125	22 C	1							1			
											3	23.7	136	
-11	Y	50 X 50	10 C	1							1			EST. 1% PYRITE
		50 X 75	13 C	1							1			
		75 X 75	15 C	1	1						2			
		75 X 100	18 C	1	1						2			
											6	21.5	180	
-12	Y	50 X 100	15 C	1							1			EST. 1% PYRITE
		75 X 100	18 C	1							1			
											2	16.9	98	
-13	N	100 X 125	22 C	1							1			
											1	23.4	91	
-14	N	NO VISIBLE GOLD												

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobo2jul.wr1

TOTAL # OF PANNINGS 16

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P	T	P								
BOB-87																				
-15	N		100 X 100	20 C	1										1					
															1	33.0	45			
-16	Y		75 X 75	15 C	1										1				EST. 1% PYRITE	
			100 X 100	20 C	1										1					
			100 X 125	22 C	1										1					
															3	39.5	108			
-17	Y		25 X 50	8 C	1	2									3				EST. 1% PYRITE	
			50 X 75	13 C	1	1									2					
			75 X 100	18 C	1										1					
															6	33.7	59			
-18	Y		25 X 50	8 C		1									1				EST. 1% PYRITE	
			50 X 50	10 C		1									1					
			50 X 75	13 C		1									1					
			50 X 100	15 C	1										1					
			75 X 100	18 C	1										1					
															5	41.0	56			
101-01	N		NO VISIBLE GOLD																	
-02	N		75 X 125	20 C	1											1				
																1	26.8	56		
-03	N		25 X 75	10 C	1											1				
																1	39.6	5		
-04	N		75 X 75	15 C	1											1				
																1	39.6	16		
-05	Y		50 X 50	10 C		3									3				EST. 2% PYRITE	
			75 X 125	20 C				1							1					
			100 X 150	25 C	1										1					
			125 X 200	31 C	1										1					
			200 X 250	42 C	1										1					
															7	36.6	744			



## GOLD CLASSIFICATION

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobo2jul.wrl

TOTAL # OF PANNINGS 16

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	NUMBER OF GRAINS						TOTAL GMS	NON MAG PPB	CALC V.G. ASSAY PPB	REMARKS
				ABRADED		IRREGULAR		DELICATE					
				T	P	T	P	T	P				
BOB-87													
-06	Y	25 X 50	8 C					1		1		EST. 2% PYRITE	
		50 X 50	10 C		1					1			
		50 X 75	13 C	1						1			
		125 X 200	31 C	1						1			
		175 X 250	40 C	1						1			
										5	36.0	569	
-07	N	NO VISIBLE GOLD											
-08	Y	50 X 50	10 C		1					1		EST. 2% PYRITE	
		50 X 75	13 C		1					1			
		50 X 100	15 C		1					1			
		100 X 100	20 C	1						1			
		125 X 175	29 C	1						1			
										5	28.9	264	
-09	Y	50 X 75	13 C	1	1					2		EST. 1% PYRITE	
		75 X 100	18 C	1						1			
										3	30.0	59	
-10	N	100 X 150	25 C	1						1			
										1	31.1	93	
-11	N	NO VISIBLE GOLD											
-12	N	75 X 100	18 C	1						1			
										1	34.7	29	
-13	N	NO VISIBLE GOLD											
-14	Y	25 X 50	8 C		1					1		EST. 1% PYRITE	
		50 X 50	10 C		1					1			
		100 X 125	22 C	1						1			
		150 X 275	40 C	1						1			
										4	31.1	514	
101-15	N	NO VISIBLE GOLD											

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB03JUL.WR1

TOTAL # OF PANNINGS 8

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P						
BOB-87																
102-01	N		NO VISIBLE GOLD													
-02	N		275 X	275	50 C	1							1			
													1	19.3	1475	
-03	N		75 X	150	22 C	1							1			
													1	19.9	107	
-04	N		NO VISIBLE GOLD													
-05	N		NO VISIBLE GOLD													
-06	Y		25 X	50	8 C		2						2			EST. 2% PYRITE
			25 X	75	10 C		1						1			
			50 X	50	10 C		2						2			
			75 X	100	18 C	1							1			
			100 X	150	25 C	1							1			
			150 X	200	34 C	1							1			
													8	35.6	348	
-07	N		NO VISIBLE GOLD													
-08	N		100 X	125	22 C	1							1			
													1	25.7	83	
-09	N		100 X	200	29 C	1							1			
													1	27.3	181	
-10	N		NO VISIBLE GOLD													
-11	N		NO VISIBLE GOLD													
-12	N		NO VISIBLE GOLD													
-13	N		NO VISIBLE GOLD													
103-01	N		50 X	75	13 C	1							1			
													1	26.8	14	
-02	Y		25 X	25	5 C		1						1			EST. 1% PYRITE
			50 X	50	10 C	1							1			1 GRAIN GALENA

GOLD CLASSIFICATION\*

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB03JUL.WR1

TOTAL # OF PANNINGS 8

NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								
808-87		50 X 75	13 C	1											1				
		50 X 75	50 M			1									1				
		75 X 75	15 C			1									1				
															5	24.7	109		
-03	Y	25 X 25	5 C			1									1			EST. 1% PYRITE	
		50 X 50	10 C			1									1				
		75 X 125	20 C	1											1				
		175 X 300	44 C	1											1				
															4	23.0	888		
-04	Y	50 X 75	13 C			1									1			EST. 1% PYRITE	
		75 X 100	18 C	1											1				
		100 X 100	20 C	1											1				
															3	23.0	125		
-05	N	125 X 175	29 C	1											1				
															1	16.8	294		
-06	N	125 X 150	27 C	1											1				
															1	16.3	235		
-07	N	NO VISIBLE GOLD																	
-08	N	NO VISIBLE GOLD																	
-09	N	NO VISIBLE GOLD																	
-10	N	NO VISIBLE GOLD																	
-11	N	125 X 175	29 C	1											1				
															1	26.0	190		
-12	N	NO VISIBLE GOLD																	
-13	N	NO VISIBLE GOLD																	
-14	N	NO VISIBLE GOLD																	
-15	N	NO VISIBLE GOLD																	

## GOLD CLASSIFICATION

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB03JUL.WR1

TOTAL # OF PANNINGS 6

## NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY FPB	REMARKS
					T	P	T	P	T	P						
BOB-87																
-16	N															
-17	N															
104-01	N															
-02	N															
-03	N															
-04	N															
-05	Y		50 X 50	10 C	1							4				EST. 1% PYRITE
			75 X 75	15 C								1				
			125 X 125	25 C	1							1				
												6	25.1	171		
-06	Y		25 X 50	8 C								3				EST. 2% PYRITE
			50 X 50	10 C								2				
			50 X 75	13 C	2				1			2				
												7	28.2	49		
-07	Y		25 X 25	5 C								1				EST. 2% PYRITE
			25 X 50	8 C								1				
			50 X 50	10 C	1							1				
			75 X 125	20 C	1					1		1				
												4	26.0	69		
-08	N		75 X 75	15 C	1							1				
												1	20.3	32		
-09	N															
104-10	Y		25 X 50	8 C								1				EST. 1% PYRITE
			50 X 50	10 C	1							1				
			50 X 100	15 C								1				
			75 X 75	15 C	1							1				
			100 X 100	20 C	1							1				
												5	29.3	104		

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04JUL.WR1

TOTAL # OF PANNINGS 10

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	F	T	P	T	P						
BOB-87																
104-11	N		NO VISIBLE GOLD													
-12	N		NO VISIBLE GOLD													
-13	N		75 X 100	18 C	1								1			
													1	44.1	23	
-14	Y		50 X 50	10 C				1					1			EST. 2% PYRITE
			100 X 150	25 C	1								1			
			175 X 200	36 C	1								1			
													3	31.9	393	
-15	N		200 X 475	59 C	1								1			
													1	37.9	1341	
-16	N		75 X 100	18 C	1								1			
													1	25.3	40	
-17	N		NO VISIBLE GOLD													
-18	Y		25 X 50	8 C				1					1			EST. 1% PYRITE
			50 X 50	10 C				1					1			
			50 X 75	13 C				2					2			
			50 X 100	15 C				1					1			
			100 X 125	22 C	1								1			
			175 X 300	44 C	1								1			
													7	32.0	703	
-19	Y		50 X 50	10 C				1					1			EST. 1% PYRITE
			50 X 75	13 C	1								1			
													2	36.0	16	
105-01	Y		75 X 100	18 C				1					1			EST. 1% PYRITE
			150 X 275	40 C	1								1			
			150 X 325	44 C	1								1			
			200 X 325	48 C	1								1			
													4	31.1	1873	
-02	N		NO VISIBLE GOLD													

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04JUL.WR1

TOTAL # OF PANNINGS 10

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P						
BOB-87																
-03	N		75 X 100	18 C	1							1				
												1	33.1	31		
-04	N		NO VISIBLE GOLD													
-05	N		NO VISIBLE GOLD													
-06	Y		50 X 50	10 C	1							1				EST. 2% PYRITE
			50 X 100	15 C	1							1				
			75 X 75	15 C		1						1				
												3	33.9	43		
-07	Y		50 X 75	13 C		1						1				EST. 2% PYRITE
			100 X 100	20 C	1							1				
			200 X 300	46 C	1							1				
												3	37.3	631		
-08	N		NO VISIBLE GOLD													
106-01	N		NO VISIBLE GOLD													
-02	N		50 X 75	13 C	1							1				
												1	25.9	14		
-03	N		NO VISIBLE GOLD													
-04	Y		25 X 25	5 C		1						1				EST. 1% PYRITE
			50 X 50	10 C	1							1				
			50 X 75	13 C		1						1				
			75 X 75	15 C	2							2				
												5	21.6	87		
-05	Y		25 X 50	8 C		1						1				EST. 1% PYRITE
			50 X 75	13 C	1							1				
			50 X 100	15 C	1							1				
			75 X 75	75 M		1						1				
												4	21.5	198		
-06	Y		50 X 75	13 C	2	1						3				EST. 1% PYRITE
												3	10.3	109		

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04JUL.WR1

TOTAL # OF PANNINGS 10

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ARRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P						
BOB-87																
-07	N		NO VISIBLE GOLD													
-08	N		NO VISIBLE GOLD													
-09	N		100 X 100	20 C	1								1			
													1	24.9	60	
-10	N		75 X 100	18 C	1								1			
													1	20.0	51	
-11	N		NO VISIBLE GOLD													
-12	N		NO VISIBLE GOLD													
-13	N		NO VISIBLE GOLD													
-14	N		NO VISIBLE GOLD													
-15	N		NO VISIBLE GOLD													
-16	N		100 X 175	27 C	1								1			
													1	25.7	149	
-17	N		NO VISIBLE GOLD													
-18	Y		25 X 25	5 C		1							1			
			25 X 50	8 C		2							2			
			50 X 50	10 C	1								1			
			100 X 125	22 C		1							1			
			125 X 200	31 C	1								1			
													6	27.5	318	
107-01	N		NO VISIBLE GOLD													
-02	N		NO VISIBLE GOLD													
-03	N		25 X 75	10 C	1								1			
													1	34.0	6	
-04	N		NO VISIBLE GOLD													

EST. % PYRITE

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04JUL.WR1

TOTAL # OF PANNINGS 10

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON	MAG	GMS	CALC V.G.	ASSAY	PPB	REMARKS
					T	P	T	P	T	P	T	P												

808-87

107-05 N NO VISIBLE GOLD



## GOLD CLASSIFICATION

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB01AUG.WR1

TOTAL # OF PANNINGS 16

## NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR		DELICATE		TOTAL	NON MAG GNS	CALC V.G. MAG PPB	REMARKS	
					T	P	T	P	T	P							
808-87																	
107-06	N		375 X 400	66 C	1								1				
													1	21.6	3460		
-07	N		NO VISIBLE GOLD														
-08	Y		25 X 50	8 C									2			EST. 1% PYRITE	
			50 X 50	10 C									1				
			50 X 75	13 C	1								2				
			75 X 100	18 C	1								1				
													6	24.0	88		
-09	Y		25 X 50	8 C									1			EST. 1% PYRITE	
			50 X 75	13 C	1								1				
			75 X 100	18 C									1				
			100 X 150	25 C	1								1				
													4	22.9	190		
-10	Y		25 X 25	5 C									1			EST. 1% PYRITE	
			25 X 75	10 C	1								2				
			50 X 75	13 C	2								2				
			75 X 100	18 C	1								1				
													6	19.9	109		
-11	N		50 X 150	20 C	1								1				
													1	17.1	88		
-12	N		75 X 75	15 C	1								1				
													1	18.5	35		
-13	Y		25 X 75	10 C	1								1			EST. 1% PYRITE	
			50 X 50	10 C	1								1				
			50 X 75	13 C									1				
			75 X 125	20 C	1								1				
													4	17.4	130		
-14	N		50 X 100	15 C	1								1				
													1	16.1	40		
-15	Y		50 X 50	10 C	1								2			EST. 0.5% PYRITE	

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

CORONAUG.WR1

TOTAL # OF PANNINGS 16

NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON MAG PPB	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								
80B-87		50 X 75	13 C			1								1					
														3	20.3	37			
-16	N	NO VISIBLE GOLD																	
-17	N	100 X 125	22 C			1								1					
														1	21.1	101			
-18	N	50 X 100	15 C			1								1					
														1	28.0	23			
-19	N	100 X 100	20 C			1								1					
														1	33.9	44			
-20	N	75 X 75	15 C			1								1					
														1	40.2	16			
-21	N	50 X 100	15 C			1								1					
														1	29.4	22			
-22	Y	25 X 50	8 C			2								2				EST. 2% PYRITE	
		25 X 75	10 C			2								2					
		50 X 50	10 C			1								1					
		50 X 75	13 C			1								1					
		75 X 100	18 C		1									1					
		75 X 125	20 C		1									1					
		100 X 125	22 C		1									1					
														9	27.2	211			
108-01	Y	25 X 50	8 C			1								1				EST. 5% PYRITE	
		50 X 75	13 C		1									1					
		125 X 150	27 C		1									1					
		175 X 325	46 C		1									1					
														4	35.8	725			
-02	N	75 X 100	18 C			1								1					
														1	30.2	33			

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB01AUG.WR1

TOTAL # OF PANNINGS 16

NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	NUMBER OF GRAINS						MAG	CALC V.G.	REMARKS
				ABRADED		IRREGULAR		DELICATE				
Y/N				T	P	T	P	T	P	GMS	PPB	
BOB-67												
-03	Y	25 X	50	8 C	1					1		EST. 0.5% PYRITE
		75 X	75	15 C	1					1		
		75 X	100	18 C		1				1		
										3	23.0	75
-04	Y	25 X	25	5 C		1				1		EST. 2% PYRITE
		25 X	50	8 C	1					1		
		50 X	75	13 C	2					2		
		50 X	100	15 C		1				1		
		75 X	100	18 C	1					1		
										6	27.0	93
-05	Y	25 X	25	5 C		1				1		NO SULPHIDES
		100 X	150	25 C	2					2		
										3	27.7	210
-06	Y	25 X	25	5 C		1				1		EST. 10 GRAINS PYRITE
		50 X	50	10 C		2				2		
		50 X	75	13 C	1					1		
		75 X	75	15 C	1					1		
		100 X	150	25 C		1				1		
										6	23.9	181
-07	Y	25 X	25	5 C		1				1		EST. 1% PYRITE
		25 X	50	8 C		1				1		
		50 X	75	13 C	1					1		
		50 X	125	18 C	1					1		
		100 X	150	25 C	1					1		
		100 X	175	27 C		1				1		
										6	26.8	306
-08	N	50 X	50	10 C	1					1		
										1	27.7	7
-09	K	NO VISIBLE GOLD										
-10	Y	25 X	75	10 C		1				1		EST. 1% PYRITE
		50 X	50	10 C	1					1		
		50 X	75	13 C	1					1		
		100 X	150	25 C	1					1		

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND FANNING

COB01AUG.WR1

TOTAL # OF PANNINGS 16

NUMBER OF GRAINS

SAMPLE #	FANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P	T	P	T	P	T	P			
BOB-87															4	24.0	152		
-11	N		NO VISIBLE GOLD																
-12	Y		25 X 50	8 C											2			EST. 1% PYRITE	
			25 X 100	13 C	1										1				
			50 X 75	13 C	1										1				
			125 X 175	29 C		1									1				
															5	19.1	306		
-13	N		NO VISIBLE GOLD																
109-01	N		75 X 100	18 C	1										1				
															1	24.1	42		
-02	N		50 X 75	13 C	1										1				
															1	20.4	18		
-03	Y		50 X 50	10 C	1	.3									4			EST. 1% PYRITE	
			100 X 100	20 C		1									1				
															5	21.6	105		
-04	Y		25 X 25	5 C		1									1			EST. 1% PYRITE	
			25 X 50	8 C		1									1				
			50 X 50	10 C		1									1				
			50 X 75	13 C		1									1				
			75 X 100	18 C	1	1									2				
															6	19.4	139		
-05	N		NO VISIBLE GOLD																
-06	N		125 X 125	25 C	1										1				
															1	17.6	164		
-07	N		NO VISIBLE GOLD																
-08	N		75 X 75	15 C	1										1				
															1	24.5	26		
-09	N		50 X 75	13 C	1										1				

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB01AUG.WR1

TOTAL # OF PANNINGS 16

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED		IRREGULAR		DELICATE		TOTAL	NON	MAG	GMS	CALC V.G.		REMARKS
					T	P	T	P	T	P					FFB	ASSAY	

808-67

1 22.1 17

109-10 N NO VISIBLE GOLD



GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobo2aug.wr1

TOTAL # OF PANNINGS 9

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P	T	P								
BOB-87																				
-05	N		250 X 275	48 C	1										1					
															1	29.6	842			
-06	N		NO VISIBLE GOLD																	
-07	N		125 X 175	29 C	1										1					
															1	34.8	142			
-08	N		NO VISIBLE GOLD																	
-09	Y		25 X 50	8 C		2									2				EST. 1% PYRITE	
			125 X 125	25 C	1										1					
			175 X 200	36 C	1										1					
															4	28.0	447			
-10	Y		50 X 50	10 C		1									1				EST. 1% PYRITE	
			50 X 75	13 C	1										1					
			50 X 100	15 C	1										1					
			75 X 100	18 C		1									1					
			75 X 125	20 C	1										1					
			100 X 200	29 C		1									1					
															6	51.5	168			
-11	N		NO VISIBLE GOLD																	
-12	N		50 X 75	13 C	1										1					
															1	14.3	26			
111-01	N		75 X 125	20 C	1										1					
															1	32.3	46			
-02	Y		50 X 75	13 C	1										1				EST. 1% PYRITE	
			75 X 100	18 C	1										1					
															2	30.3	46			
-03	N		NO VISIBLE GOLD																	
-04	N		NO VISIBLE GOLD																	
-05	N		NO VISIBLE GOLD																	

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

cobo2aug.wrl

TOTAL # OF PANNINGS 9

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P	T	P							
808-87																			
-06	N		75 X 125	20 C	1										1				
															1	22.4	67		
-07	N		75 X 100	18 C	1										1				
															1	26.7	38		
-08	N		NO VISIBLE GOLD																
-09	N		NO VISIBLE GOLD																
-10	Y		25 X 25	5 C											2			EST. 1% PYRITE	
			25 X 100	13 C											1				
			50 X 75	13 C											1				
			50 X 100	15 C	1										1				
			75 X 100	18 C	1										1				
															6	29.4	83		
-11	N		NO VISIBLE GOLD																
112-01	N		100 X 150	25 C	1										1				
															1	34.2	85		
-02	N		NO VISIBLE GOLD																
-03	Y		25 X 50	8 C											1			EST. 2% PYRITE	
			50 X 75	13 C											1				
			50 X 100	15 C	1										1				
			75 X 125	20 C	1										1				
															4	31.6	82		
-04	Y		50 X 75	13 C											1			EST. 2% PYRITE	
			75 X 100	18 C	1	1									2				
			100 X 125	22 C	1										1				
															4	32.1	141		
-05	N		75 X 75	15 C	1										1				
															1	18.7	34		
-06	N		NO VISIBLE GOLD																





## GOLD CLASSIFICATION

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB03AUG.WR1

TOTAL # OF PANNINGS 13

## NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								
BOB-87																			
113-03	N	75 X 75	15 C	1										1					
														1	33.6	19			
-04	Y	100 X 125	22 C	1										1				EST. 1% PYRITE	
		150 X 200	34 C	1										1					
														2	20.3	486			
-05	N	NO VISIBLE GOLD																	
-06	N	NO VISIBLE GOLD																	
-07	N	NO VISIBLE GOLD																	
-08	N	50 X 75	13 C	1										1					
														1	24.7	15			
-09	N	50 X 50	10 C	1										1					
														1	21.9	9			
-10	N	NO VISIBLE GOLD																	
-11	N	NO VISIBLE GOLD																	
-12	N	NO VISIBLE GOLD																	
114-01	Y	25 X 25	5 C	1										1				EST. 3% PYRITE	
		50 X 50	10 C			1								1					
		50 X 75	13 C	1										1					
		75 X 100	18 C			1								1					
														4	30.3	53			
-02	N	50 X 100	15 C	1										1					
														1	29.0	22			
-03	Y	25 X 50	8 C			1								1				EST. 2% PYRITE	
		50 X 50	10 C			2								2					
		50 X 75	13 C	1										1					
		75 X 100	18 C	1										1					
		100 X 100	20 C	1										1					
														6	32.3	104			

## GOLD CLASSIFICATION

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBQ3AUG.WR1

TOTAL # OF PANNINGS 13

## NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								
BOB-87																			
-04	Y	50 X 50	10 C			1								1				EST. 3% PYRITE	
		50 X 100	15 C			1								1					
		100 X 100	20 C	1										1					
		100 X 200	29 C	1										1					
														4	33.8		215		
-05	N	75 X 100	18 C	1										1					
														1					
														1	31.4		32		
-06	N	50 X 100	15 C	1										1					
														1					
														1	38.5		17		
-07	N	125 X 150	27 C	1										1					
														1					
														1	26.3		145		
-08	N	50 X 75	13 C	1										1					
														1					
														1	26.1		14		
-09	Y	25 X 25	5 C			1								1				EST. 1% PYRITE	
		50 X 75	13 C	1										1					
		175 X 375	42 C	1										1					
		250 X 275	48 C	1										1					
														4	21.0		2561		
-10	Y	50 X 50	10 C			1								1				EST. 0.5% PYRITE	
		50 X 75	13 C			1								1					
		75 X 125	20 C	1										1					
		100 X 125	22 C	1										1					
		125 X 175	29 C	1										1					
		125 X 200	31 C	1										1					
		125 X 225	34 C	1										1					
		200 X 200	38 C	1										1					
														8	34.3		1006		
-11	Y	75 X 100	18 C	1										1				EST. 0.5% PYRITE	
		125 X 125	25 C	1										1					
		175 X 275	42 C	1										1					
														3	25.1		794		

## GOLD CLASSIFICATION

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB03AUG.WR1

TOTAL # OF PANNINGS 13

## NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								
BOB-87																			
-12	Y	25 X 50	8 C													1		EST. 1% PYRITE	
		50 X 75	13 C	1		1										2			
		150 X 175	31 C	1												1			
		175 X 200	36 C	1												1			
		200 X 300	46 C	1												1			
																6	31.4	1216	
-13																			
-13	Y	50 X 100	15 C	1												1		EST. 1% PYRITE	
		75 X 100	18 C	1												1			
		75 X 125	20 C			1										1			
		100 X 150	25 C	1												1			
																4	29.9	202	
115-01																			
115-01	N	NO VISIBLE GOLD																	
-02																			
-02	Y	50 X 50	10 C													1		EST. 2% PYRITE	
		50 X 75	13 C			1										1			
		75 X 100	18 C	1												1			
		150 X 275	40 C	1												1			
																4	36.5	415	
-03																			
-03	N	75 X 75	15 C	1												1			
																1	36.7	17	
-04																			
-04	N	150 X 225	36 C	1												1			
																1	34.8	272	
-05																			
-05	Y	50 X 50	10 C													2		EST. 2% PYRITE	
		50 X 75	13 C			1										1			
		50 X 100	15 C			1										1			
		75 X 75	15 C	1												1			
		75 X 100	18 C	1												1			
		100 X 150	25 C	1												1			
																7	33.4	178	
-06																			
-06	N	100 X 100	20 C	1												1			
																1	27.5	55	
-07																			
-07	N	NO VISIBLE GOLD																	

## GOLD CLASSIFICATION

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB03AUG.WR1

TOTAL # OF PANNINGS 13

## NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	NUMBER OF GRAINS				TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					ABRADED		IRREGULAR					
					T	P	T	P	T	P		
BOB-87												
-08	Y		50 X 75	13 C	1	1			2			EST. 2% PYRITE
			75 X 75	15 C	1				1			
			75 X 150	22 C	1				1			
									4	26.3	133	
-09	N		150 X 225	36 C	1				1			
									1	23.8	397	
-10	N		NO VISIBLE GOLD									
-11	N		NO VISIBLE GOLD									
-12	N		NO VISIBLE GOLD									
-13	N		NO VISIBLE GOLD									
-14	N		NO VISIBLE GOLD									
-15	N		150 X 200	34 C	1				1			
									1	26.6	291	
-16	N		NO VISIBLE GOLD									
115-17	Y		75 X 100	18 C	1				1			EST. 1% PYRITE
			150 X 225	36 C	1				1			0.5% CHALCOPYRITE
									2	20.6	508	

## GOLD CLASSIFICATION

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04AUG.WR1

TOTAL # OF PANNINGS 10

## NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON MAG	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								
808-87																			
116-01	N	75 X 100	18 C	1										1					
														1	35.1	29			
-02	Y	75 X 75 325 X 625	15 C 77 C	1 1										1 1				EST. 5% PYRITE	
														2	45.9	2860			
-03	N	NO VISIBLE GOLD																	
-04	N	75 X 100	18 C	1										1					
														1	12.9	78			
117-01	Y	50 X 50 50 X 100 75 X 100	10 C 15 C 18 C			1 1 2								1 1 2				EST. 2% PYRITE	
														4	15.8	181			
-02	N	225 X 300	48 C	1										1					
														1	8.1	3077			
-03	Y	25 X 50 50 X 50 75 X 100 75 X 125 125 X 300	8 C 10 C 18 C 20 C 40 C			1 2 1 1 1								1 2 1 1 1				EST. 2% PYRITE	
														6	20.5	808			
-04	N	NO VISIBLE GOLD																	
-05	N	NO VISIBLE GOLD																	
118-01	N	50 X 75	13 C	1										1					
														1	34.4	11			
-02	N	NO VISIBLE GOLD																	
-03	N	75 X 100	18 C	1										1					
														1	29.7	34			

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04AUG.MR1

TOTAL # OF FANNINGS 10

NUMBER OF GRAINS

SAMPLE #	FANNED	Y/N	DIAMETER	THICKNESS	NUMBER OF GRAINS				TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					ABRADED T	IRREGULAR P	DELICATE T	DELICATE P				
BOB-87												
-04	Y		25 X 50	8 C		1			1		EST. 2% PYRITE	
			50 X 50	10 C		2			2			
			50 X 75	13 C		1			1			
			100 X 125	22 C	1				1			
			200 X 325	48 C	1				1			
									6	31.5	685	
-05	N		50 X 75	13 C	1				1			
									1	26.4	14	
-06	N		NO VISIBLE GOLD									
-07	Y		50 X 50	10 C	1				1		EST. 2% PYRITE	
			50 X 75	13 C	1				1			
			100 X 125	22 C		1			1			
									3	22.0	122	
119-01	Y		25 X 50	8 C		1			1		EST. 2% PYRITE	
			50 X 75	13 C	1				1			
			75 X 100	18 C	1				1			
									3	33.9	43	
120-01	Y		50 X 50	10 C	1				1		EST. 3% PYRITE	
			50 X 100	15 C		1			1			
			75 X 100	18 C		1			1			
			75 X 125	20 C	1				1			
									4	37.7	69	
121-01	Y		25 X 25	5 C		1			1		EST. 3% PYRITE	
			25 X 50	8 C		2			2			
			50 X 50	10 C		1			1			
			50 X 75	13 C		1			1			
			50 X 100	15 C	1				1			
			75 X 75	15 C	1				1			
			75 X 100	18 C	1				1			
			100 X 100	20 C		1			1			
									9	32.9	138	
122-01	N		125 X 175	29 C	1				1			
									1	36.8	134	

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04AUG.WR1

TOTAL # OF PANNINGS 10

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P	T	P								
B08-87																				
-02	N		100 X 100	20 C	1										1					
															1	35.2	43			
-03	Y		50 X 125	18 C	1										1				EST. 2% PYRITE	
			75 X 75	15 C			1								1					
			900 X 1200	110 C	1										1					
															3	43.0	21239			
-04	N		NO VISIBLE GOLD																	
-05	N		NO VISIBLE GOLD																	
-06	N		NO VISIBLE GOLD																	
-07	N		NO VISIBLE GOLD																	
-08	N		NO VISIBLE GOLD																	
-09	N		NO VISIBLE GOLD																	
123-01	Y		25 X 75	10 C			1								1				EST. 1% PYRITE	
			50 X 50	10 C			2								2					
			125 X 125	25 C	1										1					
			125 X 175	29 C	1										1					
															5	29.6	284			
-02	N		NO VISIBLE GOLD																	
-03	N		NO VISIBLE GOLD																	
-04	N		NO VISIBLE GOLD																	
-05	N		NO VISIBLE GOLD																	
-06	N		NO VISIBLE GOLD																	
124-01	N		NO VISIBLE GOLD																	
-02	N		NO VISIBLE GOLD																	
-03	N		NO VISIBLE GOLD																	
-04	N		NO VISIBLE GOLD																	



GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB04AUG.WR1

NUMBER OF GRAINS

TOTAL # OF PANNINGS 10

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON	MAG	GMS	CALC V.G.	ASSAY	PPB	REMARKS
					T	P	T	P	T	P	T	P	T	P	T	P								

B08-87

-05 N NO VISIBLE GOLD

124-06 N NO VISIBLE GOLD

## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBOSAG.WR1

TOTAL # OF PANNINGS 3

## NUMBER OF GRAINS

SAMPLE #	FANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P	T	P								
BOB-87																				
124-07	N																			
-08	N																			
-09	N																			
-10	N																			
-11	N																			
-12	N		50 X	75	13 C		1								1					
															1	28.7	13			
-13	N																			
-14	N																			
-15	N																			
-16	N		250 X	300	50 C		1								1					
															1	31.1	915			
125-01	Y		25 X	50	8 C		1								1					EST. 1% PYRITE
			75 X	100	18 C		1								1					
			325 X	500	70 C		1								1					
															3	33.0	2725			
125A-01	N																			
-02	N		125 X	250	36 C		1								1					
															1	21.0	450			
-03	N		50 X	150	20 C		1								1					
															1	19.8	76			
126-01	N		100 X	125	22 C		1								1					
															1	32.5	65			
-02	N																			
-03	N		50 X	50	10 C		1								1					



GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COBOSALG.MR1

TOTAL # OF PANNINGS 3

NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P	T	P	T	P						
BOB-87																				
-16	Y		50 X 75	13 C											3				EST. 2% PYRITE	
			50 X 100	15 C											1					
			75 X 75	15 C	1										1					
			75 X 100	18 C	1										1					
			100 X 125	22 C	1										1					
															7	23.7	206			
-17	N		NO VISIBLE GOLD																	
-18	N		100 X 150	25 C	1															
															1					
															1	30.9	94			
-19	N		NO VISIBLE GOLD																	
-20	N		50 X 75	13 C	1															
															1					
															1	28.5	13			
128-01	Y		25 X 75	10 C											1				EST. 10% PYRITE	
			50 X 75	13 C											1					
			125 X 200	31 C	1										1					
			175 X 250	40 C	1										1					
															4	31.7	643			

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

CDR06AUG.WR1

TOTAL # OF PANNINGS 5

NUMBER OF GRAINS

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								
BOB-87																			
128-02	N	50 X 100	15 C	1										1					
														1	25.8	25			
-03	N	NO VISIBLE GOLD																	
-04	Y	50 X 75	13 C	1										1				EST. 1% PYRITE	
		50 X 100	15 C											1					
		50 X 125	18 C											1					
		50 X 150	20 C											1					
		100 X 150	25 C	1										1					
														5	.32.2	199			
-05	N	NO VISIBLE GOLD																	
-06	N	NO VISIBLE GOLD																	
-07	N	NO VISIBLE GOLD																	
-08	N	NO VISIBLE GOLD																	
-09	N	NO VISIBLE GOLD																	
-10	N	NO VISIBLE GOLD																	
-11	N	NO VISIBLE GOLD																	
-12	N	150 X 200	34 C	1										1					
														1	27.3	283			
-13	N	NO VISIBLE GOLD																	
-14	N	NO VISIBLE GOLD																	
-15	N	NO VISIBLE GOLD																	
-16	N	75 X 100	18 C	1										1					
														1	34.3	29			
129-01	N	NO VISIBLE GOLD																	
-02	N	75 X 125	20 C	1										1					
														1	27.8	54			

## GOLD CLASSIFICATION

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

CDB06AUG.WR1

TOTAL # OF PANNINGS 5

## NUMBER OF GRAINS

SAMPLE #	PANNED	Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON MAG	GMS	CALC V.G. ASSAY PPB	REMARKS
					T	P	T	P	T	P	T	P									
BOB-87																					
-03	N		NO VISIBLE GOLD																		
-04	N		175 X 275	42 C	1													1			
																	1	23.9	670		
-05	N		NO VISIBLE GOLD																		
-06	N		NO VISIBLE GOLD																		
-07	N		NO VISIBLE GOLD																		
-08	N		100 X 150	25 C	1													1			
																	1	19.0	152		
-09	N		NO VISIBLE GOLD																		
-10	Y		50 X 50	10 C		2												2		EST. 3% PYRITE	
			50 X 75	13 C	1													1			
			75 X 125	20 C		1												1			
			100 X 150	25 C	1													1			
			125 X 150	27 C	1													1			
																	6	15.6	575		
130-01	N		175 X 275	42 C	1													1			
																	1	36.8	435		
-02	N		NO VISIBLE GOLD																		
-03	N		NO VISIBLE GOLD																		
-04	N		NO VISIBLE GOLD																		
-05	N		NO VISIBLE GOLD																		
-06	N		50 X 75	13 C	1													1			
																	1	18.2	20		
-07	N		NO VISIBLE GOLD																		
-08	N		NO VISIBLE GOLD																		

GOLD CLASSIFICATION

VISIBLE GOLD FROM SHAKING TABLE AND PANNING

COB06AUG.WR1

TOTAL # OF PANNINGS 5

NUMBER OF GRAINS

SAMPLE #	PANNED	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL	NON MAG GMS	CALC V.G.		REMARKS
				T	P	T	P	T	P	T	P	T	P	ASSAY PPB						
808-87																				
-09	N	NO VISIBLE GOLD																		
-10	N	NO VISIBLE GOLD																		
131-01	Y	25 X	75	10 C											1					EST. 1% PYRITE
		75 X	100	18 C											1					
		100 X	125	22 C											1					
		150 X	250	38 C											1					
															4	28.3		520		
-02	N	25 X	50	8 C											1					
															1	31.5		3		
-03	Y	75 X	75	15 C											1					EST. 2% PYRITE
		75 X	125	20 C											1					
															2	28.3		76		
-04	N	50 X	75	13 C											1					
															1	24.0		16		
-05	N	NO VISIBLE GOLD																		
-06	N	NO VISIBLE GOLD																		
-07	N	NO VISIBLE GOLD																		
132-01	N	NO VISIBLE GOLD																		
-02	N	100 X	200	29 C											1					
															1	23.7		208		
-03	Y	25 X	25	5 C											1					EST. 2% PYRITE
		25 X	50	8 C											1					
		25 X	100	13 C											1					
		50 X	75	13 C											1					
		75 X	125	20 C											1					
		100 X	125	22 C											1					
															6	23.6		190		
-04	N	150 X	300	42 C											1					

## GOLD CLASSIFICATION

## =====

## VISIBLE GOLD FROM SHAKING TABLE AND PANNING

CDB06AUG.WR1

## NUMBER OF GRAINS

TOTAL # OF PANNINGS 5

SAMPLE #	PANNED Y/N	DIAMETER	THICKNESS	ABRADED				IRREGULAR				DELICATE				TOTAL MAG GMS	NON MAG GMS	CALC V.G. ASSAY PPB	REMARKS
				T	P	T	P	T	P	T	P								
80B-87															1	24.9	643		
-05	N	350 X	375	63	C	1									1				
															1	23.8	2608		
-06	N	NO VISIBLE GOLD																	
-07	N	NO VISIBLE GOLD																	
133-01	N	50 X	75	13	C	1									1				
															1	31.8	12		



A P P E N D I X III

CHIMITEC HMC SAMPLE TREATMENT AND RESULTS

- Treatment of Heavy Mineral Concentrate Samples
- Listing of Chemistry Results
- Listing of Second Analyses Results for Selected HMC Samples

Ref. No. 87-CND-47-04  
(Doc. #0076U)

Compiled by: J. Learn  
January 1988

### TREATMENT OF HEAVY MINERAL CONCENTRATE SAMPLES

Heavy mineral concentrate samples sent to Chimitec Ltee are treated in the following manner:

1. The entire sample is pulverized by hand in a ceramic plate to -150 mesh (105 $\mu$ ).
2. The entire sample is put in a capsule and analyzed by neutron activation for Au + 33 elements.
3. Cu analyses are done by atomic absorption.

Recor	Hole	Saap	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
1	1	1	23500.0	17.0	2.0	0.3	-50.0	-5.0	-0.5	480.0	26.0	6.0	229.0	-50.0
2	1	2	703.0	22.0	3.9	0.4	-50.0	-5.0	-0.5	550.0	36.0	6.0	246.0	-50.0
3	1	3	14.0	78.0	22.0	0.6	-50.0	-5.0	0.7	570.0	97.0	7.0	268.0	-50.0
4	1	4	130.0	80.0	16.0	0.4	-50.0	-5.0	1.1	590.0	80.0	8.0	243.0	-50.0
5	1	5	200.0	224.0	78.0	0.8	-50.0	-5.0	-0.5	480.0	200.0	6.0	185.0	-50.0
6	1	6	120.0	106.0	98.8	1.4	-50.0	-5.0	-0.5	530.0	150.0	6.0	192.0	-50.0
7	1	7	17.0	114.0	57.8	0.9	-50.0	6.0	-0.5	570.0	120.0	6.0	213.0	-50.0
8	1	8	120.0	196.0	68.5	0.8	110.0	-5.0	-0.5	610.0	170.0	6.0	249.0	-50.0
9	1	9	75.0	136.0	73.4	1.2	-50.0	-5.0	-0.5	480.0	120.0	7.0	190.0	-50.0
10	1	10	4.0	51.0	10.0	0.1	660.0	-5.0	5.4	280.0	26.0	-1.0	4.0	-50.0
11	2	1	120.0	64.0	7.0	0.4	-50.0	-5.0	-0.5	550.0	75.0	7.0	267.0	-50.0
12	2	2	120.0	141.0	28.0	0.4	-50.0	-5.0	-0.5	510.0	140.0	6.0	245.0	-50.0
13	2	3	120.0	158.0	33.0	0.5	-50.0	-5.0	-0.5	540.0	150.0	7.0	246.0	-50.0
14	2	4	110.0	192.0	34.0	0.4	-50.0	-5.0	0.6	550.0	160.0	7.0	245.0	-50.0
15	2	5	207.0	90.0	16.0	0.5	-50.0	9.0	-0.5	460.0	93.0	8.0	231.0	-50.0
16	2	6	190.0	142.0	38.0	0.4	-50.0	7.0	-0.5	540.0	150.0	7.0	229.0	-50.0
17	2	7	24.0	186.0	91.6	1.1	82.0	-5.0	0.7	570.0	140.0	5.0	202.0	-50.0
18	2	8	68.0	150.0	196.0	3.1	-50.0	-5.0	-0.5	560.0	160.0	5.0	209.0	-50.0
19	2	9	1090.0	201.0	49.0	1.0	-50.0	-5.0	-0.5	600.0	130.0	7.0	222.0	-50.0
20	2	10	293.0	170.0	54.8	1.6	-50.0	-5.0	1.1	620.0	150.0	8.0	243.0	-50.0
21	2	11	5.0	53.0	1.2	-0.1	560.0	-5.0	3.5	310.0	26.0	2.0	4.0	-50.0
22	3	1	209.0	26.0	3.8	0.4	93.0	-5.0	0.8	580.0	41.0	6.0	308.0	-50.0
23	3	2	249.0	18.0	2.8	0.4	-50.0	-5.0	0.7	630.0	34.0	6.0	326.0	-50.0
24	3	3	228.0	38.0	2.9	0.3	-50.0	-5.0	-0.5	620.0	39.0	8.0	321.0	-50.0
25	3	4	272.0	222.0	25.0	0.5	-50.0	-5.0	-0.5	590.0	190.0	8.0	290.0	-50.0
26	3	5	-6.0	124.0	27.0	0.4	-50.0	-5.0	-0.5	490.0	130.0	6.0	241.0	-50.0
27	3	6	21.0	283.0	19.0	0.7	-50.0	-5.0	-0.5	490.0	240.0	5.0	228.0	-50.0
28	3	7	10.0	144.0	18.0	0.8	93.0	-5.0	1.1	510.0	150.0	7.0	261.0	-50.0
29	3	8	-2.0	45.0	0.7	0.1	750.0	-5.0	7.1	320.0	25.0	1.0	3.0	-50.0
30	4	1	56.0	242.0	90.1	0.9	-50.0	12.0	-0.5	540.0	220.0	5.0	162.0	-50.0
31	4	2	-6.0	160.0	28.0	0.5	-50.0	14.0	1.0	500.0	200.0	5.0	227.0	-50.0
32	4	3	1600.0	178.0	37.0	0.5	-50.0	-10.0	-0.5	570.0	240.0	6.0	205.0	-50.0
33	4	4	263.0	108.0	23.0	0.6	-50.0	-5.0	-0.5	540.0	150.0	6.0	228.0	-50.0
34	4	5	3.0	32.0	1.3	-0.1	750.0	-5.0	4.3	340.0	29.0	-1.0	4.0	-50.0
35	5	1	120.0	256.0	37.0	0.6	-50.0	-5.0	-0.5	650.0	180.0	5.0	167.0	-50.0
36	5	2	13.0	174.0	41.0	0.6	-50.0	-5.0	-0.5	580.0	190.0	6.0	209.0	-50.0
37	5	3	16.0	148.0	21.0	0.6	-50.0	-5.0	-0.5	540.0	140.0	6.0	256.0	-50.0
38	5	4	61.0	178.0	29.0	0.6	-50.0	12.0	-0.5	510.0	200.0	7.0	191.0	-50.0
39	5	5	94.0	193.0	38.0	0.6	83.0	8.0	0.9	530.0	190.0	6.0	181.0	-50.0
40	5	6	64.0	114.0	37.0	0.4	-50.0	-5.0	-0.5	550.0	120.0	6.0	255.0	-50.0
41	5	7	-2.0	47.0	-0.5	-0.1	740.0	-5.0	6.7	310.0	32.0	2.0	4.0	-50.0
42	6	1	29.0	376.0	59.8	0.8	-50.0	7.0	-0.5	400.0	290.0	5.0	79.0	-50.0
43	6	2	7410.0	254.0	68.2	1.0	-50.0	-5.0	0.5	340.0	280.0	5.0	66.0	-50.0
44	6	3	-2.0	46.0	-0.5	-0.1	740.0	-5.0	4.7	460.0	33.0	1.0	5.0	-50.0
45	7	1	235.0	18.0	2.5	0.3	-50.0	-5.0	-0.5	520.0	38.0	7.0	315.0	-50.0
46	7	2	110.0	16.0	1.9	0.2	-50.0	-5.0	-0.5	570.0	34.0	8.0	345.0	-50.0
47	7	3	57.0	130.0	16.0	0.4	-50.0	-5.0	-0.5	550.0	120.0	7.0	296.0	-50.0
48	7	4	713.0	155.0	19.0	0.3	-50.0	-5.0	-0.5	480.0	140.0	5.0	256.0	-50.0
49	7	5	1850.0	222.0	31.0	0.6	-50.0	-5.0	-0.5	530.0	220.0	6.0	252.0	-50.0
50	7	6	24.0	596.0	54.0	0.8	-50.0	-5.0	-0.5	370.0	330.0	4.0	61.0	-50.0
51	7	7	160.0	294.0	47.0	4.7	-50.0	13.0	-0.5	430.0	240.0	6.0	152.0	-50.0
52	7	8	-2.0	42.0	-0.5	-0.1	620.0	-5.0	5.6	290.0	27.0	1.0	4.0	-50.0
53	8	1	-6.0	124.0	14.0	0.4	-50.0	-5.0	-0.5	500.0	99.0	7.0	242.0	-50.0
54	8	2	26.0	242.0	16.0	0.5	-50.0	7.0	-0.5	460.0	150.0	6.0	189.0	-50.0
55	8	3	6.0	50.0	0.6	-0.1	630.0	-5.0	3.9	280.0	32.0	-1.0	4.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
56	9	1	-5.0	172.0	24.0	0.4	83.0	7.0	-0.5	550.0	150.0	6.0	238.0	-50.0
57	9	2	93.0	128.0	19.0	0.4	-50.0	-5.0	-0.5	560.0	160.0	8.0	257.0	-50.0
58	9	3	110.0	114.0	18.0	0.4	-50.0	-5.0	-0.5	490.0	130.0	6.0	265.0	-50.0
59	9	4	60.0	176.0	21.0	0.6	110.0	-5.0	-0.5	510.0	140.0	5.0	259.0	-50.0
60	9	5	94.0	128.0	36.0	0.6	-50.0	-5.0	-0.5	500.0	130.0	7.0	233.0	-50.0
61	9	6	21.0	128.0	25.0	0.5	-50.0	-5.0	-0.5	520.0	160.0	5.0	213.0	-50.0
62	9	7	223.0	216.0	34.0	0.4	78.0	-5.0	-0.5	540.0	180.0	7.0	211.0	-50.0
63	9	8	18.0	148.0	20.0	0.3	-50.0	-5.0	-0.5	570.0	150.0	6.0	280.0	-50.0
64	9	9	54.0	216.0	29.0	0.4	-50.0	-5.0	0.9	570.0	190.0	5.0	271.0	-50.0
65	9	10	54.0	158.0	19.0	0.5	-50.0	-5.0	-0.5	470.0	130.0	7.0	235.0	-50.0
66	9	11	6.0	47.0	0.9	0.1	500.0	-5.0	2.0	280.0	28.0	-1.0	4.0	-50.0
67	10	1	130.0	182.0	67.7	0.6	-50.0	-5.0	-0.5	580.0	130.0	6.0	285.0	-50.0
68	10	2	24.0	142.0	87.2	0.6	-110.0	-15.0	-1.2	560.0	160.0	5.0	336.0	-50.0
69	10	3	485.0	176.0	24.0	0.4	-50.0	-13.0	-0.5	610.0	150.0	9.0	319.0	-50.0
70	10	4	160.0	236.0	25.0	0.6	-50.0	-13.0	-1.0	690.0	150.0	8.0	347.0	-50.0
71	10	5	-2.0	54.0	1.2	0.2	610.0	-5.0	2.5	350.0	34.0	3.0	6.0	-50.0
72	11	1	47.0	148.0	28.0	0.4	-50.0	-13.0	-0.5	600.0	170.0	5.0	278.0	-50.0
73	11	2	3.0	48.0	0.6	-0.1	720.0	-5.0	5.1	290.0	29.0	-1.0	3.0	-50.0
74	12	1	1270.0	202.0	28.0	0.5	-50.0	-12.0	-0.5	590.0	220.0	5.0	233.0	-50.0
75	12	2	352.0	142.0	24.0	0.5	120.0	-11.0	-0.5	610.0	160.0	7.0	283.0	-50.0
76	12	3	130.0	154.0	28.0	0.3	120.0	-11.0	-0.5	550.0	180.0	8.0	315.0	-50.0
77	12	4	55.0	86.0	18.0	0.4	-50.0	-11.0	-0.5	650.0	120.0	7.0	290.0	-50.0
78	12	5	140.0	108.0	29.0	0.5	-50.0	-13.0	-0.5	660.0	130.0	8.0	330.0	-50.0
79	12	6	110.0	128.0	19.0	0.4	-100.0	-14.0	1.3	700.0	150.0	8.0	380.0	-50.0
80	12	7	130.0	92.0	23.0	0.5	190.0	-13.0	-0.5	600.0	120.0	7.0	371.0	-50.0
81	12	8	30.0	192.0	30.0	0.3	-50.0	-10.0	-0.5	540.0	160.0	8.0	293.0	-50.0
82	12	9	1490.0	64.0	89.4	0.5	-50.0	-13.0	-0.5	640.0	100.0	6.0	211.0	-50.0
83	12	10	337.0	98.0	47.0	0.4	-50.0	-12.0	-0.5	640.0	200.0	6.0	243.0	-50.0
84	12	11	33.0	82.0	20.0	0.3	-50.0	-10.0	-0.5	510.0	95.0	7.0	283.0	-50.0
85	12	12	6020.0	102.0	32.0	-0.8	-110.0	-16.0	-1.2	570.0	60.0	7.0	105.0	-50.0
86	12	13	1300.0	53.0	5.3	0.3	-110.0	-16.0	-1.2	600.0	60.0	7.0	161.0	-50.0
87	12	14	439.0	24.0	-4.1	-0.3	-120.0	-18.0	-1.4	610.0	32.0	6.0	105.0	-50.0
88	12	15	373.0	14.0	-4.5	1.7	-150.0	-20.0	2.1	870.0	37.0	8.0	186.0	-50.0
89	12	16	868.0	42.0	-3.9	1.7	-120.0	-17.0	-1.3	710.0	54.0	7.0	181.0	-50.0
90	12	17	764.0	50.0	7.0	0.4	-120.0	-17.0	-1.3	540.0	46.0	5.0	136.0	-50.0
91	12	18	413.0	28.0	-3.2	-0.1	-50.0	17.0	-1.0	730.0	50.0	7.0	130.0	-50.0
92	12	19	-13.0	38.0	6.8	-0.2	-140.0	-19.0	-1.5	770.0	59.0	6.0	94.0	-50.0
93	12	20	3.0	48.0	-0.5	-0.1	520.0	-5.0	1.4	210.0	26.0	-1.0	4.0	-50.0
94	13	1	1320.0	182.0	7.3	0.4	-50.0	-14.0	1.4	600.0	140.0	8.0	217.0	-50.0
95	13	2	52.0	132.0	71.6	0.6	-50.0	-15.0	1.5	690.0	180.0	9.0	281.0	-50.0
96	13	3	97.0	152.0	39.0	0.4	-50.0	-15.0	-1.1	580.0	200.0	9.0	326.0	-50.0
97	13	4	-2.0	43.0	0.6	-0.1	710.0	-5.0	4.2	330.0	33.0	-1.0	4.0	-50.0
98	14	1	243.0	146.0	33.0	0.5	-50.0	-14.0	-1.0	650.0	190.0	7.0	352.0	-50.0
99	14	2	-9.0	190.0	34.0	0.6	160.0	-13.0	-0.5	600.0	160.0	7.0	357.0	-50.0
100	14	3	6.0	40.0	0.6	-0.1	650.0	-5.0	4.7	310.0	27.0	-1.0	4.0	-50.0
101	15	1	48.0	245.0	28.0	0.5	-50.0	-13.0	-0.5	600.0	270.0	9.0	240.0	-50.0
102	15	2	-2.0	52.0	-0.5	0.1	960.0	-5.0	6.2	310.0	35.0	-1.0	4.0	-50.0
103	16	1	71.0	130.0	17.0	0.4	-50.0	-12.0	-0.5	580.0	130.0	9.0	277.0	-50.0
104	16	2	130.0	100.0	16.0	0.6	-50.0	-13.0	1.1	550.0	120.0	10.0	294.0	-50.0
105	16	3	249.0	66.0	22.0	0.6	-50.0	-13.0	-0.5	660.0	110.0	11.0	318.0	-50.0
106	16	4	31.0	130.0	21.0	0.4	-50.0	-15.0	-1.1	660.0	190.0	8.0	359.0	-50.0
107	16	5	160.0	194.0	52.2	0.7	-50.0	-12.0	-0.5	580.0	100.0	4.0	229.0	-50.0
108	16	6	607.0	178.0	20.0	0.9	180.0	-14.0	-0.5	620.0	69.0	9.0	225.0	-50.0
109	16	7	4.0	35.0	-0.5	-0.1	590.0	-5.0	4.2	170.0	23.0	-1.0	4.0	-50.0
110	17	1	1100.0	14.0	-3.5	0.3	-50.0	-15.0	-1.1	630.0	44.0	9.0	337.0	-50.0
111	17	2	2350.0	18.0	3.7	0.4	-50.0	-12.0	-0.5	690.0	42.0	7.0	317.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
112	17	3	14.0	44.0	10.0	0.6	-50.0	-14.0	-0.5	770.0	77.0	7.0	322.0	-50.0
113	17	4	-9.0	140.0	18.0	0.4	-50.0	-12.0	-0.5	590.0	130.0	8.0	279.0	-50.0
114	17	5	160.0	106.0	26.0	0.5	-50.0	-11.0	-0.5	540.0	130.0	7.0	251.0	-50.0
115	17	6	120.0	158.0	24.0	0.5	-50.0	-14.0	1.1	940.0	160.0	6.0	342.0	-50.0
116	17	7	720.0	144.0	23.0	0.5	-50.0	-13.0	-0.5	820.0	120.0	5.0	311.0	-50.0
117	17	8	33.0	166.0	17.0	0.4	-50.0	-14.0	-0.5	900.0	160.0	8.0	336.0	-50.0
118	17	9	37.0	142.0	19.0	0.4	-50.0	-12.0	-0.5	860.0	130.0	7.0	321.0	-50.0
119	17	10	100.0	198.0	28.0	0.8	-50.0	-14.0	1.2	1000.0	170.0	9.0	300.0	-50.0
120	17	11	332.0	178.0	31.0	0.7	-50.0	-13.0	-0.5	1000.0	160.0	6.0	324.0	-50.0
121	17	12	150.0	138.0	21.0	0.7	-50.0	-14.0	-0.5	1000.0	110.0	7.0	375.0	-50.0
122	17	13	42.0	110.0	33.0	0.6	140.0	-13.0	-0.5	950.0	99.0	5.0	320.0	-50.0
123	17	14	25.0	118.0	50.7	0.8	-50.0	-13.0	-0.5	950.0	91.0	7.0	244.0	-50.0
124	17	15	69.0	184.0	41.0	1.2	-50.0	-13.0	-0.5	670.0	130.0	5.0	145.0	-50.0
125	17	16	67.0	108.0	32.0	0.7	-50.0	-14.0	-0.5	1000.0	120.0	4.0	231.0	-50.0
126	17	17	438.0	66.0	30.0	0.4	-110.0	-17.0	-1.1	1200.0	86.0	8.0	333.0	-50.0
127	17	18	282.0	84.0	30.0	0.6	-50.0	-15.0	-1.0	960.0	120.0	7.0	323.0	-50.0
128	17	19	62.0	108.0	24.0	1.3	-120.0	-19.0	-1.3	1200.0	130.0	7.0	455.0	-50.0
129	17	20	110.0	156.0	21.0	0.7	-50.0	-15.0	-1.0	1000.0	170.0	7.0	356.0	-50.0
130	17	21	-2.0	43.0	0.5	-0.1	730.0	-5.0	2.5	230.0	25.0	-1.0	3.0	-50.0
131	18	1	180.0	188.0	46.0	0.5	-50.0	-15.0	-1.1	980.0	240.0	4.0	267.0	-50.0
132	18	2	-13.0	172.0	27.0	0.6	-110.0	-18.0	-1.2	1200.0	190.0	6.0	292.0	-50.0
133	18	3	32.0	115.0	25.0	0.4	-50.0	-15.0	-1.1	920.0	150.0	6.0	323.0	-50.0
134	18	4	-13.0	84.0	7.3	0.4	-120.0	-19.0	-1.3	970.0	50.0	5.0	248.0	-50.0
135	18	5	225.0	285.0	7.1	0.6	-100.0	-17.0	-1.2	740.0	200.0	5.0	173.0	-50.0
136	18	6	4.0	21.0	1.0	0.1	970.0	-5.0	4.8	200.0	22.0	2.0	4.0	-50.0
137	19	1	302.0	180.0	23.0	0.5	-110.0	-18.0	-1.3	1000.0	180.0	7.0	292.0	-50.0
138	19	2	24.0	208.0	33.0	0.7	150.0	-15.0	-1.1	940.0	200.0	7.0	272.0	-50.0
139	19	3	1250.0	274.0	26.0	0.5	-50.0	-19.0	-0.5	1000.0	220.0	7.0	242.0	-50.0
140	19	4	87.0	52.0	4.0	0.3	-50.0	-15.0	-0.5	1000.0	43.0	7.0	257.0	-50.0
141	19	5	265.0	40.0	11.0	0.4	-50.0	-13.0	-0.5	920.0	85.0	6.0	278.0	-50.0
142	19	6	36.0	56.0	17.0	0.6	-50.0	-15.0	-0.5	1000.0	87.0	6.0	235.0	-50.0
143	19	7	-2.0	39.0	0.9	0.1	920.0	-5.0	2.3	240.0	28.0	-1.0	3.0	-50.0
144	20	1	180.0	190.0	38.0	0.5	-50.0	-12.0	-0.5	810.0	200.0	7.0	131.0	-50.0
145	20	2	17.0	208.0	30.0	1.0	-50.0	-13.0	-0.5	840.0	210.0	7.0	116.0	-50.0
146	20	3	-8.0	100.0	29.0	0.5	-50.0	-12.0	-0.5	880.0	130.0	8.0	128.0	-50.0
147	20	4	170.0	112.0	21.0	0.4	160.0	-14.0	1.1	970.0	130.0	8.0	188.0	-50.0
148	20	5	180.0	134.0	25.0	0.5	-50.0	-14.0	-0.5	910.0	180.0	9.0	220.0	-50.0
149	20	6	120.0	114.0	26.0	0.4	-50.0	-12.0	-0.5	790.0	140.0	7.0	315.0	-50.0
150	20	7	1890.0	112.0	27.0	0.5	-50.0	-13.0	-0.5	840.0	140.0	6.0	302.0	-50.0
151	20	8	100.0	120.0	19.0	0.5	-50.0	-14.0	-0.5	890.0	130.0	6.0	298.0	-50.0
152	20	9	94.0	100.0	20.0	0.5	-50.0	-14.0	-0.5	840.0	120.0	7.0	384.0	-50.0
153	20	10	50.0	108.0	15.0	0.3	-50.0	-15.0	-0.5	880.0	100.0	7.0	290.0	-50.0
154	20	11	40.0	90.0	15.0	0.2	-50.0	-16.0	1.4	990.0	130.0	9.0	263.0	-50.0
155	20	12	39.0	8.0	-4.2	0.2	-50.0	-16.0	-1.1	1000.0	33.0	8.0	232.0	-50.0
156	20	13	-10.0	10.0	5.6	0.4	-50.0	-15.0	-0.5	830.0	31.0	7.0	195.0	-50.0
157	20	14	-9.0	34.0	4.1	0.3	-50.0	-13.0	-0.5	750.0	52.0	11.0	198.0	-50.0
158	20	15	100.0	40.0	4.8	-0.1	-50.0	-15.0	-1.0	900.0	57.0	6.0	160.0	-50.0
159	20	16	5.0	30.0	1.0	0.1	480.0	-5.0	2.3	250.0	24.0	-1.0	4.0	-50.0
160	21	1	14.0	9.0	-2.4	0.4	-50.0	-12.0	-0.5	670.0	34.0	9.0	317.0	-50.0
161	21	2	46.0	64.0	13.0	0.2	-50.0	-10.0	-0.5	650.0	62.0	8.0	254.0	-50.0
162	21	3	80.0	70.0	24.0	0.4	-50.0	-11.0	-0.5	770.0	120.0	7.0	265.0	-50.0
163	21	4	-8.0	108.0	14.0	0.6	-50.0	-11.0	-0.5	780.0	120.0	8.0	269.0	-50.0
164	21	5	-8.0	90.0	16.0	0.5	-50.0	-12.0	-1.0	830.0	110.0	7.0	274.0	-50.0
165	21	6	-8.0	82.0	20.0	0.4	-50.0	-11.0	-0.5	760.0	140.0	8.0	259.0	-50.0
166	21	7	160.0	160.0	15.0	0.6	-100.0	-13.0	-1.1	1000.0	140.0	8.0	263.0	-50.0
167	21	8	16.0	72.0	10.0	0.5	-50.0	-10.0	-0.5	770.0	93.0	7.0	200.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
168	21	9	180.0	108.0	24.0	0.6	-50.0	14.0	-0.5	750.0	120.0	7.0	261.0	-50.0
169	21	10	180.0	120.0	20.0	0.4	-50.0	-11.0	-0.5	770.0	110.0	7.0	320.0	-50.0
170	21	11	1990.0	102.0	21.0	0.5	-50.0	-12.0	-1.0	860.0	120.0	8.0	324.0	-50.0
171	21	12	150.0	107.0	33.0	0.5	-120.0	-15.0	-1.2	1200.0	160.0	10.0	356.0	-50.0
172	21	13	268.0	110.0	19.0	0.5	-50.0	-12.0	-0.5	900.0	150.0	10.0	273.0	-50.0
173	21	14	58.0	10.0	-3.0	0.3	-110.0	-15.0	-1.2	1100.0	36.0	9.0	348.0	-50.0
174	21	15	98.0	26.0	2.9	0.3	-110.0	-14.0	-1.2	1100.0	58.0	7.0	262.0	-50.0
175	21	16	-14.0	64.0	-3.9	-0.1	-150.0	-19.0	-1.5	1000.0	64.0	13.0	175.0	-50.0
176	21	17	-10.0	8.0	-3.0	0.3	-110.0	-15.0	-1.2	1100.0	26.0	8.0	182.0	-50.0
177	21	18	9.0	42.0	0.6	-0.1	420.0	-5.0	3.5	210.0	21.0	3.0	4.0	-50.0
178	22	1	-10.0	66.0	17.0	0.6	-100.0	-14.0	-1.1	890.0	75.0	8.0	380.0	-50.0
179	22	2	100.0	78.0	20.0	-0.1	-110.0	-15.0	-1.2	920.0	85.0	8.0	470.0	-50.0
180	22	3	75.0	102.0	22.0	0.7	-110.0	-14.0	-1.2	730.0	110.0	6.0	379.0	-50.0
181	22	4	-8.0	124.0	12.0	0.4	-50.0	-12.0	-0.5	730.0	110.0	10.0	335.0	-50.0
182	22	5	-2.0	34.0	-0.5	0.1	740.0	-5.0	4.8	260.0	27.0	2.0	4.0	-50.0
183	23	1	86.0	120.0	19.0	0.5	-50.0	-12.0	-0.5	840.0	130.0	7.0	319.0	-50.0
184	23	2	170.0	148.0	27.0	0.7	-50.0	-12.0	-0.5	890.0	160.0	7.0	294.0	-50.0
185	23	3	-9.0	204.0	32.0	0.4	-50.0	-12.0	-0.5	870.0	210.0	6.0	298.0	-50.0
186	23	4	445.0	154.0	29.0	0.6	-50.0	-13.0	-1.0	980.0	160.0	6.0	330.0	-50.0
187	23	5	3550.0	178.0	31.0	0.4	-50.0	-13.0	-1.0	890.0	190.0	6.0	225.0	-50.0
188	23	6	130.0	144.0	22.0	0.5	-50.0	-12.0	-0.5	920.0	150.0	7.0	260.0	-50.0
189	23	7	190.0	200.0	31.0	0.6	-100.0	-15.0	-1.2	1000.0	190.0	7.0	292.0	-50.0
190	23	8	-9.0	172.0	39.0	0.8	-50.0	-13.0	-1.1	1100.0	180.0	8.0	274.0	-50.0
191	23	9	724.0	258.0	38.0	0.6	-50.0	-13.0	-1.0	1000.0	230.0	8.0	252.0	-50.0
192	23	10	49.0	112.0	93.5	1.0	-50.0	-13.0	1.6	980.0	110.0	7.0	255.0	-50.0
193	23	11	506.0	134.0	80.9	1.2	-100.0	-15.0	-1.1	1200.0	130.0	5.0	304.0	-50.0
194	23	12	1580.0	136.0	13.0	0.4	-50.0	-13.0	1.2	740.0	87.0	13.0	157.0	-50.0
195	23	13	-2.0	29.0	-0.5	-0.1	600.0	-5.0	3.9	330.0	33.0	1.0	5.0	-50.0
196	24	1	-7.0	46.0	-2.3	0.3	-50.0	-11.0	-0.5	820.0	49.0	5.0	188.0	-50.0
197	24	2	349.0	14.0	-3.0	0.2	-100.0	-14.0	-1.1	980.0	41.0	9.0	353.0	-50.0
198	24	3	100.0	18.0	-2.8	0.3	-50.0	-13.0	-0.5	880.0	38.0	8.0	351.0	-50.0
199	24	4	39.0	48.0	8.0	0.4	-100.0	-14.0	-1.1	1000.0	76.0	8.0	348.0	-50.0
200	24	5	22.0	116.0	18.0	0.5	-50.0	-13.0	-1.0	870.0	140.0	7.0	351.0	-50.0
201	24	6	110.0	94.0	16.0	0.5	-130.0	-19.0	-1.5	900.0	150.0	7.0	370.0	-50.0
202	24	7	-10.0	98.0	20.0	0.3	-50.0	-13.0	-1.1	850.0	140.0	8.0	276.0	-50.0
203	24	8	28.0	176.0	40.0	0.6	-120.0	-15.0	1.1	940.0	150.0	8.0	336.0	-50.0
204	24	9	120.0	142.0	22.0	0.5	190.0	-15.0	1.9	1100.0	140.0	8.0	358.0	-50.0
205	24	10	31.0	236.0	20.0	0.5	-50.0	-14.0	1.2	1100.0	150.0	9.0	357.0	-50.0
206	24	11	130.0	136.0	26.0	0.5	-50.0	-13.0	-0.5	910.0	140.0	7.0	344.0	-50.0
207	24	12	76.0	134.0	22.0	0.7	-100.0	-13.0	-0.5	970.0	140.0	8.0	343.0	-50.0
208	24	13	120.0	124.0	25.0	0.4	-50.0	14.0	-0.5	1100.0	150.0	7.0	404.0	-50.0
209	24	14	930.0	154.0	29.0	0.3	-120.0	-16.0	1.1	1100.0	180.0	7.0	328.0	-50.0
210	24	15	55.0	90.0	13.0	0.4	-50.0	-14.0	-0.5	980.0	98.0	8.0	451.0	-50.0
211	24	16	21.0	64.0	40.0	0.4	-120.0	-16.0	-1.0	1000.0	81.0	7.0	602.0	-50.0
212	24	17	512.0	154.0	44.0	0.7	-50.0	-12.0	0.8	860.0	160.0	7.0	196.0	-50.0
213	24	18	-2.0	22.0	-0.5	-0.1	570.0	-5.0	3.9	1000.0	59.0	1.0	3.0	-50.0
214	25	1	89.0	20.0	-3.7	0.3	-50.0	-15.0	-1.0	1100.0	37.0	9.0	303.0	-50.0
215	25	2	110.0	34.0	3.7	0.3	-50.0	15.0	1.1	1100.0	32.0	12.0	357.0	-50.0
216	25	3	26.0	162.0	16.0	0.4	-100.0	-13.0	-0.5	980.0	150.0	8.0	342.0	-50.0
217	25	4	-10.0	150.0	20.0	0.6	-50.0	-12.0	-0.5	930.0	150.0	7.0	282.0	-50.0
218	25	5	120.0	164.0	22.0	0.5	-100.0	-14.0	1.0	960.0	170.0	9.0	303.0	-50.0
219	25	6	81.0	244.0	25.0	0.4	-50.0	-13.0	-0.5	910.0	200.0	8.0	326.0	-50.0
220	25	7	110.0	228.0	40.0	0.7	-50.0	-14.0	-0.5	1200.0	200.0	8.0	374.0	-50.0
221	25	8	930.0	198.0	24.0	0.4	-110.0	-15.0	-0.5	1100.0	210.0	8.0	387.0	-50.0
222	25	9	227.0	142.0	20.0	0.4	-50.0	-15.0	-0.5	1100.0	160.0	7.0	348.0	-50.0
223	25	10	261.0	164.0	27.0	0.3	-50.0	-15.0	1.1	780.0	160.0	6.0	308.0	-50.0

Recor	Hole	Saap	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
224	25	11	130.0	184.0	29.0	0.7	-50.0	-12.0	0.8	820.0	210.0	8.0	249.0	-50.0
225	25	12	36.0	224.0	23.0	0.3	-50.0	-12.0	-0.5	840.0	210.0	6.0	291.0	-50.0
226	25	13	17.0	192.0	28.0	0.4	-50.0	-13.0	-0.5	990.0	180.0	8.0	376.0	-50.0
227	25	14	93.0	154.0	25.0	0.5	210.0	24.0	-1.0	1200.0	170.0	8.0	325.0	-50.0
228	25	15	120.0	162.0	28.0	0.7	-50.0	-13.0	-0.5	1000.0	170.0	7.0	275.0	-50.0
229	25	16	-10.0	210.0	33.0	0.9	-50.0	-12.0	-0.5	860.0	160.0	7.0	220.0	-50.0
230	25	17	37.0	144.0	77.3	0.8	-50.0	-12.0	-0.5	860.0	160.0	9.0	185.0	-50.0
231	25	18	1910.0	170.0	47.0	0.8	-50.0	-15.0	-0.5	1100.0	220.0	13.0	140.0	-50.0
232	25	19	-2.0	38.0	1.1	-0.1	1100.0	-5.0	19.0	760.0	46.0	3.0	5.0	-50.0
233	26	1	247.0	14.0	-3.2	0.3	-50.0	-12.0	-0.5	700.0	39.0	9.0	341.0	-50.0
234	26	2	673.0	22.0	12.0	0.3	-50.0	-13.0	1.7	720.0	61.0	10.0	350.0	-50.0
235	26	3	56.0	228.0	-3.4	0.6	-50.0	-13.0	-0.5	620.0	160.0	12.0	336.0	-50.0
236	26	4	-7.0	184.0	45.0	0.5	140.0	-11.0	-0.5	510.0	130.0	10.0	274.0	-50.0
237	26	5	190.0	28.0	4.0	0.3	130.0	-12.0	-0.5	610.0	53.0	8.0	333.0	-50.0
238	26	6	33.0	90.0	19.0	0.4	-50.0	-11.0	-0.5	560.0	110.0	9.0	265.0	-50.0
239	26	7	73.0	100.0	16.0	0.5	-50.0	-10.0	-0.5	610.0	110.0	8.0	269.0	-50.0
240	26	8	47.0	92.0	23.0	0.4	-50.0	-12.0	1.0	620.0	110.0	7.0	283.0	-50.0
241	26	9	46.0	102.0	17.0	0.8	-50.0	-11.0	-0.5	630.0	100.0	6.0	294.0	-50.0
242	26	10	190.0	90.0	22.0	0.6	-50.0	-11.0	-0.5	620.0	110.0	6.0	263.0	-50.0
243	26	11	99.0	92.0	35.0	0.4	240.0	-20.0	1.7	980.0	180.0	12.0	526.0	-50.0
244	26	12	25.0	116.0	46.0	0.7	-50.0	16.0	-0.5	650.0	120.0	9.0	283.0	-50.0
245	26	13	34.0	92.0	20.0	0.4	-50.0	-13.0	-1.0	1000.0	88.0	4.0	243.0	-50.0
246	26	14	31.0	202.0	31.0	0.5	-50.0	-12.0	-0.5	900.0	170.0	5.0	126.0	-50.0
247	26	15	150.0	152.0	25.0	0.3	-50.0	-12.0	-0.5	970.0	140.0	5.0	167.0	-50.0
248	26	16	16.0	142.0	20.0	0.5	-50.0	-13.0	-1.1	1000.0	130.0	8.0	240.0	-50.0
249	26	17	234.0	218.0	31.0	0.7	-50.0	-12.0	-0.5	980.0	220.0	7.0	185.0	-50.0
250	26	18	1190.0	190.0	20.0	0.5	-100.0	-13.0	-1.1	710.0	210.0	10.0	194.0	-50.0
251	26	19	238.0	230.0	34.0	1.0	-50.0	-11.0	-0.5	870.0	230.0	5.0	182.0	-50.0
252	26	20	802.0	172.0	17.0	0.4	-50.0	-11.0	1.5	850.0	160.0	8.0	194.0	-50.0
253	26	21	13.0	276.0	18.0	0.5	-50.0	-12.0	-0.5	960.0	170.0	7.0	151.0	-50.0
254	26	22	150.0	52.0	7.5	0.5	140.0	-12.0	-0.5	960.0	64.0	10.0	201.0	-50.0
255	26	23	223.0	16.0	-2.8	0.4	-100.0	-14.0	-1.1	970.0	28.0	11.0	175.0	-50.0
256	26	24	-2.0	49.0	-0.5	-0.1	730.0	-5.0	5.1	270.0	24.0	1.0	4.0	-50.0
257	27	1	74.0	144.0	19.0	0.5	-50.0	-13.0	-1.0	830.0	150.0	5.0	273.0	-50.0
258	27	2	46.0	118.0	15.0	0.5	-50.0	-12.0	-0.5	860.0	110.0	7.0	270.0	-50.0
259	27	3	31.0	130.0	28.0	0.3	-50.0	-13.0	-1.0	990.0	120.0	6.0	331.0	-50.0
260	27	4	110.0	194.0	45.0	0.6	-50.0	-12.0	-0.5	920.0	190.0	6.0	226.0	-50.0
261	27	5	328.0	212.0	33.0	0.5	-50.0	-12.0	-0.5	990.0	160.0	6.0	205.0	-50.0
262	27	6	542.0	160.0	26.0	0.4	-50.0	-11.0	-0.5	970.0	160.0	4.0	174.0	-50.0
263	27	7	37.0	238.0	37.0	1.0	-110.0	-15.0	-1.3	1000.0	230.0	5.0	203.0	-50.0
264	27	8	-9.0	232.0	30.0	0.7	-50.0	-12.0	-0.5	940.0	200.0	6.0	176.0	-50.0
265	27	9	23.0	118.0	54.3	0.7	160.0	-13.0	-1.0	780.0	210.0	6.0	205.0	-50.0
266	27	10	16.0	188.0	37.0	0.6	-50.0	-12.0	-0.5	950.0	170.0	5.0	259.0	-50.0
267	27	11	445.0	150.0	38.0	0.6	-110.0	-15.0	-1.2	1000.0	160.0	6.0	344.0	-50.0
268	27	12	21.0	98.0	28.0	0.4	-110.0	-16.0	-1.2	1200.0	120.0	7.0	293.0	-50.0
269	27	13	295.0	84.0	25.0	0.4	-120.0	-16.0	1.5	1100.0	120.0	4.0	361.0	-50.0
270	27	14	130.0	84.0	25.0	0.5	-110.0	-16.0	-1.2	940.0	110.0	5.0	327.0	-50.0
271	27	15	-2.0	43.0	-0.5	-0.1	750.0	-5.0	7.8	300.0	32.0	1.0	5.0	-50.0
272	28	1	18.0	142.0	28.0	0.6	-50.0	-12.0	-0.5	940.0	140.0	4.0	238.0	-50.0
273	28	2	514.0	64.0	21.0	0.6	-50.0	-12.0	-0.5	1000.0	110.0	5.0	239.0	-50.0
274	28	3	14.0	40.0	15.0	0.4	-50.0	-11.0	-0.5	930.0	57.0	5.0	209.0	-50.0
275	28	4	110.0	46.0	18.0	0.4	-50.0	-14.0	-1.1	1100.0	63.0	5.0	249.0	-50.0
276	28	5	1730.0	48.0	11.0	0.4	-100.0	-14.0	-1.1	1200.0	68.0	6.0	267.0	-50.0
277	28	6	503.0	320.0	32.0	0.3	-50.0	-13.0	-0.5	1100.0	90.0	4.0	256.0	-50.0
278	28	7	226.0	174.0	16.0	0.3	-50.0	-11.0	-0.5	950.0	160.0	4.0	199.0	-50.0
279	28	8	-2.0	50.0	-0.5	-0.1	890.0	-5.0	6.3	280.0	33.0	2.0	3.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
280	29	1	16.0	120.0	8.3	0.4	-50.0	-12.0	-0.5	920.0	150.0	7.0	255.0	-50.0
281	29	2	-7.0	136.0	12.0	0.4	-50.0	-11.0	-0.5	870.0	130.0	6.0	226.0	-50.0
282	29	3	14.0	149.0	19.0	0.5	-50.0	-12.0	-0.5	860.0	180.0	10.0	233.0	-50.0
283	29	4	-9.0	126.0	14.0	0.5	-50.0	-12.0	-0.5	910.0	130.0	8.0	254.0	-50.0
284	29	5	110.0	122.0	23.0	0.5	-50.0	-12.0	-0.5	810.0	150.0	7.0	245.0	-50.0
285	29	6	14.0	80.0	15.0	0.4	-50.0	14.0	-0.5	710.0	110.0	8.0	223.0	-50.0
286	29	7	-10.0	120.0	24.0	0.6	-50.0	-14.0	-1.0	830.0	120.0	6.0	305.0	-50.0
287	29	8	110.0	172.0	22.0	0.6	-50.0	-13.0	-0.5	790.0	250.0	4.0	273.0	-50.0
288	29	9	89.0	158.0	25.0	0.6	-50.0	13.0	-0.5	1000.0	130.0	6.0	275.0	-50.0
289	29	10	16.0	108.0	28.0	0.5	-50.0	-5.0	-0.5	730.0	120.0	7.0	264.0	-50.0
290	29	11	47.0	34.0	19.0	0.7	-50.0	-5.0	-0.5	800.0	130.0	7.0	240.0	-50.0
291	29	12	170.0	132.0	22.0	0.6	-50.0	-11.0	-0.5	890.0	140.0	6.0	317.0	-50.0
292	29	13	53.0	78.0	20.0	0.5	-50.0	-11.0	-0.5	950.0	120.0	5.0	336.0	-50.0
293	29	14	110.0	38.0	24.0	0.4	-50.0	-11.0	-0.5	1000.0	84.0	5.0	267.0	-50.0
294	29	15	89.0	78.0	36.0	0.6	-50.0	-10.0	-0.5	970.0	110.0	5.0	151.0	-50.0
295	29	16	-2.0	72.0	1.0	0.1	450.0	-5.0	2.8	390.0	27.0	-1.0	3.0	-50.0
296	30	1	689.0	44.0	10.0	0.4	-100.0	-13.0	-1.1	970.0	68.0	7.0	241.0	-50.0
297	30	2	100.0	90.0	15.0	0.5	-50.0	-12.0	-0.5	910.0	84.0	7.0	295.0	-50.0
298	30	3	251.0	74.0	18.0	0.4	-50.0	-10.0	-0.5	760.0	120.0	6.0	199.0	-50.0
299	30	4	460.0	114.0	26.0	0.5	-50.0	-13.0	-1.1	1000.0	120.0	4.0	303.0	-50.0
300	30	5	-9.0	90.0	38.0	0.7	-50.0	-13.0	-0.5	940.0	120.0	6.0	294.0	-50.0
301	30	6	120.0	86.0	22.0	0.5	140.0	-13.0	-1.0	1000.0	130.0	4.0	262.0	-50.0
302	30	7	30.0	104.0	19.0	0.4	-50.0	-5.0	-0.5	730.0	130.0	6.0	199.0	-50.0
303	30	8	49.0	114.0	21.0	0.4	-50.0	-13.0	-1.0	1000.0	120.0	9.0	264.0	-50.0
304	30	9	73.0	96.0	27.0	0.5	-50.0	-12.0	-0.5	960.0	120.0	6.0	270.0	-50.0
305	30	10	-9.0	102.0	20.0	0.5	-50.0	-12.0	-0.5	1000.0	130.0	6.0	304.0	-50.0
306	30	11	13.0	82.0	20.0	0.6	-50.0	-12.0	1.6	880.0	120.0	8.0	318.0	-50.0
307	30	12	100.0	110.0	21.0	0.5	-50.0	-13.0	-1.1	1000.0	140.0	6.0	284.0	-50.0
308	30	13	-8.0	20.0	21.0	0.7	-50.0	-12.0	-0.5	790.0	130.0	7.0	285.0	-50.0
309	30	14	-11.0	114.0	20.0	0.4	-110.0	-16.0	-1.3	1100.0	120.0	5.0	269.0	-50.0
310	30	15	55.0	10.0	3.3	0.4	-110.0	-14.0	1.4	880.0	31.0	10.0	377.0	-50.0
311	30	16	28.0	4.0	-3.4	0.3	-110.0	-16.0	-1.2	1000.0	35.0	9.0	287.0	-50.0
312	30	17	91.0	6.0	-3.0	0.3	-100.0	-14.0	-1.1	1100.0	29.0	9.0	183.0	-50.0
313	30	18	120.0	8.0	-2.8	0.3	-50.0	-13.0	-1.0	900.0	35.0	8.0	244.0	-50.0
314	30	19	110.0	30.0	8.0	0.5	-50.0	-12.0	-0.5	790.0	46.0	4.0	275.0	-50.0
315	30	20	77.0	373.0	23.0	0.4	-50.0	-12.0	-0.5	740.0	713.0	4.0	219.0	-50.0
316	30	21	-2.0	61.0	0.7	-0.1	740.0	-5.0	2.6	360.0	28.0	1.0	3.0	-50.0
317	31	1	246.0	20.0	-3.1	0.3	-100.0	-15.0	-1.1	1000.0	40.0	8.0	312.0	-50.0
318	31	2	68.0	20.0	-2.8	0.5	-50.0	-13.0	-1.0	950.0	41.0	9.0	380.0	-50.0
319	31	3	46.0	10.0	-2.5	0.3	-50.0	-12.0	-0.5	790.0	27.0	8.0	411.0	-50.0
320	31	4	150.0	88.0	2.4	0.3	-50.0	-10.0	-0.5	750.0	77.0	7.0	253.0	-50.0
321	31	5	13.0	72.0	22.0	0.4	-50.0	-12.0	1.1	800.0	300.0	6.0	264.0	-50.0
322	31	6	190.0	78.0	10.0	0.4	-50.0	-12.0	-0.5	810.0	110.0	10.0	357.0	-50.0
323	31	7	76.0	100.0	25.0	0.4	-50.0	-12.0	-0.5	780.0	110.0	10.0	269.0	-50.0
324	31	8	95.0	62.0	7.4	0.4	-50.0	-12.0	-0.5	840.0	91.0	10.0	360.0	-50.0
325	31	9	18.0	112.0	15.0	0.4	-50.0	-11.0	-0.5	810.0	140.0	9.0	285.0	-50.0
326	31	10	6260.0	50.0	34.0	0.7	-50.0	-12.0	-0.5	850.0	150.0	5.0	258.0	-50.0
327	31	11	-9.0	264.0	19.0	0.5	-50.0	-13.0	-0.5	860.0	210.0	8.0	315.0	-50.0
328	31	12	83.0	170.0	20.0	0.4	-50.0	-12.0	-0.5	730.0	150.0	6.0	312.0	-50.0
329	31	13	19.0	160.0	21.0	0.4	-50.0	-11.0	-0.5	730.0	140.0	7.0	246.0	-50.0
330	31	14	65.0	146.0	11.0	0.4	-50.0	12.0	-0.5	720.0	120.0	7.0	329.0	-50.0
331	31	15	853.0	208.0	78.5	0.5	-50.0	-12.0	1.1	900.0	210.0	6.0	283.0	-50.0
332	31	16	205.0	140.0	30.0	0.4	-50.0	17.0	-0.5	880.0	170.0	7.0	279.0	-50.0
333	31	17	42.0	110.0	24.0	0.5	-50.0	-11.0	-0.5	800.0	190.0	6.0	245.0	-50.0
334	31	18	1680.0	119.0	31.0	0.5	-50.0	-12.0	1.5	890.0	150.0	7.0	241.0	-50.0
335	31	19	-8.0	100.0	14.0	0.4	-50.0	-12.0	-0.5	820.0	95.0	8.0	206.0	-50.0



Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
336	31	20	73.0	70.0	68.5	0.8	-50.0	-11.0	-0.5	1000.0	94.0	6.0	214.0	-50.0
337	31	21	23.0	56.0	71.9	0.7	-50.0	-11.0	-0.5	960.0	91.0	6.0	222.0	-50.0
338	31	22	84.0	50.0	82.6	0.8	-50.0	-10.0	-0.5	840.0	86.0	7.0	214.0	-50.0
339	31	23	92.0	128.0	56.7	0.6	-50.0	-10.0	-0.5	810.0	210.0	6.0	155.0	-50.0
340	31	24	3.0	59.0	0.9	-0.1	860.0	-5.0	2.5	390.0	25.0	-1.0	3.0	-50.0
341	32	1	44.0	46.0	13.0	0.5	-50.0	-11.0	-0.5	880.0	97.0	7.0	205.0	-50.0
342	32	2	110.0	28.0	6.2	0.5	-50.0	-14.0	-0.5	990.0	47.0	9.0	309.0	-50.0
343	32	3	66.0	68.0	12.0	0.5	-50.0	-13.0	-0.5	930.0	84.0	8.0	266.0	-50.0
344	32	4	91.0	126.0	24.0	0.4	-50.0	-14.0	-1.0	980.0	280.0	8.0	223.0	-50.0
345	32	5	180.0	238.0	21.0	0.5	150.0	-14.0	-1.0	1000.0	220.0	7.0	260.0	-50.0
346	32	6	326.0	152.0	18.0	0.4	-50.0	-13.0	-0.5	980.0	180.0	9.0	293.0	-50.0
347	32	7	-10.0	110.0	29.0	0.4	-50.0	-14.0	-1.0	960.0	170.0	8.0	361.0	-50.0
348	32	8	16.0	114.0	21.0	0.6	-50.0	-14.0	-0.5	870.0	110.0	7.0	305.0	-50.0
349	32	9	564.0	124.0	29.0	0.5	-50.0	-13.0	-0.5	870.0	140.0	7.0	341.0	-50.0
350	32	10	190.0	102.0	21.0	0.5	170.0	-14.0	-0.5	1100.0	120.0	3.0	174.0	-50.0
351	32	11	53.0	154.0	68.2	0.7	-50.0	-13.0	1.2	950.0	250.0	7.0	275.0	-50.0
352	32	12	52.0	200.0	58.7	0.9	-50.0	-13.0	-0.5	930.0	260.0	6.0	277.0	-50.0
353	32	13	230.0	214.0	41.0	0.7	-50.0	-13.0	-0.5	900.0	240.0	6.0	266.0	-50.0
354	32	14	3.0	52.0	-0.5	-0.1	580.0	-5.0	3.5	270.0	29.0	-1.0	4.0	-50.0
355	33	1	-12.0	12.0	5.3	0.6	-120.0	-18.0	-1.3	1300.0	35.0	12.0	214.0	-50.0
356	33	2	68.0	66.0	18.0	0.6	-130.0	-20.0	-1.4	1200.0	57.0	8.0	523.0	-50.0
357	33	3	593.0	82.0	12.0	0.4	-110.0	-16.0	-1.2	1100.0	90.0	9.0	304.0	-50.0
358	33	4	6200.0	112.0	18.0	0.4	200.0	-12.0	-0.5	840.0	99.0	7.0	88.0	-50.0
359	33	5	322.0	228.0	31.0	1.2	-50.0	-11.0	-0.5	830.0	170.0	7.0	101.0	-50.0
360	33	6	41.0	258.0	58.1	0.7	-50.0	-11.0	-0.5	810.0	200.0	5.0	110.0	-50.0
361	33	7	630.0	140.0	33.0	0.4	-50.0	-13.0	0.9	940.0	130.0	9.0	318.0	-50.0
362	33	8	27.0	66.0	21.0	0.6	-50.0	-13.0	-0.5	890.0	130.0	7.0	307.0	-50.0
363	33	9	16.0	138.0	24.0	0.7	-50.0	-15.0	-1.1	1100.0	140.0	8.0	261.0	-50.0
364	33	10	29.0	92.0	23.0	0.3	-120.0	-18.0	-1.2	1100.0	140.0	7.0	369.0	-50.0
365	33	11	70.0	88.0	42.0	0.5	-50.0	-13.0	-0.5	970.0	170.0	6.0	335.0	-50.0
366	33	12	180.0	130.0	38.0	0.6	-100.0	-16.0	-1.1	1100.0	170.0	7.0	374.0	-50.0
367	33	13	92.0	50.0	27.0	0.5	-120.0	-17.0	-1.2	940.0	100.0	8.0	439.0	-50.0
368	33	14	150.0	34.0	27.0	0.4	-120.0	-18.0	-1.2	900.0	75.0	7.0	392.0	-50.0
369	33	15	-2.0	53.0	-0.5	-0.1	640.0	-5.0	3.8	310.0	25.0	1.0	4.0	-50.0
370	34	1	150.0	20.0	-3.6	0.4	-50.0	-15.0	-1.0	1000.0	34.0	8.0	371.0	-50.0
371	34	2	23.0	12.0	5.2	0.4	-110.0	-18.0	-1.2	980.0	34.0	10.0	321.0	-50.0
372	34	3	1060.0	22.0	3.9	0.3	-50.0	-14.0	-0.5	960.0	37.0	6.0	362.0	-50.0
373	34	4	205.0	16.0	-3.1	0.3	-50.0	-14.0	-1.0	890.0	31.0	7.0	371.0	-50.0
374	34	5	150.0	102.0	11.0	0.3	-50.0	-13.0	-0.5	880.0	96.0	6.0	317.0	-50.0
375	34	6	120.0	44.0	4.7	0.4	-50.0	-14.0	1.2	910.0	62.0	8.0	370.0	-50.0
376	34	7	16.0	10.0	-2.7	0.3	-50.0	-12.0	-0.5	830.0	46.0	6.0	259.0	-50.0
377	34	8	44.0	44.0	3.6	-0.1	-110.0	-15.0	-1.0	880.0	210.0	9.0	262.0	-50.0
378	34	9	-10.0	24.0	7.4	0.5	-110.0	-15.0	-1.1	930.0	64.0	9.0	430.0	-50.0
379	34	10	-10.0	70.0	11.0	0.3	-100.0	-14.0	-1.0	920.0	66.0	8.0	393.0	-50.0
380	34	11	21.0	150.0	39.0	0.6	-50.0	-13.0	-0.5	860.0	140.0	7.0	368.0	-50.0
381	34	12	1600.0	172.0	110.0	1.0	-50.0	-12.0	-0.5	840.0	220.0	4.0	190.0	-50.0
382	34	13	329.0	208.0	864.0	0.9	-50.0	-11.0	-0.5	550.0	180.0	3.0	80.0	-50.0
383	34	14	280.0	80.0	106.0	0.6	-100.0	-15.0	-1.1	880.0	93.0	3.0	208.0	-50.0
384	34	15	1470.0	72.0	87.8	0.5	-110.0	-16.0	-1.1	940.0	88.0	7.0	215.0	-50.0
385	34	16	100.0	142.0	48.0	0.5	-100.0	-16.0	-1.1	930.0	160.0	5.0	248.0	-50.0
386	34	17	100.0	114.0	43.0	0.5	-110.0	-16.0	1.8	870.0	160.0	4.0	239.0	-50.0
387	35	1	522.0	114.0	24.0	0.6	-100.0	-15.0	-1.1	970.0	160.0	9.0	343.0	-50.0
388	35	2	351.0	48.0	20.0	0.6	-130.0	-20.0	-1.4	1200.0	100.0	7.0	347.0	-50.0
389	35	3	505.0	172.0	38.0	0.5	-50.0	-14.0	-1.0	840.0	210.0	6.0	300.0	-50.0
390	35	4	961.0	156.0	33.0	0.5	-50.0	-14.0	-1.0	910.0	180.0	6.0	305.0	-50.0
391	35	5	1570.0	114.0	37.0	0.4	-110.0	-15.0	-1.1	910.0	120.0	6.0	384.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
392	35	6	75.0	94.0	23.0	0.4	-100.0	-15.0	-1.0	790.0	110.0	6.0	391.0	-50.0
393	35	7	202.0	142.0	24.0	0.8	140.0	-14.0	-0.5	820.0	120.0	7.0	386.0	-50.0
394	35	8	304.0	104.0	12.0	0.4	-50.0	-14.0	-1.0	980.0	110.0	8.0	297.0	-50.0
395	35	9	30.0	68.0	7.9	0.4	-50.0	-13.0	-0.5	910.0	68.0	6.0	263.0	-50.0
396	35	10	2.0	0.0	0.7	0.1	640.0	-5.0	3.9	210.0	22.0	-1.0	3.0	-50.0
397	36	1	19.0	150.0	30.0	0.6	-100.0	-15.0	-1.0	1000.0	150.0	8.0	323.0	-50.0
398	36	2	55.0	142.0	29.0	0.6	-50.0	-13.0	-0.5	870.0	130.0	5.0	272.0	-50.0
399	36	3	47.0	118.0	20.0	0.4	-50.0	-12.0	-0.5	870.0	110.0	6.0	285.0	-50.0
400	36	4	265.0	112.0	27.0	0.5	-50.0	-14.0	-1.0	1100.0	110.0	7.0	323.0	-50.0
401	36	5	215.0	166.0	27.0	0.5	-50.0	-14.0	-0.5	960.0	180.0	5.0	290.0	-50.0
402	36	6	426.0	108.0	25.0	0.6	-50.0	-14.0	-0.5	1000.0	120.0	6.0	362.0	-50.0
403	36	7	591.0	81.0	41.0	1.3	-110.0	-16.0	-1.2	1300.0	120.0	6.0	227.0	-72.0
404	36	8	218.0	90.0	15.0	0.6	-50.0	-13.0	-0.5	970.0	110.0	5.0	264.0	-50.0
405	36	9	110.0	48.0	15.0	0.5	130.0	-14.0	-0.5	1000.0	69.0	6.0	292.0	-50.0
406	36	10	-8.0	42.0	15.0	0.5	-50.0	-13.0	-0.5	1000.0	69.0	8.0	81.0	-50.0
407	36	11	-9.0	74.0	10.0	0.4	-50.0	-14.0	-0.5	1100.0	75.0	6.0	215.0	-50.0
408	36	12	120.0	84.0	17.0	0.3	-50.0	-14.0	-0.5	940.0	89.0	6.0	410.0	-50.0
409	36	13	236.0	96.0	36.0	0.5	-50.0	-15.0	1.1	980.0	110.0	5.0	409.0	-50.0
410	36	14	110.0	90.0	17.0	0.4	-50.0	-14.0	-0.5	870.0	110.0	7.0	377.0	-50.0
411	36	15	87.0	42.0	-3.1	0.3	-50.0	-13.0	-0.5	800.0	36.0	6.0	330.0	-50.0
412	36	16	4.0	0.0	0.9	-0.1	610.0	-5.0	3.7	340.0	24.0	-1.0	4.0	-50.0
413	37	1	140.0	124.0	22.0	0.3	130.0	-13.0	-0.5	750.0	120.0	5.0	174.0	-50.0
414	37	2	180.0	96.0	50.5	0.5	-50.0	-13.0	-0.5	730.0	98.0	6.0	200.0	-50.0
415	37	3	120.0	180.0	28.0	0.6	-140.0	-19.0	-1.5	870.0	170.0	7.0	179.0	-50.0
416	37	4	140.0	220.0	20.0	0.5	-110.0	-16.0	-1.2	850.0	170.0	7.0	219.0	-50.0
417	37	5	-11.0	210.0	30.0	0.6	-110.0	-15.0	-1.2	890.0	180.0	9.0	341.0	-50.0
418	37	6	-10.0	128.0	18.0	0.5	-50.0	-14.0	-1.1	740.0	140.0	6.0	208.0	-50.0
419	37	7	853.0	182.0	21.0	0.3	160.0	-14.0	-1.1	810.0	140.0	7.0	295.0	-50.0
420	37	8	-11.0	106.0	22.0	0.5	-110.0	17.0	1.2	940.0	180.0	7.0	344.0	-50.0
421	37	9	4030.0	138.0	22.0	0.5	-110.0	-15.0	1.2	1000.0	160.0	7.0	282.0	-50.0
422	37	10	83.0	198.0	18.0	0.5	-50.0	21.0	-1.2	760.0	170.0	7.0	194.0	-50.0
423	37	11	273.0	135.0	26.0	1.0	-100.0	-15.0	-1.2	980.0	160.0	7.0	285.0	-50.0
424	37	12	190.0	120.0	24.0	0.7	-50.0	-14.0	-1.1	990.0	160.0	8.0	252.0	-50.0
425	37	13	64.0	140.0	23.0	0.6	-50.0	-13.0	-1.0	990.0	160.0	8.0	222.0	-50.0
426	37	14	342.0	180.0	112.0	0.7	-120.0	-17.0	-1.3	1100.0	160.0	7.0	294.0	-50.0
427	37	15	190.0	154.0	63.8	0.9	-50.0	-13.0	1.2	990.0	150.0	7.0	219.0	-50.0
428	37	16	75.0	130.0	74.3	1.4	-110.0	-15.0	-1.2	1000.0	170.0	8.0	247.0	-50.0
429	37	17	140.0	445.0	33.0	0.8	-220.0	-30.0	-2.3	960.0	300.0	8.0	240.0	-130.0
430	37	18	1550.0	138.0	23.0	0.5	-120.0	-17.0	-1.3	950.0	140.0	8.0	231.0	-50.0
431	37	19	120.0	144.0	23.0	0.6	-130.0	-18.0	-1.4	920.0	140.0	6.0	228.0	-50.0
432	37	20	64.0	172.0	23.0	1.3	170.0	-16.0	-1.2	810.0	130.0	4.0	206.0	-50.0
433	37	21	231.0	184.0	10.0	0.4	-140.0	-19.0	-1.5	980.0	88.0	9.0	281.0	-50.0
434	37	22	40.0	296.0	16.0	0.5	-140.0	-21.0	-1.5	950.0	40.0	4.0	256.0	-50.0
435	37	23	4450.0	118.0	56.8	0.7	-130.0	-18.0	-1.4	900.0	71.0	7.0	229.0	-50.0
436	38	1	211.0	98.0	15.0	0.5	-110.0	-16.0	-1.2	780.0	99.0	10.0	249.0	-50.0
437	38	2	83.0	98.0	19.0	0.6	-110.0	-16.0	-1.2	890.0	140.0	5.0	297.0	-73.0
438	38	3	-11.0	120.0	23.0	0.4	-100.0	-15.0	-1.1	870.0	120.0	6.0	313.0	-50.0
439	38	4	61.0	142.0	27.0	0.7	-100.0	-15.0	-1.2	880.0	140.0	7.0	290.0	-50.0
440	38	5	20.0	156.0	25.0	0.6	-110.0	-16.0	-1.2	900.0	140.0	9.0	268.0	-50.0
441	38	6	24.0	122.0	16.0	0.5	-50.0	-14.0	-1.0	840.0	120.0	6.0	297.0	-50.0
442	38	7	36.0	120.0	13.0	0.4	-50.0	-10.0	-0.5	600.0	110.0	6.0	216.0	-50.0
443	38	8	218.0	174.0	15.0	0.4	-50.0	-14.0	-1.1	770.0	140.0	8.0	287.0	-50.0
444	38	9	160.0	86.0	19.0	0.4	-50.0	-14.0	-1.0	870.0	140.0	7.0	280.0	-50.0
445	38	10	281.0	106.0	15.0	0.5	-50.0	-14.0	-1.1	830.0	130.0	9.0	356.0	-50.0
446	38	11	66.0	124.0	24.0	0.7	-100.0	-15.0	-1.1	890.0	140.0	8.0	281.0	-50.0
447	38	12	120.0	166.0	22.0	0.5	-120.0	-17.0	-1.3	950.0	180.0	5.0	265.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
448	38	13	39.0	116.0	18.0	0.4	-100.0	-15.0	-1.1	790.0	120.0	8.0	312.0	-50.0
449	38	14	-11.0	74.0	26.0	0.6	-110.0	-16.0	-1.2	910.0	85.0	8.0	301.0	-50.0
450	38	15	-10.0	64.0	23.0	0.6	-50.0	-14.0	-1.0	770.0	65.0	9.0	305.0	-50.0
451	38	16	44.0	28.0	33.0	0.4	-100.0	-16.0	-1.1	920.0	81.0	7.0	238.0	-50.0
452	38	17	4.0	0.0	1.1	0.3	550.0	-5.0	2.3	180.0	14.0	-1.0	4.0	-50.0
453	39	1	110.0	84.0	8.2	0.4	-50.0	-14.0	-1.1	810.0	100.0	10.0	279.0	-50.0
454	39	2	140.0	132.0	15.0	0.5	-50.0	-14.0	-1.0	880.0	120.0	6.0	276.0	-50.0
455	39	3	333.0	54.0	22.0	0.5	-50.0	-15.0	-1.0	780.0	110.0	8.0	256.0	-50.0
456	39	4	92.0	116.0	15.0	0.5	-110.0	-16.0	1.6	870.0	120.0	9.0	360.0	-50.0
457	39	5	89.0	106.0	20.0	0.4	-110.0	-16.0	-1.2	900.0	140.0	7.0	384.0	-50.0
458	39	6	150.0	100.0	21.0	0.5	-110.0	-17.0	-1.3	880.0	170.0	7.0	421.0	-50.0
459	39	7	252.0	96.0	27.0	0.5	-120.0	-18.0	-1.3	930.0	150.0	7.0	364.0	-50.0
460	39	8	140.0	124.0	71.2	0.6	-120.0	-17.0	-1.2	1000.0	140.0	7.0	402.0	-50.0
461	39	9	98.0	138.0	30.0	0.5	-120.0	-18.0	-1.3	920.0	130.0	11.0	363.0	-50.0
462	39	10	190.0	218.0	32.0	0.6	-130.0	-20.0	-1.4	1100.0	270.0	8.0	347.0	-50.0
463	39	11	21.0	230.0	35.0	0.5	-120.0	-18.0	-1.3	960.0	280.0	5.0	281.0	-50.0
464	39	12	448.0	230.0	37.0	0.5	-110.0	-17.0	-1.2	1000.0	300.0	5.0	284.0	-50.0
465	39	13	226.0	309.0	44.0	0.7	-120.0	-17.0	-1.2	900.0	380.0	5.0	241.0	-50.0
466	39	14	-14.0	268.0	35.0	0.7	-130.0	-20.0	-1.4	990.0	280.0	6.0	251.0	-50.0
467	39	15	264.0	172.0	42.0	0.7	-130.0	-19.0	-1.4	1000.0	200.0	8.0	285.0	-50.0
468	39	16	25.0	106.0	36.0	0.8	-120.0	-18.0	-1.3	1100.0	150.0	10.0	288.0	-50.0
469	39	17	-13.0	34.0	14.0	0.6	-120.0	-19.0	-1.3	950.0	67.0	9.0	324.0	-50.0
470	39	21	3.0	0.0	1.5	0.1	560.0	-5.0	1.9	110.0	27.0	-1.0	4.0	-50.0
471	40	1	-2.0	0.0	-0.5	-0.1	120.0	-5.0	1.3	170.0	25.0	2.0	3.0	-50.0
472	41	1	190.0	54.0	5.4	0.5	-110.0	-16.0	-1.1	830.0	54.0	11.0	299.0	-50.0
473	41	2	-11.0	92.0	20.0	0.6	-100.0	-15.0	-1.1	920.0	120.0	8.0	255.0	-50.0
474	41	3	89.0	108.0	31.0	0.6	-110.0	-17.0	-1.2	930.0	180.0	10.0	240.0	-50.0
475	41	4	234.0	174.0	49.0	0.5	-50.0	-15.0	-1.0	780.0	170.0	5.0	220.0	-50.0
476	41	5	-11.0	206.0	43.0	0.6	-100.0	-16.0	-1.1	850.0	220.0	6.0	238.0	-50.0
477	41	6	8.0	0.0	0.5	-0.1	150.0	-5.0	2.3	300.0	36.0	2.0	3.0	-50.0
478	42	1	42.0	86.0	28.0	0.5	-110.0	-16.0	-1.1	750.0	140.0	11.0	327.0	-50.0
479	42	2	46.0	90.0	16.0	0.5	-120.0	-19.0	-1.2	1100.0	110.0	11.0	308.0	-50.0
480	42	3	73.0	96.0	20.0	0.4	-120.0	-18.0	-1.3	910.0	100.0	11.0	304.0	-50.0
481	42	4	71.0	98.0	50.4	0.4	-110.0	-18.0	-1.2	970.0	120.0	10.0	315.0	-50.0
482	42	5	32.0	88.0	23.0	0.5	-120.0	-18.0	-1.3	990.0	110.0	9.0	311.0	-50.0
483	42	6	333.0	110.0	24.0	0.6	-100.0	-16.0	-1.1	840.0	110.0	8.0	274.0	-50.0
484	42	7	25.0	98.0	24.0	0.5	-100.0	-16.0	-1.1	880.0	110.0	8.0	225.0	-50.0
485	42	8	-16.0	122.0	22.0	0.6	-140.0	-23.0	-1.5	1300.0	120.0	9.0	309.0	-50.0
486	42	9	6.0	0.0	0.9	0.2	230.0	-5.0	1.8	510.0	43.0	-1.0	3.0	-50.0
487	43	1	89.0	56.0	53.5	-0.2	-130.0	-20.0	-1.4	1100.0	140.0	13.0	241.0	-50.0
488	43	2	20.0	224.0	20.0	0.6	-110.0	-16.0	2.1	980.0	130.0	10.0	213.0	-50.0
489	43	3	95.0	142.0	107.0	0.7	-110.0	-17.0	-1.2	860.0	160.0	8.0	298.0	-50.0
490	43	4	120.0	168.0	38.0	0.5	-50.0	-15.0	-1.0	850.0	210.0	5.0	209.0	-50.0
491	43	5	110.0	174.0	23.0	0.6	-100.0	-16.0	1.3	880.0	160.0	9.0	241.0	-50.0
492	43	6	34.0	110.0	29.0	0.4	-110.0	-18.0	-1.2	1000.0	140.0	9.0	278.0	-50.0
493	43	7	220.0	134.0	43.0	0.7	170.0	-17.0	-1.1	810.0	130.0	7.0	152.0	-50.0
494	43	8	11.0	0.0	1.7	0.2	600.0	-5.0	16.0	430.0	36.0	-1.0	5.0	-50.0
495	44	1	8.0	0.0	-0.5	0.1	670.0	-5.0	6.7	350.0	26.0	-1.0	4.0	-50.0
496	45	1	200.0	62.0	11.0	0.5	-120.0	-19.0	-1.3	960.0	97.0	10.0	288.0	-50.0
497	45	2	14.0	0.0	1.6	0.4	170.0	-5.0	1.6	580.0	45.0	-1.0	3.0	-50.0
498	46	1	47.0	108.0	11.0	0.4	-130.0	-20.0	-1.4	940.0	96.0	14.0	267.0	-50.0
499	46	2	22.0	90.0	14.0	0.5	-120.0	-19.0	-1.3	870.0	92.0	9.0	261.0	-50.0
500	46	3	4.0	0.0	0.7	0.5	140.0	-5.0	1.0	440.0	51.0	-1.0	3.0	-50.0
501	47	1	120.0	142.0	31.0	0.4	-110.0	-17.0	-1.2	860.0	180.0	8.0	309.0	-50.0
502	47	2	140.0	72.0	31.0	0.5	-120.0	-20.0	-1.3	1100.0	110.0	8.0	336.0	-50.0
503	47	3	-18.0	82.0	18.0	0.5	-160.0	-26.0	-1.7	1200.0	110.0	6.0	368.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
504	47	4	190.0	76.0	44.0	0.4	-110.0	-15.0	-1.2	1100.0	86.0	6.0	252.0	-50.0
505	47	5	293.0	144.0	21.0	0.5	-50.0	-13.0	-1.0	1000.0	150.0	7.0	268.0	-50.0
506	47	6	222.0	294.0	24.0	0.4	-50.0	-12.0	-0.5	890.0	200.0	7.0	208.0	-50.0
507	47	7	4.0	0.0	0.9	0.6	280.0	-5.0	2.6	300.0	48.0	-1.0	3.0	-50.0
508	48	1	7.0	0.0	0.6	0.2	270.0	-5.0	1.6	110.0	32.0	1.0	4.0	-50.0
509	48	2	7.0	0.0	-0.5	0.2	300.0	-5.0	1.9	130.0	28.0	-1.0	4.0	-50.0
510	49	1	41.0	12.0	4.4	0.3	-50.0	-13.0	-1.0	1100.0	37.0	7.0	201.0	-50.0
511	49	2	14.0	94.0	7.9	0.3	-50.0	-12.0	-0.5	970.0	90.0	10.0	192.0	-50.0
512	49	3	-8.0	94.0	10.0	0.5	-50.0	-12.0	-0.5	1000.0	91.0	6.0	213.0	-50.0
513	49	4	45.0	136.0	12.0	0.4	-50.0	10.0	-0.5	810.0	110.0	4.0	153.0	-50.0
514	49	5	-2.0	0.0	-0.5	-0.1	210.0	-5.0	1.7	240.0	47.0	-1.0	3.0	-50.0
515	50	1	-2.0	0.0	-0.5	-0.1	120.0	-5.0	2.2	300.0	46.0	1.0	3.0	-50.0
516	51	1	471.0	22.0	-3.0	0.3	-100.0	-14.0	1.4	1100.0	34.0	6.0	243.0	-50.0
517	51	2	59.0	142.0	26.0	0.5	-50.0	-12.0	-0.5	900.0	130.0	7.0	227.0	-50.0
518	51	3	12.0	0.0	1.5	0.2	160.0	-5.0	5.0	240.0	27.0	-1.0	6.0	-50.0
519	51	4	-2.0	0.0	0.5	0.1	170.0	-5.0	3.5	200.0	26.0	-1.0	5.0	-50.0
520	52	1	120.0	96.0	13.0	0.4	-50.0	-13.0	-1.0	1000.0	92.0	11.0	244.0	-50.0
521	52	2	78.0	110.0	22.0	0.5	-50.0	-11.0	-0.5	880.0	110.0	7.0	192.0	-50.0
522	52	3	6.0	0.0	-0.5	0.2	120.0	-5.0	2.2	260.0	32.0	-1.0	5.0	-50.0
523	53	1	67.0	70.0	15.0	0.5	-50.0	-12.0	-0.5	870.0	78.0	6.0	210.0	-50.0
524	53	2	3.0	0.0	10.0	0.3	220.0	-5.0	2.4	92.0	6.0	-1.0	6.0	-50.0
525	54	1	63.0	82.0	14.0	0.3	-50.0	-11.0	-0.5	750.0	75.0	7.0	185.0	-50.0
526	54	2	605.0	284.0	20.0	0.6	-50.0	-5.0	-0.5	640.0	180.0	6.0	126.0	-50.0
527	54	3	262.0	390.0	35.0	0.6	-50.0	-5.0	-0.5	800.0	160.0	6.0	158.0	-50.0
528	54	4	-2.0	0.0	-0.5	0.2	290.0	-5.0	3.9	120.0	9.0	1.0	8.0	-50.0
529	55	1	251.0	20.0	-2.6	0.4	-50.0	-12.0	-0.5	1000.0	55.0	6.0	256.0	-50.0
530	55	2	205.0	14.0	-2.4	0.3	-50.0	-11.0	-0.5	860.0	30.0	7.0	258.0	-50.0
531	55	3	-8.0	158.0	8.2	0.4	-50.0	-10.0	-0.5	790.0	100.0	7.0	232.0	-50.0
532	55	4	226.0	136.0	13.0	0.4	-50.0	-11.0	-0.5	760.0	95.0	8.0	241.0	-50.0
533	55	5	41.0	80.0	21.0	0.4	-50.0	-11.0	-0.5	800.0	110.0	4.0	243.0	-50.0
534	55	6	425.0	268.0	15.0	0.5	-50.0	-11.0	-0.5	900.0	110.0	5.0	199.0	-50.0
535	55	7	120.0	88.0	17.0	0.4	-50.0	-12.0	-0.5	1000.0	98.0	7.0	256.0	-50.0
536	55	8	4.0	0.0	-0.5	-0.1	180.0	-5.0	0.8	240.0	41.0	-1.0	3.0	-50.0
537	56	1	77.0	46.0	6.7	0.3	-50.0	17.0	-0.5	1200.0	51.0	8.0	178.0	-50.0
538	56	2	-8.0	88.0	10.0	0.4	-50.0	-12.0	-0.5	810.0	77.0	9.0	129.0	-50.0
539	56	3	794.0	74.0	14.0	0.3	160.0	-13.0	-0.5	970.0	68.0	5.0	198.0	-50.0
540	56	4	-2.0	0.0	1.1	0.1	730.0	-5.0	4.0	210.0	15.0	1.0	4.0	-50.0
541	56	5	3.0	0.0	1.5	0.2	440.0	-5.0	3.8	170.0	10.0	-1.0	3.0	-50.0
542	57	1	12.0	52.0	20.0	0.4	-50.0	-12.0	-0.5	820.0	65.0	9.0	258.0	-50.0
543	57	2	259.0	56.0	16.0	0.6	-100.0	-14.0	-1.0	1000.0	73.0	10.0	330.0	-50.0
544	57	3	-2.0	0.0	-0.5	0.1	180.0	-5.0	2.0	180.0	44.0	1.0	4.0	-50.0
545	58	1	559.0	164.0	22.0	0.4	-50.0	-13.0	-0.5	910.0	140.0	6.0	260.0	-50.0
546	58	2	32.0	60.0	17.0	0.4	-100.0	-14.0	-1.1	930.0	78.0	9.0	298.0	-50.0
547	58	3	1520.0	80.0	16.0	0.5	-50.0	-13.0	-0.5	990.0	79.0	8.0	275.0	-50.0
548	58	4	31.0	0.0	1.7	-0.1	430.0	-5.0	2.0	280.0	50.0	1.0	5.0	-50.0
549	59	1	52.0	58.0	2.9	0.2	-50.0	-13.0	1.3	990.0	67.0	6.0	298.0	-50.0
550	59	2	42.0	116.0	22.0	0.6	-50.0	-12.0	-0.5	930.0	120.0	6.0	269.0	-50.0
551	59	3	14.0	88.0	16.0	0.3	-50.0	-13.0	-0.5	930.0	92.0	7.0	267.0	-50.0
552	59	4	350.0	166.0	39.0	0.5	-50.0	-13.0	-0.5	920.0	110.0	6.0	251.0	-50.0
553	59	5	25.0	134.0	24.0	0.3	-50.0	-13.0	-0.5	1000.0	110.0	6.0	165.0	-50.0
554	59	6	7.0	0.0	0.8	0.1	71.0	-5.0	-0.5	120.0	49.0	-1.0	5.0	-50.0
555	60	1	-10.0	134.0	20.0	0.5	-50.0	-13.0	-0.5	1000.0	87.0	7.0	296.0	-50.0
556	60	2	511.0	100.0	15.0	0.6	-50.0	17.0	-1.0	1000.0	110.0	8.0	286.0	-50.0
557	60	3	66.0	86.0	19.0	0.3	-50.0	-13.0	-0.5	910.0	91.0	6.0	283.0	-50.0
558	60	4	2040.0	208.0	45.0	0.5	-50.0	-13.0	-0.5	820.0	140.0	6.0	232.0	-50.0
559	60	5	5.0	0.0	-0.5	-0.1	58.0	-5.0	-0.5	280.0	46.0	1.0	2.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
560	61	1	40.0	102.0	3.4	0.3	-50.0	-13.0	-0.5	910.0	73.0	5.0	299.0	-50.0
561	61	2	329.0	120.0	15.0	0.4	-50.0	-14.0	-0.5	940.0	110.0	9.0	323.0	-50.0
562	61	3	63.0	158.0	21.0	0.6	-50.0	-5.0	-0.5	790.0	150.0	7.0	257.0	-50.0
563	61	4	64.0	116.0	13.0	0.5	-50.0	-5.0	0.6	980.0	140.0	8.0	297.0	-50.0
564	61	5	68.0	102.0	18.0	0.6	83.0	-5.0	-0.5	800.0	150.0	7.0	258.0	-50.0
565	61	6	17.0	132.0	19.0	0.4	-50.0	-5.0	-0.5	920.0	150.0	7.0	252.0	-50.0
566	61	7	110.0	124.0	29.0	0.5	-50.0	-10.0	-0.5	1000.0	150.0	9.0	280.0	-50.0
567	61	8	-8.0	72.0	15.0	0.6	-50.0	-11.0	-0.5	1100.0	87.0	12.0	294.0	-50.0
568	61	9	120.0	74.0	13.0	0.5	120.0	-12.0	-0.5	1100.0	88.0	10.0	382.0	-50.0
569	61	10	36.0	56.0	10.0	0.5	-50.0	-5.0	-0.5	1100.0	78.0	9.0	279.0	-50.0
570	61	11	289.0	40.0	14.0	0.4	-50.0	-11.0	-0.5	1200.0	57.0	9.0	309.0	-50.0
571	61	12	130.0	202.0	11.0	0.4	-50.0	-5.0	-0.5	820.0	170.0	15.0	117.0	-50.0
572	61	13	4860.0	129.0	26.0	0.7	62.0	-5.0	-0.5	690.0	130.0	5.0	103.0	-50.0
573	61	14	9.0	0.0	0.7	-0.1	380.0	-5.0	1.1	170.0	13.0	-1.0	4.0	-50.0
574	62	1	58.0	68.0	45.0	0.5	-50.0	-12.0	-0.5	1300.0	120.0	10.0	337.0	-50.0
575	62	2	-7.0	40.0	43.0	0.4	-50.0	-11.0	-0.5	1100.0	99.0	8.0	338.0	-50.0
576	62	3	120.0	110.0	54.8	0.5	-50.0	-5.0	-0.5	1000.0	150.0	10.0	303.0	-50.0
577	62	4	100.0	96.0	52.2	0.6	130.0	-5.0	-0.5	1000.0	110.0	8.0	262.0	-50.0
578	62	5	-8.0	80.0	53.9	0.7	-50.0	-12.0	-0.5	1200.0	140.0	8.0	335.0	-50.0
579	62	6	83.0	88.0	113.0	1.4	-50.0	-5.0	-0.5	820.0	190.0	5.0	167.0	-50.0
580	62	7	45.0	108.0	51.9	0.5	-50.0	-11.0	-0.5	1200.0	140.0	7.0	316.0	-50.0
581	62	8	20.0	156.0	47.0	0.8	-50.0	-5.0	-0.5	890.0	130.0	7.0	171.0	-50.0
582	62	9	26.0	82.0	36.0	0.7	-50.0	-11.0	-0.5	880.0	110.0	7.0	246.0	-50.0
583	62	10	201.0	56.0	41.0	0.6	-50.0	-10.0	-0.5	870.0	100.0	8.0	228.0	-50.0
584	62	11	231.0	82.0	47.0	0.6	-50.0	-11.0	-0.5	900.0	100.0	8.0	235.0	-50.0
585	62	12	-2.0	0.0	1.3	-0.1	340.0	-5.0	2.1	57.0	35.0	1.0	5.0	-50.0
586	63	1	120.0	184.0	27.0	0.6	-50.0	-11.0	-0.5	890.0	130.0	11.0	179.0	-50.0
587	63	2	-2.0	0.0	-0.5	-0.1	230.0	-5.0	1.1	120.0	21.0	2.0	6.0	-50.0
588	64	1	32.0	34.0	7.8	0.3	-50.0	-11.0	-0.5	1200.0	55.0	9.0	240.0	-50.0
589	64	2	80.0	98.0	22.0	0.6	-50.0	-11.0	-0.5	870.0	160.0	9.0	279.0	-50.0
590	64	3	5400.0	46.0	19.0	0.4	-50.0	-13.0	-0.5	1000.0	93.0	12.0	270.0	-50.0
591	64	4	-2.0	0.0	0.6	-0.1	320.0	-5.0	4.3	120.0	36.0	1.0	5.0	-50.0
592	65	1	423.0	42.0	18.0	0.4	-50.0	-10.0	-0.5	910.0	98.0	8.0	206.0	-50.0
593	65	2	120.0	66.0	5.0	0.5	-50.0	-11.0	-0.5	950.0	95.0	9.0	146.0	-50.0
594	65	3	1790.0	100.0	6.3	0.3	-50.0	-5.0	0.8	710.0	86.0	7.0	94.0	-50.0
595	65	4	68.0	324.0	4.0	0.2	-50.0	-5.0	0.6	680.0	88.0	6.0	58.0	-50.0
596	65	5	12.0	0.0	1.0	0.1	390.0	-5.0	0.8	260.0	34.0	-1.0	4.0	-50.0
597	66	1	14.0	44.0	12.0	0.4	-50.0	-13.0	-0.5	1000.0	56.0	13.0	280.0	-50.0
598	66	2	-2.0	0.0	2.5	0.1	860.0	-5.0	1.4	230.0	14.0	2.0	4.0	-50.0
599	67	1	120.0	518.0	22.0	0.4	-50.0	-13.0	0.9	960.0	210.0	11.0	264.0	-50.0
600	67	2	19.0	100.0	33.0	0.6	-50.0	-16.0	-0.5	1200.0	83.0	16.0	398.0	-50.0
601	67	3	18.0	118.0	25.0	0.6	-50.0	-14.0	-0.5	1000.0	100.0	8.0	328.0	-50.0
602	67	4	-2.0	0.0	-0.5	0.1	310.0	-5.0	-0.5	230.0	51.0	-1.0	2.0	-50.0
603	67	5	1310.0	120.0	42.0	0.6	-50.0	-16.0	-0.5	1200.0	150.0	9.0	373.0	-50.0
604	67	6	35.0	176.0	54.6	0.7	-50.0	-14.0	-0.5	1100.0	180.0	10.0	286.0	-50.0
605	67	7	251.0	54.0	49.0	0.6	-50.0	-14.0	-0.5	1100.0	120.0	8.0	291.0	-50.0
606	67	8	13.0	0.0	-0.5	-0.1	230.0	-5.0	1.9	110.0	46.0	1.0	3.0	-50.0
607	68	1	7.0	0.0	-0.5	-0.1	210.0	-5.0	1.0	150.0	18.0	2.0	9.0	-50.0
608	69	1	5.0	0.0	-0.5	0.4	210.0	-5.0	1.8	150.0	19.0	1.0	7.0	-50.0
609	70	1	22.0	182.0	3.2	0.3	-50.0	-5.0	0.5	530.0	150.0	10.0	61.0	-50.0
610	70	2	13.0	202.0	-2.2	0.2	71.0	-5.0	0.8	360.0	190.0	2.0	7.0	-50.0
611	70	3	-2.0	0.0	-0.5	0.1	300.0	-5.0	1.2	150.0	33.0	-1.0	3.0	-50.0
612	71	1	3.0	0.0	-0.5	-0.1	930.0	-5.0	2.9	190.0	10.0	-1.0	4.0	-50.0
613	72	1	293.0	58.0	-2.5	0.1	81.0	-5.0	1.0	470.0	200.0	6.0	33.0	-50.0
614	72	2	545.0	94.0	21.0	0.4	-50.0	-12.0	-0.5	1000.0	75.0	10.0	319.0	-50.0
615	72	3	524.0	30.0	13.0	0.3	-50.0	20.0	-1.1	1100.0	51.0	13.0	322.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
616	72	4	-2.0	0.0	-0.5	0.1	110.0	-5.0	0.7	430.0	81.0	-1.0	2.0	-50.0
617	73	1	14.0	94.0	16.0	0.3	-50.0	-14.0	-0.5	1100.0	94.0	11.0	320.0	-50.0
618	73	2	6.0	0.0	1.8	0.2	330.0	-5.0	1.3	340.0	17.0	-1.0	4.0	-50.0
619	74	1	130.0	80.0	17.0	0.3	-50.0	-12.0	-0.5	980.0	92.0	8.0	221.0	-50.0
620	74	2	1240.0	46.0	18.0	0.4	-50.0	-14.0	0.9	910.0	55.0	8.0	229.0	-50.0
621	74	3	-2.0	0.0	0.9	-0.1	290.0	-5.0	1.2	160.0	42.0	1.0	3.0	-50.0
622	75	1	-2.0	0.0	1.0	-0.1	470.0	-5.0	2.4	200.0	24.0	2.0	4.0	-50.0
623	76	1	9.0	0.0	0.7	0.6	1200.0	-5.0	1.9	150.0	6.0	-1.0	4.0	-50.0
624	77	1	140.0	68.0	27.0	0.5	-50.0	-13.0	-0.5	1100.0	88.0	8.0	247.0	-50.0
625	77	2	61.0	46.0	15.0	0.5	-50.0	-13.0	-0.5	970.0	110.0	10.0	205.0	-50.0
626	77	3	15.0	0.0	2.1	0.6	1500.0	-5.0	6.5	280.0	23.0	2.0	4.0	-50.0
627	77	4	10.0	0.0	2.0	0.3	1100.0	-5.0	5.5	440.0	12.0	1.0	3.0	-50.0
628	78	1	110.0	60.0	16.0	0.5	110.0	-12.0	-0.5	1000.0	84.0	9.0	254.0	-50.0
629	78	2	505.0	102.0	114.0	0.5	82.0	-11.0	-0.5	880.0	91.0	10.0	186.0	-50.0
630	78	3	25.0	72.0	17.0	0.5	120.0	-12.0	-0.5	940.0	80.0	9.0	274.0	-50.0
631	78	4	95.0	70.0	26.0	0.4	-50.0	-12.0	-0.5	1000.0	99.0	8.0	233.0	-50.0
632	78	5	229.0	94.0	23.0	0.8	-50.0	-12.0	-0.5	1000.0	130.0	8.0	215.0	-50.0
633	78	6	3.0	0.0	-0.5	0.3	1300.0	-5.0	4.4	140.0	-5.0	1.0	3.0	-50.0
634	79	1	247.0	30.0	9.0	0.4	-50.0	-12.0	-0.5	1000.0	49.0	13.0	263.0	-50.0
635	79	2	33.0	68.0	10.0	0.4	-50.0	-11.0	-0.5	800.0	74.0	10.0	228.0	-50.0
636	79	3	-2.0	0.0	-0.5	0.4	1500.0	-5.0	2.6	140.0	-5.0	-1.0	4.0	-50.0
637	80	1	266.0	108.0	62.6	0.7	-50.0	-14.0	-0.5	720.0	400.0	7.0	169.0	-50.0
638	80	2	28.0	26.0	4.9	0.8	860.0	-5.0	13.0	220.0	23.0	-1.0	4.0	-50.0
639	81	1	2.0	5.0	-0.5	0.2	1300.0	-5.0	1.7	110.0	-5.0	-1.0	4.0	-50.0
640	82	1	1140.0	78.0	20.0	0.6	-50.0	-13.0	-0.5	970.0	95.0	10.0	255.0	-50.0
641	82	2	37.0	130.0	20.0	0.5	-50.0	-12.0	-0.5	840.0	120.0	9.0	207.0	-50.0
642	82	3	64.0	60.0	128.0	0.5	-50.0	-13.0	-0.5	810.0	91.0	8.0	252.0	-50.0
643	82	4	53.0	56.0	10.0	0.4	-50.0	-13.0	-0.5	820.0	110.0	9.0	318.0	-50.0
644	82	5	170.0	86.0	22.0	0.4	-50.0	-12.0	0.7	840.0	110.0	8.0	238.0	-50.0
645	82	6	32.0	120.0	27.0	0.6	-50.0	-16.0	-0.5	1100.0	210.0	9.0	287.0	-50.0
646	82	7	1020.0	108.0	17.0	0.4	-50.0	-14.0	-0.5	1000.0	130.0	9.0	323.0	-50.0
647	82	8	65.0	68.0	18.0	0.5	-50.0	13.0	-0.5	790.0	96.0	7.0	262.0	-50.0
648	82	9	130.0	58.0	8.7	0.3	-50.0	-12.0	-0.5	830.0	76.0	7.0	253.0	-50.0
649	82	10	26.0	56.0	14.0	0.3	-50.0	-13.0	-0.5	920.0	88.0	9.0	275.0	-50.0
650	82	11	100.0	112.0	21.0	0.7	-50.0	-17.0	-0.5	1100.0	110.0	11.0	322.0	-50.0
651	82	12	16.0	64.0	24.0	0.6	-50.0	-16.0	-0.5	1200.0	96.0	12.0	366.0	-50.0
652	82	13	8.0	9.0	4.5	0.6	1300.0	-5.0	10.0	230.0	15.0	2.0	4.0	-50.0
653	83	1	234.0	68.0	29.0	0.7	-50.0	-15.0	-0.5	1100.0	110.0	12.0	370.0	-50.0
654	83	2	-2.0	3.0	0.7	0.4	1500.0	-5.0	4.3	120.0	6.0	-1.0	3.0	-50.0
655	84	1	130.0	82.0	22.0	0.4	-50.0	-15.0	1.2	1100.0	100.0	10.0	364.0	-50.0
656	84	2	120.0	56.0	31.0	0.6	-50.0	-15.0	1.0	1000.0	87.0	11.0	334.0	-50.0
657	84	3	51.0	56.0	20.0	0.6	-50.0	-18.0	-0.5	1100.0	97.0	14.0	341.0	-50.0
658	84	4	40.0	126.0	26.0	0.5	-50.0	-13.0	-0.5	920.0	150.0	9.0	218.0	-50.0
659	84	5	130.0	138.0	30.0	0.6	-50.0	-12.0	-0.5	850.0	200.0	8.0	231.0	-50.0
660	84	6	42.0	180.0	41.0	1.0	-50.0	-13.0	-0.5	930.0	220.0	8.0	247.0	-50.0
661	84	7	110.0	158.0	42.0	0.7	-50.0	-13.0	0.6	920.0	200.0	7.0	229.0	-50.0
662	84	8	17.0	123.0	0.8	0.2	750.0	-5.0	12.0	320.0	36.0	-1.0	4.0	-50.0
663	85	1	160.0	86.0	24.0	0.4	-50.0	-15.0	-0.5	1000.0	100.0	9.0	311.0	-50.0
664	85	2	84.0	64.0	21.0	0.3	-50.0	-14.0	0.9	880.0	68.0	7.0	308.0	-50.0
665	85	3	618.0	68.0	15.0	0.4	-50.0	-14.0	-0.5	950.0	86.0	7.0	268.0	-50.0
666	85	4	45.0	48.0	17.0	0.6	-50.0	-16.0	-0.5	1100.0	76.0	8.0	310.0	-50.0
667	85	5	258.0	106.0	45.0	0.6	-50.0	-22.0	-0.5	1300.0	190.0	9.0	389.0	-50.0
668	85	6	160.0	114.0	63.4	1.0	-50.0	-12.0	-0.5	820.0	120.0	7.0	236.0	-50.0
669	85	7	474.0	102.0	54.7	0.7	-50.0	-11.0	-0.5	840.0	120.0	6.0	236.0	-50.0
670	85	8	59.0	68.0	34.0	0.5	-50.0	-11.0	-0.5	980.0	81.0	7.0	209.0	-50.0
671	85	9	160.0	122.0	78.5	0.8	-50.0	-13.0	-0.5	1100.0	150.0	8.0	255.0	-50.0

Recor	Hole	Saap	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
672	85	10	10.0	9.0	1.4	0.4	1300.0	-5.0	12.0	300.0	14.0	1.0	4.0	-50.0
673	86	1	61.0	76.0	32.0	0.4	-50.0	-13.0	-1.0	970.0	96.0	11.0	224.0	-50.0
674	86	2	355.0	82.0	26.0	0.4	-50.0	-13.0	-0.5	980.0	94.0	11.0	283.0	-50.0
675	86	3	28.0	76.0	22.0	0.4	-100.0	-15.0	-1.1	1200.0	110.0	11.0	370.0	-50.0
676	86	4	305.0	138.0	51.2	0.6	-100.0	-15.0	-1.1	1100.0	150.0	10.0	266.0	-50.0
677	86	5	3300.0	134.0	46.0	0.5	-50.0	-13.0	-0.5	940.0	110.0	9.0	185.0	-50.0
678	86	6	-2.0	30.0	-0.5	-0.1	160.0	-5.0	1.7	91.0	50.0	-1.0	3.0	-50.0
679	87	1	-8.0	56.0	19.0	0.4	-50.0	-14.0	-1.0	1000.0	93.0	12.0	272.0	-50.0
680	87	2	474.0	134.0	27.0	0.3	-50.0	-13.0	-0.5	1000.0	150.0	9.0	246.0	-50.0
681	87	3	2320.0	256.0	16.0	0.5	-50.0	-12.0	-0.5	830.0	120.0	7.0	177.0	-50.0
682	87	4	3.0	50.0	-0.5	-0.1	140.0	-5.0	1.1	94.0	27.0	-1.0	4.0	-50.0
683	88	1	70.0	68.0	26.0	0.5	-110.0	-15.0	-1.1	990.0	94.0	15.0	300.0	-50.0
684	88	2	446.0	318.0	21.0	0.6	-50.0	-15.0	-1.1	1100.0	200.0	10.0	320.0	-50.0
685	88	3	455.0	106.0	26.0	0.6	-50.0	-13.0	-0.5	990.0	140.0	8.0	314.0	-50.0
686	88	4	46.0	124.0	63.8	0.7	-120.0	-18.0	-1.3	1300.0	120.0	10.0	367.0	-50.0
687	88	5	47.0	64.0	24.0	0.5	160.0	-16.0	-1.1	1100.0	100.0	9.0	330.0	-50.0
688	88	6	47.0	194.0	86.9	1.0	-50.0	-14.0	-1.0	870.0	400.0	8.0	213.0	-50.0
689	88	7	4.0	18.0	11.0	0.1	630.0	-5.0	1.5	160.0	12.0	-1.0	5.0	-50.0
690	89	1	-11.0	52.0	29.0	0.6	-120.0	-18.0	-1.3	1300.0	100.0	11.0	367.0	-50.0
691	89	2	77.0	52.0	19.0	0.4	-50.0	-14.0	-0.5	840.0	67.0	7.0	325.0	-50.0
692	89	3	25.0	22.0	7.0	0.3	-50.0	-17.0	-1.1	920.0	40.0	7.0	270.0	-50.0
693	89	4	337.0	48.0	11.0	0.3	-120.0	-20.0	-1.3	1100.0	62.0	6.0	296.0	-50.0
694	89	5	-11.0	50.0	5.1	0.5	-50.0	-17.0	-1.1	910.0	69.0	7.0	194.0	-50.0
695	89	6	73.0	60.0	7.2	0.5	-110.0	-19.0	-1.2	990.0	82.0	9.0	247.0	-50.0
696	89	7	1340.0	76.0	5.7	0.3	-50.0	-15.0	-0.5	800.0	94.0	7.0	184.0	-50.0
697	89	8	-8.0	74.0	4.9	0.4	-50.0	-14.0	-0.5	830.0	59.0	6.0	85.0	-50.0
698	89	9	2500.0	150.0	432.0	0.3	-110.0	-19.0	-1.2	890.0	73.0	9.0	78.0	-50.0
699	89	10	249.0	112.0	11.0	0.5	-50.0	-14.0	-0.5	720.0	85.0	7.0	92.0	-50.0
700	89	11	3.0	53.0	2.4	-0.1	240.0	-5.0	0.6	240.0	45.0	-1.0	2.0	-50.0
701	90	1	494.0	8.0	-5.3	0.3	-100.0	-19.0	-1.2	990.0	34.0	8.0	304.0	-50.0
702	90	2	1600.0	16.0	-5.0	0.3	-110.0	-19.0	-1.2	980.0	39.0	12.0	356.0	-50.0
703	90	3	150.0	44.0	10.0	0.7	-120.0	-21.0	-1.3	1000.0	72.0	11.0	293.0	-50.0
704	90	4	-11.0	76.0	19.0	0.4	-110.0	-18.0	-1.2	970.0	87.0	9.0	270.0	-50.0
705	90	5	72.0	168.0	13.0	0.3	-130.0	-22.0	-1.6	820.0	120.0	9.0	221.0	-50.0
706	90	6	51.0	92.0	12.0	0.5	-100.0	-21.0	-1.3	930.0	91.0	12.0	310.0	-50.0
707	90	7	130.0	800.0	15.0	0.4	150.0	-18.0	-1.1	990.0	290.0	9.0	225.0	-50.0
708	90	8	200.0	230.0	10.0	0.3	-110.0	-19.0	-1.3	830.0	250.0	6.0	219.0	-50.0
709	90	9	214.0	70.0	16.0	0.5	-150.0	-26.0	-1.7	1100.0	89.0	10.0	299.0	-50.0
710	90	10	83.0	260.0	13.0	0.3	-120.0	-21.0	-1.4	890.0	260.0	7.0	272.0	-50.0
711	90	11	539.0	148.0	7.5	0.3	-110.0	-19.0	-1.1	790.0	110.0	6.0	239.0	-50.0
712	90	12	204.0	68.0	16.0	0.6	-50.0	-17.0	2.0	940.0	67.0	8.0	272.0	-50.0
713	90	13	233.0	76.0	10.0	0.3	-150.0	-21.0	-1.6	1100.0	84.0	8.0	319.0	-50.0
714	90	14	19.0	110.0	23.0	0.5	-110.0	-16.0	-1.2	1100.0	130.0	7.0	270.0	-50.0
715	90	15	3.0	142.0	2.1	0.1	390.0	-5.0	1.7	-20.0	15.0	-1.0	5.0	-50.0
716	91	1	-9.0	68.0	31.0	0.5	-110.0	-15.0	-1.1	990.0	89.0	10.0	330.0	-50.0
717	91	2	160.0	158.0	24.0	0.4	-50.0	-13.0	-1.0	970.0	130.0	8.0	299.0	-50.0
718	91	3	66.0	202.0	19.0	0.7	-50.0	-12.0	-0.5	760.0	170.0	13.0	180.0	-50.0
719	91	4	130.0	226.0	11.0	0.4	-50.0	-11.0	-0.5	830.0	190.0	12.0	178.0	-50.0
720	91	5	110.0	94.0	11.0	0.5	-50.0	-14.0	-1.0	980.0	100.0	10.0	315.0	-50.0
721	91	6	140.0	92.0	43.0	0.5	-50.0	-10.0	-0.5	870.0	110.0	7.0	180.0	-50.0
722	91	7	57.0	120.0	27.0	0.4	-50.0	-11.0	-0.5	820.0	110.0	9.0	205.0	-50.0
723	91	8	-2.0	28.0	0.6	-0.1	290.0	-5.0	1.7	180.0	61.0	-1.0	2.0	-50.0
724	92	1	170.0	130.0	16.0	0.4	-50.0	-13.0	-0.5	1000.0	120.0	10.0	313.0	-50.0
725	92	2	51.0	93.0	19.0	0.5	-50.0	-13.0	-0.5	1000.0	110.0	8.0	292.0	-50.0
726	92	3	48.0	138.0	20.0	0.5	-50.0	-14.0	1.6	1000.0	140.0	10.0	288.0	-50.0
727	92	4	4.0	48.0	1.2	0.1	370.0	-5.0	2.0	200.0	7.0	-1.0	10.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
728	93	1	-8.0	142.0	16.0	0.5	-50.0	-13.0	-0.5	1100.0	180.0	8.0	270.0	-50.0
729	93	2	1050.0	166.0	31.0	0.4	-50.0	-11.0	-0.5	880.0	170.0	7.0	255.0	-50.0
730	93	3	-8.0	32.0	4.9	0.4	110.0	-11.0	-0.5	1100.0	41.0	8.0	220.0	-50.0
731	93	4	1110.0	60.0	7.4	0.5	-50.0	13.0	-0.5	1100.0	48.0	6.0	189.0	-50.0
732	93	5	381.0	56.0	10.0	0.5	-50.0	-12.0	-0.5	990.0	56.0	6.0	211.0	-50.0
733	93	6	931.0	55.0	8.6	0.5	-50.0	-12.0	-0.5	1100.0	58.0	6.0	165.0	-50.0
734	93	7	5.0	36.0	-0.5	-0.1	180.0	-5.0	5.9	72.0	32.0	-1.0	4.0	-50.0
735	94	1	140.0	98.0	22.0	0.5	-50.0	-14.0	-0.5	910.0	97.0	10.0	278.0	-50.0
736	94	2	120.0	78.0	22.0	0.5	110.0	-12.0	-0.5	800.0	71.0	9.0	251.0	-50.0
737	94	3	140.0	90.0	16.0	0.5	-50.0	-13.0	-0.5	930.0	83.0	11.0	288.0	-50.0
738	94	4	23.0	52.0	19.0	0.4	-50.0	-13.0	-0.5	950.0	79.0	11.0	303.0	-50.0
739	94	5	170.0	52.0	11.0	0.4	-50.0	-12.0	-0.5	870.0	69.0	9.0	279.0	-50.0
740	94	6	-9.0	60.0	12.0	0.4	-50.0	-12.0	-0.5	940.0	70.0	9.0	280.0	-50.0
741	94	7	1100.0	64.0	5.9	0.4	-50.0	-12.0	-0.5	880.0	63.0	7.0	256.0	-50.0
742	94	8	5.0	71.0	0.7	0.1	160.0	-5.0	2.7	180.0	50.0	-1.0	4.0	-50.0
743	95	1	170.0	28.0	-3.9	0.5	-110.0	-16.0	-1.2	1000.0	44.0	12.0	331.0	-50.0
744	95	2	110.0	14.0	-3.0	0.3	-50.0	-13.0	-0.5	930.0	34.0	13.0	327.0	-50.0
745	95	3	46.0	29.0	-3.1	0.2	-50.0	-13.0	-0.5	930.0	45.0	11.0	301.0	-50.0
746	95	4	-9.0	62.0	12.0	0.5	-50.0	-13.0	-0.5	910.0	91.0	10.0	284.0	-50.0
747	95	5	9130.0	78.0	3.7	0.3	-50.0	-13.0	-0.5	900.0	70.0	10.0	105.0	-50.0
748	95	6	3.0	46.0	0.6	0.5	280.0	-5.0	1.4	180.0	37.0	-1.0	4.0	-50.0
749	96	1	440.0	11.0	-3.9	-0.3	-50.0	-20.0	-1.1	800.0	28.0	7.0	203.0	-50.0
750	96	2	62.0	88.0	-4.4	-0.3	-130.0	-22.0	-1.4	820.0	84.0	7.0	217.0	-50.0
751	96	3	-13.0	14.0	-3.8	0.4	-130.0	-19.0	-1.2	840.0	42.0	9.0	230.0	-50.0
752	96	4	66.0	12.0	-4.2	-0.3	-120.0	-21.0	1.2	920.0	36.0	8.0	246.0	-50.0
753	96	5	150.0	10.0	-4.3	0.6	-130.0	-21.0	-1.3	930.0	38.0	8.0	297.0	-50.0
754	96	6	50.0	12.0	-4.1	0.6	-120.0	-21.0	-1.2	980.0	46.0	7.0	274.0	-50.0
755	96	7	-13.0	18.0	-4.0	-0.3	-120.0	-20.0	-1.1	860.0	35.0	8.0	206.0	-50.0
756	96	8	265.0	24.0	-3.4	-0.3	-120.0	-19.0	-1.2	900.0	52.0	7.0	236.0	-50.0
757	96	9	120.0	136.0	14.0	0.7	-100.0	-20.0	-1.2	890.0	140.0	6.0	226.0	-50.0
758	96	10	87.0	354.0	16.0	-0.5	-190.0	-27.0	-1.9	980.0	250.0	7.0	189.0	-50.0
759	96	11	57.0	77.0	14.0	0.6	-50.0	-16.0	-1.0	790.0	90.0	4.0	176.0	-50.0
760	96	12	64.0	130.0	23.0	0.9	-120.0	-22.0	-1.2	840.0	150.0	8.0	228.0	-50.0
761	96	13	234.0	76.0	12.0	-0.3	-120.0	-19.0	-1.1	830.0	92.0	8.0	243.0	-50.0
762	96	14	87.0	96.0	18.0	0.4	150.0	-18.0	-1.1	870.0	89.0	5.0	145.0	-50.0
763	96	15	100.0	162.0	19.0	-0.3	150.0	-18.0	-1.2	840.0	140.0	6.0	166.0	-50.0
764	96	16	42.0	152.0	22.0	0.4	-110.0	-18.0	-1.1	880.0	160.0	7.0	174.0	-50.0
765	96	17	9.0	63.0	1.3	-0.1	220.0	-5.0	1.3	270.0	27.0	-1.0	6.0	-50.0
766	97	1	-14.0	26.0	-4.6	0.8	-120.0	-23.0	-1.1	730.0	47.0	18.0	157.0	-50.0
767	97	2	110.0	40.0	-4.4	0.4	-130.0	-21.0	-1.3	1000.0	59.0	7.0	155.0	-50.0
768	97	3	97.0	14.0	-4.1	-0.3	-120.0	-20.0	-1.1	860.0	39.0	8.0	201.0	-50.0
769	97	4	130.0	28.0	-4.1	-0.3	-110.0	-20.0	-1.1	790.0	46.0	5.0	188.0	-50.0
770	97	5	492.0	12.0	-4.7	-0.3	-130.0	-23.0	-1.3	890.0	40.0	7.0	250.0	-50.0
771	97	6	79.0	16.0	-5.0	0.5	-140.0	-25.0	-1.4	970.0	54.0	9.0	198.0	-50.0
772	97	7	46.0	48.0	16.0	-0.3	-120.0	-22.0	-1.2	1000.0	74.0	5.0	263.0	-50.0
773	97	8	45.0	76.0	14.0	0.6	-120.0	-22.0	-1.2	990.0	110.0	7.0	225.0	-50.0
774	97	9	-23.0	70.0	18.0	0.5	-130.0	-22.0	-1.2	940.0	110.0	7.0	233.0	-50.0
775	97	10	120.0	78.0	22.0	-0.3	-120.0	-24.0	-1.3	990.0	120.0	9.0	252.0	-50.0
776	97	11	180.0	96.0	20.0	0.4	-120.0	-21.0	-1.1	920.0	130.0	8.0	222.0	-50.0
777	97	12	-16.0	92.0	19.0	0.5	-120.0	-22.0	-1.1	900.0	120.0	7.0	251.0	-50.0
778	97	13	33.0	94.0	143.0	0.6	-110.0	-20.0	-1.1	830.0	100.0	8.0	221.0	-50.0
779	97	14	90.0	96.0	21.0	-0.3	-110.0	-20.0	-1.1	890.0	110.0	7.0	227.0	-50.0
780	97	15	32.0	92.0	14.0	0.6	-110.0	-18.0	-1.0	810.0	110.0	6.0	195.0	-50.0
781	97	17	-2.0	68.0	-0.5	0.1	240.0	-5.0	1.0	140.0	73.0	-1.0	3.0	-50.0
782	98	1	67.0	122.0	22.0	0.5	-130.0	-23.0	-1.2	910.0	130.0	9.0	240.0	-50.0
783	98	2	92.0	94.0	20.0	0.5	-110.0	-21.0	-1.1	850.0	110.0	8.0	214.0	-50.0



Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
784	98	3	130.0	87.0	19.0	-0.3	-110.0	-20.0	-1.1	860.0	110.0	7.0	204.0	-50.0
785	98	4	-21.0	101.0	15.0	0.5	-120.0	-20.0	-1.2	900.0	110.0	6.0	154.0	-50.0
786	98	5	39.0	82.0	18.0	0.7	-120.0	-22.0	-1.2	900.0	110.0	8.0	215.0	-50.0
787	98	6	73.0	78.0	27.0	0.4	-110.0	-20.0	-1.1	850.0	100.0	6.0	196.0	-50.0
788	98	7	42.0	102.0	14.0	0.6	-120.0	-21.0	-1.1	870.0	130.0	8.0	209.0	-50.0
789	98	8	190.0	122.0	21.0	0.5	-140.0	-23.0	-1.4	1100.0	140.0	4.0	221.0	-50.0
790	98	9	425.0	94.0	20.0	-0.3	-130.0	-21.0	-1.2	990.0	100.0	8.0	229.0	-50.0
791	98	10	29.0	89.0	17.0	0.4	-100.0	-15.0	-1.0	960.0	93.0	4.0	165.0	-100.0
792	98	11	511.0	90.0	18.0	0.4	-110.0	-17.0	-1.0	910.0	110.0	6.0	211.0	-100.0
793	98	12	335.0	90.0	13.0	-0.2	-120.0	-17.0	-1.0	1100.0	110.0	5.0	220.0	-100.0
794	98	13	8.0	26.0	0.7	0.1	250.0	-5.0	2.5	130.0	11.0	-1.0	4.0	-50.0
795	99	1	25.0	28.0	18.0	0.4	-130.0	-19.0	-2.0	1200.0	61.0	10.0	199.0	-100.0
796	99	2	279.0	30.0	-4.0	-0.2	-120.0	-18.0	-1.0	1200.0	59.0	8.0	149.0	-100.0
797	99	3	89.0	104.0	15.0	0.6	-120.0	-17.0	-1.0	930.0	130.0	8.0	220.0	-100.0
798	99	4	540.0	165.0	30.0	0.5	-130.0	-18.0	-1.0	900.0	120.0	6.0	267.0	-100.0
799	99	5	3.0	46.0	1.0	-0.1	320.0	-5.0	2.9	270.0	48.0	-1.0	3.0	-50.0
800	100	1	623.0	18.0	4.0	0.4	-120.0	-18.0	-1.0	920.0	65.0	9.0	283.0	-100.0
801	100	2	96.0	36.0	6.0	1.2	-120.0	-18.0	-1.0	980.0	70.0	5.0	299.0	-100.0
802	100	3	45.0	94.0	17.0	0.5	-120.0	-18.0	-1.0	980.0	140.0	7.0	271.0	-100.0
803	100	4	57.0	111.0	17.0	0.4	-130.0	-18.0	-1.0	940.0	130.0	4.0	263.0	-100.0
804	100	5	76.0	100.0	19.0	1.3	-120.0	-17.0	-1.0	940.0	130.0	6.0	248.0	-100.0
805	100	6	110.0	132.0	18.0	0.4	-120.0	-17.0	-1.0	870.0	140.0	8.0	228.0	-100.0
806	100	7	110.0	104.0	15.0	-0.2	-140.0	-20.0	-2.0	930.0	150.0	8.0	242.0	-100.0
807	100	8	234.0	122.0	14.0	0.4	180.0	-18.0	-1.0	910.0	140.0	7.0	234.0	-100.0
808	100	9	86.0	158.0	17.0	0.5	-130.0	-18.0	-1.0	950.0	120.0	8.0	327.0	-100.0
809	100	10	66.0	195.0	29.0	0.5	-130.0	-19.0	-2.0	870.0	220.0	7.0	244.0	-100.0
810	100	11	140.0	170.0	28.0	0.5	-120.0	-18.0	-1.0	880.0	220.0	6.0	246.0	-100.0
811	100	12	206.0	136.0	25.0	0.4	-120.0	-18.0	-1.0	850.0	180.0	6.0	230.0	-100.0
812	100	13	233.0	118.0	17.0	0.6	-100.0	-15.0	-1.0	690.0	140.0	5.0	205.0	-100.0
813	100	14	40.0	96.0	13.0	0.6	-100.0	-14.0	-1.0	730.0	130.0	6.0	183.0	-100.0
814	100	15	77.0	98.0	20.0	0.5	-110.0	-16.0	-1.0	860.0	140.0	5.0	187.0	-100.0
815	100	16	160.0	134.0	16.0	0.8	-110.0	-17.0	-1.0	870.0	170.0	9.0	175.0	-100.0
816	100	17	82.0	54.0	10.0	-0.2	-110.0	-16.0	-1.0	910.0	88.0	8.0	173.0	-100.0
817	100	18	37.0	66.0	21.0	0.5	200.0	-16.0	-1.0	890.0	99.0	7.0	179.0	-100.0
818	100	19	-2.0	50.0	-0.5	0.1	150.0	-5.0	2.3	260.0	75.0	1.0	3.0	-50.0
819	101	1	23.0	64.0	29.0	-0.2	-120.0	-19.0	-1.0	1200.0	75.0	6.0	125.0	-100.0
820	101	2	42.0	110.0	15.0	0.4	-120.0	-17.0	-1.0	870.0	130.0	10.0	186.0	-100.0
821	101	3	46.0	104.0	17.0	0.4	200.0	-19.0	-1.0	870.0	120.0	11.0	207.0	-100.0
822	101	4	490.0	74.0	13.0	0.5	-120.0	-18.0	-1.0	860.0	110.0	9.0	183.0	-100.0
823	101	5	405.0	86.0	21.0	0.5	-120.0	-18.0	-1.0	870.0	130.0	9.0	196.0	-100.0
824	101	6	66.0	112.0	30.0	0.4	-120.0	-19.0	-1.0	890.0	140.0	8.0	207.0	-100.0
825	101	7	-12.0	155.0	18.0	0.3	-110.0	-16.0	-1.0	810.0	170.0	8.0	192.0	-100.0
826	101	8	345.0	102.0	17.0	0.5	-100.0	-15.0	-1.0	790.0	140.0	5.0	177.0	-100.0
827	101	9	44.0	154.0	16.0	0.5	-120.0	-18.0	-1.0	810.0	190.0	9.0	209.0	-100.0
828	101	10	-12.0	141.0	25.0	1.0	-110.0	-17.0	-1.0	920.0	190.0	8.0	196.0	-100.0
829	101	11	82.0	134.0	13.0	0.4	-100.0	20.0	-1.0	780.0	150.0	9.0	170.0	-100.0
830	101	12	85.0	94.0	20.0	0.7	-120.0	-18.0	-1.0	880.0	130.0	8.0	236.0	-100.0
831	101	13	50.0	84.0	16.0	0.4	-120.0	20.0	-1.0	890.0	120.0	8.0	255.0	-100.0
832	101	14	1030.0	88.0	21.0	0.3	-110.0	-17.0	-1.0	850.0	120.0	6.0	200.0	-100.0
833	101	15	140.0	84.0	32.0	0.6	-120.0	24.0	-1.0	940.0	110.0	9.0	209.0	-100.0
834	101	16	-2.0	7.0	1.6	0.1	1200.0	-5.0	3.6	84.0	10.0	-1.0	7.0	-50.0
835	102	1	33.0	34.0	7.0	0.5	-130.0	-22.0	-1.4	830.0	45.0	13.0	252.0	-50.0
836	102	2	130.0	18.0	-5.6	-0.2	-130.0	-22.0	-1.5	1100.0	45.0	9.0	283.0	-50.0
837	102	3	120.0	110.0	-4.9	0.4	-120.0	-19.0	-1.3	1000.0	210.0	8.0	226.0	-50.0
838	102	4	211.0	75.0	-4.9	0.4	230.0	-19.0	-1.2	910.0	77.0	8.0	212.0	-50.0
839	102	5	-13.0	262.0	20.0	0.4	-120.0	-19.0	-1.2	870.0	110.0	9.0	215.0	-50.0

Recor	Hole	Saap	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
840	102	6	509.0	122.0	26.0	0.8	-110.0	-18.0	-1.1	860.0	140.0	9.0	190.0	-50.0
841	102	7	28.0	91.0	14.0	0.3	200.0	-19.0	-1.2	820.0	120.0	11.0	220.0	-50.0
842	102	8	92.0	148.0	34.0	0.5	-110.0	-19.0	-1.3	860.0	150.0	8.0	196.0	-50.0
843	102	9	90.0	167.0	41.0	0.5	-110.0	-18.0	-1.1	950.0	200.0	7.0	188.0	-50.0
844	102	10	27.0	151.0	40.0	0.5	-130.0	-22.0	-1.4	910.0	180.0	9.0	194.0	-50.0
845	102	11	90.0	140.0	41.0	0.5	-120.0	-20.0	-1.4	990.0	180.0	8.0	218.0	-50.0
846	102	12	272.0	132.0	42.0	0.8	-110.0	-18.0	-1.2	960.0	190.0	7.0	208.0	-50.0
847	102	13	87.0	146.0	41.0	0.4	-110.0	28.0	-1.2	930.0	170.0	7.0	179.0	-50.0
848	102	14	7.0	44.0	0.7	0.1	150.0	-5.0	-0.5	460.0	36.0	-1.0	4.0	-50.0
849	103	1	24.0	66.0	7.8	0.3	-110.0	-19.0	-1.2	850.0	97.0	7.0	241.0	-50.0
850	103	2	77.0	116.0	13.0	-0.2	-120.0	22.0	-1.3	970.0	130.0	9.0	271.0	-50.0
851	103	3	865.0	71.0	17.0	0.4	-120.0	-21.0	-1.3	1000.0	110.0	10.0	237.0	-50.0
852	103	4	380.0	74.0	24.0	0.6	-130.0	-23.0	-1.4	940.0	110.0	10.0	318.0	-50.0
853	103	5	63.0	77.0	19.0	0.4	-120.0	-21.0	-1.3	940.0	95.0	7.0	285.0	-50.0
854	103	6	42.0	70.0	12.0	-0.2	-130.0	-22.0	-1.4	820.0	130.0	9.0	299.0	-50.0
855	103	7	-13.0	71.0	8.3	-0.2	-120.0	24.0	-1.2	760.0	75.0	4.0	177.0	-50.0
856	103	8	40.0	89.0	14.0	0.6	-130.0	25.0	-1.3	770.0	81.0	7.0	353.0	-50.0
857	103	9	46.0	71.0	11.0	0.4	-100.0	-18.0	-1.1	810.0	76.0	7.0	245.0	-50.0
858	103	10	55.0	204.0	32.0	0.4	160.0	-18.0	-1.1	880.0	210.0	8.0	202.0	-50.0
859	103	11	180.0	207.0	37.0	0.4	-110.0	-18.0	-1.2	880.0	230.0	6.0	198.0	-50.0
860	103	12	42.0	224.0	28.0	0.5	-110.0	-18.0	-1.1	920.0	180.0	6.0	203.0	-50.0
861	103	13	47.0	141.0	35.0	0.5	-100.0	-18.0	-1.1	960.0	170.0	4.0	189.0	-50.0
862	103	14	-12.0	216.0	22.0	0.8	-110.0	-18.0	-1.2	880.0	320.0	7.0	180.0	-50.0
863	103	15	463.0	215.0	26.0	0.7	-110.0	-19.0	-1.2	870.0	210.0	6.0	205.0	-50.0
864	103	16	40.0	134.0	41.0	0.6	-110.0	-19.0	-1.2	930.0	190.0	9.0	209.0	-50.0
865	103	17	48.0	316.0	58.4	0.6	-110.0	-19.0	-1.2	860.0	360.0	8.0	182.0	-50.0
866	103	18	7.0	59.0	-0.5	0.1	150.0	-5.0	-0.5	280.0	63.0	2.0	3.0	-50.0
867	104	1	57.0	26.0	-5.6	0.5	-120.0	-20.0	-1.2	860.0	51.0	14.0	233.0	-50.0
868	104	2	214.0	96.0	14.0	0.4	-120.0	-20.0	1.6	940.0	120.0	9.0	291.0	-50.0
869	104	3	56.0	116.0	20.0	0.4	-120.0	-21.0	-1.3	1000.0	130.0	9.0	275.0	-50.0
870	104	4	-14.0	102.0	18.0	0.5	-120.0	-21.0	-1.3	900.0	130.0	7.0	284.0	-50.0
871	104	5	236.0	102.0	17.0	0.5	-120.0	-20.0	-1.2	940.0	120.0	8.0	309.0	-50.0
872	104	6	120.0	110.0	21.0	0.5	-110.0	-20.0	-1.2	880.0	130.0	8.0	269.0	-50.0
873	104	7	140.0	127.0	21.0	0.5	-110.0	-20.0	-1.2	850.0	120.0	6.0	265.0	-50.0
874	104	8	72.0	92.0	10.0	0.4	-100.0	-19.0	-1.1	780.0	98.0	7.0	255.0	-50.0
875	104	9	88.0	110.0	7.1	0.3	-100.0	-18.0	-1.1	740.0	93.0	5.0	174.0	-50.0
876	104	10	-15.0	34.0	-6.0	0.3	-120.0	-21.0	-1.2	800.0	68.0	8.0	319.0	-50.0
877	104	11	-13.0	30.0	-8.6	0.5	-110.0	-23.0	-1.1	780.0	40.0	6.0	130.0	-50.0
878	104	12	26.0	45.0	11.0	0.5	-110.0	-24.0	-1.2	870.0	59.0	8.0	169.0	-50.0
879	104	13	-16.0	152.0	41.0	0.7	-120.0	-25.0	-1.2	830.0	150.0	7.0	195.0	-50.0
880	104	14	74.0	135.0	28.0	0.7	-50.0	-24.0	-1.1	780.0	120.0	9.0	155.0	-50.0
881	104	15	1230.0	138.0	38.0	0.7	-110.0	-24.0	-1.1	820.0	150.0	7.0	182.0	-50.0
882	104	16	74.0	136.0	27.0	0.6	-130.0	-28.0	-1.3	910.0	460.0	6.0	187.0	-50.0
883	104	17	24.0	248.0	32.0	0.5	140.0	-24.0	-1.1	790.0	290.0	6.0	135.0	-50.0
884	104	18	1450.0	59.0	42.0	0.5	-140.0	-30.0	-1.4	1100.0	100.0	7.0	260.0	-50.0
885	104	19	-15.0	83.0	13.0	0.4	-100.0	-26.0	-1.2	860.0	76.0	10.0	242.0	-50.0
886	104	20	-2.0	37.0	-0.5	1.1	570.0	-5.0	3.7	440.0	38.0	-1.0	3.0	-50.0
887	105	1	974.0	62.0	-13.0	1.1	-160.0	-35.0	-1.6	1200.0	67.0	16.0	124.0	-50.0
888	105	2	-17.0	80.0	17.0	0.4	-100.0	-26.0	-1.2	910.0	78.0	9.0	258.0	-50.0
889	105	3	88.0	200.0	-9.9	0.5	-120.0	-26.0	-1.2	820.0	130.0	10.0	208.0	-50.0
890	105	4	200.0	154.0	25.0	0.6	-110.0	-25.0	-1.2	900.0	170.0	6.0	111.0	-50.0
891	105	5	53.0	132.0	29.0	0.6	-120.0	-27.0	-1.3	930.0	160.0	8.0	174.0	-50.0
892	105	6	93.0	145.0	33.0	0.4	-120.0	-27.0	-1.3	930.0	160.0	8.0	185.0	-50.0
893	105	7	120.0	164.0	38.0	0.6	-120.0	-26.0	-1.2	820.0	170.0	7.0	152.0	-50.0
894	105	8	28.0	212.0	40.0	0.5	-120.0	-26.0	-1.2	910.0	170.0	8.0	146.0	-50.0
895	105	9	8.0	130.0	-0.5	-0.1	140.0	-5.0	2.6	190.0	52.0	-1.0	3.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
896	106	1	56.0	17.0	-10.0	0.4	-120.0	-27.0	-1.2	860.0	59.0	10.0	227.0	-50.0
897	106	2	87.0	23.0	-11.0	0.3	-130.0	-30.0	-1.3	920.0	61.0	10.0	251.0	-50.0
898	106	3	-16.0	16.0	35.0	0.9	-120.0	-26.0	-1.2	700.0	35.0	7.0	233.0	-50.0
899	106	4	120.0	12.0	-11.0	0.9	-130.0	-30.0	-1.3	920.0	40.0	7.0	308.0	-50.0
900	106	5	110.0	24.0	-11.0	0.5	-130.0	-30.0	-1.4	990.0	47.0	10.0	289.0	-50.0
901	106	6	150.0	104.0	22.0	0.5	-170.0	-38.0	-1.6	1100.0	90.0	10.0	319.0	-50.0
902	106	7	96.0	72.0	-12.0	0.3	-120.0	-31.0	-1.4	950.0	94.0	9.0	324.0	-50.0
903	106	8	34.0	155.0	15.0	0.5	-140.0	-32.0	-1.4	880.0	61.0	6.0	302.0	-50.0
904	106	9	50.0	211.0	14.0	-0.3	-120.0	-28.0	-1.2	930.0	250.0	5.0	209.0	-50.0
905	106	10	367.0	144.0	19.0	0.8	-120.0	-28.0	1.6	1000.0	160.0	5.0	202.0	-50.0
906	106	11	-18.0	171.0	40.0	0.6	-120.0	-29.0	-1.3	1000.0	240.0	4.0	183.0	-50.0
907	106	12	88.0	184.0	52.3	0.4	-110.0	-26.0	-1.2	840.0	200.0	7.0	187.0	-50.0
908	106	13	48.0	155.0	98.7	0.7	-120.0	-28.0	-1.2	1000.0	260.0	7.0	180.0	-50.0
909	106	14	19.0	150.0	29.0	-0.1	-50.0	-21.0	-0.5	650.0	160.0	5.0	106.0	-50.0
910	106	15	49.0	164.0	50.5	0.9	-120.0	-28.0	1.4	1000.0	210.0	6.0	197.0	-50.0
911	106	16	160.0	168.0	43.0	0.6	-130.0	-29.0	-1.3	1000.0	210.0	6.0	221.0	-50.0
912	106	17	64.0	183.0	53.1	0.6	-130.0	44.0	-1.4	1000.0	240.0	6.0	225.0	-50.0
913	106	18	341.0	118.0	74.9	0.8	150.0	-28.0	-1.2	960.0	160.0	5.0	195.0	-50.0
914	107	1	-15.0	32.0	-10.0	0.4	-100.0	-27.0	-1.1	680.0	98.0	9.0	189.0	-50.0
915	107	2	110.0	11.0	-13.0	1.0	-140.0	-32.0	-1.4	1000.0	41.0	10.0	302.0	-50.0
916	107	3	110.0	11.0	-14.0	0.8	-150.0	-36.0	1.7	1100.0	42.0	11.0	311.0	-50.0
917	107	4	79.0	8.0	-12.0	0.3	-130.0	-29.0	-1.2	780.0	38.0	7.0	293.0	-50.0
918	107	5	36.0	67.0	-12.0	0.6	-120.0	-31.0	-1.4	950.0	69.0	11.0	262.0	-50.0
919	107	6	3280.0	45.0	14.0	0.5	-140.0	-21.0	-1.5	1000.0	82.0	8.0	281.0	-50.0
920	107	7	160.0	123.0	22.0	0.6	-140.0	-22.0	1.9	1100.0	120.0	8.0	357.0	-50.0
921	107	8	160.0	121.0	14.0	0.3	-130.0	-21.0	-1.4	950.0	130.0	6.0	307.0	-50.0
922	107	9	97.0	135.0	16.0	0.5	-140.0	-21.0	-1.5	1000.0	130.0	7.0	298.0	-50.0
923	107	10	180.0	113.0	24.0	0.7	-130.0	-20.0	-1.5	1200.0	140.0	9.0	306.0	-50.0
924	107	11	120.0	105.0	13.0	-0.2	-130.0	-20.0	-1.4	1100.0	120.0	7.0	352.0	-50.0
925	107	12	140.0	106.0	13.0	-0.2	-130.0	-21.0	1.6	1100.0	120.0	8.0	358.0	-50.0
926	107	13	130.0	97.0	18.0	0.4	-140.0	-21.0	-1.5	1100.0	130.0	7.0	393.0	-50.0
927	107	14	-14.0	68.0	14.0	0.4	-130.0	-20.0	2.2	1000.0	100.0	7.0	334.0	-50.0
928	107	15	-13.0	21.0	6.8	0.5	-120.0	-18.0	-1.3	970.0	41.0	10.0	273.0	-50.0
929	107	16	65.0	29.0	5.1	-0.2	-130.0	-20.0	-1.4	1000.0	57.0	9.0	271.0	-50.0
930	107	17	160.0	112.0	9.4	-0.2	-130.0	-20.0	-1.5	1100.0	100.0	9.0	96.0	-50.0
931	107	18	42.0	67.0	53.8	0.4	-130.0	-19.0	-1.4	810.0	100.0	7.0	107.0	-50.0
932	107	19	55.0	95.0	45.0	0.7	-120.0	-18.0	-1.2	870.0	110.0	7.0	163.0	-50.0
933	107	20	110.0	85.0	37.0	0.6	-50.0	-16.0	-1.1	800.0	120.0	7.0	134.0	-50.0
934	107	21	56.0	173.0	49.0	0.8	-120.0	-19.0	-1.3	970.0	240.0	9.0	197.0	-50.0
935	107	22	293.0	145.0	50.9	0.4	-120.0	-18.0	-1.3	930.0	170.0	8.0	178.0	-50.0
936	107	23	-2.0	41.0	-0.5	-0.1	690.0	-5.0	8.1	340.0	33.0	2.0	5.0	-50.0
937	108	1	286.0	282.0	-230.0	-1.0	-180.0	-130.0	-1.4	740.0	240.0	8.0	171.0	-50.0
938	108	2	-470.0	141.0	-0.1	-6.6	-740.0	###.3	-6.2	790.0	150.0	9.0	178.0	-290.0
939	108	3	50.0	71.0	7.3	0.3	-50.0	17.0	-1.1	790.0	86.0	3.0	187.0	-50.0
940	108	4	110.0	371.0	11.0	0.7	-110.0	-17.0	-1.2	850.0	250.0	6.0	207.0	-50.0
941	108	5	230.0	79.0	11.0	0.3	160.0	-17.0	-1.2	890.0	91.0	6.0	196.0	-50.0
942	108	6	140.0	163.0	11.0	0.7	-110.0	-18.0	1.3	960.0	120.0	8.0	213.0	-50.0
943	108	7	382.0	140.0	34.0	0.5	-120.0	-18.0	1.7	960.0	150.0	6.0	201.0	-50.0
944	108	8	60.0	142.0	51.3	0.5	-140.0	-23.0	-1.5	930.0	160.0	8.0	210.0	-50.0
945	108	9	69.0	81.0	11.0	0.6	-150.0	-25.0	-1.6	1100.0	79.0	10.0	211.0	-50.0
946	108	10	32.0	85.0	26.0	-0.1	-140.0	-23.0	-1.5	1000.0	84.0	7.0	229.0	-50.0
947	108	11	209.0	74.0	11.0	0.5	-150.0	-25.0	-1.6	1100.0	87.0	6.0	213.0	-50.0
948	108	12	229.0	91.0	32.0	0.4	190.0	-25.0	-1.7	1200.0	160.0	6.0	270.0	-50.0
949	108	13	-16.0	137.0	84.8	0.5	-150.0	-24.0	-1.6	990.0	160.0	7.0	186.0	-50.0
950	108	14	-2.0	51.0	-0.5	-0.1	760.0	-5.0	3.4	320.0	28.0	1.0	5.0	-50.0
951	109	1	47.0	137.0	30.0	0.6	-150.0	-24.0	-1.6	990.0	130.0	9.0	273.0	-50.0

Recor	Hole	Saap	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
952	109	2	72.0	123.0	24.0	0.7	-150.0	-25.0	-1.6	1100.0	160.0	7.0	309.0	-50.0
953	109	3	190.0	75.0	18.0	0.4	-120.0	-23.0	-1.5	930.0	120.0	11.0	265.0	-50.0
954	109	4	303.0	50.0	18.0	0.5	-140.0	-23.0	-1.6	1000.0	120.0	8.0	281.0	-50.0
955	109	5	100.0	73.0	43.0	0.6	-120.0	-23.0	-1.5	1000.0	120.0	9.0	238.0	-50.0
956	109	6	48.0	52.0	12.0	0.6	-130.0	-22.0	-1.5	990.0	88.0	8.0	193.0	-50.0
957	109	7	219.0	45.0	-6.2	-0.2	-150.0	-24.0	-1.6	1000.0	97.0	11.0	179.0	-50.0
958	109	8	35.0	12.0	6.7	0.6	-140.0	-23.0	-1.5	980.0	37.0	10.0	225.0	-50.0
959	109	9	60.0	32.0	-6.1	0.4	-150.0	-24.0	-1.5	980.0	49.0	9.0	269.0	-50.0
960	109	10	95.0	53.0	-6.0	0.4	-140.0	-24.0	-1.6	920.0	51.0	8.0	250.0	-50.0
961	109	11	160.0	78.0	15.0	-0.2	-100.0	-28.0	-1.0	810.0	100.0	7.0	180.0	-50.0
962	109	12	-17.0	120.0	33.0	0.6	-100.0	-31.0	-1.0	940.0	150.0	9.0	224.0	-50.0
963	109	13	-17.0	114.0	46.0	0.5	-100.0	-29.0	-1.0	870.0	130.0	9.0	207.0	-50.0
964	109	14	54.0	110.0	30.0	0.7	-100.0	-30.0	-1.0	850.0	130.0	7.0	242.0	-50.0
965	109	15	110.0	150.0	33.0	0.4	-100.0	-29.0	-1.0	880.0	150.0	10.0	213.0	-50.0
966	109	16	33.0	171.0	20.0	0.4	-100.0	-28.0	-1.0	790.0	170.0	8.0	190.0	-50.0
967	109	17	61.0	95.0	95.0	0.8	-100.0	-31.0	-1.0	870.0	100.0	9.0	288.0	-50.0
968	109	18	56.0	92.0	142.0	1.0	280.0	-30.0	-1.0	920.0	110.0	7.0	260.0	-50.0
969	109	19	140.0	79.0	41.0	0.4	-100.0	-31.0	-1.0	940.0	98.0	6.0	263.0	-50.0
970	109	20	-2.0	48.0	0.9	-0.1	860.0	-5.0	5.2	410.0	34.0	1.0	4.0	-50.0
971	110	1	54.0	54.0	31.0	0.6	-100.0	-37.0	-1.0	1200.0	77.0	10.0	311.0	-100.0
972	110	2	47.0	79.0	16.0	0.5	-100.0	-33.0	-1.0	890.0	130.0	12.0	219.0	-50.0
973	110	3	2610.0	91.0	12.0	0.5	-100.0	-30.0	-1.0	990.0	100.0	11.0	120.0	-50.0
974	110	4	62.0	110.0	-10.0	-0.2	-100.0	-31.0	-1.0	1000.0	110.0	8.0	120.0	-50.0
975	110	5	709.0	162.0	13.0	0.5	-100.0	-31.0	-1.0	850.0	160.0	10.0	216.0	-50.0
976	110	6	30.0	119.0	17.0	0.8	-100.0	-31.0	-1.0	840.0	110.0	11.0	218.0	-50.0
977	110	7	75.0	9.0	-10.0	-0.2	-100.0	-31.0	-1.0	970.0	35.0	8.0	190.0	-50.0
978	110	8	63.0	35.0	-11.0	-0.2	-100.0	-33.0	-1.0	930.0	65.0	8.0	255.0	-50.0
979	110	9	390.0	60.0	-12.0	0.6	-100.0	-35.0	-1.0	1000.0	72.0	7.0	170.0	-100.0
980	110	10	652.0	114.0	-11.0	0.5	-100.0	-34.0	-1.0	850.0	88.0	5.0	203.0	-50.0
981	110	11	95.0	160.0	59.0	0.6	-100.0	-26.0	-1.0	700.0	180.0	6.0	120.0	-50.0
982	110	12	390.0	162.0	99.0	0.7	-100.0	-32.0	-1.0	900.0	130.0	8.0	160.0	-50.0
983	110	13	-2.0	35.0	-0.5	0.1	790.0	-5.0	3.2	420.0	31.0	2.0	5.0	-50.0
984	111	1	89.0	140.0	33.0	0.5	-100.0	-31.0	-1.0	810.0	150.0	10.0	221.0	-50.0
985	111	2	61.0	130.0	12.0	0.4	-100.0	-31.0	-1.0	780.0	140.0	12.0	229.0	-50.0
986	111	3	51.0	156.0	15.0	0.6	-100.0	-33.0	-1.0	910.0	150.0	9.0	257.0	-50.0
987	111	4	45.0	145.0	28.0	0.6	-100.0	-33.0	-1.0	920.0	170.0	9.0	269.0	-50.0
988	111	5	140.0	128.0	19.0	-0.2	180.0	-31.0	-1.0	860.0	140.0	10.0	190.0	-50.0
989	111	6	37.0	138.0	17.0	0.5	-100.0	-31.0	-1.0	870.0	130.0	9.0	258.0	-50.0
990	111	7	230.0	146.0	22.0	0.5	-100.0	-32.0	-1.0	870.0	150.0	9.0	252.0	-50.0
991	111	8	65.0	128.0	17.0	0.4	-100.0	-31.0	1.7	900.0	140.0	10.0	285.0	-50.0
992	111	9	41.0	189.0	28.0	0.6	-100.0	-31.0	-1.0	950.0	150.0	9.0	275.0	-50.0
993	111	10	48.0	173.0	17.0	0.5	-100.0	-32.0	-1.0	910.0	140.0	9.0	270.0	-50.0
994	111	11	44.0	106.0	23.0	0.9	-100.0	-32.0	-1.0	800.0	120.0	10.0	290.0	-50.0
995	111	12	6.0	30.0	1.1	-0.1	1100.0	-5.0	3.2	360.0	19.0	2.0	5.0	-50.0
996	112	1	190.0	187.0	22.0	0.6	-100.0	-34.0	-1.0	820.0	190.0	9.0	218.0	-50.0
997	112	2	57.0	157.0	16.0	-0.2	-100.0	-32.0	-1.0	840.0	170.0	9.0	266.0	-50.0
998	112	3	64.0	165.0	29.0	0.6	-100.0	-34.0	-1.0	860.0	200.0	8.0	242.0	-50.0
999	112	4	280.0	148.0	24.0	-0.2	-100.0	-32.0	-1.0	850.0	170.0	9.0	239.0	-50.0
1000	112	5	26.0	108.0	14.0	0.6	-100.0	-31.0	-1.0	900.0	120.0	9.0	214.0	-50.0
1001	112	6	-20.0	163.0	17.0	0.5	-100.0	-31.0	-1.0	800.0	130.0	9.0	300.0	-50.0
1002	112	7	-2.0	70.0	-0.5	-0.1	1300.0	-5.0	5.7	300.0	32.0	-1.0	4.0	-50.0
1003	113	1	260.0	13.0	-10.0	0.5	-100.0	-29.0	-1.0	750.0	38.0	7.0	239.0	-50.0
1004	113	2	120.0	39.0	-11.0	0.5	-100.0	-33.0	-1.0	800.0	52.0	9.0	235.0	-50.0
1005	113	3	66.0	20.0	-6.4	0.4	-140.0	-24.0	-1.5	800.0	32.0	7.0	201.0	-50.0
1006	113	4	375.0	70.0	-6.7	0.6	-150.0	-26.0	-1.6	950.0	71.0	8.0	175.0	-50.0
1007	113	5	92.0	64.0	9.5	0.5	-150.0	-25.0	-1.6	790.0	66.0	8.0	213.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
1008	113	6	49.0	178.0	22.0	0.6	-150.0	-25.0	-1.7	760.0	180.0	10.0	178.0	-50.0
1009	113	7	64.0	124.0	11.0	0.5	-150.0	-25.0	-1.6	780.0	130.0	11.0	263.0	-50.0
1010	113	8	40.0	119.0	11.0	0.4	-150.0	-26.0	-1.6	750.0	94.0	11.0	325.0	-50.0
1011	113	9	50.0	89.0	21.0	1.0	-140.0	-25.0	-1.5	750.0	90.0	10.0	299.0	-50.0
1012	113	10	78.0	135.0	20.0	0.4	-150.0	-26.0	-1.7	840.0	130.0	6.0	224.0	-50.0
1013	113	11	-16.0	132.0	27.0	0.5	-140.0	-25.0	-1.5	810.0	130.0	8.0	248.0	-50.0
1014	113	12	-18.0	119.0	84.0	1.0	-170.0	-30.0	-1.8	1100.0	150.0	9.0	225.0	-100.0
1015	113	13	-2.0	32.0	1.2	-0.1	880.0	-5.0	2.0	340.0	22.0	-1.0	5.0	-50.0
1016	114	1	100.0	159.0	31.0	0.3	-150.0	-28.0	-1.7	940.0	180.0	4.0	188.0	-50.0
1017	114	2	60.0	166.0	35.0	0.6	-150.0	-27.0	-1.6	810.0	170.0	6.0	184.0	-50.0
1018	114	3	25.0	177.0	37.0	0.5	-150.0	-26.0	-1.6	910.0	180.0	6.0	178.0	-50.0
1019	114	4	339.0	196.0	26.0	-0.3	-160.0	-27.0	-1.7	750.0	200.0	7.0	195.0	-50.0
1020	114	5	130.0	181.0	34.0	1.2	-160.0	-28.0	-1.8	820.0	180.0	6.0	199.0	-50.0
1021	114	6	28.0	239.0	14.0	-0.2	-150.0	-26.0	-1.7	700.0	190.0	6.0	171.0	-50.0
1022	114	7	550.0	308.0	19.0	0.7	-160.0	-27.0	-1.7	710.0	330.0	7.0	174.0	-50.0
1023	114	8	33.0	136.0	21.0	0.4	-150.0	-27.0	-1.7	770.0	140.0	7.0	186.0	-50.0
1024	114	9	1490.0	35.0	9.3	0.9	-180.0	-30.0	-1.9	830.0	61.0	8.0	157.0	-110.0
1025	114	10	160.0	28.0	-8.6	0.5	-160.0	-31.0	-1.9	820.0	43.0	8.0	196.0	-110.0
1026	114	11	1390.0	34.0	-8.1	0.5	-170.0	-28.0	-1.8	850.0	57.0	8.0	159.0	-100.0
1027	114	12	1900.0	34.0	-9.0	0.7	-180.0	-32.0	2.5	910.0	65.0	8.0	145.0	-110.0
1028	114	13	347.0	45.0	-9.1	0.6	-180.0	-32.0	-2.0	910.0	53.0	8.0	143.0	-110.0
1029	114	14	3.0	36.0	1.1	0.1	620.0	-5.0	2.7	260.0	22.0	-1.0	3.0	-50.0
1030	114	15	-2.0	46.0	-0.5	-0.1	500.0	-5.0	3.4	280.0	26.0	2.0	4.0	-50.0
1031	115	1	150.0	168.0	31.0	0.5	-150.0	-26.0	-1.6	820.0	170.0	9.0	197.0	-50.0
1032	115	2	40.0	216.0	47.0	0.6	-150.0	28.0	-1.6	890.0	230.0	7.0	182.0	-50.0
1033	115	3	110.0	193.0	40.0	0.8	-140.0	-25.0	-1.5	790.0	230.0	8.0	161.0	-50.0
1034	115	4	120.0	134.0	27.0	0.5	-130.0	-27.0	-1.6	830.0	160.0	9.0	212.0	-50.0
1035	115	5	255.0	135.0	32.0	0.6	-130.0	-27.0	-1.6	930.0	150.0	7.0	209.0	-50.0
1036	115	6	30.0	124.0	22.0	0.4	-160.0	-29.0	-1.8	980.0	170.0	9.0	242.0	-100.0
1037	115	7	-24.0	154.0	27.0	0.8	-210.0	-37.0	-2.2	980.0	210.0	7.0	261.0	-120.0
1038	115	8	45.0	134.0	22.0	0.6	-150.0	-27.0	-1.5	850.0	150.0	8.0	245.0	-50.0
1039	115	9	43.0	128.0	22.0	0.4	-150.0	-27.0	-1.6	870.0	200.0	8.0	215.0	-50.0
1040	115	10	91.0	126.0	13.0	0.4	-160.0	-29.0	-1.7	860.0	170.0	7.0	241.0	-50.0
1041	115	11	639.0	152.0	34.0	0.6	-160.0	-29.0	-1.7	920.0	160.0	7.0	227.0	-50.0
1042	115	12	25.0	155.0	26.0	0.4	-140.0	-26.0	-1.6	860.0	160.0	7.0	168.0	-50.0
1043	115	13	-20.0	120.0	30.0	0.5	-170.0	-30.0	2.3	990.0	120.0	7.0	229.0	-50.0
1044	115	14	96.0	25.0	14.0	0.8	-220.0	-39.0	-2.3	1000.0	52.0	8.0	221.0	-130.0
1045	115	15	5360.0	198.0	16.0	0.5	-210.0	-37.0	-2.1	750.0	410.0	5.0	131.0	-130.0
1046	115	16	70.0	204.0	20.0	-0.4	-260.0	-45.0	-2.6	670.0	697.0	4.0	69.0	-160.0
1047	115	17	180.0	220.0	106.0	1.1	-170.0	-30.0	-1.7	770.0	180.0	4.0	151.0	-50.0
1048	115	18	-2.0	13.0	1.3	0.1	580.0	-5.0	0.9	300.0	17.0	-1.0	2.0	-50.0
1049	116	1	35.0	109.0	16.0	0.4	-120.0	-20.0	-1.4	660.0	110.0	7.0	223.0	-50.0
1050	116	2	44.0	106.0	17.0	0.4	-50.0	-13.0	-0.5	620.0	160.0	8.0	188.0	-50.0
1051	116	3	-11.0	191.0	40.0	0.4	-50.0	-16.0	-1.1	1100.0	200.0	10.0	241.0	-50.0
1052	116	4	53.0	145.0	19.0	0.4	-50.0	-16.0	-1.1	870.0	130.0	7.0	274.0	-50.0
1053	116	5	6.0	42.0	-0.5	-0.1	1300.0	-5.0	5.4	360.0	35.0	-1.0	6.0	-50.0
1054	117	1	398.0	206.0	38.0	0.7	-50.0	-16.0	-1.1	940.0	210.0	7.0	184.0	-50.0
1055	117	2	214.0	222.0	45.0	0.5	-120.0	-20.0	-1.4	930.0	210.0	7.0	192.0	-50.0
1056	117	3	36.0	175.0	27.0	0.6	-50.0	-14.0	-0.5	830.0	170.0	5.0	188.0	-50.0
1057	117	4	88.0	170.0	21.0	0.4	-50.0	-15.0	-0.5	820.0	160.0	7.0	167.0	-50.0
1058	117	5	-9.0	156.0	14.0	0.4	-50.0	-13.0	-0.5	800.0	140.0	6.0	192.0	-50.0
1059	117	6	-4.0	49.0	0.9	0.1	1300.0	-5.0	5.7	370.0	40.0	2.0	6.0	-50.0
1060	118	1	160.0	99.0	16.0	0.5	-50.0	-14.0	-0.5	750.0	120.0	8.0	265.0	-50.0
1061	118	2	209.0	113.0	15.0	0.4	-50.0	-13.0	-0.5	750.0	120.0	8.0	223.0	-50.0
1062	118	3	307.0	134.0	17.0	0.4	-50.0	-14.0	1.2	730.0	130.0	8.0	240.0	-50.0
1063	118	4	45.0	116.0	21.0	0.5	-50.0	-14.0	-0.5	800.0	130.0	10.0	267.0	-50.0

Recor	Hole	Saap	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
1064	118	5	66.0	145.0	17.0	0.5	-50.0	-13.0	-0.5	780.0	120.0	9.0	273.0	-50.0
1065	118	6	15.0	155.0	25.0	0.7	-50.0	-15.0	-0.5	850.0	150.0	8.0	242.0	-50.0
1066	118	7	130.0	134.0	22.0	0.6	-50.0	-14.0	-0.5	820.0	130.0	7.0	281.0	-50.0
1067	118	8	-2.0	54.0	-0.5	-0.1	770.0	-5.0	6.4	280.0	26.0	1.0	4.0	-50.0
1068	119	1	16.0	110.0	17.0	0.5	-50.0	-13.0	-0.5	730.0	120.0	9.0	226.0	-50.0
1069	119	2	-2.0	48.0	1.1	0.1	590.0	-5.0	4.3	330.0	33.0	2.0	4.0	-50.0
1070	120	1	190.0	113.0	42.0	1.0	-50.0	-13.0	-0.5	700.0	120.0	6.0	241.0	-50.0
1071	120	2	-2.0	48.0	-0.5	-0.1	720.0	-5.0	3.4	280.0	33.0	2.0	4.0	-50.0
1072	121	1	180.0	187.0	18.0	0.4	130.0	-14.0	-0.5	740.0	150.0	8.0	222.0	-50.0
1073	121	2	-2.0	72.0	-0.5	-0.1	1400.0	-5.0	7.5	390.0	39.0	2.0	4.0	-50.0
1074	122	1	381.0	134.0	16.0	0.6	-50.0	-15.0	1.4	640.0	130.0	7.0	229.0	-50.0
1075	122	2	21.0	132.0	23.0	0.4	-50.0	-14.0	-0.5	630.0	120.0	7.0	219.0	-50.0
1076	122	3	24900.0	160.0	36.0	0.4	-50.0	-16.0	-1.0	760.0	180.0	7.0	206.0	-50.0
1077	122	4	120.0	184.0	29.0	0.4	-50.0	-14.0	-0.5	790.0	190.0	6.0	195.0	-50.0
1078	122	5	30.0	118.0	12.0	0.4	-50.0	-13.0	0.9	690.0	110.0	9.0	255.0	-50.0
1079	122	6	71.0	125.0	16.0	0.8	-50.0	-12.0	-0.5	800.0	120.0	6.0	98.0	-50.0
1080	122	7	48.0	81.0	14.0	0.5	-50.0	-14.0	-0.5	700.0	85.0	8.0	294.0	-50.0
1081	122	8	22.0	93.0	7.8	0.4	-50.0	-13.0	-0.5	800.0	90.0	9.0	122.0	-50.0
1082	122	9	47.0	110.0	17.0	0.4	-50.0	-13.0	-0.5	720.0	110.0	7.0	223.0	-50.0
1083	122	10	-2.0	43.0	1.4	0.2	780.0	-5.0	4.3	360.0	32.0	-1.0	5.0	-50.0
1084	123	1	200.0	97.0	11.0	0.4	-50.0	-13.0	-0.5	730.0	110.0	8.0	210.0	-50.0
1085	123	2	120.0	96.0	8.5	0.3	-50.0	-13.0	-0.5	790.0	98.0	10.0	160.0	-50.0
1086	123	3	39.0	96.0	14.0	0.5	-50.0	-12.0	-0.5	640.0	95.0	11.0	300.0	-50.0
1087	123	4	19.0	98.0	10.0	0.3	-50.0	-14.0	-0.5	600.0	85.0	9.0	293.0	-50.0
1088	123	5	39.0	86.0	16.0	0.5	-50.0	-17.0	-1.0	750.0	100.0	9.0	296.0	-50.0
1089	123	6	95.0	32.0	5.3	0.4	-50.0	-15.0	-0.5	840.0	43.0	7.0	156.0	-50.0
1090	123	7	-2.0	45.0	-0.5	-0.1	560.0	-5.0	2.3	230.0	22.0	2.0	4.0	-50.0
1091	124	1	47.0	7.0	-4.8	0.5	-100.0	-17.0	-1.0	660.0	30.0	9.0	360.0	-50.0
1092	124	2	14.0	19.0	-4.8	0.4	-50.0	-17.0	-1.1	840.0	28.0	7.0	293.0	-50.0
1093	124	3	218.0	13.0	-4.3	0.4	-50.0	-16.0	1.8	820.0	40.0	9.0	270.0	-50.0
1094	124	4	34.0	11.0	-4.7	0.3	-50.0	-17.0	1.1	740.0	34.0	8.0	347.0	-50.0
1095	124	5	-10.0	9.0	-4.6	0.5	-50.0	-17.0	-1.0	590.0	33.0	6.0	369.0	-50.0
1096	124	6	100.0	52.0	12.0	0.5	-50.0	-19.0	-1.1	790.0	73.0	9.0	357.0	-50.0
1097	124	7	-19.0	56.0	-8.9	-0.3	-170.0	-30.0	-1.7	680.0	57.0	8.0	331.0	-50.0
1098	124	8	130.0	61.0	-8.0	0.4	-150.0	-27.0	-1.6	700.0	63.0	8.0	334.0	-50.0
1099	124	9	64.0	22.0	-8.1	0.4	-150.0	-28.0	-1.6	740.0	54.0	8.0	330.0	-50.0
1100	124	10	-19.0	69.0	-8.7	0.4	-160.0	-29.0	-1.7	750.0	69.0	7.0	362.0	-50.0
1101	124	11	58.0	70.0	9.3	0.4	-150.0	-27.0	1.7	710.0	77.0	8.0	397.0	-50.0
1102	124	12	93.0	51.0	11.0	-0.2	-140.0	-26.0	-1.4	690.0	63.0	9.0	357.0	-50.0
1103	124	13	52.0	65.0	19.0	0.6	-140.0	-25.0	-1.5	670.0	66.0	9.0	324.0	-50.0
1104	124	14	95.0	97.0	12.0	0.5	-150.0	-28.0	-1.6	820.0	88.0	7.0	325.0	-50.0
1105	124	15	31.0	64.0	-9.1	0.4	-170.0	-31.0	-1.8	780.0	90.0	9.0	228.0	-100.0
1106	124	16	997.0	99.0	30.0	0.8	-180.0	-33.0	-1.9	860.0	110.0	7.0	246.0	-110.0
1107	124	17	7.0	25.0	-0.5	-0.1	650.0	-5.0	0.7	400.0	25.0	-1.0	5.0	-50.0
1108	125	1	2210.0	113.0	23.0	0.7	-160.0	-31.0	2.3	870.0	120.0	10.0	275.0	-50.0
1109	125A	1	343.0	98.0	-10.0	0.3	-180.0	-34.0	-1.9	870.0	89.0	8.0	213.0	-110.0
1110	125A	2	929.0	9.0	-9.8	0.5	-170.0	-33.0	-1.9	1000.0	30.0	5.0	182.0	-110.0
1111	125A	3	140.0	9.0	-9.5	0.4	-170.0	-31.0	-1.9	1000.0	36.0	6.0	153.0	-100.0
1112	126	1	130.0	133.0	17.0	0.6	-160.0	-28.0	-1.7	860.0	140.0	7.0	209.0	-50.0
1113	126	2	82.0	141.0	27.0	0.5	-150.0	-28.0	-1.6	850.0	140.0	7.0	208.0	-50.0
1114	126	3	-18.0	190.0	17.0	-0.3	-170.0	-33.0	-1.9	970.0	160.0	7.0	221.0	-100.0
1115	126	4	100.0	132.0	21.0	0.4	-160.0	-29.0	-1.6	740.0	130.0	6.0	234.0	-50.0
1116	126	5	97.0	500.0	55.4	0.6	-170.0	-32.0	-1.8	660.0	290.0	8.0	146.0	-100.0
1117	126	6	5.0	36.0	1.6	0.1	640.0	-5.0	1.8	360.0	22.0	-1.0	4.0	-50.0
1118	127	1	50.0	37.0	-8.6	0.4	-150.0	-28.0	-1.6	740.0	54.0	7.0	218.0	-50.0
1119	127	2	100.0	16.0	-8.9	-0.3	-150.0	-29.0	-1.6	860.0	39.0	7.0	278.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
1120	127	3	38.0	13.0	-8.6	-0.3	-150.0	-28.0	-1.5	790.0	44.0	8.0	233.0	-50.0
1121	127	4	46.0	106.0	11.0	0.4	-140.0	-27.0	1.9	690.0	94.0	8.0	229.0	-50.0
1122	127	5	110.0	115.0	22.0	0.4	-150.0	-28.0	-1.6	810.0	94.0	5.0	209.0	-50.0
1123	127	6	31.0	108.0	26.0	0.5	-150.0	-29.0	-1.6	820.0	100.0	6.0	217.0	-50.0
1124	127	7	84.0	157.0	19.0	0.6	-150.0	-29.0	-1.6	810.0	120.0	9.0	226.0	-50.0
1125	127	8	51.0	98.0	10.0	-0.2	-140.0	-26.0	-1.5	720.0	83.0	9.0	244.0	-50.0
1126	127	9	190.0	128.0	13.0	0.9	-150.0	-30.0	-1.6	880.0	110.0	8.0	235.0	-50.0
1127	127	10	-18.0	118.0	-8.8	0.4	-150.0	-28.0	-1.5	810.0	94.0	7.0	228.0	-50.0
1128	127	11	89.0	111.0	-9.9	0.4	-160.0	-32.0	-1.7	770.0	89.0	9.0	246.0	-50.0
1129	127	12	25.0	123.0	15.0	-0.2	-150.0	-29.0	-1.6	860.0	100.0	7.0	236.0	-50.0
1130	127	13	-16.0	109.0	20.0	-0.2	-150.0	-29.0	-1.5	810.0	100.0	7.0	234.0	-50.0
1131	127	14	-20.0	111.0	14.0	0.5	-150.0	-31.0	1.9	860.0	110.0	6.0	262.0	-50.0
1132	127	15	-18.0	139.0	26.0	0.5	-130.0	-29.0	-1.6	820.0	130.0	7.0	167.0	-50.0
1133	127	16	150.0	130.0	22.0	1.1	-160.0	-32.0	-1.7	940.0	140.0	4.0	214.0	-50.0
1134	127	17	-17.0	136.0	17.0	-0.3	-150.0	-30.0	-1.6	840.0	140.0	7.0	201.0	-50.0
1135	127	18	274.0	171.0	22.0	0.5	-150.0	-29.0	-1.7	780.0	160.0	8.0	186.0	-50.0
1136	127	19	39.0	218.0	30.0	0.7	-160.0	-30.0	-1.6	770.0	220.0	7.0	175.0	-50.0
1137	127	20	110.0	140.0	38.0	0.6	-160.0	-31.0	-1.7	590.0	150.0	7.0	150.0	-50.0
1138	127	21	-2.0	21.0	2.6	0.2	580.0	-5.0	1.7	160.0	13.0	-1.0	4.0	-50.0
1139	128	1	485.0	185.0	23.0	-0.3	-180.0	-36.0	-1.9	740.0	180.0	9.0	190.0	-110.0
1140	128	2	56.0	148.0	17.0	0.4	-150.0	-28.0	-1.6	750.0	120.0	8.0	189.0	-50.0
1141	128	3	91.0	134.0	12.0	0.4	-120.0	-28.0	-1.5	680.0	120.0	7.0	204.0	-50.0
1142	128	4	345.0	108.0	15.0	-0.3	-150.0	-29.0	-1.6	750.0	110.0	7.0	257.0	-50.0
1143	128	5	-16.0	141.0	-8.5	0.4	-130.0	-26.0	-1.4	700.0	100.0	8.0	185.0	-50.0
1144	128	6	23.0	186.0	19.0	0.6	-130.0	-26.0	-1.4	750.0	140.0	7.0	209.0	-50.0
1145	128	7	-17.0	167.0	16.0	-0.2	-120.0	-27.0	-1.4	720.0	130.0	8.0	221.0	-50.0
1146	128	8	-15.0	119.0	11.0	0.6	-140.0	-27.0	-1.4	780.0	93.0	8.0	226.0	-50.0
1147	128	9	52.0	108.0	13.0	0.4	-130.0	-27.0	-1.4	690.0	99.0	8.0	219.0	-50.0
1148	128	10	75.0	149.0	24.0	0.6	-130.0	-26.0	-1.4	690.0	130.0	7.0	170.0	-50.0
1149	128	11	33.0	106.0	26.0	0.4	-140.0	-28.0	-1.5	870.0	130.0	9.0	190.0	-50.0
1150	128	12	120.0	97.0	47.0	0.6	-130.0	-27.0	-1.4	790.0	120.0	6.0	215.0	-50.0
1151	128	13	35.0	122.0	27.0	0.8	-130.0	-27.0	-1.4	790.0	140.0	7.0	185.0	-50.0
1152	128	14	110.0	35.0	-9.3	0.3	-120.0	-28.0	-1.5	860.0	44.0	9.0	270.0	-50.0
1153	128	15	33.0	51.0	12.0	-0.3	-160.0	-32.0	-1.7	860.0	65.0	9.0	272.0	-50.0
1154	128	16	71.0	197.0	36.0	0.4	-110.0	-27.0	-1.4	690.0	180.0	8.0	189.0	-50.0
1155	128	17	-2.0	33.0	6.8	0.1	770.0	-5.0	3.0	370.0	27.0	-1.0	4.0	-50.0
1156	129	1	100.0	140.0	14.0	-0.2	-140.0	-29.0	-1.5	780.0	130.0	6.0	213.0	-50.0
1157	129	2	214.0	210.0	14.0	-0.3	-130.0	-27.0	-1.4	690.0	170.0	9.0	190.0	-50.0
1158	129	3	120.0	94.0	36.0	0.6	-140.0	-28.0	-1.4	890.0	120.0	7.0	218.0	-50.0
1159	129	4	439.0	93.0	25.0	0.5	-140.0	-29.0	-1.5	850.0	100.0	7.0	182.0	-50.0
1160	129	5	160.0	79.0	28.0	-0.3	-160.0	-33.0	-1.7	830.0	87.0	5.0	254.0	-50.0
1161	129	6	47.0	87.0	12.0	1.1	-170.0	-34.0	-1.7	900.0	100.0	7.0	248.0	-50.0
1162	129	7	52.0	92.0	18.0	0.4	-150.0	-31.0	-1.6	860.0	120.0	6.0	227.0	-50.0
1163	129	8	270.0	52.0	14.0	0.7	-140.0	-29.0	-1.5	850.0	51.0	7.0	170.0	-50.0
1164	129	9	57.0	75.0	21.0	0.4	-120.0	-25.0	-1.3	750.0	75.0	6.0	122.0	-50.0
1165	129	10	284.0	154.0	154.0	0.9	-170.0	-33.0	2.3	850.0	200.0	7.0	202.0	-50.0
1166	129	11	6.0	30.0	2.9	0.2	590.0	-5.0	2.4	340.0	26.0	-1.0	4.0	-50.0
1167	130	1	594.0	173.0	19.0	0.4	-150.0	-30.0	-1.6	920.0	180.0	9.0	166.0	-50.0
1168	130	2	-19.0	149.0	15.0	0.5	-140.0	-30.0	-1.5	820.0	130.0	9.0	217.0	-50.0
1169	130	3	534.0	149.0	16.0	-0.3	-150.0	-31.0	-1.5	810.0	120.0	8.0	238.0	-50.0
1170	130	4	43.0	133.0	12.0	-0.3	-140.0	-29.0	-1.5	760.0	120.0	8.0	219.0	-50.0
1171	130	5	52.0	99.0	26.0	-0.3	-170.0	-36.0	-1.8	850.0	110.0	5.0	247.0	-100.0
1172	130	6	-17.0	82.0	12.0	0.8	-140.0	-29.0	-1.5	670.0	71.0	9.0	230.0	-50.0
1173	130	7	53.0	56.0	-10.0	1.1	-140.0	-29.0	-1.5	740.0	65.0	9.0	265.0	-50.0
1174	130	8	54.0	73.0	17.0	0.4	-130.0	-27.0	-1.4	730.0	56.0	6.0	207.0	-50.0
1175	130	9	110.0	190.0	49.0	0.7	200.0	-30.0	-1.5	740.0	140.0	7.0	196.0	-50.0

Recor	Hole	Samp	Au	Cu	As	Sb	Ba	Cd	Cs	Cr	Co	Eu	Hf	Ir
1176	130	10	94.0	188.0	77.4	0.5	-140.0	-29.0	-1.5	770.0	200.0	7.0	198.0	-50.0
1177	130	11	-2.0	43.0	0.9	-0.1	680.0	-5.0	2.0	240.0	30.0	-1.0	4.0	-50.0
1178	131	1	537.0	9.0	-12.0	-0.3	-160.0	-33.0	-1.7	950.0	40.0	9.0	188.0	-50.0
1179	131	2	-21.0	38.0	-12.0	0.7	-170.0	-34.0	-1.7	790.0	65.0	13.0	228.0	-50.0
1180	131	3	61.0	68.0	-12.0	0.3	-170.0	-35.0	-1.7	840.0	63.0	12.0	251.0	-50.0
1181	131	4	58.0	132.0	-13.0	0.6	-170.0	-38.0	-1.8	620.0	57.0	10.0	180.0	-100.0
1182	131	5	50.0	42.0	-10.0	0.6	-120.0	-30.0	-1.4	700.0	47.0	8.0	212.0	-50.0
1183	131	6	-40.0	37.0	-22.0	-0.6	-300.0	-65.0	-3.8	780.0	65.0	9.0	246.0	-180.0
1184	131	7	-19.0	78.0	62.0	1.0	-160.0	-34.0	-1.6	900.0	110.0	7.0	339.0	-50.0
1185	131	8	-2.0	100.0	-0.5	-0.1	280.0	-5.0	2.4	210.0	54.0	-1.0	2.0	-50.0
1186	131	9	-5.0	46.0	-0.5	-0.1	240.0	-5.0	3.0	240.0	140.0	-1.0	5.0	-50.0
1187	132	1	27.0	21.0	-9.1	0.4	-120.0	-26.0	1.4	890.0	39.0	12.0	235.0	-50.0
1188	132	2	378.0	85.0	-8.4	0.5	-110.0	-24.0	-1.1	870.0	71.0	9.0	257.0	-50.0
1189	132	3	160.0	72.0	-12.0	-0.3	-150.0	-32.0	-1.6	810.0	66.0	9.0	270.0	-50.0
1190	132	4	66.0	91.0	-12.0	-0.3	-150.0	-33.0	-1.6	810.0	91.0	9.0	257.0	-50.0
1191	132	5	1420.0	76.0	15.0	0.4	-140.0	-33.0	-1.6	830.0	81.0	10.0	259.0	-50.0
1192	132	6	39.0	82.0	13.0	0.5	-150.0	-33.0	-1.6	920.0	65.0	10.0	249.0	-50.0
1193	132	7	59.0	66.0	-12.0	-0.3	-150.0	-32.0	-1.6	780.0	76.0	9.0	216.0	-50.0
1194	132	8	-2.0	42.0	-0.5	-0.1	160.0	-5.0	1.2	140.0	34.0	1.0	5.0	-50.0
1195	132	9	-2.0	53.0	1.0	-0.1	110.0	-5.0	1.4	110.0	62.0	-1.0	6.0	-50.0
1196	133	1	120.0	94.0	10.0	0.5	-50.0	-20.0	-0.5	780.0	110.0	14.0	211.0	-50.0
1197	133	2	-2.0	70.0	-0.5	-0.1	-50.0	-5.0	0.9	270.0	49.0	-1.0	4.0	-50.0



Recor	Hole	Samp	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
1	1	1	16.0	291.0	-1.0	-20.0	10.0	68.0	-16.0	-2.0	31.0	7.4	137.0	30.0
2	1	2	18.0	311.0	3.0	41.0	12.0	78.6	-5.0	-2.0	18.0	7.3	140.0	23.0
3	1	3	20.4	333.0	3.0	76.0	10.0	85.3	-13.0	-2.0	23.0	8.0	141.0	17.0
4	1	4	20.0	302.0	5.0	42.0	7.0	82.0	-5.0	-2.0	18.0	7.3	120.0	11.0
5	1	5	21.2	253.0	10.0	160.0	13.0	77.9	-5.0	-2.0	15.0	6.1	94.9	8.0
6	1	6	22.6	310.0	19.0	95.0	12.0	74.9	-5.0	-2.0	15.0	6.6	144.0	12.0
7	1	7	21.2	342.0	8.0	67.0	-5.0	80.0	-5.0	-2.0	15.0	7.5	153.0	7.0
8	1	8	21.5	384.0	6.0	160.0	15.0	82.1	-5.0	-2.0	17.0	8.1	181.0	-4.0
9	1	9	20.0	294.0	10.0	110.0	-5.0	76.2	-5.0	-2.0	14.0	6.5	123.0	10.0
10	1	10	4.6	22.0	1.0	70.0	99.0	13.0	-5.0	-2.0	0.8	-0.5	6.8	1.0
11	2	1	18.0	309.0	3.0	34.0	8.0	79.2	-5.0	-2.0	20.0	7.7	122.0	8.0
12	2	2	20.0	295.0	1.0	78.0	10.0	77.0	-10.0	-2.0	21.0	7.1	116.0	11.0
13	2	3	20.5	313.0	4.0	94.0	10.0	74.8	-10.0	-2.0	21.0	7.4	134.0	22.0
14	2	4	21.5	365.0	30.0	97.0	-5.0	73.2	-12.0	-2.0	24.0	7.3	167.0	22.0
15	2	5	17.0	260.0	7.0	63.0	-5.0	75.2	-5.0	-2.0	16.0	7.0	93.0	6.0
16	2	6	20.3	310.0	4.0	110.0	10.0	74.7	-12.0	-2.0	22.0	7.0	141.0	17.0
17	2	7	21.4	334.0	4.0	93.0	-5.0	76.7	-5.0	-2.0	15.0	7.0	147.0	6.0
18	2	8	28.0	399.0	6.0	140.0	15.0	82.3	-5.0	-2.0	15.0	8.3	195.0	-5.0
19	2	9	24.5	382.0	5.0	150.0	9.0	80.1	-10.0	-2.0	18.0	7.6	182.0	18.0
20	2	10	26.2	431.0	5.0	150.0	12.0	90.1	-11.0	-2.0	19.0	8.6	199.0	-5.0
21	2	11	4.6	29.0	3.0	83.0	97.0	14.0	-5.0	-2.0	0.6	0.5	6.1	1.0
22	3	1	20.0	388.0	1.0	-20.0	-5.0	73.8	-15.0	-2.0	29.0	9.4	201.0	65.0
23	3	2	20.8	408.0	4.0	-20.0	-5.0	81.9	-14.0	-2.0	26.0	9.3	197.0	24.0
24	3	3	20.0	381.0	4.0	24.0	13.0	79.2	-13.0	-2.0	24.0	9.0	178.0	15.0
25	3	4	22.3	352.0	5.0	110.0	13.0	76.4	-16.0	-2.0	29.0	7.8	156.0	17.0
26	3	5	20.0	316.0	3.0	64.0	-5.0	72.0	-10.0	-2.0	19.0	7.6	148.0	17.0
27	3	6	22.4	296.0	4.0	390.0	-5.0	62.0	-14.0	-2.0	25.0	7.1	151.0	18.0
28	3	7	21.5	295.0	6.0	210.0	15.0	74.0	-11.0	-2.0	20.0	7.4	120.0	16.0
29	3	8	4.7	30.0	2.0	70.0	110.0	15.0	-5.0	-2.0	0.7	0.6	7.9	2.0
30	4	1	25.5	443.0	7.0	140.0	9.0	75.0	-16.0	-2.0	29.0	8.2	235.0	42.0
31	4	2	22.2	682.0	2.0	63.0	-11.0	79.4	-25.0	-4.0	45.0	10.0	368.0	18.0
32	4	3	24.6	818.0	3.0	120.0	-12.0	79.1	-27.0	-5.0	48.0	12.0	441.0	23.0
33	4	4	20.5	731.0	2.0	45.0	19.0	77.0	-21.0	-4.0	37.0	11.0	427.0	24.0
34	4	5	5.3	30.0	1.0	99.0	100.0	16.0	-5.0	-2.0	0.6	0.6	7.1	4.0
35	5	1	22.8	340.0	5.0	100.0	-5.0	79.2	-11.0	-2.0	22.0	7.0	157.0	14.0
36	5	2	23.2	327.0	5.0	110.0	-5.0	76.0	-11.0	-2.0	19.0	6.8	155.0	55.0
37	5	3	20.2	342.0	4.0	85.0	-5.0	74.9	-15.0	-2.0	26.0	7.1	145.0	11.0
38	5	4	20.0	301.0	5.0	110.0	11.0	67.5	-5.0	-2.0	19.0	6.7	129.0	16.0
39	5	5	21.1	281.0	7.0	130.0	10.0	70.9	-14.0	-2.0	26.0	6.4	121.0	7.0
40	5	6	20.0	306.0	5.0	91.0	-5.0	80.2	-10.0	-2.0	19.0	7.9	117.0	10.0
41	5	7	5.0	22.0	2.0	72.0	110.0	16.0	-5.0	-2.0	0.7	-0.5	7.9	1.0
42	6	1	24.2	349.0	5.0	160.0	12.0	62.1	-11.0	-2.0	21.0	6.4	155.0	13.0
43	6	2	22.7	274.0	6.0	220.0	11.0	58.4	-10.0	-2.0	19.0	5.5	128.0	44.0
44	6	3	5.4	29.0	2.0	77.0	80.0	19.0	-5.0	-2.0	-0.5	0.6	7.2	-1.0
45	7	1	17.0	374.0	3.0	-20.0	15.0	74.5	-12.0	-2.0	24.0	7.9	151.0	18.0
46	7	2	19.0	416.0	2.0	24.0	-5.0	80.7	-5.0	-2.0	20.0	8.4	177.0	19.0
47	7	3	20.9	385.0	4.0	72.0	-5.0	76.6	-12.0	-2.0	24.0	8.3	171.0	20.0
48	7	4	20.1	336.0	3.0	96.0	12.0	68.6	-13.0	-2.0	21.0	6.7	149.0	8.0
49	7	5	23.4	369.0	4.0	160.0	-5.0	71.3	-13.0	-2.0	23.0	7.6	169.0	23.0
50	7	6	22.1	201.0	7.0	290.0	-5.0	57.9	-11.0	-2.0	20.0	5.0	91.3	45.0
51	7	7	21.7	275.0	9.0	170.0	8.0	62.3	-5.0	-2.0	14.0	6.0	112.0	20.0
52	7	8	4.6	30.0	2.0	65.0	97.0	14.0	-5.0	-2.0	0.5	0.6	6.9	2.0
53	8	1	18.0	379.0	3.0	88.0	10.0	78.4	-5.0	-2.0	18.0	8.4	164.0	7.0
54	8	2	19.0	332.0	3.0	280.0	-5.0	74.0	-5.0	-2.0	17.0	7.6	142.0	5.0
55	8	3	4.9	31.0	3.0	88.0	84.0	16.0	-5.0	-2.0	0.5	-0.5	9.4	1.0
56	9	1	20.6	328.0	2.0	90.0	9.0	72.9	-5.0	-2.0	18.0	7.1	139.0	12.0

Recor	Hole	Samp	Fe%	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
57	9	2	21.5	355.0	-1.0	110.0	-5.0	77.0	-14.0	-2.0	26.0	7.6	147.0	36.0
58	9	3	19.0	341.0	4.0	79.0	7.0	73.0	-10.0	-2.0	19.0	7.1	140.0	173.0
59	9	4	19.0	322.0	2.0	78.0	-5.0	70.2	-5.0	-2.0	18.0	6.9	133.0	32.0
60	9	5	19.0	286.0	4.0	98.0	8.0	71.2	-5.0	-2.0	17.0	6.6	119.0	23.0
61	9	6	20.0	289.0	3.0	100.0	10.0	73.0	-5.0	-2.0	17.0	6.3	126.0	11.0
62	9	7	21.2	292.0	3.0	110.0	9.0	73.3	-5.0	-2.0	16.0	6.7	138.0	18.0
63	9	8	21.3	346.0	34.0	87.0	8.0	75.3	-11.0	-2.0	21.0	7.2	148.0	26.0
64	9	9	21.9	325.0	3.0	100.0	10.0	71.2	-5.0	-2.0	18.0	6.9	138.0	26.0
65	9	10	18.0	289.0	5.0	89.0	10.0	70.9	-22.0	-2.0	40.0	6.2	107.0	9.0
66	9	11	5.3	31.0	2.0	84.0	65.0	16.0	-5.0	-2.0	-0.5	0.5	7.5	-1.0
67	10	1	21.7	372.0	2.0	86.0	-5.0	75.4	-18.0	-2.0	34.0	8.1	175.0	8.0
68	10	2	22.9	393.0	1.0	120.0	-17.0	75.1	-22.0	-7.0	36.0	9.1	203.0	104.0
69	10	3	21.8	373.0	2.0	78.0	-15.0	76.3	-12.0	-6.0	18.0	8.3	179.0	17.0
70	10	4	22.5	437.0	2.0	77.0	-15.0	81.1	-15.0	-6.0	25.0	9.3	205.0	20.0
71	10	5	4.9	57.0	5.0	160.0	52.0	14.0	-5.0	-2.0	0.5	0.9	6.5	1.0
72	11	1	23.4	418.0	3.0	120.0	-15.0	77.6	-15.0	-6.0	23.0	8.4	209.0	10.0
73	11	2	5.4	33.0	2.0	96.0	110.0	17.0	-5.0	-2.0	0.7	0.6	7.6	1.0
74	12	1	24.5	374.0	3.0	70.0	-15.0	74.4	-23.0	-6.0	41.0	8.1	186.0	10.0
75	12	2	21.9	388.0	-2.0	140.0	-13.0	73.0	-14.0	-5.0	22.0	7.8	190.0	8.0
76	12	3	22.9	395.0	-1.0	98.0	-13.0	77.7	-15.0	-5.0	24.0	8.3	180.0	17.0
77	12	4	20.9	354.0	-1.0	80.0	19.0	79.4	-12.0	-5.0	19.0	7.7	157.0	15.0
78	12	5	23.5	430.0	-1.0	67.0	-15.0	84.8	-14.0	-6.0	21.0	9.4	212.0	15.0
79	12	6	23.9	471.0	3.0	110.0	-16.0	85.1	-16.0	-6.0	26.0	9.4	225.0	19.0
80	12	7	22.0	423.0	4.0	65.0	-15.0	87.7	-14.0	-6.0	22.0	8.7	189.0	-8.0
81	12	8	21.0	329.0	1.0	93.0	-12.0	77.6	-12.0	-5.0	19.0	7.4	138.0	10.0
82	12	9	25.2	617.0	-1.0	45.0	-23.0	85.2	-18.0	-6.0	36.0	10.0	323.0	-8.0
83	12	10	23.9	518.0	4.0	80.0	-14.0	87.1	-13.0	-6.0	21.0	10.0	254.0	9.0
84	12	11	17.0	470.0	2.0	74.0	16.0	70.5	-11.0	-5.0	16.0	9.0	210.0	10.0
85	12	12	27.0	751.0	-3.0	42.0	-19.0	91.2	-39.0	-7.0	78.4	12.0	421.0	23.0
86	12	13	24.3	761.0	-3.0	58.0	-18.0	94.5	-40.0	-7.0	73.9	13.0	419.0	15.0
87	12	14	25.9	818.0	-4.0	-39.0	-22.0	100.0	-64.0	-9.0	119.0	13.0	509.0	22.0
88	12	15	28.5	1260.0	-4.0	-41.0	-24.0	98.9	-35.0	-9.0	65.5	18.0	768.0	77.0
89	12	16	24.6	976.0	-4.0	-34.0	-20.0	88.1	-30.0	-8.0	55.3	15.0	601.0	123.0
90	12	17	24.0	820.0	24.0	60.0	26.0	101.0	-35.0	-8.0	67.9	14.0	466.0	20.0
91	12	18	24.6	513.0	-3.0	43.0	-15.0	103.0	-13.0	-6.0	19.0	9.1	274.0	-9.0
92	12	19	25.7	472.0	-3.0	76.0	-21.0	120.0	-19.0	-9.0	24.0	10.0	248.0	-14.0
93	12	20	4.8	21.0	1.0	44.0	70.0	15.0	-5.0	-2.0	-0.5	-0.5	3.2	-1.0
94	13	1	22.2	485.0	2.0	140.0	-16.0	88.9	-17.0	-6.0	27.0	10.0	258.0	23.0
95	13	2	23.8	456.0	3.0	110.0	-17.0	96.4	-17.0	-7.0	26.0	10.0	218.0	-10.0
96	13	3	23.8	403.0	1.0	140.0	22.0	88.0	-28.0	-7.0	49.0	10.0	192.0	36.0
97	13	4	4.7	31.0	3.0	79.0	87.0	16.0	-5.0	-2.0	0.6	-0.5	6.6	-1.0
98	14	1	23.5	480.0	-1.0	84.0	-15.0	90.1	-21.0	-6.0	36.0	10.0	236.0	14.0
99	14	2	22.3	455.0	-1.0	130.0	-15.0	89.1	-16.0	-6.0	26.0	10.0	216.0	11.0
100	14	3	4.9	30.0	3.0	71.0	75.0	14.0	-5.0	-2.0	0.6	0.7	7.3	2.0
101	15	1	24.9	382.0	-1.0	150.0	18.0	89.1	-13.0	-6.0	21.0	8.1	172.0	22.0
102	15	2	5.0	36.0	2.0	89.0	130.0	18.0	-5.0	-2.0	-0.5	0.9	7.3	2.0
103	16	1	21.5	433.0	-1.0	92.0	-13.0	90.9	-13.0	-5.0	25.0	9.4	193.0	-8.0
104	16	2	20.5	464.0	1.0	66.0	-14.0	93.6	-13.0	-6.0	22.0	10.0	205.0	-9.0
105	16	3	20.5	480.0	-1.0	80.0	-14.0	92.4	-13.0	-6.0	24.0	9.2	215.0	-9.0
106	16	4	24.7	489.0	-1.0	87.0	-16.0	97.1	-16.0	-6.0	25.0	10.0	220.0	10.0
107	16	5	21.6	412.0	-2.0	120.0	-13.0	88.3	-14.0	-5.0	27.0	8.4	190.0	33.0
108	16	6	23.0	597.0	-3.0	65.0	-14.0	100.0	-11.0	-6.0	19.0	10.0	240.0	21.0
109	16	7	3.8	24.0	1.0	74.0	80.0	11.0	-5.0	-2.0	-0.5	-0.5	6.9	-1.0
110	17	1	20.9	382.0	3.0	66.0	-15.0	99.4	-15.0	-7.0	22.0	9.1	163.0	13.0
111	17	2	21.6	343.0	-1.0	42.0	18.0	90.2	-13.0	-5.0	21.0	7.9	144.0	14.0
112	17	3	24.1	409.0	-1.0	29.0	-15.0	94.5	-16.0	-6.0	27.0	9.0	184.0	22.0

Recor	Hole	Samp	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
113	17	4	20.4	329.0	3.0	85.0	-13.0	71.0	-15.0	-5.0	24.0	8.0	168.0	15.0
114	17	5	20.0	288.0	1.0	62.0	-11.0	72.1	-11.0	-5.0	19.0	7.8	129.0	16.0
115	17	6	21.7	354.0	4.0	110.0	-15.0	75.2	-15.0	-6.0	22.0	8.5	165.0	43.0
116	17	7	19.0	340.0	3.0	87.0	-14.0	71.6	-21.0	-6.0	37.0	7.5	159.0	37.0
117	17	8	21.4	372.0	6.0	95.0	-14.0	79.7	-15.0	-6.0	24.0	8.4	164.0	38.0
118	17	9	20.0	332.0	3.0	78.0	-12.0	74.3	-13.0	-5.0	21.0	6.9	148.0	32.0
119	17	10	23.6	364.0	4.0	120.0	-15.0	88.7	-15.0	-6.0	23.0	8.2	163.0	32.0
120	17	11	23.4	416.0	7.0	110.0	-14.0	80.2	-16.0	-6.0	25.0	8.6	186.0	53.0
121	17	12	22.9	395.0	5.0	82.0	-14.0	81.7	-13.0	-6.0	19.0	8.1	172.0	35.0
122	17	13	21.7	393.0	8.0	73.0	-14.0	81.8	-14.0	-6.0	24.0	8.4	169.0	44.0
123	17	14	24.2	422.0	7.0	94.0	-13.0	80.3	-13.0	-5.0	20.0	7.2	198.0	24.0
124	17	15	27.3	240.0	3.0	160.0	14.0	63.1	-5.0	-5.0	10.0	5.1	107.0	27.0
125	17	16	26.7	363.0	6.0	130.0	-14.0	89.1	-13.0	-6.0	19.0	7.2	174.0	48.0
126	17	17	23.4	512.0	4.0	61.0	-17.0	91.3	-15.0	-7.0	24.0	9.2	254.0	54.0
127	17	18	24.2	501.0	2.0	92.0	-15.0	91.6	-16.0	-6.0	26.0	9.4	251.0	40.0
128	17	19	22.9	556.0	6.0	39.0	-20.0	91.8	-17.0	-8.0	24.0	9.1	264.0	21.0
129	17	20	21.7	465.0	2.0	160.0	-16.0	81.4	-12.0	-6.0	19.0	8.6	219.0	36.0
130	17	21	3.9	22.0	3.0	74.0	62.0	12.0	-5.0	-2.0	-0.5	0.5	6.6	1.0
131	18	1	26.3	421.0	8.0	160.0	-17.0	81.8	-20.0	-6.0	31.0	8.3	202.0	88.0
132	18	2	25.2	438.0	3.0	150.0	-18.0	92.8	-16.0	-7.0	26.0	10.0	201.0	155.0
133	18	3	22.8	470.0	2.0	88.0	19.0	86.1	-15.0	-6.0	23.0	9.4	217.0	21.0
134	18	4	22.7	886.0	-1.0	-35.0	-20.0	93.5	-23.0	-8.0	40.0	13.0	482.0	38.0
135	18	5	21.0	546.0	3.0	290.0	-18.0	70.2	-22.0	-7.0	39.0	9.1	317.0	118.0
136	18	6	4.4	49.0	2.0	45.0	88.0	13.0	-5.0	-2.0	0.5	-0.5	6.8	-1.0
137	19	1	24.9	443.0	-1.0	150.0	-19.0	80.8	-25.0	-8.0	40.0	9.0	220.0	38.0
138	19	2	24.4	436.0	2.0	150.0	-16.0	79.2	-20.0	-6.0	32.0	8.3	209.0	29.0
139	19	3	23.9	348.0	9.0	170.0	-15.0	77.7	-15.0	-6.0	23.0	7.2	152.0	41.0
140	19	4	20.6	558.0	2.0	-27.0	-15.0	92.8	-14.0	-6.0	22.0	10.0	267.0	30.0
141	19	5	20.5	458.0	3.0	37.0	-13.0	88.7	-12.0	-6.0	19.0	9.0	221.0	26.0
142	19	6	22.1	480.0	-1.0	77.0	-14.0	89.3	-14.0	-6.0	21.0	8.3	235.0	28.0
143	19	7	5.3	29.0	2.0	86.0	92.0	19.0	-5.0	-2.0	0.6	0.8	7.3	2.0
144	20	1	23.2	369.0	6.0	130.0	19.0	81.4	-13.0	-5.0	23.0	7.3	156.0	32.0
145	20	2	23.6	368.0	6.0	160.0	-14.0	83.6	-18.0	-6.0	31.0	8.6	153.0	37.0
146	20	3	22.1	366.0	7.0	45.0	-12.0	84.2	-13.0	-5.0	22.0	8.2	161.0	76.0
147	20	4	22.8	426.0	-1.0	59.0	-14.0	91.7	-15.0	-6.0	25.0	8.7	296.0	42.0
148	20	5	27.0	482.0	5.0	110.0	-14.0	95.4	-16.0	-6.0	29.0	9.0	228.0	44.0
149	20	6	21.3	411.0	-1.0	110.0	14.0	80.4	-15.0	-5.0	25.0	8.2	185.0	33.0
150	20	7	22.9	416.0	1.0	88.0	-13.0	81.3	-17.0	-5.0	31.0	8.3	191.0	26.0
151	20	8	20.7	362.0	5.0	80.0	19.0	78.6	-13.0	-6.0	21.0	8.1	158.0	34.0
152	20	9	21.3	413.0	-1.0	70.0	-14.0	88.9	-14.0	-6.0	24.0	8.3	172.0	35.0
153	20	10	19.0	334.0	5.0	46.0	-14.0	80.3	-14.0	-6.0	20.0	7.6	135.0	16.0
154	20	11	22.5	425.0	5.0	71.0	-15.0	84.7	-15.0	-6.0	25.0	8.2	193.0	67.0
155	20	12	21.5	587.0	4.0	33.0	19.0	93.8	-12.0	-6.0	16.0	10.0	291.0	-13.0
156	20	13	19.0	546.0	-1.0	42.0	-14.0	81.0	-13.0	-6.0	20.0	10.0	288.0	24.0
157	20	14	17.0	435.0	2.0	68.0	-12.0	79.1	-10.0	-5.0	13.0	9.3	183.0	14.0
158	20	15	20.8	495.0	-3.0	-27.0	-15.0	81.0	-12.0	-6.0	17.0	8.7	252.0	25.0
159	20	16	4.4	28.0	2.0	50.0	63.0	13.0	-5.0	-2.0	0.6	0.5	6.5	-1.0
160	21	1	16.0	438.0	2.0	33.0	-14.0	77.5	-14.0	-6.0	20.0	11.0	206.0	17.0
161	21	2	17.0	451.0	2.0	40.0	-13.0	81.2	-13.0	-5.0	22.0	10.0	210.0	23.0
162	21	3	18.0	378.0	4.0	100.0	-14.0	79.7	-13.0	-6.0	18.0	8.6	168.0	42.0
163	21	4	19.0	345.0	5.0	90.0	-14.0	84.2	-16.0	-6.0	25.0	8.0	138.0	44.0
164	21	5	20.0	363.0	6.0	72.0	18.0	84.5	-14.0	-6.0	24.0	8.1	156.0	46.0
165	21	6	19.0	346.0	5.0	92.0	-13.0	84.6	-12.0	-5.0	20.0	8.0	142.0	24.0
166	21	7	19.0	311.0	8.0	110.0	-17.0	80.5	-13.0	-7.0	18.0	7.4	131.0	36.0
167	21	8	17.0	283.0	3.0	44.0	-13.0	80.9	-11.0	-5.0	15.0	6.6	115.0	17.0
168	21	9	19.0	376.0	5.0	51.0	-13.0	82.1	-13.0	-5.0	21.0	8.1	159.0	30.0

Recor	Hole	Samp	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
169	21	10	20.0	377.0	4.0	67.0	-13.0	80.5	-13.0	-5.0	21.0	7.9	165.0	36.0
170	21	11	21.5	436.0	5.0	100.0	-15.0	85.0	-16.0	-6.0	27.0	9.5	202.0	27.0
171	21	12	23.7	503.0	6.0	65.0	-19.0	96.0	-19.0	-8.0	31.0	12.0	236.0	47.0
172	21	13	20.8	419.0	4.0	72.0	-15.0	85.8	-14.0	-6.0	22.0	9.0	176.0	89.0
173	21	14	20.3	617.0	6.0	-32.0	-18.0	95.2	-14.0	-7.0	17.0	11.0	282.0	33.0
174	21	15	24.8	766.0	2.0	-32.0	-18.0	102.0	-17.0	-7.0	31.0	12.0	393.0	53.0
175	21	16	20.2	1290.0	-4.0	-41.0	-25.0	88.0	-19.0	-9.0	23.0	23.0	784.0	32.0
176	21	17	22.3	658.0	3.0	-32.0	-18.0	113.0	-18.0	-7.0	30.0	12.0	336.0	29.0
177	21	18	5.1	150.0	2.0	57.0	34.0	14.0	-5.0	-2.0	-0.5	1.3	4.6	2.0
178	22	1	20.3	568.0	-1.0	49.0	-17.0	93.4	-15.0	-7.0	-25.0	11.0	270.0	29.0
179	22	2	19.0	600.0	6.0	-32.0	-18.0	87.5	-17.0	-7.0	26.0	12.0	294.0	28.0
180	22	3	17.0	464.0	-1.0	48.0	22.0	71.7	-27.0	-7.0	45.0	9.2	240.0	25.0
181	22	4	18.0	364.0	5.0	70.0	-14.0	82.1	-13.0	-6.0	21.0	9.1	147.0	22.0
182	22	5	4.7	31.0	1.0	68.0	85.0	15.0	-5.0	-2.0	0.6	0.8	7.0	2.0
183	23	1	20.0	393.0	6.0	83.0	18.0	79.3	-15.0	-6.0	21.0	8.0	173.0	33.0
184	23	2	21.2	356.0	4.0	84.0	-13.0	83.4	-13.0	-6.0	21.0	7.7	157.0	34.0
185	23	3	23.0	355.0	7.0	160.0	-15.0	83.3	-15.0	-6.0	20.0	8.2	158.0	39.0
186	23	4	22.6	390.0	4.0	110.0	-15.0	82.8	-18.0	-6.0	30.0	8.1	175.0	45.0
187	23	5	22.5	330.0	5.0	130.0	-15.0	80.8	-16.0	-6.0	24.0	7.5	142.0	46.0
188	23	6	21.6	328.0	6.0	98.0	-14.0	83.9	-15.0	-6.0	24.0	7.5	132.0	31.0
189	23	7	24.5	361.0	5.0	120.0	-18.0	86.6	-35.0	-7.0	60.3	8.5	156.0	44.0
190	23	8	23.2	332.0	7.0	140.0	-16.0	84.7	-16.0	-6.0	25.0	6.9	141.0	42.0
191	23	9	24.9	343.0	11.0	150.0	-15.0	82.6	-17.0	-6.0	28.0	7.8	152.0	49.0
192	23	10	24.3	416.0	4.0	120.0	-16.0	88.9	-14.0	-6.0	21.0	8.4	196.0	34.0
193	23	11	25.7	513.0	4.0	120.0	-17.0	92.2	-13.0	-7.0	18.0	10.0	240.0	41.0
194	23	12	20.9	597.0	7.0	110.0	-17.0	75.8	-20.0	-6.0	32.0	10.0	257.0	41.0
195	23	13	5.5	33.0	2.0	80.0	68.0	17.0	-5.0	-2.0	-0.5	-0.5	6.5	2.0
196	24	1	20.7	261.0	3.0	46.0	-12.0	93.0	-5.0	-5.0	13.0	6.4	112.0	30.0
197	24	2	20.8	431.0	6.0	-31.0	-16.0	93.4	-17.0	-7.0	24.0	9.3	188.0	30.0
198	24	3	20.0	448.0	6.0	41.0	-14.0	91.4	-17.0	-6.0	28.0	9.1	194.0	32.0
199	24	4	22.7	475.0	4.0	47.0	-16.0	96.8	-16.0	-7.0	24.0	10.0	219.0	29.0
200	24	5	22.3	421.0	3.0	100.0	21.0	90.4	-15.0	-6.0	26.0	9.1	193.0	31.0
201	24	6	22.1	407.0	7.0	95.0	-22.0	82.6	-20.0	-9.0	28.0	10.0	217.0	43.0
202	24	7	21.1	405.0	2.0	120.0	-16.0	80.1	-16.0	-6.0	24.0	10.0	198.0	37.0
203	24	8	22.0	457.0	7.0	160.0	-16.0	80.4	-18.0	-6.0	29.0	10.0	236.0	47.0
204	24	9	22.7	466.0	7.0	88.0	-16.0	89.6	-20.0	-6.0	32.0	11.0	242.0	52.0
205	24	10	22.9	482.0	3.0	91.0	-15.0	92.4	-17.0	-6.0	26.0	11.0	232.0	52.0
206	24	11	21.6	461.0	5.0	110.0	-13.0	90.7	-16.0	-5.0	24.0	9.3	214.0	32.0
207	24	12	22.1	464.0	6.0	80.0	-13.0	90.2	-16.0	-5.0	27.0	10.0	215.0	37.0
208	24	13	23.3	520.0	6.0	71.0	17.0	96.4	-18.0	-6.0	27.0	11.0	243.0	70.0
209	24	14	23.8	452.0	10.0	110.0	-16.0	93.3	-19.0	-7.0	29.0	11.0	211.0	63.0
210	24	15	20.3	426.0	7.0	60.0	-14.0	92.6	-16.0	-6.0	24.0	9.1	182.0	26.0
211	24	16	20.7	715.0	9.0	62.0	-16.0	88.8	-15.0	-6.0	18.0	11.0	332.0	44.0
212	24	17	23.0	578.0	4.0	73.0	13.0	87.8	-14.0	-5.0	18.0	10.0	293.0	36.0
213	24	18	6.1	16.0	-1.0	380.0	84.0	24.4	-5.0	-2.0	-0.5	0.6	1.5	-1.0
214	25	1	21.0	501.0	3.0	51.0	-15.0	100.0	-20.0	-6.0	32.0	10.0	234.0	89.0
215	25	2	21.7	579.0	5.0	38.0	-14.0	102.0	-18.0	-6.0	30.0	11.0	292.0	56.0
216	25	3	22.1	461.0	7.0	83.0	25.0	94.2	-17.0	-5.0	28.0	10.0	213.0	27.0
217	25	4	21.5	423.0	4.0	120.0	-13.0	88.6	-15.0	-5.0	25.0	9.4	191.0	51.0
218	25	5	22.9	483.0	5.0	140.0	-14.0	90.2	-31.0	-6.0	52.3	10.0	232.0	38.0
219	25	6	22.2	463.0	6.0	120.0	15.0	87.5	-17.0	-5.0	27.0	8.7	218.0	27.0
220	25	7	24.6	499.0	3.0	130.0	-15.0	91.8	-19.0	-6.0	28.0	10.0	251.0	58.0
221	25	8	22.6	500.0	7.0	170.0	-15.0	87.0	-17.0	-6.0	25.0	9.3	242.0	46.0
222	25	9	22.2	421.0	5.0	130.0	-14.0	93.1	-15.0	-6.0	22.0	9.1	203.0	47.0
223	25	10	20.5	455.0	120.0	130.0	17.0	79.7	-33.0	-6.0	55.0	10.0	229.0	38.0
224	25	11	20.9	378.0	3.0	110.0	-12.0	84.6	-14.0	-5.0	22.0	7.4	188.0	26.0

Recor	Hole	Samp	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
225	25	12	21.8	381.0	3.0	170.0	-12.0	87.7	-12.0	-5.0	19.0	9.0	168.0	26.0
226	25	13	22.5	447.0	6.0	130.0	-13.0	86.3	-16.0	-5.0	24.0	9.4	213.0	77.0
227	25	14	22.5	443.0	10.0	150.0	19.0	92.5	-15.0	-6.0	21.0	8.9	203.0	52.0
228	25	15	22.9	542.0	1.0	120.0	25.0	89.3	-15.0	-5.0	22.0	10.0	277.0	40.0
229	25	16	21.2	451.0	2.0	110.0	-12.0	82.8	-13.0	-5.0	21.0	7.9	229.0	37.0
230	25	17	24.8	569.0	7.0	88.0	-12.0	81.5	-15.0	-5.0	23.0	9.4	296.0	35.0
231	25	18	22.3	780.0	1.0	120.0	18.0	73.5	-15.0	-6.0	21.0	11.0	254.0	83.0
232	25	19	6.0	140.0	2.0	250.0	95.0	18.0	-5.0	-2.0	0.6	1.5	10.0	4.0
233	26	1	20.1	514.0	2.0	33.0	16.0	99.0	-14.0	-5.0	24.0	10.0	233.0	19.0
234	26	2	21.3	520.0	-2.0	-23.0	-13.0	102.0	-16.0	-5.0	27.0	10.0	237.0	39.0
235	26	3	22.4	512.0	1.0	190.0	22.0	100.0	-17.0	-5.0	28.0	11.0	236.0	-10.0
236	26	4	19.0	410.0	2.0	130.0	12.0	86.0	-12.0	-4.0	22.0	9.0	170.0	9.0
237	26	5	20.0	477.0	-1.0	31.0	12.0	92.2	-13.0	-4.0	23.0	10.0	226.0	58.0
238	26	6	21.7	443.0	-1.0	85.0	16.0	93.4	-12.0	-4.0	20.0	9.2	210.0	29.0
239	26	7	21.9	406.0	2.0	92.0	-5.0	89.5	-13.0	-4.0	21.0	8.7	184.0	15.0
240	26	8	23.8	445.0	4.0	86.0	12.0	94.7	-13.0	-4.0	21.0	9.3	216.0	21.0
241	26	9	22.0	461.0	-1.0	64.0	14.0	91.5	-14.0	-4.0	22.0	9.3	222.0	13.0
242	26	10	21.8	436.0	3.0	64.0	-11.0	87.5	-13.0	-4.0	22.0	9.2	211.0	28.0
243	26	11	35.7	739.0	4.0	120.0	26.0	137.0	-23.0	-8.0	41.0	17.0	405.0	33.0
244	26	12	23.7	488.0	2.0	55.0	20.0	97.0	-17.0	-6.0	22.0	10.0	264.0	21.0
245	26	13	20.0	399.0	15.0	54.0	-15.0	82.1	-12.0	-7.0	18.0	8.2	204.0	72.0
246	26	14	20.9	351.0	3.0	130.0	-15.0	77.4	-13.0	-6.0	17.0	8.1	171.0	42.0
247	26	15	22.9	405.0	7.0	46.0	-15.0	83.4	-14.0	-6.0	21.0	8.2	197.0	44.0
248	26	16	21.3	402.0	7.0	47.0	-16.0	78.5	-14.0	-7.0	20.0	7.6	186.0	78.0
249	26	17	24.3	389.0	7.0	140.0	-16.0	70.3	-15.0	-6.0	19.0	7.4	176.0	28.0
250	26	18	20.8	466.0	-3.0	49.0	-18.0	63.8	-29.0	-7.0	50.0	10.0	146.0	37.0
251	26	19	23.2	373.0	8.0	97.0	16.0	88.6	-13.0	-6.0	18.0	6.9	163.0	154.0
252	26	20	20.0	313.0	2.0	91.0	-13.0	74.2	-12.0	-6.0	19.0	7.1	123.0	33.0
253	26	21	21.2	319.0	6.0	130.0	-15.0	78.2	-13.0	-6.0	18.0	7.0	127.0	50.0
254	26	22	20.2	473.0	1.0	-27.0	-15.0	83.2	-13.0	-6.0	20.0	8.7	209.0	33.0
255	26	23	22.2	596.0	-3.0	-29.0	-17.0	90.4	-15.0	-7.0	26.0	11.0	281.0	32.0
256	26	24	4.8	29.0	1.0	52.0	98.0	15.0	-5.0	-2.0	0.6	-0.5	7.6	-1.0
257	27	1	23.2	443.0	-3.0	62.0	-16.0	78.2	-25.0	-7.0	44.0	7.7	204.0	26.0
258	27	2	20.4	442.0	-1.0	49.0	-14.0	81.1	-11.0	-6.0	17.0	8.7	208.0	32.0
259	27	3	21.9	487.0	-1.0	58.0	-16.0	86.2	-13.0	-7.0	20.0	8.7	254.0	40.0
260	27	4	24.5	448.0	-3.0	110.0	20.0	78.8	-16.0	-6.0	26.0	7.4	225.0	39.0
261	27	5	23.6	409.0	5.0	90.0	16.0	81.6	-14.0	-6.0	22.0	7.7	190.0	38.0
262	27	6	22.2	329.0	5.0	97.0	-13.0	74.3	-11.0	-5.0	17.0	6.9	158.0	39.0
263	27	7	25.5	395.0	13.0	140.0	31.0	77.6	-42.0	-8.0	71.9	8.6	188.0	57.0
264	27	8	24.8	327.0	13.0	140.0	-14.0	74.3	-13.0	-6.0	22.0	7.2	149.0	54.0
265	27	9	21.2	353.0	8.0	99.0	-16.0	63.6	-20.0	-6.0	32.0	7.1	178.0	139.0
266	27	10	22.6	365.0	3.0	96.0	-15.0	72.2	-13.0	-6.0	20.0	6.9	169.0	40.0
267	27	11	23.0	495.0	5.0	93.0	-18.0	78.8	-20.0	-7.0	33.0	9.0	232.0	38.0
268	27	12	24.2	629.0	2.0	60.0	-19.0	84.9	-16.0	-8.0	26.0	10.0	318.0	42.0
269	27	13	22.9	763.0	1.0	-34.0	-19.0	81.2	-18.0	-8.0	29.0	11.0	397.0	34.0
270	27	14	22.8	691.0	-4.0	-33.0	-19.0	81.7	-18.0	-8.0	28.0	11.0	354.0	32.0
271	27	15	5.1	33.0	1.0	83.0	110.0	18.0	-5.0	-2.0	-0.5	0.8	7.9	1.0
272	28	1	21.7	332.0	-8.0	73.0	14.0	77.7	-13.0	-6.0	18.0	6.3	145.0	39.0
273	28	2	21.7	317.0	5.0	61.0	-14.0	83.6	-11.0	-6.0	15.0	6.8	141.0	22.0
274	28	3	20.0	324.0	2.0	-24.0	-13.0	83.6	-12.0	-6.0	20.0	8.3	146.0	23.0
275	28	4	21.2	344.0	8.0	37.0	21.0	90.2	-12.0	-7.0	16.0	7.6	155.0	38.0
276	28	5	22.2	392.0	7.0	59.0	22.0	92.3	-13.0	-7.0	19.0	7.6	179.0	43.0
277	28	6	21.9	380.0	4.0	49.0	-15.0	89.1	-12.0	-6.0	16.0	6.5	166.0	30.0
278	28	7	22.5	293.0	9.0	160.0	15.0	81.9	-11.0	-6.0	13.0	7.0	127.0	42.0
279	28	8	5.6	28.0	2.0	90.0	120.0	20.4	-5.0	-2.0	0.6	0.6	8.0	1.0
280	29	1	22.5	404.0	5.0	80.0	-14.0	78.0	-12.0	-6.0	21.0	8.0	185.0	51.0

Recor	Hole	Saap	Fe%	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
281	29	2	21.2	329.0	6.0	350.0	-12.0	69.2	-11.0	-5.0	18.0	6.7	137.0	21.0
282	29	3	21.3	369.0	5.0	130.0	-14.0	75.9	-12.0	-6.0	18.0	7.5	152.0	27.0
283	29	4	22.8	394.0	-3.0	90.0	-14.0	79.3	-13.0	-6.0	21.0	7.5	171.0	35.0
284	29	5	22.1	360.0	-3.0	110.0	-14.0	77.1	-16.0	-6.0	24.0	7.3	156.0	40.0
285	29	6	19.0	328.0	-1.0	65.0	13.0	72.4	-12.0	-5.0	17.0	7.3	133.0	24.0
286	29	7	20.8	408.0	3.0	76.0	-16.0	68.0	-18.0	-7.0	29.0	8.7	223.0	39.0
287	29	8	21.7	388.0	1.0	110.0	-15.0	68.0	-13.0	-6.0	19.0	8.0	224.0	42.0
288	29	9	20.3	352.0	2.0	110.0	20.0	68.6	-15.0	-6.0	23.0	7.9	181.0	55.0
289	29	10	19.0	281.0	4.0	85.0	-12.0	72.0	-12.0	-5.0	19.0	6.3	127.0	28.0
290	29	11	20.0	287.0	4.0	88.0	-13.0	71.4	-12.0	-5.0	22.0	6.9	120.0	35.0
291	29	12	22.3	343.0	-1.0	58.0	15.0	74.6	-12.0	-5.0	22.0	7.6	151.0	55.0
292	29	13	22.2	365.0	-1.0	61.0	-14.0	80.8	-14.0	-6.0	24.0	7.9	162.0	52.0
293	29	14	22.6	357.0	2.0	46.0	-14.0	84.9	-13.0	-6.0	21.0	7.0	163.0	30.0
294	29	15	21.8	383.0	3.0	60.0	22.0	80.1	-5.0	-5.0	15.0	7.0	193.0	91.0
295	29	16	4.9	21.0	4.0	52.0	57.0	14.0	-5.0	-2.0	-0.5	0.5	3.2	2.0
296	30	1	21.4	554.0	-3.0	-31.0	-18.0	92.5	-30.0	-7.0	56.2	9.0	258.0	54.0
297	30	2	23.2	459.0	-3.0	59.0	-15.0	85.1	-14.0	-6.0	25.0	7.9	205.0	35.0
298	30	3	20.9	378.0	-1.0	90.0	16.0	79.0	-14.0	-5.0	25.0	7.1	170.0	26.0
299	30	4	24.7	504.0	-1.0	67.0	-17.0	86.2	-19.0	-6.0	34.0	9.3	244.0	64.0
300	30	5	23.4	507.0	-3.0	73.0	-16.0	92.7	-13.0	-6.0	21.0	9.0	245.0	42.0
301	30	6	23.0	502.0	2.0	90.0	-17.0	83.8	-19.0	-6.0	32.0	9.1	250.0	54.0
302	30	7	18.0	306.0	-2.0	73.0	-12.0	73.7	-5.0	-4.0	15.0	6.4	132.0	29.0
303	30	8	22.6	430.0	1.0	56.0	17.0	89.0	-13.0	-6.0	22.0	7.9	198.0	44.0
304	30	9	23.2	471.0	-1.0	65.0	-15.0	90.9	-13.0	-6.0	20.0	9.1	225.0	35.0
305	30	10	22.7	444.0	-1.0	79.0	-15.0	87.8	-13.0	-6.0	21.0	8.5	189.0	46.0
306	30	11	23.2	368.0	5.0	110.0	-15.0	85.5	-14.0	-6.0	24.0	8.0	153.0	44.0
307	30	12	23.2	343.0	2.0	100.0	-17.0	83.8	-15.0	-6.0	25.0	7.7	148.0	47.0
308	30	13	20.0	331.0	3.0	93.0	-15.0	70.7	-15.0	-6.0	24.0	7.7	146.0	44.0
309	30	14	21.0	326.0	6.0	110.0	-20.0	80.0	-18.0	-8.0	26.0	7.3	139.0	51.0
310	30	15	20.4	744.0	-4.0	-29.0	-17.0	91.9	-16.0	-7.0	26.0	12.0	350.0	26.0
311	30	16	20.1	632.0	3.0	-34.0	-20.0	88.4	-17.0	-7.0	24.0	11.0	297.0	45.0
312	30	17	20.1	543.0	-3.0	62.0	20.0	93.0	-14.0	-7.0	22.0	11.0	247.0	26.0
313	30	18	20.7	634.0	-3.0	-27.0	16.0	94.0	-14.0	-6.0	25.0	11.0	290.0	27.0
314	30	19	20.0	555.0	-3.0	-26.0	-15.0	85.3	-16.0	-6.0	31.0	9.1	266.0	24.0
315	30	20	30.8	350.0	4.0	210.0	-17.0	52.6	-12.0	-6.0	14.0	5.9	162.0	31.0
316	30	21	4.7	25.0	6.0	83.0	64.0	17.0	-5.0	-2.0	-0.5	0.6	3.7	3.0
317	31	1	19.0	442.0	3.0	48.0	-17.0	93.3	-15.0	-7.0	25.0	9.3	193.0	39.0
318	31	2	20.2	478.0	-3.0	-27.0	-16.0	95.1	-15.0	-6.0	23.0	9.2	208.0	34.0
319	31	3	18.0	460.0	-3.0	31.0	-14.0	80.9	-13.0	-5.0	21.0	8.2	188.0	19.0
320	31	4	19.0	384.0	-1.0	54.0	16.0	79.1	-11.0	-5.0	18.0	7.3	162.0	27.0
321	31	5	22.7	398.0	4.0	170.0	-14.0	75.1	-13.0	-5.0	18.0	7.7	173.0	57.0
322	31	6	20.0	435.0	-3.0	56.0	-15.0	84.0	-13.0	-6.0	22.0	8.0	185.0	37.0
323	31	7	20.0	507.0	-3.0	100.0	-14.0	80.6	-11.0	-5.0	18.0	8.2	163.0	38.0
324	31	8	19.0	436.0	-1.0	61.0	-15.0	82.4	-12.0	-6.0	19.0	8.2	179.0	25.0
325	31	9	20.8	384.0	-1.0	77.0	-14.0	80.1	-12.0	-5.0	17.0	7.3	168.0	31.0
326	31	10	20.0	385.0	5.0	62.0	-14.0	78.8	-13.0	-5.0	20.0	7.4	166.0	54.0
327	31	11	22.0	408.0	4.0	200.0	-15.0	79.7	-13.0	-6.0	23.0	8.3	184.0	22.0
328	31	12	19.0	418.0	-1.0	160.0	-14.0	71.9	-15.0	-5.0	24.0	8.7	214.0	29.0
329	31	13	20.0	370.0	3.0	120.0	13.0	77.7	-11.0	-5.0	18.0	7.5	164.0	27.0
330	31	14	20.0	396.0	17.0	77.0	19.0	85.8	-11.0	-5.0	20.0	8.3	175.0	28.0
331	31	15	22.8	377.0	4.0	130.0	-15.0	78.0	-16.0	-6.0	28.0	7.8	158.0	41.0
332	31	16	21.9	373.0	-1.0	100.0	-15.0	79.7	-16.0	-6.0	25.0	7.4	169.0	43.0
333	31	17	21.7	319.0	3.0	150.0	-13.0	79.9	-5.0	-5.0	15.0	6.9	133.0	27.0
334	31	18	23.0	392.0	-1.0	110.0	-14.0	83.5	-12.0	-5.0	21.0	7.4	155.0	28.0
335	31	19	22.5	328.0	-3.0	58.0	21.0	84.6	-30.0	-6.0	56.4	7.2	134.0	43.0
336	31	20	21.7	313.0	9.0	85.0	-13.0	83.6	-12.0	-5.0	19.0	6.5	133.0	35.0

Recor	Hole	Sampl	Fe%	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
337	31	21	21.8	339.0	-2.0	42.0	13.0	91.8	-10.0	-5.0	15.0	7.1	150.0	35.0
338	31	22	21.5	329.0	-2.0	64.0	-11.0	91.7	-5.0	-5.0	17.0	6.9	135.0	16.0
339	31	23	23.0	299.0	4.0	110.0	-12.0	82.3	-10.0	-5.0	15.0	6.4	129.0	13.0
340	31	24	4.1	26.0	2.0	75.0	71.0	14.0	-5.0	-2.0	0.5	-0.5	3.9	4.0
341	32	1	21.5	410.0	2.0	25.0	-13.0	87.1	-12.0	-5.0	20.0	8.1	159.0	29.0
342	32	2	22.8	549.0	2.0	-28.0	-16.0	94.9	-15.0	-6.0	26.0	10.0	250.0	47.0
343	32	3	22.4	444.0	-1.0	92.0	16.0	87.7	-17.0	-6.0	29.0	8.8	188.0	37.0
344	32	4	25.5	575.0	-3.0	150.0	-17.0	80.5	-15.0	-6.0	20.0	10.0	292.0	60.0
345	32	5	24.9	383.0	3.0	87.0	-17.0	86.5	-15.0	-6.0	22.0	8.3	201.0	45.0
346	32	6	25.0	356.0	1.0	120.0	-15.0	83.6	-15.0	-6.0	24.0	8.0	149.0	37.0
347	32	7	23.8	458.0	2.0	110.0	-17.0	86.4	-16.0	-6.0	26.0	10.0	213.0	38.0
348	32	8	20.4	350.0	7.0	81.0	-15.0	74.1	-15.0	-6.0	21.0	8.1	162.0	36.0
349	32	9	22.5	405.0	5.0	100.0	-15.0	77.5	-13.0	-6.0	21.0	8.7	179.0	41.0
350	32	10	18.0	242.0	8.0	120.0	24.0	63.2	-11.0	-6.0	14.0	4.6	107.0	73.0
351	32	11	25.6	380.0	1.0	120.0	-15.0	77.4	-13.0	-6.0	22.0	7.1	163.0	51.0
352	32	12	26.1	359.0	6.0	160.0	-15.0	77.3	-13.0	-6.0	21.0	6.9	156.0	53.0
353	32	13	25.0	338.0	3.0	130.0	19.0	78.2	-13.0	-5.0	20.0	7.0	145.0	40.0
354	32	14	5.1	24.0	2.0	60.0	73.0	18.0	-5.0	-2.0	0.5	0.5	3.7	3.0
355	33	1	22.1	567.0	3.0	-35.0	-20.0	95.6	-15.0	-8.0	23.0	10.0	258.0	46.0
356	33	2	21.8	606.0	3.0	38.0	23.0	90.0	-18.0	-8.0	21.0	11.0	281.0	32.0
357	33	3	26.3	718.0	-4.0	81.0	-19.0	91.2	-21.0	-7.0	37.0	11.0	358.0	66.0
358	33	4	25.6	403.0	-3.0	85.0	-15.0	81.1	-21.0	-6.0	40.0	7.9	197.0	84.0
359	33	5	23.8	329.0	3.0	100.0	-13.0	78.7	-13.0	-5.0	23.0	6.7	148.0	60.0
360	33	6	23.1	308.0	4.0	130.0	17.0	68.7	-15.0	-5.0	25.0	6.4	118.0	60.0
361	33	7	23.4	409.0	-3.0	59.0	-15.0	79.9	-13.0	-6.0	23.0	8.6	179.0	40.0
362	33	8	23.0	406.0	3.0	59.0	16.0	78.5	-14.0	-6.0	25.0	8.1	183.0	25.0
363	33	9	24.5	384.0	6.0	120.0	-17.0	91.4	-12.0	-6.0	19.0	8.5	169.0	42.0
364	33	10	24.3	523.0	3.0	85.0	-20.0	89.0	-17.0	-8.0	25.0	9.2	242.0	51.0
365	33	11	25.1	385.0	2.0	130.0	22.0	80.9	-13.0	-6.0	23.0	7.7	170.0	37.0
366	33	12	25.4	420.0	2.0	92.0	22.0	81.0	-16.0	-7.0	25.0	8.0	189.0	71.0
367	33	13	22.9	752.0	-4.0	48.0	-20.0	86.9	-19.0	-7.0	29.0	11.0	386.0	22.0
368	33	14	21.2	694.0	-4.0	-33.0	30.0	78.0	-18.0	-7.0	29.0	12.0	379.0	33.0
369	33	15	4.7	29.0	3.0	56.0	100.0	15.0	-5.0	-2.0	0.7	0.5	7.1	1.0
370	34	1	21.3	444.0	-1.0	-28.0	17.0	82.8	-17.0	-6.0	28.0	8.5	207.0	38.0
371	34	2	20.4	382.0	7.0	43.0	-19.0	88.7	-15.0	-8.0	21.0	8.3	172.0	54.0
372	34	3	22.3	396.0	4.0	-27.0	-15.0	82.6	-15.0	-6.0	27.0	8.1	182.0	53.0
373	34	4	17.0	365.0	-3.0	30.0	20.0	69.7	-14.0	-7.0	21.0	7.8	175.0	40.0
374	34	5	19.0	317.0	4.0	72.0	-15.0	71.6	-13.0	-6.0	18.0	7.3	134.0	32.0
375	34	6	20.0	392.0	2.0	61.0	-16.0	73.5	-16.0	-7.0	22.0	7.9	170.0	73.0
376	34	7	19.0	346.0	4.0	32.0	-14.0	78.9	-12.0	-6.0	19.0	6.5	146.0	117.0
377	34	8	19.0	384.0	10.0	64.0	-16.0	77.9	-14.0	-7.0	19.0	7.4	164.0	1020.0
378	34	9	20.0	430.0	-1.0	-30.0	-17.0	81.9	-15.0	-7.0	20.0	8.7	185.0	90.0
379	34	10	20.0	429.0	3.0	79.0	18.0	77.9	-13.0	-7.0	20.0	8.2	189.0	35.0
380	34	11	23.5	420.0	7.0	86.0	-15.0	74.0	-15.0	-6.0	24.0	7.8	187.0	34.0
381	34	12	31.8	337.0	23.0	99.0	-14.0	73.6	-13.0	-6.0	17.0	6.5	149.0	39.0
382	34	13	28.2	160.0	50.0	140.0	-12.0	42.6	-10.0	-5.0	12.0	3.5	59.9	21.0
383	34	14	25.0	645.0	16.0	-31.0	-17.0	66.8	-21.0	-7.0	36.0	8.2	341.0	26.0
384	34	15	23.6	679.0	8.0	36.0	-18.0	76.3	-18.0	-7.0	27.0	10.0	357.0	44.0
385	34	16	24.2	656.0	-4.0	94.0	-18.0	73.6	-16.0	-7.0	25.0	9.5	352.0	35.0
386	34	17	23.4	680.0	-4.0	-32.0	-19.0	72.2	-25.0	-7.0	39.0	8.9	355.0	18.0
387	35	1	23.4	471.0	-4.0	69.0	-18.0	78.9	-21.0	-7.0	34.0	8.5	223.0	42.0
388	35	2	20.9	444.0	11.0	-40.0	-22.0	86.3	-16.0	-9.0	19.0	8.7	182.0	19.0
389	35	3	25.5	587.0	-4.0	88.0	-16.0	70.5	-17.0	-6.0	29.0	8.7	286.0	41.0
390	35	4	24.6	522.0	-4.0	82.0	-16.0	72.4	-17.0	-6.0	24.0	7.9	270.0	43.0
391	35	5	22.1	422.0	5.0	47.0	-17.0	74.7	-19.0	-7.0	28.0	8.0	209.0	79.0
392	35	6	19.0	353.0	4.0	85.0	20.0	71.1	-14.0	-7.0	20.0	7.9	165.0	30.0

Recor	Hole	Samp	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
393	35	7	20.8	366.0	1.0	38.0	16.0	71.6	-14.0	-6.0	20.0	7.3	155.0	38.0
394	35	8	22.8	421.0	5.0	-29.0	-16.0	79.0	-15.0	-7.0	24.0	8.3	195.0	22.0
395	35	9	22.4	444.0	50.0	44.0	-14.0	81.5	-16.0	-6.0	26.0	8.0	211.0	25.0
396	35	10	4.6	24.0	1.0	53.0	89.0	13.0	-5.0	-2.0	-0.5	0.6	6.1	-1.0
397	36	1	24.6	426.0	7.0	-30.0	-16.0	77.5	-15.0	-7.0	22.0	8.3	204.0	46.0
398	36	2	21.4	353.0	5.0	-27.0	-14.0	72.4	-18.0	-6.0	28.0	7.2	167.0	59.0
399	36	3	20.7	372.0	-1.0	56.0	18.0	76.4	-13.0	-6.0	19.0	7.1	158.0	30.0
400	36	4	25.0	407.0	-1.0	48.0	-16.0	76.0	-18.0	-6.0	27.0	8.1	186.0	44.0
401	36	5	24.8	411.0	4.0	130.0	-16.0	73.7	-17.0	-6.0	26.0	7.7	184.0	61.0
402	36	6	24.5	361.0	9.0	33.0	18.0	77.3	-15.0	-6.0	21.0	7.8	155.0	35.0
403	36	7	26.5	311.0	7.0	37.0	24.0	82.8	-17.0	-8.0	23.0	6.7	130.0	50.0
404	36	8	21.2	335.0	4.0	68.0	-14.0	77.8	-13.0	-6.0	19.0	6.6	147.0	39.0
405	36	9	20.6	391.0	2.0	35.0	-15.0	81.9	-12.0	-6.0	17.0	7.8	168.0	37.0
406	36	10	20.0	212.0	7.0	55.0	-13.0	91.7	-10.0	-6.0	13.0	5.9	65.4	22.0
407	36	11	20.6	322.0	5.0	76.0	-15.0	89.8	-11.0	-6.0	15.0	7.1	130.0	33.0
408	36	12	20.2	423.0	-3.0	93.0	-15.0	83.2	-13.0	-6.0	18.0	8.0	189.0	29.0
409	36	13	20.0	394.0	7.0	53.0	18.0	78.3	-13.0	-6.0	17.0	7.8	170.0	26.0
410	36	14	20.0	413.0	6.0	77.0	-14.0	76.7	-12.0	-6.0	19.0	7.7	185.0	19.0
411	36	15	19.0	409.0	-1.0	46.0	-14.0	76.6	-13.0	-6.0	20.0	8.7	185.0	20.0
412	36	16	4.2	30.0	2.0	52.0	78.0	12.0	-5.0	-2.0	-0.5	0.6	6.5	3.0
413	37	1	19.0	419.0	3.0	34.0	-14.0	66.7	-14.0	-6.0	20.0	8.9	221.0	14.0
414	37	2	19.0	373.0	-1.0	55.0	-13.0	69.6	-12.0	-6.0	17.0	8.0	181.0	34.0
415	37	3	20.0	471.0	5.0	95.0	-25.0	64.1	-20.0	-9.0	29.0	8.6	219.0	47.0
416	37	4	21.5	421.0	3.0	64.0	20.0	79.9	-17.0	-8.0	21.0	9.0	178.0	37.0
417	37	5	21.8	403.0	6.0	110.0	-19.0	83.3	-17.0	-7.0	24.0	7.6	156.0	41.0
418	37	6	22.5	332.0	-1.0	76.0	-17.0	77.8	-15.0	-7.0	20.0	6.5	126.0	39.0
419	37	7	22.3	376.0	-1.0	120.0	-17.0	84.2	-15.0	-7.0	23.0	8.0	142.0	28.0
420	37	8	23.1	357.0	3.0	130.0	-18.0	80.9	-16.0	-7.0	22.0	7.1	129.0	28.0
421	37	9	22.6	370.0	3.0	100.0	-18.0	90.4	-17.0	-7.0	24.0	7.5	149.0	33.0
422	37	10	20.1	299.0	2.0	110.0	-18.0	87.4	-33.0	-7.0	57.1	6.0	111.0	30.0
423	37	11	24.6	418.0	2.0	97.0	-18.0	92.8	-26.0	-7.0	42.0	8.3	165.0	64.0
424	37	12	24.7	464.0	4.0	120.0	-16.0	95.8	-16.0	-7.0	23.0	8.7	178.0	60.0
425	37	13	24.2	382.0	-1.0	110.0	18.0	91.6	-13.0	-6.0	20.0	7.9	151.0	29.0
426	37	14	25.9	574.0	-1.0	91.0	-21.0	93.2	-16.0	-8.0	20.0	10.0	244.0	39.0
427	37	15	23.0	395.0	2.0	62.0	17.0	85.7	-14.0	-6.0	16.0	7.3	149.0	26.0
428	37	16	25.1	493.0	6.0	100.0	-19.0	88.9	-15.0	-7.0	19.0	8.0	212.0	28.0
429	37	17	26.7	1990.0	-8.0	-64.0	-40.0	86.3	-35.0	-13.0	49.0	23.0	1130.0	60.0
430	37	18	25.2	686.0	-4.0	-38.0	-21.0	94.3	-21.0	-8.0	33.0	12.0	311.0	28.0
431	37	19	24.6	687.0	-4.0	81.0	-23.0	89.9	-29.0	-9.0	45.0	10.0	314.0	25.0
432	37	20	23.0	599.0	4.0	52.0	-18.0	104.0	-18.0	-7.0	28.0	10.0	264.0	15.0
433	37	21	24.5	744.0	3.0	63.0	27.0	96.9	-21.0	-9.0	30.0	12.0	338.0	27.0
434	37	22	23.5	639.0	-4.0	89.0	-24.0	79.2	-19.0	-9.0	20.0	7.9	301.0	18.0
435	37	23	26.0	591.0	3.0	70.0	-21.0	88.8	-16.0	-8.0	18.0	8.9	261.0	30.0
436	38	1	20.6	527.0	3.0	120.0	26.0	81.3	-17.0	-7.0	26.0	10.0	210.0	17.0
437	38	2	24.1	556.0	-1.0	68.0	-19.0	88.0	-18.0	-7.0	24.0	10.0	235.0	39.0
438	38	3	22.8	505.0	6.0	55.0	-18.0	88.7	-17.0	-7.0	23.0	10.0	216.0	13.0
439	38	4	24.3	453.0	-1.0	110.0	-18.0	84.6	-21.0	-7.0	30.0	9.1	183.0	27.0
440	38	5	23.1	424.0	2.0	85.0	-19.0	85.7	-17.0	-7.0	21.0	8.2	168.0	40.0
441	38	6	21.6	366.0	5.0	77.0	-16.0	81.2	-16.0	-6.0	24.0	7.8	139.0	59.0
442	38	7	19.0	266.0	3.0	82.0	-12.0	71.8	-10.0	-5.0	15.0	6.2	95.9	21.0
443	38	8	22.2	360.0	2.0	88.0	-16.0	81.3	-15.0	-7.0	23.0	7.9	135.0	42.0
444	38	9	22.6	383.0	-1.0	81.0	-15.0	85.1	-15.0	-6.0	22.0	7.5	145.0	162.0
445	38	10	22.1	411.0	-1.0	100.0	-16.0	85.8	-16.0	-6.0	22.0	8.6	156.0	99.0
446	38	11	21.8	373.0	1.0	73.0	-17.0	84.6	-15.0	-7.0	24.0	7.8	140.0	38.0
447	38	12	21.9	369.0	4.0	130.0	-20.0	83.0	-17.0	-8.0	23.0	8.3	145.0	17.0
448	38	13	21.7	408.0	4.0	53.0	-17.0	87.1	-15.0	-7.0	18.0	8.0	160.0	39.0



Recor	Hole	Samp	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
449	38	14	20.8	489.0	2.0	63.0	-18.0	93.4	-14.0	-7.0	19.0	10.0	203.0	24.0
450	38	15	20.0	443.0	-3.0	-29.0	18.0	93.1	-13.0	-6.0	18.0	9.4	176.0	14.0
451	38	16	22.7	495.0	4.0	45.0	-17.0	93.4	-15.0	-7.0	21.0	8.9	216.0	25.0
452	38	17	2.5	24.0	-1.0	45.0	40.0	6.1	-5.0	-2.0	-0.5	-0.5	4.2	1.0
453	39	1	20.7	366.0	-1.0	100.0	-16.0	82.5	-17.0	-6.0	26.0	7.6	138.0	80.0
454	39	2	20.0	332.0	-1.0	130.0	-16.0	69.6	-16.0	-6.0	25.0	7.8	136.0	21.0
455	39	3	20.0	356.0	3.0	82.0	-16.0	77.7	-15.0	-7.0	20.0	7.8	142.0	26.0
456	39	4	21.4	409.0	-1.0	40.0	28.0	86.1	-16.0	-7.0	23.0	8.8	163.0	40.0
457	39	5	22.7	443.0	2.0	48.0	-18.0	86.4	-18.0	-7.0	27.0	8.9	177.0	34.0
458	39	6	23.2	469.0	5.0	92.0	23.0	86.9	-18.0	-8.0	25.0	9.2	183.0	50.0
459	39	7	24.6	440.0	7.0	66.0	31.0	90.1	-21.0	-8.0	31.0	8.5	182.0	40.0
460	39	8	24.4	481.0	-1.0	56.0	-19.0	90.2	-21.0	-8.0	30.0	8.9	197.0	70.0
461	39	9	22.9	414.0	-4.0	67.0	-20.0	94.1	-16.0	-8.0	23.0	8.8	154.0	74.0
462	39	10	28.4	431.0	4.0	150.0	-23.0	91.5	-22.0	-9.0	28.0	8.6	170.0	51.0
463	39	11	26.1	371.0	5.0	190.0	27.0	87.4	-19.0	-8.0	28.0	7.2	149.0	41.0
464	39	12	25.1	417.0	5.0	160.0	23.0	91.4	-17.0	-8.0	23.0	8.0	172.0	49.0
465	39	13	26.4	361.0	12.0	280.0	-21.0	84.0	-14.0	-8.0	16.0	7.7	147.0	140.0
466	39	14	23.3	335.0	10.0	240.0	25.0	84.0	-17.0	-9.0	20.0	7.2	136.0	78.0
467	39	15	24.6	457.0	-1.0	130.0	32.0	96.5	-18.0	-8.0	24.0	8.6	193.0	60.0
468	39	16	23.1	461.0	7.0	92.0	27.0	96.2	-17.0	-8.0	20.0	8.6	191.0	43.0
469	39	17	22.3	494.0	2.0	-37.0	-20.0	104.0	-22.0	-8.0	36.0	9.2	203.0	31.0
470	39	21	3.8	21.0	1.0	36.0	75.0	11.0	-5.0	-2.0	-0.5	0.5	5.3	34.0
471	40	1	7.5	14.0	1.0	33.0	17.0	20.6	-5.0	-2.0	-0.5	0.8	1.2	3.0
472	41	1	20.6	524.0	-1.0	-31.0	-17.0	99.5	-17.0	-7.0	28.0	11.0	186.0	22.0
473	41	2	22.1	377.0	-3.0	-31.0	-17.0	95.9	-14.0	-7.0	20.0	7.9	147.0	24.0
474	41	3	23.5	361.0	2.0	100.0	-19.0	91.8	-16.0	-7.0	19.0	7.7	127.0	31.0
475	41	4	20.0	356.0	-3.0	130.0	-16.0	77.7	-14.0	-6.0	18.0	7.9	157.0	29.0
476	41	5	22.7	374.0	6.0	140.0	-17.0	87.2	-14.0	-7.0	20.0	7.8	153.0	26.0
477	41	6	6.5	21.0	-1.0	98.0	19.0	20.4	-5.0	-2.0	0.6	0.8	1.5	8.0
478	42	1	20.9	542.0	-4.0	110.0	-18.0	90.2	-16.0	-7.0	24.0	10.0	213.0	16.0
479	42	2	22.1	571.0	5.0	100.0	-20.0	92.3	-19.0	-8.0	25.0	10.0	226.0	24.0
480	42	3	22.3	584.0	2.0	58.0	-20.0	93.1	-22.0	-8.0	33.0	11.0	241.0	39.0
481	42	4	21.9	576.0	-4.0	92.0	23.0	91.9	-17.0	-7.0	23.0	11.0	234.0	36.0
482	42	5	22.1	518.0	-1.0	62.0	-19.0	95.1	-22.0	-8.0	30.0	10.0	212.0	16.0
483	42	6	22.4	486.0	3.0	100.0	-17.0	91.4	-15.0	-7.0	22.0	10.0	193.0	31.0
484	42	7	23.1	489.0	1.0	95.0	-17.0	87.0	-15.0	-7.0	20.0	9.2	195.0	61.0
485	42	8	24.5	539.0	4.0	120.0	-24.0	106.0	-18.0	-9.0	21.0	10.0	232.0	50.0
486	42	9	6.7	10.0	-1.0	91.0	31.0	23.5	-5.0	-2.0	-0.5	-0.5	0.7	-1.0
487	43	1	22.3	571.0	15.0	97.0	22.0	93.9	-19.0	-8.0	26.0	11.0	221.0	50.0
488	43	2	23.0	528.0	-1.0	38.0	-18.0	95.6	-18.0	-7.0	26.0	10.0	206.0	37.0
489	43	3	21.8	381.0	2.0	130.0	25.0	85.9	-19.0	-7.0	33.0	7.5	144.0	63.0
490	43	4	21.7	335.0	4.0	110.0	-16.0	85.6	-13.0	-6.0	18.0	6.9	128.0	34.0
491	43	5	22.0	375.0	2.0	92.0	17.0	89.8	-16.0	-7.0	22.0	8.1	144.0	40.0
492	43	6	23.8	457.0	4.0	100.0	-19.0	94.2	-18.0	-7.0	28.0	10.0	182.0	29.0
493	43	7	24.7	363.0	53.0	98.0	21.0	71.8	-15.0	-7.0	17.0	6.7	145.0	31.0
494	43	8	6.2	39.0	2.0	110.0	160.0	21.7	-5.0	-2.0	0.6	0.8	7.6	2.0
495	44	1	4.6	31.0	3.0	78.0	72.0	14.0	-5.0	-2.0	-0.5	-0.5	6.3	3.0
496	45	1	22.7	684.0	-4.0	57.0	-20.0	95.7	-17.0	-8.0	25.0	12.0	303.0	39.0
497	45	2	10.0	13.0	1.0	130.0	27.0	25.3	-5.0	-2.0	-0.5	-0.5	1.3	4.0
498	46	1	20.9	590.0	-4.0	51.0	-21.0	88.8	-18.0	-8.0	30.0	11.0	205.0	33.0
499	46	2	20.8	546.0	-4.0	98.0	-20.0	86.0	-22.0	-8.0	34.0	11.0	242.0	29.0
500	46	3	9.2	12.0	-1.0	150.0	19.0	25.9	-5.0	-2.0	-0.5	0.8	0.9	-1.0
501	47	1	21.9	466.0	1.0	220.0	-18.0	82.1	-17.0	-7.0	24.0	9.4	193.0	42.0
502	47	2	21.2	487.0	-4.0	56.0	-20.0	93.1	-23.0	9.0	34.0	10.0	207.0	26.0
503	47	3	22.2	630.0	-1.0	58.0	-27.0	92.5	-24.0	-10.0	30.0	11.0	291.0	50.0
504	47	4	20.0	449.0	7.0	39.0	-18.0	68.6	-15.0	-7.0	20.0	8.9	236.0	48.0

Recor	Hole	Samp	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
505	47	5	22.2	394.0	6.0	97.0	-16.0	71.6	-15.0	-7.0	22.0	7.6	180.0	33.0
506	47	6	22.4	330.0	7.0	130.0	-15.0	69.9	-14.0	-6.0	21.0	6.6	146.0	40.0
507	47	7	8.5	12.0	-1.0	120.0	23.0	26.7	-5.0	-2.0	0.6	0.8	1.0	-1.0
508	48	1	12.0	13.0	2.0	34.0	30.0	25.0	-5.0	-2.0	0.5	0.9	1.4	-1.0
509	48	2	13.0	13.0	-1.0	32.0	28.0	24.1	-5.0	-2.0	-0.5	1.0	1.2	-1.0
510	49	1	21.0	476.0	-1.0	-28.0	-16.0	88.7	-13.0	-7.0	18.0	8.9	205.0	21.0
511	49	2	21.2	414.0	4.0	40.0	-15.0	79.5	-12.0	-6.0	17.0	9.2	176.0	26.0
512	49	3	21.0	387.0	8.0	39.0	15.0	77.3	-12.0	-6.0	19.0	7.6	161.0	27.0
513	49	4	20.7	296.0	4.0	70.0	16.0	72.9	-5.0	-5.0	12.0	6.0	129.0	25.0
514	49	5	6.0	13.0	-1.0	72.0	38.0	31.4	-5.0	-2.0	-0.5	1.0	0.6	-1.0
515	50	1	7.3	10.0	1.0	120.0	40.0	24.6	-5.0	-2.0	-0.5	0.8	0.4	-1.0
516	51	1	22.1	541.0	-1.0	-30.0	21.0	85.2	-16.0	-7.0	25.0	9.1	259.0	47.0
517	51	2	25.6	372.0	3.0	63.0	29.0	65.7	-12.0	-6.0	18.0	6.9	177.0	29.0
518	51	3	7.7	15.0	3.0	32.0	84.0	16.0	-5.0	-2.0	0.8	0.6	2.1	-1.0
519	51	4	10.0	16.0	1.0	54.0	75.0	15.0	-5.0	-2.0	0.5	0.8	1.6	-1.0
520	52	1	22.4	502.0	2.0	-29.0	-16.0	75.1	-16.0	-7.0	24.0	10.0	220.0	50.0
521	52	2	23.2	422.0	3.0	45.0	-14.0	74.9	-11.0	-6.0	17.0	7.6	184.0	29.0
522	52	3	7.5	14.0	1.0	60.0	21.0	22.2	-5.0	-2.0	0.7	0.7	1.0	-1.0
523	53	1	21.9	435.0	-1.0	45.0	-14.0	76.8	-14.0	-6.0	25.0	7.5	190.0	35.0
524	53	2	0.6	19.0	2.0	-20.0	33.0	5.3	-5.0	-2.0	0.6	0.7	2.4	4.0
525	54	1	20.8	395.0	3.0	-22.0	-12.0	75.7	-11.0	-5.0	16.0	7.1	156.0	23.0
526	54	2	21.7	285.0	5.0	94.0	-11.0	62.5	-5.0	-5.0	11.0	5.8	113.0	22.0
527	54	3	20.0	277.0	-1.0	66.0	-11.0	67.6	-5.0	-5.0	13.0	6.4	119.0	20.0
528	54	4	1.9	26.0	-1.0	-20.0	60.0	7.6	-5.0	-2.0	1.0	1.0	3.0	4.0
529	55	1	21.5	391.0	2.0	-26.0	-14.0	78.7	-15.0	-6.0	25.0	7.7	174.0	43.0
530	55	2	20.0	403.0	-3.0	-23.0	-13.0	76.6	-12.0	-5.0	20.0	7.9	182.0	23.0
531	55	3	20.0	323.0	1.0	30.0	-12.0	69.4	-11.0	-5.0	17.0	7.0	134.0	41.0
532	55	4	20.0	367.0	2.0	88.0	-13.0	68.4	-12.0	-5.0	18.0	7.6	140.0	20.0
533	55	5	18.0	361.0	6.0	43.0	-13.0	58.6	-13.0	-5.0	19.0	7.1	172.0	38.0
534	55	6	20.3	433.0	2.0	-24.0	-13.0	71.2	-12.0	-6.0	17.0	8.2	211.0	30.0
535	55	7	20.0	461.0	-3.0	-24.0	-14.0	78.1	-11.0	-6.0	15.0	8.7	210.0	117.0
536	55	8	7.4	9.0	-1.0	130.0	17.0	22.4	-5.0	-2.0	-0.5	0.6	1.0	3.0
537	56	1	22.9	473.0	-1.0	-26.0	21.0	84.3	-13.0	-6.0	21.0	8.5	231.0	75.0
538	56	2	20.0	365.0	-1.0	-27.0	25.0	72.0	-31.0	-6.0	56.0	9.3	163.0	81.0
539	56	3	23.2	553.0	-3.0	-26.0	-15.0	84.2	-16.0	-6.0	26.0	9.4	271.0	46.0
540	56	4	2.7	22.0	-1.0	47.0	63.0	6.4	-5.0	-2.0	-0.5	-0.5	4.2	-1.0
541	56	5	2.6	25.0	2.0	30.0	49.0	6.2	-5.0	-2.0	-0.5	-0.5	4.2	1.0
542	57	1	19.0	472.0	-3.0	-24.0	-13.0	77.7	-14.0	-6.0	23.0	9.0	200.0	24.0
543	57	2	21.2	563.0	-3.0	43.0	-16.0	83.7	-15.0	-7.0	23.0	10.0	260.0	31.0
544	57	3	9.0	17.0	-1.0	50.0	28.0	29.2	-5.0	-2.0	0.6	1.1	0.9	-1.0
545	58	1	22.3	531.0	-3.0	44.0	20.0	76.6	-14.0	-6.0	23.0	8.8	250.0	79.0
546	58	2	21.0	570.0	-3.0	-30.0	-17.0	80.3	-28.0	-7.0	45.0	10.0	264.0	34.0
547	58	3	21.8	546.0	-3.0	-26.0	-15.0	82.2	-15.0	-6.0	23.0	9.3	254.0	28.0
548	58	4	5.5	18.0	2.0	85.0	49.0	21.1	-5.0	-2.0	-0.5	0.8	1.5	-1.0
549	59	1	20.4	510.0	-3.0	37.0	-15.0	83.4	-13.0	-6.0	20.0	9.2	231.0	36.0
550	59	2	21.5	456.0	-1.0	55.0	-14.0	76.4	-12.0	-6.0	19.0	8.0	203.0	36.0
551	59	3	21.0	517.0	-3.0	54.0	-14.0	79.9	-13.0	-6.0	22.0	8.9	242.0	28.0
552	59	4	23.7	593.0	-4.0	29.0	-15.0	79.0	-14.0	-6.0	24.0	10.0	302.0	30.0
553	59	5	24.2	572.0	-3.0	58.0	-15.0	81.2	-13.0	-6.0	20.0	9.5	285.0	35.0
554	59	6	11.0	14.0	1.0	28.0	9.0	28.5	-5.0	-2.0	0.6	1.2	1.1	4.0
555	60	1	20.8	477.0	-3.0	45.0	-15.0	77.4	-13.0	-6.0	19.0	9.0	223.0	61.0
556	60	2	22.6	515.0	-3.0	34.0	-16.0	84.2	-16.0	-7.0	27.0	10.0	238.0	34.0
557	60	3	20.0	460.0	-3.0	66.0	-14.0	76.0	-14.0	-6.0	21.0	8.5	218.0	38.0
558	60	4	20.0	441.0	5.0	150.0	-15.0	65.1	-16.0	-6.0	27.0	8.8	229.0	36.0
559	60	5	7.8	6.0	1.0	110.0	14.0	29.7	-5.0	-2.0	-0.5	0.6	0.6	2.0
560	61	1	19.0	498.0	3.0	60.0	-15.0	73.5	-16.0	-6.0	23.0	8.9	235.0	52.0

Recor	Hole	Saap	FeX	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
561	61	2	20.1	466.0	4.0	52.0	-15.0	73.9	-15.0	-6.0	25.0	8.9	235.0	51.0
562	61	3	19.0	404.0	3.0	120.0	-5.0	74.0	-11.0	-2.0	21.0	8.9	203.0	40.0
563	61	4	23.8	396.0	1.0	76.0	13.0	98.4	-12.0	-2.0	24.0	9.4	177.0	24.0
564	61	5	25.4	346.0	-1.0	98.0	14.0	77.9	-5.0	-2.0	18.0	8.2	178.0	36.0
565	61	6	22.4	498.0	-1.0	82.0	-5.0	89.7	-11.0	-2.0	19.0	10.0	225.0	38.0
566	61	7	23.3	494.0	3.0	110.0	-5.0	96.3	-14.0	-2.0	27.0	10.0	227.0	34.0
567	61	8	21.7	545.0	4.0	65.0	-10.0	98.6	-13.0	-4.0	25.0	12.0	248.0	39.0
568	61	9	24.2	594.0	-1.0	61.0	-11.0	105.0	-13.0	-4.0	24.0	12.0	274.0	40.0
569	61	10	22.9	483.0	1.0	51.0	-5.0	92.2	-5.0	-2.0	19.0	10.0	236.0	55.0
570	61	11	25.7	554.0	-1.0	23.0	10.0	103.0	-16.0	-4.0	31.0	11.0	277.0	52.0
571	61	12	24.6	429.0	13.0	110.0	-5.0	80.5	-12.0	-2.0	24.0	11.0	153.0	33.0
572	61	13	21.6	257.0	6.0	88.0	9.0	64.8	-5.0	-2.0	13.0	5.7	112.0	64.0
573	61	14	3.2	16.0	2.0	-20.0	32.0	8.0	-5.0	-2.0	-0.5	-0.5	1.7	5.0
574	62	1	27.0	651.0	-1.0	66.0	-11.0	102.0	-16.0	-4.0	30.0	13.0	308.0	54.0
575	62	2	24.2	518.0	-1.0	44.0	14.0	93.6	-20.0	-4.0	37.0	10.0	243.0	30.0
576	62	3	24.0	453.0	-1.0	90.0	-5.0	91.8	-12.0	-2.0	22.0	10.0	200.0	24.0
577	62	4	22.5	481.0	-1.0	90.0	9.0	90.8	-10.0	-2.0	21.0	10.0	242.0	23.0
578	62	5	26.8	514.0	-1.0	100.0	13.0	113.0	-12.0	-4.0	22.0	10.0	228.0	30.0
579	62	6	30.7	311.0	4.0	60.0	11.0	68.3	-5.0	-2.0	13.0	6.2	142.0	23.0
580	62	7	25.8	525.0	2.0	71.0	10.0	98.4	-13.0	-4.0	23.0	10.0	251.0	25.0
581	62	8	24.2	354.0	2.0	160.0	10.0	89.4	-10.0	-2.0	21.0	8.2	153.0	30.0
582	62	9	21.7	402.0	-1.0	96.0	-5.0	84.4	-10.0	-4.0	20.0	9.3	200.0	26.0
583	62	10	21.5	373.0	3.0	85.0	-5.0	86.5	-13.0	-2.0	23.0	8.9	172.0	56.0
584	62	11	21.6	400.0	1.0	73.0	10.0	93.3	-12.0	-2.0	23.0	8.7	183.0	16.0
585	62	12	6.3	17.0	1.0	46.0	54.0	25.6	-5.0	-2.0	-0.5	0.9	1.0	3.0
586	63	1	22.0	430.0	-1.0	120.0	-5.0	87.9	-12.0	-4.0	22.0	10.0	192.0	40.0
587	63	2	6.1	18.0	-1.0	-20.0	30.0	19.0	-5.0	-2.0	0.7	1.2	1.7	-1.0
588	64	1	23.1	483.0	3.0	47.0	16.0	114.0	-5.0	-4.0	17.0	10.0	220.0	20.0
589	64	2	22.0	438.0	-1.0	100.0	14.0	86.7	-11.0	-2.0	21.0	9.0	197.0	20.0
590	64	3	24.4	579.0	-2.0	46.0	12.0	105.0	-15.0	-4.0	28.0	11.0	251.0	24.0
591	64	4	10.0	15.0	2.0	-20.0	43.0	34.6	-5.0	-2.0	0.7	1.2	0.6	-1.0
592	65	1	23.9	472.0	-1.0	49.0	16.0	95.3	-15.0	-2.0	30.0	9.3	213.0	23.0
593	65	2	22.4	377.0	2.0	60.0	13.0	100.0	-19.0	-4.0	35.0	8.4	156.0	36.0
594	65	3	19.0	295.0	1.0	54.0	10.0	82.3	-12.0	-2.0	23.0	7.3	121.0	32.0
595	65	4	20.0	225.0	2.0	67.0	12.0	82.1	-5.0	-2.0	14.0	6.4	92.0	19.0
596	65	5	6.9	17.0	1.0	71.0	38.0	22.1	-5.0	-2.0	0.6	0.8	2.2	-1.0
597	66	1	21.9	628.0	-1.0	38.0	-11.0	102.0	-13.0	-5.0	25.0	12.0	281.0	26.0
598	66	2	2.9	37.0	1.0	49.0	51.0	7.4	-5.0	-2.0	-0.5	-0.5	5.6	-1.0
599	67	1	26.4	639.0	1.0	390.0	14.0	90.7	-16.0	-5.0	28.0	12.0	294.0	35.0
600	67	2	24.4	759.0	3.0	53.0	-13.0	108.0	-13.0	-5.0	22.0	14.0	322.0	39.0
601	67	3	24.0	657.0	-1.0	62.0	-12.0	97.0	-12.0	-5.0	24.0	12.0	299.0	40.0
602	67	4	9.2	6.0	-1.0	73.0	18.0	39.9	-5.0	-2.0	-0.5	1.0	0.8	-1.0
603	67	5	28.6	740.0	3.0	85.0	-14.0	106.0	-15.0	-5.0	26.0	13.0	373.0	37.0
604	67	6	28.6	593.0	-1.0	120.0	-12.0	99.0	-12.0	-5.0	20.0	11.0	274.0	22.0
605	67	7	24.6	590.0	-1.0	87.0	-11.0	93.5	-12.0	-5.0	20.0	11.0	272.0	19.0
606	67	8	11.0	11.0	2.0	42.0	45.0	24.3	-5.0	-2.0	-0.5	0.9	0.7	2.0
607	68	1	7.0	31.0	2.0	-20.0	26.0	19.0	-5.0	-2.0	1.2	1.7	2.5	2.0
608	69	1	6.9	28.0	3.0	-20.0	38.0	18.0	-5.0	-2.0	1.1	1.6	2.3	-1.0
609	70	1	25.8	237.0	3.0	71.0	14.0	65.5	-5.0	-2.0	7.5	7.2	76.8	25.0
610	70	2	23.9	37.0	4.0	73.0	14.0	38.7	14.0	-2.0	1.4	2.9	9.3	14.0
611	70	3	6.1	11.0	2.0	71.0	42.0	19.0	-5.0	-2.0	-0.5	0.8	1.4	5.0
612	71	1	2.5	38.0	1.0	-20.0	48.0	4.6	-5.0	-2.0	-0.5	-0.5	5.0	2.0
613	72	1	25.2	130.0	4.0	56.0	13.0	51.5	13.0	-2.0	4.5	4.6	40.7	49.0
614	72	2	23.1	634.0	-2.0	29.0	-5.0	94.8	-13.0	-2.0	27.0	11.0	306.0	39.0
615	72	3	23.7	824.0	6.0	42.0	-16.0	100.0	-36.0	-6.0	67.5	13.0	460.0	42.0
616	72	4	10.0	5.0	-1.0	230.0	12.0	19.0	-5.0	-2.0	-0.5	-0.5	0.3	-1.0

Recor	Hole	Samp	FeI	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
617	73	1	28.8	593.0	-1.0	64.0	12.0	94.4	-13.0	-5.0	24.0	11.0	273.0	35.0
618	73	2	3.2	33.0	2.0	63.0	31.0	8.6	-5.0	-2.0	-0.5	-0.5	4.7	-1.0
619	74	1	27.6	556.0	-2.0	76.0	-5.0	99.4	-5.0	-2.0	19.0	10.0	262.0	19.0
620	74	2	20.9	690.0	-2.0	41.0	11.0	84.0	-11.0	-4.0	18.0	10.0	353.0	26.0
621	74	3	9.2	12.0	-1.0	59.0	37.0	28.4	-5.0	-2.0	-0.5	0.9	1.5	-1.0
622	75	1	4.6	24.0	1.0	47.0	53.0	15.0	-5.0	-2.0	-0.5	0.6	3.2	-1.0
623	76	1	1.7	48.0	-1.0	-20.0	55.0	3.2	-5.0	-2.0	-0.5	-0.5	3.9	13.0
624	77	1	25.4	493.0	-1.0	58.0	17.0	105.0	-17.0	-4.0	32.0	10.0	233.0	25.0
625	77	2	23.7	389.0	2.0	57.0	-5.0	106.0	-11.0	-4.0	21.0	9.3	161.0	21.0
626	77	3	2.9	42.0	2.0	50.0	110.0	10.0	-5.0	-2.0	-0.5	0.7	6.7	6.0
627	77	4	2.2	29.0	2.0	36.0	84.0	7.3	-5.0	-2.0	-0.5	-0.5	4.7	6.0
628	78	1	25.7	523.0	-1.0	35.0	14.0	95.4	-11.0	-2.0	19.0	10.0	247.0	-13.0
629	78	2	24.6	460.0	-1.0	71.0	10.0	90.6	-5.0	-2.0	19.0	9.2	201.0	28.0
630	78	3	24.7	487.0	-2.0	63.0	-5.0	92.7	-12.0	-2.0	21.0	10.0	225.0	22.0
631	78	4	25.1	476.0	-1.0	63.0	-5.0	95.5	-13.0	-2.0	24.0	10.0	219.0	26.0
632	78	5	25.4	429.0	2.0	83.0	10.0	97.7	-10.0	-2.0	20.0	9.0	187.0	116.0
633	78	6	1.8	34.0	-1.0	-20.0	63.0	3.6	-5.0	-2.0	-0.5	-0.5	4.0	4.0
634	79	1	23.9	634.0	-2.0	52.0	11.0	107.0	-5.0	-2.0	17.0	12.0	262.0	32.0
635	79	2	21.8	460.0	-1.0	76.0	17.0	87.2	-12.0	-2.0	24.0	8.9	208.0	18.0
636	79	3	1.8	36.0	-1.0	-20.0	57.0	3.3	-5.0	-2.0	-0.5	-0.5	3.6	2.0
637	80	1	32.6	422.0	7.0	190.0	-11.0	66.6	-5.0	-4.0	14.0	7.8	196.0	21.0
638	80	2	5.0	19.0	3.0	65.0	120.0	15.0	-5.0	-2.0	-0.5	0.7	2.7	4.0
639	81	1	1.6	30.0	1.0	-20.0	56.0	3.2	-5.0	-2.0	0.5	-0.5	3.5	-1.0
640	82	1	23.5	525.0	-1.0	61.0	-5.0	95.4	-14.0	-4.0	26.0	10.0	250.0	33.0
641	82	2	21.7	446.0	6.0	70.0	-5.0	83.4	-10.0	-2.0	19.0	8.8	199.0	29.0
642	82	3	20.0	456.0	1.0	46.0	-5.0	77.8	-13.0	-2.0	24.0	10.0	214.0	34.0
643	82	4	21.3	461.0	-1.0	77.0	15.0	89.3	-13.0	-2.0	23.0	9.4	204.0	-14.0
644	82	5	20.2	361.0	-1.0	94.0	-5.0	88.9	-10.0	-2.0	18.0	8.3	151.0	27.0
645	82	6	25.6	540.0	10.0	150.0	-11.0	105.0	-16.0	-5.0	29.0	11.0	248.0	-18.0
646	82	7	23.1	605.0	-1.0	94.0	17.0	98.5	-12.0	-4.0	23.0	10.0	272.0	26.0
647	82	8	20.2	454.0	-1.0	57.0	15.0	95.1	-5.0	-2.0	18.0	8.5	197.0	17.0
648	82	9	20.7	515.0	-2.0	57.0	-5.0	90.0	-13.0	-2.0	24.0	9.0	239.0	-14.0
649	82	10	22.0	515.0	-1.0	51.0	-5.0	95.1	-14.0	-2.0	29.0	9.1	224.0	31.0
650	82	11	25.5	697.0	-3.0	81.0	-12.0	106.0	-17.0	-5.0	31.0	12.0	334.0	-20.0
651	82	12	26.4	830.0	-1.0	50.0	-12.0	104.0	-15.0	-5.0	27.0	13.0	385.0	29.0
652	82	13	3.3	40.0	2.0	58.0	89.0	9.3	-5.0	-2.0	-0.5	-0.5	6.6	2.0
653	83	1	24.0	635.0	-1.0	92.0	-11.0	98.0	-12.0	-4.0	24.0	12.0	292.0	64.0
654	83	2	2.2	40.0	2.0	-20.0	61.0	4.6	-5.0	-2.0	-0.5	-0.5	3.7	2.0
655	84	1	25.1	636.0	1.0	61.0	16.0	98.7	-13.0	-4.0	25.0	12.0	282.0	-18.0
656	84	2	23.1	573.0	-1.0	73.0	11.0	100.0	-13.0	-4.0	25.0	11.0	243.0	27.0
657	84	3	25.0	599.0	6.0	79.0	17.0	108.0	-15.0	-5.0	29.0	12.0	244.0	49.0
658	84	4	24.9	444.0	4.0	110.0	-5.0	100.0	-11.0	-2.0	20.0	9.4	191.0	37.0
659	84	5	24.0	357.0	2.0	160.0	-5.0	90.7	-5.0	-2.0	18.0	7.9	154.0	21.0
660	84	6	24.5	378.0	5.0	150.0	15.0	88.3	-10.0	-2.0	19.0	8.1	175.0	-16.0
661	84	7	23.1	355.0	-1.0	140.0	11.0	90.5	-5.0	-2.0	17.0	7.6	153.0	78.0
662	84	8	3.8	31.0	3.0	100.0	120.0	14.0	-5.0	-2.0	-0.5	0.5	6.3	3.0
663	85	1	22.9	518.0	-2.0	88.0	-10.0	96.0	-14.0	-4.0	26.0	10.0	235.0	29.0
664	85	2	19.0	429.0	-1.0	47.0	-5.0	79.4	-17.0	-2.0	31.0	10.0	220.0	-17.0
665	85	3	21.7	372.0	-1.0	59.0	14.0	92.0	-20.0	-4.0	37.0	9.2	168.0	30.0
666	85	4	24.1	447.0	-1.0	39.0	16.0	105.0	-15.0	-5.0	28.0	10.0	205.0	38.0
667	85	5	29.1	825.0	-4.0	140.0	23.0	115.0	-18.0	-6.0	32.0	14.0	434.0	32.0
668	85	6	20.8	406.0	2.0	110.0	-13.0	80.1	-12.0	-5.0	20.0	9.2	206.0	40.0
669	85	7	22.2	426.0	6.0	88.0	-13.0	82.4	-12.0	-5.0	20.0	9.4	217.0	28.0
670	85	8	23.0	430.0	2.0	64.0	-13.0	93.3	-14.0	-5.0	26.0	8.9	195.0	30.0
671	85	9	27.2	503.0	-1.0	120.0	-14.0	107.0	-14.0	-6.0	23.0	10.0	243.0	178.0
672	85	10	3.3	36.0	1.0	37.0	110.0	11.0	-5.0	-2.0	-0.5	-0.5	5.2	1.0

Recor	Hole	Samp	Fe%	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
673	86	1	23.9	536.0	2.0	54.0	19.0	87.3	-16.0	-6.0	30.0	10.0	252.0	36.0
674	86	2	23.1	574.0	-1.0	58.0	-15.0	88.7	-16.0	-6.0	29.0	10.0	272.0	31.0
675	86	3	27.4	673.0	-1.0	65.0	18.0	105.0	-16.0	-7.0	28.0	13.0	318.0	35.0
676	86	4	28.9	647.0	2.0	73.0	-17.0	96.9	-16.0	-7.0	26.0	12.0	325.0	41.0
677	86	5	23.4	506.0	6.0	110.0	-15.0	88.5	-13.0	-6.0	24.0	10.0	221.0	31.0
678	86	6	8.7	22.0	1.0	34.0	49.0	29.3	-5.0	-2.0	0.7	0.7	0.7	-1.0
679	87	1	24.4	643.0	2.0	71.0	-16.0	98.9	-15.0	-6.0	27.0	12.0	286.0	47.0
680	87	2	28.2	461.0	2.0	120.0	-15.0	89.2	-15.0	-6.0	25.0	8.9	210.0	34.0
681	87	3	24.2	315.0	2.0	83.0	-13.0	81.5	-12.0	-5.0	20.0	7.4	140.0	33.0
682	87	4	10.0	13.0	2.0	-20.0	31.0	22.3	-5.0	-2.0	0.6	1.0	0.8	-1.0
683	88	1	23.4	712.0	-1.0	48.0	24.0	92.1	-18.0	-7.0	33.0	14.0	294.0	38.0
684	88	2	26.3	565.0	-1.0	300.0	-16.0	96.0	-14.0	-7.0	22.0	11.0	268.0	63.0
685	88	3	23.0	487.0	5.0	99.0	-15.0	93.1	-13.0	-6.0	22.0	10.0	229.0	39.0
686	88	4	28.1	696.0	4.0	43.0	-20.0	104.0	-15.0	-8.0	22.0	12.0	346.0	34.0
687	88	5	27.0	765.0	-1.0	92.0	25.0	100.0	-14.0	-7.0	22.0	12.0	379.0	34.0
688	88	6	33.6	457.0	2.0	250.0	-17.0	71.0	-12.0	-6.0	14.0	8.2	207.0	33.0
689	88	7	1.9	32.0	4.0	30.0	80.0	6.4	-5.0	-2.0	1.1	0.6	18.0	2.0
690	89	1	26.4	628.0	3.0	-36.0	-20.0	108.0	-15.0	-8.0	23.0	12.0	290.0	41.0
691	89	2	19.0	452.0	2.0	45.0	-13.0	77.2	-13.0	-5.0	21.0	10.0	221.0	27.0
692	89	3	20.0	428.0	3.0	-29.0	-15.0	92.7	-13.0	-7.0	19.0	9.4	199.0	26.0
693	89	4	22.6	517.0	3.0	-35.0	-19.0	96.6	-17.0	-8.0	29.0	9.0	247.0	32.0
694	89	5	22.2	400.0	-3.0	34.0	-16.0	99.2	-13.0	-7.0	21.0	8.7	173.0	17.0
695	89	6	23.0	433.0	-1.0	91.0	-17.0	101.0	-13.0	-7.0	20.0	9.0	189.0	42.0
696	89	7	21.7	335.0	4.0	78.0	-14.0	89.1	-10.0	-6.0	17.0	7.3	141.0	29.0
697	89	8	22.3	324.0	4.0	-26.0	-13.0	90.2	-10.0	-6.0	18.0	7.3	141.0	31.0
698	89	9	20.6	332.0	3.0	42.0	-17.0	87.4	-11.0	-7.0	15.0	6.6	126.0	36.0
699	89	10	23.8	292.0	2.0	49.0	-13.0	87.0	-13.0	-6.0	22.0	7.5	132.0	86.0
700	89	11	8.9	11.0	1.0	62.0	28.0	31.4	-5.0	-2.0	-0.5	0.7	1.8	-1.0
701	90	1	21.7	504.0	3.0	41.0	-18.0	95.8	-15.0	-7.0	25.0	9.3	226.0	34.0
702	90	2	21.8	507.0	-3.0	-31.0	-17.0	99.4	-14.0	-7.0	24.0	11.0	216.0	30.0
703	90	3	24.9	684.0	-4.0	36.0	-19.0	101.0	-16.0	-8.0	28.0	12.0	344.0	69.0
704	90	4	23.2	503.0	2.0	110.0	-17.0	89.9	-18.0	-7.0	30.0	9.4	235.0	24.0
705	90	5	22.7	465.0	4.0	100.0	25.0	87.0	-66.0	-9.0	116.0	8.7	205.0	109.0
706	90	6	22.6	514.0	-1.0	39.0	-20.0	95.7	-29.0	-8.0	49.0	10.0	222.0	32.0
707	90	7	25.0	326.0	3.0	330.0	-17.0	80.8	-14.0	-7.0	19.0	7.2	138.0	45.0
708	90	8	22.7	265.0	-3.0	170.0	-19.0	73.1	-35.0	-8.0	59.8	7.6	108.0	45.0
709	90	9	23.1	492.0	7.0	61.0	-24.0	103.0	-19.0	-10.0	23.0	10.0	221.0	26.0
710	90	10	22.5	346.0	4.0	180.0	-21.0	80.7	-14.0	-8.0	20.0	7.5	140.0	37.0
711	90	11	19.0	362.0	5.0	130.0	-17.0	77.6	-14.0	-7.0	20.0	8.9	175.0	38.0
712	90	12	20.1	428.0	1.0	51.0	-16.0	88.2	-13.0	-6.0	21.0	8.8	197.0	36.0
713	90	13	21.0	473.0	5.0	-44.0	-25.0	86.3	-20.0	-10.0	28.0	10.0	236.0	42.0
714	90	14	23.7	433.0	2.0	69.0	-19.0	93.5	-14.0	-7.0	20.0	7.9	197.0	43.0
715	90	15	4.3	24.0	2.0	26.0	69.0	7.0	-5.0	-2.0	-0.5	0.6	3.2	2.0
716	91	1	23.9	555.0	-3.0	-32.0	-18.0	95.6	-15.0	-7.0	26.0	10.0	245.0	34.0
717	91	2	24.6	488.0	-1.0	84.0	-16.0	95.2	-16.0	-6.0	25.0	9.3	215.0	38.0
718	91	3	23.6	382.0	-3.0	130.0	15.0	87.4	-14.0	-5.0	26.0	9.4	150.0	24.0
719	91	4	22.9	371.0	-3.0	110.0	-14.0	89.9	-11.0	-5.0	20.0	8.6	135.0	22.0
720	91	5	22.5	436.0	2.0	52.0	-16.0	92.1	-14.0	-6.0	25.0	8.6	179.0	111.0
721	91	6	25.2	377.0	-2.0	69.0	15.0	93.5	-5.0	-5.0	16.0	7.5	162.0	25.0
722	91	7	24.3	410.0	-2.0	69.0	-13.0	84.8	-10.0	-5.0	18.0	7.5	176.0	28.0
723	91	8	12.0	8.0	-1.0	97.0	30.0	35.2	-5.0	-2.0	-0.5	0.7	0.4	-1.0
724	92	1	25.5	598.0	-3.0	71.0	-16.0	96.9	-13.0	-6.0	26.0	11.0	258.0	32.0
725	92	2	25.2	555.0	-3.0	83.0	-15.0	95.9	-12.0	-6.0	22.0	10.0	241.0	39.0
726	92	3	25.3	504.0	-1.0	110.0	-16.0	91.3	-13.0	-6.0	22.0	9.2	222.0	38.0
727	92	4	6.1	30.0	5.0	-20.0	35.0	11.0	-5.0	-2.0	1.2	1.6	2.8	-1.0
728	93	1	25.6	433.0	2.0	110.0	-15.0	92.1	-16.0	-6.0	26.0	8.5	191.0	52.0

Recor	Hole	Saap	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
729	93	2	24.3	369.0	-1.0	120.0	-13.0	86.2	-11.0	-5.0	22.0	7.7	151.0	43.0
730	93	3	23.3	391.0	-2.0	-23.0	-13.0	103.0	-11.0	-5.0	20.0	7.9	170.0	35.0
731	93	4	24.5	419.0	-3.0	-24.0	-14.0	102.0	-11.0	-5.0	23.0	8.1	200.0	58.0
732	93	5	25.9	456.0	-3.0	29.0	15.0	106.0	-13.0	-5.0	24.0	8.7	212.0	25.0
733	93	6	28.0	436.0	-3.0	30.0	-14.0	104.0	-13.0	-5.0	24.0	7.9	204.0	34.0
734	93	7	6.0	16.0	-1.0	74.0	46.0	20.6	-5.0	-2.0	0.6	0.7	1.3	2.0
735	94	1	23.0	608.0	-3.0	63.0	-16.0	89.5	-14.0	-6.0	23.0	11.0	269.0	27.0
736	94	2	19.0	505.0	-3.0	-25.0	-14.0	75.5	-17.0	-5.0	32.0	10.0	239.0	41.0
737	94	3	21.2	549.0	-3.0	57.0	-14.0	84.1	-12.0	-5.0	23.0	10.0	245.0	30.0
738	94	4	22.4	580.0	-3.0	32.0	-15.0	90.7	-12.0	-6.0	22.0	11.0	256.0	29.0
739	94	5	22.0	532.0	-1.0	37.0	-14.0	85.7	-13.0	-5.0	24.0	10.0	235.0	26.0
740	94	6	21.9	515.0	-3.0	26.0	-14.0	87.4	-12.0	-5.0	21.0	10.0	226.0	40.0
741	94	7	21.8	469.0	-3.0	31.0	-13.0	93.8	-12.0	-5.0	21.0	8.7	196.0	32.0
742	94	8	7.2	11.0	-1.0	90.0	25.0	28.7	-5.0	-2.0	0.6	0.8	0.9	4.0
743	95	1	22.0	571.0	2.0	75.0	-19.0	98.5	-17.0	-7.0	30.0	11.0	259.0	27.0
744	95	2	20.3	561.0	-3.0	56.0	-14.0	89.4	-11.0	-5.0	24.0	10.0	231.0	35.0
745	95	3	21.3	557.0	-3.0	-26.0	-15.0	92.7	-16.0	-6.0	29.0	10.0	240.0	25.0
746	95	4	22.6	510.0	1.0	52.0	-15.0	94.6	-13.0	-6.0	25.0	10.0	219.0	33.0
747	95	5	21.9	464.0	-3.0	41.0	-15.0	90.5	-16.0	-6.0	33.0	10.0	202.0	52.0
748	95	6	8.0	11.0	-1.0	75.0	31.0	23.2	-5.0	-2.0	0.5	0.7	1.0	-1.0
749	96	1	18.0	378.0	-5.0	49.0	-16.0	78.9	-11.0	-7.0	19.0	8.9	178.0	20.0
750	96	2	21.3	392.0	-6.0	130.0	-21.0	88.5	-25.0	-9.0	47.0	8.0	185.0	28.0
751	96	3	19.0	327.0	-6.0	47.0	-18.0	85.6	-14.0	-8.0	21.0	7.3	148.0	40.0
752	96	4	22.2	413.0	-6.0	45.0	-18.0	95.8	-15.0	-8.0	25.0	8.1	188.0	36.0
753	96	5	22.3	420.0	-6.0	70.0	-19.0	92.1	-15.0	-8.0	27.0	8.4	186.0	41.0
754	96	6	22.0	371.0	-6.0	65.0	-17.0	90.6	-14.0	-8.0	20.0	7.5	174.0	35.0
755	96	7	20.0	354.0	-4.0	65.0	-17.0	83.2	-13.0	-8.0	20.0	6.8	130.0	38.0
756	96	8	22.1	342.0	-4.0	44.0	-17.0	90.8	-12.0	-8.0	19.0	7.9	157.0	25.0
757	96	9	23.5	331.0	-4.0	74.0	-18.0	84.8	-14.0	-8.0	18.0	6.8	151.0	30.0
758	96	10	22.8	317.0	-5.0	180.0	-30.0	75.2	-27.0	-12.0	33.0	6.9	154.0	60.0
759	96	11	19.0	256.0	-3.0	63.0	-16.0	69.7	-12.0	-7.0	15.0	5.5	118.0	21.0
760	96	12	23.6	453.0	-5.0	110.0	-19.0	86.9	-13.0	-8.0	20.0	8.3	210.0	24.0
761	96	13	21.0	332.0	-4.0	78.0	-17.0	88.5	-14.0	-7.0	24.0	7.4	132.0	15.0
762	96	14	20.7	270.0	-4.0	38.0	17.0	88.4	-12.0	-7.0	18.0	6.6	116.0	36.0
763	96	15	20.3	266.0	-4.0	110.0	-18.0	75.7	-12.0	-8.0	17.0	6.2	111.0	34.0
764	96	16	21.9	286.0	-4.0	86.0	-17.0	86.7	-11.0	-7.0	15.0	6.5	120.0	22.0
765	96	17	6.9	16.0	-1.0	59.0	32.0	21.1	-5.0	-2.0	0.9	0.8	0.5	-1.0
766	97	1	20.2	493.0	-5.0	54.0	18.0	77.2	-11.0	-7.0	15.0	10.0	142.0	51.0
767	97	2	22.1	402.0	-4.0	-37.0	-20.0	92.1	-15.0	-9.0	27.0	8.3	188.0	39.0
768	97	3	20.2	404.0	-4.0	58.0	-16.0	91.0	-12.0	-7.0	18.0	8.8	178.0	24.0
769	97	4	19.0	358.0	-4.0	68.0	-16.0	81.9	-13.0	-7.0	21.0	8.3	192.0	26.0
770	97	5	21.5	433.0	-5.0	-36.0	29.0	90.8	-20.0	-9.0	36.0	10.0	206.0	24.0
771	97	6	24.9	459.0	-5.0	-39.0	-22.0	97.2	-25.0	-9.0	47.0	9.3	226.0	31.0
772	97	7	24.7	442.0	-5.0	-36.0	-19.0	88.6	-14.0	-8.0	22.0	8.7	206.0	28.0
773	97	8	25.4	383.0	-5.0	110.0	31.0	83.2	-12.0	-8.0	19.0	7.8	190.0	28.0
774	97	9	27.0	431.0	-5.0	74.0	-19.0	91.1	-15.0	-8.0	24.0	8.5	206.0	29.0
775	97	10	28.4	446.0	-5.0	41.0	21.0	98.8	-14.0	-8.0	24.0	9.3	203.0	-14.0
776	97	11	25.6	370.0	-4.0	140.0	18.0	87.8	-12.0	-7.0	19.0	7.4	153.0	21.0
777	97	12	25.5	376.0	-5.0	84.0	-18.0	91.7	-13.0	-8.0	22.0	8.1	163.0	24.0
778	97	13	23.2	338.0	-4.0	82.0	-16.0	85.3	-12.0	-7.0	20.0	8.0	137.0	27.0
779	97	14	23.3	346.0	-4.0	55.0	-16.0	88.5	-13.0	-7.0	20.0	7.2	133.0	22.0
780	97	15	22.7	314.0	-4.0	92.0	-16.0	84.2	-12.0	-7.0	20.0	6.9	123.0	35.0
781	97	17	12.0	15.0	-1.0	58.0	20.0	49.2	-5.0	-4.0	-0.5	1.0	2.1	-2.0
782	98	1	24.8	412.0	-5.0	120.0	-18.0	90.8	-13.0	-8.0	20.0	8.0	179.0	19.0
783	98	2	23.2	358.0	-4.0	98.0	-17.0	91.4	-13.0	-7.0	20.0	7.6	142.0	22.0
784	98	3	23.3	351.0	-4.0	110.0	-17.0	90.8	-12.0	-7.0	20.0	8.1	139.0	13.0

Recor	Hole	Saap	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
785	98	4	23.0	350.0	-4.0	93.0	-20.0	77.4	-22.0	-8.0	38.0	6.1	155.0	20.0
786	98	5	24.6	377.0	-5.0	79.0	19.0	94.8	-12.0	-8.0	19.0	8.3	161.0	15.0
787	98	6	23.6	342.0	-4.0	96.0	-17.0	89.4	-11.0	-7.0	18.0	7.5	146.0	32.0
788	98	7	23.7	332.0	-4.0	92.0	19.0	87.7	-12.0	-7.0	20.0	8.3	145.0	31.0
789	98	8	26.6	356.0	-5.0	110.0	-20.0	89.5	-15.0	-9.0	21.0	7.6	173.0	37.0
790	98	9	24.8	374.0	-4.0	78.0	21.0	91.4	-13.0	-8.0	20.0	8.1	168.0	-13.0
791	98	10	19.0	284.0	-3.0	100.0	-17.0	73.8	-13.0	-7.0	17.0	7.0	138.0	29.0
792	98	11	23.3	358.0	-3.0	85.0	-19.0	91.3	-15.0	-8.0	23.0	8.0	154.0	18.0
793	98	12	22.7	350.0	-4.0	66.0	30.0	89.3	-16.0	-8.0	22.0	8.0	162.0	68.0
794	98	13	7.3	12.0	-1.0	-20.0	19.0	11.0	-5.0	-2.0	-0.5	0.6	1.5	-1.0
795	99	1	26.1	479.0	-4.0	-50.0	-21.0	119.0	-15.0	-10.0	18.0	10.0	229.0	27.0
796	99	2	22.5	398.0	-4.0	-50.0	-20.0	107.0	-13.0	-9.0	15.0	9.0	180.0	41.0
797	99	3	24.3	397.0	-4.0	54.0	39.0	98.7	-16.0	-9.0	24.0	9.0	160.0	14.0
798	99	4	24.3	447.0	-4.0	-50.0	-21.0	100.0	-15.0	-9.0	19.0	9.0	195.0	30.0
799	99	5	7.7	14.0	-1.0	120.0	34.0	25.6	-5.0	-2.0	0.6	0.6	1.0	-1.0
800	100	1	24.1	404.0	-4.0	80.0	-20.0	103.0	-17.0	-9.0	30.0	9.0	167.0	15.0
801	100	2	24.1	419.0	-4.0	56.0	21.0	99.1	-16.0	-9.0	25.0	8.0	180.0	40.0
802	100	3	25.7	387.0	-4.0	80.0	-20.0	97.8	-15.0	-9.0	23.0	9.0	171.0	25.0
803	100	4	25.0	389.0	-4.0	81.0	-20.0	96.2	-15.0	-9.0	24.0	8.0	170.0	37.0
804	100	5	25.3	376.0	-4.0	130.0	-19.0	99.3	-14.0	-8.0	23.0	9.0	158.0	30.0
805	100	6	24.5	369.0	-4.0	-50.0	-20.0	90.9	-18.0	-8.0	28.0	8.0	157.0	127.0
806	100	7	26.2	457.0	-4.0	92.0	-24.0	97.3	-26.0	-10.0	47.0	8.0	181.0	43.0
807	100	8	25.4	386.0	-4.0	70.0	-20.0	88.9	-15.0	-9.0	24.0	8.0	179.0	28.0
808	100	9	24.1	421.0	-4.0	64.0	-20.0	97.4	-16.0	-9.0	22.0	9.0	179.0	23.0
809	100	10	26.1	390.0	-4.0	130.0	-22.0	93.1	-21.0	-9.0	33.0	8.0	171.0	31.0
810	100	11	23.5	364.0	-4.0	150.0	-20.0	91.9	-17.0	-8.0	23.0	8.0	159.0	26.0
811	100	12	23.9	337.0	-4.0	150.0	-20.0	91.5	-17.0	-9.0	24.0	8.0	151.0	22.0
812	100	13	19.0	295.0	-3.0	130.0	-17.0	75.7	-14.0	-7.0	20.0	7.0	131.0	16.0
813	100	14	19.0	265.0	-3.0	100.0	-15.0	81.2	-11.0	-7.0	14.0	7.0	104.0	24.0
814	100	15	22.3	331.0	-3.0	91.0	-17.0	95.0	-12.0	-8.0	17.0	8.0	134.0	14.0
815	100	16	24.4	348.0	-3.0	110.0	-19.0	98.2	-13.0	-8.0	17.0	8.0	167.0	25.0
816	100	17	23.9	343.0	-3.0	54.0	-17.0	103.0	-13.0	-8.0	19.0	7.0	146.0	14.0
817	100	18	23.4	359.0	-3.0	-50.0	-18.0	101.0	-16.0	-8.0	25.0	8.0	146.0	31.0
818	100	19	5.3	12.0	1.0	65.0	31.0	35.2	-5.0	-2.0	-0.5	1.0	0.8	-1.0
819	101	1	25.4	440.0	-4.0	80.0	-20.0	111.0	-13.0	-9.0	17.0	9.0	194.0	22.0
820	101	2	24.3	387.0	-4.0	-50.0	-19.0	97.4	-13.0	-8.0	20.0	9.0	152.0	27.0
821	101	3	25.0	448.0	-4.0	58.0	-20.0	107.0	-14.0	-9.0	21.0	9.0	171.0	36.0
822	101	4	24.9	409.0	-4.0	59.0	-20.0	106.0	-15.0	-9.0	21.0	10.0	158.0	25.0
823	101	5	25.1	418.0	-4.0	79.0	-20.0	100.0	-13.0	-9.0	22.0	9.0	169.0	44.0
824	101	6	25.5	420.0	-4.0	100.0	28.0	104.0	-14.0	-9.0	21.0	9.0	163.0	-12.0
825	101	7	22.7	318.0	-3.0	130.0	-17.0	92.2	-13.0	-8.0	18.0	8.0	124.0	20.0
826	101	8	21.1	294.0	-3.0	100.0	-16.0	92.3	-12.0	-7.0	18.0	7.0	115.0	19.0
827	101	9	23.7	418.0	-4.0	100.0	-19.0	94.1	-14.0	-9.0	20.0	9.0	142.0	46.0
828	101	10	23.5	347.0	-3.0	130.0	-19.0	95.9	-13.0	-8.0	17.0	9.0	131.0	25.0
829	101	11	22.2	317.0	-3.0	120.0	-17.0	94.1	-12.0	-7.0	16.0	7.0	122.0	-11.0
830	101	12	25.1	392.0	-4.0	95.0	-19.0	106.0	-15.0	-9.0	22.0	8.0	149.0	18.0
831	101	13	22.4	372.0	-4.0	77.0	-19.0	98.7	-15.0	-8.0	20.0	8.0	152.0	15.0
832	101	14	21.9	331.0	-3.0	110.0	-17.0	98.4	-13.0	-8.0	20.0	8.0	125.0	29.0
833	101	15	23.3	378.0	-4.0	-50.0	-19.0	105.0	-15.0	-8.0	18.0	9.0	158.0	21.0
834	101	16	4.5	23.0	1.0	-20.0	55.0	10.0	-5.0	-2.0	1.0	0.9	2.8	-1.0
835	102	1	18.0	579.0	-5.0	44.0	-21.0	79.9	-16.0	-9.0	23.0	13.0	262.0	47.0
836	102	2	25.7	489.0	-4.0	49.0	-21.0	105.0	-18.0	-9.0	28.0	10.0	241.0	42.0
837	102	3	24.4	380.0	-4.0	120.0	-19.0	91.4	-16.0	-8.0	20.0	8.5	161.0	35.0
838	102	4	22.8	418.0	-4.0	-34.0	-18.0	96.5	-13.0	-8.0	20.0	8.4	188.0	24.0
839	102	5	23.2	392.0	-4.0	67.0	-18.0	102.0	-15.0	-8.0	25.0	8.4	157.0	30.0
840	102	6	24.0	371.0	-4.0	100.0	29.0	89.7	-12.0	-7.0	18.0	8.3	153.0	22.0

Recor	Hole	Samp	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
841	102	7	21.8	408.0	-4.0	130.0	-17.0	91.0	-14.0	-8.0	18.0	8.8	169.0	-15.0
842	102	8	23.0	354.0	-4.0	130.0	21.0	93.6	-17.0	-8.0	29.0	8.0	137.0	33.0
843	102	9	24.3	308.0	-3.0	190.0	20.0	95.3	-13.0	-7.0	16.0	7.0	128.0	33.0
844	102	10	26.2	520.0	-4.0	180.0	-21.0	102.0	-14.0	-9.0	20.0	9.4	240.0	36.0
845	102	11	25.9	363.0	-4.0	140.0	23.0	101.0	-18.0	-9.0	34.0	8.6	143.0	31.0
846	102	12	25.9	346.0	-4.0	130.0	-18.0	101.0	-12.0	-8.0	17.0	7.8	137.0	29.0
847	102	13	25.3	323.0	-4.0	170.0	-18.0	97.6	-15.0	-8.0	25.0	7.4	134.0	20.0
848	102	14	6.2	10.0	1.0	130.0	-5.0	23.3	-5.0	-2.0	0.6	0.7	1.1	-1.0
849	103	1	23.1	385.0	-4.0	71.0	-18.0	95.5	-14.0	-8.0	22.0	8.6	159.0	27.0
850	103	2	24.2	423.0	-4.0	96.0	-19.0	97.0	-15.0	-8.0	24.0	9.2	186.0	26.0
851	103	3	24.2	447.0	-4.0	42.0	-20.0	98.5	-16.0	-8.0	24.0	9.1	195.0	32.0
852	103	4	25.2	483.0	-4.0	97.0	-21.0	103.0	-20.0	-9.0	31.0	8.8	217.0	20.0
853	103	5	22.1	385.0	-4.0	77.0	-20.0	89.9	-19.0	-9.0	28.0	8.6	177.0	28.0
854	103	6	20.3	449.0	-4.0	110.0	-20.0	84.4	-16.0	-8.0	19.0	8.9	181.0	27.0
855	103	7	16.0	273.0	-4.0	-36.0	19.0	67.7	-14.0	-8.0	14.0	6.9	124.0	39.0
856	103	8	17.0	366.0	-4.0	110.0	-21.0	68.4	-14.0	-8.0	15.0	7.6	177.0	-17.0
857	103	9	20.2	357.0	-4.0	69.0	18.0	85.9	-13.0	-7.0	18.0	8.1	155.0	34.0
858	103	10	24.4	314.0	-4.0	77.0	-17.0	88.7	-13.0	-7.0	16.0	7.7	127.0	24.0
859	103	11	25.6	314.0	-4.0	170.0	-17.0	92.7	-13.0	-7.0	22.0	6.5	134.0	-15.0
860	103	12	24.4	300.0	-3.0	140.0	-17.0	92.7	-12.0	-7.0	19.0	7.2	127.0	18.0
861	103	13	25.6	307.0	-3.0	130.0	-16.0	96.4	-12.0	-7.0	17.0	7.0	138.0	22.0
862	103	14	24.2	278.0	-4.0	260.0	-17.0	81.9	-12.0	-7.0	14.0	6.2	115.0	21.0
863	103	15	23.1	288.0	-4.0	160.0	-18.0	82.6	-13.0	-8.0	20.0	6.8	116.0	16.0
864	103	16	24.7	340.0	-4.0	140.0	-17.0	93.9	-13.0	-8.0	18.0	7.8	142.0	28.0
865	103	17	27.4	270.0	-4.0	230.0	-19.0	85.8	-16.0	-8.0	26.0	6.5	106.0	-16.0
866	103	18	12.0	9.0	1.0	98.0	24.0	42.2	-5.0	-2.0	0.6	1.1	0.3	-2.0
867	104	1	22.5	481.0	-4.0	41.0	-18.0	100.0	-14.0	-8.0	22.0	11.0	174.0	39.0
868	104	2	25.1	383.0	-4.0	35.0	19.0	100.0	-16.0	-8.0	24.0	9.0	161.0	42.0
869	104	3	26.4	399.0	-4.0	76.0	-19.0	102.0	-16.0	-8.0	28.0	8.6	165.0	38.0
870	104	4	26.3	388.0	-4.0	72.0	-19.0	100.0	-15.0	-8.0	27.0	9.0	153.0	38.0
871	104	5	24.4	386.0	-4.0	76.0	-19.0	93.9	-16.0	-8.0	25.0	8.9	159.0	20.0
872	104	6	24.3	367.0	-4.0	84.0	19.0	92.2	-14.0	-8.0	23.0	7.2	140.0	44.0
873	104	7	24.0	357.0	-4.0	65.0	-18.0	92.3	-15.0	-8.0	25.0	7.7	151.0	25.0
874	104	8	20.0	313.0	-4.0	66.0	-16.0	80.2	-13.0	-7.0	17.0	8.1	134.0	-16.0
875	104	9	19.0	293.0	-3.0	120.0	-16.0	79.5	-14.0	-7.0	20.0	7.4	146.0	23.0
876	104	10	23.2	435.0	-4.0	49.0	-18.0	98.4	-14.0	-8.0	22.0	9.0	188.0	111.0
877	104	11	18.0	257.0	-4.0	45.0	-16.0	80.2	-11.0	-7.0	15.0	6.7	106.0	-28.0
878	104	12	21.7	322.0	-4.0	77.0	-17.0	95.2	-11.0	-8.0	17.0	7.6	125.0	-29.0
879	104	13	23.9	343.0	-4.0	110.0	24.0	89.7	-12.0	-8.0	18.0	7.7	140.0	-32.0
880	104	14	21.8	283.0	-4.0	130.0	-16.0	88.4	-12.0	-7.0	17.0	7.5	98.3	-29.0
881	104	15	22.0	271.0	-4.0	100.0	-16.0	89.9	-11.0	-7.0	16.0	6.9	96.6	-29.0
882	104	16	23.4	302.0	-5.0	130.0	-21.0	96.4	-12.0	-8.0	16.0	7.6	122.0	1500.0
883	104	17	24.1	214.0	4.0	270.0	-17.0	84.6	-11.0	-7.0	14.0	5.7	76.5	-29.0
884	104	18	27.2	449.0	-5.0	43.0	-21.0	114.0	-14.0	-9.0	19.0	9.2	193.0	-37.0
885	104	19	21.3	395.0	-5.0	140.0	23.0	96.3	-11.0	-8.0	16.0	8.8	164.0	-31.0
886	104	20	6.0	22.0	6.0	160.0	52.0	18.0	-5.0	-2.0	-0.5	0.6	5.5	-1.0
887	105	1	27.8	665.0	-7.0	49.0	-25.0	112.0	-17.0	-11.0	29.0	13.0	285.0	-43.0
888	105	2	23.3	371.0	-5.0	50.0	-18.0	95.1	-12.0	-8.0	19.0	8.6	146.0	-32.0
889	105	3	22.4	360.0	-5.0	91.0	32.0	92.4	-12.0	-8.0	20.0	7.5	132.0	-32.0
890	105	4	25.0	276.0	-4.0	140.0	-18.0	93.2	-12.0	-8.0	19.0	7.6	109.0	-31.0
891	105	5	25.5	322.0	-5.0	110.0	20.0	104.0	-12.0	-8.0	16.0	7.7	129.0	-50.0
892	105	6	24.1	324.0	-5.0	140.0	-19.0	95.9	-14.0	-9.0	24.0	8.1	133.0	-34.0
893	105	7	24.4	294.0	-5.0	150.0	18.0	97.2	-11.0	-8.0	14.0	7.2	133.0	-32.0
894	105	8	24.8	300.0	-5.0	140.0	-18.0	96.6	-11.0	-8.0	16.0	7.2	127.0	-33.0
895	105	9	12.0	8.0	-1.0	69.0	14.0	38.4	-5.0	-4.0	-0.5	1.0	0.8	-2.0
896	106	1	21.4	381.0	-5.0	54.0	26.0	98.4	-12.0	-8.0	19.0	8.5	150.0	-34.0



Recor	Hole	Saap	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
897	106	2	22.6	464.0	-5.0	52.0	-20.0	98.9	-14.0	-9.0	23.0	10.0	193.0	-36.0
898	106	3	19.0	357.0	-5.0	35.0	-17.0	81.7	-13.0	-8.0	18.0	9.1	164.0	-32.0
899	106	4	22.2	452.0	-5.0	73.0	-19.0	94.3	-15.0	-9.0	24.0	8.8	201.0	-37.0
900	106	5	23.0	424.0	-5.0	80.0	27.0	99.0	-14.0	-9.0	22.0	10.0	183.0	-38.0
901	106	6	22.1	580.0	-7.0	84.0	-25.0	93.5	-16.0	-11.0	21.0	10.0	303.0	-47.0
902	106	7	20.7	451.0	-6.0	65.0	-20.0	89.2	-14.0	-9.0	18.0	9.0	200.0	-39.0
903	106	8	18.0	381.0	-6.0	56.0	-21.0	76.9	-13.0	-9.0	15.0	7.9	169.0	-40.0
904	106	9	25.7	316.0	-5.0	200.0	-19.0	91.8	-12.0	-8.0	19.0	6.8	136.0	-35.0
905	106	10	25.0	349.0	-5.0	130.0	-19.0	97.7	-13.0	-8.0	20.0	7.0	157.0	-36.0
906	106	11	25.6	313.0	-5.0	180.0	-20.0	88.5	-12.0	-8.0	17.0	6.1	140.0	-38.0
907	106	12	24.3	296.0	-5.0	130.0	-18.0	90.2	-11.0	-8.0	16.0	7.0	117.0	-34.0
908	106	13	24.3	333.0	-5.0	110.0	-19.0	96.0	-11.0	-8.0	17.0	7.3	144.0	438.0
909	106	14	20.0	190.0	-3.0	100.0	-14.0	79.2	-5.0	-6.0	13.0	4.4	88.3	79.0
910	106	15	25.0	363.0	-5.0	140.0	-19.0	95.2	-11.0	-8.0	17.0	7.2	157.0	130.0
911	106	16	27.0	355.0	-5.0	170.0	21.0	99.3	-12.0	-9.0	18.0	8.0	148.0	-38.0
912	106	17	27.9	393.0	-6.0	180.0	35.0	100.0	-13.0	-9.0	21.0	8.1	166.0	-40.0
913	106	18	23.9	340.0	-5.0	86.0	-19.0	95.1	-12.0	-8.0	18.0	7.9	148.0	-37.0
914	107	1	25.2	344.0	-5.0	98.0	-18.0	74.6	-12.0	-7.0	14.0	7.4	136.0	-35.0
915	107	2	22.7	517.0	-6.0	49.0	-20.0	102.0	-14.0	-9.0	23.0	10.0	223.0	-49.0
916	107	3	27.2	594.0	-6.0	-42.0	-22.0	110.0	-16.0	-10.0	26.0	12.0	265.0	-46.0
917	107	4	20.0	423.0	-5.0	36.0	-18.0	78.9	-13.0	-8.0	22.0	9.2	207.0	-38.0
918	107	5	23.0	485.0	-6.0	69.0	-21.0	92.3	-15.0	-9.0	23.0	11.0	217.0	-57.0
919	107	6	23.8	524.0	-5.0	64.0	-22.0	89.2	-18.0	-10.0	25.0	10.0	260.0	30.0
920	107	7	23.9	521.0	-5.0	-43.0	31.0	94.4	-19.0	-10.0	26.0	10.0	252.0	30.0
921	107	8	24.4	483.0	-4.0	85.0	-21.0	97.1	-15.0	-9.0	22.0	9.4	217.0	40.0
922	107	9	26.3	501.0	-4.0	93.0	-22.0	101.0	-17.0	-9.0	26.0	10.0	218.0	29.0
923	107	10	26.7	486.0	-4.0	100.0	-22.0	97.9	-17.0	-9.0	23.0	10.0	218.0	-14.0
924	107	11	24.3	449.0	-4.0	70.0	-21.0	96.7	-16.0	-9.0	22.0	8.7	207.0	37.0
925	107	12	25.3	473.0	-4.0	85.0	22.0	102.0	-19.0	-9.0	25.0	9.4	215.0	21.0
926	107	13	24.8	499.0	-4.0	71.0	-23.0	101.0	-17.0	-10.0	26.0	9.2	220.0	26.0
927	107	14	22.9	433.0	-4.0	79.0	-20.0	96.3	-16.0	-9.0	20.0	9.0	194.0	22.0
928	107	15	21.4	397.0	-4.0	61.0	-18.0	101.0	-13.0	-8.0	20.0	9.1	157.0	23.0
929	107	16	24.5	455.0	-4.0	-38.0	-20.0	104.0	-16.0	-9.0	24.0	9.5	198.0	26.0
930	107	17	26.4	437.0	-4.0	110.0	27.0	105.0	-20.0	-10.0	40.0	9.1	194.0	34.0
931	107	18	21.6	369.0	-4.0	95.0	-21.0	86.3	-15.0	-9.0	20.0	7.1	129.0	19.0
932	107	19	22.5	379.0	-4.0	81.0	-19.0	94.1	-13.0	-8.0	16.0	7.7	134.0	16.0
933	107	20	23.6	307.0	-3.0	95.0	-16.0	105.0	-11.0	-7.0	13.0	7.3	118.0	13.0
934	107	21	27.6	401.0	-4.0	150.0	-20.0	105.0	-14.0	-9.0	21.0	8.5	168.0	40.0
935	107	22	25.0	390.0	-4.0	120.0	22.0	100.0	-14.0	-8.0	20.0	8.0	168.0	37.0
936	107	23	6.1	34.0	2.0	100.0	110.0	20.9	-5.0	-2.0	0.6	0.7	7.9	2.0
937	108	1	26.2	428.0	-18.0	160.0	-25.0	79.9	-15.0	-10.0	18.0	7.0	162.0	-990.0
938	108	2	24.3	516.0	-110.0	220.0	-120.0	93.5	-410.0	-41.0	780.0	6.4	146.0	-1.0
939	108	3	19.0	302.0	-3.0	49.0	18.0	77.7	-14.0	-7.0	21.0	7.4	144.0	36.0
940	108	4	24.6	331.0	-3.0	130.0	19.0	94.5	-13.0	-8.0	18.0	7.8	136.0	18.0
941	108	5	22.9	375.0	-3.0	57.0	-18.0	98.9	-16.0	-8.0	25.0	8.5	150.0	20.0
942	108	6	24.0	362.0	-4.0	110.0	-18.0	102.0	-14.0	-8.0	20.0	8.5	162.0	38.0
943	108	7	25.0	376.0	-4.0	61.0	-18.0	101.0	-15.0	-8.0	20.0	7.8	160.0	27.0
944	108	8	26.3	420.0	-5.0	110.0	-23.0	103.0	-15.0	-10.0	23.0	8.2	181.0	24.0
945	108	9	26.3	554.0	-5.0	-46.0	-25.0	116.0	-15.0	-11.0	21.0	10.0	242.0	38.0
946	108	10	24.8	438.0	-4.0	-42.0	-22.0	110.0	-14.0	-10.0	22.0	8.4	189.0	35.0
947	108	11	25.2	524.0	-5.0	-45.0	-25.0	107.0	-16.0	-10.0	22.0	10.0	240.0	-19.0
948	108	12	27.1	476.0	-5.0	110.0	-25.0	108.0	-16.0	-11.0	22.0	10.0	228.0	38.0
949	108	13	23.7	362.0	-5.0	120.0	-24.0	94.1	-14.0	-10.0	15.0	8.0	172.0	25.0
950	108	14	4.9	25.0	1.0	35.0	65.0	16.0	-5.0	-2.0	-0.5	0.5	3.5	-1.0
951	109	1	25.8	419.0	-5.0	61.0	27.0	101.0	-17.0	-10.0	28.0	9.1	177.0	52.0
952	109	2	27.7	446.0	-5.0	110.0	-25.0	100.0	-18.0	-11.0	29.0	8.5	208.0	30.0

Recor	Hole	Saap	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
953	109	3	25.5	401.0	-5.0	-42.0	-22.0	100.0	-17.0	-10.0	24.0	8.7	172.0	38.0
954	109	4	27.0	376.0	-5.0	-42.0	-22.0	95.1	-17.0	-10.0	28.0	8.1	161.0	22.0
955	109	5	25.2	355.0	-4.0	89.0	-22.0	95.1	-15.0	-10.0	22.0	8.6	148.0	-17.0
956	109	6	23.8	319.0	-4.0	69.0	-22.0	101.0	-14.0	-9.0	22.0	8.7	121.0	33.0
957	109	7	27.8	449.0	-5.0	-45.0	-24.0	111.0	-17.0	-11.0	29.0	10.0	190.0	23.0
958	109	8	25.0	441.0	-5.0	-41.0	-22.0	107.0	-15.0	-10.0	21.0	11.0	189.0	54.0
959	109	9	24.9	471.0	-5.0	52.0	-23.0	109.0	-14.0	-10.0	23.0	10.0	186.0	31.0
960	109	10	23.9	424.0	-5.0	-42.0	-22.0	108.0	-16.0	-10.0	24.0	10.0	173.0	30.0
961	109	11	20.0	320.0	-5.0	65.0	25.0	87.8	-10.0	-5.0	22.0	8.8	142.0	31.0
962	109	12	23.0	350.0	-6.0	92.0	-25.0	97.0	-10.0	-10.0	30.0	8.7	151.0	-32.0
963	109	13	23.0	330.0	-5.0	100.0	-23.0	95.3	-10.0	-5.0	22.0	8.3	137.0	-31.0
964	109	14	23.0	370.0	-5.0	-42.0	26.0	94.7	-10.0	-5.0	20.0	8.2	148.0	-30.0
965	109	15	22.0	340.0	-5.0	110.0	-23.0	96.7	-10.0	-5.0	18.0	8.0	135.0	-30.0
966	109	16	22.0	270.0	-5.0	190.0	-23.0	87.9	-10.0	-5.0	28.0	7.7	102.0	-30.0
967	109	17	23.0	410.0	-6.0	87.0	-23.0	100.0	-10.0	-5.0	16.0	8.5	181.0	-32.0
968	109	18	23.0	400.0	-6.0	85.0	-23.0	98.5	-10.0	-5.0	17.0	8.7	172.0	-32.0
969	109	19	22.0	420.0	-6.0	46.0	-23.0	104.0	-10.0	-5.0	18.0	9.0	175.0	37.0
970	109	20	5.4	35.0	1.0	91.0	120.0	17.0	-5.0	-2.0	0.6	0.7	7.0	-1.0
971	110	1	26.0	606.0	-7.0	-52.0	-28.0	122.0	-10.0	-12.0	20.0	13.0	280.0	-38.0
972	110	2	24.0	460.0	-6.0	93.0	-25.0	109.0	-10.0	-11.0	22.0	10.0	203.0	-36.0
973	110	3	23.0	370.0	-6.0	81.0	-23.0	105.0	-10.0	-10.0	19.0	9.2	151.0	-33.0
974	110	4	20.0	340.0	-6.0	100.0	-24.0	98.7	-10.0	-10.0	18.0	8.6	128.0	-34.0
975	110	5	23.0	390.0	-6.0	94.0	25.0	96.4	-10.0	-10.0	21.0	8.3	157.0	-33.0
976	110	6	21.0	390.0	-6.0	78.0	-23.0	101.0	-10.0	-5.0	21.0	9.5	172.0	42.0
977	110	7	24.0	380.0	-5.0	49.0	-23.0	108.0	-10.0	-5.0	22.0	9.1	159.0	48.0
978	110	8	23.0	450.0	-6.0	-47.0	-25.0	112.0	-10.0	-11.0	24.0	10.0	184.0	-35.0
979	110	9	26.0	509.0	-6.0	-50.0	-27.0	113.0	-21.0	-12.0	34.0	11.0	239.0	-39.0
980	110	10	24.0	460.0	-6.0	99.0	-26.0	102.0	-10.0	-11.0	28.0	9.5	229.0	64.0
981	110	11	21.0	220.0	-5.0	120.0	-10.0	84.2	-10.0	-5.0	15.0	6.5	106.0	-29.0
982	110	12	22.0	320.0	-6.0	70.0	-25.0	88.9	-10.0	-10.0	14.0	7.5	167.0	37.0
983	110	13	5.2	37.0	2.0	81.0	75.0	18.0	-5.0	-2.0	0.8	0.8	8.1	-2.0
984	111	1	23.0	370.0	-6.0	120.0	-24.0	96.5	-10.0	-10.0	21.0	8.2	141.0	43.0
985	111	2	23.0	360.0	-6.0	130.0	-23.0	93.6	-10.0	-5.0	25.0	8.5	139.0	-34.0
986	111	3	25.0	390.0	-6.0	89.0	-25.0	96.7	-10.0	-11.0	25.0	9.3	155.0	-35.0
987	111	4	26.0	410.0	-6.0	86.0	31.0	103.0	-10.0	-11.0	24.0	10.0	163.0	-37.0
988	111	5	23.0	330.0	-6.0	120.0	-23.0	99.4	-10.0	-5.0	24.0	8.2	129.0	70.0
989	111	6	23.0	350.0	-6.0	75.0	-23.0	95.6	-10.0	-5.0	21.0	7.8	136.0	-33.0
990	111	7	24.0	350.0	-6.0	130.0	36.0	101.0	-21.0	-11.0	32.0	8.0	136.0	-36.0
991	111	8	24.0	370.0	-6.0	120.0	-23.0	98.2	-10.0	-5.0	20.0	8.8	141.0	86.0
992	111	9	25.0	340.0	-6.0	120.0	25.0	97.6	-10.0	-5.0	21.0	8.5	139.0	-34.0
993	111	10	24.0	340.0	-6.0	99.0	26.0	99.2	-10.0	-10.0	27.0	8.3	126.0	-35.0
994	111	11	24.0	350.0	-6.0	110.0	-24.0	97.7	-10.0	-5.0	21.0	9.0	149.0	-35.0
995	111	12	3.4	39.0	3.0	67.0	72.0	11.0	-5.0	-2.0	0.6	-0.5	8.0	-2.0
996	112	1	26.0	450.0	-7.0	100.0	-27.0	103.0	-10.0	-11.0	25.0	10.0	213.0	-38.0
997	112	2	23.0	340.0	-6.0	110.0	-24.0	95.8	-10.0	-10.0	22.0	8.2	137.0	65.0
998	112	3	24.0	340.0	-6.0	110.0	26.0	95.7	-24.0	-11.0	39.0	7.4	146.0	-37.0
999	112	4	24.0	350.0	-6.0	88.0	29.0	94.4	-10.0	-10.0	26.0	7.7	143.0	-36.0
1000	112	5	21.0	300.0	-5.0	86.0	-23.0	96.6	-10.0	-5.0	17.0	7.6	109.0	39.0
1001	112	6	21.0	340.0	-6.0	130.0	-23.0	95.2	-10.0	-5.0	20.0	8.3	134.0	-35.0
1002	112	7	5.6	29.0	2.0	120.0	120.0	18.0	-5.0	-2.0	0.7	0.8	8.8	3.0
1003	113	1	19.0	300.0	-5.0	84.0	-22.0	79.6	-10.0	-5.0	25.0	8.7	139.0	72.0
1004	113	2	20.0	330.0	-6.0	-45.0	-24.0	90.9	-10.0	-10.0	25.0	8.4	154.0	55.0
1005	113	3	19.0	335.0	-5.0	68.0	-21.0	83.7	-17.0	-10.0	24.0	9.1	139.0	-20.0
1006	113	4	19.0	314.0	-5.0	77.0	-23.0	90.0	-16.0	-10.0	19.0	7.5	113.0	-22.0
1007	113	5	18.0	301.0	-5.0	64.0	-22.0	93.4	-15.0	-10.0	17.0	7.7	103.0	-21.0
1008	113	6	21.4	318.0	-5.0	120.0	-25.0	87.9	-23.0	-11.0	38.0	7.8	110.0	21.0

Recor	Hole	Saap	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	M
1009	113	7	20.2	361.0	-5.0	120.0	-23.0	87.4	-16.0	-10.0	19.0	9.0	125.0	-21.0
1010	113	8	19.0	363.0	-5.0	53.0	-23.0	87.0	-16.0	-10.0	19.0	8.3	128.0	-21.0
1011	113	9	18.0	336.0	-5.0	75.0	-22.0	84.7	-15.0	-10.0	17.0	8.1	123.0	-20.0
1012	113	10	20.8	309.0	-5.0	92.0	24.0	91.0	-20.0	-11.0	28.0	8.1	115.0	-22.0
1013	113	11	20.8	315.0	-5.0	120.0	-22.0	83.4	-14.0	-10.0	17.0	6.6	122.0	-21.0
1014	113	12	25.4	440.0	-6.0	110.0	-28.0	98.1	-18.0	-12.0	18.0	8.5	190.0	44.0
1015	113	13	4.0	27.0	-1.0	31.0	60.0	13.0	-5.0	-2.0	-0.5	0.7	4.8	-1.0
1016	114	1	24.9	387.0	-5.0	80.0	27.0	95.3	-20.0	-11.0	22.0	8.0	159.0	-23.0
1017	114	2	22.0	359.0	-5.0	120.0	-24.0	92.8	-18.0	-11.0	23.0	8.7	149.0	25.0
1018	114	3	22.7	357.0	-5.0	170.0	27.0	91.7	-16.0	-10.0	19.0	7.0	149.0	-22.0
1019	114	4	22.2	362.0	-5.0	200.0	-25.0	89.6	-18.0	-11.0	21.0	8.9	157.0	-23.0
1020	114	5	21.7	445.0	-6.0	160.0	-27.0	89.8	-19.0	-11.0	24.0	8.6	196.0	53.0
1021	114	6	22.5	351.0	-5.0	200.0	-25.0	83.5	-16.0	-11.0	18.0	8.3	158.0	-22.0
1022	114	7	24.8	324.0	-6.0	290.0	-25.0	80.6	-17.0	-11.0	18.0	7.9	137.0	-23.0
1023	114	8	20.0	320.0	-5.0	99.0	-24.0	87.5	-15.0	-11.0	17.0	7.0	128.0	-24.0
1024	114	9	20.0	602.0	-6.0	-52.0	27.0	98.8	-18.0	-12.0	16.0	10.0	288.0	-26.0
1025	114	10	21.8	697.0	-6.0	-51.0	-28.0	90.0	-22.0	-12.0	29.0	13.0	388.0	-26.0
1026	114	11	20.6	622.0	-6.0	-49.0	-26.0	92.4	-17.0	-11.0	21.0	12.0	299.0	-25.0
1027	114	12	25.2	769.0	-7.0	-55.0	-30.0	100.0	-22.0	-12.0	31.0	12.0	395.0	47.0
1028	114	13	26.3	766.0	-7.0	-53.0	-30.0	104.0	-24.0	-12.0	33.0	12.0	379.0	-28.0
1029	114	14	4.4	20.0	2.0	72.0	91.0	15.0	-5.0	-2.0	-0.5	-0.5	4.8	-1.0
1030	114	15	4.7	19.0	1.0	49.0	53.0	16.0	-5.0	-2.0	0.9	0.7	3.8	-1.0
1031	115	1	23.8	373.0	-5.0	120.0	26.0	92.7	-18.0	-10.0	23.0	8.8	155.0	24.0
1032	115	2	24.6	352.0	-5.0	160.0	-24.0	88.9	-16.0	-10.0	20.0	8.0	151.0	134.0
1033	115	3	22.9	326.0	-5.0	150.0	-22.0	85.4	-16.0	-10.0	19.0	7.4	137.0	154.0
1034	115	4	23.6	438.0	-5.0	130.0	-24.0	95.2	-17.0	-10.0	24.0	8.8	183.0	112.0
1035	115	5	23.3	383.0	-5.0	67.0	-24.0	92.8	-17.0	-10.0	22.0	9.3	165.0	119.0
1036	115	6	23.5	431.0	-6.0	120.0	-26.0	100.0	-18.0	-11.0	23.0	11.0	178.0	205.0
1037	115	7	24.8	362.0	-7.0	120.0	-32.0	93.9	-21.0	-14.0	21.0	8.9	155.0	279.0
1038	115	8	22.7	336.0	-5.0	72.0	26.0	90.0	-17.0	-10.0	19.0	7.8	134.0	143.0
1039	115	9	22.8	315.0	-5.0	56.0	-22.0	90.0	-16.0	-10.0	18.0	8.1	126.0	380.0
1040	115	10	22.9	319.0	-5.0	94.0	-25.0	96.0	-20.0	-11.0	29.0	7.7	123.0	189.0
1041	115	11	23.8	323.0	-5.0	87.0	-25.0	91.1	-18.0	-11.0	20.0	7.5	129.0	98.0
1042	115	12	24.4	297.0	-5.0	100.0	-23.0	93.0	-16.0	-10.0	21.0	7.7	112.0	55.0
1043	115	13	22.5	364.0	-6.0	98.0	28.0	97.5	-18.0	-11.0	19.0	9.1	156.0	51.0
1044	115	14	23.0	642.0	-7.0	100.0	-34.0	99.1	-25.0	-15.0	30.0	12.0	308.0	95.0
1045	115	15	25.2	631.0	-8.0	160.0	-34.0	88.2	-25.0	-13.0	36.0	11.0	324.0	1290.0
1046	115	16	20.5	323.0	-8.0	120.0	-42.0	65.4	-28.0	-16.0	36.0	7.5	203.0	2500.0
1047	115	17	25.3	538.0	16.0	270.0	-27.0	71.9	-15.0	-10.0	10.0	6.1	217.0	76.0
1048	115	18	1.8	12.0	3.0	40.0	52.0	6.2	-5.0	-2.0	-0.5	-0.5	3.1	49.0
1049	116	1	17.0	321.0	-4.0	79.0	-20.0	77.2	-15.0	-8.0	19.0	7.6	140.0	24.0
1050	116	2	22.4	268.0	5.0	90.0	19.0	70.7	-12.0	-5.0	16.0	6.5	102.0	24.0
1051	116	3	24.9	336.0	6.0	140.0	-16.0	83.6	-15.0	-7.0	21.0	7.8	148.0	40.0
1052	116	4	20.6	334.0	-1.0	150.0	25.0	79.8	-16.0	-7.0	23.0	7.2	139.0	39.0
1053	116	5	6.6	42.0	2.0	86.0	140.0	20.0	-5.0	-2.0	0.7	0.8	14.0	-2.0
1054	117	1	24.8	354.0	6.0	150.0	-16.0	88.4	-17.0	-7.0	25.0	7.1	161.0	38.0
1055	117	2	22.0	342.0	5.0	160.0	-20.0	80.1	-19.0	-8.0	26.0	7.5	144.0	146.0
1056	117	3	22.7	333.0	5.0	140.0	-13.0	86.8	-12.0	-6.0	17.0	7.5	144.0	39.0
1057	117	4	19.0	372.0	2.0	100.0	-15.0	72.1	-14.0	-6.0	19.0	7.2	198.0	53.0
1058	117	5	24.7	303.0	2.0	120.0	13.0	79.0	-11.0	-5.0	16.0	6.8	125.0	23.0
1059	117	6	6.6	38.0	2.0	100.0	120.0	22.8	-5.0	-4.0	1.0	0.7	9.1	-2.0
1060	118	1	20.0	357.0	3.0	99.0	13.0	85.1	-12.0	-6.0	17.0	7.9	143.0	20.0
1061	118	2	20.4	332.0	2.0	100.0	-13.0	84.7	-12.0	-5.0	19.0	7.6	139.0	22.0
1062	118	3	20.4	355.0	3.0	92.0	-13.0	86.4	-13.0	-6.0	20.0	8.2	148.0	24.0
1063	118	4	22.1	357.0	-1.0	91.0	-14.0	92.7	-14.0	-6.0	23.0	8.6	141.0	30.0
1064	118	5	20.9	342.0	-1.0	84.0	-12.0	84.4	-12.0	-5.0	19.0	7.9	140.0	115.0

Recor	Hole	Samp	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
1065	118	6	23.1	376.0	4.0	120.0	-14.0	96.4	-14.0	-6.0	21.0	9.1	147.0	35.0
1066	118	7	22.0	369.0	4.0	130.0	22.0	87.8	-14.0	-6.0	22.0	8.1	161.0	18.0
1067	118	8	4.7	28.0	1.0	71.0	96.0	16.0	-5.0	-2.0	0.7	0.6	7.2	-1.0
1068	119	1	20.2	319.0	3.0	92.0	-13.0	84.9	-12.0	-6.0	19.0	6.9	132.0	20.0
1069	119	2	5.4	32.0	2.0	110.0	60.0	17.0	-5.0	-2.0	-0.5	0.8	5.1	-2.0
1070	120	1	22.1	325.0	-1.0	85.0	14.0	80.7	-12.0	-5.0	18.0	7.7	136.0	19.0
1071	120	2	5.6	33.0	1.0	100.0	71.0	17.0	-5.0	-2.0	0.5	0.8	5.5	-1.0
1072	121	1	22.8	371.0	-1.0	170.0	-14.0	93.8	-13.0	-6.0	21.0	8.6	167.0	33.0
1073	121	2	6.7	34.0	1.0	130.0	130.0	22.1	-5.0	-2.0	0.7	0.8	9.0	-1.0
1074	122	1	18.0	308.0	-1.0	130.0	-13.0	74.0	-13.0	-6.0	20.0	8.2	135.0	21.0
1075	122	2	19.0	317.0	3.0	120.0	-13.0	78.7	-12.0	-6.0	18.0	8.3	131.0	-11.0
1076	122	3	22.7	391.0	4.0	92.0	-16.0	83.6	-20.0	-7.0	35.0	8.1	175.0	47.0
1077	122	4	23.8	381.0	6.0	150.0	17.0	84.2	-17.0	-6.0	29.0	8.1	168.0	31.0
1078	122	5	20.0	335.0	4.0	110.0	-12.0	86.8	-12.0	-5.0	19.0	8.1	132.0	13.0
1079	122	6	20.0	266.0	5.0	88.0	-11.0	81.8	-11.0	-5.0	18.0	6.7	105.0	17.0
1080	122	7	19.0	336.0	-1.0	42.0	-12.0	83.7	-13.0	-5.0	20.0	8.3	134.0	11.0
1081	122	8	20.0	289.0	4.0	57.0	17.0	92.2	-11.0	-5.0	17.0	7.5	109.0	43.0
1082	122	9	20.3	313.0	3.0	110.0	-12.0	85.4	-12.0	-5.0	18.0	7.5	126.0	-11.0
1083	122	10	5.0	38.0	2.0	65.0	85.0	16.0	-5.0	-2.0	0.8	-0.5	8.7	-2.0
1084	123	1	19.0	360.0	4.0	90.0	13.0	81.7	-11.0	-5.0	18.0	7.7	140.0	-11.0
1085	123	2	20.1	325.0	5.0	110.0	-12.0	92.9	-12.0	-5.0	21.0	8.3	120.0	-11.0
1086	123	3	18.0	342.0	2.0	90.0	-11.0	83.2	-12.0	-5.0	19.0	7.7	132.0	10.0
1087	123	4	18.0	314.0	4.0	96.0	-13.0	80.8	-11.0	-6.0	17.0	8.1	119.0	-12.0
1088	123	5	20.4	398.0	4.0	59.0	16.0	90.0	-15.0	-7.0	25.0	8.4	170.0	-14.0
1089	123	6	19.0	289.0	4.0	69.0	-13.0	95.4	-11.0	-6.0	18.0	7.0	106.0	17.0
1090	123	7	4.1	21.0	1.0	75.0	41.0	14.0	-5.0	-2.0	-0.5	0.6	3.4	-1.0
1091	124	1	17.0	477.0	-1.0	-29.0	-15.0	84.1	-12.0	-7.0	18.0	10.0	204.0	19.0
1092	124	2	20.0	352.0	3.0	53.0	-15.0	93.0	-14.0	-7.0	23.0	9.2	138.0	20.0
1093	124	3	20.0	331.0	-1.0	61.0	19.0	88.4	-14.0	-6.0	22.0	8.1	137.0	24.0
1094	124	4	19.0	361.0	-1.0	44.0	-15.0	87.5	-14.0	-6.0	23.0	8.8	143.0	-15.0
1095	124	5	16.0	338.0	1.0	50.0	-14.0	71.7	-13.0	-6.0	22.0	8.6	155.0	16.0
1096	124	6	20.6	343.0	1.0	32.0	-17.0	78.7	-13.0	-7.0	19.0	8.7	146.0	-16.0
1097	124	7	16.0	313.0	-6.0	110.0	27.0	75.9	-18.0	-11.0	19.0	8.5	139.0	-27.0
1098	124	8	16.0	338.0	-5.0	-43.0	-22.0	76.1	-16.0	-10.0	17.0	8.3	134.0	-25.0
1099	124	9	17.0	358.0	-5.0	73.0	-22.0	89.1	-16.0	-10.0	17.0	8.6	138.0	-25.0
1100	124	10	18.0	354.0	-5.0	-47.0	-24.0	84.5	-16.0	-11.0	17.0	8.2	136.0	-27.0
1101	124	11	19.0	403.0	-5.0	61.0	-23.0	85.4	-16.0	-10.0	18.0	9.2	158.0	27.0
1102	124	12	17.0	371.0	-5.0	51.0	23.0	84.4	-16.0	-9.0	17.0	8.4	141.0	28.0
1103	124	13	17.0	337.0	-5.0	81.0	-20.0	78.3	-14.0	-9.0	16.0	7.8	127.0	-23.0
1104	124	14	18.0	358.0	-5.0	110.0	-23.0	82.5	-16.0	-10.0	18.0	7.5	138.0	-26.0
1105	124	15	23.2	610.0	-6.0	51.0	-27.0	104.0	-22.0	-12.0	35.0	11.0	279.0	-28.0
1106	124	16	23.9	664.0	-7.0	75.0	-28.0	106.0	-22.0	-12.0	33.0	11.0	317.0	-31.0
1107	124	17	5.0	19.0	2.0	110.0	61.0	14.0	-5.0	-2.0	-0.5	0.7	2.7	6.0
1108	125	1	23.1	475.0	-6.0	97.0	-26.0	94.9	-20.0	-11.0	24.0	9.3	208.0	39.0
1109	125A	1	21.9	490.0	-6.0	110.0	-28.0	99.3	-21.0	-12.0	25.0	10.0	218.0	-31.0
1110	125A	2	21.6	595.0	-6.0	-52.0	35.0	107.0	-20.0	-12.0	31.0	11.0	274.0	-31.0
1111	125A	3	22.3	502.0	-6.0	89.0	-25.0	110.0	-19.0	-12.0	26.0	10.0	243.0	-31.0
1112	126	1	21.6	393.0	-5.0	130.0	-24.0	91.9	-18.0	-11.0	24.0	7.7	163.0	-28.0
1113	126	2	21.8	375.0	-5.0	61.0	26.0	90.8	-19.0	-10.0	24.0	9.0	153.0	35.0
1114	126	3	23.1	324.0	-6.0	100.0	-26.0	96.6	-20.0	-12.0	22.0	7.7	119.0	-31.0
1115	126	4	20.6	303.0	-5.0	110.0	-24.0	87.1	-17.0	-10.0	21.0	8.2	118.0	-28.0
1116	126	5	21.0	260.0	11.0	200.0	-28.0	70.8	-16.0	-11.0	13.0	6.7	98.6	-30.0
1117	126	6	4.4	17.0	2.0	40.0	73.0	14.0	-5.0	-2.0	0.7	0.6	3.2	2.0
1118	127	1	17.0	357.0	-5.0	74.0	-22.0	83.7	-17.0	-10.0	21.0	9.2	165.0	-27.0
1119	127	2	20.5	418.0	-5.0	48.0	-23.0	94.0	-17.0	-10.0	22.0	10.0	188.0	-28.0
1120	127	3	19.0	386.0	-5.0	-43.0	-23.0	90.3	-16.0	-10.0	20.0	8.5	161.0	54.0

Recor	Hole	Samp	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
1121	127	4	20.5	384.0	-5.0	-43.0	-22.0	91.5	-15.0	-10.0	17.0	8.6	160.0	-26.0
1122	127	5	21.6	383.0	-5.0	120.0	-23.0	97.9	-16.0	-10.0	18.0	8.9	162.0	-27.0
1123	127	6	21.1	377.0	-5.0	79.0	-23.0	92.8	-18.0	-10.0	24.0	8.4	159.0	-28.0
1124	127	7	21.4	408.0	-5.0	120.0	-23.0	92.8	-15.0	-10.0	19.0	8.4	174.0	-28.0
1125	127	8	18.0	328.0	-5.0	86.0	-21.0	84.0	-15.0	-10.0	16.0	8.3	134.0	-26.0
1126	127	9	22.0	417.0	2.0	82.0	-22.0	97.2	-16.0	-10.0	18.0	8.3	172.0	33.0
1127	127	10	21.3	377.0	-5.0	77.0	-22.0	97.4	-15.0	-10.0	18.0	7.8	163.0	-28.0
1128	127	11	20.2	386.0	-6.0	73.0	-25.0	91.9	-16.0	-11.0	16.0	8.3	160.0	-31.0
1129	127	12	22.6	411.0	-5.0	45.0	-23.0	100.0	-15.0	-10.0	18.0	8.0	181.0	32.0
1130	127	13	20.5	377.0	-5.0	90.0	-22.0	95.0	-15.0	-10.0	16.0	8.2	163.0	-28.0
1131	127	14	21.2	412.0	-6.0	140.0	-24.0	93.2	-17.0	-11.0	19.0	8.6	177.0	-30.0
1132	127	15	20.8	351.0	-5.0	89.0	23.0	83.3	-17.0	-10.0	18.0	7.2	154.0	30.0
1133	127	16	22.1	377.0	-6.0	65.0	-25.0	95.9	-20.0	-11.0	29.0	8.0	154.0	-31.0
1134	127	17	21.7	333.0	-5.0	120.0	-24.0	92.8	-17.0	-10.0	21.0	7.9	138.0	-30.0
1135	127	18	21.3	287.0	-5.0	74.0	-25.0	85.6	-18.0	-11.0	24.0	7.5	111.0	-29.0
1136	127	19	23.1	290.0	-6.0	150.0	-25.0	80.8	-18.0	-11.0	22.0	7.4	111.0	45.0
1137	127	20	18.0	244.0	-6.0	120.0	27.0	71.9	-16.0	-11.0	17.0	6.9	101.0	-31.0
1138	127	21	3.1	23.0	1.0	36.0	71.0	10.0	-5.0	-2.0	0.7	-0.5	5.4	-1.0
1139	128	1	21.3	364.0	8.0	170.0	-29.0	77.5	-18.0	-12.0	19.0	8.6	159.0	41.0
1140	128	2	18.0	328.0	-5.0	100.0	-22.0	76.8	-18.0	-10.0	22.0	7.8	152.0	-29.0
1141	128	3	18.0	325.0	2.0	53.0	-21.0	79.3	-16.0	-10.0	20.0	7.7	138.0	-28.0
1142	128	4	20.8	316.0	-5.0	94.0	-22.0	85.9	-17.0	-10.0	24.0	7.5	118.0	-29.0
1143	128	5	17.0	247.0	-5.0	90.0	-20.0	80.8	-15.0	-9.0	18.0	6.6	85.1	-28.0
1144	128	6	20.0	271.0	-5.0	160.0	-20.0	83.5	-13.0	-9.0	16.0	6.6	94.6	-27.0
1145	128	7	20.0	278.0	-5.0	110.0	24.0	83.6	-15.0	-9.0	22.0	7.1	100.0	36.0
1146	128	8	19.0	292.0	-5.0	100.0	-20.0	84.8	-16.0	-9.0	20.0	7.9	104.0	-28.0
1147	128	9	18.0	279.0	-5.0	85.0	-19.0	84.3	-15.0	-9.0	17.0	7.2	93.0	-27.0
1148	128	10	19.0	269.0	-5.0	130.0	-20.0	86.7	-12.0	-9.0	15.0	8.0	93.9	41.0
1149	128	11	20.8	320.0	-5.0	56.0	-20.0	93.2	-15.0	-10.0	18.0	7.1	128.0	-29.0
1150	128	12	20.9	347.0	-5.0	-40.0	-20.0	94.1	-15.0	-9.0	18.0	7.7	146.0	-29.0
1151	128	13	20.0	312.0	-5.0	100.0	-21.0	88.3	-14.0	-9.0	16.0	7.7	129.0	-29.0
1152	128	14	19.0	377.0	-5.0	-41.0	-20.0	98.5	-15.0	-9.0	21.0	8.5	148.0	35.0
1153	128	15	19.0	504.0	-6.0	68.0	-24.0	98.1	-16.0	-11.0	20.0	10.0	193.0	-34.0
1154	128	16	20.8	294.0	-5.0	130.0	-20.0	86.1	-14.0	-9.0	16.0	6.6	107.0	32.0
1155	128	17	4.3	22.0	2.0	90.0	72.0	14.0	-5.0	-2.0	0.7	1.0	5.4	-1.0
1156	129	1	20.1	308.0	-5.0	92.0	-21.0	88.0	-15.0	-10.0	19.0	7.4	111.0	36.0
1157	129	2	19.0	259.0	-5.0	90.0	-21.0	77.2	-14.0	-9.0	16.0	6.8	86.2	-29.0
1158	129	3	20.3	308.0	-5.0	48.0	-21.0	88.0	-14.0	-9.0	17.0	6.6	116.0	-30.0
1159	129	4	20.7	325.0	3.0	89.0	-22.0	94.8	-16.0	-10.0	20.0	7.5	135.0	-32.0
1160	129	5	17.0	347.0	-6.0	91.0	-24.0	78.9	-16.0	-11.0	19.0	8.0	175.0	-35.0
1161	129	6	18.0	357.0	-6.0	120.0	-25.0	87.6	-17.0	-11.0	17.0	7.0	154.0	-37.0
1162	129	7	20.6	358.0	-5.0	120.0	-22.0	92.1	-16.0	-10.0	19.0	8.1	157.0	-33.0
1163	129	8	19.0	299.0	-5.0	49.0	-20.0	93.5	-14.0	-10.0	17.0	7.8	114.0	38.0
1164	129	9	19.0	257.0	-4.0	53.0	21.0	89.5	-13.0	-9.0	16.0	6.8	94.9	-28.0
1165	129	10	23.2	313.0	-6.0	120.0	-25.0	91.4	-16.0	-11.0	18.0	7.5	129.0	47.0
1166	129	11	4.1	19.0	-1.0	69.0	85.0	15.0	-5.0	-2.0	0.5	-0.5	5.0	-1.0
1167	130	1	23.4	394.0	-6.0	110.0	-23.0	94.1	-18.0	-10.0	25.0	8.6	163.0	-33.0
1168	130	2	21.0	422.0	-5.0	71.0	-22.0	91.8	-15.0	-10.0	19.0	8.4	172.0	-33.0
1169	130	3	21.2	425.0	-6.0	51.0	-23.0	91.2	-17.0	-10.0	20.0	9.2	175.0	-34.0
1170	130	4	20.4	380.0	-5.0	53.0	-22.0	91.9	-15.0	-10.0	19.0	8.5	147.0	-33.0
1171	130	5	19.0	339.0	-6.0	-52.0	-27.0	90.0	-19.0	-12.0	22.0	7.5	140.0	-40.0
1172	130	6	17.0	292.0	-5.0	-41.0	-21.0	81.3	-14.0	-10.0	16.0	7.2	98.8	-34.0
1173	130	7	18.0	331.0	-5.0	67.0	22.0	87.8	-15.0	-10.0	20.0	8.5	115.0	-33.0
1174	130	8	19.0	312.0	-5.0	58.0	-19.0	87.6	-14.0	-9.0	18.0	8.1	110.0	-31.0
1175	130	9	18.0	257.0	-5.0	89.0	-23.0	79.0	-15.0	-10.0	16.0	6.7	87.3	-35.0
1176	130	10	22.3	293.0	-5.0	130.0	26.0	85.6	-14.0	-10.0	17.0	7.1	107.0	42.0

Recor	Hole	Samp	FeX	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
1177	130	11	4.9	24.0	2.0	57.0	62.0	16.0	-5.0	-2.0	-0.5	-0.5	4.0	-1.0
1178	131	1	20.9	486.0	-6.0	-47.0	-23.0	110.0	-19.0	-11.0	26.0	11.0	198.0	-38.0
1179	131	2	21.0	509.0	-6.0	54.0	-24.0	96.9	-18.0	-11.0	23.0	11.0	206.0	-39.0
1180	131	3	21.7	498.0	4.0	79.0	-26.0	98.1	-18.0	-11.0	25.0	10.0	203.0	-41.0
1181	131	4	15.0	339.0	-6.0	91.0	-27.0	73.7	-18.0	-12.0	20.0	7.0	142.0	-43.0
1182	131	5	18.0	303.0	-5.0	-41.0	-21.0	85.1	-15.0	-9.0	20.0	8.0	112.0	-34.0
1183	131	6	20.2	710.0	-11.0	-100.0	84.0	97.7	-170.0	-24.0	313.0	10.0	249.0	-73.0
1184	131	7	21.1	505.0	-6.0	120.0	-23.0	96.8	-17.0	-10.0	21.0	9.4	203.0	-38.0
1185	131	8	6.9	13.0	3.0	82.0	33.0	30.5	-5.0	-2.0	-0.5	0.9	0.8	-1.0
1186	131	9	8.5	13.0	2.0	130.0	19.0	31.5	-5.0	-2.0	0.6	1.3	0.8	371.0
1187	132	1	21.2	539.0	-5.0	-36.0	-19.0	94.0	-25.0	-8.0	41.0	12.0	227.0	-30.0
1188	132	2	21.3	456.0	-4.0	50.0	-16.0	92.8	-14.0	-7.0	21.0	10.0	194.0	-27.0
1189	132	3	20.4	456.0	-6.0	84.0	-22.0	94.7	-17.0	-10.0	21.0	9.3	194.0	-39.0
1190	132	4	20.9	468.0	-6.0	63.0	-23.0	93.7	-18.0	-10.0	21.0	10.0	195.0	-38.0
1191	132	5	21.4	469.0	-6.0	110.0	-23.0	96.7	-17.0	-10.0	20.0	9.4	203.0	-38.0
1192	132	6	22.1	488.0	-6.0	-44.0	-23.0	100.0	-16.0	-10.0	21.0	9.3	212.0	-39.0
1193	132	7	20.5	439.0	-6.0	-44.0	-23.0	95.6	-18.0	-10.0	23.0	9.0	182.0	-38.0
1194	132	8	7.4	12.0	1.0	33.0	23.0	27.2	-5.0	-2.0	-0.5	0.6	0.8	-1.0
1195	132	9	7.9	15.0	-1.0	69.0	22.0	35.4	-5.0	-2.0	0.6	0.9	1.0	12.0
1196	133	1	20.8	500.0	-4.0	85.0	-13.0	93.3	-13.0	-6.0	22.0	11.0	189.0	-23.0
1197	133	2	9.4	14.0	2.0	110.0	-10.0	34.9	-5.0	-2.0	0.5	1.0	0.9	-2.0

Recor	Hole	Samp	FeZ	La	Mo	Ni	Rb	Sc	Se	Ag	Ta	Tb	Th	W
1	1	1	16.0	291.0	-1.0	-20.0	10.0	68.0	-16.0	-2.0	31.0	7.4	137.0	30.0
2	1	2	18.0	311.0	3.0	41.0	12.0	78.6	-5.0	-2.0	18.0	7.3	140.0	23.0
3	1	3	20.4	333.0	3.0	76.0	10.0	85.3	-13.0	-2.0	23.0	8.0	141.0	17.0
4	1	4	20.0	302.0	5.0	42.0	7.0	82.0	-5.0	-2.0	18.0	7.3	120.0	11.0
5	1	5	21.2	253.0	10.0	160.0	13.0	77.9	-5.0	-2.0	15.0	6.1	94.9	8.0
6	1	6	22.6	310.0	19.0	95.0	12.0	74.9	-5.0	-2.0	15.0	6.6	144.0	12.0
7	1	7	21.2	342.0	8.0	67.0	-5.0	80.0	-5.0	-2.0	15.0	7.5	153.0	7.0
8	1	8	21.5	384.0	6.0	160.0	15.0	82.1	-5.0	-2.0	17.0	8.1	181.0	-4.0
9	1	9	20.0	294.0	10.0	110.0	-5.0	76.2	-5.0	-2.0	14.0	6.5	123.0	10.0
10	1	10	4.6	22.0	1.0	70.0	99.0	13.0	-5.0	-2.0	0.8	-0.5	6.8	1.0
11	2	1	18.0	309.0	3.0	34.0	8.0	79.2	-5.0	-2.0	20.0	7.7	122.0	8.0
12	2	2	20.0	295.0	1.0	78.0	10.0	77.0	-10.0	-2.0	21.0	7.1	116.0	11.0
13	2	3	20.5	313.0	4.0	94.0	10.0	74.8	-10.0	-2.0	21.0	7.4	134.0	22.0
14	2	4	21.5	365.0	30.0	97.0	-5.0	73.2	-12.0	-2.0	24.0	7.3	167.0	22.0
15	2	5	17.0	260.0	7.0	63.0	-5.0	75.2	-5.0	-2.0	16.0	7.0	93.0	6.0
16	2	6	20.3	310.0	4.0	110.0	10.0	74.7	-12.0	-2.0	22.0	7.0	141.0	17.0
17	2	7	21.4	334.0	4.0	93.0	-5.0	76.7	-5.0	-2.0	15.0	7.0	147.0	6.0
18	2	8	28.0	399.0	6.0	140.0	15.0	82.3	-5.0	-2.0	15.0	8.3	195.0	-5.0
19	2	9	24.5	382.0	5.0	150.0	9.0	80.1	-10.0	-2.0	18.0	7.6	182.0	18.0
20	2	10	26.2	431.0	5.0	150.0	12.0	90.1	-11.0	-2.0	19.0	8.6	199.0	-5.0
21	2	11	4.6	29.0	3.0	83.0	97.0	14.0	-5.0	-2.0	0.6	0.5	6.1	1.0
22	3	1	20.0	388.0	1.0	-20.0	-5.0	73.8	-15.0	-2.0	29.0	9.4	201.0	65.0
23	3	2	20.8	408.0	4.0	-20.0	-5.0	81.9	-14.0	-2.0	26.0	9.3	197.0	24.0
24	3	3	20.0	381.0	4.0	24.0	13.0	79.2	-13.0	-2.0	24.0	9.0	178.0	15.0
25	3	4	22.3	352.0	5.0	110.0	13.0	76.4	-16.0	-2.0	29.0	7.8	156.0	17.0
26	3	5	20.0	316.0	3.0	64.0	-5.0	72.0	-10.0	-2.0	19.0	7.6	148.0	17.0
27	3	6	22.4	296.0	4.0	390.0	-5.0	62.0	-14.0	-2.0	25.0	7.1	151.0	18.0
28	3	7	21.5	295.0	6.0	210.0	15.0	74.0	-11.0	-2.0	20.0	7.4	120.0	16.0
29	3	8	4.7	30.0	2.0	70.0	110.0	15.0	-5.0	-2.0	0.7	0.6	7.9	2.0
30	4	1	25.5	443.0	7.0	140.0	9.0	75.0	-16.0	-2.0	29.0	8.2	235.0	42.0
31	4	2	22.2	682.0	2.0	63.0	-11.0	79.4	-25.0	-4.0	45.0	10.0	368.0	18.0
32	4	3	24.6	818.0	3.0	120.0	-12.0	79.1	-27.0	-5.0	48.0	12.0	441.0	23.0
33	4	4	20.5	731.0	2.0	45.0	19.0	77.0	-21.0	-4.0	37.0	11.0	427.0	24.0
34	4	5	5.3	30.0	1.0	99.0	100.0	16.0	-5.0	-2.0	0.6	0.6	7.1	4.0
35	5	1	22.8	340.0	5.0	100.0	-5.0	79.2	-11.0	-2.0	22.0	7.0	157.0	14.0
36	5	2	23.2	327.0	5.0	110.0	-5.0	76.0	-11.0	-2.0	19.0	6.8	155.0	55.0
37	5	3	20.2	342.0	4.0	85.0	-5.0	74.9	-15.0	-2.0	26.0	7.1	145.0	11.0
38	5	4	20.0	301.0	5.0	110.0	11.0	67.5	-5.0	-2.0	19.0	6.7	129.0	16.0
39	5	5	21.1	281.0	7.0	130.0	10.0	70.9	-14.0	-2.0	26.0	6.4	121.0	7.0
40	5	6	20.0	306.0	5.0	91.0	-5.0	80.2	-10.0	-2.0	19.0	7.9	117.0	10.0
41	5	7	5.0	22.0	2.0	72.0	110.0	16.0	-5.0	-2.0	0.7	-0.5	7.9	1.0
42	6	1	24.2	349.0	5.0	160.0	12.0	62.1	-11.0	-2.0	21.0	6.4	155.0	13.0
43	6	2	22.7	274.0	6.0	220.0	11.0	58.4	-10.0	-2.0	19.0	5.5	128.0	44.0
44	6	3	5.4	29.0	2.0	77.0	80.0	19.0	-5.0	-2.0	-0.5	0.6	7.2	-1.0
45	7	1	17.0	374.0	3.0	-20.0	15.0	74.5	-12.0	-2.0	24.0	7.9	151.0	18.0
46	7	2	19.0	416.0	2.0	24.0	-5.0	80.7	-5.0	-2.0	20.0	8.4	177.0	19.0
47	7	3	20.9	385.0	4.0	72.0	-5.0	76.6	-12.0	-2.0	24.0	8.3	171.0	20.0
48	7	4	20.1	336.0	3.0	96.0	12.0	68.6	-13.0	-2.0	21.0	6.7	149.0	8.0
49	7	5	23.4	369.0	4.0	160.0	-5.0	71.3	-13.0	-2.0	23.0	7.6	169.0	23.0
50	7	6	22.1	201.0	7.0	290.0	-5.0	57.9	-11.0	-2.0	20.0	5.0	91.3	45.0
51	7	7	21.7	275.0	9.0	170.0	8.0	62.3	-5.0	-2.0	14.0	6.0	112.0	20.0
52	7	8	4.6	30.0	2.0	65.0	97.0	14.0	-5.0	-2.0	0.5	0.6	6.9	2.0
53	8	1	18.0	379.0	3.0	88.0	10.0	78.4	-5.0	-2.0	18.0	8.4	164.0	7.0
54	8	2	19.0	332.0	3.0	280.0	-5.0	74.0	-5.0	-2.0	17.0	7.6	142.0	5.0
55	8	3	4.9	31.0	3.0	88.0	84.0	16.0	-5.0	-2.0	0.5	-0.5	9.4	1.0
56	9	1	20.6	328.0	2.0	90.0	9.0	72.9	-5.0	-2.0	18.0	7.1	139.0	12.0

Recor	Hole	Samp	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sm
1	1	1	20.0	24.0	-100.0	460.0	0.3	-100.0	53.0	12000.0	-2.0	4.0	53.2
2	1	2	18.0	27.0	120.0	547.0	0.3	-100.0	34.0	12000.0	2.4	4.6	55.1
3	1	3	20.1	31.0	110.0	573.0	0.3	220.0	22.0	13000.0	-2.0	5.2	58.2
4	1	4	18.0	29.0	170.0	548.0	0.3	190.0	42.0	12000.0	-2.0	4.9	56.1
5	1	5	14.0	25.0	100.0	480.0	0.3	160.0	-10.0	8700.0	-2.0	4.2	49.8
6	1	6	15.0	26.0	150.0	538.0	0.3	130.0	30.0	9600.0	2.3	4.3	49.7
7	1	7	18.0	28.0	140.0	568.0	0.2	190.0	20.0	10000.0	-2.0	4.9	56.0
8	1	8	20.0	29.0	140.0	645.0	0.2	130.0	44.0	12000.0	-2.0	5.2	63.3
9	1	9	15.0	26.0	150.0	516.0	0.3	170.0	22.0	9200.0	-2.0	4.3	51.2
10	1	10	1.7	-2.0	-100.0	37.0	2.6	-100.0	-10.0	280.0	-2.0	-0.2	3.0
11	2	1	19.0	28.0	-100.0	532.0	0.2	110.0	22.0	13000.0	2.0	4.9	57.3
12	2	2	19.0	27.0	-100.0	490.0	0.3	110.0	23.0	11000.0	-2.0	4.7	53.5
13	2	3	19.0	27.0	110.0	516.0	0.3	140.0	-10.0	12000.0	-2.0	4.7	54.0
14	2	4	20.3	27.0	-100.0	576.0	0.3	110.0	27.0	12000.0	2.4	4.9	58.3
15	2	5	17.0	23.0	110.0	490.0	0.4	120.0	-10.0	11000.0	-2.0	3.9	54.1
16	2	6	19.0	28.0	120.0	532.0	0.3	150.0	-10.0	11000.0	-2.0	4.6	55.8
17	2	7	16.0	27.0	130.0	559.0	0.2	110.0	-10.0	9600.0	-2.0	4.6	55.0
18	2	8	19.0	32.0	200.0	684.0	0.2	-100.0	-25.0	10000.0	2.8	5.5	64.2
19	2	9	19.0	29.0	180.0	641.0	0.2	110.0	25.0	11000.0	-2.0	5.0	58.4
20	2	10	21.0	37.0	180.0	771.0	0.2	300.0	-26.0	12000.0	-2.0	6.0	70.0
21	2	11	1.6	-2.0	130.0	50.0	2.4	-100.0	-10.0	250.0	-2.0	0.2	3.6
22	3	1	24.0	30.0	-100.0	623.0	0.3	240.0	23.0	16000.0	3.8	4.9	67.5
23	3	2	24.6	32.0	-100.0	702.0	0.2	210.0	38.0	16000.0	-2.0	5.4	72.7
24	3	3	23.8	32.0	120.0	673.0	0.2	140.0	27.0	16000.0	2.2	5.3	68.4
25	3	4	22.9	29.0	-100.0	590.0	0.3	200.0	26.0	15000.0	-2.0	5.1	60.3
26	3	5	20.2	27.0	-100.0	557.0	0.4	200.0	-10.0	12000.0	-2.0	4.6	58.9
27	3	6	20.1	22.0	120.0	510.0	0.3	120.0	-22.0	12000.0	5.0	3.9	57.9
28	3	7	20.2	26.0	140.0	529.0	0.4	210.0	27.0	13000.0	3.9	4.5	56.7
29	3	8	2.0	-2.0	170.0	51.0	2.7	-100.0	-10.0	360.0	-2.0	0.3	3.6
30	4	1	20.0	31.0	-100.0	723.0	0.3	240.0	-10.0	7900.0	2.1	5.0	68.3
31	4	2	24.7	39.0	-100.0	1060.0	0.3	210.0	33.0	10000.0	2.4	6.1	93.2
32	4	3	29.1	39.0	-100.0	1280.0	0.3	160.0	55.0	9500.0	5.6	6.6	104.0
33	4	4	32.3	37.0	110.0	1120.0	0.3	350.0	48.0	11000.0	7.8	6.2	97.5
34	4	5	1.8	-2.0	120.0	58.0	2.0	-100.0	-10.0	240.0	-2.0	0.2	3.7
35	5	1	17.0	30.0	110.0	574.0	0.2	-100.0	-10.0	8200.0	2.6	4.9	55.8
36	5	2	20.0	29.0	170.0	560.0	0.2	130.0	29.0	10000.0	4.4	5.0	55.1
37	5	3	20.1	26.0	110.0	560.0	0.2	150.0	29.0	13000.0	-2.0	4.7	53.0
38	5	4	16.0	24.0	340.0	490.0	0.3	160.0	22.0	9000.0	3.9	4.1	47.5
39	5	5	15.0	25.0	160.0	480.0	0.4	110.0	21.0	8800.0	2.5	4.2	47.9
40	5	6	19.0	30.0	160.0	566.0	0.2	180.0	-21.0	12000.0	3.4	5.0	57.0
41	5	7	2.1	-2.0	150.0	38.0	2.0	-100.0	-10.0	-200.0	-2.0	0.2	2.8
42	6	1	15.0	24.0	-100.0	554.0	0.3	-100.0	-10.0	3700.0	2.8	4.0	52.9
43	6	2	11.0	22.0	-100.0	460.0	0.3	130.0	-22.0	3200.0	3.8	3.5	44.0
44	6	3	2.0	-2.0	150.0	50.0	2.9	-100.0	-10.0	-200.0	-2.0	0.2	3.6
45	7	1	20.6	29.0	140.0	601.0	0.3	-100.0	28.0	15000.0	3.2	5.0	56.3
46	7	2	24.1	31.0	150.0	671.0	0.3	160.0	36.0	17000.0	4.2	5.4	65.0
47	7	3	22.1	31.0	110.0	642.0	0.2	150.0	-21.0	15000.0	2.2	5.2	66.0
48	7	4	18.0	25.0	110.0	547.0	0.3	-100.0	23.0	12000.0	4.6	4.5	51.4
49	7	5	21.2	27.0	130.0	580.0	0.3	190.0	-10.0	13000.0	2.9	4.6	55.7
50	7	6	15.0	18.0	130.0	330.0	0.3	110.0	29.0	3300.0	2.5	3.0	37.4
51	7	7	13.0	22.0	150.0	440.0	0.3	-100.0	-10.0	7600.0	3.1	3.6	41.8
52	7	8	2.0	-2.0	-100.0	54.0	3.1	-100.0	-10.0	310.0	-2.0	0.3	3.7
53	8	1	22.1	28.0	130.0	618.0	0.2	190.0	21.0	11000.0	3.1	4.6	59.2
54	8	2	19.0	27.0	140.0	557.0	0.3	180.0	21.0	8900.0	4.7	4.3	52.3
55	8	3	2.5	-2.0	-100.0	54.0	2.1	-100.0	-10.0	-200.0	-2.0	0.2	3.6
56	9	1	18.0	27.0	160.0	524.0	0.4	160.0	24.0	11000.0	2.8	4.6	51.1



Recor	Hole	Samp	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sm
57	9	2	20.2	28.0	150.0	568.0	0.4	160.0	-10.0	12000.0	2.3	4.8	57.6
58	9	3	21.1	27.0	110.0	573.0	0.3	170.0	33.0	13000.0	2.4	4.8	57.4
59	9	4	19.0	27.0	-100.0	530.0	0.4	110.0	20.0	12000.0	3.7	4.6	53.1
60	9	5	17.0	25.0	150.0	490.0	0.2	-100.0	23.0	11000.0	-2.0	4.4	49.8
61	9	6	16.0	25.0	140.0	480.0	0.4	130.0	32.0	10000.0	-2.0	4.4	48.5
62	9	7	18.0	27.0	120.0	490.0	0.3	170.0	21.0	10000.0	2.6	4.5	48.5
63	9	8	18.0	30.0	170.0	565.0	0.3	180.0	-20.0	13000.0	-2.0	5.0	53.1
64	9	9	19.0	30.0	150.0	515.0	0.3	200.0	28.0	13000.0	4.9	4.9	44.9
65	9	10	15.0	27.0	150.0	480.0	0.3	160.0	37.0	11000.0	4.6	4.4	44.7
66	9	11	2.1	-2.0	-100.0	48.0	3.3	-100.0	-10.0	610.0	-2.0	0.3	3.7
67	10	1	21.5	30.0	120.0	608.0	0.4	200.0	30.0	14000.0	-2.0	4.9	56.3
68	10	2	29.8	27.0	-100.0	681.0	0.3	270.0	-35.0	17000.0	4.7	5.1	68.2
69	10	3	29.9	32.0	210.0	673.0	0.3	-100.0	51.0	16000.0	3.9	5.6	64.2
70	10	4	26.4	33.0	150.0	815.0	0.3	330.0	-30.0	17000.0	3.4	5.7	74.9
71	10	5	1.5	-2.0	-100.0	111.0	2.8	-100.0	-10.0	440.0	-2.0	0.3	9.0
72	11	1	22.4	32.0	-100.0	756.0	0.3	-100.0	-29.0	14000.0	3.5	5.7	70.1
73	11	2	2.0	-2.0	160.0	53.0	3.0	-100.0	-10.0	-200.0	-2.0	0.3	4.0
74	12	1	20.9	29.0	-100.0	673.0	0.2	230.0	-28.0	12000.0	2.7	5.2	63.6
75	12	2	24.4	29.0	110.0	690.0	0.4	180.0	46.0	14000.0	-2.0	5.1	66.1
76	12	3	24.3	30.0	-100.0	706.0	0.3	160.0	32.0	15000.0	4.0	5.4	68.5
77	12	4	22.6	29.0	-100.0	648.0	0.5	-100.0	-25.0	14000.0	4.2	4.9	63.3
78	12	5	26.3	34.0	150.0	815.0	0.4	200.0	47.0	16000.0	2.6	6.0	75.7
79	12	6	29.1	37.0	150.0	844.0	0.5	270.0	-32.0	20000.0	4.6	6.3	77.1
80	12	7	28.7	33.0	180.0	800.0	0.4	-100.0	-33.0	18000.0	5.2	6.0	75.8
81	12	8	21.7	30.0	160.0	597.0	0.3	180.0	35.0	14000.0	-2.0	5.1	60.2
82	12	9	28.1	36.0	-100.0	1010.0	0.3	200.0	-31.0	10000.0	4.9	6.0	89.2
83	12	10	23.1	34.0	-100.0	903.0	0.3	260.0	-28.0	11000.0	2.9	6.0	79.3
84	12	11	22.6	25.0	100.0	836.0	0.5	240.0	-24.0	14000.0	3.5	4.7	74.7
85	12	12	23.5	42.0	-100.0	1230.0	0.5	-290.0	51.0	5400.0	-8.6	6.8	116.0
86	12	13	31.1	45.0	-100.0	1260.0	0.3	260.0	-40.0	7800.0	3.3	7.2	114.0
87	12	14	23.6	49.0	-100.0	1390.0	0.3	-230.0	-46.0	5500.0	4.6	7.8	102.0
88	12	15	36.1	53.0	-100.0	2030.0	-0.3	280.0	-46.0	9900.0	4.5	8.3	172.0
89	12	16	32.3	42.0	-100.0	1560.0	0.3	250.0	56.0	9400.0	-2.0	7.4	139.0
90	12	17	25.2	50.0	-100.0	1420.0	0.4	250.0	-37.0	7500.0	5.1	8.0	118.0
91	12	18	16.0	35.0	190.0	937.0	0.3	-100.0	-29.0	6500.0	3.4	5.7	82.9
92	12	19	14.0	44.0	-100.0	906.0	0.4	400.0	-41.0	4900.0	6.5	7.5	76.6
93	12	20	0.9	-2.0	130.0	35.0	3.1	-100.0	-10.0	-200.0	-2.0	0.2	2.9
94	13	1	24.4	39.0	-100.0	911.0	0.3	410.0	36.0	11000.0	5.2	6.3	85.8
95	13	2	24.2	39.0	-100.0	836.0	0.3	-100.0	63.0	13000.0	2.9	6.3	77.5
96	13	3	23.7	34.0	-100.0	756.0	0.4	210.0	37.0	16000.0	2.7	5.8	75.2
97	13	4	1.8	-2.0	-100.0	62.0	3.0	-100.0	-10.0	-200.0	-2.0	0.3	3.8
98	14	1	28.9	37.0	150.0	885.0	0.3	320.0	-31.0	17000.0	2.8	6.4	83.2
99	14	2	28.5	36.0	-100.0	828.0	0.3	320.0	-29.0	17000.0	4.7	6.3	78.8
100	14	3	1.9	-2.0	130.0	54.0	3.3	-100.0	-10.0	290.0	-2.0	-0.2	3.8
101	15	1	25.8	32.0	180.0	687.0	0.4	-100.0	37.0	12000.0	3.7	5.6	68.4
102	15	2	2.0	-2.0	-100.0	65.0	2.3	-100.0	-10.0	-200.0	-2.0	0.3	4.2
103	16	1	22.8	34.0	140.0	788.0	0.3	240.0	-26.0	14000.0	-2.0	6.0	77.6
104	16	2	23.9	35.0	140.0	836.0	0.4	280.0	-29.0	14000.0	3.5	5.9	78.8
105	16	3	25.7	37.0	170.0	873.0	0.3	190.0	-28.0	15000.0	3.6	6.3	83.1
106	16	4	28.3	38.0	200.0	883.0	0.3	280.0	-32.0	17000.0	5.0	6.7	82.8
107	16	5	19.0	40.0	110.0	736.0	0.3	-100.0	-26.0	11000.0	4.0	6.7	69.6
108	16	6	20.9	52.0	-100.0	1030.0	0.3	-100.0	-29.0	11000.0	-2.0	8.8	91.8
109	16	7	1.9	-2.0	150.0	40.0	2.0	-100.0	-10.0	-200.0	-2.0	-0.2	4.3
110	17	1	23.2	35.0	240.0	720.0	0.6	-100.0	-33.0	16000.0	3.2	6.6	68.9
111	17	2	21.1	33.0	130.0	642.0	0.5	-100.0	-30.0	15000.0	5.9	5.7	64.6
112	17	3	24.0	32.0	150.0	776.0	0.4	-100.0	-33.0	17000.0	3.6	6.0	74.1

Recor	Hole	Samp	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sa
113	17	4	22.5	28.0	160.0	586.0	0.3	300.0	-27.0	14000.0	2.7	4.6	67.1
114	17	5	19.0	24.0	140.0	542.0	0.4	-100.0	40.0	13000.0	-2.0	4.4	57.0
115	17	6	24.0	31.0	160.0	631.0	0.3	-100.0	-34.0	17000.0	4.2	5.3	64.5
116	17	7	21.6	28.0	-100.0	621.0	0.4	-100.0	-28.0	15000.0	2.1	4.9	62.2
117	17	8	25.3	32.0	150.0	692.0	0.2	250.0	-29.0	17000.0	2.5	5.7	65.8
118	17	9	22.6	31.0	120.0	629.0	0.3	190.0	-25.0	16000.0	2.1	5.4	60.4
119	17	10	22.5	34.0	150.0	680.0	0.3	210.0	47.0	15000.0	-2.0	5.7	66.2
120	17	11	24.1	31.0	-100.0	772.0	0.3	240.0	-29.0	16000.0	3.2	5.6	70.4
121	17	12	24.2	35.0	200.0	754.0	0.3	210.0	40.0	18000.0	3.8	5.7	67.9
122	17	13	21.6	33.0	-100.0	739.0	0.4	230.0	33.0	15000.0	3.0	5.6	66.2
123	17	14	17.0	29.0	150.0	770.0	0.3	-100.0	-27.0	12000.0	3.6	5.0	63.7
124	17	15	10.0	20.0	180.0	440.0	-0.1	-100.0	-27.0	7500.0	4.9	3.2	38.6
125	17	16	17.0	32.0	180.0	663.0	-0.2	-100.0	-29.0	12000.0	-2.0	5.0	57.6
126	17	17	23.9	36.0	210.0	944.0	0.3	-210.0	-35.0	16000.0	4.0	6.0	79.6
127	17	18	24.4	35.0	180.0	906.0	0.4	-100.0	-31.0	16000.0	3.8	5.8	79.1
128	17	19	28.5	40.0	-100.0	995.0	-0.3	-240.0	-41.0	21700.0	3.0	6.4	81.7
129	17	20	24.4	39.0	200.0	809.0	0.4	210.0	-31.0	17000.0	4.5	6.2	69.9
130	17	21	1.9	-2.0	120.0	41.0	2.3	-100.0	-10.0	-200.0	-2.0	0.2	3.6
131	18	1	21.1	33.0	150.0	755.0	-0.2	-100.0	-32.0	13000.0	-2.0	5.3	67.4
132	18	2	23.3	38.0	240.0	818.0	0.3	-220.0	60.0	14000.0	6.1	6.3	72.2
133	18	3	24.8	34.0	-100.0	837.0	0.4	-100.0	-36.0	16000.0	4.3	6.2	75.7
134	18	4	27.9	43.0	-100.0	1500.0	0.3	290.0	-39.0	12000.0	5.8	7.6	119.0
135	18	5	19.0	29.0	-100.0	932.0	-0.2	-200.0	-34.0	8400.0	5.3	5.3	84.3
136	18	6	1.6	-2.0	110.0	89.0	2.8	-100.0	-10.0	-200.0	-2.0	-0.2	7.9
137	19	1	23.6	34.0	-100.0	769.0	-0.2	410.0	-37.0	14000.0	3.0	5.6	70.5
138	19	2	23.6	33.0	170.0	775.0	-0.2	200.0	45.0	13000.0	5.3	5.7	68.5
139	19	3	18.0	31.0	150.0	644.0	0.2	-100.0	50.0	12000.0	7.5	5.4	58.7
140	19	4	21.4	36.0	-100.0	968.0	0.3	230.0	-29.0	13000.0	4.7	6.3	84.9
141	19	5	21.4	34.0	150.0	831.0	-0.2	230.0	35.0	14000.0	2.9	5.8	73.2
142	19	6	18.0	38.0	-100.0	820.0	0.2	190.0	-29.0	12000.0	4.7	6.2	68.1
143	19	7	1.9	-2.0	140.0	49.0	2.7	-100.0	-10.0	480.0	-2.0	0.3	4.9
144	20	1	15.0	28.0	100.0	686.0	0.3	-100.0	-27.0	6500.0	2.7	5.0	65.2
145	20	2	14.0	32.0	-100.0	673.0	-0.2	240.0	-27.0	6200.0	5.7	5.2	68.6
146	20	3	16.0	32.0	100.0	697.0	0.2	210.0	-24.0	6000.0	2.4	5.2	67.9
147	20	4	29.4	35.0	120.0	791.0	-0.2	240.0	42.0	9100.0	3.2	6.1	74.5
148	20	5	23.7	34.0	130.0	861.0	-0.2	-100.0	57.0	10000.0	6.2	6.2	83.5
149	20	6	23.9	32.0	-100.0	746.0	0.4	-100.0	-28.0	15000.0	2.8	5.9	71.6
150	20	7	24.7	32.0	-100.0	748.0	0.3	190.0	-27.0	15000.0	-2.0	5.9	72.3
151	20	8	21.5	33.0	180.0	668.0	0.5	240.0	-31.0	15000.0	2.4	5.5	62.2
152	20	9	25.2	36.0	160.0	723.0	0.2	340.0	-29.0	18000.0	5.8	6.1	67.1
153	20	10	20.0	31.0	-100.0	607.0	0.2	-100.0	-28.0	14000.0	4.3	5.4	58.7
154	20	11	20.6	37.0	120.0	804.0	0.4	280.0	-35.0	13000.0	4.4	5.9	73.1
155	20	12	23.2	35.0	170.0	1070.0	0.4	300.0	-36.0	11000.0	3.6	6.1	96.1
156	20	13	24.4	30.0	220.0	929.0	-0.2	360.0	42.0	9900.0	3.6	5.0	97.9
157	20	14	20.0	24.0	-100.0	822.0	0.3	160.0	-29.0	10000.0	3.6	4.3	92.6
158	20	15	18.0	28.0	170.0	859.0	0.3	-100.0	-33.0	8100.0	3.8	4.9	82.8
159	20	16	1.6	-2.0	150.0	51.0	2.5	-100.0	-10.0	-200.0	-2.0	0.2	4.3
160	21	1	26.0	28.0	130.0	790.0	0.2	-100.0	-29.0	16000.0	-2.0	5.2	81.1
161	21	2	23.6	33.0	-100.0	815.0	0.3	220.0	46.0	13000.0	-2.0	5.5	78.8
162	21	3	21.2	31.0	-100.0	690.0	0.3	190.0	37.0	13000.0	-2.0	5.2	66.4
163	21	4	20.3	31.0	140.0	647.0	0.3	-100.0	-27.0	13000.0	-2.0	5.2	62.4
164	21	5	20.8	31.0	170.0	681.0	0.3	220.0	-28.0	13000.0	-2.0	5.3	63.5
165	21	6	21.5	31.0	140.0	655.0	0.3	-100.0	-26.0	12000.0	-2.0	5.5	63.9
166	21	7	20.8	31.0	190.0	633.0	0.3	-100.0	55.0	12000.0	-2.0	5.0	61.0
167	21	8	16.0	24.0	-100.0	535.0	0.6	190.0	-25.0	9800.0	-2.0	4.2	54.8
168	21	9	21.6	32.0	120.0	720.0	0.3	-100.0	44.0	13000.0	-2.0	5.6	68.1

Recor	Hole	Samp	U	Yb	Zn	Ce	NaX	Sn	Te	Zr	Br	Lu	Sa
169	21	10	23.2	31.0	120.0	697.0	0.3	210.0	-26.0	15000.0	-2.0	5.3	68.5
170	21	11	25.0	37.0	-100.0	783.0	0.3	200.0	-34.0	16000.0	-2.0	6.2	73.9
171	21	12	28.5	55.0	-100.0	944.0	0.3	450.0	-37.0	17000.0	-2.0	9.2	83.1
172	21	13	25.3	33.0	180.0	762.0	0.2	250.0	-32.0	13000.0	-2.0	5.7	72.4
173	21	14	26.7	41.0	-100.0	1120.0	0.3	240.0	-34.0	17000.0	-2.0	6.5	98.8
174	21	15	25.7	42.0	-100.0	1350.0	0.3	280.0	62.0	13000.0	2.2	6.8	116.0
175	21	16	38.8	56.0	-100.0	2340.0	-0.2	590.0	78.0	9200.0	-2.0	9.4	225.0
176	21	17	19.0	51.0	-100.0	1170.0	0.2	-210.0	-34.0	9500.0	-2.0	8.2	95.4
177	21	18	0.9	-2.0	-100.0	280.0	2.6	-100.0	-10.0	-200.0	-2.0	0.3	18.0
178	22	1	29.4	37.0	200.0	1040.0	0.3	-200.0	46.0	17000.0	-2.0	6.6	95.7
179	22	2	36.7	39.0	150.0	1100.0	0.2	250.0	48.0	21800.0	-2.0	6.9	99.0
180	22	3	30.3	29.0	-100.0	820.0	0.3	320.0	-37.0	19000.0	-2.0	5.4	82.1
181	22	4	25.1	32.0	120.0	698.0	0.3	200.0	41.0	17000.0	-2.0	5.5	70.0
182	22	5	1.8	-2.0	140.0	56.0	2.7	-100.0	-10.0	210.0	-2.0	0.2	4.8
183	23	1	22.1	32.0	120.0	719.0	0.2	-100.0	-28.0	16000.0	-2.0	5.7	66.0
184	23	2	21.7	34.0	130.0	678.0	0.3	180.0	38.0	14000.0	-2.0	5.6	64.1
185	23	3	21.2	34.0	-100.0	646.0	0.3	-100.0	-28.0	14000.0	2.8	5.8	59.9
186	23	4	22.4	33.0	130.0	720.0	0.3	200.0	-29.0	15000.0	-2.0	6.1	65.3
187	23	5	17.0	32.0	-100.0	636.0	0.3	220.0	-31.0	11000.0	-2.0	5.3	57.7
188	23	6	18.0	31.0	200.0	583.0	0.3	230.0	-27.0	13000.0	-2.0	5.2	56.8
189	23	7	19.0	35.0	-100.0	665.0	0.3	-210.0	-34.0	14000.0	-2.0	5.6	60.4
190	23	8	19.0	31.0	-100.0	650.0	0.2	210.0	45.0	13000.0	-2.0	5.6	58.1
191	23	9	19.0	32.0	-100.0	661.0	0.3	-100.0	-30.0	13000.0	-2.0	5.4	59.8
192	23	10	18.0	34.0	-100.0	794.0	0.3	-100.0	-31.0	12000.0	-2.0	5.9	66.3
193	23	11	22.8	39.0	160.0	941.0	0.3	-210.0	-34.0	15000.0	-2.0	6.4	76.9
194	23	12	21.6	27.0	-100.0	1100.0	0.3	-100.0	-31.0	7200.0	3.9	5.0	100.0
195	23	13	2.1	-2.0	290.0	59.0	2.8	-100.0	-10.0	270.0	-2.0	-0.2	5.2
196	24	1	13.0	29.0	-100.0	490.0	0.3	160.0	-24.0	9400.0	-2.0	5.0	45.0
197	24	2	24.0	37.0	200.0	798.0	0.3	230.0	-36.0	17000.0	-2.0	6.3	73.3
198	24	3	24.0	37.0	140.0	822.0	0.3	190.0	35.0	17000.0	-2.0	6.3	74.9
199	24	4	26.7	38.0	-100.0	885.0	-0.1	220.0	40.0	17000.0	-2.0	6.3	82.1
200	24	5	27.0	37.0	-100.0	793.0	0.2	370.0	-31.0	17000.0	-2.0	6.2	77.2
201	24	6	29.1	33.0	-100.0	757.0	0.2	-260.0	61.0	19000.0	-2.0	5.7	82.8
202	24	7	24.8	31.0	150.0	745.0	0.2	210.0	-31.0	14000.0	2.2	5.1	80.3
203	24	8	27.5	33.0	150.0	848.0	0.3	230.0	53.0	17000.0	2.2	5.9	87.2
204	24	9	31.0	37.0	-100.0	924.0	0.5	-100.0	-31.0	18000.0	-2.0	6.6	86.2
205	24	10	27.4	40.0	240.0	887.0	0.3	-100.0	57.0	18000.0	-2.0	6.6	84.1
206	24	11	26.9	37.0	130.0	870.0	0.6	260.0	39.0	17000.0	-2.0	6.3	81.5
207	24	12	26.8	37.0	-100.0	897.0	0.3	230.0	-26.0	17000.0	2.4	6.6	80.3
208	24	13	29.1	39.0	180.0	958.0	0.4	250.0	59.0	20000.0	2.2	6.4	86.0
209	24	14	24.9	40.0	-100.0	859.0	-0.2	340.0	-32.0	16000.0	-2.0	6.1	78.0
210	24	15	28.3	38.0	220.0	834.0	0.5	-100.0	-29.0	20600.0	-2.0	6.7	75.9
211	24	16	42.4	41.0	-100.0	1310.0	0.5	240.0	64.0	29000.0	-2.0	7.1	109.0
212	24	17	24.4	35.0	150.0	1040.0	0.3	230.0	38.0	9600.0	-2.0	5.6	91.2
213	24	18	0.4	-2.0	140.0	32.0	1.2	-100.0	-10.0	-200.0	-2.0	-0.2	4.9
214	25	1	24.4	41.0	-100.0	937.0	-0.2	290.0	63.0	15000.0	-2.0	6.5	87.0
215	25	2	30.3	43.0	-100.0	1080.0	0.3	190.0	-39.0	17000.0	-2.0	7.3	92.1
216	25	3	26.1	38.0	-100.0	862.0	-0.2	170.0	-36.0	17000.0	-2.0	6.7	81.4
217	25	4	23.8	36.0	-100.0	791.0	-0.2	210.0	67.0	13000.0	-2.0	5.9	74.8
218	25	5	26.3	38.0	-100.0	886.0	-0.2	-100.0	57.0	15000.0	-2.0	6.2	83.4
219	25	6	25.8	35.0	-100.0	857.0	-0.2	240.0	-26.0	16000.0	-2.0	6.0	80.8
220	25	7	28.2	38.0	190.0	940.0	0.4	-100.0	-30.0	18000.0	2.7	6.5	83.5
221	25	8	30.5	36.0	-100.0	950.0	-0.2	-100.0	-40.0	20000.0	-2.0	6.6	84.4
222	25	9	25.7	38.0	210.0	821.0	-0.2	-100.0	-40.0	17000.0	2.4	6.4	77.3
223	25	10	28.7	29.0	-100.0	821.0	-0.2	240.0	47.0	16000.0	-2.0	4.6	86.5
224	25	11	21.7	31.0	120.0	712.0	-0.2	-100.0	-32.0	12000.0	-2.0	5.6	68.8

Recor	Hole	Samp	U	Yb	Zn	Ce	NaX	Sn	Te	Zr	Br	Lu	Sm
225	25	12	24.0	31.0	-100.0	724.0	0.3	180.0	-24.0	14000.0	-2.0	5.4	69.8
226	25	13	28.2	41.0	180.0	858.0	-0.2	180.0	37.0	18000.0	-2.0	6.9	76.9
227	25	14	25.0	37.0	-100.0	873.0	0.3	-100.0	-32.0	17000.0	-2.0	6.3	77.4
228	25	15	23.5	35.0	240.0	979.0	-0.2	-100.0	-27.0	13000.0	-2.0	5.8	85.1
229	25	16	18.0	38.0	150.0	778.0	-0.2	290.0	-23.0	10000.0	-2.0	6.0	69.2
230	25	17	22.1	32.0	-100.0	984.0	0.5	170.0	-33.0	9000.0	3.4	5.5	85.4
231	25	18	21.6	31.0	-100.0	1350.0	-0.3	330.0	-31.0	7700.0	-2.0	5.1	115.0
232	25	19	2.8	-2.0	250.0	240.0	2.4	-100.0	-10.0	650.0	-2.0	0.3	20.8
233	26	1	27.1	41.0	190.0	976.0	0.4	190.0	-24.0	17000.0	-2.0	6.8	92.2
234	26	2	26.6	39.0	-100.0	980.0	-0.2	220.0	-35.0	17000.0	-2.0	7.1	90.9
235	26	3	25.9	39.0	-100.0	946.0	0.4	210.0	-35.0	16000.0	-2.0	6.6	94.3
236	26	4	20.8	33.0	-100.0	789.0	0.4	220.0	-21.0	14000.0	-2.0	5.4	77.4
237	26	5	24.9	36.0	140.0	883.0	-0.2	150.0	-23.0	16000.0	3.7	6.0	81.3
238	26	6	24.9	33.0	-100.0	825.0	0.3	150.0	34.0	13000.0	-2.0	5.8	78.3
239	26	7	23.9	30.0	-100.0	751.0	0.3	-100.0	-20.0	13000.0	-2.0	5.4	73.0
240	26	8	27.9	34.0	190.0	833.0	0.4	330.0	41.0	14000.0	-2.0	6.1	79.2
241	26	9	27.9	34.0	260.0	826.0	-0.2	200.0	39.0	14000.0	-2.0	5.8	79.8
242	26	10	25.2	33.0	120.0	800.0	-0.2	220.0	-23.0	12000.0	-2.0	5.7	76.4
243	26	11	52.5	52.0	190.0	1260.0	0.4	560.0	58.0	26400.0	4.3	8.4	137.0
244	26	12	31.7	33.0	160.0	865.0	0.3	-100.0	54.0	14000.0	3.7	5.4	84.2
245	26	13	26.9	29.0	210.0	816.0	0.2	-100.0	35.0	12000.0	12.0	5.1	56.1
246	26	14	20.0	28.0	240.0	704.0	0.3	270.0	29.0	6400.0	13.0	5.0	53.0
247	26	15	20.6	33.0	160.0	791.0	0.2	-100.0	-29.0	8900.0	4.0	5.6	53.6
248	26	16	23.7	31.0	270.0	791.0	0.2	-100.0	37.0	12000.0	12.0	5.7	53.9
249	26	17	19.0	29.0	190.0	733.0	0.2	-100.0	34.0	9600.0	7.9	5.3	53.7
250	26	18	19.0	30.0	190.0	926.0	0.4	290.0	-33.0	10000.0	3.9	5.1	80.8
251	26	19	18.0	28.0	-100.0	710.0	0.3	-100.0	33.0	9400.0	8.1	5.0	49.7
252	26	20	20.0	29.0	190.0	623.0	0.3	-100.0	-26.0	10000.0	6.6	5.0	48.7
253	26	21	16.0	28.0	-230.0	666.0	0.3	-100.0	35.0	7700.0	7.5	4.9	48.9
254	26	22	19.0	34.0	-190.0	937.0	0.3	-100.0	-29.0	9300.0	10.0	5.6	64.1
255	26	23	23.4	41.0	-100.0	1140.0	0.3	-100.0	38.0	8000.0	5.0	6.9	80.3
256	26	24	2.0	-2.0	140.0	49.0	2.7	-100.0	-10.0	240.0	-2.0	-0.2	4.8
257	27	1	23.9	33.0	220.0	823.0	0.3	-100.0	39.0	14000.0	6.9	6.2	56.1
258	27	2	26.2	33.0	150.0	838.0	0.3	-100.0	32.0	13000.0	6.1	5.9	59.3
259	27	3	35.0	34.0	190.0	925.0	0.3	-100.0	40.0	16000.0	7.1	6.8	61.5
260	27	4	25.3	33.0	190.0	834.0	0.1	-100.0	47.0	11000.0	7.7	6.0	56.2
261	27	5	26.8	32.0	-100.0	769.0	0.2	-100.0	70.0	10000.0	6.9	5.6	52.6
262	27	6	19.0	26.0	-100.0	636.0	0.2	-100.0	-25.0	8300.0	5.3	4.6	43.5
263	27	7	23.5	29.0	-100.0	754.0	0.3	-220.0	72.0	10000.0	9.0	5.8	52.3
264	27	8	18.0	29.0	170.0	653.0	0.3	-100.0	32.0	8500.0	8.6	5.0	47.2
265	27	9	19.0	27.0	-100.0	674.0	-0.1	200.0	59.0	11000.0	9.0	4.8	53.0
266	27	10	20.8	30.0	-100.0	714.0	0.3	-100.0	44.0	13000.0	6.5	5.3	50.7
267	27	11	26.7	35.0	150.0	946.0	0.3	-210.0	51.0	17000.0	4.2	6.4	63.5
268	27	12	26.8	41.0	-100.0	1190.0	0.3	-220.0	-37.0	15000.0	8.5	7.1	71.6
269	27	13	30.6	46.0	-100.0	1370.0	0.3	-230.0	49.0	17000.0	5.1	7.6	80.3
270	27	14	28.3	43.0	200.0	1260.0	0.2	330.0	-37.0	16000.0	10.0	7.8	75.6
271	27	15	2.2	2.0	140.0	61.0	3.2	-100.0	-10.0	310.0	-2.0	0.3	5.4
272	28	1	20.0	31.0	-100.0	666.0	0.4	-100.0	28.0	11000.0	11.0	5.4	45.7
273	28	2	17.0	32.0	190.0	634.0	0.3	-100.0	-28.0	11000.0	9.5	5.7	42.7
274	28	3	16.0	34.0	-100.0	648.0	0.3	200.0	36.0	10000.0	10.0	5.8	50.7
275	28	4	19.0	36.0	190.0	705.0	0.3	-100.0	-30.0	13000.0	10.0	6.0	51.1
276	28	5	20.2	37.0	150.0	775.0	0.4	-100.0	40.0	12000.0	8.8	6.5	49.8
277	28	6	19.0	34.0	180.0	736.0	0.3	-100.0	-29.0	12000.0	3.0	6.4	47.4
278	28	7	16.0	34.0	140.0	579.0	0.3	-100.0	35.0	9800.0	5.4	6.0	39.4
279	28	8	2.2	-2.0	140.0	54.0	2.5	-100.0	-10.0	210.0	-2.0	0.3	5.2
280	29	1	23.7	32.0	170.0	797.0	0.3	180.0	-29.0	12000.0	6.8	5.8	55.7

Recor	Hole	Samp	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sm
281	29	2	20.0	28.0	140.0	641.0	0.3	-100.0	29.0	11000.0	5.2	5.1	46.1
282	29	3	20.7	30.0	160.0	742.0	0.3	-100.0	35.0	11000.0	7.5	5.4	53.3
283	29	4	22.3	32.0	170.0	766.0	0.3	-100.0	31.0	12000.0	5.5	5.6	54.5
284	29	5	20.8	27.0	-100.0	688.0	0.2	-100.0	49.0	12000.0	4.4	5.3	51.2
285	29	6	20.7	27.0	210.0	637.0	0.4	-100.0	-24.0	11000.0	5.0	4.7	48.6
286	29	7	28.1	29.0	140.0	777.0	0.3	220.0	34.0	16000.0	11.0	5.0	62.6
287	29	8	25.2	28.0	140.0	727.0	0.2	210.0	-30.0	14000.0	8.8	5.3	55.7
288	29	9	23.8	26.0	-100.0	569.0	0.3	280.0	-29.0	15000.0	8.9	4.6	48.2
289	29	10	23.0	25.0	150.0	490.0	0.3	-100.0	31.0	13000.0	6.6	4.5	40.9
290	29	11	19.0	27.0	140.0	493.0	0.4	190.0	-24.0	12000.0	5.8	4.7	39.9
291	29	12	22.6	29.0	150.0	576.0	0.2	250.0	-26.0	16000.0	5.5	5.3	44.9
292	29	13	23.8	33.0	190.0	603.0	0.2	-100.0	-28.0	18000.0	9.3	5.8	46.8
293	29	14	20.0	31.0	150.0	608.0	0.3	-100.0	37.0	14000.0	8.7	5.4	44.5
294	29	15	15.0	28.0	180.0	629.0	0.4	-100.0	25.0	7700.0	11.0	4.9	43.1
295	29	16	1.0	-2.0	230.0	35.0	2.7	-100.0	-10.0	240.0	-2.0	0.2	3.8
296	30	1	24.5	33.0	-100.0	894.0	0.3	-200.0	55.0	11000.0	9.1	5.7	60.7
297	30	2	27.7	32.0	370.0	730.0	0.4	-100.0	29.0	14000.0	5.6	5.6	54.7
298	30	3	22.9	26.0	-100.0	634.0	0.5	160.0	38.0	9600.0	7.4	4.7	46.2
299	30	4	27.7	33.0	-100.0	810.0	0.3	-100.0	50.0	15000.0	8.8	6.1	55.9
300	30	5	27.0	37.0	150.0	811.0	0.3	-100.0	50.0	14000.0	10.0	6.3	57.6
301	30	6	24.9	31.0	140.0	829.0	0.4	-100.0	51.0	13000.0	5.9	5.9	57.4
302	30	7	19.0	25.0	210.0	504.0	0.7	200.0	25.0	9300.0	5.1	4.3	39.0
303	30	8	22.4	32.0	150.0	734.0	0.3	210.0	-30.0	13000.0	13.0	5.4	49.8
304	30	9	25.7	34.0	160.0	778.0	0.3	-100.0	53.0	13000.0	7.8	6.1	56.1
305	30	10	24.4	33.0	220.0	746.0	0.4	-100.0	-29.0	14000.0	8.3	6.1	52.6
306	30	11	23.3	34.0	150.0	648.0	0.3	-100.0	-28.0	16000.0	8.6	5.8	48.6
307	30	12	22.0	34.0	150.0	612.0	0.2	-100.0	43.0	14000.0	12.0	5.7	46.1
308	30	13	21.5	28.0	190.0	563.0	0.2	190.0	48.0	15000.0	9.4	4.8	46.8
309	30	14	20.2	30.0	290.0	587.0	0.2	-220.0	-36.0	13000.0	13.0	5.4	45.5
310	30	15	32.3	39.0	140.0	1170.0	0.4	-210.0	-35.0	18000.0	6.7	7.3	80.6
311	30	16	28.7	40.0	230.0	1120.0	0.2	-230.0	49.0	15000.0	11.0	6.3	79.3
312	30	17	21.2	35.0	190.0	936.0	0.2	220.0	41.0	8600.0	13.0	6.1	70.9
313	30	18	23.0	38.0	-100.0	1010.0	0.3	-100.0	45.0	12000.0	4.6	6.3	71.9
314	30	19	22.1	33.0	150.0	887.0	0.4	-100.0	50.0	13000.0	7.1	5.8	59.5
315	30	20	16.0	21.0	-100.0	555.0	0.2	-100.0	37.0	11000.0	5.9	4.0	39.3
316	30	21	1.1	-2.0	180.0	48.0	3.1	-100.0	-10.0	-200.0	-2.0	0.2	4.6
317	31	1	24.3	38.0	160.0	809.0	0.3	-100.0	47.0	15000.0	12.0	6.5	57.2
318	31	2	26.9	39.0	190.0	814.0	0.3	210.0	33.0	18000.0	8.7	6.4	58.8
319	31	3	27.8	32.0	150.0	752.0	0.6	170.0	54.0	19000.0	7.0	5.9	54.6
320	31	4	20.7	29.0	120.0	660.0	0.5	150.0	-24.0	12000.0	7.5	5.3	47.7
321	31	5	20.3	27.0	-100.0	681.0	0.3	-100.0	58.0	13000.0	4.8	5.2	50.5
322	31	6	25.3	35.0	-100.0	754.0	0.1	280.0	-29.0	17000.0	8.0	6.1	54.8
323	31	7	19.0	27.0	-100.0	827.0	0.4	-100.0	-27.0	13000.0	8.1	5.0	58.8
324	31	8	25.7	31.0	-100.0	766.0	0.4	-100.0	39.0	18000.0	9.4	5.4	56.9
325	31	9	22.9	29.0	190.0	654.0	0.4	-100.0	-26.0	14000.0	7.2	5.0	46.8
326	31	10	23.1	31.0	120.0	638.0	0.4	-100.0	32.0	12000.0	6.8	5.0	46.4
327	31	11	25.5	30.0	-100.0	708.0	0.2	-100.0	39.0	15000.0	11.0	5.5	52.7
328	31	12	26.5	26.0	150.0	689.0	-0.1	180.0	-28.0	16000.0	7.4	4.8	53.6
329	31	13	21.8	27.0	170.0	645.0	0.3	-100.0	35.0	12000.0	3.7	4.8	48.5
330	31	14	26.3	32.0	210.0	673.0	0.4	-100.0	42.0	16000.0	4.4	5.4	50.3
331	31	15	20.8	29.0	200.0	646.0	0.2	-100.0	-29.0	13000.0	8.3	5.6	47.4
332	31	16	21.6	32.0	140.0	602.0	0.4	-100.0	32.0	14000.0	10.0	5.7	46.9
333	31	17	18.0	27.0	-100.0	559.0	0.3	150.0	-24.0	12000.0	4.4	4.9	41.7
334	31	18	20.6	30.0	190.0	663.0	0.2	-100.0	59.0	12000.0	5.2	5.2	48.3
335	31	19	18.0	30.0	120.0	516.0	0.4	160.0	54.0	11000.0	4.9	5.0	42.6
336	31	20	17.0	29.0	190.0	538.0	0.3	-100.0	32.0	11000.0	7.7	5.0	41.3

Recor	Hole	Samp	U	Yb	Zn	Ce	NaX	Sn	Te	Zr	Br	Lu	Sm
337	31	21	17.0	31.0	200.0	581.0	0.2	-100.0	-24.0	11000.0	8.4	5.2	42.6
338	31	22	17.0	31.0	120.0	538.0	0.3	-100.0	40.0	10000.0	3.7	5.3	41.2
339	31	23	14.0	27.0	140.0	494.0	0.3	-100.0	23.0	7600.0	6.7	4.9	36.1
340	31	24	1.2	-2.0	130.0	48.0	3.6	-100.0	-10.0	-200.0	-2.0	-0.2	4.6
341	32	1	20.0	32.0	120.0	676.0	0.3	-100.0	-25.0	10000.0	7.2	5.3	50.0
342	32	2	25.9	38.0	180.0	923.0	0.3	-100.0	57.0	14000.0	8.0	6.7	65.7
343	32	3	22.5	31.0	150.0	761.0	0.4	-100.0	50.0	13000.0	8.9	5.7	56.4
344	32	4	25.1	33.0	-100.0	930.0	-0.2	-100.0	39.0	11000.0	5.5	5.3	64.8
345	32	5	27.7	32.0	170.0	701.0	0.2	310.0	-32.0	12000.0	10.0	5.8	50.4
346	32	6	22.1	34.0	160.0	615.0	0.4	-100.0	39.0	14000.0	7.1	5.4	48.7
347	32	7	27.9	33.0	-100.0	782.0	0.4	-100.0	40.0	17000.0	11.0	6.0	57.9
348	32	8	23.5	27.0	190.0	655.0	0.3	-100.0	31.0	14000.0	17.0	4.9	48.9
349	32	9	23.9	30.0	230.0	707.0	0.3	-100.0	43.0	17000.0	5.3	5.7	52.0
350	32	10	14.0	21.0	210.0	442.0	1.0	-100.0	-29.0	7700.0	9.0	3.6	32.0
351	32	11	20.3	32.0	170.0	640.0	0.3	-100.0	40.0	13000.0	12.0	5.2	45.5
352	32	12	20.0	29.0	180.0	610.0	0.3	-100.0	-29.0	14000.0	13.0	5.2	42.7
353	32	13	20.0	30.0	170.0	579.0	0.3	-100.0	32.0	12000.0	10.0	5.1	41.6
354	32	14	1.0	-2.0	140.0	44.0	2.7	-100.0	-10.0	-200.0	-2.0	0.2	4.6
355	33	1	22.6	37.0	290.0	1000.0	0.3	-220.0	61.0	11000.0	11.0	6.7	66.9
356	33	2	38.8	44.0	320.0	1090.0	0.3	-260.0	50.0	25000.0	25.0	7.5	71.7
357	33	3	31.3	39.0	-100.0	1210.0	0.3	-220.0	39.0	14000.0	8.5	6.9	75.7
358	33	4	20.0	31.0	120.0	671.0	0.4	-100.0	-30.0	4600.0	7.5	4.7	50.7
359	33	5	16.0	25.0	140.0	558.0	0.5	-100.0	-24.0	5300.0	7.0	4.5	42.5
360	33	6	13.0	25.0	170.0	526.0	0.4	-100.0	28.0	5100.0	5.8	3.9	39.0
361	33	7	25.0	33.0	370.0	689.0	0.4	-100.0	43.0	15000.0	7.2	5.6	51.3
362	33	8	23.8	32.0	170.0	698.0	0.2	210.0	-28.0	14000.0	7.1	5.4	49.2
363	33	9	21.0	38.0	210.0	695.0	0.2	-100.0	-33.0	13000.0	12.0	6.0	49.7
364	33	10	27.2	39.0	170.0	900.0	-0.2	-230.0	-39.0	18000.0	13.0	6.7	58.9
365	33	11	24.3	33.0	180.0	680.0	-0.2	230.0	33.0	16000.0	7.8	5.9	47.6
366	33	12	25.6	35.0	230.0	745.0	-0.2	-200.0	-34.0	19000.0	14.0	5.9	50.1
367	33	13	37.2	41.0	-100.0	1250.0	0.6	-230.0	52.0	20900.0	10.0	7.4	79.0
368	33	14	34.4	39.0	-100.0	1090.0	-0.3	240.0	61.0	20000.0	13.0	6.4	76.8
369	33	15	2.1	-2.0	150.0	54.0	2.6	-100.0	-10.0	240.0	-2.0	0.3	4.9
370	34	1	27.0	34.0	160.0	749.0	0.3	-100.0	35.0	19000.0	8.1	6.2	56.0
371	34	2	23.8	34.0	240.0	709.0	0.3	-220.0	-37.0	15000.0	22.0	5.7	54.1
372	34	3	24.5	34.0	120.0	697.0	0.3	190.0	-30.0	18000.0	11.0	5.8	50.7
373	34	4	26.8	30.0	180.0	713.0	0.3	-100.0	-31.0	19000.0	7.9	5.3	54.4
374	34	5	23.1	30.0	160.0	654.0	0.4	200.0	-30.0	16000.0	9.2	5.3	47.7
375	34	6	27.2	33.0	200.0	786.0	0.3	250.0	-32.0	18000.0	10.0	5.9	54.0
376	34	7	20.1	29.0	210.0	696.0	0.4	-100.0	-27.0	12000.0	11.0	5.8	48.3
377	34	8	21.6	31.0	170.0	802.0	0.3	-210.0	37.0	13000.0	10.0	5.5	52.1
378	34	9	28.9	36.0	190.0	850.0	0.3	-200.0	35.0	21000.0	8.5	6.7	58.3
379	34	10	27.2	36.0	130.0	841.0	0.5	-100.0	54.0	19000.0	5.8	6.3	57.8
380	34	11	27.4	34.0	170.0	798.0	0.2	300.0	-31.0	19000.0	7.2	6.3	54.9
381	34	12	19.0	33.0	-100.0	623.0	0.2	260.0	-29.0	9000.0	6.4	5.7	41.5
382	34	13	7.7	15.0	140.0	301.0	0.3	220.0	-28.0	4300.0	5.9	2.7	21.9
383	34	14	23.1	30.0	-100.0	1160.0	0.3	-210.0	66.0	10000.0	6.9	5.4	67.6
384	34	15	30.9	38.0	150.0	1240.0	0.4	220.0	52.0	11000.0	7.1	6.2	76.0
385	34	16	24.0	35.0	-100.0	1200.0	0.3	-210.0	80.0	11000.0	10.0	6.0	70.2
386	34	17	25.5	33.0	-100.0	1220.0	0.6	-210.0	-36.0	12000.0	11.0	5.8	71.4
387	35	1	27.6	34.0	-100.0	914.0	0.3	-210.0	-34.0	17000.0	9.2	6.0	61.5
388	35	2	26.5	34.0	200.0	937.0	0.3	-260.0	-43.0	17000.0	25.0	6.1	63.0
389	35	3	28.4	33.0	180.0	1040.0	0.2	-100.0	57.0	14000.0	3.7	6.4	66.2
390	35	4	27.5	34.0	180.0	955.0	-0.2	320.0	36.0	14000.0	7.3	5.9	62.4
391	35	5	28.5	34.0	190.0	816.0	0.3	-200.0	-35.0	19000.0	5.5	6.0	55.7
392	35	6	27.8	30.0	180.0	716.0	0.3	200.0	-33.0	19000.0	9.4	5.3	54.7

Recor	Hole	Samp	U	Yb	Zn	Ce	Na%	Sn	Te	Zr	Br	Lu	Sa
393	35	7	26.0	32.0	190.0	732.0	-0.2	-100.0	31.0	18000.0	3.9	6.0	51.2
394	35	8	22.3	38.0	150.0	824.0	0.3	-100.0	-31.0	14000.0	8.5	6.4	56.1
395	35	9	22.1	38.0	-100.0	830.0	0.2	-100.0	36.0	13000.0	7.5	6.8	53.2
396	35	10	1.9	-2.0	100.0	45.0	2.3	-100.0	-10.0	300.0	-2.0	-0.2	3.4
397	36	1	24.5	34.0	150.0	843.0	0.5	-100.0	50.0	16000.0	9.3	6.3	55.8
398	36	2	25.9	30.0	190.0	678.0	0.5	-100.0	32.0	13000.0	6.5	5.7	49.3
399	36	3	21.8	32.0	150.0	706.0	0.5	-100.0	39.0	13000.0	6.1	5.9	49.9
400	36	4	23.8	33.0	-100.0	800.0	0.3	-100.0	-31.0	16000.0	5.1	5.9	52.2
401	36	5	22.9	31.0	140.0	800.0	0.4	190.0	50.0	14000.0	3.7	5.7	52.1
402	36	6	25.9	35.0	210.0	722.0	0.4	-100.0	-30.0	17000.0	8.0	6.4	49.9
403	36	7	22.8	34.0	150.0	662.0	0.4	-210.0	-35.0	11000.0	18.0	6.2	47.1
404	36	8	20.0	30.0	-100.0	676.0	0.3	-100.0	35.0	13000.0	13.0	5.7	45.7
405	36	9	21.4	32.0	230.0	770.0	0.3	-100.0	-30.0	14000.0	17.0	5.5	52.3
406	36	10	10.0	31.0	230.0	493.0	0.3	180.0	-25.0	4000.0	8.5	4.7	40.2
407	36	11	17.0	32.0	200.0	664.0	0.3	-100.0	-29.0	10000.0	8.9	5.3	45.8
408	36	12	26.4	35.0	180.0	840.0	0.2	-100.0	51.0	20000.0	4.3	6.5	54.7
409	36	13	25.8	34.0	260.0	772.0	0.5	-100.0	-31.0	21000.0	9.1	5.9	50.8
410	36	14	25.5	33.0	160.0	816.0	0.4	260.0	33.0	18000.0	7.6	5.9	53.4
411	36	15	24.4	31.0	190.0	809.0	0.4	-100.0	29.0	16000.0	5.8	5.9	57.5
412	36	16	1.8	-2.0	-100.0	60.0	2.4	-100.0	-10.0	-200.0	-2.0	0.2	4.0
413	37	1	21.6	26.0	220.0	793.0	0.3	170.0	47.0	8900.0	3.1	4.5	64.2
414	37	2	21.1	24.0	180.0	728.0	-0.2	-100.0	32.0	11000.0	4.5	4.7	56.8
415	37	3	20.0	23.0	-100.0	796.0	0.3	510.0	-46.0	8900.0	17.0	4.3	61.4
416	37	4	21.9	28.0	-100.0	734.0	-0.1	-230.0	53.0	10000.0	7.5	4.9	56.7
417	37	5	24.1	28.0	160.0	666.0	-0.1	-220.0	-36.0	16000.0	5.6	5.7	50.2
418	37	6	18.0	25.0	180.0	566.0	0.4	-100.0	-32.0	9800.0	4.5	4.7	39.5
419	37	7	21.2	30.0	170.0	610.0	0.3	-200.0	-34.0	14000.0	4.2	5.7	46.7
420	37	8	22.7	28.0	220.0	600.0	0.3	-210.0	-35.0	16000.0	5.2	5.4	44.2
421	37	9	19.0	31.0	170.0	605.0	0.2	320.0	-37.0	14000.0	4.2	5.8	43.9
422	37	10	15.0	25.0	-100.0	476.0	0.3	-100.0	-32.0	8800.0	6.6	4.6	36.7
423	37	11	21.5	32.0	220.0	673.0	-0.1	-210.0	-34.0	13000.0	7.1	5.9	48.1
424	37	12	20.4	33.0	150.0	727.0	0.2	290.0	-33.0	12000.0	4.8	6.1	52.1
425	37	13	19.0	31.0	-100.0	599.0	0.3	-100.0	-30.0	11000.0	6.5	5.7	44.5
426	37	14	24.0	34.0	-100.0	895.0	0.3	-250.0	50.0	15000.0	8.4	6.6	60.2
427	37	15	17.0	29.0	-100.0	628.0	0.2	190.0	42.0	9800.0	4.7	5.2	44.8
428	37	16	20.1	30.0	-100.0	790.0	-0.2	-220.0	-37.0	12000.0	5.8	5.6	53.0
429	37	17	55.0	42.0	-320.0	2990.0	-0.4	-460.0	140.0	11000.0	14.0	8.1	180.0
430	37	18	25.4	39.0	-100.0	1080.0	-0.2	270.0	43.0	12000.0	11.0	7.8	69.9
431	37	19	24.0	37.0	-100.0	1050.0	-0.2	360.0	-43.0	12000.0	10.0	6.7	68.1
432	37	20	22.5	40.0	240.0	927.0	0.3	-220.0	-36.0	9900.0	3.0	7.4	61.1
433	37	21	26.3	36.0	-100.0	1150.0	-0.2	-270.0	54.0	13000.0	8.8	7.1	72.6
434	37	22	21.5	30.0	340.0	941.0	-0.2	290.0	54.0	13000.0	10.0	4.6	62.5
435	37	23	20.2	33.0	-100.0	933.0	-0.2	320.0	-43.0	11000.0	6.9	5.2	59.6
436	38	1	23.1	29.0	-100.0	880.0	0.5	220.0	-36.0	13000.0	10.0	5.3	68.2
437	38	2	25.7	34.0	-100.0	872.0	0.3	-220.0	-37.0	13000.0	11.0	6.1	61.2
438	38	3	25.3	34.0	-100.0	841.0	-0.2	-210.0	-35.0	15000.0	10.0	6.3	58.6
439	38	4	23.6	30.0	240.0	740.0	0.3	-210.0	-35.0	13000.0	9.1	5.8	52.1
440	38	5	21.3	31.0	180.0	701.0	0.3	280.0	-36.0	12000.0	11.0	5.8	49.3
441	38	6	21.8	29.0	230.0	609.0	0.3	-100.0	42.0	14000.0	6.6	5.4	44.9
442	38	7	17.0	22.0	140.0	450.0	0.4	-100.0	32.0	11000.0	6.0	4.2	34.4
443	38	8	20.9	28.0	170.0	603.0	0.4	-100.0	-32.0	14000.0	7.9	5.5	45.6
444	38	9	21.6	29.0	180.0	627.0	0.4	-100.0	53.0	13000.0	7.5	5.8	47.0
445	38	10	26.4	31.0	190.0	661.0	0.4	220.0	35.0	18000.0	7.5	5.9	51.1
446	38	11	21.6	29.0	140.0	622.0	0.4	-100.0	-33.0	13000.0	8.5	5.2	47.7
447	38	12	22.3	30.0	-100.0	607.0	0.3	350.0	45.0	11000.0	12.0	5.5	46.0
448	38	13	22.8	28.0	180.0	676.0	0.3	-200.0	-33.0	14000.0	5.6	5.5	51.5

Recor	Hole	Samp	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sa
449	38	14	30.5	31.0	160.0	812.0	0.3	310.0	-37.0	14000.0	12.0	6.0	56.7
450	38	15	23.1	31.0	130.0	713.0	0.4	220.0	-32.0	15000.0	5.3	5.9	55.1
451	38	16	22.5	31.0	-100.0	797.0	0.4	-200.0	-34.0	12000.0	5.1	5.6	56.2
452	38	17	1.1	-2.0	-100.0	52.0	4.3	-100.0	-10.0	270.0	-2.0	-0.2	4.0
453	39	1	21.6	25.0	190.0	595.0	0.5	-100.0	33.0	13000.0	7.4	5.1	47.7
454	39	2	22.7	22.0	140.0	552.0	0.4	-100.0	-31.0	12000.0	5.3	4.4	46.3
455	39	3	20.7	25.0	180.0	606.0	0.3	220.0	34.0	12000.0	5.3	4.8	46.5
456	39	4	25.9	33.0	200.0	689.0	0.3	410.0	44.0	17000.0	4.9	6.1	51.2
457	39	5	27.7	34.0	-100.0	740.0	0.3	-220.0	64.0	19000.0	7.4	6.3	52.8
458	39	6	27.7	34.0	170.0	766.0	0.3	-230.0	-39.0	19000.0	6.2	6.4	53.7
459	39	7	26.1	31.0	-100.0	749.0	0.4	-230.0	55.0	18000.0	6.4	6.4	53.1
460	39	8	27.8	35.0	200.0	808.0	0.4	-230.0	-39.0	18000.0	11.0	6.7	57.2
461	39	9	24.7	34.0	240.0	685.0	-0.2	-230.0	41.0	17000.0	8.6	6.4	51.8
462	39	10	27.3	38.0	-100.0	673.0	0.3	-260.0	-44.0	16000.0	8.6	6.7	49.6
463	39	11	20.9	31.0	-100.0	606.0	0.4	-230.0	-39.0	14000.0	5.5	5.8	43.3
464	39	12	20.8	33.0	260.0	695.0	-0.2	270.0	-38.0	14000.0	6.3	5.9	48.9
465	39	13	18.0	31.0	250.0	595.0	-0.2	260.0	-38.0	12000.0	7.9	5.3	41.1
466	39	14	18.0	30.0	210.0	593.0	0.5	-250.0	63.0	12000.0	12.0	5.1	41.8
467	39	15	24.0	37.0	-100.0	725.0	0.2	400.0	-41.0	14000.0	10.0	6.0	50.7
468	39	16	22.0	35.0	280.0	779.0	-0.2	280.0	-40.0	15000.0	3.5	6.2	55.1
469	39	17	23.0	37.0	210.0	799.0	0.3	-230.0	-39.0	14000.0	5.7	6.6	58.9
470	39	21	0.9	-2.0	-100.0	43.0	2.3	-100.0	-10.0	240.0	-2.0	0.2	2.9
471	40	1	0.2	-2.0	150.0	32.0	2.6	-100.0	-10.0	-200.0	-2.0	0.4	3.4
472	41	1	25.3	36.0	160.0	890.0	-0.2	220.0	39.0	13000.0	6.0	6.2	70.7
473	41	2	20.5	31.0	180.0	641.0	0.3	-100.0	-33.0	12000.0	3.6	5.7	48.8
474	41	3	19.0	29.0	180.0	636.0	0.3	-220.0	-37.0	11000.0	5.8	5.5	49.5
475	41	4	18.0	24.0	-100.0	576.0	-0.2	-100.0	-32.0	10000.0	4.0	4.8	46.9
476	41	5	20.8	27.0	-100.0	616.0	0.4	-200.0	59.0	11000.0	3.7	5.2	45.9
477	41	6	0.3	2.0	160.0	46.0	4.3	-100.0	-10.0	-200.0	-2.0	0.3	4.1
478	42	1	27.3	33.0	-100.0	906.0	0.5	-210.0	-36.0	16000.0	6.8	6.1	67.6
479	42	2	26.9	34.0	170.0	972.0	0.3	260.0	-39.0	13000.0	6.9	6.4	72.1
480	42	3	28.0	35.0	240.0	990.0	0.3	-230.0	-39.0	15000.0	8.8	6.4	72.3
481	42	4	25.9	36.0	160.0	951.0	-0.2	230.0	-38.0	15000.0	7.8	6.4	69.1
482	42	5	25.3	31.0	220.0	858.0	0.4	-230.0	-38.0	14000.0	11.0	5.8	63.2
483	42	6	23.8	32.0	160.0	809.0	-0.2	290.0	-34.0	13000.0	8.3	6.0	57.5
484	42	7	21.6	32.0	290.0	794.0	-0.2	-100.0	41.0	9700.0	7.6	6.0	59.2
485	42	8	28.0	38.0	220.0	893.0	0.4	-280.0	-48.0	15000.0	12.0	7.1	61.7
486	42	9	-0.2	2.0	130.0	15.0	1.7	-100.0	-10.0	260.0	-2.0	0.3	2.5
487	43	1	24.1	36.0	-100.0	1010.0	-0.3	340.0	63.0	12000.0	6.5	6.2	78.4
488	43	2	22.0	34.0	200.0	876.0	0.3	300.0	-35.0	9600.0	9.0	6.2	66.0
489	43	3	20.8	31.0	180.0	646.0	0.4	240.0	-36.0	13000.0	10.0	5.9	48.7
490	43	4	16.0	26.0	160.0	577.0	0.4	-100.0	34.0	9900.0	6.2	4.7	41.6
491	43	5	19.0	29.0	200.0	623.0	0.5	240.0	-34.0	12000.0	8.4	5.4	46.4
492	43	6	22.7	36.0	-100.0	778.0	0.4	320.0	-38.0	14000.0	5.8	6.1	59.3
493	43	7	15.0	20.0	160.0	584.0	0.3	-210.0	-36.0	6100.0	10.0	3.8	44.6
494	43	8	2.2	-2.0	200.0	75.0	0.7	-100.0	-10.0	340.0	-2.0	0.3	5.1
495	44	1	1.8	-2.0	150.0	65.0	2.4	-100.0	-10.0	360.0	-2.0	0.2	3.9
496	45	1	44.0	36.0	240.0	1140.0	0.4	-240.0	61.0	13000.0	4.3	7.0	79.7
497	45	2	0.4	2.0	180.0	25.0	1.4	-100.0	-10.0	260.0	-2.0	0.3	3.3
498	46	1	27.2	33.0	230.0	1040.0	0.4	260.0	-41.0	12000.0	6.2	5.8	82.8
499	46	2	27.3	30.0	180.0	849.0	0.5	420.0	-39.0	12000.0	10.0	5.2	74.1
500	46	3	-0.2	2.0	130.0	25.0	2.1	-100.0	-10.0	340.0	-2.0	0.4	3.2
501	47	1	25.8	31.0	180.0	769.0	0.3	-210.0	-37.0	16000.0	16.0	5.6	59.1
502	47	2	27.2	31.0	-100.0	803.0	0.6	-240.0	-41.0	16000.0	5.6	5.7	62.5
503	47	3	33.5	33.0	240.0	986.0	0.5	420.0	-53.0	16000.0	18.0	6.3	74.3
504	47	4	24.9	30.0	170.0	887.0	0.2	320.0	55.0	13000.0	6.6	5.3	65.5



Recor	Hole	Samp	U	Yb	Zn	Ce	NaX	Sn	Te	Zr	Br	Lu	Sr
505	47	5	23.0	29.0	180.0	777.0	0.3	280.0	-31.0	14000.0	7.8	5.2	54.8
506	47	6	21.7	27.0	250.0	654.0	0.2	-100.0	-28.0	9800.0	7.1	5.1	47.1
507	47	7	-0.2	3.0	330.0	28.0	1.8	-100.0	-10.0	-200.0	-2.0	0.3	3.2
508	48	1	0.3	3.0	130.0	28.0	0.8	-100.0	-10.0	270.0	-2.0	0.5	3.3
509	48	2	0.3	3.0	120.0	26.0	1.0	-100.0	-10.0	410.0	-2.0	0.5	3.2
510	49	1	21.2	34.0	-100.0	943.0	0.3	-100.0	51.0	11000.0	5.2	5.5	68.7
511	49	2	20.4	32.0	180.0	877.0	0.1	180.0	37.0	9800.0	5.3	5.6	65.8
512	49	3	19.0	30.0	140.0	799.0	0.2	-100.0	-27.0	11000.0	7.3	5.4	54.8
513	49	4	14.0	25.0	220.0	574.0	0.2	-100.0	-23.0	7800.0	2.9	4.5	40.9
514	49	5	-0.2	3.0	120.0	27.0	2.9	-100.0	-10.0	350.0	-2.0	0.4	3.4
515	50	1	-0.2	2.0	130.0	24.0	0.9	-100.0	-10.0	-200.0	-2.0	0.4	3.2
516	51	1	23.1	36.0	-100.0	1050.0	0.3	260.0	52.0	13000.0	8.6	6.2	67.6
517	51	2	19.0	27.0	-100.0	714.0	0.2	-100.0	-28.0	9900.0	3.4	4.8	50.5
518	51	3	0.5	2.0	-100.0	32.0	2.1	-100.0	-10.0	-200.0	-2.0	0.4	3.5
519	51	4	0.5	-2.0	140.0	32.0	0.6	-100.0	-10.0	380.0	-2.0	0.4	3.4
520	52	1	27.3	34.0	150.0	975.0	0.2	-100.0	-32.0	12000.0	5.7	6.2	69.7
521	52	2	20.0	30.0	250.0	804.0	0.3	220.0	36.0	9600.0	3.9	5.6	56.9
522	52	3	0.3	3.0	120.0	32.0	2.9	-100.0	-10.0	-200.0	-2.0	0.4	3.6
523	53	1	20.0	31.0	170.0	840.0	0.3	170.0	44.0	10000.0	7.0	5.5	58.6
524	53	2	0.6	2.0	-100.0	43.0	2.3	-100.0	-10.0	360.0	-2.0	0.3	3.9
525	54	1	18.0	27.0	180.0	775.0	0.3	-100.0	-25.0	8700.0	2.3	5.0	54.9
526	54	2	13.0	22.0	170.0	555.0	0.3	-100.0	-22.0	6200.0	4.3	4.1	42.1
527	54	3	14.0	25.0	-100.0	543.0	0.2	-100.0	23.0	7700.0	3.4	4.3	41.4
528	54	4	0.7	3.0	120.0	50.0	3.1	-100.0	-10.0	250.0	-2.0	0.4	4.9
529	55	1	20.4	35.0	180.0	769.0	0.2	-100.0	-28.0	13000.0	5.4	6.1	52.5
530	55	2	22.7	30.0	140.0	773.0	0.3	180.0	33.0	13000.0	3.1	5.7	55.1
531	55	3	20.0	28.0	150.0	636.0	0.3	-100.0	-24.0	11000.0	2.3	5.0	47.2
532	55	4	20.2	27.0	-100.0	741.0	0.2	-100.0	-25.0	12000.0	4.5	4.9	53.2
533	55	5	21.9	23.0	130.0	684.0	0.2	-100.0	30.0	12000.0	5.0	4.4	52.9
534	55	6	21.3	29.0	-100.0	829.0	0.3	210.0	30.0	10000.0	5.3	4.9	57.6
535	55	7	21.4	32.0	220.0	856.0	0.3	310.0	-28.0	12000.0	3.5	5.5	59.7
536	55	8	0.2	3.0	160.0	20.0	2.3	-100.0	-10.0	390.0	-2.0	0.3	2.5
537	56	1	21.0	35.0	160.0	916.0	0.3	-100.0	-29.0	8900.0	5.5	6.3	64.0
538	56	2	17.0	29.0	-100.0	743.0	0.4	-100.0	43.0	6800.0	4.5	4.9	66.3
539	56	3	21.7	36.0	-100.0	1030.0	0.2	210.0	-30.0	9800.0	2.6	6.4	70.6
540	56	4	0.7	-2.0	170.0	43.0	2.8	-100.0	-10.0	250.0	-2.0	-0.2	3.3
541	56	5	0.6	-2.0	190.0	51.0	2.5	-100.0	-10.0	240.0	-2.0	-0.2	3.6
542	57	1	23.8	33.0	160.0	894.0	0.3	-100.0	29.0	12000.0	5.0	5.9	66.6
543	57	2	29.5	37.0	190.0	1080.0	0.3	260.0	42.0	16000.0	10.0	6.7	74.6
544	57	3	-0.2	3.0	270.0	43.0	2.0	-100.0	-10.0	480.0	-2.0	0.6	5.0
545	58	1	23.6	33.0	190.0	977.0	0.3	-100.0	-31.0	12000.0	4.1	6.0	69.0
546	58	2	26.4	33.0	-100.0	1100.0	-0.2	-100.0	57.0	15000.0	7.7	6.1	73.3
547	58	3	25.8	35.0	130.0	998.0	0.2	-100.0	58.0	13000.0	6.1	6.4	68.4
548	58	4	0.5	3.0	160.0	36.0	2.5	-100.0	-10.0	350.0	-2.0	0.5	3.9
549	59	1	25.4	35.0	220.0	966.0	0.2	-100.0	-29.0	14000.0	2.9	6.3	65.7
550	59	2	23.4	33.0	180.0	894.0	0.2	200.0	39.0	13000.0	3.2	5.9	60.7
551	59	3	26.3	36.0	-100.0	953.0	0.3	260.0	59.0	13000.0	3.3	6.3	66.8
552	59	4	27.9	33.0	180.0	1080.0	0.2	-100.0	39.0	12000.0	4.8	6.7	71.0
553	59	5	23.8	35.0	260.0	1060.0	0.3	-100.0	37.0	8400.0	3.3	6.2	72.0
554	59	6	0.3	4.0	160.0	35.0	2.7	-100.0	-10.0	-200.0	-2.0	0.7	4.4
555	60	1	25.4	32.0	-100.0	928.0	0.3	220.0	52.0	15000.0	6.8	6.0	65.0
556	60	2	27.4	36.0	140.0	972.0	0.3	-100.0	-32.0	13000.0	7.8	6.7	68.4
557	60	3	25.6	30.0	190.0	892.0	0.2	-100.0	42.0	14000.0	4.4	5.9	64.7
558	60	4	25.1	26.0	-100.0	821.0	0.3	-100.0	-31.0	12000.0	4.5	5.2	67.1
559	60	5	-0.2	2.0	140.0	15.0	1.8	-100.0	-10.0	-200.0	-2.0	0.3	2.4
560	61	1	26.1	30.0	130.0	926.0	0.3	-100.0	42.0	15000.0	5.1	5.9	64.0

Recor	Hole	Samp	U	Yb	Zn	Ce	NaX	Sn	Te	Zr	Br	Lu	Sm
561	61	2	28.4	33.0	200.0	879.0	0.2	-100.0	59.0	16000.0	7.3	5.9	66.5
562	61	3	22.9	27.0	130.0	707.0	0.4	370.0	-10.0	13000.0	2.3	4.6	76.4
563	61	4	22.5	36.0	130.0	700.0	0.3	230.0	24.0	15000.0	4.8	6.2	73.2
564	61	5	56.2	31.0	150.0	635.0	0.4	250.0	56.0	13000.0	3.3	5.8	62.9
565	61	6	24.6	32.0	140.0	878.0	0.4	250.0	31.0	12000.0	2.6	5.6	86.2
566	61	7	24.7	37.0	120.0	909.0	0.3	260.0	30.0	14000.0	3.8	6.1	89.4
567	61	8	26.8	39.0	190.0	1050.0	-0.2	240.0	35.0	15000.0	12.0	6.7	107.0
568	61	9	29.0	42.0	-100.0	1040.0	0.3	320.0	-25.0	18000.0	11.0	7.5	96.4
569	61	10	24.5	34.0	120.0	874.0	0.2	280.0	-20.0	14000.0	5.9	5.9	85.0
570	61	11	26.5	40.0	120.0	988.0	0.3	230.0	-23.0	16000.0	6.6	6.9	94.5
571	61	12	16.0	28.0	110.0	795.0	0.4	260.0	27.0	6000.0	2.2	4.5	106.0
572	61	13	10.0	22.0	130.0	470.0	0.5	110.0	-10.0	4700.0	4.1	3.9	48.3
573	61	14	0.5	-2.0	130.0	34.0	3.4	-100.0	-10.0	-200.0	-2.0	-0.2	2.4
574	62	1	30.1	42.0	240.0	1180.0	0.4	380.0	34.0	17000.0	11.0	7.1	116.0
575	62	2	27.4	37.0	200.0	926.0	0.3	320.0	30.0	17000.0	2.8	6.3	87.1
576	62	3	23.6	34.0	160.0	830.0	0.3	190.0	31.0	15000.0	2.6	6.1	91.0
577	62	4	22.7	35.0	130.0	857.0	0.3	260.0	-10.0	13000.0	4.4	5.7	86.9
578	62	5	26.9	39.0	180.0	892.0	0.5	200.0	-21.0	16000.0	3.9	6.7	83.3
579	62	6	14.0	24.0	500.0	545.0	0.4	140.0	25.0	8400.0	4.1	4.3	55.0
580	62	7	24.9	38.0	160.0	931.0	0.4	230.0	24.0	16000.0	8.4	6.5	86.8
581	62	8	16.0	31.0	160.0	627.0	0.4	210.0	22.0	8500.0	5.4	5.3	65.9
582	62	9	21.5	30.0	290.0	713.0	0.3	320.0	27.0	13000.0	3.7	5.1	78.3
583	62	10	20.0	31.0	190.0	708.0	-0.2	200.0	22.0	11000.0	4.4	5.5	71.1
584	62	11	20.8	34.0	150.0	753.0	0.4	180.0	-10.0	11000.0	3.1	5.6	75.4
585	62	12	0.2	3.0	160.0	37.0	2.3	-100.0	-10.0	350.0	-2.0	0.5	4.2
586	63	1	23.1	32.0	130.0	814.0	0.4	310.0	25.0	8600.0	3.7	5.4	84.6
587	63	2	0.5	4.0	120.0	39.0	2.8	-100.0	-10.0	260.0	-2.0	0.6	4.9
588	64	1	25.1	37.0	240.0	868.0	0.3	270.0	33.0	11000.0	3.2	6.3	83.5
589	64	2	22.0	32.0	190.0	835.0	0.3	180.0	-10.0	14000.0	-2.0	5.4	81.7
590	64	3	24.6	40.0	100.0	1060.0	0.4	210.0	36.0	13000.0	7.3	6.7	104.0
591	64	4	0.2	5.0	260.0	45.0	2.1	-100.0	-10.0	-200.0	-2.0	0.7	5.0
592	65	1	19.0	34.0	150.0	862.0	0.4	200.0	27.0	10000.0	5.7	5.9	86.8
593	65	2	15.0	33.0	-100.0	716.0	-0.2	280.0	-10.0	7600.0	3.5	5.3	73.4
594	65	3	12.0	27.0	110.0	556.0	0.3	180.0	26.0	5000.0	-2.0	4.4	63.3
595	65	4	9.4	27.0	-100.0	440.0	0.3	120.0	-10.0	3000.0	-2.0	4.6	50.1
596	65	5	0.5	3.0	140.0	35.0	2.8	-100.0	-10.0	380.0	-2.0	0.3	3.6
597	66	1	28.4	41.0	160.0	1190.0	0.3	250.0	30.0	14000.0	4.8	6.9	116.0
598	66	2	1.3	-2.0	160.0	78.0	4.2	-100.0	-10.0	-200.0	-2.0	-0.2	4.9
599	67	1	28.6	39.0	140.0	1190.0	-0.3	270.0	-23.0	13000.0	4.4	6.7	111.0
600	67	2	36.4	48.0	250.0	1450.0	-0.3	410.0	-28.0	19000.0	5.2	8.1	134.0
601	67	3	28.7	42.0	140.0	1220.0	-0.3	290.0	66.0	16000.0	-2.0	6.7	110.0
602	67	4	-0.2	3.0	180.0	14.0	1.4	-100.0	-10.0	-200.0	-2.0	0.5	2.7
603	67	5	32.8	46.0	130.0	1320.0	0.6	250.0	-33.0	18000.0	4.2	7.8	112.0
604	67	6	26.8	39.0	160.0	1100.0	0.3	210.0	-25.0	14000.0	2.3	6.4	103.0
605	67	7	24.3	37.0	170.0	1070.0	0.5	290.0	29.0	14000.0	7.8	6.2	95.0
606	67	8	-0.2	3.0	250.0	24.0	1.4	-100.0	-10.0	260.0	-2.0	0.5	3.2
607	68	1	0.5	6.0	160.0	80.0	2.6	-100.0	-10.0	530.0	-2.0	1.0	8.6
608	69	1	0.5	6.0	170.0	73.0	2.1	-100.0	-10.0	470.0	-2.0	0.9	7.3
609	70	1	8.9	19.0	-100.0	480.0	0.4	150.0	-10.0	3200.0	4.3	3.1	63.9
610	70	2	1.2	7.0	-100.0	73.0	0.1	-100.0	-10.0	510.0	2.7	1.1	13.0
611	70	3	0.3	-2.0	110.0	25.0	2.3	-100.0	-10.0	-200.0	-2.0	0.3	3.3
612	71	1	1.0	-2.0	-100.0	70.0	4.1	-100.0	-10.0	250.0	-2.0	-0.2	3.8
613	72	1	5.7	12.0	-100.0	270.0	-0.1	-100.0	-10.0	1500.0	2.2	2.0	36.5
614	72	2	27.4	39.0	110.0	1130.0	0.4	340.0	37.0	16000.0	6.0	6.7	106.0
615	72	3	27.7	39.0	220.0	1550.0	-0.4	390.0	48.0	16000.0	6.2	6.8	143.0
616	72	4	-0.2	-2.0	140.0	14.0	1.5	-100.0	-10.0	-200.0	-2.0	0.2	2.0

Recor	Hole	Saap	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sm
617	73	1	29.1	40.0	140.0	1130.0	0.5	340.0	-27.0	16000.0	4.0	6.9	104.0
618	73	2	0.9	-2.0	130.0	68.0	4.5	-100.0	-10.0	230.0	-2.0	-0.2	4.3
619	74	1	21.1	37.0	-100.0	965.0	-0.3	270.0	24.0	11000.0	2.9	6.4	87.7
620	74	2	22.8	36.0	110.0	1210.0	-0.4	210.0	33.0	11000.0	10.0	5.7	101.0
621	74	3	0.3	3.0	130.0	25.0	2.2	-100.0	-10.0	290.0	-2.0	0.4	3.5
622	75	1	0.7	-2.0	130.0	52.0	2.9	-100.0	-10.0	-200.0	-2.0	0.3	4.0
623	76	1	0.9	-2.0	180.0	91.0	5.1	-100.0	-10.0	290.0	-2.0	-0.2	5.6
624	77	1	20.7	41.0	110.0	860.0	-0.3	310.0	31.0	12000.0	5.3	6.8	78.1
625	77	2	19.0	37.0	150.0	736.0	0.4	220.0	-23.0	9700.0	6.4	6.3	76.0
626	77	3	2.0	-2.0	150.0	81.0	2.6	-100.0	-10.0	-200.0	-2.0	-0.2	5.3
627	77	4	1.3	-2.0	-100.0	60.0	1.5	-100.0	-10.0	300.0	-2.0	-0.2	3.8
628	78	1	22.4	37.0	150.0	963.0	-0.3	260.0	25.0	12000.0	7.5	6.1	90.0
629	78	2	20.5	33.0	140.0	833.0	-0.3	220.0	-10.0	9200.0	4.3	5.6	82.9
630	78	3	24.2	36.0	160.0	877.0	-0.3	320.0	40.0	13000.0	3.2	5.9	82.3
631	78	4	21.2	35.0	160.0	861.0	-0.3	160.0	29.0	12000.0	3.9	6.0	81.6
632	78	5	18.0	34.0	190.0	780.0	-0.3	200.0	32.0	11000.0	5.1	5.8	74.5
633	78	6	0.7	-2.0	130.0	62.0	4.6	-100.0	-10.0	-200.0	-2.0	-0.2	4.1
634	79	1	27.7	37.0	130.0	1140.0	-0.3	290.0	-10.0	13000.0	6.3	6.2	112.0
635	79	2	21.2	33.0	-100.0	837.0	0.3	270.0	23.0	11000.0	3.8	5.7	83.7
636	79	3	0.9	-2.0	-100.0	70.0	4.4	-100.0	-10.0	-200.0	-2.0	-0.2	4.4
637	80	1	16.0	26.0	110.0	815.0	-0.3	170.0	-24.0	8300.0	3.2	4.4	76.3
638	80	2	0.7	-2.0	300.0	42.0	0.4	-100.0	-10.0	230.0	-2.0	0.3	4.0
639	81	1	0.7	-2.0	100.0	58.0	3.7	-100.0	-10.0	220.0	-2.0	-0.2	3.8
640	82	1	25.7	35.0	150.0	946.0	-0.3	200.0	37.0	13000.0	4.0	6.0	90.8
641	82	2	21.4	33.0	140.0	850.0	-0.3	240.0	-10.0	10000.0	-2.0	5.5	82.5
642	82	3	23.8	28.0	160.0	801.0	0.5	230.0	28.0	13000.0	6.1	4.7	84.7
643	82	4	24.6	35.0	150.0	847.0	-0.3	250.0	-23.0	16000.0	-2.0	6.0	84.7
644	82	5	19.0	30.0	200.0	693.0	0.4	200.0	29.0	12000.0	5.5	5.3	67.8
645	82	6	23.7	38.0	130.0	968.0	0.4	280.0	52.0	14000.0	5.1	6.3	87.8
646	82	7	22.7	38.0	130.0	1060.0	-0.4	250.0	39.0	16000.0	3.9	6.3	93.7
647	82	8	20.5	30.0	150.0	818.0	0.5	230.0	-10.0	13000.0	2.5	5.2	75.7
648	82	9	22.1	31.0	140.0	922.0	-0.3	230.0	-21.0	13000.0	-2.0	5.5	84.5
649	82	10	21.4	36.0	120.0	902.0	-0.4	210.0	-20.0	14000.0	6.3	6.1	81.7
650	82	11	26.7	45.0	-100.0	1270.0	-0.5	370.0	31.0	15000.0	7.7	7.5	110.0
651	82	12	30.7	43.0	110.0	1430.0	0.8	310.0	-26.0	19000.0	4.5	7.2	124.0
652	82	13	1.3	-2.0	120.0	74.0	2.6	-100.0	-10.0	-200.0	-2.0	-0.2	5.4
653	83	1	29.4	40.0	110.0	1150.0	-0.4	300.0	37.0	18000.0	3.2	7.0	106.0
654	83	2	0.9	-2.0	110.0	78.0	3.7	-100.0	-10.0	-200.0	-2.0	-0.2	4.9
655	84	1	28.3	40.0	160.0	1160.0	0.5	310.0	-26.0	18000.0	7.0	6.8	106.0
656	84	2	27.2	40.0	210.0	1090.0	-0.4	200.0	29.0	16000.0	10.0	6.5	102.0
657	84	3	28.0	42.0	220.0	1130.0	-0.5	210.0	-31.0	17000.0	15.0	6.9	107.0
658	84	4	20.0	35.0	130.0	819.0	-0.3	270.0	27.0	11000.0	-2.0	5.8	78.5
659	84	5	18.0	32.0	170.0	669.0	-0.3	220.0	-10.0	12000.0	2.9	5.4	64.4
660	84	6	19.0	32.0	150.0	706.0	-0.3	230.0	28.0	13000.0	3.3	5.5	69.5
661	84	7	19.0	29.0	190.0	654.0	-0.3	210.0	28.0	11000.0	8.1	5.0	64.3
662	84	8	1.6	-2.0	130.0	58.0	2.0	-100.0	-10.0	300.0	-2.0	0.2	3.9
663	85	1	25.2	36.0	130.0	969.0	-0.4	280.0	-22.0	15000.0	8.3	6.1	95.5
664	85	2	23.7	30.0	-100.0	767.0	-0.4	190.0	31.0	16000.0	7.3	5.0	81.9
665	85	3	20.6	33.0	110.0	692.0	0.4	200.0	-21.0	13000.0	4.3	5.7	74.8
666	85	4	22.6	39.0	170.0	824.0	1.1	210.0	34.0	16000.0	-2.0	6.5	78.1
667	85	5	36.1	45.0	180.0	1410.0	-0.7	340.0	40.0	20100.0	6.8	7.1	119.0
668	85	6	21.7	28.0	120.0	728.0	0.2	240.0	36.0	13000.0	3.3	4.8	77.4
669	85	7	21.7	31.0	160.0	781.0	0.2	360.0	30.0	12000.0	-2.0	5.2	77.1
670	85	8	19.0	32.0	130.0	790.0	0.3	210.0	36.0	10000.0	4.4	5.4	76.0
671	85	9	23.0	38.0	160.0	894.0	0.3	-100.0	-29.0	13000.0	3.4	6.7	85.0
672	85	10	1.2	-2.0	140.0	70.0	0.9	-100.0	-10.0	230.0	-2.0	-0.2	5.0

Recor	Hole	Saap	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sa
673	86	1	22.7	34.0	-100.0	1010.0	0.2	180.0	33.0	10000.0	3.2	6.0	95.3
674	86	2	27.6	36.0	-100.0	1050.0	0.2	-100.0	-29.0	14000.0	-2.0	6.4	100.0
675	86	3	31.0	44.0	130.0	1210.0	0.5	370.0	-33.0	18000.0	2.6	7.5	117.0
676	86	4	30.8	40.0	-100.0	1180.0	0.4	320.0	53.0	13000.0	-2.0	6.8	111.0
677	86	5	20.8	35.0	140.0	983.0	0.3	290.0	-30.0	9600.0	2.9	5.8	97.4
678	86	6	-0.2	2.0	160.0	46.0	1.9	-100.0	-10.0	270.0	-2.0	0.4	4.3
679	87	1	25.8	39.0	130.0	1190.0	0.4	250.0	31.0	14000.0	4.1	6.5	111.0
680	87	2	21.8	34.0	170.0	836.0	0.3	250.0	-28.0	12000.0	-2.0	5.8	81.2
681	87	3	15.0	31.0	210.0	590.0	0.3	230.0	-26.0	9500.0	3.3	5.1	59.3
682	87	4	0.3	4.0	180.0	34.0	2.4	-100.0	-10.0	340.0	-2.0	0.7	4.0
683	88	1	34.5	39.0	180.0	1400.0	0.3	260.0	-34.0	16000.0	-2.0	6.6	141.0
684	88	2	26.6	39.0	150.0	1050.0	0.2	260.0	-33.0	15000.0	4.8	6.6	100.0
685	88	3	23.5	33.0	160.0	909.0	0.3	-100.0	-29.0	15000.0	3.0	6.0	83.1
686	88	4	28.5	43.0	160.0	1310.0	0.3	-230.0	39.0	18000.0	7.4	7.3	117.0
687	88	5	30.0	41.0	200.0	1390.0	0.3	400.0	-35.0	15000.0	5.1	7.0	124.0
688	88	6	21.0	29.0	200.0	813.0	0.3	-100.0	40.0	10000.0	-2.0	5.1	77.5
689	88	7	5.0	3.0	910.0	62.0	2.4	-100.0	-10.0	-200.0	-2.0	0.5	3.5
690	89	1	29.7	42.0	170.0	1170.0	0.3	-230.0	66.0	19000.0	-2.0	7.2	110.0
691	89	2	24.9	30.0	100.0	785.0	0.2	320.0	-28.0	17000.0	4.2	5.3	80.7
692	89	3	21.8	33.0	130.0	807.0	0.3	-100.0	-32.0	13000.0	2.9	6.0	77.3
693	89	4	23.5	37.0	140.0	943.0	-0.3	240.0	-38.0	14000.0	6.2	6.4	84.5
694	89	5	18.0	36.0	-100.0	744.0	0.5	350.0	-32.0	9800.0	-2.0	5.9	72.3
695	89	6	20.3	35.0	260.0	800.0	0.3	-210.0	-36.0	12000.0	3.3	6.3	75.6
696	89	7	16.0	31.0	150.0	636.0	-0.2	-100.0	-29.0	8700.0	-2.0	5.2	60.8
697	89	8	15.0	33.0	110.0	625.0	0.3	200.0	-26.0	4500.0	3.5	5.4	63.7
698	89	9	11.0	28.0	270.0	627.0	0.3	-210.0	36.0	4300.0	4.1	4.5	58.7
699	89	10	12.0	29.0	120.0	548.0	0.2	-100.0	-27.0	4600.0	-2.0	4.9	59.3
700	89	11	0.4	3.0	-100.0	26.0	2.2	-100.0	11.0	-200.0	-2.0	0.4	2.8
701	90	1	25.3	35.0	190.0	912.0	0.4	230.0	46.0	15000.0	5.7	6.2	83.2
702	90	2	26.3	40.0	120.0	917.0	0.5	330.0	-36.0	17000.0	3.2	6.6	86.9
703	90	3	29.2	43.0	-100.0	1220.0	0.6	260.0	-40.0	14000.0	3.5	7.4	110.0
704	90	4	25.4	37.0	-100.0	925.0	0.4	-200.0	41.0	13000.0	5.4	5.9	87.5
705	90	5	21.0	33.0	-100.0	847.0	0.5	260.0	-42.0	10000.0	4.1	5.2	78.9
706	90	6	27.2	38.0	220.0	954.0	0.4	310.0	-39.0	15000.0	-2.0	6.1	94.7
707	90	7	18.0	26.0	120.0	618.0	0.3	-100.0	-34.0	11000.0	-2.0	5.0	59.4
708	90	8	18.0	26.0	-100.0	490.0	0.4	210.0	39.0	11000.0	3.1	4.4	56.4
709	90	9	25.2	39.0	190.0	932.0	0.5	320.0	-49.0	15000.0	5.6	6.7	84.4
710	90	10	18.0	30.0	200.0	625.0	-0.3	300.0	-40.0	13000.0	3.7	4.9	56.7
711	90	11	20.4	27.0	210.0	615.0	0.3	-100.0	-34.0	12000.0	3.0	4.5	67.8
712	90	12	22.8	31.0	160.0	759.0	0.5	200.0	-33.0	13000.0	-2.0	5.4	74.8
713	90	13	24.7	34.0	-100.0	830.0	-0.2	-290.0	-47.0	16000.0	-4.1	5.6	63.1
714	90	14	21.8	37.0	250.0	768.0	0.2	-220.0	47.0	13000.0	6.4	6.0	56.0
715	90	15	0.7	-2.0	510.0	48.0	1.0	-100.0	-10.0	260.0	-2.0	0.3	3.3
716	91	1	28.4	38.0	140.0	974.0	0.4	250.0	46.0	16000.0	2.6	6.9	70.4
717	91	2	24.0	37.0	180.0	841.0	0.3	220.0	37.0	15000.0	-2.0	6.6	60.4
718	91	3	18.0	30.0	110.0	721.0	0.4	-100.0	-26.0	9200.0	2.8	5.1	68.3
719	91	4	17.0	30.0	180.0	702.0	0.3	-100.0	27.0	8800.0	-2.0	5.1	65.4
720	91	5	22.9	37.0	260.0	805.0	0.4	210.0	42.0	16000.0	2.7	6.1	61.0
721	91	6	17.0	31.0	140.0	632.0	0.2	-100.0	26.0	8800.0	-2.0	5.4	46.8
722	91	7	18.0	29.0	220.0	681.0	0.3	170.0	35.0	9600.0	3.4	5.1	50.0
723	91	8	-0.2	3.0	180.0	19.0	1.7	-100.0	-10.0	-200.0	-2.0	0.6	2.9
724	92	1	27.4	39.0	240.0	988.0	0.2	220.0	63.0	15000.0	-2.0	6.6	71.7
725	92	2	25.8	39.0	170.0	923.0	0.3	-100.0	37.0	14000.0	2.3	6.4	68.0
726	92	3	24.3	35.0	180.0	872.0	0.2	250.0	39.0	14000.0	-2.0	6.3	61.7
727	92	4	0.7	6.0	200.0	62.0	3.0	-100.0	-10.0	510.0	-2.0	1.0	6.8
728	93	1	22.8	33.0	210.0	758.0	0.4	-100.0	-28.0	14000.0	3.4	6.1	55.5

Recor	Hole	Saap	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sa
729	93	2	20.0	30.0	170.0	632.0	0.4	-100.0	-25.0	12000.0	-2.0	5.5	47.7
730	93	3	18.0	37.0	150.0	683.0	0.3	-100.0	45.0	11000.0	2.4	6.1	48.4
731	93	4	19.0	38.0	210.0	736.0	0.4	240.0	-26.0	9000.0	2.1	6.2	52.8
732	93	5	19.0	37.0	170.0	776.0	0.2	170.0	42.0	10000.0	2.5	6.3	55.3
733	93	6	18.0	38.0	180.0	727.0	0.4	-100.0	33.0	8400.0	2.8	6.1	51.2
734	93	7	0.4	-2.0	120.0	21.0	3.1	-100.0	-10.0	280.0	-2.0	0.3	3.3
735	94	1	29.8	36.0	140.0	1040.0	0.3	190.0	42.0	13000.0	3.9	6.2	81.4
736	94	2	30.3	27.0	210.0	850.0	0.3	-100.0	47.0	13000.0	2.5	5.0	75.1
737	94	3	26.8	33.0	140.0	936.0	0.3	170.0	32.0	14000.0	3.7	5.6	75.0
738	94	4	27.0	34.0	170.0	981.0	0.4	170.0	46.0	14000.0	2.1	6.2	77.5
739	94	5	25.3	32.0	190.0	912.0	0.3	170.0	38.0	13000.0	-2.0	5.9	69.7
740	94	6	25.4	34.0	-100.0	861.0	0.3	180.0	53.0	14000.0	2.7	5.8	66.2
741	94	7	22.6	35.0	-100.0	765.0	0.4	170.0	33.0	13000.0	-2.0	6.0	56.1
742	94	8	-0.2	3.0	140.0	23.0	2.8	-100.0	-10.0	-200.0	-2.0	0.5	3.4
743	95	1	28.0	38.0	190.0	1060.0	-0.2	-210.0	-36.0	17000.0	3.5	6.6	77.8
744	95	2	26.1	34.0	-100.0	993.0	0.3	-100.0	31.0	17000.0	-2.0	6.3	78.4
745	95	3	25.8	35.0	140.0	966.0	0.3	-100.0	52.0	14000.0	-2.0	6.3	73.9
746	95	4	26.5	36.0	140.0	893.0	0.3	210.0	44.0	14000.0	3.7	6.3	68.5
747	95	5	20.1	35.0	160.0	820.0	0.3	-100.0	-32.0	5100.0	-2.0	5.6	66.8
748	95	6	-0.2	3.0	110.0	25.0	2.3	-100.0	-10.0	280.0	-2.0	0.4	3.1
749	96	1	20.0	31.0	130.0	685.0	0.4	240.0	-46.0	11000.0	-2.0	3.8	57.9
750	96	2	21.0	28.0	140.0	689.0	0.3	-230.0	-48.0	12000.0	-2.0	4.3	55.0
751	96	3	20.0	32.0	170.0	668.0	0.3	-210.0	-43.0	12000.0	-2.0	4.7	50.9
752	96	4	21.6	33.0	-100.0	691.0	0.5	-210.0	-43.0	13000.0	-2.0	4.9	56.0
753	96	5	21.8	37.0	-100.0	740.0	0.4	-220.0	-47.0	15000.0	-2.0	4.9	56.3
754	96	6	21.3	36.0	140.0	681.0	0.4	260.0	-42.0	14000.0	-2.0	4.9	51.2
755	96	7	18.0	30.0	140.0	666.0	0.5	280.0	-40.0	10000.0	-2.0	4.2	48.8
756	96	8	19.0	31.0	190.0	627.0	0.4	-210.0	-41.0	11000.0	2.6	4.7	48.4
757	96	9	20.2	34.0	140.0	597.0	0.5	230.0	-41.0	12000.0	-2.0	4.2	44.7
758	96	10	20.0	25.0	-100.0	678.0	0.4	-310.0	-63.0	9100.0	-5.2	4.0	43.1
759	96	11	16.0	27.0	110.0	524.0	0.8	-100.0	-37.0	9000.0	-2.0	3.6	38.1
760	96	12	19.0	32.0	150.0	727.0	0.5	-220.0	-43.0	12000.0	3.3	4.6	54.5
761	96	13	18.0	28.0	-100.0	572.0	0.5	-100.0	-40.0	12000.0	-2.0	4.4	46.1
762	96	14	15.0	30.0	130.0	550.0	0.4	-100.0	-38.0	7000.0	-2.0	4.2	42.0
763	96	15	18.0	33.0	170.0	509.0	0.7	-100.0	-40.0	8200.0	-2.0	4.4	37.6
764	96	16	16.0	32.0	130.0	534.0	0.3	-100.0	-38.0	9300.0	-2.0	4.1	42.7
765	96	17	0.2	3.0	110.0	38.0	1.7	-100.0	-10.0	360.0	-2.0	0.4	6.1
766	97	1	16.0	28.0	180.0	986.0	0.6	-100.0	-39.0	7800.0	-2.0	3.8	86.6
767	97	2	18.0	35.0	240.0	764.0	0.3	350.0	-45.0	8200.0	-2.0	4.6	56.6
768	97	3	19.0	31.0	180.0	741.0	0.4	-100.0	-40.0	11000.0	-2.0	4.4	57.0
769	97	4	19.0	28.0	-100.0	667.0	0.4	-100.0	-40.0	9800.0	-2.0	3.9	54.3
770	97	5	21.3	34.0	160.0	744.0	0.4	-230.0	-46.0	12000.0	-2.0	4.6	58.4
771	97	6	20.1	33.0	140.0	740.0	0.4	-240.0	-50.0	10000.0	-2.0	4.7	59.8
772	97	7	22.8	33.0	-100.0	797.0	0.4	-220.0	-54.0	14000.0	-2.0	4.6	56.0
773	97	8	20.0	32.0	130.0	679.0	0.3	-210.0	-43.0	12000.0	-2.0	4.8	51.3
774	97	9	20.9	34.0	-100.0	714.0	0.3	320.0	-45.0	12000.0	-2.0	4.7	54.8
775	97	10	20.5	34.0	180.0	683.0	0.2	-230.0	-47.0	13000.0	-2.0	4.9	56.7
776	97	11	18.0	31.0	120.0	594.0	4.0	-100.0	-41.0	11000.0	-2.0	4.3	48.2
777	97	12	19.0	29.0	230.0	614.0	0.5	230.0	-42.0	14000.0	-2.0	4.8	51.0
778	97	13	19.0	28.0	110.0	564.0	0.5	-100.0	-39.0	11000.0	-2.0	4.1	46.8
779	97	14	17.0	31.0	190.0	575.0	0.4	-100.0	-40.0	12000.0	-2.0	4.3	47.6
780	97	15	15.0	26.0	190.0	533.0	0.4	-100.0	-38.0	9600.0	-2.0	3.9	43.5
781	97	17	0.4	3.0	150.0	19.0	1.9	-100.0	-10.0	-440.0	3.6	0.4	4.4
782	98	1	24.4	34.0	160.0	680.0	0.4	220.0	-44.0	12000.0	-2.0	4.7	52.8
783	98	2	18.0	32.0	200.0	579.0	0.4	230.0	-40.0	11000.0	-2.0	4.3	49.4
784	98	3	18.0	29.0	120.0	576.0	0.4	-100.0	-40.0	10000.0	-2.0	4.2	49.0

Recor	Hole	Saap	U	Yb	Zn	Ce	NaX	Sn	Te	Zr	Br	Lu	Sa
785	98	4	15.0	24.0	150.0	599.0	0.7	-200.0	-42.0	8500.0	3.6	3.3	44.1
786	98	5	19.0	31.0	140.0	652.0	0.5	-200.0	-42.0	11000.0	-2.0	4.5	52.2
787	98	6	18.0	32.0	150.0	608.0	0.3	190.0	-40.0	10000.0	-2.0	4.2	49.7
788	98	7	19.0	30.0	200.0	604.0	5.0	230.0	-42.0	11000.0	-2.0	4.2	49.4
789	98	8	20.9	33.0	220.0	691.0	0.3	290.0	-48.0	12000.0	5.5	4.4	51.2
790	98	9	20.0	33.0	150.0	659.0	0.3	-210.0	-44.0	12000.0	-2.0	4.5	52.2
791	98	10	18.0	22.0	200.0	507.0	0.4	-210.0	-34.0	9000.0	-2.0	3.8	46.0
792	98	11	17.0	29.0	220.0	536.0	0.4	-230.0	-38.0	12000.0	-2.0	4.4	47.9
793	98	12	20.5	31.0	-200.0	602.0	0.4	-240.0	-40.0	11000.0	-2.0	4.6	48.3
794	98	13	0.3	-2.0	-100.0	22.0	2.0	-100.0	-10.0	-200.0	2.1	0.2	3.0
795	99	1	21.1	34.0	250.0	734.0	0.4	-270.0	-44.0	10000.0	3.0	5.3	59.3
796	99	2	17.0	31.0	-200.0	693.0	0.3	-250.0	-40.0	6700.0	-2.0	4.4	56.0
797	99	3	16.0	32.0	-200.0	562.0	0.5	-240.0	-40.0	11000.0	-2.0	4.4	50.0
798	99	4	21.2	30.0	-200.0	622.0	0.4	-260.0	-43.0	14000.0	-2.0	4.6	54.6
799	99	5	0.3	2.0	200.0	25.0	1.4	-100.0	-10.0	-200.0	-2.0	0.3	4.1
800	100	1	19.0	35.0	200.0	584.0	0.5	-250.0	-41.0	14000.0	5.0	4.8	50.9
801	100	2	20.8	36.0	230.0	613.0	0.5	-250.0	-41.0	15000.0	3.0	5.2	51.0
802	100	3	20.8	37.0	-200.0	618.0	0.5	-250.0	-41.0	14000.0	-2.0	5.3	49.5
803	100	4	19.0	37.0	240.0	585.0	0.3	330.0	-59.0	13000.0	-2.0	4.9	48.8
804	100	5	18.0	34.0	-200.0	516.0	0.5	260.0	-45.0	13000.0	-2.0	5.1	48.3
805	100	6	18.0	30.0	-200.0	535.0	0.5	-240.0	-40.0	12000.0	-2.0	4.5	47.2
806	100	7	19.0	34.0	-200.0	620.0	0.3	-280.0	-62.0	12000.0	-2.0	5.2	56.0
807	100	8	18.0	33.0	-200.0	610.0	0.4	-240.0	-40.0	12000.0	3.0	4.7	50.4
808	100	9	22.4	33.0	260.0	646.0	0.4	-250.0	-47.0	16000.0	-2.0	5.3	54.5
809	100	10	18.0	33.0	-200.0	568.0	0.5	-260.0	-49.0	12000.0	-2.0	4.9	48.8
810	100	11	19.0	30.0	200.0	587.0	0.4	-240.0	-40.0	13000.0	-2.0	4.8	47.2
811	100	12	19.0	30.0	-200.0	578.0	0.5	-240.0	-40.0	12000.0	3.0	4.6	48.0
812	100	13	17.0	23.0	210.0	470.0	0.4	-200.0	-38.0	11000.0	-2.0	3.6	43.5
813	100	14	14.0	24.0	-200.0	440.0	0.3	-200.0	-31.0	9000.0	-2.0	3.6	39.7
814	100	15	15.0	29.0	-200.0	500.0	0.4	-210.0	-40.0	9700.0	-2.0	4.4	44.7
815	100	16	14.0	32.0	-200.0	526.0	0.4	-230.0	-37.0	8600.0	-2.0	4.4	46.0
816	100	17	15.0	34.0	230.0	516.0	0.5	-220.0	-36.0	9200.0	3.0	4.8	46.1
817	100	18	15.0	32.0	250.0	506.0	0.5	-220.0	-37.0	9900.0	4.0	4.3	44.8
818	100	19	-0.2	2.0	130.0	30.0	2.1	-100.0	-10.0	520.0	2.0	0.4	5.1
819	101	1	16.0	34.0	290.0	686.0	0.3	-250.0	-41.0	6200.0	3.0	4.7	58.0
820	101	2	16.0	30.0	-200.0	559.0	0.3	-240.0	-39.0	9300.0	3.0	4.3	52.2
821	101	3	17.0	34.0	-200.0	613.0	0.3	-250.0	-42.0	10000.0	-2.0	4.9	57.0
822	101	4	16.0	31.0	250.0	545.0	0.5	-250.0	-41.0	9300.0	-2.0	4.8	53.1
823	101	5	16.0	33.0	240.0	562.0	0.4	-250.0	-41.0	10000.0	-2.0	4.5	52.6
824	101	6	17.0	30.0	220.0	591.0	0.3	-250.0	-41.0	11000.0	3.0	4.6	53.8
825	101	7	19.0	27.0	-200.0	490.0	0.5	-220.0	-36.0	9500.0	-2.0	4.6	45.0
826	101	8	15.0	29.0	-200.0	480.0	0.3	200.0	-34.0	9000.0	-2.0	4.1	42.7
827	101	9	16.0	27.0	-200.0	558.0	0.3	-240.0	-40.0	11000.0	-2.0	4.5	51.3
828	101	10	17.0	28.0	-200.0	569.0	0.4	-220.0	-60.0	11000.0	-2.0	4.4	48.1
829	101	11	15.0	27.0	240.0	511.0	0.4	-200.0	-42.0	8800.0	-2.0	3.9	43.3
830	101	12	18.0	33.0	250.0	556.0	0.4	-240.0	-40.0	12000.0	3.0	4.9	51.3
831	101	13	19.0	34.0	-200.0	563.0	0.5	-230.0	-39.0	13000.0	-2.0	4.6	51.2
832	101	14	15.0	28.0	-200.0	538.0	0.6	-210.0	-36.0	9300.0	-2.0	4.3	44.9
833	101	15	17.0	34.0	-200.0	621.0	0.5	-230.0	-39.0	10000.0	-2.0	4.6	52.6
834	101	16	0.5	3.0	230.0	41.0	0.6	-100.0	-10.0	-200.0	-2.0	0.4	5.5
835	102	1	26.6	32.0	-100.0	954.0	-0.3	310.0	-46.0	13000.0	-2.0	4.4	95.6
836	102	2	22.5	38.0	-100.0	824.0	-0.3	-260.0	-44.0	14000.0	-2.0	5.7	63.6
837	102	3	19.0	33.0	-100.0	657.0	-0.2	-220.0	-39.0	11000.0	-2.0	4.6	53.5
838	102	4	20.1	32.0	-100.0	636.0	0.6	-220.0	-38.0	11000.0	-2.0	4.5	54.7
839	102	5	19.0	31.0	160.0	599.0	-0.3	-230.0	-39.0	10000.0	-2.0	5.1	55.2
840	102	6	17.0	29.0	230.0	571.0	-0.2	-210.0	-41.0	9600.0	-2.0	4.4	48.5

Recor	Hole	Samp	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sm
841	102	7	19.0	30.0	140.0	681.0	0.5	-220.0	-38.0	12000.0	-2.0	4.3	56.1
842	102	8	16.0	29.0	200.0	585.0	0.5	-220.0	-38.0	9600.0	-2.0	4.0	48.8
843	102	9	15.0	29.0	130.0	500.0	0.4	310.0	-35.0	10000.0	-2.0	4.2	41.1
844	102	10	18.0	31.0	320.0	709.0	0.3	-260.0	-45.0	11000.0	-2.0	4.4	61.2
845	102	11	16.0	33.0	-100.0	559.0	-0.3	-240.0	-41.0	11000.0	-2.0	4.5	51.6
846	102	12	15.0	31.0	-100.0	500.0	0.3	-210.0	-37.0	11000.0	-2.0	4.7	43.9
847	102	13	14.0	29.0	250.0	480.0	0.4	-210.0	-37.0	9300.0	-2.0	4.4	42.6
848	102	14	0.3	-2.0	140.0	21.0	3.1	-100.0	-10.0	-200.0	2.9	0.3	2.9
849	103	1	19.0	30.0	-100.0	577.0	0.4	-220.0	-37.0	12000.0	-2.0	4.9	51.9
850	103	2	21.4	33.0	180.0	655.0	0.5	-230.0	-40.0	14000.0	-2.0	4.9	55.8
851	103	3	20.0	35.0	-100.0	676.0	-0.3	-240.0	-42.0	12000.0	-2.0	4.9	57.7
852	103	4	24.1	37.0	-100.0	751.0	0.5	-260.0	-45.0	16000.0	-4.0	5.5	61.9
853	103	5	24.4	33.0	-100.0	722.0	-0.3	-240.0	-47.0	15000.0	3.8	5.6	55.7
854	103	6	25.3	29.0	180.0	833.0	0.4	-240.0	-42.0	16000.0	-4.1	4.6	63.3
855	103	7	18.0	22.0	180.0	569.0	-0.3	-220.0	-37.0	9300.0	-4.1	3.6	49.7
856	103	8	25.5	31.0	260.0	755.0	-0.3	300.0	-42.0	18000.0	-4.4	4.5	53.1
857	103	9	20.0	30.0	160.0	621.0	0.5	-200.0	-36.0	12000.0	-2.0	4.4	51.5
858	103	10	17.0	28.0	230.0	521.0	-0.3	-200.0	-35.0	9200.0	-2.0	4.2	44.4
859	103	11	14.0	28.0	150.0	503.0	0.4	-210.0	-36.0	10000.0	-2.0	4.5	40.2
860	103	12	15.0	29.0	220.0	470.0	-0.3	-200.0	-35.0	10000.0	-2.0	4.2	40.9
861	103	13	13.0	31.0	-100.0	450.0	0.3	-200.0	-35.0	9600.0	-2.0	4.5	39.6
862	103	14	15.0	27.0	150.0	480.0	-0.3	-200.0	-35.0	9200.0	-2.0	4.0	39.5
863	103	15	18.0	31.0	-100.0	524.0	0.4	230.0	-36.0	11000.0	-2.0	4.0	43.2
864	103	16	16.0	29.0	-100.0	559.0	0.4	-210.0	-37.0	11000.0	-2.0	4.7	45.4
865	103	17	14.0	25.0	210.0	430.0	0.3	-220.0	-43.0	10000.0	-2.0	4.1	39.1
866	103	18	-0.2	3.0	150.0	19.0	1.4	-100.0	-10.0	-400.0	-2.0	0.5	4.8
867	104	1	18.0	33.0	-100.0	688.0	-0.3	-230.0	-40.0	12000.0	-2.0	4.8	67.1
868	104	2	21.0	35.0	180.0	578.0	0.4	-230.0	-40.0	15000.0	3.3	5.0	51.4
869	104	3	20.5	36.0	180.0	633.0	0.4	-230.0	-41.0	13000.0	6.3	5.0	52.4
870	104	4	20.0	32.0	-100.0	579.0	0.6	-230.0	-40.0	13000.0	-2.0	4.7	50.8
871	104	5	20.7	37.0	-100.0	586.0	-0.3	-220.0	-39.0	16000.0	-2.0	5.0	50.1
872	104	6	20.0	34.0	150.0	533.0	0.5	-210.0	-42.0	15000.0	-2.0	4.6	48.1
873	104	7	19.0	33.0	170.0	568.0	-0.3	230.0	-38.0	14000.0	5.2	4.6	48.6
874	104	8	20.0	29.0	160.0	556.0	-0.3	-100.0	-39.0	13000.0	-2.0	4.2	46.8
875	104	9	16.0	26.0	150.0	506.0	-0.3	-100.0	-33.0	9600.0	-2.0	3.6	48.1
876	104	10	22.8	34.0	-100.0	667.0	-0.3	-230.0	-40.0	16000.0	-2.0	5.0	60.3
877	104	11	13.0	24.0	140.0	504.0	-0.6	-100.0	-35.0	6500.0	-4.9	3.2	47.1
878	104	12	16.0	32.0	150.0	557.0	-0.6	270.0	-38.0	8900.0	-5.1	4.1	50.4
879	104	13	18.0	30.0	210.0	590.0	-0.7	-210.0	-40.0	9700.0	7.1	4.3	46.6
880	104	14	15.0	26.0	170.0	500.0	-0.5	-100.0	-36.0	8400.0	-4.9	3.8	45.1
881	104	15	16.0	26.0	160.0	490.0	-0.6	-200.0	-38.0	9800.0	-5.0	3.8	42.2
882	104	16	15.0	24.0	190.0	480.0	-0.7	-240.0	-44.0	9300.0	-5.8	3.9	43.8
883	104	17	13.0	26.0	200.0	390.0	1.1	-100.0	-37.0	6700.0	-5.0	3.4	35.3
884	104	18	20.8	36.0	270.0	687.0	-0.8	-260.0	-51.0	14000.0	-6.2	5.3	55.5
885	104	19	19.0	32.0	110.0	611.0	-0.7	-210.0	-40.0	13000.0	-5.4	4.4	51.0
886	104	20	1.5	-2.0	-100.0	41.0	2.5	-100.0	-10.0	-200.0	-2.0	-0.2	4.0
887	105	1	26.7	40.0	180.0	973.0	-1.1	-300.0	-56.0	7000.0	-7.3	5.4	91.2
888	105	2	20.3	34.0	170.0	600.0	-0.7	220.0	-41.0	14000.0	5.2	4.6	51.7
889	105	3	18.0	28.0	160.0	598.0	-0.7	-220.0	-40.0	10000.0	-5.5	4.4	50.9
890	105	4	13.0	28.0	160.0	460.0	-0.6	-200.0	-37.0	5400.0	-5.2	3.9	41.0
891	105	5	16.0	32.0	150.0	553.0	-0.7	-220.0	-41.0	9100.0	-5.6	4.3	46.0
892	105	6	17.0	33.0	270.0	541.0	1.0	-220.0	-42.0	8700.0	-5.7	4.3	47.1
893	105	7	15.0	29.0	140.0	511.0	-0.7	-210.0	-39.0	8500.0	-5.4	3.9	43.3
894	105	8	15.0	27.0	190.0	510.0	-0.7	-210.0	-39.0	7700.0	-5.4	4.3	43.6
895	105	9	-0.2	3.0	160.0	14.0	2.3	-100.0	-10.0	-450.0	-2.0	0.5	4.5
896	106	1	20.0	29.0	-100.0	645.0	-0.8	-220.0	-41.0	11000.0	-5.6	4.7	55.1

Recor	Hole	Sam	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sm
897	106	2	21.6	32.0	140.0	749.0	-0.9	-240.0	-46.0	12000.0	-6.2	5.0	61.8
898	106	3	21.6	29.0	-100.0	656.0	-0.8	220.0	-40.0	12000.0	-5.5	4.1	56.9
899	106	4	22.7	34.0	150.0	765.0	-0.9	-240.0	-46.0	15000.0	-6.1	4.9	59.4
900	106	5	23.0	36.0	-100.0	719.0	-0.8	-240.0	-46.0	15000.0	-6.2	5.4	59.6
901	106	6	30.0	36.0	-100.0	1090.0	-1.3	-310.0	-76.0	16000.0	-8.2	5.5	77.2
902	106	7	24.4	36.0	190.0	842.0	-1.0	-250.0	-47.0	15000.0	-6.7	5.5	60.5
903	106	8	23.6	30.0	240.0	701.0	1.0	-250.0	-48.0	14000.0	-7.2	4.4	50.4
904	106	9	17.0	30.0	200.0	504.0	-0.8	-220.0	-42.0	11000.0	-5.8	4.2	41.6
905	106	10	17.0	34.0	210.0	567.0	-0.8	-220.0	-42.0	9900.0	-6.0	4.8	43.2
906	106	11	15.0	30.0	-100.0	555.0	-0.8	-220.0	-43.0	9300.0	-6.1	4.6	41.1
907	106	12	14.0	27.0	-100.0	503.0	-0.7	-210.0	-40.0	9400.0	-5.5	4.2	41.2
908	106	13	16.0	32.0	140.0	535.0	-0.7	-220.0	-42.0	9300.0	-5.9	4.7	43.0
909	106	14	9.3	19.0	170.0	350.0	-0.6	-100.0	-30.0	5300.0	-4.6	2.8	27.3
910	106	15	16.0	29.0	140.0	561.0	-0.8	-230.0	-43.0	10000.0	-6.0	4.8	44.6
911	106	16	17.0	33.0	-100.0	575.0	-0.9	-230.0	-43.0	11000.0	-6.1	4.6	45.0
912	106	17	22.4	34.0	200.0	614.0	-0.9	-250.0	-47.0	11000.0	-6.6	4.8	47.6
913	106	18	16.0	34.0	170.0	570.0	-0.8	-220.0	-42.0	10000.0	-5.9	4.5	45.1
914	107	1	16.0	27.0	-100.0	599.0	-0.8	-210.0	-40.0	9600.0	-5.7	4.1	51.7
915	107	2	22.2	39.0	190.0	828.0	-1.1	320.0	-47.0	17000.0	-6.7	5.1	66.4
916	107	3	23.7	40.0	160.0	908.0	-1.2	-280.0	-53.0	17000.0	8.5	5.5	75.2
917	107	4	24.4	31.0	140.0	674.0	-1.0	-230.0	-44.0	15000.0	-6.2	4.4	66.4
918	107	5	22.4	34.0	150.0	793.0	-1.0	280.0	-47.0	13000.0	-6.7	4.7	69.1
919	107	6	24.0	34.0	-100.0	786.0	-0.2	-290.0	-48.0	17000.0	-2.0	4.9	73.4
920	107	7	28.1	36.0	250.0	845.0	0.5	-290.0	-48.0	18000.0	-2.0	5.5	67.9
921	107	8	22.7	34.0	-100.0	709.0	0.3	-270.0	-45.0	15000.0	-2.0	5.2	60.9
922	107	9	22.8	35.0	-100.0	724.0	0.3	-270.0	-53.0	14000.0	-2.0	5.7	60.6
923	107	10	22.4	37.0	-100.0	758.0	0.5	-270.0	-45.0	16000.0	-2.0	5.5	58.8
924	107	11	23.4	36.0	270.0	741.0	0.6	-260.0	-44.0	18000.0	-2.0	5.6	55.6
925	107	12	24.6	40.0	-100.0	719.0	0.3	-270.0	-46.0	18000.0	-2.0	5.6	56.3
926	107	13	25.0	38.0	-100.0	751.0	0.3	-270.0	-52.0	20000.0	-2.0	5.5	57.5
927	107	14	22.4	38.0	-100.0	686.0	0.5	-250.0	-43.0	18000.0	-2.0	5.3	56.0
928	107	15	20.2	32.0	-100.0	619.0	0.5	-230.0	-38.0	14000.0	-2.0	5.0	53.5
929	107	16	20.6	39.0	180.0	707.0	0.4	-250.0	-42.0	15000.0	-2.0	5.4	57.3
930	107	17	15.0	36.0	-100.0	631.0	0.4	-250.0	-42.0	5600.0	3.0	5.0	58.9
931	107	18	12.0	29.0	140.0	599.0	0.3	-250.0	-42.0	5600.0	3.7	5.1	68.0
932	107	19	12.0	27.0	150.0	588.0	0.5	-230.0	-49.0	7700.0	-2.0	5.3	65.9
933	107	20	12.0	27.0	180.0	420.0	0.5	-100.0	-33.0	6700.0	-2.0	3.6	43.2
934	107	21	15.0	33.0	170.0	547.0	0.3	-240.0	-46.0	11000.0	-2.0	5.1	48.1
935	107	22	15.0	34.0	-100.0	564.0	-0.2	-240.0	-46.0	9100.0	-2.0	4.8	47.9
936	107	23	2.1	2.0	-100.0	54.0	2.6	-100.0	-10.0	-200.0	-2.0	0.4	5.6
937	108	1	19.0	25.0	250.0	758.0	-78.0	-260.0	-68.0	8700.0	-56.0	4.4	54.5
938	108	2	-240.0	-37.0	-310.0	537.0	-5.0	-900.0	-320.0	8500.0	-750.0	-2.8	53.0
939	108	3	17.0	24.0	190.0	534.0	0.4	-100.0	-33.0	10000.0	-2.0	4.1	45.0
940	108	4	15.0	32.0	230.0	547.0	0.2	-210.0	-36.0	10000.0	-2.0	4.7	45.4
941	108	5	16.0	34.0	-100.0	560.0	0.3	240.0	-36.0	11000.0	3.1	4.7	47.4
942	108	6	18.0	36.0	-100.0	586.0	0.2	240.0	-37.0	11000.0	-2.0	4.8	49.4
943	108	7	15.0	33.0	230.0	586.0	0.4	-230.0	-39.0	10000.0	-2.0	4.9	47.3
944	108	8	17.0	35.0	160.0	602.0	-0.3	-280.0	-48.0	11000.0	-2.0	4.9	48.4
945	108	9	18.0	38.0	190.0	756.0	0.6	-300.0	-52.0	13000.0	-4.2	5.3	59.7
946	108	10	18.0	37.0	160.0	655.0	-0.3	-280.0	-47.0	11000.0	3.6	5.4	53.0
947	108	11	19.0	39.0	-100.0	790.0	-0.3	-300.0	-51.0	12000.0	-4.2	5.2	61.1
948	108	12	20.9	40.0	230.0	724.0	-0.3	-300.0	-52.0	13000.0	3.8	5.9	55.2
949	108	13	19.0	35.0	210.0	683.0	-0.3	-290.0	-49.0	11000.0	-4.5	5.2	51.2
950	108	14	0.9	-2.0	130.0	38.0	3.1	-100.0	-10.0	-200.0	-2.0	0.2	4.6
951	109	1	20.7	37.0	180.0	628.0	0.4	-290.0	-50.0	13000.0	-4.1	5.2	53.0
952	109	2	23.1	38.0	210.0	673.0	-0.3	-300.0	-52.0	16000.0	-4.3	5.8	54.2



Recor	Hole	Saap	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sa
953	109	3	21.8	35.0	280.0	631.0	0.5	-280.0	-48.0	13000.0	-4.0	5.3	52.7
954	109	4	20.1	36.0	-100.0	609.0	-0.3	-280.0	-47.0	14000.0	-4.1	5.4	48.9
955	109	5	19.0	36.0	-100.0	611.0	0.3	-270.0	-45.0	11000.0	-4.0	5.1	49.8
956	109	6	19.0	33.0	-100.0	604.0	0.3	-260.0	-44.0	10000.0	-2.0	4.9	51.6
957	109	7	18.0	38.0	-100.0	626.0	0.4	-290.0	-50.0	9300.0	-4.2	5.6	58.8
958	109	8	20.2	32.0	-100.0	725.0	-0.3	-280.0	-54.0	11000.0	5.6	5.6	64.0
959	109	9	21.3	40.0	-100.0	689.0	-0.3	-290.0	-49.0	13000.0	-4.2	5.7	60.9
960	109	10	20.0	35.0	230.0	653.0	-0.3	-280.0	-47.0	13000.0	-4.1	5.4	59.8
961	109	11	17.0	31.0	160.0	570.0	-0.5	-200.0	-47.0	8900.0	-5.0	4.0	52.3
962	109	12	18.0	27.0	160.0	570.0	0.8	-200.0	-53.0	12000.0	-5.0	4.3	50.0
963	109	13	17.0	32.0	-100.0	590.0	-0.6	-200.0	-49.0	11000.0	-5.0	4.7	49.0
964	109	14	19.0	29.0	-100.0	590.0	-0.6	-200.0	-50.0	12000.0	6.1	4.8	50.6
965	109	15	18.0	31.0	-100.0	590.0	-0.6	-200.0	-49.0	10000.0	-5.0	4.6	49.0
966	109	16	15.0	28.0	180.0	490.0	-0.6	-200.0	-47.0	8800.0	-5.0	3.8	41.0
967	109	17	20.0	36.0	-100.0	700.0	-0.7	-200.0	-54.0	14000.0	-5.0	4.7	53.2
968	109	18	18.0	35.0	170.0	650.0	-0.7	-200.0	-53.0	13000.0	-5.0	4.5	51.7
969	109	19	19.0	34.0	-100.0	730.0	-0.7	-200.0	-52.0	12000.0	-5.0	4.9	54.6
970	109	20	2.1	2.0	110.0	58.0	2.7	-100.0	-10.0	540.0	-2.0	0.2	5.6
971	110	1	26.0	45.0	350.0	890.0	-0.8	-200.0	-65.0	14000.0	-5.0	5.3	68.2
972	110	2	18.0	39.0	-100.0	750.0	-0.7	-200.0	77.0	10000.0	-5.0	5.1	63.6
973	110	3	14.0	36.0	-100.0	680.0	-0.7	-200.0	93.0	6300.0	-5.0	4.6	58.9
974	110	4	15.0	29.0	-100.0	690.0	-0.7	-200.0	-51.0	6000.0	-5.0	4.4	58.7
975	110	5	19.0	31.0	250.0	670.0	0.9	-200.0	-52.0	12000.0	-5.0	4.2	53.9
976	110	6	20.0	35.0	-100.0	690.0	-0.7	-200.0	-52.0	11000.0	-5.0	5.0	56.7
977	110	7	17.0	34.0	-100.0	670.0	-0.7	-200.0	-50.0	9800.0	-5.0	4.7	54.8
978	110	8	18.0	39.0	220.0	760.0	-0.7	-200.0	-55.0	14000.0	-5.0	5.2	61.2
979	110	9	17.0	39.0	-100.0	830.0	-0.8	-200.0	-60.0	8200.0	-5.0	5.4	64.4
980	110	10	20.0	36.0	-100.0	800.0	-0.8	-200.0	-57.0	10000.0	-5.0	4.6	60.7
981	110	11	11.0	27.0	170.0	410.0	-0.5	-200.0	-44.0	6800.0	-5.0	3.4	36.0
982	110	12	17.0	34.0	160.0	660.0	-0.7	-200.0	-54.0	7000.0	-5.0	4.7	47.0
983	110	13	2.2	-2.0	-100.0	57.0	2.7	-100.0	-10.0	-200.0	-2.0	0.2	5.6
984	111	1	17.0	33.0	-100.0	660.0	-0.7	-200.0	-51.0	11000.0	-5.0	4.3	57.1
985	111	2	17.0	32.0	-100.0	640.0	-0.7	-200.0	-51.0	11000.0	-5.0	4.2	54.0
986	111	3	18.0	35.0	260.0	670.0	-0.7	-200.0	-54.0	12000.0	-5.0	4.8	56.6
987	111	4	18.0	38.0	220.0	670.0	-0.7	-200.0	-56.0	14000.0	6.1	5.1	58.8
988	111	5	17.0	32.0	180.0	630.0	0.7	-200.0	-51.0	10000.0	-5.0	4.6	54.1
989	111	6	19.0	31.0	-100.0	620.0	-0.7	-200.0	-50.0	13000.0	-5.0	4.7	51.4
990	111	7	18.0	34.0	-100.0	600.0	-0.7	-200.0	-54.0	13000.0	6.4	4.6	50.5
991	111	8	20.0	34.0	-100.0	640.0	-0.7	-200.0	-52.0	14000.0	-5.0	4.7	50.4
992	111	9	19.0	35.0	-100.0	620.0	-0.7	-200.0	-52.0	13000.0	-5.0	5.2	48.0
993	111	10	19.0	32.0	-100.0	590.0	-0.7	-200.0	-52.0	13000.0	-5.0	4.8	49.0
994	111	11	21.0	34.0	200.0	680.0	-0.7	-200.0	-53.0	13000.0	-5.0	5.0	50.4
995	111	12	2.2	-2.0	130.0	69.0	4.3	-100.0	-10.0	580.0	-2.0	-0.2	5.3
996	112	1	20.0	34.0	260.0	720.0	-0.8	-200.0	-58.0	12000.0	-5.0	5.0	56.8
997	112	2	20.0	32.0	180.0	630.0	0.8	-200.0	-52.0	14000.0	-5.0	4.7	51.3
998	112	3	19.0	36.0	170.0	600.0	-0.8	-200.0	-54.0	13000.0	-5.0	4.9	49.0
999	112	4	19.0	33.0	-100.0	620.0	-0.8	-200.0	-53.0	11000.0	-5.0	4.4	50.7
1000	112	5	18.0	31.0	190.0	600.0	-0.7	-200.0	-49.0	11000.0	-5.0	4.5	50.4
1001	112	6	23.0	32.0	220.0	650.0	1.0	-200.0	-52.0	15000.0	6.5	4.8	53.6
1002	112	7	2.2	-2.0	170.0	45.0	2.4	-100.0	-10.0	-420.0	-2.0	0.3	5.7
1003	113	1	20.0	23.0	150.0	560.0	-0.7	-200.0	-47.0	13000.0	-5.0	3.4	53.8
1004	113	2	20.0	30.0	-100.0	630.0	-0.7	-200.0	-52.0	12000.0	-5.0	4.2	55.4
1005	113	3	20.4	28.0	190.0	588.0	0.4	-270.0	-47.0	10000.0	-4.3	4.4	51.4
1006	113	4	16.0	30.0	-100.0	594.0	0.6	300.0	-48.0	9300.0	-4.6	4.3	48.3
1007	113	5	18.0	33.0	-100.0	569.0	0.4	490.0	-47.0	9100.0	-4.4	4.6	49.7
1008	113	6	16.0	26.0	-100.0	607.0	0.5	-280.0	-49.0	8800.0	-4.5	3.8	50.1

Recor	Hole	Samp	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sm
1009	113	7	20.8	27.0	160.0	698.0	-0.3	-290.0	-49.0	12000.0	5.1	4.5	53.6
1010	113	8	23.5	27.0	170.0	661.0	0.5	-290.0	-49.0	15000.0	-4.6	5.0	53.3
1011	113	9	23.1	24.0	-100.0	617.0	0.6	-270.0	-47.0	14000.0	-4.4	4.1	47.5
1012	113	10	19.0	33.0	-100.0	569.0	0.8	-290.0	-50.0	11000.0	-4.8	4.4	46.0
1013	113	11	19.0	24.0	-100.0	591.0	0.4	-270.0	-46.0	13000.0	-4.4	4.3	44.1
1014	113	12	20.3	33.0	270.0	787.0	-0.4	-330.0	-57.0	10000.0	-5.4	5.2	52.8
1015	113	13	1.4	-2.0	-100.0	44.0	3.7	-100.0	-10.0	-200.0	-2.0	0.2	4.4
1016	114	1	20.0	31.0	210.0	686.0	-0.4	-300.0	-51.0	9800.0	4.7	5.2	50.5
1017	114	2	18.0	30.0	250.0	635.0	-0.3	-300.0	-50.0	8400.0	-4.7	4.9	48.1
1018	114	3	18.0	29.0	-100.0	641.0	0.5	-280.0	-48.0	9300.0	-4.6	4.9	46.9
1019	114	4	20.7	27.0	-100.0	650.0	-0.4	-300.0	-51.0	9000.0	-4.8	4.7	49.3
1020	114	5	21.2	30.0	190.0	761.0	-0.4	-320.0	-54.0	8300.0	5.3	4.7	55.7
1021	114	6	28.0	32.0	180.0	634.0	0.5	390.0	-50.0	8500.0	-4.8	4.5	49.0
1022	114	7	23.1	25.0	-100.0	543.0	0.5	-300.0	-53.0	8900.0	-5.0	4.8	43.5
1023	114	8	18.0	28.0	-100.0	592.0	-0.4	-290.0	-50.0	8700.0	5.4	4.4	46.0
1024	114	9	21.4	28.0	-100.0	1030.0	-0.6	-340.0	-59.0	7100.0	-5.6	5.0	70.2
1025	114	10	24.8	36.0	230.0	1120.0	-0.5	390.0	-76.0	10000.0	-5.6	5.2	84.7
1026	114	11	22.2	34.0	-100.0	1050.0	0.9	-320.0	-56.0	8600.0	-5.3	4.7	75.4
1027	114	12	23.3	40.0	210.0	1150.0	0.7	-360.0	-62.0	6900.0	-5.8	5.7	81.2
1028	114	13	23.7	39.0	-100.0	1250.0	-0.6	-350.0	-63.0	7600.0	-5.9	6.2	81.1
1029	114	14	1.2	-2.0	120.0	36.0	3.2	-100.0	-10.0	-200.0	2.1	0.3	3.8
1030	114	15	1.1	-2.0	320.0	37.0	3.5	-100.0	-10.0	-200.0	-2.0	-0.2	3.3
1031	115	1	20.0	32.0	-100.0	661.0	-0.3	-280.0	-49.0	9700.0	-4.8	4.7	50.5
1032	115	2	20.3	27.0	200.0	611.0	-0.4	-280.0	-50.0	9200.0	-4.8	4.7	47.5
1033	115	3	16.0	26.0	-100.0	569.0	0.7	-270.0	-47.0	7800.0	-4.6	4.3	43.3
1034	115	4	21.6	28.0	-100.0	715.0	0.4	330.0	-51.0	11000.0	5.0	4.7	54.7
1035	115	5	26.2	34.0	-100.0	678.0	-0.4	-280.0	-50.0	9800.0	-4.8	5.0	51.1
1036	115	6	24.5	33.0	-100.0	743.0	-0.4	-310.0	-54.0	12000.0	-5.4	5.4	57.1
1037	115	7	25.0	33.0	230.0	686.0	-0.5	-380.0	-67.0	12000.0	-7.0	5.1	50.0
1038	115	8	21.8	31.0	-100.0	634.0	0.8	-280.0	-49.0	11000.0	-4.9	4.8	46.9
1039	115	9	19.0	27.0	170.0	563.0	0.7	-280.0	-49.0	10000.0	4.7	4.8	43.9
1040	115	10	19.0	30.0	230.0	571.0	-0.4	-300.0	-52.0	12000.0	-5.3	5.0	45.9
1041	115	11	20.7	32.0	-100.0	584.0	-0.4	-300.0	-53.0	11000.0	-5.3	5.3	44.7
1042	115	12	16.0	28.0	-100.0	534.0	0.5	380.0	-47.0	8800.0	-4.8	4.6	43.1
1043	115	13	24.0	31.0	230.0	708.0	-0.5	-310.0	-54.0	12000.0	-5.6	5.3	51.6
1044	115	14	27.9	38.0	-100.0	1160.0	-0.7	-400.0	-72.0	12000.0	-7.3	6.1	74.8
1045	115	15	20.9	32.0	-100.0	1020.0	0.7	-420.0	-73.0	7000.0	-6.8	4.8	66.8
1046	115	16	16.0	21.0	-100.0	620.0	1.1	-490.0	-86.0	4000.0	-8.5	2.9	44.7
1047	115	17	18.0	26.0	310.0	856.0	-0.6	-320.0	-57.0	6900.0	-5.6	4.2	48.2
1048	115	18	1.2	-2.0	-100.0	21.0	2.7	-100.0	-10.0	-200.0	2.5	-0.2	2.1
1049	116	1	22.1	27.0	210.0	588.0	-0.2	310.0	-40.0	11000.0	-2.0	4.4	69.7
1050	116	2	18.0	24.0	100.0	500.0	0.3	150.0	-26.0	9000.0	-2.0	4.1	54.1
1051	116	3	20.2	32.0	-100.0	681.0	0.5	210.0	-31.0	12000.0	-2.0	5.5	63.9
1052	116	4	20.0	30.0	-100.0	615.0	0.5	-100.0	-36.0	13000.0	-2.0	5.5	58.5
1053	116	5	3.5	-2.0	150.0	76.0	3.2	-100.0	-10.0	-470.0	-2.0	0.4	5.8
1054	117	1	18.0	33.0	200.0	708.0	0.3	-100.0	-31.0	9400.0	4.0	5.4	64.6
1055	117	2	16.0	28.0	230.0	609.0	-0.3	-230.0	-39.0	9500.0	-4.3	4.8	52.4
1056	117	3	18.0	29.0	140.0	631.0	0.5	290.0	-31.0	9500.0	3.2	5.0	60.2
1057	117	4	20.4	26.0	130.0	688.0	0.7	200.0	-29.0	8100.0	-2.0	4.6	63.3
1058	117	5	19.0	29.0	170.0	569.0	0.4	190.0	-25.0	9000.0	-2.0	5.0	55.0
1059	117	6	2.5	2.0	150.0	66.0	3.6	-100.0	-10.0	470.0	2.1	0.4	6.3
1060	118	1	20.8	31.0	-100.0	691.0	0.5	240.0	-27.0	13000.0	3.1	5.1	65.0
1061	118	2	21.0	31.0	-100.0	638.0	-0.2	270.0	-37.0	11000.0	-2.0	5.1	63.5
1062	118	3	21.8	30.0	-100.0	656.0	0.6	200.0	-34.0	12000.0	-2.0	5.2	65.0
1063	118	4	22.4	33.0	180.0	680.0	0.3	180.0	-28.0	13000.0	-2.0	5.7	69.0
1064	118	5	22.6	28.0	140.0	628.0	0.3	-100.0	-26.0	14000.0	-2.0	5.6	65.1

Recor	Hole	Saap	U	Yb	Zn	Ce	NaX	Sn	Te	Zr	Br	Lu	Sa
1065	118	6	22.2	35.0	-100.0	694.0	0.3	-100.0	-29.0	12000.0	-2.0	5.4	72.0
1066	118	7	24.1	33.0	140.0	673.0	0.4	-100.0	-27.0	14000.0	-2.0	6.1	67.5
1067	118	8	2.0	-2.0	-100.0	41.0	2.5	-100.0	-10.0	-200.0	-2.0	0.3	4.5
1068	119	1	20.0	29.0	150.0	604.0	0.3	-100.0	-26.0	12000.0	2.1	5.2	60.2
1069	119	2	1.4	-2.0	140.0	61.0	3.6	-100.0	-10.0	-420.0	2.0	0.4	5.3
1070	120	1	19.0	27.0	150.0	607.0	0.5	220.0	-26.0	12000.0	2.4	5.1	60.5
1071	120	2	1.7	2.0	170.0	55.0	3.2	-100.0	-10.0	480.0	-2.0	0.4	5.8
1072	121	1	22.2	37.0	150.0	697.0	0.3	-100.0	-46.0	11000.0	-2.0	6.7	70.1
1073	121	2	2.3	-2.0	110.0	64.0	2.4	-100.0	-10.0	390.0	-2.0	0.4	6.1
1074	122	1	20.5	25.0	-100.0	563.0	0.3	210.0	-44.0	12000.0	-2.0	4.4	67.4
1075	122	2	19.0	28.0	160.0	612.0	0.3	-100.0	-38.0	11000.0	-2.0	4.6	65.8
1076	122	3	20.7	29.0	-100.0	703.0	-0.2	-240.0	-41.0	10000.0	-2.0	5.4	70.4
1077	122	4	21.3	29.0	180.0	730.0	0.4	-100.0	-45.0	9800.0	2.4	5.1	69.4
1078	122	5	20.6	31.0	160.0	636.0	0.4	-100.0	-50.0	13000.0	2.3	5.4	68.1
1079	122	6	13.0	28.0	130.0	522.0	0.2	150.0	-22.0	4800.0	-2.0	4.5	54.6
1080	122	7	22.6	28.0	100.0	636.0	0.5	230.0	-26.0	14000.0	-2.0	5.0	66.7
1081	122	8	16.0	30.0	-100.0	571.0	0.3	290.0	-28.0	5300.0	-2.0	4.8	60.4
1082	122	9	19.0	27.0	-100.0	596.0	0.6	-100.0	-25.0	11000.0	2.6	4.7	61.4
1083	122	10	2.1	-2.0	120.0	69.0	3.4	-100.0	-10.0	-200.0	2.3	0.3	6.0
1084	123	1	19.0	29.0	140.0	682.0	0.3	160.0	-25.0	10000.0	-2.0	5.0	68.1
1085	123	2	18.0	31.0	-100.0	644.0	0.6	190.0	-25.0	7700.0	-2.0	5.2	69.6
1086	123	3	21.6	29.0	110.0	663.0	0.4	-100.0	-25.0	15000.0	2.3	5.0	68.0
1087	123	4	21.7	26.0	100.0	591.0	-0.2	-100.0	-27.0	14000.0	-2.0	5.0	64.0
1088	123	5	26.2	32.0	120.0	750.0	0.4	-100.0	-41.0	14000.0	-2.0	5.7	74.8
1089	123	6	14.0	30.0	110.0	552.0	0.2	-100.0	-29.0	7800.0	-2.0	5.2	57.9
1090	123	7	1.0	-2.0	150.0	38.0	3.8	-100.0	-10.0	-200.0	-2.0	-0.2	3.7
1091	124	1	27.8	32.0	170.0	858.0	0.5	380.0	-33.0	17000.0	-2.0	5.6	82.2
1092	124	2	21.9	34.0	150.0	667.0	0.4	-100.0	-32.0	14000.0	-2.0	5.7	67.5
1093	124	3	20.9	31.0	130.0	639.0	0.3	170.0	-29.0	14000.0	2.6	5.5	66.5
1094	124	4	23.3	30.0	140.0	662.0	0.3	-100.0	-36.0	17000.0	-2.0	5.4	67.3
1095	124	5	27.9	25.0	120.0	606.0	0.4	-100.0	-31.0	19000.0	-2.0	4.7	71.0
1096	124	6	26.5	30.0	130.0	636.0	0.5	400.0	-35.0	19000.0	-2.0	4.9	73.2
1097	124	7	26.2	21.0	180.0	609.0	0.5	-310.0	-54.0	15000.0	-5.8	4.4	50.6
1098	124	8	24.4	29.0	-100.0	656.0	0.5	-280.0	-49.0	16000.0	-5.1	4.8	49.0
1099	124	9	24.8	29.0	200.0	674.0	0.6	-280.0	-49.0	15000.0	-5.2	5.2	51.4
1100	124	10	26.5	28.0	-100.0	649.0	0.8	-300.0	-54.0	18000.0	-5.6	4.8	50.0
1101	124	11	28.2	32.0	190.0	680.0	0.6	-280.0	-50.0	18000.0	-5.2	5.3	52.7
1102	124	12	26.2	27.0	220.0	668.0	0.6	-260.0	-47.0	17000.0	-4.9	5.1	50.6
1103	124	13	23.9	28.0	180.0	638.0	0.6	-250.0	-45.0	16000.0	6.0	4.7	47.3
1104	124	14	24.4	31.0	220.0	649.0	-0.5	-280.0	-49.0	15000.0	5.5	4.5	48.9
1105	124	15	21.0	41.0	-100.0	950.0	-0.6	-320.0	-57.0	11000.0	7.9	6.1	66.1
1106	124	16	26.5	43.0	190.0	1040.0	-0.6	-350.0	-61.0	13000.0	-6.1	6.2	69.5
1107	124	17	0.8	-2.0	-100.0	37.0	3.8	-100.0	-10.0	-400.0	3.2	0.2	5.5
1108	125	1	24.7	33.0	-100.0	826.0	0.8	-310.0	-57.0	13000.0	-5.6	5.4	59.9
1109	125A	1	23.3	35.0	250.0	918.0	-0.6	400.0	-59.0	10000.0	-6.3	5.3	62.3
1110	125A	2	20.0	40.0	-100.0	1000.0	-0.6	-340.0	-58.0	9400.0	-6.1	6.1	65.6
1111	125A	3	18.0	43.0	280.0	884.0	-0.6	-310.0	-56.0	6200.0	-5.9	6.9	56.1
1112	126	1	20.1	29.0	-100.0	737.0	-0.5	-290.0	-51.0	10000.0	-5.4	5.1	52.6
1113	126	2	22.2	32.0	-100.0	641.0	0.7	350.0	-51.0	10000.0	-5.4	5.0	50.0
1114	126	3	20.1	34.0	-100.0	633.0	-0.5	-310.0	-57.0	12000.0	-6.1	5.5	47.6
1115	126	4	20.0	26.0	240.0	605.0	-0.5	-280.0	-51.0	11000.0	5.2	5.0	45.0
1116	126	5	16.0	20.0	-100.0	520.0	-0.5	-320.0	-55.0	7700.0	7.3	3.8	41.3
1117	126	6	0.9	-2.0	120.0	30.0	3.4	-100.0	-10.0	-200.0	2.4	0.3	3.1
1118	127	1	21.6	26.0	-100.0	640.0	-0.5	-280.0	-51.0	11000.0	-5.4	4.6	54.6
1119	127	2	25.4	33.0	160.0	749.0	-0.5	-280.0	-51.0	14000.0	-5.6	4.8	57.7
1120	127	3	22.1	25.0	210.0	673.0	-0.5	-270.0	-48.0	11000.0	-5.3	4.9	51.5

Recor	Hole	Samp	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sm
1121	127	4	25.6	31.0	290.0	699.0	-0.5	410.0	-48.0	12000.0	-5.1	5.1	50.8
1122	127	5	22.4	27.0	240.0	696.0	0.6	-270.0	-49.0	10000.0	-5.3	4.9	52.6
1123	127	6	22.6	30.0	200.0	673.0	-0.5	290.0	-48.0	11000.0	-5.6	4.7	50.2
1124	127	7	24.5	33.0	-100.0	766.0	0.7	-280.0	-50.0	11000.0	-5.5	5.0	55.7
1125	127	8	23.2	27.0	150.0	600.0	-0.5	-260.0	-46.0	12000.0	6.4	4.4	48.5
1126	127	9	25.4	30.0	-100.0	763.0	-0.6	-290.0	-51.0	12000.0	-5.6	5.0	52.2
1127	127	10	24.2	32.0	150.0	680.0	0.5	450.0	-48.0	11000.0	-5.4	5.2	50.6
1128	127	11	25.1	30.0	-100.0	704.0	-0.6	-300.0	-53.0	11000.0	-6.1	5.0	51.0
1129	127	12	27.0	33.0	200.0	702.0	-0.5	-280.0	-50.0	11000.0	-5.4	5.0	51.9
1130	127	13	24.3	30.0	160.0	690.0	-0.5	-270.0	-49.0	12000.0	-5.4	5.0	50.5
1131	127	14	25.7	31.0	-100.0	734.0	-0.6	-290.0	-53.0	12000.0	-5.9	4.9	53.4
1132	127	15	18.0	27.0	-100.0	651.0	-0.6	-270.0	-50.0	7500.0	-5.5	4.5	45.3
1133	127	16	24.1	28.0	200.0	704.0	-0.6	-300.0	-53.0	9800.0	-6.0	4.8	49.6
1134	127	17	20.0	32.0	200.0	641.0	0.6	-280.0	-50.0	9400.0	-5.7	4.7	48.8
1135	127	18	17.0	25.0	-100.0	558.0	-0.5	-280.0	-50.0	9000.0	-5.6	4.2	43.3
1136	127	19	18.0	23.0	-100.0	545.0	0.7	-290.0	-51.0	9300.0	-5.7	4.0	42.4
1137	127	20	17.0	22.0	-100.0	450.0	-0.5	-290.0	-51.0	7700.0	-6.2	3.2	41.0
1138	127	21	1.2	-2.0	-100.0	40.0	2.5	-100.0	-10.0	340.0	-2.0	-0.2	3.7
1139	128	1	20.0	27.0	-100.0	694.0	-0.7	370.0	-60.0	11000.0	-7.0	4.3	51.7
1140	128	2	20.0	25.0	-100.0	582.0	-0.6	-270.0	-48.0	9500.0	-5.5	4.0	49.1
1141	128	3	19.0	24.0	200.0	556.0	0.7	-260.0	-45.0	8800.0	-5.2	4.2	46.2
1142	128	4	20.0	29.0	240.0	563.0	-0.5	280.0	-49.0	13000.0	-5.6	4.7	45.5
1143	128	5	17.0	25.0	-100.0	500.0	0.5	-240.0	-43.0	8600.0	-5.2	4.0	39.6
1144	128	6	17.0	27.0	150.0	490.0	-0.5	-240.0	-43.0	10000.0	-5.0	4.4	41.6
1145	128	7	18.0	25.0	190.0	500.0	-0.5	-250.0	-45.0	11000.0	-5.2	4.2	42.7
1146	128	8	19.0	25.0	170.0	570.0	-0.5	-240.0	-45.0	12000.0	-5.2	4.6	44.6
1147	128	9	19.0	28.0	-100.0	541.0	-0.5	430.0	-44.0	11000.0	-5.1	4.4	43.9
1148	128	10	15.0	24.0	-100.0	537.0	-0.4	-250.0	-44.0	9000.0	-5.2	4.0	42.7
1149	128	11	17.0	31.0	190.0	559.0	-0.5	-260.0	-45.0	7600.0	-5.5	4.6	42.8
1150	128	12	17.0	30.0	-100.0	599.0	-0.6	-250.0	-46.0	10000.0	-5.3	4.7	45.1
1151	128	13	16.0	27.0	-100.0	551.0	-0.5	330.0	-45.0	8100.0	-5.3	4.7	43.8
1152	128	14	20.6	32.0	140.0	642.0	-0.6	270.0	-45.0	13000.0	-5.5	5.6	48.0
1153	128	15	24.7	34.0	-100.0	881.0	-0.7	-290.0	-54.0	13000.0	-6.3	5.6	64.5
1154	128	16	15.0	25.0	-100.0	530.0	-0.5	-250.0	-45.0	8600.0	-5.3	4.3	40.7
1155	128	17	1.1	-2.0	130.0	41.0	2.9	-100.0	-10.0	-200.0	2.4	-0.2	3.9
1156	129	1	18.0	28.0	-100.0	578.0	-0.6	-260.0	-46.0	9800.0	7.6	4.8	45.0
1157	129	2	16.0	23.0	-100.0	504.0	-0.5	-250.0	-45.0	8700.0	-5.4	3.9	41.6
1158	129	3	18.0	26.0	150.0	584.0	-0.5	-260.0	-46.0	11000.0	-5.5	4.2	41.7
1159	129	4	17.0	29.0	170.0	604.0	-0.6	-270.0	-48.0	8700.0	-5.8	4.8	43.0
1160	129	5	23.0	26.0	-100.0	636.0	-0.7	340.0	-54.0	12000.0	-6.7	4.6	47.9
1161	129	6	20.0	25.0	-100.0	641.0	-0.7	-300.0	-55.0	12000.0	-7.0	4.8	47.0
1162	129	7	18.0	27.0	270.0	628.0	-0.6	-270.0	-49.0	11000.0	-6.0	5.1	47.2
1163	129	8	16.0	27.0	170.0	578.0	-0.6	-260.0	-47.0	9700.0	-5.9	4.2	45.1
1164	129	9	12.0	24.0	-100.0	490.0	-0.5	-230.0	-41.0	6200.0	-5.0	4.1	39.8
1165	129	10	17.0	33.0	-100.0	571.0	-0.7	-300.0	-55.0	9600.0	9.0	5.0	43.4
1166	129	11	0.9	2.0	130.0	34.0	2.9	-100.0	-10.0	-200.0	2.5	0.2	3.7
1167	130	1	20.0	32.0	-100.0	664.0	-0.7	-270.0	-50.0	7500.0	-6.0	4.8	54.9
1168	130	2	21.4	29.0	240.0	731.0	0.7	-270.0	-48.0	11000.0	-5.9	4.9	55.0
1169	130	3	21.4	33.0	-100.0	771.0	-0.7	-280.0	-51.0	11000.0	-6.1	4.8	57.8
1170	130	4	20.0	30.0	-100.0	692.0	-0.7	-260.0	-47.0	11000.0	-6.0	4.7	51.6
1171	130	5	21.8	32.0	200.0	668.0	-0.8	-310.0	-57.0	11000.0	-7.2	5.1	47.5
1172	130	6	19.0	22.0	-100.0	585.0	-0.7	-260.0	-46.0	10000.0	-5.9	4.1	45.6
1173	130	7	20.5	27.0	-100.0	624.0	-0.6	-260.0	-48.0	13000.0	-5.9	5.1	49.9
1174	130	8	20.0	26.0	-100.0	608.0	-0.6	-240.0	-45.0	10000.0	5.1	4.3	47.8
1175	130	9	19.0	23.0	-100.0	501.0	0.7	-270.0	-50.0	8600.0	5.7	3.8	38.5
1176	130	10	16.0	30.0	170.0	550.0	-0.6	310.0	-48.0	9800.0	-6.0	4.8	41.3

Recor	Hole	Saap	U	Yb	Zn	Ce	NaZ	Sn	Te	Zr	Br	Lu	Sa
1177	130	11	1.0	-2.0	150.0	46.0	3.3	-100.0	-10.0	-200.0	-2.0	0.2	4.3
1178	131	1	20.8	33.0	190.0	904.0	1.0	-290.0	-53.0	9300.0	-6.7	5.4	70.2
1179	131	2	22.9	29.0	170.0	936.0	-0.9	-300.0	-55.0	11000.0	-6.9	5.2	74.2
1180	131	3	24.1	32.0	240.0	923.0	-0.9	-310.0	-56.0	12000.0	-7.0	5.2	71.6
1181	131	4	19.0	19.0	210.0	592.0	-0.9	-330.0	-58.0	8600.0	-7.7	3.6	52.7
1182	131	5	18.0	28.0	270.0	569.0	-0.7	-240.0	-46.0	9400.0	-5.9	4.2	48.2
1183	131	6	21.9	32.0	-240.0	920.0	-1.4	-550.0	-100.0	13000.0	-13.0	4.0	64.2
1184	131	7	23.0	34.0	240.0	838.0	-0.9	-290.0	-54.0	15000.0	-6.8	5.0	56.0
1185	131	8	-0.2	-2.0	-100.0	25.0	0.6	-100.0	-10.0	-200.0	-2.0	0.3	4.7
1186	131	9	0.4	2.0	150.0	25.0	1.3	-100.0	-10.0	-440.0	-2.0	0.5	5.2
1187	132	1	26.6	34.0	-100.0	960.0	-0.7	300.0	-41.0	12000.0	-5.3	5.5	75.9
1188	132	2	26.2	32.0	-100.0	856.0	-0.6	-200.0	-38.0	12000.0	-4.9	5.3	62.2
1189	132	3	26.3	32.0	170.0	823.0	0.9	-280.0	-51.0	13000.0	-6.6	5.2	63.0
1190	132	4	24.8	30.0	-100.0	818.0	-0.8	-280.0	-50.0	12000.0	-6.6	5.2	62.0
1191	132	5	24.1	33.0	-100.0	851.0	-0.9	-290.0	-53.0	12000.0	-6.8	5.2	62.6
1192	132	6	24.1	33.0	270.0	856.0	1.1	-290.0	-53.0	11000.0	-6.7	5.6	65.9
1193	132	7	21.5	33.0	250.0	813.0	-0.8	-270.0	-51.0	11000.0	-6.5	5.2	60.9
1194	132	8	-0.2	2.0	-100.0	29.0	1.9	-100.0	-10.0	-200.0	-2.0	0.4	4.3
1195	132	9	-0.2	3.0	130.0	34.0	3.5	-100.0	-10.0	-450.0	2.5	0.4	5.4
1196	133	1	23.4	31.0	120.0	967.0	-0.5	220.0	-30.0	10000.0	-4.1	4.9	77.2
1197	133	2	0.3	3.0	180.0	28.0	2.4	-100.0	-10.0	-440.0	-2.0	0.4	4.8

RAPPORT: 037-6834 ( COMPLET )

INFO. DE RIFIRENCE: PO 23485

CLIENT: COGEMA CANADA LTEE  
PROJET: 47

SOMIS PAR: JOHN LEARN  
DATE DE L'IMPRESSION: 23-DEC-87

TYPES D'ICHANTILLONS	NOMBRE	FRACTION UTILISIE	NOMBRE	PRIP. DE L'ICHAN.	NOMBRE
H CONC.MINERAUX LOURDS	15	2 -150	15	Pulvrisation -150	1
				Enveloppement	1
				Mise en Capsules	1

REMARQUES: < MOINS QUE

COPIES DU RAPPORT @: JOHN LEARN

FACTURE @: JOHN LEARN

RAPPORT: 037-6834

PROJET: 47

PAGE 1A

NUMIRO DE L'ICHANTILLON	ILIMENT UNITIS	Au PFB	Sb PPM	As PPM	Ba PPM	Cd PPM	Cs PPM	Cr PPM	Co PPM	Eu PPM	Hf PPM	Ir PFB	Fe PCT
H2 BOB-87-02-09		<18	1.1	77	<100	39	<1	1300	140	5	228	<100	23.0
H2 BOB-87-06-02		23	1.7	80	<100	<27	<1	1100	330	5	85	<100	26.0
H2 BOB-87-07-05		622	0.8	39	<100	<30	<1	1400	240	7	293	<100	26.0
H2 BOB-87-34-12		25	0.9	132	180	<28	<1	1100	210	5	190	<100	29.0
H2 BOB-87-34-15		41	0.9	101	<100	<35	2	1500	89	9	230	<100	26.0
H2 BOB-87-58-03		<21	0.8	14	<100	<32	<1	1400	110	9	309	<100	25.0
H2 BOB-87-64-03		<20	0.4	16	<100	<29	<1	1300	86	8	261	<100	24.0
H2 BOB-87-74-02		29	<0.2	14	<100	<32	<1	1300	62	8	242	<100	21.0
H2 BOB-87-86-05		59	0.8	36	<100	<30	<1	1300	110	12	180	<100	25.0
H2 BOB-87-89-09		<18	1.7	498	<100	<27	<1	1300	73	6	86	<100	21.0
H2 BOB-87-93-04		160	1.0	14	<100	<28	<1	1400	51	7	200	<100	25.0
H2 BOB-87-94-07		180	0.3	<9	<100	<28	<1	1200	67	10	297	<100	24.0
H2 BOB-87-101-14		590	0.4	14	<100	<24	<1	1000	120	6	221	<100	22.0
H2 BOB-87-104-18		43	0.5	52	<100	<23	<1	1100	81	6	231	<100	22.0
H2 BOB-87-132-05		56	0.4	19	<100	<29	<1	1200	83	10	273	<100	24.0

RAPPORT: 037-6834

PROJET: 47

PAGE 1B

NUMIRO DE L'ICHANTILLON	ILIMENT UNITIS	La PPM	Mo PPM	Ni PPM	Rb PPM	Sc PPM	Se PPM	Ag PPM	Ta PPM	Tb PPM	Th PPM	W PPM	U PPM
H2 BOB-87-02-09		340	<5	180	<23	75.6	<10	<5	20	8	188.0	74	24.0
H2 BOB-87-06-02		330	<6	280	27	69.4	<25	<5	39	8	195.0	66	20.0
H2 BOB-87-07-05		380	<6	190	<26	81.5	<28	<11	38	8	197.0	88	28.0
H2 BOB-87-34-12		320	7	140	<24	76.8	<10	<5	19	7	173.0	70	19.0
H2 BOB-87-34-15		702	<8	120	<30	87.6	<23	<12	30	10	413.0	84	33.0
H2 BOB-87-58-03		596	<6	50	<26	103.0	<10	<11	24	11	313.0	52	33.0
H2 BOB-87-64-03		567	<6	67	<24	105.0	<10	<5	24	11	283.0	44	29.0
H2 BOB-87-74-02		702	<7	72	<26	88.3	<10	<10	18	12	414.0	69	29.0
H2 BOB-87-86-05		470	<6	73	34	93.7	<10	<10	28	10	228.0	53	23.0
H2 BOB-87-89-09		330	<5	65	23	87.4	<10	<5	15	7	132.0	43	14.0
H2 BOB-87-93-04		400	<5	<50	<22	101.0	<10	<5	22	8	209.0	65	22.0
H2 BOB-87-94-07		480	<5	60	<22	108.0	<10	<5	20	9	238.0	44	29.0
H2 BOB-87-101-14		330	<4	110	<10	101.0	<10	<5	16	8	142.0	39	21.0
H2 BOB-87-104-18		350	<4	50	<10	94.3	<10	<5	14	7	168.0	39	21.0
H2 BOB-87-132-05		450	<6	83	<24	100.0	<10	<5	23	10	229.0	<29	36.0

RAPPORT: 037-6834

PROJET: 47

PAGE 1C

NUMIRO DE L'ICHANTILLON	ILIMENT UNITIS	Yb PPM	Zn PPM	Ce PPM	Na PCT	Sn PPM	Te PPM	Zr PPM	Br PPM	Lu PPM	Sm PPM
H2 BOB-87-02-09		26	<200	650	<0.49	<200	<48	12000	<5	<4.7	46.0
H2 BOB-87-06-02		30	<200	560	0.69	<200	<50	4200	<5	<4.5	44.0
H2 BOB-87-07-05		34	<200	720	<0.49	<200	<69	15000	<5	<5.6	50.7
H2 BOB-87-34-12		30	<200	610	<0.51	<200	<51	9300	<5	<5.0	40.0
H2 BOB-87-34-15		40	<200	1290	<0.78	<470	<64	12000	<5	<6.8	74.5
H2 BOB-87-58-03		44	230	1040	<0.68	<200	<57	16000	<5	<7.3	72.5
H2 BOB-87-64-03		40	<200	980	<0.62	<200	<53	14000	<5	<6.4	73.1
H2 BOB-87-74-02		40	220	1290	<0.73	<200	<57	12000	<5	<5.9	81.8
H2 BOB-87-86-05		38	320	920	<0.61	<310	<58	8900	<5	<6.0	68.8
H2 BOB-87-89-09		30	<200	700	<0.54	<310	<48	4700	<5	<4.4	46.0
H2 BOB-87-93-04		37	<200	770	<0.54	<200	<47	9700	<5	<6.3	51.6
H2 BOB-87-94-07		46	<200	850	<0.58	<340	<50	14000	<5	<6.7	61.0
H2 BOB-87-101-14		32	200	580	<0.45	<200	<41	11000	<5	<5.1	47.0
H2 BOB-87-104-18		32	220	620	<0.45	<320	<20	13000	<5	<5.0	45.0
H2 BOB-87-132-05		39	<200	870	<0.61	<330	<49	14000	<5	<6.4	63.6

A P P E N D I X I V

BEDROCK CHIP DESCRIPTIONS AND CHEMISTRY RESULTS

- Bedrock Chip Description
- Bedrock Chip Rock Geochemistry Results
- Geochemistry Results from New Outcrop  
(sample JL-40-1)

Ref. No. 87-CND-47-04  
(Doc. #0076U)

By: A. Morin  
J. Learn  
R. St-Jean  
January 1988



BEDROCK CHIP DESCRIPTIONS

A. GREYWACKES

SAMPLE #	PURITY*	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-01-10	A+	- biotite schist (BS)	- medium grey (MG)	- <u>biotite</u> (bi) - feldspar (fs) - quartz (qz) - minor disseminated sulfide (dissem. sf)	- granolepidoblastic - well foliated (fol'd) - fine-grained (f.gr.)	- thin minor sterile quartz veins (q)
BOB-02-11	A+	- BS	- dark grey (DG) to black (B)	- bi, fs, qz - minor dissem. sf - calcite* (cc)	- granolepidoblastic - well fol'd - f.gr.	- thin minor q with minor sf
BOB-03-08	A+	- BS	- DG to B	- <u>bi</u> - fs, qz - pyrite (py) as fracture coatings (fx)	- granolepidoblastic - well fol'd - f.gr.	- minor chloritization (chl'n) of bi - local hematite (hem) stain
BOB-04-05		- metasediment (MS)	- dark green (DGN) rock chips and green clay	- bi, amphibole (amp)	- most of sample drills to clay, very few rock chips - two types of fragments one is BS, one is amp rich - moderately to well fol'd - f.gr.	- local rusty surfaces (sfc)
BOB-05-07	B	- BS	- MG to DG	- bi, fs, qz - possible minor amp - trace chalcopryrite (cpy), py on fx	- granolepidoblastic - well fol'd - f.gr.	- minor chl'n of bi
BOB-06-03	B	- biotite-amphibole schist (BAS)	- DG	- <u>bi</u> - fs, qz - minor amp	- granolepidoblastic - well fol'd - f.gr.	- very minor q ± cc veining, sterile

(to be continued)

\* A+ = no contamination scales progressively to  
D = very strongly contaminated

\* presence of cc determined by HCl test in field

A. GREYWACKES (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-07-08	B	- BS	- DG to B	- <u>bi</u> , chlorite (chl) - fs, qz - possible minor amp (v.f.gr.)	- granolepidoblastic - well fol'd - very fine grained	- very minor sterile milky q - strong chl'n
BOB-08-03	C	- BS	- light grey (LG) to MG	- <u>bi</u> - fs, qz - v.f.gr.	- granolepidoblastic - well fol'd	- possible minor chl'n of bi
BOB-09-11	B	- BS	- DG to dark greenish grey (DGG)	- fs, qz, bi - minor garnet (gt) and possibly minor amp	- granolepidoblastic - well fol'd - v.f.gr.	---
BOB-10-05	B	- BAS	- DG	- fs, qz, bi - minor amp	- granoblastic - weakly fol'd - grain size variable, common coarse mica flakes (up to 1.5 cm)	- minor carbonate vein, q
BOB-11-02	B	- BS	- B	- <u>bi</u> - fs, qz - possible minor amp	- granoblastic - weakly fol'd - f.gr. to v.f.gr.	- minor q
BOB-12-20	C	- MS	- medium greenish grey (MGG) rock chips and green (GN) clay	- fs, qz, chl - minor gt - very minor SF - very minor cc	- massive - v.f.gr.	---
BOB-13-04	D	- BS	- DG to brownish grey	- bi, fs, qz	- granoblastic - weak to moderate foliation (fol'n)	- minor sterile q
BOB-14-03	B	- BS	- DG to B	- <u>bi</u> - fs, qz - possible minor amp	- granolepidoblastic - well fol'd - f.gr.	- minor q with minor py - minor green dyke or alteration on fx

(to be continued)

A. GREYWACKES (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-15-02	B	- BAS	- DG to B	- <u>bi</u> - fs, qz - minor amp	- granolepidoblastic - well fol'd - weakly lineated ? - f.gr.	- minor sterile q
BOB-16-07	B	- BAS	- DGG	- <u>bi</u> - fs, qz - minor amp	- granoblastic - weakly fol'd - f.gr.	- very minor sterile q - minor greenish mafic dyke ?
BOB-17-21	C	- MS	- DG rock chips and GN clay	- fs, qz, bi - possible minor amp - very minor sf	- granoblastic - weakly fol'd - f.gr.	- thin mafic dykes
BOB-18-06	C	- BAS	- DG to B	- <u>bi</u> - fs, qz - minor amp - minor dissem. py and possibly cpy	- granolepidoblastic - well fol'd - f.gr.	---
BOB-19-07	B	- MS	- dark bluish grey to B	- <u>qz</u> - note blue qz - bi, sericite	- granolepidoblastic - well fol'd - f.gr.	- minor white sterile q - sericite on alteration ?
BOB-20-16	C	- BAS	- DG to B	- fs, qz, bi - minor amp - minor dissem. py	- granoblastic - weakly to moderately well fol'd	- rusty surfaces (sfc)
BOB-21-18	B	- BS	- DG	- fs, qz, bi - possible minor amp - a few py cubes	- granoblastic - weakly to moderately well fol'd - v.f.gr. to f.gr.	- minor dark green clay (mafic dykes ?)
BOB-22-05	A	- BS	- B to dark brown - fs, qz - minor dissem. py	- <u>bi</u> - well fol'd - f.gr.	- granolepidoblastic	- very minor q

(to be continued)

A. GREYWACKES (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-23-13	B	- BS	- DG to B	- <u>bi</u> - fs, qz - minor dissem. py - minor cc	- granolepidoblastic - well fol'd - f.gr.	---
BOB-26-24	B	- BS	- brownish black	- bi, fs, qz - minor small gt - minor cc and sf	- granolepidoblastic - moderate fol'n - f.gr. with a few coarse mica flakes	- minor q - minor chl in fol'n planes and/or fx and and in q
BOB-27-15	B	- BS	- dark brown	- <u>bi</u> - fs, qz - minor dissem. py	- granoblastic - massive to well fol'd - v.f.gr.	- minor q with chl on vein walls
BOB-28-08	A	- BS	- DG	- <u>bi</u> - fs, qz - minor muscovite or sericite	- granolepidoblastic - well fol'd - f.gr.	- minor sterile q - sericite on alteration ?
BOB-29-16	C	- BAS	- DG to B	- fs, qz, bi - note blue qz - minor amp - minor cc	- granolepidoblastic - moderate fol'n - f.gr.	- minor q with tourma- line (tm) py and possibly arsenopyrite - (asp) - minor cc veinlets
BOB-30-21	C	- BAS	- DGG	- <u>bi</u> - fs, qz - minor amp - abundant dissem. euhedral py, minor cpy	- granolepidoblastic - weakly fol'd - f.gr.	- thin pink granite dyke - siliceous green dyke with minor sf - minor dirty q with sf

(to be continued)

A. GREYWACKES (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-31-24	B	- BS	- DG and light greenish gray	- fs, qz, bi - some chip samples more siliceous → two subdivisions of BS may be present in sample - possible minor amp in more mafic chips - abundant dissem. py	- granoblastic - fol'd - f.gr.	- q + epidote vein with sf
BOB-32-14	B	- BAS	- DG	- fs, qz, bi - minor amp - minor cc	- granolepidoblastic - well fol'd - f.gr.	- minor q with tm - chl'n of bi
BOB-33-15	A	- BS	- B to dark brown	- bi - fs, qz - minor gt, possible minor amp - minor cc	- granolepidoblastic - well fol'd - f.gr.	- minor sterile q
BOB-35-10	D	- BS	- DG	- fs, qz, bi - minor cc - minor magnetite (mt) - f.gr.	- granoblastic - weakly to moderately well fol'd	- very minor thin q
BOB-36-16	C	- BS	- DG to brown	- fs, qz, bi - minor dissem. py - minor cc - minor mt	- granolepidoblastic - well fol'd - f.gr.	- minor q with py - minor chl'n of bi
BOB-104-20	B	- BS	- DG to B	- bi, chl - qz, fs	- well fol'd - f.gr.	- minor q
BOB-107-23	B	- BS	- dark brown to B	- bi - qz, fs - dissem. py	- fol'd - f.gr.	- minor q - local chl'n - carbonate on fx

(to be continued)

A. GREYWACKES (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-108-14	A	- BAS	- dark brownish grey	- bi, qz, fs - minor amp	- moderately well fol'd - f.gr.	- rusty sfc
BOB-109-20	A	- BS	- brownish black	- <u>bi</u> - qz, fs	- well fol'd - f.gr.	- minor q
BOB-110-13	B	- MS	- dark brown to G and DGN	- bi, qz, chl - amp	- two rock types present, one is BS, well fol'd; other is massive amp rich	- minor q - local chl'n of bi
BOB-111-12	A	- BS	- MG	- <u>qz</u> - bi, fs	- fol'd - v.f.gr. to f.gr.	---
BOB-112-07	A	- BS	- DG	- <u>bi</u> qz, fs	- well fol'd - f.gr.	- local chl'n of bi
BOB-113-13	A	- BAS	- MG to DG	- <u>qz</u> - bi, fs - minor amp - dissem. py	- granoblastic - weakly fol'd - f.gr.	---
BOB-114-14 -15	C B	- BS	- DG	- <u>bi</u> - qz, fs - possible minor amp - minor dissem. py	- well fol'd - f.gr.	---
BOB-116-05	A	- BS	- DG to B	- bi, qz, fs - minor py	- fol'd - f.gr. to v.f.gr.	- minor q
BOB-117-06	A	- BS	- DG to brownish black	- <u>bi</u> - qz, fs - minor gt	- lepidoblastic - well fol'd - f.gr.	- minor q

(to be continued)

A. GREYWACKES (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-118-08	A+	- BS	- DG to brownish black	- <u>bi</u> - qz, fs - minor py	- lepidoblastic - well fol'd - f.gr.	- minor q
BOB-119-02	A+	- BS	- DG to slightly greenish grey	- Bi, qz, fs	- granolepidoblastic - well fol'd - f.gr.	- local chl'n of bi
BOB-120-02	C	- BS	- DG to B	- bi, qz, fs - minor dissem. py	- granolepidoblastic - moderately well fol'd - f.gr.	- minor q - rusty sfc
BOB-121-02	A	- BS	- dark brownish grey to B	- <u>bi</u> - qz, fs - minor gt	- lepidoblastic - very well fol'd - f.gr.	- minor q - weak chl'n
BOB-122-10	B	- BS	- DG	- <u>bi</u> - qz, fs	- lepidoblastic - well fol'd - f.gr.	- minor q - carbonate on fx - local chl'n - rusty sfc
BOB-123-07 -08x -09x	A C B	- BAS	- DG to B	- bi, qz, fs - minor amp	- interbedded amp bearing and bi-rich layers - weakly to moderately fol'd - f.gr.	---
BOB-125A-04x	C	- BS	- brownish black	- <u>bi</u> - qz, fs - minor gt	- lepidoblastic - well fol'd - f.gr.	- abundant q
BOB-126-06	C	- BS	- DG	- bi, qz, fs - minor sf	- granolepidoblastic - well fol'd - f.gr.	- sterile q - rusty sfc

(to be continued)

A. GREYWACKES (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-128-17		- MS	-	- bi - abundant dissem. sf	- most of sample drills to clay, few rock chips	- abundant q
BOB-129-11		- MS	- G	- bi - dissem. sf	- most of sample drills to clay, few rock chips	---
BOB-130-11	B	- BS	- MG to DG	- bi, qz, fs - dissem. py	- massive to weakly fol'd - f.gr. to v.f.gr.	- minor q - rusty spots

x indicates sample not sent for chemistry (insufficient quantity) or too contaminated for chemistry given that good clean sample taken above or below



B. ARGILLITES

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-88-07	A	- argillite	- HG to DG	- abundant dissem. py	- strong schistosity/fol'n - v.f.gr. to aphanitic	- minor q with py, tm - rusty sfc
BOB-127-21	C	- argillite	- DG to B	- v. minor sf	- most of sample drills to clay, many small rock chips - v.f.gr. to aphanitic	---

C. FOUR PROBLEMATIC SAMPLES FROM THE METASEDIMENTARY TERRANE

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-24-18	A	- BS ?	- B	- bi, amp - fs, qz - minor gt - minor cc	- granoblastic - very weakly fol'd - f.gr.	- minor q - local rusty sfc
<p><u>Comments:</u> High Cr, Co, Sc Low La, Th, Na (relative to other greywackes)</p>						
BOB-25-19	B		- green clay	- amp ? - chloritic ?	- most of sample drills to clay - few rock chips are fissile and friable	- abundant q with rutile needles
<p><u>Comments:</u> High Cs, Cr, Co (relative to other greywackes)</p>						
BOB-115-18					- abundant fragments of various types, impos- sible to guess if bedrock was intersected	
<p><u>Comments:</u> Low Cs, Co, Fe, La, Sc, Th (relative to other greywackes)</p>						
BOB-124-17					- only rock flour was recovered, no chips	
<p><u>Comments:</u> Low Cs, Th (relative to other greywackes)</p>						

D. METAGABBROS

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-45-02	B	- metagabbro (MG)	- DG and white	- amp, fs, qz - minor dissem. py - locally magnetic - minor cc	- very weakly fol'd - f.gr. - minor section drills to clay	- abundant q, with minor py - hem staining
BOB-46-03	A+	- MG (resembles gabbro at T3)	- DG to B	- amp, fs - minor py	- thinly laminated (lam'd) → sheared ? - lineated ? - f.gr. to medium grained (m.gr.) - heterogranular	- minor q
BOB-47-07	A+	- MG	- DGG to B	- <u>amp</u> - bi, fs - minor dissem. py and possibly pyrrhotite (po) - minor cc	- f.gr.	- minor q - chl on fx
BOB-48-01 -02	A B+	- MG	- DG to B (01) - DGG (02)	- <u>amp</u> - fs - dissem. py, cpy - locally magnetic - minor cc	- massive to weakly fol'd (wrinkly) - lineated	- white q, with coarse muscovite flakes (≈3 mm) - rusty sfc - hem staining - thin sf veinlets - thin cc veinlets
BOB-55-08	A	- MG	- DG to DGN	- <u>amp</u> - fs - magnetic - minor cc	- moderate fol'n - f.gr.	- chl present - hem stain
BOB-57-03	A	- MG	- DGG to B	- amp, fs - minor cc	- massive to weakly fol'd - f.gr. to v.f.gr.	- minor sterile q - LG to MG felsic dyke - rusty sfc

(to be continued)

D. METAGABBROS (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-59-06	B	- MG	- DG to B	- <u>amp</u> - interlayers (veins ?) of qz - minor dissem. py, cpy - locally magnetic - minor cc	- schistose (sheared ?) - linedated ? - f.gr.	- minor sterile q
BOB-60-05	B	- MG	- DG to B and white	- <u>amp</u> - fs - dissem. sf - minor cc - locally magnetic	- massive - f.gr. granular	- q + carbonate veins
BOB-64-04	A+	- MG	- DG to B - clay is GN	- <u>amp</u> - blue qz (rounded dissem. grains) - minor dissem. py - strongly magnetic (po)	- equigranular - massive - f.gr. to m.gr. - some of sample drilled to rock flour clay	- py on fx - hem staining
BOB-69-01	A+	- MG	- MG to B	- bi, amp, fs, qz - dissem. py and probably also cpy - locally magnetic	- equigranular - weakly fol'd - f.gr. to m.gr.	- minor q (white to yellow) - hem stain - rusty sfc
BOB-70-03	A	- MG	- DG to B	- amp, bi, fs - dissem. py	- equigranular - massive to moderately fol'd - weakly linedated - f.gr.	- rusty sfc
BOB-72-04	A+	- MG	- DG to bluish green	- <u>amp</u> - fs - minor cc	- massive to well fol'd (sheared ?) - f.gr.	- minor q - chl'd

(to be continued)

D. METAGABBROS (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-91-08	A	- MG	- B to DGN	- amp, bi (?) - fs - minor dissem. sf	- massive - weakly lineated - f.gr. to m.gr.	- carbonate on fx - rusty spots
BOB-93-07	A	- MG	- DGN	- amp, fs	- locally well developed lineation	- minor q - rusty spots
BOB-95-06	B	- MG	- DGG	- amp, fs - minor py	- massive to weakly lineated (?) - f.gr. to m.gr.	- minor q
BOB-97-17	A	- MG	- DGN	- amp, fs - dissem. py - strongly magnetic (mt)	- massive - coarse grained	---
BOB-102-14	A	- MG	- DGG to B	- amp - fs - minor actinolite	- massive - f.gr.	- rusty sfc - local chl'n
BOB-103-18	A	- MG	- B	- amp, fs - dissem. py	- massive - f.gr. to m.gr.	- epidote on fx
BOB-105-09	B	- MG	- DG to B	- amp, bi, fs - minor actinolite	- massive to weakly lineated - f.gr. to m.gr.	- minor q - rusty sfc
BOB-131-08 -09	A B	- MG	- DGG to B (08) - dark brownish grey to B and DGN	- amp, fs - weakly magnetic (po)	- massive - v.f.gr. to f.gr. to m.gr.	- abundant q + carbonate veins (08) - rusty spots
BOB-132-08 -09	B A	- MG	- DG to B (08) - dark to medium green (09)	- amp - fs - locally magnetic (po)	- massive - f.gr.	- minor q and/or carbo- nate veins - epidote veinlets - rusty spots and sfc

(to be continued)

D. METAGABBROS (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-133-02 -03x	A B	- MG	- greenish black	- <u>amp</u> - fs - locally magnetic (po)	- massive - weakly lineated - f.gr.	- rusty spots (02) - abundant q, carbonate veinlets (03)

E. MAFIC TO INTERMEDIATE VOLCANICS

(distinguished in part using litho geochemistry results)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-40-01	A	- qz eye tuff	- medium to DGG	- fs, qz, amp - strongly magnetic (mt) - dissem. py	- weakly fol'd - f.gr. to m.gr.	---
BOB-41-06	B	- intermediate (int.) ash tuff	- DGG	- fs, qz, bi - possible minor amp, chl - minor dissem. py - magnetic - minor cc	- well fol'd - f.gr.	- minor sterile q
BOB-42-09	C	- ash tuff and/or MG (probably two rock types)	- DG to brown	- amp - bi, chl	- massive to well fol'd - f.gr.	- minor q
BOB-49-05	C	- felsic to int. tuff	- medium green	- fs, amp - minor py, cpy - locally magnetic - pervasive minor cc	- equigranular - massive to thinly lam'd - v.f.gr.	- minor q with sf - rusty sfc
BOB-50-01	B	- int. tuff	- DG and white	- amp porphyroblasts (f) - very minor qz eyes - dissem. py - strongly magnetic - pervasive minor cc	- massive to fol'd - f.gr. to med.gr.	- abundant q with sf - also q + cc veinlets - rusty spots
BOB-51-03	B	- felsic tuff	- light yellowish greenish	- siliceous - abundant dissem. py some cpy - locally magnetic	- equigranular - thinly lam'd (sheared?) - v.f.gr.	- minor q with py, possibly asp - rusty sfc
BOB-51-04	A	- garnetiferous tuff	- medium to DGG	- amp, fs, bi - minor gt (<1 mm) - minor dissem. py, cpy - strongly magnetic	- thinly lam'd - v.f.gr.	- chl'n of bi (?) - very minor q

(to be continued)

E. MAFIC TO INTERMEDIATE VOLCANICS (cont'd)  
 (distinguished in part using lithochemistry results)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-52-03	B	- int. tuff	- DG to B	- amp, fs - minor gt, tm - minor dissem. py - strongly magnetic, locally pervasive minor cc	- thinly lam'd - v.f.gr. to f.gr.	- minor q - minor thin pale green veinlets (epidote ?)
BOB-58-04	B	- int. tuff ?	- brownish black chips - greenish clay	- minor py, cpy aggregates - minor cc	- much of bedrock drills to clay, soft rock - strongly fractured, sheared ? - massive - v.f.gr.	- q with tm - oxidized fx sfc
BOB-62-12		- int. tuff ?	- dark green to B chips - greenish clay	- altered bi	- most of bedrock drills to clay - fol'd - f.gr.	- minor q
BOB-63-02	C	- int. flow or ash tuff	- DG to B	- amp, fs - dissem. py - minor cc - locally magnetic	- massive, speckled - f.gr.	- minor q - carbonate on fx
BOB-65-05	C	- int. tuff ?	- DG to B	- amp, bi, fs - dissem. py - moderately magnetic	- weakly fol'd - f.gr. to m.gr.	- minor q-fs veins - hem. stain - rusty sfc
BOB-67-08	B	- int. flow or ash tuff	- DG to B	- amp, bi - heulandite crystals ?? - dissem. and patchy py - minor cc	- speckled - well fol'd - f.gr.	- rusty sfc
BOB-68-01	A	- int. flow or ash tuff	- DG to B	- amp, bi, chl, fs - dissem. py - strongly magnetic	- equigranular - moderate fol'n - f.gr. to m.gr.	- white q

(to be continued)



**E. MAFIC TO INTERMEDIATE VOLCANICS (cont'd)**  
 (distinguished in part using lithochemistry results)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-74-03	C	- garnetiferous tuff	- DG to B	- amp, bi, fs - minor gt - abundant dissem. py and possibly cpy - minor cc	- equigranular - fol'd, locally massive - f.gr. to m.gr.	- q
BOB-86-06	A	- garnetiferous tuff	- medium greenish grey to DG	- - minor gt - minor py	- porphyroblastic - fol'd - f.gr.	---
BOB-87-04	A	- int. tuff	- MG to DG	- amp, bi, fs - minor gt ? - minor dissem. py	- equigranular - fol'd - f.gr.	- minor q with py - rusty sfc
BOB-89-11	B	- int. tuff	- DG	- - dissem. py - magnetic (mt)	- fol'd - f.gr.	- minor q - locally rusty sfc
BOB-92-04	B	- garnetiferous tuff	- DG and brown	- - minor gt - slightly magnetic (Mt) - heulandite ??	- massive - f.gr. to v.f.gr.	- py in fx abundant - rusty spots and sfc
BOB-94-08	B	- int. flow	- DGG	- - dissem. py - weakly magnetic	- massive - f.gr. to m.gr.	- minor q with tm - minor carbonate in fx - rusty sfc
BOB-96-17	A	- qz eye tuff	- MG and white	- - minor qz eye (<2 mm) - abundant py - locally magnetic - heulandite ??	- weakly fol'd - f.gr.	- abundant q - rusty spots and sfc

(to be continued)

E. MAFIC TO INTERMEDIATE VOLCANICS (cont'd)

(distinguished in part using lithochemistry results)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-98-13	C	- fs crystal tuff	- light green to medium greenish grey	- abundant fs phenocrysts (<3 mm) - minor garnet - minor dissem py/po	- porphyritic - fol'd (bedded ?) - f.gr. to v.f.gr.	---
BOB-99-05	A	- int. tuff	- DGG	- strongly magnetic (mt)	- fol'd - f.gr.	- minor q
BOB-100-19	A	- int. flow or tuff	- DG to B	-	- weakly fol'd - f.gr. to v.f.gr.	- epidote/carbonate on fx - minor q - rusty sfc

F. FELSIC TO INTERMEDIATE METAVOLCANIC ROCKS

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-76-01	A+	- felsic crystal tuff	- medium pink to red	- abundant round qz eyes (<2 mm) - fs phenocrysts - mafic minerals in small localized patches eg bi, amp - abundant dissem. py, possibly also asp - minor cc	- porphyritic, aphanitic - weakly fol'd to massive	- minor q - minor green mafic dykes
BOB-78-06	A	- felsic crystal tuff	- bronish red	- fs - minor round qz eyes (<1 mm) - rare mafics - tiny dissem. sf	- porphyritic, f.gr. to v.f.gr. - massive to weakly fol'd	- epidote on fx - rusty sfc
BOB-79-03	A	- felsic crystal tuff	- medium red to brownish red	- fs - minor round qz eyes (<2 mm) - rare mafics	- porphyritic, v.f.gr. - very weakly fol'd	---
BOB-81-01	A	- felsic crystal tuff	- medium red to brown	- fs phenocrysts - round to slightly elongate qz eyes (<4 mm) - minor mafics	- porphyritic, aphanitic - massive	---
BOB-83-02	B	- felsic crystal tuff	- dark brownish red	- fs phenocrysts - elongate qz eyes <3 mm - minor mafics - locally magnetic	- porphyritic, f.gr. to v.f.gr. - fol'd	---

(to be continued)

F. FELSIC TO INTERMEDIATE METAVOLCANIC ROCKS (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-77-03	B	- felsic tuff	- MGG with occasional black layers	- fs phenocrysts and qz eyes present but not abundant - dominantly qz, fs - abundant dissem. py - minor cc - locally magnetic	- weakly porphyritic - v.f.gr. siliceous groundmass - layered, fdl'd - weakly sheared ?	- abundant q - epidote veinlets - rusty fx
BOB-77-04	B	- felsic tuff	- MGG	- as above with abundant dissem. py	- thinly lam'd	- abundant q
BOB-82-13	A	- felsic tuff	- MG and light greenish grey	- elongate fs phenocrysts - fs, qz, bi - dissem. py - minor cc - strongly magnetic (mt)	- weakly porphyritic - v.f.gr. to aphanitic groundmass	- minor q - rusty fx
BOB-85-10	A	- felsic tuff	- light green and MG	- few fs phenocrysts - fs, qz, bi - minor dissem. py - minor cc - locally magnetic	- weakly porphyritic - v.f.gr. siliceous groundmass - fol'd (sheared ?)	- minor fuchsite staining
BOB-43-08	B	- intermediate (int.) tuff	- DG to brown with minor light greenish clay (rock flour)	- - minor dissem. py - minor cc - locally magnetic	- well fol'd to massive - sugary but f.gr. to v.f.gr.	- minor q - rusty/hem staining - cc restricted to fx ?
BOB-44-01	B	- felsic tuff	- MG to B	- siliceous - abundant dissem. py - minor cc - strongly magnetic	- massive - v.f.gr.	- minor q with py - rusty sfc

(to be continued)

F. FELSIC TO INTERMEDIATE METAVOLCANIC ROCKS (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-80-02	A	- felsic tuff	- MG and white	- siliceous, brittle - fs, bi, sericite - abundant dissem. py - strongly magnetic (dissem. mt)	- fol'd (sheared ?) - f.gr. to v.f.gr. equigranular	- abundant sterile q - rusty spots - sericite on alteration ?
BOB-84-08	B	- felsic tuff	- MG to DG locally LG and light green	- siliceous - dissem. rounded blue qz - py in patches - minor cc - magnetic (mt)	- thinly lam'd, layered - fol'd - v.f.gr.	- fuchsite staining - locally rusty
BOB-38-17	A	- qz eye tuff	- DGG	- elongate qz eyes abundant - fs, bi, note blue qz - dissem. py - locally magnetic	- porphyritic - well fol'd - v.f.gr. to f.gr.	---
BOB-39-21			- DG clay, few rock chips	- rock chips of various lithologies, difficult to guess bedrock		
BOB-53-02	A	- felsic tuff ?	- LG	- siliceous - minor dissem. py	- massive - lam'd ? - f.gr. to v.f.gr.	- minor q ? - rusty sfc
BOB-54-04	A+	- felsic tuff ?	- LG to white	- siliceous - minor dissem. py - locally weakly magnetic	- massive - bedded ? - f.gr.	- chl ? - hem. staining - limonite sfc

(to be continued)

F. FELSIC TO INTERMEDIATE METAVOLCANIC ROCKS (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-56-04 -05	C B	- felsic tuff	- DGG	- abundant rounded qz eyes - dissem. blue qz - fs - amp ? - minor py, cpy - minor cc	- porphyritic - moderately to well fol'd, locally massive - f.gr. to m.gr.	- abundant thin sterile q
BOB-61-14	C	- felsic tuff	- medium greenish grey	- siliceous - 3 mm bi flakes - fine py crystals - minor cc	- massive to weakly fol'd - f.gr.	- thin chl-muscovite- qz-fs dyke - hem staining
BOB-66-02	B	- fs crystal tuff	- MG to B	- abundant fs phenocrysts (laths to 3 mm) - minor qz eyes - amp, bi - very minor sf, possibly po (locally magnetic) - minor cc	- porphyritic - thinly lam'd - groundmass v.f.gr.	- minor q with tm
BOB-71-01	A+	- fs crystal tuff	- B and white	- rich in fs, qz - bi, amp - minor dissem. py possibly also asp - minor cc	- may be very strongly porphyritic, but fs is subhedral to anhedral suggesting intrusive rock - coarse grained 1-5 mm	- hem staining
BOB-73-02	A	- felsic flow or tuff	- MG to DG	- fs phenocrysts (<3 mm) - amp laths ? - fs, bi, qz	- porphyritic - amygdular ? - weakly fol'd - f.gr. groundmass - part of sample drilled to rock flour clay	- minor grey q

(to be continued)

F. FELSIC TO INTERMEDIATE METAVOLCANIC ROCKS (cont'd)

SAMPLE #	PURITY	NAME	COLOUR	MINERALS	TEXTURAL FEATURES	VEINING, ALTERATION
BOB-75-01	C	- qz eye tuff or felsic flow	- DG to MG	- fs, bi, amp, qz - qz eyes or amygdales † - minor cc	- fol'd, possibly flattened - f.gr.	- carbonate veinlet - py in schistosity
BOB-90-15	B	- int. flow	- DG and medium to dark green	- - dissem. py crystals - locally magnetic	- massive - v.f.gr.	- hem staining - rusty
BOB-101-16	B	- felsic tuff	- light green to medium yellowish brown	-	- granular - weakly fol'd - v.f.gr. - soft, drills to clay	- carbonate on fx - strongly altered









Record	Station	Sample no	Au ppb	Sb ppm	As ppm	Ba ppm	Cd ppm	Cs ppm	Cr ppm	Co ppm	Cu ppm	Eu ppm	Hf ppm	Ir ppm	Fe %	La ppm	Mo ppm	Ni ppm	Rb ppm	Sc ppm
229	1	10	4	0.1	10	660	-5	5	280	26	51	-1	4	-50	4.6	22	1	70	99	13.0
230	2	11	5	-0.1	1	560	-5	4	310	26	53	2	4	-50	4.6	29	3	83	97	14.0
231	3	8	-2	0.1	1	750	-5	7	320	25	45	1	3	-50	4.7	30	2	70	110	15.0
232	4	5	3	-0.1	1	750	-5	4	340	29	32	-1	4	-50	5.3	30	1	99	100	16.0
233	5	7	-2	-0.1	-1	740	-5	7	310	32	47	2	4	-50	5.0	22	2	72	110	16.0
234	6	3	-2	-0.1	-1	740	-5	5	460	33	46	1	5	-50	5.4	29	2	77	80	19.0
235	7	8	-2	-0.1	-1	620	-5	6	290	27	42	1	4	-50	4.6	30	-2	65	97	14.0
236	8	3	6	-0.1	1	630	-5	4	280	32	50	-1	4	-50	4.9	31	3	88	84	16.0
237	9	11	6	0.1	1	500	-5	2	280	28	47	-1	4	-50	5.3	31	2	84	65	16.0
238	10	5	-2	0.2	1	610	-5	3	350	34	54	3	6	-50	4.9	57	5	160	52	14.0
239	11	2	3	-0.1	1	720	-5	5	290	29	48	-1	3	-50	5.4	33	2	96	110	17.0
240	12	20	3	-0.1	-1	520	-5	1	210	26	48	-1	4	-50	4.8	21	1	44	70	15.0
241	13	4	-2	-0.1	1	710	-5	4	330	33	43	-1	4	-50	4.7	31	3	79	87	16.0
242	14	3	6	-0.1	1	650	-5	5	310	27	40	-1	4	-50	4.9	30	3	71	75	14.0
243	15	2	-2	0.1	-1	960	-5	6	310	35	52	-1	4	-50	5.0	36	2	89	130	18.0
244	16	7	4	-0.1	-1	590	-5	4	170	23	35	-1	4	-50	3.8	24	1	74	80	11.0
245	17	21	-2	-0.1	1	730	-5	3	230	25	43	-1	3	-50	3.9	22	3	74	62	12.0
246	18	6	4	0.1	1	970	-5	5	200	22	21	2	4	-50	4.4	49	2	45	88	13.0
247	19	7	-2	0.1	1	920	-5	2	240	28	39	-1	3	-50	5.3	29	2	86	92	19.0
248	20	16	5	0.1	1	480	-5	2	250	24	30	-1	4	-50	4.4	28	2	50	63	13.0
249	21	18	9	-0.1	1	420	-5	4	210	21	42	3	4	-50	5.1	150	2	57	34	14.0
250	22	5	-2	0.1	-1	740	-5	5	260	27	34	2	4	-50	4.7	31	1	68	85	15.0
251	23	13	-2	-0.1	-1	600	-5	4	330	33	29	1	5	-50	5.5	33	2	80	68	17.0
252	24	18	-2	-0.1	-1	570	-5	4	1000	59	22	1	3	-50	6.1	16	-1	380	84	24.4
253	25	19	-2	-0.1	1	1100	-5	19	760	46	38	3	5	-50	6.0	140	2	250	95	18.0
254	26	24	-2	-0.1	-1	730	-5	5	270	24	49	1	4	-50	4.8	29	1	52	98	15.0
255	27	15	-2	-0.1	-1	750	-5	8	300	32	43	1	5	-50	5.1	33	1	83	110	18.0
256	28	8	-2	-0.1	-1	890	-5	6	280	33	50	2	3	-50	5.6	28	2	90	120	20.4
257	29	16	-2	0.1	1	450	-5	3	390	27	72	-1	3	-50	4.9	21	4	52	57	14.0
258	30	21	-2	-0.1	1	740	-5	3	360	28	61	1	3	-50	4.7	25	6	83	64	17.0
259	31	24	3	-0.1	1	860	-5	3	390	25	59	-1	3	-50	4.1	26	2	75	71	14.0
260	32	14	3	-0.1	-1	580	-5	4	270	29	52	-1	4	-50	5.1	24	2	60	73	18.0
261	33	15	-2	-0.1	-1	640	-5	4	310	25	53	1	4	-50	4.7	29	3	56	100	15.0
262	35	10	2	0.1	1	640	-5	4	210	22	0	-1	3	-50	4.6	24	1	53	89	13.0
263	36	16	4	-0.1	1	610	-5	4	340	24	0	-1	4	-50	4.2	30	2	52	78	12.0
264	38	17	4	0.3	1	550	-5	2	180	14	0	-1	4	-50	2.5	24	-1	45	40	6.1
265	39	21	3	0.1	2	560	-5	2	110	27	0	-1	4	-50	3.8	21	1	36	75	11.0
266	40	1	-2	-0.1	-1	120	-5	1	170	25	0	2	3	-50	7.5	14	1	33	17	20.6
267	41	6	8	-0.1	1	150	-5	2	300	36	0	2	3	-50	6.5	21	-1	98	19	20.4
268	42	9	6	0.2	1	230	-5	2	510	43	0	-1	3	-50	6.7	10	-1	91	31	23.5
269	43	8	11	0.2	2	600	-5	16	430	36	0	-1	5	-50	6.2	39	2	110	160	21.7
270	44	1	8	0.1	-1	670	-5	7	350	26	0	-1	4	-50	4.6	31	3	78	72	14.0
271	45	2	14	0.4	2	170	-5	2	580	45	0	-1	3	-50	10.0	13	1	130	27	25.3
272	46	3	4	0.5	1	140	-5	1	440	51	0	-1	3	-50	9.2	12	-1	150	19	25.9
273	47	7	4	0.6	1	280	-5	3	300	48	0	-1	3	-50	8.5	12	-1	120	23	26.7
274	48	1	7	0.2	1	270	-5	2	110	32	0	1	4	-50	12.0	13	2	34	30	25.0
275	48	2	7	0.2	-1	300	-5	2	130	28	0	-1	4	-50	13.0	13	-1	32	28	24.1
276	49	5	-2	-0.1	-1	210	-5	2	240	47	0	-1	3	-50	6.0	13	-1	72	38	31.4
277	50	1	-2	-0.1	-1	120	-5	2	300	46	0	1	3	-50	7.3	10	1	120	40	24.6
278	51	3	12	0.2	2	160	-5	5	240	27	0	-1	6	-50	7.7	15	3	32	84	16.0
279	51	4	-2	0.1	1	170	-5	4	200	26	0	-1	5	-50	10.0	16	1	54	75	15.0
280	52	3	6	0.2	-1	120	-5	2	260	32	0	-1	5	-50	7.5	14	1	60	21	22.2
281	53	2	3	0.3	10	220	-5	2	92	6	0	-1	6	-50	0.6	19	2	-20	33	5.3
282	54	4	-2	0.2	-1	290	-5	4	120	9	0	1	8	-50	1.9	26	-1	-20	60	7.6
283	55	8	4	-0.1	-1	180	-5	1	240	41	0	-1	3	-50	7.4	9	-1	130	17	22.4
284	56	4	-2	0.1	1	730	-5	4	210	15	0	1	4	-50	2.7	22	-1	47	63	6.4

Record	Station	Sample no	Au ppb	Sb ppm	As ppm	Ba ppm	Cd ppm	Cs ppm	Cr ppm	Co ppm	Cu ppm	Eu ppm	Hf ppm	Ir ppm	Fe %	La ppm	Mo ppm	Ni ppm	Rb ppm	Sc ppm
285	56	5	3	0.2	2	440	-5	4	170	10	0	-1	3	-50	2.6	25	2	30	49	6.2
286	57	3	-2	0.1	-1	180	-5	2	180	44	0	1	4	-50	9.0	17	-1	50	28	29.2
287	58	4	31	-0.1	2	430	-5	2	280	50	0	1	5	-50	5.5	18	2	85	49	21.1
288	59	6	7	0.1	1	71	-5	-1	120	49	0	-1	5	-50	11.0	14	1	28	9	28.5
289	60	5	5	-0.1	-1	58	-5	-1	280	46	0	1	2	-50	7.8	6	1	110	14	29.7
290	61	14	9	-0.1	1	380	-5	1	170	13	0	-1	4	-50	3.2	16	2	-20	32	8.0
291	62	12	-2	-0.1	1	340	-5	2	57	35	0	1	5	-50	6.3	17	1	46	54	25.6
292	63	2	-2	-0.1	-1	230	-5	1	120	21	0	2	6	-50	6.1	18	-1	-20	30	19.0
293	64	4	-2	-0.1	1	320	-5	4	120	36	0	1	5	-50	10.0	15	2	-20	43	34.6
294	65	5	12	0.1	1	390	-5	1	260	34	0	-1	4	-50	6.9	17	1	71	38	22.1
295	66	2	-2	0.1	3	860	-5	1	230	14	0	2	4	-50	2.9	37	1	49	51	7.4
296	67	4	-2	0.1	-1	310	-5	-1	230	51	0	-1	2	-50	9.2	6	-1	73	18	39.9
297	67	8	13	-0.1	-1	230	-5	2	110	46	0	1	3	-50	11.0	11	2	42	45	24.3
298	68	1	7	-0.1	-1	210	-5	1	150	18	0	2	9	-50	7.0	31	2	-20	26	19.0
299	69	1	5	0.4	-1	210	-5	2	150	19	0	1	7	-50	6.9	28	3	-20	38	18.0
300	70	3	-2	0.1	-1	300	-5	1	150	33	0	-1	3	-50	6.1	11	2	71	42	19.0
301	71	1	3	-0.1	-1	930	-5	3	190	10	0	-1	4	-50	2.5	38	1	-20	48	4.6
302	72	4	-2	0.1	-1	110	-5	1	430	81	0	-1	2	-50	10.0	5	-1	230	12	19.0
303	73	2	6	0.2	2	330	-5	1	340	17	0	-1	4	-50	3.2	33	2	63	31	8.6
304	74	3	-2	-0.1	1	290	-5	1	160	42	0	1	3	-50	9.2	12	-1	59	37	28.4
305	75	1	-2	-0.1	1	470	-5	2	200	24	0	2	4	-50	4.6	24	1	47	53	15.0
306	76	1	9	0.6	1	1200	-5	2	150	6	0	-1	4	-50	1.7	48	-1	-20	55	3.2
307	77	3	15	0.6	2	1500	-5	7	280	23	0	2	4	-50	2.9	42	2	50	110	10.0
308	77	4	10	0.3	2	1100	-5	6	440	12	0	1	3	-50	2.2	29	2	36	84	7.3
309	78	6	3	0.3	-1	1300	-5	4	140	-5	0	1	3	-50	1.8	34	-1	-20	63	3.6
310	79	3	-2	0.4	-1	1500	-5	3	140	-5	0	-1	4	-50	1.8	36	-1	-20	57	3.3
311	80	2	28	0.8	5	860	-5	13	220	23	26	-1	4	-50	5.0	19	3	65	120	15.0
312	81	1	2	0.2	-1	1300	-5	2	110	-5	5	-1	4	-50	1.6	30	1	-20	56	3.2
313	82	13	8	0.6	5	1300	-5	10	230	15	9	2	4	-50	3.3	40	2	58	89	9.3
314	83	2	-2	0.4	1	1500	-5	4	120	6	3	-1	3	-50	2.2	40	2	-20	61	4.6
315	84	8	17	0.2	1	750	-5	12	320	36	123	-1	4	-50	3.8	31	3	100	120	14.0
316	85	10	10	0.4	1	1300	-5	12	300	14	9	1	4	-50	3.3	36	1	37	110	11.0
317	86	6	-2	-0.1	-1	160	-5	2	91	50	30	-1	3	-50	8.7	22	1	34	49	29.3
318	87	4	3	-0.1	-1	140	-5	1	94	27	50	-1	4	-50	10.0	13	2	-20	31	22.3
319	88	7	4	0.1	11	630	-5	2	160	12	18	-1	5	-50	1.9	32	4	30	80	6.4
320	89	11	3	-0.1	2	240	-5	1	240	45	53	-1	2	-50	8.9	11	1	62	28	31.4
321	90	15	3	0.1	2	390	-5	2	-20	15	142	-1	5	-50	4.3	24	2	26	69	7.0
322	91	8	-2	-0.1	1	290	-5	2	180	61	28	-1	2	-50	12.0	8	-1	97	30	35.2
323	92	4	4	0.1	1	370	-5	2	200	7	48	-1	10	-50	6.1	30	5	-20	35	11.0
324	93	7	5	-0.1	-1	180	-5	6	72	32	36	-1	4	-50	6.0	16	-1	74	46	20.6
325	94	8	5	0.1	1	160	-5	3	180	50	71	-1	4	-50	7.2	11	-1	90	25	28.7
326	95	6	3	0.5	1	280	-5	1	180	37	46	-1	4	-50	8.0	11	-1	75	31	23.2
327	96	17	9	-0.1	1	220	-5	1	270	27	63	-1	6	-50	6.9	16	-1	59	32	21.1
328	97	17	-2	0.1	-1	240	-5	1	140	73	68	-1	3	-50	12.0	15	-1	58	20	49.2
329	98	13	8	0.1	1	250	-5	3	130	11	26	-1	4	-50	7.3	12	-1	-20	19	11.0
330	99	5	3	-0.1	1	320	-5	3	270	48	46	-1	3	-50	7.7	14	-1	120	34	25.6
331	100	19	-2	0.1	-1	150	-5	2	260	75	50	1	3	-50	5.3	12	1	65	31	35.2
332	101	16	-2	0.1	2	1200	-5	4	84	10	7	-1	7	-50	4.5	23	1	-20	55	10.0
333	102	14	7	0.1	1	150	-5	-1	460	36	44	-1	4	-50	6.2	10	1	130	-5	23.3
334	103	18	7	0.1	-1	150	-5	-1	280	63	59	2	3	-50	12.0	9	1	98	24	42.2
335	104	20	-2	1.1	-1	570	-5	4	440	38	37	-1	3	-50	6.0	22	6	160	52	18.0
336	105	9	8	-0.1	-1	140	-5	3	190	52	130	-1	3	-50	12.0	8	-1	69	14	38.4
337	107	23	-2	-0.1	-1	690	-5	8	340	33	41	2	5	-50	6.1	34	2	100	110	20.9
338	108	14	-2	-0.1	-1	760	-5	3	320	28	51	1	5	-50	4.9	25	1	35	65	16.0
339	109	20	-2	-0.1	1	860	-5	5	410	34	48	1	4	-50	5.4	35	1	91	120	17.0
340	110	13	-2	0.1	-1	790	-5	3	420	31	35	2	5	-50	5.2	37	2	81	75	18.0

Page 3 of BURNT BUSH MINOR ELEMENTS >> BEDROCK << [87/12/22] A

Record	Station	Sample no	Au ppb	Sb ppm	As ppm	Ba ppm	Cd ppm	Cs ppm	Cr ppm	Co ppm	Cu ppm	Eu ppm	Hf ppm	Ir ppm	Fe %	La ppm	Mo ppm	Ni ppm	Rb ppm	Sc ppm
341	111	12	6	-0.1	1	1100	-5	3	360	19	30	2	5	-50	3.4	39	3	67	72	11.0
342	112	7	-2	-0.1	-1	1300	-5	6	300	32	70	-1	4	-50	5.6	29	2	120	120	18.0
343	113	13	-2	-0.1	1	880	-5	2	340	22	32	-1	5	-50	4.0	27	-1	31	60	13.0
344	114	14	3	0.1	1	620	-5	3	260	22	36	-1	3	-50	4.4	20	2	72	91	15.0
345	114	15	-2	-0.1	-1	500	-5	3	280	26	46	2	4	-50	4.7	19	1	49	53	16.0
346	115	18	-2	0.1	1	580	-5	1	300	17	13	-1	2	-50	1.8	12	3	40	52	6.2
347	116	5	6	-0.1	-1	1300	-5	5	360	35	42	-1	6	-50	6.6	42	2	86	140	20.0
348	117	6	-4	0.1	1	1300	-5	6	370	40	49	2	6	-50	6.6	38	2	100	120	22.8
349	118	8	-2	-0.1	-1	770	-5	6	280	26	54	1	4	-50	4.7	28	1	71	96	16.0
350	119	2	-2	0.1	1	590	-5	4	330	33	48	2	4	-50	5.4	32	2	110	60	17.0
351	120	2	-2	-0.1	-1	720	-5	3	280	33	48	2	4	-50	5.6	33	1	100	71	17.0
352	121	2	-2	-0.1	-1	1400	-5	8	390	39	72	2	4	-50	6.7	34	1	130	130	22.1
353	122	10	-2	0.2	1	780	-5	4	360	32	43	-1	5	-50	5.0	38	2	65	85	16.0
354	123	7	-2	-0.1	-1	560	-5	2	230	22	45	2	4	-50	4.1	21	1	75	41	14.0
355	124	17	7	-0.1	-1	650	-5	1	400	25	25	-1	5	-50	5.0	19	2	110	61	14.0
356	126	6	5	0.1	2	640	-5	2	360	22	36	-1	4	-50	4.4	17	2	40	73	14.0
357	127	21	-2	0.2	3	580	-5	2	160	13	21	-1	4	-50	3.1	23	1	36	71	10.0
358	128	17	-2	0.1	7	770	-5	3	370	27	33	-1	4	-50	4.3	22	2	90	72	14.0
359	129	11	6	0.2	3	590	-5	2	340	26	30	-1	4	-50	4.1	19	-1	69	85	15.0
360	130	11	-2	-0.1	1	680	-5	2	240	30	43	-1	4	-50	4.9	24	2	57	62	16.0
361	131	8	-2	-0.1	-1	280	-5	2	210	54	100	-1	2	-50	6.9	13	3	82	33	30.5
362	131	9	-5	-0.1	-1	240	-5	3	240	140	46	-1	5	-50	8.5	13	2	130	19	31.5
363	132	8	-2	-0.1	-1	160	-5	1	140	34	42	1	5	-50	7.4	12	1	33	23	27.2
364	132	9	-2	-0.1	1	110	-5	1	110	62	53	-1	6	-50	7.9	15	-1	69	22	35.4
365	133	2	-2	-0.1	-1	-50	-5	1	270	49	70	-1	4	-50	9.4	14	2	110	-10	34.9
131	JL-40-1	0	5	0.3	1	170	-5	3	240	44	-9	-1	2	-50	9.4	9	-1	120	43	20.0

Record	Hole no	Sample no	Se ppm	Ag ppm	Ta ppm	Tb ppm	Th ppm	M ppm	U ppm	Yb ppm	Zn ppm	Ce ppm	Na %	Sn ppm	Te ppm	Zr ppm	Br ppm	Lu ppm	Sm ppm
229	1	10	-5	-2	1	-1	6.8	1	1.7	-2	-100	37	2.58	-100	-10	280	-2	-0.2	3.0
230	2	11	-5	-2	1	1	6.1	1	1.6	-2	130	50	2.36	-100	-10	250	-2	0.2	3.6
231	3	8	-5	-2	1	1	7.9	2	2.0	-2	170	51	2.71	-100	-10	360	-2	0.3	3.6
232	4	5	-5	-2	1	1	7.1	4	1.8	-2	120	58	2.01	-100	-10	240	-2	0.2	3.7
233	5	7	-5	-2	1	-1	7.9	1	2.1	-2	150	38	2.05	-100	-10	-200	-2	0.2	2.8
234	6	3	-5	-2	-1	1	7.2	-1	2.0	-2	150	50	2.88	-100	-10	-200	-2	0.2	3.6
235	7	8	-5	-2	1	1	6.9	2	2.0	-2	-100	54	3.06	-100	-10	310	-2	0.3	3.7
236	8	3	-5	-2	1	-1	9.4	1	2.5	-2	-100	54	2.11	-100	-10	-200	-2	0.2	3.6
237	9	11	-5	-2	-1	1	7.5	-1	2.1	-2	-100	48	3.32	-100	-10	610	-2	0.3	3.7
238	10	5	-5	-2	1	1	6.5	1	1.5	-2	-100	111	2.84	-100	-10	440	-2	0.3	9.0
239	11	2	-5	-2	1	1	7.6	1	2.0	-2	160	53	3.00	-100	-10	-200	-2	0.3	4.0
240	12	20	-5	-2	-1	-1	3.2	-1	0.9	-2	130	35	3.06	-100	-10	-200	-2	0.2	2.9
241	13	4	-5	-2	1	-1	6.6	-1	1.8	-2	-100	62	3.03	-100	-10	-200	-2	0.3	3.8
242	14	3	-5	-2	1	1	7.3	2	1.9	-2	130	54	3.29	-100	-10	290	-2	-0.2	3.8
243	15	2	-5	-2	-1	1	7.3	2	2.0	-2	-100	65	2.32	-100	-10	-200	-2	0.3	4.2
244	16	7	-5	-2	-1	-1	6.9	-1	1.9	-2	150	40	2.04	-100	-10	-200	-2	-0.2	4.3
245	17	21	-5	-2	-1	1	6.6	1	1.9	-2	120	41	2.35	-100	-10	-200	-2	0.2	3.6
246	18	6	-5	-2	1	-1	6.8	-1	1.6	-2	110	89	2.84	-100	-10	-200	-2	-0.2	7.9
247	19	7	-5	-2	1	1	7.3	2	1.9	-2	140	49	2.72	-100	-10	480	-2	0.3	4.9
248	20	16	-5	-2	1	1	6.5	-1	1.6	-2	150	51	2.55	-100	-10	-200	-2	0.2	4.3
249	21	18	-5	-2	-1	1	4.6	2	0.9	-2	-100	280	2.63	-100	-10	-200	-2	0.3	18.0
250	22	5	-5	-2	1	1	7.0	2	1.8	-2	140	56	2.74	-100	-10	210	-2	0.2	4.8
251	23	13	-5	-2	-1	-1	6.5	2	2.1	-2	290	59	2.80	-100	-10	270	-2	-0.2	5.2
252	24	18	-5	-2	-1	1	1.5	-1	0.4	-2	140	32	1.20	-100	-10	-200	-2	-0.2	4.9
253	25	19	-5	-2	1	2	10.0	4	2.8	-2	250	240	2.45	-100	-10	650	-2	0.3	20.8
254	26	24	-5	-2	1	-1	7.6	-1	2.0	-2	140	49	2.73	-100	-10	240	-2	-0.2	4.8
255	27	15	-5	-2	-1	1	7.9	1	2.2	2	140	61	3.17	-100	-10	310	-2	0.3	5.4
256	28	8	-5	-2	1	1	8.0	1	2.2	-2	140	54	2.55	-100	-10	210	-2	0.3	5.2
257	29	16	-5	-2	-1	1	3.2	2	1.0	-2	230	35	2.70	-100	-10	240	-2	0.2	3.8
258	30	21	-5	-2	-1	1	3.7	3	1.1	-2	180	48	3.15	-100	-10	-200	-2	0.2	4.6
259	31	24	-5	-2	1	-1	3.9	4	1.2	-2	130	48	3.60	-100	-10	-200	-2	-0.2	4.6
260	32	14	-5	-2	1	1	3.7	3	1.0	-2	140	44	2.72	-100	-10	-200	-2	0.2	4.6
261	33	15	-5	-2	1	1	7.1	1	2.1	-2	150	54	2.61	-100	-10	240	-2	0.3	4.9
262	35	10	-5	-2	-1	1	6.1	-1	1.9	-2	100	45	2.34	-100	-10	300	-2	-0.2	3.4
263	36	16	-5	-2	-1	1	6.5	3	1.8	-2	-100	60	2.44	-100	-10	-200	-2	0.2	4.0
264	38	17	-5	-2	-1	-1	4.2	1	1.1	-2	-100	52	4.34	-100	-10	270	-2	-0.2	4.0
265	39	21	-5	-2	-1	1	5.3	34	0.9	-2	-100	43	2.32	-100	-10	240	-2	0.2	2.9
266	40	1	-5	-2	-1	1	1.2	3	0.2	-2	150	32	2.60	-100	-10	-200	-2	0.4	3.4
267	41	6	-5	-2	1	1	1.5	8	0.3	2	160	46	4.34	-100	-10	-200	-2	0.3	4.1
268	42	9	-5	-2	-1	-1	0.7	-1	-0.2	2	130	15	1.70	-100	-10	260	-2	0.3	2.5
269	43	8	-5	-2	1	1	7.6	2	2.2	-2	200	75	0.73	-100	-10	340	-2	0.3	5.1
270	44	1	-5	-2	-1	-1	6.3	3	1.8	-2	150	65	2.41	-100	-10	360	-2	0.2	3.9
271	45	2	-5	-2	-1	-1	1.3	4	0.4	2	180	25	1.40	-100	-10	260	-2	0.3	3.3
272	46	3	-5	-2	-1	1	0.9	-1	-0.2	2	130	25	2.12	-100	-10	340	-2	0.4	3.2
273	47	7	-5	-2	1	1	1.0	-1	-0.2	3	330	28	1.80	-100	-10	-200	-2	0.3	3.2
274	48	1	-5	-2	1	1	1.4	-1	0.3	3	130	28	0.84	-100	-10	270	-2	0.5	3.3
275	48	2	-5	-2	-1	1	1.2	-1	0.3	3	120	26	1.00	-100	-10	410	-2	0.5	3.2
276	49	5	-5	-2	-1	1	0.6	-1	-0.2	3	120	27	2.93	-100	-10	350	-2	0.4	3.4
277	50	1	-5	-2	-1	1	0.4	-1	-0.2	2	130	24	0.91	-100	-10	-200	-2	0.4	3.2
278	51	3	-5	-2	1	1	2.1	-1	0.5	2	-100	32	2.12	-100	-10	-200	-2	0.4	3.5
279	51	4	-5	-2	1	1	1.6	-1	0.5	-2	140	32	0.58	-100	-10	380	-2	0.4	3.4
280	52	3	-5	-2	1	1	1.0	-1	0.3	3	120	32	2.90	-100	-10	-200	-2	0.4	3.6
281	53	2	-5	-2	1	1	2.4	4	0.6	2	-100	43	2.28	-100	-10	360	-2	0.3	3.9
282	54	4	-5	-2	1	1	3.0	4	0.7	3	120	50	3.09	-100	-10	250	-2	0.4	4.9
283	55	8	-5	-2	-1	1	1.0	3	0.2	3	160	20	2.35	-100	-10	390	-2	0.3	2.5
284	56	4	-5	-2	-1	-1	4.2	-1	0.7	-2	170	43	2.79	-100	-10	250	-2	-0.2	3.3

Page 2 of BURNT BUSH MINOR ELEMENTS >> BEDROCK << [87/12/22] B

Record	Hole no	Sample no	Se ppm	Ag ppm	Ta ppm	Tb ppm	Th ppm	W ppm	U ppm	Yb ppm	Zn ppm	Ce ppm	Na %	Sn ppm	Te ppm	Zr ppm	Br ppm	Lu ppm	Sr ppm
285	56	5	-5	-2	-1	-1	4.2	1	0.6	-2	190	51	2.54	-100	-10	240	-2	-0.2	3.6
286	57	3	-5	-2	1	1	0.9	-1	-0.2	3	270	43	2.01	-100	-10	480	-2	0.6	5.0
287	58	4	-5	-2	-1	1	1.5	-1	0.5	3	160	36	2.51	-100	-10	350	-2	0.5	3.9
288	59	6	-5	-2	1	1	1.1	4	0.3	4	160	35	2.69	-100	-10	-200	-2	0.7	4.4
289	60	5	-5	-2	-1	1	0.6	2	-0.2	2	140	15	1.80	-100	-10	-200	-2	0.3	2.4
290	61	14	-5	-2	-1	-1	1.7	5	0.5	-2	130	34	3.45	-100	-10	-200	-2	-0.2	2.4
291	62	12	-5	-2	-1	1	1.0	3	0.2	3	160	37	2.28	-100	-10	350	-2	0.5	4.2
292	63	2	-5	-2	1	1	1.7	-1	0.5	4	120	39	2.81	-100	-10	260	-2	0.6	4.9
293	64	4	-5	-2	1	1	0.6	-1	0.2	5	260	45	2.10	-100	-10	-200	-2	0.7	5.0
294	65	5	-5	-2	1	1	2.2	-1	0.5	3	140	35	2.77	-100	-10	380	-2	0.3	3.6
295	66	2	-5	-2	-1	-1	5.6	-1	1.3	-2	160	78	4.21	-100	-10	-200	-2	-0.2	4.9
296	67	4	-5	-2	-1	1	0.8	-1	-0.2	3	180	14	1.40	-100	-10	-200	-2	0.5	2.7
297	67	8	-5	-2	-1	1	0.7	2	-0.2	3	250	24	1.40	-100	-10	260	-2	0.5	3.2
298	68	1	-5	-2	1	2	2.5	2	0.5	6	160	80	2.58	-100	-10	530	-2	1.0	8.6
299	69	1	-5	-2	1	2	2.3	-1	0.5	6	170	73	2.13	-100	-10	470	-2	0.9	7.3
300	70	3	-5	-2	-1	1	1.4	5	0.3	-2	110	25	2.31	-100	-10	-200	-2	0.3	3.3
301	71	1	-5	-2	-1	-1	5.0	2	1.0	-2	-100	70	4.11	-100	-10	250	-2	-0.2	3.8
302	72	4	-5	-2	-1	-1	0.3	-1	-0.2	-2	140	14	1.50	-100	-10	-200	-2	0.2	2.0
303	73	2	-5	-2	-1	-1	4.7	-1	0.9	-2	130	68	4.52	-100	-10	230	-2	-0.2	4.3
304	74	3	-5	-2	-1	1	1.5	-1	0.3	3	130	25	2.16	-100	-10	290	-2	0.4	3.5
305	75	1	-5	-2	-1	1	3.2	-1	0.7	-2	130	52	2.94	-100	-10	-200	-2	0.3	4.0
306	76	1	-5	-2	-1	-1	3.9	13	0.9	-2	180	91	5.15	-100	-10	290	-2	-0.2	5.6
307	77	3	-5	-2	-1	1	6.7	6	2.0	-2	150	81	2.62	-100	-10	-200	-2	-0.2	5.3
308	77	4	-5	-2	-1	-1	4.7	6	1.3	-2	-100	60	1.50	-100	-10	300	-2	-0.2	3.8
309	78	6	-5	-2	-1	-1	4.0	4	0.7	-2	130	62	4.65	-100	-10	-200	-2	-0.2	4.1
310	79	3	-5	-2	-1	-1	3.6	2	0.9	-2	-100	70	4.37	-100	-10	-200	-2	-0.2	4.4
311	80	2	-5	-2	-1	1	2.7	4	0.7	-2	300	42	0.38	-100	-10	230	-2	0.3	4.0
312	81	1	-5	-2	1	-1	3.5	-1	0.7	-2	100	58	3.68	-100	-10	220	-2	-0.2	3.8
313	82	13	-5	-2	-1	-1	6.6	2	1.3	-2	120	74	2.61	-100	-10	-200	-2	-0.2	5.4
314	83	2	-5	-2	-1	-1	3.7	2	0.9	-2	110	78	3.72	-100	-10	-200	-2	-0.2	4.9
315	84	8	-5	-2	-1	1	6.3	3	1.6	-2	130	58	2.04	-100	-10	300	-2	0.2	3.9
316	85	10	-5	-2	-1	-1	5.2	1	1.2	-2	140	70	0.85	-100	-10	230	-2	-0.2	5.0
317	86	6	-5	-2	1	1	0.7	-1	-0.2	2	160	46	1.90	-100	-10	270	-2	0.4	4.3
318	87	4	-5	-2	1	1	0.8	-1	0.3	4	180	34	2.37	-100	-10	340	-2	0.7	4.0
319	88	7	-5	-2	1	1	18.0	2	5.0	3	910	62	2.41	-100	-10	-200	-2	0.5	3.5
320	89	11	-5	-2	-1	1	1.8	-1	0.4	3	-100	26	2.20	-100	11	-200	-2	0.4	2.8
321	90	15	-5	-2	-1	1	3.2	2	0.7	-2	510	48	1.00	-100	-10	260	-2	0.3	3.3
322	91	8	-5	-2	-1	1	0.4	-1	-0.2	3	180	19	1.70	-100	-10	-200	-2	0.6	2.9
323	92	4	-5	-2	1	2	2.8	-1	0.7	6	200	62	2.96	-100	-10	510	-2	1.0	6.8
324	93	7	-5	-2	1	1	1.3	2	0.4	-2	120	21	3.11	-100	-10	280	-2	0.3	3.3
325	94	8	-5	-2	1	1	0.9	4	-0.2	3	140	23	2.83	-100	-10	-200	-2	0.5	3.4
326	95	6	-5	-2	1	1	1.0	-1	-0.2	3	110	25	2.28	-100	-10	280	-2	0.4	3.1
327	96	17	-5	-2	1	1	0.5	-1	0.2	3	110	38	1.70	-100	-10	360	-2	0.4	6.1
328	97	17	-5	-4	-1	1	2.1	-2	0.4	3	150	19	1.90	-100	-10	-440	4	0.4	4.4
329	98	13	-5	-2	-1	1	1.5	-1	0.3	-2	-100	22	2.00	-100	-10	-200	2	0.2	3.0
330	99	5	-5	-2	1	1	1.0	-1	0.3	2	200	25	1.40	-100	-10	-200	-2	0.3	4.1
331	100	19	-5	-2	-1	1	0.8	-1	-0.2	2	130	30	2.13	-100	-10	520	2	0.4	5.1
332	101	16	-5	-2	1	1	2.8	-1	0.5	3	230	41	0.64	-100	-10	-200	-2	0.4	5.5
333	102	14	-5	-2	1	1	1.1	-1	0.3	-2	140	21	3.14	-100	-10	-200	3	0.3	2.9
334	103	18	-5	-2	1	1	0.3	-2	-0.2	3	150	19	1.40	-100	-10	-400	-2	0.5	4.8
335	104	20	-5	-2	-1	1	5.5	-1	1.5	-2	-100	41	2.47	-100	-10	-200	-2	-0.2	4.0
336	105	9	-5	-4	-1	1	0.8	-2	-0.2	3	160	14	2.30	-100	-10	-450	-2	0.5	4.5
337	107	23	-5	-2	1	1	7.9	2	2.1	2	-100	54	2.63	-100	-10	-200	-2	0.4	5.6
338	108	14	-5	-2	-1	1	3.5	-1	0.9	-2	130	38	3.08	-100	-10	-200	-2	0.2	4.6
339	109	20	-5	-2	1	1	7.0	-1	2.1	2	110	58	2.67	-100	-10	540	-2	0.2	5.6
340	110	13	-5	-2	1	1	8.1	-2	2.2	-2	-100	57	2.67	-100	-10	-200	-2	0.2	5.6

ge 3 of BURNT BUSH MINOR ELEMENTS >> BEDROCK << [87/12/22] B






Record	Hole no	Sample no	Se ppm	Ag ppm	Ta ppm	Tb ppm	Th ppm	W ppm	U ppm	Yb ppm	Zn ppm	Ce ppm	Na Z	Sn ppm	Te ppm	Zr ppm	Br ppm	Lu ppm	Sm ppm
341	111	12	-5	-2	1	-1	8.0	-2	2.2	-2	130	69	4.26	-100	-10	580	-2	-0.2	5.3
342	112	7	-5	-2	1	1	8.8	3	2.2	-2	170	45	2.37	-100	-10	-420	-2	0.3	5.7
343	113	13	-5	-2	-1	1	4.8	-1	1.4	-2	-100	44	3.69	-100	-10	-200	-2	0.2	4.4
344	114	14	-5	-2	-1	-1	4.8	-1	1.2	-2	120	36	3.19	-100	-10	-200	2	0.3	3.8
345	114	15	-5	-2	1	1	3.8	-1	1.1	-2	320	37	3.51	-100	-10	-200	-2	-0.2	3.3
346	115	18	-5	-2	-1	-1	3.1	49	1.2	-2	-100	21	2.70	-100	-10	-200	3	-0.2	2.1
347	116	5	-5	-2	1	1	14.0	-2	3.5	-2	150	76	3.18	-100	-10	-470	-2	0.4	5.8
348	117	6	-5	-4	1	1	9.1	-2	2.5	2	150	66	3.64	-100	-10	470	2	0.4	6.3
349	118	8	-5	-2	1	1	7.2	-1	2.0	-2	-100	41	2.48	-100	-10	-200	-2	0.3	4.5
350	119	2	-5	-2	-1	1	5.1	-2	1.4	-2	140	61	3.63	-100	-10	-420	2	0.4	5.3
351	120	2	-5	-2	1	1	5.5	-1	1.7	2	170	55	3.21	-100	-10	480	-2	0.4	5.8
352	121	2	-5	-2	1	1	9.0	-1	2.3	-2	110	64	2.37	-100	-10	390	-2	0.4	6.1
353	122	10	-5	-2	1	-1	8.7	-2	2.1	-2	120	69	3.39	-100	-10	-260	2	0.3	6.0
354	123	7	-5	-2	-1	1	3.4	-1	1.0	-2	150	38	3.78	-100	-10	-200	-2	-0.2	3.7
355	124	17	-5	-2	-1	1	2.7	6	0.8	-2	-100	37	3.83	-100	-10	-400	3	0.2	5.5
356	126	6	-5	-2	1	1	3.2	2	0.9	-2	120	30	3.36	-100	-10	-200	2	0.3	3.1
357	127	21	-5	-2	1	-1	5.4	-1	1.2	-2	-100	40	2.48	-100	-10	340	-2	-0.2	3.7
358	128	17	-5	-2	1	1	5.4	-1	1.1	-2	130	41	2.94	-100	-10	-200	2	-0.2	3.9
359	129	11	-5	-2	1	-1	5.0	-1	0.9	2	130	34	2.95	-100	-10	-200	3	0.2	3.7
360	130	11	-5	-2	-1	-1	4.0	-1	1.0	-2	150	46	3.33	-100	-10	-200	-2	0.2	4.3
361	131	8	-5	-2	-1	1	0.8	-1	-0.2	-2	-100	25	0.64	-100	-10	-200	-2	0.3	4.7
362	131	9	-5	-2	1	1	0.8	371	0.4	2	150	25	1.30	-100	-10	-440	-2	0.5	5.2
363	132	8	-5	-2	-1	1	0.8	-1	-0.2	2	-100	29	1.90	-100	-10	-200	-2	0.4	4.3
364	132	9	-5	-2	1	1	1.0	12	-0.2	3	130	34	3.50	-100	-10	-450	3	0.4	5.4
365	133	2	-5	-2	1	1	0.9	-2	0.3	3	180	28	2.44	-100	-10	-440	-2	0.4	4.8
131	JL-40-1	0	-5	-2	-1	0	0.5	-1	-0.2	-2	110	-9	-9.00	-9	-9	-9	-9	-9.0	-9.0








WEATHER LOG

As has been done in the past, a weather log is included for interest only.






FICHE DE TEMPÉRATURE

<u>DATE</u>	<u>HEURE</u>						<u>MAX.</u>	<u>MIN.</u>	<u>R E M A R Q U E S</u>
24/02	08 h	X							
	18 h	X					-2		les températures viennent du camp
25/02	08 h	X							Newmont
	18 h	X							
26/02	08 h	X							
	18 h	X					+3		
27/02	08 h	X							
	18 h	X					+8		
28/02	08 h			X		X			very light snow, but it is colder
	18 h	X							
01/03	08 h		X						strong wind, cold
	18 h			X					
02/03	08 h			X		X			accumulation overnight ≈8 cm
	18 h			X		X			
03/03	08 h			X		X			
	18 h			X		X			total accum. ≈20-25 cm
04/03	08 h	X							
	18 h	X							
05/03	08 h	X							
	18 h		X						
06/03	08 h		X						
	18 h			X		X			wet snow






FICHE DE TEMPÉRATURE

<u>DATE</u>	<u>HEURE</u>						<u>MAX.</u>	<u>MIN.</u>	<u>REMARQUES</u>
07/03	08 h			X					
	18 h	X							very warm today
08/03	08 h			X		X			very light snow, no accumulation
	18 h		X			X			very light snow, no accumulation
09/03	08 h	X							very cold this morning
	18 h	X							
10/03	08 h	X							extremely cold $\approx -25^{\circ}\text{C}$ ?
	18 h	X							
11/03	08 h	X							
	18 h			X					
12/03	08 h					X			
	18 h	X							
13/03	08 h	X							} cold nights, warm days eg $\approx -20^{\circ}\text{C}$ , $-2^{\circ}\text{C}$
	18 h	X							
14/03	08 h	X							} full moon
	18 h	X							
15/03	08 h	X							
	18 h	X							
16/03	08 h	X							
	18 h	X							
17/03	08 h	X							
	18 h	X							






FICHE DE TEMPÉRATURE

<u>DATE</u>	<u>HEURE</u>						<u>MAX.</u>	<u>MIN.</u>	<u>R E M A R Q U E S</u>
18/03	08 h	X							
	18 h	X							
19/03	08 h	X							
	18 h	X							
20/03	08 h	X							
	18 h	X							
21/03	08 h	X							
	18 h	X							
22/03	08 h	X							Timmins broke record for light temp.
	18 h	X							for this day 22/3; today 16 <sup>o</sup> C, pre-
23/03	08 h	X							vious record 1919 at 13 <sup>o</sup> C
	18 h	X							
24/03	08 h	X							
	18 h	X							
25/03	08 h	X							
	18 h			X					rain after 9 pm
26/03	08 h			X					foggy
	18 h			X					
27/03	08 h			X					very minor light snow on ground
	18 h			X					
28/03	08 h			X					very minor light snow on ground
	18 h				X				light rain all day






FICHE DE TEMPÉRATURE


<u>DATE</u>	<u>HEURE</u>						<u>MAX.</u>	<u>MIN.</u>	<u>REMARQUES</u>
29/03	08 h			X					
	18 h					X			
30/03	08 h			X					accum. ≈10 cm
	18 h			X		X			
31/03	08 h			X		X			
	18 h		X						
01/04	08 h	X							
	18 h		X			X			
02/04	08 h		X			X			
	18 h		X						
03/04	08 h	X							
	18 h	X							
04/04	08 h	X							
	18 h	X							
05/04	08 h	X							
	18 h	X							
06/04	18 h	X							

FICHE DE TEMPÉRATURE

<u>DATE</u>	<u>HEURE</u>						<u>MAX.</u>	<u>MIN.</u>	<u>R E M A R Q U E S</u>
03/06			PM	AM	nuit				
04/06		AM	PM						
05/06			AM/PM		nuit				
06/06		AM/PM							
07/06			AM/PM		nuit				
08/06			PM	PM/nuit	AM				matin pluvieux (frais)
09/06		PM		AM					matin frais (fumée)
10/06		AM	PM						matin frais; plusieurs averses PM
11/06			AM	PM	nuit				
12/06		soir	PM	AM					
13/06		AM/PM							
14/06		AM	PM		midi				
15/06		AM/PM			nuit				
16/06		AM/PM			AM tôt				
17/06		AM/PM							
18/06			AM	PM	PM				thunder showers
19/06		AM/PM							
20/06		AM/PM							
21/06		AM/PM							
22/06		AM/PM							
23/06		AM	PM						
24/06		AM	PM	PM	PM				thunder showers

FICHE DE TEMPÉRATURE

<u>DATE</u>	<u>HEURE</u>						<u>MAX.</u>	<u>MIN.</u>	<u>REMARQUES</u>
25/06		AM	PM	PM					thunder showers
26/06			PM	PM	AM				thunder showers
27/06			AM	PM	PM				thunder showers
28/06		AM	PM	PM					
29/06		AM	PM		soir				
30/06			PM	AM	AM				
01/07		PM	AM						
02/07		AM	PM	PM					
03/07				AM	PM				
04/07			PM	AM					
05/07		PM	AM						
06/07		AM	PM						
07/07		AM	PM						
08/07		AM	PM						morning fog
09/07			PM	AM	nuit				
10/07				AM	AM				
11/07		AM	PM		soir/nuit				steady heavy rain all night - minor
12/07				AM/PM	soir/nuit				thunder lightning " "
13/07				AM/PM					
14/07			PM	AM					
15/07			AM						




**LEGEND**

HIGHWAY AND ROUTE No.	
OTHER ROADS	
TRAILS	
SURVEYED LINES	
TOWNSHIPS, BASE LINES, ETC.	
LOTS, MINING CLAIMS, PARCELS, ETC.	
UNSURVEYED LINES	
LOT LINES	
PARCEL BOUNDARY	
MINING CLAIMS ETC.	
RAILWAY AND RIGHT OF WAY	
UTILITY LINES	
NON-PERENNIAL STREAM	
FLOODING OR FLOODING RIGHTS	
SUBDIVISION OR COMPOSITE PLAN	
RESERVATIONS	
ORIGINAL SHORELINE	
MARSH OR MUSKEG	
MINES	
TRAVERSE MONUMENT	

**DISPOSITION OF CROWN LANDS**

TYPE OF DOCUMENT	SYMBOL
PATENT, SURFACE & MINING RIGHTS	
" SURFACE RIGHTS ONLY	
" MINING RIGHTS ONLY	
LEASE SURFACE & MINING RIGHTS	
" SURFACE RIGHTS ONLY	
" MINING RIGHTS ONLY	
LICENCE OF OCCUPATION	
ORDER IN COUNCIL	
RESERVATION	
CANCELLED	
SAND & GRAVEL	

NOTE: MINING RIGHTS IN PARCELS PATENTED PRIOR TO MAY 6 1975 VESTED IN ORIGINAL PATENTEES BY THE PUBLIC LANDS ACT, R.S.O. 1970, CHAP. 340, SEC. 63, SUBSEC. 1



HOBLITZELL TOWNSHIP


BRADETTE TOWNSHIP

DATE OF ISSUE  
SEP 4 1987  
LAND'S TITLE REGISTRY DIVISION

TOWNSHIP  
**NOSEWORTHY**  
M.N.R. ADMINISTRATIVE DISTRICT  
**COCHRANE**  
MINING DIVISION  
**LARDER LAKE**  
LAND TITLES / REGISTRY DIVISION  
**COCHRANE**

Ministry of Natural Resources and Mines  
Ontario  
Date SEPTEMBER, 1986






**LEGEND**

HIGHWAY AND ROUTE No.	
OTHER ROADS	
TRAILS	
SURVEYED LINES	
TOWNSHIP, RANGE LINES, ETC.	
LOTS, MINING CLAIMS, PARCELS, ETC.	
UNSURVEYED LINES	
LOT LINES	
PARCEL BOUNDARY	
MINING CLAIMS, ETC.	
RAILWAY AND RIGHT OF WAY	
UTILITY LINES	
NON PERENNIAL STREAM	
FLOODING OR FLOODING RIGHTS	
SUBDIVISION OR COMPOSITE PLAN	
RESERVATIONS	
ORIGINAL SHORELINE	
MARSH OR MUSKEG	
MINES	
TRAVERSE MONUMENT	

**DISPOSITION OF CROWN LANDS**

TYPE OF DOCUMENT	SYMBOL
PATENT, SURFACE & MINING RIGHTS	
" SURFACE RIGHTS ONLY	
" MINING RIGHTS ONLY	
LEASE, SURFACE & MINING RIGHTS	
" SURFACE RIGHTS ONLY	
" MINING RIGHTS ONLY	
LICENCE OF OCCUPATION	
ORDER IN COUNCIL	
RESERVATION	
CANCELLED	
SAND & GRAVEL	

NOTE: MINING RIGHTS IN PARCELS PATENTED PRIOR TO MAY 4, 1812, VESTED IN ORIGINAL PATENTEE BY THE PUBLIC LANDS ACT, R.S.O. 1910, CHAP. 340, SEC. 83, SUBSEC. 1.



BLAKELOCK TOWNSHIP

NOSEWORTHY TOWNSHIP

HOPKINSON

2-10257


DATE OF ISSUE  
SEP 11 1987  
LARDER LAKE  
MINING RECORDER'S OFFICE

Rec'd Nov 13, 1986

**HOBLOITZELL**  
M.N.R. ADMINISTRATIVE DISTRICT  
COCHRANE  
MINING DIVISION  
LARDER LAKE  
LAND TITLES / REGISTRY DIVISION  
COCHRANE



Ministry of Natural Resources  
Ontario

Date OCTOBER 1986



G-3518





**COGEMA** Canada  
 SCALE 1:50,000  
 METERS  
 0 100 200 300 400 500 600 700 800 900 1000  
 FEET  
 0 100 200 300 400 500 600 700 800 900 1000

**BURNBUSH RIVER PROJECT**

LOCATION OF DRILL HOLES  
 AND KEY TO SECTIONS

DATE: 2/19/57

APPROVED BY: J. L. LEVY  
 DRAWN BY: B. G. CLINE

DATE: 12/27/56  
 DRAWN BY: B. G. CLINE

MAP NO. 1



SW

A'

LEGEND\*

ORGANICS

COCHRANE TILL (and sediments)

Gravel rich till (result of erosion of Ojibway II aster)

OJIBWAY II SEDIMENTS

5c Glaciolacustrine clay member (fine sands)

5b Glaciolacustrine sand member (fine sands)

5a Glaciolacustrine member (coarse sand and gravel)

Note: members may be mixed and/or interbedded

MATHESON TILL

Very clayey till

Very sandy till, or sandy, gravelly till

Minor pure clay, sorted sandy or gravel sections

MISSISSAUGI SEDIMENTS

3c Glaciolacustrine clay, and/or fine sand member

3b Fluvial member (coarse sand and/or gravel)

3a Fluvial member (coarse sand and/or gravel)

Note: members may be mixed and/or interbedded

LOWER TILL

Very clayey till

Minor sorted gravel section

OLDER SEDIMENTS ?

SYMBOLS

Drill hole number

Trace of drill hole

Overburden sample with no gold grains

Boulder which was sampled (mineralization present)

Sample with one gold grain

Interval not sampled (clay, boulder, etc.)

Overburden sample with 3 gold grains

Bedrock surface

Bedrock sample with Au result

NE

(m)

- 290

- 280

- 270

- 260

- 250

- 240

- 230

23

22

17

16

15

4

3

2

1

<2ppb

<2ppb

<2ppb

4ppb

4ppb

3ppb

<2ppb

5ppb

4ppb

1

2

3

4

5

6

4

2

1

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

2ppb

3ppb

4ppb

5ppb

4ppb

3ppb

4ppb

5ppb

4ppb

**SYMBOLS**

**LEGEND\***

**ORGANICS**

**6 COCHRANE TILL (and sediments)**

**5 OUBWAY #1 SEDIMENTS**

**4 MATHESON TILL**

**3 MISNABI SEDIMENTS**

**2 LOWER TILL**

**1 OLDER SEDIMENTS ?**

**23**

- Drill hole number
- Trace of spill hole
- Overburden sample with no gold grains
- Boulder which was sampled (intercalation present)
- Sample with one gold grain
- Internal not sampled (clay, boulder, etc.)
- Overburden sample with 3 gold grains
- Bedrock surface
- Bedrock sample with Au result

- Gravel rich till
- Result of erosion of Oubway #1 sester?

- 3c Glaciolacustrine clay member (fine sand)
- 3b Glaciolacustrine clay member (medium sand and gravel)
- 3a Glaciolacustrine clay member (coarse sand and gravel)
- Note: members may be mixed and/or interbedded

- Very clayey till
- Very sandy till or sandy, gravelly till
- Minor pure clay, sorted sandy or gravel sections

- 3c Glaciolacustrine clay member (fine sand)
- 3b Glaciolacustrine clay member (medium sand and gravel)
- 3a Glaciolacustrine clay member (coarse sand and gravel)
- Note: members may be mixed and/or interbedded

- Very clayey till
- Minor sorted gravel section

- OLDER SEDIMENTS ?

- Drill hole number
- Trace of spill hole
- Overburden sample with no gold grains
- Boulder which was sampled (intercalation present)
- Sample with one gold grain
- Internal not sampled (clay, boulder, etc.)
- Overburden sample with 3 gold grains
- Bedrock surface
- Bedrock sample with Au result

NE

(m)

- 280

- 280

- 270

- 260

- 250

- 240

- 230

SW

(m)

290 -

280 -


270 -

260 -

250 -

240 -

230 -



COGEMA CANADA LTD

BURNTBUSH RIVER PROJECT

2/10/57

QUATERNARY SECTION

B - B'

Interpretation: J. Leorn, R. Sh-veem

Report no. 87-CND-47-04

MAP 3

1987

240

HORIZONTAL SCALE 1:5000

VERTICAL SCALE 1:500

VERTICAL EXAGGERATION 10X

\* Quaternary stratigraphy presented is field interpretation, see text.

100m


10m

0m

100m

10m

0m



NE

C

C'

(m)

290 -

280 -

270 -

260 -

250 -

240 -

230 -

220 -

210 -

200 -

190 -

180 -

170 -

160 -

230 -

220 -

210 -

200 -

190 -

180 -

170 -

160 -

150 -

140 -

130 -

120 -

110 -

100 -

90 -

80 -

70 -

60 -

50 -

40 -

30 -

20 -

10 -

0 -

-10 -

-20 -

-30 -

-40 -

-50 -

-60 -

-70 -

-80 -

-90 -

-100 -

-110 -

-120 -

-130 -

-140 -

-150 -

-160 -

-170 -

-180 -

-190 -

-200 -

-210 -

-220 -

-230 -

-240 -

-250 -

-260 -

-270 -

-280 -

-290 -

-300 -

-310 -

-320 -

-330 -

-340 -

-350 -

-360 -

-370 -

-380 -

-390 -

-400 -

-410 -

-420 -

-430 -

-440 -

-450 -

-460 -

-470 -

-480 -

-490 -

-500 -

-510 -

-520 -

-530 -

-540 -

-550 -

-560 -

-570 -

-580 -

-590 -

-600 -

-610 -

-620 -

-630 -

-640 -

-650 -

-660 -

-670 -

-680 -

-690 -

-700 -

-710 -

-720 -

-730 -

-740 -

-750 -

-760 -

-770 -

-780 -

-790 -

-800 -

-810 -

-820 -

-830 -

-840 -

-850 -

-860 -

-870 -

-880 -

-890 -

-900 -

-910 -

-920 -

-930 -

-940 -

-950 -

-960 -

-970 -

-980 -

-990 -

-1000 -

-1010 -

-1020 -

-1030 -

-1040 -

-1050 -

-1060 -

-1070 -

-1080 -

-1090 -

-1100 -

-1110 -

-1120 -

-1130 -

-1140 -

-1150 -

-1160 -

-1170 -

-1180 -

-1190 -

-1200 -

-1210 -

-1220 -

-1230 -

-1240 -

-1250 -

-1260 -

-1270 -

-1280 -

-1290 -

-1300 -

-1310 -

-1320 -

-1330 -

-1340 -

-1350 -

-1360 -

-1370 -

-1380 -

-1390 -

-1400 -

-1410 -

-1420 -

-1430 -

-1440 -

-1450 -

-1460 -

-1470 -

-1480 -

-1490 -

-1500 -

-1510 -

-1520 -

-1530 -

-1540 -

-1550 -

-1560 -

-1570 -

-1580 -

-1590 -

-1600 -

-1610 -

-1620 -

-1630 -

-1640 -

-1650 -

-1660 -

-1670 -

-1680 -

-1690 -

-1700 -

-1710 -

-1720 -

-1730 -

-1740 -

-1750 -

-1760 -

-1770 -

-1780 -

-1790 -

-1800 -

-1810 -

-1820 -

-1830 -

-1840 -

-1850 -

-1860 -

-1870 -

-1880 -

-1890 -

-1900 -

-1910 -

-1920 -

-1930 -

-1940 -

-1950 -

-1960 -

-1970 -

-1980 -

-1990 -

-2000 -

-2010 -

-2020 -

-2030 -

-2040 -

-2050 -

-2060 -

-2070 -

-2080 -

-2090 -

-2100 -

-2110 -

-2120 -

-2130 -

-2140 -

-2150 -

-2160 -

-2170 -

-2180 -

-2190 -

-2200 -

-2210 -

-2220 -

-2230 -

-2240 -

-2250 -

-2260 -

-2270 -

-2280 -

-2290 -

-2300 -

-2310 -

-2320 -

-2330 -

-2340 -

-2350 -

-2360 -

-2370 -

-2380 -

-2390 -

-2400 -

-2410 -

-2420 -

-2430 -

-2440 -

-2450 -

-2460 -

-2470 -

-2480 -

-2490 -







**LEGEND\***

- SYMBOLS**
- 23 Drill hole number
  - Trace of drill hole
  - Overburden sample with no gold grains
  - Boulder, which was sampled (mineralization present)
  - Sample with one gold grain
  - Interval not sampled (clay, boulder etc.)
  - Overburden sample with 3 gold grains
  - Bedrock surface
  - 2ppb
- LEGEND\***
- ORGANICS**
- 6 COCHRANE TILL (sand sediments)
    - Gravel rich till
    - Result of erosion of Olway II esker?
  - 5 OJWAY II SEDIMENTS
    - 5c: Glaciolacustrine clay member
    - 5b: Glaciolacustrine sand member (fine sands)
    - 5a: Glaciolacustrine silt member (fine silts)
    - Note: members may be mixed and/or interbedded
  - 4 MATHESON TILL
    - Very clayey till
    - Very sandy till, or sandy, gravelly till
    - Minor pure clay, sorted sandy or gravel sections
  - 3 MISSISSAUGA SEDIMENTS
    - 3c: Glaciolacustrine clay and/or fine sand member
    - 3b: Glaciolacustrine silt member
    - 3a: Glaciolacustrine silt member
    - Note: members may be mixed and/or interbedded
  - 2 LOWER TILL
    - Very clayey till
    - Minor sorted gravel section
  - 1 OLDER SEDIMENTS ?

**SYMBOLS**


- 23 Drill hole number
- Trace of drill hole
- Overburden sample with no gold grains
- Boulder, which was sampled (mineralization present)
- Sample with one gold grain
- Interval not sampled (clay, boulder etc.)
- Overburden sample with 3 gold grains
- Bedrock surface
- 2ppb

**SYMBOLS**

- 23 Drill hole number
- Trace of drill hole
- Overburden sample with no gold grains
- Boulder, which was sampled (mineralization present)
- Sample with one gold grain
- Interval not sampled (clay, boulder etc.)
- Overburden sample with 3 gold grains
- Bedrock surface
- 2ppb

**SYMBOLS**

- 23 Drill hole number
- Trace of drill hole
- Overburden sample with no gold grains
- Boulder, which was sampled (mineralization present)
- Sample with one gold grain
- Interval not sampled (clay, boulder etc.)
- Overburden sample with 3 gold grains
- Bedrock surface
- 2ppb



**SYMBOLS**

- 23 Drill hole number
- Trace of drill hole
- Overburden sample with no gold grains
- Boulder, which was sampled (mineralization present)
- Sample with one gold grain
- Interval not sampled (clay, boulder etc.)
- Overburden sample with 3 gold grains
- Bedrock surface
- 2ppb

**SYMBOLS**

- 23 Drill hole number
- Trace of drill hole
- Overburden sample with no gold grains
- Boulder, which was sampled (mineralization present)
- Sample with one gold grain
- Interval not sampled (clay, boulder etc.)
- Overburden sample with 3 gold grains
- Bedrock surface
- 2ppb

**SYMBOLS**

- 23 Drill hole number
- Trace of drill hole
- Overburden sample with no gold grains
- Boulder, which was sampled (mineralization present)
- Sample with one gold grain
- Interval not sampled (clay, boulder etc.)
- Overburden sample with 3 gold grains
- Bedrock surface
- 2ppb

**SYMBOLS**

- 23 Drill hole number
- Trace of drill hole
- Overburden sample with no gold grains
- Boulder, which was sampled (mineralization present)
- Sample with one gold grain
- Interval not sampled (clay, boulder etc.)
- Overburden sample with 3 gold grains
- Bedrock surface
- 2ppb

**SYMBOLS**

- 23 Drill hole number
- Trace of drill hole
- Overburden sample with no gold grains
- Boulder, which was sampled (mineralization present)
- Sample with one gold grain
- Interval not sampled (clay, boulder etc.)
- Overburden sample with 3 gold grains
- Bedrock surface
- 2ppb

COGEMA CANADA LTD  
2/10/87  
BURNTUSH RIVER PROJECT

QUATERNARY SECTION  
F - F'

Investigator: J. Leorn, R. St-Jean  
1987  
Report no. 87-CND-47-04  
MAP: 7

\* Quaternary stratigraphy presented is field interpretation; see text.


HORIZONTAL SCALE 1:5000  
VERTICAL SCALE 1:500  
VERTICAL EXAGGERATION 10X

100m  
10m



280





COSEMA CANADA LTD

**BURNTBUSH RIVER PROJECT**

**QUATERNARY SECTION**

**G - G'**

Interpretation: J. Leorn, R. St-Jean 1987





















Report no. 87-CND-47-04 MAP: 8



LEGEND\*

- SYMBOLS**
- Drill hole number
  - Trace of drill hole
  - Overburden sample with no gold grains
  - Boulder which was sampled (mineralization present)
  - Sample with one gold grain
  - Interval not sampled (clay, boulder etc.)
  - Overburden sample with 3 gold grains
  - Bedrock surface
  - Bedrock sample with Au result

- LEGEND\***
- ORGANICS**
- 6 COCHRANE TILL (and sediments)
- Gravel rich fill (result of erosion of Ojibway II esker)
- 5 OJIBWAY II SEDIMENTS
- 5c Glaciolacustrine clay member
  - 5b Glaciolacustrine sand member (fine sands)
  - 5a Glaciolacustrine (coarse sand and/or gravel)
  - Note: members may be mixed and/or interbedded
- 4 MATHESON TILL
- Very clayey till
  - Very sandy fill, or sandy, gravelly fill
  - Minor pure clay, sorted sandy or gravel sections
- 3 MISSISSAUGA SEDIMENTS
- 3c Glaciolacustrine (clay and/or fine sand) member
  - 3a Fluvial member (coarse sand and/or gravel)
  - Note: members may be mixed and/or interbedded
- 2 LOWER TILL
- Very clayey till
  - Minor sorted gravel section
- 1 OLDER SEDIMENTS ?





**LEGEND**



MG Metagabbro  
 BS Basalt  
 A Amphibole  
 XT Felsic crystal tufts  
 FV Felsic to intermediate metavolcanics  
 MV Metic to intermediate metavolcanics

**GEOCHEMISTRY SYMBOLS**

▲ 5-9 ppb Au  
 △ 10-19 ppb Au  
 ▽ 20-99 ppb Au

**SYMBOLS**

○ Outcrop  
 — Strike and dip of foliation  
 —→ Fault, At fault and plunges of minor fold axes  
 ○ Diamond drill hole, active  
 (circle by previous claimholder)  
 • Reverse circulation drill hole  
 (JB-7 Trench 1)  
 (JB-2 Trench 2) Outcrops referred to in text



**COGEMA Canada**  
 Limited  
 1700-1700

**BURNT BUSH RIVER PROJECT**

**GEOLOGY AND GOLD GEOCHEMISTRY OF  
 BEDROCK CHIP SAMPLES FROM  
 REVERSE CIRCULATION DRILLING**

Prepared by: J. L. ...  
 Date: 1/88  
 Project No: 87-00-47-04  
 Map No: 10

