



Diamond Drilling

010


Township of DUNDONALD

Report NO 11

Work performed by: Noranda Mines

Claim NO	Hole NO	Footage	Date	Note
L 58442	3	500.0'	Aug/54	

Notes:



SW 1/4 N 2 1/2 Lot  
 21 Con 3  
D. J. Hall

SKETCH OF LOCATION OF  
 DDH. # 3. SEPT. 1954  
 ALEXO PROP.

RHS

D. D. H. No. 3

Lat. 34.00 Dip. 50° Elev. \_\_\_\_\_ Start Aug. 21, 1954  
 Dep. 3.50S Bearing South Depth 500 ft. End Sept. 15, 1954

Foot	Grade	Core Recy	Rock	Mineralization	No.	Length	% Du	Remarks
0 - 230			CASING					
234.7			SEDIMENT - Greywacke, med. gray green med. grain coat. ovoidal grains of black material. Graphitic? about 1 M/M.					
			230.8' - 231' fine grain top south facing at 50°.					
			232.4' - 234.6' fine grained top south facing.					
			234.7' very tight contact closely cemented at 45°.					
234.7 - 350.9			ANDERITE, PILLOWED AMIGDALOIDAL Med. gray green, Med. grain generally even textured containing pale green pillow marg. with some foamy appearance. Fine white amigd. from 1 to 3 M/M intermediate silicate at 232.6 1" pillow marg. Pale green with some black graphitic some what angular material at north margin. At 65° 239.8 Pale gray marg. 240.6 1/2" marg. as above 70° at 241.5 pillow marg. at 45° At 244.2 2' pillow marg. Giving toward marg. at 242.9 Both at 50° At 248.4 1" pillow marg. at 45°.					

3-1-91

D. D. H. No. 3

Lat. 0400 Dip. 50° Elev. \_\_\_\_\_ Start Aug. 21, 1954  
 Dep. 34500 Bearing South Depth 500 ft. End Sept. 10, 1954

Foot	Grade	Core Rec'y	Rock	Mineralization	No.	Length	% Uu	Remarks
			Cont'd.					
			From 268 Slightly more					
			siliceous paler green high					
			intermediate fairly frequent					
			fine amygd 1-3 M/M pillow					
			Marg. wider, at 269.8 4"					
			dark gray pillow Marg.					
			At 266 3/4" white Q at 80°					
			At 266.3 1" white Q at 20°					
			At 275 to 276 pillow marg.					
			with rounded Breccia					
			269.6 to 276 rather ragged appearance.					
			At 282.2 1" pillow marg. at 90°					
			At 282.4 pillow marg. at 50°					
			At 283.1 Pillow Marg. at 80°					
			At 289 Pillow Marg. at 45° and 70°					
			Pillow Marg. at 290 8"					
			Pillow Marg. At 291.3 1/2" at 45°					
			Pillow Marg. at 291.5 1/2" at 45°					
			Pillow Marg. at 292.1 2" at 60°					
			Scatt. pillow marg. at intervals					
			315.2 - 317.2 Ground core					
			321 to 323 Ground core					
			326 to 329 Ground core					
			At 343.7 to 349.7 ground core					
			350.6 to 350.9 dark ray					
			Pillow marg. at 50° forming					
			Contact with following					
350.9 -			ANDASITE ? INTERMEDIATE					
401.3			Med. green gray, med. coarse					
			grain with abundant lighter					
			gray flacking with indistinct					



