



52J07NE8833 2.11745 JUTTEN

010

GEOLOGICAL, GEOCHEMICAL AND GEOPHYSICAL
ASSESSMENT REPORT ON THE
CAT TRACK GOLD PROPERTY
SAVANT LAKE AREA, ONTARIO

LOCATION:

PATRICIA MINING DIVISION,
POISSON & JUTHEN TWPS.
N.T.S.: 52J/8
LATITUDE: 50° 24' 21"N.
LONGITUDE: 90° 26' 24"W.

CLAIMS:

794695, 794696 & 794698 TO 794700
959601 TO 959610
1054188 TO 1054201
1054328

no work reported

RECEIVED

OCT 25 1988

REPORT FOR:

GOLDEN PEAKS RESOURCES LTD.
1013-837 WEST HASTINGS STREET
VANCOUVER, B.C. V6C 1B6


MINING LANDS SECTION

PREPARED BY:

Peter A. Christopher Ph.D., P.Eng.
PETER CHRISTOPHER AND ASSOCIATES INC.
3707 WEST 34TH AVENUE,
VANCOUVER, B.C. V6N 2K9



SEPTEMBER 24, 1988



52J07NE8833 2.11745 JUTTEN

010C

TABLE OF CONTENTS

	PAGE
SUMMARY	i
INTRODUCTION	1
LOCATION AND ACCESS	1
PROPERTY DEFINITION	1
HISTORY	2
1988 WORK PROGRAM	3
GEOLOGY	4
MINERALIZATION	5
GEOCHEMICAL PROGRAM	6
GEOPHYSICAL PROGRAM	7
DISCUSSION	8
CONCLUSIONS AND RECOMMENDATIONS	8
COST ESTIMATES	9
BIBLIOGRAPHY	10
CERTIFICATE	11
CONSENT LETTER	

APPENDIX A. CERTIFICATE OF ANALYSIS
STATISTICAL ANALYSIS

APPENDIX B. COST STATEMENT

LIST OF TABLES

TABLE 1. PERTINENT CLAIM DATA	2
TABLE 2. DESCRIPTION OF WRITER'S SAMPLES	6
TABLE 3. SAMPLE RESULTS	6

LIST OF ILLUSTRATIONS

	AFTER PAGE
FIGURE 1: LOCATION MAP	1
FIGURE 2: CLAIM MAP	1
FIGURE 3: GEOLOGY MAIN GRID	(IN POCKET)
FIGURE 4: TRENCH PLAN	(IN POCKET)
FIGURE 5A: GEOCHEMICAL PLAN AU;AS	(IN POCKET)
FIGURE 6: GEOCHEMICAL PLAN CU;ZN	(IN POCKET)
FIGURE 7: VLF-EM PLAN	(IN POCKET)
FIGURE 8: VLF-EM TEST SEATTLE	7
FIGURE 9: VLF-EM TEST CUTLER	7
FIGURE 10A: MAGNETIC SURVEY	(IN POCKET)
FIGURE 11: DETAILED MAGNETIC SURVEY TRENCH AREA	7

SUMMARY

The Cat Track Property, consisting of 30 recorded claims, covers about 405 ha (1000 acres) on the Southeast Bay of Savant Lake in the Patricia Mining Division, northwest Ontario. The property is situated about 26 kilometers northeast of the village of Savant Lake with Highway 599, from Ignace to Pickle Lake about 13 km west and a main logging road about 3 km southeast of the property. Summer access is best by float plane from Savant Lake with snowmobile access from nearby logging roads during the winter. Golden Peaks Resources Ltd. is presently earn 50% working interest in the property from the Arc Resources Group partnership.

The 1988 field program conducted for Golden Peaks Resources Ltd. included about 35.5 km of grid construction, geological mapping, soil geochemical survey, VLF-EM and magnetics over the grid area. A limited amount of hand trenching was completed with about 102 rock geochemical samples collected.

The property is mainly underlain by basaltic andesite, now greenstone, of the Archean Savant Lake Group with massive flows and pillow units interbedded with tuffs and iron formation. Units subparallel the Stellar Bay shear zone which trends east-northeasterly across the Cat Track Property.

The Southeast Bay gold occurrence is situated within the Stellar Bay shear zone in the eastern part of the property. Previous drilling in 1941 and 1971 yielded values up to 2.636 oz Au/ton over one foot and 0.22 oz Au/ton over 12 feet (3.66m) respectively. The writer's and Sundberg's (1988) samples generally support previous results with a 8 foot (2.44 m) section of hole 71-2 containing 4740 ppb gold (0.14 oz Au/t) and a seven foot (2.13 m) chip sample from trench 9c containing 6480 ppb gold (0.19 oz Au/t). Sundberg's sample CT-TR9C (Figure 4) gave a weighted average of 0.327 oz Au/t over 4.90 meters (16.1 feet).

The exploration program conducted for Golden Peaks Resources Ltd. provides encouragement for further exploration of iron formation units with trenching recommended for areas with anomalous gold values in soils. Sampling results obtained from trench 9c and previous drill results provide encouragement for further drilling of the Southeast Bay occurrence.

The writer recommends further success contingent, staged, exploration of the Cat Track Property. A recommended Phase 2 program of trenching and 400 meters of diamond drilling should test targets developed during the Phase I program at an estimated cost of \$100,000. A contingent, Phase 2, 800 meter and Phase 3, 1200 meter diamond drill programs are estimated to cost \$150,000 and \$200,000 respectively.

INTRODUCTION

The Cat Track Property, consisting of 30 unpatented claims, is owned by Norontex Exploration Ltd. with Golden Peaks Resources Ltd. presently earning a 50% working interest from Arc Resource Group partnership. The writer was retained by Golden Peaks to examine the property and prepare an engineering report. A property examination was conducted by the writer and project geologist T.M. Sandberg of Cooke Geological Consultants Ltd. on August 3rd, 1988.

This report summarizes the geological setting of precious metal mineralization on the Cat Track Property, and provides recommendations for further, success contingent, staged exploration of the property.

LOCATION AND ACCESS (FIGURES 1 & 2)


The Cat Track Property is located immediately south of the southeast bay of Savant Lake, northwest Ontario (Figure 1). The claims are center at about geographic coordinates 50°24'21"N. latitude and 90°26'24"W. longitude in map sheet NTS 52J/8. The claims are situated in the Poisson and Jutten Townships and Patricia Mining Division. Highway 599 is about 13 kms (8 miles) westerly from the property and the town of Savant Lake on the Canadian National Railway is at a distance of 26 kms (16 miles) to the southwest.

Summer access is via float equipped airplane from Savant Lake (Rusty Myers Flying Service ph. 807-584-2922) or by boat via Jutten and Savant Lakes with a 0.40 km. portorage between the two lakes. Winter access is by snowmobile or via ski equipped aircraft, however the Rusty Myers Flying Service does not operate from Savant Lake during winter months. An all weather gravel road to a Great Lakes Forestry Products camp passes about 2.4 kms (1.5 miles) south of the southeastern corner of the property.

PROPERTY DEFINITION (FIGURE 2)

The Cat Track Property consists of unpatented claims 794695, 794696, 794698 through 794700, 959601 through 959610, 1054188 through 1054201 and 1054328. The property covers about 405 ha. (1000 acres) in the Patricia Lake Mining Division, Ontario with records kept at government recording offices in Sioux Lookout and Toronto, Ontario. Claims 1054198 through 1054201 form a small block that is separated by about 1.5 km from the main block of 26 claims.

The writer examined claim posts which confirmed the location of claims 794695, 794696, 959601, and 959602 with claim locations plotted on Figure 2 after the Jutten Township (G-2874) and Poisson Township (G-2883) government claim maps. Pertinent claim data is presented in Table 1 with 1988 girds located on the claim map (Figure 2).




Golden Peaks Resources Ltd.
CAT TRACK PROPERTY
POISSON - JUTTEN T.P.
LOCATION MAP

PATRICIA M.D. SAVANT LAKE, ONT.

P. CHRISTOPHER and ASSOCIATES LTD.

Scale 1 : 9504 000	Drawn T.M.S.	Figure 4
--------------------	--------------	----------

- Mining Division Boundary



Golden Peaks Resources Ltd.
CAT TRACK PROPERTY
CLAIM MAP

PATRICIA M.D. SAVANT LAKE, ONT.
 P. CHRISTOPHER and ASSOCIATES LTD.

Scale 1" : half mile	Drawn T.M.S.	Figure 2
R.T.S. 52 J/8	Date Aug. 1988	

Table 1. Pertinent Claim Data for Cat Track Property.

<u>Claim</u>	<u>Record Date</u>	<u>Expiry*</u>	<u>Staking</u>	<u>Recorded Owner</u>
794695	JUNE 20/84	1988	June 14/84	J. Langulaar
794696	"	"	"	"
794698	"	"	"	"
794699	"	"	"	"
794700	"	"	"	"
959601	OCT. 27/86	"	Oct. 3/86	"
959602	"	"	"	"
959603	"	"	"	"
959604	"	"	Oct. 2/86	"
959605	"	"	Oct. 1/86	"
959606	"	"	"	"
959607	"	"	Oct. 2/86	"
959608	"	"	"	"
959609	"	"	"	"
959610	"	"	Oct. 3/86	"
1054188	July 1988	1989	June 30/88	T. Sandberg
1054189	"	"	"	"
1054190	"	"	July 11/88	"
1054191	"	"	"	"
1054192	"	"	"	"
1054193	"	"	July 12/88	"
1054194	"	"	"	"
1054195	"	"	July 11/88	"
1054196	"	"	July 12/88	"
1054197	"	"	"	"
1054198	"	"	July 19/88	"
1054199	"	"	"	"
1054200	"	"	"	"
1054201	"	"	"	"
1054328	Aug. 4/88	"	Aug. 4/88	"

HISTORY

Gold was discovered at Savant Lake at least as early as 1901. Early prospecting, mainly conducted west of Savant Lake, failed to discover significant gold, but in 1926, native gold was discovered east of Savant Lake. By the end of 1926, over 700 claims were acquired in the area.

The early history of development of the Cat Track Property is obscure, because all of the work was not filed. The earliest record is of some \$ 5,000 spent on surface work in 1927. Following probable restaking of the property by Messrs. E. MacKinnon and H. Hollingsworth for Mr. Williams of Williams Refining Co., Fort Erie, in 1939, the property was known as the M.C. Williams Option. Drilling and trenching programs were conducted in 1939 and 1941 with 11 diamond drill holes totalling 328.3 m. (1,077 feet) completed. The drilling was reported in the name of Sylvanite Gold Mines Ltd.

The property appears to have remained dormant until the discovery of the Mattabi base metal deposit south of Sturgeon Lake. United Macfie Mines Limited acquired the area of present Cat Track Property and by the summer of 1971 had conducted electromagnetic and magnetic surveys. Anomalous magnetic results was interpreted to be caused by iron formation. Bond (1979) stated that, "United Macfie Mines Limited sunk three diamond-drill holes for a total of 284 m. (932 feet) in 1971.... The best assay yielded 0.22 ounces of gold per ton with a trace of silver, 0.02 percent copper, and 0.03 percent zinc over an approximate length of 3.66 m. (12 feet)." During the 1972 field season, contractor Mid-North Engineering Services Limited cleared and restripped many of the old showings. In 1975, United Macfie Mines drilled another four holes and subsequently allowed the claims to lapse.

Near Pride Lake, east of the property, Amalgamated Rare Earth explored a silicified zone. Detailed geophysical surveys, soils sampling and eight diamond drill holes totalling 654 m. (2,146 feet) were carried out. The showing was initially considered a base metal occurrence but gold values up to 0.27 oz/ton justified reclassification to a gold-base metal prospect.

The Cat Track area was restaked in 1981 and optioned to Abitibi Price Inc. who conducted ground magnetometer, VLF-EM and Max Min surveys. The claims were allowed to lapse in 1984.

In June 1984, J. Langelaar acquired six unpatented claims (79695 through 794700) and in January and February of 1986, completed magnetometer and VLF surveys over the trenched area of claim 794696 (Langelaar, 1986). In October 1986, Langelaar staked 10 additional claims (959601 through 959610). Arc Resource Group partnership acquired an option on the property in 1988 and subsequently allowed Golden Peaks Resources Ltd. to earn a 50% interest in the Arc Resource Group interest through payments and work programs. From June 20th to July 21st, 1988, contractor Cooke Geological conducted geological, geophysical and geochemical surveys over the claims for Golden Peaks Resources Ltd. (Christopher, 1988).

On August 3rd, 1988, the writer and Mr. T. M. Sandberg, project geologist for Cooke Geological, examined and sampled the Cat Track Property.

1988 WORK PROGRAM

The 1988 work program was conducted by Cooke Geological for Golden Peaks Resources Ltd. with Peter Christopher & Associates Inc. retained to prepare a qualifying engineering report and an assessment report (Christopher, 1988) on the Cat Track Property. The writer, accompanied by Mr. T.M. Sandberg B.Sc geologist, conducted an engineering examination on August 3rd, 1988. Six samples were collected from the main mineralized zone and the property location was checked.

The 1988 work program consisted of grid preparation with 4050 meters of cut baseline and 38310 meters of flagged cross lines. Magnetometer, VLF-EM and geological surveys were conducted over 31.4 line kilometers with detailed magnetics over 2.1 line kilometers

(Figure 11). A small orientation VLF-EM survey was conducted to compare results for VLF station Seattle (Figure 8) and VLF station Cutler, Maine (Figure 9).

Geochemical surveys consisted of 680 soil and 96 rock samples which were shipped to Chemex Labs Ltd. in North Vancouver for 32 element ICP and gold analyses. The writers samples were analyzed for 30 element ICP and gold by Acme Analytical Laboratories Ltd. in Vancouver, B.C.

Trench work consisted of: (1) mucking and sampling 15 old trenches, (2) constructing 4 new hand trenches with sampling of three, and (3) five old trenches were partially mucked or probed to determine if bedrock could be found. Figure 4 shows a trench plan with sample results from Sandberg's and the writer's samples.

The total cost of the 1988 work field program and reporting is in excess of \$ 60,000.

GEOLOGY (FIGURES 3A & 3B)

The Cat Track Property is situated in the Superior Tectonic Province which is characterized by easterly trending belts of Archean supracrustal rocks, separated by large areas of granitic rocks. Gold prospects generally lie in volcanic-rich, greenstone belts. The Cat Track Property is situated in the Wabigoon Greenstone Belt. Regional geology has been mapped by Moore (1928) and Bond (1977, 1979).

All of the rocks underlying the Jutten and Poisson Townships are of Early Precambrian (Archean) age. Mafic metavolcanics are the oldest rocks in the map area. The mafic units grade upward into intermediate to felsic metavolcanics. The Cat Track Property is underlain mainly by basaltic andesite of the Archean Savant Lake Group with massive flows and pillow units interbedded with tuffs and iron formation. A large intrusive mass is situated about 2 km southeast of the property.

The Cat Track Property has been mapped by Sandberg (1988) as shown in Figures 3A and 3B. He defined two main units: greenstone and iron formation. The greenstone unit is divided into eight mappable types: a) massive flow, b) pillowed, c) tuffaceous, d) massive, medium grained flow or sill, e) foliated, f) chlorite schist, and g) phyllite. The iron formation is divided into three types: h) chert/magnetite, i) siltstone/magnetite and j) mineralized iron formation. Alteration types distinguished included: k) carbonate, m) clay, n) silicification, p) pyritization and q) quartz veining.

Sandberg (1988) found that pillow units are generally easily recognizable, and provide good stratigraphic markers with lateral continuity of several hundred meters. They define the stratigraphy as subparallel to the Stillar Bay shear zone which trends about 60° to 70° with steep to vertical dips.

Iron formation crop out in several locations on the property and is characteristic of auriferous mineralized zones (Figure 4). The iron formation is detectable by magnetometer which shows a broad fold in the southeast part of the property.

The property is structurally complex with ground preparation for mineralizing solution provided by folding, faulting and shearing. Folding is indicated by tight chevron kinks in iron formation, broader kinks in pillow units, and broad curves in the magnetometer trace of the iron formation. Fold axes have been defined by Sandberg (1988) as generally vertical to steep northeasterly plunging.

The Stillar Bay shear zone constitutes a broad regional, east-northeast, trending shear zone up to 200 meters wide. Rocks within the zone are foliated and schistose. The main mineralized zone has been described as chloritic shear zone hosted (Bond, 1979) and intersections of sericite schist have been described by van Enk (1985) as occurring in drill hole #14.

MINERALIZATION

Quartz veins in the Savant Lake area are reported to carry sericite, carbonate, pyrrhotite, marcasite, pyrite, arsenopyrite, galena, sphalerite, chalcopryrite, and in places tourmaline and visible gold. The setting is similar to the quartz veins with iron formation at the Pickle Crow Mine near Pickle Lake. The model used to guide exploration is similar to that at Pickle Crow with silica and gold introduced along shear zones. When solutions encounter magnetite bearing iron formation, oxidation occurs with magnetite converting to iron sulphide and gold precipitating with quartz. The deposits are combined vein and replacement types.

The mineralized zone (Southeast Bay Occurrence) in the main trenches on the Cat Track Property (Figure 4) consists of a silicified zone enclosed within schistose volcanic rocks. Although the mineralized zone is nearly vertical, the north side has commonly been referred to as the hanging wall. Sandberg (1988) suggests that, "The footwall commonly consists of phyllite or sericite schist which probably represents metamorphosed clay alteration and gouge while the hanging wall generally consists of chlorite schist, which probably represents metamorphosed propylitic alteration."

The following description of the Southeast Bay occurrence is quoted from Bond (1979): "Essentially the test pits are characterized by a series of discontinuous quartz and carbonate veins and silicified volcanic rocks that are locally mineralized, and hosted in a chloritic shear zone located between mafic metavolcanic pillow lavas and flows. The quartz and silicified veins are locally folded and contorted as shown in Figure 6. In trench number 7, the silicified veins average 15cm (6 inches) in width, but are up to 50cm (20 inches) across. The widest quartz vein observed was 1m (3.5 feet) wide. Individual quartz and silicified veins have observed maximum length of 9m (30 feet). The shear zone varies in direction from N65°E in the western test pits to N80°E in its eastern flanks, and dips from vertical to 80° north. Locally, the dip varies to 85°S due to the dip of the intruded quartz veins. The main mineralized, silicified zone varies along strike but is up to 4.6m (15 feet) wide. Mid-North Engineering Services Limited extended the stripping southeast of Trench No. 8, and the shear zone is at least 120m (400 feet) wide at that point. Iron formation is shown to occur as a band in the long thin test pit to the north of Trenches 12, 13, 14..." Bond (1979) reported that the best assay from

United Macfie Mines Limited 1971 drilling as: "0.22 ounce of gold per ton with a trace of silver, 0.02 percent copper, and 0.03 percent zinc over an approximate length of 3.66m (12 feet). An intersection of 2.636 oz Au/ton over one foot was reported by Van Enk (1985) to have been obtained from hole number 5.

Rock sampling of the main, Southeast Bay occurrence was carried out by Sandberg (1988) with six check samples collected by the writer. Rock geochemical results is summarized on Figure 4 and in Table 2 and Table 3.

Table 2. Description of Sample Collected by P.A. Christopher (8/3/88).

<u>SAMPLE #</u>	<u>TYPE</u>	<u>LOC.</u>	<u>DESCRIPTION</u>
59267	SPLIT CORE	71-2(72-74')	CARBONATE IRON FORMATION WITH MAGNETITE
59268	SPLIT CORE	71-2(75-83')	SILICEOUS AND PYRITIC IRON FORMATION WITH MAGNETITE; 1% ARSENOPYRITE
59269	2.13m. Chip	TRENCH 9c	3' QTZ. VEIN WITH SILICEOUS PYRITIC IRON FORMATION; WEAKLY MAGNETIC
59270	1.52m. Chip	TRENCH 3	2' MASSIVE QUARTZ & 3' SILICEOUS IRON FORMATION
59271	1.22m. Chip	TRENCH 10	CHALCOPYRITE Tr, ARSENOPYRITE <1%, PYRITE 5% IN SILICEOUS IRON FORMATION
59272	1.22m. Chip	TRENCH 14	CHALCOPYRITE 0.1%, PYRITE 3-5% WITH QUARTZ VEIN AND SILICEOUS SULPHIDE IRON FORMATION.

Table 3. Sample Result Summary.

<u>SAMPLE #</u>	<u>TYPE</u>	<u>WIDTH METERS</u>	<u>Au PPB</u>	<u>Ag PPM</u>	<u>Zn PPM</u>	<u>As PPM</u>	<u>Cu PPM</u>
59267	Core	0.61	325	0.4	46	3370	113
59268	Core	2.44	4740	0.8	56	903	125
59269	Chip	2.13	6480	1.1	297	396	368
59270	Chip	1.52	2490	0.7	417	600	326
59271	Chip	1.22	1160	0.3	1050	103	136
59272	Chip	1.22	1730	1.0	1033	94	629

The writer's and Sundberg's (1988) samples generally support previous results with a 8 foot (2.44 m) section of hole 71-2 containing 4740 ppb gold (0.14 oz Au/t) and a seven foot (2.13 m) chip sample from trench 9c containing 6480 ppb gold (0.19 oz Au/t). Sundberg's sample CT-TR9C gave a weighted average of 0.327 oz Au/t over 4.90 meters (16.1 feet).

GEOCHEMICAL PROGRAM

A geochemical program consisted of 680 soil samples which were collected at chained and flagged stations in the main grid and west grid areas (Figure 2). Samples were collected 15 or 30 meter intervals from the B horizon at about 25 cm, placed in kraft sample bags, dried and shipped to Chemex Labs Ltd. in Vancouver for 32

element ICP and gold geochemical analyses. Results for gold and arsenic are plotted on Figures 5 (A,B) and results for copper and zinc are plotted on Figures 6 (A,B). Analytical results and statistical treatment of selected elements is included as Appendix A to the assessment report (Christopher, 1988).

A total of 96 rock samples were collected to check the main zone (Figure 4) and mineralized and altered areas in other parts of the property (Figures 3A and 3B). The writer collected six samples to check previously reported values (Appendix A; Figure 4; Tables 2 & 3).

Results

Gold values in soils range from 2 to 7700 ppb with a mean value of 16 ppb. Gold values were contoured at 10, 50 and 100 ppb levels. The strongest response of 7700 ppb is from a trenched area on line 0+00 in the west grid with a value of 100 ppb at the north end of line 4+00W. An anomalous trend follows the east-northeast trend of the Southeast Bay occurrence in the main grid with values up to 375 ppb gold. Several anomalous gold values to 65 ppb occur with a magnetic anomaly in the southeast part of the main grid. The anomalous results in this area may reflect a gold bearing layer of iron formation.

Arsenic values in soils varied from a minimum value of 2 ppm to a maximum value of 1790 ppm. Arsenic values were contoured at the 30 ppm level. Values of 1715 ppm and 1790 ppm occur in the west grid with the anomalous gold values of 7700 ppb and 100 ppb, respectively. The anomalous arsenic generally occurs with anomalous gold but arsenic has a more restricted distribution.

Copper values varied from 0.5 ppm to 568 ppm with values above 50 considered of interest and contoured on Figures 6A and 6B at the 50 ppm level. The strongest copper response was generally found in the west grid area with a number of anomalous values also concentrated in the westerly part of the Southeast Bay occurrence area. The main trenched zone (ie. Figure 4) had low copper and zinc response.

Zinc values varied from 0.5 to 534 ppm with only two values over 150 ppm considered anomalous and the strongest values of 534 ppm from a swampy area of line 5+00W in the west grid.

GEOPHYSICAL PROGRAM


Magnetometer (Figure 10 (A,B)) and VLF-EM surveys (Figure 7 (A,B)) were conducted over 31.4 line kilometers with a detailed magnetic survey over 2.1 line kilometers covering the Southeast Bay occurrence (Figure 11). A small VLF-EM orientation survey was conducted over part of the Southeast Bay occurrence to compare results using signals from Seattle (Figure 8) and Cutler, Maine (Figure 9). Since Seattle gave a better signal and had a better orientation relative to expected conductors, it was used for the property wide survey.

The magnetic survey employed a Scintrex MF-1 Fluxgate Magnetometer with a base station at L0+00W, 0+00N. Readings were collected at 15 meter intervals, corrected for diurnal variation and plotted on Figure 10(A,B). Magnetic readings varied from -3000 gammas to 24,000 gamma with the extreme magnetic relief caused by banded, magnetite bearing,


	2+40W	1+80W	1+20W		2+40W	1+80W	1+20W		2+40W	1+80W	1+20W
	65.-13										
	56.-14	60.-8	63.-6	58.-4	52.-6						
	54.-16	59.-12	60.-15	58.-12	56.-13						
1+80N	46.-20	50.-18	52.-18	46.-18	46.-13						
	36.-16	37.-18	40.-18	41.-8	45.-17						
	36.-12	37.-14	39.-18	41.-14	43.-20						
	35.-8	37.-6	36.-16	39.-18	40.-18						
1+20N	35.-8	39.-7	35.-12	35.-14	37.-17						
	35.-7	40.-10	35.-10	34.-17	34.-19						
	35.-4	39.-8	34.-10	34.-6	33.-13						
	36.-12	38.-5	33.-6	31.-6	31.-12						
0+60N	37.-6	38.-4	34.-6	32.-4	29.-0						
	37.-6	38.-2	32.-4	31.-1	30.-3						
	38.-3	37.-0	34.-4	33.-7	29.-5						
	38.-4	38.-0	34.-0	36.-8	31.-14						
00	43.-2	41.-4	38.-2	40.-9	43.-12						

RAW DATA
FIELD STRENGTH - DIP ANGLE
SEATTLE 24.8KHz

- LEGEND**
- STATION
 - (---) SWAMP
 - TRENCH
 - CROSS-OVER
 - MAIN SHEAR ZONE



FRASER FILTERED DATA
CONTOURS AT 5° INTERVAL
SIGNAL READ FACING TRANSMITTER STATION,
FILTERED S. MINUS N.



NEGATIVE DATA
CONTOURS AT 5° INTERVAL



GOLDEN PEAKS RESOURCES LTD.

CAT TRACK PROPERTY
VLF SURVEY- SEATTLE
TRENCHED ZONE
POISSON-JUTTEN TWP.

N.T.S. 52J-8 PATRICIA M.D., ONT.

0 20 40 80 metres

P. A. CHRISTOPHER & ASSOCIATES LTD.


SCALE: AS SHOWN | SEPT. 1988 | FIG. 8

	2+40W	1+80W	1+20W		
	65.18	68.8	52.10	50.6	53.6
	59.18	67.16	52.12	51.16	55.13
1+80N	50.22	55.25	44.23	40.17	48.18
	39.22	40.22	34.22	35.18	45.18
	37.19	39.20	33.20	35.10	40.120
	38.12	37.15	34.16	34.16	36.18
1+20N	39.10	37.8	29.14	32.14	35.17
	38.5	36.8	30.15	29.12	34.12
	37.4	34.8	28.16	29.19	30.16
	38.7	33.7	26.2	28.6	28.11
0+60N	38.3	30.4	27.12	28.4	25.8
	39.0	29.5	27.8	28.6	27.4
	49.1	29.5	28.5	30.2	29.4
	39.4	29.2	28.4	30.6	30.10
00	45.3	29.8	30.4	37.14	36.8

RAW DATA


FIELD STRENGTH - DIP ANGLE
CUTLER, MAINE

- LEGEND**
- STATION
 - (---) SWAMP
 - TRENCH
 - CROSS-OVER
 - ~ MAIN SHEAR ZONE



FRASER FILTERED DATA

CONTOURS AT 5° INTERVAL
SIGNAL READ FACING TRANSMITTER STATION,
FILTERED S. MINUS N.



NEGATIVE DATA

CONTOURS AT 5° INTERVAL




GOLDEN PEAKS RESOURCES LTD.

CAT TRACK PROPERTY
VLF SURVEY- CUTLER
TRENCHED ZONE
POISSON-JUTTEN TWP.

N.T.S. 52J-8 PATRICIA M.D., ONT.
0 20 40 80 metres

P. A. CHRISTOPHER & ASSOCIATES LTD.

SCALE: AS SHOWN | SEPT. 1988 | FIG. 9



Golden Peaks Resources Ltd.
 CAT TRACK PROPERTY
 POISSON - JUTTEN TP.
 DETAILED MAGNETIC SURVEY
 PATRICIA RD. SAVARY LAKE, ONT.
 P. CHRISTOPHER and ASSOCIATES LTD.
 T.M.S.
 July 1988

Scale: 0 20 40 meters
 Readings in Gammas

iron formation. The magnetic survey suggests that the Southeast Bay occurrence is associated with lean iron formation with magnetite partially converted to sulphides. Two strongly magnetic bands occur northwest of the Southeast Bay occurrence. The magnetic pattern in

The VLF-EM survey was conducted with a Saber-27 unit employing the the Seattle signal at 24.8 KHz. Readings were collected at 15 meter intervals with field strength and countoured, filtered dip angles presented in Figure 7(A,B). The VLF-EM survey suggests that conductors are stratabound. The countoured filtered data shows that a number of the magnetic anomalies are also conductors.

DISCUSSION

The Cat Track Property covers a belt of Archean greenstone with contained iron formation and gold bearing, siliceous shear zones. The property has been explored in the past with trenching and limited, shallow, diamond drilling that has provided encouraging results. Visible gold was reportedly (Bond, 1979) intersected in 1941 holes 5 and 12 with grades up to 2.636 oz Au/ton over one foot reported for hole 5. A 1971 hole drilled by United Macfie Mines is reported (Bond, 1979) to have intersected 0.22 oz Au/ton over about 3.66m (12 feet). Surface sampling by Sandberg (1988) in trench 9c has yielded 0.327 oz Au/ton over 4.90m (16.1 feet). The Southeast Bay occurrence requires further testing to evaluate previously reported intersection with excellent gold grade or visible gold. The Phase 2 drill program should define targets for deeper drill tests. Care must be taken to insure good core recovery within the mineralized shear zone.

Reconnaissance soil sample in the southern part of the main grid resulted in gold soil anomalies to 65 ppb with associated magnetic trends that suggest folded iron formation. The southern part of the main grid area should be soil sampled in detail to define targets for trenching and possibly drilling.

The area north of the Southeast Bay zones has two main strongly magnetic bands which require further evaluation with an initial trenching program. Zones with intersections of shears and iron formation are considered the best prospecting area.

In the west grid area, isolated strong gold in soil values of 7700 ppb and 100 ppb require field examination to determine if further exploration is justified.

CONCLUSIONS AND RECOMMENDATIONS

The Cat Track Property contains an iron formation related gold occurrence in greenstone of the Pickle Crow Type (Ferguson, 1966). Detailed geological, geophysical and geochemical surveys conducted for Golden Peaks Resources Ltd. have indicated a number of possible bands of iron formation and several additional gold in soil anomalies. Previous drill tests of the Southeast Bay occurrence have produced a number of encouraging intersections that justify further drill testing.

The writer recommends further success contingent, staged, exploration of the Cat Track Property. A recommended Phase 2 program of trenching and 400 meters of diamond drilling should test targets developed during the Phase I program at an estimated cost of \$100,000. A contingent, Phase 2, 800 meter and Phase 3, 1200 meter diamond drill programs are estimated to cost \$150,000 and \$200,000 respectively.

COST ESTIMATES

Phase 2. Geochemical, Trenching and Diamond Drilling.

Mobilization.....	\$ 6,000
Supervision	10,000
Geochemical Survey.....	5,000
Trenching	7,000
Diamond Drilling 400 meters @ \$100ea.	40,000
Geochemical Costs	8,000
Transportation & Shipping	4,000
Reporting Cost	5,000
Contingency & Management	<u>15,000</u>

Phase 2 Total \$100,000

Phase 3. Trenching and Drilling (Contingent)


Mobilization.....	\$ 8,000
Supervision & Engineering.....	18,000
Trenching	6,000
Diamond Drilling 800 meters @ \$ 95ea.	76,000
Geochemical Costs	5,000
Transportation & Shipping	6,000
Reporting Cost	6,000
Contingency & Management	<u>25,000</u>

Phase 2 Total \$150,000

Phase 4. Road Construction and Diamond Drilling (Contingent)

Mobilization	\$10,000
Road Access	20,000
Supervision & Engineering	25,000
Diamond Drilling 1200 meters @ \$80ea.	96,000
Geochemical Costs	7,000
Transportation & Shipping	7,000
Reporting Costs	6,000
Contingency & Management	<u>29,000</u>

Phase 3 Total \$200,000


Peter A. Christou, P.D., P.Eng.
September 24, 1981




BIBLIOGRAPHY


- Bartley, M.W., 1941. Diamond Drill Report, M.C. Williams Option (Cat Track), Savant Lake, Ontario. for Sylvanite Gold Mines Ltd.
- Blackburn, C.E., and Janes, D.A., 1983. Gold Deposits of Northwestern Ontario. pp. 194-210 in The Geology of Gold in Ontario, edited by A.C. Colvine Ontario Geological Survey Misc. Paper 110.
- Bond, W.D., 1977. Geology of McCubbion, Poisson, and McGillis Townships (Savant Lake Area), District of Thunder Bay. Ontario Division of Mines, Geoscience Report 160, 78 p.
- Bond, W.D., 1979. Geology of Conant, Jutten, and Smye Townships (Savant Lake Area), District of Thunder Bay.
- Christopher, P.A., 1988. Geological, Geochemical and Geophysical Assessment Report on the Cat Track Property, Savant Lake area, Ontario. prepared for Golden Peaks Resources Ltd. dated August 24, 1988.
- Ferguson, S.A., 1966. Geology of Pickle Crow Gold Mines and Central Patricia Gold Mines Limited No. 2 Operation. Ontario Department of Mines Misc. Paper MP-4.
- Fortescue, J.A.C., 1983. Geochemical Prospecting for Gold in Ontario. pp. 251-271 in The Geology of Gold in Ontario, edited by A.C. Colvine Ontario Geological Survey Misc. Paper 110.
- Kerrich, R., 1981. Archean Gold-Bearing Chemical Sedimentary Rocks and Veins: A Synthesis of Stable Isotope and Geochemical Relations. pp. 144-168 in Genesis of Archean Volcanic-Hosted Gold Deposits, edited by E.G. Pye and R.G. Roberts, Ontario Geological Survey, Misc. Paper 97.
- Langulaar, J., 1986. Cat Track Gold Property, Jutten Township, VLF and Magnetometer Surveys. for Norontex Exploration Ltd. dated Feb. 18, 1986.
- Moore, E.S., 1928. Savant Lake Gold Area. report and Map No. 37J in Vol. 37, Part 4. Ontario Dept. of Mines Annual Report 1928, pp. 53-82.
- Sandberg, T., 1988. Cat Track Property - Geology Summary. dated Aug. 15, 1988.
- Trowell, N.F., Blackburn, C.E., and Edwards, G.R., 1980. Preliminary Synthesis of the Savant Lake-Crow Lake Metamorphic, Metasedimentary Belt, Northwest Ontario, and its bearing on Mineral Exploration. Ontario Geological Survey, Misc. Paper 89, 30 p.
- van Enk, R.J., 1986. Cat Track Gold Property. report for Norontex Exploration Ltd. dated Jan. 23, 1986.

CERTIFICATE

I, Peter A. Christopher, with business address at 3707 West 34th Avenue, Vancouver, British Columbia, do hereby certify that:

- 1) I am a consulting geological engineer registered with the Association of Professional Engineers of British Columbia since 1976.
- 2) I am a Fellow of the Geological Association of Canada and a member of the Society of Economic Geologists.
- 3) I hold a B.Sc. (1966) from the State University of New York at Fredonia, a M.A. (1968) from Dartmouth College and a Ph.D. (1973) from the University of British Columbia.
- 4) I have been practising my profession as a Geologist for over 20 years.
- 5) I have no direct or indirect interest, nor do I expect to receive any interest directly or indirectly in the property or securities of Golden Peaks Resources Ltd.
- 6) I have based this report on previous exploration experience on Archean Gold Deposits, a review of government and company reports listed in the bibliography, a field examination conducted by me on August 3, 1988 and an exploration program conducted for Golden Peaks Resources Ltd. in June and July of 1988.
- 7) I consent to the use of this report by Golden Peaks Resources Ltd. for any Filing Statement, Statement of Material Facts, Prospectus, or Assessment Work.


Peter A. Christopher, P.Eng.
Peter Christopher Associates Inc.
September 24, 1988



Peter Christopher & Associates Inc.
GEOLOGICAL & EXPLORATION SERVICES
3707 West 34th Ave., Vancouver, B.C. V6N 2K9

Office/Res: 263-6152

September 24, 1988

Golden Peaks Resources Ltd.
1013 - 837 West Hastings Street
Vancouver, British Columbia

Dear Sirs:

I, Peter A. Christopher, Ph.D., P.Eng., hereby consent to the use of my report dated September 24, 1988 on the Cat Track Property, Sioux Lookout Mining Division, Northwestern Ontario, in any Filing Statement, Statement of Material Facts, Prospects or for Assessment Work.

Dated at Vancouver, British Columbia, this 24th day of September, 1988.


Peter A. Christopher, Ph.D., P.Eng.



GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR NG BA YI B V AND LIMITED FOR NA K AND AL. AN DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: ROCK AU** ANALYSIS BY FA+AA FROM 10 GM SAMPLE.

DATE RECEIVED: AUG 4 1988

DATE REPORT MAILED: Aug 15/88

ASSAYER.....D.TOYE OR C.LEONG, CERTIFIED B.C. ASSAYERS

PETER A. CHRISTOPHER PROJECT CAT TRACK File # 88-3273

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	V	Au**
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM
X 59267	1	113	3	46	.4	8	7	1803	12.17	3370	5	ND	1	23	1	2	2	25	6.55	.045	2	13	1.69	5	.01	2	.71	.01	.04	4	325
X 59268	1	125	4	56	.8	10	9	1419	11.25	903	5	5	2	24	1	2	2	20	5.10	.032	2	9	1.26	2	.01	2	.60	.01	.02	3	4740
X 59269	6	368	8	297	1.1	21	23	871	12.91	396	5	11	1	1	1	2	2	42	.26	.024	3	14	1.19	6	.01	8	1.96	.01	.02	9	6480
X 59270	2	326	7	417	.7	38	49	1574	9.42	600	5	2	1	15	1	2	2	35	3.21	.024	3	23	1.47	6	.01	2	1.25	.01	.04	1	2490
X 59271	2	136	4	1050	.3	26	14	1205	7.22	103	5	2	1	15	6	2	2	26	4.64	.023	2	19	1.69	5	.01	5	1.14	.01	.04	1	1160
X 59272	2	629	6	1033	1.0	65	41	1163	6.76	94	5	7	1	12	4	2	2	11	4.21	.012	2	10	.58	5	.01	10	.51	.01	.04	1	1730
STD C/AU-2	17	57	39	132	6.6	67	28	1055	4.03	42	18	7	36	47	17	16	19	56	.48	.090	38	56	.90	173	.06	33	1.94	.06	.14	11	520

Appendix A.

Certificates of Analysis

Statistical Analysis

ACME ANALYTICAL LABORATORIES LTD.

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR NH FE SR CA P LA CR NG BA TI B V AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: ROCK AU** ANALYSIS BY FA+AA FROM 10 GM SAMPLE.

DATE RECEIVED: AUG 4 1988

DATE REPORT MAILED: Aug 15/88

ASSAYER.....D.TOYE OR C.LEONG, CERTIFIED B.C. ASSAYERS

PETER A. CHRISTOPHER PROJECT CAT TRACK File # 88-3273

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	B	Al	Na	K	V	Au**
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	%	%	%	%	PPM	PPM
K 59267	1	113	3	46	.4	8	7	1803	12.17	3370	5	ND	1	23	1	2	2	25	6.55	.045	2	13	1.69	5	.01	2	.71	.01	.04	4	325
K 59268	1	125	4	56	.8	10	9	1419	11.25	903	5	5	2	24	1	2	2	20	5.10	.032	2	9	1.26	2	.01	2	.60	.01	.02	3	4740
K 59269	6	368	8	297	1.1	21	23	871	12.91	396	5	11	1	1	1	2	2	42	.26	.024	3	14	1.19	6	.01	8	1.96	.01	.02	9	6480
K 59270	2	326	7	417	.7	38	49	1574	9.42	600	5	2	1	15	1	2	2	35	3.21	.024	3	23	1.47	6	.01	2	1.25	.01	.04	1	2490
K 59271	2	136	4	1050	.3	26	14	1205	7.22	103	5	2	1	15	6	2	2	26	4.64	.023	2	19	1.69	5	.01	5	1.14	.01	.04	1	1160
K 59272	2	629	6	1033	1.0	65	41	1163	6.76	94	5	7	1	12	4	2	2	11	4.21	.012	2	10	.58	5	.01	10	.51	.01	.04	1	1730
STD C/AU-R	17	57	39	132	6.6	67	28	1055	4.03	42	18	7	36	47	17	16	19	56	.48	.090	38	56	.90	173	.06	33	1.94	.06	.14	11	520



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project: GP-88-CT

Comments:

**Page No. : 1-A
Tot. Pages: 3
Date : 8-AUG-88
Invoice #: I-8819740
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8819740

SAMPLE DESCRIPTION	PREP CODE	Au oz/T	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
QA-88-02	208 238	0.002	0.53	< 0.2	20	10	< 0.5	< 2	6.92	< 0.5	< 1	298	61	1.09	< 10	< 2	0.03	< 10	0.40	796
QA-88-03	208 238	0.002	2.98	< 0.2	150	10	< 0.5	< 2	0.37	< 0.5	36	532	35	4.76	< 10	< 1	0.07	< 10	2.86	550
QA-88-04	208 238	0.001	3.68	< 0.2	450	< 10	< 0.5	< 2	4.69	< 0.5	54	389	77	5.23	< 10	< 1	0.01	< 10	3.97	922
QA-88-05	208 238	0.002	0.15	< 0.2	5	< 10	< 0.5	< 2	0.12	< 0.5	< 1	538	6	0.74	< 10	< 1	< 0.01	< 10	0.14	69
QA-88-06	208 238	< 0.001	3.91	< 0.2	25	30	< 0.5	< 2	0.77	< 0.5	36	269	8	9.92	< 10	< 1	0.08	< 10	3.13	869
QA-88-07	208 238	0.001	4.08	< 0.2	10	< 10	< 0.5	< 2	0.53	< 0.5	49	235	93	7.14	< 10	< 1	< 0.01	< 10	3.18	1275
QA-88-08	208 238	< 0.001	0.59	< 0.2	< 5	60	< 0.5	< 2	0.60	< 0.5	< 1	120	16	3.07	< 10	< 1	0.09	< 10	0.70	338
QA-88-09	208 238	0.001	0.65	< 0.2	10	40	< 0.5	< 2	0.22	< 0.5	20	35	16	>15.00	< 10	< 1	0.10	< 10	0.58	141
QA-88-10	208 238	< 0.001	0.68	< 0.2	< 5	< 10	< 0.5	< 2	0.14	< 0.5	< 1	122	1	1.22	< 10	< 1	< 0.01	< 10	0.96	69
QA-88-11	208 238	< 0.001	0.21	< 0.2	< 5	< 10	< 0.5	< 2	0.07	< 0.5	< 1	103	5	0.51	< 10	< 1	< 0.01	< 10	0.20	77
QA-88-12	208 238	0.001	1.45	< 0.2	< 5	< 10	< 0.5	< 2	0.70	< 0.5	16	175	2	2.34	< 10	< 1	< 0.01	< 10	1.25	373
QA-88-13	208 238	0.004	0.20	< 0.2	70	< 10	< 0.5	< 2	0.02	< 0.5	22	43	44	4.69	< 10	< 1	0.07	< 10	0.05	22
QA-88-14	208 238	< 0.001	4.16	< 0.2	10	< 10	< 0.5	< 2	1.38	< 0.5	51	223	127	7.44	< 10	< 1	0.01	< 10	2.36	1450
QA-88-15	208 238	0.002	1.29	< 0.2	10	20	< 0.5	< 2	0.08	< 0.5	23	142	85	9.24	< 10	< 1	0.04	< 10	0.61	413
QA-88-16	208 238	0.002	3.06	< 0.2	20	10	< 0.5	< 2	0.12	< 0.5	53	165	125	7.37	< 10	< 1	0.03	< 10	1.63	1125
QA-88-17	208 238	0.001	1.64	< 0.2	15	10	< 0.5	< 2	0.31	< 0.5	35	138	68	7.85	< 10	< 1	0.01	< 10	1.05	838
QA-88-18	208 238	< 0.001	5.48	< 0.2	30	10	< 0.5	< 2	0.54	< 0.5	52	477	45	6.66	< 10	< 1	< 0.01	< 10	5.81	1110
QA-88-19	208 238	0.001	6.09	< 0.2	35	< 10	< 0.5	< 2	0.24	< 0.5	60	443	37	8.04	< 10	< 1	< 0.01	< 10	5.99	1120
QA-88-20	208 238	< 0.001	0.95	< 0.2	< 5	< 10	< 0.5	< 2	0.13	< 0.5	9	186	3	1.39	< 10	< 1	< 0.01	< 10	1.07	192
QA-88-21	208 238	0.001	5.72	< 0.2	30	< 10	< 0.5	< 2	0.42	< 0.5	51	388	47	8.47	< 10	< 1	< 0.01	< 10	5.77	984
QA-88-22	208 238	< 0.001	0.12	< 0.2	20	10	< 0.5	< 2	0.18	< 0.5	24	33	19	>15.00	< 10	< 1	0.03	< 10	0.16	47
QA-88-23	208 238	< 0.001	0.41	< 0.2	< 5	40	< 0.5	< 2	0.12	< 0.5	< 1	36	22	4.80	< 10	< 1	0.08	< 10	0.66	152
QA-88-24	208 238	0.001	5.78	0.4	< 5	< 10	< 0.5	< 2	1.17	< 0.5	54	1120	31	7.01	< 10	2	< 0.01	< 10	6.35	933
QA-88-25	208 238	< 0.001	1.87	< 0.2	60	10	< 0.5	< 2	2.39	< 0.5	37	204	112	5.93	< 10	1	0.01	< 10	1.80	1090
QA-88-26	208 238	0.001	0.70	0.4	645	< 10	< 0.5	2	2.72	0.5	7	96	5	1.25	< 10	< 1	< 0.01	< 10	0.61	406
QA-88-27	208 238	< 0.001	0.04	< 0.2	10	< 10	< 0.5	< 2	0.05	< 0.5	< 1	85	2	0.27	< 10	< 1	< 0.01	< 10	0.03	40
QA-88-28	208 238	< 0.001	1.06	< 0.2	115	< 10	< 0.5	< 2	3.92	< 0.5	21	154	17	2.54	< 10	< 1	< 0.01	< 10	2.87	540
QA-88-29	208 238	0.002	2.37	< 0.2	55	< 10	< 0.5	< 2	0.08	< 0.5	39	146	105	6.49	< 10	< 1	0.03	< 10	1.07	576
QA-88-30	208 238	< 0.001	0.16	< 0.2	345	< 10	< 0.5	< 2	>15.00	< 0.5	23	16	8	5.70	< 10	< 1	< 0.01	< 10	6.88	2000
QA-88-31	208 238	0.001	1.49	< 0.2	380	< 10	< 0.5	< 2	1.09	< 0.5	15	206	78	2.61	< 10	< 1	< 0.01	< 10	1.09	563
QA-88-32	208 238	0.387	0.08	< 0.2	255	< 10	< 0.5	< 2	2.15	< 0.5	< 1	66	25	1.19	< 10	< 1	< 0.01	< 10	0.88	415
QA-88-33	208 238	0.002	4.10	< 0.2	20	< 10	< 0.5	< 2	0.50	< 0.5	42	101	38	11.05	< 10	< 1	0.03	< 10	2.71	1080
QA-88-34	208 238	0.017	0.03	< 0.2	110	< 10	< 0.5	< 2	0.03	< 0.5	< 1	118	137	0.29	< 10	< 1	< 0.01	< 10	0.02	46
QA-88-35	208 238	0.001	0.04	< 0.2	130	< 10	< 0.5	< 2	1.82	< 0.5	< 1	150	6	0.86	< 10	< 1	< 0.01	< 10	0.31	351
QA-88-36	208 238	0.021	0.69	< 0.2	2240	< 10	< 0.5	2	6.65	< 0.5	28	142	84	4.12	< 10	< 1	0.01	< 10	2.32	1030
QA-88-37	208 238	0.100	0.62	< 0.2	9300	< 10	< 0.5	< 2	2.64	0.5	31	38	199	13.20	< 10	< 1	< 0.01	< 10	0.94	1645
QA-88-38	208 238	0.002	0.08	< 0.2	750	< 10	< 0.5	< 2	0.16	< 0.5	20	46	101	>15.00	< 10	< 1	< 0.01	< 10	0.19	445
QA-88-39	208 238	0.001	1.39	< 0.2	110	< 10	< 0.5	< 2	2.80	< 0.5	44	61	518	>15.00	< 10	< 1	< 0.01	< 10	2.05	392
QA-88-40	208 238	0.004	0.62	< 0.2	390	< 10	< 0.5	< 2	0.19	< 0.5	48	35	192	12.60	< 10	< 1	0.05	< 10	0.46	695
QA-88-41	208 238	0.047	0.53	< 0.2	>10000	< 10	< 0.5	< 2	0.08	0.5	38	14	679	>15.00	< 10	< 1	0.01	< 10	0.33	478

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-3C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project: GP-88-CT

Comments:

**Page No. : 1-B

Tot. Pages: 3

Date : 8-AUG-88

Invoice #: I-8819740

P.O. #: N/A

CERTIFICATE OF ANALYSIS A8819740

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
GT-88-02	208	238	< 1	< 0.01	18	60	58	5	3	41	< 0.01	< 10	< 10	14	< 5	29
GT-88-03	208	238	< 1	< 0.01	193	70	56	< 5	9	3	< 0.01	< 10	< 10	68	< 5	54
GT-88-04	208	238	< 1	< 0.01	321	80	62	< 5	13	24	< 0.01	< 10	< 10	73	5	63
GT-88-05	208	238	< 1	< 0.01	14	20	20	< 5	< 1	< 1	0.02	< 10	< 10	6	5	7
GT-88-06	208	238	< 1	< 0.01	48	220	10	< 5	16	4	0.15	< 10	< 10	131	< 5	133
GT-88-07	208	238	< 1	< 0.01	117	140	26	< 5	3	3	0.34	< 10	< 10	107	< 5	114
GT-88-08	208	238	< 1	< 0.01	10	30	22	< 5	1	3	< 0.01	< 10	< 10	17	< 5	33
GT-88-09	208	238	< 1	< 0.01	17	730	4	5	3	2	0.02	< 10	< 10	64	< 5	28
GT-88-10	208	238	< 1	< 0.01	10	40	16	< 5	< 1	< 1	0.08	< 10	< 10	38	< 5	42
GT-88-11	208	238	< 1	< 0.01	7	10	26	< 5	< 1	< 1	< 0.01	< 10	< 10	6	< 5	16
GT-88-12	208	238	< 1	< 0.01	41	60	16	< 5	2	4	0.13	< 10	< 10	37	< 5	27
GT-88-13	208	238	< 1	0.01	55	20	12	5	< 1	1	< 0.01	< 10	< 10	6	< 5	23
GT-88-14	208	238	< 1	< 0.01	116	210	14	< 5	17	4	0.21	< 10	< 10	143	< 5	85
GT-88-15	208	238	< 1	< 0.01	87	40	8	< 5	5	1	0.17	< 10	< 10	65	< 5	96
GT-88-16	208	238	< 1	< 0.01	106	120	< 2	< 5	4	1	0.13	< 10	< 10	79	< 5	105
GT-88-17	208	238	< 1	< 0.01	103	60	4	< 5	3	2	0.08	< 10	< 10	56	< 5	99
GT-88-18	208	238	< 1	< 0.01	277	160	< 2	< 5	12	1	0.23	< 10	< 10	158	< 5	52
GT-88-19	208	238	< 1	< 0.01	207	140	8	< 5	29	< 1	0.23	< 10	< 10	213	< 5	61
GT-88-20	208	238	< 1	< 0.01	36	80	4	< 5	3	1	0.02	< 10	< 10	34	< 5	11
GT-88-21	208	238	< 1	< 0.01	151	100	2	< 5	36	2	0.23	< 10	< 10	239	< 5	61
GT-88-22	208	238	< 1	< 0.01	6	640	< 2	< 5	1	1	0.01	< 10	< 10	67	< 5	9
GT-88-23	208	238	< 1	< 0.01	17	70	6	< 5	< 1	< 1	< 0.01	< 10	< 10	39	< 5	16
GT-88-24	208	238	< 1	< 0.01	278	120	4	< 5	28	3	0.17	< 10	< 10	176	25	53
GT-88-25	208	238	< 1	0.02	70	110	20	< 5	15	11	< 0.01	< 10	< 10	74	5	44
GT-88-26	208	238	3	< 0.01	14	40	6	< 5	5	24	< 0.01	< 10	< 10	24	5	9
GT-88-27	208	238	< 1	< 0.01	3	10	10	< 5	< 1	< 1	< 0.01	< 10	< 10	1	< 5	3
GT-88-28	208	238	< 1	0.01	93	40	6	< 5	7	8	< 0.01	< 10	< 10	27	5	19
GT-88-29	208	238	< 1	0.01	98	220	18	< 5	8	1	< 0.01	< 10	< 10	67	< 5	68
GT-88-30	208	238	< 1	< 0.01	18	60	< 2	< 5	3	24	< 0.01	< 10	< 10	45	5	30
GT-88-31	208	238	< 1	< 0.01	31	100	10	< 5	7	5	< 0.01	< 10	< 10	52	< 5	21
GT-88-32	208	238	< 1	< 0.01	16	40	4	< 5	1	8	< 0.01	< 10	< 10	4	< 5	6
GT-88-33	208	238	1	< 0.01	31	640	30	< 5	19	4	0.01	< 10	< 10	193	< 5	104
GT-88-34	208	238	< 1	< 0.01	5	50	10	< 5	< 1	< 1	< 0.01	< 10	< 10	1	< 5	3
GT-88-35	208	238	< 1	< 0.01	11	50	6	< 5	1	4	< 0.01	< 10	< 10	1	5	6
GT-88-36	208	238	< 1	0.03	71	200	< 2	5	8	15	< 0.01	< 10	< 10	28	< 5	26
GT-88-37	208	238	< 1	< 0.01	17	250	14	5	7	6	< 0.01	< 10	< 10	30	< 5	18
GT-88-38	208	238	< 1	< 0.01	5	660	4	5	2	2	< 0.01	< 10	< 10	8	< 5	40
GT-88-39	208	238	< 1	< 0.01	23	350	2	10	7	22	0.01	< 10	< 10	38	< 5	39
GT-88-40	208	238	< 1	< 0.01	28	270	10	< 5	7	3	0.01	< 10	< 10	57	< 5	63
GT-88-41	208	238	< 1	< 0.01	15	370	6	15	3	4	< 0.01	< 10	< 10	16	< 5	52

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-3C1

PHONE (604) 984-9211

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project: GP-88-CT

Comments:

**Page No. : 2-B
Tot. Pages: 3
Date : 8-AUG-88
Invoice #: I-8819740
P.O. #: N/A

CERTIFICATE OF ANALYSIS A8819740

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
CT-IR-42	208	238	< 1	< 0.01	18	740	16	5	3	7	< 0.01	< 10	< 10	19	< 5	21
CT-IR1	208	238	< 1	< 0.01	92	220	4	< 5	21	21	< 0.01	< 10	< 10	151	< 5	84
CT-IR2 HV	208	238	< 1	< 0.01	101	180	< 2	< 5	25	17	0.01	< 10	< 10	170	< 5	104
CT-IR2 VN	208	238	< 1	< 0.01	79	100	12	< 5	14	1	< 0.01	< 10	< 10	80	< 5	382
CT-IR2 FW	208	238	< 1	< 0.01	81	190	< 2	< 5	19	2	< 0.01	< 10	< 10	148	< 5	138
CT-IR3 GRAB	208	238	< 1	< 0.01	28	560	10	5	3	4	< 0.01	< 10	< 10	12	< 5	36
CT-IR3 MUCK	208	238	< 1	< 0.01	15	340	6	< 5	2	1	< 0.01	< 10	< 10	10	< 5	43
CT-IR3A FW	208	238	< 1	< 0.01	78	210	54	< 5	38	1	< 0.01	< 10	< 10	260	< 5	171
CT-IR3A VN	208	238	4	0.01	53	290	26	< 5	9	2	< 0.01	< 10	< 10	55	< 5	601
CT-IR3A HW	208	238	4	< 0.01	25	460	40	5	8	1	< 0.01	< 10	< 10	48	< 5	197
CT-IR3A HW2	208	238	< 1	< 0.01	98	140	16	< 5	26	3	0.01	< 10	< 10	178	< 5	162
CT-IR3B FW	208	238	< 1	< 0.01	81	300	10	< 5	21	6	< 0.01	< 10	< 10	159	< 5	247
CT-IR3B HV	208	238	1	< 0.01	24	410	4	< 5	4	2	< 0.01	< 10	< 10	25	< 5	51
CT-IR3C HV	208	238	< 1	< 0.01	26	640	16	< 5	6	1	< 0.01	< 10	< 10	31	< 5	85
CT-IR3C VN	208	238	3	< 0.01	33	210	4	< 5	7	1	< 0.01	< 10	< 10	44	< 5	505
CT-IR3C FW	208	238	< 1	< 0.01	62	190	12	< 5	12	1	< 0.01	< 10	< 10	107	< 5	230
CT-IR5 SR1	208	238	< 1	< 0.01	44	340	4	< 5	10	4	< 0.01	< 10	< 10	76	< 5	236
CT-IR5 SR2	208	238	< 1	< 0.01	76	310	46	< 5	10	13	< 0.01	< 10	< 10	97	< 5	339
CT-IR6 HV	208	238	< 1	< 0.01	78	210	16	< 5	14	46	< 0.01	< 10	< 10	114	< 5	119
CT-IR6 VN	208	238	< 1	< 0.01	25	140	10	< 5	4	39	< 0.01	< 10	< 10	38	< 5	178
CT-IR6 FW	208	238	< 1	< 0.01	80	270	10	< 5	18	15	< 0.01	< 10	< 10	161	< 5	109
CT-IR6 FW2	208	238	< 1	< 0.01	82	230	20	< 5	12	2	0.02	< 10	< 10	135	< 5	172
CT-IR6 FW3	208	238	< 1	< 0.01	69	180	2	< 5	15	1	0.01	< 10	< 10	152	< 5	151
CT-IR9A HV	208	238	< 1	< 0.01	17	350	58	< 5	3	1	< 0.01	< 10	< 10	33	< 5	59
CT-IR9A SR	208	238	< 1	< 0.01	31	150	16	< 5	5	< 1	< 0.01	< 10	< 10	65	< 5	310
CT-IR9A VN	208	238	< 1	0.01	30	200	30	< 5	4	1	< 0.01	< 10	< 10	35	< 5	343
CT-IR9A FW	208	238	< 1	< 0.01	73	260	12	< 5	17	1	< 0.01	< 10	< 10	155	< 5	212
CT-IR9B GRAB	208	238	80	< 0.01	66	640	54	< 5	4	1	< 0.01	< 10	< 10	46	< 5	97
CT-IR9B HV	208	238	< 1	< 0.01	69	270	42	< 5	17	1	0.01	< 10	< 10	123	< 5	131
CT-IR9B VN	208	238	8	< 0.01	25	400	26	< 5	4	1	< 0.01	< 10	< 10	35	< 5	217
CT-IR9B FW	208	238	< 1	< 0.01	51	220	22	< 5	13	< 1	< 0.01	< 10	< 10	146	< 5	174
CT-IR9C GRAB	208	238	< 1	< 0.01	33	630	36	< 5	8	2	< 0.01	< 10	< 10	36	< 5	69
CT-IR9C HV	208	238	< 1	< 0.01	30	770	62	< 5	3	4	< 0.01	< 10	10	22	< 5	39
CT-IR9C VN1	208	238	3	< 0.01	29	190	38	< 5	2	< 1	< 0.01	< 10	< 10	16	< 5	25
CT-IR9C VN2	208	238	2	< 0.01	16	300	30	< 5	4	1	< 0.01	< 10	< 10	38	185	289
CT-IR9C VN3	208	238	< 1	< 0.01	25	380	26	< 5	6	2	< 0.01	< 10	< 10	76	< 5	229
CT-IR9C FW	208	238	< 1	< 0.01	69	290	4	< 5	21	6	< 0.01	< 10	< 10	175	< 5	160
CT-IR10 HV	208	238	< 1	< 0.01	27	320	< 2	< 5	3	11	< 0.01	< 10	< 10	24	65	816
CT-IR10 VN1	208	238	2	0.01	10	350	10	< 5	1	10	< 0.01	< 10	< 10	5	10	334
CT-IR10 VN2	208	238	< 1	0.01	68	260	10	< 5	20	33	< 0.01	< 10	< 10	139	55	111

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :

BCF



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project: GP-88-CT
Comments:

Page No.: 3-A
Tot. Pages: 3
Date: 4-AUG-88
Invoice #: I-8819740
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8819740

SAMPLE DESCRIPTION	PREP CODE	Au oz/T	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
CT-IR10 VNS	208 238	0.009	2.58	0.2	210	< 10	< 0.5	< 2	1.79	1.0	24	115	155	7.15	10	< 1	0.02	10	1.75	820
CT-IR12 FNA	208 238	0.001	4.80	0.2	175	20	0.5	< 2	1.44	< 0.5	37	324	90	8.80	10	3	< 0.01	10	3.59	1210
CT-IR12 VNA	208 238	0.509	1.50	0.6	895	10	0.5	< 2	0.10	3.0	83	147	523	11.05	< 10	1	0.06	10	0.91	928
CT-IR12 FNA	208 238	0.014	4.36	0.2	185	10	0.5	< 2	0.17	< 0.5	46	156	100	8.60	10	1	0.03	10	2.65	1315
CT-IR12 FNB	208 238	0.005	5.09	0.2	180	10	0.5	< 2	0.26	< 0.5	39	322	72	8.96	10	< 1	< 0.01	10	3.30	1175
CT-IR12 FNB2	208 238	0.024	2.53	0.2	415	20	0.5	< 2	0.49	< 0.5	29	125	242	9.95	10	1	0.08	10	1.65	829
CT-IR12 VNB	208 238	0.018	0.47	0.2	320	< 10	0.5	< 2	1.45	2.0	46	76	412	7.83	< 10	< 1	0.01	10	0.50	1060
CT-IR12 FNB	208 238	0.004	4.40	0.2	180	10	0.5	< 2	0.37	< 0.5	49	149	100	8.94	10	1	0.02	10	2.75	1340
CT-IR12 IF	208 238	0.024	3.25	0.2	75	< 10	1.0	< 2	0.32	< 0.5	39	199	536	>15.00	10	1	< 0.01	10	1.83	1230
CT-IR13 BV	208 238	0.003	4.04	0.2	200	< 10	0.5	2	4.11	< 0.5	42	262	175	8.18	10	1	0.02	< 10	2.80	1170
CT-IR13 VN	208 238	0.016	0.58	0.2	340	< 10	< 0.5	4	7.08	3.0	55	82	350	6.16	< 10	< 1	0.01	< 10	1.11	1615
CT-IR13 FV	208 238	0.002	3.18	0.2	120	10	0.5	< 2	0.34	0.5	58	132	203	9.54	< 10	< 1	0.03	10	1.78	1400
CT-IR14 GRAB	208 238	0.042	0.40	0.2	80	< 10	0.5	< 2	0.83	7.5	71	67	776	11.45	< 10	< 1	< 0.01	10	0.23	1085
CT-IR14 BV	208 238	0.040	1.17	0.2	180	< 10	0.5	< 2	0.73	2.5	58	125	1005	9.04	< 10	< 1	0.01	10	0.84	1150
CT-IR14 VN	208 238	0.015	0.34	0.2	95	< 10	< 0.5	< 2	3.93	2.5	44	85	351	4.90	< 10	< 1	< 0.01	< 10	0.46	784
CT-IR14 FV	208 238	0.003	4.25	0.2	150	< 20	< 0.5	< 2	0.08	0.5	64	185	112	9.49	< 10	2	0.05	< 10	2.32	1835
CT-IR17 1	208 238	0.006	2.00	0.2	640	< 10	< 0.5	2	5.22	0.5	34	185	110	6.39	< 10	1	0.03	< 10	2.41	1385
CT-IR17 2	208 238	0.092	0.60	0.2	250	< 10	0.5	6	4.71	2.5	38	74	281	7.01	< 10	< 1	0.01	< 10	1.36	1175
CT-IR17 3	208 238	0.004	4.06	0.2	180	10	< 0.5	< 2	1.22	< 0.5	37	172	134	7.74	10	2	0.03	10	2.53	1140

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 112 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
 VANCOUVER, BC
 V6C 1Z7

Project: GP-88-CT
 Comments:

•• Page No. : 3-B
 Tot. Pages: 3
 Date : 8-AUG-88
 Invoice # : I-8819740
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819740

SAMPLE DESCRIPTION	PREP CODE		Mb	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
CT-TR10 VN3	208	238	< 1	< 0.01	47	220	6	< 5	10	10	< 0.01	< 10	< 10	78	< 5	247
CT-TR12 HMA	208	238	< 1	< 0.01	101	230	14	< 5	20	8	< 0.01	< 10	< 10	150	< 5	100
CT-TR12 VNA	208	238	6	0.01	60	300	10	< 5	7	1	< 0.01	< 10	< 10	45	< 5	1105
CT-TR12 FVA	208	238	< 1	< 0.01	57	260	< 2	< 5	17	2	< 0.01	< 10	< 10	152	< 5	186
CT-TR12 HMB	208	238	< 1	< 0.01	99	200	4	< 5	24	2	< 0.01	< 10	< 10	175	< 5	116
CT-TR12 HMB2	208	238	2	0.01	39	250	14	< 5	10	4	< 0.01	< 10	< 10	71	< 5	376
CT-TR12 VNB	208	238	< 1	< 0.01	47	150	8	< 5	3	4	< 0.01	< 10	< 10	17	< 5	659
CT-TR12 FVB	208	238	< 1	< 0.01	53	250	6	< 5	18	3	< 0.01	< 10	< 10	151	< 5	166
CT-TR12 IF	208	238	< 1	< 0.01	56	440	< 2	< 5	19	2	0.01	< 10	< 10	124	< 5	71
CT-TR13 HV	208	238	< 1	0.01	112	270	10	< 5	14	24	< 0.01	< 10	< 10	110	< 5	128
CT-TR13 VN	208	238	3	0.01	58	300	18	< 5	4	24	< 0.01	< 10	< 10	21	< 5	906
CT-TR13 FV	208	238	< 1	0.01	97	230	10	< 5	11	2	< 0.01	< 10	< 10	104	< 5	230
CT-TR14 GRAB	208	238	6	< 0.01	119	250	18	< 5	4	3	< 0.01	< 10	< 10	16	< 5	2230
CT-TR14 HV	208	238	4	< 0.01	100	150	6	< 5	8	4	< 0.01	< 10	< 10	41	< 5	740
CT-TR14 VN	208	238	1	< 0.01	52	140	12	< 5	2	13	< 0.01	< 10	< 10	12	< 5	661
CT-TR14 FV	208	238	< 1	0.01	85	190	4	< 5	18	2	< 0.01	< 10	< 10	150	< 5	162
CT-TR17 1	208	238	< 1	0.01	101	260	< 2	< 5	8	25	< 0.01	< 10	< 10	65	< 5	111
CT-TR17 2	208	238	2	< 0.01	74	400	8	< 5	5	18	< 0.01	< 10	< 10	23	< 5	861
CT-TR17 3	208	238	< 1	0.01	75	370	6	< 5	20	8	< 0.01	< 10	< 10	153	< 5	131

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

TO: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

* INVOICE NUMBER 18819812 *

BILLING INFORMATION

Date : 8-AUG-88
Project :
P.O. # : NONE
Account : GMP

Billing : For analysis performed on
Certificate A8819812

Terms : Net payment in 30 Days
1.5% per month (18% per annum)
charged on overdue accounts.

Please remit payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J-2C1

CHEMEX CODE	ANALYSIS DESCRIPTION	SAMPLES ANALYZED	UNIT PRICE	AMOUNT
100 - G32 -	Au ppb FA+AA G-32 32 EL.	220	14.25	3135.00
Sample preparation and other charges :				
201 - 238 -	Soil + sediment -80 mesh ICP aqua-regia digestion	220 220	1.00 0.00	220.00 0.00
Total Cost \$				3355.00
TOTAL PAYABLE \$				3355.00



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 211 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
 VANCOUVER, BC
 V6C 1Z7

Project:
 Comments: ATTN: JIM SANDBERG

**Page No. : 1-A
 Tot. Pages: 6
 Date : 8-AUG-88
 Invoice # : I-8819812
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819812

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
LO+30E 0+00N	201 238	< 5	1.14	< 0.2	< 5	20	< 0.5	< 2	0.08	< 0.5	3	22	2	1.90	< 10	< 1	0.01	10	0.16	98
LO+30E 0+15N	201 238	< 5	1.47	< 0.2	< 5	30	< 0.5	< 2	0.11	< 0.5	5	38	18	2.95	< 10	1	0.02	10	0.37	110
LO+30E 0+45N	201 238	< 5	1.12	< 0.2	15	10	< 0.5	< 2	0.08	< 0.5	3	25	14	1.76	< 10	2	< 0.01	10	0.21	53
LO+30E 0+60N	201 238	< 5	1.21	< 0.2	< 5	20	< 0.5	< 2	0.09	< 0.5	2	28	7	1.78	< 10	< 1	0.01	10	0.25	65
LO+30E 0+75N	201 238	< 5	1.20	< 0.2	10	20	< 0.5	< 2	0.09	< 0.5	4	31	15	2.62	< 10	3	0.02	10	0.28	77
LO+30E 0+90N	201 238	< 5	0.79	< 0.2	< 5	10	< 0.5	< 2	0.14	< 0.5	3	14	8	0.88	< 10	< 1	0.01	10	0.15	51
LO+30E 1+05N	201 238	< 5	1.26	< 0.2	5	20	< 0.5	< 2	0.11	< 0.5	6	44	13	2.41	< 10	< 1	0.02	10	0.54	162
LO+30E 1+20N	201 238	< 5	1.51	< 0.2	45	20	< 0.5	< 2	0.37	0.5	18	39	124	1.48	< 10	< 1	0.01	20	0.38	131
LO+30E 1+80N	201 238	5	1.32	< 0.2	< 5	20	< 0.5	< 2	0.17	< 0.5	8	24	13	1.85	< 10	< 1	0.02	10	0.19	75
LO+30E 1+95N	201 238	< 5	1.29	< 0.2	< 5	30	< 0.5	< 2	0.13	< 0.5	3	24	7	1.90	< 10	< 1	0.02	10	0.21	86
LO+30E 2+10N	201 238	5	1.50	< 0.2	5	30	< 0.5	< 2	0.14	< 0.5	5	30	5	1.92	< 10	< 1	0.02	10	0.22	92
LO+30E 2+25N	201 238	< 5	1.15	< 0.2	< 5	10	< 0.5	< 2	0.08	< 0.5	3	22	6	1.49	< 10	< 1	0.01	10	0.16	36
LO+30E 2+40N	201 238	5	0.94	< 0.2	< 5	20	< 0.5	< 2	0.08	< 0.5	1	17	5	1.53	< 10	< 1	0.01	10	0.12	44
LO+30E 2+55N	201 238	< 5	1.90	< 0.2	10	30	< 0.5	< 2	0.11	< 0.5	5	40	29	3.56	< 10	< 1	0.03	10	0.26	83
LO+30E 2+70N	201 238	< 5	1.28	< 0.2	5	30	< 0.5	< 2	0.14	< 0.5	5	27	20	1.32	< 10	< 1	0.02	10	0.28	79
L1+20E 3+30S	201 238	< 5	1.18	< 0.2	< 5	20	< 0.5	< 2	0.10	< 0.5	2	30	14	2.20	< 10	< 1	0.01	10	0.21	69
L1+20E 3+90S	201 238	< 5	2.23	< 0.2	< 5	10	< 0.5	< 2	0.09	< 0.5	4	25	7	1.77	< 10	< 1	0.01	10	0.13	51
L1+20E 4+20S	201 238	< 5	1.29	< 0.2	< 5	10	< 0.5	< 2	0.09	< 0.5	4	22	9	1.67	< 10	< 1	0.01	< 10	0.15	73
L1+20E 4+80S	201 238	< 5	1.55	< 0.2	< 5	30	< 0.5	< 2	0.10	< 0.5	3	20	4	1.85	< 10	< 1	0.02	10	0.14	71
L1+20E 5+10S	201 238	< 5	1.59	< 0.2	< 5	30	< 0.5	< 2	0.10	0.5	8	30	23	1.80	< 10	< 1	0.02	< 10	0.22	87
L1+20E 6+90S	201 238	< 5	0.79	< 0.2	30	10	< 0.5	< 2	0.11	< 0.5	3	19	7	0.77	< 10	< 1	0.02	< 10	0.19	59
L1+20E 7+20S	201 238	< 5	2.25	< 0.2	< 5	60	< 0.5	< 2	0.40	< 0.5	13	34	92	1.87	< 10	< 1	0.03	20	0.30	712
L2+40E 3+30S	201 238	< 5	1.48	0.2	20	20	< 0.5	< 2	0.10	< 0.5	5	34	8	2.46	< 10	1	0.02	10	0.23	78
L2+40E 3+60S	201 238	< 5	1.15	0.2	15	30	< 0.5	< 2	0.11	< 0.5	3	25	7	1.55	< 10	< 1	0.03	10	0.20	69
L2+40E 6+30S	201 238	< 5	0.85	0.2	5	10	< 0.5	< 2	0.09	< 0.5	2	20	6	1.27	< 10	< 1	0.01	10	0.12	49
L2+40E 6+90S	201 238	< 5	0.53	< 0.2	5	10	< 0.5	< 2	0.11	< 0.5	3	23	4	1.11	< 10	< 1	0.03	10	0.23	81
L2+40E 7+20S	201 238	< 5	1.33	< 0.2	20	30	< 0.5	< 2	0.09	< 0.5	9	33	19	2.88	< 10	< 1	0.02	10	0.30	152
LO+00V 0+00N	201 238	< 5	1.62	< 0.2	60	40	< 0.5	< 2	0.12	< 0.5	8	60	32	3.23	< 10	1	0.03	10	0.57	142
LO+00V 0+15N	201 238	< 5	0.97	< 0.2	< 5	20	< 0.5	< 2	0.07	< 0.5	4	34	12	2.13	< 10	< 1	0.02	< 10	0.26	78
LO+00V 0+30N	201 238	5	0.62	< 0.2	5	10	< 0.5	< 2	0.05	< 0.5	2	17	4	1.27	< 10	2	0.02	10	0.15	48
LO+00V 0+60N	201 238	< 5	0.73	< 0.2	< 5	10	< 0.5	< 2	0.14	< 0.5	3	19	6	0.79	< 10	< 1	0.01	10	0.18	54
LO+00V 0+75N	201 238	< 5	0.95	< 0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	5	25	12	1.04	< 10	< 1	0.01	10	0.25	71
LO+00V 0+90N	201 238	< 5	0.53	< 0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	3	17	1	0.59	< 10	< 1	0.01	10	0.17	50
LO+00V 1+05N	201 238	< 5	6.39	0.2	30	90	1.5	< 2	0.62	< 0.5	23	97	106	3.76	10	< 1	0.02	30	0.34	991
LO+00V 1+35N	201 238	< 5	0.61	0.2	< 5	10	< 0.5	< 2	0.14	< 0.5	4	20	5	1.17	< 10	1	0.01	10	0.21	122
LO+00V 1+50N	201 238	< 5	0.63	< 0.2	< 5	10	< 0.5	< 2	0.12	< 0.5	4	17	5	0.76	< 10	< 1	0.01	10	0.15	57
LO+00V 1+65N	201 238	< 5	1.26	< 0.2	30	40	< 0.5	< 2	0.26	< 0.5	13	21	18	1.10	< 10	< 1	0.02	10	0.23	131
LO+00V 1+80N	201 238	< 5	0.64	< 0.2	< 5	10	< 0.5	< 2	0.16	< 0.5	5	12	2	0.70	< 10	3	0.01	10	0.17	71
LO+00V 1+85N	201 238	< 5	0.83	< 0.2	< 5	20	< 0.5	< 2	0.10	< 0.5	4	20	6	0.94	< 10	1	0.02	10	0.23	80
LO+00V 2+10N	201 238	5	1.16	< 0.2	5	20	< 0.5	< 2	0.15	< 0.5	6	20	7	1.00	< 10	< 1	0.01	10	0.18	61

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: JIM SANDBERG

**Page No. : 1-B

Tot. Pages: 6

Date : 8-AUG-88

Invoice # : I-8819812

P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819812

SAMPLE DESCRIPTION	PREP CODE	Mb ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LO+30E 0+00N	201 238	1	0.01	4	310	< 2	< 5	< 1	4	0.08	< 10	< 10	30	10	13
LO+30E 0+15N	201 238	< 1	0.01	18	380	< 2	< 5	1	7	0.16	< 10	< 10	70	20	26
LO+30E 0+45N	201 238	1	0.01	13	150	< 2	< 5	1	4	0.11	< 10	< 10	38	< 5	6
LO+30E 0+60N	201 238	< 1	0.01	13	140	< 2	< 5	1	6	0.13	< 10	< 10	42	5	9
LO+30E 0+75N	201 238	< 1	0.01	19	290	< 2	< 5	1	6	0.15	< 10	< 10	57	10	15
LO+30E 0+90N	201 238	< 1	0.01	11	290	4	< 5	< 1	5	0.06	< 10	< 10	17	< 5	8
LO+30E 1+05N	201 238	1	0.01	31	190	8	< 5	2	6	0.16	< 10	< 10	66	< 5	24
LO+30E 1+20N	201 238	< 1	0.01	140	220	< 2	< 5	3	8	0.08	< 10	< 10	20	5	32
LO+30E 1+40N	201 238	< 1	0.01	15	210	6	< 5	1	8	0.09	< 10	< 10	31	5	14
LO+30E 1+95N	201 238	< 1	0.01	9	470	< 2	< 5	1	7	0.10	< 10	< 10	35	< 5	15
LO+30E 2+10N	201 238	< 1	0.01	16	430	22	5	1	8	0.10	< 10	< 10	37	< 5	11
LO+30E 2+25N	201 238	1	0.01	14	270	10	< 5	1	4	0.07	< 10	< 10	23	< 5	8
LO+30E 2+40N	201 238	< 1	0.01	7	120	4	< 5	< 1	5	0.11	< 10	< 10	43	< 5	7
LO+30E 2+55N	201 238	< 1	0.01	11	290	< 2	< 5	2	7	0.14	< 10	< 10	56	10	17
LO+30E 2+70N	201 238	< 1	0.01	22	130	2	< 5	1	6	0.09	< 10	< 10	26	< 5	10
L1+20E 3+30S	201 238	< 1	0.01	11	210	10	< 5	1	5	0.12	< 10	< 10	44	< 5	8
L1+20E 3+90S	201 238	< 1	0.01	13	280	6	< 5	1	5	0.09	< 10	< 10	29	5	7
L1+20E 4+20S	201 238	1	0.01	14	240	< 2	< 5	< 1	5	0.08	< 10	< 10	27	5	9
L1+20E 4+40S	201 238	< 1	0.01	10	230	10	< 5	1	7	0.10	< 10	< 10	35	< 5	11
L1+20E 5+10S	201 238	2	0.01	19	270	8	< 5	1	6	0.09	< 10	< 10	31	10	20
L1+20E 6+90S	201 238	< 1	0.01	8	50	18	< 5	< 1	5	0.07	< 10	< 10	18	< 5	16
L1+20E 7+20S	201 238	1	0.01	56	280	12	< 5	3	9	0.07	< 10	< 10	28	5	31
L2+40E 3+30S	201 238	< 1	0.01	10	210	8	< 5	1	6	0.13	< 10	< 10	44	5	13
L2+40E 3+60S	201 238	2	0.01	16	140	< 2	< 5	1	7	0.11	< 10	< 10	34	< 5	11
L2+40E 6+30S	201 238	1	0.01	11	90	18	< 5	1	5	0.11	< 10	< 10	31	< 5	6
L2+40E 6+90S	201 238	< 1	0.01	9	140	< 2	< 5	1	6	0.16	< 10	< 10	42	< 5	13
L2+40E 7+20S	201 238	1	0.01	17	310	14	< 5	1	6	0.14	< 10	< 10	61	< 5	28
LO+00V 0+00N	201 238	1	0.01	34	260	12	< 5	3	6	0.15	< 10	< 10	62	< 5	23
LO+00V 0+15N	201 238	2	0.01	10	230	< 2	< 5	< 1	4	0.09	< 10	< 10	39	< 5	12
LO+00V 0+30N	201 238	< 1	< 0.01	7	120	8	< 5	< 1	3	0.14	< 10	< 10	30	< 5	9
LO+00V 0+60N	201 238	< 1	0.01	11	260	8	< 5	< 1	5	0.06	< 10	< 10	16	< 5	7
LO+00V 0+75N	201 238	2	0.01	22	220	< 2	< 5	1	4	0.07	< 10	< 10	21	< 5	10
LO+00V 0+90N	201 238	< 1	0.01	10	120	< 2	< 5	< 1	4	0.08	< 10	< 10	16	< 5	6
LO+00V 1+05N	201 238	2	0.02	82	620	20	< 5	6	14	0.13	< 10	< 10	57	< 5	33
LO+00V 1+35N	201 238	< 1	0.01	9	260	16	< 5	< 1	6	0.09	< 10	< 10	26	< 5	11
LO+00V 1+50N	201 238	< 1	0.01	< 1	50	14	< 5	< 1	8	0.09	< 10	< 10	19	< 5	11
LO+00V 1+65N	201 238	< 1	0.01	41	170	18	< 5	1	10	0.09	< 10	< 10	18	< 5	16
LO+00V 1+80N	201 238	1	0.01	6	180	< 2	< 5	< 1	7	0.07	< 10	< 10	15	< 5	8
LO+00V 1+95N	201 238	< 1	0.01	10	100	4	< 5	1	7	0.11	< 10	< 10	29	< 5	13
LO+00V 2+10N	201 238	< 1	0.01	8	250	2	< 5	1	7	0.09	< 10	< 10	18	< 5	8

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: JIM SANDBERG

**Page No.: 2-A

Tot. Pages: 6

Date: 8-AUG-88

Invoice #: I-8819812

P.O. #:

CERTIFICATE OF ANALYSIS A8819812

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
LO+00V 2+2SN	201 238	< 5	1.33	0.2	< 5	20	< 0.5	< 2	0.23	< 0.5	10	30	156	1.71	< 10	2	0.02	10	0.39	138
LO+00V 2+5SN	201 238	< 5	1.16	< 0.2	15	20	< 0.5	6	0.12	< 0.5	3	20	14	1.33	10	< 1	0.02	10	0.17	64
LO+00V 2+7ON	201 238	< 5	1.29	0.2	25	20	< 0.5	< 2	0.15	< 0.5	9	30	17	1.82	10	< 1	0.03	10	0.32	101
LO+00V 2+8SN	201 238	< 5	3.33	< 0.2	30	10	0.5	4	0.10	< 0.5	23	286	6	4.08	10	< 1	< 0.01	< 10	3.59	287
LO+00V 5+4ON	201 238	< 5	0.97	< 0.2	15	20	< 0.5	2	0.14	< 0.5	6	30	11	1.26	< 10	< 1	0.02	10	0.32	106
LO+00V 5+7ON	201 238	< 5	0.88	< 0.2	10	10	< 0.5	2	0.14	< 0.5	8	62	2	1.02	< 10	< 1	< 0.01	10	0.68	104
LO+00V 6+0ON	201 238	< 5	1.16	< 0.2	50	20	< 0.5	4	0.19	< 0.5	7	28	13	1.30	< 10	< 1	0.01	10	0.43	111
LO+00V 1+2OS	201 238	< 5	1.00	< 0.2	25	20	< 0.5	2	0.19	< 0.5	5	20	5	1.19	< 10	3	0.02	10	0.16	85
LO+00V 1+5OS	201 238	< 5	0.96	< 0.2	< 5	20	< 0.5	< 2	0.10	< 0.5	5	20	6	1.39	< 10	< 1	0.01	10	0.14	55
LO+00V 1+8OS	201 238	< 5	0.94	< 0.2	< 5	10	< 0.5	< 2	0.09	< 0.5	2	22	5	1.73	< 10	< 1	0.01	10	0.11	52
LO+00V 2+1OS	201 238	< 5	1.07	< 0.2	10	20	< 0.5	2	0.12	< 0.5	3	20	4	1.47	< 10	< 1	0.02	10	0.15	64
LO+00V 4+2OS	201 238	< 5	0.81	< 0.2	10	20	< 0.5	< 2	0.08	< 0.5	3	20	5	1.73	< 10	1	0.01	10	0.10	49
LO+00V 4+5OS	201 238	< 5	0.62	< 0.2	5	20	< 0.5	< 2	0.09	< 0.5	4	12	2	1.42	< 10	< 1	0.01	10	0.10	54
LO+00V 5+1OS	201 238	< 5	0.80	< 0.2	20	10	< 0.5	< 2	0.10	< 0.5	3	21	6	2.00	< 10	< 1	0.01	10	0.14	113
LO+00V 5+6OS	201 238	< 5	0.52	< 0.2	15	10	< 0.5	< 2	0.08	< 0.5	2	12	2	0.96	< 10	< 1	0.02	10	0.07	45
LO+00V 5+7OS	201 238	< 5	0.63	< 0.2	5	10	< 0.5	< 2	0.05	< 0.5	3	12	3	1.00	< 10	3	0.01	< 10	0.10	36
LO+00V 6+3OS	201 238	< 5	0.44	< 0.2	25	10	< 0.5	4	0.07	< 0.5	3	12	6	1.11	< 10	< 1	< 0.01	10	0.10	43
LO+00V 6+9OS	201 238	< 5	1.86	< 0.2	15	20	< 0.5	4	0.09	< 0.5	7	61	25	2.36	< 10	< 1	< 0.01	10	0.53	85
LO+30V 0+0ON	201 238	< 5	0.45	< 0.2	< 5	20	< 0.5	< 2	0.21	< 0.5	2	12	6	0.68	< 10	< 1	< 0.01	10	0.12	43
LO+30V 0+1SN	201 238	< 5	1.04	0.2	< 5	40	< 0.5	< 2	0.24	< 0.5	5	20	6	1.05	< 10	< 1	0.01	10	0.22	119
LO+30V 0+3ON	201 238	< 5	0.77	0.2	15	20	< 0.5	< 2	0.18	< 0.5	3	17	7	0.88	< 10	< 1	0.01	10	0.16	57
LO+30V 0+4SN	201 238	< 5	0.77	0.4	< 5	20	< 0.5	< 2	0.14	< 0.5	4	17	4	0.83	< 10	< 1	0.01	10	0.16	54
LO+30V 0+6ON	201 238	< 5	1.05	< 0.2	5	20	< 0.5	< 2	0.12	< 0.5	4	27	9	1.02	< 10	< 1	0.01	10	0.22	59
LO+30V 0+7SN	201 238	< 5	1.12	< 0.2	5	30	< 0.5	< 2	0.11	< 0.5	6	30	18	1.82	< 10	< 1	0.01	10	0.28	111
LO+30V 0+9ON	201 238	< 5	1.66	0.2	5	40	< 0.5	< 2	0.09	< 0.5	7	30	19	2.10	< 10	< 1	0.01	10	0.26	82
LO+30V 1+0SN	201 238	< 5	1.11	0.2	10	20	< 0.5	< 2	0.14	< 0.5	6	20	14	1.07	< 10	< 1	< 0.01	10	0.20	61
LO+30V 1+2ON	201 238	20	0.99	0.4	< 5	20	< 0.5	< 2	0.11	< 0.5	5	20	9	1.18	< 10	< 1	0.01	10	0.20	61
LO+30V 1+3SN	201 238	< 5	1.53	< 0.2	10	20	< 0.5	< 2	0.10	< 0.5	4	17	4	1.14	< 10	< 1	0.01	10	0.13	46
LO+30V 1+5ON	201 238	< 5	0.78	0.4	5	10	< 0.5	< 2	0.08	< 0.5	3	20	5	1.59	< 10	< 1	0.01	10	0.14	59
LO+30V 1+6SN	201 238	< 5	0.78	< 0.2	< 5	20	< 0.5	< 2	0.18	< 0.5	6	17	9	0.95	< 10	3	< 0.01	10	0.19	73
LO+30V 1+8ON	201 238	< 5	1.20	0.2	5	50	< 0.5	2	0.67	< 0.5	9	24	47	1.12	< 10	< 1	0.01	20	0.30	251
LO+30V 1+9SN	201 238	10	1.32	0.2	< 5	40	< 0.5	< 2	0.13	< 0.5	9	27	16	1.66	< 10	< 1	0.01	10	0.26	92
LO+30V 2+1ON	201 238	< 5	0.88	0.2	< 5	10	< 0.5	< 2	0.09	< 0.5	7	27	9	1.53	< 10	< 1	< 0.01	10	0.34	123
LO+30V 2+2SN	201 238	30	1.76	0.2	45	30	< 0.5	2	0.08	< 0.5	13	28	43	4.03	10	< 1	0.01	10	0.59	228
LO+30V 2+4ON	201 238	< 5	1.62	0.2	5	20	< 0.5	< 2	0.08	< 0.5	6	22	12	1.42	< 10	1	< 0.01	10	0.15	56
LO+30V 2+5SN	201 238	< 5	1.19	0.4	20	20	< 0.5	< 2	0.09	< 0.5	5	38	12	2.33	10	< 1	0.02	10	0.37	116
LO+30V 2+7ON	201 238	< 5	1.26	0.4	< 5	10	< 0.5	2	0.09	< 0.5	7	34	38	2.25	10	< 1	< 0.01	10	0.27	84
LO+60V 0+3ON	201 238	< 5	1.64	0.4	15	20	< 0.5	2	0.09	< 0.5	8	31	18	1.90	< 10	< 1	< 0.01	10	0.22	63
LO+60V 0+4SN	201 238	< 5	1.65	0.2	15	50	< 0.5	< 2	0.11	< 0.5	9	27	10	1.51	< 10	< 1	0.01	10	0.24	72
LO+60V 0+6ON	201 238	< 5	0.69	0.2	15	10	< 0.5	4	0.16	< 0.5	7	17	11	0.79	< 10	< 1	< 0.01	10	0.21	64

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: JIM SANDBERG

**Page No. : 2-B

Tot. Pages: 6

Date : 8-AUG-88

Invoice #: I-8819812

P.O. #: N/A

CERTIFICATE OF ANALYSIS A8819812

SAMPLE DESCRIPTION	PREP CODE	Mb ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LO+00V 2+2 SN	201 238	< 1	0.01	49	300	4	< 5	1	8	0.10	< 10	< 10	35	5	21
LO+00V 2+5 SN	201 238	1	0.01	5	150	2	< 5	1	8	0.11	< 10	< 10	37	< 5	15
LO+00V 2+70N	201 238	1	0.01	17	110	8	< 5	1	9	0.16	< 10	< 10	48	5	22
LO+00V 2+8 SN	201 238	2	0.01	118	140	< 2	< 5	19	2	0.23	< 10	< 10	146	5	29
LO+00V 5+40N	201 238	1	0.01	22	200	< 2	< 5	1	7	0.13	< 10	< 10	42	5	27
LO+00V 5+70N	201 238	< 1	0.01	53	80	< 2	< 5	2	7	0.06	< 10	< 10	29	< 5	12
LO+00V 6+00N	201 238	1	0.01	23	70	< 2	< 5	2	10	0.15	< 10	< 10	41	< 5	24
LO+00V 1+20S	201 238	1	0.01	12	430	< 2	< 5	1	8	0.08	< 10	< 10	24	< 5	8
LO+00V 1+50S	201 238	< 1	0.01	5	270	6	< 5	< 1	5	0.09	< 10	< 10	31	< 5	9
LO+00V 1+80S	201 238	1	0.01	6	310	< 2	< 5	< 1	5	0.10	< 10	< 10	42	5	6
LO+00V 2+10S	201 238	< 1	0.01	12	340	< 2	< 5	1	8	0.10	< 10	< 10	29	< 5	10
LO+00V 4+20S	201 238	< 1	0.01	5	170	< 2	< 5	< 1	6	0.11	< 10	< 10	37	< 5	6
LO+00V 4+50S	201 238	1	0.01	5	300	< 2	< 5	< 1	8	0.11	< 10	< 10	41	5	10
LO+00V 5+10S	201 238	1	0.01	10	250	< 2	< 5	1	7	0.15	< 10	< 10	49	< 5	11
LO+00V 5+40S	201 238	< 1	0.01	7	160	< 2	< 5	< 1	7	0.08	< 10	< 10	29	5	7
LO+00V 5+70S	201 238	< 1	0.01	2	80	< 2	< 5	< 1	4	0.10	< 10	< 10	35	< 5	6
LO+00V 6+30S	201 238	< 1	0.01	1	170	4	< 5	< 1	4	0.11	< 10	< 10	42	10	9
LO+00V 6+90S	201 238	< 1	0.01	22	240	< 2	< 5	2	4	0.17	< 10	< 10	45	15	25
LO+30V 0+00N	201 238	< 1	0.01	7	420	6	< 5	< 1	5	0.04	< 10	< 10	11	< 5	5
LO+30V 0+1 SN	201 238	< 1	0.01	11	120	4	< 5	1	7	0.06	< 10	< 10	17	5	12
LO+30V 0+30N	201 238	< 1	0.01	12	400	10	< 5	1	7	0.07	< 10	< 10	17	5	7
LO+30V 0+4 SN	201 238	1	0.01	5	190	12	< 5	< 1	7	0.08	< 10	< 10	18	10	7
LO+30V 0+60N	201 238	< 1	0.01	13	250	4	< 5	1	5	0.08	< 10	< 10	22	10	7
LO+30V 0+7 SN	201 238	1	0.01	20	220	4	< 5	1	5	0.10	< 10	< 10	34	5	12
LO+30V 0+90N	201 238	1	0.01	18	200	14	< 5	1	5	0.14	< 10	< 10	49	5	18
LO+30V 1+0 SN	201 238	2	0.01	19	320	16	< 5	1	5	0.08	< 10	< 10	16	5	9
LO+30V 1+20N	201 238	1	0.01	11	190	10	< 5	1	5	0.08	< 10	< 10	23	5	9
LO+30V 1+3 SN	201 238	< 1	0.01	4	220	18	< 5	1	6	0.08	< 10	< 10	23	< 5	7
LO+30V 1+30N	201 238	1	0.01	3	160	< 2	< 5	< 1	5	0.12	< 10	< 10	38	5	10
LO+30V 1+6 SN	201 238	< 1	0.01	12	400	8	< 5	1	6	0.05	< 10	< 10	16	10	10
LO+30V 1+80N	201 238	< 1	0.01	22	280	4	< 5	2	10	0.06	< 10	< 10	22	5	20
LO+30V 1+9 SN	201 238	< 1	0.01	33	220	< 2	< 5	1	5	0.08	< 10	< 10	29	5	13
LO+30V 2+10N	201 238	1	0.01	17	170	10	< 5	1	4	0.09	< 10	< 10	34	5	12
LO+30V 2+2 SN	201 238	< 1	0.01	17	350	< 2	< 5	3	4	0.13	< 10	< 10	99	10	29
LO+30V 2+40N	201 238	< 1	0.01	9	170	< 2	< 5	1	5	0.08	< 10	< 10	29	5	17
LO+60V 2+5 SN	201 238	< 1	< 0.01	21	180	< 2	< 5	2	5	0.25	< 10	< 10	121	5	21
LO+60V 2+70N	201 238	< 1	0.01	27	110	6	< 5	1	5	0.12	< 10	< 10	48	5	15
LO+60V 0+30N	201 238	< 1	0.01	22	150	20	< 5	1	4	0.10	< 10	< 10	37	5	11
LO+60V 0+4 SN	201 238	< 1	0.01	25	190	< 2	< 5	2	8	0.09	< 10	< 10	25	< 5	11
LO+60V 0+60N	201 238	< 1	0.01	14	330	8	< 5	1	5	0.06	< 10	< 10	17	5	9

CERTIFICATION :

BCG



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-3C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: JIM SANDBERG

**Page No. : 3-A
Tot. Pages: 6
Date : 8-AUG-88
Invoice #: I-8819812
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8819812

SAMPLE DESCRIPTION	PREP CODE	Au ppb P+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
LO+60V O+7.5N	201 238	< 5	0.61	0.4	< 5	10	< 0.5	2	0.13	< 0.5	4	11	3	0.68	< 10	< 1	< 0.01	10	0.12	46
LO+60V O+90N	201 238	< 5	0.61	0.2	10	10	< 0.5	2	0.18	< 0.5	4	13	4	0.75	< 10	2	< 0.01	10	0.17	61
LO+60V H+0.5N	201 238	< 5	1.07	< 0.2	< 5	20	< 0.5	2	0.07	< 0.5	5	17	14	0.94	< 10	< 1	< 0.01	10	0.13	47
LO+60V H+20N	201 238	< 5	0.90	0.2	< 5	10	< 0.5	2	0.09	< 0.5	5	17	11	0.93	< 10	< 1	< 0.01	10	0.16	51
LO+60V H+3.5N	201 238	< 5	0.88	< 0.2	20	10	< 0.5	< 2	0.15	< 0.5	7	17	10	0.87	< 10	< 1	< 0.01	10	0.20	64
LO+60V H+50N	201 238	< 5	1.32	0.2	5	20	< 0.5	2	0.15	< 0.5	7	17	7	1.11	< 10	< 1	0.01	10	0.17	53
LO+60V H+6.5N	201 238	< 5	0.94	< 0.2	10	20	< 0.5	4	0.16	< 0.5	8	17	11	0.91	< 10	< 1	0.01	10	0.18	67
LO+60V H+80N	201 238	< 5	0.68	< 0.2	< 5	20	< 0.5	< 2	0.08	< 0.5	5	27	4	0.81	< 10	< 1	0.01	10	0.40	72
LO+60V H+9.5N	201 238	< 5	0.50	0.2	5	10	< 0.5	< 2	0.09	< 0.5	1	17	1	0.77	< 10	< 1	0.01	10	0.11	47
LO+60V 2+10N	201 238	< 5	1.12	0.4	10	20	< 0.5	2	0.12	< 0.5	6	30	6	1.50	< 10	< 1	0.01	10	0.27	89
LO+60V 2+2.5N	201 238	< 5	1.67	0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	6	40	21	1.70	< 10	< 1	0.02	10	0.36	96
LO+60V 2+40N	201 238	5	1.79	0.2	10	20	< 0.5	2	0.11	< 0.5	5	40	19	2.27	< 10	< 1	0.02	10	0.26	78
LO+60V 2+5.5N	201 238	5	1.85	0.2	5	40	< 0.5	2	0.09	< 0.5	5	40	21	2.29	< 10	< 1	0.02	10	0.26	73
LO+90V O+7.5N	201 238	< 5	1.02	< 0.2	20	20	< 0.5	< 2	0.12	< 0.5	8	27	10	1.06	< 10	< 1	0.01	10	0.25	62
LO+90V O+90N	201 238	< 5	0.97	0.4	5	20	< 0.5	2	0.12	< 0.5	5	20	12	1.06	< 10	< 1	0.01	10	0.19	55
LO+90V H+0.5N	201 238	< 5	0.56	0.2	5	10	< 0.5	4	0.19	< 0.5	3	17	3	0.72	< 10	< 1	0.01	10	0.16	65
LO+90V H+20N	201 238	< 5	0.75	0.2	20	20	< 0.5	6	0.13	< 0.5	4	20	9	0.78	< 10	< 1	0.01	10	0.16	53
LO+90V H+3.5N	201 238	10	1.53	0.4	< 5	20	< 0.5	4	0.13	< 0.5	6	27	18	1.70	< 10	< 1	0.02	10	0.22	92
LO+90V H+6.5N	201 238	< 5	1.74	0.2	20	30	< 0.5	2	0.12	< 0.5	11	36	13	1.68	< 10	< 1	0.02	10	0.27	94
LO+90V H+80N	201 238	25	1.27	0.2	10	20	< 0.5	6	0.10	< 0.5	6	27	13	1.74	< 10	< 1	0.02	10	0.27	96
L1+20V O+1.5N	201 238	50	1.27	< 0.2	15	20	< 0.5	< 2	0.09	< 0.5	5	32	12	1.99	< 10	< 1	0.01	10	0.22	57
L1+20V O+30N	201 238	< 5	1.64	0.2	< 5	30	< 0.5	< 2	0.09	< 0.5	8	32	10	2.00	< 10	< 1	0.02	10	0.15	63
L1+20V O+4.5N	201 238	< 5	1.06	0.2	< 5	30	< 0.5	4	0.10	< 0.5	4	20	7	1.05	< 10	< 1	0.01	10	0.15	48
L1+20V O+60N	201 238	< 5	0.86	< 0.2	< 5	10	< 0.5	< 2	0.07	< 0.5	3	23	8	1.23	< 10	< 1	0.01	10	0.22	65
L1+20V O+7.5N	201 238	5	0.63	< 0.2	< 5	10	< 0.5	< 2	0.27	< 0.5	2	19	5	0.85	< 10	< 1	0.01	20	0.18	63
L1+20V H+0.5N	201 238	< 5	0.64	< 0.2	< 5	10	< 0.5	< 2	0.22	< 0.5	< 1	14	3	0.69	< 10	< 1	0.01	10	0.16	59
L1+20V H+20N	201 238	< 5	1.28	< 0.2	< 5	30	< 0.5	< 2	0.12	< 0.5	5	24	14	1.28	< 10	< 1	< 0.01	10	0.21	64
L1+20V H+3.5N	201 238	< 5	1.84	< 0.2	15	50	< 0.5	< 2	0.16	< 0.5	7	58	23	3.86	< 10	< 1	0.04	10	0.56	188
L1+20V H+50N	201 238	< 5	1.13	< 0.2	5	20	< 0.5	< 2	0.12	< 0.5	5	23	13	1.09	< 10	< 1	0.01	10	0.25	68
L1+20V H+6.5N	201 238	5	5.54	< 0.2	10	160	1.0	< 2	0.56	< 0.5	36	86	40	4.28	< 10	< 1	0.04	30	0.50	474
L1+20V H+80N	201 238	< 5	1.88	< 0.2	10	40	< 0.5	< 2	0.14	< 0.5	7	39	12	3.04	< 10	< 1	0.03	10	0.28	92
L1+20V H+9.5N	201 238	< 5	1.01	< 0.2	< 5	20	< 0.5	< 2	0.11	< 0.5	5	28	7	1.77	< 10	< 1	0.02	10	0.27	87
L1+20V 2+10N	201 238	< 5	2.08	< 0.2	< 5	30	< 0.5	< 2	0.15	< 0.5	8	42	36	2.51	< 10	< 1	0.02	10	0.44	139
L1+20V O+90S	201 238	< 5	0.93	< 0.2	10	10	< 0.5	< 2	0.09	< 0.5	4	34	17	2.58	< 10	< 1	0.01	< 10	0.26	103
L1+20V H+20S	201 238	< 5	0.81	< 0.2	15	10	< 0.5	< 2	0.13	< 0.5	4	29	12	1.65	< 10	< 1	0.02	10	0.24	93
L1+20V H+50S	201 238	< 5	0.93	< 0.2	5	20	< 0.5	< 2	0.11	< 0.5	3	24	6	1.62	< 10	< 1	0.02	10	0.19	111
L1+20V H+80S	201 238	< 5	1.55	< 0.2	15	30	< 0.5	< 2	0.16	< 0.5	8	31	11	1.56	< 10	< 1	0.02	10	0.25	146
L1+20V 3+00S	201 238	65	1.32	< 0.2	10	10	< 0.5	< 2	0.06	< 0.5	5	21	10	2.89	< 10	< 1	0.01	< 10	0.39	136
L1+20V 3+90S	201 238	5	2.14	< 0.2	705	20	0.5	< 2	0.10	< 0.5	5	33	22	3.06	< 10	< 1	0.02	10	0.31	98
L1+20V 4+50S	201 238	< 5	1.77	< 0.2	20	30	0.5	< 2	0.09	< 0.5	4	42	22	3.17	< 10	< 1	0.01	10	0.26	74

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: JIM SANDBERG

**Page No. : 3-B
Tot. Pages: 6
Date : 8-AUG-88
Invoice #: I-8819812
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819812

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LO+60W 0+7.5N	201 238	< 1	0.01	9	210	2	< 5	1	5	0.06	< 10	< 10	15	5	16
LO+60W 0+9.0N	201 238	< 1	0.01	11	300	< 2	< 5	1	7	0.07	< 10	< 10	17	< 5	9
LO+60W 1+0.5N	201 238	< 1	0.01	10	100	20	< 5	1	5	0.09	< 10	< 10	27	< 5	10
LO+60W 1+2.0N	201 238	< 1	0.01	11	90	12	< 5	1	5	0.08	< 10	< 10	23	10	8
LO+60W 1+3.5N	201 238	< 1	0.01	20	220	< 2	< 5	1	5	0.07	< 10	< 10	17	5	9
LO+60W 1+5.0N	201 238	< 1	0.01	17	410	4	< 5	1	6	0.07	< 10	< 10	24	< 5	13
LO+60W 1+6.5N	201 238	< 1	0.01	13	440	14	< 5	1	6	0.06	< 10	< 10	16	< 5	7
LO+60W 1+8.0N	201 238	< 1	0.01	20	130	6	< 5	1	4	0.06	< 10	< 10	23	< 5	8
LO+60W 1+9.5N	201 238	< 1	0.01	4	90	4	< 5	< 1	5	0.06	< 10	< 10	18	< 5	9
LO+60W 2+1.0N	201 238	< 1	0.01	15	170	10	< 5	1	6	0.10	< 10	< 10	31	5	14
LO+60W 2+2.5N	201 238	< 1	0.01	20	240	10	< 5	2	7	0.11	< 10	< 10	35	5	14
LO+60W 2+4.0N	201 238	< 1	0.01	14	180	< 2	< 5	2	6	0.12	< 10	< 10	43	5	11
LO+60W 2+5.5N	201 238	< 1	0.01	19	120	4	< 5	2	5	0.12	< 10	< 10	41	< 5	11
LO+90W 0+7.5N	201 238	< 1	0.01	17	120	< 2	< 5	1	5	0.09	< 10	< 10	23	< 5	9
LO+90W 0+9.0N	201 238	< 1	0.01	18	100	10	< 5	1	6	0.07	< 10	< 10	23	< 5	8
LO+90W 1+0.5N	201 238	< 1	0.01	6	290	< 2	< 5	1	8	0.06	< 10	< 10	15	5	6
LO+90W 1+2.0N	201 238	< 1	0.01	13	210	14	< 5	1	5	0.06	< 10	< 10	17	< 5	8
LO+90W 1+3.5N	201 238	< 1	0.01	17	210	8	< 5	1	6	0.09	< 10	< 10	29	5	14
LO+90W 1+6.5N	201 238	< 1	0.01	23	230	18	< 5	2	6	0.09	< 10	< 10	26	5	11
LO+90W 1+8.0N	201 238	2	0.01	22	160	4	< 5	1	5	0.10	< 10	< 10	35	< 5	14
LI+20W 0+1.5N	201 238	< 2	0.01	18	80	< 2	< 5	1	4	0.12	< 10	< 10	47	< 5	11
LI+20W 0+3.0N	201 238	< 1	0.01	18	240	< 2	< 5	1	5	0.09	< 10	< 10	35	< 5	8
LI+20W 0+4.5N	201 238	< 1	0.01	9	180	< 2	< 5	< 1	5	0.07	< 10	< 10	21	< 5	6
LI+20W 0+6.0N	201 238	< 1	0.01	11	90	< 2	< 5	< 1	5	0.14	< 10	< 10	66	5	11
LI+20W 0+7.5N	201 238	< 1	0.01	8	560	< 2	< 5	1	10	0.08	< 10	< 10	19	5	7
LI+20W 1+0.5N	201 238	< 1	0.01	5	370	2	< 5	1	8	0.08	< 10	< 10	17	< 5	7
LI+20W 1+2.0N	201 238	< 1	0.01	15	90	2	< 5	1	6	0.09	< 10	< 10	27	< 5	8
LI+20W 1+3.5N	201 238	< 1	0.01	23	230	6	< 5	3	8	0.20	< 10	< 10	120	5	44
LI+20W 1+5.0N	201 238	< 1	0.01	24	60	6	< 5	1	6	0.10	< 10	< 10	30	< 5	11
LI+20W 1+6.5N	201 238	< 1	0.02	95	340	24	< 5	6	19	0.13	< 10	< 10	61	< 5	25
LI+20W 1+8.0N	201 238	< 1	0.01	15	160	10	< 5	2	7	0.16	< 10	< 10	62	< 5	16
LI+20W 1+9.5N	201 238	< 1	0.01	14	100	8	< 5	1	7	0.14	< 10	< 10	50	< 5	12
LI+20W 2+1.0N	201 238	< 1	0.01	12	150	2	< 5	4	7	0.13	< 10	< 10	58	< 5	23
LI+20W 0+9.0S	201 238	< 1	0.01	18	200	6	< 5	1	4	0.16	< 10	< 10	73	< 5	13
LI+20W 1+2.0S	201 238	< 1	0.01	17	220	4	< 5	1	6	0.10	< 10	< 10	38	< 5	13
LI+20W 1+5.0S	201 238	< 1	0.01	13	370	< 2	< 5	1	7	0.10	< 10	< 10	35	< 5	15
LI+20W 1+8.0S	201 238	< 1	0.01	25	380	< 2	< 5	1	7	0.08	< 10	< 10	27	< 5	11
LI+20W 3+0.0S	201 238	< 1	0.01	10	60	10	< 5	4	4	0.06	< 10	< 10	91	< 5	26
LI+20W 3+9.0S	201 238	< 1	0.01	12	290	10	< 5	2	5	0.09	< 10	< 10	48	< 5	24
LI+20W 4+5.0S	201 238	< 1	0.01	18	170	10	< 5	1	6	0.14	< 10	< 10	60	< 5	16

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:
Comments: ATTN: JIM SANDBERG

**Page No. : 4-A
Tot. Pages: 6
Date : 8-AUG-88
Invoice # : 18819812
P.O. # :

CERTIFICATE OF ANALYSIS A8819812

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L1+20W 5+10S	201 238	5	0.95	< 0.2	5	10	< 0.5	< 2	0.08	< 0.5	3	20	9	1.54	< 10	< 1	0.01	< 10	0.20	72
L1+20W 5+40S	201 238	10	0.25	< 0.2	< 5	10	< 0.5	< 2	0.04	< 0.5	< 1	4	1	0.27	< 10	< 1	< 0.01	10	0.03	23
L1+20W 5+70S	201 238	5	1.65	< 0.2	20	30	< 0.5	< 2	0.10	< 0.5	4	30	17	2.43	< 10	< 1	0.02	10	0.23	71
L1+20W 6+90S	201 238	< 5	0.83	< 0.2	5	20	< 0.5	< 2	0.09	< 0.5	2	13	7	0.94	< 10	< 1	0.01	10	0.12	52
L1+50W 0+30N	201 238	< 5	1.19	< 0.2	< 5	40	< 0.5	< 2	0.35	< 0.5	7	26	11	1.39	< 10	< 1	0.03	10	0.27	135
L1+50W 0+45N	201 238	< 5	1.21	< 0.2	5	40	< 0.5	< 2	0.42	< 0.5	5	22	9	1.07	< 10	< 1	0.02	10	0.27	115
L1+50W 0+60N	201 238	< 5	0.64	< 0.2	< 5	10	< 0.5	< 2	0.16	< 0.5	3	17	3	0.83	< 10	< 1	0.01	10	0.20	68
L1+50W 0+75N	201 238	< 5	1.58	< 0.2	10	50	< 0.5	< 2	0.42	< 0.5	10	29	14	1.52	< 10	< 1	0.02	20	0.34	216
L1+50W 0+90N	201 238	< 5	0.54	< 0.2	5	10	< 0.5	< 2	0.18	< 0.5	1	13	3	0.50	< 10	< 1	0.01	10	0.15	56
L1+50W 1+05N	201 238	5	1.45	< 0.2	< 5	20	< 0.5	< 2	0.22	< 0.5	14	55	30	3.53	< 10	< 1	0.02	10	0.48	349
L1+50W 1+20N	201 238	< 5	1.46	< 0.2	< 5	40	0.5	< 2	0.38	< 0.5	13	38	42	1.92	< 10	< 1	0.02	10	0.34	337
L1+50W 1+35N	201 238	< 5	1.01	< 0.2	< 5	20	< 0.5	< 2	0.21	< 0.5	6	29	12	1.20	< 10	< 1	0.01	10	0.38	107
L1+50W 1+50N	201 238	< 5	0.55	< 0.2	< 5	10	< 0.5	< 2	0.17	< 0.5	2	15	7	0.80	< 10	< 1	0.01	10	0.16	97
L1+50W 1+65N	201 238	10	2.28	< 0.2	5	30	0.5	< 2	0.11	< 0.5	6	41	17	2.38	< 10	< 1	0.01	10	0.23	70
L1+50W 1+80N	201 238	< 5	1.45	< 0.2	15	30	< 0.5	< 2	0.21	< 0.5	7	38	33	1.68	< 10	< 1	0.01	10	0.47	119
L1+50W 1+95N	201 238	< 5	0.72	< 0.2	5	10	< 0.5	< 2	0.20	< 0.5	3	21	10	0.90	< 10	< 1	0.02	10	0.25	76
L1+50W 2+10N	201 238	5	1.38	< 0.2	10	20	< 0.5	< 2	0.11	< 0.5	4	35	12	2.78	< 10	< 1	0.02	10	0.23	78
L1+60W 0+15N	201 238	5	1.97	< 0.2	15	20	0.5	< 2	0.20	< 0.5	11	30	16	1.97	< 10	< 1	0.02	10	0.19	61
L1+60W 0+30N	201 238	< 5	1.23	< 0.2	5	20	< 0.5	< 2	0.36	< 0.5	8	31	67	1.33	< 10	< 1	0.02	10	0.34	130
L1+60W 0+45N	201 238	< 5	0.49	< 0.2	10	< 10	< 0.5	< 2	0.13	< 0.5	1	16	6	1.11	< 10	< 1	0.01	10	0.16	64
L1+60W 0+60N	201 238	< 5	1.39	< 0.2	5	30	< 0.5	< 2	0.14	< 0.5	4	26	12	2.08	< 10	< 1	0.02	10	0.21	76
L1+60W 0+75N	201 238	< 5	1.05	< 0.2	< 5	20	< 0.5	< 2	0.06	< 0.5	4	32	15	2.19	< 10	< 1	0.02	< 10	0.25	76
L1+60W 0+90N	201 238	< 5	1.84	< 0.2	10	30	< 0.5	< 2	0.13	< 0.5	9	39	34	1.92	< 10	< 1	0.03	10	0.47	162
L1+60W 1+05N	201 238	< 5	1.40	< 0.2	10	30	< 0.5	< 2	0.23	< 0.5	10	41	32	1.89	< 10	< 1	0.02	10	0.37	104
L1+60W 1+20N	201 238	< 5	1.05	< 0.2	5	30	< 0.5	< 2	0.17	< 0.5	6	23	13	1.19	< 10	< 1	0.02	10	0.21	73
L1+60W 1+35N	201 238	10	1.66	< 0.2	30	20	< 0.5	< 2	0.20	< 0.5	15	36	36	2.07	< 10	< 1	0.02	20	0.24	146
L1+60W 1+50N	201 238	5	0.67	< 0.2	< 5	10	< 0.5	< 2	0.34	< 0.5	5	28	31	1.08	< 10	< 1	0.02	20	0.32	117
L1+60W 4+50N	201 238	< 5	0.86	< 0.2	5	20	< 0.5	< 2	0.21	< 0.5	6	15	4	0.80	< 10	< 1	0.01	10	0.11	41
L1+60W 4+60N	201 238	< 5	0.66	< 0.2	5	10	< 0.5	< 2	0.08	< 0.5	3	14	3	0.83	< 10	< 1	0.01	10	0.07	36
L1+60W 5+10N	201 238	< 5	0.40	< 0.2	< 5	10	< 0.5	< 2	0.09	< 0.5	1	9	< 1	0.72	< 10	< 1	0.01	10	0.05	56
L1+60W 5+40N	201 238	< 5	0.86	< 0.2	< 5	30	< 0.5	< 2	0.11	< 0.5	3	21	1	1.37	< 10	< 1	0.02	10	0.12	127
L1+60W 5+70N	201 238	< 5	0.92	< 0.2	5	20	< 0.5	< 2	0.16	< 0.5	3	18	1	1.28	< 10	< 1	0.02	10	0.17	60
L1+60W 6+00N	201 238	< 5	1.08	< 0.2	15	20	< 0.5	< 2	0.16	< 0.5	5	32	15	2.10	< 10	< 1	0.03	10	0.27	93
L2+10W 0+00N	201 238	5	2.72	< 0.2	5	70	< 0.5	< 2	0.29	0.5	21	139	15	6.19	< 10	< 1	0.03	10	1.63	933
L2+10W 0+15N	201 238	< 5	2.25	< 0.2	< 5	70	< 0.5	< 2	0.29	< 0.5	10	56	27	3.15	< 10	< 1	0.04	10	0.56	267
L2+10W 0+45N	201 238	5	3.68	< 0.2	< 5	70	< 0.5	< 2	0.36	< 0.5	30	137	26	6.70	< 10	< 1	0.02	10	2.13	1120
L2+10W 0+60N	201 238	< 5	1.14	< 0.2	< 5	20	< 0.5	< 2	0.19	< 0.5	9	55	6	1.44	< 10	< 1	0.02	10	0.59	220
L2+10W 0+75N	201 238	< 5	2.28	< 0.2	30	70	< 0.5	< 2	0.16	0.5	17	60	25	4.62	< 10	< 1	0.04	10	0.67	305
L2+10W 0+90N	201 238	< 5	2.43	< 0.2	< 5	70	< 0.5	< 2	0.46	< 0.5	17	44	26	2.60	< 10	< 1	0.04	20	0.61	178
L2+10W 1+05N	201 238	10	1.86	< 0.2	20	50	< 0.5	< 2	0.28	< 0.5	16	44	48	2.08	< 10	< 1	0.03	20	0.46	325

CERTIFICATION :

BCJ



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: JIM SANDBERG

**Page No. : 4-B
Tot. Pages: 6
Date : 8-AUG-88
Invoice #: I-8819812
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8819812

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L1+20W 5+10S	201 238	< 1	0.01	10	100	< 2	< 5	1	4	0.10	< 10	< 10	39	< 5	13
L1+20W 5+40S	201 238	< 1	0.01	3	50	< 2	< 5	< 1	3	0.05	< 10	< 10	14	< 5	3
L1+20W 5+70S	201 238	< 1	0.01	10	160	< 2	< 5	2	6	0.16	< 10	< 10	60	< 5	14
L1+20W 6+90S	201 238	< 1	0.01	6	80	6	< 5	1	6	0.10	< 10	< 10	31	< 5	9
L1+30W 0+30N	201 238	< 1	0.01	17	290	6	< 5	2	10	0.09	< 10	< 10	31	< 5	15
L1+30W 0+45N	201 238	< 1	0.01	15	110	6	< 5	2	12	0.08	< 10	< 10	23	< 5	13
L1+30W 0+60N	201 238	< 1	0.01	8	50	< 2	< 5	1	6	0.08	< 10	< 10	21	< 5	11
L1+30W 0+75N	201 238	< 1	0.01	18	160	6	< 5	2	11	0.10	< 10	< 10	32	< 5	26
L1+30W 0+90N	201 238	< 1	0.01	5	80	< 2	< 5	1	8	0.08	< 10	< 10	14	< 5	12
L1+30W 1+05N	201 238	< 1	0.01	41	180	8	< 5	2	6	0.13	< 10	< 10	98	< 5	24
L1+30W 1+20N	201 238	< 1	0.01	33	190	6	< 5	2	8	0.08	< 10	< 10	34	< 5	25
L1+30W 1+35N	201 238	< 1	0.01	15	90	8	< 5	1	7	0.09	< 10	< 10	30	< 5	17
L1+30W 1+50N	201 238	< 1	0.01	8	50	4	< 5	1	6	0.07	< 10	< 10	16	< 5	7
L1+30W 1+65N	201 238	< 1	0.01	14	140	16	< 5	2	6	0.14	< 10	< 10	51	< 5	11
L1+30W 1+80N	201 238	< 1	0.01	21	60	4	< 5	2	6	0.09	< 10	< 10	36	< 5	24
L1+30W 1+95N	201 238	< 1	0.01	12	40	2	< 5	1	7	0.08	< 10	< 10	21	< 5	9
L1+30W 2+10N	201 238	< 1	0.01	17	160	2	< 5	1	7	0.17	< 10	< 10	64	< 5	16
L1+30W 0+15N	201 238	< 1	0.01	21	100	12	< 5	2	8	0.13	< 10	< 10	44	< 5	10
L1+30W 0+30N	201 238	< 1	0.01	30	100	2	< 5	2	9	0.11	< 10	< 10	28	< 5	18
L1+30W 0+45N	201 238	< 1	0.01	6	60	< 2	< 5	1	6	0.12	< 10	< 10	38	< 5	9
L1+30W 0+60N	201 238	< 1	0.01	14	130	6	< 5	1	8	0.14	< 10	< 10	45	< 5	16
L1+30W 0+75N	201 238	< 1	0.01	14	150	6	< 5	1	3	0.10	< 10	< 10	35	< 5	16
L1+30W 0+90N	201 238	< 1	0.01	16	150	12	< 5	2	6	0.12	< 10	< 10	46	< 5	70
L1+30W 1+05N	201 238	< 1	0.01	39	120	4	< 5	2	8	0.12	< 10	< 10	37	< 5	18
L1+30W 1+20N	201 238	< 1	0.01	19	130	2	< 5	1	8	0.11	< 10	< 10	28	< 5	12
L1+30W 1+35N	201 238	< 1	0.01	30	150	4	< 5	2	7	0.11	< 10	< 10	34	< 5	21
L1+30W 1+50N	201 238	< 1	0.01	15	490	2	< 5	2	8	0.07	< 10	< 10	21	< 5	13
L1+30W 4+30N	201 238	< 1	0.01	15	140	2	< 5	< 1	6	0.06	< 10	< 10	14	< 5	5
L1+30W 4+60N	201 238	< 1	0.01	2	200	8	< 5	< 1	4	0.06	< 10	< 10	17	< 5	7
L1+30W 5+10N	201 238	< 1	0.01	2	600	10	< 5	< 1	6	0.06	< 10	< 10	15	< 5	5
L1+30W 5+40N	201 238	< 1	0.01	6	650	2	< 5	1	6	0.10	< 10	< 10	41	< 5	9
L1+30W 5+70N	201 238	< 1	0.01	7	210	10	< 5	1	7	0.10	< 10	< 10	31	< 5	9
L1+30W 6+00N	201 238	< 1	0.01	13	230	12	< 5	2	8	0.14	< 10	< 10	46	< 5	17
L2+10W 0+00N	201 238	1	0.01	57	390	20	< 5	5	9	0.45	10	< 10	194	< 5	99
L2+10W 0+15N	201 238	1	0.01	24	200	10	< 5	5	8	0.24	10	< 10	100	< 5	46
L2+10W 0+45N	201 238	2	0.01	66	180	18	< 5	6	3	0.39	10	< 10	166	< 5	85
L2+10W 0+60N	201 238	< 1	0.01	23	130	10	< 5	2	8	0.12	< 10	< 10	43	< 5	36
L2+10W 0+75N	201 238	1	0.01	29	260	8	< 5	5	9	0.10	< 10	< 10	87	< 5	94
L2+10W 0+90N	201 238	1	0.02	54	310	16	< 5	3	16	0.20	< 10	< 10	52	< 5	36
L2+10W 1+05N	201 238	< 1	0.01	34	240	18	< 5	3	11	0.13	< 10	< 10	43	< 5	26

CERTIFICATION :

[Handwritten Signature]



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: JIM SANDBERG

**Page No.: 5-A
Tot. Pages: 6
Date: 8-AUG-88
Invoice #: L8819812
P.O. #:

CERTIFICATE OF ANALYSIS A8819812

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L2+10W 1+20N	201 238	20	1.01	< 0.2	5	30	< 0.5	< 2	0.09	< 0.5	4	27	8	1.19	< 10	< 1	0.03	10	0.32	106
L2+10W 1+35N	201 238	< 5	1.36	< 0.2	10	20	< 0.5	< 2	0.08	< 0.5	4	23	8	2.04	< 10	< 1	0.01	< 10	0.17	58
L2+40W BL	201 238	< 5	1.66	< 0.2	< 5	40	< 0.5	< 2	0.16	< 0.5	8	32	11	2.27	< 10	< 1	0.04	10	0.30	105
L2+40W 0+15N	201 238	< 5	0.98	< 0.2	10	30	< 0.5	< 2	0.11	< 0.5	5	22	6	1.50	< 10	< 1	0.02	10	0.26	95
L2+40W 0+30N	201 238	< 5	1.74	< 0.2	10	50	< 0.5	< 2	0.11	< 0.5	11	29	15	2.20	< 10	1	0.02	10	0.26	110
L2+40W 0+45N	201 238	< 5	2.21	< 0.2	5	40	< 0.5	2	0.13	< 0.5	21	70	21	3.72	< 10	3	0.02	< 10	0.89	592
L2+40W 0+60N	201 238	< 5	1.44	< 0.2	< 5	20	< 0.5	< 2	0.10	< 0.5	6	31	13	2.05	< 10	< 1	0.01	< 10	0.24	105
L2+40W 0+75N	201 238	375	2.23	< 0.2	100	30	< 0.5	2	0.03	< 0.5	13	117	42	5.56	< 10	< 1	0.01	< 10	1.03	228
L2+40W 0+90N	201 238	< 5	3.13	< 0.2	75	70	< 0.5	< 2	0.19	< 0.5	25	48	45	3.19	< 10	< 1	0.03	10	0.40	153
L2+40W 1+20N	201 238	< 5	1.31	< 0.2	15	30	< 0.5	< 2	0.14	< 0.5	8	35	13	2.65	< 10	4	0.02	10	0.29	108
L2+40W 1+35N	201 238	< 5	1.62	< 0.2	5	30	< 0.5	< 2	0.14	< 0.5	9	25	7	1.85	< 10	2	0.02	10	0.21	75
L2+40W 1+50N	201 238	< 5	1.03	< 0.2	5	20	< 0.5	< 2	0.16	< 0.5	7	20	26	1.31	< 10	1	0.01	10	0.22	70
L2+40W 1+65N	201 238	< 5	0.99	< 0.2	25	10	< 0.5	< 2	0.21	< 0.5	8	19	44	0.99	< 10	1	0.01	20	0.21	69
L2+40W 3+10N	201 238	< 5	1.03	< 0.2	20	20	< 0.5	< 2	0.27	< 0.5	9	20	17	1.03	< 10	1	0.01	10	0.27	77
L2+40W 3+40N	201 238	< 5	0.66	< 0.2	5	10	< 0.5	< 2	0.10	< 0.5	< 1	9	1	0.63	< 10	< 1	0.01	< 10	0.09	37
L2+40W 6+00N	201 238	< 5	0.81	< 0.2	5	20	< 0.5	< 2	0.22	< 0.5	< 1	13	2	1.11	< 10	1	0.01	10	0.12	41
L2+40W 0+15S	201 238	< 5	1.10	< 0.2	< 5	20	< 0.5	< 2	0.19	< 0.5	7	21	11	1.09	< 10	1	0.01	10	0.19	64
L2+40W 0+60S	201 238	< 5	0.53	< 0.2	10	10	< 0.5	< 2	0.06	< 0.5	< 1	13	3	1.25	< 10	< 1	0.01	< 10	0.10	43
L2+40W 0+90S	201 238	< 5	0.82	< 0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	< 1	20	5	1.83	< 10	< 1	0.02	10	0.17	67
L2+40W 1+20S	201 238	40	0.93	< 0.2	< 5	10	< 0.5	< 2	0.09	< 0.5	1	18	9	1.19	< 10	< 1	0.02	10	0.17	69
L2+40W 3+60S	201 238	< 5	0.43	< 0.2	< 5	10	< 0.5	< 2	0.08	< 0.5	< 1	6	4	0.31	< 10	< 1	0.01	10	0.04	34
L2+40W 3+90S	201 238	< 5	0.39	< 0.2	5	10	< 0.5	< 2	0.10	< 0.5	< 1	11	1	0.60	< 10	< 1	< 0.01	10	0.07	41
L2+40W 4+20S	201 238	< 5	0.87	< 0.2	25	10	< 0.5	< 2	0.11	< 0.5	5	21	8	1.64	< 10	< 1	0.01	10	0.28	84
L2+40W 4+60S	201 238	< 5	1.23	< 0.2	< 5	20	< 0.5	2	0.12	< 0.5	7	27	6	2.01	< 10	< 1	0.02	10	0.25	85
L2+40W 5+10S	201 238	< 5	1.28	< 0.2	< 5	40	< 0.5	2	0.14	< 0.5	8	27	6	1.96	< 10	< 1	0.03	10	0.27	94
L2+40W 5+40S	201 238	15	2.06	< 0.2	45	30	< 0.5	< 2	0.15	< 0.5	18	53	31	3.89	< 10	< 1	0.03	10	0.72	328
L2+40W 5+70S	201 238	< 5	2.11	< 0.2	25	30	< 0.5	< 2	0.13	< 0.5	9	36	8	2.59	< 10	< 1	0.03	10	0.27	108
L2+40W 6+60S	201 238	< 5	2.74	< 0.2	25	30	< 0.5	< 2	0.10	< 0.5	7	42	34	3.46	< 10	< 1	0.01	10	0.25	93
L2+40W 6+90S	201 238	< 5	1.31	< 0.2	< 5	20	< 0.5	< 2	0.14	< 0.5	7	26	23	2.14	< 10	< 1	0.01	10	0.29	97
L2+40W 7+20S	201 238	< 5	1.88	< 0.2	< 5	30	< 0.5	< 2	0.12	< 0.5	6	23	32	1.82	< 10	< 1	0.01	10	0.20	89
L2+70W 0+00N	201 238	< 5	2.42	< 0.2	< 5	80	< 0.5	< 2	0.23	< 0.5	41	81	41	4.92	< 10	< 1	0.04	< 10	0.93	1655
L2+70W 0+15N	201 238	< 5	1.21	< 0.2	10	30	< 0.5	< 2	0.18	< 0.5	7	24	13	1.35	< 10	1	0.02	10	0.27	108
L2+70W 0+30N	201 238	< 5	1.77	< 0.2	25	30	< 0.5	< 2	0.21	< 0.5	13	36	25	2.55	< 10	1	0.03	10	0.38	129
L2+70W 0+45N	201 238	5	2.41	< 0.2	20	40	< 0.5	< 2	0.13	< 0.5	16	45	33	3.90	< 10	< 1	0.04	10	0.51	173
L2+70W 0+60N	201 238	5	2.25	< 0.2	35	40	< 0.5	2	0.20	< 0.5	18	41	41	2.95	< 10	< 1	0.03	10	0.42	137
L2+70W 0+75N	201 238	< 5	2.46	< 0.2	10	50	< 0.5	< 2	0.18	< 0.5	11	49	19	2.47	< 10	1	0.02	10	0.60	128
L2+70W 0+90N	201 238	< 5	0.78	< 0.2	< 5	10	< 0.5	< 2	0.21	< 0.5	5	24	26	1.97	< 10	< 1	0.02	10	0.24	93
L2+70W 1+05N	201 238	< 5	0.89	< 0.2	5	20	< 0.5	< 2	0.13	< 0.5	7	20	7	1.54	< 10	1	0.02	< 10	0.22	78
L2+70W 1+20N	201 238	< 5	1.19	< 0.2	10	20	< 0.5	< 2	0.22	< 0.5	5	20	10	1.25	< 10	< 1	0.02	10	0.19	80
L2+70W 1+35N	201 238	< 5	1.15	< 0.2	< 5	20	< 0.5	2	0.16	< 0.5	5	23	8	1.73	< 10	< 1	0.02	10	0.22	76

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0211

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: JIM SANDBERG

**Page No. : 5-B

Tot. Pages: 6

Date : 8-AUG-88

Invoice # : I-8819812

P.O. # :

CERTIFICATE OF ANALYSIS A8819812

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
L2+10W H+20N	201	238	< 1	< 0.01	12	150	4	< 5	2	7	0.18	< 10	< 10	54	< 5	15
L2+10W H+35N	201	238	< 1	< 0.01	9	140	2	< 5	1	6	0.13	< 10	< 10	41	< 5	9
L2+40W BL	201	238	< 1	< 0.01	17	240	10	< 5	2	9	0.14	< 10	< 10	40	< 5	24
L2+40W O+15N	201	238	< 1	< 0.01	12	160	2	< 5	1	6	0.10	< 10	< 10	35	< 5	16
L2+40W O+30N	201	238	< 1	< 0.01	26	280	6	< 5	2	6	0.12	< 10	< 10	39	< 5	14
L2+40W O+45N	201	238	< 1	< 0.01	40	120	4	< 5	3	4	0.14	< 10	< 10	60	< 5	37
L2+40W O+60N	201	238	< 1	< 0.01	18	180	4	< 5	2	5	0.11	< 10	< 10	39	< 5	14
L2+40W O+75N	201	238	< 1	< 0.01	37	140	10	< 5	10	2	0.02	< 10	< 10	123	< 5	45
L2+40W O+90N	201	238	< 1	< 0.01	44	230	12	< 5	3	11	0.18	< 10	< 10	52	< 5	35
L2+40W H+20N	201	238	< 1	< 0.01	16	190	2	< 5	2	9	0.18	< 10	< 10	54	< 5	13
L2+40W H+35N	201	238	< 1	< 0.01	12	150	2	< 5	2	9	0.12	< 10	< 10	34	< 5	8
L2+40W H+50N	201	238	< 1	< 0.01	16	140	6	< 5	2	8	0.10	< 10	< 10	20	< 5	8
L2+40W H+65N	201	238	< 1	< 0.01	29	60	4	< 5	2	7	0.09	< 10	< 10	20	< 5	6
L2+40W S+10N	201	238	< 1	< 0.01	22	160	4	< 5	2	8	0.09	< 10	< 10	22	< 5	8
L2+40W S+40N	201	238	< 1	< 0.01	6	100	2	< 5	1	7	0.07	< 10	< 10	14	< 5	3
L2+40W 6+00N	201	238	< 1	0.01	8	220	< 2	< 5	1	9	0.11	< 10	< 10	32	< 5	5
L2+40W O+15S	201	238	< 1	< 0.01	16	290	< 2	< 5	1	8	0.08	< 10	< 10	20	< 5	7
L2+40W O+60S	201	238	< 1	< 0.01	5	120	10	< 5	1	5	0.14	< 10	< 10	56	< 5	11
L2+40W O+90S	201	238	< 1	< 0.01	9	290	12	< 5	1	7	0.13	< 10	< 10	50	< 5	15
L2+40W H+20S	201	238	< 1	< 0.01	7	130	8	< 5	2	6	0.14	< 10	< 10	45	< 5	14
L2+40W 3+60S	201	238	< 1	< 0.01	2	60	6	< 5	< 1	6	0.06	< 10	< 10	15	< 5	6
L2+40W 3+90S	201	238	< 1	< 0.01	4	70	< 2	< 5	1	7	0.09	< 10	< 10	20	30	5
L2+40W 4+20S	201	238	< 1	< 0.01	12	140	2	< 5	2	7	0.13	< 10	< 10	49	< 5	24
L2+40W 4+80S	201	238	< 1	< 0.01	11	190	< 2	< 5	2	8	0.16	< 10	< 10	58	< 5	28
L2+40W 5+10S	201	238	< 1	< 0.01	13	230	8	< 5	2	10	0.17	< 10	< 10	58	< 5	25
L2+40W 5+40S	201	238	< 1	< 0.01	32	400	14	< 5	3	8	0.25	< 10	< 10	74	< 5	45
L2+40W 5+70S	201	238	< 1	< 0.01	12	560	4	< 5	2	8	0.13	< 10	< 10	47	< 5	28
L2+40W 6+60S	201	238	< 1	< 0.01	13	280	14	< 5	3	7	0.17	< 10	< 10	74	< 5	13
L2+40W 6+90S	201	238	< 1	< 0.01	15	90	2	< 5	2	8	0.17	< 10	< 10	53	< 5	11
L2+40W 7+20S	201	238	< 1	< 0.01	9	190	2	< 5	2	7	0.11	< 10	< 10	40	< 5	20
L2+70W O+00N	201	238	< 1	< 0.01	41	360	6	< 5	4	5	0.20	< 10	< 10	107	< 5	64
L2+70W O+15N	201	238	< 1	< 0.01	17	260	2	< 5	2	8	0.11	< 10	< 10	25	< 5	8
L2+70W O+30N	201	238	< 1	0.01	27	300	6	< 5	2	10	0.15	< 10	< 10	41	< 5	19
L2+70W O+45N	201	238	< 1	< 0.01	28	350	2	< 5	3	8	0.20	< 10	< 10	74	< 5	44
L2+70W O+60N	201	238	< 1	< 0.01	41	310	< 2	< 5	3	10	0.15	< 10	< 10	50	< 5	40
L2+70W O+75N	201	238	< 1	< 0.01	40	180	8	< 5	2	11	0.12	< 10	< 10	51	< 5	36
L2+70W O+90N	201	238	< 1	< 0.01	12	170	6	< 5	2	12	0.18	< 10	< 10	47	< 5	9
L2+70W H+05N	201	238	< 1	< 0.01	10	110	10	< 5	1	8	0.13	< 10	< 10	39	< 5	11
L2+70W H+20N	201	238	< 1	0.01	13	360	< 2	< 5	2	10	0.10	< 10	< 10	23	< 5	9
L2+70W H+35N	201	238	< 1	< 0.01	14	150	4	< 5	2	10	0.13	< 10	< 10	38	< 5	8

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:
Comments: ATTN: JIM SANDBERG

**Page No.: 6-A
Tot. Pages: 6
Date: 8-AUG-88
Invoice #: 1819812
P.O. #

CERTIFICATE OF ANALYSIS A8819812

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L2+40W 1+50N	201 238	< 5	1.60	< 0.2	< 5	30	< 0.5	< 2	0.14	< 0.5	8	21	10	1.59	< 10	< 1	0.02	10	0.17	63
L2+70W 0+15S	201 238	20	0.98	< 0.2	< 5	20	< 0.5	< 2	0.13	< 0.5	5	22	9	1.50	< 10	< 1	0.03	10	0.25	170
L2+70W 0+30S	201 238	< 5	0.66	< 0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	1	17	4	1.02	< 10	< 1	0.02	10	0.17	178
L2+70W 0+45S	201 238	< 5	1.39	< 0.2	10	50	< 0.5	< 2	0.15	< 0.5	7	28	9	2.22	< 10	< 1	0.03	10	0.25	87
L2+70W 0+60S	201 238	< 5	0.32	< 0.2	5	20	< 0.5	< 2	0.07	< 0.5	< 1	9	3	0.48	< 10	< 1	0.01	< 10	0.05	32
L3+00W EL	201 238	< 5	1.44	< 0.2	< 5	30	< 0.5	< 2	0.13	< 0.5	9	23	18	1.59	< 10	< 1	0.02	10	0.25	112
L3+00W 0+15N	201 238	< 5	1.93	< 0.2	15	20	3.0	2	0.17	< 0.5	9	31	32	1.81	< 10	< 1	0.02	10	0.27	87
L3+00W 0+30N	201 238	< 5	3.35	< 0.2	< 5	40	< 0.5	2	0.18	< 0.5	51	102	77	5.51	< 10	< 1	0.03	10	0.97	801
L3+00W 0+45N	201 238	20	1.44	< 0.2	10	40	< 0.5	< 2	0.16	< 0.5	12	31	24	2.62	< 10	< 1	0.02	< 10	0.36	120
L3+00W 0+60N	201 238	70	3.82	< 0.2	215	60	< 0.5	2	0.30	< 0.5	81	63	227	6.86	< 10	< 1	0.05	10	1.67	1700
L3+00W 0+75N	201 238	60	1.46	0.2	35	30	< 0.5	< 2	0.17	< 0.5	11	35	20	3.35	10	< 1	0.03	10	0.34	122
L3+00W 0+90N	201 238	< 5	2.50	0.2	< 5	50	< 0.5	< 2	0.18	< 0.5	18	29	29	1.68	< 10	< 1	0.03	10	0.33	139
L3+00W 1+05N	201 238	< 5	1.33	< 0.2	< 5	20	< 0.5	< 2	0.08	< 0.5	1	19	8	1.57	< 10	< 1	0.02	10	0.12	50
L3+00W 1+20N	201 238	10	1.69	< 0.2	< 5	30	< 0.5	< 2	0.10	< 0.5	6	28	18	2.81	< 10	< 1	0.02	10	0.21	72
L3+00W 1+35N	201 238	< 5	2.05	< 0.2	< 5	20	< 0.5	< 2	0.14	< 0.5	8	32	24	2.43	< 10	< 1	0.02	10	0.29	86
L3+00W 1+50N	201 238	< 5	0.76	< 0.2	5	10	< 0.5	< 2	0.11	< 0.5	1	18	5	1.11	< 10	< 1	0.01	10	0.21	66
L3+00W 0+15S	201 238	< 5	1.25	< 0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	10	26	15	1.69	< 10	< 1	0.02	10	0.29	126
L3+00W 0+30S	201 238	< 5	1.47	0.2	< 5	40	< 0.5	< 2	0.14	< 0.5	8	28	6	2.47	10	1	0.04	10	0.29	121
L3+00W 0+45S	201 238	< 5	0.97	< 0.2	< 5	30	< 0.5	< 2	0.14	< 0.5	4	18	8	1.24	< 10	< 1	0.02	20	0.20	75
L3+00W 0+60S	201 238	< 5	1.25	0.2	< 5	30	< 0.5	< 2	0.18	< 0.5	6	26	6	2.64	< 10	< 1	0.03	10	0.21	93

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: JIM SANDBERG

**Page No. : 6-B

Tot. Pages: 6

Date : 8-AUG-88

Invoice # : I-8819812

P.O. # : 108

CERTIFICATE OF ANALYSIS A8819812

SAMPLE DESCRIPTION	PREP CODE		Mb	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
L2+70W H+50N	201	238	< 1	< 0.01	18	110	4	< 5	2	9	0.12	< 10	< 10	33	< 5	9
L2+70W O+15S	201	238	< 1	< 0.01	14	220	2	< 5	2	9	0.14	< 10	< 10	44	< 5	23
L2+70W O+30S	201	238	< 1	< 0.01	5	160	6	< 5	1	10	0.12	< 10	< 10	43	< 5	10
L2+70W O+45S	201	238	< 1	< 0.01	17	270	8	< 5	2	9	0.13	< 10	< 10	44	< 5	17
L2+70W O+60S	201	238	< 1	< 0.01	4	90	6	< 5	< 1	6	0.06	< 10	< 10	16	< 5	5
L3+00W BL	201	238	< 1	< 0.01	20	350	2	< 5	1	7	0.09	< 10	< 10	27	< 5	40
L3+00W O+15N	201	238	< 1	< 0.01	21	570	< 2	< 5	2	7	0.09	< 10	< 10	26	< 5	15
L3+00W O+30N	201	238	< 1	< 0.01	102	510	2	< 5	5	6	0.22	< 10	< 10	101	< 5	185
L3+00W O+45N	201	238	< 1	< 0.01	28	190	< 2	< 5	2	7	0.15	< 10	< 10	48	< 5	23
L3+00W O+60N	201	238	1	< 0.01	94	560	10	< 5	12	8	0.03	< 10	< 10	111	< 5	118
L3+00W O+75N	201	238	< 1	< 0.01	16	220	4	< 5	2	9	0.23	< 10	< 10	79	< 5	21
L3+00W O+90N	201	238	< 1	< 0.01	36	130	2	< 5	2	9	0.11	< 10	< 10	31	< 5	31
L3+00W H+05N	201	238	< 1	< 0.01	6	110	< 2	< 5	1	7	0.13	< 10	< 10	41	< 5	7
L3+00W H+20N	201	238	< 1	< 0.01	8	310	2	< 5	2	8	0.18	< 10	< 10	72	< 5	14
L3+00W H+35N	201	238	< 1	< 0.01	14	270	8	< 5	2	8	0.13	< 10	< 10	40	< 5	15
L3+00W H+50N	201	238	< 1	< 0.01	8	80	< 2	< 5	1	6	0.12	< 10	< 10	28	< 5	9
L3+00W O+15S	201	238	< 1	< 0.01	22	290	6	< 5	2	8	0.10	< 10	< 10	29	< 5	15
L3+00W O+30S	201	238	< 1	< 0.01	12	270	2	< 5	2	10	0.19	< 10	< 10	63	< 5	31
L3+00W O+45S	201	238	< 1	< 0.01	10	180	10	< 5	1	10	0.11	< 10	< 10	29	< 5	10
L3+00W O+60S	201	238	< 1	< 0.01	9	530	2	< 5	2	10	0.14	< 10	< 10	58	< 5	14

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

**

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

* INVOICE NUMBER 18819813 *

BILLING INFORMATION

Date : 9-AUG-88
Project :
P.O. # : NONE
Account : GMP

Billing : For analysis performed on
Certificate A8819813

Terms : Net payment in 30 Days
1.5% per month (18% per annum)
charged on overdue accounts.

Please remit payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J-2C1

CHEMEX CODE	ANALYSIS DESCRIPTION	SAMPLES ANALYZED	UNIT PRICE	AMOUNT
100 - G32 -	Au ppb FA+AA G-32 32 EL.	237	14.25	3377.25
Sample preparation and other charges :				
201 -	Soil + sediment -80 mesh	237	1.00	237.00
238 -	ICP aqua-regia digestion	237	0.00	0.00
Total Cost \$				3614.25
TOTAL PAYABLE \$				3614.25



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERO

**Page No. : 1-A

Tot. Pages: 6

Date : 9-AUG-88

Invoice #: I-8819813

P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819813

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L6+60V BL	201 238	10	0.94	< 0.2	5	10	< 0.5	4	0.11	< 0.5	5	36	7	1.03	< 10	< 1	0.01	10	0.35	78
L6+60V 0+1.5N	201 238	< 5	0.99	< 0.2	< 5	30	< 0.5	< 2	0.13	< 0.5	6	21	11	1.28	< 10	< 1	0.01	10	0.22	70
L6+60V 0+3.0N	201 238	< 5	1.81	< 0.2	10	30	< 0.5	2	0.15	< 0.5	7	31	24	1.59	< 10	< 1	0.01	10	0.20	63
L6+60V 0+4.5N	201 238	< 5	0.44	< 0.2	< 5	10	< 0.5	< 2	0.07	< 0.5	2	11	3	0.47	< 10	< 1	0.01	10	0.09	35
L6+60V 0+6.0N	201 238	< 5	0.80	< 0.2	< 5	20	< 0.5	< 2	0.11	< 0.5	4	17	8	0.96	< 10	< 1	0.01	10	0.20	75
L6+60V 0+7.5N	201 238	< 5	1.28	< 0.2	10	20	< 0.5	4	0.11	< 0.5	9	47	10	2.21	< 10	< 1	0.04	10	0.55	118
L6+60V 0+9.0N	201 238	< 5	0.77	< 0.2	5	10	< 0.5	< 2	0.08	< 0.5	2	15	6	1.01	< 10	< 1	0.02	10	0.13	42
L6+60V 1+2.0N	201 238	< 5	0.46	< 0.2	5	10	< 0.5	< 2	0.06	< 0.5	2	14	7	0.96	< 10	< 1	< 0.01	10	0.10	42
L6+60V 1+6.5N	201 238	< 5	1.38	< 0.2	10	20	< 0.5	< 2	0.13	< 0.5	7	28	14	2.10	< 10	< 1	0.01	10	0.24	75
L6+60V 0+1.5S	201 238	< 5	1.47	< 0.2	10	20	< 0.5	< 2	0.11	< 0.5	7	50	13	2.18	< 10	< 1	0.01	< 10	0.30	84
L6+60V 0+3.0S	201 238	< 5	0.51	< 0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	1	8	3	0.85	< 10	< 1	0.01	10	0.10	39
L6+60V 0+6.0S	201 238	< 5	0.64	< 0.2	5	10	< 0.5	< 2	0.09	< 0.5	3	29	5	0.92	< 10	< 1	0.01	10	0.27	65
L6+60V 0+7.5S	201 238	< 5	2.39	< 0.2	25	10	< 0.5	< 2	0.17	< 0.5	5	39	13	2.11	< 10	< 1	< 0.01	10	0.14	49
L6+60V 0+9.0S	201 238	< 5	0.60	0.2	15	10	< 0.5	< 2	0.23	< 0.5	5	17	18	0.80	< 10	1	< 0.01	10	0.19	79
L6+60V 1+2.0S	201 238	< 5	0.34	0.2	< 5	10	< 0.5	< 2	0.08	< 0.5	1	7	3	0.38	< 10	< 1	< 0.01	10	0.08	34
L6+60V 1+5.0S	201 238	< 5	0.86	< 0.2	5	10	< 0.5	< 2	0.16	< 0.5	3	19	13	1.38	< 10	< 1	0.01	10	0.19	59
L6+60V 1+6.5S	201 238	< 5	0.54	< 0.2	5	10	< 0.5	< 2	0.15	< 0.5	2	14	8	0.66	< 10	< 1	< 0.01	10	0.14	45
L6+60V 1+8.0S	201 238	< 5	1.36	< 0.2	5	70	< 0.5	< 2	0.20	< 0.5	6	34	16	2.50	< 10	< 1	0.01	10	0.34	232
L6+60V 1+9.5S	201 238	< 5	1.34	< 0.2	10	30	< 0.5	< 2	0.26	< 0.5	10	43	30	2.13	< 10	< 1	0.02	10	0.44	259
L6+60V 2+1.0S	201 238	10	1.10	< 0.2	10	20	< 0.5	< 2	0.15	< 0.5	5	35	10	2.17	< 10	< 1	0.01	10	0.37	135
L6+60V 2+2.5S	201 238	< 5	1.41	< 0.2	10	20	< 0.5	< 2	0.12	< 0.5	7	26	10	1.58	< 10	< 1	0.01	10	0.20	67
L6+60V 2+4.0S	201 238	< 5	1.13	< 0.2	15	20	< 0.5	< 2	0.14	< 0.5	6	23	11	1.57	< 10	< 1	0.01	10	0.22	80
L6+60V 2+5.5S	201 238	< 5	0.73	< 0.2	5	20	< 0.5	< 2	0.16	< 0.5	6	19	11	0.88	< 10	< 1	< 0.01	10	0.27	101
L6+60V 2+7.0S	201 238	5	1.06	< 0.2	< 5	20	< 0.5	< 2	0.17	< 0.5	8	24	12	1.28	< 10	< 1	0.01	10	0.23	105
L6+60V 2+8.5S	201 238	< 5	0.80	< 0.2	5	20	< 0.5	< 2	0.08	< 0.5	3	17	5	1.41	< 10	< 1	0.01	10	0.13	50
L6+90V 3+0.0S	201 238	< 5	1.53	0.2	< 5	30	< 0.5	< 2	0.17	< 0.5	7	26	8	1.60	< 10	< 1	0.01	10	0.22	91
L6+90V 3+1.5S	201 238	< 5	1.16	0.2	15	10	< 0.5	< 2	0.29	< 0.5	9	27	12	1.77	< 10	< 1	< 0.01	10	0.23	81
L6+90V 0+0.0N	201 238	< 5	0.83	0.2	35	10	< 0.5	< 2	0.16	< 0.5	7	27	18	1.88	< 10	< 1	0.01	10	0.26	87
L6+90V 0+1.5N	201 238	< 5	1.14	0.2	5	20	< 0.5	< 2	0.24	< 0.5	8	25	13	1.20	< 10	< 1	0.02	10	0.26	106
L6+90V 0+3.0N	201 238	20	1.38	0.2	15	20	< 0.5	< 2	0.15	< 0.5	8	26	10	1.74	< 10	< 1	0.01	10	0.27	92
L6+90V 0+4.5N	201 238	< 5	1.56	0.2	5	40	< 0.5	< 2	0.21	< 0.5	8	26	11	1.82	< 10	< 1	0.01	10	0.24	89
L6+90V 0+6.0N	201 238	< 5	0.77	0.2	10	10	< 0.5	< 2	0.10	< 0.5	4	16	8	1.84	< 10	< 1	0.01	10	0.16	66
L6+90V 0+7.5N	201 238	< 5	1.56	0.2	5	20	< 0.5	< 2	0.16	< 0.5	7	29	12	1.64	< 10	< 1	0.01	10	0.22	89
L6+90V 0+9.0N	201 238	< 5	1.60	< 0.2	20	20	< 0.5	< 2	0.11	< 0.5	5	38	13	3.15	< 10	< 1	0.01	< 10	0.17	55
L6+90V 1+2.0N	201 238	< 5	1.24	< 0.2	5	20	< 0.5	< 2	0.13	< 0.5	6	28	13	1.75	< 10	< 1	0.01	< 10	0.23	68
L6+90V 1+5.0N	201 238	< 5	0.75	0.2	5	10	< 0.5	< 2	0.10	< 0.5	4	16	15	0.99	< 10	< 1	< 0.01	< 10	0.17	52
L6+90V 0+1.5S	201 238	< 5	0.90	< 0.2	< 5	10	< 0.5	< 2	0.10	< 0.5	3	19	8	1.13	< 10	< 1	0.01	10	0.16	49
L6+90V 0+3.0S	201 238	< 5	0.92	< 0.2	5	20	< 0.5	< 2	0.11	< 0.5	4	19	6	1.91	< 10	< 1	0.01	< 10	0.16	51
L6+90V 0+4.5S	201 238	15	1.46	0.2	5	20	< 0.5	< 2	0.18	< 0.5	8	24	16	1.27	< 10	< 1	0.01	10	0.21	70
L6+90V 0+6.0S	201 238	< 5	0.99	0.2	10	10	< 0.5	< 2	0.12	< 0.5	3	16	5	1.73	< 10	< 1	0.01	10	0.12	44

CERTIFICATION :

BCB



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-3C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No. : 1-B

Tot. Pages: 6

Date : 9-AUG-88

Invoice #: I-8819813

P.O. # : 1008

CERTIFICATE OF ANALYSIS A8819813

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L6+60W BL	201 238	< 1	0.01	12	70	2	< 5	2	4	0.08	< 10	< 10	25	< 5	11
L6+60W O+1 SN	201 238	< 1	0.01	12	130	2	< 5	1	6	0.08	10	< 10	21	< 5	10
L6+60W O+30N	201 238	< 1	0.01	16	330	4	< 5	2	5	0.08	10	< 10	28	< 5	10
L6+60W O+4 SN	201 238	< 1	< 0.01	2	70	4	< 5	< 1	4	0.07	< 10	< 10	20	< 5	6
L6+60W O+60N	201 238	< 1	0.01	8	80	2	< 5	1	7	0.09	< 10	< 10	27	< 5	13
L6+60W O+7 SN	201 238	< 1	0.01	20	130	4	< 5	2	6	0.26	10	< 10	71	< 5	29
L6+60W O+90N	201 238	< 1	< 0.01	5	90	2	< 5	1	5	0.10	< 10	< 10	30	5	7
L6+60W H+20N	201 238	< 1	0.01	4	140	2	< 5	1	4	0.10	< 10	< 10	37	5	8
L6+60W H+6 SN	201 238	< 1	0.01	12	150	2	< 5	2	5	0.11	< 10	< 10	40	< 5	12
L6+60W O+1 5S	201 238	< 1	0.01	16	200	< 2	< 5	2	6	0.11	< 10	< 10	43	< 5	12
L6+60W O+30S	201 238	< 1	< 0.01	3	70	2	< 5	1	6	0.08	< 10	< 10	27	< 5	5
L6+60W O+60S	201 238	< 1	< 0.01	12	120	6	< 5	2	5	0.12	< 10	< 10	40	< 5	12
L6+60W O+7 5S	201 238	1	0.01	10	430	2	< 5	2	6	0.08	< 10	< 10	34	< 5	7
L6+60W O+90S	201 238	< 1	0.01	11	100	4	< 5	1	6	0.08	< 10	< 10	17	< 5	9
L6+60W H+20S	201 238	< 1	< 0.01	3	50	2	< 5	1	4	0.06	< 10	< 10	17	< 5	4
L6+60W H+50S	201 238	< 1	0.01	9	160	4	< 5	1	6	0.09	< 10	< 10	40	< 5	15
L6+60W H+6 5S	201 238	< 1	< 0.01	4	100	2	< 5	1	4	0.10	< 10	< 10	26	< 5	10
L6+60W H+80S	201 238	< 1	0.01	11	190	6	< 5	2	7	0.11	< 10	< 10	60	< 5	33
L6+60W H+9 5S	201 238	< 1	0.01	20	270	6	< 5	3	9	0.14	< 10	< 10	54	< 5	41
L6+60W 2+10S	201 238	< 1	0.01	14	300	2	< 5	2	7	0.17	< 10	< 10	58	< 5	26
L6+60W 2+2 5S	201 238	< 1	0.01	15	210	2	< 5	2	6	0.09	< 10	< 10	31	< 5	16
L6+60W 2+40S	201 238	< 1	0.01	13	250	4	< 5	2	6	0.11	< 10	< 10	35	< 5	17
L6+60W 2+5 5S	201 238	< 1	0.01	13	140	2	< 5	1	5	0.07	< 10	< 10	18	< 5	15
L6+60W 2+70S	201 238	< 1	0.01	15	410	< 2	< 5	2	5	0.07	< 10	< 10	22	< 5	11
L6+60W 2+8 5S	201 238	< 1	< 0.01	5	170	4	< 5	1	4	0.08	< 10	< 10	28	< 5	12
L6+90W 3+00S	201 238	< 1	0.01	11	190	2	< 5	2	8	0.10	< 10	< 10	27	< 5	15
L6+90W 3+1 5S	201 238	1	0.01	13	160	2	< 5	2	9	0.11	< 10	< 10	38	< 5	11
L6+90W O+00N	201 238	< 1	0.01	14	250	< 2	< 5	2	7	0.11	< 10	< 10	39	< 5	11
L6+90W O+1 SN	201 238	< 1	0.01	17	380	< 2	< 5	2	10	0.10	< 10	< 10	22	< 5	12
L6+90W O+30N	201 238	< 1	0.01	13	170	4	< 5	2	8	0.13	< 10	< 10	40	< 5	16
L6+90W O+4 SN	201 238	< 1	0.01	18	420	2	< 5	2	8	0.11	< 10	< 10	30	< 5	11
L6+90W O+60N	201 238	1	0.01	6	250	4	< 5	1	6	0.15	< 10	< 10	61	< 5	15
L6+90W O+7 5N	201 238	< 1	0.01	15	300	2	< 5	2	7	0.09	< 10	< 10	27	< 5	10
L6+90W O+90N	201 238	< 1	0.01	8	350	4	< 5	2	5	0.15	< 10	< 10	69	< 5	13
L6+90W H+20N	201 238	1	0.01	15	250	< 2	< 5	2	5	0.09	< 10	< 10	33	< 5	10
L6+90W H+50N	201 238	< 1	< 0.01	8	80	2	< 5	1	4	0.08	< 10	< 10	25	< 5	9
L6+90W O+1 5S	201 238	< 1	0.01	6	180	4	< 5	1	4	0.07	< 10	< 10	22	< 5	9
L6+90W O+30S	201 238	< 1	0.01	10	180	4	< 5	1	5	0.11	< 10	< 10	59	< 5	10
L6+90W O+4 5S	201 238	< 1	0.01	17	390	< 2	< 5	2	5	0.07	< 10	< 10	19	< 5	9
L6+90W O+60S	201 238	< 1	0.01	5	150	< 2	< 5	1	7	0.11	< 10	< 10	43	< 5	7

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No. : 2-A

Tot. Pages: 6

Date : 9-AUG-88

Invoice #: I-8819813

P.O. #: NONE

CERTIFICATE OF ANALYSIS A8819813

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L6+90W 0+75S	201 238	< 5	0.97	0.2	< 5	10	< 0.5	< 2	0.09	< 0.5	< 1	15	4	1.12	< 10	< 1	0.01	10	0.09	40
L6+90W 0+90S	201 238	< 5	1.69	0.2	15	20	0.5	< 2	0.14	< 0.5	9	27	13	1.82	< 10	< 1	0.01	10	0.22	68
L6+90W 1+05S	201 238	5	2.75	0.2	45	50	1.5	< 2	0.27	< 0.5	25	110	35	6.06	10	3	0.01	10	0.95	508
L6+90W 1+20S	201 238	20	1.80	< 0.2	20	30	1.0	< 2	0.13	< 0.5	13	42	39	3.55	< 10	< 1	0.02	10	0.40	110
L6+90W 1+50S	201 238	< 5	1.92	0.2	< 5	50	0.5	< 2	0.11	< 0.5	< 1	41	25	2.81	< 10	< 1	0.02	10	0.34	95
L6+90W 1+65S	201 238	10	1.03	0.2	10	20	< 0.5	< 2	0.12	< 0.5	< 1	22	14	1.85	< 10	< 1	0.01	< 10	0.21	67
L6+90W 1+80S	201 238	< 5	1.58	< 0.2	5	20	0.5	< 2	0.16	< 0.5	16	35	20	2.04	< 10	2	0.03	10	0.39	153
L6+90W 1+95S	201 238	< 5	0.96	< 0.2	< 5	20	0.5	< 2	0.14	< 0.5	< 1	21	9	1.45	< 10	< 1	0.02	10	0.18	97
L6+90W 2+10S	201 238	20	1.19	< 0.2	< 5	20	0.5	< 2	0.12	< 0.5	4	20	12	1.42	< 10	< 1	0.01	10	0.19	62
L6+90W 2+25S	201 238	< 5	0.86	< 0.2	25	20	< 0.5	< 2	0.20	< 0.5	< 1	22	21	1.13	< 10	< 1	0.03	10	0.30	90
L6+90W 2+40S	201 238	< 5	0.80	0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	< 1	21	6	1.28	< 10	< 1	0.02	10	0.24	115
L6+90W 2+55S	201 238	25	1.33	0.2	5	30	< 0.5	< 2	0.18	< 0.5	8	31	9	2.31	< 10	< 1	0.05	10	0.37	141
L6+90W 2+70S	201 238	5	1.44	0.2	5	30	< 0.5	< 2	0.17	< 0.5	< 1	25	5	1.71	< 10	1	0.03	10	0.22	92
L6+90W 2+85S	201 238	5	1.13	< 0.2	10	20	< 0.5	< 2	0.12	< 0.5	< 1	26	6	2.21	< 10	< 1	0.02	10	0.21	92
L6+90W 3+00S	201 238	< 5	1.59	< 0.2	15	30	< 0.5	< 2	0.16	< 0.5	8	28	10	1.83	< 10	< 1	0.01	10	0.22	70
L7+20W BL	201 238	< 5	2.26	0.2	< 5	50	< 0.5	< 2	0.15	< 0.5	14	34	17	2.42	< 10	< 1	0.02	10	0.27	107
L7+20W 0+15N	201 238	15	2.83	< 0.2	35	40	< 0.5	< 2	0.16	< 0.5	15	36	11	2.28	< 10	< 1	0.02	10	0.26	99
L7+20W 0+30N	201 238	5	1.53	< 0.2	< 5	30	< 0.5	< 2	0.20	< 0.5	< 1	24	7	1.42	< 10	1	0.02	10	0.23	75
L7+20W 0+45N	201 238	< 5	1.92	< 0.2	5	40	< 0.5	2	0.18	< 0.5	11	31	14	1.80	< 10	< 1	0.02	10	0.28	102
L7+20W 0+60N	201 238	< 5	1.37	0.2	10	20	< 0.5	< 2	0.14	< 0.5	3	28	11	1.97	< 10	< 1	0.02	10	0.27	96
L7+20W 0+75N	201 238	< 5	1.92	< 0.2	5	40	< 0.5	< 2	0.14	< 0.5	14	30	21	1.51	< 10	< 1	0.01	10	0.24	85
L7+20W 0+90N	201 238	< 5	0.96	0.2	< 5	20	< 0.5	< 2	0.11	< 0.5	< 1	17	9	1.20	< 10	< 1	0.01	10	0.19	65
L7+20W 1+20N	201 238	< 5	1.36	< 0.2	10	20	< 0.5	< 2	0.12	< 0.5	9	26	10	1.80	< 10	< 1	0.02	10	0.27	85
L7+20W 1+50N	201 238	< 5	1.23	0.2	< 5	40	< 0.5	< 2	0.29	< 0.5	8	23	18	1.33	< 10	2	0.02	10	0.24	154
L7+20W 2+70N	201 238	< 5	0.92	0.2	5	10	< 0.5	< 2	0.15	< 0.5	< 1	21	6	1.71	< 10	< 1	0.01	10	0.20	83
L7+20W 3+00N	201 238	< 5	0.71	< 0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	< 1	12	3	0.69	< 10	< 1	0.01	10	0.13	47
L7+20W 3+30N	201 238	< 5	0.85	0.2	< 5	10	< 0.5	< 2	0.09	< 0.5	< 1	17	7	1.04	< 10	< 1	0.01	10	0.18	58
L7+20W 3+60N	201 238	< 5	0.76	< 0.2	< 5	10	< 0.5	< 2	0.08	< 0.5	< 1	18	8	1.87	< 10	< 1	0.01	< 10	0.17	57
L7+20W 3+90N	201 238	< 5	1.41	0.2	< 5	20	< 0.5	< 2	0.09	< 0.5	< 1	22	15	1.31	< 10	< 1	0.01	10	0.21	66
L7+20W 4+20N	201 238	< 5	1.04	< 0.2	10	10	< 0.5	< 2	0.10	< 0.5	< 1	28	12	1.82	< 10	1	< 0.01	10	0.23	73
L7+20W 4+50N	201 238	10	1.53	< 0.2	10	30	< 0.5	< 2	0.13	< 0.5	13	28	26	1.86	< 10	< 1	0.01	10	0.27	111
L7+20W 4+80N	201 238	< 5	1.42	< 0.2	< 5	10	< 0.5	< 2	0.14	< 0.5	< 1	20	10	1.49	< 10	< 1	0.01	10	0.17	69
L7+20W 5+10N	201 238	< 5	1.45	0.2	< 5	10	< 0.5	< 2	0.14	< 0.5	< 1	19	6	1.57	< 10	< 1	0.01	10	0.13	46
L7+20W 5+70N	201 238	< 5	0.75	< 0.2	20	10	< 0.5	< 2	0.09	< 0.5	1	31	9	2.08	< 10	< 1	0.01	10	0.23	74
L7+20W 0+15S	201 238	< 5	0.97	0.2	< 5	20	< 0.5	< 2	0.18	0.5	< 1	17	4	1.06	< 10	< 1	0.01	10	0.18	63
L7+20W 0+30S	201 238	< 5	0.90	0.2	< 5	30	< 0.5	< 2	0.29	< 0.5	< 1	22	14	1.17	< 10	< 1	0.01	10	0.27	128
L7+20W 0+45S	201 238	10	0.74	0.2	5	10	< 0.5	< 2	0.21	< 0.5	< 1	17	12	0.78	< 10	< 1	0.01	10	0.22	70
L7+20W 0+60S	201 238	< 5	1.40	< 0.2	5	20	< 0.5	< 2	0.10	< 0.5	< 1	34	10	2.44	< 10	< 1	0.01	10	0.21	72
L7+20W 1+05S	201 238	< 5	0.53	< 0.2	5	10	< 0.5	< 2	0.22	< 0.5	< 1	14	4	0.71	< 10	< 1	0.01	10	0.17	55
L7+20W 1+20S	201 238	< 5	0.80	0.2	< 5	20	< 0.5	< 2	0.31	< 0.5	< 1	23	22	1.13	< 10	3	0.01	10	0.29	120

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 944-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No. : 2-B

Tot. Pages: 6

Date : 9-AUG-88

Invoice #: I-8819813

P.O. #: NONE

CERTIFICATE OF ANALYSIS A8819813

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
L6+90W 0+75S	201 238	< 1	< 0.01	4	90	16	< 5	1	7	0.09	< 10	< 10	33	< 5	6
L6+90W 0+90S	201 238	1	< 0.01	18	220	8	< 5	2	6	0.11	< 10	< 10	35	< 5	10
L6+90W 1+05S	201 238	1	< 0.01	39	290	10	< 5	5	6	0.32	< 10	< 10	155	< 5	65
L6+90W 1+20S	201 238	< 1	< 0.01	18	320	8	< 5	2	7	0.18	< 10	< 10	71	< 5	29
L6+90W 1+30S	201 238	< 1	< 0.01	15	250	10	< 5	3	7	0.10	< 10	< 10	48	< 5	30
L6+90W 1+65S	201 238	< 1	< 0.01	8	180	8	< 5	1	7	0.11	< 10	< 10	45	< 5	23
L6+90W 1+80S	201 238	< 1	< 0.01	22	490	8	< 5	2	7	0.10	< 10	< 10	36	< 5	39
L6+90W 1+95S	201 238	< 1	< 0.01	11	430	10	< 5	1	6	0.08	< 10	< 10	29	< 5	21
L6+90W 2+10S	201 238	< 1	< 0.01	15	160	10	< 5	1	6	0.08	< 10	< 10	27	< 5	12
L6+90W 2+25S	201 238	< 1	< 0.01	12	240	8	< 5	2	8	0.11	< 10	< 10	29	< 5	14
L6+90W 2+40S	201 238	< 1	< 0.01	11	150	< 2	< 5	1	7	0.10	< 10	< 10	30	< 5	17
L6+90W 2+55S	201 238	< 1	< 0.01	14	1070	2	< 5	2	10	0.13	< 10	< 10	46	< 5	30
L6+90W 2+70S	201 238	< 1	< 0.01	14	1350	2	< 5	2	11	0.10	< 10	< 10	33	< 5	16
L6+90W 2+85S	201 238	1	< 0.01	12	260	2	< 5	1	7	0.13	< 10	< 10	46	< 5	10
L6+90W 3+00S	201 238	< 1	< 0.01	19	230	14	< 5	2	7	0.10	< 10	< 10	32	< 5	8
L7+20W BL	201 238	< 1	< 0.01	23	290	< 2	< 5	2	8	0.13	< 10	< 10	40	< 5	14
L7+20W 0+15N	201 238	< 1	< 0.01	23	390	10	< 5	3	9	0.11	< 10	< 10	34	< 5	10
L7+20W 0+30N	201 238	< 1	< 0.01	15	310	6	< 5	2	10	0.10	< 10	< 10	24	< 5	11
L7+20W 0+45N	201 238	1	< 0.01	22	240	< 2	< 5	2	10	0.12	< 10	< 10	31	< 5	15
L7+20W 0+60N	201 238	1	< 0.01	14	230	8	< 5	2	10	0.14	< 10	< 10	47	< 5	13
L7+20W 0+75N	201 238	1	< 0.01	25	190	8	< 5	3	7	0.10	< 10	< 10	25	< 5	10
L7+20W 0+90N	201 238	1	< 0.01	6	60	2	< 5	1	8	0.13	< 10	< 10	49	< 5	10
L7+20W 1+20N	201 238	1	< 0.01	18	70	12	< 5	2	7	0.14	< 10	< 10	57	< 5	14
L7+20W 1+30N	201 238	< 1	< 0.01	12	200	2	< 5	2	11	0.10	< 10	< 10	26	< 5	12
L7+20W 2+70N	201 238	< 1	< 0.01	9	130	4	< 5	1	8	0.13	< 10	< 10	36	< 5	17
L7+20W 3+00N	201 238	< 1	< 0.01	5	50	10	< 5	1	7	0.09	< 10	< 10	18	< 5	7
L7+20W 3+30N	201 238	< 1	< 0.01	7	60	4	< 5	1	5	0.10	< 10	< 10	26	< 5	7
L7+20W 3+60N	201 238	1	< 0.01	5	100	6	< 5	1	4	0.12	< 10	< 10	42	< 5	7
L7+20W 3+90N	201 238	< 1	< 0.01	14	140	< 2	< 5	2	4	0.09	< 10	< 10	25	< 5	7
L7+20W 4+20N	201 238	< 1	< 0.01	10	140	< 2	< 5	1	5	0.13	< 10	< 10	45	< 5	9
L7+20W 4+50N	201 238	< 1	< 0.01	22	120	< 2	< 5	2	7	0.14	< 10	< 10	37	< 5	13
L7+20W 4+80N	201 238	< 1	< 0.01	13	200	2	< 5	2	7	0.10	< 10	< 10	25	< 5	11
L7+20W 5+10N	201 238	< 1	< 0.01	6	220	4	< 5	1	7	0.09	< 10	< 10	31	< 5	7
L7+20W 5+70N	201 238	< 1	< 0.01	6	110	4	< 5	1	6	0.21	< 10	< 10	84	< 5	11
L7+20W 0+15S	201 238	< 1	< 0.01	7	230	8	< 5	1	9	0.09	< 10	< 10	24	< 5	8
L7+20W 0+30S	201 238	< 1	< 0.01	13	280	< 2	< 5	2	12	0.09	< 10	< 10	23	< 5	11
L7+20W 0+45S	201 238	< 1	< 0.01	12	290	6	< 5	2	8	0.08	< 10	< 10	17	< 5	8
L7+20W 0+60S	201 238	< 1	< 0.01	9	180	10	< 5	2	6	0.14	< 10	< 10	57	< 5	14
L7+20W 1+05S	201 238	< 1	< 0.01	7	400	< 2	< 5	1	8	0.08	< 10	< 10	18	< 5	8
L7+20W 1+20S	201 238	< 1	< 0.01	17	350	4	< 5	2	9	0.09	< 10	< 10	23	< 5	14

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No.: 3-A
Tot. Pages: 6
Date: 9-AUG-88
Invoice #: 1819813
P.O. #:

CERTIFICATE OF ANALYSIS A8819813

SAMPLE DESCRIPTION	PREP CODE	Au ppb PATAA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L7+20V H+50S	201 238	10	0.64	0.2	5	10	< 0.5	< 2	0.09	< 0.5	< 1	18	7	1.14	< 10	< 1	0.01	< 10	0.21	62
L7+20V H+65S	201 238	< 5	0.71	< 0.2	10	10	< 0.5	< 2	0.12	< 0.5	< 1	16	11	0.80	< 10	< 1	< 0.01	10	0.23	66
L7+20V H+80S	201 238	< 5	0.73	< 0.2	10	10	< 0.5	< 2	0.10	< 0.5	< 1	20	4	1.36	< 10	< 1	0.01	10	0.19	58
L7+20V H+10S	201 238	< 5	1.68	0.2	5	40	< 0.5	< 2	0.21	< 0.5	12	33	18	1.91	< 10	< 1	0.06	10	0.39	146
L7+20V H+25S	201 238	< 5	1.13	0.2	< 5	20	< 0.5	2	0.18	< 0.5	< 1	22	5	1.31	< 10	< 1	0.03	10	0.22	97
L7+20V H+40S	201 238	< 5	1.76	0.2	10	40	< 0.5	< 2	0.16	< 0.5	8	29	6	2.38	< 10	< 1	0.03	10	0.24	108
L7+20V H+55S	201 238	< 5	0.97	< 0.2	5	30	< 0.5	< 2	0.14	< 0.5	< 1	21	5	1.43	< 10	< 1	0.02	10	0.22	133
L7+20V H+70S	201 238	< 5	1.19	0.2	< 5	20	< 0.5	< 2	0.11	< 0.5	< 1	20	5	1.57	< 10	< 1	0.02	10	0.17	62
L7+20V H+85S	201 238	< 5	1.77	< 0.2	< 5	30	< 0.5	< 2	0.17	< 0.5	11	33	12	2.15	< 10	< 1	0.02	10	0.26	141
L7+20V H+00S	201 238	< 5	1.17	< 0.2	< 5	20	< 0.5	< 2	0.11	< 0.5	< 1	23	7	1.84	< 10	< 1	0.01	10	0.17	61
L8+10V O+00N	201 238	< 5	0.62	0.2	< 5	10	< 0.5	< 2	0.07	< 0.5	< 1	12	4	1.05	< 10	< 1	0.01	10	0.10	44
L8+10V O+30N	201 238	< 5	1.21	< 0.2	5	20	< 0.5	< 2	0.11	< 0.5	< 1	23	13	1.98	< 10	< 1	0.01	10	0.20	65
L8+10V O+60N	201 238	< 5	1.04	< 0.2	10	20	< 0.5	< 2	0.15	< 0.5	< 1	20	10	1.41	< 10	< 1	0.01	10	0.20	69
L8+10V O+90N	201 238	< 5	1.92	0.2	10	10	< 0.5	< 2	0.14	< 0.5	8	30	18	2.21	< 10	1	0.02	10	0.26	90
L8+10V O+15S	201 238	< 5	1.54	0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	10	34	10	1.75	< 10	2	0.01	10	0.27	104
L8+10V O+30S	201 238	< 5	1.95	< 0.2	5	30	< 0.5	< 2	0.19	< 0.5	15	37	20	2.09	< 10	< 1	0.02	10	0.31	142
L8+10V O+75S	201 238	< 5	1.15	< 0.2	< 5	20	< 0.5	< 2	0.19	< 0.5	3	25	10	1.52	< 10	< 1	0.01	10	0.23	72
L8+10V O+90S	201 238	< 5	2.03	< 0.2	< 5	30	< 0.5	< 2	0.14	< 0.5	11	36	24	1.82	< 10	< 1	0.01	10	0.24	71
L8+10V H+05S	201 238	< 5	2.02	< 0.2	< 5	20	< 0.5	2	0.13	< 0.5	14	35	30	2.03	< 10	< 1	0.01	10	0.30	107
L8+10V H+20S	201 238	< 5	0.98	< 0.2	< 5	20	< 0.5	< 2	0.08	< 0.5	< 1	19	9	1.50	< 10	< 1	0.01	10	0.17	63
L8+10V H+35S	201 238	< 5	1.84	0.2	20	40	< 0.5	< 2	0.14	< 0.5	10	37	15	2.38	< 10	2	0.02	10	0.27	116
L8+10V H+50S	201 238	< 5	1.21	< 0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	< 1	32	11	2.07	< 10	< 1	0.01	10	0.25	92
L8+10V H+65S	201 238	< 5	0.81	0.2	< 5	20	< 0.5	< 2	0.14	< 0.5	< 1	20	4	1.23	< 10	< 1	0.01	10	0.18	95
L8+10V H+80S	201 238	< 5	1.25	0.2	5	30	< 0.5	< 2	0.14	< 0.5	9	28	11	2.52	< 10	< 1	0.02	10	0.28	153
L8+10V H+95S	201 238	< 5	0.97	0.2	5	30	< 0.5	< 2	0.12	< 0.5	< 1	20	10	1.39	< 10	< 1	0.02	10	0.21	145
L8+10V H+10S	201 238	< 5	1.56	< 0.2	15	20	< 0.5	< 2	0.12	< 0.5	11	52	11	2.90	< 10	2	0.01	10	0.46	215
L8+10V H+25S	201 238	< 5	1.42	< 0.2	5	40	< 0.5	< 2	0.17	< 0.5	10	27	12	1.57	< 10	< 1	0.01	10	0.24	93
L8+10V H+40S	201 238	< 5	1.10	< 0.2	< 5	20	< 0.5	< 2	0.19	< 0.5	< 1	23	7	1.14	< 10	< 1	0.01	10	0.26	78
L8+40V BL	201 238	< 5	0.95	0.2	5	20	< 0.5	2	0.17	< 0.5	< 1	19	14	1.22	< 10	< 1	0.01	10	0.26	90
L8+40V O+30N	201 238	< 5	1.17	0.2	5	20	< 0.5	< 2	0.11	< 0.5	< 1	19	7	1.10	< 10	< 1	0.01	10	0.17	57
L8+40V O+60N	201 238	< 5	0.32	< 0.2	< 5	< 10	< 0.5	< 2	0.04	< 0.5	< 1	4	1	0.19	< 10	< 1	< 0.01	< 10	0.02	14
L8+40V O+90N	201 238	< 5	1.20	< 0.2	5	10	< 0.5	< 2	0.09	< 0.5	< 1	22	7	1.68	< 10	< 1	0.01	< 10	0.18	60
L8+40V H+70N	201 238	5	1.82	0.2	20	30	< 0.5	< 2	0.13	< 0.5	15	34	29	2.51	< 10	< 1	0.02	10	0.44	149
L8+40V H+00N	201 238	< 5	1.98	0.2	< 5	10	< 0.5	< 2	0.14	< 0.5	< 1	32	19	2.02	< 10	< 1	0.01	10	0.21	75
L8+40V H+30N	201 238	< 5	1.24	0.2	< 5	30	< 0.5	< 2	0.14	< 0.5	< 1	20	11	1.73	< 10	< 1	0.02	10	0.22	100
L8+40V H+60N	201 238	< 5	1.40	0.2	10	20	< 0.5	< 2	0.16	< 0.5	8	19	17	1.40	< 10	< 1	0.01	10	0.20	80
L8+40V H+90N	201 238	< 5	0.44	0.2	< 5	10	< 0.5	< 2	0.08	< 0.5	< 1	10	3	0.94	< 10	< 1	0.01	10	0.08	53
L8+40V H+10N	201 238	< 5	1.27	0.2	10	20	< 0.5	< 2	0.11	< 0.5	7	32	12	2.76	< 10	< 1	0.02	10	0.29	103
L8+40V H+40N	201 238	< 5	1.30	0.2	25	10	< 0.5	< 2	0.09	< 0.5	2	46	8	3.09	< 10	< 1	0.02	10	0.28	74
L8+40V H+70N	201 238	< 5	1.08	0.2	5	10	< 0.5	< 2	0.12	< 0.5	< 1	21	25	2.24	< 10	< 1	0.01	10	0.19	60

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No. : 3-B
Tot. Pages: 6
Date : 9-AUG-88
Invoice #: I-8819813
P.O. # :

CERTIFICATE OF ANALYSIS A8819813

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L7+20W 1+50S	201 238	< 1	< 0.01	7	90	4	< 5	1	4	0.11	< 10	< 10	46	< 5	12
L7+20W 1+65S	201 238	1	< 0.01	12	60	6	< 5	1	4	0.09	< 10	< 10	20	< 5	10
L7+20W 1+80S	201 238	1	< 0.01	8	90	2	< 5	1	6	0.11	< 10	< 10	38	< 5	12
L7+20W 2+10S	201 238	< 1	< 0.01	23	500	8	< 5	2	10	0.12	< 10	< 10	36	< 5	23
L7+20W 2+25S	201 238	< 1	< 0.01	14	300	8	5	2	9	0.11	< 10	< 10	26	< 5	12
L7+20W 2+40S	201 238	< 1	< 0.01	13	490	2	< 5	2	10	0.13	< 10	< 10	44	< 5	20
L7+20W 2+55S	201 238	< 1	< 0.01	13	170	10	< 5	1	7	0.10	< 10	< 10	31	< 5	12
L7+20W 2+70S	201 238	1	< 0.01	8	200	10	< 5	1	7	0.10	< 10	< 10	32	< 5	10
L7+20W 2+85S	201 238	< 1	< 0.01	19	540	4	< 5	2	7	0.11	< 10	< 10	37	< 5	11
L7+20W 3+00S	201 238	< 1	< 0.01	8	150	2	< 5	1	7	0.12	< 10	< 10	44	< 5	12
L8+10W 0+00N	201 238	1	< 0.01	3	100	14	< 5	1	5	0.10	< 10	< 10	29	< 5	6
L8+10W 0+30N	201 238	< 1	< 0.01	9	160	2	< 5	2	7	0.13	< 10	< 10	50	< 5	9
L8+10W 0+60N	201 238	< 1	< 0.01	10	120	2	< 5	2	8	0.11	< 10	< 10	34	< 5	10
L8+10W 0+90N	201 238	< 1	< 0.01	11	230	8	< 5	2	8	0.13	< 10	< 10	41	< 5	16
L8+10W 0+15S	201 238	< 1	< 0.01	18	350	6	< 5	2	7	0.11	< 10	< 10	31	< 5	12
L8+10W 0+30S	201 238	< 1	< 0.01	28	310	2	< 5	2	11	0.12	< 10	< 10	35	< 5	16
L8+10W 0+75S	201 238	< 1	< 0.01	14	350	2	< 5	2	7	0.08	< 10	< 10	24	< 5	9
L8+10W 0+90S	201 238	< 1	< 0.01	20	370	8	< 5	2	6	0.09	< 10	< 10	28	< 5	13
L8+10W 1+05S	201 238	< 1	< 0.01	23	280	12	< 5	3	5	0.11	< 10	< 10	33	< 5	14
L8+10W 1+20S	201 238	< 1	< 0.01	9	150	10	< 5	1	5	0.10	< 10	< 10	42	< 5	12
L8+10W 1+35S	201 238	< 1	< 0.01	18	320	6	< 5	2	8	0.13	< 10	< 10	47	< 5	21
L8+10W 1+50S	201 238	< 1	< 0.01	10	240	6	< 5	2	7	0.11	< 10	< 10	39	< 5	18
L8+10W 1+65S	201 238	< 1	< 0.01	9	210	8	< 5	1	8	0.10	< 10	< 10	28	< 5	11
L8+10W 1+80S	201 238	< 1	< 0.01	14	470	12	< 5	2	8	0.13	< 10	< 10	53	< 5	27
L8+10W 1+95S	201 238	1	< 0.01	9	140	8	< 5	2	8	0.11	< 10	< 10	39	< 5	22
L8+10W 2+10S	201 238	< 1	< 0.01	20	360	16	< 5	4	6	0.14	< 10	< 10	67	< 5	23
L8+10W 2+25S	201 238	< 1	< 0.01	18	260	8	< 5	2	8	0.10	< 10	< 10	31	< 5	11
L8+10W 2+40S	201 238	1	< 0.01	11	70	6	5	2	8	0.10	< 10	< 10	27	< 5	13
L8+40W BL	201 238	< 1	< 0.01	14	200	2	< 5	2	7	0.09	< 10	< 10	21	< 5	10
L8+40W 0+30N	201 238	< 1	< 0.01	9	110	10	< 5	1	6	0.08	< 10	< 10	20	< 5	7
L8+40W 0+60N	201 238	< 1	< 0.01	1	50	2	< 5	< 1	3	0.05	< 10	< 10	6	< 5	4
L8+40W 0+90N	201 238	1	< 0.01	10	120	12	< 5	1	5	0.10	< 10	< 10	33	< 5	11
L8+40W 2+70N	201 238	< 1	< 0.01	17	250	4	< 5	3	6	0.13	< 10	< 10	45	< 5	36
L8+40W 3+00N	201 238	1	< 0.01	8	300	10	5	2	7	0.11	< 10	< 10	38	< 5	8
L8+40W 3+30N	201 238	1	< 0.01	7	140	10	5	2	9	0.16	< 10	< 10	52	< 5	18
L8+40W 3+60N	201 238	< 1	< 0.01	15	260	2	< 5	2	8	0.12	< 10	< 10	29	< 5	10
L8+40W 3+90N	201 238	< 1	< 0.01	3	90	8	5	1	5	0.20	< 10	< 10	56	< 5	8
L8+40W 5+10N	201 238	< 1	< 0.01	10	270	4	5	2	6	0.17	< 10	< 10	72	< 5	15
L8+40W 5+40N	201 238	< 1	< 0.01	10	220	6	< 5	2	5	0.16	< 10	< 10	70	< 5	10
L8+40W 5+70N	201 238	< 1	< 0.01	6	90	2	< 5	2	6	0.11	< 10	< 10	47	< 5	9

CERTIFICATION :

pcg



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 954-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project :

Comments: ATTN: TIM SANDBERG

**Page No. : 4-A

Tot. Pages: 6

Date : 9-AUG-88

Invoice #: I-8819813

P.O. # : 108

CERTIFICATE OF ANALYSIS A8819813

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
L8+40W 0+15S	201	238	< 5	2.07	< 0.2	15	30	< 0.5	< 2	0.16	< 0.5	3	31	16	2.01	< 10	< 1	0.01	10	0.24	97
L8+40W 0+30S	201	238	5	1.68	< 0.2	20	20	< 0.5	< 2	0.14	< 0.5	3	33	11	1.86	< 10	< 1	0.01	10	0.27	69
L8+40W 0+45S	201	238	< 5	0.52	0.2	< 5	10	< 0.5	< 2	0.25	< 0.5	< 1	17	49	0.87	< 10	< 1	0.01	10	0.22	76
L8+40W 0+75S	201	238	10	0.67	< 0.2	< 5	10	< 0.5	< 2	0.13	< 0.5	< 1	20	4	0.96	< 10	< 1	0.01	10	0.26	76
L8+40W 0+90S	201	238	< 5	1.05	< 0.2	15	10	< 0.5	< 2	0.19	< 0.5	< 1	33	21	2.57	< 10	< 1	0.01	10	0.22	84
L8+40W 1+35S	201	238	< 5	2.13	< 0.2	15	30	< 0.5	< 2	0.18	< 0.5	10	44	20	2.31	< 10	< 1	0.01	10	0.28	92
L8+40W 1+50S	201	238	< 5	1.82	0.4	< 5	40	< 0.5	< 2	0.16	< 0.5	10	33	7	1.92	< 10	< 1	0.02	10	0.29	134
L8+40W 1+65S	201	238	< 5	1.25	0.2	5	30	< 0.5	< 2	0.18	< 0.5	< 1	21	3	1.44	< 10	< 1	0.02	10	0.22	143
L8+40W 1+80S	201	238	< 5	1.37	0.2	15	30	< 0.5	< 2	0.16	< 0.5	10	31	12	1.88	< 10	< 1	0.02	10	0.31	171
L8+40W 1+95S	201	238	< 5	2.30	0.2	30	60	< 0.5	< 2	0.16	< 0.5	14	36	13	2.31	< 10	1	0.02	10	0.30	139
L8+40W 2+10S	201	238	< 5	1.45	0.2	< 5	30	< 0.5	< 2	0.13	< 0.5	< 1	28	6	1.98	< 10	1	0.02	10	0.24	87
L8+40W 2+25S	201	238	< 5	1.37	0.2	< 5	30	< 0.5	< 2	0.15	< 0.5	11	27	15	2.01	< 10	< 1	0.02	10	0.31	131
L9+60W 0+30N	201	238	< 5	0.80	0.2	< 5	20	< 0.5	< 2	0.32	< 0.5	< 1	20	6	1.00	< 10	< 1	0.01	10	0.28	93
L9+60W 0+60N	201	238	< 5	1.61	0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	< 1	25	3	1.61	< 10	3	0.02	10	0.20	69
L9+60W 0+90N	201	238	< 5	0.72	0.2	< 5	20	< 0.5	< 2	0.31	< 0.5	< 1	18	4	0.96	< 10	< 1	0.01	10	0.22	80
L9+60W 2+40N	201	238	< 5	0.80	< 0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	< 1	16	3	1.47	< 10	< 1	0.01	10	0.14	67
L9+60W 2+70N	201	238	< 5	1.40	0.2	10	40	< 0.5	< 2	0.17	< 0.5	9	23	10	2.42	< 10	< 1	0.02	10	0.28	230
L9+60W 3+00N	201	238	< 5	1.13	0.2	10	20	< 0.5	< 2	0.17	< 0.5	< 1	19	8	1.43	< 10	< 1	0.01	10	0.20	70
L9+60W 3+60N	201	238	15	1.50	0.2	5	20	< 0.5	2	0.12	< 0.5	9	48	11	2.52	< 10	< 1	0.01	10	0.68	222
L9+60W 3+90N	201	238	< 5	0.71	< 0.2	5	10	< 0.5	< 2	0.12	< 0.5	< 1	17	8	1.28	< 10	1	0.01	10	0.19	72
L9+60W 4+20N	201	238	< 5	2.12	0.2	< 5	60	< 0.5	< 2	0.55	< 0.5	12	33	15	1.83	< 10	2	0.02	20	0.24	157
L9+60W 4+50N	201	238	< 5	1.56	< 0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	< 1	20	5	1.32	< 10	< 1	0.01	10	0.14	51
L9+60W 0+30S	201	238	< 5	0.48	0.2	5	10	< 0.5	< 2	0.09	< 0.5	< 1	13	3	0.51	< 10	< 1	0.01	10	0.10	45
L9+60W 0+60S	201	238	< 5	0.84	0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	< 1	13	1	0.86	< 10	< 1	0.01	10	0.12	49
L10+80W BL	201	238	< 5	1.77	0.2	10	70	< 0.5	< 2	0.14	< 0.5	< 1	25	17	1.39	< 10	< 1	0.01	10	0.23	87
L10+80W 0+30N	201	238	< 5	0.91	0.2	5	20	< 0.5	< 2	0.11	< 0.5	< 1	15	11	0.96	< 10	< 1	0.01	10	0.15	63
L10+80W 0+60N	201	238	< 5	1.41	< 0.2	< 5	20	< 0.5	< 2	0.15	< 0.5	< 1	24	9	1.67	< 10	< 1	0.01	10	0.20	70
L10+80W 2+40N	201	238	< 5	1.33	< 0.2	10	20	< 0.5	< 2	0.14	< 0.5	10	28	11	2.07	< 10	< 1	0.02	10	0.28	88
L10+80W 2+70N	201	238	< 5	1.13	0.2	5	20	< 0.5	< 2	0.12	< 0.5	3	27	12	2.37	< 10	< 1	0.02	10	0.27	87
L10+80W 3+00N	201	238	< 5	1.09	< 0.2	15	20	< 0.5	< 2	0.11	< 0.5	< 1	20	11	2.12	< 10	< 1	0.01	10	0.21	80
L10+80W 3+30N	201	238	< 5	1.66	0.2	< 5	30	< 0.5	2	0.20	< 0.5	3	22	9	1.61	< 10	< 1	0.02	10	0.21	75
L10+80W 3+60N	201	238	< 5	1.54	< 0.2	25	20	< 0.5	2	0.16	< 0.5	9	24	37	1.55	< 10	1	0.01	10	0.27	89
L10+80W 4+20N	201	238	< 5	0.91	0.2	5	30	< 0.5	< 2	0.13	< 0.5	< 1	16	4	1.61	< 10	< 1	0.01	10	0.13	51
L10+80W 4+50N	201	238	5	0.56	0.2	10	10	< 0.5	2	0.09	< 0.5	< 1	9	7	0.60	< 10	< 1	< 0.01	10	0.06	33
L10+80W 0+30S	201	238	< 5	1.68	0.2	15	20	< 0.5	< 2	0.17	< 0.5	9	30	15	2.12	< 10	< 1	0.01	10	0.26	91
L12+00W BL	201	238	5	1.07	< 0.2	< 5	50	< 0.5	< 2	0.12	< 0.5	4	26	7	1.83	< 10	< 1	0.02	10	0.28	215
L12+00W 0+30N	201	238	10	0.61	< 0.2	< 5	20	< 0.5	< 2	0.15	< 0.5	< 1	9	5	0.47	< 10	< 1	0.01	10	0.14	52
L12+00W 0+60N	201	238	< 5	0.20	0.2	< 5	10	< 0.5	< 2	0.04	< 0.5	< 1	3	1	0.19	< 10	< 1	0.01	10	0.02	23
L12+00W 0+90N	201	238	5	0.56	< 0.2	< 5	10	< 0.5	< 2	0.08	< 0.5	< 1	13	5	0.89	< 10	< 1	< 0.01	10	0.14	61
L12+00W 1+50N	201	238	< 5	1.97	0.2	10	30	< 0.5	< 2	0.16	< 0.5	10	30	10	2.11	< 10	< 1	0.02	10	0.23	79

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 112 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
 VANCOUVER, BC
 V6C 1Z7

Project:
 Comments: ATTN: TIM SANDBERG

Page No. : 4-B
 Tot. Pages: 6
 Date : 9-AUG-88
 Invoice #: I-8819813
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8819813

SAMPLE DESCRIPTION	PREP CODE		Mb	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
L8+40W 0+1SS	201	238	< 1	< 0.01	14	430	4	< 5	2	6	0.09	< 10	< 10	29	< 5	11
L8+40W 0+30S	201	238	< 1	< 0.01	15	330	6	< 5	2	6	0.10	< 10	< 10	37	< 5	11
L8+40W 0+45S	201	238	< 1	< 0.01	11	320	4	< 5	2	7	0.07	< 10	< 10	17	< 5	9
L8+40W 0+75S	201	238	< 1	< 0.01	6	110	10	< 5	1	5	0.14	< 10	< 10	35	< 5	18
L8+40W 0+90S	201	238	1	< 0.01	11	1030	< 2	< 5	2	6	0.10	< 10	< 10	66	< 5	13
L8+40W 1+35S	201	238	< 1	< 0.01	24	550	8	< 5	2	8	0.10	< 10	< 10	34	< 5	16
L8+40W 1+50S	201	238	< 1	< 0.01	19	370	< 2	< 5	2	8	0.11	< 10	< 10	36	< 5	14
L8+40W 1+65S	201	238	< 1	< 0.01	11	320	8	< 5	2	10	0.10	< 10	< 10	26	< 5	14
L8+40W 1+80S	201	238	< 1	< 0.01	15	630	< 2	< 5	2	8	0.10	< 10	< 10	37	< 5	24
L8+40W 1+95S	201	238	< 1	< 0.01	29	580	14	< 5	2	7	0.10	< 10	< 10	40	< 5	26
L8+40W 2+10S	201	238	< 1	< 0.01	11	310	8	< 5	2	8	0.11	< 10	< 10	40	< 5	20
L8+40W 2+25S	201	238	< 1	< 0.01	15	150	14	< 5	2	8	0.13	< 10	< 10	43	< 5	32
L9+60W 0+30N	201	238	< 1	< 0.01	11	260	4	< 5	2	10	0.10	< 10	< 10	21	< 5	10
L9+60W 0+60N	201	238	< 1	< 0.01	10	200	4	< 5	2	9	0.11	< 10	< 10	31	< 5	9
L9+60W 0+90N	201	238	< 1	< 0.01	8	470	8	< 5	2	11	0.08	< 10	< 10	18	< 5	9
L9+60W 2+40N	201	238	< 1	< 0.01	6	90	8	< 5	1	7	0.16	< 10	< 10	47	< 5	11
L9+60W 2+70N	201	238	< 1	< 0.01	10	250	10	< 5	2	8	0.17	< 10	< 10	53	< 5	19
L9+60W 3+00N	201	238	< 1	< 0.01	10	250	2	< 5	1	8	0.10	< 10	< 10	27	< 5	9
L9+60W 3+60N	201	238	< 1	< 0.01	17	100	4	< 5	3	6	0.21	< 10	< 10	82	< 5	23
L9+60W 3+90N	201	238	< 1	< 0.01	8	130	4	< 5	1	7	0.13	< 10	< 10	49	< 5	12
L9+60W 4+20N	201	238	< 1	< 0.01	18	430	6	< 5	4	15	0.09	< 10	< 10	33	< 5	13
L9+60W 4+50N	201	238	< 1	< 0.01	7	150	12	< 5	1	7	0.09	< 10	< 10	25	< 5	6
L9+60W 0+30S	201	238	< 1	< 0.01	3	80	8	< 5	1	6	0.10	< 10	< 10	27	< 5	10
L9+60W 0+60S	201	238	1	< 0.01	6	60	8	< 5	1	8	0.10	< 10	< 10	23	< 5	6
L10+80W BL	201	238	1	< 0.01	17	140	14	< 5	2	10	0.10	< 10	< 10	27	< 5	17
L10+80W 0+30N	201	238	< 1	< 0.01	5	60	6	< 5	1	8	0.10	< 10	< 10	28	< 5	11
L10+80W 0+60N	201	238	< 1	< 0.01	11	190	< 2	< 5	2	8	0.10	< 10	< 10	26	< 5	8
L10+80W 2+40N	201	238	< 1	< 0.01	15	150	2	< 5	2	7	0.13	< 10	< 10	42	< 5	15
L10+80W 2+70N	201	238	1	< 0.01	11	250	< 2	< 5	2	7	0.13	< 10	< 10	48	< 5	20
L10+80W 3+00N	201	238	1	< 0.01	11	180	18	< 5	1	7	0.12	< 10	< 10	49	< 5	22
L10+80W 3+30N	201	238	< 1	< 0.01	16	350	8	< 5	2	9	0.11	< 10	< 10	25	< 5	9
L10+80W 3+60N	201	238	< 1	< 0.01	15	130	6	< 5	2	8	0.11	< 10	< 10	33	< 5	21
L10+80W 4+20N	201	238	< 1	< 0.01	7	230	< 2	< 5	1	8	0.12	< 10	< 10	41	< 5	8
L10+80W 4+50N	201	238	< 1	< 0.01	2	50	2	< 5	1	6	0.10	< 10	< 10	25	< 5	6
L10+80W 0+30S	201	238	1	< 0.01	16	240	2	< 5	2	8	0.12	< 10	< 10	38	< 5	27
L12+00W BL	201	238	1	< 0.01	14	230	10	< 5	2	6	0.11	< 10	< 10	37	< 5	15
L12+00W 0+30N	201	238	< 1	< 0.01	4	60	4	< 5	1	8	0.09	< 10	< 10	18	< 5	9
L12+00W 0+60N	201	238	< 1	< 0.01	< 1	30	2	< 5	< 1	4	0.05	< 10	< 10	9	< 5	6
L12+00W 0+90N	201	238	< 1	< 0.01	4	50	6	< 5	1	6	0.07	< 10	< 10	36	< 5	14
L12+00W 1+50N	201	238	< 1	< 0.01	17	220	2	< 5	2	13	0.13	< 10	< 10	36	< 5	12

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No.: 5-A

Tot. Pages: 6

Date: 9-AUG-88

Invoice #: I-8819813

P.O. #

CERTIFICATE OF ANALYSIS A8819813

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L12+00W 1+8GN	201 238	< 5	0.93	< 0.2	15	40	< 0.5	< 2	0.20	< 0.5	2	31	12	1.37	< 10	< 1	0.02	10	0.33	104
L12+00W 0+30S	201 238	< 5	2.24	0.2	20	30	< 0.5	< 2	0.54	< 0.5	18	110	59	3.36	< 10	< 1	0.02	10	0.69	378
L13+20W EL	201 238	< 5	1.60	0.2	35	10	< 0.5	< 2	0.19	< 0.5	< 1	24	12	1.67	< 10	< 1	0.01	10	0.17	84
L13+20W 0+30N	201 238	< 5	1.31	< 0.2	10	40	< 0.5	< 2	0.12	< 0.5	< 1	22	13	2.00	< 10	2	0.02	10	0.21	82
L13+20W 0+30S	201 238	< 5	0.83	< 0.2	15	10	< 0.5	< 2	0.13	< 0.5	< 1	19	3	1.44	< 10	< 1	0.01	10	0.17	71
L13+20W 0+60S	201 238	< 5	1.06	0.2	< 5	20	< 0.5	< 2	0.15	< 0.5	< 1	20	5	1.33	< 10	1	0.01	10	0.21	89
7+30W EL	201 238	< 5	1.14	< 0.2	15	20	< 0.5	< 2	0.10	< 0.5	< 1	20	4	1.33	< 10	< 1	0.01	10	0.14	70
7+60W EL	201 238	< 5	2.29	< 0.2	5	50	< 0.5	< 2	0.14	< 0.5	9	32	9	2.19	< 10	< 1	0.01	10	0.23	85
8+70W EL	201 238	< 5	1.33	0.2	20	30	< 0.5	< 2	0.10	< 0.5	< 1	16	5	1.27	< 10	< 1	0.01	10	0.13	49
9+00W EL	201 238	< 5	0.80	0.2	< 5	10	< 0.5	< 2	0.16	< 0.5	< 1	12	3	0.63	< 10	< 1	0.01	10	0.13	44
9+30W EL	201 238	< 5	0.74	0.2	5	30	< 0.5	< 2	0.35	< 0.5	< 1	13	4	0.79	< 10	< 1	0.01	10	0.17	67
10+20W EL	201 238	< 5	0.76	0.2	< 5	20	< 0.5	< 2	0.36	< 0.5	< 1	16	4	1.01	< 10	< 1	0.02	10	0.22	99
10+50W EL	201 238	< 5	1.16	< 0.2	15	20	< 0.5	< 2	0.13	< 0.5	6	25	12	2.60	< 10	< 1	0.01	10	0.23	94
11+20W EL	201 238	< 5	0.90	< 0.2	5	20	< 0.5	< 2	0.09	< 0.5	< 1	22	7	1.15	< 10	< 1	0.01	10	0.28	88
11+50W EL	201 238	85	0.86	< 0.2	< 5	20	< 0.5	< 2	0.14	< 0.5	< 1	18	5	1.02	< 10	1	0.01	10	0.23	68
11+80W EL	201 238	< 5	0.18	0.2	< 5	< 10	< 0.5	< 2	0.08	< 0.5	< 1	5	1	0.10	< 10	< 1	0.01	10	0.02	19
12+30W EL	201 238	< 5	1.61	< 0.2	5	30	< 0.5	< 2	0.12	< 0.5	< 1	25	12	1.76	< 10	< 1	0.01	10	0.23	76
12+60W EL	201 238	25	1.57	< 0.2	< 5	50	< 0.5	< 2	0.18	< 0.5	< 1	22	10	1.56	< 10	< 1	0.02	10	0.19	102
12+90W EL	201 238	< 5	1.67	0.2	< 5	40	< 0.5	< 2	0.17	< 0.5	12	32	18	1.81	< 10	< 1	0.02	10	0.32	159
LW 0+00 0+00N	201 238	< 5	1.85	< 0.2	15	10	< 0.5	< 2	0.09	< 0.5	< 1	45	13	2.17	< 10	< 1	0.01	10	0.86	124
LW 0+00 0+30N	201 238	< 5	1.91	0.2	305	40	< 0.5	< 2	0.28	< 0.5	15	38	91	2.16	< 10	< 1	0.02	10	0.53	173
LW 0+00 0+60N	201 238	7700	2.58	0.6	1715	40	< 0.5	< 2	0.45	< 0.5	20	67	38	6.68	< 10	< 1	0.02	10	1.34	347
LW 0+00 0+90N	201 238	20	4.63	0.4	165	60	< 0.5	< 2	0.42	< 0.5	65	71	568	5.19	< 10	< 1	0.03	20	0.60	468
LW 1+00 0+00N	201 238	< 5	1.62	0.2	30	20	< 0.5	< 2	0.17	< 0.5	10	33	20	2.24	< 10	< 1	0.01	10	0.30	106
LW 1+00 0+60N	201 238	< 5	1.66	0.4	25	30	< 0.5	< 2	0.28	< 0.5	13	23	41	1.52	< 10	2	0.01	10	0.25	82
LW 1+00 0+90N	201 238	< 5	1.23	0.4	5	20	< 0.5	< 2	0.18	< 0.5	10	26	12	2.15	< 10	< 1	0.01	10	0.32	104
LW 1+00 1+20N	201 238	< 5	0.99	0.2	15	20	< 0.5	< 2	0.12	< 0.5	< 1	22	6	1.76	< 10	1	0.01	10	0.23	95
LW 1+00 1+50N	201 238	< 5	1.06	0.2	< 5	20	< 0.5	< 2	0.14	< 0.5	3	25	5	1.84	< 10	< 1	0.02	10	0.27	103
LW 1+00 1+80N	201 238	< 5	0.99	0.2	< 5	20	< 0.5	< 2	0.15	< 0.5	3	29	7	1.84	< 10	< 1	0.01	10	0.33	137
LW 1+00 2+10N	201 238	< 5	0.84	0.2	10	20	< 0.5	< 2	0.11	< 0.5	< 1	19	5	1.51	< 10	< 1	0.02	10	0.20	78
LW 1+00 2+40N	201 238	< 5	1.35	0.2	5	20	< 0.5	< 2	0.11	< 0.5	8	33	12	2.63	< 10	< 1	0.01	10	0.38	138
LW 1+00 2+70N	201 238	< 5	0.73	< 0.2	< 5	20	< 0.5	< 2	0.09	< 0.5	< 1	14	11	1.04	< 10	< 1	< 0.01	10	0.12	53
LW 1+00 3+90N	201 238	< 5	0.45	0.2	< 5	10	< 0.5	< 2	0.07	< 0.5	< 1	11	4	0.99	< 10	< 1	0.01	10	0.08	38
LW 1+00 4+20N	201 238	< 5	0.92	< 0.2	60	10	< 0.5	< 2	0.14	< 0.5	2	23	6	1.17	< 10	< 1	0.01	10	0.27	83
LW 1+00 4+80N	201 238	< 5	0.58	< 0.2	< 5	20	< 0.5	< 2	0.19	< 0.5	1	11	< 1	0.49	< 10	< 1	0.01	10	0.11	48
LW 1+00 5+10N	201 238	< 5	0.87	< 0.2	< 5	10	< 0.5	< 2	0.15	< 0.5	4	22	12	0.92	< 10	1	0.02	10	0.24	79
LW 2+00 0+00N	201 238	< 5	1.44	< 0.2	55	40	< 0.5	< 2	0.15	< 0.5	6	39	18	2.05	< 10	1	0.03	10	0.38	119
LW 2+00 0+30N	201 238	< 5	0.82	< 0.2	5	20	< 0.5	< 2	0.10	< 0.5	2	22	2	1.68	< 10	< 1	0.02	10	0.25	85
LW 2+00 0+60N	201 238	< 5	0.44	< 0.2	< 5	50	< 0.5	< 2	0.15	< 0.5	< 1	17	4	0.56	< 10	< 1	0.02	10	0.08	51
LW 2+00 0+90N	201 238	< 5	0.79	< 0.2	5	20	< 0.5	< 2	0.24	< 0.5	4	20	4	0.87	< 10	< 1	0.01	10	0.22	85

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
 VANCOUVER, BC
 V6C 1Z7

Project :
 Comments: ATTN: TIM SANDBERG

**Page No. : 5-B
 Tot. Pages: 6
 Date : 9-AUG-88
 Invoice # : I-8819813
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819813

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L12+00V 1+6CN	201 238	< 1	< 0.01	12	220	12	< 5	2	9	0.17	< 10	< 10	58	< 5	16
L12+00V 0+30S	201 238	< 1	< 0.01	27	120	8	< 5	6	11	0.11	< 10	< 10	64	< 5	30
L13+20W BL	201 238	< 1	< 0.01	13	900	10	< 5	2	7	0.08	< 10	< 10	30	< 5	8
L13+20W 0+30CN	201 238	< 1	< 0.01	7	220	2	< 5	2	7	0.11	< 10	< 10	47	< 5	14
L13+20W 0+30S	201 238	< 1	< 0.01	6	310	6	< 5	1	7	0.11	< 10	< 10	38	< 5	11
L13+20W 0+60S	201 238	< 1	< 0.01	9	130	14	< 5	1	8	0.11	< 10	< 10	30	< 5	12
7+50W BL	201 238	< 1	< 0.01	6	170	< 2	< 5	1	6	0.09	< 10	< 10	28	< 5	7
7+60W BL	201 238	< 1	< 0.01	17	280	8	< 5	2	8	0.12	< 10	< 10	32	< 5	12
8+70W BL	201 238	< 1	< 0.01	7	120	4	< 5	1	7	0.10	< 10	< 10	28	< 5	14
9+00W BL	201 238	< 1	< 0.01	6	60	6	< 5	1	7	0.08	< 10	< 10	16	< 5	6
9+30W BL	201 238	< 1	< 0.01	7	320	6	< 5	1	11	0.07	< 10	< 10	16	< 5	9
10+20W BL	201 238	< 1	< 0.01	8	340	8	< 5	2	10	0.08	< 10	< 10	22	< 5	11
10+50W BL	201 238	< 1	< 0.01	11	230	< 2	< 5	1	7	0.14	< 10	< 10	43	< 5	27
11+20W BL	201 238	< 1	< 0.01	9	120	12	< 5	2	6	0.14	< 10	< 10	44	< 5	13
11+30W BL	201 238	< 1	< 0.01	11	120	6	< 5	1	7	0.11	< 10	< 10	28	< 5	13
11+80W BL	201 238	< 1	< 0.01	2	50	4	< 5	< 1	4	0.07	< 10	< 10	6	< 5	2
12+30W BL	201 238	< 1	< 0.01	11	330	14	< 5	2	6	0.10	< 10	< 10	34	< 5	16
12+60W BL	201 238	< 1	< 0.01	13	330	< 2	< 5	2	10	0.11	< 10	< 10	31	< 5	14
12+90W BL	201 238	< 1	< 0.01	24	470	8	< 5	2	9	0.12	< 10	< 10	33	< 5	17
EW 0+00 0+00CN	201 238	< 1	< 0.01	24	100	4	< 5	7	4	0.03	< 10	< 10	56	< 5	27
EW 0+00 0+30CN	201 238	< 1	< 0.01	48	100	6	< 5	4	10	0.12	< 10	< 10	43	< 5	26
EW 0+00 0+60CN	201 238	< 1	< 0.01	41	230	2	< 5	9	5	0.01	< 10	< 10	126	65	42
EW 0+00 0+90CN	201 238	< 1	< 0.01	87	500	14	< 5	16	12	0.15	< 10	< 10	100	< 5	42
EW 1+00 0+00CN	201 238	2	< 0.01	13	110	< 2	< 5	2	10	0.15	< 10	< 10	56	< 5	22
EW 1+00 0+60CN	201 238	< 1	< 0.01	21	100	< 2	< 5	2	12	0.13	< 10	< 10	36	< 5	16
EW 1+00 0+90CN	201 238	2	< 0.01	18	200	10	< 5	2	9	0.14	< 10	< 10	44	< 5	15
EW 1+00 1+20CN	201 238	1	< 0.01	7	140	2	< 5	2	8	0.12	< 10	< 10	56	< 5	15
EW 1+00 1+50CN	201 238	< 1	< 0.01	8	220	2	< 5	2	9	0.17	< 10	< 10	60	< 5	16
EW 1+00 1+80CN	201 238	< 1	< 0.01	10	160	12	< 5	3	8	0.17	< 10	< 10	68	< 5	19
EW 1+00 2+10CN	201 238	1	< 0.01	7	170	4	< 5	2	8	0.15	< 10	< 10	47	< 5	14
EW 1+00 2+40CN	201 238	< 1	< 0.01	17	100	< 2	< 5	4	7	0.14	< 10	< 10	88	< 5	17
EW 1+00 2+70CN	201 238	< 1	< 0.01	4	90	12	< 5	1	6	0.09	< 10	< 10	30	< 5	13
EW 1+00 3+90CN	201 238	< 1	< 0.01	2	100	< 2	< 5	1	5	0.12	< 10	< 10	47	< 5	5
EW 1+00 4+20CN	201 238	< 1	0.01	7	50	2	< 5	2	7	0.11	< 10	< 10	35	< 5	19
EW 1+00 4+80CN	201 238	< 1	0.01	3	90	4	< 5	1	7	0.06	< 10	< 10	12	< 5	5
EW 1+00 5+10CN	201 238	< 1	0.01	10	170	< 2	< 5	2	7	0.09	< 10	< 10	20	< 5	9
EW 2+00 0+00CN	201 238	< 1	0.01	21	220	4	< 5	2	9	0.13	< 10	< 10	40	< 5	20
EW 2+00 0+30CN	201 238	< 1	< 0.01	7	120	8	< 5	2	7	0.12	< 10	< 10	49	< 5	12
EW 2+00 0+60CN	201 238	1	< 0.01	8	150	8	< 5	< 1	9	0.06	< 10	< 10	18	< 5	15
EW 2+00 0+90CN	201 238	< 1	0.01	11	110	< 2	< 5	1	8	0.09	< 10	< 10	19	< 5	10

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No.: 6-A

Tot. Pages: 6

Date: 9-AUG-88

Invoice #: I-8819813

P.O. #: NONE

CERTIFICATE OF ANALYSIS A8819813

SAMPLE DESCRIPTION	PREP CODE	Au ppb Pt+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
LW 2400 1+80N	201 238	< 5	2.32	< 0.2	10	70	0.5	< 2	0.66	< 0.5	16	40	75	2.00	< 10	< 1	0.02	20	0.31	267
LW 2400 2+10N	201 238	< 5	1.07	< 0.2	< 5	20	< 0.5	< 2	0.15	< 0.5	1	29	17	1.35	< 10	< 1	< 0.01	10	0.10	49
LW 2400 3+90N	201 238	< 5	1.12	< 0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	3	22	6	1.44	< 10	< 1	0.02	10	0.15	70
LW 2400 4+20N	201 238	40	1.02	< 0.2	15	20	< 0.5	< 2	0.11	< 0.5	4	39	18	2.56	< 10	< 1	0.02	10	0.30	133
LW 2400 4+30N	201 238	< 5	2.93	< 0.2	65	20	0.5	< 2	0.17	< 0.5	9	60	53	3.79	< 10	< 1	0.01	10	0.25	87
LW 3400 0+00N	201 238	< 5	0.86	< 0.2	5	30	< 0.5	< 2	0.24	< 0.5	4	24	8	1.04	< 10	< 1	0.01	10	0.26	91
LW 3400 0+30N	201 238	< 5	0.74	< 0.2	15	20	< 0.5	< 2	0.16	< 0.5	4	17	9	0.94	< 10	< 1	< 0.01	10	0.22	72
LW 3400 0+60N	201 238	< 5	0.49	< 0.2	< 5	10	< 0.5	< 2	0.26	< 0.5	1	14	2	0.65	< 10	< 1	0.01	10	0.14	77
LW 3400 1+80N	201 238	10	3.53	0.2	< 5	20	0.5	< 2	0.11	< 0.5	20	542	32	5.87	10	1	< 0.01	10	2.49	405
LW 3400 3+00N	201 238	10	0.75	< 0.2	15	10	< 0.5	< 2	0.09	< 0.5	1	27	4	1.80	< 10	< 1	0.01	10	0.16	55
LW 3400 3+30N	201 238	< 5	1.99	< 0.2	5	80	0.5	< 2	2.12	< 0.5	11	38	128	1.72	< 10	< 1	0.03	20	0.30	477
LW 3400 3+60N	201 238	< 5	1.26	< 0.2	5	10	< 0.5	< 2	0.18	< 0.5	4	33	20	1.46	< 10	< 1	0.02	10	0.31	97
LW 3400 3+90N	201 238	< 5	1.91	< 0.2	< 5	40	0.5	< 2	0.13	< 0.5	6	47	54	3.44	< 10	< 1	0.01	10	0.34	205
LW 3400 4+20N	201 238	< 5	0.84	< 0.2	10	20	< 0.5	< 2	0.12	< 0.5	2	17	11	1.41	< 10	< 1	0.02	10	0.13	71
LW 4400 0+30N	201 238	5	1.63	< 0.2	< 5	20	< 0.5	< 2	0.10	< 0.5	4	24	31	1.41	< 10	< 1	0.01	10	0.16	53
LW 4400 0+60N	201 238	< 5	1.96	< 0.2	5	20	< 0.5	< 2	0.38	< 0.5	7	34	15	1.63	< 10	< 1	< 0.01	10	0.19	72
LW 4400 0+90N	201 238	5	1.21	< 0.2	5	20	< 0.5	< 2	0.12	< 0.5	4	25	11	1.41	< 10	< 1	0.01	10	0.24	74
LW 4400 1+20N	201 238	< 5	2.36	< 0.2	265	40	0.5	< 2	0.30	0.5	25	41	74	2.33	< 10	1	0.02	10	0.42	237
LW 4400 1+30N	201 238	5	1.21	< 0.2	10	10	< 0.5	< 2	0.09	< 0.5	4	28	19	1.65	< 10	< 1	0.01	10	0.20	64
LW 4400 2+10N	201 238	< 5	0.88	< 0.2	85	20	< 0.5	< 2	0.25	< 0.5	5	26	11	1.24	< 10	< 1	0.02	10	0.36	131
LW 4400 2+70N	201 238	5	0.82	< 0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	1	20	9	0.95	< 10	< 1	0.01	10	0.23	74
LW 4400 3+00N	201 238	< 5	1.87	< 0.2	15	30	< 0.5	< 2	0.21	< 0.5	7	40	34	2.51	< 10	< 1	0.02	10	0.50	198
LW 4400 3+30N	201 238	5	3.12	< 0.2	20	90	0.5	< 2	0.58	< 0.5	12	54	277	2.58	< 10	< 1	0.02	20	0.61	557
LW 4400 3+60N	201 238	10	2.19	< 0.2	5	40	< 0.5	< 2	0.24	< 0.5	13	113	18	4.68	< 10	< 1	0.01	10	1.02	616
LW 4400 3+90N	201 238	< 5	2.65	< 0.2	< 5	30	< 0.5	< 2	0.08	< 0.5	15	102	19	4.99	< 10	< 1	0.01	< 10	1.57	365
LW 4400 4+20N	201 238	< 5	1.00	< 0.2	5	20	< 0.5	< 2	0.19	< 0.5	2	23	15	1.55	< 10	< 1	0.01	10	0.19	89
LW 4400 4+50N	201 238	100	3.52	< 0.2	1790	50	0.5	< 2	0.50	2.0	46	86	219	7.16	< 10	< 1	0.03	10	1.58	702
LW 5400 0+00N	201 238	< 5	1.28	< 0.2	10	30	< 0.5	< 2	0.17	< 0.5	8	31	41	1.46	< 10	< 1	0.02	10	0.30	141
LW 5400 0+30N	201 238	< 5	5.85	< 0.2	< 5	60	1.0	< 2	0.26	0.5	27	84	92	4.06	< 10	1	0.03	20	0.25	403
LW 5400 0+60N	201 238	30	1.75	< 0.2	950	670	0.5	2	1.00	1.5	376	95	40	9.93	20	2	0.06	30	0.43	>10000
LW 5400 0+90N	201 238	5	0.40	< 0.2	< 5	20	< 0.5	< 2	0.09	< 0.5	3	7	3	0.44	< 10	< 1	< 0.01	10	0.06	242
LW 5400 2+40N	201 238	5	0.51	< 0.2	10	10	< 0.5	< 2	0.34	< 0.5	10	16	165	0.91	< 10	< 1	0.01	20	0.21	161
LW 5400 2+70N	201 238	< 5	1.15	0.2	< 5	20	< 0.5	2	0.16	< 0.5	6	30	15	2.31	< 10	< 1	0.02	10	0.34	164
LW 5400 3+00N	201 238	< 5	1.45	0.2	< 5	20	< 0.5	< 2	0.14	< 0.5	4	23	27	1.60	< 10	< 1	0.01	10	0.24	90
LW 5400 3+60N	201 238	< 5	1.60	0.4	20	20	< 0.5	2	0.14	< 0.5	8	52	11	2.42	< 10	< 1	0.01	10	0.61	203
LW 5400 3+90N	201 238	< 5	3.11	0.6	10	10	< 0.5	2	0.05	< 0.5	26	108	19	5.49	10	< 1	0.01	10	1.54	450
CT-88-1	201 238	10	1.47	0.4	25	30	< 0.5	< 2	0.19	< 0.5	25	40	42	2.14	< 10	< 1	0.02	10	0.51	200

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No. : 6-B

Tot. Pages: 6

Date : 9-AUG-88

Invoice # : I-8819813

P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819813

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LW 2100 1+8ON	201 238	< 1	0.01	27	200	6	< 5	3	15	0.10	< 10	< 10	40	< 5	24
LW 2100 2+1ON	201 238	< 1	< 0.01	4	160	10	< 5	1	8	0.12	< 10	< 10	43	< 5	11
LW 2100 3+9ON	201 238	< 1	0.01	7	100	4	< 5	1	9	0.11	< 10	< 10	37	< 5	17
LW 2100 4+2ON	201 238	< 1	0.01	15	210	4	< 5	2	7	0.16	< 10	< 10	57	< 5	17
LW 2100 4+3ON	201 238	< 1	0.01	24	240	8	< 5	3	8	0.13	< 10	< 10	50	< 5	14
LW 3100 0+0ON	201 238	< 1	0.01	11	200	2	< 5	2	9	0.09	< 10	< 10	21	< 5	13
LW 3100 0+3ON	201 238	< 1	0.01	12	200	4	< 5	1	6	0.07	< 10	< 10	18	< 5	9
LW 3100 0+6ON	201 238	< 1	0.01	6	250	< 2	< 5	1	7	0.05	< 10	< 10	13	< 5	8
LW 3100 1+8ON	201 238	< 1	< 0.01	106	100	8	< 5	15	3	0.19	< 10	< 10	162	< 5	45
LW 3100 3+0ON	201 238	< 1	< 0.01	7	70	4	< 5	1	6	0.15	< 10	< 10	56	< 5	9
LW 3100 3+3ON	201 238	< 1	0.01	23	410	6	< 5	5	18	0.09	< 10	< 10	32	< 5	30
LW 3100 3+6ON	201 238	< 1	0.01	14	210	6	< 5	2	7	0.11	< 10	< 10	27	< 5	14
LW 3100 3+9ON	201 238	< 1	< 0.01	11	160	14	< 5	2	6	0.12	< 10	< 10	69	< 5	58
LW 3100 4+2ON	201 238	< 1	< 0.01	7	130	4	< 5	1	6	0.11	< 10	< 10	51	< 5	19
LW 4100 0+3ON	201 238	< 1	0.01	15	130	8	< 5	2	5	0.10	< 10	< 10	27	< 5	10
LW 4100 0+6ON	201 238	< 1	0.01	14	220	2	< 5	2	7	0.08	< 10	< 10	22	< 5	6
LW 4100 0+9ON	201 238	< 1	0.01	11	70	< 2	< 5	2	6	0.11	< 10	< 10	31	< 5	20
LW 4100 1+2ON	201 238	< 1	0.01	36	160	4	< 5	4	9	0.11	< 10	< 10	41	< 5	35
LW 4100 1+5ON	201 238	< 1	0.01	10	70	6	< 5	2	6	0.12	< 10	< 10	45	< 5	10
LW 4100 2+1ON	201 238	< 1	0.01	12	140	< 2	< 5	2	8	0.10	< 10	< 10	24	< 5	17
LW 4100 2+7ON	201 238	< 1	0.01	9	50	12	< 5	1	7	0.11	< 10	< 10	31	< 5	13
LW 4100 3+0ON	201 238	< 1	0.01	20	150	4	< 5	3	8	0.15	< 10	< 10	61	< 5	37
LW 4100 3+3ON	201 238	< 1	0.01	57	220	12	< 5	7	9	0.12	< 10	< 10	44	< 5	53
LW 4100 3+6ON	201 238	< 1	< 0.01	52	200	6	< 5	8	3	0.27	< 10	< 10	154	< 5	49
LW 4100 3+9ON	201 238	< 1	< 0.01	45	230	6	< 5	16	2	0.07	< 10	< 10	182	< 5	46
LW 4100 4+2ON	201 238	< 1	0.01	8	110	4	< 5	1	6	0.09	< 10	< 10	37	< 5	12
LW 4100 4+5ON	201 238	< 1	< 0.01	76	540	10	< 5	12	12	0.03	< 10	< 10	101	< 5	43
LW 5100 0+0ON	201 238	< 1	0.01	25	110	8	< 5	2	7	0.10	< 10	< 10	30	< 5	47
LW 5100 0+3ON	201 238	2	0.01	59	500	14	< 5	5	8	0.11	< 10	< 10	47	< 5	47
LW 5100 0+6ON	201 238	6	0.01	32	1240	36	< 5	5	20	0.10	< 10	< 10	288	< 5	534
LW 5100 0+9ON	201 238	< 1	< 0.01	1	60	< 2	< 5	1	7	0.07	< 10	< 10	17	< 5	20
LW 5100 2+4ON	201 238	< 1	0.01	14	340	4	< 5	2	8	0.08	< 10	< 10	17	< 5	12
LW 5100 2+7ON	201 238	< 1	< 0.01	15	190	2	< 5	2	8	0.15	< 10	< 10	57	< 5	24
LW 5100 3+0ON	201 238	< 1	0.01	13	90	8	< 5	2	9	0.12	< 10	< 10	38	< 5	14
LW 5100 3+6ON	201 238	< 1	0.01	28	100	< 2	< 5	6	8	0.08	< 10	< 10	82	< 5	28
LW 5100 3+9ON	201 238	< 1	< 0.01	78	160	4	< 5	16	2	0.01	< 10	< 10	159	< 5	50
CT-88-1	201 238	< 1	0.01	42	240	4	< 5	3	7	0.12	< 10	< 10	47	< 5	28

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

* INVOICE NUMBER 18819818 *

BILLING INFORMATION

Date : 8-AUG-88
Project :
P.O. # : NONE
Account : GMP

Billing : For analysis performed on
Certificate A8819818

Terms : Net payment in 30 Days
1.5% per month (18% per annum)
charged on overdue accounts.

Please remit payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J-2C1

CHEMEX CODE	ANALYSIS DESCRIPTION	SAMPLES ANALYZED	UNIT PRICE	AMOUNT
100 - G32 -	Au ppb FA+AA G-32 32 EL.	208	14.25	2964.00
Sample preparation and other charges :				
201 - 238 -	Soil + sediment -80 mesh ICP aqua-regia digestion	208 208	1.00 0.00	208.00 0.00
Total Cost \$				3172.00
TOTAL PAYABLE \$				3172.00



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No. : 1-A
Tot. Pages: 6
Date : 3-AUG-83
Invoice # : I-8819818
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819818

SAMPLE DESCRIPTION	PREP CODE	Au ppb FAAA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L3+30W 0+00N	201 238	< 5	2.13	0.2	< 5	40	< 0.5	< 2	0.38	< 0.5	16	43	29	2.65	< 10	< 1	0.05	20	0.47	184
L3+30W 0+15N	201 238	< 5	1.43	0.2	25	40	< 0.5	< 2	0.19	< 0.5	12	33	18	2.59	< 10	< 1	0.03	10	0.39	126
L3+30W 0+30N	201 238	< 5	1.21	< 0.2	< 5	20	< 0.5	< 2	0.16	< 0.5	9	36	17	2.45	< 10	< 1	0.03	10	0.40	156
L3+30W 0+45N	201 238	< 5	2.10	< 0.2	20	30	0.5	< 2	0.61	< 0.5	23	37	87	2.50	< 10	< 1	0.03	20	0.47	1050
L3+30W 0+60N	201 238	< 5	1.14	< 0.2	5	40	< 0.5	< 2	0.36	< 0.5	6	19	14	1.01	< 10	1	0.02	10	0.22	305
L3+30W 0+75N	201 238	< 5	2.97	< 0.2	< 5	180	0.5	4	0.66	< 0.5	82	49	34	5.27	10	5	0.05	10	0.44	4330
L3+30W 0+90N	201 238	< 5	1.28	< 0.2	< 5	10	< 0.5	< 2	0.13	< 0.5	6	31	12	2.36	< 10	< 1	0.02	10	0.21	96
L3+30W 1+50N	201 238	< 5	0.56	< 0.2	< 5	10	< 0.5	< 2	0.19	< 0.5	< 1	9	4	0.55	< 10	< 1	0.01	< 10	0.10	44
L3+30W 1+80N	201 238	< 5	0.57	< 0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	< 1	12	5	0.67	< 10	< 1	0.01	< 10	0.15	52
L3+30W 0+15S	201 238	< 5	1.92	< 0.2	35	30	< 0.5	< 2	0.19	< 0.5	14	40	30	3.32	< 10	< 1	0.05	10	0.44	169
L3+30W 0+30S	201 238	< 5	1.39	< 0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	6	24	6	1.79	< 10	< 1	0.04	10	0.23	114
L3+30W 0+45S	201 238	< 5	0.84	< 0.2	< 5	20	< 0.5	< 2	0.13	< 0.5	5	21	5	1.80	< 10	1	0.03	10	0.21	79
L3+30W 0+60S	201 238	< 5	0.89	< 0.2	15	20	< 0.5	< 2	0.13	< 0.5	4	21	5	1.85	< 10	< 1	0.02	10	0.17	82
L3+30W 0+75S	201 238	< 5	2.16	< 0.2	10	30	< 0.5	< 2	0.15	< 0.5	6	25	6	1.81	< 10	< 1	0.02	10	0.18	76
L3+30W 0+90S	201 238	< 5	1.47	< 0.2	5	30	< 0.5	< 2	0.12	< 0.5	6	26	6	2.41	< 10	< 1	0.02	10	0.19	89
L3+60W BL	201 238	< 5	1.14	< 0.2	< 5	30	< 0.5	< 2	0.13	< 0.5	7	26	6	2.24	< 10	1	0.02	10	0.23	85
L3+60W 0+15N	201 238	< 5	0.72	< 0.2	< 5	20	< 0.5	< 2	0.10	< 0.5	< 1	11	4	0.76	< 10	< 1	0.01	< 10	0.12	44
L3+60W 0+30N	201 238	< 5	2.04	< 0.2	< 5	20	0.5	2	0.16	< 0.5	12	25	18	1.54	< 10	< 1	0.01	10	0.23	96
L3+60W 0+45N	201 238	< 5	1.15	< 0.2	< 5	10	< 0.5	< 2	0.09	< 0.5	3	11	2	0.94	< 10	< 1	0.01	10	0.09	41
L3+60W 0+60N	201 238	< 5	1.69	< 0.2	< 5	40	0.5	2	0.17	< 0.5	7	22	6	1.57	< 10	< 1	0.02	10	0.19	85
L3+60W 0+75N	201 238	< 5	2.06	0.2	< 5	20	1.0	2	0.18	< 0.5	8	31	20	1.79	10	< 1	0.03	10	0.23	93
L3+60W 0+90N	201 238	< 5	1.62	0.4	< 5	30	1.0	4	0.28	< 0.5	8	35	21	1.44	10	< 1	0.03	10	0.35	124
L3+60W 1+05N	201 238	< 5	1.55	< 0.2	< 5	30	0.5	2	0.18	< 0.5	8	27	9	1.40	< 10	< 1	0.02	10	0.29	109
L3+60W 1+20N	201 238	< 5	0.97	< 0.2	5	10	0.5	4	0.13	< 0.5	5	23	10	1.29	10	< 1	0.02	10	0.27	93
L3+60W 1+50N	201 238	< 5	1.04	0.2	< 5	10	0.5	2	0.10	< 0.5	4	17	5	1.01	10	< 1	0.02	10	0.16	54
L3+60W 1+80N	201 238	< 5	1.30	< 0.2	20	10	1.5	2	0.11	< 0.5	5	34	18	3.17	10	< 1	0.02	10	0.31	102
L3+60W 3+30N	201 238	< 5	0.63	0.6	< 5	10	0.5	2	0.44	< 0.5	4	12	< 1	0.69	10	< 1	0.02	10	0.15	65
L3+60W 3+60N	201 238	< 5	0.82	0.2	< 5	30	0.5	2	0.27	< 0.5	4	18	5	1.02	10	< 1	0.03	10	0.19	84
L3+60W 3+90N	201 238	< 5	0.52	< 0.2	< 5	< 10	0.5	2	0.07	< 0.5	2	13	2	0.87	< 10	< 1	0.01	10	0.19	63
L3+60W 4+20N	201 238	< 5	0.18	< 0.2	< 5	< 10	< 0.5	< 2	0.05	< 0.5	< 1	< 1	< 1	0.26	< 10	< 1	0.01	10	0.02	20
L3+60W 4+50N	201 238	100	0.19	0.2	< 5	< 10	< 0.5	< 2	0.04	< 0.5	< 1	2	< 1	0.21	< 10	< 1	0.01	< 10	0.01	18
L3+60W 5+40N	201 238	< 5	0.48	< 0.2	< 5	< 10	< 0.5	2	0.09	< 0.5	1	9	< 1	0.52	< 10	< 1	0.01	10	0.13	49
L3+60W 5+70N	201 238	< 5	0.95	0.2	< 5	10	0.5	< 2	0.10	< 0.5	2	9	< 1	1.11	< 10	< 1	0.02	10	0.06	39
L3+60W 0+15S	201 238	< 5	0.96	0.4	5	10	1.5	2	0.18	< 0.5	6	25	7	1.98	10	< 1	0.03	10	0.21	116
L3+60W 0+30S	201 238	< 5	1.05	0.4	5	30	1.5	2	0.18	< 0.5	5	24	3	1.94	10	< 1	0.04	10	0.20	103
L3+60W 0+45S	201 238	< 5	0.96	0.4	< 5	30	0.5	4	0.17	< 0.5	5	19	2	1.25	10	< 1	0.03	10	0.22	99
L3+60W 0+60S	201 238	< 5	1.76	0.2	10	20	1.5	2	0.19	< 0.5	11	29	11	1.68	10	< 1	0.04	10	0.28	110
L3+60W 0+75S	201 238	< 5	1.99	0.4	< 5	40	0.5	2	0.14	< 0.5	9	34	9	1.86	< 10	< 1	0.03	10	0.26	115
L3+60W 0+90S	201 238	< 5	1.75	0.2	< 5	20	0.5	< 2	0.11	< 0.5	5	34	6	2.79	< 10	< 1	0.02	10	0.17	63
L3+60W 1+05S	201 238	< 5	1.11	0.2	< 5	10	< 0.5	< 2	0.16	< 0.5	7	22	8	1.02	< 10	< 1	0.02	10	0.24	83

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project :

Comments: ATTN: TIM SANDBERG

**Page No. : 1-B

Tot. Pages: 6

Date : 8-AUG-88

Invoice #: I-8819818

P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819818

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Ti	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
L3+30W 0+00N	201	238	< 1	0.01	39	580	2	< 5	4	19	0.19	< 10	< 10	50	< 5	30
L3+30W 0+1 SN	201	238	< 1	0.01	25	290	8	< 5	3	10	0.14	< 10	< 10	49	< 5	25
L3+30W 0+30N	201	238	< 1	< 0.01	18	230	12	< 5	3	9	0.20	< 10	< 10	71	< 5	31
L3+30W 0+4 SN	201	238	< 1	0.01	70	420	< 2	< 5	4	13	0.12	< 10	< 10	40	< 5	51
L3+30W 0+60N	201	238	< 1	0.01	12	100	8	< 5	2	12	0.10	< 10	< 10	23	< 5	16
L3+30W 0+7 SN	201	238	< 1	0.01	39	470	20	< 5	3	19	0.17	< 10	< 10	89	< 5	41
L3+30W 0+90N	201	238	< 1	< 0.01	11	230	2	< 5	2	8	0.13	< 10	< 10	42	< 5	10
L3+30W 1+50N	201	238	< 1	< 0.01	3	110	10	< 5	1	17	0.21	< 10	< 10	31	< 5	5
L3+30W 1+80N	201	238	< 1	< 0.01	7	30	6	< 5	1	7	0.11	< 10	< 10	24	< 5	6
L3+30W 0+1 SS	201	238	< 1	< 0.01	26	610	4	< 5	3	11	0.16	< 10	< 10	61	< 5	34
L3+30W 0+30S	201	238	< 1	< 0.01	10	240	6	< 5	2	10	0.13	< 10	< 10	36	< 5	21
L3+30W 0+4 SS	201	238	< 1	< 0.01	9	240	2	< 5	2	10	0.17	< 10	< 10	56	< 5	10
L3+30W 0+60S	201	238	< 1	< 0.01	8	260	2	< 5	1	8	0.13	< 10	< 10	37	< 5	12
L3+30W 0+7 SS	201	238	< 1	0.01	11	220	6	< 5	2	10	0.13	< 10	< 10	33	< 5	13
L3+30W 0+90S	201	238	< 1	< 0.01	11	320	2	< 5	2	8	0.16	< 10	< 10	54	< 5	11
L3+60W EL	201	238	< 1	0.01	12	200	< 2	< 5	1	7	0.14	< 10	< 10	42	< 5	12
L3+60W 0+1 SN	201	238	< 1	< 0.01	7	50	2	< 5	1	5	0.08	< 10	< 10	16	< 5	6
L3+60W 0+30N	201	238	< 1	0.01	25	380	< 2	< 5	2	6	0.08	< 10	< 10	22	< 5	10
L3+60W 0+4 SN	201	238	< 1	0.01	6	130	< 2	< 5	1	5	0.07	< 10	< 10	21	< 5	4
L3+60W 0+60N	201	238	< 1	0.01	16	280	< 2	< 5	2	8	0.10	< 10	< 10	27	< 5	10
L3+60W 0+7 SN	201	238	< 1	0.01	21	340	4	< 5	3	10	0.11	< 10	< 10	32	< 5	10
L3+60W 0+90N	201	238	< 1	0.02	20	220	< 2	< 5	3	14	0.12	< 10	< 10	30	< 5	11
L3+60W 1+0 SN	201	238	< 1	0.01	19	110	2	< 5	3	10	0.11	< 10	< 10	25	< 5	13
L3+60W 1+20N	201	238	< 1	0.01	8	100	2	< 5	2	7	0.16	< 10	< 10	50	< 5	12
L3+60W 1+50N	201	238	< 1	0.01	9	80	< 2	< 5	1	5	0.10	< 10	< 10	27	< 5	6
L3+60W 1+80N	201	238	< 1	0.01	9	170	2	< 5	2	6	0.18	< 10	< 10	79	< 5	17
L3+60W 3+30N	201	238	< 1	0.01	6	240	< 2	< 5	1	10	0.08	< 10	< 10	17	< 5	6
L3+60W 3+60N	201	238	< 1	0.01	9	450	< 2	< 5	2	12	0.09	< 10	< 10	19	< 5	10
L3+60W 3+90N	201	238	< 1	0.01	6	60	2	< 5	1	3	0.10	< 10	< 10	35	< 5	6
L3+60W 4+20N	201	238	< 1	0.01	< 1	30	< 2	< 5	< 1	3	0.05	< 10	< 10	13	< 5	< 1
L3+60W 4+50N	201	238	< 1	0.01	< 1	40	< 2	< 5	< 1	3	0.04	< 10	< 10	10	< 5	1
L3+60W 5+40N	201	238	< 1	0.01	4	40	2	< 5	1	5	0.08	< 10	< 10	17	< 5	4
L3+60W 5+70N	201	238	< 1	0.01	2	240	< 2	< 5	1	6	0.08	< 10	< 10	26	< 5	3
L3+60W 0+1 SS	201	238	< 1	0.01	9	820	< 2	< 5	2	8	0.10	< 10	< 10	35	< 5	12
L3+60W 0+30S	201	238	< 1	0.01	10	440	< 2	< 5	2	9	0.12	< 10	< 10	40	< 5	14
L3+60W 0+4 SS	201	238	< 1	0.01	10	170	< 2	< 5	2	9	0.11	< 10	< 10	27	< 5	18
L3+60W 0+60S	201	238	< 1	0.01	25	460	4	< 5	2	8	0.10	< 10	< 10	30	< 5	12
L3+60W 0+7 SS	201	238	< 1	0.01	20	430	< 2	< 5	2	7	0.09	< 10	< 10	30	< 5	13
L3+60W 0+90S	201	238	< 1	0.01	10	380	4	< 5	2	6	0.12	< 10	< 10	49	< 5	9
L3+60W 1+0 SS	201	238	< 1	0.01	16	220	< 2	< 5	2	6	0.08	< 10	< 10	18	< 5	9

CERTIFICATION :

BC



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No. : 2-A

Tot. Pages: 6

Date : 8-AUG-88

Invoice # : I-8819818

P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819818

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L3+60W 3+70S	201 238	< 5	1.86	0.2	< 5	10	0.5	2	0.13	< 0.5	9	29	13	2.10	< 10	< 1	0.02	10	0.18	90
L3+60W 3+00S	201 238	< 5	1.04	0.2	< 5	10	< 0.5	2	0.24	< 0.5	4	16	8	1.14	< 10	< 1	0.02	10	0.17	78
L3+60W 3+30S	201 238	< 5	2.44	< 0.2	15	10	1.5	6	0.22	< 0.5	11	119	12	3.27	< 10	< 1	0.01	< 10	1.50	353
L3+60W 4+20S	201 238	< 5	0.46	0.2	< 5	< 10	< 0.5	2	0.09	< 0.5	2	13	1	0.86	< 10	< 1	0.01	10	0.12	51
L3+60W 4+80S	201 238	10	0.27	0.2	< 5	< 10	< 0.5	2	0.12	< 0.5	< 1	5	< 1	0.27	< 10	< 1	0.01	10	0.03	31
L3+60W 5+40S	201 238	15	1.38	< 0.2	5	10	1.5	< 2	0.09	< 0.5	3	21	14	1.73	< 10	< 1	0.01	10	0.10	39
L3+60W 5+70S	201 238	50	3.14	0.4	60	30	5.5	2	0.21	0.5	15	93	27	5.44	10	< 1	0.01	< 10	2.03	563
L3+60W 6+60S	201 238	< 5	1.82	0.2	15	70	3.5	4	0.79	< 0.5	25	51	25	4.05	10	< 1	0.04	10	0.71	1295
L3+60W 6+90S	201 238	< 5	0.44	0.2	< 5	10	0.5	2	0.09	< 0.5	1	7	2	0.58	< 10	< 1	0.02	10	0.06	65
L3+90W 0+00N	201 238	< 5	1.35	0.4	25	10	2.5	2	0.15	0.5	12	48	12	3.59	10	< 1	0.02	10	0.44	222
L3+90W 0+15N	201 238	5	1.32	0.4	< 5	20	2.0	2	0.17	< 0.5	6	27	7	2.39	20	< 1	0.03	10	0.25	100
L3+90W 0+30N	201 238	< 5	1.06	0.4	< 5	10	1.5	2	0.14	< 0.5	5	17	5	1.44	10	< 1	0.02	10	0.14	94
L3+90W 0+45N	201 238	< 5	1.37	0.6	10	20	1.5	4	0.16	< 0.5	7	35	8	1.80	10	< 1	0.03	10	0.36	127
L3+90W 0+60N	201 238	< 5	1.85	0.2	10	10	2.0	2	0.13	< 0.5	5	33	16	2.12	< 10	< 1	0.03	10	0.20	107
L3+90W 0+75N	201 238	< 5	2.06	0.2	< 5	10	2.0	2	0.14	< 0.5	6	33	21	1.76	< 10	< 1	0.02	10	0.22	84
L3+90W 0+90N	201 238	< 5	0.73	< 0.2	5	< 10	< 0.5	2	0.09	< 0.5	2	15	7	0.96	< 10	< 1	0.02	10	0.16	55
L3+90W 1+30N	201 238	< 5	0.94	0.4	5	10	< 0.5	2	0.11	0.5	4	15	12	0.83	< 10	< 1	0.01	10	0.17	59
L3+90W 1+60N	201 238	40	2.19	0.2	< 5	10	< 0.5	6	0.26	< 0.5	15	120	13	3.27	10	< 1	0.01	< 10	1.59	363
L3+90W 0+15S	201 238	< 5	1.22	0.2	5	20	< 0.5	< 2	0.15	< 0.5	5	27	4	2.52	10	< 1	0.04	10	0.21	86
L3+90W 0+30S	201 238	< 5	1.99	0.2	10	20	< 0.5	< 2	0.14	< 0.5	8	28	10	2.02	< 10	< 1	0.03	10	0.18	71
L3+90W 0+45S	201 238	< 5	1.23	0.2	< 5	20	< 0.5	2	0.14	< 0.5	5	22	2	1.25	< 10	< 1	0.02	10	0.24	78
L3+90W 0+60S	201 238	< 5	1.02	< 0.2	< 5	20	< 0.5	2	0.15	< 0.5	4	16	2	1.15	< 10	< 1	0.02	10	0.16	68
L3+90W 0+75S	201 238	< 5	1.63	< 0.2	10	20	< 0.5	< 2	0.15	< 0.5	9	29	8	1.87	10	< 1	0.03	10	0.23	85
L3+90W 0+90S	201 238	< 5	1.78	0.4	15	30	< 0.5	< 2	0.19	< 0.5	9	31	17	1.66	10	< 1	0.02	10	0.25	81
L4+20W BL	201 238	< 5	1.45	0.4	25	10	< 0.5	4	0.41	< 0.5	12	54	89	1.60	10	< 1	0.02	10	0.89	192
L4+20W 0+15N	201 238	10	2.33	< 0.2	20	20	< 0.5	4	0.20	< 0.5	18	118	31	3.02	< 10	< 1	0.01	10	1.80	261
L4+20W 0+30N	201 238	10	1.79	< 0.2	15	20	< 0.5	< 2	0.14	< 0.5	8	39	19	1.84	< 10	< 1	0.02	10	0.35	89
L4+20W 0+45N	201 238	5	1.83	0.2	15	30	< 0.5	< 2	0.16	< 0.5	7	43	22	2.98	10	< 1	0.02	10	0.36	128
L4+20W 1+20N	201 238	< 5	1.00	< 0.2	15	20	< 0.5	< 2	0.09	< 0.5	3	20	13	1.56	10	< 1	0.02	10	0.16	60
L4+20W 1+50N	201 238	< 5	1.78	0.2	5	20	< 0.5	< 2	0.09	< 0.5	4	28	14	1.61	< 10	< 1	0.01	10	0.14	44
L4+20W 0+30S	201 238	< 5	0.59	0.2	20	20	< 0.5	< 2	0.58	< 0.5	6	18	38	0.94	10	< 1	0.02	20	0.18	129
L4+20W 0+00N	201 238	< 5	1.67	0.2	5	20	< 0.5	< 2	0.12	< 0.5	7	42	22	1.70	10	< 1	0.01	10	0.43	95
L4+20W 0+15N	201 238	60	2.17	0.2	5	20	< 0.5	< 2	0.11	< 0.5	6	47	18	2.57	10	< 1	0.02	10	0.33	93
L4+20W 0+60N	201 238	< 5	1.65	0.2	10	20	< 0.5	< 2	0.13	< 0.5	4	49	19	2.22	10	< 1	0.02	10	0.35	84
L4+20W 0+75N	201 238	< 5	1.02	< 0.2	15	10	< 0.5	< 2	0.12	< 0.5	4	29	11	1.87	10	< 1	0.01	10	0.34	107
L4+20W 0+90N	201 238	< 5	1.56	0.2	10	20	< 0.5	< 2	0.11	< 0.5	7	34	20	2.24	10	< 1	0.02	10	0.29	95
L4+20W 1+20N	201 238	< 5	1.37	< 0.2	10	10	< 0.5	< 2	0.10	< 0.5	3	17	11	1.03	< 10	< 1	0.01	10	0.14	48
L4+20W 1+50N	201 238	< 5	1.24	< 0.2	5	20	< 0.5	< 2	0.12	< 0.5	5	29	9	1.68	< 10	< 1	0.01	10	0.23	66
L4+20W 1+80N	201 238	< 5	0.77	< 0.2	< 5	10	< 0.5	< 2	0.07	< 0.5	2	13	7	0.88	< 10	< 1	< 0.01	10	0.09	33
L4+20W 0+15S	201 238	< 5	1.16	0.6	15	20	< 0.5	2	0.16	< 0.5	12	43	16	1.77	10	< 1	0.01	10	0.49	336

CERTIFICATION :

BC



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERO

**Page No. : 2-B

Tot. Pages: 6

Date : 8-AUG-88

Invoice # : I-8819818

P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819818

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
L3+60V 2+70S	201 238	< 1	0.01	18	250	2	< 5	2	6	0.12	< 10	< 10	37	< 5	10
L3+60V 3+00S	201 238	< 1	0.01	10	440	< 2	< 5	2	10	0.09	< 10	< 10	20	< 5	6
L3+60V 3+30S	201 238	1	< 0.01	30	130	6	< 5	7	3	0.26	< 10	< 10	111	< 5	46
L3+60V 4+20S	201 238	< 1	0.01	6	100	< 2	< 5	1	5	0.12	< 10	< 10	42	< 5	6
L3+60V 4+80S	201 238	< 1	< 0.01	< 1	60	< 2	< 5	1	5	0.08	< 10	< 10	24	< 5	2
L3+60V 5+40S	201 238	< 1	0.01	8	140	< 2	< 5	1	5	0.09	< 10	< 10	39	< 5	4
L3+60V 5+70S	201 238	1	0.01	48	230	2	< 5	9	2	0.24	< 10	< 10	159	< 5	59
L3+60V 6+60S	201 238	1	0.01	31	650	8	< 5	3	11	0.25	< 10	< 10	95	< 5	104
L3+60V 6+90S	201 238	< 1	0.01	1	70	< 2	< 5	1	5	0.06	< 10	< 10	18	< 5	5
L3+90V 0+00N	201 238	1	0.01	22	210	< 2	< 5	3	7	0.29	< 10	< 10	105	< 5	22
L3+90V 0+1 5N	201 238	< 1	0.01	10	180	2	< 5	2	10	0.19	< 10	< 10	62	< 5	12
L3+90V 0+30N	201 238	< 1	0.01	8	220	< 2	< 5	2	9	0.10	< 10	< 10	29	5	12
L3+90V 0+4 5N	201 238	< 1	0.01	15	190	< 2	< 5	2	10	0.11	< 10	< 10	38	5	21
L3+90V 0+60N	201 238	< 1	0.01	10	420	< 2	< 5	2	7	0.10	< 10	< 10	34	< 5	14
L3+90V 0+7 5N	201 238	1	0.01	13	260	< 2	< 5	2	6	0.10	< 10	< 10	29	< 5	9
L3+90V 0+90N	201 238	< 1	0.01	6	110	< 2	< 5	1	6	0.12	< 10	< 10	39	< 5	7
L3+90V 1+30N	201 238	< 1	0.01	13	90	< 2	< 5	1	5	0.07	< 10	< 10	20	< 5	6
L3+90V 1+80N	201 238	1	0.01	44	150	2	< 5	5	7	0.24	< 10	< 10	102	5	35
L3+90V 0+1 5S	201 238	1	0.01	10	260	2	< 5	2	9	0.17	< 10	< 10	51	< 5	11
L3+90V 0+30S	201 238	< 1	0.01	19	340	4	< 5	2	5	0.08	< 10	< 10	28	< 5	7
L3+90V 0+4 5S	201 238	< 1	0.01	14	150	2	< 5	2	7	0.08	< 10	< 10	26	< 5	7
L3+90V 0+60S	201 238	< 1	0.01	10	180	< 2	< 5	1	8	0.09	< 10	< 10	25	< 5	5
L3+90V 0+7 5S	201 238	< 1	0.01	18	200	< 2	< 5	2	8	0.12	< 10	< 10	35	< 5	10
L3+90V 0+90S	201 238	< 1	0.01	19	230	2	< 5	2	9	0.11	< 10	< 10	30	< 5	12
L4+20V BL	201 238	< 1	0.01	73	150	2	< 5	5	10	0.10	< 10	< 10	37	< 5	17
L4+20V 0+1 5N	201 238	1	0.01	95	150	< 2	< 5	6	8	0.16	< 10	< 10	66	< 5	28
L4+20V 0+30N	201 238	< 1	0.01	21	250	4	< 5	2	7	0.10	< 10	< 10	33	< 5	14
L4+20V 0+4 5N	201 238	1	0.01	17	350	2	< 5	2	8	0.15	< 10	< 10	51	< 5	22
L4+20V 1+20N	201 238	1	0.01	6	150	4	< 5	1	7	0.13	10	< 10	50	5	14
L4+20V 1+50N	201 238	< 1	0.01	9	210	4	< 5	1	6	0.09	10	< 10	33	< 5	9
L4+20V 0+30S	201 238	< 1	0.01	7	680	< 2	< 5	2	12	0.06	< 10	< 10	21	< 5	8
L4+20V 0+00N	201 238	1	0.01	25	190	< 2	< 5	3	7	0.11	< 10	< 10	39	< 5	17
L4+20V 0+1 5N	201 238	1	0.01	17	470	4	< 5	2	6	0.11	< 10	< 10	42	5	21
L4+20V 0+60N	201 238	1	0.01	7	190	4	< 5	2	7	0.11	< 10	< 10	58	< 5	15
L4+20V 0+7 5N	201 238	1	0.01	9	210	4	< 5	2	6	0.19	< 10	< 10	75	5	17
L4+20V 0+90N	201 238	1	0.01	14	230	6	< 5	2	5	0.13	< 10	< 10	41	< 5	18
L4+20V 1+20N	201 238	< 1	0.01	5	110	4	< 5	1	5	0.08	< 10	< 10	22	< 5	9
L4+20V 1+50N	201 238	< 1	0.01	11	140	4	< 5	2	6	0.10	< 10	< 10	35	< 5	9
L4+20V 1+80N	201 238	< 1	0.01	5	50	2	< 5	1	4	0.09	< 10	< 10	27	< 5	5
L4+20V 0+1 5S	201 238	< 1	0.01	29	160	2	< 5	2	6	0.09	10	< 10	37	< 5	24

CERTIFICATION :

BCB



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-3C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No.: 3-A

Tot. Pages: 6

Date: 8-AUG-88

Invoice #: I-8819818

P.O. #: NONE

CERTIFICATE OF ANALYSIS A8819818

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
L4450W 0+30S	201	238	< 5	3.59	0.6	25	120	0.5	2	1.49	< 0.5	22	86	197	2.58	20	< 1	0.05	50	0.75	1070
L4450W 0+60S	201	238	< 5	1.64	0.6	< 5	80	< 0.5	< 2	1.31	< 0.5	9	33	24	1.69	20	< 1	0.03	30	0.22	398
L4450W 0+75S	201	238	< 5	1.16	0.2	5	10	< 0.5	< 2	0.13	< 0.5	5	26	12	1.61	10	< 1	0.01	10	0.18	67
L4450W 0+90S	201	238	< 5	1.59	< 0.2	10	40	< 0.5	< 2	0.11	< 0.5	5	27	10	1.94	10	< 1	0.02	10	0.21	65
L4480W EL	201	238	< 5	1.32	0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	8	27	21	1.32	< 10	< 1	0.01	10	0.26	90
L4480W 0+15N	201	238	< 5	0.59	< 0.2	< 5	10	< 0.5	< 2	0.10	< 0.5	1	15	3	0.80	< 10	< 1	0.01	10	0.16	52
L4480W 0+30N	201	238	10	1.96	0.2	5	40	< 0.5	< 2	0.15	< 0.5	8	38	12	2.30	10	< 1	0.03	10	0.32	91
L4480W 0+45N	201	238	< 5	1.84	0.2	5	40	< 0.5	< 2	0.15	< 0.5	7	32	8	2.14	10	< 1	0.02	10	0.23	84
L4480W 0+60N	201	238	< 5	3.12	0.4	< 5	30	< 0.5	< 2	0.15	< 0.5	10	59	19	3.95	10	< 1	0.04	10	0.39	116
L4480W 0+75N	201	238	< 5	0.68	< 0.2	35	10	< 0.5	< 2	0.09	0.5	2	16	5	1.26	10	< 1	0.01	< 10	0.14	45
L4480W 0+90N	201	238	< 5	0.94	0.2	5	20	< 0.5	< 2	0.13	< 0.5	5	21	8	1.11	< 10	< 1	0.02	10	0.24	72
L4480W 1+20N	201	238	< 5	1.15	< 0.2	5	30	< 0.5	< 2	0.20	< 0.5	6	26	24	1.53	< 10	< 1	0.03	10	0.30	97
L4480W 1+50N	201	238	< 5	0.64	0.2	< 5	10	< 0.5	< 2	0.04	< 0.5	4	26	11	5.94	< 10	< 1	0.01	< 10	0.33	120
L4480W 3+60N	201	238	45	1.42	< 0.2	5	20	< 0.5	2	0.15	< 0.5	5	24	28	1.29	< 10	1	0.01	10	0.23	70
L4480W 4+20N	201	238	< 5	0.58	< 0.2	< 5	10	< 0.5	< 2	0.27	< 0.5	3	14	6	0.76	< 10	< 1	0.01	20	0.15	61
L4480W 4+50N	201	238	< 5	0.94	0.4	< 5	30	< 0.5	< 2	0.17	0.5	4	17	3	0.90	10	< 1	0.02	10	0.13	51
L4480W 4+80N	201	238	< 5	1.75	0.4	< 5	10	< 0.5	< 2	0.34	< 0.5	7	25	28	1.26	10	< 1	0.02	10	0.19	69
L4480W 5+10N	201	238	< 5	1.18	0.2	< 5	10	< 0.5	2	0.18	< 0.5	3	18	5	1.14	< 10	< 1	0.02	10	0.17	55
L4480W 5+40N	201	238	< 5	1.71	< 0.2	< 5	20	< 0.5	< 2	0.16	< 0.5	5	30	17	1.60	< 10	< 1	0.01	10	0.23	75
L4480W 0+15S	201	238	< 5	0.64	0.2	< 5	20	< 0.5	< 2	0.07	< 0.5	2	16	6	0.66	< 10	< 1	0.01	10	0.20	50
L4480W 0+30S	201	238	< 5	1.48	0.2	10	30	0.5	< 2	0.18	< 0.5	7	35	13	1.60	< 10	< 1	0.02	10	0.32	91
L4480W 0+45S	201	238	< 5	0.78	0.2	10	20	0.5	< 2	0.18	< 0.5	4	18	12	0.88	< 10	< 1	0.02	10	0.19	76
L4480W 0+60S	201	238	< 5	1.69	< 0.2	10	20	1.0	< 2	0.31	< 0.5	12	37	25	1.65	< 10	< 1	0.02	10	0.45	144
L4480W 0+75S	201	238	< 5	1.20	< 0.2	10	20	0.5	< 2	0.19	< 0.5	7	22	12	1.23	< 10	< 1	0.01	10	0.22	77
L4480W 0+90S	201	238	< 5	1.72	< 0.2	5	20	1.0	< 2	0.16	< 0.5	6	23	7	1.46	< 10	1	0.02	10	0.16	60
L4480W 1+05S	201	238	< 5	1.33	< 0.2	< 5	40	0.5	< 2	0.14	< 0.5	5	19	4	1.19	< 10	< 1	0.01	10	0.17	59
L4480W 1+20S	201	238	5	0.49	0.2	< 5	< 10	0.5	< 2	0.07	< 0.5	2	19	4	0.75	10	< 1	0.01	10	0.12	48
L4480W 2+10S	201	238	< 5	0.81	< 0.2	5	10	0.5	< 2	0.14	0.5	3	22	9	1.26	< 10	< 1	0.02	10	0.19	68
L4480W 2+40S	201	238	10	1.00	< 0.2	< 5	20	0.5	< 2	0.12	0.5	3	20	7	1.12	< 10	< 1	0.01	10	0.16	57
L4480W 2+70S	201	238	< 5	1.86	< 0.2	5	20	1.0	< 2	0.17	< 0.5	4	31	9	1.78	< 10	< 1	0.01	10	0.17	78
L4480W 3+00S	201	238	< 5	1.28	< 0.2	5	20	1.0	< 2	0.11	< 0.5	5	30	10	1.86	< 10	< 1	0.02	10	0.23	78
L4480W 4+50S	201	238	< 5	0.97	< 0.2	10	20	1.0	< 2	0.21	< 0.5	10	24	59	1.07	< 10	< 1	0.01	10	0.29	139
L4480W 4+80S	201	238	< 5	2.48	< 0.2	15	30	0.5	< 2	0.24	< 0.5	17	113	33	5.26	10	< 1	0.01	< 10	1.35	506
L4480W 5+10S	201	238	15	1.10	< 0.2	5	20	1.0	< 2	0.16	< 0.5	4	34	10	1.75	10	1	0.01	10	0.37	117
L4480W 5+40S	201	238	10	1.56	< 0.2	5	30	1.0	< 2	0.19	< 0.5	6	61	23	2.27	10	< 1	0.01	10	0.62	183
L4480W 5+70S	201	238	10	0.61	< 0.2	5	10	< 0.5	< 2	0.09	< 0.5	2	16	6	0.72	< 10	< 1	0.01	< 10	0.15	53
L4480W 6+00S	201	238	10	2.46	< 0.2	70	40	1.5	< 2	0.16	< 0.5	25	36	95	2.64	< 10	1	0.02	10	0.32	124
L4480W 6+30S	201	238	< 5	1.10	0.2	5	20	1.0	< 2	0.09	< 0.5	5	31	14	1.90	< 10	< 1	0.01	< 10	0.26	85
L4480W 6+60S	201	238	< 5	2.85	< 0.2	25	30	0.5	< 2	0.12	0.5	18	58	46	3.75	< 10	< 1	0.02	< 10	0.44	176
L4480W 6+90S	201	238	< 5	0.99	0.2	10	10	< 0.5	< 2	0.12	< 0.5	5	20	13	1.50	< 10	< 1	< 0.01	10	0.22	72

CERTIFICATION :

PC



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No.: 3-B

Total Pages: 6

Date: 8-AUG-88

Invoice #: I-8819818

P.O. #:

CERTIFICATE OF ANALYSIS A8819818

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
L4+50W 0+30S	201	238	< 1	0.01	103	400	4	< 5	13	21	0.08	10	< 10	50	< 5	27
L4+50W 0+60S	201	238	< 1	0.01	15	510	2	< 5	3	24	0.06	10	< 10	28	< 5	12
L4+50W 0+75S	201	238	< 1	0.01	10	120	4	< 5	2	6	0.11	10	< 10	36	< 5	9
L4+50W 0+90S	201	238	< 1	0.01	10	120	2	< 5	2	7	0.13	10	< 10	46	< 5	12
L4+60W EL	201	238	< 1	0.01	22	210	4	< 5	2	8	0.10	< 10	< 10	24	< 5	12
L4+60W 0+15N	201	238	< 1	0.01	5	70	< 2	< 5	1	6	0.10	< 10	< 10	31	< 5	8
L4+60W 0+30N	201	238	1	0.01	18	250	6	< 5	2	9	0.14	10	< 10	43	< 5	16
L4+60W 0+45N	201	238	1	0.01	16	270	2	< 5	2	8	0.12	< 10	< 10	37	< 5	12
L4+60W 0+60N	201	238	< 1	0.01	16	850	4	< 5	3	7	0.18	10	< 10	80	< 5	31
L4+60W 0+75N	201	238	1	0.01	4	130	4	< 5	1	6	0.13	< 10	< 10	49	< 5	8
L4+60W 0+90N	201	238	< 1	0.01	12	70	6	< 5	1	7	0.10	< 10	< 10	26	< 5	12
L4+60W 1+20N	201	238	< 1	0.01	12	350	< 2	< 5	2	7	0.11	< 10	< 10	28	< 5	17
L4+60W 1+50N	201	238	1	< 0.01	6	180	< 2	< 5	2	2	0.03	10	< 10	55	< 10	17
L4+60W 3+60N	201	238	< 1	0.01	14	130	< 2	< 5	2	7	0.09	< 10	< 10	24	< 5	9
L4+60W 4+20N	201	238	< 1	0.01	4	330	< 2	< 5	1	11	0.09	< 10	< 10	17	< 5	7
L4+60W 4+50N	201	238	< 1	0.01	7	260	2	< 5	1	8	0.08	10	< 10	17	< 5	7
L4+60W 4+80N	201	238	< 1	0.01	18	170	6	< 5	2	8	0.09	10	< 10	24	< 5	11
L4+60W 5+10N	201	238	< 1	0.01	7	320	2	< 5	1	7	0.08	10	< 10	21	< 10	8
L4+60W 5+40N	201	238	< 1	0.01	14	330	< 2	< 5	2	7	0.10	< 10	< 10	29	< 5	10
L4+60W 0+15S	201	238	< 1	0.01	9	80	2	< 5	1	5	0.08	10	< 10	23	< 5	8
L4+60W 0+30S	201	238	< 1	0.01	22	240	2	< 5	2	8	0.11	< 10	< 10	30	< 5	13
L4+60W 0+45S	201	238	< 1	0.01	13	100	4	< 5	1	9	0.10	< 10	< 10	19	< 5	10
L4+60W 0+60S	201	238	< 1	0.01	34	290	2	< 5	3	10	0.11	< 10	< 10	29	< 5	19
L4+60W 0+75S	201	238	< 1	0.01	16	230	2	< 5	2	8	0.09	< 10	< 10	23	< 5	11
L4+60W 0+90S	201	238	1	0.01	13	330	4	< 5	2	6	0.09	< 10	< 10	24	< 5	9
L4+60W 1+05S	201	238	< 1	0.01	11	240	2	< 5	1	6	0.08	< 10	< 10	22	< 5	9
L4+60W 1+20S	201	238	< 1	0.01	4	50	4	< 5	1	4	0.10	10	10	32	< 5	9
L4+60W 2+10S	201	238	< 1	0.01	8	130	2	< 5	1	7	0.11	10	10	32	< 5	10
L4+60W 2+40S	201	238	< 1	0.01	8	110	2	< 5	1	7	0.10	10	< 10	30	< 5	10
L4+60W 2+70S	201	238	< 1	0.01	8	380	2	< 5	2	9	0.12	< 10	< 10	40	< 5	15
L4+60W 3+00S	201	238	< 1	0.01	10	190	6	< 5	1	7	0.14	10	< 10	46	< 5	19
L4+60W 4+30S	201	238	< 1	0.01	37	120	< 2	< 5	2	8	0.10	< 10	< 10	22	< 5	18
L4+60W 4+60S	201	238	< 1	0.01	58	270	2	< 5	3	6	0.37	< 10	< 10	126	< 10	54
L4+60W 5+10S	201	238	1	0.01	12	110	8	< 5	2	7	0.18	< 10	< 10	64	< 5	23
L4+60W 5+40S	201	238	1	0.01	13	170	8	< 5	4	6	0.24	< 10	< 10	88	< 5	26
L4+60W 5+70S	201	238	< 1	0.01	6	90	6	< 5	1	7	0.10	< 10	< 10	27	< 5	11
L4+60W 6+00S	201	238	< 1	0.01	55	320	8	< 5	3	5	0.09	< 10	< 10	42	< 5	38
L4+60W 6+30S	201	238	< 1	0.01	10	150	4	< 5	1	4	0.09	10	< 10	38	< 5	17
L4+60W 6+60S	201	238	< 1	0.01	32	510	6	< 5	3	4	0.15	< 10	< 10	64	< 10	36
L4+60W 6+90S	201	238	< 1	0.01	13	150	< 2	< 5	1	4	0.09	< 10	< 10	25	< 5	8

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No.: 4-A

Tot. Pages: 6

Date: 8-AUG-88

Invoice #: I-8819818

P.O. #: NONE

CERTIFICATE OF ANALYSIS A8819818

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L5+6W H-20S	201 238	< 5	3.62	0.4	20	100	< 0.5	< 2	0.85	0.5	17	50	63	2.61	10	< 1	0.03	30	0.32	804
L5+10W 0+00N	201 238	< 5	1.05	0.2	20	20	< 0.5	< 2	0.12	< 0.5	5	36	17	2.70	10	< 1	0.01	< 10	0.33	105
L5+10W 0+15N	201 238	< 5	0.51	< 0.2	5	10	< 0.5	< 2	0.08	< 0.5	2	12	5	1.07	< 10	< 1	< 0.01	10	0.13	51
L5+10W 0+30N	201 238	< 5	1.49	0.2	15	30	< 0.5	< 2	0.11	< 0.5	7	23	21	1.83	< 10	< 1	0.02	< 10	0.25	93
L5+10W 0+45N	201 238	< 5	0.93	0.2	10	20	< 0.5	< 2	0.12	< 0.5	5	30	16	2.23	< 10	< 1	0.01	< 10	0.25	76
L5+10W 0+60N	201 238	< 5	1.60	< 0.2	10	20	< 0.5	< 2	0.11	< 0.5	5	30	10	2.13	< 10	< 1	0.01	< 10	0.18	63
L5+10W 0+75N	201 238	< 5	1.18	0.2	5	40	< 0.5	< 2	0.14	< 0.5	7	19	11	1.06	< 10	< 1	0.01	10	0.21	67
L5+10W 0+90N	201 238	< 5	1.84	0.4	10	90	< 0.5	< 2	0.62	< 0.5	14	36	57	1.61	10	< 1	0.02	10	0.30	187
L5+10W H-20N	201 238	< 5	0.85	0.2	< 5	20	< 0.5	< 2	0.16	< 0.5	3	14	3	0.98	< 10	< 1	0.01	10	0.12	48
L5+10W H-30N	201 238	< 5	0.84	< 0.2	< 5	10	< 0.5	< 2	0.29	< 0.5	4	15	12	1.42	< 10	< 1	0.01	10	0.15	158
L5+10W 0+15S	201 238	< 5	1.35	0.2	5	20	< 0.5	< 2	0.10	< 0.5	6	33	11	1.90	< 10	< 1	0.01	10	0.28	83
L5+10W 0+30S	201 238	< 5	1.92	0.2	10	30	< 0.5	< 2	0.16	< 0.5	11	38	14	2.60	< 10	< 1	0.02	10	0.34	129
L5+10W 0+45S	201 238	< 5	1.97	0.4	20	20	< 0.5	< 2	0.15	< 0.5	13	52	49	2.86	< 10	< 1	0.02	10	0.42	117
L5+10W 0+60S	201 238	< 5	1.32	< 0.2	10	30	< 0.5	< 2	0.14	< 0.5	6	29	13	1.81	< 10	< 1	0.01	10	0.28	93
L5+10W 0+75S	201 238	< 5	0.72	< 0.2	5	10	< 0.5	< 2	0.11	< 0.5	3	24	5	1.06	< 10	< 1	0.01	< 10	0.33	93
L5+10W 0+90S	201 238	< 5	1.29	< 0.2	10	30	< 0.5	< 2	0.17	< 0.5	9	25	16	1.66	< 10	< 1	0.02	10	0.30	174
L5+10W H-03S	201 238	< 5	2.02	0.2	10	50	< 0.5	< 2	0.10	< 0.5	10	35	15	2.80	< 10	< 1	0.01	< 10	0.27	89
L5+10W H-20S	201 238	< 5	1.05	0.2	15	30	< 0.5	< 2	0.09	< 0.5	12	30	13	2.13	< 10	< 1	0.01	< 10	0.23	79
L5+40W BL	201 238	< 5	0.44	< 0.2	5	10	< 0.5	< 2	0.08	< 0.5	4	13	4	0.61	< 10	< 1	< 0.01	< 10	0.14	38
L5+40W 0+15N	201 238	< 5	1.13	< 0.2	5	20	< 0.5	< 2	0.09	< 0.5	3	24	6	1.37	< 10	< 1	< 0.01	10	0.19	52
L5+40W 0+30N	201 238	< 5	1.49	< 0.2	15	50	< 0.5	< 2	0.36	< 0.5	12	28	23	1.60	< 10	< 1	0.02	10	0.32	125
L5+40W 0+45N	201 238	< 5	0.48	< 0.2	5	10	< 0.5	< 2	0.23	< 0.5	3	12	13	0.65	< 10	< 1	0.01	10	0.17	58
L5+40W 0+60N	201 238	< 5	0.52	< 0.2	10	10	< 0.5	2	0.28	< 0.5	5	18	64	0.89	10	< 1	0.02	10	0.21	82
L5+40W H-20N	201 238	< 5	0.79	< 0.2	5	20	< 0.5	< 2	0.19	< 0.5	6	19	10	1.00	< 10	< 1	0.01	10	0.27	76
L5+40W H-30N	201 238	< 5	0.39	< 0.2	< 5	20	< 0.5	< 2	0.17	< 0.5	1	10	6	0.37	< 10	< 1	< 0.01	< 10	0.09	25
L5+40W 0+15S	201 238	< 5	0.64	< 0.2	< 5	20	< 0.5	< 2	0.10	< 0.5	2	16	6	1.04	< 10	< 1	0.01	< 10	0.14	45
L5+40W 0+30S	201 238	< 5	1.00	< 0.2	< 5	30	< 0.5	< 2	0.09	< 0.5	4	15	4	0.99	< 10	< 1	< 0.01	10	0.14	47
L5+40W 0+45S	201 238	< 5	0.73	< 0.2	< 5	10	< 0.5	< 2	0.09	< 0.5	2	15	6	0.88	10	< 1	0.01	10	0.17	53
L5+40W 0+60S	201 238	< 5	1.48	< 0.2	< 5	20	< 0.5	< 2	0.11	< 0.5	6	33	13	1.80	10	< 1	0.01	10	0.36	84
L5+40W 0+75S	201 238	< 5	1.23	< 0.2	5	20	< 0.5	< 2	0.09	< 0.5	4	31	10	2.32	< 10	< 1	0.01	10	0.21	72
L5+40W 0+90S	201 238	< 5	1.44	< 0.2	5	30	< 0.5	< 2	0.16	< 0.5	4	22	6	2.04	< 10	< 1	0.01	10	0.18	87
L5+70W 0+00N	201 238	< 5	1.47	< 0.2	5	20	< 0.5	< 2	0.13	< 0.5	4	29	22	2.08	10	< 1	0.01	10	0.27	100
L5+70W H-30N	201 238	< 5	0.69	< 0.2	15	20	< 0.5	< 2	0.27	< 0.5	5	20	9	0.98	< 10	< 1	0.01	10	0.26	104
L5+70W 0+15S	201 238	< 5	1.19	< 0.2	5	20	< 0.5	< 2	0.06	< 0.5	1	15	4	1.04	< 10	< 1	< 0.01	10	0.07	31
L5+70W 0+30S	201 238	< 5	1.60	< 0.2	10	40	< 0.5	< 2	0.11	< 0.5	7	23	18	1.52	< 10	< 1	0.01	10	0.23	76
L5+70W 0+45S	201 238	< 5	1.49	< 0.2	10	30	< 0.5	< 2	0.13	< 0.5	9	31	21	1.70	< 10	< 1	0.02	10	0.26	87
L5+70W 0+60S	201 238	< 5	1.49	< 0.2	5	30	< 0.5	< 2	0.16	< 0.5	6	24	6	2.04	< 10	< 1	0.02	10	0.17	72
L5+70W 0+75S	201 238	< 5	1.31	< 0.2	5	20	< 0.5	< 2	0.13	< 0.5	6	26	8	1.72	< 10	< 1	0.01	10	0.23	79
L5+70W 0+90S	201 238	< 5	1.15	< 0.2	15	20	< 0.5	< 2	0.15	< 0.5	9	31	17	1.89	< 10	< 1	0.02	10	0.39	111
L5+40W H-03S	201 238	< 5	1.78	< 0.2	10	30	< 0.5	< 2	0.17	< 0.5	9	28	17	1.76	< 10	< 1	0.02	10	0.24	82

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 211 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
 VANCOUVER, BC
 V6C 1Z7

Project:
 Comments: ATTN: TIM SANDBERG

**Page No. : 4-B
 Tot. Pages: 6
 Date : 8-AUG-88
 Invoice # : I-8819818
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819818

SAMPLE DESCRIPTION	PREP CODE		Mo	Nb	Ni	P	Pb	Sb	Sc	Sr	Ti	Ti	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
L5+10W H+20S	201	238	< 1	0.02	32	410	6	< 5	5	17	0.09	< 10	< 10	37	< 5	26
L5+10W O+00N	201	238	< 1	0.01	15	290	< 2	< 5	2	6	0.17	< 10	< 10	64	< 5	17
L5+10W O+1 5N	201	238	< 1	0.01	5	90	4	< 5	1	5	0.12	< 10	< 10	36	< 5	8
L5+10W O+30N	201	238	< 1	0.01	14	180	4	< 5	2	5	0.11	< 10	< 10	30	< 5	26
L5+10W O+4 5N	201	238	1	0.01	13	170	< 2	< 5	1	6	0.12	< 10	< 10	36	< 5	11
L5+10W O+60N	201	238	< 1	0.01	9	210	4	< 5	2	5	0.12	< 10	< 10	37	< 5	8
L5+10W O+7 5N	201	238	< 1	0.01	14	160	2	< 5	2	7	0.08	< 10	< 10	19	< 5	11
L5+10W O+90N	201	238	< 1	0.01	28	300	4	< 5	3	15	0.10	< 10	< 10	29	< 5	20
L5+10W H+20N	201	238	< 1	0.01	6	160	2	< 5	1	7	0.08	< 10	< 10	21	< 5	6
L5+10W H+50N	201	238	< 1	0.01	5	250	2	< 5	1	7	0.09	< 10	< 10	22	< 5	8
L5+10W O+1 5S	201	238	< 1	0.01	16	250	2	< 5	2	5	0.10	< 10	< 10	32	< 5	12
L5+10W O+30S	201	238	1	0.01	26	590	6	< 5	2	7	0.13	< 10	< 10	41	< 5	15
L5+10W O+4 5S	201	238	1	0.01	33	460	6	< 5	3	6	0.12	< 10	< 10	42	< 5	19
L5+10W O+60S	201	238	< 1	0.01	18	210	2	< 5	2	6	0.12	< 10	< 10	33	< 5	11
L5+10W O+7 5S	201	238	< 1	0.01	13	150	2	< 5	1	5	0.12	< 10	< 10	37	< 5	13
L5+10W O+90S	201	238	< 1	0.01	20	310	2	< 5	2	7	0.08	< 10	< 10	29	< 5	22
L5+10W H+0 5S	201	238	1	0.01	24	310	4	< 5	2	5	0.13	< 10	< 10	41	< 5	15
L5+10W H+20S	201	238	< 1	0.01	19	130	2	< 5	1	4	0.12	< 10	< 10	48	< 5	13
L5+40W BL	201	238	< 1	0.01	8	50	2	< 5	1	4	0.09	< 10	< 10	18	< 5	4
L5+40W O+1 5N	201	238	< 1	0.01	6	120	2	< 5	1	4	0.08	< 10	< 10	27	< 5	9
L5+40W O+30N	201	238	< 1	0.01	24	170	< 2	< 5	3	11	0.11	< 10	< 10	28	< 5	16
L5+40W O+4 5N	201	238	< 1	0.01	7	90	2	< 5	1	6	0.07	< 10	< 10	14	< 5	6
L5+40W O+60N	201	238	< 1	0.01	9	280	2	< 5	2	7	0.07	< 10	< 10	16	< 5	10
L5+40W H+20N	201	238	< 1	0.01	14	210	< 2	< 5	2	7	0.07	< 10	< 10	18	< 5	12
L5+40W H+50N	201	238	< 1	0.01	3	60	< 2	< 5	< 1	7	0.04	< 10	< 10	9	< 5	5
L5+40W O+1 5S	201	238	< 1	0.01	5	140	2	< 5	1	4	0.07	< 10	< 10	24	< 5	8
L5+40W O+30S	201	238	< 1	0.01	10	90	2	< 5	1	4	0.07	< 10	< 10	18	< 5	7
L5+40W O+4 5S	201	238	< 1	0.01	6	130	4	< 5	1	5	0.10	< 10	< 10	23	< 5	8
L5+40W O+60S	201	238	1	0.01	15	130	6	< 5	3	6	0.12	< 10	< 10	43	< 5	11
L5+40W O+7 5S	201	238	< 1	0.01	10	230	4	< 5	2	5	0.11	< 10	< 10	40	< 5	10
L5+70W O+00N	201	238	< 1	0.01	8	230	4	< 5	2	9	0.12	< 10	< 10	37	< 5	15
L5+70W O+00N	201	238	< 1	0.01	9	150	8	< 5	3	7	0.12	< 10	< 10	53	< 5	31
L5+70W H+50N	201	238	< 1	0.01	11	240	< 2	< 5	2	9	0.09	< 10	< 10	19	< 5	11
L5+70W O+1 5S	201	238	< 1	0.01	3	90	4	< 5	1	5	0.08	< 10	< 10	27	< 5	3
L5+70W O+30S	201	238	< 1	0.01	19	220	4	< 5	2	5	0.08	< 10	< 10	24	< 5	12
L5+70W O+4 5S	201	238	< 1	0.01	19	220	2	< 5	2	6	0.12	< 10	< 10	32	< 5	15
L5+70W O+60S	201	238	< 1	0.01	13	340	4	< 5	2	7	0.10	< 10	< 10	27	< 5	9
L5+70W O+7 5S	201	238	< 1	0.01	13	180	2	< 5	2	7	0.11	< 10	< 10	32	< 5	9
L5+70W O+90S	201	238	< 1	0.01	19	190	4	< 5	2	8	0.14	< 10	< 10	49	< 5	16
L5+40W H+0 5S	201	238	< 1	0.01	19	200	4	< 5	3	8	0.13	< 10	< 10	31	< 5	12

CERTIFICATION :

BLG



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project :
Comments: ATTN: TIM SANDBERG

**Page No. : 5-A
Tot. Pages: 6
Date : 8-AUG-88
Invoice # : I-8819818
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8819818

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
L6+40W 1+20S	201	238	< 5	1.30	< 0.2	< 5	10	< 0.5	< 2	0.15	< 0.5	6	30	21	1.98	< 10	< 1	0.01	10	0.21	84
L6+40W 1+35S	201	238	5	1.15	< 0.2	10	20	< 0.5	< 2	0.09	< 0.5	4	24	17	2.33	< 10	< 1	0.01	< 10	0.18	58
L6+40W 1+50S	201	238	10	1.21	< 0.2	< 5	10	< 0.5	< 2	0.08	< 0.5	3	22	10	1.80	10	< 1	0.01	< 10	0.15	50
L6+100W BL	201	238	< 5	2.75	< 0.2	20	60	0.5	< 2	0.72	< 0.5	23	44	105	2.17	10	< 1	0.01	20	0.23	133
L6+100 0+60N	201	238	< 5	2.34	< 0.2	5	60	< 0.5	< 2	0.31	< 0.5	22	68	53	2.76	10	< 1	0.01	10	0.95	242
L6+100 0+75N	201	238	10	0.71	< 0.2	< 5	20	< 0.5	< 2	0.26	< 0.5	6	18	14	0.97	10	< 1	0.02	10	0.21	86
L6+100 0+90N	201	238	5	0.56	< 0.2	< 5	20	< 0.5	< 2	0.21	< 0.5	3	10	7	0.72	10	< 1	0.01	10	0.14	80
L6+100 1+20N	201	238	< 5	1.26	0.2	< 5	10	< 0.5	< 2	0.14	< 0.5	4	19	10	1.17	10	< 1	0.01	10	0.15	56
L6+100 1+30N	201	238	< 5	1.30	< 0.2	5	20	< 0.5	< 2	0.08	< 0.5	3	15	5	1.39	10	< 1	< 0.01	< 10	0.10	38
L6+100N 3+30N	201	238	< 5	1.10	0.2	< 5	30	< 0.5	< 2	0.24	< 0.5	7	26	13	1.39	10	< 1	0.01	10	0.29	87
L6+100N 3+60N	201	238	< 5	1.58	< 0.2	10	30	< 0.5	< 2	0.11	< 0.5	12	24	15	1.52	< 10	< 1	0.01	10	0.21	71
L6+100N 3+90N	201	238	15	0.43	< 0.2	< 5	10	< 0.5	< 2	0.10	< 0.5	1	4	1	0.38	< 10	< 1	< 0.01	< 10	0.06	25
L6+100N 4+20N	201	238	< 5	0.53	0.2	< 5	20	< 0.5	< 2	0.27	< 0.5	3	9	5	0.82	10	< 1	0.01	10	0.17	70
L6+100N 4+50N	201	238	< 5	1.84	0.2	15	20	< 0.5	< 2	0.12	< 0.5	7	35	30	3.20	10	< 1	0.01	10	0.22	84
L6+100N 5+10N	201	238	< 5	1.28	0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	5	24	22	1.39	10	< 1	0.01	10	0.18	62
L6+100N 5+40N	201	238	< 5	0.46	< 0.2	10	10	< 0.5	< 2	0.09	< 0.5	2	10	6	0.59	10	< 1	< 0.01	10	0.13	41
L6+100N 6+90N	201	238	< 5	0.43	< 0.2	5	10	< 0.5	< 2	0.07	< 0.5	2	11	3	0.98	10	< 1	0.01	< 10	0.09	41
L6+100N 7+20N	201	238	< 5	0.39	< 0.2	< 5	10	< 0.5	< 2	0.06	< 0.5	1	5	4	0.27	10	< 1	< 0.01	10	0.07	24
L6+100W 0+15S	201	238	< 5	1.70	< 0.2	10	40	< 0.5	< 2	0.15	< 0.5	11	22	34	2.05	10	< 1	0.01	10	0.37	155
L6+100W 0+30S	201	238	< 5	1.24	< 0.2	25	20	< 0.5	< 2	0.09	< 0.5	4	24	8	2.08	10	< 1	0.01	10	0.17	58
L6+100W 0+45S	201	238	< 5	1.96	< 0.2	10	30	< 0.5	< 2	0.14	< 0.5	7	28	12	1.61	< 10	< 1	0.01	< 10	0.17	63
L6+100W 0+60S	201	238	< 5	1.47	< 0.2	50	10	5.5	< 2	0.15	15.0	6	26	53	1.53	< 10	< 1	0.01	10	0.22	98
L6+100W 0+90S	201	238	< 5	1.09	< 0.2	15	10	< 0.5	< 2	0.14	1.0	9	25	29	1.83	< 10	< 1	0.01	10	0.27	101
L6+100W 1+05S	201	238	< 5	0.91	< 0.2	15	10	< 0.5	< 2	0.09	< 0.5	5	30	19	2.43	< 10	< 1	< 0.01	< 10	0.27	91
L6+100W 2+10S	201	238	< 5	1.02	< 0.2	5	20	< 0.5	< 2	0.15	< 0.5	4	19	14	1.56	< 10	< 1	0.01	< 10	0.16	70
L6+100W 2+40S	201	238	< 5	1.39	< 0.2	5	30	< 0.5	< 2	0.31	< 0.5	11	34	13	2.01	< 10	< 1	0.02	10	0.49	106
L6+100W 2+70S	201	238	< 5	0.74	< 0.2	< 5	20	< 0.5	< 2	0.28	< 0.5	6	19	18	1.00	< 10	< 1	0.01	10	0.25	157
L6+100W 3+00S	201	238	< 5	0.64	< 0.2	< 5	20	< 0.5	< 2	0.31	< 0.5	6	17	11	1.00	< 10	< 1	0.01	10	0.28	89
L6+100W 4+80S	201	238	< 5	0.85	< 0.2	< 5	10	< 0.5	2	0.13	< 0.5	4	13	9	0.97	< 10	< 1	0.01	10	0.17	65
L6+100W 5+10S	201	238	< 5	0.83	< 0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	2	12	4	0.79	< 10	< 1	0.01	10	0.11	40
L6+100W 6+30S	201	238	< 5	0.29	0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	< 1	5	4	0.30	< 10	< 1	< 0.01	10	0.02	29
L6+100W 6+60S	201	238	< 5	0.35	< 0.2	< 5	10	< 0.5	< 2	0.05	< 0.5	1	7	4	0.50	< 10	< 1	< 0.01	10	0.06	31
L6+130W 0+15N	201	238	< 5	0.87	< 0.2	< 5	10	< 0.5	< 2	0.07	< 0.5	2	22	17	1.14	< 10	< 1	0.01	< 10	0.19	42
L6+130W 0+45N	201	238	< 5	1.04	< 0.2	< 5	10	< 0.5	< 2	0.12	< 0.5	6	31	23	1.42	< 10	< 1	0.01	< 10	0.35	82
L6+130W 0+60N	201	238	< 5	1.54	< 0.2	5	40	< 0.5	< 2	0.12	< 0.5	8	27	14	1.64	< 10	< 1	0.02	< 10	0.27	92
L6+130W 0+75N	201	238	< 5	1.10	< 0.2	5	10	< 0.5	< 2	0.06	< 0.5	3	22	12	1.60	< 10	< 1	< 0.01	< 10	0.15	51
L6+130W 0+90N	201	238	< 5	0.96	< 0.2	5	10	< 0.5	< 2	0.09	< 0.5	5	23	16	1.10	< 10	< 1	0.01	< 10	0.22	55
L6+130W 1+20N	201	238	< 5	0.76	< 0.2	< 5	20	< 0.5	< 2	0.18	< 0.5	4	18	10	1.07	< 10	< 1	0.01	10	0.20	59
L6+130W 1+50N	201	238	< 5	0.83	< 0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	3	15	7	0.99	< 10	< 1	0.01	< 10	0.15	46
L6+130W 0+15S	201	238	< 5	0.94	< 0.2	15	20	< 0.5	< 2	0.13	< 0.5	4	21	16	2.00	< 10	< 1	0.01	< 10	0.18	65

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
 VANCOUVER, BC
 V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No. : 5-B

Tot. Pages: 6

Date : 8-AUG-88

Invoice #: I-8819818

P.O. #

CERTIFICATE OF ANALYSIS A8819818

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L540W 1+20S	201 238	< 1	0.01	14	240	4	< 5	2	7	0.12	< 10	< 10	40	< 5	10
L540W 1+35S	201 238	< 1	0.01	11	140	4	< 5	1	4	0.12	< 10	< 10	47	< 5	11
L540W 1+50S	201 238	< 1	0.01	7	100	4	< 5	1	4	0.09	< 10	< 10	33	< 5	11
L6+00W EL	201 238	< 1	0.01	37	390	6	< 5	5	8	0.08	< 10	< 10	31	< 5	20
L6+00 0+60N	201 238	1	0.01	53	270	2	< 5	5	7	0.09	< 10	< 10	50	< 5	35
L6+00 0+75N	201 238	< 1	0.01	9	430	2	< 5	2	8	0.07	< 10	< 10	17	< 5	11
L6+00 0+90N	201 238	< 1	0.01	6	280	2	< 5	1	7	0.06	< 10	< 10	13	< 5	6
L6+00 1+20N	201 238	< 1	0.01	9	330	2	< 5	1	4	0.06	< 10	< 10	16	< 5	6
L6+00 1+50N	201 238	< 1	0.01	7	120	4	< 5	1	5	0.08	< 10	< 10	33	< 5	4
L6+00N 3+30N	201 238	< 1	0.01	16	110	< 2	< 5	2	7	0.09	< 10	< 10	28	< 5	12
L6+00N 3+60N	201 238	< 1	0.01	21	180	2	< 5	2	4	0.08	< 10	< 10	24	< 5	11
L6+00N 3+90N	201 238	< 1	0.01	2	70	4	< 5	1	4	0.05	< 10	< 10	9	< 5	3
L6+00N 4+20N	201 238	< 1	0.01	7	280	2	< 5	1	8	0.07	< 10	< 10	16	< 5	8
L6+00N 4+50N	201 238	< 1	0.01	14	240	4	< 5	2	5	0.17	< 10	< 10	57	< 5	15
L6+00N 5+10N	201 238	< 1	0.01	11	140	6	< 5	2	4	0.08	< 10	< 10	24	< 5	9
L6+00N 5+40N	201 238	< 1	0.01	5	60	2	< 5	1	4	0.09	< 10	< 10	25	< 5	7
L6+00N 6+90N	201 238	< 1	0.01	2	100	4	< 5	1	4	0.08	< 10	< 10	32	< 5	7
L6+00N 7+20N	201 238	< 1	0.01	3	70	4	< 5	1	4	0.08	< 10	< 10	11	< 5	3
L6+00W 0+15S	201 238	< 1	0.01	21	130	6	< 5	3	6	0.11	< 10	< 10	38	< 5	30
L6+00W 0+30S	201 238	< 1	0.01	8	230	2	< 5	1	4	0.10	< 10	< 10	39	< 5	9
L6+00W 0+45S	201 238	< 1	0.01	16	250	4	< 5	2	6	0.09	< 10	< 10	24	< 5	9
L6+00W 0+60S	201 238	< 1	0.01	17	200	36	10	2	6	0.10	< 10	< 10	27	< 5	42
L6+00W 0+90S	201 238	< 1	0.01	21	200	6	< 5	1	5	0.10	< 10	< 10	29	< 5	18
L6+00W 1+05S	201 238	< 1	0.01	12	130	2	< 5	1	4	0.15	< 10	< 10	50	< 5	13
L6+00W 2+10S	201 238	< 1	0.01	10	210	6	< 5	1	6	0.07	< 10	< 10	28	< 5	17
L6+00W 2+40S	201 238	< 1	0.01	20	250	6	< 5	3	6	0.13	< 10	< 10	31	< 5	25
L6+00W 2+70S	201 238	< 1	0.01	15	200	< 2	< 5	2	8	0.08	< 10	< 10	18	< 5	12
L6+00W 3+00S	201 238	< 1	0.01	13	310	2	< 5	1	9	0.08	< 10	< 10	17	< 5	13
L6+00W 4+80S	201 238	< 1	0.01	9	100	2	< 5	1	7	0.09	< 10	< 10	22	< 5	11
L6+00W 5+10S	201 238	< 1	0.01	5	70	6	< 5	1	6	0.10	< 10	< 10	21	< 5	6
L6+30W 6+30S	201 238	< 1	0.01	1	60	4	< 5	< 1	6	0.05	< 10	< 10	12	< 5	4
L6+30W 6+60S	201 238	< 1	0.01	2	70	4	< 5	< 1	4	0.06	< 10	< 10	21	< 5	4
L6+30W 0+15N	201 238	< 1	0.01	6	80	6	< 5	1	3	0.06	< 10	< 10	27	< 5	7
L6+30W 0+45N	201 238	< 1	0.01	20	250	4	< 5	2	3	0.06	< 10	< 10	26	< 5	13
L6+30W 0+60N	201 238	< 1	0.01	20	130	2	< 5	2	5	0.07	< 10	< 10	29	< 5	16
L6+30W 0+75N	201 238	< 1	0.01	6	150	4	< 5	1	2	0.08	< 10	< 10	28	< 5	7
L6+30W 0+90N	201 238	< 1	0.01	12	100	4	< 5	2	3	0.06	< 10	< 10	22	< 5	8
L6+30W 1+20N	201 238	< 1	0.01	10	370	4	< 5	1	5	0.05	< 10	< 10	19	< 5	8
L6+30W 1+50N	201 238	< 1	0.01	7	150	4	< 5	1	4	0.07	< 10	< 10	22	< 5	6
L6+30W 0+15S	201 238	1	0.01	12	120	4	< 5	1	6	0.11	< 10	< 10	48	< 5	8

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-3C1
PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No. : 6-A
Tot. Pages: 6
Date : 8-AUG-88
Invoice #: I-8819818
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8819818

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L6+30W 0+30S	201 238	< 5	1.19	< 0.2	10	30	< 0.5	< 2	0.20	< 0.5	6	23	21	1.63	< 10	< 1	0.01	10	0.27	83
L6+30W 0+45S	201 238	< 5	0.78	< 0.2	5	10	< 0.5	< 2	0.15	< 0.5	3	18	9	1.20	< 10	< 1	< 0.01	10	0.20	60
L6+30W 0+60S	201 238	< 5	1.02	< 0.2	5	30	< 0.5	< 2	0.17	< 0.5	9	16	16	1.13	< 10	< 1	< 0.01	10	0.24	65
L6+30W 0+75S	201 238	< 5	1.00	< 0.2	20	10	< 0.5	< 2	0.09	< 0.5	6	24	20	2.05	< 10	< 1	< 0.01	< 10	0.34	92
L6+30W 0+90S	201 238	< 5	1.58	< 0.2	25	20	0.5	< 2	0.10	< 0.5	8	46	33	3.91	10	< 1	0.02	< 10	0.36	189
L6+30W 1+05S	201 238	< 5	1.42	< 0.2	15	10	< 0.5	2	0.13	< 0.5	9	43	26	3.09	< 10	< 1	0.01	< 10	0.45	177
L6+30W 1+20S	201 238	< 5	0.83	< 0.2	10	10	< 0.5	2	0.11	< 0.5	5	22	17	1.88	< 10	< 1	0.01	< 10	0.22	82
L6+30W 1+35S	201 238	< 5	0.55	< 0.2	< 5	20	< 0.5	< 2	0.29	< 0.5	3	10	13	0.50	< 10	< 1	0.01	10	0.12	45

CERTIFICATION :

BC 8



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments: ATTN: TIM SANDBERG

**Page No. : 6-B

Total Pages: 6

Date : 8-AUG-88

Invoice # : I-8819818

P.O. # : 108

CERTIFICATE OF ANALYSIS A8819818

SAMPLE DESCRIPTION	PREP CODE		Mb	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Ti	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
L4+30W 0+30S	201	238	< 1	0.01	18	350	2	< 5	2	5	0.09	< 10	< 10	26	< 5	13
L4+30W 0+45S	201	238	< 1	0.01	10	170	2	< 5	1	5	0.08	< 10	< 10	28	< 5	8
L4+30W 0+60S	201	238	< 1	0.01	17	150	4	< 5	1	5	0.07	< 10	< 10	20	< 5	17
L4+30W 0+75S	201	238	< 1	0.01	13	130	4	< 5	1	4	0.12	< 10	< 10	54	< 5	16
L4+30W 0+90S	201	238	2	0.01	17	370	6	< 5	2	3	0.21	< 10	< 10	106	< 5	28
L4+30W H+05S	201	238	1	0.01	21	190	4	< 5	2	4	0.15	< 10	< 10	68	< 5	27
L4+30W H+20S	201	238	< 1	0.01	13	170	2	< 5	1	3	0.11	< 10	< 10	41	< 5	10
L4+30W H+35S	201	238	< 1	0.01	7	110	2	< 5	1	4	0.03	< 10	< 10	10	< 5	7

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVENUE, NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:
Comments:

**Page No. : 1-B
Tot. Pages: 1
Date : 17-AUG-88
Invoice #: I-8820609
P.O. #: NO

CERTIFICATE OF ANALYSIS A8820609

SAMPLE DESCRIPTION	PREP CODE	Mb ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
CT LO+90V 0+30N	201 238	1	0.01	18	110	< 2	< 5	2	6	0.10	< 10	< 10	29	< 5	9
CT LO+90V 0+45N	201 238	< 1	0.01	15	130	6	< 5	2	7	0.10	10	< 10	32	< 5	10
CT LO+90V 0+60N	201 238	< 1	0.01	12	140	2	< 5	1	4	0.09	10	< 10	31	< 5	8
CT LO+90V 1+50N	201 238	< 1	0.01	15	210	4	< 5	2	5	0.07	< 10	< 10	20	< 5	9
CT LO+90V 1+95N	201 238	1	< 0.01	8	130	6	< 5	1	5	0.10	< 10	< 10	50	< 5	9
CT LO+90V 2+10N	201 238	< 1	0.01	29	270	4	< 5	2	7	0.12	< 10	< 10	40	< 5	16
CT LO+90V 2+25N	201 238	< 1	0.01	9	120	4	< 5	2	7	0.13	< 10	< 10	53	< 5	10
CT LO+90V 2+40N	201 238	< 1	0.01	26	110	2	< 5	2	7	0.13	10	< 10	40	< 5	13
CT LO+90V 4+80N	201 238	< 1	0.01	6	270	2	< 5	1	7	0.09	10	< 10	22	< 5	9
CT LO+90V 5+10N	201 238	1	0.01	14	350	4	< 5	2	6	0.09	< 10	< 10	27	< 5	12
CT LO+90V 5+40N	201 238	< 1	0.01	10	140	2	< 5	1	5	0.10	< 10	< 10	31	< 5	15
CT LO+90V 5+70N	201 238	< 1	0.01	31	170	4	< 5	1	7	0.08	10	< 10	20	< 5	13
CT LO+90V 6+00N	201 238	< 1	< 0.01	5	100	4	< 5	< 1	3	0.03	10	< 10	18	< 5	5

RECEIVED
AUG 18 1988
RESULTS

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: GOLDEN PEAKS RESOURCES

107 - 325 HOWE ST.
VANCOUVER, BC
V6C 1Z7

Project:

Comments:

**Page No. : 1-A
Tot. Pages: 1
Date : 17-AUG-88
Invoice #: I-8820609
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8820609

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
CT LO+90V 0+30N	201 238	< 5	1.66	0.2	< 5	20	0.5	2	0.12	< 0.5	8	29	23	1.68	< 10	< 1	0.01	10	0.21	66
CT LO+90V 0+45N	201 238	< 5	1.29	0.2	< 5	50	0.5	2	0.13	< 0.5	6	28	20	1.74	10	< 1	0.02	10	0.20	69
CT LO+90V 0+60N	201 238	< 5	1.30	0.2	< 5	20	0.5	2	0.07	< 0.5	5	21	17	1.52	< 10	< 1	0.02	10	0.14	51
CT LO+90V 1+50N	201 238	< 5	1.08	0.2	< 5	20	0.5	2	0.13	< 0.5	5	20	11	1.15	< 10	< 1	0.01	10	0.24	67
CT LO+90V 1+95N	201 238	5	0.77	0.2	< 5	10	1.0	2	0.08	< 0.5	3	21	4	1.65	10	< 1	0.01	< 10	0.19	65
CT LO+90V 2+10N	201 238	40	2.32	0.2	5	60	1.5	2	0.15	< 0.5	10	36	20	2.44	< 10	< 1	0.02	10	0.32	98
CT LO+90V 2+25N	201 238	5	1.35	0.2	< 5	20	1.0	2	0.09	< 0.5	3	25	6	2.20	10	< 1	0.01	10	0.19	64
CT LO+90V 2+40N	201 238	< 5	1.28	0.2	5	20	1.5	4	0.15	< 0.5	6	35	30	2.48	10	< 1	0.02	10	0.31	93
CT LO+90V 4+80N	201 238	< 5	0.93	0.2	< 5	20	0.5	2	0.14	< 0.5	2	17	3	1.02	10	< 1	0.02	10	0.10	43
CT LO+90V 5+10N	201 238	< 5	1.47	0.2	< 5	20	1.5	4	0.14	< 0.5	5	29	26	1.81	< 10	< 1	0.02	10	0.20	97
CT LO+90V 5+40N	201 238	5	0.98	0.2	< 5	20	1.0	2	0.11	0.5	2	24	14	1.31	10	< 1	0.01	10	0.18	64
CT LO+90V 5+70N	201 238	< 5	1.35	0.2	5	40	1.5	2	0.14	< 0.5	11	21	16	1.23	10	< 1	0.02	10	0.19	68
CT LO+90V 6+00N	201 238	< 5	0.44	0.2	< 5	20	0.5	< 2	0.06	< 0.5	< 1	17	4	0.53	< 10	< 1	0.01	10	0.07	29


RECEIVED
AUG 18 1988

CERTIFICATION :

DATA TITLE : GOLDEN PEAKS - A8819812, A8819813, A8819818, A8820609

VARIABLE : Au ppb

OF % OF CUM.
SAMPLES TOTAL %




GOLDEN PEAKS RESOURCES

Data from Chemex certificates A8819812, A8819813, A8819818, A8820609
(Values <5 ppb --> 2 ppb)

VARIABLE:	Au ppb
NUMBER OF OBSERVATIONS:	678
DETECTION LIMIT:	5.0
MINIMUM:	2.000
MAXIMUM:	7700.000
MEAN:	16.204
STANDARD ERROR OF MEAN:	11.369
STANDARD DEVIATION:	296.021
COEFFICIENT OF VARIATION:	1826.891
SKEWNESS:	25.797
KURTOSIS:	666.554

DATA TITLE : GOLDEN PEAKS - A8819812, A8819813, A8819818, A8820609
 VARIABLE : As ppm

% OF SAMPLES | % OF TOTAL | CUM. %




GOLDEN PEAKS RESOURCES

Data from Chemex certificates A8819812, A8819813, A8819818, A8820609
(Values <5 ppm --> 2 ppm)

VARIABLE:	As ppm
NUMBER OF OBSERVATIONS:	678
DETECTION LIMIT:	5.0
MINIMUM:	2.000
MAXIMUM:	1790.000
MEAN:	17.596
STANDARD ERROR OF MEAN:	4.096
STANDARD DEVIATION:	106.656
COEFFICIENT OF VARIATION:	606.143
SKEWNESS:	14.155
KURTOSIS:	215.401

DATA TITLE : GOLDEN PEAKS - A8819812, A8819813, A8819818, A8820609
 VARIABLE : Cu ppm



GOLDEN PEAKS RESOURCES


Data from Chemex certificates A8819812, A8819813, A8819818, A8820609
(Values <1 ppm --> 0.5 ppm)

VARIABLE:	Cu ppm
NUMBER OF OBSERVATIONS:	678
DETECTION LIMIT:	1.0
MINIMUM:	0.500
MAXIMUM:	568.000
MEAN:	17.563
STANDARD ERROR OF MEAN:	1.233
STANDARD DEVIATION:	32.112
COEFFICIENT OF VARIATION:	182.833
SKEWNESS:	9.829
KURTOSIS:	139.082

DATA TITLE : GOLDEN PEAKS - A8819812, A8819813, A8819818, A8820609

VARIABLE : logCu

OF % OF CUM.
SAMPLES TOTAL %




GOLDEN PEAKS RESOURCES

Data from Chemex certificates A8819812, A8819813, A8819818, A8820609
(Values <1 ppm --> 0.5 ppm, before log transformation)

VARIABLE:	logCu
NUMBER OF OBSERVATIONS:	678
MINIMUM:	-0.301
MAXIMUM:	2.754
MEAN:	1.026
STANDARD ERROR OF MEAN:	0.016
STANDARD DEVIATION:	0.414
COEFFICIENT OF VARIATION:	40.290
SKEWNESS:	-0.069
KURTOSIS:	1.655

DATA TITLE : GOLDEN PEAKS - A8819812, A8819813, A8819818, A8820609
 VARIABLE : logZn




GOLDEN PEAKS RESOURCES

Data from Chemex certificates A8819812, A8819813, A8819818, A8820609
(Values <1 ppm --> 0.5 ppm, before log transformation)

VARIABLE:	logZn
NUMBER OF OBSERVATIONS:	678
MINIMUM:	-0.301
MAXIMUM:	2.728
MEAN:	1.110
STANDARD ERROR OF MEAN:	0.011
STANDARD DEVIATION:	0.277
COEFFICIENT OF VARIATION:	24.916
SKEWNESS:	0.500
KURTOSIS:	3.423

DATA TITLE : GOLDEN PEAKS - A8819812, A8819813, A8819818, A8820609
 VARIABLE : Zn ppm



GOLDEN PEAKS RESOURCES

Data from Chemex certificates A8819812, A8819813, A8819818, A8820609
(Values <1 ppm --> 0.5 ppm)

VARIABLE:	Zn ppm
NUMBER OF OBSERVATIONS:	678
DETECTION LIMIT:	1.0
MINIMUM:	0.500
MAXIMUM:	534.000
MEAN:	16.632
STANDARD ERROR OF MEAN:	0.934
STANDARD DEVIATION:	24.328
COEFFICIENT OF VARIATION:	146.273
SKEWNESS:	15.096
KURTOSIS:	303.383

Appendix B. Cost Statement

Cooke Geological Consulting Ltd.

Mobilization/Demobilization:	\$ 8000
Line Cutting: 42.4 Km	10600
Magnetic Survey: 33.6 Km	4200
VLF-EM Survey: 31.4 Km + orientation	3925
Geological Mapping 31.4 Km	3925
Soil Sampling: 680 soils	4250
Rock Trenching & Sampling: 96 samples	4920
Geochemical Analyses:	12146
Management:	<u>5197</u>

\$57163.00


Peter Christopher & Associates Inc.


Field Examination	\$ 800.00
Report Writing	2400.00
Drafting	2128.50
Word Processing, Binding, Copies & Office	250.00
Printing & Reproductions	184.94
Statistics	66.00
Geochemical Costs	106.15
Travel Costs	28.86
Reports & Maps	<u>23.33</u>

\$5987.78

Total Costs

\$63150.78


Peter A. Christopher, Eng.





Ontario



52J07NE8833 2.11745 JUTTEN

900

Ministry of
Northern Development
and Mines

Ministère du
Développement du Nord
et des Mines

Mining Lands Section
3rd floor, 880 Bay Street
Toronto, Ontario
M5S 1Z8

Telephone: (416) 965-4888

April 20, 1989

Your file: W8803-230,273
Our file: 2.11745

Mining Recorder
Ministry of Northern Development and Mines
Court House
P.O. Box 3000
Sioux Lookout, Ontario
POV 2T0

Dear Sir:

Re: Notice of Intent dated March 16, 1989 Geological, Geochemical
and Geophysical (Electromagnetic & Magnetometer) Survey and
Assaying submitted on Mining Claims PA 794695 et al in the
Poisson and Jutten Townships.


The assessment work credits, as listed with the above-mentioned Notice of Intent,
have been approved as of the above date.

Please inform the recorded holder of these mining claims and so indicate on your
records.

Yours sincerely,

W.R. Cowan
Provincial Manager, Mining Lands
Mines & Minerals Division

Rm
RM:eb
Enclosure



cc: Mr. G.H. Ferguson
Mining and Lands Commissioner
Toronto, Ontario

Resident Geologist
Sioux Lookout, Ontario

Mr. Joop Langelaar
Vancouver, B.C.

Mr. Peter Christopher
Vancouver, B.C.



Recorded Holder
Joop Langelaar

Township or Area
Poisson and Jutten

Type of survey and number of Assessment days credit per claim	Mining Claims Assessed
Geophysical Electromagnetic _____ 10 _____ days Magnetometer _____ days Radiometric _____ days Induced polarization _____ days Other _____ days Section 77 (19) See "Mining Claims Assessed" column Geological _____ 15 _____ days Geochemical _____ 14 _____ days Man days <input type="checkbox"/> Airborne <input type="checkbox"/> Special provision <input checked="" type="checkbox"/> Ground <input checked="" type="checkbox"/> <input type="checkbox"/> Credits have been reduced because of partial coverage of claims. <input type="checkbox"/> Credits have been reduced because of corrections to work dates and figures of applicant.	PA 794695-696 794698 to 700 incl. 959601 to 610 incl.

Special credits under section 77 (16) for the following mining claims

[Empty box for special credits]

No credits have been allowed for the following mining claims

not sufficiently covered by the survey insufficient technical data filed

[Empty box for no credits]

The Mining Recorder may reduce the above credits if necessary in order that the total number of approved assessment days recorded on each claim does not exceed the maximum allowed as follows: Geophysical - 80; Geological - 40; Geochemical - 40; Section 77(19) - 60.



Recorded Holder
Joop Langelaar

Township or Area
Poisson and Jutten Townships

Type of survey and number of Assessment days credit per claim	Mining Claims Assessed
<p>Geophysical</p> <p>Electromagnetic _____ days</p> <p>Magnetometer _____ 10 _____ days</p> <p>Radiometric _____ days</p> <p>Induced polarization _____ days</p> <p>Other _____ days</p>	<p>PA 794695-696 794698 to 700 incl. 959602 to 610 incl.</p>
<p>Section 77 (19) See "Mining Claims Assessed" column</p>	
<p>Geological _____ days</p>	
<p>Geochemical _____ days</p>	
<p>Man days <input type="checkbox"/> Airborne <input type="checkbox"/></p> <p>Special provision <input checked="" type="checkbox"/> Ground <input checked="" type="checkbox"/></p> <p><input type="checkbox"/> Credits have been reduced because of partial coverage of claims.</p> <p><input type="checkbox"/> Credits have been reduced because of corrections to work dates and figures of applicant.</p>	

Special credits under section 77 (16) for the following mining claims

No credits have been allowed for the following mining claims

not sufficiently covered by the survey insufficient technical data filed

PA 959601

The Mining Recorder may reduce the above credits if necessary in order that the total number of approved assessment days recorded on each claim does not exceed the maximum allowed as follows: Geophysical - 80; Geological - 40; Geochemical - 40; Section 77(19) - 60.



Recorded Holder
Joop Langelaar

Township or Area
Poisson and Jutten

Type of survey and number of Assessment days credit per claim	Mining Claims Assessed
<p>Geophysical</p> <p>Electromagnetic _____ days</p> <p>Magnetometer _____ days</p> <p>Radiometric _____ days</p> <p>Induced polarization _____ days</p> <p>Other _____ days</p> <p>Section 77 (19) See "Mining Claims Assessed" column</p> <p>Geological _____ days</p> <p>Geochemical _____ days</p> <p>Man days <input type="checkbox"/> Airborne <input type="checkbox"/></p> <p>Special provision <input type="checkbox"/> Ground <input type="checkbox"/></p> <p><input type="checkbox"/> Credits have been reduced because of partial coverage of claims.</p> <p><input type="checkbox"/> Credits have been reduced because of corrections to work dates and figures of applicant.</p>	<p>\$12,146.00 SPENT ON ASSAYING SAMPLES TAKEN FROM MINING CLAIMS:</p> <p>PA 794695-69 794698 to 700 incl. 959601 to 610 incl.</p> <p>809.73 Days credit allowed which may be grouped in accordance with Section 76(6) of the Mining Act R.S.O 1980.</p>

Special credits under section 77 (16) for the following mining claims

No credits have been allowed for the following mining claims

not sufficiently covered by the survey insufficient technical data filed

The Mining Recorder may reduce the above credits if necessary in order that the total number of approved assessment days recorded on each claim does not exceed the maximum allowed as follows: Geophysical - 80; Geological - 40; Geochemical - 40; Section 77(19) - 60.



Report of Work

(Geophysical, Geological, Geochemical and Expenditures)

Instructions: - Please type or print.
- If number of mining claims traversed exceeds space on this form, attach a list.
Note: - Only days credits calculated in the "Expenditures" section may be entered in the "Expend. Days Cr." columns.
- Do not use shaded areas below.

DOCUMENT NO.

W8803-273

Mining Act

2.1175


MINING 105

Expenditure
Township or Area: G2883 6287-1
Grid, Geological, Geochemical, Geophysical, Poisson & Jutten TWP *
Claim Holder(s): Joop Langelaar
Address: 107 - 325 Howe Street, Vancouver, B.C. V6C 1Z7
Survey Company: Cooke Geological Consultants Ltd.
Date of Survey (from & to): 01 Day, 06 Mo., 88 Yr. to 01 Day, 08 Mo., 88 Yr.
Total Miles of line Cut: 26.31
Name and Address of Author (of Geo-Technical report): Peter Christopher, 3707 W. 34 Avenue, Vancouver, B.C. V6N 2K9

Credits Requested per Each Claim in Columns at right Mining Claims Traversed (List in numerical sequence)

Special Provisions	Geophysical	Days per Claim
For first survey: Enter 40 days. (This includes line cutting)	- Electromagnetic	20
	- Magnetometer	20
	- Radiometric	
	- Other	
For each additional survey: using the same grid: Enter 20 days (for each)	Geological	20
	Geochemical	20
Man Days	Geophysical	Days per Claim
Complete reverse side and enter total(s) here	- Electromagnetic	
	- Magnetometer	
	- Radiometric	
	- Other	
	Geological	
	Geochemical	
Airborne Credits	Geophysical	Days per Claim
Note: Special provisions credits do not apply to Airborne Surveys.	- Electromagnetic	
	- Magnetometer	
	- Radiometric	

Mining Claim Prefix	Mining Claim Number	Expend. Days Cr.	Mining Claim Prefix	Mining Claim Number	Expend. Days Cr.
PA.	794695	60			
	794696	20			
	794698	20			
	794699	60			
	794700	0			
	959601	60			
	959602	60			
	959603	60			
	959604	60			
	959605	60			
	959606	60			
	959607	60			
	959608	60			
	959609	60			
	959610	60			



Expenditures (excludes power stripping)
Type of Work Performed: Assaying/Consulting
Performed on Claim(s): yes Pa. 794695, 794696, 794698, 794699, 794700
9 Sep 88 SECTION 77-19
Calculation of Expenditure Days Credits
Total Expenditures: \$18,134.00
Total Days Credits: 15
Result: 1209
Instructions: Total Days Credits may be apportioned at the claim holder's choice. Enter number of days credits per claim selected in columns at right.

Total Allowed 1209 DAYS USING 273 T60 DAYS RESERVE 449 DAYS
Total number of mining claims covered by this report of work: 14

Date: 21/10/88
Recorded Holder or Agent (Signature): Brad Cooke

For Office Use Only
Total Days Cr. Recorded: 1209
Date Recorded: NOVEMBER 28/88
Mining Recorder: [Signature]
Date Approved as Recorded: [Blank]
Branch Director: [Signature]

Certification Verifying Report of Work
I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.

Name and Postal Address of Person Certifying: BRADFORD J. COOKE 107-325 HOWE ST. VANCOUVER B.C. V6C 1Z7
Date Certified: 18 NOV 88
Certified by (Signature): Brad Cooke

Assessment Work Breakdown

Man Days are based on eight (8) hour Technical or Line-cutting days. Technical days include work performed by consultants, draftsmen, etc..

Type of Survey												
Technical Days	X	7	=	Technical Days Credits	+	Line-cutting Days	=	Total Credits	+	No. of Claims	=	Days per Claim
<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 20px; height: 20px;" type="text" value="7"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>

Type of Survey												
Technical Days	X	7	=	Technical Days Credits	+	Line-cutting Days	=	Total Credits	+	No. of Claims	=	Days per Claim
<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 20px; height: 20px;" type="text" value="7"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>

Type of Survey												
Technical Days	X	7	=	Technical Days Credits	+	Line-cutting Days	=	Total Credits	+	No. of Claims	=	Days per Claim
<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 20px; height: 20px;" type="text" value="7"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>

Type of Survey												
Technical Days	X	7	=	Technical Days Credits	+	Line-cutting Days	=	Total Credits	+	No. of Claims	=	Days per Claim
<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 20px; height: 20px;" type="text" value="7"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>


Assaying

$$\$12,146 \div \$15 = 810 + 0 = 810$$

Consulting

$$\$ 5,988 \div \$15 = 399 + 0 = 379$$

POISSON TWP. G-2883





Mining of Survey(s) **ANDE**

Expenditure Township or Area **6-2883 G-2874**

Grid, Geological, Geochemical, Geophysical, Poisson & Jutten TWP

Claim Holder(s) **Joop Langelaar** Address **2.11.15** Prospector's Licence No. **40026**

Survey Company **Cooke Geological Consultants Ltd.** Date of Survey (from & to) **01 06 88** Total Miles of line Cut **26.31**


Name and Address of Author (of Geo-Technical report) **Peter Christopher 3707 W. 34 Avenue, Vancouver, B.C. V6N 2K9**

Credits Requested per Each Claim in Columns at right

Special Provisions	Geophysical	Days per Claim
For first survey: Enter 40 days. (This includes line cutting)	- Electromagnetic	10
	- Magnetometer	10
	- Radiometric	
	- Other	
For each additional survey: using the same grid: Enter 20 days (for each)	Geological	20
	Geochemical	20
Man Days Complete reverse side and enter total(s) here	Geophysical	Days per Claim
	- Electromagnetic	
	- Magnetometer	
	- Radiometric	
	- Other	
	Geological	
Airborne Credits Note: Special provisions credits do not apply to Airborne Surveys.	Electromagnetic	Days per Claim
	Magnetometer	
	Radiometric	

Mining Claims Traversed (List in numerical sequence)

Prefix	Mining Claim Number	Expend. Days Cr.
PA	794695	80
	794696	40
	794698	40
	794699	80
	794790	80
	959601	86.9
	959602	86.9
	959603	86.9
	959604	86.9
	959605	86.9
	959606	86.9
	959607	86.9
	959608	86.9
	959609	86.9
	959610	86.9



Expenditures (excludes power stripping)

Type of Work Performed **Assaying / Consulting**

Performed on Claim(s) **yes**

Calculation of Expenditure Days Credits

Total Expenditures **\$18,134.00** ÷ Total Days Credits **15** = **1189**

Instructions: Total Days Credits may be apportioned at the claim holder's choice. Enter number of days credits per claim selected in columns at right.

For Office Use Only

Total Days Cr. Recorded **900** Date Recorded **SEPT. 30/88**

Date Approved as Recorded **ACTING** Mining Recorder **[Signature]**

Branch Director

Date **27/09/88** Recorded Holder or Agent (Signature) **Brad Cooke**

Certification Verifying Report of Work

I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.

Name and Postal Address of Person Certifying **BRAD COOKE** Date Certified **27/09/88** Certified by (Signature) **Brad Cooke**

107 - 325 Howe St. Vancouver, B.C. V6C

Assessment Work Breakdown

Man Days are based on eight (8) hour Technical or Line-cutting days. Technical days include work performed by consultants, draftsmen, etc..

Type of Survey						
Geological						
Technical Days	X	7	=	Technical Days Credits	+	Line-cutting Days
28				196		28
			=	Total Credits	÷	No. of Claims
				224		25
			=	Days per Claim		
				8.96		

Type of Survey						
Geochemical						
Technical Days	X	7	=	Technical Days Credits	+	Line-cutting Days
28				196		0
			=	Total Credits	÷	No. of Claims
				196		25
			=	Days per Claim		
				6.16		

Type of Survey						
Geophysical						
Technical Days	X	7	=	Technical Days Credits	+	Line-cutting Days
42				224		0
			=	Total Credits	÷	No. of Claims
				224		25
			=	Days per Claim		
				8.96		

Type of Survey						
Technical Days	X	7	=	Technical Days Credits	+	Line-cutting Days
<input type="text"/>				<input type="text"/>		<input type="text"/>
			=	Total Credits	÷	No. of Claims
				<input type="text"/>		<input type="text"/>
			=	Days per Claim		
				<input type="text"/>		

Assaying

$$\$12,146 \div \$15 = 810 + 0 = 810 \div 25 = 32.40$$

Consulting

$$\$ 5,988 \div \$15 = 379 + 0 = 379 \div 25 = 15.16$$



TO BE ATTACHED AS AN APPENDIX TO TECHNICAL REPORT
FACTS SHOWN HERE NEED NOT BE REPEATED IN REPORT
TECHNICAL REPORT MUST CONTAIN INTERPRETATION, CONCLUSIONS ETC.

Type of Survey(s) Geological, Geochemical, Geophysical, Expenditures

Township or Area Poisson and Jutten Townships

Claim Holder(s) Joop Langelaar

Survey Company Cooke Geological Consultants Ltd.

Author of Report Peter Christopher

Address of Author 3707 W. 34 Ave. Vancouver, B.C.

Covering Dates of Survey 01/06/88 to 24/09/88 V6N 2K9
(linecutting to office)

Total Miles of Line Cut 26.31

MINING CLAIMS TRAVERSED
List numerically

Table with columns for (prefix) and (number) for listing mining claims.

RECEIVED
NOV 25 1988
MINING LANDS SECTION

If space insufficient, attach list

SPECIAL PROVISIONS CREDITS REQUESTED table with columns for Geophysical, Geological, Geochemical and DAYS per claim.

AIRBORNE CREDITS (Special provision credits do not apply to airborne surveys)

Magnetometer _____ Electromagnetic _____ Radiometric _____
(enter days per claim)

DATE: 28 Sept. 88 SIGNATURE: [Signature]
Author of Report or Agent

Res. Geol. _____ Qualifications This file

Table for Previous Surveys with columns: File No., Type, Date, Claim Holder.

TOTAL CLAIMS 15

OFFICE USE ONLY

GEOPHYSICAL TECHNICAL DATA

GROUND SURVEYS - If more than one survey, specify data for each type of survey

Number of Stations 2094 Number of Readings 2094
Station interval 50-100 ft. Line spacing 100 - 400 ft.
Profile scale
Contour interval

MAGNETIC

Instrument Scintrex, MF-1 Fluxgate Magnetometer
Accuracy - Scale constant 1 gamma
Diurnal correction method Baseline closures showed insignificant drift
Base Station check-in interval (hours)
Base Station location and value

ELECTROMAGNETIC

Instrument Sabre 27 VLF Electromagnetometer
Coil configuration
Coil separation 1 x 1
Accuracy
Method: [X] Fixed transmitter [] Shoot back [] In line [] Parallel line
Frequency Seattle 24.8 KH (specify V.L.F. station)
Parameters measured Field Strength, Dip Angle

GRAVITY

Instrument
Scale constant
Corrections made
Base station value and location
Elevation accuracy

INDUCED POLARIZATION RESISTIVITY

Instrument
Method [] Time Domain [] Frequency Domain
Parameters - On time Frequency
- Off time Range
- Delay time
- Integration time
Power
Electrode array
Electrode spacing
Type of electrode

SELF POTENTIAL

Instrument _____ Range _____

Survey Method _____

Corrections made _____

RADIOMETRIC

Instrument _____

Values measured _____

Energy windows (levels) _____

Height of instrument _____ Background Count _____

Size of detector _____

Overburden _____

(type, depth - include outcrop map)

OTHERS (SEISMIC, DRILL WELL LOGGING ETC.)

Type of survey _____

Instrument _____

Accuracy _____

Parameters measured _____

Additional information (for understanding results) _____

AIRBORNE SURVEYS

Type of survey(s) _____

Instrument(s) _____

(specify for each type of survey)

Accuracy _____

(specify for each type of survey)

Aircraft used _____

Sensor altitude _____

Navigation and flight path recovery method _____

Aircraft altitude _____ Line Spacing _____

Miles flown over total area _____ Over claims only _____

GEOCHEMICAL SURVEY - PROCEDURE RECORD

Numbers of claims from which samples taken _____

Total Number of Samples 680

Type of Sample soil
(Nature of Material)

Average Sample Weight 1 - 2 lbs

Method of Collection spade - Kraft sample bag
dried - shipped

Soil Horizon Sampled B Horizon

Horizon Development good

Sample Depth 25 cm

Terrain hummodis/bogs

Drainage Development poor

Estimated Range of Overburden Thickness 5-25 A

SAMPLE PREPARATION

(Includes drying, screening, crushing, ashing)

Mesh size of fraction used for analysis 80 mesh

General _____

ANALYTICAL METHODS

Values expressed in: per cent
p. p. m.
p. p. b.

Cu, Pb, Zn, Ni, Co, Ag, Mo, As, (circle)

Others _____

Field Analysis (_____ tests)

Extraction Method _____

Analytical Method _____

Reagents Used _____

Field Laboratory Analysis

No. (_____ tests)

Extraction Method _____

Analytical Method _____

Reagents Used _____

Commercial Laboratory (_____ tests)

Name of Laboratory Chemex Labs

Extraction Method Acid Digestion

Analytical Method ICP

Reagents Used Aqua Regia

General _____



Mining Act

Name: **Joop Langelaar** Postal Address of Recorded Holder
Prospector's Licence No.: **40026**
107 - 325 Howe St., Vancouver, B.C. V6C 1Z7

Summary of Work Performance and Distribution of Credits

Total Work Days Cr. claimed	Mining Claim			Work Days Cr.	Mining Claim			Work Days Cr.	Mining Claim		
	Prefix	Number	Work Days Cr.		Prefix	Number	Work Days Cr.		Prefix	Number	Work Days Cr.
33											
for Performance of the following work. (Check one only) <input checked="" type="checkbox"/> Manual Work <input type="checkbox"/> Shaft Sinking Drifting or other Lateral Work. <input type="checkbox"/> Compressed Air, other Power driven or mechanical equip. <input type="checkbox"/> Power Stripping <input type="checkbox"/> Diamond or other Core drilling <input type="checkbox"/> Land Survey		794695	0								
		794696	0								
		794698	0								
		794699	0								
		794700	33								

All the work was performed on Mining Claim(s):

Required Information eg: type of equipment, Names, Addresses, etc. (See Table Below)

HAND TRENCHING

Tim Sandberg
Tim Ewanyshyn
Ted Gustavson
Lawrence Barry

107 - 325 Howe Street, Vancouver, B.C. V6C 1Z7

June 20 - July 20, 1988

9 hours per day x 22 days
= 33 mandays

Date of Report: 21/10/88
Recorded Holder or Agent (Signature): *Brad Cooke*

Certification Verifying Report of Work

I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.

Name and Postal Address of Person Certifying
BRAD COOKE

Date Certified: 21/10/88
Certified by (Signature): *Brad Cooke*


107 - 325 Howe Street, Vancouver, B.C. V6C 1Z7

Table of Information/Attachments Required by the Mining Recorder V6C 1Z7

Type of Work	Specific information per type	Other information (Common to 2 or more types)	Attachments
Manual Work	Nil	Names and addresses of men who performed manual work/operated equipment, together with dates and hours of employment.	Work Sketch: these are required to show the location and extent of work in relation to the nearest claim post.
Shaft Sinking, Drifting or other Lateral Work			
Compressed air, other power driven or mechanical equip.	Type of equipment	Names and addresses of owner or operator together with dates when drilling/stripping done.	
Power Stripping	Type of equipment and amount expended. Note: Proof of actual cost must be submitted within 30 days of recording.		
Diamond or other core drilling	Signed core log showing; footage, diameter of core, number and angles of holes.		

AREA OF TRENCHES

225 m long x 50m wide x 2.5 m deep



REFERENCES

AREAS WITHDRAWN FROM DISPOSITION


- M.R.O. - MINING RIGHTS ONLY
- S.R.O. - SURFACE RIGHTS ONLY
- M.+S. - MINING AND SURFACE RIGHTS

Description Order No. Date Disposition File

SAND AND GRAVEL
GRAVEL FILE NO 184312

Aug 20/85
 Aug 30/85
 SEPT 2/85
 Jan 2/86
 Jan 19/86
 April 7/86
 Jan 4/86
 Oct 7/86
 Oct 20/86
 Oct 27/86
 June 2/87
 JULY 13/87
 Sep 9/88

POISSON TWP. G-2883



CHEVRIER TWP. M-1673

LEGEND


- HIGHWAY AND ROUTE No.
- OTHER ROADS
- TRAILS
- SURVEYED LINES:
 - TOWNSHIPS, BASE LINES, ETC.
 - LOTS, MINING CLAIMS, PARCELS, ETC.
- UNSURVEYED LINES:
 - LOT LINES
 - PARCEL BOUNDARY
 - MINING CLAIMS ETC.
- RAILWAY AND RIGHT OF WAY
- UTILITY LINES
- NON-PERENNIAL STREAM
- FLOODING OR FLOODING RIGHTS
- SUBDIVISION OR COMPOSITE PLAN
- RESERVATIONS
- ORIGINAL SHORELINE
- MARSH OR MUSKEG
- MINES
- TRAVERSE MONUMENT

DISPOSITION OF CROWN LANDS

TYPE OF DOCUMENT	SYMBOL
PATENT, SURFACE & MINING RIGHTS	●
" SURFACE RIGHTS ONLY	○
" MINING RIGHTS ONLY	◐
LEASE, SURFACE & MINING RIGHTS	■
" SURFACE RIGHTS ONLY	◼
" MINING RIGHTS ONLY	◻
LICENCE OF OCCUPATION	▼
ORDER-IN-COUNCIL	OC
RESERVATION	⊙
CANCELLED	⊖
SAND & GRAVEL	⊕

NOTE: MINING RIGHTS IN PARCELS PATENTED PRIOR TO MAY 6, 1913, VESTED IN ORIGINAL PATENTEE BY THE PUBLIC LANDS ACT, R.S.O. 1970, CHAP. 380, SEC. 63, SUBSEC 1.

SCALE: 1 INCH = 40 CHAINS



TOWNSHIP
JUTTEN
 M.N.R. ADMINISTRATIVE DISTRICT
 SIOUX LOOKOUT
 MINING DIVISION
 PATRICIA
 LAND TITLES / REGISTRY DIVISION
 THUNDER BAY



Date MAY 1985

Number

G-2874



52J87NE8833 2, 11745 JUTTEN

REFERENCES

AREAS WITHDRAWN FROM DISPOSITION

- M.R.O. - MINING RIGHTS ONLY
- S.R.O. - SURFACE RIGHTS ONLY
- M.+S. - MINING AND SURFACE RIGHTS

Description Order No. Date Disposition File


2142155
 SEPT 3/85
 2142155
 2142155
 2142155
 2142155
 July 14/86
 August 1/86
 Aug 11/86
 Sept 16/86
 Oct 27/86
 Feb 24/87
 May 5/87
 April 29/87
 July 3/87
 Feb 2/88
 Oct 4/88

BENNER TWP. N-1651

M'CUBBIN TWP. G-2053

M'GILLIS TWP. G-2887

JUTTEN TWP. G-2874




LEGEND

- HIGHWAY AND ROUTE No.
- OTHER ROADS
- TRAILS
- SURVEYED LINES:
 - TOWNSHIPS, BASE LINES, ETC.
 - LOTS, MINING CLAIMS, PARCELS, ETC.
- UNSURVEYED LINES:
 - LOT LINES
 - PARCEL BOUNDARY
 - MINING CLAIMS ETC.
- RAILWAY AND RIGHT OF WAY
- UTILITY LINES
- NON-PERENNIAL STREAM
- FLOODING OR FLOODING RIGHTS
- SUBDIVISION OR COMPOSITE PLAN RESERVATIONS
- ORIGINAL SHORELINE
- MARSH OR MUSKEG
- MINES
- TRAVERSE MONUMENT

DISPOSITION OF CROWN LANDS

TYPE OF DOCUMENT	SYMBOL
PATENT, SURFACE & MINING RIGHTS	●
" SURFACE RIGHTS ONLY	○
" MINING RIGHTS ONLY	◐
LEASE, SURFACE & MINING RIGHTS	■
" SURFACE RIGHTS ONLY	◼
" MINING RIGHTS ONLY	◻
LICENCE OF OCCUPATION	▼
ORDER-IN-COUNCIL	OC
RESERVATION	⊙
CANCELLED	⊖
SAND & GRAVEL	⊙

NOTE: MINING RIGHTS IN PARCELS PATENTED PRIOR TO MAY 6, 1913, VESTED IN ORIGINAL PATENTEE BY THE PUBLIC LANDS ACT, R.S.O. 1970, CHAP. 380, SEC. 63, SUBSEC. 1.




TOWNSHIP
POISSON
 M.N.R. ADMINISTRATIVE DISTRICT
 SIOUX LOOKOUT
 MINING DIVISION
 PATRICIA
 LAND TITLES / REGISTRY DIVISION
 THUNDER BAY


Ministry of Natural Resources
 Land Management Branch

Date MAY 1985 Number **G-2883**





2.11745



Golden Peaks Resources Ltd.
CAT TRACK PROPERTY
 POISSON - JUTTEN TP.
PROPERTY GEOLOGY

PATRICIA M.D. SAVANT LAKE, ONT.
 P. CHRISTOPHER and ASSOCIATES LTD.
 Scale 1:2500
 Drawn T.M.S.
 Date July, 1988
 Sheet 3

LEGEND

1. STRUCTURES

- a - fracture
- b - bedding
- c - fracture
- d - quartz vein
- e - approximate contact
- f - internal shear
- g - CMBG rock stamp

2. ROCK TYPES

- h - quartzite
- i - shale/marginalite
- j - limestone
- k - amphibole
- l - gneiss
- m - quartzite
- n - quartzite
- o - quartzite
- p - quartzite
- q - quartzite
- r - quartzite
- s - quartzite
- t - quartzite
- u - quartzite
- v - quartzite
- w - quartzite
- x - quartzite
- y - quartzite
- z - quartzite

3. CLAIM POST AND CLAIM LINE

- 1 - claim post and claim line
- 2 - property boundary
- 3 - grid line
- 4 - swamp or muskeg
- 5 - trench
- 6 - drill hole

794700 (log number)

ASSAY


SAMPLE NO.	CLIMATE	TYPE	ANALYSIS
01	0002	Rock	<0.001
02	0002	Rock	<0.001
03	0002	Rock	<0.001
04	0002	Rock	<0.001
05	0002	Rock	<0.001
06	0002	Rock	<0.001
07	0002	Rock	<0.001
08	0002	Rock	<0.001
09	0002	Rock	<0.001
10	0002	Rock	<0.001
11	0002	Rock	<0.001
12	0002	Rock	<0.001
13	0002	Rock	<0.001
14	0002	Rock	<0.001
15	0002	Rock	<0.001
16	0002	Rock	<0.001
17	0002	Rock	<0.001
18	0002	Rock	<0.001
19	0002	Rock	<0.001
20	0002	Rock	<0.001

DATA

SAMPLE NO.	CLIMATE	TYPE	ANALYSIS
01	0002	Rock	<0.001
02	0002	Rock	<0.001
03	0002	Rock	<0.001
04	0002	Rock	<0.001
05	0002	Rock	<0.001
06	0002	Rock	<0.001
07	0002	Rock	<0.001
08	0002	Rock	<0.001
09	0002	Rock	<0.001
10	0002	Rock	<0.001
11	0002	Rock	<0.001
12	0002	Rock	<0.001
13	0002	Rock	<0.001
14	0002	Rock	<0.001
15	0002	Rock	<0.001
16	0002	Rock	<0.001
17	0002	Rock	<0.001
18	0002	Rock	<0.001
19	0002	Rock	<0.001
20	0002	Rock	<0.001

Sample N ^o	Width(m)	Au(oz/t)	WEIGHTED 0.01 oz/t cut off	AVERAGES 0.1 oz/t cut off
CT-TR1	2.60	0.013	0.013/2.60	
CT-TR2-HW	1.00	0.003		
VN	0.25	0.036	0.015/1.25	
FW	1.00	0.010		
CT-TR3A-FW	0.50	0.007		
VN	0.90	0.138	0.106/1.58	0.128/1.28
HW1	0.38	0.104		
HW2	0.30	0.012		
CT-TR3B-FW	1.80	0.004	0.110/0.35	0.110/0.35
HW	0.35	0.110		
CT-TR3C-HW	0.90	0.055		
VN	0.85	0.358	0.151/2.40	0.358/0.85
FW	0.65	0.015		
CT-TR5-SHR1	2.00	0.030	0.030/2.00	
SHR2	1.40	0.006		
CT-TR6-HW	2.00	0.003		
VN	0.20	0.045		
FW	2.00	0.003	0.045/0.20	
FW2	0.80	0.001		
FW3	2.10	0.001		
CT-TR9A-HW	0.60	0.118		
SHR	1.05	0.022	0.043/2.45	0.118/0.60
VN	0.80	0.014		
FW	0.80	0.006		
CT-TR9B-HW	1.20	0.025		
VN	2.80	0.048	0.041/4.00	
FW	0.90	0.005		
CT-TR9C-HW	1.20	0.781		
VN1	0.40	0.702	0.327/4.90	0.327/4.90
VN2	1.20	0.107		
VN3	1.10	0.221		
FW	1.20	0.012		
CT-TR10-HW	1.00	0.043		
VN1	0.40	0.029	0.039/1.40	
VN2	1.10	0.004		
VN3	1.20	0.009		
CT-TR12-HWA	2.10	0.001		
VNA	0.80	0.509	0.144/3.05	0.509/0.80
FWA	2.25	0.014		
CT-TR12-HWB1	0.95	0.005		
HWB2	0.60	0.024	0.022/0.90	
VNB	0.30	0.018		
FWB	1.50	0.004		
CT-TR12-IF	1.50	0.024		
CT-TR13-HW	0.50	0.003		
VN	0.45	0.016	0.016/0.45	
FW	1.80	0.002		
CT-TR14-HW	0.90	0.040		
VN	0.55	0.015	0.030/1.45	
FW	1.70	0.003		
CT-TR17-1	1.00	0.006		
2	0.40	0.092	0.092/0.40	
3	1.00	0.004		
CT-88-14	1.10	0.001		
15	1.80	0.002		
16	1.40	0.002		
CT-88-17	2.00	0.001		
CT-88-29	-	0.002		
CT-TR3(muck)	-	0.083		
(grab)	-	0.188		
CT-TR9B(grab)	-	0.460		
CT-TR9C(grab)	-	0.146		
CT-TR14(grab)	-	0.042		
			0.108/1.93	overall average


CHRISTOPHER CHIP SAMPLES				
SAMPLE N ^o	WIDTH, m	Au,ppb	Ag,ppm	
59267	0.61	325	0.4	DH 71-2
59268	2.44	4740	0.8	" "
59269	2.14	6480	1.1	TR 9C
59270	1.53	2490	0.7	TR 3
59271	1.22	1160	0.3	TR 10
59272	1.22	1730	1.0	TR 14



2.11745

LEGEND

- Trench
- Test pit
- Drill hole (azimuth, dip)
- Sample location
- Grid station
- Schistosity
- Open fracture
- Filled fracture (vein)
- Shear
- Iron formation
- Quartz vein, inferred vein
- Irregular silicified zone



TO ACCOMPANY REPORT BY P.A. CHRISTOPHER & ASSOCIATES LTD.

GOLDEN PEAKS RESOURCES LTD.

CAT TRACK PROPERTY
POISSON - JUTTEN TP.


TRENCH PLAN

PATRICIA M.D. SAVANT LAKE, ONTARIO

COOKE GEOLOGICAL CONSULTANTS LTD.

Scale 1:500 Drawn T.M.S. Figure 4
N.T.S. Date July 1988





2.11745


Golden Peaks Resources Ltd.
CAT TRACK PROPERTY
 POISSON - JUTTEN TP.
SOIL SURVEY
 (Au, As)

PATRICIA M.D. SAVANT LAKE, ONT.
 P. CHRISTOPHER and ASSOCIATES LTD.
 11-2500 T.M.S.
 52 J / 8 August, 1988


794700 tag number
 claim post and claim line
 property boundary
 grid line
 sweep or marking
 trench
 drill hole

Soil Sample
 Au (g)
 As (ppm)

1 / - <5



2.11745



Golden Peaks Resources Ltd.
 CAT TRACK PROPERTY
 POISSON - JUTTEN TP.
 SOIL SURVEY
 (Cu, Zn)



PATRICIA M.D. SAVANT LAKE, ONT.
 P. CHRISTOPHER and ASSOCIATES LTD.
 1.2500 T.M.S.
 52 J / 8 August, 1988

794700 log number
 claim point and claim line
 property boundary
 grid line
 swamp or muskeg
 trench
 drill hole

Soil Sample
 Cu Zn
 (ppm) (ppm)



2.11745




Golden Peaks Resources Ltd.
CAT TRACK PROPERTY
POISSON - JUTTEN TP.
VLf DATA
FRASER FILTERED
 PATRICIA M.D. SAVANT LAKE, ONT.
 P CHRISTOPHER and ASSOCIATES LTD.
 Scale 1:2500
 Date 92 J 7 8
 Sheet 7

794700 tag number
 claim post and claim line
 property boundary
 grid line
 swam or marsh
 track
 drill hole
 Sample
 Dip Angle - Find Strength

NOTE: Data printed in brackets [] crosses a negative value.


Instrument: Sable EM-27
 Station: Seattle 24.8 KHz.



880



2.11745



Golden Peaks Resources Ltd.
CAT TRACK PROPERTY
POISSON - JUTTEN TP.
MAGNETIC SURVEY

PATRICIA M.D. SAVANT LAKE, ONT.
 P. CHRISTOPHER and ASSOCIATES LTD.
 Scale: 1:2500
 Date: 52 J / 8
 Page: 10




NOTE: Data plotted in brackets are
 across 1/4 section width.

Legend:

- 794700 tag number
- claim post and claim line
- property boundary
- grid line
- swamp or muskeg
- trench
- drill hole


Instrument: Schlumberger MF-1 Flugec Magnetometer
 Mag. Base Station at L 0+00 W, T 0+00 N

READINGS IN GAMMAS



Instrument : Scintrex MF-1 Fluxgate Magnetometer
Date of Survey : July 11, 1988
NOTE : Data not corrected for diurnal variation

READINGS IN GAMMAS



8:34 am July 11, 1988 - 790 X
 3:40 pm July 11, 1988 - 800 X

2.11745



Instrument: Scintrex MF-1 Fluxgate Magnetometer
 Date of Survey: July 11, 1988
 NOTE: Data not corrected for diurnal variation

READINGS IN GAMMAS



Golden Peaks Resources Ltd.

CAT TRACK PROPERTY
 POISSON - JUTTEN TP.
DETAILED MAGNETIC SURVEY

PATRICIA M.D. SAVANT LAKE, ONT.
P. CHRISTOPHER and ASSOCIATES LTD.

Scale	1:500	Drawn	T.M.S.	Figure
N.T.S.	52 J / 8	Date	July, 1988	

11