

**Technical Report
Sampling and Prospecting Program
Cobb Lake Ontario**

**Prepared for:
Ministry of Northern Development and Mines**

2.31740'

**Submitted by:
Unitronix Corporation
Suite 901
111 Richmond Street West
Toronto, Ontario
M5H 2G4**

March 2006




Table of Contents

- 1.0 Introduction
- 2.0 Sampling and Prospecting Program
- 3.0 Results
- 4.0 Summary

Figures:

Figure 1 Property Location

Tables:

Table 1 Summary of Claim Information

Table 2 Summary of Sampling and Prospecting Personnel

Appendices:

Appendix A Laboratory Certificates of Analysis

Appendix B Summary of Analytical Results

~~Appendix C Proof of Beneficial Interest for non-Unitary Claims~~

Appendix D Sample Location Maps A to E

Introduction

A sampling and associated prospecting program was undertaken on Unitronix Corporation's property in the Sturgeon Lake greenstone belt during July and August 2005. The property is centred on Granite and Mountain Island Bays near the southwestern tip of Sturgeon Lake, and extending from Sturgeon Lake north to the Cobb Lake / Cobb Bay area. The general property outline and claim locations are shown on Figure 1, with detailed claim and sample location information presented in Figures A to E (appended to the report). The area is accessed by Highway 599, and is located approximately 70 km north of Ignace. Immediate access to the property is achieved through a number of secondary roads used to reach local fishing lodges and camps, or by boat from Sturgeon Lake and its bays. Overall, access to the property is excellent. Refer to Figure 1 for the general location of the claims relative to topographic features, as well as access to the claims.

Addresses of the holders of claims making up this property are provided below:

Unitronix Corporation:

Suite 901, 111 Richmond Street West
Toronto, Ontario
M5H 2G4

Johnson: (Claim 3014787)

Sherridon Johnson,
Box 19, Site 214 RR #2
Dryden, Ontario
P8N 2Y5

This report has been prepared under the direction and supervision of Mr. Dale Hendrick, P.Eng., who is also the report's author.

2.0 Sampling and Prospecting Program

A property visit was undertaken from July 18 to July 20, 2005 by Mr. Dale Hendrick P. Eng. and Mr. Gary Williams P. Geo. in order to review the areas of anomalous gold analyses from samples collected in 2004, and outline the 2005 prospecting program with the field crew. The prospecting program was directed in the field by Jessica Bjorkman, and was undertaken on the claims listed in Table 1 during the period July 18 to August 9, 2005. Supervision of the field work was undertaken by Mr. Hendrick throughout the program.




Figure 1
Unitronix - Sturgeon Lake Property
Location and Outline

Table 1: Summary of Claim Information

| Claim Numbers | Claim Holder | Work Conducted | No. of Samples |
|----------------------|---------------------|--------------------------|-----------------------|
| 3001628 | Unitronix Corp. | Prospecting and sampling | 16 |
| 3012123 | Unitronix Corp. | Prospecting and sampling | 1 |
| 3012137 | Unitronix Corp. | Prospecting and sampling | 1 |
| 3012138 | Unitronix Corp. | Prospecting and sampling | 2 |
| 3014787 | Bond / Johnson | Prospecting and sampling | 8 |
| 3017814 | Unitronix Corp. | Prospecting and sampling | 4 |
| 3017815 | Unitronix Corp. | Prospecting and sampling | 4 |
| 3017816 | Unitronix Corp. | Prospecting and sampling | 8 |
| 3017818 | Unitronix Corp. | Prospecting and sampling | 14 |
| 3017819 | Unitronix Corp. | Prospecting and sampling | 22 |
| 3017820 | Unitronix Corp. | Prospecting and sampling | 5 |
| 3017821 | Unitronix Corp. | Prospecting and sampling | 2 |
| 3017822 | Unitronix Corp. | Prospecting and sampling | 14 |
| 3017823 | Unitronix Corp. | Prospecting and sampling | 6 |
| 3017824 | Unitronix Corp. | Prospecting and sampling | 2 |
| 3017825 | Unitronix Corp. | Prospecting and sampling | 4 |
| 3017826 | Unitronix Corp. | Prospecting and sampling | 46 |
| 3017827 | Unitronix Corp. | Prospecting and sampling | 6 |
| 3017828 | Unitronix Corp. | Prospecting and sampling | 6 |
| 3017829 | Unitronix Corp. | Prospecting and sampling | 9 |
| 3019927 | Unitronix Corp. | Prospecting and sampling | 3 |
| 3019934 | Unitronix Corp. | Prospecting and sampling | 2 |
| 3019935 | Unitronix Corp. | Prospecting and sampling | 12 |
| 3019936 | Unitronix Corp. | Prospecting and sampling | 21 |
| 3019937 | Unitronix Corp. | Prospecting and sampling | 10 |
| 3019938 | Unitronix Corp. | Prospecting and sampling | 2 |
| 3019939 | Unitronix Corp. | Prospecting and sampling | 7 |
| | | | |
| | | Total Samples | 237 |

Sample collection as well as general prospecting were controlled using GPS coordinates (NAD 83). Work was concentrated on the abundant shoreline outcrop exposed and in areas of past surface stripping, with traversing away from the shoreline also undertaken. Shoreline exposure is excellent, with exposed outcrop present throughout. Away from the shores, the area is covered by thin glacial drift, and is largely well forested, with the few swamps contained within well-defined topographic lows.

GPS coordinates were used to locate the samples collected. Areas of alteration, mineralization, structure, sulphide showings, previous anomalous gold values, etc. were targeted for sampling, with a total of 237 samples collected during the program. Sample locations are presented in Figures A to E, with copies of the laboratory's Certificates of Analysis included as Appendix A to this report. A summary table of the analytical results, alteration and mineralization noted, etc. from the 2005 prospecting program, is included as Appendix B.

The sampling and prospecting surveys were undertaken by a contract crew, as detailed in Table 2.

Table 2 Summary of Sampling and Prospecting Personnel

| Personnel | Prospecting Licence Number | Dates Prospecting Conducted |
|---------------------------------|-----------------------------------|------------------------------------|
| Crew Chief: Jessica Bjorkman | E-34360 | July 18 to Aug 9, 2005 |
| Ruth Bjorkman | 1002066 | July 18 to Aug 9 |
| Ryan Jones | 1002557 | July 18 to Aug 9 |
| Scott Hamilton | Assistant | July 18 to Aug 9 |

The cost of the 2005 sampling and prospecting program totaled \$56,182.83.

3.0 Results

A total of 237 samples were collected and analysed for gold and a suite of metals as part of the 2005 prospecting program. Gold analyses ranged from a high of 5282 ppb to less than 5 ppb (method detection limit), with average crustal abundances of gold for the rock types encountered in the sampling program of 4 ppb as published by Levinson. Approximately 74% of the samples returned gold values of 5 ppb or less, similar to the sampling results from previous prospecting programs. 17.0% of analyses ranged from 5 to 20 ppb, with a further 8.3% from 20 ppb to 999 ppb. One sample returned a gold value greater than 1000 ppb (1 gram per tonne). The analytical data, as well as field observations related to alteration, mineralization, etc. are tabulated in Appendix B. A review of the data shows that anomalous gold values (particularly those greater than 100 ppb) appear to be associated with granitic or felsic rocks having 1% to 3% sulphide, as well as varying degrees of carbonate alteration. There appears to be no strong relationship to the strike of the feature sampled, magnetic response, or other features to the more anomalous gold samples.

All of the samples from the 2005 program were also analysed for a 30 element suite of metals and major elements, in addition to gold. However, no relationship between these elements and anomalous gold values was noted when the data was reviewed.

4.0 Summary

A sampling and prospecting survey was undertaken by contract personnel on the Unitronix claims in the Sturgeon Lake area during July and August 2005. The data collected from that work is summarized in this report. Anomalous gold values were returned from samples collected in the vicinity of felsic intrusions on the property, with no direct relationships to sulphide concentrations or base metal values being noted.

This report was compiled under the supervision of Dale M. Hendrick, P.Eng. who oversaw and directed the sampling and prospecting program undertaken. Mr. Hendrick has been involved in mineral exploration for the past 40 years, overseeing gold exploration programs throughout North America and around the world. This report was completed and submitted to the Ministry of Northern Development and Mines in March 2006.

Respectfully submitted,
Unitronix Corporation

A handwritten signature in black ink, appearing to read "Dm Hendrick". The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.


Dale M. Hendrick, P. Eng.

APPENDIX A
Laboratory Certificates of Analysis

Unitronix
 Date Created: 05-08-12 01:38 PM
 Job Number: 200541265
 Date Received: 8/3/2005
 Number of Samples: 100
 Type of Sample: Rock
 Date Completed:
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag | Al | As | B | Ba | Be | Ca | Cd | Co | Cr | Cu | Fe | K | Li | Mg | Mn | Mo | Na | Ni | P | Pb | Sb | Se | Si | Sn | Sr | Ti | Tl | V | W | Y | Zn |
|----------|------------|-----|------|-----|-----|-----|-----|------|-----|-----|-----|-----|------|-------|-----|------|------|-----|-------|-----|------|-----|-----|----|------|-----|-----|------|-----|-----|-----|-----|-----|
| | | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| 86973 | 910239 | <1 | 0.68 | <3 | 53 | 52 | <1 | 0.51 | <10 | 15 | 106 | 23 | 3.84 | 0.19 | 18 | 0.39 | 369 | 1 | 0.13 | 21 | 944 | 6 | <10 | <5 | 0.05 | <10 | 9 | 1752 | <1 | 65 | <10 | 10 | 110 |
| 86974 | 910240 | <1 | 0.78 | <3 | 47 | 20 | <1 | 0.64 | <10 | 19 | 109 | 66 | 2.86 | 0.07 | 12 | 0.29 | 434 | 4 | 0.12 | 25 | 531 | 2 | <10 | <5 | 0.09 | <10 | 18 | 3109 | <1 | 53 | <10 | 8 | 72 |
| 86975 | 910241 | <1 | 0.86 | <3 | 41 | 44 | <1 | 1.29 | <10 | 30 | 127 | 52 | 3.72 | 0.04 | 4 | 0.64 | 727 | <1 | 0.08 | 85 | 203 | 5 | <10 | <5 | 0.04 | 10 | 33 | <100 | <1 | 10 | <10 | 2 | 82 |
| 86976 | 910242 | <1 | 0.04 | 27 | 51 | 7 | <1 | 0.09 | <10 | 2 | 325 | 16 | 2.12 | 0.02 | <1 | 0.05 | 175 | <1 | <0.01 | 8 | 745 | 3 | <10 | <5 | 0.02 | <10 | 6 | <100 | <1 | <2 | <10 | 6 | 26 |
| 86977 | 910243 | <1 | 1.08 | <3 | 52 | 21 | <1 | 0.54 | <10 | 26 | 187 | 148 | 4.22 | 0.03 | 6 | 0.71 | 1315 | 1 | 0.04 | 76 | 1475 | 4 | <10 | <5 | 0.07 | <10 | 32 | 3271 | <1 | 10 | <10 | 4 | 90 |
| 86978 | 910244 | <1 | 0.98 | <3 | 49 | 10 | <1 | 0.65 | <10 | 30 | 179 | 97 | 3.58 | 0.01 | 2 | 0.57 | 689 | <1 | 0.03 | 51 | 161 | 2 | <10 | <5 | 0.05 | <10 | 8 | 2366 | <1 | 18 | <10 | 2 | 51 |
| 86979 | 910245 | <1 | 1.05 | <3 | 47 | 26 | <1 | 0.39 | <10 | 24 | 191 | 45 | 2.85 | <0.01 | 5 | 0.65 | 512 | <1 | 0.03 | 50 | 173 | 2 | <10 | <5 | 0.07 | <10 | 15 | 2033 | <1 | 15 | <10 | 3 | 47 |
| 86980 | 910246 | <1 | 0.80 | <3 | 45 | 29 | <1 | 1.10 | <10 | 21 | 248 | 79 | 1.77 | 0.01 | <1 | 0.42 | 425 | <1 | <0.01 | 47 | 141 | <1 | <10 | <5 | 0.05 | <10 | 15 | 1761 | <1 | 9 | <10 | 3 | 39 |
| 86981 | 910247 | <1 | 1.13 | 26 | 59 | 35 | <1 | 2.16 | <10 | 37 | 162 | 132 | 5.94 | 0.12 | 25 | 0.79 | 1097 | <1 | 0.02 | 50 | 265 | 5 | <10 | <5 | 0.04 | 21 | 32 | <100 | <1 | 28 | <10 | 3 | 84 |
| 86982 | 910248 | <1 | 0.45 | 43 | 49 | 15 | <1 | 2.94 | <10 | 30 | 129 | 82 | 4.65 | 0.05 | <1 | 0.73 | 1250 | <1 | 0.05 | 59 | 237 | 5 | <10 | <5 | 0.02 | 14 | 38 | <100 | <1 | 39 | <10 | 3 | 46 |
| 86983 | 910248 | <1 | 0.42 | 41 | 45 | 14 | <1 | 2.94 | <10 | 29 | 119 | 74 | 4.35 | 0.05 | <1 | 0.71 | 1160 | <1 | 0.04 | 55 | 213 | 6 | <10 | <5 | 0.02 | 15 | 37 | <100 | <1 | 36 | <10 | 3 | 42 |
| 86984 | 910249 | <1 | 0.40 | 52 | 44 | 12 | <1 | 3.69 | <10 | 33 | 52 | 89 | 4.85 | 0.07 | <1 | 0.78 | 1309 | <1 | 0.06 | 62 | 182 | 5 | <10 | <5 | 0.02 | 14 | 52 | <100 | <1 | 54 | <10 | 4 | 40 |
| 86985 | 910250 | <1 | 0.29 | 74 | 45 | 20 | <1 | 3.50 | <10 | 35 | 56 | 114 | 4.70 | 0.12 | <1 | 0.78 | 1329 | <1 | 0.03 | 60 | <100 | 6 | <10 | <5 | 0.02 | 17 | 57 | <100 | <1 | 59 | <10 | 2 | 32 |
| 86986 | 910280 | <1 | 1.38 | 5 | 66 | 36 | <1 | 0.11 | <10 | 29 | 141 | 23 | 8.03 | 0.05 | 64 | 0.82 | 2098 | <1 | 0.02 | 102 | 462 | 12 | <10 | <5 | 0.08 | 31 | 7 | 159 | <1 | 9 | <10 | 3 | 145 |
| 86987 | 910281 | <1 | 0.60 | <3 | 44 | 52 | <1 | 0.26 | <10 | 3 | 175 | 4 | 0.91 | 0.09 | 2 | 0.22 | 147 | <1 | 0.06 | 8 | 217 | 4 | <10 | <5 | 0.03 | <10 | 30 | <100 | <1 | <2 | <10 | <1 | 29 |
| 86988 | 910282 | <1 | 1.15 | <3 | 70 | 136 | <1 | 0.42 | <10 | 38 | 33 | 60 | 7.25 | 0.17 | 7 | 0.71 | 1640 | <1 | 0.03 | 15 | 1246 | 7 | <10 | <5 | 0.09 | <10 | 26 | 4250 | <1 | 20 | <10 | 11 | 123 |
| 86990 | 910283 | <1 | 0.61 | <3 | 47 | 36 | <1 | 0.27 | <10 | 9 | 220 | 10 | 2.46 | 0.07 | <1 | 0.25 | 470 | <1 | 0.04 | 7 | 253 | 2 | <10 | <5 | 0.03 | <10 | 30 | 1816 | <1 | 3 | <10 | 15 | 36 |
| 86991 | 910284 | <1 | 0.68 | <3 | 47 | 15 | <1 | 0.56 | <10 | 11 | 574 | 126 | 3.03 | 0.02 | <1 | 0.22 | 560 | 2 | 0.02 | 17 | 284 | 2 | <10 | <5 | 0.05 | <10 | 11 | <100 | <1 | 23 | <10 | 2 | 38 |
| 86992 | 910285 | <1 | 0.06 | <3 | 48 | 179 | <1 | 1.27 | <10 | 4 | 472 | 16 | 2.15 | <0.01 | <1 | 0.21 | 917 | 1 | 0.01 | 9 | 104 | 2 | <10 | <5 | 0.07 | <10 | 39 | <100 | <1 | 14 | <10 | 2 | 15 |
| 86993 | 910286 | <1 | 1.06 | <3 | 59 | 33 | <1 | 2.39 | <10 | 27 | 82 | 51 | 6.72 | 0.05 | 10 | 0.70 | 1402 | <1 | 0.03 | 19 | 747 | 6 | <10 | <5 | 0.04 | 31 | 71 | <100 | <1 | 69 | <10 | 4 | 82 |
| 86994 | 910287 | <1 | 1.03 | <3 | 51 | 30 | <1 | 1.22 | <10 | 21 | 126 | 43 | 4.83 | 0.03 | 5 | 0.40 | 828 | <1 | 0.05 | 27 | 580 | 4 | <10 | <5 | 0.05 | 14 | 25 | <100 | <1 | 20 | <10 | 3 | 141 |
| 86995 | 910287 | <1 | 1.04 | <3 | 53 | 31 | <1 | 1.27 | <10 | 22 | 132 | 46 | 5.03 | 0.03 | 5 | 0.41 | 870 | <1 | 0.06 | 29 | 613 | 3 | <10 | <5 | 0.06 | 13 | 27 | <100 | <1 | 21 | <10 | 3 | 146 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Unitronix
 Date Created: 05-08-12 01:38 PM
 Job Number: 200541265
 Date Received: 8/3/2005
 Number of Samples: 100
 Type of Sample: Rock
 Date Completed:
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|------|-------|--------|------|--------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 86996 | 910288 | <1 | 0.50 | <3 | 50 | 37 | <1 | 4.00 | <10 | 14 | 77 | 32 | 5.09 | 0.03 | <1 | 0.72 | 2533 | <1 | 0.06 | 25 | 375 | 6 | <10 | <5 | 0.02 | 16 | 68 | <100 | <1 | 62 | <10 | 4 | 47 |
| 86997 | 910289 | <1 | 1.09 | <3 | 61 | 51 | <1 | 0.78 | <10 | 42 | 95 | 46 | 5.72 | 0.07 | 9 | 0.64 | 1093 | <1 | 0.03 | 30 | 718 | 4 | <10 | <5 | 0.07 | <10 | 44 | 4888 | <1 | 35 | <10 | 8 | 85 |
| 86998 | 910290 | <1 | 0.98 | <3 | 49 | 16 | <1 | 0.97 | <10 | 24 | 145 | 40 | 3.33 | 0.01 | 2 | 0.59 | 599 | <1 | 0.05 | 36 | 659 | 5 | <10 | <5 | 0.07 | <10 | 31 | 2877 | <1 | 25 | <10 | 5 | 48 |
| 86999 | 910291 | <1 | 1.17 | <3 | 58 | 2 | <1 | 0.48 | <10 | 47 | 77 | 117 | 5.67 | <0.01 | 5 | 0.67 | 822 | <1 | 0.03 | 57 | 487 | 3 | <10 | <5 | 0.06 | <10 | 17 | 4289 | <1 | 31 | <10 | 5 | 85 |
| 87000 | 910292 | <1 | 0.98 | <3 | 57 | 60 | <1 | 1.01 | <10 | 50 | 143 | 117 | 4.81 | 0.11 | <1 | 0.42 | 1138 | <1 | 0.03 | 35 | 542 | 1 | <10 | <5 | 0.07 | <10 | 50 | 5293 | <1 | 46 | <10 | 5 | 95 |
| 87001 | 910293 | <1 | 0.77 | <3 | 50 | 13 | <1 | 1.92 | <10 | 20 | 189 | 60 | 2.20 | 0.01 | <1 | 0.33 | 454 | <1 | 0.01 | 21 | 198 | 1 | <10 | <5 | 0.04 | <10 | 34 | 2203 | <1 | 59 | <10 | 7 | 67 |
| 87002 | 910294 | <1 | 1.26 | <3 | 57 | 8 | <1 | 1.82 | <10 | 46 | 273 | 98 | 5.52 | <0.01 | 26 | 0.91 | 1158 | <1 | 0.02 | 89 | 162 | 2 | <10 | <5 | 0.04 | <10 | 34 | 2203 | <1 | 59 | <10 | 7 | 67 |
| 87002 | 910294 | <1 | 1.26 | <3 | 57 | 8 | <1 | 1.82 | <10 | 46 | 273 | 98 | 5.52 | <0.01 | 26 | 0.91 | 1158 | <1 | 0.02 | 89 | 162 | 2 | <10 | <5 | 0.04 | <10 | 34 | 2203 | <1 | 59 | <10 | 7 | 67 |
| 87002 | 910294 | <1 | 1.26 | <3 | 57 | 8 | <1 | 1.82 | <10 | 46 | 273 | 98 | 5.52 | <0.01 | 26 | 0.91 | 1158 | <1 | 0.02 | 89 | 162 | 2 | <10 | <5 | 0.04 | <10 | 34 | 2203 | <1 | 59 | <10 | 7 | 67 |
| 87003 | 910296 | <1 | 0.49 | <3 | 42 | 78 | <1 | 0.58 | <10 | 4 | 98 | 3 | 1.13 | 0.15 | <1 | 0.15 | 446 | <1 | 0.04 | 10 | 331 | 1 | <10 | <5 | 0.02 | <10 | 38 | <100 | <1 | <2 | <10 | 2 | 28 |
| 87003 | 910296 | <1 | 0.49 | <3 | 42 | 78 | <1 | 0.58 | <10 | 4 | 98 | 3 | 1.13 | 0.15 | <1 | 0.15 | 446 | <1 | 0.04 | 10 | 331 | 1 | <10 | <5 | 0.02 | <10 | 38 | <100 | <1 | <2 | <10 | 2 | 28 |
| 87003 | 910296 | <1 | 0.49 | <3 | 42 | 78 | <1 | 0.58 | <10 | 4 | 98 | 3 | 1.13 | 0.15 | <1 | 0.15 | 446 | <1 | 0.04 | 10 | 331 | 1 | <10 | <5 | 0.02 | <10 | 38 | <100 | <1 | <2 | <10 | 2 | 28 |
| 87004 | 910297 | <1 | 0.87 | <3 | 49 | 39 | <1 | 0.50 | <10 | 10 | 127 | 15 | 2.47 | 0.14 | 3 | 0.49 | 435 | <1 | 0.08 | 18 | 404 | 1 | <10 | <5 | 0.05 | <10 | 32 | <100 | <1 | 2 | <10 | 2 | 52 |
| 87004 | 910297 | <1 | 0.87 | <3 | 49 | 39 | <1 | 0.50 | <10 | 10 | 127 | 15 | 2.47 | 0.14 | 3 | 0.49 | 435 | <1 | 0.08 | 18 | 404 | 1 | <10 | <5 | 0.05 | <10 | 32 | <100 | <1 | 2 | <10 | 2 | 52 |
| 87004 | 910297 | <1 | 0.87 | <3 | 49 | 39 | <1 | 0.50 | <10 | 10 | 127 | 15 | 2.47 | 0.14 | 3 | 0.49 | 435 | <1 | 0.08 | 18 | 404 | 1 | <10 | <5 | 0.05 | <10 | 32 | <100 | <1 | 2 | <10 | 2 | 52 |
| 87005 | 910298 | <1 | 0.83 | <3 | 48 | 81 | <1 | 0.32 | <10 | 11 | 132 | 11 | 2.05 | 0.16 | <1 | 0.32 | 606 | <1 | 0.05 | 17 | 546 | 14 | <10 | <5 | 0.04 | <10 | 18 | 1394 | <1 | <2 | <10 | 3 | 54 |
| 87005 | 910298 | <1 | 0.83 | <3 | 48 | 81 | <1 | 0.32 | <10 | 11 | 132 | 11 | 2.05 | 0.16 | <1 | 0.32 | 606 | <1 | 0.05 | 17 | 546 | 14 | <10 | <5 | 0.04 | <10 | 18 | 1394 | <1 | <2 | <10 | 3 | 54 |
| 87005 | 910298 | <1 | 0.83 | <3 | 48 | 81 | <1 | 0.32 | <10 | 11 | 132 | 11 | 2.05 | 0.16 | <1 | 0.32 | 606 | <1 | 0.05 | 17 | 546 | 14 | <10 | <5 | 0.04 | <10 | 18 | 1394 | <1 | <2 | <10 | 3 | 54 |
| 87006 | 910298 | 2 | 0.80 | <3 | 46 | 76 | <1 | 0.31 | <10 | 10 | 126 | 10 | 1.94 | 0.15 | <1 | 0.31 | 575 | <1 | 0.05 | 17 | 514 | 13 | <10 | <5 | 0.03 | <10 | 17 | 1333 | <1 | <2 | <10 | 3 | 53 |
| 87006 | 910298 | 2 | 0.80 | <3 | 46 | 76 | <1 | 0.31 | <10 | 10 | 126 | 10 | 1.94 | 0.15 | <1 | 0.31 | 575 | <1 | 0.05 | 17 | 514 | 13 | <10 | <5 | 0.03 | <10 | 17 | 1333 | <1 | <2 | <10 | 3 | 53 |
| 87006 | 910298 | 2 | 0.80 | <3 | 46 | 76 | <1 | 0.31 | <10 | 10 | 126 | 10 | 1.94 | 0.15 | <1 | 0.31 | 575 | <1 | 0.05 | 17 | 514 | 13 | <10 | <5 | 0.03 | <10 | 17 | 1333 | <1 | <2 | <10 | 3 | 53 |
| 87007 | 910300 | <1 | 0.90 | <3 | 45 | 41 | <1 | 0.27 | <10 | 12 | 167 | 22 | 2.22 | 0.16 | 3 | 0.48 | 420 | <1 | 0.04 | 19 | 396 | 2 | <10 | <5 | 0.04 | <10 | 8 | 942 | <1 | <2 | <10 | 3 | 44 |
| 87007 | 910300 | <1 | 0.90 | <3 | 45 | 41 | <1 | 0.27 | <10 | 12 | 167 | 22 | 2.22 | 0.16 | 3 | 0.48 | 420 | <1 | 0.04 | 19 | 396 | 2 | <10 | <5 | 0.04 | <10 | 8 | 942 | <1 | <2 | <10 | 3 | 44 |
| 87007 | 910300 | <1 | 0.90 | <3 | 45 | 41 | <1 | 0.27 | <10 | 12 | 167 | 22 | 2.22 | 0.16 | 3 | 0.48 | 420 | <1 | 0.04 | 19 | 396 | 2 | <10 | <5 | 0.04 | <10 | 8 | 942 | <1 | <2 | <10 | 3 | 44 |
| 87008 | 910301 | <1 | 0.88 | 56 | 53 | 53 | <1 | 2.56 | <10 | 42 | 152 | 130 | 5.39 | 0.10 | 10 | 0.79 | 1084 | <1 | 0.05 | 87 | 264 | 6 | <10 | <5 | 0.03 | 16 | 39 | <100 | <1 | 27 | <10 | 3 | 55 |
| 87008 | 910301 | <1 | 0.88 | 56 | 53 | 53 | <1 | 2.56 | <10 | 42 | 152 | 130 | 5.39 | 0.10 | 10 | 0.79 | 1084 | <1 | 0.05 | 87 | 264 | 6 | <10 | <5 | 0.03 | 16 | 39 | <100 | <1 | 27 | <10 | 3 | 55 |
| 87008 | 910301 | <1 | 0.88 | 56 | 53 | 53 | <1 | 2.56 | <10 | 42 | 152 | 130 | 5.39 | 0.10 | 10 | 0.79 | 1084 | <1 | 0.05 | 87 | 264 | 6 | <10 | <5 | 0.03 | 16 | 39 | <100 | <1 | 27 | <10 | 3 | 55 |
| 87008 | 910301 | <1 | 0.88 | 56 | 53 | 53 | <1 | 2.56 | <10 | 42 | 152 | 130 | 5.39 | 0.10 | 10 | 0.79 | 1084 | <1 | 0.05 | 87 | 264 | 6 | <10 | <5 | 0.03 | 16 | 39 | <100 | <1 | 27 | <10 | 3 | 55 |
| 87009 | 910302 | <1 | 0.76 | 65 | 49 | 29 | <1 | 2.88 | <10 | 34 | 174 | 65 | 4.95 | 0.09 | 6 | 0.81 | 1058 | <1 | 0.04 | 74 | 141 | 6 | <10 | <5 | 0.02 | 18 | 56 | <100 | <1 | 29 | <10 | 3 | 44 |
| 87009 | 910302 | <1 | 0.76 | 65 | 49 | 29 | <1 | 2.88 | <10 | 34 | 174 | 65 | 4.95 | 0.09 | 6 | 0.81 | 1058 | <1 | 0.04 | 74 | 141 | 6 | <10 | <5 | 0.02 | 18 | 56 | <100 | <1 | 29 | <10 | 3 | 44 |
| 87009 | 910302 | <1 | 0.76 | 65 | 49 | 29 | <1 | 2.88 | <10 | 34 | 174 | 65 | 4.95 | 0.09 | 6 | 0.81 | 1058 | <1 | 0.04 | 74 | 141 | 6 | <10 | <5 | 0.02 | 18 | 56 | <100 | <1 | 29 | <10 | 3 | 44 |
| 87009 | 910302 | <1 | 0.76 | 65 | 49 | 29 | <1 | 2.88 | <10 | 34 | 174 | 65 | 4.95 | 0.09 | 6 | 0.81 | 1058 | <1 | 0.04 | 74 | 141 | 6 | <10 | <5 | 0.02 | 18 | 56 | <100 | <1 | 29 | <10 | 3 | 44 |
| 87010 | 910303 | <1 | 0.86 | 11 | 46 | 25 | <1 | 1.28 | <10 | 20 | 91 | 29 | 4.07 | 0.06 | 7 | 0.58 | 596 | <1 | 0.06 | 17 | 640 | 3 | <10 | <5 | 0.05 | 13 | 22 | <100 | <1 | 16 | <10 | 3 | 54 |
| 87010 | 910303 | <1 | 0.86 | 11 | 46 | 25 | <1 | 1.28 | <10 | 20 | 91 | 29 | 4.07 | 0.06 | 7 | 0.58 | 596 | <1 | 0.06 | 17 | 640 | 3 | <10 | <5 | 0.05 | 13 | 22 | <100 | <1 | 16 | <10 | 3 | 54 |
| 87010 | 910303 | <1 | 0.86 | 11 | 46 | 25 | <1 | 1.28 | <10 | 20 | 91 | 29 | 4.07 | 0.06 | 7 | 0.58 | 596 | <1 | 0.06 | 17 | 640 | 3 | <10 | <5 | 0.05 | 13 | 22 | <100 | <1 | 16 | <10 | 3 | 54 |
| 87010 | 910303 | <1 | 0.86 | 11 | 46 | 25 | <1 | 1.28 | <10 | 20 | 91 | 29 | 4.07 | 0.06 | 7 | 0.58 | 596 | <1 | 0.06 | 17 | 640 | 3 | <10 | <5 | 0.05 | 13 | 22 | <100 | <1 | 16 | <10 | 3 | 54 |
| 87011 | 910304 | <1 | 1.15 | <3 | 53 | 10 | <1 | 0.39 | <10 | 35 | 136 | 86 | 4.72 | 0.02 | 6 | 0.75 | 778 | <1 | 0.03 | 56 | 425 | 2 | <10 | <5 | 0.07 | <10 | 15 | 3395 | <1 | 24 | <10 | 5 | 58 |
| 87011 | 910304 | <1 | 1.15 | <3 | 53 | 10 | <1 | 0.39 | <10 | 35 | 136 | 86 | 4.72 | 0.02 | 6 | 0.75 | 778 | <1 | 0.03 | 56 | 425 | 2 | <10 | <5 | 0.07 | <10 | 15 | 3395 | <1 | 24 | <10 | 5 | 58 |
| 87011 | 910304 | <1 | 1.15 | <3 | 53 | 10 | <1 | 0.39 | <10 | 35 | 136 | 86 | 4.72 | 0.02 | 6 | 0.75 | 778 | <1 | 0.03 | 56 | 425 | 2 | <10 | <5 | 0.07 | <10 | 15 | 3395 | <1 | 24 | <10 | 5 | 58 |
| 87011 | 910304 | <1 | 1.15 | <3 | 53 | 10 | <1 | 0.39 | <10 | 35 | 136 | 86 | 4.72 | 0.02 | 6 | 0.75 | 778 | <1 | 0.03 | 56 | 425 | 2 | <10 | <5 | 0.07 | <10 | 15 | 3395 | <1 | 24 | <10 | 5 | 58 |
| 87012 | 910305 | <1 | 0.48 | 6 | 41 | 69 | <1 | 0.61 | <10 | 3 | 190 | 8 | 1.12 | 0.23 | <1 | 0.10 | 175 | <1 | 0.03 | 5 | 419 | 1 | <10 | <5 | 0.02 | <10 | 19 | <100 | <1 | <2 | <10 | 2 | 35 |
| 87012 | 910305 | <1 | 0.48 | 6 | 41 | 69 | <1 | 0.61 | <10 | 3 | 190 | 8 | 1.12 | 0.23 | <1</ | | | | | | | | | | | | | | | | | | |

Unitronix
 Date Created: 05-08-12 01:38 PM
 Job Number: 200541265
 Date Received: 8/3/2005
 Number of Samples: 100
 Type of Sample: Rock
 Date Completed:
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|--------|-------|--------|------|--------|--------|-------|--------|-------|--------|--------|--------|-------|--------|--------|--------|--------|-------|-------|-------|--------|
| 87018 | 910310 | <1 | 0.36 | 7 | 45 | 69 | <1 | 0.01 | <10 | 2 | 286 | 9 | 1.05 | 0.23 | <1 | 0.02 | <100 | <1 | 0.04 | 6 | 218 | 23 | <10 | <5 | 0.02 | <10 | 7 | 575 | <1 | <2 | <10 | 5 | 9 |
| 87019 | 910311 | <1 | 0.88 | <3 | 81 | 2 | <1 | 3.02 | <10 | 16 | 49 | 14 | >10.00 | <0.01 | 4 | 0.71 | 6309 | <1 | <0.01 | 16 | 169 | 15 | <10 | <5 | <0.01 | 52 | 73 | <100 | 3 | 37 | <10 | 3 | 42 |
| 87020 | 910312 | <1 | 1.09 | <3 | 53 | 7 | <1 | 0.46 | <10 | 31 | 107 | 108 | 4.39 | <0.01 | 7 | 0.67 | 804 | <1 | 0.02 | 40 | 302 | 2 | <10 | <5 | 0.04 | <10 | 17 | 3164 | <1 | 35 | <10 | 6 | 50 |
| 87021 | 910313 | <1 | 1.25 | 5 | 67 | 15 | <1 | 0.89 | <10 | 56 | 131 | 113 | 6.98 | 0.02 | 11 | 0.84 | 1471 | <1 | 0.02 | 80 | 438 | 6 | <10 | <5 | 0.05 | <10 | 38 | 4248 | <1 | 73 | <10 | 9 | 102 |
| 87022 | 910314 | <1 | 1.16 | <3 | 67 | 27 | <1 | 0.58 | <10 | 39 | 38 | 33 | 7.81 | <0.01 | 22 | 0.71 | 1126 | <1 | 0.03 | 14 | 957 | 6 | <10 | <5 | 0.05 | <10 | 22 | 4685 | <1 | 54 | <10 | 22 | 105 |
| 87023 | 910315 | <1 | 0.97 | <3 | 49 | 29 | <1 | 0.40 | <10 | 27 | 99 | 99 | 3.22 | <0.01 | 2 | 0.56 | 625 | <1 | 0.05 | 42 | 256 | 2 | <10 | <5 | 0.06 | <10 | 8 | 3099 | <1 | 19 | <10 | 4 | 42 |
| 87024 | 910316 | <1 | 0.36 | <3 | 41 | 59 | <1 | 0.15 | <10 | 2 | 202 | 5 | 1.28 | 0.15 | <1 | 0.08 | 185 | <1 | 0.04 | 5 | <100 | 3 | <10 | <5 | 0.02 | <10 | 8 | <100 | <1 | <2 | <10 | 1 | 26 |
| 87025 | 910317 | <1 | 0.41 | <3 | 38 | 70 | <1 | 0.37 | <10 | 4 | 206 | 13 | 1.15 | 0.07 | <1 | 0.16 | 196 | <1 | 0.08 | 8 | 241 | 3 | <10 | <5 | 0.01 | <10 | 42 | <100 | <1 | <2 | <10 | 1 | 12 |
| 87026 | 910318 | <1 | 0.26 | 12 | 43 | 32 | <1 | 0.47 | <10 | 3 | 196 | 9 | 0.96 | 0.07 | <1 | 0.13 | 234 | <1 | 0.08 | 6 | 259 | 2 | <10 | <5 | 0.01 | <10 | 43 | <100 | <1 | <2 | <10 | <1 | 17 |
| 87027 | 910319 | <1 | 0.28 | 25 | 48 | 44 | <1 | 0.12 | <10 | 5 | 283 | 5 | 1.13 | 0.07 | <1 | 0.02 | 174 | 10 | 0.08 | 10 | 207 | 6 | <10 | <5 | 0.01 | <10 | 19 | <100 | <1 | <2 | <10 | <1 | 47 |
| 87028 | 910319 | <1 | 0.24 | 23 | 38 | 39 | <1 | 0.11 | <10 | 5 | 246 | 7 | 1.14 | 0.06 | <1 | 0.02 | 165 | 10 | 0.07 | 15 | 191 | 4 | <10 | <5 | 0.02 | <10 | 18 | <100 | <1 | <2 | <10 | <1 | 102 |
| 87029 | 910320 | <1 | 0.41 | 50 | 45 | 32 | <1 | 1.63 | <10 | 24 | 166 | 57 | 5.01 | 0.08 | <1 | 0.50 | 1052 | <1 | 0.04 | 46 | 220 | 21 | <10 | <5 | 0.01 | 14 | 77 | <100 | <1 | 9 | <10 | 3 | 74 |
| 87030 | 910321 | <1 | 1.13 | 12 | 60 | 58 | <1 | 0.53 | <10 | 42 | 88 | 174 | 6.14 | 0.10 | 7 | 0.69 | 1135 | <1 | 0.03 | 51 | 671 | 3 | <10 | <5 | 0.08 | <10 | 20 | 4067 | <1 | 93 | <10 | 8 | 74 |
| 87031 | 910322 | <1 | 1.24 | 4 | 60 | 7 | <1 | 0.31 | <10 | 41 | 66 | 103 | 6.26 | 0.01 | 14 | 0.76 | 928 | 1 | 0.04 | 28 | 543 | 4 | <10 | <5 | 0.07 | <10 | 20 | 2669 | <1 | 23 | <10 | 4 | 76 |
| 87032 | 910323 | <1 | 0.88 | <3 | 52 | 3 | <1 | 0.38 | <10 | 21 | 163 | 90 | 3.92 | <0.01 | <1 | 0.49 | 399 | <1 | 0.08 | 26 | 310 | 5 | <10 | <5 | 0.08 | <10 | 5 | 2064 | <1 | 16 | <10 | 3 | 435 |
| 87033 | 910324 | <1 | 1.27 | 12 | 66 | 21 | <1 | 0.37 | <10 | 32 | 114 | 105 | 7.59 | 0.06 | 25 | 0.83 | 1500 | <1 | 0.03 | 25 | 825 | 5 | <10 | <5 | 0.06 | <10 | <5 | 6887 | <1 | 71 | <10 | 18 | 283 |
| 87034 | 910325 | <1 | 1.24 | 8 | 61 | 13 | <1 | 0.54 | <10 | 40 | 149 | 55 | 6.09 | 0.01 | 8 | 0.74 | 1141 | <1 | 0.02 | 47 | 914 | 2 | <10 | <5 | 0.06 | <10 | 40 | 3713 | <1 | 24 | <10 | 10 | 88 |
| 87035 | 910326 | <1 | 1.21 | <3 | 59 | 6 | <1 | 0.46 | <10 | 38 | 101 | 64 | 5.88 | <0.01 | 12 | 0.73 | 914 | <1 | 0.03 | 41 | 811 | 3 | <10 | <5 | 0.06 | <10 | 17 | 4839 | <1 | 33 | <10 | 10 | 85 |
| 87036 | 910327 | <1 | 1.22 | <3 | 56 | 8 | <1 | 2.29 | <10 | 45 | 232 | 135 | 5.78 | <0.01 | 19 | 0.90 | 1340 | <1 | 0.02 | 88 | 247 | 4 | <10 | <5 | 0.05 | <10 | 61 | 2950 | <1 | 69 | <10 | 8 | 70 |
| 87037 | 910328 | <1 | 1.17 | <3 | 54 | 15 | <1 | 0.48 | <10 | 40 | 133 | 89 | 4.53 | 0.01 | 9 | 0.78 | 1092 | <1 | 0.03 | 63 | 408 | 2 | <10 | <5 | 0.06 | <10 | 20 | 4161 | <1 | 32 | <10 | 6 | 69 |
| 87038 | 910329 | <1 | 1.26 | <3 | 61 | 38 | <1 | 1.32 | <10 | 46 | 158 | 112 | 7.12 | <0.01 | 23 | 0.83 | 1403 | <1 | 0.03 | 77 | 346 | 6 | <10 | <5 | 0.04 | 31 | 35 | 176 | <1 | 112 | <10 | 4 | 102 |
| 87039 | 910329 | <1 | 1.25 | <3 | 65 | 39 | <1 | 1.35 | <10 | 47 | 162 | 112 | 7.21 | <0.01 | 24 | 0.84 | 1432 | <1 | 0.03 | 78 | 348 | 5 | <10 | <5 | 0.04 | 27 | 36 | 163 | <1 | 116 | <10 | 4 | 104 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Unitronix
 Date Created: 05-08-12 01:38 PM
 Job Number: 200541265
 Date Received: 8/3/2005
 Number of Samples: 100
 Type of Sample: Rock
 Date Completed:
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|------|-------|--------|------|--------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 87040 | 910330 | <1 | 1.03 | <3 | 57 | 48 | <1 | 2.18 | <10 | 35 | 120 | 128 | 6.14 | 0.04 | 6 | 0.70 | 1428 | <1 | 0.04 | 35 | 434 | 6 | <10 | <5 | 0.04 | 23 | 68 | <100 | <1 | 124 | <10 | 4 | 75 |
| 87041 | 910331 | <1 | 0.65 | <3 | 41 | 10 | <1 | 0.13 | <10 | 8 | 170 | 6 | 1.38 | 0.02 | <1 | 0.35 | 212 | <1 | 0.08 | 16 | 124 | <1 | <10 | <5 | 0.06 | <10 | 5 | 607 | <1 | 6 | <10 | <1 | 17 |
| 87042 | 910332 | <1 | 1.07 | <3 | 47 | 11 | <1 | 0.54 | <10 | 25 | 139 | 71 | 3.31 | 0.01 | <1 | 0.71 | 620 | <1 | 0.04 | 53 | 211 | 2 | <10 | <5 | 0.05 | <10 | 11 | 1525 | <1 | 26 | <10 | 3 | 49 |
| 87043 | 910333 | <1 | 0.91 | <3 | 48 | 14 | <1 | 0.44 | <10 | 20 | 265 | 84 | 3.03 | 0.03 | <1 | 0.52 | 434 | 3 | 0.06 | 27 | 304 | 2 | <10 | <5 | 0.04 | <10 | 15 | 2352 | <1 | 23 | <10 | 3 | 30 |
| 87044 | 910334 | <1 | 1.21 | <3 | 48 | 3 | <1 | 0.34 | <10 | 31 | 174 | 27 | 2.95 | <0.01 | 12 | 0.87 | 480 | <1 | 0.02 | 152 | <100 | 2 | <10 | <5 | 0.06 | <10 | 9 | 708 | <1 | 8 | <10 | 1 | 39 |
| 87045 | 910335 | <1 | 1.22 | <3 | 44 | 9 | <1 | 0.51 | <10 | 33 | 205 | 63 | 3.19 | <0.01 | 14 | 0.89 | 567 | <1 | 0.03 | 165 | <100 | 1 | <10 | <5 | 0.06 | <10 | 8 | 777 | <1 | 8 | <10 | 1 | 44 |
| 87046 | 910351 | <1 | 0.40 | <3 | 41 | 64 | <1 | 0.21 | <10 | 1 | 188 | 19 | 0.82 | 0.27 | <1 | 0.05 | 251 | <1 | 0.03 | 5 | <100 | 3 | <10 | <5 | 0.05 | <10 | 15 | 1515 | <1 | 68 | <10 | 6 | 33 |
| 87047 | 910352 | <1 | 1.08 | <3 | 48 | 16 | <1 | 2.31 | <10 | 24 | 260 | <1 | 3.88 | 0.02 | 12 | 0.76 | 971 | <1 | 0.04 | 59 | 287 | 2 | <10 | <5 | 0.05 | <10 | 15 | 1515 | <1 | 16 | <10 | 2 | 35 |
| 87048 | 910353 | <1 | 1.03 | <3 | 49 | 19 | <1 | 0.74 | <10 | 29 | 252 | 63 | 3.03 | 0.01 | 2 | 0.58 | 648 | <1 | 0.02 | 63 | 238 | <1 | <10 | <5 | 0.04 | <10 | 30 | 2251 | <1 | 22 | <10 | 4 | 46 |
| 87049 | 910354 | <1 | 1.11 | <3 | 50 | 11 | <1 | 0.45 | <10 | 34 | 194 | 101 | 3.75 | <0.01 | 1 | 0.68 | 728 | <1 | 0.03 | 60 | 378 | 2 | <10 | <5 | 0.05 | <10 | 43 | 2856 | <1 | 22 | <10 | 4 | 46 |
| 87050 | 910354 | <1 | 1.10 | <3 | 49 | 11 | <1 | 0.43 | <10 | 34 | 189 | 103 | 3.72 | <0.01 | 1 | 0.68 | 721 | <1 | 0.03 | 60 | 378 | 2 | <10 | <5 | 0.05 | <10 | 41 | 2763 | <1 | 20 | <10 | 4 | 46 |
| 87051 | 910355 | <1 | 1.14 | <3 | 57 | 12 | <1 | 0.28 | <10 | 29 | 102 | 92 | 4.82 | <0.01 | 5 | 0.68 | 899 | <1 | 0.02 | 31 | 310 | 2 | <10 | <5 | 0.05 | <10 | <5 | 3046 | <1 | 25 | <10 | 2 | 61 |
| 87052 | 910356 | <1 | 1.21 | <3 | 59 | 24 | <1 | 1.72 | <10 | 42 | 148 | 150 | 7.11 | <0.01 | 8 | 0.78 | 1443 | <1 | 0.02 | 36 | 450 | 6 | <10 | <5 | 0.04 | 26 | 116 | 149 | 1 | 105 | <10 | 3 | 98 |
| 87053 | 910357 | <1 | 1.17 | <3 | 55 | 14 | <1 | 0.42 | <10 | 35 | 89 | 43 | 5.18 | <0.01 | <1 | 0.84 | 1102 | <1 | 0.05 | 33 | 475 | 3 | <10 | <5 | 0.05 | <10 | 15 | 3520 | <1 | 86 | <10 | 8 | 83 |
| 87054 | 910358 | <1 | 1.26 | <3 | 55 | 18 | <1 | 1.08 | <10 | 51 | 273 | 112 | 6.25 | <0.01 | 14 | 0.94 | 1424 | <1 | 0.02 | 105 | 277 | 5 | <10 | <5 | 0.04 | <10 | 23 | 1856 | <1 | 80 | <10 | 7 | 85 |
| 87055 | 910359 | <1 | 1.08 | <3 | 48 | 17 | <1 | 0.61 | 14 | 28 | 134 | 311 | 3.79 | 0.02 | 8 | 0.69 | 750 | <1 | 0.02 | 33 | 196 | 2 | <10 | <5 | 0.03 | <10 | 13 | 1408 | <1 | 25 | <10 | 3 | 823 |
| 87056 | 910360 | <1 | 1.17 | <3 | 51 | 4 | <1 | 0.73 | <10 | 37 | 242 | 120 | 4.02 | <0.01 | 9 | 0.82 | 770 | <1 | 0.02 | 96 | 197 | 2 | <10 | <5 | 0.05 | <10 | 29 | 2314 | <1 | 31 | <10 | 4 | 55 |
| 87057 | 910361 | <1 | 1.24 | <3 | 63 | 16 | <1 | 0.41 | <10 | 44 | 130 | 63 | 6.64 | <0.01 | 10 | 0.81 | 1338 | <1 | 0.02 | 36 | 478 | 4 | <10 | <5 | 0.05 | <10 | 18 | 3373 | <1 | 85 | <10 | 9 | 97 |
| 87058 | 910362 | <1 | 0.66 | <3 | 43 | 37 | <1 | 0.21 | <10 | 5 | 196 | 4 | 1.25 | 0.11 | 1 | 0.27 | 235 | <1 | 0.05 | 12 | 297 | <1 | <10 | <5 | 0.01 | <10 | 17 | 347 | <1 | <2 | <10 | 2 | 22 |
| 87059 | 910363 | <1 | 0.54 | 4 | 43 | 11 | <1 | 0.46 | <10 | 7 | 376 | 26 | 1.60 | 0.03 | <1 | 0.23 | 237 | 18 | 0.04 | 12 | 103 | 3 | <10 | <5 | 0.02 | <10 | 10 | 119 | <1 | <2 | <10 | <1 | 15 |
| 87060 | 910364 | <1 | 1.10 | <3 | 54 | 10 | <1 | 0.63 | <10 | 36 | 101 | 90 | 4.20 | 0.01 | 4 | 0.77 | 854 | <1 | 0.05 | 78 | 270 | 2 | <10 | <5 | 0.05 | <10 | 20 | 3596 | <1 | 39 | <10 | 6 | 48 |
| 87061 | 910364 | <1 | 1.08 | <3 | 47 | 9 | <1 | 0.57 | <10 | 33 | 92 | 82 | 3.90 | <0.01 | 3 | 0.74 | 785 | <1 | 0.04 | 72 | 244 | 2 | <10 | <5 | 0.06 | <10 | 17 | 3297 | <1 | 36 | <10 | 5 | 46 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Unitronix
 Date Created: 05-08-12 01:38 PM
 Job Number: 200541265
 Date Received: 8/3/2005
 Number of Samples: 100
 Type of Sample: Rock
 Date Completed:
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|------|-------|--------|------|--------|--------|-------|--------|-------|--------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 87062 | 910365 | <1 | 0.83 | <3 | 46 | 7 | <1 | 0.50 | <10 | 11 | 179 | 13 | 1.78 | 0.02 | 4 | 0.46 | 264 | <1 | 0.04 | 52 | 192 | 1 | <10 | <5 | 0.02 | <10 | 27 | 1488 | <1 | 12 | <10 | 2 | 22 |
| 87063 | 910366 | <1 | 0.28 | <3 | 41 | 2 | <1 | 1.25 | <10 | 4 | 604 | 9 | 1.09 | <0.01 | <1 | 0.16 | 209 | 2 | <0.01 | 16 | <100 | <1 | <10 | <5 | 0.02 | <10 | <5 | 110 | <1 | 10 | <10 | <1 | 5 |
| 87064 | 910367 | 1 | 0.37 | <3 | 43 | 6 | <1 | 0.33 | <10 | 11 | 436 | 347 | 1.39 | 0.02 | <1 | 0.22 | 204 | 1 | 0.04 | 19 | 132 | <1 | <10 | <5 | 0.04 | <10 | 9 | 894 | <1 | 15 | <10 | 2 | 26 |
| 87065 | 910368 | <1 | 0.95 | <3 | 52 | 9 | <1 | 0.27 | <10 | 23 | 358 | 67 | 3.99 | 0.02 | 11 | 0.68 | 579 | <1 | 0.04 | 44 | 159 | 3 | <10 | <5 | 0.08 | <10 | 15 | 2048 | <1 | 61 | <10 | 4 | 46 |
| 87066 | 910369 | <1 | 0.84 | <3 | 51 | 10 | <1 | 0.51 | <10 | 26 | 138 | 67 | 3.24 | 0.03 | 4 | 0.55 | 496 | <1 | 0.06 | 41 | 408 | 2 | <10 | <5 | 0.03 | <10 | 39 | 2180 | <1 | 42 | <10 | 6 | 35 |
| 87067 | 910370 | <1 | 1.27 | <3 | 54 | 18 | <1 | 0.22 | <10 | 49 | 184 | 109 | 5.52 | 0.05 | 62 | 0.95 | 1194 | 1 | 0.04 | 104 | 305 | 4 | <10 | <5 | 0.06 | <10 | 10 | 1785 | <1 | 55 | <10 | 3 | 87 |
| 87068 | 910371 | 6 | 0.49 | <3 | 40 | 35 | <1 | 0.22 | <10 | 4 | 201 | 10 | 0.64 | 0.06 | <1 | 0.19 | 121 | <1 | 0.07 | 6 | 265 | <1 | <10 | <5 | 0.04 | <10 | 34 | 409 | <1 | <2 | <10 | <1 | 40 |
| 87069 | 910372 | <1 | 1.09 | <3 | 53 | 4 | <1 | 0.51 | <10 | 35 | 140 | 103 | 4.50 | <0.01 | 8 | 0.71 | 749 | <1 | 0.03 | 54 | 405 | 2 | <10 | <5 | 0.06 | <10 | 26 | 2425 | <1 | 38 | <10 | 6 | 69 |
| 87070 | 910373 | <1 | 1.10 | <3 | 55 | 10 | <1 | 1.13 | <10 | 38 | 166 | 219 | 4.86 | 0.05 | 15 | 0.78 | 751 | <1 | 0.03 | 107 | 340 | 3 | <10 | <5 | 0.05 | <10 | 12 | 1678 | <1 | 36 | <10 | 4 | 66 |
| 87071 | 910374 | <1 | 1.13 | <3 | 51 | 5 | <1 | 0.64 | <10 | 39 | 146 | 92 | 4.03 | <0.01 | 9 | 0.83 | 739 | <1 | 0.02 | 89 | 267 | <1 | <10 | <5 | 0.05 | <10 | 18 | 2132 | <1 | 21 | <10 | 4 | 51 |
| 87072 | 910374 | <1 | 1.15 | <3 | 56 | 6 | <1 | 0.68 | <10 | 42 | 156 | 98 | 4.29 | <0.01 | 10 | 0.85 | 796 | <1 | 0.02 | 96 | 272 | 2 | <10 | <5 | 0.05 | <10 | 19 | 2294 | <1 | 23 | <10 | 5 | 54 |
| 87073 | 910375 | <1 | 0.35 | <3 | 42 | 56 | <1 | 0.19 | <10 | 7 | 235 | 13 | 1.39 | 0.18 | <1 | 0.06 | 216 | 18 | 0.03 | 10 | 295 | 2 | <10 | <5 | 0.02 | <10 | 8 | <100 | <1 | <2 | <10 | 1 | 16 |
| 87074 | 910376 | <1 | 1.13 | <3 | 62 | 7 | <1 | 1.12 | <10 | 39 | 85 | 82 | 5.27 | <0.01 | 9 | 0.77 | 1001 | <1 | 0.05 | 61 | 1797 | 3 | <10 | <5 | 0.05 | <10 | 35 | 3393 | <1 | 45 | <10 | 8 | 79 |
| 87075 | 910377 | <1 | 0.96 | <3 | 49 | 5 | <1 | 0.46 | <10 | 30 | 91 | 123 | 3.82 | 0.01 | 7 | 0.55 | 556 | 1 | 0.04 | 24 | 481 | 3 | <10 | <5 | 0.03 | <10 | 14 | 1397 | <1 | 34 | <10 | 5 | 50 |
| 87076 | 910378 | <1 | 1.05 | <3 | 50 | 23 | <1 | 0.36 | <10 | 32 | 131 | 52 | 3.87 | 0.01 | 10 | 0.72 | 602 | 4 | 0.04 | 57 | 405 | 2 | <10 | <5 | 0.04 | <10 | 11 | 2188 | <1 | 27 | <10 | 4 | 60 |
| 87077 | 910379 | <1 | 0.97 | <3 | 51 | 4 | <1 | 0.43 | <10 | 30 | 168 | 109 | 3.79 | 0.01 | 7 | 0.63 | 566 | 5 | 0.05 | 39 | 341 | 2 | <10 | <5 | 0.05 | <10 | 19 | 2018 | <1 | 34 | <10 | 4 | 49 |
| 87078 | 910380 | <1 | 0.93 | <3 | 47 | 12 | <1 | 0.53 | <10 | 31 | 245 | 58 | 3.17 | <0.01 | 4 | 0.60 | 426 | <1 | 0.02 | 46 | 1418 | 2 | <10 | <5 | 0.04 | <10 | 15 | 2270 | <1 | 29 | <10 | 4 | 41 |
| 87079 | 910381 | 2 | 1.05 | <3 | 51 | 14 | <1 | 0.87 | <10 | 31 | 131 | 93 | 4.50 | 0.01 | 1 | 0.56 | 784 | <1 | 0.03 | 23 | 466 | 3 | <10 | <5 | 0.05 | <10 | 87 | 3046 | <1 | 63 | <10 | 7 | 64 |
| 87080 | 910382 | <1 | 1.10 | <3 | 67 | 204 | <1 | 0.30 | <10 | 30 | 64 | 35 | 6.95 | 0.20 | <1 | 0.54 | 1290 | <1 | 0.04 | 2 | 904 | 5 | <10 | <5 | 0.09 | 15 | 24 | 2228 | <1 | 6 | <10 | 13 | 125 |
| 87081 | 910383 | <1 | 1.16 | <3 | 58 | 7 | <1 | 0.84 | <10 | 36 | 56 | 93 | 5.48 | <0.01 | 6 | 0.72 | 986 | <1 | 0.04 | 26 | 383 | 3 | <10 | <5 | 0.05 | <10 | 21 | 2421 | <1 | 62 | <10 | 7 | 63 |
| 87082 | 910384 | <1 | 0.85 | 6 | 47 | 62 | <1 | 0.43 | <10 | 11 | 104 | 38 | 2.66 | 0.12 | 6 | 0.41 | 445 | 1 | 0.04 | 17 | 335 | 11 | <10 | <5 | 0.04 | <10 | 9 | <100 | <1 | <2 | <10 | 3 | 63 |
| 87083 | 910384 | <1 | 0.86 | 5 | 44 | 62 | <1 | 0.43 | <10 | 10 | 105 | 38 | 2.67 | 0.12 | 6 | 0.41 | 452 | <1 | 0.04 | 17 | 344 | 9 | <10 | <5 | 0.03 | <10 | 9 | <100 | <1 | <2 | <10 | 3 | 65 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Unitronix
 Date Created: 05-09-20 09:09 AM
 Job Number: 200541445
 Date Received: 8/22/2005
 Number of Samples: 39
 Type of Sample: Rock
 Date Completed:
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|--------|------|-------|--------|------|--------|--------|-------|--------|-------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 98604 | 910336 | <1 | 0.44 | <3 | 42 | 45 | <1 | 13 | 1.02 | <10 | <1 | 219 | <1 | 0.77 | 0.14 | <1 | 0.15 | 181 | <1 | 0.04 | 7 | 147 | <1 | 12 | 0.02 | <10 | 10 | <100 | <1 | <2 | 22 | 4 | 14 |
| 98605 | 910337 | <1 | 2.92 | <3 | 44 | 3 | <1 | 12 | 1.01 | <10 | 7 | 190 | 130 | 3.93 | <0.01 | 9 | 2.22 | 721 | <1 | 0.02 | 87 | 256 | <1 | <5 | 0.03 | <10 | 14 | 3145 | <1 | 83 | 73 | 8 | 127 |
| 98606 | 910338 | <1 | 0.32 | <3 | 44 | 46 | <1 | 15 | 0.13 | <10 | <1 | 107 | <1 | 0.40 | 0.21 | <1 | 0.10 | <100 | 72 | 0.02 | 2 | <100 | <1 | <5 | 0.02 | <10 | <5 | <100 | <1 | <2 | 13 | 6 | 19 |
| 98607 | 910339 | <1 | 0.57 | <3 | 35 | 49 | <1 | 12 | 0.32 | <10 | <1 | 84 | <1 | 0.81 | 0.10 | 1 | 0.35 | 136 | <1 | 0.03 | 2 | 253 | <1 | <5 | 0.02 | <10 | 6 | <100 | <1 | <2 | 23 | 4 | 38 |
| 98608 | 910340 | <1 | 0.35 | <3 | 35 | 45 | <1 | 15 | 1.11 | <10 | <1 | 105 | <1 | 0.49 | 0.19 | <1 | 0.17 | 187 | 1 | 0.01 | <1 | <100 | <1 | <5 | 0.02 | <10 | 14 | <100 | <1 | <2 | 16 | 9 | 25 |
| 98609 | 910341 | <1 | 3.41 | <3 | 42 | <1 | <1 | 10 | 1.23 | <10 | 7 | 106 | 154 | 4.94 | <0.01 | 8 | 2.59 | 936 | <1 | 0.01 | 82 | 278 | <1 | <5 | 0.05 | <10 | 25 | 3316 | <1 | 105 | 91 | 8 | 159 |
| 98610 | 910342 | <1 | 0.22 | <3 | 49 | 26 | <1 | 12 | 0.09 | <10 | <1 | 290 | 2 | 0.69 | 0.09 | <1 | 0.10 | <100 | <1 | 0.03 | 4 | <100 | <1 | 15 | 0.02 | <10 | <5 | 120 | <1 | <2 | 18 | 4 | 8 |
| 98611 | 910343 | <1 | 3.27 | <3 | 42 | <1 | <1 | 10 | 1.30 | <10 | 4 | 113 | 44 | 4.80 | 0.01 | 8 | 2.39 | 831 | <1 | 0.05 | 74 | 325 | <1 | <5 | 0.05 | <10 | 31 | 4703 | <1 | 127 | 86 | 10 | 148 |
| 98612 | 910344 | <1 | 1.83 | <3 | 36 | 44 | <1 | 11 | 0.83 | <10 | <1 | 123 | 56 | 3.43 | 0.24 | 11 | 1.28 | 503 | <1 | 0.04 | 42 | 344 | <1 | 6 | 0.04 | <10 | 26 | 2898 | <1 | 69 | 64 | 8 | 97 |
| 98613 | 910345 | <1 | 0.71 | <3 | 37 | 39 | <1 | 12 | 0.29 | <10 | <1 | 112 | <1 | 0.91 | 0.20 | 3 | 0.47 | 100 | <1 | 0.03 | 3 | 100 | <1 | 7 | 0.03 | <10 | 8 | 554 | <1 | <2 | 22 | 9 | 31 |
| 98614 | 910346 | <1 | 1.42 | <3 | 38 | 58 | <1 | 13 | 0.23 | <10 | <1 | 100 | 7 | 2.16 | 0.55 | 11 | 1.06 | 210 | <1 | 0.03 | 9 | 144 | <1 | <5 | 0.03 | <10 | 9 | 695 | <1 | 3 | 40 | 12 | 67 |
| 98615 | 910346 | <1 | 1.49 | <3 | 38 | 61 | <1 | 12 | 0.25 | <10 | <1 | 103 | 6 | 2.24 | 0.58 | 12 | 1.10 | 219 | <1 | 0.03 | 9 | 150 | <1 | <5 | 0.03 | <10 | 10 | 731 | <1 | 3 | 40 | 12 | 70 |
| 98616 | 910347 | <1 | 2.03 | <3 | 35 | 19 | <1 | 14 | 1.21 | <10 | 5 | 123 | 70 | 2.79 | 0.24 | 17 | 1.63 | 475 | <1 | 0.06 | 65 | 224 | <1 | 6 | 0.03 | <10 | 17 | 2223 | 2 | 71 | 57 | 7 | 98 |
| 98617 | 910348 | <1 | 2.58 | <3 | 37 | 6 | <1 | 13 | 1.22 | <10 | 5 | 103 | 68 | 3.84 | 0.05 | 19 | 2.00 | 609 | <1 | 0.06 | 74 | 310 | <1 | 9 | 0.04 | <10 | 19 | 2381 | <1 | 96 | 74 | 8 | 125 |
| 98618 | 910349 | <1 | 2.36 | <3 | 41 | 39 | <1 | 12 | 1.46 | <10 | 6 | 96 | 119 | 4.07 | 0.30 | 15 | 1.90 | 551 | <1 | 0.15 | 69 | 303 | <1 | <5 | 0.05 | <10 | 13 | 2226 | <1 | 111 | 73 | 9 | 113 |
| 98619 | 910350 | <1 | 2.35 | <3 | 37 | 20 | <1 | 13 | 1.31 | <10 | 1 | 151 | 47 | 3.74 | 0.04 | 14 | 1.89 | 566 | <1 | 0.08 | 77 | 230 | <1 | 8 | 0.04 | <10 | 21 | 2418 | <1 | 82 | 71 | 6 | 113 |
| 98620 | 910385 | <1 | 3.94 | <3 | 30 | 4 | <1 | 14 | 1.66 | <10 | 3 | 187 | 45 | 3.54 | <0.01 | 13 | 3.05 | 667 | <1 | 0.02 | 103 | 103 | <1 | 14 | 0.06 | <10 | 16 | 1060 | <1 | 70 | 72 | 6 | 177 |
| 98621 | 910386 | <1 | 3.36 | <3 | 41 | 13 | <1 | 10 | 2.63 | <10 | 4 | 74 | 156 | 6.51 | <0.01 | 7 | 2.09 | 1308 | <1 | 0.04 | 29 | 430 | <1 | 6 | 0.05 | <10 | 29 | 5537 | <1 | 195 | 115 | 14 | 161 |
| 98622 | 910387 | <1 | 0.98 | <3 | 34 | 5 | <1 | 13 | 3.99 | <10 | <1 | 103 | 22 | 2.22 | <0.01 | 2 | 0.66 | 668 | <1 | <0.01 | 7 | <100 | <1 | <5 | 0.02 | <10 | 7 | 557 | <1 | 84 | 47 | 6 | 51 |
| 98623 | 910388 | <1 | 5.50 | <3 | 38 | 5 | <1 | 12 | 1.45 | <10 | <1 | 94 | 182 | 6.75 | <0.01 | 28 | 4.35 | 940 | <1 | 0.02 | 73 | 465 | <1 | 15 | 0.05 | <10 | 7 | <100 | <1 | 143 | 122 | 7 | 263 |
| 98624 | 910389 | <1 | 1.83 | <3 | 46 | 46 | <1 | 14 | 1.16 | <10 | <1 | 119 | 6 | 2.75 | 0.11 | 4 | 0.97 | 533 | <1 | 0.06 | 13 | 787 | <1 | <5 | 0.04 | <10 | 36 | 1831 | <1 | 25 | 50 | 9 | 101 |
| 98625 | 910389 | <1 | 1.98 | <3 | 49 | 50 | <1 | 15 | 1.24 | <10 | <1 | 130 | 7 | 2.83 | 0.12 | 4 | 1.03 | 570 | <1 | 0.06 | 15 | 834 | <1 | 6 | 0.04 | <10 | 38 | 1906 | <1 | 26 | 53 | 10 | 100 |

Certified By: 
 Derek Demaniuk, H.Bsc.

Unitronix
 Date Created: 05-09-20 09:09 AM
 Job Number: 200541445
 Date Received: 8/22/2005
 Number of Samples: 39
 Type of Sample: Rock
 Date Completed:
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|--------|------|-------|--------|------|--------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 98626 | 910390 | <1 | 3.83 | <3 | 39 | 3 | <1 | 13 | 1.78 | <10 | 4 | 210 | 109 | 4.90 | <0.01 | 10 | 3.05 | 921 | <1 | 0.03 | 133 | 290 | <1 | 8 | 0.07 | <10 | 16 | 4275 | <1 | 126 | 89 | 9 | 173 |
| 98627 | 910391 | <1 | 0.42 | <3 | 30 | 91 | <1 | 16 | 0.28 | <10 | <1 | 134 | <1 | 0.38 | 0.31 | <1 | 0.06 | 156 | <1 | 0.03 | 2 | <100 | <1 | <5 | 0.02 | <10 | <5 | <100 | <1 | <2 | 14 | 7 | 11 |
| 98628 | 910392 | <1 | 5.03 | 10 | 41 | 8 | <1 | 12 | 4.80 | <10 | 6 | 164 | 154 | 7.75 | <0.01 | 9 | 3.06 | 1619 | <1 | 0.01 | 74 | 487 | <1 | 7 | 0.07 | <10 | 56 | 6789 | <1 | 201 | 141 | 13 | 219 |
| 98629 | 910393 | <1 | 3.35 | <3 | 36 | 32 | <1 | 12 | 1.71 | <10 | 4 | 137 | 112 | 5.17 | 0.01 | 4 | 2.12 | 1048 | <1 | 0.02 | 44 | 481 | <1 | 9 | 0.06 | <10 | 44 | 6762 | <1 | 146 | 97 | 12 | 149 |
| 98630 | 910394 | <1 | 4.03 | <3 | 39 | 22 | <1 | 12 | 2.15 | <10 | 3 | 154 | 110 | 5.90 | <0.01 | 5 | 2.51 | 1198 | <1 | 0.02 | 69 | 443 | <1 | 5 | 0.06 | <10 | 54 | 6146 | <1 | 150 | 107 | 12 | 169 |
| 98631 | 910395 | <1 | 3.77 | <3 | 32 | 8 | <1 | 12 | 2.26 | <10 | 3 | 140 | 100 | 5.99 | <0.01 | 8 | 2.43 | 1339 | <1 | 0.02 | 75 | 358 | <1 | <5 | 0.06 | <10 | 34 | 5397 | <1 | 123 | 108 | 10 | 174 |
| 98632 | 910401 | <1 | 2.36 | <3 | 45 | 83 | <1 | 14 | 1.39 | <10 | 1 | 180 | 102 | 3.46 | 0.33 | 11 | 1.46 | 565 | 9 | 0.13 | 90 | 174 | <1 | 6 | 0.04 | <10 | 28 | 1888 | <1 | 49 | 64 | 7 | 104 |
| 98633 | 910402 | <1 | 3.04 | <3 | 36 | <1 | <1 | 12 | 1.50 | <10 | 4 | 116 | 120 | 6.96 | 0.02 | 16 | 2.05 | 891 | <1 | 0.08 | 27 | 524 | <1 | 8 | 0.06 | <10 | 29 | 3072 | <1 | 236 | 119 | 12 | 163 |
| 98634 | 910403 | <1 | 3.26 | <3 | 37 | 27 | <1 | 12 | 2.26 | <10 | <1 | 171 | 57 | 5.94 | 0.28 | 10 | 2.08 | 898 | <1 | 0.22 | 26 | 509 | <1 | <5 | 0.09 | <10 | 26 | 4393 | <1 | 228 | 106 | 16 | 146 |
| 98635 | 910403 | <1 | 3.09 | <3 | 38 | 25 | <1 | 12 | 2.17 | <10 | 2 | 167 | 53 | 5.69 | 0.26 | 9 | 1.97 | 869 | <1 | 0.21 | 24 | 470 | <1 | 12 | 0.06 | <10 | 24 | 4440 | <1 | 215 | 107 | 15 | 141 |
| 98636 | 910404 | <1 | 2.61 | <3 | 36 | 11 | <1 | 13 | 1.10 | <10 | 4 | 83 | 85 | 4.37 | 0.03 | 10 | 1.87 | 666 | <1 | 0.07 | 50 | 290 | <1 | <5 | 0.03 | <10 | 29 | 2902 | <1 | 128 | 82 | 9 | 127 |
| 98637 | 910405 | <1 | 2.69 | <3 | 52 | 32 | <1 | 15 | 2.30 | <10 | 29 | 331 | 103 | 3.08 | 0.25 | 13 | 1.67 | 580 | <1 | 0.11 | 179 | 1038 | <1 | 17 | 0.05 | <10 | 16 | 6278 | <1 | 149 | 65 | 15 | 122 |
| 98638 | 910406 | <1 | 2.24 | <3 | 41 | 82 | <1 | 14 | 1.54 | <10 | 35 | 244 | 55 | 3.26 | 0.27 | 7 | 1.45 | 625 | <1 | 0.04 | 198 | 708 | <1 | 18 | 0.04 | <10 | 14 | 3511 | <1 | 74 | 63 | 11 | 103 |
| 98639 | 910407 | <1 | 0.55 | <3 | 38 | 47 | <1 | 18 | 2.59 | <10 | <1 | 127 | <1 | 2.68 | 0.10 | <1 | 1.05 | 754 | <1 | 0.11 | 19 | 521 | <1 | 11 | 0.04 | <10 | 37 | <100 | <1 | 3 | 55 | 7 | 56 |
| 98640 | 910408 | <1 | 1.65 | <3 | 35 | 89 | <1 | 16 | 0.79 | <10 | <1 | 126 | <1 | 2.20 | 0.25 | 5 | 1.29 | 395 | <1 | 0.04 | 20 | 451 | <1 | <5 | 0.03 | <10 | 14 | 1151 | <1 | 16 | 44 | 7 | 80 |
| 98641 | 910409 | <1 | 3.67 | <3 | 40 | 37 | <1 | 13 | 2.76 | <10 | 10 | 161 | 533 | 5.79 | 0.09 | 14 | 2.85 | 938 | <1 | 0.03 | 210 | 4025 | <1 | 9 | 0.07 | <10 | 54 | 4761 | <1 | 103 | 109 | 13 | 214 |
| 98642 | 910410 | <1 | 5.63 | <3 | 36 | 11 | <1 | 12 | 4.83 | <10 | 8 | 711 | 83 | 7.25 | 0.02 | 21 | 5.05 | 1412 | <1 | 0.02 | 150 | 577 | <1 | 47 | 0.09 | <10 | 14 | 3914 | <1 | 227 | 138 | 11 | 262 |
| 98643 | 910411 | <1 | 2.92 | <3 | 41 | 6 | <1 | 13 | 1.26 | <10 | 4 | 162 | 101 | 3.80 | 0.01 | 5 | 2.12 | 662 | <1 | 0.03 | 70 | 283 | <1 | 9 | 0.06 | <10 | 17 | 3901 | <1 | 80 | 73 | 8 | 118 |
| 98644 | 910412 | <1 | 4.22 | <3 | 37 | 5 | <1 | 14 | 2.30 | <10 | 5 | 170 | 96 | 5.34 | <0.01 | 10 | 3.38 | 877 | <1 | 0.02 | 109 | 304 | <1 | 11 | 0.07 | <10 | 16 | 3315 | <1 | 158 | 100 | 12 | 186 |
| 98645 | 910413 | <1 | 3.47 | <3 | 51 | 37 | <1 | 13 | 4.07 | <10 | <1 | 124 | 33 | 7.23 | 0.24 | 4 | 1.99 | 1384 | <1 | 0.03 | 20 | 1130 | <1 | 10 | 0.08 | <10 | 82 | 4532 | <1 | 91 | 129 | 65 | 216 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Certificate of Analysis

Friday, August 19, 2005

Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

Date Received : 26-Jul-05
 Date Completed : 18-Aug-05
 Job # 200541211
 Reference :
 Sample #: 73 Rock

| Accurassay # | Client Id | .Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|-----------|------------|------------|-----------------|
| 84179 | DMH-05-01 | 5282 | 0.154 | 5.282 |
| 84185 | 910201 | 142 | 0.004 | 0.142 |
| 84186 | 910202 | 473 | 0.014 | 0.473 |
| 84187 | 910203 | <5 | <0.001 | <0.005 |
| 84188 | 910204 | <5 | <0.001 | <0.005 |
| 84189 Check | 910204 | <5 | <0.001 | <0.005 |
| 84190 | 910205 | <5 | <0.001 | <0.005 |
| 84191 | 910206 | <5 | <0.001 | <0.005 |
| 84192 | 910207 | <5 | <0.001 | <0.005 |
| 84193 | 910208 | <5 | <0.001 | <0.005 |
| 84194 | 910209 | <5 | <0.001 | <0.005 |
| 84195 | 910210 | 13 | <0.001 | 0.013 |
| 84196 | 910211 | 7 | <0.001 | 0.007 |
| 84197 | 910212 | <5 | <0.001 | <0.005 |
| 84198 | 910213 | <5 | <0.001 | <0.005 |
| 84199 | 910214 | <5 | <0.001 | <0.005 |
| 84200 Check | 910214 | <5 | <0.001 | <0.005 |
| 84201 | 910215 | 30 | <0.001 | 0.030 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Page 1 of 4

Certified By: 

Derek Demlianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Certificate of Analysis

Friday, August 19, 2005

Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

Date Received : 26-Jul-05
 Date Completed : 18-Aug-05
 Job # 200541211

Reference :
 Sample #: 73 Rock

| Accurassay # | Client Id | Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|-----------|-----------|------------|-----------------|
| 84202 | 910216 | <5 | <0.001 | <0.005 |
| 84203 | 910217 | <5 | <0.001 | <0.005 |
| 84204 | 910218 | <5 | <0.001 | <0.005 |
| 84205 | 910219 | 6 | <0.001 | 0.006 |
| 84206 | 910220 | 6 | <0.001 | 0.006 |
| 84207 | 910221 | <5 | <0.001 | <0.005 |
| 84208 | 910222 | <5 | <0.001 | <0.005 |
| 84209 | 910223 | 7 | <0.001 | 0.007 |
| 84210 | 910224 | 23 | <0.001 | 0.023 |
| 84211 Check | 910224 | 28 | <0.001 | 0.028 |
| 84212 | 910225 | 7 | <0.001 | 0.007 |
| 84213 | 910226 | 14 | <0.001 | 0.014 |
| 84214 | 910227 | <5 | <0.001 | <0.005 |
| 84215 | 910228 | 7 | <0.001 | 0.007 |
| 84216 | 910229 | <5 | <0.001 | <0.005 |
| 84217 | 910230 | 8 | <0.001 | 0.008 |
| 84218 | 910231 | <5 | <0.001 | <0.005 |
| 84219 | 910232 | 81 | 0.002 | 0.081 |
| 84220 | 910233 | 28 | <0.001 | 0.028 |
| 84221 | 910234 | 115 | 0.003 | 0.115 |
| 84222 Check | 910234 | 128 | 0.004 | 0.128 |
| 84223 | 910235 | <5 | <0.001 | <0.005 |
| 84224 | 910236 | <5 | <0.001 | <0.005 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By: 
 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Certificate of Analysis

Friday, August 19, 2005

Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

Date Received : 26-Jul-05
 Date Completed : 18-Aug-05
 Job # 200541211

Reference :
 Sample #: 73 Rock

| Accurassay # | Client Id | Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|-----------|-----------|------------|-----------------|
| 84225 | 910237 | <5 | <0.001 | <0.005 |
| 84226 | 910238 | 9 | <0.001 | 0.009 |
| 84227 | 910251 | <5 | <0.001 | <0.005 |
| 84228 | 910252 | <5 | <0.001 | <0.005 |
| 84229 | 910253 | <5 | <0.001 | <0.005 |
| 84230 | 910254 | <5 | <0.001 | <0.005 |
| 84231 | 910255 | 5 | <0.001 | 0.005 |
| 84232 | 910256 | <5 | <0.001 | <0.005 |
| 84233 Check | 910256 | <5 | <0.001 | <0.005 |
| 84234 | 910257 | <5 | <0.001 | <0.005 |
| 84235 | 910258 | <5 | <0.001 | <0.005 |
| 84236 | 910259 | <5 | <0.001 | <0.005 |
| 84237 | 910260 | <5 | <0.001 | <0.005 |
| 84238 | 910261 | <5 | <0.001 | <0.005 |
| 84239 | 910262 | <5 | <0.001 | <0.005 |
| 84240 | 910263 | <5 | <0.001 | <0.005 |
| 84241 | 910264 | <5 | <0.001 | <0.005 |
| 84242 | 910265 | <5 | <0.001 | <0.005 |
| 84243 | 910266 | <5 | <0.001 | <0.005 |
| 84244 Check | 910266 | <5 | <0.001 | <0.005 |
| 84245 | 910267 | <5 | <0.001 | <0.005 |
| 84246 | 910268 | <5 | <0.001 | <0.005 |
| 84247 | 910269 | <5 | <0.001 | <0.005 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By: 
 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 4

AL903-0407-08/19/2005 08:00 AM

Certificate of Analysis

Friday, August 19, 2005

 Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

 Date Received : 26-Jul-05
 Date Completed : 18-Aug-05
 Job # 200541211
 Reference :
 Sample #: 73 Rock

| Accurassay # | Client Id | Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|-----------|-----------|------------|-----------------|
| 84248 | 910270 | <5 | <0.001 | <0.005 |
| 84249 | 910271 | <5 | <0.001 | <0.005 |
| 84250 | 910272 | <5 | <0.001 | <0.005 |
| 84251 | 910273 | <5 | <0.001 | <0.005 |
| 84252 | 910274 | <5 | <0.001 | <0.005 |
| 84253 | 910275 | <5 | <0.001 | <0.005 |
| 84254 | 910276 | <5 | <0.001 | <0.005 |
| 84255 Check | 910276 | <5 | <0.001 | <0.005 |
| 84256 | 910277 | <5 | <0.001 | <0.005 |
| 84257 | 910278 | <5 | <0.001 | <0.005 |
| 84258 | 910279 | <5 | <0.001 | <0.005 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Page 4 of 4

Certified By:


 Derek Demlianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0407-08/19/2005 08:00 AM

Unitronix
 Date Created: 05-09-01 09:18 PM
 Job Number: 200541211
 Date Received: 7/26/2005
 Number of Samples: 73
 Type of Sample: Rock
 Date Completed: 8/18/2005
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|--------|------|--------|------|--------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 84179 | DMH-05-01 | 5 | 0.23 | 16 | 48 | 53 | 1 | 0.05 | <10 | 5 | 203 | 282 | 1.54 | 0.07 | 7 | 0.02 | <100 | 7 | 0.07 | 9 | 241 | 21 | 18 | 0.03 | <10 | 11 | 165 | 5 | 18 | 25 | <1 | 106 |
| 84180 | DMH-05-02 | 2 | 0.39 | 18 | 52 | 25 | 1 | 5.09 | <10 | 46 | 117 | 256 | 9.65 | 0.23 | 8 | 1.80 | 1797 | 6 | 0.04 | 29 | 500 | 24 | 16 | 0.05 | <10 | 123 | <100 | 7 | 30 | 171 | <1 | 319 |
| 84181 | DMH-05-03 | 2 | 0.69 | 8 | 52 | 54 | 1 | 0.14 | <10 | 6 | 126 | 407 | 4.27 | 0.14 | 7 | 0.13 | 193 | 6 | 0.05 | 4 | 432 | 9 | 10 | 0.04 | <10 | 13 | 675 | 3 | 6 | 77 | 8 | 75 |
| 84182 | DMH-05-04 | 1 | 0.39 | 10 | 57 | 55 | 1 | 0.04 | <10 | 7 | 154 | 503 | 1.61 | 0.13 | 7 | 0.09 | <100 | 8 | 0.08 | 5 | 205 | 6 | 11 | 0.04 | <10 | 7 | 309 | 4 | 6 | 28 | 4 | 31 |
| 84185 | 910201 | 13 | 0.50 | 10 | 58 | 52 | 1 | 0.54 | <10 | 13 | 140 | 3691 | 4.37 | 0.15 | 7 | 0.21 | 196 | 47 | 0.06 | 6 | 277 | 9 | 13 | 0.04 | <10 | 22 | 357 | 4 | 7 | 81 | 4 | 415 |
| 84186 | 910202 | 15 | 0.51 | 9 | 51 | 64 | 1 | 0.36 | <10 | 12 | 188 | 4195 | 3.74 | 0.19 | 7 | 0.14 | 151 | 39 | 0.06 | 6 | 271 | 8 | 18 | 0.03 | <10 | 15 | 481 | 4 | 6 | 70 | 4 | 434 |
| 84187 | 910203 | <1 | 0.37 | 10 | 50 | 68 | 1 | 1.27 | <10 | 5 | 97 | 35 | 0.62 | 0.15 | 7 | 0.10 | 213 | 6 | 0.09 | 3 | 269 | 4 | 9 | 0.04 | <10 | 36 | <100 | 5 | 6 | 17 | <1 | 30 |
| 84188 | 910204 | <1 | 1.43 | 8 | 49 | 45 | 1 | 1.36 | <10 | 15 | 136 | 47 | 2.68 | 0.12 | 7 | 0.87 | 539 | 6 | 0.06 | 20 | 318 | 8 | 12 | 0.04 | <10 | 45 | 1678 | 3 | 34 | 60 | <1 | 82 |
| 84189 | 910204 | <1 | 1.48 | 8 | 57 | 46 | 1 | 1.40 | <10 | 16 | 142 | 48 | 2.81 | 0.12 | 7 | 0.92 | 564 | 6 | 0.07 | 21 | 325 | 8 | 13 | 0.04 | <10 | 44 | 1695 | 4 | 35 | 60 | <1 | 82 |
| 84190 | 910205 | <1 | 4.22 | 6 | 54 | 37 | 1 | 4.09 | <10 | 27 | 106 | 102 | 3.68 | 0.10 | 7 | 1.50 | 485 | 6 | 0.49 | 53 | 1078 | 10 | 15 | 0.07 | <10 | 155 | 2126 | 6 | 149 | 86 | <1 | 120 |
| 84191 | 910206 | <1 | 3.00 | 7 | 51 | 15 | 1 | 1.30 | <10 | 41 | 93 | 114 | 5.96 | 0.02 | 18 | 2.27 | 741 | 6 | 0.05 | 72 | 460 | 7 | 12 | 0.10 | <10 | 30 | 2976 | 5 | 129 | 97 | 4 | 192 |
| 84192 | 910207 | <1 | 5.43 | 6 | 53 | 84 | 2 | 1.08 | <10 | 50 | 217 | 102 | >10.00 | 0.03 | 19 | 3.08 | 2596 | 6 | 0.02 | 57 | 619 | 14 | 24 | 0.05 | <10 | 21 | 207 | 7 | 368 | 189 | <1 | 318 |
| 84193 | 910208 | <1 | 0.39 | 8 | 54 | 70 | 1 | 0.12 | <10 | 5 | 132 | 13 | 0.88 | 0.17 | 7 | 0.08 | 195 | 6 | 0.06 | 5 | 325 | 5 | 11 | 0.04 | <10 | 7 | <100 | 6 | 9 | 19 | <1 | 33 |
| 84194 | 910209 | <1 | 4.41 | 10 | 54 | 10 | 1 | 5.39 | <10 | 55 | 291 | 157 | 7.97 | 0.02 | 12 | 4.60 | 1240 | 5 | 0.03 | 135 | 300 | 11 | 21 | 0.10 | <10 | 70 | 5107 | 4 | 169 | 142 | 2 | 263 |
| 84195 | 910210 | <1 | 4.36 | 11 | 58 | 24 | 1 | 6.35 | <10 | 57 | 96 | 127 | 4.86 | 0.03 | 8 | 1.32 | 755 | 5 | 0.03 | 44 | 322 | 9 | 12 | 0.11 | <10 | 25 | 4070 | 3 | 166 | 81 | 5 | 121 |
| 84196 | 910211 | <1 | 1.04 | 9 | 52 | 40 | 1 | 3.72 | <10 | 16 | 97 | 23 | 2.86 | 0.19 | 7 | 1.01 | 510 | 5 | 0.05 | 39 | 477 | 6 | 11 | 0.05 | <10 | 40 | <100 | 6 | 12 | 72 | <1 | 113 |
| 84197 | 910212 | <1 | 2.12 | 7 | 62 | 48 | 1 | 0.98 | <10 | 28 | 83 | 60 | 5.56 | 0.09 | 12 | 2.05 | 805 | 6 | 0.05 | 46 | 831 | 11 | 9 | 0.10 | <10 | 32 | 4824 | 3 | 75 | 100 | 1 | 163 |
| 84198 | 910213 | <1 | 3.48 | 8 | 58 | 18 | 1 | 1.73 | <10 | 41 | 89 | 80 | 8.20 | 0.04 | 9 | 1.83 | 1065 | 5 | 0.06 | 32 | 1070 | 8 | 7 | 0.14 | <10 | 31 | 7701 | 4 | 158 | 173 | 14 | 190 |
| 84199 | 910214 | <1 | 2.04 | 8 | 54 | 30 | 1 | 2.53 | <10 | 23 | 66 | 45 | 3.71 | 0.11 | 7 | 1.34 | 549 | 11 | 0.26 | 28 | 680 | 5 | 11 | 0.09 | <10 | 26 | 2649 | 4 | 175 | 85 | <1 | 108 |
| 84200 | 910214 | <1 | 1.98 | 7 | 54 | 30 | 1 | 2.45 | <10 | 22 | 62 | 44 | 3.69 | 0.10 | 7 | 1.21 | 515 | 10 | 0.26 | 26 | 610 | 5 | 8 | 0.10 | <10 | 25 | 2596 | 4 | 168 | 72 | <1 | 107 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Unitronix
 Date Created: 05-09-01 09:18 PM
 Job Number: 200541211
 Date Received: 7/26/2005
 Number of Samples: 73
 Type of Sample: Rock
 Date Completed: 8/18/2005
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|--------|------|--------|------|--------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 84201 | 910215 | 2 | 0.54 | 31 | 54 | 214 | 2 | 1.75 | <10 | 12 | 62 | 26 | 2.61 | 0.25 | 17 | 0.33 | 855 | 8 | 0.07 | 24 | 1027 | 48 | 10 | 0.07 | <10 | 246 | 277 | 6 | 19 | 52 | 18 | 84 |
| 84202 | 910216 | <1 | 0.89 | 7 | 40 | 44 | 1 | 1.81 | <10 | 10 | 80 | 15 | 2.42 | 0.08 | 7 | 0.49 | 534 | 5 | 0.08 | 17 | 301 | 6 | 9 | 0.04 | <10 | 44 | <100 | 6 | 10 | 49 | <1 | 65 |
| 84203 | 910217 | <1 | 0.75 | 8 | 46 | 104 | 1 | 0.42 | <10 | 7 | 84 | 11 | 1.06 | 0.28 | 7 | 0.13 | 449 | 5 | 0.10 | 22 | 537 | 7 | 12 | 0.55 | <10 | 16 | <100 | 5 | 12 | 25 | <1 | 54 |
| 84204 | 910218 | <1 | 4.27 | 7 | 51 | 9 | 1 | 1.32 | <10 | 77 | 222 | 171 | 9.23 | 0.02 | 10 | 3.28 | 1731 | 5 | 0.02 | 153 | 308 | 10 | 13 | 0.13 | <10 | 12 | 5891 | 4 | 103 | 159 | <1 | 269 |
| 84205 | 910219 | <1 | 3.66 | 9 | 55 | 12 | 1 | 1.85 | <10 | 40 | 209 | 24 | 6.86 | 0.05 | 15 | 3.03 | 1178 | 5 | 0.03 | 70 | 206 | 7 | 16 | 0.11 | <10 | 8 | 3121 | 6 | 152 | 146 | 3 | 235 |
| 84206 | 910220 | <1 | 2.96 | 5 | 55 | 17 | 1 | 1.97 | <10 | 35 | 93 | 100 | 6.71 | 0.05 | 10 | 1.86 | 1070 | 5 | 0.03 | 30 | 436 | 8 | 16 | 0.12 | <10 | 24 | 6892 | 4 | 179 | 107 | 5 | 166 |
| 84207 | 910221 | <1 | 5.24 | 5 | 55 | 5 | 1 | 3.64 | <10 | 60 | 137 | 210 | 9.25 | 0.01 | 15 | 4.20 | 1463 | 5 | 0.02 | 119 | 458 | 10 | 17 | 0.09 | <10 | 35 | 5383 | 4 | 217 | 154 | 8 | 331 |
| 84208 | 910222 | <1 | 2.24 | 9 | 51 | 33 | 1 | 1.84 | <10 | 20 | 94 | 42 | 3.47 | 0.13 | 13 | 1.72 | 708 | 5 | 0.05 | 44 | 826 | 5 | 12 | 0.06 | <10 | 37 | 2291 | 4 | 32 | 73 | 1 | 173 |
| 84209 | 910223 | <1 | 2.62 | 8 | 61 | 42 | 1 | 1.16 | <10 | 23 | 105 | 45 | 3.76 | 0.11 | 18 | 2.17 | 713 | 6 | 0.06 | 46 | 988 | 6 | 12 | 0.06 | <10 | 29 | 2608 | 4 | 35 | 94 | 1 | 212 |
| 84210 | 910224 | <1 | 0.73 | 29 | 61 | 479 | 1 | 0.11 | <10 | 6 | 89 | 92 | >10.00 | 0.45 | 5 | 0.11 | 154 | 33 | 0.03 | 9 | 936 | 29 | 11 | 0.03 | <10 | 46 | <100 | 4 | 15 | 263 | <1 | 29 |
| 84211 | 910224 | <1 | 0.71 | 30 | 52 | 475 | 1 | 0.11 | <10 | 6 | 91 | 94 | >10.00 | 0.45 | 7 | 0.11 | 156 | 34 | 0.03 | 9 | 963 | 28 | 12 | 0.03 | <10 | 45 | <100 | 4 | 15 | 271 | <1 | 30 |
| 84212 | 910225 | <1 | 0.42 | 9 | 62 | 36 | 1 | 0.48 | <10 | 3 | 144 | 13 | 1.11 | 0.15 | 7 | 0.13 | 157 | 6 | 0.07 | 3 | 127 | 7 | 14 | 0.03 | <10 | 9 | <100 | 5 | 6 | 26 | 2 | 17 |
| 84213 | 910226 | <1 | 0.64 | 8 | 50 | 72 | 2 | 0.80 | <10 | 5 | 113 | 13 | 1.40 | 0.29 | 9 | 0.09 | 175 | 6 | 0.04 | 2 | 115 | 8 | 10 | 0.03 | <10 | 5 | <100 | 4 | 5 | 28 | 5 | 15 |
| 84214 | 910227 | <1 | 0.36 | 8 | 52 | 84 | 2 | 1.08 | <10 | 4 | 91 | 18 | 0.25 | 0.49 | 7 | 0.03 | 159 | 6 | 0.03 | 3 | <100 | 7 | 9 | 0.04 | <10 | 10 | 240 | 5 | 5 | <10 | 18 | 11 |
| 84215 | 910228 | <1 | 4.71 | 8 | 195 | 28 | 1 | 2.19 | <10 | 53 | 186 | 257 | 8.64 | 0.03 | 16 | 3.87 | 1228 | 5 | 0.02 | 124 | 815 | 9 | 10 | 0.12 | <10 | 16 | 3792 | 5 | 152 | 141 | 6 | 336 |
| 84216 | 910229 | <1 | 2.10 | 9 | 56 | 21 | 1 | 0.22 | <10 | 26 | 282 | 48 | 4.18 | 0.10 | 13 | 1.79 | 831 | 5 | 0.02 | 35 | <100 | 6 | 14 | 0.05 | <10 | <5 | 1410 | 4 | 64 | 67 | 1 | 126 |
| 84217 | 910230 | <1 | 0.88 | 42 | 51 | 48 | 1 | 0.07 | <10 | 6 | 85 | 29 | 9.81 | 0.20 | 6 | 0.25 | 227 | 6 | 0.02 | 8 | 450 | 32 | 10 | 0.03 | <10 | <5 | 468 | 4 | 24 | 175 | <1 | 31 |
| 84218 | 910231 | <1 | 2.83 | 8 | 59 | 18 | 1 | 1.67 | <10 | 32 | 100 | 171 | 4.44 | 0.02 | 8 | 2.05 | 746 | 5 | 0.03 | 47 | 194 | 6 | 12 | 0.07 | <10 | 27 | 2648 | 4 | 101 | 74 | <1 | 148 |
| 84219 | 910232 | 6 | 0.28 | 13 | 81 | 7 | 1 | 0.15 | <10 | 11 | 225 | 1946 | 1.42 | 0.04 | 7 | 0.15 | <100 | 6 | 0.02 | 12 | <100 | 7 | 16 | 0.02 | <10 | <5 | <100 | 4 | 15 | 26 | <1 | 35 |
| 84220 | 910233 | 13 | 0.12 | 11 | 63 | 3 | 1 | 0.41 | <10 | 8 | 265 | 4638 | 1.24 | 0.02 | 7 | 0.08 | <100 | 6 | 0.02 | 9 | <100 | 5 | 18 | 0.03 | <10 | 6 | <100 | 4 | 9 | 27 | <1 | 60 |
| 84221 | 910234 | 6 | 0.13 | 29 | 56 | 24 | 1 | 0.02 | <10 | 7 | 224 | 128 | 1.31 | 0.11 | 7 | 0.02 | <100 | 6 | 0.02 | 7 | <100 | 12 | 15 | 0.03 | <10 | <5 | <100 | 6 | 11 | 25 | <1 | 6 |
| 84222 | 910234 | 7 | 0.14 | 33 | 59 | 25 | 1 | 0.02 | <10 | 7 | 232 | 120 | 1.28 | 0.12 | 7 | 0.02 | <100 | 5 | 0.02 | 8 | <100 | 12 | 13 | 0.03 | <10 | <5 | <100 | 6 | 11 | 29 | <1 | 7 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Unitronix
 Date Created: 05-09-01 09:18 PM
 Job Number: 200541211
 Date Received: 7/26/2005
 Number of Samples: 73
 Type of Sample: Rock
 Date Completed: 8/18/2005
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|--------|------|--------|------|--------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 84223 | 910235 | 1 | 3.25 | 25 | 59 | 83 | 1 | 6.20 | <10 | 52 | 168 | 300 | >10.00 | 0.21 | 9 | 2.99 | 1762 | 5 | 0.02 | 74 | 466 | 17 | 21 | 0.04 | <10 | 105 | <100 | 8 | 172 | 183 | 2 | 267 |
| 84224 | 910236 | <1 | 3.38 | 15 | 555 | 14 | 1 | 3.94 | <10 | 44 | 66 | 129 | 6.91 | 0.02 | 7 | 1.90 | 588 | 5 | 0.03 | 33 | 365 | 8 | 11 | 0.07 | <10 | 57 | 5507 | 5 | 230 | 123 | 4 | 150 |
| 84225 | 910237 | <1 | 0.49 | 9 | 60 | 80 | 1 | 0.26 | <10 | 5 | 201 | 21 | 0.80 | 0.29 | 7 | 0.11 | 176 | 6 | 0.04 | 6 | 132 | 6 | 16 | 0.03 | <10 | 9 | 179 | 3 | 14 | 18 | 3 | 17 |
| 84226 | 910238 | <1 | 0.52 | 9 | 52 | 8 | 1 | 0.81 | <10 | 10 | 176 | 16 | 1.50 | 0.03 | 7 | 0.39 | 246 | 6 | 0.02 | 9 | <100 | 7 | 8 | 0.03 | <10 | 8 | 329 | 6 | 32 | 33 | <1 | 32 |
| 84227 | 910251 | <1 | 0.73 | 9 | 53 | 11 | 1 | 1.13 | <10 | 12 | 230 | 19 | 1.97 | 0.04 | 7 | 0.55 | 341 | 6 | 0.02 | 12 | <100 | 5 | 17 | 0.03 | <10 | 11 | 517 | 4 | 43 | 43 | <1 | 44 |
| 84228 | 910252 | 9 | 0.50 | 11 | 55 | 17 | 1 | 0.10 | <10 | 13 | 204 | 65 | 6.35 | 0.05 | 6 | 0.43 | 135 | 6 | 0.04 | 9 | 200 | 136 | 13 | 0.05 | <10 | <5 | 1820 | 5 | 55 | 125 | <1 | 40 |
| 84229 | 910253 | <1 | 0.98 | 8 | 58 | 6 | 1 | 1.90 | <10 | 12 | 224 | 36 | 2.27 | 0.02 | 7 | 0.99 | 398 | 8 | 0.02 | 28 | <100 | 6 | 11 | 0.04 | <10 | 9 | 177 | 5 | 48 | 53 | <1 | 67 |
| 84230 | 910254 | <1 | 0.57 | 9 | 55 | 74 | 1 | 0.43 | <10 | 4 | 117 | 30 | 1.37 | 0.32 | 7 | 0.38 | 258 | 5 | 0.03 | 3 | <100 | 8 | 8 | 0.04 | <10 | 20 | 128 | 5 | 8 | 34 | 5 | 47 |
| 84231 | 910255 | <1 | 0.41 | 9 | 52 | 52 | 1 | 0.44 | <10 | 6 | 108 | 23 | 1.16 | 0.12 | 7 | 0.26 | 184 | 6 | 0.07 | 6 | 246 | 16 | 11 | 0.03 | <10 | 18 | <100 | 6 | 8 | 23 | <1 | 32 |
| 84232 | 910256 | <1 | 1.72 | 19 | 54 | 24 | 1 | 0.62 | <10 | 13 | 104 | 41 | 4.80 | 0.11 | 10 | 0.92 | 898 | 6 | 0.05 | 25 | 551 | 14 | 10 | 0.04 | <10 | 11 | 109 | 4 | 30 | 95 | <1 | 114 |
| 84233 | 910256 | <1 | 1.74 | 20 | 51 | 23 | 1 | 0.63 | <10 | 14 | 100 | 41 | 4.74 | 0.10 | 10 | 0.91 | 884 | 6 | 0.05 | 25 | 541 | 12 | 13 | 0.04 | <10 | 10 | <100 | 4 | 29 | 93 | <1 | 105 |
| 84234 | 910257 | <1 | 1.39 | 12 | 47 | 32 | 1 | 0.55 | <10 | 9 | 94 | 26 | 3.74 | 0.11 | 8 | 0.84 | 768 | 6 | 0.04 | 17 | 588 | 14 | 6 | 0.04 | <10 | 10 | 312 | 9 | 23 | 82 | <1 | 120 |
| 84235 | 910258 | <1 | 0.24 | 8 | 43 | 12 | 1 | 0.55 | <10 | 5 | 124 | 26 | 1.30 | 0.04 | 7 | 0.12 | 155 | 5 | 0.08 | 4 | 365 | 12 | 13 | 0.03 | <10 | 18 | <100 | 5 | 6 | 25 | <1 | 26 |
| 84236 | 910259 | <1 | 0.25 | 9 | 47 | 93 | 1 | 0.10 | <10 | 3 | 106 | 12 | 1.18 | 0.23 | 7 | 0.06 | 288 | 5 | 0.04 | 6 | 136 | 7 | 13 | 0.03 | <10 | 5 | <100 | 6 | 5 | 27 | 2 | 55 |
| 84237 | 910260 | 3 | 2.71 | 8 | 46 | 53 | 1 | 2.05 | <10 | 12 | 69 | 33 | >10.00 | 0.04 | 7 | 0.96 | 8221 | 7 | 0.03 | 20 | 454 | 20 | 13 | 0.04 | <10 | 62 | 420 | 13 | 52 | 262 | <1 | 155 |
| 84238 | 910261 | <1 | 1.49 | 7 | 50 | 46 | 1 | 0.58 | <10 | 18 | 137 | 21 | 3.31 | 0.09 | 7 | 0.72 | 684 | 6 | 0.03 | 32 | 236 | 8 | 10 | 0.04 | <10 | 30 | 2666 | 4 | 59 | 65 | 5 | 79 |
| 84239 | 910262 | <1 | 1.13 | 10 | 47 | 44 | 1 | 2.72 | <10 | 16 | 179 | 14 | 2.28 | 0.02 | 7 | 0.59 | 506 | 5 | 0.01 | 12 | 415 | 6 | 16 | 0.04 | <10 | 121 | 1625 | 5 | 56 | 56 | <1 | 61 |
| 84240 | 910263 | <1 | 0.89 | 8 | 48 | 46 | 1 | 0.87 | <10 | 15 | 60 | 16 | 1.76 | 0.13 | 7 | 0.31 | 312 | 5 | 0.03 | 17 | 398 | 4 | 8 | 0.03 | <10 | 21 | 1220 | 3 | 13 | 36 | <1 | 85 |
| 84241 | 910264 | <1 | 1.33 | 8 | 49 | 15 | 1 | 4.28 | <10 | 23 | 137 | 52 | 1.99 | 0.04 | 7 | 0.76 | 421 | 6 | 0.03 | 61 | 521 | 6 | 7 | 0.04 | <10 | 51 | 2290 | 5 | 35 | 54 | <1 | 67 |
| 84242 | 910265 | <1 | 2.38 | 8 | 54 | 18 | 1 | 1.05 | <10 | 34 | 76 | 100 | 4.69 | 0.05 | 8 | 1.84 | 601 | 5 | 0.04 | 83 | 1000 | 6 | 10 | 0.08 | <10 | 14 | 5974 | 4 | 100 | 82 | 5 | 164 |
| 84243 | 910266 | <1 | 0.37 | 10 | 55 | 26 | 1 | 0.16 | <10 | 5 | 165 | 24 | 0.79 | 0.16 | 7 | 0.13 | <100 | 7 | 0.03 | 16 | 120 | 5 | 11 | 0.02 | <10 | 16 | 575 | 3 | 10 | 19 | 8 | 24 |
| 84244 | 910266 | <1 | 0.36 | 9 | 62 | 26 | 1 | 0.15 | <10 | 5 | 169 | 24 | 0.79 | 0.16 | 7 | 0.13 | <100 | 7 | 0.03 | 16 | 117 | 6 | 12 | 0.02 | <10 | 15 | 555 | 5 | 10 | 21 | 8 | 25 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Unitronix

Date Created: 05-09-01 09:18 PM

Job Number: 200541211

Date Received: 7/26/2005

Number of Samples: 73

Type of Sample: Rock

Date Completed: 8/18/2005

Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|-----------|---------|-----------|----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|--------|-----------|---------|-----------|-----------|---------|-----------|----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|----------|----------|----------|-----------|
| 84245 | 910267 | <1 | 3.62 | 8 | 153 | 16 | 1 | 1.26 | <10 | 37 | 94 | 156 | 6.71 | 0.09 | 27 | 3.33 | 421 | 6 | 0.04 | 49 | 955 | 8 | 10 | 0.07 | <10 | 37 | 4251 | 5 | 90 | 155 | 4 | 211 |
| 84246 | 910268 | <1 | 0.54 | 9 | 57 | 16 | 1 | 0.14 | <10 | 4 | 132 | 22 | 1.66 | 0.09 | 7 | 0.26 | 196 | 6 | 0.05 | 4 | <100 | 13 | 11 | 0.03 | 11 | 25 | 601 | 4 | 8 | 37 | 9 | 104 |
| 84247 | 910269 | <1 | 2.34 | 14 | 58 | 7 | 1 | 0.96 | <10 | 43 | 74 | 142 | 5.52 | 0.03 | 7 | 1.47 | 940 | 5 | 0.03 | 29 | 416 | 6 | 11 | 0.06 | <10 | 12 | 4663 | 4 | 114 | 100 | 2 | 141 |
| 84248 | 910270 | <1 | 1.93 | 8 | 64 | 11 | 1 | 1.34 | <10 | 31 | 181 | 68 | 4.19 | 0.03 | 7 | 1.01 | 728 | 6 | 0.03 | 38 | 222 | 6 | 16 | 0.05 | <10 | 13 | 5072 | 5 | 89 | 90 | <1 | 95 |
| 84249 | 910271 | <1 | 1.28 | 8 | 56 | 91 | 1 | 1.35 | <10 | 12 | 95 | 28 | 2.33 | 0.11 | 8 | 0.63 | 622 | 5 | 0.05 | 11 | 350 | 5 | 11 | 0.03 | <10 | 29 | <100 | 6 | 10 | 49 | <1 | 91 |
| 84250 | 910272 | <1 | 1.58 | 7 | 69 | 10 | 2 | 1.65 | <10 | 14 | 120 | 20 | 4.02 | 0.08 | 7 | 0.56 | 570 | 5 | 0.14 | 4 | 1084 | 6 | 11 | 0.08 | <10 | 23 | 1394 | 5 | 25 | 83 | 5 | 90 |
| 84251 | 910273 | 2 | 2.70 | 9 | 69 | 16 | 1 | 1.55 | <10 | 38 | 123 | 122 | 5.89 | 0.11 | 8 | 1.80 | 696 | 5 | 0.13 | 59 | 815 | 21 | 10 | 0.10 | <10 | 22 | 2407 | 4 | 116 | 118 | 5 | 155 |
| 84252 | 910274 | <1 | 2.51 | 7 | 57 | 12 | 1 | 1.44 | <10 | 41 | 127 | 55 | 6.46 | 0.07 | 7 | 1.37 | 881 | 5 | 0.15 | 59 | 478 | 10 | 10 | 0.07 | <10 | 7 | 3199 | 3 | 184 | 109 | 6 | 175 |
| 84253 | 910275 | <1 | 1.78 | 8 | 61 | 9 | 1 | 1.40 | <10 | 36 | 127 | 130 | 4.56 | 0.07 | 7 | 0.90 | 468 | 6 | 0.16 | 42 | 610 | 9 | 9 | 0.06 | <10 | 9 | 2497 | 3 | 136 | 101 | 4 | 110 |
| 84254 | 910276 | <1 | 0.96 | 8 | 53 | 10 | 1 | 1.95 | <10 | 11 | 129 | 29 | 1.17 | 0.03 | 8 | 0.08 | 249 | 6 | 0.02 | 8 | 587 | 4 | 12 | 0.09 | <10 | 175 | 4398 | 5 | 54 | 34 | 2 | 15 |
| 84255 | 910276 | <1 | 0.93 | 8 | 55 | 10 | 1 | 1.90 | <10 | 11 | 132 | 29 | 1.13 | 0.03 | 8 | 0.08 | 247 | 6 | 0.02 | 9 | 606 | 21 | 9 | 0.09 | <10 | 169 | 4358 | 3 | 53 | 34 | 2 | 16 |
| 84256 | 910277 | <1 | 1.37 | 6 | 59 | 6 | 1 | 1.50 | <10 | 25 | 85 | 100 | 2.96 | 0.05 | 7 | 0.70 | 363 | 5 | 0.09 | 34 | 464 | 6 | 9 | 0.07 | <10 | 41 | 3072 | 3 | 60 | 74 | 1 | 68 |
| 84257 | 910278 | <1 | 3.22 | 11 | 64 | 9 | 1 | 2.08 | <10 | 50 | 164 | 121 | 6.18 | 0.03 | 11 | 2.98 | 1049 | 6 | 0.02 | 85 | 498 | 8 | 12 | 0.08 | <10 | 49 | 3817 | 4 | 94 | 114 | 5 | 227 |
| 84258 | 910279 | <1 | 0.52 | 9 | 69 | 31 | 2 | 0.60 | <10 | 6 | 173 | 20 | 1.81 | 0.16 | 7 | 0.29 | 249 | 6 | 0.06 | 11 | 105 | 8 | 7 | 0.03 | <10 | 16 | 908 | 4 | 14 | 44 | 22 | 60 |

Certified By:


Derek Demianiuk, H.Bsc.

Certificate of Analysis

Thursday, October 13, 2005

Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

Date Received : 22-Aug-05
 Date Completed : 22-Sep-05
 Job # 200541445

Reference :

Sample #: 39 Rock

| Accurassay # | Client Id | Au ppb | Pt ppb | Pd ppb | Rh ppb |
|--------------|--------------|-----------|-----------|-----------|-----------|
| 98604 | 910336 | 62 | | | |
| 98605 | 910337 | <5 | 21 | <10 | |
| 98606 | 910338 | <5 | | | |
| 98607 | 910339 | <5 | | | |
| 98608 | 910340 | <5 | | | |
| 98609 | 910341 | <5 | <15 | <10 | |
| 98610 | 910342 | <5 | | | |
| 98611 | 910343 | <5 | <15 | <10 | |
| 98612 | 910344 | <5 | <15 | <10 | |
| 98613 | 910345 | <5 | | | |
| 98614 | 910346 | <5 | | | |
| 98615 | Check 910346 | <5 | | | |
| 98616 | 910347 | <5 | <15 | <10 | |
| 98617 | 910348 | <5 | 27 | 63 | |
| 98618 | 910349 | <5 | <15 | 109 | |
| 98619 | 910350 | 20 | <15 | 420 | |
| 98620 | 910385 | 24 | <15 | 98 | |
| 98621 | 910386 | <5 | <15 | <10 | |
| 98622 | 910387 | <5 | <15 | <10 | |
| 98623 | 910388 | <5 | | | |
| 98624 | 910389 | <5 | | | |
| 98625 | Check 910389 | <5 | | | |

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By


 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 2



Certificate of Analysis

Thursday, October 13, 2005

 Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

Date Received : 22-Aug-05

Date Completed : 22-Sep-05

Job # 200541445

Reference :

Sample #: 39 Rock

| Accurassay # | Client Id | Au ppb | Pt ppb | Pd ppb | Rh ppb |
|--------------|--------------|-----------|-----------|-----------|-----------|
| 98626 | 910390 | <5 | <15 | <10 | |
| 98627 | 910391 | <5 | | | |
| 98628 | 910392 | <5 | | | |
| 98629 | 910393 | <5 | | | |
| 98630 | 910394 | <5 | <15 | <10 | |
| 98631 | 910395 | <5 | | | |
| 98632 | 910401 | <5 | <15 | 21 | |
| 98633 | 910402 | <5 | <15 | <10 | |
| 98634 | 910403 | <5 | <15 | <10 | |
| 98635 | Check 910403 | <5 | <15 | <10 | |
| 98636 | 910404 | <5 | <15 | 135 | |
| 98637 | 910405 | <5 | | | |
| 98638 | 910406 | <5 | | | |
| 98639 | 910407 | <5 | | | |
| 98640 | 910408 | <5 | | | |
| 98641 | 910409 | 9 | | | |
| 98642 | 910410 | 7 | | | |
| 98643 | 910411 | <5 | | | |
| 98644 | 910412 | <5 | | | |
| 98645 | 910413 | <5 | | | |

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By:


 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Certificate of Analysis

Thursday, October 13, 2005

Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

Date Received : 09-Aug-05
 Date Completed : 19-Sep-05
 Job # 200541304
 Reference :
 Sample #: 85 Rock

| Accurassay # | Client Id | Au ppb | Pt ppb | Pd ppb | Rh ppb |
|--------------|-----------|-----------|-----------|-----------|-----------|
| 90083 | 910396 | <5 | | | |
| 90084 | 910397 | <5 | | | |
| 90085 | 910398 | 7 | | | |
| 90086 | 910399 | <5 | | | |
| 90087 | 910400 | <5 | | | |

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By: 
 Derek Damianluk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Certificate of Analysis

Thursday, October 13, 2005

Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net


Date Received : 09-Aug-05
 Date Completed : 19-Sep-05
 Job # 200541304

Reference :
 Sample #: 85 Rock

| Accurassay # | Client Id | Au ppb | Pt ppb | Pd ppb | Rh ppb |
|--------------|-----------|-----------|-----------|-----------|-----------|
| | | | <15 | <10 | |
| 90130 | 910452 | 5 | | | |
| 90131 | 910453 | 11 | <15 | <10 | |
| 90132 | 910454 | <5 | | | |
| 90133 | 910455 | 6 | <15 | <10 | |
| 90134 | 910456 | <5 | <15 | <10 | |
| 90135 | 910457 | <5 | <15 | <10 | |
| 90136 | 910458 | <5 | <15 | 19 | |
| 90137 Check | 910458 | <5 | | | |
| 90138 | 910459 | <5 | | | |
| 90139 | 910460 | <5 | | | |
| 90140 | 910461 | <5 | | | |
| 90141 | 910462 | <5 | | | |
| 90142 | 910463 | <5 | <15 | <10 | |
| 90143 | 910464 | 8 | | | |
| 90144 | 910465 | <5 | | | |
| 90145 | 910466 | <5 | | | |
| 90146 | 910467 | <5 | | | |
| 90147 | 910468 | <5 | | | |
| 90148 Check | 910468 | 10 | | | |

PROCEDURE CODES: AL4APP, AL4ICPAR

Page 3 of 5

Certified By: 
 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Derek Demianiuk H.Bsc., Laboratory Manager

AL907-0407-10/13/2005 12:33 PM

Certificate of Analysis

Thursday, October 13, 2005

 Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

 Date Received : 26-Jul-05
 Date Completed : 18-Aug-05
 Job # 200541211
 Reference :
 Sample #: 73 Rock

| Accurassay # | Client Id | Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|-----------|-----------|------------|-----------------|
| 84179 | DMH-05-01 | 5282 | 0.154 | 5.282 |
| 84180 | DMH-05-02 | 816 | 0.024 | 0.816 |
| 84185 | 910201 | 142 | 0.004 | 0.142 |
| 84186 | 910202 | 473 | 0.014 | 0.473 |
| 84187 | 910203 | <5 | <0.001 | <0.005 |
| 84188 | 910204 | <5 | <0.001 | <0.005 |
| 84189 Check | 910204 | <5 | <0.001 | <0.005 |
| 84190 | 910205 | <5 | <0.001 | <0.005 |
| 84191 | 910206 | <5 | <0.001 | <0.005 |
| 84192 | 910207 | <5 | <0.001 | <0.005 |
| 84193 | 910208 | <5 | <0.001 | <0.005 |
| 84194 | 910209 | <5 | <0.001 | <0.005 |
| 84195 | 910210 | 13 | <0.001 | 0.013 |
| 84196 | 910211 | 7 | <0.001 | 0.007 |
| 84197 | 910212 | <5 | <0.001 | <0.005 |
| 84198 | 910213 | <5 | <0.001 | <0.005 |
| 84199 | 910214 | <5 | <0.001 | <0.005 |
| 84200 Check | 910214 | <5 | <0.001 | <0.005 |
| 84201 | 910215 | 30 | <0.001 | 0.030 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By:


 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 4

AL903-0407-10/13/2005 12:32 PM

Certificate of Analysis

Thursday, October 13, 2005

Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

Date Received : 26-Jul-05
 Date Completed : 18-Aug-05
 Job # 200541211
 Reference :

Sample #: 73 Rock

| Accurassay # | Client Id | Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|--------------|-----------|------------|-----------------|
| 84202 | 910216 | <5 | <0.001 | <0.005 |
| 84203 | 910217 | <5 | <0.001 | <0.005 |
| 84204 | 910218 | <5 | <0.001 | <0.005 |
| 84205 | 910219 | 6 | <0.001 | 0.006 |
| 84206 | 910220 | 6 | <0.001 | 0.006 |
| 84207 | 910221 | <5 | <0.001 | <0.005 |
| 84208 | 910222 | <5 | <0.001 | <0.005 |
| 84209 | 910223 | 7 | <0.001 | 0.007 |
| 84210 | 910224 | 23 | <0.001 | 0.023 |
| 84211 | Check 910224 | 28 | <0.001 | 0.028 |
| 84212 | 910225 | 7 | <0.001 | 0.007 |
| 84213 | 910226 | 14 | <0.001 | 0.014 |
| 84214 | 910227 | <5 | <0.001 | <0.005 |
| 84215 | 910228 | 7 | <0.001 | 0.007 |
| 84216 | 910229 | <5 | <0.001 | <0.005 |
| 84217 | 910230 | 8 | <0.001 | 0.008 |
| 84218 | 910231 | <5 | <0.001 | <0.005 |
| 84219 | 910232 | 81 | 0.002 | 0.081 |
| 84220 | 910233 | 28 | <0.001 | 0.028 |
| 84221 | 910234 | 115 | 0.003 | 0.115 |
| 84222 | Check 910234 | 128 | 0.004 | 0.128 |
| 84223 | 910235 | <5 | <0.001 | <0.005 |
| 84224 | 910236 | <5 | <0.001 | <0.005 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Page 2 of 4

Certified By:


 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0407-10/13/2005 12:32 PM

Certificate of Analysis

Thursday, October 13, 2005

Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

Date Received : 26-Jul-05
 Date Completed : 18-Aug-05
 Job # 200541211

Reference :

Sample #: 73 Rock

| Accurassay # | Client Id | Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|--------------|-----------|------------|-----------------|
| 84225 | 910237 | <5 | <0.001 | <0.005 |
| 84226 | 910238 | 9 | <0.001 | 0.009 |
| 84227 | 910251 | <5 | <0.001 | <0.005 |
| 84228 | 910252 | <5 | <0.001 | <0.005 |
| 84229 | 910253 | <5 | <0.001 | <0.005 |
| 84230 | 910254 | <5 | <0.001 | <0.005 |
| 84231 | 910255 | 5 | <0.001 | 0.005 |
| 84232 | 910256 | <5 | <0.001 | <0.005 |
| 84233 | Check 910256 | <5 | <0.001 | <0.005 |
| 84234 | 910257 | <5 | <0.001 | <0.005 |
| 84235 | 910258 | <5 | <0.001 | <0.005 |
| 84236 | 910259 | <5 | <0.001 | <0.005 |
| 84237 | 910260 | <5 | <0.001 | <0.005 |
| 84238 | 910261 | <5 | <0.001 | <0.005 |
| 84239 | 910262 | <5 | <0.001 | <0.005 |
| 84240 | 910263 | <5 | <0.001 | <0.005 |
| 84241 | 910264 | <5 | <0.001 | <0.005 |
| 84242 | 910265 | <5 | <0.001 | <0.005 |
| 84243 | 910266 | <5 | <0.001 | <0.005 |
| 84244 | Check 910266 | <5 | <0.001 | <0.005 |
| 84245 | 910267 | <5 | <0.001 | <0.005 |
| 84246 | 910268 | <5 | <0.001 | <0.005 |
| 84247 | 910269 | <5 | <0.001 | <0.005 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By


 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 4

AL903-0407-10/13/2005 12:32 PM

Certificate of Analysis

Thursday, October 13, 2005

Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

Date Received : 26-Jul-05
 Date Completed : 18-Aug-05
 Job # 200541211

Reference :
 Sample #: 73 Rock

| Accurassay # | Client Id | Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|-----------|-----------|------------|-----------------|
| 84248 | 910270 | <5 | <0.001 | <0.005 |
| 84249 | 910271 | <5 | <0.001 | <0.005 |
| 84250 | 910272 | <5 | <0.001 | <0.005 |
| 84251 | 910273 | <5 | <0.001 | <0.005 |
| 84252 | 910274 | <5 | <0.001 | <0.005 |
| 84253 | 910275 | <5 | <0.001 | <0.005 |
| 84254 | 910276 | <5 | <0.001 | <0.005 |
| 84255 Check | 910276 | <5 | <0.001 | <0.005 |
| 84256 | 910277 | <5 | <0.001 | <0.005 |
| 84257 | 910278 | <5 | <0.001 | <0.005 |
| 84258 | 910279 | <5 | <0.001 | <0.005 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By: 

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Certificate of Analysis

Thursday, October 13, 2005

 Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

 Date Received : 03-Aug-05
 Date Completed : 15-Aug-05
 Job # 200541265

Reference :

Sample #: 100 Rock

| Accurassay # | Client Id | Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|-----------|-----------|------------|-----------------|
| 86973 | 910239 | <5 | <0.001 | <0.005 |
| 86974 | 910240 | <5 | <0.001 | <0.005 |
| 86975 | 910241 | 7 | <0.001 | 0.007 |
| 86976 | 910242 | <5 | <0.001 | <0.005 |
| 86977 | 910243 | <5 | <0.001 | <0.005 |
| 86978 | 910244 | 34 | <0.001 | 0.034 |
| 86979 | 910245 | 143 | 0.004 | 0.143 |
| 86980 | 910246 | <5 | <0.001 | <0.005 |
| 86981 | 910247 | 23 | <0.001 | 0.023 |
| 86982 | 910248 | 6 | <0.001 | 0.006 |
| 86983 Check | 910248 | 25 | <0.001 | 0.025 |
| 86984 | 910249 | 8 | <0.001 | 0.008 |
| 86985 | 910250 | 46 | 0.001 | 0.046 |
| 86986 | 910280 | <5 | <0.001 | <0.005 |
| 86987 | 910281 | <5 | <0.001 | <0.005 |
| 86988 | 910282 | <5 | <0.001 | <0.005 |
| 86990 | 910283 | <5 | <0.001 | <0.005 |
| 86991 | 910284 | <5 | <0.001 | <0.005 |
| 86992 | 910285 | <5 | <0.001 | <0.005 |
| 86993 | 910286 | <5 | <0.001 | <0.005 |
| 86994 | 910287 | <5 | <0.001 | <0.005 |
| 86995 Check | 910287 | <5 | <0.001 | <0.005 |
| 86996 | 910288 | <5 | <0.001 | <0.005 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Page 1 of 5

Certified By:


 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0407-10/13/2005 12:33 PM

Certificate of Analysis

Thursday, October 13, 2005

 Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA

M5H2G4

Ph#: (416) 955-8630

Fax#: (416) 363-2966, (416) 453-0057

Email dalem@ca.inter.net

Date Received : 03-Aug-05

Date Completed : 15-Aug-05

Job # 200541265

Reference :

Sample #: 100 Rock

| Accurassay # | Client Id | Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|-----------|-----------|------------|-----------------|
| 86997 | 910289 | <5 | <0.001 | <0.005 |
| 86998 | 910290 | <5 | <0.001 | <0.005 |
| 86999 | 910291 | <5 | <0.001 | <0.005 |
| 87000 | 910292 | <5 | <0.001 | <0.005 |
| 87001 | 910293 | <5 | <0.001 | <0.005 |
| 87002 | 910294 | <5 | <0.001 | <0.005 |
| 87003 | 910296 | <5 | <0.001 | <0.005 |
| 87004 | 910297 | <5 | <0.001 | <0.005 |
| 87005 | 910298 | <5 | <0.001 | <0.005 |
| 87006 Check | 910298 | <5 | <0.001 | <0.005 |
| 87007 | 910300 | <5 | <0.001 | <0.005 |
| 87008 | 910301 | 58 | 0.002 | 0.058 |
| 87009 | 910302 | 96 | 0.003 | 0.096 |
| 87010 | 910303 | <5 | <0.001 | <0.005 |
| 87011 | 910304 | <5 | <0.001 | <0.005 |
| 87012 | 910305 | <5 | <0.001 | <0.005 |
| 87013 | 910306 | <5 | <0.001 | <0.005 |
| 87014 | 910307 | 62 | 0.002 | 0.062 |
| 87015 | 910308 | 17 | <0.001 | 0.017 |
| 87016 | 910309 | <5 | <0.001 | <0.005 |
| 87017 Check | 910309 | <5 | <0.001 | <0.005 |
| 87018 | 910310 | <5 | <0.001 | <0.005 |
| 87019 | 910311 | 8 | <0.001 | 0.008 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By


 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 2 of 5

AL903-0407-10/13/2005 12:33 PM

Certificate of Analysis

Thursday, October 13, 2005

 Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

 Date Received : 03-Aug-05
 Date Completed : 15-Aug-05
 Job # 200541265

Reference :

Sample #: 100 Rock

| Accurassay # | Client Id | Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|-----------|-----------|------------|-----------------|
| 87020 | 910312 | <5 | <0.001 | <0.005 |
| 87021 | 910313 | <5 | <0.001 | <0.005 |
| 87022 | 910314 | <5 | <0.001 | <0.005 |
| 87023 | 910315 | 7 | <0.001 | 0.007 |
| 87024 | 910316 | <5 | <0.001 | <0.005 |
| 87025 | 910317 | <5 | <0.001 | <0.005 |
| 87026 | 910318 | 157 | 0.005 | 0.157 |
| 87027 | 910319 | <5 | <0.001 | <0.005 |
| 87028 Check | 910319 | <5 | <0.001 | <0.005 |
| 87029 | 910320 | <5 | <0.001 | <0.005 |
| 87030 | 910321 | 33 | <0.001 | 0.033 |
| 87031 | 910322 | 12 | <0.001 | 0.012 |
| 87032 | 910323 | <5 | <0.001 | <0.005 |
| 87033 | 910324 | <5 | <0.001 | <0.005 |
| 87034 | 910325 | <5 | <0.001 | <0.005 |
| 87035 | 910326 | <5 | <0.001 | <0.005 |
| 87036 | 910327 | <5 | <0.001 | <0.005 |
| 87037 | 910328 | <5 | <0.001 | <0.005 |
| 87038 | 910329 | 10 | <0.001 | 0.010 |
| 87039 Check | 910329 | 7 | <0.001 | 0.007 |
| 87040 | 910330 | <5 | <0.001 | <0.005 |
| 87041 | 910331 | 8 | <0.001 | 0.008 |
| 87042 | 910332 | <5 | <0.001 | <0.005 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By:


 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 5

AL903-0407-10/13/2005 12:33 PM

Certificate of Analysis

Thursday, October 13, 2005

Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

Date Received : 03-Aug-05
 Date Completed : 15-Aug-05
 Job # 200541265

Reference :

Sample #: 100 Rock

| Accurassay # | Client Id | Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|--------------|-----------|------------|-----------------|
| 87043 | 910333 | <5 | <0.001 | <0.005 |
| 87044 | 910334 | <5 | <0.001 | <0.005 |
| 87045 | 910335 | <5 | <0.001 | <0.005 |
| 87046 | 910351 | <5 | <0.001 | <0.005 |
| 87047 | 910352 | <5 | <0.001 | <0.005 |
| 87048 | 910353 | 5 | <0.001 | 0.005 |
| 87049 | 910354 | <5 | <0.001 | <0.005 |
| 87050 | Check 910354 | 7 | <0.001 | 0.007 |
| 87051 | 910355 | 18 | <0.001 | 0.018 |
| 87052 | 910356 | 14 | <0.001 | 0.014 |
| 87053 | 910357 | <5 | <0.001 | <0.005 |
| 87054 | 910358 | 11 | <0.001 | 0.011 |
| 87055 | 910359 | 6 | <0.001 | 0.006 |
| 87056 | 910360 | <5 | <0.001 | <0.005 |
| 87057 | 910361 | 6 | <0.001 | 0.006 |
| 87058 | 910362 | 7 | <0.001 | 0.007 |
| 87059 | 910363 | 7 | <0.001 | 0.007 |
| 87060 | 910364 | 36 | 0.001 | 0.036 |
| 87061 | Check 910364 | 18 | <0.001 | 0.018 |
| 87062 | 910365 | 11 | <0.001 | 0.011 |
| 87063 | 910366 | 9 | <0.001 | 0.009 |
| 87064 | 910367 | <5 | <0.001 | <0.005 |
| 87065 | 910368 | <5 | <0.001 | <0.005 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Page 4 of 5

Certified By:

 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0407-10/13/2005 12:33 PM

Certificate of Analysis

Thursday, October 13, 2005

Unitronix, Dale Hendricks
 Suite 901, 111 Richmond St. W.
 Toronto, ON, CA
 M5H2G4
 Ph#: (416) 955-8630
 Fax#: (416) 363-2966, (416) 453-0057
 Email dalem@ca.inter.net

Date Received : 03-Aug-05
 Date Completed : 15-Aug-05
 Job # 200541265
 Reference :
 Sample #: 100 Rock

| Accurassay # | Client Id | Au ppb | Au oz/t | Au g/t (ppm) |
|--------------|-----------|-----------|------------|-----------------|
| 87066 | 910369 | <5 | <0.001 | <0.005 |
| 87067 | 910370 | <5 | <0.001 | <0.005 |
| 87068 | 910371 | <5 | <0.001 | <0.005 |
| 87069 | 910372 | <5 | <0.001 | <0.005 |
| 87070 | 910373 | <5 | <0.001 | <0.005 |
| 87071 | 910374 | <5 | <0.001 | <0.005 |
| 87072 Check | 910374 | <5 | <0.001 | <0.005 |
| 87073 | 910375 | 9 | <0.001 | 0.009 |
| 87074 | 910376 | <5 | <0.001 | <0.005 |
| 87075 | 910377 | <5 | <0.001 | <0.005 |
| 87076 | 910378 | <5 | <0.001 | <0.005 |
| 87077 | 910379 | <5 | <0.001 | <0.005 |
| 87078 | 910380 | <5 | <0.001 | <0.005 |
| 87079 | 910381 | <5 | <0.001 | <0.005 |
| 87080 | 910382 | <5 | <0.001 | <0.005 |
| 87081 | 910383 | <5 | <0.001 | <0.005 |
| 87082 | 910384 | <5 | <0.001 | <0.005 |
| 87083 Check | 910384 | <5 | <0.001 | <0.005 |

PROCEDURE CODES: AL4APP, AL4ICPAR

Page 5 of 5

Certified By 

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested


The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0407-10/13/2005 12:33 PM

Unitronix
 Date Created: 05-09-01 09:18 PM
 Job Number: 200541211
 Date Received: 7/26/2005
 Number of Samples: 73
 Type of Sample: Rock
 Date Completed: 8/18/2005
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|--------|------|--------|------|--------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 84179 | DMH-05-01 | 5 | 0.23 | 16 | 48 | 53 | 1 | 0.05 | <10 | 5 | 203 | 282 | 1.54 | 0.07 | 7 | 0.02 | <100 | 7 | 0.07 | 9 | 241 | 21 | 18 | 0.03 | <10 | 11 | 165 | 5 | 18 | 25 | <1 | 106 |
| 84180 | DMH-05-02 | 2 | 0.39 | 18 | 52 | 25 | 1 | 5.09 | <10 | 46 | 117 | 256 | 9.65 | 0.23 | 8 | 1.80 | 1797 | 6 | 0.04 | 29 | 500 | 24 | 16 | 0.05 | <10 | 123 | <100 | 7 | 30 | 171 | <1 | 319 |
| 84185 | 910201 | 13 | 0.50 | 10 | 58 | 52 | 1 | 0.54 | <10 | 13 | 140 | 3691 | 4.37 | 0.15 | 7 | 0.21 | 196 | 47 | 0.06 | 6 | 277 | 9 | 13 | 0.04 | <10 | 22 | 357 | 4 | 7 | 81 | 4 | 415 |
| 84186 | 910202 | 15 | 0.51 | 9 | 51 | 64 | 1 | 0.36 | <10 | 12 | 188 | 4195 | 3.74 | 0.19 | 7 | 0.14 | 151 | 39 | 0.06 | 6 | 271 | 8 | 18 | 0.03 | <10 | 15 | 481 | 4 | 6 | 70 | 4 | 434 |
| 84187 | 910203 | <1 | 0.37 | 10 | 50 | 68 | 1 | 1.27 | <10 | 5 | 97 | 35 | 0.62 | 0.15 | 7 | 0.10 | 213 | 6 | 0.09 | 3 | 269 | 4 | 9 | 0.04 | <10 | 36 | <100 | 5 | 6 | 17 | <1 | 30 |
| 84188 | 910204 | <1 | 1.43 | 8 | 49 | 45 | 1 | 1.36 | <10 | 15 | 136 | 47 | 2.68 | 0.12 | 7 | 0.87 | 539 | 6 | 0.06 | 20 | 318 | 8 | 12 | 0.04 | <10 | 45 | 1678 | 3 | 34 | 60 | <1 | 82 |
| 84189 | 910204 | <1 | 1.48 | 8 | 57 | 46 | 1 | 1.40 | <10 | 16 | 142 | 48 | 2.81 | 0.12 | 7 | 0.92 | 564 | 6 | 0.07 | 21 | 325 | 8 | 13 | 0.04 | <10 | 44 | 1695 | 4 | 35 | 60 | <1 | 82 |
| 84190 | 910205 | <1 | 4.22 | 6 | 54 | 37 | 1 | 4.09 | <10 | 27 | 106 | 102 | 3.68 | 0.10 | 7 | 1.50 | 485 | 6 | 0.49 | 53 | 1078 | 10 | 15 | 0.07 | <10 | 155 | 2126 | 6 | 149 | 86 | <1 | 120 |
| 84191 | 910206 | <1 | 3.00 | 7 | 51 | 15 | 1 | 1.30 | <10 | 41 | 93 | 114 | 5.96 | 0.02 | 18 | 2.27 | 741 | 6 | 0.05 | 72 | 460 | 7 | 12 | 0.10 | <10 | 30 | 2976 | 5 | 129 | 97 | 4 | 192 |
| 84192 | 910207 | <1 | 5.43 | 6 | 53 | 84 | 2 | 1.08 | <10 | 50 | 217 | 102 | >10.00 | 0.03 | 19 | 3.08 | 2596 | 6 | 0.02 | 57 | 619 | 14 | 24 | 0.05 | <10 | 21 | 207 | 7 | 368 | 189 | <1 | 318 |
| 84193 | 910208 | <1 | 0.39 | 8 | 54 | 70 | 1 | 0.12 | <10 | 5 | 132 | 13 | 0.88 | 0.17 | 7 | 0.08 | 195 | 6 | 0.06 | 5 | 325 | 5 | 11 | 0.04 | <10 | 7 | <100 | 6 | 9 | 19 | <1 | 33 |
| 84194 | 910209 | <1 | 4.41 | 10 | 54 | 10 | 1 | 5.39 | <10 | 55 | 291 | 157 | 7.97 | 0.02 | 12 | 4.60 | 1240 | 5 | 0.03 | 135 | 300 | 11 | 21 | 0.10 | <10 | 70 | 5107 | 4 | 169 | 142 | 2 | 263 |
| 84195 | 910210 | <1 | 4.36 | 11 | 58 | 24 | 1 | 6.35 | <10 | 57 | 96 | 127 | 4.86 | 0.03 | 8 | 1.32 | 755 | 5 | 0.03 | 44 | 322 | 9 | 12 | 0.11 | <10 | 25 | 4070 | 3 | 166 | 81 | 5 | 121 |
| 84196 | 910211 | <1 | 1.04 | 9 | 52 | 40 | 1 | 3.72 | <10 | 16 | 97 | 23 | 2.86 | 0.19 | 7 | 1.01 | 510 | 5 | 0.05 | 39 | 477 | 6 | 11 | 0.05 | <10 | 40 | <100 | 6 | 12 | 72 | <1 | 113 |
| 84197 | 910212 | <1 | 2.12 | 7 | 62 | 48 | 1 | 0.98 | <10 | 28 | 83 | 60 | 5.56 | 0.09 | 12 | 2.05 | 805 | 6 | 0.05 | 46 | 831 | 11 | 9 | 0.10 | <10 | 32 | 4824 | 3 | 75 | 100 | 1 | 163 |
| 84198 | 910213 | <1 | 3.48 | 8 | 58 | 18 | 1 | 1.73 | <10 | 41 | 89 | 80 | 8.20 | 0.04 | 9 | 1.83 | 1065 | 5 | 0.06 | 32 | 1070 | 8 | 7 | 0.14 | <10 | 31 | 7701 | 4 | 158 | 173 | 14 | 190 |
| 84199 | 910214 | <1 | 2.04 | 8 | 54 | 30 | 1 | 2.53 | <10 | 23 | 66 | 45 | 3.71 | 0.11 | 7 | 1.34 | 549 | 11 | 0.26 | 28 | 680 | 5 | 11 | 0.09 | <10 | 26 | 2649 | 4 | 175 | 85 | <1 | 108 |
| 84200 | 910214 | <1 | 1.98 | 7 | 54 | 30 | 1 | 2.45 | <10 | 22 | 62 | 44 | 3.69 | 0.10 | 7 | 1.21 | 515 | 10 | 0.26 | 26 | 610 | 5 | 8 | 0.10 | <10 | 25 | 2596 | 4 | 168 | 72 | <1 | 107 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Unitronix

Date Created: 05-09-01 09:18 PM

Job Number: 200541211

Date Received: 7/26/2005

Number of Samples: 73

Type of Sample: Rock

Date Completed: 8/18/2005

Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|-----------|---------|-----------|----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|--------|-----------|---------|-----------|-----------|---------|-----------|----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|----------|----------|----------|-----------|
| 84201 | 910215 | 2 | 0.54 | 31 | 54 | 214 | 2 | 1.75 | <10 | 12 | 62 | 26 | 2.61 | 0.25 | 17 | 0.33 | 855 | 8 | 0.07 | 24 | 1027 | 48 | 10 | 0.07 | <10 | 246 | 277 | 6 | 19 | 52 | 18 | 84 |
| 84202 | 910216 | <1 | 0.89 | 7 | 40 | 44 | 1 | 1.81 | <10 | 10 | 80 | 15 | 2.42 | 0.08 | 7 | 0.49 | 534 | 5 | 0.08 | 17 | 301 | 6 | 9 | 0.04 | <10 | 44 | <100 | 6 | 10 | 49 | <1 | 65 |
| 84203 | 910217 | <1 | 0.75 | 8 | 46 | 104 | 1 | 0.42 | <10 | 7 | 84 | 11 | 1.06 | 0.28 | 7 | 0.13 | 449 | 5 | 0.10 | 22 | 537 | 7 | 12 | 0.55 | <10 | 16 | <100 | 5 | 12 | 25 | <1 | 54 |
| 84204 | 910218 | <1 | 4.27 | 7 | 51 | 9 | 1 | 1.32 | <10 | 77 | 222 | 171 | 9.23 | 0.02 | 10 | 3.28 | 1731 | 5 | 0.02 | 153 | 308 | 10 | 13 | 0.13 | <10 | 12 | 5891 | 4 | 103 | 159 | <1 | 269 |
| 84205 | 910219 | <1 | 3.66 | 9 | 55 | 12 | 1 | 1.85 | <10 | 40 | 209 | 24 | 6.86 | 0.05 | 15 | 3.03 | 1178 | 5 | 0.03 | 70 | 206 | 7 | 16 | 0.11 | <10 | 8 | 3121 | 6 | 152 | 146 | 3 | 235 |
| 84206 | 910220 | <1 | 2.96 | 5 | 55 | 17 | 1 | 1.97 | <10 | 35 | 93 | 100 | 6.71 | 0.05 | 10 | 1.86 | 1070 | 5 | 0.03 | 30 | 436 | 8 | 16 | 0.12 | <10 | 24 | 6892 | 4 | 179 | 107 | 5 | 166 |
| 84207 | 910221 | <1 | 5.24 | 5 | 55 | 5 | 1 | 3.64 | <10 | 60 | 137 | 210 | 9.25 | 0.01 | 15 | 4.20 | 1463 | 5 | 0.02 | 119 | 458 | 10 | 17 | 0.09 | <10 | 35 | 5383 | 4 | 217 | 154 | 8 | 331 |
| 84208 | 910222 | <1 | 2.24 | 9 | 51 | 33 | 1 | 1.84 | <10 | 20 | 94 | 42 | 3.47 | 0.13 | 13 | 1.72 | 708 | 5 | 0.05 | 44 | 826 | 5 | 12 | 0.06 | <10 | 37 | 2291 | 4 | 32 | 73 | 1 | 173 |
| 84209 | 910223 | <1 | 2.62 | 8 | 61 | 42 | 1 | 1.16 | <10 | 23 | 105 | 45 | 3.76 | 0.11 | 18 | 2.17 | 713 | 6 | 0.06 | 46 | 988 | 6 | 12 | 0.06 | <10 | 29 | 2608 | 4 | 35 | 94 | 1 | 212 |
| 84210 | 910224 | <1 | 0.73 | 29 | 61 | 479 | 1 | 0.11 | <10 | 6 | 89 | 92 | >10.00 | 0.45 | 5 | 0.11 | 154 | 33 | 0.03 | 9 | 936 | 29 | 11 | 0.03 | <10 | 46 | <100 | 4 | 15 | 263 | <1 | 29 |
| 84211 | 910224 | <1 | 0.71 | 30 | 52 | 475 | 1 | 0.11 | <10 | 6 | 91 | 94 | >10.00 | 0.45 | 7 | 0.11 | 156 | 34 | 0.03 | 9 | 963 | 28 | 12 | 0.03 | <10 | 45 | <100 | 4 | 15 | 271 | <1 | 30 |
| 84212 | 910225 | <1 | 0.42 | 9 | 62 | 36 | 1 | 0.48 | <10 | 3 | 144 | 13 | 1.11 | 0.15 | 7 | 0.13 | 157 | 6 | 0.07 | 3 | 127 | 7 | 14 | 0.03 | <10 | 9 | <100 | 5 | 6 | 26 | 2 | 17 |
| 84213 | 910226 | <1 | 0.64 | 8 | 50 | 72 | 2 | 0.80 | <10 | 5 | 113 | 13 | 1.40 | 0.29 | 9 | 0.09 | 175 | 6 | 0.04 | 2 | 115 | 8 | 10 | 0.03 | <10 | 5 | <100 | 4 | 5 | 28 | 5 | 15 |
| 84214 | 910227 | <1 | 0.36 | 8 | 52 | 84 | 2 | 1.08 | <10 | 4 | 91 | 18 | 0.25 | 0.49 | 7 | 0.03 | 159 | 6 | 0.03 | 3 | <100 | 7 | 9 | 0.04 | <10 | 10 | 240 | 5 | 5 | <10 | 18 | 11 |
| 84215 | 910228 | <1 | 4.71 | 8 | 195 | 28 | 1 | 2.19 | <10 | 53 | 186 | 257 | 8.64 | 0.03 | 16 | 3.87 | 1228 | 5 | 0.02 | 124 | 815 | 9 | 10 | 0.12 | <10 | 16 | 3792 | 5 | 152 | 141 | 6 | 336 |
| 84216 | 910229 | <1 | 2.10 | 9 | 56 | 21 | 1 | 0.22 | <10 | 26 | 282 | 48 | 4.18 | 0.10 | 13 | 1.79 | 831 | 5 | 0.02 | 35 | <100 | 6 | 14 | 0.05 | <10 | <5 | 1410 | 4 | 64 | 67 | 1 | 126 |
| 84217 | 910230 | <1 | 0.88 | 42 | 51 | 48 | 1 | 0.07 | <10 | 6 | 85 | 29 | 9.81 | 0.20 | 6 | 0.25 | 227 | 6 | 0.02 | 8 | 450 | 32 | 10 | 0.03 | <10 | <5 | 468 | 4 | 24 | 175 | <1 | 31 |
| 84218 | 910231 | <1 | 2.83 | 8 | 59 | 18 | 1 | 1.67 | <10 | 32 | 100 | 171 | 4.44 | 0.02 | 8 | 2.05 | 746 | 5 | 0.03 | 47 | 194 | 6 | 12 | 0.07 | <10 | 27 | 2648 | 4 | 101 | 74 | <1 | 148 |
| 84219 | 910232 | 6 | 0.28 | 13 | 81 | 7 | 1 | 0.15 | <10 | 11 | 225 | 1946 | 1.42 | 0.04 | 7 | 0.15 | <100 | 6 | 0.02 | 12 | <100 | 7 | 16 | 0.02 | <10 | <5 | <100 | 4 | 15 | 26 | <1 | 35 |
| 84220 | 910233 | 13 | 0.12 | 11 | 63 | 3 | 1 | 0.41 | <10 | 8 | 265 | 4638 | 1.24 | 0.02 | 7 | 0.08 | <100 | 6 | 0.02 | 9 | <100 | 5 | 18 | 0.03 | <10 | 6 | <100 | 4 | 9 | 27 | <1 | 60 |
| 84221 | 910234 | 6 | 0.13 | 29 | 56 | 24 | 1 | 0.02 | <10 | 7 | 224 | 128 | 1.31 | 0.11 | 7 | 0.02 | <100 | 6 | 0.02 | 7 | <100 | 12 | 15 | 0.03 | <10 | <5 | <100 | 6 | 11 | 25 | <1 | 6 |
| 84222 | 910234 | 7 | 0.14 | 33 | 59 | 25 | 1 | 0.02 | <10 | 7 | 232 | 120 | 1.28 | 0.12 | 7 | 0.02 | <100 | 5 | 0.02 | 8 | <100 | 12 | 13 | 0.03 | <10 | <5 | <100 | 6 | 11 | 29 | <1 | 7 |

Certified By: 
Derek Demianiuk, H.Bsc.

Unitronix
 Date Created: 05-09-01 09:18 PM
 Job Number: 200541211
 Date Received: 7/26/2005
 Number of Samples: 73
 Type of Sample: Rock
 Date Completed: 8/18/2005
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|--------|------|--------|------|--------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 84223 | 910235 | 1 | 3.25 | 25 | 59 | 83 | 1 | 6.20 | <10 | 52 | 168 | 300 | >10.00 | 0.21 | 9 | 2.99 | 1762 | 5 | 0.02 | 74 | 466 | 17 | 21 | 0.04 | <10 | 105 | <100 | 8 | 172 | 183 | 2 | 267 |
| 84224 | 910236 | <1 | 3.38 | 15 | 555 | 14 | 1 | 3.94 | <10 | 44 | 66 | 129 | 6.91 | 0.02 | 7 | 1.90 | 588 | 5 | 0.03 | 33 | 365 | 8 | 11 | 0.07 | <10 | 57 | 5507 | 5 | 230 | 123 | 4 | 150 |
| 84225 | 910237 | <1 | 0.49 | 9 | 60 | 80 | 1 | 0.26 | <10 | 5 | 201 | 21 | 0.80 | 0.29 | 7 | 0.11 | 176 | 6 | 0.04 | 6 | 132 | 6 | 16 | 0.03 | <10 | 9 | 179 | 3 | 14 | 18 | 3 | 17 |
| 84226 | 910238 | <1 | 0.52 | 9 | 52 | 8 | 1 | 0.81 | <10 | 10 | 176 | 16 | 1.50 | 0.03 | 7 | 0.39 | 246 | 6 | 0.02 | 9 | <100 | 7 | 8 | 0.03 | <10 | 8 | 329 | 6 | 32 | 33 | <1 | 32 |
| 84227 | 910251 | <1 | 0.73 | 9 | 53 | 11 | 1 | 1.13 | <10 | 12 | 230 | 19 | 1.97 | 0.04 | 7 | 0.55 | 341 | 6 | 0.02 | 12 | <100 | 5 | 17 | 0.03 | <10 | 11 | 517 | 4 | 43 | 43 | <1 | 44 |
| 84228 | 910252 | 9 | 0.50 | 11 | 55 | 17 | 1 | 0.10 | <10 | 13 | 204 | 65 | 6.35 | 0.05 | 6 | 0.43 | 135 | 6 | 0.04 | 9 | 200 | 136 | 13 | 0.05 | <10 | <5 | 1820 | 5 | 55 | 125 | <1 | 40 |
| 84229 | 910253 | <1 | 0.98 | 8 | 58 | 6 | 1 | 1.90 | <10 | 12 | 224 | 36 | 2.27 | 0.02 | 7 | 0.99 | 398 | 8 | 0.02 | 28 | <100 | 6 | 11 | 0.04 | <10 | 9 | 177 | 5 | 48 | 53 | <1 | 67 |
| 84230 | 910254 | <1 | 0.57 | 9 | 55 | 74 | 1 | 0.43 | <10 | 4 | 117 | 30 | 1.37 | 0.32 | 7 | 0.38 | 258 | 5 | 0.03 | 3 | <100 | 8 | 8 | 0.04 | <10 | 20 | 128 | 5 | 8 | 34 | 5 | 47 |
| 84231 | 910255 | <1 | 0.41 | 9 | 52 | 52 | 1 | 0.44 | <10 | 6 | 108 | 23 | 1.16 | 0.12 | 7 | 0.26 | 184 | 6 | 0.07 | 6 | 246 | 16 | 11 | 0.03 | <10 | 18 | <100 | 6 | 8 | 23 | <1 | 32 |
| 84232 | 910256 | <1 | 1.72 | 19 | 54 | 24 | 1 | 0.62 | <10 | 13 | 104 | 41 | 4.80 | 0.11 | 10 | 0.92 | 898 | 6 | 0.05 | 25 | 551 | 14 | 10 | 0.04 | <10 | 11 | 109 | 4 | 30 | 95 | <1 | 114 |
| 84233 | 910256 | <1 | 1.74 | 20 | 51 | 23 | 1 | 0.63 | <10 | 14 | 100 | 41 | 4.74 | 0.10 | 10 | 0.91 | 884 | 6 | 0.05 | 25 | 541 | 12 | 13 | 0.04 | <10 | 10 | <100 | 4 | 29 | 93 | <1 | 105 |
| 84234 | 910257 | <1 | 1.39 | 12 | 47 | 32 | 1 | 0.55 | <10 | 9 | 94 | 26 | 3.74 | 0.11 | 8 | 0.84 | 768 | 6 | 0.04 | 17 | 588 | 14 | 6 | 0.04 | <10 | 10 | 312 | 9 | 23 | 82 | <1 | 120 |
| 84235 | 910258 | <1 | 0.24 | 8 | 43 | 12 | 1 | 0.55 | <10 | 5 | 124 | 26 | 1.30 | 0.04 | 7 | 0.12 | 155 | 5 | 0.08 | 4 | 365 | 12 | 13 | 0.03 | <10 | 18 | <100 | 5 | 6 | 25 | <1 | 26 |
| 84236 | 910259 | <1 | 0.25 | 9 | 47 | 93 | 1 | 0.10 | <10 | 3 | 106 | 12 | 1.18 | 0.23 | 7 | 0.06 | 288 | 5 | 0.04 | 6 | 136 | 7 | 13 | 0.03 | <10 | 5 | <100 | 6 | 5 | 27 | 2 | 55 |
| 84237 | 910260 | 3 | 2.71 | 8 | 46 | 53 | 1 | 2.05 | <10 | 12 | 69 | 33 | >10.00 | 0.04 | 7 | 0.96 | 8221 | 7 | 0.03 | 20 | 454 | 20 | 13 | 0.04 | <10 | 62 | 420 | 13 | 52 | 262 | <1 | 155 |
| 84238 | 910261 | <1 | 1.49 | 7 | 50 | 46 | 1 | 0.58 | <10 | 18 | 137 | 21 | 3.31 | 0.09 | 7 | 0.72 | 684 | 6 | 0.03 | 32 | 236 | 8 | 10 | 0.04 | <10 | 30 | 2666 | 4 | 59 | 65 | 5 | 79 |
| 84239 | 910262 | <1 | 1.13 | 10 | 47 | 44 | 1 | 2.72 | <10 | 16 | 179 | 14 | 2.28 | 0.02 | 7 | 0.59 | 506 | 5 | 0.01 | 12 | 415 | 6 | 16 | 0.04 | <10 | 121 | 1625 | 5 | 56 | 56 | <1 | 61 |
| 84240 | 910263 | <1 | 0.89 | 8 | 48 | 46 | 1 | 0.87 | <10 | 15 | 60 | 16 | 1.76 | 0.13 | 7 | 0.31 | 312 | 5 | 0.03 | 17 | 398 | 4 | 8 | 0.03 | <10 | 21 | 1220 | 3 | 13 | 36 | <1 | 85 |
| 84241 | 910264 | <1 | 1.33 | 8 | 49 | 15 | 1 | 4.28 | <10 | 23 | 137 | 52 | 1.99 | 0.04 | 7 | 0.76 | 421 | 6 | 0.03 | 61 | 521 | 6 | 7 | 0.04 | <10 | 51 | 2290 | 5 | 35 | 54 | <1 | 67 |
| 84242 | 910265 | <1 | 2.38 | 8 | 54 | 18 | 1 | 1.05 | <10 | 34 | 76 | 100 | 4.69 | 0.05 | 8 | 1.84 | 601 | 5 | 0.04 | 83 | 1000 | 6 | 10 | 0.08 | <10 | 14 | 5974 | 4 | 100 | 82 | 5 | 164 |
| 84243 | 910266 | <1 | 0.37 | 10 | 55 | 26 | 1 | 0.16 | <10 | 5 | 165 | 24 | 0.79 | 0.16 | 7 | 0.13 | <100 | 7 | 0.03 | 16 | 120 | 5 | 11 | 0.02 | <10 | 16 | 575 | 3 | 10 | 19 | 8 | 24 |
| 84244 | 910266 | <1 | 0.36 | 9 | 62 | 26 | 1 | 0.15 | <10 | 5 | 169 | 24 | 0.79 | 0.16 | 7 | 0.13 | <100 | 7 | 0.03 | 16 | 117 | 6 | 12 | 0.02 | <10 | 15 | 555 | 5 | 10 | 21 | 8 | 25 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Unitronix
 Date Created: 05-09-01 09:18 PM
 Job Number: 200541211
 Date Recieved: 7/26/2005
 Number of Samples: 73
 Type of Sample: Rock
 Date Completed: 8/18/2005
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|------|------|--------|------|--------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 84245 | 910267 | <1 | 3.62 | 8 | 153 | 16 | 1 | 1.26 | <10 | 37 | 94 | 156 | 6.71 | 0.09 | 27 | 3.33 | 421 | 6 | 0.04 | 49 | 955 | 8 | 10 | 0.07 | <10 | 37 | 4251 | 5 | 90 | 155 | 4 | 211 |
| 84246 | 910268 | <1 | 0.54 | 9 | 57 | 16 | 1 | 0.14 | <10 | 4 | 132 | 22 | 1.66 | 0.09 | 7 | 0.26 | 196 | 6 | 0.05 | 4 | <100 | 13 | 11 | 0.03 | 11 | 25 | 601 | 4 | 8 | 37 | 9 | 104 |
| 84247 | 910269 | <1 | 2.34 | 14 | 58 | 7 | 1 | 0.96 | <10 | 43 | 74 | 142 | 5.52 | 0.03 | 7 | 1.47 | 940 | 5 | 0.03 | 29 | 416 | 6 | 11 | 0.06 | <10 | 12 | 4663 | 4 | 114 | 100 | 2 | 141 |
| 84248 | 910270 | <1 | 1.93 | 8 | 64 | 11 | 1 | 1.34 | <10 | 31 | 181 | 68 | 4.19 | 0.03 | 7 | 1.01 | 728 | 6 | 0.03 | 38 | 222 | 6 | 16 | 0.05 | <10 | 13 | 5072 | 5 | 89 | 90 | <1 | 95 |
| 84249 | 910271 | <1 | 1.28 | 8 | 56 | 91 | 1 | 1.35 | <10 | 12 | 95 | 28 | 2.33 | 0.11 | 8 | 0.63 | 622 | 5 | 0.05 | 11 | 350 | 5 | 11 | 0.03 | <10 | 29 | <100 | 6 | 10 | 49 | <1 | 91 |
| 84250 | 910272 | <1 | 1.58 | 7 | 69 | 10 | 2 | 1.65 | <10 | 14 | 120 | 20 | 4.02 | 0.08 | 7 | 0.56 | 570 | 5 | 0.14 | 4 | 1084 | 6 | 11 | 0.08 | <10 | 23 | 1394 | 5 | 25 | 83 | 5 | 90 |
| 84251 | 910273 | 2 | 2.70 | 9 | 69 | 16 | 1 | 1.55 | <10 | 38 | 123 | 122 | 5.89 | 0.11 | 8 | 1.80 | 696 | 5 | 0.13 | 59 | 815 | 21 | 10 | 0.10 | <10 | 22 | 2407 | 4 | 116 | 118 | 5 | 155 |
| 84252 | 910274 | <1 | 2.51 | 7 | 57 | 12 | 1 | 1.44 | <10 | 41 | 127 | 55 | 6.46 | 0.07 | 7 | 1.37 | 881 | 5 | 0.15 | 59 | 478 | 10 | 10 | 0.07 | <10 | 7 | 3199 | 3 | 184 | 109 | 6 | 175 |
| 84253 | 910275 | <1 | 1.78 | 8 | 61 | 9 | 1 | 1.40 | <10 | 36 | 127 | 130 | 4.56 | 0.07 | 7 | 0.90 | 468 | 6 | 0.16 | 42 | 610 | 9 | 9 | 0.06 | <10 | 9 | 2497 | 3 | 136 | 101 | 4 | 110 |
| 84254 | 910276 | <1 | 0.96 | 8 | 53 | 10 | 1 | 1.95 | <10 | 11 | 129 | 29 | 1.17 | 0.03 | 8 | 0.08 | 249 | 6 | 0.02 | 8 | 587 | 4 | 12 | 0.09 | <10 | 175 | 4398 | 5 | 54 | 34 | 2 | 15 |
| 84255 | 910276 | <1 | 0.93 | 8 | 55 | 10 | 1 | 1.90 | <10 | 11 | 132 | 29 | 1.13 | 0.03 | 8 | 0.08 | 247 | 6 | 0.02 | 9 | 606 | 21 | 9 | 0.09 | <10 | 169 | 4358 | 3 | 53 | 34 | 2 | 16 |
| 84256 | 910277 | <1 | 1.37 | 6 | 59 | 6 | 1 | 1.50 | <10 | 25 | 85 | 100 | 2.96 | 0.05 | 7 | 0.70 | 363 | 5 | 0.09 | 34 | 464 | 6 | 9 | 0.07 | <10 | 41 | 3072 | 3 | 60 | 74 | 1 | 68 |
| 84257 | 910278 | <1 | 3.22 | 11 | 64 | 9 | 1 | 2.08 | <10 | 50 | 164 | 121 | 6.18 | 0.03 | 11 | 2.98 | 1049 | 6 | 0.02 | 85 | 498 | 8 | 12 | 0.08 | <10 | 49 | 3817 | 4 | 94 | 114 | 5 | 227 |
| 84258 | 910279 | <1 | 0.52 | 9 | 69 | 31 | 2 | 0.60 | <10 | 6 | 173 | 20 | 1.81 | 0.16 | 7 | 0.29 | 249 | 6 | 0.06 | 11 | 105 | 8 | 7 | 0.03 | <10 | 16 | 908 | 4 | 14 | 44 | 22 | 60 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Unitronix
 Date Created: 05-09-16 01:50 PM
 Job Number: 200541304
 Date Recieved: 8/9/2005
 Number of Samples: 85
 Type of Sample: Rock
 Date Completed:
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025


| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|-----------|---------|-----------|----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|--------|-----------|---------|-----------|-----------|---------|-----------|----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|----------|----------|----------|-----------|
| 90083 | 910396 | 3 | 1.48 | 17 | 34 | 70 | 9 | 7 | 2.64 | <10 | 11 | 104 | 111 | 4.53 | 0.14 | 14 | 0.81 | 670 | 9 | 0.27 | 32 | 596 | <1 | 13 | 0.20 | <10 | 26 | 3170 | 7 | 129 | 99 | 17 | 83 |
| 90084 | 910397 | 1 | 1.18 | 18 | 33 | 23 | 8 | 9 | 1.67 | <10 | 9 | 83 | 98 | 3.34 | 0.09 | 14 | 0.86 | 412 | 8 | 0.22 | 26 | 524 | <1 | 17 | 0.17 | <10 | 16 | 1469 | 10 | 95 | 72 | 11 | 68 |
| 90085 | 910398 | <1 | 1.36 | 16 | 26 | 19 | 8 | 7 | 0.97 | <10 | 11 | 90 | 331 | 2.99 | 0.04 | 14 | 1.26 | 416 | 8 | 0.05 | 45 | 308 | <1 | 16 | 0.11 | <10 | 21 | 2082 | 9 | 69 | 66 | 9 | 88 |
| 90086 | 910399 | <1 | 1.52 | 15 | 25 | 12 | 9 | <5 | 0.90 | <10 | 3 | 34 | 33 | 7.77 | 0.03 | 14 | 1.31 | 576 | 8 | 0.06 | 4 | 582 | <1 | 12 | 0.09 | <10 | 15 | 3189 | 7 | 158 | 151 | 14 | 106 |
| 90087 | 910400 | <1 | 2.17 | 16 | 31 | 19 | 8 | <5 | 1.67 | <10 | 15 | 98 | 103 | 5.18 | 0.03 | 18 | 2.20 | 763 | 8 | 0.04 | 90 | 264 | <1 | 15 | 0.14 | <10 | 21 | 1856 | 8 | 97 | 103 | 7 | 152 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Unitronix
 Date Created: 05-09-16 01:50 PM
 Job Number: 200541304
 Date Received: 8/9/2005
 Number of Samples: 85
 Type of Sample: Rock
 Date Completed:
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|--------|------|--------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 90105 | 910429 | 1 | 0.15 | 85 | 33 | 11 | 8 | <5 | <0.01 | <10 | 6 | 229 | 15 | 0.82 | 0.03 | 11 | 0.10 | <100 | 8 | 0.03 | 5 | <100 | <1 | 27 | 0.03 | <10 | 12 | 173 | 11 | 16 | 35 | 4 | 7 |
| 90106 | 910430 | 2 | 0.14 | 310 | 29 | 13 | 8 | <5 | 0.01 | <10 | 8 | 201 | 22 | 2.17 | 0.04 | 11 | 0.08 | <100 | 11 | 0.03 | 12 | <100 | <1 | 23 | 0.02 | <10 | 12 | 168 | 10 | 16 | 46 | 4 | 13 |
| 90107 | 910431 | 1 | 3.83 | 37 | 29 | 11 | 9 | <5 | 0.69 | <10 | 10 | 113 | 81 | >10.00 | 0.05 | 28 | 3.24 | 1243 | 8 | 0.04 | 61 | 531 | <1 | 19 | 0.18 | <10 | 11 | 4835 | 7 | 318 | 196 | 17 | 259 |
| 90108 | 910432 | 6 | 0.23 | 634 | 27 | 12 | 8 | <5 | 0.10 | <10 | 4 | 242 | 26 | 2.92 | 0.04 | 11 | 0.14 | 113 | 8 | 0.03 | 8 | <100 | <1 | 24 | 0.05 | <10 | 15 | 439 | 11 | 24 | 58 | 4 | 14 |
| 90109 | 910433 | <1 | 0.70 | 27 | 25 | 9 | 8 | 8 | 9.68 | <10 | 16 | 93 | 213 | 1.75 | 0.03 | 13 | 0.58 | 712 | 8 | 0.06 | 15 | 614 | <1 | 14 | 0.12 | <10 | 93 | 1923 | 12 | 66 | 52 | 11 | 40 |
| 90110 | 910434 | <1 | 2.73 | 25 | 27 | 17 | 9 | <5 | 2.25 | <10 | 12 | 78 | 58 | 7.62 | 0.04 | 19 | 2.24 | 1061 | 8 | 0.04 | 50 | 432 | <1 | 16 | 0.14 | <10 | 28 | 3951 | 6 | 177 | 160 | 11 | 187 |
| 90111 | 910435 | <1 | 1.03 | 17 | 25 | 9 | 8 | <5 | 1.46 | <10 | 13 | 83 | 207 | 3.20 | 0.03 | 12 | 0.58 | 394 | 8 | 0.06 | 29 | 357 | <1 | 14 | 0.08 | <10 | 25 | 2698 | 10 | 75 | 69 | 9 | 59 |
| 90112 | 910436 | 12 | 0.40 | 15 | 30 | 47 | 8 | 6 | 9.14 | <10 | 11 | 159 | 97 | 5.43 | 0.26 | 13 | 2.00 | 2859 | 8 | 0.04 | 91 | 563 | 16 | 24 | 0.03 | <10 | 338 | 746 | 17 | 91 | 130 | 7 | 183 |
| 90113 | 910437 | 12 | 0.26 | 16 | 31 | 32 | 8 | 7 | 8.51 | <10 | 8 | 173 | 140 | 5.14 | 0.18 | 12 | 1.73 | 2364 | 8 | 0.04 | 69 | 1290 | <1 | 19 | 0.04 | <10 | 252 | 630 | 14 | 66 | 132 | 9 | 183 |
| 90114 | 910438 | 14 | 0.18 | 16 | 30 | 26 | 8 | 6 | 7.81 | <10 | 10 | 127 | 75 | 5.07 | 0.13 | 12 | 1.48 | 2390 | 8 | 0.04 | 71 | 887 | <1 | 20 | 0.04 | <10 | 218 | 553 | 16 | 57 | 126 | 8 | 202 |
| 90115 | 910438 | 25 | 0.20 | 16 | 37 | 27 | 8 | 5 | 8.26 | <10 | 12 | 134 | 81 | 5.38 | 0.14 | 12 | 1.64 | 2516 | 8 | 0.04 | 76 | 932 | <1 | 21 | 0.04 | <10 | 231 | 610 | 12 | 61 | 134 | 8 | 214 |
| 90116 | 910439 | 7 | 0.22 | 17 | 35 | 43 | 9 | 5 | >10.00 | <10 | 9 | 191 | 54 | 6.80 | 0.16 | 12 | 2.29 | 3680 | 8 | 0.04 | 90 | 876 | <1 | 23 | 0.04 | <10 | 501 | 925 | 18 | 93 | 156 | 8 | 242 |
| 90117 | 910440 | 21 | 0.15 | 16 | 34 | 23 | 9 | 6 | 9.01 | <10 | 10 | 159 | 86 | 5.76 | 0.11 | 12 | 1.88 | 2528 | 8 | 0.04 | 87 | 959 | <1 | 19 | 0.04 | <10 | 233 | 376 | 14 | 51 | 137 | 8 | 231 |
| 90118 | 910441 | 29 | 0.12 | 17 | 36 | 23 | 8 | 12 | 9.86 | <10 | 11 | 160 | 82 | 5.97 | 0.09 | 12 | 2.26 | 2845 | 8 | 0.05 | 88 | 775 | 97 | 22 | 0.03 | <10 | 434 | 494 | 20 | 38 | 152 | 8 | 250 |
| 90119 | 910442 | 22 | 0.19 | 17 | 37 | 27 | 8 | 7 | 6.67 | <10 | 22 | 157 | 148 | 4.28 | 0.14 | 12 | 1.40 | 1815 | 8 | 0.05 | 106 | 665 | <1 | 23 | 0.04 | <10 | 219 | 635 | 16 | 49 | 119 | 7 | 144 |
| 90120 | 910443 | 3 | 2.83 | 17 | 32 | 10 | 8 | <5 | 3.39 | <10 | 16 | 239 | 501 | 7.70 | 0.03 | 16 | 2.12 | 2011 | 8 | 0.03 | 92 | 238 | <1 | 25 | 0.09 | <10 | 23 | 2371 | 9 | 94 | 153 | 7 | 154 |
| 90121 | 910444 | <1 | 0.22 | 16 | 26 | 10 | 8 | 5 | 0.86 | <10 | 6 | 321 | 18 | 0.73 | 0.02 | 11 | 0.11 | 174 | 8 | 0.03 | 9 | <100 | <1 | 33 | 0.04 | <10 | 15 | 357 | 10 | 16 | 36 | 4 | 9 |
| 90122 | 910445 | 5 | 0.32 | 15 | 30 | 10 | 9 | <5 | 0.11 | <10 | 186 | 216 | 561 | 9.62 | 0.03 | 11 | 0.20 | 187 | 8 | 0.03 | 1548 | <100 | <1 | 41 | 0.09 | <10 | 12 | 354 | 6 | 17 | 172 | 4 | 19 |
| 90123 | 910446 | 2 | 3.70 | 16 | 29 | 10 | 9 | <5 | 1.05 | <10 | 17 | 285 | 31 | 8.37 | 0.02 | 21 | 3.12 | 1959 | 8 | 0.02 | 149 | 186 | <1 | 29 | 0.12 | <10 | 17 | 1837 | 9 | 81 | 175 | 5 | 202 |
| 90124 | 910447 | <1 | 1.27 | 18 | 27 | 10 | 8 | 7 | 0.91 | <10 | 10 | 159 | 49 | 2.63 | 0.03 | 13 | 1.01 | 482 | 8 | 0.05 | 62 | 203 | <1 | 19 | 0.09 | <10 | 17 | 2101 | 12 | 44 | 64 | 7 | 63 |
| 90125 | 910448 | <1 | 0.41 | 15 | 31 | 9 | 8 | 7 | 0.24 | <10 | 6 | 233 | 21 | 1.23 | 0.03 | 11 | 0.28 | 323 | 8 | 0.03 | 15 | <100 | <1 | 28 | 0.05 | <10 | 12 | 343 | 12 | 23 | 44 | 4 | 17 |
| 90126 | 910448 | <1 | 0.39 | 17 | 29 | 9 | 8 | 6 | 0.23 | <10 | 6 | 226 | 21 | 1.14 | 0.03 | 11 | 0.26 | 307 | 8 | 0.03 | 14 | <100 | <1 | 27 | 0.05 | <10 | 13 | 327 | 12 | 22 | 44 | 4 | 16 |

Certified By: 
 Derek Demianiuk, H.Bsc.

Unitronix
 Date Created: 05-09-16 01:50 PM
 Job Number: 200541304
 Date Received: 8/9/2005
 Number of Samples: 85
 Type of Sample: Rock
 Date Completed:
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

| Accur. # | Client Tag | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|----------|------------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|--------|--------|------|--------|------|--------|--------|------|--------|-------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 90129 | 910451 | <1 | 3.07 | 16 | 28 | 20 | 8 | <5 | 2.90 | <10 | 13 | 366 | 66 | 6.32 | 0.03 | 25 | 3.49 | 1217 | 8 | 0.04 | 140 | 245 | <1 | 32 | 0.11 | <10 | 18 | 1565 | 12 | 150 | 134 | 10 | 229 |
| 90130 | 910452 | <1 | 1.05 | 16 | 30 | 15 | 8 | 6 | 1.16 | <10 | 11 | 88 | 60 | 2.39 | 0.05 | 13 | 0.82 | 360 | 8 | 0.06 | 38 | 279 | <1 | 16 | 0.08 | <10 | 28 | 2233 | 11 | 62 | 66 | 8 | 59 |
| 90131 | 910453 | <1 | 1.31 | 15 | 27 | 15 | 8 | <5 | 2.21 | <10 | 9 | 71 | 214 | 4.92 | 0.05 | 13 | 1.04 | 561 | 8 | 0.05 | 28 | 658 | <1 | 18 | 0.10 | <10 | 27 | 3232 | 9 | 118 | 102 | 14 | 84 |
| 90132 | 910454 | <1 | 1.31 | 16 | 25 | 15 | 8 | 6 | 1.28 | <10 | 10 | 176 | 78 | 3.95 | 0.04 | 14 | 1.27 | 571 | 9 | 0.04 | 27 | 286 | <1 | 25 | 0.10 | <10 | 17 | 1413 | 9 | 91 | 86 | 7 | 93 |
| 90133 | 910455 | <1 | 1.00 | 20 | 27 | 21 | 8 | 6 | 1.75 | <10 | 6 | 178 | 25 | 2.32 | 0.14 | 12 | 0.43 | 284 | 8 | 0.04 | 19 | 371 | <1 | 20 | 0.07 | <10 | 102 | 3415 | 8 | 78 | 65 | 10 | 38 |
| 90134 | 910456 | <1 | 1.93 | 17 | 27 | 11 | 8 | 5 | 1.37 | <10 | 14 | 132 | 108 | 3.80 | 0.04 | 15 | 1.82 | 608 | 8 | 0.04 | 77 | 241 | <1 | 18 | 0.11 | <10 | 22 | 1894 | 9 | 62 | 85 | 7 | 114 |
| 90135 | 910457 | 1 | 2.00 | 17 | 31 | 10 | 8 | <5 | 2.19 | <10 | 15 | 100 | 136 | 6.11 | 0.03 | 14 | 1.49 | 810 | 12 | 0.05 | 36 | 478 | <1 | 19 | 0.12 | <10 | 21 | 2714 | 6 | 132 | 127 | 11 | 139 |
| 90136 | 910458 | 1 | 3.20 | 17 | 26 | 11 | 8 | <5 | 2.77 | <10 | 17 | 156 | 101 | 7.41 | 0.03 | 16 | 3.25 | 1051 | 8 | 0.03 | 112 | 455 | <1 | 24 | 0.13 | <10 | 40 | 3478 | 7 | 201 | 148 | 13 | 196 |
| 90137 | 910458 | <1 | 3.28 | 17 | 27 | 11 | 9 | 5 | 2.90 | <10 | 14 | 160 | 101 | 7.61 | 0.03 | 16 | 3.46 | 1069 | 8 | 0.04 | 115 | 455 | <1 | 19 | 0.16 | <10 | 42 | 3814 | 8 | 206 | 150 | 14 | 206 |
| 90138 | 910459 | <1 | 0.56 | 14 | 27 | 73 | 8 | 8 | 0.71 | <10 | 6 | 137 | 18 | 0.79 | 0.15 | 12 | 0.21 | 222 | 8 | 0.07 | 6 | 240 | <1 | 20 | 0.04 | <10 | 28 | 214 | 11 | 13 | 39 | 5 | 37 |
| 90139 | 910460 | 4 | 0.87 | 16 | 27 | 63 | 8 | 6 | 0.91 | <10 | 7 | 171 | 28 | 1.81 | 0.16 | 12 | 0.58 | 309 | 8 | 0.04 | 22 | 253 | <1 | 24 | 0.06 | <10 | 17 | 1108 | 11 | 31 | 58 | 8 | 50 |
| 90140 | 910461 | <1 | 1.10 | 17 | 25 | 83 | 8 | 6 | 0.89 | <10 | 9 | 76 | 48 | 2.15 | 0.27 | 13 | 0.73 | 371 | 8 | 0.03 | 36 | 427 | <1 | 9 | 0.05 | <10 | 22 | 799 | 12 | 15 | 54 | 7 | 66 |
| 90141 | 910462 | <1 | 1.17 | 17 | 24 | 34 | 8 | 6 | 0.71 | <10 | 8 | 111 | 14 | 2.20 | 0.10 | 15 | 0.75 | 250 | 8 | 0.06 | 19 | 388 | <1 | 18 | 0.05 | <10 | 21 | 176 | 13 | 20 | 54 | 6 | 81 |
| 90142 | 910463 | 4 | 2.38 | 18 | 26 | 23 | 9 | 6 | 2.59 | <10 | 10 | 130 | 32 | 6.05 | 0.03 | 14 | 2.19 | 967 | 8 | 0.04 | 55 | 425 | <1 | 15 | 0.13 | <10 | 30 | 2665 | 13 | 128 | 121 | 9 | 175 |
| 90143 | 910464 | 1 | 0.99 | 17 | 22 | 46 | 8 | 6 | 2.49 | <10 | 8 | 151 | 15 | 1.90 | 0.09 | 13 | 0.96 | 786 | 8 | 0.05 | 58 | 260 | <1 | 18 | 0.06 | <10 | 51 | 331 | 12 | 24 | 52 | 7 | 76 |
| 90144 | 910465 | <1 | 2.09 | 16 | 24 | 24 | 8 | 7 | 2.98 | <10 | 16 | 154 | 17 | 4.06 | 0.06 | 17 | 2.18 | 749 | 8 | 0.06 | 112 | 265 | <1 | 20 | 0.11 | <10 | 27 | 1653 | 9 | 69 | 90 | 8 | 142 |
| 90145 | 910466 | 2 | 2.41 | 16 | 25 | 16 | 9 | <5 | 2.46 | <10 | 11 | 49 | 26 | >10.00 | 0.03 | 16 | 2.35 | 1410 | 8 | 0.04 | 24 | 440 | <1 | 13 | 0.11 | <10 | 23 | 4356 | 10 | 504 | 231 | 15 | 172 |
| 90146 | 910467 | 1 | 2.48 | 18 | 57 | 86 | 9 | <5 | 1.70 | <10 | 10 | 89 | 75 | 9.29 | 0.16 | 15 | 1.62 | 1770 | 8 | 0.03 | 44 | 860 | <1 | 18 | 0.17 | <10 | 31 | 7966 | 7 | 193 | 177 | 14 | 216 |
| 90147 | 910468 | 2 | 2.35 | 17 | 30 | 34 | 9 | <5 | 4.31 | <10 | 11 | 94 | 62 | 7.31 | 0.08 | 15 | 1.38 | 1351 | 8 | 0.03 | 44 | 821 | <1 | 17 | 0.17 | <10 | 37 | 6192 | 7 | 123 | 143 | 11 | 155 |
| 90148 | 910468 | <1 | 2.43 | 18 | 33 | 34 | 9 | <5 | 4.44 | <10 | 9 | 96 | 61 | 7.48 | 0.08 | 15 | 1.38 | 1377 | 8 | 0.04 | 47 | 843 | <1 | 17 | 0.14 | <10 | 40 | 6342 | 8 | 127 | 153 | 12 | 156 |

Certified By: 
 Derek Demianiuk, H.Bsc.

APPENDIX B
Summary of Analytical Results

Cobb Bay Prospecting and Sampling Program
July 18 - August 9, 2005

| Lab # | Sample # | NAD 83 | | Assay | | | Rock Type | Mineralization | Alteration | Strike | Comment | Magnetic |
|-------|-----------|---------|----------|----------|--------|--------|---|------------------------------------|-----------------------|---------|---------|--------------------------------------|
| | | Easting | Northing | ppb gold | ppb Pt | ppb Pd | | | | | | |
| 84179 | DMH-05-01 | 641532 | 5533080 | 5282 | | | Quartz Vein | malachite | carb, rose, | 55, 25, | | |
| 84180 | DMH-05-02 | 641283 | 5537256 | 816 | | | rhovite with small qtz | chunky py up to 1% | | | | |
| 84185 | 910201 | 641432 | 5536891 | 142 | | | Quartz | 1-3% cube py | carb | | | |
| 84187 | 910203 | 642159 | 5538354 | <5 | | | QP | | carb | | | B-Zone local sub-OC |
| 84188 | 910204 | 642184 | 5536324 | <5 | | | QP meets mafic volc | minor py | minor carb | | | |
| 84190 | 910205 | 642173 | 5536117 | <5 | | | Gabbro-mar | 0.5% v.f. py | | | | sub-OC. bldr |
| 84191 | 910206 | 642586 | 5537026 | <5 | | | Gabbro-f/mgr, greenish dk grey | chlorite, 1% py on frctr, minor py | | | | prob local sub-OC |
| 84192 | 910207 | 642159 | 5536746 | <5 | | | mafic volc | rotted sulf | | | | |
| 84193 | 910208 | 642081 | 5536870 | <5 | | | QP-m/cqr | vuqav qtz | carb | | | |
| 84194 | 910209 | 642081 | 5536064 | <5 | | | mafic volc-mar, greenish dk arev | 0.5cm cube py along frctr 1% | | | | |
| 84195 | 910210 | 642349 | 5534305 | 13 | | | felsic tuff-f/mqr, whitish arev | rotted sulf | rusted wthrd | | | |
| 84196 | 910211 | 642153 | 5534063 | 7 | | | felsic tuff | | rd brn carb | | | la and local float sl mag locally |
| 84197 | 910212 | 642090 | 5534511 | <5 | | | highly shrd felsic-arev | minor sulf in seams along shear | | | | |
| 84198 | 910213 | 641902 | 5534551 | <5 | | | mafic-baslt?, far | tr sulf | | | | |
| 84199 | 910214 | 641801 | 5534580 | <5 | | | qb-m+cqr, 40% plaq, 80% pxn | tr sulf | | | | |
| 84201 | 910215 | 641814 | 5534635 | 30 | | | felsic qtz porph-mar | | carb | | | sub-and local float |
| 84202 | 910216 | 641794 | 5534301 | <5 | | | QP | | carb | | | |
| 84203 | 910217 | 641515 | 5533740 | <5 | | | QP | | carb | | | |
| 84204 | 910218 | 644158 | 5534656 | <5 | | | mafic volc | rusted sulf | | 140 | | pillows? |
| 84205 | 910219 | 644177 | 5534718 | 6 | | | mafic volc w. 3cm av | minor sulf | minor sulf | | | |
| 84206 | 910220 | 644214 | 5534772 | 6 | | | mafic volc-bslt?, qtz stringers run thru | | rusted minor | | | |
| 84207 | 910221 | 644547 | 5535833 | <5 | | | mafic volc-bslt?, f/mqr | rusted sulf on frctr | | | | |
| 84208 | 910222 | 644644 | 5535805 | <5 | | | lapille tuff?, porph feldspar | | | | | |
| 84209 | 910223 | 644692 | 5535805 | 7 | | | lapille tuff?, porph feldspar, 1/2 maf bslt | minor py, tr cpv along frctr | | | | |
| 84210 | 910224 | 644319 | 5535885 | 23 | | | felsic-lap tuff? | minor sulf | rusty | | | |
| 84212 | 910225 | 643912 | 5535027 | 7 | | | QP | | carb | | | |
| 84213 | 910226 | 643912 | 5535027 | 14 | | | QP | | | | | |
| 84214 | 910227 | 643952 | 5535059 | <5 | | | QP-(blue qtz eyes) | | | | | |
| 84215 | 910228 | 643967 | 5535093 | 7 | | | mafic volc w qtz stringers | tr minor cpv, py | rusted frctr zn | | | |
| 84216 | 910229 | 644004 | 5535129 | <5 | | | QV-10cm in mafic volc | | rusted | | | |
| 84217 | 910230 | 644004 | 5535129 | 8 | | | mafic volc | rotted sulf | rusted | | | |
| 84218 | 910231 | 644006 | 5535129 | <5 | | | qb-mar, 60% plaq | calc+calc, rotted sulf on wthrd | | | | |
| 84219 | 910232 | 644119 | 5535067 | 81 | | | Quartz-rose+orange | | | | | |
| 84220 | 910233 | 644119 | 5535067 | 28 | | | Quartz-rose+orange+mafic stringers | 1% blebby cpv along mafic, minor | malachite, tr azerite | | | |
| 84221 | 910234 | 644119 | 5535067 | 115 | | | Quartz near shear, orangeish | | | | | Number 232-234 from small |
| 84223 | 910235 | 644114 | 5535060 | <5 | | | int volc, small qtz seams 0.3cm | minor sulf | hematite | | | |
| 84224 | 910236 | 644129 | 5534970 | <5 | | | qb, qtz or calc/carb? Vn 0.5-1cm | | sheared | | | |
| 84225 | 910237 | 644131 | 5534936 | <5 | | | QP+sm Qvning | | | | | |
| 84226 | 910238 | 644225 | 5535262 | 9 | | | qb-far | minor sulf | mod alt | | | |
| 86973 | 910239 | 640385 | 5533527 | <5 | <15 | <10 | qb-mar, nr qtz gran unit | rusted sulf on frctr | shrd | | | mod mag |
| 86974 | 910240 | 640210 | 5534313 | <5 | <15 | <10 | maf volc-far (bslt?) | minor f, py | | | | fractured blocky |
| 86975 | 910241 | 640292 | 5534428 | 7 | | | felsic-belaq-f/mqr | tr cube chunky py | carb | | | loose pc on mafic volc |
| 86976 | 910242 | 640361 | 5534748 | <5 | | | granite-qtz + mafic, mar | | org alt | | | sandy btr, float (prob not local) |
| 86977 | 910243 | 640949 | 5535648 | <5 | | | QFP+mafic | minor sulf | hem, rusted | | | |
| 86978 | 910244 | 644124 | 5534592 | 34 | | | mafic volc | sulf | | | | |
| 86979 | 910245 | 644091 | 5534546 | 143 | | | silicified pillows? | 1% blebby py on frctr | | | | |
| 86980 | 910246 | 644055 | 5534497 | <5 | | | mafic volc-av | minor py | | | | |
| 86981 | 910247 | 644058 | 5534472 | 23 | | | felsic-tuff?-mar | minor py, minor qtz | | | | |
| 86982 | 910248 | 644051 | 5534468 | 6 | | | felsic silic'd with qtz | minor cubey py, tr cpv | carb | shrd 62 | | |
| 86984 | 910249 | 644054 | 5534468 | 8 | | | felsic with qtz stringers | | | | | |
| 86985 | 910250 | 644041 | 5534459 | 48 | | | | | | | | |
| 84227 | 910251 | 640126 | 5536673 | <5 | | | mafic-qb atzvn, 5-10cm 30ftlong mar | 1%py | rusty | | | |
| 84228 | 910252 | 640139 | 5536676 | <5 | | | mafic atzvn 12cm 25m | | 2% | | | rk loose but in place |
| 84229 | 910253 | 640137 | 5536362 | <5 | | | qb atzvn 10cm atzeves sericitesht. | .5% sulf | | | | |
| 84230 | 910254 | 640210 | 5536541 | <5 | | | 40%qtz, 10%felsic, 50%mafic | py in vns and in felsic swirl | carb alt | | | |
| 84231 | 910255 | 640396 | 5536434 | 5 | | | swirly atz in felsic | 3% sulf on surface in vns | broken up | | | |
| 84232 | 910256 | 640216 | 5536180 | <5 | | | mafic 70% felsic 30% fnar | 2% py | carb alt | | | |

| Lab # | Sample # | NAD 83 | Assay | Rock Type | Mineralization | Alteration | Strike | Comment | Magnetic |
|-------|----------|--------|---------|-----------|--|-------------------------|----------------------------|------------------------|---------------------------|
| 84234 | 910257 | 640212 | 5536180 | <5 | felsic fn-mar | 10%vrvfnar to carpv | | | |
| 84235 | 910258 | 640023 | 5536186 | <5 | atzvn in felsic, 6cm fnar | | | | |
| 84236 | 910259 | 640203 | 5536433 | <5 | 20%atz, 80%felsic mar | tr pv | | loc rk | |
| 84237 | 910260 | 639802 | 5536504 | <5 | mafic, blk atzvn crosscuts | pv thruout | | | |
| 84238 | 910261 | 642444 | 5534597 | <5 | felsic fnar w atzvn thru | tr pv | | sheared, oc brecciated | |
| 84239 | 910262 | 642843 | 5536502 | <5 | felsic 5cm atzvn mar | min sulf | | | |
| 84240 | 910263 | 642816 | 5536311 | <5 | felsic small atzvns thru 2mm | vry fn sulf min | | | |
| 84241 | 910264 | 642181 | 5535612 | <5 | felsic atzvn | 1%pv | | | |
| 84242 | 910265 | 641677 | 5535447 | <5 | mafic fnar atzvn 10cm, blk vns also | 1%sulf | | alt brn | |
| 84243 | 910266 | 642305 | 5534749 | <5 | felsic atzeves | vryfn sulf 2% thru rk | | carb alt | |
| 84245 | 910267 | 642331 | 5534748 | <5 | mafic mar 10%atzvning thru rk simaa | 4%pv | | rusty altbrn | |
| 84246 | 910268 | 642342 | 5534728 | <5 | 80%felsic 20%mafic fnar | 2%pv | | rusty altbrn | |
| 84247 | 910269 | 642901 | 5534544 | <5 | arev mafic fnar | 1%pvpo mincpv | | alt brn | |
| 84248 | 910270 | 643455 | 5534686 | <5 | mafic atzvn 4cm 2m | | | rusty | |
| 84249 | 910271 | 640968 | 5533884 | <5 | felsic fnar | min pv thru rk | | rusty spots | loc fit |
| 84250 | 910272 | 640963 | 5533924 | <5 | mafic atzvn5cm brn rk | min sulf | | | loc fit heavy |
| 84251 | 910273 | 641007 | 5533937 | <5 | mafic w | 1%pythru | blu/purple string | | simaa sheared |
| 84252 | 910274 | 641052 | 5533966 | <5 | atz porphryvn mafic vol., w blk flecks | tr pv | | | sl maq |
| 84253 | 910275 | 640999 | 5533971 | <5 | mafic fnar | 3%fnar pv | | rusty | mod maq |
| 84254 | 910276 | 640938 | 5533983 | <5 | atzvn in epidote? Fnar-car | | | | has yellow/green crystals |
| 84256 | 910277 | 640966 | 5534076 | <5 | epid.vns in mafic,swirly fnar | fnar pv | | sheared | simaa |
| 84257 | 910278 | 641029 | 5534497 | <5 | mafic fnar biotite, atz 10%felsic | 1%pv | | | simaa |
| 84258 | 910279 | 641424 | 5534901 | <5 | mafic w lotsa atzeves fnar | suspect po | | | vry maq |
| 86986 | 910280 | 642574 | 5533833 | <5 | mafic dyke 1m fnar in felsic | min sulf | | dyk is sheared | simaa |
| 86987 | 910281 | 642594 | 5533849 | <5 | felsic atzeves lots, | | | rusty in places | sheared |
| 86988 | 910282 | 642690 | 5534020 | <5 | mafic sugary brecciated | min cpv | | rusty | sheared |
| 86990 | 910283 | 643172 | 5534179 | <5 | atzvn in mafic fnar | | | rusty | |
| 86991 | 910284 | 643349 | 5533825 | <5 | atzvn mafic, malichite in atz | min pv | | vry rusty | |
| 86992 | 910285 | 643357 | 5533827 | <5 | atzvn in mafic 10cm atzsugary | min pv | | carb alt | sheared |
| 86993 | 910286 | 643361 | 5533819 | <5 | atzvns crosscutting mafic 1cm,atzeves | cpv,pv 1% | | rusty brn | |
| 86994 | 910287 | 643448 | 5533867 | <5 | atz porphryvn betw felsic & mafic vol., fn | 1%pv | | carb alt | sheared vry weak maq |
| 86996 | 910288 | 643622 | 5533955 | <5 | felsic w atzvn 5cm | tr sulf | | carb alt | sheared weak maq |
| 86997 | 910289 | 643700 | 5534267 | <5 | mafic atzvns atzeves fnar | 2%pv, min cpv | | | |
| 86998 | 910290 | 643596 | 5534300 | <5 | mafic w 2mm felsicvns thru mar | 2% pv | | | weak maq |
| 86999 | 910291 | 643715 | 5534330 | <5 | mafic fnar | 5% fn-mar pv thru | | | |
| 87000 | 910292 | 643863 | 5534394 | <5 | mafic fnar | min pv | carb alt | | |
| 87001 | 910293 | 643972 | 5534735 | <5 | green rk fnar,felsic? Looks powdery | 4%pv,1%cpv | | | mod maq |
| 87002 | 910294 | 644049 | 5534442 | <5 | mafic vry fnar 5% atz | | | | |
| | 910295 | 641730 | 5536210 | | mafic mar | 1% pv | | | |
| 87003 | 910296 | 641755 | 5536228 | <5 | atz porphry fnar | min pv | | carb alt | |
| 87004 | 910297 | 641703 | 5536180 | <5 | felsic w white powder, sulfur? Mar | min pv | | carb alt | |
| 87005 | 910298 | 641418 | 5535978 | <5 | atz porphry/felsic? | 1%pv | | looks cooked | |
| | 910299 | 641298 | 5535985 | | atzporphry car la atzeves | min pv | | | |
| 87007 | 910300 | 641316 | 5536042 | <5 | felsic marfnar | min pv | | rusty | |
| 87008 | 910301 | 644040 | 5534461 | 58 | silicified felsic, 0.2-0.5cm atz str | 3-5% chunky pv on frctr | | carb | |
| 87009 | 910302 | 644040 | 5534461 | 96 | silicified felsic, 0.2-0.5cm atz str | minor pv | | carb | |
| 87010 | 910303 | 643972 | 5534471 | <5 | felsic-porph?, atz stringers, bit of av | 3% py chunky | | | |
| 87011 | 910304 | 642945 | 5535770 | <5 | mafic volc-fn-mar ab | minor cube pv | | | |
| 87012 | 910305 | 643233 | 5534197 | <5 | felsic, greenish-arev | 1-3% chunky pv | | 54 | mafic volc 2m away |
| 87013 | 910306 | 643352 | 5534448 | <5 | felsic volc, greenish arev | up to 1% py locally | | | |
| 87014 | 910307 | 643669 | 5534616 | 62 | QV in mafic volc | minor chunky pv | | | |
| 87015 | 910308 | 643539 | 5534194 | 17 | rhovolt? | 1% cube pv | | 62 | 0.5cm atz stringer |
| 87016 | 910309 | 643542 | 5534150 | <5 | felsic | tr-minor pv | carb, hem | | |
| 87018 | 910310 | 643537 | 5534135 | <5 | QFP | tr sulf | carb, rusty wth | | |
| 87019 | 910311 | 643585 | 5534039 | 8 | maf volc+1cm QV, fine atz str xcut | minor cube pv | carb alt along atz, rusted | | |
| 87020 | 910312 | 646365 | 5535154 | <5 | intermediate volc | tr pv | | | |
| 87021 | 910313 | 647264 | 5535089 | <5 | mafic volc | tr pv | | | |
| 87022 | 910314 | 647061 | 5534876 | <5 | mafic volc | tr-minor cube pv | | | |
| 87023 | 910315 | 645595 | 5535065 | 7 | felsic-chertish+fine dark veinlets | minor pv | | | |
| 87024 | 910316 | 647061 | 5534876 | <5 | QFP | | hem, carb | | local float (in water) |
| 87025 | 910317 | 647185 | 5534649 | <5 | QFP+atz veinlet | | carb | | |

| Lab # | Sample # | NAD 83 | | Assay | | | Rock Type | Mineralization | Alteration | Strike | Comment | Magnetic |
|-------|----------|--------|---------|-------|-----|-----|---|------------------------------|------------------------|----------------|---|----------|
| 87026 | 910318 | 647129 | 5534612 | 157 | | | QFP at 0.3m qv | 1% rotted pv | carb | 84 | | |
| 87027 | 910319 | 647151 | 5534626 | <5 | | | QFP, w atz vning 0.5cm, alt zone | | carb | 100 | dip 25, atz vning horizontal-OC | |
| 87029 | 910320 | 647126 | 5534608 | <5 | | | mafic schist w fragments + atz grains | fine minor sulf | | | | |
| 87030 | 910321 | 647072 | 5534514 | 33 | | | mafic volc | minor-1% 0.3cm cube pv-frctr | | 75 | | |
| 87031 | 910322 | 646696 | 5534208 | 12 | | | int volc, felsic, far, grey w blk arv spots | 0.5% v f pv | | | | |
| 87032 | 910323 | 646617 | 5534135 | <5 | | | felsic volc | 1% pv | rusted | 82 | | |
| 87033 | 910324 | 646615 | 5534129 | <5 | | | felsic volc | minor pv | rusted | | | |
| 87034 | 910325 | 646581 | 5533982 | <5 | <15 | <10 | far qb? Basalt? | minor sulf on frctr | rust wthrd surf | | | |
| 87035 | 910326 | 647944 | 5534204 | <5 | 18 | <10 | maf volc/bslt? | | rusty on frctr | | frctrd blocky | |
| 87036 | 910327 | 645545 | 5536023 | <5 | <15 | <10 | Gabbro, mar, arv qrn blue | minor pv | chlorite | | | none |
| 87037 | 910328 | 645531 | 5535969 | <5 | <15 | <10 | Gb-mar, grevish green | minor pv | chlorite | | | |
| 87038 | 910329 | 645325 | 5535948 | 10 | 19 | <10 | Gb, mar | | modly carb alt thruout | | | |
| 87040 | 910330 | 645235 | 5535986 | <5 | | | mar, 0.3 cm atz vnits, Gb? | minor pv | carb, mod alt | 40 | | |
| 87041 | 910331 | 643937 | 5537462 | 8 | | | felsic, tonalite? | rusted sulf on frctr | | shrd 45 | | |
| 87042 | 910332 | 643937 | 5537462 | <5 | <15 | 11 | Gb, sheared | rusted sulf on frctr | chlorite | | | |
| 87043 | 910333 | 643880 | 5537556 | <5 | <15 | <10 | Bslt?, far, orange 2-3cm av | minor v f pv, tr po | | shrd at 155+45 | | |
| 87044 | 910334 | 644049 | 5537563 | <5 | <15 | <10 | Leucogabbro, car, 75% porph Plaq | | | | shrd and rusted on frctr | |
| 87045 | 910335 | 644055 | 5537582 | <5 | <15 | <10 | Gb, 65% Plaq | | chl+talc | | | |
| 98604 | 910336 | 644945 | 5538433 | 62 | | | QFP, 0.7cm av | | hem | | | |
| 98605 | 910337 | 644883 | 5538473 | <5 | 21 | <10 | Gb, mar, grevish, 0.5cm Plaq porphs | | chl+talc | | | none |
| 98606 | 910338 | 644832 | 5538452 | <5 | | | QFP | | chl+sl carb alt | | | |
| 98607 | 910339 | 644593 | 5538242 | <5 | | | Granite | | | | | |
| 98608 | 910340 | 644346 | 5538176 | <5 | | | QFP | | sl carb alt | | | |
| 98609 | 910341 | 644151 | 5537926 | <5 | <15 | <10 | Gb, shrd, mar | minor pv | | | | none |
| 98610 | 910342 | 644120 | 5537905 | <5 | | | small QV in mafic volc (bullish) | | | | | |
| 98611 | 910343 | 645192 | 5539143 | <5 | <15 | <10 | Gb, mar | minor pv | | | | none |
| 98612 | 910344 | 646300 | 5538869 | <5 | <15 | <10 | Gb, mar | minor pv | | | | slightly |
| 98613 | 910345 | 646214 | 5539329 | <5 | | | Felsic, chert-like, grey w maf splotches | minor sulf w mafic | | | | |
| 98614 | 910346 | 646214 | 5539329 | <5 | | | mafic | minor pv | | | | none |
| 98616 | 910347 | 646286 | 5539394 | <5 | <15 | <10 | Gb, shrd, mar | minor pv | chl+talc | | | |
| 98617 | 910348 | 646298 | 5539402 | <5 | 27 | 63 | Melaagabbro, m/car | minor pv | | | | |
| 98618 | 910349 | 646302 | 5539408 | <5 | <15 | 109 | Mlab, mar | minor pv, 1% pv | some bi | | | |
| 98619 | 910350 | 646298 | 5539438 | 20 | <15 | 420 | Mlab, mar | 1% pv | | | | none |
| 87046 | 910351 | 643977 | 5535036 | <5 | | | mafic, mar w atzeves | | | | | |
| 87047 | 910352 | 644055 | 5535070 | <5 | | | atzvn in fnqr mafic 3cm swirlv | | | | | |
| 87048 | 910353 | 644469 | 5534711 | 5 | <15 | <10 | felsic and part mafic fnqr 2mmatzvns | tr pv | | | | |
| 87049 | 910354 | 644618 | 5534691 | <5 | | | felsic fnqr | min pv cubv | | | | |
| 87051 | 910355 | 644413 | 5534765 | 18 | <15 | <10 | mafic fnqr | min cubv pv | | | | |
| 87052 | 910356 | 647285 | 5538522 | 14 | | | mafic w felsic band mar | 1% pv | | | | |
| 87053 | 910357 | 647562 | 5536974 | <5 | | | mafic, looks ultramafic, mar | tr pv | | | | |
| 87054 | 910358 | 647492 | 5537536 | 11 | <15 | <10 | mafic mqr | min pv | | | | |
| 87055 | 910359 | 647193 | 5537275 | 6 | 16 | 14 | mafic fnqr | 3% pv | | | | |
| 87056 | 910360 | 647063 | 5536984 | <5 | | | felsic mar | 1% pv thru rk | | | | |
| 87057 | 910361 | 647033 | 5536965 | 6 | <15 | <10 | mafic mar | 1% pv cubv | rusty | | | |
| 87058 | 910362 | 643018 | 5536636 | 7 | | | felsic w atzeves mar | sulfide burns | rust | | | |
| 87059 | 910363 | 643070 | 5536672 | 7 | | | felsic w lavered atzvnns mar | 6% pv | orange alt | | | |
| 87060 | 910364 | 643139 | 5536647 | 36 | | | felsic mar | cubv pv min | | | | |
| 87062 | 910365 | 643213 | 5536549 | 11 | | | atzvn in mafic atzeves fn-car | | rusty | | loose but local rk, has longskinny crystals | |
| 87063 | 910366 | 643404 | 5536728 | 9 | | | atzvn 4cm 2m mafic | min pv | rotted, rusty | | | |
| 87064 | 910367 | 643459 | 5536912 | <5 | | | atzvn mafic 15cm malichite mar | trpv, min cpv | hematite stained | | | |
| 87065 | 910368 | 643455 | 5536907 | <5 | | | same as above | min pv | vrw rusted | | | |
| 87066 | 910369 | 643461 | 5536915 | <5 | <15 | <10 | mafic mqr 1cm atzvn | 5% cubv pv, trcpv in vn | | | | |
| 87067 | 910370 | 643502 | 5536969 | <5 | <15 | <10 | mafic mar cooked up | 3% pv thruout | | | | |
| 87068 | 910371 | 643819 | 5537190 | <5 | | | atz porphry atzeves m-car | | green alt | | | |
| 87069 | 910372 | 643322 | 5536855 | <5 | <15 | <10 | mafic mar cooked up | 2% pv | | | | |
| 87070 | 910373 | 643345 | 5536903 | <5 | | | atzporphry vn in mafic m-car | 5% pv | | | notin place but local | |
| 87071 | 910374 | 643460 | 5536208 | <5 | | | felsic mar | min pv | | | | |
| 87073 | 910375 | 644950 | 5538311 | 9 | | | felsic mar | min pv | carb alt | | | |
| 87074 | 910376 | 645102 | 5538356 | <5 | <15 | <10 | mar qabro | 2% rusty pv | | | | |
| 87075 | 910377 | 645273 | 5538358 | <5 | <15 | <10 | qabro | 7%pv | | | | |
| 87076 | 910378 | 645413 | 5538139 | <5 | <15 | <10 | same as above | | | | | |

| Lab # | Sample # | NAD 83 | | Assay | | | Rock Type | Mineralization | Alteration | Strike | Comment | Magnetic |
|-------|----------|--------|---------|-------|-----|-----|---|---------------------------------|----------------------------|--------|-------------------------------|-----------|
| 87077 | 910379 | 645419 | 5538033 | <5 | <15 | <10 | qabro fnar talc | 2%py | | | | |
| 87078 | 910380 | 645406 | 5537992 | <5 | <15 | <10 | qtzvn in qabro | 3% py | | | | |
| 87079 | 910381 | 645410 | 5537863 | <5 | <15 | <10 | mafic, poss. qab epidote vns | min sulf | | | | |
| 87080 | 910382 | 645413 | 5537781 | <5 | <15 | <10 | Melaqabro. m/car | poss. Po | rusty | | not able to get fresh surface | |
| 87081 | 910383 | 645145 | 5537810 | <5 | <15 | <10 | qab. mar talc in flecks & vns | min pv thru rk | | | | |
| 87082 | 910384 | 645162 | 5538010 | <5 | | | felsic fnar white grey colour | massive local py. min pv thru | | | | |
| 98620 | 910385 | 644073 | 5537242 | 24 | <15 | 98 | 70%felsic, 30%mafic fnar | min sulf | | | | |
| 98621 | 910386 | 644968 | 5538410 | <5 | <15 | <10 | qabro mar | 2%py | | | | |
| 98622 | 910387 | 644995 | 5538436 | <5 | <15 | <10 | 7cm qtzvn mar qabro | tr py | | | | |
| 98623 | 910388 | 649525 | 5539127 | <5 | | | felsic mar grey rk | min pv | | | | |
| 98624 | 910389 | 644350 | 5539097 | <5 | | | felsic fn-mar | tr py | red alt | | | |
| 98626 | 910390 | 644468 | 5539256 | <5 | <15 | <10 | fnar qab | min pv | | | | |
| 98627 | 910391 | 644364 | 5539323 | <5 | | | felsic w atzeves mar | tr py | | | | |
| 98628 | 910392 | 643910 | 5535684 | <5 | | | mafic fnar | min sulf | | | | |
| 98629 | 910393 | 643934 | 5535661 | <5 | | | mafic mar | min pv | rusted on fracture sheared | | | |
| 98630 | 910394 | 643945 | 5535660 | <5 | <15 | <10 | 60%mafic 40%felsic fnar | min pv | | | | |
| 98631 | 910395 | 644074 | 5535591 | <5 | | | vry fnar mafic | tr-min pv | | | | |
| 90083 | 910396 | 639421 | 5534749 | <5 | | | mafic fnar sugary | min sulf | alt red | | | wkmaq |
| 90084 | 910397 | 639430 | 5534708 | <5 | | | qabro mar felsic vns | minpv | rusty | | | |
| 90085 | 910398 | 643096 | 5538149 | 7 | | | mar qabro | min sulf, min cov | | | | |
| 90086 | 910399 | 643101 | 5538103 | <5 | | | mafic fn-mar looks ultramafic | min sulf | | | | vrystrmaq |
| 90087 | 910400 | 643207 | 5538091 | <5 | | | sugary mafic, arengrey rk mar | cuby py min | | | | |
| 98632 | 910401 | 645943 | 5539987 | <5 | <15 | 21 | Mlab, far, shrd | tr po?, minor pv | | | loose/local on OC | slightly |
| 98633 | 910402 | 642808 | 5537016 | <5 | <15 | <10 | Gb. far | minor pv | | | | |
| 98634 | 910403 | 642735 | 5537089 | <5 | <15 | <10 | Gb. far | minor pv | | | | |
| 98636 | 910404 | 642713 | 5537407 | <5 | <15 | 135 | Gb. mar | minor pv | | | | |
| 98637 | 910405 | 642700 | 5537506 | <5 | | | Felsic, greyish white | tr py | | | | |
| 98638 | 910406 | 642728 | 5537538 | <5 | | | mafic+felsic, mar | minor pv | | | | |
| 98639 | 910407 | 642737 | 5537722 | <5 | | | felsic tuff?whitish-cream | minor v f pv, tr po | minor carb | | | |
| 98640 | 910408 | 642738 | 5537751 | <5 | | | Felsic, mar w blotchy blk patches | minor pv | | | greyish | |
| 98641 | 910409 | 642738 | 5537751 | 9 | | | Gb. shrd, f/mar, fine atz vnlets, 30% Plaq. | greyish green | | | | non |
| 98642 | 910410 | 643543 | 5538387 | 7 | | | Gb. shrd, m/car | minor pv | | | | |
| 98643 | 910411 | 643730 | 5538375 | <5 | | | Gb. mar, 60% Plaq | 1-3% py on frctr, minor in rock | talc+calc? | | | |
| 98644 | 910412 | 644039 | 5538267 | <5 | | | Gb. mar, semi-porph Plaq | minor pv | mod alt | | | modlv |
| 98645 | 910413 | 643493 | 5538619 | <5 | | | Mlab, mar, arengish dark grey | minor pv | | | | |
| 90129 | 910451 | 643222 | 5538081 | <5 | <15 | <10 | 70% mafic, 30% felsic mar sheared | min cubv py | | | | |
| 90130 | 910452 | 643223 | 5538071 | 5 | | | felsic dyke in ultramafic fnar | massive pv in felsic | vry rusty rotted | | | |
| 90131 | 910453 | 643224 | 5538067 | 11 | <15 | <10 | qabro mar | spotty py 2% | yellow/red alt | | strong maq | |
| 90132 | 910454 | 643216 | 5538029 | <5 | | | stockworked atzvn 20m? Mafic | | | | | |
| 90133 | 910455 | 643200 | 5538034 | 6 | <15 | <10 | qabro fnar w atzvn epidote/chlorite | min pv | | | loose, strongly maq | |
| 90134 | 910456 | 643642 | 5538063 | <5 | <15 | <10 | qabro mar | min sulf | red alt | | | |
| 90135 | 910457 | 643609 | 5538073 | <5 | <15 | <10 | qabro mar 3cm qtzvn malichite | 1%py spotty | rusty | | | |
| 90136 | 910458 | 642724 | 5538547 | <5 | <15 | 19 | qabro mar | min pv | | | | |
| 90138 | 910459 | 642570 | 5538726 | <5 | | | atz por. Mar atzeves | | carb, | | | |
| 90139 | 910460 | 642411 | 5538919 | <5 | | | white atzvn in light grey rk epidote | tr sulf | rd alt | | | |
| 90140 | 910461 | 642373 | 5539129 | <5 | | | felsic fnar | rotted pv min | rusty | | | |
| 90141 | 910462 | 642155 | 5537337 | <5 | | | fnar felsic | min sulf | carb alt | | | |
| 90142 | 910463 | 641955 | 5537629 | <5 | <15 | <10 | qabro mar | min pv | | | | |
| 90143 | 910464 | 642090 | 5537700 | 8 | | | brecciated felsic mar atzeves | | brwn alt | | | |
| 90144 | 910465 | 642240 | 5539151 | <5 | | | arey felsic fnar | min sulf | | | | |
| 90145 | 910466 | 642334 | 5538418 | <5 | | | mafic fnar | tr sulf | brwn red alt | | | |
| 90146 | 910467 | 632872 | 5528590 | <5 | | | mafic mar w felsic dyke | | rotted carb alt | | | |
| 90147 | 910468 | 632322 | 5528678 | <5 | | | mafic w felsic dyke vry sheared | tr sulf | rusty red brwn | | | |

Cobb Bay Prospecting and Sampling Program
July 18 - August 9, 2005

| Lab # | Sample # | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|-------|-----------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|--------|--------|------|--------|------|--------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|--------|-------|-------|-------|--------|
| 84179 | DMF-05-01 | 5 | 0.23 | 16 | 48 | 53 | 1 | | 0.05 | <10 | 5 | 203 | 282 | 1.54 | 0.07 | 7 | 0.02 | <100 | 7 | 0.07 | 9 | 241 | 21 | | 18 | 0.03 | <10 | 11 | 165 | 5 | 18 | 29 | <1 | 105 |
| 84180 | DMF-05-02 | 2 | 0.39 | 18 | 52 | 25 | 1 | | 5.09 | <10 | 46 | 117 | 256 | 9.65 | 0.23 | 8 | 1.8 | 1787 | 6 | 0.04 | 29 | 500 | 24 | | 16 | 0.05 | <10 | 123 | <100 | 4 | 30 | 17 | <1 | 319 |
| 84185 | 910201 | 13 | 0.5 | 10 | 58 | 52 | 1 | | 0.54 | <10 | 13 | 140 | 3691 | 4.37 | 0.16 | 7 | 0.21 | 196 | 47 | 0.08 | 6 | 277 | 9 | | 13 | 0.04 | <10 | 22 | 357 | 4 | 7 | 81 | 4 | 415 |
| 84187 | 910203 | <1 | 0.37 | 10 | 50 | 58 | 1 | | 1.27 | <10 | 5 | 97 | 35 | 0.82 | 0.16 | 7 | 0.1 | 213 | 6 | 0.09 | 3 | 269 | 4 | | 12 | 0.04 | <10 | 36 | <100 | 5 | 5 | 5 | <1 | 30 |
| 84188 | 910204 | <1 | 1.43 | 8 | 49 | 45 | 1 | | 1.36 | <10 | 16 | 136 | 47 | 2.68 | 0.12 | 7 | 0.87 | 539 | 6 | 0.06 | 20 | 318 | 8 | | 15 | 0.07 | <10 | 165 | 2128 | 6 | 149 | 86 | <1 | 120 |
| 84190 | 910205 | <1 | 4.22 | 6 | 54 | 37 | 1 | | 4.09 | <10 | 27 | 106 | 102 | 3.68 | 0.1 | 7 | 1.5 | 485 | 6 | 0.49 | 53 | 1078 | 10 | | 12 | 0.1 | <10 | 30 | 2978 | 5 | 129 | 97 | 4 | 192 |
| 84191 | 910206 | <1 | 3 | 7 | 51 | 15 | 1 | | 1.3 | <10 | 41 | 93 | 114 | 5.96 | 0.02 | 18 | 2.27 | 741 | 6 | 0.05 | 72 | 450 | 7 | | 24 | 0.05 | <10 | 21 | 207 | 7 | 368 | 189 | <1 | 318 |
| 84192 | 910207 | <1 | 5.43 | 6 | 53 | 84 | 2 | | 1.08 | <10 | 50 | 217 | 102 | >10.00 | 0.03 | 19 | 3.08 | 2696 | 6 | 0.22 | 67 | 619 | 14 | | 11 | 0.04 | <10 | 7 | <100 | 6 | 9 | 19 | <1 | 33 |
| 84193 | 910208 | <1 | 0.39 | 9 | 54 | 70 | 1 | | 0.12 | <10 | 5 | 132 | 13 | 0.88 | 0.17 | 7 | 0.09 | 185 | 6 | 0.06 | 5 | 325 | 5 | | 21 | 0.1 | <10 | 70 | 5107 | 4 | 169 | 142 | 2 | 263 |
| 84194 | 910209 | <1 | 4.41 | 10 | 54 | 10 | 1 | | 6.39 | <10 | 55 | 291 | 157 | 7.97 | 0.02 | 12 | 3.08 | 2096 | 6 | 0.22 | 44 | 322 | 9 | | 12 | 0.11 | <10 | 25 | 4070 | 3 | 186 | 81 | 5 | 121 |
| 84195 | 910210 | <1 | 4.36 | 11 | 56 | 24 | 1 | | 6.35 | <10 | 97 | 96 | 127 | 4.86 | 0.02 | 7 | 4.5 | 1240 | 5 | 0.03 | 39 | 477 | 6 | | 11 | 0.05 | <10 | 40 | <100 | 6 | 12 | 72 | <1 | 113 |
| 84196 | 910211 | <1 | 1.04 | 9 | 52 | 40 | 1 | | 0.96 | <10 | 28 | 83 | 80 | 5.58 | 0.09 | 12 | 2.05 | 805 | 6 | 0.05 | 46 | 831 | 11 | | 9 | 0.1 | <10 | 32 | 4824 | 3 | 75 | 100 | 1 | 163 |
| 84197 | 910212 | <1 | 2.12 | 7 | 52 | 48 | 1 | | 1.73 | <10 | 41 | 89 | 80 | 3.2 | 0.04 | 9 | 1.83 | 1065 | 5 | 0.06 | 32 | 1070 | 8 | | 7 | 0.14 | <10 | 31 | 7701 | 4 | 158 | 173 | 14 | 190 |
| 84198 | 910213 | <1 | 3.43 | 8 | 54 | 30 | 1 | | 2.63 | <10 | 23 | 66 | 45 | 3.71 | 0.11 | 7 | 1.34 | 549 | 11 | 0.26 | 28 | 880 | 5 | | 11 | 0.09 | <10 | 26 | 2649 | 4 | 175 | 95 | <1 | 108 |
| 84199 | 910214 | <1 | 2.54 | 8 | 58 | 18 | 1 | | 1.15 | <10 | 37 | 94 | 42 | 3.47 | 0.13 | 13 | 1.98 | 1070 | 6 | 0.03 | 30 | 436 | 8 | | 16 | 0.12 | <10 | 24 | 6892 | 4 | 152 | 146 | 3 | 236 |
| 84201 | 910215 | 2 | 0.54 | 31 | 54 | 214 | 2 | | 1.75 | <10 | 12 | 62 | 26 | 2.81 | 0.25 | 17 | 0.33 | 859 | 8 | 0.07 | 24 | 1027 | 48 | | 10 | 0.07 | <10 | 246 | 277 | 5 | 19 | 49 | <1 | 84 |
| 84202 | 910216 | <1 | 0.89 | 7 | 40 | 44 | 1 | | 1.81 | <10 | 10 | 80 | 15 | 2.42 | 0.08 | 7 | 0.49 | 534 | 5 | 0.08 | 17 | 301 | 6 | | 9 | 0.05 | <10 | 16 | <100 | 5 | 12 | 25 | <1 | 54 |
| 84203 | 910217 | <1 | 0.75 | 8 | 46 | 104 | 1 | | 0.42 | <10 | 7 | 84 | 11 | 1.08 | 0.29 | 7 | 0.13 | 449 | 5 | 0.1 | 22 | 537 | 10 | | 13 | 0.13 | <10 | 12 | 6891 | 4 | 103 | 159 | <1 | 269 |
| 84204 | 910218 | <1 | 4.27 | 7 | 51 | 9 | 1 | | 1.32 | <10 | 77 | 222 | 171 | 9.23 | 0.02 | 10 | 3.26 | 1731 | 5 | 0.02 | 153 | 308 | 7 | | 16 | 0.11 | <10 | 8 | 3121 | 6 | 152 | 146 | 3 | 236 |
| 84205 | 910219 | <1 | 3.66 | 9 | 55 | 12 | 1 | | 1.86 | <10 | 40 | 209 | 24 | 6.86 | 0.05 | 10 | 3.03 | 1178 | 5 | 0.03 | 70 | 308 | 7 | | 16 | 0.12 | <10 | 24 | 6892 | 4 | 152 | 107 | 3 | 186 |
| 84206 | 910220 | <1 | 2.96 | 5 | 55 | 17 | 1 | | 1.97 | <10 | 35 | 93 | 100 | 6.71 | 0.05 | 10 | 1.88 | 1070 | 6 | 0.03 | 30 | 436 | 8 | | 17 | 0.09 | <10 | 35 | 5383 | 4 | 217 | 154 | 8 | 331 |
| 84207 | 910221 | <1 | 5.24 | 5 | 55 | 5 | 1 | | 3.64 | <10 | 80 | 137 | 210 | 9.25 | 0.01 | 15 | 4.2 | 1463 | 5 | 0.02 | 119 | 458 | 10 | | 12 | 0.06 | <10 | 37 | 2291 | 4 | 32 | 73 | 1 | 173 |
| 84208 | 910222 | <1 | 2.24 | 9 | 51 | 33 | 1 | | 1.84 | <10 | 20 | 94 | 42 | 3.47 | 0.13 | 13 | 1.72 | 708 | 5 | 0.05 | 44 | 826 | 5 | | 12 | 0.06 | <10 | 29 | 2608 | 4 | 36 | 94 | 1 | 212 |
| 84209 | 910223 | <1 | 2.62 | 5 | 51 | 42 | 1 | | 1.15 | <10 | 23 | 105 | 45 | 3.76 | 0.11 | 18 | 2.17 | 713 | 6 | 0.05 | 46 | 988 | 6 | | 11 | 0.03 | <10 | 48 | <100 | 4 | 15 | 263 | <1 | 29 |
| 84210 | 910224 | <1 | 0.73 | 29 | 61 | 478 | 1 | | 0.48 | <10 | 3 | 144 | 13 | 1.11 | 0.15 | 7 | 0.13 | 157 | 6 | 0.07 | 3 | 127 | 7 | | 14 | 0.03 | <10 | 9 | <100 | 5 | 6 | 26 | 2 | 17 |
| 84212 | 910225 | <1 | 0.74 | 8 | 50 | 72 | 2 | | 0.8 | <10 | 5 | 113 | 13 | 1.4 | 0.29 | 9 | 0.09 | 175 | 6 | 0.04 | 2 | 115 | 8 | | 10 | 0.03 | <10 | 5 | <100 | 4 | 5 | 28 | 5 | 15 |
| 84213 | 910226 | <1 | 0.36 | 8 | 52 | 84 | 2 | | 1.08 | <10 | 4 | 91 | 18 | 0.25 | 0.49 | 7 | 0.03 | 159 | 6 | 0.03 | 3 | <100 | 7 | | 9 | 0.04 | <10 | 10 | 240 | 5 | 5 | 29 | 6 | 15 |
| 84214 | 910227 | <1 | 4.71 | 8 | 196 | 28 | 1 | | 2.19 | <10 | 53 | 196 | 257 | 8.64 | 0.03 | 16 | 3.87 | 1228 | 5 | 0.02 | 124 | 915 | 9 | | 10 | 0.12 | <10 | 16 | 2782 | 5 | 152 | 141 | 6 | 336 |
| 84215 | 910228 | <1 | 2.1 | 9 | 56 | 21 | 1 | | 0.22 | <10 | 26 | 292 | 48 | 4.19 | 0.1 | 13 | 1.79 | 831 | 5 | 0.02 | 35 | <100 | 8 | | 10 | 0.03 | <10 | <5 | 1410 | 4 | 84 | 67 | 1 | 128 |
| 84216 | 910229 | <1 | 0.89 | 42 | 51 | 48 | 1 | | 0.07 | <10 | 6 | 85 | 29 | 9.81 | 0.2 | 6 | 0.25 | 227 | 6 | 0.02 | 9 | 450 | 32 | | 12 | 0.07 | <10 | 27 | 2648 | 4 | 101 | 74 | <1 | 148 |
| 84217 | 910230 | <1 | 2.83 | 8 | 59 | 18 | 1 | | 1.87 | <10 | 32 | 100 | 171 | 4.44 | 0.02 | 8 | 2.05 | 746 | 5 | 0.02 | 36 | <100 | 8 | | 16 | 0.02 | <10 | <5 | <100 | 4 | 15 | 26 | <1 | 35 |
| 84218 | 910231 | 6 | 0.28 | 13 | 81 | 7 | 1 | | 1.15 | <10 | 11 | 225 | 1946 | 1.42 | 0.04 | 7 | 0.15 | <100 | 5 | 0.03 | 47 | 406 | 7 | | 18 | 0.03 | <10 | 6 | <100 | 4 | 9 | 27 | <1 | 60 |
| 84219 | 910232 | 13 | 0.12 | 11 | 93 | 3 | 1 | | 0.41 | <10 | 8 | 265 | 4638 | 1.24 | 0.02 | 10 | 0.58 | <100 | 6 | 0.02 | 12 | <100 | 7 | | 16 | 0.02 | <10 | <5 | <100 | 8 | 11 | 25 | <1 | 6 |
| 84220 | 910233 | 13 | 0.12 | 11 | 93 | 3 | 1 | | 0.41 | <10 | 8 | 265 | 4638 | 1.24 | 0.02 | 10 | 0.58 | <100 | 6 | 0.02 | 12 | <100 | 7 | | 16 | 0.02 | <10 | <5 | <100 | 8 | 11 | 25 | <1 | 6 |
| 84221 | 910234 | 6 | 0.13 | 29 | 86 | 24 | 1 | | 0.02 | <10 | 7 | 224 | 128 | 1.31 | 0.11 | 9 | 2.99 | 1762 | 5 | 0.02 | 74 | 466 | 17 | | 21 | 0.04 | <10 | 106 | <100 | 8 | 172 | 183 | 2 | 267 |
| 84222 | 910235 | 1 | 3.25 | 25 | 59 | 83 | 1 | | 6.2 | <10 | 52 | 168 | 300 | 3.47 | 0.02 | 7 | 1.9 | 588 | 5 | 0.03 | 33 | 368 | 8 | | 11 | 0.07 | <10 | 57 | 5507 | 5 | 230 | 123 | 4 | 150 |
| 84223 | 910236 | <1 | 3.38 | 16 | 556 | 14 | 1 | | 0.26 | <10 | 5 | 201 | 21 | 0.8 | 0.29 | 7 | 0.11 | 176 | 6 | 0.04 | 6 | 132 | 6 | | 16 | 0.03 | <10 | 9 | 179 | 3 | 14 | 18 | 3 | 17 |
| 84225 | 910237 | <1 | 0.49 | 9 | 60 | 80 | 1 | | 0.81 | <10 | 10 | 176 | 16 | 1.5 | 0.03 | 7 | 0.39 | 246 | 6 | 0.02 | 9 | <100 | 7 | | 8 | 0.03 | <10 | 8 | 329 | 6 | 32 | 33 | <1 | 32 |
| 84226 | 910238 | <1 | 3.52 | 9 | 52 | 9 | 1 | | 2.16 | <10 | 15 | 106 | 23 | 3.64 | 0.19 | 18 | 0.39 | 369 | 1 | 0.13 | 21 | 944 | 6 | | 5 | 0.05 | <10 | 9 | 1752 | <1 | 85 | <10 | | |

| Lab # | Sample # | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | K | Li | Mg | Mn | Mo | Na | Ni | P | Pb | Sb | Se | Si | Sn | Sr | Ti | Tl | V | W | Y | Zn | |
|-------|----------|----|------|----|----|-----|----|----|------|-----|----|-----|-----|--------|-------|------|------|------|------|------|------|------|-----|-----|------|------|-----|------|------|------|-----|-----|-----|-----|-----|
| 96988 | 910262 | <1 | 1.15 | <3 | 70 | 158 | <1 | | 0.42 | <10 | 38 | 53 | 60 | 7.25 | 0.17 | 0.71 | 1640 | <1 | 0.03 | 15 | 1246 | 7 | <10 | <5 | 0.09 | <10 | 26 | 4250 | <1 | 20 | <10 | 11 | 123 | | |
| 96990 | 910263 | <1 | 0.81 | <3 | 47 | 36 | <1 | | 0.27 | <10 | 9 | 220 | 10 | 2.46 | 0.07 | 0.25 | 470 | <1 | 0.04 | 7 | 253 | 2 | <10 | <5 | 0.05 | <10 | 30 | 1916 | <1 | 3 | <10 | 15 | 35 | | |
| 96991 | 910264 | <1 | 0.88 | <3 | 47 | 36 | <1 | | 0.56 | <10 | 11 | 674 | 126 | 3.03 | 0.02 | 0.22 | 560 | 2 | 0.02 | 17 | 284 | 2 | <10 | <5 | 0.05 | <10 | 11 | <100 | <1 | 23 | <10 | 2 | 18 | | |
| 96992 | 910265 | <1 | 0.06 | <3 | 46 | 179 | <1 | | 1.27 | <10 | 4 | 472 | 16 | 2.15 | <0.01 | 0.21 | 917 | 1 | 0.01 | 9 | 104 | 2 | <10 | <5 | 0.07 | <10 | 39 | <100 | <1 | 14 | <10 | 2 | 35 | | |
| 96993 | 910266 | <1 | 1.06 | <3 | 59 | 33 | <1 | | 2.39 | <10 | 27 | 92 | 51 | 6.72 | 0.05 | 10 | 7 | 1402 | <1 | 0.03 | 19 | 747 | 6 | <10 | <5 | 0.04 | 31 | 71 | <100 | <1 | 69 | <10 | 4 | 82 | |
| 96994 | 910267 | <1 | 1.03 | <3 | 51 | 30 | <1 | | 1.22 | <10 | 21 | 126 | 43 | 4.83 | 0.03 | 5 | 829 | <1 | 0.02 | 19 | 747 | 6 | <10 | <5 | 0.06 | 14 | 25 | <100 | <1 | 20 | <10 | 3 | 141 | | |
| 96996 | 910268 | <1 | 0.5 | <3 | 50 | 37 | <1 | | 4 | <10 | 14 | 77 | 32 | 5.09 | 0.03 | 9 | 1093 | <1 | 0.06 | 25 | 375 | 6 | <10 | <5 | 0.02 | 16 | 68 | <100 | <1 | 82 | <10 | 4 | 47 | | |
| 96997 | 910269 | <1 | 1.09 | <3 | 51 | 51 | <1 | | 0.78 | <10 | 42 | 95 | 46 | 5.72 | 0.07 | 0.72 | 829 | <1 | 0.03 | 37 | 580 | 4 | <10 | <5 | 0.07 | <10 | 44 | 4888 | <1 | 35 | <10 | 8 | 85 | | |
| 96998 | 910290 | <1 | 0.98 | <3 | 48 | 16 | <1 | | 0.97 | <10 | 24 | 145 | 40 | 3.33 | 0.07 | 9 | 1093 | <1 | 0.06 | 25 | 375 | 6 | <10 | <5 | 0.07 | <10 | 31 | 2877 | <1 | 25 | <10 | 5 | 46 | | |
| 96999 | 910291 | <1 | 1.17 | <3 | 58 | 2 | <1 | | 0.48 | <10 | 40 | 77 | 117 | 8.87 | <0.01 | 5 | 829 | <1 | 0.05 | 36 | 659 | 5 | <10 | <5 | 0.07 | <10 | 17 | 4289 | <1 | 31 | <10 | 5 | 88 | | |
| 97000 | 910292 | <1 | 0.98 | <3 | 57 | 80 | <1 | | 1.01 | <10 | 50 | 143 | 117 | 4.81 | 0.11 | <1 | 0.42 | 1138 | <1 | 0.03 | 35 | 542 | 1 | <10 | <5 | 0.07 | <10 | 50 | 5293 | <1 | 48 | <10 | 5 | 95 | |
| 87001 | 910293 | <1 | 0.77 | <3 | 50 | 13 | <1 | | 1.92 | <10 | 20 | 189 | 80 | 2.2 | 0.01 | <1 | 0.33 | 454 | <1 | 0.01 | 21 | 198 | 1 | <10 | <5 | 0.04 | <10 | 31 | 2741 | <1 | 18 | <10 | 3 | 29 | |
| 87002 | 910294 | <1 | 1.26 | <3 | 57 | 8 | <1 | | 1.82 | <10 | 46 | 273 | 98 | 5.52 | <0.01 | 26 | 0.91 | 1158 | <1 | 0.02 | 89 | 162 | 2 | <10 | <5 | 0.04 | <10 | 34 | 2203 | <1 | 58 | <10 | 7 | 67 | |
| 87003 | 910296 | <1 | 0.49 | <3 | 42 | 76 | <1 | | 0.58 | <10 | 4 | 98 | 3 | 1.13 | 0.15 | <1 | 0.15 | 446 | <1 | 0.04 | 10 | 331 | 1 | <10 | <5 | 0.02 | <10 | 38 | <100 | <1 | <2 | <10 | 2 | 28 | |
| 87004 | 910297 | <1 | 0.87 | <3 | 49 | 39 | <1 | | 0.5 | <10 | 10 | 127 | 15 | 2.47 | 0.14 | 3 | 0.49 | 435 | <1 | 0.08 | 19 | 404 | 1 | <10 | <5 | 0.06 | <10 | 32 | <100 | <1 | 2 | <10 | 2 | 52 | |
| 87005 | 910298 | <1 | 0.83 | <3 | 48 | 81 | <1 | | 0.32 | <10 | 11 | 132 | 11 | 2.05 | 0.16 | <1 | 0.32 | 606 | <1 | 0.05 | 17 | 548 | 14 | <10 | <5 | 0.04 | <10 | 18 | 1394 | <1 | <2 | <10 | 3 | 54 | |
| 87007 | 910300 | <1 | 0.9 | <3 | 45 | 41 | <1 | | 0.27 | <10 | 12 | 167 | 22 | 2.22 | 0.16 | 3 | 0.48 | 420 | <1 | 0.04 | 19 | 398 | 2 | <10 | <5 | 0.04 | <10 | 8 | 942 | <1 | <2 | <10 | 3 | 44 | |
| 87008 | 910301 | <1 | 0.88 | <3 | 53 | 53 | <1 | | 2.56 | <10 | 42 | 152 | 130 | 6.39 | 0.1 | 10 | 0.78 | 1084 | <1 | 0.05 | 87 | 264 | 6 | <10 | <5 | 0.03 | 16 | 39 | <100 | <1 | 27 | <10 | 3 | 55 | |
| 87009 | 910302 | <1 | 0.76 | <3 | 49 | 29 | <1 | | 0.98 | <10 | 34 | 174 | 85 | 4.95 | 0.09 | 6 | 0.81 | 1058 | <1 | 0.04 | 74 | 141 | 6 | <10 | <5 | 0.02 | 18 | 56 | <100 | <1 | 29 | <10 | 3 | 44 | |
| 87010 | 910303 | <1 | 0.86 | <3 | 48 | 25 | <1 | | 1.28 | <10 | 20 | 91 | 29 | 4.07 | 0.08 | 7 | 0.58 | 596 | <1 | 0.06 | 17 | 840 | 3 | <10 | <5 | 0.06 | 13 | 22 | <100 | <1 | 16 | <10 | 3 | 54 | |
| 87011 | 910304 | <1 | 1.19 | <3 | 53 | 10 | <1 | | 0.39 | <10 | 35 | 136 | 86 | 4.72 | 0.02 | 6 | 0.75 | 778 | <1 | 0.03 | 56 | 425 | 2 | <10 | <5 | 0.07 | <10 | 15 | 3395 | <1 | <2 | <10 | 2 | 35 | |
| 87012 | 910305 | <1 | 0.48 | <3 | 41 | 69 | <1 | | 0.61 | <10 | 3 | 190 | 8 | 1.12 | 0.23 | <1 | 0.1 | 175 | <1 | 0.03 | 5 | 419 | 1 | <10 | <5 | 0.02 | <10 | 19 | <100 | <1 | <2 | <10 | 3 | 39 | |
| 87013 | 910306 | <1 | 1.09 | <3 | 49 | 5 | <1 | | 0.46 | <10 | 30 | 216 | 84 | 3.25 | <0.01 | 3 | 0.63 | 651 | <1 | 0.03 | 61 | 162 | <1 | <10 | <5 | 0.06 | <10 | 27 | 2683 | <1 | 13 | <10 | 2 | 24 | |
| 87014 | 910307 | <1 | 0.85 | <3 | 43 | 10 | <1 | | 2.7 | <10 | 26 | 186 | 108 | 2.05 | 0.02 | <1 | 0.35 | 427 | <1 | 0.02 | 44 | 108 | 1 | <10 | <5 | 0.04 | <10 | 10 | 1512 | <1 | 9 | <10 | 2 | 24 | |
| 87015 | 910308 | <1 | 0.41 | <3 | 56 | 172 | <1 | | 1.21 | <10 | 14 | 113 | 23 | 2.89 | 0.2 | <1 | 0.37 | 1018 | <1 | 0.06 | 12 | 1666 | 39 | <10 | <5 | 0.02 | <10 | 502 | <100 | <1 | 6 | <10 | 12 | 95 | |
| 87016 | 910309 | 7 | 0.38 | <3 | 42 | 68 | <1 | | 0.17 | <10 | 8 | 185 | 86 | 1.38 | 0.17 | <1 | 0.03 | 248 | 5 | 0.06 | 7 | 520 | 23 | <10 | <5 | 0.02 | <10 | 7 | 575 | <1 | <2 | <10 | 5 | 9 | |
| 87018 | 910310 | <1 | 0.36 | <3 | 45 | 69 | <1 | | 0.01 | <10 | 2 | 286 | 9 | 1.05 | 0.23 | <1 | 0.02 | <100 | <1 | 0.04 | 6 | 218 | 15 | <10 | <5 | 0.02 | <10 | 26 | <100 | <1 | <2 | <10 | 1 | 39 | |
| 87019 | 910311 | <1 | 0.88 | <3 | 81 | 2 | <1 | | 3.02 | <10 | 16 | 49 | 14 | >10.00 | <0.01 | 4 | 0.71 | 607 | <1 | 0.02 | 40 | 302 | 2 | <10 | <5 | 0.04 | <10 | 17 | 3164 | <1 | 35 | <10 | 6 | 50 | |
| 87020 | 910312 | <1 | 1.09 | <3 | 53 | 7 | <1 | | 0.46 | <10 | 31 | 107 | 108 | 4.38 | <0.01 | 7 | 0.67 | 904 | <1 | 0.02 | 40 | 438 | 2 | <10 | <5 | 0.04 | <10 | 17 | 3164 | <1 | 35 | <10 | 6 | 50 | |
| 87021 | 910313 | <1 | 1.25 | <3 | 67 | 16 | <1 | | 0.89 | <10 | 56 | 131 | 113 | 5.98 | 0.02 | 11 | 0.84 | 1471 | <1 | 0.02 | 90 | 302 | 6 | <10 | <5 | 0.05 | <10 | 38 | 4248 | <1 | 73 | <10 | 9 | 102 | |
| 87022 | 910314 | <1 | 1.16 | <3 | 67 | 27 | <1 | | 0.58 | <10 | 38 | 38 | 33 | 7.81 | <0.01 | 22 | 0.71 | 1126 | <1 | 0.03 | 14 | 967 | 6 | <10 | <5 | 0.05 | <10 | 22 | 4685 | <1 | 54 | <10 | 22 | 105 | |
| 87023 | 910315 | <1 | 0.97 | <3 | 49 | 29 | <1 | | 0.4 | <10 | 27 | 99 | 99 | 3.22 | <0.01 | 2 | 0.56 | 625 | <1 | 0.05 | 42 | 258 | 2 | <10 | <5 | 0.06 | <10 | 8 | 3099 | <1 | 19 | <10 | 4 | 42 | |
| 87024 | 910316 | <1 | 0.36 | <3 | 41 | 59 | <1 | | 0.15 | <10 | 2 | 202 | 5 | 1.28 | 0.15 | <1 | 0.08 | 185 | <1 | 0.04 | 5 | <100 | 3 | <10 | <5 | 0.02 | <10 | 8 | <100 | <1 | <2 | <10 | 5 | 25 | |
| 87025 | 910317 | <1 | 0.41 | <3 | 38 | 70 | <1 | | 0.37 | <10 | 4 | 206 | 13 | 1.15 | 0.07 | <1 | 0.16 | 196 | <1 | 0.08 | 8 | 241 | 3 | <10 | <5 | 0.01 | <10 | 42 | <100 | <1 | <2 | <10 | 1 | 12 | |
| 87026 | 910318 | <1 | 0.26 | <3 | 43 | 32 | <1 | | 0.47 | <10 | 3 | 196 | 9 | 0.96 | 0.07 | <1 | 0.13 | 234 | <1 | 0.08 | 6 | 259 | 2 | <10 | <5 | 0.01 | <10 | 43 | <100 | <1 | <2 | <10 | 1 | 25 | |
| 87027 | 910319 | <1 | 0.28 | <3 | 48 | 44 | <1 | | 0.12 | <10 | 5 | 283 | 5 | 1.13 | 0.07 | <1 | 0.02 | 174 | 10 | 0.08 | 10 | 207 | 6 | <10 | <5 | 0.01 | <10 | 14 | 77 | <100 | <1 | 8 | <10 | 3 | 102 |
| 87028 | 910320 | <1 | 0.41 | <3 | 50 | 32 | <1 | | 1.63 | <10 | 24 | 156 | 57 | 5.01 | 0.08 | <1 | 0.5 | 1052 | <1 | 0.04 | 46 | 220 | 21 | <10 | <5 | 0.01 | <10 | 20 | 4067 | <1 | 93 | <10 | 8 | 74 | |
| 87029 | 910321 | <1 | 1.13 | <3 | 60 | 58 | <1 | | 0.63 | <10 | 42 | 88 | 174 | 6.14 | 0.1 | 7 | 0.69 | 1136 | <1 | 0.03 | 51 | 671 | 3 | <10 | <5 | 0.0 | | | | | | | | | |

| Lab # | Sample # | Ag | Al | As | B | Ba | Be | Bi | Ca | Gd | Co | Cr | Cu | Fe | K | Lj | Mg | Mn | Mo | Na | Ni | P | Pb | Sb | Se | Si | Sn | Str | Ti | V | W | Y | Zn | |
|-------|----------|-----|------|-----|----|-----|-----|-----|--------|------|-----|-----|-----|------|--------|-----|------|------|-----|--------|-----|------|-----|------|------|------|------|------|------|-----|-----|------|-----|-----|
| 87064 | 910367 | 1 | 0.37 | <-3 | 43 | 6 | <-1 | | 0.33 | <-10 | 11 | 438 | 347 | 1.39 | 0.02 | <-1 | 0.22 | 204 | 1 | 0.04 | 19 | 132 | <-1 | <-10 | <-5 | 0.04 | <-10 | 9 | 894 | <-1 | 16 | <-10 | 2 | 26 |
| 87065 | 910368 | <-1 | 0.98 | <-3 | 52 | 9 | <-1 | | 0.27 | <-10 | 23 | 358 | 87 | 3.99 | 0.02 | 11 | 0.88 | 579 | <-1 | 0.04 | 44 | 159 | 3 | <-10 | <-5 | 0.08 | <-10 | 15 | 2048 | <-1 | 61 | <-10 | 4 | 46 |
| 87066 | 910369 | <-1 | 0.84 | <-3 | 51 | 10 | <-1 | | 0.51 | <-10 | 26 | 138 | 87 | 3.24 | 0.03 | 4 | 0.85 | 496 | <-1 | 0.06 | 41 | 408 | 2 | <-10 | <-5 | 0.03 | <-10 | 39 | 2180 | <-1 | 42 | <-10 | 6 | 35 |
| 87067 | 910370 | <-1 | 1.27 | <-3 | 64 | 18 | <-1 | | 0.22 | <-10 | 49 | 184 | 109 | 5.82 | 0.05 | 82 | 0.98 | 1194 | 1 | 0.04 | 104 | 305 | 4 | <-10 | <-5 | 0.06 | <-10 | 10 | 1786 | <-1 | 86 | <-10 | 3 | 87 |
| 87068 | 910371 | 6 | 0.49 | <-3 | 40 | 38 | <-1 | | 0.22 | <-10 | 4 | 201 | 10 | 0.84 | 0.95 | <-1 | 0.19 | 121 | <-1 | 0.07 | 8 | 265 | <-1 | <-10 | <-5 | 0.04 | <-10 | 34 | 409 | <-1 | <2 | <-10 | <-1 | 40 |
| 87069 | 910372 | <-1 | 1.09 | <-3 | 53 | 4 | <-1 | | 0.51 | <-10 | 36 | 140 | 103 | 4.5 | <-0.01 | 9 | 0.71 | 749 | <-1 | 0.03 | 54 | 405 | 2 | <-10 | <-5 | 0.06 | <-10 | 26 | 2425 | <-1 | 38 | <-10 | 6 | 89 |
| 87070 | 910373 | <-1 | 1.1 | <-3 | 55 | 10 | <-1 | | 1.13 | <-10 | 38 | 195 | 219 | 4.86 | 0.05 | 15 | 0.76 | 751 | <-1 | 0.53 | 107 | 340 | 3 | <-10 | <-5 | 0.05 | <-10 | 12 | 1678 | <-1 | 36 | <-10 | 4 | 86 |
| 87071 | 910374 | <-1 | 1.13 | <-3 | 51 | 5 | <-1 | | 0.84 | <-10 | 39 | 148 | 92 | 4.03 | <-0.01 | 9 | 0.83 | 739 | <-1 | 0.02 | 89 | 287 | <-1 | <-10 | <-5 | 0.05 | <-10 | 18 | 2132 | <-1 | 21 | <-10 | 4 | 81 |
| 87072 | 910375 | <-1 | 0.35 | <-3 | 42 | 56 | <-1 | | 0.19 | <-10 | 7 | 235 | 13 | 1.38 | 0.18 | <-1 | 0.06 | 216 | 18 | 0.03 | 10 | 295 | 2 | <-10 | <-5 | 0.02 | <-10 | 8 | <100 | <-1 | <2 | <-10 | 1 | 18 |
| 87073 | 910376 | <-1 | 1.13 | <-3 | 52 | 7 | <-1 | | 1.12 | <-10 | 39 | 85 | 82 | 5.27 | <-0.01 | 9 | 0.77 | 1001 | <-1 | 0.05 | 61 | 1797 | 3 | <-10 | <-5 | 0.06 | <-10 | 35 | 3393 | <-1 | 34 | <-10 | 5 | 50 |
| 87074 | 910377 | <-1 | 0.96 | <-3 | 49 | 5 | <-1 | | 0.46 | <-10 | 30 | 91 | 123 | 3.82 | 0.01 | 7 | 0.55 | 566 | 1 | 0.04 | 24 | 481 | 3 | <-10 | <-5 | 0.03 | <-10 | 14 | 1397 | <-1 | 27 | <-10 | 4 | 60 |
| 87075 | 910378 | <-1 | 1.08 | <-3 | 50 | 23 | <-1 | | 0.36 | <-10 | 32 | 131 | 52 | 3.87 | 0.01 | 10 | 0.72 | 802 | 4 | 0.04 | 57 | 405 | 2 | <-10 | <-5 | 0.04 | <-10 | 11 | 2188 | <-1 | 34 | <-10 | 4 | 49 |
| 87076 | 910379 | <-1 | 0.97 | <-3 | 51 | 4 | <-1 | | 0.63 | <-10 | 30 | 169 | 109 | 3.79 | 0.01 | 7 | 0.63 | 568 | 5 | 0.05 | 39 | 341 | 2 | <-10 | <-5 | 0.04 | <-10 | 15 | 2270 | <-1 | 29 | <-10 | 4 | 41 |
| 87077 | 910380 | <-1 | 0.93 | <-3 | 47 | 12 | <-1 | | 0.53 | <-10 | 31 | 245 | 68 | 3.17 | <-0.01 | 4 | 0.6 | 428 | <-1 | 0.02 | 46 | 468 | 2 | <-10 | <-5 | 0.05 | <-10 | 15 | 2270 | <-1 | 63 | <-10 | 7 | 64 |
| 87078 | 910381 | 2 | 1.05 | <-3 | 51 | 14 | <-1 | | 0.87 | <-10 | 31 | 131 | 93 | 4.5 | 0.01 | 1 | 0.58 | 784 | <-1 | 0.03 | 23 | 904 | 5 | <-10 | <-5 | 0.09 | 16 | 24 | 2228 | <-1 | 6 | <-10 | 13 | 126 |
| 87079 | 910382 | <-1 | 1.1 | <-3 | 67 | 204 | <-1 | | 0.3 | <-10 | 30 | 64 | 38 | 6.96 | 0.2 | <-1 | 0.54 | 1290 | <-1 | 0.04 | 26 | 383 | 3 | <-10 | <-5 | 0.05 | <-10 | 21 | 2421 | <-1 | 62 | <-10 | 7 | 63 |
| 87080 | 910383 | <-1 | 1.16 | <-3 | 58 | 7 | <-1 | | 0.84 | <-10 | 36 | 56 | 93 | 5.48 | <-0.01 | 6 | 0.41 | 445 | 1 | 0.04 | 17 | 335 | 11 | <-10 | <-5 | 0.04 | <-10 | 9 | <100 | <-1 | <2 | <-10 | 3 | 83 |
| 87081 | 910384 | <-1 | 0.85 | 8 | 47 | 82 | <-1 | 14 | 0.43 | <-10 | 11 | 104 | 38 | 2.65 | 0.12 | 6 | 0.41 | 445 | 1 | 0.02 | 103 | 103 | <-1 | <-10 | <-5 | 0.06 | <-10 | 16 | 1060 | <-1 | 70 | 72 | 6 | 177 |
| 87082 | 910385 | <-1 | 3.94 | <-3 | 30 | 4 | <-1 | | 1.86 | <-10 | 3 | 187 | 45 | 3.54 | <-0.01 | 13 | 3.05 | 667 | <-1 | 0.02 | 103 | 103 | <-1 | <-10 | <-5 | 0.06 | <-10 | 16 | 1060 | <-1 | 195 | 115 | 14 | 181 |
| 88620 | 910386 | <-1 | 3.36 | <-3 | 41 | 13 | <-1 | | 1.0 | <-10 | 4 | 74 | 156 | 6.51 | <-0.01 | 7 | 2.09 | 1308 | <-1 | 0.04 | 29 | 430 | <-1 | <-10 | <-5 | 0.02 | <-10 | 29 | 6537 | <-1 | 64 | 47 | 6 | 51 |
| 88621 | 910387 | <-1 | 0.98 | <-3 | 34 | 5 | <-1 | | 3.99 | <-10 | <-1 | 103 | 22 | 2.22 | <-0.01 | 2 | 0.66 | 668 | <-1 | <-0.01 | 7 | <100 | <-1 | <-10 | <-5 | 0.02 | <-10 | 7 | 507 | <-1 | 143 | 122 | 7 | 263 |
| 88622 | 910388 | <-1 | 0.98 | <-3 | 34 | 5 | <-1 | | 1.16 | <-10 | <-1 | 94 | 182 | 6.75 | <-0.01 | 28 | 4.35 | 940 | <-1 | 0.02 | 73 | 465 | <-1 | <-10 | <-5 | 0.06 | <-10 | 7 | 507 | <-1 | 64 | 47 | 6 | 51 |
| 88623 | 910389 | <-1 | 5.5 | <-3 | 35 | 5 | <-1 | | 1.45 | <-10 | <-1 | 119 | 6 | 2.75 | 0.11 | 4 | 0.97 | 933 | <-1 | 0.06 | 13 | 797 | <-1 | <-10 | <-5 | 0.04 | <-10 | 36 | 1831 | <-1 | 26 | 50 | 9 | 101 |
| 88624 | 910390 | <-1 | 1.83 | <-3 | 46 | 46 | <-1 | | 1.16 | <-10 | <-1 | 119 | 6 | 2.75 | 0.11 | 4 | 0.97 | 933 | <-1 | 0.06 | 13 | 797 | <-1 | <-10 | <-5 | 0.04 | <-10 | 36 | 1831 | <-1 | 26 | 50 | 9 | 101 |
| 88625 | 910391 | <-1 | 3.93 | <-3 | 39 | 3 | <-1 | | 13.178 | <-10 | 4 | 210 | 109 | 4.9 | <-0.01 | 10 | 3.09 | 921 | <-1 | 0.03 | 133 | 290 | <-1 | <-10 | <-5 | 0.02 | <-10 | <5 | <100 | <-1 | <2 | 14 | 7 | 11 |
| 88626 | 910392 | <-1 | 0.42 | <-3 | 30 | 91 | <-1 | | 0.28 | <-10 | <-1 | 134 | <-1 | 0.38 | 0.31 | <-1 | 0.06 | 156 | <-1 | 0.03 | 2 | <100 | <-1 | <-10 | <-5 | 0.07 | <-10 | 16 | 4278 | <-1 | 126 | 89 | 9 | 173 |
| 88627 | 910393 | <-1 | 5.03 | 10 | 41 | 8 | <-1 | | 12.4 | <-10 | 6 | 184 | 184 | 7.75 | <-0.01 | 9 | 3.08 | 1619 | <-1 | 0.02 | 69 | 443 | <-1 | <-10 | <-5 | 0.06 | <-10 | 44 | 6762 | <-1 | 146 | 97 | 12 | 149 |
| 88628 | 910394 | <-1 | 3.35 | <-3 | 36 | 32 | <-1 | | 12.171 | <-10 | 4 | 137 | 112 | 5.17 | 0.01 | 4 | 2.12 | 1048 | <-1 | 0.02 | 69 | 443 | <-1 | <-10 | <-5 | 0.06 | <-10 | 54 | 6146 | <-1 | 160 | 107 | 12 | 169 |
| 88629 | 910395 | <-1 | 4.03 | <-3 | 39 | 22 | <-1 | | 12.215 | <-10 | 3 | 154 | 110 | 5.3 | <-0.01 | 8 | 2.51 | 1198 | <-1 | 0.02 | 44 | 481 | <-1 | <-10 | <-5 | 0.06 | <-10 | 34 | 5397 | <-1 | 123 | 108 | 10 | 174 |
| 88630 | 910396 | <-1 | 3.77 | <-3 | 32 | 8 | <-1 | | 12.228 | <-10 | 3 | 140 | 100 | 5.99 | <-0.01 | 8 | 2.43 | 1339 | <-1 | 0.02 | 75 | 358 | <-1 | <-10 | <-5 | 0.06 | <-10 | 34 | 5397 | <-1 | 123 | 108 | 10 | 174 |
| 90083 | 910397 | 3 | 1.48 | 17 | 34 | 70 | 8 | 7 | 2.84 | <-10 | 9 | 83 | 98 | 3.34 | 0.09 | 14 | 0.86 | 412 | 8 | 0.22 | 26 | 524 | <-1 | 17 | 0.17 | <-10 | 16 | 1469 | 10 | 96 | 72 | 11 | 65 | |
| 90084 | 910398 | 1 | 1.18 | 18 | 33 | 23 | 8 | 7 | 1.87 | <-10 | 9 | 83 | 98 | 3.34 | 0.09 | 14 | 0.86 | 412 | 8 | 0.22 | 26 | 524 | <-1 | 17 | 0.17 | <-10 | 16 | 1469 | 10 | 96 | 72 | 11 | 65 | |
| 90085 | 910399 | <-1 | 1.38 | 15 | 26 | 19 | 8 | 7 | 0.97 | <-10 | 9 | 83 | 98 | 3.34 | 0.09 | 14 | 0.86 | 412 | 8 | 0.22 | 26 | 524 | <-1 | 17 | 0.17 | <-10 | 16 | 1469 | 10 | 96 | 72 | 11 | 65 | |
| 90086 | 910400 | <-1 | 1.82 | 15 | 25 | 12 | 8 | <-5 | 0.9 | <-10 | 3 | 34 | 33 | 7.77 | 0.03 | 14 | 1.31 | 576 | 8 | 0.06 | 4 | 582 | <-1 | 12 | 0.89 | <-10 | 15 | 3199 | 7 | 158 | 151 | 14 | 108 | |
| 90087 | 910401 | <-1 | 2.17 | 18 | 31 | 19 | 8 | <-5 | 1.67 | <-10 | 15 | 98 | 103 | 5.18 | 0.03 | 18 | 2.2 | 763 | 8 | 0.04 | 90 | 264 | <-1 | 15 | 0.14 | <-10 | 21 | 2082 | 9 | 69 | 86 | 9 | 88 | |
| 90088 | 910402 | <-1 | 2.17 | 18 | 31 | 19 | 8 | <-5 | 1.67 | <-10 | 15 | 98 | 103 | 5.18 | 0.03 | 18 | 2.2 | 763 | 8 | 0.04 | 90 | 264 | <-1 | 15 | 0.14 | <-10 | 21 | 2082 | 9 | 69 | 86 | 9 | 88 | |
| 90089 | 910403 | <-1 | 1.38 | 15 | 26 | 19 | 8 | <-5 | 0.9 | <-10 | 3 | 34 | 33 | 7.77 | 0.03 | 14 | 1.31 | 576 | 8 | 0.06 | 4 | 582 | <-1 | 12 | 0.89 | <-10 | 15 | 3199 | 7 | 158 | 151 | 14 | 108 | |
| 90090 | 910404 | <-1 | 1.82 | 15 | 25 | 12 | 8 | <-5 | 1.67 | <-10 | 15 | 98 | 103 | 5.18 | 0.03 | 18 | 2.2 | 763 | 8 | 0.04 | 90 | 264 | <-1 | 15 | 0.14 | <-10 | 21 | 2082 | | | | | | |