

**Technical Report  
Sampling and Prospecting Programs  
Vickers Lake, Harper Lake and Olsen Bay Areas  
Northwestern Ontario**

**Prepared for:  
Ministry of Northern Development and Mines**

**Submitted by:  
Ressources Minières Radisson inc. / Radisson Mining Resources Inc.**


**August 2006**

**2.33065**



## Table of Contents

<b>1.0</b>	<b>Introduction</b>
<b>2.0</b>	<b>Highway Property</b>
	Location and Access
	Occurrence Geology and History
	Claim Summary
	Prospecting and Sampling Program
	Results
<b>3.0</b>	<b>Grave Lake Property</b>
	Location and Access
	Occurrence Geology and History
	Claim Summary
	Prospecting and Sampling Program
	Results
<b>4.0</b>	<b>Olsen Bay Property</b>
	Location and Access
	Occurrence Geology and History
	Claim Summary
	Prospecting and Sampling Program
	Results
<b>5.0</b>	<b>Harper Lake Property</b>
	Location and Access
	Occurrence Geology and History
	Claim Summary
	Prospecting and Sampling Program
	Results
<b>6.0</b>	<b>Summary</b>
	<b>Bibliography</b>



### **Figures:**

- Figure 1 Property Location
- Figure 2 Claim Locations – Highway and Grave Lake Properties
- Figure 3 Claim Locations – Harper Lake and Olsen Bay Properties

### **Appendices:**

- Appendix A Laboratory Certificates of Analysis
- Appendix B Summary of Analytical Results
- Appendix C Proof of Beneficial Interest for non-Company Claims
- Appendix D Agent Authorization
- Appendix E Daily Prospecting Logs
- Appendix F Sample Location Maps (appended)

## **1.0 Introduction**

A prospecting and sampling program was undertaken on Radisson Mining Resources Inc.'s properties in the area of the Manitou Lake greenstone belt during the period of September 2005 to June 2006. The properties are located between Dryden and Fort Francis, Ontario, as indicated in Figure 1.

Results of the prospecting and sampling programs on four properties are presented in this report. These properties consist of the Grave Lake, Highway, Olsen Bay and Harper Lake. Details of each property program are presented separately within this report.

Addresses of the holders of claims making up these properties are provided below:

Ressources Minières Radisson inc / Radisson Mining Resources Inc.:

1593 rue de la Source  
Montbeillard, Quebec  
J0Z 2X0


Richard Angove: (2 claims; Grave Lake property)

Pole Line Road  
RR#5  
Thunder Bay, Ontario  
P7C 5M9


Sherridon Johnson (1 claim; Highway property)

Box 19, Site 214 RR #2  
Dryden, Ontario  
P8N 2Y5

This report has been prepared under the direction and supervision of Mr. Dale Hendrick, P.Eng. who is also the report's author.



**Figure 1**  
Property Location



**Figure 2**  
 Highway and Grave Lake Properties  
 (July 7, 2006)



Local topography is typical of the Canadian Shield, where the shape of lakes is often controlled by the properties of the bedrock, local structural zones, contacts, joint structures, folds and foliation. The area is covered by spruce and pine forests, with mixed spruce and deciduous forest occurring on low ground.

All supracrustal and intrusive rocks in the area are interpreted to be Archean in age. The supracrustal rocks have been intruded by the Rainy Lake Batholithic Complex, the Irene-Eltrut Batholithic Complex, Lawrence Lake Batholith, Bretz Lake Stock and Mirror Bay Stock regionally.

The Irene-Eltrut Batholithic Complex has been mapped as a diapiric plutonic complex, and separates the western Wabigoon Subprovince from an older volcanic-plutonic terrane. The Vickers Lake pluton is a late (younger) granitic phase which occurred along the margin of the batholith. In addition to these large intrusions, the area is structurally complex, with evidence of several folding, faulting and shearing episodes. The final structural event in the area involves the development of northerly trending faults, which cut the granitoid plutons and reflect a regional compression event. The supracrustal rocks have been metamorphosed to at least greenschist facies, with higher grade contact metamorphism seen adjacent to batholiths.

## **2.0 Highway Property**

### **Location and Access**

The Highway Showing was discovered in the summer of 2005 through prospecting. Molybdenite mineralization occurs on road cuts along both sides of Hwy 502, approximately 90 kms south of Dryden. The area is easily accessible as it is cut by Highway 502, with overall access to the property being excellent. Refer to Figure 2 for the location of the claims relative to topographic features, as well as access to the claims.

### **Occurrence Geology and History**

The Highway Showing was discovered by prospecting in 2005, with no evidence of historical work having been undertaken on the property. Molybdenite mineralization occurs within narrow pegmatite veins, on fracture surfaces and vein contacts, and within the granodioritic host rock. Geological mapping will be required to more fully understand the nature of the mineralization in the area, and how it relates to known molybdenite showings in the area.

## Claim Summary

A summary of claim information and work undertaken on the claims, as presented in this report, is tabulated below:

Claim Numbers	Claim Holder	No. of Units	Work Conducted	No. of Samples
3007246	Sherridon Johnson	1	Prospecting and sampling	23
1247408	Radisson Mining Resources	16	Prospecting and sampling	3
1247409	Radisson Mining Resources	1	Prospecting and sampling	0
1247410	Radisson Mining Resources	1	Prospecting and sampling	0
1247411	Radisson Mining Resources	12	Prospecting and sampling	0
1247431	Radisson Mining Resources	1	Prospecting and sampling	0
<b>TOTALS</b>		<b>32</b>		<b>26</b>

Addresses of the claim holders for this property are:

Ressources Minières Radisson inc / Radisson Mining Resources Inc.:

1593 rue de la Source  
Montbeillard, Quebec  
J0Z 2X0

Sherridon Johnson

Box 19, Site 214 RR #2  
Dryden, Ontario  
P8N 2Y5

## Prospecting and Sampling Program

Sample collection as well as general prospecting were controlled using pace and compass coordinates, topographic features, and lake shorelines. Work was concentrated along the Highway 502 roadcuts and lake shore exposures, with traverses away from the highway and shorelines undertaken as required. Overall, rock exposure is good, with exposed outcrop present throughout. Areas between the outcrops are covered by thin glacial drift, and are largely well forested, with the few swamps contained within well-defined topographic lows.



Areas of veining, geological contacts, alteration, mineralization, structure, and sulphide showings were targeted for sampling, with a total of 26 samples collected during the program. Sample locations are presented in maps appended to this report. Copies of the laboratory's Certificates of Analysis are included as Appendix A, and a summary table of the analytical results, alteration and mineralization noted, etc. from the prospecting program included as Appendix B. The prospecting program was undertaken by the personnel listed below:

<b>Personnel</b>	<b>Prospecting Licence Number</b>	<b>Dates Prospecting Conducted</b>
Sherridon Johnson	1000862	Aug 19 to Sept 23, 2005
Kevin Prouty	H14018	Aug 19 to Sept 23, 2005

A property visit was undertaken on July 16, 2005 by Mr. Dale Hendrick and Mr. Gary Williams, in order to investigate a new molybdenum occurrence located on a roadcut of Highway 502. Subsequently, a prospecting program was undertaken on the claims, and was directed in the field by Mr. Sherridon Johnson. This program was undertaken during the period August 19 to September 23, 2005. An additional site visit was made by Mr. Gary Williams during October 2005.

### **Results**

A total of 26 samples were collected and analysed for a suite of metals as part of the 2005 prospecting program. Molybdenum analyses ranged from a high of greater than 8000 ppm to less than 10 ppm, with average crustal abundance of molybdenum for the rock types encountered in the sampling program of 2 ppm as published by Levinson. Approximately 38% of the samples returned molybdenum values of 10 ppm or less. 38% of analyses ranged from 11 to 100 ppm, with the remaining 24% returning molybdenum values greater than 100 ppm. The analytical data, as well as field observations related to alteration, mineralization, etc. are tabulated in Appendix B.

All of the samples from the 2005 program were also analysed for a 30 element suite of metals and major elements, in addition to molybdenum. A review of the data shows that anomalous molybdenum values appear to be associated with elevated values of boron, bismuth, chromium and selenium.

## **Grave Lake**

### **Location and Access**

The property is located along the Grave Lake Road, which intersects with Highway 502 approximately 100 km south of Dryden. The area is easily accessible from Highway 502 and the Grave Lake Road, with overall access to the property being excellent. Refer to Figure 2 for the location of the claims relative to topographic features, as well as access to the claims.

### **Occurrence Geology and History**

#### **Grave Lake**

The Grave Lake Showing is located near the northeast tip of Grave Lake. It consists of a quartz vein, with pyrite and chalcopyrite. Sampling by the OGS (Report 282; 1993) reports sample #4176 as a quartz vein with 5% pyrite, 2% chalcopyrite and 1% moly, with another sample returning 2800 ppb Au, 3600 ppm Pb, and 929 ppm moly. The "Shaft" area on the west shore of Grave Lake consists of a quartz vein hosted by gabbro. Assays reported from here also include 1129 ppb Au from a grab sample of the dump, and 381 ppb Au over 0.8m on the surface exposure.

#### **Smooth Rock Lake Showing**

The Smooth Rock Showing occurs on the west shore of Vickers Lake. It is hosted by mafic volcanics, metamorphosed to amphibolite grade, and lies within a couple of hundred metres of the Vickers Lake Pluton to the east. Gold is associated with a well-fractured quartz vein up to 2m wide, located in a southeast trending shear zone up to 15m in width. The vein also contains minor pyrite, chalcopyrite and molybdenite, along with traces of sphalerite and galena, with both pyrite and molybdenite reported in the host rocks as well.

## Claim Summary

A summary of claim information and work undertaken on the claims, as presented in this report, is tabulated below:

<b>Claim Numbers</b>	<b>Claim Holder</b>	<b>No. of Units</b>	<b>Work Conducted</b>	<b>No. of Samples</b>
1247432	Radisson Mining Resources	16	Prospecting and sampling	3
1247433	Radisson Mining Resources	16	Prospecting and sampling	0
1247434	Radisson Mining Resources	12	Prospecting and sampling	0
1247435	Radisson Mining Resources	12	Prospecting and sampling	58
1247494	Radisson Mining Resources	4	Prospecting and sampling	0
1247495	Radisson Mining Resources	1	Prospecting and sampling	0
1247496	Radisson Mining Resources	12	Prospecting and sampling	3
1247497	Radisson Mining Resources	3	Prospecting and sampling	9
1247498	Radisson Mining Resources	2	Prospecting and sampling	0
1247499	Radisson Mining Resources	2	Prospecting and sampling	0
1247500	Radisson Mining Resources	4	Prospecting and sampling	0
1247481	Radisson Mining Resources	16	Prospecting and sampling	16
1247482	Radisson Mining Resources	16	Prospecting and sampling	11
1174221	Richard Angove	6	Prospecting and sampling	5
1174235	Richard Angove	4	Prospecting and sampling	5
<b>TOTALS</b>		<b>126</b>		<b>110</b>

Addresses of the holders of claims making up this property are provided below:

Ressources Minières Radisson inc / Radisson Mining Resources Inc.:

1593 rue de la Source  
Montbeillard, Quebec  
J0Z 2X0

Richard Angove:

Pole Line Road  
RR#5  
Thunder Bay, Ontario  
P7C 5M9

### **Prospecting and Sampling Program**

Sample collection as well as general prospecting were controlled using pace and compass coordinates, topographic features, and lake shorelines. Work was concentrated along the abundant lake shore exposures, with traverses away from the shorelines undertaken as required. Overall, rock exposure is good, with exposed outcrop present throughout. Areas between the outcrops are covered by thin glacial drift, and are largely well forested, with the few swamps contained within well-defined topographic lows.

Areas of veining, geological contacts, alteration, mineralization, structure, and sulphide showings were targeted for sampling, with a total of 110 samples collected during the program. Sample locations are presented in maps appended to this report. Copies of the laboratory's Certificates of Analysis are included as Appendix A, and a summary table of the analytical results, alteration and mineralization noted, etc. from the prospecting program included as Appendix B. The prospecting program was undertaken by the personnel listed below:

<b>Personnel</b>	<b>Prospecting Licence Number</b>	<b>Dates Prospecting Conducted</b>
Sherridon Johnson	1000862	Sept 9 2005 to June 9 2006
Kevin Prouty	H14018	Sept 9 2005 to June 9 2006

The prospecting program was undertaken during the period September 9, 2005 to June 9, 2006. A property visit was undertaken on October 4 to 6, 2005 by Mr. Gary Williams, in order to investigate the known molybdenum occurrences as well as additional occurrences outlined by prospecting. The prospecting program continued on the Grave Lake, Angove, and Smoothrock showings, as well as newly discovered showings, with second property visit undertaken by Mr. Gary Williams (June 9 to 15, 2006) to review the findings of the most recent prospecting. The prospecting program was directed in the field by Mr. Sherridon Johnson.

## **Results**

A total of 110 samples were collected and analysed for a suite of metals as part of the 2005 and 2006 prospecting programs. Molybdenum analyses ranged from a high of 7238 ppm to less than 1 ppm (method detection limit), with average crustal abundance of molybdenum for the rock types encountered in the sampling program of 2 ppm as published by Levinson. Approximately 15% of the samples returned molybdenum values of 10 ppm or less, with 46% of analyses ranging between 11 and 100 ppm. A further 30% returned molybdenum values from 101 to 999 ppm, with the final 9% of the prospecting samples having molybdenum values greater than 1000 ppm. The analytical data, as well as field observations related to alteration, mineralization, etc. are tabulated in Appendix B. A review of the data shows that anomalous molybdenum values appear to be associated with quartz veins in the host gabbro, as well as associated structural features.

All of the samples from the 2005 and 2006 programs were also analysed for a 30 element suite of metals and major elements, in addition to molybdenum. However, no strong relationship between molybdenum and other element concentrations was noted when the data was reviewed.

### **4.0 Olsen Bay:**

#### **Location and Access**

The property is located north of Olsen Bay (Lower Manitou Lake), between the bay and Kaminni Lake. The property is accessed by taking Cedar Narrows Road off of Highway 502, approximately 100 km south of Dryden. Cedar Narrows Road is taken to Penassi East Road and then Lost Axe Road around the north side of Kaminni Lake. Smaller logging roads then lead to the northern end of the property. The area could also be accessed by boat and portage through Olsen Bay. The general property outline and claim locations are shown on Figure 3, which also provides the location of claims relative to topographic features, and general access to the claims.

#### **Occurrence Geology and History**

Molybdenite mineralization at Olsen Bay consists of narrow quartz veins or pegmatites within a schistose granitic unit. The veins are up to 2cm wide, and occur over a distance of at least 2km immediately north of the portage from Olsen Bay (Upper Manitou Lake) to Kaminni Lake; the original occurrence occurs a further 2 km to the southwest of the portage. The area of mineralization occurs within a few hundred metres of the north-south striking contact between the mafic volcanics to the east and granitic rocks to the west which host the mineralization. Locally, magnetite, chalcopyrite and fluorite occur in or adjacent to the veins, with the molybdenite mineralization often associated with biotite concentrations within the vein.

## Claim Summary

A summary of claim information and work undertaken on the claims, as presented in this report, is tabulated below:

Claim Numbers	Claim Holder	No. of Units	Work Conducted	No. of Samples
1247488	Radisson Mining Resources	12	Prospecting and sampling	3
1247489	Radisson Mining Resources	9	Prospecting and sampling	0
1247490	Radisson Mining Resources	16	Prospecting and sampling	2
1247492	Radisson Mining Resources	9	Prospecting and sampling	0
1247493	Radisson Mining Resources	4	Prospecting and sampling	0
<b>TOTALS</b>		<b>50</b>		<b>5</b>

Addresses of the holders of claims making up this property are provided below:

Ressources Minières Radisson inc / Radisson Mining Resources Inc.:

1593 rue de la Source  
Montbeillard, Quebec  
J0Z 2X0

## Prospecting and Sampling Program

Sample collection as well as general prospecting were controlled using pace and compass coordinates, topographic features, and local logging roads. Work was concentrated along logging roads, with traverses away from the road undertaken as required. Overall, rock exposure is good, with exposed outcrop present throughout. Areas between the outcrops are covered by thin glacial drift, and are largely well forested, with the few swamps contained within well-defined topographic lows.

Areas of veining, geological contacts, alteration, mineralization, structure, and sulphide showings were targeted for sampling, with a total of 5 samples collected during the program. Sample locations are presented in maps appended to this report. Copies of the laboratory's Certificates of Analysis are included as Appendix A, and a summary table of the analytical results, alteration and mineralization noted, etc. from the prospecting program included as Appendix B. The prospecting program was undertaken by the personnel listed below:

<b>Personnel</b>	<b>Prospecting Licence Number</b>	<b>Dates Prospecting Conducted</b>
Sherridon Johnson	1000862	Oct 19 and Oct 20, 2005
Kevin Prouty	H14018	Oct 19 and Oct 20, 2005

The prospecting program was directed in the field by Mr. Sherridon Johnson, and was undertaken during October, 2005. A property visit was undertaken by Mr. Gary Williams on the Olsen Bay property in June 2006, to review the findings of the 2005 prospecting program.

### **Prospecting Results**

A total of 5 samples were collected and analysed for a suite of metals as part of the 2005 prospecting program. Molybdenum analyses ranged from a high of 3938 ppm to 494 ppm, with average crustal abundance of molybdenum for the rock types encountered in the sampling program of 2 ppm as published by Levinson. All of the samples were elevated in molybdenum, with 80% of the samples returning greater than 1000 ppm moly. The analytical data, as well as field observations related to alteration, mineralization, etc. are tabulated in Appendix B. A review of the data shows that anomalous molybdenum values are associated with narrow quartz and pegmatite veins within the host granite.

All of the samples from the 2005 program were also analysed for a 30 element suite of metals and major elements, in addition to molybdenum. Potential relationships between moly and the concentrations of chromium and boron were noted, but the nature of any such relationship cannot be determined due to the small number of analyses available.

## **5.0 Harper Lake**

### **Location and Access**

The Harper Lake Occurrence is located northwest of Harper Lake, which is situated immediately north of Upper Manitou Lake. It is best accessed through a series of logging roads from the Contact Bay area south of Dryden, to the area of the claim. Roads to the claim itself are not currently accessible.

### **Occurrence Geology and History**

#### **Harper Lake (Navimar Lake Occurrence, Oro Plata Occurrence, Pidgeon Occurrence)**

The Harper Lake was originally staked in 1915, and has been worked intermittently since that time. It consists primarily of a molybdenite and bismuthinite occurrence located about 400m east of Navimar Lake., northwest of Benson Bay on Upper Manitou Lake. Mineralization occurs in a northwest striking quartzose pegmatite dike or quartz vein,

approximately 3m wide and extending for a length of 75m. The molybdenite occurs closely associated with chlorite, which forms masses near the middle of the dike. The dike is hosted by diorite at the contact of the Atikwa Batholith granite and mafic volcanics. A bulk sample from a pit on the original occurrence is reported to have returned 1.48% moly, and assessment work reports indicate that 200 lbs of high grade samples were taken from the prospect.

### **Claim Summary**

A summary of claim information and work undertaken on the claims, as presented in this report, is tabulated below:

<b>Claim Numbers</b>	<b>Claim Holder</b>	<b>No. of Units</b>	<b>Work Conducted</b>	<b>No. of Samples</b>
1247491	Radisson Mining Resources	12	Prospecting and sampling	3

Addresses of the holders of claims making up this property are provided below:

Ressources Minières Radisson inc / Radisson Mining Resources Inc.:

1593 rue de la Source  
Montbeillard, Quebec  
J0Z 2X0

### **Prospecting and Sampling Program**

Sample collection as well as concentrated in the area of the known showing, and was controlled using pace and compass coordinates and topographic features. Overall, rock exposure in the area is good, with exposed outcrop present throughout. Areas between the outcrops are covered by thin glacial drift, and the region is largely well forested, with the few swamps contained within well-defined topographic lows.

The area of the known showing was prospected, with a total of 3 samples collected during the program. Sample locations are presented in maps appended to this report. Copies of the laboratory's Certificates of Analysis are included as Appendix A, and a summary table of the analytical results, alteration and mineralization noted, etc. from the prospecting program included as Appendix B. The prospecting program was undertaken by the personnel listed below:

<b>Personnel</b>	<b>Prospecting Licence Number</b>	<b>Dates Prospecting Conducted</b>
Sherridon Johnson	1000862	Oct 25, 2005
Kevin Prouty	H14018	Oct 25, 2005



The prospecting program was directed in the field by Mr. Sherridon Johnson, and was undertaken on October 25, 2005.

### **Prospecting Results**

A total of 3 samples were collected and analysed for a suite of metals as part of the 2005 prospecting program. Molybdenum analyses ranged from a high of 47 ppm to 17 ppm, with average crustal abundance of molybdenum for the rock types encountered in the sampling program of 2 ppm as published by Levinson. The analytical data, as well as field observations related to alteration, mineralization, etc. are tabulated in Appendix B. A review of the data shows that anomalous molybdenum values are associated with quartz veins.


All of the samples from the 2005 program were also analysed for a 30 element suite of metals and major elements, in addition to gold and molybdenum. Potential relationships between moly and the concentrations of titanium and potassium, with an inverse relationship to chromium were noted, but the nature of such relationships cannot be determined due to the small number of analyses available.

### **6.0 Summary**

A sampling and prospecting survey was undertaken by contract personnel on the Radisson Mining Resources Inc. claims in the Vickers Lake, Olsen Bay and Harper Lake areas during the period September 2005 to June 2006. The data collected from that work is summarized in this report. Anomalous molybdenum values were returned from samples collected in quartz veins hosted mainly by a gabbroic unit, as well as pegmatite and quartz stringers hosted by a variety of felsic volcanic units. No strong relationships to sulphide concentrations or other base metal values were noted, with potential relationships to such elements as chromium, etc requiring additional investigation.

This report was compiled under the supervision of Dale M. Hendrick, P.Eng. who oversaw and directed the sampling and prospecting program undertaken. Mr. Hendrick has been involved in mineral exploration for the past 40 years, overseeing exploration programs throughout North America and around the world. This report was completed and submitted to the Ministry of Northern Development and Mines in August 2006.

Respectfully submitted,  
**Radisson Mining Resources Inc.**

A handwritten signature in black ink, appearing to read 'D M Hendrick', is written over the printed name below.

Dale M. Hendrick, P. Eng.

## **Bibliography**

Smith, P.M., 1993. Precambrian Geology, Vista Lake Area; Ontario Geological Survey, Report 282, 84 pg.

Northair Mines; assessment file 52FO3NE0025

Blackburn, C.E., 1979. Geology of the Upper Manitou Lake Area, District of Kenora; Ontario Geological Survey Report 189

Blackburn, C.E., 1974. Upper Manitou Lake Area, District of Kenora; Ontario Division of Mines Preliminary Map P961. 1" to ¼ mile.

Delisle, P.C., 1989. Property Visits by the Dryden Area Mineral Commodity Geologist; Ontario Geological Survey, Open File Report 5731, 155 pg.

Ontario Geological Survey Map 2409, Upper Manitou Lake, Kenora District; 1: 31, 680.

Ontario Geological Survey Map 2320, Lower Manitou Lake – Uphill Lake, Kenora District; 1: 31, 680.

**APPENDIX A**  
**Laboratory Certificates of Analysis**

**Grave Lake Property**

# Certificate of Analysis

Monday, October 17, 2005

Dale Hendrick & Associates  
 Suite 901, 111 Richmond St. West  
 Toronto, ON, CA  
 M5H2G4  
 Ph#: (416) 955-8630  
 Fax#: (416) 363-2966  
 Email dalem@ca.inter.net

Date Received : 26-Sep-05  
 Date Completed : 14-Oct-05  
 Job # 200541738  
 Reference : S. Johnson  
 Sample #: 44      Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
116275	60832	18	<0.001	0.018
116276	60833	15	<0.001	0.015
116277	60834	21	<0.001	0.021
116278	60835	8	<0.001	0.008
116279	60836	23	<0.001	0.023
116280	60837	47	0.001	0.047
116281	60838	58	0.002	0.058
116282	60839	21	<0.001	0.021
116283	60840	9	<0.001	0.009
116284	60841	215	0.006	0.215
116285 Check	60841	233	0.007	0.233
116286	60842	30	<0.001	0.030
116287	60843	99	0.003	0.099
116288	60844	10	<0.001	0.010
116289	60845	10	<0.001	0.010
116290	60846	14	<0.001	0.014
116291	60847	44	0.001	0.044
116292	60848	130	0.004	0.130
116293	60849	49	0.001	0.049
116294	60850	90	0.003	0.090
116295	60851	57	0.002	0.057
116296 Check	60851	46	0.001	0.046
116297	60852	1949	0.057	1.949

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:   
 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory





# Certificate of Analysis

Monday, October 17, 2005

Dale Hendrick & Associates  
Suite 901, 111 Richmond St. West  
Toronto, ON, CA  
M5H2G4  
Ph#: (416) 955-8630  
Fax#: (416) 363-2966  
Email dalem@ca.inter.net

Date Received : 26-Sep-05  
Date Completed : 14-Oct-05  
Job # 200541738  
Reference : S. Johnson  
Sample #: 44      Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
116321	60874	<5	<0.001	<0.005
116322	60875	13	<0.001	0.013

PROCEDURE CODES: AL4Au3, AL4ICPAR

Page 3 of 3

Certified By: 

Derek Demianiuk H.Bsc., Laboratory Manager


The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Dale Hendrick & Associates  
 Date Created: 05-10-17 08:28 AM  
 Job Number: 200541738  
 Date Received: 9/26/2005  
 Number of Samples: 44  
 Type of Sample: Rock  
 Date Completed:  
 Project ID: S. Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
116275	60832	<1	1.41	16	1	16	1	29	0.78	<10	29	156	569	3.73	0.07	19	0.90	216	4	0.10	87	253	11	9	0.06	<10	17	694	9	27	60	2	139
116276	60833	<1	1.42	14	1	11	2	24	0.71	<10	35	207	503	5.17	0.06	20	1.02	349	68	0.07	56	236	11	16	0.07	<10	17	1736	8	58	1743	3	140
116277	60834	<1	1.42	15	<1	10	2	24	0.65	<10	19	182	376	5.68	0.06	19	0.98	347	56	0.06	60	198	10	8	0.07	11	16	1733	7	61	1898	2	136
116278	60835	<1	3.50	26	<1	85	2	30	4.15	<10	42	233	103	7.83	0.21	29	2.30	1968	3	0.08	156	374	22	17	0.07	<10	36	102	13	101	156	<1	315
116279	60836	<1	5.83	15	2	63	2	29	0.51	<10	19	612	225	7.52	0.06	33	4.28	1499	3	0.04	220	553	19	23	0.10	11	15	1846	9	241	143	7	603
116280	60837	16	0.12	12	7	27	<1	169	0.08	<10	3	408	115	2.01	0.12	7	0.12	<100	2349	0.03	17	<100	70	15	<0.01	<10	6	243	8	20	166	<1	19
116281	60838	13	0.18	10	<1	16	<1	135	0.56	<10	3	207	2458	1.58	0.05	7	0.19	106	821	0.02	13	<100	73	12	0.01	<10	6	292	6	19	52	<1	60
116282	60839	2	0.09	10	1	8	<1	34	0.09	<10	3	329	517	1.36	0.04	7	0.08	<100	29	0.02	14	<100	11	<5	<0.01	13	<5	223	6	20	188	<1	20
116283	60840	<1	0.96	12	2	25	<1	28	1.41	<10	6	77	215	3.36	0.30	17	0.58	300	23	0.08	19	363	11	<5	0.03	12	22	2834	9	101	93	6	79
116284	60841	7	0.48	18	5	5	2	33	0.25	<10	13	248	1394	5.17	0.03	8	0.27	205	1375	0.02	14	<100	13	10	0.03	<10	7	830	8	113	448	<1	63
116285	60841	7	0.49	19	2	5	2	34	0.26	<10	10	251	1481	5.27	0.03	8	0.28	216	1455	0.02	14	<100	14	<5	0.04	12	7	643	7	121	492	<1	66
116286	60842	1	1.50	16	3	18	2	29	1.37	<10	9	53	412	8.21	0.16	20	0.85	623	20	0.15	12	549	28	15	0.07	21	13	3523	9	417	148	8	155
116287	60843	1	0.32	17	3	7	2	79	0.43	<10	2	286	183	7.00	0.02	7	0.22	185	15	0.02	17	<100	21	23	0.04	<10	5	193	9	44	135	<1	41
116288	60844	1	0.20	12	2	4	<1	93	0.61	<10	3	226	74	2.21	0.03	6	0.12	139	831	0.02	9	<100	35	6	0.02	<10	6	447	7	28	1562	<1	29
116289	60845	1	0.19	12	2	9	<1	35	0.29	<10	4	412	226	2.13	0.16	13	0.18	101	173	0.04	17	115	12	15	0.01	12	6	501	7	43	61	<1	28
116290	60846	3	0.45	18	2	35	<1	58	0.41	<10	3	190	126	3.90	0.21	11	0.29	224	109	0.06	13	292	22	<5	0.04	<10	10	1677	5	75	305	<1	42
116291	60847	2	3.04	22	5	12	3	26	2.92	<10	12	142	827	>10.00	0.10	34	1.96	1285	121	0.09	31	543	31	22	0.11	<10	17	3857	5	261	653	10	300
116292	60848	30	0.03	7	20	3	<1	544	0.03	<10	4	301	229	1.27	0.01	5	0.02	<100	7238	0.02	11	<100	317	13	<0.01	<10	<5	101	6	4	90	<1	4
116293	60849	6	2.94	15	4	24	3	74	0.69	<10	13	102	499	>10.00	0.23	37	2.52	688	665	0.06	73	384	54	18	0.06	13	15	5729	5	361	215	3	362
116294	60850	25	0.22	11	<1	6	<1	350	0.30	<10	3	238	742	2.12	0.01	7	0.17	131	108	0.02	13	<100	146	13	0.01	<10	7	263	8	27	102	<1	27
116295	60851	9	1.40	20	3	33	2	97	1.72	<10	18	107	1189	8.69	0.76	27	1.21	468	47	0.07	72	275	43	14	0.06	<10	17	3751	10	401	245	4	182
116296	60851	9	1.40	20	3	32	2	94	1.72	<10	22	101	1167	8.71	0.77	27	1.21	464	45	0.07	73	280	46	16	0.07	<10	16	3550	12	397	213	4	183

Certified By:   
 Derek Demianiuk, H.Bsc.



Dale Hendrick & Associates  
 Date Created: 05-10-17 08:28 AM  
 Job Number: 200541738  
 Date Received: 9/26/2005  
 Number of Samples: 44  
 Type of Sample: Rock  
 Date Completed:  
 Project ID: S. Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
116297	60852	>100	0.07	11	2	3	<1	>5,000	0.19	17	3	242	398	1.62	0.03	6	0.07	<100	502	0.02	12	<100	>4,000	23	<0.01	<10	<5	282	7	17	601	<1	15
116298	60853	>100	0.02	9	9	2	<1	1791	0.07	<10	3	349	487	0.87	<0.01	6	0.02	<100	4034	0.02	13	<100	1223	24	<0.01	<10	<5	<100	8	3	27	<1	3
116299	60854	3	0.08	11	<1	6	<1	47	0.08	<10	3	227	623	1.21	0.03	7	0.08	<100	64	0.02	9	<100	26	8	<0.01	11	<5	195	6	14	22	<1	16
116300	60855	2	0.06	10	4	7	<1	39	0.25	<10	3	378	605	1.18	0.01	6	0.06	<100	27	0.03	16	<100	18	8	<0.01	<10	<5	156	6	10	26	<1	14
116301	60856	2	0.07	13	3	7	<1	32	0.06	<10	4	313	132	1.85	0.05	7	0.07	<100	774	0.03	11	<100	16	7	<0.01	<10	<5	310	8	38	34	<1	12
116302	60857	2	1.33	18	4	32	2	36	9.10	<10	9	151	357	8.82	0.73	26	2.92	1629	120	0.07	45	274	27	14	0.03	13	124	985	8	144	214	2	415
116303	60858	<1	0.26	18	1	10	2	33	8.46	<10	9	158	48	6.65	0.16	10	2.65	1362	63	0.05	31	187	26	8	0.02	<10	109	345	7	71	146	1	335
116304	60859	7	0.09	12	<1	4	<1	23	0.15	<10	3	347	1704	1.18	0.03	7	0.14	<100	8	0.02	18	<100	25	8	<0.01	<10	6	<100	8	9	29	<1	30
116305	60860	<1	0.11	8	<1	3	<1	27	0.30	<10	12	297	62	1.41	0.01	6	0.11	<100	38	0.02	24	<100	7	9	<0.01	<10	7	<100	8	7	28	<1	15
116306	60861	4	0.23	11	2	10	<1	26	0.34	<10	3	297	1511	1.72	0.09	9	0.20	135	45	0.03	15	<100	5	16	0.02	<10	8	756	10	39	44	<1	47
116307	60861	4	0.24	9	<1	11	<1	29	0.34	<10	7	303	1560	1.82	0.10	9	0.20	135	44	0.03	15	<100	5	7	0.02	<10	8	755	7	40	43	<1	49
116308	60862	19	0.03	12	<1	13	<1	285	0.17	<10	3	297	135	1.82	0.03	6	0.01	<100	271	0.02	10	<100	38	14	<0.01	<10	6	<100	8	11	1804	<1	5
116309	60863	1	0.04	11	<1	2	<1	54	0.10	<10	6	290	1360	1.35	0.02	6	0.04	<100	620	0.01	17	<100	13	8	<0.01	<10	<5	<100	7	5	51	<1	15
116310	60864	2	0.14	12	<1	3	<1	63	0.19	<10	7	341	1733	2.32	0.02	9	0.15	<100	76	0.02	22	<100	15	11	<0.01	<10	<5	113	6	19	88	<1	35
116311	60865	<1	0.02	19	<1	8	<1	32	0.02	<10	3	353	333	1.79	0.02	6	0.01	<100	13	0.02	16	<100	19	13	<0.01	<10	<5	<100	7	6	29	<1	6
116312	60866	6	0.71	11	<1	60	1	170	1.76	<10	4	352	115	3.58	0.58	26	0.87	533	9	0.16	29	447	32	23	0.07	<10	36	777	7	63	67	3	113
116313	60867	<1	0.24	11	1	15	<1	122	0.10	<10	3	370	74	3.73	0.21	14	0.24	119	13	0.03	36	<100	11	19	0.01	12	6	503	8	27	147	<1	34
116314	60868	<1	0.22	17	3	14	<1	59	0.19	<10	3	277	59	3.81	0.22	13	0.25	104	10	0.03	32	<100	8	17	<0.01	<10	8	436	7	27	2891	<1	37
116315	60869	<1	0.27	14	<1	8	<1	29	0.80	<10	4	403	28	1.96	0.02	9	0.26	178	9	0.04	28	106	6	17	0.02	<10	10	305	7	16	89	<1	37
116316	60870	2	0.04	13	<1	3	<1	21	0.06	<10	3	306	2704	1.31	<0.01	6	0.02	<100	21	0.02	16	<100	5	11	<0.01	10	6	<100	6	5	34	<1	22
116317	60871	<1	0.52	11	<1	6	<1	26	0.78	<10	3	233	119	2.95	0.04	10	0.44	193	9	0.05	27	139	8	<5	0.04	<10	13	903	6	42	119	<1	58
116318	60871	<1	0.56	13	<1	6	<1	25	0.85	<10	4	256	123	3.13	0.05	10	0.46	210	10	0.05	28	151	9	9	0.04	14	14	1014	8	45	132	<1	61

Certified By:   
 Derek Demianiuk, H.Bsc.

L. J. J. J. J.

Dale Hendrick & Associates  
 Date Created: 05-10-17 08:28 AM  
 Job Number: 200541738  
 Date Received: 9/26/2005  
 Number of Samples: 44  
 Type of Sample: Rock  
 Date Completed:  
 Project ID: S. Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
116319	60872	<1	0.02	12	<1	5	<1	22	0.01	<10	2	333	455	1.01	0.01	6	0.02	<100	4	0.02	11	<100	3	10	<0.01	<10	<5	<100	8	5	27	<1	6
116320	60873	1	0.04	6	<1	9	<1	22	0.06	<10	3	338	662	1.01	0.02	6	0.04	<100	10	0.01	15	<100	3	9	<0.01	11	<5	<100	6	9	21	<1	10
116321	60874	<1	0.63	17	<1	13	<1	29	4.34	<10	4	134	56	2.60	0.16	10	0.75	379	4	0.09	32	572	13	6	0.02	12	28	<100	8	10	62	1	106
116322	60875	<1	4.36	48	<1	29	3	31	6.83	<10	11	149	176	>10.00	0.15	62	3.48	1794	6	0.04	104	519	33	15	0.05	14	56	643	14	189	201	3	624

Certified By:   
 Derek Demianiuk, H.Bsc.

L. 116321



# Certificate of Analysis

**RECEIVED**

SEP 14 2006

Monday, October 03, 2005

Dale Hendrick & Associates  
 Suite 901, 111 Richmond St. West  
 Toronto, ON, CA  
 M5H2G4  
 Ph#: (416) 955-8630  
 Fax#: (416) 363-2966  
 Email dalem@ca.inter.net

Date Received : 20-Sep-05  
 Date Completed : 03-Oct-05  
 Job # 200541657  
 Reference : S. Johnson  
 Sample #: 8      Rock

**GEOSCIENCE ASSESSMENT OFFICE**

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
111756	60824	318	0.009	0.318
111757	60825	23	<0.001	0.023
111758	60826	318	0.009	0.318
111759	60827	42411	1.237	42.411
111760	60828	221	0.006	0.221
111761	60829	670	0.020	0.670
111762	60830	88	0.003	0.088
111763	60831	50	0.001	0.050
111764 Check	60831	63	0.002	0.063

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

# Accurassay Laboratories

Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Dale Hendrick & Associates  
 Date Created: 05-10-03 01:29 PM  
 Job Number: 200541657  
 Date Recieved: 8/20/2005  
 Number of Samples: 8  
 Type of Sample: Rock  
 Date Completed:  
 Project ID: S. Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
111756	60824	28	0.02	<3	18	<1	<1	<5	0.07	<10	7	223	>5,000	5.48	<0.01	<1	0.02	<100	17	<0.01	27	114	16	12	0.01	<10	<5	<100	<1	<2	137	<1	66
111757	60825	2	0.02	<3	23	<1	<1	8	0.01	<10	<1	142	264	2.18	<0.01	<1	<0.01	<100	745	<0.01	7	<100	7	<5	<0.01	<10	<5	<100	<1	<2	28	<1	<1
111758	60826	24	0.02	<3	19	<1	<1	193	0.01	<10	<1	227	2433	2.25	<0.01	<1	<0.01	<100	277	<0.01	8	<100	100	8	<0.01	<10	<5	<100	<1	<2	236	<1	4
111759	60827	78	0.21	<3	18	<1	<1	51	0.19	<10	<1	142	147	1.28	<0.01	<1	0.09	<100	306	<0.01	15	<100	41	<5	0.03	<10	<5	<100	<1	<2	19	<1	181
111760	60828	<1	0.41	<3	18	<1	<1	<5	0.31	<10	<1	177	69	1.31	0.02	<1	0.34	<100	199	<0.01	17	<100	106	<5	0.05	<10	<5	152	<1	8	19	<1	121
111761	60829	1	0.38	<3	18	2	<1	<5	0.49	<10	<1	132	53	1.12	<0.01	<1	0.20	<100	227	<0.01	16	<100	231	<5	0.04	<10	<5	<100	<1	6	16	<1	85
111762	60830	1	2.91	<3	16	<1	<1	<5	1.43	<10	<1	89	374	4.07	0.14	35	1.22	254	4	<0.01	67	<100	<1	<5	0.05	<10	<5	1352	<1	79	59	<1	81
111763	60831	3	6.04	<3	19	29	<1	<5	1.00	<10	1	189	594	8.20	0.60	114	3.26	338	<1	0.01	103	155	7	21	0.04	<10	<5	3781	<1	296	126	4	227
111764	60831	2	5.82	<3	20	28	<1	<5	1.03	<10	<1	182	547	7.96	0.57	108	3.11	327	<1	0.01	99	141	2	9	0.04	<10	<5	3801	<1	286	122	4	222

Certified By:   
 Derek Demianiuk, H.Bsc.

TRAVIS L.



# Certificate of Analysis

Wednesday, October 12, 2005

Dale Hendrick & Associates  
 Suite 901, 111 Richmond St. West  
 Toronto, ON, CA  
 M5H2G4  
 Ph#: (416) 955-8630  
 Fax#: (416) 363-2966  
 Email dalem@ca.inter.net

Date Received : 03-Oct-05  
 Date Completed : 11-Oct-05  
 Job # 200541829  
 Reference : S. Johnson  
 Sample #: 21      Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
121537	60876	23	<0.001	0.023
121538	60877	17	<0.001	0.017
121539	60878	35	0.001	0.035
121540	60879	12	<0.001	0.012
121541	60880	50	0.001	0.050
121542	60881	8	<0.001	0.008
121543	60882	<5	<0.001	<0.005
121544	60883	73	0.002	0.073
121545	60884	9	<0.001	0.009
121546	60885	5	<0.001	0.005
121547	Check 60885	<5	<0.001	<0.005
121548	60886	16	<0.001	0.016
121549	60887	16	<0.001	0.016
121550	60888	91	0.003	0.091
121551	60889	156	0.005	0.156
121552	60890	301	0.009	0.301
121553	60891	58	0.002	0.058
121554	60892	24	<0.001	0.024
121555	60893	10	<0.001	0.010
121556	60894	11	<0.001	0.011
121557	60895	388	0.011	0.388
121558	Check 60895	399	0.012	0.399
121559	60896	22	<0.001	0.022

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:   
 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Dale Hendrick & Associates  
 Date Created: 05-10-13 01:16 PM  
 Job Number: 200541829  
 Date Received: 10/3/2005  
 Number of Samples: 21  
 Type of Sample: Rock  
 Date Completed: 10/11/2005  
 Project ID: S. Johnson


\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
121537	60876	<1	1.32	17	150	184	6	163	1.84	<10	<1	210	208	4.48	1.08	22	0.74	581	>8,000	0.11	9	1788	32	23	0.04	<10	57	3432	6	18	111	14	502
121538	60877	1	0.56	14	200	72	6	224	0.43	<10	<1	352	124	2.72	0.34	11	0.37	385	>8,000	0.05	10	516	18	34	0.01	<10	18	1574	5	6	93	5	184
121539	60878	1	1.08	25	564	125	16	668	1.22	<10	<1	632	171	4.26	0.70	15	0.63	569	>8,000	0.09	18	1677	26	76	0.02	<10	35	3724	4	9	187	11	103
121540	60879	<1	0.04	8	25	5	2	14	0.05	<10	<1	505	108	1.15	0.02	6	0.02	<100	737	0.03	9	<100	3	44	<0.01	<10	<5	<100	11	10	37	<1	7
121541	60880	4	1.26	11	21	25	3	7	1.97	<10	6	360	1441	3.92	0.32	13	1.18	634	244	0.19	26	194	8	29	0.04	<10	16	2547	6	126	82	7	190
121542	60881	<1	1.93	8	19	13	3	<5	3.08	<10	16	105	562	6.86	0.25	13	1.54	884	83	0.29	33	286	8	20	0.05	<10	13	6419	8	443	137	9	124
121543	60882	<1	2.79	9	21	35	3	<5	3.20	<10	10	86	361	6.19	0.60	24	1.77	839	88	0.40	31	292	6	15	0.06	<10	30	5140	3	269	128	11	123
121544	60883	26	0.51	12	22	11	2	253	0.23	<10	<1	388	63	3.25	0.05	10	0.45	180	488	0.07	17	144	347	37	0.02	<10	8	1269	6	61	62	2	35
121545	60884	3	3.75	27	18	121	3	9	4.87	<10	15	252	344	8.78	0.69	24	2.64	1482	26	0.09	76	465	44	19	0.07	<10	38	6155	3	319	175	18	360
121546	60885	<1	1.12	9	16	81	2	12	1.22	<10	4	372	45	2.07	0.42	11	0.95	320	14	0.13	63	967	16	29	0.04	<10	114	2481	5	47	41	6	68
121547	60885	<1	1.08	9	17	78	2	11	1.18	<10	4	339	42	1.97	0.41	10	0.92	303	20	0.12	62	961	11	29	0.03	<10	113	2446	3	44	40	6	66
121548	60886	3	0.37	9	16	30	2	30	0.36	<10	<1	643	60	1.85	0.09	8	0.25	148	12	0.07	18	159	17	58	0.01	<10	19	277	5	21	35	<1	19
121549	60887	7	0.05	7	54	13	2	59	0.03	<10	<1	469	135	0.93	0.03	6	0.03	<100	4163	0.02	9	<100	62	40	<0.01	<10	7	<100	7	8	28	<1	2
121550	60888	5	0.27	8	21	18	2	16	0.68	<10	3	668	2296	2.54	0.15	8	0.36	206	65	0.04	18	<100	37	62	<0.01	<10	7	456	9	41	67	2	71
121551	60889	20	0.10	7	39	8	2	118	0.07	<10	<1	560	87	1.60	0.09	7	0.12	104	2287	0.03	12	<100	361	54	<0.01	<10	6	<100	4	15	35	<1	8
121552	60890	56	0.02	6	28	3	2	240	0.05	<10	<1	636	49	0.95	0.02	6	0.03	<100	762	0.02	11	<100	1001	59	<0.01	<10	6	<100	9	5	17	<1	<1
121553	60891	12	0.22	8	26	14	2	68	0.91	<10	3	362	816	2.17	0.15	10	0.28	239	411	0.08	16	<100	89	29	<0.01	<10	12	223	6	30	69	2	26
121554	60892	7	0.07	8	23	10	2	64	0.02	<10	<1	664	30	1.35	0.06	7	0.07	<100	32	0.02	10	<100	97	61	<0.01	<10	5	<100	8	10	47	<1	4
121555	60893	<1	0.04	7	25	3	2	197	0.17	<10	2	467	140	1.16	0.02	6	0.03	<100	181	0.02	10	<100	20	37	<0.01	<10	<5	<100	8	15	337	<1	4
121556	60894	4	0.05	6	21	4	2	23	0.73	<10	<1	700	30	1.57	0.02	7	0.03	270	128	0.03	12	<100	134	58	<0.01	<10	11	<100	7	9	32	<1	2
121557	60895	63	0.13	8	16	38	2	876	0.16	<10	1	396	82	2.01	0.09	6	0.05	111	39	0.02	13	<100	219	36	<0.01	<10	6	<100	9	7	57	<1	4
121558	60895	62	0.12	7	15	37	2	865	0.16	<10	<1	384	81	1.96	0.08	6	0.04	110	35	0.02	13	<100	213	40	<0.01	<10	6	<100	7	7	50	<1	5

Certified By:   
 Derek Demianiuk, H.Bsc.

STANLEY L.

121559 60896 7 0.58 13 15 237 2 44 1.64 <10 1 590 275 3.09 0.44 11 0.76 1016 17 0.02 32 <100 28 45 0.02 <10 31 160 10 22 58 2 42

Certified By:   
Derek Demianiuk, H.Bsc.

COPIE L



# Certificate of Analysis

Monday, November 21, 2005

Dale Hendrick & Associates  
 Suite 901, 111 Richmond St. West  
 Toronto, ON, CA  
 M5H2G4  
 Ph#: (416) 955-8630  
 Fax#: (416) 363-2966  
 Email dalem@ca.inter.net

Date Received : 03-Nov-05  
 Date Completed : 18-Nov-05  
 Job # 200542036  
 Reference : S. Johnson  
 Sample #: 22      Rock

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb
138105	60897	14			
138106	60898	<5			
138107	60899	<5			
138108	60900	<5			
138109	60901	<5			
138110	60902	<5			
138111	60903	<5			
138112	60904	20			
138113	60905	<5			
138114	60906	8			
138115	Check 60906	<5			
138116	60907	41			
138117	60908	1160			
138118	60909	91			
138119	60910	155			
138120	60911	9	94	12	
138121	60912	279			
138122	60913	8			
138123	60914	<5	59	<10	
138124	60915	<5	<15	<10	
138125	60916	260			
138126	Check 60916	277			

PROCEDURE CODES: AL4APP, AL4ICPAR

Page 1 of 2

Certified By: 

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory





## Certificate of Analysis

Monday, November 21, 2005

Dale Hendrick & Associates  
 Suite 901, 111 Richmond St. West  
 Toronto, ON, CA  
 M5H2G4  
 Ph#: (416) 955-8630  
 Fax#: (416) 363-2966  
 Email dalem@ca.inter.net

Date Received : 03-Nov-05  
 Date Completed : 18-Nov-05  
 Job # 200542036  
 Reference : S. Johnson  
 Sample #: 22      Rock

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb
138127	60917	<5			
138128	60918	<5	<15	<10	

PROCEDURE CODES: AL4APP, AL4ICPAR

Page 2 of 2

Certified By:

  
 Derek Demlaniuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Dale Hendrick & Associates  
 Date Created: 05-11-25 01:48 PM  
 Job Number: 200542036  
 Date Recieved: 11/3/2005  
 Number of Samples: 22  
 Type of Sample: Rock  
 Date Completed: 11/18/2005  
 Project ID: S. Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Ti ppm	V ppm	W ppm	Y ppm	Zn ppm
138105	60897	1	0.83	19	100	114	1	325	0.74	<10	<1	382	34	3.02	0.73	89	0.34	166	1762	0.16	21	265	44	24	0.45	17	43	1110	12	26	81	3	77
138106	60898	<1	0.32	21	155	40	<1	54	0.03	<10	<1	580	7	1.27	0.32	54	0.16	129	3938	0.08	20	<100	25	10	0.36	18	22	189	11	16	48	3	40
138107	60899	<1	0.18	18	137	26	<1	46	0.09	<10	<1	481	9	0.96	0.16	23	0.06	<100	2088	0.07	13	<100	27	13	0.33	20	19	143	14	13	43	3	19
138108	60900	<1	2.14	24	101	250	3	58	2.92	<10	<1	293	37	1.59	0.74	30	0.51	221	494	0.74	24	583	30	11	0.32	19	144	1011	16	37	71	7	99
138109	60901	1	0.75	19	129	149	1	355	0.66	<10	<1	254	51	2.04	0.37	23	0.17	<100	2620	0.25	16	222	58	<5	0.53	17	39	559	14	29	65	3	42
138110	60902	<1	1.12	18	102	203	<1	29	0.20	<10	1	276	32	2.34	0.74	11	0.36	230	47	0.20	11	515	24	19	0.61	17	29	2029	15	33	66	11	70
138111	60903	1	1.10	21	98	212	1	29	0.26	<10	<1	379	39	4.20	0.55	12	0.31	244	26	0.29	12	857	29	14	0.99	14	32	2476	12	51	95	2	71
138112	60904	<1	0.09	20	112	33	<1	27	0.01	<10	<1	631	11	1.51	0.06	7	0.02	<100	17	0.03	20	<100	103	16	0.18	17	13	339	17	18	49	2	11
138113	60905	1	7.29	27	114	153	2	29	2.41	<10	28	169	178	9.03	0.82	42	4.28	1244	17	0.29	282	484	97	15	1.01	21	44	4115	16	170	217	<1	718
138114	60906	1	1.50	27	108	131	<1	34	7.36	<10	12	294	115	5.13	0.52	15	2.68	1224	13	0.11	106	483	79	13	0.44	20	94	246	16	47	140	8	416
138115	60906	1	1.36	27	97	116	1	31	6.78	<10	9	276	100	4.84	0.46	15	2.49	1157	12	0.10	100	458	77	14	0.44	10	88	209	22	43	132	9	358
138116	60907	2	8.26	52	86	57	4	21	5.13	<10	23	272	174	>10.00	0.16	49	5.50	2534	13	0.06	214	437	150	18	0.72	20	58	273	21	331	352	11	930
138117	60908	2	2.31	21	99	112	2	21	0.23	<10	6	135	907	7.08	0.60	9	0.64	114	14	0.04	65	1032	41	8	0.39	18	15	243	14	36	144	9	114
138118	60909	1	0.35	21	98	33	2	22	1.00	<10	5	422	73	7.96	0.06	8	0.41	654	13	0.08	20	366	38	20	0.56	15	35	598	15	43	189	5	107
138119	60910	1	0.79	21	93	65	2	21	4.36	<10	<1	150	122	8.90	0.12	9	1.29	2499	10	0.23	12	1470	48	9	0.86	17	99	2086	16	145	252	11	220
138120	60911	8	2.48	19	91	35	2	28	2.38	<10	9	208	367	8.58	0.20	14	1.22	1032	22	0.35	27	865	42	16	1.33	22	30	4362	18	384	195	8	216
138121	60912	>100	0.03	22	78	8	<1	>5,000	0.03	12	<1	633	173	1.18	<0.01	7	0.01	<100	68	0.02	19	<100	3427	63	0.13	17	12	<100	13	15	37	5	<1
138122	60913	12	0.15	25	95	26	<1	356	0.08	<10	<1	611	47	2.92	0.08	8	0.09	138	71	0.05	19	<100	162	27	0.21	19	12	296	12	35	69	4	18
138123	60914	4	1.77	25	125	39	3	55	2.49	<10	20	188	747	9.98	0.28	14	1.28	1066	77	0.25	48	884	65	10	0.81	19	22	5831	17	264	229	<1	245
138124	60915	3	1.33	28	104	67	3	35	2.50	<10	20	203	1368	>10.00	0.38	11	0.94	771	16	0.26	38	1071	52	27	1.14	22	33	7842	13	293	246	<1	193
138125	60916	3	0.19	58	75	28	1	47	0.19	<10	4	674	97	5.01	0.05	8	0.12	201	471	0.03	29	146	49	24	0.22	19	16	194	15	38	102	5	35
138126	60916	2	0.20	61	106	29	1	45	0.19	<10	6	722	97	5.11	0.05	8	0.12	209	495	0.03	28	148	52	27	0.22	12	17	208	15	39	115	5	35


Certified By:   
 Derek Demianiuk, H.Bsc.

TABLE 2

Dale Hendrick & Associates  
 Date Created: 05-11-25 01:48 PM  
 Job Number: 200542036  
 Date Recieved: 11/3/2005  
 Number of Samples: 22  
 Type of Sample: Rock  
 Date Completed: 11/18/2005  
 Project ID: S. Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138127	60917	1	0.35	20	120	56	<1	27	0.37	<10	<1	536	34	1.63	0.21	12	0.24	166	94	0.07	19	242	30	10	0.20	20	42	835	14	34	53	3	51
138128	60918	2	1.65	23	85	36	3	23	1.99	<10	2	294	153	>10.00	0.26	10	0.86	883	16	0.24	22	1356	46	22	0.82	17	23	5267	15	167	223	15	169

Certified By:   
 Derek Demianiuk, H.Bsc.

GRAVEL

## Certificate of Analysis

Thursday, June 01, 2006

**Radisson Mineral**  
 P.O. Box 307  
 Rouyn-Noranda, QC, CA  
 J9X5C3  
 Ph#: \_\_\_\_\_  
 Fax#: \_\_\_\_\_  
 Email \_\_\_\_\_

Date Received : 29-May-06  
 Date Completed : 31-May-06  
 Job # 200640727  
 Reference : S. Johnson  
 Sample #: 11      Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
48638	60960	15	<0.001	0.015
48639	60961	8	<0.001	0.008
48640	60962	8	<0.001	0.008
48641	60963	5	<0.001	0.005
48642	60964	163	0.005	0.163
48643	60968	47	0.001	0.047
48644	60969	41	0.001	0.041
48645	60970	33	<0.001	0.033
48646	60971	555	0.016	0.555
48647	60974	40	0.001	0.040
48648 Check	60974	33	<0.001	0.033
48649	60975	35	0.001	0.035

PROCEDURE CODES: AL4AU3, AL4ICPAR

Page 1 of 1

Certified By:


 Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0572-06/01/2006 11:36 AM



## Certificate of Analysis

Friday, June 02, 2006

Radisson Mineral  
P.O. Box 307  
Rouyn-Noranda, QC, CA  
J9X5C3  
Ph#: \_\_\_\_\_  
Fax#: \_\_\_\_\_  
Email \_\_\_\_\_

Date Received : 31-May-06  
Date Completed : 02-Jun-06  
Job # 200640737  
Reference : Sherridon Johnson  
Sample #: 2          Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
48830	60976	4392	0.134	4.592
48831	60977	12954	0.378	12.954
48832 Check	60977	12747	0.372	12.747

PROCEDURE CODES: AL4AU3

Page 1 of 1

Certified By: \_\_\_\_\_

Derek Demianuk H.Bec., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0572-06/02/2006 11:36 AM



## Certificate of Analysis

Tuesday, June 20, 2006

Radisson Mineral  
 P.O. Box 307  
 Rouyn-Noranda, QC, CA  
 J9X5C3  
 Ph#: \_\_\_\_\_  
 Fax#: \_\_\_\_\_  
 Email \_\_\_\_\_

Date Received : 07-Jun-06  
 Date Completed : 13-Jun-06  
 Job # 200640795  
 Reference : S. Johnson  
 Sample #: 11      Rock

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	Zn ppm
51830	60978	109									
51831	60979	42									
51832	60980	390									
51833	60981	190									
51834	60982	134						6953			
51835	60983	109									
51836	60984	87						4389			
51837	60985	41									
51838	60986	36									
51839	60987	152						7097			
51840	Check 60987	154						7303			
51841	60988	448						13144			

PROCEDURE CODES: AL4AU3, AL4ICEAR

Certified BY:


 Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested

This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Page 1 of 1

AL917-0572-06/20/2006 04:31 PM



## Certificate of Analysis

Friday, June 30, 2006

Radisson Mineral  
P.O. Box 307  
Rouyn-Noranda, QC, CA  
J9X5C3  
Ph#: \_\_\_\_\_  
Fax#: \_\_\_\_\_  
Email \_\_\_\_\_

Date Received : 15-Jun-06  
Date Completed : 23-Jun-06  
Job # 200640898  
Reference : Sherridon Joubnson  
Sample #: 11      Rock

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	Zn ppm
57457	60989	36									
57458	60990	59									
57459	60991	13									
57460	60992	2158									
57461	60993	105									
57462	60994	21									
57463	60995	25									
57464	60996	12									
57465	60997	84									
57466	60998	49									
57467	Check 60998	49									
57468	60999	252				19				19797	5115

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified by:

*Berik Bernianuk*  
Berik Bernianuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 1

AL917:0372-06/30/2006 01:36 PM

Radisson Mineral  
 Date Created: 06-06-06 03:52 PM  
 Job Number: 200640727  
 Date Received: 5/29/2006  
 Number of Samples: 11  
 Type of Sample: Rock  
 Date Completed: 5/31/2006  
 Project ID: S. Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \* The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag	Al	As	B	Be	Be	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Tl	Tl	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
48638	60860	1	0.49	11	62	27	2	1.15	<4	2	605	75	2.58	0.26	12	0.74	479	296	0.05	22	<100	5	<6	11	0.45	<10	18	223	4	58	48	1	124
48639	60861	<1	0.23	14	58	10	2	0.35	<4	<1	538	64	3.13	0.07	5	0.19	151	41	0.05	17	<100	21	<6	11	0.33	<10	6	<100	<1	28	88	<1	35
48640	60862	<1	0.03	5	47	2	1	0.06	<4	2	352	16	1.17	0.01	2	0.01	<100	259	0.02	11	<100	<1	<6	5	0.09	<10	<6	<100	<1	5	24	<1	3
48641	60863	<1	1.83	5	38	29	2	2.13	<4	16	112	441	6.88	0.38	9	1.32	890	17	0.22	33	294	<1	<6	8	0.45	<10	12	3781	2	218	124	19	223
48642	60864	31	0.17	<2	55	31	1	1.00	<4	<1	524	48	2.44	0.06	3	0.17	297	365	0.05	15	<100	215	<6	7	0.41	<10	13	178	1	25	49	<1	179
48643	60868	4	0.07	<2	51	4	1	0.05	<4	<1	608	28	1.39	0.02	3	0.03	<100	43	0.02	13	<100	4	<6	10	0.11	<10	<6	<100	2	10	579	<1	5
48644	60869	8	0.11	<2	67	8	2	0.04	<4	<1	483	132	1.94	0.10	3	0.09	<100	1763	0.03	13	<100	48	<6	11	0.18	<10	<6	446	<1	20	75	<1	18
48645	60870	34	0.14	3	48	3	1	0.37	<4	2	191	605	1.63	0.01	3	0.14	<100	171	0.02	8	<100	26	<6	5	0.09	<10	<6	307	<1	28	38	<1	26
48646	60871	61	0.11	5	58	4	1	0.63	<4	1	591	283	1.21	0.01	3	0.10	138	1085	0.04	15	<100	332	<6	17	0.14	<10	5	<100	2	6	90	<1	14
48647	60874	<1	0.18	2	54	12	2	0.05	<4	8	468	1105	4.60	0.12	5	0.16	121	11	0.03	18	<100	<1	<6	9	0.14	<10	<6	163	1	141	80	<1	38
48648	60874	<1	0.18	3	50	12	2	0.04	<4	9	471	1143	4.32	0.12	5	0.16	118	9	0.03	18	<100	<1	<6	12	0.14	<10	<6	184	<1	139	61	<1	38
48649	60875	3	0.24	7	52	12	3	0.04	<4	24	693	3667	7.22	0.15	5	0.20	174	6	0.03	27	<100	<1	<6	18	0.15	<10	<6	245	2	262	125	<1	64

Certified By:   
 Derek Demianuk, H.Bsc.



# Accurassay Laboratories

Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Radisson Mineral  
 Date Created: 06-06-16 09:25 AM  
 Job Number: 200640795  
 Date Received: 6/7/2006  
 Number of Samples: 11  
 Type of Sample: Rock  
 Date Completed: 6/13/2006  
 Project ID: S. Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \* The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Ti ppm	V ppm	W ppm	Y ppm	Zn ppm
51830	60678	8	0.09	7	50	11	<1	0.11	<4	4	545	249	1.81	0.02	1	0.07	<100	162	0.02	15	<100	122	<5	<5	0.03	<10	6	<100	1	5	<10	<1	45
51831	60679	<1	0.15	<2	43	7	<1	0.25	<4	8	495	1342	1.26	<0.01	1	0.08	<100	8	0.02	15	101	48	<5	<5	0.03	<10	6	<100	1	9	<10	<1	49
51832	60680	48	0.02	5	44	3	<1	0.09	<4	7	488	1110	1.24	<0.01	<1	<0.01	<100	39	0.02	14	<100	43	<5	<5	0.02	<10	<3	<100	2	<2	<10	<1	9
51833	60681	13	1.21	8	47	9	<1	1.81	<4	23	268	4840	2.35	0.03	3	0.22	162	41	0.16	28	366	73	10	8	0.04	<10	23	435	<1	30	823	2	84
51834	60682	17	0.24	6	44	9	<1	2.10	8	37	294	>5,000	5.94	0.11	8	0.19	316	389	0.03	8	235	97	<5	6	0.04	<10	20	1853	<1	80	330	7	214
51835	60683	15	0.29	6	49	20	<1	0.84	9	26	394	4011	5.36	0.17	5	0.19	257	47	0.04	10	266	160	<5	<5	0.03	<10	10	1980	<1	70	<10	7	156
51836	60684	2	0.36	12	55	10	1	0.74	9	36	386	>5,000	6.10	0.15	12	0.31	408	219	0.05	8	219	28	<5	<5	0.03	<10	13	4018	<1	103	17	9	108
51837	60685	4	0.96	17	62	39	2	2.11	12	40	312	1873	>10.00	0.68	32	0.89	581	38	0.08	10	548	61	<5	<5	0.07	<10	17	3291	2	124	<10	17	49
51838	60686	1	1.86	12	58	24	2	1.88	17	69	128	1136	>10.00	0.44	10	0.84	772	31	0.18	8	881	37	<5	<5	0.04	<10	18	4115	<1	82	13	22	111
51839	60687	26	0.84	6	50	2	<1	1.40	8	35	572	>5,000	3.35	<0.01	<1	0.02	211	15	0.02	16	<100	288	<5	<5	0.04	<10	11	<100	<1	9	<10	<1	243
51840	60687	22	0.03	9	54	2	<1	1.24	7	31	504	>5,000	2.98	<0.01	<1	0.02	186	13	0.02	12	<100	263	<5	<5	0.03	<10	9	<100	3	8	<10	<1	218
51841	60688	24	0.74	11	68	15	2	1.72	14	80	155	>5,000	>10.00	0.19	13	0.42	507	1407	0.08	8	520	86	<5	<5	0.06	<10	38	6280	<1	178	203	17	189

Certified By:   
 Derek Demianuk, H.Bsc.

# Accurassay Laboratories

Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Radisson Mineral  
 Date Created: 06-06-28 09:14 AM  
 Job Number: 200640898  
 Date Received: 6/15/2006  
 Number of Samples: 11  
 Type of Sample: Rock  
 Date Completed: 6/23/2006  
 Project ID: Sherridon Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \* The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Tl	Tl	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
57457	60888	12	0.07	<2	<10	8	<1	64	0.09	<4	3	860	146	1.50	0.03	<1	0.05	<100	18	0.03	8	<100	181	<5	<5	0.03	<10	<3	<100	<1	4	<10	<1	14
57458	60890	23	0.17	<2	<10	19	<1	417	0.05	<4	2	713	50	1.34	0.11	<1	0.17	<100	41	0.03	14	<100	379	<5	<5	0.05	<10	<3	<100	<1	15	<10	<1	28
57459	60891	<1	3.82	3	<10	318	2	<5	4.99	12	56	196	383	>10.00	5.53	137	5.01	1415	15	0.07	58	258	60	<5	<5	0.24	<10	98	4273	<1	315	37	3	280
57460	60892	13	2.01	<2	<10	35	1	<5	8.21	12	38	242	3824	>10.00	0.19	2	1.13	207	19	0.06	9	461	<1	<5	33	0.20	<10	<3	1188	<1	47	<10	2	278
57461	60893	49	0.18	<2	<10	18	<1	503	0.06	<4	5	718	105	1.71	0.09	<1	0.18	104	18	0.03	11	<100	713	<5	<5	0.03	<10	<3	104	<1	18	<10	<1	17
57462	60894	<1	0.32	10	<10	9	<1	64	0.09	6	47	903	156	3.82	0.01	<1	0.23	179	9	0.03	18	<100	3	<5	<5	0.05	<10	<3	133	<1	23	<10	<1	4
57463	60895	<1	0.32	11	<10	9	<1	67	0.09	6	48	809	155	3.90	0.02	<1	0.23	178	10	0.03	14	<100	5	<5	<5	0.05	<10	<3	128	<1	23	<10	<1	3
57464	60896	<1	0.34	12	<10	7	<1	47	0.23	5	14	541	93	3.19	0.02	<1	0.25	158	6	0.03	7	<100	<1	<5	<5	0.04	<10	<3	326	<1	29	15	<1	<1
57465	60897	<1	0.38	<2	<10	37	<1	<5	0.52	<4	8	674	20	3.44	0.17	4	0.38	344	132	0.06	7	<100	22	<5	<5	0.09	<10	8	180	<1	48	219	<1	35
57466	60898	17	0.08	43	<10	14	<1	31	0.02	<4	<1	889	54	1.81	0.03	<1	0.02	<100	25	0.02	12	<100	461	<5	<5	0.03	<10	<3	<100	<1	30	<10	<1	<1
57467	60898	17	0.08	41	<10	13	<1	32	0.52	<4	<1	833	51	1.83	0.03	<1	0.01	<100	23	0.02	26	<100	468	<5	<5	0.03	<10	<3	<100	<1	29	<10	<1	<1
57468	60899	23	2.53	2109	<10	84	<1	<5	1.03	38	47	128	539	>10.00	0.31	11	1.87	699	30	0.14	22	798	>5,000	15	<5	0.15	<10	21	4974	<1	336	128	11	>4,000

Certified By:   
 Derek Demianuk, F.G.S.C.

**Highway Property**

Dale Hendrick & Associates  
 Date Created: 05-09-16 04:26 PM  
 Job Number: 200541548  
 Date Received: 9/2/2005  
 Number of Samples: 11  
 Type of Sample: Rock  
 Date Completed:  
 Project ID: S. Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
105317	60801	<1	0.91	9	32	121	2	13	0.50	<10	2	57	38	2.26	0.65	14	0.38	292	6	0.12	6	957	2	7	0.73	<10	26	1109	3	13	39	16	83
105318	60802	<1	0.91	11	30	59	2	18	0.54	<10	2	45	54	3.05	0.25	10	0.51	447	6	0.07	6	1051	3	6	0.29	<10	20	1152	4	13	51	18	85
105319	60803	<1	0.73	9	29	97	2	9	0.26	<10	2	61	21	1.80	0.49	11	0.25	301	5	0.11	4	540	<1	9	0.78	<10	20	899	5	10	31	12	56
105320	60804	<1	1.20	9	27	160	2	11	0.62	<10	3	73	42	3.62	0.73	21	0.65	413	10	0.12	7	1489	12	7	0.79	<10	33	1606	4	19	55	13	112
105321	60805	<1	1.02	8	31	132	2	10	0.43	<10	3	64	55	2.95	0.64	15	0.49	345	12	0.14	5	1050	1	8	0.97	<10	25	1318	3	17	46	12	79
105322	60806	1	0.79	9	29	66	2	12	0.08	<10	1	64	165	3.17	0.24	21	0.21	175	47	0.15	8	155	9	8	0.89	<10	15	363	4	9	46	7	28
105323	60807	6	1.62	10	26	259	4	22	1.12	<10	6	51	52	5.07	1.03	34	1.03	570	9	0.13	10	2476	4	9	0.76	<10	45	2344	6	30	85	20	566
105324	60808	1	1.53	13	71	246	4	33	1.24	<10	2	60	124	5.18	1.22	23	0.89	534	1602	0.15	7	1927	7	13	0.96	<10	41	2557	5	31	86	19	270
105325	60809	<1	1.37	14	34	186	2	16	0.82	<10	2	62	65	3.43	0.84	18	0.67	442	23	0.17	5	1238	6	11	0.99	<10	37	1695	4	24	58	14	179
105326	60810	<1	2.19	11	36	348	3	20	1.19	<10	3	57	72	6.76	1.72	44	1.24	797	10	0.11	9	2639	6	6	0.88	<10	52	2966	5	32	105	20	276
105327	60810	<1	1.99	11	34	315	3	19	1.11	<10	3	53	64	6.78	1.53	37	1.17	733	8	0.10	8	2564	2	8	0.89	<10	50	2795	4	30	97	19	276
105328	60811	<1	1.37	14	126	157	4	45	1.84	<10	<1	57	166	4.71	1.05	26	0.82	546	4125	0.07	5	1662	8	11	0.14	<10	46	2287	5	31	76	18	125

HIGHWAY ZONE

Certified By:   
 Derek Demianuk, H.Bsc.

## Certificate of Analysis

Friday, September 16, 2005

Dale Hendrick & Associates  
 Suite 901, 111 Richmond St. West  
 Toronto, ON, CA  
 M5H2G4  
 Ph#: (416) 955-8630  
 Fax#: (416) 363-2966  
 Email dalem@ca.inter.net

Date Received : 06-Sep-05  
 Date Completed : 15-Sep-05  
 Job # 200541555  
 Reference : S. Johnson  
 Sample #: 12      Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
105622	60812	7	<0.001	0.007
105623	60813	17	<0.001	0.017
105624	60814	<5	<0.001	<0.005
105625	60815	<5	<0.001	<0.005
105626	60816	<5	<0.001	<0.005
105627	60817	<5	<0.001	<0.005
105628	60818	<5	<0.001	<0.005
105629	60819	<5	<0.001	<0.005
105630	60820	<5	<0.001	<0.005
105631	60821	<5	<0.001	<0.005
105632 Check	60821	<5	<0.001	<0.005
105633	60822	<5	<0.001	<0.005
105634	60823	<5	<0.001	<0.005

HIGHWAY ZONE

PROCEDURE CODES: AL4Au3, AL4ICPAR

Page 1 of 1

Certified By:

  
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0550-09/16/2005 10:02 AM

# Accurassay Laboratories

Mineral Assay Division of Assay Laboratory Services Inc.


1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Dale Hendrick & Associates  
 Date Created: 05-09-16 04:27 PM  
 Job Number: 200541555  
 Date Received: 9/6/2005  
 Number of Samples: 12  
 Type of Sample: Rock  
 Date Completed: 9/15/2005  
 Project ID: S. Johnson

- \* The results included on this report relate only to the items tested
- \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
- \* The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
105622	60812	2	2.31	6	47	9	2	15	8.00	<10	27	131	483	5.84	0.04	12	1.71	989	59	0.06	106	233	<1	11	0.62	<10	17	752	9	111	94	8	158
105623	60813	2	4.08	12	46	27	3	<5	0.42	<10	56	209	784	>10.00	0.07	24	2.69	2014	14	0.05	381	218	2	29	0.44	<10	<5	1322	6	246	172	12	224
105624	60814	<1	1.55	6	40	7	2	7	0.55	<10	8	131	189	3.24	0.03	11	1.07	531	12	0.08	37	101	<1	15	1.02	<10	5	548	4	54	53	6	97
105625	60815	<1	0.03	9	2	3	2	8	0.01	<10	2	5	8	0.09	<0.01	3	0.02	<100	10	<0.01	1	<100	<1	<5	0.03	<10	<5	<100	6	5	<10	5	12
105626	60816	<1	1.29	9	38	8	2	6	1.02	<10	13	103	165	2.47	0.03	7	0.81	440	8	0.10	67	178	<1	12	0.71	<10	8	1401	4	52	46	7	76
105627	60817	<1	2.23	6	35	12	2	<5	0.67	<10	16	145	260	5.08	0.04	13	1.60	837	7	0.07	87	201	<1	14	0.68	<10	6	1446	4	92	77	7	156
105628	60818	2	0.55	9	41	4	2	6	4.34	<10	121	89	1550	5.70	0.02	4	0.36	460	7	0.02	144	149	<1	15	0.54	<10	9	854	7	20	81	6	64
105629	60819	<1	0.03	11	3	5	2	8	0.03	<10	2	4	12	0.11	0.02	3	0.02	<100	73	<0.01	1	<100	<1	<5	0.01	<10	<5	<100	5	4	12	5	14
105630	60820	<1	1.05	11	52	140	2	20	0.46	<10	5	100	116	2.90	0.83	38	0.76	611	445	0.06	20	821	<1	12	0.17	<10	28	1403	4	40	53	13	118
105631	60821	1	0.83	10	37	52	2	16	0.48	<10	5	76	66	2.64	0.23	13	0.60	826	25	0.05	19	845	5	12	0.13	<10	32	864	5	31	44	12	93
105632	60821	<1	1.34	12	49	126	2	20	0.50	<10	6	99	44	3.04	1.02	40	0.87	486	17	0.12	21	795	<1	10	0.87	<10	38	1839	5	44	54	13	121
105633	60822	<1	1.20	11	43	116	2	19	0.47	<10	4	92	39	2.98	0.95	37	0.83	451	15	0.11	19	748	<1	11	0.88	<10	34	1667	7	41	51	13	120
105634	60823	<1	1.09	9	43	77	2	19	0.63	<10	1	76	52	3.99	0.37	12	0.69	1178	12	0.06	13	1291	2	8	0.18	<10	32	1368	4	23	65	17	148

HIGHWAY  
 ZONE

Certified By:   
 Derek Demianiuk, H.Bsc.

# Certificate of Analysis

Wednesday, October 12, 2005

Dale Hendrick & Associates  
 Suite 901, 111 Richmond St. West  
 Toronto, ON, CA  
 M5H2G4  
 Ph#: (416) 955-8630  
 Fax#: (416) 363-2966  
 Email dalem@ca.inter.net

Date Received : 03-Oct-05  
 Date Completed : 11-Oct-05  
 Job # 200541829  
 Reference : S. Johnson  
 Sample #: 21      Rock

HIGHWAY ZONE

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
121537	60876	23	<0.001	0.023
121538	60877	17	<0.001	0.017
121539	60878	35	0.001	0.035
121540	60879	12	<0.001	0.012
121541	60880	50	0.001	0.050
121542	60881	8	<0.001	0.008
121543	60882	<5	<0.001	<0.005
121544	60883	73	0.002	0.073
121545	60884	9	<0.001	0.009
121546	60885	5	<0.001	0.005
121547 Check	60885	<5	<0.001	<0.005
121548	60886	16	<0.001	0.016
121549	60887	16	<0.001	0.016
121550	60888	91	0.003	0.091
121551	60889	156	0.005	0.156
121552	60890	301	0.009	0.301
121553	60891	58	0.002	0.058
121554	60892	24	<0.001	0.024
121555	60893	10	<0.001	0.010
121556	60894	11	<0.001	0.011
121557	60895	388	0.011	0.388
121558 Check	60895	399	0.012	0.399
121559	60896	22	<0.001	0.022

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager


The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Dale Hendrick & Associates  
 Date Created: 05-10-13 01:16 PM  
 Job Number: 200541829  
 Date Received: 10/3/2005  
 Number of Samples: 21  
 Type of Sample: Rock  
 Date Completed: 10/11/2005  
 Project ID: S. Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \*The methods used for these analysis are not accredited under ISO/IEC 17025

HIGHWAY

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
121537	60876	<1	1.32	17	150	184	6	163	1.84	<10	<1	210	208	4.48	1.08	22	0.74	581	>8,000	0.11	9	1788	32	23	0.04	<10	57	3432	6	18	111	14	502
121538	60877	1	0.56	14	200	72	6	224	0.43	<10	<1	352	124	2.72	0.34	11	0.37	385	>8,000	0.05	10	516	18	34	0.01	<10	18	1574	5	6	93	5	184
121539	60878	1	1.08	25	564	125	16	668	1.22	<10	<1	632	171	4.26	0.70	15	0.63	569	>8,000	0.09	18	1677	26	76	0.02	<10	35	3724	4	9	187	11	103
121540	60879	<1	0.04	8	25	5	2	14	0.05	<10	<1	505	108	1.15	0.02	6	0.02	<100	737	0.03	9	<100	3	44	<0.01	<10	<5	<100	11	10	37	<1	7
121541	60880	4	1.26	11	21	25	3	7	1.97	<10	6	360	1441	3.92	0.32	13	1.18	634	244	0.19	26	194	8	29	0.04	<10	16	2547	6	126	82	7	190
121542	60881	<1	1.93	8	19	13	3	<5	3.08	<10	16	105	562	6.86	0.25	13	1.54	884	83	0.29	33	286	8	20	0.05	<10	13	6419	8	443	137	9	124
121543	60882	<1	2.79	9	21	35	3	<5	3.20	<10	10	86	361	6.19	0.60	24	1.77	839	88	0.40	31	292	6	15	0.06	<10	30	5140	3	269	128	11	123
121544	60883	26	0.51	12	22	11	2	253	0.23	<10	<1	388	63	3.25	0.05	10	0.45	180	488	0.07	17	144	347	37	0.02	<10	8	1269	6	61	62	2	35
121545	60884	3	3.75	27	18	121	3	9	4.87	<10	15	252	344	8.78	0.69	24	2.64	1482	26	0.09	76	465	44	19	0.07	<10	38	6155	3	319	175	18	360
121546	60885	<1	1.12	9	16	81	2	12	1.22	<10	4	372	45	2.07	0.42	11	0.95	320	14	0.13	63	967	16	29	0.04	<10	114	2481	5	47	41	6	68
121547	60885	<1	1.08	9	17	78	2	11	1.18	<10	4	339	42	1.97	0.41	10	0.92	303	20	0.12	62	961	11	29	0.03	<10	113	2446	3	44	40	6	66
121548	60886	3	0.37	9	16	30	2	30	0.36	<10	<1	643	60	1.85	0.09	8	0.25	148	12	0.07	18	159	17	58	0.01	<10	19	277	5	21	35	<1	19
121549	60887	7	0.05	7	54	13	2	59	0.03	<10	<1	469	135	0.93	0.03	6	0.03	<100	4163	0.02	9	<100	62	40	<0.01	<10	7	<100	7	8	28	<1	2
121550	60888	5	0.27	8	21	18	2	16	0.68	<10	3	668	2296	2.54	0.15	8	0.36	206	65	0.04	18	<100	37	62	<0.01	<10	7	456	9	41	67	2	71
121551	60889	20	0.10	7	39	8	2	118	0.07	<10	<1	560	87	1.60	0.09	7	0.12	104	2287	0.03	12	<100	361	54	<0.01	<10	6	<100	4	15	35	<1	8
121552	60890	56	0.02	6	28	3	2	240	0.05	<10	<1	636	49	0.95	0.02	6	0.03	<100	762	0.02	11	<100	1001	59	<0.01	<10	6	<100	9	5	17	<1	<1
121553	60891	12	0.22	8	26	14	2	68	0.91	<10	3	362	816	2.17	0.15	10	0.28	239	411	0.08	16	<100	89	29	<0.01	<10	12	223	6	30	69	2	26
121554	60892	7	0.07	8	23	10	2	64	0.02	<10	<1	664	30	1.35	0.06	7	0.07	<100	32	0.02	10	<100	97	61	<0.01	<10	5	<100	8	10	47	<1	4
121555	60893	<1	0.04	7	25	3	2	197	0.17	<10	2	467	140	1.16	0.02	6	0.03	<100	181	0.02	10	<100	20	37	<0.01	<10	<5	<100	8	15	337	<1	4
121556	60894	4	0.05	6	21	4	2	23	0.73	<10	<1	700	30	1.57	0.02	7	0.03	270	128	0.03	12	<100	134	58	<0.01	<10	11	<100	7	9	32	<1	2
121557	60895	63	0.13	8	16	38	2	876	0.16	<10	1	396	82	2.01	0.09	6	0.05	111	39	0.02	13	<100	219	36	<0.01	<10	6	<100	9	7	57	<1	4
121558	60895	62	0.12	7	15	37	2	865	0.16	<10	<1	384	81	1.96	0.08	6	0.04	110	35	0.02	13	<100	213	40	<0.01	<10	6	<100	7	7	50	<1	5

Certified By:   
 Derek Demianiuk, H.Bsc.



**Olsen Bay Property**

## Certificate of Analysis

Monday, November 21, 2005

Dale Hendrick & Associates  
 Suite 901, 111 Richmond St. West  
 Toronto, ON, CA  
 M5H2G4  
 Ph#: (416) 955-8630  
 Fax#: (416) 363-2966  
 Email dalem@ca.inter.net

Date Received : 03-Nov-05  
 Date Completed : 18-Nov-05  
 Job # 200542036  
 Reference : S. Johnson  
 Sample #: 22      Rock

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb
138105	60897	14			
138106	60898	<5			
138107	60899	<5			
138108	60900	<5			
138109	60901	<5			
138110	60902	<5			
138111	60903	<5			
138112	60904	20			
138113	60905	<5			
138114	60906	8			
138115 Check	60906	<5			
138116	60907	41			
138117	60908	1160			
138118	60909	91			
138119	60910	155			
138120	60911	9	94	12	
138121	60912	279			
138122	60913	8			
138123	60914	<5	59	<10	
138124	60915	<5	<15	<10	
138125	60916	260			
138126 Check	60916	277			

PROCEDURE CODES: AL4APP, AL4ICPAR

Page 1 of 2

 Certified By: 

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Dale Hendrick & Associates  
 Date Created: 05-11-25 01:48 PM  
 Job Number: 200542036  
 Date Recieved: 11/3/2005  
 Number of Samples: 22  
 Type of Sample: Rock  
 Date Completed: 11/18/2005  
 Project ID: S. Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138105	60897	1	0.83	19	100	114	1	325	0.74	<10	<1	382	34	3.02	0.73	89	0.34	166	1762	0.16	21	265	44	24	0.45	17	43	1110	12	26	81	3	77
138106	60898	<1	0.32	21	155	40	<1	54	0.03	<10	<1	580	7	1.27	0.32	54	0.16	129	3938	0.08	20	<100	25	10	0.36	18	22	189	11	16	48	3	40
138107	60899	<1	0.18	18	137	26	<1	46	0.09	<10	<1	481	9	0.96	0.16	23	0.06	<100	2088	0.07	13	<100	27	13	0.33	20	19	143	14	13	43	3	19
138108	60900	<1	2.14	24	101	250	3	58	2.92	<10	<1	293	37	1.59	0.74	30	0.51	221	494	0.74	24	583	30	11	0.32	19	144	1011	16	37	71	7	99
138109	60901	1	0.75	19	129	149	1	355	0.66	<10	<1	254	51	2.04	0.37	23	0.17	<100	2620	0.25	16	222	58	<5	0.53	17	39	559	14	29	65	3	42
138110	60902	<1	1.12	18	102	203	<1	29	0.20	<10	1	276	32	2.34	0.74	11	0.36	230	47	0.20	11	515	24	19	0.61	17	29	2029	15	33	66	11	70
138111	60903	1	1.10	21	98	212	1	29	0.26	<10	<1	379	39	4.20	0.55	12	0.31	244	26	0.29	12	857	29	14	0.99	14	32	2476	12	51	95	2	71
138112	60904	<1	0.09	20	112	33	<1	27	0.01	<10	<1	631	11	1.51	0.06	7	0.02	<100	17	0.03	20	<100	103	16	0.18	17	13	339	17	18	49	2	11
138113	60905	1	7.29	27	114	153	2	29	2.41	<10	28	169	178	9.03	0.82	42	4.28	1244	17	0.29	282	484	97	15	1.01	21	44	4115	16	170	217	<1	718
138114	60906	1	1.50	27	108	131	<1	34	7.36	<10	12	294	115	5.13	0.52	15	2.68	1224	13	0.11	106	483	79	13	0.44	20	94	246	16	47	140	8	416
138115	60906	1	1.36	27	97	116	1	31	6.78	<10	9	276	100	4.84	0.46	15	2.49	1157	12	0.10	100	458	77	14	0.44	10	88	209	22	43	132	9	358
138116	60907	2	8.26	52	86	57	4	21	5.13	<10	23	272	174	>10.00	0.16	49	5.50	2534	13	0.06	214	437	150	18	0.72	20	58	273	21	331	352	11	930
138117	60908	2	2.31	21	99	112	2	21	0.23	<10	6	135	907	7.08	0.60	9	0.64	114	14	0.04	65	1032	41	8	0.39	18	15	243	14	36	144	9	114
138118	60909	1	0.35	21	98	33	2	22	1.00	<10	5	422	73	7.96	0.06	8	0.41	654	13	0.08	20	366	38	20	0.56	15	35	598	15	43	189	5	107
138119	60910	1	0.79	21	93	65	2	21	4.36	<10	<1	150	122	8.90	0.12	9	1.29	2499	10	0.23	12	1470	48	9	0.86	17	99	2086	16	145	252	11	220
138120	60911	8	2.48	19	91	35	2	28	2.38	<10	9	208	367	8.58	0.20	14	1.22	1032	22	0.35	27	865	42	16	1.33	22	30	4362	18	384	195	8	216
138121	60912	>100	0.03	22	78	8	<1	>5,000	0.03	12	<1	633	173	1.18	<0.01	7	0.01	<100	68	0.02	19	<100	3427	63	0.13	17	12	<100	13	15	37	5	<1
138122	60913	12	0.15	25	95	26	<1	356	0.08	<10	<1	611	47	2.92	0.08	8	0.09	138	71	0.05	19	<100	162	27	0.21	19	12	296	12	35	69	4	18
138123	60914	4	1.77	25	125	39	3	55	2.49	<10	20	188	747	9.98	0.28	14	1.28	1066	77	0.25	48	884	65	10	0.81	19	22	5831	17	264	229	<1	245
138124	60915	3	1.33	28	104	67	3	35	2.50	<10	20	203	1368	>10.00	0.38	11	0.94	771	16	0.26	38	1071	52	27	1.14	22	33	7842	13	293	246	<1	193
138125	60916	3	0.19	58	75	28	1	47	0.19	<10	4	674	97	5.01	0.05	8	0.12	201	471	0.03	29	146	49	24	0.22	19	16	194	15	38	102	5	35
138126	60916	2	0.20	61	106	29	1	45	0.19	<10	6	722	97	5.11	0.05	8	0.12	209	495	0.03	28	148	52	27	0.22	12	17	208	15	39	115	5	35

OLSEN

Certified By:   
 Derek Demianiuk, H.Bsc.

**Harper Lake Property**

# Certificate of Analysis

Monday, November 21, 2005

Dale Hendrick & Associates  
 Suite 901, 111 Richmond St. West  
 Toronto, ON, CA  
 M5H2G4  
 Ph#: (416) 955-8630  
 Fax#: (416) 363-2966  
 Email dalem@ca.inter.net


Date Received : 03-Nov-05  
 Date Completed : 18-Nov-05  
 Job # 200542036  
 Reference : S. Johnson  
 Sample #: 22      Rock

HARPER  
LAKE

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb
138105	60897	14			
138106	60898	<5			
138107	60899	<5			
138108	60900	<5			
138109	60901	<5			
138110	60902	<5			
138111	60903	<5			
138112	60904	20			
138113	60905	<5			
138114	60906	8			
138115	Check 60906	<5			
138116	60907	41			
138117	60908	1160			
138118	60909	91			
138119	60910	155			
138120	60911	9	94	12	
138121	60912	279			
138122	60913	8			
138123	60914	<5	59	<10	
138124	60915	<5	<15	<10	
138125	60916	260			
138126	Check 60916	277			

PROCEDURE CODES: AL4APP, AL4ICPAR

Page 1 of 2

Certified By:   
 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Dale Hendrick & Associates  
 Date Created: 05-11-25 01:48 PM  
 Job Number: 200542036  
 Date Recieved: 11/3/2005  
 Number of Samples: 22  
 Type of Sample: Rock  
 Date Completed: 11/18/2005  
 Project ID: S. Johnson

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \*The methods used for these analysis are not accredited under ISO/IEC 17025

HARPER

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138105	60897	1	0.83	19	100	114	1	325	0.74	<10	<1	382	34	3.02	0.73	89	0.34	166	1762	0.16	21	265	44	24	0.45	17	43	1110	12	26	81	3	77
138106	60898	<1	0.32	21	155	40	<1	54	0.03	<10	<1	580	7	1.27	0.32	54	0.16	129	3938	0.08	20	<100	25	10	0.36	18	22	189	11	16	48	3	40
138107	60899	<1	0.18	18	137	26	<1	46	0.09	<10	<1	481	9	0.96	0.16	23	0.06	<100	2088	0.07	13	<100	27	13	0.33	20	19	143	14	13	43	3	19
138108	60900	<1	2.14	24	101	250	3	58	2.92	<10	<1	293	37	1.59	0.74	30	0.51	221	494	0.74	24	583	30	11	0.32	19	144	1011	16	37	71	7	99
138109	60901	1	0.75	19	129	149	1	355	0.66	<10	<1	254	51	2.04	0.37	23	0.17	<100	2620	0.25	16	222	58	<5	0.53	17	39	559	14	29	65	3	42
138110	60902	<1	1.12	18	102	203	<1	29	0.20	<10	1	276	32	2.34	0.74	11	0.36	230	47	0.20	11	515	24	19	0.61	17	29	2029	15	33	66	11	70
138111	60903	1	1.10	21	98	212	1	29	0.26	<10	<1	379	39	4.20	0.55	12	0.31	244	26	0.29	12	857	29	14	0.99	14	32	2476	12	51	95	2	71
138112	60904	<1	0.09	20	112	33	<1	27	0.01	<10	<1	631	11	1.51	0.06	7	0.02	<100	17	0.03	20	<100	103	16	0.18	17	13	339	17	18	49	2	11
138113	60905	1	7.29	27	114	153	2	29	2.41	<10	28	169	178	9.03	0.82	42	4.28	1244	17	0.29	282	484	97	15	1.01	21	44	4115	16	170	217	<1	718
138114	60906	1	1.50	27	108	131	<1	34	7.36	<10	12	294	115	5.13	0.52	15	2.68	1224	13	0.11	106	483	79	13	0.44	20	94	246	16	47	140	8	416
138115	60906	1	1.36	27	97	116	1	31	6.78	<10	9	276	100	4.84	0.46	15	2.49	1157	12	0.10	100	458	77	14	0.44	10	88	209	22	43	132	9	358
138116	60907	2	8.26	52	86	57	4	21	5.13	<10	23	272	174	>10.00	0.16	49	5.50	2534	13	0.06	214	437	150	18	0.72	20	58	273	21	331	352	11	930
138117	60908	2	2.31	21	99	112	2	21	0.23	<10	6	135	907	7.08	0.60	9	0.64	114	14	0.04	65	1032	41	8	0.39	18	15	243	14	36	144	9	114
138118	60909	1	0.35	21	98	33	2	22	1.00	<10	5	422	73	7.96	0.06	8	0.41	654	13	0.08	20	366	38	20	0.56	15	35	598	15	43	189	5	107
138119	60910	1	0.79	21	93	65	2	21	4.36	<10	<1	150	122	8.90	0.12	9	1.29	2499	10	0.23	12	1470	48	9	0.86	17	99	2086	16	145	252	11	220
138120	60911	8	2.48	19	91	35	2	28	2.38	<10	9	208	367	8.58	0.20	14	1.22	1032	22	0.35	27	865	42	16	1.33	22	30	4362	18	384	195	8	216
138121	60912	>100	0.03	22	78	8	<1	>5,000	0.03	12	<1	633	173	1.18	<0.01	7	0.01	<100	68	0.02	19	<100	3427	63	0.13	17	12	<100	13	15	37	5	<1
138122	60913	12	0.15	25	95	26	<1	356	0.08	<10	<1	611	47	2.92	0.08	8	0.09	138	71	0.05	19	<100	162	27	0.21	19	12	296	12	35	69	4	18
138123	60914	4	1.77	25	125	39	3	55	2.49	<10	20	188	747	9.98	0.28	14	1.28	1066	77	0.25	48	884	65	10	0.81	19	22	5831	17	264	229	<1	245
138124	60915	3	1.33	28	104	67	3	35	2.50	<10	20	203	1368	>10.00	0.38	11	0.94	771	16	0.26	38	1071	52	27	1.14	22	33	7842	13	293	246	<1	193
138125	60916	3	0.19	58	75	28	1	47	0.19	<10	4	674	97	5.01	0.05	8	0.12	201	471	0.03	29	146	49	24	0.22	19	16	194	15	38	102	5	35
138126	60916	2	0.20	61	106	29	1	45	0.19	<10	6	722	97	5.11	0.05	8	0.12	209	495	0.03	28	148	52	27	0.22	12	17	208	15	39	115	5	35

Certified By:   
 Derek Demianiuk, H.Bsc.

**APPENDIX B**  
**Summary of Analytical Results**

**Grave Lake Property**



Grave Lake Prospecting Samples - 2006

Sample Tag #	Date Sampled	NAD 83		Type	Host Rock Mineralization	Alteration	Veining				Additional Observations	
		Easting	Northing				Type	Strike	Mineralization	Alteration		
60824	Sept 8, 2006			angular quartz	py, cpy, moly (10% to 16%)							
60825	Sept 8, 2006			angular quartz	py, cpy, moly (<10%)							
60826	Sept 8, 2006			angular quartz	py, cpy, moly (<10%)							
60827	Sept 12, 2006			quartz	2% pyr, py, cpy (minor moly, gal)							
60828	Sept 12, 2006			quartz	2% pyr, py, cpy (minor moly, gal)							
60829	Sept 12, 2006			quartz	2% pyr, py, cpy (minor moly, gal)							
60830	Sept 12, 2006			siliceous wallrock	1 to 2% sul							
60831	Sept 12, 2006			sheared wallrock	1B* seems of py							
60832	Sept 15, 2006			gabbro		py	qtz vein		3-8% py, minor cpy			
60833	Sept 15, 2006			gabbro		py	qtz vein		3-8% py, minor cpy			
60834	Sept 15, 2006			gabbro		py	qtz vein		3-8% py, minor cpy			
60837	Sept 16, 2006			gabbro			qtz vein		2% moly; 1% py and cpy			
60838	Sept 16, 2006			gabbro			qtz vein		1-3% py and cpy			
60839	Sept 16, 2006			gabbro			qtz vein		1-2% py and cpy			
60840	Sept 16, 2006			gabbro			qtz vein		2% py			
60841	Sept 16, 2006			gabbro			qtz veins		5% sul (py, cpy, moly)			
60842	Sept 16, 2006			gabbro			qtz veins		sul (py, cpy, moly)			
60843	Sept 16, 2006			gabbro			qtz veins		1-3% py and cpy			
60844	Sept 16, 2006			gabbro			qtz veins		sul (py, cpy, moly)			
60845	Sept 16, 2006			gabbro			qtz veins		1-2% py and moly			
60846	Sept 16, 2006			gabbro			qtz veins		5% py, cpy, moly			
60847	Sept 16, 2006			gabbro			qtz veins		5-7% sul			
60848	Sept 16, 2006			qtz vein	5% moly, minor py and cpy							
60849	Sept 19, 2006			gabbro	5-10% py							
60850	Sept 19, 2006			qtz vein	1-2% py and cpy (arseno?)							
60851	Sept 19, 2006			gabbro	10-20% py in wall rock		qtz vein					
60852	Sept 19, 2006			qtz vein	2-4% py, cpy (arseno?)							
60853	Sept 19, 2006			qtz vein	1-2% moly, minor py							
60854	Sept 19, 2006			qtz vein	1-2% py and cpy							
60855	Sept 19, 2006			qtz vein	1-3% cpy and py							
60856	Sept 19, 2006			qtz vein	2-3% py; moly							
60857	Sept 19, 2006			shear zone	4-5% py	qtz rich						
60858	Sept 19, 2006			shear zone	minor moly	qtz rich						
60859	Sept 19, 2006			qtz vein	1% cpy							
60860	Sept 19, 2006			qtz vein in shear	py; minor moly and cpy							
60861	Sept 20, 2006			qtz vein	cpy; minor py and moly							
60862	Sept 20, 2006			qtz vein	cpy; minor py and moly							
60863	Sept 20, 2006			main qtz vein	2-4% sul (cpy, py, moly)						10' wide qtz vein	
60864	Sept 20, 2006			main qtz vein	3-4% cpy and py						10' wide qtz vein	
60865	Sept 20, 2006			qtz in porphyry	1-4% py and cpy							
60866	Sept 20, 2006			qtz in porphyry	1-4% py and cpy							
60867	Sept 21, 2006			mafic vol			qtz vein		3-4% py			
60868	Sept 21, 2006			mafic vol			qtz vein		1-2% py			
60869	Sept 21, 2006			mafic vol			qtz vein		1% py			
60870	Sept 21, 2006			mafic vol			qtz vein		1-2% cpy (py)			
60871	Sept 21, 2006			gabbro			qtz vein		3-5% py			
60872	Sept 21, 2006			qtz vein	1% cpy							
60873	Sept 21, 2006			qtz vein	1% cpy							
60874	Sept 21, 2006			felsic shear	1% py							
60875	Sept 21, 2006			felsic shear	1-2% cpy and pyr							
60876	Sept 21, 2006			qtz vein	2-4% cpy and py							
60879	Sept 23, 2006			gabbro								
60880	Sept 23, 2006			gabbro	2-3% py, cpy, pyr							
60881	Sept 23, 2006			gabbro	2-3% py, cpy, pyr							
60882	Sept 23, 2006			gabbro			qtz vein		2-5% py and moly			
60883	Sept 23, 2006			gabbro			qtz vein		3% py			
60884	Sept 28, 2006			mafic vol shear								
60885	Sept 28, 2006			mafic vol shear								
60886	Sept 28, 2006			porphyry dibe	1% py							
60889	Sept 27, 2006			qtz vein	minor py							
60890	Sept 27, 2006			qtz float	4% cpy, py, moly							
60891	Sept 27, 2006			qtz float	3% cpy and py							
60892	Sept 27, 2006			mafic vol			qtz vein		cpy, py moly			
60893	Sept 27, 2006			mafic vol			qtz vein		cpy, py moly			
60894	Sept 27, 2006			mafic vol			qtz vein		1-3% cpy and py			
60895	Sept 27, 2006			mafic vol			qtz vein		minor py			
60896	Sept 27, 2006			mafic vol			qtz vein		minor py			
60897	Sept 27, 2006			qtz vein	1-2% py and moly							
60898	Sept 28, 2006			qtz vein	2-3% py							
60899	Sept 28, 2006			mafic vol	3-5% py		qtz vein		1-3% py and cpy			
60900	Sept 28, 2006			gabbro	1/2% py and pyr							
60901	Oct 28, 2006			gabbro	2-3% py, pyr, cpy	magnetic						
60911	Nov 1, 2006			gabbro			qtz vein	N50E	py; silvery mineral		2 to 3 ft wide vein	
60912	Nov 1, 2006			gabbro			qtz vein	N30E	py; silvery mineral			
60913	Nov 1, 2006			gabbro								
60914	Nov 1, 2006			gabbro	5-10% py, pyr, cpy							
60915	Nov 1, 2006			gabbro	5-10% py, pyr, cpy							
60916	Nov 1, 2006			gabbro			qtz vein		1/2% py			
60917	Nov 1, 2006			gabbro	1/2% py		qtz vein					
60918	Nov 1, 2006			gabbro	3-5% py, pyr, cpy							

Grave Lake Prospecting Samples - 2005

Gold ppm	Ag ppm	Al %	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	H %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni %	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	V ppm	W ppm	Zn ppm			
318	28	0.02	<3	18	<1	<1	8	0.01	<10	7	223	>5,000	2.28	<0.01	<1	0.02	130	17	<0.01	27	114	16	12	0.01	<10	<1	<2	28	<1	<1		
23	2	0.02	<3	23	<1	<1	8	0.01	<10	1	142	294	2.18	<0.01	<1	<0.01	<100	745	<0.01	7	<100	7	12	<0.01	<10	<5	<100	<1	<2	28	<1	<1
318	24	0.02	<3	19	<1	<1	193	0.01	<10	<1	227	2433	2.25	<0.01	<1	<0.01	<100	277	<0.01	8	<100	100	8	<0.01	<10	<5	<100	<1	<2	230	<1	<1
42411	78	0.21	<3	18	<1	<1	51	0.19	<10	<1	142	147	1.28	<0.01	<1	0.09	<100	308	<0.01	15	<100	141	4	<0.01	<10	<5	<100	<1	<2	19	<1	181
221	<1	0.41	<3	18	<1	<1	<5	0.31	<10	<1	177	99	1.31	0.02	<1	0.34	<100	199	<0.01	17	<100	106	<5	0.05	<10	<5	152	<1	8	18	<1	121
970	7	0.38	<3	18	2	<1	<5	0.49	<10	<1	132	59	1.12	<0.01	<1	0.2	<100	227	<0.01	16	<100	231	<5	0.04	<10	<5	<100	<1	8	16	<1	95
88	1	2.81	<3	16	<1	<1	<5	1.43	<10	<1	89	374	4.07	0.14	35	1.22	254	4	<0.01	87	<100	<1	<5	0.05	<10	<5	1352	<1	78	50	<1	81
50	3	8.04	<3	19	20	<1	<5	1	<10	1	169	594	8.2	0.6	114	3.26	338	<1	0.01	103	155	7	21	0.04	<10	<5	3781	<1	206	126	4	227
18	<1	1.41	10	1	10	1	20	0.78	<10	29	158	599	8.73	0.07	19	0.8	210	4	0.1	87	253	11	9	0.06	<10	<17	894	9	27	80	2	159
15	<1	1.42	14	1	11	2	24	0.71	<10	35	207	503	5.17	0.06	20	1.02	349	88	0.07	58	236	11	16	0.07	<10	17	1738	8	58	1745	3	140
21	<1	1.42	15	<1	10	2	24	0.65	<10	19	162	378	5.86	0.06	19	0.86	347	58	0.06	80	189	10	8	0.07	11	16	1733	7	81	1698	2	158
47	18	0.12	12	7	27	<1	169	0.08	<10	3	408	115	2.01	0.12	7	0.12	<100	2349	0.03	17	<100	70	15	<0.01	<10	8	243	8	20	198	<1	19
58	13	0.18	10	<1	18	<1	135	0.56	<10	3	207	2458	1.58	0.05	7	0.19	108	821	0.02	13	<100	73	12	0.01	<10	8	292	6	18	52	<1	80
21	2	0.06	10	1	8	<1	34	0.09	<10	3	329	517	1.36	0.04	5	0.08	<100	29	0.02	14	<100	111	<5	<0.01	13	<5	223	6	20	188	<1	20
9	<1	0.96	12	2	25	<1	28	1.41	<10	6	77	215	3.36	0.3	17	0.58	300	23	0.08	19	363	11	<5	0.03	12	22	2834	8	101	93	6	79
215	7	0.48	18	6	5	2	39	0.25	<10	13	248	194	5.17	0.03	8	0.27	205	1375	0.02	14	<100	15	10	0.03	<10	10	1877	5	75	305	<1	42
30	1	1.5	16	3	18	2	29	1.37	<10	9	53	412	8.21	0.16	20	0.85	823	20	0.15	12	549	28	15	0.07	21	13	3523	9	417	148	8	155
99	1	0.32	17	3	7	2	79	0.43	<10	2	288	183	7	0.02	7	0.22	185	15	0.02	17	<100	21	23	0.04	<10	5	193	9	44	135	<1	41
10	1	0.2	12	2	4	<1	63	0.81	<10	3	226	74	2.21	0.03	6	0.12	139	831	0.02	9	<100	35	8	0.02	<10	8	447	7	28	1582	<1	29
10	1	0.19	12	2	9	<1	35	0.29	<10	4	142	228	2.13	0.16	13	0.18	101	173	0.04	17	115	12	15	0.01	12	8	501	7	43	81	<1	28
14	3	0.45	18	2	35	<1	56	0.41	<10	3	190	126	3.9	0.21	11	0.29	224	109	0.08	15	292	22	<5	0.04	<10	10	1677	5	75	305	<1	42
44	2	3.04	22	5	12	3	28	2.92	<10	12	142	127	1.67	0.04	1	0.96	126	104	0.09	31	543	31	22	0.11	<10	17	3857	7	261	653	10	303
130	30	0.03	7	20	3	<1	544	0.03	<10	4	801	229	1.27	0.01	5	0.02	<100	7238	0.02	11	<100	317	13	<0.01	<10	<5	101	6	4	90	<1	4
49	6	2.94	15	4	24	3	74	0.89	<10	13	102	496	>10.00	0.23	37	2.52	888	695	0.06	73	384	54	18	0.06	13	15	5729	5	361	215	3	382
90	25	0.22	11	<1	6	<1	350	0.3	<10	3	238	742	2.12	0.01	7	0.17	131	108	0.02	13	<100	148	13	0.01	<10	7	283	8	27	102	<1	27
90	25	0.22	11	<1	6	<1	350	0.3	<10	3	238	742	2.12	0.01	7	0.17	131	108	0.02	13	<100	148	13	0.01	<10	7	283	8	27	102	<1	27
1049	>100	0.07	11	2	3	<1	>15,000	0.19	<10	17	342	398	1.92	0.03	6	0.07	<100	502	0.02	12	<100	<4,000	23	<0.01	<10	<5	282	7	17	801	<1	15
248	>100	0.02	9	9	2	<1	1791	0.07	<10	3	849	487	0.87	<0.01	8	0.02	<100	4034	0.02	13	<100	1223	24	<0.01	<10	<5	<100	8	3	27	<1	3
23	3	0.08	11	<1	6	<1	47	0.08	<10	3	227	823	1.21	0.03	7	0.08	<100	84	0.02	9	<100	82	8	<0.01	11	<5	195	6	14	22	<1	10
10	2	0.06	10	4	7	<1	39	0.25	<10	3	378	605	1.18	0.01	6	0.08	<100	27	0.03	16	<100	18	8	<0.01	<10	<5	158	8	10	26	<1	14
7	2	0.07	18	3	7	<1	32	0.09	<10	4	313	152	1.95	0.05	6	0.07	<100	714	0.03	11	<100	18	14	<0.01	<10	<5	310	8	38	34	<1	12
13	2	1.33	18	4	32	2	36	9.1	<10	2	351	357	8.82	0.73	28	2.92	1829	120	0.07	45	275	27	14	0.03	13	124	985	8	144	214	2	415
11	<1	0.26	18	1	10	2	33	6.46	<10	9	158	48	6.55	0.18	10	2.95	1362	63	0.05	31	187	26	8	0.02	<10	108	345	7	71	146	1	335
79	7	0.06	12	<1	4	<1	23	0.15	<10	3	347	1704	1.18	0.03	7	0.14	<100	8	0.02	18	<100	25	8	<0.01	<10	8	<100	8	9	29	<1	30
18	<1	0.11	8	<1	3	<1	27	0.3	<10	12	287	82	1.41	0.01	8	0.11	<100	38	0.02	24	<100	7	9	<0.01	<10	7	<100	8	7	28	<1	15
50	4	0.23	11	2	10	<1	26	0.34	<10	3	287	1511	1.72	0.09	9	0.2	135	45	0.03	15	<100	5	16	<0.02	<10	8	758	10	39	44	<1	47
38	19	0.08	12	<1	13	<1	286	0.17	<10	1	353	455	1.91	0.01	6	0.02	<100	4	0.02	11	<100	36	14	<0.01	<10	8	<100	8	11	1804	<1	5
24	24	0.04	11	<1	2	<1	54	0.1	<10	6	290	1380	1.35	0.02	6	0.04	<100	820	0.01	17	<100	13	8	<0.01	<10	<5	<100	7	5	51	<1	15
28	2	0.14	12	<1	3	<1	83	0.19	<10	7	341	1733	2.32	0.02	9	0.15	<100	76	0.02	22	<100	15	11	<0.01	<10	<5	113	8	19	88	<1	35
44	<1	0.02	19	<1	8	<1	32	0.02	<10	3	353	333	1.79	0.02	6	0.01	<100	13	0.02	16	<100	19	13	<0.01	<10	<5	<100	7	6	29	<1	8
36	6	0.71	11	<1	60	1	170	1.78	<10	4	352	115	3.58	0.58	26	0.97	533	9	0.16	29	447	32	23	0.07	<10	96	777	7	83	87	3	113
8	<1	0.24	11	1	15	<1	122	0.1	<10	3	370	74	3.73	0.21	14	0.24	119	15	0.03	36	<100	11	18	0.01	12	8	823	8	27	147	<1	34
<5	<1	0.22	17	3	14	<1	59	0.19	<10	3	277	56	3.81	0.22	13	0.25	104	10	0.03	32	<100	8	17	<0.01	<10	8	436	7	27	2891	<1	37
8	<1	0.27	14	<1	8	<1	403	0.8	<10	4	403	28	1.98	0.02	9	0.26	178	9	0.04	28	<100	6	17	0.02	<10	10	306	7	18	89	<1	37
65	2	0.04	13	<1	3	<1	21	0.06	<10	3	306	2704	1.31	<0.01	6	0.02	<100	21	0.02	18	<100	5	10	<0.01	<10	8	<100	6	5	34	<1	22
73	23	0.52	11	<1	6	<1	26	0.78	<10	3	233	119	2.95																			

Grave Lake Prospecting Samples - 2008

Sample Tag #	Date Sampled	NAD 83		Host Rock			Vein(s)				Additional Observations
		Easting	Northing	Type	Mineralization	Alteration	Type	Strike	Mineralization	Alteration	
80980	May 15, 2008	496817	5437783	3m wide qv	0.5% py, minor moly						2 kms south of SW bay of Grave Lake 10m along strike of 80980 15m along strike of 80981 mineralized gabbro beside 80980 to 892 3/4 km south of SW bay of Grave Lake near mouth of creek to Fahey L
80981	May 15, 2008			qv	0.5% py						
80982	May 15, 2008			qv	1% py						
80983	May 15, 2008			gabbro	2% pyrr, cpy, py						
80984	May 15, 2008	496893	5439063	qv	2% py						
80988	May 18, 2008	497511	5441090	gabbro			qv		1-3% py		
80989	May 18, 2008	497486	5440914	qv and stringers	cpy, py, mo						
80970	May 18, 2008	497488	5440914		0.5% cpy						
80971	May 18, 2008	497577	5440684	qv; 8" wide	mo, cpy, py						
80974	May 25, 2008	499188	5440705	qv; 2 to 3' wide	cpy, py, pyrr, magnetite?						
80975	May 25, 2008	499188	5440705	qv; 2 to 3' wide	cpy, py, pyrr, magnetite?						
80978	May 31, 2008	497584	5440342	qtz	cpy, py, mo						
80979	May 31, 2008	497584	5440342	qtz	cpy, py						
80980	May 31, 2008	497584	5440342	qtz	1-2% cpy, py						
80981	May 31, 2008	497584	5440342	qtz and wallrock	1-3% cpy, minor py						
80982	June 1, 2008	497333	5440627	qtz and wallrock (dump)	1-4% cpy, 0.5% py						
80983	June 1, 2008	497333	5440627	qtz and wallrock (dump)	1-4% cpy, 0.5% py						
80984	June 1, 2008	497333	5440627	75% qtz (wallrock; from dump)	1-3% cpy						
80985	June 1, 2008	497333	5440627	50% qtz (wallrock; from dump)	3-5% py; minor cpy						
80986	June 1, 2008	497333	5440627	50% qtz (wallrock; from dump)	1-3% py, cpy, pyrr						
80987	June 1, 2008	497333	5440627	90% qtz	3-5% cpy, minor py						
80988	June 1, 2008	497333	5440627	75% wallrock	3-5% cpy						
80989	June 7, 2008	496912	5440240	qtz blocks	1-2% py, py						
80990	June 7, 2008	496912	5440240	qtz blocks	1% sulphides						
80991	June 7, 2008	496912	5440240	wallrock; not gabbro	3-5% py						
80992	June 7, 2008	496912	5440240	sheared wallrock (vol?)	1-3% cpy	malachite staining					
80993	June 7, 2008	496912	5440240	qtz	1-2% py						
80994	June 7, 2008	496953	5440263	qv	1-2% py, minor cpy						
80995	June 7, 2008	496953	5440263	qv	1-2% py, minor cpy						
80996	June 9, 2008	497120	5439999	qv; 3' wide	1-3% py, minor cpy						
80997	June 8, 2008	497120	5439999	gabbro	5% sulphides		sample is qtz vein				
80998	June 8, 2008	497120	5439999	qtz	2-4% py						
80999	June 9, 2008			sheared volcanics	3 to 5% pyrite, minor cpy	silvery mineral		355		same location as one of the samples taken June 9	

Grevo Lake Prospecting Sample - 2006

Gold ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Ca ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sm ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
15	1	0.49	11	62	27	2		1.15	<4	2	505	75	2.58	0.26	12	0.74	479	297	0.05	22	<100	5	<5	11	0.25	<10	18	223	4	58	46	1	124	
8	<1	0.23	14	58	10	2		0.35	<4	<1	538	54	3.13	0.07	5	0.19	151	41	0.05	17	<100	21	<5	11	0.33	<10	8	<100	<1	28	55	<1	35	
5	<1	1.93	5	47	2	1		0.06	<4	2	352	16	1.17	0.01	2	0.01	<100	250	0.02	11	<100	<1	<5	5	0.08	<10	<3	<100	<1	5	24	<1	3	
163	51	0.17	<2	35	31	1		1	<4	18	112	441	8.88	0.38	9	1.32	590	17	0.22	33	294	<1	<5	8	0.45	<10	12	3781	2	218	10	223		
47	4	0.07	<2	51	4	1		0.05	<4	<1	524	49	2.44	0.08	3	0.17	297	385	0.05	15	<100	215	<5	7	0.41	<10	13	178	1	25	49	<1	179	
41	8	0.11	<2	87	8	2		0.04	<4	<1	508	26	1.39	0.02	3	0.03	<100	43	0.02	13	<100	4	<5	10	0.11	<10	<3	<100	2	10	579	<1	5	
41	8	0.11	<2	87	8	2		0.04	<4	<1	483	132	1.94	0.1	3	0.09	<100	1783	0.03	13	<100	49	<5	11	0.18	<10	<3	446	<1	20	75	<1	18	
33	34	0.14	3	48	3	1		0.37	<4	2	191	805	1.63	0.01	3	0.14	<100	171	0.02	8	<100	25	<5	5	0.08	<10	<3	307	<1	26	38	<1	26	
565	81	0.11	5	58	4	1		0.83	<4	1	591	293	1.21	0.01	3	0.1	139	1065	0.04	15	<100	332	<5	17	0.14	<10	5	<100	2	6	50	<1	14	
40	<1	0.18	2	54	12	2		0.05	<4	8	488	1105	4.8	0.12	5	0.18	121	11	0.03	18	<100	<1	<5	9	0.14	<10	<3	168	1	141	80	<1	38	
35	3	0.24	7	52	12	3		0.04	<4	24	893	3887	7.22	0.15	5	0.2	174	8	0.03	27	<100	<1	<5	18	0.19	<10	<3	245	2	292	125	<1	84	
109	8	0.06	7	50	11	<1		0.11	<4	4	545	249	1.81	0.02	1	0.07	<100	162	0.02	15	<100	122	<5	<5	0.03	<10	8	<100	1	5	<10	<1	45	
42	<1	0.15	<2	43	7	<1		0.25	<4	8	435	1342	1.26	<0.01	1	0.06	<100	9	0.02	15	<100	101	48	<5	<5	0.03	<10	8	<100	1	9	<10	<1	49
390	49	0.02	5	44	3	<1		0.03	<4	7	498	1170	1.24	<0.01	<1	<0.01	<100	39	0.02	14	<100	43	<5	<5	0.02	<10	<3	<100	2	<2	<10	<1	9	
190	13	1.21	8	47	9	<1		1.91	<4	23	288	4840	2.35	0.03	3	0.22	152	41	0.18	26	336	73	10	8	0.04	<10	23	436	<1	30	823	2	54	
134	17	0.24	8	44	9	<1		2.1	8	37	294	>5,000	5.94	0.11	8	0.19	318	396	0.03	8	235	97	<5	9	0.04	<10	20	1833	<1	60	330	7	214	
106	2	0.26	6	49	20	<1		0.84	9	26	394	4011	5.36	0.17	5	0.19	257	47	0.04	10	255	180	<5	<5	0.03	<10	10	1989	<1	70	<10	7	158	
87	2	0.36	12	55	10	1		0.74	9	38	396	>5,000	8.1	0.15	12	0.31	406	219	0.05	8	219	28	<5	<5	0.03	<10	13	4018	<1	103	17	9	106	
41	4	0.95	17	62	39	2		2.11	12	40	312	1873	>10.00	0.68	32	0.89	581	38	0.09	10	549	81	<5	<5	0.07	<10	17	3291	<1	124	<10	17	49	
36	1	1.89	12	56	24	2		1.88	17	50	120	1136	>10.00	0.44	10	0.84	772	31	0.18	6	891	37	<5	<5	0.04	<10	10	4115	<1	82	13	22	111	
154	28	0.34	8	50	2	<1		1.4	8	35	572	>5,000	3.35	<0.01	<1	0.02	211	15	0.02	15	<100	289	<5	<5	0.04	<10	11	<100	<1	9	<10	<1	243	
448	24	0.74	11	68	15	2		1.72	14	80	155	>5,000	>10.00	0.19	13	0.42	507	1407	0.08	8	520	89	<5	<5	0.05	<10	38	8280	<1	178	203	17	189	
36	12	0.07	<2	<10	8	<1	64	0.08	<4	3	960	148	1.5	0.03	<1	0.05	<100	18	0.03	8	<100	181	<5	<5	0.03	<10	<3	<100	<1	4	<10	<1	14	
59	23	0.17	<2	<10	19	<1	417	0.05	<4	2	713	50	1.34	0.11	<1	0.17	<100	41	0.03	14	<100	379	<5	<5	0.03	<10	<3	<100	<1	15	<10	<1	28	
19	<1	3.92	3	<10	318	2	<5	4.90	12	58	198	383	>10.00	5.53	137	5.01	1415	15	0.07	59	258	80	<5	<5	0.24	<10	98	4273	<1	315	37	3	280	
2158	13	2.01	<2	<10	35	1	<5	0.21	12	30	242	3924	>10.00	0.15	2	1.13	287	19	0.05	9	451	<1	<5	33	0.2	<10	<5	1188	<1	47	<10	2	278	
105	49	0.18	<2	<10	18	<1	503	0.08	<4	5	718	105	1.71	0.09	<1	0.18	104	19	0.03	11	<100	713	<5	<5	0.03	<10	<3	104	<1	18	<10	<1	17	
21	<1	0.32	10	<10	9	<1	84	0.09	8	47	803	158	3.92	0.01	<1	0.23	179	9	0.03	16	<100	3	<5	<5	0.05	<10	<3	133	<1	23	<10	<1	4	
75	<1	0.32	11	<10	9	<1	97	0.09	6	48	806	155	3.9	0.02	<1	0.23	178	10	0.03	14	<100	5	<5	<5	0.05	<10	<3	129	<1	23	<10	<1	3	
12	<1	0.24	12	<10	7	<1	47	0.23	5	14	841	93	3.19	0.02	<1	0.25	198	8	0.03	7	<100	<1	<5	<5	0.04	<10	<3	336	<1	29	15	<1	<1	
84	<1	0.38	<2	<10	37	<1	31	0.52	<4	5	874	20	3.44	0.17	4	0.38	344	132	0.08	7	<100	22	<5	<5	0.09	<10	8	150	<1	48	215	<1	<1	
46	17	0.06	43	<10	14	<1	31	0.02	<4	<1	989	54	1.91	0.03	<1	0.02	<100	25	0.02	12	<100	481	<5	<5	0.03	<10	<3	<100	<1	30	<10	<1	<1	
252	23	2.53	2103	<10	84	<1	<5	1.03	35	47	128	539	>10.00	0.31	11	1.87	699	30	0.14	22	788	>5,000	15	<5	0.15	<10	21	4974	<1	336	128	11	>4,000	

## **Highway Property**



Olsen Bay Prospecting Samples - 2005

Sample Tag #	Date Sampled	NAD 83		Host Rock			Veining				Additional Observations
		Easting	Northing	Type	Mineralization	Alteration	Type	Strike	Mineralization	Alteration	
60897	Oct 19, 2005	502927	5484358				pegmatite		1-2% moly		peg 2 to 8" wide
60898	Oct 19, 2005	502977	5484588				pegmatite		1-2% moly; minor py		peg 1 to 8" wide
60899	Oct 19, 2005	502977	5484588				pegmatite		1-2% moly; minor py		peg 1 to 8" wide
60900	Oct 20, 2005	502779	5483438	granite			pegmatite		2 to 5% fluorite; minor py; 0.5% moly		qv is 1' wide
60901	Oct 20, 2005	502840	5483602	granite			pegmatite		2 to 5% fluorite; minor py; 0.5% moly		moly in biotite also

Olsen Bay Prospecting Samples - 2006

Sample Tag #	Gold ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %
60897	14	1	0.83	19	100	114	1	325	0.74	<10	<1	382	34	3.02	0.73	89	0.34
60898	<5	<1	0.32	21	155	40	<1	54	0.03	<10	<1	580	7	1.27	0.32	54	0.16
60899	<5	<1	0.18	18	137	26	<1	46	0.09	<10	<1	481	9	0.96	0.16	23	0.06
60900	<5	<1	2.14	24	101	250	3	58	2.92	<10	<1	293	37	1.59	0.74	30	0.51
60901	<5	1	0.75	19	129	149	1	355	0.66	<10	<1	254	51	2.04	0.37	23	0.17

Sample Tag #	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
60897	166	1762	0.16	21	265	44		24	0.45	17	43	1110	12	26	81	3	77
60898	129	3938	0.08	20	<100	25		10	0.36	18	22	189	11	16	48	3	40
60899	<100	2088	0.07	13	<100	27		13	0.33	20	19	143	14	13	43	3	19
60900	221	494	0.74	24	583	30		11	0.32	19	144	1011	16	37	71	7	99
60901	<100	2620	0.25	16	222	58		<5	0.53	17	39	559	14	29	65	3	42



**Harper Lake Property**

Harper Lake Prospecting Samples - 2005

Sample Tag #	Date Sampled	NAD 83		Host Rock			Veining				Additional Observations
		Easting	Northing	Type	Mineralization	Alteration	Type	Strike	Mineralization	Alteration	
60902	Oct 25, 2005	511829	5477528	gabbro and diorite			quartz vein		minor sulphides		15' wide Qtz vein
60903	Oct 25, 2005	511818	5477540	gabbro and diorite			quartz vein		possible moly		
60904	Oct 25, 2005	511794	5477544				quartz vein		1-2% py; minor moly		

Harper Lake Prospecting Samples - 2005

Sample Tag #	Gold ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %
80902	<5	<1	1.12	18	102	203	<1	29	0.2	<10	1	276	32	2.34	0.74	11	0.36
80903	<5	1	1.1	21	98	212	1	29	0.26	<10	<1	379	39	4.2	0.55	12	0.31
80904	20	<1	0.09	20	112	33	<1	27	0.01	<10	<1	631	11	1.51	0.06	7	0.02

Sample Tag #	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Tl ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
80902	230	47	0.2	11	515	24		19	0.61	17	29	2029	15	33	66	11	70
80903	244	26	0.29	12	857	29		14	0.99	14	32	2476	12	51	95	2	71
80904	<100	17	0.03	20	<100	103		16	0.18	17	13	339	17	18	49	2	11

**APPENDIX C**  
**Proof of Beneficial Interest**

**AGREEMENT BETWEEN SHERRIDON JOHNSON (vendor) and RADISSON MINING RESOURCES INC.(purchaser)**

Purchaser: Radisson Mining Resources Inc.

Vendor: Sherridon Johnson

Property: 1 claim-32 units x 16 ha/unit = 512 ha = 1265 acres (no 3007246 recorded on July 28, 2005 )

Location: 100 km south of Dryden Ont. Highway 502

***Proposed Deal: 3 years Option to Purchase as follows:***

**Cash:** 1) 5000\$ upon signing plus staking costs(3500\$ approx.)

→ 2) 8000\$ on or before Sept. 1 2006

3) 17000\$ on or before Sept. 1 2007

4) 20000\$ final payment Sept. 2008


**Total** = 50,000\$ Can.


**Stock:** 10,000 shares Radisson Resource due Sept. 1, 2005, 2006, 2007 and 20,000 RDS shares – final payment Sept. 1, 2008

**Total** = 50 000 Shares

**Royalty:** to vendor of 2% NSR subject to 1,000,000\$ buyout.

1. Any claims staked by either party that are within 1 kilometre of the original group will become part of the agreement.
2. If the option is dropped at any time before completion, the claims will be returned to the vendor in good standing for at least 90 days

On behalf of Radisson   
 Donald Lacasse

On behalf of Johnson   
 Sherridon Johnson

Date August 29 2005

Proposed option/purchase terms December 8 2005 tendered by Dale M Headrick P.Eng, Director and Technical Advisor /Radisson

Purchaser Radisson Mining Resources Inc. [\*\* subject to Board approval\*\*]

Vendors "The Angove Group" [4 individuals/ThunderBay Ont

Mining Claims

1174221 Vista Lake Area 6 units
1174235 Mang Lake Area 4 units

CASH -\$4000.00 for 10 units upon execution of agreement by 4 vendors.
-\$4000.00 on first anniversary
-\$20000.00 on second anniversary
-\$40000.00 on third anniversary
Total Cash \$68000.00

STOCK 50000 shares in total payable 20000 shares on signing. A further 10000 shares on each of the first three anniversaries.

ROYALTY- 2% NSR

An annual work commitment sufficient to keep the claims in good standing.

The claims are to be returned in good standing for at least 90 days.

On behalf of Radisson Mining Resources Inc [Signature] D. M. HINDRICKS P.Eng

On behalf of Angove Group [Signature] 1 Richard Angove
[Signature] 2 James Kulp
[Signature] 3 Frank Sutyor
[Signature] 4 Kim Davis

This forms the financial and stock option terms of the agreement. The full option agreement to be submitted by Radisson for our signatures after approval by their board.

**APPENDIX D**  
**Agent Authorization**

**MEMO TO FILE**

August 22, 2006


**To: Mining Recorders Office**

**From: Richard Angove**

**Re: Agent Authorization**

Please let this letter serve as authorization for Mr. Dale Hendrick, Director of Ressources Minières Radisson inc., Radisson Mining Resources Inc. (Client No. 402515) to act as an Agent on my behalf, and file assessment work on mining claims 1174221 (G 2701 – Vista Lake Area) and 1174235 (G 2697 – Sakwite Lake Area and G 2685 – Mang Lake Area).

Yours truly,

A handwritten signature in black ink, appearing to read "Richard Angove", with a long horizontal flourish extending to the right.

Richard Angove



**APPENDIX E**  
**Daily Prospecting Logs**

**Grave Lake Property**

SEPT. 9/05

- KEVIN + I WENT TO GRAVE L. RD. + UP INTO NEW CLAIM GROUP.
- CHECKED ACCESS INTO GRAVE L. - LOOKS GOOD WILL PUT A BOAT IN SOON.
- CARRIED ON UP RD + ONTO SKIDDER RD THAT APPEARED TO HEAD FOR SMOOTH ROCK OCCURRENCE ON VICKERS L. (ANGOVE CLAIMS)
- MET ANGOVE + PARTNER THERE. HE TOLD US THAT WE COULD LOOK AT THE SHOWINGS - SMOOTH ROCK TO FAR AWAY FOR TODAY
- HE MENTIONED THAT THE ANGOVE OCCURRENCE WAS BACK TO THE S. OF GRAVE CR.
- HE DIDN'T KNOW EXACTLY

- WHERE IT WAS ANYMORE, BUT SHOWED US ROUGHLY.
- WE WENT IN AND FOUND QTZ BOULDERS THAT HE HAD MENTIONED.
- LARGE (1-2m.) NICE SUB. CPY. PY. MD - BORNITE?
- UP TO 10% IN SPOTS.
- TOOK 3 SAMPLES.

SEPT 12/05

KEVIN + I WENT BACK TO GRAVE L. - PUT BOAT IN WATER.

- LEFT BOAT + CARRIED ON HEADING FOR SMOOTH ROCK OCCURRENCE.

- WALKED IN ON TRAIL ANGOVE HAD FLAGGED.

- MET HIM + PARTNER AT SHOWING.

- TOOK SAMPLES AROUND SHAPT ETC.

- QTZ NOT HEAVILY MINERALIZED. 1-2%  
- SHEARING ON EDGES MINERALIZED

- QTZ 1-2 FT. PINCH + SWELL.

- TOOK 5 SAMPLES.

- NEXT TIME IN WE SHOULD TAKE BOAT FROM VICKERS LAKE LANDING.

SEPT 13/05

- HOME GETTING  
SAMPLES READY FOR  
BUS + SENDING TO  
ACCURASSAY LABS.

SEPT 14/05

- KEVIN + I WENT TO  
GRAVE L. - TOOK BOAT  
ACROSS TO ~~W~~ SIDE.

- FOUND HISTORIC SHAFT  
BESIDE LAKE SHORE

- SHAFT 15' TO WATER  
10' X 10' SQUARE

- QTZ VEIN 1 1/2' W.  
ON TOP - 3' WIDE

AT WATER IN SHAFT

- QTZ VEIN IN GABBRO

- QTZ FROM DUMP

MINERALIZED WITH

PY, CPY, GALENA, MO.

ARSENIC?

- WENT N. 30° E ON STRIKE  
FOUND QTZ VEINS

2" - 6" W. 100', 300' + 600'

- PARALLEL VEINS

- SIMILAR MINERALS

TO MAIN SHOWING

- AT WATER ON OTHER  
SIDE, ~~600'~~ 600' AWAY  
FROM SHAFT, FOUND QTZ  
VEINS 7-6" W.  
+ FOUND INTENSE SHEAR  
1' W. WITH QTZ +  
HEAVILY MIN. WITH  
CPY + PY. - MINOR MO.  
- GABBRO AROUND VEINS  
IS AT TIMES MINERALIZED  
- SOME IS VERY MAFIC  
- 5090 HORNBLENDE  
- SHOULD BE TESTED  
FOR RGE'S  
- WILL DO SAMPLING  
TOMORROW

SEPT. 15/05

- RAIN IN MORNING  
DECIDED TO PROSPECT  
GRAVE LAKE RD. SO THAT  
WE COULD BE CLOSER TO TRUCK

- AT 1 KM <sup>FROM HI-WAY</sup> FOUND  
SHEAR ZONE

N. SIDE OF RD. WAS  
MAFIC VOL. SHEAR, NOT  
MUCH MINERALIZATION  
- TOOK 1 SAMPLE

N. SIDE OF RD - 20 M. OFF  
STRIKE OF OTHER SIDE  
FOUND INTENSE SHEAR,  
LIGHT COLOURED - BUFF,  
IN SPOTS. - VERY CONTORTED  
CARBONITIZED, 1-2<sup>nd</sup> SUL.  
MOSTLY PY, MINOR PO. + CPY  
- TOOK 2 SAMPLES

- AT 6 KM FROM HI-WAY  
FOUND A COUPLE OF QTZ

VEIN LETS  $\frac{1}{2}$ " TO 2" W.

- IN GABRD - SUL. IN  
WALL

- 3-5<sup>th</sup> PY IN QTZ  
TOOK 2 SAMPLES

- CARRIED ON DOWN  
RD. FOR 14 KM. FROM  
HI-WAY UNTIL RD GOT  
BAD AFTER ABOUT 8  
KM. ROCK WAS BLAND  
GRANITE.

SEPT. 16/05

5 TRIP

- WENT TO GRAVE L.  
BOATED TO SHAF  
AREA & WENT TO  
VEINS FOUND ON SEPT 14

- FOUND A NUMBER  
OF VEINS + VEINETS  
- FROM  $\frac{1}{8}$ " TO 1"

- ALL CONTAIN  
PY - CPY + MD.

- IF ANY DECENT  
VALUES IN ANY OF  
THESE, WILL HAVE TO  
PROSPECT ~~more~~  
THOROUGHLY.

TOOK 11 SAMPLES  
- WILL GO BACK MON. +  
SAMPLE SHAF ITSELF +  
VEINS ON OPPOSITE SHORE  
200 M. N.E. ON STRIKE

SEPT. 19/05

KEVIN + I WENT TO GRAVEL. TO SAMPLE SHAFT AREA.

- VEIN IS 1 m. WIDE
- IN SITE. 5 m. SW. OF SHAFT - TOOK 6 SAMPLES.
- WENT TO BAY OPPOSITE SHAFT ON STRIKE (ABOUT 200 m)
- SAMPLED QTZ VEINS + SHEAR ZONE.

- WENT TO MOUTH OF CREEK LEADING INTO FAHEY L. - SAMPLED QTZ VEIN AT MOUTH 1' W. - CPY

- CREEK FAIRLY DRY, WALKED HALFWAY UP FOUND SHEAR WITH QTZ VEIN 4-6" W. PY + MD.

SEPT 20/05

KEVIN + I WENT TO GRAVEL. - STARTED AT SHAFT FOLLOWING

- SHORELINE - FOUND QTZ VEINS + STRINGERS
- WENT ON SHORE + FOUND QTZ VEIN 10" W. - CPY-PY-MD
- COULD BE ON STRIKE FROM SHAFT - 100 m. S.W. - SAMPLED

- WENT ACROSS L. INTO BAY - ON W. SHORE FOUND QTZ VEIN 10 FEET WIDE

- WHITE-BLOCKY
- SOME SECTIONS MIN. WITH CPY-PY-MD. - UP TO 490
- SAMPLED

SEPT 21/05

- KEVIN + I WENT TO

GRAVEL L.

- WENT TO BAY IN

N.W. CORNER WHERE

THERE WAS NO MARKED

ON MAP

- FOUND TWO OR THREE

QTZ VEINS 1-3"

PY + CPY. - SAMPLED

NO VISIBLE MD.

- WENT DOWN S. SHORE

1 QTZ VEIN 18" TO 24"

- MOSTLY BARE

- SECTIONS WITH 190 CPY

- 1 SMALL QTZ VEIN

1 1/2" - LOTS OF PY - 1-390

NO VISIBLE MD.

SAMPLED

SEPT 22/05

- HOME DOING SAMPLES FOR BUS.
- TALKED TO DALE + GARY - THEY MAY COME DOWN AROUND END OF MO.
- TOOK 44 SAMPLES TO BUS DEPOT

SEPT 23/05

- STOPPED AT HI-WAY SHOWING + TOOK 3 SAMPLES OF HI-GRADE GRAVEL. - DID SHORELINE ON S. HEADING W. FROM PREVIOUS DAY.
- AROUND CORNER ~~WENT~~ THRU NARROWS INTO W. BAY
- FOUND MINERALIZED GABBRO ZONE 2-3 M. W. - 2-390 PY-CRY. - PD TOOK 2 SAMPLES
- 150' UP FROM SHORE FOUND LARGE QTZ CHUNKS IN LOOSE
- VEIN MUST BE 1' TO 2" W.
- TOOK 2 SAMPLES
- 100 M. FARTHER ALONG SHORE FOUND QTZ THAT APPEARS TO BE 1" W. - FLAT ~~FLAT~~ ~~FLAT~~ LYING - LITTLE SULT NO SAMPLE - YET

SEPT 24/05  
KEVIN + I WENT TO GRAVEL. + MADE A TRAVELER TO THE WEST SIDE OF CATHY L. TO WHERE MO WAS MARKED ON A MAP.  
FOUND THE AREA FOUND A POR. - 190 PY NO MO. - TOOK 15 SAMPLES  
- 150 M. WEST OF LAKE FOUND SHEAR ZONE IN VOL. WITH A QTZ VEIN 1" W. QTZ + 54 EAR MIN. 2-420 PY.  
TOOK A SAMPLE OF GA.

SEPT 27/05

KEVIN + I WENT TO  
GRAVEL.

- PROSPECTED SHORELINE  
IN WEST BAY THAT  
WE STARTED ON SEPT  
23/05.

- FOUND QTZ VEINS  
ON W., S., + E SHORES  
- ALL CONTAIN VARYING  
AMOUNTS OF PY-CRY-MO  
- FINISHED BAY TODAY

SEPT. 29/05

- KEVIN + I WENT TO  
GRAVEL. - PROSPECTED  
NORTH SIDE OF L.  
FROM CREEK GOING TO  
FAHEY L.

- FOUND QTZ VEIN  
ON E. SIDE OF MOUTH  
OF BAY RIGHT ON CORNER  
- QTZ AT LEAST 4' W.  
HAD TO DIG IN 6" OF  
OVERBURDEN TO FIND.

- LOOKS TO BE CLOSE TO  
STRIKE OF 10' QTZ VEIN  
ACROSS LAKE S.W.

- SECTION CONTAIN  
PY - MINOR CRY +  
UNKNOWN SILVERY MIN.

- FINISHED INITIAL  
PROSPECTING PROGRAM  
TODAY



OCT 28/05

- KEVIN + I WENT TO CEDAR NARROWS RD, IN ABOUT 2 KM AND THEN ON TO LOWELL RD HEADING N.
- WE WERE CHECKING TO SEE IF THE RD. WENT FAR ENOUGH TO ACCESS THE BULLSEYE MAGS + THE COP-PY, LISTED ON MAP.
- DID NOT LOCATE EITHER ALTHOUGH WE WENT OVER A KM BY TRUCK + WALKED OVER 5 KMS.
- WE FOUND AN INTERESTING FELSIC UNIT WITH QTZ STRINGERS + NICE PY-RO 5% + MORE. LOOKS LIKE A POSSIBLE GOLD SHOWING
- MOST COVERED BY

(OVER)

OCT 29/05

OVERBURDEN + SO COULD NOT GET SIZE.

- THIS WAS LESS THAN 2 KMS FROM CEDAR NARROWS RD.

- FOUND A COUPLE OF POR. DYKES. - NOT VERY INTERESTING, MINOR PY.

- FOUND SOME GABBRO, ALSO NOT VERY INTERESTING -  $\frac{1}{2}$  TO 5% SUL.

AT BEST. - NOT LIKE GABBRO AROUND GRAVEL.

- FOUND A FEW PIECES OF LOOSE GABBRO, DIFFERENT FROM REST + HIGHLY MAGNETIC. - PROBABLY WHAT CAUSED BULLSEYES.

- WILL CHECK AREA OUT FURTHER, PERHAPS FROM N. TO S.

DAILY LOGS

NOV 1/05

KEVIN + I WENT TO GRAVE L. RD. - WENT S.W. ON OLD SKIDDER RD. WITH THE IDEA OF REACHING THE GABRO IN THE MIDDLE OF THE NEW CLAIMS.

- JUST N.W. OF MATTERHORN L. WE CAME UPON GABRO, VERY JUICY LOOKING - 5-10% PY-PY-CPY - SHOULD BE ASSAYED FOR PGEs. - 50 m. FARTHER FOUND QTR VEIN - 3' W. NO VISIBLE MO. NOTED BUT 1-2% PY + SILVERY, NEEDLY - MIN. SIMILAR TO SHAFT VEIN ETC.
- TWO MORE QTR VEINS 1' W. NOTED AS WE WENT WEST ABOUT 50 m. - SAME MIN. - GABRO STILL VERY JUICY

NOV. 2/05

- GOT SAMPLES READY FOR BUS + SENT THEM.
- GOT DAILY LOGS + SAMPLE DESCRIPTIONS TOGETHER, COPIED + SENT TO GARY
- GOT SAMPLE LOCATION MAP, COPIED + SENT TO GARY
- TALKED TO GARY IN THE MORNING, DESCRIBED OUR LAST COUPLE OF DAYS OF PROSPECTING.

MAY 2/06

- KEVIN + I WENT TO GRAVE LAKE AREA.
- STOPPED BRIEFLY AT ROAD SHOWING.
- INVESTIGATED ANGOVE SHOWING NEAR GRAVE L. RD. - VERY INTERESTING SUL. + QTZ IN SHEAR.
- WENT DOWN GULLY TOWARD VICKERS L.
- FOUND MORE LARGE CHUNKS OF QTZ. - 1-3' DIA. SAME AREA AS LAST YR.
- SOME NICE MOLY SECTIONS.
- MUST ATTEMPT TO FIND SOURCE.
- NO SAMPLES TAKEN TODAY
- CHECKED ACCESS TO GRAVE L.
- ALSO CHECKED ACCESS TO VICKERS L. - BOATS THERE.
- WILL SEE IF POSSIBLE TO RENT ONE FOR DAY OR TWO

MAY 4/06

- KEVIN + I WENT TO GRAVE L. AREA.
- BLOCKY VOL. ON ROAD BEFORE CLAIMS. - SECTIONS WITH 1-3% PO-CPY. TOOK 2 SAMPLES
- BACK TO LARGE QTZ BOULDER IN GULLY.
- FOUND MORE. IN SAME GENERAL AREA - NICE MOLY
- WENT DOWN GULLY TO VICKERS L. - NO MORE QTZ
- SHORELINE MUSKEG - NO VISIBLE ROCK
- WILL CHECK OPPOSITE SIDE OF ROAD TOMORROW

MAY 5/06

- GRAVE L. AREA.
- WENT S.E. OF HIGHWAY ON STRIKE FROM ANGOVE GOLD ZONE + DOWN GULLY THAT CONTAINS QTZ BOULDERS ON OPPOSITE SIDE.
- CAME BACK ON E. SIDE OF GULLY ALONG OUTCROP
- NOTHING OF INTEREST NOTED.
- BACK TO AREA CONTAINING QTZ BOULDERS + GOLD ZONE. MANY STRIPPED A LITTLE AROUND GOLD ZONE.
- VERY NICE LOOKING FELSITE
- 1-3% PY. - CPY IN QTZ
- VEIN - HARD TO GET AN ACCURATE STRIKE.

MAY 8/06

- WENT TO HILLTOP GOLD SHOWING AREA AS SUGGESTED BY GARY.
- CLEANED OUT TRAIL
- CHECKED OUT TRENCHES ETC.
- LOCATED V G IN ONE TRENCH
- HARD TO DETERMINE WHAT IT IS IN OR WHERE IT IS GOING
- PERHAPS GARY CAN HELP.

MAY 10/06

- WENT TO GRAVEL TO PUT BOAT IN WATER
- FOUND A SHEAR ZONE ON RD. ABOUT 3 KM BEFORE THE CLAIM GROUP
- TRACED IT N. AND FOUND A SHAFT & A TRENCH.
- APPEARS TO BE A PINCH & SWELL QZ VEIN & SHEAR
- ANYWHERE FROM 6" - 10' W.
- SEMI-MASSIVE PY IN SHEAR.
- NICE CPY IN SOME SECTIONS OF QZ.
- TOOK 7 SAMPLES

MAY 11/06

- WORKED ON SAMPLES, SKETCHES ETC.
- SENT SAMPLES BY BUS
- CHANGED WHEEL BEARINGS IN BOAT TRAILER

MAY 12/06

- WENT TO KENORA  
TO CHECK FILES RE.  
MO MARKED ON MAP  
NW OF FAHEY L.

- COULD NOT FIND MUCH  
ON IT, FOUND P. MAP BUT  
NO HELP.

- FOUND A NUMBER OF  
FILES ON GRAVE +  
ESPECIALLY SMOOTH ROCK  
OCCURRENCE.

- WE HAVE NOT SEEN ALL  
OF IT APPARENTLY.

- WILL NEED TO FOLLOW  
STRIKE N.W. - STRIPPING  
DONE.

- VALUES ALWAYS ERRATIC  
BUT SOMETIMES HIGH.

MAY 15/06

- WENT TO BOTTOM  
OF SW BAY OF GRAVE L.

- WENT S. FROM THERE IN  
AN ATTEMPT TO GO ABOUT  
2 KM. + FIND THE HIGH  
MAG. NOTED ON MAP.

- DID NOT FIND - HOWEVER  
ABOUT 2.15 KM IN WE  
FOUND A MASSIVE QTZ

SYSTEM 1 TO 5 OR MORE M.  
WIDE. - SECTIONS WITH

LITTLE SUL., SECTIONS WITH  
1-2% PY - SOME DULL  
SILVERY MIN. - NOT SURE.

MO. - COULDN'T GET ENOUGH  
FRESH BREAKS. - NOT SURE

IF SEEN BY OTHERS - NO  
PITS, TRENCHES ETC.

- TOOK SAMPLES - GPS  
- ON WAY OUT FOUND ANOTHER

QTZ VEIN IN LOW GROUND, LITTLE  
EXPOSURE - 1m. W. ? - 2-3% PY  
SAMPLED - GPS

MAY 18/06

RDS - SJ + KA

- WENT TO GRAVE L.

- BAY HEADING TO

FAHEY CR.

- HEADED WEST 200 M

S. OF CR.

- PROSPECTED UP TO

400 M. W. THEN

WENT S. TO SMALL

INLET.

- GABRO THROUGHOUT

- MIN 1-2% PY

- MINOR QTZ STRINGS

HERE & THERE, GAB

HIGHLY MIN (5-10% PY)

IN PROXIMITY TO QTZ.

- FOUND AND SAMPLED

A NUMBER OF QTZ VEINS

6" - 2'

VEINS AT S. END - NICELY

MIN. - CPY - PY - MO.

4 SAMPLES TAKEN

- GPS LOCATIONS.

MAY 24/06

WENT TO GRAVE L.  
AREA. CLEANED OUT  
ACCESS TRAIL TO  
QTZ BOULDERS.

- NOTICED POR.  
BOULDERS - ANGLE AR
- SHOULD BE EXAMINED  
APPEARED TO BE MO.  
IN THEM.

MAY 25/06

- WENT TO GRAVE L.  
AREA TO PROSPECT  
BETWEEN GRAVE CR.  
AND THE QTZ BOULDERS.

- FOUND A QTZ VEIN  
2 TO 3' W., ABOUT 75'  
OFF OF THE RD +  
BESIDE THE CR.

- SOME SECTIONS OF  
NICE SUL. - CPY-PY  
ZN?

- CPY SOMETIMES  
INTERMINGLED WITH  
BLACK MINERAL -  
MAGNETITE?

- HIGHLY MAGNETIC.

- REST OF THE AREA A FEW  
1" QTZ STRINGERS - MIN.  
CPY-PY-MO.

MAY 29/06

- GRAVE L. RD TO  
SHAFT AREA FOUND ON  
MAY 12 - OFF OUR PROPERTY  
- 1/2 KM FROM HI-WAY  
- GOT 2 VERY GOOD  
ASSAY FROM MAY 10. 9520 +  
14504 PPB. - TOOK 2 MORE  
SAMPLES FROM SAME AREA

TO SEE IF WE CAN DUPLICATE.  
- WENT ON STRIKE N. OF  
SHAFT.

- STRIPPED QTZ VEIN  
ON STRIKES? OVER 1 MILE  
AND 2 M L WHERE  
STRIPPED - CAN FIND  
FURTHER ALONG STRIKE  
- PERHAPS WILL NEED TO  
BE MACHINING STRIPPED

- PENDING RESULTS OF  
2<sup>ND</sup> ASSAYS, GROUND MAY  
NEED TO BE PICKED UP.

MAY 31/06

GRAVE L.

- PROSPECTED CONTACT BETWEEN GABRO + POR. IN S.W. BAY OPPOSITE LARGE (10' W +) QTZ VEIN + S. OF SHAFT.

- FOUND QTZ CHUNKS ALONG EDGE OF HILL - COVERED IN OVERBURDEN - 30-40 PIECES UNCOVERED.

- UP HILL FOUND SMEAR OF QTZ ON SIDE OR OUTCROP - COULD IT HAVE BEEN BLASTED MANY YRS AGO?

- VARYING AMOUNTS OF SUL - SOME HAS 1-2% CPY, A BIT OF MO + PY

JUNE 1/06

- GRAVE L. - W. BAY N. END - PROSPECTED N. OF BAY + W. OF SHAFT AREA.

- FOUND A NUMBER OF QTZ STRINGERS 1/4" TO 2" - FOUND ANOTHER SHAFT - ABOUT 200 M. W. OF PREVIOUS SHAFT

- 100 M. FROM WATER - QTZ - BLOCKY IN SECTIONS - NICE CPY IN DARK SECTIONS - 1-3%

- MINOR PY - NO MO NOTE

- GABRO HEAVILY MIN

- SOME 2-5% PY

- SOME 2-5% CPY MINOR PO

- TOOK 4 SAMPLE

- MUST GO BACK + CHECK OUT AREA

MON. JUNE 5/06

- GRAVE L. AREA

- WENT BACK TO SHAFT AREA FOUND ON JUNE 1.

- PROSPECTED AROUND IT.

- QTZ STRINGERS UP TO 2" - MIN.

- GABRO HEAVILY MIN. IN AREA.

- 1-5% - SOMETIMES PY - SOMETIME CPY - PO

- AROUND SHAFT SOME WALL HAS 5 TO 10% CPY

- TOOK 2 MORE SAMPLES - WILL GET READY + SEND TOMORROW

JUNE 6/06

- WORKED ON SAMPLES
- SENT BY BUS
- WORKED ON SKETCHES ETC.

JUNE 7/06

- GRAVE L. AREA
- WENT TO WEST SIDE OF W. BAY.
- 100 M. FROM WATER HEADING N.W., FOUND Q72 VEIN 1' W.
- 5% CPY - 1-2% PY

50 M. N. N.W. FOUND WHAT APPEARS TO BE A BIG Q72 SYSTEM LOTS OF OVERBURDEN BUT MANY PIECES 1'-2' W AND CAN PICK THEM UP OVER 4 M. W. & 20 M. LONG.

- SOME SECTIONS NICE PY: CPY - SOME SECTIONS DEAR
- WALL IS HEAVY MIN IN PLACES - 5% PY
- OTHER PLACES 1-2% CPY
- MIN. SHEAR ON EDGE OF HILL - 2 M. FROM Q72 - CPY - SAMPLED Q72 & WALL



~~JUNE 9/06~~ JUNE 9/06  
GRAVE L.

- WENT INTO WEST  
BAY AGAIN, DANE  
TOWARDS THE BOTTOM  
W. SIDE.

- UP A STEEP ROCK CLIFF  
20 m. + 20 m. FROM  
SHORE + FOUND A Q12  
VEIN 1 m. W. - TRACED  
FOR 15-20 m.

- 1-2% PY - MINOR CPY  
ESPECIALLY 6" ON EA.  
SIDE OF VEIN

- STRIKE APPEARS  
ROUGHLY N-S

- NO VISIBLE MO. NOTED

JUNE 10/06

- GARY + I AND KEVIN  
WENT TO HILLTOP GOLF  
SHOWING IN THE MORNING  
AND WENT TO HI-WAY  
MO. SHOWING IN THE  
AFTER NOON

- GARY WAS FAMILIARIZING  
HIMSELF WITH THE AREA  
AND TRYING TO CORRELATE  
THE AIR SURVEY WITH  
THE GROUND.

# DAILY LOGS

JUNE 10/06

- GARY + I AND KEVIN
- WENT TO HILLTOP GOLD
- SHOWING IN THE MORNING
- AND WENT TO HI-WAY
- MO. SHOWING IN THE
- AFTER NOON
- GARY WAS FAMILIARIZING
- HIMSELF WITH THE AREA
- AND TRYING TO CORRELATE
- THE AIR SURVEY WITH
- THE GROUND.

JUNE 12/06

- KEVIN + I + GARY WEN
- TO THE GRAVEL AREA.
- FIRST WE EXAMINED THE
- SHAFT, TRENCH ETC OF
- THE OCCURENCE PRESENTLY
- OFF RADISSON'S GROUND
- AND ABOUT 300 M. DOWN
- GRAVE AD. FROM HI-WAY
- NEXT WE EXAMINED Q<sub>12</sub>
- BOULDERS + (C&H) SHOWING
- ON ANCOVE CLAIM,

THEN LOOKED AT Q<sub>12</sub> VEII  
NEAR GRAVE CR.

WENT ON GRAVEL +  
WENT TO NEW SHAFT  
W. OF OTHER SHAFT ON  
GRAVE LAKE

LOOKED AT Q<sub>12</sub> STRINGERS  
W. SIDE OF BAY LEADING TO  
FAHEY CR. - VISIBLE MO

JUNE 13/06

- KEVIN + I + GARY
- WENT DOWN CEDAR
- NARROWS RD. TO THE
- OLSEN BAY SHOWINGS
- SAW NUMEROUS
- OCCURENCES OF MO.
- IN Q<sub>12</sub>, PEGMATITES
- + IN BIOTITE PATCHES

# DAILY LOGS

JUNE 14/06

GARY, KEVIN + I WENT  
BACK TO GRAVE L.  
AND EXAMINED NUMEROUS  
QTZ VEINS + MIN.  
GABBRO OCCURRENCES  
MOSTLY IN WEST  
BAY ON WEST SIDE

JUNE 15/06

GARY, KEVIN + I WENT  
TO SMOOTH ROCK SHOWN  
OF ANGOUE'S ON VICKERS  
LAKE.

EXAMINED AREA AROUND  
SHAFT + TRENCHES BY  
LAKE SHORE THEN  
CLIMBED HILL N.W.  
OF SHAFT FOR ABOUT  
50 M. - EXAMINED  
OTHER SMALL TRENCHES  
+ STRIPPED AREA THAT  
APPEAR ON STRIKE.

- SMALL (2"-6") QTZ  
VEINS OVER 20 M.  
- SHEAR ZONES - SMALL  
- MAY REQUIRE MORE  
DETAILED PROSPECTING  
ETC.

# SAMPLE DESCRIPTION

- RDS - SJ + KP
- GRAVE L<sub>2</sub> - 14-06-06 #1
- SAME LOCATION AS
- SAMPLE TAKEN
- 09-06-06
- SHEARED BLEACHED WALL
- BESIDE G72 VEIN
- SHEAR AT LEAST 1' W.
- 3-5% PY - MINOR CRY
- SILVERY MINERAL
- POSSIBLY MO. 190
- STRIKE OF VEIN 355°
- SAMPLE # 60999

## **Highway Property**

DAILY LOG

AUG 26/05 - 2 km N. of  
 VERETTE L.  
 P.O. + CAPY - 4 TOL  
 UP TO 2090 SUL IN  
 SELECT GABBS.  
 1-290 common  
 TOOK SAMPLES FOR ASSAY  
 - USED DEEP MAT ON  
 SHOWING. REACTED ON  
 HI-GRADE - WENT S.W.  
 ON HI-WAY 200 YDS?  
 OUTCROP WITH MINDA MO.  
 - DEEP MAT REACTED IN  
 2 OR 3 PLACES ON TOP  
 OF OUTCROP. MUST  
 RETURN + TRY TO GET  
 SAMPLES ALTHOUGH ROCK  
 SMOOTH + COMPETENT  
 - ALSO MUST TRY  
 DEEP MAT MORE  
 ON TOP OF ROCK CUT  
 E. OF HI-GRADE

AUG 19/05

KEVIN + I - MOLTY  
 SHOWING  
 SAMPLED WEST SIDE  
 OF ROCK CUT +  
 ACROSS HI-GRADE  
 11 SAMPLES.

AUG 24

TALKED WITH DALE +  
 GARY - GOT SIGNATURE  
 FOR EXTRA 869 CLAIMS  
 - GOT SAMPLES READY  
 + SENT THEM

HEARD FROM ED  
 HE GOT FIRST  
 31 CLAIMS

AUG 25/05

WENT TO KENORA +  
 RESEARCHED FILES  
 RE VISTA LAKE,  
 GRAVES LAKE AREA.

- FOUND THAT GOLD  
 SHOWINGS FAIRLY EXTENSIVE  
 LOTS OF WORK HAS BEEN DONE

AUG 26/05

KEVIN + I WENT TO MOLTY  
 RD SHOWING - TRAVERSED  
 200 YDS. N.E. ON STRIKE IN  
 BUSH - NO OUTCROP  
 CHECKED ACCESS TO VICKER  
 + GRAVE. - QUAD TRAIL  
 FROM HI-WAY TO VICKERS  
 - GOOD ROAD TO GRAVE  
 - FOUND INTERESTING  
 MAFIC VOL. ALONG HI-WAY  
 ABOUT 2 KM N. OF

DAILY LOG

AUG 30 / 05 - ROS-MO

SAMPLED OUTCROP

S. SW OF HI-GRADE

ALONG RD. - 225 M.

SOME VISIBLE MO. L.

- MADE A TRAVERSE

W. OF HI-GRADE

ALONG SWAMP

VERY LITTLE

OUTCROP UNTIL

WE CAME TO

CUT-OVER - LIGHT

GRANITE - NO SUL.

- CAME BACK

ALONG HI-WAY

- OUTCROP (ROCK-CUT)

390 M. S. SW NE

HI-GRADE - SPECIES

OF VISIBLE MO. L.

- TOOK SAMPLE

AUG 31 / 05

- PROSPECTED

S. OF HI-GRADE

ONLY OUTCROP WAS

NEXT TO SWAMP

- PINK GRANITE

- BIOTITE - NO

VISIBLE SUL.

- SPENT A LITTLE

TIME AT SHAWING

WITH BEEP MAT.

E. OF HI-WAY.

- PERHAPS WE ARE

NOT USING IT

RIGHT?

- WE GET BEEPS

ABOVE SHAWING

ON BARE OUTCROP

ACROSS DYKES BUT

AS SOON AS WE GET

TO ANY OVERBURDEN,

EVEN A FEW INCHES,

WE GET NOTHING.

- STOPPED AT SOME

ROCK CUTS ON WAY

HOME - NO VISIBLE

SUL. IN ANY GRANITE

DAILY LOG

SEPT 1/05

SJ & KP

RDS-MO - 1-09-05

PROSPECTED DOWN

CATPAW RD.

- LOTS OF OUTCROP

ALL PINK +

WHITE GRANITE

NO SUL - NO MAFIC

MINERALS LIKE

AROUND SHOWING

SEPT. 2/05

RDS-MO - SJ & KP

- WENT TO OUTCROP  
ON EDGE OF SWAMP  
100 M. E. OF SHOWING

- TOOK 2 SAMPLES  
VERY MAFIC - UNLIKE  
MOST OTHER OUTCROPS  
IN AREA - BLuish  
SHEEN - UNABLE TO  
IDENTIFY

- WENT NORTH  
ALONG ~~EDGE~~ OF  
SHOWING - NO OUTCROP

- MADE A TRAVERSE  
S. ACROSS SWAMP  
PARALLELING RD.  
OUTCROP THAT HAD  
MINOR VISIBLE MO.

- SOME OUTCROP  
BUT ALL VERY  
WHITE GRANITE - NO  
SUL.



**Olsen Bay Property**

WED. - OCT. 12 / 05

- WENT TO SIDUX

LOOKOUT TO TALK TO  
ED BARKAUSKAS

- HE SHOWED ME HOW  
HE ACCESSED THE

CLAIM GROUPS IN  
OLSEN BAY +

HARPER L. -

- I GOT GPS LOCATIONS  
FOR K. BJORKMAN'S

MOLY SHOWINGS

- HE WILL FINISH

OLSEN CLAIMS SOON

OCT 19 / 05

- KEVIN + I WENT  
TO BJORKMAN'S

MOLY SHOWINGS E. OF  
KAMINI L. VIA  
CEDAR NARROWS RD.

- 430 KM ROUND TRIP

- FOUND MOLY IN A

NUMBER OF PEG. DYRES

1" TO 6" - + IN

GRANITE IN CLOSE

PROXIMITY TO DYRES

+ QZ VEINS. MO UP TO

1-2% IN SPOTS. FLUORITE

IN DYRES. SOME SPLASHES

OF BIOTITE 6" X 2' WITH

1-2% MO. INTERSPERSED.

- DYRES ARE PREVALENT

OVER AT LEAST 200M

BUT DON'T KNOW HOW

PERVASIVE, ARE THEY

CLOSE ENOUGH TO EACH

OTHER?

① OCT. 20/05

KEVIN + I WENT BACK TO RD. E. OF KAMINNI L. - WE FOUND A NUMBER OF QTZ + PEG. VEINS IN THE GRANITE WITH MO IN THEM.

- THESE COVER A LENGTH OF OVER 200M.

- MO. IN QTZ, PEG. DYKES + IN GRANITE WITHIN A FEW INCHES OF VEINS

- MORE SPLASHES OF BIOTITE WITH 1-4% MO. INTIMATELY ASSOCIATED.

- HARD TO DETERMINE HOW MUCH MO. - MOST OUTCROPS ARE FLAT + DON'T ALLOW MUCH BREAKAGE.

- ALSO, ARE THE DYKES + THEREFORE THE MO CLOSE ENOUGH TO PAGE 6A. OTHER SEE NEXT PAGE →

② OCT 20/05

- WENT AS FAR AS PORTAGE BETWEEN KAMINNI L. + OLSEN BAT OF MANITOULA

- RD STOPS ABOUT 300 M. BEFORE PORTAGE

- FOUND MINOR MO. ALL THE WAY TO THE PORTAGE

- ENTIRE AREA HAS FLOURITE, USUALLY ASSOCIATED WITH THE MO.

**Harper Lake Property**

OCT 24/05



- KEVIN & I WENT TO GRAVE L., PICKED UP BOAT, BROUGHT IT TO KEKEKEWA TO HAVE IT READY TO GO DOWN THE LAKE TOMORROW

OCT 25/05

- KEVIN & I WENT TO KEKEKEWA LAKE
- BOATED FROM THE N. END TO THE S. END.
- WENT S.E. IN BUSH & FOUND THE NAUMAR LAKE SHOWING 500 M. FROM SHORE.
- VERY BIG QTZ SYSTEM IN DIORITE + GABRO.
- QTZ SYSTEM 10' TO 40' W. IN SPOTS
- SAW VERY LITTLE SUL. IN ANYTHING
- SOME MINOR PY-~~190~~
- NO MO. NOTED
- PERHAPS SHOULD BE PROSPECTED MORE ~~THOROUGHLY~~ THOROUGHLY NEXT YR.

Radisson Mining Resources Inc.  
Grave Lake Map

1



**Legend**




- Sample Locations
- 60802 Sample Numbers
- ▭ Claims
- 3007246 Claim Numbers
- Lakes
- Roads
- - - Streams
- Contour (10m. Interval)

2.33

August 2008

# Radisson Mining Resources Inc. Grave Lake Map

# 2





**Legend**

- Sample Locations
- 60802 Sample Numbers
- ▭ Claims
- 3007246 Claim Numbers
- Lakes
- Roads
- Streams
- Contour (10m. Interval)

2.33065

**Radisson Mining Resources Inc.**  
**Olsen Bay Map**




**Legend**

Sample Locations	Roads
Sample Numbers	Streams
Claim Outline Boundary	Contour (10m. Interval)
Claim Numbers	
Lakes	

August 2006



# Radisson Mining Resources Inc. Highway Zone



2.33065

### Legend

- Sample Locations
- 60802 Sample Numbers
- ▭ Claims
- 3007246 Claim Numbers
- ▒ Lakes
- Roads
- Streams
- Contour (10m. Interval)

August 2006



Scale 1 : 5 000  
0 50 100 150 200  
Metres

**Radisson Mining Resources Inc.**  
**Harper Lake Map**

