

Kodiak Resources Limited
Date Created: 06-09-05 04:14 PM
Job Number: 200641728
Date Recieved: 8/28/2006
Number of Samples: 56
Type of Sample: Core
Date Completed: 8/31/2006
Project ID: HER

Accurassay #	Client Tag	Au PPB	Au oz/t	Au PPM
98986	164251	13	<0.001	0.013
98987	164252	23	<0.001	0.023
98988	164253	23	<0.001	0.023
98989	164254	28	<0.001	0.028
98990	164255	26	<0.001	0.026
98991	164256	34	<0.001	0.034
98992	164257	21	<0.001	0.021
98993	164258	<5	<0.001	<0.005
98994	164259	7	<0.001	0.007
98995	164260	7	<0.001	0.007
98996	164260	6	<0.001	0.006
98997	164261	<5	<0.001	<0.005
98998	164262	<5	<0.001	<0.005
98999	164263	<5	<0.001	<0.005
99000	164264	<5	<0.001	<0.005
99001	164265	8	<0.001	0.008
99002	164266	<5	<0.001	<0.005
99003	164267	5	<0.001	0.005
99004	164268	763	0.022	0.763
99005	164269	506	0.015	0.506
99006	164270	1625	0.047	1.625
99007	164270	1581	0.046	1.581
99008	164271	5583	0.163	5.583
99009	164272	148	0.004	0.148
99010	164273	252	0.007	0.252
99011	164274	1208	0.035	1.208
99012	164275	346	0.01	0.346
99013	164276	534	0.016	0.534
99014	164277	848	0.025	0.848
99015	164278	2124	0.062	2.124
99016	164279	2897	0.085	2.897
99017	164280	2758	0.08	2.758
99018	164280	3273	0.095	3.273
99019	164281	171	0.005	0.171
99020	164282	179	0.005	0.179
99021	164283	31	<0.001	0.031
99022	164284	50	0.001	0.05
99023	164285	39	0.001	0.039
99024	164286	182	0.005	0.182
99025	164287	56	0.002	0.056
99026	164288	194	0.006	0.194
99027	164289	760	0.022	0.76

99028	164290	2377	0.069	2.377
99029	164290	2526	0.074	2.526
99030	164291	258	0.008	0.258
99031	164292	363	0.011	0.363
99032	164293	2580	0.075	2.58
99033	164294	638	0.019	0.638
99034	164295	1044	0.03	1.044
99035	164296	9603	0.28	9.603
99036	164297	325	0.009	0.325
99037	164298	182	0.005	0.182
99038	164299	153	0.004	0.153
99039	164299	148	0.004	0.148
99040	164300	422	0.012	0.422
99041	164301	<5	<0.001	<0.005
99042	164302	31	<0.001	0.031
99043	164303	24	<0.001	0.024
99044	164304	33	<0.001	0.033
99045	164305	8	<0.001	0.008
99046	164306	<5	<0.001	<0.005

Kodtek Resources Limited
 Date Created: 05-08-08 01:37 PM
 Job Number: 200841728
 Date Received: 8/28/2008
 Number of Samples: 56
 Type of Sample: Core
 Date Completed: 8/31/2008
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analyses are not accredited under ISO/IEC 17025

Accur.	Client	Tag	Ag	Al	As	B	Ba	Be	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Tl	Ti	V	W	Y	Zn				
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm				
09088	184251	<1		0.04	10	85	2 <1		0.05 <4		2	1	7	0.04	0.02 <1		<0.01	<100	<1		0.03	5 <100	854	9 <5		0	0.02	11 <5				3 <2		2	13			
09087	184252	<1		4.82	13	81	38 <1		1.99	8	50	331	179	9.83	0.39	34	2.30	445	19	0.21	87	964	14 <8		0	0.15 <10						3	45 <10	3	47			
09090	184253	<1		5.12	18	58	28 <1		2.5	8	44	200	138	8.73	0.3	32	2.84	440	18	0.13	82	863	61 <5	<5	0	0.12 <10						35	1705	3	40 <10	3	185	
09096	184254	<1		4.82	21	55	24	1	1.89	8	57	289	176 >10.00	0.24	31	2.48	418	20	0.14	86	863	20 <5	<5	0	0.15 <10						34	1838	3	44 <10	3	57		
09090	184255	<1		4.82	16	59	18 <1		2.47	7	39	235	122	8.7	0.19	32	2.48	461	19	0.12	79	737	85 <5	<5	0	0.13 <10						39	1834	5	44 <10	3	85	
09091	184255	<1		5.94	25	59	24 <1		3.76	8	38	274	187 >10.00	0.27	40	2.51	877	21	0.11	88	707	92 <5	<5	0	0.16 <10						47	1848	4	45 <10	3	50		
09092	184257	<1		5.11	17	81	29 <1		2.8	8	39	218	74	8.8	0.32	34	2.56	478	21	0.14	80	882	18 <5	<5	0	0.11 <10						44	1872	3	45 <10	4	52	
09093	184258	<1		5.34	18	54	18 <1		2.54	7	31	239	83	9.0	0.18	43	2.95	534	21	0.11	80	763	14 <5	<5	0	0.12 <10						39	2085	3	52 <10	4	54	
09094	184258	<1		5.30	13	80	18 <1		2.82	7	34	246	50	8.85	0.18	45	3.23	571	26	0.11	87	879	87 <5	<5	0	0.14 <10						39	2179	3	57 <10	4	87	
09095	184260	<1		6.13	10	56	24	1	4.37	8	34	246	92	9.49	0.23	57	3.57	688	25	0.13	96	881	387 <5	<5	0	0.19 <10						42	2081	4	80 <10	4	72	
09096	184260	<1		5.88	21	53	23 <1		4.02	7	31	227	88	8.8	0.21	52	3.37	833	24	0.12	86	818	306 <5	<5	0	0.19 <10						36	1982 <1		56 <10	4	63	
09087	184261	<1		6.13	19	65	19 <1		3.44	8	36	398	71	9.8	0.13	86	3.54	629	33	0.11	103	890	82 <5	<5	0	0.19 <10						42	1859	5	81 <10	4	84	
09096	184262	<1		4.38	16	53	21	1	2.77	7	42	235	116	8.57	0.21	61	2.72	487	20	0.15	90	918	22 <5	<5	0	0.18 <10						42	1923	3	46 <10	4	59	
09096	184263	<1		4.3	11	55	16 <1		2.46	5	28	233	41	8.38	0.14	55	2.54	455	19	0.1	74	785	15 <5	<5	0	0.12 <10						41	1954	4	41 <10	3	52	
09096	184264	<1		5.12	13	51	24 <1		5.01	6	28	207	55	7.8	0.29	81	2.79	888	20	0.11	79	783	18 <5	<5	12	0.17 <10						55	724	5	40 <10	5	105	
09091	184265	<1		5.54	11	53	16	1	5.81	7	26	173	76	8.86	0.2	62	3.05	680	25	0.1	82	828	25 <5	<5	0	0.18 <10						54	701	5	46 <10	5	144	
09092	184265	<1		5.27	13	50	19 <1		3.94	7	21	132	28	7.88	0.3	63	2.87	812	17	0.11	87	743	17 <5	<5	0	0.17 <10						62	<100	2	35 <10	6	191	
09093	184267	<1		5.24	8	53	21 <1		4.8	7	22	113	46	8.31	0.37	56	2.56	587	19	0.1	75	821	13 <5	<5	0	0.12 <10						47	<100	4	33 <10	5	184	
09094	184265	<1		5.21	14	51	28 <1		5.84	8	34	138	80	9.76	0.56	58	2.22	877	17	0.09	75	904	13 <5	<5	0	0.17 <10						45	<100	3	28 <10	5	190	
09095	184266	<1		3.82	20	51	21 <1		6.37	8	30	147	113	9.43	0.44	48	1.83	822	17	0.08	69	830	27 <5	<5	0	0.15 <10						32	<100	3	22 <10	7	128	
09095	184270	13	2.5	10	54	23 <1			3.25	5	21	508	40	5.98	0.45	27	1.24	384	17	0.05	51	487	15 <5	<5	0	0.1 <10						28	<100	2	18 <10	3	81	
09096	184270	5	2.21	7	43	20 <1			2.88	4	18	430	35	5.24	0.4	24	1.08	331	17	0.05	41	402	13 <5	<5	0	0.12 <10						24	<100	<1	16 <10	3	81	
09096	184271	28	0.3	11	51	5 <1			1.48 <4		6	434	29	1.88	0.08	4	0.14	185	132	0.03	19	<100	18 <5	<5	0	0.04 <10						18	<100	<1	4 <10	2	16	
09098	184272	<1		1.87	4	52	7 <1		3.93 <4		6	685	21	3.81	0.1	27	1.2	481	34	0.04	35	170	25 <5	<5	0	0.06 <10						83	<100	<1	12 <10	8	88	
09010	184273	<1		0.31	3	46	7 <1		0.82 <4		5	371	9	1.48	0.08	4	0.21	133	18	0.02	17	<100	16 <5	<5	0	0.05 <10						9	<100	2	3 <10	1	11	
09011	184274	<1		2.8	10	43	34 <1		5.04	5	25	136	10	5.85	0.43	27	1.77	754	14	0.03	53	820	18 <5	<5	0	0.08 <10						55	<100	2	16 <10	5	50	
09012	184275	<1		3.35	4	51	31 <1		6.76	8	27	182	20	7.13	0.5	35	1.91	688	15	0.04	57	748	15 <5	<5	0	0.07 <10						70	<100	4	18 <10	5	50	
09013	184276	<1		2.88	6	47	31 <1		7.88	5	20	233	35	8.17	0.47	25	1.49	987	12	0.04	45	560	19 <5	<5	0	0.12 <10						79	<100	2	16 <10	6	40	
09014	184277	<1		2.82	17	47	32	1	6.37	7	41	121	36	8.89	0.45	25	1.55	808	42	0.03	98	747	30 <5	<5	0	0.08 <10						36	<100	3	16 <10	6	45	
09015	184278	8	3.08	11	46	31 <1			5.87	7	31	183	20	7.76	0.43	30	2.04	821	82	0.03	78	834	29 <5	<5	0	0.08 <10						48	<100	2	22 <10	1	8	
09016	184279	2	0.25	7	51	5 <1			0.71 <4		4	388	5	1.18	0.05	3	0.18	114	9	0.02	15	<100	12 <5	<5	0	0.02 <10						5	<100	2	2 <10	1	9	
09017	184280	<1		0.1	8	49	2 <1		0.41 <4		4	517	11	1.1	0.02	1	0.04 <100		2	0.02	14	<100	22 <5	<5	0	0.02 <10						5	<100	2	<2	<10	1	5
09018	184280	<1		0.11	5	53	2 <1		0.44 <4		4	514	11	1.15	0.02	1	0.05 <100		2	0.02	14	<100	22 <5	<5	0	0.02 <10						5	<100	4	<2	<10	1	6
09019	184281	<1		7.05	34	48	34	1	>10.00	11	38	153	204 >10.00		0.44	55	3.82	1957	29	0.03	104	885	83 <5	<5	0	0.13 <10						180	<100	4	43 <10	8	157	
09020	184282	<1		4.04	15	49	32 <1		8.88	7	26	205	123	7.9	0.44	31	2.02	980	18	0.05	81	711	56 <5	<5	0	0.1 <10						108	<100	2	24 <10	10	8	
09021	184283	<1		4.43	17	44	31 <1		8.02	7	21	147	56	7.57	0.41	37	2.31	915	17	0.04	86	807	25 <5	<5	0	0.12 <10						87	<100	3	24 <10	8	120	
09022	184284	<1		2.18	10	44	20 <1		4.86 <4		13	587	14	4.70	0.29	18	1.27	870	11	0.03	40	970	25 <5	<5	0	0.09 <10						43	<100	<1	12 <10	4	86	
09023	184285	35	3.81	12	45	44 <1			8.1	8	29	159	30	8.88	0.46	29	2.04	1029	16	0.03	55	789	31 <5	<5	0	0.08 <10						77	<100	3	19 <10	6	118	
09024	184286	<1		1.17	13	45	24 <1		2.49 <4		8	19	523	45	3.78	0.22	5	0.99	387	8	0.02	41	340	53 <5	<5	0	0.06 <10						14	<100	4	10 <10	3	45
09025	184287	<1		5.19	38	48	36	1	8.83	10	38	104	61 >10.00		0.32	37	3.11	1871	25	0.02	104	1042	56 <5	<5	0													

Kodiak Resources Limited
Date Created: 06-09-12 07:22 AM
Job Number: 200641727
Date Recieved: 8/28/2006
Number of Samples: 80
Type of Sample: Core
Date Completed: 9/6/2006
Project ID: HER

Accurassay #	Client Tag	Au PPB	Pt PPB	Pd PPB	Rh PPB	Ag PPM	Co PPM
98898	164307	<5					
98899	164308	<5					
98900	164309	38					
98901	164310	22					
98902	164311	20					
98903	164312	442					
98904	164313	44					
98905	164314	427					
98906	164315	371					
98907	164316	10413					
98908	164316	10626					
98909	164317	107941					
98910	164318	385					
98911	164319	110					
98912	164320	213					
98913	164321	8					
98914	164322	9					
98915	164323	622					
98916	164324	3725					
98917	164325	88					
98918	164326	82					
98919	164327	747					
98920	164327	786					
98921	164328	89					
98922	164329	14					
98923	164330	499					
98924	164331	17					
98925	164332	17098					
98926	164333	102546				210	
98927	164334	973					
98928	164335	612					
98929	164336	23					
98930	164337	29					
98931	164337	16					
98932	164338	6					
98933	164339	28					
98934	164340	30					
98935	164341	5					
98936	164342	20					
98937	164343	30					
98938	164344	10					
98939	164345	7					

98940	164346	<5
98941	164347	12
98942	164347	12
98943	164348	21
98944	164349	123
98945	164350	409
98946	164351	<5
98947	164352	133
98948	164353	279
98949	164354	1650
98950	164355	33
98951	164356	136
98952	164357	85
98953	164357	70
98954	164358	672278
98955	164359	19925
98956	164360	702
98957	164361	270
98958	164362	182
98959	164363	85
98960	164364	318
98961	164365	409
98962	164366	2457
98963	164367	380
98964	164367	444
98965	164368	19
98966	164369	3172
98967	164370	381
98968	164371	1084
98969	164372	5147
98970	164373	91
98971	164374	18
98972	164375	39
98973	164376	15
98974	164377	85
98975	164377	28
98976	164378	6
98977	164379	16
98978	164380	8
98979	164381	<5
98980	164382	7
98981	164383	26
98982	164384	12
98983	164385	11
98984	164386	<5

Kodlak Resources Limited
 Date Created: 08-09-08 01:37 PM
 Job Number: 200841727
 Date Received: 8/28/2008
 Number of Samples: 80
 Type of Sample: Core
 Date Completed: 9/5/2008
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval
 of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
98980	164307 <1		3.35	14	43	17	1	1.41	7	40	358	88	7.85	0.08	28	2.86	508	25	0.05	79	749	22 <5	<5	0.07 <10		23	1820	2	45 <10	3	51		
98989	164308 <1		4.21	11	44	17	1	3.43	10	40	189	110	9.54	0.11	38	2.94	630	28	0.05	74	805	24 <5	<5	0.07 <10		34	1138	4	50 <10	4	90		
98990	164309 <1		3.36	11	42	17	1	3.5	9	45	239	97	8.23	0.12	30	2.46	636	23	0.05	77	740	19 <5	<5	0.07 <10		32	<100	6	40 <10	3	202		
98991	164310 <1		3.8	11	44	18	1	4.88	9	38	118	90	8.59	0.13	36	2.53	787	24	0.05	79	839	16 <5	<5	0.07 <10		30	<100	5	34 <10	6	228		
98992	164311 <1		3.75	14	43	18 <1		7.85	8	30	201	80	7.58	0.17	30	2.59	1082	20	0.04	72	778	21 <5	<5	0.11 <10		58	<100	4	31 <10	8	217		
98993	164312 <1		3.71	10	41	15	1	5.43	9	30	123	81	8.33	0.15	41	2.58	819	24	0.04	73	787	18 <5	<5	0.07 <10		59	<100	4	32 <10	8	217		
98994	164313 <1		3.71	9	44	20	1	5.25	8	32	203	86	7.85	0.19	39	2.85	840	24	0.04	76	884	21 <5	<5	0.07 <10	7	88	<100	3	29 <10	8	212		
98995	164314 <1		2.63	15	39	22	1	5.71	8	35	137	9	7.74	0.23	25	2	988	22	0.02	72	813	24 <5	<5	0.07 <10	15	80	<100	5	19 <10	8	134		
98996	164315 <1		3.8	19	43	24	1	5.88	9	38	182	56	8.01	0.22	32	2.87	1233	38	0.02	86	858	22 <5	<5	0.07 <10		85	<100	5	29 <10	8	172		
98997	164316	52	1.83	8	38	18 <1		4.32	8	25	181	47	5.31	0.16	18	1.58	638	152	0.02	55	541	83 <5	<5	0.05 <10		55	<100	2	14 <10	5	100		
98998	164318	59	1.89	14	43	20 <1		4.72	6	29	180	47	5.72	0.18	18	1.74	936	175	0.02	60	591	102 <5	<5	0.04 <10	6	58	<100	3	16 <10	5	114		
98999	164317	16	0.15	20	44	4 <1		0.43	7	9	531	124	2.98	0.03	2	0.12	125	7	0.01	24	<100	334 <5	<5	0.02 <10		5	<100	2	3 <10	1	301		
99000	164318 <1		0.08	4	40	5 <1		0.08 <4	4	336	7	0.81	0.03 <1		0.01 <100		3	0.01	12	<100	18 <5	<5	0.01 <10	<3	<100		2	<2	<10	1	10		
99001	164318 <1		0.03	2	40	3 <1		0.05 <4	3	360	17	0.78	0.02 <1		<0.01 <100		9	0.01	12	<100	20 <5	<5	0.01 <10	<3	<100		1	<2	<10	<1	1	9	
99002	164320 <1		0.02	4	40	2 <1		0.02 <4	4	438	83	0.26	0.01 <1		<0.01 <100		11	0.01	11	<100	28 <5	<5	0.01 <10	<3	<100		3	<2	<10	<1	1	5	
99003	164321 <1		0.02	3	40	1 <1		0.24 <4	3	589	7	0.78 <0.01	<1		0.01 <100		6	0.01	13	<100	8 <5	<5	0.01 <10	<3	<100		2	<2	<10	<1	1	3	
99004	164322 <1		0.03 <2	3	42	2 <1		0.07 <4	3	431	8	0.88	0.01 <1		<0.01 <100		7	0.01	11	<100	15 <5	<5	0.01 <10	<3	<100		2	<2	<10	<1	1	5	
99005	164323	9	0.06	5	41	2 <1		0.33 <4	13	578	1047	1.78	0.01		0.04 <100		8	0.01	28	<100	110 <5	<5	0.01 <10	<3	<100		4	<2	<10	1	38		
99006	164324	44	0.5	18	40	8 <1		1.85	139	20	408	2855	2.81	0.05	5	0.47	342	5	0.01	35	158	287 <5	<5	0.03 <10		14	<100	3	7	88	3	7806	
99007	164325 <1		3.83	32	30	28	1	8.9	10	40	129	148	9.13	0.17	32	2.96	1608	27	0.01	102	885	23 <5	<5	0.1 <10		87	<100	5	36 <10	7	339		
99008	164326 <1		4.83	37	41	35	1	8.94	12	45	134	64 >10.00	0.22	39	3.45	1916	33	0.02	129	1080	28 <5	<5	0.11 <10		87	<100	4	44	12	7	373		
99009	164327	5	0.07 <2	41	3 <1			0.36 <4	5	534	85	1.15	0.02	1	0.04 <100		7	0.01	18	<100	86 <5	<5	0.02 <10		3	<100	3	<2	<10	1	7		
99010	164327	7	0.08	4	42	3 <1		0.37 <4	5	568	94	1.25	0.02	1	0.05 <100		9	0.01	18	<100	71 <5	<5	0.02 <10		3	<100	2	2	<10	1	7		
99011	164328 <1		0.05	3	75	4 <1		0.12 <4	4	365	8	0.95	0.02 <1		0.02 <100		7	0.02	11	<100	18 <5	<5	0.03 <10	<3	<100	<1	<2	<10	<1	2	2		
99012	164328 <1		0.02	3	41	2 <1		0.04 <4	3	517	7	0.74	0.01 <1		<0.01 <100		9	0.01	11	<100	9 <5	<5	0.01 <10	<3	<100	<1	<2	<10	<1	3			
99013	164330 <1	13	0.05	5	37	4 <1		0.08 <4	6	345	16	1.9	0.03 <1		<0.01 <100		14	0.01	12	<100	12 <5	<5	0.02 <10	<3	<100		2	<2	<10	<1	46		
99014	164331 <1	<0.01	2	42 <1				0.07 <4	2	486	7	0.64 <0.01	<1		<0.01 <100		3	0.01	10	<100	12 <5	<5	0.01 <10	<3	<100		3	<2	<10	<1	1		
99015	164332	11	0.08	4	36	4 <1		0.06 <4	5	378	521	0.96	0.03 <1		0.01 <100		8	0.01	13	<100	147 <5	<5	0.01 <10	<3	<100		1	<2	<10	1	11		
99016	164333 >100		0.08	5	39	4 <1		0.27 <4	8	413	141	1.36	0.03 <1		0.02 <100		118	0.01	17	<100	81 <5	<5	0.02 <10		3	<100	3	<2	<10	1	6		
99017	164334	63	2.75	13	39	19 <1		8.39	8	26	240	23	7.81	0.14	38	2.38	1343	86	0.02	59	585	28 <5	<5	0.07 <10		80	<100	4	21 <10	8	211		
99018	164335 <1		2.86	3	36	21 <1		5.52	7	16	183	30	8.13	0.17	34	2.33	1211	23	0.03	55	735	12 <5	<5	0.06 <10		57	<100	3	21 <10	8	228		
99019	164335 <1		3.6	8	35	19 <1		4.42	7	22	85	9	9.86	0.15	40	2.42	842	19	0.03	83	897	13 <5	<5	0.07 <10		39	<100	4	28 <10	5	270		
99020	164337 <1		3.83	9	35	22	1	4.04	7	24	181	35	7.4	0.18	43	2.55	844	22	0.05	73	738	14 <5	<5	0.08 <10		41	<100	4	38 <10	5	227		
99021	164337 <1		3.39	8	35	19 <1		3.86	6	21	147	32	6.51	0.14	39	2.3	751	20	0.04	85	844	13 <5	<5	0.04 <10		36	<100	2	33 <10	5	216		
99022	164338 <1		3.41	13	37	24	1	4.53	7	25	114	19	8.3	0.15	41	2.4	800	22	0.04	59	716	16 <5	<5	0.08 <10		38	<100	2	30 <10	8	188		
99023	164339 <1		3.38	7	38	21 <1		3.38	7	25	238	20	8.5	0.13	41	2.35	790	21	0.04	62	886	14 <5	<5	0.07 <10		29	191	2	36 <10	5	138		
99024	164340 <1		2.3	8	35	20 <1		1.08	7	35	223	80	6.59	0.11	17	1.55	593	14	0.04	85	528	10 <5	<5	0.07 <10		15	1157	2	38 <10	3	84		
99025	164341 <1		2.57	6	38	20 <1		0.77	5	30	319	88	8.28	0.17	14	2.29	440	21	0.05	62	529	11 <5	<5	0.07 <10		37	<100	1	38 <10	3	41		
99026	164342 <1		2.49	9	40	27 <1		1.05	5	33	204	80	5.8	0.22	16	2.29	410	21	0.04	64	954	9 <5	<5	0.04 <10		18	1297 <1	4	33 <10	4	43		
99027	164343 <1		2.39	13	44	44	1	4.13	7	36	232	58	8.99	0.31	17	2.19	594	23	0.04	72	882	12 <5	<5	0.08 <10		29	1283	4	30 <10	4	33		
99028	164344 <1		2.80	11	46	41	1	1.5	8	45	208	71	8.7	0.38	20	2.42	478	28	0.05	78	723	15 <5	<5	0.08 <10		24	1814	6	35 <10	4	47		
99029	164345 <1		2.72	14	44	38	2	1.4	7	51	298	102	7.32	0.28	20	2.48	505	25	0.05	80	879	16 <5	<5	0.07 <10		23	1883	2	42 <10	8	47		
99030	164346 <1		2.7	10	47	38	1	1.57	8	40	235	83	8.65	0.31	20	2.54	532	22	0.05	80	759	14 <5	<5	0.07 <10		20	1722	2	45 <10	5	50		
99031	164347 <1		2.72	8	44	28	1	3.82	8	20	298	55	8.2	0.14	20	1.85	882	15	0.05	88	598	1											

00060	104304	1	0.52	27	63	16 <1	0.50 <4	14	614	37	2.71	0.13	3	0.25	157	11	0.02	26 <100	97 <5	<5	0.06 <10	6 <100	2	8 <10	2	37				
00061	104305	3	0.53	11	90	15 <1	0.46 <4	12	439	35	2.39	0.1	3	0.3	144	14	0.02	25 <100	196 <5	<5	0.08 <10	5 <100	3	7 <10	2	84				
00062	104306	26	0.18	8	53	6 <1	0.33	14	8	994	990	1.44	0.03	1	0.00	126	6	0.02	19 <100	1379 <5	<5	0.04 <10	<100	3	3 <10	1	569			
00063	104307	2	1.20	21	63	23 <1	2.4	6	19	454	97	3.58	0.15	8	0.96	464	9	0.03	35	201	127 <5	<5	0.08 <10	14 <100	2	13	505	3	122	
00064	104307	2	1.33	14	82	23 <1	2.54	6	19	458	101	4.03	0.15	8	0.91	488	10	0.03	38	200	130 <5	5	0.07 <10	15 <100	2	13	549	3	153	
00065	104308 <1		0.28	28	98	59	1	7.43	14	20	220	82 >10.00	0.4	35	3.77	1980	37	0.04	96	982	91 <5	<5	0.1 <10	81	105	5	57 <10	8	362	
00066	104309	10	4.8	363	70	61	2	5.83	18	70	218	321 >10.00	0.36	25	2.73	1499	52	0.04	114	777	139 <5	<5	0.1 <10	45 <100	4	51 <10	8	256		
00067	104370 <1		2.59	163	59	65	1	3.43	8	39	237	70	7.80	0.53	12	1.07	631	15	0.04	84	862	24 <5	<5	0.09 <10	28 <100	1	23 <10	7	77	
00068	104371	3	4.01	48	55	73	1	4.87	10	41	143	167	8.34	0.46	21	2.19	1100	28	0.04	94	998	25 <5	<5	0.1 <10	33 <100	5	34 <10	7	163	
00069	104372	19	0.39	8	64	9 <1	1.1 <4		6	663	176	1.67	0.08	3	0.21	212	120	0.02	20 <100	239 <5	<5	0.04 <10	6 <100	3	6 <10	2	39			
00070	104373 <1		3.84	30	57	40	1	5.17	9	28	127	130	7.94	0.29	27	2.1	1106	23	0.04	57	728	34 <5	<5	0.09 <10	40 <100	3	30 <10	6	174	
00071	104374 <1		3.86	37	66	33	1	4.09	10	33	187	90	8.75	0.24	30	2.19	946	24	0.04	63	728	27 <5	<5	0.11 <10	31 <100	4	34 <10	8	203	
00072	104375 <1		4.5	22	66	41	1	3.49	10	29	151	59	8.72	0.31	37	2.46	878	28	0.05	59	818	19 <5	<5	0.12 <10	24 <100	2	35 <10	8	207	
00073	104376 <1		4.3	21	61	46	1	3.97	8	24	221	62	8.04	0.33	33	2.28	891	23	0.05	98	758	19 <5	5	0.11 <10	25 <100	2	34 <10	8	204	
00074	104377 <1		4.58	29	70	46	1	4.67	10	33	155	58	8.25	0.32	34	2.62	1114	27	0.05	67	826	27 <5	<5	0.13 <10	38 <100	2	38 <10	8	225	
00075	104377 <1		4.57	32	58	48	1	4.55	10	35	152	62	8.54	0.32	32	2.6	1115	27	0.04	67	838	25 <5	<5	0.09 <10	37 <100	4	38 <10	8	225	
00076	104378 <1		4.33	28	80	57	1	4.24	9	28	272	77	8.08	0.38	30	2.39	1019	23	0.05	66	809	35 <5	<5	0.1 <10	38 <100	2	37 <10	8	197	
00077	104379 <1		3.92	17	75	33	1	4	8	26	208	72	7.98	0.24	33	2.33	983	23	0.05	56	700	37 <5	<5	0.08 <10	39	231	3	42 <10	8	183
00078	104380 <1		4.36	22	86	38	1	4.14	9	27	259	73	8.34	0.26	35	2.6	1092	27	0.05	62	729	40 <5	<5	0.08 <10	40	259	4	44 <10	8	214
00079	104381 <1		5.42	20	66	73	1	4.5	11	33	211	90	9.97	0.42	40	3.24	1205	31	0.05	73	952	50 <5	12	0.11 <10	35	143	4	51 <10	10	247
00080	104382 <1		4.85	26	76	61	1	4.62	10	33	233	50	8.27	0.34	37	3.18	1178	30	0.04	74	834	39 <5	8	0.11 <10	37	160	4	45 <10	10	254
00081	104383 <1		5.22	43	71	73	2	4.31	10	40	187	50 >10.00	0.37	39	3.25	1202	31	0.05	77	904	32 <5	<5	0.13 <10	30	180	4	53 <10	9	240	
00082	104384 <1		4.29	19	78	62	1	6.6	8	22	192	32	7.21	0.37	29	2.5	1314	28	0.04	58	754	12 <5	<5	0.1 <10	42 <100	2	35 <10	9	205	
00083	104385 <1		4.79	10	77	41	1	5.08	10	29	180	55	9.08	0.26	32	2.86	1258	28	0.04	65	892	22 <5	<5	0.06 <10	44	965	3	50 <10	9	232
00084	104399 <1		4.24	8	71	39	1	4.29	9	32	261	23	7.63	0.25	33	2.63	975	28	0.05	65	761	18 <5	7	0.1 <10	37	2855	7	52 <10	9	178

Kodiak Resources Limited
 Date Created: 06-09-12 10:44 AM
 Job Number: 200641817
 Date Recieved: 9/1/2006
 Number of Samples: 65
 Type of Sample: Core
 Date Completed: 9/12/2006
 Project ID: HER

Accurassay #	Client Tag	Au PPB	Au oz/t	Au PPM
103376	164387	25	<0.001	0.025
103377	164388	21	<0.001	0.021
103378	164389	28	<0.001	0.028
103379	164390	103	0.003	0.103
103380	164391	30	<0.001	0.03
103381	164392	65	0.002	0.065
103382	164393	31	<0.001	0.031
103383	164394	122	0.004	0.122
103384	164395	312	0.009	0.312
103385	164396	135	0.004	0.135
103386	164396	140	0.004	0.14
103387	164397	1067	0.031	1.067
103388	164398	2293	0.067	2.293
103389	164399	16441	0.48	16.441
103390	164400	509	0.015	0.509
103391	164401	18	<0.001	0.018
103392	164402	225	0.007	0.225
103393	164403	3142	0.092	3.142
103394	164404	10927	0.319	10.927
103395	164405	4817	0.141	4.817
103396	164406	185	0.005	0.185
103397	164406	171	0.005	0.171
103398	164407	301	0.009	0.301
103399	164408	496	0.014	0.496
103400	164409	31	<0.001	0.031
103401	164410	3180	0.093	3.18
103402	164411	1926	0.056	1.926
103403	164412	3887	0.113	3.887
103404	164413	6812	0.199	6.812
103405	164414	4345	0.127	4.345
103406	164415	4272	0.125	4.272
103407	164416	107	0.003	0.107
103408	164417	198	0.006	0.198
103409	164417	196	0.006	0.196
103410	164418	2870	0.084	2.87
103411	164419	1670	0.049	1.67
103412	164420	533	0.016	0.533
103413	164421	333	0.01	0.333
103414	164422	87	0.003	0.087
103415	164423	212	0.006	0.212
103416	164424	179	0.005	0.179
103417	164425	11517	0.336	11.517

103418	164426	14647	0.427	14.647
103419	164427	12923	0.377	12.923
103420	164427	13149	0.384	13.149
103421	164428	2108	0.061	2.108
103422	164429	48	0.001	0.048
103423	164430	40	0.001	0.04
103424	164431	30	<0.001	0.03
103425	164432	88	0.003	0.088
103426	164433	27	<0.001	0.027
103427	164434	29	<0.001	0.029
103428	164435	29	<0.001	0.029
103429	164436	24	<0.001	0.024
103430	164437	28	<0.001	0.028
103431	164437	35	0.001	0.035
103432	164438	54	0.002	0.054
103433	164439	372	0.011	0.372
103434	164440	31	<0.001	0.031
103435	164441	25	<0.001	0.025
103436	164442	29	<0.001	0.029
103437	164443	22	<0.001	0.022
103438	164444	20	<0.001	0.02
103439	164445	20	<0.001	0.02
103440	164446	16	<0.001	0.016
103441	164447	21	<0.001	0.021
103442	164447	35	0.001	0.035
103443	164448	26	<0.001	0.026
103444	164449	19	<0.001	0.019
103445	164450	503	0.015	0.503
103446	164451	17	<0.001	0.017

Kodtek Resources Limited
 Date Created: 08-03-25 02:45 PM
 Job Number: 200941817
 Data Received: 9/1/2009
 Number of Samples: 65
 Type of Sample: Core
 Date Completed: 9/12/2008
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag	Al	As	B	Be	Be	Ce	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Ne	Ni	P	Pb	Sb	Se	Si	Sn	Br	Ti	Ti	V	W	Y	Zn	
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
103376	104387	<1	1.99	12	57	39	1	1.59	4	28	239	55	3.45	0.14	13	1.38	428	13	0.05	47	514	14	<5	6	0.03	<10	32	2323	1	32	<10	6	50	
103377	104388	<1	1.8	13	52	34	1	1.44	5	30	382	96	4.03	0.15	16	1.12	403	16	0.07	36	450	12	<5	6	0.03	<10	38	2089	1	33	<10	6	36	
103378	104389	<1	2.02	17	51	41	2	1.95	6	35	148	80	4.84	0.2	17	1.29	473	14	0.04	48	503	12	<5	6	0.03	<10	25	2043	5	30	<10	6	43	
103379	104390	<1	2.26	17	52	72	2	2.31	6	43	190	32	5.19	0.38	18	1.28	518	30	0.06	51	702	15	<5	6	0.03	<10	18	2281	3	33	<10	6	43	
103380	104391	<1	3.35	10	58	27	2	3.77	6	33	80	21	5.37	0.12	23	2	827	17	0.05	41	1132	14	<5	6	0.03	<10	57	3034	4	73	<10	6	70	
103381	104392	<1	3.52	13	56	17	2	3.91	7	29	191	19	5.94	0.09	36	2.02	691	19	0.05	46	1085	17	<5	6	0.04	<10	67	2211	4	74	<10	7	121	
103382	104393	<1	2.89	13	50	20	2	3.53	6	31	162	58	5.22	0.13	31	1.75	667	18	0.04	59	985	21	<5	6	0.04	<10	35	1242	<1	39	<10	6	107	
103383	104394	<1	2.85	11	56	28	2	4.42	8	23	270	26	5.12	0.21	33	1.75	720	18	0.05	59	588	17	5	6	0.03	<10	38	803	2	35	<10	7	109	
103384	104395	1	2.26	10	52	20	2	5.46	5	20	167	18	4.2	0.22	31	1.31	712	13	0.04	44	484	19	<5	6	0.03	<10	41	<100	1	19	<10	6	98	
103385	104396	<1	2.21	8	52	25	1	4.36	5	17	215	13	3.85	0.28	31	1.25	822	13	0.04	42	486	11	<5	6	0.04	<10	46	<100	5	16	<10	6	91	
103386	104398	<1	2.18	5	53	25	1	4.31	5	18	215	13	3.61	0.28	30	1.25	808	13	0.04	43	482	15	<5	6	0.03	<10	45	<100	1	16	<10	6	92	
103387	104397	2	2.47	4	56	24	2	5.31	6	22	93	12	4.55	0.25	37	1.5	749	29	0.03	55	546	16	<5	6	0.03	<10	48	<100	3	19	<10	5	119	
103388	104399	7	2.04	6	51	23	1	4.55	5	18	275	12	3.83	0.22	32	1.31	638	63	0.03	50	483	17	<5	6	0.04	<10	36	<100	2	21	<10	4	93	
103389	104398	39	0.46	8	51	11	1	1.08	<4	8	330	28	1.5	0.11	6	0.3	179	221	0.02	24	113	32	<5	6	0.03	<10	11	<100	2	8	<10	1	30	
103390	104400	<1	0.23	3	53	16	<1	0.05	<4	2	3	7	0.37	0.12	3	0.05	<100	2	0.08	6	<100	6	<5	6	0.03	<10	6	<100	2	<2	<10	1	6	
103391	104401	<1	0.02	<2	36	3	<1	0.02	<4	2	2	7	0.03	0.01	1	<0.01	<100	<1	0.01	6	<100	2	<5	6	0.02	<10	3	<100	3	<2	<10	<1	2	
103392	104402	1	3.8	18	54	30	2	4.72	7	29	173	15	5.85	0.29	54	2.17	899	30	0.03	75	706	27	<5	6	0.04	<10	45	<100	5	27	<10	5	184	
103393	104403	7	0.8	10	60	19	1	2.87	<4	16	265	85	2.43	0.16	12	0.45	398	10	0.02	35	211	52	<5	6	0.03	<10	21	<100	3	8	<10	2	45	
103394	104404	5	1.32	22	44	25	2	1.47	<4	5	27	245	236	3.9	0.24	22	0.78	308	15	0.02	42	327	43	<5	6	0.03	<10	15	<100	4	12	<10	3	111
103395	104405	6	0.42	7	62	7	<1	2.4	<4	7	526	407	1.24	0.08	8	0.26	318	8	0.02	20	<100	136	<5	6	0.03	<10	19	<100	3	4	188	1	42	
103396	104400	<1	3	11	56	24	2	4.29	5	20	220	151	4.56	0.28	39	1.59	737	10	0.04	51	544	17	<5	6	0.03	<10	31	<100	3	23	<10	5	100	
103397	104409	<1	2.94	8	57	24	1	4.18	6	20	219	151	4.46	0.27	38	1.56	714	15	0.04	50	525	15	<5	6	0.03	<10	31	<100	2	22	<10	4	154	
103398	104407	3	4.01	35	63	27	2	2.59	9	23	99	82	7.25	0.3	86	2.85	856	28	0.03	89	565	73	<5	6	0.03	<10	23	<100	4	29	10	4	399	
103399	104405	2	0.1	3	53	5	<1	1.96	<4	5	651	15	0.75	0.04	2	0.04	212	5	0.02	17	<100	45	<5	6	0.05	<10	22	<100	2	2	<10	1	13	
103400	104409	<1	0.08	2	52	3	<1	0.24	<4	2	406	11	0.47	0.03	2	0.02	<100	2	0.02	13	<100	8	<5	6	0.02	<10	6	<100	2	<2	<10	<1	426	
103401	104410	4	0.79	9	51	11	1	0.78	<4	10	619	102	1.89	0.1	17	0.48	195	9	0.02	27	<100	53	<5	6	0.02	<10	9	<100	3	7	318	<1	89	
103402	104411	5	0.12	7	46	8	1	0.84	<4	16	328	87	1.56	0.06	2	0.04	109	9	0.01	14	<100	83	<5	6	0.02	<10	7	<100	1	<2	<10	<1	37	
103403	104412	3	1.1	51	46	37	2	1.08	7	71	373	72	5.46	0.3	13	0.52	234	32	0.03	43	151	81	<5	6	0.03	<10	11	<100	4	11	<10	1	57	
103404	104413	23	0.22	8	49	12	1	0.46	<4	13	330	98	1.31	0.1	3	0.08	<100	13	0.02	17	<100	147	<5	6	0.03	<10	6	<100	2	3	<10	<1	33	
103405	104414	18	0.06	4	56	5	<1	0.32	<4	4	373	38	0.85	0.04	2	0.03	<100	5	0.02	15	<100	4	<100	4	0.02	<10	4	<100	1	<2	<10	<1	31	
103406	104415	8	0.04	4	57	3	<1	0.09	<4	3	480	36	0.54	0.02	1	<0.01	<100	8	0.02	14	<100	46	<5	6	0.02	<10	<3	<100	1	<2	<10	<1	28	
103407	104418	<1	0.02	3	51	2	<1	0.05	<4	2	526	26	0.48	0.01	1	<0.01	<100	4	0.01	14	<100	20	<5	6	0.02	<10	<3	<100	<1	<2	<10	<1	3	
103408	104417	2	0.02	3	57	2	<1	0.51	<4	2	342	11	0.38	0.01	1	<0.01	<100	2	0.02	11	<100	32	<5	6	0.02	<10	4	<100	1	<2	<10	<1	15	
103409	104417	1	0.02	4	55	2	<1	0.51	<4	2	345	11	0.38	0.01	1	<0.01	<100	2	0.02	11	<100	34	<5	6	0.02	<10	4	<100	1	<2	<10	<1	12	
103410	104418	13	0.05	4	51	3	<1	0.16	<4	3	558	14	0.82	0.03	1	<0.01	<100	3	0.02	16	<100	132	<5	6	0.02	<10	<3	<100	<1	<2	<10	<1	5	
103411	104419	9	0.03	4	52	3	<1	0.06	<4	2	387	18	0.36	0.02	1	<0.01	<100	3	0.01	11	<100	88	<5	6	0.02	<10	<3	<100	3	<2	<10	<1	3	
103412	104420	2	0.02	3	49	2	<1	0.11	<4	3	558	11	0.52	0.01	1	<0.01	<100	4	0.01	15	<100	17	<5	6	0.02	<10	<3	<100	4	<2	<10	<1	7	
103413	104421	<1	0.01	3	55	1	<1	0.23	<4	2	416	10	0.41	<0.01	1	<0.01	<100	3	0.01	12	<100	9	<5	6	0.02	<10	<3	<100	2	<2	<10	<1	4	
103414	104422	<1	0.01	<2	54	1	<1	0.52	<4	3	536	17	0.49	<0.01	1	<0.01	<100	4	0.01	14	<100	9	<5	6	0.02	<10	4	<100	2	<2	<10	<1	2	
103415	104423	2	0.02	5	54	2	<1	0.13	<4	3	210	9	0.27	<0.01	2	<0.01	<100	3	0.01	9	<100	42	<5	6	0.02	<10	<3	<100	2	<2	<10	<1	8	
103416	104424	<1	0.03	5	54	2	<1	0.27	<4	3	738	27	0.89	<0.01	2	0.02	<100	5	0.01	20	<100	9	<5	6	0.02	<10	3	<100	2	<2	<10	<1	8	
103417	104425	24	0.88	12	57	22	1	1.86	<4	19	178	123	2.27	0.21	10	0.36	301	243	0.03	29	262	43	<5	6	0.03	<10	1	8	<10	1	8	2	44	
103418	104426	28	1.53	17	52	33	2	2.43	5	29	521	41	4.12	0.28	1																			

103438	164444 <1	2.28	10	48	17	1	1.31 -4	24	127	81	3.32	0.09	22	1.73	436	13	0.05	50	535	9 <5	<5	0.03 <10	28	1987	2	34 <10	3	42	
103439	164445 <1	1.88	6	32	16	1	2.12 -4	20	108	95	3.33	0.07	15	1.44	493	12	0.05	38	569	11 <5	<5	0.02 <10	33	1981	3	38 <10	3	41	
103440	164446 <1	2.06	7	48	9	1	1.2 -4	23	118	83	3.37	0.04	17	1.55	435	13	0.06	45	563	14 <5	<5	0.02 <10	34	2037	2	42 <10	3	44	
103441	164447 <1	2.33	6	38	9	1	1.81	4	24	400	93	4	0.04	20	1.7	552	19	0.06	63	530	17 <5	<5	0.03 <10	42	2274	2	49 <10	3	51
103442	164447 <1	2.25	6	41	8	1	1.7	4	23	373	94	3.91	0.03	20	1.72	550	15	0.06	57	539	17 <5	<5	0.02 <10	34	1973	1	45 <10	3	50
103443	164445 <1	2.64	13	43	6	1	1.47	5	28	105	88	4.22	0.02	25	2.09	639	16	0.06	48	526	15 <5	<5	0.02 <10	30	2119	4	56 <10	3	59
103444	164449 <1	2.25	9	40	9	2	1.15	5	30	430	93	4.56	0.05	21	1.72	735	16	0.07	54	482	26 <5	<5	0.02 <10	35	2142	2	60 <10	4	55
103445	164450 <1	0.24	3	46	17	1	0.07 -4	2	4	7	0.41	0.12	2	0.08 <100			1	0.06	8 <100	7 <5	<5	0.02 <10	7 <100	2 <2	<10	1	5		
103446	164451 <1	0.02	6	49	3 <1		0.02 -4	1	2	7	0.03	0.01	1	<0.01	<100		1	0.01	8 <100	4 <5	<5	0.01 <10	3 <100	4 <2	<10	<1	3		

Kodiak Resources Limited
Date Created: 06-09-13 08:52 AM
Job Number: 200641861
Date Recieved: 9/6/2006
Number of Samples: 110
Type of Sample: Core
Date Completed: 9/12/2006
Project ID: HER

Accurassay #	Client Tag	Au PPB	Au oz/t	Au PPM
104952	164452	10	<0.001	0.01
104953	164453	16	<0.001	0.016
104954	164454	15	<0.001	0.015
104955	164455	58	0.002	0.058
104956	164456	73	0.002	0.073
104957	164457	100	0.003	0.1
104958	164458	74	0.002	0.074
104959	164459	188	0.005	0.188
104960	164460	95	0.003	0.095
104961	164461	114	0.003	0.114
104962	164461	106	0.003	0.106
104963	164462	1855	0.054	1.855
104964	164463	115749	3.376	115.749
104965	164464	901	0.026	0.901
104966	164465	197	0.006	0.197
104967	164466	825	0.024	0.825
104968	164467	542	0.016	0.542
104969	164468	271	0.008	0.271
104970	164469	223	0.006	0.223
104971	164470	165	0.005	0.165
104972	164471	15	<0.001	0.015
104973	164471	15	<0.001	0.015
104974	164472	14	<0.001	0.014
104975	164473	19	<0.001	0.019
104976	164474	17	<0.001	0.017
104977	164475	15	<0.001	0.015
104978	164476	15	<0.001	0.015
104979	164477	15	<0.001	0.015
104980	164478	12	<0.001	0.012
104981	164479	15	<0.001	0.015
104982	164480	14	<0.001	0.014
104983	164481	15	<0.001	0.015
104984	164481	14	<0.001	0.014
104985	164482	20	<0.001	0.02
104986	164483	9	<0.001	0.009
104987	164484	73	0.002	0.073
104988	164485	57	0.002	0.057
104989	164486	21	<0.001	0.021
104990	164487	10	<0.001	0.01
104991	164488	11	<0.001	0.011
104992	164489	9	<0.001	0.009
104993	164490	12	<0.001	0.012

104994	164491	6	<0.001	0.006
104995	164491	15	<0.001	0.015
104996	164492	7	<0.001	0.007
104997	164493	6	<0.001	0.006
104998	164494	7	<0.001	0.007
104999	164495	8	<0.001	0.008
105000	164496	10	<0.001	0.01
105001	164497	6	<0.001	0.006
105002	164498	8	<0.001	0.008
105003	164499	8	<0.001	0.008
105004	164500	441	0.013	0.441
105005	164501	21	<0.001	0.021
105006	164502	8	<0.001	0.008
105007	164502	11	<0.001	0.011
105008	164503	12	<0.001	0.012
105009	164504	11	<0.001	0.011
105010	164505	15	<0.001	0.015
105011	164506	9	<0.001	0.009
105012	164507	12	<0.001	0.012
105013	164508	11	<0.001	0.011
105014	164509	11	<0.001	0.011
105015	164510	19	<0.001	0.019
105016	164511	10	<0.001	0.01
105017	164511	11	<0.001	0.011
105018	164512	15	<0.001	0.015
105019	164513	13	<0.001	0.013
105020	164514	14	<0.001	0.014
105021	164515	16	<0.001	0.016
105022	164516	19	<0.001	0.019
105023	164517	12	<0.001	0.012
105024	164518	11	<0.001	0.011
105025	164519	13	<0.001	0.013
105026	164520	10	<0.001	0.01
105027	164521	17	<0.001	0.017
105028	164521	18	<0.001	0.018
105029	164522	19	<0.001	0.019
105030	164523	26	<0.001	0.026
105031	164524	27	<0.001	0.027
105032	164525	39	0.001	0.039
105033	164526	59	0.002	0.059
105034	164527	360	0.011	0.36
105035	164528	1992	0.058	1.992
105036	164529	1689	0.049	1.689
105037	164530	1996	0.058	1.996
105038	164531	1050	0.031	1.05
105039	164531	1124	0.033	1.124
105040	164532	214	0.006	0.214
105041	164533	106	0.003	0.106
105042	164534	33	<0.001	0.033
105043	164535	36	0.001	0.036
105044	164536	479	0.014	0.479
105045	164537	51	0.001	0.051

105046	164538	100	0.003	0.1
105047	164539	2638	0.077	2.638
105048	164540	476	0.014	0.476
105049	164541	38	0.001	0.038
105050	164541	44	0.001	0.044
105051	164542	132	0.004	0.132
105052	164543	14	<0.001	0.014
105053	164544	10	<0.001	0.01
105054	164545	<5	<0.001	<0.005
105055	164546	12	<0.001	0.012
105056	164547	16	<0.001	0.016
105057	164548	15	<0.001	0.015
105058	164549	6	<0.001	0.006
105059	164550	401	0.012	0.401
105060	164551	6	<0.001	0.006
105061	164552	5	<0.001	0.005
105062	164552	16	<0.001	0.016
105063	164553	60	0.002	0.06
105064	164554	34	0.001	0.034
105065	164555	10	<0.001	0.01
105066	164556	<5	<0.001	<0.005
105067	164557	6	<0.001	0.006
105068	164558	<5	<0.001	<0.005
105069	164559	9	<0.001	0.009
105070	164560	<5	<0.001	<0.005
105071	164561	5	<0.001	0.005
105072	164561	33	<0.001	0.033

Kodtek Resources Limited
 Date Created: 05-09-20 01:05 AM
 Job Number: 200841801
 Date Received: 06/20/06
 Number of Samples: 110
 Type of Sample: Core
 Date Completed: 01/2/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analyses are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Br ppm	Tl ppm	Ti ppm	V ppm	W ppm	Y ppm	Zn ppm
104852	104452 <1	3.4	12	58	9 <1	1.7	5	31	120	102	0.38	0.04	33	1.93	760	18	0.09	50	704	24 <5	6	0.02 <10	59	2464	3	88 <10	4	30					
104853	104453 <1	2.99	15	80	12 <1	1.95	4	30	292	37	5.87	0.06	32	1.77	570	19	0.11	45	539	17 <5	<5	0.02 <10	46	2541	2	61 <10	4	30					
104854	104454 <1	3.79	27	61	13 <1	2.25	6	31	124	155	6.87	0.09	46	2.28	527	20	0.1	52	961	25 <5	7	0.02 <10	36	2401	2	73 <10	5	82					
104855	104455 <1	3.13	27	54	28 <1	2.74	6	34	267	164	7.29	0.27	37	1.78	468	19	0.06	53	549	18 <5	6	0.02 <10	28	2003 <1	2	42 <10	6	53					
104856	104456 <1	3.01	22	57	31 <1	2.81	5	30	92	10	6.39	0.33	36	1.8	456	18	0.07	46	368	12 <5	<5	0.02 <10	18	1814 <1	4	34 <10	4	47					
104857	104457 <1	2.37	12	53	36 <1	3.45	5	29	307 <1		6.32	0.38	28	1.38	477	18	0.06	45	527	11 <5	7	0.03 <10	20	1072	3	32 <10	5	53					
104858	104458 <1	2.5	10	57	28 <1	4.32	5	28	97 <1		5.71	0.27	34	1.54	542	19	0.05	41	501	9 <5	6	0.03 <10	24	778	4	28 <10	5	48					
104859	104459 <1	2.51	9	56	30 <1	4.68	7	32	336	10	7.57	0.29	35	1.54	653	22	0.06	53	513	15 <5	<5	0.03 <10	32	231	2	33 <10	6	51					
104860	104460 <1	2.01	6	54	38 <1	3.95 <4		21	115 <1		4.37	0.38	37	1.52	802	17	0.06	36	360	9 <5	<5	0.03 <10	22 <100	<1	2	23 <10	5	50					
104861	104461 <1	2.86	7	57	38 <1	5.77	4	17	295 <1		4.85	0.35	42	1.74	376	17	0.06	49	517	7 <5	<5	0.03 <10	31 <100		2	28 <10	6	78					
104862	104462 <1	3.1	8	59	38 <1	5.92	4	18	299 <1		4.88	0.35	45	1.79	680	16	0.06	50	639	10 <5	<5	0.02 <10	32 <100		5	28 <10	6	77					
104863	104463 <1	3.39	20	59	52 <1	5.42	6	31	180	10	8.77	0.5	45	1.8	845	22	0.04	66	725	17 <5	6	0.02 <10	31 <100		3	32 <10	6	85					
104864	104464 <1	0.37	13	46	18 <1	0.82	7	24	1017	2316	4.03	0.15	4	0.14	203	36	0.02	47	160	302 <5	<5	0.02 <10	7 <100	<1	8 <10	1	112						
104865	104465 <1	0.75	6	50	27 <1	1.84 <4		12	292	36	2.03	0.23	6	0.38	248	26	0.02	21	288	28 <5	<5	0.02 <10	10 <100	<1	10 <10	2	11						
104866	104466 <1	0.76	15	54	19 <1	1.25 <4		6	901	78	2.39	0.16	11	0.46	270	11	0.02	36	185	11 <5	<5	0.02 <10	10 <100	<1	11 <10	1	6						
104867	104467 <1	2.73	47	56	41 <1	4.43	4	31	257	5	5.24	0.34	37	1.75	305	20	0.03	67	615	23 <5	<5	0.03 <10	30 <100	<1	2	32 <10	5	93					
104868	104468 <1	0.93	10	30	30 <1	1.73 <4	6	14	1029	5	2.53	0.24	10	0.47	308	10	0.02	41	260	8	5	0.03 <10	11 <100	<1	11	<100	4	84					
104869	104469 <1	3.08	17	59	54 <1	3.47	4	38	127	13	5.8	0.51	35	1.82	632	16	0.06	65	665	11 <5	<5	0.04 <10	28 <100	<1	28	<10	5	87					
104870	104470 <1	3.39	14	58	38 <1	3.58	5	25	322	21	6.17	0.37	43	2.03	704	18	0.08	61	779	11 <5	<5	0.04 <10	25	109 <1	1	37 <10	7	125					
104871	104471 <1	3.74	4	68	40 <1	4.3	5	32	119	36	6.12	0.41	43	2.09	669	19	0.07	60	780	13 <5	<5	0.04 <10	32	102	1	44 <10	5	125					
104872	104472 <1	3.49	5	68	30 <1	6.78	5	22	316	33	5.4	0.3	43	2.15	670	17	0.06	59	698	14 <5	<5	0.05 <10	46 <100		2	36 <10	6	131					
104873	104473 <1	3.6	4	62	29 <1	6.83	4	22	308	32	5.47	0.31	46	2.12	656	19	0.05	58	680	12 <5	<5	0.04 <10	47 <100		2	38 <10	6	124					
104874	104474 <1	3.62	7	60	25 <1	3.38	4	23	331	34	5.41	0.29	43	2.04	571	18	0.07	61	752	11 <5	<5	0.03 <10	36	254	2	42 <10	6	120					
104875	104475 <1	3.59	14	59	31 <1	3.51	5	35	329	47	5.85	0.29	41	2.02	601	16	0.08	72	775	13 <5	7	0.02 <10	40	938	4	48 <10	6	119					
104876	104476 <1	2.8	15	59	20 <1	2.14	5	33	213	46	6.55	0.13	25	1.95	980	20	0.1	54	693	13 <5	6	0.02 <10	47	2534	2	60 <10	6	44					
104877	104477 <1	2.58	17	59	16 <1	1.79	5	30	582	43	5.82	0.1	22	1.81	509	16	0.1	60	647	13 <5	6	0.02 <10	51	2450	1	61 <10	5	33					
104878	104478 <1	2.56	10	62	15 <1	1.74	5	33	223	49	5.97	0.09	22	1.88	477	15	0.08	53	670	13 <5	12	0.02 <10	43	2374	2	56 <10	5	28					
104879	104479 <1	2.56	12	60	21 <1	2.13	5	27	537	31	5.59	0.15	23	1.83	522	19	0.1	57	658	13 <5	9	0.04 <10	41	2590 <1	1	51 <10	6	23					
104880	104480 <1	2.96	10	69	23 <1	1.88	5	32	299	45	6.78	0.14	20	1.73	440	16	0.08	56	676	14 <5	9	0.04 <10	48	2573	2	51 <10	5	22					
104881	104481 <1	2.6	15	64	29 <1	1.4	5	33	573	54	6.55	0.18	20	1.81	412	21	0.08	62	849	12 <5	6	0.06 <10	58	2904	1	51 <10	5	23					
104882	104482 <1	2.79	17	69	34 <1	1.79	6	34	194	59	7.18	0.17	22	1.88	398	17	0.07	63	640	18 <5	6	0.08 <10	55	2879 <1	1	50 <10	6	18					
104883	104483 <1	2.88	11	61	29 <1	1.77	5	31	487	63	6.01	0.22	22	1.58	331	17	0.08	61	688	11 <5	7	0.05 <10	52	2614 <1	1	48 <10	6	19					
104884	104484 <1	2.74	12	64	28 <1	1.89	5	31	475	61	5.83	0.21	21	1.58	329	15	0.08	59	678	12 <5	7	0.05 <10	47	2543	3	41 <10	6	19					
104885	104485 <1	2.69	13	44	48 <1	1.74	4	32	217	38	5.54	0.31	21	1.52	279	20	0.09	84	685	18 <5	<5	0.04 <10	47	2543	3	41 <10	6	19					
104886	104486 <1	2.94	15	59	35 <1	2.11	5	28	224	28	3.53	0.26	24	1.76	317	20	0.07	53	672	28 <5	11	0.03 <10	50	2378	1	40 <10	5	20					
104887	104487 <1	2.31	10	57	16 <1	1.85	4	26	477	56	5.15	0.13	20	1.55	322	17	0.06	55	615	31 <5	11	0.02 <10	41	2170 <1	1	42 <10	5	14					
104888	104488 <1	1.95	21	51	37 <1	3.41	5	31	370	22	6.08	0.31	18	1.28	429	39	0.05	57	687	12 <5	<5	0.02 <10	38	1915	2	37 <10	4	15					
104889	104489 <1	2.12	18	55	26 <1	1.4	4	27	539	26	5.25	0.19	18	1.39	473	19	0.05	53	588	12 <5	<5	0.02 <10	45	2512	1	45 <10	4	30					
104890	104490 <1	2.6	14	55	18 <1	1.99	5	37	489	37	6.81	0.11	21	1.83	374	18	0.07	64	637	14 <5	<5	0.03 <10	44	2552	3	45 <10	4	28					
104891	104491 <1	2.85	13	59	21 <1	2.48 <4		29	437	38	5.18	0.15	20	1.88	424	16	0.08	61	629	14 <5	8	0.03 <10	44	2552	3	45 <10	4	28					
104892	104492 <1	2.05	13	59	21 <1	2.23	4	28	524	117	5.8	0.11	22	1.83	448	18	0.08	63	676	11 <5	5	0.04 <10	68	3033	1	53 <10	4	25					
104893	104493 <1	3.33	13	67	17 <1	2.23	5	30	519	81	5.8	0.14	20	1.75	487	18	0.08	60	698	9 <5	<5	0.04 <10	73	3001	4	32 <10	4	25					
104894	104494 <1	3.53	17	65	34 <1	2.25	5	30	519	81	5.8	0.14	20	1.75	487	18	0.08	60	698	9 <5	<5	0.04 <10	72	3135	2	61 <10	4	34					
104895	104495 <1	3.58	10	69	14 <1	2.53	5	34	451	64	5.98	0.07	23	2.12	578	20	0.08	74	671	11 <5	5	0.08 <10	71	3020 <1	1	62 <10	4	31					
104896	104496 <1	3.56	10	68	14 <1	2.53	5	33	447	63	6.03	0.07	23	2.14	578	20	0.08	76	677	11 <5	5	0.04 <10	57	2819 <1	1	63 <10	4	31					
104897	104497 <1	3.31	9	67	27 <1	2.86	5	33	418	62	6.17</																						

105014	104609	<1	2.7	17	52	25	<1	2.51	0	27	419	35	7.35	0.21	26	1.29	391	15	0.07	02	632	14	<5	8	0.02	<10	55	2027	2	41	<10	4	28	
105015	104510	<1	3.20	26	26	32		3.34	7	42	370	47	8.63	0.3	36	1.87	524	19	0.08	09	094	15	<5	8	0.02	<10	46	2205	<1	44	<10	5	58	
105016	104511	<1	3.17	12	01	18	<1	3.15	6	35	404	11	7.25	0.13	40	1.93	525	20	0.08	01	046	14	<5	6	0.03	<10	52	2418	<1	57	<10	5	57	
105017	104511	<1	3	13	57	15	<1	2.97	5	32	384	10	6.6	0.12	38	1.85	498	19	0.07	00	019	12	<5	7	0.04	<10	50	2333	1	64	<10	5	54	
105018	104512	<1	3.02	17	01	26	<1	3.41	6	33	482	32	7.07	0.23	33	1.81	474	17	0.08	06	058	16	<5	7	0.04	<10	06	2300	1	46	<10	6	48	
105019	104513	<1	2.34	14	51	22	<1	3.7	6	29	343	31	7.12	0.21	28	1.24	419	14	0.07	04	070	13	<5	8	0.02	<10	44	1435	<1	38	<10	4	48	
105020	104514	<1	3.09	8	05	26	<1	3.54	6	34	386	41	7.75	0.28	40	1.70	504	20	0.07	06	067	17	<5	11	0.04	<10	48	1813	<1	41	<10	6	48	
105021	104515	<1	2.57	10	37	22	<1	3.48	5	25	394	12	7.11	0.27	32	1.48	459	17	0.07	01	010	13	<5	12	0.03	<10	42	1179	<1	34	<10	6	60	
105022	104516	<1	2.86	13	58	16	<1	2.8	5	30	381	35	6.30	0.18	31	1.5	444	15	0.06	04	056	15	<5	6	0.02	<10	51	2148	<1	51	<10	6	50	
105023	104517	<1	2.53	11	58	16	<1	2.23	5	30	423	44	6.07	0.13	33	1.87	414	17	0.06	01	060	10	<5	6	0.02	<10	41	2007	2	49	<10	5	51	
105024	104518	<1	2.73	11	49	26	<1	2.29	4	23	274	7	5.72	0.23	36	1.84	480	16	0.08	55	073	12	<5	6	0.02	<10	27	1335	2	34	<10	5	77	
105025	104519	<1	2.74	10	49	25	<1	3.53	4	31	124	47	8.62	0.21	33	1.78	552	16	0.08	58	065	8	<5	6	0.02	<10	35	1048	<1	35	<10	6	64	
105026	104520	<1	2.89	9	48	25	<1	3.98	4	29	263	12	5.29	0.28	36	1.81	987	17	0.05	63	063	8	<5	7	0.02	<10	33	797	2	32	<10	5	79	
105027	104521	<1	2.12	9	48	25	<1	3.98	4	25	82	3	5.4	0.34	31	1.33	477	12	0.04	47	821	17	<5	10	0.02	<10	31	362	<1	21	<10	5	48	
105028	104521	<1	2.15	8	44	26	<1	3.87	4	25	97	2	5.37	0.35	31	1.34	477	11	0.04	47	829	13	<5	13	0.02	<10	33	1045	3	20	<10	6	52	
105029	104522	<1	2.2	13	44	32	<1	3.8	4	27	288	10	6.07	0.30	33	1.44	544	16	0.04	58	042	13	<5	10	0.02	<10	34	1015	1	21	<10	5	48	
105030	104523	<1	2.1	13	47	28	<1	4.94	4	36	77	21	5.89	0.34	31	1.35	540	13	0.04	48	580	11	<5	15	0.02	<10	30	1023	<1	18	<10	6	46	
105031	104524	<1	2.49	16	47	50	<1	3.82	5	39	290	40	6.41	0.45	30	1.47	569	16	0.06	61	063	11	<5	14	0.03	<10	35	1040	<1	22	<10	6	45	
105032	104525	<1	2.56	12	24	41	<1	4.45	5	34	85	16	6.33	0.49	33	1.44	603	24	0.03	66	091	13	<5	6	0.02	<10	30	822	<1	34	<10	5	50	
105033	104526	<1	2.28	12	48	33	<1	3.77	5	33	237	18	6.30	0.4	34	1.48	932	29	0.03	60	078	12	<5	6	0.02	<10	27	417	1	44	<10	7	84	
105034	104527	<1	2.53	12	51	26	<1	5.05	4	25	86	<1	6.03	0.31	40	1.85	690	09	0.06	59	749	14	<5	6	0.02	<10	27	417	1	44	<10	7	84	
105035	104528	<1	2.83	5	30	31	<1	6.33	6	27	390	4	8.84	0.35	36	1.87	904	178	0.03	67	081	15	<5	8	0.03	<10	47	345	1	40	<10	7	86	
105036	104529	<1	3	1.23	7	50	25	<1	3.8	<4	19	206	14	3.20	0.29	17	0.79	487	142	0.03	34	382	7	<5	8	0.02	<10	29	309	3	18	<10	4	16
105037	104530	<1	3	3.15	12	51	38	<1	6.48	7	44	214	87	8.75	0.42	43	2.11	1007	76	0.03	87	1009	21	<5	6	0.02	<10	54	435	3	40	<10	7	83
105038	104531	<1	2	3.83	11	48	31	<1	7.08	6	36	108	8	7.5	0.4	53	2.4	1189	23	0.03	88	067	15	<5	6	0.02	<10	53	221	5	44	<10	7	82
105039	104531	<1	2	3.58	10	45	31	<1	6.77	6	34	105	6	7.09	0.4	52	2.33	1115	23	0.03	80	825	11	<5	6	0.02	<10	52	227	2	42	<10	7	87
105040	104532	<1	4.8	12	54	32	<1	7.53	8	25	232	108	7.42	0.34	70	3.19	1505	25	0.03	111	838	13	<5	6	0.02	<10	60	206	2	55	<10	7	132	
105041	104533	<1	4.14	12	49	40	<1	4.3	5	47	100	27	7.01	0.41	52	2.58	1007	21	0.03	88	888	12	<5	6	0.02	<10	36	127	2	42	<10	7	111	
105042	104534	<1	3.19	10	50	30	<1	4.04	<4	5	31	82	<1	6.84	0.39	48	2.13	1023	16	0.03	67	776	12	<5	6	0.02	<10	42	462	1	32	<10	6	87
105043	104535	<1	3.85	10	47	31	<1	5.75	5	37	100	27	7.01	0.41	52	2.58	1007	21	0.03	88	888	12	<5	6	0.02	<10	42	462	1	32	<10	6	87	
105044	104536	<1	3.51	19	47	36	<1	4.02	5	35	332	15	6.78	0.36	43	1.82	864	41	0.03	73	749	11	<5	6	0.02	<10	48	472	<1	32	<10	31	7	
105045	104537	<1	3	9	47	27	<1	5.82	4	27	89	28	6.21	0.31	34	1.84	937	14	0.04	49	643	9	<5	6	0.02	<10	48	472	<1	32	<10	31	7	
105046	104538	<1	2.80	11	47	27	<1	3.88	<4	21	186	<1	5.09	0.3	35	1.72	790	16	0.04	46	838	9	<5	6	0.02	<10	30	293	3	28	<10	4	74	
105047	104538	<1	2.21	8	48	26	<1	4.63	<4	21	92	<1	4.72	0.29	27	1.34	752	351	0.03	40	516	11	<5	6	0.02	<10	38	305	3	25	<10	4	53	
105048	104540	<1	3.08	4	46	33	<1	5.95	5	27	190	16	6.08	0.38	35	1.89	1004	24	0.03	55	084	10	<5	6	0.02	<10	55	498	<1	28	<10	4	80	
105049	104541	<1	3.19	12	42	33	<1	4.53	4	25	89	4	5.51	0.35	33	1.89	887	14	0.04	46	081	10	<5	6	0.02	<10	40	730	4	28	<10	5	77	
105050	104541	<1	3.24	7	46	35	<1	4.62	4	26	70	3	5.99	0.36	33	1.7	882	15	0.04	46	077	8	<5	6	0.02	<10	40	779	<1	29	<10	5	86	
105051	104542	<1	3.13	12	53	34	<1	6.84	4	21	248	41	5.46	0.36	30	1.55	993	14	0.04	52	962	10	<5	5	0.02	<10	44	1032	<1	30	<10	7	73	
105052	104543	<1	3.86	14	47	28	<1	5.49	5	29	79	40	6.89	0.24	32	2.08	1011	17	0.04	55	844	11	<5	5	0.02	<10	42	1578	4	44	<10	6	111	
105053	104544	<1	3.01	12	52	25	<1	3.77	4	28	259	9	5.35	0.19	28	1.83	731	14	0.07	51	628	28	<5	6	0.02	<10	36	2309	<1	52	<10	7	92	
105054	104545	<1	2.74	2	50	16	<1	2.79	<4	25	184	25	4.54	0.09	17	1.84	640	13	0.08	50	597	23	<5	6	0.02	<10	55	2482	<1	33	<10	3	85	
105055	104546	<1	1.87	12	47	24	<1	3.38	<4	27	419	127	4.82	0.14	12	0.71	405	11	0.04	41	340	189	<5	6	0.03	<10	84	1877	1	32	<10	4	19	
105056	104547	<1	2.74	14	51	19	<1	1.71	5	35	186	93	6.12	0.12	16	1.82	617	15	0.05	82	059	32	<5	6	0.02	<10	47	2410	<1	48	<10	4	19	
105057	104548	<1	2.81	12	53	13	<1	2.31	<4	30	383	73	5.06	0.09	24	1.7	517	15	0.08	83	023	18	<5	6	0.02	<10	41	2327	1	51	<10	4	21	
105058	104549	<1	3.1	9	53	13	<1	2.48	5	31	177	75	5.5	0.06	27	1.86	555	18	0.06	54	653	20	<5	6	0.02	<10	39	2809	3	80	<10	4	61	
105059	104600	<1	0.23</																															

Kodiak Resources Limited
Date Created: 06-09-19 07:46 AM
Job Number: 200641902
Date Recieved: 9/12/2006
Number of Samples: 108
Type of Sample: Core
Date Completed: 9/18/2006
Project ID: HER

Accurassay #	Client Tag	Au PPB	Au oz/t	Au PPM
107038	164562	12	<0.001	0.012
107039	164563	12	<0.001	0.012
107040	164564	13	<0.001	0.013
107041	164565	14	<0.001	0.014
107042	164566	11	<0.001	0.011
107043	164567	10	<0.001	0.01
107044	164568	14	<0.001	0.014
107045	164569	20	<0.001	0.02
107046	164570	38	0.001	0.038
107047	164571	12	<0.001	0.012
107048	164571	12	<0.001	0.012
107049	164572	8	<0.001	0.008
107050	164573	7	<0.001	0.007
107051	164574	13	<0.001	0.013
107052	164575	12	<0.001	0.012
107053	164576	8	<0.001	0.008
107054	164577	13	<0.001	0.013
107055	164578	22	<0.001	0.022
107056	164579	42	0.001	0.042
107057	164580	154	0.004	0.154
107058	164581	835	0.024	0.835
107059	164581	770	0.022	0.77
107060	164582	86	0.003	0.086
107061	164583	295	0.009	0.295
107062	164584	376	0.011	0.376
107063	164585	2115	0.062	2.115
107064	164586	5210	0.152	5.21
107065	164587	330	0.01	0.33
107066	164588	161	0.005	0.161
107067	164589	1006	0.029	1.006
107068	164590	190	0.006	0.19
107069	164591	37	0.001	0.037
107070	164591	38	0.001	0.038
107071	164592	1762	0.051	1.762
107072	164593	159	0.005	0.159
107073	164594	109	0.003	0.109
107074	164595	24	<0.001	0.024
107075	164596	30	<0.001	0.03
107076	164597	19	<0.001	0.019
107077	164598	24	<0.001	0.024
107078	164599	33	<0.001	0.033
107079	164600	353	0.01	0.353

107080	164601	<5	<0.001	<0.005
107081	164602	7	<0.001	0.007
107082	164602	<5	<0.001	<0.005
107083	164603	48	0.001	0.048
107084	164604	18	<0.001	0.018
107085	164605	6	<0.001	0.006
107086	164606	<5	<0.001	<0.005
107087	164607	284	0.008	0.284
107088	164608	16	<0.001	0.016
107089	164609	<5	<0.001	<0.005
107090	164610	<5	<0.001	<0.005
107091	164611	<5	<0.001	<0.005
107092	164611	<5	<0.001	<0.005
107093	164612	21	<0.001	0.021
107094	164613	20	<0.001	0.02
107095	164614	18	<0.001	0.018
107096	164615	30	<0.001	0.03
107097	164616	28	<0.001	0.028
107098	164617	31	<0.001	0.031
107099	164618	40	0.001	0.04
107100	164619	72	0.002	0.072
107101	164620	46	0.001	0.046
107102	164621	28	<0.001	0.028
107103	164621	17	<0.001	0.017
107104	164622	5046	0.147	5.046
107105	164623	456	0.013	0.456
107106	164624	335	0.01	0.335
107107	164625	413	0.012	0.413
107108	164626	327	0.01	0.327
107109	164627	214	0.006	0.214
107110	164628	455	0.013	0.455
107111	164629	41	0.001	0.041
107112	164630	155	0.005	0.155
107113	164631	365	0.011	0.365
107114	164631	407	0.012	0.407
107115	164632	45	0.001	0.045
107116	164633	233	0.007	0.233
107117	164634	564	0.016	0.564
107118	164635	1864	0.054	1.864
107119	164636	1451	0.042	1.451
107120	164637	51	0.001	0.051
107121	164638	16	<0.001	0.016
107122	164639	25	<0.001	0.025
107123	164640	31	<0.001	0.031
107124	164641	28	<0.001	0.028
107125	164641	34	<0.001	0.034
107126	164642	45	0.001	0.045
107127	164643	30	<0.001	0.03
107128	164644	28	<0.001	0.028
107129	164645	27	<0.001	0.027
107130	164646	29	<0.001	0.029
107131	164647	<5	<0.001	<0.005

107132	164648	<5	<0.001	<0.005
107133	164649	<5	<0.001	<0.005
107134	164650	433	0.013	0.433
107135	164651	9	<0.001	0.009
107136	164651	7	<0.001	0.007
107137	164652	11	<0.001	0.011
107138	164653	13	<0.001	0.013
107139	164654	13	<0.001	0.013
107140	164655	18	<0.001	0.018
107141	164656	21	<0.001	0.021
107142	164657	21	<0.001	0.021
107143	164658	36	0.001	0.036
107144	164659	25	<0.001	0.025
107145	164660	25	<0.001	0.025
107146	164661	21	<0.001	0.021
107147	164661	19	<0.001	0.019
107148	164662	16	<0.001	0.016
107149	164663	149	0.004	0.149
107150	164664	32	<0.001	0.032
107151	164665	30	<0.001	0.03
107152	164666	39	0.001	0.039
107153	164667	35	0.001	0.035
107154	164668	20	<0.001	0.02
107155	164669	22	<0.001	0.022

Printed
 01:08:30 PM
 10/22/2006
 :108
 re
 10/20/06

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval
 of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

g Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Tl ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
2 <1	2.47	5	55	23	1	2.5	0	27	152	59	4.71	0.06	14	2.08	892	14	0.04	80	805	11 <5	<5	0.03 <10	24	2267	1	55 <10	3	79			
3 <1	2.36	7	53	33	1	1.98	0	39	196	56	5.07	0.09	13	1.93	759	15	0.05	85	802	16 <5	<5	0.04 <10	23	2372 <1		54 <10	4	74			
4 <1	2.26	8	49	24	1	2.07	0	40	188	32	5.04	0.06	13	1.99	721	14	0.04	84	859	12 <5	<5	0.04 <10	21	2133 <1		56 <10	4	68			
15 <1	2.46	10	49	31	1	2.72	5	30	98	50	4.74	0.17	18	1.56	811	16	0.04	86	846	10 <5	<5	0.04 <10	22	1655 <1		35 <10	3	50			
16 <1	2.51	11	45	11	1	3.22	5	28	110	42	4.2	0.08	20	1.51	555	17	0.05	56	808	13 <5	<5	0.03 <10	30	1595	1	42 <10	3	48			
17 <1	2.78	11	57	5	1	1.91	5	28	116	36	4.33	0.03	23	1.78	815	21	0.06	71	806	12 <5	<5	0.03 <10	31	1879	2	46 <10	3	54			
18 <1	2.76	7	55	7	1	2.1	5	20	129	53	4.29	0.03	25	1.79	836	20	0.06	70	831	13 <5	<5	0.03 <10	28	1736	2	51 <10	3	63			
19 <1	2.41	12	56	16	1	1.94	0	28	112	45	4.48	0.08	23	1.91	529	17	0.06	96	805	12	5 <5	0.03 <10	23	1535 <1		41 <10	3	53			
20 <1	2.65	14	57	11	1	2.03	0	30	124	35	4.91	0.05	27	1.75	801	20	0.06	68	848	13 <5	<5	0.03 <10	26	1928 <1		52 <10	3	60			
21 <1	2.75	14	55	20	1	1.82	0	30	120	84	5.13	0.09	25	1.76	827	20	0.06	68	848	13 <5	<5	0.03 <10	26	1928 <1		50 <10	4	67			
22 <1	2.98	12	52	19	1	1.86	0	29	117	65	4.85	0.09	24	1.75	804	16	0.05	67	830	11 <5	<5	0.03 <10	23	1749	2	52 <10	3	61			
23 <1	2.49	15	54	9	1	1.51	5	29	105	27	4.84	0.04	21	1.78	814	17	0.04	99	846	13 <5	<5	0.03 <10	26	1955	2	54 <10	4	62			
24 <1	2.35	11	56	14	1	1.83	5	27	135	52	4.8	0.06	21	1.82	585	20	0.05	74	851	14	5 <5	0.03 <10	24	1704 <1		51 <10	4	66			
25 <1	2.37	13	50	12	1	2.18	5	27	126	50	4.46	0.05	23	1.72	590	17	0.05	67	824	16 <5	<5	0.03 <10	24	1280	1	50 <10	4	101			
26 <1	2.46	8	55	14	1	2.81	5	28	116	91	4.33	0.06	26	1.76	825	17	0.04	65	814	11	5 <5	0.03 <10	24	1344	2	51 <10	4	98			
27 <1	2.48	8	50	15	1	2.82	5	27	126	81	4.36	0.06	25	1.78	841	17	0.05	69	828	13 <5	<5	0.03 <10	24	1344	2	53 <10	5	123			
28 <1	2.85	4	56	13	1	3.84	5	20	104	20	4.7	0.07	27	1.75	724	17	0.06	88	823	7 <5	<5	0.04 <10	29	488	1	51 <10	6	126			
29 <1	2.43	6	48	10	1	4.19	5	16	114	84	4.58	0.06	28	1.77	767	15	0.05	85	847	9 <5	<5	0.03 <10	31	237 <1		28 <10	5	114			
30 <1	2.29	3	51	18	1	3.84	5	21	96 <1		5.41	0.18	29	1.57	712	16	0.03	61	823	12	5 <5	0.03 <10	25	105 <1		26 <10	5	107			
31 <1	2.25	3	51	28	1	3.76	5	20	87 <1		4.2	0.15	27	1.5	871	19	0.03	48	815	6 <5	<5	0.03 <10	25	1100 <1		27 <10	5	100			
32 <1	2.22	4	49	27	1	3.85	5	18	86 <1		4.18	0.21	23	1.38	605	17	0.04	44	803	9 <5	<5	0.03 <10	24	1106 <1		27 <10	5	100			
33 <1	2.37	3	52	17	1	5.1	5	19	47 <1		4.4	0.15	27	1.53	802	14	0.02	48	828	8	5 <5	0.03 <10	21	1106	2	16 <10	4	73			
34 <1	1.72	9	46	32	1	2.67	5	27	77	29	4.2	0.25	19	1.05	503	11	0.02	48	837	9 <5	<5	0.03 <10	25	1100	1	16 <10	4	76			
35 <1	1.71	12	52	23	1	3.99	5	24	94	9	4.13	0.19	19	1.05	636	13	0.02	49	849	8 <5	<5	0.03 <10	32	1100	4	19 <10	4	102			
36 <1	2.18	20	50	25	1	4.45	5	23	82	27	4.86	0.2	25	1.44	838	15	0.02	54	844	11 <5	<5	0.03 <10	36	1100	1	17 <10	5	94			
37 <1	1.95	30	51	21	1	5.55	5	22	82	34	4.4	0.17	23	1.33	925	14	0.02	46	857	13 <5	<5	0.03 <10	1	10	1	10	5	84			
38 <1	0.87	8	48	30 <1		1.43 <4		18	194	13	2.87	0.16	8	0.52	317	8	0.02	37	351	10 <5	<5	0.03 <10	28	1100	<1	15 <10	4	77			
39 <1	1.58	20	43	52	1	3.54	4	24	80	11	3.57	0.19	19	1.08	790	9	0.02	44	854	14 <5	<5	0.03 <10	8	100	2	10 <10	2	37			
40 <1	0.74 <2	50	10 <1			1.38 <4		4	250	10	1.74	0.07	8	0.56	321	5	0.01	21	134	9 <5	<5	0.02 <10	5	100	<1	3	494	1	13		
41 <1	0.2 <2	53	3 <1			1.01 <4		2	290	10	0.85	0.02	2	0.16	174	3	<0.01	13	<100	<1	0 <5	0.02 <10	5	100	<1				1	6	
42 <1	0.08 <2	48	2 <1			0.1 <4		2	378	42	0.55 <0.01	<1		0.04 <100	2	<0.01	12	<100	3	<5	0.02 <10	14	<100	<1					168 <1	6	
43 <1	0.05 <2	51	2 <1			0.1 <4		1	377	42	0.87 <0.01	<1		0.04 <100	2	<0.01	11	<100	3	<5	0.02 <10	14	<100	<1					154 <1	6	
44 <1	0.75	7	53	10 <1		2.24 <4		12	227	58	2.1	0.07	8	0.55	436	7	0.01	29	235	38 <5	<5	0.03 <10	3	14	3	11	19	3	76		
45 <1	2.14	5	51	28	1	4.44	5	30	65 <1		3.95	0.2	28	1.34	842	11	0.02	49	837	10	0 <5	0.03 <10	32	1100	3	20 <10	6	98			
46 <1	2.06	2	49	26 <1		3.76	4	20	50	51	3.48	0.2	23	1.2	711	10	0.02	44	844	7	0 <5	0.03 <10	26	1100	<1	21 <10	7	83			
47 <1	2.07	5	49	22	1	3.93	4	12	65	31	3.54	0.17	20	1.14	794	10	0.02	44	833	5 <5	<5	0.03 <10	30	1100	2	21 <10	5	92			
48 <1	2.18	4	51	16	1	4.97	5	21	75	73	3.98	0.12	21	1.2	883	12	0.03	44	870	10 <5	<5	0.03 <10	36	1100	2	25 <10	5	101			
49 <1	3.01	5	50	22	1	3.59	6	28	54	81	5.25	0.18	29	1.98	902	14	0.04	53	878	10 <5	<5	0.03 <10	30	1100	1	37 <10	7	134			
50 <1	2.95	6	52	23	1	3.83	5	23	56	4	4.99	0.18	24	1.38	881	12	0.03	49	831	12 <5	<5	0.03 <10	30	1100	4	23 <10	5	94			
51 <1	2.2 <2	51	22	1		5.75	4	15	58	11	3.85	0.17	19	1.19	1081	11	0.03	39	853	9 <5	<5	0.03 <10	4	100	<1	4	10	1	6		
52 <1	0.21 <2	56	17 <1			0.08 <4	<1	3	<1		0.41	0.09	1	0.04	<100	1	0.06	5	<100	2	<5	0.02 <10	4	100	<1					1	
53 <1	0.02 <2	63	2 <1			0.02 <4	<1	1	1		0.02	0.01	<1	<0.01	<100	<1	<0.01	3	5	<100	2	<5	0.02 <10	26	108	2	31 <10	6	113		
54 <1	2.55	3	56	19	1	2.77	5	20	79 <1		4.52	0.13	22	1.43	806	12	0.03	52	830	9 <5	<5	0.03 <10	26	108	1	31 <10	6	115			
55 <1	2.34	8	52	19	1	2.78	5	18	77 <1		4.47	0.14	22	1.42	799	13	0.03	52	832	9 <5	<5	0.03 <10	30	122	3	30 <10	5	104			
56 <1	2.44	6	57	20	1	3.43	5	23	77	30	4.41	0.15	21	1.31	854	10	0.03	50	829	10 <5	<5	0.03 <10	28	201	3	27 <10	5	100			
57 <1	2.44	6	57	20	1	3.43	5	18	73	8	4.05	0.11	20	1.28	796	12	0.03	51	895	9 <5	<5	0.03 <10	27	375	1	32 <10	5	97			
58 <1	2.28 <2	54	17	1		3.03	5	17	73	7	3.99	0.15	20	1.19	698	12	0.03	51	816	9 <5	<5	0.06 <10	21	658 <1		36 <10	5	97			
59 <1	2.29	5	52	25	1	2.32	5	17	110	7	3.79	0.12	18	1.25	876	11	0.04	49	831	8 <5	<5	0.03 <10	28	1567 <1		18 <10	5	44			
60 <1	2.22	5	53	21	1	1.98	4	21	117	17	2.83	0.21	9	0.77	777	9	0.03	32	572	8 <5	<5	0.03 <10	21	658 <1		36 <					

Kodlak Resou.
Date Created
Job Number:
Date Receive
Number of St
Type of Sampl
Data Computer
Project ID: HK

Accur. # CI

107038
107039
107040
107041
107042
107043
107044
107043
107046
107047
107046
107048
107050
107051
107052
107053
107054
107055
107055
107057
107056
107059
107060
107061
107062
107063
107064
107065
107068
107067
107068
107069
107070
107071
107072
107073
107074
107075
107076
107077
107078
107079
107080
107081
107082
107083
107084
107085
107085
107087
107088
107089
107090
107091
107092
107093
107094
107095
107096
107097
107098

107100	164619	0	2.5	<2	56	29	1	4.84	5	28	79	52	4.51	0.16	23	1.68	690	12	0.03	59	662	16	<5	<5	0.03	<10	27	<100	3	31	<10	6	235	
107101	164620	<1	3.44	6	55	40	1	5.51	7	30	76	2	5.78	0.24	37	2.24	1133	20	0.02	80	631	12	<5	<5	0.03	<10	27	<100	2	37	<10	7	320	
107102	164621	<1	1.33	<2	56	12	<1	1.10	<4	9	278	7	2.45	0.08	18	1.09	398	9	0.02	42	167	13	<5	<5	0.03	<10	7	<100	<1	16	<10	2	181	
107103	164621	<1	1.32	5	61	12	<1	1.14	<4	9	298	2	2.43	0.06	18	1.06	385	10	0.02	41	164	10	<5	<5	0.03	<10	7	<100	<1	16	<10	2	190	
107104	164622	0	1.02	5	56	30	1	1.27	5	37	171	<1	0.87	0.03	2	0.11	141	10	0.01	18	<100	8	<5	<5	0.03	<10	8	<100	<1	14	<10	2	94	
107105	164623	1	0.17	<2	60	5	<1	0.76	<4	6	296	<1	0.87	0.03	2	0.11	141	10	0.01	18	<100	8	<5	<5	0.03	<10	5	<100	<1	3	<10	<1	16	
107106	164624	1	0.86	5	55	34	<1	1.43	<4	17	167	<1	2.24	0.17	7	0.52	306	8	0.02	36	312	11	<5	<5	0.03	<10	9	<100	<1	10	<10	2	70	
107107	164625	5	0.23	3	61	6	<1	3.23	<4	9	306	232	0.99	0.05	2	0.14	456	10	0.01	20	<100	13	<5	<5	0.03	<10	17	<100	<1	2	3	84	3	20
107108	164626	1	0.17	2	62	7	<1	4.36	<4	4	283	877	1.31	0.04	2	0.11	813	8	0.01	14	<100	21	<5	<5	0.04	<10	45	<100	3	50	12	8	448	
107109	164627	1	4.22	51	36	27	2	7.74	10	53	100	32	4.14	0.15	48	3	1652	28	0.01	136	1000	21	<5	<5	0.04	<10	45	<100	3	50	12	8	448	
107110	164628	2	3.24	20	33	31	1	7.05	7	34	96	15	5.89	0.19	37	2.37	1652	18	0.02	95	792	15	<5	<5	0.03	<10	43	<100	3	40	<10	7	254	
107111	164629	<1	2.85	13	36	18	1	5.12	6	27	84	66	4.72	0.12	30	1.86	1201	15	0.02	70	702	10	<5	<5	0.03	<10	36	<100	<1	9	31	<10	6	195
107112	164630	<1	2.43	13	32	21	1	4.3	5	23	65	74	4.34	0.16	26	1.71	803	14	0.03	66	686	11	<5	<5	0.03	<10	28	<100	<1	6	28	<10	6	196
107113	164631	<1	2.34	27	52	25	1	5.04	6	27	99	38	4.48	0.2	25	1.65	1009	10	0.02	61	718	11	5	<5	<5	0.04	<10	34	<100	<1	23	<10	6	190
107114	164631	<1	2.27	28	51	24	<1	4.85	5	25	66	40	4.27	0.2	24	1.59	971	13	0.02	60	686	9	<5	<5	0.04	<10	36	<100	1	24	<10	6	176	
107115	164632	<1	2.41	28	57	26	1	5.03	6	20	66	44	4.28	0.2	26	1.78	1107	15	0.02	60	686	9	<5	<5	0.04	<10	22	<100	2	18	<10	4	124	
107116	164633	2	1.8	28	34	26	1	3.21	5	22	119	54	3.87	0.18	17	1.19	730	12	0.01	64	489	24	<5	<5	0.04	<10	37	<100	5	36	<10	6	200	
107117	164634	1	2.85	44	61	44	1	5.50	8	65	90	19	8.5	0.34	27	1.91	1333	19	0.02	90	845	21	<5	<5	0.04	<10	30	<100	1	21	14	6	181	
107118	164635	1	2.15	32	57	35	1	5.16	6	25	74	53	4.34	0.21	21	1.42	1021	12	0.02	54	707	18	5	<5	<5	0.03	<10	30	<100	1	21	14	6	181
107119	164635	1	2.23	50	63	28	2	4.77	7	30	90	78	5.46	0.17	22	1.51	920	14	0.02	65	655	24	5	<5	<5	0.03	<10	29	<100	1	24	<10	6	210
107120	164637	<1	2.24	9	58	19	1	3.28	5	30	86	23	4.18	0.1	20	1.66	720	10	0.03	63	623	11	5	<5	<5	0.03	<10	27	623	2	80	<10	7	175
107121	164636	<1	2.58	8	61	16	1	3.86	5	23	133	6	4.23	0.06	20	1.59	730	15	0.04	62	634	9	0	<5	<5	0.03	<10	27	195	2	37	<10	6	166
107122	164639	<1	2.84	11	64	20	1	6.88	6	38	78	49	4.78	0.12	23	1.94	1063	14	0.02	74	663	10	<5	<5	0.03	<10	18	483	<1	2	36	<10	5	194
107123	164640	<1	2.08	13	53	22	1	3.89	6	34	106	50	4.91	0.12	18	1.82	706	14	0.03	63	640	12	<5	<5	0.03	<10	16	484	2	80	<10	5	153	
107124	164641	<1	3.15	16	58	17	1	3.33	6	32	106	16	6.92	0.06	29	2.61	885	21	0.03	77	788	19	<5	<5	0.03	<10	19	1695	<1	30	<10	5	190	
107125	164641	<1	3.17	22	56	17	2	3.28	8	33	103	17	7.06	0.09	29	2.56	891	21	0.03	77	787	17	<5	<5	0.04	<10	22	2123	<1	54	<10	5	57	
107126	164642	<1	2.33	15	57	22	1	1.54	6	31	141	37	5.35	0.09	20	1.91	573	16	0.04	68	663	15	<5	<5	0.03	<10	19	2117	<1	51	<10	4	55	
107127	164643	<1	2.14	12	60	17	1	2.04	6	35	157	36	4.81	0.07	18	1.8	615	10	0.04	70	564	19	<5	<5	0.03	<10	23	2199	2	46	<10	4	56	
107128	164644	<1	2.12	5	58	21	1	1.59	6	34	186	41	4.96	0.08	14	1.72	534	15	0.03	65	600	12	<5	<5	0.03	<10	21	2109	1	46	<10	3	47	
107129	164645	<1	2.06	5	58	17	1	1.61	6	34	152	50	4.96	0.06	14	1.75	548	14	0.03	66	557	14	<5	<5	0.03	<10	21	2109	1	46	<10	4	42	
107130	164646	<1	1.91	8	50	21	1	2.94	4	23	177	51	3.63	0.09	16	1.47	524	9	0.04	62	537	9	<5	<5	0.04	<10	28	2105	<1	30	<10	4	53	
107131	164647	<1	2.31	6	62	17	1	2.1	6	34	167	50	5.13	0.06	15	1.89	618	15	0.03	62	591	11	<5	<5	0.04	<10	20	1696	<1	30	<10	4	60	
107132	164648	<1	1.85	6	53	27	1	3.48	5	25	105	<1	3.84	0.14	16	1.47	558	9	0.03	47	387	10	<5	<5	0.04	<10	20	1696	<1	35	<10	7	45	
107133	164649	<1	1.22	5	58	17	1	1.82	<4	23	152	<1	2.91	0.06	12	1.12	353	9	0.04	36	512	8	<5	<5	0.04	<10	25	2003	1	35	<10	1	7	
107134	164650	<1	0.2	<2	37	19	<1	0.07	<4	<1	4	<1	0.42	0.06	1	0.05	<100	<1	0.05	8	<100	5	<5	<5	0.03	<10	5	<100	1	2	<10	1	7	
107135	164650	<1	0.02	<2	60	2	<1	0.02	<4	<1	1	<1	0.02	<0.01	<1	<0.01	<100	<1	<0.01	31	407	5	<5	<5	0.02	<10	16	<100	<1	<10	<1	3	3	
107136	164651	<1	0.94	<2	45	28	<1	1.3	<4	19	120	<1	2.5	0.06	8	0.87	279	7	0.03	33	407	5	<5	<5	0.04	<10	16	1305	<1	22	<10	5	37	
107137	164652	<1	1.06	<2	54	26	<1	1.49	<4	21	144	1	2.97	0.07	9	0.87	327	9	0.04	33	475	6	<5	<5	0.04	<10	20	1501	<1	22	<10	6	42	
107138	164653	<1	0.97	<2	53	37	1	1.46	<4	22	126	<1	2.61	0.09	7	0.83	299	8	0.03	32	473	6	<5	<5	0.04	<10	20	1471	<1	22	<10	5	42	
107139	164654	<1	1.13	<2	55	32	<1	1.81	<4	16	154	<1	2.5	0.09	9	1.02	335	8	0.04	31	486	4	<5	<5	0.04	<10	20	1398	<1	24	<10	6	43	
107140	164655	<1	1.03	2	55	37	1	1.33	<4	22	157	2	3.3	0.06	8	0.82	287	10	0.04	33	476	9	<5	<5	0.04	<10	20	1685	<1	24	<10	6	45	
107141	164655	<1	1.31	3	55	36	1	1.78	4	20	159	2	3.45	0.14	12	1.01	336	9	0.04	33	501	9	<5	<5	0.03	<10	21	1587	<1	25	<10	6	47	
107142	164657	<1	1.12	4	53	51	<1	3.33	4	20	90	<1	3.47	0.16	12	0.83	432	9	0.03	32	469	8	<5	<5	0.03	<10	21	1587	<1	25	<10	6	47	
107143	164658	<1	1.26	5	51	53	1	3.72	5	22	96	<1	4.4	0.22	12	0.87	479	10	0.02	32	524	10	<5	<5	0.03	<10	17	885	2	15	<10	5	39	
107144	164659	<1	0.86	5	54	37	<1	1.46	<4	17	130	13	3.18	0.17	8	0.6	273	10	0.02	35	408	8	<5	<5	0.03	<10	12	680						

Kodiak Resources Limited
 Date Created: 06-09-21 10:18 AM
 Job Number: 200641928
 Date Recieved: 9/13/2006
 Number of Samples: 103
 Type of Sample: Core
 Date Completed: 9/20/2006
 Project ID: HER

Accurassay #	Client Tag	Au PPB	Au oz/t	Au PPM
108501	4501	<5	<0.001	<0.005
108502	4502	<5	<0.001	<0.005
108503	4503	<5	<0.001	<0.005
108504	4504	<5	<0.001	<0.005
108505	4505	<5	<0.001	<0.005
108506	4506	<5	<0.001	<0.005
108507	4507	121	0.004	0.121
108508	4508	83	0.002	0.083
108509	4509	17	<0.001	0.017
108510	4510	14	<0.001	0.014
108511	4510	17	<0.001	0.017
108512	4511	15	<0.001	0.015
108513	4512	17	<0.001	0.017
108514	4513	12	<0.001	0.012
108515	4514	7	<0.001	0.007
108516	4515	6	<0.001	0.006
108517	4516	5	<0.001	0.005
108518	4517	6	<0.001	0.006
108519	4518	<5	<0.001	<0.005
108520	4519	<5	<0.001	<0.005
108521	4520	<5	<0.001	<0.005
108522	4520	<5	<0.001	<0.005
108523	164670	6	<0.001	0.006
108524	164671	<5	<0.001	<0.005
108525	164672	5	<0.001	0.005
108526	164673	16	<0.001	0.016
108527	164674	27	<0.001	0.027
108528	164675	558	0.016	0.558
108529	164676	661	0.019	0.661
108530	164677	614	0.018	0.614
108531	164678	1754	0.051	1.754
108532	164679	611	0.018	0.611
108533	164679	671	0.02	0.671
108534	164680	1909	0.056	1.909
108535	164681	1206	0.035	1.206
108536	164682	817	0.024	0.817
108537	164683	460	0.013	0.46
108538	164684	607	0.018	0.607
108539	164685	535	0.016	0.535
108540	164686	802	0.023	0.802
108541	164687	425	0.012	0.425
108542	164688	1183	0.035	1.183

108543	164689			NO SAMPLE
108544	164689			NO SAMPLE
108545	164690	104	0.003	0.104
108546	164691	1029	0.03	1.029
108547	164692	366	0.011	0.366
108548	164693	99	0.003	0.099
108549	164694	49	0.001	0.049
108550	164695	6	<0.001	0.006
108551	164696	<5	<0.001	<0.005
108552	164697	<5	<0.001	<0.005
108553	164698	<5	<0.001	<0.005
108554	164699	<5	<0.001	<0.005
108555	164699	<5	<0.001	<0.005
108556	164700	423	0.012	0.423
108557	164701	<5	<0.001	<0.005
108558	164702	<5	<0.001	<0.005
108559	164703	<5	<0.001	<0.005
108560	164704	<5	<0.001	<0.005
108561	164705	<5	<0.001	<0.005
108562	164706	<5	<0.001	<0.005
108563	164707	64	0.002	0.064
108564	164708	<5	<0.001	<0.005
108565	164709	<5	<0.001	<0.005
108566	164709	<5	<0.001	<0.005
108567	164710	14	<0.001	0.014
108568	164711	<5	<0.001	<0.005
108569	164712	<5	<0.001	<0.005
108570	164713			NO SAMPLE
108571	164714	<5	<0.001	<0.005
108572	164715	<5	<0.001	<0.005
108573	164716	<5	<0.001	<0.005
108574	164717	20	<0.001	0.02
108575	164718	<5	<0.001	<0.005
108576	164719	11	<0.001	0.011
108577	164719	6	<0.001	0.006
108578	164720	<5	<0.001	<0.005
108579	164721	<5	<0.001	<0.005
108580	164722	6	<0.001	0.006
108581	164723	<5	<0.001	<0.005
108582	164724	<5	<0.001	<0.005
108583	164725	<5	<0.001	<0.005
108584	164726	<5	<0.001	<0.005
108585	164727	<5	<0.001	<0.005
108586	164728	<5	<0.001	<0.005
108587	164729	<5	<0.001	<0.005
108588	164729	<5	<0.001	<0.005
108589	164730	<5	<0.001	<0.005
108590	164731	<5	<0.001	<0.005
108591	164732	<5	<0.001	<0.005
108592	164733	<5	<0.001	<0.005
108593	164734	<5	<0.001	<0.005
108594	164735	14	<0.001	0.014

108595	164736	<5	<0.001	<0.005
108596	164737	<5	<0.001	<0.005
108597	164738	17	<0.001	0.017
108598	164739	10	<0.001	0.01
108599	164739	7	<0.001	0.007
108600	164740	<5	<0.001	<0.005
108601	164741	<5	<0.001	<0.005
108602	164742	<5	<0.001	<0.005
108603	164743	<5	<0.001	<0.005
108604	164744	<5	<0.001	<0.005
108605	164745	<5	<0.001	<0.005
108606	164746	<5	<0.001	<0.005
108607	164747	<5	<0.001	<0.005
108608	164748	<5	<0.001	<0.005
108609	164749	<5	<0.001	<0.005
108610	164749	<5	<0.001	<0.005
108611	164750	399	0.012	0.399
108612	381510	8	<0.001	0.008
108613	381511	8	<0.001	0.008

Kodak Resources Limited
 Date Created: 06-10-03 03:27 PM
 Job Number: 200841828
 Date Received: 9/13/2006
 Number of Samples: 103
 Type of Sample: Core
 Date Completed: 9/20/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag	Al %	As ppm	B ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Tl ppm	Ti ppm	V ppm	W ppm	Y ppm	Zn ppm
108501	4501		3	0.03	3	89	2 <1		0.02 <4			1	3	0.02	0.01 <1	<0.01	<100	<1		0.01 <1	<100		3 <5	<5		0.03 <10							
108502	4502 <1			2.7	10	76	21	1	1.67	8	33	210	64	5.3	0.08	27	1.81	870	24	0.06	83	712	18 <5	<5		0.06 <10	<3	<100	2 <2	<10		<1	<1
108503	4503 <1			2.12	10	77	22	1	2.13	7	31	369	80	4.83	0.11	17	1.79	771	24	0.06	59	577	16 <5	<5		0.06 <10	35	2974	2	83 <10		81	
108504	4504 <1			2.74	7	51	34 <1		2.6	6	22	148	20	4.08	0.16	20	1.90	785	19	0.06	57	777	9 <5	<5		0.06 <10	30	2437 <1		53 <10		5	
108505	4505 <1			2.84	9	73	41	1	3.84	7	25	177	18	4.35	0.24	15	1.85	916	20	0.04	67	828	12 <5	<5		0.06 <10	35	3058 <1		45 <10		6	
108506	4506 <1			3.04	9	71	52	1	4.58	7	17	106	34	4.53	0.25	18	1.94	1103	24	0.06	84	838	9 <5	<5	7	0.06 <10	40	2399	2	37 <10		7	
108507	4507 <1			3.2	9	71	52	1	5.54	8	41	140	10	5.43	0.36	21	2.02	1399	24	0.03	73	852	15 <5	<5		0.04 <10	44	1900	4	38 <10		8	
108508	4508 <1			3.43	8	67	40	2	6.58	9	36	101	30	5.92	0.23	23	2.31	1399	27	0.03	77	908	12 <5	<5		0.04 <10	36	3281	3	44 <10		8	
108509	4509 <1			2.80	0	73	44	1	3.19	7	30	242	68	4.78	0.21	17	1.5	948	20	0.04	59	882	12 <5	<5		0.04 <10	38	3281	3	44 <10		8	
108510	4510 <1			2.31	10	76	24	1	3.22	7	21	178	85	4.51	0.11	17	1.7	894	21	0.06	53	690	15 <5	<5		0.04 <10	32	2885 <1		45 <10		6	
108511	4510 <1			2.37	14	70	23	1	3.26	7	23	174	87	4.84	0.11	21	1.54	980	21	0.04	40	865	10 <5	<5		0.04 <10	21	1394	2	40 <10		7	
108512	4511 <1			2.02	8	69	39	1	4.33	5	18	301	51	3.46	0.22	22	1.23	922	15	0.03	38	544	6 <5	<5		0.04 <10	23	1252	3	20 <10		8	
108513	4512 <1			3.05	11	74	37	1	6.77	8	20	27	254	21	5.19	0.2	29	1.88	1403	25	0.02	80	911	15 <5	<5		0.05 <10	21	1343	3	41 <10		7
108514	4513	1		4.28	9	74	85	2	5.9	10	27	254	21	5.19	0.2	29	1.88	1403	25	0.02	80	911	15 <5	<5		0.05 <10	21	1343	3	41 <10		7	
108515	4514 <1			3.32	10	80	42	1	>10.00	9	28	154	9	6.99	0.32	38	2.81	1622	33	0.03	78	1031	11 <5	<5		0.05 <10	41	1882	5	38	23	8	
108516	4515 <1			4.89	15	78	87	2	9.5	12	35	152	24	7.6	0.32	44	2.1	2390	29	0.03	55	749	14 <5	<5		0.05 <10	87	1533	3	31 <10		9	
108517	4516	1		4.81	13	78	75	2	8.7	11	21	61	20	7.17	0.33	40	2.79	2272	38	0.03	78	1143	15 <5	<5		0.06 <10	69	2041	5	45 <10		9	
108518	4517 <1			3.53	11	73	53	2	5.91	10	32	84	34	6.3	0.32	26	2.26	1658	27	0.03	51	695	14 <5	<5		0.05 <10	43	2208	5	41 <10		9	
108519	4518 <1			3.82	12	73	25	2	2.83	11	37	184	57	6.96	0.12	30	2.41	1340	31	0.04	54	695	16 <5	<5		0.05 <10	46	2383	2	61 <10		5	
108520	4519 <1			3.78	6	78	45	1	2.89	8	30																						
108521	4520 <1			3.46	7	77	17	1	2.04	7	32	297	36	4.53	0.06	24	2.14	1080	27	0.06	52	890	10 <5	<5		0.06 <10	47	3019 <1		59 <10		8	
108522	4520 <1			3.34	9	78	16	1	1.94	7	31	291	35	4.42	0.06	23	2.11	1054	22	0.06	56	851	9 <5	<5		0.06 <10	82	3294 <1		70 <10		5	
108523	164870 <1			2.8	12	88	14	1	2.73	7	33	200	58	4.30	0.08	38	2.07	597	21	0.04	57	784	16 <5	<5		0.06 <10	78	3085 <1		67 <10		4	
108524	164871 <1			2.78	15	89	26	1	2.86	7	31	240	54	4.99	0.16	34	1.91	541	21	0.06	56	790	21 <5	<5		0.05 <10	40	2219	1	46 <10		8	
108525	164872 <1			2.72	10	74	28	1	2.71	7	36	190	86	4.73	0.15	30	1.78	550	21	0.06	61	843	20 <5	<5		0.05 <10	46	2219	1	46 <10		7	
108526	164873 <1			2.54	12	80	32	1	3.41	7	32	216	112	4.42	0.24	18	1.81	843	21	0.06	51	695	14 <5	<5		0.05 <10	45	1751	3	49 <10		8	
108527	164874 <1			2.83	6	78	21	1	5.26	7	27	107	22	4.59	0.21	32	1.91	843	22	0.07	60	790	10 <5	<5		0.06 <10	45	2891	289	52 <10		7	
108528	164875	1		2.54	8	73	26	1	5.03	8	27	177	45	4.67	0.27	28	1.72	815	23	0.04	69	825	12 <5	<5		0.06 <10	33	<100	<1	28 <10		9	
108529	164876	1		2.44	5	71	28	1	5.11	7	25	123	32	4.54	0.26	28	1.85	787	23	0.03	55	757	12 <5	<5		0.06 <10	33	<100	2	26 <10		7	
108530	164877	1		2.68	15	89	38	1	5.3	7	44	173	41	4.74	0.32	27	1.82	1070	48	0.03	69	707	12 <5	<5		0.05 <10	43	<100	4	27 <10		8	
108531	164878	4		1.07	13	89	24	1	2.81	5	18	221	33	3.14	0.22	11	0.64	480	117	0.02	36	584	12 <5	<5		0.06 <10	17	<100	2	17 <10		5	
108532	164879	1		0.96	14	71	24 <1		3.32 <4	15	483	27	234	0.19	9	0.7	531	41	0.02	30	311	22 <5	<5		0.04 <10	20	<100	2	14 <10		4		
108533	164880	1		0.97	13	89	23 <1		3.31 <4	12	483	27	234	0.19	9	0.7	531	41	0.02	30	311	22 <5	<5		0.04 <10	20	<100	2	14 <10		4		
108534	164880	3		1.86	20	85	34	2	5.07	8	19	215	30	4.31	0.16	20	1.55	1082	87	0.02	62	554	16 <5	<5		0.06 <10	19	<100	3	14 <10		4	
108535	164881	3		2.55	20	85	34	2	5.43	7	32	102	20	5.04	0.32	26	1.83	982	86	0.03	74	853	16 <5	<5		0.05 <10	40	<100	2	28 <10		6	
108536	164882	2		2.15	24	88	24	1	5.43	8	65	216	20	4.87	0.22	24	1.86	971	50	0.02	61	783	13 <5	<5		0.06 <10	38	<100	4	22 <10		8	
108537	164883 <1			2.2	37	89	45	2	5.09	6	85	216	19	5.02	0.34	30	2.08	1340	26	0.03	65	879	16 <5	<5		0.05 <10	51	<100	2	25 <10		8	
108538	164884	1		2.77	15	78	27	2	6.44	9	31	112	38	5.48	0.24	20	1.51	898	24	0.03	59	639	16 <5	<5		0.05 <10	51	<100	4	25 <10		8	
108539	164885	1		3.05	27	84	35	2	7.53	8	34	190	38	5.42	0.31	32	2.2	1520	37	0.03	65	879	16 <5	<5		0.05 <10	66	<100	4	25 <10		8	
108540	164886	1		2.22	25	74	26	1	6.2	7	33	141	22	4.55	0.26	27	1.56	1127	57	0.03	56	639	16 <5	<5		0.05 <10	78	<100	5	32 <10		8	
108541	164887	1		2.81	14	73	38	1	4.88	8	30	132	26	5.32	0.33	34	1.86	1095	31	0.03	59	896	15 <5	<5		0.05 <10	55	<100	2	24 <10		7	
108542	164888	2		1.36	170	57	38	2	2.86	12	35	133	136	7.63	0.29	17	0.86	804	19	0.02	57	670	37 <5	<5		0.05 <10	50	<100	2	13 <10		7	
108543	164889																																
108544	164890																																
108545	164890 <1			1.75	28	56	44	1	3.38	5	19	114	12	3.82	0.39	21	1.08	897	16	0.03	40	785	13 <5	<5		0.04 <10	36	<100	<1	15 <10		8	
108546	164891 <1	2		1.44	11	63	38	1	3.23	8	29	136	24	4.03	0.33	18	0.91	641	56	0.03	41	504	19 <5	<									

Kodiak Resources Limited
Date Created: 06-09-21 04:27 PM
Job Number: 200641950
Date Recieved: 9/14/2006
Number of Samples: 60
Type of Sample: Core
Date Completed: 9/21/2006
Project ID: HER

Accurassay #	Client Tag	Au PPB	Au oz/t	Au PPM
109814	4521	86	0.003	0.086
109815	4522	544	0.016	0.544
109816	4523	200	0.006	0.2
109817	4524	16	<0.001	0.016
109818	4525	119	0.003	0.119
109819	4526	110	0.003	0.11
109820	4527	55	0.002	0.055
109821	4528	188	0.005	0.188
109822	4529	592	0.017	0.592
109823	4530	147	0.004	0.147
109824	4530	176	0.005	0.176
109825	4531	358	0.01	0.358
109826	4532	909	0.027	0.909
109827	4533	274	0.008	0.274
109828	4534	1807	0.053	1.807
109829	4535	829	0.024	0.829
109830	4536	360	0.011	0.36
109831	4537	397	0.012	0.397
109832	4538	1573	0.046	1.573
109833	4539	722	0.021	0.722
109834	4540	314	0.009	0.314
109835	4540	327	0.01	0.327
109836	4541	800	0.023	0.8
109837	4542	2157	0.063	2.157
109838	4543	742	0.022	0.742
109839	4544	1938	0.057	1.938
109840	4545	4181	0.122	4.181
109841	4546	809	0.024	0.809
109842	4547	70	0.002	0.07
109843	4548	44	0.001	0.044
109844	4549	129	0.004	0.129
109845	4550	462	0.013	0.462
109846	4551	10	<0.001	0.01
109847	4552	61	0.002	0.061
109848	4552	57	0.002	0.057
109849	4553	28	<0.001	0.028
109850	4554	17	<0.001	0.017
109851	4555	20	<0.001	0.02
109852	4556	16	<0.001	0.016
109853	4557	29	<0.001	0.029
109854	4558	15	<0.001	0.015
109855	4559	22	<0.001	0.022

109856	4560	654	0.019	0.654
109857	4560	696	0.02	0.696
109858	4561	145	0.004	0.145
109859	4562	14	<0.001	0.014
109860	4563	10	<0.001	0.01
109861	4564	20	<0.001	0.02
109862	4565	18	<0.001	0.018
109863	4566	360	0.01	0.36
109864	4567	144	0.004	0.144
109865	4568	18	<0.001	0.018
109866	4569	155	0.005	0.155
109867	4570	863	0.025	0.863
109868	4570	900	0.026	0.9
109869	4571	1523	0.044	1.523
109870	4572	147	0.004	0.147
109871	4573	65	0.002	0.065
109872	4574	368	0.011	0.368
109873	4575	1458	0.043	1.458
109874	4576	1019	0.03	1.019
109875	4577	353	0.01	0.353
109876	4578	497	0.014	0.497
109877	4579	586	0.017	0.586
109878	4580	377	0.011	0.377
109879	4580	361	0.011	0.361

Kodjak Resources Limited
 Date Created: 05-10-05 08:24 AM
 Job Number: 200041850
 Date Received: 01/4/2006
 Number of Samples: 90
 Type of Sample: Core
 Data Completed: 02/1/2006
 Project ID: HER

* The results included on this report relate only to the items listed
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Tl ppm	Ti ppm	V ppm	W ppm	Y ppm	Zn ppm
100814	4521 <1			2.83	8	42	25	1	4.05	7	29	140	134	4.74	0.25	38	1.8	708	18	0.05	48	353	13 <5	<5	0.03 <10	85 <100		1	29 <10		4	121	
100815	4522 <1			1.85	24	37	20	1	4.25	5	17	83	23	3.51	0.24	25	1.13	622	13	0.02	40	599	15 <5	<5	0.04 <10	84 <100		2	12 <10		4	78	
100816	4523 <1			1.89	14	41	22	1	4.89	5	14	81	17	3.27	0.26	28	1.26	699	12	0.02	33	632	12 <5	<5	0.03 <10	73 <100		1	13 <10		5	88	
100817	4524 <1			2.28	8	41	24	1	3.38	5	15	150	37	3.85	0.25	33	1.44	571	15	0.05	40	679	12 <5	<5	0.04 <10	53 <100		3	23 <10		4	107	
100818	4525 <1			2.16	10	41	25	1	3.42	5	16	136	28	3.85	0.29	31	1.38	588	15	0.04	42	699	9 <5	<5	0.04 <10	58 <100		1	22 <10		5	90	
100819	4526 <1			2.18	14	45	18	1	3.43	8	17	100	40	3.79	0.21	27	1.3	652	13	0.02	42	694	16 <5	<5	0.04 <10	57 <100		1	19 <10		6	94	
100820	4527 <1			1.88	18	41	22	1	4.33	5	17	97	19	3.65	0.27	33	1.46	562	16	0.03	45	737	12 <5	<5	0.04 <10	57 <100		4	21 <10		5	104	
100821	4528 <1			2.18	10	43	28 <1		4.02	5	16	170	74	3.55	0.31	30	1.4	638	13	0.04	43	691	10 <5	<5	0.04 <10	70 <100		2	12 <10		5	87	
100822	4529	1		2.10	14	43	35	1	5.39	7	20	145	33	4.4	0.39	27	1.4	617	18	0.03	45	710	15 <5	<5	0.04 <10	75 <100		1	18 <10		5	87	
100823	4530 <1			1.72	35	38	29 <1		4.1	5	22	85	18	3.32	0.29	24	1.22	651	12	0.03	36	641	13 <5	<5	0.04 <10	48 <100		1	14 <10		5	83	
100824	4530 <1			1.73	33	42	29 <1		4.1	5	22	85	18	3.32	0.29	24	1.22	651	12	0.03	36	641	13 <5	<5	0.04 <10	48 <100		1	14 <10		5	83	
100825	4531 <1			1.8	57	35	32 <1		3.44	5	25	70	18	3.4	0.29	24	1.24	684	12	0.03	39	658	14 <5	<5	0.04 <10	49 <100		1	14 <10		5	84	
100826	4532 <1			1.31	100	37	35 <1		2.78	5	30	60	78	3.08	0.29	19	0.89	476	11	0.02	40	538	23 <5	<5	0.04 <10	42 <100		1	13 <10		4	79	
100827	4533 <1			2	24	49	35	1	4.89	5	28	95	49	3.48	0.33	29	1.39	626	15	0.03	42	645	14 <5	<5	0.04 <10	39 <100		1	10 <10		4	84	
100828	4534 <1			2.12	13	44	32 <1		5.46	5	23	86	36	3.87	0.31	31	1.51	679	17	0.02	44	622	13 <5	<5	0.04 <10	42 <100		4	17 <10		5	101	
100829	4535 <1			2.08	11	43	31 <1		5.04	5	19	94	84	3.3	0.31	30	1.43	775	14	0.03	42	599	9 <5	<5	0.04 <10	36 <100		4	16 <10		5	118	
100830	4536 <1			1.52	31	42	34 <1		4.22	5	20	118	14	4.22	0.32	25	1.34	640	22	0.02	50	794	14 <5	<5	0.04 <10	80 <100		2	14 <10		5	110	
100831	4537 <1			1.88	45	41	33	1	4.79	8	28	164	17	4.22	0.32	25	1.34	640	22	0.02	51	438	16 <5	<5	0.03 <10	36 <100		1	13 <10		3	82	
100832	4538	3		1.3	27	39	33 <1		2.55	5	22	178	10	3.6	0.29	19	0.93	491	144	0.02	81	438	16 <5	<5	0.04 <10	6 <100		1	5 <10		1	22	
100833	4539 <1			0.34	2	42	10 <1		0.55 <4	4	884	8	1.05	0.07	5	0.26	148	90	0.01	20	<100				0.04 <10	80 <100		2	14 <10		5	110	
100834	4540 <1			0.94	3	45	10 <1		1.15 <4	3	393	5	1.84	0.08	16	0.88	325	33	0.01	31	112	8 <5	<5	0.03 <10	10 <100		1	12 <10		1	88		
100835	4540 <1			0.87	2	45	10 <1		1.2 <4	3	409	6	1.73	0.07	17	0.91	337	34	0.01	33	125	5 <5	<5	0.03 <10	10 <100		1	13 <10		1	91		
100836	4541	1		0.21 <2	40	10 <1			0.57 <4	3	371	9	0.89	0.08	5	0.13	140	120	0.01	15	<100				0.03 <10	7 <100		1	4 <10		1	12	
100837	4542	4		1.84	9	45	41	1	3.42	8	19	83	9	3.8	0.34	28	1.31	678	219	0.02	48	627	15 <5	<5	0.04 <10	43 <100		2	18 <10		4	132	
100838	4543	2		1.93	4	44	36 <1		4.8	5	17	138	129	3.29	0.35	26	1.33	841	16	0.03	43	590	11 <5	<5	0.04 <10	47 <100		2	20 <10		4	108	
100839	4544	3		1.47	3	45	32 <1		3.89	5	18	127	128	3.43	0.29	21	1.04	701	12	0.02	42	512	13 <5	<5	0.04 <10	42 <100		1	10 <10		2	35	
100840	4545	10		0.82	2	48	25 <1		1.15 <4	8	432	16	1.47	0.24	6	0.33	230	8	0.02	18	237	15 <5	<5	0.04 <10	15 <100		1	10 <10		2	35		
100841	4546	2		0.28 <2	45	12 <1			1.02 <4	5	465	10	1	0.11	3	0.18	183	8	0.01	14	105	7 <5	<5	0.03 <10	12 <100		2	5 <10		1	17		
100842	4547 <1			2.25	13	46	36 <1		5.09	5	18	175	14	3.69	0.34	33	1.51	891	13	0.02	45	699	11 <5	<5	0.04 <10	51 <100		4	17 <10		23	5	
100843	4548 <1			3.29	11	50	31	1	8.32	8	24	173	40	5.14	0.26	32	2.22	1090	19	0.02	84	718	21 <5	<5	0.04 <10	34 <100		1	37 <10		7	274	
100844	4549 <1			2.24	8	40	34	1	4.15	8	24	158	26	4	0.28	30	1.52	694	13	0.02	53	698	17 <5	<5	0.04 <10	38 <100		2	19 <10		6	178	
100845	4550 <1			0.22 <2	45	17 <1			0.08 <4	<1	3	3	0.37	0.11	1	0.05	<100	<1	0.01	2	<100				0.03 <10	5 <100		1	19 <10		1	5	
100846	4551 <1			0.02 <2	57	2 <1			0.02 <4	<1	1	3	0.02	0.01 <1	<0.01	<100	<1	0.01	1	<100	<1				0.02 <10	5 <100		1	19 <10		1	5	
100847	4552 <1			2.18	12	42	32	1	2.1	8	28	102	89	4.02	0.21	23	1.4	524	14	0.05	45	644	23 <5	<5	0.04 <10	28 <100		1	744 <1		30	<10	
100848	4552 <1			2.21	10	39	32	1	2.4	8	27	107	91	4.04	0.21	24	1.41	528	14	0.04	44	655	23 <5	<5	0.04 <10	28 <100		1	744 <1		30	<10	
100849	4553 <1			2.26	18	41	23	1	3.89	8	20	175	63	4.27	0.17	27	1.42	812	16	0.05	48	638	22 <5	<5	0.03 <10	41 <100		1	315 <1		39	<10	
100850	4554 <1			2.58	7	46	28	1	3.52	6	23	118	37	4.12	0.23	38	1.55	695	14	0.04	45	579	7 <5	<5	0.03 <10	16 <100		2	38 <10		8	91	
100851	4555 <1			2.57	7	45	23	1	4.72	6	23	182	66	4.09	0.19	37	1.8	758	16	0.04	50	616	8 <5	<5	0.04 <10	19 <100		1	1325 <1		43	<10	
100852	4556 <1			2.78	6	43	30	1	4.02	8	20	102	83	4.28	0.24	36	1.72	799	16	0.04	46	609	10 <5	<5	0.04 <10	20 <100		4	34 <10		6	121	
100853	4557 <1			2.42	30	45	28	1	3.73	8	29	204	91	4.19	0.29	34	1.46	740	18	0.02	48	582	11 <5	<5	0.03 <10	16 <100		2	23 <10		4	91	
100854	4558 <1			2.26	5	50	27	1	2.88	5	21	126	23	3.8	0.22	28	1.38	678	12	0.04	41	578	7 <5	<5	0.03 <10	22 <100		2	34 <10		4	93	
100855	4559 <1			2.28	7	49	33 <1		4.43	5	17	181	33	3.47	0.39	30	1.25	732	14	0.02	41	558	7 <5	<5	0.03 <10	18 <100		1	18 <10		5	85	
100856	4560 <1			2.51	40	46	33	1	8.73	7	27	98	96	4.7	0.28	28	1.49	1249	16	0.03	43	524	14 <5	<5	0.04 <10	29 <100		5	19 <10		7	110	
100857	4560 <1			2.58	44	46	33	1	9.01	7	28	98	97	4.87	0.28	29	1.54	1299	17	0.03	44	530	12 <5	<5	0.04 <10	27 <100		3	20 <10		7	110	
100858	4561 <1			2.08	8	44	39 <1		3.55	5</																							

109876	4578	1	2.21	24	43	42	1	4.51	7	25	100	13	4.87	0.42	24	1.61	829	36	0.02	80	715	14	<5	<5	0.04	<10	44	<100	2	21	<10	5	93
109877	4579	1	1.99	25	47	41	1	5.4	8	28	228	25	4.26	0.43	22	1.36	834	129	0.02	85	640	13	<5	<5	0.04	<10	50	<100	41	17	<10	7	78
109878	4580	<1	2.04	31	41	34	1	5.52	7	29	86	48	4.72	0.35	25	1.52	906	19	0.02	74	597	12	<5	<5	0.04	<10	80	<100	2	15	<10	5	88
109879	4580	<1	2.08	35	42	36	1	5.77	7	30	86	36	4.95	0.36	28	1.52	948	18	0.02	64	626	13	<5	<5	0.04	<10	63	<100	2	15	<10	6	82

Kodiak Resources Limited
Date Created: 06-10-02 04:02 PM
Job Number: 200642091
Date Recieved: 9/26/2006
Number of Samples: 10
Type of Sample: Core
Date Completed: 10/2/2006
Project ID: HER

Accurassay #	Client Tag	Au PPB	Au oz/t	Au PPM
118283	4581	223	0.007	0.223
118284	4582	216	0.006	0.216
118285	4583	452	0.013	0.452
118286	4584	553	0.016	0.553
118287	4585	410	0.012	0.41
118288	4586	127	0.004	0.127
118289	4587	181	0.005	0.181
118290	4588	380	0.011	0.38
118291	4589	336	0.01	0.336
118292	4590	189	0.006	0.189
118293	4590	232	0.007	0.232

Kodtek Resources Limited
 Date Created: 05-10-09 04:47 PM
 Job Number: 200842091
 Date Received: 9/29/2008
 Number of Samples: 10
 Type of Sample: Core
 Date Completed: 10/2/2008
 Project ID: MER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	S ppm	Ba ppm	Ba ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Br ppm	Tl ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
118283	4581	<1	1.90	29	31	25	<1	6.44	6	30	90	32	4.8	0.28	22	1.51	1016	15	0.01	127	677	20	<5	<5	0.22	<100	51	<100	3	15	<10	7	83
118284	4582	<1	1.50	29	31	21	<1	5.29	6	27	78	19	4.8	0.21	19	1.35	876	15	0.01	72	797	21	<5	<5	0.15	<10	53	<100	2	11	<10	6	76
118285	4583	1	0.91	25	32	14	<1	3.42	<4	25	255	25	3.65	0.12	10	0.79	551	29	0.01	66	383	19	<5	<5	0.1	<10	26	<100	<1	10	<10	4	43
118286	4584	2	1.35	28	29	25	<1	5.01	5	28	155	15	4.05	0.24	15	1.1	751	75	0.01	62	679	18	<5	<5	0.13	<10	44	<100	3	11	<10	5	58
118287	4585	1	0.32	6	38	11	<1	1.40	<4	7	421	11	1.95	0.1	3	0.23	221	423	0.01	28	236	9	<5	<5	0.07	<10	12	<100	1	5	<10	2	12
118288	4586	<1	0.1	5	39	8	<1	0.72	<4	5	514	9	0.92	0.05	<1	0.06	120	30	0.01	20	<100	9	<5	<5	0.05	<10	7	<100	<1	<2	<10	<1	3
118289	4587	<1	0.24	12	37	10	<1	4.95	<4	10	278	13	1.3	0.08	2	0.17	374	34	0.01	27	247	12	<5	<5	0.07	<10	26	<100	<1	3	<10	3	9
118290	4588	1	2.83	27	33	24	<1	6.41	6	32	106	64	3.29	0.2	31	2.13	1143	20	0.01	88	803	18	<5	<5	0.28	<10	71	136	2	27	<10	4	128
118291	4589	<1	0.82	17	35	19	<1	2.84	<4	18	335	15	2.7	0.14	8	0.94	370	55	0.01	41	284	14	<5	<5	0.15	<10	20	<100	<1	9	<10	2	37
118292	4590	1	1.9	10	29	37	<1	4.18	5	27	86	13	4.09	0.27	19	1.38	695	130	0.02	52	670	15	<5	<5	0.18	<10	39	<100	<1	15	<10	4	85
118293	4590	<1	1.97	9	31	38	<1	4.22	5	27	87	15	4.17	0.29	20	1.41	701	130	0.02	53	671	17	<5	<5	0.19	<10	41	<100	<1	15	<10	4	85

Kodiak Resources Limited
 Date Created: 06-09-29 04:08 PM
 Job Number: 200642033
 Date Recieved: 9/22/2006
 Number of Samples: 160
 Type of Sample: Core
 Date Completed: 9/29/2006
 Project ID: HER

Accurassay #	Client Tag	Au PPB	Au oz/t	Au PPM
114854	4591	271	0.008	0.271
114855	4592	154	0.005	0.154
114856	4593	358	0.01	0.358
114857	4594	11	<0.001	0.011
114858	4595	<5	<0.001	<0.005
114859	4595	<5	<0.001	<0.005
114860	4596	<5	<0.001	<0.005
114861	4597	<5	<0.001	<0.005
114862	4598	<5	<0.001	<0.005
114863	4599	11	<0.001	0.011
114864	4600	414	0.012	0.414
114865	4601	<5	<0.001	<0.005
114866	4602	7	<0.001	0.007
114867	4603	267	0.008	0.267
114868	4604	<5	<0.001	<0.005
114869	4605	<5	<0.001	<0.005
114870	4605	<5	<0.001	<0.005
114871	4606	<5	<0.001	<0.005
114872	4607	<5	<0.001	<0.005
114873	4608	<5	<0.001	<0.005
114874	4609	<5	<0.001	<0.005
114875	4610	85	0.002	0.085
114876	4611	<5	<0.001	<0.005
114877	4612	37	0.001	0.037
114878	4613	400	0.012	0.4
114879	4614	<5	<0.001	<0.005
114880	4615	6	<0.001	0.006
114881	4615	8	<0.001	0.008
114882	4616	<5	<0.001	<0.005
114883	4617	8	<0.001	0.008
114884	4618	<5	<0.001	<0.005
114885	4619	<5	<0.001	<0.005
114886	4620	<5	<0.001	<0.005
114887	4621	<5	<0.001	<0.005
114888	4622	<5	<0.001	<0.005
114889	4623	15	<0.001	0.015
114890	4624	261	0.008	0.261
114891	4625	<5	<0.001	<0.005
114892	4625	6	<0.001	0.006
114893	4626	<5	<0.001	<0.005
114894	4627	<5	<0.001	<0.005
114895	4628	<5	<0.001	<0.005

114896	4629	<5	<0.001	<0.005
114897	4630	<5	<0.001	<0.005
114898	4631	5	<0.001	0.005
114899	4632	<5	<0.001	<0.005
114900	4633	<5	<0.001	<0.005
114901	4634	<5	<0.001	<0.005
114902	4635	<5	<0.001	<0.005
114903	4635	<5	<0.001	<0.005
114904	4636	<5	<0.001	<0.005
114905	4637	6	<0.001	0.006
114906	4638	<5	<0.001	<0.005
114907	4639	12	<0.001	0.012
114908	4640	<5	<0.001	<0.005
114909	4641	7	<0.001	0.007
114910	4642	9	<0.001	0.009
114911	4643	6	<0.001	0.006
114912	4644	<5	<0.001	<0.005
114913	4645	<5	<0.001	<0.005
114914	4645	<5	<0.001	<0.005
114915	4646	7	<0.001	0.007
114916	4647	<5	<0.001	<0.005
114917	4648	<5	<0.001	<0.005
114918	4649	<5	<0.001	<0.005
114919	4650	343	0.01	0.343
114920	4651	<5	<0.001	<0.005
114921	4652	9	<0.001	0.009
114922	4653	9	<0.001	0.009
114923	4654	15	<0.001	0.015
114924	4655	26	<0.001	0.026
114925	4655	20	<0.001	0.02
114926	4656	6	<0.001	0.006
114927	4657	22	<0.001	0.022
114928	4658	46	0.001	0.046
114929	4659	32	<0.001	0.032
114930	4660	11	<0.001	0.011
114931	4661	34	<0.001	0.034
114932	4662		NO SAMPLE	
114933	4663	6572	0.192	6.572
114934	4664	32	<0.001	0.032
114935	4665	94	0.003	0.094
114936	4665	82	0.002	0.082
114937	4666	2115	0.062	2.115
114938	4667	556	0.016	0.556
114939	4668	106	0.003	0.106
114940	4669	22	<0.001	0.022
114941	4670	<5	<0.001	<0.005
114942	4671	<5	<0.001	<0.005
114943	4672	55	0.002	0.055
114944	4673	13	<0.001	0.013
114945	4674	7	<0.001	0.007
114946	4675	8	<0.001	0.008
114947	4675	12	<0.001	0.012

114948	4676	9	<0.001	0.009
114949	4677	18	<0.001	0.018
114950	4678	10	<0.001	0.01
114951	4679	6	<0.001	0.006
114952	4680	5	<0.001	0.005
114953	4681	6	<0.001	0.006
114954	4682	5	<0.001	0.005
114955	4683	<5	<0.001	<0.005
114956	4684	5	<0.001	0.005
114957	4685	<5	<0.001	<0.005
114958	4685	6	<0.001	0.006
114959	4686	10	<0.001	0.01
114960	4687	26	<0.001	0.026
114961	4688	9	<0.001	0.009
114962	4689	6	<0.001	0.006
114963	4690	<5	<0.001	<0.005
114964	4691	7	<0.001	0.007
114965	4692	6	<0.001	0.006
114966	4693	<5	<0.001	<0.005
114967	4694	<5	<0.001	<0.005
114968	4695	8	<0.001	0.008
114969	4695	9	<0.001	0.009
114970	4696	7	<0.001	0.007
114971	4697	7	<0.001	0.007
114972	4698	8	<0.001	0.008
114973	4699	23	<0.001	0.023
114974	4700	375	0.011	0.375
114975	4701	<5	<0.001	<0.005
114976	4702	58	0.002	0.058
114977	4703	8	<0.001	0.008
114978	4704	10	<0.001	0.01
114979	4705	8	<0.001	0.008
114980	4705	10	<0.001	0.01
114981	4706	9	<0.001	0.009
114982	4707	14	<0.001	0.014
114983	4708	16	<0.001	0.016
114984	4709	19	<0.001	0.019
114985	4710	18	<0.001	0.018
114986	4711	11	<0.001	0.011
114987	4712	18	<0.001	0.018
114988	4713	9	<0.001	0.009
114989	4714	14	<0.001	0.014
114990	4715	38	0.001	0.038
114991	4715	44	0.001	0.044
114992	4716	19	<0.001	0.019
114993	4717	42	0.001	0.042
114994	4718	577	0.017	0.577
114995	4719	51	0.001	0.051
114996	4720	123	0.004	0.123
114997	4721	213	0.006	0.213
114998	4722	64	0.002	0.064
114999	4723	44	0.001	0.044

115000	4724	10	<0.001	0.01
115001	4725	14	<0.001	0.014
115002	4725	20	<0.001	0.02
115003	164689	1672	0.049	1.672
115029	164713	16	<0.001	0.016

Kodak Resources Limited
 Data Created: 09-10-04 02:43 PM
 Job Number: 200542333
 Date Received: 9/22/2006
 Number of Samples: 100
 Type of Sample: Core
 Date Completed: 9/29/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Aq	Al %	As ppm	B ppm	Be ppm	Ba ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ne %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114854	4591 <1			2.98	12	57	40	2	5.19	8	35	172	211	4.95	0.32	25	1.80	835	22	0.02	80	770	13 <5	<5	0.04 <10	44	246 <1		24 <10		5	94	
114855	4922 <1			2.92	12	62	35	2	6.12	8	25	159	276	5.21	0.3	30	1.91	951	23	0.03	86	720	10 <5	<5	0.04 <10	51	185 <1		32 <10		6	107	
114856	4963	1		2.85	9	63	41	2	3.3	8	29	225	42	5.41	0.33	27	1.76	656	22	0.04	61	759	10 <5	<5	0.04 <10	28	180		27 <10		4	98	
114857	4964 <1			3	7	58	37	2	3.87	6	21	148	17	4.93	0.26	29	1.92	848	23	0.05	51	744	7 <5	<5	0.04 <10	31	484 <1		34 <10		5	117	
114858	4995 <1			2.97	5	61	41	2	4.84	7	22	161	30	4.84	0.29	27	1.96	910	21	0.05	52	700	9 <5	<5	0.04 <10	27	845		31 <10		6	95	
114859	4995 <1			3.13	6	61	43	2	4.84	8	23	160	32	5.05	0.3	27	1.86	898	20	0.04	51	708	7 <5	<5	0.04 <10	27	845		31 <10		6	95	
114860	4995 <1			3.06	10	65	47	2	5.04	7	25	183	31	4.76	0.3	27	1.91	840	23	0.04	53	750	9 <5	<5	0.04 <10	28	801 <1		33 <10		6	97	
114861	4987 <1			3.2	8	66	52	2	9.4	7	23	220	25	4.55	0.3	32	2.06	1077	23	0.05	54	718	7 <5	<5	0.04 <10	28	1614 <1		34 <10		6	98	
114862	4986 <1			0.19	12	72	8	3	>10.00	9	34	180	7	5.61	0.05	99	6.23	1980	91	0.02	251	2998	16 <5	<5	0.12	11	1643 <1		39 <10		10	83	
114863	4990 <1			3.39	9	59	46	2	5.34	9	34	180	7	5.61	0.32	30	2.16	937	25	0.03	84	845	9 <5	<5	0.04 <10	35	1434 <1		42 <10		16	254	
114864	4900 <1			0.22	5	59	18 <1		0.08 <4	<1	29	112	74	5.83	0.46	26	2.04	963	29	0.01	4	<100	8 <5	<5	0.02 <10	3	<100		<10		1	4	
114865	4901 <1			0.02	3	55	2 <1		0.02 <4	<1	29	112	74	5.83	0.46	26	2.04	963	29	0.01	4	<100	8 <5	<5	0.02 <10	3	<100		<10		1	4	
114866	4902 <1			2.7	7	60	36	1	1.15	5	23	197	15	4.35	0.27	23	1.83	780	18	0.04	55	821	8 <5	<5	0.04 <10	32	1230 <1		29 <10		7	95	
114867	4903 <1			1.45	8	60	30 <1		4.48	7	22	174	45	3	0.18	11	1.18	332	12	0.06	40	857	6 <5	<5	0.04 <10	19	2457 <1		27 <10		6	31	
114868	4904 <1			1.53	11	61	37	2	1.34	6	28	268	44	3.62	0.14	12	1.24	394	16	0.06	44	842	8 <5	<5	0.04 <10	19	2583 <1		29 <10		6	29	
114869	4905 <1			1.86	12	64	37	1	1.37	6	28	273	44	3.85	0.14	12	1.24	394	16	0.06	44	842	8 <5	<5	0.04 <10	19	2583 <1		29 <10		6	29	
114870	4905 <1			1.87	8	59	46	1	1.44	6	25	245	64	3.72	0.18	15	1.3	359	15	0.08	44	845	5 <5	<5	0.04 <10	20	2898 <1		29 <10		6	32	
114871	4909 <1			1.87	12	59	63	1	2.72	6	31	235	157	3.95	0.27	14	1.26	401	18	0.05	46	814	10 <5	<5	0.03 <10	18	2437 <1		29 <10		6	36	
114872	4907 <1			1.94	9	67	54	1	2.03	6	35	279	108	3.85	0.19	19	1.51	455	18	0.08	46	880	9 <5	<5	0.04 <10	20	2831 <1		31 <10		6	36	
114873	4910 <1			1.7	9	64	36	1	1.28	6	30	269	126	3.83	0.13	12	1.17	355	17	0.07	55	909	8 <5	<5	0.04 <10	18	2437 <1		31 <10		7	54	
114874	4911 <1			2.36	5	61	20	1	1.48	5	24	246	34	3.57	0.1	13	1.78	670	21	0.08	50	880	5 <5	<5	0.04 <10	25	1695 <1		38 <10		4	42	
114875	4912 <1			2.51	9	65	18	1	2.85	6	23	183	45	4.02	0.1	14	1.94	654	20	0.07	48	844	5 <5	<5	0.04 <10	41	2484 <1		43 <10		3	38	
114876	4913 <1			2.4	6	55	32	1	4.79	8	23	132	13	5.04	0.24	18	1.82	803	92	0.06	47	737	11 <5	<5	0.04 <10	32	2222 <1		45 <10		3	44	
114877	4914 <1			2.44	4	64	19	1	1.94	8	24	279	32	3.99	0.09	10	1.9	550	21	0.07	82	891	3 <5	<5	0.04 <10	29	1528 <1		62 <10		4	42	
114878	4915 <1			2.36	3	67	22	1	1.93	6	21	289	43	3.88	0.12	16	1.77	507	21	0.08	47	853	6 <5	<5	0.04 <10	37	2593 <1		44 <10		5	41	
114879	4915 <1			2.32	9	61	22	1	1.83	6	21	289	43	3.88	0.12	16	1.77	507	21	0.08	47	853	6 <5	<5	0.04 <10	27	2325		36 <10		5	41	
114880	4915 <1			2.29	12	57	29	2	2.15	7	26	214	58	4.45	0.17	10	1.77	511	20	0.08	47	844	7 <5	<5	0.04 <10	28	2336 <1		36 <10		5	41	
114881	4915 <1			2	7	60	20	1	5.96	6	24	179	55	3.98	0.24	14	1.5	564	17	0.08	54	950	10 <5	<5	0.04 <10	22	2334 <1		34 <10		5	40	
114882	4915 <1			2.2	11	67	38	2	1.63	6	18	243	55	3.94	0.11	14	1.85	482	17	0.08	47	832	7 <5	<5	0.04 <10	21	1638 <1		28 <10		5	38	
114883	4915 <1			2.22	5	62	12	1	1.35	5	23	344	57	3.71	0.07	14	1.88	425	19	0.07	51	802	6 <5	<5	0.04 <10	23	2185 <1		32 <10		6	37	
114884	4916 <1			2	7	60	20	1	1.35	5	23	344	57	3.71	0.07	14	1.88	425	19	0.07	51	802	6 <5	<5	0.04 <10	23	2185 <1		32 <10		6	37	
114885	4920 <1			2.16	10	63	24	1	1.08	7	30	255	77	4.3	0.23	21	1.91	418	21	0.06	50	812	11 <5	<5	0.03 <10	20	1898 <1		33 <10		3	41	
114886	4921 <1			1.95	6	62	20	1	1.4	6	22	220	65	3.87	0.19	20	1.88	407	20	0.08	54	891	10 <5	<5	0.04 <10	26	2235 <1		36 <10		6	42	
114887	4921 <1			2.10	10	63	24	1	1.08	7	30	255	77	4.3	0.23	21	1.91	418	21	0.06	50	812	11 <5	<5	0.03 <10	20	1898 <1		33 <10		3	41	
114888	4922 <1			1.95	6	62	20	1	1.4	6	22	220	65	3.87	0.19	20	1.88	407	20	0.08	54	891	10 <5	<5	0.04 <10	26	2235 <1		36 <10		6	42	
114889	4923 <1			1.81	14	59	29	2	3.56	9	31	138	20	5.58	0.25	17	1.42	520	63	0.04	56	734	12 <5	<5	0.04 <10	25	2123 <1		37 <10		4	43	
114890	4924 <1			1.45	10	64	16	2	1.97	7	29	277	81	4.86	0.13	21	1.47	411	19	0.08	56	843	9 <5	<5	0.03 <10	25	1833 <1		34 <10		4	43	
114891	4923 <1			2.13	10	63	46	1	1.8	7	25	333	30	4.2	0.59	26	2.06	427	25	0.06	60	678	9 <5	<5	0.06 <10	30	2898 <1		39 <10		4	30	
114892	4925 <1			2.13	9	63	46	1	1.8	7	25	333	30	4.2	0.59	26	2.06	427	25	0.06	60	678	9 <5	<5	0.06 <10	30	2898 <1		39 <10		4	30	
114893	4926 <1			1.98	5	63	35	2	1.76	7	27	277	30	4.49	0.44	24	1.95	428	20	0.08	59	882	9 <5	<5	0.06 <10	31	2833 <1		44 <10		6	37	
114894	4927 <1			1.94	10	76	44	2	1.18	8	33	350	21	5.39	0.6	23	1.89	342	21	0.08	60	778	12 <5	<5	0.05 <10	34	2898 <1		44 <10		6	35	
114895	4928 <1			1.15	8	67	18	1	1.08	7	30	302	33	4.74	0.74	24	1.8	325	22	0.08	60	778	12 <5	<5	0.04 <10	34	3299 <1		46 <10		6	29	
114896	4929 <1			1.79	11	66	25	2	1.41	7	29	325	27	4.41	0.19	13	1.04	253	15	0.07	62	742	10 <5	<5	0.04 <10	34	3130 <1		41 <10		7	32	
114897	4930 <1			1.44	8	61	21	1	1.07	7	29	344	18	4.75	0.29	23	1.86	378	21	0.08	82	811	13 <5	<5	0.04 <10	29	2437 <1		37 <10		5	22	
114898	4931 <1			1.25	6	69	20	1	1.54	6	30																						

114010	4047 <1	3.00	5	81	28	1	2.43	7	20	240	5	4.19	0.1	34	2.00	700	32	0.05	100	810	5 <5	<5	0.05 <10	38	2002 <1	54 <10	6	72		
114017	4048 <1	2.03	6	85	18	1	1.27	6	30	194	25	3.77	0.09	29	1.85	517	20	0.06	82	712	8 <5	<5	0.04 <10	40	2291 <1	40 <10	4	40		
114018	4049 <1	2.58	6	86	25	1	1.29	6	30	212	29	3.02	0.13	29	2.03	535	22	0.07	58	748	5 <5	<5	0.04 <10	82	2508 <1	36 <10	4	44		
114019	4050 <1	0.22	2	80	20 <1		0.07 <4	<1		7	3	0.43	0.12	2	0.06 <100		1	0.07	3	<100	3 <5	<5	0.02 <10	6	<100 <1	<10	1	5		
114020	4051 <1	0.02	3	83	2 <1		0.02 <4	<1		2	3	0.02	0.01 <1		<0.01 <100	<1		0.01 <1	3	<100	3 <5	<5	0.02 <10	6	<100 <1	<10	1	5		
114021	4052 <1	3.15	8	80	19	2	3.94	9	34	180	14	5.44	0.1	37	2.5	845	28	0.05	86	741	10 <5	<5	0.02 <10	3	<100 <1	<10	<1	1		
114022	4053 <1	2.72	8	81	19	1	4.22	8	28	195	18	4.03	0.13	33	2	845	20	0.04	86	722	11 <5	<5	0.05 <10	36	1808 <1	85 <10	5	81		
114023	4054 <1	4.54	8	83	26	2	5.94	10	37	183	52	6.34	0.22	47	2.57	1217	26	0.03	88	898	13 <5	<5	0.04 <10	53	822 <1	36 <10	5	86		
114024	4055 <1	3.73	8	85	26	2	5.94	10	37	183	52	6.34	0.22	47	2.57	1217	26	0.03	88	898	13 <5	<5	0.04 <10	53	872	58 <10	8	113		
114025	4056 <1	3.7	11	87	26	2	5.82	10	36	178	50	6.3	0.23	46	2.57	1308	30	0.02	88	898	13 <5	<5	0.05 <10	48	750 <1	41 <10	7	105		
114026	4057 <1	3.82	11	89	20	2	7.05	9	26	148	60	5.94	0.2	54	2.78	1048	28	0.03	88	898	11 <5	<5	0.05 <10	48	732 <1	41 <10	8	88		
114027	4058 <1	2.52	17	86	34	2	4.86	8	32	172	150	5.07	0.3	30	1.78	891	18	0.02	88	898	9 <5	<5	0.05 <10	51	818	2	14 <10	7	105	
114028	4059 <1	2.46	14	87	34	2	7.01	8	37	225	29	4.81	0.28	32	1.71	1134	20	0.02	80	717	8 <5	<5	0.04 <10	55	751	1	18 <10	6	83	
114029	4060 <1	2.35	10	82	38	1	5.87	7	29	301	23	4.57	0.29	29	1.54	912	21	0.02	55	795	6	7 <5	0.05 <10	46	828	5	18	419	6	82
114030	4061 <1	4.48	15	86	33	2	5.38	10	25	179	56	6.81	0.29	60	2.95	1314	33	0.02	86	1083	11 <5	<5	0.04 <10	41	1003	3	47	18	6	56
114031	4062 <1	2.60	5	87	30	1	4.17	7	24	183	69	4.29	0.28	33	1.77	856	18	0.03	82	815	7 <5	<5	0.04 <10	32	988 <1	23	18	6	71	
114032	4063						No Sample Received																							
114033	4064 <1	3.48	10	86	33	2	6.6	11	34	196	51	6.84	0.28	35	2.27	1259	25	0.02	84	765	17 <5	<5	0.04 <10	52	914	1	32 <10	5	104	
114034	4065 <1	3.28	11	81	36	2	5.18	8	33	200	42	5.99	0.3	32	2.16	1131	26	0.02	83	843	10 <5	<5	0.04 <10	43	832 <1	32	20 <10	4	78	
114035	4066 <1	2.72	8	87	25	2	6.5	8	22	182	35	4.78	0.22	27	1.8	1134	28	0.02	86	895	12 <5	<5	0.04 <10	55	107	3	20 <10	4	78	
114036	4067 <1	2.7	8	87	24	1	6.45	7	21	186	34	4.71	0.22	27	1.8	1137	20	0.02	85	882	13 <5	<5	0.04 <10	56	101 <1	20	20 <10	4	79	
114037	4068	3.05	12	85	28	1	5.44	8	24	227	54	5.2	0.25	31	1.85	1091	25	0.02	87	892	7 <5	<5	0.04 <10	51	831 <1	25	20 <10	5	83	
114038	4069 <1	2.87	17	89	22	1	6.41	8	20	183	64	4.98	0.2	32	1.85	1080	20	0.02	86	895	6 <5	<5	0.04 <10	55	101 <1	25	20 <10	4	79	
114039	4070 <1	2.88	10	80	31	1	6.22	8	24	186	82	5.02	0.25	29	1.71	984	20	0.03	83	883	14 <5	<5	0.04 <10	53	403	33	20 <10	5	72	
114040	4071 <1	2.0	10	80	31	1	6.22	8	24	186	82	5.02	0.25	29	1.71	984	20	0.03	83	883	14 <5	<5	0.04 <10	53	403	33	20 <10	5	72	
114041	4072 <1	2.31	8	82	20	1	4.4	8	36	320	50	3.79	0.13	15	1.85	417	18	0.04	85	890	8 <5	<5	0.04 <10	51	497 <1	28	13	8	86	
114042	4073 <1	2.33	5	87	25	1	1.15	6	23	240	59	3.29	0.16	15	1.87	385	18	0.04	81	879	4 <5	<5	0.04 <10	53	2134 <1	33	21 <10	6	103	
114043	4074 <1	2.28	8	86	30	1	4.42	7	34	278	50	4.37	0.22	13	1.87	682	19	0.05	55	858	8 <5	<5	0.04 <10	30	2287 <1	29	10	4	41	
114044	4075 <1	2.22	7	86	32 <1		2.89	5	16	246	24	3.12	0.23	13	1.86	450	18	0.04	42	891	4 <5	<5	0.04 <10	28	2429 <1	30	10	4	41	
114045	4076 <1	2.25	4	86	32 <1		1.85 <4	6	12	289	5	2.34	0.24	14	1.87	348	10	0.05	50	718	3 <5	<5	0.04 <10	28	2105 <1	30	10	5	41	
114046	4077 <1	2.4	12	86	18	1	1.4	8	30	243	120	4.05	0.07	18	1.86	517	18	0.04	56	626	10 <5	<5	0.04 <10	28	2105 <1	30	10	5	41	
114047	4078 <1	2.48	8	80	15	1	1.43	8	28	243	120	4.05	0.07	18	1.86	517	18	0.04	56	626	10 <5	<5	0.04 <10	28	2105 <1	30	10	5	41	
114048	4079 <1	2.01	11	83	22	1	1.52	7	30	333	129	4.32	0.11	18	1.86	770	19	0.04	64	616	8 <5	<5	0.04 <10	28	2278 <1	31	10	5	37	
114049	4080 <1	2.21	10	82	28	1	1.77	7	32	238	97	4.21	0.14	16	1.72	471	19	0.05	49	586	5 <5	<5	0.04 <10	28	2278 <1	31	10	5	37	
114050	4081 <1	2.41	10	87	22	1	1.11	7	34	228	81	4.53	0.1	17	1.60	538	20	0.05	53	670	13 <5	<5	0.04 <10	28	2278 <1	31	10	5	37	
114051	4082 <1	2.15	5	85	21 <1		1.19	5	27	217	41	3.31	0.13	21	1.80	380	18	0.04	51	635	5 <5	<5	0.04 <10	21	2183 <1	36	10	2	65	
114052	4083 <1	1.88	5	84	22 <1		1.07	4	25	234	58	2.91	0.14	18	1.48	336	15	0.04	43	588	3 <5	<5	0.04 <10	22	2183 <1	36	10	2	65	
114053	4084 <1	1.97	5	85	24	1	1.09	5	30	193	53	3.13	0.13	18	1.37	310	14	0.04	46	600	4 <5	<5	0.04 <10	20	1846 <1	25	10	3	35	
114054	4085 <1	1.01	8	84	16	1	0.84	5	38	251	23	3.14	0.1	18	1.84	388	18	0.05	49	586	5 <5	<5	0.04 <10	20	1846 <1	25	10	3	35	
114055	4086 <1	1.95	5	85	15	1	1.07	5	33	293	30	3.32	0.09	18	1.4	306	18	0.08	46	557	7 <5	<5	0.04 <10	20	1846 <1	25	10	3	35	
114056	4087 <1	1.84	2	81	18	1	1.26	6	30	222	21	3.64	0.09	21	1.74	371	19	0.05	51	584	6 <5	<5	0.04 <10	28	1963 <1	27	10	4	34	
114057	4088 <1	1.95	2	81	18	1	1.26	6	30	222	21	3.64	0.09	21	1.74	371	19	0.05	51	584	6 <5	<5	0.04 <10	28	1963 <1	27	10	4	34	
114058	4089 <1	1.78	5	86	14 <1		0.92	5	25	261	21	3.37	0.09	20	1.8	344	17	0.06	47	571	6 <5	<5	0.03 <10	28	1963 <1	27	10	4	34	
114059	4090 <1	2.05	5	83	22 <1		0.92	5	25	261	21	3.37	0.09	20	1.8	344	17	0.06	47	571	6 <5	<5	0.03 <10	28	1963 <1	27	10	4	34	
114060	4091 <1	2.18	7	84	32	1	3.58	7	34	152	18	4.34	0.17	23	1.88	770	19	0.04	64	616	8 <5	<5	0.04 <10	24	2018 <1	28	10	3	38	
114061	4092 <1	2.37	7	83	22	1	3.1	6	24	208	44	3.77	0.11	28	2.05	659	23	0.05	60	616	8 <5	<5	0.04 <10	23	1870 <1	27	10	4	50	
114062	4093 <1	1.54	8	86	14	1	1.07	5	22	180	35	3.29	0.07	19	1.57	354	17	0.08	41	587	4 <5	<5	0.03 <10	28	1870 <1	27	10	4	50	
114063	4094 <1	1.88	4	89	24 <1		0.79	4	22	234	91	2.86	0.13	20	1.46	327	15	0.08	47	589	4 <5	<5	0.03 <10	21	1885 <1	30	10	3	40	
114064	4095 <1	1.48	5	87	15	1	0.9	4	22	234	91	2.86	0.13	20	1.46	327	15	0.08	47	589	4 <5	<5	0.03 <10	21	1885 <1	30	10	3	40	
114065	4096 <1																													

114990	4715 <1	2.85	5	55	17	1	5.4	7	28	206	44	4.59	0.13	39	2.33	987	27	0.03	82	723	10 <5	<5	0.04 <10	41	1013	1	41 <10	5	85
114991	4715 <1	2.9	8	56	17	1	5.43	7	25	205	45	4.81	0.13	39	2.36	980	27	0.03	82	728	10 <5	<5	0.04 <10	41	1051 <1	1	42 <10	5	85
114992	4790 <1	2.11	8	55	28	1	4.82	7	24	196	49	4.25	0.32	31	1.83	734	19	0.04	57	649	9 <5	<5	0.03 <10	28	1089 <1		22 <10	5	58
114993	4717 <1	1.44	6	55	26 <1		4.05	5	18	254	15	3.3	0.33	24	1.17	815	32	0.02	41	548	7 <5	<5	0.03 <10	23	981 <1		13 <10	4	39
114994	4718 <1	1.48	5	54	24 <1		3.28	5	16	373	10	3.15	0.22	22	1.23	835	64	0.02	47	329	9 <5	<5	0.03 <10	26	585 <1		18 <10	3	40
114995	4719 <1	2.25	7	55	28	1	4.74	8	29	156	6	3.99	0.21	26	1.89	870	20	0.03	50	899	9 <5	<5	0.03 <10	30	838 <1		24 <10	6	94
114996	4720 <1	2.83	9	58	30	2	7.35	8	22	167	6	5.2	0.28	34	1.99	1289	32	0.02	60	761	12 <5	<5	0.04 <10	30	980	2	30 <10	5	71
114997	4721 <1	2.23	7	57	23	1	4.38	7	24	147	16	4.4	0.22	25	1.56	876	41	0.03	46	654	8 <5	<5	0.03 <10	35	714 <1		22 <10	4	85
114998	4722 <1	2.96	17	58	30	2	4.7	8	25	183	221	5.18	0.25	30	1.9	1008	22	0.04	55	796	17 <5	<5	0.04 <10	26	1517 <1		49 <10	5	86
114999	4723 <1	2.91	7	62	18	2	3.49	9	23	159	108	5.59	0.11	24	1.99	875	21	0.04	59	997	10 <5	<5	0.04 <10	36	1055	2	36 <10	5	86
115000	4724 <1	2.95	7	60	27	1	2.43	7	23	294	27	4.34	0.14	22	1.73	855	22	0.06	54	872	8 <5	<5	0.04 <10	29	2344	1	46 <10	5	86
115001	4725 <1	2.75	8	55	32	2	2.97	7	25	305	37	4.86	0.16	24	1.81	991	20	0.07	58	858	9 <5	<5	0.04 <10	32	2008 <1		49 <10	5	82
115002	4725 <1	2.56	7	56	30	1	2.42	7	25	298	36	4.43	0.16	22	1.71	856	17	0.07	57	852	10 <5	<5	0.04 <10	31	2405 <1		48 <10	5	82
115003	164889	1.45	182	55	48	2	2.54	11	32	253	143	9.98	0.31	15	0.88	567	19	0.03	86	709	28 <5	<5	0.04 <10	29	135 <1		15 <10	5	85
115029	164713 <1	3.11	13	41	21	1	2.11	7	25	284	52	4.47	0.11	35	2.1	720	21	0.05	83	837	11 <5	<5	0.04 <10	34	2511 <1		48 <10	4	86

Kodiak Resources Limited
Date Created: 06-10-10 09:08 AM
Job Number: 200642189
Date Recieved: 10/6/2006
Number of Samples: 3
Type of Sample: Core
Date Completed: 10/10/2006
Project ID: HER

Accurassay #	Client Tag	Au PPB	Au oz/t	Au PPM
123475	4661	89	0.003	0.089
123476	4662	675	0.02	0.675
123477	4663	3510	0.102	3.51
123478	4663	3832	0.112	3.832

Kodak Resources Limited
 Date Created: 06-10-16 12:39 PM
 Job Number: 200542188
 Date Received: 10/6/2006
 Number of Samples: 3
 Type of Sample: Core
 Date Completed: 10/10/2006
 Project ID: HER

* The results included on this report relate only to the items listed
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Be ppm	Ba ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
123475	4881	<1		2.87	12	63	44 <1	4.17 <4		21	252	75	4.36	0.5	31	1.35	657	7	0.08	37	654	9 <5	<5		0.17 <10	36	627	2	22 <10			6	54
123476	4882	<1		3.31	15	61	34 <1	5.06 <4		23	379	102	5.51	0.38	32	1.87	846	8	0.04	83	582	10 <5	<5		0.15 <10	43	987 <1	3	31	22	4	68	
123477	4883	<1		3.84	15	68	37 <1	6.58 <4		27	285	55	6.79	0.44	37	1.88	1033	9	0.04	68	590	19 <5	<5		0.16 <10	59	684	3	32	15	5	86	
123478	4883		2	3.83	17	66	36 <1	6.54 <4		26	284	52	6.73	0.43	36	1.87	1023	9	0.04	66	622	15 <5	<5		0.16 <10	56	682	1	32	14	5	87	

Kodiak Resources Limited
Date Created: 06-12-07 01:23 PM
Job Number: 200642855
Date Recieved: 12/4/2006
Number of Samples: 127
Type of Sample: Core
Date Completed: 12/7/2006
Project ID: HER

Accurassay #	Client Tag	Au PPB	Au oz/t	Au PPM
166304	195037	197	0.006	0.197
166305	195038	38	0.001	0.038
166306	195039	598	0.017	0.598
166307	195040	649	0.019	0.649
166308	195041	128	0.004	0.128
166309	195042	507	0.015	0.507
166310	195043	187	0.005	0.187
166311	195044	208	0.006	0.208
166312	195045	151	0.004	0.151
166313	195046	46	0.001	0.046
166314	195046	43	0.001	0.043
166315	195047	200	0.006	0.2
166316	195048	121	0.004	0.121
166317	195049	31	<0.001	0.031
166318	195050	6961	0.203	6.961
166319	195051	<5	<0.001	<0.005
166320	195052	69	0.002	0.069
166321	195053	134	0.004	0.134
166322	195054	14	<0.001	0.014
166323	195055	22	<0.001	0.022
166324	195056	12	<0.001	0.012
166325	195056	13	<0.001	0.013
166326	195057	134	0.004	0.134
166327	195058	835	0.024	0.835
166328	195059	503	0.015	0.503
166329	195060	944	0.028	0.944
166330	195061	521	0.015	0.521
166331	195062	636	0.019	0.636
166332	195063	215	0.006	0.215
166333	195064	191	0.006	0.191
166334	195065	355	0.01	0.355
166335	195066	49	0.001	0.049
166336	195066	53	0.002	0.053
166337	195067	76	0.002	0.076
166338	195068	20	<0.001	0.02
166339	195069	8	<0.001	0.008
166340	195070	2248	0.066	2.248
166341	195071	677	0.02	0.677
166342	195072	164	0.005	0.164
166343	195073	22	<0.001	0.022
166344	195074	84	0.002	0.084
166345	195075	480	0.014	0.48

166346	195076	276	0.008	0.276
166347	195076	217	0.006	0.217
166348	195077	37	0.001	0.037
166349	195078	59	0.002	0.059
166350	195079	6	<0.001	0.006
166351	195080	<5	<0.001	<0.005
166352	195081	7	<0.001	0.007
166353	195082	37	0.001	0.037
166354	195083	<5	<0.001	<0.005
166355	195084	615	0.018	0.615
166356	195085	391	0.011	0.391
166357	195086	869	0.025	0.869
166358	195086	780	0.023	0.78
166359	195087	500	0.015	0.5
166360	195088	777	0.023	0.777
166361	195089	361	0.011	0.361
166362	195090	1597	0.047	1.597
166363	195091	462	0.013	0.462
166364	195092	94	0.003	0.094
166365	195093	14	<0.001	0.014
166366	195094	18	<0.001	0.018
166367	195095	13	<0.001	0.013
166368	195096	80	0.002	0.08
166369	195096	75	0.002	0.075
166370	195097	8	<0.001	0.008
166371	195098	57	0.002	0.057
166372	195099	146	0.004	0.146
166373	195100	6916	0.202	6.916
166374	195101	6	<0.001	0.006
166375	195102	52	0.002	0.052
166376	195103	402	0.012	0.402
166377	195104	108	0.003	0.108
166378	195105	165	0.005	0.165
166379	195106	714	0.021	0.714
166380	195106	735	0.021	0.735
166381	195107	19	<0.001	0.019
166382	195108	48	0.001	0.048
166383	195109	104	0.003	0.104
166384	195110	57	0.002	0.057
166385	195111	47	0.001	0.047
166386	195112	138	0.004	0.138
166387	195113	934	0.027	0.934
166388	195114	284	0.008	0.284
166389	195115	215	0.006	0.215
166390	195116	117	0.003	0.117
166391	195116	134	0.004	0.134
166392	195117	19	<0.001	0.019
166393	195118	496	0.014	0.496
166394	195119	382	0.011	0.382
166395	195120	8	<0.001	0.008
166396	195121	16	<0.001	0.016
166397	195122	9	<0.001	0.009

166398	195123	70	0.002	0.07
166399	195124	<5	<0.001	<0.005
166400	195125	9	<0.001	0.009
166401	195126	105	0.003	0.105
166402	195126	109	0.003	0.109
166403	195127	106	0.003	0.106
166404	195128	3333	0.097	3.333
166405	195129	1770	0.052	1.77
166406	195130	519	0.015	0.519
166407	195131	637	0.019	0.637
166408	195132	798	0.023	0.798
166409	195133	1321	0.039	1.321
166410	195134	1891	0.055	1.891
166411	195135	572	0.017	0.572
166412	195136	78	0.002	0.078
166413	195136	78	0.002	0.078
166414	195137	17	<0.001	0.017
166415	195138	53	0.002	0.053
166416	195139	36	0.001	0.036
166417	195140	6	<0.001	0.006
166418	195141	235	0.007	0.235
166419	195142	158	0.005	0.158
166420	195143	9	<0.001	0.009
166421	195144	790	0.023	0.79
166422	195145	994	0.029	0.994
166423	195146	244	0.007	0.244
166424	195146	322	0.009	0.322
166425	195147	43	0.001	0.043
166426	195148	15	<0.001	0.015
166427	195149	66	0.002	0.066
166428	195150	7625	0.222	7.625
166429	195151	6	<0.001	0.006
166430	195152	10	<0.001	0.01
166431	195153	39	0.001	0.039
166432	195154	32	<0.001	0.032
166433	195155	79	0.002	0.079
166434	195156	244	0.007	0.244
166435	195156	269	0.008	0.269
166436	195157	46	0.001	0.046
166437	195158	524	0.015	0.524
166438	195159	51	0.001	0.051
166439	195160	15	<0.001	0.015
166440	195161	47	0.001	0.047
166441	195162	13	<0.001	0.013
166442	195163	16	<0.001	0.016

Kodiak Resources Limited
 Date Created: 06-12-08 10:02 AM
 Job Number: 200642855
 Date Received: 12/4/2008
 Number of Samples: 127
 Type of Sample: Core
 Date Completed: 12/7/2008
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ne %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Br ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
106304	195037	<1	0.06	0	50	90	<1	1.39	<4	4	489	9	1.82	0.42	2	0.13	399	6	0.1	5	193	1	<5		0.1	<10	36	331	1	4	<10	6	3	
106305	195038	<1	0.7	4	80	83	<1	1.44	<4	3	596	5	2	0.41	1	0.11	458	6	0.13	1	188	<1	<5		0.11	<10	36	160	4	4	<10	6	<1	
106306	195039	<1	0.47	5	59	85	<1	1.4	<4	4	328	5	1.82	0.31	<1	0.08	372	5	0.06	<1	191	<1	<5		0.06	<10	28	<100	3	3	<10	5	<1	
106307	195040	<1	0.63	5	65	85	<1	1.4	<4	4	328	5	1.82	0.31	<1	0.08	372	5	0.06	<1	191	<1	<5		0.06	<10	28	<100	4	3	<10	5	<1	
106308	195041	<1	0.52	7	57	77	<1	1.91	<4	4	442	7	1.41	0.43	2	0.05	325	10	0.05	1	195	2	<5		0.1	<10	20	<100	5	3	<10	7	<1	
106309	195042	<1	0.83	7	58	103	<1	1.82	<4	5	579	10	1.81	0.95	5	0.07	355	7	0.08	1	213	<1	<5		0.1	<10	20	<100	5	3	<10	6	<1	
106310	195043	<1	0.86	8	57	113	<1	0.41	<4	13	525	2	2.31	0.96	2	0.05	116	10	0.04	3	178	5	<5		0.06	<10	8	<100	2	3	<10	4	<1	
106311	195044	<1	1.07	7	59	125	<1	1.34	<4	4	681	7	1.57	0.86	2	0.08	340	7	0.06	2	215	<1	<5		0.1	<10	29	<100	2	2	<10	5	<1	
106312	195045	<1	0.91	6	57	102	<1	1.89	<4	5	658	11	1.79	0.57	1	0.08	349	9	0.06	2	172	1	<5		0.12	<10	33	<100	1	1	<10	6	<1	
106313	195046	<1	0.61	6	54	77	<1	1.86	<4	3	396	48	1.27	0.44	<1	0.03	345	6	0.03	<1	224	2	<5		0.13	<10	34	<100	7	4	<10	6	<1	
106314	195048	<1	0.52	5	55	79	<1	1.78	<4	3	408	52	1.31	0.48	<1	0.04	360	6	0.03	<1	226	3	<5		0.1	<10	11	<100	4	3	<10	6	<1	
106315	195047	<1	0.7	5	57	90	<1	0.61	<4	2	980	11	0.91	0.06	<1	0.04	140	18	0.02	<1	201	2	<5		0.1	<10	34	<100	4	3	<10	4	<1	
106316	195048	<1	0.13	6	62	14	<1	0.08	<4	2	980	11	0.91	0.06	<1	<0.01	<100	95	0.02	5	<100	<1	<5		0.03	<10	5	<100	2	2	<10	<1	<1	
106317	195048	<1	0.1	4	66	14	<1	0.4	<4	2	897	5	0.91	0.06	<1	0.02	<100	118	12	0.02	7	<100	<1	<5		0.06	<10	10	<100	2	1	<10	<1	<1
106318	195050	<1	0.29	5	75	98	<1	0.19	<4	<1	<1	<1	0.02	0.01	<1	<0.01	<100	<1	0.01	<1	<100	<1	<5		0.02	<10	1	<100	1	1	<10	<1	<1	
106319	195051	<1	0.03	3	84	<1	<1	0.02	<4	<1	<1	<1	0.02	0.01	<1	0.01	<100	<1	0.01	<1	<100	<1	<5		0.06	<10	43	<100	3	3	<10	5	<1	
106320	195052	<1	0.72	4	87	110	<1	2.14	<4	6	235	2	1.47	0.30	3	0.86	572	4	0.09	15	363	3	<5		0.02	<10	30	<100	2	6	<10	6	86	
106321	195053	<1	0.67	5	86	98	<1	2.87	<4	9	296	10	1.54	0.36	2	0.41	518	4	0.07	16	399	4	<5		0.02	<10	1	<100	<1	2	<10	<1	<1	
106322	195054	<1	0.05	5	71	4	<1	0.18	<4	1	1124	5	0.79	0.03	<1	0.02	<100	10	0.02	7	<100	<1	<5		0.02	<10	1	<100	<1	2	<10	<1	<1	
106323	195055	<1	0.04	4	73	3	<1	0.05	<4	<1	1082	4	0.75	0.02	<1	<0.01	<100	10	0.02	7	<100	<1	<5		0.02	<10	1	<100	<1	2	<10	<1	<1	
106324	195056	<1	0.03	3	66	1	<1	0.04	<4	<1	1017	4	0.7	0.01	<1	<0.01	<100	11	0.01	5	<100	<1	<5		0.02	<10	1	<100	<1	2	<10	<1	<1	
106325	195056	<1	0.03	4	89	1	<1	0.04	<4	<1	946	3	0.86	0.01	<1	<0.01	<100	10	0.01	4	<100	<1	<5		0.02	<10	1	<100	<1	2	<10	<1	<1	
106326	195057	<1	0.04	2	58	2	<1	0.08	<4	<1	637	2	0.5	0.02	<1	<0.01	<100	33	0.01	1	<100	<1	<5		0.02	<10	1	<100	<1	2	<10	<1	<1	
106327	195058	<1	0.54	11	70	46	<1	1.13	<4	18	736	7	2.34	0.28	2	0.5	395	59	0.02	23	206	3	<5		0.1	<10	30	<100	<1	4	12	<10	4	8
106328	195059	<1	1.43	7	81	74	<1	3.19	<4	27	524	7	4.25	0.44	14	1.73	1074	18	0.02	61	301	6	<5		0.03	<10	8	<100	2	6	<10	<1	12	
106329	195060	<1	0.34	5	84	8	<1	0.87	<4	4	931	4	1.46	0.06	3	0.3	249	27	0.02	19	<100	<1	<5		0.03	<10	3	<100	<1	2	<10	<1	2	
106330	195061	<1	0.09	5	79	7	<1	0.1	<4	1	837	5	0.79	0.04	<1	0.01	<100	22	0.03	6	<100	<1	<5		0.03	<10	4	<100	<1	3	<10	<1	3	
106331	195062	<1	0.37	5	54	41	<1	0.11	<4	2	906	3	1	0.24	<1	0.02	<100	29	0.04	6	<100	<1	<5		0.06	<10	4	<100	<1	3	<10	<1	<1	
106332	195063	<1	0.04	4	62	2	<1	0.15	<4	1	970	4	0.71	0.02	<1	<0.01	<100	16	0.02	6	<100	<1	<5		0.03	<10	1	<100	<1	2	<10	<1	<1	
106333	195064	<1	0.04	4	75	1	<1	0.02	<4	<1	847	2	0.5	0.02	<1	<0.01	<100	4	0.01	3	<100	<1	<5		0.03	<10	1	<100	<1	2	<10	<1	<1	
106334	195065	<1	0.13	4	78	12	<1	0.02	<4	2	835	3	0.81	0.06	<1	<0.01	<100	9	0.01	2	<100	<1	<5		0.02	<10	1	<100	<1	2	<10	<1	<1	
106335	195066	<1	0.07	4	66	3	<1	<0.01	<4	<1	771	2	0.54	0.04	<1	<0.01	<100	9	0.01	2	<100	<1	<5		0.02	<10	1	<100	<1	2	<10	<1	<1	
106336	195069	<1	0.07	5	71	5	<1	<0.01	<4	<1	772	2	0.55	0.04	<1	<0.01	<100	9	0.01	2	<100	<1	<5		0.02	<10	1	<100	<1	2	<10	<1	<1	
106337	195071	<1	0.05	3	59	3	<1	<0.01	<4	<1	606	<1	0.45	0.03	<1	<0.01	<100	7	0.01	<1	<100	<1	<5		0.03	<10	2	<100	<1	2	<10	<1	<1	
106338	195080	<1	0.06	3	74	5	<1	0.01	<4	<1	899	3	0.82	0.04	<1	<0.01	<100	4	0.01	3	<100	<1	<5		0.02	<10	1	<100	<1	2	<10	<1	<1	
106339	195080	<1	0.01	3	78	<1	<1	0.05	<4	<1	881	3	0.84	<0.01	<1	<0.01	<100	4	0.01	3	<100	<1	<5		0.02	<10	1	<100	<1	2	<10	<1	<1	
106340	195070	<1	0.19	5	81	21	<1	0.13	<4	3	737	14	0.94	0.11	<1	0.01	<100	35	0.03	2	<100	<1	<5		0.1	<10	38	167	3	2	<10	6	<1	
106341	195071	<1	0.75	8	52	104	<1	1.77	<4	3	414	21	1.4	0.51	2	0.08	374	7	0.05	<1	242	2	<5		0.08	<10	42	399	4	4	<10	6	<1	
106342	195072	<1	0.81	5	81	81	<1	1.9	<4	5	410	4	1.82	0.35	2	0.11	482	6	0.08	<1	207	<1	<5		0.1	<10	42	332	4	4	<10	6	<1	
106343	195073	<1	0.87	6	65	91	<1	1.8	<4	4	483	4	1.99	0.42	2	0.07	417	5	0.07	<1	178	2	<5		0.08	<10	41	291	8	8	<10	6	<1	
106344	195074	<1	0.78	5	62	101	<1	1.87	<4	5	430	8	1.58	0.51	2	0.08	362	5	0.08	<1	190	3	<5		0.08	<10	33	246	4	4	<10	6	<1	
106345	195075	<1	0.74	7	66	86	<1	1.56	<4	5	454	6	1.36	0.48	2	0.08	372	6	0.05	<1	201	<1	<5		0.08	<10	30	224	2	4	<10	6	<1	
106346	195076	<1	0.57	8	63	90	<1	1.38	<4	4	490	17	1.83	0.44	2	0.05	336	6	0.04	<1	212	<1	<5		0.08	<10	28	222	3	4	<10	6	<1	

100440	105101 <1	0.58	15	47	90 <1	3.19 -4	4	450	18	1.42	0.42	2	0.07	1113	4	0.04 <1	170	4 <5	<5	0.07 <10	72	314	5 <2	<10	8 <1		
100441	105102 <1	0.8	5	46	83 <1	1.35 -4	4	471	8	1.08	0.39	3	0.12	349	4	0.00 <1	197	7 <5	<5	0.05 <10	28	587	3	3 <10	12	18	
100442	105103 <1	0.8	5	57	134 <1	1.36 -4	5	558	6	1.85	0.47	3	0.11	380	5	0.00	1	187	5 <5	<5	0.05 <10	33	844	2	4 <10	9	10

Kodiak Resources Limited
 Date Created: 06-12-08 09:54 AM
 Job Number: 200642856
 Date Received: 12/4/2006
 Number of Samples: 129
 Type of Sample: Core
 Date Completed: 12/8/2006
 Project ID: HER

Accurassay #	Client Tag	Au PPB	Au oz/t	Au PPM
166443	195001	<5	<0.001	<0.005
166444	195002	<5	<0.001	<0.005
166445	195003	<5	<0.001	<0.005
166446	195004	5	<0.001	0.005
166447	195005	<5	<0.001	<0.005
166448	195006	5	<0.001	0.005
166449	195007	10	<0.001	0.01
166450	195008	7	<0.001	0.007
166451	195009	19	<0.001	0.019
166452	195010	75	0.002	0.075
166453	195010	71	0.002	0.071
166454	195011	51	0.001	0.051
166455	195012	34	<0.001	0.034
166456	195013	991	0.029	0.991
166457	195014	773	0.023	0.773
166458	195015	514	0.015	0.514
166459	195016	95	0.003	0.095
166460	195017	465	0.014	0.465
166461	195018	1644	0.048	1.644
166462	195019	333	0.01	0.333
166463	195020	117	0.003	0.117
166464	195020	125	0.004	0.125
166465	195021	15	<0.001	0.015
166466	195022	17	<0.001	0.017
166467	195023	129	0.004	0.129
166468	195024	20	<0.001	0.02
166469	195025	9	<0.001	0.009
166470	195026	11	<0.001	0.011
166471	195027	58	0.002	0.058
166472	195028	<5	<0.001	<0.005
166473	195029	<5	<0.001	<0.005
166474	195030	7	<0.001	0.007
166475	195030	8	<0.001	0.008
166476	195031	29	<0.001	0.029
166477	195032	107	0.003	0.107
166478	195033	218	0.006	0.218
166479	195034	17	<0.001	0.017
166480	195035	8	<0.001	0.008
166481	195036	2077	0.061	2.077
166482	195164	26	<0.001	0.026
166483	195165	15	<0.001	0.015
166484	195166	29	<0.001	0.029

166485	195167	7	<0.001	0.007
166486	195167	6	<0.001	0.006
166487	195168	732	0.021	0.732
166488	195169	45	0.001	0.045
166489	195170	19	<0.001	0.019
166490	195171	11	<0.001	0.011
166491	195172	30	<0.001	0.03
166492	195173	23	<0.001	0.023
166493	195174	6	<0.001	0.006
166494	195175	<5	<0.001	<0.005
166495	195176	9	<0.001	0.009
166496	195177	9	<0.001	0.009
166497	195177	10	<0.001	0.01
166498	195178	15	<0.001	0.015
166499	195179	162	0.005	0.162
166500	195180	16	<0.001	0.016
166501	195181	12	<0.001	0.012
166502	195182	100	0.003	0.1
166503	195183	145	0.004	0.145
166504	195184	166	0.005	0.166
166505	195185	58	0.002	0.058
166506	195186	76	0.002	0.076
166507	195187	19	<0.001	0.019
166508	195187	21	<0.001	0.021
166509	195188	123	0.004	0.123
166510	195189	264	0.008	0.264
166511	195190	564	0.016	0.564
166512	195191	123	0.004	0.123
166513	195192	21	<0.001	0.021
166514	195193	73	0.002	0.073
166515	195194	169	0.005	0.169
166516	195195	410	0.012	0.41
166517	195196	285	0.008	0.285
166518	195197	54	0.002	0.054
166519	195197	51	0.001	0.051
166520	195198	553	0.016	0.553
166521	195199	72	0.002	0.072
166522	195200	6780	0.198	6.78
166523	195201	8	<0.001	0.008
166524	195202	13	<0.001	0.013
166525	195203	13	<0.001	0.013
166526	195204	86	0.003	0.086
166527	195205	20	<0.001	0.02
166528	195206	7	<0.001	0.007
166529	195207	45	0.001	0.045
166530	195207	48	0.001	0.048
166531	195208	38	0.001	0.038
166532	195209	<5	<0.001	<0.005
166533	195210	<5	<0.001	<0.005
166534	195211	16	<0.001	0.016
166535	195212	20	<0.001	0.02
166536	195213	27	<0.001	0.027

166537	195214	131	0.004	0.131
166538	195215	108	0.003	0.108
166539	195216	48	0.001	0.048
166540	195217	43	0.001	0.043
166541	195217	37	0.001	0.037
166542	195218	50	0.001	0.05
166543	195219	35	0.001	0.035
166544	195220	67	0.002	0.067
166545	195221	171	0.005	0.171
166546	195222	209	0.006	0.209
166547	195223	247	0.007	0.247
166548	195224	262	0.008	0.262
166549	195225	198	0.006	0.198
166550	195226	329	0.01	0.329
166551	195227	174	0.005	0.174
166552	195227	157	0.005	0.157
166553	195228	129	0.004	0.129
166554	195229	530	0.015	0.53
166555	195230	61	0.002	0.061
166556	195231	1139	0.033	1.139
166557	195232	206	0.006	0.206
166558	195233	91	0.003	0.091
166559	195234	15	<0.001	0.015
166560	195235	11	<0.001	0.011
166561	195236	19	<0.001	0.019
166562	195237	40	0.001	0.04
166563	195237	43	0.001	0.043
166564	195238	68	0.002	0.068
166565	195239	88	0.003	0.088
166566	195240	16	<0.001	0.016
166567	195241	9	<0.001	0.009
166568	195242	9	<0.001	0.009
166569	195243	8	<0.001	0.008
166570	195244	27	<0.001	0.027
166571	195245	20	<0.001	0.02
166572	195246	30	<0.001	0.03
166573	195247	174	0.005	0.174
166574	195247	196	0.006	0.196
166575	195248	37	0.001	0.037
166576	195249	45	0.001	0.045
166577	195250	6985	0.204	6.985
166578	195251	<5	<0.001	<0.005
166579	195252	50	0.001	0.05
166580	4662	876	0.026	0.876
166581	164689	2314	0.067	2.314
166582	164713	12	<0.001	0.012
166583	415069	19	<0.001	0.019

Kodak Resources Limited
 Date Created: 06-12-12 08:12 AM
 Job Number: 200842856
 Date Received: 12/4/2006
 Number of Samples: 129
 Type of Sample: Core
 Date Completed: 12/8/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval
 of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Tl ppm	Ti ppm	V ppm	W ppm	Y ppm	Zn ppm		
180443	180501	<1	0.02	3	63	2	<1	0.02	<4	7	4	4	15	0.02	0.01	6	<0.01	<100	<1	0.01	13	<100	1	<5	6	0.02	<10	<1	<2	<10	<1	6	41		
180444	180502	<1	2.18	5	55	3	1	1.71	7	21	371	43	3.85	0.03	19	1.4	498	14	0.07	63	528	8	<5	6	0.12	<10	38	2187	1	36	<10	6	41		
180445	180503	<1	2.33	7	59	28	1	1.28	6	27	152	30	3.95	0.16	18	1.57	360	17	0.06	67	618	9	<5	7	0.06	<10	34	2193	<1	40	<10	3	48		
180446	180504	<1	2.56	9	61	18	<1	1.85	8	23	378	52	3.86	0.08	21	1.57	494	14	0.08	65	588	8	<5	8	0.12	<10	43	2072	<1	50	<10	3	42		
180447	180505	<1	2.19	8	59	30	1	1.13	7	25	194	44	3.52	0.2	19	1.49	381	13	0.08	66	520	8	<5	8	0.06	<10	28	1897	<1	40	<10	3	50		
180448	180506	<1	1.92	13	77	16	1	1.58	9	84	392	91	5.42	0.1	17	1.19	349	14	0.08	64	547	12	<5	11	0.09	<10	39	1855	<1	46	<10	6	36		
180449	180507	<1	2.10	6	71	51	<1	2.4	7	27	132	81	3.72	0.23	20	1.32	479	13	0.07	60	574	7	<5	5	0.06	<10	31	1809	<1	37	<10	4	51		
180450	180508	<1	2.36	20	69	36	1	1.09	9	41	408	44	4.81	0.15	22	1.43	452	15	0.07	68	544	16	<5	6	0.07	<10	39	1875	<1	42	<10	3	51		
180451	180509	<1	2.71	15	69	23	1	4.15	9	26	106	81	5.25	0.23	29	1.44	601	15	0.04	59	616	13	<5	11	0.07	<10	28	<100	2	30	<10	6	121		
180452	180510	<1	2.39	14	62	28	1	1.45	8	26	443	22	4.85	0.26	38	1.28	359	15	0.04	70	652	14	<5	8	0.07	<10	15	<100	1	26	<10	4	136		
180453	180510	<1	2.36	9	71	28	1	1.48	8	25	437	22	4.87	0.26	36	1.28	363	13	0.04	71	609	17	<5	6	0.05	<10	15	<100	<1	28	<10	4	140		
180454	180511	<1	5.11	16	62	20	2	4.4	13	20	103	18	8.82	0.16	67	2.7	739	27	0.03	113	452	16	<5	6	0.06	<10	28	<100	2	36	<10	5	314		
180455	180512	<1	3.42	7	50	42	1	5.04	8	25	239	25	5.58	0.36	41	1.77	798	21	0.04	79	719	11	<5	7	0.08	<10	29	<100	5	24	<10	5	141		
180456	180513	2	2.56	9	57	34	1	3.88	8	28	128	28	4.65	0.29	34	1.43	617	85	0.03	68	599	11	<5	8	0.07	<10	29	<100	5	24	<10	7	82		
180457	180514	2	2.1	16	56	48	1	5.53	9	33	319	40	4.52	0.4	28	1	709	23	0.03	58	580	12	<5	8	0.09	<10	24	<100	<1	16	<10	4	83		
180458	180515	1	1.85	18	54	41	<1	3.59	8	29	146	22	4.57	0.31	28	0.98	510	20	0.03	60	647	12	<5	6	0.06	<10	24	<100	<1	16	<10	5	104		
180459	180516	<1	2.28	14	61	39	<1	3.94	7	10	198	95	3.81	0.33	31	1.28	616	15	0.03	55	589	9	<5	6	0.08	<10	24	<100	1	18	<10	5	104		
180460	180517	1	2.5	10	63	53	1	3.86	8	23	91	180	4.08	0.44	32	1.33	591	16	0.03	63	640	12	<5	9	0.04	<10	22	<100	1	21	<10	5	104		
180461	180518	5	0.71	15	63	33	<1	1.1	6	13	787	27	2.3	0.24	11	0.27	212	25	0.02	42	177	8	<5	6	0.03	<10	8	<100	<1	11	<10	1	25		
180462	180519	1	0.08	6	71	3	<1	0.29	<4	5	918	18	0.74	0.03	6	0.04	<100	31	0.02	24	<100	3	<5	5	0.03	<10	3	<100	<1	2	<10	<1	6	8	
180463	180520	<1	0.18	7	61	12	<1	0.3	4	8	689	23	1.2	0.06	6	0.05	108	4	0.02	29	<100	8	<5	5	0.03	<10	3	<100	<1	3	<10	<1	5	5	
180464	180520	<1	0.17	7	61	12	<1	0.3	4	8	683	25	1.19	0.06	6	0.05	106	4	0.02	30	<100	8	<5	5	0.03	<10	3	<100	<1	3	<10	<1	6	6	
180465	180521	<1	0.03	2	66	2	<1	0.13	<4	5	390	17	0.5	0.02	6	<0.01	<100	3	0.02	20	<100	8	<5	6	0.02	<10	<100	<1	<2	<10	<1	<1	4	4	
180466	180522	<1	0.02	5	68	1	<1	0.02	4	5	874	21	1.11	0.01	5	<0.01	<100	4	0.02	28	<100	8	<5	6	0.02	<10	<100	<1	<2	<10	<1	<1	3	3	
180467	180523	3	0.03	4	54	2	<1	0.04	<4	6	317	29	0.88	0.02	5	<0.01	<100	4	0.02	29	<100	8	<5	7	0.02	<10	<100	<1	<2	<10	<1	<1	1	1	
180468	180524	<1	0.02	4	56	2	<1	0.02	<4	4	5	968	23	1.19	0.02	6	<0.01	<100	3	0.02	21	<100	7	<5	7	0.02	<10	<100	<1	<2	<10	<1	<1	1	1
180469	180525	<1	0.02	4	58	2	<1	0.02	<4	5	478	18	0.55	0.01	6	<0.01	<100	3	0.02	21	<100	7	<5	7	0.02	<10	<100	<1	<2	<10	<1	<1	1	1	
180470	180526	<1	0.02	4	53	1	<1	0.01	<4	5	530	16	0.89	0.01	5	<0.01	<100	3	0.02	23	<100	12	<5	8	0.02	<10	<100	<1	<2	<10	<1	<1	1	1	
180471	180527	4	0.02	4	53	1	<1	0.07	4	5	1000	23	1.17	0.01	5	<0.01	<100	101	4	0.02	30	<100	31	<5	8	0.02	<10	4	<100	<1	753	<1	<1	1	1
180472	180528	<1	0.02	3	56	1	<1	0.02	<4	4	408	17	0.48	0.01	5	<0.01	<100	2	0.01	21	<100	2	<5	7	0.02	<10	<100	<1	<2	<10	<1	<1	1	1	
180473	180528	<1	0.02	4	63	1	<1	0.02	4	5	858	20	0.87	0.01	5	<0.01	<100	4	0.02	27	<100	2	<5	7	0.02	<10	<100	<1	<2	<10	<1	<1	1	1	
180474	180530	<1	0.02	3	65	2	<1	0.08	<4	5	496	17	0.8	0.01	6	<0.01	<100	3	0.02	22	<100	3	<5	7	0.02	<10	<100	<1	<2	<10	<1	<1	1	1	
180475	180530	<1	0.02	4	57	1	<1	0.08	<4	5	439	17	0.58	0.01	5	<0.01	<100	3	0.01	21	<100	3	<5	7	0.02	<10	<100	<1	<2	<10	<1	<1	1	1	
180476	180531	<1	0.04	5	55	3	<1	0.04	4	6	1049	23	1.35	0.03	5	<0.01	108	7	0.02	30	<100	4	<5	6	0.02	<10	<100	<1	<2	<10	<1	<1	1	1	
180477	180532	<1	0.08	5	54	3	<1	0.12	<4	5	357	17	0.81	0.02	6	0.03	<100	4	0.01	23	<100	<1	<5	6	0.02	<10	61	<100	1	16	<10	4	119		
180478	180533	<1	1.81	10	48	29	<1	4.51	7	16	119	56	3.27	0.23	27	1.16	707	20	0.03	56	520	9	<5	9	0.04	<10	43	<100	1	34	<10	4	160		
180479	180534	<1	2.63	9	38	40	1	3.49	8	20	122	17	3.83	0.27	33	1.58	647	15	0.03	68	521	32	<5	6	0.08	<10	27	133	2	32	<10	4	159		
180480	180535	<1	2.2	7	46	45	1	2.91	8	19	165	21	4.33	0.33	34	1.8	581	17	0.05	58	581	13	<5	9	0.07	<10	36	1321	1	40	<10	5	79		
180481	180536	<1	2.18	6	54	38	1	4.27	9	25	100	91	5.16	0.3	28	1.23	704	12	0.05	58	548	106	<5	11	0.04	<10	27	106	<1	10	<10	8	33		
180482	180536	<1	0.95	4	52	82	<1	1.78	6	10	548	27	2.86	0.36	11	0.23	388	7	0.1	27	284	9	<5	6	0.05	<10	42	271	<1	11	<10	8	41		
180483	180537	<1	0.9	5	54	78	<1	1.78	6	9	188	25	2.28	0.31	10	0.24	401	8	0.1	22	285	11	<5	7	0.04	<10	42	271	<1	11	<10	8	41		
180484	180538	<1	0.93	11	61	90	<1	2.42	6	13	423	33	2.85	0.42	10	0.18	542	7	0.08	28	257	11	<5	6	0.04	<10	34	109	<1	6	<10	8	38		
180485	180539	<1	0.84	9	60	67	<1	1.36	6	8	172	28	2.1	0.3	10	0.2	387	5	0.08	21	286	8	<5	5	0.04</										

100505	105185	<1	0.89	<2	6	36	86	<1	0.51	5	8	120	29	1.52	0.45	7	0.04	118	8	0.02	20	280	8	<5	<5	0.03	<10	15	<100	<1	3	<10	3	8
100506	105190	<1	0.71	6	41	85	<1	1.38	8	11	380	37	2.22	0.45	8	0.11	284	6	0.04	27	304	10	<5	<5	0.04	<10	33	<100	3	5	<10	4	9	
100507	105197	<1	2.33	11	83	112	2	9.88	12	46	378	86	6.82	0.39	36	4.8	2020	49	0.03	271	938	18	<5	6	0.04	<10	304	296	2	82	<10	7	253	
100508	105187	<1	2.38	10	40	115	2	9.98	12	46	378	86	6.9	0.39	38	4.78	2032	51	0.03	276	988	20	<5	<5	0.06	<10	308	296	1	84	<10	7	256	
100509	105188	<1	0.13	5	41	14	<1	0.88	4	7	657	22	1.18	0.07	6	0.12	233	13	0.02	30	<100	3	<5	6	0.03	<10	28	<100	<1	4	<10	2	25	
100510	105199	<1	0.88	8	43	102	<1	0.55	5	9	173	22	2.09	0.54	8	0.1	125	13	0.03	23	228	7	<5	6	0.04	<10	36	<100	<1	4	<10	6	8	
100511	105190	<1	0.88	12	55	106	<1	1.34	5	9	481	44	2.09	0.5	8	0.08	314	8	0.08	23	207	8	<5	6	0.04	<10	31	<100	<1	3	<10	5	8	
100512	105191	<1	0.7	11	45	170	<1	1.02	5	10	227	34	1.74	0.41	7	0.13	253	6	0.08	23	197	8	<5	6	0.04	<10	31	<100	<1	3	<10	5	8	
100513	105192	<1	2.52	8	61	224	2	8.55	12	48	229	47	7.7	0.31	33	3.34	1590	31	0.04	182	595	18	<5	7	0.08	<10	207	<100	3	80	<10	8	208	
100514	105193	<1	0.61	5	55	87	<1	1.98	6	11	136	38	2.35	0.32	8	0.32	383	8	0.05	23	379	10	<5	7	0.04	<10	55	<100	<1	7	<10	5	24	
100515	105194	<1	0.56	10	59	140	<1	2.08	5	10	288	29	1.8	0.34	8	0.18	485	8	0.08	23	308	8	<5	6	0.04	<10	53	<100	1	4	<10	6	12	
100516	105185	<1	0.52	6	61	70	<1	1.71	5	9	347	23	2.07	0.34	7	0.1	387	7	0.08	23	281	8	<5	6	0.04	<10	44	<100	4	5	<10	5	7	
100517	105198	<1	0.43	4	51	86	<1	1.34	5	9	357	27	2	0.27	7	0.08	316	6	0.08	22	220	7	<5	6	0.04	<10	35	<100	<1	4	<10	6	6	
100518	105197	<1	0.49	5	62	72	<1	1.72	5	8	378	21	2.12	0.3	7	0.16	436	6	0.07	23	239	9	<5	6	0.04	<10	41	<100	1	8	<10	6	10	
100519	105197	<1	0.44	3	55	65	<1	1.57	5	8	340	21	1.97	0.27	7	0.14	399	5	0.07	22	237	8	<5	6	0.04	<10	38	<100	<1	5	<10	6	8	
100520	105198	<1	0.44	8	47	86	<1	1.18	5	7	325	19	1.87	0.28	7	0.08	258	8	0.08	22	198	8	<5	6	0.04	<10	27	<100	<1	4	<10	4	5	
100521	105199	<1	0.45	8	35	86	<1	1.24	5	7	270	50	1.72	0.28	8	0.08	270	5	0.08	19	194	5	<5	5	0.03	<10	27	173	<1	1	5	<10	5	7
100522	105200	<1	0.24	5	43	97	<1	0.18	<4	4	7	14	0.45	0.03	8	0.05	<100	<1	0.1	15	388	4	<5	6	0.02	<10	6	<100	<1	1	Δ	<10	2	5
100523	105201	<1	0.22	3	49	2	<1	0.52	<4	3	4	14	0.92	0.01	5	<0.01	<100	<1	0.01	13	<100	3	1	<5	6	0.02	<10	Δ	<100	<1	Δ	<10	<1	Δ
100524	105202	<1	0.63	8	51	80	<1	1.38	5	8	411	34	2.07	0.28	8	0.11	348	7	0.09	24	208	12	<5	6	0.04	<10	35	387	1	6	<10	6	23	
100525	105203	<1	0.78	7	55	86	<1	1.81	6	8	358	28	2.3	0.33	11	0.18	411	7	0.07	24	242	9	<5	6	0.03	<10	34	470	5	6	<10	7	37	
100526	105204	<1	0.58	12	47	92	<1	2.13	5	10	346	32	1.87	0.36	8	0.08	519	6	0.04	22	214	14	<5	6	0.04	<10	43	191	<1	2	<10	5	17	
100527	105205	<1	0.7	5	62	92	<1	1.81	5	8	347	28	2.12	0.36	10	0.11	480	6	0.08	24	227	11	<5	5	0.04	<10	38	413	<1	2	<10	7	23	
100528	105206	<1	0.72	4	63	100	<1	1.78	5	8	366	27	2.19	0.38	10	0.12	437	6	0.07	22	230	7	<5	6	0.03	<10	41	391	<1	4	<10	6	18	
100529	105207	<1	0.43	10	63	100	<1	1.24	5	10	316	21	2.15	0.19	9	0.09	308	6	0.08	22	203	8	<5	6	0.03	<10	27	284	1	6	<10	6	18	
100530	105207	<1	0.45	3	58	80	<1	1.28	6	11	314	21	2.16	0.19	9	0.1	303	6	0.08	21	203	10	<5	6	0.03	<10	27	336	<1	1	6	<10	6	18
100531	105208	<1	0.51	4	68	73	<1	1.85	5	9	458	21	2.07	0.24	9	0.11	378	6	0.1	23	194	8	<5	6	0.04	<10	35	351	1	6	<10	6	18	
100532	105208	<1	0.56	4	63	104	<1	1.32	5	7	503	19	2.13	0.34	9	0.08	338	7	0.08	25	222	9	<5	7	0.04	<10	34	486	1	6	<10	7	28	
100533	105210	<1	0.62	8	49	78	<1	1.08	5	7	325	25	1.98	0.29	11	0.13	297	6	0.07	22	206	11	<5	6	0.03	<10	29	703	<1	2	6	<10	11	37
100534	105211	<1	0.48	4	47	72	<1	1.18	5	6	322	19	1.85	0.27	10	0.1	383	5	0.07	21	187	10	<5	6	0.03	<10	26	520	<1	1	5	<10	11	35
100535	105212	<1	0.37	3	46	87	<1	1.15	5	7	302	20	1.77	0.23	6	0.05	300	5	0.07	21	188	8	<5	6	0.03	<10	26	178	<1	4	<10	6	18	
100536	105213	<1	0.33	3	45	90	<1	1.15	5	7	284	19	1.81	0.21	7	0.04	312	5	0.07	21	184	7	<5	6	0.04	<10	26	<100	<1	4	<10	6	8	
100537	105214	<1	0.44	4	44	78	<1	1.27	5	7	332	19	1.89	0.27	7	0.04	342	6	0.07	21	181	7	<5	6	0.04	<10	32	<100	<1	3	<10	4	9	
100538	105215	<1	0.34	5	44	36	<1	1.14	5	7	325	20	1.89	0.2	7	0.05	318	6	0.07	22	184	6	<5	6	0.04	<10	32	<100	<1	3	<10	4	9	
100539	105216	<1	0.4	5	51	174	<1	1.32	5	7	388	20	2.01	0.24	9	0.04	386	6	0.07	22	191	7	<5	6	0.04	<10	29	<100	2	4	<10	5	7	
100540	105217	<1	0.42	6	59	74	<1	1.51	5	8	383	20	1.99	0.27	7	0.04	388	5	0.07	22	200	8	<5	6	0.04	<10	33	<100	2	3	<10	5	8	
100541	105217	<1	0.42	5	62	74	<1	1.48	5	8	362	20	1.99	0.27	7	0.04	388	7	0.07	22	200	7	<5	6	0.04	<10	32	<100	2	3	<10	5	8	
100542	105218	<1	0.37	<2	49	72	<1	1.31	5	7	341	20	1.9	0.23	7	0.03	325	8	0.07	22	187	8	<5	6	0.04	<10	20	<100	1	3	<10	5	7	
100543	105219	<1	0.38	4	53	78	<1	1.3	5	7	371	23	1.98	0.23	7	0.03	352	8	0.07	22	198	7	<5	5	0.04	<10	22	<100	<1	4	<10	5	7	
100544	105220	<1	0.37	7	49	63	<1	1.43	5	8	330	28	1.8	0.24	7	0.03	322	6	0.08	21	187	9	<5	6	0.04	<10	17	<100	<1	3	<10	4	6	
100545	105221	<1	0.43	2	41	97	<1	1.37	5	8	384	33	1.83	0.25	7	0.03	386	6	0.08	24	178	8	<5	6	0.03	<10	16	<100	<1	3	<10	4	6	
100546	105222	<1	0.32	10	38	45	<1	1.19	5	8	380	72	1.51	0.22	7	0.02	386	5	0.03	24	141	7	<5	5	0.03	<10	12	<100	<1	1	<10	3	7	
100547	105223	<1	0.49	12	39	65	<1	1.24	5	8	363	27	1.81	0.26	7	0.03	284	8	0.07	22	185	9	<5	6	0.04	<10	17	<100	<1	3	<10	4	6	
100548	105224	<1	0.4	8	47	61	<1	0.97	5	8	289	33	1.6	0.27	6	0.02	218	8	0.08	20	189	7	<5	6	0.04	<10	12	<100	<1	3	<10	4	5	
100549	105225	<1	0.48	4	42	82	<1	0.28	5	8	437	23	1.37	0.34	7	0.03	100	8	0.03	24	174	8	<5	5	0.04	<10	8	<100	<1	4	<10	2	6	
100550	105226	<1	0.73	4	33	111	<1	0.21	5	11	337	25	2.05	0.49	7	0.04	<100	8	0.03	29	18													

106579	106252 <1	0.4	6	57	99 <1	1.16	5	6	291	21	2.06	0.22	8	0.06	316	6	0.07	21	216	10 <5	6	0.03 <10	25	494 <1	5 <10	12	33		
106580	4092 <1	2.55	12	52	26	4.56	9	26	252	73	5.02	0.19	25	1.50	388	14	0.02	74	501	16 <5	7	0.04 <10	38	635	3	31	30	4	101
106581	16488	1.06	142	46	30	1.58	11	38	125	231	8.51	0.24	14	0.55	401	12	0.02	63	524	29 <5	6	0.04 <10	20	<100	1	10	<10	4	108
106582	164713 <1	2.55	11	50	17 <1	1.25	8	25	218	54	4.11	0.08	29	1.54	564	9	0.04	66	482	10 <5	7	0.07 <10	24	1805 <1		42	<10	3	91
106583	415069 <1	0.39	9	54	21 <1	0.17	4	13	376	27	1.11	0.11	9	0.16	102	4	0.03	33	193	2 <5	<5	0.03 <10	4	543 <1		6	<10	2	25



Certificate of Analysis

Friday, September 01, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 28-Aug-06
Date Completed : 31-Aug-06
Job # 200641728
Reference : HER
Sample #: 56 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
98986	164251	13	<0.001	0.013
98987	164252	23	<0.001	0.023
98988	164253	23	<0.001	0.023
98989	164254	28	<0.001	0.028
98990	164255	26	<0.001	0.026
98991	164256	34	<0.001	0.034
98992	164257	21	<0.001	0.021
98993	164258	<5	<0.001	<0.005
98994	164259	7	<0.001	0.007
98995	164260	7	<0.001	0.007
98996 Check	164260	6	<0.001	0.006
98997	164261	<5	<0.001	<0.005
98998	164262	<5	<0.001	<0.005
98999	164263	<5	<0.001	<0.005
99000	164264	<5	<0.001	<0.005
99001	164265	8	<0.001	0.008
99002	164266	<5	<0.001	<0.005
99003	164267	5	<0.001	0.005
99004	164268	763	0.022	0.763
99005	164269	506	0.015	0.506
99006	164270	1625	0.047	1.625
99007 Check	164270	1581	0.046	1.581
99008	164271	5583	0.163	5.583

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:

Derek Demlaniuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 3



Certificate of Analysis

Friday, September 01, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email


Date Received : 28-Aug-06
 Date Completed : 31-Aug-06
 Job # 200641728
 Reference : HER
 Sample #: 56 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
99009	164272	148	0.004	0.148
99010	164273	252	0.007	0.252
99011	164274	1208	0.035	1.208
99012	164275	346	0.010	0.346
99013	164276	534	0.016	0.534
99014	164277	848	0.025	0.848
99015	164278	2124	0.062	2.124
99016	164279	2897	0.085	2.897
99017	164280	2758	0.080	2.758
99018 Check	164280	3273	0.095	3.273
99019	164281	171	0.005	0.171
99020	164282	179	0.005	0.179
99021	164283	31	<0.001	0.031
99022	164284	50	0.001	0.050
99023	164285	39	0.001	0.039
99024	164286	182	0.005	0.182
99025	164287	56	0.002	0.056
99026	164288	194	0.006	0.194
99027	164289	760	0.022	0.760
99028	164290	2377	0.069	2.377
99029 Check	164290	2526	0.074	2.526
99030	164291	258	0.008	0.258
99031	164292	363	0.011	0.363

PROCEDURE CODES: AL4AU3, AL4ICPAR

Page 2 of 3

Certified By:


 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



Certificate of Analysis

Friday, September 01, 2006


 Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

 Date Received : 28-Aug-06
 Date Completed : 31-Aug-06
 Job # 200641728
 Reference : HER
 Sample #: 56 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
99032	164293	2580	0.075	2.580
99033	164294	638	0.019	0.638
99034	164295	1044	0.030	1.044
99035	164296	9603	0.280	9.603
99036	164297	325	0.009	0.325
99037	164298	182	0.005	0.182
99038	164299	153	0.004	0.153
99039 Check	164299	148	0.004	0.148
99040	164300	422	0.012	0.422
99041	164301	<5	<0.001	<0.005
99042	164302	31	<0.001	0.031
99043	164303	24	<0.001	0.024
99044	164304	33	<0.001	0.033
99045	164305	8	<0.001	0.008
99046	164306	<5	<0.001	<0.005

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:


 Derek Demlanuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 3



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-08 01:37 PM
 Job Number: 200641728
 Date Received: 8/28/2006
 Number of Samples: 56
 Type of Sample: Core
 Date Completed: 8/31/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
98986	164251	<1	0.04	10	65	2	<1	0.05	<4	2	1	7	0.04	0.02	<1	<0.01	<100	<1	0.03	5	<100	9	<5	9	0.02	11	<3	<100	3	<2	<10	2	13
98987	164252	<1	4.82	13	61	38	<1	1.99	8	50	331	179	9.63	0.39	34	2.39	445	19	0.21	97	964	14	<5	9	0.13	<10	50	2129	3	45	<10	3	47
98988	164253	<1	5.12	16	58	28	<1	2.60	8	44	200	139	8.73	0.30	32	2.64	440	19	0.13	82	863	61	<5	<5	0.12	<10	35	1705	3	40	<10	3	185
98989	164254	<1	4.82	21	55	24	1	1.89	8	57	286	176	>10.00	0.24	31	2.48	416	20	0.14	86	683	20	<5	<5	0.15	<10	34	1635	3	44	<10	3	57
98990	164255	<1	4.92	16	59	18	<1	2.47	7	39	235	122	8.70	0.19	32	2.48	461	19	0.12	79	737	55	<5	<5	0.13	<10	39	1834	5	44	<10	3	65
98991	164256	<1	5.24	25	59	24	<1	3.78	8	38	274	167	>10.00	0.27	40	2.51	577	21	0.11	68	707	92	<5	<5	0.16	<10	47	1649	4	45	<10	3	58
98992	164257	<1	5.11	17	61	29	<1	2.90	6	39	219	74	8.60	0.32	34	2.58	478	21	0.14	80	862	18	<5	<5	0.11	<10	44	1872	3	45	<10	4	52
98993	164258	<1	5.34	18	54	18	<1	2.54	7	31	238	63	8.53	0.18	43	2.95	534	21	0.11	80	763	14	<5	<5	0.12	<10	39	2066	3	52	<10	4	54
98994	164259	<1	5.36	13	60	18	<1	2.82	7	34	246	50	8.65	0.16	45	3.23	571	26	0.11	87	879	87	<5	6	0.14	<10	39	2179	3	57	<10	4	67
98995	164260	<1	6.13	10	58	24	1	4.37	8	34	246	92	9.49	0.23	57	3.57	668	25	0.13	96	881	387	<5	<5	0.19	<10	42	2051	4	60	<10	4	72
98996	164260	<1	5.68	21	53	23	<1	4.02	7	31	227	86	8.80	0.21	52	3.37	633	24	0.12	86	818	366	<5	<5	0.16	<10	38	1982	<1	56	<10	4	63
98997	164261	<1	6.13	19	63	15	<1	3.44	8	36	369	71	9.80	0.13	66	3.54	629	33	0.11	103	880	52	<5	<5	0.19	<10	42	1859	5	61	<10	4	64
98998	164262	<1	4.96	16	53	21	1	2.77	7	42	235	116	8.59	0.21	61	2.72	467	20	0.15	80	915	22	<5	6	0.16	<10	42	1923	3	48	<10	4	59
98999	164263	<1	4.30	11	55	16	<1	2.46	5	28	233	41	6.38	0.14	55	2.54	455	19	0.10	74	765	15	<5	<5	0.12	<10	41	1654	4	41	<10	3	52
99000	164264	<1	5.12	13	51	24	<1	5.01	6	28	207	55	7.90	0.29	61	2.79	596	20	0.11	79	793	18	<5	12	0.17	<10	55	724	5	40	<10	5	105
99001	164265	<1	5.54	11	53	16	1	5.81	7	26	173	76	8.66	0.20	62	3.05	680	25	0.10	82	828	25	<5	6	0.15	<10	54	701	5	48	<10	5	144
99002	164266	<1	5.27	13	50	19	<1	5.64	7	21	132	28	7.88	0.30	63	2.67	612	17	0.11	67	743	17	<5	<5	0.17	<10	62	<100	2	35	<10	6	191
99003	164267	<1	5.24	6	53	21	<1	4.80	7	22	113	46	8.31	0.37	58	2.56	587	19	0.10	75	821	13	<5	<5	0.12	<10	47	<100	4	33	<10	5	184
99004	164268	<1	5.21	14	51	28	<1	5.84	8	34	138	60	9.76	0.58	58	2.22	577	17	0.09	75	904	13	<5	<5	0.17	<10	45	<100	3	28	<10	5	160
99005	164269	<1	3.82	20	51	21	<1	6.37	8	36	147	113	9.43	0.44	48	1.83	622	17	0.06	66	830	27	<5	<5	0.13	<10	56	<100	4	22	<10	7	128
99006	164270	13	2.50	10	54	23	<1	3.25	5	21	506	40	5.99	0.45	27	1.24	384	17	0.05	51	467	15	<5	<5	0.10	<10	28	<100	2	18	<10	3	91
99007	164270	5	2.21	7	43	20	<1	2.96	4	18	430	35	5.24	0.40	24	1.08	331	17	0.05	41	402	13	<5	<5	0.12	<10	24	<100	<1	16	<10	3	81

Certified By: 
 Derek Demianiuk, H.Bsc.

Accurassay Laboratories

Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-08 01:37 PM
 Job Number: 200641728
 Date Received: 8/28/2006
 Number of Samples: 56
 Type of Sample: Core
 Date Completed: 8/31/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99008	164271	28	0.30	11	51	5	<1	1.46	<4	6	434	29	1.86	0.08	4	0.14	165	132	0.03	19	<100	18	<5	<5	0.04	<10	13	<100	<1	4	<10	2	16
99009	164272	<1	1.67	4	52	7	<1	3.63	<4	6	566	21	3.81	0.10	27	1.20	481	24	0.04	35	170	28	<5	<5	0.09	<10	83	<100	<1	12	<10	8	88
99010	164273	<1	0.31	3	46	7	<1	0.82	<4	5	371	9	1.48	0.08	4	0.21	133	16	0.02	17	<100	15	<5	<5	0.03	<10	9	<100	2	3	<10	1	11
99011	164274	<1	2.80	10	43	34	<1	5.04	5	25	136	10	5.85	0.43	27	1.77	754	14	0.03	53	620	16	<5	<5	0.09	<10	55	<100	2	16	<10	5	59
99012	164275	<1	3.35	4	51	31	<1	6.76	6	27	162	20	7.13	0.50	35	1.91	866	15	0.04	57	748	15	<5	<5	0.07	<10	70	<100	4	18	<10	5	59
99013	164276	<1	2.66	6	47	31	<1	7.88	5	20	233	35	6.17	0.47	25	1.49	967	12	0.04	45	560	19	<5	<5	0.12	<10	79	<100	2	16	<10	6	48
99014	164277	2	2.62	17	47	32	1	6.37	7	41	121	36	8.69	0.45	25	1.55	808	42	0.03	69	747	30	<5	6	0.08	<10	56	<100	3	16	<10	6	45
99015	164278	8	3.08	11	46	31	<1	5.67	7	31	163	20	7.75	0.43	30	2.04	821	92	0.03	78	634	29	<5	<5	0.08	<10	48	<100	2	22	<10	5	62
99016	164279	2	0.25	7	51	3	<1	0.71	<4	4	396	8	1.18	0.05	3	0.16	114	9	0.02	15	<100	12	<5	<5	0.02	<10	6	<100	2	2	<10	1	9
99017	164280	<1	0.10	8	49	2	<1	0.41	<4	4	517	11	1.10	0.02	1	0.04	<100	2	0.02	14	<100	22	<5	<5	0.02	<10	5	<100	2	<2	<10	1	5
99018	164280	<1	0.11	5	53	2	<1	0.44	<4	4	514	11	1.15	0.02	1	0.05	<100	2	0.02	14	<100	22	<5	<5	0.02	<10	5	<100	2	<2	<10	1	5
99019	164281	2	7.05	34	48	34	1	>10.00	11	38	153	204	>10.00	0.44	55	3.62	1657	29	0.03	104	965	63	<5	<5	0.13	<10	180	<100	4	43	<10	8	157
99020	164282	<1	4.04	18	48	32	<1	6.66	7	26	205	123	7.90	0.44	31	2.02	960	18	0.05	61	711	56	<5	<5	0.10	<10	103	<100	2	24	10	6	96
99021	164283	<1	4.43	17	44	31	<1	6.02	7	21	147	55	7.57	0.41	37	2.31	915	17	0.04	56	807	26	<5	<5	0.12	<10	87	<100	3	24	<10	6	120
99022	164284	<1	2.16	10	44	20	<1	4.66	<4	13	567	14	4.79	0.29	18	1.27	670	11	0.03	40	370	26	<5	<5	0.09	<10	43	<100	<1	12	<10	4	66
99023	164285	35	3.61	12	45	44	<1	6.10	6	29	159	30	6.88	0.46	29	2.04	1029	16	0.03	55	766	31	<5	<5	0.09	<10	77	<100	3	19	<10	6	118
99024	164286	<1	1.17	13	45	24	<1	2.49	<4	18	523	45	3.76	0.22	8	0.69	387	8	0.02	41	340	53	<5	<5	0.06	<10	14	<100	4	10	<10	3	45
99025	164287	<1	5.18	36	46	39	1	8.83	10	38	104	61	>10.00	0.32	37	3.11	1671	25	0.02	104	1042	56	<5	<5	0.12	<10	77	<100	5	38	<10	9	233
99026	164288	<1	4.57	80	48	59	2	6.91	13	51	158	55	>10.00	0.50	33	2.54	1253	22	0.03	120	1106	109	5	<5	0.13	<10	66	<100	7	37	<10	8	215
99027	164289	2	0.24	6	45	7	<1	0.77	<4	8	198	118	1.66	0.06	2	0.14	119	3	0.02	19	<100	119	<5	<5	0.03	<10	5	<100	1	3	<10	2	38
99028	164290	6	0.16	11	53	7	<1	0.19	<4	26	789	29	3.26	0.07	1	0.04	<100	6	0.02	28	<100	37	<5	<5	0.03	<10	<3	<100	2	4	<10	1	13
99029	164290	7	0.15	11	53	7	<1	0.20	<4	26	806	24	3.25	0.06	1	0.04	<100	6	0.02	30	<100	38	<5	<5	0.03	<10	<3	<100	<1	4	<10	1	11

Certified By: 
 Derek Demianiuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-08 01:37 PM
 Job Number: 200641728
 Date Received: 8/28/2006
 Number of Samples: 56
 Type of Sample: Core
 Date Completed: 8/31/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
99030	164291	<1	0.07	7	53	3	<1	0.14	<4	4	778	16	1.23	0.03	1	0.02	<100	7	0.02	18	<100	30	<5	<5	0.02	<10	<3	<100	2	2	<10	1	9
99031	164292	<1	0.75	12	48	27	<1	1.03	<4	20	177	17	3.67	0.25	6	0.36	162	9	0.02	30	324	41	<5	<5	0.05	<10	7	<100	<1	6	18	2	41
99032	164293	<1	0.07	5	53	3	<1	0.25	<4	4	917	10	1.47	0.03	<1	0.02	<100	4	0.02	20	<100	30	<5	<5	0.02	<10	<3	<100	3	2	<10	1	6
99033	164294	3	0.15	7	49	8	<1	0.36	<4	8	758	18	1.72	0.08	1	0.04	101	11	0.02	21	<100	36	<5	<5	0.03	<10	<3	<100	4	3	<10	1	10
99034	164295	2	0.05	4	48	3	<1	0.05	<4	4	305	17	0.64	0.03	<1	<0.01	<100	3	0.02	10	<100	51	<5	<5	0.02	<10	<3	<100	3	<2	<10	<1	8
99035	164296	17	0.30	5	48	10	<1	0.40	<4	9	701	53	2.33	0.12	2	0.10	102	160	0.02	23	<100	90	<5	<5	0.04	<10	4	<100	4	5	<10	1	49
99036	164297	4	2.51	15	48	38	1	3.48	8	33	322	218	6.85	0.44	23	1.41	664	17	0.04	61	856	65	<5	<5	0.06	<10	25	<100	2	17	11	6	250
99037	164298	<1	0.17	2	49	5	<1	1.21	<4	5	966	13	1.82	0.05	2	0.08	205	11	0.03	19	<100	35	<5	<5	0.03	<10	8	<100	4	3	30	2	8
99038	164299	1	4.05	16	47	39	1	5.20	9	33	244	35	9.04	0.44	39	2.08	870	40	0.04	69	857	39	<5	<5	0.10	<10	46	<100	4	23	347	6	176
99039	164299	<1	3.51	18	44	39	<1	4.86	7	31	252	33	8.31	0.37	33	2.03	868	39	0.03	64	821	38	<5	<5	0.10	<10	41	<100	3	23	372	6	182
99040	164300	<1	0.32	7	49	20	<1	0.10	<4	2	3	3	0.73	0.15	2	0.06	<100	<1	0.10	4	<100	7	<5	<5	0.03	<10	6	<100	3	<2	<10	2	4
99041	164301	<1	0.02	<2	47	2	<1	0.03	<4	1	1	3	0.02	<0.01	<1	<0.01	<100	<1	0.02	3	<100	5	<5	<5	0.01	<10	<3	<100	4	<2	<10	2	4
99042	164302	<1	4.11	9	46	42	1	5.96	7	31	152	127	7.92	0.39	36	2.20	1036	20	0.03	60	707	15	<5	<5	0.13	<10	42	<100	4	27	<10	6	201
99043	164303	<1	5.35	15	46	37	1	7.32	10	42	274	77	>10.00	0.32	51	2.89	1311	26	0.03	86	815	19	<5	<5	0.15	<10	59	<100	7	38	<10	7	259
99044	164304	<1	4.79	13	45	38	1	7.97	9	36	202	151	9.50	0.36	44	2.44	1322	21	0.04	64	756	26	<5	6	0.14	<10	72	<100	3	31	<10	7	223
99045	164305	<1	4.32	18	44	30	<1	5.23	7	27	162	43	8.09	0.28	41	2.36	1006	19	0.05	64	712	14	<5	6	0.12	<10	56	<100	3	33	<10	5	200
99046	164306	<1	4.22	15	46	26	1	4.74	7	26	255	50	8.21	0.23	42	2.32	899	19	0.08	62	723	18	<5	<5	0.13	<10	49	176	3	40	<10	5	190

Certified By: 
 Derek Demianiuk, H.Bsc.



Certificate of Analysis

Tuesday, September 12, 2006


Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 28-Aug-06
 Date Completed : 06-Sep-06
 Job # 200641727
 Reference : HER
 Sample #: 80 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
98898	164307	<5										
98899	164308	<5										
98900	164309	38										
98901	164310	22										
98902	164311	20										
98903	164312	442										
98904	164313	44										
98905	164314	427										
98906	164315	371										
98907	164316	10413										
98908	Check 164316	10626										
98909	164317	107941										
98910	164318	385										
98911	164319	110										
98912	164320	213										
98913	164321	8										
98914	164322	9										
98915	164323	622										
98916	164324	3725										
98917	164325	88										
98918	164326	82										
98919	164327	747										
98920	Check 164327	786										
98921	164328	89										
98922	164329	14										
98923	164330	499										
98924	164331	17										
98925	164332	17098										

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By:


 Derek Demlanuk B.Sc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 4



Certificate of Analysis

Tuesday, September 12, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 28-Aug-06
Date Completed : 06-Sep-06
Job # 200641727
Reference : HER
Sample #: 80 Core

Accurassay #	Client Id	Au	Pt	Pd	Rh	Ag	Co	Cu	Fe	Ni	Pb	Zn
		ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
98926	164333	102546				210						
98927	164334	973										
98928	164335	612										
98929	164336	23										
98930	164337	29										
98931	Check 164337	16										
98932	164338	6										
98933	164339	28										
98934	164340	30										
98935	164341	5										
98936	164342	20										
98937	164343	30										
98938	164344	10										
98939	164345	7										
98940	164346	<5										
98941	164347	12										
98942	Check 164347	12										
98943	164348	21										
98944	164349	123										
98945	164350	409										
98946	164351	<5										
98947	164352	133										
98948	164353	279										
98949	164354	1650										
98950	164355	33										
98951	164356	136										
98952	164357	85										
98953	Check 164357	70										

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By:

Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 2 of 4



Certificate of Analysis

Tuesday, September 12, 2006


Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 28-Aug-06
 Date Completed : 06-Sep-06
 Job # 200641727
 Reference : HER
 Sample #: 80 Core

Accurassay #	Client Id	Au	Pt	Pd	Rh	Ag	Co	Cu	Fe	Ni	Pb	Zn
		ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
98954	164358	672278				206						
98955	164359	19925										
98956	164360	702										
98957	164361	270										
98958	164362	182										
98959	164363	85										
98960	164364	318										
98961	164365	409										
98962	164366	2457										
98963	164367	380										
98964	Check 164367	444										
98965	164368	19										
98966	164369	3172										
98967	164370	381										
98968	164371	1084										
98969	164372	5147										
98970	164373	91										
98971	164374	18										
98972	164375	39										
98973	164376	15										
98974	164377	85										
98975	Check 164377	28										
98976	164378	6										
98977	164379	16										
98978	164380	8										
98979	164381	<5										
98980	164382	7										
98981	164383	26										

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By:


 Derek Demlianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 4



**Accurassay
Laboratories**

Mineral Assay Division of Assay Laboratory Services Inc.



1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 622-7571 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Certificate of Analysis

Tuesday, September 12, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 28-Aug-06
Date Completed : 06-Sep-06
Job # 200641727
Reference : HER
Sample #: 80 Core

Accurassay #	Client Id	Au	Pt	Pd	Rh	Ag	Co	Cu	Fe	Ni	Pb	Zn
		ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
98982	164384	12										
98983	164385	11										
98984	164386	<5										

PROCEDURE CODES: AL4APP, AL4ICPAR

Certified By:

Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 4 of 4

AL917-0235-09/12/2006 07:21 AM

Accurassay Laboratories

Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-08 01:37 PM
 Job Number: 200641727
 Date Received: 8/28/2006
 Number of Samples: 80
 Type of Sample: Core
 Date Completed: 9/6/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
98898	164307	<1	3.35	14	43	17	1	1.41	7	40	356	88	7.85	0.08	28	2.66	509	25	0.05	79	749	22	<5	<5	0.07	<10	23	1620	2	45	<10	3	51
98899	164308	<1	4.21	11	44	17	1	3.43	10	40	189	110	9.54	0.11	36	2.94	630	28	0.05	74	805	24	<5	<5	0.07	<10	34	1136	4	50	<10	4	99
98900	164309	<1	3.56	11	42	17	1	3.80	9	45	239	97	9.23	0.12	30	2.46	636	23	0.05	77	740	19	<5	<5	0.07	<10	32	<100	6	40	<10	5	202
98901	164310	<1	3.80	11	44	18	1	4.68	9	38	118	58	8.59	0.15	36	2.63	787	24	0.05	79	839	16	<5	<5	0.07	<10	39	<100	5	34	<10	6	228
98902	164311	<1	3.75	14	43	18	<1	7.95	8	30	201	50	7.58	0.17	39	2.59	1082	20	0.04	72	778	21	<5	<5	0.11	<10	58	<100	4	31	<10	8	217
98903	164312	<1	3.71	10	41	15	1	5.43	9	30	123	61	8.33	0.15	41	2.58	816	24	0.04	73	787	16	<5	<5	0.07	<10	59	<100	4	32	<10	6	217
98904	164313	<1	3.71	9	44	20	1	5.25	8	32	203	56	7.85	0.19	39	2.65	848	24	0.04	76	884	21	<5	7	0.07	<10	68	<100	3	29	<10	6	212
98905	164314	<1	2.63	15	39	22	1	5.71	8	35	137	9	7.74	0.23	25	2.00	966	22	0.02	72	813	24	<5	<5	0.07	15	80	<100	5	19	<10	6	134
98906	164315	<1	3.60	19	43	24	1	5.88	9	38	192	56	9.01	0.22	32	2.87	1235	36	0.02	96	858	22	<5	<5	0.07	<10	85	<100	5	29	<10	6	172
98907	164316	52	1.93	8	38	18	<1	4.32	6	25	161	47	5.31	0.16	18	1.58	836	152	0.02	55	541	93	<5	<5	0.05	<10	55	<100	2	14	<10	5	100
98908	164316	59	1.99	14	43	20	<1	4.72	6	29	186	47	5.72	0.16	18	1.74	936	175	0.02	60	591	102	<5	6	0.04	<10	58	<100	3	16	<10	5	114
98909	164317	16	0.15	29	44	4	<1	0.43	7	9	531	124	2.99	0.03	2	0.12	125	7	0.01	24	<100	334	<5	<5	0.02	<10	5	<100	2	3	<10	1	301
98910	164318	<1	0.06	4	40	5	<1	0.06	<4	4	336	7	0.81	0.03	<1	0.01	<100	3	0.01	12	<100	16	<5	<5	0.01	<10	<3	<100	2	<2	<10	1	10
98911	164319	<1	0.03	2	40	3	<1	0.05	<4	3	580	17	0.79	0.02	<1	<0.01	<100	9	0.01	12	<100	20	<5	<5	0.01	<10	<3	<100	1	<2	<10	<1	9
98912	164320	<1	0.02	4	40	2	<1	0.09	<4	4	436	63	0.76	0.01	<1	0.01	<100	11	0.01	11	<100	28	<5	<5	0.01	<10	<3	<100	3	<2	<10	1	5
98913	164321	<1	0.02	3	40	1	<1	0.24	<4	3	589	7	0.76	<0.01	<1	0.01	<100	6	0.01	13	<100	8	<5	<5	0.01	<10	<3	<100	2	<2	<10	1	3
98914	164322	<1	0.03	<2	42	2	<1	0.07	<4	3	431	8	0.68	0.01	<1	<0.01	<100	7	0.01	11	<100	15	<5	<5	0.01	<10	<3	<100	2	<2	<10	<1	5
98915	164323	9	0.06	5	41	2	<1	0.33	<4	13	578	1047	1.78	0.01	1	0.04	<100	6	0.01	28	<100	110	<5	<5	0.01	<10	<3	<100	4	<2	<10	1	38
98916	164324	44	0.50	18	40	8	<1	1.85	139	20	408	2655	2.61	0.05	5	0.47	342	5	0.01	35	156	257	<5	<5	0.03	<10	14	<100	3	7	88	3	7806
98917	164325	<1	3.83	32	30	28	1	6.90	10	40	129	148	9.13	0.17	32	2.95	1608	27	0.01	102	885	23	<5	<5	0.10	<10	87	<100	5	36	<10	7	339
98918	164326	<1	4.83	37	41	35	1	6.94	12	45	134	64	>10.00	0.22	39	3.45	1616	33	0.02	129	1080	28	<5	<5	0.11	<10	87	<100	4	44	12	7	373
98919	164327	5	0.07	<2	41	3	<1	0.36	<4	5	534	85	1.15	0.02	1	0.04	<100	7	0.01	16	<100	66	<5	<5	0.02	<10	3	<100	3	<2	<10	1	7

Certified By 
 Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-08 01:37 PM
 Job Number: 200641727
 Date Recieved: 8/28/2006
 Number of Samples: 80
 Type of Sample: Core
 Date Completed: 9/6/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
98920	164327	7	0.08	4	42	3	<1	0.37	<4	5	596	94	1.25	0.02	1	0.05	<100	9	0.01	16	<100	71	<5	5	0.02	<10	3	<100	2	2	<10	1	7
98921	164328	<1	0.05	3	75	4	<1	0.12	<4	4	565	8	0.95	0.02	<1	0.02	<100	7	0.02	11	<100	18	<5	<5	0.01	<10	<3	<100	<1	<2	<10	<1	2
98922	164329	<1	0.02	3	41	2	<1	0.04	<4	3	517	7	0.74	0.01	<1	<0.01	<100	9	0.01	11	<100	9	<5	<5	0.01	<10	<3	<100	<1	<2	<10	<1	3
98923	164330	13	0.05	5	37	4	<1	0.05	<4	6	345	16	1.90	0.03	<1	<0.01	<100	14	0.01	12	<100	122	<5	<5	0.02	<10	<3	<100	2	<2	<10	<1	46
98924	164331	<1	<0.01	2	42	<1	<1	0.07	<4	2	485	7	0.64	<0.01	<1	<0.01	<100	3	0.01	10	<100	12	<5	<5	0.01	<10	<3	<100	<1	<2	<10	<1	1
98925	164332	11	0.06	4	39	4	<1	0.06	<4	5	376	521	0.96	0.03	<1	0.01	<100	6	0.01	13	<100	147	<5	<5	0.01	<10	<3	<100	<1	<2	<10	<1	1
98926	164333	>100	0.06	5	39	4	<1	0.27	<4	8	413	141	1.36	0.03	<1	0.02	<100	118	0.01	17	<100	81	<5	<5	0.02	<10	3	<100	3	<2	<10	1	11
98927	164334	63	2.75	13	36	19	<1	6.39	8	26	240	23	7.61	0.14	36	2.36	1343	86	0.02	59	565	28	<5	5	0.07	<10	60	<100	4	21	<10	6	211
98928	164335	<1	2.98	3	36	21	<1	5.82	7	16	183	30	6.13	0.17	34	2.33	1211	23	0.03	55	735	12	<5	<5	0.08	<10	57	<100	5	21	<10	8	228
98929	164336	<1	3.60	8	35	19	<1	4.42	7	22	95	9	6.69	0.15	40	2.42	842	19	0.03	63	697	13	<5	<5	0.07	<10	39	<100	4	26	<10	5	270
98930	164337	<1	3.93	9	38	22	1	4.04	7	24	161	35	7.40	0.16	43	2.55	844	22	0.05	73	738	14	<5	<5	0.08	<10	41	<100	4	38	<10	5	227
98931	164337	<1	3.39	8	35	19	<1	3.66	6	21	147	32	6.51	0.14	39	2.30	751	20	0.04	65	644	13	<5	<5	0.08	<10	41	<100	4	38	<10	5	227
98932	164338	<1	3.41	13	37	24	1	4.53	7	25	114	19	6.30	0.15	41	2.40	900	22	0.04	59	716	16	<5	<5	0.04	<10	36	<100	2	33	<10	5	216
98933	164339	<1	3.36	7	38	21	<1	3.38	7	25	238	20	6.50	0.13	41	2.35	790	21	0.04	62	698	14	<5	<5	0.07	<10	29	191	2	36	<10	5	138
98934	164340	<1	2.30	8	35	20	<1	1.06	7	35	223	80	6.59	0.10	17	1.55	563	14	0.04	65	526	10	<5	<5	0.07	<10	29	191	2	36	<10	5	138
98935	164341	<1	2.57	6	38	20	<1	0.77	5	30	319	58	5.26	0.17	14	2.29	440	21	0.05	62	626	11	<5	<5	0.07	<10	15	1157	2	35	<10	3	54
98936	164342	<1	2.49	9	40	27	<1	1.05	5	33	204	80	5.60	0.22	16	2.29	410	21	0.04	64	654	9	<5	<5	0.04	<10	18	1297	<1	33	<10	4	43
98937	164343	<1	2.39	13	44	44	1	4.13	7	39	232	58	6.99	0.31	17	2.19	594	23	0.04	72	682	12	<5	<5	0.08	<10	29	1283	4	30	<10	4	33
98938	164344	<1	2.86	11	46	41	1	1.50	6	43	208	71	6.70	0.36	20	2.42	476	28	0.05	76	723	15	<5	<5	0.09	<10	24	1614	6	35	<10	4	47
98939	164345	<1	2.72	14	44	36	2	1.40	7	51	286	102	7.32	0.26	20	2.48	505	25	0.05	90	879	16	<5	<5	0.07	<10	23	1893	2	42	<10	6	47
98940	164346	<1	2.70	10	47	38	1	1.57	6	40	235	63	6.68	0.31	20	2.54	532	22	0.05	80	759	14	<5	<5	0.07	<10	23	1893	2	45	<10	5	50
98941	164347	<1	2.72	9	44	28	1	3.82	6	20	296	55	6.20	0.14	20	1.85	662	15	0.05	96	598	13	<5	<5	0.06	<10	20	1722	2	45	<10	7	97

Certified By: 
 Derek Demianiuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.


1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-08 01:37 PM
 Job Number: 200641727
 Date Received: 8/28/2006
 Number of Samples: 80
 Type of Sample: Core
 Date Completed: 9/6/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
98942	164347	<1	2.58	6	42	28	<1	3.69	6	21	272	49	5.98	0.13	19	1.83	638	16	0.05	44	597	15	<5	<5	0.07	<10	36	356	2	24	<10	7	99
98943	164348	<1	2.53	7	40	23	<1	4.12	6	21	160	37	5.62	0.12	20	1.85	672	17	0.04	38	570	10	<5	<5	0.06	<10	34	121	2	22	<10	7	100
98944	164349	<1	3.00	12	43	23	<1	5.36	8	30	192	20	7.18	0.18	26	2.13	844	21	0.04	61	795	15	<5	<5	0.07	<10	43	<100	3	24	<10	8	114
98945	164350	<1	0.24	<2	41	22	<1	0.08	<4	2	4	3	0.67	0.11	2	0.06	<100	<1	0.07	4	<100	7	<5	<5	0.02	<10	5	<100	4	<2	<10	3	7
98946	164351	<1	0.02	<2	43	2	<1	0.03	<4	2	2	3	0.03	<0.01	<1	<0.01	<100	<1	0.01	4	<100	3	<5	<5	0.01	<10	<3	<100	2	<2	<10	2	3
98947	164352	<1	2.56	10	38	24	1	5.84	9	37	165	11	8.29	0.20	24	2.05	852	20	0.02	72	803	13	<5	8	0.05	<10	38	<100	2	22	<10	8	115
98948	164353	<1	2.53	6	36	18	1	5.82	8	30	178	10	7.58	0.14	27	2.09	833	20	0.02	68	809	22	<5	<5	0.08	<10	38	<100	3	20	<10	9	150
98949	164354	3	0.86	7	55	26	<1	1.21	<4	17	477	31	3.07	0.22	6	0.40	200	11	0.02	30	215	25	<5	<5	0.09	<10	11	<100	<1	9	<10	3	36
98950	164355	<1	0.11	6	70	4	<1	0.22	<4	3	513	6	0.69	0.04	1	0.03	<100	3	0.02	12	<100	7	<5	<5	0.04	<10	<3	<100	3	<2	<10	1	5
98951	164356	<1	1.34	12	64	23	<1	1.55	<4	12	649	11	3.44	0.20	14	0.87	356	11	0.03	41	246	13	<5	<5	0.09	<10	17	<100	3	15	<10	3	72
98952	164357	<1	8.23	25	73	66	2	9.88	14	38	194	92	>10.00	0.59	76	4.52	1999	43	0.05	142	1174	26	7	<5	0.15	<10	106	126	4	68	343	9	407
98953	164357	<1	7.80	26	68	60	2	9.21	14	37	181	85	>10.00	0.55	71	4.27	1852	38	0.05	133	1098	27	<5	<5	0.12	<10	101	115	7	62	298	9	400
98954	164358	>100	3.00	65	72	43	3	3.55	25	68	607	2040	>10.00	0.37	27	1.73	803	31	0.03	80	452	526	<5	5	0.13	<10	38	<100	3	38	<10	5	217
98955	164359	16	8.35	29	76	70	2	9.49	15	37	188	169	>10.00	0.54	67	4.51	2177	47	0.04	137	1215	49	<5	<5	0.12	<10	95	126	5	74	<10	10	451
98956	164360	<1	6.13	25	76	47	1	7.52	12	46	213	121	>10.00	0.45	53	3.41	1673	33	0.05	87	942	30	<5	<5	0.13	<10	69	<100	4	48	<10	8	332
98957	164361	<1	8.47	16	64	57	3	7.68	17	52	163	94	>10.00	0.41	66	4.55	2160	49	0.04	144	1255	77	<5	<5	0.15	<10	79	122	6	76	<10	10	496
98958	164362	1	8.37	28	74	72	2	7.70	17	49	287	68	>10.00	0.46	60	4.51	2232	46	0.04	143	1138	151	<5	6	0.18	<10	87	134	2	77	<10	9	477
98959	164363	1	5.33	88	67	68	2	4.17	17	64	247	44	>10.00	0.42	35	3.13	1306	36	0.03	131	1078	116	<5	<5	0.14	<10	44	100	3	53	13	6	382
98960	164364	1	0.52	27	63	16	<1	0.59	<4	14	614	37	2.71	0.13	3	0.25	157	11	0.02	28	<100	97	<5	<5	0.06	<10	6	<100	2	6	<10	2	37
98961	164365	3	0.53	11	60	15	<1	0.46	<4	12	439	35	2.39	0.10	3	0.30	144	14	0.02	25	107	196	<5	<5	0.06	<10	5	<100	3	7	<10	2	64
98962	164366	26	0.18	8	63	6	<1	0.35	14	8	694	980	1.44	0.03	1	0.09	106	6	0.02	19	<100	1579	<5	<5	0.04	<10	<3	<100	3	3	<10	1	569
98963	164367	2	1.29	21	63	23	<1	2.40	6	19	454	97	3.88	0.15	8	0.86	464	9	0.03	35	201	127	<5	<5	0.08	<10	14	<100	2	13	505	3	122

Certified By: 
 Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-08 01:37 PM
 Job Number: 200641727
 Date Recieved: 8/28/2006
 Number of Samples: 80
 Type of Sample: Core
 Date Completed: 9/6/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
98964	164367	2	1.33	14	62	23	<1	2.54	6	19	458	101	4.03	0.15	8	0.91	488	10	0.03	38	200	139	<5	5	0.07	<10	15	<100	2	13	549	3	133
98965	164368	<1	6.28	28	66	59	1	7.43	14	29	220	82	>10.00	0.40	35	3.77	1960	37	0.04	96	982	91	<5	<5	0.10	<10	61	105	5	57	<10	8	392
98966	164369	10	4.60	383	70	61	2	5.83	18	70	218	321	>10.00	0.36	25	2.73	1469	52	0.04	114	777	138	<5	<5	0.10	<10	45	<100	4	51	<10	8	256
98967	164370	<1	2.59	103	59	86	1	3.43	8	39	237	70	7.86	0.53	12	1.07	651	15	0.04	54	862	24	<5	<5	0.09	<10	26	<100	1	23	<10	7	77
98968	164371	3	4.01	48	55	73	1	4.87	10	41	143	167	9.34	0.48	21	2.19	1100	28	0.04	64	868	25	<5	<5	0.10	<10	33	<100	5	34	<10	7	163
98969	164372	19	0.39	8	64	9	<1	1.10	<4	6	683	176	1.67	0.06	3	0.21	212	120	0.02	20	<100	236	<5	<5	0.04	<10	6	<100	3	6	<10	2	36
98970	164373	<1	3.84	30	57	40	1	5.17	9	28	127	130	7.94	0.29	27	2.10	1108	23	0.04	57	728	54	<5	<5	0.09	<10	40	<100	3	30	<10	6	174
98971	164374	<1	3.86	37	68	33	1	4.09	10	33	187	90	8.75	0.24	30	2.19	946	24	0.04	63	728	27	<5	<5	0.11	<10	31	<100	4	34	<10	6	203
98972	164375	<1	4.50	22	58	41	1	3.49	10	26	151	59	8.72	0.31	37	2.46	878	25	0.05	59	818	19	<5	<5	0.12	<10	24	<100	2	35	<10	8	207
98973	164376	<1	4.30	21	61	46	1	3.97	8	24	221	62	8.04	0.33	33	2.28	891	23	0.05	58	758	16	<5	5	0.11	<10	25	<100	2	34	<10	8	204
98974	164377	<1	4.58	29	70	46	1	4.67	10	33	155	58	9.25	0.32	34	2.62	1114	27	0.05	67	826	27	<5	<5	0.13	<10	38	<100	2	38	<10	8	225
98975	164378	<1	4.33	26	80	57	1	4.24	9	28	272	77	8.06	0.38	30	2.36	1019	23	0.06	66	809	35	<5	<5	0.09	<10	37	<100	4	38	<10	8	225
98976	164379	<1	3.92	17	75	33	1	4.00	8	26	208	72	7.66	0.24	33	2.33	983	23	0.05	56	700	37	<5	<5	0.10	<10	38	<100	2	37	<10	8	197
98977	164380	<1	4.38	22	66	38	1	4.14	9	27	259	73	8.54	0.26	35	2.60	1092	27	0.05	62	729	40	<5	<5	0.08	<10	39	231	3	42	<10	8	163
98978	164381	<1	5.42	20	88	73	1	4.50	11	33	211	96	9.97	0.42	40	3.24	1205	31	0.06	73	952	50	<5	12	0.11	<10	38	143	4	51	<10	10	247
98979	164382	<1	4.85	28	76	61	1	4.62	10	33	233	50	9.27	0.34	37	3.18	1178	30	0.04	74	884	39	<5	8	0.11	<10	37	160	4	45	<10	10	254
98980	164383	<1	5.22	43	71	73	2	4.31	10	40	187	50	>10.00	0.37	39	3.25	1202	31	0.05	77	904	32	<5	5	0.13	<10	30	160	4	53	<10	9	240
98981	164384	<1	4.29	19	76	62	1	6.60	8	22	192	32	7.21	0.37	29	2.50	1314	26	0.04	58	754	12	<5	<5	0.10	<10	42	<100	2	35	<10	9	205
98982	164385	<1	4.79	10	77	41	1	5.06	10	29	160	55	9.08	0.26	32	2.86	1258	28	0.04	65	692	22	<5	<5	0.09	<10	44	965	3	50	<10	9	232
98984	164386	<1	4.24	8	71	39	1	4.29	9	32	261	23	7.63	0.25	33	2.63	975	26	0.05	65	761	18	<5	7	0.10	<10	37	2855	7	52	<10	9	176

Certified By: 
 Derek Demianiuk, H.Bsc.



Certificate of Analysis

Tuesday, September 12, 2006

 Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

 Date Received : 01-Sep-06
 Date Completed : 12-Sep-06
 Job # 200641817
 Reference : HER
 Sample #: 65 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
103376	164387	25	<0.001	0.025
103377	164388	21	<0.001	0.021
103378	164389	28	<0.001	0.028
103379	164390	103	0.003	0.103
103380	164391	30	<0.001	0.030
103381	164392	65	0.002	0.065
103382	164393	31	<0.001	0.031
103383	164394	122	0.004	0.122
103384	164395	312	0.009	0.312
103385	164396	135	0.004	0.135
103386 Check	164396	140	0.004	0.140
103387	164397	1067	0.031	1.067
103388	164398	2293	0.067	2.293
103389	164399	16441	0.480	16.441
103390	164400	509	0.015	0.509
103391	164401	18	<0.001	0.018
103392	164402	225	0.007	0.225
103393	164403	3142	0.092	3.142
103394	164404	10927	0.319	10.927
103395	164405	4817	0.141	4.817
103396	164406	185	0.005	0.185
103397 Check	164406	171	0.005	0.171
103398	164407	301	0.009	0.301

PROCEDURE CODES: AL4AU3, AL4ICPAR

Page 1 of 4

 Certified By: 

Derek Demlianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



Certificate of Analysis

Tuesday, September 12, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 01-Sep-06
 Date Completed : 12-Sep-06
 Job # 200641817
 Reference : HER
 Sample #: 65 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
103399	164408	496	0.014	0.496
103400	164409	31	<0.001	0.031
103401	164410	3180	0.093	3.180
103402	164411	1926	0.056	1.926
103403	164412	3887	0.113	3.887
103404	164413	6812	0.199	6.812
103405	164414	4345	0.127	4.345
103406	164415	4272	0.125	4.272
103407	164416	107	0.003	0.107
103408	164417	198	0.006	0.198
103409	Check 164417	196	0.006	0.196
103410	164418	2870	0.084	2.870
103411	164419	1670	0.049	1.670
103412	164420	533	0.016	0.533
103413	164421	333	0.010	0.333
103414	164422	87	0.003	0.087
103415	164423	212	0.006	0.212
103416	164424	179	0.005	0.179
103417	164425	11517	0.336	11.517
103418	164426	14647	0.427	14.647
103419	164427	12923	0.377	12.923
103420	Check 164427	13149	0.384	13.149
103421	164428	2108	0.061	2.108

PROCEDURE CODES: AL4AU3, AL4ICPAR

Page 2 of 4

 Certified By: 

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0235-09/12/2006 10:44 AM



Certificate of Analysis

Tuesday, September 12, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7979
 Email


Date Received : 01-Sep-06
 Date Completed : 12-Sep-06
 Job # 200641817
 Reference : HER

Sample #: 65 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
103422	164429	48	0.001	0.048
103423	164430	40	0.001	0.040
103424	164431	30	<0.001	0.030
103425	164432	88	0.003	0.088
103426	164433	27	<0.001	0.027
103427	164434	29	<0.001	0.029
103428	164435	29	<0.001	0.029
103429	164436	24	<0.001	0.024
103430	164437	28	<0.001	0.028
103431 Check	164437	35	0.001	0.035
103432	164438	54	0.002	0.054
103433	164439	372	0.011	0.372
103434	164440	31	<0.001	0.031
103435	164441	25	<0.001	0.025
103436	164442	29	<0.001	0.029
103437	164443	22	<0.001	0.022
103438	164444	20	<0.001	0.020
103439	164445	20	<0.001	0.020
103440	164446	16	<0.001	0.016
103441	164447	21	<0.001	0.021
103442 Check	164447	35	0.001	0.035
103443	164448	26	<0.001	0.026
103444	164449	19	<0.001	0.019

PROCEDURE CODES: AL4AU3, AL4ICPAR

Page 3 of 4

Certified By: 
 Derek Demlaniuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0235-09/12/2006 10:44 AM



Mineral Assay Division of Assay Laboratory Services Inc.



1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 622-7571 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Certificate of Analysis

Tuesday, September 12, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7979
Email

Date Received : 01-Sep-06
Date Completed : 12-Sep-06
Job # 200641817
Reference : HER
Sample #: 65 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
103445	104450	503	0.015	0.503
103446	104451	17	<0.001	0.017

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Accurassay Laboratories Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-25 02:45 PM
 Job Number: 200641817
 Date Received: 9/1/2006
 Number of Samples: 65
 Type of Sample: Core
 Date Completed: 9/12/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
103375	164387	<1	1.99	12	57	39	1	1.59	4	26	239	55	3.45	0.14	13	1.38	426	13	0.05	47	514	14	<5	<5	0.03	<10	32	2323	1	32	<10	6	50
103377	164388	<1	1.80	13	52	34	1	1.44	5	30	362	59	4.03	0.15	16	1.12	403	16	0.07	39	450	12	<5	6	0.03	<10	36	2069	1	33	<10	6	36
103378	164389	<1	2.02	17	51	41	2	1.95	6	35	148	60	4.64	0.20	17	1.29	473	14	0.04	48	503	12	<5	<5	0.03	<10	25	2043	5	30	<10	6	43
103379	164390	<1	2.25	17	52	72	2	2.31	6	43	190	32	5.19	0.38	18	1.28	516	36	0.05	51	702	15	<5	<5	0.03	<10	18	2251	3	33	<10	6	43
103380	164391	<1	3.35	10	58	27	2	3.77	6	33	80	21	5.37	0.12	23	2.00	827	17	0.05	41	1132	14	<5	<5	0.03	<10	57	3034	4	73	<10	8	70
103381	164392	<1	3.62	13	59	17	2	5.01	7	29	191	19	5.94	0.09	36	2.02	891	19	0.05	46	1095	17	<5	<5	0.04	<10	67	2211	4	74	<10	7	121
103382	164393	<1	2.89	13	60	20	2	3.53	6	31	192	56	5.22	0.13	31	1.75	667	18	0.04	59	585	21	<5	<5	0.04	<10	35	1242	<1	39	<10	6	107
103383	164394	<1	2.95	11	56	26	2	4.42	6	23	270	26	5.12	0.21	33	1.75	720	18	0.05	59	588	17	5	<5	0.03	<10	38	603	2	35	<10	7	109
103384	164395	1	2.26	10	52	20	2	5.46	5	20	157	18	4.20	0.22	31	1.31	712	13	0.04	44	484	19	<5	<5	0.03	<10	41	<100	1	19	<10	6	89
103385	164396	<1	2.21	8	52	25	1	4.39	5	17	215	13	3.65	0.26	30	1.25	622	13	0.04	42	486	11	<5	<5	0.04	<10	46	<100	5	16	<10	6	91
103386	164396	<1	2.18	5	53	25	1	4.31	5	18	215	13	3.61	0.26	30	1.25	608	13	0.04	43	482	15	<5	<5	0.03	<10	45	<100	1	16	<10	6	92
103387	164397	2	2.47	4	56	24	2	5.31	6	22	83	12	4.55	0.25	37	1.50	749	29	0.03	55	546	16	<5	<5	0.03	<10	48	<100	3	19	<10	5	119
103388	164398	7	2.04	6	51	23	1	4.55	5	18	275	12	3.82	0.24	32	1.31	639	83	0.03	50	483	17	<5	7	0.04	<10	39	<100	2	21	<10	4	93
103389	164399	39	0.48	8	51	11	1	1.08	<4	8	330	26	1.50	0.11	8	0.30	179	221	0.02	24	113	32	<5	<5	0.03	<10	11	<100	2	8	<10	1	30
103390	164400	<1	0.23	3	53	16	<1	0.06	<4	2	3	7	0.37	0.12	3	0.05	<100	2	0.08	6	<100	8	<5	<5	0.03	<10	6	<100	2	<2	<10	1	6
103391	164401	<1	0.02	<2	56	3	<1	0.02	<4	2	2	7	0.03	0.01	1	<0.01	<100	<1	0.01	6	<100	2	<5	<5	0.02	<10	3	<100	3	<2	<10	<1	2
103392	164402	1	3.60	19	54	30	2	4.72	7	29	173	15	5.85	0.29	54	2.17	899	30	0.03	75	708	27	<5	<5	0.04	<10	45	<100	5	27	<10	5	184
103393	164403	7	0.80	10	60	19	1	2.67	<4	16	265	68	2.43	0.18	12	0.45	368	10	0.02	35	211	52	<5	<5	0.03	<10	21	<100	3	8	<10	2	45
103394	164404	5	1.32	22	44	25	2	1.47	5	27	245	239	3.60	0.24	22	0.76	306	15	0.02	42	327	43	<5	<5	0.03	<10	15	<100	4	12	<10	3	111
103395	164405	6	0.42	7	62	7	<1	2.40	<4	7	526	407	1.24	0.06	8	0.26	316	6	0.02	20	<100	138	<5	<5	0.03	<10	19	<100	3	4	188	1	42
103396	164406	<1	3.00	11	58	24	2	4.29	5	20	220	151	4.56	0.28	39	1.59	737	16	0.04	51	544	17	<5	<5	0.03	<10	31	<100	3	23	<10	5	160
103397	164406	<1	2.94	8	57	24	1	4.18	6	20	219	151	4.49	0.27	38	1.56	714	15	0.04	50	525	15	<5	<5	0.03	<10	31	<100	2	22	<10	4	154

Certified By: 
 Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-25 02:45 PM
 Job Number: 200641817
 Date Recieved: 9/1/2006
 Number of Samples: 65
 Type of Sample: Core
 Date Completed: 9/12/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
103398	164407	3	4.81	35	63	27	2	2.59	9	23	99	62	7.25	0.30	86	2.55	656	26	0.03	68	565	73	<5	<5	0.03	<10	23	<100	4	29	10	4	399
103399	164408	2	0.10	3	53	5	<1	1.46	<4	5	651	15	0.75	0.04	2	0.04	212	5	0.02	17	<100	45	<5	<5	0.05	<10	22	<100	2	2	<10	1	13
103400	164409	<1	0.06	2	52	3	<1	0.24	<4	2	406	11	0.47	0.03	2	0.02	<100	2	0.02	13	<100	8	<5	<5	0.02	<10	6	<100	2	<2	429	<1	5
103401	164410	4	0.79	9	51	11	1	0.78	<4	10	619	102	1.89	0.10	17	0.49	195	9	0.02	27	<100	53	<5	<5	0.02	<10	9	<100	3	7	318	<1	69
103402	164411	5	0.12	7	46	8	1	0.64	<4	16	328	67	1.56	0.06	2	0.04	109	9	0.01	14	<100	83	<5	<5	0.02	<10	7	<100	1	<2	<10	<1	37
103403	164412	3	1.10	51	46	37	2	1.06	7	71	373	72	5.48	0.30	13	0.52	234	32	0.03	43	151	61	<5	<5	0.03	<10	11	<100	4	11	<10	1	57
103404	164413	23	0.22	8	49	12	1	0.48	<4	13	330	66	1.31	0.10	3	0.08	<100	13	0.02	17	<100	147	<5	<5	0.03	<10	6	<100	2	3	<10	<1	33
103405	164414	18	0.09	4	55	5	<1	0.32	<4	4	573	38	0.65	0.04	2	0.03	<100	5	0.02	15	<100	126	<5	<5	0.02	<10	4	<100	1	<2	<10	<1	31
103406	164415	8	0.04	4	57	3	<1	0.09	<4	3	490	36	0.54	0.02	1	<0.01	<100	6	0.02	14	<100	49	<5	<5	0.02	<10	<3	<100	1	<2	<10	<1	26
103407	164416	<1	0.02	3	51	2	<1	0.05	<4	2	528	26	0.45	0.01	1	<0.01	<100	4	0.01	14	<100	20	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	3
103408	164417	2	0.02	3	57	2	<1	0.51	<4	2	342	11	0.38	0.01	1	<0.01	<100	2	0.02	11	<100	32	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	3
103409	164417	1	0.02	4	55	2	<1	0.51	<4	2	345	11	0.38	0.01	1	<0.01	<100	2	0.02	11	<100	34	<5	<5	0.02	<10	4	<100	1	<2	<10	<1	15
103410	164418	13	0.05	4	51	3	<1	0.16	<4	3	538	14	0.62	0.03	1	<0.01	<100	5	0.02	16	<100	132	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	12
103411	164419	9	0.03	4	52	3	<1	0.08	<4	2	367	18	0.35	0.02	1	<0.01	<100	3	0.01	11	<100	66	<5	<5	0.02	<10	<3	<100	3	<2	<10	<1	3
103412	164420	2	0.02	3	49	2	<1	0.11	<4	3	556	11	0.52	0.01	1	<0.01	<100	4	0.01	15	<100	17	<5	<5	0.02	<10	<3	<100	4	<2	<10	<1	7
103413	164421	<1	0.01	3	56	1	<1	0.23	<4	2	416	10	0.41	<0.01	1	<0.01	<100	3	0.01	12	<100	9	<5	<5	0.02	<10	<3	<100	2	<2	<10	<1	4
103414	164422	<1	0.01	<2	54	1	<1	0.52	<4	3	536	17	0.49	<0.01	1	<0.01	<100	4	0.01	14	<100	9	<5	<5	0.02	<10	4	<100	2	<2	<10	<1	2
103415	164423	2	0.02	5	54	2	<1	0.13	<4	3	210	9	0.27	<0.01	2	<0.01	<100	3	0.01	9	<100	42	<5	<5	0.02	<10	<3	<100	2	<2	<10	<1	5
103416	164424	<1	0.03	5	54	2	<1	0.27	<4	3	738	27	0.69	<0.01	2	0.02	<100	5	0.01	20	<100	9	<5	<5	0.02	<10	3	<100	2	<2	<10	<1	4
103417	164425	24	0.88	12	57	22	1	1.98	<4	19	178	123	2.27	0.21	10	0.39	301	243	0.03	29	262	43	<5	<5	0.03	<10	19	<100	1	8	<10	2	44
103418	164426	28	1.53	17	52	33	2	2.43	5	29	521	41	4.12	0.28	17	0.74	467	172	0.03	49	349	46	<5	<5	0.03	<10	25	<100	1	15	<10	2	75
103419	164427	33	2.96	12	56	26	2	3.53	8	32	119	36	5.94	0.25	33	1.56	729	149	0.03	55	524	38	<5	<5	0.03	<10	29	<100	2	22	<10	3	168

Certified By: 
 Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-25 02:45 PM
 Job Number: 200641817
 Date Recieved: 9/1/2006
 Number of Samples: 65
 Type of Sample: Core
 Date Completed: 9/12/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
103420	164427	26	2.77	12	51	23	2	3.34	7	32	116	35	5.66	0.22	32	1.47	677	138	0.03	53	485	42	<5	<5	0.03	<10	27	<100	2	20	<10	3	154
103421	164428	7	2.65	17	49	25	2	4.72	6	24	71	140	4.57	0.25	32	1.38	786	51	0.03	47	517	47	<5	<5	0.03	<10	35	<100	4	18	<10	4	116
103422	164429	<1	2.23	12	52	23	1	4.25	5	24	63	84	3.93	0.21	27	1.19	721	13	0.03	47	489	17	<5	<5	0.03	<10	33	<100	1	18	<10	4	116
103423	164430	<1	2.31	17	49	23	1	4.59	5	26	62	52	4.03	0.21	31	1.21	732	13	0.03	44	490	21	<5	<5	0.03	<10	38	<100	6	17	<10	5	115
103424	164431	<1	2.17	21	48	23	2	3.00	5	21	61	107	3.64	0.19	30	1.22	615	12	0.03	42	473	14	<5	<5	0.02	<10	26	<100	3	18	<10	4	120
103425	164432	<1	2.74	14	51	21	2	4.21	5	18	74	44	4.31	0.16	35	1.59	861	15	0.04	46	512	13	<5	<5	0.03	<10	34	137	4	28	<10	6	145
103426	164433	<1	4.57	25	62	23	2	7.52	8	24	67	30	6.49	0.24	57	2.19	1176	24	0.04	67	702	20	<5	<5	0.04	<10	56	115	3	35	<10	7	187
103427	164434	<1	3.39	13	60	25	2	5.36	6	24	56	48	4.84	0.30	41	1.64	817	15	0.04	50	593	13	<5	<5	0.03	<10	38	101	2	23	<10	5	136
103428	164435	<1	3.62	6	57	14	2	4.78	7	23	87	45	5.63	0.17	44	1.72	810	18	0.04	45	551	14	<5	5	0.03	<10	44	1274	5	39	<10	6	120
103429	164436	<1	3.22	12	60	16	2	4.28	6	24	79	72	4.97	0.18	38	1.57	704	16	0.04	49	530	15	<5	<5	0.03	<10	39	1621	7	36	<10	5	112
103430	164437	<1	2.74	9	52	24	2	4.76	5	23	63	64	3.89	0.25	31	1.38	708	13	0.04	46	547	11	<5	<5	0.03	<10	39	1812	2	26	<10	5	83
103431	164437	<1	2.57	10	49	23	1	4.46	4	20	59	57	3.70	0.23	29	1.31	672	12	0.04	42	528	15	<5	7	0.03	<10	37	1692	3	25	<10	5	77
103432	164438	<1	2.14	8	53	23	1	1.46	<4	24	120	89	3.33	0.16	16	1.06	431	11	0.05	43	534	12	<5	<5	0.03	<10	41	2121	3	33	<10	4	42
103433	164439	1	1.91	16	56	22	2	4.07	6	30	86	42	5.68	0.18	21	1.33	530	46	0.05	51	608	17	<5	<5	0.03	<10	27	1909	3	41	13	5	39
103434	164440	<1	2.05	12	57	19	1	1.17	5	27	131	66	3.98	0.12	20	1.51	339	14	0.05	55	590	13	<5	<5	0.03	<10	30	1895	3	33	<10	4	41
103435	164441	<1	1.57	13	48	21	1	1.11	<4	22	131	33	3.45	0.13	15	1.03	248	11	0.05	47	553	13	<5	6	0.03	<10	29	1712	<1	27	<10	3	30
103436	164442	<1	1.68	10	52	17	2	1.10	<4	24	143	36	3.48	0.10	17	1.22	294	12	0.05	50	617	14	<5	<5	0.03	<10	27	1687	3	29	<10	3	39
103437	164443	<1	2.42	8	50	16	1	1.30	4	24	126	69	3.66	0.08	24	1.89	479	15	0.05	54	579	12	<5	<5	0.03	<10	28	2060	3	36	<10	3	50
103438	164444	<1	2.28	10	48	17	1	1.31	<4	24	127	61	3.52	0.09	22	1.73	436	13	0.05	50	535	9	<5	<5	0.03	<10	28	1987	2	34	<10	3	42
103439	164445	<1	1.96	6	52	16	1	2.12	<4	20	108	95	3.33	0.07	15	1.44	493	12	0.05	39	560	11	<5	<5	0.02	<10	33	1961	3	38	<10	3	41
103440	164446	<1	2.06	7	48	9	1	1.20	<4	23	118	53	3.37	0.04	17	1.55	435	13	0.06	45	563	14	<5	<5	0.02	<10	34	2037	2	42	<10	3	44
103441	164447	<1	2.33	6	38	9	1	1.81	4	24	400	93	4.00	0.04	20	1.70	552	19	0.06	63	530	17	<5	<5	0.03	<10	42	2274	2	49	<10	3	51

Certified By: 
 Derek Demianuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-25 02:45 PM
 Job Number: 200641817
 Date Recieved: 9/1/2006
 Number of Samples: 65
 Type of Sample: Core
 Date Completed: 9/12/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
103442	164447	<1	2.25	6	41	9	1	1.70	4	23	373	94	3.91	0.03	20	1.72	550	15	0.06	57	539	17	<5	<5	0.02	<10	34	1973	1	45	<10	3	50
103443	164448	<1	2.64	13	45	6	1	1.47	5	28	105	88	4.22	0.02	25	2.09	639	16	0.06	48	526	15	<5	<5	0.02	<10	30	2119	4	58	<10	3	59
103444	164449	<1	2.25	9	40	9	2	1.15	5	30	430	93	4.58	0.03	21	1.72	735	16	0.07	54	482	26	<5	<5	0.02	<10	35	2142	2	60	<10	4	55
103445	164450	<1	0.24	3	46	17	1	0.07	<4	2	4	7	0.41	0.12	2	0.06	<100	1	0.08	6	<100	7	<5	<5	0.02	<10	7	<100	2	<2	<10	1	5
103446	164451	<1	0.02	6	49	3	<1	0.02	<4	1	2	7	0.03	0.01	1	<0.01	<100	1	0.01	6	<100	4	<5	<5	0.01	<10	3	<100	4	<2	<10	<1	3

Certified By: 
 Derek Demianiuk, H.Bsc.



**Accurassay
Laboratories**

Mineral Assay Division of Assay Laboratory Services Inc.



1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 622-7571 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Certificate of Analysis

Wednesday, September 13, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 06-Sep-06
Date Completed : 12-Sep-06
Job # 200641861
Reference : HER
Sample #: 110 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
104952	164452	10	<0.001	0.010
104953	164453	16	<0.001	0.016
104954	164454	15	<0.001	0.015
104955	164455	58	0.002	0.058
104956	164456	73	0.002	0.073
104957	164457	100	0.003	0.100
104958	164458	74	0.002	0.074
104959	164459	188	0.005	0.188
104960	164460	95	0.003	0.095
104961	164461	114	0.003	0.114
104962	Check 164461	106	0.003	0.106
104963	164462	1855	0.054	1.855
104964	164463	115749	3.376	115.749
104965	164464	901	0.026	0.901
104966	164465	197	0.006	0.197
104967	164466	825	0.024	0.825
104968	164467	542	0.016	0.542
104969	164468	271	0.008	0.271
104970	164469	223	0.006	0.223
104971	164470	165	0.005	0.165
104972	164471	15	<0.001	0.015
104973	Check 164471	15	<0.001	0.015
104974	164472	14	<0.001	0.014

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:
Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



Mineral Assay Division of Assay Laboratory Services Inc.



1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 622-7571 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Certificate of Analysis

Wednesday, September 13, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 06-Sep-06
Date Completed : 12-Sep-06
Job # 200641861
Reference : HER
Sample #: 110 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
104975	164473	19	<0.001	0.019
104976	164474	17	<0.001	0.017
104977	164475	15	<0.001	0.015
104978	164476	15	<0.001	0.015
104979	164477	15	<0.001	0.015
104980	164478	12	<0.001	0.012
104981	164479	15	<0.001	0.015
104982	164480	14	<0.001	0.014
104983	164481	15	<0.001	0.015
104984	Check 164481	14	<0.001	0.014
104985	164482	20	<0.001	0.020
104986	164483	9	<0.001	0.009
104987	164484	73	0.002	0.073
104988	164485	57	0.002	0.057
104989	164486	21	<0.001	0.021
104990	164487	10	<0.001	0.010
104991	164488	11	<0.001	0.011
104992	164489	9	<0.001	0.009
104993	164490	12	<0.001	0.012
104994	164491	6	<0.001	0.006
104995	Check 164491	15	<0.001	0.015
104996	164492	7	<0.001	0.007
104997	164493	6	<0.001	0.006

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 2 of 6

AL903-0235-09/13/2006 08:52 AM

Certificate of Analysis


Wednesday, September 13, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 06-Sep-06
 Date Completed : 12-Sep-06
 Job # 200641861
 Reference : HER
 Sample #: 110 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
104998	164494	7	<0.001	0.007
104999	164495	8	<0.001	0.008
105000	164496	10	<0.001	0.010
105001	164497	6	<0.001	0.006
105002	164498	8	<0.001	0.008
105003	164499	8	<0.001	0.008
105004	164500	441	0.013	0.441
105005	164501	21	<0.001	0.021
105006	164502	8	<0.001	0.008
105007 Check	164502	11	<0.001	0.011
105008	164503	12	<0.001	0.012
105009	164504	11	<0.001	0.011
105010	164505	15	<0.001	0.015
105011	164506	9	<0.001	0.009
105012	164507	12	<0.001	0.012
105013	164508	11	<0.001	0.011
105014	164509	11	<0.001	0.011
105015	164510	19	<0.001	0.019
105016	164511	10	<0.001	0.010
105017 Check	164511	11	<0.001	0.011
105018	164512	15	<0.001	0.015
105019	164513	13	<0.001	0.013
105020	164514	14	<0.001	0.014

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 6



Mineral Assay Division of Assay Laboratory Services Inc.



1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 622-7571 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Certificate of Analysis

Wednesday, September 13, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 06-Sep-06
Date Completed : 12-Sep-06
Job # 200641861
Reference : HER
Sample #: 110 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
105021	164515	16	<0.001	0.016
105022	164516	19	<0.001	0.019
105023	164517	12	<0.001	0.012
105024	164518	11	<0.001	0.011
105025	164519	13	<0.001	0.013
105026	164520	10	<0.001	0.010
105027	164521	17	<0.001	0.017
105028 Check	164521	18	<0.001	0.018
105029	164522	19	<0.001	0.019
105030	164523	26	<0.001	0.026
105031	164524	27	<0.001	0.027
105032	164525	39	0.001	0.039
105033	164526	59	0.002	0.059
105034	164527	360	0.011	0.360
105035	164528	1992	0.058	1.992
105036	164529	1689	0.049	1.689
105037	164530	1996	0.058	1.996
105038	164531	1050	0.031	1.050
105039 Check	164531	1124	0.033	1.124
105040	164532	214	0.006	0.214
105041	164533	106	0.003	0.106
105042	164534	33	<0.001	0.033
105043	164535	36	0.001	0.036

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 4 of 6

AL903-0235-09/13/2006 08 52 AM



Certificate of Analysis

Wednesday, September 13, 2006


Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 06-Sep-06
 Date Completed : 12-Sep-06
 Job # 200641861
 Reference : HER
 Sample #: 110 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
105044	164536	479	0.014	0.479
105045	164537	51	0.001	0.051
105046	164538	100	0.003	0.100
105047	164539	2638	0.077	2.638
105048	164540	476	0.014	0.476
105049	164541	38	0.001	0.038
105050	Check 164541	44	0.001	0.044
105051	164542	132	0.004	0.132
105052	164543	14	<0.001	0.014
105053	164544	10	<0.001	0.010
105054	164545	<5	<0.001	<0.005
105055	164546	12	<0.001	0.012
105056	164547	16	<0.001	0.016
105057	164548	15	<0.001	0.015
105058	164549	6	<0.001	0.006
105059	164550	401	0.012	0.401
105060	164551	6	<0.001	0.006
105061	164552	5	<0.001	0.005
105062	Check 164552	16	<0.001	0.016
105063	164553	60	0.002	0.060
105064	164554	34	0.001	0.034
105065	164555	10	<0.001	0.010
105066	164556	<5	<0.001	<0.005

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:



 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 5 of 6



Certificate of Analysis

Wednesday, September 13, 2006


Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 06-Sep-06
 Date Completed : 12-Sep-06
 Job # 200641861
 Reference : HER
 Sample #: 110 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
105067	164557	6	<0.001	0.006
105068	164558	<5	<0.001	<0.005
105069	164559	9	<0.001	0.009
105070	164560	<5	<0.001	<0.005
105071	164561	5	<0.001	0.005
105072 Check	164561	33	<0.001	0.033

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:



 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 6 of 6


Accurassay Laboratories Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-30 01:05 AM
 Job Number: 200641861
 Date Received: 9/6/2006
 Number of Samples: 110
 Type of Sample: Core
 Date Completed: 9/12/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104952	164452	<1	3.40	12	56	9	<1	1.70	5	31	120	102	6.38	0.04	33	1.93	760	18	0.09	50	764	24	<5	6	0.02	<10	59	2454	3	68	<10	4	30
104953	164453	<1	2.99	15	60	12	<1	1.96	4	30	292	37	5.87	0.06	32	1.77	570	19	0.11	45	539	17	<5	<5	0.02	<10	49	2341	2	61	<10	4	30
104954	164454	<1	3.79	27	61	13	<1	2.25	6	31	124	155	6.87	0.09	46	2.28	527	20	0.10	52	581	26	<5	7	0.02	<10	39	2401	2	73	<10	5	62
104955	164455	<1	3.13	27	54	28	<1	2.74	6	34	267	164	7.29	0.27	37	1.79	468	19	0.08	53	549	18	<5	6	0.02	<10	26	2003	<1	42	<10	6	53
104956	164456	<1	3.01	22	57	31	<1	2.61	5	30	92	10	6.39	0.33	38	1.80	456	18	0.07	46	566	12	<5	<5	0.02	<10	16	1514	<1	34	<10	4	47
104957	164457	<1	2.37	12	53	35	<1	3.46	5	29	307	<1	6.32	0.35	28	1.38	477	18	0.06	45	527	11	<5	7	0.03	<10	20	1072	3	32	<10	5	33
104958	164458	<1	2.50	10	57	26	<1	4.32	5	26	97	<1	5.71	0.27	34	1.54	542	19	0.05	41	501	9	<5	6	0.03	<10	24	778	4	28	<10	5	46
104959	164459	<1	2.51	9	56	30	<1	4.68	7	32	336	10	7.57	0.28	35	1.54	663	22	0.05	53	513	15	<5	<5	0.03	<10	32	231	2	33	<10	5	51
104960	164460	<1	2.61	8	54	38	<1	3.95	<4	21	115	<1	4.37	0.38	37	1.52	602	17	0.05	39	590	9	<5	<5	0.03	<10	22	<100	<1	23	<10	5	50
104961	164461	<1	2.96	7	57	38	<1	5.77	4	17	295	<1	4.65	0.35	42	1.74	878	17	0.05	49	617	7	<5	<5	0.03	<10	31	<100	2	26	<10	6	78
104962	164461	<1	3.10	6	59	36	<1	5.92	4	16	289	<1	4.86	0.35	45	1.79	880	16	0.05	50	639	10	<5	<5	0.02	<10	32	<100	5	26	<10	6	77
104963	164462	2	3.39	20	50	52	<1	5.42	6	31	188	10	6.77	0.50	45	1.80	845	22	0.04	66	725	17	<5	6	0.02	<10	31	<100	3	32	<10	5	85
104964	164463	77	0.37	13	46	18	<1	0.92	7	24	1017	2316	4.03	0.15	4	0.14	203	38	0.02	47	160	302	<5	<5	0.02	<10	7	<100	<1	8	<10	1	112
104965	164464	4	0.75	6	50	27	<1	1.84	<4	12	292	38	2.03	0.23	8	0.38	248	28	0.02	21	266	25	<5	<5	0.02	<10	10	<100	<1	10	<10	2	11
104966	164465	<1	0.76	15	54	19	<1	1.25	<4	8	901	78	2.39	0.16	11	0.46	270	11	0.02	36	165	11	<5	<5	0.02	<10	10	<100	<1	11	<10	1	6
104967	164466	<1	2.73	47	56	41	<1	4.43	6	31	257	5	6.24	0.34	37	1.78	805	20	0.03	67	615	23	<5	<5	0.03	<10	30	<100	2	32	<10	5	93
104968	164467	<1	0.93	10	30	30	<1	1.73	<4	14	1028	5	2.53	0.24	10	0.47	308	10	0.02	41	260	8	5	7	0.03	<10	11	<100	<1	11	484	2	4
104969	164468	<1	3.06	17	59	54	<1	3.47	4	36	127	13	5.60	0.51	35	1.62	632	18	0.05	55	695	11	<5	<5	0.04	<10	28	<100	<1	28	<10	5	87
104970	164469	<1	3.39	14	58	38	<1	3.58	5	25	322	21	6.17	0.37	43	2.03	704	18	0.05	61	779	11	<5	<5	0.04	<10	26	109	<1	37	<10	7	125
104971	164470	<1	3.74	4	66	40	<1	4.30	5	32	119	56	6.12	0.41	43	2.09	699	19	0.07	60	760	13	<5	<5	0.04	<10	32	102	1	44	<10	5	125
104972	164471	<1	3.49	8	66	30	<1	6.78	5	22	316	33	5.40	0.30	43	2.13	870	17	0.06	59	698	14	<5	<5	0.05	<10	46	<100	2	38	<10	6	131
104973	164471	<1	3.60	4	62	29	<1	6.83	4	22	305	32	5.47	0.31	46	2.12	855	19	0.05	58	689	12	<5	<5	0.04	<10	47	<100	2	38	<10	6	124

Certified By: 
 Derek Demianiuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-30 01:05 AM
 Job Number: 200641861
 Date Recieved: 9/6/2006
 Number of Samples: 110
 Type of Sample: Core
 Date Completed: 9/12/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104974	164472	<1	3.62	7	60	28	<1	3.36	4	23	131	34	5.41	0.29	43	2.04	571	18	0.07	61	752	11	<5	<5	0.03	<10	36	254	2	42	<10	6	120
104975	164473	<1	3.58	14	59	31	<1	3.51	5	35	329	47	5.85	0.26	41	2.02	601	18	0.08	72	775	13	<5	7	0.02	<10	40	938	4	49	<10	6	119
104976	164474	<1	2.80	15	59	20	<1	2.14	5	33	213	48	6.55	0.13	25	1.95	560	20	0.10	54	693	13	<5	7	0.02	<10	47	2554	2	60	<10	5	44
104977	164475	<1	2.58	17	59	16	<1	1.76	5	30	582	43	5.82	0.10	22	1.81	509	18	0.10	60	647	13	<5	9	0.02	<10	51	2453	4	61	<10	5	30
104978	164476	<1	2.58	10	62	15	<1	1.74	5	33	223	46	5.97	0.09	22	1.86	477	15	0.09	53	670	13	<5	7	0.02	<10	51	2450	2	61	<10	5	33
104979	164477	<1	2.58	12	60	21	<1	2.13	5	27	537	31	5.59	0.15	23	1.83	522	19	0.10	57	656	13	<5	12	0.02	<10	43	2374	1	56	<10	5	26
104980	164478	<1	2.36	16	66	23	<1	1.68	5	32	209	45	5.78	0.14	20	1.73	440	16	0.08	55	676	14	<5	9	0.04	<10	41	2550	<1	51	<10	6	23
104981	164479	<1	2.60	15	64	29	<1	1.40	5	33	573	54	6.55	0.18	20	1.61	412	21	0.09	62	649	12	<5	9	0.04	<10	48	2573	2	51	<10	5	22
104982	164480	<1	2.79	17	69	24	<1	1.79	6	34	194	59	7.18	0.17	22	1.58	388	17	0.07	63	640	15	<5	9	0.05	<10	56	2604	1	51	<10	5	23
104983	164481	<1	2.88	11	61	29	<1	1.77	5	31	487	63	6.01	0.22	22	1.58	331	17	0.08	51	688	11	<5	7	0.05	<10	55	2679	<1	50	<10	6	18
104984	164481	<1	2.74	12	54	28	<1	1.69	5	31	475	61	5.83	0.21	21	1.58	329	15	0.08	59	678	12	<5	7	0.05	<10	52	2614	<1	49	<10	6	19
104985	164482	<1	2.69	13	44	48	<1	1.74	4	32	217	38	5.54	0.31	21	1.52	279	20	0.09	84	685	18	<5	<5	0.04	<10	47	2543	3	41	<10	6	19
104986	164483	<1	2.94	15	59	35	<1	2.11	5	28	224	28	5.53	0.26	24	1.76	317	20	0.07	53	672	26	<5	11	0.03	<10	50	2376	1	40	<10	5	52
104987	164484	<1	2.31	10	57	16	<1	1.85	4	26	477	56	5.15	0.13	20	1.55	322	17	0.08	55	615	31	<5	11	0.02	<10	41	2170	<1	42	<10	5	20
104988	164485	<1	1.95	21	51	37	<1	3.41	5	31	370	22	6.06	0.31	18	1.28	429	39	0.05	57	667	18	<5	6	0.02	<10	28	1900	<1	33	<10	5	14
104989	164486	<1	2.12	16	55	26	<1	4.00	4	27	530	26	5.25	0.19	18	1.39	473	19	0.06	53	568	12	<5	<5	0.02	<10	38	1915	2	37	<10	4	15
104990	164487	<1	2.60	14	55	18	<1	1.69	5	37	489	57	6.61	0.11	21	1.63	374	18	0.07	64	637	14	<5	<5	0.02	<10	45	2512	1	45	<10	4	30
104991	164488	<1	2.65	15	59	21	<1	2.46	<4	29	437	38	5.18	0.15	20	1.66	424	16	0.08	61	628	14	<5	8	0.03	<10	44	2552	3	43	<10	4	26
104992	164489	<1	3.33	13	67	17	<1	2.23	4	28	524	117	5.80	0.11	22	1.83	448	18	0.08	63	676	11	<5	5	0.04	<10	68	3033	1	53	<10	4	25
104993	164490	<1	3.33	17	65	24	<1	2.25	5	30	519	81	5.81	0.14	20	1.75	457	18	0.08	60	668	9	<5	<5	0.04	<10	73	3001	4	52	<10	4	25
104994	164491	<1	3.58	10	69	14	<1	2.53	5	34	451	64	5.98	0.07	23	2.12	578	20	0.08	74	671	11	<5	<5	0.04	<10	72	3135	2	61	<10	4	25
104995	164491	<1	3.58	16	68	14	<1	2.53	5	33	447	63	6.03	0.07	23	2.14	576	20	0.08	76	677	11	<5	5	0.06	<10	71	3020	<1	62	<10	4	34

Certified By: 
 Derek Demianiuk, H.Bsc.

Accurassay Laboratories Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-30 01:05 AM
 Job Number: 200641861
 Date Received: 9/6/2006
 Number of Samples: 110
 Type of Sample: Core
 Date Completed: 9/12/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104996	164492	<1	3.31	9	67	27	<1	2.98	5	33	418	62	6.17	0.15	26	2.12	589	19	0.08	76	673	13	<5	<5	0.04	<10	57	2819	<1	53	<10	4	31
104997	164493	<1	3.42	19	60	30	<1	2.10	5	35	417	77	6.39	0.18	26	2.18	566	21	0.07	88	693	12	<5	5	0.03	<10	51	2802	3	49	<10	4	31
104998	164494	<1	3.54	9	62	31	<1	2.55	5	33	394	88	6.34	0.19	27	2.15	565	18	0.07	84	673	17	<5	<5	0.03	<10	52	2721	3	49	<10	4	25
104999	164495	<1	3.61	13	59	28	<1	2.43	5	34	401	67	6.29	0.17	26	2.17	551	20	0.09	82	688	16	<5	<5	0.02	<10	54	2702	4	50	<10	4	34
105000	164496	<1	3.31	8	58	20	<1	2.36	5	35	385	49	6.14	0.12	25	2.04	547	17	0.08	77	649	16	<5	6	0.02	<10	47	2650	3	47	<10	3	30
105001	164497	<1	3.40	17	58	27	<1	1.95	5	37	475	54	6.14	0.17	22	1.91	502	18	0.08	81	680	18	<5	<5	0.02	<10	53	2805	1	46	<10	3	27
105002	164498	<1	3.40	10	60	21	<1	2.22	5	40	465	48	6.38	0.12	21	1.96	527	19	0.08	83	669	17	<5	<5	0.02	<10	58	2607	3	49	<10	3	21
105003	164499	<1	3.92	7	59	9	<1	2.34	4	27	435	27	6.08	0.05	24	2.09	627	20	0.09	80	652	9	<5	6	0.03	<10	68	2879	<1	56	<10	4	26
105004	164500	<1	0.28	3	66	15	<1	0.07	<4	1	3	<1	0.44	0.14	2	0.06	<100	<1	0.09	<1	<100	4	<5	<5	0.02	<10	5	<100	2	<2	<10	1	<1
105005	164501	<1	0.03	4	74	2	<1	0.02	<4	<1	1	<1	0.02	0.02	<1	<0.01	<100	<1	0.02	<1	<100	4	<5	8	0.01	<10	<3	<100	<1	<2	<10	<1	<1
105006	164501	<1	0.03	4	66	3	<1	0.02	<4	<1	<1	<1	0.02	0.02	<1	<0.01	<100	<1	0.02	<1	<100	2	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	<1
105007	164502	<1	3.11	10	62	35	<1	1.79	5	33	426	44	5.86	0.21	20	1.59	407	17	0.06	61	646	10	<5	<5	0.05	<10	57	2628	<1	44	<10	4	13
105008	164503	<1	3.76	16	66	40	<1	1.55	6	40	366	65	7.85	0.30	30	1.93	424	20	0.06	70	692	15	<5	<5	0.03	<10	57	2703	3	48	<10	5	20
105009	164504	<1	3.98	17	66	21	<1	2.10	5	36	431	12	7.15	0.16	33	2.05	524	20	0.09	70	721	15	<5	7	0.03	<10	78	2933	<1	58	<10	4	19
105010	164505	<1	3.32	21	61	13	<1	2.44	6	38	449	25	8.37	0.09	27	1.59	510	20	0.08	73	687	17	<5	9	0.03	<10	72	2403	1	50	<10	4	12
105011	164506	<1	3.36	15	56	20	<1	1.48	6	35	438	45	7.59	0.13	31	1.87	505	20	0.09	74	681	17	<5	<5	0.02	<10	51	2396	2	51	<10	4	25
105012	164507	<1	3.21	14	54	23	<1	1.32	6	33	466	100	7.46	0.14	30	1.72	506	20	0.09	73	663	16	<5	6	0.02	<10	45	2342	<1	44	<10	3	25
105013	164508	<1	3.17	17	58	23	<1	1.69	5	33	402	75	7.23	0.14	33	1.76	482	18	0.09	70	704	12	<5	<5	0.02	<10	45	2465	1	54	<10	4	27
105014	164509	<1	2.70	17	52	23	<1	2.51	6	27	419	35	7.35	0.21	26	1.29	391	15	0.07	62	632	14	<5	8	0.02	<10	55	2027	2	41	<10	4	28
105015	164510	<1	3.26	25	56	32	1	3.34	7	42	370	47	8.53	0.30	36	1.67	524	19	0.08	69	694	15	<5	<5	0.02	<10	46	2205	<1	44	<10	5	56
105016	164511	<1	3.17	12	61	16	<1	3.15	6	35	404	11	7.25	0.13	40	1.93	525	20	0.08	61	646	14	<5	<5	0.03	<10	52	2419	<1	57	<10	5	57
105017	164511	<1	3.00	13	57	15	<1	2.97	5	32	384	10	6.80	0.12	38	1.88	496	19	0.07	60	619	12	<5	6	0.03	<10	50	2333	1	54	<10	5	54

Certified By: 
 Derek Demianiuk, H.Bsc.

Accurassay
Laboratories Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-30 01:05 AM
 Job Number: 200641861
 Date Received: 9/6/2006
 Number of Samples: 110
 Type of Sample: Core
 Date Completed: 9/12/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
105018	164512	<1	3.02	17	61	26	<1	3.41	6	33	452	52	7.07	0.23	33	1.61	474	17	0.08	69	668	16	<5	7	0.04	<10	66	2306	1	48	<10	6	48
105019	164513	<1	2.34	14	51	22	<1	3.70	6	29	343	31	7.12	0.21	28	1.24	419	14	0.07	64	670	13	<5	8	0.02	<10	44	1435	<1	36	<10	4	48
105020	164514	<1	3.09	8	65	26	<1	3.54	6	34	368	41	7.75	0.28	40	1.79	504	20	0.07	66	697	17	<5	11	0.04	<10	48	1613	<1	41	<10	6	66
105021	164515	<1	2.57	10	57	22	<1	3.48	5	28	394	12	7.11	0.27	32	1.46	459	17	0.07	61	610	13	<5	12	0.03	<10	42	1179	<1	34	<10	6	50
105022	164516	<1	2.68	13	58	19	<1	2.80	5	30	381	35	6.39	0.18	31	1.50	444	15	0.08	64	668	15	<5	6	0.02	<10	51	2148	<1	51	<10	6	44
105023	164517	<1	2.53	11	58	16	<1	2.23	5	30	423	44	6.07	0.13	33	1.67	414	17	0.08	61	660	10	<5	<5	0.02	<10	41	2007	2	49	<10	5	51
105024	164518	<1	2.73	11	49	26	<1	2.29	4	23	274	7	5.72	0.23	36	1.84	480	16	0.06	55	673	12	<5	6	0.02	<10	27	1335	2	34	<10	5	77
105025	164519	<1	2.74	10	49	25	<1	3.53	4	31	124	47	5.62	0.21	33	1.76	552	16	0.06	58	685	8	<5	<5	0.02	<10	35	1048	<1	35	<10	6	84
105026	164520	<1	2.69	9	48	25	<1	3.96	4	29	263	12	5.29	0.26	36	1.81	597	17	0.05	63	663	8	<5	<5	0.02	<10	33	767	2	32	<10	5	79
105027	164521	<1	2.12	11	45	28	<1	3.69	4	25	92	3	5.40	0.34	31	1.33	477	12	0.04	47	621	17	<5	7	0.02	<10	31	982	<1	21	<10	5	45
105028	164521	<1	2.15	8	44	29	<1	3.87	4	25	97	2	5.37	0.35	31	1.34	487	11	0.04	47	629	13	<5	10	0.02	<10	31	1015	1	21	<10	5	48
105029	164522	<1	2.20	13	44	32	<1	3.80	4	27	288	10	6.07	0.36	33	1.44	544	16	0.04	58	642	13	<5	13	0.02	<10	33	1045	3	20	<10	6	52
105030	164523	<1	2.10	13	47	28	<1	4.94	4	30	77	21	5.69	0.34	31	1.35	540	13	0.04	49	589	11	<5	10	0.02	<10	34	1015	2	18	<10	6	46
105031	164524	<1	2.49	16	47	50	<1	3.82	5	39	260	40	6.41	0.45	30	1.47	559	16	0.09	61	693	11	<5	15	0.02	<10	50	1023	<1	22	<10	6	43
105032	164525	<1	2.38	12	24	41	<1	4.45	5	34	85	16	6.33	0.49	33	1.44	603	24	0.03	56	691	13	<5	14	0.03	<10	35	1040	<1	23	<10	6	45
105033	164526	<1	2.28	12	46	33	<1	3.77	5	33	237	16	6.39	0.40	34	1.46	562	29	0.03	60	676	12	<5	6	0.02	<10	30	822	<1	24	<10	5	50
105034	164527	<1	2.53	12	51	28	<1	5.05	4	25	86	<1	6.03	0.31	40	1.85	690	69	0.06	59	749	14	<5	6	0.02	<10	27	417	1	44	<10	7	64
105035	164528	5	2.63	5	50	31	<1	6.33	6	27	390	4	6.84	0.35	38	1.87	904	176	0.03	67	681	15	<5	<5	0.03	<10	47	345	1	40	<10	7	66
105036	164529	3	1.23	7	50	25	<1	3.80	<4	19	208	14	3.26	0.29	17	0.79	467	142	0.03	34	392	7	<5	8	0.02	<10	29	309	3	18	<10	4	16
105037	164530	4	3.15	12	51	38	<1	6.49	7	44	214	67	8.75	0.42	43	2.11	1007	76	0.03	87	1009	21	<5	<5	0.03	<10	54	435	3	40	20	7	83
105038	164531	2	3.63	11	48	31	<1	7.09	6	36	108	8	7.50	0.40	53	2.40	1169	23	0.03	86	867	15	<5	<5	0.02	<10	53	231	5	44	<10	7	92
105039	164531	2	3.58	10	45	31	<1	6.77	6	34	105	6	7.09	0.40	52	2.33	1115	23	0.03	80	825	11	<5	<5	0.02	<10	52	227	2	42	<10	7	87

Certified By: 
 Derek Demianiuk, H.Bsc.

Accurassay Laboratories


Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-30 01:05 AM
 Job Number: 200641861
 Date Received: 9/6/2006
 Number of Samples: 110
 Type of Sample: Core
 Date Completed: 9/12/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
105040	164532	<1	4.90	12	54	32	<1	7.53	6	25	232	106	7.42	0.34	70	3.19	1505	25	0.03	111	939	13	<5	<5	0.02	<10	60	206	2	55	<10	7	132
105041	164533	<1	4.14	12	49	40	<1	4.30	5	47	100	27	7.01	0.41	52	2.56	1007	21	0.03	86	888	12	<5	<5	0.02	<10	36	127	2	42	<10	7	111
105042	164534	<1	3.19	10	50	30	<1	4.04	<4	26	291	7	5.49	0.35	37	1.81	802	17	0.04	60	662	9	<5	<5	0.02	<10	42	462	1	32	<10	6	67
105043	164535	<1	3.65	10	47	31	<1	5.75	5	31	82	<1	6.64	0.39	48	2.13	1023	18	0.03	67	776	12	<5	<5	0.02	<10	46	393	1	32	31	7	82
105044	164536	<1	3.31	19	47	35	<1	4.02	5	35	332	15	6.78	0.38	43	1.92	854	41	0.03	73	749	11	<5	<5	0.02	<10	36	281	<1	32	<10	5	74
105045	164537	<1	3.00	9	47	27	<1	5.92	4	27	69	28	5.21	0.31	34	1.64	937	14	0.04	49	643	9	<5	6	0.02	<10	45	472	<1	27	<10	5	70
105046	164538	<1	2.93	11	47	27	<1	3.88	<4	21	186	<1	5.09	0.30	35	1.72	790	16	0.04	46	638	9	<5	6	0.02	<10	45	472	<1	27	<10	5	70
105047	164539	4	2.21	8	48	26	<1	4.63	<4	21	92	<1	4.72	0.29	27	1.34	752	351	0.03	46	516	11	<5	<5	0.02	<10	30	293	3	28	<10	4	74
105048	164540	<1	3.06	4	46	33	<1	5.95	5	27	190	16	6.06	0.36	35	1.69	1004	24	0.03	55	654	10	<5	<5	0.02	<10	55	468	<1	28	<10	4	80
105049	164541	<1	3.19	12	42	33	<1	4.55	4	25	69	4	5.51	0.35	33	1.69	857	14	0.04	46	681	10	<5	<5	0.02	<10	40	730	4	28	<10	5	87
105050	164541	<1	3.24	7	48	35	<1	4.62	4	26	70	3	5.59	0.36	33	1.70	882	15	0.04	48	677	8	<5	<5	0.02	<10	40	779	<1	29	<10	5	86
105051	164542	<1	3.13	12	53	34	<1	6.64	4	21	248	41	5.46	0.36	30	1.55	983	14	0.04	52	602	10	<5	<5	0.02	<10	44	1002	<1	30	<10	7	73
105052	164543	<1	3.66	14	47	26	<1	5.49	5	29	79	40	6.69	0.24	32	2.08	1011	17	0.04	55	644	11	<5	5	0.02	<10	42	1578	4	44	<10	6	111
105053	164544	<1	3.01	12	52	25	<1	3.77	4	26	259	9	5.35	0.19	26	1.83	731	14	0.07	51	628	28	<5	<5	0.02	<10	38	2509	<1	52	<10	7	92
105054	164545	<1	2.74	2	50	16	<1	2.79	<4	25	164	25	4.54	0.09	17	1.64	640	13	0.05	50	597	23	<5	5	0.02	<10	55	2482	<1	53	<10	3	65
105055	164546	<1	1.87	12	47	24	<1	3.36	<4	77	419	127	4.92	0.14	12	0.71	405	11	0.04	41	540	189	<5	<5	0.03	<10	84	1877	1	32	<10	4	19
105056	164547	<1	2.74	14	51	19	<1	1.71	5	35	186	93	6.12	0.12	18	1.62	617	15	0.05	52	609	32	<5	5	0.02	<10	47	2410	<1	48	<10	3	79
105057	164548	<1	2.81	12	53	13	<1	2.31	<4	30	383	73	5.06	0.09	24	1.70	517	15	0.06	53	623	18	<5	6	0.02	<10	41	2327	1	51	<10	4	21
105058	164549	<1	3.10	9	53	13	<1	2.48	5	31	177	75	5.50	0.08	27	1.85	555	15	0.06	54	653	20	<5	9	0.02	<10	39	2609	3	60	<10	4	61
105059	164550	<1	0.23	2	48	15	<1	0.06	<4	<1	8	<1	0.43	0.12	2	0.05	<100	<1	0.08	3	<100	4	<5	<5	0.01	<10	5	<100	<1	<2	<10	1	<1
105060	164551	<1	0.02	2	48	2	<1	0.02	<4	<1	1	<1	0.02	0.01	<1	<0.01	<100	<1	0.01	<1	<100	<1	<5	<5	<0.01	<10	<3	<100	2	<2	<10	<1	<1
105061	164552	<1	2.53	10	48	14	<1	2.03	4	26	422	81	5.38	0.09	24	1.84	562	16	0.07	58	615	14	<5	<5	0.02	<10	38	2425	1	54	<10	4	41

Certified By: 
 Derek Demianiuk, H.Bsc.

Accurassay Laboratories Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-09-30 01:05 AM
 Job Number: 200641861
 Date Recieved: 9/6/2006
 Number of Samples: 110
 Type of Sample: Core
 Date Completed: 9/12/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
105062	164552	<1	2.51	9	55	14	<1	2.03	<4	26	415	81	5.31	0.09	23	1.83	558	16	0.07	56	610	13	<5	<5	0.02	<10	39	2496	3	54	<10	4	35
105063	164553	<1	1.91	10	53	25	<1	5.67	4	33	102	20	5.43	0.24	19	1.42	589	39	0.06	51	649	10	<5	<5	0.02	<10	23	1915	3	40	<10	6	17
105064	164554	<1	2.13	15	52	26	<1	2.57	4	30	354	6	5.62	0.23	20	1.58	426	27	0.06	55	675	15	<5	5	0.02	<10	25	2206	<1	44	<10	5	21
105065	164555	<1	2.12	9	50	19	<1	2.13	4	28	152	10	5.58	0.16	22	1.56	350	15	0.05	49	611	12	<5	<5	0.02	<10	27	2028	2	36	<10	5	16
105066	164556	<1	2.37	14	56	29	<1	1.73	5	29	348	6	6.10	0.23	22	1.54	371	15	0.05	56	641	12	<5	<5	0.02	<10	38	2099	<1	35	<10	5	23
105067	164557	<1	2.25	13	51	23	<1	1.86	4	29	149	11	5.56	0.17	21	1.59	379	14	0.05	50	614	10	<5	5	0.02	<10	38	2077	<1	40	<10	5	22
105068	164558	<1	2.24	22	48	19	<1	1.62	4	30	382	20	5.59	0.13	23	1.72	432	15	0.05	44	645	16	<5	<5	0.02	<10	34	2178	<1	44	<10	4	23
105069	164559	<1	2.32	12	53	23	<1	1.75	<4	29	139	27	5.09	0.14	23	1.72	432	15	0.05	44	645	16	<5	<5	0.02	<10	31	2114	<1	40	<10	4	27
105070	164560	<1	2.62	12	53	21	<1	1.86	<4	26	459	39	4.88	0.11	20	1.73	499	14	0.06	55	653	13	<5	<5	0.02	<10	46	2523	5	45	<10	3	31
105071	164561	<1	2.67	7	49	20	<1	1.71	<4	22	198	31	4.47	0.09	18	1.82	518	14	0.06	49	652	8	<5	<5	0.02	<10	51	2554	1	45	<10	3	38
105072	164561	<1	2.59	2	48	20	<1	1.64	<4	21	194	29	4.42	0.09	18	1.81	516	15	0.06	50	632	10	<5	9	0.02	<10	47	2469	1	44	<10	3	36

Certified By: 
 Derek Demianiuk, H.Bsc.



Certificate of Analysis

Tuesday, September 19, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 12-Sep-06
 Date Completed : 18-Sep-06
 Job # 200641902
 Reference : HER
 Sample #: 108 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
107038	164562	12	<0.001	0.012
107039	164563	12	<0.001	0.012
107040	164564	13	<0.001	0.013
107041	164565	14	<0.001	0.014
107042	164566	11	<0.001	0.011
107043	164567	10	<0.001	0.010
107044	164568	14	<0.001	0.014
107045	164569	20	<0.001	0.020
107046	164570	38	0.001	0.038
107047	164571	12	<0.001	0.012
107048 Check	164571	12	<0.001	0.012
107049	164572	8	<0.001	0.008
107050	164573	7	<0.001	0.007
107051	164574	13	<0.001	0.013
107052	164575	12	<0.001	0.012
107053	164576	8	<0.001	0.008
107054	164577	13	<0.001	0.013
107055	164578	22	<0.001	0.022
107056	164579	42	0.001	0.042
107057	164580	154	0.004	0.154
107058	164581	835	0.024	0.835
107059 Check	164581	770	0.022	0.770
107060	164582	86	0.003	0.086

PROCEDURE CODES: AL4AU3, AL4HCPAR

Certified By:

Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



Certificate of Analysis

Tuesday, September 19, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 12-Sep-06
Date Completed : 18-Sep-06
Job # 200641902
Reference : HER
Sample #: 108 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
107061	164583	295	0.009	0.295
107062	164584	376	0.011	0.376
107063	164585	2115	0.062	2.115
107064	164586	5210	0.152	5.210
107065	164587	330	0.010	0.330
107066	164588	161	0.005	0.161
107067	164589	1006	0.029	1.006
107068	164590	190	0.006	0.190
107069	164591	37	0.001	0.037
107070 Check	164591	38	0.001	0.038
107071	164592	1762	0.051	1.762
107072	164593	159	0.005	0.159
107073	164594	109	0.003	0.109
107074	164595	24	<0.001	0.024
107075	164596	30	<0.001	0.030
107076	164597	19	<0.001	0.019
107077	164598	24	<0.001	0.024
107078	164599	33	<0.001	0.033
107079	164600	353	0.010	0.353
107080	164601	<5	<0.001	<0.005
107081	164602	7	<0.001	0.007
107082 Check	164602	<5	<0.001	<0.005
107083	164603	48	0.001	0.048

PROCEDURE CODES: AL4AU3, AL410PAR

Certified By: 
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 622-7571 EMAIL: assay@accurassay.com WEB: www.accurassay.com



Certificate of Analysis

Tuesday, September 19, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 12-Sep-06
Date Completed : 18-Sep-06
Job # 200641902
Reference : HER
Sample #: 108 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
107084	164604	18	<0.001	0.018
107085	164605	6	<0.001	0.006
107086	164606	<5	<0.001	<0.005
107087	164607	284	0.008	0.284
107088	164608	16	<0.001	0.016
107089	164609	<5	<0.001	<0.005
107090	164610	<5	<0.001	<0.005
107091	164611	<5	<0.001	<0.005
107092 Check	164611	<5	<0.001	<0.005
107093	164612	<5	<0.001	<0.005
107094	164613	21	<0.001	0.021
107095	164614	20	<0.001	0.020
107096	164615	18	<0.001	0.018
107097	164616	30	<0.001	0.030
107098	164617	28	<0.001	0.028
107099	164618	31	<0.001	0.031
107100	164619	40	0.001	0.040
107101	164620	72	0.002	0.072
107102	164621	46	0.001	0.046
107103 Check	164621	28	<0.001	0.028
107104	164622	17	<0.001	0.017
107105	164623	5046	0.147	5.046
107106	164624	456	0.013	0.456
		335	0.010	0.335

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By 
Derek Demlaniuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



Certificate of Analysis


Tuesday, September 19, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 12-Sep-06
Date Completed : 18-Sep-06
Job # 200641902
Reference : HER
Sample #: 108 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
107107	164625	413	0.012	0.413
107108	164626	327	0.010	0.327
107109	164627	214	0.006	0.214
107110	164628	455	0.013	0.455
107111	164629	41	0.001	0.041
107112	164630	155	0.005	0.155
107113	164631	365	0.011	0.365
107114 Check	164631	407	0.012	0.407
107115	164632	45	0.001	0.045
107116	164633	233	0.007	0.233
107117	164634	564	0.016	0.564
107118	164635	1864	0.054	1.864
107119	164636	1451	0.042	1.451
107120	164637	51	0.001	0.051
107121	164638	16	<0.001	0.016
107122	164639	25	<0.001	0.025
107123	164640	31	<0.001	0.031
107124	164641	28	<0.001	0.028
107125 Check	164641	34	<0.001	0.034
107126	164642	45	0.001	0.045
107127	164643	30	<0.001	0.030
107128	164644	28	<0.001	0.028
107129	164645	27	<0.001	0.027

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



Certificate of Analysis

Tuesday, September 19, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 12-Sep-06
Date Completed : 18-Sep-06
Job # 200641902
Reference : HER
Sample #: 108 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
107130	164646	29	<0.001	0.029
107131	164647	<5	<0.001	<0.005
107132	164648	<5	<0.001	<0.005
107133	164649	<5	<0.001	<0.005
107134	164650	433	0.013	0.433
107135	164651	9	<0.001	0.009
107136 Check	164651	7	<0.001	0.007
107137	164652	11	<0.001	0.011
107138	164653	13	<0.001	0.013
107139	164654	13	<0.001	0.013
107140	164655	18	<0.001	0.018
107141	164656	21	<0.001	0.021
107142	164657	21	<0.001	0.021
107143	164658	36	0.001	0.036
107144	164659	25	<0.001	0.025
107145	164660	25	<0.001	0.025
107146	164661	21	<0.001	0.021
107147 Check	164661	19	<0.001	0.019
107148	164662	16	<0.001	0.016
107149	164663	149	0.004	0.149
107150	164664	32	<0.001	0.032
107151	164665	30	<0.001	0.030
107152	164666	39	0.001	0.039

PROCEDURE CODES: AL4AU3, AL4GP AR

Certified By: 
Derek Bomanluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



**Accurassay
Laboratories**

Mineral Assay Division of Assay Laboratory Services Inc.



1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 622-7571 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Certificate of Analysis

Tuesday, September 19, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 12-Sep-06
Date Completed : 18-Sep-06
Job # 200641902
Reference : HER
Sample # : 108 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
107153	164667	35	0.001	0.035
107154	164668	20	<0.001	0.020
107155	164669	22	<0.001	0.022

PROCEDURE CODES: AL4AU3, AL4IGPAR

Certified By:

Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-01 08:30 PM
 Job Number: 200641902
 Date Received: 9/12/2006
 Number of Samples: 108
 Type of Sample: Core
 Date Completed: 9/18/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
107038	164562	<1	2.47	5	55	23	1	2.50	6	27	152	59	4.71	0.06	14	2.08	892	14	0.04	80	666	11	<5	<5	0.03	<10	24	2267	1	55	<10	3	79
107039	164563	<1	2.36	7	53	33	1	1.96	6	39	156	56	5.07	0.09	13	1.93	759	15	0.05	85	662	16	<5	<5	0.04	<10	23	2372	<1	54	<10	4	74
107040	164564	<1	2.26	8	49	24	1	2.07	6	40	166	32	5.04	0.06	13	1.89	721	14	0.04	84	689	12	<5	<5	0.04	<10	21	2133	<1	58	<10	4	68
107041	164565	<1	2.46	10	49	31	1	2.72	5	30	96	50	4.74	0.17	18	1.59	611	16	0.04	66	646	10	<5	<5	0.04	<10	22	1655	<1	35	<10	3	50
107042	164566	<1	2.51	11	45	11	1	3.22	5	26	110	42	4.20	0.06	20	1.51	555	17	0.05	59	566	13	<5	<5	0.03	<10	30	1595	1	42	<10	3	48
107043	164567	<1	2.79	11	57	5	1	1.91	5	26	118	36	4.33	0.03	23	1.78	615	21	0.06	71	606	12	<5	<5	0.03	<10	31	1879	2	49	<10	3	54
107044	164568	<1	2.76	7	55	7	1	2.10	5	20	129	53	4.29	0.03	25	1.79	636	20	0.06	70	631	15	<5	<5	0.03	<10	28	1735	2	51	<10	3	60
107045	164569	<1	2.41	12	56	16	1	1.94	6	28	112	45	4.46	0.08	23	1.61	520	17	0.05	69	505	12	5	<5	0.03	<10	23	1535	<1	41	<10	3	53
107046	164570	<1	2.65	14	57	11	1	2.03	6	30	124	55	4.91	0.05	27	1.75	601	17	0.05	70	648	14	<5	<5	0.03	<10	23	1602	<1	52	<10	3	63
107047	164571	<1	2.75	14	55	20	1	1.92	6	30	120	64	5.13	0.09	25	1.76	627	20	0.06	68	648	13	<5	<5	0.03	<10	26	1926	<1	51	<10	4	69
107048	164571	<1	2.66	12	52	19	1	1.86	6	29	117	65	4.85	0.09	24	1.75	604	18	0.05	67	630	11	<5	<5	0.03	<10	26	1906	<1	50	<10	4	67
107049	164572	<1	2.49	15	54	9	1	1.61	5	29	105	27	4.64	0.04	21	1.79	614	17	0.04	69	646	13	<5	<5	0.03	<10	23	1749	2	52	<10	3	61
107050	164573	<1	2.55	11	58	14	1	1.63	5	27	135	52	4.60	0.06	21	1.82	585	20	0.05	74	651	14	5	<5	0.03	<10	26	1955	2	54	<10	4	62
107051	164574	<1	2.37	13	56	12	1	2.19	5	27	126	50	4.46	0.05	23	1.72	560	17	0.05	67	624	16	<5	<5	0.03	<10	24	1704	<1	51	<10	4	68
107052	164575	<1	2.48	8	55	14	1	2.81	5	28	116	61	4.62	0.06	26	1.76	625	17	0.04	68	614	11	5	<5	0.03	<10	24	1280	1	50	<10	4	101
107053	164576	<1	2.48	8	50	15	1	2.92	5	27	126	61	4.58	0.06	25	1.78	641	17	0.05	69	626	13	<5	<5	0.03	<10	24	1344	2	51	<10	4	99
107054	164577	<1	2.65	4	58	13	1	3.84	5	20	104	20	4.70	0.07	27	1.75	724	17	0.05	68	623	7	<5	<5	0.04	<10	29	496	1	53	<10	5	123
107055	164578	<1	2.61	6	48	10	1	4.19	5	16	114	64	4.58	0.06	28	1.77	767	15	0.05	65	647	9	<5	<5	0.03	<10	31	237	<1	51	<10	6	129
107056	164579	<1	2.43	8	46	21	2	3.97	6	24	60	<1	5.41	0.16	29	1.57	712	16	0.03	61	623	12	5	<5	0.03	<10	25	105	<1	28	<10	5	114
107057	164580	<1	2.29	3	51	18	1	3.84	5	21	56	<1	4.20	0.15	27	1.50	671	16	0.03	48	615	8	<5	<5	0.03	<10	25	<100	<1	26	<10	5	107
107058	164581	<1	2.25	3	51	28	1	3.76	5	20	87	<1	4.25	0.21	24	1.42	631	16	0.04	45	608	7	<5	<5	0.03	<10	24	<100	<1	27	<10	5	100
107059	164581	<1	2.22	4	49	27	1	3.65	5	18	86	<1	4.18	0.21	23	1.36	605	17	0.04	44	603	9	<5	<5	0.03	<10	23	<100	<1	27	<10	5	100

Certified By: 
 Derek Demianiuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-01 08:30 PM
 Job Number: 200641902
 Date Received: 9/12/2006
 Number of Samples: 108
 Type of Sample: Core
 Date Completed: 9/18/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
107060	164582	<1	2.37	3	52	17	1	5.10	5	19	47	<1	4.00	0.15	27	1.53	802	14	0.02	48	626	8	5	<5	0.03	<10	33	<100	<1	22	<10	6	110
107061	164583	<1	1.72	9	46	32	1	2.67	5	27	77	29	4.20	0.25	19	1.05	503	11	0.02	48	637	9	<5	<5	0.03	<10	21	<100	2	16	<10	4	73
107062	164584	<1	1.71	12	52	23	1	3.99	5	24	94	9	4.13	0.19	19	1.05	636	13	0.02	46	549	8	<5	<5	0.03	<10	25	<100	1	16	<10	4	76
107063	164585	<1	2.16	20	50	25	1	4.45	5	23	62	27	4.68	0.20	25	1.44	826	15	0.02	54	644	11	<5	<5	0.03	<10	32	<100	4	19	<10	4	102
107064	164586	2	1.95	30	51	21	1	5.55	5	22	62	34	4.40	0.17	23	1.33	925	14	0.02	48	557	13	<5	<5	0.03	<10	36	<100	1	17	<10	5	94
107065	164587	<1	0.87	8	48	30	<1	1.43	<4	18	194	13	2.87	0.18	8	0.52	317	8	0.02	37	351	10	<5	<5	0.03	<10	10	<100	1	10	50	2	43
107066	164588	<1	1.58	20	43	32	1	3.84	4	24	80	11	3.57	0.19	19	1.05	750	9	0.02	44	654	14	<5	<5	0.03	<10	28	<100	<1	15	<10	4	77
107067	164589	2	0.74	<2	50	10	<1	1.38	<4	4	259	10	1.74	0.07	8	0.56	321	5	0.01	21	134	9	<5	<5	0.03	<10	8	<100	2	10	<10	2	37
107068	164590	<1	0.20	<2	53	3	<1	1.01	<4	2	290	10	0.65	0.02	2	0.18	174	3	<0.01	13	<100	<1	6	<5	0.02	<10	5	<100	<1	3	494	1	13
107069	164591	<1	0.05	<2	48	2	<1	0.10	<4	2	378	42	0.55	<0.01	<1	0.04	<100	2	<0.01	12	<100	2	<5	<5	0.02	<10	<3	<100	<1	<2	183	<1	6
107070	164591	<1	0.05	<2	51	2	<1	0.10	<4	1	377	42	0.67	<0.01	<1	0.04	<100	2	<0.01	11	<100	3	<5	<5	0.02	<10	<3	<100	<1	<2	184	<1	6
107071	164592	2	0.75	7	53	10	<1	2.24	<4	12	227	56	2.10	0.07	8	0.58	438	7	0.01	29	235	38	<5	<5	0.03	<10	14	<100	3	11	19	3	76
107072	164593	<1	2.14	5	51	28	1	4.44	5	30	85	<1	3.95	0.20	26	1.34	842	11	0.02	49	637	10	6	<5	0.03	<10	32	<100	3	20	<10	6	98
107073	164594	<1	2.06	2	49	26	<1	3.76	4	20	56	51	3.48	0.20	23	1.20	711	10	0.02	44	644	7	6	<5	0.03	<10	28	<100	<1	21	<10	7	93
107074	164595	<1	2.07	5	49	22	1	3.93	4	12	65	31	3.54	0.17	20	1.14	754	10	0.02	44	553	5	<5	<5	0.03	<10	30	<100	2	21	<10	5	92
107075	164596	<1	2.18	4	51	16	1	4.97	5	21	75	73	3.96	0.12	21	1.20	893	12	0.03	44	579	10	<5	<5	0.03	<10	36	<100	2	25	<10	5	101
107076	164597	<1	3.01	5	50	22	1	3.59	6	26	84	7	5.25	0.18	29	1.59	902	14	0.04	53	678	10	<5	<5	0.03	<10	30	<100	1	37	<10	7	134
107077	164598	<1	2.55	6	52	23	1	3.83	5	23	59	4	4.59	0.18	24	1.38	881	12	0.03	49	631	12	<5	<5	0.03	<10	28	<100	<1	25	<10	5	113
107078	164599	<1	2.20	<2	51	22	1	5.75	4	15	56	11	3.85	0.17	19	1.19	1061	11	0.03	39	583	9	<5	<5	0.03	<10	39	<100	4	23	<10	5	94
107079	164600	<1	0.21	<2	56	17	<1	0.06	<4	<1	3	<1	0.41	0.09	1	0.04	<100	1	0.06	5	<100	2	<5	<5	0.02	<10	4	<100	<1	<2	<10	1	6
107080	164601	<1	0.02	<2	63	2	<1	0.02	<4	<1	1	<1	0.02	<0.01	<1	<0.01	<100	<1	<0.01	5	<100	2	<5	<5	0.02	<10	4	<100	<1	<2	<10	<1	1
107081	164602	<1	2.55	3	56	19	1	2.77	5	20	79	<1	4.52	0.13	22	1.43	808	12	0.03	52	639	9	<5	<5	0.03	<10	26	106	2	31	<10	6	113

Certified By: 
 Derek Demianiuk, H.Bsc.


Accurassay Laboratories Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-01 08:30 PM
 Job Number: 200641902
 Date Received: 9/12/2006
 Number of Samples: 108
 Type of Sample: Core
 Date Completed: 9/18/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025


Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
107082	164602	<1	2.54	6	62	19	1	2.76	5	18	77	<1	4.47	0.14	22	1.42	799	13	0.03	52	632	9	<5	<5	0.03	<10	26	106	<1	31	<10	6	115
107083	164603	<1	2.44	6	57	20	1	3.43	5	23	77	30	4.41	0.15	21	1.31	854	10	0.03	50	629	10	<5	<5	0.03	<10	30	122	3	30	<10	5	104
107084	164604	<1	2.28	<2	54	17	1	3.03	5	18	73	6	4.05	0.11	20	1.26	798	12	0.03	51	595	9	<5	<5	0.03	<10	28	201	3	27	<10	5	100
107085	164605	<1	2.29	5	52	25	1	2.32	5	17	110	7	3.89	0.15	20	1.19	698	12	0.05	51	616	9	<5	<5	0.03	<10	27	375	1	32	<10	5	87
107086	164606	<1	2.22	5	53	21	1	1.86	4	21	117	17	3.79	0.12	16	1.25	678	11	0.04	49	631	8	<5	<5	0.03	<10	28	1567	<1	36	<10	5	67
107087	164607	<1	1.44	6	54	32	<1	3.86	<4	18	73	17	2.83	0.21	9	0.77	777	9	0.03	32	572	6	<5	<5	0.03	<10	28	1567	<1	36	<10	5	67
107088	164608	<1	2.26	7	52	27	1	4.40	5	22	75	38	4.19	0.18	15	1.25	1022	12	0.03	50	662	8	<5	<5	0.03	<10	21	658	<1	18	<10	5	44
107089	164609	<1	1.61	4	58	22	1	1.91	4	25	147	21	3.96	0.09	15	1.45	430	14	0.06	49	646	8	<5	<5	0.04	<10	25	1094	1	28	<10	5	73
107090	164610	<1	1.17	<2	54	21	1	1.04	4	27	144	36	3.82	0.07	9	1.08	334	11	0.05	47	572	11	<5	<5	0.04	<10	24	1759	<1	32	<10	4	36
107091	164611	<1	1.23	4	52	27	1	1.20	4	27	151	45	3.92	0.09	9	1.04	363	11	0.05	48	584	16	<5	<5	0.04	<10	25	1880	<1	33	<10	4	31
107092	164611	<1	1.25	5	56	28	1	1.23	4	27	150	47	3.81	0.09	9	1.06	362	10	0.05	47	588	15	<5	<5	0.04	<10	25	1880	<1	33	<10	4	31
107093	164612	<1	1.54	5	53	41	1	1.25	5	29	161	62	4.05	0.14	12	1.25	437	12	0.04	52	599	10	<5	<5	0.04	<10	26	1959	<1	34	<10	5	33
107094	164613	<1	2.35	<2	58	21	<1	1.66	4	26	163	33	3.74	0.07	15	1.72	698	14	0.05	56	609	9	<5	<5	0.04	<10	50	2388	2	45	<10	4	54
107095	164614	<1	2.64	6	58	9	<1	2.87	5	31	110	52	4.08	0.03	21	2.08	792	16	0.04	83	637	20	<5	<5	0.04	<10	39	2513	2	62	<10	6	73
107096	164615	2	2.47	12	53	13	1	3.27	6	41	126	93	4.73	0.05	21	1.89	712	14	0.04	99	576	156	5	<5	0.03	<10	32	1616	<1	56	<10	6	193
107097	164616	<1	2.70	8	55	20	1	4.51	6	32	96	77	4.92	0.10	23	1.91	830	16	0.04	91	648	15	<5	<5	0.03	<10	29	298	<1	46	<10	7	231
107098	164617	<1	2.42	<2	55	20	1	4.01	5	25	92	8	4.32	0.10	22	1.68	735	13	0.03	58	613	21	<5	<5	0.03	<10	28	123	<1	37	<10	6	233
107099	164618	<1	2.46	5	57	28	1	3.57	5	33	95	46	4.70	0.14	21	1.67	725	14	0.04	63	684	14	5	<5	0.03	<10	25	102	<1	35	<10	6	234
107100	164619	9	2.50	<2	56	29	1	4.84	5	26	79	52	4.51	0.16	23	1.68	896	12	0.03	59	662	16	<5	<5	0.03	<10	27	<100	3	31	<10	6	235
107101	164620	<1	3.44	6	55	40	1	5.31	7	36	78	2	5.78	0.24	37	2.24	1133	20	0.02	90	831	12	<5	<5	0.03	<10	27	<100	2	37	<10	7	320
107102	164621	<1	1.33	<2	56	12	<1	1.16	<4	9	278	7	2.45	0.06	18	1.09	398	9	0.02	42	167	13	<5	<5	0.03	<10	7	<100	<1	16	<10	2	151
107103	164621	<1	1.32	5	61	12	<1	1.14	<4	9	288	2	2.43	0.06	18	1.08	396	10	0.02	41	164	10	<5	<5	0.03	<10	7	<100	<1	16	<10	2	150

Certified By: 
 Derek Demianiuk, H.Bsc.

Kodiak Resources Limited
 Date Created: 06-10-01 08:30 PM
 Job Number: 200641902
 Date Recieved: 9/12/2006
 Number of Samples: 108
 Type of Sample: Core
 Date Completed: 9/18/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025


Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
107104	164622	9	1.02	8	56	30	1	1.27	5	37	171	<1	4.17	0.16	10	0.67	325	217	0.02	58	276	16	<5	<5	0.03	<10	8	<100	<1	14	<10	2	94
107105	164623	1	0.17	<2	60	5	<1	0.76	<4	6	296	<1	0.87	0.03	2	0.11	141	10	0.01	18	<100	8	<5	<5	0.03	<10	5	<100	<1	3	<10	<1	16
107106	164624	1	0.88	5	55	34	<1	1.43	<4	17	187	<1	2.24	0.17	7	0.52	306	8	0.02	36	312	11	<5	<5	0.03	<10	9	<100	2	10	<10	2	70
107107	164625	5	0.23	3	61	8	<1	3.23	<4	9	308	232	0.99	0.05	2	0.14	456	10	0.01	20	<100	19	<5	<5	0.03	<10	17	<100	<1	4	<10	2	24
107108	164626	1	0.17	2	62	7	<1	4.35	<4	4	283	877	1.31	0.04	2	0.11	613	8	0.01	14	<100	13	<5	<5	0.03	<10	17	<100	2	3	84	3	20
107109	164627	1	4.22	51	36	27	2	7.74	10	33	100	32	8.14	0.15	48	3.00	1882	26	0.01	136	1000	21	<5	<5	0.04	<10	45	<100	3	50	12	8	449
107110	164628	2	3.24	20	53	31	1	7.05	7	34	96	15	5.69	0.19	37	2.37	1652	18	0.02	95	792	15	<5	<5	0.03	<10	43	<100	3	40	<10	7	254
107111	164629	<1	2.65	13	56	18	1	5.12	6	27	84	69	4.72	0.12	30	1.98	1201	15	0.02	70	702	10	<5	<5	0.03	<10	36	<100	9	31	<10	6	196
107112	164630	<1	2.43	13	52	21	1	4.30	5	23	65	74	4.34	0.16	26	1.71	903	14	0.03	59	686	11	<5	<5	0.03	<10	28	<100	<1	28	<10	6	169
107113	164631	<1	2.34	27	52	25	1	5.04	6	27	69	38	4.48	0.20	25	1.65	1009	10	0.02	61	718	11	5	<5	0.03	<10	35	<100	6	23	<10	6	158
107114	164632	<1	2.41	26	57	26	1	5.03	5	20	66	44	4.28	0.20	24	1.59	971	13	0.02	60	695	9	<5	<5	0.04	<10	34	<100	<1	23	<10	6	150
107115	164633	2	1.60	26	34	26	1	3.21	5	22	119	84	3.67	0.16	17	1.19	730	12	0.01	54	489	24	<5	<5	0.04	<10	36	<100	1	24	<10	6	176
107116	164634	1	2.85	44	61	44	1	5.59	8	65	90	19	6.50	0.24	27	1.91	1333	19	0.02	90	845	21	<5	<5	0.04	<10	22	<100	2	16	<10	4	124
107117	164635	1	2.15	32	57	35	1	5.16	6	25	74	53	4.34	0.21	21	1.42	1021	12	0.02	54	707	16	5	<5	0.03	<10	30	<100	5	36	<10	6	200
107118	164636	1	2.23	56	63	28	2	4.77	7	30	90	76	5.46	0.17	22	1.51	920	14	0.02	65	655	24	5	<5	0.03	<10	29	<100	1	24	<10	6	210
107119	164637	<1	2.24	9	58	19	1	3.28	5	30	88	23	4.18	0.10	20	1.68	720	10	0.03	63	623	11	5	<5	0.03	<10	21	173	<1	36	<10	5	211
107120	164638	<1	2.58	8	61	16	1	3.68	5	23	133	6	4.23	0.08	20	1.90	730	13	0.04	62	634	9	6	<5	0.03	<10	27	623	2	50	<10	7	175
107121	164639	<1	2.64	11	54	20	1	6.68	6	26	78	49	4.76	0.12	23	1.94	1063	14	0.02	74	683	10	<5	<5	0.03	<10	27	198	2	37	<10	6	168
107122	164640	<1	2.08	13	53	22	1	3.69	6	24	106	50	4.91	0.12	18	1.62	708	14	0.03	63	640	12	<5	<5	0.03	<10	18	483	<1	36	<10	5	134
107123	164641	<1	3.15	16	58	17	1	3.33	8	32	108	16	6.92	0.09	29	2.61	885	21	0.03	77	758	19	<5	<5	0.03	<10	19	1644	2	60	<10	5	153
107124	164642	<1	3.17	22	56	17	2	3.28	8	33	103	17	7.05	0.09	29	2.58	881	21	0.03	77	767	17	<5	<5	0.03	<10	19	1695	<1	60	<10	5	150

Certified By: 
 Derek Demianiuk, H.Bsc.

Kodiak Resources Limited
Date Created: 06-10-01 08:30 PM
Job Number: 200641902
Date Received: 9/12/2006
Number of Samples: 108
Type of Sample: Core
Date Completed: 9/18/2006
Project ID: HER

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
* The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
107126	164642	<1	2.33	15	57	22	1	1.54	6	31	141	37	5.35	0.09	20	1.91	573	16	0.04	66	693	15	<5	<5	0.04	<10	22	2123	<1	54	<10	5	57
107127	164643	<1	2.14	12	60	17	1	2.04	6	35	157	39	4.81	0.07	18	1.80	615	10	0.04	70	594	19	<5	<5	0.03	<10	19	2117	<1	51	<10	4	55
107128	164644	<1	2.12	5	58	21	1	1.59	6	34	186	41	4.96	0.08	14	1.72	534	15	0.03	65	600	12	<5	<5	0.03	<10	23	2189	2	46	<10	4	50
107129	164645	<1	2.06	5	58	17	1	1.61	6	34	152	56	4.96	0.06	14	1.75	548	14	0.03	69	557	14	<5	<5	0.04	<10	21	2109	1	46	<10	3	47
107130	164646	<1	1.91	8	58	21	1	2.94	4	23	177	31	3.63	0.09	16	1.47	524	9	0.04	62	537	9	<5	<5	0.03	<10	24	1766	3	41	<10	4	42
107131	164647	<1	2.31	8	62	17	1	2.10	6	34	167	50	5.13	0.06	15	1.88	618	15	0.03	62	591	11	<5	<5	0.04	<10	29	2105	<1	50	<10	4	53
107132	164648	<1	1.65	6	53	27	1	3.46	5	25	105	<1	3.84	0.14	16	1.47	556	8	0.03	47	587	10	5	<5	0.04	<10	20	1696	<1	30	<10	4	60
107133	164649	<1	1.22	5	56	17	1	1.82	<4	23	152	<1	2.91	0.05	12	1.12	353	9	0.04	36	512	8	<5	<5	0.04	<10	25	2003	1	35	<10	7	45
107134	164650	<1	0.20	<2	57	19	<1	0.07	<4	<1	4	<1	0.42	0.08	1	0.05	<100	<1	0.05	6	<100	5	<5	<5	0.03	<10	5	<100	1	2	<10	1	7
107135	164651	<1	0.94	<2	45	23	<1	1.30	<4	19	120	<1	0.02	<0.01	<1	<0.01	<100	<1	<0.01	5	<100	<1	<5	<5	0.02	<10	8	<100	<1	2	<10	1	3
107136	164652	<1	1.06	<2	54	26	<1	1.49	<4	21	144	1	2.50	0.06	8	0.87	279	7	0.03	31	407	5	<5	<5	0.04	<10	18	1305	<1	22	<10	5	37
107137	164653	<1	0.97	<2	53	37	1	1.46	<4	22	126	<1	2.91	0.09	7	0.83	296	9	0.03	32	475	6	<5	<5	0.04	<10	20	1501	<1	25	<10	6	42
107138	164654	<1	1.13	<2	55	32	<1	1.81	<4	18	154	<1	2.50	0.09	9	1.02	335	8	0.04	31	486	4	<5	<5	0.04	<10	20	1471	<1	22	<10	5	42
107139	164655	<1	1.03	2	55	37	1	1.33	<4	22	157	2	3.30	0.08	8	0.82	267	10	0.04	33	476	9	<5	5	0.04	<10	20	1568	<1	24	<10	6	43
107140	164656	<1	1.31	3	55	56	1	1.79	4	20	159	2	3.45	0.14	12	1.01	336	9	0.04	33	501	9	<5	6	0.04	<10	21	1587	<1	25	<10	6	43
107141	164657	<1	1.12	4	53	51	<1	3.33	4	20	80	<1	3.47	0.16	12	0.83	432	9	0.03	32	499	8	<5	<5	0.03	<10	17	895	2	15	<10	5	39
107142	164658	<1	1.26	5	51	53	1	3.72	5	22	66	<1	4.40	0.22	12	0.87	479	10	0.02	32	524	10	<5	5	0.04	<10	12	690	<1	12	<10	5	43
107143	164659	<1	0.88	5	54	37	<1	1.86	<4	17	136	13	3.16	0.17	8	0.60	273	10	0.02	35	409	8	<5	5	0.03	<10	6	216	<1	9	<10	3	29
107144	164660	<1	0.86	8	56	27	<1	3.28	<4	10	185	3	2.17	0.14	8	0.56	347	7	0.02	25	329	6	<5	<5	0.03	<10	10	<100	<1	9	<10	3	28
107145	164661	<1	1.61	5	51	33	<1	3.01	4	18	46	<1	3.42	0.19	15	1.18	544	11	0.02	38	579	6	<5	<5	0.03	<10	14	227	<1	13	<10	5	54
107146	164661	<1	1.62	6	54	33	1	3.01	4	19	43	<1	3.50	0.19	15	1.19	549	11	0.02	37	589	7	<5	<5	0.03	<10	14	224	3	13	<10	5	57

Certified By: 
Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-01 08:30 PM
 Job Number: 200641902
 Date Recieved: 9/12/2006
 Number of Samples: 108
 Type of Sample: Core
 Date Completed: 9/18/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Ti ppm	V ppm	W ppm	Y ppm	Zn ppm
107148	164662	1	1.57	5	43	29	<1	3.27	<4	11	57	<1	2.97	0.16	15	1.22	590	11	0.02	36	544	8	<5	<5	0.03	<10	15	<100	<1	12	<10	4	57
107149	164663	<1	1.88	5	44	32	1	3.35	5	19	45	6	4.12	0.17	19	1.44	673	12	0.02	38	572	9	<5	<5	0.03	<10	17	<100	<1	15	<10	5	73
107150	164664	<1	2.10	9	37	32	1	5.50	5	20	57	12	4.30	0.18	21	1.60	902	13	0.02	51	605	9	<5	<5	0.03	<10	25	181	5	19	<10	5	80
107151	164665	<1	2.12	<2	49	25	1	3.98	6	23	84	30	4.61	0.12	22	1.74	768	11	0.02	54	656	9	<5	<5	0.03	<10	18	960	<1	27	<10	4	88
107152	164666	2	2.22	6	50	31	1	4.39	6	30	92	5	5.17	0.14	23	1.78	803	14	0.02	63	687	13	<5	<5	0.04	<10	23	1855	2	33	<10	5	83
107153	164667	<1	1.72	4	50	20	1	2.82	6	47	96	42	4.83	0.09	19	1.39	579	11	0.03	66	675	15	<5	<5	0.03	<10	20	1609	<1	30	<10	5	65
107154	164668	<1	2.16	4	50	21	1	3.45	5	27	103	40	4.05	0.09	23	1.76	737	11	0.02	57	627	9	<5	<5	0.03	<10	20	1601	1	35	<10	5	91
107155	164669	<1	2.15	6	50	15	<1	3.26	5	27	144	31	3.77	0.06	22	1.73	684	11	0.03	57	660	9	<5	<5	0.03	<10	23	1769	<1	45	<10	6	92

Certified By: 
 Derek Demianiuk, H.Bsc.



Certificate of Analysis

Thursday, September 21, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 13-Sep-06
 Date Completed : 20-Sep-06
 Job # 200641928
 Reference : HER

Sample #: 103 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
108501	4501	<5	<0.001	<0.005
108502	4502	<5	<0.001	<0.005
108503	4503	<5	<0.001	<0.005
108504	4504	<5	<0.001	<0.005
108505	4505	<5	<0.001	<0.005
108506	4506	<5	<0.001	<0.005
108507	4507	<5	<0.001	<0.005
108508	4508	121	0.004	0.121
108508	4508	83	0.002	0.083
108509	4509	17	<0.001	0.017
108510	4510	14	<0.001	0.014
108511 Check	4510	17	<0.001	0.017
108512	4511	15	<0.001	0.015
108513	4512	17	<0.001	0.017
108514	4513	12	<0.001	0.012
108515	4514	7	<0.001	0.007
108516	4515	6	<0.001	0.006
108517	4516	5	<0.001	0.005
108518	4517	6	<0.001	0.006
108519	4518	<5	<0.001	<0.005
108520	4519	<5	<0.001	<0.005
108521	4520	<5	<0.001	<0.005
108522 Check	4520	<5	<0.001	<0.005
108523	164670	6	<0.001	0.006

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 5



Certificate of Analysis

Thursday, September 21, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 13-Sep-06
 Date Completed : 20-Sep-06
 Job # 200641928
 Reference : HER

Sample #: 103 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
108524	164671	<5	<0.001	<0.005
108525	164672	5	<0.001	0.005
108526	164673	16	<0.001	0.016
108527	164674	27	<0.001	0.027
108528	164675	558	0.016	0.558
108529	164676	661	0.019	0.661
108530	164677	614	0.018	0.614
108531	164678	1754	0.051	1.754
108532	164679	611	0.018	0.611
108533	Check 164679	671	0.020	0.671
108534	164680	1909	0.056	1.909
108535	164681	1206	0.035	1.206
108536	164682	817	0.024	0.817
108537	164683	460	0.013	0.460
108538	164684	607	0.018	0.607
108539	164685	535	0.016	0.535
108540	164686	802	0.023	0.802
108541	164687	425	0.012	0.425
108542	164688	1183	0.035	1.183
108543	164689		No Sample	
108544	Check 164689		No Sample	
108545	164690	104	0.003	0.104
108546	164691	1029	0.030	1.029

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By

Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



Certificate of Analysis

Thursday, September 21, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 13-Sep-06
Date Completed : 20-Sep-06
Job # 200641928
Reference : HER

Sample #: 103 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
108547	164692	366	0.011	0.366
108548	164693	99	0.003	0.099
108549	164694	49	0.001	0.049
108550	164695	6	<0.001	0.006
108551	164696	<5	<0.001	<0.005
108552	164697	<5	<0.001	<0.005
108553	164698	<5	<0.001	<0.005
108554	164699	<5	<0.001	<0.005
108555 Check	164699	<5	<0.001	<0.005
108556	164700	423	0.012	0.423
108557	164701	<5	<0.001	<0.005
108558	164702	<5	<0.001	<0.005
108559	164703	<5	<0.001	<0.005
108560	164704	<5	<0.001	<0.005
108561	164705	<5	<0.001	<0.005
108562	164706	<5	<0.001	<0.005
108563	164707	64	0.002	0.064
108564	164708	<5	<0.001	<0.005
108565	164709	<5	<0.001	<0.005
108566 Check	164709	<5	<0.001	<0.005
108567	164710	14	<0.001	0.014
108568	164711	<5	<0.001	<0.005
108569	164712	<5	<0.001	<0.005

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By

Derek Demlianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 5



Certificate of Analysis

Thursday, September 21, 2006

 Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

 Date Received : 13-Sep-06
 Date Completed : 20-Sep-06
 Job # 200641928
 Reference : HER

Sample #: 103 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
108570	164713		No Sample	
108571	164714	<5	<0.001	<0.005
108572	164715	<5	<0.001	<0.005
108573	164716	<5	<0.001	<0.005
108574	164717	20	<0.001	0.020
108575	164718	<5	<0.001	<0.005
108576	164719	11	<0.001	0.011
108577 Check	164719	6	<0.001	0.006
108578	164720	<5	<0.001	<0.005
108579	164721	<5	<0.001	<0.005
108580	164722	6	<0.001	0.006
108581	164723	<5	<0.001	<0.005
108582	164724	<5	<0.001	<0.005
108583	164725	<5	<0.001	<0.005
108584	164726	<5	<0.001	<0.005
108585	164727	<5	<0.001	<0.005
108586	164728	<5	<0.001	<0.005
108587	164729	<5	<0.001	<0.005
108588 Check	164729	<5	<0.001	<0.005
108589	164730	<5	<0.001	<0.005
108590	164731	<5	<0.001	<0.005
108591	164732	<5	<0.001	<0.005
108592	164733	<5	<0.001	<0.005

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By


 Derek Damianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 4 of 5

AL903-0235-09/21/2006 10:16 AM

Certificate of Analysis

Thursday, September 21, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 13-Sep-06
 Date Completed : 20-Sep-06
 Job # 200641928
 Reference : IHER
 Sample #: 103 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
108593	164734	<5	<0.001	<0.005
108594	164735	14	<0.001	0.014
108595	164736	<5	<0.001	<0.005
108596	164737	<5	<0.001	<0.005
108597	164738	17	<0.001	0.017
108598	164739	10	<0.001	0.010
108599 Check	164739	7	<0.001	0.007
108600	164740	<5	<0.001	<0.005
108601	164741	<5	<0.001	<0.005
108602	164742	<5	<0.001	<0.005
108603	164743	<5	<0.001	<0.005
108604	164744	<5	<0.001	<0.005
108605	164745	<5	<0.001	<0.005
108606	164746	<5	<0.001	<0.005
108607	164747	<5	<0.001	<0.005
108608	164748	<5	<0.001	<0.005
108609	164749	<5	<0.001	<0.005
108610 Check	164749	<5	<0.001	<0.005
108611	164750	399	0.012	0.399
108612	381510	8	<0.001	0.008
108613	381511	8	<0.001	0.008

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By 

Derek Demjanuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 5 of 5




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-03 03:27 PM
 Job Number: 200641928
 Date Received: 9/13/2006
 Number of Samples: 103
 Type of Sample: Core
 Date Completed: 9/20/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
108523	164670	<1	2.80	12	69	14	1	2.75	7	33	200	56	4.38	0.08	38	2.07	597	21	0.04	57	784	16	<5	<5	0.04	<10	32	2327	<1	46	<10	6	93
108524	164671	<1	2.78	15	69	26	1	2.66	7	31	246	54	4.59	0.16	34	1.91	541	21	0.05	56	790	21	<5	<5	0.05	<10	40	2216	1	46	<10	7	90
108525	164672	<1	2.72	19	74	26	1	2.71	7	36	190	88	4.73	0.15	30	1.76	550	21	0.06	61	843	20	<5	<5	0.05	<10	46	1751	3	49	<10	8	98
108526	164673	<1	2.84	12	80	52	1	3.41	7	32	216	112	4.42	0.24	18	1.91	843	22	0.07	60	790	10	<5	<5	0.05	<10	45	2691	289	52	<10	7	90
108527	164674	<1	2.63	6	76	21	1	5.26	7	27	107	22	4.59	0.21	32	1.72	802	18	0.03	56	817	11	<5	<5	0.05	<10	33	<100	<1	26	<10	9	127
108528	164675	1	2.54	8	73	28	1	5.03	8	27	177	45	4.87	0.27	28	1.72	815	23	0.04	59	825	12	<5	<5	0.06	<10	33	<100	2	26	<10	7	115
108529	164676	1	2.44	5	71	26	1	5.11	7	25	123	32	4.54	0.26	28	1.65	797	23	0.03	55	757	12	<5	<5	0.05	<10	33	<100	3	25	<10	7	112
108530	164677	1	2.68	15	69	38	1	5.30	7	44	173	41	4.74	0.32	27	1.92	1070	48	0.03	69	707	12	<5	<5	0.05	<10	43	<100	4	27	<10	6	98
108531	164678	4	1.07	13	69	24	1	2.81	5	16	221	33	3.14	0.22	11	0.84	460	117	0.02	38	564	12	<5	<5	0.05	<10	17	<100	2	17	<10	5	47
108532	164679	1	0.99	14	71	24	<1	3.32	<4	13	463	30	2.35	0.20	9	0.70	535	40	0.02	29	315	20	<5	<5	0.04	<10	20	<100	2	14	<10	4	36
108533	164679	1	0.97	13	69	23	<1	3.31	<4	12	463	27	2.34	0.19	9	0.70	531	41	0.02	30	311	22	<5	<5	0.04	<10	19	<100	3	14	<10	4	33
108534	164680	3	1.85	24	68	18	1	6.03	7	19	215	30	4.31	0.16	20	1.55	1082	87	0.02	62	554	16	<5	<5	0.05	<10	40	<100	2	26	<10	6	71
108535	164681	3	2.55	20	66	34	2	5.07	8	27	198	35	5.04	0.32	26	1.83	992	65	0.03	74	853	16	<5	<5	0.05	<10	39	<100	3	31	<10	6	100
108536	164682	2	2.15	24	66	24	1	5.45	7	32	102	20	4.87	0.22	24	1.66	971	50	0.02	61	783	13	<5	<5	0.05	<10	38	<100	4	22	<10	10	82
108537	164683	<1	2.20	37	69	45	2	5.09	8	68	216	19	5.02	0.34	20	1.51	996	24	0.03	59	839	16	<5	<5	0.05	<10	51	<100	2	25	<10	6	81
108538	164684	1	2.77	15	78	27	2	6.44	9	31	112	38	5.48	0.24	30	2.06	1340	26	0.03	65	879	16	<5	<5	0.05	<10	68	<100	4	25	<10	8	113
108539	164685	1	3.05	27	64	35	2	7.53	8	34	190	38	5.42	0.31	32	2.20	1520	37	0.03	77	882	17	<5	<5	0.06	<10	76	<100	5	32	<10	8	126
108540	164686	1	2.22	25	74	28	1	6.20	7	33	141	22	4.55	0.26	27	1.58	1127	51	0.03	56	839	18	<5	<5	0.05	<10	55	<100	2	24	<10	7	114
108541	164687	1	2.81	14	73	36	1	4.88	8	30	132	26	5.32	0.33	34	1.86	1095	31	0.03	59	866	15	<5	<5	0.05	<10	50	<100	3	24	<10	7	148
108542	164688	2	1.39	170	57	38	2	2.68	12	35	133	136	7.63	0.29	17	0.88	604	19	0.02	57	670	37	<5	<5	0.05	<10	29	<100	2	13	<10	5	92
108543	164689	No Sample Received																															
108544	164689	No Sample Received																															

Certified By: 
 Derek Demianiuk, H.Bsc.

Accurassay Laboratories Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-03 03:27 PM
 Job Number: 200641928
 Date Received: 9/13/2006
 Number of Samples: 103
 Type of Sample: Core
 Date Completed: 9/20/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
108545	164690	<1	1.75	28	56	44	1	3.36	5	19	114	12	3.62	0.39	21	1.05	697	16	0.03	40	785	13	<5	<5	0.04	<10	38	<100	<1	15	<10	6	88
108546	164691	2	1.44	11	63	38	1	3.23	6	29	136	24	4.03	0.33	18	0.91	641	56	0.03	41	504	19	<5	<5	0.04	<10	34	<100	2	14	<10	5	70
108547	164692	<1	2.43	10	65	31	1	5.44	7	25	154	9	4.46	0.30	32	1.70	1043	34	0.03	54	802	11	<5	<5	0.04	<10	51	<100	6	19	<10	7	127
108548	164693	<1	2.15	3	59	19	<1	6.70	5	20	90	4	3.43	0.19	27	1.52	1079	18	0.02	45	652	10	<5	<5	0.07	<10	40	<100	4	17	<10	8	112
108549	164694	<1	2.37	5	58	30	1	3.54	6	23	133	13	3.81	0.26	24	1.48	721	15	0.04	52	760	9	<5	<5	0.06	<10	24	<100	<1	25	<10	6	108
108550	164695	<1	2.28	6	69	18	1	3.85	6	17	109	7	3.77	0.13	25	1.55	737	19	0.04	47	610	8	<5	<5	0.06	<10	27	<100	4	31	<10	6	107
108551	164696	<1	2.38	5	64	28	1	3.30	6	24	166	9	3.99	0.21	26	1.56	677	19	0.05	55	789	11	<5	<5	0.07	<10	28	<100	2	30	<10	6	100
108552	164697	<1	1.91	6	62	13	1	3.42	7	28	131	9	4.65	0.10	23	1.35	619	16	0.04	51	624	11	<5	<5	0.07	<10	29	207	<1	30	<10	6	79
108553	164698	<1	1.71	8	62	24	1	2.45	6	22	166	17	3.90	0.16	20	1.18	451	16	0.05	51	679	9	<5	<5	0.07	<10	22	312	1	25	<10	4	66
108554	164699	<1	1.74	9	61	27	1	2.25	5	18	136	28	3.43	0.16	18	1.22	429	15	0.05	48	592	9	<5	<5	0.07	<10	20	811	1	30	<10	5	66
108555	164699	<1	1.70	9	63	26	<1	2.22	5	20	135	28	3.37	0.15	18	1.20	423	14	0.05	49	576	9	<5	<5	0.07	<10	19	785	1	30	<10	5	64
108556	164700	<1	0.27	3	74	20	<1	0.07	<4	<1	3	3	0.44	0.13	2	0.06	<100	<1	0.08	1	<100	3	<5	<5	0.05	<10	5	<100	2	<2	<10	2	4
108557	164701	<1	0.03	<2	69	2	<1	0.02	<4	<1	1	3	0.02	0.01	<1	<0.01	<100	<1	0.01	<1	<100	2	<5	<5	0.03	<10	<3	<100	<1	<2	<10	<1	<1
108558	164702	<1	1.94	10	65	26	1	1.97	6	28	308	68	4.14	0.14	19	1.40	466	18	0.05	75	696	10	<5	<5	0.07	<10	20	1935	1	39	<10	5	63
108559	164703	<1	2.12	9	67	29	1	2.86	7	29	162	60	4.49	0.15	20	1.59	576	19	0.04	60	736	13	<5	<5	0.07	<10	20	1960	<1	35	<10	4	67
108560	164704	<1	2.07	10	69	33	1	1.85	6	30	278	68	4.00	0.14	19	1.53	478	17	0.06	57	631	11	<5	<5	0.08	<10	25	2270	<1	45	<10	5	53
108561	164705	<1	2.31	8	67	26	1	2.44	6	28	167	49	4.06	0.13	20	1.69	575	19	0.05	51	608	10	<5	<5	0.08	<10	27	2345	1	45	<10	5	59
108562	164706	<1	3.05	9	71	31	2	1.98	7	28	194	52	4.40	0.14	19	2.04	847	26	0.06	63	701	10	<5	<5	0.08	<10	42	3303	2	59	<10	5	102
108563	164707	<1	2.29	11	69	54	<1	3.98	6	26	127	63	3.61	0.28	14	1.61	765	20	0.03	57	639	12	<5	<5	0.08	<10	19	2088	2	26	<10	6	81
108564	164708	<1	3.22	11	74	45	1	2.70	7	30	192	64	4.55	0.21	17	2.08	878	26	0.05	64	728	9	<5	<5	0.09	<10	48	3230	3	54	<10	6	102
108565	164709	<1	3.44	8	74	18	1	4.72	8	44	200	10	5.15	0.08	28	2.61	1171	30	0.05	109	906	12	<5	<5	0.08	<10	42	3402	3	89	<10	8	131
108566	164709	<1	3.19	8	71	17	1	4.46	8	41	186	8	4.81	0.07	26	2.48	1097	33	0.04	103	839	11	<5	<5	0.08	<10	38	3122	1	83	<10	7	123

Certified By: 
 Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-03 03:27 PM
 Job Number: 200641928
 Date Received: 9/13/2006
 Number of Samples: 103
 Type of Sample: Core
 Date Completed: 9/20/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
108567	164710	<1	2.73	16	73	57	2	>10.00	9	34	83	15	5.60	0.32	21	1.68	1957	20	0.02	60	862	17	<5	<5	0.09	<10	59	1663	3	23	150	14	94
108568	164711	<1	3.13	6	69	19	2	2.17	7	24	154	15	4.62	0.10	26	2.06	794	25	0.04	55	786	9	<5	<5	0.08	<10	38	2834	3	56	<10	6	113
108569	164712	<1	3.44	9	70	26	1	1.64	7	23	205	18	4.57	0.12	33	2.14	725	26	0.04	59	793	15	<5	<5	0.08	<10	41	2982	<1	50	<10	5	105
108570	164713	No Sample Received																															
108571	164714	<1	3.36	8	66	9	2	3.91	8	31	152	52	5.00	0.05	42	2.19	900	31	0.04	69	729	15	<5	<5	0.08	<10	35	2598	<1	65	<10	5	115
108572	164715	<1	3.23	12	66	8	2	2.14	8	29	200	43	4.99	0.05	42	2.13	786	25	0.06	59	703	13	<5	<5	0.09	<10	31	2921	<1	75	<10	6	123
108573	164716	<1	3.10	7	73	8	1	2.93	7	28	166	56	4.86	0.05	42	1.97	782	24	0.06	62	720	11	<5	<5	0.08	<10	33	2560	2	73	<10	7	112
108574	164717	<1	3.42	9	67	31	2	5.61	8	26	150	43	5.20	0.22	51	2.08	859	26	0.05	68	807	15	<5	<5	0.09	<10	19	952	3	39	<10	7	109
108575	164718	<1	1.53	3	67	9	<1	1.95	<4	6	341	5	2.51	0.06	28	1.09	414	13	0.03	31	154	7	<5	<5	0.07	<10	8	231	3	18	<10	2	56
108576	164719	<1	1.14	3	68	21	<1	0.98	<4	8	482	20	2.01	0.14	18	0.75	300	10	0.03	32	230	5	<5	<5	0.08	<10	7	375	<1	14	<10	2	36
108577	164719	<1	1.13	2	66	21	<1	0.97	<4	8	482	19	1.98	0.14	18	0.74	297	9	0.03	31	235	4	<5	<5	0.07	<10	7	373	<1	14	<10	2	37
108578	164720	<1	1.20	7	62	22	<1	0.61	<4	10	288	17	2.06	0.13	19	0.83	281	10	0.02	38	403	6	<5	<5	0.07	<10	6	346	<1	14	<10	3	38
108579	164721	<1	3.09	15	67	24	1	3.17	8	27	194	33	5.21	0.14	46	2.01	766	25	0.05	60	877	14	<5	<5	0.09	<10	25	1057	2	50	<10	6	89
108580	164722	<1	2.88	10	64	37	1	3.57	7	25	110	58	4.38	0.21	42	1.79	690	22	0.05	56	695	11	<5	<5	0.08	<10	29	1046	1	37	<10	6	70
108581	164723	<1	3.05	9	69	30	1	4.10	7	19	154	22	4.34	0.16	46	2.01	783	20	0.04	64	682	12	<5	<5	0.08	<10	29	810	3	39	<10	7	80
108582	164724	<1	2.80	13	70	23	1	4.91	8	28	127	50	4.90	0.14	44	1.87	821	23	0.03	58	771	13	<5	6	0.08	<10	22	399	2	33	<10	5	79
108583	164725	<1	3.79	11	72	9	2	5.07	9	31	219	35	5.57	0.06	59	2.45	940	27	0.05	89	825	13	<5	<5	0.08	<10	40	2236	2	74	<10	7	91
108584	164726	<1	3.78	10	71	9	2	4.68	8	29	149	36	5.38	0.07	58	2.41	887	29	0.06	88	799	14	<5	<5	0.08	<10	44	2151	<1	75	<10	8	91
108585	164727	<1	2.77	13	74	13	1	2.72	7	29	239	57	4.54	0.07	29	1.96	837	24	0.06	57	720	14	<5	<5	0.08	<10	30	2236	3	58	<10	7	120
108586	164728	<1	4.59	9	64	26	2	5.72	11	28	98	58	7.04	0.16	51	2.93	1689	34	0.02	103	1125	16	<5	<5	0.10	<10	23	1602	3	53	<10	8	201
108587	164729	<1	2.61	12	68	29	1	>10.00	7	19	164	23	4.16	0.21	32	1.60	1443	18	0.03	53	657	13	<5	<5	0.09	<10	41	287	<1	25	<10	16	106
108588	164729	<1	2.60	9	66	29	1	>10.00	7	19	161	25	4.14	0.21	32	1.60	1423	18	0.03	52	645	13	<5	<5	0.09	<10	41	285	5	25	<10	16	105

Certified By: 
 Derek Demianiuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-03 03:27 PM
 Job Number: 200641928
 Date Received: 9/13/2006
 Number of Samples: 103
 Type of Sample: Core
 Date Completed: 9/20/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
108589	164730	<1	2.50	14	65	23	1	5.90	7	30	95	80	4.70	0.18	30	1.62	1170	20	0.02	51	811	14	<5	<5	0.08	<10	24	888	2	23	12	6	112
108590	164731	<1	2.43	8	70	33	1	5.10	7	19	158	35	4.21	0.24	25	1.50	1067	18	0.04	41	648	12	<5	<5	0.08	<10	24	470	2	22	120	8	106
108591	164732	<1	2.20	14	70	21	1	3.63	7	20	132	44	4.46	0.14	24	1.39	857	19	0.04	31	627	16	<5	<5	0.07	<10	22	339	<1	23	<10	10	111
108592	164733	<1	2.21	15	66	28	1	4.70	6	22	170	38	4.03	0.23	22	1.32	917	22	0.04	40	702	14	<5	<5	0.08	<10	24	438	1	22	<10	9	95
108593	164734	<1	2.51	12	74	16	1	7.43	7	22	108	20	4.20	0.13	27	1.72	1125	20	0.03	48	646	15	<5	<5	0.08	<10	37	487	4	28	<10	16	128
108594	164735	<1	2.24	7	63	20	1	3.05	6	22	209	27	3.55	0.13	23	1.52	735	18	0.05	57	714	12	<5	<5	0.07	<10	21	2167	3	40	<10	6	105
108595	164736	<1	2.70	8	65	16	1	2.82	7	24	127	12	4.21	0.12	30	1.88	843	20	0.04	59	722	15	<5	<5	0.08	<10	21	2094	2	40	<10	5	131
108596	164737	<1	2.66	17	64	21	1	1.93	7	32	242	74	4.56	0.12	30	1.80	833	23	0.06	71	820	16	<5	<5	0.07	<10	26	2454	<1	54	<10	6	92
108597	164738	<1	2.01	14	63	12	1	2.45	7	35	183	94	4.44	0.07	24	1.43	786	19	0.04	57	634	20	<5	<5	0.08	<10	18	1712	2	45	<10	4	77
108598	164739	<1	2.98	10	69	16	2	2.86	7	26	193	22	4.68	0.09	35	2.18	1056	23	0.06	58	781	15	<5	<5	0.08	<10	21	2472	2	62	<10	6	115
108599	164739	<1	2.98	9	69	17	1	2.87	7	26	206	23	4.70	0.09	35	2.18	1062	23	0.05	60	787	16	<5	<5	0.08	<10	21	2471	1	62	<10	7	113
108600	164740	<1	2.71	12	66	14	1	2.36	7	25	157	26	4.56	0.08	33	2.07	989	25	0.04	53	739	13	<5	<5	0.08	<10	15	2327	1	57	<10	6	104
108601	164741	<1	2.63	11	68	19	1	2.42	8	30	239	92	4.88	0.10	30	1.85	904	23	0.06	64	716	19	<5	<5	0.08	<10	15	2327	1	57	<10	6	104
108602	164742	<1	2.89	10	66	11	1	2.52	8	24	157	48	4.84	0.06	34	2.17	1043	26	0.04	58	738	16	<5	<5	0.08	<10	22	2400	1	66	<10	6	99
108603	164743	<1	3.10	13	65	34	1	2.83	8	28	176	41	5.25	0.19	32	2.19	1134	28	0.05	62	739	14	<5	<5	0.08	<10	12	2082	1	45	<10	6	105
108604	164744	<1	2.11	15	64	29	1	3.94	6	22	155	127	3.73	0.19	26	1.46	929	18	0.02	55	755	13	<5	<5	0.07	<10	12	682	3	19	37	4	81
108605	164745	1	1.19	11	57	33	<1	3.14	4	20	207	145	2.59	0.22	11	0.75	601	10	0.02	37	556	11	<5	<5	0.07	<10	10	918	<1	12	12	3	40
108606	164746	<1	1.06	9	61	16	<1	2.48	<4	14	199	89	2.23	0.12	12	0.76	487	10	0.02	30	403	11	<5	<5	0.07	<10	7	629	<1	11	64	2	38
108607	164747	<1	2.79	14	64	27	1	3.22	7	25	173	44	4.49	0.16	29	2.08	1054	22	0.04	55	644	15	<5	<5	0.08	<10	13	1934	<1	39	<10	5	95
108608	164748	<1	3.30	11	66	15	2	2.72	9	30	174	47	5.51	0.07	35	2.52	1212	31	0.04	60	748	16	<5	<5	0.07	<10	22	2222	2	64	<10	5	121
108609	164749	<1	2.53	13	61	22	1	1.56	7	25	273	30	4.31	0.08	28	1.97	874	24	0.06	55	570	14	<5	<5	0.06	<10	20	2422	<1	61	<10	4	85
108610	164749	<1	2.61	9	68	23	1	1.62	7	26	289	31	4.44	0.08	28	2.02	897	24	0.06	58	570	15	<5	<5	0.07	<10	21	2555	3	63	<10	5	88

Certified By: 
 Derek Demianiuk, H.Bsc.

Accurassay
Laboratories Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-03 03:27 PM
 Job Number: 200641928
 Date Recieved: 9/13/2006
 Number of Samples: 103
 Type of Sample: Core
 Date Completed: 9/20/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
108611	164750	<1	0.25	<2	74	20	<1	0.07	<4	<1	4	3	0.43	0.12	2	0.05	<100	1	0.07	2	<100	3	<5	<5	0.05	<10	5	<100	1	<2	<10	2	4
108612	381510	<1	2.12	18	61	16	1	3.63	6	31	154	58	4.02	0.11	26	1.44	582	16	0.03	59	698	12	<5	<5	0.08	<10	35	488	2	30	<10	8	97
108613	381511	<1	1.86	7	60	21	1	3.28	5	20	128	26	3.22	0.19	23	1.18	524	15	0.03	46	680	9	<5	<5	0.08	<10	22	<100	3	18	<10	8	91

Certified By: 
 Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-03 03:27 PM
 Job Number: 200641928
 Date Received: 9/13/2006
 Number of Samples: 103
 Type of Sample: Core
 Date Completed: 9/20/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
108501	4501	3	0.03	3	69	2	<1	0.02	<4	<1	1	3	0.02	0.01	<1	<0.01	<100	<1	0.01	<1	<100	3	<5	<5	0.03	<10	<3	<100	2	<2	<10	<1	<1
108502	4502	<1	2.70	10	76	21	1	1.67	8	33	210	64	5.30	0.08	27	1.81	870	24	0.06	63	712	18	<5	<5	0.05	<10	35	2974	2	63	<10	5	81
108503	4503	<1	2.12	10	77	22	1	2.13	7	31	398	69	4.63	0.10	20	1.39	785	18	0.06	59	577	16	<5	<5	0.05	<10	30	2437	<1	53	<10	5	82
108504	4504	<1	2.74	7	51	34	<1	2.60	6	22	148	29	4.06	0.18	17	1.79	771	24	0.05	57	777	9	<5	<5	0.05	<10	35	3058	<1	45	<10	6	98
108505	4505	<1	2.64	9	73	41	1	3.84	7	25	177	18	4.35	0.24	15	1.65	916	20	0.04	87	828	12	<5	7	0.05	<10	40	2399	2	37	<10	7	102
108506	4506	<1	3.04	3	74	41	1	4.58	7	17	108	34	4.53	0.25	18	1.94	1103	24	0.05	64	836	9	<5	<5	0.04	<10	35	2785	3	38	<10	7	121
108507	4507	<1	3.20	9	71	62	1	6.54	8	41	140	10	5.43	0.36	21	2.02	1369	24	0.03	73	852	15	<5	<5	0.04	<10	44	1980	4	36	<10	8	129
108508	4508	<1	3.43	8	67	40	2	5.68	9	36	101	50	5.62	0.23	23	2.31	1389	27	0.03	77	909	12	<5	<5	0.04	<10	38	3261	3	44	<10	9	145
108509	4509	<1	2.66	9	73	44	1	3.19	7	30	242	68	4.78	0.21	17	1.70	894	21	0.06	53	690	15	<5	<5	0.04	<10	32	2885	<1	45	<10	6	119
108510	4510	<1	2.31	10	76	24	1	3.22	7	21	178	85	4.51	0.11	20	1.50	948	20	0.04	39	662	12	<5	<5	0.04	<10	21	1394	2	40	<10	7	120
108511	4511	<1	2.37	14	70	23	1	3.26	7	23	174	87	4.64	0.11	21	1.54	960	21	0.04	40	665	10	<5	<5	0.03	<10	21	1343	3	41	<10	7	124
108512	4512	<1	3.06	11	74	37	1	6.77	8	22	172	37	5.17	0.20	29	1.98	1403	25	0.02	60	911	15	<5	<5	0.05	<10	38	1723	1	27	<10	9	118
108513	4513	1	4.28	9	74	65	2	5.90	10	27	234	9	6.68	0.32	36	2.61	1622	33	0.03	78	1031	11	<5	<5	0.05	<10	41	1662	5	39	23	8	165
108514	4514	<1	3.32	10	80	42	1	>10.00	9	28	154	13	5.47	0.22	31	2.10	2030	26	0.03	55	749	14	<5	<5	0.05	<10	67	1553	3	31	<10	9	123
108515	4515	<1	4.69	15	76	67	2	9.50	12	35	152	24	7.80	0.32	44	2.77	2354	35	0.03	81	1218	18	<5	<5	0.05	<10	69	2041	5	45	<10	9	166
108516	4516	1	4.61	13	76	75	2	8.70	11	21	61	20	7.17	0.33	40	2.79	2272	36	0.03	76	1143	15	<5	<5	0.05	<10	43	2208	5	41	<10	9	172
108517	4517	<1	3.63	11	73	53	2	5.91	10	32	84	34	6.30	0.32	28	2.26	1658	27	0.03	51	695	14	<5	6	0.05	<10	31	2542	3	37	<10	6	132
108518	4518	<1	3.82	12	75	25	2	2.83	11	37	164	57	6.98	0.12	30	2.41	1340	31	0.04	54	666	16	<5	<5	0.05	<10	46	2393	2	61	<10	5	145
108519	4519	<1	3.76	8	76	48	1	2.69	8	30	134	21	5.19	0.20	29	2.50	1309	31	0.06	52	660	10	<5	<5	0.05	<10	47	3019	<1	59	<10	6	130
108520	4520	<1	3.46	7	77	17	1	2.04	7	32	297	36	4.53	0.05	24	2.14	1080	27	0.06	56	651	9	<5	<5	0.05	<10	82	3294	<1	70	<10	5	98
108521	4521	<1	3.34	8	76	16	1	1.94	7	31	291	35	4.42	0.05	23	2.11	1054	22	0.06	54	631	9	<5	<5	0.05	<10	76	3085	<1	67	<10	4	92

Certified By: 
 Derek Demianiuk, H. Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.



1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 622-7571 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Certificate of Analysis

Thursday, September 21, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 14-Sep-06
 Date Completed : 21-Sep-06
 Job # 200641950
 Reference : HER

Sample #: 60 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
109814	4521	86	0.003	0.086
109815	4522	544	0.016	0.544
109816	4523	200	0.006	0.200
109817	4524	16	<0.001	0.016
109818	4525	119	0.003	0.119
109819	4526	110	0.003	0.110
109820	4527	55	0.002	0.055
109821	4528	188	0.005	0.188
109822	4529	592	0.017	0.592
109823	4530	147	0.004	0.147
109824 Check	4530	176	0.005	0.176
109825	4531	358	0.010	0.358
109826	4532	909	0.027	0.909
109827	4533	274	0.008	0.274
109828	4534	1807	0.053	1.807
109829	4535	829	0.024	0.829
109830	4536	360	0.011	0.360
109831	4537	397	0.012	0.397
109832	4538	1573	0.046	1.573
109833	4539	722	0.021	0.722
109834	4540	314	0.009	0.314
109835 Check	4540	327	0.010	0.327
109836	4541	800	0.023	0.800

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 3

AL903-0235-09/21/2006 04:27 PM



Certificate of Analysis

Thursday, September 21, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 14-Sep-06
 Date Completed : 21-Sep-06
 Job # 200641950
 Reference : HER

Sample #: 60 Core

Accurassay #	Client id	Au ppb	Au oz/t	Au g/t (ppm)
109837	4542	2157	0.063	2.157
109838	4543	742	0.022	0.742
109839	4544	1938	0.057	1.938
109840	4545	4181	0.122	4.181
109841	4546	809	0.024	0.809
109842	4547	70	0.002	0.070
109843	4548	44	0.001	0.044
109844	4549	129	0.004	0.129
109845	4550	462	0.013	0.462
109846	4551	10	<0.001	0.010
109847	4552	61	0.002	0.061
109848 Check	4552	57	0.002	0.057
109849	4553	28	<0.001	0.028
109850	4554	17	<0.001	0.017
109851	4555	20	<0.001	0.020
109852	4556	16	<0.001	0.016
109853	4557	29	<0.001	0.029
109854	4558	15	<0.001	0.015
109855	4559	22	<0.001	0.022
109856	4560	654	0.019	0.654
109857 Check	4560	696	0.020	0.696
109858	4561	145	0.004	0.145
109859	4562	14	<0.001	0.014

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:

Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



Certificate of Analysis


Thursday, September 21, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email


Date Received : 14-Sep-06
 Date Completed : 21-Sep-06
 Job # 200641950
 Reference : HER
 Sample #: 60 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
109860	4563	10	<0.001	0.010
109861	4564	20	<0.001	0.020
109862	4565	18	<0.001	0.018
109863	4566	360	0.010	0.360
109864	4567	144	0.004	0.144
109865	4568	18	<0.001	0.018
109866	4569	155	0.005	0.155
109867	4570	863	0.025	0.863
109868 Check	4570	900	0.026	0.900
109869	4571	1523	0.044	1.523
109870	4572	147	0.004	0.147
109871	4573	65	0.002	0.065
109872	4574	368	0.011	0.368
109873	4575	1458	0.043	1.458
109874	4576	1019	0.030	1.019
109875	4577	353	0.010	0.353
109876	4578	497	0.014	0.497
109877	4579	586	0.017	0.586
109878	4580	377	0.011	0.377
109879 Check	4580	361	0.011	0.361

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
 Derek Demchenuk, H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-06 08:24 AM
 Job Number: 200641950
 Date Received: 9/14/2006
 Number of Samples: 60
 Type of Sample: Core
 Date Completed: 9/21/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
109814	4521	<1	2.53	8	42	25	1	4.05	7	29	140	134	4.74	0.25	38	1.60	706	18	0.05	48	583	13	<5	<5	0.03	<10	65	<100	1	29	<10	4	121
109815	4522	<1	1.65	24	37	20	1	4.25	5	17	63	23	3.51	0.24	25	1.13	622	13	0.02	40	596	15	<5	<5	0.04	<10	64	<100	2	12	<10	4	76
109816	4523	<1	1.89	14	41	22	1	4.59	5	14	81	17	3.37	0.26	28	1.26	669	12	0.02	33	632	12	<5	<5	0.03	<10	73	<100	1	13	<10	5	88
109817	4524	<1	2.26	9	41	24	1	3.36	5	15	150	37	3.65	0.25	33	1.44	571	15	0.05	40	679	12	<5	<5	0.04	<10	53	<100	3	23	<10	4	107
109818	4525	<1	2.16	10	41	25	1	3.42	5	16	158	26	3.65	0.28	31	1.38	566	15	0.04	42	699	9	<5	<5	0.04	<10	58	<100	1	22	<10	5	99
109819	4526	<1	2.18	14	45	19	1	3.43	6	17	100	40	3.79	0.21	33	1.48	582	16	0.03	45	737	12	<5	<5	0.04	<10	57	<100	2	12	<10	5	87
109820	4527	<1	1.88	18	41	22	1	4.33	5	17	97	19	3.65	0.27	27	1.30	652	13	0.02	42	684	16	<5	<5	0.04	<10	70	<100	2	12	<10	5	87
109821	4528	<1	2.16	10	43	28	<1	4.02	5	16	170	74	3.55	0.31	30	1.40	638	13	0.04	43	691	10	<5	<5	0.04	<10	67	<100	1	19	<10	5	97
109822	4529	1	2.19	14	43	35	1	5.39	7	20	145	33	4.40	0.39	27	1.40	817	18	0.03	45	710	15	<5	5	0.04	<10	75	<100	<1	18	<10	6	94
109823	4530	<1	1.72	35	38	29	<1	4.10	5	22	85	18	3.32	0.29	24	1.22	651	12	0.03	38	641	13	<5	<5	0.04	<10	48	<100	<1	14	<10	5	83
109824	4531	<1	1.60	57	35	32	<1	3.44	5	25	70	26	3.10	0.28	23	1.13	571	13	0.02	35	623	16	<5	<5	0.04	<10	42	<100	<1	13	<10	4	79
109825	4532	<1	1.31	108	37	35	<1	2.76	5	30	60	78	3.08	0.29	19	0.89	478	11	0.02	40	536	23	<5	<5	0.04	<10	39	<100	<1	10	<10	4	64
109826	4533	<1	2.00	24	48	35	1	4.99	5	28	95	49	3.49	0.33	29	1.39	829	15	0.03	42	645	14	<5	<5	0.04	<10	56	<100	4	16	<10	5	101
109827	4534	<1	2.12	13	44	32	<1	5.04	6	23	66	36	3.67	0.31	31	1.51	879	17	0.02	44	622	13	<5	<5	0.04	<10	63	<100	4	17	<10	5	116
109828	4535	<1	2.08	11	43	31	<1	5.04	5	19	94	84	3.30	0.31	30	1.43	775	14	0.03	42	569	9	<5	<5	0.04	<10	36	<100	4	18	<10	5	115
109829	4536	<1	1.58	31	42	34	<1	4.22	5	20	116	14	3.05	0.33	20	1.11	702	15	0.02	40	641	13	<5	<5	0.04	<10	49	<100	3	12	<10	5	90
109830	4537	<1	1.82	45	41	33	1	4.79	6	26	164	17	4.22	0.32	25	1.34	840	22	0.02	50	794	14	<5	<5	0.04	<10	60	<100	2	14	<10	5	110
109831	4538	3	1.30	27	39	33	<1	2.55	5	22	178	10	3.60	0.29	19	0.93	491	144	0.02	51	438	18	<5	<5	0.03	<10	36	<100	<1	13	<10	3	82
109832	4539	<1	0.34	2	42	10	<1	0.55	<4	4	584	8	1.05	0.07	5	0.26	149	60	0.01	20	<100	6	<5	<5	0.04	<10	6	<100	<1	5	<10	<1	22
109833	4540	<1	0.94	3	45	10	<1	1.15	<4	3	393	5	1.64	0.06	16	0.88	325	33	0.01	31	112	6	<5	<5	0.03	<10	10	<100	<1	12	<10	1	88
109834	4540	<1	0.97	2	45	10	<1	1.20	<4	3	409	6	1.73	0.07	17	0.91	337	34	0.01	33	125	5	<5	<5	0.03	<10	10	<100	<1	13	<10	1	91

Certified By: 
 Derek Demianluk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.


1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-06 08:24 AM
 Job Number: 200641950
 Date Received: 9/14/2006
 Number of Samples: 60
 Type of Sample: Core
 Date Completed: 9/21/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
109836	4541	1	0.21	<2	40	10	<1	0.57	<4	3	571	9	0.89	0.08	3	0.13	140	120	0.01	15	<100	6	<5	<5	0.03	<10	7	<100	<1	4	<10	<1	12	
109837	4542	4	1.84	9	45	41	1	3.42	6	19	83	9	3.90	0.34	26	1.31	676	219	0.02	48	627	15	<5	<5	0.04	<10	43	<100	<1	18	<10	4	132	
109838	4543	2	1.93	4	44	38	<1	4.60	5	17	138	129	3.29	0.35	26	1.33	841	16	0.03	43	590	11	<5	<5	0.04	<10	47	<100	2	20	<10	5	132	
109839	4544	3	1.47	3	45	32	<1	3.69	5	19	127	128	3.43	0.29	21	1.04	701	12	0.02	42	512	13	<5	<5	0.04	<10	42	<100	3	18	<10	4	108	
109840	4545	10	0.62	2	49	25	<1	1.15	<4	8	432	18	1.47	0.24	6	0.33	250	8	0.02	18	257	15	<5	<5	0.04	<10	15	<100	1	10	<10	2	35	
109841	4546	2	0.28	<2	45	12	<1	1.02	<4	5	18	175	14	3.69	0.34	33	1.51	861	13	0.02	45	699	11	<5	<5	0.04	<10	12	<100	2	5	<10	<1	17
109842	4547	<1	2.25	13	46	36	<1	5.09	5	18	175	14	3.69	0.34	33	1.51	861	13	0.02	45	699	11	<5	<5	0.04	<10	51	<100	4	17	23	5	174	
109843	4548	<1	3.29	11	50	31	1	6.32	8	24	173	40	5.14	0.29	52	2.22	1030	19	0.02	84	718	21	<5	<5	0.04	<10	54	<100	<1	37	<10	7	274	
109844	4549	<1	2.24	8	40	34	1	4.15	6	24	158	26	4.00	0.28	30	1.52	694	13	0.02	53	666	17	<5	<5	0.04	<10	38	<100	2	19	<10	5	176	
109845	4550	<1	0.22	<2	48	17	<1	0.06	<4	<1	3	3	0.37	0.11	1	0.05	<100	<1	0.07	2	<100	3	<5	<5	0.03	<10	5	<100	<1	<2	<10	1	5	
109846	4551	<1	0.02	<2	57	2	<1	0.02	<4	<1	1	3	0.02	0.01	<1	<0.01	<100	<1	0.01	1	<100	<1	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	2	
109847	4552	<1	2.19	12	42	32	1	2.40	6	28	102	89	4.02	0.21	23	1.40	524	14	0.05	45	644	25	<5	<5	0.04	<10	26	744	<1	30	<10	5	165	
109848	4552	<1	2.21	10	39	32	1	2.40	6	27	107	91	4.04	0.21	24	1.41	529	14	0.04	44	655	23	<5	<5	0.04	<10	26	744	<1	30	<10	5	164	
109849	4553	<1	2.26	18	41	23	1	3.69	6	20	175	63	4.27	0.17	27	1.42	612	16	0.05	48	638	22	<5	<5	0.03	<10	41	315	<1	39	<10	6	180	
109850	4554	<1	2.58	7	48	28	1	3.52	6	23	116	37	4.12	0.23	38	1.55	695	14	0.04	45	579	7	<5	<5	0.03	<10	16	1815	2	38	<10	6	91	
109851	4555	<1	2.57	7	45	23	1	4.72	6	23	182	66	4.09	0.19	37	1.60	758	16	0.04	50	616	8	<5	<5	0.04	<10	19	1325	<1	43	<10	6	93	
109852	4556	<1	2.78	6	43	30	1	4.02	6	20	102	43	4.29	0.24	36	1.72	769	16	0.04	46	609	10	<5	<5	0.04	<10	20	528	4	34	<10	6	121	
109853	4557	<1	2.42	30	45	28	1	3.78	6	29	204	91	4.19	0.29	34	1.46	740	16	0.02	49	582	11	<5	<5	0.03	<10	16	230	2	23	<10	4	91	
109854	4558	<1	2.26	5	50	27	1	2.96	5	21	126	23	3.60	0.22	28	1.36	678	12	0.04	41	576	7	<5	<5	0.03	<10	22	1652	<1	34	<10	6	93	
109855	4559	<1	2.26	7	49	33	<1	4.43	5	17	161	35	3.47	0.36	30	1.25	732	14	0.02	41	558	7	<5	<5	0.03	<10	16	<100	<1	20	<10	5	85	
109856	4560	<1	2.51	40	46	33	1	8.73	7	27	68	96	4.70	0.26	28	1.49	1249	16	0.03	43	524	14	<5	<5	0.04	<10	26	<100	5	19	<10	7	110	
109857	4560	<1	2.58	44	46	33	1	9.01	7	28	68	97	4.87	0.26	29	1.54	1299	17	0.03	44	530	12	<5	<5	0.04	<10	27	<100	3	20	<10	7	110	

Certified By: 
 Derek Demianiuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-06 08:24 AM
 Job Number: 200641950
 Date Received: 9/14/2006
 Number of Samples: 60
 Type of Sample: Core
 Date Completed: 9/21/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
109858	4561	<1	2.06	9	44	39	<1	3.55	5	32	148	80	3.54	0.33	22	1.17	754	12	0.02	39	591	8	<5	<5	0.04	<10	16	<100	4	17	<10	5	86
109859	4562	<1	2.09	9	43	33	<1	4.41	5	19	77	45	3.49	0.30	23	1.18	787	11	0.02	42	636	8	<5	<5	0.03	<10	20	<100	2	18	<10	5	94
109860	4563	<1	2.38	7	43	34	1	4.10	6	18	157	35	3.90	0.28	28	1.42	810	14	0.02	48	594	6	<5	<5	0.03	<10	18	<100	3	21	<10	5	110
109861	4564	<1	2.28	15	40	36	1	6.80	5	23	123	72	3.75	0.27	28	1.36	900	14	0.02	48	607	7	<5	<5	0.03	<10	24	<100	4	20	14	6	102
109862	4565	<1	3.04	10	38	29	1	4.04	7	22	187	108	5.12	0.23	37	1.94	924	18	0.01	77	731	10	<5	<5	0.04	<10	17	<100	3	33	166	5	150
109863	4566	<1	2.34	5	43	32	<1	5.60	5	25	116	55	3.64	0.29	31	1.49	804	14	0.02	55	694	7	<5	<5	0.03	<10	18	<100	<1	18	<10	6	105
109864	4567	<1	2.61	5	44	36	1	4.93	6	22	148	43	4.19	0.30	31	1.58	834	16	0.02	55	657	8	<5	<5	0.03	<10	18	<100	3	21	<10	5	136
109865	4568	<1	2.99	6	45	46	2	3.18	7	23	107	52	4.85	0.35	32	1.78	840	19	0.02	62	779	13	<5	<5	0.03	<10	13	<100	2	24	<10	5	98
109866	4569	<1	2.35	16	45	43	1	4.86	6	28	194	21	4.23	0.36	26	1.53	744	16	0.02	64	808	11	<5	<5	0.03	<10	24	<100	3	22	<10	6	69
109867	4570	1	1.90	8	47	50	1	4.50	6	26	152	18	3.95	0.43	20	1.17	620	15	0.02	49	664	11	<5	<5	0.03	<10	21	<100	2	18	<10	5	71
109868	4571	2	1.70	34	46	47	1	3.00	6	24	220	10	4.57	0.39	20	1.16	467	14	0.02	45	655	11	<5	<5	0.03	<10	20	<100	<1	17	<10	5	67
109869	4572	<1	0.24	5	45	12	<1	1.31	<4	6	398	9	1.08	0.11	2	0.11	146	38	0.01	16	<100	5	<5	<5	0.04	<10	6	<100	1	4	<10	2	6
109870	4573	<1	0.09	<2	44	4	<1	0.80	<4	3	558	7	0.64	0.05	<1	0.04	<100	35	0.01	11	<100	3	<5	<5	0.03	<10	3	<100	<1	<2	<10	<1	2
109871	4574	<1	1.89	24	42	42	1	5.93	5	22	83	5	3.73	0.37	23	1.39	835	62	0.02	60	568	10	<5	<5	0.04	<10	52	<100	4	17	<10	6	86
109872	4575	3	1.64	34	48	38	1	4.06	6	25	289	16	4.41	0.35	20	1.20	702	502	0.02	68	553	14	<5	<5	0.04	<10	35	<100	1	20	<10	5	71
109873	4576	2	1.92	26	44	38	1	4.38	6	25	195	12	4.30	0.34	22	1.48	796	326	0.02	67	656	13	<5	<5	0.04	<10	38	<100	3	25	<10	5	85
109874	4577	<1	2.11	23	41	39	1	5.15	6	24	132	10	3.86	0.40	26	1.52	885	23	0.02	60	693	12	<5	<5	0.04	<10	47	<100	2	18	<10	6	83
109875	4578	1	2.21	24	43	42	1	4.51	7	25	100	13	4.87	0.42	24	1.61	829	36	0.02	60	715	14	<5	<5	0.04	<10	44	<100	2	21	<10	5	93
109876	4579	1	1.99	25	47	41	1	5.40	6	28	228	25	4.26	0.43	22	1.36	834	129	0.02	68	640	13	<5	<5	0.04	<10	50	<100	<1	17	<10	7	78
109877	4580	<1	2.04	31	41	34	1	5.52	7	29	66	48	4.72	0.35	25	1.52	908	19	0.02	74	597	12	<5	<5	0.04	<10	60	<100	2	15	<10	5	88
109878	4580	<1	2.08	35	42	36	1	5.77	7	30	66	36	4.95	0.36	26	1.52	948	18	0.02	64	626	13	<5	<5	0.04	<10	63	<100	2	15	<10	6	92

Certified By: 
 Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.



1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 622-7571 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Certificate of Analysis

Monday, October 02, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 26-Sep-06
Date Completed : 02-Oct-06
Job # 200642091
Reference : HER
Sample #: 10 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
118283	4581	223	0.007	0.223
118284	4582	216	0.006	0.216
118285	4583	452	0.013	0.452
118286	4584	553	0.016	0.553
118287	4585	410	0.012	0.410
118288	4586	127	0.004	0.127
118289	4587	181	0.005	0.181
118290	4588	380	0.011	0.380
118291	4589	336	0.010	0.336
118292	4590	189	0.006	0.189
118293 Check	4590	232	0.007	0.232

PROCEDURE CODES: AL4AU3, AL4ICPAR


Certified By: _____
Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 1

AL903-0235-10/02/2006 04:02 PM




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-09 04:47 PM
 Job Number: 200642091
 Date Received: 9/26/2006
 Number of Samples: 10
 Type of Sample: Core
 Date Completed: 10/2/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
118283	4581	<1	1.99	29	31	25	<1	6.44	6	30	90	32	4.80	0.26	22	1.61	1016	15	0.01	127	677	20	<5	<5	0.22	<10	51	<100	3	15	<10	7	93
118284	4582	<1	1.59	29	31	21	<1	5.29	6	27	78	19	4.80	0.21	19	1.35	878	15	0.01	72	767	21	<5	<5	0.15	<10	53	<100	2	11	<10	6	76
118285	4583	1	0.91	25	32	14	<1	3.42	<4	23	235	25	3.65	0.12	10	0.79	551	26	0.01	66	383	19	<5	<5	0.10	<10	28	<100	<1	10	<10	4	43
118286	4584	2	1.35	26	29	25	<1	5.01	5	28	155	15	4.05	0.24	15	1.10	751	75	0.01	62	679	19	<5	<5	0.13	<10	44	<100	1	5	<10	5	58
118287	4585	1	0.32	6	38	11	<1	1.46	<4	7	421	11	1.35	0.10	3	0.23	221	423	0.01	28	236	9	<5	<5	0.07	<10	12	<100	1	5	<10	2	12
118288	4586	<1	0.10	5	36	6	<1	0.72	<4	5	514	9	0.92	0.05	<1	0.06	120	30	0.01	20	<100	9	<5	<5	0.03	<10	7	<100	<1	3	<10	3	9
118289	4587	<1	0.24	12	37	10	<1	4.96	<4	10	278	13	1.30	0.08	2	0.17	374	34	0.01	27	247	12	<5	<5	0.07	<10	26	<100	<1	3	<10	3	9
118290	4588	1	2.63	27	33	24	<1	6.41	6	32	108	64	5.26	0.20	31	2.13	1143	20	0.01	88	803	18	<5	<5	0.28	<10	71	138	2	27	<10	4	128
118291	4589	<1	0.82	17	35	19	<1	2.84	<4	18	335	15	2.70	0.14	8	0.64	370	55	0.01	41	284	14	<5	<5	0.15	<10	20	<100	<1	9	<10	2	37
118292	4590	1	1.90	10	29	37	<1	4.18	5	27	66	13	4.09	0.27	19	1.38	695	130	0.02	52	870	15	<5	<5	0.18	<10	39	<100	2	15	<10	4	85
118293	4590	<1	1.97	9	31	39	<1	4.22	5	27	67	15	4.17	0.29	20	1.41	701	130	0.02	53	871	17	<5	<5	0.19	<10	41	<100	<1	15	<10	4	83

Certified By 
 Derek Demianiuk, H.Bsc.



Certificate of Analysis


Friday, September 29, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 22-Sep-06
 Date Completed : 29-Sep-06
 Job # 200642033
 Reference : HER
 Sample #: 160 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
114854	4591	271	0.008	0.271
114855	4592	154	0.005	0.154
114856	4593	358	0.010	0.358
114857	4594	11	<0.001	0.011
114858	4595	<5	<0.001	<0.005
114859 Check	4595	<5	<0.001	<0.005
114860	4596	<5	<0.001	<0.005
114861	4597	<5	<0.001	<0.005
114862	4598	<5	<0.001	<0.005
114863	4599	11	<0.001	0.011
114864	4600	414	0.012	0.414
114865	4601	<5	<0.001	<0.005
114866	4602	7	<0.001	0.007
114867	4603	267	0.008	0.267
114868	4604	<5	<0.001	<0.005
114869	4605	<5	<0.001	<0.005
114870 Check	4605	<5	<0.001	<0.005
114871	4606	<5	<0.001	<0.005
114872	4607	<5	<0.001	<0.005
114873	4608	<5	<0.001	<0.005
114874	4609	<5	<0.001	<0.005
114875	4610	85	0.002	0.085
114876	4611	<5	<0.001	<0.005

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
 Derek Damianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 7



Mineral Assay Division of Assay Laboratory Services Inc.



1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 622-7571 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Certificate of Analysis

Friday, September 29, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 22-Sep-06
Date Completed : 29-Sep-06
Job # 200642033
Reference : HER
Sample #: 160 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
114877	4612	37	0.001	0.037
114878	4613	400	0.012	0.400
114879	4614	<5	<0.001	<0.005
114880	4615	6	<0.001	0.096
114881 Check	4615	8	<0.001	0.008
114882	4616	<5	<0.001	<0.005
114883	4617	8	<0.001	0.008
114884	4618	<5	<0.001	<0.005
114885	4619	<5	<0.001	<0.005
114886	4620	<5	<0.001	<0.005
114887	4621	<5	<0.001	<0.005
114888	4622	<5	<0.001	<0.005
114889	4623	15	<0.001	0.015
114890	4624	261	0.008	0.261
114891	4625	<5	<0.001	<0.005
114892 Check	4625	6	<0.001	0.006
114893	4626	<5	<0.001	<0.005
114894	4627	<5	<0.001	<0.005
114895	4628	<5	<0.001	<0.005
114896	4629	<5	<0.001	<0.005
114897	4630	<5	<0.001	<0.005
114898	4631	5	<0.001	0.005
114899	4632	<5	<0.001	<0.005

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:
Derek Demjaniuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



Mineral Assay Division of Assay Laboratory Services Inc.



1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 622-7571 EMAIL: assay@accrassay.com WEB: www.accrassay.com

Certificate of Analysis

Friday, September 29, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 22-Sep-06
 Date Completed : 29-Sep-06
 Job # 200642033

Reference : HER

Sample #: 160 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
114900	4633	<5	<0.001	<0.005
114901	4634	<5	<0.001	<0.005
114902	4635	<5	<0.001	<0.005
114903 Check	4635	<5	<0.001	<0.005
114904	4636	<5	<0.001	<0.005
114905	4637	6	<0.001	0.006
114906	4638	<5	<0.001	<0.005
114907	4639	12	<0.001	0.012
114908	4640	<5	<0.001	<0.005
114909	4641	7	<0.001	0.007
114910	4642	9	<0.001	0.009
114911	4643	6	<0.001	0.006
114912	4644	<5	<0.001	<0.005
114913	4645	<5	<0.001	<0.005
114914 Check	4645	<5	<0.001	<0.005
114915	4646	7	<0.001	0.007
114916	4647	<5	<0.001	<0.005
114917	4648	<5	<0.001	<0.005
114918	4649	<5	<0.001	<0.005
114919	4650	<5	<0.001	<0.005
114920	4651	343	0.010	0.343
114921	4652	<5	<0.001	<0.005
114922	4653	9	<0.001	0.009
		9	<0.001	0.009

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:
 Derek Demianiuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Certificate of Analysis


Friday, September 29, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 22-Sep-06
 Date Completed : 29-Sep-06
 Job # 200642033
 Reference : HER
 Sample #: 160 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
114923	4654	15	<0.001	0.015
114924	4655	26	<0.001	0.026
114925 Check	4655	20	<0.001	0.020
114926	4656	6	<0.001	0.006
114927	4657	22	<0.001	0.022
114928	4658	46	0.001	0.046
114929	4659	32	<0.001	0.032
114930	4660	11	<0.001	0.011
114931	4661	34	<0.001	0.034
114932	4662		No Sample	
114933	4663	6572	0.192	6.572
114934	4664	32	<0.001	0.032
114935	4665	94	0.003	0.094
114936 Check	4665	82	0.002	0.082
114937	4666	2115	0.062	2.115
114938	4667	556	0.016	0.556
114939	4668	106	0.003	0.106
114940	4669	22	<0.001	0.022
114941	4670	<5	<0.001	<0.005
114942	4671	<5	<0.001	<0.005
114943	4672	55	0.002	0.055
114944	4673	13	<0.001	0.013
114945	4674	7	<0.001	0.007

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
 Derek Demjanjuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



Certificate of Analysis

Friday, September 29, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 22-Sep-06
 Date Completed : 29-Sep-06
 Job # 200642033
 Reference : HER
 Sample #: 160 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
114946	4675	8	<0.001	0.008
114947	Check 4675	12	<0.001	0.012
114948	4676	9	<0.001	0.009
114949	4677	18	<0.001	0.018
114950	4678	10	<0.001	0.010
114951	4679	6	<0.001	0.006
114952	4680	5	<0.001	0.005
114953	4681	6	<0.001	0.006
114954	4682	5	<0.001	0.005
114955	4683	<5	<0.001	<0.005
114956	4684	5	<0.001	0.005
114957	4685	<5	<0.001	<0.005
114958	Check 4685	6	<0.001	0.006
114959	4686	10	<0.001	0.010
114960	4687	26	<0.001	0.026
114961	4688	9	<0.001	0.009
114962	4689	6	<0.001	0.006
114963	4690	<5	<0.001	<0.005
114964	4691	7	<0.001	0.007
114965	4692	6	<0.001	0.006
114966	4693	<5	<0.001	<0.005
114967	4694	<5	<0.001	<0.005
114968	4695	8	<0.001	0.008

PROCEDURE CODES: AL4AU3, AL4ICPAR

Page 5 of 7

Certified By: 
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0235-09/29/2006 04:07 PM

Certificate of Analysis


Friday, September 29, 2006

Kodiak Resources Limited
 Suite 1205, 700 West Pender St.
 Vancouver, BC, CA
 V6C1G8
 Ph#: (604) 688-9006
 Fax#: (604) 688-9029, (604) 888-7929
 Email

Date Received : 22-Sep-06
 Date Completed : 29-Sep-06
 Job # 200642033
 Reference : HER
 Sample #: 160 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
114992	4716	19	<0.001	0.019
114993	4717	42	0.001	0.042
114994	4718	577	0.017	0.577
114995	4719	51	0.001	0.051
114996	4720	123	0.004	0.123
114997	4721	213	0.006	0.213
114998	4722	64	0.002	0.064
114999	4723	44	0.001	0.044
115000	4724	10	<0.001	0.010
115001	4725	14	<0.001	0.014
115002 Check	4725	20	<0.001	0.020
115003	164689	1672	0.049	1.672
115029	164713	16	<0.001	0.016

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-04 02:43 PM
 Job Number: 200642033
 Date Received: 9/22/2006
 Number of Samples: 160
 Type of Sample: Core
 Date Completed: 9/29/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114854	4591	<1	2.59	12	57	40	2	5.19	8	35	172	211	4.96	0.32	25	1.69	835	22	0.02	60	770	13	<5	<5	0.04	<10	44	246	<1	24	<10	5	94
114855	4592	<1	2.92	12	64	35	2	6.12	8	25	159	276	5.21	0.30	30	1.91	961	23	0.03	56	726	10	<5	<5	0.04	<10	51	166	<1	32	<10	6	107
114856	4593	1	2.65	9	63	41	2	3.30	8	29	225	42	5.41	0.33	27	1.76	656	22	0.04	61	759	10	<5	<5	0.04	<10	28	160	1	27	<10	4	98
114857	4594	<1	3.00	7	59	37	2	3.87	8	21	148	17	4.93	0.26	29	1.92	848	23	0.05	51	744	7	<5	<5	0.04	<10	31	484	<1	34	<10	5	117
114858	4595	<1	2.97	5	61	41	2	4.64	7	22	161	30	4.84	0.29	26	1.78	886	20	0.04	51	706	7	<5	<5	0.04	<10	27	845	1	31	<10	6	93
114859	4595	<1	3.13	6	61	43	2	4.84	8	23	169	32	5.06	0.30	27	1.86	910	23	0.04	53	750	9	<5	<5	0.04	<10	28	901	<1	33	<10	6	97
114860	4596	<1	3.06	10	65	47	2	5.04	7	25	193	31	4.76	0.30	27	1.91	840	21	0.05	52	700	6	<5	<5	0.04	<10	26	1614	<1	34	<10	6	93
114861	4597	<1	3.20	6	68	52	2	9.40	7	23	220	25	4.55	0.30	32	2.06	1077	23	0.05	54	718	7	<5	<5	0.04	<10	41	1896	<1	39	<10	10	83
114862	4598	<1	9.19	12	72	8	3	>10.00	17	54	738	9	>10.00	0.05	99	6.23	1980	91	0.02	251	2696	16	<5	<5	0.12	11	91	1643	<1	297	<10	16	254
114863	4599	<1	3.39	9	59	48	2	5.34	9	34	180	72	5.61	0.32	30	2.16	937	25	0.03	64	845	9	<5	<5	0.04	<10	35	1424	<1	42	<10	8	94
114864	4600	<1	0.22	5	59	18	<1	0.08	<4	<1	7	3	0.42	0.12	2	0.05	<100	1	0.07	4	<100	8	<5	<5	0.04	<10	35	1424	<1	42	<10	8	94
114865	4601	<1	0.02	3	55	2	<1	0.02	<4	<1	6	3	0.02	0.01	<1	<0.01	<100	<1	0.01	1	<100	2	<5	<5	0.03	<10	6	<100	<1	<2	<10	1	4
114866	4602	<1	3.66	8	59	64	2	5.17	9	29	112	74	5.83	0.46	26	2.04	983	29	0.03	75	820	9	<5	<5	0.04	<10	32	1230	<1	29	<10	7	95
114867	4603	<1	2.70	7	60	39	1	4.48	7	22	197	15	4.35	0.27	23	1.63	760	18	0.04	55	621	8	<5	<5	0.04	<10	37	1776	<1	28	<10	5	73
114868	4604	<1	1.45	6	69	30	<1	1.15	5	23	274	45	3.00	0.18	11	1.18	332	12	0.06	40	657	6	<5	<5	0.04	<10	19	2457	<1	27	<10	6	29
114869	4605	<1	1.53	11	61	37	2	1.34	6	28	268	44	3.82	0.14	12	1.23	356	16	0.06	44	642	8	<5	<5	0.04	<10	19	2583	<1	29	<10	6	31
114870	4605	<1	1.56	12	64	37	1	1.37	6	28	273	44	3.85	0.14	12	1.24	364	16	0.07	44	648	5	<5	<5	0.04	<10	20	2686	<1	29	<10	6	32
114871	4606	<1	1.55	8	59	46	1	1.44	6	25	245	94	3.72	0.18	15	1.30	368	15	0.06	44	614	10	<5	<5	0.03	<10	18	2437	<1	29	<10	6	36
114872	4607	<1	1.67	12	59	63	1	2.72	6	31	235	157	3.95	0.27	14	1.26	401	16	0.05	46	659	9	<5	<5	0.04	<10	20	2631	<1	31	<10	6	36
114873	4608	<1	1.94	9	67	54	1	2.03	6	35	279	108	3.65	0.19	19	1.51	455	18	0.06	46	660	9	<5	<5	0.03	<10	21	2851	<1	31	<10	7	54
114874	4609	<1	1.70	9	64	36	1	1.26	6	50	289	126	3.83	0.13	12	1.17	355	17	0.07	55	609	8	<5	<5	0.04	<10	23	2732	<1	25	<10	7	32
114875	4610	<1	2.39	6	62	34	1	3.56	6	22	156	50	3.97	0.20	15	1.79	670	21	0.05	50	680	5	<5	<5	0.04	<10	25	1995	<1	36	<10	4	42

Certified By: 
 Derek Demianiuk, H. Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-04 02:43 PM
 Job Number: 200642033
 Date Received: 9/22/2006
 Number of Samples: 160
 Type of Sample: Core
 Date Completed: 9/29/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114876	4611	<1	2.39	5	61	20	1	1.49	5	24	246	34	3.57	0.10	13	1.78	502	20	0.07	48	644	5	<5	<5	0.04	<10	41	2484	<1	43	<10	3	38
114877	4612	<1	2.51	9	56	18	1	2.98	6	23	183	45	4.02	0.10	14	1.94	654	21	0.06	51	664	6	<5	<5	0.04	<10	32	2222	<1	45	<10	4	42
114878	4613	<1	2.40	6	55	32	1	4.79	8	23	132	13	5.04	0.24	18	1.92	803	92	0.06	47	737	11	<5	<5	0.04	<10	26	1328	<1	52	<10	4	42
114879	4614	<1	2.44	4	64	19	1	1.64	6	24	279	32	3.69	0.09	16	1.90	550	21	0.07	52	681	3	<5	<5	0.04	<10	37	2563	<1	44	<10	3	42
114880	4615	<1	2.35	3	67	22	1	1.95	6	22	265	43	3.92	0.12	17	1.79	514	20	0.06	47	653	6	<5	<5	0.04	<10	27	2325	1	36	<10	5	41
114881	4615	<1	2.32	9	61	22	1	1.93	6	21	266	43	3.88	0.12	16	1.77	507	21	0.06	47	644	7	<5	<5	0.04	<10	28	2338	<1	36	<10	5	41
114882	4616	<1	2.28	12	57	29	2	2.15	7	29	214	58	4.45	0.17	16	1.77	511	20	0.05	50	653	8	<5	<5	0.04	<10	22	2334	<1	34	<10	5	40
114883	4617	<1	2.00	11	67	39	1	5.96	6	24	179	55	3.86	0.24	14	1.50	564	17	0.05	54	659	10	<5	<5	0.04	<10	21	1638	<1	26	<10	5	36
114884	4618	<1	2.10	7	60	21	1	1.63	6	18	243	55	3.54	0.11	14	1.65	462	17	0.06	47	632	5	<5	<5	0.04	<10	23	2155	<1	32	<10	6	37
114885	4619	<1	2.22	5	62	12	1	1.35	6	23	344	57	3.71	0.07	14	1.68	425	19	0.07	51	602	6	<5	<5	0.05	<10	40	2301	<1	40	<10	3	41
114886	4620	<1	2.00	9	57	23	2	1.03	7	25	200	69	4.34	0.13	17	1.78	407	21	0.05	50	612	11	<5	<5	0.03	<10	20	1858	<1	33	<10	4	45
114887	4621	<1	2.16	10	63	24	1	1.06	7	30	255	77	4.30	0.23	21	1.91	416	23	0.06	54	691	10	<5	<5	0.04	<10	26	2255	<1	39	<10	6	42
114888	4622	<1	1.95	6	62	20	1	1.40	6	22	220	86	3.67	0.19	20	1.86	416	21	0.05	55	650	9	<5	<5	0.03	<10	20	1833	<1	34	<10	4	45
114889	4623	<1	1.61	10	64	16	2	1.97	7	29	277	81	4.66	0.13	21	1.47	411	19	0.06	58	643	12	<5	<5	0.04	<10	25	2123	<1	37	<10	5	30
114890	4624	<1	1.48	14	59	29	2	3.56	9	31	138	20	5.58	0.25	17	1.42	520	63	0.04	55	734	12	<5	<5	0.04	<10	17	1542	<1	39	<10	4	30
114891	4625	<1	2.13	10	63	46	1	1.59	7	25	333	30	4.20	0.59	26	2.06	427	25	0.08	60	678	9	<5	<5	0.05	<10	30	2696	<1	43	<10	5	40
114892	4625	<1	2.13	9	63	46	1	1.60	7	24	344	29	4.17	0.58	25	2.05	426	24	0.07	59	660	9	<5	<5	0.05	<10	31	2838	<1	44	<10	6	37
114893	4626	<1	1.99	5	63	35	2	1.75	7	27	277	39	4.49	0.44	24	1.95	428	20	0.06	59	682	9	<5	6	0.05	<10	31	2858	<1	44	<10	6	35
114894	4627	<1	1.84	10	76	44	2	1.18	8	33	350	21	5.39	0.60	23	1.69	342	21	0.08	69	775	12	<5	<5	0.05	<10	34	3299	<1	46	<10	6	29
114895	4628	<1	1.86	10	72	57	2	1.08	7	30	302	33	4.74	0.74	24	1.80	325	22	0.08	60	730	12	<5	<5	0.04	<10	34	3130	<1	41	<10	7	32
114896	4629	<1	1.15	8	67	18	1	1.08	7	29	325	27	4.41	0.19	13	1.04	253	15	0.07	62	742	10	<5	<5	0.04	<10	27	2410	<1	29	<10	5	22
114897	4630	<1	1.79	11	66	25	2	1.41	7	31	230	35	4.75	0.29	23	1.86	376	21	0.06	62	811	13	<5	<5	0.04	<10	29	2437	<1	37	<10	6	33

Certified By: 
 Derek Demianuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-04 02:43 PM
 Job Number: 200642033
 Date Received: 9/22/2006
 Number of Samples: 160
 Type of Sample: Core
 Date Completed: 9/29/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114898	4631	<1	1.44	6	61	21	1	1.07	7	29	244	18	4.27	0.17	17	1.51	281	19	0.05	57	719	8	<5	6	0.04	<10	24	2105	<1	28	<10	5	33
114899	4632	<1	1.25	6	69	20	1	1.54	6	30	215	19	3.80	0.15	17	1.05	252	13	0.06	55	776	9	<5	<5	0.04	<10	26	2530	<1	33	<10	6	15
114900	4633	<1	0.94	4	57	21	1	1.07	5	26	320	37	3.51	0.13	12	0.72	192	13	0.07	54	692	6	<5	<5	0.04	<10	26	2297	<1	27	<10	5	11
114901	4634	<1	0.95	3	59	18	1	1.30	5	24	186	33	3.23	0.12	15	0.92	212	12	0.05	50	672	7	<5	<5	0.05	<10	23	2018	<1	24	<10	5	18
114902	4635	<1	0.96	6	56	19	1	1.54	5	23	152	32	3.04	0.12	17	1.06	244	13	0.04	42	649	5	<5	<5	0.03	<10	17	1184	<1	16	<10	3	23
114903	4635	<1	1.02	5	59	20	<1	1.61	5	24	161	31	3.21	0.12	17	1.13	259	13	0.04	46	665	6	<5	<5	0.04	<10	18	1326	<1	18	<10	3	23
114904	4636	<1	1.18	4	56	33	1	1.13	5	21	195	23	3.18	0.16	18	1.14	251	14	0.05	38	584	7	<5	<5	0.04	<10	22	1540	<1	21	<10	4	23
114905	4637	<1	0.95	4	62	34	1	1.55	5	19	213	23	3.25	0.15	12	0.79	214	13	0.07	29	545	8	<5	<5	0.04	<10	23	1416	<1	19	<10	5	15
114906	4638	<1	1.22	4	62	34	<1	1.12	5	19	230	30	2.97	0.15	15	1.06	250	13	0.07	32	536	9	<5	<5	0.04	<10	26	1759	<1	22	<10	6	19
114907	4639	<1	1.26	3	59	30	<1	0.84	4	19	265	38	2.71	0.14	15	1.07	261	13	0.07	32	509	5	<5	<5	0.04	<10	29	1874	<1	22	<10	6	22
114908	4640	<1	1.25	7	58	27	1	1.13	4	21	205	63	2.59	0.11	15	1.05	284	12	0.06	33	533	5	<5	<5	0.04	<10	29	1874	<1	22	<10	6	22
114909	4641	<1	1.31	4	63	31	<1	2.53	5	21	287	69	2.96	0.12	15	1.08	356	13	0.07	34	552	7	<5	<5	0.05	<10	34	2382	<1	25	<10	7	23
114910	4642	<1	1.16	2	60	29	1	1.63	<4	19	200	41	2.57	0.11	14	1.03	323	13	0.06	29	528	7	<5	<5	0.04	<10	25	2083	<1	22	<10	6	25
114911	4643	<1	1.29	3	54	39	<1	1.48	4	19	260	37	2.67	0.15	15	1.09	335	13	0.06	30	536	6	<5	<5	0.04	<10	25	2039	<1	21	<10	6	31
114912	4644	<1	1.03	5	59	28	<1	1.20	4	21	241	50	2.59	0.12	12	0.88	280	12	0.06	31	517	6	<5	<5	0.04	<10	24	2071	<1	21	<10	7	20
114913	4645	<1	1.09	6	57	18	<1	1.14	5	25	303	47	3.01	0.08	13	0.90	286	13	0.08	36	507	6	<5	<5	0.04	<10	30	2214	<1	24	<10	7	22
114914	4645	<1	1.07	3	57	18	1	1.12	5	25	292	47	3.01	0.08	13	0.90	284	13	0.08	35	524	8	<5	<5	0.04	<10	28	2087	<1	23	<10	7	23
114915	4646	<1	1.27	5	57	18	1	1.25	5	40	232	28	3.25	0.08	16	1.10	329	14	0.07	39	548	6	<5	<5	0.04	<10	31	2066	<1	24	<10	6	28
114916	4647	<1	3.09	5	61	28	1	2.43	7	20	249	5	4.19	0.10	34	2.69	780	32	0.05	106	610	5	<5	<5	0.05	<10	38	2692	<1	54	<10	6	72
114917	4648	<1	2.03	6	65	18	1	1.27	6	30	194	25	3.77	0.09	29	1.85	517	20	0.06	62	712	8	<5	<5	0.04	<10	49	2291	<1	40	<10	4	40
114918	4649	<1	2.38	6	58	25	1	1.29	6	29	212	29	3.92	0.13	29	2.03	535	22	0.07	58	746	5	<5	<5	0.04	<10	52	2506	<1	38	<10	4	44
114919	4650	<1	0.22	2	60	20	<1	0.07	<4	<1	7	3	0.43	0.12	2	0.05	<100	1	0.07	3	<100	3	<5	<5	0.02	<10	6	<100	<1	<2	<10	1	5

Certified By: 
 Derek Demianiuk, H.Bsc.

Kodiak Resources Limited
 Date Created: 06-10-04 02:43 PM
 Job Number: 200642033
 Date Received: 9/22/2006
 Number of Samples: 160
 Type of Sample: Core
 Date Completed: 9/29/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag	Al	As	B	Ba	Be	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
114920	4651	<1	0.02	3	63	2	<1	0.02	<4	<1	2	3	0.02	0.01	<1	<0.01	<100	<1	0.01	<1	<100	<1	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	1
114921	4652	<1	3.15	9	60	19	2	3.94	9	34	188	14	5.44	0.10	37	2.50	845	28	0.05	86	741	10	<5	<5	0.05	<10	36	1808	<1	55	<10	5	81
114922	4653	<1	2.72	8	61	19	1	4.22	8	28	195	16	4.93	0.13	33	2.00	845	20	0.04	63	722	11	<5	<5	0.04	<10	38	822	<1	36	<10	5	68
114923	4654	<1	4.54	9	58	19	2	6.76	11	38	176	8	7.27	0.16	56	3.06	1421	35	0.03	108	986	15	<5	<5	0.04	<10	53	872	4	58	<10	8	113
114924	4655	<1	3.73	8	53	26	2	5.94	10	37	183	52	6.34	0.22	47	2.57	1217	26	0.03	88	898	13	<5	5	0.05	<10	49	750	<1	41	<10	8	97
114925	4655	<1	3.70	11	57	26	2	5.92	10	36	176	50	6.30	0.23	46	2.57	1226	28	0.03	86	896	11	<5	<5	0.06	<10	48	732	<1	41	<10	8	96
114926	4656	<1	3.92	11	59	20	2	7.05	9	26	148	69	5.94	0.20	54	2.78	1368	30	0.02	96	984	8	<5	<5	0.05	<10	51	818	2	44	<10	7	105
114927	4657	<1	2.52	17	56	34	2	4.66	8	32	172	150	5.07	0.30	36	1.78	891	18	0.02	68	809	13	<5	5	0.04	<10	39	757	1	19	<10	6	63
114928	4658	<1	2.45	14	57	34	2	7.01	8	37	225	29	4.81	0.26	32	1.71	1134	20	0.02	60	717	8	<5	<5	0.05	<10	55	731	5	19	419	6	62
114929	4659	<1	2.35	10	52	38	1	5.87	7	29	391	23	4.57	0.29	29	1.54	912	21	0.02	55	795	6	7	<5	0.05	<10	46	828	4	20	860	8	56
114930	4660	<1	4.48	15	58	33	2	5.38	10	25	179	58	6.61	0.29	60	2.95	1314	33	0.02	98	1063	11	<5	<5	0.04	<10	41	1603	3	47	19	6	125
114931	4661	<1	2.59	5	57	30	1	4.17	7	24	183	69	4.29	0.26	33	1.77	858	18	0.03	52	815	7	<5	<5	0.04	<10	32	966	<1	23	16	6	71
114932	4662	No Sample Received																															
114933	4663	1	3.48	16	58	33	2	6.60	11	34	198	51	6.84	0.28	35	2.27	1259	25	0.02	84	765	17	<5	<5	0.04	<10	52	514	1	32	<10	5	104
114934	4664	<1	3.26	11	61	36	2	5.19	9	33	290	42	5.99	0.30	32	2.16	1131	26	0.02	83	843	10	<5	<5	0.04	<10	43	632	<1	32	272	6	95
114935	4665	<1	2.72	6	57	25	2	6.50	8	22	162	35	4.76	0.22	27	1.80	1134	19	0.02	56	695	12	<5	<5	0.04	<10	55	107	3	20	<10	4	78
114936	4665	<1	2.70	8	57	24	1	6.45	7	21	158	34	4.71	0.22	27	1.80	1137	20	0.02	55	682	13	<5	<5	0.04	<10	55	101	<1	20	<10	4	79
114937	4666	1	3.06	12	55	28	1	5.44	8	24	227	54	5.20	0.25	31	1.95	1041	25	0.02	57	682	7	<5	<5	0.04	<10	41	631	<1	25	<10	5	83
114938	4667	<1	2.87	17	59	22	1	6.41	8	20	163	64	4.95	0.20	32	1.85	1093	20	0.02	56	695	6	<5	<5	0.04	<10	53	403	333	20	<10	5	72
114939	4668	<1	2.86	10	60	31	1	6.22	8	24	169	92	5.02	0.25	29	1.71	984	20	0.03	53	683	14	<5	<5	0.04	<10	51	467	<1	28	13	6	86
114940	4669	<1	2.90	6	57	18	1	3.66	8	23	212	21	4.78	0.11	27	1.99	752	20	0.05	51	664	15	<5	<5	0.04	<10	33	2134	<1	55	12	6	103
114941	4670	<1	2.31	8	62	20	1	1.40	6	38	320	54	3.79	0.13	15	1.65	417	18	0.04	65	690	6	<5	<5	0.04	<10	30	2267	<1	29	<10	5	45

Certified By: 
 Derek Demianuk, H.Bsc.

Accurassay Laboratories Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-04 02:43 PM
 Job Number: 200642033
 Date Recieved: 9/22/2006
 Number of Samples: 160
 Type of Sample: Core
 Date Completed: 9/29/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag	Al	As	B	Ba	Be	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
114942	4671	<1	2.33	5	57	25	1	1.15	5	23	240	39	3.29	0.16	15	1.67	383	18	0.04	51	679	4	<5	<5	0.04	<10	28	2429	<1	30	<10	4	41
114943	4672	<1	2.26	8	58	30	1	4.42	7	34	276	59	4.37	0.22	13	1.57	582	19	0.05	55	658	8	<5	<5	0.04	<10	28	2105	<1	30	<10	5	41
114944	4673	<1	2.22	7	55	32	<1	2.89	5	16	246	24	3.12	0.23	13	1.56	450	16	0.04	42	691	4	<5	<5	0.04	<10	28	2351	<1	27	<10	5	40
114945	4674	<1	2.25	5	56	37	<1	1.65	<4	12	289	5	2.34	0.24	14	1.67	348	16	0.05	50	719	3	<5	<5	0.04	<10	29	2653	<1	31	<10	5	37
114946	4675	<1	2.40	12	56	15	1	1.40	6	30	243	120	4.08	0.07	18	1.86	517	18	0.04	55	626	10	<5	7	0.04	<10	28	2276	<1	36	<10	3	49
114947	4675	<1	2.49	8	60	15	1	1.43	6	29	245	119	4.16	0.07	19	1.91	529	21	0.05	56	644	11	<5	<5	0.04	<10	28	2254	<1	37	<10	3	50
114948	4676	<1	2.61	11	53	22	1	1.52	7	30	333	129	4.32	0.11	19	1.89	537	21	0.07	57	660	14	<5	<5	0.05	<10	33	2385	<1	38	<10	3	88
114949	4677	<1	2.21	10	52	29	1	1.17	7	32	239	97	4.21	0.14	16	1.72	471	19	0.05	53	661	10	<5	<5	0.04	<10	21	1984	<1	32	<10	3	50
114950	4678	<1	2.41	10	57	22	1	1.11	7	34	228	81	4.53	0.10	17	1.89	538	20	0.05	53	670	13	<5	<5	0.04	<10	22	2163	<1	36	<10	2	65
114951	4679	<1	2.15	5	55	21	<1	1.18	5	27	217	41	3.31	0.13	21	1.68	389	18	0.04	51	635	5	<5	<5	0.03	<10	25	1878	<1	28	<10	4	38
114952	4680	<1	1.88	5	54	22	<1	1.07	4	25	254	58	2.91	0.14	18	1.48	336	15	0.04	45	588	3	<5	<5	0.04	<10	22	1826	<1	24	<10	4	36
114953	4681	<1	1.97	5	55	24	1	1.09	5	30	193	53	3.13	0.15	19	1.63	346	17	0.04	46	600	4	<5	<5	0.04	<10	20	1846	<1	25	<10	3	35
114954	4682	<1	1.61	8	44	16	1	0.84	5	38	251	23	3.14	0.10	16	1.37	310	14	0.04	41	515	7	<5	<5	0.03	<10	20	1576	<1	22	<10	3	33
114955	4683	<1	1.96	5	61	18	1	1.06	5	31	221	28	3.42	0.10	18	1.64	356	18	0.05	49	568	5	<5	<5	0.04	<10	28	1963	<1	27	<10	4	34
114956	4684	<1	1.64	5	55	15	1	1.07	5	33	293	30	3.32	0.09	16	1.40	308	16	0.06	46	557	7	<5	<5	0.03	<10	28	1908	<1	30	<10	3	29
114957	4685	<1	1.96	2	51	16	1	1.28	6	30	222	21	3.64	0.09	21	1.74	371	19	0.05	51	594	6	<5	<5	0.04	<10	24	2053	<1	32	<10	3	35
114958	4685	<1	1.75	5	56	14	<1	1.16	5	28	205	21	3.37	0.09	20	1.60	344	17	0.05	47	571	6	<5	<5	0.03	<10	21	1785	<1	29	<10	3	37
114959	4686	<1	2.05	5	53	22	<1	0.92	5	25	261	21	3.03	0.13	20	1.72	329	18	0.05	50	617	3	<5	<5	0.04	<10	24	2018	<1	28	<10	3	38
114960	4687	<1	2.18	7	54	32	1	3.58	7	34	152	18	4.34	0.17	23	1.88	770	19	0.04	64	616	8	<5	<5	0.04	<10	23	1577	<1	27	<10	4	50
114961	4688	<1	2.37	7	53	22	1	3.10	6	24	208	44	3.77	0.11	26	2.05	659	23	0.05	69	586	5	<5	<5	0.04	<10	26	1870	<1	38	<10	4	53
114962	4689	<1	1.54	3	56	14	1	1.07	5	22	169	35	3.29	0.07	19	1.57	354	17	0.05	41	567	4	<5	<5	0.03	<10	19	1650	<1	30	<10	3	40
114963	4690	<1	1.68	4	49	24	<1	0.79	4	22	234	91	2.68	0.13	20	1.46	327	15	0.05	47	589	4	<5	<5	0.03	<10	21	1865	<1	24	<10	3	35

Certified By: 
 Derek Demianiuik, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-04 02:43 PM
 Job Number: 200642033
 Date Received: 9/22/2006
 Number of Samples: 160
 Type of Sample: Core
 Date Completed: 9/29/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114964	4691	<1	1.48	5	57	15	1	0.90	5	25	167	22	3.19	0.08	20	1.49	318	16	0.05	44	565	5	<5	<5	0.03	<10	17	1705	<1	26	<10	2	35
114965	4692	<1	1.52	5	53	23	1	1.01	5	25	256	45	3.31	0.12	18	1.45	301	16	0.05	48	599	7	<5	<5	0.04	<10	21	1997	<1	27	<10	3	31
114966	4693	<1	1.82	5	55	17	1	1.35	5	23	205	31	3.28	0.10	25	1.75	426	19	0.05	47	610	6	<5	<5	0.03	<10	22	1817	<1	29	<10	2	38
114967	4694	<1	1.95	3	56	16	1	1.18	5	24	260	37	3.29	0.08	24	1.73	441	20	0.06	47	599	6	<5	<5	0.04	<10	29	2078	<1	34	<10	3	38
114968	4695	<1	1.87	4	54	22	1	1.22	5	23	189	37	3.54	0.10	26	1.68	480	19	0.05	47	625	6	<5	<5	0.03	<10	26	2030	<1	33	<10	3	42
114969	4695	<1	1.66	5	55	20	1	1.11	5	21	171	34	3.24	0.09	25	1.55	444	16	0.05	42	596	6	<5	<5	0.03	<10	22	1830	<1	30	<10	3	41
114970	4696	<1	1.90	4	56	18	1	0.95	5	25	233	27	3.23	0.07	26	1.71	478	18	0.06	45	589	5	<5	<5	0.03	<10	27	2089	<1	36	<10	3	45
114971	4697	<1	2.09	4	56	18	1	1.42	5	24	206	44	3.43	0.08	28	1.84	522	19	0.05	52	641	6	<5	<5	0.04	<10	29	2272	<1	37	<10	4	42
114972	4698	<1	1.98	4	54	26	1	1.21	5	24	232	35	3.24	0.13	26	1.70	440	18	0.05	49	630	7	<5	<5	0.04	<10	24	1991	<1	30	<10	3	41
114973	4699	<1	1.97	6	51	20	1	2.06	5	22	195	18	3.25	0.12	26	1.73	588	21	0.04	46	628	4	<5	<5	0.04	<10	22	1698	<1	26	<10	2	40
114974	4700	<1	0.20	2	54	17	<1	0.06	<4	<1	9	3	0.39	0.11	1	0.04	<100	1	0.07	2	<100	<1	<5	<5	0.02	<10	5	<100	<1	<2	<10	1	3
114975	4701	<1	0.02	3	55	2	<1	0.02	<4	<1	11	4	0.02	0.01	<1	<0.01	<100	<1	0.01	2	<100	2	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	<1
114976	4702	<1	2.04	8	40	44	1	6.46	6	18	241	50	3.48	0.28	28	1.55	939	17	0.03	41	531	7	<5	<5	0.05	<10	30	1330	<1	22	<10	3	36
114977	4703	<1	2.04	5	55	17	1	0.87	5	27	202	50	3.34	0.08	27	1.83	473	20	0.04	53	613	4	<5	<5	0.04	<10	22	1939	<1	29	<10	3	45
114978	4704	<1	1.98	5	58	18	<1	0.90	5	21	231	71	2.93	0.07	25	1.71	505	19	0.05	46	590	6	<5	<5	0.03	<10	33	2046	<1	32	<10	3	46
114979	4705	<1	1.82	6	55	22	1	0.91	5	27	206	69	3.42	0.08	23	1.67	469	18	0.05	48	570	6	<5	<5	0.03	<10	27	1792	<1	30	<10	3	44
114980	4705	<1	1.99	7	58	24	1	0.99	6	29	221	70	3.63	0.08	24	1.79	504	20	0.05	52	602	6	<5	<5	0.04	<10	29	1991	250	33	<10	3	45
114981	4706	<1	1.53	7	52	17	1	1.57	7	25	224	43	4.37	0.10	21	1.55	400	19	0.06	53	596	9	<5	11	0.03	<10	22	1692	<1	28	<10	3	38
114982	4707	<1	1.83	5	54	17	1	1.25	7	28	180	54	4.70	0.10	26	1.93	464	22	0.05	54	660	12	<5	7	0.03	<10	22	1819	<1	31	<10	3	48
114983	4708	<1	1.82	5	54	22	2	1.09	9	38	286	61	6.10	0.13	22	1.70	374	21	0.06	67	639	14	<5	9	0.04	<10	26	1883	<1	27	<10	4	39
114984	4709	<1	1.38	5	60	24	1	9.56	7	30	148	48	4.28	0.18	19	1.27	785	16	0.04	46	515	10	<5	12	0.04	<10	34	990	<1	16	<10	7	28
114985	4710	<1	1.88	6	59	35	1	1.77	6	29	301	42	4.06	0.22	21	1.61	399	19	0.06	60	660	8	<5	6	0.04	<10	28	2054	<1	29	<10	6	36

Certified By: 
 Derek Demjaniuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-04 02:43 PM
 Job Number: 200642033
 Date Received: 9/22/2006
 Number of Samples: 160
 Type of Sample: Core
 Date Completed: 9/29/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114986	4711	<1	1.77	9	55	19	<1	1.51	5	23	215	31	3.13	0.12	24	1.78	390	17	0.05	56	684	5	<5	<5	0.04	<10	28	2009	<1	28	<10	4	41
114987	4712	<1	1.91	5	58	15	1	1.49	5	24	226	37	3.57	0.08	25	1.97	429	20	0.05	55	692	7	<5	8	0.04	<10	28	2086	<1	35	<10	3	42
114988	4713	<1	2.21	6	55	17	<1	1.54	5	24	234	33	3.20	0.10	28	1.88	482	18	0.04	58	632	5	<5	<5	0.03	<10	29	2007	<1	31	<10	4	56
114989	4714	<1	1.93	5	56	24	1	1.84	5	28	293	33	3.35	0.16	23	1.48	443	14	0.05	57	628	7	<5	<5	0.03	<10	30	1743	<1	27	<10	4	59
114990	4715	<1	2.86	5	55	17	1	5.40	7	26	206	44	4.59	0.13	39	2.33	967	27	0.03	82	723	10	<5	<5	0.04	<10	41	1013	1	41	<10	5	86
114991	4715	<1	2.90	8	56	17	1	5.43	7	26	205	45	4.61	0.13	39	2.36	980	27	0.03	82	728	10	<5	<5	0.04	<10	41	1061	<1	42	<10	5	88
114992	4716	<1	2.11	8	55	28	1	4.62	7	24	198	49	4.25	0.32	31	1.63	734	19	0.04	57	649	9	<5	5	0.03	<10	28	1089	<1	22	<10	5	58
114993	4717	<1	1.44	6	55	26	<1	4.05	5	18	254	15	3.30	0.26	24	1.17	615	32	0.02	41	548	7	<5	<5	0.03	<10	33	681	<1	13	<10	4	39
114994	4718	<1	1.48	5	54	24	<1	3.28	5	18	373	10	3.15	0.22	22	1.23	635	64	0.02	47	509	9	<5	<5	0.03	<10	26	585	<1	18	<10	3	40
114995	4719	<1	2.25	7	55	26	1	4.74	6	29	156	6	3.96	0.21	28	1.69	870	20	0.03	50	666	9	<5	<5	0.03	<10	30	838	<1	24	<10	6	64
114996	4720	<1	2.93	9	56	30	2	7.38	8	22	167	6	5.20	0.28	34	1.99	1269	32	0.02	60	761	12	<5	<5	0.04	<10	64	980	2	30	<10	5	71
114997	4721	<1	2.23	7	57	23	1	4.38	7	24	147	16	4.40	0.22	25	1.56	876	41	0.03	46	654	8	<5	<5	0.03	<10	35	714	<1	22	<10	4	65
114998	4722	<1	2.96	17	58	30	2	4.70	8	25	163	221	5.16	0.25	30	1.90	1008	22	0.04	55	736	17	<5	<5	0.04	<10	36	1055	2	36	<10	5	86
114999	4723	<1	2.91	7	62	18	2	3.49	9	32	159	108	5.59	0.11	24	1.99	875	21	0.04	59	697	10	<5	<5	0.04	<10	28	1517	<1	49	<10	5	86
115000	4724	<1	2.55	7	60	27	1	2.43	7	23	294	27	4.34	0.14	22	1.73	655	22	0.06	54	672	8	<5	<5	0.04	<10	29	2344	1	46	<10	5	64
115001	4725	<1	2.75	8	55	32	2	2.57	7	25	305	37	4.66	0.16	24	1.81	691	20	0.07	58	688	9	<5	<5	0.04	<10	32	2608	<1	49	<10	5	62
115002	4725	<1	2.56	7	58	30	1	2.42	7	25	296	36	4.43	0.16	22	1.71	656	17	0.07	57	652	10	<5	<5	0.04	<10	31	2405	<1	46	<10	5	65
115003	164689	1	1.45	162	55	48	2	2.54	11	32	263	143	6.98	0.31	15	0.88	587	19	0.03	66	709	28	<5	<5	0.04	<10	29	135	<1	15	<10	5	106
115029	164713	<1	3.11	13	41	21	1	2.11	7	25	284	52	4.47	0.11	35	2.10	720	21	0.06	63	637	11	<5	<5	0.04	<10	34	2511	<1	46	<10	4	88

Certified By: 
 Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.



1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 622-7571 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Certificate of Analysis


Tuesday, October 10, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 06-Oct-06
Date Completed : 10-Oct-06
Job # 200642189
Reference : HER
Sample #: 3 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
123475	4661	89	0.003	0.089
123476	4662	675	0.020	0.675
123477	4663	3510	0.102	3.510
123478 Check	4663	3832	0.112	3.832

PROCEDURE CODES: AL4AU3, AL4IGPAR

Certified By: 
Derek Demlanuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 1

AL903-0235-10/10/2006 09:07 AM

Accurassay Laboratories Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-10-16 12:39 PM
 Job Number: 200642189
 Date Received: 10/6/2006
 Number of Samples: 3
 Type of Sample: Core
 Date Completed: 10/10/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
123475	4661	<1	2.87	12	63	44	<1	4.17	<4	21	252	75	4.38	0.50	31	1.35	657	7	0.06	37	654	9	<5	<5	0.17	<10	36	827	2	22	<10	6	54
123476	4662	<1	3.31	15	61	34	<1	5.06	<4	23	379	102	5.51	0.38	32	1.67	846	8	0.04	63	582	10	<5	<5	0.15	<10	43	967	<1	31	22	4	68
123477	4663	<1	3.84	15	68	37	<1	6.58	<4	27	285	55	6.79	0.44	37	1.88	1033	9	0.04	68	590	19	<5	<5	0.19	<10	59	684	3	32	15	5	86
123478	4663	2	3.83	17	68	38	<1	6.54	<4	28	284	52	6.73	0.43	36	1.87	1023	9	0.04	66	622	15	<5	<5	0.16	<10	58	692	1	32	14	5	87

Certified By: 
 Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Certificate of Analysis


Thursday, December 07, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 07-Dec-06
Job # 200642855
Reference : HER
Sample #: 127 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166304	195037	197	0.006	0.197
166305	195038	38	0.001	0.038
166306	195039	598	0.017	0.598
166307	195040	649	0.019	0.649
166308	195041	128	0.004	0.128
166309	195042	507	0.015	0.507
166310	195043	187	0.005	0.187
166311	195044	208	0.006	0.208
166312	195045	151	0.004	0.151
166313	195046	46	0.001	0.046
166314 Check	195046	43	0.001	0.043
166315	195047	200	0.006	0.200
166316	195048	121	0.004	0.121
166317	195049	31	<0.001	0.031
166318	195050	6961	0.203	6.961
166319	195051	<5	<0.001	<0.005
166320	195052	69	0.002	0.069
166321	195053	134	0.004	0.134
166322	195054	14	<0.001	0.014
166323	195055	22	<0.001	0.022
166324	195056	12	<0.001	0.012
166325 Check	195056	13	<0.001	0.013
166326	195057	134	0.004	0.134

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
Derek Demlianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 7



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Certificate of Analysis


Thursday, December 07, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 07-Dec-06
Job # 200642855
Reference : HER
Sample #: 127 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166327	195058	835	0.024	0.835
166328	195059	503	0.015	0.503
166329	195060	944	0.028	0.944
166330	195061	521	0.015	0.521
166331	195062	636	0.019	0.636
166332	195063	215	0.006	0.215
166333	195064	191	0.006	0.191
166334	195065	355	0.010	0.355
166335	195066	49	0.001	0.049
166336 Check	195066	53	0.002	0.053
166337	195067	76	0.002	0.076
166338	195068	20	<0.001	0.020
166339	195069	8	<0.001	0.008
166340	195070	2248	0.066	2.248
166341	195071	677	0.020	0.677
166342	195072	164	0.005	0.164
166343	195073	22	<0.001	0.022
166344	195074	84	0.002	0.084
166345	195075	480	0.014	0.480
166346	195076	276	0.008	0.276
166347 Check	195076	217	0.006	0.217
166348	195077	37	0.001	0.037
166349	195078	59	0.002	0.059

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 2 of 7

AL903-0235-12/07/2006 01:22 PM



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

1611

Certificate of Analysis

Thursday, December 07, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 07-Dec-06
Job # 200642855
Reference : HER
Sample #: 127 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166350	195079	6	<0.001	0.006
166351	195080	<5	<0.001	<0.005
166352	195081	7	<0.001	0.007
166353	195082	37	0.001	0.037
166354	195083	<5	<0.001	<0.005
166355	195084	615	0.018	0.615
166356	195085	391	0.011	0.391
166357	195086	869	0.025	0.869
166358 Check	195086	780	0.023	0.780
166359	195087	500	0.015	0.500
166360	195088	777	0.023	0.777
166361	195089	361	0.011	0.361
166362	195090	1597	0.047	1.597
166363	195091	462	0.013	0.462
166364	195092	94	0.003	0.094
166365	195093	14	<0.001	0.014
166366	195094	18	<0.001	0.018
166367	195095	13	<0.001	0.013
166368	195096	80	0.002	0.080
166369 Check	195096	75	0.002	0.075
166370	195097	8	<0.001	0.008
166371	195098	57	0.002	0.057
166372	195099	146	0.004	0.146

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:
Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, December 07, 2006


Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 07-Dec-06
Job # 200642855
Reference : HER

Sample #: 127 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166373	195100	6916	0.202	6.916
166374	195101	6	<0.001	0.006
166375	195102	52	0.002	0.052
166376	195103	402	0.012	0.402
166377	195104	108	0.003	0.108
166378	195105	165	0.005	0.165
166379	195106	714	0.021	0.714
166380 Check	195106	735	0.021	0.735
166381	195107	19	<0.001	0.019
166382	195108	48	0.001	0.048
166383	195109	104	0.003	0.104
166384	195110	57	0.002	0.057
166385	195111	47	0.001	0.047
166386	195112	138	0.004	0.138
166387	195113	934	0.027	0.934
166388	195114	284	0.008	0.284
166389	195115	215	0.006	0.215
166390	195116	117	0.003	0.117
166391 Check	195116	134	0.004	0.134
166392	195117	19	<0.001	0.019
166393	195118	496	0.014	0.496
166394	195119	382	0.011	0.382
166395	195120	8	<0.001	0.008

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
Derek Demlaniuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 4 of 7



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis


Thursday, December 07, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 07-Dec-06
Job # 200642855
Reference : HER
Sample #: 127 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166396	195121	16	<0.001	0.016
166397	195122	9	<0.001	0.009
166398	195123	70	0.002	0.070
166399	195124	<5	<0.001	<0.005
166400	195125	9	<0.001	0.009
166401	195126	105	0.003	0.105
166402 Check	195126	109	0.003	0.109
166403	195127	106	0.003	0.106
166404	195128	3333	0.097	3.333
166405	195129	1770	0.052	1.770
166406	195130	519	0.015	0.519
166407	195131	637	0.019	0.637
166408	195132	798	0.023	0.798
166409	195133	1321	0.039	1.321
166410	195134	1891	0.055	1.891
166411	195135	572	0.017	0.572
166412	195136	78	0.002	0.078
166413 Check	195136	78	0.002	0.078
166414	195137	17	<0.001	0.017
166415	195138	53	0.002	0.053
166416	195139	36	0.001	0.036
166417	195140	6	<0.001	0.006
166418	195141	235	0.007	0.235

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 
Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 5 of 7

AL903-0235-12/07/2006 01:22 PM



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, December 07, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 07-Dec-06
Job # 200642855
Reference : HER

Sample #: 127 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166419	195142	158	0.005	0.158
166420	195143	9	<0.001	0.009
166421	195144	790	0.023	0.790
166422	195145	994	0.029	0.994
166423	195146	244	0.007	0.244
166424 Check	195146	322	0.009	0.322
166425	195147	43	0.001	0.043
166426	195148	15	<0.001	0.015
166427	195149	66	0.002	0.066
166428	195150	7625	0.222	7.625
166429	195151	6	<0.001	0.006
166430	195152	10	<0.001	0.010
166431	195153	39	0.001	0.039
166432	195154	32	<0.001	0.032
166433	195155	79	0.002	0.079
166434	195156	244	0.007	0.244
166435 Check	195156	269	0.008	0.269
166436	195157	46	0.001	0.046
166437	195158	524	0.015	0.524
166438	195159	51	0.001	0.051
166439	195160	15	<0.001	0.015
166440	195161	47	0.001	0.047
166441	195162	13	<0.001	0.013

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By

Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 6 of 7

AL903-0235-12/07/2006 01:22 PM



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626 1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, December 07, 2006


Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 07-Dec-06
Job # 200642855
Reference : HER
Sample #: 127 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166442	195163	16	<0.001	0.016

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:


Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 7 of 7

AL903-0235-12/07/2006 01:22 PM

Accurassay Laboratories Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-12-08 10:02 AM
 Job Number: 200642855
 Date Recieved: 12/4/2006
 Number of Samples: 127
 Type of Sample: Core
 Date Completed: 12/7/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
166304	195037	<1	0.69	8	59	96	<1	1.39	<4	4	489	9	1.82	0.42	2	0.13	369	6	0.10	5	193	1	<5	<5	0.10	<10	36	331	1	4	<10	6	3
166305	195038	<1	0.70	4	60	93	<1	1.44	<4	3	596	5	2.00	0.41	1	0.11	458	6	0.13	1	198	<1	<5	<5	0.11	<10	36	166	4	4	<10	6	<1
166306	195039	<1	0.47	5	59	63	<1	1.40	<4	4	329	5	1.62	0.31	<1	0.08	372	5	0.06	<1	191	<1	<5	<5	0.08	<10	28	<100	3	3	<10	5	<1
166307	195040	1	0.63	8	65	85	<1	1.39	<4	6	566	20	2.05	0.45	2	0.05	325	10	0.05	1	195	2	<5	<5	0.06	<10	26	<100	4	3	<10	5	<1
166308	195041	<1	0.62	7	57	77	<1	1.91	<4	4	442	7	1.41	0.43	2	0.05	361	7	0.04	<1	185	<1	<5	<5	0.10	<10	30	<100	5	<2	<10	7	<1
166309	195042	<1	0.93	7	58	103	<1	1.82	<4	5	579	10	1.81	0.55	5	0.07	355	7	0.08	1	213	<1	<5	<5	0.10	<10	30	<100	5	<2	<10	7	<1
166310	195043	<1	0.86	8	57	113	<1	0.41	<4	13	525	2	2.31	0.56	2	0.05	116	10	0.04	3	178	5	<5	<5	0.10	<10	20	<100	5	3	<10	6	<1
166311	195044	<1	1.07	7	59	125	<1	1.34	<4	4	681	7	1.57	0.66	2	0.08	340	7	0.08	2	215	<1	<5	<5	0.08	<10	8	<100	2	3	<10	4	<1
166312	195045	<1	0.91	8	57	102	<1	1.59	<4	5	558	11	1.78	0.57	1	0.06	349	9	0.06	2	172	1	<5	<5	0.10	<10	29	<100	2	2	<10	5	<1
166313	195046	<1	0.61	6	54	77	<1	1.68	<4	3	398	48	1.27	0.44	<1	0.03	345	6	0.03	<1	224	2	<5	<5	0.12	<10	33	<100	1	<2	<10	6	<1
166314	195046	<1	0.62	5	55	79	<1	1.76	<4	3	409	52	1.31	0.45	<1	0.04	360	6	0.03	<1	226	3	<5	<5	0.13	<10	34	<100	7	<2	<10	6	<1
166315	195047	<1	0.70	5	57	90	<1	0.61	<4	7	383	6	1.51	0.50	2	0.04	140	18	0.02	<1	201	2	<5	<5	0.10	<10	11	<100	4	3	<10	4	<1
166316	195048	<1	0.13	6	62	14	<1	0.08	<4	2	980	11	0.91	0.08	<1	<0.01	<100	95	0.02	5	<100	<1	<5	<5	0.04	<10	<3	<100	3	3	<10	<1	<1
166317	195049	<1	0.10	4	66	14	<1	0.40	<4	2	897	5	0.91	0.06	<1	0.02	116	12	0.02	7	<100	<1	<5	<5	0.03	<10	5	<100	2	<2	<10	<1	<1
166318	195050	<1	0.29	5	75	98	<1	0.19	<4	<1	4	<1	0.41	0.03	<1	0.09	<100	<1	0.12	<1	373	<1	<5	<5	0.05	<10	10	<100	2	<2	<10	3	<1
166319	195051	<1	0.03	3	84	<1	<1	0.02	<4	<1	<1	<1	0.02	0.01	<1	<0.01	<100	<1	0.01	<1	<100	<1	<5	<5	0.02	<10	<3	<100	1	<2	<10	<1	<1
166320	195052	<1	0.72	4	67	110	<1	2.14	<4	6	235	2	1.47	0.39	3	0.66	572	4	0.09	15	393	3	<5	<5	0.09	<10	43	<100	3	6	<10	5	38
166321	195053	<1	0.67	5	66	98	<1	2.67	<4	9	296	10	1.54	0.38	2	0.41	548	4	0.07	16	399	4	<5	<5	0.09	<10	30	<100	2	6	<10	6	65
166322	195054	<1	0.05	5	71	4	<1	0.18	<4	1	1124	5	0.79	0.03	<1	<0.01	100	8	0.02	7	<100	<1	<5	<5	0.02	<10	<3	<100	<1	2	<10	<1	<1
166323	195055	<1	0.04	4	73	3	<1	0.06	<4	<1	1052	4	0.75	0.02	<1	<0.01	<100	10	0.02	7	<100	<1	<5	<5	0.02	<10	<3	<100	<1	2	<10	<1	<1
166324	195056	<1	0.03	3	65	1	<1	0.04	<4	<1	1017	4	0.70	0.01	<1	<0.01	<100	11	0.01	5	<100	<1	<5	<5	0.02	<10	<3	<100	<1	2	<10	<1	<1
166325	195056	<1	0.03	4	69	1	<1	0.04	<4	<1	946	3	0.66	0.01	<1	<0.01	<100	10	0.01	4	<100	<1	<5	<5	0.02	<10	<3	<100	2	<2	<10	<1	<1

Certified By: 
 Derek Demianiuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-12-08 10:02 AM
 Job Number: 200642855
 Date Received: 12/4/2006
 Number of Samples: 127
 Type of Sample: Core
 Date Completed: 12/7/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
166348	195077	<1	0.85	6	62	104	<1	1.65	<4	4	505	10	1.72	0.57	2	0.05	349	6	0.04	<1	194	2	<5	<5	0.09	<10	31	122	4	2	<10	5	<1
166349	195078	<1	0.64	5	56	89	<1	1.36	<4	5	543	13	1.71	0.37	3	0.08	290	6	0.08	<1	168	<1	<5	<5	0.08	<10	19	260	3	3	<10	5	<1
166350	195079	<1	1.84	6	69	83	<1	>10.00	<4	42	289	44	5.30	0.55	26	4.28	1938	<1	0.02	188	771	8	<5	<5	0.07	<10	397	170	2	59	<10	9	59
166351	195080	<1	1.62	5	65	102	<1	>10.00	<4	38	294	10	5.10	0.79	24	4.71	1812	<1	0.02	210	719	8	<5	<5	0.08	<10	416	505	3	54	<10	8	84
166352	195081	<1	0.76	5	69	94	<1	1.45	<4	5	468	21	1.94	0.40	6	0.18	388	5	0.10	2	195	<1	<5	<5	0.06	<10	36	595	2	5	<10	9	5
166353	195082	<1	0.69	4	61	95	<1	2.06	<4	7	467	6	1.96	0.37	4	0.14	506	6	0.09	<1	199	<1	<5	<5	0.09	<10	33	424	5	3	<10	6	<1
166354	195083	<1	0.58	6	65	95	<1	2.06	<4	7	467	6	1.96	0.37	2	0.19	403	5	0.08	3	250	1	<5	<5	0.07	<10	63	112	3	5	<10	7	<1
166355	195084	<1	0.84	7	62	95	<1	1.74	<4	6	443	4	1.82	0.50	4	0.13	338	5	0.06	<1	237	<1	<5	<5	0.11	<10	27	<100	3	5	<10	5	<1
166356	195085	<1	0.60	4	68	60	<1	1.81	<4	4	454	15	1.78	0.31	2	0.16	377	5	0.09	<1	242	<1	<5	<5	0.07	<10	26	<100	6	5	<10	6	<1
166357	195086	<1	0.86	6	68	90	<1	1.36	<4	6	487	10	1.84	0.48	2	0.13	286	6	0.09	2	249	<1	<5	<5	0.10	<10	24	<100	2	6	<10	6	<1
166358	195086	<1	0.85	6	58	89	<1	1.31	<4	5	473	9	1.77	0.47	2	0.13	273	5	0.08	1	235	<1	<5	<5	0.13	<10	23	<100	4	6	<10	6	<1
166359	195087	<1	0.73	6	65	81	<1	1.75	<4	5	414	6	1.52	0.43	1	0.13	332	5	0.07	3	244	<1	<5	<5	0.11	<10	39	<100	2	5	<10	6	<1
166360	195088	1	0.70	7	65	85	<1	1.68	<4	5	427	4	1.51	0.45	<1	0.05	324	6	0.07	<1	255	<1	<5	<5	0.09	<10	35	<100	2	5	<10	6	<1
166361	195089	<1	0.74	5	55	88	<1	1.15	<4	7	568	5	1.96	0.46	2	0.07	225	9	0.06	6	294	1	<5	<5	0.07	<10	13	<100	3	5	<10	5	<1
166362	195090	6	0.76	7	62	85	<1	0.51	<4	5	615	6	1.80	0.49	5	0.07	128	232	0.02	6	239	2	<5	<5	0.09	<10	8	<100	2	6	<10	3	<1
166363	195091	2	0.62	5	54	82	<1	0.16	<4	5	514	12	1.88	0.43	<1	0.03	<100	102	0.03	3	169	6	<5	<5	0.07	<10	5	<100	2	3	<10	3	<1
166364	195092	<1	0.11	4	62	13	<1	0.04	<4	2	1145	7	1.06	0.08	<1	<0.01	<100	20	0.01	9	<100	1	<5	<5	0.04	<10	<3	<100	3	2	<10	<1	<1
166365	195093	<1	0.03	3	37	2	<1	0.02	<4	<1	1004	4	0.71	0.02	<1	<0.01	<100	6	<0.01	5	<100	<1	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	<1
166366	195094	<1	0.05	5	69	4	<1	0.05	<4	1	1065	5	0.78	0.03	<1	<0.01	<100	7	0.01	7	<100	<1	<5	<5	0.03	<10	<3	<100	<1	2	<10	<1	<1
166367	195095	<1	0.05	3	55	4	<1	0.04	<4	1	979	4	0.69	0.03	<1	<0.01	<100	5	0.01	4	<100	<1	<5	<5	0.03	<10	<3	<100	3	2	<10	<1	<1
166368	195096	<1	0.81	6	67	22	<1	3.98	<4	13	728	6	2.34	0.15	13	1.93	890	6	0.02	119	243	2	<5	<5	0.09	<10	89	<100	3	19	<10	3	59
166369	195096	<1	0.79	6	63	22	<1	3.89	<4	13	706	7	2.30	0.15	13	1.89	859	6	0.02	115	244	<1	<5	<5	0.06	<10	87	<100	3	19	<10	3	155

Certified By 
 Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-12-08 10:02 AM
 Job Number: 200642855
 Date Recieved: 12/4/2006
 Number of Samples: 127
 Type of Sample: Core
 Date Completed: 12/7/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
166370	195097	<1	0.04	4	51	4	<1	0.12	<4	<1	883	4	0.70	0.03	<1	0.01	<100	5	<0.01	5	<100	<1	<5	<5	0.03	<10	<3	<100	<1	<2	<10	<1	<1
166371	195098	<1	0.15	4	50	18	<1	0.13	<4	2	849	5	0.99	0.11	<1	0.01	<100	6	0.01	7	<100	<1	<5	<5	0.04	<10	<3	<100	3	3	<10	<1	<1
166372	195099	<1	0.04	3	52	3	<1	0.08	<4	2	972	5	0.82	0.03	<1	<0.01	<100	10	0.01	6	<100	<1	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	<1
166373	195100	<1	0.25	4	55	92	<1	0.18	<4	<1	3	<1	0.38	0.02	<1	0.08	<100	<1	0.10	<1	359	<1	<5	<5	0.04	<10	10	<100	<1	<2	<10	<1	<1
166374	195101	<1	0.03	3	62	<1	<1	0.02	<4	<1	<1	<1	0.02	<0.01	<1	<0.01	<100	<1	0.01	<1	<100	<1	<5	<5	0.02	<10	<3	<100	1	<2	<10	<1	<1
166375	195102	<1	0.03	4	56	1	<1	0.40	<4	2	812	5	0.70	0.01	<1	0.02	113	5	0.01	5	<100	<1	<5	<5	0.02	<10	3	<100	2	<2	<10	<1	<1
166376	195103	<1	1.99	9	49	64	<1	5.39	<4	30	271	1	4.19	0.44	25	1.75	1025	87	0.02	93	428	3	<5	<5	0.06	<10	58	<100	1	30	<10	8	133
166377	195104	<1	0.51	4	53	62	<1	3.93	<4	9	630	2	2.71	0.34	1	1.22	1069	11	0.02	16	286	2	<5	<5	0.09	<10	100	<100	2	9	<10	8	3
166378	195105	<1	2.85	5	50	83	<1	2.54	<4	36	256	10	6.05	0.46	39	2.31	748	30	0.03	96	587	8	<5	<5	0.09	<10	47	101	4	62	<10	6	172
166379	195106	2	1.52	9	55	46	<1	3.38	<4	33	490	65	4.42	0.25	20	2.19	823	18	0.04	89	337	12	<5	<5	0.07	<10	102	<100	2	47	<10	4	85
166380	195106	2	1.56	9	53	46	<1	3.47	<4	33	491	68	4.55	0.25	21	2.25	843	19	0.04	91	351	13	<5	<5	0.08	<10	105	<100	5	48	<10	4	86
166381	195107	<1	2.17	5	58	55	<1	7.79	<4	27	433	39	4.63	0.30	35	3.88	1716	2	0.03	166	562	7	<5	<5	0.08	<10	211	<100	3	51	<10	9	154
166382	195108	<1	0.44	9	49	57	<1	0.15	<4	4	642	11	1.45	0.31	<1	0.04	<100	7	0.02	3	105	8	<5	<5	0.08	<10	5	<100	1	2	<10	2	<1
166383	195109	<1	0.45	5	44	56	<1	0.09	<4	4	549	8	1.85	0.32	<1	0.03	<100	9	0.02	2	105	7	<5	<5	0.08	<10	5	<100	1	2	<10	2	<1
166384	195110	<1	0.71	6	52	73	<1	0.84	<4	6	506	22	1.95	0.44	1	0.10	166	7	0.02	4	212	6	<5	<5	0.07	<10	11	<100	1	3	<10	4	<1
166385	195111	<1	0.63	8	45	68	<1	0.75	<4	4	534	40	1.38	0.45	<1	0.03	148	6	0.02	2	190	5	<5	<5	0.08	<10	11	<100	2	2	<10	5	<1
166386	195112	3	0.05	5	53	3	<1	0.13	<4	2	1162	8	0.86	0.03	<1	<0.01	<100	5	0.01	7	<100	<1	<5	<5	0.02	<10	<3	<100	2	<2	<10	<1	<1
166387	195113	2	0.05	5	52	4	<1	0.14	<4	1	1140	7	0.85	0.03	<1	<0.01	<100	11	<0.01	7	<100	<1	<5	<5	0.03	<10	<3	<100	4	2	<10	<1	<1
166388	195114	1	0.87	6	53	93	<1	0.54	<4	5	557	139	2.02	0.58	<1	0.05	123	10	0.03	<1	243	4	<5	<5	0.09	<10	7	<100	3	4	<10	5	<1
166389	195115	<1	0.62	7	54	71	<1	1.36	<4	4	399	38	1.45	0.44	<1	0.03	242	6	0.03	<1	209	<1	<5	<5	0.07	<10	10	<100	3	<2	<10	6	<1
166390	195116	<1	0.85	6	51	97	<1	0.28	<4	5	570	5	1.85	0.57	<1	0.04	<100	7	0.02	2	180	3	<5	<5	0.08	<10	5	<100	3	3	<10	4	<1
166391	195116	<1	0.79	6	45	92	<1	0.26	<4	5	546	5	1.79	0.54	<1	0.04	<100	7	0.02	2	171	3	<5	<5	0.08	<10	5	<100	3	3	<10	4	<1

Certified By: 
 Derek Demianiuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-12-08 10:02 AM
 Job Number: 200642855
 Date Recieved: 12/4/2006
 Number of Samples: 127
 Type of Sample: Core
 Date Completed: 12/7/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025


Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
166392	195117	2	0.14	5	56	14	<1	0.10	<4	2	903	14	0.95	0.10	<1	<0.01	<100	15	0.01	4	<100	4	<5	<5	0.04	<10	<3	<100	2	2	<10	<1	<1
166393	195118	2	0.10	5	53	10	<1	0.04	<4	4	688	6	1.00	0.07	<1	<0.01	<100	15	0.01	2	<100	2	<5	<5	0.03	<10	<3	<100	<1	<2	<10	<1	<1
166394	195119	<1	0.05	3	54	3	<1	0.04	<4	1	1104	6	0.81	0.03	<1	<0.01	<100	5	0.01	6	<100	<1	<5	<5	0.03	<10	<3	<100	<1	<2	<10	<1	<1
166395	195120	<1	0.04	3	54	3	<1	0.02	<4	1	1174	6	0.86	0.02	<1	<0.01	<100	6	0.01	7	<100	<1	<5	<5	0.03	<10	<3	<100	<1	<2	<10	<1	<1
166396	195121	<1	0.04	6	59	3	<1	0.01	<4	1	1122	5	0.83	0.03	<1	<0.01	<100	17	0.01	6	<100	<1	<5	<5	0.03	<10	<3	<100	<1	<2	<10	<1	<1
166397	195122	<1	0.02	5	60	<1	<1	<0.01	<4	1	1349	5	0.92	<0.01	<1	<0.01	<100	5	0.01	9	<100	<1	<5	<5	0.02	<10	<3	<100	3	2	<10	<1	<1
166398	195123	<1	0.02	3	55	<1	<1	<0.01	<4	2	855	4	0.67	0.01	<1	<0.01	<100	4	0.01	3	<100	4	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	<1
166399	195124	<1	0.02	4	55	<1	<1	0.02	<4	2	1346	5	0.94	<0.01	<1	<0.01	<100	5	0.01	3	<100	4	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	<1
166400	195125	<1	0.03	2	62	1	<1	0.02	<4	1	1114	4	0.80	0.02	<1	<0.01	<100	5	0.01	12	<100	<1	<5	<5	0.02	<10	<3	<100	3	<2	<10	<1	<1
166401	195126	<1	0.03	6	61	1	<1	0.02	<4	3	1008	3	0.95	0.01	<1	<0.01	<100	6	0.01	7	<100	<1	<5	<5	0.02	<10	<3	<100	1	<2	<10	<1	<1
166402	195126	<1	0.02	6	56	1	<1	0.02	<4	4	1009	3	0.96	0.01	<1	<0.01	<100	5	<0.01	6	<100	<1	<5	<5	0.02	<10	<3	<100	2	<2	<10	<1	<1
166403	195127	<1	0.06	4	64	7	<1	0.03	<4	2	960	18	0.82	0.04	<1	<0.01	<100	9	0.01	6	<100	<1	<5	<5	0.03	<10	<3	<100	3	<2	<10	<1	<1
166404	195128	4	0.02	4	54	<1	<1	0.03	<4	<1	838	13	0.68	<0.01	<1	<0.01	<100	8	0.01	4	<100	<1	<5	<5	0.02	<10	<3	<100	2	<2	<10	<1	<1
166405	195129	5	0.12	5	70	15	<1	0.11	<4	2	1042	5	0.95	0.09	<1	0.01	<100	79	0.02	7	<100	<1	<5	<5	0.02	<10	<3	<100	2	<2	<10	<1	<1
166406	195130	<1	0.54	6	50	77	<1	0.34	<4	3	616	6	1.36	0.42	<1	0.02	108	18	0.02	2	146	1	<5	<5	0.04	<10	3	<100	3	4	<10	<1	<1
166407	195131	<1	0.64	5	46	86	<1	0.46	<4	4	624	6	1.68	0.47	<1	0.03	137	8	0.03	3	161	<1	<5	<5	0.07	<10	10	<100	2	2	<10	3	<1
166408	195132	<1	0.73	8	55	106	<1	0.68	<4	4	572	7	1.53	0.55	<1	0.04	188	10	0.04	2	187	2	<5	<5	0.08	<10	18	154	5	3	<10	4	<1
166409	195133	<1	0.63	7	61	89	<1	1.42	<4	5	469	9	1.66	0.44	1	0.05	366	6	0.07	<1	207	<1	<5	<5	0.09	<10	34	278	3	2	<10	6	<1
166410	195134	<1	0.61	6	61	89	<1	2.57	<4	4	375	7	1.44	0.45	<1	0.06	613	7	0.04	<1	152	2	<5	<5	0.07	<10	59	192	3	2	<10	7	<1
166411	195135	<1	0.68	12	60	100	<1	1.44	<4	5	465	8	1.50	0.47	1	0.06	382	6	0.06	<1	192	<1	<5	<5	0.07	<10	35	326	3	2	<10	6	<1
166412	195136	<1	0.71	7	63	96	<1	1.35	<4	4	483	7	1.71	0.44	2	0.09	388	6	0.08	<1	200	<1	<5	<5	0.08	<10	34	540	3	3	<10	7	10
166413	195136	<1	0.71	6	60	95	<1	1.34	<4	4	477	7	1.68	0.44	2	0.09	384	5	0.08	<1	194	1	<5	<5	0.07	<10	34	536	5	3	<10	7	10

Certified By 
 Derek Demianiuk, H.Bsc.

Kodiak Resources Limited
 Date Created: 06-12-08 10:02 AM
 Job Number: 200642855
 Date Received: 12/4/2006
 Number of Samples: 127
 Type of Sample: Core
 Date Completed: 12/7/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
166414	195137	<1	0.58	5	56	79	<1	1.28	<4	4	467	9	1.75	0.34	2	0.08	376	4	0.08	<1	186	<1	<5	<5	0.05	<10	32	566	4	3	<10	7	18
166415	195138	<1	0.64	7	60	96	<1	1.40	<4	5	472	14	1.73	0.41	1	0.06	378	5	0.08	<1	188	<1	<5	<5	0.08	<10	31	457	2	3	<10	6	<1
166416	195139	<1	0.42	5	54	66	<1	1.33	<4	3	370	5	1.56	0.27	<1	0.07	362	5	0.06	<1	178	<1	<5	<5	0.05	<10	32	484	2	3	<10	6	<1
166417	195140	<1	0.51	3	57	89	<1	1.30	<4	3	537	6	1.73	0.34	<1	0.06	361	5	0.08	<1	179	<1	<5	<5	0.07	<10	31	465	2	3	<10	7	<1
166418	195141	<1	0.44	6	53	73	<1	1.39	<4	4	533	8	1.81	0.28	<1	0.06	395	5	0.09	<1	183	<1	<5	<5	0.07	<10	36	356	4	4	<10	6	2
166419	195142	<1	0.45	3	48	79	<1	1.37	<4	5	528	12	1.77	0.30	<1	0.06	402	5	0.08	<1	188	1	<5	<5	0.05	<10	33	365	5	3	<10	6	6
166420	195143	<1	0.48	5	57	77	<1	1.26	<4	3	502	6	1.78	0.27	1	0.09	355	5	0.09	<1	189	1	<5	<5	0.06	<10	32	469	3	4	<10	8	8
166421	195144	<1	0.53	6	49	88	<1	1.42	<4	5	507	13	1.73	0.36	<1	0.05	399	5	0.07	<1	204	2	<5	<5	0.06	<10	33	340	3	3	<10	6	<1
166422	195145	1	0.60	8	42	97	<1	1.41	<4	4	507	38	1.39	0.43	<1	0.04	409	5	0.05	<1	189	3	<5	<5	0.06	<10	40	363	<1	2	<10	6	8
166423	195146	<1	0.67	12	55	105	<1	1.82	<4	5	592	44	1.58	0.46	<1	0.05	525	5	0.07	<1	186	3	<5	<5	0.06	<10	32	202	1	2	<10	5	<1
166424	195146	<1	0.65	12	52	102	<1	1.72	<4	5	552	43	1.49	0.44	<1	0.05	496	5	0.07	<1	175	3	<5	<5	0.07	<10	38	388	2	2	<10	6	7
166425	195147	<1	0.59	6	61	81	<1	1.33	<4	4	527	11	1.75	0.34	2	0.08	409	5	0.09	<1	174	<1	<5	<5	0.05	<10	29	548	<1	4	<10	6	6
166426	195148	<1	0.59	5	58	85	<1	1.22	<4	4	506	5	1.82	0.33	2	0.10	357	6	0.09	<1	184	1	<5	<5	0.05	<10	29	643	5	4	<10	8	14
166427	195149	<1	0.51	5	53	78	<1	1.35	<4	4	430	4	1.63	0.32	2	0.07	390	5	0.07	<1	180	2	<5	<5	0.05	<10	32	527	2	3	<10	6	2
166428	195150	<1	0.27	3	56	91	<1	0.18	<4	<1	<1	<1	0.02	<0.01	<1	<0.01	<100	<1	0.10	<1	349	<1	<5	<5	0.04	<10	10	<100	<1	<2	<10	3	<1
166429	195151	<1	0.02	3	58	<1	<1	0.02	<4	<1	<1	<1	0.02	<0.01	<1	<0.01	<100	<1	0.01	<1	<100	<1	<5	<5	0.02	<10	<3	<100	1	<2	<10	<1	<1
166430	195152	<1	0.50	4	42	77	<1	1.28	<4	3	472	4	1.74	0.31	2	0.08	385	5	0.08	<1	189	2	<5	<5	0.05	<10	31	476	3	4	<10	7	13
166431	195153	<1	0.58	7	51	84	<1	1.38	<4	5	499	7	1.89	0.35	2	0.08	487	5	0.08	<1	183	3	<5	<5	0.07	<10	31	474	1	3	<10	7	12
166432	195154	<1	0.57	14	47	89	<1	1.47	<4	5	540	16	1.91	0.37	1	0.06	522	5	0.08	<1	166	6	<5	<5	0.06	<10	37	366	3	3	<10	7	155
166433	195155	<1	0.48	5	58	71	<1	1.26	<4	4	529	8	1.69	0.28	2	0.06	403	5	0.09	<1	171	2	<5	<5	0.05	<10	30	501	<1	4	<10	7	<1
166434	195156	<1	0.41	8	55	66	<1	0.91	<4	8	911	26	1.65	0.27	<1	0.03	302	9	0.06	4	114	7	<5	<5	0.05	<10	21	287	4	3	<10	4	<1
166435	195156	<1	0.40	9	54	64	<1	0.86	<4	8	877	25	1.56	0.26	<1	0.03	289	8	0.06	4	106	5	<5	<5	0.05	<10	20	285	2	3	<10	3	<1

Certified By: 
 Derek Demianiuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-12-08 10:02 AM
 Job Number: 200642855
 Date Recieved: 12/4/2006
 Number of Samples: 127
 Type of Sample: Core
 Date Completed: 12/7/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
166436	195157	<1	0.43	7	50	71	<1	1.37	<4	4	346	14	1.47	0.31	<1	0.04	499	4	0.05	<1	176	2	<5	<5	0.05	<10	33	392	2	<2	<10	6	<1
166437	195158	<1	0.68	11	54	105	<1	1.69	<4	8	579	29	1.85	0.48	<1	0.04	614	6	0.05	<1	163	11	<5	<5	0.08	<10	39	289	2	2	<10	5	<1
166438	195159	<1	0.62	11	54	95	<1	1.75	<4	5	485	31	1.33	0.42	2	0.06	651	5	0.06	<1	187	5	<5	<5	0.05	<10	39	410	3	<2	<10	7	<1
166439	195160	<1	0.61	21	54	89	<1	1.30	<4	6	485	30	1.56	0.38	2	0.06	454	4	0.06	<1	165	4	<5	<5	0.04	<10	30	413	3	2	<10	6	<1
166440	195161	<1	0.58	15	47	96	<1	3.19	<4	4	450	18	1.42	0.42	2	0.07	1113	4	0.04	<1	170	4	<5	<5	0.07	<10	72	314	5	<2	<10	8	<1
166441	195162	<1	0.60	5	46	93	<1	1.35	<4	4	471	6	1.68	0.39	3	0.12	349	4	0.09	<1	197	7	<5	<5	0.05	<10	28	587	3	5	<10	12	16
166442	195163	<1	0.80	5	57	134	<1	1.36	<4	5	558	6	1.85	0.47	3	0.11	380	5	0.09	1	187	5	<5	<5	0.05	<10	33	844	2	4	<10	9	10

Certified By: 
 Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, December 08, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 08-Dec-06
Job # 200642856
Reference : HER
Sample #: 129 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166443	195001	<5	<0.001	<0.005
166444	195002	<5	<0.001	<0.005
166445	195003	<5	<0.001	<0.005
166446	195004	5	<0.001	0.005
166447	195005	<5	<0.001	<0.005
166448	195006	5	<0.001	0.005
166449	195007	10	<0.001	0.010
166450	195008	7	<0.001	0.007
166451	195009	19	<0.001	0.019
166452	195010	75	0.002	0.075
166453 Check	195010	71	0.002	0.071
166454	195011	51	0.001	0.051
166455	195012	34	<0.001	0.034
166456	195013	991	0.029	0.991
166457	195014	773	0.023	0.773
166458	195015	514	0.015	0.514
166459	195016	95	0.003	0.095
166460	195017	465	0.014	0.465
166461	195018	1644	0.048	1.644
166462	195019	333	0.010	0.333
166463	195020	117	0.003	0.117
166464 Check	195020	125	0.004	0.125
166465	195021	15	<0.001	0.015

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:

Derek Demlianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 7

AL903-0235-12/08/2006 09:54 AM



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, December 08, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 08-Dec-06
Job # 200642856
Reference : HER

Sample #: 129 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166466	195022	17	<0.001	0.017
166467	195023	129	0.004	0.129
166468	195024	20	<0.001	0.020
166469	195025	9	<0.001	0.009
166470	195026	11	<0.001	0.011
166471	195027	58	0.002	0.058
166472	195028	<5	<0.001	<0.005
166473	195029	<5	<0.001	<0.005
166474	195030	7	<0.001	0.007
166475 Check	195030	8	<0.001	0.008
166476	195031	29	<0.001	0.029
166477	195032	107	0.003	0.107
166478	195033	218	0.006	0.218
166479	195034	17	<0.001	0.017
166480	195035	8	<0.001	0.008
166481	195036	2077	0.061	2.077
166482	195164	26	<0.001	0.026
166483	195165	15	<0.001	0.015
166484	195166	29	<0.001	0.029
166485	195167	7	<0.001	0.007
166486 Check	195167	6	<0.001	0.006
166487	195168	732	0.021	0.732
166488	195169	45	0.001	0.045

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 

Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 2 of 7

AL901-0235-12/08/2006 09:54 AM



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, December 08, 2006


Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 08-Dec-06
Job # 200642856
Reference : HER
Sample #: 129 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166489	195170	19	<0.001	0.019
166490	195171	11	<0.001	0.011
166491	195172	30	<0.001	0.030
166492	195173	23	<0.001	0.023
166493	195174	6	<0.001	0.006
166494	195175	<5	<0.001	<0.005
166495	195176	9	<0.001	0.009
166496	195177	9	<0.001	0.009
166497 Check	195177	10	<0.001	0.010
166498	195178	15	<0.001	0.015
166499	195179	162	0.005	0.162
166500	195180	16	<0.001	0.016
166501	195181	12	<0.001	0.012
166502	195182	100	0.003	0.100
166503	195183	145	0.004	0.145
166504	195184	166	0.005	0.166
166505	195185	58	0.002	0.058
166506	195186	76	0.002	0.076
166507	195187	19	<0.001	0.019
166508 Check	195187	21	<0.001	0.021
166509	195188	123	0.004	0.123
166510	195189	264	0.008	0.264
166511	195190	564	0.016	0.564

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:


Derek Romanluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 3 of 7

AL903-0235-12/08/2006 09:54 AM



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, December 08, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 08-Dec-06
Job # 200642856
Reference : HER
Sample #: 129 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166512	195191	123	0.004	0.123
166513	195192	21	<0.001	0.021
166514	195193	73	0.002	0.073
166515	195194	169	0.005	0.169
166516	195195	410	0.012	0.410
166517	195196	285	0.008	0.285
166518	195197	54	0.002	0.054
166519 Check	195197	51	0.001	0.051
166520	195198	553	0.016	0.553
166521	195199	72	0.002	0.072
166522	195200	6780	0.198	6.780
166523	195201	8	<0.001	0.008
166524	195202	13	<0.001	0.013
166525	195203	13	<0.001	0.013
166526	195204	86	0.003	0.086
166527	195205	20	<0.001	0.020
166528	195206	7	<0.001	0.007
166529	195207	45	0.001	0.045
166530 Check	195207	48	0.001	0.048
166531	195208	38	0.001	0.038
166532	195209	<5	<0.001	<0.005
166533	195210	<5	<0.001	<0.005
166534	195211	16	<0.001	0.016

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:

Derek Demlanuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 4 of 7

AL903-0235-12/08/2006 09:54 AM



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, December 08, 2006


Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 08-Dec-06
Job # 200642856
Reference : HER
Sample #: 129 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166535	195212	20	<0.001	0.020
166536	195213	27	<0.001	0.027
166537	195214	131	0.004	0.131
166538	195215	108	0.003	0.108
166539	195216	48	0.001	0.048
166540	195217	43	0.001	0.043
166541 Check	195217	37	0.001	0.037
166542	195218	50	0.001	0.050
166543	195219	35	0.001	0.035
166544	195220	67	0.002	0.067
166545	195221	171	0.005	0.171
166546	195222	209	0.006	0.209
166547	195223	247	0.007	0.247
166548	195224	262	0.008	0.262
166549	195225	198	0.006	0.198
166550	195226	329	0.010	0.329
166551	195227	174	0.005	0.174
166552 Check	195227	157	0.005	0.157
166553	195228	129	0.004	0.129
166554	195229	530	0.015	0.530
166555	195230	61	0.002	0.061
166556	195231	1139	0.033	1.139
166557	195232	206	0.006	0.206

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:


Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 5 of 7

AL901-0235-12/08/2006 09:54 AM



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, December 08, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 08-Dec-06
Job # 200642856
Reference : HER
Sample #: 129 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166558	195233	91	0.003	0.091
166559	195234	15	<0.001	0.015
166560	195235	11	<0.001	0.011
166561	195236	19	<0.001	0.019
166562	195237	40	0.001	0.040
166563 Check	195237	43	0.001	0.043
166564	195238	68	0.002	0.068
166565	195239	88	0.003	0.088
166566	195240	16	<0.001	0.016
166567	195241	9	<0.001	0.009
166568	195242	9	<0.001	0.009
166569	195243	8	<0.001	0.008
166570	195244	27	<0.001	0.027
166571	195245	20	<0.001	0.020
166572	195246	30	<0.001	0.030
166573	195247	174	0.005	0.174
166574 Check	195247	196	0.006	0.196
166575	195248	37	0.001	0.037
166576	195249	45	0.001	0.045
166577	195250	6985	0.204	6.985
166578	195251	<5	<0.001	<0.005
166579	195252	50	0.001	0.050
166580	4662	876	0.026	0.876

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By:

Derek Damianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 6 of 7

AL903-0235-12/08/2006 09:54 AM



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, December 08, 2006

Kodiak Resources Limited
Suite 1205, 700 West Pender St.
Vancouver, BC, CA
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029, (604) 888-7929
Email

Date Received : 04-Dec-06
Date Completed : 08-Dec-06
Job # 200642856
Reference : HER
Sample #: 129 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
166581	164689	2314	0.067	2.314
166582	164713	12	<0.001	0.012
166583	415069	19	<0.001	0.019

PROCEDURE CODES: AL4AU3, AL4ICPAR

Certified By: 

Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 7 of 7

AL903-0235-12/08/2006 09:54 AM

Accurassay Laboratories

Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-12-12 08:12 AM
 Job Number: 200642856
 Date Received: 12/4/2006
 Number of Samples: 129
 Type of Sample: Core
 Date Completed: 12/8/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
166443	195001	<1	0.02	3	63	2	<1	0.02	<4	4	4	15	0.02	0.01	6	<0.01	<100	<1	0.01	13	<100	1	<5	6	0.02	<10	<3	<100	<1	<2	<10	<1	2
166444	195002	<1	2.18	5	55	3	1	1.71	7	21	371	43	3.85	0.03	19	1.40	496	14	0.07	63	528	8	<5	<5	0.12	<10	38	2187	1	39	<10	6	41
166445	195003	<1	2.53	7	59	28	1	1.28	8	27	152	50	3.95	0.16	18	1.57	390	17	0.06	67	616	9	<5	7	0.06	<10	34	2193	<1	40	<10	3	49
166446	195004	<1	2.59	9	61	16	<1	1.85	8	23	378	52	3.95	0.08	21	1.57	494	14	0.08	65	586	8	<5	6	0.12	<10	43	2072	<1	50	<10	3	42
166447	195005	<1	2.19	8	59	30	1	1.13	7	25	194	44	3.52	0.20	19	1.49	361	13	0.06	56	520	9	<5	8	0.06	<10	28	1897	<1	40	<10	3	50
166448	195006	<1	1.92	13	77	16	1	1.58	9	54	392	91	5.42	0.10	17	1.19	349	14	0.08	64	547	12	<5	11	0.09	<10	31	1909	<1	46	<10	6	36
166449	195007	<1	2.16	6	71	51	<1	2.40	7	27	132	61	3.72	0.23	20	1.32	479	13	0.07	60	574	7	<5	5	0.06	<10	39	1955	<1	37	<10	4	51
166450	195008	<1	2.39	26	69	36	1	1.09	9	41	406	44	4.91	0.15	22	1.43	402	15	0.07	66	544	16	<5	6	0.07	<10	39	1875	<1	42	<10	3	51
166451	195009	<1	2.71	15	69	23	1	4.15	9	26	108	81	5.25	0.23	29	1.44	601	15	0.04	59	616	13	<5	11	0.07	<10	26	<100	2	30	<10	6	121
166452	195010	<1	2.39	14	62	28	1	1.45	8	25	443	22	4.65	0.26	36	1.28	359	15	0.04	70	652	14	<5	8	0.07	<10	15	<100	1	26	<10	4	138
166453	195011	<1	5.11	16	62	20	2	4.40	13	20	103	18	8.62	0.16	87	2.70	739	27	0.03	113	452	16	<5	<5	0.08	<10	28	<100	1	53	<10	5	314
166454	195012	<1	3.42	7	50	42	1	5.04	9	25	239	25	5.56	0.35	41	1.77	766	21	0.04	79	719	11	<5	9	0.14	<10	38	<100	2	36	12	6	182
166455	195013	2	2.56	9	57	34	1	3.96	8	26	128	26	4.65	0.28	34	1.43	617	85	0.03	65	599	11	<5	7	0.08	<10	29	<100	5	24	<10	5	141
166456	195014	2	2.10	9	58	49	1	5.58	9	33	319	40	4.92	0.40	28	1.00	709	23	0.03	58	580	12	<5	8	0.09	11	26	<100	<1	20	<10	7	92
166457	195015	1	1.85	16	54	41	<1	3.59	8	29	149	22	4.57	0.31	26	0.99	510	20	0.03	60	647	12	<5	<5	0.06	<10	24	<100	<1	16	<10	4	83
166458	195016	<1	2.26	14	51	39	<1	3.94	7	19	198	95	3.81	0.33	31	1.28	618	15	0.03	55	589	9	<5	6	0.08	<10	24	<100	1	18	<10	5	93
166459	195017	1	2.50	10	63	53	1	3.66	8	23	91	160	4.09	0.44	32	1.33	591	16	0.03	63	640	12	<5	9	0.06	<10	22	<100	<1	21	<10	5	104
166460	195018	5	0.71	15	63	33	<1	1.10	6	13	757	27	2.30	0.24	11	0.27	212	25	0.02	42	177	8	<5	<5	0.04	<10	8	<100	<1	11	<10	1	25
166461	195019	1	0.09	6	71	3	<1	0.29	<4	5	519	19	0.74	0.03	6	0.04	<100	31	0.02	24	<100	2	<5	<5	0.03	<10	<3	<100	<1	2	<10	<1	6
166462	195020	<1	0.18	7	61	12	<1	0.30	4	8	689	23	1.20	0.09	6	0.05	108	4	0.02	29	<100	8	<5	5	0.03	<10	3	<100	<1	3	<10	<1	6
166463	195020	<1	0.17	7	61	12	<1	0.30	4	8	653	25	1.19	0.09	6	0.05	106	4	0.02	30	<100	6	<5	5	0.03	<10	3	<100	<1	3	<10	<1	5

Certified By 
 Derek Demianiuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-12-12 08:12 AM
 Job Number: 200642856
 Date Received: 12/4/2006
 Number of Samples: 129
 Type of Sample: Core
 Date Completed: 12/8/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
166465	195021	<1	0.03	2	66	2	<1	0.13	<4	5	390	17	0.50	0.02	6	<0.01	<100	3	0.02	20	<100	8	<5	6	0.02	<10	<3	<100	<1	<2	<10	<1	4
166466	195022	<1	0.02	5	68	1	<1	0.02	4	5	874	21	1.11	0.01	5	<0.01	<100	4	0.02	28	<100	6	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	<1
166467	195023	3	0.03	4	54	2	<1	0.04	<4	6	317	29	0.68	0.02	5	<0.01	<100	3	0.01	21	<100	26	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	3
166468	195024	<1	0.02	4	56	2	<1	0.02	4	5	968	23	1.19	0.02	6	<0.01	100	4	0.02	29	<100	8	<5	7	0.02	<10	<3	<100	<1	<2	<10	<1	<1
166469	195025	<1	0.02	4	58	2	<1	0.02	<4	5	476	18	0.55	0.01	6	<0.01	<100	3	0.02	21	<100	7	<5	7	0.02	<10	<3	<100	<1	<2	<10	<1	<1
166470	195026	<1	0.02	4	53	1	<1	0.01	<4	5	530	18	0.59	0.01	5	<0.01	<100	3	0.02	23	<100	12	<5	7	0.02	<10	<3	<100	<1	<2	<10	<1	<1
166471	195027	4	0.02	4	53	1	<1	0.07	4	5	1000	23	1.17	0.01	5	<0.01	101	4	0.02	30	<100	51	9	9	0.02	<10	4	<100	<1	<2	<10	<1	<1
166472	195028	<1	0.02	3	56	1	<1	0.02	<4	4	409	17	0.46	0.01	5	<0.01	<100	2	0.01	21	<100	2	<5	<5	0.02	<10	<3	<100	<1	<2	753	<1	<1
166473	195029	<1	0.02	4	63	1	<1	0.02	4	5	858	20	0.97	0.01	5	<0.01	<100	4	0.02	27	<100	2	<5	7	0.02	<10	<3	<100	<1	<2	18	<1	<1
166474	195030	<1	0.02	3	65	2	<1	0.06	<4	5	466	17	0.60	0.01	5	<0.01	<100	3	0.02	22	<100	2	<5	7	0.02	<10	<3	<100	<1	<2	<10	<1	<1
166475	195030	<1	0.02	4	57	1	<1	0.06	<4	5	439	17	0.58	0.01	5	<0.01	<100	3	0.01	21	<100	3	<5	7	0.02	<10	<3	<100	<1	<2	<10	<1	1
166476	195031	<1	0.04	5	55	3	<1	0.04	4	6	1049	23	1.35	0.03	5	<0.01	108	7	0.02	30	<100	4	<5	<5	0.02	<10	<3	<100	<1	2	<10	<1	<1
166477	195032	<1	0.06	5	54	3	<1	0.12	<4	5	357	17	0.61	0.02	6	0.03	<100	4	0.01	23	<100	<1	<5	6	0.02	<10	<3	<100	<1	<2	<10	<1	<1
166478	195033	<1	1.81	10	48	29	<1	4.51	7	18	119	56	3.27	0.23	27	1.16	707	20	0.03	50	520	9	<5	9	0.04	<10	61	<100	1	18	<10	4	119
166479	195034	<1	2.63	6	39	40	1	3.49	8	20	122	17	3.83	0.27	33	1.56	647	15	0.06	68	521	32	<5	6	0.06	<10	43	<100	1	34	<10	4	180
166480	195035	<1	2.80	7	46	45	1	2.61	8	19	183	21	4.33	0.33	34	1.60	581	17	0.05	56	551	13	<5	9	0.07	<10	27	133	2	32	<10	4	159
166481	195036	<1	2.18	8	54	38	1	4.27	9	25	100	91	5.16	0.30	26	1.23	704	12	0.05	58	548	106	<5	11	0.04	<10	36	1321	1	40	<10	5	79
166482	195164	<1	0.95	4	52	82	<1	1.78	6	10	548	27	2.55	0.36	11	0.23	366	7	0.10	27	284	9	<5	6	0.05	<10	27	106	<1	10	<10	8	33
166483	195165	<1	0.90	5	54	76	<1	1.78	6	9	188	25	2.28	0.31	10	0.24	401	6	0.10	22	285	11	<5	<5	0.04	<10	42	271	<1	11	<10	8	41
166484	195166	<1	0.93	11	61	90	<1	2.42	6	13	423	33	2.65	0.42	10	0.18	542	7	0.06	26	257	11	<5	7	0.05	<10	52	116	1	6	<10	8	31
166485	195167	<1	0.84	8	60	67	<1	1.58	6	8	172	28	2.10	0.30	10	0.20	387	5	0.08	21	266	5	<5	5	0.04	<10	34	109	<1	6	<10	6	38
166486	195167	<1	0.84	7	58	68	<1	1.55	5	8	167	28	2.05	0.30	10	0.19	379	5	0.08	21	251	8	<5	<5	0.04	<10	33	118	<1	6	<10	6	38

Certified By: 
 Derek Demianiuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-12-12 08:12 AM
 Job Number: 200642856
 Date Received: 12/4/2006
 Number of Samples: 129
 Type of Sample: Core
 Date Completed: 12/8/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
166487	195168	3	0.77	6	52	55	<1	1.67	6	12	450	600	2.20	0.29	9	0.25	539	6	0.08	26	238	9	<5	7	0.03	<10	38	<100	1	6	<10	6	38
166488	195169	<1	2.82	20	63	60	1	3.54	10	23	154	48	6.26	0.43	27	1.50	1532	15	0.03	79	660	16	<5	<5	0.05	<10	85	<100	1	29	<10	6	187
166489	195170	<1	3.31	12	63	53	2	3.78	11	26	149	74	7.01	0.41	33	1.84	1746	19	0.02	90	807	16	<5	8	0.06	<10	83	<100	1	36	<10	6	221
166490	195171	<1	2.86	6	57	42	1	3.65	10	20	105	71	6.03	0.32	31	1.55	1423	14	0.02	80	652	14	<5	8	0.05	<10	77	<100	4	30	<10	6	223
166491	195172	<1	0.95	37	37	71	<1	1.88	5	9	374	39	2.10	0.43	10	0.22	748	5	0.04	27	269	17	<5	<5	0.03	10	43	<100	2	5	<10	6	40
166492	195173	<1	0.85	20	43	55	<1	1.60	5	9	114	42	1.91	0.24	10	0.24	550	5	0.06	21	271	20	<5	6	0.03	<10	36	263	<1	7	<10	8	62
166493	195174	<1	1.03	9	53	85	<1	1.59	6	10	395	28	2.40	0.34	12	0.25	450	6	0.09	25	279	14	<5	6	0.03	<10	38	371	2	10	<10	9	53
166494	195175	<1	0.85	10	48	80	<1	1.28	6	9	125	31	2.00	0.32	12	0.25	351	5	0.08	20	264	12	<5	<5	0.03	<10	33	644	<1	12	<10	10	54
166495	195176	<1	0.97	10	48	80	<1	1.28	6	9	491	32	2.36	0.37	12	0.25	397	6	0.10	25	254	16	<5	<5	0.04	<10	36	696	<1	13	<10	10	51
166496	195177	<1	0.64	22	57	73	<1	1.69	8	9	148	34	1.55	0.37	9	0.11	694	4	0.04	21	269	24	<5	5	0.04	<10	34	214	<1	3	<10	9	426
166497	195177	<1	0.60	24	51	68	<1	1.60	8	9	146	30	1.51	0.35	9	0.10	665	4	0.04	20	261	26	<5	7	0.03	<10	32	184	<1	3	<10	8	420
166498	195178	<1	0.78	10	58	69	<1	1.92	6	12	460	42	2.25	0.32	10	0.19	742	6	0.07	25	279	17	<5	6	0.03	<10	38	328	<1	6	<10	10	107
166499	195179	<1	0.90	30	52	122	<1	1.36	37	13	247	23	2.86	0.60	8	0.05	475	6	0.03	23	236	19	<5	5	0.05	<10	28	142	2	3	30	7	4118
166500	195180	<1	0.94	9	64	78	<1	1.67	6	9	514	31	2.29	0.33	12	0.23	493	7	0.09	26	265	12	<5	<5	0.04	<10	35	463	<1	9	<10	11	89
166501	195181	<1	0.77	6	57	67	<1	1.74	5	9	159	25	1.93	0.29	10	0.20	367	6	0.07	21	266	6	<5	<5	0.04	<10	34	286	<1	7	<10	7	50
166502	195182	<1	0.79	6	60	70	<1	1.84	6	11	398	30	2.10	0.37	10	0.15	412	6	0.07	25	260	7	<5	8	0.05	<10	36	152	<1	6	<10	6	60
166503	195183	<1	0.38	3	40	52	<1	0.74	5	7	173	22	1.12	0.30	7	0.03	179	62	0.02	20	193	8	<5	<5	0.03	<10	16	<100	<1	3	<10	3	8
166504	195184	<1	0.86	6	41	102	<1	1.13	6	10	384	38	2.23	0.56	7	0.05	267	10	0.03	25	285	13	<5	7	0.04	<10	29	<100	2	5	<10	4	5
166505	195185	<1	0.66	<2	36	86	<1	0.51	5	8	129	29	1.52	0.45	7	0.04	118	6	0.02	20	260	8	<5	<5	0.03	<10	15	<100	<1	3	<10	3	6
166506	195186	<1	0.71	6	41	85	<1	1.38	6	11	380	37	2.22	0.45	8	0.11	284	6	0.04	27	304	10	<5	<5	0.04	<10	33	<100	3	5	<10	4	9
166507	195187	<1	2.33	11	63	112	2	9.88	12	46	379	66	6.82	0.39	38	4.80	2029	49	0.03	271	938	16	<5	6	0.04	<10	304	289	2	92	<10	7	253
166508	195187	<1	2.36	10	49	115	2	9.98	12	46	378	66	6.90	0.39	38	4.79	2052	51	0.03	276	968	20	<5	<5	0.05	<10	308	296	<1	94	<10	7	258

Certified By: 
 Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-12-12 08:12 AM
 Job Number: 200642856
 Date Received: 12/4/2006
 Number of Samples: 129
 Type of Sample: Core
 Date Completed: 12/8/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
166509	195188	<1	0.13	5	41	14	<1	0.88	4	7	657	22	1.18	0.07	6	0.12	233	13	0.02	30	<100	3	<5	6	0.03	<10	26	<100	<1	4	<10	2	23
166510	195189	<1	0.88	8	43	102	<1	0.55	5	9	173	22	2.09	0.54	8	0.10	125	13	0.03	23	226	7	<5	7	0.04	<10	15	<100	<1	6	<10	3	9
166511	195190	<1	0.88	12	55	106	<1	1.34	5	9	461	44	2.09	0.50	8	0.08	314	6	0.08	23	207	6	<5	6	0.04	<10	36	<100	2	4	<10	6	8
166512	195191	<1	0.70	11	45	170	<1	1.02	5	10	227	34	1.74	0.41	7	0.13	253	6	0.08	23	197	8	<5	6	0.04	<10	31	<100	<1	3	<10	5	6
166513	195192	<1	2.52	8	61	224	2	6.55	12	48	229	47	7.70	0.31	33	3.34	1590	31	0.04	192	595	18	<5	7	0.05	<10	207	<100	3	60	<10	8	206
166514	195193	<1	0.61	5	55	87	<1	1.98	6	11	136	38	2.35	0.32	8	0.32	393	6	0.05	23	379	10	<5	7	0.04	<10	56	<100	<1	7	<10	5	24
166515	195194	<1	0.55	10	59	140	<1	2.08	5	10	268	29	1.90	0.34	8	0.15	455	6	0.05	23	309	8	<5	6	0.04	<10	53	<100	1	4	<10	6	12
166516	195195	<1	0.52	6	61	70	<1	1.71	5	9	347	23	2.07	0.34	7	0.10	387	7	0.05	23	261	8	<5	<5	0.05	<10	44	<100	4	5	<10	5	7
166517	195196	<1	0.43	4	51	68	<1	1.34	5	9	357	27	2.00	0.27	7	0.09	316	6	0.06	22	220	7	<5	5	0.04	<10	35	<100	<1	4	<10	6	6
166518	195197	<1	0.49	5	62	72	<1	1.72	5	8	376	21	2.12	0.30	7	0.16	436	6	0.07	23	259	9	<5	6	0.04	<10	41	<100	1	6	<10	6	10
166519	195197	<1	0.44	3	55	65	<1	1.57	5	8	340	21	1.97	0.27	7	0.14	399	5	0.07	22	237	6	<5	<5	0.04	<10	38	<100	<1	5	<10	6	8
166520	195198	1	0.44	6	47	66	<1	1.16	5	7	325	19	1.67	0.28	7	0.05	258	8	0.06	22	180	6	<5	<5	0.03	<10	27	<100	<1	4	<10	4	5
166521	195199	<1	0.45	6	35	68	<1	1.24	5	8	270	50	1.72	0.28	8	0.05	270	5	0.05	19	194	5	<5	<5	0.03	<10	27	173	<1	3	<10	2	5
166522	195200	<1	0.24	5	43	97	<1	0.18	<4	4	7	14	0.45	0.03	6	0.06	<100	<1	0.10	15	366	4	<5	5	0.03	<10	9	<100	1	<2	<10	5	7
166523	195201	<1	0.02	3	49	2	<1	0.02	<4	3	4	14	0.02	0.01	5	<0.01	<100	<1	0.01	13	<100	1	<5	<5	0.02	<10	<3	<100	<1	<2	<10	<1	<1
166524	195202	<1	0.63	8	51	80	<1	1.38	5	8	411	34	2.07	0.28	8	0.11	346	7	0.09	24	206	12	<5	6	0.04	<10	35	387	1	5	<10	6	23
166525	195203	<1	0.78	7	58	86	<1	1.61	6	8	356	26	2.30	0.33	11	0.16	411	7	0.07	24	242	9	<5	<5	0.03	<10	34	470	5	6	<10	7	37
166526	195204	<1	0.56	12	47	92	<1	2.13	5	10	346	32	1.67	0.39	8	0.05	519	6	0.04	22	214	14	<5	6	0.04	<10	43	181	<1	2	<10	5	17
166527	195205	<1	0.70	5	62	92	<1	1.81	5	8	347	26	2.12	0.39	10	0.11	450	6	0.06	24	237	11	<5	5	0.04	<10	38	413	<1	4	<10	7	23
166528	195206	<1	0.72	4	63	100	<1	1.76	5	9	395	27	2.19	0.36	10	0.12	437	6	0.07	23	230	7	<5	5	0.04	<10	41	391	<1	4	<10	6	18
166529	195207	<1	0.43	4	62	57	<1	1.24	5	10	316	21	2.15	0.19	9	0.09	309	6	0.08	22	203	9	<5	6	0.03	<10	27	294	1	6	<10	6	18
166530	195207	<1	0.45	3	58	60	<1	1.26	6	11	314	21	2.16	0.19	9	0.10	303	6	0.08	21	203	10	<5	6	0.03	<10	27	336	<1	6	<10	6	18

Certified By: 
 Derek Demianiuk, H.Bsc.



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-12-12 08:12 AM
 Job Number: 200642856
 Date Received: 12/4/2006
 Number of Samples: 129
 Type of Sample: Core
 Date Completed: 12/8/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
166531	195208	<1	0.51	4	68	73	<1	1.55	5	9	458	21	2.07	0.24	9	0.11	378	6	0.10	23	194	6	<5	<5	0.04	<10	35	351	1	6	<10	6	19
166532	195209	<1	0.56	4	63	104	<1	1.32	5	7	503	19	2.13	0.34	9	0.08	338	7	0.09	25	222	9	<5	7	0.04	<10	34	488	2	5	<10	7	20
166533	195210	<1	0.62	6	48	76	<1	1.06	5	8	325	25	1.96	0.29	11	0.13	297	6	0.07	22	200	11	<5	<5	0.03	<10	29	703	<1	6	<10	11	37
166534	195211	<1	0.48	4	47	72	<1	1.16	5	8	322	19	1.85	0.27	10	0.10	283	5	0.07	21	197	10	<5	6	0.03	<10	27	520	<1	5	<10	11	35
166535	195212	<1	0.37	3	46	67	<1	1.15	5	7	302	20	1.77	0.23	8	0.05	300	5	0.07	21	189	8	<5	<5	0.03	<10	26	178	<1	4	<10	8	16
166536	195213	<1	0.33	3	45	60	<1	1.15	5	7	284	19	1.81	0.21	7	0.04	312	5	0.07	21	184	7	<5	<5	0.04	<10	26	<100	<1	4	<10	6	9
166537	195214	<1	0.44	4	44	78	<1	1.27	5	7	332	19	1.69	0.27	7	0.04	342	6	0.07	21	181	7	<5	6	0.04	<10	32	<100	<1	3	<10	4	9
166538	195215	<1	0.34	5	44	56	<1	1.14	5	7	325	20	1.89	0.20	7	0.05	319	6	0.07	22	184	6	<5	<5	0.03	<10	28	<100	<1	4	<10	4	9
166539	195216	<1	0.40	5	51	174	<1	1.32	5	7	368	20	2.01	0.24	7	0.04	356	6	0.07	22	191	7	<5	6	0.04	<10	29	<100	2	4	<10	5	7
166540	195217	<1	0.42	6	59	74	<1	1.51	5	8	363	20	1.99	0.27	7	0.04	399	5	0.07	22	200	9	<5	<5	0.05	<10	33	<100	2	3	<10	5	5
166541	195217	<1	0.42	5	62	74	<1	1.49	5	8	362	20	1.99	0.27	7	0.04	396	7	0.07	22	200	7	<5	<5	0.04	<10	32	<100	2	3	<10	5	6
166542	195218	<1	0.37	<2	49	72	<1	1.31	5	7	341	20	1.90	0.23	7	0.03	325	6	0.07	22	197	8	<5	<5	0.04	<10	32	<100	2	3	<10	5	6
166543	195219	<1	0.38	4	53	78	<1	1.50	5	7	371	23	1.98	0.23	7	0.03	352	6	0.07	22	199	7	<5	<5	0.04	<10	20	<100	1	3	<10	5	7
166544	195220	<1	0.37	7	49	63	<1	1.43	5	8	330	26	1.80	0.24	7	0.03	322	6	0.06	21	197	9	<5	<5	0.04	<10	22	<100	<1	4	<10	5	7
166545	195221	<1	0.43	2	41	57	<1	1.37	5	8	384	33	1.63	0.25	7	0.03	295	6	0.08	24	179	5	<5	<5	0.03	<10	17	<100	<1	3	<10	4	6
166546	195222	<1	0.32	10	35	45	<1	1.19	5	8	360	72	1.51	0.22	7	0.02	269	5	0.03	24	141	7	<5	5	0.03	<10	12	<100	<1	2	<10	3	7
166547	195223	<1	0.49	12	39	65	<1	1.24	5	8	383	27	1.81	0.29	7	0.03	284	8	0.07	22	185	9	<5	6	0.04	<10	17	<100	<1	3	<10	4	6
166548	195224	<1	0.40	6	47	61	<1	0.97	5	8	289	33	1.60	0.27	6	0.02	216	8	0.05	20	189	7	<5	<5	0.04	<10	12	<100	<1	3	<10	4	5
166549	195225	<1	0.48	4	42	82	<1	0.28	5	8	437	23	1.37	0.34	7	0.03	100	7	0.03	24	174	5	<5	5	0.04	<10	6	<100	<1	4	<10	2	6
166550	195226	1	0.73	4	33	111	<1	0.21	5	11	537	25	2.05	0.46	7	0.04	<100	8	0.03	29	180	8	<5	<5	0.04	<10	5	<100	2	7	<10	2	6
166551	195227	1	0.64	38	47	101	<1	0.11	6	21	319	69	2.55	0.41	7	0.03	<100	8	0.02	24	181	16	<5	<5	0.04	<10	3	<100	3	4	<10	3	10
166552	195227	1	0.72	41	58	116	<1	0.12	6	24	365	73	2.88	0.45	6	0.03	<100	8	0.02	25	199	20	<5	<5	0.04	<10	3	<100	<1	4	<10	3	10

Certified By: 
 Derek Demianiuk, H.Bsc.

Accurassay Laboratories

Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-12-12 08:12 AM
 Job Number: 200642856
 Date Received: 12/4/2006
 Number of Samples: 129
 Type of Sample: Core
 Date Completed: 12/8/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag	Al	As	B	Ba	Be	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Ti	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
166553	195228	<1	0.07	6	81	13	<1	0.03	4	6	846	26	1.00	0.05	6	<0.01	<100	4	0.03	30	<100	5	<5	6	0.03	<10	<3	<100	<1	<2	<10	<1	1
166554	195229	1	0.36	7	52	59	<1	0.25	6	16	876	73	2.50	0.22	6	0.02	143	8	0.02	34	<100	14	<5	6	0.04	<10	4	<100	<1	6	<10	1	9
166555	195230	<1	0.03	6	67	4	<1	0.02	<4	5	785	21	0.83	0.02	5	<0.01	<100	7	0.02	29	<100	5	<5	5	0.02	<10	<3	<100	<1	<2	<10	<1	2
166556	195231	2	0.31	<2	55	59	<1	0.22	5	8	693	43	2.02	0.20	6	0.02	118	128	0.03	32	<100	8	<5	7	0.03	<10	5	<100	1	6	<10	2	4
166557	195232	1	0.43	8	39	96	<1	1.19	6	16	324	37	2.42	0.30	7	0.03	281	17	0.04	24	191	10	<5	7	0.04	<10	29	<100	1	4	<10	3	11
166558	195233	<1	0.47	7	39	97	<1	1.98	5	11	324	78	2.13	0.32	7	0.04	463	8	0.05	22	195	12	<5	7	0.04	<10	45	<100	3	2	<10	4	8
166559	195234	<1	0.51	6	38	80	<1	1.35	5	7	342	63	1.84	0.28	8	0.07	377	5	0.07	20	198	8	<5	6	0.04	<10	27	301	<1	4	<10	7	31
166560	195235	<1	0.47	7	51	84	<1	1.33	5	7	309	24	1.87	0.28	8	0.07	377	5	0.07	21	200	7	<5	8	0.04	<10	27	243	<1	3	<10	5	14
166561	195236	<1	0.67	6	54	97	<1	1.31	5	8	407	31	2.17	0.34	10	0.11	355	6	0.09	23	208	11	<5	6	0.04	<10	28	474	4	6	<10	10	38
166562	195237	<1	0.61	4	52	92	<1	1.46	5	9	314	38	1.93	0.35	10	0.11	381	6	0.07	20	208	10	<5	<5	0.04	<10	29	482	<1	4	<10	9	37
166563	195237	<1	0.61	7	53	93	<1	1.48	5	8	323	38	1.99	0.35	10	0.11	387	6	0.07	21	208	10	<5	5	0.04	<10	29	481	<1	4	<10	10	38
166564	195238	<1	0.56	7	67	84	<1	1.59	5	9	399	25	1.99	0.31	9	0.07	430	6	0.09	23	209	8	<5	6	0.04	<10	32	433	<1	4	<10	8	18
166565	195239	<1	0.46	8	55	75	<1	1.51	5	8	320	26	1.87	0.29	8	0.04	394	6	0.07	20	209	10	<5	7	0.04	<10	31	315	<1	4	<10	11	8
166566	195240	<1	0.50	7	61	74	<1	1.35	5	8	299	23	1.99	0.28	10	0.09	377	5	0.07	21	211	9	<5	7	0.04	<10	26	380	1	4	<10	9	27
166567	195241	<1	0.82	3	57	113	<1	1.34	5	8	381	26	2.16	0.39	12	0.14	395	5	0.09	22	214	11	<5	7	0.04	<10	24	907	<1	5	<10	14	36
166568	195242	<1	0.52	6	56	99	<1	1.34	5	9	313	37	1.93	0.34	10	0.07	332	5	0.06	23	208	9	<5	7	0.03	<10	22	516	<1	4	<10	13	20
166569	195243	<1	0.61	5	55	80	<1	1.11	5	9	276	23	2.05	0.31	12	0.14	327	6	0.07	21	211	13	<5	6	0.03	<10	25	838	3	5	<10	12	37
166570	195244	<1	0.58	8	44	88	<1	1.32	5	9	383	25	2.14	0.31	10	0.10	340	6	0.09	23	220	11	<5	<5	0.03	<10	25	701	<1	6	<10	13	26
166571	195245	<1	0.90	3	60	119	<1	1.18	6	9	483	29	2.44	0.43	12	0.15	358	8	0.14	23	218	14	<5	7	0.04	<10	29	966	<1	8	<10	15	37
166572	195246	<1	0.55	4	57	96	<1	1.37	5	7	363	21	2.02	0.29	8	0.07	349	6	0.09	22	205	8	<5	6	0.04	<10	30	293	1	4	<10	6	14
166573	195247	<1	0.41	4	47	66	<1	1.37	5	8	308	18	2.07	0.23	8	0.07	368	6	0.07	21	190	9	<5	6	0.04	<10	32	110	1	4	<10	5	13
166574	195247	<1	0.47	<2	51	74	<1	1.51	5	8	347	18	2.25	0.25	8	0.08	397	6	0.08	21	204	7	<5	5	0.04	<10	35	135	3	5	<10	6	13

Certified By: 
 Derek Demianiuk, H.Bsc.




Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Kodiak Resources Limited
 Date Created: 06-12-12 08:12 AM
 Job Number: 200642856
 Date Received: 12/4/2006
 Number of Samples: 129
 Type of Sample: Core
 Date Completed: 12/8/2006
 Project ID: HER

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
166575	195248	<1	0.39	6	49	101	<1	1.16	5	7	301	21	1.92	0.24	7	0.04	320	6	0.07	21	199	6	<5	6	0.04	<10	27	<100	<1	4	<10	7	8
166576	195249	<1	0.54	4	62	93	<1	1.15	5	8	405	19	2.01	0.29	8	0.06	324	7	0.10	22	183	7	<5	<5	0.05	<10	26	142	1	4	<10	8	29
166577	195250	<1	0.24	4	60	96	<1	0.17	<4	4	7	14	0.44	0.02	6	0.07	<100	<1	0.09	15	355	4	<5	8	0.03	<10	9	<100	<1	<2	<10	2	6
166578	195251	<1	0.02	<2	63	2	<1	0.02	<4	4	5	14	0.03	0.01	5	<0.01	<100	<1	0.01	13	<100	2	<5	6	0.02	<10	<3	<100	<1	<2	<10	<1	<1
166579	195252	<1	0.40	6	57	69	<1	1.18	5	8	291	21	2.06	0.22	8	0.08	316	6	0.07	21	216	10	<5	6	0.03	<10	25	494	<1	5	<10	12	33
166580	4662	<1	2.55	12	52	26	1	4.56	9	26	202	73	5.02	0.19	25	1.59	968	14	0.02	74	501	16	<5	7	0.04	<10	36	635	3	31	30	4	101
166581	164689	1	1.08	142	46	36	1	1.58	11	28	125	231	6.51	0.24	14	0.55	401	12	0.02	63	524	29	<5	6	0.04	<10	20	<100	1	10	<10	4	108
166582	164713	<1	2.55	11	50	17	<1	1.25	8	25	218	54	4.11	0.08	29	1.54	564	9	0.04	66	492	10	<5	7	0.07	<10	24	1605	<1	42	<10	3	91
166583	415069	<1	0.39	9	54	21	<1	0.17	4	13	376	27	1.11	0.11	9	0.16	102	4	0.03	33	193	2	<5	<5	0.03	<10	4	543	<1	8	<10	2	25

Certified By 
 Derek Demianiuk, H.Bsc.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: KODIAK EXPLORATION LTD.
1205 - 700 W. PENDER ST
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 2-DEC-2006
This copy reported on 4-DEC-2006
Account: PHY

CERTIFICATE TB06113789

Project:

P.O. No.:

This report is for 50 Crushed Rock samples submitted to our lab in Thunder Bay, ON, Canada on 31-OCT-2006.

The following have access to data associated with this certificate:

LUCY ZHANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: KODIAK EXPLORATION LTD.
ATTN: LUCY ZHANG
1205 - 700 W. PENDER ST
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: KODIAK EXPLORATION LTD.
 1205 - 700 W. PENDER ST
 VANCOUVER BC V6C 1G8

Page: 2 - A
 Total # Pages: 3 (A)
 Finalized Date: 2-DEC-2006
 Account: PHY

CERTIFICATE OF ANALYSIS TB06113789

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA26D	Au-GRA21
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm	Au ppm
		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01	0.05
4031		0.87	9.53	4.18	9.82	0.105	25.12	455.4	10.20	9.44	
4032		1.12	47.3	92.1	48.0	2.122	23.03	791.2	44.0	48.0	
4042		0.49	4.32	4.06	4.38	0.151	37.18	264.4	3.88	4.83	
4044		0.94	10.40	88.8	6.99	2.588	29.83	683.4	6.79	7.18	
4045		0.46	3.35	0.92	3.48	0.014	15.14	272.9	3.52	3.44	
4047		0.38	0.92	0.16	0.99	0.003	18.78	210.2	0.98	0.99	
4156		1.61	5.23	53.6	4.22	1.100	20.54	982.4	4.52	3.92	
4183		1.78	81.7	744	76.3	8.233	8.38	1029.0	75.9	78.7	
4202		1.06	17.15	273	7.48	8.028	29.38	777.5	7.84	7.27	
4217		1.40	7.89	26.9	7.41	0.411	15.27	1064.0	7.58	7.24	
4219		1.95	5.80	17.25	5.51	0.382	22.14	870.8	5.60	5.42	
4220		0.85	17.30	26.7	18.80	0.883	33.05	435.4	18.75	18.40	
4222		1.78	28.9	23.3	29.1	0.831	35.73	1183.5	28.7	29.5	
4223		0.58	32.6	77.3	30.5	1.257	18.28	330.2	30.1	30.8	
164271		1.12	8.82	4.99	8.65	0.090	18.05	904.0	6.85	6.45	
164296		1.74	6.84	2.38	6.95	0.064	26.91	1098.5	7.19	6.70	
164316		1.60	9.09	4.44	9.21	0.154	34.66	1352.5	9.40	9.02	
184317		0.84	92.1	67.2	93.5	2.309	34.35	614.1	89.7	97.3	
184332		1.32	1.25	0.14	1.29	0.005	35.30	1085.5	1.37	1.21	
184333		0.94	64.1	105.5	62.1	3.658	34.75	701.3	61.7	62.5	
184358		0.65	670	1400	817	42.071	30.08	412.3	>100	>100	817
164359		1.11	2.08	2.44	2.07	0.088	35.19	858.3	1.84	2.30	
164372		0.95	6.54	2.36	6.78	0.068	41.56	726.7	6.74	6.82	
164399		1.20	16.60	5.48	17.00	0.198	36.12	977.2	17.75	16.25	
164404		0.58	10.80	12.25	10.70	0.440	35.90	383.0	11.10	10.25	
164413		0.93	8.22	4.52	8.40	0.161	35.60	720.1	8.48	8.32	
164425		0.44	9.79	13.55	9.74	0.050	3.89	256.7	10.05	9.43	
164428	Empty Bag										
164427		0.71	11.70	12.35	11.65	0.467	37.84	517.2	11.80	11.50	
164463		1.17	108.0	1425	73.2	33.114	23.21	938.7	72.7	73.7	
164588		0.45	4.14	5.80	4.08	0.070	12.51	307.7	4.13	4.03	
164622		0.79	4.97	5.72	4.92	0.209	36.51	597.9	5.07	4.77	
388904		1.34	14.05	42.1	12.75	2.106	49.97	1048.0	12.45	13.00	
388905		2.10	11.30	73.5	10.45	0.894	12.17	900.9	10.50	10.40	
388906		2.83	43.7	266	36.6	9.252	34.83	1078.5	36.6	36.5	
388907		1.86	13.50	25.6	13.15	0.853	33.28	1133.0	13.65	12.60	
388908		3.35	19.95	56.2	19.25	1.277	22.71	1111.5	19.50	18.95	
388909		1.20	13.30	42.6	13.10	0.326	7.65	1022.5	13.00	13.20	
388914		2.03	6.81	5.12	6.90	0.215	41.98	781.7	6.59	7.21	
388918		1.63	16.50	967	13.05	5.143	5.32	1444.5	12.80	13.25	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: KODIAK EXPLORATION LTD.

1205 - 700 W. PENDER ST

VANCOUVER BC V6C 1G8

Page: 3 - A

Total # Pages: 3 (A)

Finalized Date: 2-DEC-2006

Account: PHY

CERTIFICATE OF ANALYSIS TB06113789

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D	Au-GRA21
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm	Au ppm
368930		1.51	7.90	13.30	7.63	0.849	63.76	1255.0	7.90	7.35	
368952		1.75	5.01	1.98	5.05	0.040	20.24	1540.0	5.16	4.91	
368953		2.81	16.50	1165	12.75	4.817	4.14	1262.5	13.15	12.30	
368955		1.47	12.65	27.8	11.90	1.731	62.78	1216.0	11.65	12.10	
368956		1.48	11.60	43.9	11.15	0.754	17.16	1130.0	11.00	11.25	
368957		1.34	63.8	585	57.1	8.458	14.46	1144.0	53.4	60.7	
368958		1.30	60.7	285	57.4	4.614	16.17	1084.0	57.7	57.0	
368965		2.29	13.70	31.5	13.00	1.276	40.57	1024.5	13.40	12.55	
368967		3.00	72.7	110.0	71.3	5.213	47.38	1299.0	72.5	70.1	
368979		2.82	7.57	2.38	7.66	0.148	62.12	1125.5	7.81	7.91	