

**REPORT ON PHASE VIII-b AND IX
DIAMOND DRILL PROGRAM**


SIDACE LAKE PROJECT

RED LAKE GOLD MINES

Appendix I, Diamond Drill Logs

DUPLICATE COPY

2.33820





GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-63
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 270	Length: meters	Township: COLI LAKE	Contractor: MAJOR Drilling
Dip: -66	Pulled: No	Claim No: Staked	Spotted by: T. Maciejewski
Length: 414.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 23-Jan-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 01-Feb-05		Level:	Surveyed Date: 24-Feb-05
Logged: 23-Jan-05		Coordinate- Gemcom	Logged by: L.C. Chastko
Wedged : No	Core	East: 462696.04	Re-logged by:
Wedged from:	Dimension: NQ	East: 462696	Water Source:
	Original Units: M	North: 5681218.65	Water line:
	Storage: Cochenour Mine	North: 5681219	Left in hole: Nothing
		Elevation: 409.46	Control Drilling:
		UTM Zone: 15 (NAD27)	Cutting sampled: No
			Geophysic:
Target: Planet main zone			
Comments:			

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	270.00	-66.00	X	48.000	268.88	-66.37	X	96.000	268.01	-66.13	X
3.000	269.63	-66.22	X	51.000	268.83	-66.33	X	99.000	267.94	-66.14	X
6.000	269.62	-66.24	X	54.000	268.77	-66.32	X	102.000	267.96	-66.14	X
9.000	269.76	-66.22	X	57.000	268.68	-66.33	X	105.000	267.96	-66.13	X
12.000	269.92	-66.19	X	60.000	268.63	-66.34	X	108.000	267.89	-66.10	X
15.000	269.92	-66.23	X	63.000	268.48	-66.34	X	111.000	267.91	-66.08	X
18.000	269.84	-66.30	X	66.000	268.47	-66.32	X	114.000	267.93	-66.13	X
21.000	269.77	-66.27	X	69.000	268.46	-66.32	X	117.000	267.83	-66.15	X
24.000	269.74	-66.28	X	72.000	268.38	-66.32	X	120.000	267.72	-66.11	X
27.000	269.63	-66.28	X	75.000	268.43	-66.30	X	123.000	267.60	-66.09	X
30.000	269.58	-66.29	X	78.000	268.37	-66.26	X	126.000	267.48	-66.04	X
33.000	269.52	-66.30	X	81.000	268.26	-66.21	X	129.000	267.25	-66.00	X
36.000	269.39	-66.33	X	84.000	268.18	-66.15	X	132.000	267.10	-65.96	X
39.000	269.29	-66.38	X	87.000	268.09	-66.13	X	135.000	266.85	-65.90	X
42.000	269.12	-66.41	X	90.000	268.01	-66.13	X	138.000	266.53	-65.86	X
45.000	269.00	-66.40	X	93.000	268.03	-66.13	X	141.000	266.20	-65.83	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-63
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	265.90	-65.79	X
147.000	265.63	-65.73	X
150.000	265.40	-65.69	X
153.000	265.02	-65.62	X
156.000	264.67	-65.55	X
159.000	264.41	-65.52	X
162.000	264.35	-65.49	X
165.000	264.19	-65.47	X
168.000	264.09	-65.43	X
171.000	263.86	-65.41	X
174.000	263.70	-65.35	X
177.000	263.66	-65.33	X
180.000	263.68	-65.31	X
183.000	263.61	-65.31	X
186.000	263.53	-65.32	X
189.000	263.54	-65.29	X
192.000	263.43	-65.26	X
195.000	263.43	-65.24	X
198.000	263.38	-65.24	X
201.000	263.17	-65.22	X
204.000	262.97	-65.19	X
207.000	262.79	-65.17	X
210.000	262.73	-65.14	X
213.000	262.66	-65.13	X
216.000	262.63	-65.13	X
219.000	262.50	-65.10	X
222.000	262.45	-65.09	X
225.000	262.40	-65.07	X
228.000	262.25	-65.04	X
231.000	262.11	-65.00	X
234.000	261.95	-64.97	X
237.000	261.74	-64.94	X
240.000	261.60	-64.92	X
243.000	261.50	-64.90	X
246.000	261.45	-64.89	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
249.000	261.47	-64.87	X
252.000	261.41	-64.82	X
255.000	261.38	-64.81	X
258.000	261.34	-64.80	X
261.000	261.34	-64.79	X
264.000	261.28	-64.78	X
267.000	261.17	-64.72	X
273.000	261.24	-64.63	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-63
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments				
0.00	51.85	(6G) GABBRO Clotty Gabbro dark green, medium grained, moderately sheared and foliated variable from 15-40 to CA, isolated homeblende in sheared matrix gives rise to clotty appearance, minor biotite in sheared matrix, several narrow chunky feldspar porphyry dikes at low angle to CA several late, open rusty faults traces pypo	347860	12.00	13.00	1.00	0.03	<0.001	26	<input type="checkbox"/>					
			347861	21.00	22.00	1.00	0.03	<0.001	26	<input type="checkbox"/>					
			347862	32.00	33.00	1.00	0.03	<0.001	28	<input type="checkbox"/>					
			347863	41.00	42.00	1.00	0.05	0.001	51	<input type="checkbox"/>					
			347864	51.00	52.00	1.00	0.04	0.001	36	<input type="checkbox"/>					
		14.75 - 15.70 (7B) FELDSPAR PORPHYRY		late chunky felspar porpyry, medium-coarse grained, massive, sharp contacts at 15 to CA											
		36.25 - 36.75 (FLT) FAULT		several late, open rusty seams											
		40.00 - 43.00 (7B) FELDSPAR PORPHYRY		dark mafic matrix with gadational growth of feldspar phenocrysts increasing in quantity and size towards center upper and lower contacts are gradational and arbitrary											
		51.85	120.55	(6G) GABBRO Gabbro/Diorite gradational dark green to local sections with 10% pinkish K-spar, coarse grained to porphyritic texture, relatively massive to weakly foliated, weak biotite occasional narrow late quartz veinlet traces pypo as disseminated and occassional aggregate blob	347865	61.00	62.00	1.00	0.05	0.002	54	<input type="checkbox"/>			
					347866	71.00	72.00	1.00	0.06	0.002	63	<input type="checkbox"/>			
					347867	81.00	82.00	1.00	0.04	0.001	42	<input type="checkbox"/>			
					347868	91.00	92.00	1.00	0.05	0.002	52	<input type="checkbox"/>			
					347869	101.00	102.00	1.00	0.03	0.001	33	<input type="checkbox"/>			
				83.20 - 83.40 (FLT) FAULT BX		weak breccia zone									
				99.45 - 99.55 (FLT) FAULT		crushed, green gouge									
105.70 - 106.60 (6) MAFIC-ULTRAMAFIC INTRUSIVES															



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-63
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		dark green, fine grained mafic dike, clear contacts at 55-60 to CA									
120.55	122.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS light buffish-grey, fine grained, relatively massive, weak hairline fractures, weak andalusite, gradational incremental increase in brecciation at lower contact	347872	121.00	122.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
122.00	163.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS BX Quartz-Andalusite-Breccia, altered light buffish-grey, predominantly quartz pebble breccia with lesser felsic fragments locally, variable probably brecciated and cemented quartz-andalusite, andalusite has largely retrograded to a weak sericite, local sections with recognizable andalusite, 10% irregular bands of brown staurolite, occasional amorphous garnet clusters locally 122 - 127 weak brecciation at top, increasing progressively down section, minor late quartz veining 1-2% disseminated and occasional fine blebs pypo, occasional cpy, local sections with traces to minor fine disseminated magnetite overall rock is well sheared and foliated at 30-35 to CA, fine pebbles are elongated and oriented parallel to foliation gradational decreasing brecciation in last several meters into a sheared quartz-andalusite progressive weak to moderate silicification increasing down section	347873	122.00	123.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			347874	123.00	124.00	1.00	0.09	0.003	92	<input type="checkbox"/>	
			347875	124.00	125.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			347876	125.00	126.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			347877	126.00	127.00	1.00	0.02	<0.001	19	<input type="checkbox"/>	
			347878	127.00	128.00	1.00	0.03	<0.001	27	<input type="checkbox"/>	
			347879	128.00	129.00	1.00	0.12	0.003	116	<input type="checkbox"/>	
			347880	129.00	130.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			347881	130.00	131.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			347882	131.00	132.00	1.00	0.03	<0.001	30	<input type="checkbox"/>	
			347883	132.00	133.00	1.00	0.03	<0.001	29	<input type="checkbox"/>	
			347884	133.00	134.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			347885	134.00	135.00	1.00	0.02	<0.001	21	<input type="checkbox"/>	
			347886	135.00	136.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347887	136.00	137.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			347888	137.00	138.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			347889	138.00	139.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			347890	139.00	140.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			347891	140.00	141.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			347892	141.00	142.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			347893	142.00	143.00	1.00	0.83	0.024	828	<input type="checkbox"/>	
			347894	143.00	144.00	1.00	0.02	<0.001	21	<input type="checkbox"/>	
			347895	144.00	145.00	1.00	0.02	<0.001	18	<input type="checkbox"/>	
			347896	145.00	146.00	1.00	0.03	<0.001	30	<input type="checkbox"/>	
			347897	146.00	147.00	1.00	0.02	<0.001	21	<input type="checkbox"/>	
			347898	147.00	148.00	1.00	0.02	<0.001	23	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-63
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			347901	148.00	149.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			347902	149.00	150.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			347903	150.00	151.00	1.00	0.02	<0.001	19	<input type="checkbox"/>	
			347904	151.00	152.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			347905	152.00	153.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			347906	153.00	154.00	1.00	0.02	<0.001	22	<input type="checkbox"/>	
			347907	154.00	155.00	1.00	0.02	<0.001	21	<input type="checkbox"/>	
			347908	155.00	156.00	1.00	0.12	0.004	120	<input type="checkbox"/>	
			347909	156.00	157.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
			347910	157.00	158.00	1.00	0.08	0.002	79	<input type="checkbox"/>	
			347911	158.00	159.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			347912	159.00	160.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			347913	160.00	161.00	1.00	0.02	<0.001	19	<input type="checkbox"/>	
			347914	161.00	162.00	1.00	0.10	0.003	97	<input type="checkbox"/>	
			347915	162.00	163.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
163.00	173.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	347916	163.00	164.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		Quartz-Andalusite, well sheared	347917	164.00	165.00	1.00	0.03	<0.001	25	<input type="checkbox"/>	
		light buffish-grey, finely laminated quartz rich and andalusite, local minor	347918	165.00	166.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		staurolite altered bands	347919	166.00	167.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
		rock is well sheared and foliated at 30-35 to CA, weakly silicified	347920	167.00	168.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		traces disseminated pypo	347921	168.00	169.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			347922	169.00	170.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347923	170.00	171.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			347924	171.00	172.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			347925	172.00	173.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
173.00	188.90	(2T) ALUMINOUS ALTERED INTERM. VOLCANICS	347926	173.00	174.00	1.00	0.02	<0.001	24	<input type="checkbox"/>	
		Quartz-Andalusite-Staurolite-Amphibole-Garnet	347927	174.00	175.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		blotchy brownish staurolite alteration prevalent, local concentrations of anhedral	347928	175.00	176.00	1.00	0.02	<0.001	24	<input type="checkbox"/>	
		garnet masses or lenses, weak foliation and banding prevalent, moderate tight	347929	176.00	177.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
		fractures predominantly at high angles to CA, weak sericitization	347930	177.00	178.00	1.00	0.22	0.006	222	<input type="checkbox"/>	
		traces pypo	347931	178.00	179.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		lower contact at 25-30 to CA	347932	179.00	180.00	1.00	0.16	0.005	158	<input type="checkbox"/>	
			347933	180.00	181.00	1.00	0.20	0.006	197	<input type="checkbox"/>	
			347934	181.00	182.00	1.00	0.26	0.008	260	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-63
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			347935	182.00	183.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			347936	183.00	184.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			347937	184.00	185.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			347938	185.00	186.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			347939	186.00	187.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			347940	187.00	188.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347941	188.00	189.00	1.00	1.95	0.057	1951	<input type="checkbox"/>	
188.90	208.85	(9C) SILICIFIED UNIT @ SIDACE LK	347942	189.00	190.00	1.00	0.03	<0.001	31	<input type="checkbox"/>	
		blotchy light and medium grey, aphanitic glassy highly silicified, 5% disseminated and irregular fine stringers of fine subhedral py minor po, stringers oriented conformable at 30-35 to CA, moderate tight fractures at high angle to CA	347943	190.00	191.00	1.00	0.03	<0.001	28	<input type="checkbox"/>	
			347944	191.00	192.00	1.00	0.02	<0.001	22	<input type="checkbox"/>	
			347945	192.00	193.00	1.00	0.03	<0.001	29	<input type="checkbox"/>	
		201.55 - 202.45 (5D) SULPHIDE FACIES IRON FORMATION	347946	193.00	194.00	1.00	0.02	<0.001	22	<input type="checkbox"/>	
		similar to before with a band of darker "argillaceous" and very fine "primary" py and medium grained subhedral py	347947	194.00	195.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
			347948	195.00	196.00	1.00	0.21	0.006	205	<input type="checkbox"/>	
			347951	196.00	197.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
		207.75 - 208.85 (5D) SULPHIDE FACIES IRON FORMATION	347952	197.00	198.00	1.00	0.08	0.002	84	<input type="checkbox"/>	
		30% bands of subhedral crystalline py, minor po at 30 to CA	347953	198.00	199.00	1.00	0.10	0.003	98	<input type="checkbox"/>	
			347954	199.00	200.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			347955	200.00	201.00	1.00	0.09	0.003	92	<input type="checkbox"/>	
			347956	201.00	202.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			347957	202.00	203.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			347958	203.00	204.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			347959	204.00	205.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			347960	205.00	206.00	1.00	0.14	0.004	137	<input type="checkbox"/>	
			347961	206.00	207.00	1.00	0.48	0.014	478	<input type="checkbox"/>	
			347962	207.00	208.00	1.00	0.16	0.005	163	<input type="checkbox"/>	
			347963	208.00	209.00	1.00	0.10	0.003	99	<input type="checkbox"/>	
208.85	254.70	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	347964	209.00	210.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		Quartz-Andalusite + Staurolite-Garnet bands similar to before, finely laminated at 35 to CA	347965	210.00	211.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		20% Staurolite +/- amphibole, garnet bands various thickness, weak local sericitization	347966	211.00	212.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		local concentrated layers py>po	347967	212.00	213.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347968	213.00	214.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		210.15 - 210.70 (6) MAFIC-ULTRAMAFIC INTRUSIVES	347969	214.00	215.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		dark green, fine grained mafic dike, sharp contacts at 46 to CA, also X-	347970	215.00	216.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-63
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		cutting foliation and lamination at a high angle	347971	216.00	217.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347972	217.00	218.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347973	218.00	219.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		244.45 - 248.45 (3T) ALUMINOUS ALTERED FELSIC VOLCANICS	347974	219.00	220.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
		local fine mm to cm layers of subhedral medium grained py minor fine po - 10% overall in section, layers conformable to foliation and lamination	347975	220.00	221.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			347976	221.00	222.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347977	222.00	223.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347978	223.00	224.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347979	224.00	225.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347980	225.00	226.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347981	226.00	227.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347982	227.00	228.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347983	228.00	229.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347984	229.00	230.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347985	230.00	231.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347986	231.00	232.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347987	232.00	233.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			347988	233.00	234.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347989	234.00	235.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347990	235.00	236.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347991	236.00	237.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347992	237.00	238.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347993	238.00	239.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347994	239.00	240.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347995	240.00	241.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			347996	241.00	242.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			347997	242.00	243.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			347998	243.00	244.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			348001	244.00	245.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			348002	245.00	246.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348003	246.00	247.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348004	247.00	248.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348005	248.00	249.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			348006	249.00	250.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			348007	250.00	251.00	1.00	0.12	0.003	117	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-63
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			348008	251.00	252.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			348009	252.00	253.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348010	253.00	254.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348011	254.00	255.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
254.70	301.15	(9C) SILICIFIED UNIT @ SIDACE LK	348012	255.00	256.00	1.00	0.13	0.004	125	<input type="checkbox"/>	
		variable, banded to massive highly silicified cherty zone	348013	256.00	257.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		banding and foliation at 30-35 to CA, local layers with variable massive py>po	348014	257.00	258.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		bands with minor argillaceous material locally, outside of massive bands	348015	258.00	259.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		remainder of silicified zone contains 5% disseminated and fine irregular	348016	259.00	260.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		stringers pypo, stringers generally parallel to foliation and vague banding if	348017	260.00	261.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		present	348018	261.00	262.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		zone takes on a bluish tinge that is more prevalent in lower section but other	348019	262.00	263.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		sections locally-probably due to fine moly	348020	263.00	264.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
		traces reddish-brown realgar in last two meters of silicified before QSS	348021	264.00	265.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		254.70 - 256.10 (5D) SULPHIDE FACIES IRON FORMATION	348022	265.00	266.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		50% massive py, minor po, py is fine to medium, subhedral, massive bands	348023	266.00	267.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
		interlayered with chert and minor argillite	348024	267.00	268.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
		banding weakly undulating at 35 to CA	348025	268.00	269.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
		263.00 - 276.00 (9C) SILICIFIED UNIT @ SIDACE LK	348026	269.00	270.00	1.00	0.77	0.022	766	<input type="checkbox"/>	
		5-10% irregular semi to massive bands PY with minor po	348027	270.00	271.00	1.00	0.59	0.017	591	<input type="checkbox"/>	
			348028	271.00	272.00	1.00	0.34	0.010	338	<input type="checkbox"/>	
		276.00 - 289.00	348029	272.00	273.00	1.00	0.26	0.008	261	<input type="checkbox"/>	
		quartz takes on grainy granitic texture possibly finely brecciated and	348030	273.00	274.00	1.00	0.32	0.009	319	<input type="checkbox"/>	
		resilicified	348031	274.00	275.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
			348032	275.00	276.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			348033	276.00	277.00	1.00	0.49	0.014	488	<input type="checkbox"/>	
			348034	277.00	278.00	1.00	0.15	0.004	152	<input type="checkbox"/>	
			348035	278.00	279.00	1.00	1.66	0.048	1662	<input type="checkbox"/>	
			348036	279.00	280.00	1.00	0.13	0.004	126	<input type="checkbox"/>	
			348037	280.00	281.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			348038	281.00	282.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
			348039	282.00	283.00	1.00	0.08	0.002	79	<input type="checkbox"/>	
			348040	283.00	284.00	1.00	0.11	0.003	112	<input type="checkbox"/>	
			348041	284.00	285.00	1.00	0.14	0.004	138	<input type="checkbox"/>	
			348042	285.00	286.00	1.00	0.26	0.008	257	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-63
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			348043	286.00	287.00	1.00	0.40	0.012	402	<input type="checkbox"/>	
			348044	287.00	288.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			348045	288.00	289.00	1.00	0.11	0.003	109	<input type="checkbox"/>	
			348046	289.00	290.00	1.00	0.36	0.011	361	<input type="checkbox"/>	
			348047	290.00	291.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			348048	291.00	292.00	1.00	0.11	0.003	105	<input type="checkbox"/>	
			348051	292.00	293.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			348052	293.00	294.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
			348053	294.00	295.00	1.00	0.16	0.005	157	<input type="checkbox"/>	
			348054	295.00	296.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			348055	296.00	297.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
			348056	297.00	298.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
			348057	298.00	299.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			348058	299.00	300.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			348059	300.00	301.15	1.15	0.09	0.003	86	<input type="checkbox"/>	
301.15	302.90	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHMS	348060	301.15	302.00	0.85	0.61	0.018	608	<input type="checkbox"/>	
		buffish to light greenish, fine-medium grained, well sheared, weak to moderate crenulated, foliated at 30-45 to CA-45 dominant, weak to moderate silicified, 1% smoky quartz veinlets with reddish tinge	348061	302.00	302.65	0.65	1.83	0.053	1830	<input type="checkbox"/>	
		traces fine disseminated py>po, stibnite									
		302.65 - 302.90 (6) MAFIC-ULTRAMAFIC INTRUSIVES									
		dark green fine grained mafic dike, altered, sharp conformable contacts at 45 to CA									
302.90	304.65	(9C) SILICIFIED UNIT @ SIDACE LK	348062	302.65	304.00	1.35	0.11	0.003	108	<input type="checkbox"/>	
		light whitish grey with bluish tinge locally due to fine moly, sharp contacts with QSS at 40-45 to CA	348063	304.00	304.65	0.65	0.10	0.003	100	<input type="checkbox"/>	
		1-3% disseminated and weak stringers pypo									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-63
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
304.65	308.20	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK 304.65 - 306.00 light buffish, well sheared and foliated, highly sericitic, grading into a light bluish-grey weakly foliated, granular appearance, 1% contorted smoky quartz veinlets with reddish-brown tinge, 2-3% fine disseminated and weak stringers py>po, traces to weak ASPY, fine acicular and stubby 306.00 - 308.20 - transitional from well foliated, crenulated grading into weakly foliated to massive granular appearance, light bluish-grey, fine to medium grained, poorly foliated at 40-45 to CA 2-4% sulfides, predominantly py>po, fine ASPY, stibnite, minor stringers of reddish-brown realgar, sulfides are disseminated and weak stringers sharp lower contact with dike at 60 to CA	348064	304.65	306.00	1.35	0.56	0.016	555	<input type="checkbox"/>	
			348065	306.00	307.00	1.00	3.58	0.105	3583	<input type="checkbox"/>	
			348066	307.00	308.20	1.20	3.09	0.090	3088	<input type="checkbox"/>	
308.20	309.00	(6D) LAMPROPHYRE dark brownish green, fine grained matrix with 15% amphibole elongated clots, weakly foliated at 60 to CA, 2-3% disseminated fine 1-2 mm subhedral py throughout sharp upper and lower contacts at 60 to CA	348067	308.20	309.00	0.80	0.23	0.007	233	<input type="checkbox"/>	
309.00	314.75	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK light to medium bluish-grey, fine-medium grained, grainy, weakly foliated to massive, similar to section 306 - 308.20 before dike 2-3% fine disseminated py>po, minor fine ASPY, stibnite, minor very diffuse smoky quartz, occasional weak reddish-brown realgar streak unit grades into a good QSS within .5 meters	348068	309.00	310.00	1.00	4.12	0.120	4122	<input type="checkbox"/>	
			348069	310.00	311.00	1.00	4.39	0.128	4394	<input type="checkbox"/>	
			348070	311.00	312.00	1.00	1.84	0.054	1842	<input type="checkbox"/>	
			348071	312.00	313.00	1.00	0.35	0.010	350	<input type="checkbox"/>	
			348072	313.00	314.00	1.00	3.73	0.109	3732	<input type="checkbox"/>	
			348073	314.00	315.00	1.00	5.13	0.150	5132	<input type="checkbox"/>	
314.75	329.65	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHSI light buffish-gey to light greenish locally, fine to medium grained, moderately to highly sericitic, well foliated at 35-45 to CA 2% smoky with reddish tinge quartz veinlets often highly folded, few weak reddish realgar streaks 2-4% fine disseminated and weak stringers py>po traces coarse stubby ASPY and fine acicular ASPY, fine stibnite occasional weak bright green fuchsite streaks mineralization tends to decrease below 319 320 and down appearance of microcline alteration	348074	315.00	316.00	1.00	4.19	0.122	4191	<input type="checkbox"/>	
			348075	316.00	317.00	1.00	4.93	0.144	4925	<input type="checkbox"/>	
			348076	317.00	318.00	1.00	3.62	0.106	3622	<input type="checkbox"/>	
			348077	318.00	319.00	1.00	2.91	0.085	2910	<input type="checkbox"/>	
			348078	319.00	320.00	1.00	8.51	0.248	8510	<input type="checkbox"/>	
			348079	320.00	321.00	1.00	3.19	0.093	3192	<input type="checkbox"/>	
			348080	321.00	322.00	1.00	3.15	0.092	3153	<input type="checkbox"/>	
			348081	322.00	323.00	1.00	2.30	0.067	2295	<input type="checkbox"/>	
348082	323.00	324.00	1.00	0.67	0.019	666	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-63
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
	321.15 - 323.90	(9B) INTENSE POTASSIC ALTERATION	348083	324.00	325.00	1.00	1.85	0.054	1848	<input type="checkbox"/>	
		strong band of light buff fine grained banded microcline rich zone	348084	325.00	326.00	1.00	1.72	0.050	1722	<input type="checkbox"/>	
			348085	326.00	327.00	1.00	0.08	0.002	79	<input type="checkbox"/>	
			348086	327.00	328.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			348087	328.00	329.00	1.00	0.11	0.003	108	<input type="checkbox"/>	
			348088	329.00	330.00	1.00	0.30	0.009	298	<input type="checkbox"/>	
329.65	411.80	(9B) INTENSE POTASSIC ALTERATION	348089	330.00	331.00	1.00	0.23	0.007	226	<input type="checkbox"/>	
		60% buff fine grained layered microcline, 40% moderately sericitized layers	348090	331.00	332.00	1.00	0.12	0.004	122	<input type="checkbox"/>	
		traces fine disseminated pypo, 1% smoky quartz veinlets often complexly folded	348091	332.00	333.00	1.00	0.30	0.009	301	<input type="checkbox"/>	
		330 and down strong microcline alteration banding and irregularly spaced quartz	348092	333.00	334.00	1.00	0.51	0.015	510	<input type="checkbox"/>	
		veins at 25-35 to CA, veining planar in strong altered, minor weak to moderately	348093	334.00	335.00	1.00	0.28	0.008	276	<input type="checkbox"/>	
		sericitized layers with folded boudened quartz stringers	348094	335.00	336.00	1.00	0.24	0.007	242	<input type="checkbox"/>	
		375 and down ,weak fine brown biotitic streaks, rock appears weakly granitized in	348095	336.00	337.00	1.00	0.41	0.012	410	<input type="checkbox"/>	
		sections	348096	337.00	338.00	1.00	0.84	0.025	841	<input type="checkbox"/>	
	356.20 - 359.45	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	348097	338.00	339.00	1.00	0.42	0.012	421	<input type="checkbox"/>	
		moderately sericitic band	348098	339.00	340.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			348101	340.00	341.00	1.00	0.29	0.008	289	<input type="checkbox"/>	
	404.50 - 406.60	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	348102	341.00	342.00	1.00	0.14	0.004	138	<input type="checkbox"/>	
		moderately sericitized, several strong bands fuchsite alteration, several local	348103	342.00	343.00	1.00	0.08	0.002	79	<input type="checkbox"/>	
		bands of stringers of popy traces cpy 5-10% sulfides over .3 meters	348104	343.00	344.00	1.00	0.09	0.002	85	<input type="checkbox"/>	
			348105	344.00	345.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
	408.50 - 411.80	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	348106	345.00	346.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
		strongly sericitized	348107	346.00	347.00	1.00	0.18	0.005	182	<input type="checkbox"/>	
			348108	347.00	348.00	1.00	0.13	0.004	133	<input type="checkbox"/>	
			348109	348.00	349.00	1.00	0.12	0.003	116	<input type="checkbox"/>	
			348110	349.00	350.00	1.00	0.09	0.003	94	<input type="checkbox"/>	
			348111	350.00	351.00	1.00	0.17	0.005	168	<input type="checkbox"/>	
			348112	351.00	352.00	1.00	0.17	0.005	173	<input type="checkbox"/>	
			348113	352.00	353.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			348114	353.00	354.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			348115	354.00	355.00	1.00	0.12	0.003	118	<input type="checkbox"/>	
			348116	355.00	356.00	1.00	0.09	0.003	94	<input type="checkbox"/>	
			348117	356.00	357.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			348118	357.00	358.00	1.00	0.21	0.006	211	<input type="checkbox"/>	
			348119	358.00	359.00	1.00	0.04	0.001	37	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-63
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	V.G.	<i>Comments</i>
			348120	359.00	360.00	1.00	0.16	0.005	155	<input type="checkbox"/>	
			348121	360.00	361.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			348122	361.00	362.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			348123	362.00	363.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			348124	363.00	364.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			348125	364.00	365.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			348126	365.00	366.00	1.00	0.14	0.004	139	<input type="checkbox"/>	
			348127	366.00	367.00	1.00	0.09	0.003	94	<input type="checkbox"/>	
			348128	367.00	368.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			348129	368.00	369.00	1.00	0.11	0.003	105	<input type="checkbox"/>	
			348130	369.00	370.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
			348131	370.00	371.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			348132	371.00	372.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			348133	372.00	373.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			348134	373.00	374.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			348135	374.00	375.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			348136	375.00	376.00	1.00	0.21	0.006	213	<input type="checkbox"/>	
			348137	376.00	377.00	1.00	0.53	0.015	525	<input type="checkbox"/>	
			348138	377.00	378.00	1.00	0.71	0.021	713	<input type="checkbox"/>	
			348139	378.00	379.00	1.00	0.24	0.007	244	<input type="checkbox"/>	
			348140	379.00	380.00	1.00	0.84	0.024	835	<input type="checkbox"/>	
			348141	380.00	381.00	1.00	0.16	0.005	160	<input type="checkbox"/>	
			348142	381.00	382.00	1.00	0.18	0.005	175	<input type="checkbox"/>	
			348143	382.00	383.00	1.00	0.14	0.004	135	<input type="checkbox"/>	
			348144	383.00	384.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			348145	384.00	385.00	1.00	0.03	<0.001	28	<input type="checkbox"/>	
			348146	385.00	386.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			348147	386.00	387.00	1.00	0.02	<0.001	18	<input type="checkbox"/>	
			348148	387.00	388.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			348151	388.00	389.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
			348152	389.00	390.00	1.00	0.20	0.006	200	<input type="checkbox"/>	
			348153	390.00	391.00	1.00	0.18	0.005	175	<input type="checkbox"/>	
			348154	391.00	392.00	1.00	0.29	0.008	285	<input type="checkbox"/>	
			348155	392.00	393.00	1.00	0.29	0.008	288	<input type="checkbox"/>	
			348156	393.00	394.00	1.00	0.08	0.002	77	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-63
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			348157	394.00	395.00	1.00	0.09	0.003	86	<input type="checkbox"/>	
			348158	395.00	396.00	1.00	0.19	0.006	194	<input type="checkbox"/>	
			348159	396.00	397.00	1.00	0.23	0.007	227	<input type="checkbox"/>	
			348160	397.00	398.00	1.00	0.31	0.009	312	<input type="checkbox"/>	
			348161	398.00	399.00	1.00	0.36	0.011	360	<input type="checkbox"/>	
			348162	399.00	400.00	1.00	0.26	0.008	260	<input type="checkbox"/>	
			348163	400.00	401.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			348164	401.00	402.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			348165	402.00	403.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			348166	403.00	404.00	1.00	0.03	<0.001	31	<input type="checkbox"/>	
			348167	404.00	405.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			348168	405.00	406.00	1.00	1.32	0.038	1317	<input type="checkbox"/>	
			348169	406.00	407.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
			348170	407.00	408.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			348171	408.00	409.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			348172	409.00	410.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			348173	410.00	411.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			348174	411.00	412.00	1.00	0.02	<0.001	24	<input type="checkbox"/>	
411.80	414.00	(1L) GARNETIFEROUS AMPHIBOLITE	348175	412.00	413.00	1.00	0.27	0.008	268	<input type="checkbox"/>	
		amphibole-biotite-garnet, crudely layered, 2-3% disseminated popy.	348176	413.00	414.00	1.00	0.10	0.003	103	<input type="checkbox"/>	



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
12.00	13.00	347860			1.01	386	<1		2.97	<10	26	426	2.76	0.65	0.90	602	2	<0.01		258			13
21.00	22.00	347861			1.06	372	<1		3.20	<10	28	496	2.92	0.72	0.94	649	2	<0.01		249			14
32.00	33.00	347862			1.08	386	<1		3.46	<10	30	525	3.15	0.76	0.96	698	1	<0.01		265			18
41.00	42.00	347863			1.09	386	<1		3.01	<10	23	262	2.86	0.53	0.83	627	3	0.11		296			10
51.00	52.00	347864			1.01	239	<1		3.72	<10	30	559	3.18	0.27	0.98	783	2	<0.01		163			19
61.00	62.00	347865			1.08	369	<1		3.12	<10	27	349	3.07	0.56	0.89	665	3	<0.01		268			17
71.00	72.00	347866			1.06	350	<1		3.16	<10	27	376	3.00	0.35	0.90	664	3	<0.01		261			18
81.00	82.00	347867			0.99	103	<1		3.49	<10	21	355	2.55	<0.01	0.86	748	2	<0.01		207			18
91.00	92.00	347868			1.08	367	<1		2.88	<10	25	289	2.89	0.37	0.86	704	2	<0.01		238			24
101.00	102.00	347869			1.05	327	<1		2.73	<10	23	312	2.74	0.28	0.85	607	3	<0.01		258			14
111.00	112.00	347870			1.00	229	<1		3.59	<10	28	354	2.85	<0.01	0.93	633	1	<0.01		254			10
120.00	121.00	347871			1.00	44	<1		2.02	<10	22	379	2.37	<0.01	0.80	623	7	<0.01		68			15
121.00	122.00	347872			0.92	28	<1		0.18	<10	11	164	1.70	<0.01	0.15	187	12	<0.01		49			<2
122.00	123.00	347873			0.88	33	<1		0.14	<10	10	148	1.35	<0.01	0.08	127	11	<0.01		78			<2
123.00	124.00	347874			0.92	31	<1		0.16	<10	10	157	1.48	<0.01	0.12	165	12	<0.01		70			<2
124.00	125.00	347875			0.98	43	<1		0.16	<10	11	171	1.22	<0.01	0.09	144	11	<0.01		99			<2
125.00	126.00	347876			0.95	29	<1		0.15	<10	9	182	0.87	<0.01	0.08	131	13	<0.01		69			<2
126.00	127.00	347877			0.87	24	<1		0.13	<10	9	217	1.05	<0.01	0.07	134	15	<0.01		61			<2
127.00	128.00	347878			0.83	25	<1		0.11	<10	9	179	1.71	<0.01	0.09	200	13	<0.01		70			<2
128.00	129.00	347879			0.72	22	<1		0.08	<10	7	161	1.60	<0.01	0.05	235	12	<0.01		59			2
129.00	130.00	347880			0.70	28	<1		0.09	<10	7	125	0.90	<0.01	0.05	144	9	<0.01		61			<2
130.00	131.00	347881			0.78	30	<1		0.11	<10	6	137	0.84	<0.01	0.06	132	10	<0.01		55			<2
131.00	132.00	347882			0.83	40	<1		0.15	<10	9	147	1.56	<0.01	0.07	243	12	<0.01		70			<2
132.00	133.00	347883			0.82	45	<1		0.12	<10	8	160	0.96	<0.01	0.06	141	11	<0.01		71			<2
133.00	134.00	347884			0.83	51	<1		0.13	<10	9	119	1.57	<0.01	0.07	306	9	<0.01		80			<2
134.00	135.00	347885			0.84	53	<1		0.11	<10	9	208	1.41	<0.01	0.07	277	14	<0.01		90			<2
135.00	136.00	347886			0.83	41	<1		0.12	<10	8	174	1.53	<0.01	0.08	288	12	<0.01		74			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
136.00	137.00	347887			0.83	42	<1		0.12	<10	16	183	1.98	<0.01	0.09	388	12	<0.01		58			<2
137.00	138.00	347888			1.04	84	<1		0.20	<10	5	201	0.58	<0.01	0.07	<100	14	<0.01		127			<2
138.00	139.00	347889			0.99	53	<1		0.19	<10	7	202	0.79	<0.01	0.07	126	13	<0.01		91			<2
139.00	140.00	347890			0.78	33	<1		0.13	<10	7	135	0.72	<0.01	0.06	110	10	<0.01		67			<2
140.00	141.00	347891			0.73	36	<1		0.10	<10	7	133	1.10	<0.01	0.06	151	10	<0.01		84			<2
141.00	142.00	347892			0.73	38	<1		0.11	<10	5	126	0.48	<0.01	0.04	<100	11	<0.01		77			<2
142.00	143.00	347893			0.69	32	<1		0.09	<10	6	180	1.22	<0.01	0.05	192	13	<0.01		80			<2
143.00	144.00	347894			0.81	47	<1		0.12	<10	6	144	1.41	<0.01	0.09	284	11	<0.01		93			<2
144.00	145.00	347895			0.91	50	<1		0.13	<10	6	182	0.51	<0.01	0.06	<100	13	<0.01		71			<2
145.00	146.00	347896			0.96	88	<1		0.12	<10	11	274	1.51	<0.01	0.08	313	2	<0.01		110			<2
146.00	147.00	347897			0.87	52	<1		0.14	<10	9	292	0.81	<0.01	0.07	178	2	<0.01		85			<2
147.00	148.00	347898			0.97	62	<1		0.16	<10	8	298	0.91	<0.01	0.08	164	3	<0.01		105			<2
148.00	149.00	347901			0.86	44	<1		0.13	<10	9	239	1.02	<0.01	0.07	183	3	<0.01		125			<2
149.00	150.00	347902			0.84	34	<1		0.14	<10	7	233	0.99	<0.01	0.07	171	3	<0.01		91			<2
150.00	151.00	347903			0.62	22	<1		0.06	<10	5	140	0.79	<0.01	0.04	164	2	<0.01		64			<2
151.00	152.00	347904			0.89	34	<1		0.18	<10	8	292	1.74	<0.01	0.11	336	4	<0.01		109			<2
152.00	153.00	347905			0.72	19	<1		0.08	<10	7	164	1.03	<0.01	0.06	187	2	<0.01		71			<2
153.00	154.00	347906			1.16	37	<1		0.15	<10	10	434	1.02	<0.01	0.06	<100	4	<0.01		182			<2
154.00	155.00	347907			1.22	44	<1		0.19	<10	11	422	1.07	0.15	0.08	<100	6	0.22		199			<2
155.00	156.00	347908			1.22	42	<1		0.16	<10	13	397	2.20	0.04	0.11	357	16	<0.01		203			<2
156.00	157.00	347909			1.21	35	<1		0.15	<10	13	376	2.59	<0.01	0.13	551	14	<0.01		162			<2
157.00	158.00	347910			1.15	30	<1		0.15	<10	11	483	2.30	<0.01	0.10	425	11	<0.01		152			<2
158.00	159.00	347911			1.22	44	<1		0.17	<10	13	381	1.28	0.08	0.08	166	6	0.04		211			<2
159.00	160.00	347912			1.17	41	<1		0.15	<10	13	429	0.88	<0.01	0.06	<100	9	<0.01		182			<2
160.00	161.00	347913			1.19	48	<1		0.15	<10	11	303	0.98	0.02	0.07	<100	7	<0.01		215			<2
161.00	162.00	347914			1.15	24	<1		0.10	<10	13	368	4.11	<0.01	0.21	676	5	<0.01		121			<2
162.00	163.00	347915			1.15	39	<1		0.14	<10	13	390	1.37	<0.01	0.07	119	14	<0.01		201			<2
163.00	164.00	347916			1.13	28	<1		0.13	<10	10	396	1.02	<0.01	0.06	103	5	<0.01		164			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

<i>From</i> (m)	<i>To</i> (m)	<i>Sample</i>	<i>Lab</i>	<i>Method</i>	<i>Al</i> (pct)	<i>Ba</i> (ppm)	<i>Be</i> (ppm)	<i>Bi</i> (ppm)	<i>Ca</i> (%)	<i>Cd</i> (ppm)	<i>Co</i> (ppm)	<i>Cr</i> (ppm)	<i>Fe</i> (%)	<i>K</i> (%)	<i>Mg</i> (%)	<i>Mn</i> (ppm)	<i>Mo</i> (ppm)	<i>NA</i> (pct)	<i>Na</i> (ppm)	<i>Sr</i> (ppm)	<i>Sr</i> (%)	<i>Ti</i> (%)	<i>V</i> (ppm)
164.00	165.00	347917			1.07	28	<1		0.11	<10	14	352	1.63	<0.01	0.07	194	6	<0.01		143			<2
165.00	166.00	347918			1.17	33	<1		0.15	<10	10	415	1.38	<0.01	0.08	207	4	<0.01		148			<2
166.00	167.00	347919			1.14	35	<1		0.14	<10	12	416	1.66	<0.01	0.08	234	4	<0.01		136			<2
167.00	168.00	347920			1.18	34	<1		0.15	<10	12	476	1.57	<0.01	0.07	163	6	<0.01		154			<2
168.00	169.00	347921			1.12	29	<1		0.13	<10	11	418	1.43	<0.01	0.07	217	7	<0.01		125			<2
169.00	170.00	347922			1.12	31	<1		0.13	<10	13	437	1.22	<0.01	0.06	176	5	<0.01		126			<2
170.00	171.00	347923			1.11	33	<1		0.12	<10	12	322	1.26	<0.01	0.06	140	3	<0.01		126			<2
171.00	172.00	347924			1.14	27	<1		0.15	<10	12	387	1.76	<0.01	0.09	238	4	<0.01		116			<2
172.00	173.00	347925			1.18	29	<1		0.17	<10	11	423	1.27	<0.01	0.09	197	3	0.05		103			<2
173.00	174.00	347926			1.30	37	<1		0.16	<10	11	400	2.27	0.17	0.13	273	4	<0.01		144			<2
174.00	175.00	347927			1.19	30	<1		0.15	<10	14	409	2.21	<0.01	0.11	306	2	<0.01		117			<2
175.00	176.00	347928			1.24	41	<1		0.18	<10	10	435	2.39	0.06	0.14	373	7	0.06		127			<2
176.00	177.00	347929			1.29	28	<1		0.19	<10	9	424	3.42	<0.01	0.18	719	3	<0.01		95			<2
177.00	178.00	347930			1.19	24	<1		0.16	<10	8	453	3.69	<0.01	0.14	739	3	<0.01		89			<2
178.00	179.00	347931			1.34	51	<1		0.19	<10	21	385	1.77	0.22	0.10	174	3	<0.01		177			<2
179.00	180.00	347932			1.40	92	<1		0.25	<10	32	335	5.44	0.48	0.25	735	3	<0.01		176			70
180.00	181.00	347933			1.32	54	<1		0.34	<10	41	276	6.25	<0.01	0.27	1846	<1	<0.01		133			126
181.00	182.00	347934			1.22	21	<1		0.34	<10	44	348	6.46	<0.01	0.33	1739	1	<0.01		108			180
182.00	183.00	347935			1.21	22	<1		0.35	<10	59	308	5.96	<0.01	0.25	1710	<1	0.03		102			188
183.00	184.00	347936			1.25	56	<1		0.34	<10	58	355	3.87	0.02	0.13	1124	<1	<0.01		359			107
184.00	185.00	347937			1.11	59	<1		0.27	<10	43	388	4.21	<0.01	0.14	1200	<1	<0.01		343			102
185.00	186.00	347938			1.16	56	<1		0.28	<10	31	376	3.16	<0.01	0.13	879	<1	<0.01		224			48
186.00	187.00	347939			1.14	49	<1		0.31	<10	41	438	3.48	0.04	0.14	714	1	0.06		162			67
187.00	188.00	347940			1.22	53	<1		0.30	<10	39	447	2.57	<0.01	0.11	580	1	<0.01		199			77
188.00	189.00	347941			1.19	64	<1		0.23	<10	40	391	3.38	0.12	0.10	657	2	<0.01		152			72
189.00	190.00	347942			1.15	41	<1		0.22	<10	7	522	1.30	0.26	0.08	<100	8	0.14		39			<2
190.00	191.00	347943			0.86	14	<1		0.19	<10	4	408	1.38	<0.01	0.07	<100	2	<0.01		8			<2
191.00	192.00	347944			0.82	13	<1		0.18	<10	4	519	1.56	<0.01	0.06	<100	2	<0.01		8			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
192.00	193.00	347945			0.80	13	<1		0.18	<10	4	454	1.23	<0.01	0.05	<100	3	<0.01		7			<2
193.00	194.00	347946			1.06	41	<1		0.41	<10	9	462	2.17	<0.01	0.59	225	2	<0.01		33			7
194.00	195.00	347947			0.74	11	<1		0.23	<10	5	417	1.87	<0.01	0.05	<100	2	<0.01		7			<2
195.00	196.00	347948			0.94	16	<1		0.20	<10	5	540	1.66	0.04	0.07	<100	2	0.19		9			<2
196.00	197.00	347951			0.92	20	<1		0.19	<10	3	522	1.30	<0.01	0.08	<100	2	0.08		16			<2
197.00	198.00	347952			0.68	<10	<1		0.21	<10	5	513	1.68	<0.01	0.05	<100	3	<0.01		7			<2
198.00	199.00	347953			0.85	13	<1		0.15	<10	2	440	0.81	<0.01	0.06	<100	2	<0.01		7			<2
199.00	200.00	347954			0.48	17	<1		<0.01	<10	4	326	1.46	0.95	0.06	<100	4	0.46		10			<2
200.00	201.00	347955			0.41	14	<1		<0.01	<10	5	337	1.27	0.79	0.05	<100	11	0.12		8			<2
201.00	202.00	347956			0.39	22	<1		<0.01	<10	11	386	2.29	0.71	0.04	<100	14	<0.01		14			<2
202.00	203.00	347957			0.69	58	<1		<0.01	<10	38	354	4.36	1.20	0.08	<100	9	0.44		37			<2
203.00	204.00	347958			0.39	13	<1		<0.01	<10	2	390	0.90	0.75	0.04	<100	3	0.06		7			<2
204.00	205.00	347959			0.43	15	<1		<0.01	<10	3	408	1.01	0.81	0.04	<100	7	0.16		8			<2
205.00	206.00	347960			0.44	21	<1		<0.01	<10	28	364	4.05	0.78	0.04	<100	13	<0.01		12			<2
206.00	207.00	347961			0.68	39	<1		<0.01	<10	25	382	2.16	1.23	0.06	<100	72	0.48		18			7
207.00	208.00	347962			0.83	46	<1		<0.01	<10	49	327	9.49	1.65	0.14	730	9	0.95		65			<2
208.00	209.00	347963			0.86	39	<1		<0.01	<10	39	285	8.71	1.35	0.19	2126	4	0.88		89			<2
209.00	210.00	347964			0.85	37	<1		<0.01	<10	7	316	0.72	0.80	0.04	<100	2	<0.01		78			<2
210.00	211.00	347965			1.05	259	<1		1.69	<10	18	157	2.61	1.28	0.80	486	1	0.54		484			<2
211.00	212.00	347966			0.83	104	<1		<0.01	<10	6	267	1.01	1.01	0.09	125	3	0.18		163			<2
212.00	213.00	347967			0.82	46	<1		<0.01	<10	6	279	0.89	0.97	0.10	157	2	0.39		151			<2
213.00	214.00	347968			0.77	26	<1		<0.01	<10	7	254	0.91	0.70	0.09	132	2	<0.01		105			<2
214.00	215.00	347969			0.86	28	<1		<0.01	<10	6	258	0.59	0.88	0.06	<100	4	0.14		129			<2
215.00	216.00	347970			0.77	27	<1		<0.01	<10	5	279	0.52	0.65	0.05	<100	1	<0.01		132			<2
216.00	217.00	347971			0.87	89	<1		<0.01	<10	6	230	0.95	1.00	0.12	155	1	0.16		325			<2
217.00	218.00	347972			0.79	45	<1		<0.01	<10	9	255	1.18	0.73	0.11	159	2	<0.01		175			<2
218.00	219.00	347973			0.83	39	<1		<0.01	<10	5	250	0.61	0.91	0.08	102	2	0.27		170			<2
219.00	220.00	347974			0.88	41	<1		<0.01	<10	6	234	2.51	0.82	0.20	455	1	0.07		124			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
220.00	221.00	347975			0.86	30	<1		<0.01	<10	10	236	4.24	0.90	0.31	1002	1	0.14		135			<2
221.00	222.00	347976			0.82	40	<1		<0.01	<10	7	250	1.34	0.95	0.15	342	2	0.35		172			<2
222.00	223.00	347977			0.73	35	<1		<0.01	<10	7	282	0.87	0.69	0.06	183	2	<0.01		158			<2
223.00	224.00	347978			0.82	50	<1		<0.01	<10	8	266	0.75	1.00	0.07	129	2	0.41		216			<2
224.00	225.00	347979			0.78	48	<1		<0.01	<10	10	271	1.59	0.96	0.09	294	1	0.32		186			<2
225.00	226.00	347980			0.74	55	<1		<0.01	<10	6	246	1.29	0.83	0.08	401	<1	0.06		237			<2
226.00	227.00	347981			0.79	60	<1		<0.01	<10	7	262	1.02	0.83	0.07	137	<1	<0.01		243			<2
227.00	228.00	347982			0.83	47	<1		<0.01	<10	6	257	0.75	0.98	0.08	111	<1	0.35		174			<2
228.00	229.00	347983			0.90	66	<1		<0.01	<10	6	259	1.18	1.15	0.10	195	1	0.18		270			<2
229.00	230.00	347984			0.77	51	<1		<0.01	<10	6	259	0.86	0.81	0.05	<100	2	<0.01		190			<2
230.00	231.00	347985			0.77	48	<1		<0.01	<10	6	283	0.73	0.68	0.05	<100	<1	<0.01		201			<2
231.00	232.00	347986			0.69	53	<1		<0.01	<10	7	251	1.22	0.64	0.07	282	<1	<0.01		240			<2
232.00	233.00	347987			0.74	85	<1		<0.01	<10	24	286	4.97	0.67	0.18	1384	1	<0.01		346			<2
233.00	234.00	347988			0.72	52	<1		<0.01	<10	15	294	5.01	0.78	0.16	1195	3	<0.01		272			3
234.00	235.00	347989			0.69	38	<1		<0.01	<10	5	263	1.22	0.80	0.10	233	5	0.06		231			<2
235.00	236.00	347990			0.76	31	<1		<0.01	<10	6	307	0.75	0.74	0.08	104	2	<0.01		202			<2
236.00	237.00	347991			0.84	35	<1		<0.01	<10	7	268	0.44	1.02	0.07	<100	1	0.45		196			<2
237.00	238.00	347992			0.83	44	<1		<0.01	<10	8	248	0.54	1.00	0.07	<100	1	0.42		224			<2
238.00	239.00	347993			0.82	60	<1		<0.01	<10	9	238	0.94	1.02	0.10	105	3	0.18		261			<2
239.00	240.00	347994			0.86	69	<1		<0.01	<10	8	235	0.54	0.89	0.07	<100	1	<0.01		366			<2
240.00	241.00	347995			0.76	34	<1		<0.01	<10	6	271	0.83	0.67	0.06	<100	<1	<0.01		210			<2
241.00	242.00	347996			0.76	33	<1		<0.01	<10	7	262	0.53	0.76	0.06	<100	1	<0.01		234			<2
242.00	243.00	347997			0.78	48	<1		<0.01	<10	6	242	0.46	0.81	0.05	<100	<1	0.02		475			<2
243.00	244.00	347998			0.86	77	<1		<0.01	<10	10	248	1.52	1.12	0.07	<100	2	0.36		513			<2
244.00	245.00	348001			0.77	60	<1		<0.01	<10	29	239	5.80	0.78	0.12	421	3	<0.01		410			<2
245.00	246.00	348002			0.79	86	<1		<0.01	<10	26	256	4.75	0.84	0.06	270	5	<0.01		450			<2
246.00	247.00	348003			0.79	64	<1		<0.01	<10	24	197	2.89	0.94	0.06	248	14	0.12		381			<2
247.00	248.00	348004			0.76	58	<1		<0.01	<10	41	191	7.79	0.78	0.10	564	12	<0.01		280			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
248.00	249.00	348005			0.83	59	<1		<0.01	<10	37	177	8.32	1.16	0.16	325	13	0.49		285			<2
249.00	250.00	348006			0.78	58	<1		<0.01	<10	10	196	1.64	0.92	0.12	265	12	0.19		322			<2
250.00	251.00	348007			0.77	78	<1		<0.01	<10	11	177	0.63	0.77	0.05	<100	12	<0.01		343			<2
251.00	252.00	348008			0.86	104	<1		<0.01	<10	16	186	2.38	0.91	0.11	203	12	<0.01		464			<2
252.00	253.00	348009			0.79	74	<1		<0.01	<10	11	167	0.40	1.05	0.05	<100	12	0.31		374			<2
253.00	254.00	348010			0.86	144	<1		<0.01	<10	8	201	0.47	1.23	0.05	<100	13	0.29		303			<2
254.00	255.00	348011			0.89	95	<1		<0.01	<10	34	224	6.51	1.74	0.07	<100	15	0.60		278			<2
255.00	256.00	348012			0.69	21	<1		<0.01	<10	61	194	10.00	1.13	0.06	<100	13	0.32		104			<2
256.00	257.00	348013			0.75	46	<1		<0.01	<10	11	242	2.53	1.35	0.09	<100	17	0.88		52			<2
257.00	258.00	348014			0.75	46	<1		<0.01	<10	6	288	2.22	1.47	0.12	<100	21	1.21		34			<2
258.00	259.00	348015			0.63	40	<1		<0.01	<10	3	231	0.49	1.09	0.07	<100	17	0.52		25			<2
259.00	260.00	348016			0.62	34	<1		<0.01	<10	2	289	0.76	1.10	0.07	<100	20	0.58		16			<2
260.00	261.00	348017			0.57	35	<1		<0.01	<10	2	280	1.78	0.99	0.06	<100	30	0.42		15			<2
261.00	262.00	348018			0.40	15	<1		<0.01	<10	2	259	1.41	0.74	0.04	<100	19	0.05		9			<2
262.00	263.00	348019			0.47	16	<1		<0.01	<10	2	273	1.57	0.85	0.06	<100	21	0.23		9			<2
263.00	264.00	348020			0.56	51	<1		<0.01	<10	6	294	3.72	0.96	0.05	<100	17	0.22		26			7
264.00	265.00	348021			0.50	35	<1		<0.01	<10	2	275	1.07	0.89	0.07	<100	19	0.21		12			<2
265.00	266.00	348022			0.65	25	<1		<0.01	<10	2	285	2.80	1.23	0.10	<100	18	0.89		12			<2
266.00	267.00	348023			0.58	19	<1		<0.01	<10	2	271	2.43	1.08	0.08	<100	19	0.62		10			<2
267.00	268.00	348024			0.46	19	<1		0.04	<10	1	277	1.81	0.84	0.06	<100	19	0.24		9			<2
268.00	269.00	348025			0.46	14	<1		<0.01	<10	2	278	1.31	0.82	0.09	<100	18	0.17		8			<2
269.00	270.00	348026			0.60	29	<1		<0.01	<10	5	272	1.71	1.07	0.06	<100	19	0.54		18			<2
270.00	271.00	348027			0.40	20	<1		<0.01	<10	6	272	6.83	0.75	0.04	<100	18	0.03		14			<2
271.00	272.00	348028			0.40	18	<1		<0.01	<10	6	212	8.86	0.76	0.04	<100	15	0.07		13			<2
272.00	273.00	348029			0.53	28	<1		<0.01	<10	5	297	4.88	0.93	0.05	<100	23	0.37		21			6
273.00	274.00	348030			0.48	38	<1		<0.01	<10	6	263	5.50	0.79	0.04	<100	20	<0.01		34			37
274.00	275.00	348031			0.65	49	<1		<0.01	<10	3	260	1.87	1.20	0.09	<100	19	0.66		20			<2
275.00	276.00	348032			0.70	60	<1		<0.01	<10	3	268	1.67	1.29	0.11	<100	20	0.86		21			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

<i>From</i> (m)	<i>To</i> (m)	<i>Sample</i>	<i>Lab</i>	<i>Method</i>	<i>Al</i> (pct)	<i>Ba</i> (ppm)	<i>Be</i> (ppm)	<i>Bi</i> (ppm)	<i>Ca</i> (%)	<i>Cd</i> (ppm)	<i>Co</i> (ppm)	<i>Cr</i> (ppm)	<i>Fe</i> (%)	<i>K</i> (%)	<i>Mg</i> (%)	<i>Mn</i> (ppm)	<i>Mo</i> (ppm)	<i>NA</i> (pct)	<i>Na</i> (ppm)	<i>Sr</i> (ppm)	<i>Sr</i> (%)	<i>Ti</i> (%)	<i>V</i> (ppm)
276.00	277.00	348033			0.76	122	<1		<0.01	<10	5	301	2.41	1.28	0.09	<100	23	0.62		35			14
277.00	278.00	348034			0.50	28	<1		<0.01	<10	2	512	1.15	0.89	0.06	<100	2	0.32		12			<2
278.00	279.00	348035			0.46	15	<1		<0.01	<10	3	540	1.57	0.82	0.05	<100	7	0.20		8			<2
279.00	280.00	348036			0.50	15	<1		<0.01	<10	2	500	0.93	0.88	0.05	<100	22	0.33		8			<2
280.00	281.00	348037			0.50	14	<1		<0.01	<10	2	624	0.83	0.89	0.05	<100	2	0.34		8			<2
281.00	282.00	348038			0.33	10	<1		<0.01	<10	2	525	1.01	0.64	0.03	<100	1	<0.01		6			<2
282.00	283.00	348039			0.31	10	<1		<0.01	<10	1	620	0.74	0.60	0.03	<100	1	<0.01		6			<2
283.00	284.00	348040			0.25	<10	<1		<0.01	<10	2	529	1.06	0.54	0.02	<100	8	<0.01		5			<2
284.00	285.00	348041			0.51	14	<1		<0.01	<10	2	532	1.08	0.96	0.05	<100	8	0.40		9			<2
285.00	286.00	348042			0.61	17	<1		<0.01	<10	3	481	0.95	1.16	0.07	<100	46	0.78		10			<2
286.00	287.00	348043			0.45	13	<1		<0.01	<10	6	561	1.73	0.82	0.05	<100	201	0.20		7			<2
287.00	288.00	348044			0.52	14	<1		<0.01	<10	4	514	1.10	0.96	0.08	<100	9	0.43		9			<2
288.00	289.00	348045			0.42	12	<1		0.03	<10	4	432	1.25	0.81	0.12	<100	61	0.18		8			<2
289.00	290.00	348046			0.56	16	<1		0.35	<10	1	204	1.18	1.11	0.33	149	21	0.70		12			<2
290.00	291.00	348047			0.55	16	<1		0.02	<10	4	255	2.23	1.07	0.14	<100	20	0.62		10			<2
291.00	292.00	348048			0.62	17	<1		<0.01	<10	3	271	1.10	1.18	0.08	<100	52	0.83		10			<2
292.00	293.00	348051			0.55	17	<1		0.05	<10	2	295	1.08	1.01	0.14	<100	34	0.50		14			<2
293.00	294.00	348052			0.56	15	<1		<0.01	<10	3	272	1.13	1.01	0.06	<100	58	0.49		9			<2
294.00	295.00	348053			0.49	19	<1		<0.01	<10	7	286	2.89	0.85	0.05	<100	59	0.28		11			<2
295.00	296.00	348054			0.44	14	<1		<0.01	<10	5	315	1.78	0.77	0.04	<100	36	0.13		8			<2
296.00	297.00	348055			0.44	12	<1		<0.01	<10	6	357	1.70	0.79	0.04	<100	38	0.16		7			<2
297.00	298.00	348056			0.46	13	<1		<0.01	<10	5	272	0.69	0.80	0.05	<100	25	0.15		8			<2
298.00	299.00	348057			0.29	<10	<1		<0.01	<10	1	315	0.45	0.57	0.10	<100	25	<0.01		6			<2
299.00	300.00	348058			0.40	12	<1		<0.01	<10	2	278	0.85	0.75	0.17	<100	22	0.08		8			<2
300.00	301.15	348059			0.51	19	<1		<0.01	<10	2	367	0.63	0.88	0.05	<100	30	0.25		10			<2
301.15	302.00	348060			0.97	95	<1		<0.01	<10	7	276	0.64	1.83	0.05	<100	70	0.16		94			<2
302.00	302.65	348061			0.95	84	<1		<0.01	<10	32	274	1.07	1.75	0.15	<100	330	<0.01		128			20
302.65	304.00	348062			0.66	28	<1		1.31	<10	11	238	1.57	0.97	0.71	303	424	0.19		153			4



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
304.00	304.65	348063			0.49	24	<1		<0.01	<10	7	374	1.28	0.76	0.05	<100	916	<0.01		26			<2
304.65	306.00	348064			0.92	113	<1		<0.01	<10	7	229	1.33	1.71	0.06	<100	39	0.02		98			<2
306.00	307.00	348065			0.87	118	<1		<0.01	<10	25	264	1.88	1.48	0.06	<100	34	0.46		162			12
307.00	308.20	348066			0.80	110	<1		<0.01	<10	26	288	2.58	1.09	0.14	<100	51	<0.01		187			19
308.20	309.00	348067			1.01	172	<1		3.77	<10	34	256	3.79	1.88	1.23	637	6	0.40		1137			13
309.00	310.00	348068			0.85	80	<1		<0.01	11	28	324	2.68	1.34	0.09	<100	40	0.36		126			24
310.00	311.00	348069			0.82	85	<1		<0.01	<10	38	331	4.38	1.07	0.22	263	74	<0.01		136			45
311.00	312.00	348070			0.88	135	<1		<0.01	<10	37	266	1.26	1.46	0.09	105	50	0.28		184			12
312.00	313.00	348071			0.87	150	<1		<0.01	<10	27	332	1.29	1.43	0.08	<100	48	0.31		148			26
313.00	314.00	348072			0.87	104	<1		<0.01	14	26	283	1.61	1.47	0.17	138	70	0.29		85			30
314.00	315.00	348073			0.96	62	<1		<0.01	11	35	385	2.25	2.03	0.14	104	84	0.01		56			33
315.00	316.00	348074			1.04	184	<1		0.28	20	25	289	2.66	2.71	0.08	124	35	0.17		100			12
316.00	317.00	348075			1.00	229	<1		<0.01	<10	9	225	1.73	2.18	0.02	<100	34	<0.01		65			<2
317.00	318.00	348076			1.03	280	<1		<0.01	<10	10	159	2.17	2.87	0.03	<100	17	<0.01		67			<2
318.00	319.00	348077			1.06	464	<1		<0.01	<10	8	169	1.05	3.64	0.04	<100	19	<0.01		70			<2
319.00	320.00	348078			0.99	375	<1		<0.01	<10	7	117	0.58	3.16	0.02	<100	23	<0.01		74			<2
320.00	321.00	348079			1.00	195	<1		<0.01	<10	9	194	0.67	2.29	0.04	<100	47	<0.01		35			<2
321.00	322.00	348080			0.99	399	<1		<0.01	11	23	229	1.27	3.39	0.04	<100	52	<0.01		109			2
322.00	323.00	348081			1.01	403	<1		<0.01	<10	11	186	0.76	3.71	0.02	<100	30	<0.01		63			<2
323.00	324.00	348082			1.17	819	<1		<0.01	<10	7	145	0.48	5.78	0.06	<100	23	0.42		143			<2
324.00	325.00	348083			1.06	234	<1		<0.01	10	15	220	1.32	2.65	0.12	124	35	<0.01		39			<2
325.00	326.00	348084			1.09	345	<1		<0.01	<10	8	176	0.68	2.98	0.08	<100	17	<0.01		49			<2
326.00	327.00	348085			1.05	187	<1		<0.01	<10	7	218	0.48	2.45	0.04	<100	18	<0.01		40			<2
327.00	328.00	348086			1.07	142	<1		<0.01	11	36	602	1.22	2.84	0.22	114	16	<0.01		32			<2
328.00	329.00	348087			1.04	292	<1		<0.01	<10	6	173	0.33	2.99	0.04	<100	19	<0.01		74			<2
329.00	330.00	348088			1.15	335	<1		<0.01	<10	7	147	0.35	4.52	0.06	<100	16	0.34		74			<2
330.00	331.00	348089			1.12	398	<1		<0.01	<10	6	190	0.51	4.94	0.05	<100	20	<0.01		78			<2
331.00	332.00	348090			1.14	498	<1		<0.01	<10	7	141	0.57	4.96	0.07	<100	14	<0.01		76			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Tl (%)	V (ppm)
332.00	333.00	348091			0.67	37	<1		1.32	<10	17	352	3.37	1.27	0.43	1193	22	0.70		40			2
333.00	334.00	348092			0.95	69	<1		1.78	<10	208	283	9.27	1.43	0.84	1652	9	0.42		38			19
334.00	335.00	348093			1.01	209	<1		5.30	<10	24	328	4.46	2.81	1.06	1475	8	0.20		102			18
335.00	336.00	348094			0.53	29	<1		1.23	<10	76	269	9.06	0.95	0.55	2086	18	0.21		32			4
336.00	337.00	348095			0.64	32	<1		1.18	<10	72	258	8.67	1.25	0.54	1983	18	0.77		34			<2
337.00	338.00	348096			1.10	599	<1		0.04	<10	7	115	0.44	4.80	<0.01	<100	14	0.19		88			<2
338.00	339.00	348097			1.10	576	<1		0.06	<10	6	134	0.42	4.42	<0.01	<100	14	0.15		77			<2
339.00	340.00	348098			1.11	501	<1		<0.01	<10	6	108	0.34	3.91	0.04	<100	13	<0.01		62			<2
340.00	341.00	348101			1.12	493	<1		<0.01	<10	5	92	0.35	4.98	0.04	<100	16	<0.01		75			<2
341.00	342.00	348102			1.07	536	<1		<0.01	<10	5	126	0.27	4.85	0.03	<100	12	<0.01		72			<2
342.00	343.00	348103			0.96	645	<1		0.18	<10	5	164	0.37	6.38	0.08	<100	18	<0.01		106			<2
343.00	344.00	348104			0.89	550	<1		0.09	<10	5	164	0.37	5.41	0.07	<100	16	<0.01		93			<2
344.00	345.00	348105			0.99	643	<1		0.37	<10	6	119	0.43	7.11	0.19	<100	10	0.16		119			<2
345.00	346.00	348106			0.93	602	<1		0.21	<10	5	128	0.31	4.93	0.11	<100	11	<0.01		82			<2
346.00	347.00	348107			0.95	527	<1		0.21	<10	7	136	0.37	4.99	0.15	<100	12	<0.01		84			<2
347.00	348.00	348108			0.99	680	<1		0.39	<10	9	148	0.63	6.64	0.19	102	12	<0.01		113			<2
348.00	349.00	348109			1.01	690	<1		0.08	<10	6	118	0.59	7.12	0.12	<100	20	<0.01		111			<2
349.00	350.00	348110			1.03	686	<1		<0.01	<10	6	181	0.55	7.12	0.07	<100	14	<0.01		105			<2
350.00	351.00	348111			1.02	618	<1		0.27	<10	5	182	0.63	6.26	0.17	<100	18	0.05		105			<2
351.00	352.00	348112			1.07	552	<1		<0.01	<10	5	199	0.43	6.29	0.08	<100	18	0.25		80			<2
352.00	353.00	348113			0.98	392	<1		<0.01	<10	5	103	0.39	4.56	0.04	<100	11	<0.01		57			<2
353.00	354.00	348114			0.99	437	<1		<0.01	<10	6	120	0.37	4.58	0.05	<100	11	0.15		65			<2
354.00	355.00	348115			0.99	487	<1		<0.01	<10	6	102	0.42	5.18	0.05	<100	11	<0.01		76			<2
355.00	356.00	348116			0.97	559	<1		0.05	<10	5	137	0.41	5.57	0.07	<100	12	<0.01		95			<2
356.00	357.00	348117			1.03	247	<1		<0.01	<10	4	106	0.23	3.40	0.07	<100	10	0.43		45			<2
357.00	358.00	348118			1.03	255	<1		<0.01	<10	4	122	0.27	2.95	0.06	<100	15	0.38		36			<2
358.00	359.00	348119			0.98	180	<1		<0.01	<10	9	113	0.47	2.67	0.06	<100	13	0.17		20			<2
359.00	360.00	348120			0.89	247	<1		<0.01	<10	11	134	0.77	2.57	0.03	<100	13	<0.01		47			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
360.00	361.00	348121			1.07	736	<1		0.26	<10	6	142	0.62	4.16	0.05	<100	14	0.74		146			<2
361.00	362.00	348122			1.05	625	<1		0.02	<10	6	158	0.59	5.20	0.05	<100	21	0.49		101			<2
362.00	363.00	348123			0.99	582	<1		0.07	<10	6	126	0.48	3.53	0.04	<100	14	0.29		95			<2
363.00	364.00	348124			0.94	292	<1		<0.01	<10	6	119	0.64	2.93	0.03	<100	23	<0.01		39			<2
364.00	365.00	348125			0.94	348	<1		0.06	<10	5	104	0.55	2.97	0.02	<100	13	<0.01		69			<2
365.00	366.00	348126			1.05	551	<1		<0.01	<10	5	147	0.58	5.11	0.05	<100	18	0.18		69			<2
366.00	367.00	348127			0.95	501	<1		<0.01	<10	5	107	0.47	4.61	0.03	<100	10	<0.01		78			<2
367.00	368.00	348128			0.91	532	<1		<0.01	<10	5	141	0.77	3.64	<0.01	<100	13	<0.01		83			<2
368.00	369.00	348129			1.03	522	<1		<0.01	<10	6	106	0.57	5.73	0.03	<100	10	<0.01		97			<2
369.00	370.00	348130			1.01	603	<1		<0.01	<10	6	126	0.57	4.96	0.03	<100	21	<0.01		88			<2
370.00	371.00	348131			0.99	506	<1		<0.01	<10	5	117	0.63	4.30	0.03	<100	14	<0.01		84			<2
371.00	372.00	348132			0.98	279	<1		<0.01	<10	6	55	0.52	3.40	0.04	<100	7	<0.01		44			<2
372.00	373.00	348133			1.08	754	<1		<0.01	<10	5	140	0.72	5.95	0.08	<100	11	<0.01		148			<2
373.00	374.00	348134			1.04	281	<1		<0.01	<10	5	125	0.59	3.39	0.08	<100	10	0.16		41			<2
374.00	375.00	348135			1.00	275	<1		<0.01	<10	4	134	0.62	3.42	0.07	<100	10	<0.01		54			<2
375.00	376.00	348136			1.05	236	<1		<0.01	<10	6	159	0.57	3.29	0.07	<100	16	0.18		37			<2
376.00	377.00	348137			1.00	472	<1		<0.01	<10	6	128	0.61	4.18	0.06	<100	27	<0.01		71			<2
377.00	378.00	348138			1.00	506	<1		0.15	<10	5	103	0.70	5.34	0.16	<100	20	<0.01		89			<2
378.00	379.00	348139			1.05	404	<1		0.48	<10	4	133	0.53	4.73	0.28	108	21	0.03		93			<2
379.00	380.00	348140			0.94	435	<1		<0.01	<10	5	138	0.33	3.29	0.05	<100	19	<0.01		64			<2
380.00	381.00	348141			1.02	546	<1		0.64	<10	5	119	0.61	4.26	0.30	115	15	<0.01		120			<2
381.00	382.00	348142			1.07	505	<1		0.85	<10	5	125	0.75	5.24	0.40	205	14	<0.01		117			<2
382.00	383.00	348143			1.08	545	<1		0.49	<10	5	121	0.61	6.14	0.32	153	9	<0.01		85			<2
383.00	384.00	348144			1.04	575	<1		0.36	<10	4	123	0.45	5.48	0.22	<100	13	<0.01		79			<2
384.00	385.00	348145			0.95	322	<1		0.28	<10	4	97	0.42	3.95	0.21	<100	10	<0.01		61			<2
385.00	386.00	348146			1.01	487	<1		0.79	<10	4	91	0.62	5.44	0.44	176	10	<0.01		97			<2
386.00	387.00	348147			0.98	375	<1		0.44	<10	4	101	0.46	4.48	0.31	120	16	<0.01		73			<2
387.00	388.00	348148			1.01	614	<1		0.72	<10	6	111	0.73	5.23	0.41	169	17	<0.01		97			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
388.00	389.00	348151			1.06	526	<1		0.63	<10	7	134	0.77	4.76	0.19	<100	12	<0.01		97			<2
389.00	390.00	348152			1.03	465	<1		0.69	<10	6	128	0.80	4.27	0.37	141	12	<0.01		84			<2
390.00	391.00	348153			1.02	511	<1		0.72	<10	5	125	0.69	4.56	0.41	150	11	<0.01		99			<2
391.00	392.00	348154			1.00	489	<1		0.58	<10	4	132	0.47	4.79	0.34	123	11	<0.01		80			<2
392.00	393.00	348155			1.01	523	<1		0.85	<10	5	135	0.64	5.02	0.39	138	16	<0.01		90			<2
393.00	394.00	348156			1.02	482	<1		1.50	<10	10	141	1.32	3.68	0.65	267	15	<0.01		347			<2
394.00	395.00	348157			1.04	541	<1		0.23	<10	4	133	0.46	5.21	0.24	<100	11	<0.01		104			<2
395.00	396.00	348158			1.04	594	<1		0.51	<10	4	120	0.51	5.19	0.35	120	11	<0.01		98			<2
396.00	397.00	348159			1.06	586	<1		0.32	<10	4	108	0.53	5.90	0.26	<100	11	<0.01		102			<2
397.00	398.00	348160			1.04	562	<1		0.66	<10	5	121	0.57	5.19	0.42	173	13	<0.01		100			<2
398.00	399.00	348161			1.03	462	<1		0.53	<10	4	96	0.50	4.97	0.33	114	13	<0.01		81			<2
399.00	400.00	348162			1.01	451	<1		1.09	<10	5	111	0.70	4.53	0.53	201	16	<0.01		97			<2
400.00	401.00	348163			1.03	494	<1		0.64	<10	5	96	0.69	4.75	0.41	145	11	<0.01		92			<2
401.00	402.00	348164			1.06	559	<1		0.57	<10	5	123	0.52	4.88	0.32	118	13	<0.01		98			<2
402.00	403.00	348165			1.02	437	<1		1.05	<10	5	120	0.62	4.51	0.49	185	15	<0.01		111			<2
403.00	404.00	348166			1.05	428	<1		0.42	<10	8	135	1.06	3.51	0.26	122	16	<0.01		84			<2
404.00	405.00	348167			1.05	296	<1		0.50	<10	41	684	1.10	2.19	0.31	174	13	<0.01		68			<2
405.00	406.00	348168			1.00	117	<1		0.07	117	49	226	4.06	1.84	0.15	<100	13	0.07		44			<2
406.00	407.00	348169			0.83	89	<1		<0.01	<10	7	174	0.49	0.91	0.04	<100	13	<0.01		33			<2
407.00	408.00	348170			0.84	100	<1		<0.01	<10	12	157	0.58	0.97	0.06	<100	14	<0.01		36			<2
408.00	409.00	348171			0.81	86	<1		<0.01	<10	6	162	0.37	0.87	0.04	<100	13	<0.01		32			<2
409.00	410.00	348172			0.97	135	<1		<0.01	<10	7	133	0.42	1.81	0.14	<100	9	<0.01		48			<2
410.00	411.00	348173			0.94	126	<1		<0.01	<10	5	138	0.19	1.85	0.06	<100	9	<0.01		49			<2
411.00	412.00	348174			1.02	148	<1		0.90	<10	7	202	1.04	1.82	0.53	228	14	<0.01		98			<2
412.00	413.00	348175			1.00	192	<1		1.57	<10	45	277	6.18	1.92	0.88	1347	8	<0.01		101			43
413.00	414.00	348176			1.01	200	<1		0.84	<10	25	247	3.47	2.07	0.68	582	12	<0.01		77			6



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-63
Project PLANET EXPLORATION
Project Number 800125



Goldcorp Inc.
QC Report

Hole Number RL-05-63
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
148.00	347899	1899	70	-	-	-	51	-	-	<2	0.00	1.9	-	0.055	39.0	-
148.01	347900	17	2	-	-	-	7	-	-	<2	0.00	0.0	-	<0.001	44.0	-
196.00	347949	1813	148	-	-	-	100	-	-	<2	0.00	1.8	-	0.053	70.0	-
196.01	347950	13	3	-	-	-	10	-	-	<2	0.00	0.0	-	<0.001	57.5	-
244.00	347999	2082	-	-	-	-	-	-	-	-	-	2.1	-	0.061	-	-
244.01	348000	<5	2	-	-	-	10	-	-	-	0.00	<0.0	-	<0.001	58.0	-
292.00	348049	2093	136	-	-	-	94	-	-	-	0.00	2.1	-	0.061	66.0	-
292.01	348050	55	2	-	-	-	11	-	-	-	0.00	0.1	-	0.002	55.0	-
340.00	348099	1821	148	-	-	-	103	-	-	-	0.00	1.8	-	0.053	71.0	-
340.01	348100	<5	2	-	-	-	11	-	-	-	0.00	<0.0	-	<0.001	56.0	-
388.00	348149	1803	103	-	-	-	100	-	-	-	0.00	1.8	-	0.053	97.0	-
388.01	348150	21	2	-	-	-	11	-	-	-	0.00	0.0	-	0.001	60.0	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-63
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
10.35	12.00	1.65	R4	0.14	0.20	-	100.00	-	100.00
12.00	15.00	3.00	R4	0.12	0.14	-	100.00	-	100.00
15.00	18.00	3.00	R4	0.10	0.14	-	100.00	-	100.00
18.00	21.00	3.00	R4	0.12	0.16	-	100.00	-	100.00
21.00	24.00	3.00	R4	0.13	0.23	-	100.00	-	100.00
24.00	27.00	3.00	R4	0.12	0.14	-	100.00	-	100.00
27.00	30.00	3.00	R4	0.09	0.12	-	100.00	-	100.00
30.00	33.00	3.00	R4	0.10	0.14	-	100.00	-	100.00
33.00	36.00	3.00	R4	0.13	0.16	-	100.00	-	100.00
36.00	39.00	3.00	R4	0.13	0.16	-	100.00	-	100.00
39.00	42.00	3.00	R4	0.09	0.12	-	100.00	-	100.00
42.00	45.00	3.00	R4	0.12	0.14	-	100.00	-	100.00
45.00	48.00	3.00	R4	0.11	0.14	-	100.00	-	100.00
48.00	51.00	3.00	R4	0.10	0.14	-	100.00	-	100.00
51.00	54.00	3.00	R4	0.13	0.16	-	100.00	-	100.00
54.00	57.00	3.00	R4	0.12	0.14	-	100.00	-	100.00
57.00	60.00	3.00	R4	0.09	0.14	-	100.00	-	100.00
60.00	63.00	3.00	R4	0.12	0.16	-	100.00	-	100.00
63.00	66.00	3.00	R4	0.13	0.16	-	100.00	-	100.00
66.00	69.00	3.00	R4	0.10	0.14	-	100.00	-	100.00
69.00	72.00	3.00	R4	0.10	0.14	-	100.00	-	100.00
72.00	75.00	3.00	R4	0.18	0.23	-	100.00	-	100.00
75.00	78.00	3.00	R4	0.12	0.18	-	100.00	-	100.00
78.00	81.00	3.00	R4	0.15	0.27	-	100.00	-	100.00
81.00	84.00	3.00	R4	0.15	0.20	-	100.00	-	100.00
84.00	87.00	3.00	R4	0.08	0.12	-	100.00	-	100.00
87.00	90.00	3.00	R4	0.12	0.16	-	100.00	-	100.00
90.00	93.00	3.00	R4	0.12	0.14	-	100.00	-	100.00
93.00	96.00	3.00	R4	0.18	0.31	-	100.00	-	100.00
96.00	99.00	3.00	R4	0.12	0.18	-	100.00	-	100.00
99.00	102.00	3.00	R4	0.10	0.12	-	100.00	-	100.00
102.00	105.00	3.00	R4	0.11	0.12	-	100.00	-	100.00
105.00	108.00	3.00	R4	0.12	0.14	-	100.00	-	100.00
108.00	111.00	3.00	R4	0.14	0.20	-	100.00	-	100.00
111.00	114.00	3.00	R4	0.04	0.09	-	100.00	-	100.00
114.00	117.00	3.00	R4	-0.12	0.10	-	100.00	-	100.00
117.00	120.00	3.00	R4	0.25	0.58	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-63
Project: PLANET EXPLORATION
Project Number: 800125

120.00	123.00	3.00	R6	1.32	2.36	-	100.00	-	100.00
123.00	126.00	3.00	R5	1.12	2.67	-	100.00	-	100.00
126.00	129.00	3.00	R6	4.07	11.50	-	100.00	-	100.00
129.00	132.00	3.00	R6	5.37	9.88	-	100.00	-	100.00
132.00	135.00	3.00	R6	2.79	5.28	-	100.00	-	100.00
135.00	138.00	3.00	R6	2.99	7.22	-	100.00	-	100.00
138.00	141.00	3.00	R6	0.69	2.50	-	100.00	-	100.00
141.00	144.00	3.00	R6	0.54	1.20	-	100.00	-	100.00
144.00	147.00	3.00	R6	0.79	1.48	-	100.00	-	100.00
147.00	150.00	3.00	R6	2.40	7.64	-	100.00	-	100.00
150.00	153.00	3.00	R6	3.68	10.50	-	100.00	-	100.00
153.00	156.00	3.00	R6	1.55	4.02	-	100.00	-	100.00
156.00	159.00	3.00	R6	2.09	6.25	-	100.00	-	100.00
159.00	162.00	3.00	R6	2.12	7.68	-	100.00	-	100.00
162.00	165.00	3.00	R6	1.07	3.97	-	100.00	-	100.00
165.00	168.00	3.00	R6	1.98	6.73	-	100.00	-	100.00
168.00	171.00	3.00	R6	0.33	0.69	-	100.00	-	100.00
171.00	174.00	3.00	R6	0.99	1.68	-	100.00	-	100.00
174.00	177.00	3.00	R5	2.12	4.64	-	100.00	-	100.00
177.00	180.00	3.00	R5	3.50	15.60	-	100.00	-	100.00
180.00	183.00	3.00	R5	7.16	11.60	-	100.00	-	100.00
183.00	186.00	3.00	R5	4.80	8.07	-	100.00	-	100.00
186.00	189.00	3.00	R6	1.61	3.03	-	100.00	-	100.00
189.00	192.00	3.00	R6	0.05	0.23	-	100.00	-	100.00
192.00	195.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
195.00	198.00	3.00	R6	0.00	0.03	-	100.00	-	100.00
198.00	201.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
201.00	204.00	3.00	R6	0.04	0.23	-	100.00	-	100.00
204.00	207.00	3.00	R6	0.07	0.14	-	100.00	-	100.00
207.00	210.00	3.00	R6	1.26	5.67	-	100.00	-	100.00
210.00	213.00	3.00	R6	0.32	0.60	-	100.00	-	100.00
213.00	216.00	3.00	R6	0.64	1.95	-	100.00	-	100.00
216.00	219.00	3.00	R6	0.52	0.98	-	100.00	-	100.00
219.00	222.00	3.00	R6	0.27	0.82	-	100.00	-	100.00
222.00	225.00	3.00	R6	2.63	10.40	-	100.00	-	100.00
225.00	228.00	3.00	R6	0.38	1.11	-	100.00	-	100.00
228.00	231.00	3.00	R6	0.55	2.15	-	100.00	-	100.00
231.00	234.00	3.00	R6	4.28	13.20	-	100.00	-	100.00
234.00	237.00	3.00	R6	1.33	5.87	-	100.00	-	100.00
237.00	240.00	3.00	R6	0.10	0.43	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-63
Project: PLANET EXPLORATION
Project Number: 800125

240.00	243.00	3.00	R6	0.03	0.10	-	100.00	-	100.00
243.00	246.00	3.00	R6	2.23	5.96	-	100.00	-	100.00
246.00	249.00	3.00	R6	1.31	2.69	-	100.00	-	100.00
249.00	252.00	3.00	R6	1.71	3.78	-	100.00	-	100.00
252.00	255.00	3.00	R6	0.36	0.76	-	100.00	-	100.00
255.00	258.00	3.00	R6	0.77	3.53	-	100.00	-	100.00
258.00	261.00	3.00	R6	0.18	0.67	-	100.00	-	100.00
261.00	264.00	3.00	R6	0.52	1.61	-	100.00	-	100.00
264.00	267.00	3.00	R6	0.09	0.20	-	100.00	-	100.00
267.00	270.00	3.00	R6	0.13	0.45	-	100.00	-	100.00
270.00	273.00	3.00	R6	1.28	5.34	-	100.00	-	100.00
273.00	276.00	3.00	R6	1.35	3.27	-	100.00	-	100.00
276.00	279.00	3.00	R6	0.34	1.04	-	100.00	-	100.00
279.00	282.00	3.00	R6	0.11	0.53	-	100.00	-	100.00
282.00	285.00	3.00	R6	0.00	0.03	-	100.00	-	100.00
285.00	288.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
288.00	291.00	3.00	R6	0.09	0.27	-	100.00	-	100.00
291.00	294.00	3.00	R6	0.00	0.03	-	100.00	-	100.00
294.00	297.00	3.00	R6	0.02	0.09	-	100.00	-	100.00
297.00	300.00	3.00	R6	0.04	0.10	-	100.00	-	100.00
300.00	303.00	3.00	R6	0.06	0.31	-	100.00	-	100.00
303.00	306.00	3.00	R6	0.24	1.18	-	100.00	-	100.00
306.00	309.00	3.00	R5	0.06	0.12	-	100.00	-	100.00
309.00	312.00	3.00	R5	1.07	3.40	-	100.00	-	100.00
312.00	315.00	3.00	R5	0.61	1.37	-	100.00	-	100.00
315.00	318.00	3.00	R5	0.34	1.55	-	100.00	-	100.00
318.00	321.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
321.00	324.00	3.00	R5	0.23	0.58	-	100.00	-	100.00
324.00	327.00	3.00	R5	0.09	0.23	-	100.00	-	100.00
327.00	330.00	3.00	R4	0.38	1.88	-	100.00	-	100.00
330.00	333.00	3.00	R5	0.06	0.12	-	100.00	-	100.00
333.00	336.00	3.00	R5	0.03	0.09	-	100.00	-	100.00
336.00	339.00	3.00	R6	0.00	0.03	-	100.00	-	100.00
339.00	342.00	3.00	R6	0.05	0.14	-	100.00	-	100.00
342.00	345.00	3.00	R6	0.03	0.07	-	100.00	-	100.00
345.00	348.00	3.00	R6	0.08	0.20	-	100.00	-	100.00
348.00	351.00	3.00	R6	0.13	0.16	-	100.00	-	100.00
351.00	354.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
354.00	357.00	3.00	R5	0.02	0.05	-	100.00	-	100.00
357.00	360.00	3.00	R5	0.00	0.01	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-63
Project: PLANET EXPLORATION
Project Number: 800125

360.00	363.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
363.00	366.00	3.00	R6	0.03	0.07	-	100.00	-	100.00
366.00	369.00	3.00	R6	0.02	0.03	-	100.00	-	100.00
369.00	372.00	3.00	R6	0.03	0.07	-	100.00	-	100.00
372.00	375.00	3.00	R5	0.08	0.14	-	100.00	-	100.00
375.00	378.00	3.00	R5	0.06	0.29	-	100.00	-	100.00
378.00	381.00	3.00	R6	0.01	0.07	-	100.00	-	100.00
381.00	384.00	3.00	R6	0.05	0.18	-	100.00	-	100.00
384.00	387.00	3.00	R6	0.08	0.16	-	100.00	-	100.00
387.00	390.00	3.00	R6	0.19	0.62	-	100.00	-	100.00
390.00	393.00	3.00	R6	0.03	0.07	-	100.00	-	100.00
393.00	396.00	3.00	R6	0.01	0.05	-	100.00	-	100.00
396.00	399.00	3.00	R6	0.02	0.05	-	100.00	-	100.00
399.00	402.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
402.00	405.00	3.00	R6	0.05	0.23	-	100.00	-	100.00
405.00	408.00	3.00	R6	0.31	1.09	-	100.00	-	100.00
408.00	411.00	3.00	R5	0.07	0.18	-	100.00	-	100.00
411.00	414.00	3.00	R5	0.44	1.00	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-64
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 90.62	Length: 31.50 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -55	Pulled: No	Claim No:	Spotted by: T. Maciejewski
Length: 297.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 04-Feb-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 12-Feb-05		Level:	Surveyed Date: 24-Feb-05
Logged: 04-Feb-05	<u>Core</u>	Coordinate- Gemcom	Logged by: L.C. Chastko
Wedged : No	Dimension: NQ	Coordinate - UTM	Re-logged by:
Wedged from:	Original Units: M	East: 462449.72	Water Source:
	Storage: Cochenour Mine	North: 5681200.76	Water line:
		Elevation: 409.25	Left in hole: Nothing
		UTM Zone: ZONE 15 NAD 2	Control Drilling:
		Grid Name:	Cutting sampled: No
			Geophisic:
Target: 2005-B5, Main Zone			
Comments: casing has parted - no gyro survey of collar possible			

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	90.62	-55.00	C	48.000	96.15	-54.13	X	96.000	97.17	-53.55	X
3.000	91.98	-55.04	X	51.000	96.28	-54.11	X	99.000	97.54	-53.41	X
6.000	93.68	-54.54	X	54.000	96.36	-54.07	X	102.000	97.98	-53.21	X
9.000	94.76	-54.11	X	57.000	96.39	-54.03	X	105.000	98.46	-53.01	X
12.000	95.04	-54.16	X	60.000	96.38	-53.97	X	108.000	98.86	-52.82	X
15.000	94.98	-54.25	X	63.000	96.39	-53.93	X	111.000	99.11	-52.65	X
18.000	94.72	-54.25	X	66.000	96.43	-53.90	X	114.000	99.26	-52.55	X
21.000	94.44	-54.24	X	69.000	96.42	-53.84	X	117.000	99.29	-52.48	X
24.000	94.30	-54.28	X	72.000	96.39	-53.78	X	120.000	99.39	-52.41	X
27.000	94.35	-54.33	X	75.000	96.42	-53.75	X	123.000	99.53	-52.35	X
30.000	94.53	-54.34	X	78.000	96.51	-53.72	X	126.000	99.57	-52.29	X
33.000	94.69	-54.34	X	81.000	96.62	-53.73	X	129.000	99.68	-52.18	X
36.000	94.90	-54.32	X	84.000	96.67	-53.76	X	132.000	99.76	-52.05	X
39.000	95.16	-54.21	X	87.000	96.71	-53.74	X	135.000	99.87	-51.90	X
42.000	95.51	-54.19	X	90.000	96.86	-53.69	X	138.000	99.91	-51.81	X
45.000	95.90	-54.16	X	93.000	96.97	-53.63	X	141.000	100.00	-51.74	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-64
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
144.000	100.11	-51.67	X
147.000	100.26	-51.61	X
150.001	100.49	-51.53	X
153.000	100.64	-51.42	X
156.000	100.84	-51.30	X
159.000	101.00	-51.15	X
162.000	101.10	-50.99	X
165.000	101.19	-50.85	X
168.000	101.29	-50.71	X
171.000	101.28	-50.58	X
174.000	101.33	-50.49	X
177.000	101.33	-50.43	X
180.000	101.34	-50.36	X
183.000	101.36	-50.30	X
186.000	101.39	-50.24	X
189.000	101.40	-50.19	X
192.000	101.41	-50.15	X
195.000	101.43	-50.11	X
198.000	101.44	-50.09	X
201.000	101.45	-50.10	X
204.000	101.48	-50.09	X
207.000	101.49	-50.10	X
210.000	101.51	-50.09	X
213.000	101.55	-50.08	X
216.000	101.56	-50.08	X
219.000	101.57	-50.04	X
222.000	101.56	-50.02	X
225.000	101.60	-50.01	X
228.000	101.63	-50.02	X
231.000	101.71	-50.11	X
234.000	101.72	-50.09	X
237.000	101.70	-50.02	X
240.000	101.70	-50.02	X
243.000	101.63	-50.01	X
246.000	101.61	-49.98	X

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
249.000	101.62	-49.92	X
252.000	101.59	-49.85	X
255.000	101.59	-49.82	X
258.000	101.64	-49.80	X
261.000	101.64	-49.78	X
264.000	101.73	-49.80	X
267.000	101.83	-49.81	X
270.000	101.83	-49.78	X
273.000	101.89	-49.77	X
276.000	101.88	-49.78	X
279.000	101.93	-49.77	X
282.000	101.81	-49.71	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-64
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G. Comments
0.00	31.50	(OB) OVERBURDEN Casing								
31.50	34.00	(7B) FELDSPAR PORPHYRY Chunky Feldspar Porphyry/Granitic speckled dark biotite/amphibole in light grey matrix, 15% 1-3mm feldspar phenocrysts with blurry boundaries, granitic appearance, weakly foliated								
34.00	62.35	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS Quartz-Andalusite +/- staurolite patches and bands light buffish to pastel mauve due to andalusite, fine to medium grained andalusite, light variable local bleaching and sericitization, weak foliation and lamination of quartz and andalusite at 30-55 to CA, moderate tight fractures, 2% late white quartz filled fractures often with trace to minor pypo overall traces to locally minor pypo as disseminated and weak stringers 34.00 - 45.00 weathering along fractures common	348177 348178	61.00 61.25	61.25 63.00	0.25 1.75	<0.01 0.02	<0.001 0.001	<5 20	<input type="checkbox"/> <input type="checkbox"/>
62.35	65.10	(9C) SILICIFIED UNIT @ SIDACE LK Mixed zone 62.35 - 62.70 50% silicified with 5% irregular pypo, 50% quartz-andalusite 62.70 - 63.40 Quartz-Andalusite weak to moderately silicified-weakly banded 63.40 - 64.00 highly silicified upper section with massive pypo lower section, minor amphibole and garnets 64.00 - 64.75 Amphibole-Quartz-Garnet (1L) mafic unit 64.75 - 65.05 highly silicified, 15% irregular py, minor po, rusty red mineral possibly realgar?, vuggy 64.00 - 64.75 (1L) GARNETIFERROUS AMPHIBOLITE Amphibole-Quartz-Garnet band	348179 348180	63.00 64.00	64.00 65.10	1.00 1.10	0.09 0.04	0.003 0.001	90 35	<input type="checkbox"/> <input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-64
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
65.10	97.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	348181	65.10	66.00	0.90	0.01	<0.001	12	<input type="checkbox"/>	
		Quartz-Andalusite +/- staurolite patches and bands similar to before, weak to locally moderate foliation and lamination at 55-60 to CA, locally lower angles	348182	66.00	67.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		3% late quartz + sulfide filled fractures varying from mm to 15 cm thickness, moderate tight fractures and local slips and weak faults - often coated with bluish-green mud	348183	87.00	87.80	0.80	0.01	<0.001	8	<input type="checkbox"/>	
		traces pypo with local weak stringers	348184	87.80	88.30	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	
		87 - 97 several sericitic faults-minor crenulation	348185	88.30	89.00	0.70	<0.01	<0.001	<5	<input type="checkbox"/>	
			348186	89.00	90.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		66.10 - 66.40 (Q) QUARTZ	348187	90.00	91.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		late white 1-3% pypo	348188	91.00	92.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			348189	92.00	93.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			348190	93.00	94.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		71.75 - 72.00 (Q) QUARTZ	348191	94.00	95.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		late white	348192	95.00	96.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			348193	96.00	97.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		74.10 - 74.25 (Q) QUARTZ									
		late white									
		78.30 - 80.00 (FLT) FAULT									
		low angle slips, irregular bluish mud coated, blocky									
		87.80 - 88.25 (9A) QUARTZ SERICITE SCHIST @ SIDACE LK CREN									
		light buffish-green, highly sericitic, 3% quartz stringers-white possible fault?									
97.00	104.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	348194	97.00	98.00	1.00	0.25	0.007	251	<input type="checkbox"/>	
		interlayered, predominantly quartz-andalusite- moderately sericitic interlayered with 25% more mafic Ampibole-Biotite-Garnet,, strong staurolite bands and patches, number of blue-green mud coated slips	348195	98.00	99.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			348196	99.00	100.00	1.00	0.13	0.004	125	<input type="checkbox"/>	
			348197	100.00	101.00	1.00	0.31	0.009	312	<input type="checkbox"/>	
			348198	101.00	102.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			348201	102.00	103.00	1.00	1.07	0.031	1074	<input type="checkbox"/>	
			348202	103.00	104.00	1.00	0.33	0.010	329	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-64
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
104.00	126.80	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS									
		Quartz-Anadusite/Quartz-Sericite	348203	104.00	105.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		light buffish, fine grained	348204	105.00	106.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		moderately sericitized but recognizable andalusite, moderately sheared and foliated at 55-60 to CA	348205	106.00	107.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		117.00 - 121.00 blocky brecciated in sections very blocky, broken core	348206	107.00	108.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		119.5 - 120. diorite dike, dark green, fine grained massive	348207	108.00	109.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		126.00 - 126.80 dioritedike as above, contacts at 30 to CA	348208	109.00	110.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		111.10 - 111.95 (1L) GARNETIFEROUS AMPHIBOLITE	348209	110.00	111.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Amphibole-Biotite-Garnet-Stauroilite band	348210	111.00	112.00	1.00	0.02	<0.001	22	<input type="checkbox"/>	
			348211	112.00	113.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		114.32 - 115.10 (Q) QUARTZ	348212	113.00	114.00	1.00	0.66	0.019	655	<input type="checkbox"/>	
		part smoky part white quartz, possibly vestige of Silicified	348213	114.00	115.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			348214	115.00	116.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348215	116.00	117.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		117.00 - 121.00 (FLT) FAULT BX	348216	117.00	118.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		blocky broken core, breccia in part	348217	118.00	119.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348218	119.00	120.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348219	120.00	121.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			348220	121.00	122.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348221	122.00	123.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			348222	123.00	124.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			348223	124.00	125.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			348224	125.00	126.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			348225	126.00	127.00	1.00	0.15	0.004	145	<input type="checkbox"/>	
126.80	128.50	(9C) SILICIFIED UNIT @ SIDACE LK	348226	127.00	128.00	1.00	0.17	0.005	167	<input type="checkbox"/>	
		highly silicified possiblt quartz vein?	348227	128.00	129.00	1.00	0.34	0.010	336	<input type="checkbox"/>	
		Predominantly smoky quartz, only traces sulfides									
128.50	134.35	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS									
		Quartz-Andalusite	348228	129.00	130.00	1.00	0.68	0.020	676	<input type="checkbox"/>	
		buffish with pastel mauve fine andalusite, usual fine lamination is not prevalent due to folding and/or crenulation, rock is quite massive with minor weak slip planes and weak quartz veinlets increasing in frequency down section, QA grades into QSS over a distance of 20-30 cm	348229	130.00	131.00	1.00	0.40	0.012	397	<input type="checkbox"/>	
		133 - 134.35 several quartz veinlets are distictively rose-pink traces fine py>po	348230	131.00	132.00	1.00	2.44	0.071	2440	<input checked="" type="checkbox"/>	5cm silicified band with 1 speck VG
			348231	132.00	133.00	1.00	1.88	0.055	1875	<input type="checkbox"/>	
			348232	133.00	134.35	1.35	0.14	0.004	141	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-64
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
134.35	153.10	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK CREN MINERALIZED ZONE, variable Quartz-Sericite-Schist as below over all strongly sericitized, medium grained, highly crenulated, 1-2% fine smoky to occasionally pinkish quartz veinlets generally intricately folded, veinlet generally contain traces to minor py>po occasional Sphalerite, Schist contains finely disseminated traces py>po, traces sphalerite, dark Stibnite, fine stubby Aspy, local weak patches of irregular rose-pink coating or dusting on crystals 134.5 - 140.55 typical QSS, weak quartz veining 140.55 - 143.35 strong pinky-rose collaration, appears to be a fine dusting or coating on crystals and appears to bleed into rock- Previously referred to as pink sillimenite 143.35 -150.00 typical crenulated QSS, traces sulfides 150.00 - 153.10 slightly waxy yellowish appearance, lightly silicified, finer grained	348233	134.35	135.00	0.65	0.06	0.002	57	<input type="checkbox"/>	
			348234	135.00	136.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			348235	136.00	137.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			348236	137.00	138.00	1.00	0.61	0.018	606	<input type="checkbox"/>	
			348237	138.00	139.00	1.00	3.03	0.088	3026	<input type="checkbox"/>	
			348238	139.00	140.00	1.00	0.57	0.016	565	<input type="checkbox"/>	
			348239	140.00	141.00	1.00	0.27	0.008	272	<input type="checkbox"/>	
			348240	141.00	142.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			348241	142.00	143.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			348242	143.00	144.00	1.00	0.11	0.003	106	<input type="checkbox"/>	
			348243	144.00	145.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348244	145.00	146.00	1.00	0.11	0.003	114	<input type="checkbox"/>	
			348245	146.00	147.00	1.00	0.16	0.005	155	<input type="checkbox"/>	
			348246	147.00	148.00	1.00	0.35	0.010	350	<input type="checkbox"/>	
			348247	148.00	149.00	1.00	0.09	0.003	87	<input type="checkbox"/>	
			348248	149.00	150.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			348251	150.00	151.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			348252	151.00	152.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
			348253	152.00	153.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
153.10	162.85		(1L) GARNETIFEROUS AMPHIBOLITE Amphibole-Biotite-Garnet-Schist variable greens, browns, pinks crudely layered, 20% 10-30 cm microcline altered bands, well foliated and banded at 60 to CA, weak .5% quartz veinlets traces to minor py>po etc	348254	153.00	154.00	1.00	0.08	0.002	78	<input type="checkbox"/>
		348255		154.00	155.00	1.00	0.56	0.016	561	<input type="checkbox"/>	
		348256		155.00	156.00	1.00	0.14	0.004	136	<input type="checkbox"/>	
		348257		156.00	157.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
		348258		157.00	158.00	1.00	0.20	0.006	196	<input type="checkbox"/>	
		348259		158.00	159.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
		348260		159.00	160.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		348261		160.00	161.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
		348262	161.00	162.00	1.00	0.45	0.013	449	<input type="checkbox"/>		
		348263	162.00	163.00	1.00	0.25	0.007	249	<input type="checkbox"/>		



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-64
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
162.85	177.75	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHSI	348264	163.00	164.00	1.00	0.80	0.023	802	<input type="checkbox"/>	
		MINERALIZED ZONE	348265	164.00	165.00	1.00	1.17	0.034	1169	<input type="checkbox"/>	
		variable Quartz-Sericite-Schist, stronger mineralization than upper section	348266	165.00	166.00	1.00	2.13	0.062	2129	<input type="checkbox"/>	
		overall 2-3% fine disseminated py>po, minor to moderate Hg staining locally,	348267	166.00	167.00	1.00	0.88	0.026	883	<input type="checkbox"/>	
		traces Stibnite, Moly, Sphalerite	348268	167.00	168.00	1.00	1.39	0.041	1394	<input type="checkbox"/>	
		1-2% fine contorted dark brownish and smoky quartz veinlets with minor sulfides	348269	168.00	169.00	1.00	1.25	0.036	1245	<input type="checkbox"/>	
		162.85 - 168.55 variable light greyish-green, fine grained, well foliated and	348270	169.00	170.00	1.00	3.93	0.115	3934	<input type="checkbox"/>	
		streaked at 60 to CA, light to moderate silicification or possibly microcline altered,	348271	170.00	171.00	1.00	18.07	0.527	18071	<input type="checkbox"/>	
		local weak pinkish-rose stained, fine quartz veinlets are stained reddish-brown to	348272	171.00	172.00	1.00	7.66	0.223	7655	<input type="checkbox"/>	
		rusty	348273	172.00	173.00	1.00	1.36	0.040	1358	<input type="checkbox"/>	
		164.50 - 168.55 10% dark biotite	348274	173.00	174.00	1.00	2.91	0.085	2906	<input type="checkbox"/>	
		168.55 - 170.75 fine grained moderately silicified or possibly microcline alteration	348275	174.00	175.00	1.00	0.40	0.012	402	<input type="checkbox"/>	
		2-3% quartz veinlets strongly display dark reddish-brown, rusty to red- Hg	348276	175.00	176.00	1.00	3.08	0.090	3083	<input type="checkbox"/>	
		minerals, 2-3% fine sulfides py>po traces Stibnite, Moly Aspy	348277	176.00	177.00	1.00	6.50	0.190	6503	<input type="checkbox"/>	
		170.75 - 177.75 greenish quartz-sericite schist, weak smoky quartz veining, 2-4%	348278	177.00	177.75	0.75	0.67	0.019	668	<input type="checkbox"/>	
		fine sulfides as above									
		sharp lower contact with silicified									
177.75	245.65	(9C) SILICIFIED UNIT @ SIDACE LK	348279	177.75	179.00	1.25	0.06	0.002	55	<input type="checkbox"/>	
		Silicified Zone	348280	179.00	180.00	1.00	0.09	0.002	85	<input type="checkbox"/>	
		highly silicified, smoky grey to locally white, fine grained glassy, fine fractures,	348281	180.00	181.00	1.00	0.07	0.002	74	<input type="checkbox"/>	
		traces to minor py>po, occasional weak patches epidote, locally silicified zone	348282	181.00	182.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
		has a weak grainy look.	348283	182.00	183.00	1.00	0.32	0.009	319	<input type="checkbox"/>	
		Several layerers of banded chert/tuff/sulfides	348284	183.00	184.00	1.00	0.23	0.007	226	<input type="checkbox"/>	
		216.20 - 225.20 (5D) SULPHIDE FACIES IRON FORMATION	348285	184.00	185.00	1.00	24.78	0.723	24777	<input checked="" type="checkbox"/>	leaf VG observed
		predominantly weakly to well banded chert, locally finely interlayered with	348286	185.00	186.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
		black argillaceous material and 5-10% semi to massive bands of fine 1-2 mm	348287	186.00	187.00	1.00	0.10	0.003	98	<input type="checkbox"/>	
		ehedral to subhedral crystalline py minor po, traces of aspy-predominantly	348288	187.00	188.00	1.00	0.15	0.004	148	<input type="checkbox"/>	
		in argillaceous material	348289	188.00	189.00	1.00	0.13	0.004	128	<input type="checkbox"/>	
		232.15 - 232.46 (5D) SULPHIDE FACIES IRON FORMATION	348290	189.00	190.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
		80% massive py, minor po	348291	190.00	191.00	1.00	0.10	0.003	101	<input type="checkbox"/>	
			348292	191.00	192.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			348293	192.00	193.00	1.00	0.10	0.003	103	<input type="checkbox"/>	
		234.50 - 235.35 (6A) DIORITE	348294	193.00	194.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
		dark green, fine grained, massive	348295	194.00	195.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			348296	195.00	196.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			348297	196.00	197.00	1.00	0.04	0.001	38	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-64
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	V.G.	<i>Comments</i>
238.50 - 245.65		(5D) SULPHIDE FACIES IRON FORMATION	348298	197.00	198.00	1.00	0.20	0.006	198	<input type="checkbox"/>	
		locally finely banded chert with minor argillite/siltstone with	348301	198.00	199.00	1.00	0.11	0.003	107	<input type="checkbox"/>	
		semi massive pypo at top and bottom of section	348302	199.00	200.00	1.00	0.11	0.003	109	<input type="checkbox"/>	
		238.50 - 239.00 50% py 10% po	348303	200.00	201.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
		244.00 -245.00 finely banded and contorted tuffaceous band	348304	201.00	202.00	1.00	0.10	0.003	98	<input type="checkbox"/>	
		245.00 - 245.65 55% py	348305	202.00	203.00	1.00	0.25	0.007	248	<input type="checkbox"/>	
		low angle banding at 30-35 to CA	348306	203.00	204.00	1.00	0.20	0.006	196	<input type="checkbox"/>	
			348307	204.00	205.00	1.00	0.10	0.003	96	<input type="checkbox"/>	
			348308	205.00	206.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			348309	206.00	207.00	1.00	0.22	0.006	222	<input type="checkbox"/>	
			348310	207.00	208.00	1.00	0.13	0.004	134	<input type="checkbox"/>	
			348311	208.00	209.00	1.00	0.20	0.006	200	<input type="checkbox"/>	
			348312	209.00	210.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			348313	210.00	211.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			348314	211.00	212.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			348315	212.00	213.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			348316	213.00	214.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			348317	214.00	215.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			348318	215.00	216.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			348319	216.00	217.00	1.00	0.35	0.010	345	<input type="checkbox"/>	
			348320	217.00	218.00	1.00	0.11	0.003	108	<input type="checkbox"/>	
			348321	218.00	219.00	1.00	0.10	0.003	100	<input type="checkbox"/>	
			348322	219.00	220.00	1.00	0.29	0.008	287	<input type="checkbox"/>	
			348323	220.00	221.00	1.00	0.42	0.012	417	<input type="checkbox"/>	
			348324	221.00	222.00	1.00	0.16	0.005	159	<input type="checkbox"/>	
			348325	222.00	223.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
			348326	223.00	224.00	1.00	0.42	0.012	424	<input type="checkbox"/>	
			348327	224.00	225.00	1.00	0.90	0.026	895	<input type="checkbox"/>	
			348328	225.00	226.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			348329	226.00	227.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			348330	227.00	228.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			348331	228.00	229.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			348332	229.00	230.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			348333	230.00	231.00	1.00	0.13	<0.001	0	<input type="checkbox"/>	
			348334	231.00	232.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-64

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozft)	Au (ppb)	V.G.	Comments
			348335	232.00	233.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			348336	233.00	234.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			348337	234.00	235.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			348338	235.00	236.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			348339	236.00	237.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			348340	237.00	238.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			348341	238.00	239.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			348342	239.00	240.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			348343	240.00	241.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			348344	241.00	242.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			348345	242.00	243.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			348346	243.00	244.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			348347	244.00	245.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			348348	245.00	246.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
245.65	297.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	348351	246.00	247.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		Quartz-Andalusite	348352	273.00	274.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		10% 1-2 meter sections Amphibole-Garnet-Staurolite	348353	274.00	275.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
		overall weakly sericitic	348354	275.00	276.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		minor tight fractures with sections of moderate fractures and tight slips, at 60 and 20 to CA	348355	276.00	277.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		overall low angle foliation and lamination-variable, indicates meter scale folding	348356	277.00	278.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
		270.00 -284.50 moderate fracturing, low and high angle slip faults	348357	278.00	279.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
		274.35 - 284.50 15% irregular bands of semi to massive bands of py>po, in and out of core, possibl raft of sulfide iron formation	348358	279.00	280.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
		occasional narrow late quartz vein	348359	280.00	281.00	1.00	0.02	0.001	23	<input type="checkbox"/>	



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-64
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
129.00	130.00	348228			0.24	66	<1		<0.01	<10	3	164	0.44	0.27	0.03	<100	<1	<0.01		258			<2
130.00	131.00	348229			0.31	92	<1		0.06	<10	4	164	0.27	0.35	0.02	<100	<1	0.18		296			<2
131.00	132.00	348230			0.31	85	<1		0.09	<10	3	182	0.35	0.28	0.03	<100	<1	0.27		261			<2
132.00	133.00	348231			0.30	83	<1		0.09	<10	3	174	0.33	0.28	0.02	<100	<1	0.29		249			<2
133.00	134.35	348232			0.24	61	<1		<0.01	<10	3	138	0.36	0.23	0.03	<100	<1	<0.01		212			<2
134.35	135.00	348233			0.31	76	<1		0.06	<10	3	160	0.93	0.30	0.12	134	<1	0.09		261			<2
135.00	136.00	348234			0.24	63	<1		<0.01	<10	3	163	0.70	0.28	0.10	<100	<1	<0.01		225			<2
136.00	137.00	348235			0.30	71	<1		0.05	<10	6	198	2.29	0.30	0.23	516	<1	<0.01		172			<2
137.00	138.00	348236			0.28	75	<1		0.02	<10	2	141	0.34	0.29	0.03	<100	<1	<0.01		247			<2
138.00	139.00	348237			0.13	39	<1		<0.01	<10	4	188	0.36	0.11	<0.01	<100	<1	<0.01		71			<2
139.00	140.00	348238			0.28	66	<1		0.04	<10	2	170	0.20	0.35	0.01	<100	<1	<0.01		189			<2
140.00	141.00	348239			0.33	82	<1		0.27	<10	3	133	0.34	0.41	0.18	<100	<1	0.08		240			<2
141.00	142.00	348240			0.36	95	<1		0.61	<10	5	174	0.69	0.49	0.37	158	2	0.30		313			<2
142.00	143.00	348241			0.33	68	<1		0.49	<10	5	168	0.68	0.39	0.36	158	2	<0.01		297			<2
143.00	144.00	348242			0.34	83	<1		0.46	<10	4	126	0.52	0.49	0.29	161	<1	<0.01		481			<2
144.00	145.00	348243			0.34	73	<1		1.25	<10	15	234	1.97	0.38	0.75	567	<1	<0.01		321			5
145.00	146.00	348244			0.36	61	<1		0.93	<10	14	174	1.13	0.31	0.58	322	2	<0.01		524			<2
146.00	147.00	348245			0.33	95	<1		0.38	<10	7	135	0.50	0.55	0.25	137	<1	0.22		472			<2
147.00	148.00	348246			0.35	97	<1		0.22	<10	6	148	0.22	0.48	0.07	<100	<1	0.62		313			<2
148.00	149.00	348247			0.29	88	<1		0.05	<10	4	128	0.13	0.37	<0.01	<100	<1	0.18		151			<2
149.00	150.00	348248			0.33	169	<1		0.06	<10	5	146	0.22	0.85	0.03	<100	1	0.15		159			<2
150.00	151.00	348251			<0.01	23	<1		<0.01	<10	1	250	0.29	<0.01	<0.01	<100	3	<0.01		11			<2
151.00	152.00	348252			0.20	96	<1		<0.01	<10	2	134	0.26	0.34	0.01	<100	12	<0.01		53			<2
152.00	153.00	348253			0.19	112	<1		<0.01	<10	2	161	0.21	0.25	<0.01	<100	2	<0.01		112			<2
153.00	154.00	348254			0.16	84	<1		<0.01	<10	3	144	0.22	0.27	<0.01	<100	4	<0.01		159			<2
154.00	155.00	348255			0.20	99	<1		<0.01	<10	3	167	0.21	0.35	<0.01	<100	4	<0.01		141			<2
155.00	156.00	348256			0.24	86	<1		<0.01	<10	3	159	0.29	0.43	<0.01	<100	2	<0.01		79			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-64
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
156.00	157.00	348257			0.29	113	<1		<0.01	<10	3	110	0.19	0.92	<0.01	<100	6	<0.01		49			<2
157.00	158.00	348258			0.31	142	<1		<0.01	<10	4	147	0.29	1.09	<0.01	<100	8	<0.01		60			<2
158.00	159.00	348259			0.29	138	<1		<0.01	<10	3	109	0.17	1.04	<0.01	<100	2	<0.01		56			<2
159.00	160.00	348260			0.36	257	<1		<0.01	<10	4	163	0.24	1.47	<0.01	<100	3	<0.01		92			<2
160.00	161.00	348261			0.27	162	<1		<0.01	<10	3	152	0.22	0.92	<0.01	<100	3	<0.01		59			<2
161.00	162.00	348262			0.30	267	<1		<0.01	<10	4	128	0.24	1.13	<0.01	<100	4	<0.01		88			<2
162.00	163.00	348263			0.27	190	<1		<0.01	<10	4	140	0.22	1.00	<0.01	<100	2	<0.01		54			<2
163.00	164.00	348264			0.31	191	<1		<0.01	<10	4	152	0.28	1.16	<0.01	<100	3	<0.01		49			<2
164.00	165.00	348265			0.33	155	<1		<0.01	<10	3	158	0.23	1.29	<0.01	<100	2	<0.01		44			<2
165.00	166.00	348266			0.34	124	<1		<0.01	<10	3	145	0.21	1.27	<0.01	<100	6	<0.01		38			<2
166.00	167.00	348267			0.35	211	<1		<0.01	<10	4	145	0.20	1.46	<0.01	<100	6	<0.01		42			<2
167.00	168.00	348268			0.34	246	<1		<0.01	<10	4	100	0.14	1.43	0.01	<100	7	<0.01		41			<2
168.00	169.00	348269			0.35	272	<1		<0.01	<10	4	122	0.16	1.43	0.02	<100	7	<0.01		41			<2
169.00	170.00	348270			0.34	258	<1		<0.01	<10	3	94	0.18	1.39	0.01	<100	3	<0.01		44			<2
170.00	171.00	348271			0.31	214	<1		<0.01	<10	3	102	0.18	1.15	<0.01	<100	3	<0.01		39			<2
171.00	172.00	348272			0.34	183	<1		<0.01	<10	4	118	0.33	1.42	<0.01	<100	6	<0.01		34			<2
172.00	173.00	348273			0.29	156	<1		<0.01	<10	4	93	0.25	1.08	<0.01	<100	7	<0.01		26			<2
173.00	174.00	348274			0.23	87	<1		3.11	<10	19	129	4.28	0.43	0.78	1260	<1	<0.01		72			56
174.00	175.00	348275			0.36	385	<1		1.61	<10	10	85	1.96	0.68	0.45	357	<1	1.28		584			<2
175.00	176.00	348276			0.35	283	<1		0.21	<10	5	136	0.32	1.78	0.08	<100	2	<0.01		42			<2
176.00	177.00	348277			0.33	146	<1		<0.01	<10	15	127	0.51	1.31	0.06	<100	9	<0.01		30			2
177.00	177.75	348278			0.36	161	<1		<0.01	<10	42	664	2.13	1.71	0.23	191	1	<0.01		29			38
177.75	179.00	348279			0.33	150	<1		<0.01	<10	38	192	2.08	1.37	0.30	302	<1	<0.01		29			45
201.00	202.00	348304			<0.01	42	<1		<0.01	<10	<1	463	0.56	<0.01	<0.01	<100	<1	<0.01		10			<2
202.00	203.00	348305			<0.01	46	<1		<0.01	<10	5	270	1.12	<0.01	<0.01	<100	7	<0.01		10			<2
203.00	204.00	348306			<0.01	73	<1		<0.01	<10	9	405	0.77	<0.01	<0.01	<100	5	<0.01		17			<2
204.00	205.00	348307			<0.01	58	<1		<0.01	<10	1	351	1.18	<0.01	<0.01	<100	3	<0.01		13			<2
205.00	206.00	348308			<0.01	59	<1		<0.01	<10	<1	421	0.54	<0.01	<0.01	<100	2	<0.01		13			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-64
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
206.00	207.00	348309			<0.01	47	<1		<0.01	<10	<1	285	0.68	<0.01	<0.01	<100	<1	<0.01		11			<2
207.00	208.00	348310			0.05	64	<1		0.05	<10	2	378	0.64	<0.01	<0.01	<100	3	<0.01		22			<2
208.00	209.00	348311			<0.01	45	<1		<0.01	<10	<1	313	0.44	<0.01	<0.01	<100	139	<0.01		10			<2
209.00	210.00	348312			<0.01	55	<1		<0.01	<10	1	407	0.49	<0.01	<0.01	<100	1	<0.01		13			<2
210.00	211.00	348313			<0.01	48	<1		<0.01	<10	<1	287	0.66	<0.01	<0.01	<100	<1	<0.01		11			<2
211.00	212.00	348314			<0.01	53	<1		<0.01	<10	1	412	0.73	<0.01	<0.01	<100	2	<0.01		12			<2
212.00	213.00	348315			<0.01	60	<1		<0.01	<10	<1	248	0.35	<0.01	<0.01	<100	3	<0.01		13			<2
213.00	214.00	348316			<0.01	47	<1		<0.01	<10	2	396	0.76	<0.01	<0.01	<100	16	<0.01		13			<2
214.00	215.00	348317			<0.01	57	<1		<0.01	<10	1	330	0.50	<0.01	<0.01	<100	8	<0.01		13			<2
215.00	216.00	348318			<0.01	92	<1		<0.01	<10	7	372	1.50	0.09	0.09	<100	2	<0.01		20			<2
216.00	217.00	348319			<0.01	51	<1		<0.01	<10	4	299	3.88	<0.01	0.01	<100	<1	<0.01		11			3
217.00	218.00	348320			<0.01	27	<1		<0.01	<10	6	342	9.06	<0.01	<0.01	<100	<1	<0.01		18			<2
218.00	219.00	348321			<0.01	29	<1		<0.01	<10	18	228	8.76	<0.01	<0.01	<100	<1	<0.01		13			4
219.00	220.00	348322			<0.01	38	<1		<0.01	11	7	343	8.05	<0.01	<0.01	<100	<1	<0.01		16			5
220.00	221.00	348323			<0.01	82	<1		<0.01	<10	6	278	2.40	<0.01	<0.01	<100	<1	<0.01		21			10
221.00	222.00	348324			<0.01	85	<1		<0.01	<10	5	353	2.64	<0.01	<0.01	<100	2	<0.01		20			<2
222.00	223.00	348325			<0.01	78	<1		<0.01	<10	5	263	2.54	<0.01	<0.01	<100	5	<0.01		17			<2
223.00	224.00	348326			<0.01	67	<1		<0.01	<10	4	394	1.24	<0.01	<0.01	<100	<1	<0.01		17			<2
224.00	225.00	348327			<0.01	78	<1		<0.01	<10	5	257	0.85	<0.01	<0.01	<100	<1	<0.01		19			3
225.00	226.00	348328			<0.01	77	<1		<0.01	<10	5	555	2.23	<0.01	0.04	<100	2	<0.01		20			<2
226.00	227.00	348329			<0.01	78	<1		<0.01	<10	1	331	2.09	<0.01	0.01	<100	<1	<0.01		19			<2
227.00	228.00	348330			<0.01	89	<1		<0.01	<10	2	574	2.22	<0.01	<0.01	<100	1	<0.01		22			<2
228.00	229.00	348331			<0.01	62	<1		<0.01	<10	<1	352	2.04	<0.01	0.01	<100	<1	<0.01		14			<2
229.00	230.00	348332			<0.01	80	<1		<0.01	<10	1	489	1.91	<0.01	0.03	<100	<1	<0.01		19			<2
230.00	231.00	348333			<0.01	55	<1		<0.01	<10	1	340	2.58	<0.01	<0.01	<100	4	<0.01		13			<2
231.00	232.00	348334			<0.01	98	<1		<0.01	<10	3	401	2.01	<0.01	<0.01	<100	<1	<0.01		22			<2
232.00	233.00	348335			<0.01	60	<1		<0.01	<10	5	249	6.96	<0.01	<0.01	<100	<1	<0.01		18			<2
233.00	234.00	348336			<0.01	85	<1		<0.01	<10	2	398	1.12	<0.01	<0.01	<100	<1	<0.01		24			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-64
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
234.00	235.00	348337			0.15	194	<1		1.31	<10	13	170	2.20	0.36	0.55	392	<1	<0.01		381			3
235.00	236.00	348338			0.11	184	<1		0.85	<10	10	326	2.31	0.24	0.43	279	1	<0.01		266			<2
236.00	237.00	348339			<0.01	80	<1		<0.01	<10	<1	322	0.55	<0.01	<0.01	<100	1	<0.01		19			<2
237.00	238.00	348340			<0.01	98	<1		<0.01	<10	4	490	1.35	<0.01	<0.01	<100	1	<0.01		25			3
238.00	239.00	348341			<0.01	35	<1		<0.01	<10	8	225	8.99	<0.01	<0.01	<100	<1	<0.01		25			<2
239.00	240.00	348342			<0.01	84	<1		<0.01	<10	3	423	1.61	<0.01	<0.01	<100	<1	<0.01		21			<2
240.00	241.00	348343			0.03	110	<1		<0.01	<10	4	253	1.33	0.04	<0.01	<100	16	<0.01		39			5
241.00	242.00	348344			0.13	62	<1		<0.01	<10	2	214	1.21	1.71	0.09	<100	15	<0.01		34			<2
242.00	243.00	348345			<0.01	80	<1		<0.01	<10	4	257	2.42	<0.01	<0.01	<100	16	<0.01		28			3
243.00	244.00	348346			0.04	105	<1		<0.01	<10	5	242	1.74	0.12	0.04	<100	15	<0.01		82			6
244.00	245.00	348347			0.17	110	<1		0.02	<10	15	185	5.41	0.41	0.02	<100	10	<0.01		186			7
245.00	246.00	348348			0.05	28	<1		<0.01	<10	61	122	9.02	0.02	0.09	<100	8	<0.01		82			<2
246.00	247.00	348351			0.17	110	<1		0.01	<10	7	147	0.30	0.08	0.02	<100	9	<0.01		154			<2
273.00	274.00	348352			0.23	128	<1		<0.01	<10	10	168	3.47	0.22	0.11	321	8	<0.01		404			<2
274.00	275.00	348353			0.16	51	<1		<0.01	<10	46	157	7.33	0.09	0.08	598	10	<0.01		350			<2
275.00	276.00	348354			0.22	159	<1		<0.01	<10	27	163	4.62	0.15	0.05	534	10	<0.01		600			<2
276.00	277.00	348355			0.18	103	<1		<0.01	<10	8	232	0.38	<0.01	<0.01	<100	14	<0.01		251			<2
277.00	278.00	348356			0.17	47	<1		0.04	<10	44	133	7.80	0.09	0.10	888	9	0.46		575			<2
278.00	279.00	348357			0.14	30	<1		<0.01	<10	57	115	8.98	0.09	0.12	1223	7	<0.01		493			<2
279.00	280.00	348358			0.26	165	<1		<0.01	<10	23	134	4.17	0.13	0.05	236	7	<0.01		763			<2
280.00	281.00	348359			0.15	106	<1		<0.01	<10	16	146	3.12	0.08	<0.01	205	8	<0.01		582			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-64
Project PLANET EXPLORATION
Project Number 800125



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-64
Project PLANET EXPLORATION
Project Number 800125



Goldcorp Inc.
QC Report

Hole Number RL-05-64
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
102.00	348199	1737	7	-	-	-	18	-	-	-	0.00	1.7	-	0.051	59.0	-
102.01	348200	14	4	-	-	-	13	-	-	-	0.00	0.0	-	<0.001	20.0	-
150.00	348249	1651	23	-	-	-	42	-	-	-	0.00	1.7	-	0.048	51.0	-
150.01	348250	<5	7	-	-	-	7	-	-	-	0.00	<0.0	-	<0.001	1.0	-
198.00	348299	1947	31	-	-	-	24	-	-	-	0.00	1.9	-	0.057	54.0	-
198.01	348300	31	40	-	-	-	48	-	-	-	0.00	0.0	-	0.001	41.0	-
246.00	348349	1953	98	-	-	-	87	-	-	-	0.00	2.0	-	0.057	91.0	-
246.01	348350	7	2	-	-	-	7	-	-	-	0.00	0.0	-	<0.001	41.0	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-64
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
31.50	33.00	1.50	R6	1.29	1.95	-	100.00	-	100.00
33.00	36.00	3.00	R6	1.31	2.30	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.11	0.51	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.02	0.09	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
48.00	51.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
51.00	54.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
54.00	57.00	3.00	R6	0.10	0.40	-	100.00	-	100.00
57.00	60.00	3.00	R6	0.04	0.09	-	100.00	-	100.00
60.00	63.00	3.00	R6	0.15	0.54	-	100.00	-	100.00
63.00	66.00	3.00	R6	0.37	0.64	-	100.00	-	100.00
66.00	69.00	3.00	R6	1.76	5.36	-	100.00	-	100.00
69.00	72.00	3.00	R6	2.90	8.64	-	100.00	-	100.00
72.00	75.00	3.00	R6	1.49	3.67	-	100.00	-	100.00
75.00	78.00	3.00	R6	1.19	2.03	-	100.00	-	100.00
78.00	81.00	3.00	R6	3.24	7.11	-	100.00	-	100.00
81.00	84.00	3.00	R6	1.44	2.69	-	100.00	-	100.00
84.00	87.00	3.00	R6	0.42	0.56	-	100.00	-	100.00
87.00	90.00	3.00	R6	0.07	0.14	-	100.00	-	100.00
90.00	93.00	3.00	R6	0.01	0.07	-	100.00	-	100.00
93.00	96.00	3.00	R6	0.06	0.14	-	100.00	-	100.00
96.00	99.00	3.00	R6	1.32	4.77	-	100.00	-	100.00
99.00	102.00	3.00	R6	0.51	2.21	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.07	0.20	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.02	0.07	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.02	0.09	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.02	0.09	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
126.00	129.00	3.00	R6	0.02	0.10	-	100.00	-	100.00
129.00	132.00	3.00	R6	0.03	0.09	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.03	0.12	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
138.00	141.00	3.00	R5	0.00	0.00	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-64
Project: PLANET EXPLORATION
Project Number: 800125

141.00	144.00	3.00	R5	0.01	0.07	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.02	0.05	-	100.00	-	100.00
150.00	153.00	3.00	R4	0.18	0.64	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.76	1.13	-	100.00	-	100.00
156.00	159.00	3.00	R4	0.30	1.00	-	100.00	-	100.00
159.00	162.00	3.00	R4	0.91	4.19	-	100.00	-	100.00
162.00	165.00	3.00	R4	0.37	1.02	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.34	1.50	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
171.00	174.00	3.00	R5	0.11	0.58	-	100.00	-	100.00
174.00	177.00	3.00	R5	0.75	2.34	-	100.00	-	100.00
177.00	180.00	3.00	R6	0.06	0.25	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.02	0.07	-	100.00	-	100.00
183.00	186.00	3.00	R6	0.03	0.09	-	100.00	-	100.00
186.00	189.00	3.00	R6	0.12	0.25	-	100.00	-	100.00
189.00	192.00	3.00	R6	0.13	0.10	-	100.00	-	100.00
192.00	195.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
195.00	198.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
198.00	201.00	3.00	R6	0.01	0.05	-	100.00	-	100.00
201.00	204.00	3.00	R6	0.09	0.25	-	100.00	-	100.00
204.00	207.00	3.00	R6	0.06	0.31	-	100.00	-	100.00
207.00	210.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
210.00	213.00	3.00	R6	0.13	0.29	-	100.00	-	100.00
213.00	216.00	3.00	R6	0.08	0.14	-	100.00	-	100.00
216.00	219.00	3.00	R6	0.86	2.28	-	100.00	-	100.00
219.00	222.00	3.00	R6	0.19	0.40	-	100.00	-	100.00
222.00	225.00	3.00	R5	0.22	0.45	-	100.00	-	100.00
225.00	228.00	3.00	R6	0.53	0.82	-	100.00	-	100.00
228.00	231.00	3.00	R6	0.49	0.58	-	100.00	-	100.00
231.00	234.00	3.00	R6	0.31	0.58	-	100.00	-	100.00
234.00	237.00	3.00	R6	0.15	0.42	-	100.00	-	100.00
237.00	240.00	3.00	R6	9.04	24.60	-	100.00	-	100.00
240.00	243.00	3.00	R6	0.25	0.76	-	100.00	-	100.00
243.00	246.00	3.00	R6	1.73	4.90	-	100.00	-	100.00
246.00	249.00	3.00	R6	0.12	0.27	-	100.00	-	100.00
249.00	252.00	3.00	R6	0.07	0.18	-	100.00	-	100.00
252.00	255.00	3.00	R6	0.04	0.14	-	100.00	-	100.00
255.00	258.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
258.00	261.00	3.00	R6	0.02	0.05	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-64
Project: PLANET EXPLORATION
Project Number: 800125

261.00	264.00	3.00	R6	1.82	5.36	-	100.00	-	100.00
264.00	267.00	3.00	R6	0.94	1.90	-	100.00	-	100.00
267.00	270.00	3.00	R6	0.93	2.56	-	100.00	-	100.00
270.00	273.00	3.00	R6	0.04	0.07	-	100.00	-	100.00
273.00	276.00	3.00	R5	2.21	3.86	-	100.00	-	100.00
276.00	279.00	3.00	R6	4.54	7.02	-	100.00	-	100.00
279.00	282.00	3.00	R6	3.87	9.24	-	100.00	-	100.00
282.00	285.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
285.00	288.00	3.00	R6	0.04	0.10	-	100.00	-	100.00
288.00	291.00	3.00	R6	7.95	21.70	-	100.00	-	100.00
291.00	294.00	3.00	R6	1.54	4.09	-	100.00	-	100.00
294.00	297.00	3.00	R6	0.01	0.05	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-65
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>		
Azimuth:	85.91	Length:	34.00 meters	Township:	COLI LAKE		Contractor:	MAJOR DRILLING	
Dip:	-61.87	Pulled:	No	Claim No:			Spotted by:	T. Maciejewski	
Length:	153.00 meters	Capped:	Yes	NTS:			Coord Type:	SUR	
Started:	13-Feb-05	Cemented:	No	Surface Hole :	Yes	Level:		Surveyed by:	K. Pye
Completed:	16-Feb-05			<u>Coordinate- Gemcom</u>	<u>Coordinate - UTM</u>	<u>Coordinate- Grid</u>		Surveyed Date:	24-Feb-05
Logged:	15-Feb-05	<u>Core</u>		East:	462516.80	East:	462517	Logged by:	L.C. Chastko
Wedged :	No	Dimension:	NQ	North:	5681201.62	North:	5681202	Re-logged by:	
Wedged from:		Original Units:	M	Elevation:	409.15	Elevation:	409	Water Source:	
		Storage:	Cochenour Mine	UTM Zone:	15 (NAD 27)	Grid Name:		Water line:	
Target:	Main Zone							Left in hole:	Nothing
Comments:								Control Drilling:	
								Cutting sampled:	No
								Geophysical:	

Deviation Tests

Deviation Tests

Deviation Tests

Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	85.91	-61.87	X	48.000	84.70	-62.88	X	96.000	85.78	-61.60	X
3.000	85.77	-61.82	X	51.000	84.91	-62.82	X	99.000	85.90	-61.46	X
6.000	85.59	-61.90	X	54.000	85.07	-62.80	X	102.000	86.07	-61.34	X
9.000	85.45	-62.21	X	57.000	85.12	-62.78	X	105.000	86.14	-61.26	X
12.000	85.34	-62.45	X	60.000	85.16	-62.77	X	108.000	86.09	-61.20	X
15.000	85.31	-62.62	X	63.000	85.28	-62.73	X	111.000	86.06	-61.13	X
18.000	85.31	-62.92	X	66.000	85.34	-62.69	X	114.000	86.05	-61.06	X
21.000	85.28	-63.19	X	69.000	85.24	-62.60	X	117.000	86.02	-60.96	X
24.000	85.04	-63.20	X	72.000	85.11	-62.52	X	120.000	86.00	-60.86	X
27.000	84.70	-63.14	X	75.000	85.05	-62.44	X	123.000	85.95	-60.78	X
30.000	84.51	-63.09	X	78.000	85.07	-62.37	X	126.000	85.90	-60.71	X
33.000	84.37	-63.05	X	81.000	85.19	-62.29	X	129.000	85.92	-60.64	X
36.000	84.28	-63.02	X	84.000	85.28	-62.15	X	132.000	85.89	-60.54	X
39.000	84.37	-63.09	X	87.000	85.46	-61.99	X	135.000	85.94	-60.45	X
42.000	84.53	-63.11	X	90.000	85.59	-61.88	X	141.000	85.88	-60.34	X
45.000	84.56	-62.99	X	93.000	85.69	-61.76	X				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-65
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	34.80	(OB) OVERBURDEN									
34.80	67.05	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHR									
		Quartz-Sericite Schist	348361	42.00	43.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		34.80 - 55.00 weathered, broken core	348361	43.00	44.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		variable browns, greens and buff, banded, streaked to blotchy appearance	348362	44.00	45.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		moderately micaceous, well foliated at 50 to CA	348363	45.00	46.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		weathering decreases rapidly below 50 m	348364	46.00	47.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		55.00 - 67.05 variable pastel green, pale mauve and buffish, streaked to banded,	348365	47.00	48.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		moderately sericitized, fine grained, 3% late white quartz veining predominantly	348366	48.00	49.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		in lower section, well sheared, foliated, streaked at 45-50 to CA	348367	49.00	50.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		traces pypo	348368	50.00	51.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348369	51.00	52.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348370	52.00	53.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348371	53.00	54.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348372	54.00	55.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348373	55.00	56.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348374	56.00	57.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348375	57.00	58.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348376	58.00	59.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348377	59.00	60.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348378	60.00	61.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348379	61.00	62.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348380	62.00	63.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348381	63.00	64.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348382	64.00	65.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348383	65.00	66.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348384	66.00	67.00	1.00	0.11	0.003	106	<input type="checkbox"/>	
67.05	68.15	(9C) SILICIFIED UNIT @ SIDACE LK									
		Silicified Zone	348385	67.00	68.15	1.15	0.04	0.001	37	<input type="checkbox"/>	
		highly silicified, smoky to whitish quartz, fine fractures,									
		2-5% irregular fine stringers and disseminated pypo									
		core is badly broken below lower contact, apparent low angle slip faulting at 10-20 to CA									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-65
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
68.15	73.30	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS Quartz-Andalusite buffish to pale mauve due to andalusite, fine to medium grained 68.15 - 72.00 broken core, low angle slip faults, muddy seams	348386	68.15	69.00	0.85	<0.01	<0.001	<5	<input type="checkbox"/>	
			348387	69.00	70.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			348388	70.00	71.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348389	71.00	72.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348390	72.00	73.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
73.30	82.65	(9C) SILICIFIED UNIT @ SIDACE LK Silicified Zone highly silicified, smoky to light grey, glassy to grainy textured, resembles textures of Quartz-Andalusite locally 2-5% irregular stringers pypo, distinct contacts	348391	73.00	74.00	1.00	0.12	0.003	118	<input type="checkbox"/>	
			348392	74.00	75.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			348393	75.00	76.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348394	76.00	77.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			348395	77.00	78.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			348396	78.00	79.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
			348397	79.00	80.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			348398	80.00	81.00	1.00	0.08	0.002	81	<input type="checkbox"/>	
			348401	81.00	82.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			348402	82.00	82.65	0.65	0.10	0.003	103	<input type="checkbox"/>	
82.65	88.50	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK weak Quartz-Sericite schist alternating from Quartz-Andalusite, sericitized to weak Quartz-sericite schist, recognizable andalusite locally trace to locally minor disseminated py>po, occasional local fine stringers, weak quartz veining	348403	82.65	83.00	0.35	0.11	0.003	105	<input type="checkbox"/>	
			348404	83.00	84.00	1.00	0.10	0.003	96	<input type="checkbox"/>	
			348405	84.00	85.00	1.00	1.08	0.032	1084	<input type="checkbox"/>	
			348406	85.00	86.00	1.00	0.19	0.006	191	<input type="checkbox"/>	
			348407	86.00	87.00	1.00	0.20	0.006	195	<input type="checkbox"/>	
			348408	87.00	88.00	1.00	2.45	0.071	2448	<input type="checkbox"/>	
			348409	88.00	89.00	1.00	1.38	0.040	1384	<input type="checkbox"/>	
88.50	97.25	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK predominantly a Quartz-Andalusite weakly sericitized, weak rosey-mauve straining locally, relatively massive with 1 % fine smoky quartz veinlets, traces py>po, possibly stibnite	348410	89.00	90.00	1.00	0.70	0.020	695	<input type="checkbox"/>	
			348411	90.00	91.00	1.00	0.29	0.009	293	<input type="checkbox"/>	
			348412	91.00	92.00	1.00	0.13	0.004	128	<input type="checkbox"/>	
			348413	92.00	93.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			348414	93.00	94.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			348415	94.00	95.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			348416	95.00	96.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			348417	96.00	97.00	1.00	0.05	0.001	45	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-65
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
97.25	106.63	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHR	348418	97.00	98.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
		Quartz-Sericite Schist Mineralized Zone	348419	98.00	99.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
		97.50 - 104.60 light grey tinged with pink, fine-medium grained, well sheared and foliated at 45-50 to CA	348420	99.00	100.00	1.00	0.16	0.005	155	<input type="checkbox"/>	
		1-2% fine disseminated and local fine stringers py>po, traces fine stibnite, aspy moly, Hg clan	348421	100.00	101.00	1.00	0.16	0.005	160	<input type="checkbox"/>	
		99.70 - 100.10 inclusion of possibly altered silicified	348422	101.00	102.00	1.00	0.14	0.004	138	<input type="checkbox"/>	
		104.60 - 105.60 similar to above, minor orangy-brown to yellow Hg clan staining	348423	102.00	103.00	1.00	2.01	0.059	2009	<input type="checkbox"/>	
		105.60 - 106.63 strong orangy-brown presence, last .25 m fine grained, silicified overall very weak quartz veining	348424	103.00	104.00	1.00	3.32	0.097	3322	<input type="checkbox"/>	
			348425	104.00	105.00	1.00	2.31	0.067	2307	<input type="checkbox"/>	
			348426	105.00	106.00	1.00	2.14	0.062	2138	<input type="checkbox"/>	Strong Hg
			348427	106.00	106.63	0.63	2.20	0.064	2195	<input type="checkbox"/>	Strong Hg
106.63	107.20	(6A) DIORITE	348428	106.63	107.00	0.37	1.43	0.042	1428	<input type="checkbox"/>	
		dark black , fine-medium grained, altered dike?									
107.20	147.00	(9C) SILICIFIED UNIT @ SIDACE LK	348429	107.00	108.00	1.00	1.06	0.031	1062	<input type="checkbox"/>	
		Highly Silicified Zone	348430	108.00	109.00	1.00	0.20	0.006	200	<input type="checkbox"/>	
		smoky to light grey-white locally, varies from faintly banded to grainy texture, overall 1-5% fine disseminated to banded py.po	348431	109.00	110.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
		few local semi massive to massive bands py>po, moderate tight fractures	348432	110.00	111.00	1.00	0.64	0.019	637	<input type="checkbox"/>	
		107.20 - 108.60 (9C) SILICIFIED UNIT @ SIDACE LK	348433	111.00	112.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
		15-20% py>po in stringers and bands	348434	112.00	113.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			348435	113.00	114.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			348436	114.00	115.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		129.00 - 132.00 (9C) SILICIFIED UNIT @ SIDACE LK	348437	115.00	116.00	1.00	0.08	0.002	77	<input type="checkbox"/>	
		10% py>po stringers and bands	348438	116.00	117.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
			348439	117.00	118.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			348440	118.00	119.00	1.00	0.46	0.013	463	<input type="checkbox"/>	
		144.00 - 147.00 (9C) SILICIFIED UNIT @ SIDACE LK	348441	119.00	120.00	1.00	0.22	0.007	224	<input type="checkbox"/>	
		10-15% stringers and bands semi to massive py>po	348442	120.00	121.00	1.00	0.14	0.004	140	<input type="checkbox"/>	
			348443	121.00	122.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			348444	122.00	123.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			348445	123.00	124.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			348446	124.00	125.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			348447	125.00	126.00	1.00	0.12	0.003	120	<input type="checkbox"/>	
			348448	126.00	127.00	1.00	0.04	0.001	38	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-65

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			348451	127.00	128.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			348452	128.00	129.00	1.00	0.31	0.009	307	<input type="checkbox"/>	
			348453	129.00	130.00	1.00	0.12	0.004	121	<input type="checkbox"/>	
			348454	130.00	131.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			348455	131.00	132.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348456	132.00	133.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			348457	133.00	134.00	1.00	0.31	0.009	307	<input type="checkbox"/>	
			348458	134.00	135.00	1.00	0.41	0.012	412	<input type="checkbox"/>	
			348459	135.00	136.00	1.00	0.59	0.017	590	<input type="checkbox"/>	
			348460	136.00	137.00	1.00	0.25	0.007	249	<input type="checkbox"/>	
			348461	137.00	138.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			348462	138.00	139.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			348463	139.00	140.00	1.00	0.08	0.002	77	<input type="checkbox"/>	
			348464	140.00	141.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			348465	141.00	142.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			348466	142.00	143.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			348467	143.00	144.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			348468	144.00	145.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348469	145.00	146.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348470	146.00	147.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
147.00	153.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	348471	147.00	148.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Quartz-Andalusite	348472	148.00	149.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		first several meters weakly to moderately sericitized, decreasing rapidly down	348473	149.00	150.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		into typical foliated and laminated QA	348474	150.00	151.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		foliation and lamination at 35 to CA	348475	151.00	152.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		2% weak bands py parallel to foliation	348476	152.00	153.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-65
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
42.00	43.00	348360			0.22	78	<1		<0.01	<10	6	142	0.52	0.28	0.07	<100	6	<0.01		263			<2
43.00	44.00	348361			0.29	109	<1		<0.01	<10	5	137	0.34	0.41	0.07	<100	3	<0.01		355			<2
44.00	45.00	348362			0.30	104	<1		<0.01	<10	3	214	0.33	0.61	0.04	<100	<1	<0.01		401			<2
45.00	46.00	348363			0.30	97	<1		<0.01	<10	5	240	0.85	0.51	0.10	110	<1	<0.01		363			<2
46.00	47.00	348364			0.32	99	<1		<0.01	<10	3	228	0.49	0.58	0.04	<100	<1	<0.01		374			<2
47.00	48.00	348365			0.28	104	<1		<0.01	<10	3	234	0.37	0.38	0.06	<100	<1	<0.01		322			<2
48.00	49.00	348366			0.27	92	<1		<0.01	<10	3	232	0.44	0.22	0.03	<100	<1	<0.01		277			<2
49.00	50.00	348367			0.27	101	<1		<0.01	<10	2	248	0.53	0.34	0.07	<100	<1	<0.01		341			<2
50.00	51.00	348368			0.27	88	<1		<0.01	<10	3	168	0.28	0.25	0.05	<100	<1	<0.01		275			<2
51.00	52.00	348369			0.30	94	<1		<0.01	<10	1	192	0.27	0.29	0.04	<100	<1	<0.01		302			<2
52.00	53.00	348370			0.28	86	<1		<0.01	<10	1	184	0.32	0.39	0.02	<100	<1	<0.01		322			<2
53.00	54.00	348371			0.30	96	<1		<0.01	<10	1	192	0.24	0.45	0.02	<100	<1	<0.01		300			<2
54.00	55.00	348372			0.28	90	<1		<0.01	<10	3	204	0.51	0.46	0.05	<100	<1	<0.01		290			<2
55.00	56.00	348373			0.29	104	<1		<0.01	<10	3	201	0.67	0.48	0.08	101	<1	<0.01		319			<2
56.00	57.00	348374			0.27	89	<1		<0.01	<10	3	193	0.55	0.46	0.07	102	<1	<0.01		275			<2
57.00	58.00	348375			0.29	107	<1		0.55	<10	8	197	1.38	0.55	0.43	380	<1	0.08		738			<2
58.00	59.00	348376			0.29	102	<1		0.41	<10	8	196	0.96	0.61	0.43	331	<1	<0.01		780			<2
59.00	60.00	348377			0.10	109	<1		0.17	<10	5	208	0.73	0.55	0.30	305	<1	<0.01		494			<2
60.00	61.00	348378			0.19	146	<1		0.20	<10	7	198	0.60	1.03	0.32	176	<1	<0.01		500			<2
61.00	62.00	348379			0.20	103	<1		<0.01	<10	9	201	0.29	0.66	0.14	<100	<1	<0.01		320			<2
62.00	63.00	348380			0.21	110	<1		0.22	<10	6	170	0.78	0.57	0.28	229	<1	<0.01		510			<2
63.00	64.00	348381			0.18	112	<1		0.47	<10	6	215	1.10	0.63	0.47	381	<1	<0.01		571			<2
64.00	65.00	348382			0.20	99	<1		<0.01	<10	5	178	1.04	0.63	0.32	298	<1	<0.01		401			<2
65.00	66.00	348383			0.18	103	<1		<0.01	<10	7	224	0.19	0.35	0.01	<100	<1	<0.01		307			<2
66.00	67.00	348384			0.21	189	<1		<0.01	<10	9	228	0.22	0.69	<0.01	<100	2	<0.01		386			<2
67.00	68.15	348385			0.02	78	<1		0.07	<10	21	375	1.85	<0.01	0.01	<100	8	<0.01		84			<2
68.15	69.00	348386			0.22	146	<1		<0.01	<10	5	246	0.22	0.61	0.01	<100	2	<0.01		449			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-65
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
69.00	70.00	348387			0.26	130	<1		<0.01	<10	7	295	0.42	0.94	0.11	<100	<1	<0.01		472			<2
70.00	71.00	348388			0.14	93	<1		<0.01	<10	7	252	0.16	0.31	<0.01	<100	2	<0.01		263			<2
71.00	72.00	348389			0.19	148	<1		<0.01	<10	8	240	0.20	0.42	<0.01	<100	21	<0.01		314			<2
72.00	73.00	348390			0.15	134	<1		<0.01	<10	7	235	0.27	0.45	<0.01	<100	5	<0.01		183			<2
73.00	74.00	348391			<0.01	90	<1		<0.01	<10	2	338	0.74	0.12	<0.01	<100	7	<0.01		47			<2
74.00	75.00	348392			<0.01	35	<1		<0.01	<10	6	307	1.40	<0.01	<0.01	<100	19	<0.01		13			<2
75.00	76.00	348393			<0.01	56	<1		<0.01	<10	7	499	1.18	<0.01	<0.01	<100	12	<0.01		20			<2
76.00	77.00	348394			<0.01	38	<1		<0.01	<10	7	307	2.11	<0.01	<0.01	<100	4	<0.01		14			<2
77.00	78.00	348395			<0.01	56	<1		<0.01	<10	9	526	2.80	<0.01	0.04	<100	29	<0.01		20			<2
78.00	79.00	348396			<0.01	37	<1		<0.01	<10	4	282	1.49	<0.01	<0.01	<100	3	<0.01		13			<2
79.00	80.00	348397			<0.01	57	<1		<0.01	<10	4	445	1.19	<0.01	<0.01	<100	13	<0.01		20			<2
80.00	81.00	348398			<0.01	44	<1		<0.01	<10	10	333	1.87	<0.01	<0.01	<100	9	<0.01		16			<2
81.00	82.00	348401			<0.01	51	<1		<0.01	<10	1	300	0.63	<0.01	<0.01	<100	15	<0.01		21			<2
82.00	82.65	348402			<0.01	83	<1		<0.01	<10	1	390	0.52	<0.01	<0.01	<100	12	<0.01		23			<2
82.65	83.00	348403			0.14	161	<1		<0.01	<10	4	259	0.71	0.90	<0.01	<100	8	<0.01		68			<2
83.00	84.00	348404			0.18	146	<1		<0.01	<10	7	299	0.85	0.57	<0.01	<100	13	<0.01		151			<2
84.00	85.00	348405			0.19	146	<1		0.85	<10	19	293	2.30	0.99	0.72	354	28	<0.01		308			7
85.00	86.00	348406			0.29	151	<1		<0.01	<10	7	257	0.92	1.83	<0.01	<100	29	<0.01		168			<2
86.00	87.00	348407			0.16	95	<1		<0.01	<10	4	226	0.73	0.47	<0.01	<100	33	<0.01		85			<2
87.00	88.00	348408			0.17	110	<1		<0.01	<10	5	287	0.78	0.66	<0.01	<100	19	<0.01		105			<2
88.00	89.00	348409			0.17	105	<1		<0.01	<10	3	152	0.65	0.60	<0.01	<100	10	<0.01		97			<2
89.00	90.00	348410			0.16	102	<1		<0.01	<10	3	240	0.44	0.38	<0.01	<100	3	<0.01		104			<2
90.00	91.00	348411			0.11	76	<1		<0.01	<10	6	174	0.51	0.28	<0.01	<100	6	<0.01		61			<2
91.00	92.00	348412			0.17	94	<1		<0.01	<10	3	220	0.63	0.39	<0.01	<100	2	<0.01		70			<2
92.00	93.00	348413			0.16	94	<1		<0.01	<10	3	153	0.53	0.44	<0.01	<100	5	<0.01		62			<2
93.00	94.00	348414			0.14	85	<1		<0.01	<10	2	230	0.65	0.42	<0.01	<100	4	<0.01		57			<2
94.00	95.00	348415			0.20	104	<1		<0.01	<10	4	151	0.32	0.88	<0.01	<100	7	<0.01		80			<2
95.00	96.00	348416			0.17	103	<1		<0.01	<10	4	237	0.33	0.80	<0.01	<100	13	<0.01		75			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-65
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
96.00	97.00	348417			0.12	91	<1		<0.01	<10	8	165	0.31	0.53	<0.01	<100	11	<0.01		59			<2
97.00	98.00	348418			0.23	124	<1		0.11	<10	7	239	0.73	0.80	0.08	<100	14	<0.01		111			<2
98.00	99.00	348419			0.19	104	<1		<0.01	<10	8	128	0.62	0.82	<0.01	<100	6	<0.01		51			<2
99.00	100.00	348420			0.29	153	<1		0.41	<10	11	204	1.36	1.98	0.30	111	5	<0.01		122			<2
100.00	101.00	348421			0.18	106	<1		<0.01	<10	6	164	0.64	0.74	<0.01	<100	18	<0.01		74			<2
101.00	102.00	348422			0.23	139	<1		<0.01	<10	16	223	1.94	1.18	0.06	<100	54	<0.01		102			21
102.00	103.00	348423			0.22	132	<1		<0.01	<10	17	247	2.08	1.25	0.06	<100	58	<0.01		104			25
103.00	104.00	348424			0.24	201	<1		<0.01	<10	9	231	1.20	1.49	<0.01	<100	47	<0.01		144			<2
104.00	105.00	348425			0.20	136	<1		<0.01	<10	5	139	0.53	0.94	<0.01	<100	67	<0.01		107			<2
105.00	106.00	348426			0.11	97	<1		<0.01	<10	4	325	0.44	0.44	<0.01	<100	495	<0.01		79			7
106.00	106.63	348427			0.13	107	<1		<0.01	<10	5	181	0.54	0.53	<0.01	<100	28	<0.01		125			<2
106.63	107.00	348428			0.20	117	<1		<0.01	<10	7	213	1.36	0.73	0.02	<100	29	<0.01		144			3
107.00	108.00	348429			0.08	88	<1		<0.01	<10	9	161	3.39	0.26	<0.01	<100	22	<0.01		62			<2
108.00	109.00	348430			<0.01	52	<1		<0.01	<10	9	167	6.46	<0.01	<0.01	<100	64	<0.01		18			<2
109.00	110.00	348431			<0.01	45	<1		<0.01	<10	4	245	4.99	<0.01	<0.01	<100	43	<0.01		16			<2
110.00	111.00	348432			<0.01	43	<1		<0.01	<10	<1	385	0.42	<0.01	<0.01	<100	10	<0.01		15			<2
111.00	112.00	348433			<0.01	45	<1		<0.01	<10	<1	247	0.30	<0.01	<0.01	<100	3	<0.01		15			<2
112.00	113.00	348434			<0.01	66	<1		0.01	<10	2	378	0.96	<0.01	0.01	<100	61	<0.01		22			<2
113.00	114.00	348435			<0.01	57	<1		<0.01	<10	1	216	1.22	<0.01	0.02	<100	50	<0.01		20			<2
114.00	115.00	348436			<0.01	55	<1		0.05	<10	2	315	1.37	<0.01	<0.01	<100	49	<0.01		19			<2
115.00	116.00	348437			<0.01	69	<1		0.10	<10	1	226	0.91	<0.01	0.01	<100	12	0.31		24			<2
116.00	117.00	348438			<0.01	62	<1		0.12	<10	2	371	1.09	<0.01	0.03	<100	8	<0.01		22			<2
117.00	118.00	348439			<0.01	48	<1		<0.01	<10	<1	247	0.75	<0.01	0.04	<100	33	<0.01		16			<2
118.00	119.00	348440			<0.01	45	<1		<0.01	<10	1	361	0.78	<0.01	<0.01	<100	32	<0.01		15			<2
119.00	120.00	348441			<0.01	28	<1		<0.01	<10	1	242	0.86	<0.01	0.04	<100	38	<0.01		9			<2
120.00	121.00	348442			<0.01	49	<1		<0.01	<10	2	341	0.92	<0.01	0.03	<100	4	<0.01		17			<2
121.00	122.00	348443			<0.01	35	<1		<0.01	<10	<1	246	0.52	<0.01	0.07	<100	4	<0.01		12			<2
122.00	123.00	348444			<0.01	52	<1		<0.01	<10	3	321	0.61	<0.01	<0.01	<100	31	<0.01		18			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-65
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
123.00	124.00	348445			<0.01	41	<1		<0.01	<10	<1	258	0.74	<0.01	0.15	<100	<1	<0.01		14			<2
124.00	125.00	348446			<0.01	51	<1		<0.01	<10	1	511	0.83	<0.01	0.02	<100	1	<0.01		18			<2
125.00	126.00	348447			<0.01	60	<1		<0.01	<10	1	381	1.04	<0.01	<0.01	<100	<1	<0.01		21			<2
126.00	127.00	348448			<0.01	47	<1		<0.01	<10	2	484	0.66	<0.01	<0.01	<100	<1	<0.01		16			<2
127.00	128.00	348451			<0.01	57	<1		<0.01	<10	1	401	0.67	<0.01	<0.01	<100	<1	<0.01		22			<2
128.00	129.00	348452			<0.01	48	<1		<0.01	<10	1	328	0.88	<0.01	<0.01	<100	<1	<0.01		17			<2
129.00	130.00	348453			<0.01	46	<1		<0.01	<10	4	393	2.93	<0.01	<0.01	<100	1	<0.01		15			<2
130.00	131.00	348454			<0.01	63	<1		<0.01	<10	5	364	2.85	<0.01	0.02	<100	3	<0.01		21			5
131.00	132.00	348455			<0.01	37	<1		<0.01	<10	7	384	9.03	<0.01	<0.01	<100	<1	<0.01		11			<2
132.00	133.00	348456			<0.01	56	<1		<0.01	<10	1	444	1.08	<0.01	<0.01	<100	<1	<0.01		20			<2
133.00	134.00	348457			<0.01	55	<1		<0.01	<10	5	478	2.57	<0.01	<0.01	<100	<1	<0.01		26			5
134.00	135.00	348458			<0.01	51	<1		<0.01	<10	3	418	1.93	<0.01	<0.01	<100	<1	<0.01		18			<2
135.00	136.00	348459			<0.01	54	<1		<0.01	<10	2	484	1.13	<0.01	<0.01	<100	2	<0.01		20			<2
136.00	137.00	348460			<0.01	57	<1		<0.01	<10	3	426	1.38	<0.01	<0.01	<100	3	<0.01		22			<2
137.00	138.00	348461			<0.01	75	<1		<0.01	<10	1	459	1.73	<0.01	<0.01	<100	<1	<0.01		18			<2
138.00	139.00	348462			<0.01	77	<1		<0.01	<10	<1	394	0.79	<0.01	<0.01	<100	1	<0.01		23			<2
139.00	140.00	348463			<0.01	83	<1		<0.01	<10	1	491	0.72	<0.01	<0.01	<100	<1	<0.01		22			<2
140.00	141.00	348464			<0.01	79	<1		<0.01	<10	5	479	1.48	<0.01	<0.01	<100	3	<0.01		21			<2
141.00	142.00	348465			<0.01	106	<1		<0.01	<10	2	510	0.94	<0.01	<0.01	<100	2	<0.01		28			6
142.00	143.00	348466			<0.01	92	<1		<0.01	<10	3	429	2.28	<0.01	0.01	<100	1	<0.01		23			<2
143.00	144.00	348467			<0.01	51	<1		<0.01	<10	3	523	3.49	<0.01	<0.01	<100	<1	<0.01		15			<2
144.00	145.00	348468			<0.01	37	<1		<0.01	<10	23	406	8.17	<0.01	<0.01	<100	1	<0.01		33			6
145.00	146.00	348469			<0.01	63	<1		<0.01	<10	1	536	0.99	<0.01	<0.01	<100	3	<0.01		19			<2
146.00	147.00	348470			<0.01	21	<1		<0.01	<10	17	404	9.19	<0.01	<0.01	<100	<1	<0.01		33			3
147.00	148.00	348471			0.13	101	<1		<0.01	<10	10	347	0.78	0.34	<0.01	<100	<1	<0.01		190			<2
148.00	149.00	348472			0.24	174	<1		<0.01	<10	7	384	0.58	0.70	0.02	<100	<1	<0.01		659			<2
149.00	150.00	348473			0.10	90	<1		<0.01	<10	7	259	1.39	0.30	<0.01	<100	<1	<0.01		371			<2
150.00	151.00	348474			0.15	105	<1		<0.01	<10	10	323	0.80	0.24	<0.01	<100	<1	<0.01		329			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-65
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
151.00	152.00	348475			0.15	114	<1		<0.01	<10	7	382	1.52	0.21	<0.01	<100	<1	<0.01		319			<2
152.00	153.00	348476			0.15	125	<1		<0.01	<10	7	331	1.43	0.28	<0.01	144	<1	<0.01		330			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-65
Project PLANET EXPLORATION
Project Number 800125



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-65
Project PLANET EXPLORATION
Project Number 800125



Goldcorp Inc.
QC Report

Hole Number RL-05-65
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
81.00	348399	1712	112	-	-	-	94	-	-	-	0.00	1.7	-	0.050	98.0	-
81.01	348400	<5	2	-	-	-	8	-	-	-	0.00	<0.0	-	<0.001	53.0	-
127.00	348449	1846	100	-	-	-	87	-	-	-	0.00	1.8	-	0.054	90.0	-
127.01	348450	<5	1	-	-	-	7	-	-	-	0.00	<0.0	-	<0.001	44.0	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-65
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
34.89	36.00	1.11	R4	0.27	0.89	-	100.00	-	100.00
36.00	39.00	3.00	R4	0.04	0.14	-	100.00	-	100.00
39.00	42.00	3.00	R4	0.02	0.07	-	100.00	-	100.00
42.00	45.00	3.00	R4	0.02	0.10	-	100.00	-	100.00
45.00	48.00	3.00	R4	0.00	0.00	-	100.00	-	100.00
48.00	51.00	3.00	R4	0.02	0.09	-	100.00	-	100.00
51.00	54.00	3.00	R4	0.01	0.05	-	100.00	-	100.00
54.00	57.00	3.00	R4	0.00	0.03	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
60.00	63.00	3.00	R4	0.00	0.01	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
72.00	75.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
75.00	78.00	3.00	R6	0.05	0.20	-	100.00	-	100.00
78.00	81.00	3.00	R6	0.01	0.05	-	100.00	-	100.00
81.00	84.00	3.00	R6	0.02	0.07	-	100.00	-	100.00
84.00	87.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
90.00	93.00	3.00	R6	0.00	0.03	-	100.00	-	100.00
93.00	96.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
96.00	99.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
99.00	102.00	3.00	R5	0.65	1.77	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.24	1.24	-	100.00	-	100.00
105.00	108.00	3.00	R6	0.01	0.05	-	100.00	-	100.00
108.00	111.00	3.00	R6	0.81	4.02	-	100.00	-	100.00
111.00	114.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
114.00	117.00	3.00	R6	0.04	0.10	-	100.00	-	100.00
117.00	120.00	3.00	R6	0.05	0.10	-	100.00	-	100.00
120.00	123.00	3.00	R6	0.08	0.31	-	100.00	-	100.00
123.00	126.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
126.00	129.00	3.00	R6	0.01	0.09	-	100.00	-	100.00
129.00	132.00	3.00	R6	1.31	4.79	-	100.00	-	100.00
132.00	135.00	3.00	R6	0.07	0.18	-	100.00	-	100.00
135.00	138.00	3.00	R6	0.05	0.25	-	100.00	-	100.00
138.00	141.00	3.00	R6	1.48	7.13	-	100.00	-	100.00
141.00	144.00	3.00	R6	0.51	1.81	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-65
Project: PLANET EXPLORATION
Project Number: 800125

144.00	147.00	3.00	R6	0.51	0.80	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.26	0.53	-	100.00	-	100.00
150.00	153.00	3.00	R6	0.01	0.05	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-66
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>	
Azimuth:	146	Length:	meters	Township:		Contractor:	MAJOR DRILLING	
Dip:	-50	Pulled:	No	Claim No:		Spotted by:		
Length:	168.80 meters	Capped:	No	NTS:		Coord Type:	SUR	
Started:	17-Feb-05	Cemented:	No	Surface Hole :	Yes	Surveyed by:	K. Pye	
Completed:	22-Feb-05	<u>Core</u>		Level:		Surveyed Date:	24-Feb-05	
Logged:	22-Feb-05	Dimension:	NQ	Coordinate- Gemcom		Logged by:	A.P. Prysiak	
Wedged :	No	Original Units:	M	East:	462073.52	Coordinate - UTM		
Wedged from:		Storage:	Cochenour Mine	North:	5680122.16	East:	462074	
				Elevation:	411.00	North:	5680122	
						Elevation:	411	
						UTM Zone:	15 (NAD27)	
						Grid Name:		
Target:	Upper Duck Zone							
Comments:	relogged by TP June-July 2005							
							Re-logged by:	
							Water Source:	
							Water line:	
							Left in hole:	
							Control Drilling:	
							Cutting sampled: No	
							Geophysic:	

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	144.94	-50.25	X	48.000	147.12	-48.73	X	96.000	147.13	-47.49	X
3.000	145.77	-50.04	X	51.000	147.04	-48.71	X	99.000	147.04	-47.37	X
6.000	146.68	-49.86	X	54.000	147.03	-48.66	X	102.000	146.94	-47.27	X
9.000	147.60	-49.71	X	57.000	147.09	-48.55	X	105.000	146.88	-47.18	X
12.000	147.97	-49.51	X	60.000	147.02	-48.45	X	108.000	146.83	-47.10	X
15.000	147.73	-49.37	X	63.000	146.92	-48.40	X	111.000	146.89	-47.03	X
18.000	147.64	-49.43	X	66.000	146.99	-48.30	X	114.000	146.93	-46.98	X
21.000	147.63	-49.46	X	69.000	147.04	-48.18	X	117.000	147.07	-46.97	X
24.000	147.70	-49.41	X	72.000	147.08	-48.08	X	120.000	147.19	-46.91	X
27.000	147.65	-49.32	X	75.000	147.09	-47.99	X	123.000	147.37	-46.81	X
30.000	147.66	-49.25	X	78.000	146.99	-47.90	X	126.000	147.43	-46.74	X
33.000	147.68	-49.13	X	81.000	146.91	-47.81	X	129.000	147.45	-46.68	X
36.000	147.60	-48.97	X	84.000	146.92	-47.72	X	132.000	147.44	-46.58	X
39.000	147.40	-48.88	X	87.000	147.01	-47.66	X	135.000	147.44	-46.49	X
42.000	147.28	-48.82	X	90.000	147.11	-47.60	X	138.000	147.57	-46.35	X
45.000	147.21	-48.77	X	93.000	147.16	-47.55	X	141.000	147.88	-46.20	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-66
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	148.16	-46.04	X
147.000	148.44	-45.89	X
150.000	148.75	-45.73	X
153.000	149.02	-45.57	X
156.000	149.17	-45.46	X
162.000	149.38	-45.24	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-66
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
0.00	16.30	(OB) OVERBURDEN									
16.30	82.00	(7B) FELDSPAR PORPHYRY									
		Feldspar porphyry unit, variously altered by silica, potassic and skarn veining; 10% biotite wisps with the skarn bands and as separate lenses, streaks to several cm in width; some of these appear to be clasts? Good porphyry is preserved only where the brown potassic alteration is not too invasive; possibly a porphyry intrusive breccia. The potassic alteration consists of brown biotite and silicification or microcline flooding	348477	17.00	18.00	1.00	0.03	0.001	33		<input type="checkbox"/>
			348478	18.00	19.00	1.00	0.02	0.001	24		<input type="checkbox"/>
			348479	19.00	20.00	1.00	0.03	0.001	31		<input type="checkbox"/>
			348480	20.00	21.00	1.00	0.14	0.004	143		<input type="checkbox"/>
			348481	21.00	22.00	1.00	0.01	<0.001	14		<input type="checkbox"/>
			348482	22.00	23.00	1.00	0.06	0.002	56		<input type="checkbox"/>
		16.3-24.5: 10% green diopside-Hbl-dt-z-biotite bands to 2-3cm with minor po-py	348483	23.00	24.00	1.00	0.03	0.001	33		<input type="checkbox"/>
		24.5-39.3: brown phase, minor FP sections with good textures. 2-4% skarn veins, generally at low core angles on veins and across foliation	348484	24.00	25.00	1.00	0.03	0.001	25		<input type="checkbox"/>
		39.3-48: good FP texture, 5% bio clots, weak potassic alteration. Core angles at 35 degrees	348485	25.00	26.00	1.00	0.06	0.002	59		<input type="checkbox"/>
		48-64: brown altered FP, very few felds visible; low core angles at 10-20 degrees tca; weak sericite. Minor biotite clots and skarn bands	348486	26.00	27.00	1.00	0.03	0.001	30		<input type="checkbox"/>
			348487	27.00	28.00	1.00	0.07	0.002	72		<input type="checkbox"/>
		64-75.3: FP that appears to be clastic with biotite and feldspar degraded porphyry clasts; 5% skarn bands with minor po and trace aspy. Fol. At 55 degrees tca; at 75m is a small fold, viewing down onto the foliation, the fold axis is at 190-200 degrees	348488	28.00	29.00	1.00	0.01	<0.001	11		<input type="checkbox"/>
			348489	29.00	30.00	1.00	0.02	<0.001	15		<input type="checkbox"/>
			348490	30.00	31.00	1.00	0.37	0.011	367		<input type="checkbox"/>
		76.2-82: Porphyry breccia with 10% biotite clots, 5% skarn bands/veins with minor po; fol. At 55 degrees tca	348491	31.00	32.00	1.00	0.02	0.001	21		<input type="checkbox"/>
		TP: aphyric sections at approximately [27-39m, 48-63m, 78-82m	348492	32.00	33.00	1.00	0.03	0.001	28		<input type="checkbox"/>
			348493	33.00	34.00	1.00	0.01	<0.001	10		<input type="checkbox"/>
		75.30 - 76.20 (6G) GABBRO	348494	34.00	35.00	1.00	0.05	0.001	48		<input type="checkbox"/>
		Green, hornblende gabbro	348495	35.00	36.00	1.00	0.02	0.001	21		<input type="checkbox"/>
			348496	36.00	37.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			348497	37.00	38.00	1.00	0.04	0.001	38		<input type="checkbox"/>
			348498	38.00	39.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			348501	39.00	40.00	1.00	0.01	<0.001	8		<input type="checkbox"/>
			348502	40.00	41.00	1.00	0.02	0.001	24		<input type="checkbox"/>
			348503	41.00	42.00	1.00	0.02	0.001	18		<input type="checkbox"/>
			348504	42.00	43.00	1.00	0.07	0.002	74		<input type="checkbox"/>
			348505	43.00	44.00	1.00	0.12	0.004	121		<input type="checkbox"/>
			348506	44.00	45.00	1.00	0.02	0.001	24		<input type="checkbox"/>
			348507	45.00	46.00	1.00	0.03	0.001	25		<input type="checkbox"/>
			348508	46.00	47.00	1.00	0.31	0.009	306		<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-66
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			348509	47.00	48.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			348510	48.00	49.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			348511	49.00	50.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			348512	50.00	51.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348513	51.00	52.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			348514	52.00	53.00	1.00	0.09	0.003	88	<input type="checkbox"/>	
			348515	53.00	54.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			348516	54.00	55.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
			348517	55.00	56.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
			348518	56.00	57.00	1.00	0.10	0.003	98	<input type="checkbox"/>	
			348519	57.00	58.00	1.00	0.09	0.003	86	<input type="checkbox"/>	
			348520	58.00	59.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			348521	59.00	60.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			348522	60.00	61.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			348523	61.00	62.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			348524	62.00	63.00	1.00	0.15	0.005	154	<input type="checkbox"/>	
			348525	63.00	64.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			348526	64.00	65.00	1.00	0.21	0.006	206	<input type="checkbox"/>	
			348527	65.00	66.00	1.00	0.15	0.004	145	<input type="checkbox"/>	
			348528	66.00	67.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			348529	67.00	68.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			348530	68.00	69.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
			348531	69.00	70.00	1.00	0.27	0.008	269	<input type="checkbox"/>	
			348532	70.00	71.00	1.00	0.30	0.009	301	<input type="checkbox"/>	
			348533	71.00	72.00	1.00	0.51	0.015	512	<input type="checkbox"/>	
			348534	72.00	73.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348535	73.00	74.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348536	74.00	75.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			348537	75.00	76.00	1.00	0.19	0.006	189	<input type="checkbox"/>	
			348538	76.00	77.00	1.00	0.16	0.005	163	<input type="checkbox"/>	
			348539	77.00	78.00	1.00	0.43	0.013	430	<input type="checkbox"/>	
			348540	78.00	79.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348541	79.00	80.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			348542	80.00	81.00	1.00	0.22	0.006	222	<input type="checkbox"/>	
			348543	81.00	82.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-66

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
82.00	87.70	(6G) GABBRO Green, hornblende phyric gabbro. Lower contact at 35 degrees	348544	82.00	83.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348545	83.00	84.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348546	84.00	85.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348547	85.00	86.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348548	86.00	87.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348551	87.00	87.80	0.80	<0.01	<0.001	<5	<input type="checkbox"/>	
87.70	91.00	(7B) FELDSPAR PORPHYRY Foliated FP unit, foliated 35 degrees at the top and 55 degrees at the bottom; minor biotite lenses; minor sericite and maybe part of the felsic volcanic suite. 88.8, 5cm black massive biotite band at 90 degrees 89.9-90.2: grey, foliated FP dyke; sharp contacts at 60 degrees; felds slightly better developed and lack of sericite from the felsics. 90.5-91: dark grey, fine grained intermediate dyke at 62 degrees tca	348552	87.80	89.00	1.20	0.05	0.001	45	<input type="checkbox"/>	
			348553	89.00	90.00	1.00	0.11	0.003	108	<input type="checkbox"/>	
			348554	90.00	90.50	0.50	0.04	0.001	38	<input type="checkbox"/>	
			348555	90.50	91.00	0.50	<0.05	<0.001	<50	<input type="checkbox"/>	total metallic assay
91.00	95.40	(5S) SILICATE FACIES IRON FORMATION ZONE: 10-15% coarse light pink garnet, 5-8% black biotite as thin lenses and bands; in a dark green, actinolite? mass or grunerite; also magnetite-rich phases with arsenopyrite; a lighter green mineral, likely epidote or cummingtonite; aspy is quite blocky to 1.0mm; 91-91.4: remanent 10cm band of chlorite-magnetite, 8% po; 50% felsic bands 91.4-92.7: BAG-type unit and 50% felsic bands; 10% magnetite with the BAG phase, 3-4% po and trace aspy 92.7-95.4: highly magnetic BAG and 80cm cumulative of +30% magnetite-rich bands with 1-2% aspy; banding, fol. At 50 degrees tca	348556	91.00	92.00	1.00	0.11	0.003	110	<input type="checkbox"/>	3% po, total metallic assay
			348557	92.00	92.70	0.70	0.31	0.009	310	<input type="checkbox"/>	5% mt., total metallic assay
			348558	92.70	93.20	0.50	0.27	0.008	270	<input type="checkbox"/>	30 mt, 0.5% aspy, total metallic assay
			348559	93.20	93.70	0.50	2.05	0.060	2050	<input type="checkbox"/>	5% mt, 0.5% aspy, total metallic assay
			348560	93.70	94.20	0.50	0.26	0.008	260	<input type="checkbox"/>	30% mt, 0.5% aspy, total metallic assay
			348561	94.20	95.00	0.80	0.24	0.007	240	<input type="checkbox"/>	15% mt, 1% aspy, total metallic assay
			348562	95.00	95.40	0.40	0.37	0.011	370	<input type="checkbox"/>	15% mt, 1% aspy, total metallic assay
95.40	97.00	(7B) FELDSPAR PORPHYRY Grey, foliated, FP dyke; small isolated biotite lenses on foliation, as in the subvolcanic unit, but definitely different unit from the felsics below.	348563	95.40	96.00	0.60	<0.05	<0.001	<50	<input type="checkbox"/>	total metallic assay
			348564	96.00	97.00	1.00	0.09	0.003	87	<input type="checkbox"/>	
97.00	100.20	(3) UNDIFF. FELSIC VOLCANICS Weakly sericitic felsics with 10-15% bio-gar-amph units, all conformable at 60 degrees; the garnets in the BAG bands are coarse and pink to very pale; magnetite, po and minor aspy are common with these bands	348565	97.00	98.00	1.00	0.16	0.005	164	<input type="checkbox"/>	
			348566	98.00	99.00	1.00	0.21	0.006	214	<input type="checkbox"/>	tr. Aspy
			348567	99.00	100.00	1.00	0.16	0.005	160	<input type="checkbox"/>	total metallic assay



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-66
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
100.20	110.70	(5S) SILICATE FACIES IRON FORMATION	348568	100.00	101.00	1.00	0.33	0.010	330	<input type="checkbox"/>	10% mt, 2% po, tr. Aspy, total metallic assay
		ZONE: iron rich phase of grunerite-biotite-garnet with abundant magnetite-po and aspy	348569	101.00	102.00	1.00	0.47	0.014	470	<input type="checkbox"/>	15% mt,5% po, 1/2% aspy, total metallic assay
		100.2-101.7: 40% garnet, 5% magnetite, minor po, trace aspy; fol. At 60 degrees	348570	102.00	102.70	0.70	2.04	0.060	2040	<input type="checkbox"/>	10% mt,2% po,tr. Aspy, total metallic assay
		101.7-103.5:magnetite-grunerite-cum-(no gamet)- sericite-quartz; 35% magnetite grading into massive po band at lower contact, 20cm;1% fine to blocky aspy	348571	102.70	103.50	0.80	2.94	0.086	2940	<input type="checkbox"/>	20% mt, 20% po, 1% aspy, total metallic assay
		103.5-103.8: banded carb vein at 40 degrees, in a green grunerite-po unit; carb is grey with relict coloform banding, 2-3% fine diss po and some aspy; most of the accicular aspy is on contact of the vein; coarse blocky aspy with po as well as fine needles; spec of VG in a sulphide-rich band in the core of the vein.	348572	103.50	104.00	0.50	21.80	0.636	21800	<input checked="" type="checkbox"/>	CbV,5%po,2% aspy, total metallic assay
		103.8-104.5:green, grunerite-po-asy; 20% brown matted to braided po, 2% fine to coarse aspy, diss to concentrated in bands	348573	104.00	104.50	0.50	22.50	0.656	22500	<input type="checkbox"/>	10% po,2% aspy, total metallic assay
		105.5-107.2:dark green, gunerite-bio-gamet unit with 5-8% stringers po, 2% aspy on upper 15cm , adjacent to the FP.	348574	104.50	105.50	1.00	0.08	0.002	80	<input type="checkbox"/>	FP, total metallic assay
		107.2-107.8: grey carb vein, as above; 2-3% diss po, no aspy;	348575	105.50	106.00	0.50	8.82	0.257	8820	<input type="checkbox"/>	5% po,.5% aspy, total metallic assay
		108.9-110.7: 40 % magnetite with qtz-sericite matrix with medium green amphibole; 1-2% aspy	348576	106.00	106.50	0.50	2.37	0.069	2370	<input type="checkbox"/>	10% mt, total metallic assay
		104.50 - 105.50 (7B) FELDSPAR PORPHYRY	348577	106.50	107.10	0.60	0.34	0.010	340	<input type="checkbox"/>	5% po, total metallic assay
		contacts at 45 degrees	348578	107.10	107.80	0.70	0.37	0.011	370	<input type="checkbox"/>	CbV, 3% po, total metallic assay
			348579	107.80	108.30	0.50	0.46	0.013	460	<input type="checkbox"/>	8% mt, total metallic assay
			348580	108.30	108.90	0.60	0.95	0.028	950	<input type="checkbox"/>	55 MT, total metallic assay
			348581	108.90	109.40	0.50	0.47	0.014	470	<input type="checkbox"/>	40% MT, 2% ASPY, total metallic assay
			348582	109.40	109.90	0.50	0.44	0.013	440	<input type="checkbox"/>	40% MT, 2% ASPY, total metallic assay
			348583	109.90	110.30	0.40	5.46	0.159	5460	<input type="checkbox"/>	40% mt, 1-2% aspy, total metallic assay
			348584	110.30	110.90	0.60	3.21	0.094	3210	<input type="checkbox"/>	40% mt, 1-2% aspy, total metallic assay
110.70	114.50	(1L) GARNETIFERROUS AMPHIBOLITE	348585	110.90	111.40	0.50	0.15	0.004	150	<input type="checkbox"/>	5% mt, total metallic assay
		coarsely banded BAG with 5% magnetite	348586	111.40	112.00	0.60	0.08	0.002	75	<input type="checkbox"/>	
			348587	112.00	113.00	1.00	0.18	0.005	175	<input type="checkbox"/>	
			348588	113.00	114.00	1.00	0.18	0.005	176	<input type="checkbox"/>	
			348589	114.00	115.00	1.00	0.08	0.002	81	<input type="checkbox"/>	
114.50	132.20	(3) UNDIFF. FELSIC VOLCANICS	348590	115.00	116.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		Grey feldspathic unit, interbanded with 10-20% gamet-biotite bands, occasionally with amphiboles. Moderately sericitic	348591	116.00	117.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			348592	117.00	118.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		126.50 - 128.80 (5S) SILICATE FACIES IRON FORMATION	348593	118.00	119.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		GAB unit with 10% magnetite to 127.5, becoming sulphitic on lower section with 5-7% po with finely bedded siliceous unit.	348594	119.00	120.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			348595	120.00	121.00	1.00	0.17	0.005	171	<input type="checkbox"/>	
			348596	121.00	122.00	1.00	0.39	0.011	390	<input type="checkbox"/>	total metallic assay
			348597	122.00	123.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			348598	123.00	124.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			348601	124.00	125.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			348602	125.00	126.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-66
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			348603	126.00	126.50	0.50	0.06	0.002	55	<input type="checkbox"/>	
			348604	126.50	127.50	1.00	0.05	0.001	50	<input type="checkbox"/>	10% mt, 5% po
			348605	127.50	128.00	0.50	2.27	0.066	2270	<input type="checkbox"/>	5% mt, 5% po, total metallic assay
			348606	128.00	128.80	0.80	3.28	0.096	3280	<input type="checkbox"/>	15% po, total metallic assay
			348607	128.80	129.60	0.80	0.03	0.001	34	<input type="checkbox"/>	
			348608	129.60	130.10	0.50	0.01	<0.001	12	<input type="checkbox"/>	
			348609	130.10	131.10	1.00	0.10	0.003	101	<input type="checkbox"/>	
			348610	131.10	131.70	0.60	0.01	<0.001	8	<input type="checkbox"/>	
			348611	131.70	132.20	0.50	0.06	0.002	60	<input type="checkbox"/>	total metallic assay
132.20	136.00	(5S) SILICATE FACIES IRON FORMATION	348612	132.20	133.00	0.80	0.28	0.008	280	<input type="checkbox"/>	10% mt, .5% aspy, total metallic assay
		Iron-rich phase of the bio-gar-amph unit.	348613	133.00	134.00	1.00	0.15	0.004	150	<input type="checkbox"/>	10% mt, 0.5% aspy, total metallic assay
		132.2-134: coarse garnet, amphibole, 5% magnetite. 2-3% po and 1/2% aspy	348614	134.00	134.70	0.70	0.11	0.003	110	<input type="checkbox"/>	total metallic assay
		134-134.7: felsic band, bio-ser-garnet and minor aspy	348615	134.70	135.40	0.70	0.18	0.005	180	<input type="checkbox"/>	15% mt, tr. Aspy, total metallic assay
		134.7-135.7: high iron-grunerite unit; 40% magnetite, 5% po, 1% aspy	348616	135.40	136.00	0.60	0.12	0.004	120	<input type="checkbox"/>	10-15% po, total metallic assay
		135.7-136: QSS with 15% stringer po									
136.00	159.90	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	348617	136.00	137.00	1.00	0.05	0.001	50	<input type="checkbox"/>	total metallic assay
		Felsic volcanics, moderately sericitic, remanent small qtz eyes; relatively uniform with subtle banding, likely not primary; large blocks of andalusite to 2.5cm, scattered throughout, 5 to 20%.	348618	137.00	138.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
		143.3, 10 cm FP dyke	348619	138.00	139.00	1.00	0.15	0.004	154	<input type="checkbox"/>	
		Fol: 140m=40deg; 146-152= -20 to +20 in fold;	348620	139.00	140.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
		140.80 - 141.50 (6G) GABBRO	348621	140.00	141.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
		green gabbro dyke, foliated	348622	141.00	142.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			348623	142.00	143.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			348624	143.00	144.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			348625	144.00	145.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		144.20 - 144.60 (7B) FELDSPAR PORPHYRY	348626	145.00	146.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		FP dyke at 30 degrees	348627	146.00	147.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348628	147.00	148.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			348629	148.00	149.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		153.50 - 155.00 (1L) GARNETIFEROUS AMPHIBOLITE	348630	149.00	150.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		Garnet-biotite-andalusite, non-magnetic	348631	150.00	151.00	1.00	0.08	0.002	83	<input type="checkbox"/>	
			348632	151.00	152.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
		155.00 - 156.50 (9B) INTENSE POTASSIC ALTERATION	348633	152.00	153.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		Felsic unit, moderate sericite with bluish microcline flooding, mainly near	348634	153.00	153.50	0.50	0.02	0.001	23	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-66
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		upper contact	348635	153.50	154.00	0.50	0.12	0.003	115	<input type="checkbox"/>	
			348636	154.00	155.10	1.10	0.11	0.003	111	<input type="checkbox"/>	
			348637	155.10	156.00	0.90	0.01	<0.001	13	<input type="checkbox"/>	
			348638	156.00	157.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			348639	157.00	158.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			348640	158.00	159.00	1.00	0.12	0.004	122	<input type="checkbox"/>	
			348641	159.00	160.00	1.00	0.08	0.002	84	<input type="checkbox"/>	
159.90	161.20	(1L) GARNETIFEROUS AMPHIBOLITE Garnet-biotite-andalusite with minor po; a 15cm green, foliated mafic band is likely a dyke.	348642	160.00	161.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
161.20	168.80	(3) UNDIFF. FELSIC VOLCANICS Very fine grained, grey, siliceous felsics; locally feldspar phyrlic; fol at 30 degrees tca; several green skarn veins at 10-30 degrees ; reddish tinge when wet suggest fine brown biotite alteration, similar to that in porphyry	348643	161.00	162.00	1.00	1.33	0.039	1328	<input type="checkbox"/>	
			348644	162.00	163.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			348645	163.00	164.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			348646	164.00	165.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			348647	165.00	166.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			348648	166.00	167.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			348651	167.00	168.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348652	168.00	168.80	0.80	0.01	<0.001	6	<input type="checkbox"/>	



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-66
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

<i>From</i> (m)	<i>To</i> (m)	<i>Sample</i>	<i>Lab</i>	<i>Method</i>	<i>Al</i> (pct)	<i>Ba</i> (ppm)	<i>Be</i> (ppm)	<i>Bi</i> (ppm)	<i>Ca</i> (%)	<i>Cd</i> (ppm)	<i>Co</i> (ppm)	<i>Cr</i> (ppm)	<i>Fe</i> (%)	<i>K</i> (%)	<i>Mg</i> (%)	<i>Mn</i> (ppm)	<i>Mo</i> (ppm)	<i>NA</i> (pct)	<i>Na</i> (ppm)	<i>Sr</i> (ppm)	<i>Sr</i> (%)	<i>Ti</i> (%)	<i>V</i> (ppm)
17.00	18.00	348477			0.32	109	<1		3.17	<10	15	362	1.78	1.14	0.65	757	1	<0.01		204		<0.00	<2
18.00	19.00	348478			0.33	120	<1		2.20	<10	14	324	1.54	1.06	0.59	540	<1	<0.01		199		<0.00	<2
19.00	20.00	348479			0.32	154	<1		2.46	<10	13	271	1.76	1.16	0.64	671	<1	<0.01		170		<0.00	<2
20.00	21.00	348480			0.34	132	<1		2.07	<10	14	262	1.69	1.18	0.62	510	<1	<0.01		199		<0.00	<2
21.00	22.00	348481			0.35	101	<1		1.94	<10	14	220	1.55	1.21	0.62	417	<1	<0.01		202		<0.00	<2
22.00	23.00	348482			0.29	143	<1		3.31	<10	18	486	1.89	1.00	0.69	887	3	0.61		179		<0.00	<2
23.00	24.00	348483			0.33	125	<1		2.53	<10	11	129	1.43	1.03	0.61	572	1	<0.01		185		<0.00	<2
24.00	25.00	348484			0.33	114	<1		2.50	<10	8	205	1.22	0.92	0.55	497	2	<0.01		221		<0.00	<2
25.00	26.00	348485			0.36	158	<1		1.59	<10	6	114	1.00	1.20	0.49	312	<1	<0.01		183		<0.00	<2
26.00	27.00	348486			0.34	189	<1		1.48	<10	6	160	1.15	1.34	0.51	366	<1	<0.01		151		<0.00	<2
27.00	28.00	348487			0.36	195	<1		1.92	<10	14	151	1.71	1.44	0.58	466	<1	<0.01		147		<0.00	<2
28.00	29.00	348488			0.36	172	<1		2.03	<10	10	188	1.45	1.36	0.60	502	<1	<0.01		137		<0.00	<2
29.00	30.00	348489			0.35	153	<1		1.67	<10	12	191	1.57	1.39	0.59	459	<1	<0.01		145		<0.00	<2
30.00	31.00	348490			0.38	116	<1		1.17	<10	9	147	1.50	1.12	0.54	355	<1	<0.01		121		<0.00	<2
31.00	32.00	348491			0.36	129	<1		1.71	<10	7	133	1.22	1.17	0.55	305	<1	<0.01		175		<0.00	<2
32.00	33.00	348492			0.32	94	<1		2.11	<10	10	186	1.43	1.05	0.60	429	<1	<0.01		138		<0.00	<2
33.00	34.00	348493			0.34	157	<1		1.96	<10	16	174	1.52	1.23	0.59	413	<1	<0.01		151		<0.00	<2
34.00	35.00	348494			0.33	216	<1		1.59	<10	13	163	1.00	1.27	0.48	303	<1	<0.01		132		<0.00	<2
35.00	36.00	348495			0.29	176	<1		2.58	<10	17	137	1.67	0.95	0.63	649	<1	<0.01		100		<0.00	<2
36.00	37.00	348496			0.33	168	<1		1.83	<10	13	148	1.18	1.20	0.60	421	<1	<0.01		105		<0.00	<2
37.00	38.00	348497			0.34	133	<1		2.05	<10	10	128	1.18	0.94	0.55	383	<1	<0.01		111		<0.00	<2
38.00	39.00	348498			0.31	179	<1		2.01	<10	11	176	1.46	1.29	0.59	379	2	<0.01		132		<0.00	<2
39.00	40.00	348501			0.32	139	<1		1.72	<10	9	179	1.28	1.00	0.55	378	<1	<0.01		154		<0.00	<2
40.00	41.00	348502			0.35	96	<1		1.45	<10	8	120	1.12	0.81	0.48	338	<1	0.12		158		<0.00	<2
41.00	42.00	348503			0.31	161	<1		2.76	<10	18	259	1.92	1.22	0.64	656	<1	<0.01		166		<0.00	<2
42.00	43.00	348504			0.33	160	<1		2.25	<10	11	145	1.36	1.10	0.56	412	<1	<0.01		169		<0.00	<2
43.00	44.00	348505			0.32	174	<1		2.00	<10	8	167	1.22	1.00	0.51	397	1	<0.01		178		<0.00	<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-66
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
44.00	45.00	348506			0.34	123	<1		1.38	<10	7	108	1.00	0.75	0.44	277	<1	<0.01		159		<0.00	<2
45.00	46.00	348507			0.35	143	<1		1.35	<10	6	139	1.07	0.84	0.45	280	<1	0.09		172		<0.00	<2
46.00	47.00	348508			0.35	123	<1		1.56	<10	10	106	1.29	0.87	0.48	330	<1	0.30		181		<0.00	<2
47.00	48.00	348509			0.34	114	<1		1.85	<10	11	201	1.43	0.89	0.50	424	<1	<0.01		210		<0.00	<2
48.00	49.00	348510			0.36	144	<1		1.84	<10	12	169	1.83	1.22	0.64	446	<1	<0.01		185		<0.00	<2
49.00	50.00	348511			0.35	111	<1		2.17	<10	26	370	1.81	0.89	0.64	561	<1	<0.01		149		<0.00	<2
50.00	51.00	348512			0.37	100	<1		2.10	<10	11	167	1.47	1.01	0.62	419	<1	<0.01		199		<0.00	<2
51.00	52.00	348513			0.38	92	<1		2.01	<10	12	250	1.50	0.88	0.60	434	<1	<0.01		186		<0.00	<2
52.00	53.00	348514			0.32	78	<1		2.52	<10	17	190	2.62	0.78	0.71	903	<1	<0.01		111		<0.00	9
53.00	54.00	348515			0.40	111	<1		1.78	<10	7	165	1.43	1.04	0.60	348	<1	<0.01		150		<0.00	<2
54.00	55.00	348516			0.41	180	<1		1.76	<10	8	132	1.58	1.14	0.62	397	<1	<0.01		148		<0.00	<2
55.00	56.00	348517			0.45	206	<1		1.50	<10	5	130	1.18	1.00	0.53	302	<1	<0.01		142		<0.00	<2
56.00	57.00	348518			0.43	179	<1		1.29	<10	6	98	1.22	1.20	0.55	297	<1	<0.01		145		<0.00	<2
57.00	58.00	348519			0.43	200	<1		1.28	<10	7	194	1.36	1.41	0.56	339	<1	<0.01		142		<0.00	<2
58.00	59.00	348520			0.44	133	<1		1.35	<10	6	105	1.20	1.21	0.54	266	<1	<0.01		168		<0.00	<2
59.00	60.00	348521			0.40	142	<1		1.99	<10	10	191	1.66	1.18	0.60	470	2	<0.01		177		<0.00	<2
60.00	61.00	348522			0.42	169	<1		2.38	<10	10	140	1.79	1.34	0.56	503	<1	<0.01		204		<0.00	<2
61.00	62.00	348523			0.43	196	<1		1.96	<10	8	179	1.66	1.47	0.57	454	<1	<0.01		187		<0.00	<2
62.00	63.00	348524			0.46	245	<1		2.06	<10	11	153	2.12	1.81	0.66	548	<1	<0.01		162		<0.00	<2
63.00	64.00	348525			0.41	218	<1		1.60	<10	6	157	1.36	1.17	0.51	318	<1	0.62		203		<0.00	<2
64.00	65.00	348526			0.39	120	<1		1.07	<10	8	118	1.07	0.70	0.43	280	<1	0.05		179		<0.00	<2
65.00	66.00	348527			0.38	162	<1		1.01	<10	7	138	1.05	0.74	0.40	255	<1	0.37		208		<0.00	<2
66.00	67.00	348528			0.39	148	<1		1.03	<10	7	108	1.02	0.72	0.42	259	<1	<0.01		204		<0.00	<2
67.00	68.00	348529			0.38	116	<1		1.45	<10	8	158	1.25	0.87	0.48	317	1	<0.01		213		<0.00	<2
68.00	69.00	348530			0.41	183	<1		1.63	<10	7	112	1.28	1.19	0.53	327	2	0.33		182		<0.00	<2
69.00	70.00	348531			0.42	151	<1		1.66	<10	7	148	1.66	1.13	0.56	368	1	<0.01		185		<0.00	<2
70.00	71.00	348532			0.39	155	<1		1.57	<10	7	102	1.48	0.96	0.51	392	<1	<0.01		182		<0.00	<2
71.00	72.00	348533			0.36	177	<1		1.83	<10	10	156	2.18	1.14	0.63	674	<1	<0.01		138		<0.00	<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-66
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
72.00	73.00	348534			0.35	132	<1		1.54	<10	10	114	1.39	0.73	0.52	405	<1	<0.01	239		<0.00	<2	
73.00	74.00	348535			0.33	149	<1		1.47	<10	11	130	1.37	0.72	0.51	407	<1	0.22	234		<0.00	<2	
74.00	75.00	348536			0.32	208	<1		2.22	<10	19	429	2.11	1.28	0.67	649	2	<0.01	162		<0.00	4	
75.00	76.00	348537			0.29	84	<1		1.79	<10	11	154	3.26	0.86	0.60	976	<1	<0.01	126		<0.00	<2	
76.00	77.00	348538			0.32	101	<1		1.34	<10	7	91	2.14	0.97	0.54	584	<1	<0.01	139		<0.00	<2	
77.00	78.00	348539			0.36	111	<1		1.51	<10	8	187	1.32	1.00	0.49	345	1	<0.01	185		<0.00	<2	
78.00	79.00	348540			0.34	110	<1		1.84	<10	10	124	1.52	1.08	0.58	433	<1	<0.01	131		<0.00	<2	
79.00	80.00	348541			0.32	116	<1		2.50	<10	15	217	2.10	1.03	0.64	704	<1	<0.01	84		<0.00	<2	
80.00	81.00	348542			0.31	133	<1		2.13	<10	17	85	2.22	1.31	0.63	618	2	<0.01	66		<0.00	<2	
81.00	82.00	348543			0.39	172	<1		1.77	<10	16	126	1.71	1.25	0.65	454	1	<0.01	62		<0.00	<2	
82.00	83.00	348544			0.29	69	<1		3.44	<10	30	181	3.61	0.49	0.76	916	<1	<0.01	127		<0.00	25	
83.00	84.00	348545			0.32	38	<1		3.45	<10	27	185	3.39	0.21	0.78	872	<1	<0.01	90		<0.00	29	
84.00	85.00	348546			0.32	28	<1		3.55	<10	32	188	3.57	0.27	0.78	852	<1	<0.01	95		<0.00	26	
85.00	86.00	348547			0.32	62	<1		3.62	<10	26	206	3.33	0.69	0.76	847	<1	<0.01	97		<0.00	28	
86.00	87.00	348548			0.30	33	<1		3.41	<10	27	174	3.23	0.35	0.74	756	1	<0.01	85		<0.00	27	
87.00	87.80	348551			0.36	77	<1		3.85	<10	28	196	3.52	0.72	0.74	799	<1	<0.01	96		<0.00	26	
87.80	89.00	348552			0.42	177	<1		1.32	<10	11	102	1.11	1.11	0.50	282	1	<0.01	47		<0.00	<2	
89.00	90.00	348553			0.40	126	<1		1.36	<10	8	55	2.09	1.23	0.58	466	1	<0.01	100		<0.00	<2	
90.00	90.50	348554			0.41	177	<1		1.31	<10	8	98	2.36	1.35	0.61	495	<1	0.07	126		<0.00	<2	
90.50	91.00	348555			0.36	57	<1		2.71	<10	27	166	3.45	0.58	0.75	757	1	<0.01	50		<0.00	21	
91.00	92.00	348556			0.35	58	<1		0.80	<10	13	116	4.84	1.15	0.59	1358	<1	<0.01	44		<0.00	10	
92.00	92.70	348557			0.33	126	<1		1.26	<10	11	64	5.58	0.90	0.66	1876	1	<0.01	84		<0.00	10	
92.70	93.20	348558			0.15	65	<1		0.84	14	10	69	8.28	0.43	0.73	3098	<1	<0.01	51		<0.00	32	
93.20	93.70	348559			0.22	76	<1		1.23	<10	8	42	7.29	0.56	0.72	2295	<1	<0.01	17		<0.00	15	
93.70	94.20	348560			0.21	64	<1		1.39	13	11	37	7.71	0.47	0.75	2872	<1	<0.01	13		<0.00	23	
94.20	95.00	348561			0.18	58	<1		1.24	15	9	135	7.69	0.49	0.72	2473	<1	<0.01	23		<0.00	18	
95.00	95.40	348562			0.28	117	<1		0.92	13	11	68	6.90	0.84	0.72	2021	<1	<0.01	52		<0.00	11	
95.40	96.00	348563			0.44	309	<1		1.44	<10	6	54	1.28	0.88	0.30	303	<1	0.16	300		<0.00	<2	



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-66
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
96.00	97.00	348564			0.43	279	<1		1.39	<10	6	83	1.35	0.99	0.29	340	2	<0.01		236		<0.00	<2
97.00	98.00	348565			0.43	124	<1		0.41	<10	4	82	1.18	1.54	0.31	295	<1	<0.01		50		<0.00	<2
98.00	99.00	348566			0.40	119	<1		0.46	<10	19	125	2.86	1.54	0.42	487	2	<0.01		43		<0.00	<2
99.00	100.00	348567			0.20	145	<1		0.71	<10	6	89	3.94	1.25	0.49	1094	<1	<0.01		45		<0.00	<2
101.00	102.00	348569			0.10	37	<1		0.89	<10	9	54	7.39	0.10	0.69	2785	<1	<0.01		26		<0.00	12
102.00	102.70	348570			0.05	35	<1		0.76	<10	8	54	8.47	0.12	0.77	3588	<1	<0.01		20		<0.00	34
102.70	103.50	348571			<0.01	19	<1		1.05	15	11	44	7.89	<0.01	0.71	2777	<1	<0.01		23		<0.00	41
103.50	104.00	348572			<0.01	-	29		<1.00	5	155	50	30.00	5.96	<0.01	1	1984	<1.00		-		0.02	<1
104.00	104.50	348573			0.11	-	12		<1.00	1	77	15	44.00	7.07	0.51	1	1464	<1.00		-		0.03	<1
104.50	105.50	348574			0.31	361	<1		1.37	<10	6	73	1.33	0.83	0.27	304	<1	0.55		347		<0.00	<2
105.50	106.00	348575			0.18	32	<1		1.19	39	35	53	7.08	0.77	0.70	2215	<1	0.10		43		<0.00	5
106.00	106.50	348576			0.19	21	<1		1.48	<10	11	50	7.45	0.93	0.75	2371	<1	<0.01		14		<0.00	16
106.50	107.10	348577			0.14	30	<1		2.53	<10	13	29	7.43	0.18	0.76	2450	<1	<0.01		10		<0.00	27
107.10	107.80	348578			<0.01	24	<1		6.96	<10	7	5	4.07	<0.01	0.88	2446	<1	<0.01		42		<0.00	50
107.80	108.30	348579			0.23	113	<1		1.22	<10	10	66	6.55	1.00	0.64	2260	<1	<0.01		54		<0.00	4
108.30	108.90	348580			0.21	103	<1		1.25	<10	37	120	7.43	0.62	0.62	2698	6	<0.01		28		<0.00	56
108.90	109.40	348581			<0.01	19	<1		1.74	17	13	17	8.86	<0.01	0.78	3501	<1	<0.01		21		<0.00	75
109.40	109.90	348582			<0.01	19	<1		2.00	35	14	9	8.68	<0.01	0.78	4309	<1	<0.01		31		0.00	71
109.90	110.30	348583			<0.01	-	27		<1.00	2	78	22	10.00	8.89	<0.01	1	4026	<1.00		-		0.01	2
110.30	110.90	348584			0.10	51	<1		0.73	<10	7	64	7.48	0.23	0.67	3113	<1	<0.01		14		<0.00	16
110.90	111.40	348585			0.27	122	<1		0.61	<10	5	81	4.82	0.98	0.52	1552	<1	<0.01		45		<0.00	<2
111.40	112.00	348586			0.32	167	<1		0.71	<10	7	137	4.45	1.31	0.51	1215	<1	0.11		48		<0.00	<2
112.00	113.00	348587			0.32	122	<1		0.94	<10	6	71	4.56	0.98	0.54	1048	<1	<0.01		37		<0.00	<2
113.00	114.00	348588			0.35	137	<1		1.24	<10	20	160	4.78	1.10	0.55	1327	<1	0.18		92		<0.00	7
114.00	115.00	348589			0.35	178	<1		0.98	<10	24	113	3.98	1.29	0.51	922	<1	0.22		85		<0.00	15
115.00	116.00	348590			0.34	74	<1		0.79	<10	5	89	2.89	0.73	0.43	827	<1	<0.01		67		<0.00	<2
116.00	117.00	348591			0.40	97	<1		0.58	<10	4	56	1.42	0.58	0.25	352	3	0.10		70		<0.00	<2
117.00	118.00	348592			0.34	114	<1		1.03	<10	5	83	2.30	1.02	0.44	484	5	<0.01		86		<0.00	<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-66
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
118.00	119.00	348593			0.37	107	<1		0.81	<10	5	73	1.65	1.01	0.37	332	4	<0.01		69		<0.00	<2
119.00	120.00	348594			0.35	102	<1		0.69	<10	5	97	2.42	1.09	0.41	515	6	<0.01		69		<0.00	<2
120.00	121.00	348595			0.35	103	<1		1.22	<10	5	87	3.18	0.84	0.48	597	5	<0.01		62		<0.00	<2
121.00	122.00	348596			0.35	101	<1		0.79	<10	11	97	3.39	0.87	0.46	745	8	0.01		73		<0.00	<2
122.00	123.00	348597			0.37	110	<1		0.77	<10	4	53	1.98	0.79	0.38	342	3	0.06		85		<0.00	<2
123.00	124.00	348598			0.39	137	<1		0.66	<10	5	57	1.54	0.63	0.30	297	4	0.71		95		<0.00	<2
124.00	125.00	348601			0.34	118	<1		0.94	<10	5	48	2.53	0.46	0.39	557	3	0.55		91		<0.00	<2
125.00	126.00	348602			0.36	132	<1		0.71	<10	5	48	2.11	0.57	0.36	444	3	0.42		114		<0.00	<2
126.00	126.50	348603			0.33	149	<1		0.93	<10	5	70	2.77	0.56	0.44	603	4	0.11		109		<0.00	<2
126.50	127.50	348604			0.24	90	<1		1.38	<10	35	70	7.10	0.41	0.66	1648	3	<0.01		30		<0.00	88
127.50	128.00	348605			0.26	19	<1		0.97	<10	33	96	6.48	0.78	0.59	1463	3	<0.01		52		<0.00	47
128.00	128.80	348606			0.32	20	<1		1.16	<10	50	89	6.00	1.09	0.54	1070	4	<0.01		63		<0.00	48
128.80	129.60	348607			0.40	127	<1		1.24	<10	6	68	2.63	0.84	0.48	944	4	1.45		49		<0.00	<2
129.60	130.10	348608			0.40	98	<1		1.67	<10	5	73	2.06	0.90	0.47	701	5	0.85		57		<0.00	<2
130.10	131.10	348609			0.37	119	<1		1.25	<10	5	72	1.75	1.14	0.43	491	5	0.13		51		<0.00	<2
131.10	131.70	348610			0.39	143	<1		1.21	<10	4	74	2.08	1.35	0.43	522	5	0.28		50		<0.00	<2
131.70	132.20	348611			0.36	104	<1		1.72	<10	5	88	3.43	1.20	0.54	1033	5	1.08		55		<0.00	<2
132.20	133.00	348612			0.23	56	<1		2.42	<10	6	54	6.58	0.29	0.74	2516	3	<0.01		25		<0.00	15
133.00	134.00	348613			0.25	53	<1		1.69	<10	9	55	7.18	0.43	0.69	2061	3	<0.01		16		<0.00	10
134.00	134.70	348614			0.35	123	<1		0.85	<10	6	72	3.69	1.24	0.53	1362	5	<0.01		45		<0.00	<2
134.70	135.40	348615			0.16	33	<1		1.10	<10	9	42	7.91	0.27	0.73	2897	2	<0.01		9		<0.00	32
135.40	136.00	348616			0.33	11	<1		1.06	<10	6	54	5.58	0.94	0.50	499	3	<0.01		35		<0.00	<2
136.00	137.00	348617			0.37	93	<1		0.75	<10	4	84	1.68	1.34	0.42	447	5	<0.01		33		<0.00	<2
137.00	138.00	348618			0.34	86	<1		0.97	<10	4	96	1.66	1.23	0.41	426	6	<0.01		40		<0.00	<2
138.00	139.00	348619			0.36	106	<1		1.08	<10	5	87	2.29	1.20	0.48	574	5	<0.01		40		<0.00	<2
139.00	140.00	348620			0.37	131	<1		1.22	<10	12	71	1.87	1.17	0.44	557	4	0.28		50		<0.00	<2
140.00	141.00	348621			0.39	161	<1		1.47	<10	22	117	2.30	1.39	0.56	398	6	0.88		59		<0.00	6
141.00	142.00	348622			0.32	55	<1		2.85	<10	22	139	2.84	0.42	0.71	616	3	<0.01		70		<0.00	10



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-66
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
142.00	143.00	348623			0.39	109	<1		0.63	<10	3	56	1.01	0.91	0.29	299	3	0.80		49		<0.00	<2
143.00	144.00	348624			0.41	119	<1		0.75	<10	4	66	1.05	0.91	0.29	331	4	0.35		74		<0.00	<2
144.00	145.00	348625			0.37	159	<1		1.14	<10	7	62	1.70	0.75	0.39	401	4	0.51		152		<0.00	<2
145.00	146.00	348626			0.40	129	<1		0.59	<10	4	77	1.56	1.07	0.27	425	4	1.50		73		<0.00	<2
146.00	147.00	348627			0.41	95	<1		0.63	<10	3	69	1.06	0.75	0.24	293	5	1.23		79		<0.00	<2
147.00	148.00	348628			0.40	100	<1		0.67	<10	4	68	1.23	0.79	0.26	378	4	0.96		74		<0.00	<2
148.00	149.00	348629			0.46	130	<1		1.08	<10	3	81	0.76	0.74	0.24	254	5	2.82		90		<0.00	<2
149.00	150.00	348630			0.42	110	<1		0.61	<10	3	72	0.93	0.91	0.25	277	4	0.55		68		<0.00	<2
150.00	151.00	348631			0.44	130	<1		0.96	<10	3	76	1.09	0.81	0.31	346	5	1.25		64		<0.00	<2
151.00	152.00	348632			0.45	154	<1		0.91	<10	3	88	1.21	1.15	0.38	314	5	2.02		53		<0.00	<2
152.00	153.00	348633			0.42	81	<1		0.98	<10	3	90	1.21	0.75	0.38	501	6	0.91		53		<0.00	<2
153.00	153.50	348634			0.39	92	<1		0.90	<10	4	80	1.50	0.71	0.35	342	5	0.36		54		<0.00	<2
153.50	154.00	348635			0.44	131	<1		1.08	<10	38	128	4.45	1.17	0.57	1275	5	0.16		36		<0.00	56
155.10	156.00	348637			0.40	82	<1		0.88	<10	3	77	0.92	0.83	0.37	262	5	0.18		55		<0.00	<2
156.00	157.00	348638			0.40	54	<1		1.09	<10	3	78	1.04	0.71	0.43	314	5	0.17		69		<0.00	<2
157.00	158.00	348639			0.38	81	<1		0.70	<10	4	57	1.25	0.82	0.36	348	4	<0.01		76		<0.00	<2
158.00	159.00	348640			0.39	114	<1		0.45	<10	4	100	2.38	1.01	0.42	806	6	<0.01		27		<0.00	<2
159.00	160.00	348641			0.41	104	<1		0.72	<10	4	85	1.63	0.92	0.37	487	6	0.46		59		<0.00	<2
160.00	161.00	348642			0.36	112	<1		1.26	<10	25	101	3.62	0.86	0.59	957	3	<0.01		57		<0.00	22
161.00	162.00	348643			0.38	129	<1		0.99	<10	16	59	2.44	1.04	0.52	458	4	<0.01		90		<0.00	6
162.00	163.00	348644			0.42	92	<1		1.15	<10	3	60	0.68	1.18	0.41	202	4	0.04		62		<0.00	<2
163.00	164.00	348645			0.44	98	<1		1.12	<10	3	71	0.78	1.15	0.39	192	5	0.87		93		<0.00	<2
164.00	165.00	348646			0.40	97	<1		1.10	<10	3	97	1.22	1.04	0.43	263	6	<0.01		138		<0.00	<2
165.00	166.00	348647			0.42	107	<1		0.76	<10	3	66	1.07	0.68	0.31	261	4	0.60		126		<0.00	<2
166.00	167.00	348648			0.38	119	<1		1.42	<10	3	61	1.06	0.79	0.48	313	4	0.01		103		<0.00	<2
167.00	168.00	348651			0.41	86	<1		1.09	<10	3	61	1.00	0.61	0.38	191	4	0.50		115		<0.00	<2
168.00	168.80	348652			0.41	106	<1		0.62	<10	3	55	1.02	0.77	0.29	219	3	0.49		125		<0.00	<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-66
Project PLANET EXPLORATION
Project Number 800125



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-66
Project PLANET EXPLORATION
Project Number 800125



Goldcorp Inc.
QC Report

Hole Number RL-05-66
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
39.00	348499	1962	78	-	-	-	74	-	-	<2	0.00	2.0	-	0.057	77.0	-
39.01	348500	<5	1	-	-	-	6	-	-	<2	<0.00	<0.0	-	<0.001	40.0	-
87.00	348549	1904	73	-	-	-	75	-	-	<2	0.00	1.9	-	0.056	78.0	-
87.01	348550	<5	2	-	-	-	8	-	-	<2	<0.00	<0.0	-	<0.001	54.0	-
124.00	348599	1709	68	-	-	-	69	-	-	<2	0.00	1.7	-	0.050	83.0	-
124.01	348600	<5	4	-	-	-	7	-	-	<2	<0.00	<0.0	-	<0.001	42.0	-
167.00	348649	1875	74	-	-	-	76	-	-	<2	0.00	1.9	-	0.055	90.0	-
167.01	348650	12	2	-	-	-	9	-	-	<2	<0.00	0.0	-	<0.001	59.0	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-66
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
16.30	18.00	1.70	R5	0.03	0.05	-	100.00	-	100.00
18.00	21.00	3.00	R5	0.04	0.10	-	100.00	-	100.00
21.00	24.00	3.00	R5	0.06	0.16	-	100.00	-	100.00
24.00	27.00	3.00	R5	0.05	0.07	-	100.00	-	100.00
27.00	30.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
30.00	33.00	3.00	R5	0.14	0.38	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.02	0.03	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.02	0.05	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.02	0.07	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.07	0.16	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.02	0.03	-	100.00	-	100.00
60.00	63.00	3.00	R5	0.13	0.49	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.03	0.47	-	100.00	-	100.00
66.00	69.00	3.00	R6	0.02	0.05	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.03	0.09	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.04	0.07	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.08	0.18	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.08	0.25	-	100.00	-	100.00
81.00	84.00	3.00	R4	0.13	0.18	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.20	0.25	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.12	0.21	-	100.00	-	100.00
90.00	93.00	3.00	R5	65.60	296.00	-	100.00	-	100.00
93.00	96.00	3.00	R5	42.90	188.00	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.75	2.85	-	100.00	-	100.00
99.00	102.00	3.00	R5	44.30	192.00	-	100.00	-	100.00
102.00	105.00	3.00	R6	90.00	304.00	-	100.00	-	100.00
105.00	108.00	3.00	R5	6.49	16.00	-	100.00	-	100.00
108.00	111.00	3.00	R5	112.00	237.00	-	100.00	-	100.00
111.00	114.00	3.00	R4	3.54	10.90	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.47	1.84	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.06	0.10	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.31	0.60	-	100.00	-	100.00
123.00	126.00	3.00	R5	1.78	4.62	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-66
Project: PLANET EXPLORATION
Project Number: 800125

126.00	129.00	3.00	R4	0.17	0.64	-	100.00	-	100.00
129.00	132.00	3.00	R5	1.02	3.84	-	100.00	-	100.00
132.00	135.00	3.00	R5	27.10	86.20	-	100.00	-	100.00
135.00	138.00	3.00	R5	10.30	42.30	-	100.00	-	100.00
138.00	141.00	3.00	R5	0.16	0.34	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.18	0.71	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.07	0.14	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.03	0.10	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.09	0.20	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.38	0.69	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.17	0.53	-	100.00	-	100.00
159.00	162.00	3.00	R5	3.69	16.20	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.05	0.12	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
168.00	168.80	0.80	R5	0.06	0.07	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-67
Project : PLANET EXPLORATIO
Project Number: 800125

Drilling	Casing	Location	Other
Azimuth: 326	Length: meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -55	Pulled: No	Claim No:	Spotted by:
Length: 126.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 22-Feb-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 24-Feb-05	Core	Level:	Surveyed Date: 24-Feb-05
Logged: 24-Feb-05		Coordinate- Gemcom	Logged by: A.P. Prysiak
Wedged : No	Dimension: NQ	Coordinate - UTM	Re-logged by:
Wedged from:	Original Units: M	East: 462082.63	Water Source:
	Storage: Cochenour Mine	North: 5680012.48	Water line:
		Elevation: 411.49	Left in hole: Nothing
		UTM Zone: 15 (NAD27)	Control Drilling:
			Cutting sampled: No
			Geophysic:

Target: Scissor RL-04-61 to check for dip of Upper Duck Zone
Comments: relogged by TP June-July 2005

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	326.20	-55.54	X	48.000	325.33	-55.33	X	96.000	325.64	-54.51	X
3.000	325.97	-55.61	X	51.000	325.32	-55.32	X	99.000	325.50	-54.45	X
6.000	325.81	-55.49	X	54.000	325.39	-55.33	X	102.000	325.40	-54.35	X
9.000	325.67	-55.40	X	57.000	325.47	-55.35	X	105.000	325.33	-54.25	X
12.000	325.49	-55.44	X	60.000	325.52	-55.37	X	108.000	325.25	-54.14	X
15.000	325.29	-55.54	X	63.000	325.53	-55.38	X	111.000	325.19	-54.05	X
18.000	325.24	-55.56	X	66.000	325.57	-55.38	X	117.000	325.19	-53.95	X
21.000	325.53	-55.56	X	69.000	325.65	-55.36	X				
24.000	325.81	-55.53	X	72.000	325.70	-55.31	X				
27.000	325.96	-55.49	X	75.000	325.78	-55.20	X				
30.000	326.05	-55.47	X	78.000	325.80	-55.06	X				
33.000	326.07	-55.45	X	81.000	325.74	-54.92	X				
36.000	325.95	-55.44	X	84.000	325.65	-54.80	X				
39.000	325.83	-55.45	X	87.000	325.69	-54.67	X				
42.000	325.71	-55.41	X	90.000	325.77	-54.56	X				
45.000	325.48	-55.37	X	93.000	325.77	-54.51	X				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-67
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	24.30	(OB) OVERBURDEN									
24.30	49.20	(3) UNDIFF. FELSIC VOLCANICS	348653	27.20	27.70	0.50	0.04	0.001	35		
		Grey, biotitic, garnetiferous intermediate unit; 10-15% biotite-garnet bands, lenses on a mm to cm scale, foliation parallel, generally at 5-30 degrees, averaging approx. 10 degrees tca;	348654	27.70	28.60	0.90	0.13	0.004	125		
		24.3-25.5: moderately biotitic, intermediate unit	348655	28.60	29.20	0.60	0.05	0.001	47		
		25.5-27.7: moderately sericitic, more felsic than above	348656	29.20	29.70	0.50	0.01	<0.001	7		
		27.7-29.2: garnet-biotite-hbl with 5% magnetite; higher magnetite with greenish-brown cummingtonite? Minor po-py and minor cpy	348657	34.00	35.00	1.00	0.23	0.007	229		5S
		31.5-32: rusty fracture, approx 1cm at 5-10 degrees tca;	348658	35.00	36.00	1.00	0.02	0.001	20		
		33-34: rusty rubble from fault zone; fractures suggest about 30 degrees on fault	348659	36.00	37.00	1.00	0.01	<0.001	14		
		34-35: non-magnetic BAG in top 1/2m, then magnetic phase as in section at 27.7m	348660	37.00	38.00	1.00	0.40	0.012	396		
		35-37.6: sericitic, felsic section	348661	38.00	39.00	1.00	0.12	0.003	115		
		37.6-45: moderately mafic section with bio-garnet envelopes around amphibole-garnet bands, cm scale. Trace py, po, cpy	348662	39.00	40.00	1.00	0.03	0.001	33		
		45-49.2: intermediate unit; minor amphiboles, 3-4% garnet, minor bio	348663	40.00	41.00	1.00	0.20	0.006	202		
		49.2-50.1: green, amphibole-diopside skarn band.cm blueish qtz band, diffuse contact,possible moly?	348664	41.00	42.00	1.00	0.10	0.003	101		
			348665	42.00	43.00	1.00	0.29	0.008	285		
			348666	43.00	44.00	1.00	0.37	0.011	374		
			348667	44.00	45.00	1.00	0.45	0.013	453		
			348668	45.00	46.00	1.00	0.12	0.003	115		
			348669	46.00	47.00	1.00	0.03	<0.001	26		
			348670	47.00	48.00	1.00	0.30	0.009	299		
			348671	48.00	49.00	1.00	0.29	0.009	292		
49.20	50.10	(9D) SKARN	348672	49.00	50.00	1.00	0.04	0.001	36		
		green, amphibole-diopside skarn band.cm blueish qtz band, diffuse contact,possible moly?									
50.10	98.00	(3) UNDIFF. FELSIC VOLCANICS	348673	50.00	51.00	1.00	0.05	0.001	46		
		as above;	348674	51.00	52.00	1.00	0.01	<0.001	12		
		50-59: Intermediate to felsic, 3-4% garnet,mod black bio bands,lenses; quite siliceous; trace py, cpy	348675	52.00	53.00	1.00	0.14	0.004	135		
		59-62: moderate sericite, 3% garnet, fol.10-15 degrees tca	348676	53.00	54.00	1.00	0.20	0.006	201		tr. Cpy
		62-63: several skarn bands of diopside-po-biotite, enveloped by cm scale silicous alteration with minor po and aspy	348677	54.00	55.00	1.00	0.46	0.013	459		55
			348678	55.00	56.00	1.00	0.54	0.016	543		



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-67
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
	63-65.5	intermediate-felsic unit	348679	56.00	57.00	1.00	0.55	0.016	552	<input type="checkbox"/>	
	66m	1-2cm QV with blebs of py	348680	57.00	58.00	1.00	0.10	0.003	98	<input type="checkbox"/>	
	65.5-69.2	10-15% green, skarn to actinolitic bands, 1-2% po	348681	58.00	59.00	1.00	0.30	0.009	302	<input type="checkbox"/>	tr. Py, cpy
	69.2-78	intermediate to felsic unit with streaks of black biotite; minor specs of py	348682	59.00	60.00	1.00	0.21	0.006	208	<input type="checkbox"/>	
	78-79.5	minor garnet-biotite banding with minor po-py-aspery; fol. 10 degrees tca;	348683	60.00	61.00	1.00	0.48	0.014	481	<input type="checkbox"/>	
	79.5-83.5	quite felsic, weakly sericitic; minor streaky black biotite	348684	61.00	62.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
	83.5-94.7	intermediate to felsic unit, grey, well foliated with 10-20% black biotite seams; most are fracture filling and not part of the primary layering in the rocks. Garnet occurs in both the felsic phase and the biotite phase; minor sulphides in the biotite as po-py-cpy and aspy.	348685	62.00	63.00	1.00	1.52	0.044	1519	<input type="checkbox"/>	15% diopside banding, minor po, aspy
			348686	63.00	64.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
	94.7-98	minor development of skarn bands within the streaky biotite unit; minor po-py and aspy; mostly green amphiboles, but some lighter green diopside with these bands.	348687	64.00	65.00	1.00	0.04	0.001	35	<input type="checkbox"/>	3mm str. po-cpy-py
			348688	65.00	66.00	1.00	0.13	0.004	131	<input type="checkbox"/>	1% py
			348689	66.00	67.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348690	67.00	68.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348691	68.00	69.00	1.00	0.64	0.019	641	<input type="checkbox"/>	
			348692	69.00	70.00	1.00	0.23	0.007	230	<input type="checkbox"/>	1% py
			348693	70.00	71.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348694	71.00	72.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			348695	72.00	73.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348696	73.00	74.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348697	74.00	75.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			348698	75.00	76.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			348701	76.00	77.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348702	77.00	78.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348703	78.00	79.00	1.00	0.06	0.002	62	<input type="checkbox"/>	tr py-aspery
			348704	79.00	80.00	1.00	0.14	0.004	138	<input type="checkbox"/>	tr py
			348705	80.00	81.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			348706	81.00	82.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348707	82.00	83.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			348708	83.00	84.00	1.00	0.18	0.005	180	<input type="checkbox"/>	
			348709	84.00	85.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			348710	85.00	86.00	1.00	0.04	0.001	37	<input type="checkbox"/>	tr py-aspery
			348711	86.00	87.00	1.00	0.39	0.011	389	<input type="checkbox"/>	tr py-aspery
			348712	87.00	88.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	minor py, aspy
			348713	88.00	89.00	1.00	0.12	0.003	119	<input type="checkbox"/>	
			348714	89.00	90.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			348715	90.00	91.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	minor py-aspery



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-67
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			348716	91.00	92.00	1.00	0.06	0.002	64	<input type="checkbox"/>	1% py, minor cpy-asy
			348717	92.00	93.00	1.00	0.66	0.019	661	<input type="checkbox"/>	minor py-cpy-asy
			348718	93.00	94.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			348719	94.00	94.50	0.50	0.01	<0.001	9	<input type="checkbox"/>	
			348720	94.50	95.00	0.50	1.09	0.032	1088	<input type="checkbox"/>	5% py-po-cpy, tr aspy
			348721	95.00	96.00	1.00	0.02	0.001	19	<input type="checkbox"/>	2% po-tr aspy
			348722	96.00	97.00	1.00	0.10	0.003	95	<input type="checkbox"/>	2% S
			348723	97.00	98.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
98.00	102.00	(1L) GARNETIFEROUS AMPHIBOLITE moderately amphibolitic unit, grey, well banded at 10-20 degrees tca; approx. 40% diopside-hbl-d-po banding; the silicates generally form separate bands or phases of the same band.	348724	98.00	98.50	0.50	0.21	0.006	208	<input type="checkbox"/>	3% po, .5% aspy
			348725	98.50	99.00	0.50	0.11	0.003	107	<input type="checkbox"/>	3% po, tr aspy
			348726	99.00	99.50	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	3% po tr aspy
			348727	99.50	100.00	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	3% po, tr aspy
			348728	100.00	100.50	0.50	0.08	0.002	75	<input type="checkbox"/>	1% po
			348729	100.50	101.00	0.50	1.98	0.058	1983	<input type="checkbox"/>	5% po, tr aspy
			348730	101.00	101.50	0.50	3.42	0.100	3415	<input type="checkbox"/>	5% po, tr aspy
			348731	101.50	102.00	0.50	6.35	0.185	6347	<input type="checkbox"/>	5% po, tr aspy
102.00	104.00	(5S) SILICATE FACIES IRON FORMATION 0.5m of felsic, siliceous tuff-like unit with 5% fine diss. po and 1% fine aspy. This is followed by 1.5m of massive magnetite, 15% po and 5-7% aspy as fine aggregates, to diss. form.	348732	102.00	102.50	0.50	21.12	0.616	21116	<input type="checkbox"/>	10% po, 1% aspy
			348733	102.50	103.00	0.50	3.68	0.107	3676	<input type="checkbox"/>	15% mt, 5% po, 1% aspy
			348734	103.00	103.50	0.50	57.76	1.685	57757	<input type="checkbox"/>	10% mt, 15% po, 6% aspy
			348735	103.50	104.00	0.50	25.86	0.754	25858	<input type="checkbox"/>	10% mt, 15% po, 6% aspy
104.00	105.50	(1L) GARNETIFEROUS AMPHIBOLITE 15% pale pink garnet in a biotite-amphibole-garnet litho. No magnetite, but 2% fine diss po and minor aspy; moderate green amphiboles and possibly chlorite.	348736	104.00	104.50	0.50	1.28	0.037	1276	<input type="checkbox"/>	3% py-po, tr aspy
			348737	104.50	105.00	0.50	0.09	0.003	86	<input type="checkbox"/>	3% py-po, tr aspy
			348738	105.00	105.50	0.50	0.89	0.026	893	<input type="checkbox"/>	3% py-po, tr aspy
105.50	111.50	(6G) GABBRO Dark green homblende gabbro with moderate biotite alteration; weakly foliated 45 degrees tca. The upper 40cm is possibly a separate dyke, strongly biotitized.	348739	105.50	106.00	0.50	0.02	0.001	24	<input type="checkbox"/>	
			348740	106.00	107.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348741	107.00	108.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			348742	108.00	109.00	1.00	0.12	0.004	121	<input type="checkbox"/>	
			348743	109.00	110.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			348744	110.00	111.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			348745	111.00	111.50	0.50	0.01	<0.001	8	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-67
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
111.50	121.00	(7B) FELDSPAR PORPHYRY Grey to pale brown, siliceous feldspar porphyry, weakly foliated at 30 degrees tca; upper contact at 45 degrees; lower contact at approx. 20 degrees	348746	111.50	112.50	1.00	0.02	0.001	24	<input type="checkbox"/>	
121.00	126.00	(6G) GABBRO Dark green gabbro, as above; 5% qtz vein pods with coarse py blebs.	348747	123.50	124.50	1.00	0.03	0.001	27	<input type="checkbox"/>	
			348748	124.50	125.50	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-67
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
27.20	27.70	348653			0.37	84	<1		0.63	<10	10	69	2.98	1.23	0.45	683	4	<0.01		93		<0.00	<2
27.70	28.60	348654			0.14	30	<1		1.22	<10	6	55	7.03	0.10	0.64	2440	3	<0.01		8		<0.00	6
28.60	29.20	348655			0.30	123	<1		0.62	<10	4	112	3.63	1.12	0.49	1180	8	0.14		111		<0.00	<2
29.20	29.70	348656			0.34	195	<1		0.40	<10	3	83	1.77	1.19	0.32	345	5	0.55		103		<0.00	<2
34.00	35.00	348657			0.27	92	<1		1.17	<10	5	77	5.06	0.57	0.56	1995	5	0.28		54		<0.00	<2
35.00	36.00	348658			0.30	141	<1		0.27	<10	3	77	1.70	1.22	0.33	397	5	<0.01		57		<0.00	<2
36.00	37.00	348659			0.35	70	<1		0.37	<10	4	101	2.45	1.55	0.38	776	8	<0.01		78		<0.00	<2
37.00	38.00	348660			0.30	106	<1		0.77	<10	17	107	3.59	1.16	0.48	996	7	<0.01		76		<0.00	2
38.00	39.00	348661			0.29	187	<1		0.49	<10	23	127	3.99	1.25	0.48	910	9	<0.01		51		<0.00	23
39.00	40.00	348662			0.34	152	<1		0.76	<10	27	135	4.68	1.38	0.56	1173	8	0.26		49		<0.00	30
40.00	41.00	348663			0.32	99	<1		0.61	<10	32	123	4.85	1.72	0.56	1164	8	<0.01		50		<0.00	33
41.00	42.00	348664			0.32	86	<1		0.59	<10	23	116	3.87	1.16	0.50	892	7	<0.01		65		<0.00	18
42.00	43.00	348665			0.32	119	<1		0.53	<10	24	133	4.35	1.44	0.54	939	9	<0.01		69		<0.00	23
43.00	44.00	348666			0.34	124	<1		0.67	<10	23	139	4.09	1.12	0.50	991	9	<0.01		77		<0.00	18
44.00	45.00	348667			0.33	109	<1		0.47	<10	22	132	4.51	0.99	0.49	1185	10	<0.01		48		<0.00	26
45.00	46.00	348668			0.35	99	<1		0.74	<10	7	99	2.56	0.80	0.41	596	6	<0.01		84		<0.00	<2
46.00	47.00	348669			0.37	97	<1		0.70	<10	5	104	2.58	0.78	0.39	728	7	0.09		79		<0.00	<2
47.00	48.00	348670			0.34	78	<1		0.59	<10	11	84	3.37	1.06	0.45	878	6	<0.01		87		<0.00	<2
48.00	49.00	348671			0.33	138	<1		0.90	<10	26	126	4.70	1.56	0.56	1111	7	<0.01		67		<0.00	36
49.00	50.00	348672			0.31	51	<1		2.59	<10	6	62	3.72	0.41	0.64	1088	5	<0.01		67		<0.00	<2
50.00	51.00	348673			0.29	77	<1		1.29	<10	5	78	2.27	0.72	0.53	561	5	<0.01		66		<0.00	<2
51.00	52.00	348674			0.36	96	<1		1.32	<10	6	116	2.56	1.83	0.53	699	9	<0.01		76		<0.00	<2
52.00	53.00	348675			0.35	136	<1		1.13	<10	11	99	3.18	1.43	0.53	818	6	<0.01		61		<0.00	<2
53.00	54.00	348676			0.35	109	<1		0.98	<10	5	90	2.40	1.12	0.47	669	7	<0.01		53		<0.00	<2
54.00	55.00	348677			0.36	109	<1		1.02	<10	8	128	3.15	1.16	0.49	959	9	<0.01		45		<0.00	<2
55.00	56.00	348678			0.34	71	<1		1.02	<10	6	85	3.39	0.94	0.50	1063	7	<0.01		35		<0.00	<2
56.00	57.00	348679			0.36	87	<1		0.97	<10	6	90	2.19	1.07	0.45	605	6	<0.01		43		<0.00	<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-67
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
57.00	58.00	348680			0.36	97	<1		1.00	<10	6	73	1.70	1.22	0.45	375	5	<0.01		47		<0.00	<2
58.00	59.00	348681			0.34	62	<1		0.75	<10	6	100	2.44	1.77	0.49	628	6	<0.01		45		<0.00	<2
59.00	60.00	348682			0.36	108	<1		0.70	<10	4	77	1.74	1.50	0.36	540	5	<0.01		43		<0.00	<2
60.00	61.00	348683			0.36	91	<1		0.88	<10	5	107	2.09	1.41	0.43	859	7	<0.01		45		<0.00	<2
61.00	62.00	348684			0.35	88	<1		0.84	<10	4	81	1.75	1.14	0.45	588	5	<0.01		40		<0.00	<2
62.00	63.00	348685			0.28	66	<1		1.29	15	11	85	2.98	0.73	0.56	459	5	<0.01		28		<0.00	<2
63.00	64.00	348686			0.36	117	<1		1.17	<10	5	68	2.11	1.30	0.47	871	5	<0.01		47		<0.00	<2
64.00	65.00	348687			0.32	71	<1		1.27	<10	16	96	3.92	1.14	0.49	827	6	<0.01		52		<0.00	<2
65.00	66.00	348688			0.31	71	<1		1.02	<10	9	87	3.44	1.17	0.57	1142	6	<0.01		32		<0.00	<2
66.00	67.00	348689			0.30	85	<1		1.86	<10	8	93	2.36	1.12	0.58	854	5	<0.01		46		<0.00	<2
67.00	68.00	348690			0.27	62	<1		2.72	<10	6	62	2.60	0.53	0.70	1132	4	<0.01		36		<0.00	<2
68.00	69.00	348691			0.29	86	<1		3.24	<10	7	77	3.03	0.74	0.68	1106	5	<0.01		56		<0.00	<2
69.00	70.00	348692			0.29	65	<1		1.87	<10	12	73	4.09	1.12	0.63	1445	6	<0.01		45		<0.00	<2
70.00	71.00	348693			0.34	96	<1		1.04	<10	5	122	3.32	1.54	0.51	1096	7	<0.01		54		<0.00	<2
71.00	72.00	348694			0.35	87	<1		1.01	<10	5	104	2.89	1.21	0.48	980	7	<0.01		47		<0.00	<2
72.00	73.00	348695			0.32	56	<1		1.08	<10	5	102	3.30	1.38	0.51	906	6	<0.01		52		<0.00	<2
73.00	74.00	348696			0.32	79	<1		0.88	<10	4	84	1.57	1.23	0.37	307	5	<0.01		50		<0.00	<2
74.00	75.00	348697			0.36	90	<1		1.26	<10	5	95	2.67	1.30	0.45	918	6	<0.01		59		<0.00	<2
75.00	76.00	348698			0.35	63	<1		1.26	<10	5	105	3.45	1.27	0.53	1336	7	<0.01		50		<0.00	<2
76.00	77.00	348701			0.41	109	<1		0.91	<10	3	72	1.29	1.49	0.36	358	5	<0.01		52		<0.00	<2
77.00	78.00	348702			0.42	119	<1		1.07	<10	4	93	1.60	1.70	0.40	483	6	<0.01		59		<0.00	<2
78.00	79.00	348703			0.35	65	<1		1.02	<10	5	82	3.21	1.36	0.53	1036	6	<0.01		48		<0.00	<2
79.00	80.00	348704			0.34	41	<1		0.75	<10	6	70	3.37	1.38	0.52	1054	4	<0.01		41		<0.00	<2
80.00	81.00	348705			0.39	96	<1		0.74	<10	3	90	1.49	1.66	0.36	386	6	<0.01		44		<0.00	<2
81.00	82.00	348706			0.36	93	<1		0.87	<10	3	84	1.56	1.53	0.39	443	5	<0.01		48		<0.00	<2
82.00	83.00	348707			0.33	72	<1		0.77	<10	4	67	1.70	1.17	0.37	546	5	<0.01		39		<0.00	<2
83.00	84.00	348708			0.31	40	<1		0.49	<10	11	114	4.38	1.64	0.60	1841	7	<0.01		24		<0.00	<2
84.00	85.00	348709			0.32	49	<1		1.04	<10	7	94	2.87	1.33	0.48	922	6	<0.01		43		<0.00	<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-67
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
85.00	86.00	348710			0.32	72	<1		0.89	<10	10	102	3.24	1.52	0.51	1184	7	<0.01		40		<0.00	<2
86.00	87.00	348711			0.34	89	<1		0.94	<10	26	136	4.54	1.76	0.54	1278	11	<0.01		38		<0.00	27
87.00	88.00	348712			0.36	92	<1		0.79	<10	8	106	2.35	1.57	0.40	699	7	<0.01		35		<0.00	<2
88.00	89.00	348713			0.31	68	<1		0.55	<10	13	90	3.82	1.67	0.50	1215	5	<0.01		26		<0.00	5
89.00	90.00	348714			0.37	91	<1		0.89	<10	7	104	2.48	1.59	0.46	704	7	<0.01		39		<0.00	<2
90.00	91.00	348715			0.34	83	<1		0.62	<10	8	117	2.16	1.45	0.42	569	8	<0.01		33		<0.00	<2
91.00	92.00	348716			0.36	110	<1		0.86	<10	17	75	3.01	1.67	0.48	867	6	<0.01		38		<0.00	5
92.00	93.00	348717			0.35	84	<1		1.12	<10	16	97	3.19	1.72	0.57	972	6	<0.01		39		<0.00	7
93.00	94.00	348718			0.32	84	<1		0.76	<10	5	96	1.69	1.30	0.43	560	6	<0.01		27		<0.00	<2
94.00	94.50	348719			0.33	108	<1		0.77	<10	3	85	1.17	1.27	0.39	383	5	<0.01		26		<0.00	<2
94.50	95.00	348720			0.35	122	<1		1.52	23	11	81	2.47	1.40	0.53	667	5	<0.01		34		<0.00	<2
95.00	96.00	348721			0.36	146	<1		0.97	<10	4	93	1.50	1.71	0.45	442	5	<0.01		36		<0.00	<2
96.00	97.00	348722			0.31	76	<1		1.30	<10	8	78	2.42	1.28	0.58	697	5	<0.01		38		<0.00	<2
97.00	98.00	348723			0.35	135	<1		1.05	<10	4	103	1.42	1.32	0.43	336	6	<0.01		50		<0.00	<2
98.00	98.50	348724			0.28	69	<1		1.92	<10	8	108	3.50	0.84	0.66	952	9	<0.01		35		<0.00	<2
98.50	99.00	348725			0.21	51	<1		2.29	<10	5	90	2.89	0.72	0.68	1154	7	<0.01		29		<0.00	<2
99.00	99.50	348726			0.31	82	<1		1.67	<10	4	94	1.93	0.93	0.57	675	7	<0.01		53		<0.00	<2
99.50	100.00	348727			0.30	90	<1		1.66	<10	4	98	2.38	1.13	0.63	716	6	<0.01		49		<0.00	<2
100.00	100.50	348728			0.23	62	<1		2.09	<10	4	74	2.88	0.64	0.67	1014	5	<0.01		53		<0.00	<2
100.50	101.00	348729			0.03	49	<1		3.79	<10	5	38	5.56	0.31	0.77	1469	2	<0.01		30		<0.00	14
101.00	101.50	348730			<0.01	24	<1		5.37	<10	4	15	3.99	0.02	0.82	1527	<1	<0.01		30		<0.00	22
101.50	102.00	348731			<0.01	19	<1		4.88	<10	3	30	4.21	0.04	0.79	1377	3	<0.01		32		<0.00	14
102.00	102.50	348732			0.17	68	<1		3.27	90	8	73	4.11	0.42	0.71	894	5	<0.01		43		<0.00	<2
102.50	103.00	348733			0.28	40	<1		0.72	17	4	64	4.63	1.11	0.56	686	4	<0.01		48		<0.00	<2
103.00	103.50	348734			0.14	-	24		<1.00	2	254	16	105.00	7.19	0.58	1	1113	3.00	-	-	0.02	<1	
103.50	104.00	348735			0.07	-	11		<1.00	1	316	24	140.00	7.85	0.21	0	515	2.00	-	-	0.02	<1	
104.00	104.50	348736			0.25	38	<1		0.14	<10	4	74	4.69	0.93	0.49	1947	5	<0.01		35		<0.00	<2
104.50	105.00	348737			0.24	175	<1		<0.01	<10	5	81	3.57	0.88	0.50	940	5	<0.01		18		<0.00	<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-67
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
105.00	105.50	348738			0.25	142	<1		<0.01	<10	9	87	4.77	1.11	0.63	1091	5	<0.01		14		<0.00	<2
105.50	106.00	348739			0.32	230	<1		1.29	<10	26	167	4.22	1.63	0.71	634	2	<0.01		65		<0.00	16
106.00	107.00	348740			0.26	93	<1		3.19	<10	29	177	3.47	0.39	0.72	798	2	<0.01		84		<0.00	27
107.00	108.00	348741			0.28	77	<1		3.30	<10	28	179	3.50	0.46	0.75	808	8	<0.01		97		<0.00	27
108.00	109.00	348742			0.27	70	<1		3.21	<10	26	176	3.94	0.42	0.74	793	2	<0.01		95		<0.00	26
109.00	110.00	348743			0.27	71	<1		3.02	<10	28	173	3.41	0.59	0.76	765	1	<0.01		95		<0.00	27
110.00	111.00	348744			0.27	123	<1		3.09	<10	29	186	3.72	0.86	0.79	849	1	<0.01		89		<0.00	30
111.00	111.50	348745			0.29	155	<1		3.34	<10	27	182	3.54	0.76	0.78	903	1	<0.01		100		<0.00	23
111.50	112.50	348746			0.32	324	<1		1.23	<10	7	48	1.20	0.59	0.34	265	3	<0.01		196		<0.00	<2
123.50	124.50	348747			0.29	166	<1		2.99	<10	29	181	3.91	1.06	0.80	832	<1	<0.01		71		<0.00	28
124.50	125.50	348748			0.24	129	<1		2.58	<10	24	173	3.18	0.85	0.73	650	3	<0.01		66		<0.00	21



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-67
Project PLANET EXPLORATION
Project Number 800125



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-67
Project PLANET EXPLORATION
Project Number 800125



Goldcorp Inc.
QC Report

Hole Number RL-05-67
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
76.00	348699	1764	80	-	-	-	78	-	-	<2	0.00	1.8	-	0.051	84.0	-
76.01	348700	<5	2	-	-	-	7	-	-	<2	0.00	<0.0	-	<0.001	43.0	-
125.50	348749	1595	85	-	-	-	65	-	-	<2	0.00	1.6	-	0.047	72.0	-
125.51	348750	<5	2	-	-	-	8	-	-	<2	0.00	<0.0	-	<0.001	39.0	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-67
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
24.30	27.00	2.70	R5	1.99	7.44	-	100.00	-	100.00
27.00	30.00	3.00	R6	25.70	122.00	-	100.00	-	100.00
30.00	33.00	3.00	R5	0.08	0.14	-	100.00	-	100.00
33.00	36.00	3.00	R5	1.87	8.28	-	100.00	-	100.00
36.00	39.00	3.00	R6	0.25	0.49	-	100.00	-	100.00
39.00	42.00	3.00	R6	0.33	0.58	-	100.00	-	100.00
42.00	45.00	3.00	R6	0.25	0.38	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.14	0.34	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.18	0.54	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.09	0.16	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.07	0.10	-	100.00	-	100.00
60.00	63.00	3.00	R5	0.31	0.65	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.66	1.64	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.20	0.49	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.86	3.47	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.09	0.20	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.19	0.42	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.14	0.54	-	100.00	-	100.00
81.00	84.00	3.00	R5	0.06	0.10	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.17	0.23	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.08	0.16	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.15	0.27	-	100.00	-	100.00
93.00	96.00	3.00	R5	0.12	0.27	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.15	0.38	-	100.00	-	100.00
99.00	102.00	3.00	R5	1.27	4.28	-	100.00	-	100.00
102.00	105.00	3.00	R6	2.32	6.13	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.40	0.86	-	100.00	-	100.00
108.00	111.00	3.00	R6	0.48	1.51	-	100.00	-	100.00
111.00	114.00	3.00	R6	0.10	0.14	-	100.00	-	100.00
114.00	117.00	3.00	R6	0.04	0.09	-	100.00	-	100.00
117.00	120.00	3.00	R6	0.05	0.07	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.12	0.21	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.22	0.38	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-68
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>		
Azimuth:	150.25	Length:	26.80 meters	Township:	COLI LAKE	Contractor:	MAJOR DRILLING		
Dip:	-52.19	Pulled:	No	Claim No:		Spotted by:			
Length:	171.00 meters	Capped:	Yes	NTS:	52N/05	Coord Type:	SUR		
Started:	25-Feb-05	Cemented:	No	Surface Hole :	Yes	Surveyed by:	K. Pye		
Completed:	28-Feb-05	<u>Core</u>		Level:		Surveyed Date:			
Logged:	28-Feb-05	Dimension:	NQ	Coordinate- Gemcom		Logged by:	A.P. Pryslak		
Wedged :	No	Original Units:	M	East:	461996.36	East:	461996		
Wedged from:		Storage:	Cochenour Mine	North:	5680066.74	North:	5680067		
				Elevation:	418.57	Elevation:	419		
				UTM Zone:	15 (NAD27)	Grid Name:			
Target:	50m western extension of Upper Duck Zone in RL-04-61							Water Source:	
Comments:	relogged by TP June-July 2005							Water line:	
						Left in hole:	Nothing		
						Control Drilling:			
						Cutting sampled:	No		
						Geophysic:			

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	150.25	-52.19	X	48.000	150.75	-50.50	X	96.000	152.87	-49.53	X
3.000	150.17	-51.96	X	51.000	150.95	-50.40	X	99.000	152.95	-49.43	X
6.000	150.12	-51.57	X	54.000	151.10	-50.32	X	102.000	153.03	-49.32	X
9.000	150.12	-51.16	X	57.000	151.24	-50.26	X	105.000	153.12	-49.24	X
12.000	150.23	-51.02	X	60.000	151.38	-50.18	X	108.000	153.17	-49.13	X
15.000	150.27	-51.17	X	63.000	151.55	-50.08	X	111.000	153.22	-49.00	X
18.000	150.23	-51.34	X	66.000	151.70	-49.98	X	114.000	153.35	-48.84	X
21.000	150.25	-51.40	X	69.000	151.89	-49.92	X	117.000	153.52	-48.66	X
24.000	150.17	-51.27	X	72.000	152.04	-49.93	X	120.000	153.62	-48.51	X
27.000	150.14	-51.08	X	75.000	152.15	-49.91	X	123.000	153.70	-48.39	X
30.000	150.16	-50.98	X	78.000	152.32	-49.91	X	126.000	153.79	-48.25	X
33.000	150.23	-50.94	X	81.000	152.44	-49.88	X	129.000	153.88	-48.10	X
36.000	150.34	-50.90	X	84.000	152.57	-49.79	X	132.000	153.93	-48.01	X
39.000	150.44	-50.82	X	87.000	152.70	-49.73	X	135.000	154.01	-47.89	X
42.000	150.52	-50.73	X	90.000	152.71	-49.69	X	138.000	154.14	-47.76	X
45.000	150.61	-50.61	X	93.000	152.77	-49.62	X	141.000	154.28	-47.58	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-68
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	154.37	-47.47	X
147.000	154.52	-47.37	X
150.000	156.70	-47.80	F
150.001	154.69	-47.28	X
153.000	154.85	-47.19	X
156.000	155.06	-47.06	X
159.000	155.21	-46.93	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-68
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	26.80	(OB) OVERBURDEN									
26.80	43.00	(7B) FELDSPAR PORPHYRY BX									
		Intermediate unit with 10-15% black biotite clots, bands, streaks; relict white feld phenos over much of the section; weak to moderate sericite; 2-3% pale pink garnet, in both the host and the biotite clots; the biotite feature appear to be disrupted bands, fracture fillings in a coarse tectonic breccia.; minor py, cpy with these. Very minor green hbl with section, generally as mm scale bands 27-31: 0.5 metre scale open folds at low angles to ca. 43, lower contact on a rusty fractured zone, 5cm and disappearance of the biotite features	348751	29.00	30.00	1.00	0.02	<0.001	17		<input type="checkbox"/>
			348752	30.00	31.00	1.00	0.11	0.003	109		<input type="checkbox"/>
			348753	31.00	32.00	1.00	0.19	0.006	192		<input type="checkbox"/>
			348754	32.00	33.00	1.00	0.08	0.002	75		<input type="checkbox"/>
			348755	33.00	34.00	1.00	0.17	0.005	168		<input type="checkbox"/>
			348756	34.00	35.00	1.00	0.03	<0.001	26		<input type="checkbox"/>
			348757	35.00	36.00	1.00	0.16	0.005	157		<input type="checkbox"/>
			348758	36.00	37.00	1.00	59.15	1.725	59150		<input type="checkbox"/>
			348759	37.00	38.00	1.00	0.21	0.006	214		<input type="checkbox"/>
			348760	38.00	39.00	1.00	0.06	0.002	62		<input type="checkbox"/>
			348761	39.00	40.00	1.00	0.04	0.001	38		<input type="checkbox"/>
			348762	40.00	41.00	1.00	0.50	0.015	504		<input type="checkbox"/>
			348763	41.00	42.00	1.00	0.05	0.001	48		<input type="checkbox"/>
			348764	42.00	43.00	1.00	0.16	0.005	163		<input type="checkbox"/>
43.00	84.60	(3) UNDIFF. FELSIC VOLCANICS									
		Intermediate to felsic unit, moderate sericite, weakly feldspar phyric in non sericitic phases; very low core angles over the most part; 45-57, at 5-10 degrees, 57-84, at 25-30 degrees. Subtle banding, enhanced by sericitic alteration, primary in part, but most appears to be secondary; biotite in small aggregates along foliation, but not like the unit above. 56 and 61.8: rusty fracture; no real gouge. 70-78: moderate to strong sericite, grey banding at 30 degrees; moderate bleaching and minor chlorite and amphiboles in the lower one metre interval. Lower contact at 30 degrees; some large andalusite blocks, retrograding to sericite near lower contact TP: uncertain if porphyry of felsic volcanic, occasional patch of fs phenos (possibly clasts)	348765	43.00	44.00	1.00	0.07	0.002	71		<input type="checkbox"/>
			348766	44.00	45.00	1.00	0.15	0.004	148		<input type="checkbox"/>
			348767	45.00	46.00	1.00	0.01	<0.001	10		<input type="checkbox"/>
			348768	46.00	47.00	1.00	0.03	<0.001	29		<input type="checkbox"/>
			348769	47.00	48.00	1.00	0.02	<0.001	19		<input type="checkbox"/>
			348770	48.00	49.00	1.00	0.02	<0.001	17		<input type="checkbox"/>
			348771	49.00	50.00	1.00	0.01	<0.001	11		<input type="checkbox"/>
			348772	50.00	51.00	1.00	0.01	<0.001	10		<input type="checkbox"/>
			348773	51.00	52.00	1.00	0.07	0.002	71		<input type="checkbox"/>
			348774	52.00	53.00	1.00	0.04	0.001	44		<input type="checkbox"/>
			348775	53.00	54.00	1.00	0.02	<0.001	15		<input type="checkbox"/>
			348776	54.00	55.00	1.00	0.09	0.003	90		<input type="checkbox"/>
			348777	55.00	56.00	1.00	0.11	0.003	107		<input type="checkbox"/>
			348778	56.00	57.00	1.00	0.02	<0.001	15		<input type="checkbox"/>
		348779	57.00	58.00	1.00	0.02	<0.001	19		<input type="checkbox"/>	
		348780	58.00	59.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-68

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			348781	59.00	60.00	1.00	0.03	<0.001	31	<input type="checkbox"/>	
			348782	60.00	61.00	1.00	0.03	<0.001	25	<input type="checkbox"/>	
			348783	61.00	62.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348784	62.00	63.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			348785	63.00	64.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			348786	64.00	65.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			348787	65.00	66.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			348788	66.00	67.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348789	67.00	68.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348790	68.00	69.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			348791	69.00	70.00	1.00	0.03	<0.001	31	<input type="checkbox"/>	
			348792	70.00	71.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348793	71.00	72.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348794	72.00	73.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348795	73.00	74.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348796	74.00	75.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			348797	75.00	76.00	1.00	0.18	0.005	181	<input type="checkbox"/>	
			348798	76.00	77.00	1.00	0.03	<0.001	29	<input type="checkbox"/>	
			348801	77.00	78.00	1.00	0.15	0.004	148	<input type="checkbox"/>	
			348802	78.00	79.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348803	79.00	80.00	1.00	0.12	0.004	123	<input type="checkbox"/>	
			348804	80.00	81.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348805	81.00	82.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348806	82.00	83.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348807	83.00	84.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348808	84.00	84.60	0.60	0.08	0.002	84	<input type="checkbox"/>	
84.60	92.80	(1L) GARNETIFEROUS AMPHIBOLITE Biotite-gamet-amphibole unit, interbanded with 20-25% more felsic bands with 5% gamet; mafics have 20% gamet; moderate magnetite, but not uniform in distribution; occasional large andalusite block to 2cm; 1% diss po-py within the more mafic bands	348809	84.60	85.20	0.60	<0.01	<0.001	<5	<input type="checkbox"/>	5%mt, 2% po-py
			348810	85.20	85.70	0.50	0.01	<0.001	7	<input type="checkbox"/>	2% mt, 1% po
			348811	85.70	86.20	0.50	0.02	<0.001	18	<input type="checkbox"/>	2% mt, 1% po
			348812	86.20	86.80	0.60	0.05	0.001	46	<input type="checkbox"/>	2% mt, 1% po
			348813	86.80	87.30	0.50	0.03	<0.001	30	<input type="checkbox"/>	2% mt, 1% po
			348814	87.30	87.80	0.50	0.07	0.002	69	<input type="checkbox"/>	5%po, 5% mt
			348815	87.80	88.30	0.50	0.04	0.001	42	<input type="checkbox"/>	4%mt, 1% po
			348816	88.30	88.80	0.50	0.02	<0.001	16	<input type="checkbox"/>	4% mt, 1% po
			348817	88.80	89.30	0.50	0.06	0.002	62	<input type="checkbox"/>	4% mt, 1% po



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-68
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			348818	89.30	89.80	0.50	0.01	<0.001	8	<input type="checkbox"/>	4% mt, 1% po
			348819	89.80	90.30	0.50	0.06	0.002	57	<input type="checkbox"/>	5% mt, 3% po
			348820	90.30	90.80	0.50	0.03	0.001	26	<input type="checkbox"/>	5% mt, 3% po
			348821	90.80	91.30	0.50	0.02	<0.001	19	<input type="checkbox"/>	5%mt, 3% po
			348822	91.30	91.80	0.50	0.02	<0.001	23	<input type="checkbox"/>	3% mt, 1% po
			348823	91.80	92.30	0.50	0.01	<0.001	14	<input type="checkbox"/>	minor mt,po
			348824	92.30	92.80	0.50	0.03	<0.001	30	<input type="checkbox"/>	5% mt, 1%po
92.80	94.90	(5S) SILICATE FACIES IRON FORMATION	348825	92.80	93.30	0.50	0.01	<0.001	11	<input type="checkbox"/>	20% mt,3% po,0.5% aspy
		Silicate facies IF and the magnetite phase of BAGupper section is magnetite phase and the lower section is po-rich; minor fine acicular aspy	348826	93.30	93.80	0.50	0.03	<0.001	33	<input type="checkbox"/>	10% mt, 10% po, tr aspy
			348827	93.80	94.50	0.70	0.04	0.001	42	<input type="checkbox"/>	1% diss po-py
94.90	98.40	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	348828	94.50	95.50	1.00	0.07	0.002	66	<input type="checkbox"/>	
		Banded, bluish-grey andalusite rich unit with blocks of and. to 1x3cm; interbanded on a cm scale with biotite-amphibol-garnet and 1-2% po-py-mag	348829	95.50	96.50	1.00	0.07	0.002	67	<input type="checkbox"/>	
			348830	96.50	97.50	1.00	0.03	0.001	34	<input type="checkbox"/>	
			348831	97.50	98.40	0.90	0.03	<0.001	28	<input type="checkbox"/>	
98.40	101.00	(5S) SILICATE FACIES IRON FORMATION	348832	98.40	98.90	0.50	0.01	<0.001	10	<input type="checkbox"/>	
		Several 20-25cm bands of magnetite-grunerite? with a strongly biotitic core section with 10% magnetite, 5% po , minor py	348833	98.90	99.30	0.40	0.01	<0.001	7	<input type="checkbox"/>	
		Upper mag-grun band has a one cm gametite band on each contact.	348834	99.30	99.80	0.50	1.05	0.031	1048	<input type="checkbox"/>	30% mt, 3% po
			348835	99.80	100.70	0.90	0.15	0.004	149	<input type="checkbox"/>	5% mt, 10% po-py, tr cpy
			348836	100.70	101.10	0.40	0.09	0.003	92	<input type="checkbox"/>	30% mt,5% po
101.00	106.20	(1L) GARNETIFEROUS AMPHIBOLITE	348837	101.10	102.00	0.90	0.07	0.002	67	<input type="checkbox"/>	
		banded mafic-felsic unit with more mafic, green, amphibolitic phases; foliation starts at 60 degrees and becomes 30 degrees at the lower section.	348838	102.00	103.00	1.00	0.02	<0.001	21	<input type="checkbox"/>	
		TP: 10% garnet in upper 2m, decreasing down section	348839	103.00	104.00	1.00	0.15	0.004	150	<input type="checkbox"/>	
		105.5-105.8: fracture zone with a calcite filled vug, minor py	348840	104.00	105.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		104.40 - 104.80 (6G) GABBRO	348841	105.00	106.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
		green, amphibolitic gabbro dyke.									



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-68

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
106.20	113.10	(7B) FELDSPAR PORPHYRY	348842	106.00	107.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		Very fine grained, grey, siliceous unit without any amphiboles;no garnet; moderate silicification and change to a brown hue.; amphibolitic unit for 0.5m on lower contac to gabbro TP: good fs phenos on top of section, becoming aphyric but remaining brown towards bottom	348843	107.00	108.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			348844	108.00	109.00	1.00	0.03	<0.001	34	<input type="checkbox"/>	
			348845	109.00	110.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348846	110.00	111.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			348847	111.00	112.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			348848	112.00	113.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
113.10	114.60	(6G) GABBRO	348851	113.00	114.00	1.00	0.03	<0.001	26	<input type="checkbox"/>	
		Green amphiblotic gabbro; conatacts at 75 degrees	348852	114.00	115.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		113.10 - 113.80 (1L) GARNETIFEROUS AMPHIBOLITE									
		gamitiferous, possibly 1L									
114.60	129.10	(3) UNDIFF. FELSIC VOLCANICS	348853	115.00	116.00	1.00	0.39	0.011	390	<input type="checkbox"/>	
		Mostly felsic unit with occasioal band of bio-gar, several late porphyry dykes; minor hbd-diopside bands to 5cm TP: 125.8-126.5m - coarse andalusite 123.90 - 125.00 (7B) FELDSPAR PORPHYRY Chunky porphyry; contacts at 75	348854	116.00	117.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348855	117.00	118.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			348856	118.00	119.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			348857	119.00	120.00	1.00	0.03	<0.001	29	<input type="checkbox"/>	
			348858	120.00	121.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			348859	121.00	122.00	1.00	0.42	0.012	422	<input type="checkbox"/>	
			348860	122.00	123.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			348861	123.00	124.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348862	124.00	125.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348863	125.00	126.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
			348864	126.00	127.00	1.00	0.02	<0.001	20	<input type="checkbox"/>	
			348865	127.00	128.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			348866	128.00	129.10	1.10	0.02	<0.001	15	<input type="checkbox"/>	
129.10	129.90		(7B) FELDSPAR PORPHYRY								
		Chunky porphyry unit at 60 degrees tca; foliated									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-68
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
129.90	135.00	(6G) GABBRO Gree, foliated, amphibolitic gabbro; fractured with calcite filling									
135.00	144.40	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS Grey, fine grained and massive to feldspar phyrlic; small, white felds, degraded in sections by foliation; small felsic dykes 135-137.7m: more intermediate with 5% garnet, large blocky andalusite 135.5-135.6: foliated felsic dyke at 65 degrees tca 141-141.5: felsic dyke, as at 135.5; contacts sharp at 55 degrees tca	348867	135.00	136.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			348868	136.00	137.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			348869	137.00	138.00	1.00	0.17	0.005	169	<input type="checkbox"/>	
			348870	138.00	139.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			348871	139.00	140.00	1.00	0.02	<0.001	23	<input type="checkbox"/>	
		137.70 - 140.20 (7B) FELDSPAR PORPHYRY BX feldspar phyrlic phase; 0.5mm , white felds in a grey biotitic , siliceous matrix	348872	140.00	141.00	1.00	1.34	0.039	1335	<input type="checkbox"/>	
			348873	141.00	142.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			348874	142.00	143.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			348875	143.00	144.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		140.20 - 141.00 (3T) ALUMINOUS ALTERED FELSIC VOLCANICS well banded, biotitic to felsic, unit, folded on a small scale									
		141.50 - 144.40 (3) UNDIFF. FELSIC VOLCANICS fine grained, siliceous phase of the felsic volcanics; lower contact at 20 degrees									
144.40	150.40	(7B) FELDSPAR PORPHYRY BX slightly coarser than above; moderately sericitic and minor brown K alteration adjacent to cm scale diopside veins	348876	144.00	145.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			348877	145.00	146.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			348878	146.00	147.00	1.00	0.02	<0.001	21	<input type="checkbox"/>	
		149.20 - 149.40 (7B) FELDSPAR PORPHYRY chunky porphyry dyke	348879	147.00	148.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			348880	148.00	149.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			348881	149.00	150.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
150.40	153.70	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS Grey to brown, banded, biotitic sed/tuff unit; probably more felsic than intermediate; minor, very coarse blocks of andalusite; minor magnetite and garnet with the more mafic bands and few diopside-carb skarn veins.	348882	150.00	151.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			348883	151.00	152.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			348884	152.00	153.00	1.00	0.02	<0.001	22	<input type="checkbox"/>	
			348885	153.00	154.00	1.00	0.03	<0.001	28	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-68
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
153.70	156.70	(7B) FELDSPAR PORPHYRY BX Felspar phyruc unit, as at 144.4m 155.1-155.3: dioritic dyke, foliated with small hblid phenos	348886	154.00	155.00	1.00	0.13	0.004	130	<input type="checkbox"/>	
			348887	155.00	156.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			348888	156.00	157.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
156.70	163.70	(1L) GARNETIFERROUS AMPHIBOLITE Banded, biotitic amphibole unit; minor garnet-andalusite in both the mafic and the more intermediate bands; minor py-po and trace cpy 156.4-156.8: bleached section with coarse hblid skarned section; 1% po	348889	157.00	158.00	1.00	0.23	0.007	226	<input type="checkbox"/>	
			348890	158.00	159.00	1.00	0.24	0.007	244	<input type="checkbox"/>	
			348891	159.00	160.00	1.00	0.03	<0.001	29	<input type="checkbox"/>	
			348892	160.00	161.00	1.00	0.28	0.008	281	<input type="checkbox"/>	
			348893	161.00	162.00	1.00	0.11	0.003	108	<input type="checkbox"/>	
348894	162.00	163.00	1.00	0.03	<0.001	30	<input type="checkbox"/>				
163.70	171.00	(6G) GABBRO Green to black, hblid gabbro, moderately biotitized, foliated Upper contact gradational over 10-15cm 165.70 - 166.40 (6D) LAMPROPHYRE hblid phyruc, lamp type dyke at 60 degrees									



Goldcorp Inc.
QC Report

Hole Number RL-05-68
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
77.00	348799	1736	-	-	-	-	-	-	-	-	-	1.7	-	0.051	-	-
77.01	348800	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
113.00	348849	1981	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
113.01	348850	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-68
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
26.80	30.00	3.20	R5	0.22	0.58	-	100.00	-	100.00
30.00	33.00	3.00	R5	0.11	0.27	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.13	0.34	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.34	0.96	-	100.00	-	100.00
39.00	42.00	3.00	R6	3.77	10.90	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.03	0.05	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.03	0.09	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.07	0.18	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.08	0.14	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.12	0.34	-	100.00	-	100.00
60.00	63.00	3.00	R5	0.11	0.25	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.14	0.27	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.14	0.27	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.09	0.23	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.10	0.16	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.08	0.18	-	100.00	-	100.00
81.00	84.00	3.00	R5	0.05	0.07	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.96	2.03	-	100.00	-	100.00
87.00	90.00	3.00	R5	2.83	4.97	-	100.00	-	100.00
90.00	93.00	3.00	R5	5.02	19.20	-	100.00	-	100.00
93.00	96.00	3.00	R5	24.40	108.00	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.82	1.73	-	100.00	-	100.00
99.00	102.00	3.00	R5	12.40	52.20	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.49	1.33	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.10	0.21	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.17	0.40	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.28	0.65	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.17	0.45	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.22	0.98	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.05	0.16	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.08	0.16	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.12	0.16	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.17	0.27	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.21	0.25	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.45	0.84	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-68
Project: PLANET EXPLORATION
Project Number: 800125

138.00	141.00	3.00	R5	0.18	0.51	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.13	0.51	-	100.00	-	100.00
144.00	147.00	3.00	R6	0.06	0.14	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.25	1.02	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.91	3.55	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.78	3.23	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.21	0.38	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.19	0.42	-	100.00	-	100.00
162.00	165.00	3.00	R5	1.25	4.24	-	100.00	-	100.00
165.00	168.00	3.00	R5	2.05	4.99	-	100.00	-	100.00
168.00	171.00	3.00	R5	5.83	12.70	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-69
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 90.77	Length: meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -52.14	Pulled: No	Claim No:	Spotted by: T. Maciejewski
Length: 195.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 01-Mar-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 03-Mar-05		Level:	Surveyed Date:
Logged: 03-Mar-05	Core	Coordinate - Gemcom	Logged by: Chastko/Prysiak
Wedged : No	Dimension: NQ	Coordinate - UTM	Re-logged by:
Wedged from:	Original Units: M	Elevation: 409.96	Water Source:
	Storage: Cochenour Mine	UTM Zone: 15 (NAD27)	Water line:
			Left in hole: Nothing
Target:			Control Drilling:
Comments:			Cutting sampled: No
			Geophysical:

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	90.77	-52.14	X	48.000	91.60	-51.33	X	96.000	92.95	-49.98	X
3.000	91.08	-52.11	X	51.000	91.73	-51.22	X	99.000	93.08	-49.91	X
6.000	91.01	-52.24	X	54.000	91.83	-51.17	X	102.000	93.18	-49.90	X
9.000	90.83	-52.21	X	57.000	91.87	-51.13	X	105.000	93.24	-49.84	X
12.000	90.77	-52.07	X	60.000	91.94	-51.05	X	108.000	93.33	-49.74	X
15.000	90.86	-51.99	X	63.000	92.02	-50.96	X	111.000	93.41	-49.65	X
18.000	90.97	-51.89	X	66.000	92.05	-50.83	X	114.000	93.50	-49.56	X
21.000	91.09	-51.81	X	69.000	92.13	-50.72	X	117.000	93.59	-49.51	X
24.000	91.18	-51.76	X	72.000	92.25	-50.63	X	120.000	93.63	-49.46	X
27.000	91.25	-51.72	X	75.000	92.33	-50.60	X	123.000	93.69	-49.41	X
30.000	91.32	-51.70	X	78.000	92.43	-50.51	X	126.000	93.82	-49.34	X
33.000	91.31	-51.68	X	81.000	92.62	-50.46	X	129.000	94.00	-49.22	X
36.000	91.40	-51.64	X	84.000	92.73	-50.39	X	132.000	94.14	-49.12	X
39.000	91.40	-51.61	X	87.000	92.76	-50.30	X	135.000	94.26	-49.06	X
42.000	91.43	-51.55	X	90.000	92.80	-50.18	X	138.000	94.36	-49.02	X
45.000	91.50	-51.47	X	93.000	92.89	-50.07	X	141.000	94.43	-49.00	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-69
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	94.48	-48.95	X
147.000	94.59	-48.85	X
150.000	94.68	-48.72	X
153.000	94.78	-48.65	X
156.000	94.92	-48.60	X
159.000	95.12	-48.54	X
162.000	95.22	-48.46	X
165.000	95.39	-48.39	X
168.000	95.54	-48.37	X
171.000	95.65	-48.32	X
174.000	95.74	-48.23	X
177.000	95.82	-48.12	X
183.000	95.93	-47.94	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-69
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	12.70	(OB) OVERBURDEN									
12.70	28.10	(1J) BANDED AMPHIBOLITE Dark green, banded amphibolite with minor felsic section or dykes; moderately silicified, hard unit; 3-4% white calcite veinlets and minor white qtz veins to 3cm 13.5-14.4: foliated, fine grained, purple-brown felsite dyke 16.9-17.7: porphyry dyke, reddish brown potassic alteration	348895	15.50	16.50	1.00	0.06	0.002	58	<input type="checkbox"/>	
			348896	16.50	17.50	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			348897	17.50	18.50	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			348898	18.50	19.50	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			348901	19.50	20.50	1.00	0.07	0.002	69	<input type="checkbox"/>	
			348902	20.50	21.50	1.00	0.02	0.001	22	<input type="checkbox"/>	
			348903	21.50	22.50	1.00	0.02	0.001	22	<input type="checkbox"/>	
28.10	33.50	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE Dark green, hblid phyric gabbro, foliated and highly fractured towards the bottom with calcite threads.									
33.50	36.50	(FLT) FAULT Strong brittle fractured, gouge filled fault; slips at 25-35 degrees									
36.50	38.60	(7B) FELDSPAR PORPHYRY Grey, mylonitic porphyry, minor relict felds; low angle fractures at 5-10 degrees extend into this unit from the fault above. Moderate pervasive calcite	348904	38.00	39.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
38.60	44.00	(1P) PILLOWED FLOWS Banded pillowed unit with 5-6% white calcite veins to 10cm; minor po	348905	39.00	40.00	1.00	0.12	0.004	124	<input type="checkbox"/>	
			348906	40.00	41.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			348907	41.00	42.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			348908	42.00	43.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-69
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
44.00	49.00	(2J) BANDED AMPHIBOLITE Intermediate unit, biotitized unit; Biotite is brown, 20-25% hblid; up to 1% diss to streaks of py; 25cm porphyry dyke	348909	46.50	47.50	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			348910	47.50	48.50	1.00	0.02	0.001	24	<input type="checkbox"/>	
			348911	48.50	49.50	1.00	0.02	0.001	24	<input type="checkbox"/>	
49.00	55.30	(1A) MASSIVE MAFIC VOLC Dark green, weakly foliated, massive amphibolite; weakly silicified	348912	49.50	50.50	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348913	50.50	51.50	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		49.00 - 49.50 (7B) FELDSPAR PORPHYRY Purplish feldspar porphyry dyke	348914	51.50	52.50	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348915	52.50	53.50	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
55.30	61.90	(6G) GABBRO Coarse grained, hblid phyric gabbro; weakly foliated, weak biotite along foliation									
61.90	69.00	(7B) FELDSPAR PORPHYRY Grey to brownish, silicified porphyry with 10-20% inclusions. 1-2% green amphibole-diopside banding in upper part of unit; moderate silicification and brown biotite alteration. 65.9-66.9: raft of finely banded mafics with 1% po-py	348916	61.90	63.00	1.10	0.02	0.001	20	<input type="checkbox"/>	
			348917	63.00	64.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			348918	64.00	65.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348919	65.00	66.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
			348920	66.00	67.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			348921	67.00	68.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
			348922	68.00	69.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
69.00	77.80	(6G) GABBRO Coarse grained, hblid phyric gabbro; foliated at 60 degrees; minor biotite on contact sections; few Qtz veins to 1.0 cm	348923	69.00	70.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
77.80	78.70	(7B) FELDSPAR PORPHYRY Brown, fairly well preserved felds, silicified	348924	78.00	79.00	1.00	0.02	0.001	22	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-69
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
78.70	81.80	(2J) BANDED AMPHIBOLITE Very well banded amphibolite with moderate biotite and weak calcite alteration. Some skarn-type bands/veins on cm scale; minor po-py 80.2-80.5: chunky porphyry dyke at 60 degrees.	348925	79.00	80.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			348926	80.00	81.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			348927	81.00	82.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
81.80	97.20	(7B) FELDSPAR PORPHYRY The subvolcanic porphyry dyke; 10% rafts of banded amphibolite in the core section. Dyke is brown, becoming grey around 93m; 86.2-88.3: mostly 2J inclusions 94.5-95: inclusion with calcite-diopside alteration 95-95.5: fractured, brecciated and annealed porphyry	348928	82.00	83.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			348929	83.00	84.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348930	84.00	85.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348931	85.00	86.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348932	86.00	87.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			348933	87.00	88.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			348934	88.00	89.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			348935	89.00	90.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348936	90.00	91.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348937	91.00	92.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			348938	92.00	93.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348939	93.00	94.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348940	94.00	95.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			348941	95.00	96.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
348942	96.00	97.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
97.20	100.40	(1J) BANDED AMPHIBOLITE Banded mafics, weak biotite, few skarn type veins to 5mm with minor po; few garnets present as there have not been any in the lithos above. 97.20 - 98.10 (CK) SKARN VEINS Massive, coarse grained light green diopside with minor calcite, quartz, hbid?, biotite, po; good cleavage faces on the diopsides; contacts at 65 degrees tca	348943	97.00	98.10	1.10	0.01	<0.001	9	<input type="checkbox"/>	
			348944	98.10	99.00	0.90	0.04	0.001	42	<input type="checkbox"/>	
			348945	99.00	100.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			348946	100.00	100.50	0.50	0.05	0.001	46	<input type="checkbox"/>	
100.40	103.10	(7B) FELDSPAR PORPHYRY Brownish, silicified porphyry.	348947	100.50	101.50	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			348948	101.50	102.50	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			348951	102.50	103.10	0.60	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-69
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
103.10	110.70	(1L) GARNETIFEROUS AMPHIBOLITE	348952	103.10	104.00	0.90	0.04	0.001	38	<input type="checkbox"/>	
		Biotite-amphibole unit, becoming gametiferous at 107m; some andalusite present to 5mm as bleached spots; 5-10% skarn bands to 15cm, mostly at the 1.0cm scale; minor po with the skarn veins	348953	104.00	105.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			348954	105.00	105.70	0.70	<0.01	<0.001	<5	<input type="checkbox"/>	
			348955	105.70	106.50	0.80	0.04	0.001	36	<input type="checkbox"/>	
			348956	106.50	107.50	1.00	0.06	0.002	59	<input type="checkbox"/>	
			348957	107.50	108.50	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			348958	108.50	109.50	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			348959	109.50	110.50	1.00	0.25	0.007	253	<input type="checkbox"/>	
110.70	115.90	(7B) FELDSPAR PORPHYRY	348960	110.50	111.50	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		foliated to banded to brecciated, medium reddish brown due to fine biotite, minor to moderate dark green amphibole and white k-spar veining, 1-2% white quartz veinlets, foliation and banding at 55 to CA	348961	111.50	112.00	0.50	0.01	<0.001	7	<input type="checkbox"/>	
			348962	112.00	113.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348963	113.00	114.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348964	114.00	115.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348965	115.00	116.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
115.90	119.95	(1J) BANDED AMPHIBOLITE	348966	116.00	117.00	1.00	1.04	0.030	1043	<input type="checkbox"/>	
		finely but irregularly banded amphibole-biotite-gamet, local bands with 10-30% fine po>py, probable magnetite, banding and foliation at 55 to CA	348967	117.00	118.00	1.00	1.62	0.047	1622	<input type="checkbox"/>	
			348968	118.00	119.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
		117.72 - 118.42 (7B) FELDSPAR PORPHYRY	348969	119.00	120.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		similar to before, reddish brown biotite, brecciated lower section, epidotized									
119.95	134.88	(7B) FELDSPAR PORPHYRY	348970	120.00	121.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		similar to before, reddish brown biotite, 2% quartz veinlets, 5% amphibole-Kspar and skarny veinlets, local brecciation, bleaching, epidotization- increasing down section	348971	121.00	122.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348972	122.00	123.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348973	123.00	124.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		123.83 - 124.62 (1J) BANDED AMPHIBOLITE	348974	124.00	125.00	1.00	0.08	0.002	83	<input type="checkbox"/>	
		banded amphibolite, similar to before	348975	125.00	126.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348976	126.00	127.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348977	127.00	128.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348978	128.00	129.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348979	129.00	130.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348980	130.00	131.00	1.00	0.09	0.003	87	<input type="checkbox"/>	
			348981	131.00	132.00	1.00	0.47	0.014	472	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-69
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			348982	132.00	133.00	1.00	0.30	0.009	295	<input type="checkbox"/>	
			348983	133.00	134.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			348984	134.00	135.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
134.88	136.22	(1J) BANDED AMPHIBOLITE medium greenish-brown, fine grained, moderately biotitic, relatively uniform, moderately foliated at 55 to CA	348985	135.00	136.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
136.22	138.85	(9D) SKARN Skarn 40% banded amhibole-biotite, 30% irregular carbonate bands, local disseminated to semi massive po>py traces cp[y aspy	348986	136.00	137.00	1.00	4.32	0.126	4324	<input type="checkbox"/>	
			348987	137.00	138.00	1.00	0.89	0.026	889	<input type="checkbox"/>	
			348988	138.00	139.00	1.00	4.01	0.117	4012	<input type="checkbox"/>	
		138.20 - 138.85 (CV) IRON CARBONATE 80% carbonate, minor amphibole									
138.85	142.00	(1J) BANDED AMPHIBOLITE banded amphibole-biotite-garnet, 1% po>py	348989	139.00	140.00	1.00	0.02	<0.001	24	<input type="checkbox"/>	
			348990	140.00	141.00	1.00	0.10	0.003	101	<input type="checkbox"/>	
			348991	141.00	142.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
142.00	144.32	(7B) FELDSPAR PORPHYRY brownish-grey, fine grained, relatively massive, sharp contacts	348992	142.00	143.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			348993	143.00	144.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
144.32	144.94	(1J) BANDED AMPHIBOLITE banded amphibolite	348994	144.00	145.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
144.94	154.00	(7B) FELDSPAR PORPHYRY light reddish brown due to biotite, 3% quartz veinlets, weak K-spar alteration, weak amphibole-K-spar veining, minor skarmy sections	348995	145.00	146.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			348996	146.00	147.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			348997	147.00	148.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			348998	148.00	149.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-69

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			349001	149.00	150.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			349002	150.00	151.00	1.00	1.16	0.034	1161	<input type="checkbox"/>	
			349003	151.00	152.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			349004	152.00	153.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
			349005	153.00	154.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
154.00	159.93	(1J) BANDED AMPHIBOLITE	349006	154.00	155.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
		dark greenish. Fine grained, weakly banded, moderately foliated at 60 to CA, minor local fine po>py fine stringers, minor garnets locally concentrated bands, weak carbonate veining	349007	155.00	156.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			349008	156.00	157.00	1.00	0.23	0.007	234	<input type="checkbox"/>	
			349009	157.00	158.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			349010	158.00	159.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			349011	159.00	160.00	1.00	0.13	0.004	134	<input type="checkbox"/>	
159.93	186.20	(7B) FELDSPAR PORPHYRY	349012	160.00	161.00	1.00	0.09	0.003	86	<input type="checkbox"/>	
		varies from moderately porphyritic to fine grained uniformly sheared to banded sheared, dominant foliation and banding at 55-60 to CA, 2-3% late white quartz veinlets, 1% amphibole-K-spar skarn veinlets	349013	161.00	162.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			349014	162.00	163.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			349015	163.00	164.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349016	164.00	165.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349017	169.00	170.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			349018	174.00	175.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349019	179.00	180.00	1.00	0.64	0.019	641	<input type="checkbox"/>	
			349020	184.00	185.00	1.00	0.18	0.005	178	<input type="checkbox"/>	
			349021	185.00	186.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
186.20	187.13	(1J) BANDED AMPHIBOLITE	349022	186.00	187.00	1.00	0.15	0.004	146	<input type="checkbox"/>	
		banded amphibolite 186.20 - 186.50 10% quartz veining , 5-7% po>py tarces cpy veinlets									
187.13	195.00	(7B) FELDSPAR PORPHYRY	349023	187.00	188.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
		light-medium grey, fine grained well sheared, foliated and weakly banded at 55-60 to CA, weak quartz veining, weak amphibole-K-spar veinlets, minor vague weakly amphibole-garnet sections or possible inclusions	349024	188.00	189.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			349025	189.00	190.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			349026	190.00	191.00	1.00	0.34	0.010	337	<input type="checkbox"/>	
			349027	191.00	192.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			349028	192.00	193.00	1.00	0.18	0.005	180	<input type="checkbox"/>	
			349029	193.00	194.20	1.20	<0.01	<0.001	<5	<input type="checkbox"/>	



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-69
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
15.50	16.50	348895			0.13	169	<1		4.26	<10	40	80	5.15	0.81	0.75	1538	2	<0.01		129			86
16.50	17.50	348896			0.21	196	<1		2.29	<10	18	75	2.85	0.65	0.57	779	4	<0.01		128			15
17.50	18.50	348897			0.16	120	<1		4.05	<10	39	52	5.70	0.31	0.77	1730	2	<0.01		111			90
18.50	19.50	348898			0.13	41	<1		4.62	<10	40	66	6.02	0.09	0.75	1922	3	<0.01		98			88
19.50	20.50	348901			0.19	50	<1		4.35	<10	39	173	5.09	0.14	0.87	1143	2	<0.01		212			45
20.50	21.50	348902			0.15	141	<1		3.95	<10	42	78	5.76	0.58	0.78	1570	3	<0.01		148			96
21.50	22.50	348903			0.18	150	<1		3.41	<10	39	87	5.25	0.52	0.74	1482	3	<0.01		151			85
38.00	39.00	348904			0.18	212	<1		3.36	<10	30	98	3.95	0.46	0.76	902	2	0.31		205			37
39.00	40.00	348905			0.11	100	<1		6.19	<10	38	86	4.65	0.24	0.66	1479	2	<0.01		194			88
40.00	41.00	348906			0.12	121	<1		4.22	<10	44	89	5.01	0.33	0.71	1504	2	<0.01		123			107
41.00	42.00	348907			0.12	77	<1		5.11	<10	40	85	5.11	0.18	0.71	1725	2	<0.01		119			97
42.00	43.00	348908			0.11	92	<1		3.92	<10	37	75	4.85	0.22	0.76	1320	2	<0.01		82			92
46.50	47.50	348909			0.15	235	<1		3.78	<10	44	92	5.34	1.03	0.77	1429	2	<0.01		136			103
47.50	48.50	348910			0.20	155	<1		3.28	<10	37	119	5.05	1.39	0.78	1287	4	<0.01		112			54
48.50	49.50	348911			0.21	208	<1		3.03	<10	25	90	3.74	0.85	0.64	789	3	0.39		194			27
49.50	50.50	348912			0.11	132	<1		2.87	<10	36	80	5.26	0.80	0.75	910	3	<0.01		93			107
50.50	51.50	348913			0.14	70	<1		3.32	<10	43	77	6.20	0.21	0.80	997	2	<0.01		118			111
51.50	52.50	348914			0.14	129	<1		3.27	<10	44	75	6.20	0.32	0.79	1025	2	<0.01		149			104
52.50	53.50	348915			0.13	1037	<1		3.00	<10	39	69	5.63	0.19	0.75	933	2	<0.01		126			97
61.90	63.00	348916			0.24	143	<1		2.25	<10	5	72	1.25	1.71	0.67	336	5	<0.01		99			<2
63.00	64.00	348917			0.29	173	<1		1.24	<10	4	73	0.76	1.69	0.47	146	4	0.09		111			<2
64.00	65.00	348918			0.28	284	<1		1.31	<10	6	88	1.14	1.33	0.46	226	5	0.75		195			<2
65.00	66.00	348919			0.28	344	<1		1.35	<10	10	84	1.60	1.34	0.46	299	5	<0.01		176			<2
66.00	67.00	348920			0.20	211	<1		1.46	<10	40	54	5.95	1.15	0.65	1081	4	0.74		166			3
67.00	68.00	348921			0.28	179	<1		1.50	<10	5	87	1.18	1.38	0.46	277	5	0.65		128			<2
68.00	69.00	348922			0.27	127	<1		1.64	<10	12	101	1.32	1.59	0.54	299	6	<0.01		111			<2
69.00	70.00	348923			0.23	152	<1		2.32	<10	62	103	3.95	1.31	0.72	649	3	<0.01		90			110



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-69
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
78.00	79.00	348924			0.25	169	<1		1.38	<10	18	82	2.96	0.91	0.67	393	4	<0.01		84			14
79.00	80.00	348925			0.15	190	<1		3.25	<10	47	92	6.30	1.18	0.87	1431	2	<0.01		115			116
80.00	81.00	348926			0.17	264	<1		4.09	<10	34	56	4.84	1.13	0.66	1649	3	<0.01		247			62
81.00	82.00	348927			0.12	236	<1		4.54	<10	37	59	4.69	1.38	0.63	1685	3	<0.01		124			71
82.00	83.00	348928			0.27	110	<1		1.88	<10	9	95	1.54	1.49	0.56	379	6	<0.01		79			<2
83.00	84.00	348929			0.28	213	<1		1.46	<10	4	104	0.83	2.23	0.49	210	7	<0.01		100			<2
84.00	85.00	348930			0.29	268	<1		1.45	<10	4	118	0.83	1.51	0.46	198	8	0.68		127			<2
85.00	86.00	348931			0.29	229	<1		1.45	<10	4	95	1.03	1.71	0.50	239	6	<0.01		124			<2
86.00	87.00	348932			0.24	204	<1		2.72	<10	20	111	3.17	1.41	0.71	654	5	0.10		147			5
87.00	88.00	348933			0.20	238	<1		3.04	<10	34	96	4.61	1.20	0.77	896	3	<0.01		148			47
88.00	89.00	348934			0.28	168	<1		1.91	<10	8	107	1.57	1.47	0.58	396	6	<0.01		125			<2
89.00	90.00	348935			0.23	153	<1		1.01	<10	3	96	0.73	1.20	0.35	165	6	0.43		93			<2
90.00	91.00	348936			0.27	152	<1		0.98	<10	3	80	0.72	1.23	0.35	170	5	0.49		125			<2
91.00	92.00	348937			0.26	158	<1		1.27	<10	5	86	1.04	1.42	0.45	256	5	<0.01		136			<2
92.00	93.00	348938			0.29	182	<1		1.41	<10	4	98	0.79	1.90	0.41	181	7	1.10		97			<2
93.00	94.00	348939			0.27	191	<1		1.52	<10	4	94	0.80	2.11	0.41	195	6	1.00		104			<2
94.00	95.00	348940			0.25	215	<1		2.67	<10	26	96	3.09	1.60	0.63	722	4	0.12		111			6
95.00	96.00	348941			0.34	133	<1		1.42	<10	3	72	0.67	1.52	0.44	152	4	<0.01		87			<2
96.00	97.00	348942			0.30	527	<1		1.43	<10	4	72	0.85	2.35	0.50	200	5	<0.01		78			<2
97.00	98.10	348943			0.07	1203	<1		5.94	<10	10	44	2.78	1.25	0.89	824	2	<0.01		96			15
98.10	99.00	348944			0.20	551	<1		3.43	<10	45	76	5.49	1.19	0.78	1421	2	<0.01		141			97
99.00	100.00	348945			0.18	224	<1		3.02	<10	47	109	5.98	1.41	0.78	1452	3	<0.01		134			104
100.00	100.50	348946			0.16	336	<1		3.63	<10	40	103	5.57	1.61	0.74	1496	4	<0.01		165			60
100.50	101.50	348947			0.26	795	<1		1.79	<10	4	83	0.87	1.59	0.52	194	5	0.29		133			<2
101.50	102.50	348948			0.28	170	<1		1.50	<10	4	89	0.75	1.17	0.47	142	6	0.53		147			<2
102.50	103.10	348951			0.27	220	<1		2.10	<10	5	79	0.87	1.49	0.55	213	5	1.31		154			<2
103.10	104.00	348952			0.14	314	<1		4.60	<10	49	148	5.96	1.44	0.76	1563	3	0.81		157			100
104.00	105.00	348953			0.18	323	<1		3.51	<10	43	95	5.71	1.37	0.81	1508	3	<0.01		102			90



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-69
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
105.00	105.70	348954			0.22	418	<1		2.86	<10	37	105	5.11	2.09	0.79	985	3	<0.01		127			61
105.70	106.50	348955			0.12	160	<1		4.50	<10	34	96	4.75	0.68	0.84	1376	2	<0.01		74			69
106.50	107.50	348956			0.20	172	<1		3.35	<10	47	144	5.54	0.88	0.81	1342	3	<0.01		85			80
107.50	108.50	348957			0.22	140	<1		1.28	<10	55	170	5.50	1.38	0.77	879	4	<0.01		82			100
108.50	109.50	348958			0.20	116	<1		2.12	<10	46	169	5.20	0.99	0.76	954	4	<0.01		108			96
109.50	110.50	348959			0.25	83	<1		1.26	<10	50	138	5.22	0.68	0.78	907	3	<0.01		97			89
110.50	111.50	348960			0.24	202	<1		1.69	<10	14	85	1.91	1.01	0.51	481	4	<0.01		129			<2
111.50	112.00	348961			0.30	269	<1		0.83	<10	4	94	0.79	1.39	0.33	222	7	0.29		123			<2
112.00	113.00	348962			0.30	240	<1		1.15	<10	4	91	0.87	1.03	0.40	254	6	0.44		116			<2
113.00	114.00	348963			0.31	254	<1		1.00	<10	4	86	0.79	0.94	0.34	210	6	0.65		147			<2
114.00	115.00	348964			0.27	181	<1		1.11	<10	8	93	1.23	0.85	0.42	295	5	0.08		146			<2
115.00	116.00	348965			0.28	263	<1		1.04	<10	7	105	1.21	1.03	0.40	270	7	0.53		129			<2
116.00	117.00	348966			0.21	177	<1		1.96	<10	47	71	5.51	1.14	0.66	1213	3	<0.01		112			94
117.00	118.00	348967			0.19	189	<1		2.14	<10	41	68	5.72	0.93	0.66	1071	3	<0.01		119			73
118.00	119.00	348968			0.27	244	<1		1.18	<10	31	99	4.11	1.21	0.66	791	3	<0.01		142			34
119.00	120.00	348969			0.31	267	<1		0.85	<10	4	98	0.77	0.82	0.32	179	7	0.72		160			<2
120.00	121.00	348970			0.30	227	<1		0.69	<10	3	91	0.73	0.73	0.28	171	5	0.53		147			<2
121.00	122.00	348971			0.33	217	<1		0.61	<10	4	94	0.72	1.47	0.32	167	7	1.04		150			<2
122.00	123.00	348972			0.26	246	<1		0.40	<10	3	92	0.71	1.36	0.30	165	6	0.19		132			<2
123.00	124.00	348973			0.28	223	<1		0.95	<10	9	82	1.54	0.66	0.44	339	5	0.39		125			<2
124.00	125.00	348974			0.21	188	<1		1.44	<10	34	75	4.91	1.09	0.67	947	3	<0.01		160			59
125.00	126.00	348975			0.29	299	<1		0.88	<10	4	73	0.78	1.00	0.28	171	5	0.87		140			<2
126.00	127.00	348976			0.28	274	<1		0.66	<10	4	86	0.76	0.77	0.27	151	5	0.54		150			<2
127.00	128.00	348977			0.28	207	<1		1.07	<10	4	90	0.83	1.15	0.32	205	7	0.31		176			<2
128.00	129.00	348978			0.25	283	<1		1.45	<10	9	95	1.94	1.13	0.49	420	5	<0.01		272			<2
129.00	130.00	348979			0.27	200	<1		0.89	<10	4	96	0.86	1.05	0.37	166	6	0.28		164			<2
130.00	131.00	348980			0.22	249	<1		2.50	<10	33	79	4.30	1.77	0.70	1106	4	<0.01		170			55
131.00	132.00	348981			0.21	155	<1		2.98	<10	24	76	3.61	2.12	0.75	939	4	<0.01		151			21



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-69
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

From (m)	To (m)	Sample	Lab	Method	Al (pct)	Ba (ppm)	Be (ppm)	Bi (ppm)	Ca (%)	Cd (ppm)	Co (ppm)	Cr (ppm)	Fe (%)	K (%)	Mg (%)	Mn (ppm)	Mo (ppm)	NA (pct)	Na (ppm)	Sr (ppm)	Sr (%)	Ti (%)	V (ppm)
132.00	133.00	348982			0.16	119	<1		4.49	<10	15	82	3.62	1.73	0.82	1213	5	<0.01		84			19
133.00	134.00	348983			0.25	158	<1		1.65	<10	5	90	0.93	2.34	0.56	288	6	<0.01		68			<2
134.00	135.00	348984			0.23	165	<1		2.25	<10	9	62	2.30	1.81	0.68	596	4	<0.01		83			<2
135.00	136.00	348985			0.21	184	<1		1.92	<10	45	52	5.52	2.05	0.74	1341	2	<0.01		104			132
136.00	137.00	348986			0.10	146	<1		3.37	15	35	52	5.91	1.09	0.78	1668	2	<0.01		58			95
137.00	138.00	348987			0.15	171	<1		3.39	<10	13	65	3.94	1.38	0.73	1401	3	0.08		101			9
138.00	139.00	348988			<0.01	118	<1		7.29	<10	21	21	6.03	0.53	0.90	2641	<1	0.34		68			60
139.00	140.00	348989			0.19	221	<1		1.67	<10	41	81	5.90	1.21	0.70	1120	3	0.04		122			99
140.00	141.00	348990			0.18	344	<1		1.51	<10	57	82	5.73	0.97	0.63	875	4	0.71		111			79
141.00	142.00	348991			0.15	377	<1		2.27	<10	51	69	6.34	1.33	0.77	1419	2	<0.01		128			139
142.00	143.00	348992			0.25	541	<1		2.46	<10	18	73	2.49	2.14	0.62	404	5	0.62		1093			<2
143.00	144.00	348993			0.23	555	<1		2.56	<10	16	67	2.16	1.34	0.58	341	4	0.60		1115			<2
144.00	145.00	348994			0.17	379	<1		2.99	<10	44	53	4.25	1.19	0.68	1108	3	<0.01		423			56
145.00	146.00	348995			0.25	216	<1		1.05	<10	4	91	0.94	0.80	0.35	259	6	0.23		135			<2
146.00	147.00	348996			0.25	224	<1		0.90	<10	4	90	0.73	0.65	0.26	180	6	1.71		138			<2
147.00	148.00	348997			0.25	225	<1		0.83	<10	4	79	0.80	0.86	0.32	211	5	0.28		127			<2
148.00	149.00	348998			0.25	182	<1		0.98	<10	4	81	0.79	0.70	0.33	202	5	0.96		121			<2
149.00	150.00	349001			0.24	230	<1		1.17	<10	5	86	0.95	0.87	0.39	207	6	0.88		154			<2
150.00	151.00	349002			0.17	177	<1		2.80	<10	14	64	2.61	1.48	0.71	778	5	<0.01		115			7
151.00	152.00	349003			0.21	148	<1		1.91	<10	16	81	2.70	1.71	0.64	648	5	<0.01		92			12
152.00	153.00	349004			0.24	170	<1		1.53	<10	4	90	0.90	2.55	0.50	284	5	<0.01		87			<2
153.00	154.00	349005			0.24	168	<1		1.31	<10	5	81	1.01	2.42	0.52	403	6	<0.01		65			<2
154.00	155.00	349006			0.19	190	<1		1.76	<10	40	114	6.16	1.70	0.73	1267	4	<0.01		116			78
155.00	156.00	349007			0.19	174	<1		1.67	<10	38	109	5.56	1.35	0.76	1211	4	<0.01		115			76
156.00	157.00	349008			0.21	201	<1		2.02	<10	49	143	5.90	1.71	0.76	1259	5	<0.01		119			109
157.00	158.00	349009			0.15	168	<1		3.06	<10	44	111	5.26	1.42	0.78	1278	3	<0.01		120			96
158.00	159.00	349010			0.11	202	<1		5.88	<10	33	76	4.74	0.46	0.69	1552	1	<0.01		172			76
159.00	160.00	349011			0.11	309	<1		4.90	<10	31	61	5.79	1.06	0.75	2099	1	<0.01		125			49



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-69
Project PLANET EXPLORATION
Project Number 800125

Geochemistry (part 1 of 3)

<i>From (m)</i>	<i>To (m)</i>	<i>Sample</i>	<i>Lab</i>	<i>Method</i>	<i>Al (pct)</i>	<i>Ba (ppm)</i>	<i>Be (ppm)</i>	<i>Bi (ppm)</i>	<i>Ca (%)</i>	<i>Cd (ppm)</i>	<i>Co (ppm)</i>	<i>Cr (ppm)</i>	<i>Fe (%)</i>	<i>K (%)</i>	<i>Mg (%)</i>	<i>Mn (ppm)</i>	<i>Mo (ppm)</i>	<i>NA (pct)</i>	<i>Na (ppm)</i>	<i>Sr (ppm)</i>	<i>Sr (%)</i>	<i>Ti (%)</i>	<i>V (ppm)</i>
160.00	161.00	349012			0.25	207	<1		1.16	<10	7	79	1.14	1.25	0.43	291	5	<0.01		125			<2
161.00	162.00	349013			0.28	223	<1		0.85	<10	4	83	0.76	0.88	0.32	181	6	0.30		176			<2
162.00	163.00	349014			0.28	276	<1		0.97	<10	4	89	0.78	1.22	0.37	195	5	0.15		202			<2
163.00	164.00	349015			0.29	268	<1		0.85	<10	4	96	0.76	1.06	0.33	164	6	0.42		231			<2
164.00	165.00	349016			0.28	251	<1		0.86	<10	5	103	0.81	1.19	0.39	192	6	0.28		224			<2
169.00	170.00	349017			0.29	255	<1		1.05	<10	4	85	0.78	1.10	0.37	163	6	0.72		251			<2
174.00	175.00	349018			0.28	216	<1		0.55	<10	4	74	0.68	1.02	0.27	134	4	0.42		235			<2
179.00	180.00	349019			0.26	145	<1		1.49	<10	4	79	1.63	2.06	0.50	335	7	<0.01		72			<2
184.00	185.00	349020			0.25	148	<1		2.89	<10	4	69	1.43	2.04	0.67	538	7	<0.01		64			<2
185.00	186.00	349021			0.38	217	<1		1.87	<10	5	72	1.39	1.88	0.53	425	5	<0.01		109			<2
186.00	187.00	349022			0.24	243	<1		2.82	<10	32	165	4.33	1.07	0.81	1278	4	<0.01		155			14
187.00	188.00	349023			0.27	270	<1		1.73	<10	10	103	2.00	1.84	0.58	525	6	<0.01		100			<2
188.00	189.00	349024			0.34	263	<1		1.25	<10	5	73	1.74	1.97	0.46	451	5	<0.01		101			<2
189.00	190.00	349025			0.36	140	<1		0.68	<10	4	54	1.22	2.34	0.39	330	4	<0.01		59			<2
190.00	191.00	349026			0.23	207	<1		0.89	<10	6	77	2.85	2.07	0.42	696	5	0.06		59			<2
191.00	192.00	349027			0.28	241	<1		1.17	<10	5	85	1.60	1.38	0.36	346	8	0.32		106			<2
192.00	193.00	349028			0.28	261	<1		1.01	<10	4	71	1.30	1.52	0.38	301	5	<0.01		109			<2
193.00	194.20	349029			0.28	272	<1		0.97	<10	4	69	1.14	1.31	0.36	234	6	0.05		92			<2



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-69
Project PLANET EXPLORATION
Project Number 800125



GoldCorp Inc.
Geochemistry Report

Hole Number RL-05-69
Project PLANET EXPLORATION
Project Number 800125



Goldcorp Inc.
QC Report

Hole Number RL-05-69
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
19.50	348899	1649	113	-	-	-	100	-	-	-	0.00	1.6	-	0.048	105.0	-
19.51	348900	<5	4	-	-	-	12	-	-	-	0.00	<0.0	-	<0.001	61.0	-
102.50	348949	1669	110	-	-	-	96	-	-	-	0.00	1.7	-	0.049	101.0	-
102.51	348950	<5	2	-	-	-	8	-	-	-	0.00	<0.0	-	<0.001	51.0	-
149.00	348999	1788	113	-	-	-	97	-	-	-	0.00	1.8	-	0.052	100.0	-
149.01	349000	<5	2	-	-	-	10	-	-	-	0.00	<0.0	-	<0.001	58.0	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-69
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
12.70	15.00	2.30	R4	0.56	1.29	-	100.00	-	100.00
15.00	18.00	3.00	R4	0.37	0.84	-	100.00	-	100.00
18.00	21.00	3.00	R4	0.20	0.29	-	100.00	-	100.00
21.00	24.00	3.00	R4	0.30	0.54	-	100.00	-	100.00
24.00	27.00	3.00	R4	0.20	0.29	-	100.00	-	100.00
27.00	30.00	3.00	R3	0.26	0.43	-	100.00	-	100.00
30.00	33.00	3.00	R3	0.22	0.25	-	100.00	-	100.00
33.00	36.00	3.00	R3	0.07	0.09	-	100.00	-	100.00
36.00	39.00	3.00	R4	0.10	0.16	-	100.00	-	100.00
39.00	42.00	3.00	R4	0.38	0.60	-	100.00	-	100.00
42.00	45.00	3.00	R4	0.31	0.43	-	100.00	-	100.00
45.00	48.00	3.00	R4	0.85	2.19	-	100.00	-	100.00
48.00	51.00	3.00	R4	0.89	2.96	-	100.00	-	100.00
51.00	54.00	3.00	R4	1.78	4.30	-	100.00	-	100.00
54.00	57.00	3.00	R4	0.91	1.83	-	100.00	-	100.00
57.00	60.00	3.00	R4	0.54	0.84	-	100.00	-	100.00
60.00	63.00	3.00	R4	0.14	0.29	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.37	1.50	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.96	2.92	-	100.00	-	100.00
69.00	72.00	3.00	R4	0.30	0.40	-	100.00	-	100.00
72.00	75.00	3.00	R4	3.57	8.21	-	100.00	-	100.00
75.00	78.00	3.00	R4	3.98	11.20	-	100.00	-	100.00
78.00	81.00	3.00	R4	3.71	16.60	-	100.00	-	100.00
81.00	84.00	3.00	R5	4.14	11.90	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.10	0.40	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.12	0.40	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
93.00	96.00	3.00	R5	0.07	0.32	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.19	0.45	-	100.00	-	100.00
99.00	102.00	3.00	R5	0.21	0.64	-	100.00	-	100.00
102.00	105.00	3.00	R4	0.38	0.58	-	100.00	-	100.00
105.00	108.00	3.00	R4	0.35	0.54	-	100.00	-	100.00
108.00	111.00	3.00	R4	0.50	0.69	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.07	0.18	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.36	0.89	-	100.00	-	100.00
117.00	120.00	3.00	R6	2.05	6.03	-	100.00	-	100.00
120.00	123.00	3.00	R6	0.07	0.14	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-69
Project: PLANET EXPLORATION
Project Number: 800125

123.00	126.00	3.00	R6	3.57	9.16	-	100.00	-	100.00
126.00	129.00	3.00	R6	0.04	0.05	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.04	0.12	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.64	2.25	-	100.00	-	100.00
135.00	138.00	3.00	R4	1.58	2.67	-	100.00	-	100.00
138.00	141.00	3.00	R4	6.58	11.40	-	100.00	-	100.00
141.00	144.00	3.00	R4	2.69	9.80	-	100.00	-	100.00
144.00	147.00	3.00	S1	0.02	0.12	-	100.00	-	100.00
147.00	150.00	3.00	R6	0.03	0.10	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.86	2.98	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.37	0.86	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.83	1.33	-	100.00	-	100.00
159.00	162.00	3.00	R5	1.32	5.45	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.18	0.87	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.03	0.09	-	100.00	-	100.00
171.00	174.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
174.00	177.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
177.00	180.00	3.00	R6	0.53	0.96	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
186.00	189.00	3.00	R5	-0.03	-0.33	-	100.00	-	100.00
189.00	192.00	3.00	R5	0.05	0.14	-	100.00	-	100.00
192.00	195.00	3.00	R6	0.09	0.56	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-70
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 113.46	Length: meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -50.49	Pulled: No	Claim No:	Spotted by: T. Maciejewski
Length: 246.00 meters	Capped: No	NTS:	Coord Type: SUR
Started: 04-Mar-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed:		Level:	Surveyed Date:
Logged: 07-Mar-05	Core	Coordinate - Gemcom	Logged by: L.C. Chastko
Wedged : No	Dimension: NQ	Coordinate - UTM	Re-logged by:
Wedged from:	Original Units: M	Elevation: 412	Water Source:
	Storage: Cochenour Mine	UTM Zone: 15 (NAD27)	Water line:
		Grid Name:	Left in hole:
Target: Upper Duck Iron Formation			Control Drilling:
Comments: relogged by TP June-July 2005			Cutting sampled: No
			Geophysic:

Deviation Tests

Deviation Tests

Deviation Tests

<u>Distance</u> (m)	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>	<u>Distance</u> (m)	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>	<u>Distance</u> (m)	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>
0.000	113.46	-50.49	X	48.000	112.92	-49.69	X	96.000	113.16	-49.01	X
3.000	113.11	-50.49	X	51.000	112.90	-49.63	X	99.000	113.07	-48.93	X
6.000	113.16	-50.47	X	54.000	112.85	-49.56	X	102.000	113.03	-48.84	X
9.000	113.23	-50.49	X	57.000	112.81	-49.51	X	105.000	113.12	-48.69	X
12.000	113.14	-50.47	X	60.000	112.84	-49.46	X	108.000	113.18	-48.55	X
15.000	113.03	-50.50	X	63.000	112.97	-49.46	X	111.000	113.17	-48.47	X
18.000	112.96	-50.48	X	66.000	113.10	-49.48	X	114.000	113.16	-48.43	X
21.000	112.96	-50.36	X	69.000	113.17	-49.42	X	117.000	113.19	-48.42	X
24.000	112.94	-50.20	X	72.000	113.15	-49.38	X	120.000	113.24	-48.38	X
27.000	113.00	-50.13	X	75.000	113.16	-49.33	X	123.000	113.28	-48.37	X
30.000	113.02	-50.13	X	78.000	113.16	-49.31	X	126.000	113.30	-48.32	X
33.000	112.98	-50.10	X	81.000	113.23	-49.28	X	129.000	113.27	-48.25	X
36.000	112.97	-49.99	X	84.000	113.25	-49.27	X	132.000	113.27	-48.21	X
39.000	112.99	-49.84	X	87.000	113.24	-49.22	X	135.000	113.23	-48.17	X
42.000	112.97	-49.73	X	90.000	113.26	-49.17	X	138.000	113.22	-48.12	X
45.000	112.95	-49.70	X	93.000	113.24	-49.09	X	141.000	113.22	-48.07	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-70
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	113.23	-48.04	X
147.000	113.23	-48.00	X
150.000	113.26	-47.96	X
153.000	113.26	-47.90	X
159.000	113.25	-47.78	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-70
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
0.00	19.49	(OB) OVERBURDEN									
19.49	33.80	(7B) FELDSPAR PORPHYRY BX									
		80% light brownish-grey, fine grained and porphyritic clasts, stretched, varying from mm to 10 cm	349030	21.00	22.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
		15-20% interstitia biotitic streaks, stringers and occasional fragments, felsic clasts often rimmed with irregular green amphibole and whitish fine grained felspar matt	349031	22.00	23.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		general orientation on elongated clasts and biotitic streaks is 35-40 to CA but is variable down section from 30 to 60 to CA	349032	23.00	24.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		local epidotization of interstitial material	349033	24.00	25.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
		1% local irregular blebs and fine stringers popy in matrix	349034	25.00	26.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			349035	26.00	27.00	1.00	0.17	0.005	167	<input type="checkbox"/>	
			349036	27.00	28.00	1.00	0.69	0.020	687	<input type="checkbox"/>	
			349037	28.00	29.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			349038	29.00	30.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			349039	30.00	31.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349040	31.00	32.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349041	32.00	33.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			349042	33.00	34.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
33.80	37.50	(7B) FELDSPAR PORPHYRY									
		mottled light buff with fine matrix of brownish biotite, minor amphibole, well foliated, variable-generally at 35 to CA	349043	34.00	35.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
		sharp irregular contacts	349044	35.00	36.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		TP: neither sub-volcanic nor chunky type	349045	36.00	37.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349046	37.00	38.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
37.50	42.35	(7B) FELDSPAR PORPHYRY BX									
		80% light brownish-grey, fine grained and porphyritic clasts, stretched, varying from mm to 10 cm	349047	38.00	39.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		15-20% interstitia biotitic streaks, stringers and occasional fragments, felsic clasts often rimmed with irregular green amphibole and whitish fine grained felspar matt	349048	39.00	40.00	1.00	0.08	0.002	77	<input type="checkbox"/>	
		general orientation on elongated clasts and biotitic streaks is 35-40 to CA but is variable down section from 30 to 60 to CA	349051	40.00	41.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		local epidotization of interstitial material	349052	41.00	42.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		1% local irregular blebs and fine stringers popy in matrix									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-70
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
42.35	44.28	(6A) DIORITE dark brown, strongly biotitic, fine grained with scattered light grey porphyroblasts of unidentified mineral 2-5 mm diameter, sharp conformable contacts at 35-40 to CA	349053	42.00	43.00	1.00	0.77	0.022	769	<input type="checkbox"/>	
			349054	43.00	44.00	1.00	0.74	0.022	742	<input type="checkbox"/>	
44.28	57.30	(7B) FELDSPAR PORPHYRY BX similar to before 80% light brownish-grey, fine grained and porphyritic clasts, stretched, varying from mm to 10 cm 15-20% interstitia biotitic streaks, stringers and occasional fragments, felsic clasts often rimmed with irregular green amphibole and whitish fine grained felspar matt general orientation on elongated clasts and biotitic streaks is 35-40 to CA but is variable down section from 30 to 60 to CA local epidotization of interstitial material 1% local irregular blebs and fine stringers popy in matrix	349055	44.00	45.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			349056	45.00	46.00	1.00	0.17	0.005	167	<input type="checkbox"/>	
			349057	46.00	47.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			349058	47.00	48.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			349059	48.00	49.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349060	49.00	50.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			349061	50.00	51.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			349062	51.00	52.00	1.00	0.34	0.010	339	<input type="checkbox"/>	
			349063	52.00	53.00	1.00	0.17	0.005	170	<input type="checkbox"/>	
			349064	53.00	54.00	1.00	0.23	0.007	232	<input type="checkbox"/>	
			349065	54.00	55.00	1.00	0.12	0.003	118	<input type="checkbox"/>	
57.30	60.50	(7B) FELDSPAR PORPHYRY mottled light buff with fine matrix of brownish biotite, minor amphibole, well foliated, variable-generally at 35 to CA sharp irregular contacts TP: chunky porphyry	349066	55.00	56.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349067	56.00	57.30	1.30	<0.01	<0.001	<5	<input type="checkbox"/>	
			349068	57.30	58.00	0.70	0.01	<0.001	8	<input type="checkbox"/>	
			349069	58.00	59.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
60.50	87.31	(7B) FELDSPAR PORPHYRY BX similar to before 80% light brownish-grey, fine grained and porphyritic clasts, stretched, varying from mm to 10 cm 15-20% interstitia biotitic streaks, stringers and occasional fragments, felsic clasts often rimmed with irregular green amphibole and whitish fine grained felspar matt general orientation on elongated clasts and biotitic streaks is 55-65 to CA but is variable down section from 30 to 60 to CA local epidotization of interstitial material 1% local irregular blebs and fine stringers popy in matrix	349070	59.00	60.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			349071	60.00	60.75	0.75	0.10	0.003	96	<input type="checkbox"/>	
			349072	60.75	62.00	1.25	0.08	0.002	78	<input type="checkbox"/>	
			349073	62.00	63.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349074	63.00	64.00	1.00	0.67	0.019	665	<input type="checkbox"/>	
			349075	64.00	65.00	1.00	0.14	0.004	144	<input type="checkbox"/>	
			349076	65.00	66.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			349077	66.00	67.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			349078	67.00	68.00	1.00	0.54	0.016	538	<input type="checkbox"/>	
349079	68.00	69.00	1.00	0.76	0.022	762	<input type="checkbox"/>				
349080	69.00	70.00	1.00	0.05	0.001	45	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-70
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		85.0 - 87.31 folder low angle foliation	349081	70.00	71.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
		67.50 - 67.70 (FLT) FAULT	349082	71.00	72.00	1.00	0.05	0.001	50	<input type="checkbox"/>	0.62 m core
		late breccia- lost water return	349083	72.00	73.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			349084	73.00	74.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
		75.30 - 76.12 (6G) GABBRO	349085	74.00	75.00	1.00	0.08	0.002	81	<input type="checkbox"/>	
		dark green, fine grained, altered gabbro dike, sharp conformable contacts	349086	75.00	76.00	1.00	0.15	0.004	150	<input type="checkbox"/>	
			349087	76.00	77.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
			349088	77.00	78.00	1.00	0.34	0.010	338	<input type="checkbox"/>	
		77.00 - 77.52 (6G) GABBRO	349089	78.00	79.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		similar to above	349090	79.00	80.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			349091	80.00	81.00	1.00	0.12	0.003	116	<input type="checkbox"/>	
			349092	81.00	82.00	1.00	0.18	0.005	179	<input type="checkbox"/>	
			349093	82.00	83.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			349094	83.00	84.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			349095	84.00	85.00	1.00	0.12	0.003	117	<input type="checkbox"/>	
			349096	85.00	86.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			349097	86.00	87.00	1.00	0.14	0.004	139	<input type="checkbox"/>	
87.31	94.72	(6G) GABBRO	349098	87.00	88.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
		dark green, fine to medium grained, irregural variable foliation,, minor dark brown biotitic streaks, altered banded contacts	349101	88.00	89.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349102	89.00	90.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349103	90.00	91.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			349104	91.00	92.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349105	92.00	93.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349106	93.00	94.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			349107	94.00	94.72	0.72	0.01	<0.001	7	<input type="checkbox"/>	
94.72	96.65	(7B) FELDSPAR PORPHYRY	349108	94.72	96.00	1.28	0.03	0.001	30	<input type="checkbox"/>	
		similar to before, increased shearing and foliation, moderately bleached, pronounced dark biotitic streaks and elongated clasts, noticeable popy in biotitic fraction, weakly sericitized, local white laths of silliminite? 2% irregular quartz veinlets TP: aphyric phase of porphyry - possibly felsic volcanics	349109	96.00	97.00	1.00	0.04	0.001	41	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-70
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
96.65	99.03	(7B) FELDSPAR PORPHYRY finely mottled greyish matrix and fine dark biotite clots, moderately foliated at 50 to CA TP: chunky porphyry, well foliated	349110	97.00	98.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			349111	98.00	99.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
99.03	119.03	(7B) FELDSPAR PORPHYRY possibly 3; aphyric phase of porphyry, minor garnet similar to above, light brownish-grey fine grained felsic clasts with 20% irregular dark fine biotite rich streaks, minor fine skarn type veinlets 2-3% irregular veinlets of po>py traces cpy 100.0 - 103.0 2-3% irregular stringers popy, traces stubby Aspy generally in biotitic streaks 101.0 - 101.10 quartz filled fracture 5% popy overall foliation and lineation is variable from 35 to 55 to CA-generally 45 105.0 - 119.0 occasional skarn type veining with 5-8% popy traces cpy 110.0 - 119.3 number of black line faults 115.60 - 116.40 (7B) FELDSPAR PORPHYRY sheared, biotitic dike similar to before 117.15 - 117.25 (FLT) FAULT late breccia, open fault	349112	99.00	100.00	1.00	1.06	0.031	1055	<input type="checkbox"/>	
			349113	100.00	101.00	1.00	0.16	0.005	155	<input type="checkbox"/>	
			349114	101.00	102.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			349115	102.00	103.00	1.00	0.10	0.003	98	<input type="checkbox"/>	
			349116	103.00	104.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			349117	104.00	105.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			349118	105.00	106.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			349119	106.00	107.00	1.00	1.05	0.031	1049	<input type="checkbox"/>	
			349120	107.00	108.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			349121	108.00	109.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349122	109.00	110.00	1.00	0.32	0.009	322	<input type="checkbox"/>	
			349123	110.00	111.00	1.00	0.13	0.004	133	<input type="checkbox"/>	
			349124	111.00	112.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			349125	112.00	113.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349126	113.00	114.00	1.00	0.07	0.002	73	<input type="checkbox"/>	
			349127	114.00	115.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			349128	115.00	116.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			349129	116.00	117.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349130	117.00	118.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
349131	118.00	119.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
119.03	127.95	(6G) GABBRO 60% dark green fine to medium grained gabbro with biotitic patches, 40% interfingered banded felsics with biotitic streaks and narrow bands some folding, and hairline faulting, micro block faulting at lower contact	349132	119.00	120.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349133	120.00	121.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349134	121.00	122.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			349135	122.00	123.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			349136	123.00	124.00	1.00	2.73	0.080	2728	<input type="checkbox"/>	
			349137	124.00	125.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			349138	125.00	126.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
349139	126.00	127.00	1.00	0.04	0.001	42	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-70
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
127.95	132.46	(7B) FELDSPAR PORPHYRY	349140	127.00	128.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		good porphyry with abundant small white fs phenos similar to before, 15% fine biotitic streaks and fine bands, banding and foliation at 75 to CA	349141	128.00	129.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
			349142	129.00	130.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			349143	130.00	131.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			349144	131.00	132.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
		131.09 - 131.36 (7B) FELDSPAR PORPHYRY	349145	132.00	132.46	0.46	0.09	0.002	85	<input type="checkbox"/>	
		chunky porphyry dike, biotitic, foliated, sharp conformable contacts at 75 to CA									
132.46	155.10	(5S) SILICATE FACIES IRON FORMATION	349146	132.46	133.00	0.54	0.28	0.008	277	<input type="checkbox"/>	
		interlayered	349147	133.00	134.00	1.00	1.93	0.056	1934	<input type="checkbox"/>	
		Amphibole-Garnet +/- magnetite and/or po & Aspy	349148	134.00	135.00	1.00	0.61	0.018	609	<input type="checkbox"/>	
		Magnetite-Greunerite +/- po Aspy	349151	135.00	136.00	1.00	2.45	0.071	2450	<input type="checkbox"/>	
		minor felsic bands of fine grained tuff? With dark biotite rich bands	349152	136.00	136.50	0.50	0.07	0.002	73	<input type="checkbox"/>	
		minor feldspar porphyry dikes-foliated	349153	136.50	137.00	0.50	0.36	0.011	364	<input type="checkbox"/>	
		132.46 - 132.74 amphibole-garnet-epidote rich band, non magnetic, sharp lower contact with strongly magnetic below	349154	137.00	137.50	0.50	3.03	0.088	3032	<input type="checkbox"/>	
		132.74 - 133.84 amphibole-greunerite-magnetite-garnet, finely laminated and banded at 75 to CA, 15-20% fine laminations and disseminated magnetite	349155	137.50	138.00	0.50	0.05	0.002	54	<input type="checkbox"/>	
		possible traces Aspy	349156	138.00	138.50	0.50	0.04	0.001	38	<input type="checkbox"/>	
		133.84 - 134.60 feldspar porphyry dike sheared, conformable sharp contacts at 75 to CA	349157	138.50	139.00	0.50	3.38	0.098	3376	<input type="checkbox"/>	
		134.60 - 136.26 amphibole-garnet rich band, well banded at 75 to CA, traces magnetite, po possible aspy	349158	139.00	139.50	0.50	7.67	0.224	7667	<input type="checkbox"/>	
		136.26 - 136.85 magnetite-grunerite-garnet band, 20-25% fine laminated and disseminated magnetite, 5-8% fine laminations po	349159	139.50	140.00	0.50	5.76	0.168	5758	<input type="checkbox"/>	
		136.85 - 138.85 light grey, fine grained felsic tuff with 20% dark biotitic streaks and bands, overall 2-4% locally concentrated stringers po>>py, traces of fine stubby Aspy, 2-5% aspy in last 15 cm, foliation at 75 to CA with minor folding	349160	140.00	140.50	0.50	16.72	0.488	16719	<input type="checkbox"/>	
		138.85 - 141.05 25% fine laminated ad disseminated magnetite, 5-8% irregular laminations and stringers po, 5-6% stubby aspy locally concentrated, foliation and banding generally at 60-65 to CA, 15 cm massive diopside matt at top of section	349161	140.50	141.00	0.50	1.14	0.033	1139	<input type="checkbox"/>	
			349162	141.00	141.50	0.50	0.09	0.002	85	<input type="checkbox"/>	
			349163	141.50	142.00	0.50	0.11	0.003	109	<input type="checkbox"/>	
			349164	142.00	142.50	0.50	0.13	0.004	134	<input type="checkbox"/>	
			349165	142.50	143.00	0.50	0.22	0.006	221	<input type="checkbox"/>	
			349166	143.00	143.50	0.50	0.24	0.007	243	<input type="checkbox"/>	
			349167	143.50	144.10	0.60	0.19	0.006	194	<input type="checkbox"/>	
			349168	144.10	145.00	0.90	0.06	0.002	62	<input type="checkbox"/>	
			349169	145.00	145.50	0.50	0.12	0.004	122	<input type="checkbox"/>	
			349170	145.50	146.00	0.50	0.81	0.024	814	<input type="checkbox"/>	
			349171	146.00	146.50	0.50	0.57	0.017	568	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-70
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	V.G.	<i>Comments</i>
		garnet-magnetite layers	349172	146.50	147.00	0.50	1.25	0.036	1250	<input type="checkbox"/>	
		147.0 lamination and foliation dominantly at 20 to CA-steepens to end of section-folding	349173	147.00	147.50	0.50	3.82	0.111	3817	<input type="checkbox"/>	
		151.00 - 151.73 crudely layered amphibole-garnet onlt taces magnetite, banding at 25-30 to CA-variable	349174	147.50	148.00	0.50	0.54	0.016	542	<input type="checkbox"/>	
		151.73 - 154.35 finely laminated 25% magnetite-silica as before, folded, minor faulting, traces aspy	349175	148.00	148.50	0.50	2.88	0.084	2881	<input type="checkbox"/>	
		154.35 - 155.10 well finely layered tuff, quite biotitic in bands, infolded amph-garnet layer	349176	148.50	149.00	0.50	0.48	0.014	476	<input type="checkbox"/>	
			349177	149.00	149.50	0.50	0.38	0.011	383	<input type="checkbox"/>	
			349178	149.50	150.00	0.50	0.12	0.004	123	<input type="checkbox"/>	
			349179	150.00	150.50	0.50	1.13	0.033	1125	<input type="checkbox"/>	
			349180	150.50	151.00	0.50	0.51	0.015	514	<input type="checkbox"/>	
			349181	151.00	151.50	0.50	2.58	0.075	2578	<input type="checkbox"/>	
			349182	151.50	152.00	0.50	0.80	0.023	796	<input type="checkbox"/>	
			349183	152.00	152.50	0.50	4.93	0.144	4925	<input type="checkbox"/>	
			349184	152.50	153.00	0.50	1.23	0.036	1226	<input type="checkbox"/>	
			349185	153.00	153.50	0.50	1.66	0.048	1662	<input type="checkbox"/>	
			349186	153.50	154.00	0.50	0.81	0.024	814	<input type="checkbox"/>	
			349187	154.00	154.50	0.50	0.91	0.026	908	<input type="checkbox"/>	
			349188	154.50	155.10	0.60	0.51	0.015	506	<input type="checkbox"/>	
155.10	155.77	(7B) FELDSPAR PORPHYRY chunky feldspar porphyry dike, biotitic, well foliated, sharp contacts at 30 to CA	349189	155.10	155.77	0.67	<0.01	<0.001	<5	<input type="checkbox"/>	
155.77	178.80	(7B) FELDSPAR PORPHYRY BX good porphyry breccia banded fine grained porph 1-10 cm bands with fine mm to cm scale dark fine biotite, gneissic appearance, some minor folding, general banding and foliation at 30-35 to CA, minor narrow 50 cm mafic dikes; abund. white mm-scale fs phenos traces popy with occassional fine stringer 155.77 - 156.5 traces fine stubby aspy	349190	155.77	156.00	0.23	0.03	0.001	32	<input type="checkbox"/>	
			349191	156.00	157.00	1.00	0.13	0.004	126	<input type="checkbox"/>	
			349192	157.00	158.00	1.00	0.11	0.003	107	<input type="checkbox"/>	
			349193	158.00	159.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349194	159.00	160.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349195	160.00	161.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		156.05 - 156.20 (FLT) FAULT	349196	161.00	162.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		late open breccia	349197	162.00	163.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			349198	163.00	164.00	1.00	0.11	0.003	105	<input type="checkbox"/>	
			349201	164.00	165.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		168.05 - 168.47 (6G) GABBRO	349202	165.00	166.00	1.00	0.09	0.003	94	<input type="checkbox"/>	
		gabbroic dike	349203	166.00	167.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			349204	167.00	168.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-70
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
	174.90 - 175.50	(6G) GABBRO	349205	168.00	169.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
		gabbroic dike	349206	169.00	170.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			349207	170.00	171.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349208	171.00	172.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
	177.00 - 177.30	(6G) GABBRO	349209	172.00	173.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		gabbroic dike	349210	173.00	174.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349211	174.00	175.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349212	175.00	176.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			349213	176.00	177.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			349214	177.00	178.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			349215	178.00	179.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
178.80	206.40	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	349216	179.00	180.00	1.00	0.22	0.006	218	<input type="checkbox"/>	
		felsic to intermediate, relatively uniform light brownish-grey, fine-medium grained, moderately foliated at 60 to CA, some obvious folding, weak-moderately sericitized, lightly biotitized, occasional narrow mafic layer with minor garnets & andalusite, occasional fine irregular stringers popy, occasional narrow late quartz vein	349217	180.00	181.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			349218	184.00	185.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			349219	189.00	190.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			349220	194.00	195.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			349221	199.00	200.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349222	204.00	205.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
206.40	226.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	349223	209.00	210.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
		increased crude biotitic layering from above, moderately sericitized locally, local garnetiferous sections	349224	210.00	211.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
		local sections with fine stringers popy- 1-3% over 0.3 m	349225	215.00	216.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		219.0 - 219.5 several irregular stringers popy 3%	349226	219.00	220.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
226.00	246.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	349227	226.00	227.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		crudely layered felsic and intermediate layers, biotite rich to biotite-amphibole-garnet, moderately sericitic, occasional narrow foliated porphyry dikes, occasional clots of feathery altered andalusite	349228	229.00	230.00	1.00	0.26	0.008	262	<input type="checkbox"/>	
		>5% gar-bio-amph bands (1-15cm)	349229	234.00	235.00	1.00	0.22	0.006	219	<input type="checkbox"/>	
			349230	239.00	240.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			349231	242.00	243.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
	243.50 - 245.00	(7B) FELDSPAR PORPHYRY									
		foliated feldspar porphyry, biotitic; chunky porphyry									



Goldcorp Inc.
QC Report

Hole Number RL-05-70
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> <i>(m)</i>	<i>Sample</i>	<i>Au</i> <i>(ppb)</i>	<i>Cu</i> <i>(ppm)</i>	<i>Pt</i> <i>(ppb)</i>	<i>Ni</i> <i>(%)</i>	<i>Cu</i> <i>(%)</i>	<i>Ni</i> <i>(ppm)</i>	<i>Pd</i> <i>(ppb)</i>	<i>Zn</i> <i>(%)</i>	<i>Ag</i> <i>(ppm)</i>	<i>Pb</i> <i>(%)</i>	<i>Au</i> <i>(g/t)</i>	<i>Rh</i> <i>(ppb)</i>	<i>Au</i> <i>(Oz/t)</i>	<i>Zn</i> <i>(ppm)</i>	<i>S</i> <i>(%)</i>
40.00	349049	1734	-	-	-	-	-	-	-	-	-	1.7	-	0.051	-	-
40.01	349050	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
88.00	349099	1784	-	-	-	-	-	-	-	-	-	1.8	-	0.052	-	-
88.01	349100	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
135.00	349149	1859	-	-	-	-	-	-	-	-	-	1.9	-	0.054	-	-
135.01	349150	8	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
164.00	349199	1845	-	-	-	-	-	-	-	-	-	1.8	-	0.054	-	-
164.01	349200	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-70
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
19.69	21.00	1.31	R5	0.88	7.56	-	100.00	-	100.00
21.00	24.00	3.00	R5	0.08	0.10	-	100.00	-	100.00
24.00	27.00	3.00	R5	0.09	0.16	-	100.00	-	100.00
27.00	30.00	3.00	R5	0.07	0.12	-	100.00	-	100.00
30.00	33.00	3.00	R5	0.06	0.09	-	100.00	-	100.00
33.00	36.00	3.00	R4	0.13	0.16	-	100.00	-	100.00
36.00	39.00	3.00	R4	0.05	0.09	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.03	0.05	-	100.00	-	100.00
42.00	45.00	3.00	R4	2.46	7.26	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.18	0.60	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.18	0.67	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.08	0.23	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.03	0.03	-	100.00	-	100.00
57.00	60.00	3.00	R4	0.14	0.23	-	100.00	-	100.00
60.00	63.00	3.00	R5	0.10	0.18	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.05	0.10	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.08	0.21	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.06	0.09	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.37	1.00	-	100.00	-	100.00
75.00	78.00	3.00	R5	1.71	2.65	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.07	0.12	-	100.00	-	100.00
81.00	84.00	3.00	R5	0.15	0.29	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.08	0.12	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.16	0.20	-	100.00	-	100.00
90.00	93.00	3.00	R4	0.23	0.25	-	100.00	-	100.00
93.00	96.00	3.00	R4	0.15	0.20	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.25	0.36	-	100.00	-	100.00
99.00	102.00	3.00	R6	0.93	1.86	-	100.00	-	100.00
102.00	105.00	3.00	R6	0.19	0.43	-	100.00	-	100.00
105.00	108.00	3.00	R5	1.53	4.46	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.96	2.30	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.16	0.27	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.23	0.32	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.09	0.14	-	100.00	-	100.00
120.00	123.00	3.00	R4	0.20	0.23	-	100.00	-	100.00
123.00	126.00	3.00	R4	0.22	0.29	-	100.00	-	100.00
126.00	129.00	3.00	R4	0.21	0.54	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-70
Project: PLANET EXPLORATION
Project Number: 800125

129.00	132.00	3.00	R5	3.50	10.20	-	100.00	-	100.00
132.00	135.00	3.00	R4	54.20	107.00	-	100.00	-	100.00
135.00	138.00	3.00	R5	38.70	154.00	-	100.00	-	100.00
138.00	141.00	3.00	R5	56.00	245.00	-	100.00	-	100.00
141.00	144.00	3.00	R5	8.18	18.50	-	100.00	-	100.00
144.00	147.00	3.00	R5	54.80	113.00	-	100.00	-	100.00
147.00	150.00	3.00	R5	175.00	293.00	-	100.00	-	100.00
150.00	153.00	3.00	R5	175.00	403.00	-	100.00	-	100.00
153.00	156.00	3.00	R5	100.00	226.00	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.13	0.42	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.10	0.25	-	100.00	-	100.00
162.00	165.00	3.00	R6	0.25	0.62	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.09	0.12	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.53	1.72	-	100.00	-	100.00
171.00	174.00	3.00	R5	0.10	0.23	-	100.00	-	100.00
174.00	177.00	3.00	R5	0.16	0.43	-	100.00	-	100.00
177.00	180.00	3.00	R5	0.17	0.45	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.40	1.29	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.30	0.91	-	100.00	-	100.00
186.00	189.00	3.00	R5	0.25	0.45	-	100.00	-	100.00
189.00	192.00	3.00	R5	3.51	12.10	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.16	0.29	-	100.00	-	100.00
195.00	198.00	3.00	R5	0.96	2.61	-	100.00	-	100.00
198.00	201.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
201.00	204.00	3.00	R5	0.13	0.31	-	100.00	-	100.00
204.00	207.00	3.00	R5	1.35	2.65	-	100.00	-	100.00
207.00	210.00	3.00	R6	1.13	2.39	-	100.00	-	100.00
210.00	213.00	3.00	R6	2.85	9.66	-	100.00	-	100.00
213.00	216.00	3.00	R5	0.51	1.18	-	100.00	-	100.00
216.00	219.00	3.00	R5	0.48	1.24	-	100.00	-	100.00
219.00	222.00	3.00	R5	0.34	1.17	-	100.00	-	100.00
222.00	225.00	3.00	R5	0.07	0.16	-	100.00	-	100.00
225.00	228.00	3.00	R5	0.46	0.71	-	100.00	-	100.00
228.00	231.00	3.00	R5	0.21	0.29	-	100.00	-	100.00
231.00	234.00	3.00	R5	1.02	3.82	-	100.00	-	100.00
234.00	237.00	3.00	R5	1.21	4.94	-	100.00	-	100.00
237.00	240.00	3.00	R5	0.07	0.09	-	100.00	-	100.00
240.00	243.00	3.00	R5	0.19	0.42	-	100.00	-	100.00
243.00	246.00	3.00	R5	5.15	9.76	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-71
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>	
Azimuth:	268.03	Length:	33.00 meters	Township:	COLI LAKE	Contractor:	MAJOR DRILLING	
Dip:	-60.67	Pulled:	No	Claim No:		Spotted by:	T. Maciejewski	
Length:	261.00 meters	Capped:	Yes	NTS:		Coord Type:	SUR	
Started:	10-Mar-05	Cemented:	No	Surface Hole :	Yes	Surveyed by:	K. Pye	
Completed:	15-Mar-05			Level:		Surveyed Date:		
Logged:	12-Mar-05			<u>Coordinate- Gemcom</u>	<u>Coordinate - UTM</u>	<u>Coordinate- Grid</u>		
Wedged :	No	<u>Core</u>		East:	462684.56	East:	462685	
Wedged from:		Dimension:	NQ	North:	5681148.69	North:	5681149	
		Original Units:	M	Elevation:	408.98	Elevation:	409	
		Storage:	Cochenour Mine	UTM Zone:	15 (NAD27)	Grid Name:		
Target:	Main Zone					Logged by:	L.C. Chastko	
Comments:						Re-logged by:		
						Water Source:		
						Water line:		
						Left in hole:	Nothing	
						Control Drilling:		
						Cutting sampled:	No	
						Geophysical:		

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	268.03	-60.67	X	48.000	266.64	-61.45	X	96.000	265.12	-61.26	X
3.000	268.01	-60.92	X	51.000	266.49	-61.45	X	99.000	265.02	-61.24	X
6.000	268.07	-60.63	X	54.000	266.31	-61.43	X	102.000	265.00	-61.13	X
9.000	268.08	-60.38	X	57.000	266.12	-61.49	X	105.000	264.96	-61.04	X
12.000	268.01	-60.31	X	60.000	266.01	-61.53	X	108.000	264.92	-61.01	X
15.000	267.89	-60.28	X	63.000	265.84	-61.51	X	111.000	264.87	-61.01	X
18.000	267.69	-60.26	X	66.000	265.59	-61.54	X	114.000	264.75	-61.02	X
21.000	267.40	-60.43	X	69.000	265.33	-61.59	X	117.000	264.74	-60.98	X
24.000	267.15	-60.88	X	72.000	265.10	-61.57	X	120.000	264.71	-60.94	X
27.000	267.09	-61.19	X	75.000	265.09	-61.46	X	123.000	264.55	-60.97	X
30.000	267.06	-61.31	X	78.000	265.17	-61.35	X	126.000	264.18	-61.03	X
33.000	267.01	-61.39	X	81.000	265.22	-61.32	X	129.000	263.88	-61.04	X
36.000	267.07	-61.39	X	84.000	265.30	-61.30	X	132.000	263.69	-60.98	X
39.000	267.07	-61.40	X	87.000	265.24	-61.31	X	135.000	263.61	-60.89	X
42.000	266.91	-61.43	X	90.000	265.15	-61.32	X	138.000	263.63	-60.84	X
45.000	266.79	-61.43	X	93.000	265.13	-61.31	X	141.000	263.64	-60.82	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-71
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
144.000	263.63	-60.80	X
147.000	263.58	-60.80	X
150.000	263.67	-60.79	X
153.000	263.75	-60.77	X
156.000	263.73	-60.77	X
159.000	263.75	-60.75	X
162.000	263.70	-60.74	X
165.000	263.65	-60.72	X
168.000	263.57	-60.71	X
171.000	263.43	-60.69	X
174.000	263.41	-60.65	X
177.000	263.31	-60.66	X
180.000	263.11	-60.62	X
183.000	262.99	-60.60	X
186.000	262.84	-60.58	X
189.000	262.70	-60.56	X
192.000	262.63	-60.54	X
195.000	262.56	-60.51	X
198.000	262.49	-60.47	X
201.000	262.42	-60.46	X
204.000	262.28	-60.44	X
207.000	262.11	-60.44	X
210.000	261.95	-60.42	X
213.000	261.75	-60.40	X
216.000	261.61	-60.38	X
219.000	261.52	-60.34	X
222.000	261.47	-60.30	X
225.000	261.40	-60.25	X
228.000	261.32	-60.21	X
231.000	261.25	-60.15	X
234.000	261.12	-60.09	X
237.000	261.06	-60.03	X
240.000	261.01	-59.98	X
243.000	260.90	-59.94	X
246.000	260.93	-59.88	X

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
252.000	260.95	-59.83	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-71
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
0.00	29.00	(OB) OVERBURDEN									
29.00	41.60	(6G) GABBRO									
		dark green with minor brown biotite patches, medium grained, massive to weakly foliated, minor fine healed fractures, altered moderately to crenulated contact- 0.5 m., lower contact at 60 to CA	349232	30.00	31.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		Traces local isseminated pypo	349233	39.00	40.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			349234	40.00	41.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			349235	41.00	42.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
41.60	80.20	(3G) FELSIC VOLCANICLASTICS BX									
		Brecciated Felsic volcaniclastics/ possibly brecciated 3T quartz-Anandalusite-Staurolite	349236	42.00	43.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
		variable from brecciated Quartz-Andalusite+/-Staurolite and felsic volcanic-Quartz	349237	43.00	44.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		clast fragmental, fine angular clasts, cemented, silicified moderately locally,	349238	44.00	45.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		minor to locally moderate sericitefoliation and lineation of clasts at 35 to CA	349239	45.00	46.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
		1-2% fine disseminated, irregular blebs and fracture fillings of pypo	349240	46.00	47.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		72 - 80.2 strong shearing, brecciation, local mylonitic sections	349241	47.00	48.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			349242	48.00	49.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			349243	49.00	50.00	1.00	0.13	0.004	131	<input type="checkbox"/>	
			349244	50.00	51.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			349245	51.00	52.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			349246	52.00	53.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			349247	53.00	54.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			349248	54.00	55.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			349251	55.00	56.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			349252	56.00	57.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			349253	57.00	58.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			349254	58.00	59.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			349255	59.00	60.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			349256	60.00	61.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			349257	61.00	62.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			349258	62.00	63.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			349259	63.00	64.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			349260	64.00	65.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			349261	65.00	66.00	1.00	0.03	0.001	31	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-71
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			349262	66.00	67.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			349263	67.00	68.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			349264	68.00	69.00	1.00	2.13	0.062	2128	<input type="checkbox"/>	
			349265	69.00	70.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			349266	70.00	71.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			349267	71.00	72.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			349268	72.00	73.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
			349269	73.00	74.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			349270	74.00	75.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			349271	75.00	76.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			349272	76.00	77.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			349273	77.00	78.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			349274	78.00	79.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			349275	79.00	80.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
80.20	123.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	349276	80.00	81.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
		Quartz-Andalusite-Staurolite	349277	81.00	82.00	1.00	0.18	0.005	180	<input type="checkbox"/>	
		regular finely laminated and foliated at 35 to CA	349278	82.00	83.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
		81 - 86 late fault breccia, muddy seams, blocky core	349279	83.00	84.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
		86-91 possible tourmaline	349280	84.00	85.00	1.00	0.18	0.005	178	<input type="checkbox"/>	
		overall several very low angle narrow, 1-5cm, quartz-sericite seams	349281	85.00	86.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
		staurolite altered patches increase down section	349282	86.00	87.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		81.00 - 86.00 (FLT) FAULT	349283	87.00	88.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
		late open breccia-coarse. Open muddy seams, blocky core, probable low	349284	88.00	89.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
		angle orientation 0 10-20 to CA	349285	89.00	90.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			349286	90.00	91.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			349287	91.00	92.00	1.00	0.10	0.003	100	<input type="checkbox"/>	
			349288	92.00	93.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			349289	93.00	94.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			349290	94.00	95.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			349291	95.00	96.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			349292	96.00	97.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			349293	97.00	98.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			349294	98.00	99.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			349295	99.00	100.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349296	100.00	101.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-71
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			349297	101.00	102.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349298	102.00	103.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349301	103.00	104.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349302	104.00	105.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349303	105.00	106.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349304	106.00	107.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349305	107.00	108.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349306	108.00	109.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349307	109.00	110.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349308	110.00	111.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349309	111.00	112.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349310	112.00	113.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349311	113.00	114.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349312	114.00	115.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349313	115.00	116.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			349314	116.00	117.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			349315	117.00	118.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349316	118.00	119.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			349317	119.00	120.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349318	120.00	121.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349319	121.00	122.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			349320	122.00	123.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
123.00	125.60	(9C) SILICIFIED UNIT @ SIDACE LK	349321	123.00	124.00	1.00	0.11	0.003	108	<input type="checkbox"/>	
		Silicified grey, fine grained, 30% massive and stringers crystalline py>>po, 20% Quartz-Andalusite, bands	349322	124.00	125.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
		banding and foliation at 35 to CA	349323	125.00	126.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
125.60	138.10	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	349324	126.00	127.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		3T/9A	349325	127.00	128.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		light grey-buff, fine grained. Foliated Quartz-Sericite with local remanent andalusite, moderately sericitized, moderately foliated at 35 to CA	349326	128.00	129.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		traces disseminated to locally minor stringers fine py>po	349327	129.00	130.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349328	130.00	131.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349329	131.00	132.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349330	132.00	133.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-71
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			349331	133.00	134.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349332	134.00	135.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			349333	135.00	136.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			349334	136.00	137.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			349335	137.00	138.10	1.10	0.01	<0.001	13	<input type="checkbox"/>	
138.10	168.40	(9C) SILICIFIED UNIT @ SIDACE LK	349336	138.10	139.00	0.90	0.01	<0.001	8	<input type="checkbox"/>	
		Silicified Zone	349337	139.00	140.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
		light grey glassy to weak sugary textured quartz-granitic locally	349338	140.00	141.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		5-8% fine irregular bands and stringers crystalline py>>po at 35 to CA	349339	141.00	142.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		sharp conformable contacts	349340	142.00	143.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			349341	143.00	144.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			349342	144.00	145.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			349343	145.00	146.00	1.00	0.30	0.009	297	<input type="checkbox"/>	
			349344	146.00	147.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			349345	147.00	148.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			349346	148.00	149.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			349347	149.00	150.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			349348	150.00	151.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			349351	151.00	152.00	1.00	0.24	0.007	240	<input type="checkbox"/>	
			349352	152.00	153.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			349353	153.00	154.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			349354	154.00	155.00	1.00	0.12	0.003	119	<input type="checkbox"/>	
			349355	155.00	156.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			349356	156.00	157.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			349357	157.00	158.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			349358	158.00	159.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			349359	159.00	160.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
			349360	160.00	161.00	1.00	0.10	0.003	103	<input type="checkbox"/>	
			349361	161.00	162.00	1.00	0.24	0.007	241	<input type="checkbox"/>	
			349362	162.00	163.00	1.00	3.68	0.107	3682	<input type="checkbox"/>	
			349363	163.00	164.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			349364	164.00	165.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			349365	165.00	166.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			349366	166.00	167.00	1.00	0.31	0.009	306	<input type="checkbox"/>	
			349367	167.00	168.00	1.00	0.05	0.001	46	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-71

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
168.40	198.56	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK CREN	349368	168.00	169.00	1.00	0.39	0.011	387	<input type="checkbox"/>	
		168.4 - 183.0 (darker QSS) light-medium grey, fine to medium grained, moderately sericitized, weak to moderately foliated at 35 to CA, relatively uniform along section	349369	169.00	170.00	1.00	7.57	0.221	7565	<input type="checkbox"/>	
		1-3% fine disseminated py>po, black stibnite, with occasional weak stringers locally, very few weak vague quartz veins or silicification	349370	170.00	171.00	1.00	2.42	0.071	2423	<input type="checkbox"/>	
		180.5 - 181.0 Quartz-Andalusite band	349371	171.00	172.00	1.00	0.22	0.006	223	<input type="checkbox"/>	
		183.0 - 198.56 light, buffish, strong quartz sericite, crenulated, weak fuchsite locally	349372	172.00	173.00	1.00	1.15	0.033	1147	<input type="checkbox"/>	
		1-3% folded and disrupted smoky quartz veinlets	349373	173.00	174.00	1.00	7.32	0.214	7323	<input type="checkbox"/>	
		overall 1-3% finely disseminated pypo, stibnite, occasional weak stringer, odd aspy crystal	349374	174.00	175.00	1.00	0.82	0.024	816	<input type="checkbox"/>	
		183 185 quartz veinlet with weak yellow Hg mineralization	349375	175.00	176.00	1.00	0.33	0.009	325	<input type="checkbox"/>	
		193.95 - 194.35 Highly altered dike or fault- brilliant green fuchsite-biotite ric band, sharp demarkation or limits	349376	176.00	177.00	1.00	0.92	0.027	922	<input type="checkbox"/>	
		overall foliation at 35 to CA, with strong crenulation	349377	177.00	178.00	1.00	0.15	0.004	146	<input type="checkbox"/>	
		somewhat gradation into weakly sericitic to weakly K-spar altered fine porphyry with moderately sericitic bands below	349378	178.00	179.00	1.00	0.23	0.007	234	<input type="checkbox"/>	
			349379	179.00	180.00	1.00	0.22	0.006	224	<input type="checkbox"/>	
			349380	180.00	181.00	1.00	2.65	0.077	2653	<input type="checkbox"/>	
			349381	181.00	182.00	1.00	3.16	0.092	3160	<input type="checkbox"/>	
			349382	182.00	183.00	1.00	1.96	0.057	1956	<input type="checkbox"/>	
			349383	183.00	184.00	1.00	1.59	0.046	1590	<input type="checkbox"/>	
			349384	184.00	185.00	1.00	2.06	0.060	2055	<input type="checkbox"/>	
			349385	185.00	186.00	1.00	0.45	0.013	449	<input type="checkbox"/>	
			349386	186.00	187.23	1.23	0.03	0.001	31	<input type="checkbox"/>	
			349387	187.23	187.74	0.51	5.69	0.166	5691	<input type="checkbox"/>	
			349388	187.74	189.00	1.26	0.06	0.002	56	<input type="checkbox"/>	
			349389	189.00	190.00	1.00	0.36	0.010	358	<input type="checkbox"/>	
			349390	190.00	191.00	1.00	1.75	0.051	1751	<input type="checkbox"/>	
			349391	191.00	192.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			349392	192.00	193.00	1.00	0.27	0.008	269	<input type="checkbox"/>	
			349393	193.00	194.00	1.00	0.22	0.006	219	<input type="checkbox"/>	
			349394	194.00	195.00	1.00	9.17	0.267	9170	<input type="checkbox"/>	
			349395	195.00	196.00	1.00	0.13	0.004	132	<input type="checkbox"/>	
			349396	196.00	197.00	1.00	0.34	0.010	337	<input type="checkbox"/>	
			349397	197.00	198.00	1.00	0.94	0.027	935	<input type="checkbox"/>	
			349398	198.00	199.00	1.00	0.97	0.028	968	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-71
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
198.56	204.30	(9B) INTENSE POTASSIC ALTERATION light grey to brownish, fine grained weakly sericitic, weak k-spar alteration, tinge of reddish-brown biotite, moderately foliated at 35 to CA, 1-2% smoky quartz veinlets, traces pypo very gradational arbitrary transition to weak QSS below	349401	199.00	200.00	1.00	1.23	0.036	1225	<input type="checkbox"/>	
			349402	200.00	201.00	1.00	0.50	0.015	503	<input type="checkbox"/>	
			349403	201.00	202.00	1.00	0.51	0.015	506	<input type="checkbox"/>	
			349404	202.00	203.00	1.00	1.81	0.053	1812	<input type="checkbox"/>	
			349405	203.00	204.00	1.00	0.33	0.010	329	<input type="checkbox"/>	
204.30	219.20	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK variable from moderately sericitized fine grained QSS to weakly banded, foliated fine grained porphyry with weak K-spar alteration All has 1-2% smoky quartz veining, locally folded and disrupted traces to locally 1-% fine pypo 204.3 - 205 stronger sericitization 212.0 - 219.2 stronger sericitization	349406	204.00	205.00	1.00	0.29	0.008	288	<input type="checkbox"/>	
			349407	205.00	206.00	1.00	0.81	0.024	807	<input type="checkbox"/>	
			349408	206.00	207.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			349409	207.00	208.00	1.00	0.26	0.008	261	<input type="checkbox"/>	
			349410	208.00	209.00	1.00	0.28	0.008	276	<input type="checkbox"/>	
			349411	209.00	210.00	1.00	0.34	0.010	342	<input type="checkbox"/>	
			349412	210.00	211.00	1.00	0.62	0.018	621	<input type="checkbox"/>	
			349413	211.00	212.00	1.00	0.85	0.025	845	<input type="checkbox"/>	
			349414	212.00	213.00	1.00	0.22	0.006	216	<input type="checkbox"/>	
			349415	213.00	214.00	1.00	0.17	0.005	171	<input type="checkbox"/>	
			349416	214.00	215.00	1.00	0.49	0.014	490	<input type="checkbox"/>	
			349417	215.00	216.00	1.00	0.34	0.010	341	<input type="checkbox"/>	
			349418	216.00	217.00	1.00	0.31	0.009	313	<input type="checkbox"/>	
			349419	217.00	218.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
			349420	218.00	219.00	1.00	0.20	0.006	198	<input type="checkbox"/>	
219.20	261.00	(9B) INTENSE POTASSIC ALTERATION 7B/9B light blotchy creamy-grey to grey-green, fine grained, weak sericitic sections, overall weak to moderate k-spar altered, weak vague banding and foliation at 35 to CA 1-2% smoky quartz veining prevalent traces disseminated pypo with occasional weak stringers of pypo 243.60 - 244.65 (6G) GABBRO dark green, fine grained, massive, sharp contacts at 65 to CA 251.20 - 252.50 (6G) GABBRO similar to before, fractured, bleached 15% late white quartz	349421	219.00	220.00	1.00	0.39	0.011	392	<input type="checkbox"/>	
			349422	220.00	221.00	1.00	0.35	0.010	354	<input type="checkbox"/>	
			349423	221.00	222.00	1.00	0.24	0.007	243	<input type="checkbox"/>	
			349424	222.00	223.00	1.00	0.19	0.006	194	<input type="checkbox"/>	
			349425	223.00	224.00	1.00	5.79	0.169	5792	<input type="checkbox"/>	
			349426	224.00	225.00	1.00	0.62	0.018	616	<input type="checkbox"/>	
			349427	225.00	226.00	1.00	0.23	0.007	233	<input type="checkbox"/>	
			349428	226.00	227.00	1.00	0.18	0.005	183	<input type="checkbox"/>	
			349429	227.00	228.00	1.00	0.13	0.004	133	<input type="checkbox"/>	
			349430	228.00	229.00	1.00	0.59	0.017	588	<input type="checkbox"/>	
			349431	229.00	230.00	1.00	1.43	0.042	1427	<input type="checkbox"/>	
			349432	230.00	231.00	1.00	0.50	0.014	496	<input type="checkbox"/>	
			349433	231.00	232.00	1.00	0.52	0.015	515	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-71

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			349434	232.00	233.00	1.00	0.21	0.006	209	<input type="checkbox"/>	
			349435	233.00	234.00	1.00	0.19	0.006	194	<input type="checkbox"/>	
			349436	234.00	235.00	1.00	0.18	0.005	178	<input type="checkbox"/>	
			349437	235.00	236.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			349438	236.00	237.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
			349439	237.00	238.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
			349440	238.00	239.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			349441	239.00	240.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
			349442	240.00	241.00	1.00	0.53	0.015	528	<input type="checkbox"/>	
			349443	241.00	242.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			349444	242.00	243.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			349445	243.00	244.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			349446	244.00	245.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			349447	245.00	246.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			349448	246.00	247.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
			349451	247.00	248.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			349452	248.00	249.00	1.00	0.13	0.004	127	<input type="checkbox"/>	
			349453	249.00	250.00	1.00	0.15	0.004	150	<input type="checkbox"/>	
			349454	250.00	251.00	1.00	0.26	0.008	263	<input type="checkbox"/>	
			349455	251.00	252.00	1.00	0.07	0.002	73	<input type="checkbox"/>	
			349456	252.00	253.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			349457	253.00	254.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			349458	254.00	255.00	1.00	0.19	0.006	193	<input type="checkbox"/>	
			349459	255.00	256.00	1.00	0.15	0.004	147	<input type="checkbox"/>	
			349460	256.00	257.00	1.00	0.46	0.013	456	<input type="checkbox"/>	
			349461	257.00	258.00	1.00	0.30	0.009	301	<input type="checkbox"/>	
			349462	258.00	259.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
			349463	259.00	260.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			349464	260.00	261.00	1.00	0.07	0.002	73	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-71
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
55.00	349249	1875	-	-	-	-	-	-	-	-	-	1.9	-	0.055	-	-
55.01	349250	7	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
103.00	349299	1968	-	-	-	-	-	-	-	-	-	2.0	-	0.057	-	-
103.01	349300	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
151.00	349349	1765	-	-	-	-	-	-	-	-	-	1.8	-	0.051	-	-
151.01	349350	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
199.00	349399	1928	-	-	-	-	-	-	-	-	-	1.9	-	0.056	-	-
199.01	349400	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
247.00	349449	1866	-	-	-	-	-	-	-	-	-	1.9	-	0.054	-	-
247.01	349450	7	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-71
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
26.68	30.00	3.32	R5	1.34	3.38	-	100.00	-	100.00
30.00	33.00	3.00	R4	0.16	0.32	-	100.00	-	100.00
33.00	36.00	3.00	R4	0.20	0.36	-	100.00	-	100.00
36.00	39.00	3.00	R4	1.13	4.84	-	100.00	-	100.00
39.00	42.00	3.00	R4	0.23	0.71	-	100.00	-	100.00
42.00	45.00	3.00	R5	1.19	5.27	-	100.00	-	100.00
45.00	48.00	3.00	R6	3.36	4.92	-	100.00	-	100.00
48.00	51.00	3.00	R6	0.23	0.38	-	100.00	-	100.00
51.00	54.00	3.00	R6	0.69	1.99	-	100.00	-	100.00
54.00	57.00	3.00	R6	2.89	7.85	-	100.00	-	100.00
57.00	60.00	3.00	R6	0.66	2.83	-	100.00	-	100.00
60.00	63.00	3.00	R6	0.02	0.10	-	100.00	-	100.00
63.00	66.00	3.00	R6	0.08	0.23	-	100.00	-	100.00
66.00	69.00	3.00	R6	0.42	1.53	-	100.00	-	100.00
69.00	72.00	3.00	R6	0.87	2.85	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.43	1.88	-	100.00	-	100.00
75.00	78.00	3.00	R6	0.02	0.09	-	100.00	-	100.00
78.00	81.00	3.00	R6	0.09	0.29	-	100.00	-	100.00
81.00	84.00	3.00	R6	0.16	0.32	-	100.00	-	100.00
84.00	87.00	3.00	R6	0.03	0.07	-	100.00	-	100.00
87.00	90.00	3.00	R6	0.04	0.09	-	100.00	-	100.00
90.00	93.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
93.00	96.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
96.00	99.00	3.00	R6	0.03	0.05	-	100.00	-	100.00
99.00	102.00	3.00	R6	0.19	0.42	-	100.00	-	100.00
102.00	105.00	3.00	R6	0.14	0.31	-	100.00	-	100.00
105.00	108.00	3.00	R6	0.09	0.14	-	100.00	-	100.00
108.00	111.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
111.00	114.00	3.00	R6	0.41	0.98	-	100.00	-	100.00
114.00	117.00	3.00	R6	1.38	2.94	-	100.00	-	100.00
117.00	120.00	3.00	R6	7.99	23.50	-	100.00	-	100.00
120.00	123.00	3.00	R6	0.68	1.33	-	100.00	-	100.00
123.00	126.00	3.00	R6	0.35	0.71	-	100.00	-	100.00
126.00	129.00	3.00	R6	0.47	1.09	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.08	0.12	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.13	0.38	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.13	0.32	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-71
Project: PLANET EXPLORATION
Project Number: 800125

138.00	141.00	3.00	R6	0.37	0.96	-	100.00	-	100.00
141.00	144.00	3.00	R6	0.59	1.61	-	100.00	-	100.00
144.00	147.00	3.00	R6	0.77	1.18	-	100.00	-	100.00
147.00	150.00	3.00	R6	1.48	3.45	-	100.00	-	100.00
150.00	153.00	3.00	R6	1.86	4.44	-	100.00	-	100.00
153.00	156.00	3.00	R6	0.38	1.62	-	100.00	-	100.00
156.00	159.00	3.00	R6	0.07	0.27	-	100.00	-	100.00
159.00	162.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
162.00	165.00	3.00	R6	0.11	0.45	-	100.00	-	100.00
165.00	168.00	3.00	R6	0.12	0.60	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.19	0.84	-	100.00	-	100.00
171.00	174.00	3.00	R5	1.83	3.82	-	100.00	-	100.00
174.00	177.00	3.00	R6	1.02	3.66	-	100.00	-	100.00
177.00	180.00	3.00	R6	0.12	0.20	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.80	1.29	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
186.00	189.00	3.00	R5	0.03	0.10	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.14	0.36	-	100.00	-	100.00
195.00	198.00	3.00	R5	0.07	0.32	-	100.00	-	100.00
198.00	201.00	3.00	R6	0.03	0.09	-	100.00	-	100.00
201.00	204.00	3.00	R5	0.04	0.10	-	100.00	-	100.00
204.00	207.00	3.00	R5	0.06	0.10	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.08	0.12	-	100.00	-	100.00
210.00	213.00	3.00	R5	0.03	0.05	-	100.00	-	100.00
213.00	216.00	3.00	R5	0.01	0.07	-	100.00	-	100.00
216.00	219.00	3.00	R5	0.10	0.25	-	100.00	-	100.00
219.00	222.00	3.00	R5	0.06	0.23	-	100.00	-	100.00
222.00	225.00	3.00	R5	-0.02	0.01	-	100.00	-	100.00
225.00	228.00	3.00	R5	0.02	0.07	-	100.00	-	100.00
228.00	231.00	3.00	R5	0.10	0.36	-	100.00	-	100.00
231.00	234.00	3.00	R6	0.05	0.12	-	100.00	-	100.00
234.00	237.00	3.00	R6	0.06	0.14	-	100.00	-	100.00
237.00	240.00	3.00	R5	0.02	0.03	-	100.00	-	100.00
240.00	243.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
243.00	246.00	3.00	R5	0.03	0.09	-	100.00	-	100.00
246.00	249.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
249.00	252.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
252.00	255.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
255.00	258.00	3.00	R5	0.06	0.20	-	100.00	-	100.00
258.00	261.00	3.00	R5	0.14	0.23	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-72
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>	
Azimuth:	226.02	Length:	33.00 meters	Township:	COLI LAKE	Contractor:	MAJOR DRILLING	
Dip:	-50.42	Pulled:	No	Claim No:		Spotted by:	L.C. Chastko	
Length:	196.50 meters	Capped:	Yes	NTS:		Coord Type:	SUR	
Started:	15-Mar-05	Cemented:	No	Surface Hole :	Yes	Surveyed by:	K. Pye	
Completed:	21-Mar-05	<u>Core</u>		Level:		Surveyed Date:		
Logged:	16-Mar-05	Dimension:	NQ	Coordinate- Gemcom		Logged by:	L.C. Chastko	
Wedged :	No	Original Units:	M	East:	462686.09	East:	462686	
Wedged from:		Storage:	Cochenour Mine	North:	5681148.92	North:	5681149	
				Elevation:	409.38	Elevation:	409	
				UTM Zone:	15 (NAD27)	Grid Name:		
Target:	Main Zone					Water Source:		
Comments:						Water line:		
						Left in hole:		
						Control Drilling:		
						Cutting sampled:	No	
						Geophysic:		

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	226.02	-50.42	X	48.000	223.41	-52.12	X	96.000	220.90	-52.94	X
3.000	225.90	-50.46	X	51.000	223.30	-52.11	X	99.000	220.94	-52.95	X
6.000	225.90	-51.13	X	54.000	223.17	-52.13	X	102.000	220.87	-53.01	X
9.000	225.86	-51.73	X	57.000	223.06	-52.13	X	105.000	220.54	-53.03	X
12.000	225.85	-52.07	X	60.000	222.90	-52.14	X	108.000	219.84	-53.04	X
15.000	225.84	-52.16	X	63.000	222.60	-52.16	X	111.000	219.11	-53.17	X
18.000	225.76	-52.21	X	66.000	222.28	-52.14	X	114.000	218.60	-53.38	X
21.000	225.75	-52.33	X	69.000	222.03	-52.14	X	117.000	218.32	-53.47	X
24.000	225.71	-52.23	X	72.000	221.89	-52.22	X	120.000	218.14	-53.52	X
27.000	225.62	-52.12	X	75.000	221.86	-52.35	X	123.000	217.98	-53.62	X
30.000	225.44	-52.08	X	78.000	221.77	-52.48	X	126.000	217.68	-53.71	X
33.000	225.17	-52.00	X	81.000	221.61	-52.57	X	129.000	217.50	-53.77	X
36.000	224.76	-51.99	X	84.000	221.31	-52.68	X	132.000	217.30	-53.85	X
39.000	224.35	-52.03	X	87.000	221.11	-52.79	X	135.000	217.09	-53.96	X
42.000	223.93	-52.08	X	90.000	221.01	-52.86	X	138.000	216.92	-54.07	X
45.000	223.58	-52.08	X	93.000	220.90	-52.90	X	141.000	216.78	-54.15	X



Diamond Drill Hole Log

GoldCorp Inc.

Hole Number : RL-05-72

Project : PLANET EXPLOR

Project Number: 800125

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
144.000	216.74	-54.22	X
147.000	216.75	-54.31	X
150.000	216.77	-54.36	X
153.000	216.73	-54.41	X
159.000	216.73	-54.48	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-72
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	34.00	(OB) OVERBURDEN									
34.00	48.40	(3B) PYROCLASTIC BX, TUFF BX BX fine felsic tectonic breccia composed of primarily felsic breccia with minor quartz vein breccia fragments, primarily variable light greys and buffs, moderate bleaching, strongly sheared, foliated and elongated breccia at 60 to CA 1% breccia fragments and disseminated to clots of pypo breccia continues but breccia clasts become ghostly and fine andalusite alteration strengthens down section	349465	34.00	35.00	1.00	0.02	0.001	20		<input type="checkbox"/>
			349466	35.00	36.00	1.00	0.07	0.002	74		<input type="checkbox"/>
			349467	36.00	37.00	1.00	0.05	0.001	47		<input type="checkbox"/>
			349468	37.00	38.00	1.00	0.02	<0.001	15		<input type="checkbox"/>
			349469	38.00	39.00	1.00	0.03	0.001	31		<input type="checkbox"/>
			349470	39.00	40.00	1.00	0.08	0.002	78		<input type="checkbox"/>
			349471	40.00	41.00	1.00	0.04	0.001	38		<input type="checkbox"/>
			349472	41.00	42.00	1.00	0.12	0.004	123		<input type="checkbox"/>
			349473	42.00	43.00	1.00	0.05	0.001	51		<input type="checkbox"/>
			349474	43.00	44.00	1.00	0.06	0.002	61		<input type="checkbox"/>
			349475	44.00	45.00	1.00	0.02	0.001	22		<input type="checkbox"/>
			349476	45.00	46.00	1.00	0.03	0.001	25		<input type="checkbox"/>
			349477	46.00	47.00	1.00	0.03	0.001	27		<input type="checkbox"/>
			349478	47.00	48.00	1.00	0.03	0.001	28		<input type="checkbox"/>
48.40	57.05	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS essentially felsic breccia as before with ghost like breccia being over printed by andalusite generally a medium grey, relatively uniform patches of darker brownish-grey anhedral to dendritic hydrous biotite crystal growths- 2-5 mm range foliation at 55-60 to CA	349479	48.00	49.00	1.00	0.04	0.001	41		<input type="checkbox"/>
			349480	49.00	50.00	1.00	0.03	0.001	32		<input type="checkbox"/>
			349481	50.00	51.00	1.00	0.02	<0.001	17		<input type="checkbox"/>
			349482	51.00	52.00	1.00	0.03	0.001	27		<input type="checkbox"/>
			349483	52.00	53.00	1.00	0.02	0.001	22		<input type="checkbox"/>
			349484	53.00	54.00	1.00	0.03	0.001	25		<input type="checkbox"/>
			349485	54.00	55.00	1.00	0.03	0.001	25		<input type="checkbox"/>
			349486	55.00	56.00	1.00	0.02	<0.001	17		<input type="checkbox"/>
			349487	56.00	57.00	1.00	0.02	0.001	24		<input type="checkbox"/>
57.05	59.30	(9C) SILICIFIED UNIT @ SIDACE LK weak silicified zone, prominent andalusite laminae, 2-3% weak crystalline py bands and stringers foliation and banding at 55-60 to CA	349488	57.00	58.00	1.00	0.02	0.001	19		<input type="checkbox"/>
			349489	58.00	59.00	1.00	0.02	0.001	24		<input type="checkbox"/>



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-72
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
59.30	93.05	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	349490	59.00	60.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		Quartz-Andalusite-Staurolite schist	349491	60.00	61.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		variable light grey-buff to medium grey buff with local batches and irregular bands of brownish staurolite, staurolite alteration increases down section	349492	61.00	62.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		rock is variably well sheared and foliated at 55-60 to CA, variable weak to moderate sericitization and bleaching	349493	62.00	63.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		76 - 85 numerous open fractures and slip planes often coated with fine gouge	349494	63.00	64.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		85 - 93 QSS like, moderately sericitized, bleached few local patches and bands of early crystal growths-hydrous biotite	349495	64.00	65.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349496	65.00	66.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349497	66.00	67.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		79.00 - 79.30 (6G) GABBRO	349498	67.00	68.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		narrow, dark green, fine grained gabbroic dike, moderate broken core	349501	68.00	69.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349502	69.00	70.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349503	70.00	71.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349504	71.00	72.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			349505	72.00	73.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			349506	73.00	74.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			349507	74.00	75.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349508	75.00	76.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			349509	76.00	77.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			349510	77.00	78.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			349511	78.00	79.00	1.00	0.12	0.004	123	<input type="checkbox"/>	
			349512	79.00	80.00	1.00	0.45	0.013	450	<input type="checkbox"/>	
			349513	80.00	81.00	1.00	0.12	0.004	124	<input type="checkbox"/>	
			349514	81.00	82.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			349515	82.00	83.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			349516	83.00	84.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			349517	84.00	85.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349518	85.00	86.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349519	86.00	87.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349520	87.00	88.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349521	88.00	89.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349522	89.00	90.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349523	90.00	91.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			349524	91.00	92.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			349525	92.00	93.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-72
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
93.05	110.00	(9C) SILICIFIED UNIT @ SIDACE LK	349526	93.00	94.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
		Silicified Zone	349527	94.00	95.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		typical highly silicified light grey to local dark smokey quartz, fine grained, weakly banded to brecciated and healed locally	349528	95.00	96.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		variable sulfides from fine disseminated to weak stringers and occasional massive narrow band py>po	349529	96.00	97.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		foliation and banding generally at 60 to 2A	349530	97.00	98.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			349531	98.00	99.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			349532	99.00	100.00	1.00	0.58	0.017	583	<input type="checkbox"/>	
			349533	100.00	101.00	1.00	0.64	0.019	637	<input type="checkbox"/>	
			349534	101.00	102.00	1.00	0.10	0.003	98	<input type="checkbox"/>	
			349535	102.00	103.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			349536	103.00	104.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			349537	104.00	105.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			349538	105.00	106.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			349539	106.00	107.00	1.00	0.16	0.005	160	<input type="checkbox"/>	
			349540	107.00	108.00	1.00	0.11	0.003	107	<input type="checkbox"/>	
			349541	108.00	109.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			349542	109.00	110.00	1.00	1.18	0.034	1181	<input type="checkbox"/>	
110.00	111.90	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	349543	110.00	111.00	1.00	0.35	0.010	347	<input type="checkbox"/>	
		Main Zone	349544	111.00	112.00	1.00	0.20	0.006	198	<input type="checkbox"/>	
		110.0 - 110.5 strong QSS, medium grained, strongly sericitic, few 2-5 cm bands of strong green fuchsite, 2-3% smoky quartz veinlets-folded									
		110.5 - 111.9 rapid decrease in grain size and sericitization along with quartz veining and increasing fine K-spar alteration									
111.90	136.25	(9B) INTENSE POTASSIC ALTERATION	349545	112.00	113.00	1.00	0.37	0.011	374	<input type="checkbox"/>	
		Felsics/Porphyry	349546	113.00	114.00	1.00	0.97	0.028	974	<input type="checkbox"/>	
		variable light grey to buffish-grey locally, fine grained, pseudobanded well foliated at 55-60 to CA	349547	114.00	115.00	1.00	0.45	0.013	448	<input type="checkbox"/>	
		1-2% fine smoky quartz veinlets folded to planar, overall weakly sericitic with slightly intensifying locally	349548	115.00	116.00	1.00	0.68	0.020	681	<input type="checkbox"/>	
		traces fine pypo, occasional weak flecks and clots of fuchsitic rock	349551	116.00	117.00	1.00	0.65	0.019	652	<input type="checkbox"/>	
		120 - 136.25 dominant foliation at 60 with 45-50 to CA	349552	117.00	118.00	1.00	0.78	0.023	782	<input type="checkbox"/>	
		133 - 136.25 flat veining-fold	349553	118.00	119.00	1.00	0.53	0.015	530	<input type="checkbox"/>	
		somewhat arbitrary transition into QSS below	349554	119.00	120.00	1.00	0.38	0.011	382	<input type="checkbox"/>	
			349555	120.00	121.00	1.00	0.15	0.004	150	<input type="checkbox"/>	
			349556	121.00	122.00	1.00	0.70	0.020	702	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-72
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			349557	122.00	123.00	1.00	0.12	0.004	123	<input type="checkbox"/>	
			349558	123.00	124.00	1.00	0.81	0.024	810	<input type="checkbox"/>	
			349559	124.00	125.00	1.00	0.16	0.005	161	<input type="checkbox"/>	
			349560	125.00	126.00	1.00	0.22	0.006	219	<input type="checkbox"/>	
			349561	126.00	127.00	1.00	0.63	0.018	633	<input type="checkbox"/>	
			349562	127.00	128.00	1.00	0.34	0.010	337	<input type="checkbox"/>	
			349563	128.00	129.00	1.00	0.24	0.007	240	<input type="checkbox"/>	
			349564	129.00	130.00	1.00	0.21	0.006	206	<input type="checkbox"/>	
			349565	130.00	131.00	1.00	0.35	0.010	351	<input type="checkbox"/>	
			349566	131.00	132.00	1.00	0.10	0.003	101	<input type="checkbox"/>	
			349567	132.00	133.00	1.00	0.14	0.004	139	<input type="checkbox"/>	
			349568	133.00	134.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			349569	134.00	135.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			349570	135.00	136.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
136.25	143.85	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	349571	136.00	137.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
		light greyish-blue to greenish, well foliated at 60 with 45-50 to CA, moderately sericitized, 2-3% smokey quartz veinlets	349572	137.00	138.00	1.00	0.46	0.013	456	<input type="checkbox"/>	
		traces pypo Moly and odd stubby crystal of ASPY, occassional fuchsitic band or streak	349573	138.00	139.00	1.00	0.50	0.015	504	<input type="checkbox"/>	
		transitional upper and lower contacts over 10-20 cm	349574	139.00	140.00	1.00	0.42	0.012	415	<input type="checkbox"/>	
		138.65 smoky quartz vein with strong smear Moly on slip with shist	349575	140.00	141.00	1.00	0.29	0.008	285	<input type="checkbox"/>	
			349576	141.00	142.00	1.00	0.33	0.010	327	<input type="checkbox"/>	
			349577	142.00	143.00	1.00	1.94	0.057	1943	<input type="checkbox"/>	
			349578	143.00	144.00	1.00	0.26	0.007	255	<input type="checkbox"/>	
143.85	196.50	(9B) INTENSE POTASSIC ALTERATION	349579	144.00	145.00	1.00	0.21	0.006	214	<input type="checkbox"/>	
		7B feldspar Porphyry-Intense K-spar alteration	349580	145.00	146.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
		highly variable from very fine grained light to medium grey, grey-green, white, locally tinged with reddish brown biotite, number of brecciated faults often with salmon pink Orthoclase	349581	146.00	147.00	1.00	0.12	0.004	123	<input type="checkbox"/>	
		traces pypo	349582	147.00	148.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
		weak foliation and banding at 40-60 to CA generally at 40, weak occassional smoky quartz veining	349583	148.00	149.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
		177 - 191 broken core low angle faulting and alteration with local 1-4% fine pypo in fauled area	349584	149.00	150.00	1.00	0.10	0.003	99	<input type="checkbox"/>	
		occassional narroe mafic or porphyritic dike	349585	150.00	151.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			349586	151.00	152.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			349587	152.00	153.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
		177.00 - 191.00 (FLT) FAULT	349588	153.00	154.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
		low angle brecciation at 10 to CA	349589	154.00	155.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
		2-35 pypo in fault	349590	155.00	156.00	1.00	0.03	0.001	32	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-72
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			349591	156.00	157.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			349592	157.00	158.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			349593	158.00	159.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			349594	159.00	160.00	1.00	0.16	0.005	155	<input type="checkbox"/>	
			349595	160.00	161.00	1.00	0.09	0.003	87	<input type="checkbox"/>	
			349596	161.00	162.00	1.00	0.05	0.002	51	<input type="checkbox"/>	
			349597	162.00	163.00	1.00	0.14	0.004	135	<input type="checkbox"/>	
			349598	163.00	164.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			349601	164.00	165.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			349602	165.00	166.00	1.00	0.23	0.007	229	<input type="checkbox"/>	
			349603	166.00	167.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			349604	167.00	168.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			349605	168.00	169.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			349606	169.00	170.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
			349607	170.00	171.00	1.00	0.16	0.005	156	<input type="checkbox"/>	
			349608	171.00	172.00	1.00	0.11	0.003	110	<input type="checkbox"/>	
			349609	172.00	173.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			349610	173.00	174.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
			349611	174.00	175.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			349612	175.00	176.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			349613	176.00	177.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			349614	177.00	178.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			349615	178.00	179.00	1.00	0.12	0.003	118	<input type="checkbox"/>	
			349616	179.00	180.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			349617	180.00	181.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			349618	181.00	182.00	1.00	0.08	0.002	81	<input type="checkbox"/>	
			349619	182.00	183.00	1.00	0.13	0.004	131	<input type="checkbox"/>	
			349620	183.00	184.00	1.00	0.22	0.006	217	<input type="checkbox"/>	
			349621	184.00	185.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			349622	185.00	186.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			349623	186.00	187.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			349624	187.00	188.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
			349625	188.00	189.00	1.00	0.52	0.015	515	<input type="checkbox"/>	
			349626	189.00	190.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			349627	190.00	191.00	1.00	0.03	0.001	31	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-72
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			349628	191.00	192.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			349629	192.00	193.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			349630	193.00	194.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			349631	194.00	195.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			349632	195.00	196.50	1.50	0.20	0.006	200	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-72
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
68.00	349499	1853	-	-	-	-	-	-	-	-	-	1.9	-	0.054	-	-
68.01	349500	11	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
116.00	349549	1935	-	-	-	-	-	-	-	-	-	1.9	-	0.056	-	-
116.01	349550	7	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
164.00	349599	1761	-	-	-	-	-	-	-	-	-	1.8	-	0.051	-	-
164.01	349600	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-72
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
34.00	36.00	2.00	R6	1.98	4.24	-	100.00	-	100.00
36.00	39.00	3.00	R6	0.51	1.81	-	100.00	-	100.00
39.00	42.00	3.00	R6	0.14	0.40	-	100.00	-	100.00
42.00	45.00	3.00	R6	0.96	3.87	-	100.00	-	100.00
45.00	48.00	3.00	R6	1.79	7.06	-	100.00	-	100.00
48.00	51.00	3.00	R6	1.21	2.48	-	100.00	-	100.00
51.00	54.00	3.00	R6	1.08	3.86	-	100.00	-	100.00
54.00	57.00	3.00	R6	0.66	1.50	-	100.00	-	100.00
57.00	60.00	3.00	R6	0.08	0.27	-	100.00	-	100.00
60.00	63.00	3.00	R6	0.01	0.05	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
75.00	78.00	3.00	R6	1.25	2.58	-	100.00	-	100.00
78.00	81.00	3.00	R6	0.20	0.71	-	100.00	-	100.00
81.00	84.00	3.00	R6	0.22	0.54	-	100.00	-	100.00
84.00	87.00	3.00	R6	0.26	0.71	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.02	0.12	-	100.00	-	100.00
90.00	93.00	3.00	R6	0.05	0.12	-	100.00	-	100.00
93.00	96.00	3.00	R6	0.18	0.43	-	100.00	-	100.00
96.00	99.00	3.00	R6	0.31	0.62	-	100.00	-	100.00
99.00	102.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
102.00	105.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
105.00	108.00	3.00	R6	0.06	0.14	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.17	0.54	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.01	0.09	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.08	0.27	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.06	0.10	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.07	0.18	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.09	0.23	-	100.00	-	100.00
138.00	141.00	3.00	R5	0.09	0.14	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.12	0.27	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-72
Project: PLANET EXPLORATION
Project Number: 800125

144.00	147.00	3.00	R6	0.28	0.62	-	100.00	-	100.00
147.00	150.00	3.00	R6	0.09	0.20	-	100.00	-	100.00
150.00	153.00	3.00	R6	0.22	0.38	-	100.00	-	100.00
153.00	156.00	3.00	R6	0.06	0.18	-	100.00	-	100.00
156.00	159.00	3.00	R6	0.04	0.07	-	100.00	-	100.00
159.00	162.00	3.00	R6	0.09	0.23	-	100.00	-	100.00
162.00	165.00	3.00	R6	0.08	0.14	-	100.00	-	100.00
165.00	168.00	3.00	R6	0.06	0.12	-	100.00	-	100.00
168.00	171.00	3.00	R6	0.10	0.16	-	100.00	-	100.00
171.00	174.00	3.00	R6	0.29	0.56	-	100.00	-	100.00
174.00	177.00	3.00	R5	0.32	0.58	-	100.00	-	100.00
177.00	180.00	3.00	R6	0.09	0.27	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.33	0.69	-	100.00	-	100.00
183.00	186.00	3.00	R6	0.10	0.20	-	100.00	-	100.00
186.00	189.00	3.00	R6	0.14	0.18	-	100.00	-	100.00
189.00	192.00	3.00	R6	0.03	0.10	-	100.00	-	100.00
192.00	195.00	3.00	R6	0.08	0.16	-	100.00	-	100.00
195.00	196.50	1.50	R6	0.11	0.20	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-73
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>		
Azimuth:	179.78	Length:	43.00 meters	Township:	COLI LAKE		Contractor:	MAJOR DRILLING	
Dip:	-47.73	Pulled:	No	Claim No:			Spotted by:	L.C. Chastko	
Length:	207.00 meters	Capped:	No	NTS:			Coord Type:	SUR	
Started:	21-Mar-05	Cemented:	No	Surface Hole :	Yes	Level:	Surveyed by:	K. Pye	
Completed:	24-Mar-05	<u>Core</u>		Coordinate- Gemcom	Coordinate - UTM	Coordinate- Grid	Surveyed Date:		
Logged:	25-Mar-05	Dimension:	NQ	East:	462686.54	East:	462687	Logged by:	L.C. Chastko
Wedged :	No	Original Units:	M	North:	5681147.04	North:	5681147	Re-logged by:	
Wedged from:		Storage:	Cochenour Mine	Elevation:	409.22	Elevation:	409	Water Source:	
				UTM Zone:	15 (NAD27)	Grid Name:		Water line:	
Target:	Main Zone							Left in hole:	Nothing
Comments:								Control Drilling:	
								Cutting sampled:	No
								Geophysical:	

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	179.78	-47.73	X	48.000	180.10	-46.97	X	96.000	181.35	-46.16	X
3.000	180.07	-47.16	X	51.000	180.19	-46.89	X	99.000	181.43	-46.13	X
6.000	180.30	-46.68	X	54.000	180.20	-46.80	X	102.000	181.51	-46.07	X
9.000	180.45	-46.63	X	57.000	180.30	-46.72	X	105.000	181.54	-46.04	X
12.000	180.46	-46.59	X	60.000	180.47	-46.67	X	108.000	181.62	-45.96	X
15.000	180.33	-46.77	X	63.000	180.62	-46.57	X	111.000	181.68	-45.87	X
18.000	180.20	-47.08	X	66.000	180.78	-46.44	X	117.000	181.63	-45.73	X
21.000	180.21	-46.95	X	69.000	180.92	-46.39	X				
24.000	180.37	-47.08	X	72.000	180.96	-46.34	X				
27.000	180.46	-47.37	X	75.000	180.97	-46.30	X				
30.000	180.39	-47.46	X	78.000	180.98	-46.26	X				
33.000	180.16	-47.49	X	81.000	181.04	-46.21	X				
36.000	179.91	-47.47	X	84.000	181.14	-46.20	X				
39.000	179.79	-47.32	X	87.000	181.20	-46.20	X				
42.000	179.83	-47.21	X	90.000	181.25	-46.19	X				
45.000	179.98	-47.09	X	93.000	181.31	-46.17	X				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-73
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	43.00	(OB) OVERBURDEN									
43.00	93.60	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	349633	87.00	88.00	1.00	0.04	0.001	42		<input type="checkbox"/>
		Quartz-Andalusite-Staurolite Schist variable	349634	88.00	89.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
		predominantly good quartz-andalusite, fine 1-2 mm andalusite crystals largely	349635	89.00	90.00	1.00	0.01	<0.001	6		<input type="checkbox"/>
		segregated in fine laminae, irregular bands and patches of brown staurolite	349636	90.00	91.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
		anumber of sheared sections where andalusite is obliterated to variable degrees,	349637	91.00	92.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
		local dark brown hydrous biotite often in dendritic patterns often near fractures	349638	92.00	93.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
		and faults, number of tight open fractures and narrow faults usually at 45-60 to CA	349639	93.00	94.00	1.00	0.03	0.001	27		<input type="checkbox"/>
		upper portion may fe breccia but is well sheared and foliated-possible vague breccia									
		dominant foliation at 55-60 to CA but interference at 35-45 to CA with sections of gentle folding									
		traces only oh pypo									
		65 - 74 numerous open fractures-blocky core, leached- slightly vuggy locally									
		85 - 93.6 weakly to moderately sericitic with weak smoky quartz veining in last 2-3 meters									
		87.00 - 93.60 (3T) ALUMINOUS ALTERED FELSIC VOLCANICS									
		weakly to moderately sericitic, weak smokey quartz veinlets in last few meters									
93.60	110.95	(9C) SILICIFIED UNIT @ SIDACE LK	349640	94.00	95.00	1.00	0.01	<0.001	9		<input type="checkbox"/>
		Silicified Zone	349641	95.00	96.00	1.00	0.01	<0.001	5		<input type="checkbox"/>
		predominantly grey to smoky fine grained quartz with local whitish sections,	349642	96.00	97.00	1.00	0.01	<0.001	12		<input type="checkbox"/>
		varies from relatively massive to faintly to finely well banded, locally brecciated, fractured and silicified	349643	97.00	98.00	1.00	0.01	<0.001	10		<input type="checkbox"/>
		overall 3-5% irregular stringers and weak bands pypo, sharp contacts at 70 and 55 to CA	349644	98.00	99.00	1.00	0.01	<0.001	12		<input type="checkbox"/>
		99.0 - 106.0 some reddish staining along fractures-possibly reagar? Or hematite	349645	99.00	100.00	1.00	0.03	0.001	29		<input type="checkbox"/>
			349646	100.00	101.00	1.00	0.09	0.003	92		<input type="checkbox"/>
			349647	101.00	102.00	1.00	0.02	0.001	20		<input type="checkbox"/>
			349648	102.00	103.00	1.00	0.04	0.001	44		<input type="checkbox"/>
			349651	103.00	104.00	1.00	0.03	0.001	25		<input type="checkbox"/>
			349652	104.00	105.00	1.00	0.01	<0.001	13		<input type="checkbox"/>
			349653	105.00	106.00	1.00	0.02	0.001	20		<input type="checkbox"/>
			349654	106.00	107.00	1.00	0.12	0.003	115		<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-73
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			349655	107.00	108.00	1.00	0.42	0.012	417	<input type="checkbox"/>	
			349656	108.00	109.00	1.00	0.14	0.004	138	<input type="checkbox"/>	
			349657	109.00	110.00	1.00	0.25	0.007	253	<input type="checkbox"/>	
			349658	110.00	110.92	0.92	0.35	0.010	350	<input type="checkbox"/>	
110.95	120.00	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	349659	110.92	111.40	0.48	0.25	0.007	249	<input type="checkbox"/>	Strong fuchsite
		Main Zone	349660	111.40	112.00	0.60	3.79	0.110	3785	<input type="checkbox"/>	
		Quartz-Sericite Schist	349661	112.00	113.00	1.00	3.32	0.097	3324	<input type="checkbox"/>	
		generally light-medium bluish-grey, fine-medium grained, moderately sericitic, 1-2% smokey quartz veinlets, predominantly folded, boudened, dismembered	349662	113.00	114.00	1.00	5.23	0.153	5234	<input type="checkbox"/>	
		traces to weak disseminated pypo	349663	114.00	115.00	1.00	2.77	0.081	2765	<input type="checkbox"/>	
		transitional lower contact, essentially demarkated by increasing k-spar alteration down section	349664	115.00	116.00	1.00	1.49	0.043	1486	<input type="checkbox"/>	
		section is moderately to well foliated at 60 to CA with micro folding and shear planes displayed in veining	349665	116.00	117.00	1.00	0.79	0.023	794	<input type="checkbox"/>	
			349666	117.00	118.00	1.00	0.67	0.020	673	<input type="checkbox"/>	
		110.95 - 111.37 (9A) QUARTZ SERICITE SCHIST @ SIDACE LK	349667	118.00	119.00	1.00	0.51	0.015	514	<input type="checkbox"/>	
		highly altered, brilliant green fuchsite rich zone	349668	119.00	120.00	1.00	0.44	0.013	436	<input type="checkbox"/>	
		2-5% irregular stringers of pypo									
		fine vuggy locally, sharp line marks fuchsitic zone with a few fragments or deformed clasts of fuchsitic material below									
120.00	136.30	(9B) INTENSE POTASSIC ALTERATION	349669	120.00	121.00	1.00	10.92	0.319	10919	<input type="checkbox"/>	
		variable K-spar alteration increasing gradually down section with local sections moderately sericitic and may be classified as a weak to moderate quartz-sericite schist, entire section is weakly 1-2% veined with smokey quartz, generally planar but minor folding, foliation and weak banding is variable and indicates folding	349670	121.00	122.00	1.00	0.38	0.011	377	<input type="checkbox"/>	
		120 - 125 weak-moderately sericitic, moderately foliated at 60 to CA	349671	122.00	123.00	1.00	0.26	0.007	255	<input type="checkbox"/>	
		125 - 129 moderate K-spar alteration, weak to moderate banding at low angle of 15-30 to CA	349672	123.00	124.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
		125 - 136.3 weakly to moderately sericitic, dominant foliation at 50-60 to CA	349673	124.00	125.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			349674	125.00	126.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			349675	126.00	127.00	1.00	0.14	0.004	144	<input type="checkbox"/>	
			349676	127.00	128.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
		134.00 - 134.30 (FLT) FAULT	349677	128.00	129.00	1.00	0.83	0.024	828	<input type="checkbox"/>	
		low angle presumed fault filled with very fine grained blackish cemented gouge intricately finely layered with white carbonate, finely crenulated	349678	129.00	130.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			349679	130.00	131.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			349680	131.00	132.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			349681	132.00	133.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			349682	133.00	134.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			349683	134.00	135.00	1.00	0.04	0.001	37	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-73
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
136.30	138.85	(6G) GABBRO 70% altered gabbroic dike interfingering with 30% K-spar altered, gabbro varies from patchy biotitic to greenish epidote altered with a more massive section of possibly a later lamprophyric dike sharp contacts at 60-70 to CA	349684	135.00	136.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			349685	136.00	137.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			349686	137.00	138.00	1.00	0.28	0.008	278	<input type="checkbox"/>	
			349687	138.00	139.00	1.00	0.16	0.005	162	<input type="checkbox"/>	
138.85	149.00	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK 9B/9A variable greenish-buff, weakly to moderately sericitic, weak to locally moderate K-spar alteration, possibly could be classified as a QSS or 9B 1-2% typical smoky quartz veining, traces disseminated pypo in schist and veining-planar and deformed moderately foliated at 60 to CA 146.50 - 147.18 (6) MAFIC-ULTRAMAFIC INTRUSIVES dark blackish-green, fine grained, well sheared and foliated, moderately biotitic, sharp contacts-conformable at 65 to CA	349688	139.00	140.00	1.00	0.64	0.019	640	<input type="checkbox"/>	
			349689	140.00	141.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			349690	141.00	142.00	1.00	0.18	0.005	178	<input type="checkbox"/>	
			349691	142.00	143.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349692	143.00	144.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			349693	144.00	145.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			349694	145.00	146.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			349695	146.00	147.00	1.00	0.65	0.019	645	<input type="checkbox"/>	
			349696	147.00	148.00	1.00	0.13	0.004	132	<input type="checkbox"/>	
			349697	148.00	149.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
149.00	181.50	(9B) INTENSE POTASSIC ALTERATION variable crudely layered to patchy irregular light green, greyish to light reddish brown due to varying degrees of K-spar alteration and fine biotitization with fingers of moderately sericitic rocks, smoky quartz veining gradually decreases down section to virtually absent below 170 general weak foliation at 65 to CA traces of fine irregular aggregates of pypo with 2-3% weak stringers in last several meters of section	349698	149.00	150.00	1.00	0.22	0.006	216	<input type="checkbox"/>	
			349701	150.00	151.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			349702	151.00	152.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			349703	152.00	153.00	1.00	0.14	0.004	137	<input type="checkbox"/>	
			349704	153.00	154.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			349705	154.00	155.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			349706	155.00	156.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			349707	156.00	157.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			349708	157.00	158.00	1.00	0.05	0.002	51	<input type="checkbox"/>	
			349709	158.00	159.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			349710	159.00	160.00	1.00	0.44	0.013	438	<input type="checkbox"/>	
			349711	160.00	161.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			349712	161.00	162.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			349713	162.00	163.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
349714	163.00	164.00	1.00	0.02	0.001	20	<input type="checkbox"/>				
349715	164.00	165.00	1.00	0.21	0.006	209	<input type="checkbox"/>				
349716	165.00	166.00	1.00	0.01	<0.001	9	<input type="checkbox"/>				



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-73

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			349717	166.00	167.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349718	167.00	168.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349719	168.00	169.00	1.00	0.09	0.002	85	<input type="checkbox"/>	
			349720	169.00	170.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			349721	170.00	171.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			349722	171.00	172.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			349723	172.00	173.00	1.00	0.08	0.002	81	<input type="checkbox"/>	
			349724	173.00	174.00	1.00	0.11	0.003	106	<input type="checkbox"/>	
			349725	174.00	175.00	1.00	0.15	0.004	151	<input type="checkbox"/>	
			349726	175.00	176.00	1.00	0.11	0.003	105	<input type="checkbox"/>	
			349727	176.00	177.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			349728	177.00	178.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			349729	178.00	179.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			349730	179.00	180.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
			349731	180.00	181.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
			349732	181.00	182.00	1.00	0.08	0.002	81	<input type="checkbox"/>	
181.50	186.20	(1J) BANDED AMPHIBOLITE	349733	182.00	183.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
		G. Zone	349734	183.00	184.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		dark greenish-brown to locally brownish-green-depending on biotite, weakly to	349735	184.00	185.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
		locally moderately sericitic, well foliated to moderately banded at 55-60 to CA	349736	185.00	186.00	1.00	2.65	0.077	2654	<input type="checkbox"/>	
		weak to minor popy stringers, traces disseminated, fine stubby ASPY crystals									
186.20	191.60	(3) UNDIFF. FELSIC VOLCANICS	349737	186.00	187.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		70% felsic, weak to moderately sericitized, 30% mafic biotitic band, moderatelt	349738	187.00	188.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		sheared and foliated at 60 to CA	349739	188.00	189.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		1% disseminated and weak stringers pypo, weak glassy quartz veining	349740	189.00	190.00	1.00	0.60	0.018	601	<input type="checkbox"/>	
			349741	190.00	191.00	1.00	0.55	0.016	554	<input type="checkbox"/>	
			349742	191.00	192.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
191.60	207.00	(1J) BANDED AMPHIBOLITE	349743	192.00	193.00	1.00	1.25	0.036	1250	<input type="checkbox"/>	
		dark brown, biotitic, weakly banded, minor scattered garnets	349744	193.00	194.00	1.00	0.08	0.002	84	<input type="checkbox"/>	
		strongly biotitic to 201	349745	194.00	195.00	1.00	0.60	0.018	604	<input type="checkbox"/>	
		1% disseminated and weak stringers pypo,	349746	195.00	196.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
		191.6 - 207 traces disseminated fine stubby ASPY crystals	349747	196.00	197.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		202.33 - 207 weak biotitization and alteration									



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-73

Project : PLANET EXPLORATION

Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
199.90 - 200.56	(7B) FELDSPAR PORPHYRY		349748	197.00	198.00	1.00	0.13	0.004	130	<input type="checkbox"/>	
	chunky porphyry dike		349751	198.00	199.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349752	199.00	200.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349753	200.00	201.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
200.56 - 201.56	(1J) BANDED AMPHIBOLITE		349754	201.00	202.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
	60% pegmatitic quartz, 5% massive irregular pypo stringer		349755	202.00	203.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			349756	203.00	204.00	1.00	0.13	0.004	132	<input type="checkbox"/>	
201.56 - 202.33	(7B) FELDSPAR PORPHYRY		349757	204.00	205.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
	chunky porphyry dike		349758	205.00	206.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			349759	206.00	207.00	1.00	0.02	0.001	19	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-73
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
103.00	349649	2289	-	-	-	-	-	-	-	-	-	2.3	-	0.067	-	-
103.01	349650	6	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
150.00	349699	2245	-	-	-	-	-	-	-	-	-	2.2	-	0.065	-	-
150.01	349700	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
198.00	349749	1887	-	-	-	-	-	-	-	-	-	1.9	-	0.055	-	-
198.01	349750	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-73
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
43.40	45.00	1.60	R5	0.00	0.00	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.04	0.12	-	100.00	-	100.00
60.00	63.00	3.00	R5	0.25	0.84	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.75	2.56	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.16	0.76	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.06	0.18	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.04	0.14	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.06	0.32	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
81.00	84.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.02	0.10	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.24	0.64	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.02	0.07	-	100.00	-	100.00
93.00	96.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
96.00	99.00	3.00	R6	0.35	0.64	-	100.00	-	100.00
99.00	102.00	3.00	R6	0.01	0.07	-	100.00	-	100.00
102.00	105.00	3.00	R6	0.14	0.38	-	100.00	-	100.00
105.00	108.00	3.00	R6	0.30	0.84	-	100.00	-	100.00
108.00	111.00	3.00	R6	0.10	0.36	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.11	0.36	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.08	0.25	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.15	0.40	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.06	0.14	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.03	0.09	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.02	0.10	-	100.00	-	100.00
132.00	135.00	3.00	R4	0.03	0.09	-	100.00	-	100.00
135.00	138.00	3.00	R4	0.10	0.34	-	100.00	-	100.00
138.00	141.00	3.00	R4	0.04	0.10	-	100.00	-	100.00
141.00	144.00	3.00	R4	0.02	0.05	-	100.00	-	100.00
144.00	147.00	3.00	R4	0.02	0.09	-	100.00	-	100.00
147.00	150.00	3.00	R4	0.14	0.31	-	100.00	-	100.00
150.00	153.00	3.00	R4	0.02	0.12	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-73
Project: PLANET EXPLORATION
Project Number: 800125

153.00	156.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.07	0.31	-	100.00	-	100.00
165.00	168.00	3.00	R4	0.03	0.12	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.09	0.20	-	100.00	-	100.00
171.00	174.00	3.00	R6	0.08	0.18	-	100.00	-	100.00
174.00	177.00	3.00	R6	0.12	0.43	-	100.00	-	100.00
177.00	180.00	3.00	R6	0.05	0.16	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.43	0.78	-	100.00	-	100.00
183.00	186.00	3.00	R4	0.66	2.45	-	100.00	-	100.00
186.00	189.00	3.00	R5	0.83	3.36	-	100.00	-	100.00
189.00	192.00	3.00	R5	0.88	3.44	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.77	1.79	-	100.00	-	100.00
195.00	198.00	3.00	R5	0.18	0.27	-	100.00	-	100.00
198.00	201.00	3.00	R5	0.30	1.13	-	100.00	-	100.00
201.00	204.00	3.00	R5	1.57	3.27	-	100.00	-	100.00
204.00	207.00	3.00	R5	0.85	3.00	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-74
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 179.3	Length: 32.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -63.46	Pulled: No	Claim No:	Spotted by: L.C. Chastko
Length: 243.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 24-Mar-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 27-Mar-05		Level:	Surveyed Date:
Logged: 28-Mar-05	<u>Core</u>	<u>Coordinate- Gemcom</u>	Logged by: L.C. Chastko
Wedged : No	Dimension: NQ	East: 462686.57	Re-logged by:
Wedged from:	Original Units: M	North: 5681147.84	Water Source:
	Storage: Cochenour Mine	Elevation: 409.27	Water line:
		UTM Zone: 15 (NAD27)	Left in hole: Nothing
			Control Drilling:
Target: Main Zone			Cutting sampled: No
Comments:			Geophysic:

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	179.30	-63.46	X	48.000	180.60	-64.00	X	96.000	182.77	-64.65	X
3.000	178.92	-63.31	X	51.000	181.33	-64.05	X	99.000	182.63	-64.48	X
6.000	178.78	-63.21	X	54.000	182.36	-64.26	X	102.000	183.14	-64.44	X
9.000	179.12	-63.33	X	57.000	182.62	-64.49	X	105.000	183.44	-64.29	X
12.000	179.46	-63.36	X	60.000	182.63	-64.67	X	108.000	183.56	-64.12	X
15.000	179.37	-63.50	X	63.000	182.39	-64.73	X	111.000	184.04	-64.22	X
18.000	179.00	-63.40	X	66.000	182.68	-64.55	X	114.000	184.25	-64.31	X
21.000	178.80	-63.59	X	69.000	182.62	-64.43	X	117.000	183.80	-64.29	X
24.000	179.34	-64.12	X	72.000	182.74	-64.54	X	120.000	183.66	-64.17	X
27.000	179.62	-64.20	X	75.000	182.33	-64.56	X	123.000	184.10	-64.17	X
30.000	179.92	-63.99	X	78.000	182.41	-64.67	X	126.000	184.17	-63.94	X
33.000	180.01	-64.11	X	81.000	182.66	-64.46	X	129.000	183.96	-63.87	X
36.000	180.21	-64.01	X	84.000	183.01	-64.42	X	132.000	184.20	-64.09	X
39.000	180.24	-64.23	X	87.000	183.08	-64.55	X	135.000	184.46	-64.30	X
42.000	179.96	-64.30	X	90.000	183.18	-64.41	X	138.000	184.88	-64.43	X
45.000	180.15	-64.08	X	93.000	183.17	-64.63	X	141.000	185.35	-64.53	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-74
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	185.72	-64.52	X
147.000	185.68	-64.68	X
150.000	185.19	-64.70	X
153.000	185.09	-64.84	X
156.000	185.61	-64.88	X
159.000	185.87	-64.89	X
162.000	185.53	-64.89	X
165.000	185.65	-64.66	X
168.000	186.17	-64.59	X
171.000	186.43	-64.63	X
174.000	186.02	-64.65	X
177.000	186.15	-64.80	X
180.000	186.65	-64.69	X
183.000	187.06	-64.71	X
186.000	187.33	-64.78	X
189.000	187.57	-64.59	X
192.000	187.88	-64.63	X
195.000	187.65	-64.72	X
198.000	188.06	-64.69	X
201.000	188.38	-64.85	X
204.000	188.87	-64.85	X
207.000	189.21	-64.75	X
210.000	189.61	-64.87	X
213.000	189.63	-65.10	X
216.000	189.31	-65.20	X
219.000	189.26	-64.97	X
222.000	189.51	-64.92	X
225.000	189.28	-65.14	X
228.000	189.21	-65.36	X
231.000	188.76	-65.61	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-74
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	31.30	(OB) OVERBURDEN									
31.30	35.46	(6G) GABBRO mottled dark green, medium grained, relatively fresh massive 25% altered inclusion bands with 1-5% py sharp contact at 60 to CA	349760 349761	33.00 34.00	34.00 35.00	1.00 1.00	0.02 <0.01	0.001 <0.001	23 <5	<input type="checkbox"/> <input type="checkbox"/>	
35.46	37.80	(9D) SKARN Skarn - possibly 3T Bx with gabbro contamination felsic fragments with strongly epidotized matrix 35.46 - 36.40 5-8% magnetite stringers 36.40 - 37.80 rapid decrease in epidotization, trace magnetite, increasing shearing and foliation at 55-60 to Ca	349762 349763 349764	35.00 36.00 37.00	36.00 37.00 38.00	1.00 1.00 1.00	0.06 0.09 0.11	0.002 0.003 0.003	58 92 110	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
37.80	45.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS BX streaked greys, fine grained, well sheared-increasing down section, visible stretched fragments becoming ghostly down section- gradational increase in foliation transition to next unit, patches and dendritic clusters of dark hydrous biotite overall weakly sericitized well sheared and foliated at 55-60- to CA									
45.00	65.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS Quartz-Andalusite Schist felsics- porphyry? Light grey-buff, fine grained, well sheared and foliated at 55-60 to CA, weakly- moderately sericitic, grading from sheared andalusite to good laminations andalusite down section relatively uniform rock									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-74
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
65.00	136.50	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	349765	111.00	112.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Quartz-Andalusite_staurolite+/-garnet schist	349766	112.00	113.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		similar to above but increasing sections and bands of brown staurolite +/- garnets down section	349767	113.00	114.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		few mafic dikes and low angle shear/faults	349768	132.00	133.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		foliation decreases down section from 65 m -50, 70-45, 80- 40, 120 25-30 to CA	349769	133.00	134.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		overall rock is noticeably sericitic compared to typical QA	349770	134.00	135.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		78.50 - 78.95 (6G) GABBRO	349771	135.00	136.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		gabbroic dike, sharp contacts at 60-65 to CA	349772	136.00	136.50	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	
		94.00 - 95.00 (FLT) FAULT									
		low angle, broken core									
		112.00 - 113.00 (FLT) FAULT									
		low angle with quartz veing									
		116.64 - 117.50 (FLT) FAULT									
		crushed 3T and mafic dike filled at 60 to CA									
		127.55 - 128.48 (6D) LAMPROPHYRE									
		dark brownish-green, fine amphibole lath, fresh, massive, sharp contacts at 60-65 to CA									
136.50	137.40	(9C) SILICIFIED UNIT @ SIDAGE LK	349773	136.50	137.70	1.20	0.01	<0.001	8	<input type="checkbox"/>	
		Silicified Zone									
		smokey grey, highly silicified									
		1-2% pypo									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-74
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
137.40	137.70	(6G) GABBRO Gabbroic Dike dark green fine grained well foliated at 55-60 to CA, sharp conformable contacts, 1-2% fine disseminated popy									
137.70	142.90	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS moderately sericitized, andalusites generally sheared out, 1-3% fine disseminated pypo, possibly stibnite, weak shear banding and foliation at 35 to CA	349774	137.70	139.00	1.30	<0.01	<0.001	<5	<input type="checkbox"/>	
			349775	139.00	140.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			349776	140.00	141.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349777	141.00	142.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349778	142.00	143.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
142.90	152.20	(9C) SILICIFIED UNIT @ SIDACE LK Silicified Zone predominantly smokey quartz, intense silicification, finely pitted or vuggy locally weak banding at 55 to CA, 1-3% disseminated and irregular pypo	349779	143.00	144.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349780	144.00	145.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349781	145.00	146.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349782	146.00	147.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349783	147.00	148.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349784	148.00	149.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349785	149.00	150.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349786	150.00	151.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			349787	151.00	152.00	1.00	0.20	0.006	196	<input type="checkbox"/>	
152.20	163.00	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK ZONE - Quartz-Sericite Schist fine grained, moderately sericitized, not particularly strongly developed zonemoderately sheared and foliated at 45-55 to CA, very weak quartz veining- 0.25%, traces pypo gradational into 9B - potassic altered below 152.2 - 153.0 weak fuchsitic alteration	349788	152.00	153.00	1.00	0.45	0.013	451	<input type="checkbox"/>	
			349789	153.00	154.00	1.00	0.56	0.016	559	<input type="checkbox"/>	
			349790	154.00	155.00	1.00	0.62	0.018	622	<input type="checkbox"/>	
			349791	155.00	156.00	1.00	0.56	0.016	562	<input type="checkbox"/>	
			349792	156.00	157.00	1.00	0.71	0.021	705	<input type="checkbox"/>	
			349793	157.00	158.00	1.00	0.47	0.014	467	<input type="checkbox"/>	
		161.08 - 161.42 (6) MAFIC-ULTRAMAFIC INTRUSIVES	349794	158.00	159.00	1.00	5.60	0.163	5596	<input type="checkbox"/>	
		dark brown, biotitic dike , sharp conformable cotacts at50-55 to CA	349795	159.00	160.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			349796	160.00	161.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			349797	161.00	162.00	1.00	2.32	0.068	2316	<input type="checkbox"/>	
			349798	162.00	163.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-74
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
163.00	211.45	(9B) INTENSE POTASSIC ALTERATION	349801	163.00	164.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
		Feldspar Porphyry variable potassic alteration	349802	164.00	165.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
		blotchy to irregularly banded buff-greens-browns, fine grained, variable potassic altered and weakly sericitic sections	349803	165.00	166.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
		little quartz veining with few sections with 1-2% minor smokey-largely white veining	349804	166.00	167.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
		197 and down increasing fine reddish-brown biotite alteration	349805	167.00	168.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		overall only traces pypo, moderate foliation atb 50-55 to CA	349806	168.00	169.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349807	169.00	170.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
			349808	170.00	171.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			349809	171.00	172.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349810	172.00	173.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349811	173.00	174.00	1.00	2.31	0.067	2305	<input type="checkbox"/>	
			349812	174.00	175.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			349813	175.00	176.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349814	176.00	177.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			349815	177.00	178.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349816	178.00	179.00	1.00	0.23	0.007	226	<input type="checkbox"/>	
			349817	179.00	180.00	1.00	0.13	0.004	128	<input type="checkbox"/>	
			349818	180.00	181.00	1.00	0.17	0.005	170	<input type="checkbox"/>	
			349819	181.00	182.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			349820	182.00	183.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			349821	183.00	184.00	1.00	0.24	0.007	235	<input type="checkbox"/>	
			349822	184.00	185.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			349823	185.00	186.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			349824	186.00	187.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349825	187.00	188.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			349826	188.00	189.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349827	189.00	190.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349828	190.00	191.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			349829	191.00	192.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			349830	192.00	193.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349831	193.00	194.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349832	194.00	195.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			349833	195.00	196.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			349834	196.00	197.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349835	197.00	198.00	1.00	0.02	0.001	23	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-74
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			349836	198.00	199.00	1.00	0.22	0.007	224	<input type="checkbox"/>	
			349837	199.00	200.00	1.00	0.09	0.003	92	<input type="checkbox"/>	
			349838	200.00	201.00	1.00	0.19	0.006	192	<input type="checkbox"/>	
			349839	201.00	202.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			349840	202.00	203.00	1.00	0.32	0.009	323	<input type="checkbox"/>	
			349841	203.00	204.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			349842	204.00	205.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			349843	205.00	206.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			349844	206.00	207.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			349845	207.00	208.00	1.00	0.12	0.004	124	<input type="checkbox"/>	
			349846	208.00	209.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			349847	209.00	210.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			349848	210.00	211.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
211.45	243.00	(1J) BANDED AMPHIBOLITE	349851	211.00	212.00	1.00	1.14	0.033	1138	<input type="checkbox"/>	
		Banded Amphibolite-Biotite+/-Garnet schist	349852	212.00	213.00	1.00	0.41	0.012	409	<input type="checkbox"/>	
		predominantly dark brown-biotite rich with local greenish amphibolite sections,	349853	213.00	214.00	1.00	0.14	0.004	143	<input type="checkbox"/>	
		local aggregates of andalusite/sillimenite	349854	214.00	215.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		moderately sheared and foliated at 55 to CA	349855	215.00	216.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		1% white quartz veinlets	349856	216.00	217.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
		242 - 243 light moderately sericitic band	349857	217.00	218.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
		traces to locally 1-2% pypo, occassional stubby ASPY crystals	349858	218.00	219.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			349859	219.00	220.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			349860	220.00	221.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			349861	221.00	222.00	1.00	0.66	0.019	655	<input type="checkbox"/>	
			349862	222.00	223.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349863	223.00	224.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349864	224.00	225.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			349865	225.00	226.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			349866	226.00	227.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			349867	227.00	228.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349868	228.00	229.00	1.00	1.08	0.031	1078	<input type="checkbox"/>	
			349869	229.00	230.00	1.00	0.12	0.003	119	<input type="checkbox"/>	
			349870	230.00	231.00	1.00	0.92	0.027	920	<input type="checkbox"/>	
			349871	231.00	232.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			349872	232.00	233.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-74

Project : PLANET EXPLORATION

Project Number: 800125

<i>From</i> <i>(m)</i>	<i>To</i> <i>(m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From</i> <i>(m)</i>	<i>To</i> <i>(m)</i>	<i>Length</i> <i>(m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			349873	233.00	234.00	1.00	0.06	0.002	57		<input type="checkbox"/>
			349874	234.00	235.00	1.00	0.02	<0.001	17		<input type="checkbox"/>
			349875	235.00	236.00	1.00	0.02	0.001	20		<input type="checkbox"/>
			349876	236.00	237.00	1.00	4.52	0.132	4521		<input type="checkbox"/>
			349877	237.00	238.00	1.00	0.63	0.018	626		<input type="checkbox"/>
			349878	238.00	239.00	1.00	7.31	0.213	7309		<input type="checkbox"/>
			349879	239.00	240.00	1.00	2.19	0.064	2191		<input type="checkbox"/>
			349880	240.00	241.00	1.00	1.04	0.030	1043		<input type="checkbox"/>
			349881	241.00	242.00	1.00	0.25	0.007	249		<input type="checkbox"/>
			349882	242.00	243.00	1.00	0.02	<0.001	17		<input type="checkbox"/>



Goldcorp Inc.
QC Report

Hole Number RL-05-74
Project PLANET EXPLORATIO
Project Number 800125

Distance <i>(m)</i>	Sample	Au <i>(ppb)</i>	Cu <i>(ppm)</i>	Pt <i>(ppb)</i>	Ni <i>(%)</i>	Cu <i>(%)</i>	Ni <i>(ppm)</i>	Pd <i>(ppb)</i>	Zn <i>(%)</i>	Ag <i>(ppm)</i>	Pb <i>(%)</i>	Au <i>(g/t)</i>	Rh <i>(ppb)</i>	Au <i>(Oz/t)</i>	Zn <i>(ppm)</i>	S <i>(%)</i>
163.00	349799	1960	-	-	-	-	-	-	-	-	-	2.0	-	0.057	-	-
163.01	349800	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
211.00	349849	1769	-	-	-	-	-	-	-	-	-	1.8	-	0.052	-	-
211.01	349850	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-74
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
31.30	33.00	1.70	R5	0.20	0.29	-	100.00	-	100.00
33.00	36.00	3.00	R5	11.80	57.20	-	100.00	-	100.00
36.00	39.00	3.00	R5	9.62	44.80	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.16	0.36	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.18	0.56	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.49	0.95	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.49	2.43	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.02	0.09	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.02	0.12	-	100.00	-	100.00
57.00	60.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
60.00	63.00	3.00	R6	0.03	0.12	-	100.00	-	100.00
63.00	66.00	3.00	R6	0.07	0.21	-	100.00	-	100.00
66.00	69.00	3.00	R5	1.33	5.54	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.04	0.12	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.09	0.18	-	100.00	-	100.00
75.00	78.00	3.00	R6	0.47	1.29	-	100.00	-	100.00
78.00	81.00	3.00	R5	1.13	5.23	-	100.00	-	100.00
81.00	84.00	3.00	R5	0.65	2.06	-	100.00	-	100.00
84.00	87.00	3.00	R6	1.75	3.56	-	100.00	-	100.00
87.00	90.00	3.00	R6	0.52	1.66	-	100.00	-	100.00
90.00	93.00	3.00	R6	0.23	0.65	-	100.00	-	100.00
93.00	96.00	3.00	R5	0.08	0.36	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.35	0.65	-	100.00	-	100.00
99.00	102.00	3.00	R6	0.31	1.17	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.85	2.87	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.08	0.18	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.99	3.40	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.77	1.50	-	100.00	-	100.00
114.00	117.00	3.00	R6	0.01	0.07	-	100.00	-	100.00
117.00	120.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
120.00	123.00	3.00	R6	0.02	0.09	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.71	3.18	-	100.00	-	100.00
129.00	132.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.02	0.09	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.11	0.25	-	100.00	-	100.00
138.00	141.00	3.00	R5	0.64	1.24	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-74
Project: PLANET EXPLORATION
Project Number: 800125

141.00	144.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
144.00	147.00	3.00	R6	0.50	1.79	-	100.00	-	100.00
147.00	150.00	3.00	R6	0.47	0.80	-	100.00	-	100.00
150.00	153.00	3.00	R6	0.60	1.48	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.07	0.31	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.06	0.16	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.15	0.51	-	100.00	-	100.00
168.00	171.00	3.00	R6	0.02	0.07	-	100.00	-	100.00
171.00	174.00	3.00	R6	0.03	0.09	-	100.00	-	100.00
174.00	177.00	3.00	R5	0.02	0.09	-	100.00	-	100.00
177.00	180.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.12	0.45	-	100.00	-	100.00
186.00	189.00	3.00	R6	0.19	0.67	-	100.00	-	100.00
189.00	192.00	3.00	R5	0.17	0.32	-	100.00	-	100.00
192.00	195.00	3.00	R6	0.03	0.09	-	100.00	-	100.00
195.00	198.00	3.00	R5	0.12	0.51	-	100.00	-	100.00
198.00	201.00	3.00	R6	0.05	0.18	-	100.00	-	100.00
201.00	204.00	3.00	R6	0.05	0.18	-	100.00	-	100.00
204.00	207.00	3.00	R5	0.12	0.45	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.23	0.56	-	100.00	-	100.00
210.00	213.00	3.00	R5	1.74	4.72	-	100.00	-	100.00
213.00	216.00	3.00	R5	0.12	0.25	-	100.00	-	100.00
216.00	219.00	3.00	R5	0.10	0.14	-	100.00	-	100.00
219.00	222.00	3.00	R4	2.48	11.80	-	100.00	-	100.00
222.00	225.00	3.00	R5	1.70	8.28	-	100.00	-	100.00
225.00	228.00	3.00	R5	0.13	0.50	-	100.00	-	100.00
228.00	231.00	3.00	R5	6.21	10.30	-	100.00	-	100.00
231.00	234.00	3.00	R4	1.37	1.56	-	100.00	-	100.00
234.00	237.00	3.00	R4	0.43	0.62	-	100.00	-	100.00
237.00	240.00	3.00	R4	2.81	8.57	-	100.00	-	100.00
240.00	243.00	3.00	R5	1.73	3.67	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-75
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>	
Azimuth:	92.64	Length:	meters	Township:	COLI LAKE	Contractor:	MAJOR DRILLING	
Dip:	-55	Pulled:	No	Claim No:		Spotted by:	T. Maciejewski	
Length:	570.00 meters	Capped:	No	NTS:		Coord Type:	SUR	
Started:	28-Mar-05	Cemented:	No	Surface Hole :	Yes	Surveyed by:	K. Pye	
Completed:	05-Apr-05	<u>Core</u>		Level:		Surveyed Date:		
Logged:	06-Apr-05	Dimension:	NQ	Coordinate- Gemcom	Coordinate - UTM	Coordinate- Grid		
Wedged :	No	Original Units:	M	East:	462298.14	East:	462298	
Wedged from:		Storage:	Cochenour Mine	North:	5681249.67	North:	5681250	
				Elevation:	416.60	Elevation:	417	
				UTM Zone:	15 (NAD27)	Grid Name:		
Target:	Main Zone Target C-6					Re-logged by:	L.C. Chastko	
Comments:	Maxibore survey & gyro survey picked up collar and bottom of hole					Water Source:		
						Water line:		
						Left in hole:		
						Control Drilling:		
						Cutting sampled:	No	
						Geophysic:		

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	92.64	-55.00	X	48.000	94.88	-52.99	X	96.000	96.77	-50.95	X
3.000	92.94	-55.40	X	51.000	95.07	-52.80	X	99.000	96.90	-50.88	X
6.000	93.09	-55.55	X	54.000	95.23	-52.60	X	102.000	97.02	-50.83	X
9.000	93.16	-55.56	X	57.000	95.38	-52.38	X	105.000	97.09	-50.76	X
12.000	93.09	-55.34	X	60.000	95.60	-52.12	X	108.000	97.13	-50.67	X
15.000	93.13	-55.08	X	63.000	95.84	-51.90	X	111.000	97.23	-50.63	X
18.000	93.21	-54.87	X	66.000	96.04	-51.75	X	114.000	97.33	-50.52	X
21.000	93.31	-54.68	X	69.000	96.16	-51.63	X	117.000	97.40	-50.45	X
24.000	93.44	-54.53	X	72.000	96.27	-51.53	X	120.000	97.52	-50.37	X
27.000	93.56	-54.41	X	75.000	96.39	-51.44	X	123.000	97.63	-50.26	X
30.000	93.69	-54.32	X	78.000	96.43	-51.35	X	126.000	97.72	-50.17	X
33.000	93.83	-54.17	X	81.000	96.53	-51.27	X	129.000	97.86	-50.09	X
36.000	93.98	-54.00	X	84.000	96.59	-51.21	X	132.000	97.91	-50.03	X
39.000	94.17	-53.78	X	87.000	96.61	-51.19	X	135.000	97.93	-49.98	X
42.000	94.36	-53.53	X	90.000	96.62	-51.10	X	138.000	98.01	-49.91	X
45.000	94.60	-53.24	X	93.000	96.66	-51.03	X	141.000	98.05	-49.85	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-75
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
144.000	98.11	-49.78	X
147.000	98.20	-49.71	X
150.000	98.29	-49.67	X
153.000	98.42	-49.65	X
156.000	98.46	-49.61	X
159.000	98.49	-49.57	X
162.000	98.57	-49.52	X
165.000	98.72	-49.46	X
168.000	98.82	-49.40	X
171.000	98.84	-49.38	X
174.000	98.79	-49.31	X
177.000	98.80	-49.26	X
180.000	98.82	-49.20	X
183.000	98.89	-49.16	X
186.000	99.03	-49.10	X
189.000	99.10	-49.04	X
192.000	99.24	-48.99	X
195.000	99.24	-48.93	X
198.000	99.26	-48.86	X
201.000	99.30	-48.76	X
204.000	99.30	-48.65	X
207.000	99.36	-48.57	X
210.000	99.46	-48.48	X
213.000	99.50	-48.38	X
216.000	99.55	-48.30	X
219.000	99.70	-48.26	X
222.000	99.77	-48.22	X
225.000	99.73	-48.12	X
228.000	99.76	-48.02	X
231.000	99.83	-47.98	X
234.000	99.93	-47.92	X
237.000	100.06	-47.83	X
240.000	100.19	-47.76	X
243.000	100.41	-47.66	X
246.000	100.54	-47.61	X

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
249.000	100.65	-47.57	X
252.000	100.77	-47.53	X
255.000	100.87	-47.45	X
258.000	100.86	-47.38	X
261.000	100.96	-47.32	X
264.000	101.06	-47.27	X
267.000	101.18	-47.28	X
270.000	101.24	-47.26	X
273.000	101.29	-47.19	X
276.000	101.37	-47.11	X
279.000	101.47	-47.07	X
282.000	101.50	-47.02	X
285.000	101.60	-46.96	X
288.000	101.63	-46.89	X
291.000	101.70	-46.81	X
294.000	101.75	-46.75	X
297.000	101.76	-46.67	X
300.000	101.83	-46.61	X
303.000	101.85	-46.57	X
306.000	101.87	-46.49	X
309.000	101.93	-46.40	X
312.000	101.98	-46.33	X
315.000	102.02	-46.27	X
318.000	102.09	-46.23	X
321.000	102.12	-46.18	X
324.000	102.14	-46.10	X
327.000	102.17	-46.02	X
330.000	102.22	-45.95	X
333.000	102.29	-45.86	X
336.000	102.41	-45.77	X
339.000	102.60	-45.67	X
342.000	102.78	-45.57	X
345.000	102.96	-45.46	X
348.000	103.11	-45.34	X
351.000	103.10	-45.24	X

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
354.000	103.12	-45.12	X
357.000	103.15	-45.02	X
360.000	103.20	-44.89	X
363.000	103.16	-44.83	X
366.000	103.26	-44.73	X
369.000	103.34	-44.67	X
372.000	103.40	-44.61	X
375.000	103.43	-44.56	X
378.000	103.54	-44.50	X
381.000	103.63	-44.45	X
384.000	103.71	-44.39	X
387.000	103.71	-44.30	X
390.000	103.80	-44.20	X
393.000	103.90	-44.11	X
396.000	103.96	-44.05	X
399.000	104.02	-43.96	X
402.000	104.10	-43.85	X
405.000	104.25	-43.77	X
408.000	104.35	-43.69	X
411.000	104.45	-43.66	X
414.000	104.55	-43.63	X
417.000	104.63	-43.57	X
420.000	104.76	-43.53	X
423.000	105.01	-43.54	X
426.000	105.16	-43.53	X
429.000	105.30	-43.51	X
432.000	105.47	-43.49	X
438.000	105.63	-43.52	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-75
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
0.00	15.20	(OB) OVERBURDEN Casing									
15.20	33.46	(1J) BANDED AMPHIBOLITE Banded Mafic Volcanics dark green with minor brown streaks of biotite and light green epidote alteration, fine grained well foliated and banded at 55-60 to CA, weak to local moderate tight healed fractures, 1% fine whitish quartz veinlets generally conformable, overall .5-1% fine irregular stringers pyro locally concentrated to 1-3% over several meters	349883 349884 349885	19.00 24.00 29.00	20.00 25.00 30.00	1.00 1.00 1.00	<0.01 <0.01 <0.01	<0.001 <0.001 <0.001	<5 <5 <5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
33.46	35.00	(6) MAFIC-ULTRAMAFIC INTRUSIVES altered contaminated dike with country rock	349886	34.00	35.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
35.00	35.32	(1J) BANDED AMPHIBOLITE similar to before, moderately bleached and epidotized									
35.32	40.03	(7B) FELDSPAR PORPHYRY Feldspar Porphyry-Chunky, fine groundmass with 30% 2-3 mm subrounded and elongated whitish feldspar phenocrysts, moderately sheared and foliated at 55-58 to CA, sharp conformable contacts 37.46 - 37.75 1J inclusion	349887	39.00	40.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
40.03	41.35	(1J) BANDED AMPHIBOLITE similar to before, well banded and foliated at 55 to CA, moderately biotitic, sharp contact with conglomerate below-conformable									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-75
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
41.35	71.80	(1G) MAFIC VOLCANICLASTICS	349888	44.00	45.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Quartz Peeble Conglomerate	349889	49.00	50.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		dark green, fine grained amphibole matrix, well banded and streaked-may be mafic clasts in part	349890	54.00	55.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		15-20% white elongated quartz clasts ranging from fine to several cm to banded appearance,	349891	60.00	61.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		fine clasts at top of section coarsening down section	349892	61.00	62.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		local biotitic and occasional yellow-green epidote streaks	349893	62.00	63.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		moderate foliation and elongation of clasts at 55-60 to CA	349894	63.00	64.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
		overall 1-3% pyro usually locally concentrated in fine to cm irregular stringers	349895	64.00	65.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
		1% quartz stringers, swarm of dikes intrude 1G unit	349896	65.00	66.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
		62.00 - 71.8 3-6% pyro stringers	349897	66.00	67.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
		, last several meters intensifying alteration	349898	67.00	68.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		67.00 - 67.72 (7B) FELDSPAR PORPHYRY	349901	68.00	69.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		medium grey, fine grained, massive dike, sharp conformable contacts at 55 to CA	349902	69.00	70.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			349903	70.00	71.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			349904	71.00	72.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
71.80	74.45	(6G) GABBRO	349905	72.00	73.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		Clotty Gabbro	349906	73.00	74.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		brownish-green, fine grained matrix with 15-20% mafic clots., irregular contacts									
		indicat dike at low angle to CA									
74.45	87.00	(1G) MAFIC VOLCANICLASTICS	349907	74.00	75.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Conglomerate/volcaniclastic	349908	79.00	80.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		hetrolithic, similar to above but definite variety clasts, predominant quartz, with lesser fine grained felsic, fine grained mafic and, fine porphyritic mafic	349909	84.00	85.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Clotty gabbro dike appears in and out of unit- in part appears to cut unit at low angle									
		clasts are well stretched and appear as banding, well sheared and foliated at 55-60 to CA									
		85.85 - 86.40 (6G) GABBRO									
		clotty gabbro dike									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-75
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
87.00	90.70	(6G) GABBRO Clotty gabbro Dike, as before 89.90 - 90.10 (FLT) FAULT open fault , broken core,, pinkish alteration extends .5 m up and down	349910	89.00	90.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
90.70	91.93	(1G) MAFIC VOLCANICLASTICS conglomerate/Volcaniclastic as before									
91.93	93.46	(6G) GABBRO Clotty Gabbro as before									
93.46	101.00	(1G) MAFIC VOLCANICLASTICS Conglomerate/Volcaniclastic as above, 20% narrow clotty gabbro dikes	349911 349912	94.00 99.00	95.00 100.00	1.00 1.00	<0.01 <0.01	<0.001 <0.001	<5 <5	<input type="checkbox"/> <input type="checkbox"/>	
101.00	141.75	(2G) INTERM VOLCANICLASTICS Conglomerate?volcaniclastic more felsic lighter grey-brown biotitic ground mass with heterolithic clasts increasing shearing, foliation and sericitization down section with clasts becoming ghostly in appearance 120.0 - 141.75 3-4% quartz bands or possibly broken disrupted bands, weak garnetiferous zones increasing down section somewhat arbitrary lower contact	349913 349914 349915 349916 349917 349918 349919 349920 349921 349922	104.00 109.00 114.00 119.00 124.00 129.00 134.00 139.00 140.00 141.00	105.00 110.00 115.00 120.00 125.00 130.00 135.00 140.00 141.00 142.00	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	<0.01 <0.01 <0.01 <0.01 0.02 <0.01 <0.01 0.01 <0.01 <0.01	<0.001 <0.001 <0.001 <0.001 <0.001 <0.001 <0.001 <0.001 <0.001 <0.001	<5 <5 <5 <5 16 <5 <5 11 <5 <5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-75
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
141.75	154.75	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS Quartz-Andalusite schist mauve-grey , fine grained, finely laminated quartz and andalusite, foliation and lamination at 60 to CA 141.75 - 145.0 2% smoky quartz veinlets with minor popy 150.0 - 154.75 2-3% crystalline py in weak bands	349923	142.00	143.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349924	143.00	144.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349925	144.00	145.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349926	149.00	150.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
			349927	154.00	155.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		146.80 - 146.90 (FLT) FAULT crushed QA, weakly cemented									
154.75	167.00	(5D) SULPHIDE FACIES IRON FORMATION Silicified Zone? Intercalated cherty-quartz, massive pyrite, argillaceous-cherty sediments 154.75 - 156.5 predominantly grey cherty quartz, remanent blocks with andalusite 1-3% weak stringers pypo 156.5 - 158.55 - 85-90% medium grained crystalline py, 10% cherty quartz 158.55 - 159.80 argillaceous and cherty sediments, possibly graphitic, 2-4% irregular stringers popy 159.8 - 167.0 - cherty quartz, 1-3% weak stringers pypo	349928	155.00	156.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349929	156.00	157.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			349930	157.00	158.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			349931	158.00	159.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			349932	159.00	160.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			349933	160.00	161.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349934	161.00	162.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			349935	162.00	163.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349936	163.00	164.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349937	164.00	165.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
167.00	176.70	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS Quartz-Andalusite Schist weakly to moderately sheared locally sericitic sections 1-3% weak stringrs pypo foliation and lamination at 60 to CA	349940	167.00	168.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349941	168.00	169.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349942	169.00	170.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349943	170.00	171.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349944	174.00	175.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
176.70	184.00	(1T) ALUMINOUS ALTERED MAFIC VOLCANICS Amhibole-Biotite-Garnet-Stauroilite schist irregular green and brown, patchy, varies from fine to mediu grained, 4% irregular large knots of quartz locally sericitized moderately, local up to meter sections with 5-10% po>py	349945	179.00	180.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			349946	183.00	184.00	1.00	3.32	0.097	3321	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-75
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
184.00	185.35	(Q) QUARTZ white quartz vein irregular upper contact, sharp lower contact at 55-60 to CA, wall rocks moderately to strongly altered	349947	184.00	185.35	1.35	0.08	0.002	84	<input type="checkbox"/>	
185.35	198.35	(1T) ALUMINOUS ALTERED MAFIC VOLCANICS 1T/2T interfingered- Amphibole-Biotite-Gamet_staurolite similar to before, last meter before quartz vein is highly altered-garnetiferous, moderately sericitic, minor feathery andalusite/silliminite clots 190 - 198.35 strong staurolite	349948	185.35	186.00	0.65	0.50	0.015	501	<input type="checkbox"/>	
			349951	189.00	190.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			349952	194.00	195.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			349953	195.00	196.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			349954	196.00	197.00	1.00	0.15	0.004	148	<input type="checkbox"/>	
			349955	197.00	198.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
198.35	199.72	(Q) QUARTZ 95% white massive quartz with 5% altered wall rock inclusions, irregular upper contact with sharp lower contact at 55 to CA	349956	198.00	199.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			349957	199.00	200.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
199.72	210.50	(1T) ALUMINOUS ALTERED MAFIC VOLCANICS 1T/2T, crudely banded, blotchy greens, browns and greys with subhedral to anhedral pink garnets of variable size up to 1 cm diameter bands of amphibole/biotite+/-garnets-staurolite somewhat subjective contacts biotite-sericite-green mica+/-garnets 209 - 210.5 5% white quartz boudens	349958	200.00	201.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			349959	201.00	202.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			349960	202.00	203.00	1.00	0.11	0.003	105	<input type="checkbox"/>	
			349961	203.00	204.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			349962	204.00	205.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			349963	205.00	206.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
			349964	206.00	207.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349965	207.00	208.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			349966	208.00	209.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			349967	209.00	210.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			349968	210.00	211.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
210.50	256.40	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS Predominantly typical Quartz-Andalusite Schist, fine laminated quartz and andalusite, pale mauve, moderately foliated-laminated, staurolite alteration centers on fraced sections 210.5 - 222 50-55 to CA 222 - 240 gentle obscure folding often at low angles 215 - 223 strong patches of staurolite	349969	214.00	215.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349970	219.00	220.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349971	224.00	225.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349972	229.00	230.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			349973	230.00	231.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-75
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		232 - 239.5 strong staurolite minor garnet, minor white quartz veining and a pervasive penetrative quartz, weak to moderate sericitization	349974	231.00	232.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			349975	232.00	233.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
			349976	233.00	234.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			349977	234.00	235.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
			349978	235.00	236.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349979	236.00	237.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349980	237.00	238.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349981	238.00	239.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349982	239.00	240.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349983	240.00	241.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349984	246.00	247.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349985	247.00	248.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			349986	248.00	249.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349987	249.00	250.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			349988	250.00	251.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			349989	251.00	252.00	1.00	0.10	0.003	103	<input type="checkbox"/>	
			349990	252.00	253.00	1.00	0.28	0.008	277	<input type="checkbox"/>	
		349991	253.00	254.00	1.00	0.07	0.002	69	<input type="checkbox"/>		
		349992	254.00	255.00	1.00	0.46	0.013	460	<input type="checkbox"/>		
		349993	255.00	256.00	1.00	0.03	0.001	27	<input type="checkbox"/>		
256.40	257.00	(Q) QUARTZ POSSIBLY SILICIFIED ZONE?? 60% white to grey quartz, 40% altered sericitic wall rock, minor pypo in selective quartz veining	349994	256.00	257.00	1.00	0.18	0.005	182	<input type="checkbox"/>	
257.00	269.85	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHMS North LIMB Quartz-Sericite Schist 257.00 - 261.5 moderate, fine sericite, moderately silicified, well sheared and foliated at 55-60 to CA 1/2% fine quartz veining traces disseminated fine py>po, occassional weak stringer 260.57 - 261.85 variable pink staining preveously thought to be sillimenite 261.5 - 263.00 strongly sericitic, crenulated QSS, pale buff, 1/2% smokey quartz veinlets-folded, traces py>po, minor light green fuchsite 263.00 - 269.85 moderately sericitized, fine grained, weak to moderately silicified,	349995	257.00	258.00	1.00	0.85	0.025	847	<input type="checkbox"/>	
			349996	258.00	259.00	1.00	4.20	0.123	4203	<input type="checkbox"/>	
			349997	259.00	260.00	1.00	0.50	0.014	495	<input type="checkbox"/>	
			349998	260.00	261.00	1.00	1.86	0.054	1860	<input type="checkbox"/>	
			400001	261.00	262.00	1.00	0.10	0.003	100	<input type="checkbox"/>	
			400002	262.00	263.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			400003	263.00	264.00	1.00	0.12	0.003	119	<input type="checkbox"/>	
			400004	264.00	265.00	1.00	0.38	0.011	383	<input type="checkbox"/>	
			400005	265.00	266.00	1.00	0.15	0.004	150	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-75
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
		weakly veined, traces py>po	400006	266.00	267.00	1.00	0.17	0.005	171		
		265.5 - 268.75 weak erratic bands of deep pink alteration starts intensifying down section qt 266.75 to 268.75 color is intense, ends abruptly	400007	267.00	268.00	1.00	0.15	0.004	153		
		263.20 - 263.55 (FLT) FAULT	400008	268.00	269.00	1.00	0.53	0.015	527		
		60% quartz, 10% dark biotite rich with scattered euhedral py 2-4 mm diameter, 30% fine sericitic wall rock, irregular possibly 50-60 to CA	400009	269.00	270.00	1.00	0.31	0.009	314		
269.85	275.95	(9B) INTENSE POTASSIC ALTERATION	400010	270.00	271.00	1.00	0.28	0.008	278		
		predominantly creamy fine grained to aphanitic potassic altered with 10-15% sericitic bands	400011	271.00	272.00	1.00	0.25	0.007	248		
		rock is weakly veined with 1% fine contorted to crenulated fine smokey quartz traces fine py>po	400012	272.00	273.00	1.00	0.28	0.008	283		
		274.0 - 275.95 3-5% weak stringers py	400013	273.00	274.00	1.00	0.37	0.011	371		
			400014	274.00	275.00	1.00	0.37	0.011	369		
			400015	275.00	276.00	1.00	0.07	0.002	68		
275.95	298.10	(1T) ALUMINOUS ALTERED MAFIC VOLCANICS	400016	276.00	277.00	1.00	0.05	0.001	50		
		1T/2T interlayered, minor 9A	400017	277.00	278.00	1.00	0.52	0.015	515		
		Predominantly Biotite-Amphibole-Garnet+/-andalusite-silliminite and sericite with Bitite-Amphibole-Sericite	400018	278.00	279.00	1.00	<0.01	<0.001	<5		
		generally crudely banded to blotchy dark browns, greens with pinkish garnets-	400019	279.00	280.00	1.00	<0.01	<0.001	<5		
		generally locally concentrated in selective bands, andalusite is feathery clots retrograding to silliminite-sericite	400020	280.00	281.00	1.00	0.03	0.001	31		
		overall 1-3% fine pypo largely concentrated in more mafic bands. Minor <1% fine stubby ASPY disseminated throughout but mostly in more mafic bands	400021	281.00	282.00	1.00	0.01	<0.001	14		
			400022	282.00	283.00	1.00	<0.01	<0.001	<5		
			400023	283.00	284.00	1.00	0.01	<0.001	12		
			400024	284.00	285.00	1.00	0.08	0.002	77		
			400025	285.00	286.00	1.00	0.21	0.006	209		
			400026	286.00	287.00	1.00	0.55	0.016	551		
			400027	287.00	288.00	1.00	1.71	0.050	1707		
			400028	288.00	289.00	1.00	0.53	0.016	532		
			400029	289.00	290.00	1.00	0.30	0.009	302		
			400030	290.00	291.00	1.00	0.06	0.002	60		
			400031	291.00	292.00	1.00	0.78	0.023	781		
			400032	292.00	293.00	1.00	1.62	0.047	1619		
			400033	293.00	294.00	1.00	0.43	0.012	426		
			400034	294.00	295.00	1.00	0.52	0.015	516		



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-75

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			400035	295.00	296.00	1.00	0.06	0.002	57		
			400036	296.00	297.00	1.00	0.25	0.007	252		
			400037	297.00	298.00	1.00	0.08	0.002	81		
298.10	304.30	(9B) INTENSE POTASSIC ALTERATION	400038	298.00	299.00	1.00	0.06	0.002	62		
		light buffish-green to brownish, variably banded, very fine grained, moderate microcline alteration, 10-15% biotitic layers, 10% sericitic layers well foliated and moderately banded at 60 to CA	400039	299.00	300.00	1.00	0.03	0.001	27		
		1-2% glassy quartz veins	400040	300.00	301.00	1.00	0.07	0.002	65		
		traces pypo	400041	301.00	302.00	1.00	0.58	0.017	583		
			400042	302.00	303.00	1.00	0.05	0.002	52		
			400043	303.00	304.00	1.00	0.03	0.001	28		
304.30	334.90	(1T) ALUMINOUS ALTERED MAFIC VOLCANICS	400044	304.00	305.00	1.00	0.33	0.010	326		
		1T/2T interlayered in crude bands	400045	305.00	306.00	1.00	1.02	0.030	1018		
		Dark Biotite-Garnet-sericite-Garnet+/- feathery andalusite-sericite interlayered with more intermediate Biotite-Sericite-Andalusite layers	400046	306.00	307.00	1.00	0.57	0.017	566		
		more mafic layers generally contain 1-4% fine popy and trace-<1% fine stubby ASPY	400047	307.00	308.00	1.00	0.01	<0.001	11		
		sections of rock may have originally been a hetroolithic clastic as indicated by blotchy appearance	400048	308.00	309.00	1.00	0.44	0.013	437		
			400051	309.00	310.00	1.00	0.10	0.003	101		
			400052	310.00	311.00	1.00	0.24	0.007	243		
		312.90 - 314.50 (6G) GABBRO	400053	311.00	312.00	1.00	0.66	0.019	660		
		60% dark green gabbroic dike, 40% country rock inclusions	400054	312.00	313.00	1.00	0.07	0.002	69		
			400055	313.00	314.00	1.00	0.02	0.001	21		
			400056	314.00	315.00	1.00	0.03	0.001	25		
		322.07 - 322.80 (6G) GABBRO	400057	315.00	316.00	1.00	0.92	0.027	918		
		dark green, fine grained, massive, sharp steep contacts at 60 to CA	400058	316.00	317.00	1.00	0.02	0.001	23		
			400059	317.00	318.00	1.00	1.26	0.037	1264		
			400060	318.00	319.00	1.00	0.35	0.010	347		
			400061	319.00	320.00	1.00	0.15	0.004	146		
			400062	320.00	321.00	1.00	0.11	0.003	114		
			400063	321.00	322.00	1.00	0.91	0.027	914		
			400064	322.00	323.00	1.00	0.04	0.001	43		
			400065	323.00	324.00	1.00	0.05	0.002	52		
			400066	324.00	325.00	1.00	3.69	0.108	3694		
			400067	325.00	326.00	1.00	0.28	0.008	278		
			400068	326.00	327.00	1.00	0.22	0.006	215		
			400069	327.00	328.00	1.00	0.06	0.002	63		



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-75

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			400070	328.00	329.00	1.00	0.11	0.003	106		
			400071	329.00	330.00	1.00	0.05	0.001	49		
			400072	330.00	331.00	1.00	0.09	0.003	91		
			400073	331.00	332.00	1.00	0.04	0.001	42		
			400074	332.00	333.00	1.00	0.05	0.001	46		
			400075	333.00	334.00	1.00	0.12	0.004	122		
			400076	334.00	335.00	1.00	0.34	0.010	342		
334.90	338.50	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	400077	335.00	336.00	1.00	4.16	0.121	4156		
		Quartz-Andalusite Schist, 10% dark brown and green bands, possibly altered dikes	400078	336.00	337.00	1.00	0.27	0.008	270		
		moderate pinkish andalusite-retrograding to sericite	400079	337.00	338.00	1.00	0.97	0.028	966		
		somewhat arbitrary lower contact	400080	338.00	339.00	1.00	0.54	0.016	535		
338.50	362.50	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHMS	400081	339.00	340.00	1.00	0.08	0.002	81		
		ZONE\Quartz-Sericite schist	400082	340.00	341.00	1.00	1.07	0.031	1068		
		light buffish-green, predominantly fine grained to medium grained highly sericitic and crenulated sections	400083	341.00	342.00	1.00	0.65	0.019	646		
		overall 1-2% fine smokey quartz veinlets frequently contorted, folded, boudened and disrupted, minor planar veinlets,	400084	342.00	343.00	1.00	1.07	0.031	1073		
		occasional veinlets have fine brownish inclusions	400085	343.00	344.00	1.00	2.36	0.069	2359		
		overall 1-2% fine Py>po, traces fine black stibnite and ASPY needles finely disseminated and locally somewhat concentrated	400086	344.00	345.00	1.00	1.45	0.042	1453		
		342 - 348.5 consistent traces, 1/4% fine needles ASPY	400087	345.00	346.00	1.00	0.14	0.004	136		
		344 - 346 2-3% weak stringers py>po	400088	346.00	347.00	1.00	3.17	0.092	3166		
		352 - 356 1-2% disseminated py>po	400089	347.00	348.00	1.00	0.55	0.016	546		
		351 - 362 medium grained crenulated sericite	400090	348.00	349.00	1.00	0.55	0.016	547		
		general foliation at 55-60 to CA, locally crenulated, variation in foliation indicates local folding	400091	349.00	350.00	1.00	0.87	0.025	872		
		350.5 - 354 fine dark tourmaline	400092	350.00	351.00	1.00	0.45	0.013	449		
		362.5 and down is predominantly variable potassic altered with interveining enfolded keels of QSSish sections with a general steep 60 foliation but with sections of parasitic folding, overall section is veined 1-2% - generally finely folded, contorted, crenulated, boudened and disrupted, overall 1-2% fine py>po with minor stibnite, occasional to traces ASPY sphalerite	400093	351.00	352.00	1.00	0.12	0.003	119		
			400094	352.00	353.00	1.00	0.06	0.002	56		
			400095	353.00	354.00	1.00	0.08	0.002	78		
			400096	354.00	355.00	1.00	0.06	0.002	60		
			400097	355.00	356.00	1.00	2.00	0.058	1999		
			400098	356.00	357.00	1.00	1.73	0.051	1733		
			400101	357.00	358.00	1.00	0.22	0.006	222		
			400102	358.00	359.00	1.00	0.07	0.002	70		
			400103	359.00	360.00	1.00	0.52	0.015	522		



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-75

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			400104	360.00	361.00	1.00	2.05	0.060	2051		
			400105	361.00	362.00	1.00	0.53	0.015	530		
			400106	362.00	363.00	1.00	1.60	0.047	1595		
362.50	371.50	(9B) INTENSE POTASSIC ALTERATION	400107	363.00	364.00	1.00	0.97	0.028	971		
		light grey to buffish, fine to very fine grained, moderately to locally intense microcline altered, minor weak to moderately sericitic sections locally, overall 1-2% smokey quartz veinlets often micro folded, crenulated, boudened and disrupted, selective veins contain brownish clots of unidentified minera, traces to minor pypo, occassional sphal, aspy	400108	364.00	365.00	1.00	0.73	0.021	729		
		the altered rock also contains trace to minor 1-2% fine pypo with local weak fine stringers of same, fine black stibnite is disseminated in variable trace amounts, sphalerite occurs in trace to minor amounts in intensely potassic altered microcline rich areas, occassional ASPY observed	400109	365.00	366.00	1.00	1.91	0.056	1907		
		on the whole rock is well sheared to mylonitized, prevalent foliation is at 55-60 to CA and appears to be superimposed on previously folded rock, these folds are very vague to obvious, slippage along foliation is very common and often disrupts folded and crenulate veining	400110	366.00	367.00	1.00	0.87	0.025	865		
			400111	367.00	368.00	1.00	0.37	0.011	372		
			400112	368.00	369.00	1.00	0.24	0.007	241		
			400113	369.00	370.00	1.00	1.60	0.047	1595		
			400114	370.00	371.00	1.00	0.50	0.015	500		
			400115	371.00	372.00	1.00	0.13	0.004	134		
371.50	377.20	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHSI	400116	372.00	373.00	1.00	0.05	0.002	53		
		light buffish-green to greyish, fine to fine-medium grained, moderately to strongly sericitic with minor very fine grained potassic altered sections, 1-2% typical smokey quartz veinlets often folded, contorted, boudened and disrupted, veinlets are often highly sheared out, selective veins contain traces to minor pypo, occassional sphal and aspy, schist contains trace to minor fine disseminated to occassional weak stringer pypo, shist typically displays various degrees of crenulation,	400117	373.00	374.00	1.00	0.07	0.002	71		
		dominant foliation is at 55-60 to CA with weak fabric at indicating folding, QSS has arbitrary contacts and the QSS probably represents infolded keels and parasitic folds	400118	374.00	375.00	1.00	0.63	0.018	632		
		373.5 - 375 faint low angle fold nose, foliation at 0-20 to CA	400119	375.00	376.00	1.00	1.03	0.030	1026		
			400120	376.00	377.00	1.00	1.22	0.035	1217		
377.20	382.50	(9B) INTENSE POTASSIC ALTERATION	400121	377.00	378.00	1.00	0.72	0.021	721		
		light grey to buffish, fine to very fine grained, moderately to locally intense microcline altered, minor weak to moderately sericitic sections locally, overall 1-2% smokey quartz veinlets often micro folded, crenulated, boudened and disrupted, selective veins contain brownish clots of unidentified minera, traces to minor pypo, occassional sphal, aspy	400122	378.00	379.00	1.00	0.42	0.012	415		
		the altered rock also contains trace to minor 1-2% fine pypo with local weak fine	400123	379.00	380.00	1.00	0.18	0.005	183		
			400124	380.00	381.00	1.00	0.27	0.008	271		
			400125	381.00	382.00	1.00	0.25	0.007	246		
			400126	382.00	383.00	1.00	0.05	0.001	45		



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-75
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
		stringers of same, fine black stibnite is disseminated in variable trace amounts, sphalerite occurs in trace to minor amounts in intensely potassic altered microcline rich areas, occasional ASPY observed on the whole rock is well sheared to mylonitized, prevalent foliation is at 55-60 to CA and appears to be superimposed on previously folded rock, these folds are very vague to obvious, slippage along foliation is very common and often disrupts folded and crenulate veining									
382.50	388.80	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHSI	400127	383.00	384.00	1.00	0.05	0.002	52		
		light buffish-green to greyish, fine to fine-medium grained, moderately to strongly sericitic with minor very fine grained potassic altered sections, 1-2% typical smokey quartz veinlets often folded, contorted, boudened and disrupted, veinlets are often highly sheared out, selective veins contain traces to minor pypo, occasional sphal and aspy, schist contains trace to minor fine disseminated to occasional weak stringer pypo, schist typically displays various degrees of crenulation,	400128	384.00	385.00	1.00	0.06	0.002	64		
		dominant foliation is at 55-60 to CA with weak fabric at indicating folding, QSS has arbitrary contacts and the QSS probably represents infolded keels and parasitic folds	400129	385.00	386.00	1.00	0.04	0.001	42		
		385.28 - 385.90 smokey quartz vein	400130	386.00	387.00	1.00	0.05	0.001	45		
		385.90 - 366.10 strong white microcline alteration with a number of disseminated 1-5 mm masses sphal	400131	387.00	388.00	1.00	0.01	<0.001	12		
			400132	388.00	389.00	1.00	0.03	0.001	34		
388.80	404.00	(9B) INTENSE POTASSIC ALTERATION	400133	389.00	390.00	1.00	0.17	0.005	169		
		light grey to buffish, fine to very fine grained, moderately to locally intense microcline altered, minor weak to moderately sericitic sections locally, overall 1-2% smokey quartz veinlets often micro folded, crenulated, boudened and disrupted, selective veins contain brownish clots of unidentified minerals, traces to minor pypo, occasional sphal, aspy	400134	390.00	391.00	1.00	0.07	0.002	67		
		the altered rock also contains trace to minor 1-2% fine pypo with local weak fine stringers of same, fine black stibnite is disseminated in variable trace amounts, sphalerite occurs in trace to minor amounts in intensely potassic altered microcline rich areas, occasional ASPY observed	400135	391.00	392.00	1.00	0.06	0.002	57		
		on the whole rock is well sheared to mylonitized, prevalent foliation is at 55-60 to CA and appears to be superimposed on previously folded rock, these folds are very vague to obvious, slippage along foliation is very common and often disrupts folded and crenulate veining	400136	392.00	393.00	1.00	0.16	0.005	157		
		391.0 - 395.0 fold indicated by rapid changes in foliation orientation and veining	400137	393.00	394.00	1.00	0.11	0.003	114		
		390 - 394 micro folding, slippage and micro displacements on veining	400138	394.00	395.00	1.00	0.04	0.001	42		
			400139	395.00	396.00	1.00	2.44	0.071	2444		
			400140	396.00	397.00	1.00	0.17	0.005	165		
			400141	397.00	398.00	1.00	0.06	0.002	64		
			400142	398.00	399.00	1.00	0.03	0.001	32		
			400143	399.00	400.00	1.00	0.10	0.003	95		
			400144	400.00	401.00	1.00	2.95	0.086	2952		
			400145	401.00	402.00	1.00	0.70	0.020	696		



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-75
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		402.0 - 403.0 fold closure	400146	402.00	403.00	1.00	0.09	0.003	93	<input type="checkbox"/>	
			400147	403.00	404.00	1.00	1.25	0.036	1248	<input type="checkbox"/>	
404.00	408.25	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHSI	400148	404.00	405.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
		light buffish-green to greyish, fine to fine-medium grained, moderately to strongly sericitic with minor very fine grained potassic altered sections, 1-2% typical smokey quartz veinlets often folded, contorted, boudened and disrupted, veinlets are often highly sheared out, selective veins contain traces to minor pypo, occassional sphal and aspy, schist contains trace to minor fine disseminated to occassional weak stringer pypo, shist typically displays various degrees of crenulation,	400151	405.00	406.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
		dominant foliation is at 55-60 to CA with weak fabric at indicating folding, QSS has arbitrary contacts and the QSS probably represents infolded keels and parasitic folds	400152	406.00	407.00	1.00	0.08	0.002	83	<input type="checkbox"/>	
		some elaborate folding of veining in this section	400153	407.00	408.00	1.00	0.26	0.008	263	<input type="checkbox"/>	
408.25	416.00	(9B) INTENSE POTASSIC ALTERATION	400154	408.00	409.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
		light grey to buffish, fine to very fine grained, moderately to locally intense microcline altered, minor weak to moderately sericitic sections locally, overal 1-2% smokey quartz veinlets often micro folded, crenulated, boudened and disrupted, selective veins contain brownish clots of unidentified minera, traces to minor pypo, occassional sphal, aspy	400155	409.00	410.00	1.00	0.11	0.003	108	<input type="checkbox"/>	
		the altered rock also contains trace to minor 1-2% fine pypo with local weak fine stringers of same, fine black stibnite is disseminated in variable trace amounts, sphalente occurs in trace to minor amounts in intensely potassic altered microcline rich areas, occassional ASPY observed	400156	410.00	411.00	1.00	0.09	0.002	86	<input type="checkbox"/>	
		on the whole rock is well sheared to mylonitized, prevalent foliation is at 55-60 to CA and appears to be superimposed on previously folded rock, these folds are very vague to obvious, slippage along foliation is very common and often disrupts folded and crenulate veining	400157	411.00	412.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
		413.5 - 415.0 sharp fold closure	400158	412.00	413.00	1.00	0.19	0.005	188	<input type="checkbox"/>	
			400159	413.00	414.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			400160	414.00	415.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			400161	415.00	416.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
416.00	418.00	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHSI	400162	416.00	417.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
		light buffish-green to greyish, fine to fine-medium grained, moderately to strongly sericitic with minor very fine grained potassic altered sections, 1-2% typical smokey quartz veinlets often folded, contorted, boudened and disrupted, veinlets are often highly sheared out, selective veins contain traces to minor pypo, occassional sphal and aspy, schist contains trace to minor fine disseminated to	400163	417.00	418.00	1.00	0.04	0.001	38	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-75
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		occasional weak stringer pypo, shist typically displays various degrees of crenulation, dominant foliation is at 55-60 to CA with weak fabric at indicating folding, QSS has arbitrary contacts and the QSS probably represents infolded keels and parasitic folds some elaborate folding of veining in this section veing highly sheared out									
418.00	426.00	(9B) INTENSE POTASSIC ALTERATION	400164	418.00	419.00	1.00	0.17	0.005	166		
		light grey to buffish, fine to very fine grained, moderately to locally intense microcline altered, minor weak to moderately sericitic sections locally, overal 1-2% smokey quartz veinlets often micro folded, crenulated, boudened and disrupted, selective veins contain brownish clots of unidentified minera, traces to minor pypo, occassional sphal, aspy	400165	419.00	420.00	1.00	0.27	0.008	268		
		the altered rock also contains trace to minor 1-2% fine pypo with local weak fine stringers of same, fine black stibnite is disseminated in variable trace amounts, sphalerite occurs tarce to minor amounts in intensely potassic altered microcline rich areas, occassional ASPY observed	400166	420.00	421.00	1.00	0.35	0.010	348		
		on the whole rock is well sheared to mylonitized, prevalent foliation is at 55-60 to CA and appears to be superimposed on previously folded rock, these folds are very vague to obvious, slippage along foliation is very common and often disrupts folded and crenulate veining	400167	421.00	422.00	1.00	0.31	0.009	306		
		considerable folding in this section	400168	422.00	423.00	1.00	0.06	0.002	63		
		420.75 - 421.0 sharp fold closure	400169	423.00	424.00	1.00	0.16	0.005	155		
			400170	424.00	425.00	1.00	0.25	0.007	249		
			400171	425.00	426.00	1.00	<0.01	<0.001	<5		
426.00	428.50	(9B) INTENSE POTASSIC ALTERATION CREN	400172	426.00	427.00	1.00	0.21	0.006	214		
		finely banded to laminated, crenulated with dominant structure being along core axis, fine K-spar and sericitic bands, 1% quatz veinlets-crenulated	400173	427.00	428.00	1.00	0.86	0.025	859		
		2-3% very fine pypo with several weak stringers of medium grained py GOOD LOOKING!	400174	428.00	429.00	1.00	0.33	0.009	325		
428.50	440.90	(9B) INTENSE POTASSIC ALTERATION	400175	429.00	430.00	1.00	0.13	0.004	131		
		ight grey to bk-spar alt'd felsicsuffish, fine to very fine grained, moderately to locally intense microcline altered, minor weak to moderately sericitic sections locally, overal 1-2% smokey quartz veinlets often micro folded, crenulated, boudened and disrupted, selective veins contain brownish clots of unidentified minera, traces to minor pypo, occassional sphal, aspy	400176	430.00	431.00	1.00	0.29	0.008	286		
			400177	431.00	432.00	1.00	0.09	0.003	90		
			400178	432.00	433.00	1.00	0.49	0.014	487		
			400179	433.00	434.00	1.00	0.18	0.005	184		



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-75

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		<p>the altered rock also contains trace to minor 1-2% fine pypo with local weak fine stringers of same, fine black stibnite is disseminated in variable trace amounts, sphalerite occurs in trace to minor amounts in intensely potassic altered microcline rich areas, occasional ASPY observed</p> <p>on the whole rock is well sheared to mylonitized, prevalent foliation is at 55-60 to CA and appears to be superimposed on previously folded rock, these folds are very vague to obvious, slippage along foliation is very common and often disrupts folded and crenulate veining</p> <p>435 - 438 fold closure</p> <p>439.62 - 439.78 (6) MAFIC-ULTRAMAFIC INTRUSIVES</p> <p>green, very fine grained dike at 30 to CA</p>	400180	434.00	435.00	1.00	0.37	0.011	365	<input type="checkbox"/>	
			400181	435.00	436.00	1.00	0.72	0.021	719	<input type="checkbox"/>	
			400182	436.00	437.00	1.00	0.81	0.023	805	<input type="checkbox"/>	
			400183	437.00	438.00	1.00	1.40	0.041	1404	<input type="checkbox"/>	
			400184	438.00	439.00	1.00	0.25	0.007	254	<input type="checkbox"/>	
			400185	439.00	440.00	1.00	0.28	0.008	279	<input type="checkbox"/>	
			400186	440.00	441.00	1.00	1.68	0.049	1678	<input type="checkbox"/>	
440.90	444.50	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHMS	400187	441.00	442.00	1.00	0.28	0.008	281	<input type="checkbox"/>	
		<p>light buffish-green to greyish, fine to fine-medium grained, moderately to strongly sericitic with minor very fine grained potassic altered sections, 1-2% typical smokey quartz veinlets often folded, contorted, boudened and disrupted, veinlets are often highly sheared out, selective veins contain traces to minor pypo, occasional sphal and aspy, schist contains trace to minor fine disseminated to occasional weak stringer pypo, schist typically displays various degrees of crenulation,</p> <p>dominant foliation is at 55-60 to CA with weak fabric at indicating folding, QSS has arbitrary contacts and the QSS probably represents infolded keels and parasitic folds</p> <p>veining highly sheared out</p> <p>folding prevalent in this section</p> <p>444.2 - fold closure</p> <p>446.34 - 446.70 smokey quartz vein</p>	400188	442.00	443.00	1.00	0.25	0.007	250	<input type="checkbox"/>	
			400189	443.00	444.00	1.00	0.41	0.012	405	<input type="checkbox"/>	
			400190	444.00	445.00	1.00	0.48	0.014	477	<input type="checkbox"/>	
444.50	456.00	(9B) INTENSE POTASSIC ALTERATION	400191	445.00	446.00	1.00	0.21	0.006	206	<input type="checkbox"/>	
		<p>light grey to buffish, fine to very fine grained, moderately to locally intense microcline altered, minor weak to moderately sericitic sections locally, overall 1-2% smokey quartz veinlets often micro folded, crenulated, boudened and disrupted, selective veins contain brownish clots of unidentified mineral, traces to minor pypo, occasional sphal, aspy</p> <p>the altered rock also contains trace to minor 1-2% fine pypo with local weak fine stringers of same, fine black stibnite is disseminated in variable trace amounts, sphalerite occurs in trace to minor amounts in intensely potassic altered microcline rich areas, occasional ASPY observed</p>	400192	446.00	447.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
			400193	447.00	448.00	1.00	0.44	0.013	442	<input type="checkbox"/>	
			400194	448.00	449.00	1.00	0.27	0.008	273	<input type="checkbox"/>	
			400195	449.00	450.00	1.00	0.25	0.007	254	<input type="checkbox"/>	
			400196	450.00	451.00	1.00	0.20	0.006	201	<input type="checkbox"/>	
			400197	451.00	452.00	1.00	0.55	0.016	548	<input type="checkbox"/>	
			400198	452.00	453.00	1.00	0.43	0.012	427	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-75
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
		on the whole rock is well sheared to mylonitized, prevalent foliation is at 55-60 to CA , low angle foliation and weak banding due to folding common, slippage along foliation is very common and often disrupts folded and crenulate veining	400201	453.00	453.58	0.58	0.31	0.009	305	<input type="checkbox"/>	
		452 fold closure	400202	453.58	454.65	1.07	0.40	0.012	397	<input type="checkbox"/>	35 cm lost core, broken, ground
		gradational lower contact into QSSish type rock	400203	454.65	456.00	1.35	0.20	0.006	196	<input type="checkbox"/>	
		453.58 - 454.20 (LC) LOST CORE									
		approximately 30-35 cm core ground and lost									
456.00	477.30	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK FOLD	400204	456.00	457.00	1.00	0.42	0.012	422	<input type="checkbox"/>	
		9A with 9B sections transition zone, dominant foliation at 60 but folding and variable foliation common	400205	457.00	458.00	1.00	0.42	0.012	417	<input type="checkbox"/>	
		traces pypo	400206	458.00	459.00	1.00	0.48	0.014	479	<input type="checkbox"/>	
			400207	459.00	460.00	1.00	0.17	0.005	171	<input type="checkbox"/>	
			400208	460.00	461.00	1.00	0.14	0.004	142	<input type="checkbox"/>	
			400209	461.00	462.00	1.00	0.60	0.018	603	<input type="checkbox"/>	
			400210	462.00	463.00	1.00	0.30	0.009	296	<input type="checkbox"/>	
			400211	463.00	464.00	1.00	0.31	0.009	306	<input type="checkbox"/>	
			400212	464.00	465.00	1.00	0.23	0.007	230	<input type="checkbox"/>	
			400213	465.00	466.00	1.00	0.22	0.006	220	<input type="checkbox"/>	
			400214	466.00	467.00	1.00	0.55	0.016	550	<input type="checkbox"/>	
			400215	467.00	468.00	1.00	0.40	0.012	395	<input type="checkbox"/>	
			400216	468.00	469.00	1.00	0.76	0.022	755	<input type="checkbox"/>	
			400217	469.00	470.00	1.00	0.58	0.017	581	<input type="checkbox"/>	
			400218	470.00	471.00	1.00	0.96	0.028	961	<input type="checkbox"/>	
			400219	471.00	472.00	1.00	0.81	0.024	806	<input type="checkbox"/>	
			400220	472.00	473.00	1.00	2.94	0.086	2944	<input type="checkbox"/>	
			400221	473.00	474.00	1.00	0.58	0.017	584	<input type="checkbox"/>	
			400222	474.00	475.00	1.00	0.54	0.016	540	<input type="checkbox"/>	
			400223	475.00	476.00	1.00	0.79	0.023	792	<input type="checkbox"/>	
			400224	476.00	477.00	1.00	0.51	0.015	512	<input type="checkbox"/>	
477.30	478.65	(6) MAFIC-ULTRAMAFIC INTRUSIVES	400225	477.00	478.00	1.00	0.15	0.004	152	<input type="checkbox"/>	
		Lamprphyre?	400226	478.00	479.00	1.00	0.11	0.003	112	<input type="checkbox"/>	
		dark brownish-green, fine grained, relatively massive to weakly foliated									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-75
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments	
478.65	493.20	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHMS	400227	479.00	480.00	1.00	0.92	0.027	917	<input type="checkbox"/>		
		ight buffish-green to greyish, fine to fine-medium grained, moderately to strongly sericitic with minor very fine grained potassic altered sections, 1% typical smokey quartz veinlets often folded, contorted, boudened and disrupted, veinlets are often highly sheared out, selective veins contain traces to minor pypo, occasional sphal and aspy, schist contains trace to minor fine disseminated to occasional weak stringer pypo, shist typically displays various degrees of crenulation, dominant foliation is at 50-60 to CA with weak fabric at indicating folding, veining highly sheared out this section has very weak sulfides 484.95 - 2-4 mm smokey quartz veinlet, highly folded, contorted, devoid of sulfides- 1SPECK VG	400228	480.00	481.00	1.00	1.02	0.030	1020	<input type="checkbox"/>		
			400229	481.00	482.00	1.00	0.38	0.011	381	<input type="checkbox"/>		
			400230	482.00	483.00	1.00	0.37	0.011	370	<input type="checkbox"/>		
			400231	483.00	484.00	1.00	0.19	0.005	188	<input type="checkbox"/>		
			400232	484.00	485.00	1.00	0.42	0.012	416	<input type="checkbox"/>		
			400233	485.00	486.00	1.00	0.17	0.005	173	<input type="checkbox"/>		
			400234	486.00	487.00	1.00	0.05	0.002	52	<input type="checkbox"/>		
			400235	487.00	488.00	1.00	0.04	0.001	38	<input type="checkbox"/>		
			400236	488.00	489.00	1.00	0.63	0.018	630	<input type="checkbox"/>		
			400237	489.00	490.00	1.00	0.16	0.005	158	<input type="checkbox"/>		
			484.90 - 484.95 (9A) QUARTZ SERICITE SCHIST @ SIDACE LK	400238	490.00	491.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			2-4 mm veinlet smokey quartz, highly contorted, devoid of sulfides, 1 SPECK VG in quartz	400239	491.00	492.00	1.00	2.07	0.060	2070	<input type="checkbox"/>	
				400240	492.00	493.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
493.20	494.70	(1) UNDIFF. MAFIC / UM VOLCANICS	400241	493.00	494.00	1.00	12.16	0.355	12156	<input type="checkbox"/>		
		Biotite-Quartz Schist-possibly dike dark brown, fine grained, biotitic, uniform, well foliated at 40-45 to CA, sharp conformable contacts 1% fine disseminated pypo	400242	494.00	495.00	1.00	0.47	0.014	466	<input type="checkbox"/>		
494.70	510.25	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHMS	400243	495.00	496.00	1.00	0.12	0.004	120	<input type="checkbox"/>		
		Quartz-Sericite Schist similar to above, only traces pypo, traces fuchsite alteration in streaks	400244	496.00	497.00	1.00	0.16	0.005	158	<input type="checkbox"/>		
			400245	497.00	498.00	1.00	0.15	0.004	154	<input type="checkbox"/>		
			400246	498.00	499.00	1.00	0.07	0.002	71	<input type="checkbox"/>		
			400247	499.00	500.00	1.00	0.16	0.005	160	<input type="checkbox"/>		
			400248	500.00	501.00	1.00	0.06	0.002	56	<input type="checkbox"/>		
			400251	501.00	502.00	1.00	0.06	0.002	60	<input type="checkbox"/>		
			400252	502.00	503.00	1.00	0.04	0.001	38	<input type="checkbox"/>		
			400253	503.00	504.00	1.00	0.06	0.002	55	<input type="checkbox"/>		
			400254	504.00	505.00	1.00	0.18	0.005	184	<input type="checkbox"/>		
			400255	505.00	506.00	1.00	0.05	0.002	53	<input type="checkbox"/>		
			400256	506.00	507.00	1.00	0.03	0.001	32	<input type="checkbox"/>		
			400257	507.00	508.00	1.00	0.04	0.001	40	<input type="checkbox"/>		



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-75
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			400258	508.00	509.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			400259	509.00	510.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
510.25	545.80	(1J) BANDED AMPHIBOLITE	400260	510.00	511.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
		Porhyry fingers intuding mafics	400261	511.00	512.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		Interlayered irregularly 60% dark brown Biotite-Quartz-Garnet schist with 40% light grey-buffish felsiics- moderately sericitized	400262	512.00	513.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		biotitic layers often mineralized with 1-3% fine disseminated pypo occassional cpy, gamets are 1-3 mm diameter and are scattered to weakly concentrated in weak layers or bands	400263	513.00	514.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
		rok is moderately sheared and well foliated ranging from 40-55 at top of section and 55-60 to CA lower part of section	400264	514.00	515.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			400265	515.00	516.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			400266	516.00	517.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			400267	517.00	518.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			400268	518.00	519.00	1.00	0.80	0.023	797	<input type="checkbox"/>	
			400269	519.00	520.00	1.00	0.11	0.003	113	<input type="checkbox"/>	
			400270	520.00	521.00	1.00	1.06	0.031	1064	<input type="checkbox"/>	
			400271	521.00	522.00	1.00	0.03	<0.001	28	<input type="checkbox"/>	
			400272	522.00	523.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			400273	523.00	524.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400274	524.00	525.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			400275	525.00	526.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
			400276	526.00	527.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
			400277	527.00	528.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			400278	528.00	529.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400279	529.00	530.00	1.00	0.18	0.005	183	<input type="checkbox"/>	
			400280	530.00	531.00	1.00	0.14	0.004	144	<input type="checkbox"/>	
			400281	531.00	532.00	1.00	0.14	0.004	142	<input type="checkbox"/>	
			400282	532.00	533.00	1.00	0.30	0.009	302	<input type="checkbox"/>	
			400283	533.00	534.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400284	534.00	535.00	1.00	0.09	0.003	93	<input type="checkbox"/>	
			400285	535.00	536.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			400286	536.00	537.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400287	537.00	538.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			400288	538.00	539.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400289	539.00	540.00	1.00	0.40	0.012	402	<input type="checkbox"/>	
			400290	540.00	541.00	1.00	0.31	0.009	308	<input type="checkbox"/>	
			400291	541.00	542.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400292	542.00	543.00	1.00	0.25	0.007	245	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-75
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	V.G.	<i>Comments</i>
			400293	543.00	544.00	1.00	2.76	0.081	2762	<input type="checkbox"/>	
			400294	544.00	545.00	1.00	0.25	0.007	252	<input type="checkbox"/>	
			400295	545.00	546.00	1.00	0.26	0.007	256	<input type="checkbox"/>	
545.80	556.00	(2) UNDIFF. INTERMEDIATE VOLCANICS	400296	546.00	547.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		Intermediate-Felsic	400297	547.00	548.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		moderately biotitic, well foliated at 60 to CA	400298	548.00	549.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		1-2% disseminated and weak stringers pypo	400301	549.00	550.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400302	550.00	551.00	1.00	0.08	0.002	77	<input type="checkbox"/>	
			400303	551.00	552.00	1.00	0.86	0.025	864	<input type="checkbox"/>	
			400304	552.00	553.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			400305	553.00	554.00	1.00	0.32	0.009	323	<input type="checkbox"/>	
			400306	554.00	555.00	1.00	0.22	0.007	224	<input type="checkbox"/>	
			400307	555.00	556.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
556.00	570.00	(1J) BANDED AMPHIBOLITE	400308	556.00	557.00	1.00	0.15	0.004	154	<input type="checkbox"/>	
		dark brown, moderately to strongly biotitic, weak gamets locally concentrated in	400309	557.00	558.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
		select layers, 20% intermediate bands	400310	558.00	559.00	1.00	0.13	0.004	132	<input type="checkbox"/>	
		minor pypo	400311	559.00	560.00	1.00	0.11	0.003	109	<input type="checkbox"/>	
		564.18 - 565.25 (7B) FELDSPAR PORPHYRY	400312	560.00	561.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		Chunky feldspar porphyry dike, relatively massive to weakly foliated, sharp	400313	561.00	562.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		conformable contacts	400314	562.00	563.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			400315	563.00	564.18	1.18	0.01	<0.001	11	<input type="checkbox"/>	
			400316	564.18	565.25	1.07	0.01	<0.001	8	<input type="checkbox"/>	
			400317	565.25	566.00	0.75	0.02	<0.001	16	<input type="checkbox"/>	
			400318	566.00	567.00	1.00	0.11	0.003	107	<input type="checkbox"/>	
			400319	567.00	568.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			400320	568.00	569.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400321	569.00	570.00	1.00	0.24	0.007	236	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-75
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
68.00	349899	2203	-	-	-	-	-	-	-	-	-	2.2	-	0.064	-	-
68.01	349900	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
186.00	349949	2005	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
186.01	349950	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
261.00	349999	2210	-	-	-	-	-	-	-	-	-	2.2	-	0.064	-	-
261.01	350000	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
309.00	400049	2272	-	-	-	-	-	-	-	-	-	2.3	-	0.066	-	-
309.01	400050	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
357.00	400099	2175	-	-	-	-	-	-	-	-	-	2.2	-	0.063	-	-
357.01	400100	7	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
405.00	400149	2111	-	-	-	-	-	-	-	-	-	2.1	-	0.062	-	-
405.01	400150	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
453.00	400199	2177	-	-	-	-	-	-	-	-	-	2.2	-	0.064	-	-
453.01	400200	9	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
501.00	400249	1725	-	-	-	-	-	-	-	-	-	1.7	-	0.050	-	-
501.01	400250	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
549.00	400299	2068	-	-	-	-	-	-	-	-	-	2.1	-	0.060	-	-
549.01	400300	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-75
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
15.20	18.00	2.80	R5	0.25	0.42	-	100.00	-	100.00
18.00	21.00	3.00	R5	0.40	0.62	-	100.00	-	100.00
21.00	24.00	3.00	R5	0.52	0.89	-	100.00	-	100.00
24.00	27.00	3.00	R5	1.20	4.30	-	100.00	-	100.00
27.00	30.00	3.00	R5	0.33	0.65	-	100.00	-	100.00
30.00	33.00	3.00	R5	0.64	0.84	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.22	0.40	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.31	0.43	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.28	0.76	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.87	1.50	-	100.00	-	100.00
45.00	48.00	3.00	R5	2.72	5.10	-	100.00	-	100.00
48.00	51.00	3.00	R5	1.84	2.85	-	100.00	-	100.00
51.00	54.00	3.00	R5	1.37	1.88	-	100.00	-	100.00
54.00	57.00	3.00	R5	1.50	2.34	-	100.00	-	100.00
57.00	60.00	3.00	R5	1.06	2.08	-	100.00	-	100.00
60.00	63.00	3.00	R5	1.21	1.83	-	100.00	-	100.00
63.00	66.00	3.00	R5	3.99	6.22	-	100.00	-	100.00
66.00	69.00	3.00	R5	9.22	30.00	-	100.00	-	100.00
69.00	72.00	3.00	R5	6.75	18.00	-	100.00	-	100.00
72.00	75.00	3.00	R5	2.13	5.32	-	100.00	-	100.00
75.00	78.00	3.00	R5	3.66	13.20	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.84	1.29	-	100.00	-	100.00
81.00	84.00	3.00	R5	1.15	2.25	-	100.00	-	100.00
84.00	87.00	3.00	R5	3.02	8.60	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.09	0.10	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.10	0.12	-	100.00	-	100.00
93.00	96.00	3.00	R5	0.46	1.29	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.59	0.93	-	100.00	-	100.00
99.00	102.00	3.00	R5	1.52	2.90	-	100.00	-	100.00
102.00	105.00	3.00	R5	2.27	3.34	-	100.00	-	100.00
105.00	108.00	3.00	R5	4.61	12.70	-	100.00	-	100.00
108.00	111.00	3.00	R5	4.28	9.62	-	100.00	-	100.00
111.00	114.00	3.00	R5	4.78	6.93	-	100.00	-	100.00
114.00	117.00	3.00	R5	4.16	7.11	-	100.00	-	100.00
117.00	120.00	3.00	R6	3.40	8.16	-	100.00	-	100.00
120.00	123.00	3.00	R6	0.99	1.66	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.41	0.75	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-75
Project: PLANET EXPLORATION
Project Number: 800125

126.00	129.00	3.00	R5	0.38	0.62	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.25	0.36	-	100.00	-	100.00
132.00	135.00	3.00	R5	1.53	5.10	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.78	1.48	-	100.00	-	100.00
138.00	141.00	3.00	R6	1.31	4.88	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.03	0.04	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.03	0.14	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.27	0.53	-	100.00	-	100.00
150.00	153.00	3.00	R6	0.03	0.05	-	100.00	-	100.00
153.00	156.00	3.00	R6	1.06	4.11	-	100.00	-	100.00
156.00	159.00	3.00	R6	3.65	5.89	-	100.00	-	100.00
159.00	162.00	3.00	R6	0.09	0.40	-	100.00	-	100.00
162.00	165.00	3.00	R6	0.20	0.36	-	100.00	-	100.00
165.00	168.00	3.00	R6	0.20	0.73	-	100.00	-	100.00
168.00	171.00	3.00	R6	0.10	0.40	-	100.00	-	100.00
171.00	174.00	3.00	R5	0.58	1.95	-	100.00	-	100.00
174.00	177.00	3.00	R5	2.56	4.20	-	100.00	-	100.00
177.00	180.00	3.00	R5	4.23	7.02	-	100.00	-	100.00
180.00	183.00	3.00	R5	1.36	2.94	-	100.00	-	100.00
183.00	186.00	3.00	R5	1.40	3.29	-	100.00	-	100.00
186.00	189.00	3.00	R5	1.17	2.34	-	100.00	-	100.00
189.00	192.00	3.00	R5	0.13	0.20	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.19	0.40	-	100.00	-	100.00
195.00	198.00	3.00	R5	0.38	0.91	-	100.00	-	100.00
198.00	201.00	3.00	R5	0.54	1.06	-	100.00	-	100.00
201.00	204.00	3.00	R5	1.19	2.58	-	100.00	-	100.00
204.00	207.00	3.00	R5	2.84	12.90	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.32	0.93	-	100.00	-	100.00
210.00	213.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
213.00	216.00	3.00	R5	0.09	0.12	-	100.00	-	100.00
216.00	219.00	3.00	R5	0.21	0.91	-	100.00	-	100.00
219.00	222.00	3.00	R5	0.03	0.10	-	100.00	-	100.00
222.00	225.00	3.00	R5	0.01	0.07	-	100.00	-	100.00
225.00	228.00	3.00	R6	0.01	0.05	-	100.00	-	100.00
228.00	231.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
231.00	234.00	3.00	R6	0.01	0.07	-	100.00	-	100.00
234.00	237.00	3.00	R6	0.07	0.23	-	100.00	-	100.00
237.00	240.00	3.00	R6	0.02	0.05	-	100.00	-	100.00
240.00	243.00	3.00	R6	0.01	0.05	-	100.00	-	100.00
243.00	246.00	3.00	R6	0.01	0.03	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-75
Project: PLANET EXPLORATION
Project Number: 800125

246.00	249.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
249.00	252.00	3.00	R6	0.05	0.07	-	100.00	-	100.00
252.00	255.00	3.00	R6	0.07	0.12	-	100.00	-	100.00
255.00	258.00	3.00	R6	0.25	0.82	-	100.00	-	100.00
258.00	261.00	3.00	R5	0.91	4.55	-	100.00	-	100.00
261.00	264.00	3.00	R5	0.06	0.31	-	100.00	-	100.00
264.00	267.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
267.00	270.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
270.00	273.00	3.00	R6	0.08	0.29	-	100.00	-	100.00
273.00	276.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
276.00	279.00	3.00	R5	0.05	0.07	-	100.00	-	100.00
279.00	282.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
282.00	285.00	3.00	R5	0.04	0.12	-	100.00	-	100.00
285.00	288.00	3.00	R5	0.26	0.29	-	100.00	-	100.00
288.00	291.00	3.00	R5	0.79	2.23	-	100.00	-	100.00
291.00	294.00	3.00	R5	1.18	2.69	-	100.00	-	100.00
294.00	297.00	3.00	R5	0.99	2.67	-	100.00	-	100.00
297.00	300.00	3.00	R5	0.32	0.78	-	100.00	-	100.00
300.00	303.00	3.00	R5	0.32	0.80	-	100.00	-	100.00
303.00	306.00	3.00	R5	0.24	0.56	-	100.00	-	100.00
306.00	309.00	3.00	R5	0.03	0.05	-	100.00	-	100.00
309.00	312.00	3.00	R5	0.07	0.18	-	100.00	-	100.00
312.00	315.00	3.00	R5	0.61	1.73	-	100.00	-	100.00
315.00	318.00	3.00	R5	0.49	1.15	-	100.00	-	100.00
318.00	321.00	3.00	R5	1.28	3.23	-	100.00	-	100.00
321.00	324.00	3.00	R5	1.65	4.26	-	100.00	-	100.00
324.00	327.00	3.00	R5	2.77	5.14	-	100.00	-	100.00
327.00	330.00	3.00	R5	4.57	10.30	-	100.00	-	100.00
330.00	333.00	3.00	R5	1.61	2.45	-	100.00	-	100.00
333.00	336.00	3.00	R5	0.14	0.29	-	100.00	-	100.00
336.00	339.00	3.00	R5	0.07	0.16	-	100.00	-	100.00
339.00	342.00	3.00	R5	0.14	0.25	-	100.00	-	100.00
342.00	345.00	3.00	R5	0.15	0.40	-	100.00	-	100.00
345.00	348.00	3.00	R5	0.32	0.56	-	100.00	-	100.00
348.00	351.00	3.00	R5	0.24	0.69	-	100.00	-	100.00
351.00	354.00	3.00	R4	0.14	0.34	-	100.00	-	100.00
354.00	357.00	3.00	R4	0.07	0.16	-	100.00	-	100.00
357.00	360.00	3.00	R4	0.00	0.00	-	100.00	-	100.00
360.00	363.00	3.00	R4	0.00	0.00	-	100.00	-	100.00
363.00	366.00	3.00	R5	0.03	0.09	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-75
Project: PLANET EXPLORATION
Project Number: 800125

366.00	369.00	3.00	R5	0.08	0.34	-	100.00	-	100.00
369.00	372.00	3.00	R6	0.04	0.14	-	100.00	-	100.00
372.00	375.00	3.00	R5	0.07	0.18	-	100.00	-	100.00
375.00	378.00	3.00	R4	0.06	0.16	-	100.00	-	100.00
378.00	381.00	3.00	R5	0.16	0.40	-	100.00	-	100.00
381.00	384.00	3.00	R4	0.05	0.14	-	100.00	-	100.00
384.00	387.00	3.00	R4	0.11	0.29	-	100.00	-	100.00
387.00	390.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
390.00	393.00	3.00	R5	0.03	0.09	-	100.00	-	100.00
393.00	396.00	3.00	R5	0.07	0.09	-	100.00	-	100.00
396.00	399.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
399.00	402.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
402.00	405.00	3.00	R4	0.04	0.07	-	100.00	-	100.00
405.00	408.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
408.00	411.00	3.00	R4	0.06	0.09	-	100.00	-	100.00
411.00	414.00	3.00	R5	0.02	0.03	-	100.00	-	100.00
414.00	417.00	3.00	R6	0.05	0.07	-	100.00	-	100.00
417.00	420.00	3.00	R6	0.10	0.21	-	100.00	-	100.00
420.00	423.00	3.00	R6	0.10	0.21	-	100.00	-	100.00
423.00	426.00	3.00	R6	0.06	0.09	-	100.00	-	100.00
426.00	429.00	3.00	R6	0.26	0.38	-	100.00	-	100.00
429.00	432.00	3.00	R6	0.19	0.56	-	100.00	-	100.00
432.00	435.00	3.00	R6	0.10	0.27	-	100.00	-	100.00
435.00	438.00	3.00	R6	0.07	0.16	-	100.00	-	100.00
438.00	441.00	3.00	R6	0.04	0.07	-	100.00	-	100.00
441.00	444.00	3.00	R5	0.03	0.05	-	100.00	-	100.00
444.00	447.00	3.00	R6	0.06	0.12	-	100.00	-	100.00
447.00	450.00	3.00	R6	0.10	0.25	-	100.00	-	100.00
450.00	453.00	3.00	R6	0.07	0.12	-	100.00	-	100.00
453.00	456.00	3.00	R6	0.04	0.12	-	100.00	-	88.30
456.00	459.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
459.00	462.00	3.00	R5	0.07	0.12	-	100.00	-	100.00
462.00	465.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
465.00	468.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
468.00	471.00	3.00	R5	0.06	0.09	-	100.00	-	100.00
471.00	474.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
474.00	477.00	3.00	R5	0.14	0.47	-	100.00	-	100.00
477.00	480.00	3.00	R6	0.07	0.25	-	100.00	-	100.00
480.00	483.00	3.00	R4	0.13	0.20	-	100.00	-	100.00
483.00	486.00	3.00	R4	0.12	0.14	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-75
Project: PLANET EXPLORATION
Project Number: 800125

486.00	489.00	3.00	R4	0.08	0.25	-	100.00	-	100.00
489.00	492.00	3.00	R4	0.20	0.38	-	100.00	-	100.00
492.00	495.00	3.00	R4	0.41	1.43	-	100.00	-	100.00
495.00	498.00	3.00	R5	0.05	0.12	-	100.00	-	100.00
498.00	501.00	3.00	R4	0.09	0.29	-	100.00	-	100.00
501.00	504.00	3.00	R4	0.04	0.20	-	100.00	-	100.00
504.00	507.00	3.00	R4	0.03	0.16	-	100.00	-	100.00
507.00	510.00	3.00	R4	0.06	0.14	-	100.00	-	100.00
510.00	513.00	3.00	R5	0.09	0.20	-	100.00	-	100.00
513.00	516.00	3.00	R4	0.08	0.14	-	100.00	-	100.00
516.00	519.00	3.00	R4	0.09	0.14	-	100.00	-	100.00
519.00	522.00	3.00	R4	0.30	1.42	-	100.00	-	100.00
522.00	525.00	3.00	R4	0.67	1.11	-	100.00	-	100.00
525.00	528.00	3.00	R5	0.49	1.40	-	100.00	-	100.00
528.00	531.00	3.00	R5	0.57	1.04	-	100.00	-	100.00
531.00	534.00	3.00	R5	0.05	0.21	-	100.00	-	100.00
534.00	537.00	3.00	R4	0.15	0.53	-	100.00	-	100.00
537.00	540.00	3.00	R4	0.42	1.02	-	100.00	-	100.00
540.00	543.00	3.00	R4	2.10	4.46	-	100.00	-	100.00
543.00	546.00	3.00	R5	0.38	0.87	-	100.00	-	100.00
546.00	549.00	3.00	R5	0.32	1.44	-	100.00	-	100.00
549.00	552.00	3.00	R5	1.01	4.58	-	100.00	-	100.00
552.00	555.00	3.00	R5	0.93	3.97	-	100.00	-	100.00
555.00	558.00	3.00	R5	1.58	3.01	-	100.00	-	100.00
558.00	561.00	3.00	R5	3.08	6.66	-	100.00	-	100.00
561.00	564.00	3.00	R5	0.44	0.87	-	100.00	-	100.00
564.00	567.00	3.00	R5	1.03	2.43	-	100.00	-	100.00
567.00	570.00	3.00	R5	0.68	1.61	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-76
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>		
Azimuth:	90	Length:	27.30 meters	Township:	COLI LAKE	Contractor:	MAJOR DRILLING		
Dip:	-65	Pulled:	No	Claim No:	Staked	Spotted by:	T. Maciejewski		
Length:	528.00 meters	Capped:	Yes	NTS:		Coord Type:	SUR		
Started:	05-Apr-05	Cemented:	No	Surface Hole :	Yes	Surveyed by:	K. Pye		
Completed:	17-Apr-05			Level:		Surveyed Date:	13-Jul-05		
Logged:	06-Apr-05	<u>Core</u>		Coordinate- Gemcom	Coordinate - UTM	Coordinate- Grid	Logged by:	L.C. Chastko	
Wedged :	No	Dimension:	NQ	East:	462489.92	East:	462490	Re-logged by:	
Wedged from:		Original Units:	M	North:	5681251.03	North:	5681251	Water Source:	
		Storage:	Cochenour Mine	Elevation:	409.61	Elevation:	410	Water line:	
				UTM Zone:	15 (NAD27)	Grid Name:		Left in hole:	Nothing
Target:	Main Zone C4A							Control Drilling:	
Comments:	258.00 - change to standard core barrel							Cutting sampled:	No
								Geophysical:	

Deviation Tests

Distance (m)	Azimuth	Dip	Type
0.000	86.61	-65.00	X
3.000	85.81	-65.18	X
6.000	85.39	-65.25	X
9.000	85.28	-65.26	X
12.000	85.69	-65.31	X
15.000	86.06	-65.41	X
18.000	86.26	-65.33	X
21.000	86.42	-65.15	X
24.000	86.56	-64.99	X
27.000	86.84	-64.83	X
30.000	86.96	-64.74	X
33.000	87.03	-64.69	X
36.000	87.00	-64.68	X
39.000	87.10	-64.64	X
42.000	87.06	-64.64	X
45.000	86.96	-64.65	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
48.000	86.90	-64.63	X
51.000	86.88	-64.60	X
54.000	86.90	-64.59	X
57.000	86.99	-64.57	X
60.000	87.01	-64.54	X
63.000	87.10	-64.50	X
66.000	87.19	-64.45	X
69.000	87.25	-64.41	X
72.000	87.42	-64.35	X
75.000	87.54	-64.28	X
78.000	87.75	-64.21	X
81.000	87.95	-64.14	X
84.000	88.03	-64.11	X
87.000	88.10	-64.06	X
90.000	88.19	-64.03	X
93.000	88.37	-64.01	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
96.000	88.46	-63.99	X
99.000	88.56	-63.95	X
102.000	88.73	-63.91	X
105.000	88.86	-63.86	X
108.000	88.99	-63.84	X
111.000	89.10	-63.77	X
114.000	89.17	-63.72	X
117.000	89.21	-63.65	X
120.000	89.29	-63.63	X
123.000	89.37	-63.55	X
126.000	89.44	-63.51	X
129.000	89.52	-63.46	X
132.000	89.67	-63.39	X
135.000	89.92	-63.28	X
138.000	89.99	-63.20	X
141.000	90.14	-63.09	X



Diamond Drill Hole Log

GoldCorp Inc.

Hole Number : RL-05-76
 Project : PLANET EXPLOR
 Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	90.24	-63.02	X
147.000	90.41	-62.96	X
150.000	90.51	-62.94	X
153.000	90.56	-62.90	X
156.000	90.58	-62.87	X
159.000	90.59	-62.81	X
162.000	90.56	-62.74	X
165.000	90.53	-62.70	X
168.000	90.48	-62.67	X
171.000	90.46	-62.66	X
174.000	90.48	-62.64	X
177.000	90.56	-62.62	X
180.000	90.60	-62.59	X
183.000	90.55	-62.53	X
186.000	90.56	-62.47	X
189.000	90.57	-62.41	X
192.000	90.53	-62.35	X
195.000	90.50	-62.29	X
198.000	90.47	-62.20	X
201.000	90.43	-62.04	X
204.000	90.47	-61.82	X
207.000	90.54	-61.68	X
210.000	90.60	-61.58	X
213.000	90.58	-61.49	X
216.000	90.68	-61.42	X
219.000	90.77	-61.36	X
222.000	90.73	-61.33	X
225.000	90.71	-61.31	X
228.000	90.72	-61.30	X
231.000	90.76	-61.25	X
234.000	90.82	-61.20	X
237.000	90.81	-61.16	X
240.000	90.86	-61.13	X
243.000	90.88	-61.13	X
246.000	90.89	-61.15	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
249.000	90.94	-61.15	X
252.000	91.00	-61.16	X
255.000	90.98	-61.19	X
258.000	91.03	-61.21	X
261.000	91.13	-61.22	X
264.000	91.11	-61.25	X
267.000	91.19	-61.27	X
270.000	91.21	-61.29	X
273.000	91.31	-61.29	X
276.000	91.52	-61.29	X
279.000	91.67	-61.32	X
282.000	91.69	-61.30	X
285.000	91.66	-61.25	X
288.000	91.74	-61.16	X
291.000	91.80	-61.11	X
294.000	91.85	-61.02	X
297.000	91.86	-60.97	X
300.000	91.89	-60.91	X
303.000	91.88	-60.85	X
306.000	91.93	-60.77	X
309.000	92.02	-60.68	X
312.000	92.03	-60.61	X
315.000	91.99	-60.56	X
318.000	91.91	-60.50	X
321.000	91.88	-60.50	X
324.000	91.89	-60.47	X
327.000	91.97	-60.45	X
330.000	92.08	-60.41	X
333.000	92.18	-60.38	X
336.000	92.35	-60.33	X
339.000	92.45	-60.33	X
342.000	92.41	-60.30	X
345.000	92.45	-60.22	X
348.000	92.54	-60.19	X
351.000	92.62	-60.16	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
354.000	92.73	-60.14	X
357.000	92.84	-60.11	X
360.000	92.96	-60.09	X
363.000	92.94	-60.08	X
366.000	92.99	-60.08	X
369.000	93.00	-60.07	X
372.000	93.05	-60.04	X
375.000	93.16	-60.04	X
378.000	93.28	-60.03	X
381.000	93.45	-60.02	X
384.000	93.63	-59.99	X
387.000	93.78	-59.98	X
390.000	93.95	-59.95	X
393.000	94.08	-59.91	X
396.000	94.20	-59.88	X
399.000	94.30	-59.86	X
402.000	94.39	-59.84	X
405.000	94.41	-59.84	X
408.000	94.53	-59.82	X
411.000	94.60	-59.77	X
414.000	94.76	-59.66	X
417.000	95.03	-59.48	X
420.000	95.31	-59.33	X
423.000	95.54	-59.23	X
426.000	95.77	-59.12	X
429.000	96.13	-58.99	X
432.000	96.43	-58.90	X
435.000	96.79	-58.76	X
438.000	97.34	-58.56	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	27.30	(OB) OVERBURDEN									
27.30	44.60	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS BX Quartz-Andalusite-Staurolite schist weakly to moderately brecciated and altered blotchy browns, greens, greys, fine grained, blocky core, numerous late open fractures and slips 2-4% white and smokey quartz veining traces disseminated and occasional irregular stringers py>po weak foliation at 30-45 to CA	400322	30.00	31.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			400323	35.00	36.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			400324	38.00	39.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			400325	44.00	45.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
44.60	49.50	(FLT) FAULT 3T, Quartz-Andalusite-Staurolite breccia open slips and fractures, altered, some healed with carbonate, local crushing local gouge, local sections with 10-20% pypo over 15-20 cm badly broken core fault attitude - 55-60 to CA	400326	49.00	50.00	1.00	0.73	0.021	725	<input type="checkbox"/>	
49.50	58.90	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS Quartz-Andalusite-staurolite schist weakly brecciated sections, moderately sheared and foliated at 40-45 to CA- somewhat variable, 10-15% sections of amphibole-biotite-garnet bands well sheared and brecciated lower contact with dike moderately broken core	400327	54.00	55.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
58.90	61.00	(FLT) FAULT 60% 3T breccia altered grungy contaminated mafic dike, brecciation, shearing and alteration extends into wall rock approximately a meter on either side of dike - probable fault zone intruded	400328	59.00	60.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
61.00	63.63	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS Quartz-Andalusite-Staurolite schist weakly brecciated, moderately sheared and foliated at 40 to CA, 2% smoky quartz veins 1% pypo	400329	61.00	62.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			400330	62.00	63.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			400331	63.00	64.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
63.63	67.75	(9C) SILICIFIED UNIT @ SIDACE LK Silicified Zone-70%, 30% Quartz-Andalusite bands silicified contains 5-8% fine stringers to weak bands py>po, banding and foliation at 55 to Ca	400332	64.00	65.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			400333	65.00	66.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			400334	66.00	67.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			400335	67.00	68.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
67.75	120.42	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS Quartz-Andalusite-Staurolite buffish-grey quartz with fine grainy laminae of pinkish-mauve andalusite, relatively uniform sections grading into blocky or banded brown staurolite sections 67.75 - 78.0 QAS minor amphibole-biotite-garnet bands, fine blotchy appearance, moderately sheared and foliated at 55 to CA number of jagged low angle fractures with blue-green coating 78.0 - 81.0 moderately sericitized, well sheared and foliated at 55 to CA 81.0 - more typical of QSS, typically well foliated and finely laminated at 55 to CA, with local folding at 91.5 - 93.6- fold closure, low angles to CA overall local weak epidotization and occasional white to glassy quartz veinlets 104 - 137 considerable staurolite alteration	400336	68.00	69.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400337	74.00	75.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400338	75.00	76.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400339	76.00	77.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400340	77.00	78.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			400341	78.00	79.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400342	79.00	80.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			400343	80.00	81.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			400344	81.00	82.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			400345	84.00	85.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400346	89.00	90.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			400347	94.00	95.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400348	99.00	100.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400351	104.00	105.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			400352	109.00	110.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
400353	114.00	115.00	1.00	0.01	<0.001	6	<input type="checkbox"/>				
400354	119.00	120.00	1.00	0.01	<0.001	8	<input type="checkbox"/>				
120.42	124.00	(1J) BANDED AMPHIBOLITE Amphibole-Garnet schist dark green amphibolite, 15% deformed garnet metacrysts up to 2 cm diameter, minor staurolite well foliated crudely banded at 40-45 to CA	400355	120.00	121.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400356	121.00	122.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400357	122.00	123.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			400358	123.00	124.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
124.00	150.60	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	400359	129.00	130.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		Predominantly Quartz-Andalusite schist with minor brownish staurolite patches and bands	400360	130.00	131.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		similar to above, occasional streaks bright green fuchsite, traces sulfides	400361	131.00	132.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		overall weakly sericitic with minor moderate to strong sericite locally	400362	132.00	133.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		140 - 150.6 weak to moderate shear breccia developed locally, weakly to moderately sericitic; sharp lower contact with silicified zone at 45 to CA	400363	133.00	134.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			400364	134.00	135.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		132.50 - 134.00 (3T) ALUMINOUS ALTERED FELSIC VOLCANICS	400365	135.00	136.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		moderate to strongly sericitized	400366	136.00	137.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400367	137.00	138.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400368	138.00	139.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400369	139.00	140.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			400370	140.00	141.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400371	141.00	142.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			400372	142.00	143.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400373	143.00	144.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400374	144.00	145.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400375	145.00	146.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400376	146.00	147.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400377	147.00	148.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400378	148.00	149.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			400379	149.00	150.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			400380	150.00	151.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
150.60	203.00	(9C) SILICIFIED UNIT @ SIDACE LK	400381	151.00	152.00	1.00	0.08	0.002	83	<input type="checkbox"/>	
		Silicified Zone regular massive silica	400382	152.00	153.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
		irregular light grey to smokey quartz, varies from fine glassy to grainy texture, locally weakly banded, minor to moderate fine fractures, irregular disseminated fine stringers and weak local bands of py>po	400383	153.00	154.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		202.50 - 202.70 reddish-brown staining - possibly realgar	400384	154.00	155.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
			400385	155.00	156.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			400386	156.00	157.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			400387	157.00	158.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			400388	158.00	159.00	1.00	0.13	0.004	130	<input type="checkbox"/>	
			400389	159.00	160.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			400390	160.00	161.00	1.00	0.04	0.001	43	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			400391	161.00	162.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
			400392	162.00	163.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			400393	163.00	164.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			400394	164.00	165.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			400395	165.00	166.00	1.00	1.35	0.039	1353	<input type="checkbox"/>	
			400396	166.00	167.00	1.00	0.13	0.004	133	<input type="checkbox"/>	
			400397	167.00	168.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
			400398	168.00	169.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			400401	169.00	170.00	1.00	0.20	0.006	198	<input type="checkbox"/>	
			400402	170.00	171.00	1.00	0.18	0.005	177	<input type="checkbox"/>	
			400403	171.00	172.00	1.00	0.19	0.006	194	<input type="checkbox"/>	
			400404	172.00	173.00	1.00	0.22	0.007	224	<input type="checkbox"/>	
			400405	173.00	174.00	1.00	0.13	0.004	131	<input type="checkbox"/>	
			400406	174.00	175.00	1.00	0.15	0.004	147	<input type="checkbox"/>	
			400407	175.00	176.00	1.00	0.13	0.004	132	<input type="checkbox"/>	
			400408	176.00	177.00	1.00	0.22	0.006	219	<input type="checkbox"/>	
			400409	177.00	178.00	1.00	0.11	0.003	107	<input type="checkbox"/>	
			400410	178.00	179.00	1.00	0.08	0.002	84	<input type="checkbox"/>	
			400411	179.00	180.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			400412	180.00	181.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			400413	181.00	182.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
			400414	182.00	183.00	1.00	0.13	0.004	128	<input type="checkbox"/>	
			400415	183.00	184.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			400416	184.00	185.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			400417	185.00	186.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			400418	186.00	187.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			400419	187.00	188.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			400420	188.00	189.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
			400421	189.00	190.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			400422	190.00	191.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			400423	191.00	192.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
			400424	192.00	193.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			400425	193.00	194.00	1.00	0.07	0.002	73	<input type="checkbox"/>	
			400426	194.00	195.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			400427	195.00	196.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			400428	196.00	197.00	1.00	0.14	0.004	140	<input type="checkbox"/>	
			400429	197.00	198.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
			400430	198.00	199.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400431	199.00	200.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400432	200.00	201.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			400433	201.00	202.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400434	202.00	203.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
203.00	239.40	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	400435	203.00	204.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		Quartz-Andalusite-Staurolite schist	400436	204.00	205.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		typical finely laminated quartz-andalusite with minor bands and patches brownish staurolite	400437	205.00	206.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
		well foliated and laminated at 40-45 to CA well sheared with local shear breccia, variable sericitization from weak to locally moderate over several meters	400438	206.00	207.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		traces disseminated fine pypo	400439	207.00	208.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		223.0 - 229.00 strong staurolite, with 10-15% stretched garnet blasts up to 2 cm length concentrated in selective bands, traces magnetite in select layers	400440	208.00	209.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400441	209.00	210.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400442	210.00	211.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400443	211.00	212.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400444	212.00	213.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400445	213.00	214.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			400446	214.00	215.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400447	215.00	216.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400448	216.00	217.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400451	217.00	218.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400452	218.00	219.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400453	224.00	225.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400454	225.00	226.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400455	226.00	227.00	1.00	0.11	0.003	110	<input type="checkbox"/>	
			400456	227.00	228.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400457	228.00	229.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400458	229.00	230.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400459	230.00	231.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400460	234.00	235.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400461	235.00	236.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400462	236.00	237.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400463	237.00	238.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			400464	238.00	239.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
239.40	240.48	(6) MAFIC-ULTRAMAFIC INTRUSIVES dark brownish-green, fine grained, fractured, hairline carbonate filling, moderately sheared and foliated at 30-35 to ca, irregular contacts at 30 to CA	400465	239.00	240.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
240.48	243.30	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS regular laminated Quartz-Andalusite schist, similar to before lower contact at 32 to CA	400466 400467 400468	240.00 241.00 242.00	241.00 242.00 243.00	1.00 1.00 1.00	<0.01 0.01 0.07	<0.001 <0.001 0.002	<5 6 73	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
243.30	284.45	(9C) SILICIFIED UNIT @ SIDACE LK Silicified Zone- typical highly silicified, overall 5% fine disseminated to weak stringers crystalline py>po 243 - 245.5 10-15% irregular bands py>po well fractured , fractures often coated with Chlorite, core is coined in sections, lower part is broken zone passes into interfingering schist and quartz veining- probable fault zone at 30 to CA	400469 400470 400471 400472 400473 400474 400475 400476 400477 400478 400479 400480 400481 400482 400483 400484 400485 400486 400487 400488 400489 400490 400491 400492	243.00 244.00 245.00 246.00 247.00 248.00 249.00 250.00 251.00 252.00 253.00 254.00 255.00 256.00 257.00 258.00 259.00 260.00 261.00 262.00 263.00 264.00 265.00 266.00 267.00	244.00 245.00 246.00 247.00 248.00 249.00 250.00 251.00 252.00 253.00 254.00 255.00 256.00 257.00 258.00 259.00 260.00 261.00 262.00 263.00 264.00 265.00 266.00 267.00	1.00 1.00	0.10 0.08 0.11 0.03 0.02 0.01 0.03 0.03 0.03 0.02 0.03 0.04 0.02 0.13 0.01 0.04 0.01 0.01 0.01 0.02 0.04 0.01 0.05 0.01	0.003 0.002 0.003 0.001 0.001 <0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.004 <0.001 0.001 <0.001 <0.001 <0.001 <0.001 0.001 <0.001 0.002 <0.001	98 83 112 30 22 11 30 31 27 24 32 37 24 125 13 41 12 6 10 16 42 11 53 13	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozft)	Au (ppb)	V.G.	Comments
			400493	267.00	268.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			400494	268.00	269.00	1.00	0.85	0.025	846	<input type="checkbox"/>	
			400495	269.00	270.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			400496	270.00	271.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			400497	271.00	272.00	1.00	0.18	0.005	182	<input type="checkbox"/>	
			400498	272.00	273.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			400701	273.00	274.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400702	274.00	275.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400703	275.00	276.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400704	276.00	277.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400705	277.00	278.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400706	278.00	279.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			400707	279.00	280.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			400708	280.00	281.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			400709	281.00	282.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400710	282.00	283.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400711	283.00	284.00	1.00	0.15	0.004	147	<input type="checkbox"/>	
284.45	286.10	(FLT) FAULT	400712	284.00	285.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		greenish mica, minor biotite schist with 30% irregular quartz veining, general foliation at 30 to CA moderate contortion	400713	285.00	286.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
286.10	288.50	(2T) ALUMINOUS ALTERED INTERM. VOLCANICS	400714	286.00	287.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		blotchy brown and grey, strong staurolite alteration with minor locally concentrated sheared garnets up to 2 cm in length, recrystallized thus losing strong foliation fabric, weak vague banding variable from 20-50 to CA, minor 1-2% quartz veining - predominantly white, traces disseminated pypo throughout	400715	287.00	288.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
		266.90 - 267.20 white quartz-tourmaline vein , 1% popy	400716	288.00	289.00	1.00	0.65	0.019	649	<input type="checkbox"/>	
288.50	336.60	(9C) SILICIFIED UNIT @ SIDACE LK	400717	289.00	290.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		Silicified zone	400718	290.00	291.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
		typical light greyish to smokey, variable, locally weakly banded to local sections with vague grainy texture	400719	291.00	292.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
		moderate tight fractures predominantly at 50-60 to CA, occassional sericite wisps	400720	292.00	293.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		overall 3-5% disseminate to weak irregular stringers py and/or po	400721	293.00	294.00	1.00	0.03	0.001	31	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
288.5	291.5	10-15% irregular bands pypo	400722	294.00	295.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
311.40 - 311.60		(9C) SILICIFIED UNIT @ SIDACE LK	400723	295.00	296.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		60% medium grained subhedral py	400724	296.00	297.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			400725	297.00	298.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			400726	298.00	299.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
318.85 - 319.20		(9C) SILICIFIED UNIT @ SIDACE LK	400727	299.00	300.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		45% subhedral py, 5% fine po	400728	300.00	301.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			400729	301.00	302.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
335.10 - 335.50		(1) UNDIFF. MAFIC / UM VOLCANICS	400730	302.00	303.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		darkn green, fine grained mafic dike - Gabbro?	400731	303.00	304.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		Sharp contacts at 55 to CA	400732	304.00	305.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			400733	305.00	306.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400734	306.00	307.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400735	307.00	308.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400736	308.00	309.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			400737	309.00	310.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400738	310.00	311.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400739	311.00	312.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			400740	312.00	313.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
			400741	313.00	314.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			400742	314.00	315.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			400743	315.00	316.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			400744	316.00	317.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			400745	317.00	318.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			400746	318.00	319.00	1.00	0.10	0.003	102	<input type="checkbox"/>	
			400747	319.00	320.00	1.00	0.14	0.004	144	<input type="checkbox"/>	
			400748	320.00	321.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			400651	321.00	322.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			400652	322.00	323.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			400653	323.00	324.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			400654	324.00	325.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			400655	325.00	326.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			400656	326.00	327.00	1.00	0.46	0.013	456	<input type="checkbox"/>	
			400657	327.00	328.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			400658	328.00	329.00	1.00	0.02	0.001	20	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			400659	329.00	330.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			400660	330.00	331.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			400661	331.00	332.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			400662	332.00	333.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			400663	333.00	334.00	1.00	2.18	0.064	2181	<input type="checkbox"/>	
			400664	334.00	335.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			400665	335.00	336.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			400666	336.00	337.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
336.60	343.75	(6G) GABBRO dark green with brown biotitic streaks and patches locally, medium grained, moderately sheared and foliated at 50 to CA, locally epidotized 1% disseminated popy	400667	337.00	338.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			400668	338.00	339.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			400669	339.00	340.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			400670	340.00	341.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
			400671	341.00	342.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			400672	342.00	343.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			400673	343.00	344.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
343.75	345.00	(FLT) FAULT BX brecciated, altered and annealed silicified zone, greyish to yellowish stained, fine breccia, sheared stretched clasts at 45 to CA, slightly fine vuggy sections 1-2% fine pypo	400674	344.00	345.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
345.00	348.25	(9C) SILICIFIED UNIT @ SIDACE LK Silicified Zone as before	400675	345.00	346.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			400676	346.00	347.00	1.00	0.74	0.021	736	<input type="checkbox"/>	
			400677	347.00	348.00	1.00	0.34	0.010	340	<input type="checkbox"/>	
348.25	349.35	(FLT) FAULT Quartz-Sericite-Biotite schist veined with 25% quartz veins moderately to highly strained, foliation at 35 to CA somewhat variable 1-2% pypo	400678	348.00	349.00	1.00	0.03	0.001	33	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
349.35	357.70	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS BX highly variable 349.35 - 355.5 highly sheared altered, relict Quartz-Andalusite-Staurolite textures, vague breccia fragments sheared out 355.5 - 357.7 brecciated, sheared and annealed 3T or QSS, moderately sericitized overall 1% fine pypo	400679	349.00	350.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			400680	350.00	351.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			400681	351.00	352.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			400682	352.00	353.00	1.00	0.36	0.010	358	<input type="checkbox"/>	
			400683	353.00	354.00	1.00	1.13	0.033	1125	<input type="checkbox"/>	
			400684	354.00	355.00	1.00	-	-	-	<input type="checkbox"/>	no sample received at lab
			400685	355.00	356.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			400686	356.00	357.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
357.70	362.50	(6G) GABBRO brownish-green, medium grained, moderately biotitic, moderately foliated at 55-60 to CA 362.25 - 362.50 bright green , massive diopside?	400687	357.00	358.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			400688	358.00	359.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			400689	359.00	360.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			400690	360.00	361.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			400691	361.00	362.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
362.50	366.40	(FLT) FAULT BX 50-60% silicified zone clasts varying from angular to subrounded in a light green sericitic-fuchsitic matrix orientation of long axis of clasts and foliation at 55-60 to CA 362.5 -363 50% quartz veining, moderately biotitic 1-3% disseminated pypo	400692	362.00	363.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			400693	363.00	364.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			400694	364.00	365.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
366.40	381.00	(9C) SILICIFIED UNIT @ SIDACE LK Silicified Zone typical light grey to smokey, blotchy, weakly strained to vaguely banded in sections, grainy 3-5% fine to medium py minor po 379 - 381 15-20% sulfide bands, 10-15% py, 5% fine po sheared lower contact, sericitic, quartz veining	400695	365.00	366.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			400696	366.00	367.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400697	367.00	368.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			400698	368.00	369.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			400501	369.00	370.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			400502	370.00	371.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			400503	371.00	372.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			400504	372.00	373.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			400505	373.00	374.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			400506	374.00	375.00	1.00	0.37	0.011	365	<input type="checkbox"/>	
			400507	375.00	376.00	1.00	0.29	0.008	286	<input type="checkbox"/>	
400508	376.00	377.00	1.00	0.28	0.008	279	<input type="checkbox"/>				
400509	377.00	378.00	1.00	0.85	0.025	853	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			400510	378.00	379.00	1.00	0.16	0.005	159	<input type="checkbox"/>	
			400511	379.00	380.00	1.00	0.18	0.005	183	<input type="checkbox"/>	
			400512	380.00	381.00	1.00	0.11	0.003	108	<input type="checkbox"/>	
381.00	421.50	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	400513	381.00	382.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		Quartz-Andalusite	400514	382.00	383.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		good QA, lamination sheared and disrupted, weakly to moderately sericitized locally; foliation at 45 to CA	400515	383.00	384.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		traces fine py throughout	400516	384.00	385.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		391.3 - 392.0 mafic dike, fine grained somewhat brecciated and schistose- extending above contact	400517	389.00	390.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
		391-391.3 5-10% bands py	400518	394.00	395.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		408.2 and 412.5: 8 cm white QV's at 40 degrees tca and near normal to foliation	400519	399.00	400.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		421.6-421.75: sericite and grey QV's of the earlier variety; 3% po, 3% brown sphalerite.	400520	404.00	405.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		420.80 - 421.50 (6) MAFIC-ULTRAMAFIC INTRUSIVES	400521	405.00	406.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Fault zone with possibly a mafic dyke; locally talcose or chlorite; good mud gouge in sections; average slips at 45 degrees tca.	400522	406.00	407.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400523	407.00	408.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			400524	408.00	409.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400525	409.00	410.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400526	410.00	411.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400527	411.00	412.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400528	412.00	413.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400529	413.00	414.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400530	414.00	415.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400531	415.00	416.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400532	416.00	417.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400533	417.00	418.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400534	418.00	419.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			400535	419.00	420.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400536	420.00	420.70	0.70	<0.01	<0.001	<5	<input type="checkbox"/>	
			400537	420.70	421.50	0.80	<0.01	<0.001	<5	<input type="checkbox"/>	
421.50	424.90	(9C) SILICIFIED UNIT @ SIDACE LK	400538	421.50	422.50	1.00	0.01	0.001	5	<input type="checkbox"/>	
		Typical silica unit with 2-3% po-py; moderate dark phases; locally deep blue hues, possibly moly?	400539	422.50	423.50	1.00	0.01	0.001	5	<input type="checkbox"/>	
			400540	423.50	424.50	1.00	0.01	0.001	5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
424.90	427.20	(4A) ARGILLITE, MUDSTONE Cherty argillite; fine grained, black, banded on cm scale at 40 degrees; fractured and locally brecciated with displacement of bands; 2-3% diss.py	400541	424.50	425.50	1.00	0.60	0.018	600	<input type="checkbox"/>	
			400542	425.50	426.50	1.00	0.76	0.022	758	<input type="checkbox"/>	
			400543	426.50	427.50	1.00	0.97	0.028	965	<input type="checkbox"/>	
427.20	432.20	(9C) SILICIFIED UNIT @ SIDACE LK Grey to blue-grey, typical silica unit; 3% po, 2% py, minor moly; upper contact at 40 degrees, lower contact at 45 degrees	400544	427.50	428.50	1.00	0.10	0.003	96	<input type="checkbox"/>	
			400545	428.50	429.50	1.00	0.05	0.001	49	<input type="checkbox"/>	
			400546	429.50	430.50	1.00	0.09	0.003	90	<input type="checkbox"/>	
			400547	430.50	431.50	1.00	0.30	0.009	301	<input type="checkbox"/>	
			400548	431.50	432.20	0.70	0.18	0.005	175	<input type="checkbox"/>	
432.20	437.00	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK Main zone mineralization; grey to white to yellowish with 5% bright green fuchsitic section near upper contact. 3% py, 1-2% black, metallic stibnite specs, 0.5% long, accicular aspy; 3% black to brownish qtz veins to 2cm. 433.75-434: dark, mafic unit, sheared, likely a dyke.	400551	432.20	433.00	0.80	5.86	0.171	5863	<input type="checkbox"/>	
			400552	433.00	434.00	1.00	0.91	0.026	906	<input type="checkbox"/>	
			400553	434.00	435.00	1.00	1.32	0.038	1317	<input type="checkbox"/>	
			400554	435.00	436.00	1.00	0.98	0.029	980	<input type="checkbox"/>	
			400555	436.00	437.00	1.00	0.80	0.023	799	<input type="checkbox"/>	
437.00	457.80	(9B) INTENSE POTASSIC ALTERATION Yellowish from pervasive sericite with QSS forming about 15-20% of section; small qtz eyes, generally >0.5mm, particularly prevalent in the QSS sections; 2% micro veining, 0.5-1% fine py, occasional needle of aspy. 444.5-444.7 and 450.1-450.5: weird intermediate to mafic dykes	400556	437.00	438.00	1.00	1.30	0.038	1302	<input type="checkbox"/>	
			400557	438.00	439.00	1.00	1.06	0.031	1064	<input type="checkbox"/>	
			400558	439.00	440.00	1.00	1.36	0.040	1360	<input type="checkbox"/>	
			400559	440.00	441.00	1.00	0.54	0.016	544	<input type="checkbox"/>	
			400560	441.00	442.00	1.00	0.46	0.013	461	<input type="checkbox"/>	
			400561	442.00	443.00	1.00	0.71	0.021	713	<input type="checkbox"/>	
			400562	443.00	444.00	1.00	0.42	0.012	422	<input type="checkbox"/>	
			400563	444.00	445.00	1.00	0.59	0.017	589	<input type="checkbox"/>	
			400564	445.00	446.00	1.00	0.38	0.011	376	<input type="checkbox"/>	
			400565	446.00	447.00	1.00	0.38	0.011	380	<input type="checkbox"/>	
			400566	447.00	448.00	1.00	0.09	0.003	88	<input type="checkbox"/>	
			400567	448.00	449.00	1.00	0.07	0.002	73	<input type="checkbox"/>	
			400568	449.00	450.00	1.00	0.20	0.006	203	<input type="checkbox"/>	
			400569	450.00	451.00	1.00	0.16	0.005	156	<input type="checkbox"/>	
			400570	451.00	452.00	1.00	0.28	0.008	280	<input type="checkbox"/>	
400571	452.00	453.00	1.00	0.05	0.001	47	<input type="checkbox"/>				
400572	453.00	454.00	1.00	0.03	0.001	27	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			400573	454.00	455.00	1.00	0.11	0.003	113	<input type="checkbox"/>	
			400574	455.00	456.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			400575	456.00	457.00	1.00	0.02	0.001	15	<input type="checkbox"/>	
			400576	457.00	458.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
457.80	464.70	(2) UNDIFF. INTERMEDIATE VOLCANICS	400577	458.00	459.00	1.00	0.11	0.003	112	<input type="checkbox"/>	
		Intermediate to mafic unit, mainly biotite and andalusite, minor garnet; interbanded with 10-20% more felsic unit with qtz eyes.	400578	459.00	460.00	1.00	1.86	0.054	1864	<input type="checkbox"/>	
		463.9-464.4: grey QSS with 5% coarse py	400579	460.00	461.00	1.00	0.09	0.003	92	<input type="checkbox"/>	
			400580	461.00	462.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			400581	462.00	463.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
			400582	463.00	463.90	0.90	0.04	0.001	44	<input type="checkbox"/>	
			400583	463.90	465.00	1.10	0.03	0.001	34	<input type="checkbox"/>	
464.70	471.50	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	400584	465.00	466.00	1.00	0.01	0.001	9	<input type="checkbox"/>	
		White QSS with 5% small qtz eyes, 1% fine py; occasional grain of aspy; very minor small qtz veinlets, mm scale, folded; the qtz eyes are very prominent.	400585	466.00	467.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
		466.5-466.9, 467.2-468.8: white to pale pink qtz vein; bully, occasional blebs of py; contacts are irregular and at angles against foliation	400586	467.00	468.00	1.00	0.01	0.001	7	<input type="checkbox"/>	
			400587	468.00	468.90	0.90	0.02	0.001	16	<input type="checkbox"/>	
			400588	468.90	470.00	1.10	0.02	0.001	15	<input type="checkbox"/>	
			400589	470.00	471.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
			400590	471.00	472.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
471.50	528.00	(1T) ALUMINOUS ALTERED MAFIC VOLCANICS	400591	472.00	473.00	1.00	0.11	0.003	111	<input type="checkbox"/>	
		Garnet-biotite-amphibole-andalusite-magnetite mafic volcanics; moderate chlorite remaining in patchy sections, with magnetite and garnet. No chlorite with andalusite sections; moderate biotite and minor sericite.	400592	473.00	474.00	1.00	0.17	0.005	171	<input type="checkbox"/>	
		471.5-478: BAG unit with moderate sericite, 1-2% py	400593	474.00	475.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
		478-492.2: gar-chlorite-mag unit	400594	475.00	476.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
		492.2-522: mixed BAG and minor bands chl-gar-mt	400595	476.00	477.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
		522-524: Gabbro;	400596	477.00	478.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
		524-528: BAG	400597	478.00	479.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
		522.00 - 524.00 (6G) GABBRO	400598	485.00	486.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		Green, homblende phyric gabbro dyke	400601	486.00	487.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			400602	492.00	493.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			400603	493.00	494.00	1.00	0.03	<0.001	26	<input type="checkbox"/>	
			400604	494.00	495.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			400605	495.00	496.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			400606	496.00	497.00	1.00	0.02	<0.001	19	<input type="checkbox"/>	
			400607	497.00	498.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			400608	498.00	499.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-76
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			400609	499.00	500.00	1.00	0.02	<0.001	21	<input type="checkbox"/>	
			400610	500.00	501.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			400611	501.00	502.00	1.00	0.02	<0.001	20	<input type="checkbox"/>	
			400612	502.00	503.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			400613	503.00	504.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400614	510.00	511.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400615	511.00	512.00	1.00	0.19	0.005	185	<input type="checkbox"/>	
			400616	518.00	519.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			400617	519.00	520.00	1.00	0.02	<0.001	21	<input type="checkbox"/>	
			400618	524.00	525.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			400619	525.00	526.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-76
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
100.00	400349	2283	-	-	-	-	-	-	-	-	-	2.3	-	0.067	-	-
100.01	400350	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
169.00	400399	1869	-	-	-	-	-	-	-	-	-	1.9	-	0.055	-	-
169.01	400400	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
217.00	400449	1747	-	-	-	-	-	-	-	-	-	1.7	-	0.051	-	-
217.01	400450	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
273.00	400499	2034	-	-	-	-	-	-	-	-	-	2.0	-	0.059	-	-
273.01	400500	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
321.00	400749	2394	-	-	-	-	-	-	-	-	-	2.4	-	0.070	-	-
321.01	400750	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
369.00	400699	1995	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
369.01	400700	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
432.50	400549	1828	-	-	-	-	-	-	-	-	-	1.8	-	0.053	-	-
432.51	400550	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
486.00	400599	2098	-	-	-	-	-	-	-	-	-	2.1	-	0.061	-	-
486.01	400600	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-76
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
27.30	30.00	2.70	R5	0.01	0.03	-	100.00	-	100.00
30.00	33.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.06	0.12	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.07	0.12	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.06	0.16	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.02	0.07	-	100.00	-	100.00
45.00	48.00	3.00	R4	0.02	0.05	-	100.00	-	100.00
48.00	51.00	3.00	R4	0.08	0.09	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.39	0.43	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.23	0.36	-	100.00	-	100.00
57.00	60.00	3.00	R4	0.10	0.14	-	100.00	-	100.00
60.00	63.00	3.00	R5	0.62	1.31	-	100.00	-	100.00
63.00	66.00	3.00	R6	4.39	7.88	-	100.00	-	100.00
66.00	69.00	3.00	R6	0.98	2.19	-	100.00	-	100.00
69.00	72.00	3.00	R6	1.61	4.64	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.76	1.24	-	100.00	-	100.00
75.00	78.00	3.00	R4	0.28	0.36	-	100.00	-	100.00
78.00	81.00	3.00	R4	0.90	1.79	-	100.00	-	100.00
81.00	84.00	3.00	R4	0.77	1.39	-	100.00	-	100.00
84.00	87.00	3.00	R5	2.43	5.27	-	100.00	-	100.00
87.00	90.00	3.00	R5	2.55	7.19	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.09	0.29	-	100.00	-	100.00
93.00	96.00	3.00	R6	0.03	0.10	-	100.00	-	100.00
96.00	99.00	3.00	R6	0.03	0.10	-	100.00	-	100.00
99.00	102.00	3.00	R6	0.19	0.45	-	100.00	-	100.00
102.00	105.00	3.00	R5	1.34	3.62	-	100.00	-	100.00
105.00	108.00	3.00	R5	1.69	4.44	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.06	0.18	-	100.00	-	100.00
111.00	114.00	3.00	R5	1.05	4.73	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.11	0.40	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.21	0.67	-	100.00	-	100.00
120.00	123.00	3.00	R6	0.06	0.12	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.04	0.14	-	100.00	-	100.00
126.00	129.00	3.00	R6	0.12	0.38	-	100.00	-	100.00
129.00	132.00	3.00	R6	0.04	0.12	-	100.00	-	100.00
132.00	135.00	3.00	R6	0.05	0.12	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.03	0.07	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-76
Project: PLANET EXPLORATION
Project Number: 800125

138.00	141.00	3.00	R6	0.02	0.07	-	100.00	-	100.00
141.00	144.00	3.00	R6	0.03	0.05	-	100.00	-	100.00
144.00	147.00	3.00	R6	0.05	0.23	-	100.00	-	100.00
147.00	150.00	3.00	R6	0.02	0.09	-	100.00	-	100.00
150.00	153.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
153.00	156.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
156.00	159.00	3.00	R6	0.10	0.20	-	100.00	-	100.00
159.00	162.00	3.00	R6	0.30	0.65	-	100.00	-	100.00
162.00	165.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
165.00	168.00	3.00	R6	0.02	0.12	-	100.00	-	100.00
168.00	171.00	3.00	R6	0.06	0.14	-	100.00	-	100.00
171.00	174.00	3.00	R6	0.03	0.05	-	100.00	-	100.00
174.00	177.00	3.00	R6	0.44	1.31	-	100.00	-	100.00
177.00	180.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
180.00	183.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
186.00	189.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
189.00	192.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
192.00	195.00	3.00	R6	0.13	0.40	-	100.00	-	100.00
195.00	198.00	3.00	R6	0.20	0.71	-	100.00	-	100.00
198.00	201.00	3.00	R6	0.05	0.12	-	100.00	-	100.00
201.00	204.00	3.00	R6	0.01	0.05	-	100.00	-	100.00
204.00	207.00	3.00	R5	0.64	1.44	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.20	0.29	-	100.00	-	100.00
210.00	213.00	3.00	R6	1.35	3.73	-	100.00	-	100.00
213.00	216.00	3.00	R6	0.07	0.12	-	100.00	-	100.00
216.00	219.00	3.00	R6	0.05	0.09	-	100.00	-	100.00
219.00	222.00	3.00	R6	0.05	0.10	-	100.00	-	100.00
222.00	225.00	3.00	R6	1.17	3.47	-	100.00	-	100.00
225.00	228.00	3.00	R6	2.39	3.97	-	100.00	-	100.00
228.00	231.00	3.00	R6	0.50	0.87	-	100.00	-	100.00
231.00	234.00	3.00	R6	0.36	0.45	-	100.00	-	100.00
234.00	237.00	3.00	R6	1.98	2.94	-	100.00	-	100.00
237.00	240.00	3.00	R5	0.96	4.00	-	100.00	-	100.00
240.00	243.00	3.00	R5	0.08	0.16	-	100.00	-	100.00
243.00	246.00	3.00	R6	0.05	0.16	-	100.00	-	100.00
246.00	249.00	3.00	R6	0.03	0.10	-	100.00	-	100.00
249.00	252.00	3.00	R6	0.00	0.03	-	100.00	-	100.00
252.00	255.00	3.00	R6	0.01	0.07	-	100.00	-	100.00
255.00	258.00	3.00	R5	4.58	11.10	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-76
Project: PLANET EXPLORATION
Project Number: 800125

258.00	261.00	3.00	R5	3.12	4.72	-	100.00	-	100.00
261.00	264.00	3.00	R5	5.16	9.61	-	100.00	-	100.00
264.00	267.00	3.00	R6	6.47	6.69	-	100.00	-	100.00
267.00	270.00	3.00	R6	6.82	7.94	-	100.00	-	100.00
270.00	273.00	3.00	R6	3.91	6.98	-	100.00	-	100.00
273.00	276.00	3.00	R6	3.71	5.47	-	100.00	-	100.00
276.00	279.00	3.00	R6	1.43	4.74	-	100.00	-	100.00
279.00	282.00	3.00	R6	1.45	4.90	-	100.00	-	100.00
282.00	285.00	3.00	R6	0.60	1.24	-	100.00	-	100.00
285.00	288.00	3.00	R6	2.75	5.98	-	100.00	-	100.00
288.00	291.00	3.00	R6	0.43	1.37	-	100.00	-	100.00
291.00	294.00	3.00	R6	0.02	0.07	-	100.00	-	100.00
294.00	297.00	3.00	R6	0.01	0.06	-	100.00	-	100.00
297.00	300.00	3.00	R6	0.01	0.07	-	100.00	-	100.00
300.00	303.00	3.00	R6	0.00	0.61	-	100.00	-	100.00
303.00	306.00	3.00	R6	0.02	0.10	-	100.00	-	100.00
306.00	309.00	3.00	R6	0.00	0.03	-	100.00	-	100.00
309.00	312.00	3.00	R6	0.55	2.70	-	100.00	-	100.00
312.00	315.00	3.00	R6	0.02	0.09	-	100.00	-	100.00
315.00	318.00	3.00	R6	1.79	7.99	-	100.00	-	100.00
318.00	321.00	3.00	R6	0.03	0.07	-	100.00	-	100.00
321.00	324.00	3.00	R6	0.10	0.16	-	100.00	-	100.00
324.00	327.00	3.00	R6	1.06	11.62	-	100.00	-	100.00
327.00	330.00	3.00	R6	0.24	0.36	-	100.00	-	100.00
330.00	333.00	3.00	R6	0.33	0.93	-	100.00	-	100.00
333.00	336.00	3.00	R5	0.11	0.12	-	100.00	-	100.00
336.00	339.00	3.00	R5	0.74	2.01	-	100.00	-	100.00
339.00	342.00	3.00	R5	0.41	1.31	-	100.00	-	100.00
342.00	345.00	3.00	R6	1.14	2.07	-	100.00	-	100.00
345.00	348.00	3.00	R6	0.60	1.48	-	100.00	-	100.00
348.00	351.00	3.00	R6	24.70	35.17	-	100.00	-	100.00
351.00	354.00	3.00	R6	21.00	45.60	-	100.00	-	100.00
354.00	357.00	3.00	R6	16.20	41.30	-	100.00	-	100.00
357.00	360.00	3.00	R5	2.89	7.92	-	100.00	-	100.00
360.00	363.00	3.00	R6	0.18	0.38	-	100.00	-	100.00
363.00	366.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
366.00	369.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
369.00	372.00	3.00	R6	0.08	0.29	-	100.00	-	100.00
372.00	375.00	3.00	S1	0.43	0.89	-	100.00	-	100.00
375.00	378.00	3.00	R6	0.75	1.68	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-76
Project: PLANET EXPLORATION
Project Number: 800125

378.00	381.00	3.00	R6	0.35	1.07	-	100.00	-	100.00
381.00	384.00	3.00	R6	0.01	0.05	-	100.00	-	100.00
384.00	387.00	3.00	R6	0.12	0.43	-	100.00	-	100.00
387.00	390.00	3.00	R5	0.32	1.42	-	100.00	-	100.00
390.00	393.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
393.00	396.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
396.00	399.00	3.00	R6	0.01	0.09	-	100.00	-	100.00
399.00	402.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
402.00	405.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
405.00	408.00	3.00	R6	0.02	0.10	-	100.00	-	100.00
408.00	411.00	3.00	R6	0.02	0.10	-	100.00	-	100.00
411.00	414.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
414.00	417.00	3.00	R6	0.01	0.01	-	100.00	-	100.00
417.00	420.00	3.00	R6	0.60	1.62	-	100.00	-	100.00
420.00	423.00	3.00	R6	1.28	8.67	-	100.00	-	100.00
423.00	426.00	3.00	R6	0.14	1.18	-	100.00	-	100.00
426.00	429.00	3.00	R6	0.93	2.23	-	100.00	-	100.00
429.00	432.00	3.00	R6	0.78	2.04	-	100.00	-	100.00
432.00	435.00	3.00	R5	0.05	0.12	-	100.00	-	100.00
435.00	438.00	3.00	R5	0.02	0.07	-	100.00	-	100.00
438.00	441.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
441.00	444.00	3.00	R4	0.02	0.07	-	100.00	-	100.00
444.00	447.00	3.00	R5	0.02	0.12	-	100.00	-	100.00
447.00	450.00	3.00	R5	0.02	0.32	-	100.00	-	100.00
450.00	453.00	3.00	R5	0.36	1.55	-	100.00	-	100.00
453.00	456.00	3.00	R5	0.25	0.65	-	100.00	-	100.00
456.00	459.00	3.00	R5	2.00	2.89	-	100.00	-	100.00
459.00	462.00	3.00	R5	2.73	2.83	-	100.00	-	100.00
462.00	465.00	3.00	R5	0.01	0.07	-	100.00	-	100.00
465.00	468.00	3.00	R6	0.03	0.10	-	100.00	-	100.00
468.00	471.00	3.00	R5	2.11	6.14	-	100.00	-	100.00
471.00	474.00	3.00	R5	1.78	3.67	-	100.00	-	100.00
474.00	477.00	3.00	R5	1.76	4.37	-	100.00	-	100.00
477.00	480.00	3.00	R5	2.07	3.67	-	100.00	-	100.00
480.00	483.00	3.00	R5	1.45	2.04	-	100.00	-	100.00
483.00	486.00	3.00	R5	2.55	7.10	-	100.00	-	100.00
486.00	489.00	3.00	R5	3.29	9.66	-	100.00	-	100.00
489.00	492.00	3.00	R5	0.26	0.76	-	100.00	-	100.00
492.00	495.00	3.00	R5	0.79	2.28	-	100.00	-	100.00
495.00	498.00	3.00	R5	1.13	2.12	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-76
Project: PLANET EXPLORATION
Project Number: 800125

498.00	501.00	3.00	R5	7.36	17.50	-	100.00	-	100.00
501.00	504.00	3.00	R5	3.98	8.34	-	100.00	-	100.00
504.00	507.00	3.00	R5	2.01	5.47	-	100.00	-	100.00
507.00	510.00	3.00	R5	2.03	6.73	-	100.00	-	100.00
510.00	513.00	3.00	R5	0.48	1.09	-	100.00	-	100.00
513.00	516.00	3.00	R5	0.61	2.25	-	100.00	-	100.00
516.00	519.00	3.00	R5	1.62	4.06	-	100.00	-	100.00
519.00	522.00	3.00	R5	0.37	1.15	-	100.00	-	100.00
522.00	525.00	3.00	R5	4.33	17.60	-	100.00	-	100.00
525.00	528.00	3.00	R5	3.67	12.70	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-77
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>		
Azimuth:	146	Length:	meters	Township:	COLI LAKE		Contractor:	MAJOR DRILLING	
Dip:	-50	Pulled:	No	Claim No:	Staked		Spotted by:	A.P. Prysak	
Length:	399.00 meters	Capped:	No	NTS:			Coord Type:	SUR	
Started:	18-Apr-05	Cemented:	No	Surface Hole :	Yes	Level:	Surveyed by:	K. Pye	
Completed:	26-Apr-05	<u>Core</u>		Coordinate- Gemcom	Coordinate - UTM	Coordinate- Grid	Surveyed Date:	13-Jul-05	
Logged:	21-Apr-05	Dimension:	NQ	East:	461602.54	East:	461603	East:	2900.00
Wedged :	No	Original Units:	M	North:	5680127.37	North:	5680127	North:	
Wedged from:		Storage:	Cochenour Mine	Elevation:	410.16	Elevation:	410	Elevation:	
						UTM Zone:	15 (NAD27)	Grid Name:	
Target:	Proposed target B, south contact of porphyry with volcanics								
Comments:									
								Logged by:	A.P. Prysak
								Re-logged by:	
								Water Source:	
								Water line:	
								Left in hole:	Nothing
								Control Drilling:	
								Cutting sampled:	No
								Geophysical:	

Deviation Tests

Deviation Tests

Deviation Tests

<i>Distance</i> <i>(m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>	<i>Distance</i> <i>(m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>	<i>Distance</i> <i>(m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
0.000	144.59	-50.00	X	48.000	146.10	-48.33	X	96.000	146.62	-47.18	X
3.000	144.60	-49.76	X	51.000	146.14	-48.27	X	99.000	146.68	-47.10	X
6.000	144.79	-49.32	X	54.000	146.22	-48.22	X	102.000	146.72	-46.99	X
9.000	144.95	-49.07	X	57.000	146.28	-48.15	X	105.000	146.76	-46.89	X
12.000	144.95	-49.28	X	60.000	146.34	-48.07	X	108.000	146.74	-46.76	X
15.000	144.92	-49.51	X	63.000	146.42	-48.02	X	111.000	146.76	-46.58	X
18.000	144.99	-49.40	X	66.000	146.49	-48.00	X	114.000	146.76	-46.48	X
21.000	145.13	-49.26	X	69.000	146.52	-47.91	X	117.000	146.81	-46.36	X
24.000	145.26	-49.11	X	72.000	146.57	-47.80	X	120.000	146.89	-46.23	X
27.000	145.39	-48.96	X	75.000	146.60	-47.69	X	123.000	146.94	-46.07	X
30.000	145.52	-48.85	X	78.000	146.63	-47.60	X	126.000	146.98	-45.90	X
33.000	145.61	-48.75	X	81.000	146.75	-47.54	X	129.000	147.01	-45.71	X
36.000	145.70	-48.66	X	84.000	146.74	-47.51	X	132.000	147.00	-45.56	X
39.000	145.82	-48.58	X	87.000	146.70	-47.46	X	135.000	147.03	-45.38	X
42.000	145.92	-48.50	X	90.000	146.70	-47.33	X	138.000	147.14	-45.19	X
45.000	146.00	-48.41	X	93.000	146.63	-47.24	X	141.000	147.25	-45.00	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-77
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	147.36	-44.87	X
147.000	147.45	-44.76	X
150.000	147.54	-44.62	X
153.000	147.62	-44.47	X
156.000	147.72	-44.39	X
159.000	147.77	-44.29	X
162.000	147.79	-44.12	X
165.000	147.79	-43.92	X
168.000	147.87	-43.79	X
171.000	148.00	-43.72	X
174.000	148.07	-43.69	X
177.000	148.23	-43.60	X
180.000	148.36	-43.51	X
183.000	148.48	-43.43	X
186.000	148.62	-43.37	X
189.000	148.74	-43.26	X
192.000	148.83	-43.15	X
195.000	148.85	-43.07	X
198.000	148.87	-43.00	X
201.000	148.88	-42.86	X
204.000	148.92	-42.69	X
207.000	148.97	-42.54	X
210.000	149.02	-42.39	X
213.000	149.19	-42.22	X
216.000	149.34	-42.11	X
219.000	149.41	-42.03	X
222.000	149.48	-41.93	X
225.000	149.57	-41.82	X
228.000	149.67	-41.72	X
231.000	149.73	-41.59	X
234.000	149.80	-41.47	X
237.000	149.89	-41.37	X
240.000	150.01	-41.26	X
243.000	150.09	-41.17	X
246.000	150.17	-41.14	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
249.000	150.26	-41.07	X
252.000	150.25	-41.03	X
255.000	150.29	-40.97	X
258.000	150.39	-40.92	X
261.000	150.47	-40.86	X
264.000	150.55	-40.81	X
267.000	150.65	-40.75	X
270.000	150.74	-40.70	X
273.000	150.75	-40.66	X
276.000	150.79	-40.59	X
279.000	150.84	-40.50	X
282.000	150.86	-40.39	X
285.000	150.92	-40.31	X
288.000	150.97	-40.23	X
291.000	150.95	-40.13	X
294.000	151.00	-40.05	X
297.000	150.97	-39.98	X
300.000	151.04	-39.92	X
303.000	151.09	-39.84	X
306.000	151.14	-39.77	X
309.000	151.23	-39.67	X
312.000	151.34	-39.57	X
315.000	151.44	-39.50	X
318.000	151.50	-39.46	X
321.000	151.54	-39.39	X
324.000	151.60	-39.30	X
327.000	151.66	-39.21	X
330.000	151.67	-39.10	X
333.000	151.72	-39.02	X
336.000	151.78	-38.93	X
339.000	151.84	-38.84	X
342.000	151.87	-38.77	X
345.000	151.88	-38.69	X
348.000	151.93	-38.64	X
351.000	151.98	-38.61	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
354.000	152.06	-38.57	X
357.000	152.15	-38.52	X
360.000	152.14	-38.50	X
363.000	152.22	-38.43	X
366.000	152.26	-38.40	X
369.000	152.33	-38.37	X
372.000	152.40	-38.33	X
375.000	152.45	-38.29	X
378.000	152.55	-38.26	X
381.000	152.63	-38.26	X
384.000	152.70	-38.27	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-77
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
0.00	13.50	(OB) OVERBURDEN									
13.50	89.50	(7B) FELDSPAR PORPHYRY	400620	18.00	19.00	1.00	0.02	<0.001	17		<input type="checkbox"/>
		Grey to brownish, massive to banded to foliate to clotty varieties; variously altered by brown and black varieties of biotite; most clots are of the black var., while more pervasive type is brown; minor skarn-type veining from cm to 10cm scale; local section on metre scale with minor pyrite, from coarse to fine grained	400621	19.00	20.00	1.00	0.10	0.003	104		<input type="checkbox"/>
		18.8-19.0: gabbroic dyke	400622	20.00	21.00	1.00	0.04	0.001	37		<input type="checkbox"/>
		19.8-20.0: diopside bands with 3% po-py; qtz pods	400623	21.00	22.00	1.00	0.02	0.001	22		<input type="checkbox"/>
		25.2-27.0: fresh phase of porphyry with sharp contacts at 30 degrees tca. 20% mm scale, white phenos in a dark , aphanitic ground mass.	400624	22.00	23.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
		27-55.1: clotty phase with 5% biotite bands and clots on cm scale; minor qtz vein to 2cm; minor skarn vein on cm scale. Minor py, po and occasional bleb of cpy	400625	23.00	24.00	1.00	0.01	<0.001	11		<input type="checkbox"/>
		55.1-61.9: no biotite bands/clots; weakly sericitic with 1-2% diss py	400626	24.00	25.00	1.00	0.01	<0.001	12		<input type="checkbox"/>
		61.9-63.7: banded porphyry with skarn bands. Small lamp dyke and 1% py	400627	25.00	26.00	1.00	0.01	<0.001	13		<input type="checkbox"/>
		63.7-68.7: clotty phase of porphyry; minor diopside veins, cm scale and diss py	400628	26.00	27.00	1.00	0.02	0.001	23		<input type="checkbox"/>
		68.7-69.3: 50% diopside-qtz-epidote veining and 10% py	400629	27.00	28.00	1.00	0.19	0.005	187		<input type="checkbox"/>
		69.3-70.4: weakly sericitic porphyry, trace to 1% py	400630	28.00	29.00	1.00	0.02	0.001	21		<input type="checkbox"/>
		70.4-70.8: lamp dyke	400631	29.00	30.00	1.00	0.03	0.001	28		<input type="checkbox"/>
		70.8-72.5: weakly sericitic, siliceous porphyry	400632	30.00	31.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
		72.5-73.0: lamp dyke	400633	31.00	32.00	1.00	0.01	<0.001	7		<input type="checkbox"/>
		73-77.8: siliceous porphyry, weakly sericitic; 2-3% fine cube pyrite, 3% 1-5cm qtz veins	400634	32.00	33.00	1.00	0.01	<0.001	8		<input type="checkbox"/>
		77.8-78.7: lamp dyke, as above	400635	33.00	34.00	1.00	0.09	0.003	90		<input type="checkbox"/>
		78.7-79.4: weakly sericitic phase	400636	34.00	35.00	1.00	0.01	<0.001	9		<input type="checkbox"/>
		79.4-80.7: 25% skarn minerals and 10% coarse to fine pyrite; weak sericite.; fol at 60 degrees tca	400637	35.00	36.00	1.00	0.05	0.001	48		<input type="checkbox"/>
		80.7-86: massive variety of porphyry; minor skarn bands; no biotite colots/bands;fol at 65 degrees tca	400638	36.00	37.00	1.00	0.06	0.002	56		<input type="checkbox"/>
			400639	37.00	38.00	1.00	0.10	0.003	98		<input type="checkbox"/>
			400640	38.00	39.00	1.00	0.01	<0.001	12		<input type="checkbox"/>
			400641	39.00	40.00	1.00	0.14	0.004	135		<input type="checkbox"/>
		63.20 - 64.90 (6D) LAMPORPHYRE	400642	40.00	41.00	1.00	0.02	0.001	21		<input type="checkbox"/>
		Grey-brown, fine grained, weakly foliate lap dyke	400643	41.00	42.00	1.00	0.03	0.001	27		<input type="checkbox"/>
			400644	42.00	43.00	1.00	0.27	0.008	265		<input type="checkbox"/>
			400645	43.00	44.00	1.00	0.04	0.001	36		<input type="checkbox"/>
			400646	44.00	45.00	1.00	0.07	0.002	72		<input type="checkbox"/>
			400647	45.00	46.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			400648	46.00	47.00	1.00	0.04	0.001	35		<input type="checkbox"/>
			400751	47.00	48.00	1.00	0.17	0.005	170		<input type="checkbox"/>



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-77

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			400752	48.00	49.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			400753	49.00	50.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			400754	50.00	51.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400755	51.00	52.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			400756	52.00	53.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			400757	53.00	54.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400758	54.00	55.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			400759	55.00	56.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			400760	56.00	57.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400761	57.00	58.00	1.00	0.12	0.003	116	<input type="checkbox"/>	
			400762	58.00	59.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400763	59.00	60.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			400764	60.00	61.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400765	61.00	62.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400766	62.00	63.00	1.00	0.09	0.003	86	<input type="checkbox"/>	
			400767	63.00	63.70	0.70	0.03	0.001	30	<input type="checkbox"/>	
			400768	63.70	64.90	1.20	0.01	<0.001	10	<input type="checkbox"/>	
			400769	64.90	66.00	1.10	0.02	0.001	24	<input type="checkbox"/>	
			400770	66.00	67.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400771	67.00	68.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400772	68.00	68.50	0.50	0.01	<0.001	11	<input type="checkbox"/>	
			400773	68.50	69.00	0.50	0.48	0.014	481	<input type="checkbox"/>	
			400774	69.00	69.50	0.50	0.15	0.004	147	<input type="checkbox"/>	
			400775	69.50	70.00	0.50	0.01	<0.001	12	<input type="checkbox"/>	
			400776	70.00	71.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			400777	71.00	72.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			400778	72.00	73.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			400779	73.00	74.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400780	74.00	75.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			400781	75.00	76.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			400782	76.00	77.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			400783	77.00	77.80	0.80	0.01	<0.001	6	<input type="checkbox"/>	
			400784	77.80	78.70	0.90	0.01	0.001	7	<input type="checkbox"/>	
			400785	78.70	79.40	0.70	0.01	<0.001	6	<input type="checkbox"/>	
			400786	79.40	80.50	1.10	0.08	0.002	81	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-77
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			400787	80.50	81.00	0.50	0.01	<0.001	8	<input type="checkbox"/>	
			400788	81.00	82.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			400789	82.00	83.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			400790	83.00	84.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400791	84.00	85.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400792	85.00	86.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			400793	86.00	87.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			400794	87.00	88.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			400795	88.00	89.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			400796	89.00	90.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
89.50	95.60	(3) UNDIFF. FELSIC VOLCANICS	400797	90.00	90.60	0.60	0.01	<0.001	7	<input type="checkbox"/>	
		Mixed, transition section with massive to banded to schistose lithos, overall quite felsic and siliceous with 2-3% pyrite	400798	90.60	91.50	0.90	0.06	0.002	55	<input type="checkbox"/>	
		89.5-90.6:white, finely banded, sericitic porphyry or felsics; no felds or qtz phenos	400801	91.50	92.50	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		90.6-91.5: Brownish potassic alteration with minor green amphiboles or diopside, 5% po-py, 5% silica flooding as veins, pods; 5cm qtz-calcite-py-tour vein at 70 degrees tca	400802	92.50	93.50	1.00	0.03	0.001	27	<input type="checkbox"/>	
		91.5-93.7: QSS with white to pale green sericite, 1-2% diss. po-py; fol. At 55 degrees	400803	93.50	94.20	0.70	0.25	0.007	246	<input type="checkbox"/>	
		93.7-95.1: strong green sericite leading into strong brown biotite altered section; numerous small folds; 5% narrow white QV's' folds appear to plunge 40-50 degrees to the left, i.e. east. 2-3% py-po	400804	94.20	95.10	0.90	0.08	0.002	75	<input type="checkbox"/>	
		95.1-95.6:brown, silicified porphyry. Contacts at 45 degrees	400805	95.10	96.00	0.90	0.02	<0.001	16	<input type="checkbox"/>	
95.60	102.20	(6D) LAMPROPHYRE	400806	96.00	97.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		Grey-brown, biotitic dyke with green hblid phenos.	400807	97.00	98.00	1.00	0.13	0.004	133	<input type="checkbox"/>	
		101.5-102: felsic section, possibly porphyry dyke; several skarn bands of 1cm with minor po.	400808	98.00	99.00	1.00	0.33	0.010	332	<input type="checkbox"/>	
			400809	99.00	100.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400810	100.00	101.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400811	101.00	102.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
102.20	110.10	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	400812	102.00	103.00	1.00	0.12	0.004	124	<input type="checkbox"/>	
		Greyish felsic unit with moderate to strong sericite ; siliceous sections with brown biotite-microcline alteration; 2-3% py-po, very patchy in distribution. Minor dark qtz veinlets, complexly folded; some sections with small qtz eyes	400813	103.00	104.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
		102.7-103.1: brown siliceous phase with 5-6% po-py grading into good QSS with 2-3% po-py and minor sphalerite	400814	104.00	105.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			400815	105.00	106.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			400816	106.00	107.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-77
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
		103.1-103.4: white, barren QV	400817	107.00	108.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		104.7: 15cm band of calcite filled fracture at 30 degrees tca, near normal to foliation; annealed, 1-2% py	400818	108.00	109.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			400819	109.00	110.10	1.10	0.29	0.008	285	<input type="checkbox"/>	
110.10	110.90	(5S) SILICATE FACIES IRON FORMATION	400820	110.10	111.00	0.90	1.51	0.044	1508	<input type="checkbox"/>	
		Silicate facies IF with 1cm dark green grunerite bands with mm bands of magnetite in core of bands; green-grey chert as host with contact sections of 20cm being brown, silicified tuff with small pale garnet, minor po-py but no mag.									
110.90	116.50	(3) UNDIFF. FELSIC VOLCANICS	400821	111.00	112.00	1.00	0.95	0.028	945	<input type="checkbox"/>	
		Felsic to intermediate unit, brown biotite-silica-Kspar alteration; moderate biotite, weak sericite, several epidote-diopside veins and pervasive alteration, mainly epidote over 10's of cm; several 1cm scale QV's. 1-2% po-py	400822	112.00	113.00	1.00	0.18	0.005	176	<input type="checkbox"/>	
			400823	113.00	114.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			400824	114.00	115.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			400825	115.00	116.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			400826	116.00	117.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
116.50	117.30	(7B) FELDSPAR PORPHYRY									
		Typical purplish-brown porphyry with white feld phenos of 1mm									
117.30	119.20	(2) UNDIFF. INTERMEDIATE VOLCANICS	400827	117.00	118.00	1.00	0.15	0.004	153	<input type="checkbox"/>	
		Intermediate unit with 15-20% biotite banding	400828	118.00	119.00	1.00	0.20	0.006	199	<input type="checkbox"/>	
119.20	146.30	(3) UNDIFF. FELSIC VOLCANICS	400829	119.00	120.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
		White to pale grey felsics with moderate sericite and very minor biotite with po-py as mm to cm bands;	400830	120.00	121.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
		119.2-133.7: sericitic felsics; 2-3% sulphides	400831	121.00	122.00	1.00	0.12	0.004	121	<input type="checkbox"/>	
		133.7-134.2: Dark grey strongly biotitic with clay to serpentine gouge seams at 25 degrees tca and high angle to foliation; 2-5mm each	400832	122.00	123.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		134.2-142.0: grey felsic unit with 20% felsic, sericitic bands, 2-3% qtz veinlets to 1.0cm, 10% qtz-diopside veining; 2-3% po-py; small qtz eyes in the more felsic bands.	400833	123.00	124.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
		135.5 and 136.4: 5-10cm band with 10-15% po	400834	124.00	125.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
		142-142.6: porphyry dyke; sub-volcanic type; contacts at 55 degrees tca	400835	125.00	126.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
			400836	126.00	127.00	1.00	0.15	0.004	152	<input type="checkbox"/>	
			400837	127.00	128.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-77
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
	142.6-145.2	grey , siliceous felsic unit 1% po-p.	400838	128.00	129.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
	145.2-146.3	6, lamp dyke with 10% biotitic lenses, 1x5mm along foliation; 2-3% diss po-py; bio lenses may be metamorphic segregations in a felsic unit; similar features in biotic bands on cm scale, below this interval.	400839	129.00	130.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			400840	130.00	131.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400841	131.00	132.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			400842	132.00	133.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400843	133.00	134.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			400844	134.00	135.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			400845	135.00	136.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			400846	136.00	137.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400847	137.00	138.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400848	138.00	139.00	1.00	0.11	0.003	114	<input type="checkbox"/>	
			400851	139.00	140.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			400852	140.00	141.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400853	141.00	142.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			400854	142.00	143.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			400855	143.00	144.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			400856	144.00	145.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			400857	145.00	146.00	1.00	0.15	0.004	147	<input type="checkbox"/>	
146.30	158.60	(3) UNDIFF. FELSIC VOLCANICS	400858	146.00	147.00	1.00	0.11	0.003	108	<input type="checkbox"/>	
		Felsic volcanics with small qtz eyes, 10% diopside skam veins, 1-40 cm; 2-5% po in veins	400859	147.00	148.00	1.00	0.17	0.005	172	<input type="checkbox"/>	
		146.3-149.7: strongest development of skam veins; up to 2cm diopside crystals with prominent cleavage partings; 2-3% po-py with the veins; most are foliation parallel, but few are at low angles to foliation. Other major skam veins at 153.6-153.8; 155.6-156; 158.2-158.6;	400860	148.00	149.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			400861	149.00	150.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			400862	150.00	151.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400863	151.00	152.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400864	152.00	153.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			400865	153.00	153.50	0.50	0.02	0.001	23	<input type="checkbox"/>	
			400866	153.50	154.00	0.50	0.07	0.002	68	<input type="checkbox"/>	
			400867	154.00	155.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400868	155.00	155.50	0.50	0.03	0.001	26	<input type="checkbox"/>	
			400869	155.50	156.00	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	
			400870	156.00	157.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400871	157.00	158.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400872	158.00	159.00	1.00	0.03	0.001	28	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-77

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
158.60	199.70	(7B) FELDSPAR PORPHYRY	400873	159.00	160.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Uncertain if porphyry or felsic unit; mostly siliceous and brownish with 10-20% grey to white , sericitic bands; occassional relict mm feldspar pheno	400874	160.00	161.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		169-173: 4-5% white QVs to 1.0cm	400875	161.00	162.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		175--176.5: strong red-orange alteration, interpreted to be potassic rather than hematite; late qtz flooding within this section (white); clay gouge seam at 175.1 at 30 degrees, just below the start of the orange alteration.	400876	162.00	163.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
		176.5-177.2: diopside skarn vein; 5% po, 1% py	400877	163.00	164.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		177.2-199.7: strongly foliated porphyry, grey to brownish, moderate potassic alteration; minor bleaching on fractures; occassional cm scale skarn vein and occassional biotite clot to 1x3cm	400878	164.00	165.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		197-197.5: brecciated qtz vein- annealed breccia.	400879	165.00	166.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			400880	166.00	167.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400881	167.00	168.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			400882	168.00	169.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400883	169.00	170.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			400884	170.00	171.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			400885	171.00	172.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400886	172.00	173.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400887	173.00	174.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			400888	174.00	175.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			400889	175.00	176.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			400890	176.00	176.50	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	
			400891	176.50	177.20	0.70	0.10	0.003	95	<input type="checkbox"/>	
			400892	177.20	177.70	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	
			400893	177.70	178.20	0.50	0.01	<0.001	5	<input type="checkbox"/>	
			400894	178.20	179.00	0.80	0.01	<0.001	9	<input type="checkbox"/>	
			400895	179.00	180.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400896	180.00	181.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400897	181.00	182.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			400898	182.00	183.00	1.00	0.02	<0.001	24	<input type="checkbox"/>	
			400901	183.00	184.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400902	184.00	185.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400903	185.00	186.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400904	186.00	187.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400905	187.00	188.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400906	188.00	189.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400907	189.00	190.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400908	190.00	191.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400909	191.00	192.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-77
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			400910	192.00	193.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400911	193.00	194.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			400912	194.00	195.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400913	195.00	196.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400914	196.00	197.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400915	197.00	198.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400916	198.00	199.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			400917	199.00	199.70	0.70	0.04	0.001	38	<input type="checkbox"/>	
199.70	201.30	(6G) GABBRO	400918	199.70	200.70	1.00	0.03	0.001	32	<input type="checkbox"/>	
		Dark green, medium grained gabbro dyke, moderately biotitized, 1% diss po-py	400919	200.70	201.70	1.00	0.01	<0.001	8	<input type="checkbox"/>	
201.30	217.50	(3) UNDIFF. FELSIC VOLCANICS	400920	201.70	202.90	1.20	0.01	<0.001	8	<input type="checkbox"/>	
		Grey to brownish unit, likely sheared porphyry, but no fels preserved and there are occasional very small qtz eyes akin to unit logged as felsic. 1-2% fine po-py as diss to very thin fracture fillings with biotite. Minor skarn	400921	202.90	204.00	1.10	0.01	<0.001	14	<input type="checkbox"/>	
		205.1-205.3: foliated lamp dyke	400922	204.00	205.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		210.2-210.4: diopside rich vein with 10-15% po-py	400923	205.00	206.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		216.3-216.8: biotitic lamp dyke with relict feld phenos	400924	206.00	207.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			400925	207.00	208.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400926	208.00	209.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			400927	209.00	210.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			400928	210.00	210.50	0.50	0.04	0.001	35	<input type="checkbox"/>	
			400929	210.50	211.00	0.50	0.01	<0.001	6	<input type="checkbox"/>	
			400930	211.00	212.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			400931	212.00	213.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			400932	213.00	214.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			400933	214.00	215.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			400934	215.00	216.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			400935	216.00	217.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			400936	217.00	218.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
217.50	232.00	(7B) FELDSPAR PORPHYRY	400937	218.00	219.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Grey to brown feldspar porphyry; weak to moderately foliated, 50-60 degrees tca; felds are locally degraded to siliceous, brown, massive phase;	400938	219.00	220.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		228.3-228.8: mafic dyke with a 10cm diopside vein; possibly originally a chloritized section of porphyry.	400939	220.00	221.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400940	221.00	222.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-77
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			400941	222.00	223.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			400942	223.00	224.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			400943	224.00	225.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400944	225.00	226.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400945	226.00	227.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			400946	227.00	228.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			400947	228.00	229.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			400948	229.00	230.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			400951	230.00	231.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400952	231.00	232.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
232.00	233.10	(6G) GABBRO Green, medium grained hornblende gabbro	400953	232.00	233.10	1.10	0.04	0.001	41	<input type="checkbox"/>	
233.10	237.00	(7B) FELDSPAR PORPHYRY Brown to grey banded porphyry with moderate biotite and silicification/ kspars alteration; several low angle fractures with bleaching and qtz veining; several cm-scale skarn veins	400954	233.10	234.00	0.90	0.01	<0.001	8	<input type="checkbox"/>	
			400955	234.00	235.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			400956	235.00	236.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400957	236.00	237.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
237.00	240.20	(6G) GABBRO Green, medium grained hornblende gabbro, as above. Upper contact at 55 degrees tca; lower contact not sharp. Minor biotite alteration, particularly adjacent to contacts	400958	237.00	238.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400959	238.00	239.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			400960	239.00	240.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
240.20	249.00	(7B) FELDSPAR PORPHYRY Brownish porphyry with fairly well preserved feld phenos	400961	240.00	241.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			400962	241.00	242.00	1.00	0.18	0.005	179	<input type="checkbox"/>	
			400963	242.00	243.00	1.00	0.08	0.002	81	<input type="checkbox"/>	
			400964	243.00	244.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400965	244.00	245.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			400966	245.00	246.00	1.00	1.04	0.030	1036	<input type="checkbox"/>	
			400967	246.00	247.00	1.00	0.64	0.019	639	<input type="checkbox"/>	
			400968	247.00	248.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-77
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments	
249.00	253.00	(5S) SILICATE FACIES IRON FORMATION Chert-magnetite-grunerite IF 249-249.4: biotitic mafics with 4cm diopside vein; 2-3% popy 249.4-249.7: porphyry dyke at 65 degrees 249.7-250: siliceous to weakly argillaceous band with 15-20% po, minor py, cpy 250-250.4: porphyry dyke 250.4-251.2: chert-mag-grun IF; minor gamet with the amphibole bands as well as po 251.2-251.4: diopside-calcite vein, trace py 251.4-252: porphyry 252-253: chert-magnetite-grunerite unit, as above; 5% po, minor gamet	400969	248.00	249.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>		
			400970	249.00	249.70	0.70	0.02	<0.001	19	<input type="checkbox"/>		
			400971	249.70	250.40	0.70	1.20	0.035	1203	<input type="checkbox"/>		
			400972	250.40	251.00	0.60	78.94	2.300	78936	<input type="checkbox"/>		
			400973	251.00	251.50	0.50	0.02	<0.001	15	<input type="checkbox"/>		
			400974	251.50	252.00	0.50	0.12	0.004	122	<input type="checkbox"/>		
			400975	252.00	253.00	1.00	0.59	0.017	589	<input type="checkbox"/>		
253.00	255.70	(6A) DIORITE Black, biotitic diorite dyke, 25-30% biotite in a feldspathic matrix; 1-2% diss py; several qtz and diopside veins. 253-253.7: porphyry dyke; lower contact at 25 degrees, but not sharp	400976	253.00	253.70	0.70	0.02	<0.001	17	<input type="checkbox"/>		
			400977	253.70	254.20	0.50	0.01	<0.001	13	<input type="checkbox"/>		
			400978	254.20	255.00	0.80	0.02	<0.001	17	<input type="checkbox"/>		
			400979	255.00	255.80	0.80	0.03	0.001	27	<input type="checkbox"/>		
255.70	257.00	(7B) FELDSPAR PORPHYRY Brown, foliated at 55 degrees	400980	255.80	256.80	1.00	0.01	<0.001	6	<input type="checkbox"/>		
257.00	258.30	(6G) GABBRO Green, non-magnetic hblid gabbro; qtz-diopside on contacts	400981	256.80	257.70	0.90	0.01	<0.001	13	<input type="checkbox"/>		
			400982	257.70	258.50	0.80	0.05	0.002	52	<input type="checkbox"/>		
258.30	259.20	(7B) FELDSPAR PORPHYRY Typical brown porphyry with a 30 cm diopside-calcite-biotite vein, contorted.	400983	258.50	259.20	0.70	0.01	<0.001	10	<input type="checkbox"/>		



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-77
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
259.20	260.40	(1) UNDIFF. MAFIC / UM VOLCANICS Skarned green mafic volcanic or fine grained gabbro	400984	259.20	260.00	0.80	0.03	0.001	26	<input type="checkbox"/>	
260.40	261.80	(6A) DIORITE Black diorite dyke as at 243m; contacts are sharp at 70 degrees.	400985	260.00	261.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			400986	261.00	261.80	0.80	0.01	<0.001	13	<input type="checkbox"/>	
261.80	263.60	(1K) KOMATIITES Dark olive green, massive, granular texture, moderately magnetitic.	400987	261.80	262.80	1.00	0.21	0.006	206	<input type="checkbox"/>	
			400988	262.80	263.60	0.80	0.03	0.001	33	<input type="checkbox"/>	
263.60	274.20	(7B) FELDSPAR PORPHYRY brown, silicious porphyry, moderately bleached at 267-270; few skarn veins to 1cm; foliation 55 to 75 degrees tca 267-270: weakly sericitic around a 25cm biotitized inclusion.	400989	263.60	264.50	0.90	<0.01	<0.001	<5	<input type="checkbox"/>	
			400990	264.50	265.50	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			400991	265.50	266.50	1.00	0.05	0.001	48	<input type="checkbox"/>	
			400992	266.50	267.50	1.00	0.03	0.001	27	<input type="checkbox"/>	
			400993	267.50	268.50	1.00	0.05	0.001	51	<input type="checkbox"/>	
			400994	268.50	269.50	1.00	0.52	0.015	522	<input type="checkbox"/>	
			400995	269.50	270.50	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			400996	270.50	271.50	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			400997	271.50	272.50	1.00	0.03	0.001	26	<input type="checkbox"/>	
			400998	272.50	273.50	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401001	273.50	274.50	1.00	0.01	<0.001	8	<input type="checkbox"/>	
274.20	275.20	(6G) GABBRO Coarse grained hblid gabbro, minor biotite alteration	401002	274.50	275.00	0.50	0.03	0.001	26	<input type="checkbox"/>	
275.20	284.40	(7B) FELDSPAR PORPHYRY Siliceous, light brown porphyry, fairly massive unit with few very small skarn veins; minor fracturing and bleaching	401003	275.00	276.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			401004	276.00	277.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			401005	282.00	283.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401006	283.00	284.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-77
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
284.40	286.70	(6G) GABBRO Green, coarse grained to hblid phyric gabbro.	401007	284.00	285.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401008	285.00	286.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			401009	286.00	287.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
286.70	296.50	(7B) FELDSPAR PORPHYRY Brown, siliceous porphyry; several QVs to 1.5cm, generally at low angles. Several skarn veins to 10cm, no sulphides	401010	287.00	288.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401011	288.00	289.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401012	289.00	290.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401013	290.00	291.00	1.00	0.08	0.002	83	<input type="checkbox"/>	
			401014	291.00	292.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401015	292.00	293.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401016	293.00	294.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401017	294.00	295.00	1.00	0.25	0.007	251	<input type="checkbox"/>	
			401018	295.00	296.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
296.50	301.20	(6G) GABBRO Strongly biotitized gabbro or mafic volcanics; some relict hblid phenos; 15-20% diopside veining 301.9-301.2: coarse diopside vein with a core of massive grey carbonate over 15cm.	401019	296.00	297.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			401020	297.00	298.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			401021	298.00	299.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			401022	299.00	300.00	1.00	0.17	0.005	165	<input type="checkbox"/>	
			401023	300.00	300.70	0.70	0.15	0.004	154	<input type="checkbox"/>	
			401024	300.70	301.20	0.50	0.14	0.004	144	<input type="checkbox"/>	
301.20	302.90	(7B) FELDSPAR PORPHYRY Brown porphyry	401025	301.20	302.00	0.80	<0.01	<0.001	<5	<input type="checkbox"/>	
			401026	302.00	303.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
302.90	304.20	(6G) GABBRO Coarse, hblid phyric gabbro, moderate biotite alteration; minor spes of skeletal leucoxenes in more biotitic phases.	401027	303.00	304.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-77

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
304.20	307.90	(7B) FELDSPAR PORPHYRY CHUNKEY porphyry, not the sub-volcanic; grey, biotitic with 15-20% 1-2mm zoned plag phenos. Both porphyries are foliated but the chunky has an absence of phenos at the contact for 1 to 1.5cm, suggesting a relict chill margin. 304.7-305.8: sub-volcanic porphyry									
307.90	315.60	(7B) FELDSPAR PORPHYRY Sub-volcanic porphyry; brown, siliceous, foliated at 55-60 degrees, very minor skarn veining to 1 cm. 313.9-314.2: green, biotitized hornblende gabbro dyke; 315.1, a 15cm chunky porphyry dyke at 60 degrees tca	401028	312.00	312.90	0.90	<0.01	<0.001	<5	<input type="checkbox"/>	
			401029	312.90	314.00	1.10	0.01	<0.001	13	<input type="checkbox"/>	
			401030	314.00	315.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401031	315.00	316.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
315.60	323.30	(6G) GABBRO Green hblid gabbro, moderate biotite along contacts and veins; upper contact at 20 degrees tca; lower contact at 30 degrees tca; Several calcite-diopside skarn veins to 3cm with minor magnetite; also several 1cm Qtz veins to 1.0cm, at 15 to 30 degrees, with minor po.	401032	316.00	317.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			401033	317.00	318.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			401034	318.00	319.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			401035	319.00	320.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401036	320.00	321.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			401037	321.00	322.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			401038	322.00	323.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
323.30	324.90	(7B) FELDSPAR PORPHYRY Typical brown, siliceous porphyry	401039	323.00	324.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401040	324.00	325.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
324.90	343.40	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE BX Very highly altered mafic unit of uncertain origin; locally intense tectonic brecciation annealed by flooding of carbonate, now partially altered to skarn: calcite-epidote- magnetite; magnetite in host unit but quite erratic in distribution 324.9-328.5: black to dark green, medium grained amphibolite with 50% breccia section; 5-6% diss. Magnetite; 10-15% calcite-magnetite and diopside-calcite-magnetite veining and breccia matrix. 1% black aggregates to 2mm of tourmaline 328.5-329.1: black, massive amphibolite with 20% fine diss magnetite 329.1-331.4: strongly epidotized mafic breccia; about 15% calcite and 5-10% magnetite with the epidote as breccia filling and pervasive in host 331.4-331.9: brown, siliceous porphyry 331.9-338.2: mafic breccia, strongly banded in sections from the calcite-	401041	325.00	326.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			401042	326.00	327.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			401043	327.00	328.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			401044	328.00	329.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401045	329.00	330.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			401046	330.00	331.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			401047	331.00	332.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			401048	332.00	333.00	1.00	0.32	0.009	318	<input type="checkbox"/>	
			401051	333.00	334.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-77
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
		magnetite-epidote-diopside alteration; banding at 45 to 60 degrees; coarse diss.	401052	334.00	335.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
		Black silicate, likely tourmaline seen throughout;	401053	335.00	336.00	1.00	0.15	0.004	145	<input type="checkbox"/>	
		334.2-334.3: porphyry	401054	336.00	337.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
		338.2-339: porphyry	401055	337.00	338.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
		340.5-340.8: hornblende phyric gabbro	401056	338.00	339.00	1.00	0.14	0.004	137	<input type="checkbox"/>	
		341.5342: porphyry	401057	339.00	340.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		342.4-343.4: 10% diopside type veining	401058	340.00	341.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			401059	341.00	342.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			401060	342.00	343.00	1.00	0.16	0.005	158	<input type="checkbox"/>	
			401061	343.00	343.50	0.50	2.74	0.080	2739	<input type="checkbox"/>	
343.40	349.90	(7B) FELDSPAR PORPHYRY	401062	343.50	344.00	0.50	0.01	<0.001	13	<input type="checkbox"/>	
		Brown, siliceous porphyry, quite highly tectonized and annealed; 3% diopside	401063	344.00	345.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		skarn veining, mostly towards the lower contact where weak sericite is also	401064	345.00	346.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		developed.	401065	346.00	347.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			401066	347.00	348.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			401067	348.00	349.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			401068	349.00	349.90	0.90	0.51	0.015	513	<input type="checkbox"/>	
349.90	355.80	(1K) KOMATIITES	401069	349.90	351.00	1.10	0.07	0.002	69	<input type="checkbox"/>	
		Well sheared, green, actinolitic unit; possibly some chlorite remaining and talcose	401070	351.00	351.70	0.70	0.03	0.001	33	<input type="checkbox"/>	
		in the core section. Abundant calcite, both disseminated and vein; strong back	401071	351.70	352.40	0.70	0.02	0.001	19	<input type="checkbox"/>	
		biotite for 7cm on upper contact and at 354.7.	401072	352.40	353.40	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		350.8-351.3: foliated biotite porphyry, similar to lamp-type unit; biotite on contacts	401073	353.40	354.10	0.70	0.63	0.018	630	<input type="checkbox"/>	
		351.6-352.4: brown porphyry dyke.	401074	354.10	354.80	0.70	0.01	<0.001	10	<input type="checkbox"/>	
		354.7-355.8: black dioritic section, likely a dyke.	401075	354.80	355.80	1.00	0.03	0.001	33	<input type="checkbox"/>	
355.80	360.30	(7B) FELDSPAR PORPHYRY	401076	355.80	357.00	1.20	<0.01	<0.001	<5	<input type="checkbox"/>	
		Typical brown, siliceous porphyry; quite massive	401077	357.00	358.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401078	358.00	359.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401079	359.00	360.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
360.30	362.50	(6) MAFIC-ULTRAMAFIC INTRUSIVES	401080	360.00	361.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Black, fine grained, strongly brecciated dyke, now annealed; contacts at 35	401081	361.00	362.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		degrees tca	401082	362.00	363.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-77
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
362.50	399.00	(7B) FELDSPAR PORPHYRY	401083	363.00	364.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
		Brown to purplish porphyry, variously veined and brecciated to massive;	401084	364.00	365.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		371.1-371.5: diopside-calcite skarn vein, no sulphides	401085	365.00	366.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		371.5-387: moderately brecciated and annealed porphyry with 2-3% diopside,	401086	366.00	367.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		calcite, diop-cal and qtz veins to 5cm; mm white rims/ margins, likely microcline	401087	367.00	368.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		alteration.	401088	368.00	369.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		387-388.1: Mafic dike with 20% diopside blocks rather evenly distributed	401089	369.00	370.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		388.1-399: deep brown porphyry, locally brecciated; minor skarn veining	401090	370.00	371.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401091	371.00	372.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401092	372.00	373.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			401093	373.00	374.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401094	374.00	375.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401095	375.00	376.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401096	376.00	377.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			401097	377.00	378.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			401098	378.00	379.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401101	379.00	380.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401102	380.00	381.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			401103	381.00	382.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			401104	382.00	383.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401105	383.00	384.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401106	384.00	385.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			401107	385.00	386.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401108	386.00	387.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401109	387.00	388.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			401110	388.00	389.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401111	389.00	390.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401112	390.00	391.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			401113	391.00	392.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			401114	392.00	393.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401115	393.00	394.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			401116	394.00	395.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			401117	395.00	396.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			401118	396.00	397.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			401119	397.00	398.00	1.00	0.19	0.006	192	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-77

Project : PLANET EXPLORATION

Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			401120	398.00	399.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-77
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
47.01	400649	2104	-	-	-	-	-	-	-	-	-	2.1	-	0.061	-	-
47.02	400650	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
91.50	400799	2003	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
91.51	400800	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
139.00	400849	1968	-	-	-	-	-	-	-	-	-	2.0	-	0.057	-	-
139.01	400850	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
183.00	400899	2030	-	-	-	-	-	-	-	-	-	2.0	-	0.059	-	-
183.01	400900	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
230.00	400949	2003	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
230.01	400950	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
273.50	400999	1986	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
273.51	401000	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
333.00	401049	1864	-	-	-	-	-	-	-	-	-	1.9	-	0.054	-	-
333.01	401050	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
379.00	401099	2484	-	-	-	-	-	-	-	-	-	2.5	-	0.072	-	-
379.01	401100	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-77
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
13.58	18.00	4.42	R5	0.15	0.25	-	100.00	-	100.00
18.00	21.00	3.00	R5	0.05	0.10	-	100.00	-	100.00
21.00	24.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
24.00	27.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
27.00	30.00	3.00	R5	0.19	0.29	-	100.00	-	100.00
30.00	33.00	3.00	R5	0.37	0.91	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.08	0.12	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.12	0.25	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.92	3.91	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.07	0.10	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.16	0.21	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.45	1.46	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.24	0.56	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.69	2.50	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.14	0.31	-	100.00	-	100.00
60.00	63.00	3.00	R5	0.14	0.29	-	100.00	-	100.00
63.00	66.00	3.00	R4	0.23	0.38	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.08	0.27	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.20	0.45	-	100.00	-	100.00
72.00	75.00	3.00	R6	0.05	0.12	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.11	0.25	-	100.00	-	100.00
78.00	81.00	3.00	R4	0.40	1.40	-	100.00	-	100.00
81.00	84.00	3.00	R6	0.27	0.65	-	100.00	-	100.00
84.00	87.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
87.00	90.00	3.00	R6	0.02	0.05	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.55	1.18	-	100.00	-	100.00
93.00	96.00	3.00	R5	0.75	1.68	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.33	0.54	-	100.00	-	100.00
99.00	102.00	3.00	R5	0.22	0.31	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.18	0.43	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.55	1.42	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.39	1.50	-	100.00	-	100.00
114.00	117.00	3.00	R4	0.19	0.34	-	100.00	-	100.00
117.00	120.00	3.00	R5	4.18	18.90	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.23	1.13	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.34	1.50	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-77
Project: PLANET EXPLORATION
Project Number: 800125

126.00	129.00	3.00	R5	0.60	1.46	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.50	1.42	-	100.00	-	100.00
132.00	135.00	3.00	R4	0.23	0.64	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
138.00	141.00	3.00	R5	0.41	1.88	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.05	0.20	-	100.00	-	100.00
144.00	147.00	3.00	R5	1.39	5.10	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.71	1.90	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.14	0.23	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.56	2.21	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.36	1.15	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
165.00	168.00	3.00	R5	1.45	7.21	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.08	0.16	-	100.00	-	100.00
171.00	174.00	3.00	R5	0.02	0.05	-	100.00	-	100.00
174.00	177.00	3.00	R5	0.06	0.18	-	100.00	-	100.00
177.00	180.00	3.00	R5	0.07	0.18	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.01	0.07	-	100.00	-	100.00
186.00	189.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
189.00	192.00	3.00	R5	0.05	0.10	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.13	0.51	-	100.00	-	100.00
195.00	198.00	3.00	R6	0.27	0.75	-	100.00	-	100.00
198.00	201.00	3.00	R5	0.39	0.91	-	100.00	-	100.00
201.00	204.00	3.00	R5	1.62	4.83	-	100.00	-	100.00
204.00	207.00	3.00	R5	0.39	0.84	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.75	1.44	-	100.00	-	100.00
210.00	213.00	3.00	R6	0.32	0.58	-	100.00	-	100.00
213.00	216.00	3.00	R6	1.17	2.79	-	100.00	-	100.00
216.00	219.00	3.00	R6	0.02	0.03	-	100.00	-	100.00
219.00	222.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
222.00	225.00	3.00	R6	0.12	0.31	-	100.00	-	100.00
225.00	228.00	3.00	R6	0.03	0.05	-	100.00	-	100.00
228.00	231.00	3.00	R5	0.15	0.51	-	100.00	-	100.00
231.00	234.00	3.00	R5	0.08	0.10	-	100.00	-	100.00
234.00	237.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
237.00	240.00	3.00	R5	0.13	0.14	-	100.00	-	100.00
240.00	243.00	3.00	R5	0.03	0.12	-	100.00	-	100.00
243.00	246.00	3.00	R6	0.00	0.01	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-77
Project: PLANET EXPLORATION
Project Number: 800125

246.00	249.00	3.00	R6	0.17	0.25	-	100.00	-	100.00
249.00	252.00	3.00	R6	24.00	91.30	-	100.00	-	100.00
252.00	255.00	3.00	R6	15.70	55.70	-	100.00	-	100.00
255.00	258.00	3.00	R6	0.05	0.14	-	100.00	-	100.00
258.00	261.00	3.00	R6	1.69	5.67	-	100.00	-	100.00
261.00	264.00	3.00	R6	8.16	28.20	-	100.00	-	100.00
264.00	267.00	3.00	R5	0.05	0.23	-	100.00	-	100.00
267.00	270.00	3.00	R6	0.09	0.16	-	100.00	-	100.00
270.00	273.00	3.00	R6	0.05	0.10	-	100.00	-	100.00
273.00	276.00	3.00	R6	0.05	0.10	-	100.00	-	100.00
276.00	279.00	3.00	S1	0.02	0.04	-	100.00	-	100.00
279.00	282.00	3.00	R6	0.01	0.05	-	100.00	-	100.00
282.00	285.00	3.00	R6	0.03	0.12	-	100.00	-	100.00
285.00	288.00	3.00	R6	0.07	0.16	-	100.00	-	100.00
288.00	291.00	3.00	R6	0.02	0.07	-	100.00	-	100.00
291.00	294.00	3.00	S1	0.00	0.01	-	100.00	-	100.00
294.00	297.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
297.00	300.00	3.00	R5	0.16	0.38	-	100.00	-	100.00
300.00	303.00	3.00	R5	0.18	0.49	-	100.00	-	100.00
303.00	306.00	3.00	R5	0.11	0.21	-	100.00	-	100.00
306.00	309.00	3.00	R5	0.32	1.17	-	100.00	-	100.00
309.00	312.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
312.00	315.00	3.00	R5	0.03	0.10	-	100.00	-	100.00
315.00	318.00	3.00	R5	0.20	0.32	-	100.00	-	100.00
318.00	321.00	3.00	R4	0.40	0.87	-	100.00	-	100.00
321.00	324.00	3.00	R3	0.19	0.31	-	100.00	-	100.00
324.00	327.00	3.00	R4	3.49	15.80	-	100.00	-	100.00
327.00	330.00	3.00	R4	19.70	36.40	-	100.00	-	100.00
330.00	333.00	3.00	R4	16.70	22.60	-	100.00	-	100.00
333.00	336.00	3.00	R4	14.10	19.10	-	100.00	-	100.00
336.00	339.00	3.00	R4	13.20	30.60	-	100.00	-	100.00
339.00	342.00	3.00	R4	6.66	15.20	-	100.00	-	100.00
342.00	345.00	3.00	R6	0.16	0.47	-	100.00	-	100.00
345.00	348.00	3.00	R6	0.02	0.50	-	100.00	-	100.00
348.00	351.00	3.00	R5	0.08	0.16	-	100.00	-	100.00
351.00	354.00	3.00	R4	3.98	5.56	-	100.00	-	100.00
354.00	357.00	3.00	R5	1.35	5.80	-	100.00	-	100.00
357.00	360.00	3.00	R6	0.06	0.15	-	100.00	-	100.00
360.00	363.00	3.00	R4	0.10	0.23	-	100.00	-	100.00
363.00	366.00	3.00	R6	0.00	0.03	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-77
Project: PLANET EXPLORATION
Project Number: 800125

366.00	369.00	3.00	R6	0.01	0.04	-	100.00	-	100.00
369.00	372.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
372.00	375.00	3.00	R6	0.02	0.03	-	100.00	-	100.00
375.00	378.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
378.00	381.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
381.00	384.00	3.00	R6	0.02	0.05	-	100.00	-	100.00
384.00	387.00	3.00	R6	0.02	0.03	-	100.00	-	100.00
387.00	390.00	3.00	R5	0.10	0.23	-	100.00	-	100.00
390.00	393.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
393.00	396.00	3.00	R6	0.01	0.07	-	100.00	-	100.00
396.00	399.00	3.00	R6	0.01	0.03	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-78
Project : PLANET EXPLORATIO
Project Number: 800125

Drilling	Casing	Location	Other
Azimuth: 146	Length: 12.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -60	Pulled: No	Claim No: Staked	Spotted by: T. Maciejewski
Length: 348.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 28-Apr-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 02-May-05		Level:	Surveyed Date: 13-Jul-05
Logged: 30-Apr-05	Core	Coordinate- Gemcom	Logged by: L.C. Chastko
Wedged : No	Dimension: NQ	Coordinate - UTM	Re-logged by: A.P. Pryslak
Wedged from:	Original Units: M	East: 461996.25	Water Source:
	Storage: Cochenour Mine	North: 5680156.89	Water line:
		Elevation: 411.23	Left in hole: Nothing
		UTM Zone: 15 (NAD27)	Control Drilling: Stabilizer
Target: Upper Duck Zone			Cutting sampled: No
Comments: relog by TP July 2005			Geophysic:

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	148.65	-60.00	X	48.000	148.36	-58.47	X	96.000	149.30	-57.66	X
3.000	148.42	-59.66	X	51.000	148.36	-58.39	X	99.000	149.40	-57.62	X
6.000	148.29	-59.25	X	54.000	148.35	-58.35	X	102.000	149.32	-57.57	X
9.000	148.14	-59.08	X	57.000	148.33	-58.32	X	105.000	149.32	-57.52	X
12.000	148.04	-58.97	X	60.000	148.42	-58.26	X	108.000	149.36	-57.46	X
15.000	148.06	-58.87	X	63.000	148.46	-58.23	X	111.000	149.42	-57.41	X
18.000	148.13	-58.82	X	66.000	148.55	-58.15	X	114.000	149.48	-57.37	X
21.000	148.22	-58.76	X	69.000	148.64	-58.08	X	117.000	149.58	-57.35	X
24.000	148.24	-58.70	X	72.000	148.75	-57.99	X	120.000	149.60	-57.31	X
27.000	148.31	-58.66	X	75.000	148.85	-57.95	X	123.000	149.64	-57.27	X
30.000	148.32	-58.62	X	78.000	148.96	-57.93	X	126.000	149.70	-57.23	X
33.000	148.38	-58.60	X	81.000	149.04	-57.88	X	129.000	149.75	-57.20	X
36.000	148.35	-58.57	X	84.000	149.07	-57.83	X	132.000	149.73	-57.16	X
39.000	148.39	-58.54	X	87.000	149.12	-57.76	X	135.000	149.78	-57.11	X
42.000	148.47	-58.55	X	90.000	149.19	-57.77	X	138.000	149.88	-57.06	X
45.000	148.40	-58.53	X	93.000	149.27	-57.71	X	141.000	149.92	-57.02	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-78
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	149.97	-56.97	X
147.000	150.08	-56.95	X
150.000	150.21	-56.91	X
153.000	150.31	-56.92	X
156.000	150.37	-56.91	X
159.000	150.45	-56.86	X
162.000	150.47	-56.84	X
165.000	150.59	-56.85	X
168.000	150.63	-56.80	X
171.000	150.65	-56.79	X
174.000	150.74	-56.76	X
177.000	150.94	-56.74	X
180.000	151.08	-56.73	X
183.000	151.19	-56.69	X
186.000	151.37	-56.65	X
189.000	151.60	-56.57	X
192.000	151.86	-56.46	X
195.000	152.12	-56.31	X
198.000	152.37	-56.21	X
201.000	152.60	-56.16	X
204.000	152.76	-56.09	X
207.000	152.90	-56.04	X
210.000	153.03	-56.02	X
213.000	153.13	-56.00	X
216.000	153.21	-55.98	X
219.000	153.21	-55.95	X
222.000	153.23	-55.91	X
225.000	153.33	-55.86	X
228.000	153.43	-55.82	X
231.000	153.52	-55.78	X
234.000	153.63	-55.73	X
237.000	153.77	-55.67	X
240.000	153.87	-55.62	X
243.000	153.96	-55.64	X
246.000	153.95	-55.63	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
249.000	154.04	-55.59	X
252.000	154.10	-55.53	X
255.000	154.21	-55.49	X
258.000	154.23	-55.46	X
261.000	154.32	-55.43	X
264.000	154.38	-55.39	X
267.000	154.37	-55.35	X
270.000	154.39	-55.33	X
273.000	154.41	-55.31	X
276.000	154.50	-55.29	X
279.000	154.56	-55.26	X
282.000	154.54	-55.23	X
285.000	154.58	-55.17	X
288.000	154.62	-55.10	X
291.000	154.64	-55.05	X
294.000	154.66	-55.01	X
297.000	154.74	-54.97	X
300.000	154.77	-54.95	X
303.000	154.80	-54.92	X
306.000	154.81	-54.89	X
309.000	154.91	-54.85	X
312.000	155.03	-54.82	X
315.000	155.12	-54.74	X
318.000	155.20	-54.68	X
321.000	155.23	-54.62	X
324.000	155.30	-54.58	X
327.000	155.36	-54.54	X
330.000	155.49	-54.50	X
333.000	155.52	-54.48	X



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-78

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	13.00	(OB) OVERBURDEN Casing									
13.00	76.90	(7B) FELDSPAR PORPHYRY Feldspar Porphyry-Banded and/or Breccia irregular light buff-grey to greenish-grey, fine to medium fine grained, quartz phyric, 95% porphyry, generally finely layered or banded, 3-5% irregular dark biotite rich fine bands and/or irregular clots, biotite bands are irregularly spaced and vary from mm to cm with occasional section 10-20 cm thickness, biotite rich sections contain trace to minor pypo cpy banding and foliation generally at 20-30 to CA with sections at lower angles of 0- 10 to CA occasional scattered garnets, odd diopside rich skarny vein few sections with disrupted biotite bands are possibly a fine auto breccia porphyry is weakly to moderately sericitized, moderately sheared, irregularly foliated and banded overall 1% irregularly disseminated to bleby popy with cpy 51.80 - 51.85 2-5 cm band at 25 to CA with 5-8% irregular blotches cpy 70.0 and down banding and foliation steepen to 50-60 to CA overall weak 1% quartz veining 13.23m: aphyric, possibly felsic volc. phase 23-26m: good FP breccia 26-75m: aphyric phase 75-76.9m: good 7B	401121	13.00	14.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
			401122	14.00	15.00	1.00	0.16	0.005	156	<input type="checkbox"/>	
			401123	15.00	16.00	1.00	0.28	0.008	277	<input type="checkbox"/>	
			401124	16.00	17.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			401125	17.00	18.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
			401126	18.00	19.00	1.00	0.15	0.004	147	<input type="checkbox"/>	
			401127	19.00	20.00	1.00	0.33	0.010	328	<input type="checkbox"/>	
			401128	20.00	21.00	1.00	0.16	0.005	160	<input type="checkbox"/>	
			401129	21.00	22.00	1.00	0.20	0.006	203	<input type="checkbox"/>	
			401130	22.00	23.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			401131	23.00	24.00	1.00	0.09	0.003	87	<input type="checkbox"/>	
			401132	24.00	25.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			401133	25.00	26.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			401134	26.00	27.00	1.00	0.10	0.003	96	<input type="checkbox"/>	
			401135	27.00	28.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			401136	28.00	29.00	1.00	0.12	0.003	116	<input type="checkbox"/>	
			401137	29.00	30.00	1.00	0.60	0.018	603	<input type="checkbox"/>	
			401138	30.00	31.00	1.00	2.27	0.066	2265	<input type="checkbox"/>	
			401139	31.00	32.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			401140	32.00	33.00	1.00	0.09	0.003	92	<input type="checkbox"/>	
			401141	33.00	34.00	1.00	0.15	0.004	148	<input type="checkbox"/>	
			401142	34.00	35.00	1.00	0.22	0.006	219	<input type="checkbox"/>	
			401143	35.00	36.00	1.00	0.89	0.026	889	<input type="checkbox"/>	
			401144	36.00	37.00	1.00	0.16	0.005	164	<input type="checkbox"/>	
			401145	37.00	38.00	1.00	0.58	0.017	581	<input type="checkbox"/>	
			401146	38.00	39.00	1.00	0.21	0.006	213	<input type="checkbox"/>	
			401147	39.00	40.00	1.00	0.14	0.004	136	<input type="checkbox"/>	
			401148	40.00	41.00	1.00	0.15	0.004	147	<input type="checkbox"/>	
			401151	41.00	42.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			401152	42.00	43.00	1.00	0.09	0.003	88	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-78
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	V.G.	Comments
			401153	43.00	44.00	1.00	0.42	0.012	417	<input type="checkbox"/>	
			401154	44.00	45.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			401155	45.00	46.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			401156	46.00	47.00	1.00	0.13	0.004	132	<input type="checkbox"/>	
			401157	47.00	48.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			401158	48.00	49.00	1.00	0.75	0.022	745	<input type="checkbox"/>	
			401159	49.00	50.00	1.00	0.25	0.007	246	<input type="checkbox"/>	
			401160	50.00	51.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			401161	51.00	52.00	1.00	2.94	0.086	2935	<input type="checkbox"/>	
			401162	52.00	53.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			401163	53.00	54.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			401164	54.00	55.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			401165	55.00	56.00	1.00	0.25	0.007	254	<input type="checkbox"/>	
			401166	56.00	57.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			401167	57.00	58.00	1.00	0.11	0.003	111	<input type="checkbox"/>	
			401168	58.00	59.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			401169	59.00	60.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			401170	60.00	61.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			401171	61.00	62.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			401172	62.00	63.00	1.00	0.41	0.012	405	<input type="checkbox"/>	
			401173	63.00	64.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			401174	64.00	65.00	1.00	0.13	0.004	129	<input type="checkbox"/>	
			401175	65.00	66.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			401176	66.00	67.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			401177	67.00	68.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			401178	68.00	69.00	1.00	0.30	0.009	302	<input type="checkbox"/>	
			401179	69.00	70.00	1.00	0.11	0.003	114	<input type="checkbox"/>	
			401180	70.00	71.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			401181	71.00	72.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			401182	72.00	73.00	1.00	0.12	0.004	122	<input type="checkbox"/>	
			401183	73.00	74.00	1.00	0.37	0.011	370	<input type="checkbox"/>	
			401184	74.00	75.00	1.00	0.13	0.004	127	<input type="checkbox"/>	
			401185	75.00	76.00	1.00	0.15	0.004	146	<input type="checkbox"/>	
			401186	76.00	77.00	1.00	0.38	0.011	376	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-78
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
76.90	83.96	(6G) GABBRO dark green, medium grained, sheared and folded, 10% brown biotite at contact and irregular folded bands, 4% irregular quartz veining often boudened, sharp contacts at 50-55 to CA	401187	77.00	78.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			401188	78.00	79.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			401189	79.00	80.00	1.00	0.36	0.010	356	<input type="checkbox"/>	
			401190	80.00	81.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			401191	81.00	82.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
			401192	82.00	83.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			401193	83.00	84.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
83.96	165.80	(7B) FELDSPAR PORPHYRY BX Banded Feldspar Porphyry breccia with aphyric, possibly felsic volc. phases similar to before, moderately bleached, weakly sericitic, noticeably more plagioclase and quartz aphyric, well banded or layered resembling a bedded tuff? considerable variation in banding indicates complex folding, core angles vary from 0 to 70 to CA- highly variable over short distances TP: 83.96-96m: good FP breccia 96-157m: 90% aphyric sections with biotite clasts, bands; 10% possibly good porphyry pockets, possibly clasts or diatremes 157-165.8m: good porphyry 88.75 - 89.10 (7B) FELDSPAR PORPHYRY Chunky feldspar porphyry dike, foliated, sharp conformable contacts at 55 to CA 162.15 - 163.00 (7B) FELDSPAR PORPHYRY Feldspar Porphyry dike, dark grey-brown, fine plagioclase phenocrysts, relatively massive to weakly foliated, sharp contacts at 50-55 to CA	401194	84.00	85.00	1.00	0.36	0.011	362	<input type="checkbox"/>	
			401195	85.00	86.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			401196	86.00	87.00	1.00	0.17	0.005	169	<input type="checkbox"/>	
			401197	87.00	88.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			401198	88.00	89.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			401201	89.00	90.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			401202	90.00	91.00	1.00	0.24	0.007	238	<input type="checkbox"/>	
			401203	91.00	92.00	1.00	0.26	0.008	261	<input type="checkbox"/>	
			401204	92.00	93.00	1.00	0.74	0.022	739	<input type="checkbox"/>	
			401205	93.00	94.00	1.00	0.09	0.003	93	<input type="checkbox"/>	
			401206	94.00	95.00	1.00	1.33	0.039	1331	<input type="checkbox"/>	
			401207	95.00	96.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			401208	96.00	97.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			401209	97.00	98.00	1.00	0.17	0.005	167	<input type="checkbox"/>	
			401210	98.00	99.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			401211	99.00	100.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			401212	100.00	101.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401213	101.00	102.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			401214	102.00	103.00	1.00	0.15	0.004	146	<input type="checkbox"/>	
			401215	103.00	104.00	1.00	0.23	0.007	233	<input type="checkbox"/>	
			401216	104.00	105.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			401217	105.00	106.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			401218	106.00	107.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
401219	107.00	108.00	1.00	0.06	0.002	59	<input type="checkbox"/>				
401220	108.00	109.00	1.00	0.02	<0.001	15	<input type="checkbox"/>				
401221	109.00	110.00	1.00	0.03	0.001	30	<input type="checkbox"/>				
401222	110.00	111.00	1.00	0.01	<0.001	13	<input type="checkbox"/>				
401223	111.00	112.00	1.00	0.04	0.001	39	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-78
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			401224	112.00	113.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			401225	113.00	114.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			401226	114.00	115.00	1.00	0.10	0.003	103	<input type="checkbox"/>	
			401227	115.00	116.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			401228	116.00	117.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401229	117.00	118.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			401230	118.00	119.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			401231	119.00	120.00	1.00	0.10	0.003	100	<input type="checkbox"/>	
			401232	120.00	121.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
			401233	121.00	122.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			401234	122.00	123.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			401235	123.00	124.00	1.00	0.17	0.005	165	<input type="checkbox"/>	
			401236	124.00	125.00	1.00	0.35	0.010	346	<input type="checkbox"/>	
			401237	125.00	126.00	1.00	0.14	0.004	139	<input type="checkbox"/>	
			401238	126.00	127.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			401239	127.00	128.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			401240	128.00	129.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			401241	129.00	130.00	1.00	0.14	0.004	138	<input type="checkbox"/>	
			401242	130.00	131.00	1.00	0.37	0.011	372	<input type="checkbox"/>	
			401243	131.00	132.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			401244	132.00	133.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			401245	133.00	134.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			401246	134.00	135.00	1.00	0.24	0.007	242	<input type="checkbox"/>	
			401247	135.00	136.00	1.00	0.09	0.003	86	<input type="checkbox"/>	
			401248	136.00	137.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			401251	137.00	138.00	1.00	0.37	0.011	370	<input type="checkbox"/>	
			401252	138.00	139.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
			401253	139.00	140.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			401254	140.00	141.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			401255	141.00	142.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			401256	142.00	143.00	1.00	0.17	0.005	172	<input type="checkbox"/>	
			401257	143.00	144.00	1.00	0.94	0.028	944	<input type="checkbox"/>	
			401258	144.00	145.00	1.00	0.08	0.002	79	<input type="checkbox"/>	
			401259	145.00	146.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401260	146.00	147.00	1.00	0.02	0.001	20	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-78
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			401261	147.00	148.00	1.00	0.26	0.008	262	<input type="checkbox"/>	
			401262	148.00	149.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			401263	149.00	150.00	1.00	0.11	0.003	111	<input type="checkbox"/>	
			401264	150.00	151.00	1.00	0.20	0.006	195	<input type="checkbox"/>	
			401265	151.00	152.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			401266	152.00	153.00	1.00	0.09	0.003	94	<input type="checkbox"/>	
			401267	153.00	154.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			401268	154.00	155.00	1.00	0.10	0.003	96	<input type="checkbox"/>	
			401269	155.00	156.00	1.00	0.49	0.014	487	<input type="checkbox"/>	
			401270	156.00	157.00	1.00	0.14	0.004	138	<input type="checkbox"/>	
			401271	157.00	158.00	1.00	16.75	0.489	16751	<input type="checkbox"/>	
			401272	158.00	159.00	1.00	0.29	0.008	286	<input type="checkbox"/>	
			401273	159.00	160.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			401274	160.00	161.00	1.00	0.14	0.004	140	<input type="checkbox"/>	
			401275	161.00	162.00	1.00	0.16	0.005	163	<input type="checkbox"/>	
			401276	162.00	163.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			401277	163.00	164.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			401278	164.00	165.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
			401279	165.00	166.00	1.00	0.86	0.025	863	<input type="checkbox"/>	
165.80	167.50	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	401280	166.00	167.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
		Interlayered 50% medium grey, fine grained quartz-biotite+/-garnet schist and 50% dark green fine to medium grained gabbroic layers, irregular patches of epidote and crude scattered to broken white microcline overall 1-3% irregular concentrated bands of po>py, traces cpy crude banding and weak to moderate foliation at 35-45 to CA,	401281	167.00	168.00	1.00	0.12	0.003	116	<input type="checkbox"/>	
167.50	168.60	(7B) FELDSPAR PORPHYRY	401282	168.00	169.00	1.00	0.25	0.007	249	<input type="checkbox"/>	
		grey, biotitic, neither sub-volc. nor chunky type									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-78
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
168.60	170.20	(5S) SILICATE FACIES IRON FORMATION mafic bio-amph-garnet unit with 10cm band of grunerite-magnetite-po	401283	169.00	170.00	1.00	3.01	0.088	3008		<input type="checkbox"/>
170.20	203.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS quartz-biotite andalusite schist, banded variable banded light to dark green- grey with dark brown-black biotite streaks, fine grained, 2-4% local concentrations 2-4 mm garnets, scattered feathery metacrysts andalusite overprint foliation- 1-2 cm diameter 197 and down increasing dark biotite content crude medium cm scale banding and moderate foliated at 55 to CA-somewhat variable 204 - 212.85 25% dark green gabbro/pyroxinite layers,	401284	170.00	171.00	1.00	0.11	0.003	107		<input type="checkbox"/>
			401285	171.00	172.00	1.00	0.16	0.005	163		<input type="checkbox"/>
			401286	172.00	173.00	1.00	0.25	0.007	252		<input type="checkbox"/>
			401287	173.00	174.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			401288	174.00	175.00	1.00	0.01	<0.001	7		<input type="checkbox"/>
			401289	175.00	176.00	1.00	0.10	0.003	100		<input type="checkbox"/>
			401290	176.00	177.00	1.00	0.03	0.001	27		<input type="checkbox"/>
			401291	177.00	178.00	1.00	5.20	0.152	5202		<input type="checkbox"/>
			401292	178.00	179.00	1.00	0.12	0.004	121		<input type="checkbox"/>
			401293	179.00	180.00	1.00	0.15	0.004	149		<input type="checkbox"/>
			401294	180.00	181.00	1.00	0.12	0.004	120		<input type="checkbox"/>
			401295	181.00	182.00	1.00	0.13	0.004	127		<input type="checkbox"/>
			401296	182.00	183.00	1.00	0.30	0.009	301		<input type="checkbox"/>
			401297	183.00	184.00	1.00	1.28	0.037	1278		<input type="checkbox"/>
			401298	184.00	185.00	1.00	0.13	0.004	125		<input type="checkbox"/>
			401301	185.00	186.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			401302	186.00	187.00	1.00	0.05	0.001	45		<input type="checkbox"/>
			401303	187.00	188.00	1.00	0.01	<0.001	13		<input type="checkbox"/>
			401304	188.00	189.00	1.00	0.01	<0.001	11		<input type="checkbox"/>
			401305	189.00	190.00	1.00	0.04	0.001	42		<input type="checkbox"/>
			401306	190.00	191.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			401307	191.00	192.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			401308	192.00	193.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			401309	193.00	194.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			401310	194.00	195.00	1.00	0.02	<0.001	16		<input type="checkbox"/>
			401311	195.00	196.00	1.00	0.02	<0.001	15		<input type="checkbox"/>
			401312	196.00	197.00	1.00	0.01	<0.001	11		<input type="checkbox"/>
			401313	197.00	198.00	1.00	0.06	0.002	56		<input type="checkbox"/>
			401314	198.00	199.00	1.00	0.22	0.006	221		<input type="checkbox"/>
			401315	199.00	200.00	1.00	0.05	0.001	51		<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-78
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			401316	200.00	201.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			401317	201.00	202.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			401318	202.00	203.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
203.00	212.85	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE mafic, mgr, gabbroic unit with 15% felsic volcanic bands	401319	203.00	204.00	1.00	0.11	0.003	109	<input type="checkbox"/>	
			401320	204.00	205.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401321	205.00	206.00	1.00	0.14	0.004	140	<input type="checkbox"/>	
			401322	206.00	207.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			401323	207.00	208.00	1.00	0.24	0.007	238	<input type="checkbox"/>	
			401324	208.00	209.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401325	209.00	210.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401326	210.00	211.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401327	211.00	212.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			401328	212.00	213.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
212.85	219.04	(1L) GARNETIFERROUS AMPHIBOLITE Biotite-Amphibole-Garnet schist blotchy dark brown-black with pinkish garnet masses, 30-40% dark brown-black biotite, 40% subhedral to anhedral clots of pinkish garnet ranging from mm to 2 cm range, garnets occur throughout but are selectively concentrated, 30% dark amphiboles very crudely layered appearance, poorly foliated traces to minor popy cpy in irregular weak concentrations several dark green fine grained "skarny" diopside/pyroxinite veins with minor popy	401329	213.00	214.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			401330	214.00	215.00	1.00	0.11	0.003	112	<input type="checkbox"/>	
			401331	215.00	216.00	1.00	5.57	0.162	5569	<input type="checkbox"/>	
			401332	216.00	217.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
			401333	217.00	218.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			401334	218.00	219.00	1.00	0.10	0.003	101	<input type="checkbox"/>	
219.04	219.72	(7B) FELDSPAR PORPHYRY Feldspar Porphyry Chunkey fine brownish ground mass with 50% feldspar phenocrysts, weakly foliated to massive, distinct contacts at 50 to CA	401335	219.00	219.72	0.72	<0.01	<0.001	<5	<input type="checkbox"/>	
219.72	222.87	(1L) GARNETIFERROUS AMPHIBOLITE similar to above except dominant mafic mineral is dark green amphibole rather than biotite last meter is essentially garnetite 1-3% popy with 1-3% irregular concentrated magnetite sharp lower contact with magnetite rih unit at 50-55 to CA	401336	219.72	221.00	1.28	0.03	0.001	26	<input type="checkbox"/>	
			401337	221.00	222.00	1.00	0.31	0.009	314	<input type="checkbox"/>	
			401338	222.00	222.87	0.87	0.03	0.001	26	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-78
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
222.87	225.10	(5S) SILICATE FACIES IRON FORMATION	401339	222.87	224.00	1.13	0.56	0.016	564	<input type="checkbox"/>	40% magnetite, 1-2% ASPY
		magnetite-grunerite unit with minor BAG bands	401340	224.00	225.10	1.10	0.19	0.005	187	<input type="checkbox"/>	
		Skarny? Very finely disrupted laminae of 30-40% very fine grained black magnetite and light greenish fine grained amphibole? 1-2% fine stubby ASPY disseminated and weak stringers sharp upper contact at 50-55 to CA, Blackline fault lower contact at 35-40 to CA unit is not typical BIF									
225.10	228.93	(3C) TUFF, LAPILLI TUFF, LAPILLISTONE	401341	225.10	226.00	0.90	0.04	0.001	41	<input type="checkbox"/>	
		dark grey to light greenish-grey fine grained, poorly foliated, siliceous, 15% irregular dark green skarny sections and veinlets, traces disseminated popy with several massive irregular sections over 2-4 cm	401342	226.00	227.00	1.00	0.09	0.003	93	<input type="checkbox"/>	
		228.2m: 5cm band of massive po with chert clasts	401343	227.00	228.00	1.00	1.41	0.041	1410	<input type="checkbox"/>	
			401344	228.00	228.93	0.93	0.05	0.002	52	<input type="checkbox"/>	
228.93	233.65	(1L) GARNETIFEROUS AMPHIBOLITE	401345	228.93	230.00	1.07	0.15	0.004	149	<input type="checkbox"/>	
		Biotite-Amphibole-Garnet schist	401346	230.00	231.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		dark brown biotite rich wioth 15-20% scatteded garnets- 1-3 mm diameter, crudely layered and folded, 10% dark green diopside rich veins	401347	231.00	232.00	1.00	1.43	0.042	1434	<input type="checkbox"/>	
		overall 10-15%irregular stringers and contorted bands of semi to massive po>py	401348	232.00	233.00	1.00	0.89	0.026	885	<input type="checkbox"/>	
		traces cpy, 1% irregular quartzveining	401351	233.00	234.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
233.65	236.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	401352	234.00	235.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		predominantly felsic biotite-quartz schist, minor garnet , andalusite	401353	235.00	236.00	1.00	0.31	0.009	305	<input type="checkbox"/>	
		20% darker more biotitic bands, 10% biotite-amphibole-garnet bands, occassional dark green po bearing skarny vein, minor narrow feldspar porphyry and gabbroic dikes layering moderate banding and moderate foliation at 50-55 to CA									
		234.35 - 234.60 (CK) SKARN VEINS									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-78
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
236.00	242.80	(7B) FELDSPAR PORPHYRY BX 10-20% bands of porphyry on a cm-scale, either as clasts or narrow diatremes within garnet-andalusite felsic volcs. 240.76 - 241.20 (7B) FELDSPAR PORPHYRY late chunky porphyry	401354	236.00	237.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			401355	237.00	238.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			401356	238.00	239.00	1.00	0.13	0.004	131	<input type="checkbox"/>	
			401357	239.00	240.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			401358	240.00	241.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			401359	241.00	242.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			401360	242.00	243.00	1.00	0.09	0.003	87	<input type="checkbox"/>	
242.80	243.95	(7B) FELDSPAR PORPHYRY lamp-type, biotitic	401361	243.00	244.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
243.95	247.13	(3) UNDIFF. FELSIC VOLCANICS felsic volc., grey biotitic felsics, no porphyry bands, minor garnet	401362	244.00	245.00	1.00	0.09	0.003	86	<input type="checkbox"/>	
			401363	245.00	246.00	1.00	0.47	0.014	471	<input type="checkbox"/>	
			401364	246.00	247.00	1.00	0.73	0.021	728	<input type="checkbox"/>	
247.13	252.75	(7B) FELDSPAR PORPHYRY medium grey, fine plagioclase, 30-40% fine phenocrysts, relatively fresh-massive, 3-5% low angle quartz veins often with pink altered margins, sharp contacts, upper at 35 lower irregular to CA	401365	247.00	248.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			401366	248.00	249.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			401367	249.00	250.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			401368	250.00	251.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			401369	251.00	252.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			401370	252.00	253.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
252.75	337.10	(6G) GABBRO Gabbro-irregular-variable predominantly a good dark green fine to medium grained gabbro with local weak to moderate biotitization usually along margins and/or foliated finer grained rock may contain slivers of banded intermediate rock 3-5% white quartz veining often broken and irregular rock is weakly to moderately foliated and displays irregular foliation and/or folding number of narrow<1meter porphyry dikes 286 - 297 moderately bleached, frequent narrow feldspar porphyry dikes, 5-6% white quartz veins	401371	259.00	260.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			401372	264.00	265.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			401373	269.00	270.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			401374	274.00	275.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			401375	279.00	280.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			401376	284.00	285.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401377	289.00	290.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			401378	294.00	295.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			401379	295.00	296.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401380	296.00	297.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			401381	297.00	298.00	1.00	0.18	0.005	175	<input type="checkbox"/>	
			401382	304.00	305.00	1.00	0.09	0.003	94	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-78
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> <i>(m)</i>	<i>To</i> <i>(m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From</i> <i>(m)</i>	<i>To</i> <i>(m)</i>	<i>Length</i> <i>(m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			401383	309.00	310.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			401384	314.00	315.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401385	319.00	320.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401386	324.00	325.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401387	329.00	330.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401388	334.00	335.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
337.10	348.00	(3) UNDIFF. FELSIC VOLCANICS	401389	339.00	340.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
		grey,biotite-quartz schist interfingered with feldspar porphyry and minor gabbro	401390	344.00	345.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
		moderately banded, locally bleached	401391	345.00	346.00	1.00	0.10	0.003	99	<input type="checkbox"/>	
		moderately foliated at 55 to CA, weak quartz veinlets	401392	346.00	347.00	1.00	0.10	0.003	104	<input type="checkbox"/>	
		340.00 - 342.60 (7B) FELDSPAR PORPHYRY	401393	347.00	348.00	1.00	0.04	0.001	42	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-78
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
41.00	401149	2154	-	-	-	-	-	-	-	-	-	2.2	-	0.063	-	-
41.01	401150	9	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
89.00	401199	1988	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
89.01	401200	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
137.00	401249	2227	-	-	-	-	-	-	-	-	-	2.2	-	0.065	-	-
137.01	401250	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
185.00	401299	2035	-	-	-	-	-	-	-	-	-	2.0	-	0.059	-	-
185.01	401300	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
233.00	401349	1866	-	-	-	-	-	-	-	-	-	1.9	-	0.054	-	-
233.01	401350	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-78
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
13.00	15.00	2.00	R4	0.01	0.03	-	100.00	-	100.00
15.00	18.00	3.00	R4	0.03	0.10	-	100.00	-	100.00
18.00	21.00	3.00	R4	0.03	0.09	-	100.00	-	100.00
21.00	24.00	3.00	R4	0.16	0.67	-	100.00	-	100.00
24.00	27.00	3.00	R4	0.10	0.25	-	100.00	-	100.00
27.00	30.00	3.00	R5	0.08	0.25	-	100.00	-	100.00
30.00	33.00	3.00	R5	1.60	7.06	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.11	0.16	-	100.00	-	100.00
36.00	39.00	3.00	R4	0.08	0.14	-	100.00	-	100.00
39.00	42.00	3.00	R4	0.07	0.16	-	100.00	-	100.00
42.00	45.00	3.00	R4	0.07	0.21	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.10	0.34	-	100.00	-	100.00
48.00	51.00	3.00	R4	0.07	0.20	-	100.00	-	100.00
51.00	54.00	3.00	R4	0.03	0.09	-	100.00	-	100.00
54.00	57.00	3.00	R4	0.03	0.12	-	100.00	-	100.00
57.00	60.00	3.00	R4	0.01	0.03	-	100.00	-	100.00
60.00	63.00	3.00	R4	0.18	0.69	-	100.00	-	100.00
63.00	66.00	3.00	R4	0.05	0.14	-	100.00	-	100.00
66.00	69.00	3.00	R4	0.05	0.10	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.04	0.07	-	100.00	-	100.00
72.00	75.00	3.00	R4	0.04	0.10	-	100.00	-	100.00
75.00	78.00	3.00	R4	0.08	0.21	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.46	0.75	-	100.00	-	100.00
81.00	84.00	3.00	R5	0.33	0.73	-	100.00	-	100.00
84.00	87.00	3.00	R4	0.12	0.36	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
90.00	93.00	3.00	R6	0.02	0.10	-	100.00	-	100.00
93.00	96.00	3.00	R6	0.03	0.09	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.15	0.42	-	100.00	-	100.00
99.00	102.00	3.00	R4	0.03	0.12	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.10	0.16	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.06	0.14	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.15	0.47	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.11	0.31	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.03	0.05	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.11	0.32	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.05	0.07	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-78
Project: PLANET EXPLORATION
Project Number: 800125

123.00	126.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.05	0.07	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.32	0.91	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.17	0.31	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.12	0.25	-	100.00	-	100.00
138.00	141.00	3.00	R5	0.11	0.21	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.28	0.64	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.07	0.25	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.07	0.20	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.44	1.42	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.33	0.49	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.09	0.14	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.07	0.09	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.19	0.45	-	100.00	-	100.00
165.00	168.00	3.00	R4	0.45	1.09	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.37	0.67	-	100.00	-	100.00
171.00	174.00	3.00	R4	0.32	0.95	-	100.00	-	100.00
174.00	177.00	3.00	R4	0.16	0.31	-	100.00	-	100.00
177.00	180.00	3.00	R5	0.12	0.16	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.06	0.10	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.04	0.05	-	100.00	-	100.00
186.00	189.00	3.00	R5	0.35	1.24	-	100.00	-	100.00
189.00	192.00	3.00	R5	0.07	0.14	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.07	0.12	-	100.00	-	100.00
195.00	198.00	3.00	R5	0.73	3.09	-	100.00	-	100.00
198.00	201.00	3.00	R5	0.55	1.50	-	100.00	-	100.00
201.00	204.00	3.00	R5	0.12	0.20	-	100.00	-	100.00
204.00	207.00	3.00	R5	0.31	0.40	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.67	1.02	-	100.00	-	100.00
210.00	213.00	3.00	R5	2.03	4.04	-	100.00	-	100.00
213.00	216.00	3.00	R5	9.23	26.90	-	100.00	-	100.00
216.00	219.00	3.00	R5	12.90	48.50	-	100.00	-	100.00
219.00	222.00	3.00	R5	26.80	66.40	-	100.00	-	100.00
222.00	225.00	3.00	R5	129.00	269.00	-	100.00	-	100.00
225.00	228.00	3.00	R5	9.38	30.90	-	100.00	-	100.00
228.00	231.00	3.00	R5	3.10	5.98	-	100.00	-	100.00
231.00	234.00	3.00	R5	7.33	17.10	-	100.00	-	100.00
234.00	237.00	3.00	R5	0.76	3.33	-	100.00	-	100.00
237.00	240.00	3.00	R4	0.16	0.34	-	100.00	-	100.00
240.00	243.00	3.00	R4	0.20	0.38	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-78
Project: PLANET EXPLORATION
Project Number: 800125

243.00	246.00	3.00	R5	0.15	0.38	-	100.00	-	100.00
246.00	249.00	3.00	R6	0.47	1.48	-	100.00	-	100.00
249.00	252.00	3.00	R6	0.76	1.51	-	100.00	-	100.00
252.00	255.00	3.00	R5	0.73	2.15	-	100.00	-	100.00
255.00	258.00	3.00	R4	1.40	3.60	-	100.00	-	100.00
258.00	261.00	3.00	R4	0.18	0.31	-	100.00	-	100.00
261.00	264.00	3.00	R4	0.15	0.21	-	100.00	-	100.00
264.00	267.00	3.00	R4	0.48	1.37	-	100.00	-	100.00
267.00	270.00	3.00	R5	0.93	0.38	-	100.00	-	100.00
270.00	273.00	3.00	R4	0.36	0.54	-	100.00	-	100.00
273.00	276.00	3.00	R4	0.32	0.49	-	100.00	-	100.00
276.00	279.00	3.00	R4	0.26	0.38	-	100.00	-	100.00
279.00	282.00	3.00	R4	0.18	0.23	-	100.00	-	100.00
282.00	285.00	3.00	R4	0.15	0.21	-	100.00	-	100.00
285.00	288.00	3.00	R4	0.45	0.76	-	100.00	-	100.00
288.00	291.00	3.00	R4	0.15	0.23	-	100.00	-	100.00
291.00	294.00	3.00	R5	0.46	1.99	-	100.00	-	100.00
294.00	297.00	3.00	R5	0.32	0.82	-	100.00	-	100.00
297.00	300.00	3.00	R4	0.89	3.55	-	100.00	-	100.00
300.00	303.00	3.00	R5	2.86	9.15	-	0.00	-	100.00
303.00	306.00	3.00	R5	0.21	0.27	-	100.00	-	100.00
306.00	309.00	3.00	R5	0.29	0.49	-	100.00	-	100.00
309.00	312.00	3.00	R5	0.49	1.15	-	100.00	-	100.00
312.00	315.00	3.00	R5	0.28	0.51	-	100.00	-	100.00
315.00	318.00	3.00	R4	0.17	0.21	-	100.00	-	100.00
318.00	321.00	3.00	R4	0.74	2.58	-	100.00	-	100.00
321.00	324.00	3.00	R5	0.68	2.37	-	100.00	-	100.00
324.00	327.00	3.00	R5	0.18	0.23	-	100.00	-	100.00
327.00	330.00	3.00	R4	0.48	1.59	-	100.00	-	100.00
330.00	333.00	3.00	R5	11.50	52.20	-	100.00	-	100.00
333.00	336.00	3.00	R4	9.20	62.00	-	100.00	-	100.00
336.00	339.00	3.00	R4	1.51	4.04	-	100.00	-	100.00
339.00	342.00	3.00	R6	0.11	0.34	-	100.00	-	100.00
342.00	345.00	3.00	R5	0.23	0.73	-	100.00	-	100.00
345.00	348.00	3.00	R5	0.27	0.58	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-79
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 90	Length: 16.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -45	Pulled: No	Claim No:	Spotted by: L.C. Chastko
Length: 351.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 03-May-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 08-May-05		Level:	Surveyed Date: 13-Jul-05
Logged: 04-May-05		Coordinate - Gemcom	Logged by: P. Chantigny
Wedged : No		Coordinate - UTM	Re-logged by: A.P. Prysak
Wedged from:	Core	Coordinate - Grid	Water Source:
	Dimension: NQ	East: 462068.45	Water line:
	Original Units: M	East: 462068	Left in hole: Nothing
	Storage: Cochenour Mine	North: 5680124.15	Control Drilling: Stabilizer
		North: 5680124	Cutting sampled: No
		Elevation: 412.73	Geophysic:
		Elevation: 413	
		UTM Zone: 15 (NAD27)	
Target: Upper Duck Zone			
Comments: relog by TP July, 2005			

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
<i>Distance</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>	<i>Distance</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>	<i>Distance</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
<i>(m)</i>				<i>(m)</i>				<i>(m)</i>			
0.000	90.00	-45.00	X	48.000	90.08	-44.45	X	96.000	90.69	-43.66	X
3.000	89.98	-44.95	X	51.000	90.10	-44.40	X	99.000	90.69	-43.65	X
6.000	89.95	-45.05	X	54.000	90.14	-44.38	X	102.000	90.72	-43.64	X
9.000	89.97	-45.04	X	57.000	90.18	-44.35	X	105.000	90.75	-43.62	X
12.000	90.01	-45.05	X	60.000	90.24	-44.30	X	108.000	90.76	-43.59	X
15.000	90.04	-45.01	X	63.000	90.22	-44.22	X	111.000	90.74	-43.55	X
18.000	90.01	-44.95	X	66.000	90.32	-44.15	X	114.000	90.77	-43.51	X
21.000	90.00	-44.88	X	69.000	90.51	-44.14	X	117.000	90.79	-43.48	X
24.000	90.01	-44.86	X	72.000	90.58	-44.00	X	120.000	90.81	-43.47	X
27.000	89.98	-44.85	X	75.000	90.60	-43.91	X	123.000	90.79	-43.45	X
30.000	89.97	-44.80	X	78.000	90.61	-43.86	X	126.000	90.77	-43.42	X
33.000	89.99	-44.76	X	81.000	90.67	-43.83	X	129.000	90.80	-43.38	X
36.000	90.00	-44.71	X	84.000	90.67	-43.78	X	132.000	90.82	-43.30	X
39.000	90.03	-44.66	X	87.000	90.70	-43.72	X	135.000	90.80	-43.20	X
42.000	90.09	-44.56	X	90.000	90.73	-43.69	X	138.000	90.77	-43.13	X
45.000	90.08	-44.50	X	93.000	90.72	-43.66	X	141.000	90.73	-43.07	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-79
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	90.70	-43.03	X
147.000	90.68	-42.98	X
150.000	90.68	-42.95	X
153.000	90.70	-42.88	X
156.000	90.68	-42.83	X
159.000	90.67	-42.79	X
162.000	90.65	-42.75	X
165.000	90.65	-42.70	X
168.000	90.65	-42.68	X
171.000	90.69	-42.66	X
174.000	90.66	-42.59	X
177.000	90.57	-42.55	X
180.000	90.56	-42.50	X
183.000	90.53	-42.47	X
186.000	90.51	-42.42	X
189.000	90.49	-42.40	X
192.000	90.48	-42.41	X
195.000	90.41	-42.35	X
198.000	90.37	-42.30	X
201.000	90.39	-42.26	X
204.000	90.42	-42.25	X
207.000	90.41	-42.29	X
210.000	90.44	-42.32	X
213.000	90.47	-42.33	X
216.000	90.46	-42.33	X
219.000	90.47	-42.31	X
222.000	90.48	-42.30	X
225.000	90.47	-42.28	X
228.000	90.48	-42.24	X
231.000	90.53	-42.20	X
234.000	90.55	-42.16	X
237.000	90.58	-42.12	X
240.000	90.62	-42.06	X
243.000	90.64	-42.05	X
246.000	90.69	-42.00	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
249.000	90.76	-41.95	X
252.000	90.81	-41.89	X
255.000	90.84	-41.87	X
258.000	90.88	-41.82	X
261.000	90.92	-41.78	X
264.000	90.96	-41.71	X
267.000	91.00	-41.62	X
270.000	91.03	-41.53	X
273.000	91.12	-41.44	X
276.000	91.19	-41.37	X
279.000	91.21	-41.32	X
282.000	91.23	-41.24	X
285.000	91.29	-41.20	X
288.000	91.33	-41.13	X
291.000	91.33	-41.07	X
294.000	91.35	-40.98	X
297.000	91.36	-40.90	X
300.000	91.41	-40.82	X
303.000	91.39	-40.74	X
306.000	91.40	-40.66	X
309.000	91.45	-40.59	X
312.000	91.48	-40.53	X
315.000	91.56	-40.45	X
318.000	91.69	-40.37	X
321.000	91.86	-40.31	X
324.000	92.04	-40.22	X
327.000	92.20	-40.14	X
330.000	92.32	-40.08	X
333.000	92.43	-40.00	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-79
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
0.00	16.70	(OB) OVERBURDEN									
16.70	43.50	(7B) FELDSPAR PORPHYRY BX	401394	16.70	18.00	1.30	0.02	0.001	24		
		Feldspar porphyry unit. Moderately brecciated with skarn veining. Biotite wisps (5%) within the skarn bands and as separate lens or clasts? from mm to cm in size. The skarn veining consists of dark brown biotite clots, amphiboles, diopside, microcline flooding and minor carb.	401395	18.00	19.00	1.00	0.24	0.007	240		
		16.7-29.58: more massive zone of the FP. Skarn veins(20-30%). Fspr not as well defined. Minor py-po and tr ccp	401396	19.00	20.00	1.00	0.02	0.001	18		
		29.58-33.32: well developed FP texture. Skarn veins not as well defined as above. Minor sulphides within biotite wisps and associated with small qtz veins. Carb veinlets throughout the interval mostly associated with the skarn.	401397	20.00	21.00	1.00	0.01	<0.001	8		
		33.32-37.41: more massive, finer grain FP. With a 40cm wide banded zone (foliation 35deg tca) that is slightly magnetic and rich in py-po-ccp. A textural ladder effect can be observed between some of the banding. Cm wide skarn veins (4%) at 60 deg tca.	401398	21.00	22.00	1.00	0.11	0.003	110		
		37.41-43-50:well developped FP textures with skarn and brecciated biotite wisps throughout. Minor py associated with the skarn. Two 3cm white qtz vein-38.38 and 38.85 with contacts almost perpendicular to ca.	401401	22.00	23.00	1.00	0.16	0.005	163		
			401402	23.00	24.00	1.00	0.11	0.003	110		
			401403	24.00	25.00	1.00	<0.01	<0.001	<5		
			401404	25.00	26.00	1.00	0.01	<0.001	5		
			401405	26.00	27.00	1.00	0.01	<0.001	7		
			401406	27.00	28.00	1.00	0.02	0.001	21		
			401407	28.00	29.00	1.00	0.03	0.001	29		
			401408	29.00	30.00	1.00	0.18	0.005	183		
			401409	30.00	31.00	1.00	0.11	0.003	112		
			401410	31.00	32.00	1.00	0.10	0.003	99		
			401411	32.00	33.00	1.00	0.21	0.006	207		
			401412	33.00	34.00	1.00	0.01	<0.001	12		
			401413	34.00	35.00	1.00	0.78	0.023	782		
			401414	35.00	36.00	1.00	0.05	0.002	54		
			401415	36.00	37.00	1.00	0.02	0.001	18		
			401416	37.00	38.00	1.00	0.03	0.001	30		
			401417	38.00	39.00	1.00	0.12	0.004	121		
			401418	39.00	40.00	1.00	0.02	0.001	20		
			401419	40.00	41.00	1.00	0.23	0.007	230		
			401420	41.00	42.00	1.00	0.01	<0.001	8		
			401421	42.00	43.00	1.00	0.04	0.001	42		
			401422	43.00	44.00	1.00	0.54	0.016	544		



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-79
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
43.50	68.60	(7B) FELDSPAR PORPHYRY	401423	44.00	45.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
		More felsic unit due in part to bleaching. Long biotitic cm wide wisps at 50deg tca.	401424	45.00	46.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
		Skarn 2 to 10cm wide composed of amph, diopside, biotite, minor py and microcline flooding.	401425	46.00	47.00	1.00	0.09	0.002	85	<input type="checkbox"/>	
		43.50-45.83 interval more massive and biotite rich. Weak foliation 35deg tca.	401426	47.00	48.00	1.00	0.26	0.008	258	<input type="checkbox"/>	
		20% skarn vein	401427	48.00	49.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		45.83-51.28 interval lighter in colour and bleached. Biotite breccia\whisps and skarns veinlets (amph\diop)	401428	49.00	50.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
		51.71-57.00 massive with 2-10 cm wide skarn veins (40%) and dark biotite wisps. The thinner skarn veins are better defined compared to the wider veins which have a more diffuse contact. Hblid x-tals are well developed with the skarn.	401429	50.00	51.00	1.00	0.14	0.004	144	<input type="checkbox"/>	
		Microcline flooding (tends to occur on the external perimeter of the skarn veins) and minor py-po associated with some of the skarns.	401430	51.00	52.00	1.00	0.08	0.002	81	<input type="checkbox"/>	
			401431	52.00	53.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
		57.00-64.88 same as above but with less skarn veining (10%)	401432	53.00	54.00	1.00	0.09	0.003	88	<input type="checkbox"/>	
		64.88- interval is more bleached and has foliation 60 deg tca. Alternating lighter and darker mineral bands. The lighter could be caused by stretched feldspars and the darker banding, by biotite clots. Sub-cm wide qtz veins (1%) contain blebby py-po-ccp	401433	54.00	55.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
		- only minor remnants of feldspar phenos	401434	55.00	56.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			401435	56.00	57.00	1.00	0.25	0.007	245	<input type="checkbox"/>	
			401436	57.00	58.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401437	58.00	59.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			401438	59.00	60.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			401439	60.00	61.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			401440	61.00	62.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			401441	62.00	63.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401442	63.00	64.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			401443	64.00	65.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			401444	65.00	66.00	1.00	0.20	0.006	196	<input type="checkbox"/>	
			401445	66.00	67.00	1.00	0.23	0.007	225	<input type="checkbox"/>	
			401446	67.00	68.00	1.00	0.46	0.013	458	<input type="checkbox"/>	
			401447	68.00	69.00	1.00	0.09	0.003	93	<input type="checkbox"/>	
68.60	130.26	(7B) FELDSPAR PORPHYRY BX	401448	69.00	70.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
		Feldspar porphyry unit alternates between well developed fp to almost massive (feldspar hard to distinguish due to shearing?). Skarn veining composed of biotite (5-8%), diopside, hblid, and microcline flooding are found throughout this section. Black biotite whisp/clots contain blebby and stringy py-po.	401451	70.00	71.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
		68.60-77.68 fp well developed with easily observable fspr phenocrysts. Section is highly brecciated and skarn (50%) is pervasive. Blotty biotite within the skarn and several late faults. Lost core between 75.4 and 76 meters	401452	71.00	72.00	1.00	0.21	0.006	208	<input type="checkbox"/>	
		77.68-86.05 section is more massive with well defined skarn veins. Skarn veins range from 2-10cm wide have hbl, microcline flooding and traces of diopside and blebby sulfides (py-po). The dark biotite clots\whisps are richer in py-po than surrounding matrix, traces of ccp.	401453	72.00	73.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			401454	73.00	74.00	1.00	0.18	0.005	178	<input type="checkbox"/>	
			401455	74.00	75.00	1.00	0.15	0.004	149	<input type="checkbox"/>	
			401456	75.00	76.00	1.00	0.05	0.001	51	<input type="checkbox"/>	missing core- only 40cm of rock sampled
			401457	76.00	77.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			401458	77.00	78.00	1.00	0.09	0.003	93	<input type="checkbox"/>	
			401459	78.00	79.00	1.00	0.22	0.006	215	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-79

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
	86.05-93.00	FP well defined. Pervasive skarn (50%). Dark cm to sub-cm wide blots/whisps of biotite.	401460	79.00	80.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
	93.00-95.58	more massive section. Skarn veining below 10%. Microcline flooding usually associated with the biotite blots/whisps	401461	80.00	81.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			401462	81.00	82.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
	95.58-125.20	fp well developed. 10% biotite blots and whisps. Whole section looks skarned and brecciated. Blebby py-po associated with the biotite. Two 2cm qtz veins with py inclusions at 45% tca and several sub-cm wide qtz vein that cut core at high angle.	401463	82.00	83.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			401464	83.00	84.00	1.00	0.10	0.003	96	<input type="checkbox"/>	
			401465	84.00	85.00	1.00	0.13	0.004	131	<input type="checkbox"/>	
	105.30	10cm wide white qtz vein with angular brecciated fp clast within it.	401466	85.00	86.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
	117.15	28cm wide section of high bleaching with fspr accumulation around the contacts to the fp and the skarn breccia.	401467	86.00	87.00	1.00	0.09	0.003	92	<input type="checkbox"/>	
			401468	87.00	88.00	1.00	0.13	0.004	131	<input type="checkbox"/>	
	125.20-130.26	section is more massive (sheared?). Dark biotite whisps are elongated and are at 60deg tca. The skarn veining (hbld, diop, biot and microcline flooding along the margins) are 1-2 cm wide. 1%-1 cm wide qtz vein at 65deg tca. Small garnets forming in proximity to the gabbro contact. Traces of py-po along foliation.	401469	88.00	89.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			401470	89.00	90.00	1.00	0.07	0.002	74	<input type="checkbox"/>	
			401471	90.00	91.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			401472	91.00	92.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			401473	92.00	93.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
			401474	93.00	94.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			401475	94.00	95.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			401476	95.00	96.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			401477	96.00	97.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			401478	97.00	98.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			401479	98.00	99.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			401480	99.00	100.00	1.00	0.10	0.003	103	<input type="checkbox"/>	
			401481	100.00	101.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			401482	101.00	102.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
			401483	102.00	103.00	1.00	0.17	0.005	168	<input type="checkbox"/>	
			401484	103.00	104.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			401485	104.00	105.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			401486	105.00	106.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
			401487	106.00	107.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			401488	107.00	108.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			401489	108.00	109.00	1.00	0.49	0.014	488	<input type="checkbox"/>	
			401490	109.00	110.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			401491	110.00	111.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			401492	111.00	112.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			401493	112.00	113.00	1.00	0.36	0.011	364	<input type="checkbox"/>	
			401494	113.00	114.00	1.00	0.02	0.001	19	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-79
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			401495	114.00	115.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			401496	115.00	116.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			401497	116.00	117.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			401498	117.00	118.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			401501	118.00	119.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
			401502	119.00	120.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			401503	120.00	121.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			401504	121.00	122.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			401505	122.00	123.00	1.00	0.19	0.006	194	<input type="checkbox"/>	
			401506	123.00	124.00	1.00	0.08	0.002	79	<input type="checkbox"/>	
			401507	124.00	125.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			401508	125.00	126.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			401509	126.00	127.00	1.00	0.09	0.003	88	<input type="checkbox"/>	
			401510	127.00	128.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			401511	128.00	129.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			401512	129.00	130.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
130.26	132.56	(6G) GABBRO	401513	130.00	131.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		fine grain gabbro dyke cross cut by 2 carb (50%) rich skarn veins. The first vein is also qtz rich (30% of the vein) while the second vein has 2-3% po. Brown biot bands (5%) cut the core at high angle.	401514	131.00	132.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			401515	132.00	133.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
132.56	172.80	(7B) FELDSPAR PORPHYRY BX	401516	133.00	134.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
		Feldspar porphyry unit alternates between well developed fp to almost massive (possibly due to shearing-feldspars phenocrysts hard to distinguish). Skarn veins (5%) composed of biotite (5-10%), diopside, hbl, and microcline flooding are found throughout this section. Black biotite whisp/clots (1%) contain blebby and stringy py-po.	401517	134.00	135.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		132.56-137.86: Well developed fp with foliation at 50deg tca. Dissiminated py stringers and dissiminated throughout the section. 1-2% skarn veining and 1% black biot whisps. Most of the sulphides are associated with the biot.	401518	135.00	136.00	1.00	0.11	0.003	108	<input type="checkbox"/>	
		138.94-142.85: massive fp with black biotite (5%) whisps. Foliation 60deg tca. Elongated microcline flooding (0.5%).	401519	136.00	137.00	1.00	0.07	0.002	73	<input type="checkbox"/>	
		142-144.95: well developed fp. Highly brecciated and high in skarn veining (50%). Dissiminated py and 1-2% carb alteration.	401520	137.00	138.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		144.95-151.11: more massive fp with small pathes of better developed fspr. Skarn veining has moderate epidote that follows foliation and veining (60 deg tca). Py (1%) usally found close or within the biot (5-8%) whisps .	401521	138.00	139.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			401522	139.00	140.00	1.00	0.11	0.003	113	<input type="checkbox"/>	
			401523	140.00	141.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			401524	141.00	142.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			401525	142.00	143.00	1.00	0.24	0.007	235	<input type="checkbox"/>	
			401526	143.00	144.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401527	144.00	145.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401528	145.00	146.00	1.00	0.15	0.004	146	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-79
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
	151.11-169.63	highly brecciated and skarned fp. Black biotite whisk/blots 50deg tca. Blebby disseminated py-po associated with the biotite. 1-2% qtz veins cross cutting core at 60deg tca. Epidote forming in the skarn material and some microcline forming along the edges of the skarn.	401529	146.00	147.00	1.00	0.07	0.002	74	<input type="checkbox"/>	
			401530	147.00	148.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			401531	148.00	149.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
	169.63-172.76	massive fp with thin black biot whiskps 60deg tca. Well defined skarn veins (1%) that have microcline flooding associated with. White qtz (5%) veins 60deg tca.	401532	149.00	150.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			401533	150.00	151.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			401534	151.00	152.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
	137.86 - 138.94 (6G) GABBRO		401535	152.00	153.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
		Grabbo dyke, medium grained with weak foliation almost perpendicular tca. Contacts of dyke are diffuse.	401536	153.00	154.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		137.88: 4cm wide white qtz veins cut core at 15deg.	401537	154.00	155.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			401538	155.00	156.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			401539	156.00	157.00	1.00	0.43	0.012	426	<input type="checkbox"/>	
	170.00 - 170.50 (6G) GABBRO		401540	157.00	158.00	1.00	0.18	0.005	184	<input type="checkbox"/>	
		small brecciated gabbro dyke that also look like a wide skarn vein. Foliation at 30%. Small qtz veinlets at 60deg tca. Traces of py	401541	158.00	159.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			401542	159.00	160.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			401543	160.00	161.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			401544	161.00	162.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			401545	162.00	163.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401546	163.00	164.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			401547	164.00	165.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
			401548	165.00	166.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			401551	166.00	167.00	1.00	0.17	0.005	172	<input type="checkbox"/>	
			401552	167.00	168.00	1.00	0.16	0.005	160	<input type="checkbox"/>	
			401553	168.00	169.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			401554	169.00	170.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			401555	170.00	171.00	1.00	0.19	0.006	194	<input type="checkbox"/>	
			401556	171.00	172.00	1.00	0.10	0.003	97	<input type="checkbox"/>	
			401557	172.00	173.00	1.00	0.27	0.008	269	<input type="checkbox"/>	
172.80	181.70	(1T) ALUMINOUS ALTERED MAFIC VOLCANICS	401558	173.00	174.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
		mafic to intermediate unit, str bio-garnet-andalusite; contact sections may beporphyry-derived	401559	174.00	175.00	1.00	1.88	0.055	1880	<input type="checkbox"/>	
		172.76-181.65: garnet alteration (mm to 0.5cm in size) rich (50%) zone. Large (1-2cm) andalusite overprinting forming towards the end of the interval. Blebby and stigner po-py (1-2%)	401560	175.00	176.00	1.00	0.14	0.004	139	<input type="checkbox"/>	
			401561	176.00	177.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		174.32-174.77: this zone is moderately magnetic and magnetite mm in scale crystals can be observed.	401562	177.00	178.00	1.00	0.41	0.012	411	<input type="checkbox"/>	
			401563	178.00	179.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
		180.64-181.23: zone is highly sheared and moderatly bleached. Almost no garnets with the odd one being pink in colour. Foliation 50 deg tca.	401564	179.00	180.00	1.00	0.22	0.006	221	<input type="checkbox"/>	
			401565	180.00	181.00	1.00	1.04	0.030	1042	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-79
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		174.40 - 174.90 (5S) SILICATE FACIES IRON FORMATION semi-massive bands of 10-15% po, 10% coarse magnetite and bands with blocky andalusite - no grunerite noted	401566	181.00	181.68	0.68	0.19	0.005	188	<input type="checkbox"/>	
181.70	184.94	(5S) SILICATE FACIES IRON FORMATION Upper Duck Zone. 50% magnetite-grunerite bands, 20% po-rich bands. Some of this banding is s-shaped folded. Py (1%) black 0.5-1 cm-wide whisps/blots of biotite. 1% carb veining with epidote? Growing along the edges on the veins. Bands of well developed pyroxenes (1cm in size) and accicular actinolite. Section is moderately to highly magnetic with mag disseminated throughout the section. 183-183.30: Several specs of vg can be seen throughout this interval. Narrow bands of aspy(1%). The Au is mostly in the pyroxene rich sections.	401567	181.68	182.68	1.00	0.17	0.005	169	<input type="checkbox"/>	Start of Upper Duck Zone
			401568	182.68	183.58	0.90	24.85	0.725	24845	<input checked="" type="checkbox"/>	Upper Duck Zone
			401569	183.58	183.99	0.41	0.15	0.004	148	<input type="checkbox"/>	FP dyke
			401570	183.99	185.00	1.01	0.20	0.006	201	<input type="checkbox"/>	End of Upper Duck Zone
		183.53 - 183.93 (7B) FELDSPAR PORPHYRY dyke cross-cuts the zone. Contact well defined at 75deg for top and 45deg for bottom. Foliation from -40 to 40deg tca, probably the nose of a small fold. Dark fine and short whisps of biot define the foliation. In some areas the fsprs have aligned creating some narrow banding effect.									
184.94	187.50	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS BX sheared felsic unit. Garnets more intense at top of unit while 0.5cm biot (10-15%) whisps/fingers cross-cut the section and creates a banding effect. Minor py-po associated with biotite. 15-20% skarn veining(amph-diop-biot) with microcline flooding the perimeter of the veins.	401571	185.00	186.00	1.00	0.12	0.004	122	<input type="checkbox"/>	
			401572	186.00	187.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			401573	187.00	188.00	1.00	0.14	0.004	144	<input type="checkbox"/>	
		185.90 - 186.90 (7B) FELDSPAR PORPHYRY chunky type									
187.50	189.20	(7B) FELDSPAR PORPHYRY BX grey to brown, siliceous porphyry, str. biotite as clasts	401574	188.00	189.00	1.00	0.33	0.010	329	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-79
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
189.20	189.54	(6G) GABBRO small fine grained gabbro dyke with microcline flooding the bottom contact. Foliation 65deg tca. Small cm-wide white qtz fingers with minor py close by.	401575	189.00	190.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
189.54	205.80	(7B) FELDSPAR PORPHYRY Unit predominately banded qtz-biotite schist with 1-2% py-po stringers and 1% garnets. The biotite whips/blots forms banding and foliation varying from 30-50deg tca (lots of small localized folding). Skarn veining varying from cm to 10's cm wide. Localized epidote forming along thin fractures(30deg tca). Minor white qtz veining (cm wide) 40deg tca. 194.66-195.76: more felsic and fine grained area with a purplish tinge. 196.90-196.44: skarn vein or small bleached gabbro dyke. Minor disseminated py. Fine accicular actinolite. Microcline flooding along the bottom contact. 206.30: 15cm wide zone of andalusite Overprinting. 209.30-211.59: interval is greener in color and is hblid rich. More massive looking. 210.30: cm-wide py-po massive blebs. TP: grey to locally brown altered aphyric porphyry unit with 5-8% biotite clasts; minor granet, no andalusite and no relict fs phenos - possibly part of felsic volcs, except for biotite clasts	401576	190.00	191.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401577	191.00	192.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401578	192.00	193.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401579	193.00	194.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401580	194.00	195.00	1.00	0.15	0.004	152	<input type="checkbox"/>	
			401581	195.00	196.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
			401582	196.00	197.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401583	197.00	198.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401584	198.00	199.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			401585	199.00	200.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			401586	200.00	201.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401587	201.00	202.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401588	202.00	203.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401589	203.00	204.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			401590	204.00	205.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			401591	205.00	206.00	1.00	0.11	0.003	114	<input type="checkbox"/>	
205.80	211.30	(1T) ALUMINOUS ALTERED MAFIC VOLCANICS dark grey, biotitic to green amphibolite 205.8-209.3m: 1T, str garnet, andalusite 209.3-211.3m: dk green actinolitic unit with minor garnet-po bands	401592	206.00	207.00	1.00	0.05	0.002	51	<input type="checkbox"/>	
			401593	207.00	208.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			401594	208.00	209.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401595	209.00	210.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401596	210.00	211.00	1.00	0.34	0.010	335	<input type="checkbox"/>	
211.30	214.60	(5S) SILICATE FACIES IRON FORMATION BX Biotite-Amphibole-Garnet skarn, 30% magnetite, 5-8% py-po. Thin biotite whips/clots. Some garnets are euhedral while most are not well formed ranging in size from mm to 1 cm (15-20%). Minor qtz vein 45deg tca. Banding/foliation 35deg tca. TP: BAG units interbanded with grunerite-magnetite banding in 1-10cm scale	401597	211.00	212.00	1.00	1.32	0.039	1320	<input type="checkbox"/>	
			401598	212.00	213.00	1.00	0.69	0.020	690	<input type="checkbox"/>	
			401601	213.00	214.00	1.00	1.16	0.034	1161	<input type="checkbox"/>	
			401602	214.00	215.00	1.00	4.83	0.141	4834	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-79
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments	
214.60	230.00	(1L) GARNETIFERROUS AMPHIBOLITE Interlayered biotite-amphibole-garnet, andalusite and quartz-biotite. In the garnet rich zones (up to 75%), they form coarse banding 45deg tca. Garnet range in size from mm to 1cm in size. Minor py-po stringers. 220: Andalusite over-printing for 20cm. two major qtz veins at 235.18 and 236.37: 5 and 15cm wide respectively white qtz vein with biotite whisps inclusions. Three major intervals barren in gamets: 215.37-216, 216.70-217.08 and 219.16-220.15. These intervals look more massive, bleached and sheared and display foliation at 55 tca.	401603	215.00	216.00	1.00	0.17	0.005	167	<input type="checkbox"/>		
			401604	216.00	217.00	1.00	0.10	0.003	98	<input type="checkbox"/>		
			401605	217.00	218.00	1.00	0.02	0.001	22	<input type="checkbox"/>		
			401606	218.00	219.00	1.00	0.07	0.002	70	<input type="checkbox"/>		
			401607	219.00	220.00	1.00	0.03	0.001	34	<input type="checkbox"/>		
			401608	220.00	221.00	1.00	0.08	0.002	80	<input type="checkbox"/>		
			401609	221.00	222.00	1.00	0.02	0.001	20	<input type="checkbox"/>		
			401610	222.00	223.00	1.00	0.39	0.011	386	<input type="checkbox"/>		
			401611	223.00	224.00	1.00	0.17	0.005	165	<input type="checkbox"/>		
			401612	224.00	225.00	1.00	0.03	0.001	28	<input type="checkbox"/>		
			401613	225.00	226.00	1.00	0.02	<0.001	16	<input type="checkbox"/>		
			401614	226.00	227.00	1.00	0.01	<0.001	10	<input type="checkbox"/>		
			401615	227.00	228.00	1.00	0.01	<0.001	8	<input type="checkbox"/>		
			401616	228.00	229.00	1.00	0.01	<0.001	13	<input type="checkbox"/>		
			401617	229.00	230.00	1.00	0.03	0.001	29	<input type="checkbox"/>		
230.00	246.00		(3T) ALUMINOUS ALTERED FELSIC VOLCANICS BX Banded felsic, Qtz-biotite-andalusite with intense localized pink to brown garnet (up to 75%) alteration. Patchy seritization and localized epidote altn. Blebby to stingny py-po (1%) and tr ccp. Moderate skarn veining (15-20%) with well formed diopside. Andalusite over-printing observed trthroughout the section with a good interval between 244 and 259.5m. Carb veining (<0.5%) associated with fractures (45deg tca). Foliation 55deg tca 266.92-267.50: FP dyke. Fspr are 0.5cm in size and some are zoned. Top contact is reatively sharp while the bottom one is diffused and adjoining to a skarn vein. Thin black biotite whisps define foliation 55deg tca. 236.00 - 238.80 (1L) GARNETIFERROUS AMPHIBOLITE mod. biotite-amphibole, 10% garnet	401618	230.00	231.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
				401619	231.00	232.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
		401620		232.00	233.00	1.00	0.01	<0.001	7	<input type="checkbox"/>		
		401621		233.00	234.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>		
		401622		234.00	235.00	1.00	0.01	<0.001	13	<input type="checkbox"/>		
		401623		235.00	236.00	1.00	0.01	<0.001	12	<input type="checkbox"/>		
		401624		236.00	237.00	1.00	0.02	<0.001	16	<input type="checkbox"/>		
		401625		237.00	238.00	1.00	0.12	0.003	117	<input type="checkbox"/>		
		401626		238.00	239.00	1.00	1.72	0.050	1715	<input type="checkbox"/>		
		401627		239.00	240.00	1.00	0.01	<0.001	10	<input type="checkbox"/>		
		401628		240.00	241.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>		
		401629		241.00	242.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>		
		401630		242.00	243.00	1.00	0.01	<0.001	10	<input type="checkbox"/>		
		401631		243.00	244.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>		
		401632		244.00	245.00	1.00	0.53	0.015	530	<input type="checkbox"/>		
		401633		245.00	246.00	1.00	0.01	<0.001	8	<input type="checkbox"/>		



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-79
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
246.00	255.60	(1L) GARNETIFEROUS AMPHIBOLITE	401634	246.00	247.00	1.00	0.12	0.004	124	<input type="checkbox"/>	
		20-25% biotite-amphibole, 10% garnet, minor andalusite in felsic, banded unit	401635	247.00	248.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401636	248.00	249.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			401637	249.00	250.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			401638	250.00	251.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401639	251.00	252.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			401640	252.00	253.00	1.00	0.24	0.007	238	<input type="checkbox"/>	
			401641	253.00	254.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			401642	254.00	255.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			401643	255.00	256.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
255.60	268.01	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS BX	401644	256.00	257.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		as above	401645	257.00	258.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		259.20 - 261.80 (1L) GARNETIFEROUS AMPHIBOLITE	401646	258.00	259.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		1L interbedded with 3T	401647	259.00	260.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401648	260.00	261.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			401651	261.00	262.00	1.00	0.29	0.008	288	<input type="checkbox"/>	
		265.00 - 266.90 (1L) GARNETIFEROUS AMPHIBOLITE	401652	262.00	263.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		coarse garnet in mafic bands and staurolite instead of andalusite	401653	263.00	264.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401654	264.00	265.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			401655	265.00	266.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			401656	266.00	267.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			401657	267.00	268.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
268.01	301.50	(3) UNDIFF. FELSIC VOLCANICS	401658	268.00	269.00	1.00	0.40	0.012	404	<input type="checkbox"/>	
		Undifferentiated felsic volcanic unit has moderate schistosity and thin biotite whisps defining foliation at 50deg tca.; mod. sericite, 1-2% garnet	401659	269.00	270.00	1.00	0.42	0.012	424	<input type="checkbox"/>	
		Thin (1mm wide) carb veins cross cutting core at 70deg. Traces of garnets can be seen springkled trough section. Fp dykes of various sizes cut the core. Minor disseminated py-po and tr aspy. Alteration is weak to moderate sericitization.	401660	270.00	271.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		Large (2cm) andalusite over-printing can be seen between 287-297m. Small skarn veins cut the core at odd time. They consist of biot -amph-carb and minor py-po.	401661	271.00	272.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		268.89-269.15: Feldspar-porphry dyke-chunky with high garnet (8-10%) alteration. Sharp contacts and foliation at 55deg tca. 1-2% py-po stringers. Cm wide magnetic band.	401662	272.00	273.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		273.89-273.99: 10cm Feldspar-prophyry dyke-chunky looking that displays 2-3% garnet(2-3mm in size) contact are sharp at 65deg. 40-50% black biotite.	401663	273.00	274.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		284.25-284-68: Sheared feldspar-prophyry dyke. Diffused top contact while the	401664	274.00	275.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			401665	279.00	280.00	1.00	0.20	0.006	198	<input type="checkbox"/>	
			401666	284.00	285.00	1.00	0.15	0.004	150	<input type="checkbox"/>	
			401667	289.00	290.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			401668	290.00	291.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			401669	291.00	291.90	0.90	0.02	<0.001	15	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-79
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		bottom contact is sharp (50deg). 4-5% py-po semi-massive veins. Top 20cm of dyke displays skarn properties. Foliation 40deg tca.	401670	291.90	293.00	1.10	0.16	0.005	155	<input type="checkbox"/>	
		286-289m: minor diss. ASPY, fine to stubby	401671	299.00	300.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		291.65-291.84: Feldspar-prophyry dyke-chunky with minor garnets. Both contacts sharp with top at 70 deg tca while bottom at 60deg									
		291.84-292.68: section is highly brecciated, folded and is moderately magnetic, Tuff? 8-10% py-po stringer veining. The biotite blots\whisps create a banding effect. Moderate seritization.									
		298.97-299.33: Feldspar-prophyry dyke-chunky with 1% garnet. Top-bottom contact sharp at 50deg tca. 30% thin biot whisps and tr py.									
301.50	326.45	(3) UNDIFF. FELSIC VOLCANICS	401672	302.00	303.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
		Qtz-feld-biotite with minor biotite-Amphibole +/- garnets. Foliated to weakly banded with minor scattered garnets. Fine black biotite defines banding. 1% white	401673	303.00	304.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
		qtz vein. Green amphibole (1-2%) fingers(0.5cm wide) cross-cut core at 40deg.	401674	309.00	310.00	1.00	0.82	0.024	820	<input type="checkbox"/>	
		Minor local andalusite alteration. Feld phenos are very indistinct.	401675	314.00	315.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
		302.25-303.15: Irregular py-po 5-8% massive veins to stringers. Sulphides are syngenetic with small rounded cherty clasts within the massive sulphides.	401676	319.00	320.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401677	324.00	325.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		304.17 - 304.30 (7B) FELDSPAR PORPHYRY									
		chunky porphyry. Sharp top and bottom contact 55deg and 70deg respectively. Foliation 65deg defined by fine biotite (50%) grains. Carb vein (2-3mm wide) cross-cuts dyke at 35deg tca.									
		307.26 - 309.08 (7B) FELDSPAR PORPHYRY									
		chunky porphyry, feld phenocrysts range in size from 2-5mm. Foliation 50deg									
		316.84 - 321.41 (7B) FELDSPAR PORPHYRY									
		chunky porphyry, feld 2-5mm in size and zoned. Couple 2cm wide white qtz vein at 80tca. Carb alteration coating fractures. Foliation 50deg tca.									
326.45	336.72	(3) UNDIFF. FELSIC VOLCANICS SHR	401678	329.00	330.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
		Sheared and banded weakly fs-phyric felsics. Foliation 60deg tca Epidote rich (30-40%)-amphibole and qtz skarn veins(3-5%). Minor cross-cutting qtz veining/pods. Trace py-po stringers. Thin (mm wide) carb veins 60-75deg tca.	401679	334.00	335.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		Localized sericitization, weak to mod.									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-79
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G. Comments</i>
		TP: brown biotite-kspars alteration bands in upper section - possibly porphyry related unit.								
336.72	344.01	(3) UNDIFF. FELSIC VOLCANICS Quartz-Biotite schist interlayered with weakly fs-phyrlic sections. Foliation 70tca. 1-2% py-po stringers. Minor mm-wide carb and epidote veins 50deg tca. Towards bottom of interval, some of the gabbro has intruded forming irregular banding. Several small qtz vein and possibly microcline flooding is observed. 340.85: 15cm wide white qtz vein with sharp contact 70deg tca. Blebby po-py within vein.	401680	339.00	340.00	1.00	0.04	0.001	37	<input type="checkbox"/>
344.01	348.19	(6G) GABBRO fine to medium grained gabbro with a patchy appearance. Foliation 50deg tca. Localized carb alteration patches/veins. Small cross-cutting white qtz veins. Small accicular pervasive biotite (20-30%). Py-po traces	401681	344.00	345.00	1.00	0.03	0.001	25	<input type="checkbox"/>
348.19	351.00	(3) UNDIFF. FELSIC VOLCANICS Quartz-biotite schist interlayered with sheared feldspar porphyry. Minor scattered garnet and 1-2% po-py stringers. Small and minor skarn (epidote-diopside-amphiole-qtz-carbonate) veining. Minor qtz veining. Elongated biotite whisp 2-3mm in width define foliation at 45deg tca. Minor epidote alteration. Possibly porphyry related.	401682	349.00	350.00	1.00	0.05	0.001	49	<input type="checkbox"/>



Goldcorp Inc.
QC Report

Hole Number RL-05-79
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
22.00	401399	1774	-	-	-	-	-	-	-	-	-	1.8	-	0.052	-	-
22.01	401400	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
70.00	401449	2165	-	-	-	-	-	-	-	-	-	2.2	-	0.063	-	-
70.01	401450	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
118.00	401499	1894	-	-	-	-	-	-	-	-	-	1.9	-	0.055	-	-
118.01	401500	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
166.00	401549	2401	-	-	-	-	-	-	-	-	-	2.4	-	0.070	-	-
166.01	401550	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
213.00	401599	2220	-	-	-	-	-	-	-	-	-	2.2	-	0.065	-	-
213.01	401600	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
261.00	401649	1972	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
261.01	401650	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-79
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
16.70	18.00	1.30	R5	0.02	0.03	-	100.00	-	100.00
18.00	21.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
21.00	24.00	3.00	R5	0.04	0.07	-	100.00	-	100.00
24.00	27.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
27.00	30.00	3.00	R5	0.08	0.16	-	100.00	-	100.00
30.00	33.00	3.00	R5	0.04	0.07	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.17	0.53	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.16	0.29	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.06	0.10	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.05	0.10	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.06	0.14	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.06	0.14	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.04	0.10	-	100.00	-	100.00
60.00	63.00	3.00	R5	0.02	0.04	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.05	0.16	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.03	0.09	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.11	0.25	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
75.00	78.00	3.00	R6	0.10	0.31	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.04	0.05	-	100.00	-	100.00
81.00	84.00	3.00	R6	0.03	0.07	-	100.00	-	100.00
84.00	87.00	3.00	R6	0.03	0.05	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.04	0.07	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
93.00	96.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.04	0.05	-	100.00	-	100.00
99.00	102.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.04	0.10	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.02	0.05	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.15	0.38	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.02	0.03	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.04	0.07	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.03	0.09	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.02	0.05	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-79
Project: PLANET EXPLORATION
Project Number: 800125

126.00	129.00	3.00	R5	0.05	0.10	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.12	0.21	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.06	0.18	-	100.00	-	100.00
135.00	138.00	3.00	R4	0.04	0.10	-	100.00	-	100.00
138.00	141.00	3.00	R4	0.16	0.34	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.08	0.23	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.06	0.12	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.07	0.18	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.07	0.21	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.05	0.10	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.21	0.91	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.36	1.04	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.19	0.43	-	100.00	-	100.00
168.00	171.00	3.00	R4	0.23	0.62	-	100.00	-	100.00
171.00	174.00	3.00	R4	1.28	5.01	-	100.00	-	100.00
174.00	177.00	3.00	R4	2.26	4.11	-	100.00	-	100.00
177.00	180.00	3.00	R4	45.20	216.00	-	100.00	-	100.00
180.00	183.00	3.00	R5	84.00	207.00	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.43	0.48	-	100.00	-	100.00
186.00	189.00	3.00	R5	0.14	0.42	-	100.00	-	100.00
189.00	192.00	3.00	R5	2.49	8.56	-	100.00	-	100.00
192.00	195.00	3.00	R5	1.39	5.23	-	100.00	-	100.00
195.00	198.00	3.00	R5	0.10	0.31	-	100.00	-	100.00
198.00	201.00	3.00	R4	0.21	0.93	-	100.00	-	100.00
201.00	204.00	3.00	R4	0.66	2.90	-	100.00	-	100.00
204.00	207.00	3.00	R4	3.55	17.20	-	100.00	-	100.00
207.00	210.00	3.00	R5	111.00	294.00	-	100.00	-	100.00
210.00	213.00	3.00	R4	6.55	14.80	-	100.00	-	100.00
213.00	216.00	3.00	R4	7.03	4.35	-	100.00	-	100.00
216.00	219.00	3.00	R4	1.42	5.21	-	100.00	-	100.00
219.00	222.00	3.00	R4	20.50	48.70	-	100.00	-	100.00
222.00	225.00	3.00	R4	20.50	75.30	-	100.00	-	100.00
225.00	228.00	3.00	R4	0.97	1.42	-	100.00	-	100.00
228.00	231.00	3.00	R4	1.95	3.89	-	100.00	-	100.00
231.00	234.00	3.00	R4	0.11	0.12	-	100.00	-	100.00
234.00	237.00	3.00	R4	0.29	0.62	-	100.00	-	100.00
237.00	240.00	3.00	R4	1.96	9.42	-	100.00	-	100.00
240.00	243.00	3.00	R4	0.09	0.22	-	100.00	-	100.00
243.00	246.00	3.00	R4	2.11	7.08	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-79
Project: PLANET EXPLORATION
Project Number: 800125

246.00	249.00	3.00	R4	0.30	0.62	-	100.00	-	100.00
249.00	252.00	3.00	R4	0.51	1.09	-	100.00	-	100.00
252.00	255.00	3.00	R4	1.34	2.92	-	100.00	-	100.00
255.00	258.00	3.00	R5	0.40	1.07	-	100.00	-	100.00
258.00	261.00	3.00	R5	2.07	9.58	-	100.00	-	100.00
261.00	264.00	3.00	R5	1.37	5.96	-	100.00	-	100.00
264.00	267.00	3.00	R5	4.77	19.00	-	100.00	-	100.00
267.00	270.00	3.00	R5	3.75	15.10	-	100.00	-	100.00
270.00	273.00	3.00	R5	0.08	0.23	-	100.00	-	100.00
273.00	276.00	3.00	R4	0.10	0.34	-	100.00	-	100.00
276.00	279.00	3.00	R4	0.29	1.13	-	100.00	-	100.00
279.00	282.00	3.00	R4	0.47	0.65	-	100.00	-	100.00
282.00	285.00	3.00	R4	0.43	1.40	-	100.00	-	100.00
285.00	288.00	3.00	R4	0.17	0.32	-	100.00	-	100.00
288.00	291.00	3.00	R5	0.24	0.71	-	100.00	-	100.00
291.00	294.00	3.00	R5	0.21	0.54	-	100.00	-	100.00
294.00	297.00	3.00	R5	0.31	1.29	-	100.00	-	100.00
297.00	300.00	3.00	R5	0.93	4.53	-	100.00	-	100.00
300.00	303.00	3.00	R5	2.10	4.84	-	100.00	-	100.00
303.00	306.00	3.00	R5	0.92	3.23	-	100.00	-	100.00
306.00	309.00	3.00	R5	0.44	1.73	-	100.00	-	100.00
309.00	312.00	3.00	R4	0.11	0.18	-	100.00	-	100.00
312.00	315.00	3.00	R4	0.11	0.21	-	100.00	-	100.00
315.00	318.00	3.00	R5	0.06	0.07	-	100.00	-	100.00
318.00	321.00	3.00	R5	0.07	0.09	-	100.00	-	100.00
321.00	324.00	3.00	R5	0.36	1.20	-	100.00	-	100.00
324.00	327.00	3.00	R5	0.58	2.21	-	100.00	-	100.00
327.00	330.00	3.00	R5	0.23	0.86	-	100.00	-	100.00
330.00	333.00	3.00	R5	0.01	0.07	-	100.00	-	100.00
333.00	336.00	3.00	R5	0.55	1.86	-	100.00	-	100.00
336.00	339.00	3.00	R5	0.74	2.10	-	100.00	-	100.00
339.00	342.00	3.00	R5	0.60	2.59	-	100.00	-	100.00
342.00	345.00	3.00	R5	1.36	2.67	-	100.00	-	100.00
345.00	348.00	3.00	R5	2.00	9.60	-	100.00	-	100.00
348.00	351.00	3.00	R5	0.10	0.25	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-80
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 146.62	Length: meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -55	Pulled: No	Claim No: Staked	Spotted by: L.C. Chastko
Length: 165.00 meters	Capped: No	NTS:	Coord Type: SUR
Started: 09-May-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed:		Level:	Surveyed Date: 13-Jul-05
Logged: 10-May-05	Core	Coordinate- Gemcom	Logged by: P. Chantigny
Wedged : No	Dimension: NQ	Coordinate - UTM	Re-logged by: A.P. Prysak
Wedged from:	Original Units: M	Elevation: 413.92	Water Source:
	Storage: Cochenour Mine	East: 462098.43	Water line:
		North: 5680081.81	Left in hole: Nothing
		Elevation: 413.92	Control Drilling: Stabilizer
		UTM Zone: 15 (NAD27)	Cutting sampled: No
			Geophysic:
Target: Upper Duck Zone			
Comments: relog by T. Prysak, July 2005			

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>	<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>	<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>
0.000	160.29	-55.00	X	48.000	159.37	-53.06	X	96.000	158.61	-50.00	X
3.000	160.06	-55.06	X	51.000	159.39	-52.77	X	99.000	158.66	-49.80	X
6.000	160.36	-55.26	X	54.000	159.25	-52.50	X	102.000	158.82	-49.59	X
9.000	160.82	-55.55	X	57.000	159.11	-52.27	X	105.000	158.98	-49.36	X
12.000	161.13	-55.73	X	60.000	159.05	-52.13	X	108.000	159.05	-49.14	X
15.000	161.26	-55.71	X	63.000	158.91	-52.04	X	111.000	159.17	-48.97	X
18.000	161.12	-55.52	X	66.000	158.85	-51.93	X	114.000	159.20	-48.88	X
21.000	160.75	-55.30	X	69.000	158.91	-51.83	X	117.000	159.18	-48.86	X
24.000	160.36	-55.11	X	72.000	159.00	-51.68	X	120.000	159.27	-48.83	X
27.000	160.15	-54.92	X	75.000	158.98	-51.53	X	123.000	159.39	-48.77	X
30.000	160.11	-54.74	X	78.000	158.97	-51.33	X	126.000	159.44	-48.70	X
33.000	160.18	-54.50	X	81.000	159.00	-51.12	X	129.000	159.39	-48.59	X
36.000	160.10	-54.24	X	84.000	159.04	-50.95	X	132.000	159.34	-48.50	X
39.000	159.98	-53.97	X	87.000	158.99	-50.81	X	135.001	159.37	-48.33	X
42.000	159.74	-53.72	X	90.000	158.81	-50.58	X	138.000	159.47	-48.17	X
45.000	159.44	-53.39	X	93.000	158.64	-50.27	X	141.000	159.56	-47.99	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-80
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

<i>Distance</i> <i>(m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
144.000	159.68	-47.81	X
147.000	159.73	-47.59	X
153.000	159.63	-47.17	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-80
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	19.60	(OB) OVERBURDEN									
19.60	46.60	(7B) FELDSPAR PORPHYRY BX									
		Subvolcanic Feldspar Porphyry Breccia. Interval alternates between well developed fspr porphyry (between 19.58-23.90 and 31.98-36.81) where the fspr phenocrysts are visible to more massive units (possibly due to shearing intervals). Foliation 35deg tca. 5-8% diopside skarn veinlets with potassic alteration (microcline) and mm to cm wide biotite whisps/ blots cross-cut the core. 1% py-po blebs and stringers and tr ccp. 1% cm wide white qtz veins and minor carb alteration usually associated with the qtz veins. 34-44m: no feldsapr phenos visible; mod-well veined by qtz-diopside-po-py	401683	19.58	21.00	1.42	0.04	0.001	37	<input type="checkbox"/>	
			401684	21.00	22.00	1.00	0.17	0.005	168	<input type="checkbox"/>	
			401685	22.00	23.00	1.00	0.26	0.008	262	<input type="checkbox"/>	
			401686	23.00	24.00	1.00	0.11	0.003	105	<input type="checkbox"/>	
			401687	24.00	25.00	1.00	0.21	0.006	208	<input type="checkbox"/>	
			401688	25.00	26.00	1.00	0.15	0.004	145	<input type="checkbox"/>	
			401689	26.00	27.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			401690	27.00	28.00	1.00	0.11	0.003	107	<input type="checkbox"/>	missing core - only 50cm of rock
			401691	28.00	29.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			401692	29.00	30.00	1.00	0.40	0.012	400	<input type="checkbox"/>	
			401693	30.00	31.00	1.00	0.14	0.004	144	<input type="checkbox"/>	
			401694	31.00	32.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401695	32.00	33.00	1.00	0.99	0.029	993	<input type="checkbox"/>	
			401696	33.00	34.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401697	34.00	35.00	1.00	0.37	0.011	365	<input type="checkbox"/>	
			401698	35.00	36.00	1.00	0.18	0.005	175	<input type="checkbox"/>	
			401701	36.00	37.00	1.00	0.07	0.002	68	<input type="checkbox"/>	missing 8cm of core - fault
			401702	37.00	38.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
			401703	38.00	39.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			401704	39.00	40.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			401705	40.00	41.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			401706	41.00	42.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401707	42.00	43.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401708	43.00	44.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			401709	44.00	45.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401710	45.00	46.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			401711	46.00	47.00	1.00	0.34	0.010	340	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-80
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
46.60	51.30	(5S) SILICATE FACIES IRON FORMATION Biotite-Amphibole-Garnet Schist + magnetite, po-py and aspy. Foliation 45deg tca. 8-10% 3-5mm pink gamets. 5% biotite blots. Sulphides are blebs or stringers. Minor potassic alteration. 36.60: late fault 46.70-47.00: 20% magnetite, 1% aspy, minor po-py 49.70-50.76: 30-40% magnetite, 2-3% aspy- 10-15% po-py. 50.76-51.3: B-A-G schist with minor sulphides and magnetite.	401712	47.00	48.00	1.00	2.33	0.068	2334	<input type="checkbox"/>	
			401713	48.00	49.00	1.00	0.52	0.015	523	<input type="checkbox"/>	
			401714	49.00	50.00	1.00	5.65	0.165	5652	<input type="checkbox"/>	
			401715	50.00	51.00	1.00	0.94	0.027	940	<input type="checkbox"/>	
51.30	53.03	(7B) FELDSPAR PORPHYRY Weakly sheared feldspar porphyry dyke with potassic alteration (microcline). Foliation 50deg tca. Small and thin biotite whips. Minor disseminated po-py. 1cm wide qtz vein cutting core at 20deg tca. Minor carb alteration associated with the microcline. Thin diopside (skarn?) veinlets.	401716	51.00	52.00	1.00	0.21	0.006	214	<input type="checkbox"/>	
			401717	52.00	53.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
53.03	58.19	(1L) GARNETIFERROUS AMPHIBOLITE Biotite-Amphiboles-Garnet Schist with minor magnetite and po-py. Foliation 40deg tca. 8% 3-5mm pink gamets. 5% fine biotite forming 0.5-2cm wide blots. Sulphides dissiminated and minor localized bleaching occurring in garnet poor areas. 5% irregular skarn veining (diopside?/amphiboles)	401718	53.00	54.00	1.00	0.19	0.005	186	<input type="checkbox"/>	
			401719	54.00	55.00	1.00	0.22	0.006	222	<input type="checkbox"/>	
			401720	55.00	56.00	1.00	0.12	0.003	119	<input type="checkbox"/>	
			401721	56.00	57.00	1.00	0.14	0.004	144	<input type="checkbox"/>	
			401722	57.00	58.00	1.00	0.82	0.024	819	<input type="checkbox"/>	
58.19	65.62	(5S) SILICATE FACIES IRON FORMATION Mixed zone. Biotite-Amphibole-Garnet skarn? interlayered with locally banded magnetite (15%), massive sulphides (35%) and tr-2% ASPY. Foliation from banding 60deg tca. Minor 2-3mm stubby aspy associated with massive po-py and also accicular aspy forming thin bands that cross-cut core. 5% irregular biotite blots. 63.15-63.85 fine VG specks over length of interval, including VG in garnets. 64.07-65.62: massive brecciated sulphides with minor qtz pods and elongated amph blots. @ 63.8m - coarse black accicular mineral, likely anthophyllite	401723	58.00	59.00	1.00	3.34	0.097	3335	<input type="checkbox"/>	start of zone - high mag and sulfides
			401724	59.00	60.00	1.00	0.42	0.012	415	<input type="checkbox"/>	high sulfides
			401725	60.00	61.00	1.00	1.57	0.046	1569	<input type="checkbox"/>	high sulfides
			401726	61.00	62.00	1.00	1.64	0.048	1637	<input type="checkbox"/>	high sulfides
			401727	62.00	63.00	1.00	0.06	0.002	64	<input type="checkbox"/>	high sulfides
			401728	63.00	63.85	0.85	5.56	0.162	5564	<input checked="" type="checkbox"/>	
			401729	63.85	64.85	1.00	0.50	0.015	498	<input type="checkbox"/>	massive sulfides
			401730	64.85	65.85	1.00	0.66	0.019	659	<input type="checkbox"/>	massive sulfides- end of zone



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-80

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
65.62	72.61	(1L) GARNETIFEROUS AMPHIBOLITE	401731	65.85	67.00	1.15	0.03	0.001	31	<input type="checkbox"/>	
		Biotite-Amphiboles-Garnet Schist with minor magnetite and stringer sulphides.	401732	67.00	68.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
		30% 2mm to 1cm garnets in some areas almost massive. Fine amphibole matrix with fine biotite elongated blots (15-20%). Foliation 60deg tca.	401733	68.00	69.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401734	69.00	70.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			401735	70.00	71.00	1.00	1.05	0.030	1045	<input type="checkbox"/>	
			401736	71.00	72.00	1.00	0.18	0.005	183	<input type="checkbox"/>	
			401737	72.00	73.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
72.61	113.70	(3) UNDIFF. FELSIC VOLCANICS	401738	73.00	74.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
		Predominately felsics with minor biotite-amphiboles-garnet layers. Both layers have weak to intermediate schistosity. 3-5% garnet throughout the BAG layers.	401739	74.00	75.00	1.00	0.24	0.007	241	<input type="checkbox"/>	
		With minor garnets in the intermediate. Minor py-po stringers. Foliation 55deg tca.	401740	75.00	76.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
		72.61-92.06 biotite-amphibole-garnet unit with several large sericitized patches (20%). Significant but gradual decrease in garnets from previous interval. Thin epidote veins cross-cutting foliation at almost 90deg.	401741	76.00	77.00	1.00	0.75	0.022	748	<input type="checkbox"/>	
		92.06-101.70: moderately sericitized intermediate unit with 1% py-po stringers. Biotite-rich fingers (10%) cross-cut core at same angle as foliation. 1mm size garnets sprinkled through interval. Minor white qtz vein. Tr aspy stringers.	401742	77.00	78.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			401743	78.00	79.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			401744	79.00	80.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			401745	80.00	81.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		97.36-97.77: fine gabbro dyke. Foliation 50deg tca. Small qtz vein at 55deg tca	401746	81.00	82.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		101.70-103.48: biotite-amphiboles-garnet unit with moderate sericite alteration. 1% cross cut veins/stringers of py-po.	401747	82.00	83.00	1.00	0.15	0.004	153	<input type="checkbox"/>	
		103.48 103.60: medium grained gabbro dyke and tr dissiminated py.	401748	83.00	84.00	1.00	0.58	0.017	579	<input type="checkbox"/>	
		103.60-113.70: moderately sericitized intermediate unit with biotite rich bands (4-5%) cross-cut core at same angle as foliation. Minor py stringers. 1mm size garnets sprinkled through interval. 1% purplish qtz vein cutting core along foliation and minor white qtz veins/blebs. 2mm-0.5cm epidote veins cutting foliatin at high angle (70-90deg). 30cm bleaching from 109m.	401751	84.00	85.00	1.00	0.17	0.005	171	<input type="checkbox"/>	
			401752	85.00	86.00	1.00	2.39	0.070	2392	<input type="checkbox"/>	
			401753	86.00	87.00	1.00	0.42	0.012	421	<input type="checkbox"/>	
			401754	87.00	88.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
		TP: 91-91.8m: 1L+5S, 25% mt-grun-po-asy bands in BAG unit	401755	88.00	89.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		95.7-97.2m: 3, grey, siliceous, laminated tuff or mylonite, 3-5% po/py, 1/2% aspy	401756	89.00	90.00	1.00	0.22	0.006	217	<input type="checkbox"/>	
		991-101m: 3, grey laminated unit as above but no aspy noted	401757	90.00	91.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			401758	91.00	92.00	1.00	3.10	0.090	3097	<input type="checkbox"/>	
			401759	92.00	93.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			401760	93.00	94.00	1.00	0.08	0.002	79	<input type="checkbox"/>	
			401761	94.00	95.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			401762	95.00	96.00	1.00	0.32	0.009	323	<input type="checkbox"/>	
			401763	96.00	97.00	1.00	4.54	0.132	4539	<input type="checkbox"/>	
			401764	97.00	98.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
			401765	98.00	99.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			401766	99.00	100.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			401767	100.00	101.00	1.00	0.08	0.002	84	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-80

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			401768	101.00	102.00	1.00	0.24	0.007	238	<input type="checkbox"/>	
			401769	102.00	103.00	1.00	0.21	0.006	208	<input type="checkbox"/>	
			401770	103.00	104.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			401771	104.00	105.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			401772	105.00	106.00	1.00	0.24	0.007	239	<input type="checkbox"/>	
			401773	106.00	107.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			401774	107.00	108.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			401775	108.00	109.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			401776	109.00	110.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			401777	110.00	111.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			401778	111.00	112.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			401779	112.00	113.00	1.00	0.10	0.003	100	<input type="checkbox"/>	
			401780	113.00	114.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
113.70	127.03	(6G) GABBRO	401781	114.00	115.00	1.00	0.10	0.003	99	<input type="checkbox"/>	
		Fine to medium grained gabbro with intervals rich in biotite. Foliation 50deg tca. Trace disseminated py. Minor purplish qtz veins.	401782	115.00	116.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
		116.50-118.56: biotite-rich zone. Most of the tr disseminated py is in this zone.	401783	116.00	117.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		118.64-118.33: the rock in this zone is grey with pods of gabbro within. Potassic alteration (microcline) floods the area around the pods. 1cm long biotite stringers form worm like texture along foliation 45deg tca. Tabular white crystals are found disseminated along this section, with higher concentration within the pods.	401784	117.00	118.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		120.69-120.82: white quartz vein with sharp contacts.	401785	118.00	119.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		120.82-127.03: medium grained gabbro with minor mm-thin carb veins cross-cutting the core at shallow angle.	401786	119.00	120.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			401787	120.00	121.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401788	121.00	122.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			401789	122.00	123.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			401790	123.00	124.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401791	124.00	125.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			401792	125.00	126.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401793	126.00	127.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
127.03	165.00	(3) UNDIFF. FELSIC VOLCANICS	401794	127.00	128.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
		Felsics with minor garnet-andalusite and sericite interlayered with narrow to wide well developed feldspar porphyry dykes and gabbro dykes.	401795	128.00	129.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		127.03-135.95: fine grained intermediate with three chunky fp dykes: 5, 15 and 30cm wide. Foliation 70deg tca. Mm wide carb veins cutting core at high angle.	401796	129.00	130.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		Several (1%) 1-3 cm-wide gabbro dyke along foliation and potassic alteration associated with these. Tr disseminated py. Fspars in the chunky dyke are zone and 2-3mm in size. 2% white qtz irregular veining.	401797	130.00	131.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		143.30-157.08: intermediate unit with moderate sericitization, wispy andalusite (1-2%) and small pink garnets (1%) forming from 152.30-157.08. Unit more	401798	131.00	132.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			401801	132.00	133.00	1.00	0.14	0.004	144	<input type="checkbox"/>	
			401802	133.00	134.00	1.00	0.11	0.003	109	<input type="checkbox"/>	
			401803	134.00	135.00	1.00	0.03	0.001	31	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-80

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		folded and sheared towards the bottom with 1-2% purplish qtz pods. Minor blebby to stringer py.	401804	135.00	136.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		157.08-158.03: short amphibole sequence (green amphibole+biotite+andalusite). Tr sulphides. Foliation 45deg tca.	401805	136.00	137.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
		158.03-164.50: Biotite amphibole +/- garnets. Foliation 45deg tca. Potasic alteration close to top contact. 1% stringer py.	401806	137.00	138.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
		159.20-159.70: feldspar porphyry dyke- chunky with 3-5mm plag phenocrysts showing zoning. Foliation 50deg tca. Tr py.	401807	138.00	139.00	1.00	0.54	0.016	540	<input type="checkbox"/>	
		164.50-165: Gabbro unit. Contact sub parallel- 10deg tca. Small crenulations forming between the biotite and the hbid.	401808	139.00	140.00	1.00	0.12	0.004	122	<input type="checkbox"/>	
			401809	140.00	141.00	1.00	0.12	0.004	122	<input type="checkbox"/>	
			401810	141.00	142.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			401811	142.00	143.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		135.95 - 137.65 (7B) FELDSPAR PORPHYRY SHR	401812	143.00	144.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		sheared feldspar porphyry with the mm-wide fs phenos still visible. Foliation 40deg tca. 2-3% white qtz veins. Minor py stringers.	401813	144.00	145.00	1.00	1.31	0.038	1314	<input type="checkbox"/>	
			401814	145.00	146.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			401815	146.00	147.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		137.65 - 141.10 (6G) GABBRO	401816	147.00	148.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		gabbro with biotite-rich bands (25%). 1% py-po stringers usally associated with these band and some tr dissiminated py within the gabbro. Tr mm-size gamets. Foliation 35deg tca.	401817	148.00	149.00	1.00	0.26	0.008	257	<input type="checkbox"/>	
			401818	149.00	150.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401819	150.00	151.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401820	151.00	152.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			401821	152.00	153.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401822	153.00	154.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			401823	154.00	155.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			401824	155.00	156.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			401825	156.00	157.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			401826	157.00	158.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			401827	158.00	159.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			401828	159.00	160.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			401829	160.00	161.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			401830	161.00	162.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			401831	162.00	163.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401832	163.00	164.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			401833	164.00	165.00	1.00	0.04	0.001	42	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-80
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
36.00	401699	1884	-	-	-	-	-	-	-	-	-	1.9	-	0.055	-	-
36.01	401700	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
84.00	401749	2177	-	-	-	-	-	-	-	-	-	2.2	-	0.063	-	-
84.01	401750	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
132.00	401799	2248	-	-	-	-	-	-	-	-	-	2.2	-	0.066	-	-
132.01	401800	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-80
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
19.58	21.00	1.42	R5	0.20	0.46	-	100.00	-	100.00
21.00	24.00	3.00	R5	0.12	0.62	-	100.00	-	100.00
24.00	27.00	3.00	R5	0.10	0.23	-	100.00	-	100.00
27.00	30.00	3.00	R5	0.13	0.38	-	83.67	-	80.00
30.00	33.00	3.00	R5	0.17	0.73	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.14	0.27	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.40	1.44	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.44	1.44	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.49	1.53	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.12	0.29	-	100.00	-	100.00
48.00	51.00	3.00	R5	62.70	291.00	-	100.00	-	100.00
51.00	54.00	3.00	R5	2.50	11.50	-	100.00	-	100.00
54.00	57.00	3.00	R5	2.03	8.96	-	100.00	-	100.00
57.00	60.00	3.00	R5	22.40	56.60	-	100.00	-	100.00
60.00	63.00	3.00	R6	54.90	171.00	-	100.00	-	100.00
63.00	66.00	3.00	R5	44.20	101.00	-	100.00	-	100.00
66.00	69.00	3.00	R5	45.30	106.00	-	100.00	-	100.00
69.00	72.00	3.00	R5	13.00	49.00	-	100.00	-	100.00
72.00	75.00	3.00	R5	1.33	4.52	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.11	0.21	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.34	1.06	-	100.00	-	100.00
81.00	84.00	3.00	R5	0.29	0.58	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.39	1.48	-	100.00	-	100.00
87.00	90.00	3.00	R5	1.01	3.12	-	100.00	-	100.00
90.00	93.00	3.00	R5	2.75	7.75	-	100.00	-	100.00
93.00	96.00	3.00	R5	1.82	7.86	-	100.00	-	100.00
96.00	99.00	3.00	R5	2.36	5.28	-	100.00	-	100.00
99.00	102.00	3.00	R5	18.30	88.80	-	100.00	-	100.00
102.00	105.00	3.00	R5	23.90	117.00	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.20	0.80	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.06	0.10	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.10	0.18	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.17	0.20	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.17	0.21	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.13	0.20	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.17	0.18	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.15	0.49	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-80
Project: PLANET EXPLORATION
Project Number: 800125

129.00	132.00	3.00	R5	0.10	0.21	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.06	0.12	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.14	0.34	-	100.00	-	100.00
138.00	141.00	3.00	R5	1.01	2.56	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.43	1.73	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.35	0.93	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.12	0.29	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.05	0.16	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.04	0.05	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.10	0.20	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.03	0.05	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.06	0.20	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-81
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 148.23	Length: meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -50	Pulled: No	Claim No: Staked	Spotted by: L.C. Chastko
Length: 225.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 12-May-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 14-May-05		Level:	Surveyed Date: 19-Jul-05
Logged: 13-May-05		Coordinate - Gemcom	Logged by: L.C. Chastko
Wedged : No		Coordinate - UTM	Re-logged by: A.P. Pryslak
Wedged from:	Core	Coordinate - Grid	Water Source:
	Dimension: NQ	East: 461955.03	Water line:
	Original Units: M	East: 461955	Left in hole: Nothing
	Storage: Cochenour Mine	North: 5680049.50	Control Drilling: Stabilizer
		Elevation: 419.01	Cutting sampled: No
		UTM Zone: 15 (NAD27)	Geophysic:

Target: Upper Duck 2005-F6
Comments: relog by TP July, 2005

<u>Deviation Tests</u>	<u>Deviation Tests</u>	<u>Deviation Tests</u>									
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	148.23	-50.00	X	48.000	148.29	-48.96	X	96.000	149.63	-47.45	X
3.000	148.31	-49.64	X	51.000	148.40	-48.96	X	99.000	149.59	-47.40	X
6.000	148.26	-49.42	X	54.000	148.56	-48.91	X	102.000	149.63	-47.34	X
9.000	148.11	-49.55	X	57.000	148.79	-48.84	X	105.000	149.68	-47.33	X
12.000	147.93	-49.80	X	60.000	149.01	-48.75	X	108.000	149.71	-47.34	X
15.000	147.79	-49.70	X	63.000	149.03	-48.69	X	111.000	149.71	-47.32	X
18.000	147.71	-49.48	X	66.000	148.96	-48.67	X	114.000	149.68	-47.29	X
21.000	147.61	-49.30	X	69.000	148.90	-48.65	X	117.000	149.68	-47.30	X
24.000	147.56	-49.18	X	72.000	148.82	-48.53	X	120.000	149.59	-47.26	X
27.000	147.60	-49.14	X	75.000	148.75	-48.32	X	123.000	149.52	-47.18	X
30.000	147.65	-49.12	X	78.000	148.75	-48.12	X	126.000	149.45	-47.09	X
33.000	147.74	-49.04	X	81.000	148.89	-47.97	X	129.000	149.45	-46.94	X
36.000	147.91	-49.01	X	84.000	149.16	-47.79	X	132.000	149.55	-46.79	X
39.000	148.00	-48.98	X	87.000	149.43	-47.66	X	135.000	149.57	-46.66	X
42.000	148.09	-48.95	X	90.000	149.60	-47.57	X	138.000	149.62	-46.51	X
45.000	148.21	-48.96	X	93.000	149.66	-47.51	X	141.000	149.72	-46.34	X



Diamond Drill Hole Log

GoldCorp Inc.

Hole Number : RL-05-81
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	149.87	-46.24	X
147.000	150.06	-46.13	X
150.000	150.19	-46.03	X
153.000	150.39	-45.95	X
156.000	150.50	-45.86	X
159.000	150.62	-45.77	X
162.000	150.78	-45.66	X
165.000	150.87	-45.57	X
168.000	150.99	-45.47	X
171.000	151.08	-45.35	X
174.000	151.11	-45.26	X
177.000	151.15	-45.15	X
180.000	151.29	-45.00	X
183.000	151.36	-44.86	X
186.000	151.38	-44.70	X
189.000	151.38	-44.61	X
192.000	151.40	-44.50	X
195.000	151.49	-44.39	X
198.000	151.53	-44.25	X
201.000	151.64	-44.10	X
204.000	151.74	-43.94	X
207.000	151.74	-43.79	X
210.000	151.78	-43.64	X
213.000	151.86	-43.46	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-81
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	23.00	(OB) OVERBURDEN Casing									
23.00	28.95	(1L) GARNETIFEROUS AMPHIBOLITE Biotite-Amphibole-Garnet schist crudely layered amphibole; amphibole-garnet; biotite-amphibole-garnet rich layers with 20% quartz-biotite layers, crudely layered and locally folded with overall foliation and layering at low angle of 10-15 to CA, garnets are locally concentrated in selective layers, generally 2-4 mm diameter range, local weak magnetite and trace to minor po>py - occasional big block of andalusite	401834 401835 401836 401837 401838 401839	23.00 24.00 25.00 26.00 27.00 28.00	24.00 25.00 26.00 27.00 28.00 29.00	1.00 1.00 1.00 1.00 1.00 1.00	<0.01 0.03 0.11 0.16 2.44 0.78	<0.001 0.001 0.003 0.005 0.071 0.023	<5 32 107 155 2440 777	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
28.95	29.70	(9D) SKARN VCK gabbro/skarn type vein varying from fine to medium grained to coarse diopside rich layers usually containing irregular trace to 5% po>py, 10% carbonatized sections-calcite containing 1-3% disseminated magnetite crystals - 1mm range 1-3% disrupted and broken white quartz breccia fragments and irregular veinlets, overall layering at 10-15 to CA	401840	29.00	30.00	1.00	0.25	0.007	247	<input type="checkbox"/>	
29.70	35.90	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE coarse, dk-green amphibolite, massive to 32m then becomes banded with biotite	401841 401842 401843 401844 401845 401846	30.00 31.00 32.00 33.00 34.00 35.00	31.00 32.00 33.00 34.00 35.00 36.00	1.00 1.00 1.00 1.00 1.00 1.00	0.07 0.02 0.06 2.49 0.95 0.97	0.002 0.001 0.002 0.073 0.028 0.028	73 20 56 2487 952 971	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	1-3cm diopside veins with 5% po
35.90	66.80	(3) UNDIFF. FELSIC VOLCANICS Banded Quartz-Biotite schist, minor garnet irregularly layered cm scale quartz-biotite with narrow biotite rich layers resulting in variable light brown-grey to dark brown layers, layers and foliation at low 0-10 angle to CA, rock varies from finely well banded to moderately foliated locally several skarny type veins, probably 10-20 cm thickness but due to low angles ru for 1-2 meters of core length traces fine disseminated and occasional blebs and weak stringers popy overall <1%	401847 401848 401851 401852 401853 401854 401855	36.00 37.00 38.00 39.00 40.00 41.00 42.00	37.00 38.00 39.00 40.00 41.00 42.00 43.00	1.00 1.00 1.00 1.00 1.00 1.00 1.00	0.06 0.26 0.09 1.85 0.92 0.12 0.15	0.002 0.008 0.003 0.054 0.027 0.003 0.004	59 264 87 1845 921 116 149	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	tr. aspy in diopside vn



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-81

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		- minor green amphibole in bands/lenses	401856	43.00	44.00	1.00	0.13	0.004	126	<input type="checkbox"/>	
			401857	44.00	45.00	1.00	0.08	0.002	83	<input type="checkbox"/>	
			401858	45.00	46.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401859	46.00	47.00	1.00	0.36	0.010	358	<input type="checkbox"/>	
			401860	47.00	48.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			401861	48.00	49.00	1.00	0.22	0.006	216	<input type="checkbox"/>	
			401862	49.00	50.00	1.00	0.37	0.011	370	<input type="checkbox"/>	
			401863	50.00	51.00	1.00	0.18	0.005	175	<input type="checkbox"/>	
			401864	51.00	52.00	1.00	0.43	0.013	432	<input type="checkbox"/>	
			401865	52.00	53.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			401866	53.00	54.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			401867	54.00	55.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			401868	55.00	56.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			401869	56.00	57.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			401870	57.00	58.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			401871	58.00	59.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			401872	59.00	60.00	1.00	0.11	0.003	105	<input type="checkbox"/>	
			401873	60.00	61.00	1.00	2.12	0.062	2120	<input type="checkbox"/>	
			401874	61.00	62.00	1.00	0.35	0.010	349	<input type="checkbox"/>	
			401875	62.00	63.00	1.00	0.29	0.008	286	<input type="checkbox"/>	
			401876	63.00	64.00	1.00	0.35	0.010	347	<input type="checkbox"/>	
			401877	64.00	65.00	1.00	0.13	0.004	131	<input type="checkbox"/>	
			401878	65.00	66.00	1.00	0.20	0.006	199	<input type="checkbox"/>	
			401879	66.00	67.00	1.00	0.17	0.005	171	<input type="checkbox"/>	
66.80	70.20	(9D) SKARN	401880	67.00	68.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		Gabbro/Skam-60%, 40% carbonatized-calcite with minor disseminated magnetite	401881	68.00	69.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		irregularly disrupted layers to brecciated layering at low angles to CA	401882	69.00	70.00	1.00	0.51	0.015	514	<input type="checkbox"/>	
		TP: coarse green hb gabbro-like unit									
		67-67.8m: folded grey cb vn + minor diopside + po									
		69.5-70.1m: laminated green cb vn, 5% magnetite, 10% actinolite									



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-81

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
70.20	76.00	(3) UNDIFF. FELSIC VOLCANICS light green-grey, fine grained, weakly to moderately banded and folded- overall at low angle to CA, minor skarn type veinlets - minor garnet and coarse blocky andalusite retrograding to sericite	401883	70.00	71.00	1.00	0.34	0.010	342	<input type="checkbox"/>	
			401884	71.00	72.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			401885	72.00	73.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			401886	73.00	74.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			401887	74.00	75.00	1.00	0.09	0.003	92	<input type="checkbox"/>	
			401888	75.00	76.00	1.00	0.28	0.008	282	<input type="checkbox"/>	
76.00	81.37	(9D) SKARN mixed zone, 20-30% mafic gabbroic, 15% coarse diopside rich veins-usually containing trace to 5% irregular po, 30% light green, fine grained banded carbonate-calcite veins-usually with 1-3% disseminated magnetite, foliation and banding dominantly at 50-60 to CA TP: 76-76.6m & 82.5-82.9m; same green cb vn with magnetite as at 69.5m	401889	76.00	77.00	1.00	0.55	0.016	553	<input type="checkbox"/>	
			401890	77.00	78.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			401891	78.00	79.00	1.00	0.51	0.015	509	<input type="checkbox"/>	
			401892	79.00	80.00	1.00	0.15	0.004	145	<input type="checkbox"/>	
			401893	80.00	81.00	1.00	0.16	0.005	157	<input type="checkbox"/>	
81.37	86.40	(3) UNDIFF. FELSIC VOLCANICS Quartz-Biotite schist, green to brownish-biotitic, fine grained, siliceous, minor scattered garnets, local andalusite metacryst growths 20% dark green skarn type veining, weak banding and moderate foliation at 50-60 to CA overall 1-2% pypo ranging from trace disseminated to weak irregular stringers locally 83.95 - 84.15 skarn vein, 3% po 84.58 - 85.20 gabbroic/skarn type vein, 55 broken quartz vein 86.4 - 10% highly altered, 20% quartz veining 1 cm massive py seam 85.2-86.4m: siliceous, banded, 3% fine diss po/py	401894	81.00	82.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			401895	82.00	83.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			401896	83.00	84.00	1.00	1.25	0.037	1253	<input type="checkbox"/>	
			401897	84.00	85.00	1.00	0.11	0.003	107	<input type="checkbox"/>	
			401898	85.00	86.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
86.40	94.52	(7B) FELDSPAR PORPHYRY Subvolcanic Feldspar Porphyry fine moderately sheared and altered feldspar phenocrysts, weak to moderate irregular patchy and fracture controlled K-spar alteration 3% white quartz veins, irregular bleached patches, minor skarn type veinlets, moderate tight fracturing weak to moderate foliation at 55 to CA, minor irregular masses of py distinct contacts - good distinct fs phenos on lower contact	401901	86.00	87.00	1.00	0.16	0.005	162	<input type="checkbox"/>	
			401902	87.00	88.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			401903	88.00	89.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401904	89.00	90.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			401905	94.00	95.00	1.00	0.08	0.002	75	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-81

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
94.52	117.85	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS	401906	99.00	100.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
		Quartz-Biotite schist, brownish-biotitic, fine grained weakly banded, moderately foliated at 40-55 to CA with minor folded to contorted sections, minor scattered garnets locally and local andalusite metacryst growths, weak amphibolitization interfingered with a number of relatively narrow generally less than a meter in thickness, feldspar porphyry dikes-chunky type that make up 15-20% of rock in section, contacts are distinct and generally conformable overall 2-3% irregular white quartz veins schist contains trace to weak disseminated popy and occasional weak stringers pypo TP: also diss magnetite noted	401907	104.00	105.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			401908	109.00	110.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			401909	114.00	115.00	1.00	0.09	0.003	94	<input type="checkbox"/>	
		100.50 - 100.80 (7B) FELDSPAR PORPHYRY chunky porphyry									
		103.30 - 103.70 (7B) FELDSPAR PORPHYRY chunky porphyry									
		104.00 - 104.70 (7B) FELDSPAR PORPHYRY chunky porphyry									
		108.50 - 109.00 (7B) FELDSPAR PORPHYRY chunky porphyry									
		113.00 - 113.50 (7B) FELDSPAR PORPHYRY chunky porphyry									
		113.90 - 114.20 (7B) FELDSPAR PORPHYRY chunky porphyry									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-81
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
117.85	148.00	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE variable greens and browns, fine to medium grained locally gradational from relatively massive gabbroic textured to brown biotitic weak to moderately banded also displaying varying degrees of amphibolitization, changes are very gradational-no sharp definitive contacts, weak to locally moderate foliation and banding if present is generally at low angles and displays folding and infolding overall traces popy 136.6 - 139.6 Feldspar Porphyry dike, very fine brownish ground mass with fine, mm size plag phenocrysts, moderately fractured, 5 cm skarn at lower contact 136.60 - 139.60 (7B) FELDSPAR PORPHYRY feldspar porphyry dike	401910	119.00	120.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			401911	124.00	125.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401912	129.00	130.00	1.00	0.14	0.004	135	<input type="checkbox"/>	
			401913	134.00	135.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			401914	139.00	140.00	1.00	0.09	0.003	88	<input type="checkbox"/>	
			401915	144.00	145.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
148.00	158.00	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS intermediate brown- Quartz-Biotite schist, weakly banded, weakly amphibolitized, minor locally scattered garnets, occasional andalusite metacryst-cm diameter range, weak quartz veining moderately foliated and weakly banded at 55 to CA	401916	149.00	150.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			401917	154.00	155.00	1.00	0.09	0.003	87	<input type="checkbox"/>	
158.00	164.75	(7B) FELDSPAR PORPHYRY light buff, fine grained, weakly plag phyruc (very indistinct phenos), 2% fine biotite clots, moderately fractured weak fine quartz seams-mm thickness, weak amphibolitized along fractures, odd narrow skarn type veinlet, distinct contacts at 55 to CA	401918	159.00	160.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			401919	164.00	165.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
164.75	187.08	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE variable dark green to brownish-biotitic, patchy to irregularly banded, contact areas usually biotitic, fine grained, moderately foliated at 55-60 to CA, moderate fine to hairline fractures-annealed traces popy disseminated to occasional weak stringers 175.0 - 175.4 Fault Zone- fine annealed breccia, 10-20% cm-scale bands being more siliceous 175.4-187.08m: finer grained, possibly pillowed 175.00 - 175.40 (FLT) FAULT BX fine angular breccia, annealed, cemented with minor quartz and calcite,	401920	165.00	166.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			401921	169.00	170.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			401922	174.00	175.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			401923	175.00	176.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			401924	178.00	179.00	1.00	0.15	0.004	145	<input type="checkbox"/>	
			401925	184.00	185.00	1.00	0.08	0.002	83	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-81
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		sharp upper and lower contacts at 55 to CA, hairline-blackline faulting away from main fault									
187.08	188.90	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS aphyric felsic volcs, odd qtz eye noted, fine grained, moderately altered, mod sericitic, minor andalusite metacrysts, traces popy									
188.90	194.40	(3) UNDIFF. FELSIC VOLCANICS predominantly quartz-biotite schist, banded, mod biotite but weakly amphibolitized locally, few 1N type bands, occasional scattered garnets and occasional marrow skarn type veinlets, local folding and number hairline fractures and minor displacements 191-192m: coarse green hb band	401926	189.00	190.00	1.00	0.30	0.009	303		<input type="checkbox"/>
194.40	203.20	(1J) BANDED AMPHIBOLITE banded, strongly biotitic, mod hb unit	401927	194.00	195.00	1.00	0.02	<0.001	15		<input type="checkbox"/>
			401928	199.00	200.00	1.00	0.02	0.001	19		<input type="checkbox"/>
203.20	204.72	(3T) ALUMINOUS ALTERED FELSIC VOLCANICS qtz-bio-andalusite-garnet	401929	204.00	205.00	1.00	0.02	0.001	23		<input type="checkbox"/>
204.72	215.35	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE dark green, medium grained to sheared foliated, biotitic bands, upper contact skarny with minor po, banding and foliation at 50-60 to ca, somewhat variable, moderate tight fracturing, traces sulfides popy 214.95 - 215.35 - skarny lower contact	401930	205.00	206.00	1.00	0.06	0.002	58		<input type="checkbox"/>
			401931	209.00	210.00	1.00	0.01	<0.001	13		<input type="checkbox"/>
			401932	210.00	211.00	1.00	0.03	0.001	31		<input type="checkbox"/>
			401933	214.00	215.00	1.00	0.03	0.001	34		<input type="checkbox"/>
		212.15 - 213.35 (7B) FELDSPAR PORPHYRY as above,									



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-81

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
215.35	225.00	(7B) FELDSPAR PORPHYRY	401934	215.00	216.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
		subvolcanic type, buff, fine plag phenos, moderately sheared and altered, 1-2%	401935	219.00	220.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
		white quartz veinlets traces popy, occassional narrow skarn type veinlet	401936	220.00	221.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401937	221.00	222.00	1.00	0.12	0.004	121	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-81
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
38.00	401849	1991	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
38.01	401850	9	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
86.00	401899	2109	-	-	-	-	-	-	-	-	-	2.1	-	0.062	-	-
86.01	401900	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-81
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
23.00	24.00	1.00	R4	0.11	0.23	-	100.00	-	100.00
24.00	27.00	3.00	R4	0.94	2.39	-	100.00	-	100.00
27.00	30.00	3.00	R4	5.05	22.10	-	100.00	-	100.00
30.00	33.00	3.00	R4	0.58	1.00	-	100.00	-	100.00
33.00	36.00	3.00	R4	1.57	2.67	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.59	1.51	-	100.00	-	100.00
39.00	42.00	3.00	R5	1.21	2.04	-	100.00	-	100.00
42.00	45.00	3.00	R4	1.49	2.28	-	100.00	-	100.00
45.00	48.00	3.00	R4	0.84	1.02	-	100.00	-	100.00
48.00	51.00	3.00	R4	0.87	1.24	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.61	1.11	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.07	0.20	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.10	0.40	-	100.00	-	100.00
60.00	63.00	3.00	R4	2.09	4.42	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.70	1.95	-	100.00	-	100.00
66.00	69.00	3.00	R5	1.46	2.28	-	100.00	-	100.00
69.00	72.00	3.00	R5	4.11	15.00	-	100.00	-	100.00
72.00	75.00	3.00	R4	0.51	2.04	-	100.00	-	100.00
75.00	78.00	3.00	R4	1.48	6.62	-	100.00	-	100.00
78.00	81.00	3.00	R4	0.76	2.41	-	100.00	-	100.00
81.00	84.00	3.00	R4	3.02	8.18	-	100.00	-	100.00
84.00	87.00	3.00	R4	0.67	1.81	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.05	0.16	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
93.00	96.00	3.00	R5	0.93	2.56	-	100.00	-	100.00
96.00	99.00	3.00	R4	0.33	0.58	-	100.00	-	100.00
99.00	102.00	3.00	R5	3.18	7.46	-	100.00	-	100.00
102.00	105.00	3.00	R5	8.41	16.00	-	100.00	-	100.00
105.00	108.00	3.00	R5	7.12	11.40	-	100.00	-	100.00
108.00	111.00	3.00	R5	1.18	5.49	-	100.00	-	100.00
111.00	114.00	3.00	R4	0.07	0.12	-	100.00	-	100.00
114.00	117.00	3.00	R4	0.18	0.42	-	100.00	-	100.00
117.00	120.00	3.00	R4	0.21	0.47	-	100.00	-	100.00
120.00	123.00	3.00	R4	0.26	0.38	-	100.00	-	100.00
123.00	126.00	3.00	R4	0.20	0.38	-	100.00	-	100.00
126.00	129.00	3.00	R4	0.43	0.86	-	100.00	-	100.00
129.00	132.00	3.00	R4	0.33	0.54	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-81
Project: PLANET EXPLORATION
Project Number: 800125

132.00	135.00	3.00	R4	0.41	0.71	-	100.00	-	100.00
135.00	138.00	3.00	R4	0.21	0.49	-	100.00	-	100.00
138.00	141.00	3.00	R5	0.09	0.20	-	100.00	-	100.00
141.00	144.00	3.00	R4	0.17	0.34	-	100.00	-	100.00
144.00	147.00	3.00	R4	0.30	0.34	-	100.00	-	100.00
147.00	150.00	3.00	R4	0.26	0.54	-	100.00	-	100.00
150.00	153.00	3.00	R4	0.11	0.20	-	100.00	-	100.00
153.00	156.00	3.00	R4	0.13	0.18	-	100.00	-	100.00
156.00	159.00	3.00	R4	0.08	0.18	-	100.00	-	100.00
159.00	162.00	3.00	R4	0.04	0.09	-	100.00	-	100.00
162.00	165.00	3.00	R4	0.03	0.05	-	100.00	-	100.00
165.00	168.00	3.00	R4	0.23	0.36	-	100.00	-	100.00
168.00	171.00	3.00	R4	0.62	1.39	-	100.00	-	100.00
171.00	174.00	3.00	R4	0.55	1.86	-	100.00	-	100.00
174.00	177.00	3.00	R4	0.37	0.98	-	100.00	-	100.00
177.00	180.00	3.00	R4	0.97	3.20	-	100.00	-	100.00
180.00	183.00	3.00	R4	0.36	0.78	-	100.00	-	100.00
183.00	186.00	3.00	R4	1.95	5.56	-	100.00	-	100.00
186.00	189.00	3.00	R4	0.48	1.15	-	100.00	-	100.00
189.00	192.00	3.00	R4	0.17	0.27	-	100.00	-	100.00
192.00	195.00	3.00	R4	0.17	0.25	-	100.00	-	100.00
195.00	198.00	3.00	R4	0.24	0.36	-	100.00	-	100.00
198.00	201.00	3.00	R4	0.29	0.64	-	100.00	-	100.00
201.00	204.00	3.00	R4	0.31	0.43	-	100.00	-	100.00
204.00	207.00	3.00	R4	1.55	5.94	-	100.00	-	100.00
207.00	210.00	3.00	R3	0.35	0.69	-	100.00	-	100.00
210.00	213.00	3.00	R4	0.38	1.09	-	100.00	-	100.00
213.00	216.00	3.00	R5	1.73	6.38	-	100.00	-	100.00
216.00	219.00	3.00	R5	0.24	0.78	-	100.00	-	100.00
219.00	222.00	3.00	R5	0.11	0.34	-	100.00	-	100.00
222.00	225.00	3.00	R5	0.01	0.03	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-82
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 90.62	Length: 7.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -50	Pulled: No	Claim No: Staked	Spotted by: T. Maciejewski
Length: 240.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 14-May-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 17-May-05		Level:	Surveyed Date: 13-Jul-05
Logged: 18-May-05		Coordinate - Gemcom	Logged by: L.C. Chastko
Wedged : No		Coordinate - UTM	Re-logged by:
Wedged from:	Core	Coordinate - Grid	Water Source:
	Dimension: NQ	East: 461651.64	Water line:
	Original Units: M	East: 461652	Left in hole: Nothing
	Storage: Cochenour Mine	North: 5679705.26	Control Drilling: Stabilizer
		Elevation: 423.09	Cutting sampled: No
		UTM Zone: 15 (NAD27)	Geophysic:
Target: Anderson Lake North, 205-G4			
Comments:			

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	93.07	-50.00	X	48.000	95.42	-48.20	X	96.000	97.20	-47.50	X
3.000	93.06	-49.83	X	51.000	95.50	-48.01	X	99.000	97.30	-47.52	X
6.000	93.14	-49.78	X	54.000	95.61	-47.81	X	102.000	97.37	-47.52	X
9.000	93.28	-49.68	X	57.000	95.76	-47.69	X	105.000	97.48	-47.50	X
12.000	93.47	-49.62	X	60.000	95.87	-47.61	X	108.000	97.57	-47.47	X
15.000	93.70	-49.58	X	63.000	95.99	-47.55	X	111.000	97.68	-47.46	X
18.000	93.90	-49.53	X	66.000	96.10	-47.52	X	114.000	97.73	-47.46	X
21.000	94.10	-49.46	X	69.000	96.15	-47.50	X	117.000	97.83	-47.47	X
24.000	94.25	-49.35	X	72.000	96.26	-47.49	X	120.000	97.94	-47.47	X
27.000	94.44	-49.23	X	75.000	96.37	-47.45	X	123.000	98.05	-47.47	X
30.000	94.61	-49.10	X	78.000	96.50	-47.44	X	126.000	98.15	-47.48	X
33.000	94.76	-48.93	X	81.000	96.61	-47.42	X	129.000	98.26	-47.50	X
36.000	94.94	-48.75	X	84.000	96.73	-47.43	X	132.000	98.37	-47.49	X
39.000	95.10	-48.63	X	87.000	96.83	-47.45	X	135.000	98.42	-47.50	X
42.000	95.23	-48.51	X	90.000	96.96	-47.45	X	138.000	98.51	-47.49	X
45.000	95.33	-48.38	X	93.000	97.10	-47.47	X	141.000	98.60	-47.48	X



Diamond Drill Hole Log

GoldCorp Inc.

Hole Number : RL-05-82
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
144.000	98.70	-47.48	X
147.000	98.83	-47.47	X
150.000	98.94	-47.45	X
153.000	99.05	-47.43	X
156.000	99.03	-47.44	X
159.000	99.11	-47.43	X
162.000	99.17	-47.40	X
165.000	99.23	-47.41	X
168.000	99.31	-47.38	X
171.000	99.40	-47.37	X
174.000	99.50	-47.37	X
177.000	99.51	-47.38	X
180.000	99.54	-47.38	X
183.000	99.66	-47.40	X
186.000	99.72	-47.42	X
189.000	99.78	-47.47	X
192.000	99.86	-47.48	X
195.000	99.95	-47.48	X
198.000	99.95	-47.48	X
201.000	99.95	-47.49	X
204.000	99.88	-47.51	X
207.000	99.83	-47.49	X
210.000	99.78	-47.48	X
213.000	99.78	-47.46	X
216.000	99.75	-47.41	X
219.000	99.81	-47.34	X
222.000	99.88	-47.21	X
225.000	99.96	-47.15	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-82
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	7.00	(OB) OVERBURDEN Casing									
7.00	14.05	(7B) FELDSPAR PORPHYRY Feldspar Porphyry-subvolcanic type brownish-buff due to light biotitization, fine feldspar phenocrysts to locally sheared out, moderate tight fractures, lightly biotitized and local K-spar alteration, 1% skarn type veinlets moderately sheared and foliated at 50 to CA	401941	7.00	8.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401942	8.00	9.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401943	13.00	14.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
14.05	23.52	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE mafic flow or possibly intrusive dark green with local crude bands and patches of brown biotite, 20% skarn type diopside-carbonate veins, 55 calcite and/or Fe carbonate veinlets, crudely foliated at 50 to CA	401944	14.00	15.00	1.00	0.03	<0.001	34	<input type="checkbox"/>	
			401945	15.00	16.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			401946	16.00	17.00	1.00	0.30	0.009	300	<input type="checkbox"/>	
			401947	17.00	18.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			401948	18.00	19.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			401951	19.00	20.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			401952	20.00	21.00	1.00	0.07	0.002	73	<input type="checkbox"/>	
			401953	21.00	22.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			401954	22.00	23.00	1.00	0.03	<0.001	27	<input type="checkbox"/>	
			401955	23.00	24.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
23.52	24.00	(7B) FELDSPAR PORPHYRY Feldspar Porphyry-Chunky type moderately sheared and foliated at 50 to CA, sharp conformable contacts at 50 to CA									
24.00	58.75	(7B) FELDSPAR PORPHYRY buff to light brownish due to light biotitization, weakly porphyritic to sheared out, local bleaching and weak to moderate sericitization, 2-4% skarn type veinlets with very little sulfides, moderately foliated at 50 to CA, minor fractures and slip planes 33.0 - 35.0 moderately bleached and sericitized	401956	24.00	25.00	1.00	0.03	<0.001	34	<input type="checkbox"/>	
			414511	25.00	26.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			414512	26.00	27.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			414513	27.00	28.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			414514	28.00	29.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			401957	29.00	30.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-82
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			414515	30.00	31.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			414516	31.00	32.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			414517	32.00	33.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			414518	33.00	34.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401958	34.00	35.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			414519	35.00	36.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			414520	36.00	37.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			414521	37.00	38.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			414522	38.00	39.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			401959	39.00	40.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			414523	40.00	41.00	1.00	7.91	0.231	7912	<input type="checkbox"/>	
			414524	41.00	42.00	1.00	0.05	0.002	51	<input type="checkbox"/>	
			401960	42.00	43.00	1.00	1.33	0.039	1334	<input type="checkbox"/>	
			401961	43.00	44.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			414525	44.00	45.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			414526	45.00	46.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			414527	46.00	47.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401962	47.00	48.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401963	48.00	49.00	1.00	0.03	<0.001	34	<input type="checkbox"/>	
			414528	49.00	50.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			414529	50.00	51.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			414530	51.00	52.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			414531	52.00	53.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			414532	53.00	54.00	1.00	0.52	0.015	521	<input type="checkbox"/>	
			401964	54.00	55.00	1.00	0.02	<0.001	24	<input type="checkbox"/>	
			414533	55.00	56.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
			414534	56.00	57.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			414535	57.00	58.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			401965	58.00	59.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
58.75	61.80	(9D) SKARN	401966	59.00	60.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		crudely banded skarn	401967	60.00	61.00	1.00	0.02	<0.001	19	<input type="checkbox"/>	
		58.75 - 60.60 crudely layered light and dark green, altered moderately banded and foliated at 45-50 to Ca	401968	61.00	62.00	1.00	0.03	<0.001	34	<input type="checkbox"/>	
		59.75 - 59.95 Fe carbonate vein, cockade texture									
		60.60 - 61.20 Feldspar porphyry dike subvolcanic sheared									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-82
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
61.80	66.10	(1K) KOMATIITES olive green ,well altered, finely ribboned with Fe carbonate, weakly silicified, foliation and fine ribboning at 50 to CA	401969	62.00	63.00	1.00	0.29	0.008	291	<input type="checkbox"/>	
			401970	63.00	64.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			401971	64.00	65.00	1.00	1.12	0.033	1122	<input type="checkbox"/>	
			401972	65.00	66.10	1.10	0.20	0.006	204	<input type="checkbox"/>	
66.10	68.70	(7B) FELDSPAR PORPHYRY Feldspar Porphyry-chunky moderately sheared and foliated at 45-50 to CA, moderately biotitized, sharp conformable contacts at 45-50 to CA	401973	66.10	67.00	0.90	0.01	<0.001	12	<input type="checkbox"/>	
			401974	67.00	68.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			401975	68.00	68.70	0.70	0.02	<0.001	23	<input type="checkbox"/>	
68.70	72.30	(9D) SKARN 30% subvolcanic porphyry, 30% diopside rich veins, 30% amphibole-biotite rich sections, 10% Fe carbonate rich bands crudely layered or banded at 30 to 40 to CA variable, traces sulfides only	401976	68.70	70.00	1.30	<0.01	<0.001	<5	<input type="checkbox"/>	
			401977	70.00	71.00	1.00	0.02	<0.001	20	<input type="checkbox"/>	
			401978	71.00	72.00	1.00	0.12	0.004	123	<input type="checkbox"/>	
72.30	75.00	(7B) FELDSPAR PORPHYRY subvolcanic type, buffish withwith wispy green amphiboles along fractures and weak skamy veinlets, shearing and veinlets generally at low angles to CA, only traces sulfides	401979	72.00	73.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401980	73.00	74.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			401981	74.00	75.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
75.00	81.75	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE dark green, fine to medium grained with biotitized an d skarn type alteration predominantly at upper several meters, 10% carbonate-skarn type alteration	401982	75.00	76.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			401983	76.00	77.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			401984	77.00	78.00	1.00	0.02	<0.001	24	<input type="checkbox"/>	
			401985	78.00	79.00	1.00	0.03	<0.001	26	<input type="checkbox"/>	
			401986	79.00	80.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
			401987	80.00	81.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			401988	81.00	81.70	0.70	0.03	<0.001	26	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-82
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
81.75	83.30	(5B) OXIDE FACIES IRON FORMATION Banded Amphibolite-Magnetite Iron formation 25% dak fine grained magnetite bands varying from mm to cm thickness, 70% dark green amphibole-diopside, weak quartz veinlets, traces popy well banded and foliated at 50-55 to CA	401989	81.70	82.50	0.80	0.10	0.003	98	<input type="checkbox"/>	
			401990	82.50	83.30	0.80	0.09	0.003	93	<input type="checkbox"/>	
83.30	101.00	(1K) KOMATIITES dark olive green, fine to medium grained, relatively massive to moderately foliated locally and proximal to contacts, upper contact 2 meters of moderate biotitization with narrow zone at lower unit is moderately altered-carbonatized, slightly talcose, actinolitic	401991	83.30	84.00	0.70	0.38	0.011	384	<input type="checkbox"/>	
			401992	84.00	85.00	1.00	0.20	0.006	196	<input type="checkbox"/>	
			401993	85.00	86.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			401994	86.00	87.00	1.00	0.03	<0.001	32	<input type="checkbox"/>	
			401995	87.00	88.00	1.00	0.02	<0.001	18	<input type="checkbox"/>	
			401996	88.00	89.00	1.00	0.02	<0.001	22	<input type="checkbox"/>	
			401997	89.00	90.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			401998	90.00	91.00	1.00	0.02	<0.001	18	<input type="checkbox"/>	
			402001	91.00	92.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			402002	92.00	93.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			402003	93.00	94.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			402004	94.00	95.00	1.00	0.26	0.008	258	<input type="checkbox"/>	
			402005	95.00	96.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			402006	96.00	97.00	1.00	0.03	<0.001	27	<input type="checkbox"/>	
			402007	97.00	98.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
402008	98.00	99.00	1.00	0.03	<0.001	32	<input type="checkbox"/>				
402009	99.00	100.00	1.00	0.01	<0.001	14	<input type="checkbox"/>				
402010	100.00	101.00	1.00	0.04	0.001	40	<input type="checkbox"/>				
101.00	106.18	(7B) FELDSPAR PORPHYRY VCK 40% subvolcanic porphyry, 40% amphibole and BIF raft inclusion, 20% skarn carbonate-diopside 101.0 - 103.3 porphyry, lightly biotitized, strong K-spar alteration in irregular white bands, 10% skarn type veining banding and foliation at 35 to CA 103.10 - 103.48 amphibole-biotite, minor quartz-carb veinlets, well foliated at 35 to CA 103.48 - 103.75 banded BIF amphibole-magnetite, 25% magnetite banded at 35 to CA 103.75 - 104.25 skarn band with 5-8% irregular po, minor cpy 104.25 - 105.55 predominantly porphyry, minor skarn veining	402011	101.00	102.00	1.00	0.07	0.002	74	<input type="checkbox"/>	
			402012	102.00	103.00	1.00	0.35	0.010	354	<input type="checkbox"/>	
			402013	103.00	104.25	1.25	0.15	0.004	150	<input type="checkbox"/>	
			402014	104.25	105.00	0.75	0.04	0.001	39	<input type="checkbox"/>	
			402015	105.00	106.18	1.18	0.31	0.009	311	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-82
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		106.55 - 106.18 skarn 10-15% po, minor cpy									
106.18	110.60	(7B) FELDSPAR PORPHYRY subvolcanic type, 10% skarn/diopside veining, weak to moderate foliation at 15-25 to CA	402016	106.18	107.00	0.82	0.15	0.004	150	<input type="checkbox"/>	
			402017	107.00	108.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402018	108.00	109.00	1.00	0.02	<0.001	19	<input type="checkbox"/>	
			402019	109.00	110.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402020	110.00	111.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
110.60	112.00	(6E) DIABASE brownish, biotitized, altered, sharp contacts at 60 and 35 to CA	402021	111.00	112.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
112.00	113.80	(7B) FELDSPAR PORPHYRY similar to before 113.5 - 1 cm white quartz vein with 2-3% cpy	402022	112.00	113.50	1.50	0.01	<0.001	10	<input type="checkbox"/>	
			402023	113.50	113.80	0.30	0.05	0.001	50	<input type="checkbox"/>	
113.80	115.70	(5B) OXIDE FACIES IRON FORMATION 50% banded amphibolite-magnetite, 50% amphibole-skarn with 5-8% irregular po 1% cpy	402024	113.80	115.17	1.37	0.10	0.003	96	<input type="checkbox"/>	
			402025	115.17	116.20	1.03	0.02	<0.001	15	<input type="checkbox"/>	
115.70	116.20	(7B) FELDSPAR PORPHYRY chunky porphyry sheared and foliated at 35 to CA, sharp conformable contacts at 35 to CA									
116.20	116.84	(5B) OXIDE FACIES IRON FORMATION BIF-skarn similar to before folded and contorted	402026	116.20	116.84	0.64	2.41	0.070	2412	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-82
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
116.84	122.40	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE amphibolite, moderately biotitized, 10-15% carbonate-skarn veining, banding and foliation at 20-25 to CA	402027	116.84	118.00	1.16	0.07	0.002	68	<input type="checkbox"/>	
			402028	118.00	119.00	1.00	0.08	0.002	79	<input type="checkbox"/>	
			402029	119.00	120.00	1.00	0.48	0.014	481	<input type="checkbox"/>	
			402030	120.00	121.00	1.00	0.92	0.027	916	<input type="checkbox"/>	
			402031	121.00	122.00	1.00	0.02	<0.001	19	<input type="checkbox"/>	
122.40	122.80	(CV) IRON CARBONATE 80% Fe carbonate, 20% diopside-amphibole	402032	122.00	123.00	1.00	0.32	0.009	317	<input type="checkbox"/>	
122.80	123.45	(7B) FELDSPAR PORPHYRY chunky porphyry, sheared and foliated at 20 to CA, sharp conformable contacts									
123.45	132.74	(7B) FELDSPAR PORPHYRY subvolcanic type, buffish to light brownish biotite, with 3% amphibole/diopside skarn veining, weak foliation at 35 to CA, sharp contacts at 35 to CA traces popy	402033	129.00	130.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402034	132.00	133.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
132.74	158.00	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE dark green fine to medium grained, gabbroic appearance locally, relatively massive to poorly foliated at 35 to CA, local brown patches and weak bands of biotitization, 2% quartz-carbonate veinlets, local irregular po traces cpy- overall 1% sulfides	402035	139.00	140.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			402036	144.00	145.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
			402037	149.00	150.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			402038	154.00	155.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402039	156.00	157.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			402040	157.00	157.70	0.70	0.12	0.004	123	<input type="checkbox"/>	
402041	157.70	158.20	0.50	9.28	0.271	9278	<input type="checkbox"/>				
158.00	158.40	(1J) BANDED AMPHIBOLITE Mafic Tuff? variable greens, fine grained, finely banded to laminated amphibole-chlorite-carbonate at 35 to CA 10% fine po>py									



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-82
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
158.40	171.25	(1J) BANDED AMPHIBOLITE medium to dark green, crudely irregularly banded or layered with dark brown biotite rich bands and 5-6% white quartz/carbonate stringers oriented parallel to banding and foliation at 30-40 to CA, foliation variable from 30-45 to CA, variable shearing along core length 5-10% subvolcanic porphyry dikes generally narrow but up to a meter	402042	158.20	159.00	0.80	0.44	0.013	441	<input type="checkbox"/>	
			402043	164.00	165.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			402044	169.00	170.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
171.25	184.20	(7B) FELDSPAR PORPHYRY predominantly subvolcanic porphyry, fine grained, weak fine phenos locally, lightly biotitized, and weak to moderate K-spar alteration, 2% fine skarny veinlets, several narrow sheared chunky porphyry dikes 10-20 cm thickness 176.2 - 177.37 dark green fine grained mafic sliver inclusion or possibly dike	402045	174.00	175.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			402046	179.00	180.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
184.20	197.20	(1A) MASSIVE MAFIC VOLC dark green, fine grained amphibolite, possibly same as above, occasional weak brown biotite bands at 25-30 to CA, weak foliation, 2% quartz-carbonate or skarn veinlets, 1 meter biotitized at upper contact	402047	184.00	185.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			402048	189.00	190.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			402051	194.00	195.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
197.20	204.50	(7B) FELDSPAR PORPHYRY subvolcanic type light buffish-brown, biotitized lightly, fine grained, locally porphyritic to sheared out phenocrysts, weak K-spar alteration 201.0 - 204.5 fractured to brecciated fault at 10-15 to CA, altered, salmon pink 201.00 - 204.50 (FLT) FAULT	402052	199.00	200.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			402053	204.00	205.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
204.50	205.40	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE similar to before, sharp contacts dike or volcanic sliver? 204.55 - 204.75 Fe carbonate vein at 60-65 to CA, cocade texture									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-82
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
205.40	206.55	(7B) FELDSPAR PORPHYRY subvolcanic as before									
206.55	207.90	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE similar to before									
207.90	209.65	(7B) FELDSPAR PORPHYRY similar to before	402054	209.00	210.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
209.65	213.45	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE similar to before									
213.45	219.90	(7B) FELDSPAR PORPHYRY subvolcanic type, buffish-brown, fine grained sheared to finely porphyritic locally, weak foliation at 10-20 to CA lightly biotitized, light to moderate K-spar alteration locally, 1% white quartz veins	402055 402056	214.00 219.00	215.00 220.00	1.00 1.00	<0.01 0.01	<0.001 <0.001	<5 7	<input type="checkbox"/> <input type="checkbox"/>	
219.90	221.50	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE as before									
221.50	223.70	(7B) FELDSPAR PORPHYRY as before									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-82
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
223.70	240.00	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	402057	224.00	225.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		dark green, fine grained, weakly sheared, weak 1-3% quartz-carbonate veinlets	402058	229.00	230.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
		generally parallel to foliation, weak biotitization, weak epidotization along	402059	234.00	235.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		fractures an veinlets, foliation at 20-25 to CA	402060	238.00	239.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			402061	239.00	240.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-82
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
19.00	401949	2188	-	-	-	-	-	-	-	-	-	2.2	-	0.064	-	-
19.01	401950	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
91.00	401999	2188	-	-	-	-	-	-	-	-	-	2.2	-	0.064	-	-
91.01	402000	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
190.00	402049	2315	-	-	-	-	-	-	-	-	-	2.3	-	0.068	-	-
190.01	402050	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-82
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
7.10	9.00	1.90	R5	0.12	0.75	-	100.00	-	100.00
9.00	12.00	3.00	R5	0.02	0.10	-	100.00	-	100.00
12.00	15.00	3.00	R5	0.06	0.14	-	100.00	-	100.00
15.00	18.00	3.00	R4	0.10	0.14	-	100.00	-	100.00
18.00	21.00	3.00	R4	0.20	0.31	-	100.00	-	100.00
21.00	24.00	3.00	R4	0.10	0.32	-	100.00	-	100.00
24.00	27.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
27.00	30.00	3.00	R4	0.03	0.09	-	100.00	-	100.00
30.00	33.00	3.00	R5	0.00	-0.01	-	100.00	-	100.00
33.00	36.00	3.00	R4	0.00	0.00	-	100.00	-	100.00
36.00	39.00	3.00	R4	0.00	0.00	-	100.00	-	100.00
39.00	42.00	3.00	R4	0.00	0.01	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.03	0.05	-	100.00	-	100.00
48.00	51.00	3.00	R4	0.02	0.09	-	100.00	-	100.00
51.00	54.00	3.00	R4	0.02	0.10	-	100.00	-	100.00
54.00	57.00	3.00	R4	0.03	0.06	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.81	2.26	-	100.00	-	100.00
60.00	63.00	3.00	R5	7.67	14.10	-	100.00	-	100.00
63.00	66.00	3.00	R5	1.91	3.73	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.17	0.29	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.03	0.10	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.34	0.54	-	100.00	-	100.00
75.00	78.00	3.00	R5	1.13	2.69	-	100.00	-	100.00
78.00	81.00	3.00	R5	1.58	4.28	-	100.00	-	100.00
81.00	84.00	3.00	R5	8.53	14.70	-	100.00	-	100.00
84.00	87.00	3.00	R3	16.80	25.60	-	100.00	-	100.00
87.00	90.00	3.00	R3	10.50	14.90	-	100.00	-	100.00
90.00	93.00	3.00	R3	12.30	17.40	-	100.00	-	100.00
93.00	96.00	3.00	R3	2.60	4.17	-	100.00	-	100.00
96.00	99.00	3.00	R3	1.90	4.31	-	100.00	-	100.00
99.00	102.00	3.00	R3	6.77	31.90	-	100.00	-	100.00
102.00	105.00	3.00	R4	4.88	23.80	-	100.00	-	100.00
105.00	108.00	3.00	R5	1.36	6.36	-	100.00	-	100.00
108.00	111.00	3.00	R5	7.51	18.00	-	100.00	-	100.00
111.00	114.00	3.00	R4	4.81	59.90	-	100.00	-	100.00
114.00	117.00	3.00	R4	0.51	1.26	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-82
Project: PLANET EXPLORATION
Project Number: 800125

117.00	120.00	3.00	R5	0.58	1.68	-	100.00	-	100.00
120.00	123.00	3.00	R5	1.53	6.51	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.15	0.71	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.14	0.20	-	100.00	-	100.00
135.00	138.00	3.00	R4	0.18	0.20	-	100.00	-	100.00
138.00	141.00	3.00	R5	0.17	0.20	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.22	0.31	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.19	0.25	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.18	0.27	-	100.00	-	100.00
150.00	153.00	3.00	R4	0.17	0.29	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.23	0.34	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.63	1.84	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.15	0.29	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.12	0.25	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.10	0.14	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.16	0.34	-	100.00	-	100.00
171.00	174.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
174.00	177.00	3.00	R5	0.06	0.14	-	100.00	-	100.00
177.00	180.00	3.00	R6	0.04	0.10	-	100.00	-	100.00
180.00	183.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.21	0.65	-	100.00	-	100.00
186.00	189.00	3.00	R5	0.17	0.23	-	100.00	-	100.00
189.00	192.00	3.00	R5	0.16	0.18	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.17	0.23	-	100.00	-	100.00
195.00	198.00	3.00	R5	0.09	0.14	-	100.00	-	100.00
198.00	201.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
201.00	204.00	3.00	R6	0.19	0.84	-	100.00	-	100.00
204.00	207.00	3.00	R5	0.10	0.18	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.54	2.41	-	100.00	-	100.00
210.00	213.00	3.00	R5	1.17	3.16	-	100.00	-	100.00
213.00	216.00	3.00	R5	0.12	0.40	-	100.00	-	100.00
216.00	219.00	3.00	R4	0.19	0.45	-	100.00	-	100.00
219.00	222.00	3.00	R4	0.16	0.38	-	100.00	-	100.00
222.00	225.00	3.00	R4	0.61	1.70	-	100.00	-	100.00
225.00	228.00	3.00	R4	0.30	0.91	-	100.00	-	100.00
228.00	231.00	3.00	R4	0.59	1.11	-	100.00	-	100.00
231.00	234.00	3.00	R4	0.82	2.90	-	100.00	-	100.00
234.00	237.00	3.00	R4	0.77	2.76	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-82
Project: PLANET EXPLORATION
Project Number: 800125

237.00	240.00	3.00	R4	0.22	0.32	-	100.00	-	100.00
--------	--------	------	----	------	------	---	--------	---	--------



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-83
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 90	Length: 27.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -50	Pulled: No	Claim No: Staked	Spotted by: T. Maciejewski
Length: 249.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 17-May-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 21-May-05		Level:	Surveyed Date: 13-Jul-05
Logged: 22-May-05		Coordinate- Gemcom	Logged by: L.C. Chastko
Wedged : No		Coordinate - UTM	Re-logged by:
Wedged from:	Core	Coordinate- Grid	Water Source: Upper Duck Lake
	Dimension: NQ	East: 461849.85	Water line:
	Original Units: M	East: 461850	Left in hole: Nothing
	Storage: Cochenour Mine	North: 5679701.65	Control Drilling: Stabilizer
		Elevation: 414.81	Cutting sampled: No
		Elevation: 415	Geophysical:
		UTM Zone: 15 (NAD27)	
Target: North Anderson 2005-G5			
Comments:			

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	94.04	-50.00	X	48.000	94.96	-47.20	X	96.000	96.06	-46.30	X
3.000	93.98	-49.81	X	51.000	94.94	-47.05	X	99.000	96.14	-46.25	X
6.000	94.07	-49.29	X	54.000	94.93	-46.93	X	102.000	96.29	-46.19	X
9.000	94.11	-48.76	X	57.000	94.92	-46.81	X	105.000	96.44	-46.14	X
12.000	94.10	-48.35	X	60.000	94.96	-46.67	X	108.000	96.65	-46.08	X
15.000	94.08	-48.35	X	63.000	95.02	-46.64	X	111.000	96.81	-46.04	X
18.000	94.17	-48.32	X	66.000	95.20	-46.62	X	114.000	97.00	-45.99	X
21.000	94.28	-48.29	X	69.000	95.37	-46.63	X	117.000	97.17	-45.93	X
24.000	94.33	-48.37	X	72.000	95.49	-46.65	X	120.000	97.33	-45.88	X
27.000	94.38	-48.35	X	75.000	95.59	-46.66	X	123.000	97.55	-45.83	X
30.000	94.49	-48.24	X	78.000	95.70	-46.65	X	126.000	97.74	-45.81	X
33.000	94.63	-48.07	X	81.000	95.76	-46.62	X	129.000	97.91	-45.78	X
36.000	94.77	-47.90	X	84.000	95.84	-46.59	X	132.000	98.09	-45.74	X
39.000	94.87	-47.67	X	87.000	95.91	-46.55	X	135.000	98.27	-45.73	X
42.000	94.89	-47.46	X	90.000	95.96	-46.49	X	138.000	98.47	-45.70	X
45.000	94.91	-47.34	X	93.000	95.99	-46.40	X	141.000	98.53	-45.68	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-83
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	98.68	-45.67	X
147.000	98.76	-45.64	X
150.000	98.81	-45.59	X
153.000	98.89	-45.58	X
156.000	98.96	-45.62	X
159.000	99.08	-45.61	X
162.000	99.10	-45.57	X
165.000	99.12	-45.55	X
168.000	99.15	-45.54	X
171.000	99.22	-45.53	X
174.000	99.39	-45.50	X
177.000	99.53	-45.44	X
180.000	99.65	-45.42	X
183.000	99.77	-45.40	X
186.000	99.95	-45.43	X
189.000	100.04	-45.43	X
192.000	100.14	-45.44	X
195.000	100.23	-45.43	X
198.000	100.30	-45.41	X
201.000	100.42	-45.39	X
204.000	100.46	-45.38	X
207.000	100.53	-45.39	X
210.000	100.63	-45.39	X
213.000	100.71	-45.39	X
216.000	100.80	-45.40	X
219.000	100.88	-45.39	X
222.000	100.97	-45.38	X
225.000	101.04	-45.37	X
228.000	101.11	-45.34	X
231.000	101.16	-45.32	X
234.000	101.28	-45.34	X
237.000	101.37	-45.34	X



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-83

Project : PLANET EXPLORATION

Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
0.00	27.00	(OB) OVERBURDEN Casing									
27.00	27.37	(7B) FELDSPAR PORPHYRY									
27.37	27.85	(1A) MASSIVE MAFIC VOLC dark green fine-medium grained, moderately biotitic trace to 1% po, cpy disseminated									
27.85	28.30	(5B) OXIDE FACIES IRON FORMATION Banded amphibolite-magnetite iron formation 20% fine bands magnetite interbanded with dark green amphibolite, locally folded	402062	27.40	28.40	1.00	0.13	0.004	128		<input type="checkbox"/>
28.30	37.60	(1A) MASSIVE MAFIC VOLC dark green, fine grained, 10-15% quartz-carbonate and skarny bands accompanied by minor bleaching and epidotization, weakly to moderately foliated at 40-45 to CA traces popy cpy with occasional weak stringer zones	402063 402064 402065 402066 402067 402068	28.40 30.00 31.00 32.00 33.00 34.00	30.00 31.00 32.00 33.00 34.00 35.00	1.60 1.00 1.00 1.00 1.00 1.00	0.03 0.02 0.06 0.02 0.08 0.01	0.001 <0.001 0.002 0.001 0.002 <0.001	33 17 60 18 81 13		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
37.60	41.37	(7B) FELDSPAR PORPHYRY subvolcanic feldspar porphyry, light brownish-buff, weakly biotitized, fine biotitic flecks, weak K-spar alteration weak to moderately foliated at 45 to CA 37.30 - 37.60 skarn- 15% FE carbonate 39.57 - 39.90 skarn alteration	402069	39.00	40.00	1.00	0.04	0.001	44		<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-83
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G. Comments</i>
41.37	43.40	(1A) MASSIVE MAFIC VOLC Mafic Volcanics dark green-amphibolite with moderate brown biotization, weak quartz-carbonate veining, minor epidotization along fractures								
43.40	44.30	(7B) FELDSPAR PORPHYRY subvolcanic feldspar porphyry mottled reddish brown due to biotite and irregular whitish K-spar alteration, noticeably finely porphyritic, weakly sheared and foliated at 40 to CA								
44.30	48.45	(1A) MASSIVE MAFIC VOLC Mafic Volcanics-amphibolite dark green, fine grained, weakly to moderately foliated at 40 to CA, 2-4% planar quartz-carbonate veinlets generally parallel to foliation traces to weak stringers popy, cpy sharp conformable contacts at 40 to CA	402070	44.00	45.00	1.00	0.11	0.003	108	<input type="checkbox"/>
48.45	51.85	(7B) FELDSPAR PORPHYRY subvolcanic feldspar porphyry mottled reddish brown due to biotite and irregular whitish K-spar alteration, noticeably finely porphyritic, weakly sheared and foliated at 40 to CA	402071	49.00	50.00	1.00	0.03	0.001	28	<input type="checkbox"/>
51.85	58.20	(6G) GABBRO Gabbro-possibly mafic volcanics dark green and brown, upper section well sheared to finely braided appearance, medium grained, variable folded foliation 5% quartz-carbonate stringers, lower section is relatively massive, gabbroic appearance, sharp conformable contacts at 40 and 45 to CA	402072	54.00	55.00	1.00	0.01	<0.001	7	<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-83
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
58.20	59.30	(7B) FELDSPAR PORPHYRY subvolcanic feldspar porphyry mottled reddish brown due to biotite and irregular whitish K-spar alteration, noticeably finely porphyritic, weakly sheared and foliated at 40 to CA, weak light green amphibole along fractures									
59.30	63.10	(1A) MASSIVE MAFIC VOLC Mafic Volcanics dark green fine grained, moderately sheared and foliated at 40 to CA, weakly biotitic, very weak quartz-carbonate veining <1% sharp conformable contacts at 40 to CA, traces popy cpy	402073	59.00	60.00	1.00	0.01	<0.001		7	<input type="checkbox"/>
63.10	64.50	(7B) FELDSPAR PORPHYRY subvolcanic feldspar porphyry mottled reddish brown due to biotite and irregular whitish K-spar alteration, noticeably finely porphyritic, weakly sheared and foliated at 40 to CA, weak light green amphibole along fractures									
64.50	69.70	(1K) KOMATIITES Komatiitic Basalt olive green with brown biotitic streaks, fine grained, moderately sheared and foliated at 40 to CA, weak to moderate pervasive carbonatization, 2-3% quartz- carbonate veinlets traces fine disseminated popy occasional cpy	402074	64.50	66.00	1.50	0.02	0.001		19	<input type="checkbox"/>
			402075	66.00	67.00	1.00	0.08	0.002		83	<input type="checkbox"/>
			402076	67.00	68.00	1.00	0.03	0.001		28	<input type="checkbox"/>
			402077	68.00	69.00	1.00	0.03	0.001		25	<input type="checkbox"/>
			402078	69.00	70.00	1.00	0.03	0.001		34	<input type="checkbox"/>
69.70	75.56	(7B) FELDSPAR PORPHYRY subvolcanic feldspar porphyry, 20% komatiitic altered skarn bands mottled reddish brown due to biotite and irregular whitish K-spar alteration, noticeably finely porphyritic, weakly sheared and foliated at 40 to CA, weak light green amphibole along fractures	402079	70.00	71.00	1.00	0.02	0.001		18	<input type="checkbox"/>
			402080	71.00	72.00	1.00	0.02	0.001		22	<input type="checkbox"/>
			402081	72.00	73.00	1.00	0.05	0.001		49	<input type="checkbox"/>
			402082	73.00	74.00	1.00	<0.01	<0.001		<5	<input type="checkbox"/>
			402083	74.00	75.00	1.00	0.24	0.007		237	<input type="checkbox"/>
			402084	75.00	76.00	1.00	0.06	0.002		64	<input type="checkbox"/>



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-83

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
75.56	81.65	(1K) KOMATIITES	402085	76.00	77.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		Komatiitic Basalt	402086	77.00	78.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		olive green with brown biotitic streaks, fine grained, moderately sheared and foliated at 40 to CA, weak to moderate pervasive carbonatization, 2-3% quartz-carbonate veinlets	402087	78.00	79.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		traces fine disseminated popy occasional cpy	402088	79.00	80.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402089	80.00	81.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402090	81.00	82.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
81.65	109.25	(1P) PILLOWED FLOWS	402091	84.00	85.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Mafic Volcanics-pillowed	402092	89.00	90.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		dark green, fine grained, moderately sheared and foliated especially along pillow rims, more massive centres, 5% fine quartz-carbonate stringers predominantly along salvages	402093	94.00	95.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		local patches dark fine hornblende crystals	402094	99.00	100.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		108.30 - 108.45 50\$ quartz-carbonate, 5% tourmaline masses	402095	104.00	105.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402096	105.00	106.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			402097	106.00	107.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			402098	107.00	108.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
109.25	111.50	(7B) FELDSPAR PORPHYRY									
		subvolcanic type									
		porphyritic to sheared out phenos, light reddish-brown biotite, weak to moderate K-spar alteration, moderately sheared and foliated at 50 to CA									
		109.48 - 109.70 mafic band-skarn altered									
111.50	113.00	(1A) MASSIVE MAFIC VOLC	402101	111.50	112.00	0.50	0.01	<0.001	11	<input type="checkbox"/>	
		dark green fine grained, well foliated to weakly biotitic banded	402102	112.00	113.10	1.10	0.03	0.001	27	<input type="checkbox"/>	
		111.78 - 111.83 (5B) OXIDE FACIES IRON FORMATION									
		band of amphibolite-magnetite at 45 to CA									
		112.74 - 112.80 (5B) OXIDE FACIES IRON FORMATION									
		similar to before									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-83
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
113.00	125.75	(7B) FELDSPAR PORPHYRY	402103	119.00	120.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
		similar to before	402104	121.94	123.00	1.06	<0.01	<0.001	<5	<input type="checkbox"/>	
		25-30% mafic 1A altered bands and minor skarn veins	402105	123.00	124.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		120.4 - 121.17 mafic band-altered	402106	124.00	125.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
		121.98 - 122.50 50% white quartz veining									
		122.78 - 123.75 mafic band-altered									
		123.18 - 123.60 mafic band - altered									
125.75	126.33	(1A) MASSIVE MAFIC VOLC									
		similar to before									
126.33	128.70	(7B) FELDSPAR PORPHYRY									
		subvolcanic type									
		similar to before									
		127.80 - 128.20 mafic band altered									
128.70	136.85	(1K) KOMATIITES	402107	129.00	130.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		dark olive green	402108	134.00	135.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
		2-3% quartz and carbonate stringers-fine, weakly to moderately chloritic									
136.85	143.80	(7B) FELDSPAR PORPHYRY	402109	139.00	140.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		subvolcanic type	402110	140.00	141.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		lightly biotitized, weak to moderate K-spar alteration, moderately fractured, bleached and altered along fractures	402111	141.00	142.00	1.00	0.33	0.010	327	<input type="checkbox"/>	
		140.75 - 141.05 white quartz vein at 55 to CA	402112	142.00	143.00	1.00	0.73	0.021	728	<input type="checkbox"/>	
		20% mafic bands and skarny bands	402113	143.00	144.00	1.00	0.02	0.001	22	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-83
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
143.80	150.25	(1K) KOMATIITES	402114	144.00	145.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		similar to before	402115	149.00	150.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
		local biotitic streaks and bands, 2-3% quartz and carbonate winlets, minor epidote									
150.25	152.90	(7B) FELDSPAR PORPHYRY									
		subvolcanic type									
		similar to above									
152.90	159.95	(1K) KOMATIITES	402116	154.00	155.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
		similar to before	402117	159.00	160.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		biotite and carbonate contact aureols									
159.95	163.35	(7B) FELDSPAR PORPHYRY									
		mixed zone with subvolcanic and chunky porphyry, 30% altered skarny mafic bands, 10% carbonate-calcite stringers and bands									
163.35	176.95	(1K) KOMATIITES	402118	164.00	165.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		dark olive green, fine grained, weak to moderately chloritic vs amphibole,	402119	169.00	170.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		moderately foliated at 55 to CA,	402120	170.00	171.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		2-3% quartz and carbonate-calcite veinlets, minor biotitic streaks	402121	171.00	172.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		173.83 - 174.32 (7B) FELDSPAR PORPHYRY	402122	172.00	173.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		chunky type, massive, non foliated, sharp conformable contacts	402123	173.00	174.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402124	174.00	175.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			402125	175.00	176.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			402126	176.00	177.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
176.95	180.35	(7B) FELDSPAR PORPHYRY	402127	177.00	178.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		subvolcanic type	402128	178.00	179.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		porphyritic to sheared out phenos, light reddish-brown biotite, weak K-spar alteration, weak skarn veinig	402129	179.00	180.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		179.44 - 179.95 mafic band altered-skarny 10-15% calcite									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-83
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
180.35	187.75	(1K) KOMATIITES	402130	180.00	181.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		similar to before	402131	181.00	182.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		moderately foliated, weak biotitic streaks and bands, 3% quartz and calcite veinlets generally parallel to foliation. Weakly chloritic, traces fine tourmaline occurring in patches	402132	182.00	183.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		186 - 187.75 generally low angle to CA well altered-biotitic bands 5-8% calcite veinlets	402133	183.00	184.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			402134	184.00	185.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			402135	185.00	186.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			402136	186.00	187.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			402137	187.00	188.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
187.75	198.53	(7B) FELDSPAR PORPHYRY	402138	188.00	189.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
		subvolcanic type	402139	189.00	190.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		light reddish-brown from biotitization, weak K-spar alteration in patches and along fractures, predominantly porphyritic wit bands with sheared out phenocrysts, weak to locally moderate fracturing accompanied by weak bleaching,	402140	190.00	191.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		5-10% altered mafic volcanic bands, 1-2% quartz and 1-2% calcite veining, foliation and banding at 55 to CA	402141	191.00	192.00	1.00	0.46	0.013	460	<input type="checkbox"/>	
		188.78 - 189.27 altered mafic band	402142	192.00	193.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
		192.1 - 192.3 altered mafic band	402143	193.00	194.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
		195.13 - 195.45 altered mafic band	402144	194.00	195.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402145	195.00	196.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			402146	196.00	197.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			402147	197.00	198.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402148	198.00	199.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
198.53	208.07	(1K) KOMATIITES	402151	199.00	200.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		similar to before	402152	200.00	201.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
		204 - 208.07 increased bleaching, 3% calcite stringers, more intense biotite streaks and irregular banding at 50 to CA	402153	201.00	202.00	1.00	0.22	0.006	220	<input type="checkbox"/>	
			402154	202.00	203.00	1.00	0.47	0.014	468	<input type="checkbox"/>	
			402155	203.00	204.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402156	204.00	205.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402157	205.00	206.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			402158	206.00	207.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402159	207.00	208.00	1.00	0.04	0.001	41	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-83
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
208.07	209.50	(7B) FELDSPAR PORPHYRY subvolcanic type similar to before 210.12 - 210.30 chunky porphyry dike	402160	208.00	209.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402161	209.00	210.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
209.50	218.50	(1A) MASSIVE MAFIC VOLC 60-65% mafic volcanics, 30-35% feldspar porphyry dikes-subvolcanic type	402162	210.00	211.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			402163	211.00	212.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402164	212.00	213.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402165	213.00	214.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402166	214.00	215.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			402167	215.00	216.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402168	216.00	217.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			402169	217.00	218.00	1.00	0.56	0.016	558	<input type="checkbox"/>	
218.50	238.32	(7B) FELDSPAR PORPHYRY subvolcanic type light reddish-brown-light biotitized, weak K-spar alteration in irregular bands and along fractures, weak to locally strong fracturing accompanied by variable bleaching, epidotization and carbonatization moderately sheared to banded at 55 to CA, minor narrow skarn veinlets 237.14 - 237.27 30-40% Fe carbonate veining at 40 to CA 237.27 - 237.44 pophyry 237.44 - 237.65 skarny band	402170	218.00	219.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			402171	219.00	220.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			402172	220.00	221.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
			402173	221.00	222.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402174	222.00	223.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			402175	223.00	224.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			402176	224.00	225.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			402177	225.00	226.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			402178	226.00	227.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			402179	227.00	228.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			402180	228.00	229.00	1.00	0.25	0.007	250	<input type="checkbox"/>	
			402181	229.00	230.00	1.00	0.12	0.003	119	<input type="checkbox"/>	
402182	230.00	231.00	1.00	0.03	0.001	30	<input type="checkbox"/>				
402183	231.00	232.00	1.00	0.03	0.001	34	<input type="checkbox"/>				
402184	232.00	233.00	1.00	0.02	0.001	18	<input type="checkbox"/>				
402185	233.00	234.00	1.00	0.03	0.001	25	<input type="checkbox"/>				
402186	234.00	235.00	1.00	0.01	<0.001	9	<input type="checkbox"/>				
402187	235.00	236.00	1.00	0.02	0.001	18	<input type="checkbox"/>				
402188	236.00	237.00	1.00	0.05	0.001	46	<input type="checkbox"/>				
402189	237.00	238.00	1.00	0.05	0.001	50	<input type="checkbox"/>				



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-83

Project : PLANET EXPLORATION

Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
238.32	249.00	(1J) BANDED AMPHIBOLITE	402190	238.00	239.00	1.00	0.09	0.002	86		
		mafic to intermediate	402191	239.00	240.00	1.00	0.02	<0.001	15		
		darkn greenish to brownish, well foliated and wek to moderately banded at 55 to	402192	240.00	241.00	1.00	<0.01	<0.001	<5		
		CA, weak epidote alteration bands, 2-3% fine quartz and calcite veinlets, traces	402193	241.00	242.00	1.00	0.02	0.001	21		
		tourmaline	402194	242.00	243.00	1.00	0.02	0.001	24		
			402195	243.00	244.00	1.00	0.05	0.001	49		
			402196	244.00	245.00	1.00	0.02	<0.001	17		
			402197	245.00	246.00	1.00	0.01	<0.001	10		
			402198	246.00	247.00	1.00	0.06	0.002	59		
			402201	247.00	248.00	1.00	0.92	0.027	924		
			402202	248.00	249.00	1.00	0.06	0.002	59		



Goldcorp Inc.
QC Report

Hole Number RL-05-83
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
108.00	402099	1991	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
108.01	402100	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
199.00	402149	2020	-	-	-	-	-	-	-	-	-	2.0	-	0.059	-	-
199.01	402150	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
247.00	402199	2103	-	-	-	-	-	-	-	-	-	2.1	-	0.061	-	-
247.01	402200	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-83
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
27.00	30.00	3.00	R5	22.10	110.00	-	100.00	-	100.00
30.00	33.00	3.00	R5	0.28	70.00	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.13	0.25	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.11	0.18	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.11	-0.03	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.66	2.03	-	100.00	-	100.00
45.00	48.00	3.00	R5	1.06	3.78	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.29	1.23	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.15	0.38	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.20	0.32	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.10	0.21	-	100.00	-	100.00
60.00	63.00	3.00	R5	0.20	0.21	-	100.00	-	100.00
63.00	66.00	3.00	R4	0.28	0.89	-	100.00	-	100.00
66.00	69.00	3.00	R4	0.26	0.40	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.09	0.30	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.43	1.99	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.21	0.45	-	100.00	-	100.00
78.00	81.00	3.00	R5	1.46	5.39	-	100.00	-	100.00
81.00	84.00	3.00	R5	0.83	1.17	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.28	0.32	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.43	0.82	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.24	0.31	-	100.00	-	100.00
93.00	96.00	3.00	R5	0.18	0.27	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.38	0.91	-	100.00	-	100.00
99.00	102.00	3.00	R5	0.31	0.75	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.14	0.20	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.17	0.29	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.09	0.20	-	100.00	-	100.00
111.00	114.00	3.00	R5	9.63	57.50	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.12	0.51	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.02	0.10	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.08	0.18	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.13	0.20	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.18	0.45	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.14	0.18	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.14	0.16	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.11	0.23	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-83
Project: PLANET EXPLORATION
Project Number: 800125

138.00	141.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.13	0.21	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.14	0.16	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.14	0.90	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.02	0.09	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.10	0.29	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.15	0.25	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.29	1.11	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.14	0.25	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.42	0.98	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.17	0.27	-	100.00	-	100.00
171.00	174.00	3.00	R5	0.41	1.11	-	100.00	-	100.00
174.00	177.00	3.00	R5	0.39	0.89	-	100.00	-	100.00
177.00	180.00	3.00	R5	0.09	0.21	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.15	0.34	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.13	0.16	-	100.00	-	100.00
186.00	189.00	3.00	R5	0.08	0.12	-	100.00	-	100.00
189.00	192.00	3.00	R6	0.07	0.12	-	100.00	-	100.00
192.00	195.00	3.00	R6	0.03	0.07	-	100.00	-	100.00
195.00	198.00	3.00	R6	0.10	0.21	-	100.00	-	100.00
198.00	201.00	3.00	R4	0.15	0.21	-	100.00	-	100.00
201.00	204.00	3.00	R4	0.23	0.51	-	100.00	-	100.00
204.00	207.00	3.00	R4	0.14	0.21	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.19	0.38	-	100.00	-	100.00
210.00	213.00	3.00	R4	0.25	0.45	-	100.00	-	100.00
213.00	216.00	3.00	R5	0.24	0.40	-	100.00	-	100.00
216.00	219.00	3.00	R5	0.90	1.84	-	100.00	-	100.00
219.00	222.00	3.00	R5	0.20	0.54	-	100.00	-	100.00
222.00	225.00	3.00	R5	0.07	0.12	-	100.00	-	100.00
225.00	228.00	3.00	R5	0.03	0.12	-	100.00	-	100.00
228.00	231.00	3.00	R5	0.09	0.32	-	100.00	-	100.00
231.00	234.00	3.00	R5	0.05	0.10	-	100.00	-	100.00
234.00	237.00	3.00	R5	0.10	0.34	-	100.00	-	100.00
237.00	240.00	3.00	R5	1.01	2.69	-	100.00	-	100.00
240.00	243.00	3.00	R4	0.81	1.17	-	100.00	-	100.00
243.00	246.00	3.00	R5	1.53	4.19	-	100.00	-	100.00
246.00	249.00	3.00	R5	1.94	5.70	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-84
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 146	Length: 18.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -50	Pulled: No	Claim No: Staked	Spotted by: L.C. Chastko
Length: 333.00 meters	Capped: No	NTS:	Coord Type: SUR
Started: 21-May-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 26-May-05		Level:	Surveyed Date: 13-Jul-05
Logged: 27-May-05		Coordinate - Gemcom	Logged by: L.C. Chastko
Wedged : No		Coordinate - UTM	Re-logged by:
Wedged from:	Core	Coordinate - Grid	Water Source: Upper Duck Lake
	Dimension: NQ	East: 461251.22	Water line:
	Original Units: M	East: 461251	Left in hole: Nothing
	Storage: Cochenour Mine	North: 5679508.29	Control Drilling:
		Elevation: 413.47	Cutting sampled: No
		UTM Zone: 15 (NAD27)	Geophysical:
Target: 2005-J1A			
Comments:			

Deviation Tests

Distance (m)	Azimuth	Dip	Type
0.000	149.02	-50.00	X
3.000	149.08	-49.81	X
6.000	149.01	-49.72	X
9.000	148.81	-49.64	X
12.000	148.64	-49.58	X
15.000	148.57	-49.51	X
18.000	148.54	-49.47	X
21.000	148.55	-49.47	X
24.000	148.57	-49.44	X
27.000	148.50	-49.44	X
30.000	148.46	-49.40	X
33.000	148.43	-49.34	X
36.000	148.38	-49.26	X
39.000	148.41	-49.19	X
42.000	148.38	-49.15	X
45.000	148.37	-49.08	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
48.000	148.41	-49.03	X
51.000	148.44	-48.97	X
54.000	148.40	-48.92	X
57.000	148.36	-48.87	X
60.000	148.40	-48.83	X
63.000	148.37	-48.81	X
66.000	148.36	-48.76	X
69.000	148.41	-48.75	X
72.000	148.37	-48.76	X
75.000	148.37	-48.76	X
78.000	148.44	-48.67	X
81.000	148.45	-48.57	X
84.000	148.45	-48.55	X
87.000	148.46	-48.53	X
90.000	148.52	-48.54	X
93.000	148.57	-48.52	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
96.000	148.61	-48.49	X
99.000	148.65	-48.46	X
102.000	148.67	-48.47	X
105.000	148.64	-48.46	X
108.000	148.58	-48.45	X
111.000	148.54	-48.45	X
114.000	148.60	-48.45	X
117.000	148.63	-48.46	X
120.000	148.64	-48.45	X
123.000	148.62	-48.40	X
126.000	148.57	-48.37	X
129.000	148.52	-48.34	X
132.000	148.53	-48.34	X
135.000	148.58	-48.36	X
138.000	148.57	-48.39	X
141.000	148.56	-48.34	X



Diamond Drill Hole Log

GoldCorp Inc.

Hole Number : RL-05-84
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	148.57	-48.30	X
147.000	148.57	-48.26	X
150.000	148.46	-48.21	X
153.000	148.45	-48.21	X
156.000	148.47	-48.20	X
159.000	148.48	-48.16	X
162.000	148.51	-48.12	X
165.000	148.63	-48.11	X
168.000	148.72	-48.11	X
171.000	148.77	-48.03	X
174.000	148.80	-48.04	X
177.000	148.85	-48.01	X
180.000	148.91	-48.02	X
183.000	148.97	-47.96	X
186.000	148.98	-47.86	X
189.000	149.00	-47.76	X
192.000	148.98	-47.68	X
195.000	149.02	-47.63	X
198.000	148.98	-47.58	X
201.000	149.04	-47.56	X
204.000	149.21	-47.57	X
207.000	149.35	-47.50	X
210.000	149.52	-47.37	X
213.000	149.65	-47.24	X
216.000	149.87	-47.08	X
219.000	149.97	-46.95	X
222.000	150.03	-46.82	X
225.000	150.10	-46.74	X
228.000	150.17	-46.65	X
231.000	150.29	-46.59	X
234.000	150.31	-46.55	X
237.000	150.40	-46.51	X
240.000	150.44	-46.44	X
243.000	150.44	-46.37	X
246.000	150.45	-46.38	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
249.000	150.46	-46.42	X
252.000	150.46	-46.41	X
255.000	150.53	-46.35	X
258.000	150.59	-46.29	X
261.000	150.62	-46.26	X
264.000	150.66	-46.25	X
267.000	150.61	-46.22	X
270.000	150.67	-46.14	X
273.000	150.71	-46.05	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-84
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	18.00	(OB) OVERBURDEN Casing									
18.00	130.30	(7B) FELDSPAR PORPHYRY VCK Feldspar Porphyry - subvolcanic type light patchy irregular reddish-brown due to light irregular biotitization with patchy to irregular crude bands of whitish K-spar alteration- variable down section, rock varies from finely porphyritic to fine grained with phenos sheared out, local sections appear weakly brecciated, overall 2-5% but locally higher concentrations occur irregularly distributed skarn type veining generally 1-5 cm diameter but up to 20 cm occur, these veins are generally dark green-diopside pale in some with variable carbonate and variable 1-8% po>py and cpy the rock is moderately sheared to locally weak to moderately banded due to shearing at 55-65 to CA traces to occassinal weak stringers in foliated occur in porphyry, most sulfides occur in skarny veins generally oriented at 50-60 to CA 42.20 - 42.25 light green fuchsitic band gradual decrease in deformation down section 100 m and down porphyry is relatively massive and fresh in appearance save for light biotitization and local patches and fracture controlled K-spar alteration, overall 1-2% narrow green skarny veinlets with only traces sulfides	402203	18.00	19.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			402204	19.00	20.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402205	20.00	20.80	0.80	0.01	<0.001	11	<input type="checkbox"/>	
			402206	20.80	21.45	0.65	3.04	0.089	3040	<input type="checkbox"/>	
			402207	21.45	22.00	0.55	0.03	0.001	25	<input type="checkbox"/>	
			402208	22.00	23.00	1.00	0.08	0.002	77	<input type="checkbox"/>	
			402209	23.00	24.00	1.00	0.37	0.011	374	<input type="checkbox"/>	
			402210	24.00	25.00	1.00	0.47	0.014	470	<input type="checkbox"/>	
			402211	25.00	26.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			402212	26.00	27.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			402213	27.00	28.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			402214	28.00	29.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
			402215	29.00	30.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402216	30.00	31.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			402217	31.00	32.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		18.00 - 42.00 (7B) FELDSPAR PORPHYRY VCK strongest skarn veining, decreasing in frequency and size down section, overall 3-5% 20.90 - 21.45 skarn veining and sulfides in sheared porphyry with 5-8% po>py 1% cpy ing irregular blebs and stringers	402218	32.00	33.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			402219	33.00	34.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			402220	34.00	35.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402221	35.00	36.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			402222	36.00	37.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			402223	37.00	38.00	1.00	1.78	0.052	1782	<input type="checkbox"/>	
		48.70 - 48.90 (7B) FELDSPAR PORPHYRY sheared porphyry with 5% po>py minor cpy	402224	38.00	39.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			402225	39.00	40.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402226	40.00	41.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402227	41.00	42.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
		56.18 - 56.73 (6A) DIORITE dark brownish-green, fine grained mafic dike, sharp contacts at 50-60 to CA	402228	42.00	43.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402229	43.00	44.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402230	44.00	45.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402231	45.00	46.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		66.57 - 70.00 (7B) FELDSPAR PORPHYRY moderately bleached, lightly epidotized and lightly silicified locally	402232	46.00	47.00	1.00	0.75	0.022	749	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-84

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			402233	47.00	48.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		85.85 - 88.00 (6) MAFIC-ULTRAMAFIC INTRUSIVES	402234	48.00	49.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
		70% mafic dike, 30% altered porphyry mix	402235	49.00	50.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			402236	50.00	51.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			402237	51.00	52.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			402238	52.00	53.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			402239	53.00	54.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			402240	54.00	55.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402241	55.00	56.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402242	56.00	57.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			402243	57.00	58.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			402244	58.00	59.00	1.00	0.76	0.022	761	<input type="checkbox"/>	
			402245	59.00	60.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			402246	60.00	61.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402247	61.00	62.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			402248	62.00	63.00	1.00	0.18	0.005	175	<input type="checkbox"/>	
			402251	63.00	64.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			402252	64.00	65.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402253	65.00	66.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			402254	66.00	67.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402255	67.00	68.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402256	68.00	69.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			402257	69.00	70.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			402258	70.00	71.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			402259	71.00	72.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402260	72.00	73.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402261	73.00	74.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402262	74.00	75.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			402263	75.00	76.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402264	76.00	77.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402265	77.00	78.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			402266	78.00	79.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402267	79.00	80.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402268	80.00	81.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402269	81.00	82.00	1.00	0.15	0.004	153	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-84
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			402270	82.00	83.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402271	83.00	84.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402272	84.00	85.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402273	85.00	86.00	1.00	0.23	0.007	225	<input type="checkbox"/>	
			402274	86.00	87.00	1.00	0.10	0.003	103	<input type="checkbox"/>	
			402275	87.00	88.00	1.00	0.14	0.004	141	<input type="checkbox"/>	
			402276	88.00	89.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402277	89.00	90.00	1.00	0.34	0.010	344	<input type="checkbox"/>	
			402278	90.00	91.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402279	91.00	92.00	1.00	0.63	0.018	633	<input type="checkbox"/>	
			402280	92.00	93.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			402281	93.00	94.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402282	94.00	95.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			402283	95.00	96.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402284	96.00	97.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402285	97.00	98.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402286	98.00	99.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402287	99.00	100.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402288	104.00	105.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			402289	109.00	110.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			402290	114.00	115.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402291	119.00	120.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402292	124.00	125.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402293	129.00	130.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
130.30	145.20	(1P) PILLOWED FLOWS	402294	130.00	131.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
		dark green, fine grained, amphibolitized, weakly foliated at 60 to CA, relatively massive save for narrow pillow savages that are lightlit epidotized, minor carbonate	39970	131.00	132.00	1.00	0.53	0.015	527	<input type="checkbox"/>	
			39971	132.00	133.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			39972	133.00	133.50	0.50	0.03	0.001	31	<input type="checkbox"/>	
		134.00 - 135.00 (7B) FELDSPAR PORPHYRY	39973	133.50	134.00	0.50	0.11	0.003	113	<input type="checkbox"/>	
		pink, kspar altered dyke, no feldspar phenos left; microfractured, 1% fgr aspy	402295	134.00	135.00	1.00	2.50	0.073	2500	<input type="checkbox"/>	
			39974	135.00	135.50	0.50	0.23	0.007	228	<input type="checkbox"/>	
			39975	135.50	136.00	0.50	0.29	0.009	294	<input type="checkbox"/>	
		137.47 - 137.80 (4) UNDIFF. CLASTIC SEDIMENTS	39976	136.00	136.50	0.50	0.04	0.001	40	<input type="checkbox"/>	
		interflow sediments or. possiblypillow salvage, biotite-amphibolite-carbonate-10% fine po	39977	136.50	137.00	0.50	0.06	0.002	55	<input type="checkbox"/>	
			402296	137.00	138.00	1.00	1.27	0.037	1265	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-84
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			39978	138.00	138.50	0.50	0.02	<0.001	17	<input type="checkbox"/>	
			39979	138.50	139.00	0.50	0.06	0.002	55	<input type="checkbox"/>	
			39980	139.00	140.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			39981	140.00	141.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
			39982	141.00	142.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
			39983	142.00	143.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			39984	143.00	144.00	1.00	0.16	0.005	158	<input type="checkbox"/>	
			402297	144.00	145.00	1.00	0.17	0.005	170	<input type="checkbox"/>	
145.20	155.27	(7B) FELDSPAR PORPHYRY	402298	145.00	146.00	1.00	0.31	0.009	306	<input type="checkbox"/>	
		subvolcanic type	39985	146.00	147.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		similar to before, porphyritic, relatively fresh, massive save for minor fractures, 1-2% narrow skarn veinlets, occasional calcite and/or quartz veinlet	39986	147.00	148.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			39987	148.00	149.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			39988	149.00	150.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			39989	150.00	151.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			39990	151.00	152.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			39991	152.00	153.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			39992	153.00	154.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			402301	154.00	155.00	1.00	0.16	0.005	157	<input type="checkbox"/>	
155.27	160.16	(1P) PILLOWED FLOWS	402302	155.00	156.00	1.00	0.20	0.006	203	<input type="checkbox"/>	
		dark green to patchy brownish-biotitized locally, similar to before; actinolitic;	39993	156.00	156.50	0.50	0.40	0.012	397	<input type="checkbox"/>	
		3 silicified brown k-alteration bands of 15-20cm with 2-3% ASPY, 2-3% po at 156.7m, 157.3m and 157.8m	39994	156.50	157.00	0.50	9.43	0.275	9425	<input type="checkbox"/>	3% aspy, 2% po
			39995	157.00	157.50	0.50	0.28	0.008	278	<input type="checkbox"/>	tr. aspy
			39996	157.50	158.00	0.50	0.25	0.007	253	<input type="checkbox"/>	0.5% aspy, 1% po
			39997	158.00	158.50	0.50	8.09	0.236	8091	<input type="checkbox"/>	3% aspy, 2% po
			39998	158.50	159.00	0.50	0.03	0.001	30	<input type="checkbox"/>	tr. po/aspy
			402303	159.00	160.00	1.00	0.19	0.006	191	<input type="checkbox"/>	
160.16	162.70	(7B) FELDSPAR PORPHYRY	414501	160.00	160.50	0.50	0.16	0.005	156	<input type="checkbox"/>	
		subvolcanic type, as before	414502	160.50	161.50	1.00	0.02	0.001	21	<input type="checkbox"/>	
			414503	161.50	162.00	0.50	0.04	0.001	38	<input type="checkbox"/>	
			414504	162.00	163.00	1.00	0.05	0.002	53	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-84
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
162.70	190.15	(1P) PILLOWED FLOWS	414505	163.00	164.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		dark green, fine grained, massive to weakly sheared and foliated at 60 to CA, altered salvages, lightly epidotized and carbonatized, minor tight fractures, 1-2% quartz and/or carbonate veinlets, minor movement indicated along some veins, local brownish biotitic patches	402304	164.00	165.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			414506	165.00	166.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			414507	166.00	167.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		170 - 190.15 5-10% quartz-carbonate veininig, movement indicated along some, generally oriented at 40-60 to CA, moderate fracturing through this section	414508	167.00	168.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			414509	168.00	169.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	tr. py/aspy
		178.80 - 179.15 (6) MAFIC-ULTRAMAFIC INTRUSIVES	402305	169.00	170.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
		dark brownish-green, fine grained, massive dike, sharp contacts at 65-75 to CA	414510	170.00	170.36	0.36	<0.01	<0.001	<5	<input type="checkbox"/>	
			402306	170.36	171.00	0.64	0.24	0.007	241	<input type="checkbox"/>	
			402307	171.00	172.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			402308	172.00	173.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
		180.45 - 181.70 (1P) PILLOWED FLOWS BX	402309	173.00	174.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
			402310	174.00	175.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402311	175.00	176.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			402312	176.00	177.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			402313	177.00	178.00	1.00	0.44	0.013	437	<input type="checkbox"/>	
			402314	178.00	179.00	1.00	0.72	0.021	722	<input type="checkbox"/>	
			402315	179.00	180.00	1.00	3.28	0.096	3283	<input type="checkbox"/>	
			402316	180.00	181.00	1.00	4.69	0.137	4685	<input type="checkbox"/>	
			402317	181.00	182.00	1.00	0.19	0.006	192	<input type="checkbox"/>	
			402318	182.00	183.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			402319	183.00	184.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402320	184.00	185.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			402321	185.00	186.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			402322	186.00	187.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			402323	187.00	188.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			402324	188.00	189.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			402325	189.00	190.00	1.00	0.15	0.004	150	<input type="checkbox"/>	
190.15	192.40	(7B) FELDSPAR PORPHYRY	402326	190.00	191.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		similar to before, porphyritic, sharp contacts at 50-55 to CA	402327	191.00	192.00	1.00	0.88	0.026	875	<input type="checkbox"/>	
		191.25 - 191.90 (1P) PILLOWED FLOWS									
		mafic band inclusion or possibly similar dike, sharp conformable contacts									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-84
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
192.40	202.40	(1P) PILLOWED FLOWS dark green, fine grained, weakly foliated at 55-65 to CA, 5% quartz and/or calcite veinlets generally <1 cm thickness traces popy	402328	192.00	193.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			402329	193.00	194.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
			402330	194.00	195.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			402331	195.00	196.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402332	196.00	197.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			402333	197.00	198.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
			402334	198.00	199.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			402335	199.00	200.00	1.00	0.12	0.003	118	<input type="checkbox"/>	
			402336	200.00	201.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			402337	201.00	202.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
202.40	211.48	(7B) FELDSPAR PORPHYRY subvolcanic type strongly porphyritic, 1-3 mm plag phenos, relatively massive, light reddish-brown biotitization, weak to locally moderate uneven K-spar alteration, 1-2% carbonate-calcite filled fractures 210.0 - 211.48 weakly brecciated, moderately sheared-loss of feldspar phenos, weakly banded foliation and vweak banding at 50-55 to CA traces popy and ASPY in last 20 cm	402338	202.00	203.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			402339	203.00	204.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402340	204.00	205.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402341	205.00	206.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			402342	206.00	207.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			402343	207.00	208.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402344	208.00	209.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402345	209.00	210.00	1.00	0.15	0.004	148	<input type="checkbox"/>	
			402346	210.00	211.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			402347	211.00	211.48	0.48	0.17	0.005	167	<input type="checkbox"/>	
211.48	213.65	(9D) SKARN SHR Deformation zone irregular erratic Biotite-Amphibolite laced with 15-20% irregular stringers white calcite, considerable small scale folding and contortion Mineralized with 1-2% fine needle and stubby ASPY along with 1-2% fine stringers po>py, ASPY locally concentrated weak stringers or fine matting, distinct contacts at 55 and 50 to CA	402348	211.48	212.00	0.52	2.09	0.061	2087	<input type="checkbox"/>	
			402351	212.00	212.50	0.50	1.78	0.052	1779	<input type="checkbox"/>	fine ASPY
			402352	212.50	213.00	0.50	0.41	0.012	413	<input type="checkbox"/>	fine aspy
			402353	213.00	213.65	0.65	1.13	0.033	1133	<input type="checkbox"/>	fine aspy
213.65	274.17	(1P) PILLOWED FLOWS dark green to lighter slightly bleached locally, minor biotic patches, weakly sheared and foliated at 55-60 to CA 5-8% irregularly spaced and concentrated planar to irregular quartz, quartz-calcite and calcite veinlets often with biotitic and/or diopside and tremolite margins 231 - 246 weak to moderate skarny alteration make up 20-25% of rock in this section	402354	213.65	214.00	0.35	0.06	0.002	62	<input type="checkbox"/>	
			402355	214.00	215.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402356	215.00	216.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			402357	216.00	217.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			402358	217.00	218.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			402359	218.00	219.00	1.00	0.02	0.001	21	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-84
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
231 - 241.6		moderately skarn altered	402360	219.00	220.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
233.90	233.92	biotitic skarny band with minor ASPY	402361	220.00	221.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
237.55	237.70	minor ASPY	402362	221.00	222.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
255 - 256.5		low angle quartz-calcite tourmaline vein along core 1-3 cm width	402363	222.00	223.00	1.00	0.18	0.005	175	<input type="checkbox"/>	
273.9	274.17	strongly biotitic contact	402364	223.00	224.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
229.18 - 230.40		(7B) FELDSPAR PORPHYRY	402365	224.00	225.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
		chunky type, weakly foliated at 55 to CA, Sharp contacts upper 45 lower 25 to CA	402366	225.00	226.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402367	226.00	227.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			402368	227.00	228.00	1.00	2.68	0.078	2681	<input type="checkbox"/>	
241.46 - 242.80		(7B) FELDSPAR PORPHYRY	402369	228.00	229.00	1.00	0.16	0.005	160	<input type="checkbox"/>	
		subvolcanic porphyry, sharp conformable contacts	402370	229.00	230.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			402371	230.00	231.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			402372	231.00	232.00	1.00	0.28	0.008	279	<input type="checkbox"/>	
			402373	232.00	233.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			402374	233.00	234.00	1.00	0.18	0.005	183	<input type="checkbox"/>	2 cm with aspy
			402375	234.00	235.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402376	235.00	236.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
			402377	236.00	237.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			402378	237.00	238.00	1.00	0.26	0.008	264	<input type="checkbox"/>	fine aspy
			402379	238.00	239.00	1.00	0.10	0.003	99	<input type="checkbox"/>	
			402380	239.00	240.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			402381	240.00	241.46	1.46	0.08	0.002	83	<input type="checkbox"/>	
			402382	241.46	242.80	1.34	0.02	<0.001	16	<input type="checkbox"/>	
			402383	242.80	244.00	1.20	0.03	0.001	26	<input type="checkbox"/>	
			402384	244.00	245.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			402385	245.00	246.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402386	246.00	247.00	1.00	0.66	0.019	659	<input type="checkbox"/>	
			402387	247.00	248.00	1.00	0.11	0.003	108	<input type="checkbox"/>	
			402388	248.00	249.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402389	249.00	250.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			402390	250.00	251.00	1.00	0.38	0.011	381	<input type="checkbox"/>	
			402391	251.00	252.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			402392	252.00	253.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			402393	253.00	254.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402394	254.00	255.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-84
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			402395	255.00	256.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402396	256.00	257.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			402397	257.00	258.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			402398	258.00	259.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402401	259.00	260.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402402	260.00	261.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			402403	261.00	262.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402404	262.00	263.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402405	263.00	264.00	1.00	0.33	0.009	325	<input type="checkbox"/>	
			402406	264.00	265.00	1.00	3.04	0.089	3039	<input type="checkbox"/>	
			402407	265.00	266.00	1.00	0.11	0.003	109	<input type="checkbox"/>	
			402408	266.00	267.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			402409	267.00	268.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			402410	268.00	269.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			402411	269.00	270.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402412	270.00	271.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			402413	271.00	272.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			402414	272.00	273.00	1.00	0.10	0.003	96	<input type="checkbox"/>	
			402415	273.00	274.17	1.17	0.01	<0.001	6	<input type="checkbox"/>	
274.17	277.00	(7B) FELDSPAR PORPHYRY	402416	274.17	275.00	0.83	<0.01	<0.001	<5	<input type="checkbox"/>	
		subvolcanic type, light brownish, fine grained, non porphyritic, weakly foliated at 55 to CA, sharp contacts at upper 50-strongly biotitic, lower 35 to CA	402417	275.00	276.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402418	276.00	277.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
277.00	279.20	(1P) PILLOWED FLOWS	402419	277.00	278.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		possibly pillowed, similar to before, weakly foliated at 55 to CA, weakly biotitic, moderate tight healed fractures, skarny lower contact	402420	278.00	279.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
279.20	286.50	(7B) FELDSPAR PORPHYRY	402421	279.00	280.00	1.00	0.25	0.007	251	<input type="checkbox"/>	
		well altered, low angle irregular alteration including biotitization, weak skarny bands	402422	280.00	281.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402423	281.00	282.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			402424	282.00	283.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			402425	283.00	284.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-84
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			402426	284.00	285.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402427	285.00	286.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402428	286.00	286.50	0.50	0.01	<0.001	8	<input type="checkbox"/>	
286.50	287.60	(7B) FELDSPAR PORPHYRY 70% calcite-minor quartz, 30 % medium green amphibole traces popysharp contacts at 35-40 to CA	402429	286.50	287.30	0.80	0.16	0.005	163	<input type="checkbox"/>	
287.60	297.00	(7B) FELDSPAR PORPHYRY subvolcanic type ,moderately porphyritic, moderately fractured 5-8% white quartz filled, minor calcite	402430	287.30	289.00	1.70	0.02	<0.001	17	<input type="checkbox"/>	
			402431	289.00	290.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402432	290.00	291.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402433	291.00	292.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402434	292.00	293.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			402435	293.00	294.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			402436	294.00	295.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402437	295.00	296.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402438	296.00	297.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
297.00	315.60	(7B) FELDSPAR PORPHYRY BX subvolcanic type hammered, brecciated strong K-spar alteration, weak biotitic alteration 10-15% dark green mafic dikes generally less than 1 m thickness cut through porphyry at high 60-65 to CA	402439	297.00	298.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			402440	298.00	299.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402441	299.00	300.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			402442	300.00	301.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		297.90 - 298.10 (6) MAFIC-ULTRAMAFIC INTRUSIVES dark green fine grained, sharp contacts at65 to CA	402443	301.00	302.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402444	302.00	303.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			402445	303.00	304.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			402446	304.00	305.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
		299.55 - 299.90 (6) MAFIC-ULTRAMAFIC INTRUSIVES similar to above, high angle contacts	402447	305.00	306.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402448	306.00	307.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402451	307.00	308.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402452	308.00	309.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		300.44 - 300.94 (6) MAFIC-ULTRAMAFIC INTRUSIVES as above, 5% carbonate-calcite veining, wek epidote veining	402453	309.00	310.00	1.00	0.11	0.003	114	<input type="checkbox"/>	
			402454	310.00	311.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402455	311.00	312.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		304.16 - 304.66 (6) MAFIC-ULTRAMAFIC INTRUSIVES as above	402456	312.00	313.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402457	313.00	314.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-84
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			402458	314.00	315.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		308.26 - 309.67 (6) MAFIC-ULTRAMAFIC INTRUSIVES	402459	315.00	316.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		as above									
315.60	322.00	(6) MAFIC-ULTRAMAFIC INTRUSIVES	402460	316.00	317.00	1.00	0.26	0.008	259	<input type="checkbox"/>	
		dike or volcanic, similar to narrower dikes above	402461	317.00	318.00	1.00	0.95	0.028	952	<input type="checkbox"/>	
		dark green fine grained, weak epidote veining, 5% calcite	402462	318.00	319.00	1.00	0.07	0.002	74	<input type="checkbox"/>	
			402463	319.00	320.00	1.00	0.36	0.011	362	<input type="checkbox"/>	
			402464	320.00	321.00	1.00	0.29	0.009	293	<input type="checkbox"/>	
			402465	321.00	322.00	1.00	1.37	0.040	1373	<input type="checkbox"/>	
322.00	333.00	(7B) FELDSPAR PORPHYRY BX	402466	322.00	323.00	1.00	0.12	0.003	120	<input type="checkbox"/>	
		several low angle somewhat irregular fault breccia zones general orientation at low angle 10-15 to CA, annealed fault consists of strong biotite-amphibole-calcite with altered 7B rafts between slices	402467	323.00	324.00	1.00	0.38	0.011	376	<input type="checkbox"/>	
		324.0 - 324.6 biotite-amphibole-calcite shist at low angle	402468	324.00	324.60	0.60	0.02	0.001	19	<input type="checkbox"/>	
		324.6 - 325.75 7B block	402469	324.60	325.60	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		325.75 -326.60 biotite-amphibole-calcite at low angle, gouge and 7B, 10% white quartz	402470	325.60	326.60	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402471	326.60	328.00	1.40	<0.01	<0.001	<5	<input type="checkbox"/>	
		326.6 - 333 predominantly 7B with irregular in and out low angle, skarn and quartz veining	402472	328.00	329.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402473	329.00	330.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402474	330.00	331.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402475	331.00	332.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402476	332.00	333.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-84
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> <i>(m)</i>	<i>Sample</i>	<i>Au</i> <i>(ppb)</i>	<i>Cu</i> <i>(ppm)</i>	<i>Pt</i> <i>(ppb)</i>	<i>Ni</i> <i>(%)</i>	<i>Cu</i> <i>(%)</i>	<i>Ni</i> <i>(ppm)</i>	<i>Pd</i> <i>(ppb)</i>	<i>Zn</i> <i>(%)</i>	<i>Ag</i> <i>(ppm)</i>	<i>Pb</i> <i>(%)</i>	<i>Au</i> <i>(g/t)</i>	<i>Rh</i> <i>(ppb)</i>	<i>Au</i> <i>(Oz/t)</i>	<i>Zn</i> <i>(ppm)</i>	<i>S</i> <i>(%)</i>
63.00	402249	2124	-	-	-	-	-	-	-	-	-	2.1	-	0.062	-	-
63.01	402250	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
146.00	402299	2259	-	-	-	-	-	-	-	-	-	2.3	-	0.066	-	-
146.01	402300	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
159.00	39999	2256	-	-	-	-	-	-	-	-	-	2.3	-	0.066	-	-
159.01	40000	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
212.00	402349	1984	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
212.01	402350	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
259.00	402399	2155	-	-	-	-	-	-	-	-	-	2.2	-	0.063	-	-
259.01	402400	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
307.00	402449	2358	-	-	-	-	-	-	-	-	-	2.4	-	0.069	-	-
307.01	402450	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-84
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
18.00	21.00	3.00	R5	0.10	0.14	-	100.00	-	100.00
21.00	24.00	3.00	R5	0.25	0.49	-	100.00	-	100.00
24.00	27.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
27.00	30.00	3.00	R5	2.48	7.08	-	100.00	-	100.00
30.00	33.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.05	0.07	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.27	0.73	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.03	0.09	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.02	0.05	-	100.00	-	100.00
45.00	48.00	3.00	R6	0.00	0.00	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.01	0.01	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.04	0.07	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.02	0.05	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.18	0.38	-	100.00	-	100.00
60.00	63.00	3.00	R5	0.21	0.31	-	100.00	-	100.00
63.00	66.00	3.00	R6	0.21	0.27	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.16	0.34	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.19	0.29	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.04	0.10	-	100.00	-	100.00
75.00	78.00	3.00	R6	0.02	0.05	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.01	0.01	-	100.00	-	100.00
81.00	84.00	3.00	R5	0.08	0.18	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.50	1.13	-	100.00	-	100.00
87.00	90.00	3.00	R4	0.17	0.53	-	100.00	-	100.00
90.00	93.00	3.00	R4	0.01	0.03	-	100.00	-	100.00
93.00	96.00	3.00	R4	0.00	0.00	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.06	0.12	-	100.00	-	100.00
99.00	102.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.02	0.07	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.06	0.21	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.02	0.09	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.04	0.12	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.03	0.10	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.04	0.10	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-84
Project: PLANET EXPLORATION
Project Number: 800125

129.00	132.00	3.00	R5	0.14	0.25	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.33	0.82	-	100.00	-	100.00
135.00	138.00	3.00	R4	0.31	1.24	-	100.00	-	100.00
138.00	141.00	3.00	R4	0.61	2.17	-	100.00	-	100.00
141.00	144.00	3.00	R4	0.25	0.43	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.18	0.38	-	100.00	-	100.00
147.00	150.00	3.00	R4	0.01	0.05	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.04	0.07	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.09	0.33	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.09	0.45	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.14	0.38	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.96	3.98	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.87	3.29	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.13	0.27	-	100.00	-	100.00
171.00	174.00	3.00	R4	0.12	0.18	-	100.00	-	100.00
174.00	177.00	3.00	R4	0.67	2.23	-	100.00	-	100.00
177.00	180.00	3.00	R4	0.29	0.29	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.23	0.29	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.24	0.36	-	100.00	-	100.00
186.00	189.00	3.00	R5	0.26	0.65	-	100.00	-	100.00
189.00	192.00	3.00	R5	0.18	0.40	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.16	0.18	-	100.00	-	100.00
195.00	198.00	3.00	R5	0.57	1.73	-	100.00	-	100.00
198.00	201.00	3.00	R5	0.19	0.23	-	100.00	-	100.00
201.00	204.00	3.00	R5	0.08	0.14	-	100.00	-	100.00
204.00	207.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.05	0.10	-	100.00	-	100.00
210.00	213.00	3.00	R5	1.47	3.55	-	100.00	-	100.00
213.00	216.00	3.00	R5	0.72	1.86	-	100.00	-	100.00
216.00	219.00	3.00	R5	0.43	0.75	-	100.00	-	100.00
219.00	222.00	3.00	R5	0.34	0.65	-	100.00	-	100.00
222.00	225.00	3.00	R5	0.62	1.04	-	100.00	-	100.00
225.00	228.00	3.00	R5	0.19	0.31	-	100.00	-	100.00
228.00	231.00	3.00	R5	0.23	0.56	-	100.00	-	100.00
231.00	234.00	3.00	R5	0.43	1.37	-	100.00	-	100.00
234.00	237.00	3.00	R5	0.70	2.74	-	100.00	-	100.00
237.00	240.00	3.00	R5	0.26	0.56	-	100.00	-	100.00
240.00	243.00	3.00	R6	0.15	0.27	-	100.00	-	100.00
243.00	246.00	3.00	R5	0.26	0.64	-	100.00	-	100.00
246.00	249.00	3.00	R5	0.82	2.74	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-84
Project: PLANET EXPLORATION
Project Number: 800125

249.00	252.00	3.00	R5	0.25	0.56	-	100.00	-	100.00
252.00	255.00	3.00	R5	0.18	0.25	-	100.00	-	100.00
255.00	258.00	3.00	R5	0.45	1.62	-	100.00	-	100.00
258.00	261.00	3.00	R5	0.27	0.49	-	100.00	-	100.00
261.00	264.00	3.00	R5	0.27	0.60	-	100.00	-	100.00
264.00	267.00	3.00	R5	0.98	3.97	-	100.00	-	100.00
267.00	270.00	3.00	R5	0.47	1.39	-	100.00	-	100.00
270.00	273.00	3.00	R5	0.45	1.28	-	100.00	-	100.00
273.00	276.00	3.00	R5	0.16	0.23	-	100.00	-	100.00
276.00	279.00	3.00	R6	0.22	0.34	-	100.00	-	100.00
279.00	282.00	3.00	R4	0.17	0.21	-	100.00	-	100.00
282.00	285.00	3.00	R4	0.27	0.64	-	100.00	-	100.00
285.00	288.00	3.00	R5	0.04	0.09	-	100.00	-	100.00
288.00	291.00	3.00	R6	0.56	1.55	-	100.00	-	100.00
291.00	294.00	3.00	R6	0.87	1.42	-	100.00	-	100.00
294.00	297.00	3.00	R5	0.38	1.02	-	100.00	-	100.00
297.00	300.00	3.00	R6	0.26	1.13	-	100.00	-	100.00
300.00	303.00	3.00	R6	0.04	0.16	-	100.00	-	100.00
303.00	306.00	3.00	R6	0.03	0.12	-	100.00	-	100.00
306.00	309.00	3.00	R6	0.13	0.34	-	100.00	-	100.00
309.00	312.00	3.00	R6	0.07	0.27	-	100.00	-	100.00
312.00	315.00	3.00	R6	0.07	0.18	-	100.00	-	100.00
315.00	318.00	3.00	R6	0.74	1.06	-	100.00	-	100.00
318.00	321.00	3.00	R6	0.18	0.45	-	100.00	-	100.00
321.00	324.00	3.00	R6	0.03	0.07	-	100.00	-	100.00
324.00	327.00	3.00	R6	0.00	0.03	-	100.00	-	100.00
327.00	330.00	3.00	R6	0.02	0.06	-	100.00	-	100.00
330.00	333.00	3.00	R6	0.04	0.90	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-85
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 95.64	Length: 16.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -50	Pulled: No	Claim No: Staked	Spotted by: L.C. Chastko
Length: 282.00 meters	Capped: No	NTS:	Coord Type: SUR
Started: 26-May-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 29-May-05		Level:	Surveyed Date: 13-Jul-05
Logged: 31-May-05	Core	Coordinate- Gemcom	Logged by: L.C. Chastko
Wedged : No	Dimension: NQ	East: 461994.60	Re-logged by:
Wedged from:	Original Units: M	North: 5679598.40	Water Source: Upper Duck Lake
	Storage: Cochenour Mine	Elevation: 410.61	Water line:
		UTM Zone: 15 (NAD27)	Left in hole: Nothing
Target: 2005-G6			Control Drilling: Stabilizer
Comments:			Cutting sampled: No
			Geophysic:

<u>Deviation Tests</u>	<u>Deviation Tests</u>	<u>Deviation Tests</u>									
<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>	<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>	<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>
0.000	95.02	-50.00	X	48.000	94.26	-48.02	X	96.000	94.42	-47.23	X
3.000	95.10	-49.76	X	51.000	94.21	-47.94	X	99.000	94.45	-47.17	X
6.000	94.97	-49.51	X	54.000	94.18	-47.84	X	102.000	94.40	-47.09	X
9.000	94.71	-49.28	X	57.000	94.21	-47.73	X	105.000	94.36	-47.02	X
12.000	94.47	-48.96	X	60.000	94.26	-47.66	X	108.000	94.38	-46.95	X
15.000	94.37	-48.78	X	63.000	94.30	-47.64	X	111.000	94.43	-46.89	X
18.000	94.35	-48.72	X	66.000	94.28	-47.62	X	114.000	94.45	-46.84	X
21.000	94.32	-48.65	X	69.000	94.30	-47.62	X	117.000	94.52	-46.79	X
24.000	94.34	-48.56	X	72.000	94.26	-47.62	X	120.000	94.59	-46.76	X
27.000	94.38	-48.49	X	75.000	94.19	-47.58	X	123.000	94.62	-46.75	X
30.000	94.37	-48.43	X	78.000	94.10	-47.50	X	126.000	94.63	-46.73	X
33.000	94.37	-48.34	X	81.000	94.09	-47.42	X	129.000	94.59	-46.74	X
36.000	94.37	-48.25	X	84.000	94.09	-47.37	X	132.000	94.57	-46.72	X
39.000	94.33	-48.17	X	87.000	94.18	-47.31	X	135.000	94.55	-46.70	X
42.000	94.35	-48.11	X	90.000	94.31	-47.26	X	138.000	94.57	-46.67	X
45.000	94.29	-48.06	X	93.000	94.41	-47.25	X	141.000	94.52	-46.63	X



Diamond Drill Hole Log

GoldCorp Inc.

Hole Number : RL-05-85

Project : PLANET EXPLOR

Project Number: 800125

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
144.000	94.53	-46.60	X
147.000	94.57	-46.58	X
150.000	94.63	-46.57	X
153.000	94.72	-46.59	X
156.000	94.71	-46.55	X
159.000	94.68	-46.55	X
162.000	94.67	-46.54	X
165.000	94.62	-46.53	X
168.000	94.56	-46.51	X
171.000	94.50	-46.51	X
174.000	94.52	-46.47	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-85
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
0.00	15.40	(OB) OVERBURDEN Casing									
15.40	32.60	(1K) KOMATIITES bright olive green with brown biotitic streaks and bands, fine grained, well foliated and weakly banded at 55 to CA, weak 1-2% white quartz veinlets often disrupted and boudened, 2% fine calcite veinlets, occasional tourmaline in weak patches and stringers	402477	16.00	17.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402478	17.00	18.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402479	18.00	19.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402480	19.00	20.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402481	20.00	21.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		21.96 - 22.31 (6A) DIORITE dark brownish-green, fine grained, massive with weak fractures, sharp conformable contacts at 55 to CA	402482	21.00	22.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402483	22.00	23.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			402484	23.00	24.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402485	24.00	25.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402486	25.00	26.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402487	26.00	27.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402488	27.00	28.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402489	28.00	29.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402490	29.00	30.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402491	30.00	31.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402492	31.00	32.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402493	32.00	33.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
32.60	34.20	(6A) DIORITE dark brownish green, fine grained, relative massive, sharp conformable contacts at 55 to CA, 10-15% volcanic slivers	402494	33.00	34.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
34.20	35.50	(1J) BANDED AMPHIBOLITE irregular cm banded greens and browns varying from amphibole rich +/- epidote, brown biotite rich, and brownish-grey quartz rich bands, well foliated and moderately banded at 55-60 to CA, weak fine quartz and calcite veinlets generally mm in thickness	402495	34.00	35.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402496	35.00	36.00	1.00	0.10	0.003	98	<input type="checkbox"/>	
		35.30 - 35.50 (FLT) FAULT BX breccia, broken, cemented with calcite orientation at 50? To CA									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-85
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G. Comments</i>
35.50	36.00	(7B) FELDSPAR PORPHYRY subvolcanic type light brownish-buff, fine grained weakly foliated at 57 to CA								
36.00	37.05	(1J) BANDED AMPHIBOLITE similar to above 36.78 - 36.92 mafic dike	402497	36.00	37.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
37.05	37.60	(6A) DIORITE brownish green, fine to medium grained, relatively massive, sharp contacts, upper and lower cutting foiation acutely at 45 to CA,	402498	37.00	38.00	1.00	0.03	0.001	32	<input type="checkbox"/>
37.60	68.00	(1J) BANDED AMPHIBOLITE variable greens, browns and greys-amphibole, biotite, quartz rich irregular bands generally cm scale, well foliated and moderately to well banded at 55-65 to CA- variable, local weak small scale contortions, 1-2% white quartz veing often boudened or disrupted, 2-3% fine veinlets of calcite, weak to moderate epidotization along selective bands overall 1-2% popy, occurring as fine disseminated to weak fine stringers with several local sections with 2-5% popy over 20-50 cm 50.5 - 51.0 2% pypo infine stringers 58.0 - 58.9 5% pypo with heavy bands over 1-2 cm	402501	38.00	39.00	1.00	0.04	0.001	44	<input type="checkbox"/>
			402502	39.00	40.00	1.00	0.01	<0.001	8	<input type="checkbox"/>
			402503	40.00	41.00	1.00	0.09	0.003	86	<input type="checkbox"/>
			402504	41.00	42.00	1.00	0.03	0.001	31	<input type="checkbox"/>
			402505	42.00	43.00	1.00	0.14	0.004	137	<input type="checkbox"/>
			402506	43.00	44.00	1.00	0.07	0.002	67	<input type="checkbox"/>
			402507	44.00	45.00	1.00	0.04	0.001	38	<input type="checkbox"/>
			402508	45.00	46.00	1.00	0.13	0.004	133	<input type="checkbox"/>
			402509	46.00	47.00	1.00	0.01	<0.001	14	<input type="checkbox"/>
		40.48 - 41.35 (7B) FELDSPAR PORPHYRY	402510	47.00	48.00	1.00	0.07	0.002	71	<input type="checkbox"/>
		subvolcanic type	402511	48.00	49.00	1.00	0.18	0.005	183	<input type="checkbox"/>
		light brownish, fine grained, moderately foliated at 60 to CA	402512	49.00	50.00	1.00	0.04	0.001	39	<input type="checkbox"/>
		41.35 - 41.45 white quartz vein at contact	402513	50.00	51.00	1.00	0.01	<0.001	13	<input type="checkbox"/>
			402514	51.00	52.00	1.00	0.02	0.001	24	<input type="checkbox"/>
		67.06 - 67.33 (7B) FELDSPAR PORPHYRY	402515	52.00	53.00	1.00	0.04	0.001	37	<input type="checkbox"/>
		similar to above	402516	53.00	54.00	1.00	0.09	0.002	85	<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-85
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			402517	54.00	55.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			402518	55.00	56.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402519	56.00	57.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			402520	57.00	58.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			402521	58.00	59.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			402522	59.00	60.00	1.00	0.39	0.012	394	<input type="checkbox"/>	
			402523	60.00	61.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			402524	61.00	62.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			402525	62.00	63.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			402526	63.00	64.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
			402527	64.00	65.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402528	65.00	66.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402529	66.00	67.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402530	67.00	68.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
68.00	75.82	(7B) FELDSPAR PORPHYRY	402531	68.00	69.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		subvolcanic type	402532	69.00	70.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		moderately porphyritic relatively massive to locally weakly to moderately sheared and foliated, moderately fractured-tight healed, light reddish-brown biotitization,, weak to local moderate K-spar alteration along fractures	402533	70.00	71.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		2% quartz-tourmaline veining	402534	71.00	72.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		75.2 - late fault broken core over 5-10 cm	402535	72.00	73.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		75.70 - 75.82 (FLT) FAULT	402536	73.00	74.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		broken core	402537	74.00	75.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402538	75.00	76.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
75.82	76.52	(1A) MASSIVE MAFIC VOLC	402539	76.00	77.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		mafic volcanics									
76.52	77.90	(7B) FELDSPAR PORPHYRY	402540	77.00	78.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		chunky feldspar porphyry dike									
		weakly foliated, sharp contacts at 25-30 to CA									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-85
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
77.90	123.00	(1A) MASSIVE MAFIC VOLC	402541	78.00	79.00	1.00	0.08	0.002	79	<input type="checkbox"/>	
		mafic volcanics relatively massive weakly foliated gradual gradation into moderately foliated and banded at 50-55 to Ca weak biotitic streaks overall 1-2% white quartz veinlets, 2-3% fine veinlets calcite with local concentrations of 10-15% over a meter	402542	79.00	80.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		103.35 - 103.90 15-20% calcite veinlets parallel to foliation	402543	80.00	81.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		121 -123 well sheared foliated contact area gradational arbitrary from mafic volcanic to sheared gabbro	402544	81.00	82.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			402545	82.00	83.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402546	83.00	84.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402547	84.00	85.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		119.00 - 119.79 (7B) FELDSPAR PORPHYRY	402548	85.00	86.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		subvolcanic type dke, sharp contacts at 55 to CA	402551	86.00	87.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402552	87.00	88.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			402553	88.00	89.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402554	89.00	90.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402555	90.00	91.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402556	91.00	92.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402557	92.00	93.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402558	93.00	94.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402559	94.00	95.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402560	95.00	96.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402561	96.00	97.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402562	97.00	98.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402563	98.00	99.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402564	99.00	100.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402565	100.00	101.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402566	101.00	102.00	1.00	0.15	0.004	153	<input type="checkbox"/>	
			402567	102.00	103.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402568	103.00	104.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402569	104.00	105.00	1.00	0.12	0.004	122	<input type="checkbox"/>	
			402570	105.00	106.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402571	106.00	107.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			402572	107.00	108.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			402573	108.00	109.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402574	109.00	110.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402575	110.00	111.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402576	111.00	112.00	1.00	0.02	<0.001	20	<input type="checkbox"/>	
			402577	112.00	113.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-85
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			402578	113.00	114.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402579	114.00	115.00	1.00	0.10	0.003	101	<input type="checkbox"/>	
			402580	115.00	116.00	1.00	0.08	0.002	83	<input type="checkbox"/>	
			402581	116.00	117.00	1.00	0.08	0.002	77	<input type="checkbox"/>	
			402582	117.00	118.00	1.00	0.22	0.007	223	<input type="checkbox"/>	
			402583	118.00	119.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			402584	119.00	120.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			402585	120.00	121.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			402586	121.00	122.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			402587	122.00	123.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
123.00	150.10	(6G) GABBRO	402588	123.00	124.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
		gabbro	402589	124.00	125.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
		dark green grades from sheared well foliated upper contact to relatively massive	402590	125.00	126.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
		medium grained and a gradational fining down section, relatively massive to	402591	129.00	130.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		weakly foliated, 5% quartz-calcite veinlets and fracture fillings traces popy	402592	134.00	135.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		occasional cpy	402593	139.00	140.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		147.45 - 147.90 (Q) QUARTZ	402594	144.00	145.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		100% quartz vein at 50 to CA	402595	147.00	148.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			402596	148.00	149.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			402597	149.00	150.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
150.10	155.90	(7B) FELDSPAR PORPHYRY	402598	150.00	151.00	1.00	0.09	0.003	93	<input type="checkbox"/>	
		subvolcanic type, lightly biotitized and K-spar altered, well foliated at 35-40 to CA	402601	153.00	154.00	1.00	0.30	0.009	296	<input type="checkbox"/>	
		151.80 - 152.60 mafic altered band	402602	154.00	155.00	1.00	0.10	0.003	103	<input type="checkbox"/>	
		153.80 - 154.50 mafic band minor skarn alteration	402603	155.00	156.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
		155.40 - 155.65 mafic altered band									
155.90	157.00	(9D) SKARN	402604	156.00	157.00	1.00	0.16	0.005	155	<input type="checkbox"/>	
		50% Fe carbonate, 50% skarn, at 30 to CA traces popy, 2% quartz veining,									
		traces popy cpy									



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-85

Project : PLANET EXPLORATION

Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
157.00	159.65	(7B) FELDSPAR PORPHYRY	402605	157.00	158.00	1.00	0.52	0.015	515	<input type="checkbox"/>	
		subvolcanic type	402606	158.00	159.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		foliated to irregularly banded at 35 to CA, 5% skarn type veining, 2% quartz veining, lightly biotitized, weakly bleached locally, weak K-spar alteration	402607	159.00	160.00	1.00	0.10	0.003	97	<input type="checkbox"/>	
159.65	166.25	(1A) MASSIVE MAFIC VOLC SHSI	402608	160.00	161.00	1.00	0.17	0.005	171	<input type="checkbox"/>	
		finely banded brown-biotitic-green-amphibole-diopside-epidote, whitish-calcite, fine grained well sheared and banded at 35 to CA, minimal folding or contortion	402609	161.00	162.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
		traces popy occasional cpy	402610	162.00	163.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			402611	163.00	164.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			402612	164.00	165.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			402613	165.00	166.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
166.25	167.85	(7B) FELDSPAR PORPHYRY	402614	166.00	167.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
		subvolcanic type, moderately sheared to banded at 35 to CA, 5% narrow skarny veinlets with traces sulfides	402615	167.00	168.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		lightly biotitized and K-spar altered									
167.85	172.20	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	402616	168.00	169.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
		dark green, fine to medium grained, possibly gabbro, light biotitic patches, 2% quartz/carbonate filled fractures, weakly foliated at 35-40 to CA	402617	169.00	170.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			402618	170.00	171.00	1.00	0.27	0.008	273	<input type="checkbox"/>	
			402619	171.00	172.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
172.20	187.32	(7B) FELDSPAR PORPHYRY	402620	172.00	173.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
		subvolcanic type	402621	173.00	174.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		varies from porphyritic to sheared and altered weakly to non porphyritic, light reddish brown due to light biotitization, variable K-spar alteration, local intense bleaching, overall moderately foliated and weakly to locally moderately banded at 35-40 to CA	402622	174.00	175.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			402623	175.00	176.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			402624	176.00	177.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		1% quartz veining and 3% fine skarn type veining, overall traces popy	402625	177.00	178.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		sharp conformable contacts	402626	178.00	179.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			402627	179.00	180.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			402628	180.00	181.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			402629	181.00	182.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			402630	182.00	183.00	1.00	0.03	0.001	31	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-85
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			402631	183.00	184.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			402632	184.00	185.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			402633	185.00	186.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			402634	186.00	187.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
187.32	202.70	(1A) MASSIVE MAFIC VOLC	402635	187.00	188.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
		generally dark green with brownish biotitic weak bands and wisps, fine grained, varies from weakly to well foliated locally, 5% quartz-carbonate and 1% white quartz stringers, weak epidotization along fractures and weak shear planes, traces popy	402636	188.00	189.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			402637	189.00	190.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402638	190.00	191.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402639	191.00	192.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402640	192.00	193.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			402641	193.00	194.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			402642	194.00	195.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			402643	195.00	196.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			402644	196.00	197.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			402645	197.00	198.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			402646	198.00	199.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			402647	199.00	200.00	1.00	0.12	0.003	117	<input type="checkbox"/>	
			402648	200.00	201.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402651	201.00	202.00	1.00	0.25	0.007	247	<input type="checkbox"/>	
			402652	202.00	203.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
202.70	217.50	(7B) FELDSPAR PORPHYRY	402653	203.00	204.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		subvolcanic type	402654	204.00	205.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		similar to above	402655	205.00	206.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
		213.5 - 217.5 weakly brecciated, strongly bleached buffish, strong K-spar alteration	402656	206.00	207.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402657	207.00	208.00	1.00	0.20	0.006	202	<input type="checkbox"/>	
			402658	208.00	209.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			402659	209.00	210.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			402660	210.00	211.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			402661	211.00	212.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402662	212.00	213.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402663	213.00	214.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402664	214.00	215.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402665	215.00	216.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402666	216.00	217.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-85
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			402667	217.00	218.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
217.50	220.40	(7B) FELDSPAR PORPHYRY VCK	402668	218.00	219.00	1.00	0.09	0.003	86	<input type="checkbox"/>	
		Porphyry-skarn	402669	219.00	220.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
		highly altered, brownish-green, moderately foliated to irregular weakly banded, brownish porphyry and greenish skarny bands, weak andalusite-staurolite alteration 1% fine disseminated popy occasional cpy, traces fine needle ASPY, lower contact with diorite dike is very indistinct-arbitrary									
220.40	223.56	(6A) DIORITE	402670	220.00	221.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
		dark grey-black, fine grained, plag-quartz-bio, fine grained, massive	402671	221.00	222.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		very indistinct contacts	402672	222.00	223.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			402673	223.00	224.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
223.56	230.20	(7B) FELDSPAR PORPHYRY VCK	402674	224.00	225.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		Subvolcanic type-highly altered	402675	225.00	226.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		irregularly weakly banded, greyish, browns and greens, weak to moderate andalusite-staurolite alteration-skarny alteration	402676	226.00	227.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
		moderately foliated and weakly banded at 35-40 to CA	402677	227.00	228.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
			402678	228.00	229.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			402679	229.00	230.20	1.20	0.07	0.002	71	<input type="checkbox"/>	
230.20	237.15	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	402680	230.20	231.00	0.80	0.02	<0.001	17	<input type="checkbox"/>	qss min pypo
		altered feldspar porphyry	402681	231.00	232.00	1.00	0.10	0.003	99	<input type="checkbox"/>	qss 5% pypo
		well sheared and banded light buffish sericitic and reddish brown lightly biotitized, foliation and banding at 35-40 to CA	402682	232.00	233.00	1.00	0.08	0.002	76	<input type="checkbox"/>	qss 10% pypo
		231.5 - 239.15 105 py>po fine stringers generally parallel to foliation	402683	233.00	234.00	1.00	0.06	0.002	59	<input type="checkbox"/>	qss 10% pypo
		overall weakly to locally moderately sericitic, occasional narrow quartz veinlets	402684	234.00	235.00	1.00	0.05	0.001	49	<input type="checkbox"/>	qss min pypo
		scattered fine dark quartz eyes 1-2 mm diameter	402685	235.00	236.00	1.00	0.02	0.001	22	<input type="checkbox"/>	qss
			402686	236.00	237.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	qss
237.15	237.32	(7B) FELDSPAR PORPHYRY									
		chunky porphyry dike at 45 and 30 to CA									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-85
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
237.32	237.50	(7B) FELDSPAR PORPHYRY altered subvolcanic porphyry	402687	237.00	238.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
237.50	238.30	(6) MAFIC-ULTRAMAFIC INTRUSIVES dark green fine grained mafic dike									
238.30	241.30	(7B) FELDSPAR PORPHYRY similar to before weakly to moderately foliated, light brownish biotitization, weak K-spar alteration, 3% irregular quartz boudens, weak bleaching along fractures, weak skarn veinlets	402688 402689 402690	238.00 239.00 240.00	239.00 240.00 241.00	1.00 1.00 1.00	0.03 0.05 0.04	0.001 0.002 0.001	30 53 38	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
241.30	251.50	(7B) FELDSPAR PORPHYRY subvolcanic - strong aluminous altered quartz-andalusite-staurolite, 10-15% skarn veining irregular greenish to brownish patch to crudely banded, local recognizable porphyry 241.3 - 245 strong altered 248 - 251.5 moderately altered overall 1-2% late white quartz boudens local crude bands and patches of variable staurolite, other layers of strong amphibole-diopside-skarn overall 1-2% po>py as disseminated and weak stringers other sections of good porhyry	402691 402692 402693 402694 402695 402696 402697 402698 402701 402702 402703	241.00 242.00 243.00 244.00 245.00 246.00 247.00 248.00 249.00 250.00 251.00 251.00	242.00 243.00 244.00 245.00 246.00 247.00 248.00 249.00 250.00 251.00 251.50	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 0.50	0.07 0.12 0.30 0.06 0.03 0.01 0.01 0.04 0.06 0.01 0.37	0.002 0.003 0.009 0.002 0.001 <0.001 <0.001 0.001 0.002 <0.001 0.011	68 119 300 58 30 11 9 42 56 9 369	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
251.50	257.46	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK weak to moderately developed QSS reddish brown foliated sericitic porphyry with variable buffish bads of strong sericitized-bleached QSS local fine contorted quartz veinlets often mm to 3mm thickness local disseminated and fine weak bands - mm scale of fine needle ASPY, with minor stubby ASPY 253 -254 occassional quartz veinlet with needle ASPY in quartz dissperced fine dark quartz eys-fine	402704 402705 402706 402707 402708 402709 402710	251.50 252.00 252.50 253.00 253.50 254.00 254.50	252.00 252.50 253.00 253.50 254.00 254.50 255.00	0.50 0.50 0.50 0.50 0.50 0.50 0.50	0.75 0.08 0.04 0.81 0.89 0.14 0.75	0.022 0.002 0.001 0.024 0.026 0.004 0.022	748 78 43 811 893 141 754	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	qss fine aspy qss fine aspy qss fine aspy fine aspy qss fine aspy



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-85
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	V.G.	Comments
			402711	255.00	255.50	0.50	0.18	0.005	176	<input type="checkbox"/>	fine aspy
			402712	255.50	256.00	0.50	0.46	0.013	463	<input type="checkbox"/>	qss
			402713	256.00	256.50	0.50	0.01	<0.001	14	<input type="checkbox"/>	qss
			402714	256.50	257.00	0.50	0.01	<0.001	6	<input type="checkbox"/>	qss
			402715	257.00	257.50	0.50	0.01	<0.001	11	<input type="checkbox"/>	qss
257.46	259.00	(7B) FELDSPAR PORPHYRY similar to before, moderately sheared weakly sericitic	402716	257.50	258.00	0.50	0.01	<0.001	10	<input type="checkbox"/>	qss
			402717	258.00	259.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
259.00	259.60	(7B) FELDSPAR PORPHYRY chunky porphyry dike	402718	259.00	260.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
259.60	264.50	(7B) FELDSPAR PORPHYRY subvolcanic type sheared and foliated to relatively massive 260.7 - 260.95 infolded, contorted band of QSS with 1-2% fine needle ASPY, 10% late quartz vein	402719	260.00	260.70	0.70	0.03	0.001	32	<input type="checkbox"/>	
			402720	260.70	261.00	0.30	1.94	0.057	1939	<input type="checkbox"/>	qss fine aspy
			402721	261.00	262.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402722	262.00	263.00	1.00	0.20	0.006	203	<input type="checkbox"/>	
		260.70 - 260.95 (9A) QUARTZ SERICITE SCHIST @ SIDACE LK infolded contorted QSS with 1-2% fine needle ASPY	402723	263.00	264.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402724	264.00	265.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
264.50	265.25	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK weakly to moderately developed QSS									
265.25	282.00	(7B) FELDSPAR PORPHYRY subvolcanic type lightly biotitized and sericitized, light k-spar alteration, moderately foliated to weakly banded at 40-45 to CA 2-3% skarn type veinlets	402725	265.00	266.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			402726	266.00	267.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			402727	267.00	268.00	1.00	0.08	0.002	81	<input type="checkbox"/>	
			402728	268.00	269.00	1.00	0.10	0.003	103	<input type="checkbox"/>	
			402729	269.00	270.00	1.00	0.36	0.010	355	<input type="checkbox"/>	
		267.00 - 267.40 (CA) CARBONATE carbonate replacement vein, contacts out are amphibolitized for 20-30 cm	402730	270.00	271.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			402731	271.00	272.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-85
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			402732	272.00	273.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402733	273.00	274.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			402734	274.00	275.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402735	275.00	276.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			402736	276.00	277.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			402737	277.00	278.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			402738	278.00	279.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			402739	279.00	280.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			402740	280.00	281.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			402741	281.00	282.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
		276.12 - 276.80 (6) MAFIC-ULTRAMAFIC INTRUSIVES									
		mafic dike									



Goldcorp Inc.
QC Report

Hole Number RL-05-85
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
38.00	402499	2236	-	-	-	-	-	-	-	-	-	2.2	-	0.065	-	-
38.01	402500	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
86.00	402549	2268	-	-	-	-	-	-	-	-	-	2.3	-	0.066	-	-
86.01	402550	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
151.00	402599	1920	-	-	-	-	-	-	-	-	-	1.9	-	0.056	-	-
151.01	402600	16	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
201.00	402649	2041	-	-	-	-	-	-	-	-	-	2.0	-	0.060	-	-
201.01	402650	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
249.00	402699	2023	-	-	-	-	-	-	-	-	-	2.0	-	0.059	-	-
249.01	402700	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-85
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
15.20	18.00	2.80	R4	0.19	0.27	-	100.00	-	100.00
18.00	21.00	3.00	R4	0.14	0.18	-	100.00	-	100.00
21.00	24.00	3.00	R4	0.22	0.29	-	100.00	-	100.00
24.00	27.00	3.00	R4	0.16	0.31	-	100.00	-	100.00
27.00	30.00	3.00	R4	0.19	0.23	-	100.00	-	100.00
30.00	33.00	3.00	R4	0.18	0.25	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.08	0.20	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.32	0.38	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.39	0.75	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.72	2.14	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.44	0.60	-	100.00	-	100.00
48.00	51.00	3.00	R5	1.65	2.47	-	100.00	-	100.00
51.00	54.00	3.00	R5	1.08	1.64	-	100.00	-	100.00
54.00	57.00	3.00	R5	1.03	2.08	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.96	1.93	-	100.00	-	100.00
60.00	63.00	3.00	R5	1.63	4.52	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.60	0.95	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.04	0.40	-	100.00	-	100.00
69.00	72.00	3.00	R6	0.14	0.64	-	100.00	-	100.00
72.00	75.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.08	0.21	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.37	0.76	-	100.00	-	100.00
81.00	84.00	3.00	R5	3.49	7.63	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.90	1.73	-	100.00	-	100.00
87.00	90.00	3.00	R5	4.49	8.71	-	100.00	-	100.00
90.00	93.00	3.00	R5	2.84	6.16	-	100.00	-	100.00
93.00	96.00	3.00	R5	1.03	2.96	-	100.00	-	100.00
96.00	99.00	3.00	R5	2.98	4.86	-	100.00	-	100.00
99.00	102.00	3.00	R5	1.47	4.73	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.43	1.09	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.44	0.73	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.43	0.67	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.60	0.76	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.72	1.26	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.81	0.98	-	100.00	-	100.00
120.00	123.00	3.00	R5	1.28	3.95	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.37	0.51	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-85
Project: PLANET EXPLORATION
Project Number: 800125

126.00	129.00	3.00	R5	0.40	0.65	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.35	0.49	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.19	0.21	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.20	0.21	-	100.00	-	100.00
138.00	141.00	3.00	R5	0.34	0.54	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.28	0.43	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.41	0.73	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.33	0.51	-	100.00	-	100.00
150.00	153.00	3.00	R6	1.49	3.75	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.52	1.46	-	100.00	-	100.00
156.00	159.00	3.00	R4	0.05	0.07	-	100.00	-	100.00
159.00	162.00	3.00	R4	0.65	1.46	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.51	0.84	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.58	1.51	-	100.00	-	100.00
168.00	171.00	3.00	R6	4.43	16.40	-	100.00	-	100.00
171.00	174.00	3.00	R6	3.05	10.50	-	100.00	-	100.00
174.00	177.00	3.00	R5	0.02	0.05	-	100.00	-	100.00
177.00	180.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.04	0.10	-	100.00	-	100.00
186.00	189.00	3.00	R5	0.66	2.08	-	100.00	-	100.00
189.00	192.00	3.00	R6	1.11	2.10	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.59	0.96	-	100.00	-	100.00
195.00	198.00	3.00	R5	2.12	3.60	-	100.00	-	100.00
198.00	201.00	3.00	R5	1.54	2.98	-	100.00	-	100.00
201.00	204.00	3.00	R6	0.32	0.47	-	100.00	-	100.00
204.00	207.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.01	0.01	-	100.00	-	100.00
210.00	213.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
213.00	216.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
216.00	219.00	3.00	R6	0.52	1.04	-	100.00	-	100.00
219.00	222.00	3.00	R6	3.49	15.30	-	100.00	-	100.00
222.00	225.00	3.00	R6	0.52	0.87	-	100.00	-	100.00
225.00	228.00	3.00	R6	2.91	11.40	-	100.00	-	100.00
228.00	231.00	3.00	R6	0.25	0.69	-	100.00	-	100.00
231.00	234.00	3.00	R6	0.26	0.69	-	100.00	-	100.00
234.00	237.00	3.00	R6	0.12	0.31	-	100.00	-	100.00
237.00	240.00	3.00	R6	0.85	2.69	-	100.00	-	100.00
240.00	243.00	3.00	R6	2.77	4.37	-	100.00	-	100.00
243.00	246.00	3.00	R6	1.08	4.17	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-85
Project: PLANET EXPLORATION
Project Number: 800125

246.00	249.00	3.00	R6	0.06	0.16	-	100.00	-	100.00
249.00	252.00	3.00	R6	0.03	0.07	-	100.00	-	100.00
252.00	255.00	3.00	R6	2.08	6.03	-	100.00	-	100.00
255.00	258.00	3.00	R6	0.01	0.05	-	100.00	-	100.00
258.00	261.00	3.00	R5	1.43	7.08	-	100.00	-	100.00
261.00	264.00	3.00	R6	0.01	0.01	-	100.00	-	100.00
264.00	267.00	3.00	R6	0.04	0.18	-	100.00	-	100.00
267.00	270.00	3.00	R5	0.06	0.14	-	100.00	-	100.00
270.00	273.00	3.00	R5	0.07	0.09	-	100.00	-	100.00
273.00	276.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
276.00	279.00	3.00	R5	0.04	0.12	-	100.00	-	100.00
279.00	282.00	3.00	R5	0.01	0.05	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-86
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 146.62	Length: 16.30 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -50	Pulled: No	Claim No: Staked	Spotted by: L.C. Chastko
Length: 484.50 meters	Capped: No	NTS:	Coord Type: SUR
Started: 03-Jun-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 08-Jun-05		Level:	Surveyed Date: 13-Jul-05
Logged: 08-Jun-05	Core	Coordinate - Gemcom	Logged by: L.C. Chastko
Wedged : No	Dimension: NQ	Coordinate - UTM	Re-logged by:
Wedged from:	Original Units: M	Elevation: 410	Water Source: Upper Duck Lake
	Storage: Cochenour Mine	UTM Zone: 15 (NAD27)	Water line:
			Left in hole: Nothing
			Control Drilling:
Target: Skarn Zone 2005-G7			Cutting sampled: No
Comments:			Geophysical:

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	141.40	-50.00	X	48.000	139.72	-48.56	X	96.000	139.98	-48.15	X
3.000	140.85	-49.69	X	51.000	139.73	-48.53	X	99.000	140.00	-48.13	X
6.000	140.40	-49.30	X	54.000	139.69	-48.51	X	102.000	140.01	-48.11	X
9.000	140.06	-49.01	X	57.000	139.70	-48.49	X	105.000	140.03	-48.08	X
12.000	139.87	-48.87	X	60.000	139.72	-48.49	X	108.000	140.07	-48.04	X
15.000	139.80	-48.80	X	63.000	139.77	-48.43	X	111.000	140.11	-48.02	X
18.000	139.80	-48.79	X	66.000	139.79	-48.40	X	114.000	140.15	-48.02	X
21.000	139.80	-48.74	X	69.000	139.80	-48.36	X	117.000	140.20	-48.00	X
24.000	139.77	-48.70	X	72.000	139.80	-48.35	X	120.000	140.25	-47.99	X
27.000	139.77	-48.67	X	75.000	139.82	-48.33	X	123.000	140.20	-47.97	X
30.000	139.78	-48.66	X	78.000	139.86	-48.28	X	126.000	140.28	-47.94	X
33.000	139.76	-48.65	X	81.000	139.89	-48.27	X	129.000	140.32	-47.90	X
36.000	139.71	-48.61	X	84.000	139.90	-48.25	X	132.000	140.32	-47.87	X
39.000	139.70	-48.60	X	87.000	139.97	-48.23	X	135.000	140.29	-47.83	X
42.000	139.70	-48.58	X	90.000	140.02	-48.20	X	138.000	140.31	-47.78	X
45.000	139.71	-48.58	X	93.000	140.02	-48.17	X	141.000	140.25	-47.72	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-86
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	140.20	-47.64	X
147.000	140.07	-47.54	X
150.000	139.94	-47.46	X
153.000	139.82	-47.36	X
156.000	139.66	-47.30	X
159.000	139.55	-47.22	X
162.000	139.39	-47.13	X
165.000	139.30	-47.05	X
168.000	139.23	-46.99	X
171.000	139.23	-46.98	X
174.000	139.30	-46.98	X
177.000	139.36	-46.96	X
180.000	139.39	-46.94	X
183.000	139.40	-46.91	X
186.000	139.45	-46.90	X
189.000	139.45	-46.91	X
192.000	139.48	-46.90	X
195.000	139.51	-46.91	X
198.000	139.54	-46.93	X
201.000	139.57	-46.90	X
204.000	139.60	-46.89	X
207.000	139.63	-46.89	X
210.000	139.63	-46.88	X
213.000	139.65	-46.87	X
216.000	139.66	-46.86	X
219.000	139.61	-46.85	X
222.000	139.63	-46.83	X
225.000	139.63	-46.82	X
228.000	139.63	-46.81	X
231.000	139.68	-46.81	X
234.000	139.71	-46.81	X
237.000	139.74	-46.81	X
240.000	139.79	-46.79	X
243.000	139.82	-46.80	X
246.000	139.87	-46.81	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
249.000	139.91	-46.80	X
252.000	139.94	-46.79	X
255.000	139.96	-46.79	X
258.000	139.96	-46.81	X
261.000	139.96	-46.83	X
264.000	139.97	-46.84	X
267.000	139.97	-46.85	X
270.000	140.01	-46.84	X
273.000	140.05	-46.82	X
276.000	140.04	-46.84	X
279.000	140.05	-46.84	X
282.000	140.10	-46.82	X
285.000	140.11	-46.81	X
288.000	140.14	-46.80	X
291.000	140.16	-46.78	X
294.000	140.21	-46.76	X
297.000	140.21	-46.75	X
300.000	140.24	-46.75	X
303.000	140.28	-46.75	X
306.000	140.27	-46.74	X
309.000	140.28	-46.74	X
312.000	140.34	-46.72	X
315.000	140.33	-46.72	X
318.000	140.32	-46.71	X
321.000	140.33	-46.69	X
324.000	140.36	-46.68	X
327.000	140.36	-46.70	X
330.000	140.37	-46.71	X
333.000	140.40	-46.72	X
336.000	140.43	-46.74	X
339.000	140.44	-46.75	X
342.000	140.47	-46.76	X
345.000	140.51	-46.77	X
348.000	140.54	-46.77	X
351.000	140.56	-46.78	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
354.000	140.59	-46.76	X
357.000	140.61	-46.76	X
360.000	140.64	-46.78	X
363.000	140.68	-46.77	X
366.000	140.70	-46.78	X
369.000	140.72	-46.79	X
372.000	140.75	-46.79	X
375.000	140.75	-46.80	X
378.000	140.74	-46.78	X
381.000	140.73	-46.78	X
384.000	140.69	-46.74	X
387.000	140.67	-46.71	X
390.000	140.61	-46.69	X
393.000	140.62	-46.68	X
396.000	140.68	-46.68	X
399.000	140.65	-46.67	X
402.000	140.63	-46.66	X
405.000	140.67	-46.66	X
408.000	140.68	-46.66	X
411.000	140.69	-46.65	X
414.000	140.66	-46.64	X
417.000	140.71	-46.59	X
420.000	140.69	-46.52	X
423.000	140.67	-46.43	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
0.00	16.30	(OB) OVERBURDEN Casing									
16.30	24.75	(1K) KOMATIITES dark olive green, fine grained, possible pillow salvages as outlined by epidote alteration, carbonate and biotitic streaks variable weak to moderately foliated at 35-40 to CA, weak fracturing, 1-2% irregular mm to cm quartz/carbaonate stringers traces popy	402742	17.00	18.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402743	18.00	19.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402744	24.00	25.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
24.75	25.82	(7B) FELDSPAR PORPHYRY subvolcanic type light buffish to light reddish-brown fine biotitic, weak K-spar alteration, varies from porphyritic to sheared, moderately foliated to weakly banded at 35-40 to CA, 1% fine quartz and quartz-carbonate veinlets generally parallel to foliation, sharp conformable contacts trace popy									
25.82	31.50	(1K) KOMATIITES similar to before strong biotitic lower contact over 5 cm at 20 to CA	402745	29.00	30.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402746	30.00	31.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			402747	31.00	32.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
31.50	40.93	(7B) FELDSPAR PORPHYRY inter layered 65-70% 7B subvolcanic porphyry and 30% narrow cm to 50 cm layeres of altered mafic volcanics porphyry varies from porphyritic to sheared, lightly biotitized and weak to locally moderate K-spar alteration, mafic bands are altered, moderate light green epidote alog foliation and fractures, weak skarn veinlets and along mafic bands, contacts are all sharp and conformable at 35-40 to CA trace popy occassional cpy 1-2% quartz and quartz-carbonate veinlets and fracture fillings 38.78 - 38.95 white quartz vein 48.3 - 49.1 altered mafic volcanic band	402748	32.00	33.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			402751	33.00	34.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402752	34.00	35.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402753	35.00	36.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402754	36.00	37.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402755	37.00	38.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			402756	38.00	39.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402757	39.00	40.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			402758	40.00	41.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
40.93	69.00	(1J) BANDED AMPHIBOLITE SHMS	402759	41.00	42.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		banded amphibole-biotite schist	402760	42.00	43.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		51.47 - 90.5 weak to moderate deformation zone	402761	43.00	44.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		well foliated and finely banded with occasional vague highly altered porphyry?	402762	44.00	45.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
		That displays weak aluminous alteration in vague andalusite	402763	45.00	46.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
		from upper contact shearing and alteration gradually intensifies down section, weak to moderate skarn veining	402764	46.00	47.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		56.8 - 57.9 subvolcanic porphyry, foliated lightly biotitized and weak K-spar alteration	402765	47.00	48.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
		62.5 - 63.2 dark, fine grained diorite dike, sharp contacts at 50 and 35 to CA	402766	48.00	49.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		63.2 - 67 weakly brecciated, moderately sheared and foliated, highly altered, variable quartz and quartz carbonate stringers and fracture fillings occasional band	402767	49.00	50.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		66.2 - 66.45 Fe carbonate band	402768	50.00	51.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		66.2 - 66.45 Fe carbonate band	402769	51.00	52.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
		66.9 - 67 Fe carbonate band	402770	52.00	53.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
		56.80 - 57.90 (7B) FELDSPAR PORPHYRY	402771	53.00	54.00	1.00	0.45	0.013	448	<input type="checkbox"/>	
		subvolcanic type	402772	54.00	55.00	1.00	0.39	0.011	386	<input type="checkbox"/>	
			402773	55.00	56.00	1.00	0.16	0.005	162	<input type="checkbox"/>	
			402774	56.00	57.00	1.00	0.09	0.003	88	<input type="checkbox"/>	
		62.50 - 63.20 (6A) DIORITE	402775	57.00	58.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
		fine grained diorite dike, sharp contacts at 50 and 35 to CA	402776	58.00	59.00	1.00	0.72	0.021	717	<input type="checkbox"/>	
			402777	59.00	60.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			402778	60.00	61.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			402779	61.00	62.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			402780	62.00	63.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
			402781	63.00	64.00	1.00	0.11	0.003	106	<input type="checkbox"/>	
			402782	64.00	65.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			402783	65.00	66.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			402784	66.00	67.00	1.00	0.11	0.003	110	<input type="checkbox"/>	
			402785	67.00	68.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			402786	68.00	69.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
69.00	73.10	(7B) FELDSPAR PORPHYRY	402787	69.00	70.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
		subvolcanic type	402788	70.00	71.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		varies from weakly porphyritic to moderately sheared, weak skarn veinlets	402789	71.00	72.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
		72.8 - 73.0 traces fine stubby ASPY	402790	72.00	73.00	1.00	2.96	0.086	2961	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
73.10	75.84	(9D) SKARN VCK	402791	73.00	74.00	1.00	0.13	0.004	131	<input type="checkbox"/>	
		variable zone	402792	74.00	75.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
		73.1 - 73.57 strong carbonatite-diopside biotite 3% popy	402793	75.00	76.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		73.57 - 74 crudely layered, deformed biotite-amphibole-dioside , 10 % py minor po at 40 to CA									
		74.0 - 75.84 irregularly layered biotite-amphibole-diopside, 5% calcite stringers weak local stringers py>po gradational arbitrary lower contact									
75.84	90.35	(1J) BANDED AMPHIBOLITE VCK	402794	76.00	77.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		well foliated finely banded Biotite-Amphibole-Diopside schist	402795	77.00	78.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		1% quartz, 5-8% calcite generally planar fine stringers along foliation, narrow skamy bands decreasing foliation banding and skarning from 85 to 90.35	402796	78.00	79.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
		84.79 - 85.0 7B dike	402797	79.00	80.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		85.2 - 85.44 7B dike	402798	80.00	81.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402801	81.00	82.00	1.00	0.11	0.003	113	<input type="checkbox"/>	
			402802	82.00	83.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			402803	83.00	84.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			402804	84.00	85.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402805	85.00	86.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			402806	86.00	87.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402807	87.00	88.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402808	88.00	89.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			402809	89.00	90.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
90.35	138.70	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	402810	90.00	91.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		possibly 6G intrusive	402811	91.00	92.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
		dark green,, fine to medium grained, relatively massive overall, weakly to moderately foliated variable from 35 to 20 to CA, moderate tight fractures unhealed, weak quartz and calcite veining and fracture fillings, save for larger zones mentioned below	402812	92.00	93.00	1.00	0.20	0.006	197	<input type="checkbox"/>	
		locally weakly magnetic sections	402813	98.00	99.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		100.0 - 100.35 60% carb, minor diopside, amphibole vein	402814	99.00	100.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
		100.89 - 101.2 30% carbonate broken bands	402815	100.00	101.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
		101.45 - 102.0 skamy alteration 50% carbonate	402816	101.00	102.00	1.00	0.22	0.006	217	<input type="checkbox"/>	
		114.65 - 116.18 7B porphyry dike	402817	102.00	103.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
		120 - 138 foliation at low angle at 10-30 to CA	402818	109.00	110.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
	135.15 - 138.25	(6A) DIORITE	402819	114.00	115.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		light grey, medium grained well sheared and foliated at 20-25 to CA, sharp contacts upper at 15 lower at 30 to CA	402820	116.90	117.15	0.25	0.01	<0.001	5	<input type="checkbox"/>	milky qtz minor popy
			402821	117.15	118.00	0.85	<0.01	<0.001	<5	<input type="checkbox"/>	
			402822	124.00	125.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
	138.25 - 138.70	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	402823	125.00	126.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		fine grained, well foliated at 30 to CA	402824	130.00	131.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			402825	134.00	135.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402826	135.00	136.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402827	138.00	139.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
138.70	154.60	(7B) FELDSPAR PORPHYRY	402828	139.00	140.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
		subvolcanic type	402829	140.00	141.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		varies from porphyritic to moderately sheared, lightly biotitized, weak K-spg alteration,	402830	141.00	142.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		15% mafic biotite-amphibole-diopside bands generally under a meter in core length, skarned contacts, 2-3% fine skarn veinlets along foliation planes, weak <1% quartz, 1-2% calcite veinlets	402831	142.00	143.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		moderate foliation and mafic bands display cusplate folding generally at 15-30 to CA	402832	143.00	144.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			402833	144.00	145.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402834	145.00	146.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402835	146.00	147.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
	146.85 - 147.28	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	402836	147.00	148.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		altered band at 35 to CA	402837	148.00	149.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402838	149.00	150.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
	151.70 - 153.25	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	402839	150.00	151.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		altered bands, biotite-amphibole-diopside, minor infolded porphyry, low angle to CA- small scale cusplate folding	402840	151.00	152.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402841	152.00	153.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			402842	153.00	154.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402843	154.00	155.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
154.60	155.55	(7B) FELDSPAR PORPHYRY	402844	155.00	156.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		mottled light grey with brown biotite, medium grained, well foliated at 30-35 to CA, distinct conformable contacts									
155.55	222.15	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	402845	156.00	157.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		possibly 6G gabbro	402846	157.00	158.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		dark green fine to medium grained, varies from relatively uniform to locally sheared, altered to biotite-amphibole- weakly banded, foliation and banding at low 20-30 to CA	402847	158.00	159.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			402848	159.00	160.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-86

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		159 - 168 sections of dark green, medium grained massive hornblende often with 1-2% po>py	402851	160.00	161.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		overall 1-2% white quartz and 5% quartz-calcite stringers and veinlets	402852	161.00	162.00	1.00	0.12	0.003	115	<input type="checkbox"/>	
		191.6 and down relatively uniform, fine to medium grained, weakly foliated, 5-7% quartz-carbonate stringers	402853	162.00	163.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
		219.70 -222.15 moderately sheared, foliated, biotitized approaching contact	402854	163.00	164.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
		156.38 - 156.75 (7B) FELDSPAR PORPHYRY	402855	164.00	165.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
		subvolcanic	402856	165.00	166.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			402857	166.00	167.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			402858	167.00	168.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			402859	168.00	169.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		170.70 - 171.00 (Q) QUARTZ	402860	169.00	170.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		white quartz vein	402861	170.00	171.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402862	171.00	172.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402863	172.00	173.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		174.80 - 177.75 (6A) DIORITE	402864	173.00	174.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		dark, massive mafic dikes , contacts cut across foliation at obtuse angles to foliation	402865	174.00	175.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402866	175.00	176.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402867	176.00	177.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		186.50 - 189.45 (7B) FELDSPAR PORPHYRY	402868	177.00	178.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		subvolcanic	402869	178.00	179.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		, weak brecciation, 5% skarn veinlets local K-spar alteration along with salmon pinkish-spars	402870	179.00	180.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			402871	180.00	181.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
			402872	181.00	182.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
		189.45 - 190.15 (6E) DIABASE	402873	182.00	183.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
		mottled brownish, massive, sharp contacts at 60 to CA	402874	183.00	184.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			402875	184.00	185.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			402876	185.00	186.00	1.00	0.23	0.007	226	<input type="checkbox"/>	
		190.15 - 191.60 (7B) FELDSPAR PORPHYRY	402877	186.00	187.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
		as before	402878	187.00	188.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			402879	188.00	189.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402880	189.00	190.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		219.27 - 219.70 (7B) FELDSPAR PORPHYRY	402881	190.00	191.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
		subvolcanic dike, 15% mafic band inclusion, 5 cm white quartz vein at upper contact	402882	191.00	192.00	1.00	0.16	0.005	156	<input type="checkbox"/>	
			402883	192.00	193.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			402884	193.00	194.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			402885	194.00	195.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozft)	Au (ppb)	V.G.	Comments
			402886	195.00	196.00	1.00	0.26	0.008	260	<input type="checkbox"/>	
			402887	196.00	197.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402888	197.00	198.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402889	198.00	199.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402890	199.00	200.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402891	200.00	201.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			402892	201.00	202.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			402893	202.00	203.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402894	203.00	204.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402895	204.00	205.00	1.00	0.09	0.002	85	<input type="checkbox"/>	
			402896	205.00	206.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402897	206.00	207.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			402898	207.00	208.00	1.00	0.10	0.003	100	<input type="checkbox"/>	
			402901	208.00	209.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			402902	209.00	210.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			402903	210.00	211.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
			402904	211.00	212.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402905	212.00	213.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			402906	213.00	214.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			402907	214.00	215.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			402908	215.00	216.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			402909	216.00	217.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402910	217.00	218.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402911	218.00	219.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402912	219.00	220.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402913	220.00	221.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			402914	221.00	222.00	1.00	0.07	0.002	74	<input type="checkbox"/>	
222.15	233.20	(7B) FELDSPAR PORPHYRY	402915	222.00	223.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		subvolcanic type	402916	223.00	224.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		light brownish finely biotitized, varies from weakly porphyritic to sheared out	402917	224.00	225.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
		phenocrysts, weak K-spar alteration along select foliation and fractures, 2-4%	402918	225.00	226.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
		narrow cm skarn type veins often sheared and deformed, 2% white late quartz	402919	226.00	227.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		veining	402920	227.00	228.00	1.00	0.33	0.010	330	<input type="checkbox"/>	
		traces popy-occasional cpy	402921	228.00	229.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		223.70 - 224.23 (6A) DIORITE	402922	229.00	230.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		brownish, biotitic, fine grained, massive, sharp contacts at 40 and 35 to CA									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			402923	230.00	231.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			402924	231.00	232.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			402925	232.00	233.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
233.20	238.00	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	402926	233.00	234.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
		similar to above, possibly gabbro, increasing biotization and foliation down section approaching lower contact, somewhat arbitrary contact based on deformation	402927	234.00	235.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			402928	235.00	236.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		234.70 - 235.25 (7B) FELDSPAR PORPHYRY	402929	236.00	237.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		subvolcanic dike sharp contacts at 70 & 55 to CA	402930	237.00	238.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
238.00	251.80	(1J) BANDED AMPHIBOLITE	402931	238.00	239.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		VARIABLE BANDED DEFORMATION ZONE 238 to 300+ rocks in this zone appear to be folded chevron style and are repeated at irregular intervals down section	402932	239.00	240.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		Distinctive reoccurring units are Amphibolite- dark green, fine grained, moderately to well foliated with weak calcite sheeting and veining, rock is relatively uniform in appearance along section	402933	240.00	241.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Biotite-Amphibole-carbonate schist is quite variable and deformed and contorted, this unit consists of mm to cm biotite or amphibole rich bands with variable 5-40% carbonate sheeting or thicker bands often deformed, boudened and disrupted,	402934	241.00	242.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		calcite carbonate usually contains traces to weak pypo mineralization-fine, local sections are skarned and contain variable diopside/amphibole, weak to moderate pypo mineralization occurs locally concentrated irregular stringers	402935	242.00	243.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		narrow to wider meter to 10 meters of subvolcanic type porphyry are present, along with a chunky biotitic well foliated porphyry appears to be folded with the main mafic units	402936	243.00	244.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			402937	244.00	245.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402938	245.00	246.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402939	246.00	247.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			402940	247.00	248.00	1.00	0.12	0.004	122	<input type="checkbox"/>	
			402941	248.00	249.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			402942	249.00	250.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			402943	250.00	251.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			402944	251.00	252.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
		238.00 - 250.20 (1J) BANDED AMPHIBOLITE FOLD									
		predominantly finely banded amphibole grading to a biotite-amphibole scist sheeted or finely layered carbonate, carbonate varies from 2-20% locally									
		245.9 - 249.5 5% infolded sheared biotitized chunky type porphyry reoccurring 10b-50 cm thickness									
		250.20 - 251.80 (1N) MASSIVE FLOW, POSSIBLY INTRUSIVE									
		well foliated, uniform amphibolite									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
251.80	260.00	(7B) FELDSPAR PORPHYRY mottled light brownish, lightly biotitized, weak to locally moderate to strong patches of K-spar alteration, locally bleached, 5-8% narrow cm skarn type veining, general foliation at 40 to CA	402945	252.00	253.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402946	253.00	254.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			402947	254.00	255.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402948	255.00	256.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402951	256.00	257.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402952	257.00	258.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			402953	258.00	259.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
260.00	263.90	(9D) SKARN FOLD finely banded biotite amphibole sheeted with 5-40% carbonate, variable green amphibole and diopside 261.95 - 262.55 80% carbonate	402954	259.00	260.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			402955	260.00	261.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			402956	261.00	262.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			402957	262.00	263.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
263.90	270.33	(7B) FELDSPAR PORPHYRY subvolcanic type light bronish-biotitization, weak K-spar alteration, 2% white quartz veinlets, well foliated at 45-50 to CA, bleached locally, 15% banded biotite-amphibole section, 5% skarn veinlets 265.15 - 265.55 (7B) FELDSPAR PORPHYRY sheared chunky porphyrt 266.00 - 266.65 (7B) FELDSPAR PORPHYRY sheared chunky porphyry 268.00 - 268.40 (1J) BANDED AMPHIBOLITE altered	402958	263.00	264.00	1.00	0.11	0.003	106	<input type="checkbox"/>	
			402959	264.00	265.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			402960	265.00	266.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			402961	266.00	267.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			402962	267.00	268.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			402963	268.00	269.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			402964	269.00	270.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
270.33	303.63	(9D) SKARN	402965	270.00	271.00	1.00	0.06	0.002	60		
		VARIABLE BANDED	402966	271.00	272.00	1.00	0.07	0.002	67		
		DEFORMATION ZONE 238 to 302.63	402967	272.00	273.00	1.00	0.03	0.001	31		
		rocks in this zone appear to be folded chevron style and are repeated at irregular intervals down section	402968	273.00	274.00	1.00	0.11	0.003	111		
		Distinctive reoccurring units are	402969	274.00	275.00	1.00	0.10	0.003	98		
		Amphibolite- dark green, fine grained, moderately to well foliated with weak calcite sheeting and veining, rock is relatively uniform in appearance along section	402970	275.00	276.00	1.00	0.20	0.006	197		
		Biotite-Amphibole-carbonate schist is quite variable and deformed and contorted, this unit consists of mm to cm biotite or amphibole rich bands with variable 5-40% carbonate sheeting or thicker bands often deformed, boudened and disrupted,	402971	276.00	277.00	1.00	0.02	<0.001	16		
		calcite carbonate usually contains traces to weak pypo mineralization-fine, local sections are skarned and contain variable diopside/amphibole, weak to moderate pypo mineralization occurs locally concentrated irregular stringers	402972	277.00	278.00	1.00	0.08	0.002	77		
		narrow to wider meter to 10 meters of subvolcanic type porphyry are present, along with a chunky biotitic well foliated porphyry appears to be folded with the main mafic units	402973	278.00	279.00	1.00	0.04	0.001	36		
			402974	279.00	280.00	1.00	0.08	0.002	78		
			402975	280.00	281.00	1.00	0.03	0.001	33		
			402976	281.00	282.00	1.00	0.01	<0.001	13		
			402977	282.00	283.00	1.00	0.04	0.001	40		
			402978	283.00	284.00	1.00	0.06	0.002	55		
			402979	284.00	285.00	1.00	0.01	<0.001	12		
		270.33 - 271.90 (9D) SKARN	402980	285.00	286.00	1.00	0.09	0.003	88		
		banded biotite-amphibole-carbonate schis similar to before , folded and contorted	402981	286.00	287.00	1.00	0.03	0.001	32		
			402982	287.00	288.00	1.00	0.61	0.018	605		
			402983	288.00	289.00	1.00	0.10	0.003	98		
		271.90 - 272.75 (9D) SKARN	402984	289.00	290.00	1.00	0.01	<0.001	8		
		90% white carbonate, 10% amphibole/diopside-biotite, traces popy	402985	290.00	291.00	1.00	0.16	0.005	157		
			402986	291.00	292.00	1.00	0.03	0.001	32		
			402987	292.00	293.00	1.00	0.03	0.001	28		
		272.75 - 273.70 (9D) SKARN	402988	293.00	294.00	1.00	0.14	0.004	136		
		banded biotite-amphibole-carbonate schis similar to before , folded and contorted	402989	294.00	295.00	1.00	0.06	0.002	61		
			402990	295.00	296.00	1.00	0.10	0.003	101		
			402991	296.00	297.00	1.00	0.03	0.001	31		
		273.70 - 274.25 (1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	402992	297.00	298.00	1.00	0.08	0.002	76		
		amphibolite	402993	298.00	298.50	0.50	0.09	0.003	93		
			402994	298.50	299.00	0.50	0.09	0.003	88		
			402995	299.00	300.00	1.00	0.07	0.002	65		
		274.25 - 274.66 (9D) SKARN	402996	300.00	301.00	1.00	0.27	0.008	271		
		biotite-amphibole-carbonate as before	402997	301.00	302.00	1.00	0.11	0.003	108		
			402998	302.00	303.00	1.00	0.14	0.004	138		
		274.66 - 277.50 (1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	403001	303.00	304.00	1.00	0.10	0.003	95		



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G. Comments</i>
		similar to before								
		277.50 - 283.75 (9D) SKARN biotite-amphibole carbanate, similar to before strong calcite sheeting, highly disrupted and contorted, overall 25-30% calcite with local sections of 50% 277.9 - 278.1 foliated chunky porphyry								
		283.75 - 284.40 (9D) SKARN 80% carbonate, 20% biotite amphibole diopside								
		284.40 - 292.43 (1N) MASSIVE FLOW, POSSIBLY INTRUSIVE amphibolite similar to before 285.45 - 285.85 foliated chunky porphyry 287.1 - 287.5 strongly carbanatized band sliver								
		292.43 - 303.63 (9D) SKARN FOLD biotite-amphibole-carbonate-diopside schist highly sheared and altered 1-2% disseminated popy in upper section, increasing down section to appearance of weak stringers to strong irregular stringers 299.50 - 299.85 moderately silicified zone 300.0 - 303.63 5-10% py>po stringers								
303.63	306.63	(7B) FELDSPAR PORPHYRY subvolcanic type well foliated to weakly banded at 55-60 to CA, 5-8% skarn veinlets	403002	304.00	305.00	1.00	0.07	0.002	73	<input type="checkbox"/>
			403003	305.00	306.00	1.00	0.58	0.017	576	<input type="checkbox"/>
			403004	306.00	307.00	1.00	0.06	0.002	59	<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
306.63	307.67	(9D) SKARN BX 60-65% dark green amphibole-diopside matrix with 35% bands and rounded clasts of porphyry, possibly a breccia	403005	307.00	307.67	0.67	0.02	0.001	21	<input type="checkbox"/>	
307.67	308.75	(7B) FELDSPAR PORPHYRY chunky porphyry, weakly foliated at 55-60 to CA, sharp contacts at 60 & 45 to CA	403006	307.67	309.00	1.33	<0.01	<0.001	<5	<input type="checkbox"/>	
308.75	311.22	(7A) QUARTZ PORPHYRY light grey fine grained matrix with 1-3% scattered 1-2 mm quartz eyes-rounded, 2% fine biotitic lathe, relatively massive	403007	309.00	310.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403008	310.00	311.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
311.22	316.20	(7B) FELDSPAR PORPHYRY subvolcanic type lightly biotitized, weak K-spar alteration, 3-5% skarn veinlets, 2% fine quartz veinlets, weakly sericitic	403009	311.00	312.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			403010	312.00	313.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403011	313.00	314.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403012	314.00	315.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			403013	315.00	316.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
316.20	317.50	(7B) FELDSPAR PORPHYRY chunky porphyry dike, sharp conformable contacts, relatively massive	403014	316.00	317.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403015	317.00	318.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
317.50	330.70	(7B) FELDSPAR PORPHYRY subvolcanic type lightly biotitized, weak K-spar alteration, weakly sericitic, moderately to well foliated to locally weakly banded, minor folding, general foliation at 55-60 to CA	403016	318.00	319.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403017	319.00	320.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			403018	320.00	321.00	1.00	0.30	0.009	297	<input type="checkbox"/>	
			403019	321.00	322.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			403020	322.00	323.00	1.00	0.26	0.008	259	<input type="checkbox"/>	
		318.79 - 319.30 (7B) FELDSPAR PORPHYRY chunky porphyry dike, massive	403021	323.00	324.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			403022	324.00	325.00	1.00	0.13	0.004	127	<input type="checkbox"/>	
			403023	325.00	326.00	1.00	13.03	0.380	13031	<input type="checkbox"/>	
		321.80 - 322.18 (7B) FELDSPAR PORPHYRY	403024	326.00	327.00	1.00	0.17	0.005	165	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
		foliated chunky porphyry dike	403025	327.00	328.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			403026	328.00	329.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			403027	329.00	330.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			403028	330.00	330.70	0.70	0.03	0.001	32	<input type="checkbox"/>	
330.70	334.00	(7B) FELDSPAR PORPHYRY possibly quartz diorite light grey fine grained matrix, weakly porphyritic 1-2% quartz eyes, fine biotitic lathe, relatively massive save for minor tight fractures with epidote valteration									
334.00	340.07	(7B) FELDSPAR PORPHYRY subvolcanic type, lightly biotitized, weak to moderate K-spar alteration, moderately foliated to weakly banded-varies from low angle to 50 to CA, skarn veining at extremely flat angle to CA	403029	334.00	335.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			403030	335.00	336.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			403031	336.00	337.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			403032	337.00	338.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403033	338.00	339.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403034	339.00	340.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
340.07	340.78	(6) MAFIC-ULTRAMAFIC INTRUSIVES altered mafic dike	403035	340.00	341.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
340.78	342.90	(7B) FELDSPAR PORPHYRY similar to above weakly to moderately sericitized	403036	341.00	342.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			403037	342.00	343.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
342.90	346.10	(1J) BANDED AMPHIBOLITE CREN dark green fine grained finely laminated and crenulated, general foliation at 50-60 to CA	403038	343.00	344.00	1.00	0.10	0.003	97	<input type="checkbox"/>	
			403039	344.00	345.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
			403040	345.00	346.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
		345.00 - 345.75 (7B) FELDSPAR PORPHYRY subvolcanic porphyry, bleached									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
346.10	346.87	(7A) QUARTZ PORPHYRY possibit quartz diorite, similar to before, massive	403041	346.00	346.87	0.87	0.01	<0.001	13	<input type="checkbox"/>	
346.87	348.42	(1J) BANDED AMPHIBOLITE finely laminated and crenulated, crenulations die out at 348	403042	346.87	348.00	1.13	0.01	<0.001	10	<input type="checkbox"/>	
348.42	348.65	(7B) FELDSPAR PORPHYRY chunky porphyry, massive	403043	348.00	349.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
348.65	348.94	(Q) QUARTZ white quatz vein barren									
348.94	363.40	(2) UNDIFF. INTERMEDIATE VOLCANICS light to medium greenish grey, bleached locally, fine grained, well foliated to locally banded at 55-60 to CA, moderately 2 possibly altered 7B fractured, 2% fine quartz and 3% fine carbonate veinlets and fracture filling, silicified slightly, traces disseminated popy 363.0 - 363.20 chunkey porphyry dike	403044	349.00	350.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			403045	350.00	351.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403046	351.00	352.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			403047	352.00	353.00	1.00	0.16	0.005	164	<input type="checkbox"/>	
			403048	353.00	354.00	1.00	0.10	0.003	103	<input type="checkbox"/>	
			403051	354.00	355.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			403052	355.00	356.00	1.00	0.36	0.011	364	<input type="checkbox"/>	
			403053	356.00	357.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			403054	357.00	358.00	1.00	0.45	0.013	450	<input type="checkbox"/>	
			403055	358.00	359.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
			403056	359.00	360.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			403057	360.00	361.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			403058	361.00	362.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403059	362.00	363.00	1.00	0.02	0.001	24	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
363.40	374.50	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE dark green fine grained, moderately fractured-healed, few narrow crush zones, several narrow brownish altered, silicified zones possibly slivers of 2 with stringers of popy 363.9 - 364.45 bleached, altered possibly sliver of 2 or 7B, 5% stringers pypo 365.75 - 365.82 crush zone 366.2 - 366.3 crush zone 370 - 374.5 increasing fracturing	403060	363.00	364.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			403061	364.00	365.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			403062	365.00	366.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			403063	366.00	367.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			403064	367.00	368.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403065	368.00	369.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403066	369.00	370.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403067	370.00	371.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403068	371.00	372.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403069	372.00	373.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			403070	373.00	374.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403071	374.00	375.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			374.50	377.13	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE BX variably brecciated and altered., sections bleached? Fine brownish-biotitic to brecciated, carbonatized and weakly silicified resembles a weak to moderate crush zone with minimal movement	403072	375.00	376.00	1.00	0.01	<0.001
403073	376.00	377.00				1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
377.13	381.80	(2) UNDIFF. INTERMEDIATE VOLCANICS CREN porphyry and mafic volcanics variable altered and deformed, locally finely laminated and crenulated, locally bleached and silicified 2-5% fine disseminated and weak stringers popy	403074	377.00	378.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			403075	378.00	379.00	1.00	0.12	0.003	119	<input type="checkbox"/>	
			403076	379.00	380.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			403077	380.00	381.00	1.00	0.09	0.003	86	<input type="checkbox"/>	
			403078	381.00	382.00	1.00	0.19	0.006	189	<input type="checkbox"/>	
381.80	386.80	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE similar to before, relatively massive	403079	382.00	383.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			403080	383.00	384.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			403081	384.00	385.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403082	385.00	386.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403083	386.00	387.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
386.80	398.10	(7B) FELDSPAR PORPHYRY subvolcanic type - altered light buff, fine grained well foliated to locally banded at 35-50 to CA-variable, lightly to moderately sericitized, fine biotitization, weak skarning, fine quartz eyes traces to minor popy	403084	387.00	388.00	1.00	0.12	0.004	122	<input type="checkbox"/>	
			403085	388.00	389.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			403086	389.00	390.00	1.00	0.11	0.003	114	<input type="checkbox"/>	
			403087	390.00	391.00	1.00	0.20	0.006	202	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-86

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		.5 m moderately biotitized-fine	403088	391.00	392.00	1.00	0.18	0.005	176	<input type="checkbox"/>	
			403089	392.00	393.00	1.00	0.22	0.006	219	<input type="checkbox"/>	
			403090	393.00	394.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			403091	394.00	395.00	1.00	0.18	0.005	183	<input type="checkbox"/>	
			403092	395.00	396.00	1.00	0.10	0.003	100	<input type="checkbox"/>	
			403093	396.00	397.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
			403094	397.00	398.00	1.00	0.14	0.004	139	<input type="checkbox"/>	
398.10	414.60	(9D) SKARN	403095	398.00	399.00	1.00	0.13	0.004	128	<input type="checkbox"/>	
		20% good amphibole-diopside-carbonate skarn bands, 30% altered subvolcanic porphyry bands, biotitic w/ foliated to banded, 50% mafic volcanics, altered, patchy brown biotite	403096	399.00	400.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
		units above are cut by a number of narrow chunky porphyry dikes	403097	400.00	401.00	1.00	0.20	0.006	204	<input type="checkbox"/>	
		401.75 - 402 chunky porphyry	403098	401.00	402.00	1.00	0.24	0.007	235	<input type="checkbox"/>	
		403.60 - 403.9 chunky porphyry	403101	402.00	403.00	1.00	0.85	0.025	845	<input type="checkbox"/>	
		410.6 - 410.85 chunky porphyry	403102	403.00	404.00	1.00	0.20	0.006	196	<input type="checkbox"/>	
		411.9 - 412.34 chunky porphyry	403103	404.00	405.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
		413.65 - 414.20 chunky porphyry	403104	405.00	406.00	1.00	0.10	0.003	99	<input type="checkbox"/>	
			403105	406.00	407.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			403106	407.00	408.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			403107	408.00	409.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403108	409.00	410.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			403109	410.00	411.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403110	411.00	412.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			403111	412.00	413.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			403112	413.00	414.00	1.00	0.25	0.007	248	<input type="checkbox"/>	
			403113	414.00	415.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
414.60	419.90	(6D) LAMPORPHYRE	403114	415.00	416.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		MYSTERY ROCK	403115	416.00	417.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		medium to dark green with patches of pastel grey-blue and pale brown, fine-medium grained, massive uniform, plenty of fibrous pale amphibole needles and quartz??	403116	417.00	418.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			403117	418.00	419.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			403118	419.00	420.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-86
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
419.90	424.20	(9D) SKARN good banded skarn amphibole-diopside-carbonate-biotite well foliated and banded at 55-60 to CA 420.22 - 420.92 chunky porphyry dike	403119	420.00	421.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			403120	421.00	422.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			403121	422.00	423.00	1.00	0.16	0.005	157	<input type="checkbox"/>	
			403122	423.00	424.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
424.20	432.90	(1A) MASSIVE MAFIC VOLC dark green, fine grained streaks and patches biotite, varies from foliated to sheared and laminated locally 425.92 - 426.33 chunky porphyry dike 428.23 - 429.30 chunky porphyry dike	403123	424.00	425.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			403124	425.00	426.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403125	426.00	427.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403126	427.00	428.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403127	428.00	429.00	1.00	0.18	0.005	179	<input type="checkbox"/>	
			403128	429.00	430.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403129	430.00	431.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403130	431.00	432.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
432.90	436.60	(7B) FELDSPAR PORPHYRY chunky porphyry massive 25-30% feldspar phenos variable size up to 4 mm sharp contacts at 55-60 to CA	403131	432.00	433.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
436.60	442.50	(1A) MASSIVE MAFIC VOLC similar to above	403132	436.60	438.00	1.40	0.02	0.001	19	<input type="checkbox"/>	
			403133	442.00	443.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
442.50	448.40	(7B) FELDSPAR PORPHYRY subvolcanic type lightly biotitized, moderately foliated at 60 to CA, weakly fine porphyritic 2% quartz 2% skarn veining	403134	443.00	444.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403135	444.00	445.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			403136	445.00	446.00	1.00	0.12	0.003	118	<input type="checkbox"/>	
			403137	446.00	447.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			403138	447.00	448.00	1.00	0.10	0.003	97	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-86

Project : PLANET EXPLORATION

Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
448.40	452.40	(7B) FELDSPAR PORPHYRY similar to above with 30% wispy mafics and minor skarn-contaminated porphyry?	403139	448.00	449.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			403140	449.00	450.00	1.00	0.90	0.026	896	<input type="checkbox"/>	
			403141	450.00	451.00	1.00	0.10	0.003	103	<input type="checkbox"/>	
			403142	451.00	452.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
452.40	484.50	(1A) MASSIVE MAFIC VOLC possibly komatiitic olive green, fine grained, massive to foliated at 60 to CA, local stringers of quartz and carbonate, minor biotitic wisps and patches 452.75 - 453 biotite-amphibole 30% white quartz 470.80 - 473.5 weak shear-breccia 10% braided and streaks biotite 452.75 - 484.5 weakly serpentinized, slight talcose feel, local actinolite 483.9 - 484.5 60-70% white quartz irregular contact near parallel to CA	403143	452.00	453.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403144	453.00	454.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			403145	456.00	457.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			403146	470.00	471.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			403147	471.00	472.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403148	472.00	473.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			403151	473.00	474.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			403152	474.00	475.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403153	475.00	476.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403154	476.00	477.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403155	477.00	478.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			403156	478.00	479.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			403157	479.00	480.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			403158	480.00	481.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
403159	481.00	482.00	1.00	0.02	0.001	22	<input type="checkbox"/>				
403160	482.00	483.00	1.00	0.08	0.002	76	<input type="checkbox"/>				
403161	483.00	483.90	0.90	0.06	0.002	58	<input type="checkbox"/>				
403162	483.90	484.50	0.60	0.10	0.003	101	<input type="checkbox"/>				



Goldcorp Inc.
QC Report

Hole Number RL-05-86
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
33.00	402749	2154	-	-	-	-	-	-	-	-	-	2.2	-	0.063	-	-
33.01	402750	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
81.00	402799	1727	-	-	-	-	-	-	-	-	-	1.7	-	0.050	-	-
81.01	402800	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
160.00	402849	1782	-	-	-	-	-	-	-	-	-	1.8	-	0.052	-	-
160.01	402850	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
208.00	402899	2271	-	-	-	-	-	-	-	-	-	2.3	-	0.066	-	-
208.01	402900	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
256.00	402949	2065	-	-	-	-	-	-	-	-	-	2.1	-	0.060	-	-
256.01	402950	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
303.00	402999	1986	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
303.01	403000	5	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
354.00	403049	2078	-	-	-	-	-	-	-	-	-	2.1	-	0.061	-	-
354.01	403050	5	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
402.00	403099	1915	-	-	-	-	-	-	-	-	-	1.9	-	0.056	-	-
402.01	403100	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
473.00	403149	2349	-	-	-	-	-	-	-	-	-	2.3	-	0.069	-	-
473.01	403150	13	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-86
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
16.30	18.00	1.70	R4	0.21	0.27	-	-	-	-
18.00	21.00	3.00	R4	0.07	0.31	-	-	-	-
21.00	24.00	3.00	R4	0.32	0.69	-	-	-	-
24.00	27.00	3.00	R4	0.15	0.16	-	-	-	-
27.00	30.00	3.00	R4	2.70	12.40	-	-	-	-
30.00	33.00	3.00	R4	0.11	0.18	-	-	-	-
33.00	36.00	3.00	R4	0.09	0.21	-	-	-	-
36.00	39.00	3.00	R4	0.16	0.40	-	-	-	-
39.00	42.00	3.00	R4	0.10	0.27	-	-	-	-
42.00	45.00	3.00	R4	0.04	0.12	-	-	-	-
45.00	48.00	3.00	R4	0.08	0.14	-	-	-	-
48.00	51.00	3.00	R4	0.45	2.25	-	-	-	-
51.00	54.00	3.00	R4	0.35	0.51	-	-	-	-
54.00	57.00	3.00	R4	0.59	1.20	-	-	-	-
57.00	60.00	3.00	R4	0.29	0.60	-	-	-	-
60.00	63.00	3.00	R4	0.42	1.01	-	-	-	-
63.00	66.00	3.00	R4	1.20	2.40	-	-	-	-
66.00	69.00	3.00	R4	1.22	2.96	-	-	-	-
69.00	72.00	3.00	R4	0.53	1.73	-	-	-	-
72.00	75.00	3.00	R4	3.13	6.14	-	-	-	-
75.00	78.00	3.00	R4	0.55	0.78	-	-	-	-
78.00	81.00	3.00	R4	0.35	0.80	-	-	-	-
81.00	84.00	3.00	R4	0.62	0.73	-	-	-	-
84.00	87.00	3.00	R4	0.90	1.01	-	-	-	-
87.00	90.00	3.00	R4	1.71	4.15	-	-	-	-
90.00	93.00	3.00	R4	1.18	2.10	-	-	-	-
93.00	96.00	3.00	R4	0.71	1.11	-	-	-	-
96.00	99.00	3.00	R4	0.43	0.53	-	-	-	-
99.00	102.00	3.00	R4	0.28	1.24	-	-	-	-
102.00	105.00	3.00	R4	0.48	0.60	-	-	-	-
105.00	108.00	3.00	R4	0.56	0.87	-	-	-	-
108.00	111.00	3.00	R4	8.21	12.80	-	-	-	-
111.00	114.00	3.00	R4	8.53	-	-	-	-	-
114.00	117.00	3.00	R4	0.98	2.06	-	-	-	-
117.00	120.00	3.00	R4	1.83	4.20	-	-	-	-
120.00	123.00	3.00	R4	0.43	0.51	-	-	-	-
123.00	126.00	3.00	R4	0.66	0.93	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-86
Project: PLANET EXPLORATION
Project Number: 800125

126.00	129.00	3.00	R4	161.00	2.87	-	-	-	-
129.00	132.00	3.00	R4	1.50	2.79	-	-	-	-
132.00	135.00	3.00	R4	2.24	3.91	-	-	-	-
135.00	138.00	3.00	R4	0.76	1.61	-	-	-	-
138.00	141.00	3.00	R4	2.22	19.60	-	-	-	-
141.00	144.00	3.00	R4	0.06	0.18	-	-	-	-
144.00	147.00	3.00	R4	0.06	0.14	-	-	-	-
147.00	150.00	3.00	R4	0.01	0.03	-	-	-	-
150.00	153.00	3.00	R4	0.05	0.20	-	-	-	-
153.00	156.00	3.00	R4	0.34	0.87	-	-	-	-
156.00	159.00	3.00	R4	1.39	4.11	-	-	-	-
159.00	162.00	3.00	R4	1.40	2.61	-	-	-	-
162.00	165.00	3.00	R4	2.57	6.16	-	-	-	-
165.00	168.00	3.00	R4	0.30	0.47	-	-	-	-
168.00	171.00	3.00	R4	0.33	0.45	-	-	-	-
171.00	174.00	3.00	R4	0.67	0.80	-	-	-	-
174.00	177.00	3.00	R4	0.35	0.47	-	-	-	-
177.00	180.00	3.00	R4	0.37	0.53	-	-	-	-
180.00	183.00	3.00	R4	0.90	1.17	-	-	-	-
183.00	186.00	3.00	R4	0.60	0.96	-	-	-	-
186.00	189.00	3.00	R4	0.12	0.34	-	-	-	-
189.00	192.00	3.00	R4	0.23	0.65	-	-	-	-
192.00	195.00	3.00	R4	0.24	1.37	-	-	-	-
195.00	198.00	3.00	R4	0.41	0.47	-	-	-	-
198.00	201.00	3.00	R4	0.46	0.71	-	-	-	-
201.00	204.00	3.00	R4	0.45	0.60	-	-	-	-
204.00	207.00	3.00	R4	0.41	0.49	-	-	-	-
207.00	210.00	3.00	R4	0.57	0.96	-	-	-	-
210.00	213.00	3.00	R4	5.16	2.28	-	-	-	-
213.00	216.00	3.00	R4	0.52	0.96	-	-	-	-
216.00	219.00	3.00	R4	6.66	8.74	-	-	-	-
219.00	222.00	3.00	R4	0.28	1.22	-	-	-	-
222.00	225.00	3.00	R4	0.07	0.12	-	-	-	-
225.00	228.00	3.00	R4	0.01	0.01	-	-	-	-
228.00	231.00	3.00	R4	0.00	0.00	-	-	-	-
231.00	234.00	3.00	R4	0.08	0.25	-	-	-	-
234.00	237.00	3.00	R4	0.16	0.27	-	-	-	-
237.00	240.00	3.00	R4	0.34	0.54	-	-	-	-
240.00	243.00	3.00	R4	0.61	1.17	-	-	-	-
243.00	246.00	3.00	R4	0.30	0.58	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-86
Project: PLANET EXPLORATION
Project Number: 800125

246.00	249.00	3.00	R4	0.14	0.23	-	-	-	-
249.00	252.00	3.00	R4	0.64	1.32	-	-	-	-
252.00	255.00	3.00	R4	0.01	0.05	-	-	-	-
255.00	258.00	3.00	R4	0.05	0.14	-	-	-	-
258.00	261.00	3.00	R4	0.30	0.87	-	-	-	-
261.00	264.00	3.00	R4	0.41	0.89	-	-	-	-
264.00	267.00	3.00	R4	0.52	1.42	-	-	-	-
267.00	270.00	3.00	R4	0.24	0.62	-	-	-	-
270.00	273.00	3.00	R4	1.86	2.17	-	-	-	-
273.00	276.00	3.00	R4	0.73	1.02	-	-	-	-
276.00	279.00	3.00	R4	1.92	5.67	-	-	-	-
279.00	282.00	3.00	R4	0.64	0.76	-	-	-	-
282.00	285.00	3.00	R4	1.87	4.22	-	-	-	-
285.00	288.00	3.00	R4	0.52	0.64	-	-	-	-
288.00	291.00	3.00	R4	0.36	0.45	-	-	-	-
291.00	294.00	3.00	R4	1.03	2.52	-	-	-	-
294.00	297.00	3.00	R4	1.23	3.29	-	-	-	-
297.00	300.00	3.00	R4	4.15	5.08	-	-	-	-
300.00	303.00	3.00	R4	14.30	6.20	-	-	-	-
303.00	306.00	3.00	R4	1.14	2.65	-	-	-	-
306.00	309.00	3.00	R4	0.71	1.07	-	-	-	-
309.00	312.00	3.00	R4	0.64	1.09	-	-	-	-
312.00	315.00	3.00	R4	0.03	0.67	-	-	-	-
315.00	318.00	3.00	R4	0.04	0.07	-	-	-	-
318.00	321.00	3.00	R4	0.01	0.02	-	-	-	-
321.00	324.00	3.00	R4	0.02	0.05	-	-	-	-
324.00	327.00	3.00	R4	0.09	0.27	-	-	-	-
327.00	330.00	3.00	R4	0.35	0.65	-	-	-	-
330.00	333.00	3.00	R4	0.08	0.14	-	-	-	-
333.00	336.00	3.00	R4	0.14	0.40	-	-	-	-
336.00	339.00	3.00	R4	0.05	0.12	-	-	-	-
339.00	342.00	3.00	R4	0.03	0.20	-	-	-	-
342.00	345.00	3.00	R4	0.12	0.25	-	-	-	-
345.00	348.00	3.00	R4	0.08	0.14	-	-	-	-
348.00	351.00	3.00	R4	0.14	0.16	-	-	-	-
351.00	354.00	3.00	R4	0.09	0.16	-	-	-	-
354.00	357.00	3.00	R4	0.14	0.34	-	-	-	-
357.00	360.00	3.00	R4	0.03	0.03	-	-	-	-
360.00	363.00	3.00	R4	0.08	0.20	-	-	-	-
363.00	366.00	3.00	R4	0.56	1.00	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-86
Project: PLANET EXPLORATION
Project Number: 800125

366.00	369.00	3.00	R4	0.16	0.18	-	-	-	-
369.00	372.00	3.00	R4	0.16	0.38	-	-	-	-
372.00	375.00	3.00	R4	0.48	0.91	-	-	-	-
375.00	378.00	3.00	R4	0.23	0.25	-	-	-	-
378.00	381.00	3.00	R4	0.38	0.65	-	-	-	-
381.00	384.00	3.00	R4	0.36	0.69	-	-	-	-
384.00	387.00	3.00	R4	0.39	0.82	-	-	-	-
387.00	390.00	3.00	R4	0.17	0.32	-	-	-	-
390.00	393.00	3.00	R4	1.57	3.25	-	-	-	-
393.00	396.00	3.00	R4	0.02	0.05	-	-	-	-
396.00	399.00	3.00	R4	0.32	0.86	-	-	-	-
399.00	402.00	3.00	R4	1.65	4.24	-	-	-	-
402.00	405.00	3.00	R4	1.14	3.11	-	-	-	-
405.00	408.00	3.00	R4	0.58	0.91	-	-	-	-
408.00	411.00	3.00	R4	0.30	0.40	-	-	-	-
411.00	414.00	3.00	R4	0.23	0.15	-	-	-	-
414.00	417.00	3.00	R4	0.36	0.56	-	-	-	-
417.00	420.00	3.00	R4	0.58	0.96	-	-	-	-
420.00	423.00	3.00	R5	0.36	0.58	-	-	-	-
423.00	426.00	3.00	R5	0.44	0.54	-	-	-	-
426.00	429.00	3.00	R5	0.97	2.19	-	-	-	-
429.00	432.00	3.00	R5	0.89	1.53	-	-	-	-
432.00	435.00	3.00	R5	0.17	0.23	-	-	-	-
435.00	438.00	3.00	R5	0.16	0.16	-	-	-	-
438.00	441.00	3.00	R5	0.19	0.20	-	-	-	-
441.00	444.00	3.00	R5	0.08	0.16	-	-	-	-
444.00	447.00	3.00	R5	0.01	0.01	-	-	-	-
447.00	450.00	3.00	R5	0.11	0.18	-	-	-	-
450.00	453.00	3.00	R5	0.22	0.31	-	-	-	-
453.00	456.00	3.00	R5	0.29	0.43	-	-	-	-
456.00	459.00	3.00	R5	0.28	0.34	-	-	-	-
459.00	462.00	3.00	R5	0.40	0.65	-	-	-	-
462.00	465.00	3.00	R5	0.56	0.67	-	-	-	-
465.00	468.00	3.00	R5	0.78	3.18	-	-	-	-
468.00	471.00	3.00	R5	4.78	13.30	-	-	-	-
471.00	474.00	3.00	R5	3.73	9.79	-	-	-	-
474.00	477.00	3.00	R5	3.34	7.22	-	-	-	-
477.00	480.00	3.00	R5	0.24	0.27	-	-	-	-
480.00	483.00	3.00	R5	0.68	1.37	-	-	-	-
483.00	484.50	1.50	R5	0.83	2.19	-	-	-	-



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-87
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 146	Length: 33.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -50	Pulled: No	Claim No: Staked	Spotted by: L.C. Chastko
Length: 462.00 meters	Capped: No	NTS:	Coord Type: SUR
Started: 08-Jun-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 14-Jun-05		Level:	Surveyed Date: 13-Jul-05
Logged: 16-Jun-05		Coordinate- Gemcom	Logged by: A.P. Prysak
Wedged : No		Coordinate - UTM	Re-logged by:
Wedged from:		Coordinate- Grid	Water Source:
	Core	East: 461786.29	Water line:
	Dimension: NQ	East: 461786	Left in hole: Nothing
	Original Units: M	North: 5679502.85	Control Drilling:
	Storage: Cochenour Mine	North: 5679503	Cutting sampled: No
		Elevation: 414.48	Geophysic:
		Elevation: 414	
		UTM Zone: 15 (NAD27)	
		Grid Name:	

Target: Magnetic feature NE of Anderson Lake

Comments:

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	147.06	-50.00	X	48.000	147.20	-49.44	X	96.000	148.64	-49.25	X
3.000	146.99	-49.66	X	51.000	147.30	-49.42	X	99.000	148.68	-49.25	X
6.000	147.02	-49.29	X	54.000	147.30	-49.38	X	102.000	148.75	-49.25	X
9.000	147.08	-49.16	X	57.000	147.38	-49.34	X	105.000	148.83	-49.23	X
12.000	147.22	-49.30	X	60.000	147.46	-49.26	X	108.000	148.90	-49.20	X
15.000	147.22	-49.59	X	63.000	147.51	-49.21	X	111.000	148.95	-49.18	X
18.000	147.18	-49.66	X	66.000	147.63	-49.20	X	114.000	149.08	-49.18	X
21.000	147.08	-49.56	X	69.000	147.85	-49.24	X	117.000	149.15	-49.16	X
24.000	147.06	-49.43	X	72.000	148.03	-49.24	X	120.000	149.21	-49.12	X
27.000	147.08	-49.41	X	75.000	148.11	-49.23	X	123.000	149.27	-49.14	X
30.000	147.07	-49.53	X	78.000	148.21	-49.21	X	126.000	149.36	-49.13	X
33.000	147.03	-49.58	X	81.000	148.30	-49.24	X	129.000	149.51	-49.08	X
36.000	147.02	-49.57	X	84.000	148.37	-49.25	X	132.000	149.60	-49.03	X
39.000	147.03	-49.54	X	87.000	148.50	-49.24	X	135.000	149.59	-49.01	X
42.000	147.08	-49.53	X	90.000	148.54	-49.24	X	138.000	149.62	-48.99	X
45.000	147.14	-49.49	X	93.000	148.59	-49.25	X	141.000	149.70	-48.95	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-87
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	149.73	-48.90	X
147.000	149.74	-48.84	X
150.000	149.80	-48.77	X
153.000	149.79	-48.74	X
156.000	149.81	-48.73	X
159.000	149.88	-48.71	X
162.000	149.95	-48.69	X
165.000	149.97	-48.65	X
168.000	150.00	-48.64	X
171.000	149.97	-48.63	X
174.000	149.93	-48.64	X
177.000	149.87	-48.65	X
180.000	149.85	-48.65	X
183.000	149.80	-48.69	X
186.000	149.80	-48.82	X
189.000	149.80	-48.89	X
192.000	149.79	-48.91	X
195.000	149.72	-48.94	X
198.000	149.63	-48.92	X
201.000	149.53	-48.95	X
204.000	149.53	-48.96	X
207.000	149.59	-48.97	X
210.000	149.62	-48.96	X
213.000	149.61	-48.93	X
216.000	149.66	-48.92	X
219.000	149.65	-48.90	X
222.000	149.68	-48.88	X
225.000	149.64	-48.86	X
228.000	149.62	-48.82	X
231.000	149.65	-48.82	X
234.000	149.69	-48.79	X
237.000	149.66	-48.78	X
240.000	149.64	-48.77	X
243.000	149.72	-48.75	X
246.000	149.71	-48.77	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
249.000	149.72	-48.74	X
252.000	149.68	-48.72	X
255.000	149.66	-48.74	X
258.000	149.64	-48.73	X
261.000	149.58	-48.72	X
264.000	149.51	-48.74	X
267.000	149.50	-48.74	X
270.000	149.44	-48.72	X
273.000	149.38	-48.70	X
276.000	149.39	-48.67	X
279.000	149.39	-48.66	X
282.000	149.39	-48.63	X
285.000	149.37	-48.58	X
288.000	149.35	-48.52	X
291.000	149.37	-48.46	X
294.000	149.32	-48.41	X
297.000	149.29	-48.38	X
300.000	149.32	-48.31	X
303.000	149.28	-48.26	X
306.000	149.25	-48.23	X
309.000	149.27	-48.19	X
312.000	149.28	-48.16	X
315.000	149.30	-48.11	X
318.000	149.30	-48.07	X
321.000	149.29	-48.03	X
324.000	149.27	-47.97	X
327.000	149.25	-47.88	X
330.000	149.23	-47.79	X
333.000	149.22	-47.69	X
336.000	149.24	-47.58	X
339.000	149.24	-47.47	X
342.000	149.24	-47.34	X
345.000	149.24	-47.20	X
348.000	149.17	-47.07	X
351.000	149.12	-46.95	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
354.000	149.12	-46.87	X
357.000	149.12	-46.83	X
360.000	149.12	-46.77	X
363.000	149.15	-46.73	X
366.000	149.17	-46.70	X
369.000	149.14	-46.64	X
372.000	149.17	-46.58	X
375.000	149.18	-46.53	X
378.000	149.16	-46.48	X
381.000	149.13	-46.42	X
384.000	149.12	-46.36	X
387.000	149.10	-46.32	X
390.000	149.08	-46.29	X
393.000	149.08	-46.24	X
396.000	149.13	-46.19	X
399.000	149.13	-46.15	X
402.000	149.21	-46.09	X
405.000	149.24	-46.09	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-87
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
0.00	33.50	(OB) OVERBURDEN									
33.50	47.10	(1) UNDIFF. MAFIC / UM VOLCANICS									
		Dark grey to black, banded amphibolite, partly dyked by felsite-porphyr ; 5% calcite-diopside veining on a cm scale; banding and foliation at 10-20 degrees tca. 1% diss py, mainly with calcite. Moderate pervasive calcite and brown biotite	403163	35.00	36.00	1.00	0.23	0.007	229		<input type="checkbox"/>
			403164	36.00	37.00	1.00	0.10	0.003	101		<input type="checkbox"/>
			403165	37.00	38.00	1.00	0.03	0.001	31		<input type="checkbox"/>
			403166	38.00	39.00	1.00	0.04	0.001	35		<input type="checkbox"/>
			403167	39.00	40.00	1.00	0.02	0.001	22		<input type="checkbox"/>
			403168	40.00	41.00	1.00	0.22	0.007	224		<input type="checkbox"/>
			403169	41.00	42.00	1.00	0.06	0.002	55		<input type="checkbox"/>
			403170	42.00	43.00	1.00	0.20	0.006	204		<input type="checkbox"/>
			403171	43.00	44.00	1.00	0.02	0.001	24		<input type="checkbox"/>
			403172	44.00	45.00	1.00	0.06	0.002	63		<input type="checkbox"/>
			403173	45.00	46.00	1.00	0.06	0.002	55		<input type="checkbox"/>
			403174	46.00	47.00	1.00	0.16	0.005	163		<input type="checkbox"/>
47.10	66.20	(7B) FELDSPAR PORPHYRY									
		Felsite with occasional qtz eye to 0.5mm, relative of the FP unit	403175	47.00	48.00	1.00	0.01	<0.001	13		<input type="checkbox"/>
		49.4-51.5: red altered felsite, possibly a tectonized pegmatite, annealed, Or a potassic altered section; veined by 20% calcite-amphibole-diopside skarn with 1-2% py	403176	48.00	49.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
		55.0-57: dark green amphibole-skarn unit on a fold, going in and out at 15degrees tca.	403177	49.00	50.00	1.00	0.75	0.022	750		<input type="checkbox"/>
		57-66.2: reddish-brown alteration on annealed fractures of typical felsite phase of the porphyry	403178	50.00	51.00	1.00	0.16	0.005	157		<input type="checkbox"/>
			403179	51.00	52.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			403180	52.00	53.00	1.00	0.01	<0.001	7		<input type="checkbox"/>
			403181	53.00	54.00	1.00	0.02	<0.001	17		<input type="checkbox"/>
			403182	54.00	55.00	1.00	0.06	0.002	57		<input type="checkbox"/>
			403183	55.00	56.00	1.00	0.15	0.004	146		<input type="checkbox"/>
			403184	56.00	57.00	1.00	0.11	0.003	109		<input type="checkbox"/>
			403185	57.00	58.00	1.00	0.01	<0.001	6		<input type="checkbox"/>
			403186	58.00	59.00	1.00	0.12	0.003	116		<input type="checkbox"/>
			403187	59.00	60.00	1.00	0.02	0.001	24		<input type="checkbox"/>
			403188	60.00	61.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			403189	61.00	62.00	1.00	0.01	<0.001	10		<input type="checkbox"/>
			403190	62.00	63.00	1.00	0.01	<0.001	10		<input type="checkbox"/>
			403191	63.00	64.00	1.00	0.30	0.009	304		<input type="checkbox"/>
			403192	64.00	65.00	1.00	0.01	<0.001	7		<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-87
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
66.20	101.80	(1J) BANDED AMPHIBOLITE Dark green well foliated amphibolite with banding from minor biotitization and skarn veining; sections are coarse grained 66.2-79: crudly banded bio-amphibolite; fol at 25-35 degrees 73.8-74.7: grey, calcite-biotite dyke contacts at 75 degrees 79.0-82.0: coarse grained hblid gabbro; contacts gradational over 20-30cm. 82.0-89.5: mafic volcanic amphibolite with 10% skarn veining; qtz-cal-diop-po 83.8: rusty fault at 60 degrees over approx. 10cm 89.5-100.4: foliated mafics; 2-3% skarn veining 100.4-101.8: heavily skarned section, folded in and out of the core; 101.8: contact at 35 degrees tca.	403193	65.00	66.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403194	66.00	67.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			403195	67.00	68.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403196	68.00	69.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403197	69.00	70.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			403198	70.00	71.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			403201	71.00	72.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			403202	72.00	73.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403203	73.00	74.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403204	74.00	75.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403205	75.00	76.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			403206	76.00	77.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			403207	77.00	78.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			403208	78.00	79.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			403209	79.00	80.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
			403210	80.00	81.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403211	81.00	82.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403212	82.00	83.00	1.00	0.10	0.003	103	<input type="checkbox"/>	
			403213	83.00	84.00	1.00	0.12	0.003	118	<input type="checkbox"/>	
			403214	84.00	85.00	1.00	0.09	0.002	85	<input type="checkbox"/>	
			403215	85.00	86.00	1.00	0.10	0.003	102	<input type="checkbox"/>	
			403216	86.00	87.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			403217	87.00	88.00	1.00	0.13	0.004	129	<input type="checkbox"/>	
			403218	88.00	89.00	1.00	0.12	0.004	124	<input type="checkbox"/>	
			403219	89.00	90.00	1.00	0.10	0.003	100	<input type="checkbox"/>	
			403220	90.00	91.00	1.00	0.12	0.003	119	<input type="checkbox"/>	
			403221	91.00	92.00	1.00	0.07	0.002	74	<input type="checkbox"/>	
			403222	92.00	93.00	1.00	0.09	0.003	92	<input type="checkbox"/>	
			403223	93.00	94.00	1.00	0.13	0.004	127	<input type="checkbox"/>	
		403224	94.00	95.00	1.00	0.06	0.002	61	<input type="checkbox"/>		
		403225	95.00	96.00	1.00	0.10	0.003	96	<input type="checkbox"/>		
		403226	96.00	97.00	1.00	0.10	0.003	102	<input type="checkbox"/>		
		403227	97.00	98.00	1.00	0.10	0.003	97	<input type="checkbox"/>		
		403228	98.00	99.00	1.00	0.06	0.002	55	<input type="checkbox"/>		
		403229	99.00	100.00	1.00	0.04	0.001	39	<input type="checkbox"/>		



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-87

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			403230	100.00	101.00	1.00	5.64	0.165	5643	<input type="checkbox"/>	
			403231	101.00	102.00	1.00	0.21	0.006	211	<input type="checkbox"/>	
101.80	121.20	(7B) FELDSPAR PORPHYRY	403232	102.00	103.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		Well foliated, grey to light brown porphyry unit with no felds left- 10-15% diopside skarn veining, 10-20 degrees tca, parallel to foliation. Looks like a felsic volcanic without the phenos.	403233	103.00	104.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		104.5-108.2: green, amphibolitic mafic volcanic, moderately biotitize; fol and contacts at 25 degrees tca	403234	104.00	105.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		104.5-108.2: green, amphibolitic mafic volcanic, moderately biotitize; fol and contacts at 25 degrees tca	403235	105.00	106.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
		108.2-111.6: 25-30% skarn veining 5-20 degrees tca; large diopsides; fold with core angles in and out	403236	106.00	107.00	1.00	0.31	0.009	306	<input type="checkbox"/>	
		112.5-114.3: 70% skarn vein	403237	107.00	108.00	1.00	0.24	0.007	237	<input type="checkbox"/>	
		116.3-116.8: foliated porphyry/lamp dyke at 20 degrees; moderate biotite	403238	108.00	109.00	1.00	0.20	0.006	199	<input type="checkbox"/>	
		116.8-117.6: coarse diopside skarn vein	403239	109.00	110.00	1.00	0.27	0.008	273	<input type="checkbox"/>	
			403240	110.00	111.00	1.00	0.37	0.011	371	<input type="checkbox"/>	
			403241	111.00	112.00	1.00	0.20	0.006	197	<input type="checkbox"/>	
			403242	112.00	113.00	1.00	0.10	0.003	95	<input type="checkbox"/>	
			403243	113.00	114.00	1.00	0.10	0.003	99	<input type="checkbox"/>	
			403244	114.00	115.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			403245	115.00	116.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			403246	116.00	117.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			403247	117.00	118.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			403248	118.00	119.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			403251	119.00	120.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403252	120.00	121.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
121.20	126.00	(1K) KOMATIITES	403253	121.00	122.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
		Green to grey komatiitic unit with actinolite-biotite and skarn veining to 124.2, abruptly becoming talc-carb schist, grey-green and folded in and out of the core.	403254	122.00	123.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			403255	123.00	124.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			403256	124.00	125.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			403257	125.00	126.00	1.00	0.11	0.003	108	<input type="checkbox"/>	
126.00	129.10	(7B) FELDSPAR PORPHYRY	403258	126.00	127.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
		Grey, strongly foliated to laminated; weak brownish tinge like in normal porphyry; no feldspars; on dry core looks like a felsic volcanic	403259	127.00	128.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403260	128.00	129.00	1.00	0.03	0.001	33	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-87
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
129.10	133.40	(1K) KOMATIITES Green, actinolitic to grey talc-carb schist; moderate pervasive calcite; very same unit as above the porphyry unit above. 131.3-131.5: foliated porphyry/lamp type dyke	403261	129.00	130.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			403262	130.00	131.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			403263	131.00	132.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			403264	132.00	133.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
133.40	159.10	(7B) FELDSPAR PORPHYRY Grey to light reddish-brown porphyry unit; no phenos; moderately fractured, annealed by the red-brown alteration; also, numerous late brittle fractures as fault gouge; minor skarn veining 137-141: rubbly core from low angle fractures 154.6-155.7: foliated biotite porphyry/lamp dyke with 5% skarn veins, mm scale, minor py 149.4-157: numerous green clay fault seams 158-158.9: skarn vein	403265	133.00	134.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			403266	134.00	135.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403267	135.00	136.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			403268	136.00	137.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			403269	137.00	138.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			403270	144.00	145.00	1.00	0.33	0.010	331	<input type="checkbox"/>	
			403271	145.00	146.00	1.00	0.07	0.002	74	<input type="checkbox"/>	
			403272	154.00	155.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			403273	155.00	156.00	1.00	0.15	0.004	146	<input type="checkbox"/>	
			403274	156.00	157.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403275	157.00	158.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403276	158.00	159.00	1.00	0.09	0.002	85	<input type="checkbox"/>	
			159.10	169.50	(1) UNDIFF. MAFIC / UM VOLCANICS Green amphibolitic mafic volcanics, moderate biotite streams; 5-6% skarn veins 159.3- 159.7: chunky porphyry at 20 degrees, well foliated and feld phenos all stretched out 166.5-169.5: 25-30% skarn veining as coarse diopside, minor calcite, biotite and amphiboles.	403277	159.00	160.00	1.00	0.67	0.020
403278	160.00	161.00				1.00	0.74	0.022	744	<input type="checkbox"/>	
403279	161.00	162.00				1.00	0.08	0.002	79	<input type="checkbox"/>	
403280	162.00	163.00				1.00	0.19	0.006	192	<input type="checkbox"/>	
403281	163.00	164.00				1.00	0.10	0.003	101	<input type="checkbox"/>	
403282	164.00	165.00				1.00	0.10	0.003	95	<input type="checkbox"/>	
403283	165.00	166.00				1.00	0.02	<0.001	16	<input type="checkbox"/>	
403284	166.00	167.00				1.00	0.04	0.001	44	<input type="checkbox"/>	
403285	167.00	168.00				1.00	0.08	0.002	76	<input type="checkbox"/>	
403286	168.00	169.00				1.00	0.07	0.002	71	<input type="checkbox"/>	
403287	169.00	170.00	1.00	0.24	0.007	243	<input type="checkbox"/>				
169.50	174.90	(7B) FELDSPAR PORPHYRY Porphyry with inclusions of mafic volcanics and UM 170.5-171.1: grey talc-carb schist; seams of gouge 171.1-172: black mafic volcanic-amphibolite 172.6-173.5: dark and light green amphibolitic schist at 0-10 degrees tca	403288	170.00	171.00	1.00	0.18	0.005	178	<input type="checkbox"/>	
			403289	171.00	172.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			403290	172.00	173.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			403291	173.00	174.00	1.00	0.08	0.002	84	<input type="checkbox"/>	
			403292	174.00	175.00	1.00	0.21	0.006	206	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-87

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
174.90	193.30	(6F) TALC SCHIST	403293	175.00	176.00	1.00	0.09	0.003	93	<input type="checkbox"/>	
		Grey talc-carb schist with minor intervals of mafic volcanics	403294	176.00	177.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
		174.9-177.2: mixed interval of mafic volcanics, black amphibolite to lighter grees, possibly UM schist	403295	177.00	178.00	1.00	0.42	0.012	423	<input type="checkbox"/>	
		177.2-180: grey talc-carb schist	403296	178.00	179.00	1.00	0.22	0.006	221	<input type="checkbox"/>	
		180-183: banded black amphibolite as mafics; very strong fault zone	403297	179.00	180.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
		183-189: grey talc carb unit, massive to schistose; narrow gouge sections	403298	180.00	181.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
		189-190.8: dark green coarse grained, tectonized gabbro	403301	183.00	184.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
		190.8-193.3: talc-carb schist, foliated and folded sub-parallel to ca.	403302	184.00	185.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403303	185.00	186.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403304	192.00	193.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
193.30	275.20	(6C) PERIDOTITE / TALC SCHIST	403305	193.00	194.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Black, serpentized peridotite, massive, strongly magnetic with large black amphiboles in a lighter matrix, feld or serpentine? Amphiboles locally aggregated into matts, akin to amphibole spinifex	403306	194.00	195.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403307	195.00	196.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403308	196.00	197.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403309	197.00	198.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403310	198.00	199.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			403311	199.00	200.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			403312	200.00	201.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			403313	209.00	210.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403314	210.00	211.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			403315	215.00	216.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			403316	216.00	217.00	1.00	0.10	0.003	97	<input type="checkbox"/>	
			403317	222.00	223.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403318	223.00	224.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			403319	231.00	232.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403320	232.00	233.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			403321	243.00	244.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			403322	244.00	245.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403323	255.00	256.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403324	256.00	257.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403325	264.00	265.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			403326	265.00	266.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			403327	272.00	273.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			403328	273.00	274.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-87
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
275.20	281.80	(1K) KOMATIITES Green, actinolitic on upper contact, becoming grey talc-carb schist. 275.2-277.6: actinolitic unit with moderate dark brown biotite for 1m on upper contact 277.6-281.8: grey, tremolite matted with minor talcose feel to the unit. Strong ferro-carb matrix alt.	403329	274.00	275.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403330	275.00	276.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403331	276.00	277.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			403332	277.00	278.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403333	278.00	279.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403334	279.00	280.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403335	280.00	281.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
281.80	285.70	(7) FELSIC-INTERM HYPABYSSAL INTRUSIVES Porphyry unit with 3 distinct phases: 281.8-282.7: reddish-brown, sandy textured, foliated at 35 degrees. 282.7-284.8: typical reddish-brown, siliceous phase without any phenos preserved' 284.8-285.7: 90% silica in a marbled texture from auto clastic brecciation and annealing by further silica and biotite and minor amphiboles	403336	281.00	282.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403337	282.00	283.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403338	283.00	284.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403339	284.00	284.80	0.80	0.08	0.002	78	<input type="checkbox"/>	
			403340	284.80	285.80	1.00	0.01	<0.001	10	<input type="checkbox"/>	
285.70	288.00	(1K) KOMATIITES Grey komatiitic unit as above; colorless fibrous amphiboles and carb. Green amphibole-biotite limited to approx. 5cm on lower contact.	403341	285.80	287.00	1.20	0.08	0.002	76	<input type="checkbox"/>	
			403342	287.00	288.00	1.00	0.10	0.003	96	<input type="checkbox"/>	
288.00	292.20	(1) UNDIFF. MAFIC / UM VOLCANICS Dark green, massive to banded amphibolite-mafic volcanics; several small porphyry dykes 289.7-290: red-brown porphyry dyke at 55 degrees; silicified 290.3-290.8: porphyry dyke, silicified	403343	288.00	289.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			403344	289.00	290.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			403345	290.00	291.00	1.00	0.40	0.012	401	<input type="checkbox"/>	
			403346	291.00	292.00	1.00	0.16	0.005	155	<input type="checkbox"/>	
292.20	294.60	(7B) FELDSPAR PORPHYRY Reddish-brown felsite/porphyry; hard, silicified, few skarn veins and late white qtz blebs.	403347	292.00	293.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			403348	293.00	294.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403351	294.00	295.00	1.00	0.03	0.001	26	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-87
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
294.60	300.50	(1) UNDIFF. MAFIC / UM VOLCANICS Dark green, massive to banded amphibolite, several porphyry dykes; minor skarn and qtz-calcite veining, cm scale.	403352	295.00	296.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
			403353	296.00	297.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			403354	297.00	298.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			403355	298.00	299.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			403356	299.00	300.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			403357	300.00	300.50	0.50	0.02	0.001	18	<input type="checkbox"/>	
300.50	301.10	(5S) SILICATE FACIES IRON FORMATION 30cm band of massive grunerite-magnetite bed, along with well developed skarn veins; 3% po in the grunerite unit; banding at 60 degrees tca. Few small grains of stubby aspy in the G-M bed.	403358	300.50	301.00	0.50	0.46	0.014	464	<input type="checkbox"/>	
301.10	321.20	(1J) BANDED AMPHIBOLITE SHMS Green, banded amphibolite with 10% diopside skarn veins 301.1-301.5: banded unit with 10% skarn veins 301.5-303.1: 1N, coarse grained amphibolite 303.5-304.1: feldspar/porphyry dyke 304.1-305.1: banded amphibolite 305.1-305.5: 7B with QVs 305.5-308: massive, weakly foliated, dark green mafics 308-321.2: quite intensely sheared, weak biotite, strong diopside veining 310.3-310.6: porphyry 311.4, 10cm porphyry 313-313.5: porphyry 314-314.3: banded qtz-cal-po-mt vein at 35 degrees 317.9-318.3: porphyry and white QVs. 320.5: 10cm white QV at 80 degrees	403359	301.00	301.50	0.50	0.22	0.006	219	<input type="checkbox"/>	
			403360	301.50	302.00	0.50	0.23	0.007	225	<input type="checkbox"/>	
			403361	302.00	303.00	1.00	0.11	0.003	112	<input type="checkbox"/>	
			403362	303.00	304.00	1.00	0.26	0.007	257	<input type="checkbox"/>	
			403363	304.00	305.00	1.00	0.18	0.005	179	<input type="checkbox"/>	
			403364	305.00	306.00	1.00	0.12	0.003	117	<input type="checkbox"/>	
			403365	306.00	307.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			403366	307.00	308.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			403367	308.00	309.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			403368	309.00	310.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			403369	310.00	311.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			403370	311.00	312.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			403371	312.00	313.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			403372	313.00	313.50	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	
			403373	313.50	314.00	0.50	0.06	0.002	64	<input type="checkbox"/>	
			403374	314.00	314.50	0.50	0.05	0.001	50	<input type="checkbox"/>	
			403375	314.50	315.00	0.50	0.02	<0.001	16	<input type="checkbox"/>	
			403376	315.00	316.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			403377	316.00	317.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			403378	317.00	318.00	1.00	0.07	0.002	73	<input type="checkbox"/>	
403379	318.00	319.00	1.00	0.02	0.001	18	<input type="checkbox"/>				
403380	319.00	320.00	1.00	0.01	<0.001	11	<input type="checkbox"/>				



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-87

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
321.20	322.60	(7B) FELDSPAR PORPHYRY Reddish-brown porphyry; lower contact sharp at 45 degrees	403381	320.00	321.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			403382	321.00	322.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403383	322.00	323.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
322.60	330.20	(1) UNDIFF. MAFIC / UM VOLCANICS Dark green, massive basalt; 10% diopside and minor calcite veining; small folds on a 10-30 cm scale	403384	323.00	324.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403385	324.00	325.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403386	325.00	326.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403387	326.00	327.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403388	327.00	328.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403389	328.00	329.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
330.20	333.30	(7B) FELDSPAR PORPHYRY Brown porphyry, relict phenos; skarn veins, inclusions 333.3-333.7: mafic incl 333.0-333.3: lamp dyke, foliated and brown alteration as in the normal porphyry	403391	330.00	331.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403392	331.00	332.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403393	332.00	333.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
333.30	348.50	(1J) BANDED AMPHIBOLITE Dark green, well foliated mafics with 5-7% diopside veining and minor epidote-calcite veining, possibly as pillow selvages; small folds throughout the interval 339-345: 2-3% po, minor py as diss to stringers 345.1-345.35: white, barren QV 345.35-347: moderately well veined by diopside - minor po 347-348.3: brecciated and annealed by silicification	403394	333.00	334.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			403395	334.00	335.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403396	335.00	336.00	1.00	0.11	0.003	105	<input type="checkbox"/>	
			403397	336.00	337.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403398	337.00	338.00	1.00	0.52	0.015	519	<input type="checkbox"/>	
			403401	338.00	339.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			403402	339.00	340.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			403403	340.00	341.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403404	341.00	342.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			403405	342.00	343.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			403406	343.00	344.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			403407	344.00	345.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			403408	345.00	346.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			403409	346.00	347.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
403410	347.00	348.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
403411	348.00	349.00	1.00	0.03	0.001	26	<input type="checkbox"/>				



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-87

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments			
348.50	352.50	(7B) FELDSPAR PORPHYRY Grey, bleached porphyry 351.5-352: green silicified breccia section of mafics	403412	349.00	350.00	1.00	0.01	<0.001	9	<input type="checkbox"/>				
			403413	350.00	351.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
			403414	351.00	352.00	1.00	0.02	<0.001	16	<input type="checkbox"/>				
			403415	352.00	353.00	1.00	0.02	<0.001	15	<input type="checkbox"/>				
352.50	388.00	(1) UNDIFF. MAFIC / UM VOLCANICS Dark green mafics, moderately biotitic, quite intensely folded to 364; weakly to moderately foliated 60-70 degrees tca; locally coarse grained, possibly gabbro sill/dyke; sections with dark bands, possibly pillow selvages 352.5-362.1: moderate brown biotite with the fol, folded mafic unit, minor skarn veining with a 15cm vein at 360.5; minor po 362.1-361.6: brownish FP dyke at 65 degrees 361.6-365.2: strong biotite and diopside skarn alteration 365.2-365.7: grey-brown felsite 365.7-366.3: altered mafics 366.3-366.5: light grey, silicified FP 366.5-368.2: dark brown-black, silicified mafic unit 368.2-368.8: porphyry unit 368.8-369.1: 5D, bands of massive po with mafic to cherty clasts and diopside veins 369.1-369.7: diopside veins, biotite and minor po. 369.7-370.2: massive, fol. mafic, 1N unit 370.2-370.9: foliated, grey felsite/ porphyry, not the sub-volcanic relative 370.9-372.5: 1N, locally brecciated and weakly silicified. 372.5-373.2: QP, grey, biotitic with 3-4% flattened qtz eyes. 373.2-375.9: 1N, fol at 65 degrees 375.9-376.5: QP unit, as above 376.5-388: 1N unit, coarse foliated amphibolite, increasing calcite stringers towards the lower contact 384-388: 10% white calcite veinlets to 2mm, minor diopside veins	403416	353.00	354.00	1.00	0.01	<0.001	14	<input type="checkbox"/>				
			403417	360.00	361.00	1.00	0.01	<0.001	8	<input type="checkbox"/>				
			403418	361.00	362.00	1.00	0.01	<0.001	13	<input type="checkbox"/>				
			403419	362.00	363.00	1.00	0.01	<0.001	5	<input type="checkbox"/>				
			403420	363.00	364.00	1.00	0.02	0.001	20	<input type="checkbox"/>				
			403421	364.00	365.00	1.00	0.06	0.002	56	<input type="checkbox"/>				
			403422	365.00	366.00	1.00	0.02	0.001	18	<input type="checkbox"/>				
			403423	366.00	367.00	1.00	0.17	0.005	166	<input type="checkbox"/>				
			403424	367.00	367.80	0.80	0.02	0.001	20	<input type="checkbox"/>				
			403425	367.80	368.30	0.50	0.04	0.001	39	<input type="checkbox"/>				
			403426	368.30	368.80	0.50	0.02	0.001	22	<input type="checkbox"/>				
			403427	368.80	369.10	0.30	0.06	0.002	60	<input type="checkbox"/>				
			403428	369.10	369.70	0.60	0.05	0.001	49	<input type="checkbox"/>				
			403429	385.00	386.00	1.00	0.01	<0.001	12	<input type="checkbox"/>				
			403430	386.00	387.00	1.00	0.01	<0.001	10	<input type="checkbox"/>				
			403431	387.00	388.00	1.00	0.07	0.002	65	<input type="checkbox"/>				
			388.00	393.30	(3) UNDIFF. FELSIC VOLCANICS Grey, massive to banded felsite; not related to the porphyry; minor small qtz eyes 388-389.2: yellow, sericitic felsic, banded towards lower contact 389.2-391.8: mafic with 10% calcite veinlets, hard silicified with deep brown alteration 391.8-393.3: grey, fine grained, banded felsic unit; tuff.sed?	403432	388.00	389.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
						403433	389.00	390.00	1.00	0.13	0.004	130	<input type="checkbox"/>	
						403434	390.00	391.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
						403435	391.00	392.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
403436	392.00	393.00				1.00	0.01	<0.001	7	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-87
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
393.30	420.60	(1J) BANDED AMPHIBOLITE SHMS Dark grey to black to brown in sections with strong biotite; moderate to strong calcite veins on mm scale; minor diopside veis; minor small folding. 393.3-397: strong deformation reflected by calcite-biotite alteration; 2-3% po-py 394.5, 15cm banded carb vein at 80 degrees 397-399.2: 1N unit, weak biotite 399.2-400.5: very strong brown biotite alteration, moderate calcite, diopside, 2-3% po; matrix looks like porphyry material 400.5-410: moderate to strong biotite-cal-diop alteration in mafic volvacanic unit; section resemble pillows 410-411.5: banded, felsic-mafic unit, silicified by brown alteration of the porphyry, minor diopside-calcite-po veins 411.5-417: massive to banded mafic 417-418.5: strong biotite with intense deformation; 10-15% diopside veining, minor po 418.5-419.5: 7B dyke, redish-brown to grey, relict fs phenos 419.5-420.6: sheared section with 15% diopside veins, moderate brown biotite, 1% popy	403437	393.00	394.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			403438	394.00	395.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			403439	395.00	396.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			403440	396.00	397.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			403441	397.00	398.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			403442	398.00	399.00	1.00	0.27	0.008	273	<input type="checkbox"/>	
			403443	399.00	400.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			403444	400.00	400.50	0.50	0.03	0.001	30	<input type="checkbox"/>	
			403445	400.50	401.50	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			403446	401.50	402.00	0.50	0.02	<0.001	15	<input type="checkbox"/>	
			403447	402.00	403.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403448	403.00	404.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403451	404.00	405.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403452	405.00	406.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			403453	406.00	407.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403454	407.00	408.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403455	408.00	409.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403456	409.00	410.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			403457	410.00	411.00	1.00	0.12	0.004	120	<input type="checkbox"/>	
			403458	411.00	411.50	0.50	0.04	0.001	41	<input type="checkbox"/>	
403459	417.00	418.00	1.00	0.06	0.002	56	<input type="checkbox"/>				
403460	418.00	418.50	0.50	0.25	0.007	253	<input type="checkbox"/>				
403461	418.50	419.50	1.00	0.03	0.001	25	<input type="checkbox"/>				
403462	419.50	420.00	0.50	0.08	0.002	79	<input type="checkbox"/>				
403463	420.00	420.60	0.60	0.22	0.007	223	<input type="checkbox"/>				
420.60	429.00	(3) UNDIFF. FELSIC VOLCANICS Grey felsic unit as at 388m;small, 0.5mm sized qtz eyes in minor sections;lower one metre interval is brown porphyry with distinct relict fs phenos.	403464	420.60	421.50	0.90	0.03	0.001	30	<input type="checkbox"/>	
			403465	426.00	427.00	1.00	0.15	0.004	150	<input type="checkbox"/>	
			403466	427.00	428.00	1.00	0.20	0.006	199	<input type="checkbox"/>	
			403467	428.00	429.00	1.00	0.75	0.022	750	<input type="checkbox"/>	
429.00	431.80	(1) UNDIFF. MAFIC / UM VOLCANICS Dark green to grey, weakly foliated mafics; minor biotite, calcite	403468	429.00	430.00	1.00	0.17	0.005	171	<input type="checkbox"/>	
			403469	430.00	431.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403470	431.00	431.80	0.80	0.02	0.001	20	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-87
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
431.80	432.90	(5D) SULPHIDE FACIES IRON FORMATION Bedded sed/tuff unit with 20% bands of massive po with small cherty clasts; massive beds to 6cm; conductor	403471	431.80	432.90	1.10	0.12	0.004	123	<input type="checkbox"/>	
432.90	447.00	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE Coarse grained, hblid phyric, moderate foliation at 60 degrees; minor irregular calcite veinlets	403472	432.90	433.70	0.80	0.02	0.001	24	<input type="checkbox"/>	
447.00	461.30	(1A) MASSIVE MAFIC VOLC Fine grained, foliated mafic volcanics; very weak biotite' minor qtz and epidote vein to 1cm.	403473 403474	450.00 460.00	451.00 461.00	1.00 1.00	<0.01 <0.01	<0.001 <0.001	<5 <5	<input type="checkbox"/> <input type="checkbox"/>	
461.30	462.00	(7B) FELDSPAR PORPHYRY Light brown, siliceous porphyry.	403475	461.00	462.00	1.00	0.03	0.001	27	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-87
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
71.00	403199	2199	-	-	-	-	-	-	-	-	-	2.2	-	0.064	-	-
71.01	403200	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
119.00	403249	1935	-	-	-	-	-	-	-	-	-	1.9	-	0.056	-	-
119.01	403250	6	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
181.00	403299	2193	-	-	-	-	-	-	-	-	-	2.2	-	0.064	-	-
181.01	403300	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
294.00	403349	1779	-	-	-	-	-	-	-	-	-	1.8	-	0.052	-	-
294.01	403350	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
338.00	403399	1993	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
338.01	403400	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
404.00	403449	2145	-	-	-	-	-	-	-	-	-	2.1	-	0.063	-	-
404.01	403450	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-87
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
33.50	36.00	2.50	R5	0.26	0.47	-	-	-	-
36.00	39.00	3.00	R5	0.22	0.31	-	-	-	-
39.00	42.00	3.00	R5	0.12	0.14	-	-	-	-
42.00	45.00	3.00	R5	0.00	0.29	-	-	-	-
45.00	48.00	3.00	R5	0.23	0.53	-	-	-	-
48.00	51.00	3.00	R5	0.03	0.09	-	-	-	-
51.00	54.00	3.00	R6	0.01	0.07	-	-	-	-
54.00	57.00	3.00	R5	0.45	1.24	-	-	-	-
57.00	60.00	3.00	R5	0.16	0.69	-	-	-	-
60.00	63.00	3.00	R5	0.10	0.14	-	-	-	-
63.00	66.00	3.00	R5	0.20	0.34	-	-	-	-
66.00	69.00	3.00	R5	0.15	0.21	-	-	-	-
69.00	72.00	3.00	R5	0.16	0.21	-	-	-	-
72.00	75.00	3.00	R5	0.26	0.60	-	-	-	-
75.00	78.00	3.00	R5	0.28	0.84	-	-	-	-
78.00	81.00	3.00	R5	0.35	0.84	-	-	-	-
81.00	84.00	3.00	R5	0.31	0.62	-	-	-	-
84.00	87.00	3.00	R5	0.37	0.67	-	-	-	-
87.00	90.00	3.00	R5	0.39	0.60	-	-	-	-
90.00	93.00	3.00	R5	0.19	0.25	-	-	-	-
93.00	96.00	3.00	R5	0.36	0.65	-	-	-	-
96.00	99.00	3.00	R5	0.49	1.09	-	-	-	-
99.00	102.00	3.00	R5	0.23	0.51	-	-	-	-
102.00	105.00	3.00	R5	0.07	0.29	-	-	-	-
105.00	108.00	3.00	R5	0.14	0.25	-	-	-	-
108.00	111.00	3.00	R5	0.06	0.10	-	-	-	-
111.00	114.00	3.00	R5	0.07	0.10	-	-	-	-
114.00	117.00	3.00	R5	0.11	0.20	-	-	-	-
117.00	120.00	3.00	R5	0.04	0.12	-	-	-	-
120.00	123.00	3.00	R5	0.10	0.23	-	-	-	-
123.00	126.00	3.00	R4	1.08	2.65	-	-	-	-
126.00	129.00	3.00	R5	0.06	0.18	-	-	-	-
129.00	132.00	3.00	R4	0.27	0.65	-	-	-	-
132.00	135.00	3.00	R5	0.36	1.21	-	-	-	-
135.00	138.00	3.00	R5	0.30	1.17	-	-	-	-
138.00	141.00	3.00	R5	0.01	0.05	-	-	-	-
141.00	144.00	3.00	R5	0.10	0.16	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-87
Project: PLANET EXPLORATION
Project Number: 800125

144.00	147.00	3.00	R5	0.09	0.12	-	-	-	-
147.00	150.00	3.00	R5	0.09	0.12	-	-	-	-
150.00	153.00	3.00	R5	0.11	0.20	-	-	-	-
153.00	156.00	3.00	R5	1.06	3.42	-	-	-	-
156.00	159.00	3.00	R5	0.28	0.62	-	-	-	-
159.00	162.00	3.00	R5	0.77	1.81	-	-	-	-
162.00	165.00	3.00	R5	0.13	0.18	-	-	-	-
165.00	168.00	3.00	R5	0.17	0.29	-	-	-	-
168.00	171.00	3.00	R5	0.47	0.67	-	-	-	-
171.00	174.00	3.00	R5	0.64	1.48	-	-	-	-
174.00	177.00	3.00	R5	0.64	1.72	-	-	-	-
177.00	180.00	3.00	R4	4.89	17.20	-	-	-	-
180.00	183.00	3.00	R4	1.54	2.34	-	-	-	-
183.00	186.00	3.00	R5	23.60	26.80	-	-	-	-
186.00	189.00	3.00	R3	14.10	22.70	-	-	-	-
189.00	192.00	3.00	R2	5.69	10.30	-	-	-	-
192.00	195.00	3.00	R2	26.30	35.60	-	-	-	-
195.00	198.00	3.00	R3	34.00	37.10	-	-	-	-
198.00	201.00	3.00	R3	34.80	37.50	-	-	-	-
201.00	204.00	3.00	R3	37.70	46.90	-	-	-	-
204.00	207.00	3.00	R3	34.40	39.50	-	-	-	-
207.00	210.00	3.00	R3	27.80	38.70	-	-	-	-
210.00	213.00	3.00	R3	37.10	37.90	-	-	-	-
213.00	216.00	3.00	R3	33.10	46.60	-	-	-	-
216.00	219.00	3.00	R3	34.90	36.20	-	-	-	-
219.00	222.00	3.00	R3	39.70	40.90	-	-	-	-
222.00	225.00	3.00	R3	41.80	45.10	-	-	-	-
225.00	228.00	3.00	R4	29.80	41.40	-	-	-	-
228.00	231.00	3.00	R3	30.90	34.80	-	-	-	-
231.00	234.00	3.00	R4	34.70	41.90	-	-	-	-
234.00	237.00	3.00	R3	36.30	37.60	-	-	-	-
237.00	240.00	3.00	R3	36.00	41.10	-	-	-	-
240.00	243.00	3.00	R4	37.30	38.70	-	-	-	-
243.00	246.00	3.00	R3	35.80	41.20	-	-	-	-
246.00	249.00	3.00	R4	35.90	44.50	-	-	-	-
249.00	252.00	3.00	R4	38.10	40.60	-	-	-	-
252.00	255.00	3.00	R4	33.60	35.40	-	-	-	-
255.00	258.00	3.00	R4	25.80	47.30	-	-	-	-
258.00	261.00	3.00	R4	33.30	38.20	-	-	-	-
261.00	264.00	3.00	R4	29.60	36.00	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-87
Project: PLANET EXPLORATION
Project Number: 800125

264.00	267.00	3.00	R4	32.80	34.60	-	-	-	-
267.00	270.00	3.00	R4	35.30	37.60	-	-	-	-
270.00	273.00	3.00	R4	31.70	36.30	-	-	-	-
273.00	276.00	3.00	R3	13.30	28.00	-	-	-	-
276.00	279.00	3.00	R4	1.05	1.66	-	-	-	-
279.00	282.00	3.00	R4	0.67	1.62	-	-	-	-
282.00	285.00	3.00	R5	0.12	0.27	-	-	-	-
285.00	288.00	3.00	R4	3.99	4.95	-	-	-	-
288.00	291.00	3.00	R5	0.77	2.87	-	-	-	-
291.00	294.00	3.00	R5	0.09	0.18	-	-	-	-
294.00	297.00	3.00	R5	0.12	0.20	-	-	-	-
297.00	300.00	3.00	R5	0.30	0.54	-	-	-	-
300.00	303.00	3.00	R5	16.10	61.00	-	-	-	-
303.00	306.00	3.00	R5	0.58	0.93	-	-	-	-
306.00	309.00	3.00	R5	0.95	2.28	-	-	-	-
309.00	312.00	3.00	R5	0.26	0.65	-	-	-	-
312.00	315.00	3.00	R5	0.34	0.65	-	-	-	-
315.00	318.00	3.00	R5	0.31	0.51	-	-	-	-
318.00	321.00	3.00	R5	0.22	0.32	-	-	-	-
321.00	324.00	3.00	R5	1.53	7.24	-	-	-	-
324.00	327.00	3.00	R5	0.19	0.23	-	-	-	-
327.00	330.00	3.00	R5	0.14	0.21	-	-	-	-
330.00	333.00	3.00	R5	0.03	0.12	-	-	-	-
333.00	336.00	3.00	R5	1.27	3.36	-	-	-	-
336.00	339.00	3.00	R5	0.68	1.50	-	-	-	-
339.00	342.00	3.00	R5	0.70	1.42	-	-	-	-
342.00	345.00	3.00	R5	1.46	4.94	-	-	-	-
345.00	348.00	3.00	R5	0.67	1.51	-	-	-	-
348.00	351.00	3.00	R5	0.24	0.84	-	-	-	-
351.00	354.00	3.00	R5	0.96	3.07	-	-	-	-
354.00	357.00	3.00	R5	0.86	1.67	-	-	-	-
357.00	360.00	3.00	R5	0.56	1.11	-	-	-	-
360.00	363.00	3.00	R5	0.55	1.24	-	-	-	-
363.00	366.00	3.00	R5	1.85	6.18	-	-	-	-
366.00	369.00	3.00	R5	1.71	4.70	-	-	-	-
369.00	372.00	3.00	R5	0.35	1.02	-	-	-	-
372.00	375.00	3.00	R5	0.16	0.26	-	-	-	-
375.00	378.00	3.00	R5	2.34	10.90	-	-	-	-
378.00	381.00	3.00	R5	2.20	5.85	-	-	-	-
381.00	384.00	3.00	R5	0.74	1.13	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-87
Project: PLANET EXPLORATION
Project Number: 800125

384.00	387.00	3.00	R5	0.92	1.51	-	-	-	-
387.00	390.00	3.00	R5	0.28	0.42	-	-	-	-
390.00	393.00	3.00	R5	0.40	1.04	-	-	-	-
393.00	396.00	3.00	R5	1.09	1.97	-	-	-	-
396.00	399.00	3.00	R5	0.64	1.31	-	-	-	-
399.00	402.00	3.00	R5	1.57	3.58	-	-	-	-
402.00	405.00	3.00	R5	1.40	2.06	-	-	-	-
405.00	408.00	3.00	R5	0.81	1.15	-	-	-	-
408.00	411.00	3.00	R5	1.10	1.95	-	-	-	-
411.00	414.00	3.00	R5	5.27	16.40	-	-	-	-
414.00	417.00	3.00	R5	1.38	2.63	-	-	-	-
417.00	420.00	3.00	R5	0.95	1.70	-	-	-	-
420.00	423.00	3.00	R5	0.58	2.08	-	-	-	-
423.00	426.00	3.00	R5	0.03	0.07	-	-	-	-
426.00	429.00	3.00	R5	0.03	0.09	-	-	-	-
429.00	432.00	3.00	R5	1.21	2.81	-	-	-	-
432.00	435.00	3.00	R5	1.33	3.53	-	-	-	-
435.00	438.00	3.00	R5	0.26	0.36	-	-	-	-
438.00	441.00	3.00	R5	0.14	0.16	-	-	-	-
441.00	444.00	3.00	R5	0.11	0.12	-	-	-	-
444.00	447.00	3.00	R5	0.11	0.14	-	-	-	-
447.00	450.00	3.00	R5	0.20	0.29	-	-	-	-
450.00	453.00	3.00	R5	0.98	3.86	-	-	-	-
453.00	456.00	3.00		1.17	3.44	-	-	-	-
456.00	459.00	3.00		0.23	0.42	-	-	-	-
459.00	462.00	3.00		0.12	0.34	-	-	-	-



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-88
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 125	Length: meters	Township:	Contractor: MAJOR DRILLING
Dip: -50	Pulled: Yes	Claim No: Staked	Spotted by: L.C. Chastko
Length: 108.00 meters	Capped: No	NTS:	Coord Type: PROP
Started: 16-Jun-06	Cemented: No	Surface Hole : Yes	Surveyed by:
Completed: 25-Jun-06		Level:	Surveyed Date:
Logged: 11-Dec-06		Coordinate- Gemcom	Logged by: A.P. Pryslak
Wedged : No	Core	Coordinate - UTM	Re-logged by:
Wedged from:	Dimension: NQ	East: 461380.00 East: 461380	Water Source:
	Original Units: M	North: 5679100.00 North: 5679100	Water line:
	Storage: Cochenour Mine	Elevation: 380.00 Elevation: 410	Left in hole:
		UTM Zone: 15 NAD 27	Control Drilling:
Target: 2005-H2A - East Bay Serpentinite			Cutting sampled: No
Comments: Hole abandoned due to cave-in of API hole			Geophysic:

Deviation Tests



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-89
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 127.92	Length: 94.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -55	Pulled: No	Claim No: Staked	Spotted by: A.P. Prysak
Length: 558.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 25-Jun-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 03-Jul-05		Level:	Surveyed Date: 19-Jul-05
Logged: 03-Jul-05	<u>Core</u>	Coordinate - Gemcom	Logged by: L.C. Chastko
Wedged : No	Dimension: NQ	East: 461320.16	Re-logged by:
Wedged from:	Original Units: M	North: 5679175.34	Water Source: Anderson Lake
	Storage: Cochenour Mine	Elevation: 419.58	Water line:
		UTM Zone: 15 (NAD27)	Left in hole: Nothing
			Control Drilling: Stabilizer
Target:			Cutting sampled: No
Comments:			Geophysical:

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	127.92	-55.00	X	48.000	129.05	-56.35	X	96.000	131.29	-57.18	X
3.000	127.81	-55.27	X	51.000	129.08	-56.51	X	99.000	131.27	-57.01	X
6.000	127.79	-55.40	X	54.000	129.74	-56.88	X	102.000	131.51	-57.06	X
9.000	127.86	-55.20	X	57.000	130.48	-57.10	X	105.000	131.72	-57.14	X
12.000	127.97	-54.85	X	60.000	130.82	-57.04	X	108.000	131.94	-57.17	X
15.000	128.01	-54.76	X	63.000	130.96	-56.91	X	111.000	132.03	-57.20	X
18.000	128.15	-55.05	X	66.000	131.07	-56.91	X	114.000	132.09	-57.19	X
21.000	128.54	-55.35	X	69.000	131.32	-57.02	X	117.000	132.08	-57.17	X
24.000	129.23	-55.54	X	72.000	131.43	-57.05	X	120.000	132.15	-57.10	X
27.000	130.27	-55.74	X	75.000	131.59	-57.02	X	123.000	132.08	-57.03	X
30.000	131.38	-56.05	X	78.000	131.77	-57.05	X	126.000	132.04	-56.96	X
33.000	132.09	-56.53	X	81.000	131.87	-57.31	X	129.000	132.01	-56.92	X
36.000	132.14	-56.86	X	84.000	131.96	-57.66	X	132.000	132.12	-56.87	X
39.000	131.61	-56.89	X	87.000	131.87	-57.81	X	135.000	132.29	-56.74	X
42.000	130.66	-56.72	X	90.000	131.72	-57.71	X	138.000	132.40	-56.60	X
45.000	129.67	-56.47	X	93.000	131.51	-57.46	X	141.000	132.49	-56.57	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-89
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Deviation Tests

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	132.54	-56.52	X
147.000	132.64	-56.40	X
150.000	132.74	-56.32	X
153.000	132.87	-56.26	X
156.000	133.00	-56.16	X
159.000	133.08	-56.09	X
162.000	133.12	-56.06	X
165.000	133.19	-55.97	X
168.000	133.27	-55.90	X
171.000	133.36	-55.86	X
174.000	133.54	-55.75	X
177.000	133.71	-55.60	X
180.000	133.87	-55.54	X
183.000	134.04	-55.55	X
186.000	134.09	-55.55	X
189.000	134.13	-55.61	X
192.000	134.22	-55.56	X
195.000	134.32	-55.54	X
198.000	134.52	-55.48	X
201.000	134.58	-55.30	X
204.000	134.57	-55.08	X
207.000	134.63	-55.05	X
210.000	134.75	-55.13	X
213.000	134.82	-55.10	X
216.000	134.87	-55.08	X
219.000	134.99	-55.07	X
222.000	135.05	-55.02	X
225.000	134.99	-54.96	X
228.000	134.92	-54.99	X
231.000	134.95	-55.09	X
234.000	135.03	-55.14	X
237.000	135.10	-55.17	X
240.000	135.11	-55.28	X
243.000	135.19	-55.47	X
246.000	135.27	-55.50	X

Distance (m)	Azimuth	Dip	Type
249.000	135.34	-55.49	X
252.000	135.33	-55.52	X
255.000	135.29	-55.47	X
258.000	135.37	-55.40	X
261.000	135.41	-55.40	X
264.000	135.42	-55.38	X
267.000	135.51	-55.34	X
270.000	135.65	-55.24	X
273.000	135.81	-55.17	X
276.000	135.90	-55.07	X
279.000	135.91	-54.98	X
282.000	135.87	-55.01	X
285.000	135.88	-55.07	X
288.000	135.90	-55.13	X
291.000	135.94	-55.13	X
294.000	135.93	-55.15	X
297.000	135.94	-55.14	X
300.000	135.96	-55.12	X
303.000	136.05	-55.15	X
306.000	136.17	-55.15	X
309.000	136.22	-55.11	X
312.000	136.22	-55.03	X
315.000	136.18	-54.98	X
318.000	136.18	-54.99	X
321.000	136.04	-55.00	X
324.000	136.01	-55.02	X
327.000	136.11	-55.04	X
330.000	136.21	-55.05	X
333.000	136.22	-55.06	X
336.000	136.26	-55.05	X
339.000	136.26	-55.06	X
342.000	136.31	-55.07	X
345.000	136.36	-55.08	X
348.000	136.30	-55.12	X
351.000	136.28	-55.17	X

Distance (m)	Azimuth	Dip	Type
354.000	136.28	-55.18	X
357.000	136.34	-55.19	X
360.000	136.37	-55.21	X
363.000	136.39	-55.19	X
366.000	136.40	-55.17	X
369.000	136.39	-55.18	X
372.000	136.41	-55.19	X
375.000	136.42	-55.19	X
378.000	136.42	-55.21	X
381.000	136.41	-55.19	X
384.000	136.41	-55.17	X
387.000	136.37	-55.16	X
390.000	136.37	-55.16	X
393.000	136.32	-55.18	X
396.000	136.34	-55.16	X
399.000	136.37	-55.14	X
402.000	136.39	-55.15	X
405.000	136.42	-55.17	X
408.000	136.43	-55.17	X
411.000	136.42	-55.18	X
414.000	136.44	-55.15	X
417.000	136.37	-55.12	X
420.000	136.33	-55.11	X
423.000	136.25	-55.09	X
426.000	136.20	-55.09	X
429.000	136.19	-55.08	X
432.000	136.14	-55.04	X
435.000	136.06	-54.97	X
438.000	136.01	-54.89	X
441.000	135.97	-54.81	X
444.000	135.94	-54.76	X
447.000	135.87	-54.64	X
450.000	135.78	-54.46	X
453.000	135.73	-54.22	X
456.000	135.68	-53.95	X



Diamond Drill Hole Log

GoldCorp Inc.

Hole Number : RL-05-89

Project : PLANET EXPLOR

Project Number: 800125

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
459.000	135.63	-53.73	X
462.000	135.58	-53.56	X
465.000	135.51	-53.42	X
468.000	135.42	-53.27	X
471.000	135.30	-53.12	X
474.000	135.20	-53.00	X
477.000	135.12	-52.88	X
480.000	135.10	-52.77	X
483.000	135.07	-52.64	X
486.000	135.06	-52.55	X
489.000	135.04	-52.50	X
492.000	134.99	-52.40	X
495.000	134.93	-52.33	X
498.000	134.93	-52.26	X
501.000	134.95	-52.22	X
504.000	134.96	-52.19	X
507.000	134.94	-52.16	X
510.000	134.88	-52.14	X
513.000	134.83	-52.12	X
516.000	134.79	-52.08	X
519.000	134.73	-52.04	X
522.000	134.71	-52.01	X
525.000	134.62	-51.98	X
528.000	134.62	-51.97	X
531.000	134.58	-51.95	X
534.000	134.55	-51.93	X
537.000	134.52	-51.90	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-89
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	94.00	(OB) OVERBURDEN Casing									
94.00	150.25	(7B) FELDSPAR PORPHYRY BX									
		presumably fine grained feldspar porphyry	403476	94.00	96.00	2.00	0.02	0.001	19	<input type="checkbox"/>	broken core, 50-60% recovery
		70% fine grained, moderately sericitized, foliated, sheared, frequent rubble and/or gouge, weathered, strong reddish hematite staining, local carbonate and/or quartz veins, minor local fuchsite	403477	96.00	97.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		30% 1-3 meter sections of fine grained greyish porphyry, not sericitized, weakly to moderately brecciated locally- presumably blocks or rafts of less deformed rock within deformation zone	403478	97.00	98.00	1.00	0.09	0.002	85	<input type="checkbox"/>	
		weathering eases gradually but still present at 150 meters	403479	98.00	99.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
		94.00 - 96.85 micaceous, deeply weathered, rubbly, strong hematite staining	403480	99.00	100.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
		96.40 - 96.55 quartz vein, traces py	403481	100.00	101.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
		96.85 -99.40 weak porphyry breccia, more massive section	403482	101.00	102.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
		99.40 - 105.40 micaceous, foliated, broken rubble, local gouge, foliation and faulting at 25-35 to CA	403483	102.00	103.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
		105.40 - 106.70 more massive porphyry block	403484	103.00	104.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
		106.70 - 107.00 30% white quartz vein	403485	104.00	105.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
		107.00 - 107.50 Fault rubble, poorly consolidated	403486	105.00	106.00	1.00	0.16	0.005	155	<input type="checkbox"/>	
		107.50 - 109.00 more massive porphyry block	403487	106.00	107.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
		109.00 - 112.50 micaceous, foliated, rubbly, hematite stained	403488	107.00	108.00	1.00	0.50	0.015	503	<input type="checkbox"/>	
		109.00 - 109.80 Fault gouge-mud	403489	108.00	109.00	1.00	0.23	0.007	234	<input type="checkbox"/>	
		112.50 - 119.50 more massive porphyry block, minor hematite staining	403490	109.00	110.00	1.00	0.66	0.019	662	<input type="checkbox"/>	
		locally blocky to 1-5 cm fault gouge	403491	110.00	111.00	1.00	1.61	0.047	1609	<input type="checkbox"/>	
		119.50 - 125.0 weak to moderately micaceous, moderate hematite stained, locally fractured rubbly sections	403492	111.00	112.00	1.00	0.25	0.007	248	<input type="checkbox"/>	
		125.00 - 130.00 more massive porphyry block , weakly brecciated, weak hematite staining	403493	112.00	113.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
		130.00 - 130.60 Carbonate vein, 30-35% dark green amphiblite- vein at 35 to CA	403494	113.00	114.00	1.00	0.21	0.006	208	<input type="checkbox"/>	
		130.60 - 132.35 more massive porphyry block	403495	114.00	115.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
		132.35 - 134.50 strongly altered, strong hematite stained hodgepodge	403496	115.00	116.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
		134.50 - 137.50 well foliated, vaguely brecciated porphyry, variable foliation from 45 to 0 to CA	403497	116.00	117.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		137.50 - 144.00 porphyry with minor mafic material-presumably dikes, local rubble, a number of 1-20 cm fault gouge sections	403498	117.00	118.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		144.00 - 149.10 more massive porphyry, weak hematite staining, moderate number open fractures	403501	118.00	119.00	1.00	0.90	0.026	902	<input type="checkbox"/>	
		149.10 - 149.70 dark green, fine grained mafic dike-gabbroic	403502	119.00	120.00	1.00	0.53	0.015	526	<input type="checkbox"/>	
			403503	120.00	121.00	1.00	0.87	0.025	866	<input type="checkbox"/>	
			403504	121.00	122.00	1.00	0.11	0.003	112	<input type="checkbox"/>	
			403505	122.00	123.00	1.00	0.12	0.004	123	<input type="checkbox"/>	
			403506	123.00	124.00	1.00	0.12	0.003	117	<input type="checkbox"/>	
			403507	124.00	125.00	1.00	0.43	0.012	428	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-89
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			403508	125.00	126.00	1.00	0.31	0.009	307	<input type="checkbox"/>	
			403509	126.00	127.00	1.00	0.65	0.019	654	<input type="checkbox"/>	
			403510	127.00	128.00	1.00	0.67	0.019	665	<input type="checkbox"/>	
			403511	128.00	129.00	1.00	1.46	0.042	1455	<input type="checkbox"/>	
			403512	129.00	130.00	1.00	1.51	0.044	1511	<input type="checkbox"/>	
			403513	130.00	131.00	1.00	1.32	0.038	1318	<input type="checkbox"/>	
			403514	131.00	132.00	1.00	0.10	0.003	100	<input type="checkbox"/>	
			403515	132.00	133.00	1.00	3.28	0.096	3283	<input type="checkbox"/>	
			403516	133.00	134.00	1.00	3.92	0.114	3920	<input type="checkbox"/>	
			403517	134.00	135.00	1.00	7.56	0.221	7564	<input type="checkbox"/>	
			403518	135.00	136.00	1.00	0.47	0.014	467	<input type="checkbox"/>	
			403519	136.00	137.00	1.00	1.16	0.034	1159	<input type="checkbox"/>	
			403520	137.00	138.00	1.00	0.59	0.017	588	<input type="checkbox"/>	
			403521	138.00	139.00	1.00	0.40	0.012	400	<input type="checkbox"/>	
			403522	139.00	140.00	1.00	0.17	0.005	168	<input type="checkbox"/>	
			403523	140.00	141.00	1.00	0.15	0.004	150	<input type="checkbox"/>	
			403524	141.00	142.00	1.00	0.14	0.004	138	<input type="checkbox"/>	
			403525	142.00	143.00	1.00	0.73	0.021	730	<input type="checkbox"/>	
			403526	143.00	144.00	1.00	0.17	0.005	171	<input type="checkbox"/>	
			403527	144.00	145.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			403528	145.00	146.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			403529	146.00	147.00	1.00	0.12	0.004	121	<input type="checkbox"/>	
			403530	147.00	148.00	1.00	0.30	0.009	300	<input type="checkbox"/>	
			403531	148.00	149.00	1.00	0.16	0.005	162	<input type="checkbox"/>	
			403532	149.00	150.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
150.25	152.45	(6) MAFIC-ULTRAMAFIC INTRUSIVES	403533	150.00	151.00	1.00	0.16	0.005	158	<input type="checkbox"/>	
		dark green, fine grained, gabbroic, upper contact at 35 to CA, breccia and gouge at lower contact	403534	151.00	152.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
152.45	154.75	(7B) FELDSPAR PORPHYRY	403535	152.00	153.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		light reddish grey, weak hematite staining, fine grained, moderately fractured-open, brecciated-gouge upper contact, 35 to CA lower	403536	153.00	154.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			403537	154.00	155.00	1.00	1.04	0.030	1043	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-89
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
154.75	161.00	(6) MAFIC-ULTRAMAFIC INTRUSIVES dark green, fine to fine-medium grained, gabbroic, locally fractured, contacts at about 40-50 to CA 159.00 - 159.85 porphyry raft	403538	155.00	156.00	1.00	3.11	0.091	3110	<input type="checkbox"/>	
			403539	156.00	157.00	1.00	1.91	0.056	1913	<input type="checkbox"/>	
			403540	157.00	158.00	1.00	0.66	0.019	662	<input type="checkbox"/>	
			403541	158.00	159.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403542	159.00	160.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403543	160.00	161.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
161.00	164.78	(7B) FELDSPAR PORPHYRY subvolcanic type light grey, fine grained, moderately fractured to weakly brecciated, bleached along fractures, weakly to moderately foliated at 45-50 to CA, sharp contacts at 40 to CA	403544	161.00	162.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403545	162.00	163.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403546	163.00	164.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			403547	164.00	165.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
164.78	166.30	(6E) DIABASE light brownish-grey medium grained, altered, moderately fractured, possibly porphyry, sharp contacts at 35-40 to CA	403548	165.00	166.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
166.30	167.55	(7B) FELDSPAR PORPHYRY BX subvolcanic type , badly broken, moderately weathered	403551	166.00	167.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			403552	167.00	168.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
167.55	171.65	(6E) DIABASE similar to above, possibly porphyry dike, 15% biotitic flecks brecciated upper and lower contacts	403553	168.00	169.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403554	169.00	170.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403555	170.00	171.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403556	171.00	172.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
171.65	180.20	(7B) FELDSPAR PORPHYRY subvolcanic type variable light grey, fine grained, fractured, bleached along fractures, weakly sericitic 178.2 - 178.35 mafic dike 179.70 - 180.15 gabbroic dike, sharp contacts at 60 to CA	403557	172.00	173.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			403558	173.00	174.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
			403559	174.00	175.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403560	175.00	176.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403561	176.00	177.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-89
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			403562	177.00	178.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			403563	178.00	179.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403564	179.00	180.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
180.20	184.85	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	403565	180.00	181.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		quartz-sericite schist	403566	181.00	182.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
		light buffish, fine grained, moderately sericitic, 15% 1-3 mm flecks of weathered mineral, weak to moderately foliated at 60 to CA, moderately fractured, gradational upper contact, sharp lower contact at 55-60 to CA	403567	182.00	183.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			403568	183.00	184.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403569	184.00	185.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
184.85	196.06	(6) MAFIC-ULTRAMAFIC INTRUSIVES	403570	185.00	186.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		possibly altered gabbroic dike, 15% biotitic flecks, foliated at 60 to Ca	403571	186.00	187.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		weak to moderate open fractures with hematite staining, faulted lower contact	403572	187.00	188.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403573	188.00	189.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403574	189.00	190.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403575	190.00	191.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403576	191.00	192.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403577	192.00	193.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			403578	193.00	194.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403579	194.00	195.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403580	195.00	196.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
196.06	203.90	(7B) FELDSPAR PORPHYRY	403581	196.00	197.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		subvolcanic type	403582	197.00	198.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		light grey, flecked with fine lath sillimanite, locally weakly porphyritic sections, upper two meters broken and weathered along fractures, minor talc/serpentine on some slip fractures, weakly foliated at 60 to CA	403583	198.00	199.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		196.06 - 198.00 broken core, weathered	403584	199.00	200.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403585	200.00	201.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403586	201.00	202.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			403587	202.00	203.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403588	203.00	204.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
203.90	205.60	(6) MAFIC-ULTRAMAFIC INTRUSIVES	403589	204.00	205.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
		dark green, medium grained fractured, talcose slips, sharp irregular upper contact, fault breccia lower contact	403590	205.00	206.00	1.00	0.03	0.001	30	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-89
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
205.60	211.00	(7B) FELDSPAR PORPHYRY	403591	206.00	207.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		subvolcanic type	403592	207.00	208.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		moderately fractured and broken core, lightly sericitized	403593	208.00	209.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		205.60 - 206.60 fault breccia, broken core	403594	209.00	210.00	1.00	0.81	0.024	812	<input type="checkbox"/>	
			403595	210.00	211.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
211.00	220.25	(6) MAFIC-ULTRAMAFIC INTRUSIVES	403596	211.00	212.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		60% mafic/ultra mafic altered, 40% porphyry-altered interfingering	403597	212.00	213.00	1.00	0.11	0.003	111	<input type="checkbox"/>	
		211.00 - 212.00 medium grained gabbroic	403598	213.00	214.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
		212.00 - 213.22 altered porphyry	403601	214.00	215.00	1.00	0.15	0.004	149	<input type="checkbox"/>	
		213.22 - 214.30 mixed zone altered	403602	215.00	216.00	1.00	1.40	0.041	1401	<input type="checkbox"/>	
		214.30 - 215.50 medium to light green actinolitic, micaceous, altered, carbonatized	403603	216.00	217.00	1.00	0.18	0.005	183	<input type="checkbox"/>	
		215.50 - 216.90 altered porphyry	403604	217.00	218.00	1.00	0.50	0.015	503	<input type="checkbox"/>	
		216.90 - 219.20 50% actinolitic-micaceous crumbly, 50% talcose ultra mafic	403605	218.00	219.00	1.00	1.28	0.037	1282	<input type="checkbox"/>	
		219.20 - 220.25 predominantly altered porphyry	403606	219.00	220.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
220.25	250.00	(6C) PERIDOTITE / TALC SCHIST	403607	220.00	221.00	1.00	0.79	0.023	789	<input type="checkbox"/>	
		variably altered and faulted	403608	221.00	222.00	1.00	0.43	0.012	425	<input type="checkbox"/>	
		predominantly medium-talcose to dark green blotchy sheared and foliated	403609	222.00	223.00	1.00	7.38	0.215	7380	<input type="checkbox"/>	
		relatively competent blocks with numerous slips and variable widths of green	403610	223.00	224.00	1.00	0.15	0.004	151	<input type="checkbox"/>	
		muddy gouge and broken core, overall foliation at 35-40 to CA, minor carbonate	403611	224.00	225.00	1.00	1.40	0.041	1395	<input type="checkbox"/>	
		along slips and occasional narrow faults	403612	225.00	226.00	1.00	0.57	0.017	574	<input type="checkbox"/>	
		220.25 - 234.50 dark green, foliated, weakly talcose	414536	226.00	227.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		234.5 - 241.00 predominantly dark green micaceous mud and broken rubble	414537	227.00	228.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		241.00 - 250.00 dark green mottled with black lath- spinifex like textures, number of tight slips	414538	228.00	229.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		moderately magnetic	414539	229.00	230.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			414540	230.00	231.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
			414541	231.00	232.00	1.00	0.41	0.012	409	<input type="checkbox"/>	
			414542	232.00	233.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			403613	233.00	234.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403614	234.00	235.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403615	235.00	236.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			403616	236.00	237.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403617	237.00	238.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-89
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			403618	238.00	239.00	1.00	0.64	0.019	644	<input type="checkbox"/>	
			403619	239.00	240.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			403620	240.00	241.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			403621	245.00	246.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403622	249.00	250.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
250.00	258.80	(7B) FELDSPAR PORPHYRY altered subvolcanic porphyry, possibly other felsic intrusive? weakly foliated, relatively massive numerous slips and fractures often filled with light greenish talc and lesser carbonate	403623	254.00	255.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
258.80	278.90	(6C) PERIDOTITE / TALC SCHIST variably altered down section 278.9 - 266.00 predominantly grey-green, fine grained talcose, much broken core 266.00 - 277.60 massive, with plentiful black amphibole lathes and irregular masses of amphiboles giving rise to occasional spinifex like or wormy texture, minor local talcose sections 277.60 - 278.90 grey green, fine grained, talcose moderately magnetic	403624	259.00	260.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403625	260.00	261.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403626	261.00	262.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			403627	262.00	263.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403628	263.00	264.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403629	266.00	267.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			403630	274.00	275.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403631	278.00	279.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
278.90	290.00	(6D) LAMPROPHYRE faulted, broken up 60-70% lamp, light grey fine grained ground mass with 15% fine dark amphibole lathes, frequent slips and fractures, 30-40% altered talcose ultra mafics, much broken core quite a hodgepodge clear sharp lower contact at 35 to CA	403632	285.00	286.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403633	286.00	287.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
290.00	314.00	(6C) PERIDOTITE / TALC SCHIST mottled black and medium green, black amphiboles vary from irregular masses to lath like to occasional spinifex like, medium to locally coarse grained, numerous slips-healed and open often filled with carbonate and/or talc, minor reddish hematite along select fractures, moderately magnetic 1 meter talc at lower contact- fault gouge at contact	403634	290.00	291.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			403635	299.00	300.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403636	304.00	305.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			403637	309.00	310.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			403638	312.00	313.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403639	313.00	314.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-89
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		modertely magnetic									
314.00	325.00	(7B) FELDSPAR PORPHYRY	403640	314.00	315.00	1.00	0.07	0.002	72		
		possible sub volcanic or other similar felsic dike	403641	315.00	316.00	1.00	0.01	<0.001	5		
		light grey fine grained to weakly porphyritic, 10% biotitic flecks,, moderately foliated at 55-60 to CA	403642	316.00	317.00	1.00	0.01	<0.001	13		
		moderately fractured, often talcose coated slips, moderately broken core	403643	317.00	318.00	1.00	0.01	<0.001	6		
		318.72 - 319.00 open, ultra mafic mud filled	403644	318.00	319.00	1.00	<0.01	<0.001	<5		
			403645	319.00	320.00	1.00	0.01	<0.001	12		
			403646	320.00	321.00	1.00	<0.01	<0.001	<5		
			403647	321.00	322.00	1.00	<0.01	<0.001	<5		
			403648	322.00	323.00	1.00	<0.01	<0.001	<5		
			403651	323.00	324.00	1.00	<0.01	<0.001	<5		
			403652	324.00	325.00	1.00	<0.01	<0.001	<5		
325.00	437.43	(6C) PERIDOTITE / TALC SCHIST	403653	325.00	326.00	1.00	<0.01	<0.001	<5		
		dark green and black-mottled, coarse grained, local sections with acicular amphibole lath and spinifex like textures, moderately fractured with thin carbonate and/or talc coating, weakly steatized locally, peridotite is cut by several felsic and lamprophyre dikes, only minor slips and fractures in comparison to earlier units above	403654	326.00	327.00	1.00	0.02	0.001	19		
		unit is moderately magnetic	403655	327.00	328.00	1.00	0.09	0.003	86		
		394.00 - 394.35 medium green, fine grained, talc/chlor dike	403656	328.00	329.00	1.00	0.08	0.002	82		
			403657	329.00	330.00	1.00	0.04	0.001	43		
			403658	330.00	331.00	1.00	2.36	0.069	2363		
		328.70 - 329.50 (7B) FELDSPAR PORPHYRY	403659	331.00	332.00	1.00	0.06	0.002	61		
		felsic dike, light grey, moderately altered, fine grained, sharp contacts at 50-55 to CA, contacts altered, strongly biotitic over 10-20 cm	403660	339.00	340.00	1.00	0.02	0.001	18		
			403661	344.00	345.00	1.00	0.03	0.001	28		
			403662	349.00	350.00	1.00	0.01	<0.001	14		
			403663	354.00	355.00	1.00	0.08	0.002	78		
		330.10 - 330.70 (7B) FELDSPAR PORPHYRY	403664	359.00	360.00	1.00	0.04	0.001	43		
		felsic dike similar to above	403665	364.00	365.00	1.00	0.05	0.001	48		
			403666	369.00	370.00	1.00	0.04	0.001	43		
			403667	374.00	375.00	1.00	0.10	0.003	102		
		354.55 - 357.80 (6D) LAMPROPHYRE	403668	379.00	380.00	1.00	0.08	0.002	83		
		lamprophyric dike, fine grained light grey ground mass with 15% 2-5mm long hornblende/biotite lathes, relatively massive save moderate late fractures	403669	380.00	381.00	1.00	0.05	0.001	48		
			403670	381.00	382.00	1.00	0.09	0.003	89		
			403671	382.00	383.00	1.00	0.54	0.016	542		
		413.60 - 414.40 (6D) LAMPROPHYRE	403672	383.00	384.00	1.00	0.08	0.002	83		



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-89
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		brownish, biotitized, fine to medium grained, massive, chlor/talc upper contact, biotite-talc-chlor lower contact altered between lamp and felsic dike	403673	389.00	390.00	1.00	0.04	0.001	40		
			403674	394.00	395.00	1.00	0.16	0.005	161		
			403675	399.00	400.00	1.00	0.13	0.004	125		
		415.40 - 416.00 (7B) FELDSPAR PORPHYRY	403676	404.00	405.00	1.00	0.27	0.008	270		
		strongly altered contacts	403677	409.00	410.00	1.00	0.03	0.001	27		
			403678	410.00	411.00	1.00	0.02	<0.001	16		
			403679	411.00	412.00	1.00	0.03	0.001	26		
		426.00 - 437.43 (6F) TALC SCHIST	403680	412.00	413.00	1.00	0.04	0.001	38		
		bluish-grey	403681	413.00	414.00	1.00	0.02	0.001	22		
		fine grained talc schist, sheared and foliated at 45-55 to CA, slips are often slickensided and occasionally coated with fine py-marcasite	403682	414.00	415.00	1.00	0.01	<0.001	9		
			403683	415.00	416.00	1.00	<0.01	<0.001	<5		
			403684	416.00	417.00	1.00	0.01	<0.001	8		
			403685	423.00	424.00	1.00	0.10	0.003	104		
			403686	424.00	425.00	1.00	0.01	<0.001	14		
			403687	425.00	426.00	1.00	0.07	0.002	74		
			403688	426.00	427.00	1.00	0.04	0.001	41		
			403689	427.00	428.00	1.00	1.07	0.031	1074		
			403690	428.00	429.00	1.00	0.29	0.009	293		
			403691	429.00	430.00	1.00	0.05	0.001	48		
			403692	430.00	431.00	1.00	0.08	0.002	80		
			403693	431.00	432.00	1.00	0.03	0.001	29		
			403694	432.00	433.00	1.00	0.05	0.001	51		
			403695	433.00	434.00	1.00	0.02	0.001	24		
			403696	434.00	435.00	1.00	0.30	0.009	302		
			403697	435.00	436.00	1.00	2.29	0.067	2285		
			403698	436.00	437.00	1.00	1.67	0.049	1669		
437.43	558.00	(1A) MASSIVE MAFIC VOLC	403701	437.00	438.00	1.00	0.13	0.004	130		
		generally dark green, fine grained weakly to moderately foliated locally foliation generally at 55-60 to CA with minor folding and general flattening of foliation towardsd of hole, local weak brecciation, overall 2-3% white quartz and/or carbonate veining generally barren, locally weak to moderately bleached sections, minor local biotitic streaks in more intensely sheared and altered areas	403702	438.00	439.00	1.00	0.02	0.001	20		
		minor generally narrow porphyritic dikes	403703	439.00	440.00	1.00	0.03	0.001	28		
		456.60 - 457.05 80% carbonate vein	403704	440.00	441.00	1.00	0.06	0.002	62		
		537.30 - 537.60 60% white quartz, traces po	403705	441.00	442.00	1.00	0.03	0.001	30		
			403706	442.00	443.00	1.00	0.03	0.001	30		
			403707	443.00	444.00	1.00	0.01	<0.001	11		
			403708	444.00	445.00	1.00	<0.01	<0.001	<5		
		464.40 - 466.00 (7B) FELDSPAR PORPHYRY	403709	445.00	446.00	1.00	0.02	0.001	20		



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-89
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	V.G.	<i>Comments</i>
		foliated at 55 to CA	403710	446.00	447.00	1.00	0.09	0.002	85	<input type="checkbox"/>	
			403711	447.00	448.00	1.00	0.18	0.005	178	<input type="checkbox"/>	
		477.85 - 478.00 (1A) MASSIVE MAFIC VOLC VCK	403712	448.00	449.00	1.00	0.27	0.008	268	<input type="checkbox"/>	
			403713	449.00	450.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			403714	450.00	451.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
		481.25 - 481.50 (1A) MASSIVE MAFIC VOLC	403715	451.00	452.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
		70% quartz-epidote vein	403716	452.00	453.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			403717	453.00	454.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			403718	454.00	455.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
		503.00 - 503.35 (1A) MASSIVE MAFIC VOLC	403719	455.00	456.00	1.00	0.07	0.002	74	<input type="checkbox"/>	
		80% quartz-epidote vein	403720	456.00	457.00	1.00	0.09	0.002	86	<input type="checkbox"/>	
			403721	459.00	460.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
		503.35 - 510.50 (6) MAFIC-ULTRAMAFIC INTRUSIVES	403722	464.00	465.00	1.00	0.17	0.005	165	<input type="checkbox"/>	
		relatively massive, possible dike	403723	469.00	470.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			403724	474.00	475.00	1.00	0.08	0.002	83	<input type="checkbox"/>	
			403725	479.00	480.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
		510.50 - 530.00 (1A) MASSIVE MAFIC VOLC	403726	480.00	481.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
		foliation at 25-35 to CA	403727	481.00	482.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			403728	489.00	490.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			403729	494.00	495.00	1.00	0.11	0.003	109	<input type="checkbox"/>	
			403730	499.00	500.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			403731	501.00	502.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			403732	502.00	503.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			403733	503.00	504.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			403734	509.00	510.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
			403735	514.00	515.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			403736	519.00	520.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			403737	525.00	526.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			403738	530.00	531.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			403739	534.00	535.00	1.00	0.19	0.005	186	<input type="checkbox"/>	
			403740	537.00	538.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
			403741	538.00	539.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			403742	539.00	540.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
			403743	544.00	545.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			403744	549.00	550.00	1.00	0.08	0.002	83	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-89
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			403745	554.00	555.00	1.00	0.23	0.007	232	<input type="checkbox"/>	
			403746	555.00	556.00	1.00	0.12	0.004	123	<input type="checkbox"/>	
			403747	556.00	557.00	1.00	0.17	0.005	169	<input type="checkbox"/>	
			403748	557.00	558.00	1.00	0.10	0.003	96	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-89
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
118.00	403499	2445	-	-	-	-	-	-	-	-	-	2.4	-	0.071	-	-
118.01	403500	8	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
166.00	403549	2390	-	-	-	-	-	-	-	-	-	2.4	-	0.070	-	-
166.01	403550	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
214.00	403599	2388	-	-	-	-	-	-	-	-	-	2.4	-	0.070	-	-
214.01	403600	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
323.00	403649	2309	-	-	-	-	-	-	-	-	-	2.3	-	0.067	-	-
323.01	403650	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
437.00	403699	2077	-	-	-	-	-	-	-	-	-	2.1	-	0.061	-	-
437.01	403700	257	-	-	-	-	-	-	-	-	-	0.3	-	0.007	-	-
557.99	403750	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
558.00	403749	1494	-	-	-	-	-	-	-	-	-	1.5	-	0.044	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-89
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
94.00	96.00	2.00	R5	0.05	0.12	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
99.00	102.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.06	0.25	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.03	0.14	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.02	0.09	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.05	0.16	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.02	0.09	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.03	0.12	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.07	0.18	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.03	0.10	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.08	0.34	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.06	0.14	-	100.00	-	100.00
138.00	141.00	3.00	R5	0.00	0.02	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.02	0.12	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.07	0.12	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.28	1.37	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.30	0.93	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.07	0.16	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.09	0.29	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.41	0.78	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.15	0.62	-	100.00	-	100.00
171.00	174.00	3.00	R5	0.02	0.03	-	100.00	-	100.00
174.00	177.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
177.00	180.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.14	0.49	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.51	1.95	-	100.00	-	100.00
186.00	189.00	3.00	R5	0.17	0.31	-	100.00	-	100.00
189.00	192.00	3.00	R5	0.21	0.51	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.07	0.25	-	100.00	-	100.00
195.00	198.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
198.00	201.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
201.00	204.00	3.00	R5	0.06	0.12	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-89
Project: PLANET EXPLORATION
Project Number: 800125

204.00	207.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.07	0.14	-	100.00	-	100.00
210.00	213.00	3.00	R5	0.12	0.32	-	100.00	-	100.00
213.00	216.00	3.00	R5	4.77	12.70	-	100.00	-	100.00
216.00	219.00	3.00	R5	8.56	14.70	-	100.00	-	100.00
219.00	222.00	3.00	R5	23.80	32.70	-	100.00	-	100.00
222.00	225.00	3.00	R5	27.00	41.00	-	100.00	-	100.00
225.00	228.00	3.00	R5	21.00	25.80	-	100.00	-	100.00
228.00	231.00	3.00	R5	24.10	28.10	-	100.00	-	100.00
231.00	234.00	3.00	R5	7.11	21.70	-	100.00	-	100.00
234.00	237.00	3.00	R5	3.71	16.20	-	100.00	-	100.00
237.00	240.00	3.00	R5	14.00	19.10	-	100.00	-	100.00
240.00	243.00	3.00	R5	16.10	21.60	-	100.00	-	100.00
243.00	246.00	3.00	R5	21.00	36.30	-	100.00	-	100.00
246.00	249.00	3.00	R5	3.54	15.80	-	100.00	-	100.00
249.00	252.00	3.00	R5	0.02	0.07	-	100.00	-	100.00
252.00	255.00	3.00	R5	0.12	0.51	-	100.00	-	100.00
255.00	258.00	3.00	R5	13.80	28.20	-	100.00	-	100.00
258.00	261.00	3.00	R5	21.50	26.00	-	100.00	-	100.00
261.00	264.00	3.00	R5	9.30	19.50	-	100.00	-	100.00
264.00	267.00	3.00	R5	10.60	33.30	-	100.00	-	100.00
267.00	270.00	3.00	R5	15.20	20.70	-	100.00	-	100.00
270.00	273.00	3.00	R5	14.80	16.80	-	100.00	-	100.00
273.00	276.00	3.00	R5	12.60	22.40	-	100.00	-	100.00
276.00	279.00	3.00	R5	0.24	0.47	-	100.00	-	100.00
279.00	282.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
282.00	285.00	3.00	R5	0.11	0.21	-	100.00	-	100.00
285.00	288.00	3.00	R5	16.70	27.20	-	100.00	-	100.00
288.00	291.00	3.00	R5	23.50	28.40	-	100.00	-	100.00
291.00	294.00	3.00	R5	25.30	29.50	-	100.00	-	100.00
294.00	297.00	3.00	R5	26.60	30.50	-	100.00	-	100.00
297.00	300.00	3.00	R5	39.30	69.80	-	100.00	-	100.00
300.00	303.00	3.00	R5	34.10	54.00	-	100.00	-	100.00
303.00	306.00	3.00	R5	30.20	49.00	-	100.00	-	100.00
306.00	309.00	3.00	R5	21.30	26.20	-	100.00	-	100.00
309.00	312.00	3.00	R5	16.80	27.10	-	100.00	-	100.00
312.00	315.00	3.00	R5	0.05	0.12	-	100.00	-	100.00
315.00	318.00	3.00	R5	0.40	0.58	-	100.00	-	100.00
318.00	321.00	3.00	R5	0.12	0.56	-	100.00	-	100.00
321.00	324.00	3.00	R5	5.50	10.50	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-89
Project: PLANET EXPLORATION
Project Number: 800125

324.00	327.00	3.00	R5	8.13	13.40	-	100.00	-	100.00
327.00	330.00	3.00	R5	8.38	14.40	-	100.00	-	100.00
330.00	333.00	3.00	R5	15.70	24.50	-	100.00	-	100.00
333.00	336.00	3.00	R5	21.60	30.10	-	100.00	-	100.00
336.00	339.00	3.00	R5	37.40	42.10	-	100.00	-	100.00
339.00	342.00	3.00	R5	31.70	36.20	-	100.00	-	100.00
342.00	345.00	3.00	R5	30.80	32.80	-	100.00	-	100.00
345.00	348.00	3.00	R5	27.20	28.70	-	100.00	-	100.00
348.00	351.00	3.00	R5	24.20	28.30	-	100.00	-	100.00
351.00	354.00	3.00	R5	1.95	7.06	-	100.00	-	100.00
354.00	357.00	3.00	R5	12.80	43.80	-	100.00	-	100.00
357.00	360.00	3.00	R5	19.90	32.00	-	100.00	-	100.00
360.00	363.00	3.00	R5	27.40	31.60	-	100.00	-	100.00
363.00	366.00	3.00	R5	30.60	34.10	-	100.00	-	100.00
366.00	369.00	3.00	R5	29.00	36.90	-	100.00	-	100.00
369.00	372.00	3.00	R5	41.50	51.50	-	100.00	-	100.00
372.00	375.00	3.00	R4	38.10	68.90	-	100.00	-	100.00
375.00	378.00	3.00	R4	24.90	32.20	-	100.00	-	100.00
378.00	381.00	3.00	R4	26.90	30.20	-	100.00	-	100.00
381.00	384.00	3.00	R4	24.70	27.60	-	100.00	-	100.00
384.00	387.00	3.00	R4	21.40	24.20	-	100.00	-	100.00
387.00	390.00	3.00	R4	24.10	26.50	-	100.00	-	100.00
390.00	393.00	3.00	R4	22.50	26.90	-	100.00	-	100.00
393.00	396.00	3.00	R4	26.60	34.90	-	100.00	-	100.00
396.00	399.00	3.00	R4	27.70	36.80	-	100.00	-	100.00
399.00	402.00	3.00	R4	26.80	30.10	-	100.00	-	100.00
402.00	405.00	3.00	R4	23.10	31.90	-	100.00	-	100.00
405.00	408.00	3.00	R4	29.80	32.90	-	100.00	-	100.00
408.00	411.00	3.00	R4	29.60	34.50	-	100.00	-	100.00
411.00	414.00	3.00	R4	4.12	19.20	-	100.00	-	100.00
414.00	417.00	3.00	R4	18.80	27.50	-	100.00	-	100.00
417.00	420.00	3.00	R4	14.40	18.00	-	100.00	-	100.00
420.00	423.00	3.00	R4	14.60	18.80	-	100.00	-	100.00
423.00	426.00	3.00	R4	4.30	12.40	-	100.00	-	100.00
426.00	429.00	3.00	R4	2.65	7.59	-	100.00	-	100.00
429.00	432.00	3.00	R5	19.70	23.00	-	100.00	-	100.00
432.00	435.00	3.00	R5	17.50	33.20	-	100.00	-	100.00
435.00	438.00	3.00	R5	0.22	0.31	-	100.00	-	100.00
438.00	441.00	3.00	R5	0.35	0.69	-	100.00	-	100.00
441.00	444.00	3.00	R5	0.33	0.49	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-89
Project: PLANET EXPLORATION
Project Number: 800125

444.00	447.00	3.00	R5	0.31	0.40	-	100.00	-	100.00
447.00	450.00	3.00	R5	0.14	0.25	-	100.00	-	100.00
450.00	453.00	3.00	R5	0.27	0.40	-	100.00	-	100.00
453.00	456.00	3.00	R5	0.28	0.43	-	100.00	-	100.00
456.00	459.00	3.00	R5	0.29	0.34	-	100.00	-	100.00
459.00	462.00	3.00	R5	0.32	0.47	-	100.00	-	100.00
462.00	465.00	3.00	R5	0.24	0.49	-	100.00	-	100.00
465.00	468.00	3.00	R5	0.14	0.23	-	100.00	-	100.00
468.00	471.00	3.00	R5	0.35	0.40	-	100.00	-	100.00
471.00	474.00	3.00	R5	0.17	0.20	-	100.00	-	100.00
474.00	477.00	3.00	R5	0.26	0.40	-	100.00	-	100.00
477.00	480.00	3.00	R5	0.87	3.62	-	100.00	-	100.00
480.00	483.00	3.00	R5	0.15	0.21	-	100.00	-	100.00
483.00	486.00	3.00	R5	0.18	0.25	-	100.00	-	100.00
486.00	489.00	3.00	R5	0.26	0.42	-	100.00	-	100.00
489.00	492.00	3.00	R5	0.17	0.29	-	100.00	-	100.00
492.00	495.00	3.00	R5	0.15	0.21	-	100.00	-	100.00
495.00	498.00	3.00	R5	0.23	0.25	-	100.00	-	100.00
498.00	501.00	3.00	R5	0.17	0.20	-	100.00	-	100.00
501.00	504.00	3.00	R5	0.15	0.18	-	100.00	-	100.00
504.00	507.00	3.00	R5	0.30	0.56	-	100.00	-	100.00
507.00	510.00	3.00	R5	0.10	0.12	-	100.00	-	100.00
510.00	513.00	3.00	R5	0.12	0.18	-	100.00	-	100.00
513.00	516.00	3.00	R5	0.35	0.56	-	100.00	-	100.00
516.00	519.00	3.00	R5	0.63	1.46	-	100.00	-	100.00
519.00	522.00	3.00	R5	0.18	0.23	-	100.00	-	100.00
522.00	525.00	3.00	R5	0.24	0.31	-	100.00	-	100.00
525.00	528.00	3.00	R5	0.56	1.11	-	100.00	-	100.00
528.00	531.00	3.00	R5	0.12	0.14	-	100.00	-	100.00
531.00	534.00	3.00	R5	0.41	0.51	-	100.00	-	100.00
534.00	537.00	3.00	R5	0.31	0.65	-	100.00	-	100.00
537.00	540.00	3.00	R4	0.23	0.38	-	100.00	-	100.00
540.00	543.00	3.00	R5	0.19	0.23	-	100.00	-	100.00
543.00	546.00	3.00	R5	0.82	1.90	-	100.00	-	100.00
546.00	549.00	3.00	R5	0.55	0.78	-	100.00	-	100.00
549.00	552.00	3.00	R5	0.41	0.54	-	100.00	-	100.00
552.00	555.00	3.00	R5	0.78	2.28	-	100.00	-	100.00
555.00	558.00	3.00	R5	0.53	0.82	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-90
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 89.15	Length: 37.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -50	Pulled: No	Claim No: Staked	Spotted by: A.P. Pyslak
Length: 465.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 04-Jul-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 13-Jul-05		Level:	Surveyed Date: 19-Jul-05
Logged: 14-Jul-05	<u>Core</u>	<u>Coordinate- Gemcom</u>	Logged by: L.C. Chastko
Wedged : No	Dimension: NQ	<u>Coordinate - UTM</u>	Re-logged by:
Wedged from:	Original Units: M	East: 461210.10 East: 461210	Water Source: Anderson Lake
	Storage: Cochenour Mine	North: 5677947.38 North: 5677947	Water line:
		Elevation: 432.64 Elevation: 433	Left in hole: Nothing
		UTM Zone: 15 (NAD27)	Control Drilling: Stabilizer
			Cutting sampled: No
			Geophysic:
Target: 2005-K1A-Anderson Lake			
Comments:			

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	89.15	-50.00	X	45.000	89.30	-48.50	X	93.000	93.55	-46.01	X
0.001	90.62	-55.00	C	48.000	89.46	-48.36	X	96.000	93.69	-45.95	X
3.000	89.36	-49.81	X	51.000	89.58	-48.29	X	99.000	93.75	-45.93	X
6.000	89.54	-49.65	X	54.000	89.70	-48.25	X	102.000	93.86	-45.87	X
9.000	89.64	-49.50	X	57.000	89.76	-48.23	X	105.000	93.96	-45.82	X
12.000	89.64	-49.23	X	60.000	89.89	-48.17	X	108.000	94.09	-45.76	X
15.000	89.56	-48.98	X	63.000	90.05	-48.12	X	111.000	94.21	-45.69	X
18.000	89.43	-48.87	X	66.000	90.16	-48.05	X	114.000	94.30	-45.63	X
21.000	89.36	-48.96	X	69.000	90.30	-47.99	X	117.000	94.41	-45.57	X
24.000	89.31	-49.09	X	72.000	90.52	-47.89	X	120.000	94.61	-45.53	X
27.000	89.32	-49.12	X	75.000	90.90	-47.70	X	123.000	94.71	-45.47	X
30.000	89.24	-49.03	X	78.000	91.49	-47.38	X	126.000	94.83	-45.38	X
33.000	89.17	-48.78	X	81.000	92.23	-46.87	X	129.000	94.97	-45.30	X
36.000	89.10	-48.59	X	84.000	92.90	-46.41	X	132.000	95.09	-45.28	X
39.000	89.09	-48.56	X	87.000	93.30	-46.20	X	135.000	95.11	-45.27	X
42.000	89.18	-48.60	X	90.000	93.43	-46.10	X	138.000	95.20	-45.23	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-90
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Deviation Tests

Deviation Tests

Distance (m)	Azimuth	Dip	Type
141.000	95.22	-45.21	X
144.000	95.30	-45.17	X
147.000	95.41	-45.15	X
150.000	95.48	-45.10	X
153.000	95.58	-45.06	X
156.000	95.70	-45.04	X
159.000	95.75	-44.99	X
162.000	95.83	-44.95	X
165.000	95.85	-44.90	X
168.000	95.97	-44.86	X
171.000	96.07	-44.81	X
174.000	96.16	-44.74	X
177.000	96.29	-44.64	X
180.000	96.47	-44.58	X
183.000	96.60	-44.54	X
186.000	96.67	-44.49	X
189.000	96.73	-44.46	X
192.000	96.85	-44.41	X
195.000	96.93	-44.35	X
198.000	97.01	-44.28	X
201.000	97.12	-44.21	X
204.000	97.25	-44.12	X
207.000	97.35	-44.08	X
210.000	97.45	-44.05	X
213.000	97.55	-43.98	X
216.000	97.63	-43.95	X
219.000	97.71	-43.93	X
222.000	97.77	-43.88	X
225.000	97.82	-43.83	X
228.000	97.96	-43.76	X
231.000	98.10	-43.69	X
234.000	98.34	-43.60	X
237.000	98.50	-43.58	X
240.000	98.69	-43.50	X
243.000	98.76	-43.49	X

Distance (m)	Azimuth	Dip	Type
246.000	98.87	-43.46	X
249.000	98.93	-43.42	X
252.000	99.01	-43.38	X
255.000	99.01	-43.35	X
258.000	99.13	-43.33	X
261.000	99.26	-43.33	X
264.000	99.37	-43.31	X
267.000	99.47	-43.27	X
270.000	99.65	-43.23	X
273.000	99.74	-43.20	X
276.000	99.81	-43.15	X
279.000	99.88	-43.08	X
282.000	99.97	-43.07	X
285.000	100.06	-43.07	X
288.000	100.13	-43.06	X
291.000	100.17	-43.01	X
294.000	100.17	-42.94	X
297.000	100.21	-42.82	X
300.000	100.28	-42.70	X
303.000	100.38	-42.64	X
306.000	100.46	-42.59	X
309.000	100.50	-42.55	X
312.000	100.55	-42.51	X
315.000	100.55	-42.47	X
318.000	100.60	-42.43	X
321.000	100.60	-42.37	X
324.000	100.61	-42.28	X
327.000	100.70	-42.21	X
330.000	100.80	-42.18	X
333.000	100.88	-42.13	X
336.000	100.99	-42.11	X
339.000	101.10	-42.05	X
342.000	101.20	-42.01	X
345.000	101.30	-42.00	X
348.000	101.44	-41.96	X

Distance (m)	Azimuth	Dip	Type
351.000	101.53	-41.94	X
354.000	101.62	-41.93	X
357.000	101.73	-41.92	X
360.000	101.84	-41.93	X
363.000	101.91	-41.91	X
366.000	101.99	-41.88	X
369.000	102.07	-41.85	X
372.000	102.14	-41.81	X
375.000	102.21	-41.78	X
378.000	102.31	-41.77	X
381.000	102.41	-41.75	X
384.000	102.48	-41.72	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-90
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	37.00	(OB) OVERBURDEN Casing									
37.00	39.73	(6) MAFIC-ULTRAMAFIC INTRUSIVES Mafic Intrusive, dark green, fine to medium grained, uniform, relatively massive to weakly foliated, sharp lower contact at 30 to CA	403751	39.00	40.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
39.73	54.20	(7B) FELDSPAR PORPHYRY sub volcanic type varies from finely porphyritic to, weakly sheared, non porphyritic weakly sheared at 35 to CA, 1-2% late quartz and/or carbonate veinlets 52.20 - 54.20 30% strong microcline alteration locally concentrated 52.20 - 54.20 (7B) FELDSPAR PORPHYRY 30% microcline altered sections, pervasive, opaque white, traces py, MOLY 53.75 - 54.00 late white quartz vein cuts microcline altered zone	403752 403753 403754 403755	45.00 51.00 52.00 53.00	46.00 52.00 53.00 54.20	1.00 1.00 1.00 1.20	0.01 0.01 0.01 0.01	<0.001 <0.001 <0.001 <0.001	8 6 6 6		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
54.20	55.78	(6) MAFIC-ULTRAMAFIC INTRUSIVES mafic dike, similar to before, sharp contacts at 30-35 to CA	403756 403757	54.20 55.00	55.00 56.00	0.80 1.00	0.01 0.01	<0.001 <0.001	5 6		<input type="checkbox"/> <input type="checkbox"/>
55.78	79.13	(7B) FELDSPAR PORPHYRY sub volcanic type, light buffish grey, finely porphyritic to non porphyritic, weakly fractured, weakly foliated at 30-35 to CA	403758 403759 403760 403761 403762	56.00 59.00 65.00 69.00 74.00	57.00 60.00 66.00 70.00 75.00	1.00 1.00 1.00 1.00 1.00	0.01 0.01 0.01 0.02 0.01	<0.001 <0.001 <0.001 0.001 <0.001	6 5 11 22 6		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
79.13	86.10	(6) MAFIC-ULTRAMAFIC INTRUSIVES Mafic Dike, dark green, fine to medium grained, uniform, weakly biotitized, weakly foliated at 30-35 to CA, sharp upper contact at 35 to CA, 85.96 - 86.25 - .3 meters ribboned mafic and dark smoky quartz at lower contact, weak fine py stringers<1%	403763 403764	79.00 84.00	80.00 85.00	1.00 1.00	0.01 0.01	<0.001 <0.001	7 10		<input type="checkbox"/> <input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-90
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
86.10	109.75	(7B) FELDSPAR PORPHYRY light brownish grey, varies from porphyritic to non porphyritic, weakly foliated at 35-40 to CA, 5-10% locally concentrated microcline alteration, weakly biotitized, 1% quartz and/or carbonate veinlets	403765	85.90	86.40	0.50	0.04	0.001	40	<input type="checkbox"/>	
			403766	89.00	90.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403767	94.00	95.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403768	99.00	100.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			403769	105.00	106.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403770	109.00	110.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
109.75	111.40	(6) MAFIC-ULTRAMAFIC INTRUSIVES dark green, fine to medium grained, moderately foliated at 35-40 to CA, sharp contacts at 40 to CA	403771	110.00	111.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
111.40	123.50	(7B) FELDSPAR PORPHYRY sub volcanic type, similar to before 111.4 - 116.0 weakly to moderately sheared, weakly to moderately sericitized - weak QSS moderately foliated at 40 to CA, odd narrow mafic - skarny stringer typical sub volcanic porphyry	403772	111.00	112.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403773	112.00	113.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403774	113.00	114.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403775	114.00	115.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			403776	115.00	116.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403777	116.00	117.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			403778	120.00	121.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403779	121.00	122.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403780	122.00	123.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403781	123.00	124.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
123.50	129.30	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK 123.50 - 124.50 light to medium grey increasing alteration and foliation 124.50 - 127.00 light buff to white, weak pinkish alteration or pastel staining, good well foliated QSS, foliation at 40 to CA grades into and out of QSS, virtually no visible sulfide mineralization 127.00 - 129.30 transition zone out of QSS-gradational decrease in shearing and alteration	403782	124.00	125.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			403783	125.00	126.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403784	126.00	127.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			403785	127.00	128.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			403786	128.00	129.00	1.00	0.04	0.001	35	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-90
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
129.30	178.43	(7B) FELDSPAR PORPHYRY	403787	129.00	130.00	1.00	0.22	0.006	220		<input type="checkbox"/>
		light brownish-grey to buff, varies from non porphyritic to possibly sheared	403788	134.00	135.00	1.00	0.02	0.001	24		<input type="checkbox"/>
		chunky porphyry, no obvious contacts however,	403789	139.00	140.00	1.00	0.38	0.011	376		<input type="checkbox"/>
		1-2% late quartz and/or carbonate veinlets, weak to occasionally moderate	403790	144.00	145.00	1.00	0.02	<0.001	15		<input type="checkbox"/>
		microcline alteration along fractures, weak fine biotitic alteration	403791	149.00	150.00	1.00	0.03	0.001	26		<input type="checkbox"/>
			403792	154.00	155.00	1.00	0.01	<0.001	6		<input type="checkbox"/>
			403793	159.00	160.00	1.00	0.01	<0.001	12		<input type="checkbox"/>
			403794	164.00	165.00	1.00	0.01	<0.001	11		<input type="checkbox"/>
			403795	169.00	170.00	1.00	0.50	0.014	495		<input type="checkbox"/>
			403796	174.00	175.00	1.00	0.02	<0.001	15		<input type="checkbox"/>
178.43	179.20	(1J) BANDED AMPHIBOLITE	403797	178.00	179.00	1.00	0.02	0.001	24		<input type="checkbox"/>
		Biotite-Amphibole-Garnet schist									
		dark blackish-brown biotite and amphibole, speckled with fine whitish to pinkish									
		garnets, weakly to moderately finely banded at 30-35 to CA, sharp contacts									
		traces to locally minor fine stringers popy popy									
179.20	179.65	(1A) MASSIVE MAFIC VOLC	403798	179.00	180.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
		dark green, fine grained weak brown biotite streaks, moderately foliated at 40 to									
		CA, sharp conformable upper and lower contacts at 40 to CA									
179.65	180.65	(9D) SKARN	403801	180.00	181.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
		crudely finely layered white calcite with thicker crude bands of light green									
		diopside and dark green amphibolite, 20-25% fine calcite, moderately banded									
		and foliated at 25-40 to CA-variable									
180.65	184.35	(1A) MASSIVE MAFIC VOLC	403802	181.00	182.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
		mafic volcanics, dark green, fine grained, moderately foliated at 40 to CA, weakly	403803	182.00	183.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
		biotitic	403804	183.00	184.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-90
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
184.35	186.91	(7B) FELDSPAR PORPHYRY	403805	184.00	185.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		sub volcanic type	403806	185.00	186.00	1.00	0.08	0.002	79	<input type="checkbox"/>	
		buffish-grey, fine grained matrix, weakly porphyritic, uniform, sharp contacts at 40 to CA	403807	186.00	187.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		185.55 - 186.20 (1A) MASSIVE MAFIC VOLC									
		mafic volcanics, as before									
186.91	197.15	(1A) MASSIVE MAFIC VOLC	403808	187.00	188.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		dark green, fine grained, weakly sheared and foliated at 35-40 to CA, 2% fine calcite stringers, traces popy	403809	188.00	189.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403810	189.00	190.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403811	190.00	191.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			403812	191.00	192.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403813	192.00	193.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403814	193.00	194.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403815	194.00	195.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403816	195.00	196.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403817	196.00	197.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
197.15	199.65	(9D) SKARN	403818	197.00	198.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
		variable,	403819	198.00	199.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		predominantly light green-diopside rich layers, dark green amphibolite, whitish fine calcite stringers, crudely layered	403820	199.00	200.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		197.15 - 197.28 diopside rich 10-15% po>>py									
		197.28 - 197.85 7B feldspar porphyry dike									
		197.85 - 198.00 10-15% po>>py									
		197.28 - 197.85 (7B) FELDSPAR PORPHYRY									
		feldspar porphyry dike, similar to before									
199.65	204.58	(1A) MASSIVE MAFIC VOLC	403821	200.00	201.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		1A/1J, well foliated, banded to sheeted with 5-8% fine calcite, bleached locally, to near skamy appearance	403822	201.00	202.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403823	202.00	203.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403824	203.00	204.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			403825	204.00	205.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-90

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
204.58	208.31	(7B) FELDSPAR PORPHYRY	403826	205.00	206.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		feldspar porphyry dike, similar to before, moderately foliated at 35-40 to CA	403827	206.00	207.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403828	207.00	208.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
208.31	213.77	(1A) MASSIVE MAFIC VOLC	403829	208.00	209.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		similar to before, 5-8% finely sheeted calcite, weakly actinolitic, weakly bleached, foliation and sheeting at 50-55 to CA	403830	209.00	210.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403831	210.00	211.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			403832	211.00	212.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403833	212.00	213.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			403834	213.00	214.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
213.77	231.33	(6A) DIORITE	403835	214.00	215.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		predominantly a dark green, fine to medium grained, uniform, massive to weakly foliated diorite intrusive with 30% sections of either mafic volcanic sheeted with 5-8% calcite similar to before, or weak-moderately sheared sections with calcite sheeting	403836	215.00	216.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			403837	216.00	217.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403838	217.00	218.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403839	218.00	219.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		213.77 - 218.43 (6A) DIORITE	403840	219.00	220.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		massive	403841	220.00	221.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403842	221.00	222.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		218.43 - 218.68 (1J) BANDED AMPHIBOLITE	403843	222.00	223.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403844	223.00	224.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403845	224.00	225.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		218.68 - 220.32 (6A) DIORITE	403846	225.00	226.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403847	226.00	227.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			403848	227.00	228.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
		220.32 - 220.75 (1A) MASSIVE MAFIC VOLC	403851	228.00	229.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		5-8% calcite sheeting, banded	403852	229.00	230.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			403853	230.00	231.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		220.75 - 221.48 (7B) FELDSPAR PORPHYRY									
		221.48 - 222.34 (1A) MASSIVE MAFIC VOLC									
		5% calcite veinlets									
		222.34 - 228.32 (6A) DIORITE									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-90
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		221 - 222 1 cm calcite filled fracture 0-5 to CA									
		228.32 - 229.32 (1A) MASSIVE MAFIC VOLC 1J, banded 5-10% calcite sheeting									
		229.32 - 231.33 (6A) DIORITE									
231.33	231.82	(5S) SILICATE FACIES IRON FORMATION 231.33 - 231.45 banded magnetite-grunerite at 45 to CA 231.45 - 231.65 massive amphibolite 231.65 - 231.82 banded magnetite-grunerite	403854	231.00	232.00	1.00	0.02	<0.001	16		<input type="checkbox"/>
231.82	244.33	(6A) DIORITE dark green, medium grained, massive with narrow weak to moderate shears, minor quartz and/or carbonate veinlets	403855 403856 403857	232.00 233.00 239.00	233.00 234.00 240.00	1.00 1.00 1.00	0.02 0.01 0.01	<0.001 <0.001 <0.001	15 8 7		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
244.33	271.72	(7B) FELDSPAR PORPHYRY medium to dark brownish-grey probably two dikes 244.33 - 250.00 very fine grained, glassy, massive save for fractures 250.00 - 271.72 weak stretched blurry feldspar phenocrysts 1-4 mm in length, weakly to moderately aligned at 25-40 to CA 262.00 - 271.22 moderately fractured,, moderate microcline alteration centered along fractures, local silicification indistint lower contact	403858 403859 403860 403861 403862 403863 403864 403865 403866 403867 403868 403869 403870 403871	244.00 245.00 246.00 247.00 248.00 249.00 250.00 251.00 252.00 253.00 254.00 255.00 256.00 257.00	245.00 246.00 247.00 248.00 249.00 250.00 251.00 252.00 253.00 254.00 255.00 256.00 257.00 258.00	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	0.01 0.02 <0.01 <0.01 <0.01 <0.01 0.01 0.01 0.06 2.36 0.01 0.01 0.01 0.01 0.01	<0.001 0.001 <0.001 <0.001 <0.001 <0.001 <0.001 <0.001 0.002 0.069 <0.001 <0.001 <0.001 <0.001 <0.001	8 18 <5 <5 <5 <5 7 8 58 2362 10 5 9 7		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-90
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			403872	258.00	259.00	1.00	0.02	<0.001	16		
			403873	259.00	260.00	1.00	0.02	<0.001	15		
			403874	260.00	261.00	1.00	0.01	<0.001	8		
			403875	261.00	262.00	1.00	0.01	<0.001	7		
			403876	262.00	263.00	1.00	0.01	<0.001	8		
			403877	263.00	264.00	1.00	0.02	0.001	18		
			403878	264.00	265.00	1.00	<0.01	<0.001	<5		
			403879	265.00	266.00	1.00	0.01	<0.001	5		
			403880	266.00	267.00	1.00	0.03	0.001	25		
			403881	267.00	268.00	1.00	<0.01	<0.001	<5		
			403882	268.00	269.00	1.00	<0.01	<0.001	<5		
			403883	269.00	270.00	1.00	0.02	0.001	18		
			403884	270.00	271.00	1.00	0.01	<0.001	10		
			403885	271.00	272.00	1.00	0.02	0.001	20		
271.72	273.22	(7B) FELDSPAR PORPHYRY variable light and medium greyish, fine to medium grained-uniform grainy texture, fizzes with HCl, traces fine disseminated py throughout, sharp lower contact at 40 to, pervasive strong carbonatization	403886	272.00	273.00	1.00	0.12	0.003	120		
273.22	288.77	(9D) SKARN mafic volcanics with variable and appreciable skarn type veining crudely banded light and dark green, amphibolite interlayered crudely with diopside-carbonate layers, frequent medium green skarny bands, occasionally with 2-8% py>po appreciable cpy(2%) over widths of 1 to 10 cm, amphibolite is fine grained and resembles rocks below porphyry	403887	273.00	274.00	1.00	0.05	0.002	52		
			403888	274.00	275.00	1.00	0.02	0.001	23		
			403889	275.00	276.00	1.00	0.07	0.002	70		
			403890	276.00	277.00	1.00	0.59	0.017	594		
			403891	277.00	278.00	1.00	0.61	0.018	606		
			403892	278.00	279.00	1.00	0.09	0.003	88		
			403893	279.00	280.00	1.00	0.02	<0.001	15		
			403894	280.00	281.00	1.00	0.08	0.002	76		
			403895	281.00	282.00	1.00	0.09	0.003	91		
			403896	282.00	283.00	1.00	0.03	0.001	28		
			403897	283.00	284.00	1.00	0.11	0.003	109		
			403898	284.00	285.00	1.00	0.17	0.005	169		
			403901	285.00	286.00	1.00	0.04	0.001	42		
			403902	286.00	287.00	1.00	0.03	0.001	29		
			403903	287.00	288.00	1.00	0.02	<0.001	16		



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-90
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
288.77	297.62	(7B) FELDSPAR PORPHYRY	403904	288.00	289.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		light grey, foliated at 45-50 to Ca, 5% fine biotitic flecks, sharp lower contact at 50 to CA	403905	289.00	290.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403906	290.00	291.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			403907	291.00	292.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			403908	292.00	293.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403909	293.00	294.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403910	294.00	295.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			403911	295.00	296.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			403912	296.00	297.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403913	297.00	298.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
297.62	298.80	(9D) SKARN	403914	298.00	299.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
		1J, banded similar to unit before trace to minor sulfides locally in fine stringers									
298.80	299.62	(7B) FELDSPAR PORPHYRY	403915	299.00	300.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
		sub volcanic? CFP, chunky foliated porphyry similar to before									
299.62	323.60	(1A) MASSIVE MAFIC VOLC	403916	304.00	305.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
		mafic volcanics, dark green, fine grained to medium-fine grained locally, weakly foliated to relatively massive, slightly biotitic, weakly carbonatized locally 2% quartz veining-white-barren	403917	309.00	310.00	1.00	0.08	0.002	77	<input type="checkbox"/>	
		317.00 - 317.60 low angle quartz vein-20 to CA	403918	314.00	315.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			403919	317.00	318.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			403920	318.00	319.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
323.60	329.50	(7B) FELDSPAR PORPHYRY	403921	324.00	325.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		sub volcanic type, 2% skarny veins, 20% mafic volcanic inclusions	403922	329.00	330.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		326.1 - 327.1 mafic volcanic inclusion									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-90
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
329.50	343.40	(1A) MASSIVE MAFIC VOLC similar to before 337.43 - 347.63 sub volcanic dike at 25-30 to CA 347.63 - 342.50 moderately biotitic 342.95 - 343.40, light green strong diopside veining	403923	334.00	335.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			403924	339.00	340.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			403925	342.00	343.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
343.40	343.75	(5B) OXIDE FACIES IRON FORMATION strongly banded chert-magnetite-grunerite at 45-50 to CA, 5% po>>py	403926	343.00	344.00	1.00	0.07	0.002	73	<input type="checkbox"/>	
343.75	379.50	(1A) MASSIVE MAFIC VOLC mafic volcanic, dark green with local sections with brownish biotite, relatively massive to weakly foliated, 2-3% quartz-carbonate veinlets-crack and seal 374.45 - 375.70 (7B) FELDSPAR PORPHYRY sub volcanic type, moderately fractured, weak microcline alteration, 2% quartz-carbonate veining 378.00 - 378.10 (FLT) FAULT late fault at 50 tyo CA, gouge	403927	344.00	345.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			403928	349.00	350.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403929	354.00	355.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403930	358.00	359.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			403931	364.00	365.00	1.00	0.16	0.005	157	<input type="checkbox"/>	
			403932	365.00	366.00	1.00	0.29	0.008	290	<input type="checkbox"/>	
			403933	366.00	367.00	1.00	0.48	0.014	482	<input type="checkbox"/>	
			403934	367.00	368.00	1.00	0.12	0.003	119	<input type="checkbox"/>	
			403935	368.00	369.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			403936	369.00	370.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
			403937	370.00	371.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			403938	371.00	372.00	1.00	0.05	0.002	51	<input type="checkbox"/>	
			403939	372.00	373.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			403940	373.00	374.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			403941	374.00	375.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			403942	375.00	376.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			403943	376.00	377.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
403944	377.00	378.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
403945	378.00	379.00	1.00	0.01	<0.001	11	<input type="checkbox"/>				
403946	379.00	380.00	1.00	0.02	0.001	19	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-90
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
379.50	402.90	(7B) FELDSPAR PORPHYRY sub volcanic type buff-grey, fine grained weakly porphyritic, variable bleaching, moderate microcline alteration locally, moderate late fracturing, 2-3% quartz-carbonate veining-planar	403947	380.00	381.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			403948	381.00	382.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			403951	382.00	383.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			403952	383.00	384.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			403953	384.00	385.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			403954	385.00	386.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			403955	386.00	387.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403956	387.00	388.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			403957	388.00	389.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403958	389.00	390.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			403959	390.00	391.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			403960	391.00	392.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403961	392.00	393.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			403962	393.00	394.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403963	394.00	395.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403964	395.00	396.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			403965	396.00	397.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403966	397.00	398.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403967	398.00	399.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403968	399.00	400.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
403969	400.00	401.00	1.00	0.02	0.001	19	<input type="checkbox"/>				
403970	401.00	402.00	1.00	0.01	<0.001	14	<input type="checkbox"/>				
403971	402.00	403.00	1.00	0.02	<0.001	15	<input type="checkbox"/>				
402.90	406.26	(1A) MASSIVE MAFIC VOLC similar to before, 1-2% quartz veining, 1% skarny veining, slightly biotitic, poorly foliated	403972	403.00	404.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			403973	404.00	405.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			403974	405.00	406.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
406.26	408.00	(7B) FELDSPAR PORPHYRY sub volcanic, foliated low angle contacts	403975	406.00	407.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			403976	407.00	408.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-90
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
408.00	414.92	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	403977	408.00	409.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		dark green, medium grained, moderately biotitic, 2% skamy veining, 1% quartz-carbonate	403978	409.00	410.00	1.00	0.10	0.003	97	<input type="checkbox"/>	
		low angle contacts	403979	410.00	411.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			403980	411.00	412.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			403981	412.00	413.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			403982	413.00	414.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			403983	414.00	415.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
414.92	417.00	(7B) FELDSPAR PORPHYRY	403984	415.00	416.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		sub volcanic, weakly foliated, low angle contacts	403985	416.00	417.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		415.39 - 415.70 (1N) MASSIVE FLOW, POSSIBLY INTRUSIVE									
417.00	428.78	(1A) MASSIVE MAFIC VOLC	403986	417.00	418.00	1.00	0.10	0.003	100	<input type="checkbox"/>	
		dark green, fine grained, several low angle skamy veins at 10-20 to CA, veining with 2-5% popy traces cpy	403987	418.00	419.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
		420.72 - 421.50 low angle skarn vein 5-8% pypo, traces cpy, appreciable calcite	403988	419.00	420.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			403989	420.00	421.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			403990	421.00	422.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			403991	422.00	423.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
428.78	442.45	(7B) FELDSPAR PORPHYRY	403992	429.00	430.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
		sub volcanic, somewhat variable texture, for most part quite massive to weakly foliated	403993	436.00	437.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
		437.00 - 437.50 skarn vein, low angle to foliation	403994	437.00	438.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
			403995	438.00	439.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
442.45	450.10	(1A) MASSIVE MAFIC VOLC	403996	444.00	445.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
		mafic volcanic, fine grained, 5% quartz-carbonate veining	403997	445.00	446.00	1.00	0.10	0.003	98	<input type="checkbox"/>	
		contacts at 25 to CA	403998	446.00	447.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
		444.51 - 445.10 (5B) OXIDE FACIES IRON FORMATION	404001	447.00	448.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
		massive magnetite, non banded, blends in well with mafics	404002	448.00	449.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		80% magneite, 15% fine biotite, traces pypo, 1 cm skarn at contacts, contacts sharp intrusive appearance	404003	449.00	450.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-90

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
450.10	465.00	(7B) FELDSPAR PORPHYRY sub volcanic, relatively massive	404004	454.00	455.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404005	459.00	460.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404006	463.00	464.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404007	464.00	465.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-90
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
180.00	403799	1896	-	-	-	-	-	-	-	-	-	1.9	-	0.055	-	-
180.01	403800	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
228.00	403849	2307	-	-	-	-	-	-	-	-	-	2.3	-	0.067	-	-
228.01	403850	8	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
285.00	403899	1976	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
285.01	403900	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
382.00	403949	2307	-	-	-	-	-	-	-	-	-	2.3	-	0.067	-	-
382.01	403950	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
447.00	403999	2006	-	-	-	-	-	-	-	-	-	2.0	-	0.059	-	-
447.01	404000	8	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-90
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
37.00	39.00	2.00	R4	0.07	0.16	-	0.00	-	-
39.00	42.00	3.00	R5	0.03	0.07	-	-	-	-
42.00	45.00	3.00	R5	0.01	0.03	-	-	-	-
45.00	48.00	3.00	R6	0.00	0.01	-	-	-	-
48.00	51.00	3.00	R6	0.00	0.01	-	-	-	-
51.00	54.00	3.00	R6	0.04	0.07	-	-	-	-
54.00	57.00	3.00	R6	0.00	0.01	-	-	-	-
57.00	60.00	3.00	R6	0.04	0.09	-	-	-	-
60.00	63.00	3.00	R6	0.01	0.05	-	-	-	-
63.00	66.00	3.00	R6	0.01	0.03	-	-	-	-
66.00	69.00	3.00	R6	0.02	0.07	-	-	-	-
69.00	72.00	3.00	R6	0.00	0.01	-	-	-	-
72.00	75.00	3.00	R6	0.00	0.01	-	-	-	-
75.00	78.00	3.00	R4	0.07	0.12	-	-	-	-
78.00	81.00	3.00	R4	0.14	0.18	-	-	-	-
81.00	84.00	3.00	R5	5.40	31.70	-	-	-	-
84.00	87.00	3.00	R6	0.08	0.32	-	-	-	-
87.00	90.00	3.00	R6	0.52	2.54	-	-	-	-
90.00	93.00	3.00	R6	0.01	0.03	-	-	-	-
93.00	96.00	3.00	R6	0.02	0.12	-	-	-	-
96.00	99.00	3.00	R6	0.02	0.09	-	-	-	-
99.00	102.00	3.00	R6	0.02	0.05	-	-	-	-
102.00	105.00	3.00	R6	0.04	0.12	-	-	-	-
105.00	108.00	3.00	R6	0.05	0.12	-	-	-	-
108.00	111.00	3.00	R6	0.01	0.05	-	-	-	-
111.00	114.00	3.00	R6	0.01	0.05	-	-	-	-
114.00	117.00	3.00	R6	0.03	0.07	-	-	-	-
117.00	120.00	3.00	R5	0.01	0.03	-	-	-	-
120.00	123.00	3.00	R5	0.00	0.01	-	-	-	-
123.00	126.00	3.00	R6	0.00	0.01	-	-	-	-
126.00	129.00	3.00	R6	0.03	0.09	-	-	-	-
129.00	132.00	3.00	R6	0.05	0.14	-	-	-	-
132.00	135.00	3.00	R6	0.10	0.21	-	-	-	-
135.00	138.00	3.00	R6	0.05	0.14	-	-	-	-
138.00	141.00	3.00	R6	0.03	0.05	-	-	-	-
141.00	144.00	3.00	R6	0.05	0.10	-	-	-	-
144.00	147.00	3.00	R6	0.03	0.07	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-90
Project: PLANET EXPLORATION
Project Number: 800125

147.00	150.00	3.00	R6	0.02	0.07	-	-	-	-
150.00	153.00	3.00	R6	0.02	0.10	-	-	-	-
153.00	156.00	3.00	R6	0.01	0.07	-	-	-	-
156.00	159.00	3.00	R6	0.03	0.07	-	-	-	-
159.00	162.00	3.00	R6	0.00	0.01	-	-	-	-
162.00	165.00	3.00	R6	0.00	0.01	-	-	-	-
165.00	168.00	3.00	R6	0.00	0.01	-	-	-	-
168.00	171.00	3.00	R6	0.00	0.01	-	-	-	-
171.00	174.00	3.00	R6	0.04	0.12	-	-	-	-
174.00	177.00	3.00	R6	0.18	0.34	-	-	-	-
177.00	180.00	3.00	R5	0.83	2.01	-	-	-	-
180.00	183.00	3.00	R5	0.42	1.37	-	-	-	-
183.00	186.00	3.00	R5	0.18	0.65	-	-	-	-
186.00	189.00	3.00	R5	0.50	0.67	-	-	-	-
189.00	192.00	3.00	R5	0.36	0.82	-	-	-	-
192.00	195.00	3.00	R5	0.82	1.93	-	-	-	-
195.00	198.00	3.00	R5	0.53	0.84	-	-	-	-
198.00	201.00	3.00	R5	0.93	0.69	-	-	-	-
201.00	204.00	3.00	R5	0.05	0.12	-	-	-	-
204.00	207.00	3.00	R5	0.67	1.28	-	-	-	-
207.00	210.00	3.00	R5	0.70	1.24	-	-	-	-
210.00	213.00	3.00	R5	0.21	0.34	-	-	-	-
213.00	216.00	3.00	R5	0.16	0.18	-	-	-	-
216.00	219.00	3.00	R5	0.54	1.00	-	-	-	-
219.00	222.00	3.00	R5	0.19	0.31	-	-	-	-
222.00	225.00	3.00	R5	0.25	0.45	-	-	-	-
225.00	228.00	3.00	R5	2.90	11.30	-	-	-	-
228.00	231.00	3.00	R5	1.70	6.82	-	-	-	-
231.00	234.00	3.00	R5	0.15	0.18	-	-	-	-
234.00	237.00	3.00	R5	0.15	0.25	-	-	-	-
237.00	240.00	3.00	R5	0.14	0.16	-	-	-	-
240.00	243.00	3.00	R5	0.44	1.07	-	-	-	-
243.00	246.00	3.00	R6	0.46	0.89	-	-	-	-
246.00	249.00	3.00	R6	0.02	0.07	-	-	-	-
249.00	252.00	3.00	R6	0.04	0.12	-	-	-	-
252.00	255.00	3.00	R6	0.04	0.07	-	-	-	-
255.00	258.00	3.00	R6	0.03	0.11	-	-	-	-
258.00	261.00	3.00	R6	0.07	0.14	-	-	-	-
261.00	264.00	3.00	R6	0.12	0.21	-	-	-	-
264.00	267.00	3.00	R6	0.00	0.00	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-90
Project: PLANET EXPLORATION
Project Number: 800125

267.00	270.00	3.00	R6	0.17	0.27	-	-	-	-
270.00	273.00	3.00	R6	0.21	0.31	-	-	-	-
273.00	276.00	3.00	R5	0.37	1.01	-	-	-	-
276.00	279.00	3.00	R5	0.42	1.11	-	-	-	-
279.00	282.00	3.00	R5	0.31	0.79	-	-	-	-
282.00	285.00	3.00	R5	0.78	1.68	-	-	-	-
285.00	288.00	3.00	R5	0.09	0.12	-	-	-	-
288.00	291.00	3.00	R5	0.11	0.29	-	-	-	-
291.00	294.00	3.00	R6	0.06	0.12	-	-	-	-
294.00	297.00	3.00	R6	0.57	2.42	-	-	-	-
297.00	300.00	3.00	R6	0.26	0.62	-	-	-	-
300.00	303.00	3.00	R6	0.10	0.18	-	-	-	-
303.00	306.00	3.00	R6	0.30	0.67	-	-	-	-
306.00	309.00	3.00	R6	0.17	0.20	-	-	-	-
309.00	312.00	3.00	R5	0.18	0.21	-	-	-	-
312.00	315.00	3.00	R5	0.18	0.29	-	-	-	-
315.00	318.00	3.00	R5	0.16	0.32	-	-	-	-
318.00	321.00	3.00	R5	0.14	0.18	-	-	-	-
321.00	324.00	3.00	R5	0.03	0.10	-	-	-	-
324.00	327.00	3.00	R5	0.02	0.05	-	-	-	-
327.00	330.00	3.00	R5	0.24	0.32	-	-	-	-
330.00	333.00	3.00	R5	0.21	0.29	-	-	-	-
333.00	336.00	3.00	R5	0.19	0.29	-	-	-	-
336.00	339.00	3.00	R5	0.14	0.27	-	-	-	-
339.00	342.00	3.00	R6	4.53	16.20	-	-	-	-
342.00	345.00	3.00	R6	0.29	0.84	-	-	-	-
345.00	348.00	3.00	R6	0.28	0.51	-	-	-	-
348.00	351.00	3.00	R5	0.18	0.25	-	-	-	-
351.00	354.00	3.00	R5	0.17	0.52	-	-	-	-
354.00	357.00	3.00	R5	0.26	0.67	-	-	-	-
357.00	360.00	3.00	R5	0.17	0.21	-	-	-	-
360.00	363.00	3.00	R5	0.15	0.20	-	-	-	-
363.00	366.00	3.00	R5	0.12	0.18	-	-	-	-
366.00	369.00	3.00	R5	0.14	0.31	-	-	-	-
369.00	372.00	3.00	R5	0.21	0.32	-	-	-	-
372.00	375.00	3.00	R5	0.13	0.21	-	-	-	-
375.00	378.00	3.00	R5	0.17	0.34	-	-	-	-
378.00	381.00	3.00	R6	0.04	0.10	-	-	-	-
381.00	384.00	3.00	R6	0.02	0.08	-	-	-	-
384.00	387.00	3.00	R6	0.06	0.12	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-90
Project: PLANET EXPLORATION
Project Number: 800125

387.00	390.00	3.00	R6	0.13	0.40	-	-	-	-
390.00	393.00	3.00	R6	0.13	0.20	-	-	-	-
393.00	396.00	3.00	R6	0.11	0.18	-	-	-	-
396.00	399.00	3.00	R6	0.03	0.05	-	-	-	-
399.00	402.00	3.00	R5	0.09	0.16	-	-	-	-
402.00	405.00	3.00	R5	0.08	0.18	-	-	-	-
405.00	408.00	3.00	R5	0.26	0.62	-	-	-	-
408.00	411.00	3.00	R5	0.27	0.40	-	-	-	-
411.00	414.00	3.00	R5	0.30	0.89	-	-	-	-
414.00	417.00	3.00	R5	0.47	0.69	-	-	-	-
417.00	420.00	3.00	R5	0.20	0.34	-	-	-	-
420.00	423.00	3.00	R5	0.16	0.18	-	-	-	-
423.00	426.00	3.00	R5	0.42	0.98	-	-	-	-
426.00	429.00	3.00	R6	59.00	237.00	-	-	-	-
429.00	432.00	3.00	R6	2.60	12.20	-	-	-	-
432.00	435.00	3.00	R6	3.11	14.40	-	-	-	-
435.00	438.00	3.00	R6	0.08	0.25	-	-	-	-
438.00	441.00	3.00	R6	3.25	15.90	-	-	-	-
441.00	444.00	3.00	R5	100.00	482.12	-	-	-	-
444.00	447.00	3.00	R6	0.19	0.45	-	-	-	-
447.00	450.00	3.00	R6	0.05	0.09	-	-	-	-
450.00	453.00	3.00	R6	0.04	0.07	-	-	-	-
453.00	456.00	3.00	R6	0.05	0.07	-	-	-	-
456.00	459.00	3.00	R6	0.09	0.16	-	-	-	-
459.00	462.00	3.00	R6	0.07	0.10	-	-	-	-
462.00	465.00	3.00	R6	0.06	0.10	-	-	-	-



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-91
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 58.4014	Length: 115.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -55	Pulled: No	Claim No: Staked	Spotted by: A.P. Pryslak
Length: 393.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 14-Jul-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 22-Jul-05		Level:	Surveyed Date: 25-Sep-05
Logged: 23-Jul-05	Core	Coordinate- Gemcom	Logged by: L.C. Chastko
Wedged : No	Dimension: NQ	East: 461976.34	Re-logged by:
Wedged from:	Original Units: M	North: 5677298.17	Water Source: Anderson Lake
	Storage: Cochenour Mine	Elevation: 443.53	Water line:
		UTM Zone: 15 (NAD27)	Left in hole: Rod + Bit + Core Barrel
			Control Drilling:
			Cutting sampled: No
			Geophysic:

Target: 2005-N1, Anderson Lake South Ultra Mafic contact
Comments: NQ rods stuck down hole while lowering Maxibor-result is no survey, cut off core barrel and 1.5 m rods-left in hole

Deviation Tests

<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>
0.000	58.40	-55.00	C



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-91
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G. Comments</i>
0.00	115.00	(CS) CASING sand and boulders, possibility some bed rock was triconed?								
115.00	134.15	(6C) PERIDOTITE / TALC SCHIST variable from a dark blue-grey, medium grained, relatively massive peridotite/serpentine to lighter talc-carbonate schist considerable fracturing, broken core, muddy slips and muddy gouge, occasional red hematite on fractures or slips, traces disseminated to fine irregular weak stringers po 115.00 - 116.5 relatively massive, weakly-moderately talcose 116.50 - 118.00 broken core 118.00 - 118.50 muddy micaceous gouge 118.50 - 121.0 moderately broken core, frequent slips 121.00 - 125.00 relatively massive, weakly to moderately talcose 125.00 - 127.20 broken core 127.2 - 128.20 broken core, mud gouge, LOST CORE 128.20 - 134.15 moderately broken core, more intense at contact, 5 cm gouge at contact	404008	115.00	116.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404009	116.00	117.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404010	117.00	118.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404011	118.00	119.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404012	119.00	120.00	1.00	0.01	<0.001	6	<input type="checkbox"/>
			404013	120.00	121.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404014	121.00	122.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404015	122.00	123.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404016	123.00	124.00	1.00	0.01	<0.001	11	<input type="checkbox"/>
			404017	124.00	125.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404018	125.00	126.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404019	126.00	127.50	1.50	<0.01	<0.001	<5	<input type="checkbox"/>
			404020	128.00	129.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404021	129.00	130.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404022	130.00	131.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404023	131.00	132.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404024	132.00	133.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404025	133.00	134.15	1.15	<0.01	<0.001	<5	<input type="checkbox"/>
134.15	142.45	(7B) FELDSPAR PORPHYRY Sub volcanic type well fractured, talcose slips, altered, variable silicification and/or microcline alteration, weakly biotitized, trace to minor fine py throughout, strong muddy fault gouge at upper and lower contacts	404026	134.15	135.00	0.85	<0.01	<0.001	<5	<input type="checkbox"/>
			404027	135.00	136.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404028	136.00	137.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404029	137.00	138.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404030	138.00	139.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404031	139.00	140.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404032	140.00	141.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404033	141.00	142.45	1.45	<0.01	<0.001	<5	<input type="checkbox"/>
142.45	178.90	(6C) PERIDOTITE / TALC SCHIST variable from a dark blue-grey, medium grained, relatively massive peridotite/serpentine to lighter talc-carbonate schist considerable fracturing, broken core, muddy slips and muddy gouge, occasional	404034	142.45	144.00	1.55	<0.01	<0.001	<5	<input type="checkbox"/>
			404035	144.00	145.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404036	145.00	146.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			404037	146.00	147.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-91
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
		red hematite on fractures or slips, traces disseminated to fine irregular weak stringers po	404038	147.00	148.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		142.50 - 143.00 muddy gouge	404039	148.00	149.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		143.00 - 143.90 LOST CORE	404040	149.00	150.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		143.90 - 151.30 20% broken core	404041	150.00	151.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		151.30 - 153.00 muddy gouge, badly broken core, .4 m LOST CORE	404042	151.00	153.00	2.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		153.00 - 155.80 relatively massive	404043	153.00	154.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		155.80 - 158.00 badly broken, crushed, local mud gouge	404044	154.00	155.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		158.00 - 162.00 relatively massive several muddy seams	404045	155.00	156.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		162.00 - 164.00 badly broken, crushed, , 30% muddy gouge	404046	156.00	157.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		164.00 - 166.00 more massive, moderately fractured	404047	157.00	158.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		166.00 - 169.30 moderately broken core, 10-20% muddy gouge	404048	158.00	159.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		169.30 - 178.70 related massive, moderate fracturing, several muddy seams	404051	159.00	160.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		178.70 - 178.90 muddy gouge at contact	404052	160.00	161.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404053	161.00	162.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404054	162.00	163.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404055	163.00	164.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404056	164.00	165.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404057	165.00	166.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404058	166.00	167.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404059	167.00	168.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404060	168.00	169.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404061	169.00	170.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404062	170.00	171.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404063	171.00	172.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404064	172.00	173.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404065	173.00	174.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404066	174.00	175.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404067	175.00	176.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404068	176.00	177.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404069	177.00	178.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404070	178.00	178.90	0.90	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-91

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
178.90	186.90	(7B) FELDSPAR PORPHYRY	404071	178.90	180.00	1.10	<0.01	<0.001	<5	<input type="checkbox"/>	
		sub volcanic type	404072	180.00	181.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
		40% highly altered sections	404073	181.00	182.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		178.90 - 181.75 light brownish grey, plag phyric, weakly foliated, moderately fractured-talc coated, rapid transition over 10-20 cm	404074	182.00	183.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		181.75 - 182.90 shear banded, light salmon pinkish - K spar altered with fine dark filling along shear planes, weakly silicified, moderate late talcose filled fractures, 1% fine crystalline py disseminated throughout, foliation at 30 to CA	404075	183.00	184.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		182.90 - 187.50 light brownish-grey plag phyric porphyry	404076	184.00	185.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		187.50 - 186.90 light pinkish K-spar altered, silicified, moderately to well fractured-talcose slips- fine gouge brecciated at lower contact, 1% fine disseminated crystalline py	404077	185.00	186.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404078	186.00	187.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
186.90	189.70	(6C) PERIDOTITE / TALC SCHIST	404079	187.00	188.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		Talc-carbonate schist	404080	188.00	189.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		blueish-grey, fine grained, moderately talcose, weakly to moderately carbonatized, moderately foliated at 30-35 to CA	404081	189.00	190.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		0.5 m gouge at upper contact									
189.70	190.35	(7B) FELDSPAR PORPHYRY									
		sub volcanic as before									
190.35	190.90	(6C) PERIDOTITE / TALC SCHIST	404082	190.00	191.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		talc-carbonate schist as before									
190.90	200.20	(7B) FELDSPAR PORPHYRY	404083	191.00	192.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		sub volcanic type	404084	192.00	193.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		altered, varies from weakly plag phyric to aphyric locally, weakly silicified, well fractured-talc coated, core is moderately broken up	404085	193.00	194.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404086	194.00	195.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404087	195.00	196.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404088	196.00	197.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404089	197.00	198.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-91
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	V.G.	Comments
			404090	198.00	199.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404091	199.00	200.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
200.20	210.05	(6C) PERIDOTITE / TALC SCHIST	404092	200.00	201.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		tal-carbonate schist, weakly-moderately carbonatized, moderately serpetinized, occassional weak po on slips	404093	201.00	202.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404094	202.00	203.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404095	203.00	204.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404096	204.00	205.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404097	205.00	206.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404098	206.00	207.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404101	207.00	208.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404102	208.00	209.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404103	209.00	210.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
210.05	215.70	(6D) LAMPROPHYRE	404104	210.00	211.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		finely mottled greyish matrix with 15-20% amphibole lath, weak salmon pink alteration locally, poorly foliated, weakly fractured, distinct contacts-gouge	404105	211.00	212.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404106	212.00	213.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404107	213.00	214.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404108	214.00	215.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404109	215.00	216.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
215.70	236.83	(6C) PERIDOTITE / TALC SCHIST	404110	216.00	217.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		ultra mafic varies from moderatel altered to locally talc-carbonate schist-primarily near contacts , local sections of broken core and minor gouge along slips	404111	217.00	218.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		215.70 - 216.50 dark green miceous muddy gouge	404112	218.00	219.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		229 - 231.5 broken core minor gouge	404113	219.00	220.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404114	220.00	221.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404115	221.00	222.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404116	222.00	223.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404117	223.00	224.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404118	224.00	225.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404119	225.00	226.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404120	226.00	227.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404121	227.00	228.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404122	228.00	229.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404123	229.00	230.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404124	230.00	231.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404125	231.00	232.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-91
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			404126	232.00	233.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404127	233.00	234.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404128	234.00	235.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404129	235.00	236.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404130	236.00	237.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
236.83	241.90	(7B) FELDSPAR PORPHYRY	404131	237.00	238.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		sub volcanic	404132	238.00	239.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		light brownish-grey, aphyric, altered	404133	239.00	240.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		30% sections of dark green micaceous gouge	404134	240.00	241.25	1.25	<0.01	<0.001	<5	<input type="checkbox"/>	
		238.00 - 238.30 gouge	404135	241.25	242.00	0.75	<0.01	<0.001	<5	<input type="checkbox"/>	
		239.60 - 240.80 gouge									
241.90	257.40	(6C) PERIDOTITE / TALC SCHIST	404136	242.00	243.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		similar to before	404137	243.00	244.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		moderately altered, moderately talcose, weakly foliated at 30 to CA, traces po throughout	404138	244.00	245.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404139	245.00	246.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404140	246.00	247.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404141	247.00	248.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404142	248.00	249.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404143	249.00	250.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404144	250.00	251.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404145	251.00	252.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404146	252.00	253.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404147	253.00	254.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404148	254.00	255.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404151	255.00	256.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404152	256.00	257.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
257.40	270.22	(7B) FELDSPAR PORPHYRY	404153	257.00	258.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		sub volcanic type	404154	258.00	259.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		light brownish grey, aphyric to locally weakly plag phyrlic, relatively massive save for moderate fractures-talc coated, weak k-spar alteration locally	404155	259.00	260.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		8 cm massive fine green mica at contact	404156	260.00	261.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404157	261.00	262.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404158	262.00	263.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404159	263.00	264.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-91
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	V.G.	<i>Comments</i>
			404160	264.00	265.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404161	265.00	266.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404162	266.00	267.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404163	267.00	268.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404164	268.00	269.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404165	269.00	270.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
270.22	306.00	(6C) PERIDOTITE / TALC SCHIST	404166	270.00	271.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		dak blueish-grey to green, medium to coarse grained, moderately steatized,,	404167	271.00	272.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		several green micaceous sections-fine grained, minor local deep red hematite	404168	272.00	273.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		staining, moderately fractured, minor narrow gouge faults,	404169	273.00	274.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		8 cm fine massive dark green mica at upper contact, upper contact at 50-55 to CA	404170	274.00	275.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		289 - 290 low angle fine grained micaceous	404171	275.00	276.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		291 - 291.3 as above	404172	276.00	277.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		292.5 - 294 as above at 25-30 to CA	404173	277.00	278.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		303.3 - 306 sheared contact talc-carbonate, strong biotite stringers at 10 to CA	404174	278.00	279.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404175	279.00	280.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404176	280.00	281.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404177	281.00	282.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404178	282.00	283.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404179	283.00	284.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404180	284.00	285.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404181	285.00	286.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404182	286.00	287.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404183	287.00	288.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404184	288.00	289.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404185	289.00	290.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404186	290.00	291.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404187	291.00	292.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404188	292.00	293.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404189	293.00	294.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404190	294.00	295.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404191	295.00	296.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404192	296.00	297.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404193	297.00	298.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404194	298.00	299.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-91
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			404195	299.00	300.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404196	300.00	301.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404197	301.00	302.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404198	302.00	303.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404201	303.00	304.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404202	304.00	305.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404203	305.00	306.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
306.00	311.80	(7B) FELDSPAR PORPHYRY	404204	306.00	307.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Chunky Feldspar Porphyry	404205	307.00	308.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		variably altered pinkish sections and patches, locally sheared and weakly silicified	404206	308.00	309.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		310 - 310.5 green micaceous altered mafic	404207	309.00	310.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404208	310.00	311.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404209	311.00	312.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
311.80	331.00	(FLT) FAULT BX	404210	312.00	313.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		variably stressed and altered, generally at low angle 10-25 to CA	404211	313.00	314.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		311.8 - 313.5 predominantly a talc-chlorite schist, minor biotite wisps, moderately	404212	314.00	315.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		foliated at 20-30 to CA, fine hairline fractures filled with minor pypo-1%	404213	315.00	316.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		313.5 - 317.5 strongly biotitic, minor talc, badly broken core	404214	316.00	317.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		317 broken core few pices have smeared MOLY on foliation	404215	317.00	318.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		317.5 - 321 talc-chlorite schist badly broken up	404216	318.00	319.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		320 - 321 broken up altered porphyry	404217	319.00	320.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		322.4 - 323.2 LOST CORE	404218	320.00	321.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		323.2 - 324 broken talc-chlorite schist	404219	321.00	322.30	1.30	<0.01	<0.001	<5	<input type="checkbox"/>	
		324 - 329 40% muddy gouge, 60% crappy broken core- mafic/ultra mafic	404220	323.00	324.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404221	324.00	325.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404222	325.00	326.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404223	326.00	327.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404224	327.00	328.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404225	328.00	329.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404226	329.00	330.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404227	330.00	331.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-91
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
331.00	340.00	(6) MAFIC-ULTRAMAFIC INTRUSIVES	404228	331.00	332.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		mafic volcanic? Non magnetic	404229	332.00	333.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		dark green fine grained relatively massive, gradation into coarser grained and magnetic ultra mafic	404230	333.00	334.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		weak-moderate tight fracturing	404231	334.00	335.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404232	335.00	336.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404233	336.00	337.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404234	337.00	338.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404235	338.00	339.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404236	339.00	340.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
340.00	393.00	(6C) PERIDOTITE / TALC SCHIST	404237	340.00	341.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		peridotite, dark blue-grey, medium to coarse grained, relatively massive save for healed and open fractures and local weak shear breccia, generally weakly altered	404238	341.00	342.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		371.60 - 372.30 dark green, fine grained chloritic dike at 30 to CA	404239	342.00	343.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		375.90 - 377.00 several chloritic dikes as above	404240	343.00	344.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		381.60 - 382.25 chloritic dike	404241	344.00	345.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404242	349.00	350.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404243	354.00	355.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404244	359.00	360.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404245	364.00	365.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404246	369.00	370.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404247	374.00	375.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404248	379.00	380.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404251	384.00	385.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404252	389.00	390.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404253	390.00	391.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404254	391.00	392.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404255	392.00	393.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.

QC Report

Hole Number RL-05-91
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
159.00	404049	2208	-	-	-	-	-	-	-	-	-	2.2	-	0.064	-	-
159.01	404050	26	-	-	-	-	-	-	-	-	-	0.0	-	0.001	-	-
207.00	404099	2125	-	-	-	-	-	-	-	-	-	2.1	-	0.062	-	-
207.01	404100	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
255.00	404149	2255	-	-	-	-	-	-	-	-	-	2.3	-	0.066	-	-
255.01	404150	5	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
303.00	404199	1989	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
303.01	404200	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
380.00	404249	2061	-	-	-	-	-	-	-	-	-	2.1	-	0.060	-	-
380.01	404250	7	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-91
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
115.30	117.00	1.70	R2	24.50	26.60	-	-	-	-
117.00	120.00	3.00	R3	18.20	27.70	-	-	-	-
120.00	123.00	3.00	R3	25.90	34.70	-	-	-	-
123.00	126.00	3.00	R2	18.30	22.50	-	-	-	-
126.00	129.00	3.00	R2	15.50	22.30	-	-	-	-
129.00	132.00	3.00	R2	7.73	11.90	-	-	-	-
132.00	135.00	3.00	R1	5.05	10.30	-	-	-	-
135.00	138.00	3.00	R5	0.01	0.03	-	-	-	-
138.00	141.00	3.00	R4	0.00	0.01	-	-	-	-
141.00	144.00	3.00	R3	0.03	0.09	-	-	-	-
144.00	147.00	3.00	R1	4.18	17.70	-	-	-	-
147.00	150.00	3.00	R2	11.80	15.40	-	-	-	-
150.00	153.00	3.00	R3	12.50	20.00	-	-	-	-
153.00	156.00	3.00	R3	19.80	29.60	-	-	-	-
156.00	159.00	3.00	R3	16.60	23.20	-	-	-	-
159.00	162.00	3.00	R3	16.80	22.70	-	-	-	-
162.00	165.00	3.00	R2	11.10	17.30	-	-	-	-
165.00	168.00	3.00	R3	18.10	22.20	-	-	-	-
168.00	171.00	3.00	R4	22.90	37.00	-	-	-	-
171.00	174.00	3.00	R4	27.00	32.80	-	-	-	-
174.00	177.00	3.00	R3	21.60	32.90	-	-	-	-
177.00	180.00	3.00	R4	17.60	29.10	-	-	-	-
180.00	183.00	3.00	R5	0.03	0.14	-	-	-	-
183.00	186.00	3.00	R5	0.27	1.24	-	-	-	-
186.00	189.00	3.00	R3	15.80	25.00	-	-	-	-
189.00	192.00	3.00	R2	4.86	20.30	-	-	-	-
192.00	195.00	3.00	R5	0.01	0.01	-	-	-	-
195.00	198.00	3.00	R5	0.03	0.07	-	-	-	-
198.00	201.00	3.00	R3	12.20	28.30	-	-	-	-
201.00	204.00	3.00	R4	29.00	31.00	-	-	-	-
204.00	207.00	3.00	R3	14.70	24.50	-	-	-	-
207.00	210.00	3.00	R3	10.40	17.10	-	-	-	-
210.00	213.00	3.00	R5	4.67	6.03	-	-	-	-
213.00	216.00	3.00	R5	4.78	8.60	-	-	-	-
216.00	219.00	3.00	R2	20.90	33.30	-	-	-	-
219.00	222.00	3.00	R5	31.60	40.70	-	-	-	-
222.00	225.00	3.00	R4	22.60	32.90	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-91
Project: PLANET EXPLORATION
Project Number: 800125

225.00	228.00	3.00	R5	32.30	35.30	-	-	-	-
228.00	231.00	3.00	R4	14.10	32.10	-	-	-	-
231.00	234.00	3.00	R4	16.50	29.60	-	-	-	-
234.00	237.00	3.00	R3	11.20	30.10	-	-	-	-
237.00	240.00	3.00	R2	0.10	0.23	-	-	-	-
240.00	243.00	3.00	R1	8.98	24.60	-	-	-	-
243.00	246.00	3.00	R4	27.60	30.00	-	-	-	-
246.00	249.00	3.00	R3	20.10	31.10	-	-	-	-
249.00	252.00	3.00	R2	9.35	27.00	-	-	-	-
252.00	255.00	3.00	R3	17.30	25.00	-	-	-	-
255.00	258.00	3.00	R4	6.23	21.30	-	-	-	-
258.00	261.00	3.00	R6	0.03	0.05	-	-	-	-
261.00	264.00	3.00	R6	0.01	0.05	-	-	-	-
264.00	267.00	3.00	R6	0.04	0.10	-	-	-	-
267.00	270.00	3.00	R6	1.79	7.52	-	-	-	-
270.00	273.00	3.00	R4	20.10	32.60	-	-	-	-
273.00	276.00	3.00	R4	17.00	24.40	-	-	-	-
276.00	279.00	3.00	R4	23.30	25.80	-	-	-	-
279.00	282.00	3.00	R4	27.60	33.60	-	-	-	-
282.00	285.00	3.00	R4	27.60	32.80	-	-	-	-
285.00	288.00	3.00	R4	30.80	36.10	-	-	-	-
288.00	291.00	3.00	R5	15.00	24.50	-	-	-	-
291.00	294.00	3.00	R4	13.60	19.00	-	-	-	-
294.00	297.00	3.00	R4	30.50	45.00	-	-	-	-
297.00	300.00	3.00	R5	43.60	49.40	-	-	-	-
300.00	303.00	3.00	R4	33.60	44.90	-	-	-	-
303.00	306.00	3.00	R3	6.58	11.70	-	-	-	-
306.00	309.00	3.00	R6	0.24	0.65	-	-	-	-
309.00	312.00	3.00	R5	0.07	0.12	-	-	-	-
312.00	315.00	3.00	R4	2.67	12.10	-	-	-	-
315.00	318.00	3.00	R3	0.28	0.51	-	-	-	-
318.00	321.00	3.00	R3	0.20	0.45	-	-	-	-
321.00	324.00	3.00	R5	3.55	9.73	-	-	-	-
324.00	327.00	3.00	R0	0.15	0.34	-	-	-	-
327.00	330.00	3.00	R0	0.80	3.29	-	-	-	-
330.00	333.00	3.00	R4	2.04	8.58	-	-	-	-
333.00	336.00	3.00	R5	5.12	13.00	-	-	-	-
336.00	339.00	3.00	R5	3.45	7.10	-	-	-	-
339.00	342.00	3.00	R5	11.00	25.60	-	-	-	-
342.00	345.00	3.00	R5	29.40	41.00	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-91
Project: PLANET EXPLORATION
Project Number: 800125

345.00	348.00	3.00	R5	36.10	44.10	-	-	-	-
348.00	351.00	3.00	R5	35.90	43.10	-	-	-	-
351.00	354.00	3.00	R5	30.90	40.30	-	-	-	-
354.00	357.00	3.00	R5	31.00	36.70	-	-	-	-
357.00	360.00	3.00	R4	14.90	39.70	-	-	-	-
360.00	363.00	3.00	R5	30.60	41.00	-	-	-	-
363.00	366.00	3.00	R5	38.30	43.20	-	-	-	-
366.00	369.00	3.00	R5	40.60	43.50	-	-	-	-
369.00	372.00	3.00	R5	20.90	35.00	-	-	-	-
372.00	375.00	3.00	R5	28.30	33.70	-	-	-	-
375.00	378.00	3.00	R5	23.90	36.60	-	-	-	-
378.00	381.00	3.00	R5	27.70	33.10	-	-	-	-
381.00	384.00	3.00	R4	40.70	49.80	-	-	-	-
384.00	387.00	3.00	R4	34.20	38.40	-	-	-	-
387.00	390.00	3.00	R4	28.40	28.80	-	-	-	-
390.00	393.00	3.00	R4	31.90	34.90	-	-	-	-



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-92
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 277.7972	Length: 13.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -55	Pulled: No	Claim No: Staked	Spotted by: L.C. Chastko
Length: 359.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 25-Jul-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 02-Aug-05		Level:	Surveyed Date: 25-Sep-05
Logged: 03-Aug-05	<u>Core</u>	<u>Coordinate- Gemcom</u>	Logged by: L.C. Chastko
Wedged : No	Dimension: NQ	East: 462699.09	Re-logged by:
Wedged from:	Original Units: M	North: 5677303.18	Water Source:
	Storage: Cochenour Mine	Elevation: 419.78	Water line:
		UTM Zone: 15 (NAD27)	Left in hole: Nothing
			Control Drilling:
Target: 2005-N, Ultra mafic contact-East Anderson Lake			Cutting sampled: No
Comments:			Geophysical:

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	277.80	-55.00	X	48.000	277.30	-55.00	X	96.000	275.30	-53.10	X
3.000	277.50	-55.30	X	51.000	277.40	-54.80	X	99.000	275.00	-53.00	X
6.000	277.30	-55.50	X	54.000	277.40	-54.70	X	102.000	274.80	-52.90	X
9.000	277.10	-55.50	X	57.000	277.40	-54.60	X	105.000	274.80	-52.80	X
12.000	277.00	-55.50	X	60.000	277.10	-54.50	X	108.000	274.90	-52.70	X
15.000	277.00	-55.50	X	63.000	276.60	-54.40	X	111.000	275.00	-52.60	X
18.000	277.00	-55.50	X	66.000	276.20	-54.20	X	114.000	275.00	-52.50	X
21.000	276.90	-55.50	X	69.000	276.00	-54.10	X	117.000	275.10	-52.40	X
24.000	276.90	-55.50	X	72.000	275.80	-54.00	X	120.000	275.10	-52.40	X
27.000	277.00	-55.50	X	75.000	275.70	-53.90	X	123.000	275.00	-52.40	X
30.000	277.10	-55.60	X	78.000	275.70	-53.70	X	126.000	274.90	-52.40	X
33.000	277.20	-55.60	X	81.000	275.60	-53.60	X	129.000	274.90	-52.30	X
36.000	277.20	-55.50	X	84.000	275.50	-53.50	X	132.000	274.90	-52.30	X
39.000	277.10	-55.40	X	87.000	275.40	-53.40	X	135.000	274.80	-52.20	X
42.000	277.20	-55.30	X	90.000	275.40	-53.30	X	138.000	274.50	-52.20	X
45.000	277.20	-55.20	X	93.000	275.40	-53.20	X	141.000	274.40	-52.10	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-92
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	274.30	-52.10	X
147.000	274.40	-52.00	X
150.000	274.30	-51.90	X
153.000	274.30	-51.80	X
156.000	274.30	-51.70	X
159.000	274.40	-51.70	X
162.000	274.50	-51.70	X
165.000	274.50	-51.60	X
168.000	274.50	-51.50	X
171.000	274.40	-51.50	X
174.000	274.30	-51.50	X
177.000	274.20	-51.40	X
180.000	274.30	-51.30	X
183.000	274.30	-51.10	X
186.000	274.20	-51.10	X
189.000	274.10	-51.10	X
192.000	274.00	-51.10	X
195.000	273.80	-51.10	X
198.000	273.70	-51.00	X
201.000	273.70	-51.00	X
204.000	273.80	-51.00	X
207.000	273.90	-50.90	X
210.000	274.00	-50.90	X
213.000	274.10	-50.80	X
216.000	274.20	-50.80	X
219.000	274.20	-50.80	X
222.000	274.30	-50.80	X
225.000	274.50	-50.80	X
228.000	274.50	-50.80	X
231.000	274.50	-50.80	X
234.000	274.60	-50.80	X
237.000	274.60	-50.80	X
240.000	274.70	-50.70	X
243.000	274.70	-50.70	X
246.000	274.70	-50.70	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
249.000	274.80	-50.70	X
252.000	274.90	-50.70	X
255.000	275.00	-50.80	X
258.000	275.10	-50.70	X
261.000	275.30	-50.70	X
264.000	275.40	-50.80	X
267.000	275.50	-50.80	X
270.000	275.60	-50.80	X
273.000	275.70	-50.80	X
276.000	275.80	-50.80	X
279.000	275.90	-50.80	X
282.000	276.10	-50.70	X
285.000	276.30	-50.70	X
288.000	276.40	-50.70	X
291.000	276.50	-50.70	X
294.000	276.60	-50.70	X
297.000	276.80	-50.70	X
300.000	276.90	-50.70	X
303.000	277.00	-50.70	X
306.000	277.10	-50.70	X
309.000	277.30	-50.60	X
312.000	277.50	-50.60	X
315.000	277.70	-50.60	X
318.000	277.80	-50.70	X
321.000	277.90	-50.70	X
324.000	278.00	-50.80	X
327.000	278.20	-50.80	X
330.000	278.30	-50.80	X
333.000	278.40	-50.80	X
336.000	278.50	-50.70	X
339.000	278.50	-50.70	X
345.000	278.50	-50.80	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-92
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	13.00	(OB) OVERBURDEN									
13.00	35.05	(1A) MASSIVE MAFIC VOLC									
		dark green to locally grey-green in bleached sections, minor to moderate brown biotitic streaks, fine grained, varies from relatively massive to locally foliated, 5-10% finely banded amphibole-biotite-diopside-carbonate-epidote+/- popy locally overall foliation at 50-55 to CA	404256	13.00	14.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		13.0 - 16.0 15% skarny type bands	404257	14.00	15.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		25.6 - 35.05 weak shear fabric intensifying to lower contact with porphyry, local weak to moderate bleaching	404258	15.00	16.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		overall traces to locally weak popy	404259	16.00	17.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		lower contact at 40 to CA	404260	17.00	18.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		unit is weakly magnetic	404261	18.00	19.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404262	19.00	20.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404263	20.00	21.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404264	21.00	22.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404265	22.00	23.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404266	23.00	24.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404267	24.00	25.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404268	25.00	26.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404269	26.00	27.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404270	27.00	28.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			404271	28.00	29.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404272	29.00	30.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404273	30.00	31.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404274	31.00	32.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404275	32.00	33.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404276	33.00	34.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404277	34.00	35.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
35.05	42.18	(7B) FELDSPAR PORPHYRY									
		sub volcanic feldspar porphyry	404278	35.00	36.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		mottled light reddish-brown-biotitic with whitish plag phenocrysts, moderately developed shear or cleavage planes at 45-50 to CA, shearing and foliation	404279	36.00	37.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		developed in volcanics away from both contacts, upper contact at 40, lower at 60 to CA, both sharp	404280	37.00	38.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404281	38.00	39.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404282	39.00	40.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404283	40.00	41.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404284	41.00	42.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-92
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
42.18	70.64	(1K) KOMATIITES medium olive green with minor brown biotitic streaks, fine grained, moderately sheared and foliated at 50 to CA-varies to more massive locally, weakly talcose locally 2-3% quartz and quartz-carbonate veinlets, weak diopside locally weakly magnetic with sharp drop in magnetism at visual arbitrary lower contact with banded amphibolite indicates a definite change overall traces popy 42.18 - 43.00 well sheared and foliated contact with strong amphibole-biotite-diopside-carbonate and quartz banding-minor popy- banding and foliation deminish away from contact 47.5 - 49.5 30% dark greyish fine grained felsic dikes, -fuzzy- blend in well porphyry? 67.0 - 70.64 well foliated, light green, fine grained with sections of darker green stretched meta crystals not ldd	404285	42.00	43.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404286	43.00	44.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404287	44.00	45.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404288	45.00	46.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
			404289	46.00	47.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			404290	47.00	48.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			404291	48.00	49.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404292	49.00	50.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			404293	50.00	51.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			404294	51.00	52.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404295	52.00	53.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404296	53.00	54.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			404297	54.00	55.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404298	55.00	56.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404301	56.00	57.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			404302	57.00	58.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			404303	58.00	59.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			404304	59.00	60.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404305	60.00	61.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404306	61.00	62.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
404307	62.00	63.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
404308	63.00	64.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
404309	64.00	65.00	1.00	0.01	<0.001	9	<input type="checkbox"/>				
404310	65.00	66.00	1.00	0.01	<0.001	10	<input type="checkbox"/>				
404311	66.00	67.00	1.00	0.01	<0.001	9	<input type="checkbox"/>				
404312	67.00	68.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
404313	68.00	69.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
404314	69.00	70.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
404315	70.00	71.00	1.00	0.02	0.001	20	<input type="checkbox"/>				
70.64	103.95	(1J) BANDED AMPHIBOLITE predominantly crudely banded dark green amphibole with lesser brown biotitic streaks and fine bands, light green diopside and whitish calcite with 30% locally more massive amphibolite sections overall 3% quartz veining generally locally concentrated traces popy unit is non magnetic-sharp magnetic contact with above banding and foliation is generally at 50 to CA-somewhat variable with local folding	404316	71.00	72.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			404317	72.00	73.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404318	73.00	74.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404319	74.00	75.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404320	75.00	76.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404321	76.00	77.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-92
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		20 cm white quartz at upper contact area	404322	77.00	78.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		81.65 - 82.30 sharp fold	404323	78.00	79.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		88.0 - 97.0 weakly banded to near massive	404324	79.00	80.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		95.5 - 96.0 25% white quartz veining	404325	80.00	81.00	1.00	0.24	0.007	238	<input type="checkbox"/>	
		98.90 - 99.0 quartz vein	404326	81.00	82.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
		101.85 - 102.1 30% quartz vein blebs	404327	82.00	83.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		102.4 - 102.75 fine grained porphyry dike	404328	83.00	84.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		70.75 - 70.95 (Q) QUARTZ	404329	84.00	85.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
		70% white quartz	404330	85.00	86.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
		81.65 - 82.30 (1J) BANDED AMPHIBOLITE	404331	86.00	87.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			404332	87.00	88.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404333	88.00	89.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404334	89.00	90.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404335	90.00	91.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			404336	91.00	92.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404337	92.00	93.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404338	93.00	94.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			404339	94.00	95.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404340	95.00	96.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404341	96.00	97.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			404342	97.00	98.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			404343	98.00	99.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			404344	99.00	100.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404345	100.00	101.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404346	101.00	102.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404347	102.00	103.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404348	103.00	104.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
103.95	107.25	(7B) FELDSPAR PORPHYRY	404351	104.00	105.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		sub volcanic type	404352	105.00	106.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		varies from plag phyr in massive sections to aphyric in sheared and foliated sections-lower portion well foliated at 50 to CA	404353	106.00	107.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		light reddish-brown biotitization 1% quartz veining, moderate fracturing									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-92
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
107.25	129.70	(1A) MASSIVE MAFIC VOLC dark green, fine grained, relatively massive to weakly foliated, locally narrow moderately foliated shears, variable weak to moderate biotitization, weak fracturing, occassional narrow irregular quartz veinlet traces pypo	404354	107.00	108.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404355	108.00	109.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404356	109.00	110.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			404357	110.00	111.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404358	111.00	112.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404359	112.00	113.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404360	113.00	114.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404361	114.00	115.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404362	115.00	116.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404363	116.00	117.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404364	117.00	118.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404365	118.00	119.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404366	119.00	120.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404367	120.00	121.00	1.00	0.65	0.019	645	<input type="checkbox"/>	
			404368	121.00	122.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			404369	122.00	123.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404370	123.00	124.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404371	124.00	125.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404372	125.00	126.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404373	126.00	127.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
404374	127.00	128.00	1.00	0.01	<0.001	8	<input type="checkbox"/>				
404375	128.00	129.00	1.00	0.02	<0.001	17	<input type="checkbox"/>				
404376	129.00	129.70	0.70	<0.01	<0.001	<5	<input type="checkbox"/>				
129.70	130.00	(1A) MASSIVE MAFIC VOLC possibly dirty chert brownish, biotitic variably weakly to moderately silicified, 10% fine network of irregular py>>po stringers subtle-gradational contacts, foliation at 40-55 to CA-variable									
130.00	141.20	(1A) MASSIVE MAFIC VOLC mafic volcanics as above, increasing foliated sections, several fracture fillings and veins of coarse vuggy calcite with minor quartz and py 139.82 - 140.3 calcite, lost core STRONG WATER SEAM	404377	129.70	131.00	1.30	0.03	0.001	30	<input type="checkbox"/>	sild 10-15% py
			404378	131.00	132.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404379	132.00	133.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404380	133.00	134.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404381	134.00	135.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
		134.25 - 134.65 (1A) MASSIVE MAFIC VOLC									



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-92
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		50% quartz-calcite, 30-35% volcanic breccia, altered, salmon pinkish, 5% irregular py	404382	135.00	136.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404383	136.00	137.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404384	137.00	138.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		138.80 - 139.00 (1A) MASSIVE MAFIC VOLC BX	404385	138.00	139.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		60% volcanic breccia, 40% coarse vuggy calcite, minor py	404386	139.00	139.90	0.90	0.01	<0.001	9	<input type="checkbox"/>	
			404387	140.28	141.00	0.72	0.01	<0.001	8	<input type="checkbox"/>	
		139.82 - 139.91 (1A) MASSIVE MAFIC VOLC BX									
		volcanic breccia, 60% coarse vuggy calcite, 4% disseminated py									
		139.91 - 140.30 (LC) LOST CORE									
		Strong water seam									
141.20	144.90	(1A) MASSIVE MAFIC VOLC	404388	141.00	142.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		interfingered 50% fine grained porphyry dike and 50% mafic volcanics, porphyry dike is moderately altered salmon pink locally	404389	142.00	143.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404390	143.00	144.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			404391	144.00	145.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
144.90	155.65	(1A) MASSIVE MAFIC VOLC	404392	145.00	146.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		similar to before	404393	146.00	147.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		dark green fine grained locally biotitized	404394	147.00	148.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404395	148.00	149.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404396	149.00	150.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404397	150.00	151.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404398	151.00	152.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			404401	152.00	153.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			404402	153.00	154.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			404403	154.00	155.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404404	155.00	156.00	1.00	0.06	0.002	64	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-92
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
155.65	159.56	(7B) FELDSPAR PORPHYRY interfingered, 60% sub volcanic porphyry, 40% mafic volcanics	404405	156.00	157.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404406	157.00	158.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404407	158.00	159.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404408	159.00	160.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
159.56	198.00	(1J) BANDED AMPHIBOLITE variably massive to strongly banded, banding varies amphibole-biotite+/- calcite, epidote, diopside, variable weak bleaching locally, weak to moderate fracturing locally, moderately broken core locally occasional coarse calcite bands 177.5 - 179 salmon pink alteration along fractures banding and foliation varies from 55-80 to CA	404409	160.00	161.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404410	161.00	162.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404411	162.00	163.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404412	163.00	164.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			404413	164.00	165.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404414	165.00	166.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404415	166.00	167.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404416	167.00	168.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404417	168.00	169.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404418	169.00	170.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			404419	170.00	171.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404420	171.00	172.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404421	172.00	173.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404422	173.00	174.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404423	174.00	175.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404424	175.00	176.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404425	176.00	177.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404426	177.00	178.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404427	178.00	179.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404428	179.00	180.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404429	180.00	181.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404430	181.00	182.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404431	182.00	183.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404432	183.00	184.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404433	184.00	185.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404434	185.00	186.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404435	186.00	187.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404436	187.00	188.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
404437	188.00	189.00	1.00	0.01	<0.001	10	<input type="checkbox"/>				
404438	189.00	190.00	1.00	0.02	0.001	18	<input type="checkbox"/>				



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-92
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			404439	190.00	191.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			404440	191.00	192.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404441	192.00	193.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404442	193.00	194.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			404443	194.00	195.00	1.00	0.16	0.005	158	<input type="checkbox"/>	
			404444	195.00	196.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404445	196.00	197.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404446	197.00	198.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
198.00	198.33	(5S) SILICATE FACIES IRON FORMATION finely layered or banded chert-grunerite-amphiboe-magnetite iron formation 10% magnetite bands, 1-3% disseminated popy, foliation and banding at 65-70 to CA	404447	198.00	198.33	0.33	0.01	<0.001	9	<input type="checkbox"/>	
198.33	202.00	(7B) FELDSPAR PORPHYRY sub volcanic, brownish-grey, fine grained, aphyric, minor epidote and salmon pinkish alteration	404448	198.33	199.00	0.67	0.01	<0.001	5	<input type="checkbox"/>	
			404451	199.00	200.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			404452	200.00	201.00	1.00	0.27	0.008	268	<input type="checkbox"/>	
			404453	201.00	202.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
202.00	204.80	(1A) MASSIVE MAFIC VOLC dark green, fine grained weakly foliated at 40-45 to CA	404454	202.00	203.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			404455	203.00	204.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404456	204.00	205.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
204.80	209.70	(6) MAFIC-ULTRAMAFIC INTRUSIVES dark green fine grained, upper portion non-magnetic with lower portion being magnetic, possibly chilled margin of ultra mafic, rather sharp transition into coarse UM below	404457	205.00	206.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404458	206.00	207.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			404459	207.00	208.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404460	208.00	209.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404461	209.00	210.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
209.70	239.70	(6C) PERIDOTITE / TALC SCHIST BX Auto-breccia irregularly coarsely mottled dark green-black and medium green, coarse grained, 60% coarse auto breccia, 20% more massive coarse grained peridotite, 20% fine grained layers-possible UM dikes or injections, unit is all moderately magnetic	404462	210.00	211.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			404463	211.00	212.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404464	212.00	213.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404465	213.00	214.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			404466	214.00	215.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-92
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
		odd weak hematite staining locally	404467	215.00	216.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404468	219.00	220.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404469	224.00	225.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404470	229.00	230.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404471	234.00	235.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404472	239.00	240.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
239.70	246.10	(6) MAFIC-ULTRAMAFIC INTRUSIVES	404473	240.00	241.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		dark green, varries from fine to medium grained with chilled margins, distinctly more uniform green, un brecciated,	404474	241.00	242.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		upper 75% of unit is non-magnetic with bottom 25% being weakly magnetic, no distinct change noted at magnetic transition	404475	242.00	243.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404476	243.00	244.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			404477	244.00	245.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404478	245.00	246.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
246.10	345.75	(6C) PERIDOTITE / TALC SCHIST	404479	246.00	247.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		coarsely mottled dark green and lighter green, similar to before	404480	247.00	248.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		locally weak to moderately brecciated sections-much less intense than before	404481	254.00	255.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		weak-moderately altered	404482	259.00	260.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		moderately magnetic	404483	264.00	265.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404484	269.00	270.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404485	274.00	275.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404486	279.00	280.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404487	284.00	285.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404488	289.00	290.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404489	294.00	295.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404490	299.00	300.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404491	304.00	305.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404492	309.00	310.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			404493	314.00	315.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404494	319.00	320.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404495	324.00	325.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404496	329.00	330.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404497	334.00	335.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404498	339.00	340.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404501	344.00	345.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-92
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	V.G.	<i>Comments</i>
345.75	353.10	(6) MAFIC-ULTRAMAFIC INTRUSIVES dark green, fine grained, relatively massive, weakly magnetic, slightly to moderately biotitized approaching porphyry dike below	404502	348.00	349.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404503	349.00	350.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404504	350.00	351.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404505	351.00	352.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404506	352.00	353.10	1.10	<0.01	<0.001	<5	<input type="checkbox"/>	
353.10	354.30	(7B) FELDSPAR PORPHYRY BX grey-buff to minor pink altered, brecciated, fine gouge	404507	353.10	354.30	1.20	<0.01	<0.001	<5	<input type="checkbox"/>	
354.30	355.15	(6) MAFIC-ULTRAMAFIC INTRUSIVES as above	404508	354.30	355.20	0.90	<0.01	<0.001	<5	<input type="checkbox"/>	
355.15	356.75	(7) FELSIC-INTERM HYPABYSSAL INTRUSIVES silmon pinkish, fine grained dike	404509	355.20	356.00	0.80	0.05	0.002	54	<input type="checkbox"/>	
			404510	356.00	357.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
356.75	359.00	(6) MAFIC-ULTRAMAFIC INTRUSIVES dark green, fine grained, slightly biotitic, slightly talcose	404511	357.00	358.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404512	358.00	359.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-92
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
56.00	404299	1888	-	-	-	-	-	-	-	-	-	1.9	-	0.055	-	-
56.01	404300	8	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
104.00	404349	1711	-	-	-	-	-	-	-	-	-	1.7	-	0.050	-	-
104.01	404350	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
152.00	404399	1873	-	-	-	-	-	-	-	-	-	1.9	-	0.055	-	-
152.01	404400	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
199.00	404449	2079	-	-	-	-	-	-	-	-	-	2.1	-	0.061	-	-
199.01	404450	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
340.00	404499	1908	-	-	-	-	-	-	-	-	-	1.9	-	0.056	-	-
340.01	404500	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-92
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
12.44	15.00	2.56	R5	2.67	12.62	-	-	-	-
15.00	18.00	3.00	R5	6.10	14.60	-	-	-	-
18.00	21.00	3.00	R5	0.71	0.82	-	-	-	-
21.00	24.00	3.00	R5	5.44	13.40	-	-	-	-
24.00	27.00	3.00	R5	7.49	21.70	-	-	-	-
27.00	30.00	3.00	R5	6.27	15.80	-	-	-	-
30.00	33.00	3.00	R6	4.85	12.30	-	-	-	-
33.00	36.00	3.00	R6	0.09	0.23	-	-	-	-
36.00	39.00	3.00	R6	0.27	0.67	-	-	-	-
39.00	42.00	3.00	R6	0.69	0.16	-	-	-	-
42.00	45.00	3.00	R4	0.87	1.93	-	-	-	-
45.00	48.00	3.00	R4	3.06	12.70	-	-	-	-
48.00	51.00	3.00	R4	0.59	1.04	-	-	-	-
51.00	54.00	3.00	R4	0.45	1.62	-	-	-	-
54.00	57.00	3.00	R4	0.24	0.36	-	-	-	-
57.00	60.00	3.00	R4	4.37	13.10	-	-	-	-
60.00	63.00	3.00	R4	7.83	18.90	-	-	-	-
63.00	66.00	3.00	R4	10.70	21.10	-	-	-	-
66.00	69.00	3.00	R5	7.94	13.80	-	-	-	-
69.00	72.00	3.00	R4	7.75	19.10	-	-	-	-
72.00	75.00	3.00	R4	0.21	0.29	-	-	-	-
75.00	78.00	3.00	R4	0.31	0.53	-	-	-	-
78.00	81.00	3.00	R4	0.33	0.60	-	-	-	-
81.00	84.00	3.00	R4	0.19	0.25	-	-	-	-
84.00	87.00	3.00	R4	0.17	0.20	-	-	-	-
87.00	90.00	3.00	R4	0.16	0.21	-	-	-	-
90.00	93.00	3.00	R5	0.14	0.16	-	-	-	-
93.00	96.00	3.00	R5	0.12	0.18	-	-	-	-
96.00	99.00	3.00	R5	0.13	0.16	-	-	-	-
99.00	102.00	3.00	R5	0.21	0.27	-	-	-	-
102.00	105.00	3.00	R5	0.09	0.14	-	-	-	-
105.00	108.00	3.00	R5	0.14	0.21	-	-	-	-
108.00	111.00	3.00	R5	0.14	0.27	-	-	-	-
111.00	114.00	3.00	R5	0.11	0.14	-	-	-	-
114.00	117.00	3.00	R5	0.14	0.16	-	-	-	-
117.00	120.00	3.00	R5	0.12	0.14	-	-	-	-
120.00	123.00	3.00	R5	0.16	0.25	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-92
Project: PLANET EXPLORATION
Project Number: 800125

123.00	126.00	3.00	R5	0.26	0.32	-	-	-	-
126.00	129.00	3.00	R5	0.21	0.49	-	-	-	-
129.00	132.00	3.00	R5	0.16	0.36	-	-	-	-
132.00	135.00	3.00	R5	0.15	0.20	-	-	-	-
135.00	138.00	3.00	R5	0.09	0.12	-	-	-	-
138.00	141.00	3.00	R5	0.04	0.14	-	-	-	-
141.00	144.00	3.00	R5	0.09	0.14	-	-	-	-
144.00	147.00	3.00	R5	0.11	0.14	-	-	-	-
147.00	150.00	3.00	R5	0.12	0.16	-	-	-	-
150.00	153.00	3.00	R5	0.11	0.18	-	-	-	-
153.00	156.00	3.00	R5	0.09	0.20	-	-	-	-
156.00	159.00	3.00	R5	0.16	0.27	-	-	-	-
159.00	162.00	3.00	R5	0.17	0.23	-	-	-	-
162.00	165.00	3.00	R5	0.20	0.31	-	-	-	-
165.00	168.00	3.00	R5	0.14	0.20	-	-	-	-
168.00	171.00	3.00	R5	0.16	0.23	-	-	-	-
171.00	174.00	3.00	R5	0.27	0.38	-	-	-	-
174.00	177.00	3.00	R5	0.26	0.38	-	-	-	-
177.00	180.00	3.00	R5	0.37	0.64	-	-	-	-
180.00	183.00	3.00	R4	0.29	0.53	-	-	-	-
183.00	186.00	3.00	R4	0.27	0.47	-	-	-	-
186.00	189.00	3.00	R4	0.15	0.18	-	-	-	-
189.00	192.00	3.00	R4	0.25	0.49	-	-	-	-
192.00	195.00	3.00	R4	1.11	4.66	-	-	-	-
195.00	198.00	3.00	R5	9.33	46.20	-	-	-	-
198.00	201.00	3.00	R5	0.20	0.40	-	-	-	-
201.00	204.00	3.00	R5	2.59	7.57	-	-	-	-
204.00	207.00	3.00	R5	8.14	18.40	-	-	-	-
207.00	210.00	3.00	R5	7.20	15.20	-	-	-	-
210.00	213.00	3.00	R5	13.90	30.00	-	-	-	-
213.00	216.00	3.00	R5	10.50	14.20	-	-	-	-
216.00	219.00	3.00	R5	18.00	26.90	-	-	-	-
219.00	222.00	3.00	R5	8.75	13.10	-	-	-	-
222.00	225.00	3.00	R5	12.90	22.20	-	-	-	-
225.00	228.00	3.00	R5	14.90	22.40	-	-	-	-
228.00	231.00	3.00	R5	14.70	27.60	-	-	-	-
231.00	234.00	3.00	R5	16.00	24.20	-	-	-	-
234.00	237.00	3.00	R5	16.70	22.20	-	-	-	-
237.00	240.00	3.00	R5	0.20	0.21	-	-	-	-
240.00	243.00	3.00	R5	5.87	15.30	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-92
Project: PLANET EXPLORATION
Project Number: 800125

243.00	246.00	3.00	R5	13.70	18.20	-	-	-	-
246.00	249.00	3.00	R5	17.90	36.00	-	-	-	-
249.00	252.00	3.00	R5	18.40	32.10	-	-	-	-
252.00	255.00	3.00	R5	14.30	26.20	-	-	-	-
255.00	258.00	3.00	R5	21.60	32.70	-	-	-	-
258.00	261.00	3.00	R5	21.00	26.90	-	-	-	-
261.00	264.00	3.00	R5	17.10	23.60	-	-	-	-
264.00	267.00	3.00	R5	25.90	33.90	-	-	-	-
267.00	270.00	3.00	R5	6.62	10.10	-	-	-	-
270.00	273.00	3.00	R5	5.91	9.11	-	-	-	-
273.00	276.00	3.00	R5	23.20	35.30	-	-	-	-
276.00	279.00	3.00	R5	12.20	21.10	-	-	-	-
279.00	282.00	3.00	R5	12.20	21.10	-	-	-	-
282.00	285.00	3.00	R5	9.49	11.30	-	-	-	-
285.00	288.00	3.00	R5	17.40	26.70	-	-	-	-
288.00	291.00	3.00	R5	19.70	23.50	-	-	-	-
291.00	294.00	3.00	R5	20.20	25.80	-	-	-	-
294.00	297.00	3.00	R5	17.30	18.50	-	-	-	-
297.00	300.00	3.00	R5	13.60	16.90	-	-	-	-
300.00	303.00	3.00	R5	13.80	20.90	-	-	-	-
303.00	306.00	3.00	R5	18.30	26.40	-	-	-	-
306.00	309.00	3.00	R5	15.40	21.90	-	-	-	-
309.00	312.00	3.00	R5	16.80	18.50	-	-	-	-
312.00	315.00	3.00	R5	16.10	19.70	-	-	-	-
315.00	318.00	3.00	R5	11.40	12.90	-	-	-	-
318.00	321.00	3.00	R5	14.40	17.50	-	-	-	-
321.00	324.00	3.00	R5	13.70	16.00	-	-	-	-
324.00	327.00	3.00	R5	18.50	30.00	-	-	-	-
327.00	330.00	3.00	R5	16.80	19.30	-	-	-	-
330.00	333.00	3.00	R5	14.90	17.50	-	-	-	-
333.00	336.00	3.00	R5	16.00	22.90	-	-	-	-
336.00	339.00	3.00	R5	10.50	15.00	-	-	-	-
339.00	342.00	3.00	R5	11.20	19.60	-	-	-	-
342.00	345.00	3.00	R4	12.30	20.30	-	-	-	-
345.00	348.00	3.00	R4	0.84	2.92	-	-	-	-
348.00	351.00	3.00	R4	0.09	0.16	-	-	-	-
351.00	354.00	3.00	R6	0.07	0.16	-	-	-	-
354.00	357.00	3.00	R4	7.13	13.40	-	-	-	-



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-93
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 149.9505	Length: meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -55	Pulled: No	Claim No: Staked	Spotted by: L.C. Chastko
Length: 417.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 05-Aug-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 10-Aug-05		Level:	Surveyed Date: 25-Sep-05
Logged: 05-Aug-05	<u>Core</u>	Coordinate- Gemcom	Logged by: P. Chantigny
Wedged : No	Dimension: NQ	Coordinate - UTM	Re-logged by:
Wedged from:	Original Units: M	Coordinate - Grid	Water Source:
	Storage: Cochenour Mine	East: 461262.40	Water line:
		North: 5679140.43	Left in hole: Nothing
		Elevation: 418.18	Control Drilling:
		UTM Zone: 15 (NAD27)	Cutting sampled: No
			Geophysic:
Target:			
Comments:			

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	149.95	-55.00	X	48.000	150.05	-56.31	X	96.000	151.05	-55.49	X
3.000	150.29	-55.20	X	51.000	150.17	-56.23	X	99.000	151.05	-55.45	X
6.000	150.39	-55.26	X	54.000	150.29	-56.07	X	102.000	151.06	-55.41	X
9.000	150.28	-55.55	X	57.000	150.38	-55.88	X	105.000	151.06	-55.37	X
12.000	150.24	-55.91	X	60.000	150.46	-55.74	X	108.000	151.10	-55.35	X
15.000	150.31	-56.19	X	63.000	150.58	-55.67	X	111.000	151.14	-55.33	X
18.000	150.39	-56.41	X	66.000	150.65	-55.61	X	114.000	151.13	-55.31	X
21.000	150.43	-56.64	X	69.000	150.69	-55.57	X	117.000	151.14	-55.27	X
24.000	150.44	-56.84	X	72.000	150.76	-55.55	X	120.000	151.20	-55.23	X
27.000	150.23	-56.99	X	75.000	150.79	-55.53	X	123.000	151.22	-55.17	X
30.000	149.82	-57.10	X	78.000	150.79	-55.56	X	126.000	151.22	-55.14	X
33.000	149.58	-56.95	X	81.000	150.84	-55.55	X	129.000	151.26	-55.11	X
36.000	149.56	-56.64	X	84.000	150.99	-55.53	X	132.000	151.33	-55.09	X
39.000	149.76	-56.42	X	87.000	151.01	-55.51	X	135.000	151.44	-55.05	X
42.000	149.88	-56.39	X	90.000	150.99	-55.50	X	138.000	151.44	-55.03	X
45.000	149.94	-56.37	X	93.000	151.01	-55.49	X	141.000	151.49	-55.01	X



Diamond Drill Hole Log

GoldCorp Inc.

Hole Number : RL-05-93
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	151.61	-54.98	X
147.000	151.70	-54.95	X
150.000	151.70	-54.87	X
153.000	151.75	-54.83	X
156.000	151.75	-54.79	X
159.000	151.82	-54.75	X
162.000	151.90	-54.70	X
165.000	151.98	-54.64	X
168.000	152.10	-54.56	X
171.000	152.23	-54.48	X
174.000	152.46	-54.35	X
177.000	152.72	-54.21	X
180.000	152.93	-54.08	X
183.000	153.13	-53.99	X
186.000	153.28	-53.91	X
189.000	153.42	-53.85	X
192.000	153.53	-53.76	X
195.000	153.58	-53.73	X
198.000	153.58	-53.68	X
201.000	153.62	-53.65	X
204.000	153.66	-53.60	X
207.000	153.72	-53.55	X
210.000	153.77	-53.52	X
213.000	153.79	-53.46	X
216.000	153.88	-53.41	X
219.000	153.95	-53.38	X
222.000	154.00	-53.34	X
225.000	154.05	-53.29	X
228.000	154.13	-53.25	X
231.000	154.18	-53.21	X
234.000	154.23	-53.18	X
237.000	154.30	-53.13	X
240.000	154.35	-53.08	X
243.000	154.41	-53.05	X
246.000	154.49	-53.01	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
249.000	154.52	-52.99	X
252.000	154.59	-52.96	X
255.000	154.64	-52.94	X
258.000	154.74	-52.89	X
261.000	154.85	-52.84	X
264.000	154.94	-52.77	X
267.000	155.05	-52.72	X
270.000	155.13	-52.67	X
273.000	155.23	-52.63	X
276.000	155.30	-52.60	X
279.000	155.44	-52.55	X
282.000	155.51	-52.50	X
285.000	155.54	-52.45	X
288.000	155.66	-52.44	X
291.000	155.64	-52.41	X
294.000	155.76	-52.42	X
297.000	155.86	-52.41	X
300.000	155.94	-52.40	X
303.000	156.07	-52.38	X
306.000	156.21	-52.37	X
309.000	156.30	-52.36	X
312.000	156.44	-52.32	X
315.000	156.47	-52.32	X
318.000	156.52	-52.32	X
321.000	156.62	-52.27	X
324.000	156.73	-52.26	X
327.000	156.85	-52.22	X
330.000	156.94	-52.19	X
333.000	157.06	-52.15	X
339.000	157.29	-51.99	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-93
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
0.00	40.40	(OB) OVERBURDEN Cassing									
40.40	43.15	(7B) FELDSPAR PORPHYRY BX strongly silicified sub-voldcanic pophryry unit, med grey to brown, fine grained; annealed breccia. Trace of reddish hematite staining on joints.	404513	40.40	42.00	1.60	0.01	<0.001	10	<input type="checkbox"/>	
			404514	42.00	43.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
43.15	45.52	(6G) GABBRO Dark greenish-grey, fine grained gabbro dyke. Moderately fractured. Contacts at 55deg tca. 45.1-45.5: 3-4% diss py, tr ccp. Weak sericite. Moderate fol. Minor calcite veining	404515	43.00	44.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			404516	44.00	45.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404517	45.00	46.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
45.52	51.12	(6A) DIORITE grey to brown-reddish grey (hematite staining), foliated silicic diorite or lamp. Small disseminated flecks of biotite/amph throughout unit defining coarse foliation 40deg tca. Moderate pervasive sericite. Silicified for 40cm on lower contact, 55deg tca 49.04 - 49.39 (6A) DIORITE strong brown biotite with sericite and 10% calcite-diopside veining; 1% po; possibly an inclusion. Fol 35deg tca.	404518	46.00	47.00	1.00	0.13	0.004	129	<input type="checkbox"/>	
			404519	47.00	48.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			404520	48.00	49.00	1.00	11.62	0.339	11619	<input type="checkbox"/>	
			404521	49.00	50.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			404522	50.00	51.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
51.12	52.52	(6G) GABBRO dark greenish grey, fine grained gabbro dyke. Greenish calcite on fracture joints. 52.05-52-12: grey quartz vein with tr py and cal.	404523	51.00	52.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404524	52.00	53.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-93
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
52.52	55.55	(7B) FELDSPAR PORPHYRY grey to brownish-grey, silicified porphyry; moderate annealed brecciation. Irregular top contact. Weak hematite staining. 3-5cm irreg qtz vein.	404525	53.00	54.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404526	54.00	55.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404527	55.00	56.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
55.55	56.13	(6G) GABBRO dark greenish-grey gabbro dyke 55deg tca. 3-5cm irreg qtz vein. Tr hematite veinlets and py.									
56.13	61.22	(7B) FELDSPAR PORPHYRY BX grey to reddish-brown, silicious breccia phase of the porphyry. Fine grained. Minor py. Hematite staining along fractures. Minor qtz veining 57.53-57.73: 20cm gabbro dyke, minor cal veining	404528	56.00	57.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			404529	57.00	58.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404530	58.00	59.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404531	59.00	60.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404532	60.00	61.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
61.22	72.20	(7B) FELDSPAR PORPHYRY grey, massive phase of intrusive, weak silicification, sericite, minor diss py. Minor qtz vein 62.40-63.72: reddish-brown, mod hematite staining, broken-up section, fol 50deg tca.	404533	61.00	62.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			404534	62.00	63.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			404535	63.00	64.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404536	64.00	65.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404537	65.00	66.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404538	66.00	67.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404539	67.00	68.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404540	68.00	69.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404541	69.00	70.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404542	70.00	71.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
72.20	157.86	(7B) FELDSPAR PORPHYRY BX Grey to brownish grey, annealed breccia phase of porphyry, mod to intense silicification, weak sericite and minor diss py. 75.6-77.52: reddish-brown, highly fractured, rusty late fault zone. Good core recovery 80.40-80.9: fault with broken-up/rubbly rusty core 88.0-90.5: rubbly rusty core with minor grinding 88.5: white qtz fragments from vein, approx 20cm 96.8-101.8: pale grey silicious phase of porphyry with orange altn controlled by	404543	71.00	72.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404544	72.00	73.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			404545	73.00	74.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			404546	74.00	75.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404547	75.00	76.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404548	76.00	77.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404551	77.00	78.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404552	78.00	79.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-93
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
		fractures. In some areas, very intense. Minor diss py and narrow qtz veinlets.	404553	79.00	80.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		98.02: 3cm calcite vein	404554	80.00	81.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		104.3: 3cm calcite-diopside vein with 2-3% of each sphal, aspy and py	404555	81.00	82.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		105.6-106.28: moderately foliated, sericitic section with minor py, small qtz veins and minor rusty seams, likely after the py	404556	82.00	83.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		107-121: lighth grey siliceous porphyry; moderately bleached, strong silicification; peper texture from mm-size biotite clots. Minor localized orange alteration.	404557	83.00	84.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		121-130.20: grey felsite phase, moderate silicification, minor py, orange alteration on fractures	404558	84.00	85.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		130.20-131.80: moderate sericite on fol at 40deg tca.	404559	85.00	86.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		131.80-134.45: grey phase, moderate sil, fractures with orange alteration, 20cm QV on lower contact	404560	86.00	87.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		134.45-135.60: strongly foliatedsericitic section; folding at low angle tca. Late brittle fault on lower contact	404561	87.00	88.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		135.60-138.75: grey felsite phase with minor bleaching, silicified porphyry.	404562	88.00	89.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		138.75-142: brecciated bleached and silicified porphyry with 1-2% diopside (skarn like veining) at low angle tca. Minor cal vein	404563	89.00	90.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		142-147: grey silicious, sericitic section; 5% calcite-diopside veins at low angle tca.	404564	90.00	91.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		147-151.20: brow to orange, silicified porphyry; 5% late white calcite veinlets (1-10mm). 148.52-149.17: maily qtz with 10% calcite	404565	91.00	92.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		151.20-152.88: grey phase, moderate sericite, 2-3% skarn (cal-diop) veins	404566	92.00	93.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		152.88-155.3: brown, siliceous porphyry; 1-2% calcite veins (1-12mm wide), minor diop	404567	93.00	94.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		155.3-156.6: grey, sericitic phase, minor calcite vein	404568	94.00	95.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
		156.6-157.9: brown brecciated silicious porphyry	404569	95.00	96.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404570	96.00	97.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
			404571	97.00	98.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404572	98.00	99.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404573	99.00	100.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404574	100.00	101.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404575	101.00	102.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404576	102.00	103.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404577	103.00	104.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404578	104.00	105.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404579	105.00	106.00	1.00	0.14	0.004	142	<input type="checkbox"/>	
			404580	106.00	107.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404581	107.00	108.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404582	108.00	109.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404583	109.00	110.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404584	110.00	111.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404585	111.00	112.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404586	112.00	113.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404587	113.00	114.00	1.00	0.03	0.001	31	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-93
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			404588	114.00	115.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404589	115.00	116.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404590	116.00	117.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404591	117.00	118.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404592	118.00	119.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404593	119.00	120.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404594	120.00	121.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404595	121.00	122.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404596	122.00	123.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404597	123.00	124.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404598	124.00	125.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404601	125.00	126.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404602	126.00	127.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404603	127.00	128.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404604	128.00	129.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404605	129.00	130.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404606	130.00	131.00	1.00	0.40	0.012	397	<input type="checkbox"/>	
			404607	131.00	132.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404608	132.00	133.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404609	133.00	134.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404610	134.00	135.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404611	135.00	136.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404612	136.00	137.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404613	137.00	138.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404614	138.00	139.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404615	139.00	140.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404616	140.00	141.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			404617	141.00	142.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			404618	142.00	143.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404619	143.00	144.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404620	144.00	145.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404621	145.00	146.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404622	146.00	147.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404623	147.00	148.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			404624	148.00	149.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-93
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			404625	149.00	150.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			404626	150.00	151.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			404627	151.00	152.00	1.00	0.16	0.005	156	<input type="checkbox"/>	
			404628	152.00	153.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			404629	153.00	154.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404630	154.00	155.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			404631	155.00	156.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404632	156.00	157.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			404633	157.00	158.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
157.86	159.28	(1A) MASSIVE MAFIC VOLC Dark green, massive fine grained amphibolite. Trace cal vein. Tr diss py	404634	158.00	159.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
159.28	161.62	(7B) FELDSPAR PORPHYRY BX Brown siliceous porphyry, annealed breccia. Minor rusty patches and diop veinlets.	404635	159.00	160.00	1.00	0.12	0.004	124	<input type="checkbox"/>	
			404636	160.00	161.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404637	161.00	162.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
161.62	162.57	(5S) SILICATE FACIES IRON FORMATION 50% silicate facies IF, magnetite-grunerite; minor po, py, ccp in upper band. Contacts at 55deg tca	404638	162.00	163.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
162.57	171.80	(1A) MASSIVE MAFIC VOLC Dark green, fine grained, amphibolite, very weak biotite, foliation 70deg tca. 4-5% calcite veining. 163.8-165: 1% diss to blebby py-po.	404639	163.00	164.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			404640	164.00	165.00	1.00	3.05	0.089	3048	<input type="checkbox"/>	
			404641	165.00	166.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			404642	166.00	167.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404643	167.00	168.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404644	168.00	169.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			404645	169.00	170.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404646	170.00	171.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			404647	171.00	172.00	1.00	0.03	0.001	25	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-93
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
171.80	176.22	(7B) FELDSPAR PORPHYRY light reddish-brown to grey, silicious porphyry, orange alteration on fractures. Sharp contacts. Minor calcite veining 173.05-173.30: dark green, med grained amphibolite dyke?, 2% calcite veilets.	404648	172.00	173.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			404651	173.00	174.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404652	174.00	175.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404653	175.00	176.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
176.22	178.68	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE dark green, med grain amphibolite. Minor calcite veinlets. 176.85-177: grey porphyry inclusion. Sharp contacts 65deg tca	404654	176.00	177.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404655	177.00	178.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404656	178.00	179.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
178.68	179.36	(7B) FELDSPAR PORPHYRY grey to brownish grey silicious porphyry, minor late grey QVs, mm scale. Tr calcite									
179.36	181.27	(1A) MASSIVE MAFIC VOLC dark green, fine grained massive mafic volcanic. 1% calcite veinlets	404657	179.00	180.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			404658	180.00	181.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
181.27	182.00	(7B) FELDSPAR PORPHYRY feldspar porphy-chunky style, weak fol 45deg tca, f-spar phenocrysts 1 to 3mm in size. 2mm wide black line fault.	404659	181.00	182.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
182.00	183.95	(7B) FELDSPAR PORPHYRY purplish-grey silicious porphyry speckled with elongated biot clasts. 1% calcite veining. Minor orange altn along some fractures. Figured top contact, sharp bottom contactat 50deg tca. Fol 50deg tca.	404660	182.00	183.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			404661	183.00	184.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-93
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
183.95	184.66	(1A) MASSIVE MAFIC VOLC Dark green, weakly bleached mafic volcanic. 1-2% diffused calcite veinlets. Sharp top and bottom contact.	404662	184.00	185.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
184.66	195.10	(7B) FELDSPAR PORPHYRY interlayered grey to orange altered silicified porphyry with 20% inclusions of mafics. Fol 60deg tca. 184.66-186.8: redish-brown fractured annealed brecciated porphyry 187.33-191.27: greyish white porphyry with minor orange staining. Minor calcite veining 190.05-190.49: zone of intense orange altn and good foliation (60deg tca) 191.75-195.1: grey porphyry with orange staining along fractures 193.35-193.84: broken-up glassy QV, barren, thin orange altn vein along contacts.	404663	185.00	186.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404664	186.00	187.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			404665	187.00	188.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404666	188.00	189.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404667	189.00	190.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404668	190.00	191.00	1.00	0.22	0.006	219	<input type="checkbox"/>	
			404669	191.00	192.00	1.00	0.17	0.005	173	<input type="checkbox"/>	
			404670	192.00	193.00	1.00	0.35	0.010	345	<input type="checkbox"/>	
		186.80 - 187.33 (1A) MASSIVE MAFIC VOLC Dark green mafic inclusion. Rubbly. 5% calcite. Sharp contacts	404671	193.00	194.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404672	194.00	195.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		188.50 - 189.24 (1A) MASSIVE MAFIC VOLC Dark green mafic inclusion. Minor calcite bleaching. Sharp contacts									
		190.47 - 190.78 (1A) MASSIVE MAFIC VOLC Dark green mafic inclusion. Moderate calcite bleaching on top contact. Sharp contacts									
		191.27 - 191.74 (1A) MASSIVE MAFIC VOLC Dark green mafic inclusion. Sharp top contact, fingered lower contact. Minor calcite									
		191.91 - 192.37 green mafic iclusion. Interval is weakly magnetic, weekly bleached by calcite and fol 60deg tca. 2-3% py stringers located mostly in the extremeties. Trace of stubby aspy									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-93
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
195.10	199.00	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	404673	195.00	196.00	1.00	0.08	0.002	77	<input type="checkbox"/>	
		Dark green, med grained amphibolite, 1% calcite veinlets. Weak 60deg tca fol.	404674	196.00	197.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
		195.53 - 196.99 (7B) FELDSPAR PORPHYRY	404675	197.00	198.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		grey porphyry with orange altn along fractures. Minor calcite	404676	198.00	199.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
199.00	202.24	(7B) FELDSPAR PORPHYRY	404677	199.00	200.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		whitish-grey to orange altered, silicified and fractured porphyry. Annealed breccia. Minor py blebs. Barren QV (10cm and 5cm). Last metre is more intensely orange altered.	404678	200.00	201.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404679	201.00	202.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
202.24	210.33	(1) UNDIFF. MAFIC / UM VOLCANICS	404680	202.00	203.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
		Dark green, med grained amphibolite. moderate biotite-calcite alteration, fracture and foliation controlled	404681	203.00	204.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		202.24-203.98: massive with wispy bleaching	404682	204.00	205.00	1.00	0.10	0.003	103	<input type="checkbox"/>	
		203.98-204.10: fold hinge with 10% py blebs. Good fol.	404683	205.00	206.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
		204.10-205.66: interval is weakly magnetic with calcite blebs at top and 2% cal veinlets.	404684	206.00	207.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		206.05-210.32: 8-10% calcite veining with brown biotite forming halo	404685	207.00	208.00	1.00	0.12	0.003	117	<input type="checkbox"/>	
		205.66 - 206.05 (7B) FELDSPAR PORPHYRY	404686	208.00	209.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
		grey silicified feldspar porphyry with wispy biotite inclusions	404687	209.00	210.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
210.33	212.15	(7B) FELDSPAR PORPHYRY	404688	210.00	211.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
		chunky porphyry with large white quartz vein. Feldspar grains 2-3mm in size. Calcite patches on lower contact.	404689	211.00	212.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		210.52 - 212.10 (Q) QUARTZ									
		white barren quartz vein. 3-5mm grains. Fracture low angle tca									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-93
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
212.15	212.80	(1A) MASSIVE MAFIC VOLC meg green, fine grained, patchy bleached mafic volcanic. 5cm black biot with calcite on lower contact. 10cm white QV.	404690	212.00	213.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
212.80	215.41	(7B) FELDSPAR PORPHYRY BX grey siliceous porphyry; annealed breccia. Minor orange altn along fractures. Minor calcite veining	404691	213.00	214.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404692	214.00	215.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
215.41	215.76	(7B) FELDSPAR PORPHYRY feldspar porphyry dyke- chunky type. Fspar grains 1-3mm in size, minor py associated with calcite veinlet. Orange altn along fractures.	404693	215.00	216.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
215.76	224.12	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE dark green, fine to coarse grained mafics intruded by chunky feldspar porphyry dykes. Odd calcite grains and veinlets throughout mafics. Calcite altn becoming more intense towards bottom of unit. Moderate biotite alteration in lower 2m with 2-3% py. 216.92 - 217.13 (7B) FELDSPAR PORPHYRY grey porphyry with 1-2% py. Fine biotite along fol. 217.85 - 218.37 (7B) FELDSPAR PORPHYRY chunky feldspar porphyry with fspar 2-3mm in size 219.21 - 219.58 (7B) FELDSPAR PORPHYRY chunky feldspar porphyry with fspar 2-3mm in size	404694	216.00	217.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			404695	217.00	218.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404696	218.00	219.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404697	219.00	220.00	1.00	0.20	0.006	196	<input type="checkbox"/>	
			404698	220.00	221.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
			404701	221.00	222.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			404702	222.00	223.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			404703	223.00	224.00	1.00	0.86	0.025	862	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-93
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
224.12	225.87	(7B) FELDSPAR PORPHYRY BX grey siliceous porphyry; annealed breccia. Minor py and orange staining along fractures .	404704	224.00	225.00	1.00	0.10	0.003	100	<input type="checkbox"/>	
			404705	225.00	226.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
225.87	247.11	(1) UNDIFF. MAFIC / UM VOLCANICS Dark green fine med grained massive to banded amphibole with patchy calcite alteration and veining and minor py. 226.50-227.20: strong calcite-biotite alteration with 20cm of massive carb vein. 1% py stringers 239.67-240.25: chunky feldspar porphyry dyke with fspar grain 2-5mm in size. Tr diss py. 238.5 and 240.93: 2cm wide sulfide zones; py-po-ccp stringers 5-10% 243.44: 3cm wide chunky feldspar porphyry dyke. High density of small(1-2mm) fspar phenocrysts. Sharp contacts 243.90-244.04: chunky feldspar porphyry dyke. High density of small(1-2mm) fspar phenocrysts. Diffused top contact but sharp bottom. 246.11: 5cm wide white qtz-carb vein	404706	226.00	227.00	1.00	0.24	0.007	242	<input type="checkbox"/>	
			404707	227.00	228.00	1.00	0.24	0.007	237	<input type="checkbox"/>	
			404708	228.00	229.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			404709	229.00	230.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404710	230.00	231.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			404711	231.00	232.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404712	232.00	233.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404713	233.00	234.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404714	234.00	235.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404715	235.00	236.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			404716	236.00	237.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			404717	237.00	238.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			404718	238.00	239.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404719	239.00	240.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404720	240.00	241.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			404721	241.00	242.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			404722	242.00	243.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
404723	243.00	244.00	1.00	0.02	<0.001	17	<input type="checkbox"/>				
404724	244.00	245.00	1.00	0.04	0.001	35	<input type="checkbox"/>				
404725	245.00	246.00	1.00	0.01	<0.001	12	<input type="checkbox"/>				
404726	246.00	247.00	1.00	0.02	0.001	21	<input type="checkbox"/>				
247.11	251.73	(7B) FELDSPAR PORPHYRY Grey to brown, siliceous feldspar porphyry with 20% foliated, sericitic sections. Last metre is more chunky looking (feldspar phenocryst better developed) . Minor orange alteration along fractures. Fol 55deg tca 249 and 250.06: 5cm white QV 251.17-251.26: small dark grey mafic inclusion whee fedspars phenocrysts can be seen throughout. Diffused contact margins	404727	247.00	248.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			404728	248.00	249.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			404729	249.00	250.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404730	250.00	251.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			404731	251.00	252.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-93

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
251.73	260.16	(1A) MASSIVE MAFIC VOLC	404732	252.00	253.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
		Dark green, med grained, foliated, massive to banded amphibolite. 5% calcite veining (2-10mm). 5-10cm calcite bleached zones. Fol 60deg tca. Tr py.	404733	253.00	254.00	1.00	0.13	0.004	128	<input type="checkbox"/>	
		252.82-253.02: chunky feldspar porphyry dyke. Top contact is diffused, bottom is sharp	404734	254.00	255.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
		253.36-253.44: small grey silicified chunky feldspar porphyry dyke. Both contacts are slightly diffused.	404735	255.00	256.00	1.00	0.11	0.003	108	<input type="checkbox"/>	
			404736	256.00	257.00	1.00	4.76	0.139	4760	<input type="checkbox"/>	
			404737	257.00	258.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			404738	258.00	259.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404739	259.00	260.00	1.00	0.40	0.012	402	<input type="checkbox"/>	
260.16	261.21	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	404740	260.00	261.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
		grey quartz porphyry, moderateky sericitic, 5% qtz veinlet on mm scale. 1% diss py. Fol 45deg tca. Top 15cm are chunky feldspar porphyry.									
261.21	281.11	(1A) MASSIVE MAFIC VOLC	404741	261.00	262.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		Dark green, med grained, foliated amphibolite. Minor py. Minor calcite and qtz veinlets	404742	262.00	263.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
		262.56:262.79: chunky feldspar porphyry dyke	404743	263.00	264.00	1.00	<0.04	<0.001	<5	<input type="checkbox"/>	
		266.05-266.09: 4cm wide chunky feldspar porphyry dyke	404744	264.00	265.00	1.00	0.07	0.002	68	<input type="checkbox"/>	
		275 and 275.45: two 10cm skarn like zone (bio-diop-cal)	404745	265.00	266.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
		275.84-275.95: intense biotite (95%) zone with 1-2% calcite veinlets	404746	266.00	267.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		276-277: patchy bleaching	404747	267.00	268.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		276-279: weakly magnetic with two 10cm sections (278.10 and 278.35) moderately magnetic. The two zones are biotite and calcite rich.	404748	268.00	269.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
		279.65-281.11: moderate calcite bleaching/veining(12-15%), 10% skarn-like veining (epid-diop-biot-cal), 2cm grey QV and 4cm FP, 1% diss po-py.	404751	269.00	270.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			404752	270.00	271.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404753	271.00	272.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			404754	272.00	273.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404755	273.00	274.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404756	274.00	275.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			404757	275.00	276.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404758	276.00	277.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404759	277.00	278.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
			404760	278.00	279.00	1.00	0.31	0.009	307	<input type="checkbox"/>	
			404761	279.00	280.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			404762	280.00	281.00	1.00	0.18	0.005	182	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-93
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
281.11	285.00	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK quartz porphyry to grey felsite, moderately sericitic . Fol 45deg tca. 1-2% diss py. Tr platy aspy	404763	281.00	282.00	1.00	0.15	0.004	153	<input type="checkbox"/>	
			404764	282.00	283.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
			404765	283.00	284.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			404766	284.00	285.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
285.00	301.17	(6C) PERIDOTITE / TALC SCHIST Peridotite, green to black mottled, massive UM. Black amphiboles vary from irregular masses to elongated shapes. Minor orange staining along some of the fractures. Minor calcite veining. 285-285.20: biot-talc rich. Highly foliated 285.20-285.58: pale green, foliated schist 287.40-287.61: green, slightly foliated, not mottled. 300.55-301: talc rich, not as mottle as main section 301-301.17: greyish-green, fol low angle tca. Biot-rich lower contact	404767	285.00	286.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			404768	286.00	287.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			404769	287.00	288.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			404770	288.00	289.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			404771	289.00	290.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			404772	290.00	291.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			404773	291.00	292.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			404774	292.00	293.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
			404775	293.00	294.00	1.00	0.14	0.004	137	<input type="checkbox"/>	
			404776	294.00	295.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			404777	295.00	296.00	1.00	0.18	0.005	178	<input type="checkbox"/>	
			404778	296.00	297.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404779	297.00	298.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			404780	298.00	299.00	1.00	0.22	0.006	220	<input type="checkbox"/>	
404781	299.00	300.00	1.00	0.30	0.009	296	<input type="checkbox"/>				
404782	300.00	301.00	1.00	0.01	<0.001	6	<input type="checkbox"/>				
301.17	302.18	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK Grey, strongly foliated and fractured felsite. Visible feldspar phenocryst on 5cm to contact margins. Talc along slips. Sharp contacts at 55deg (top) and 70deg tca. 1-2% diss py. Fol 65deg tca	404783	301.00	302.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
302.18	305.81	(6C) PERIDOTITE / TALC SCHIST Greenish-grey, talc-chlorite-actinolite schist with strong biotite on upper contact. Fol 45% tca. Sharp lower contact. 1% calcite veinlets	404784	302.00	303.00	1.00	7.05	0.206	7048	<input type="checkbox"/>	
			404785	303.00	304.00	1.00	12.46	0.364	12464	<input type="checkbox"/>	
			404786	304.00	305.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			404787	305.00	306.00	1.00	0.14	0.004	143	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-93
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
305.81	308.50	(7B) FELDSPAR PORPHYRY Grey to pale brownish grey porphyry, 7-8% 1-2cm white QV, weak sericite and foliated. Fol 50deg tca. Green ground mass (talc) along some fractures.	404788	306.00	307.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			404789	307.00	308.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
			404790	308.00	309.00	1.00	0.09	0.003	87	<input type="checkbox"/>	
308.50	310.13	(6C) PERIDOTITE / TALC SCHIST greenish-grey, massive to moderately foliated talc-carb schist, strong biotite on contacts (3-4cm thick). Fol 45deg tca. Minor calcite veinlets. Black platy flecks pepered throughtout.	404791	309.00	310.00	1.00	0.52	0.015	523	<input type="checkbox"/>	
310.13	311.27	(7B) FELDSPAR PORPHYRY Brownish-grey, silicious feldspar porphyry. Relatively massive and almost chunky looking. Sharp contacts. Weak biot altn.	404792	310.00	311.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
311.27	318.40	(6C) PERIDOTITE / TALC SCHIST Greyish-green to pale green actinolite UM/komatiite, strong biotite on contacts and within shears. Minor calcite veinlets 315-315.30: possible fault zone. Core broken up and sheared 315.30-318.4: 15% diopside veins. Pale diop crystal cm in scale. tr po-py 317.38: 1cm wide green talc vein	404793	311.00	312.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			404794	312.00	313.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404795	313.00	314.00	1.00	0.13	0.004	133	<input type="checkbox"/>	
			404796	314.00	315.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			404797	315.00	316.00	1.00	1.92	0.056	1920	<input type="checkbox"/>	
			404798	316.00	317.00	1.00	1.75	0.051	1750	<input type="checkbox"/>	
			404801	317.00	318.00	1.00	1.18	0.034	1177	<input type="checkbox"/>	
318.40	324.31	(7B) FELDSPAR PORPHYRY Grey to pale grey, siliceous to weakly sericitic porphyry. Thin biot whisps defining good 55deg fol tca. 1% grey QV. Minor small pink garnets. Tr py, mostly along open fractures.	404802	318.00	319.00	1.00	0.23	0.007	228	<input type="checkbox"/>	
			404803	319.00	320.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404804	320.00	321.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			404805	321.00	322.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			404806	322.00	323.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			404807	323.00	324.00	1.00	0.12	0.003	119	<input type="checkbox"/>	
324.31	328.83	(6C) PERIDOTITE / TALC SCHIST Dark green actinolite UM/komatiite with strong biotite on contacts and within shears. Minor calcite veinlets.	404808	324.00	325.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
			404809	325.00	326.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404810	326.00	327.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404811	327.00	328.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-93
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
328.83	337.64	(6) MAFIC-ULTRAMAFIC INTRUSIVES	404812	328.00	329.00	1.00	0.36	0.010	358	<input type="checkbox"/>	
		Grey to greenish-grey med grained talc-carb schist; speckled with dark-green to black amph?, locally phyr, possibly a gabbro. Minor py. Biot altn on bottom contact.	404813	329.00	330.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		Fol 55deg tca. Unit is weakly magnetic. 1% calcite veining.	404814	330.00	331.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		330.16: 2cm wide fault filled with epid-cal-biot and 10% py blebs.	404815	331.00	332.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		333.62-335-32: deeper green, well foliated section with intense biot-sercitization.	404816	332.00	333.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		Fol 35deg tca.	404817	333.00	334.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		334.45:335: Above unit is cut by a foliated feldspar porphyry dyke. Sharp top contact but bottom is diffused	404818	334.00	335.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			404819	335.00	336.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404820	336.00	337.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404821	337.00	338.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
337.64	338.29	(7B) FELDSPAR PORPHYRY									
		Brownish-grey chunky siliceous feldspar porphyry. Fspar grains 1-4mm, contacts are diffused and siliceous. 5cm greenish mafic inclusion									
338.29	338.90	(6) MAFIC-ULTRAMAFIC INTRUSIVES	404822	338.00	339.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		same gabbro-like unit as above the FP dyke with more sericitic altn.									
338.90	362.89	(1) UNDIFF. MAFIC / UM VOLCANICS	404823	339.00	340.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
		Dark green, fine to med grain, amphibolite, possibly actinolite; looks more like mafic volcanic than UM. Fol 50deg tca. Minor cal veining	404824	340.00	341.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		338.9-339.25: fine grain, very dark green, massive, weakly mag, minor po stringers.	404825	341.00	342.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		339.25-339.88: pale green with brown biot altn, well foliated, interlayer with two 10cm grey FP dykes	404826	342.00	343.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		341.61-342: grey, silicified, slightly sheared, feldspar porphyry dyke.	404827	343.00	344.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		342-342.80: good core recovery, rubbly and broken-up from fault	404828	344.00	345.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		344-345.02: alteration-zone with cal-gar-epid and tourmaline on outer margins.	404829	345.00	346.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		349.36-349.77: siliceous brownish-grey chunky feldspar porphyry. Slightly sheared on contact margins. Sharp contacts	404830	346.00	347.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		352.61-352.70: siliceous grey sheared feldspar porphyry. Sharp contacts.	404831	347.00	348.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		353.80-354.16: siliceous brownish-grey chunky feldspar porphyry with sheared bottom contact. 5mm cal-diop vein	404832	348.00	349.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		355.87-356.42: siliceous greyish-brown to white feldspar porphyry dyke. 30% white QV in centre section. Minor py stringer	404833	349.00	350.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404834	350.00	351.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404835	351.00	352.00	1.00	0.06	0.002	61	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-93
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		358.48-358.77:siliceous brownish-grey chunky feldspar porphyry with sheared contacts. Black tourm? Stringers/veinlets	404836	352.00	353.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
		359.10-360.30: 10% cal-diopside veining; moderate black biotite on margins. 1% QV	404837	353.00	354.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404838	354.00	355.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		361.27-361.95: similar as above with 5% cal-diopside veining; moderate black biotite. Minor py	404839	355.00	356.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404840	356.00	357.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404841	357.00	358.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404842	358.00	359.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			404843	359.00	360.00	1.00	0.13	0.004	133	<input type="checkbox"/>	
			404844	360.00	361.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404845	361.00	362.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			404846	362.00	363.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
362.89	366.42	(6G) GABBRO	404847	363.00	364.00	1.00	1.40	0.041	1396	<input type="checkbox"/>	
		Dark green, massive, weakly hornblend phyric gabbro. Minor QV and tr calcite on fractures. Tr py.	404848	364.00	365.00	1.00	3.46	0.101	3455	<input type="checkbox"/>	
			404851	365.00	366.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
366.42	369.00	(1A) MASSIVE MAFIC VOLC	404852	366.00	367.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		Dark green, massive to weakly foliated, fine grained basalt. 1% grey QV and 1% calcite veining. Minor biot altn, tr py. Fol 55deg tca.	404853	367.00	368.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404854	368.00	369.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
369.00	371.31	(7B) FELDSPAR PORPHYRY	404855	369.00	370.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		Brownish-grey, siliceous feldspar porphyry. Bottom half is moderately sheared. 1% white QV and minor calcite veinlets.	404856	370.00	371.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
371.31	378.15	(1A)	404857	371.00	372.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		Dark green, massive basalt. 5% cal-biot-diop veining. Minor py-po. Irregular, low angle bottom contact.	404858	372.00	373.00	1.00	0.09	0.003	93	<input type="checkbox"/>	
		374.18-374.46: grey, fine to med grained dioritic dyke.	404859	373.00	374.00	1.00	0.21	0.006	205	<input type="checkbox"/>	
		377.25-378.15: lighter green massive section.	404860	374.00	375.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			404861	375.00	376.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404862	376.00	377.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404863	377.00	378.00	1.00	0.03	0.001	32	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-93
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
378.15	388.67	(6G) GABBRO Greyish- dark green medium grained, massive gabbro/diorite; weakly biotitic. 380.45-381.95: 30% calcite-diop-biot alteration, locally massive. Diopside crystal up 7cm in size. Minor calcite veining. Tr QV.	404864	378.00	379.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404865	379.00	380.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404866	380.00	381.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			404867	381.00	382.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			404868	382.00	383.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			404869	383.00	384.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			404870	384.00	385.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			404871	385.00	386.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			404872	386.00	387.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			404873	387.00	388.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			404874	388.00	389.00	1.00	0.13	0.004	127	<input type="checkbox"/>	
388.67	417.00		(1A) MASSIVE MAFIC VOLC Medium green, fine grained, massive basalt, weak biotite on foliation. Trace garnet altn, tr ccp-po, minor QV and calcite veinlets. Very weak fol 55deg tca. 398.55-399.37: brownish-grey, siliceous feldspar porphyry. Fspar phenocryst 1-2mm, sheared at upper contact. 1% cal-diop veinlet. 405.23-405.37: white QV with mafic inclusion. 406.35-406.70: 25% cal-diop-biot veining. 15% grey QV. 412.13.412.20: white QV	404875	389.00	390.00	1.00	0.10	0.003	95	<input type="checkbox"/>
		404876		390.00	391.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		404877		391.00	392.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
		404878		392.00	393.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
		404879		393.00	394.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
		404880		394.00	395.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
		404881		395.00	396.00	1.00	0.25	0.007	249	<input type="checkbox"/>	
		404882		396.00	397.00	1.00	0.23	0.007	229	<input type="checkbox"/>	
		404883		397.00	398.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		404884		398.00	399.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		404885		399.00	400.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
		404886		400.00	401.00	1.00	0.15	0.004	153	<input type="checkbox"/>	
		404887		401.00	402.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
		404888		402.00	403.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
		404889		403.00	404.00	1.00	0.19	0.006	192	<input type="checkbox"/>	
		404890	404.00	405.00	1.00	0.01	<0.001	13	<input type="checkbox"/>		
		404891	405.00	406.00	1.00	0.01	<0.001	7	<input type="checkbox"/>		
		404892	406.00	407.00	1.00	0.02	<0.001	17	<input type="checkbox"/>		
		404893	407.00	408.00	1.00	0.07	0.002	67	<input type="checkbox"/>		
		404894	408.00	409.00	1.00	0.03	0.001	28	<input type="checkbox"/>		
		404895	409.00	410.00	1.00	0.01	<0.001	10	<input type="checkbox"/>		
		404896	410.00	411.00	1.00	0.03	0.001	33	<input type="checkbox"/>		
		404897	411.00	412.00	1.00	0.05	0.002	52	<input type="checkbox"/>		
		404898	412.00	413.00	1.00	0.21	0.006	206	<input type="checkbox"/>		



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-93

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			404901	413.00	414.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			404902	414.00	415.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			404903	415.00	416.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			404904	416.00	417.00	1.00	0.03	0.001	26	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-93
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
77.00	404549	2016	-	-	-	-	-	-	-	-	-	2.0	-	0.059	-	-
77.01	404550	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
125.00	404599	1827	-	-	-	-	-	-	-	-	-	1.8	-	0.053	-	-
125.01	404600	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
173.00	404649	2251	-	-	-	-	-	-	-	-	-	2.3	-	0.066	-	-
173.01	404650	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
221.00	404699	2059	-	-	-	-	-	-	-	-	-	2.1	-	0.060	-	-
221.01	404700	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
269.00	404749	2070	-	-	-	-	-	-	-	-	-	2.1	-	0.060	-	-
269.01	404750	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
317.00	404799	2340	-	-	-	-	-	-	-	-	-	2.3	-	0.068	-	-
317.01	404800	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
365.00	404849	2049	-	-	-	-	-	-	-	-	-	2.0	-	0.060	-	-
365.01	404850	6	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
413.00	404899	2258	-	-	-	-	-	-	-	-	-	2.3	-	0.066	-	-
413.01	404900	8	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-93
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
36.00	39.00	3.00	R6	0.03	0.09	-	-	-	-
39.00	42.00	3.00	R6	0.12	0.31	-	-	-	-
42.00	45.00	3.00	R5	0.22	0.45	-	-	-	-
45.00	48.00	3.00	R6	0.02	0.05	-	-	-	-
48.00	51.00	3.00	R6	0.07	0.16	-	-	-	-
51.00	54.00	3.00	R6	2.06	10.30	-	-	-	-
54.00	57.00	3.00	R6	0.05	0.14	-	-	-	-
57.00	60.00	3.00	R6	0.00	0.01	-	-	-	-
60.00	63.00	3.00	R6	0.01	0.05	-	-	-	-
63.00	66.00	3.00	R6	0.00	0.01	-	-	-	-
66.00	69.00	3.00	R6	0.01	0.07	-	-	-	-
69.00	72.00	3.00	R6	0.01	0.09	-	-	-	-
72.00	75.00	3.00	R6	0.00	0.01	-	-	-	-
75.00	78.00	3.00	R6	0.00	0.03	-	-	-	-
78.00	81.00	3.00	R6	0.00	0.00	-	-	-	-
81.00	84.00	3.00	R6	0.01	0.03	-	-	-	-
84.00	87.00	3.00	R6	0.00	0.01	-	-	-	-
87.00	90.00	3.00	R6	0.00	0.00	-	-	-	-
90.00	93.00	3.00	R6	0.01	0.05	-	-	-	-
93.00	96.00	3.00	R6	0.00	0.00	-	-	-	-
96.00	99.00	3.00	R6	0.06	0.20	-	-	-	-
99.00	102.00	3.00	R6	0.02	0.07	-	-	-	-
102.00	105.00	3.00	R6	0.04	0.14	-	-	-	-
105.00	108.00	3.00	R6	0.01	0.03	-	-	-	-
108.00	111.00	3.00	R6	0.01	0.05	-	-	-	-
111.00	114.00	3.00	R6	0.00	0.01	-	-	-	-
114.00	117.00	3.00	R6	0.00	0.00	-	-	-	-
117.00	120.00	3.00	R6	0.01	0.03	-	-	-	-
120.00	123.00	3.00	R6	0.00	0.02	-	-	-	-
123.00	126.00	3.00	R6	0.00	0.01	-	-	-	-
126.00	129.00	3.00	R6	0.01	0.03	-	-	-	-
129.00	132.00	3.00	R6	0.01	0.05	-	-	-	-
132.00	135.00	3.00	R6	0.00	0.01	-	-	-	-
135.00	138.00	3.00	R6	0.04	0.10	-	-	-	-
138.00	141.00	3.00	R6	0.02	0.05	-	-	-	-
141.00	144.00	3.00	R6	0.09	0.36	-	-	-	-
144.00	147.00	3.00	R6	0.02	0.09	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-93
Project: PLANET EXPLORATION
Project Number: 800125

147.00	150.00	3.00	R6	0.11	0.20	-	-	-	-
150.00	153.00	3.00	R6	0.11	0.36	-	-	-	-
153.00	156.00	3.00	R6	0.18	0.49	-	-	-	-
156.00	159.00	3.00	R6	0.41	1.72	-	-	-	-
159.00	162.00	3.00	R5	0.32	0.56	-	-	-	-
162.00	165.00	3.00	R5	0.17	0.29	-	-	-	-
165.00	168.00	3.00	R5	0.13	0.19	-	-	-	-
168.00	171.00	3.00	R5	0.09	0.38	-	-	-	-
171.00	174.00	3.00	R5	0.04	0.20	-	-	-	-
174.00	177.00	3.00	R5	0.17	0.27	-	-	-	-
177.00	180.00	3.00	R5	0.07	0.16	-	-	-	-
180.00	183.00	3.00	R5	0.00	0.01	-	-	-	-
183.00	186.00	3.00	R5	0.03	0.14	-	-	-	-
186.00	189.00	3.00	R5	0.41	1.79	-	-	-	-
189.00	192.00	3.00	R5	0.26	1.22	-	-	-	-
192.00	195.00	3.00	R5	0.09	0.12	-	-	-	-
195.00	198.00	3.00	R5	0.02	0.12	-	-	-	-
198.00	201.00	3.00	R5	0.30	0.95	-	-	-	-
201.00	204.00	3.00	R5	0.78	2.70	-	-	-	-
204.00	207.00	3.00	R5	0.54	1.04	-	-	-	-
207.00	210.00	3.00	R6	0.07	0.18	-	-	-	-
210.00	213.00	3.00	R6	0.09	0.47	-	-	-	-
213.00	216.00	3.00	R5	0.25	0.51	-	-	-	-
216.00	219.00	3.00	R5	0.36	0.65	-	-	-	-
219.00	222.00	3.00	R5	0.25	0.56	-	-	-	-
222.00	225.00	3.00	R5	0.25	0.71	-	-	-	-
225.00	228.00	3.00	R5	0.31	0.84	-	-	-	-
228.00	231.00	3.00	R5	0.20	0.29	-	-	-	-
231.00	234.00	3.00	R5	0.23	0.51	-	-	-	-
234.00	237.00	3.00	R5	0.25	0.51	-	-	-	-
237.00	240.00	3.00	R5	0.13	0.18	-	-	-	-
240.00	243.00	3.00	R5	0.19	0.36	-	-	-	-
243.00	246.00	3.00	R5	0.07	0.16	-	-	-	-
246.00	249.00	3.00	R5	0.04	0.16	-	-	-	-
249.00	252.00	3.00	R5	0.33	0.82	-	-	-	-
252.00	255.00	3.00	R5	0.28	0.45	-	-	-	-
255.00	258.00	3.00	R5	0.27	0.38	-	-	-	-
258.00	261.00	3.00	R5	0.19	0.25	-	-	-	-
261.00	264.00	3.00	R5	0.25	0.51	-	-	-	-
264.00	267.00	3.00	R5	0.15	0.18	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-93
Project: PLANET EXPLORATION
Project Number: 800125

267.00	270.00	3.00	R5	0.12	0.16	-	-	-	-
270.00	273.00	3.00	R5	0.15	0.18	-	-	-	-
273.00	276.00	3.00	R5	0.21	0.34	-	-	-	-
276.00	279.00	3.00	R5	0.87	1.92	-	-	-	-
279.00	282.00	3.00	R5	0.30	0.86	-	-	-	-
282.00	285.00	3.00	R5	16.20	32.30	-	-	-	-
285.00	288.00	3.00	R5	29.70	34.50	-	-	-	-
288.00	291.00	3.00	R5	28.10	34.90	-	-	-	-
291.00	294.00	3.00	R5	24.80	33.10	-	-	-	-
294.00	297.00	3.00	R5	20.10	30.70	-	-	-	-
297.00	300.00	3.00	R5	6.18	23.00	-	-	-	-
300.00	303.00	3.00	R5	8.64	12.50	-	-	-	-
303.00	306.00	3.00	R5	5.10	11.10	-	-	-	-
306.00	309.00	3.00	R5	3.24	9.99	-	-	-	-
309.00	312.00	3.00	R5	1.67	5.80	-	-	-	-
312.00	315.00	3.00	R5	0.13	0.34	-	-	-	-
315.00	318.00	3.00	R5	0.53	1.07	-	-	-	-
318.00	321.00	3.00	R5	0.07	0.14	-	-	-	-
321.00	324.00	3.00	R4	0.13	0.25	-	-	-	-
324.00	327.00	3.00	R4	3.94	5.30	-	-	-	-
327.00	330.00	3.00	R4	10.80	19.30	-	-	-	-
330.00	333.00	3.00	R4	2.34	8.60	-	-	-	-
333.00	336.00	3.00	R4	3.94	12.70	-	-	-	-
336.00	339.00	3.00	R4	0.41	0.93	-	-	-	-
339.00	342.00	3.00	R4	1.43	6.22	-	-	-	-
342.00	345.00	3.00	R5	0.50	1.70	-	-	-	-
345.00	348.00	3.00	R5	0.09	0.12	-	-	-	-
348.00	351.00	3.00	R5	0.14	0.32	-	-	-	-
351.00	354.00	3.00	R5	0.11	0.25	-	-	-	-
354.00	357.00	3.00	R5	0.59	1.46	-	-	-	-
357.00	360.00	3.00	R5	0.34	0.80	-	-	-	-
360.00	363.00	3.00	R5	0.18	0.21	-	-	-	-
363.00	366.00	3.00	R5	0.19	0.25	-	-	-	-
366.00	369.00	3.00	R5	0.13	0.16	-	-	-	-
369.00	372.00	3.00	R5	0.50	1.22	-	-	-	-
372.00	375.00	3.00	R5	0.21	0.42	-	-	-	-
375.00	378.00	3.00	R5	0.27	0.53	-	-	-	-
378.00	381.00	3.00	R5	0.87	3.64	-	-	-	-
381.00	384.00	3.00	R5	0.22	0.25	-	-	-	-
384.00	387.00	3.00	R5	0.19	0.27	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-93
Project: PLANET EXPLORATION
Project Number: 800125

387.00	390.00	3.00	R5	0.24	0.34	-	-	-	-
390.00	393.00	3.00	R5	0.22	0.31	-	-	-	-
393.00	396.00	3.00	R5	0.21	0.29	-	-	-	-
396.00	399.00	3.00	R5	0.26	0.73	-	-	-	-
399.00	402.00	3.00	R5	0.24	0.38	-	-	-	-
402.00	405.00	3.00	R5	0.18	0.32	-	-	-	-
405.00	408.00	3.00	R5	0.19	0.40	-	-	-	-
408.00	411.00	3.00	R5	0.23	0.38	-	-	-	-
411.00	414.00	3.00	R5	0.25	0.56	-	-	-	-



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-94
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>	
Azimuth:	145.0263	Length:	meters	Township:	COLI LAKE	Contractor:	MAJOR DRILLING	
Dip:	-55	Pulled:	No	Claim No:	Staked	Spotted by:	T. Maciejewski	
Length:	324.00 meters	Capped:	Yes	NTS:		Coord Type:	SUR	
Started:	12-Aug-05	Cemented:	No	Surface Hole :	Yes	Surveyed by:	K. Pye	
Completed:	16-Aug-05			Level:		Surveyed Date:	25-Sep-05	
Logged:	05-Aug-05	<u>Core</u>		Coordinate- Gemcom	Coordinate - UTM	Coordinate- Grid		
Wedged :	No	Dimension:	NQ	East:	461290.24	East:	461290	
Wedged from:		Original Units:	M	North:	5679604.98	North:	5679605	
		Storage:	Cochenour Mine	Elevation:	412.06	Elevation:	412	
				UTM Zone:	15 (NAD27)	Grid Name:		
Target:						Water Source:		
Comments:						Water line:		
						Left in hole:	Nothing	
						Control Drilling:		
						Cutting sampled:	No	
						Geophysic:		

Deviation Tests

Deviation Tests

Deviation Tests

<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>	<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>	<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>
0.000	145.03	-55.00	X	48.000	146.81	-53.00	X	96.000	147.21	-51.23	X
3.000	144.75	-54.78	X	51.000	146.92	-52.99	X	99.000	147.30	-51.19	X
6.000	144.78	-54.33	X	54.000	146.98	-52.96	X	102.000	147.45	-51.15	X
9.000	144.88	-53.90	X	57.000	147.05	-52.91	X	105.000	147.56	-51.04	X
12.000	145.11	-53.67	X	60.000	147.05	-52.89	X	108.000	147.69	-50.93	X
15.000	145.34	-53.63	X	63.000	147.15	-52.82	X	111.000	147.85	-50.89	X
18.000	145.54	-53.54	X	66.000	147.28	-52.74	X	114.000	147.92	-50.84	X
21.000	145.79	-53.50	X	69.000	147.33	-52.70	X	117.000	147.99	-50.75	X
24.000	145.87	-53.49	X	72.000	147.39	-52.64	X	120.000	148.01	-50.61	X
27.000	145.93	-53.48	X	75.000	147.49	-52.54	X	123.000	148.10	-50.44	X
30.000	146.09	-53.42	X	78.000	147.49	-52.38	X	126.000	148.17	-50.36	X
33.000	146.19	-53.36	X	81.000	147.44	-52.19	X	129.000	148.22	-50.33	X
36.000	146.30	-53.26	X	84.000	147.34	-52.00	X	132.000	148.30	-50.30	X
39.000	146.47	-53.17	X	87.000	147.27	-51.83	X	135.000	148.42	-50.19	X
42.000	146.56	-53.12	X	90.000	147.17	-51.64	X	138.000	148.53	-50.03	X
45.000	146.68	-53.06	X	93.000	147.19	-51.40	X	141.000	148.68	-49.87	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-94
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	148.85	-49.72	X
147.000	149.00	-49.57	X
150.000	149.10	-49.45	X
153.000	149.20	-49.37	X
156.000	149.24	-49.28	X
159.000	149.27	-49.20	X
162.000	149.29	-49.13	X
165.000	149.34	-49.05	X
168.000	149.48	-48.96	X
171.000	149.62	-48.87	X
174.000	149.70	-48.78	X
177.000	149.85	-48.69	X
180.000	149.98	-48.59	X
183.000	150.05	-48.53	X
186.000	150.12	-48.49	X
189.000	150.22	-48.45	X
192.000	150.32	-48.43	X
195.000	150.43	-48.42	X
198.000	150.50	-48.37	X
201.000	150.60	-48.22	X
204.000	150.69	-48.06	X
207.000	150.79	-47.99	X
210.000	150.90	-47.95	X
213.000	150.93	-47.93	X
216.000	151.01	-47.90	X
219.000	151.13	-47.88	X
222.000	151.21	-47.87	X
225.000	151.26	-47.86	X
228.000	151.38	-47.83	X
231.000	151.47	-47.82	X
234.000	151.55	-47.78	X
237.000	151.64	-47.75	X
240.000	151.72	-47.72	X
243.000	151.75	-47.67	X
246.000	151.79	-47.64	X

Deviation Tests

Distance (m)	Azimuth	Dip	Type
249.000	151.86	-47.62	X
252.000	151.88	-47.59	X
255.000	151.92	-47.58	X
258.000	152.03	-47.58	X
261.000	152.14	-47.57	X
264.000	152.16	-47.55	X
267.000	152.24	-47.54	X
270.000	152.32	-47.51	X
273.000	152.35	-47.48	X
276.000	152.39	-47.47	X
279.000	152.47	-47.43	X
282.000	152.50	-47.39	X
285.000	152.50	-47.35	X
288.000	152.61	-47.35	X
291.000	152.64	-47.35	X
294.000	152.68	-47.32	X
297.000	152.77	-47.28	X
300.000	152.87	-47.26	X
303.000	152.94	-47.22	X
306.000	153.07	-47.21	X
309.000	153.20	-47.18	X
315.000	153.36	-47.08	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-94
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
0.00	14.67	(OB) OVERBURDEN									
14.67	16.02	(7B) FELDSPAR PORPHYRY Grey sheared siliceous feldspar porphyry; broken-up and ground core. 1% diop-cal vein. Diffused bottom contact.	404905	14.67	16.00	1.33	0.01	<0.001	6	<input type="checkbox"/>	
16.02	16.74	(1A) MASSIVE MAFIC VOLC Dark green, fine grained, amphibolite; broken-up and ground core. 2% grey QV. Top contact is ground	404906	16.00	17.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
16.74	17.62	(7B) FELDSPAR PORPHYRY Dark grey, massive to sheared, siliceous feldspar porphyry. 1% py stringers, 2-3% cal-diop-biot veining. Biot altn on top contact.	404907	17.00	18.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
17.62	20.71	(6G) GABBRO Medium green, medium grained massive gabbro; broken-up/rubbly section. Minor carb veinlets. Sharp top contact, fingered bottom contact with biot altn.	404908 404909 404910	18.00 19.00 20.00	19.00 20.00 21.00	1.00 1.00 1.00	0.01 0.04 0.36	<0.001 0.001 0.010	9 42 356	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
20.71	130.30	(7B) FELDSPAR PORPHYRY Med grey to brownish grey, massive to sheared, siliceous feldspar porphyry. 20.71-24.5: brownish grey interval, more massive FP (phenocryst visible). 2% cal-diop-biot veining, 1% patchy biot atln. 1% silica flooding at upper contact 24.5-30.3: grey, sericitic, sheared FP (very little phenocryst visible). 1% white QV, minor py stringers, 1% biot-diop-cal veining. 25.12-25.5: sheared biotitic-mafic inclusion. 30.3-32.56: lighter brownish-grey to grey, more massive, siliceous FP, weakly sericitic. Minor py, minor biot altn laths 32.56-33.22: darker grey, sheared, 30% diop-biot-cal vein. 2-3% patchy biot. 33.22-38.95: brownish -grey, siliceous, more massive unit with 5-6% intensely sericitized (2-15cm) section. Minor py stringers	404911 404912 404913 404914 404915 404916 404917 404918 404919	21.00 22.00 23.00 24.00 25.00 26.00 27.00 28.00 29.00	22.00 23.00 24.00 25.00 26.00 27.00 28.00 29.00 30.00	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	0.02 0.04 0.01 0.03 <0.01 <0.01 0.09 <0.01 <0.01	<0.001 0.001 <0.001 0.001 <0.001 <0.001 0.003 <0.001 <0.001	17 35 10 28 <5 <5 86 <5 <5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-94

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
38.95-42.02:		med grey, intensely sericitized and sheared FP, 5% well defined cal-diop-biot veinlets. 2% grey QV.	404920	30.00	31.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
42.02-52.02:		brownish-grey, siliceous, massive unit, minor white QV, 1-2% cal-diop-biot veining, minor py-po stringers/blebs	404921	31.00	32.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
52.02-53.73:		brownish-grey, siliceous, annealed breccia unit, 8-10% cal-diop-biot veining, mod sericitization.	404922	32.00	33.00	1.00	0.07	0.002	74	<input type="checkbox"/>	
53.73-73.0:		med grey siliceous, sheared, mod to int sericitized FP. Visible qtz eyes, 4-5% diop-cal-biot veining, 1% QV. Minor py stringers	404923	33.00	34.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
58.55:		15cm white barren QV	404924	34.00	35.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
70.08:		15cm diop-cal-biot vein	404925	35.00	36.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
73.0-76.70:		brownish-grey siliceous FP, phenocrysts 1-2mm. 2% cal-diop-biot veining. Minor py-po stringers	404926	36.00	37.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
76.70-79.88:		med grey, siliceous, sheared, mod to int sericitized. 4% cal-diop-biot veins, tr py-po with veins. Minor QV.	404927	37.00	38.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
79.88-81.10:		brownish-grey siliceous, mostly massive FP, phenocrysts 1-3mm, weak sericitization. Tr py on fractures.	404928	38.00	39.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
81.10-87.90:		med grey, siliceous, mostly sheared, mod to int sericitized. 2% cal-diop-biot veins, minor py-ccp stringers/blebs.	404929	39.00	40.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
87.90-89.80:		dark grey, almost massive looking FP, no phenocrysts visible; mod to intense sericitization, 1% py-ccp stringers and blebs. 3cm white QV, 5% cal-diop-biot veins.	404930	40.00	41.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
89.80-94.70:		grey, sheared, mod to int silicified; qtz eyes. 3% cal-diop-biot veins, 1% qtz flooding associated with the diop veining. Tr diss py-ccp.	404931	41.00	42.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
96.0-97.9:		brownish-grey siliceous almost massive FP, weak sericitization, minor diss py and minor diop veining	404932	42.00	43.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
97.9-99.9:		grey, sheared, mod to intensely sericitized porphyry. 3% diop-cal-biot veining. Minor py associated with veining.	404933	43.00	44.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
99.9-104.6:		brownish-grey siliceous almost massive FP, good phenocrysts, weak sericitization, 2% white QVs, 1% cal-diop-biot veining, epid altn on fractures, tr diss py.	404934	44.00	45.00	1.00	0.16	0.005	157	<input type="checkbox"/>	
104.6-105.98:		greenish-grey bleached, siliceous mottle porphyry. Mod sericitization. Minor cal veining, tr diss py.	404935	45.00	46.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
105.98-109.50:		grey sheared intensely sericitized porphyry (well foliated, 70deg tca), 10% good FP at top of unit. 20cm amphibolite dyke with silica flooding on contacts, 12cm biot-rich mafic dyke, 1% cal-diop-biot veins.	404936	46.00	47.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
109.50-113.68:		brownish-grey to olive green annealed siliceous breccia porphyry. Weakly ser, mod bleached, epid altn on fractures, 3-4% cal-diop-biot veining, 3% white QVs.	404937	47.00	48.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
113.68-116:		brownish-grey siliceous almost massive FP, good phenocrysts. Minor skarn veining. Bleaching along fractures	404938	48.00	49.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
116-117.2:		grey, sheared, foliated (35deg tca) porphyry; intense sericitization locally. 1% epid altn. 1% skan vein.	404939	49.00	50.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
117.2-121.05:		brownish-grey to grey, siliceous FP, well defined fspar phenocrysts. 2% cal-diop-biot veining, 3% white QVs. Tr py stringers.	404940	50.00	51.00	1.00	0.16	0.005	163	<input type="checkbox"/>	
121.05:		25cm white QV with good epid altn. 1% py stringers	404941	51.00	52.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404942	52.00	53.00	1.00	0.27	0.008	266	<input type="checkbox"/>	
			404943	53.00	54.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
			404944	54.00	55.00	1.00	0.11	0.003	114	<input type="checkbox"/>	
			404945	55.00	56.00	1.00	0.18	0.005	178	<input type="checkbox"/>	
			404946	56.00	57.00	1.00	2.24	0.065	2235	<input type="checkbox"/>	
			404947	57.00	58.00	1.00	1.22	0.036	1220	<input type="checkbox"/>	
			404948	58.00	59.00	1.00	0.25	0.007	245	<input type="checkbox"/>	
			404951	59.00	60.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			404952	60.00	61.00	1.00	0.10	0.003	97	<input type="checkbox"/>	
			404953	61.00	62.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			404954	62.00	63.00	1.00	0.31	0.009	313	<input type="checkbox"/>	
			404955	63.00	64.00	1.00	0.76	0.022	755	<input type="checkbox"/>	
			404956	64.00	65.00	1.00	0.09	0.002	86	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-94
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
	121.30-126.18	grey, sheared, well foliated (65deg tca), intensely sericitized porphyry. 2-3 cal-diop-biot veining with py-po stringers. Minor QVs	404957	65.00	66.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
	126.18-128.25		404958	66.00	67.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
	128.25-130.3		404959	67.00	68.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		grey, sheared intensely sericitized porphyry. 1-2 qtz eyes. 2% white QVs. Minor skarn.	404960	68.00	69.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404961	69.00	70.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
	94.70 - 95.42	(6A) DIORITE Dark grey, med grained, massive dyke. Both contacts are grounded-up. Calcite on fracture. Tr diss py.	404962	70.00	71.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404963	71.00	72.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			404964	72.00	73.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			404965	73.00	74.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
	95.42 - 96.00	(FLT) FAULT lost water return	404966	74.00	75.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			404967	75.00	76.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404968	76.00	77.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			404969	77.00	78.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404970	78.00	79.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404971	79.00	80.00	1.00	0.16	0.005	157	<input type="checkbox"/>	
			404972	80.00	81.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			404973	81.00	82.00	1.00	0.08	0.002	79	<input type="checkbox"/>	
			404974	82.00	83.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			404975	83.00	84.00	1.00	0.16	0.005	156	<input type="checkbox"/>	
			404976	84.00	85.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404977	85.00	86.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			404978	86.00	87.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404979	87.00	88.00	1.00	0.24	0.007	237	<input type="checkbox"/>	
			404980	88.00	89.00	1.00	0.24	0.007	244	<input type="checkbox"/>	
			404981	89.00	90.00	1.00	0.18	0.005	180	<input type="checkbox"/>	
			404982	90.00	91.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			404983	91.00	92.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			404984	92.00	93.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			404985	93.00	94.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			404986	94.00	95.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			404987	95.00	96.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			404988	96.00	97.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404989	97.00	98.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			404990	98.00	99.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
			404991	99.00	100.00	1.00	0.07	0.002	72	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-94
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			404992	100.00	101.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			404993	101.00	102.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			404994	102.00	103.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			404995	103.00	104.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			404996	104.00	105.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			404997	105.00	106.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			404998	106.00	107.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			405001	107.00	108.00	1.00	0.37	0.011	370	<input type="checkbox"/>	
			405002	108.00	109.00	1.00	0.09	0.003	94	<input type="checkbox"/>	
			405003	109.00	110.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			405004	110.00	111.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			405005	111.00	112.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405006	112.00	113.00	1.00	0.34	0.010	335	<input type="checkbox"/>	
			405007	113.00	114.00	1.00	0.21	0.006	207	<input type="checkbox"/>	
			405008	114.00	115.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			405009	115.00	116.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405010	116.00	117.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405011	117.00	118.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405012	118.00	119.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405013	119.00	120.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			405014	120.00	121.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405015	121.00	122.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405016	122.00	123.00	1.00	0.40	0.012	399	<input type="checkbox"/>	
			405017	123.00	124.00	1.00	0.58	0.017	578	<input type="checkbox"/>	
			405018	124.00	125.00	1.00	0.42	0.012	420	<input type="checkbox"/>	
			405019	125.00	126.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405020	126.00	127.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405021	127.00	128.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405022	128.00	129.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405023	129.00	130.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
130.30	137.63	(1A) MASSIVE MAFIC VOLC	405024	130.00	131.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
		green to brownish green, fine grained, massive mafic volcanic; 25% mod to	405025	131.00	132.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		intensely brown biot altn. Mod ser locally (<1%). 2% calcite veining, 1% QVs. Tr	405026	132.00	133.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		diss py.	405027	133.00	134.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			405028	134.00	135.00	1.00	0.02	0.001	24	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-94
 Project : PLANET EXPLORATION
 Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			405029	135.00	136.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405030	136.00	137.00	1.00	0.26	0.008	263	<input type="checkbox"/>	
			405031	137.00	138.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
137.63	146.48	(7B) FELDSPAR PORPHYRY	405032	138.00	139.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
		Med grey to brownish grey, massive to sheared, siliceous feldspar porphyry.	405033	139.00	140.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		137.63.-143: grey, sheared, mod sericitized, intensely bleached porphyry. 3% cal-diop-biot veining. Py blebs associated with the skarn veining. 1-2% qtz eyes.	405034	140.00	141.00	1.00	0.34	0.010	335	<input type="checkbox"/>	
		143-146.48: brownish-grey siliceous FP, good phenocrysts (2-3mm), bottom contact is diffused and highly silicified. 2-3% biot-diop-cal veining, 1% QV. Minor salmon-color altn (potassic?). Minor py stringers.	405035	141.00	142.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			405036	142.00	143.00	1.00	0.42	0.012	419	<input type="checkbox"/>	
			405037	143.00	144.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			405038	144.00	145.00	1.00	0.59	0.017	587	<input type="checkbox"/>	
			405039	145.00	145.50	0.50	0.01	<0.001	12	<input type="checkbox"/>	
			405040	145.50	146.00	0.50	0.02	0.001	23	<input type="checkbox"/>	
			405041	146.00	146.50	0.50	0.03	0.001	33	<input type="checkbox"/>	
146.48	149.65	(1) UNDIFF. MAFIC / UM VOLCANICS	405042	146.50	147.00	0.50	0.04	0.001	42	<input type="checkbox"/>	
		grey to grey-green, siliceous, weakly sericitized and biotitic, sheared mafic volcanic, 2-3% fine diss. Po-py, minor specs on sphalerite, 1% accicular to stubby aspy in lower half of section.	405043	147.00	147.50	0.50	0.08	0.002	76	<input type="checkbox"/>	
		146.48-147.85: grey, sheared phase, minor cal veining, weak to intense sericitization/bleaching. 10cm FP	405044	147.50	148.00	0.50	0.01	<0.001	9	<input type="checkbox"/>	
		147.85: 7cm skarn vein; cal, diop, minor biot.	405045	148.00	148.50	0.50	0.01	<0.001	11	<input type="checkbox"/>	
		147.92-148.47: grey-green, intense silicification, qtz flooring and pink altn on top contact.	405046	148.50	149.00	0.50	0.03	0.001	29	<input type="checkbox"/>	
		148.47-149.65: grey, well foliated, minor sphalerite, 1% accicular to stubby aspy, 2-3% diss po-py. 2-3% skarn veining	405047	149.00	149.50	0.50	0.96	0.028	961	<input type="checkbox"/>	
149.65	151.27	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	405048	149.50	150.00	0.50	0.53	0.015	530	<input type="checkbox"/>	
		Dark grey to brownish-green, mottled gabbroic-like section; moderate biotite after hblid phenos, 0.5% stubby aspy, 1-2% fine po, minor py. 5-6% skarn/calcite veining.	405051	150.00	150.50	0.50	0.07	0.002	67	<input type="checkbox"/>	
			405052	150.50	151.00	0.50	0.22	0.006	220	<input type="checkbox"/>	
			405053	151.00	151.50	0.50	0.29	0.008	287	<input type="checkbox"/>	
151.27	154.60	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	405054	151.50	152.00	0.50	0.02	<0.001	15	<input type="checkbox"/>	
		Coarse grained, weakly altered gabbroic section. 4% skarn veining, minor diss py and grey QVs. Gradational upper contact and irregular shallow bottom contact.	405055	152.00	152.50	0.50	0.34	0.010	343	<input type="checkbox"/>	
			405056	152.50	153.00	0.50	0.81	0.024	808	<input type="checkbox"/>	
			405057	153.00	154.00	1.00	0.17	0.005	167	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-94
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			405058	154.00	155.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
154.60	158.20	(7B) FELDSPAR PORPHYRY Grey, sheared to semi-massive FP (distinct phenos 2-3mm) ; mod sericitized. 30% cal-diop-biot veining, minor QV.	405059	155.00	156.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405060	156.00	157.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			405061	157.00	158.00	1.00	0.25	0.007	249	<input type="checkbox"/>	
		156.20 - 157.10 (7B) FELDSPAR PORPHYRY chunky feldspar porphyry dyke. Angular phenos 2-5mm. Sharp top contact at 30deg tca, shallow irregular bottom contact at 15deg tca. 2% white QV									
		158.00 - 158.20 (6G) GABBRO Dark grey, massive gabbroic dyke									
158.20	159.00	(5S) SILICATE FACIES IRON FORMATION Banded to laminated amphibolite-chert-magnetite-calcite unite. Well foliated. 5-6% diss po-py, 2-3% calcite veining, calcite in between laminations.	405062	158.00	159.00	1.00	0.68	0.020	677	<input type="checkbox"/>	
159.00	163.38	(1) UNDIFF. MAFIC / UM VOLCANICS Dark green, massive aphibolite, locally brecciated. 3-4% calcite veins/veinlets. 1% diss py, trace garnets at bottom of unit.	405063	159.00	160.00	1.00	0.32	0.009	315	<input type="checkbox"/>	
			405064	160.00	161.00	1.00	0.29	0.008	291	<input type="checkbox"/>	
			405065	161.00	162.00	1.00	1.32	0.038	1317	<input type="checkbox"/>	
			405066	162.00	163.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
163.38	164.20	(5S) SILICATE FACIES IRON FORMATION Greenish-grey, chert-magnetite-grunerite IF, well bedded (2-5cm). 1-2% py-po stringers/blebs in the grunerite beds. Irregular contacts; intense biotite altn at contacts.	405067	163.00	164.00	1.00	0.13	0.004	132	<input type="checkbox"/>	
164.20	167.00	(7B) FELDSPAR PORPHYRY Brownish-grey, siliceous massive feldspar porphyry (good fspar phenos, 1-3mm). 5-6% skarn veining, 1-2% QV with the skarn. Thin silica flooding on bottom contact.	405068	164.00	165.00	1.00	0.16	0.005	161	<input type="checkbox"/>	
			405069	165.00	166.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405070	166.00	167.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-94
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
167.00	167.55	(1A) MASSIVE MAFIC VOLC Dark green, massive basalt; 0.5% diss. stubby aspy, 5% calcite veining.	405071	167.00	168.00	1.00	0.12	0.003	115	<input type="checkbox"/>	
167.55	169.30	(5S) SILICATE FACIES IRON FORMATION Green-grey, chert-magnetite-grunerite unit, 3-4% diss po within the grunerite beds, minor aspy in upper 40cm on contact; bedding 60deg tca. 1-2% cal veining.	405072	168.00	169.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
169.30	191.60	(1) UNDIFF. MAFIC / UM VOLCANICS Dark green, fine grained, massive amphibolite; 2% chert-magnetite units. Strong biot altn locally. 3% calcite veining, 1% skarn-like veining. Minor white QVs. Tr diss. stubby aspy, diss py-po. 172.64-172.84, 175.92-176.07 and 178.48-178.52: chert-magnetite-grunerite IF, 2-3% py-po, 10% calcite veining. Intense biotite alteration on contacts.	405073	169.00	170.00	1.00	0.17	0.005	165	<input type="checkbox"/>	
			405074	170.00	171.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			405075	171.00	172.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			405076	172.00	173.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405077	173.00	174.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405078	174.00	175.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405079	175.00	176.00	1.00	0.24	0.007	238	<input type="checkbox"/>	
			405080	176.00	177.00	1.00	0.19	0.005	188	<input type="checkbox"/>	
			405081	177.00	178.00	1.00	0.36	0.011	364	<input type="checkbox"/>	
			405082	178.00	179.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			405083	179.00	180.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			405084	180.00	181.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			405085	181.00	182.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			405086	182.00	183.00	1.00	0.40	0.012	404	<input type="checkbox"/>	
			405087	183.00	184.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			405088	184.00	185.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			405089	185.00	186.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
			405090	186.00	187.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			405091	187.00	188.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			405092	188.00	189.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			405093	189.00	190.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			405094	190.00	191.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			405095	191.00	192.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-94

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
191.60	201.90	(7B) FELDSPAR PORPHYRY	405096	192.00	193.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
		Grey to brownish-grey massive, siliceous feldspar porphyry; good fspar phenos, 2-4mm. 1% calcite veining, 0.5% greyish QVs. Minor skarn veining. Tr py.	405097	193.00	194.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			405098	194.00	195.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			405101	195.00	196.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			405102	196.00	197.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			405103	197.00	198.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405104	198.00	199.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			405105	199.00	200.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405106	200.00	201.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405107	201.00	202.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
201.90	221.10	(1A) MASSIVE MAFIC VOLC	405108	202.00	203.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
		Dark green, fine grained, massive mafic volcanic, 1% qtz and qtz-cal veining (1-5cm scale). Weak biot altn locally. Minor po blebs and diss py. Tr epid. Sharp top contact, irregular, figured bottom contact.	405109	203.00	204.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
		205-206: bubbly, possibly missing some core	405110	204.00	205.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		207.72-207.93: banded chert-magnetite-grunerite IF with 2-3% py-po-ccp within the grunerite banding	405111	205.00	206.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405112	206.00	207.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405113	207.00	208.00	1.00	0.12	0.004	122	<input type="checkbox"/>	
			405114	208.00	209.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405115	209.00	210.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			405116	210.00	211.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			405117	211.00	212.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			405118	212.00	213.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			405119	213.00	214.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405120	214.00	215.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405121	215.00	216.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			405122	216.00	217.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			405123	217.00	218.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			405124	218.00	219.00	1.00	0.15	0.004	150	<input type="checkbox"/>	
			405125	219.00	220.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			405126	220.00	221.00	1.00	0.49	0.014	489	<input type="checkbox"/>	
221.10	227.75	(7B) FELDSPAR PORPHYRY	405127	221.00	222.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		Brownish-grey, silicious porphyry; brecciated, annealed fabric. Good fspar phenos (2-3mm). 0.5% skarn veining, 1% white and grey QVs. Irregular top contact, sharp bottom.	405128	222.00	223.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			405129	223.00	224.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405130	224.00	225.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405131	225.00	226.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-94
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			405132	226.00	227.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405133	227.00	228.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
227.75	234.80	(1A) MASSIVE MAFIC VOLC	405134	228.00	229.00	1.00	0.09	0.003	94	<input type="checkbox"/>	
		dark green, fine grained mafic volcanic, 5% diopside. 1% calcite veining. Weak biot altn, weak vein-like bleaching. Minor grey QV. Tr diss. py-po-ccp and aspy. Sharp bottom contact.	405135	229.00	230.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
		233.60: 25cm brownish-grey, sheared, siliceous FP, 5% white QV.	405136	230.00	231.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405137	231.00	232.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			405138	232.00	233.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			405139	233.00	234.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			405140	234.00	235.00	1.00	0.07	0.002	69	<input type="checkbox"/>	
234.80	246.67	(7B) FELDSPAR PORPHYRY	405141	235.00	236.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		Brownish-grey, moderately silicified porphyry, with top 75cm sheared. 5% qtz and qtz-carb veining. 1% diopside usually associated with the calcite veining. Minor po blebs, tr ccp.	405142	236.00	237.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405143	237.00	238.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			405144	238.00	239.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405145	239.00	240.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405146	240.00	241.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405147	241.00	242.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			405148	242.00	243.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			405151	243.00	244.00	1.00	0.18	0.005	180	<input type="checkbox"/>	
			405152	244.00	245.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			405153	245.00	246.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			405154	246.00	247.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
246.67	256.10	(6A) DIORITE	405155	247.00	248.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		Dark green to black, medium grained, foliated with 1% white specs of skeletal leucoxene; 5% diopside veining, 1% irreglar vein-like bleaching, 0.2% diss to stingers po. Irregular bottom contact.	405156	248.00	249.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
		249.12-249.93: black chunky feldspar porphyry dyke, phenos 2-5mm, 1% po-py stringers and QV.	405157	249.00	250.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			405158	250.00	251.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405159	251.00	252.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			405160	252.00	253.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			405161	253.00	254.00	1.00	0.79	0.023	792	<input type="checkbox"/>	
			405162	254.00	255.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
			405163	255.00	256.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
256.10	277.32	(9D) SKARN	405164	256.00	257.00	1.00	0.18	0.005	183	<input type="checkbox"/>	
		grey to green, strong skarn section with remanents of brown porphyry	405165	257.00	258.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
		256.1-266.1: mottled unit, 70% skarn (calcite-diopside-black biot), 30% greyish brown porphyry; rare fspar pheno remaining, 3-5% po-py with both units. Minor epidote and minor pink potassic altn.	405166	258.00	259.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			405167	259.00	260.00	1.00	0.08	0.002	79	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-94
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
	266.1-270.6	266.1-270.6: mainly greyish-brown siliceous porphyry (85%) with rare fspar pheno remaining and 15% green skarn veining. 1-2% po in the porphyry and minor py-po in the skarn. Porphyry is mod to intensely bleached locally. 270.6-277.32: grey calcite rich skarn to 273.5, then diopside-rich; 3-10% po-py, minor folding on 10-50cm scale. 1-2% irregular shaped white qtz veining. Last metre is like the top of the unit.	405168	260.00	261.00	1.00	0.09	0.003	86	<input type="checkbox"/>	
			405169	261.00	262.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			405170	262.00	263.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
			405171	263.00	264.00	1.00	0.08	0.002	75	<input type="checkbox"/>	
			405172	264.00	265.00	1.00	0.10	0.003	99	<input type="checkbox"/>	
			405173	265.00	266.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			405174	266.00	267.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405175	267.00	268.00	1.00	0.09	0.003	87	<input type="checkbox"/>	
			405176	268.00	269.00	1.00	0.08	0.002	77	<input type="checkbox"/>	
			405177	269.00	270.00	1.00	0.19	0.005	187	<input type="checkbox"/>	
			405178	270.00	271.00	1.00	0.11	0.003	110	<input type="checkbox"/>	
			405179	271.00	272.00	1.00	0.17	0.005	169	<input type="checkbox"/>	
			405180	272.00	273.00	1.00	0.69	0.020	691	<input type="checkbox"/>	
			405181	273.00	274.00	1.00	2.06	0.060	2059	<input type="checkbox"/>	
			405182	274.00	275.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
		405183	275.00	276.00	1.00	0.03	0.001	29	<input type="checkbox"/>		
		405184	276.00	277.00	1.00	0.02	<0.001	16	<input type="checkbox"/>		
277.32	302.65	(7B) FELDSPAR PORPHYRY	405185	277.00	278.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Light brownish-grey feldspar porphyry, well preserved fspar phenos, except for 1m on upper contact. 1% skarn veining. Diss py-po. Minor epidote on fractures. Minor pink potassic altn. 20cm to bottom contact sheared and no fspar phenos preserved. 285.70: 10cm of green altered feldspar porphyry 285.80: 80cm of sheared, siliceous porphyry with rare fspar remaining. 293.50-294: highly fractured section. 297.2-298: 50-60% diopside skarn, trace sulphides.	405186	278.00	279.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			405187	279.00	280.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405188	280.00	281.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405189	281.00	282.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			405190	282.00	283.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			405191	283.00	284.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405192	284.00	285.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405193	285.00	286.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			405194	286.00	287.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			405195	287.00	288.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			405196	288.00	289.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405197	289.00	290.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405198	290.00	291.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405201	291.00	292.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			405202	292.00	293.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		405203	293.00	294.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>		
		405204	294.00	295.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>		



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-94

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			405205	295.00	296.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405206	296.00	297.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405207	297.00	298.00	1.00	0.09	0.002	85	<input type="checkbox"/>	
			405208	298.00	299.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405209	299.00	300.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405210	300.00	301.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405211	301.00	302.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405212	302.00	303.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
302.65	312.12	(6G) GABBRO	405213	303.00	304.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Dark green, medium grained, foliated (45deg tca) gabbro. 3-4% each of skarn veins and QV, 2% po blebs, minor disss, tr ccp. Py. Minor bleaching.	405214	304.00	305.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		309.20-309.50: brownish-grey feldspar porphyry; annealed breccia. 5-6% grey QVs.	405215	305.00	306.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405216	306.00	307.00	1.00	0.10	0.003	101	<input type="checkbox"/>	
			405217	307.00	308.00	1.00	0.18	0.005	179	<input type="checkbox"/>	
			405218	308.00	309.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			405219	309.00	310.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405220	310.00	311.00	1.00	0.11	0.003	111	<input type="checkbox"/>	
			405221	311.00	312.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
312.12	317.90	(7B) FELDSPAR PORPHYRY	405222	312.00	313.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Light to medium brownish-grey, weak to moderate sercite feldspar porphyry; 10% diopside skarn in lower 2 metres. Minor po stringers. 1% white QVs. Weak biotite altn.	405223	313.00	314.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
		312.12-113.55: siliceous with some fspar phenos intact.	405224	314.00	315.00	1.00	0.59	0.017	592	<input type="checkbox"/>	
			405225	315.00	316.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405226	316.00	317.00	1.00	0.35	0.010	345	<input type="checkbox"/>	
			405227	317.00	318.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
317.90	320.00	(9D) SKARN	405228	318.00	319.00	1.00	0.22	0.006	217	<input type="checkbox"/>	
		Green to grey, heavily skarned section of gabbro or coarse flows; strong biotite altn, 1-2% diss po-py, minor patches with white leucoxene	405229	319.00	320.00	1.00	0.24	0.007	239	<input type="checkbox"/>	
320.00	324.00	(7B) FELDSPAR PORPHYRY	405230	320.00	321.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
		Light brownish-grey porphyry with 5% skarn veining. Minor QV. Weak biot altn in the form of veinlets. Weak silicification and sericitization	405231	321.00	322.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405232	322.00	323.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405233	323.00	324.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.

QC Report

Hole Number RL-05-94
 Project PLANET EXPLORATIO
 Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
59.00	404949	2193	-	-	-	-	-	-	-	-	-	2.2	-	0.064	-	-
59.01	404950	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
107.00	404999	1891	-	-	-	-	-	-	-	-	-	1.9	-	0.055	-	-
107.01	405000	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
150.00	405049	2282	-	-	-	-	-	-	-	-	-	2.3	-	0.067	-	-
150.01	405050	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
195.00	405099	2295	-	-	-	-	-	-	-	-	-	2.3	-	0.067	-	-
195.01	405100	14	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
243.00	405149	2436	-	-	-	-	-	-	-	-	-	2.4	-	0.071	-	-
243.01	405150	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
291.00	405199	2366	-	-	-	-	-	-	-	-	-	2.4	-	0.069	-	-
291.01	405200	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-94
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
14.70	15.00	0.30	R5	0.09	0.16	-	-	-	-
15.00	18.00	3.00	R4	0.15	0.18	-	-	-	-
18.00	21.00	3.00	R6	0.08	0.20	-	-	-	-
21.00	24.00	3.00	R6	0.50	0.10	-	-	-	-
24.00	27.00	3.00	R6	0.01	0.03	-	-	-	-
27.00	30.00	3.00	R6	0.21	1.04	-	-	-	-
30.00	33.00	3.00	R6	0.04	0.10	-	-	-	-
33.00	36.00	3.00	R6	0.10	0.25	-	-	-	-
36.00	39.00	3.00	R6	0.01	0.03	-	-	-	-
39.00	42.00	3.00	R6	0.07	0.27	-	-	-	-
42.00	45.00	3.00	R6	0.18	0.32	-	-	-	-
45.00	48.00	3.00	R6	0.17	0.23	-	-	-	-
48.00	51.00	3.00	R6	0.20	0.27	-	-	-	-
51.00	54.00	3.00	R6	0.23	0.75	-	-	-	-
54.00	57.00	3.00	R6	0.11	0.18	-	-	-	-
57.00	60.00	3.00	R6	0.25	0.96	-	-	-	-
60.00	63.00	3.00	R6	0.29	0.64	-	-	-	-
63.00	66.00	3.00	R6	0.03	0.07	-	-	-	-
66.00	69.00	3.00	R6	0.04	0.09	-	-	-	-
69.00	72.00	3.00	R6	0.05	0.12	-	-	-	-
72.00	75.00	3.00	R6	0.05	0.16	-	-	-	-
75.00	78.00	3.00	R6	0.07	0.18	-	-	-	-
78.00	81.00	3.00	R6	0.16	0.25	-	-	-	-
81.00	84.00	3.00	R6	0.06	0.16	-	-	-	-
84.00	87.00	3.00	R6	0.23	0.98	-	-	-	-
87.00	90.00	3.00	R6	0.15	0.31	-	-	-	-
90.00	93.00	3.00	R6	1.46	3.40	-	-	-	-
93.00	96.00	3.00	R6	0.21	0.40	-	-	-	-
96.00	99.00	3.00	R6	0.20	0.38	-	-	-	-
99.00	102.00	3.00	R6	0.03	0.07	-	-	-	-
102.00	105.00	3.00	R6	0.13	0.23	-	-	-	-
105.00	108.00	3.00	R6	0.14	0.32	-	-	-	-
108.00	111.00	3.00	R6	0.01	0.05	-	-	-	-
111.00	114.00	3.00	R6	0.10	0.42	-	-	-	-
114.00	117.00	3.00	R6	0.11	0.18	-	-	-	-
117.00	120.00	3.00	R5	0.06	0.20	-	-	-	-
120.00	123.00	3.00	R5	0.09	0.16	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-94
Project: PLANET EXPLORATION
Project Number: 800125

123.00	126.00	3.00	R5	0.05	0.12	-	-	-	-
126.00	129.00	3.00	R5	0.32	0.84	-	-	-	-
129.00	132.00	3.00	R5	0.31	0.69	-	-	-	-
132.00	135.00	3.00	R5	0.28	0.58	-	-	-	-
135.00	138.00	3.00	R5	0.37	1.07	-	-	-	-
138.00	141.00	3.00	R5	0.37	1.06	-	-	-	-
141.00	144.00	3.00	R5	0.61	2.63	-	-	-	-
144.00	147.00	3.00	R5	0.30	0.43	-	-	-	-
147.00	150.00	3.00	R5	0.51	0.67	-	-	-	-
150.00	153.00	3.00	R5	0.46	0.98	-	-	-	-
153.00	156.00	3.00	R5	8.30	37.10	-	-	-	-
156.00	159.00	3.00	R5	3.18	10.70	-	-	-	-
159.00	162.00	3.00	R5	0.40	0.67	-	-	-	-
162.00	165.00	3.00	R5	52.10	201.00	-	-	-	-
165.00	168.00	3.00	R5	87.30	201.00	-	-	-	-
168.00	171.00	3.00	R5	0.13	0.20	-	-	-	-
171.00	174.00	3.00	R5	1.13	1.93	-	-	-	-
174.00	177.00	3.00	R5	2.04	8.05	-	-	-	-
177.00	180.00	3.00	R5	0.16	0.16	-	-	-	-
180.00	183.00	3.00	R5	0.14	0.20	-	-	-	-
183.00	186.00	3.00	R5	0.17	0.29	-	-	-	-
186.00	189.00	3.00	R5	0.19	0.32	-	-	-	-
189.00	192.00	3.00	R5	0.03	0.07	-	-	-	-
192.00	195.00	3.00	R5	0.07	0.11	-	-	-	-
195.00	198.00	3.00	R5	0.04	0.09	-	-	-	-
198.00	201.00	3.00	R5	0.13	0.29	-	-	-	-
201.00	204.00	3.00	R5	0.23	0.58	-	-	-	-
204.00	207.00	3.00	R5	5.32	26.00	-	-	-	-
207.00	210.00	3.00	R5	0.15	0.32	-	-	-	-
210.00	213.00	3.00	R5	0.28	0.58	-	-	-	-
213.00	216.00	3.00	R5	0.17	0.21	-	-	-	-
216.00	219.00	3.00	R5	0.13	0.20	-	-	-	-
219.00	222.00	3.00	R5	0.01	0.03	-	-	-	-
222.00	225.00	3.00		0.08	0.32	-	-	-	-
225.00	228.00	3.00		0.19	0.53	-	-	-	-
228.00	231.00	3.00		0.24	0.53	-	-	-	-
231.00	234.00	3.00		0.17	0.73	-	-	-	-
234.00	237.00	3.00		0.01	0.03	-	-	-	-
237.00	240.00	3.00		0.02	0.05	-	-	-	-
240.00	243.00	3.00		0.03	0.09	-	-	-	-



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-95
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 146.5538	Length: 7.00 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -50	Pulled: No	Claim No: Staked	Spotted by: T. Maciejewski
Length: 243.00 meters	Capped: Yes	NTS:	Coord Type: SUR
Started: 16-Aug-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 21-Aug-05		Level:	Surveyed Date: 25-Sep-05
Logged: 23-Aug-05		Coordinate - Gemcom	Logged by: A.P. Prysak
Wedged : No		East: 461498.76	Re-logged by:
Wedged from:	Core	North: 5679750.61	Water Source:
	Dimension: NQ	Elevation: 416.17	Water line:
	Original Units: M	UTM Zone: 15 (NAD27)	Left in hole: Nothing
	Storage: Cochenour Mine		Control Drilling:
			Cutting sampled: No
Target: mag anomaly			Geophysic:
Comments:			

<u>Deviation Tests</u>	<u>Deviation Tests</u>	<u>Deviation Tests</u>									
<i>Distance</i> <i>(m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>	<i>Distance</i> <i>(m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>	<i>Distance</i> <i>(m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
0.000	146.55	-55.00	X	48.000	147.71	-53.80	X	96.000	149.12	-52.91	X
3.000	146.75	-54.64	X	51.000	147.76	-53.71	X	99.000	149.29	-52.88	X
6.000	146.92	-54.55	X	54.000	147.79	-53.61	X	102.000	149.39	-52.84	X
9.000	146.98	-54.55	X	57.000	147.88	-53.48	X	105.000	149.45	-52.83	X
12.000	147.03	-54.50	X	60.000	148.00	-53.36	X	108.000	149.56	-52.82	X
15.000	147.05	-54.47	X	63.000	148.08	-53.28	X	111.000	149.69	-52.78	X
18.000	147.04	-54.43	X	66.000	148.18	-53.25	X	114.000	149.87	-52.73	X
21.000	147.15	-54.38	X	69.000	148.30	-53.22	X	117.000	150.03	-52.68	X
24.000	147.28	-54.32	X	72.000	148.44	-53.20	X	120.000	150.18	-52.63	X
27.000	147.34	-54.27	X	75.000	148.52	-53.17	X	123.000	150.34	-52.59	X
30.000	147.35	-54.20	X	78.000	148.62	-53.12	X	126.000	150.44	-52.50	X
33.000	147.39	-54.13	X	81.000	148.64	-53.08	X	129.000	150.55	-52.40	X
36.000	147.48	-54.06	X	84.000	148.78	-53.04	X	132.000	150.73	-52.33	X
39.000	147.60	-54.02	X	87.000	148.85	-53.02	X	135.000	150.88	-52.26	X
42.000	147.72	-53.98	X	90.000	148.93	-52.98	X	138.000	151.01	-52.22	X
45.000	147.71	-53.90	X	93.000	149.02	-52.94	X	141.000	151.15	-52.18	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-95
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
144.000	151.24	-52.13	X
147.000	151.34	-52.06	X
150.000	151.48	-52.02	X
153.000	151.64	-51.97	X
156.000	151.73	-51.89	X
159.000	151.84	-51.87	X
162.000	152.02	-51.83	X
165.000	152.21	-51.78	X
168.001	152.35	-51.73	X
171.000	152.44	-51.67	X
174.000	152.53	-51.59	X
177.000	152.63	-51.46	X
180.000	152.70	-51.29	X
183.000	152.74	-51.13	X
186.000	152.85	-51.01	X
189.000	152.99	-50.89	X
192.000	153.10	-50.80	X
195.000	153.29	-50.76	X
198.000	153.46	-50.66	X
201.000	153.65	-50.56	X
204.000	153.83	-50.52	X
207.000	153.98	-50.49	X
210.000	154.10	-50.46	X
213.000	154.25	-50.43	X
216.000	154.39	-50.40	X
219.000	154.52	-50.38	X
222.000	154.62	-50.37	X
225.000	154.67	-50.35	X
231.000	154.73	-50.28	X



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-95

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
0.00	7.00	(OB) OVERBURDEN									
7.00	44.70	(7B) FELDSPAR PORPHYRY									
		Grey to pale brown feldspar porphyry; weak to moderate fracturing and bleaching with 1-10 mm qtz veining; veins variable at 40-70 degrees tca. Annealed breccia fabric in minor intervals; several dark glassy bands with minor sericite and no feld phenos. Also several small dykes or inclusions	405234	9.50	10.50	1.00	0.01	<0.001	12		<input type="checkbox"/>
			405235	10.50	11.50	1.00	0.03	0.001	25		<input type="checkbox"/>
			405236	11.50	12.50	1.00	0.11	0.003	112		<input type="checkbox"/>
			405237	12.50	13.50	1.00	0.01	<0.001	11		<input type="checkbox"/>
		9.9-10.4: bleached and veined by qtz and diopside	405238	13.50	14.50	1.00	0.03	0.001	25		<input type="checkbox"/>
		25.3-25.45: mafic inclusion/ dyke at 62 degrees	405239	14.50	15.50	1.00	0.15	0.004	151		<input type="checkbox"/>
		31.5-32.3: black, weakly sericitic, aphyric section	405240	15.50	16.00	0.50	0.02	<0.001	17		<input type="checkbox"/>
		33.4-33.8: mafic, gabbroic inclusion/dyke; upper contact at 70, LC at 25 degrees tca	405241	16.00	17.00	1.00	0.01	<0.001	9		<input type="checkbox"/>
		38.6-39.4: Mafic, gabbroic inclusion/dyke; contacts are very irregular and crossed by foliation	405242	17.00	18.00	1.00	0.01	<0.001	8		<input type="checkbox"/>
		43.1-43.6: 25% qtz, diopside-calcite veining at 60 degrees	405243	18.00	19.00	1.00	0.03	0.001	30		<input type="checkbox"/>
			405244	19.00	20.00	1.00	0.02	0.001	21		<input type="checkbox"/>
			405245	20.00	21.00	1.00	0.02	0.001	20		<input type="checkbox"/>
			405246	21.00	22.00	1.00	0.02	0.001	19		<input type="checkbox"/>
			405247	22.00	23.00	1.00	0.01	<0.001	10		<input type="checkbox"/>
			405248	23.00	24.00	1.00	0.06	0.002	60		<input type="checkbox"/>
			405251	24.00	25.00	1.00	0.01	<0.001	9		<input type="checkbox"/>
			405252	25.00	26.00	1.00	0.04	0.001	41		<input type="checkbox"/>
			405253	26.00	27.00	1.00	0.06	0.002	57		<input type="checkbox"/>
			405254	27.00	28.00	1.00	0.02	<0.001	16		<input type="checkbox"/>
			405255	28.00	29.00	1.00	0.02	0.001	22		<input type="checkbox"/>
			405256	29.00	30.00	1.00	0.01	<0.001	13		<input type="checkbox"/>
			405257	30.00	31.00	1.00	0.03	0.001	26		<input type="checkbox"/>
			405258	31.00	32.00	1.00	0.02	0.001	18		<input type="checkbox"/>
			405259	32.00	33.00	1.00	0.01	<0.001	8		<input type="checkbox"/>
			405260	33.00	34.00	1.00	0.04	0.001	44		<input type="checkbox"/>
			405261	34.00	35.00	1.00	0.02	<0.001	17		<input type="checkbox"/>
			405262	35.00	36.00	1.00	0.02	<0.001	16		<input type="checkbox"/>
			405263	36.00	37.00	1.00	0.02	0.001	23		<input type="checkbox"/>
			405264	37.00	38.00	1.00	0.02	0.001	20		<input type="checkbox"/>
			405265	38.00	39.00	1.00	0.06	0.002	56		<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-95
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			405266	39.00	40.00	1.00	0.16	0.005	163	<input type="checkbox"/>	
			405267	40.00	41.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			405268	41.00	42.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405269	42.00	43.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405270	43.00	44.00	1.00	0.15	0.004	145	<input type="checkbox"/>	
			405271	44.00	45.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
44.70	50.70	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	405272	45.00	46.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
		Medium to fine grained, dark green mafic volcanic; very weak pervasive biotite alteration; minor carb with weakly bleached sections	405273	46.00	47.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
		46-47: chunky porphyry dyke; uneven contacts	405274	47.00	48.00	1.00	0.19	0.005	186	<input type="checkbox"/>	
			405275	48.00	49.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405276	49.00	50.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			405277	50.00	50.50	0.50	0.13	0.004	125	<input type="checkbox"/>	
50.70	51.40	(5B) OXIDE FACIES IRON FORMATION	405278	50.50	51.00	0.50	0.17	0.005	167	<input type="checkbox"/>	
		Cert-grunerite-magnetite formation; aprox. 60% black chert with magnetite, interbedded with green grunerite-magnetite beds with 5% po; minor sphalerite noted near upper contact and a few grains of stubby aspy; several 5mm garnet grains in one grunerite band	405279	51.00	51.50	0.50	0.31	0.009	313	<input type="checkbox"/>	
51.40	56.50	(1A) MASSIVE MAFIC VOLC	405280	51.50	52.10	0.60	0.02	0.001	22	<input type="checkbox"/>	
		Fine to medium grained, dark green mafic volcanic, massive, weakly foliated	405281	52.10	53.00	0.90	0.04	0.001	39	<input type="checkbox"/>	
		51.9-52.25: diopside-calcite vein at 35 degrees	405282	53.00	54.00	1.00	0.26	0.007	256	<input type="checkbox"/>	
		53.4-54.5: moderate carb-diopside alteration	405283	54.00	55.00	1.00	0.11	0.003	110	<input type="checkbox"/>	
		55.5, 8cm white QV at 45 deg.	405284	55.00	56.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405285	56.00	56.50	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	
56.50	58.30	(5S) SILICATE FACIES IRON FORMATION	405286	56.50	57.00	0.50	0.06	0.002	62	<input type="checkbox"/>	
		Grunerite-magnetite formation with minor dark blue-black chert bands, but not as abundant as above unit; several grun-mag beds with up to 40% magnetite.	405287	57.00	57.50	0.50	0.04	0.001	44	<input type="checkbox"/>	
			405288	57.50	58.00	0.50	0.27	0.008	274	<input type="checkbox"/>	
			405289	58.00	58.50	0.50	0.09	0.003	87	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-95

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
58.30	63.20	(1A) MASSIVE MAFIC VOLC Dark green, fine grained, massive mafic volcanic with 5% diopside veining to cm	405290	58.50	59.00	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	
			405291	59.00	60.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405292	60.00	61.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405293	61.00	62.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			405294	62.00	63.00	1.00	0.13	0.004	129	<input type="checkbox"/>	
63.20	65.30	(7B) FELDSPAR PORPHYRY Light brown, siliceous FP- sub volcanic unit; 15cm chunky porphyry dyke , 5cm off upper contact	405295	63.00	64.00	1.00	0.09	0.003	88	<input type="checkbox"/>	
			405296	64.00	65.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
65.30	73.10	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE Dark green, medium grained, masive to weakly foliated, hblid phyruc towards lower contact; minor calcite-diopside vein	405297	65.00	66.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			405298	66.00	67.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405301	67.00	68.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			405302	68.00	69.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			405303	69.00	70.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			405304	70.00	71.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
73.10	81.40	(7B) FELDSPAR PORPHYRY Grey, biotitic feldspar porphyry; lacks the silicification and brown biotite alteration common with the typical sub-volcanic unit, otherwise is the same genera	405305	71.00	72.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			405306	80.00	81.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
81.40	98.40	(1A) MASSIVE MAFIC VOLC Dark green, fine grained, massive mafic volcanics, fairly coarse and hblid phyruc to 88m. 91.5-92.1: silicified, brown FP 93-98.4: weak biotite bands, minor calcite and diopside veins to 2cm with minor po-py; possibly pillowed	405307	87.00	88.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
			405308	88.00	89.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			405309	89.00	90.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			405310	90.00	91.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			405311	91.00	92.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405312	92.00	93.00	1.00	0.13	0.004	127	<input type="checkbox"/>	
			405313	93.00	94.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			405314	94.00	95.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			405315	95.00	96.00	1.00	0.43	0.012	425	<input type="checkbox"/>	
			405316	96.00	97.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
405317	97.00	98.00	1.00	0.21	0.006	214	<input type="checkbox"/>				
405318	98.00	98.50	0.50	0.05	0.001	45	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-95
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
98.40	101.40	(7B) FELDSPAR PORPHYRY Brownish, siliceous FP, sub volcanic type	405319	98.50	99.00	0.50	0.02	0.001	18	<input type="checkbox"/>	
			405320	99.00	100.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			405321	100.00	101.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
101.40	107.70	(1P) PILLOWED FLOWS Dark green, amphibolite with bands of moderate biotite, possibly pillow selvages; 1-2cm qtz-calcite veins at 60 degrees; occassional diopside vein 103.8-104.6: dark grey biotitic diorite dike	405322	101.00	102.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			405323	102.00	103.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			405324	103.00	104.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
			405325	104.00	105.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405326	105.00	106.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			405327	106.00	107.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			405328	107.00	108.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
107.70	158.30	(7B) FELDSPAR PORPHYRY Light brown, siliceous porphyry with section lacking feld phenos and showing very tiny qtz eyes; minor diopside-calcite veining, 1-10cm, 30-40 degrees tca 109.9-110.4: mafic section with 10% diopside veins 125.5-130: 10% qtz-diopside-calcite veining to 5cm at 30-50 degrees tca 129-136.9: weakly qtz phyric phase, light brown to grey, weak sericite 137.9-138.2: 40% calcite-diopside veining 138-139.4: qtz phyric, weak sericite 153.8-154.2: mafic section with 30% diopside-calcite veining, 1% diss po 136.90 - 137.90 (7B) FELDSPAR PORPHYRY Chunky porphyry dyke at 45 degrees	405329	108.00	109.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405330	109.00	109.90	0.90	<0.01	<0.001	<5	<input type="checkbox"/>	
			405331	109.90	111.00	1.10	0.34	0.010	343	<input type="checkbox"/>	
			405332	111.00	112.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			405333	112.00	113.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			405334	113.00	114.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405335	114.00	115.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			405336	115.00	116.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			405337	116.00	117.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			405338	117.00	118.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			405339	118.00	119.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			405340	119.00	120.00	1.00	0.11	0.003	114	<input type="checkbox"/>	
			405341	120.00	121.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			405342	121.00	122.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			405343	122.00	123.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405344	123.00	124.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405345	124.00	125.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405346	125.00	126.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
405347	126.00	127.00	1.00	1.90	0.056	1904	<input type="checkbox"/>				
405348	127.00	128.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
405351	128.00	129.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
405352	129.00	130.00	1.00	0.05	0.001	51	<input type="checkbox"/>				
405353	130.00	131.00	1.00	0.01	<0.001	6	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-95
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			405354	137.80	138.30	0.50	0.01	<0.001	12	<input type="checkbox"/>	
			405355	138.30	139.00	0.70	0.01	<0.001	5	<input type="checkbox"/>	
			405356	139.00	140.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405357	145.00	146.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			405358	146.00	147.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			405359	147.00	148.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			405360	153.00	153.70	0.70	<0.01	<0.001	<5	<input type="checkbox"/>	
			405361	153.70	154.30	0.60	0.12	0.003	117	<input type="checkbox"/>	
			405362	154.30	155.00	0.70	0.03	0.001	25	<input type="checkbox"/>	
			405363	155.00	156.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			405364	156.00	157.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405365	157.00	158.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
158.30	161.70	(1) UNDIFF. MAFIC / UM VOLCANICS	405366	158.00	159.00	1.00	0.45	0.014	452	<input type="checkbox"/>	
		Dark green, fine grained mafic volcanic, weak biotite alteration, 10% diopside veining	405367	159.00	160.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
		161-161.5: 1-2% fine po	405368	160.00	161.00	1.00	0.18	0.005	178	<input type="checkbox"/>	
			405369	161.00	161.80	0.80	0.03	0.001	28	<input type="checkbox"/>	
161.70	186.50	(7B) FELDSPAR PORPHYRY	405370	161.80	162.30	0.50	0.01	<0.001	12	<input type="checkbox"/>	
		Light brown, siliceous, sub-volcanic porphyry, 1-2% qtz, qtz-cb-tour and 5% cal-diopside veining to 8cm. Streaks and patches of white microcline alteration, particularly marginal to qtz veins.	405371	171.00	172.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		177.7-179.9: 30% coarse diopside veining	405372	172.00	173.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		179.1-179.5L grey lamp/diorite dyke at 40 degrees	405373	177.00	177.60	0.60	0.05	0.001	48	<input type="checkbox"/>	
		181-185: grey, weakly foliated phase of porphyry; lacks silicification, brown biotite and microcline alteration.	405374	177.60	178.60	1.00	1.86	0.054	1859	<input type="checkbox"/>	
			405375	178.60	179.10	0.50	0.03	0.001	26	<input type="checkbox"/>	
			405376	179.10	179.60	0.50	0.07	0.002	73	<input type="checkbox"/>	
			405377	179.60	180.00	0.40	0.07	0.002	65	<input type="checkbox"/>	
			405378	180.00	181.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			405379	186.00	186.50	0.50	0.01	<0.001	13	<input type="checkbox"/>	
186.50	191.20	(1) UNDIFF. MAFIC / UM VOLCANICS	405380	186.50	187.50	1.00	0.11	0.003	112	<input type="checkbox"/>	
		Dark green, fine grained, massive flows, moderately veined by cal-diopside and weakly biotitized.	405381	187.50	188.50	1.00	0.03	0.001	25	<input type="checkbox"/>	
		Lower contact on 5cm calcite vein at 40 degrees tca	405382	188.50	189.50	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405383	189.50	190.50	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405384	190.50	191.20	0.70	0.03	0.001	26	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-95
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
191.20	209.90	(7B) FELDSPAR PORPHYRY Light brown, moderately siliceous porphyry; 2-3% skarn veins to 5cm, generally >1cm 195.6-195.9: grey diorite dyke 203-205.5: moderately foliated, weakly sericitic phase with small qtz eyes	405385	191.20	192.00	0.80	<0.01	<0.001	<5	<input type="checkbox"/>	
			405386	203.00	204.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405387	204.00	205.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405388	205.00	206.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405389	206.00	207.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405390	207.00	208.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405391	208.00	209.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			405392	209.00	210.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
209.90	214.40	(1) UNDIFF. MAFIC / UM VOLCANICS Dark green, fine grained, massive mafic volcanic 211.9: 8cm calcite vein with minor diopside 213.1-213.6: FP dyke at 52 degrees	405393	210.00	211.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			405394	211.00	212.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			405395	212.00	213.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405396	213.00	214.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
214.40	217.50	(7B) FELDSPAR PORPHYRY Grey to light brown porphyry; 10% mafic volcanic inclusions	405397	214.00	215.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			405398	215.00	216.00	1.00	0.14	0.004	141	<input type="checkbox"/>	
			405401	216.00	217.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			405402	217.00	218.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
217.50	227.20	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE Fine grained, dark green, massive flows to 220.2, then a medium grained, hbl'd phytic gabbroic section, moderately biotitized. 5% diopside veining to 220m.	405403	218.00	219.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
			405404	219.00	219.50	0.50	0.02	0.001	22	<input type="checkbox"/>	
			405405	219.50	220.00	0.50	0.07	0.002	69	<input type="checkbox"/>	
			405406	220.00	220.50	0.50	0.02	0.001	21	<input type="checkbox"/>	
			405407	220.50	221.00	0.50	0.01	<0.001	14	<input type="checkbox"/>	
			405408	221.00	222.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			405409	222.00	223.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405410	223.00	224.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			405411	224.00	225.00	1.00	0.23	0.007	234	<input type="checkbox"/>	
			405412	225.00	226.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			405413	226.00	227.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
227.20	243.00	(7B) FELDSPAR PORPHYRY Light brown siliceous porphyry. Light reddish-brown biotitization, weak microcline alteration predominantly along fractures, weak skarn type veining-1-2%, odd narrow biotite/amphibolite stringer or band presumably altered mafic dike? 241.75 - 243.00 highly altered, strong K-spar and silicification-possibly fault zone	405414	227.00	228.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405415	228.00	229.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405416	229.00	230.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			405417	230.00	231.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405418	231.00	232.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-95
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			405419	232.00	233.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			405420	233.00	234.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405421	234.00	235.00	1.00	0.16	0.005	155	<input type="checkbox"/>	
			405422	235.00	236.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405423	236.00	237.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405424	237.00	238.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405425	238.00	239.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405426	239.00	240.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405427	240.00	241.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405428	241.00	242.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405429	242.00	243.00	1.00	0.02	0.001	21	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-95
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
24.00	405249	1990	-	-	-	-	-	-	-	-	-	2.0	-	0.058	-	-
24.01	405250	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
67.00	405299	2057	-	-	-	-	-	-	-	-	-	2.1	-	0.060	-	-
67.01	405300	10	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
128.00	405349	2168	-	-	-	-	-	-	-	-	-	2.2	-	0.063	-	-
128.01	405350	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
216.00	405399	2094	-	-	-	-	-	-	-	-	-	2.1	-	0.061	-	-
216.01	405400	35	-	-	-	-	-	-	-	-	-	0.0	-	0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-95
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
7.00	9.00	2.00	R6	0.07	0.14	-	-	-	-
9.00	12.00	3.00	R6	0.01	0.05	-	-	-	-
12.00	15.00	3.00	R6	0.01	0.03	-	-	-	-
15.00	18.00	3.00	R6	0.04	0.10	-	-	-	-
18.00	21.00	3.00	R6	0.01	0.03	-	-	-	-
21.00	24.00	3.00	R6	0.08	0.18	-	-	-	-
24.00	27.00	3.00	R6	0.04	0.05	-	-	-	-
27.00	30.00	3.00	R6	0.20	0.07	-	-	-	-
30.00	33.00	3.00	R6	0.01	0.05	-	-	-	-
33.00	36.00	3.00	R5	0.04	0.21	-	-	-	-
36.00	39.00	3.00	R6	0.09	0.32	-	-	-	-
39.00	42.00	3.00	R6	0.13	0.42	-	-	-	-
42.00	45.00	3.00	R6	0.12	0.34	-	-	-	-
45.00	48.00	3.00	R5	0.26	0.31	-	-	-	-
48.00	51.00	3.00	R5	0.21	0.25	-	-	-	-
51.00	54.00	3.00	R5	5.50	25.40	-	-	-	-
54.00	57.00	3.00	R5	76.60	292.00	-	-	-	-
57.00	60.00	3.00	R5	117.00	308.00	-	-	-	-
60.00	63.00	3.00	R5	0.26	0.31	-	-	-	-
63.00	66.00	3.00	R5	0.09	0.20	-	-	-	-
66.00	69.00	3.00	R5	0.14	0.18	-	-	-	-
69.00	72.00	3.00	R6	0.20	0.25	-	-	-	-
72.00	75.00	3.00	R6	0.14	0.23	-	-	-	-
75.00	78.00	3.00	R6	0.68	1.15	-	-	-	-
78.00	81.00	3.00	R6	0.35	0.78	-	-	-	-
81.00	84.00	3.00	R5	0.20	0.62	-	-	-	-
84.00	87.00	3.00	R5	0.18	0.21	-	-	-	-
87.00	90.00	3.00	R5	0.45	1.53	-	-	-	-
90.00	93.00	3.00	R5	0.29	0.84	-	-	-	-
93.00	96.00	3.00	R5	0.33	1.13	-	-	-	-
96.00	99.00	3.00	R6	0.45	0.98	-	-	-	-
99.00	102.00	3.00	R5	0.09	0.23	-	-	-	-
102.00	105.00	3.00	R5	0.16	0.31	-	-	-	-
105.00	108.00	3.00	R6	0.10	0.14	-	-	-	-
108.00	111.00	3.00	R6	0.01	0.07	-	-	-	-
111.00	114.00	3.00	R6	0.04	0.09	-	-	-	-
114.00	117.00	3.00	R6	0.06	0.10	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-95
Project: PLANET EXPLORATION
Project Number: 800125

117.00	120.00	3.00	R6	0.03	0.07	-	-	-	-
120.00	123.00	3.00	R6	0.03	0.07	-	-	-	-
123.00	126.00	3.00	R6	0.02	0.05	-	-	-	-
126.00	129.00	3.00	R6	0.01	0.03	-	-	-	-
129.00	132.00	3.00	R6	0.02	0.03	-	-	-	-
132.00	135.00	3.00	R6	1.53	7.59	-	-	-	-
135.00	138.00	3.00	R6	0.02	0.09	-	-	-	-
138.00	141.00	3.00	R6	0.06	0.21	-	-	-	-
141.00	144.00	3.00	R6	0.02	0.05	-	-	-	-
144.00	147.00	3.00	R6	0.03	0.09	-	-	-	-
147.00	150.00	3.00	R6	0.03	0.07	-	-	-	-
150.00	153.00	3.00	R6	0.02	0.05	-	-	-	-
153.00	156.00	3.00	R6	0.07	0.12	-	-	-	-
156.00	159.00	3.00	R6	0.06	0.14	-	-	-	-
159.00	162.00	3.00	R5	0.12	0.18	-	-	-	-
162.00	165.00	3.00	R6	0.02	0.03	-	-	-	-
165.00	168.00	3.00	R6	0.04	0.07	-	-	-	-
168.00	171.00	3.00	R6	0.05	0.07	-	-	-	-
171.00	174.00	3.00	R6	0.00	0.01	-	-	-	-
174.00	177.00	3.00	R6	0.04	0.07	-	-	-	-
177.00	180.00	3.00	R5	0.06	0.12	-	-	-	-
180.00	183.00	3.00	R5	0.02	0.05	-	-	-	-
183.00	186.00	3.00	R5	0.03	0.07	-	-	-	-
186.00	189.00	3.00	R4	0.13	0.18	-	-	-	-
189.00	192.00	3.00	R5	0.33	1.24	-	-	-	-
192.00	195.00	3.00	R5	0.03	0.09	-	-	-	-
195.00	198.00	3.00	R5	0.04	0.09	-	-	-	-
198.00	201.00	3.00	R5	0.03	0.05	-	-	-	-
201.00	204.00	3.00	R5	0.03	0.10	-	-	-	-
204.00	207.00	3.00	R5	0.00	0.01	-	-	-	-
207.00	210.00	3.00	R5	0.05	0.07	-	-	-	-
210.00	213.00	3.00	R4	0.24	0.45	-	-	-	-
213.00	216.00	3.00	R5	0.12	0.27	-	-	-	-
216.00	219.00	3.00	R4	0.06	0.16	-	-	-	-
219.00	222.00	3.00	R4	0.10	0.10	-	-	-	-
222.00	225.00	3.00	R4	0.38	0.95	-	-	-	-
225.00	228.00	3.00	R4	0.06	0.10	-	-	-	-
228.00	231.00	3.00	R6	0.01	0.03	-	-	-	-
231.00	234.00	3.00	R6	0.01	0.05	-	-	-	-
234.00	237.00	3.00	R5	0.05	0.09	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-95
Project: PLANET EXPLORATION
Project Number: 800125

237.00	240.00	3.00	R5	0.02	1.00	-	-	-	-
240.00	243.00	3.00	R5	0.00	0.00	-	-	-	-



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-96
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>	<u>Casing</u>	<u>Location</u>	<u>Other</u>
Azimuth: 147.6186	Length: 7.50 meters	Township: COLI LAKE	Contractor: MAJOR DRILLING
Dip: -55	Pulled: No	Claim No: Staked	Spotted by: T. Maciejewski
Length: 267.00 meters	Capped: No	NTS:	Coord Type: SUR
Started: 21-Aug-05	Cemented: No	Surface Hole : Yes	Surveyed by: K. Pye
Completed: 24-Aug-05		Level:	Surveyed Date: 25-Sep-05
Logged: 25-Aug-05		Coordinate - Gemcom	Logged by: L.C. Chastko
Wedged : No		Coordinate - UTM	Re-logged by:
Wedged from:		Coordinate - Grid	Water Source:
	Core	East: 461709.87	Water line:
	Dimension: NQ	East: 461710	Left in hole: Nothing
	Original Units: M	North: 5680076.38	Control Drilling:
	Storage: Cochenour Mine	North: 5680076	Cutting sampled: No
		Elevation: 412.08	Geophysic:
		UTM Zone: 15 (NAD27)	
Target: 2005-P4B			
Comments:			

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	147.62	-50.00	X	48.000	147.21	-48.66	X	96.000	147.57	-47.97	X
3.000	147.55	-49.88	X	51.000	147.12	-48.52	X	99.000	147.62	-47.94	X
6.000	147.54	-49.86	X	54.001	147.06	-48.43	X	102.001	147.70	-47.91	X
9.000	147.53	-49.85	X	57.000	147.04	-48.33	X	105.000	147.82	-47.88	X
12.000	147.56	-49.77	X	60.000	147.03	-48.27	X	108.000	147.91	-47.86	X
15.000	147.52	-49.71	X	63.000	147.07	-48.23	X	111.000	147.93	-47.85	X
18.000	147.50	-49.64	X	66.000	147.13	-48.19	X	114.000	147.99	-47.84	X
21.000	147.46	-49.60	X	69.000	147.17	-48.14	X	117.000	148.06	-47.83	X
24.000	147.47	-49.55	X	72.000	147.17	-48.11	X	120.000	148.16	-47.82	X
27.000	147.52	-49.48	X	75.000	147.19	-48.08	X	123.000	148.19	-47.79	X
30.000	147.46	-49.38	X	78.000	147.28	-48.06	X	126.000	148.19	-47.79	X
33.000	147.33	-49.27	X	81.000	147.38	-48.06	X	129.000	148.25	-47.76	X
36.000	147.27	-49.12	X	84.000	147.40	-48.04	X	132.000	148.27	-47.76	X
39.000	147.20	-48.98	X	87.000	147.42	-48.02	X	135.000	148.36	-47.72	X
42.000	147.19	-48.89	X	90.000	147.48	-48.02	X	138.000	148.43	-47.69	X
45.000	147.22	-48.80	X	93.000	147.49	-48.02	X	141.000	148.42	-47.66	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-96
Project : PLANET EXPLOR
Project Number: 800125

Deviation Tests

<i>Distance</i> <i>(m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
144.000	148.49	-47.65	X
147.000	148.51	-47.60	X
150.001	148.50	-47.52	X
153.000	148.58	-47.46	X
156.000	148.72	-47.42	X
159.000	148.69	-47.37	X
162.000	148.68	-47.33	X
165.000	148.75	-47.29	X
168.000	148.77	-47.25	X
171.000	148.83	-47.20	X
174.000	148.83	-47.22	X
177.000	148.87	-47.18	X
180.000	148.89	-47.18	X
183.000	149.01	-47.16	X
186.000	149.18	-47.17	X
189.000	149.36	-47.19	X
192.000	149.53	-47.23	X
195.000	149.74	-47.23	X
198.000	149.92	-47.25	X
201.001	149.99	-47.25	X
204.000	150.11	-47.21	X
207.000	150.19	-47.15	X
210.000	150.28	-47.10	X
213.000	150.33	-47.06	X
216.000	150.43	-47.02	X
219.000	150.58	-46.98	X
222.000	150.67	-46.92	X
225.000	150.80	-46.87	X
228.000	150.86	-46.80	X
231.000	150.97	-46.74	X
234.000	151.08	-46.70	X
237.000	151.19	-46.65	X
240.000	151.25	-46.66	X
243.000	151.31	-46.72	X
246.000	151.33	-46.76	X

Deviation Tests

<i>Distance</i> <i>(m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
249.001	151.45	-46.75	X
252.000	151.57	-46.73	X
255.000	151.62	-46.72	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-96
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	7.50	(OB) OVERBURDEN Casing									
7.50	13.15	(7B) FELDSPAR PORPHYRY sub volcanic type light mottled brown- light biotitization, generally finely plag phyruc with sheared aphyruc sections, moderately sheared and foliated at 60 to CA, traces py po as disseminated and occassional weak fine stringers 10.70 - 11.20 mafic dike, sheared gabbro? 5-8% diopside veining	405430 405431 405432 405433 405434 405435	7.50 8.00 9.00 10.00 11.00 12.00	8.00 9.00 10.00 11.00 12.00 13.00	0.50 1.00 1.00 1.00 1.00 1.00	<0.01 <0.01 0.01 0.05 0.07 0.01	<0.001 <0.001 <0.001 0.002 0.002 <0.001	<5 <5 10 52 68 8	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
13.15	17.20	(6G) GABBRO dark green, medium grained, weakly-moderately foliated at 60 to CA, weakly biotitic 5-8% porphyritic sections traces pypo	405436 405437 405438 405439	13.00 14.00 15.00 16.00	14.00 15.00 16.00 17.00	1.00 1.00 1.00 1.00	<0.01 <0.01 <0.01 <0.01	<0.001 <0.001 <0.001 <0.001	<5 <5 <5 <5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
17.20	24.75	(7B) FELDSPAR PORPHYRY sub volcanic type medium brown due to fine biotitization, finely porphyritic to siliceous aphyric sections. Minor K-spar alteration along fractures, 5% skarn/diopside veining. 1% white quartz veining-planar, weakly sericitic several narrow mafic gabbroic dikes	405440 405441 405442 405443 405444 405445 405446 405447	17.00 18.00 19.00 20.00 21.00 22.00 23.00 24.00	18.00 19.00 20.00 21.00 22.00 23.00 24.00 25.00	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	0.01 0.01 0.01 0.17 0.01 0.02 0.01 0.01	<0.001 <0.001 <0.001 0.005 <0.001 <0.001 <0.001 <0.001	12 8 11 169 9 16 9 11	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
24.75	39.10	(1) UNDIFF. MAFIC / UM VOLCANICS dark green, fine grained grading to medium grained - possibly gabbroic dike in part, varies from weakly foliated to weakly banded, streaks and bands of brown biotite locally traces pypo 27.80 - 28.00 highly siliceous band 28.15 - 28.70 quartz-tourmaline stringer	405448 405451 405452 405453 405454 405455 405456 405457	25.00 26.00 27.00 28.00 29.00 30.00 31.00 32.00	26.00 27.00 28.00 29.00 30.00 31.00 32.00 33.00	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	0.04 0.47 0.28 0.12 0.04 0.01 0.02 0.01	0.001 0.014 0.008 0.003 0.001 <0.001 <0.001 <0.001	41 474 275 119 36 8 17 11	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-96

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			405458	33.00	34.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405459	34.00	35.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405460	35.00	36.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			405461	36.00	37.00	1.00	0.12	0.003	118	<input type="checkbox"/>	
			405462	37.00	38.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405463	38.00	39.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
39.10	65.10	(7B) FELDSPAR PORPHYRY	405464	39.00	40.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
		sub volcanic type	405465	40.00	41.00	1.00	0.17	0.005	168	<input type="checkbox"/>	
		variable light grey to medium brown biotitized irregular bands, locally finely plagiophytic to aphyric, mostly with fine dark quartz metacrysts, local white 1-2 mm blades silliminite in irregular patches, overall has the appearance of a sheared fragmental or breccia, foliation and crude banding at 55-60 to CA	405466	41.00	42.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
		moderately sheared and foliated at 55 to CA, moderately sericitic, minor local white 1-2 mm blades silliminite?	405467	42.00	43.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
		39.55 - 39.80 white quartz vein, 5% black tourmaline	405468	43.00	44.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
		39.10 - 46.50 weakly sericitic	405469	44.00	45.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
		46.50 - 56.00 moderately sericitic, fine dark quartz metacrysts	405470	45.00	46.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		weak 1% disseminated to occasional weak stringers py, occasional stubby ASPY	405471	46.00	47.00	1.00	0.13	0.004	126	<input type="checkbox"/>	
		50.00 and down 2-4% fine biotite flecks and clots	405472	47.00	48.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
			405473	48.00	49.00	1.00	3.70	0.108	3699	<input type="checkbox"/>	
			405474	49.00	50.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			405475	50.00	51.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405476	51.00	52.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405477	52.00	53.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			405478	53.00	54.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			405479	54.00	55.00	1.00	0.11	0.003	105	<input type="checkbox"/>	
			405480	55.00	56.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			405481	56.00	57.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			405482	57.00	58.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			405483	58.00	59.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			405484	59.00	60.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405485	60.00	61.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405486	61.00	62.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			405487	62.00	63.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			405488	63.00	64.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			405489	64.00	65.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-96
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
65.10	67.05	(6G) GABBRO dark green, fine-medium grained, relatively massive to wakly foliated at 55-60 to CA, sharp conformable contacts, weakly fractured traces pyro occasional cpy	405490	65.00	66.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405491	66.00	67.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
67.05	75.25	(7B) FELDSPAR PORPHYRY SHMS irregularly banded light grey-buff and brownish, fine grained with fine dark quartz metacrysts, moderately sericitic, moderately sheared and foliated generally at 55 to CA-varies 45-60., 2-3% fine quartz veining overall 2-5% py>>po with local sections up to 30% over .3 meters, occurring as fine euhedral disseminated to irregular net stringers	405492	67.00	68.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			405493	68.00	69.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			405494	69.00	70.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405495	70.00	71.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			405496	71.00	72.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			405497	72.00	73.00	1.00	0.14	0.004	136	<input type="checkbox"/>	
			405498	73.00	74.00	1.00	0.13	0.004	132	<input type="checkbox"/>	
			405501	74.00	75.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			405502	75.00	76.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
			405503	76.00	77.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
75.25	94.80	(7B) FELDSPAR PORPHYRY BX sub volcanic porphyry breccia with 10-15% irregular mafic biotitic clasts and bands, porphyry varies from fine plagiophytic to glassy siliceous phases with fine dark quartz metacrysts, brownish color due to fine biotite, 1-3% skarn/diopside veins traces to locally weak- 1% fine py>>po crude banding and moderate foliation at 55 to CA but locally varies from 40 to 60 to CA	405504	77.00	78.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			405505	78.00	79.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			405506	79.00	80.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			405507	80.00	81.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405508	81.00	82.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			405509	82.00	83.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405510	83.00	84.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405511	84.00	85.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			405512	85.00	86.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			405513	86.00	87.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405514	87.00	88.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405515	88.00	89.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			405516	89.00	90.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			405517	90.00	91.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			405518	91.00	92.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			405519	92.00	93.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			405520	93.00	94.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
405521	94.00	95.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-96
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
94.80	96.60	(6G) GABBRO dark green, fine grained, relatively massive to weakly foliated, weakly biotitic,, sharp distinct contacts-conformable	405522	95.00	96.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405523	96.00	97.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
96.60	98.37	(7B) FELDSPAR PORPHYRY BX similar to above	405524	97.00	98.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
98.37	99.70	(1) UNDIFF. MAFIC / UM VOLCANICS Amhibole-biotite-gamet schist, 1-3% scatered garnets,weak to moderate carbonate veining locally, overall 2% pypo in irregularly distributed stringers, moderately foliated at 55 to CA	405525	98.00	99.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			405526	99.00	100.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
99.70	119.25	(1) UNDIFF. MAFIC / UM VOLCANICS moderately to highly altered irregular banded to patchy greens and browns, variably biotitized, amphibolitized, irregular lighter green diopside veins and layers-2-4%, weak disseminated pypo <1%	405527	100.00	101.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405528	101.00	102.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			405529	102.00	103.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405530	103.00	104.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405531	104.00	105.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			405532	105.00	106.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			405533	106.00	107.00	1.00	0.12	0.003	116	<input type="checkbox"/>	
			405534	107.00	108.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			405535	108.00	109.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405536	109.00	110.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			405537	110.00	111.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
			405538	111.00	112.00	1.00	0.12	0.003	117	<input type="checkbox"/>	
			405539	112.00	113.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405540	113.00	114.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
405541	114.00	115.00	1.00	0.02	<0.001	16	<input type="checkbox"/>				
405542	115.00	116.00	1.00	0.13	0.004	130	<input type="checkbox"/>				
405543	116.00	117.00	1.00	0.04	0.001	35	<input type="checkbox"/>				
405544	117.00	118.00	1.00	0.10	0.003	97	<input type="checkbox"/>				



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-96

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
119.25	138.10	(7B) FELDSPAR PORPHYRY sub volcanic type irregular medium brownish-fine biotitic with 15% buffish irregular patches and fine streaks sericite/silliminite, generally fine grained aphyric with local fine plagiophytic sections, 2-4% 1-3 cm diopside rich skarn veining, overall weak to locally moderate shearing and foliation at 50-55 to CA, weakly carbonatized, weak k-spar alteration generally centered along fractures traces disseminated py>po	405545	118.00	119.00	1.00	0.07	0.002	73	<input type="checkbox"/>	
			405546	119.00	120.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			405547	120.00	121.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405548	121.00	122.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405551	122.00	123.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			405552	123.00	124.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			405553	124.00	125.00	1.00	0.07	0.002	70	<input type="checkbox"/>	
			405554	125.00	126.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405555	126.00	127.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405556	127.00	128.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405557	128.00	129.00	1.00	0.06	0.002	64	<input type="checkbox"/>	
			405558	129.00	130.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405559	130.00	131.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405560	131.00	132.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405561	132.00	133.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405562	133.00	134.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405563	134.00	135.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405564	135.00	136.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
405565	136.00	137.00	1.00	0.03	0.001	31	<input type="checkbox"/>				
405566	137.00	138.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
138.10	142.40	(1) UNDIFF. MAFIC / UM VOLCANICS dark green, fine grained with 10% light green diopside veining, irregular brown biotitic patches, similar to before 138.70 - 139.42 porphyry band 142.30 - 142.40 Fault late brittle 10% calcite, crumbly 142.30 - 142.40 (FLT) FAULT	405567	138.00	139.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405568	139.00	140.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405569	140.00	141.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			405570	141.00	142.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
142.40	147.65	(7B) FELDSPAR PORPHYRY sub volcanic type, similar to before, 3% late quartz veining at low angle 10% diopside rich veining 147.00 - 147.65 4% py>po stringers	405571	142.00	143.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			405572	143.00	144.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
			405573	144.00	145.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405574	145.00	146.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405575	146.00	147.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405576	147.00	148.00	1.00	0.22	0.007	223	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-96
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
147.65	148.13	(7B) FELDSPAR PORPHYRY chunky porphyry dike, massive. Fresh, 10-15% feldspar phenos, sharp contacts at 55 to CA									
148.13	148.95	(1) UNDIFF. MAFIC / UM VOLCANICS similar to before, 10-15% diopside	405577	148.00	149.00	1.00	0.02	0.001	22		<input type="checkbox"/>
148.95	155.90	(7B) FELDSPAR PORPHYRY sub volcanic porphyry similar to before	405578	149.00	150.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			405579	150.00	151.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			405580	151.00	152.00	1.00	0.03	0.001	26		<input type="checkbox"/>
			405581	152.00	153.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			405582	153.00	154.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			405583	154.00	155.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			405584	155.00	156.00	1.00	0.01	<0.001	6		<input type="checkbox"/>
155.90	159.85	(1) UNDIFF. MAFIC / UM VOLCANICS similar to before, moderately biotitized	405585	156.00	157.00	1.00	0.01	<0.001	14		<input type="checkbox"/>
			405586	157.00	158.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			405587	158.00	159.00	1.00	0.05	0.001	50		<input type="checkbox"/>
			405588	159.00	160.00	1.00	0.01	<0.001	7		<input type="checkbox"/>
159.85	166.95	(7B) FELDSPAR PORPHYRY sub volcanic porphyry - strongly altered strongly bleached, silicified, glassy, fractured, local orange alteration along fractures 160.75 - 161.00 10-15 cm semi massive py, 10cm highly silicified lower contact, possibly fault zone at 60 to CA	405589	160.00	161.00	1.00	0.24	0.007	240		<input type="checkbox"/>
			405590	161.00	162.00	1.00	0.03	0.001	29		<input type="checkbox"/>
			405591	162.00	163.00	1.00	0.03	0.001	33		<input type="checkbox"/>
			405592	163.00	164.00	1.00	0.08	0.002	80		<input type="checkbox"/>
			405593	164.00	165.00	1.00	0.02	0.001	23		<input type="checkbox"/>
			405594	165.00	166.00	1.00	0.02	0.001	24		<input type="checkbox"/>
			405595	166.00	167.00	1.00	0.02	<0.001	15		<input type="checkbox"/>
166.95	170.83	(1) UNDIFF. MAFIC / UM VOLCANICS altered mafics, moderately biotitic, minor carbonate, 5-8% py>> po stringers-irregular, minor boudenaged quartz, 5% porphyry inclusions, 5% diopside rich veins with minor carbonate	405596	167.00	168.00	1.00	0.02	0.001	24		<input type="checkbox"/>
			405597	168.00	169.00	1.00	0.05	0.001	54		<input type="checkbox"/>
			405598	169.00	170.00	1.00	0.35	0.010	353		<input type="checkbox"/>
			405601	170.00	171.00	1.00	0.27	0.008	271		<input type="checkbox"/>
		169.40 - 169.80 (7B) FELDSPAR PORPHYRY chunky porphyry dike-fresh									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-96
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
170.83	176.72	(7B) FELDSPAR PORPHYRY sub volcanic type, altered upper contact brecciated, cemented strong orange alteration overall moderately bleached, fractured, lightly biotitized, weak to moderate k-spar alteration	405602	171.00	172.00	1.00	0.26	0.008	259	<input type="checkbox"/>	
			405603	172.00	173.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			405604	173.00	174.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			405605	174.00	175.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405606	175.00	176.00	1.00	0.12	0.003	118	<input type="checkbox"/>	
			405607	176.00	177.00	1.00	0.12	0.003	115	<input type="checkbox"/>	
176.72	187.00	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE possibly mafic volcanics dark green with brown biotitic streaks irregular weak foliation indicates folding, lower section quite massive unit is locally moderately magnetic-magnetite and mineralized with 2-4% fine py>po traces cpy, 2% white quartz veining-late, 1-25 fine carbonate stringers	405608	177.00	178.00	1.00	0.10	0.003	96	<input type="checkbox"/>	
			405609	178.00	179.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			405610	179.00	180.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			405611	180.00	181.00	1.00	-	-	-	<input type="checkbox"/>	no sample received at lab
			405612	181.00	182.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			405613	182.00	183.00	1.00	0.08	0.002	84	<input type="checkbox"/>	
			405614	183.00	184.00	1.00	0.20	0.006	198	<input type="checkbox"/>	
			405615	184.00	185.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			405616	185.00	186.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
			405617	186.00	187.00	1.00	0.14	0.003	135	<input type="checkbox"/>	
187.00	210.00	(7B) FELDSPAR PORPHYRY sub volcanic type light brown -fine light biotite with buffis streaks an paches of sericite and minor sillimenite blades, finely plag phyric to locally aphyric sheared sections, weak fine quartz veining 202.00 - 202.50 30% late quartz vein 204.50 - 210.00 15% skamy diopside rich veins overall moderately sheared and foliated at 50-55 to CA	405618	187.00	188.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			405619	188.00	189.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405620	189.00	190.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405621	190.00	191.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405622	191.00	192.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405623	192.00	193.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405624	193.00	194.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			405625	194.00	195.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			405626	195.00	196.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405627	196.00	197.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			405628	197.00	198.00	1.00	0.08	0.002	81	<input type="checkbox"/>	
			405629	198.00	199.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			405630	199.00	200.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			405631	200.00	201.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			405632	201.00	202.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-96
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			405633	202.00	203.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405634	203.00	204.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405635	204.00	205.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405636	205.00	206.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405637	206.00	207.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405638	207.00	208.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			405639	208.00	209.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405640	209.00	210.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
210.00	213.15	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	405641	210.00	211.00	1.00	0.13	0.004	128	<input type="checkbox"/>	
		mafic volcanics-similar to above, weakly to moderately magnetic, 2% magnetite, 5% fine sheeted carbonate stringers, traces pypo	405642	211.00	212.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			405643	212.00	213.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
213.15	218.00	(7B) FELDSPAR PORPHYRY	405644	213.00	214.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
		sub volcanic type	405645	214.00	215.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		similar to before	405646	215.00	216.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405647	216.00	217.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405648	217.00	218.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
218.00	221.00	(5S) SILICATE FACIES IRON FORMATION	405651	218.00	219.00	1.00	0.20	0.006	197	<input type="checkbox"/>	
		crudely to finely banded 40% dark green amphibolite, 20% grunerite and diopside, 10% finely banded magnetite locally concentrated, 5% chert, 2-3% fine stringers pypo occasional cpy	405652	219.00	220.00	1.00	1.35	0.039	1349	<input type="checkbox"/>	
		crude banding, fine banding and foliation at 55-60 to CA	405653	220.00	221.00	1.00	0.68	0.020	678	<input type="checkbox"/>	
221.00	223.10	(1) UNDIFF. MAFIC / UM VOLCANICS	405654	221.00	222.00	1.00	0.37	0.011	373	<input type="checkbox"/>	
		dark green fine grained	405655	222.00	223.00	1.00	0.06	0.002	63	<input type="checkbox"/>	
223.10	267.00	(7B) FELDSPAR PORPHYRY	405656	223.00	224.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		sub volcanic type	405657	224.00	225.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		lightly biotitized varies from finely porphyritic to aphyric sections, weakly sericitized, weak k-spar alteration, 5-10% diopside+/-calcite veinig, generally moderately sheared and foliated at 50 to CA-somewhat variable	405658	225.00	226.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			405659	226.00	227.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-96
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
	259.84 - 261.04	(6A) DIORITE	405660	227.00	228.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
	dark, fine grained, fresh, sharp contacts		405661	228.00	229.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			405662	229.00	230.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			405663	230.00	231.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			405664	231.00	232.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			405665	232.00	233.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			405666	233.00	234.00	1.00	0.79	0.023	785	<input type="checkbox"/>	
			405667	234.00	235.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			405668	235.00	236.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			405669	236.00	237.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405670	237.00	238.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405671	238.00	239.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405672	239.00	240.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405673	240.00	241.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405674	241.00	242.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405675	242.00	243.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405676	243.00	244.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405677	244.00	245.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405678	245.00	246.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405679	246.00	247.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405680	247.00	248.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405681	248.00	249.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405682	249.00	250.00	1.00	0.02	<0.001	21	<input type="checkbox"/>	
			405683	250.00	251.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405684	251.00	252.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405685	252.00	253.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405686	253.00	254.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405687	254.00	255.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			405688	255.00	256.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			405689	256.00	257.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			405690	257.00	258.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405691	258.00	259.00	1.00	0.15	0.004	153	<input type="checkbox"/>	
			405692	259.00	260.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405693	260.00	261.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405694	261.00	262.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-96
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			405695	262.00	263.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405696	263.00	264.00	1.00	0.11	0.003	111	<input type="checkbox"/>	
			405697	264.00	265.00	1.00	0.05	0.002	52	<input type="checkbox"/>	
			405698	265.00	266.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
			405701	266.00	267.00	1.00	0.03	0.001	31	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-96
Project PLANET EXPLORATIO
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Cu</i> (ppm)	<i>Pt</i> (ppb)	<i>Ni</i> (%)	<i>Cu</i> (%)	<i>Ni</i> (ppm)	<i>Pd</i> (ppb)	<i>Zn</i> (%)	<i>Ag</i> (ppm)	<i>Pb</i> (%)	<i>Au</i> (g/t)	<i>Rh</i> (ppb)	<i>Au</i> (Oz/t)	<i>Zn</i> (ppm)	<i>S</i> (%)
26.00	405449	1851	-	-	-	-	-	-	-	-	-	1.9	-	0.054	-	-
26.01	405450	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
74.00	405499	2227	-	-	-	-	-	-	-	-	-	2.2	-	0.065	-	-
74.01	405500	15	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
122.00	405549	1953	-	-	-	-	-	-	-	-	-	2.0	-	0.057	-	-
122.01	405550	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
170.00	405599	2121	-	-	-	-	-	-	-	-	-	2.1	-	0.062	-	-
170.01	405600	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
218.00	405649	1949	-	-	-	-	-	-	-	-	-	1.9	-	0.057	-	-
218.01	405650	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
266.00	405699	2107	-	-	-	-	-	-	-	-	-	2.1	-	0.061	-	-
266.01	405700	9	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-96
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
7.50	9.00	1.50	R5	0.05	0.12	-	-	-	-
9.00	12.00	3.00	R5	0.01	0.03	-	-	-	-
12.00	15.00	3.00	R5	0.06	0.12	-	-	-	-
15.00	18.00	3.00	R5	0.07	0.12	-	-	-	-
18.00	21.00	3.00	R5	0.11	0.38	-	-	-	-
21.00	24.00	3.00	R5	0.06	0.14	-	-	-	-
24.00	27.00	3.00	R5	0.13	0.31	-	-	-	-
27.00	30.00	3.00	R5	0.94	2.70	-	-	-	-
30.00	33.00	3.00	R5	0.32	0.47	-	-	-	-
33.00	36.00	3.00	R5	0.20	0.31	-	-	-	-
36.00	39.00	3.00	R4	0.77	2.90	-	-	-	-
39.00	42.00	3.00	R5	0.32	0.76	-	-	-	-
42.00	45.00	3.00	R5	0.11	0.21	-	-	-	-
45.00	48.00	3.00	R5	0.05	0.07	-	-	-	-
48.00	51.00	3.00	R5	0.06	0.14	-	-	-	-
51.00	54.00	3.00	R4	0.19	0.69	-	-	-	-
54.00	57.00	3.00	R5	0.42	1.66	-	-	-	-
57.00	60.00	3.00	R5	0.07	0.16	-	-	-	-
60.00	63.00	3.00	R5	0.09	0.36	-	-	-	-
63.00	66.00	3.00	R5	0.17	0.27	-	-	-	-
66.00	69.00	3.00	R5	0.13	0.23	-	-	-	-
69.00	72.00	3.00	R5	0.10	0.21	-	-	-	-
72.00	75.00	3.00	R5	0.76	1.81	-	-	-	-
75.00	78.00	3.00	R5	0.67	2.43	-	-	-	-
78.00	81.00	3.00	R5	0.06	0.20	-	-	-	-
81.00	84.00	3.00	R5	0.14	0.67	-	-	-	-
84.00	87.00	3.00	R5	0.05	0.16	-	-	-	-
87.00	90.00	3.00	R5	0.04	0.10	-	-	-	-
90.00	93.00	3.00	R5	0.21	0.91	-	-	-	-
93.00	96.00	3.00	R5	0.08	0.16	-	-	-	-
96.00	99.00	3.00	R4	0.39	1.39	-	-	-	-
99.00	102.00	3.00	R4	0.35	0.73	-	-	-	-
102.00	105.00	3.00	R4	0.11	0.21	-	-	-	-
105.00	108.00	3.00	R4	0.14	0.29	-	-	-	-
108.00	111.00	3.00	R4	0.27	0.96	-	-	-	-
111.00	114.00	3.00	R4	0.43	0.95	-	-	-	-
114.00	117.00	3.00	R4	1.22	5.27	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-96
Project: PLANET EXPLORATION
Project Number: 800125

117.00	120.00	3.00	R4	0.26	0.71	-	-	-	-
120.00	123.00	3.00	R5	0.10	0.03	-	-	-	-
123.00	126.00	3.00	R5	0.02	0.07	-	-	-	-
126.00	129.00	3.00	R5	0.10	0.03	-	-	-	-
129.00	132.00	3.00	R5	0.00	0.00	-	-	-	-
132.00	135.00	3.00	R5	0.00	0.01	-	-	-	-
135.00	138.00	3.00	R5	0.00	0.01	-	-	-	-
138.00	141.00	3.00	R4	0.34	0.93	-	-	-	-
141.00	144.00	3.00	R4	0.51	1.62	-	-	-	-
144.00	147.00	3.00	R5	0.09	0.21	-	-	-	-
147.00	150.00	3.00	R4	0.18	0.31	-	-	-	-
150.00	153.00	3.00	R5	0.07	0.16	-	-	-	-
153.00	156.00	3.00	R5	0.02	0.09	-	-	-	-
156.00	159.00	3.00	R4	0.15	0.27	-	-	-	-
159.00	162.00	3.00	R4	0.06	0.12	-	-	-	-
162.00	165.00	3.00	R6	0.00	0.00	-	-	-	-
165.00	168.00	3.00	R4	0.07	0.21	-	-	-	-
168.00	171.00	3.00	R4	1.43	5.94	-	-	-	-
171.00	174.00	3.00	R5	0.02	0.12	-	-	-	-
174.00	177.00	3.00	R5	19.30	96.10	-	-	-	-
177.00	180.00	3.00	R5	16.80	33.40	-	-	-	-
180.00	183.00	3.00	R4	2.69	7.50	-	-	-	-
183.00	186.00	3.00	R4	7.78	23.00	-	-	-	-
186.00	189.00	3.00	R6	4.07	16.30	-	-	-	-
189.00	192.00	3.00	R5	0.00	0.01	-	-	-	-
192.00	195.00	3.00	R5	0.02	0.05	-	-	-	-
195.00	198.00	3.00	R5	0.03	0.07	-	-	-	-
198.00	201.00	3.00	R5	0.00	0.00	-	-	-	-
201.00	204.00	3.00	R5	0.00	0.01	-	-	-	-
204.00	207.00	3.00	R5	0.03	0.14	-	-	-	-
207.00	210.00	3.00	R5	0.04	0.14	-	-	-	-
210.00	213.00	3.00	R5	4.48	15.60	-	-	-	-
213.00	216.00	3.00	R6	0.45	1.77	-	-	-	-
216.00	219.00	3.00	R6	0.13	0.47	-	-	-	-
219.00	222.00	3.00	R5	0.82	2.83	-	-	-	-
222.00	225.00	3.00	R5	0.30	0.89	-	-	-	-
225.00	228.00	3.00	R5	0.00	0.00	-	-	-	-
228.00	231.00	3.00	R5	0.00	0.00	-	-	-	-
231.00	234.00	3.00	R6	0.00	0.01	-	-	-	-
234.00	237.00	3.00	R6	0.00	0.01	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-96
Project: PLANET EXPLORATION
Project Number: 800125

237.00	240.00	3.00	R6	0.00	0.03	-	-	-	-
240.00	243.00	3.00	R6	0.01	0.07	-	-	-	-
243.00	246.00	3.00	R6	0.02	0.10	-	-	-	-
246.00	249.00	3.00	R6	0.00	0.03	-	-	-	-
249.00	252.00	3.00	R6	1.43	7.06	-	-	-	-
252.00	255.00	3.00	R6	0.00	0.03	-	-	-	-
255.00	258.00	3.00	R6	0.25	1.22	-	-	-	-
258.00	261.00	3.00	R5	1.48	3.64	-	-	-	-
261.00	264.00	3.00	R6	0.08	0.34	-	-	-	-
264.00	267.00	3.00	R6	0.00	0.00	-	-	-	-



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-97
Project : PLANET EXPLORATIO
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>		
Azimuth:	118.7186	Length:	40.00 meters	Township:	COLI LAKE	Contractor:	MAJOR DRILLING		
Dip:	-65	Pulled:	No	Claim No:	Staked	Spotted by:	A.P. Pyslak		
Length:	321.00 meters	Capped:	Yes	NTS:		Coord Type:	SUR		
Started:	26-Aug-05	Cemented:	No	Surface Hole :	Yes	Surveyed by:	K. Pye		
Completed:	31-Aug-05			Level:		Surveyed Date:	25-Sep-05		
Logged:	01-Sep-05	<u>Core</u>		Coordinate- Gemcom	Coordinate - UTM	Coordinate- Grid	Logged by:	L.C. Chastko	
Wedged :	No	Dimension:	NQ	East:	458991.31	East:	458991	Re-logged by:	
Wedged from:		Original Units:	M	North:	5678081.77	North:	5678082	Water Source:	
		Storage:	Cochenour Mine	Elevation:	414.45	Elevation:	414	Water line:	
						UTM Zone:	15 (NAD 27)	Left in hole:	Nothing
Target:	2005-PB4					Grid Name:		Control Drilling:	
Comments:								Cutting sampled:	No
								Geophysical:	

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance	Azimuth	Dip	Type	Distance	Azimuth	Dip	Type	Distance	Azimuth	Dip	Type
(m)				(m)				(m)			
0.000	118.72	-65.00	X	48.000	118.98	-65.12	X	96.000	121.19	-64.43	X
3.000	118.77	-65.24	X	51.001	119.12	-65.04	X	99.000	121.53	-64.37	X
6.000	119.01	-65.16	X	54.000	119.24	-64.95	X	102.001	121.78	-64.28	X
9.000	119.25	-64.96	X	57.000	119.39	-64.87	X	105.000	122.02	-64.22	X
12.000	119.31	-64.81	X	60.000	119.52	-64.83	X	108.000	122.27	-64.21	X
15.000	119.45	-64.85	X	63.000	119.62	-64.78	X	111.000	122.48	-64.19	X
18.000	119.46	-65.01	X	66.000	119.69	-64.73	X	114.000	122.71	-64.18	X
21.000	119.28	-65.14	X	69.000	119.74	-64.70	X	117.000	122.89	-64.15	X
24.000	118.96	-65.35	X	72.000	119.83	-64.69	X	120.000	123.08	-64.12	X
27.000	118.57	-65.64	X	75.000	119.98	-64.64	X	123.000	123.25	-64.09	X
30.000	118.30	-65.78	X	78.000	120.12	-64.59	X	126.000	123.39	-64.09	X
33.000	118.18	-65.67	X	81.000	120.16	-64.56	X	129.000	123.60	-64.06	X
36.000	118.33	-65.50	X	84.000	120.35	-64.53	X	132.000	123.76	-64.02	X
39.000	118.45	-65.37	X	87.000	120.56	-64.51	X	135.000	123.89	-64.01	X
42.000	118.62	-65.27	X	90.000	120.78	-64.48	X	138.000	124.01	-64.02	X
45.000	118.85	-65.21	X	93.000	120.96	-64.46	X	141.000	124.12	-64.01	X



Diamond Drill Hole Log

GoldCorp Inc.

Hole Number : RL-05-97

Project : PLANET EXPLOR

Project Number: 800125

Deviation Tests

<i>Distance</i> <i>(m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
144.000	124.27	-64.00	X
147.000	124.39	-64.02	X
150.001	124.57	-64.01	X
153.000	124.76	-64.00	X
156.000	124.85	-64.01	X
159.000	124.98	-63.98	X
162.000	125.13	-63.97	X
165.000	125.24	-63.96	X
168.000	125.44	-63.95	X
171.000	125.62	-63.92	X
174.000	125.70	-63.90	X
177.000	125.83	-63.87	X
180.000	126.06	-63.89	X
183.000	126.24	-63.91	X
186.000	126.42	-63.92	X
189.000	126.57	-63.91	X
192.000	126.77	-63.90	X
195.000	126.95	-63.86	X
198.000	127.12	-63.84	X
201.000	127.31	-63.81	X
204.000	127.53	-63.82	X
207.000	127.75	-63.82	X
210.000	127.90	-63.86	X
213.000	128.03	-63.89	X
216.000	128.16	-63.91	X
222.000	128.16	-63.84	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-97
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	40.00	(OB) OVERBURDEN Casing									
40.00	175.80	(2) UNDIFF. INTERMEDIATE VOLCANICS									
		Biotite-Amphibole-Quartz-Garnet schist	405702	39.80	41.00	1.20	0.03	0.001	32		<input type="checkbox"/>
		medium greyish-brown-biotitic, with pale greenish-grey streaks and irregular	405703	41.00	42.00	1.00	0.01	<0.001	7		<input type="checkbox"/>
		bands of plag or possibly andalusite, 2-5% scattered to locally concentrated fine	405704	42.00	43.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
		pale to whitish garnets, fine grained, rock varies locally from weakly foliated to	405705	43.00	44.00	1.00	0.01	<0.001	12		<input type="checkbox"/>
		strongly foliated and irregularly, finely banded, general dominant foliation is at 35	405706	44.00	45.00	1.00	0.01	<0.001	7		<input type="checkbox"/>
		to CA with weak secondary mineral alignment at oblique angle to foliation and	405707	48.00	49.00	1.00	0.01	<0.001	14		<input type="checkbox"/>
		banding	405708	49.00	50.00	1.00	0.02	0.001	19		<input type="checkbox"/>
		occasional narrow boudened quartz vein	405709	53.00	54.00	1.00	0.01	<0.001	9		<input type="checkbox"/>
		weak disseminated to occasional weak stringer of py>>po often on foliation	405710	56.00	57.00	1.00	0.01	<0.001	14		<input type="checkbox"/>
		rock is non magnetically flat	405711	59.00	60.00	1.00	0.03	0.001	27		<input type="checkbox"/>
		109 - 112 steepened foliation	405712	62.00	63.00	1.00	0.02	<0.001	16		<input type="checkbox"/>
		112 - 175.80 generally low angle foliation with local parasitic micro folding, rock is	405713	65.00	66.00	1.00	0.04	0.001	39		<input type="checkbox"/>
		weakly sericitic in patches	405714	66.00	67.00	1.00	0.03	0.001	33		<input type="checkbox"/>
		163.5 - 168.0 low angle boudened quartz veining-30%	405715	67.00	68.00	1.00	0.10	0.003	102		<input type="checkbox"/>
			405716	68.00	69.00	1.00	0.03	0.001	32		<input type="checkbox"/>
			405717	71.00	72.00	1.00	0.01	<0.001	6		<input type="checkbox"/>
			405718	74.00	75.00	1.00	0.01	<0.001	8		<input type="checkbox"/>
			405719	77.00	78.00	1.00	0.02	0.001	18		<input type="checkbox"/>
			405720	80.00	81.00	1.00	0.01	<0.001	10		<input type="checkbox"/>
			405721	83.00	84.00	1.00	0.02	<0.001	15		<input type="checkbox"/>
			405722	86.00	87.00	1.00	0.01	<0.001	13		<input type="checkbox"/>
			405723	89.00	90.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			405724	92.00	93.00	1.00	0.04	0.001	37		<input type="checkbox"/>
			405725	95.00	96.00	1.00	0.01	<0.001	9		<input type="checkbox"/>
			405726	98.00	99.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			405727	101.00	102.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			405728	104.00	105.00	1.00	0.02	0.001	19		<input type="checkbox"/>
			405729	107.00	108.00	1.00	0.01	<0.001	11		<input type="checkbox"/>
			405730	109.00	110.00	1.00	0.03	0.001	31		<input type="checkbox"/>
			405731	110.00	111.00	1.00	0.02	0.001	24		<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-97
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	V.G.	Comments
			405732	111.00	112.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
			405733	112.00	113.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405734	113.00	114.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405735	114.00	115.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405736	115.00	116.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405737	116.00	117.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405738	117.00	118.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405739	118.00	119.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			405740	119.00	120.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			405741	120.00	121.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405742	121.00	122.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			405743	122.00	123.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405744	123.00	124.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405745	124.00	125.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405746	125.00	126.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405747	126.00	127.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405748	127.00	128.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405751	128.00	129.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405752	129.00	130.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405753	130.00	131.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405754	131.00	132.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405755	132.00	133.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405756	133.00	134.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405757	134.00	135.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			405758	135.00	136.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405759	136.00	137.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405760	137.00	138.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405761	138.00	139.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405762	139.00	140.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405763	140.00	141.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405764	141.00	142.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405765	142.00	143.00	1.00	0.09	0.003	92	<input type="checkbox"/>	
			405766	143.00	144.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405767	144.00	145.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			405768	145.00	146.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-97
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			405769	146.00	147.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405770	147.00	148.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405771	148.00	149.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405772	149.00	150.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405773	150.00	151.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405774	151.00	152.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405775	152.00	153.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405776	153.00	154.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405777	154.00	155.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405778	155.00	156.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405779	156.00	157.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405780	157.00	158.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405781	158.00	159.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405782	159.00	160.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405783	160.00	161.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405784	161.00	162.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405785	162.00	163.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405786	163.00	164.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405787	164.00	165.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			405788	165.00	166.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			405789	166.00	167.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405790	167.00	168.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
			405791	168.00	169.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405792	169.00	170.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405793	170.00	171.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405794	171.00	172.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405795	172.00	173.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405796	173.00	174.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405797	174.00	175.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405798	175.00	176.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
175.80	179.50	(5S) SILICATE FACIES IRON FORMATION	405801	176.00	177.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		banded grunerite?-20% chert, 2-5% popy, traces magnetite	405802	177.00	178.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
		brownish-green with dark narrow bands of amphibole? And grey chert	405803	178.00	179.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
		upper contact at 10-15 to CA, predominant banding at low angle to CA steepens to 40 at lower contact	405804	179.00	180.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-97
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
179.50	208.10	(2) UNDIFF. INTERMEDIATE VOLCANICS	405805	180.00	181.00	1.00	<0.01	<0.001	<5		
		biotite-quartz schist grading into a quartz-biotite schist down section, 2 grading to 3	405806	181.00	182.00	1.00	<0.01	<0.001	<5		
		possibly same as unit above, no garnets in this unit, brownish to grey, fine grained, well foliated to weakly banded, weak streaks and bands of sericite and altered feldspar increasing down section	405807	182.00	183.00	1.00	<0.01	<0.001	<5		
		silicification is weak and increasing down section	405808	183.00	184.00	1.00	<0.01	<0.001	<5		
		foliation at 35 to CA and steepening down section to 50 by lower part	405809	184.00	185.00	1.00	0.01	<0.001	6		
			405810	185.00	186.00	1.00	<0.01	<0.001	<5		
			405811	186.00	187.00	1.00	<0.01	<0.001	<5		
		201.65 - 202.45 (6D) LAMPROPHYRE	405812	187.00	188.00	1.00	<0.01	<0.001	<5		
		medium grey, weakly porphyritic, 5% fine amphibole lath, sharp contacts	405813	188.00	189.00	1.00	0.01	<0.001	5		
			405814	189.00	190.00	1.00	<0.01	<0.001	<5		
			405815	190.00	191.00	1.00	<0.01	<0.001	<5		
		203.37 - 203.58 (FLT) FAULT	405816	191.00	192.00	1.00	<0.01	<0.001	<5		
		strong crenulated QSS with 20% smoky quartz veining	405817	192.00	193.00	1.00	<0.01	<0.001	<5		
			405818	193.00	194.00	1.00	<0.01	<0.001	<5		
			405819	194.00	195.00	1.00	0.02	0.001	20		
			405820	195.00	196.00	1.00	<0.01	<0.001	<5		
			405821	196.00	197.00	1.00	<0.01	<0.001	<5		
			405822	197.00	198.00	1.00	<0.01	<0.001	<5		
			405823	198.00	199.00	1.00	<0.01	<0.001	<5		
			405824	199.00	200.00	1.00	0.03	0.001	31		
			405825	200.00	201.00	1.00	0.04	0.001	36		
			405826	201.00	202.00	1.00	0.01	<0.001	12		
			405827	202.00	203.00	1.00	0.02	0.001	18		
			405828	203.00	204.00	1.00	0.06	0.002	56		
			405829	204.00	205.00	1.00	0.01	<0.001	14		
			405830	205.00	206.00	1.00	0.02	<0.001	17		
			405831	206.00	207.00	1.00	0.03	0.001	31		
			405832	207.00	208.00	1.00	0.03	0.001	29		
208.10	212.25	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK	405833	208.00	209.00	1.00	0.01	<0.001	11		
		QSS, good, light buffish, fine grained, moderately to strongly sericitic, well foliated at 60 to CA, gradational upper contact, weak dark quartz veinlets-1%	405834	209.00	210.00	1.00	<0.01	<0.001	<5		
			405835	210.00	211.00	1.00	<0.01	<0.001	<5		
			405836	211.00	212.00	1.00	<0.01	<0.001	<5		



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-97
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
212.25	216.40	(3) UNDIFF. FELSIC VOLCANICS	405837	212.00	213.00	1.00	0.02	0.001	20		
		medium grey-brown, aphanitic, sheared and foliated at 60 to CA, locally sericitic QSS sections	405838	213.00	214.00	1.00	0.02	0.001	23		
			405839	214.00	215.00	1.00	0.01	<0.001	13		
			405840	215.00	216.00	1.00	0.05	0.001	45		
216.40	219.30	(6G) GABBRO	405841	216.00	217.00	1.00	0.05	0.001	47		
		dark green, altered, moderately fractured with local narrow gouge, sharp contacts	405842	217.00	218.00	1.00	0.02	<0.001	17		
			405843	218.00	219.00	1.00	0.02	0.001	21		
219.30	237.56	(3) UNDIFF. FELSIC VOLCANICS	405844	219.00	220.00	1.00	0.03	0.001	29		
		brown-grey, fine grained, aphanitic, well foliated to locally banded at 60 to CA, lower section bleached buffish, moderately sericitic	405845	220.00	221.00	1.00	<0.01	<0.001	<5		
			405846	221.00	222.00	1.00	0.02	0.001	24		
			405847	222.00	223.00	1.00	<0.01	<0.001	<5		
			405848	223.00	224.00	1.00	0.01	<0.001	6		
			405952	224.00	225.00	1.00	0.02	0.001	20		
			405851	225.00	226.00	1.00	0.01	<0.001	10		
			405852	226.00	227.00	1.00	0.02	0.001	21		
			405853	227.00	228.00	1.00	0.03	0.001	32		
			405854	228.00	229.00	1.00	<0.01	<0.001	<5		
			405855	229.00	230.00	1.00	<0.01	<0.001	<5		
			405856	230.00	231.00	1.00	0.01	<0.001	9		
			405857	231.00	232.00	1.00	0.01	<0.001	7		
			405858	232.00	233.00	1.00	0.18	0.005	175		
			405859	233.00	234.00	1.00	0.21	0.006	212		
			405860	234.00	235.00	1.00	0.08	0.002	76		
			405861	235.00	236.00	1.00	0.04	0.001	37		
			405862	236.00	237.00	1.00	<0.01	<0.001	<5		
			405863	237.00	237.56	0.56	<0.01	<0.001	<5		
237.56	254.00	(1K) KOMATIITES CREN	405864	237.56	238.00	0.44	<0.01	<0.001	<5		
		basaltic komatiite	405865	238.00	239.00	1.00	<0.01	<0.001	<5		
		variable down section	405866	239.00	240.00	1.00	<0.01	<0.001	<5		
		237.56 - 242.0 predominantly blue-grey, fine graind, talc-carbonate schist	405867	240.00	241.00	1.00	<0.01	<0.001	<5		
		242.0 - 254.0 strongly biotitized, with local sections finely banded and contorted	405868	241.00	242.00	1.00	<0.01	<0.001	<5		
		gradational lower contact with mafic volcanics below- no obvious contact									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-97
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			405869	242.00	243.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405870	243.00	244.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405871	244.00	245.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405872	245.00	246.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405873	246.00	247.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405874	247.00	248.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405875	248.00	249.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405876	249.00	250.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405877	250.00	251.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405878	251.00	252.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405879	252.00	253.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405880	253.00	254.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
254.00	293.95	(1) UNDIFF. MAFIC / UM VOLCANICS	405881	254.00	255.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		basit	405882	255.00	256.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		dark green, fine to fine-medium grained, varies locally from relatively massive to	405883	256.00	257.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		weakly-moderately foliated, minor local bleaching and biotitization, minor tight	405884	257.00	258.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		fracturing	405885	258.00	259.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405886	259.00	260.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			405887	260.00	261.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405888	261.00	262.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			405889	262.00	263.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			405890	263.00	264.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405891	264.00	265.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405892	265.00	266.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405893	266.00	267.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405894	267.00	268.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			405895	268.00	269.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405896	269.00	270.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405897	270.00	271.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405898	271.00	272.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			405901	272.00	273.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405902	273.00	274.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405903	274.00	275.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405904	275.00	276.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405905	276.00	277.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-97
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	V.G.	<i>Comments</i>
			405906	277.00	278.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405907	278.00	279.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405908	279.00	280.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405909	280.00	281.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			405910	281.00	282.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405911	282.00	283.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405912	283.00	284.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405913	284.00	285.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405914	285.00	286.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			405915	286.00	287.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405916	287.00	288.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405917	288.00	289.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			405918	289.00	290.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			405919	290.00	291.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			405920	291.00	292.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405921	292.00	293.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405922	293.00	294.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
293.95	295.85	(5) UNDIFF. CHEMICAL SEDIMENTS	405923	294.00	295.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
		interlayered, greywacke-argillite-chert	405924	295.00	296.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		2-4% fine layers po>py, 10% felsic dike, irregularly foliated and banded at 50 to CA									
295.85	321.00	(1) UNDIFF. MAFIC / UM VOLCANICS	405925	296.00	297.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
		basalt similar to before	405926	297.00	298.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		308 - 311 slightly talcose, weakly biotitic to locally moderately biotitic, weakly to locally moderately foliated at 60 to CA	405927	298.00	299.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405928	299.00	300.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405929	300.00	301.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405930	301.00	302.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405931	302.00	303.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405932	303.00	304.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405933	304.00	305.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405934	305.00	306.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405935	306.00	307.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405936	307.00	308.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-97
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> <i>(m)</i>	<i>To</i> <i>(m)</i>	Rock Description	<i>Sample</i>	<i>From</i> <i>(m)</i>	<i>To</i> <i>(m)</i>	<i>Length</i> <i>(m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			405937	308.00	309.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405938	309.00	310.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			405939	310.00	311.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405940	311.00	312.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405941	312.00	313.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405942	313.00	314.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405943	314.00	315.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			405944	315.00	316.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405945	316.00	317.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405946	317.00	318.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			405947	318.00	319.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			405948	319.00	320.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405951	320.00	321.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-97
Project PLANET EXPLORATIO
Project Number 800125

Distance (m)	Sample	Au (ppb)	Cu (ppm)	Pt (ppb)	Ni (%)	Cu (%)	Ni (ppm)	Pd (ppb)	Zn (%)	Ag (ppm)	Pb (%)	Au (g/t)	Rh (ppb)	Au (Oz/t)	Zn (ppm)	S (%)
128.00	405749	2332	-	-	-	-	-	-	-	-	-	2.3	-	0.068	-	-
128.01	405750	7	-	-	-	-	-	-	-	-	-	0.0	-	<0.001	-	-
176.00	405799	2300	-	-	-	-	-	-	-	-	-	2.3	-	0.067	-	-
176.01	405800	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
224.00	405849	2238	-	-	-	-	-	-	-	-	-	2.2	-	0.065	-	-
224.01	405850	27	-	-	-	-	-	-	-	-	-	0.0	-	0.001	-	-
272.00	405899	2178	-	-	-	-	-	-	-	-	-	2.2	-	0.064	-	-
272.01	405900	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-
320.00	405949	2020	-	-	-	-	-	-	-	-	-	2.0	-	0.059	-	-
320.01	405950	<5	-	-	-	-	-	-	-	-	-	<0.0	-	<0.001	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-97
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
39.80	42.00	2.20	R5	0.17	0.32	-	-	-	-
42.00	45.00	3.00	R5	0.18	0.29	-	-	-	-
45.00	48.00	3.00	R5	0.15	0.29	-	-	-	-
48.00	51.00	3.00	R5	0.11	0.16	-	-	-	-
51.00	54.00	3.00	R5	0.15	0.21	-	-	-	-
54.00	57.00	3.00	R5	0.10	0.14	-	-	-	-
57.00	60.00	3.00	R5	0.16	0.23	-	-	-	-
60.00	63.00	3.00	R5	0.21	0.32	-	-	-	-
63.00	66.00	3.00	R5	0.29	0.64	-	-	-	-
66.00	69.00	3.00	R5	0.32	0.42	-	-	-	-
69.00	72.00	3.00	R5	0.30	0.45	-	-	-	-
72.00	75.00	3.00	R5	0.21	0.34	-	-	-	-
75.00	78.00	3.00	R5	0.25	0.31	-	-	-	-
78.00	81.00	3.00	R5	0.16	0.23	-	-	-	-
81.00	84.00	3.00	R5	0.26	0.49	-	-	-	-
84.00	87.00	3.00	R5	0.11	0.21	-	-	-	-
87.00	90.00	3.00	R5	0.13	0.18	-	-	-	-
90.00	93.00	3.00	R5	0.19	0.36	-	-	-	-
93.00	96.00	3.00	R5	0.16	0.27	-	-	-	-
96.00	99.00	3.00	R5	0.20	0.36	-	-	-	-
99.00	102.00	3.00	R5	0.30	0.45	-	-	-	-
102.00	105.00	3.00	R5	0.15	0.21	-	-	-	-
105.00	108.00	3.00	R5	0.24	0.36	-	-	-	-
108.00	111.00	3.00	R5	0.26	0.40	-	-	-	-
111.00	114.00	3.00	R5	0.26	0.42	-	-	-	-
114.00	117.00	3.00	R5	0.33	0.45	-	-	-	-
117.00	120.00	3.00	R5	0.18	0.32	-	-	-	-
120.00	123.00	3.00	R5	0.34	0.82	-	-	-	-
123.00	126.00	3.00	R5	0.18	0.32	-	-	-	-
126.00	129.00	3.00	R5	0.13	0.21	-	-	-	-
129.00	132.00	3.00	R5	0.14	0.34	-	-	-	-
132.00	135.00	3.00	R5	0.12	0.16	-	-	-	-
135.00	138.00	3.00	R5	0.13	0.29	-	-	-	-
138.00	141.00	3.00	R5	0.21	0.40	-	-	-	-
141.00	144.00	3.00	R5	0.20	0.31	-	-	-	-
144.00	147.00	3.00	R5	0.14	0.36	-	-	-	-
147.00	150.00	3.00	R5	1.30	7.19	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-97
Project: PLANET EXPLORATION
Project Number: 800125

150.00	153.00	3.00	R5	0.62	1.55	-	-	-	-
153.00	156.00	3.00	R5	0.14	0.23	-	-	-	-
156.00	159.00	3.00	R5	0.15	0.20	-	-	-	-
159.00	162.00	3.00	R5	0.20	0.29	-	-	-	-
162.00	165.00	3.00	R5	0.35	0.80	-	-	-	-
165.00	168.00	3.00	R5	0.70	1.97	-	-	-	-
168.00	171.00	3.00	R5	0.25	0.49	-	-	-	-
171.00	174.00	3.00	R5	0.17	0.23	-	-	-	-
174.00	177.00	3.00	R5	0.31	0.69	-	-	-	-
177.00	180.00	3.00	R5	0.71	1.73	-	-	-	-
180.00	183.00	3.00	R5	0.11	0.20	-	-	-	-
183.00	186.00	3.00	R5	0.08	0.10	-	-	-	-
186.00	189.00	3.00	R5	0.10	0.12	-	-	-	-
189.00	192.00	3.00	R5	0.06	0.12	-	-	-	-
192.00	195.00	3.00	R5	0.06	0.10	-	-	-	-
195.00	198.00	3.00	R5	0.06	0.14	-	-	-	-
198.00	201.00	3.00	R5	0.06	0.14	-	-	-	-
201.00	204.00	3.00	R5	0.35	0.93	-	-	-	-
204.00	207.00	3.00	R5	0.46	1.59	-	-	-	-
207.00	210.00	3.00	R5	0.09	0.29	-	-	-	-
210.00	213.00	3.00	R4	0.01	0.05	-	-	-	-
213.00	216.00	3.00	R5	0.37	1.51	-	-	-	-
216.00	219.00	3.00	R4	0.08	0.10	-	-	-	-
219.00	222.00	3.00	R5	0.15	0.32	-	-	-	-
222.00	225.00	3.00	R5	0.08	0.14	-	-	-	-
225.00	228.00	3.00	R5	0.19	0.25	-	-	-	-
228.00	231.00	3.00	R5	0.23	0.56	-	-	-	-
231.00	234.00	3.00	R5	0.11	0.36	-	-	-	-
234.00	237.00	3.00	R5	0.09	0.20	-	-	-	-
237.00	240.00	3.00	R4	11.90	28.70	-	-	-	-
240.00	243.00	3.00	R4	12.70	28.20	-	-	-	-
243.00	246.00	3.00	R4	2.39	6.18	-	-	-	-
246.00	249.00	3.00	R4	0.18	0.27	-	-	-	-
249.00	252.00	3.00	R4	0.28	0.86	-	-	-	-
252.00	255.00	3.00	R4	0.24	0.34	-	-	-	-
255.00	258.00	3.00	R4	0.51	1.22	-	-	-	-
258.00	261.00	3.00	R4	0.29	0.78	-	-	-	-
261.00	264.00	3.00	R5	0.31	0.47	-	-	-	-
264.00	267.00	3.00	R5	0.24	0.42	-	-	-	-
267.00	270.00	3.00	R4	0.19	0.29	-	-	-	-



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-97
Project: PLANET EXPLORATION
Project Number: 800125

270.00	273.00	3.00	R4	0.23	0.38	-	-	-	-
273.00	276.00	3.00	R4	0.17	0.21	-	-	-	-
276.00	279.00	3.00	R4	0.66	2.08	-	-	-	-
279.00	282.00	3.00	R4	0.30	0.45	-	-	-	-
282.00	285.00	3.00	R4	0.17	0.20	-	-	-	-
285.00	288.00	3.00	R4	0.14	0.27	-	-	-	-
288.00	291.00	3.00	R4	0.19	0.25	-	-	-	-
291.00	294.00	3.00	R4	0.25	0.42	-	-	-	-
294.00	297.00	3.00	R4	2.41	5.16	-	-	-	-
297.00	300.00	3.00	R4	0.45	1.26	-	-	-	-
300.00	303.00	3.00	R4	0.20	0.31	-	-	-	-
303.00	306.00	3.00	R4	0.15	0.18	-	-	-	-
306.00	309.00	3.00	R4	0.73	1.09	-	-	-	-
309.00	312.00	3.00	R4	4.09	12.30	-	-	-	-
312.00	315.00	3.00	R4	0.16	0.38	-	-	-	-
315.00	318.00	3.00	R4	0.11	0.14	-	-	-	-
318.00	321.00	3.00	R4	0.11	0.14	-	-	-	-



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-98
Project : PLANET EXPLORATION
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>		
Azimuth:	90	Length:	30.00 meters	Township:	COLI LAKE		Contractor:	MAJOR DRILLING	
Dip:	-50	Pulled:	No	Claim No:	Staked		Spotted by:	T. Maciejewski	
Length:	174.00 meters	Capped:	Yes	NTS:			Coord Type:	GPS	
Started:	29-Oct-05	Cemented:	No	Surface Hole :	Yes	Level:			
Completed:	31-Oct-05			<u>Coordinate- Gemcom</u>	<u>Coordinate - UTM</u>	<u>Coordinate- Grid</u>	Surveyed by:		
Logged:	01-Nov-05	<u>Core</u>		East:	461285.00	East:	461285	Surveyed Date:	
Wedged :	No	Dimension:	NQ	North:	5677831.00	North:	5677831	Logged by:	L.C. Chastko
Wedged from:		Original Units:	M	Elevation:	430.00	Elevation:	430	Re-logged by:	
		Storage:	Cochenour Mine	UTM Zone:	15 (NAD 27)	Grid Name:			
Target:	Anderson Lake West; 2005-Q1								
Comments:	Collar survey pending								

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	90.62	-51.46	X	42.000	91.97	-50.64	X	84.000	94.72	-48.97	X
3.000	90.52	-51.19	X	45.000	92.34	-50.47	X	87.000	94.86	-48.77	X
6.000	90.41	-51.24	X	48.000	92.75	-50.31	X	90.000	94.95	-48.79	X
9.000	90.29	-51.40	X	51.000	93.12	-49.99	X	93.000	95.07	-48.69	X
12.000	90.29	-51.53	X	54.000	93.39	-49.63	X	96.000	95.17	-48.63	X
15.000	90.25	-51.55	X	57.000	93.60	-49.50	X	99.000	95.26	-48.62	X
18.000	90.18	-51.51	X	60.000	93.69	-49.54	X	102.000	95.38	-48.63	X
21.000	90.19	-51.45	X	63.000	93.79	-49.38	X	105.000	95.45	-48.52	X
24.000	90.22	-51.39	X	66.000	93.93	-49.39	X	108.000	95.55	-48.52	X
27.000	90.40	-51.42	X	69.000	94.05	-49.27	X	111.000	95.64	-48.48	X
30.000	90.63	-51.19	X	72.000	94.17	-49.22	X	114.000	95.71	-48.42	X
33.000	90.87	-51.13	X	75.000	94.32	-49.11	X	117.000	95.84	-48.39	X
36.000	91.18	-51.07	X	78.000	94.47	-49.09	X	120.000	95.92	-48.34	X
39.000	91.57	-50.79	X	81.000	94.59	-48.91	X	123.000	95.99	-48.32	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-98
Project : PLANET EXPLORA
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
126.000	96.04	-48.28	X
129.000	96.10	-48.27	X
132.000	96.17	-48.20	X
135.000	96.25	-48.22	X
138.000	96.36	-48.13	X
141.000	96.46	-48.13	X
144.000	96.54	-48.11	X
147.000	96.64	-48.07	X
150.000	96.74	-48.08	X
153.000	96.83	-47.93	X
156.000	96.81	-47.92	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-98
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	30.00	(OB) OVERBURDEN Casing									
30.00	36.16	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE amphibolite dark green, minor brown biotite streaks, fine grained, moderately sheared and foliated at 35-40 to CA, 1-2% quartz-carbonate veinlets, minor weathering along selective fractures and shear planes	405953	32.00	33.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
36.16	38.50	(7B) FELDSPAR PORPHYRY sub volcanic type greyish aphanitic matrix with 15-20% moderately sheared vague feldspar phenocrysts, weakly foliated at 35-40 to CA, sharp conformable contacts at 37 to CA									
38.50	58.00	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE amphibolite, similar to before, weakly fractured 2% quartz-carb filled fractures and veinlets, sporadic local fine stringers popy<1%	405954	40.00	41.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			405955	45.00	46.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			405956	51.00	52.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		43.55 - 45.35 (7B) FELDSPAR PORPHYRY sub volcanic type, contacts at 15 to CA	405957	55.00	56.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
		48.60 - 50.50 (7B) FELDSPAR PORPHYRY sub volcanic type, weakly foliated, sharp contacts at 30 to CA									
58.00	64.00	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE BX similar to above late open breccia rubble									
		60.40 - 63.45 (7B) FELDSPAR PORPHYRY somewhat broken rubbly									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-98
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
64.00	77.00	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE amphibolite dark green, fine to fine-medium grained-variable, moderately foliated at 35-40 to CA with local relatively massive sections, moderate local bleaching, 1-3% fine quartz-carb veinlets, occasional local weak popy	405958	65.00	66.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405959	70.00	71.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405960	75.00	76.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405961	76.00	77.00	1.00	0.14	0.004	144	<input type="checkbox"/>	
77.00	80.60	(7B) FELDSPAR PORPHYRY sub volcanic type, altered, blitzed feldspars, sharp contacts at 35-40 to CA	405962	79.60	80.60	1.00	0.01	<0.001	14	<input type="checkbox"/>	
80.60	81.40	(5S) SILICATE FACIES IRON FORMATION dark green amphibolite with 5-10% fine layers magnetite, traces popy, moderately sheared and foliated at 35-40 to CA, does not stand out from amphibolite below save for magnetite	405963	80.60	81.40	0.80	0.01	<0.001	11	<input type="checkbox"/>	
81.40	87.75	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE amphibolite, dark green fine grained, 1% 1-2 mm disseminated calcite metacrysts, relatively massive to moderately foliated towards contacts 86.1 - 86.35, 30% cherty or quartz layers	405964	81.40	82.22	0.82	0.01	<0.001	11	<input type="checkbox"/>	
			405965	85.00	86.00	1.00	0.08	0.002	77	<input type="checkbox"/>	
			405966	86.00	87.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			405967	87.00	87.75	0.75	<0.01	<0.001	<5	<input type="checkbox"/>	
87.75	88.30	(5S) SILICATE FACIES IRON FORMATION dark green amphibolite with 5-10% fine layers magnetite, 2% stringers po>py, minor cpy	405968	87.75	88.30	0.55	0.01	<0.001	6	<input type="checkbox"/>	
88.30	92.17	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE amphibolite, as before, moderately foliated at 35-40 to CA, occasional stringers popy<1%, local bleaching	405969	88.30	89.30	1.00	0.27	0.008	273	<input type="checkbox"/>	
92.17	113.20	(7B) FELDSPAR PORPHYRY sub volcanic type, altered locally bleached patches, fine grained, blitzed feldspars, moderately fractured, 96.2 - 96.35 skarny vein 97.55 - 97.70 skarny vein	405970	95.00	96.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			405971	96.00	96.50	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	
			405972	97.50	97.75	0.25	<0.01	<0.001	<5	<input type="checkbox"/>	
			405973	105.00	106.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405974	110.00	111.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-98
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			405975	112.00	113.20	1.20	0.01	<0.001	10	<input type="checkbox"/>	
113.20	117.45	(5S) SILICATE FACIES IRON FORMATION	405976	113.20	114.00	0.80	0.01	<0.001	13	<input type="checkbox"/>	
		well banded 50% amphibolite, 10-15% magnetite, 15% siltstone chert, 15% grunerite, 5% fine layers and stringers po>py, minor but noticeable local stringers or blebs sphal and cpy	405977	114.00	115.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
		banding is locally weakly to moderately deformed with foliation varying from near flat to 70 to CA-dominant foliation is 40 to CA	405978	115.00	116.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			405979	116.00	117.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
			405980	117.00	117.50	0.50	0.06	0.002	61	<input type="checkbox"/>	
117.45	128.82	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	405981	117.50	118.00	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	
		finely mottled green and brown, fine blotchy medium grained amphibolite recrystallized appearance, weakly foliated to relatively massive, sharp lower contact at 35 to CA	405982	120.00	121.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405983	125.00	126.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
128.82	146.00	(7B) FELDSPAR PORPHYRY	405984	130.00	131.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		sub volcanic type, similar to above, fine grained, aphyric blitzed feldspars, moderately fractured, moderate irregular bleaching centered on fractures, mild orangy alteration along select fractures, 1% irregular quartz veining, weakly foliated at 35-40 to CA	405985	135.00	136.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		135.35 - 138.40 chunky porphyry intrudes sub volcanic porphyry, chunky porphyry is foliated at 35-40 to CA	405986	140.00	141.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			405987	145.00	146.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
146.00	174.00	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	405988	150.00	151.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		dark green, fine-medium to medium grained, flecked with fine whitish leucoxene throughout, often subhedral to elongated in sheared areas weakly to locally moderately foliated, 2% quartz-carbonate fracture fillings	405989	155.00	156.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		159.5 - 163.5 altered 1N cetered on gouge fault at 159.60-159.87, brecciation and alteration decrease outwardly	405990	160.00	161.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		159.60 - 159.87- late fault, fine gouge	405991	161.00	162.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			405992	165.00	166.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405993	171.00	172.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		159.60 - 159.87 (FLT) FAULT	405994	172.00	173.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
		open late fault filled with fine gouge	405995	173.00	174.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		169.90 - 171.00 (7B) FELDSPAR PORPHYRY									
		chunky type porphyry, foliated at 35-40 to CA, conformable contacts									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-98
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> <i>(m)</i>	<i>To</i> <i>(m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From</i> <i>(m)</i>	<i>To</i> <i>(m)</i>	<i>Length</i> <i>(m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G. Comments</i>
---------------------------	-------------------------	-------------------------	---------------	---------------------------	-------------------------	-----------------------------	-----------------	------------------	-----------------	----------------------



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-98
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
30.00	33.00	3.00	R4	0.21	0.25	-	100.00	-	100.00
33.00	36.00	3.00	R4	0.22	0.27	-	100.00	-	100.00
36.00	39.00	3.00	R6	0.12	0.31	-	100.00	-	100.00
39.00	42.00	3.00	R4	0.20	0.25	-	100.00	-	100.00
42.00	45.00	3.00	R5	0.20	0.27	-	100.00	-	100.00
45.00	48.00	3.00	R4	0.16	0.20	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.08	0.12	-	100.00	-	100.00
51.00	54.00	3.00	R4	0.22	0.51	-	100.00	-	100.00
54.00	57.00	3.00	R4	0.13	0.18	-	100.00	-	100.00
57.00	60.00	3.00	R4	0.19	0.38	-	100.00	-	100.00
60.00	63.00	3.00	R6	0.09	0.16	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.12	0.16	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.13	0.14	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.21	0.36	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.17	0.23	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.17	0.27	-	100.00	-	100.00
78.00	81.00	3.00	R6	0.42	1.75	-	100.00	-	100.00
81.00	84.00	3.00	R4	1.16	5.21	-	100.00	-	100.00
84.00	87.00	3.00	R4	0.13	0.18	-	100.00	-	100.00
87.00	90.00	3.00	R5	1.10	3.53	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.13	0.25	-	100.00	-	100.00
93.00	96.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
96.00	99.00	3.00	R6	0.00	0.03	-	100.00	-	100.00
99.00	102.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
102.00	105.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
105.00	108.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
108.00	111.00	3.00	R6	0.02	0.10	-	100.00	-	100.00
111.00	114.00	3.00	R6	32.70	158.00	-	100.00	-	100.00
114.00	117.00	3.00	R5	77.80	144.00	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.68	2.06	-	100.00	-	100.00
120.00	123.00	3.00	R4	0.11	0.14	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.11	0.14	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.10	0.12	-	100.00	-	100.00
129.00	132.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
132.00	135.00	3.00	R6	0.00	0.03	-	100.00	-	100.00
135.00	138.00	3.00	R6	0.03	0.10	-	100.00	-	100.00
138.00	141.00	3.00	R6	0.02	0.05	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-98
Project: PLANET EXPLORATION
Project Number: 800125

141.00	144.00	3.00	R6	0.02	0.07	-	100.00	-	100.00
144.00	147.00	3.00	R6	0.03	0.10	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.10	0.14	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.16	0.21	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.23	0.38	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.55	2.10	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.10	0.14	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.12	0.20	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.12	0.16	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.08	0.12	-	100.00	-	100.00
171.00	174.00	3.00	R5	0.10	0.12	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-99
Project : PLANET EXPLORATION
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>		
Azimuth:	146	Length:	52.00 meters	Township:	COLI LAKE		Contractor:	MAJOR DRILLING	
Dip:	-50	Pulled:	No	Claim No:	Staked		Spotted by:	T. Maciejewski	
Length:	252.00 meters	Capped:	Yes	NTS:			Coord Type:	GPS	
Started:	01-Nov-05	Cemented:	No	Surface Hole :	Yes	Level:			
Completed:		<u>Core</u>		Coordinate - Gemcom	Coordinate - UTM	Coordinate - Grid	Surveyed by:		
Logged:	02-Nov-05	Dimension:	NQ	East:	461235.00	East:	461235	Surveyed Date:	
Wedged :	No	Original Units:	M	North:	5677690.00	North:	5677690	Logged by:	L.C. Chastko
Wedged from:		Storage:	Cochenour Mine	Elevation:	430.00	Elevation:	430	Re-logged by:	
				UTM Zone:	15 (NAD 27)	Grid Name:			
Target:	2005-Q2						Water Source:	Anderson Lake	
Comments:	Collar survey pending						Water line:		
							Left in hole:	Nothing	
							Control Drilling:	Stabilizer	
							Cutting sampled:	No	
							Geophysic:		

Deviation Tests

Deviation Tests

Deviation Tests

<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>	<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>	<u>Distance</u> <u>(m)</u>	<u>Azimuth</u>	<u>Dip</u>	<u>Type</u>
0.000	146.62	-50.00	X	42.000	146.00	-51.23	X	84.000	147.32	-50.79	X
3.000	146.58	-50.03	X	45.000	146.09	-51.29	X	87.000	147.37	-50.76	X
6.000	146.44	-50.07	X	48.000	146.22	-51.31	X	90.000	147.48	-50.73	X
9.000	146.36	-50.16	X	51.000	146.30	-51.32	X	93.000	147.67	-50.64	X
12.000	146.38	-50.29	X	54.000	146.33	-51.30	X	96.000	147.78	-50.60	X
15.000	146.33	-50.40	X	57.000	146.34	-51.25	X	99.000	147.89	-50.58	X
18.000	146.25	-50.54	X	60.000	146.43	-51.19	X	102.000	148.03	-50.56	X
21.000	146.20	-50.66	X	63.000	146.56	-51.12	X	105.000	148.21	-50.52	X
24.000	146.24	-50.77	X	66.000	146.67	-51.08	X	108.000	148.30	-50.49	X
27.000	146.25	-50.92	X	69.000	146.79	-51.03	X	111.000	148.44	-50.45	X
30.000	146.26	-51.00	X	72.000	146.86	-50.97	X	114.000	148.50	-50.42	X
33.000	146.22	-51.00	X	75.000	146.95	-50.94	X	117.000	148.60	-50.35	X
36.000	146.06	-51.05	X	78.000	147.11	-50.89	X	120.000	148.71	-50.32	X
39.000	145.97	-51.15	X	81.000	147.21	-50.82	X	123.000	148.83	-50.29	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-99
Project : PLANET EXPLORA
Project Number: 800125

Deviation Tests

<i>Distance</i> <i>(m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
126.000	148.94	-50.23	X
129.000	149.05	-50.20	X
132.000	149.17	-50.17	X
135.000	149.27	-50.12	X
138.000	149.36	-50.05	X
141.000	149.48	-50.01	X
144.000	149.64	-49.95	X
147.000	149.76	-49.92	X
150.000	149.93	-49.90	X
153.000	150.09	-49.86	X
156.000	150.25	-49.80	X
159.000	150.46	-49.77	X
162.000	150.64	-49.73	X
165.000	150.74	-49.71	X
168.000	150.94	-49.70	X
171.000	151.09	-49.69	X
174.000	151.21	-49.68	X
177.000	151.38	-49.64	X
180.000	151.52	-49.59	X
183.000	151.62	-49.55	X
186.000	151.77	-49.52	X
189.000	151.89	-49.49	X
192.000	152.06	-49.45	X
195.000	152.24	-49.43	X
198.000	152.36	-49.41	X
201.000	152.53	-49.35	X
204.000	152.76	-49.33	X
207.000	152.93	-49.29	X
210.000	153.03	-49.29	X
213.000	153.21	-49.27	X
216.000	153.40	-49.23	X
219.000	153.58	-49.19	X

Deviation Tests

<i>Distance</i> <i>(m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
222.000	153.77	-49.16	X
225.000	153.91	-49.09	X
228.000	154.07	-49.01	X
231.000	154.22	-48.97	X
234.000	154.36	-48.92	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-99
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	52.20	(OB) OVERBURDEN Casing									
52.20	55.12	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE dark green, fine grained, relatively massive to weakly foliated at lower contact , minor surface weathering along fractures									
55.12	94.97	(7B) FELDSPAR PORPHYRY sub volcanic type, moderately altered irregular buff to grey, blotchy bleached, weakly brecciated locally, predominantly moderately sheared and foliated at 45 to 50 to CA, feldspar phenos in these sections are predominantly blitzed, weak to moderate sericitization, local minor fine biotitic clots, odd local garnet, overall light reddish brown tinge due to very fine grained biotitization, local fine quartz phyric sections occassional narrow diopside rich-skamy veinlet, 55.12 - 63 fuzzy feldspar phenos nor completely sheared out	405996	55.00	56.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			405997	60.00	61.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			405998	65.00	66.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406001	70.00	71.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406002	74.95	76.00	1.05	0.01	<0.001	5	<input type="checkbox"/>	
			406003	80.00	81.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406004	85.00	86.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			406005	90.00	91.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		72.80 - 74.95 (6) MAFIC-ULTRAMAFIC INTRUSIVES dark green with brown biotitic fine marbling, medium grained, uniform, relatively massive, sharp conformable contacts at 50 to CA									
94.97	107.40	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE 1N/1A dark green amphibolite, fine to fine-medium grained, overall relatively uniform fine netting or clots biolite with local biotitic patches, rock is moderately sheared and foliated at 50 to CA, 1-2% quartz-carbonate veinlets generally parallel to foliation, weak local bleaching, local irregular intervals of bands with fine whitish leucoxene	406006	95.00	96.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406007	100.00	101.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			406008	106.40	107.40	1.00	0.01	<0.001	10	<input type="checkbox"/>	
107.40	108.30	(5) UNDIFF. CHEMICAL SEDIMENTS crudely layered amphibole-biotite-chert, 5% fine srtingers pypo traces cpy, banding and foliation at 50 to CA, weak deformation	406009	107.40	108.30	0.90	0.10	0.003	98	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-99
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
108.30	110.85	(7B) FELDSPAR PORPHYRY sub volcanic type, grey-buff, fine grained, moderately sheared and foliated at 50 to CA, moderate tight fractures often with orangy alteration, odd narrow quartz veinlet 110.47 - several crystals ASPY along weak fracture	406010	108.30	110.00	1.70	0.08	0.002	80	<input type="checkbox"/>	
			406011	110.00	110.83	0.83	0.19	0.005	189	<input type="checkbox"/>	
110.85	127.20	(5S) SILICATE FACIES IRON FORMATION crudely interlayered 1) amphibolite 2) amphibole-biotite-chert +/- magnetite, +/- pypo with minor splashes cpy 3) diopside-amphibole-carbonate +/- pypo minor cpy local warping and folding, local minor to moderate disruption of beds 110.85 - 112.42 20% massive amphibolite section, 70% banded amphibolite-chert with 5% magnetite bands, 5-8% stringers pypo with minor splashes cpy 10 cm quartz vein with sulfides at lower contact 112.42 - 113.80 massive amphibolite, moderately biotitized 113.80 - 114.55 irregular amphibole-diopside section 114.55 - 115.90 predominantly chert-siltstone, 10-15% pypo stringers, minor cpy, occasional band magnetite 115.90 - 121.70 predominantly amphibolite, moderately biotitized, 5-8% skarny diopside veins with minor sulfides 121.70 - 122.45 skarn vein, strong diopside, minor carbonate, minor sulfides 122.45 - 127.2 banded amphibolite-chert-siltstone-magnetite 5-10%, 5-8% locally concentrated stringers pypo minor cpy, local skarning	406012	110.83	112.00	1.17	0.19	0.006	192	<input type="checkbox"/>	
			406013	112.00	112.42	0.42	0.05	0.002	53	<input type="checkbox"/>	
			406014	112.42	113.42	1.00	0.02	0.001	19	<input type="checkbox"/>	
			406015	113.42	113.85	0.43	0.02	<0.001	17	<input type="checkbox"/>	
			406016	113.85	114.55	0.70	0.01	<0.001	13	<input type="checkbox"/>	
			406017	114.55	115.90	1.35	0.27	0.008	273	<input type="checkbox"/>	
			406018	115.90	117.00	1.10	0.07	0.002	66	<input type="checkbox"/>	
			406019	117.00	118.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			406020	118.00	119.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406021	119.00	120.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406022	120.00	120.93	0.93	0.11	0.003	107	<input type="checkbox"/>	
			406023	120.93	121.70	0.77	0.02	<0.001	15	<input type="checkbox"/>	
			406024	121.70	122.45	0.75	0.45	0.013	446	<input type="checkbox"/>	
			406025	122.45	123.00	0.55	1.92	0.056	1923	<input type="checkbox"/>	
127.20	186.65	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE 1N/6G gabbroic dark green, fine to fine-medium grained, uniform, relatively massive to weakly foliated, minor fractures, 2-3% quartz-carbonate veinlets generally planar, some veining carries pinkish feldspars or carbonate 172 - 185 medium to coarse grained 185 - 186.65 general decreasing grain size down section-chilled contact	406026	123.00	124.00	1.00	1.22	0.035	1217	<input type="checkbox"/>	
			406027	124.00	125.00	1.00	2.34	0.068	2338	<input type="checkbox"/>	
			406028	125.00	126.00	1.00	0.42	0.012	419	<input type="checkbox"/>	
			406029	126.00	127.20	1.20	0.67	0.020	670	<input type="checkbox"/>	
			406030	127.20	128.00	0.80	0.02	<0.001	15	<input type="checkbox"/>	
			406031	128.00	129.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			406032	135.00	136.00	1.00	0.10	0.003	102	<input type="checkbox"/>	
			406033	140.00	141.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406034	145.00	146.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406035	150.00	151.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
406036	156.00	157.00	1.00	0.01	<0.001	7	<input type="checkbox"/>				
406037	160.00	161.00	1.00	0.01	<0.001	6	<input type="checkbox"/>				
406038	165.00	166.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-99
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			406039	170.00	171.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			406040	175.00	176.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			406041	180.00	181.00	1.00	0.13	0.004	134	<input type="checkbox"/>	
			406042	186.00	186.65	0.65	<0.01	<0.001	<5	<input type="checkbox"/>	
186.85	188.50	(5S) SILICATE FACIES IRON FORMATION	406044	187.00	188.00	1.00	0.06	0.002	62	<input type="checkbox"/>	
		banded amphibolite-chert-magnetite, banding generally under 2 cm, 5-8% magnetite bands, 2-4% locally concentrated stringers pypo minor cpy banding generally at 50 bu locally distotred	406045	188.00	188.50	0.50	0.15	0.004	148	<input type="checkbox"/>	
188.50	196.85	(7B) FELDSPAR PORPHYRY	406046	188.50	189.00	0.50	0.02	0.001	24	<input type="checkbox"/>	
		sub volcanic type, aphanitic, feldspars blitzed, weakly biotitic and weakly sericitic, moderate tight fractures, moderately bleached, minor orangy stain along fractures	406047	195.00	196.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
196.85	198.93	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE									
		1n/6G gabbroic, medium grained, moderately sheared and foliated at 50 to CA, moderately biotitized similar to before									
198.93	200.23	(7B) FELDSPAR PORPHYRY									
		sub volcanic type, altered as before									
200.23	252.00	(1N) MASSIVE FLOW, POSSIBLY INTRUSIVE	406048	200.00	201.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
		dark green, varies from fine to fine-medium grained, locally massive to weakly foliated, weak biotitic patches and sections, 1-2% quartz carbonate stringers generally planar, weak to locally moderately fractured-tight	406051	209.00	210.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406052	215.00	216.00	1.00	0.16	0.005	155	<input type="checkbox"/>	
			406053	220.00	221.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			406054	225.00	226.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406055	230.00	231.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406056	235.00	236.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406057	240.00	241.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406058	245.00	246.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406059	250.00	251.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-99

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			406060	251.00	252.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-99
Project PLANET EXPLORATION
Project Number 800125

Distance (m)	Sample	Au (ppb)	Au (g/t)	Au (Oz/t)
66.00	405999	3855	3.855	0.112
66.01	406000	<5	<0.005	<0.001
201.00	406049	3504	3.504	0.102
201.01	406050	<5	<0.005	<0.001



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-99
Project: PLANET EXPLORATION
Project Number: 800125

<i>From</i>	<i>To</i>	<i>Length</i>	<i>Hardness</i>	<i>Magnetic Susc.</i>		<i>Frac. Freq.</i>	<i>R.Q.D</i>	<i>Visual RQD</i>	<i>Recovery</i>
(m)	(m)	(m)		<i>Average</i>	<i>Max</i>				
52.20	54.00	1.80	R4	0.14	0.18	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.08	0.14	-	100.00	-	100.00
57.00	60.00	3.00	R6	0.00	0.03	-	100.00	-	100.00
60.00	63.00	3.00	R6	0.04	0.14	-	100.00	-	100.00
63.00	66.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
66.00	69.00	3.00	R6	0.03	0.07	-	100.00	-	100.00
69.00	72.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
72.00	75.00	3.00	R4	0.11	0.20	-	100.00	-	100.00
75.00	78.00	3.00	R6	0.03	0.07	-	100.00	-	100.00
78.00	81.00	3.00	R6	0.04	0.09	-	100.00	-	100.00
81.00	84.00	3.00	R6	0.05	0.10	-	100.00	-	100.00
84.00	87.00	3.00	R6	0.02	0.07	-	100.00	-	100.00
87.00	90.00	3.00	R6	0.02	0.03	-	100.00	-	100.00
90.00	93.00	3.00	R6	0.01	0.03	-	100.00	-	100.00
93.00	96.00	3.00	R6	0.14	0.38	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.33	0.38	-	100.00	-	100.00
99.00	102.00	3.00	R5	0.28	0.43	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.34	0.87	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.55	1.72	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.14	0.20	-	100.00	-	100.00
111.00	114.00	3.00	R5	2.13	6.27	-	100.00	-	100.00
114.00	117.00	3.00	R6	2.56	9.99	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.41	0.80	-	100.00	-	100.00
120.00	123.00	3.00	R6	3.32	5.39	-	100.00	-	100.00
123.00	126.00	3.00	R6	24.50	53.80	-	100.00	-	100.00
126.00	129.00	3.00	R6	1.37	4.22	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.15	0.18	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.14	0.20	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.18	0.21	-	100.00	-	100.00
138.00	141.00	3.00	R5	0.16	0.18	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.14	0.16	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.12	0.14	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.32	1.04	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.14	0.18	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.08	0.14	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.12	0.14	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.11	0.14	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-99
Project: PLANET EXPLORATION
Project Number: 800125

162.00	165.00	3.00	R5	0.12	0.14	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.12	0.16	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.11	0.20	-	100.00	-	100.00
171.00	174.00	3.00	R4	0.11	0.14	-	100.00	-	100.00
174.00	177.00	3.00	R4	0.11	0.14	-	100.00	-	100.00
177.00	180.00	3.00	R4	0.11	0.14	-	100.00	-	100.00
180.00	183.00	3.00	R4	0.11	0.14	-	100.00	-	100.00
183.00	186.00	3.00	R4	0.14	0.18	-	100.00	-	100.00
186.00	189.00	3.00	R5	47.40	120.00	-	100.00	-	100.00
189.00	192.00	3.00	R5	1.02	4.95	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
195.00	198.00	3.00	R5	0.09	0.18	-	100.00	-	100.00
198.00	201.00	3.00	R4	0.18	0.49	-	100.00	-	100.00
201.00	204.00	3.00	R5	0.23	0.27	-	100.00	-	100.00
204.00	207.00	3.00	R5	0.17	0.20	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.20	0.25	-	100.00	-	100.00
210.00	213.00	3.00	R4	0.14	0.16	-	100.00	-	100.00
213.00	216.00	3.00	R4	0.15	0.18	-	100.00	-	100.00
216.00	219.00	3.00	R4	0.16	0.18	-	100.00	-	100.00
219.00	222.00	3.00	R4	0.14	0.20	-	100.00	-	100.00
222.00	225.00	3.00	R4	0.13	0.16	-	100.00	-	100.00
225.00	228.00	3.00	R4	0.14	0.23	-	100.00	-	100.00
228.00	231.00	3.00	R4	0.13	0.16	-	100.00	-	100.00
231.00	234.00	3.00	R4	0.17	0.27	-	100.00	-	100.00
234.00	237.00	3.00	R4	0.14	0.20	-	100.00	-	100.00
237.00	240.00	3.00	R4	0.17	0.21	-	100.00	-	100.00
240.00	243.00	3.00	R4	0.17	0.27	-	100.00	-	100.00
243.00	246.00	3.00	R4	0.22	0.27	-	100.00	-	100.00
246.00	249.00	3.00	R4	0.26	0.31	-	100.00	-	100.00
249.00	252.00	3.00	R5	0.20	0.25	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-100
Project : PLANET EXPLORATION
Project Number: 800125

<p><u>Drilling</u></p> <p>Azimuth: 134 Dip: -69.84 Length: 327.00 meters Started: 04-Nov-05 Completed: 08-Nov-05 Logged: 09-Nov-05 Wedged : No Wedged from:</p> <p>Target: 2005-Q3 Comments: Collar survey pending</p>	<p><u>Casing</u></p> <p>Length: 66.00 meters Pulled: No Capped: Yes Cemented: No</p> <p><u>Core</u></p> <p>Dimension: NQ Original Units: M Storage: Cochenour Mine</p>	<p><u>Location</u></p> <p>Township: COLI LAKE Claim No: NTS: Surface Hole : Yes Level:</p> <table border="0"> <tr> <td><u>Coordinate- Gemcom</u></td> <td><u>Coordinate - UTM</u></td> <td><u>Coordinate- Grid</u></td> </tr> <tr> <td>East: 461320.00</td> <td>East: 461320</td> <td>East:</td> </tr> <tr> <td>North: 5679175.00</td> <td>North: 5679175</td> <td>North:</td> </tr> <tr> <td>Elevation: 419.58</td> <td>Elevation: 420</td> <td>Elevation:</td> </tr> <tr> <td></td> <td>UTM Zone: 15 (NAD 27)</td> <td>Grid Name:</td> </tr> </table>	<u>Coordinate- Gemcom</u>	<u>Coordinate - UTM</u>	<u>Coordinate- Grid</u>	East: 461320.00	East: 461320	East:	North: 5679175.00	North: 5679175	North:	Elevation: 419.58	Elevation: 420	Elevation:		UTM Zone: 15 (NAD 27)	Grid Name:	<p><u>Other</u></p> <p>Contractor: MAJOR DRILLING Spotted by: T. Maciejewski Coord Type: GPS Surveyed by: Surveyed Date: Logged by: L.C. Chastko Re-logged by: Water Source: Anderson Lake Water line: Left in hole: Nothing Control Drilling: Stabilizer Cutting sampled: No Geophysic:</p>
<u>Coordinate- Gemcom</u>	<u>Coordinate - UTM</u>	<u>Coordinate- Grid</u>																
East: 461320.00	East: 461320	East:																
North: 5679175.00	North: 5679175	North:																
Elevation: 419.58	Elevation: 420	Elevation:																
	UTM Zone: 15 (NAD 27)	Grid Name:																

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	134.62	-69.84	X	42.000	137.14	-70.79	X	84.000	141.03	-70.45	X
3.000	134.42	-70.79	X	45.000	137.30	-70.78	X	87.000	141.07	-70.40	X
6.000	134.32	-71.01	X	48.000	137.50	-70.78	X	90.000	141.15	-70.46	X
9.000	134.11	-70.46	X	51.000	137.69	-70.71	X	93.000	141.28	-70.42	X
12.000	133.72	-70.21	X	54.000	137.92	-70.78	X	96.000	141.37	-70.32	X
15.000	133.27	-69.93	X	57.000	138.28	-70.70	X	99.000	141.39	-70.32	X
18.000	132.97	-69.47	X	60.000	138.84	-70.66	X	102.000	141.44	-70.17	X
21.000	132.83	-70.25	X	63.000	139.40	-70.59	X	105.000	141.47	-70.20	X
24.000	133.01	-70.68	X	66.000	139.81	-70.59	X	108.000	141.61	-70.21	X
27.000	133.48	-70.76	X	69.000	140.00	-70.75	X	111.000	141.82	-70.15	X
30.000	134.29	-70.81	X	72.000	140.21	-70.73	X	114.000	141.96	-70.05	X
33.000	135.44	-70.88	X	75.000	140.51	-70.59	X	117.000	142.05	-70.13	X
36.000	136.36	-70.91	X	78.000	140.69	-70.63	X	120.000	142.36	-70.01	X
39.000	136.94	-70.87	X	81.000	140.91	-70.45	X	123.000	142.70	-69.83	X



Diamond Drill Hole Log

GoldCorp Inc.

Hole Number : RL-05-100
Project : PLANET EXPLORA
Project Number: 800125

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
126.000	142.92	-69.73	X
129.000	143.17	-69.60	X
132.000	143.41	-69.51	X
135.000	143.69	-69.37	X
138.000	143.96	-69.18	X
141.000	144.00	-69.11	X
144.000	144.14	-69.21	X
147.000	144.39	-69.18	X
150.000	144.51	-69.01	X
153.000	144.52	-69.09	X
156.000	144.59	-69.15	X
159.000	144.68	-69.05	X
162.000	144.69	-68.99	X
165.000	144.74	-68.99	X
168.000	144.79	-68.97	X
171.000	144.81	-68.95	X
174.000	144.84	-68.84	X
177.000	144.79	-68.95	X
180.000	144.93	-68.78	X
183.000	144.90	-68.82	X
186.000	144.96	-68.90	X
189.000	145.02	-68.76	X
192.000	145.09	-68.83	X
195.000	145.11	-68.78	X
198.000	145.18	-68.80	X
201.000	145.23	-68.83	X
204.000	145.28	-68.74	X
207.000	145.35	-68.75	X
210.000	145.47	-68.72	X
213.000	145.57	-68.61	X
216.000	145.57	-68.62	X
219.000	145.64	-68.67	X

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
222.000	145.77	-68.56	X
225.000	145.72	-68.55	X
228.000	145.77	-68.56	X
231.000	145.91	-68.55	X
234.000	146.04	-68.50	X
237.000	146.04	-68.34	X
240.000	146.14	-68.40	X
243.000	146.31	-68.30	X
246.000	146.35	-68.36	X
249.000	146.37	-68.37	X
252.000	146.45	-68.35	X
255.000	146.62	-68.27	X
258.000	146.68	-68.21	X
261.000	146.79	-68.09	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-100
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	65.83	(OB) OVERBURDEN Casing to 66									
65.83	193.35	(7B) FELDSPAR PORPHYRY sub volcanic type, moderately to highly altered 65.83 - 71.9 plag phyrlic-fuzzy, marbled light brownish-biotite, moderately fractured, rapid transition into blitzed aphanitic foliated porphyry at 72 71.9 - 169 predominantly aphanitic, blitzed variably altered, variably strained, overall light very fine grained biotitization, variable local brecciation, silicification, microcline alteration, local strained sections display variable reddish-brown hematite staining, overall traces of fine disseminated pypo and possible fine aspy 71.9 - 80.18 aphanitic, buff-brownish, well foliated at 35-40 to CA, very minor reddish hematite staining 80.18 - 80.9 moderate reddish stain 81.55 - 81.85 narrow diorite dike, contacts unconformable at 20 to CA 84 - 88 weak breccia, moderate kspar alteration, 2-3% quartz patch, moderate hematite staining 90.60 - 90.20 weak shear, moderate hematite 91 - 113 weakly brecciated, blocky appearance, local sections of broken core, moderate k spar patched, weak to moderate reddish hematite staining 99.8 - 100.2 open late fault breccia 120.5 - 122 light to moderate hematite 133.5 - 135.5 moderate hematite stain 137.7 - 138.7 fault/shear variable carbonate-amphibole-chlorite, highly schistose at 35-40 to CA, minor fine popy 138 - and down, absence of hematite staining, increased K-spar altered patches 180 - 193.35 aphanitic-glassy, blotchy, bleached, locally silicified and/or microcline altered, moderately fractured with pinkish alteration along select fractures	406061	65.83	67.00	1.17	0.12	0.003	118	<input type="checkbox"/>	
			406062	67.00	68.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			406063	68.00	69.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			406064	69.00	70.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			406065	70.00	71.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			406066	71.00	72.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			406067	72.00	73.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			406068	73.00	74.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			406069	74.00	75.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406070	75.00	76.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406071	76.00	77.00	1.00	0.01	<0.001	<5	<input type="checkbox"/>	
			406072	77.00	78.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406073	78.00	79.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			406074	79.00	80.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406075	80.00	81.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406076	81.00	82.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406077	82.00	83.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406078	83.00	84.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406079	84.00	85.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406080	85.00	86.00	1.00	0.15	0.004	149	<input type="checkbox"/>	
			406081	86.00	87.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
		99.80 - 100.20 (FLT) FAULT	406082	87.00	88.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		late open fault breccia	406083	88.00	89.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406084	89.00	90.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406085	90.00	91.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
		137.70 - 138.70 (FLT) FAULT	406086	91.00	92.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		137.7 - 138.7 fault/shear variable carbonate-amphibole-chlorite, highly schistose at 35-40 to CA, minor fine popy	406087	92.00	93.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406088	93.00	94.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406089	94.00	95.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-100
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
178.95 - 179.38	(6)	MAFIC-ULTRAMAFIC INTRUSIVES	406090	95.00	96.00	1.00	0.03	0.001	27	<input type="checkbox"/>	
		dark green dike, highly sheared and foliated contacts at 35 to CA	406091	96.00	97.00	1.00	0.08	0.002	79	<input type="checkbox"/>	
			406092	97.00	98.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
186.65 - 187.10	(7B)	FELDSPAR PORPHYRY	406093	98.00	99.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		grey matrix, 10-15% feldspar phenos., relatively late, fresh, massive	406094	99.00	100.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			406095	100.00	101.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406096	101.00	102.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
187.10 - 188.40	(6)	MAFIC-ULTRAMAFIC INTRUSIVES	406097	102.00	103.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
		probably gabbro, dark green, fine grained, weakly foliated, weakly biotitic	406098	103.00	104.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			406101	104.00	105.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406102	105.00	106.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
188.40 - 193.35	(7B)	FELDSPAR PORPHYRY	406103	106.00	107.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		sub volcanic type	406104	107.00	108.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		aphanitic, glassy, blotchy, bleached, variable K-spar alteration and silicification	406105	108.00	109.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406106	109.00	110.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406107	110.00	111.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406108	111.00	112.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406109	112.00	113.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406110	113.00	114.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406111	114.00	115.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			406112	115.00	116.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
			406113	116.00	117.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			406114	117.00	118.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			406115	118.00	119.00	1.00	0.45	0.013	446	<input type="checkbox"/>	
			406116	119.00	120.00	1.00	0.17	0.005	167	<input type="checkbox"/>	
			406117	120.00	121.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406118	121.00	122.00	1.00	0.08	0.002	77	<input type="checkbox"/>	
			406119	122.00	123.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			406120	123.00	124.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			406121	124.00	125.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406122	125.00	126.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			406123	126.00	127.00	1.00	4.46	0.130	4462	<input type="checkbox"/>	
			406124	127.00	128.00	1.00	0.31	0.009	309	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-100
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	V.G.	Comments
			406125	128.00	129.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406126	129.00	130.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406127	130.00	131.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406128	131.00	132.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406129	132.00	133.00	1.00	0.74	0.022	743	<input type="checkbox"/>	
			406130	133.00	134.00	1.00	2.89	0.084	2885	<input type="checkbox"/>	
			406131	134.00	135.00	1.00	1.98	0.058	1975	<input type="checkbox"/>	
			406132	135.00	136.00	1.00	1.72	0.050	1724	<input type="checkbox"/>	
			406133	136.00	137.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406134	137.00	137.70	0.70	0.95	0.028	950	<input type="checkbox"/>	
			406135	137.70	138.70	1.00	1.11	0.032	1113	<input type="checkbox"/>	
			406136	138.70	140.00	1.30	1.19	0.035	1185	<input type="checkbox"/>	
			406137	140.00	141.00	1.00	3.58	0.105	3583	<input type="checkbox"/>	
			406138	141.00	142.00	1.00	0.92	0.027	916	<input type="checkbox"/>	
			406139	142.00	143.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			406140	143.00	144.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			406141	144.00	145.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			406142	145.00	146.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			406143	146.00	147.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			406144	147.00	148.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			406145	148.00	149.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406146	149.00	150.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
			406147	150.00	151.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			406148	151.00	152.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			406151	152.00	153.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406152	153.00	154.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406153	154.00	155.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406154	155.00	156.00	1.00	0.06	0.002	60	<input type="checkbox"/>	
			406155	156.00	157.00	1.00	0.23	0.007	227	<input type="checkbox"/>	
			406156	157.00	158.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			406157	158.00	159.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406158	159.00	160.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406159	160.00	161.00	1.00	0.03	0.001	27	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-100
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			406160	161.00	162.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406161	162.00	163.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406162	163.00	164.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406163	164.00	165.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406164	165.00	166.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406165	166.00	167.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406166	167.00	168.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406167	168.00	169.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406168	169.00	170.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			406169	170.00	171.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406170	171.00	172.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406171	172.00	173.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406172	173.00	174.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406173	174.00	175.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406174	175.00	176.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			406175	176.00	177.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406176	177.00	178.00	1.00	0.08	0.002	84	<input type="checkbox"/>	
			406177	178.00	179.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406178	179.00	180.00	1.00	0.10	0.003	99	<input type="checkbox"/>	
			406179	180.00	181.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			406180	181.00	182.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406181	182.00	183.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			406182	183.00	184.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406183	184.00	185.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406184	185.00	186.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406185	186.00	186.65	0.65	<0.01	<0.001	<5	<input type="checkbox"/>	
			406186	186.65	187.50	0.85	0.01	<0.001	14	<input type="checkbox"/>	
			406187	187.50	188.40	0.90	0.01	<0.001	14	<input type="checkbox"/>	
			406188	188.40	189.00	0.60	0.01	<0.001	7	<input type="checkbox"/>	
			406189	189.00	190.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			406190	190.00	191.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406191	191.00	192.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406192	192.00	193.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-100
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	V.G.	Comments
193.35	196.48	(6) MAFIC-ULTRAMAFIC INTRUSIVES gabbro? Darke green fine grained, relatively massive to weakly foliated NOTE:Down from here iinterfingered highly altered porphyry with dark green fine grained gabbroic rock and minor other dikes, contacts are variable from conformable to crosscuttig foliation in porphyry at various angles at 247.45 it appears the hole may be going down dip and/or down strike of a mafic gabbroic dike	406193	193.00	194.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			406194	194.00	195.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406195	195.00	196.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
196.48	198.40	(7B) FELDSPAR PORPHYRY highly altered as above	406196	196.00	197.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			406197	197.00	198.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
198.40	199.25	(6) MAFIC-ULTRAMAFIC INTRUSIVES hihly sheared altered, foliation at 35 to CA 198.75 - 199.25 late open fault broken rubble 198.75 - 199.25 (FLT) FAULT late open fault, rubble, poss at 35-45 to CA	406198	198.00	199.25	1.25	0.01	<0.001	9	<input type="checkbox"/>	
199.25	204.80	(7B) FELDSPAR PORPHYRY 50% altered porphyry and 50% gabbroic dike with low angle contacts, appears to be going in and out of units down dip or strike	406201	199.25	200.00	0.75	<0.01	<0.001	<5	<input type="checkbox"/>	
			406202	200.00	201.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			406203	201.00	202.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			406204	202.00	203.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406205	203.00	204.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			406206	204.00	205.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
204.80	206.50	(7B) FELDSPAR PORPHYRY highly altered as before, contacts at 35	406207	205.00	206.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406208	206.00	207.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
206.50	207.00	(6) MAFIC-ULTRAMAFIC INTRUSIVES gabbroic as before									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-100
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments	
207.00	209.18	(6D) LAMPROPHYRE brownish, massive, fresh, mafic lath, sharp, cross cutting contacts	406209	207.00	208.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>		
			406210	208.00	209.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>		
209.18	209.74	(6) MAFIC-ULTRAMAFIC INTRUSIVES gabbroic as before	406211	209.00	210.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>		
209.74	235.30	(7B) FELDSPAR PORPHYRY highly altered, as before	406212	210.00	211.00	1.00	0.07	0.002	74	<input type="checkbox"/>		
			406213	211.00	212.00	1.00	0.03	0.001	25	<input type="checkbox"/>		
		222.10 - 223.70 (6) MAFIC-ULTRAMAFIC INTRUSIVES		406214	212.00	213.00	1.00	0.15	0.004	149	<input type="checkbox"/>	
		dark green, fine grained gabbroic dike		406215	213.00	214.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
				406216	214.00	215.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
				406217	215.00	216.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
		223.70 - 224.15 (7B) FELDSPAR PORPHYRY		406218	216.00	217.00	1.00	0.28	0.008	275	<input type="checkbox"/>	
		highly altered		406219	217.00	218.00	1.00	0.10	0.003	102	<input type="checkbox"/>	
				406220	218.00	219.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
				406221	219.00	220.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
		224.15 - 225.22 (6) MAFIC-ULTRAMAFIC INTRUSIVES		406222	220.00	221.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
		gabbroic dike as before		406223	221.00	222.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
				406224	222.00	223.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
				406225	223.00	224.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
				406226	224.00	225.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
				406227	225.00	226.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
				406228	226.00	227.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
				406229	227.00	228.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
				406230	228.00	229.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
				406231	229.00	230.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
				406232	230.00	231.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
				406233	231.00	232.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
				406234	232.00	233.00	1.00	0.14	0.004	138	<input type="checkbox"/>	
				406235	233.00	234.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
				406236	234.00	235.00	1.00	0.03	0.001	27	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-100
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	V.G.	Comments
235.30	240.40	(6) MAFIC-ULTRAMAFIC INTRUSIVES dark green, fine grained gabbroic dike, weak to moderate fractures filled with quartz-carbonate	406237	235.00	236.00	1.00	0.10	0.003	100	<input type="checkbox"/>	
			406238	236.00	237.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			406239	237.00	238.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			406240	238.00	239.00	1.00	0.15	0.004	150	<input type="checkbox"/>	
			406241	239.00	240.00	1.00	0.07	0.002	66	<input type="checkbox"/>	
240.40	242.10	(7B) FELDSPAR PORPHYRY highly altered, weak-moderately sericitic, moderately fractured, similar to before, semi conformable contacts	406242	240.00	241.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			406243	241.00	242.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
242.10	245.38	(6G) GABBRO dark green, medium grained, relatively massive gabbro, contacts at 15 and 30 to CA and cross cut foliation at obtuse angles	406244	242.00	243.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
			406245	243.00	244.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406246	244.00	245.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
245.38	247.75	(7B) FELDSPAR PORPHYRY highly altered, similar to before, well foliated at 35 to CA	406247	245.00	246.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406248	246.00	247.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406251	247.00	248.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
247.75	254.85	(6) MAFIC-ULTRAMAFIC INTRUSIVES dark green, fine grained, relatively massive gabbroic dike, weak fractures filled with quartz-carbonate 249.80 - 250.10 10-15 cm quartz-carbonate vein at 15 to CA 253.90 - 254.30 altered 7B dike	406252	248.00	249.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			406253	249.00	250.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406254	250.00	251.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			406255	251.00	252.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406256	252.00	253.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406257	253.00	254.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406258	254.00	255.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
254.85	255.50	(6D) LAMPORPHYRE brownish, mafic amph lath, distinct clear contacts	406259	255.00	256.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
255.50	256.75	(7B) FELDSPAR PORPHYRY chunky porphyry dike, fresh, massive	406260	256.00	256.75	0.75	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-100
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
256.75	257.08	(6D) LAMPROPHYRE lampropyre dike as before									
257.08	327.00	(6) MAFIC-ULTRAMAFIC INTRUSIVES gabbroic, dark green, fine grained with local medium grained sections, relatively massive to locally weakly foliated near contacts with narrow quartz carbonate filled shears or dikes, weakly biotitic, moderate tight fractures-slightly taceous, and increasing down section, occasional weakly to moderately altered narrow shear, occasional weak locally concentrated popy	406261	256.75	258.00	1.25	0.01	<0.001	10	<input type="checkbox"/>	
			406262	258.00	259.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406263	265.00	266.00	1.00	0.15	0.004	150	<input type="checkbox"/>	
			406264	269.00	269.92	0.92	0.26	0.008	259	<input type="checkbox"/>	
			406265	269.92	270.40	0.48	0.38	0.011	375	<input type="checkbox"/>	
		269.92 - 270.40 (Q/C) QUARTZ/CARBONATE 85% quartz-carbonate vein at 35-40 to CA	406266	270.40	271.00	0.60	2.57	0.075	2574	<input type="checkbox"/>	
			406267	276.00	276.93	0.93	0.21	0.006	206	<input type="checkbox"/>	
			406268	276.93	278.10	1.17	0.03	0.001	32	<input type="checkbox"/>	
		276.93 - 278.10 (7B) FELDSPAR PORPHYRY highly altered, aphanitic, contacts at low angle 15-20 to CA	406269	285.00	286.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			406270	290.00	290.30	0.30	0.11	0.003	113	<input type="checkbox"/>	
			406271	290.30	290.75	0.45	0.07	0.002	73	<input type="checkbox"/>	
			406272	290.75	292.00	1.25	0.01	<0.001	11	<input type="checkbox"/>	
		287.77 - 288.72 (7B) FELDSPAR PORPHYRY chunky porphyry dike	406273	295.00	296.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
			406274	300.00	301.00	1.00	0.08	0.002	81	<input type="checkbox"/>	
			406275	305.75	307.00	1.25	0.11	0.003	106	<input type="checkbox"/>	
			406276	307.00	308.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		290.30 - 290.75 (Q/C) QUARTZ/CARBONATE 60% quartz-carbonate, 30% amphibole-biotite wisps, 5-8% fine po>py traces cpy at 55 to CA	406277	308.00	309.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			406278	309.00	310.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
			406279	310.00	311.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			406280	311.00	312.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		305.85 - 312.00 (6) MAFIC-ULTRAMAFIC INTRUSIVES 20% in and out low angle quartz veins	406281	315.00	316.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406282	320.00	321.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			406283	325.00	326.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			406284	326.00	327.00	1.00	0.05	0.002	52	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-100
Project PLANET EXPLORATION
Project Number 800125

Distance <i>(m)</i>	Sample	Au <i>(ppb)</i>	Au <i>(g/t)</i>	Au <i>(Oz/t)</i>
104.00	406099	3477	3.477	0.101
104.01	406100	<5	<0.005	<0.001
152.00	406149	4052	4.052	0.118
152.01	406150	<5	<0.005	<0.001
199.25	406199	2547	2.547	0.074
199.26	406200	6	0.006	<0.001
247.00	406249	3896	3.896	0.114
247.01	406250	<5	<0.005	<0.001



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-100
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
66.00	69.00	3.00	R6	0.07	0.10	-	100.00	-	100.00
69.00	72.00	3.00	R6	0.11	0.21	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.15	0.29	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.02	0.03	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.02	0.05	-	100.00	-	100.00
81.00	84.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.04	0.16	-	100.00	-	100.00
93.00	96.00	3.00	R5	0.02	0.07	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.01	0.07	-	100.00	-	100.00
99.00	102.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
102.00	105.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
108.00	111.00	3.00	R5	0.02	0.12	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.02	0.05	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.15	0.45	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.02	0.10	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.06	0.25	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.04	0.16	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.04	0.12	-	100.00	-	100.00
135.00	138.00	3.00	R4	0.04	0.21	-	100.00	-	100.00
138.00	141.00	3.00	R3	0.01	0.05	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.02	0.05	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
147.00	150.00	3.00	R4	0.07	0.21	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
162.00	165.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
171.00	174.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
174.00	177.00	3.00	R5	0.00	0.00	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-100
Project: PLANET EXPLORATION
Project Number: 800125

177.00	180.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
180.00	183.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
186.00	189.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
189.00	192.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.07	0.12	-	100.00	-	100.00
195.00	198.00	3.00	R4	0.12	0.20	-	100.00	-	100.00
198.00	201.00	3.00	R4	0.03	0.09	-	100.00	-	100.00
201.00	204.00	3.00	R4	0.07	0.12	-	100.00	-	100.00
204.00	207.00	3.00	R4	0.06	0.10	-	100.00	-	100.00
207.00	210.00	3.00	R5	0.08	0.10	-	100.00	-	100.00
210.00	213.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
213.00	216.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
216.00	219.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
219.00	222.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
222.00	225.00	3.00	R4	0.10	0.10	-	100.00	-	100.00
225.00	228.00	3.00	R5	0.04	0.12	-	100.00	-	100.00
228.00	231.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
231.00	234.00	3.00	R5	0.03	0.09	-	100.00	-	100.00
234.00	237.00	3.00	R4	0.42	0.93	-	100.00	-	100.00
237.00	240.00	3.00	R4	0.24	0.47	-	100.00	-	100.00
240.00	243.00	3.00	R5	0.09	0.18	-	100.00	-	100.00
243.00	246.00	3.00	R4	0.07	0.09	-	100.00	-	100.00
246.00	249.00	3.00	R5	0.19	0.82	-	100.00	-	100.00
249.00	252.00	3.00	R4	0.22	0.51	-	100.00	-	100.00
252.00	255.00	3.00	R4	0.14	0.21	-	100.00	-	100.00
255.00	258.00	3.00	R4	0.09	0.12	-	100.00	-	100.00
258.00	261.00	3.00	R4	0.21	0.45	-	100.00	-	100.00
261.00	264.00	3.00	R4	0.39	1.37	-	100.00	-	100.00
264.00	267.00	3.00	R4	0.37	0.82	-	100.00	-	100.00
267.00	270.00	3.00	R4	0.30	0.73	-	100.00	-	100.00
270.00	273.00	3.00	R4	0.30	0.64	-	100.00	-	100.00
273.00	276.00	3.00	R4	0.13	0.16	-	100.00	-	100.00
276.00	279.00	3.00	R5	0.10	0.20	-	100.00	-	100.00
279.00	282.00	3.00	R4	0.11	0.14	-	100.00	-	100.00
282.00	285.00	3.00	R4	0.11	0.12	-	100.00	-	100.00
285.00	288.00	3.00	R4	0.13	0.21	-	100.00	-	100.00
288.00	291.00	3.00	R4	0.15	0.29	-	100.00	-	100.00
291.00	294.00	3.00	R4	0.10	0.14	-	100.00	-	100.00
294.00	297.00	3.00	R4	0.10	0.16	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-100
Project: PLANET EXPLORATION
Project Number: 800125

297.00	300.00	3.00	R4	0.09	0.09	-	100.00	-	100.00
300.00	303.00	3.00	R4	0.13	0.16	-	100.00	-	100.00
303.00	306.00	3.00	R4	0.31	0.71	-	100.00	-	100.00
306.00	309.00	3.00	R5	0.11	0.12	-	100.00	-	100.00
309.00	312.00	3.00	R4	0.10	0.12	-	100.00	-	100.00
312.00	315.00	3.00	R5	0.08	0.10	-	100.00	-	100.00
315.00	318.00	3.00	R4	0.11	0.12	-	100.00	-	100.00
318.00	321.00	3.00	R5	0.30	0.96	-	100.00	-	100.00
321.00	324.00	3.00	R5	0.14	0.18	-	100.00	-	100.00
324.00	327.00	3.00	R5	0.18	0.23	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-101
Project : PLANET EXPLORATION
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>		
Azimuth:	134	Length:	meters	Township:	COLI LAKE		Contractor:	MAJOR DRILLING	
Dip:	-55	Pulled:	No	Claim No:			Spotted by:	T. Maciejewski	
Length:	114.00 meters	Capped:	No	NTS:			Coord Type:	GPS	
Started:	08-Nov-05	Cemented:	No	Surface Hole :	Yes	Level:	Surveyed by:		
Completed:	11-Nov-05	<u>Core</u>		Coordinate- Gemcom	Coordinate - UTM	Coordinate- Grid	Surveyed Date:		
Logged:	12-Nov-05	Dimension:	NQ	East:	461335.00	East:	461335	Logged by:	L.C. Chastko
Wedged :	No	Original Units:	M	North:	5679235.00	North:	5679235	Re-logged by:	
Wedged from:		Storage:	Cochenour Mine	Elevation:	419.58	Elevation:	420	Water Source:	Anderson Lake
				UTM Zone:	15 (NAD 27)	Grid Name:		Water line:	
								Left in hole:	Rod + Bit + Core Barrel
								Control Drilling:	
Target:	Anderson Lake North 2005-Q4								
Comments:	@ 114 M CORE BARREL SANDED IN, COULD NOT RETRIEVE - ABANDONED HOLE move back 2 m and drill RL-05-102 at -65 using standard core barrel and short reaming shell to try to flatten hole in order to penetrate mafic dikes that may dip/strike in similar direction as hole Collar survey pending								
								Cutting sampled:	No
								Geophysic:	

Deviation Tests

Distance (m)	Azimuth	Dip	Type
0.000	134.00	-55.00	C



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-101
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
0.00	90.50	(OB) OVERBURDEN Casing	406285	90.00	90.90	0.90	0.02	0.001	23	<input type="checkbox"/>	
90.50	102.60	(7B) FELDSPAR PORPHYRY sub volcanic type irregular blotchy grey-buff, aphanitic, phenos sheared out, late faulting, local gouge, broken and weathered core, moderately sheared and foliated at 35 to CA 90.90 - 91.05 open gouge filled seam 95.50 - 102.60 late faulting local gouge, broken weathered core, hematite staining	406286 406287 406288 406289 406290 406291 406292	91.05 92.00 93.00 94.00 95.00 96.00 97.00	92.00 93.00 94.00 95.00 96.00 97.00 98.00	0.95 1.00 1.00 1.00 1.00 1.00 1.00	0.01 0.03 0.08 0.01 0.02 0.02 0.14	<0.001 0.001 0.002 <0.001 <0.001 0.001 0.004	13 34 79 7 15 22 136	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		90.90 - 91.05 (FLT) FAULT gouge filled	406293 406294 406295	98.00 99.00 100.00	99.00 100.00 101.00	1.00 1.00 1.00	0.23 0.07 0.01	0.007 0.002 <0.001	231 74 12	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		95.50 - 102.60 (FLT) FAULT	406296 406297	101.00 102.00	102.00 103.00	1.00 1.00	0.01 0.02	<0.001 0.001	9 24	<input type="checkbox"/> <input type="checkbox"/>	
102.60	109.60	(6G) GABBRO gabbro dike mottled grey and dark green, medium grained, relatively massive, unfoliated, intrudes porphyry,, minor fracturing with weak hematite staining along fractures, upper contact at 40-45 lower contact at 15 to CA, sharp contacts	406298	109.00	110.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
109.60	114.00	(7B) FELDSPAR PORPHYRY sub volcanic type, highly altered, blitzed porphyry as before CORE BARREL SANDED IN, LOST HOLE MOVE DRILL BACK 2 METERS AND DRILL RL-05-102 AT -65 110.90 - 111.50 (6G) GABBRO gabbroic dike, contacts at 15-20 to CA 113.40 - 114.00 (LC) LOST CORE	406301 406302 406303 406304	110.00 111.00 112.00 113.40	111.00 112.00 113.40 114.00	1.00 1.00 1.40 0.60	0.04 0.07 0.01 <0.01	0.001 0.002 <0.001 <0.001	43 68 10 <5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-101
Project PLANET EXPLORATION
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Au</i> (g/t)	<i>Au</i> (Oz/t)
110.00	406299	3450	3.450	0.101
110.01	406300	<5	<0.005	<0.001



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-102
Project : PLANET EXPLORATION
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>	
Azimuth:	134	Length:	meters	Township:	COLI LAKE	Contractor:	MAJOR DRILLING	
Dip:	-65	Pulled:	No	Claim No:		Spotted by:	T. Maciejewski	
Length:	393.00 meters	Capped:	No	NTS:		Coord Type:	GPS	
Started:	12-Nov-05	Cemented:	No	Surface Hole :	Yes	Level:		
Completed:	18-Nov-05	<u>Core</u>		Coordinate- Gemcom	Coordinate - UTM	Coordinate- Grid	Surveyed by:	
Logged:	14-Nov-05	Dimension:	NQ	East:	461335.00	East:	461335	
Wedged :	No	Original Units:	M	North:	5679237.00	North:	5679237	
Wedged from:		Storage:	Cochenour Mine	Elevation:	421.00	Elevation:	421	
				UTM Zone:	15 (NAD 27)	Grid Name:		
Target:	Anderson North, 2005-Q4						Surveyed Date:	
Comments:	Collar survey pending						Logged by:	
							Re-logged by:	
							Water Source:	
							Water line:	
							Left in hole:	
							Control Drilling:	
							Cutting sampled:	
							Geophysic:	

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	134.62	-66.90	X	42.000	135.02	-69.13	X	84.000	140.67	-68.57	X
3.000	134.66	-66.97	X	45.000	136.05	-69.21	X	87.000	140.96	-68.52	X
6.000	134.68	-67.11	X	48.000	136.80	-69.12	X	90.000	141.26	-68.48	X
9.000	134.64	-67.28	X	51.000	137.24	-69.05	X	93.000	141.49	-68.47	X
12.000	134.51	-67.44	X	54.000	137.67	-68.97	X	96.000	141.73	-68.44	X
15.000	134.41	-67.53	X	57.000	138.09	-68.90	X	99.000	141.91	-68.40	X
18.000	134.38	-67.60	X	60.000	138.44	-68.83	X	102.000	142.01	-68.44	X
21.000	134.31	-67.72	X	63.000	138.85	-68.76	X	105.000	142.24	-68.47	X
24.000	134.27	-67.91	X	66.000	139.11	-68.72	X	108.000	142.48	-68.49	X
27.000	134.26	-68.10	X	69.000	139.46	-68.65	X	111.000	142.60	-68.50	X
30.000	134.04	-68.22	X	72.000	139.74	-68.59	X	114.000	142.78	-68.45	X
33.000	133.82	-68.34	X	75.000	139.98	-68.57	X	117.000	142.87	-68.41	X
36.000	133.75	-68.54	X	78.000	140.21	-68.58	X	120.000	143.01	-68.40	X
39.000	134.20	-68.87	X	81.000	140.42	-68.59	X	123.000	143.18	-68.36	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-102
Project : PLANET EXPLORA
Project Number: 800125

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
126.000	143.27	-68.35	X
129.000	143.40	-68.35	X
132.000	143.54	-68.35	X
135.000	143.67	-68.33	X
138.000	143.77	-68.34	X
141.000	143.91	-68.34	X
144.000	144.11	-68.36	X
147.000	144.31	-68.36	X
150.000	144.40	-68.40	X
153.000	144.66	-68.41	X
156.000	145.00	-68.44	X
159.000	145.34	-68.42	X
162.000	145.63	-68.38	X
165.000	145.88	-68.36	X
168.000	146.07	-68.35	X
171.000	146.25	-68.31	X
174.000	146.48	-68.29	X
177.000	146.63	-68.32	X
180.000	146.80	-68.33	X
183.000	146.94	-68.32	X
186.000	147.06	-68.33	X
189.000	147.18	-68.33	X
192.000	147.31	-68.32	X
195.000	147.51	-68.31	X
198.000	147.68	-68.29	X
201.000	147.85	-68.27	X
204.000	148.07	-68.26	X
207.000	148.33	-68.22	X
210.000	148.61	-68.18	X
213.000	148.79	-68.14	X
216.000	148.95	-68.05	X
219.000	149.10	-67.98	X

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
222.000	149.19	-67.92	X
225.000	149.28	-67.87	X
228.000	149.48	-67.79	X
231.000	149.76	-67.69	X
234.000	150.02	-67.59	X
237.000	150.39	-67.52	X
240.000	150.65	-67.47	X
243.000	150.79	-67.45	X
246.000	150.95	-67.42	X
249.000	151.14	-67.41	X
252.000	151.26	-67.42	X
255.000	151.30	-67.43	X
258.000	151.39	-67.38	X
261.000	151.54	-67.36	X
264.000	151.67	-67.32	X
267.000	151.74	-67.31	X
270.000	151.84	-67.35	X
273.000	151.95	-67.38	X
276.000	152.06	-67.37	X
279.000	152.17	-67.36	X
282.000	152.15	-67.32	X
285.000	152.14	-67.27	X
288.000	152.26	-67.26	X
291.000	152.27	-67.32	X
294.000	152.40	-67.31	X
297.000	152.53	-67.30	X
300.000	152.58	-67.34	X
303.000	152.65	-67.35	X
306.000	152.74	-67.34	X
309.000	152.98	-67.35	X
312.000	153.30	-67.33	X
315.000	153.39	-67.28	X

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
318.000	153.48	-67.24	X
321.000	153.62	-67.19	X
324.000	153.70	-67.17	X
327.000	153.85	-67.12	X
330.000	153.88	-67.10	X
333.000	153.89	-67.08	X
336.000	153.82	-67.08	X
339.000	153.83	-67.09	X
342.000	153.71	-67.10	X
345.000	153.79	-67.11	X
348.000	153.88	-67.13	X
351.000	154.00	-67.18	X
354.000	154.18	-67.16	X
357.000	154.46	-67.19	X
360.000	154.76	-67.27	X
363.000	154.87	-67.36	X
366.000	155.03	-67.41	X
369.000	155.05	-67.45	X
372.000	155.48	-67.53	X
375.000	156.20	-67.58	X
378.000	156.75	-67.68	X
384.000	157.21	-67.71	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-102
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G. Comments</i>
0.00	50.30	(OB) OVERBURDEN								
50.30	51.65	(6G) GABBRO dark green, medium grained, relatively massive								
51.65	63.47	(7B) FELDSPAR PORPHYRY sub volcanic type, highly altered blotchy light brownish-buff, aphanitic, feldspar phenos totally blitzed, variable local K-spar, bleaching, weak silicification, light, very fine grained reddish-brown biotitization, weakly sericitized, weak to moderate shearing and foliation at 30-35 to CA, traces fine py throughout, occassional weak stringer, weak hematitization along fractures	406305	51.65	53.00	1.35	<0.01	<0.001	<5	<input type="checkbox"/>
			406306	53.00	54.00	1.00	0.05	0.002	53	<input type="checkbox"/>
			406307	54.00	55.00	1.00	0.35	0.010	354	<input type="checkbox"/>
			406308	55.00	56.00	1.00	0.05	0.001	47	<input type="checkbox"/>
			406309	56.00	57.00	1.00	0.01	<0.001	10	<input type="checkbox"/>
			406310	57.00	58.00	1.00	0.01	<0.001	10	<input type="checkbox"/>
			406311	58.00	59.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			406312	59.00	60.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			406313	60.00	61.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			406314	61.00	62.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			406315	62.00	63.00	1.00	0.03	0.001	29	<input type="checkbox"/>
			406316	63.00	63.50	0.50	<0.01	<0.001	<5	<input type="checkbox"/>
63.47	65.75	(6G) GABBRO dark green, fine to medium grained, relatively massive, sharp upper contact at 30 to CA but cross cutting foliation at obtuse angle, broken core at lower contact 64.38 - 64.55 altered porphyry inclusion	406317	63.50	64.00	0.50	<0.01	<0.001	<5	<input type="checkbox"/>
			406318	64.00	65.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			406319	65.00	66.00	1.00	0.01	<0.001	9	<input type="checkbox"/>
65.75	77.27	(7B) FELDSPAR PORPHYRY sub volcanic type, highly altered as before blotchy light brownish-buff, aphanitic, feldspar phenos totally blitzed, variable local K-spar, bleaching, weak silicification, light, very fine grained reddish-brown biotitization, weakly sericitized, weak to moderate shearing and foliation at 30-35 to CA, traces fine py throughout, occassional weak stringer, weak hematitization along fractures local fine vuggy sections developed along select foliation planes	406320	66.00	67.00	1.00	0.02	0.001	22	<input type="checkbox"/>
			406321	67.00	68.00	1.00	0.04	0.001	35	<input type="checkbox"/>
			406322	68.00	69.00	1.00	0.01	<0.001	8	<input type="checkbox"/>
			406323	69.00	70.00	1.00	0.01	<0.001	11	<input type="checkbox"/>
			406324	70.00	71.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
			406325	71.00	72.00	1.00	0.02	0.001	23	<input type="checkbox"/>
			406326	72.00	73.00	1.00	0.04	0.001	44	<input type="checkbox"/>
			406327	73.00	74.00	1.00	0.07	0.002	65	<input type="checkbox"/>
			406328	74.00	75.00	1.00	0.03	0.001	29	<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-102
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			406329	75.00	76.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			406330	76.00	77.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
77.27	81.00	(6G) GABBRO dark green, medium grained, relatively massive sharp upper and lower contact at 35 to CA but crosscutting foliation at an obtuse angle 77.5 - 77.72 altered porphyry inclusion	406331	77.00	78.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
81.00	96.00	(7B) FELDSPAR PORPHYRY sub volcanic type, highly altered as before strenghtening down section approaching fault/shear below blotchy light brownish-buff, aphanitic, feldspar phenos totally blitzed, variable local K-spar, bleaching, weak silicification, light, very fine grained reddish-brown biotitization, weakly sericitized, weak to moderate shearing and foliation at 30-35 to CA, traces fine py throughout, increasing down section towards fault/shear, occassional weak stringer, weak hematitization along fractures	406332	81.00	82.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			406333	82.00	83.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			406334	83.00	84.00	1.00	0.03	0.001	32	<input type="checkbox"/>	
			406335	84.00	85.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406336	85.00	86.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			406337	86.00	87.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			406338	87.00	88.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
			406339	88.00	89.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406340	89.00	90.00	1.00	0.59	0.017	589	<input type="checkbox"/>	
			406341	90.00	91.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			406342	91.00	92.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			406343	92.00	93.00	1.00	1.64	0.048	1643	<input type="checkbox"/>	
			406344	93.00	94.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			406345	94.00	95.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			406346	95.00	96.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
96.00	108.50	(7B) FELDSPAR PORPHYRY fault/shear zone, interlaced highly altered porphyry and mafic gabbroic dike well sheared and foliated at 25-30 to CA, local broken core, local strong weathering and crumbling, local weak to strong hematitization 96 - 101 2-3% fine disseminated py 96.00 - 108.50 (FLT) FAULT	406347	96.00	97.00	1.00	0.73	0.021	731	<input type="checkbox"/>	
			406348	97.00	98.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			406351	98.00	99.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			406352	99.00	100.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			406353	100.00	101.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			406354	101.00	102.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			406355	102.00	103.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406356	103.00	104.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406357	104.00	105.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406358	105.00	106.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-102
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
			406359	106.00	107.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406360	107.00	108.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406361	108.00	109.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
108.50	134.00	(7B) FELDSPAR PORPHYRY	406362	109.00	110.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		sub volcanic type, highly altered as before	406363	110.00	111.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		blotchy light brownish-buff, aphanitic, feldspar phenos totally blitzed, variable	406364	111.00	112.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		local K-spar, bleaching, weak silicification, light, very fine grained reddish-brown	406365	112.00	113.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		biotitization, weakly sericitized, weak to moderate shearing and foliation at 30-35	406366	113.00	114.00	1.00	0.04	0.001	36	<input type="checkbox"/>	
		to CA, traces fine py throughout, occassional weak stringer, weak hematitization	406367	114.00	115.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		along fractures	406368	115.00	116.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		114.33 - 114.8 rotten crumbly mafic dike	406369	116.00	117.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406370	117.00	118.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406371	118.00	119.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406372	119.00	120.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406373	120.00	121.00	1.00	0.11	0.003	109	<input type="checkbox"/>	
			406374	121.00	122.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406375	122.00	123.00	1.00	0.41	0.012	413	<input type="checkbox"/>	
			406376	123.00	124.00	1.00	0.08	0.002	76	<input type="checkbox"/>	
			406377	124.00	125.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406378	125.00	126.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406379	126.00	127.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			406380	127.00	128.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406381	128.00	129.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406382	129.00	130.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			406383	130.00	131.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406384	131.00	132.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406385	132.00	133.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406386	133.00	134.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
134.00	149.17	(7B) FELDSPAR PORPHYRY BX	406387	134.00	135.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
		sub volcanic type, highly altered	406388	135.00	136.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		very blotchy, brecciated, annealed, probable strong K-spar alteration and weak	406389	136.00	137.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		to moderate silicification, traces disseminated py>po	406390	137.00	138.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		141 - 142 weak to moderately sericitized, weak smoky quartz veining									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-102
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
			406391	138.00	139.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406392	139.00	140.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			406393	140.00	141.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406394	141.00	142.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			406395	142.00	143.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			406396	143.00	144.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			406397	144.00	145.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406398	145.00	146.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406401	146.00	147.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			406402	147.00	148.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406403	148.00	149.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
149.17	150.68	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK well sheared and foliated at 25-30 to CA, reddish tinge, 1-2% smoky quartz veinlets-deformed, traces disseminated py>po 150 - 20 cm pegmatitic vein	406404	149.00	150.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406405	150.00	151.25	1.25	0.01	<0.001	6	<input type="checkbox"/>	
150.68	151.25	(7B) FELDSPAR PORPHYRY BX similar to before									
151.25	152.85	(6D) LAMPROPHYRE dark brownish grey fine grained matrix, 10-15% 2-5 mm amphibole lathes, massive, fresh sharp contacts, upper at 35 to CA, undulating lower contact									
152.85	159.40	(7B) FELDSPAR PORPHYRY BX sub volcanic type, highly altered, brecciated, annealed, weakly biotitized, weak K-spar alteration, weak to moderate silicification, blotchy appearance	406406	152.85	154.00	1.15	<0.01	<0.001	<5	<input type="checkbox"/>	
			406407	154.00	155.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406408	155.00	156.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406409	156.00	157.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406410	157.00	158.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			406411	158.00	159.00	1.00	0.02	0.001	18	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-102
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
159.40	160.75	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHSI highly sheared and foliated quartz-sericite schist, strong foliation at 25 to CA, central portion somewhat crumbly, strong hematite staining, 2-3% smoky quartz veinlets often contorted, sharp upper contact , transitional lower contact	406412	159.00	160.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			406413	160.00	161.00	1.00	0.07	0.002	65	<input type="checkbox"/>	
160.75	176.00	(7B) FELDSPAR PORPHYRY sub volcanic type, buff-grey to brownish with fine biotite relatively uniform, weak biotite segregation, occassional skarny vein, occassional late fracture filled with calcite and/or gouge, traces disseminated pypo	406414	161.00	162.00	1.00	0.10	0.003	98	<input type="checkbox"/>	
			406415	162.00	163.00	1.00	0.15	0.004	150	<input type="checkbox"/>	
			406416	163.00	164.00	1.00	0.20	0.006	196	<input type="checkbox"/>	
			406417	164.00	165.00	1.00	0.30	0.009	300	<input type="checkbox"/>	
			406418	165.00	166.00	1.00	0.09	0.003	92	<input type="checkbox"/>	
			406419	166.00	167.00	1.00	1.72	0.050	1720	<input type="checkbox"/>	
			406420	167.00	168.00	1.00	0.31	0.009	313	<input type="checkbox"/>	
			406421	168.00	169.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			406422	169.00	170.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406423	170.00	171.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406424	171.00	172.00	1.00	0.21	0.006	214	<input type="checkbox"/>	
			406425	172.00	173.00	1.00	0.50	0.015	502	<input type="checkbox"/>	
			406426	173.00	174.00	1.00	1.09	0.032	1090	<input type="checkbox"/>	
			406427	174.00	175.00	1.00	0.33	0.010	329	<input type="checkbox"/>	
406428	175.00	176.00	1.00	0.98	0.029	983	<input type="checkbox"/>				
176.00	217.55	(7B) FELDSPAR PORPHYRY sub volcanic type similar to above 60-65% altered porphyry interfingered irregularly with 30-35% gabbroic material often contacts are fuzzy, local biotite alteration weak to moderate skarn development with up to 5% popy locally 200 - 216 altered porphyry moderately brecciated and annealed 176 - 183.5 2-35 variable popy disseminated to weak stringers predominantly in altered gabbro	406429	176.00	177.00	1.00	1.33	0.039	1332	<input type="checkbox"/>	
			406430	177.00	178.00	1.00	2.11	0.062	2111	<input type="checkbox"/>	
			406431	178.00	179.00	1.00	0.32	0.009	319	<input type="checkbox"/>	
			406432	179.00	180.00	1.00	0.37	0.011	373	<input type="checkbox"/>	
			406433	180.00	181.00	1.00	0.39	0.011	390	<input type="checkbox"/>	
			406434	181.00	182.00	1.00	0.19	0.006	190	<input type="checkbox"/>	
			406435	182.00	183.00	1.00	3.21	0.093	3205	<input type="checkbox"/>	
			406436	183.00	184.00	1.00	0.30	0.009	296	<input type="checkbox"/>	
			406437	184.00	185.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			406438	185.00	186.00	1.00	0.19	0.005	188	<input type="checkbox"/>	
			406439	186.00	187.00	1.00	0.25	0.007	253	<input type="checkbox"/>	
406440	187.00	188.00	1.00	0.21	0.006	214	<input type="checkbox"/>				
406441	188.00	189.00	1.00	0.03	0.001	30	<input type="checkbox"/>				
		186.08 - 186.60 (6A) DIORITE chunky diorite dike, weakly foliated									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-102
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			406442	189.00	190.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			406443	190.00	191.00	1.00	0.05	0.002	53	<input type="checkbox"/>	
			406444	191.00	192.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			406445	192.00	193.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			406446	193.00	194.00	1.00	0.19	0.005	187	<input type="checkbox"/>	
			406447	194.00	195.00	1.00	1.06	0.031	1056	<input type="checkbox"/>	
			406448	195.00	196.00	1.00	1.34	0.039	1336	<input type="checkbox"/>	
			406451	196.00	197.00	1.00	0.36	0.010	360	<input type="checkbox"/>	
			406452	197.00	198.00	1.00	0.63	0.018	632	<input type="checkbox"/>	
			406453	198.00	199.00	1.00	0.44	0.013	439	<input type="checkbox"/>	
			406454	199.00	200.00	1.00	0.17	0.005	174	<input type="checkbox"/>	
			406455	200.00	201.00	1.00	0.31	0.009	314	<input type="checkbox"/>	
			406456	201.00	202.00	1.00	0.09	0.003	86	<input type="checkbox"/>	
			406457	202.00	203.00	1.00	0.76	0.022	764	<input type="checkbox"/>	
			406458	203.00	204.00	1.00	0.34	0.010	338	<input type="checkbox"/>	
			406459	204.00	205.00	1.00	0.78	0.023	777	<input type="checkbox"/>	
			406460	205.00	206.00	1.00	0.86	0.025	862	<input type="checkbox"/>	
			406461	206.00	207.00	1.00	0.56	0.016	561	<input type="checkbox"/>	
			406462	207.00	208.00	1.00	0.24	0.007	240	<input type="checkbox"/>	
			406463	208.00	209.00	1.00	0.58	0.017	584	<input type="checkbox"/>	
			406464	209.00	210.00	1.00	0.68	0.020	681	<input type="checkbox"/>	
			406465	210.00	211.00	1.00	0.50	0.015	502	<input type="checkbox"/>	
			406466	211.00	212.00	1.00	0.42	0.012	421	<input type="checkbox"/>	
			406467	212.00	213.00	1.00	0.85	0.025	852	<input type="checkbox"/>	
			406468	213.00	214.00	1.00	0.83	0.024	828	<input type="checkbox"/>	
			406469	214.00	215.00	1.00	0.36	0.010	355	<input type="checkbox"/>	
			406470	215.00	216.00	1.00	0.41	0.012	414	<input type="checkbox"/>	
			406471	216.00	217.00	1.00	0.17	0.005	169	<input type="checkbox"/>	
			406472	217.00	218.00	1.00	0.26	0.008	262	<input type="checkbox"/>	
217.55	229.00	(6G) GABBRO	406473	218.00	219.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
		dark green fine to medium grained, weakly fractured with light alteration extending out along fractures, weak biotitic patches	406474	224.00	225.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		occasional narrow quartz and/or carbonate veinlet, traces po-py-ccp.	406475	228.00	229.00	1.00	0.85	0.025	851	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-102
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
229.00	231.00	(7B) FELDSPAR PORPHYRY BX Buff brownish grey fspar porphyry with weak biotite altn. Top half is brecciated, weakly sericitic and the fspar phenos are blitzed while in bottom half, they are visible but diffused. Minor QV	406476	229.00	230.00	1.00	0.02	0.001	23		<input type="checkbox"/>
			406477	230.00	231.00	1.00	0.04	0.001	41		<input type="checkbox"/>
231.00	244.95	(9A) QUARTZ SERICITE SCHIST @ SIDACE LK SHSI Whitish grey, highly sheared and foliated quartz-sericite schist, strong foliation at 30 to CA, central portion somewhat crumbly, weak to moderate hematite staining locally along fractures. 5-10% grey qtz eyes. Weak biotization. Minor skarn vein (2cm) 240.15: 50cm of strong hematite staining.	406478	231.00	232.00	1.00	0.11	0.003	105		<input type="checkbox"/>
			406479	232.00	233.00	1.00	0.13	0.004	133		<input type="checkbox"/>
			406480	233.00	234.00	1.00	0.68	0.020	676		<input type="checkbox"/>
			406481	234.00	235.00	1.00	0.25	0.007	246		<input type="checkbox"/>
			406482	235.00	236.00	1.00	0.23	0.007	227		<input type="checkbox"/>
			406483	236.00	237.00	1.00	0.15	0.004	151		<input type="checkbox"/>
			406484	237.00	238.00	1.00	0.28	0.008	280		<input type="checkbox"/>
			406485	238.00	239.00	1.00	0.22	0.006	221		<input type="checkbox"/>
			406486	239.00	240.00	1.00	0.68	0.020	677		<input type="checkbox"/>
			406487	240.00	241.00	1.00	0.05	0.002	53		<input type="checkbox"/>
			406488	241.00	242.00	1.00	0.14	0.004	135		<input type="checkbox"/>
		406489	242.00	243.00	1.00	0.05	0.001	45		<input type="checkbox"/>	
		406490	243.00	244.00	1.00	0.21	0.006	210		<input type="checkbox"/>	
		406491	244.00	245.00	1.00	0.04	0.001	35		<input type="checkbox"/>	
244.95	252.45	(7B) FELDSPAR PORPHYRY Buff brownish-grey, feldspar porphyry with well preserved phenos in top 5m of unit. Weak sericitization and shearing. Minor black line fault low angle tca and minor QV and skarn veins. Tr po-py 249.80-252.5: patchy, no visible phenos	406492	245.00	246.00	1.00	0.06	0.002	56		<input type="checkbox"/>
			406493	246.00	247.00	1.00	0.03	0.001	25		<input type="checkbox"/>
			406494	247.00	248.00	1.00	0.01	<0.001	8		<input type="checkbox"/>
			406495	248.00	249.00	1.00	<0.01	<0.001	<5		<input type="checkbox"/>
			406496	249.00	250.00	1.00	0.05	0.002	53		<input type="checkbox"/>
			406497	250.00	251.00	1.00	0.05	0.001	46		<input type="checkbox"/>
			406498	251.00	252.00	1.00	0.04	0.001	44		<input type="checkbox"/>
252.45	254.40	(7B) FELDSPAR PORPHYRY Mixed zone 50-50 of feldspar porphyry and skarn veining (cal-diop-biot). Minor py-po blebs. 5cm wide talc-rich vein. Porphyry is buff brownish grey, void of phenos, weakly sericitized and moderately foliated (25deg tca).	406501	252.00	253.00	1.00	2.86	0.083	2855		<input type="checkbox"/>
			406502	253.00	254.00	1.00	19.69	0.574	19692		<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-102
Project : PLANET EXPLORATION
Project Number : 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
254.40	255.80	(1) UNDIFF. MAFIC / UM VOLCANICS Dark greyish-green, fine grained massive mafic volcanic. Contacts are irregular. Minor biot along low angle cal veinlets.	406503	254.00	255.00	1.00	0.25	0.007	245	<input type="checkbox"/>	
			406504	255.00	256.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
255.80	263.30	(7B) FELDSPAR PORPHYRY Blotchy whitish grey to brownish grey, brecciated feldspar porphyry. Minor visible phenos. Two large white QV (6-7%). Minor biotization, and trace of hematite staining. Minor amphibole-cal veining.	406505	256.00	257.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406506	257.00	258.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406507	258.00	259.00	1.00	0.04	0.001	38	<input type="checkbox"/>	
			406508	259.00	260.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406509	260.00	261.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			406510	261.00	262.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			406511	262.00	263.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
263.30	268.80	(1P) PILLOWED FLOWS Dark green, fine grained, possibly pillowed mafic volcanic. 2% cal veins, Sharp contacts	406512	263.00	264.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			406513	264.00	265.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			406514	265.00	266.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			406515	266.00	267.00	1.00	0.10	0.003	104	<input type="checkbox"/>	
			406516	267.00	268.00	1.00	0.10	0.003	102	<input type="checkbox"/>	
			406517	268.00	269.00	1.00	0.11	0.003	109	<input type="checkbox"/>	
268.80	279.15	(7B) FELDSPAR PORPHYRY BX Sub volcanic type, buff brownish grey, highly altered, brecciated, annealed, weakly biotitized, weak hematite staining along fractures, weak to moderate silicification, blotchy appearance. Minor skarny veining and minor cal veining. Moderately blocky.	406518	269.00	270.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			406519	270.00	271.00	1.00	0.02	<0.001	18	<input type="checkbox"/>	
			406520	271.00	272.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406521	272.00	273.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406522	273.00	274.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			406523	274.00	275.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			406524	275.00	276.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406525	276.00	277.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			406526	277.00	278.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406527	278.00	279.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
279.15	286.23	(1A) MASSIVE MAFIC VOLC dark green, fine grained, massive mafic volcanics. 1-2% cal veining, 1% grey QV. Good sharp contacts. Weak biotization and tr diss py. 282.30 - 284.95 (7B) FELDSPAR PORPHYRY Dark grey, chunky fspar porphyry dyke. Phenos 1-4mm in size, sharp	406528	279.00	280.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			406529	280.00	281.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			406530	281.00	282.00	1.00	0.07	0.002	67	<input type="checkbox"/>	
			406531	282.00	283.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			406532	283.00	284.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-102
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
		contacts @ 45deg tca. Minor hematite staining	406533	284.00	285.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406534	285.00	286.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
286.23	299.00	(7B) FELDSPAR PORPHYRY BX	406535	286.00	287.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		Buff greyish brown to pale grey, highly altered, brecciated, annealed, feldspar porphyry; blotchy appearance and phenos totally blitzed. Weak hematite staining along some fractures, weak to moderate silicification. Weak peppered biotization, 0.5% white QV, minor py infilling vein, minor skarn-like veining.	406536	287.00	288.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406537	288.00	289.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406538	289.00	290.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406539	290.00	291.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406540	291.00	292.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			406541	292.00	293.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406542	293.00	294.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406543	294.00	295.00	1.00	0.10	0.003	104	<input type="checkbox"/>	
			406544	295.00	296.00	1.00	0.09	0.003	94	<input type="checkbox"/>	
			406545	296.00	297.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			406546	297.00	298.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			406547	298.00	299.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
299.00	313.30	(1) UNDIFF. MAFIC / UM VOLCANICS	406548	299.00	300.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
		Mixed zone of green, fine grained biotized mafic, white Qtz veins and feldspar porphyry.	406551	300.00	301.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
		299-299.17: weakly foliated, moderately biotized mafic volcanics with patchy calcite altn.	406552	301.00	302.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
		299.17-299.55: dark brownish grey, moderately foliated (25deg tca) feldspar porphyry. Tr cal veinlet.	406553	302.00	303.00	1.00	0.15	0.004	148	<input type="checkbox"/>	
		299.55-300.35: dark green, fine grained, massive mafic volcanic. Sharp contacts: top 20deg tca, bottom 50deg tca. Patchy cal altn. Weak biotization, tr py along fractures.	406554	303.00	304.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406555	304.00	305.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		300.35-301.15: buff brown feldspar porphyry with pale whitish-grey altn around annealed fractures. Minor biotization.	406556	305.00	306.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			406557	306.00	307.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
		301.15-302.55: dark green, fine grained, massive mafic volcanic, weak biotization, minor fine diss py-po. Sharp top contact	406558	307.00	308.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
			406559	308.00	309.00	1.00	0.60	0.017	599	<input type="checkbox"/>	
		302.55-305: massive white quartz vein. Contacts are irregular and fingered with mafics. 1% po blebs. Minor py and tr ccp.	406560	309.00	310.00	1.00	0.21	0.006	206	<input type="checkbox"/>	
			406561	310.00	311.00	1.00	0.03	0.001	29	<input type="checkbox"/>	
		305-309.5: dark green, fine grained, massive mafic volcanic, weak to moderate biotization. 2-3% diffused cal veining. Minor diss and veinlets of po-py.	406562	311.00	312.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406563	312.00	313.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		309.5-310.5: mixed patchy zone of Qtz and mafics with 1-2% po-py veins/blebs and minor ccp. Minor cal blebs. Top and bottom contacts are sheared and at 20deg tca. Moderate biotization.									
		310.5-310.9: dark grey to black, chunky looking feldspar porphyry with phenos 2-									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-102
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G. Comments</i>
		5mm. 5% QV. 310.9-311.3: dark green med grained, moderate to intensely biotized, weakly foliated mafic volcanic. 10% grey QV. 1% py-po blebs. 311.3-312.15: massive white quartz vein with 20% intensely biotized mafic rafts. Minor py along fractures. 312.15-313.3: buff brownish grey, brecciated, annealed feldspar porphyry; minor phenos preserved. Weak to moderate silicification, fine tour veinlets, minor biotization.								
313.30	329.75	(1A) MASSIVE MAFIC VOLC	406564	313.00	314.00	1.00	0.02	<0.001	15	<input type="checkbox"/>
		Dark green to black, fine grained, weakly foliated, mafic volcanics, 1% white QV. Minor blebby to diss po-py. Locally bleached to med green. Fol 20deg tca. Minor cal veining. Occassional late fracture filled with talc and/or gouge. 324-325: more intense sulphides zone; ~1% po-po veining/blebs/diss.	406565	314.00	315.00	1.00	0.09	0.003	88	<input type="checkbox"/>
			406566	315.00	316.00	1.00	0.03	0.001	29	<input type="checkbox"/>
			406567	316.00	317.00	1.00	0.02	0.001	20	<input type="checkbox"/>
			406568	317.00	318.00	1.00	0.01	<0.001	9	<input type="checkbox"/>
			406569	318.00	319.00	1.00	0.01	<0.001	11	<input type="checkbox"/>
			406570	319.00	320.00	1.00	0.02	0.001	23	<input type="checkbox"/>
			406571	320.00	321.00	1.00	0.27	0.008	274	<input type="checkbox"/>
			406572	321.00	322.00	1.00	0.03	0.001	25	<input type="checkbox"/>
			406573	322.00	323.00	1.00	0.01	<0.001	6	<input type="checkbox"/>
			406574	323.00	324.00	1.00	0.02	0.001	24	<input type="checkbox"/>
			406575	324.00	325.00	1.00	0.53	0.016	532	<input type="checkbox"/>
			406576	325.00	326.00	1.00	0.70	0.020	698	<input type="checkbox"/>
			406577	326.00	327.00	1.00	0.37	0.011	367	<input type="checkbox"/>
			406578	327.00	328.00	1.00	0.06	0.002	64	<input type="checkbox"/>
			406579	328.00	329.00	1.00	0.09	0.003	87	<input type="checkbox"/>
			406580	329.00	330.00	1.00	3.42	0.100	3423	<input type="checkbox"/>
329.75	334.95	(7B) FELDSPAR PORPHYRY	406581	330.00	331.00	1.00	0.01	<0.001	11	<input type="checkbox"/>
		Medium grey to buff brownish grey, weak to moderately sheared and foliated, feldspar porphyry. 5-10% fspar phenos preserved. 3-4% white QV. Minor diss po-py. Weak biotization. Core is moderately blocky and fractured.	406582	331.00	332.00	1.00	0.04	0.001	44	<input type="checkbox"/>
			406583	332.00	333.00	1.00	0.01	<0.001	10	<input type="checkbox"/>
			406584	333.00	334.00	1.00	0.01	<0.001	6	<input type="checkbox"/>
			406585	334.00	335.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-102
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
334.95	341.00	(6C) PERIDOTITE / TALC SCHIST Dark green and black-mottled, medium to coarse grained, local spinifex like textures. Black amphiboles forming irregular masses. Weak to moderately talcose. Minor carbonate. Locally crenulated and weak to moderated foliation 30deg tca. Moderately magnetic.	406586	335.00	336.00	1.00	0.09	0.003	94	<input type="checkbox"/>	
			406587	336.00	337.00	1.00	1.20	0.035	1196	<input type="checkbox"/>	
			406588	337.00	338.00	1.00	1.44	0.042	1441	<input type="checkbox"/>	
			406589	338.00	339.00	1.00	0.17	0.005	165	<input type="checkbox"/>	
			406590	339.00	340.00	1.00	0.60	0.017	596	<input type="checkbox"/>	
			406591	340.00	341.00	1.00	0.21	0.006	207	<input type="checkbox"/>	
341.00	345.75	(6F) TALC SCHIST Bluish-grey, medium grained talc schist. Sheared and weakly foliated. Tr po. 343-344.15: core is very rubbly to disintergrated. Pieces of blocky feldspar porphyry within. Possible fault zone.	406592	341.00	342.00	1.00	0.58	0.017	578	<input type="checkbox"/>	
			406593	342.00	343.00	1.00	0.19	0.006	194	<input type="checkbox"/>	
			406594	343.00	344.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			406595	344.00	345.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			406596	345.00	346.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
345.75	353.80	(6C) PERIDOTITE / TALC SCHIST Dark green and black-mottled, medium to coarse grained, local spinifex like textures. Weak to moderately talcose. Minor carbonate vein. Weak to moderated foliation 30deg tca. Moderately magnetic. Bottom 50cm of unit is moderate to intently talcose	406597	346.00	347.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			406598	347.00	348.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406601	348.00	349.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			406602	349.00	350.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406603	350.00	351.00	1.00	0.16	0.005	164	<input type="checkbox"/>	
			406604	351.00	352.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			406605	352.00	353.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406606	353.00	354.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
353.80	361.90	(7B) FELDSPAR PORPHYRY Buff grey fine to medium grained feldspar porphyry; weak biotite sprinkles throughout. Top 3 metres are blotchy with remanants of fspar porphyry phenos and minor pink gamets, while the bottom part is dull grey more massive looking. Minor QV and po-py blebs. Weak sericitization (elongated laths)	406607	354.00	355.00	1.00	0.06	0.002	59	<input type="checkbox"/>	
			406608	355.00	356.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			406609	356.00	357.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			406610	357.00	358.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			406611	358.00	359.00	1.00	0.06	0.002	56	<input type="checkbox"/>	
			406612	359.00	360.00	1.00	0.07	0.002	73	<input type="checkbox"/>	
			406613	360.00	361.00	1.00	0.09	0.003	89	<input type="checkbox"/>	
			406614	361.00	362.00	1.00	0.02	<0.001	20	<input type="checkbox"/>	
361.90	393.00	(6C) PERIDOTITE / TALC SCHIST Medium to dark grey and black-mottled, medium to coarse grained, local spinifex like textures. Weak to moderately talcose. Trace carbonate vein. Weak to moderated foliation 10 to 20deg tca. Minor brecciated white QV. Moderately magnetic. Top 2 metres: less talcose; dark grey to black. Display large irregular black	406615	362.00	363.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406616	363.00	364.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			406617	364.00	365.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			406618	365.00	366.00	1.00	0.04	0.001	41	<input type="checkbox"/>	
			406619	366.00	367.00	1.00	0.03	0.001	34	<input type="checkbox"/>	



Goldcorp Inc.

Geological Description with Assays

Hole Number : RL-05-102

Project : PLANET EXPLORATION

Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		slightly irredicent amphibole masses. 10-15% low angle feldsapr porphyry raft/dyke (similar to above). 364.6-365.5: couple small rafts of mafic. 272.2-272.6 and 273.15-272.3: Pale green, mafic raft, sprinkled with biotite. Bottom 7m: dark grey to black, less talcose, more peridotite looking.	406620	367.00	368.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			406621	368.00	369.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			406622	369.00	370.00	1.00	0.05	0.001	50	<input type="checkbox"/>	
			406623	370.00	371.00	1.00	0.06	0.002	61	<input type="checkbox"/>	
			406624	371.00	372.00	1.00	0.02	<0.001	18	<input type="checkbox"/>	
			406625	372.00	373.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			406626	373.00	374.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406627	374.00	375.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406628	375.00	376.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406629	376.00	377.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			406630	377.00	378.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406631	378.00	379.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406632	379.00	380.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406633	380.00	381.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406634	381.00	382.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406635	382.00	383.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			406636	383.00	384.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
		406637	384.00	385.00	1.00	0.01	<0.001	13	<input type="checkbox"/>		
		406638	385.00	386.00	1.00	0.01	<0.001	14	<input type="checkbox"/>		
		406639	386.00	387.00	1.00	0.02	0.001	22	<input type="checkbox"/>		
		406640	387.00	388.00	1.00	0.07	0.002	69	<input type="checkbox"/>		
		406641	388.00	389.00	1.00	0.02	<0.001	15	<input type="checkbox"/>		
		406642	389.00	390.00	1.00	0.02	0.001	22	<input type="checkbox"/>		
		406643	390.00	391.00	1.00	0.02	0.001	23	<input type="checkbox"/>		
		406644	391.00	392.00	1.00	0.03	0.001	26	<input type="checkbox"/>		
		406645	392.00	393.00	1.00	0.03	0.001	34	<input type="checkbox"/>		



Goldcorp Inc.
QC Report

Hole Number RL-05-102
Project PLANET EXPLORATION
Project Number 800125

<i>Distance</i> (m)	<i>Sample</i>	<i>Au</i> (ppb)	<i>Au</i> (g/t)	<i>Au</i> (Oz/t)
98.00	406349	3068	3.068	0.089
98.01	406350	<5	<0.005	<0.001
146.00	406399	3727	3.727	0.109
146.01	406400	<5	<0.005	<0.001
196.00	406449	4499	4.499	0.131
196.01	406450	9	0.009	<0.001
252.00	406499	3193	3.193	0.093
252.01	406500	<5	<0.005	<0.001
300.00	406549	3671	3.671	0.107
300.01	406550	<5	<0.005	<0.001
348.00	406599	3515	3.515	0.103
348.01	406600	<5	<0.005	<0.001



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-102
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc. Average	Max	Frac. Freq.	R.Q.D	Visual RQD	Recovery
50.30	51.00	0.70	R5	0.26	0.32	-	100.00	-	100.00
51.00	54.00	3.00	R4	0.06	0.18	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.07	0.23	-	100.00	-	100.00
60.00	63.00	3.00	R5	0.15	0.31	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.86	3.58	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.03	0.10	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.04	0.12	-	100.00	-	100.00
72.00	75.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.03	0.14	-	100.00	-	100.00
78.00	81.00	3.00	R4	0.15	0.40	-	100.00	-	100.00
81.00	84.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.03	0.10	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.02	0.07	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.05	0.09	-	100.00	-	100.00
93.00	96.00	3.00	R4	0.07	0.18	-	100.00	-	100.00
96.00	99.00	3.00	R3	0.02	0.09	-	100.00	-	100.00
99.00	102.00	3.00	R3	0.00	0.01	-	100.00	-	100.00
102.00	105.00	3.00	R2	0.02	0.07	-	100.00	-	100.00
105.00	108.00	3.00	R3	0.01	0.07	-	100.00	-	100.00
108.00	111.00	3.00	R4	0.00	0.00	-	100.00	-	100.00
111.00	114.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
114.00	117.00	3.00	R5	0.04	0.10	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.05	0.14	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.13	0.20	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.16	0.40	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.18	0.29	-	100.00	-	100.00
129.00	132.00	3.00	R5	0.09	0.18	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.04	0.07	-	100.00	-	100.00
135.00	138.00	3.00	R6	0.10	0.23	-	100.00	-	100.00
138.00	141.00	3.00	R5	0.05	0.18	-	100.00	-	100.00
141.00	144.00	3.00	R5	0.15	0.34	-	100.00	-	100.00
144.00	147.00	3.00	R5	0.23	0.34	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.11	0.31	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.38	1.44	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.27	0.36	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.24	0.36	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-102
Project: PLANET EXPLORATION
Project Number: 800125

159.00	162.00	3.00	R4	0.11	0.25	-	100.00	-	100.00
162.00	165.00	3.00	R4	0.11	0.23	-	100.00	-	100.00
165.00	168.00	3.00	R5	0.06	0.18	-	100.00	-	100.00
168.00	171.00	3.00	R5	0.25	0.40	-	100.00	-	100.00
171.00	174.00	3.00	R5	0.17	0.36	-	100.00	-	100.00
174.00	177.00	3.00	R4	0.16	0.51	-	100.00	-	100.00
177.00	180.00	3.00	R5	0.12	0.25	-	100.00	-	100.00
180.00	183.00	3.00	R5	1.33	2.59	-	100.00	-	100.00
183.00	186.00	3.00	R5	0.06	0.12	-	100.00	-	100.00
186.00	189.00	3.00	R4	0.26	0.54	-	100.00	-	100.00
189.00	192.00	3.00	R5	0.33	0.75	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.12	0.21	-	100.00	-	100.00
195.00	198.00	3.00	R4	0.11	0.21	-	100.00	-	100.00
198.00	201.00	3.00	R5	0.49	0.84	-	100.00	-	100.00
201.00	204.00	3.00	R4	0.04	0.14	-	100.00	-	100.00
204.00	207.00	3.00	R4	0.53	1.90	-	100.00	-	100.00
207.00	210.00	3.00	R4	0.02	0.09	-	100.00	-	100.00
210.00	213.00	3.00	R5	0.43	0.84	-	100.00	-	100.00
213.00	216.00	3.00	R3	0.00	0.01	-	100.00	-	100.00
216.00	219.00	3.00	R5	0.08	0.16	-	100.00	-	100.00
219.00	222.00	3.00	R5	0.13	0.21	-	100.00	-	100.00
222.00	225.00	3.00	R5	0.12	0.18	-	100.00	-	100.00
225.00	228.00	3.00	R5	0.86	3.05	-	100.00	-	100.00
228.00	231.00	3.00	R5	0.20	0.60	-	100.00	-	100.00
231.00	234.00	3.00	R4	0.10	0.14	-	100.00	-	100.00
234.00	237.00	3.00	R4	0.06	0.20	-	100.00	-	100.00
237.00	240.00	3.00	R4	0.02	0.07	-	100.00	-	100.00
240.00	243.00	3.00	R4	0.05	0.16	-	100.00	-	100.00
243.00	246.00	3.00	R5	0.08	0.20	-	100.00	-	100.00
246.00	249.00	3.00	R6	0.01	0.07	-	100.00	-	100.00
249.00	252.00	3.00	R6	0.05	0.10	-	100.00	-	100.00
252.00	255.00	3.00	R6	0.29	0.62	-	100.00	-	100.00
255.00	258.00	3.00	R6	0.05	0.21	-	100.00	-	100.00
258.00	261.00	3.00	R6	0.00	0.03	-	100.00	-	100.00
261.00	264.00	3.00	R6	0.05	0.12	-	100.00	-	100.00
264.00	267.00	3.00	R5	0.14	0.16	-	100.00	-	100.00
267.00	270.00	3.00	R5	0.07	0.12	-	100.00	-	100.00
270.00	273.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
273.00	276.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
276.00	279.00	3.00	R6	0.01	0.03	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-102
Project: PLANET EXPLORATION
Project Number: 800125

279.00	282.00	3.00	R5	0.14	0.29	-	100.00	-	100.00
282.00	285.00	3.00	R5	0.11	0.16	-	100.00	-	100.00
285.00	288.00	3.00	R5	0.09	0.25	-	100.00	-	100.00
288.00	291.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
291.00	294.00	3.00	R5	0.01	0.07	-	100.00	-	100.00
294.00	297.00	3.00	R5	0.00	0.00	-	100.00	-	100.00
297.00	300.00	3.00	R5	0.03	0.14	-	100.00	-	100.00
300.00	303.00	3.00	R5	0.98	2.36	-	100.00	-	100.00
303.00	306.00	3.00	R6	0.21	0.78	-	100.00	-	100.00
306.00	309.00	3.00	R5	0.46	0.80	-	100.00	-	100.00
309.00	312.00	3.00	R5	0.56	1.88	-	100.00	-	100.00
312.00	315.00	3.00	R4	0.14	0.31	-	100.00	-	100.00
315.00	318.00	3.00	R4	0.16	0.23	-	100.00	-	100.00
318.00	321.00	3.00	R4	0.13	0.21	-	100.00	-	100.00
321.00	324.00	3.00	R4	0.31	0.73	-	100.00	-	100.00
324.00	327.00	3.00	R4	49.00	232.00	-	100.00	-	100.00
327.00	330.00	3.00	R4	0.46	0.71	-	100.00	-	100.00
330.00	333.00	3.00	R5	0.02	0.09	-	100.00	-	100.00
333.00	336.00	3.00	R5	2.19	7.68	-	100.00	-	100.00
336.00	339.00	3.00	R4	15.00	23.20	-	100.00	-	100.00
339.00	342.00	3.00	R3	17.50	27.40	-	100.00	-	100.00
342.00	345.00	3.00	R2	0.80	1.46	-	100.00	-	100.00
345.00	348.00	3.00	R3	13.10	20.50	-	100.00	-	100.00
348.00	351.00	3.00	R3	13.70	18.40	-	100.00	-	100.00
351.00	354.00	3.00	R3	10.70	18.70	-	100.00	-	100.00
354.00	357.00	3.00	R5	0.02	0.07	-	100.00	-	100.00
357.00	360.00	3.00	R5	0.04	0.07	-	100.00	-	100.00
360.00	363.00	3.00	R3	3.02	10.50	-	100.00	-	100.00
363.00	366.00	3.00	R3	8.21	16.50	-	100.00	-	100.00
366.00	369.00	3.00	R3	2.07	4.11	-	100.00	-	100.00
369.00	372.00	3.00	R4	5.77	9.84	-	100.00	-	100.00
372.00	375.00	3.00	R3	3.79	6.75	-	100.00	-	100.00
375.00	378.00	3.00	R4	2.18	5.80	-	100.00	-	100.00
378.00	381.00	3.00	R3	1.17	1.44	-	100.00	-	100.00
381.00	384.00	3.00	R4	7.28	19.40	-	100.00	-	100.00
384.00	387.00	3.00	R3	18.90	23.00	-	100.00	-	100.00
387.00	390.00	3.00	R3	23.30	27.50	-	100.00	-	100.00
390.00	393.00	3.00	R3	22.00	25.60	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-103
Project : PLANET EXPLORATION
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>	
Azimuth:	146.62	Length:	meters	Township:	COLI LAKE	Contractor:	MAJOR DRILLING	
Dip:	-50	Pulled:	No	Claim No:		Spotted by:		
Length:	225.00 meters	Capped:	No	NTS:		Coord Type:	GPS	
Started:	18-Nov-05	Cemented:	No	Surface Hole :	Yes	Surveyed by:		
Completed:	21-Nov-05	<u>Core</u>		Level:		Surveyed Date:		
Logged:	20-Nov-05	Dimension:	NQ	Coordinate- Gemcom	Coordinate - UTM	Coordinate- Grid		
Wedged :	No	Original Units:	M	East:	461297.00	East:	461297	
Wedged from:		Storage:	Cochenour Mine	North:	5679439.00	North:	5679439	
				Elevation:	413.00	Elevation:	413	
						UTM Zone:	15 (NAD 27)	
						Grid Name:		
Target:	target: 2005-Q5					Logged by:	P. Chantigny	
Comments:	Collar survey pending					Re-logged by:		
						Water Source:		
						Water line:		
						Left in hole:		
						Control Drilling:		
						Cutting sampled:	No	
						Geophysic:		

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	146.62	-50.00	X	42.000	146.49	-49.13	X	84.000	147.52	-48.22	X
3.000	146.53	-49.82	X	45.000	146.62	-49.08	X	87.000	147.55	-48.18	X
6.000	146.49	-49.36	X	48.000	146.71	-48.98	X	90.000	147.62	-48.17	X
9.000	146.47	-49.22	X	51.000	146.81	-48.88	X	93.000	147.67	-48.14	X
12.000	146.38	-49.58	X	54.000	146.95	-48.83	X	96.000	147.72	-48.10	X
15.000	146.18	-49.62	X	57.000	147.00	-48.74	X	99.000	147.80	-48.08	X
18.000	145.92	-49.39	X	60.000	147.03	-48.63	X	102.000	147.85	-48.06	X
21.000	145.86	-49.29	X	63.000	147.03	-48.55	X	105.000	147.91	-48.00	X
24.000	145.84	-49.28	X	66.000	147.09	-48.51	X	108.000	147.98	-47.95	X
27.000	145.87	-49.26	X	69.000	147.17	-48.48	X	111.000	148.00	-47.91	X
30.000	145.97	-49.27	X	72.000	147.26	-48.39	X	114.000	148.06	-47.87	X
33.000	146.12	-49.26	X	75.000	147.38	-48.35	X	117.000	148.13	-47.81	X
36.000	146.28	-49.23	X	78.000	147.45	-48.32	X	120.000	148.15	-47.74	X
39.000	146.40	-49.17	X	81.000	147.52	-48.26	X	123.000	148.23	-47.62	X



Diamond Drill Hole Log
GoldCorp Inc.

Hole Number : RL-05-103
Project : PLANET EXPLORA
Project Number: 800125

Deviation Tests

Distance (m)	Azimuth	Dip	Type
126.000	148.34	-47.44	X
129.000	148.47	-47.23	X
132.000	148.58	-47.05	X
135.000	148.65	-46.93	X
138.000	148.77	-46.80	X
141.000	148.88	-46.70	X
147.000	149.04	-46.51	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-103
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	25.64	(OB) OVERBURDEN									
25.64	27.70	(1) UNDIFF. MAFIC / UM VOLCANICS	406646	25.64	27.00	1.36	0.02	0.001	23	<input type="checkbox"/>	
		dark green, fine grained , massive for top 3/4 while bottom 50cm is weakly sheared and foliated with 3-5% py>po, tr ccp ,weakly magnetic and moderately amphibolitized. 5% white qtz-carb veins. Pervasive spinkle of white fine lath-like crystals (sericite?).	406647	27.00	27.75	0.75	0.58	0.017	577	<input type="checkbox"/>	
27.70	36.90	(7B) FELDSPAR PORPHYRY	406648	27.75	29.00	1.25	0.07	0.002	69	<input type="checkbox"/>	
		sub-volcanic type, brownish-grey, feldspar porphyry; alternating between sheared with no phenos (10%) to well preserved med to coarse grained feldspar phenos (75%). Unit is cut by large white fractured/blocky QV (15%). Rusty staining along most of the fractures. Minor skarn and calcite veining.	406701	32.50	33.50	1.00	0.01	<0.001	6	<input type="checkbox"/>	White QV w/ py
			406651	36.00	36.90	0.90	<0.01	<0.001	<5	<input type="checkbox"/>	
		32.00 - 33.50 (Q) QUARTZ									
		White blocky/fractured qtz veing. Top contact is very low angle to ca while bottom is a bit steaper but hard to follow due to blockyness. Rusty staining on most of joints. Minor irregular shaped py bleb.									
36.90	38.80	(6G) GABBRO	406652	36.90	38.00	1.10	0.02	<0.001	16	<input type="checkbox"/>	
		Dark green to black, med to coarse grained, gabbro looking, mafic intrusive. Top 15cm is black and amphibole rich followed by a moderately amphibole-rich with minor stringy py-po. 2% cal veining. The rest is weakly amphibolized and massive.	406653	38.00	39.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
38.80	43.30	(1P) PILLOWED FLOWS	406654	39.00	40.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
		Mixed unit of mafic (75%) and cherty- iron formation rafts (25%). The mafics, possibly pillows are dark green fine grained and weakly silicified. The cherty-iron formation are thin to coarser bedded with 10-50% mafics interlayers. They are weakly to moderately folded.	406655	40.00	41.00	1.00	0.26	0.008	259	<input type="checkbox"/>	
		The main IF intervals: 38.74-38.86, 39.17-39.33, 41-41.3, 42.75-43.30.	406656	41.00	42.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
		2% calcite veining, minor small garnets locally. Irregular amphiboles patches. Minor py>po mostly found within the IF units.	406657	42.00	43.30	1.30	0.04	0.001	36	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-103
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
43.30	47.85	(7B) FELDSPAR PORPHYRY sub-volcanic type, brownish-grey, slightly foliated, feldspar porphyry; 15% sheared and 85% with phenos preserved. (similar as above) Moderately fractured. 1% skarn-type veining and 2% white QVs. Top contact is part of a fracture, bottom contact is sharp at 70deg tca. Minor black veinlets	406658	43.30	44.30	1.00	0.02	0.001	22	<input type="checkbox"/>	
			406659	46.85	47.85	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
47.85	55.70	(1P) PILLOWED FLOWS Mixed unit of mafic (95%) and cherty- iron formation rafts (5%). The mafics, possibly pillows are dark green fine grained and weakly bleached. The cherty-iron formation are thin to coarsly bedded with 10-20% mafics interlayers and 1-2% py>po and minor aspo blebs. 1-2% cal veining.	406660	47.85	48.85	1.00	0.18	0.005	184	<input type="checkbox"/>	
			406661	48.85	49.85	1.00	0.05	0.002	52	<input type="checkbox"/>	
			406662	49.85	51.00	1.15	0.12	0.004	120	<input type="checkbox"/>	aspy
			406663	51.00	52.00	1.00	0.13	0.004	129	<input type="checkbox"/>	
			406664	52.00	53.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406665	53.00	54.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			406666	54.00	55.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
55.70	65.35	(7B) FELDSPAR PORPHYRY sub-volcanic type, brownish-grey, slightly foliated, feldspar porphyry; 8% sheared and 92% with phenos preserved (similar to above). 2-3% white QVs, 1% skarn/cal veining. Rusty altn on fractures. Minor accicular tounaline locally. Peppered biotization and weakly sericitized. 59.8-60.25: inclusion of mafics, blocky with rusty fault gouge on fracture surfaces.	406667	55.00	55.70	0.70	0.01	<0.001	12	<input type="checkbox"/>	
			406668	55.70	56.70	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406669	58.00	59.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406670	59.50	60.50	1.00	0.01	<0.001	5	<input type="checkbox"/>	
65.35	93.85	(1P) PILLOWED FLOWS Dark to med green, fine grained pillowed mafic volcanics, weakly bleached with some areas more intensely bleached. 1% cal veins and 3-4% cal patches. Minor white QV. Weak to moderate biotization. Minor py-po blebs, trace accicular aspy. 82.3-83 and 87.2-88: zones of moderate to intense bleaching by calcite and skarning	406671	64.30	65.30	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406672	65.30	66.00	0.70	0.03	0.001	28	<input type="checkbox"/>	
			406673	66.00	67.00	1.00	0.08	0.002	80	<input type="checkbox"/>	
			406674	67.00	68.00	1.00	0.04	0.001	40	<input type="checkbox"/>	
			406675	68.00	69.00	1.00	0.06	0.002	57	<input type="checkbox"/>	
			406676	69.00	70.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406677	70.00	71.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406678	71.00	72.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			406679	72.00	72.50	0.50	1.47	0.043	1472	<input type="checkbox"/>	
			406680	72.50	73.00	0.50	0.02	0.001	21	<input type="checkbox"/>	
406681	73.00	74.00	1.00	0.02	0.001	21	<input type="checkbox"/>				
406682	74.00	75.00	1.00	0.02	<0.001	15	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-103
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	V.G.	Comments
			406683	75.00	76.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			406684	76.00	77.00	1.00	0.04	0.001	43	<input type="checkbox"/>	
			406685	77.00	78.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			406686	78.00	79.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			406687	79.00	80.00	1.00	0.06	0.002	55	<input type="checkbox"/>	
			406688	80.00	81.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			406689	81.00	82.00	1.00	0.23	0.007	230	<input type="checkbox"/>	
			406690	82.00	83.00	1.00	0.12	0.003	120	<input type="checkbox"/>	
			406691	83.00	84.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406692	84.00	85.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			406693	85.00	86.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			406694	86.00	87.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			406695	87.00	88.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
			406696	88.00	89.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			406697	89.00	90.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			406698	90.00	91.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			406702	91.00	92.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			406703	92.00	93.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			406704	93.00	93.85	0.85	0.02	0.001	20	<input type="checkbox"/>	
93.85	95.70	(7B) FELDSPAR PORPHYRY sub-volcanic type, brownish-grey, slightly foliated (50deg tca), feldspar porphyry with phenos (2-4mm) well preserved. 2% white QVs, minor skarn-type veining (cal-diop-biot), weak pepperd biotization. Sharp contacts; top 45deg tca, bottom 20deg tca.	406705	93.85	94.85	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406706	94.85	95.65	0.80	0.01	<0.001	7	<input type="checkbox"/>	
95.70	122.65	(1P) PILLOWED FLOWS Dark green, fine grained, mafic pillows with 2% skarn-type (diop-cal-biot) veining and altn and 0.5% cal-qtz veining. Minor biotization (patchy in some areas) and calcite bleaching. Minor irregular ccp and po bleb/stringer associated with QV/shark vein. Unit is cut by several variable porphyry dykes.	406707	95.65	96.65	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406708	96.65	97.65	1.00	0.02	0.001	19	<input type="checkbox"/>	
			406709	97.65	98.35	0.70	0.01	<0.001	12	<input type="checkbox"/>	
			406710	98.35	99.45	1.10	<0.01	<0.001	<5	<input type="checkbox"/>	
			406711	99.45	100.70	1.25	0.02	0.001	24	<input type="checkbox"/>	
		98.30 - 99.41 (7B) FELDSPAR PORPHYRY pale brownish grey to whitish grey in middle, feldspar porphyry dyke. Sharp fingered contacts, top 50deg, bottom 65deg tca. Weak to moderate biotization (peppered to small clumps), minor k-spar altn along qtz-cal	406712	100.70	102.00	1.30	0.02	0.001	24	<input type="checkbox"/>	
			406713	102.00	103.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			406714	103.00	104.00	1.00	0.22	0.006	223	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-103
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		veinlets, trace black (tourm?) veinlets.	406715	104.00	105.25	1.25	0.07	0.002	74	<input type="checkbox"/>	
			406716	105.25	106.65	1.40	<0.01	<0.001	<5	<input type="checkbox"/>	
		103.47 - 103.76 (7B) FELDSPAR PORPHYRY	406717	106.65	108.00	1.35	0.41	0.012	408	<input type="checkbox"/>	
		dark grey dike (possibly FP), moderately biotized (pepered and clumps). 3% skarn veining (biot-diop-cal) with minor po blebs. 5mm skarn veining on both contacts (40deg tca).	406718	108.00	109.00	1.00	0.14	0.004	143	<input type="checkbox"/>	
			406719	109.00	110.00	1.00	0.07	0.002	71	<input type="checkbox"/>	
			406720	110.00	111.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
			406721	111.00	112.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
		105.30 - 105.65 (7B) FELDSPAR PORPHYRY	406722	112.00	113.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		dark grey to black FP dyke, chunky-style. Euhedra fspar phenos 2-7mm in size, some zoned. Top contact (40deg tca) is sharp and abuts a 30cm wide skarn vein system. Bottom contact (40deg tca) is slightly diffused and also abuts a 15cm wide skarn type altn zone.	406723	113.00	114.00	1.00	0.07	0.002	73	<input type="checkbox"/>	
			406724	114.00	115.00	1.00	0.02	<0.001	15	<input type="checkbox"/>	
			406725	115.00	116.00	1.00	0.03	0.001	33	<input type="checkbox"/>	
			406726	116.00	117.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			406727	117.00	118.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			406728	118.00	119.00	1.00	0.02	<0.001	18	<input type="checkbox"/>	
		108.10 - 108.20 (7B) FELDSPAR PORPHYRY VCK	406729	119.00	120.00	1.00	0.17	0.005	173	<input type="checkbox"/>	
		buff grey, mixed zone of sheared porphyry and skarn-type veining (50:50). 5% po-py blebs. No fspar phenos visible.	406730	120.00	121.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			406731	121.00	122.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			406732	122.00	122.65	0.65	<0.01	<0.001	<5	<input type="checkbox"/>	
		122.32 - 122.40 (7B) FELDSPAR PORPHYRY									
		small pinched mixed zone of skarn (biot-diop-cal), FP and grey QV. Minor k-spar altn and minor ccp blebs									
122.65	125.05	(7B) FELDSPAR PORPHYRY VCK	406733	122.65	123.90	1.25	<0.01	<0.001	<5	<input type="checkbox"/>	
		sub-volcanic type, brownish-grey, weakly foliated (50deg tca), feldspar porphyry with phenos (2-4mm) well preserved. Weakly silicified to mederately locally. 5% grey QVs, 4-5% skarn-type veining (cal-diop-biot). Minor py.	406734	123.90	125.05	1.15	<0.01	<0.001	<5	<input type="checkbox"/>	
125.05	142.10	(1P) PILLOWED FLOWS VCK	406735	125.05	126.00	0.95	0.05	0.002	52	<input type="checkbox"/>	
		Dark green, fine grained, mafic pillows with 1% cal veining, 2-3% skarn-type (diop-cal-biot) veining and minor cal-qtz veining. Several (2%) 5-10cm biotite-rich skarny zones display weak to moderate magnetism and most of the sulfide (py-po) are in these zones. (ei. 132.10 to 132.20, 138.90-139, 140-140.5, 140.9-140.95, 141.141.05, 141.6-141.65)	406736	126.00	127.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			406737	127.00	128.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			406738	128.00	129.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		126.2: 15cm cherty-iron formation raft with 2-3% po-py stringers.	406739	129.00	130.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-103
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
		127.05: odd mm-wide rusty-red mineral along part of outer side of calcite vein.	406740	130.00	131.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		138.3-138.45: skarn vein with medium to large epidote x-tals.	406741	131.00	132.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406742	132.00	133.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			406743	133.00	134.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406744	134.00	135.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406745	135.00	136.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			406746	136.00	137.00	1.00	0.03	0.001	28	<input type="checkbox"/>	
			406747	137.00	138.00	1.00	0.14	0.004	144	<input type="checkbox"/>	
			406748	138.00	139.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			406751	139.00	140.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406752	140.00	141.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406753	141.00	142.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
142.10	146.45	(6G) GABBRO VCK	406754	142.00	143.00	1.00	0.05	0.001	45	<input type="checkbox"/>	
		Dark green, medium to coarse grained hornblend-rich "gabbro" with moderate skarning. Weak to moderate bleaching locally and weak biotization. 1% diss to string po>py and tr ccp. 2-3% cal veining.	406755	143.00	144.00	1.00	0.09	0.003	88	<input type="checkbox"/>	
		142.85-143: white qtz pod with large po bleb. 5-10% irregular calcite cal veining/blebs.	406756	144.00	145.00	1.00	0.09	0.003	87	<input type="checkbox"/>	
			406757	145.00	146.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406758	146.00	146.50	0.50	<0.01	<0.001	<5	<input type="checkbox"/>	
146.45	151.75	(7B) FELDSPAR PORPHYRY	406759	146.50	147.50	1.00	0.01	<0.001	5	<input type="checkbox"/>	
		grey, fine to med grained, weakly sheared and foliated (45deg tca) feldspar porphyry. 1-2% skarning, 1% wispy to pods of biotite, mod bleaching along thin cal veinlets. Moderate silicification locally. Faults displaying displacement.	406760	147.50	148.50	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		0.5% euhedral to blebs of py. Minor po. Last metre of interval displays diffused ghost-like fspar phenos.	406761	148.50	149.50	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406762	149.50	150.50	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406763	150.50	151.60	1.10	<0.01	<0.001	<5	<input type="checkbox"/>	
151.75	152.87	(CV) IRON CARBONATE VCK	406764	151.60	152.85	1.25	0.01	<0.001	8	<input type="checkbox"/>	
		50:50 mix of alternating skarn-type material and iron carbonate vein. 5% calcite vein. banded biotite along the contact and along the cal vein. 0.5% diss po-py. Bottom contact is skarny and banded at 45deg tca. The main fe-carb zone (45cm) is littered with skarn material.									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-103
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
152.87	154.65	(7B) FELDSPAR PORPHYRY grey, fine to med grained, weakly sheared and foliated (45deg tca) feldspar porphyry. (similar to above). Moderate bleaching along minor cal/skarn veins, moderate patchy biotization. Minor potassic altn. Minor diss py>po. Talc and/or fault gouge along some of the fractures.	406765	152.85	153.85	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406766	153.85	154.75	0.90	0.02	0.001	18	<input type="checkbox"/>	
154.65	156.10	(CV) IRON CARBONATE VCK greyish white cocade-textured iron carbonate (75%) with irregular patchy green skarn (diop-biot-cal) material (25%). Minor euheral py. Minor low angle intrusion of feldspar porphyry (half-moon of core). Irregular feathered skarned contacts.	406767	154.75	155.50	0.75	0.01	<0.001	8	<input type="checkbox"/>	
			406768	155.50	156.10	0.60	0.01	<0.001	11	<input type="checkbox"/>	
156.10	163.80	(7B) FELDSPAR PORPHYRY Brownish-grey to grey, fine to med grained, weakly silicified feldspar porphyry with ghost-like phenos. Weak fol 60deg tca. 1-2% skarn veining (diop-cal-biot). 0.5% grey QVs, minor diss py-po and stringers. Talc and/or fault gouge on open fractures. Missing core/ ground core between 160.85 and 161.4 (possibly a fault). Minor f-spar along some fractures.	406769	156.10	157.10	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406770	159.00	160.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406771	162.80	163.80	1.00	0.01	<0.001	8	<input type="checkbox"/>	
163.80	192.93	(1P) PILLOWED FLOWS Dark green, fine grained, weakly bleached locally pillowed mafics. 1-2% skarn (diop-cal-biot) veining/altn patches. 1% cal veining. Minor diss py-po-ccp usually associated with the skarn veining and some fractures. 169.30 - 170.60 (7B) FELDSPAR PORPHYRY BX Purplish grey to greenish white, annealed brecciated, moderately silicified feldspar porphyry. 5-6% calcite veining with minor diop and biot (skarn), 2% white QVs, tr diss py. Diffused contacts. 175.37 - 175.90 (7B) FELDSPAR PORPHYRY Grey, fine to med grained, feldspar porphyry with well defined f-spar phenos 1-2mm in size. Small 5cm sheared section at top where phenos where blitzed. 2% skarn vein. Kspar altn along fractures. Minor py. Top contact sharp at 50deg tca while bottom is sharp but irregular.	406772	163.80	165.00	1.20	0.02	0.001	22	<input type="checkbox"/>	
			406773	165.00	166.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406774	166.00	167.00	1.00	0.02	0.001	20	<input type="checkbox"/>	
			406775	167.00	168.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			406776	168.00	169.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			406777	169.00	170.00	1.00	0.02	0.001	22	<input type="checkbox"/>	
			406778	170.00	171.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406779	171.00	172.00	1.00	0.02	0.001	18	<input type="checkbox"/>	
			406780	172.00	173.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			406781	173.00	174.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406782	174.00	175.00	1.00	0.27	0.008	268	<input type="checkbox"/>	
			406783	175.00	176.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			406784	176.00	177.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
406785	177.00	178.00	1.00	0.02	0.001	19	<input type="checkbox"/>				
406786	178.00	179.00	1.00	0.02	0.001	19	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-103
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
182.45 - 183.25		(7B) FELDSPAR PORPHYRY		406787	179.00	180.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
		Purplish grey at contact to white in middle section, mod to intensely bleached, weakly brecciated annealed feldspar porphyry. Sharp contacts; top 30deg tca, bottom, 40deg tca. Weak pinkish pottasic altn. 2% qtz-cal veins, minor diopside.		406788	180.00	181.00	1.00	0.01	<0.001	5	<input type="checkbox"/>
				406789	181.00	182.00	1.00	0.07	0.002	68	<input type="checkbox"/>
				406790	182.00	183.00	1.00	0.01	<0.001	8	<input type="checkbox"/>
				406791	183.00	184.00	1.00	0.02	0.001	19	<input type="checkbox"/>
				406792	184.00	185.00	1.00	0.02	<0.001	16	<input type="checkbox"/>
186.43 - 187.67		(7B) FELDSPAR PORPHYRY BX		406793	185.00	186.00	1.00	0.01	<0.001	13	<input type="checkbox"/>
		Pale grey with patchy purplish grey, mod to intensely bleached, annealed brecciated feldspar porphyry with rare fspars pheno remaining. 5-6% qtz-cal veins, minor diopside. Sharp contacts; top ~90deg tca, bottom, 45deg tca. Minor diss py.		406794	186.00	187.00	1.00	0.10	0.003	100	<input type="checkbox"/>
		187: 5-10cm of rubbly core.		406795	187.00	188.00	1.00	0.01	<0.001	5	<input type="checkbox"/>
				406796	188.00	189.00	1.00	0.03	0.001	26	<input type="checkbox"/>
				406797	189.00	190.00	1.00	0.03	0.001	26	<input type="checkbox"/>
				406798	190.00	191.00	1.00	0.02	0.001	23	<input type="checkbox"/>
				406801	191.00	192.00	1.00	0.04	0.001	41	<input type="checkbox"/>
191.35 - 192.33		(7B) FELDSPAR PORPHYRY		406802	192.00	193.00	1.00	0.01	<0.001	7	<input type="checkbox"/>
		Buff purplish grey, locally sheared feldspar porphyry with ghost-like remnants of fspars phenos. Moderate to intense silicification locally, minor py along fracture, 1% grey QVs, minor diop veining and small biotite patches. Weak fol 55 deg tca. Sharp contacts at 70deg tca. Tr garnets.									
192.93	197.47	(7B) FELDSPAR PORPHYRY BX		406803	193.00	194.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>
		Buff purplish grey with whitish grey patches annealed brecciated feldspar porphyry. Minor fspars phenos remnants. Moderate to intense bleaching locally, 0.5% skarn-type veins which usually host minor py-po stringers. 0.5% cal veinlets. Diffused top contact but sharp bottom contact at 65deg tca. Weak biotitization		406804	196.50	197.50	1.00	0.01	<0.001	9	<input type="checkbox"/>
197.47	202.00	(1A) MASSIVE MAFIC VOLC		406805	197.50	198.40	0.90	0.01	<0.001	8	<input type="checkbox"/>
		Dark green, fine grained, massive mafic volc interlayered by a 75cm-wide feldspar porphyry unit. 1% qtz-cal veining, 2-3% skarn veining hosting minor py-po-ccp.		406806	198.40	199.20	0.80	0.02	<0.001	16	<input type="checkbox"/>
				406807	199.20	200.20	1.00	0.04	0.001	38	<input type="checkbox"/>
				406808	200.20	201.00	0.80	<0.01	<0.001	<5	<input type="checkbox"/>
				406809	201.00	202.00	1.00	0.02	<0.001	16	<input type="checkbox"/>



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-103
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
202.00	204.83	(7B) FELDSPAR PORPHYRY Buff purplish grey, annealed brecciated, weakly sheared feldspar porphyry. Patchy white bleaching and weak potassic altn along some of the fractures. Some fractures show displacement. 1% grey QVs, minor cal veining and skarn, tr py. Sharp contacts at 60deg tca	406810	202.00	203.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406811	203.85	204.85	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
204.83	215.10	(1P) PILLOWED FLOWS Dark green, fine grained, pilloowed mafic volcanics. 4-5% skarn (diop-cal-biot) veining hosting minor diss py-po, 1% qtz-cal veining. 213.00 - 213.60 (7B) FELDSPAR PORPHYRY grey feldspar porphyry with well defined fspar phenos. 1% cal vein. Sharp top contact (55deg tca) while bottom is irregular. Minor potassic altn along fractures.	406812	204.85	205.85	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406813	205.85	207.00	1.15	0.02	0.001	18	<input type="checkbox"/>	
			406814	207.00	208.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			406815	208.00	209.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406816	209.00	210.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			406817	210.00	211.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406818	211.00	212.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			406819	212.00	213.00	1.00	0.02	<0.001	16	<input type="checkbox"/>	
			406820	213.00	214.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			406821	214.00	215.15	1.15	0.16	0.005	158	<input type="checkbox"/>	
215.10	225.00	(7B) FELDSPAR PORPHYRY Patchy purplish grey and pale grey, annealed brecciated, bleached, feldspar porphyry intruded by gabbroic looking mafics. 1% white QV, 0.5% Q/C veins, talc/fault gouge between some of the open fractures located at top of the interval. Rusty staining on some of the fractures. Minor peppered biotization. Tr py blebs. Minor diop/cal veining 218.00 - 219.00 (6G) GABBRO Green, med grained, moderately bleached gabbroic looking mafics. Moderate biotization. Weakly magnetic 219.25 - 221.00 (6G) GABBRO 60:40 mixed zone of green, med grained, bleached, biotized 'gabbro' and irregular patchy grey-white feldspar porphyry.	406822	215.15	216.00	0.85	0.01	<0.001	14	<input type="checkbox"/>	
			406823	216.00	217.00	1.00	0.20	0.006	196	<input type="checkbox"/>	
			406824	217.00	218.00	1.00	0.04	0.001	39	<input type="checkbox"/>	
			406825	218.00	219.00	1.00	0.04	0.001	44	<input type="checkbox"/>	
			406826	219.00	220.00	1.00	0.08	0.002	78	<input type="checkbox"/>	
			406827	220.00	221.00	1.00	0.05	0.001	51	<input type="checkbox"/>	
			406828	221.00	222.00	1.00	0.03	0.001	31	<input type="checkbox"/>	
			406829	224.00	225.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	



Goldcorp Inc.

QC Report

Hole Number RL-05-103

Project PLANET EXPLORATION

Project Number 800125

Distance (m)	Sample	Au (ppb)	Au (g/t)	Au (Oz/t)
29.00	406649	4018	4.018	0.117
29.01	406650	<5	<0.005	<0.001
91.00	406699	3434	3.434	0.100
91.01	406700	<5	<0.005	<0.001
139.00	406749	3520	3.520	0.103
139.01	406750	<5	<0.005	<0.001
191.00	406799	3638	3.638	0.106
191.01	406800	<5	<0.005	<0.001



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-103
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
25.64	27.00	1.36	R4	0.14	0.16	-	100.00	-	100.00
27.00	30.00	3.00	R5	0.48	1.22	-	100.00	-	100.00
30.00	33.00	3.00	R6	0.00	0.01	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.03	0.05	-	100.00	-	100.00
36.00	39.00	3.00	R4	2.16	4.77	-	100.00	-	100.00
39.00	42.00	3.00	R4	7.58	15.50	-	100.00	-	100.00
42.00	45.00	3.00	R5	30.00	88.90	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.01	0.03	-	100.00	-	100.00
48.00	51.00	3.00	R4	0.50	1.13	-	100.00	-	100.00
51.00	54.00	3.00	R4	0.14	0.16	-	100.00	-	100.00
54.00	57.00	3.00	R4	0.13	0.32	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.02	0.05	-	100.00	-	100.00
60.00	63.00	3.00	R3	1.40	3.89	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.06	0.16	-	100.00	-	100.00
66.00	69.00	3.00	R4	0.38	0.71	-	100.00	-	100.00
69.00	72.00	3.00	R4	0.16	0.25	-	100.00	-	100.00
72.00	75.00	3.00	R4	0.21	0.38	-	100.00	-	100.00
75.00	78.00	3.00	R4	0.10	0.12	-	100.00	-	100.00
78.00	81.00	3.00	R4	0.15	0.23	-	100.00	-	100.00
81.00	84.00	3.00	R4	0.12	0.18	-	100.00	-	100.00
84.00	87.00	3.00	R4	0.16	0.25	-	100.00	-	100.00
87.00	90.00	3.00	R4	0.17	0.27	-	100.00	-	100.00
90.00	93.00	3.00	R4	0.16	0.21	-	100.00	-	100.00
93.00	96.00	3.00	R5	0.09	0.20	-	100.00	-	100.00
96.00	99.00	3.00	R4	0.11	0.20	-	100.00	-	100.00
99.00	102.00	3.00	R4	0.07	0.12	-	100.00	-	100.00
102.00	105.00	3.00	R4	0.13	0.16	-	100.00	-	100.00
105.00	108.00	3.00	R5	0.73	1.24	-	100.00	-	100.00
108.00	111.00	3.00	R4	1.19	2.92	-	100.00	-	100.00
111.00	114.00	3.00	R4	0.11	0.14	-	100.00	-	100.00
114.00	117.00	3.00	R4	0.12	0.18	-	100.00	-	100.00
117.00	120.00	3.00	R4	0.09	0.09	-	100.00	-	100.00
120.00	123.00	3.00	R4	0.08	0.10	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.10	0.16	-	100.00	-	100.00
126.00	129.00	3.00	R4	0.13	0.16	-	100.00	-	100.00
129.00	132.00	3.00	R4	0.11	0.14	-	100.00	-	100.00
132.00	135.00	3.00	R4	0.48	1.20	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-103
Project: PLANET EXPLORATION
Project Number: 800125

135.00	138.00	3.00	R4	0.11	0.14	-	100.00	-	100.00
138.00	141.00	3.00	R4	0.71	1.86	-	100.00	-	100.00
141.00	144.00	3.00	R4	0.22	0.31	-	100.00	-	100.00
144.00	147.00	3.00	R4	0.48	2.41	-	100.00	-	100.00
147.00	150.00	3.00	R5	0.13	0.21	-	100.00	-	100.00
150.00	153.00	3.00	R5	0.30	0.84	-	100.00	-	100.00
153.00	156.00	3.00	R5	0.63	1.59	-	100.00	-	100.00
156.00	159.00	3.00	R5	0.24	0.53	-	100.00	-	100.00
159.00	162.00	3.00	R5	0.67	1.31	-	100.00	-	80.10
162.00	165.00	3.00	R5	0.21	0.32	-	100.00	-	100.00
165.00	168.00	3.00	R4	0.46	1.51	-	100.00	-	100.00
168.00	171.00	3.00	R4	0.13	0.31	-	100.00	-	100.00
171.00	174.00	3.00	R4	0.11	0.14	-	100.00	-	100.00
174.00	177.00	3.00	R4	0.24	0.78	-	100.00	-	100.00
177.00	180.00	3.00	R4	0.29	0.73	-	100.00	-	100.00
180.00	183.00	3.00	R4	0.13	0.25	-	100.00	-	100.00
183.00	186.00	3.00	R4	0.24	0.69	-	100.00	-	100.00
186.00	189.00	3.00	R4	0.09	0.12	-	100.00	-	100.00
189.00	192.00	3.00	R4	0.23	0.40	-	100.00	-	100.00
192.00	195.00	3.00	R5	0.11	0.34	-	100.00	-	100.00
195.00	198.00	3.00	R5	0.02	0.12	-	100.00	-	100.00
198.00	201.00	3.00	R4	0.14	0.29	-	100.00	-	100.00
201.00	204.00	3.00	R5	0.02	0.12	-	100.00	-	100.00
204.00	207.00	3.00	R4	0.09	0.18	-	100.00	-	100.00
207.00	210.00	3.00	R4	0.21	0.54	-	100.00	-	100.00
210.00	213.00	3.00	R4	0.14	0.20	-	100.00	-	100.00
213.00	216.00	3.00	R5	0.07	0.10	-	100.00	-	100.00
216.00	219.00	3.00	R5	0.29	1.28	-	100.00	-	100.00
219.00	222.00	3.00	R5	0.06	0.10	-	100.00	-	100.00
222.00	225.00	3.00	R5	0.05	0.10	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-104
Project : PLANET EXPLORATION
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>		
Azimuth:	146.62	Length:	20.00 meters	Township:	COLI LAKE		Contractor:	MAJOR DRILLING	
Dip:	-51.2	Pulled:	No	Claim No:	Staked		Spotted by:	T. Maciejewski	
Length:	201.00 meters	Capped:	Yes	NTS:			Coord Type:	GPS	
Started:	21-Nov-05	Cemented:	No	Surface Hole :	Yes	Level:	Surveyed by:		
Completed:	25-Nov-05	<u>Core</u>		Coordinate- Gemcom	Coordinate - UTM	Coordinate- Grid	Surveyed Date:		
Logged:	29-Nov-05	Dimension:	NQ	East:	461255.00	East:	461255	East:	2225.00
Wedged :	No	Original Units:	M	North:	5679415.00	North:	5679415	North:	
Wedged from:		Storage:	Cochenour Mine	Elevation:	413.00	Elevation:	413	Elevation:	
				UTM Zone:	15 (NAD 27)	Grid Name:		Grid Name:	
Target:	2005-Q6							Logged by:	P. Chantigny
Comments:								Re-logged by:	
								Water Source:	
								Water line:	
								Left in hole:	Nothing
								Control Drilling:	Stabilizer
								Cutting sampled:	No
								Geophysic:	

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	146.62	-51.20	X	42.000	147.68	-50.99	X	84.000	149.84	-50.94	X
3.000	146.48	-52.50	X	45.000	147.80	-51.05	X	87.000	150.08	-50.93	X
6.000	146.43	-52.37	X	48.000	147.91	-51.04	X	90.000	150.29	-50.95	X
9.000	146.38	-50.62	X	51.000	148.02	-51.07	X	93.000	150.47	-50.92	X
12.000	146.29	-50.82	X	54.000	148.19	-51.12	X	96.000	150.65	-50.96	X
15.000	146.24	-51.25	X	57.000	148.37	-51.11	X	99.000	150.79	-50.94	X
18.000	146.29	-51.34	X	60.000	148.50	-51.13	X	102.000	150.94	-50.93	X
21.000	146.37	-51.17	X	63.000	148.64	-51.14	X	105.000	151.11	-50.87	X
24.000	146.54	-51.19	X	66.000	148.78	-51.07	X	108.000	151.30	-50.86	X
27.000	146.73	-51.16	X	69.000	148.99	-51.03	X	111.000	151.50	-50.84	X
30.000	146.94	-51.06	X	72.000	149.18	-51.02	X	114.000	151.69	-50.83	X
33.000	147.14	-51.03	X	75.000	149.32	-50.96	X	117.000	151.90	-50.76	X
36.000	147.37	-51.02	X	78.000	149.48	-50.94	X	120.000	152.06	-50.79	X
39.000	147.56	-50.97	X	81.000	149.67	-50.94	X	123.000	152.24	-50.84	X



Diamond Drill Hole Log

GoldCorp Inc.

Hole Number : RL-05-104
Project : PLANET EXPLORA
Project Number: 800125

Deviation Tests

<i>Distance (m)</i>	<i>Azimuth</i>	<i>Dip</i>	<i>Type</i>
126.000	152.39	-50.81	X
129.000	152.51	-50.69	X
132.000	152.75	-50.61	X
135.000	152.95	-50.47	X
138.000	153.08	-50.13	X
144.000	153.20	-49.40	X



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-104
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Ozt)	Au (ppb)	V.G.	Comments
0.00	19.40	(OB) OVERBURDEN									
19.40	22.20	(7B) FELDSPAR PORPHYRY Grey, fine grained, weakly foliated and moderately sericitized feldspar porphyry. Minor iron staining along contacts, Fol 20deg tca, minor diss po-py, trace cal veinlet. Lower contact at 35deg tca.	406830	19.40	20.40	1.00	0.03	0.001	29	<input type="checkbox"/>	
			406831	20.40	21.40	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406832	21.40	22.40	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
22.20	26.95	(7B) FELDSPAR PORPHYRY Buff purplish-grey 15-20% fspar phenos, weakly brecciated, annealed feldspar porphyry with 15-20% fspar phenos (1-2mm). Weakly biotized; disseminated sometimes little clumps or vein-like. Weakly silicified. 2-3% white QVs. Minor po stingers and blebs. 0.5% skarn-type veining.	406833	22.40	23.40	1.00	0.01	<0.001	6	<input type="checkbox"/>	
26.95	29.30	(7B) FELDSPAR PORPHYRY grey, sheared and foliated feldspar porphyry with small amounts of fspar phenos patches (5%), 3% skarn veins, weakly sericitic, minor diss py. Fol 40deg tca.	406834	27.00	28.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406835	28.00	29.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
29.30	36.60	(7B) FELDSPAR PORPHYRY variable; from purplish-grey with 15-20% phenos to almost greyish-white with 80-90% fspar phenos. Weak to moderate sericitic locally, 3% skarn-type (diop-cal-minor biot) veining with 2 to 5cm sheared halos around them. Minor py-po blebs associated with the skarn. Minor white qtz vein	406836	29.00	30.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406837	30.00	31.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406838	31.00	32.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406839	32.00	33.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406840	33.00	34.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406841	34.00	35.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406842	35.00	36.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406843	36.00	37.00	1.00	0.04	0.001	42	<input type="checkbox"/>	
36.60	40.35	(7B) FELDSPAR PORPHYRY grey to pale grey, moderately to intensely sheared and sericitized locally feldspar porphyry, phenos blitzed. Weakly silicified. 1-2% qtz eyes, 3% skarn veining with minor py-po blebs. Fol 35deg tca. Blocky, rusty altn on joint surfaces.	406844	37.00	38.00	1.00	0.23	0.007	230	<input type="checkbox"/>	
			406845	38.00	39.00	1.00	0.09	0.003	87	<input type="checkbox"/>	
			406846	39.00	40.00	1.00	0.02	0.001	19	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-104
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
40.35	43.25	(1P) PILLOWED FLOWS Dark green to black, fine to med grained (1mm black amphiboles phenos), pillowed mafic volcanics, 4-5% skarn veining, intensely biotitized locally.	406847	40.00	41.00	1.00	14.35	0.419	14352	<input type="checkbox"/>	
			406848	41.00	42.00	1.00	0.12	0.003	118	<input type="checkbox"/>	
			406851	42.00	43.00	1.00	0.46	0.013	457	<input type="checkbox"/>	
43.25	44.07	(7B) FELDSPAR PORPHYRY chunky, massive, fresh, sharp contacts 43.30 - 44.05 (7B) FELDSPAR PORPHYRY black, feldspar porphyry-chunky style, 5-10% 2-3mm fspar rectangular phenos. Minor cal vein	406852	43.00	44.00	1.00	0.05	0.001	47	<input type="checkbox"/>	
44.07	44.85	(1P) PILLOWED FLOWS similar to above, 15% irregular white quartz	406853	44.00	45.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
44.85	70.60	(7B) FELDSPAR PORPHYRY sub volcanic type generally porphyritic with apanitic weak shears, moderately fractured, lightly biotitized, 3-4% white quartz veins 67.35 - 67.80 (6A) DIORITE dark grey-black, fine grained, massive, sharp contacts	406854	45.00	46.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			406855	46.00	47.00	1.00	0.02	0.001	23	<input type="checkbox"/>	
			406856	47.00	48.00	1.00	0.20	0.006	201	<input type="checkbox"/>	
			406857	48.00	49.00	1.00	0.01	<0.001	12	<input type="checkbox"/>	
			406858	49.00	50.00	1.00	0.13	0.004	130	<input type="checkbox"/>	
			406859	50.00	51.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406860	51.00	52.00	1.00	0.21	0.006	207	<input type="checkbox"/>	
			406946	54.00	55.00	1.00	2.38	0.069	2382	<input type="checkbox"/>	
			406947	55.00	56.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			406948	56.00	57.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406951	57.00	58.00	1.00	0.01	<0.001	7	<input type="checkbox"/>	
			406952	58.00	59.00	1.00	0.37	0.011	368	<input type="checkbox"/>	
			406953	59.00	60.00	1.00	0.01	<0.001	10	<input type="checkbox"/>	
			406954	60.00	61.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
406955	61.00	62.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
406956	62.00	63.00	1.00	0.01	<0.001	13	<input type="checkbox"/>				
406957	63.00	64.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>				
406958	64.00	65.00	1.00	0.01	<0.001	12	<input type="checkbox"/>				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-104
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			406959	65.00	66.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			406960	66.00	67.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			406961	67.00	68.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406962	68.00	69.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406963	69.00	70.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406964	70.00	70.67	0.67	<0.01	<0.001	<5	<input type="checkbox"/>	
70.60	71.60	(5S) SILICATE FACIES IRON FORMATION	406965	70.67	71.60	0.93	0.17	0.005	170	<input type="checkbox"/>	
		70.60 - 71.05 predominantly amphibolite, local gametiferous layer									
		71.05 - 71.6 banded chert-magnetite-sulfide, sheared and stretched									
71.60	93.45	(1P) PILLOWED FLOWS	406966	71.60	72.00	0.40	0.09	0.003	94	<input type="checkbox"/>	
		dark green, fine grained, 4-6% quartz and/or quartz carbonate veinlets and along	406967	72.00	73.00	1.00	0.04	0.001	35	<input type="checkbox"/>	
		pillow salvages, moderately foliated at 60-65 to CA, irregular biotitic streaks and	406968	73.00	74.00	1.00	0.35	0.010	350	<input type="checkbox"/>	
		patches	406969	74.00	75.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		73.85 - 74.85 (7B) FELDSPAR PORPHYRY	406970	80.00	81.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
		sub volcanic, porphyritic, fresh, weakly foliated	406971	85.00	86.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406972	90.00	91.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406973	91.00	92.00	1.00	0.17	0.005	172	<input type="checkbox"/>	
			406974	92.00	93.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
93.45	98.37	(7B) FELDSPAR PORPHYRY	406975	93.00	94.00	1.00	0.05	0.002	54	<input type="checkbox"/>	
		sub volcanic type, porphyritic, 1-2% fine biotite flecks, moderately sheared and	406976	94.00	95.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
		altered	406977	95.00	96.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406978	96.00	97.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406979	97.00	98.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
98.37	123.75	(1P) PILLOWED FLOWS	406980	105.00	106.00	1.00	0.10	0.003	101	<input type="checkbox"/>	
		dark green, fine grained, 4-6% quartz and/or quartz carbonate veinlets and along	406981	110.00	111.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		pillow salvages, moderately foliated at 60-65 to CA, irregular biotitic streaks and	406982	115.00	116.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
		patches	406983	120.00	121.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		121.10 - 122.40 (7B) FELDSPAR PORPHYRY	406984	123.00	124.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		sub volcanic, porphyritic, locally bleached and altered									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-104
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Oz/t)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
123.75	136.20	(7B) FELDSPAR PORPHYRY sub volcanic type, porphyritic, 1-2% fine biotite flecks, moderately sheared and altered	406985	124.00	125.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406986	125.00	126.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406987	126.00	127.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406988	127.00	128.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406989	128.00	129.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406990	129.00	130.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406991	130.00	131.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406992	131.00	132.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406993	132.00	133.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406994	133.00	134.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
136.20	156.20	(1P) PILLOWED FLOWS dark green, fine grained, moderately foliated at 60-65 to CA, minor biotitic streaks and patches, minor quartz and/or quartz-carbonate veining, weak bleaching along fractures	406997	136.00	137.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			406998	140.00	141.00	1.00	0.02	<0.001	19	<input type="checkbox"/>	
			407001	145.00	146.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
			407002	150.00	151.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			407003	154.00	155.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
156.20	157.50	(1P) PILLOWED FLOWS BX pillowed as above, fault zone-blocky, leached, carbonatized 156.4 - 157.0 lost core									
157.50	164.10	(1P) PILLOWED FLOWS similar to before	407004	160.00	161.00	1.00	0.03	0.001	26	<input type="checkbox"/>	
164.10	165.81	(7B) FELDSPAR PORPHYRY chunky porphyry dike, weakly foliated	407005	165.00	166.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
165.81	198.77	(1P) PILLOWED FLOWS dark green, fine grained, local moderate to intense biotitic streaks and sections, local skarny veins-3% overall 173.1 - 173.85 strongly biotitized 173.4 - 173.65 skarn vein 1-3% popy	407006	170.00	171.00	1.00	0.08	0.002	82	<input type="checkbox"/>	
			407007	173.00	174.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			407008	180.00	181.00	1.00	0.03	0.001	25	<input type="checkbox"/>	
			407009	185.00	186.00	1.00	0.28	0.008	275	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-104
Project : PLANET EXPLORATION
Project Number: 800125

<i>From</i> (m)	<i>To</i> (m)	Rock Description	<i>Sample</i>	<i>From</i> (m)	<i>To</i> (m)	<i>Length</i> (m)	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	V.G.	<i>Comments</i>
			407010	190.00	191.00	1.00	0.03	0.001	34	<input type="checkbox"/>	
			407011	195.00	196.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
198.77	201.00	(7B) FELDSPAR PORPHYRY	407012	199.00	200.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
		sub volcanic type, porphyritic, 1-2% fine biotite flecks, moderately sheared and altered	407013	200.00	201.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-104
Project PLANET EXPLORATION
Project Number 800125

Distance (m)	Sample	Au (ppb)	Au (g/t)	Au (Oz/t)
42.00	406849	3836	3.836	0.112
42.01	406850	21	0.021	0.001
57.00	406949	3904	3.904	0.114
57.01	406950	<5	<0.005	<0.001
141.00	406999	3682	3.682	0.107
141.01	407000	<5	<0.005	<0.001



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-104
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
19.40	21.00	1.60	R4	0.03	0.05	-	100.00	-	100.00
21.00	24.00	3.00	R5	0.09	0.25	-	100.00	-	100.00
24.00	27.00	3.00	R5	0.06	0.12	-	100.00	-	100.00
27.00	30.00	3.00	R5	0.06	0.10	-	100.00	-	100.00
30.00	33.00	3.00	R5	0.08	0.18	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.03	0.07	-	100.00	-	100.00
36.00	39.00	3.00	R5	0.06	0.21	-	100.00	-	100.00
39.00	42.00	3.00	R4	0.21	0.31	-	100.00	-	100.00
42.00	45.00	3.00	R4	0.17	0.27	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.15	0.54	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.03	0.09	-	100.00	-	100.00
51.00	54.00	3.00	R6	0.05	0.10	-	100.00	-	100.00
54.00	57.00	3.00	R5	0.01	0.05	-	100.00	-	100.00
57.00	60.00	3.00	R6	24.10	66.30	-	100.00	-	100.00
60.00	63.00	3.00	R6	0.02	0.09	-	100.00	-	100.00
63.00	66.00	3.00	R6	0.03	0.05	-	100.00	-	100.00
66.00	69.00	3.00	R6	1.15	4.75	-	100.00	-	100.00
69.00	72.00	3.00	R5	0.08	0.34	-	100.00	-	100.00
72.00	75.00	3.00	R5	1.03	4.72	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.21	0.45	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.17	0.20	-	100.00	-	100.00
81.00	84.00	3.00	R4	0.12	0.16	-	100.00	-	100.00
84.00	87.00	3.00	R4	0.15	0.34	-	100.00	-	100.00
87.00	90.00	3.00	R4	0.17	0.21	-	100.00	-	100.00
90.00	93.00	3.00	R4	0.41	0.91	-	100.00	-	100.00
93.00	96.00	3.00	R5	0.05	0.12	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.03	0.14	-	100.00	-	100.00
99.00	102.00	3.00	R4	0.24	0.43	-	100.00	-	100.00
102.00	105.00	3.00	R4	0.20	0.38	-	100.00	-	100.00
105.00	108.00	3.00	R4	0.13	0.14	-	100.00	-	100.00
108.00	111.00	3.00	R4	0.11	0.16	-	100.00	-	100.00
111.00	114.00	3.00	R4	0.13	0.18	-	100.00	-	100.00
114.00	117.00	3.00	R4	0.17	0.36	-	100.00	-	100.00
117.00	120.00	3.00	R5	0.14	0.16	-	100.00	-	100.00
120.00	123.00	3.00	R5	0.08	0.16	-	100.00	-	100.00
123.00	126.00	3.00	R5	0.06	0.12	-	100.00	-	100.00
126.00	129.00	3.00	R5	0.00	0.00	-	100.00	-	100.00



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-104
Project: PLANET EXPLORATION
Project Number: 800125

129.00	132.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
132.00	135.00	3.00	R5	0.01	0.07	-	100.00	-	100.00
135.00	138.00	3.00	R5	0.09	0.16	-	100.00	-	100.00
138.00	141.00	3.00	R4	0.19	0.38	-	100.00	-	100.00
141.00	144.00	3.00	R4	0.18	0.31	-	100.00	-	100.00
144.00	147.00	3.00	R4	0.18	0.32	-	100.00	-	100.00
147.00	150.00	3.00	R4	0.13	0.14	-	100.00	-	100.00
150.00	153.00	3.00	R4	0.14	0.16	-	100.00	-	100.00
153.00	156.00	3.00	R4	0.22	0.40	-	100.00	-	100.00
156.00	159.00	3.00	R4	0.10	0.18	-	100.00	-	80.00
159.00	162.00	3.00	R4	0.13	0.14	-	100.00	-	100.00
162.00	165.00	3.00	R4	0.11	0.16	-	100.00	-	100.00
165.00	168.00	3.00	R4	0.09	0.14	-	100.00	-	100.00
168.00	171.00	3.00	R4	0.29	0.51	-	100.00	-	100.00
171.00	174.00	3.00	R4	0.20	0.53	-	100.00	-	100.00
174.00	177.00	3.00	R4	0.13	0.18	-	100.00	-	100.00
177.00	180.00	3.00	R4	0.14	0.18	-	100.00	-	100.00
180.00	183.00	3.00	R4	0.13	0.16	-	100.00	-	100.00
183.00	186.00	3.00	R4	0.71	2.90	-	100.00	-	100.00
186.00	189.00	3.00	R4	0.16	0.32	-	100.00	-	100.00
189.00	192.00	3.00	R4	0.11	0.14	-	100.00	-	100.00
192.00	195.00	3.00	R4	0.12	0.21	-	100.00	-	100.00
195.00	198.00	3.00	R4	0.30	0.95	-	100.00	-	100.00
198.00	201.00	3.00	R5	0.11	0.31	-	100.00	-	100.00



GoldCorp Inc.
Diamond Drill Hole Report

Hole Number : RL-05-105
Project : PLANET EXPLORATION
Project Number: 800125

<u>Drilling</u>		<u>Casing</u>		<u>Location</u>			<u>Other</u>	
Azimuth:	146.62	Length:	8.00 meters	Township:	COLI LAKE	Contractor:	MAJOR DRILLING	
Dip:	-51.64	Pulled:	No	Claim No:		Spotted by:	T. Maciejewski	
Length:	102.00 meters	Capped:	Yes	NTS:		Coord Type:	GPS	
Started:	25-Nov-05	Cemented:	No	Surface Hole :	Yes	Surveyed by:		
Completed:	26-Nov-05			Level:		Surveyed Date:		
Logged:	28-Nov-05	<u>Core</u>		Coordinate- Gemcom	Coordinate - UTM	Coordinate- Grid		
Wedged :	No	Dimension:	NQ	East:	461720.00	East:	2900.00	
Wedged from:		Original Units:	M	North:	5679945.00	North:	5679945	
		Storage:	Cochenour Mine	Elevation:	410.00	Elevation:	410	
				UTM Zone:	15 (NAD 27)	Grid Name:		
Target:	Upper Duck Zone, 2005-Q7					Logged by:	L.C. Chastko	
Comments:						Re-logged by:		
						Water Source:		
						Water line:		
						Left in hole:	Nothing	
						Control Drilling:	Stabilizer	
						Cutting sampled:	No	
						Geophysic:		

<u>Deviation Tests</u>				<u>Deviation Tests</u>				<u>Deviation Tests</u>			
Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type	Distance (m)	Azimuth	Dip	Type
0.000	146.62	-51.64	X	42.000	148.65	-49.43	X	84.000	147.14	-48.44	X
3.000	147.71	-50.96	X	45.000	148.78	-49.36	X	87.000	147.10	-48.36	X
6.000	148.30	-50.27	X	48.000	148.86	-49.33	X	90.000	147.10	-47.87	X
9.000	148.33	-50.98	X	51.000	148.82	-49.26	X				
12.000	148.34	-50.78	X	54.000	148.63	-49.24	X				
15.000	148.34	-50.56	X	57.000	148.45	-49.21	X				
18.000	148.35	-50.47	X	60.000	148.27	-49.09	X				
21.000	148.43	-50.26	X	63.000	148.18	-49.04	X				
24.000	148.57	-49.98	X	66.000	148.08	-48.99	X				
27.000	148.63	-49.83	X	69.000	147.90	-48.75	X				
30.000	148.60	-49.64	X	72.000	147.69	-48.64	X				
33.000	148.61	-49.49	X	75.000	147.52	-48.50	X				
36.000	148.62	-49.40	X	78.000	147.39	-48.49	X				
39.000	148.62	-49.42	X	81.000	147.26	-48.47	X				



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-105
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
0.00	7.77	(OB) OVERBURDEN									
7.77	12.70	(7B) FELDSPAR PORPHYRY buffish-grey to brownish biotitic, fine grained, presumably altered porphyry, moderately to well foliated to banded locally at 45 to CA, minor weak narrow skarn veins, minor disseminated and irregular blebs popy, increasing biotitization down section and not a change in rock type	406861 406862 406863 406864 406865	7.70 9.00 10.00 11.00 12.00	9.00 10.00 11.00 12.00 13.00	1.30 1.00 1.00 1.00 1.00	0.03 0.13 0.02 0.01 0.02	0.001 0.004 0.001 <0.001 <0.001	27 125 23 10 15	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
12.70	19.95	(7B) FELDSPAR PORPHYRY Highly altered porphyry? Possibly tuff Crudely banded amphibole and biotite rich layers 13.35 - 16.00 20% irregular white quartz veins-barren 19.55 - 19.95 dark green, amphibole rich 2-3% popy, minor magnetite 17.20 - 17.53 (7B) FELDSPAR PORPHYRY chunky porphyry, moderately foliated	406866 406867 406868 406869 406870 406871 406872	13.00 14.00 15.00 16.00 17.00 18.00 19.00	14.00 15.00 16.00 17.00 18.00 19.00 20.00	1.00 1.00 1.00 1.00 1.00 1.00 1.00	0.04 0.02 0.01 0.01 0.01 0.02 0.39	0.001 0.001 <0.001 <0.001 <0.001 <0.001 0.011	35 19 11 10 13 16 390	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
19.95	22.75	(5S) SILICATE FACIES IRON FORMATION finely irregularly banded buff-light green to medium green, sheared texture, quartz- carbonate-amphibole-grunerite- magnetite with minor fine stubby to medium stubby Aspy, traces po py, foliation and banding at 45 to CA, 20-30 cm dark green amphibole rich bands above and below	406873 406874 406875	20.00 21.00 22.00	21.00 22.00 22.75	1.00 1.00 0.75	1.73 3.84 2.76	0.050 0.112 0.081	1726 3835 2761	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
22.75	28.25	(7B) FELDSPAR PORPHYRY highly altered porphyry, possibly tuff buff-brown to locally irregular bands dark amphibole green, similar to top of hole, relative massive-uniform moderately sheared and foliated	406876 406877 406878 406879 406880	22.75 24.00 25.00 26.00 27.00	24.00 25.00 26.00 27.00 28.25	1.25 1.00 1.00 1.00 1.25	0.02 0.01 0.07 0.21 0.01	<0.001 <0.001 0.002 0.006 <0.001	16 11 74 209 13	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
28.25	28.60	(4A) ARGILLITE, MUDSTONE biotite-amphibole-sulfide schist finely well banded at 45 to CA, 5-8% fine irregular popy sharp distinct contacts									



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-105
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
28.60	30.45	(5S) SILICATE FACIES IRON FORMATION quartz-carbonate-amphibole-grunerite-magnetite moderately sheared and brecciated, 3-4% disseminate magnetite, traces popy aspy	406881	28.25	29.00	0.75	0.99	0.029	993	<input type="checkbox"/>	
			406882	29.00	30.00	1.00	2.30	0.067	2299	<input type="checkbox"/>	
			406883	30.00	30.45	0.45	4.05	0.118	4050	<input type="checkbox"/>	
30.45	35.90	(4) UNDIFF. CLASTIC SEDIMENTS tuffaceous sediments possibly highly altered porphyry crudely layered light brown to dark brown highly biotitic and dark green amphibole rich occasional narrow quartz stringer, occasional fine stringer popy, general foliateion and layering at 45 but locally folded	406884	30.45	31.00	0.55	0.02	0.001	19	<input type="checkbox"/>	
			406885	31.00	32.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406886	32.00	33.00	1.00	0.02	0.001	21	<input type="checkbox"/>	
			406887	33.00	34.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406888	34.00	35.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
406889	35.00	36.00	1.00	0.20	0.006	200	<input type="checkbox"/>				
35.90	39.77	(4) UNDIFF. CLASTIC SEDIMENTS CREN quartz-biotite-sulfide schist finely layered, 15-20% fine layeres popy traces cpy, fine local contortions and crenulation 39.5 - 39.77 carbonate-amphibole rich layer	406890	36.00	37.00	1.00	0.05	0.001	49	<input type="checkbox"/>	
			406891	37.00	38.00	1.00	0.14	0.004	137	<input type="checkbox"/>	
			406892	38.00	39.00	1.00	0.13	0.004	129	<input type="checkbox"/>	
			406893	39.00	39.77	0.77	0.04	0.001	36	<input type="checkbox"/>	
39.77	45.70	(7B) FELDSPAR PORPHYRY highly altered porphyry possibly tuff 70% light brown finely biotitic, relatively uniform with 30%dark green and brown amphibole-biotite rich sections often with narrow carbonate veins	406894	39.77	41.00	1.23	0.01	<0.001	9	<input type="checkbox"/>	
			406895	41.00	42.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406896	42.00	43.00	1.00	0.01	<0.001	13	<input type="checkbox"/>	
			406897	43.00	44.00	1.00	0.01	<0.001	11	<input type="checkbox"/>	
			406898	44.00	45.00	1.00	0.07	0.002	72	<input type="checkbox"/>	
406901	45.00	46.00	1.00	0.01	<0.001	5	<input type="checkbox"/>				
45.70	70.00	(7B) FELDSPAR PORPHYRY highly altered porphyry, possibly tuff in part light buff-brown, plagphyric-uniform grading to aphyric, sheared to banded, weak to locally moderate sericitization, local narrow sedimentary bands or slivers, minor narrow local amphibole-skarny slivers 52.62 - 52.88 amphibole-chert inclusion 56.70 - 57.00 amphibole-carbonate inclusion 61.00 - 61.30 tuff with 8-10% popy finely banded 62.13 - 63.24 tuff with 10-15% finely banded popy 69.67 - 70.00 skarny band	406902	46.00	47.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406903	47.00	48.00	1.00	0.05	0.001	46	<input type="checkbox"/>	
			406904	48.00	49.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406905	49.00	50.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406906	50.00	51.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406907	51.00	52.00	1.00	0.01	<0.001	6	<input type="checkbox"/>	
			406908	52.00	53.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			406909	53.00	54.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406910	54.00	55.00	1.00	0.04	0.001	42	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-105
Project : PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Rock Description	Sample	From (m)	To (m)	Length (m)	Au (gpt)	Au (Oz/t)	Au (ppb)	V.G.	Comments
			406911	55.00	56.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406912	56.00	57.00	1.00	0.09	0.003	90	<input type="checkbox"/>	
			406913	57.00	58.00	1.00	0.09	0.003	91	<input type="checkbox"/>	
			406914	58.00	59.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406915	59.00	60.00	1.00	0.36	0.011	361	<input type="checkbox"/>	
			406916	60.00	61.00	1.00	0.09	0.003	88	<input type="checkbox"/>	
			406917	61.00	62.00	1.00	0.11	0.003	107	<input type="checkbox"/>	
			406918	62.00	63.00	1.00	0.09	0.003	87	<input type="checkbox"/>	
			406919	63.00	64.00	1.00	0.02	0.001	24	<input type="checkbox"/>	
			406920	64.00	65.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
			406921	65.00	66.00	1.00	0.02	<0.001	17	<input type="checkbox"/>	
			406922	66.00	67.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406923	67.00	68.00	1.00	0.01	<0.001	8	<input type="checkbox"/>	
			406924	68.00	69.00	1.00	0.01	<0.001	14	<input type="checkbox"/>	
			406925	69.00	70.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
70.00	72.67	(7C) QUARTZ-FELDSPAR PORPHYRY	406926	70.00	71.00	1.00	0.70	0.020	697	<input type="checkbox"/>	
		dark grey aphanitic matrix with 15% 2-4 mm feldspar phenocrysts generally subrounded, 2-4% quartz phenocrysts, weakly foliated, sharp conformable contacts at 40-45 to CA	406927	71.00	72.00	1.00	0.02	0.001	19	<input type="checkbox"/>	
			406928	72.00	73.00	1.00	0.01	<0.001	9	<input type="checkbox"/>	
72.67	75.45	(7B) FELDSPAR PORPHYRY	406929	73.00	74.00	1.00	0.21	0.006	209	<input type="checkbox"/>	
		sub volcanic type	406930	74.00	75.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
		fault zone, brecciated, highly altered, varies from highly strained to brecciated with local crushing									
		73.27 - 73.60 50% grey cherty bands									
		72.67 - 75.45 (FLT) FAULT									
75.45	78.07	(7B) FELDSPAR PORPHYRY	406931	75.00	76.24	1.24	0.02	0.001	22	<input type="checkbox"/>	
		similar to above porphyry but little to no quartz phenos, slight orangy alteration	406932	76.24	77.00	0.76	0.01	<0.001	11	<input type="checkbox"/>	
			406933	77.00	78.00	1.00	0.02	0.001	20	<input type="checkbox"/>	



Goldcorp Inc.
Geological Description with Assays

Hole Number : RL-05-105
Project : PLANET EXPLORATION
Project Number: 800125

<i>From (m)</i>	<i>To (m)</i>	<i>Rock Description</i>	<i>Sample</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Length (m)</i>	<i>Au (gpt)</i>	<i>Au (Ozt)</i>	<i>Au (ppb)</i>	<i>V.G.</i>	<i>Comments</i>
78.07	99.10	(7B) FELDSPAR PORPHYRY	406934	78.00	79.00	1.00	0.05	0.001	48	<input type="checkbox"/>	
		sub volcanic, altered	406935	79.00	80.00	1.00	0.58	0.017	582	<input type="checkbox"/>	
		78.07 - 87.00 weakly brecciated, variably bleached, fractured, variable pinkish alteration in more intensely fractured areas, weak quartz and skarn veining	406936	80.00	81.00	1.00	1.80	0.052	1799	<input type="checkbox"/>	
		87.00 - 99.10 moderately sheared and well foliated at 45 to CA, variable wak to moderate sericitization	406937	81.00	82.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
			406938	82.00	83.00	1.00	<0.01	<0.001	<5	<input type="checkbox"/>	
		98.13 - 98.45 (7B) FELDSPAR PORPHYRY	406939	83.00	84.00	1.00	0.54	0.016	538	<input type="checkbox"/>	
		chunky type	406940	84.00	85.00	1.00	0.22	0.006	215	<input type="checkbox"/>	
			406941	85.00	86.00	1.00	0.01	<0.001	5	<input type="checkbox"/>	
			406942	90.00	91.00	1.00	0.04	0.001	37	<input type="checkbox"/>	
			406943	94.00	95.00	1.00	0.03	0.001	30	<input type="checkbox"/>	
99.10	102.00	(6G) GABBRO	406944	100.00	101.00	1.00	0.06	0.002	58	<input type="checkbox"/>	
		dark green, medium grained, weak shear fabric, weak fractures filled with carbonate- 2%	406945	101.00	102.00	1.00	0.10	0.003	103	<input type="checkbox"/>	



Goldcorp Inc.
QC Report

Hole Number RL-05-105
Project PLANET EXPLORATION
Project Number 800125

Distance (m)	Sample	Au (ppb)	Au (g/t)	Au (Oz/t)
45.00	406899	3926	3.926	0.115
45.01	406900	<5	<0.005	<0.001



GoldCorp Inc.
Geotech/Rqd Report

Hole Number: RL-05-105
Project: PLANET EXPLORATION
Project Number: 800125

From (m)	To (m)	Length (m)	Hardness	Magnetic Susc.		Frac. Freq.	R.Q.D	Visual RQD	Recovery
				Average	Max				
7.77	9.00	1.23	R5	0.08	0.16	-	100.00	-	100.00
9.00	12.00	3.00	R5	0.15	0.32	-	100.00	-	100.00
12.00	15.00	3.00	R4	0.09	0.23	-	100.00	-	100.00
15.00	18.00	3.00	R4	0.21	0.36	-	100.00	-	100.00
18.00	21.00	3.00	R4	30.20	88.70	-	100.00	-	100.00
21.00	24.00	3.00	R5	11.30	25.20	-	100.00	-	100.00
24.00	27.00	3.00	R4	0.23	0.32	-	100.00	-	100.00
27.00	30.00	3.00	R5	39.90	98.10	-	100.00	-	100.00
30.00	33.00	3.00	R5	7.23	30.20	-	100.00	-	100.00
33.00	36.00	3.00	R5	0.77	1.64	-	100.00	-	100.00
36.00	39.00	3.00	R5	8.59	10.90	-	100.00	-	100.00
39.00	42.00	3.00	R5	0.74	2.30	-	100.00	-	100.00
42.00	45.00	3.00	R4	0.08	0.18	-	100.00	-	100.00
45.00	48.00	3.00	R5	0.08	0.29	-	100.00	-	100.00
48.00	51.00	3.00	R5	0.13	0.53	-	100.00	-	100.00
51.00	54.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
54.00	57.00	3.00	R5	2.33	11.60	-	100.00	-	100.00
57.00	60.00	3.00	R5	0.59	2.58	-	100.00	-	100.00
60.00	63.00	3.00	R4	4.20	18.50	-	100.00	-	100.00
63.00	66.00	3.00	R5	0.95	4.53	-	100.00	-	100.00
66.00	69.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
69.00	72.00	3.00	R4	1.51	3.75	-	100.00	-	100.00
72.00	75.00	3.00	R5	11.10	38.60	-	100.00	-	100.00
75.00	78.00	3.00	R5	0.31	0.95	-	100.00	-	100.00
78.00	81.00	3.00	R5	0.13	0.53	-	100.00	-	100.00
81.00	84.00	3.00	R5	0.04	0.16	-	100.00	-	100.00
84.00	87.00	3.00	R5	0.00	0.01	-	100.00	-	100.00
87.00	90.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
90.00	93.00	3.00	R5	0.02	0.09	-	100.00	-	100.00
93.00	96.00	3.00	R5	0.00	0.03	-	100.00	-	100.00
96.00	99.00	3.00	R5	0.14	0.51	-	100.00	-	100.00
99.00	102.00	3.00	R4	2.18	4.64	-	100.00	-	100.00