




Filter
 DIPOLE LENGTH : $a=25M$
 DIPOLE SPACINGS : $n = 4$
 FREQUENCIES :

CHARGEABILITY
 Interval 1%, 10%
 RESISTIVITY
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...
 METAL FACTOR
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...



INSTRUMENTS
 RECEIVER : ELREC 10
 TRANSMITTER : GDD 3.6KWATT





CHARGEABILITY
mV/V





APPARENT
RESISTIVITY
ohm-m



METAL
FACTOR





SEDEX MINING CORP.
 INDUCED POLARIZATION
 LINE L1+00N
 Date : JUNE, 2007
 Property:SERPENTINE LK N PROPERTY
 Township : SEMPLE TOWNSHIP
 Survey by : EXSICS EXPLORATION LTD.



DIPOLE LENGTH : $a=25M$
 DIPOLE SPACINGS : $n = 4$
 FREQUENCIES :




CHARGEABILITY
mV/V





CHARGEABILITY
 Interval 1%, 10%
 RESISTIVITY
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ..
 METAL FACTOR
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ..

INSTRUMENTS
 RECEIVER : ELREC 10
 TRANSMITTER : GDD 3.6KWATT

APPARENT
RESISISTIVITY
ohm-m




METAL
FACTOR




SEDEX MINING CORP.
INDUCED POLARIZATION
 LINE L2+00N

Date : JUNE, 2007
 Property: SERPENTINE LK N PROPERTY
 Township : ~~SEMPLE TOWNSHIP~~
 Survey by : EXSICS EXPLORATION LTD.




CHARGEABILITY
mV/V




CHARGEABILITY
MV/V

APPARENT
RESISTIVITY
ohm-m




RESISTIVITY
OHM/M

METAL
FACTOR




METAL FACTOR
IPX1000/RES



DIPOLE LENGTH : $a=25M$
DIPOLE SPACINGS : $n = 4$
FREQUENCIES :



CHARGEABILITY
Interval 1%, 10%
RESISTIVITY
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...
METAL FACTOR
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...

INSTRUMENTS
RECEIVER : ELREC 10
TRANSMITTER : GDD 3.6KWATT




SEDEX MINING CORP.
INDUCED POLARIZATION
LINE L3+00N

Date : JUNE, 2007
Property:SERPENTINE LK N PROPERTY
Township : SEMPLE TOWNSHIP
Survey by : EXSICS EXPLORATION LTD.




DIPOLE LENGTH : $a=25M$
 DIPOLE SPACINGS : $n = 4$
 FREQUENCIES :

CHARGEABILITY
mV/V




CHARGEABILITY
MV/V

APPARENT
RESISTIVITY
ohm-m



RESISTIVITY
OHM/M


METAL
FACTOR



METAL FACTOR
IPX1000/RES


CHARGEABILITY
Interval 1%, 10%
RESISTIVITY
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...
METAL FACTOR
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...

INSTRUMENTS
RECEIVER : ELREC 10
TRANSMITTER : GDD 3.6KWATT




SEDEX MINING CORP.
INDUCED POLARIZATION
 LINE L4+00N

Date : JUNE, 2007
 Property:SERPENTINE LK N PROPERTY
 Township : SEMPLE TOWNSHIP
 Survey by : EXSICS EXPLORATION LTD.




CHARGEABILITY
mV/V




CHARGEABILITY
MV/V

APPARENT
RESISTIVITY
ohm-m



RESISTIVITY
OHM/M


METAL
FACTOR



METAL FACTOR
IPX1000/RES

Filter


*
* *
* * *
* * * *
* * * * *
* * * * * *



DIPOLE LENGTH : $a=25M$
DIPOLE SPACINGS : $n = 4$
FREQUENCIES :


CHARGEABILITY
Interval 1%, 10%
RESISTIVITY
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...
METAL FACTOR
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...

INSTRUMENTS
RECEIVER : ELREC 10
TRANSMITTER : GDD 3.6KWATT





SEDEX MINING CORP.
INDUCED POLARIZATION
LINE L5+00N



Date : JUNE, 2007
Property:SERPENTINE LK N PROPERTY
Township : SEMPLE TOWNSHIP
Survey by : EXSICS EXPLORATION LTD.






CHARGEABILITY
mV/V



APPARENT
RESISTIVITY
ohm-m




METAL
FACTOR



DIPOLE LENGTH : a=25M
DIPOLE SPACINGS : n = 4
FREQUENCIES :



CHARGEABILITY
Interval 1%, 10%
RESISTIVITY
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...
METAL FACTOR
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...

INSTRUMENTS
RECEIVER : ELREC 10
TRANSMITTER : GDD 3.6KWATT



SEDEX MINING CORP.
INDUCED POLARIZATION
LINE L6+00N

Date : JUNE, 2007
Property:SERPENTINE LK N PROPERTY
Township : SEMPLE TOWNSHIP
Survey by : EXSICS EXPLORATION LTD.





DIPOLE LENGTH : $a=25M$
 DIPOLE SPACINGS : $n = 4$
 FREQUENCIES :



CHARGEABILITY
 Interval 1%, 10%
 RESISTIVITY
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...
 METAL FACTOR
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...

INSTRUMENTS
 RECEIVER : ELREC 10
 TRANSMITTER : GDD 3.6KWATT




CHARGEABILITY
mV/V



APPARENT
RESISTIVITY
ohm-m





METAL
FACTOR



SEDEX MINING CORP.
 INDUCED POLARIZATION
 LINE L7+00N

Date : JUNE, 2007
 Property:SERPENTINE LK N PROPERTY
 Township : SEMPLE TOWNSHIP
 Survey by : EXSICS EXPLORATION LTD.





DIPOLE LENGTH : $a=25M$
 DIPOLE SPACINGS : $n = 4$
 FREQUENCIES :



CHARGEABILITY
 Interval 1%, 10%
 RESISTIVITY
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...
 METAL FACTOR
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...

INSTRUMENTS
 RECEIVER : ELREC 10
 TRANSMITTER : GDD 3.6KWATT




CHARGEABILITY
mV/V





APPARENT
RESISTIVITY
ohm-m



METAL
FACTOR




SEDEX MINING CORP.
 INDUCED POLARIZATION
 LINE L8+00N
 Date : JUNE, 2007
 Property:SERPENTINE LK N PROPERTY
 Township : SEMPLE TOWNSHIP
 Survey by : EXSICS EXPLORATION LTD.




DIPOLE LENGTH : $a=25M$
 DIPOLE SPACINGS : $n = 4$
 FREQUENCIES :

CHARGEABILITY
mV/V




CHARGEABILITY
MV/V

APPARENT
RESISTIVITY
ohm-m



RESISTIVITY
OHM/M


METAL
FACTOR



METAL FACTOR
IPX1000/RES


CHARGEABILITY
Interval 1%, 10%
 RESISTIVITY
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...
 METAL FACTOR
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...

INSTRUMENTS
 RECEIVER : ELREC 10
 TRANSMITTER : GDD 3.6KWATT




SEDEX MINING CORP.
 INDUCED POLARIZATION
 LINE L9+00N

Date : MAY, 2007
 Property : SERPENTINE LAKE PROPERTY
 Township : SEMPLE TOWNSHIP
 Survey by : EXSICS EXPLORATION LTD.




CHARGEABILITY
mV/V




CHARGEABILITY
MV/V

APPARENT
RESISTIVITY
ohm-m




RESISTIVITY
OHM/M

METAL
FACTOR




METAL FACTOR
IPX1000/RES






DIPOLE LENGTH : a=25M
DIPOLE SPACINGS : n = 4
FREQUENCIES :

CHARGEABILITY
Interval 1%, 10%
RESISTIVITY
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...
METAL FACTOR
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...


INSTRUMENTS
RECEIVER : ELREC 10
TRANSMITTER : GDD 3.6KWATT



SEDEX MINING CORP.
INDUCED POLARIZATION
LINE BLOW
Date : JUNE, 2007
Property:SERPENTINE LK N PROPERTY
Township : SEMPLE TOWNSHIP
Survey by : EXSICS EXPLORATION LTD.



1191895



SEDEX MINING CORP
 SERPENTINE LAKE PROPERTY/ SEMPLE TOWNSHIP
 TOTAL FIELD MAGNETIC SURVEY/ BOTH GRIDS
 CONTOURED: 200nT
 SCINTREX ENVI MAG SYSTEM
 June/07 EXSICS EXPLORATION LIMITED E-546