



DIPOLE LENGTH : a=25M  
 DIPOLE SPACINGS : n = 6  
 FREQUENCIES :

CHARGEABILITY  
mVV




CHARGEABILITY  
MVV

APPARENT  
RESISTIVITY  
ohm-m



RESISTIVITY  
OHMS/M


METAL  
FACTOR



METAL FACTOR  
IPX1000/RES


CHARGEABILITY  
Interval 1%, 10%  
 RESISTIVITY  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..  
 METAL FACTOR  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..

INSTRUMENTS  
 RECEIVER : ELREC 10  
 TRANSMITTER : GDD 3.6KWATT




LALONDE PROPERTY  
 INDUCED POLARIZATION  
 LINE L8+00S  
 Date : DEC. 2007  
 Property : BYERS PROPERTY  
 Township : BYERS TOWNSHIP  
 Survey by : EXSICS EXPLORATION LTD.







Filter  
\*  
\*\*  
\*\*\*  
\*\*\*\*  
\*\*\*\*\*  
\*\*\*\*\*

Pole-Dipole Array





DIPOLE LENGTH : a=25M  
DIPOLE SPACINGS : n = 6  
FREQUENCIES :



CHARGEABILITY  
mV/V



APPARENT  
RESISTIVITY  
ohm-m




METAL  
FACTOR



CHARGEABILITY  
Interval 1%, 10%  
RESISTIVITY  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..  
METAL FACTOR  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..


INSTRUMENTS  
RECEIVER : ELREC 10  
TRANSMITTER : GDD 3.6KWATT




LALONDE PROPERTY  
INDUCED POLARIZATION  
LINE L9+00S

Date : DEC. 2007  
Property : BYERS PROPERTY  
Township : BYERS TOWNSHIP  
Survey by : EXSICS EXPLORATION LTD.






CHARGEABILITY  
mV/V




CHARGEABILITY  
MV/V

APPARENT  
RESISTIVITY  
ohm-m




RESISTIVITY  
OHMM

METAL  
FACTOR




METAL FACTOR  
IPX1000/RES



DIPOLE LENGTH : a=25M  
DIPOLE SPACINGS : n = 6  
FREQUENCIES :

CHARGEABILITY  
Interval 1%, 10%  
RESISTIVITY  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..  
METAL FACTOR  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..



INSTRUMENTS  
RECEIVER : ELREC 10  
TRANSMITTER : GDD 3.6KWATT



LALONDE PROPERTY  
INDUCED POLARIZATION  
LINE L10+00S


Date : DEC. 2007  
Property : BYERS PROPERTY  
Township : BYERS TOWNSHIP  
Survey by : EXSICS EXPLORATION LTD.






DIPOLE LENGTH : a=25M  
 DIPOLE SPACINGS : n = 6  
 FREQUENCIES :

CHARGEABILITY  
mV/V




CHARGEABILITY  
MV/V

APPARENT  
RESISTIVITY  
ohm-m




RESISTIVITY  
OHM/M

METAL  
FACTOR



METAL FACTOR  
IPX1000/RES



CHARGEABILITY  
Interval 1%, 10%  
 RESISTIVITY  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..  
 METAL FACTOR  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..  
 INSTRUMENTS  
 RECEIVER : ELREC 10  
 TRANSMITTER : GDD 3.6KWATT



LALONDE PROPERTY  
 INDUCED POLARIZATION  
 LINE L11+00S


Date : DEC.2007  
 Property : BYERS PROPERTY  
 Township : BYERS TOWNSHIP  
 Survey by : EXSICS EXPLORATION LTD.






DIPOLE LENGTH : a=25M  
 DIPOLE SPACINGS : n = 6  
 FREQUENCIES :

CHARGEABILITY  
mV/V




CHARGEABILITY  
MV/V

APPARENT  
RESISTIVITY  
ohm-m



RESISTIVITY  
OHM/M


METAL  
FACTOR



METAL FACTOR  
IPX1000/RES

CHARGEABILITY  
Interval 1%, 10%  
 RESISTIVITY  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..  
 METAL FACTOR  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..



INSTRUMENTS  
 RECEIVER : ELREC 10  
 TRANSMITTER : GDD 3.6KWATT



LALONDE PROPERTY  
 INDUCED POLARIZATION  
 LINE L12+00S



Date : DEC. 2007  
 Property : BYERS PROPERTY  
 Township : BYERS TOWNSHIP  
 Survey by : EXSICS EXPLORATION LTD.







DIPOLE LENGTH : a=25M  
 DIPOLE SPACINGS : n = 6  
 FREQUENCIES :

CHARGEABILITY  
mV/V





CHARGEABILITY  
MV/V

APPARENT  
RESISTIVITY  
ohm-m



RESISTIVITY  
OHMM


METAL  
FACTOR



METAL FACTOR  
IPX1000/RES

CHARGEABILITY  
Interval 1%, 10%  
 RESISTIVITY  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...  
 METAL FACTOR  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...



INSTRUMENTS  
 RECEIVER : ELREC 10  
 TRANSMITTER : GDD 3.6KWATT



LALONDE PROPERTY  
 INDUCED POLARIZATION  
 LINE L13+00S


Date : DEC. 2007  
 Property : BYERS PROPERTY  
 Township : BYERS TOWNSHIP  
 Survey by : EXSICS EXPLORATION LTD.






DIPOLE LENGTH : a=25M  
 DIPOLE SPACINGS : n = 6  
 FREQUENCIES :

CHARGEABILITY  
 mV/V




CHARGEABILITY  
 MV/V

APPARENT  
 RESISTIVITY  
 ohm-m



RESISTIVITY  
 OHM/M


METAL  
 FACTOR



METAL FACTOR  
 IPX1000/RES

CHARGEABILITY  
 Interval 1%, 10%  
 RESISTIVITY  
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10...  
 METAL FACTOR  
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10...



INSTRUMENTS  
 RECEIVER : ELREC 10  
 TRANSMITTER : GDD 3.6KWATT



LALONDE PROPERTY  
 INDUCED POLARIZATION  
 LINE L14+00S

Date : DEC. 2007  
 Property : BYERS PROPERTY  
 Township : BYERS TOWNSHIP  
 Survey by : EXSICS EXPLORATION LTD.






DIPOLE LENGTH : a=25M  
 DIPOLE SPACINGS : n = 6  
 FREQUENCIES :

CHARGEABILITY  
 Interval 1%, 10%  
 RESISTIVITY  
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...  
 METAL FACTOR  
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10, ...


INSTRUMENTS  
 RECEIVER : ELREC 10  
 TRANSMITTER : GDD 3.6KWATT

CHARGEABILITY  
mV/V




CHARGEABILITY  
MV/V

APPARENT  
RESISTIVITY  
ohm-m




RESISTIVITY  
OHMS/M

METAL  
FACTOR





METAL FACTOR  
IPX1000/RES



LALONDE PROPERTY  
 INDUCED POLARIZATION  
 LINE L15+00S


Date : DEC.2007  
 Property : BYERS PROPERTY  
 Township : BYERS TOWNSHIP  
 Survey by : EXSICS EXPLORATION LTD.






DIPOLE LENGTH : a=25M  
 DIPOLE SPACINGS : n = 6  
 FREQUENCIES :

CHARGEABILITY  
mV/V




CHARGEABILITY  
MV/V

APPARENT  
RESISTIVITY  
ohm-m




RESISTIVITY  
OHMS/M

METAL  
FACTOR



METAL FACTOR  
IPX1000/RES



CHARGEABILITY  
Interval 1%, 10%  
 RESISTIVITY  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..  
 METAL FACTOR  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..  
 INSTRUMENTS  
 RECEIVER : ELREC 10  
 TRANSMITTER : GDD 3.6KWATT



LALONDE PROPERTY  
 INDUCED POLARIZATION  
 LINE L16+00S

Date : DEC. 2007  
 Property : BYERS PROPERTY  
 Township : BYERS TOWNSHIP  
 Survey by : EXSICS EXPLORATION LTD.






DIPOLE LENGTH : a=25M  
 DIPOLE SPACINGS : n = 6  
 FREQUENCIES :

CHARGEABILITY  
 Interval 1%, 10%  
 RESISTIVITY  
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..  
 METAL FACTOR  
 Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10,..


INSTRUMENTS  
 RECEIVER : ELREC 10  
 TRANSMITTER : GDD 3.6KWATT

CHARGEABILITY  
mV/V




CHARGEABILITY  
MV/V

APPARENT  
RESISTIVITY  
ohm-m




RESISTIVITY  
OHMS/M

METAL  
FACTOR





METAL FACTOR  
IPX1000/RES



LALONDE PROPERTY  
 INDUCED POLARIZATION  
 LINE L17+00S


Date : DEC. 2007  
 Property : BYERS PROPERTY  
 Township : BYERS TOWNSHIP  
 Survey by : EXSICS EXPLORATION LTD.






DIPOLE LENGTH : a=25M  
 DIPOLE SPACINGS : n = 6  
 FREQUENCIES :

CHARGEABILITY  
mV/V




CHARGEABILITY  
MV/V

APPARENT  
RESISTIVITY  
ohm-m



RESISTIVITY  
OHMS/M


METAL  
FACTOR



METAL FACTOR  
IPX1000/RES

CHARGEABILITY  
Interval 1%, 10%  
 RESISTIVITY  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10...  
 METAL FACTOR  
Logarithmic 1, 1.5, 2, 3, 5, 7.5, 10...

INSTRUMENTS  
 RECEIVER : ELREC 10  
 TRANSMITTER : GDD 3.6KWATT



LALONDE PROPERTY  
 INDUCED POLARIZATION  
 LINE L18+00S

Date : DEC. 2007  
 Property : BYERS PROPERTY  
 Township : BYERS TOWNSHIP  
 Survey by : EXSICS EXPLORATION LTD.