

A Report

2.38765

On the Drilling of
Holes # NU-07-1

On The

Mine Centre-Serine Bay Property

Held By

Numax Resources Inc.

August 7, 2008



By

R.A. Bernatchez, P. Eng.
Consulting Geologist
Atikokan Ontario

Summary

Numax Resources Inc. drilled a single hole on there Mine Centre-Seine Bay Property located 19 km southwest by road from Mine Centre, Ontario. This hole was drilled to intersect a ground VLF-EM anomaly located at 24+80W at 11+00S. The hole is also located at UTM coordinates, Nad 83, Zone 15, at 517200E and 5393225N. The hole was drilled at azimuth 158 deg at a -45 deg angle. The hole was collared in bedrock and stopped at 172.8 m. The drilling took place between December 14, 2007 and January 4, 2008. Logging and sampling took place between December 17, 2007 and January 10, 2008. The assay table, log, report and drafting took place between January 10, 2008 to August 6, 2008.

The hole intersected coarse and medium grained gabbro, leuco gabbro, mafic, intermediate and felsic altered volcanic rocks, pillowed and massive flows, tuff, and chert, diorite and felsic intrusive tonalite. All rock types were mineralized with varied levels of sulphide mineralization, consisting of pyrrhotite, chalcopyrite, pyrite and magnetite. The sulphide appears as disseminated grains, stringers, massive seams and as net textured sulphides in the coarse to medium grained gabbro. The gabbro outcrops near the drill hole is layered from light colored (plagioclase phase) to dark green coloured hornblende-pyroxene rich mafic phase.

The analysis of the core has confirmed the presence of copper, nickel, cobalt, platinum, palladium, gold and silver in anomalous levels. A total of 110 cut samples of core were analyzed for gold, platinum, palladium and 42 multi-elements.

Conclusions

The drilling program was successful in identifying a new and major Northeast striking mineralized structure between Bad Vermilion Lake and Seine Bay of Rainy Lake.

The assay results shows a mineralizing structure over one 100 meters wide containing anomalous but sub-economic values of copper, lead, nickel, cobalt, platinum, palladium, gold and silver mineralization.

No previous work has been carried out on this structure.

The NE structure appears to parallel other gold bearing structures located to the east on the property.

This structure remains a major exploration target for the discovery of large tonnage low grade gold, platinum, palladium, copper, nickel, cobalt and silver mineralization.

Introduction

The Mine Centre area has experienced several episodes of exploration for gold, base metal (copper-zinc) massive sulphide deposits, iron-titanium magmatic type deposits and copper-nickel-PGM type deposits. Exploration activity continues to this day for the same mineral deposits.

Gold exploration has been carried out intermittently in the Mine Centre area for the past 40 years. More recently, Q Gold Resources Inc. has been carrying an extensive and ongoing exploration gold evaluation in similar geological environments on a property to the east adjacent to Numax's property.

More recently, MetalCorp has carried further exploration on the former North Rock property located about 25 km west of Mine Centre near Grassy Bay of Rainy Lake. MetalCorp has now identified a very significant zone of copper-nickel-PGM bearing gabbro that was formerly evaluated for only copper. The discovery of this mineralization has been significant in directing Numax Resources Inc. in staking and carrying further exploration on their property.

The work recently carried out by MetalCorp and Numax Resources Inc has indicated that the geological and mineral setting on both properties are very similar. This observation has significant implications for the NuMax property. This property has not been previously explored for this style of mineralization.

Work carried out to date by Numax has identified a copper-nickel-PGM-gold-silver zone of mineralization along a strike distance of over 2.5 km long. The mineralization is contained within a series of layered gabbro rocks located 100-200m southeast along the east margin of a strong magnetic anomaly which extends northeast southwest for over 40 km, from Bad Vermilion Lake to the west end of Rainy Lake. The copper-nickel-PGM bearing gabbro located on the MetalCorp property located 20km to the west is contained within a similar layered gabbro intrusion.

Property Location, Access and Description

The property is located on the Bliss Lake Sheet claim map located 20 km southwest of Mine Centre, Ontario. It can be reached by the all-weather Barber logging road starting 9.5 km west from Mine Centre, Ontario located on Highway 11, 80 km west of Atikokan and 276 km west of Thunder Bay, Ontario. Travel southerly along this road for 7 km to the Bliss road junction. Turn left and travel easterly for about 3 km to reach the northerly boundary of claim numbered 4205425. The diamond drill hole NU-07-01 was drilled on claim 4205425 and portion of the work is to be applied to 4206036 and 4206037. The hole was drilled at the northwest corner of the Discovery Trench located near line 25+00W at 11+00S. One can drive directly to the trench with a ½ ton truck when the road is dry. The road leads to the north and east side of the Discovery Trench.

The claim list is in Appendix A. Diamond drill hole numbered NU-07-01 was completed on claim **4205425** near line **25+00W** at **24+80W** at **11+00S**. The hole was at an **azimuth of 158** degrees and at a dip of **-45** degrees.

Regional Geology

The geology of the Mine Centre area was recently mapped by K.H. Poulsen for the Ontario Geological Survey, Mineral Deposits Circular 29, "Geological Setting of Mineralization in the Mine Centre-Fort Frances Area, 2000".

Poulsen describes the rocks of the area as follows:

The rocks of the Mine Centre-Fort Frances area lies within a boundary zone between the Wabigoon and Quetico sub-provinces of the Superior Structural Province. In the Atikokan-Fort Frances area of Ontario and adjacent parts of Minnesota, this boundary is defined by a system of steeply dipping dextral faults, the largest of which are the Quetico and Rainy Lake-Seine River faults. These major wrench faults bound a "wedge" of crust that is structurally discordant from both provinces, but because of a gross lithologic similarity, is generally considered to be part of the Wabigoon Sub-Province.

Wabigoon Sub-Province

The structure of the Wabigoon granite-greenstone terrain is dominated by dome features of variable size. The largest of these, such as the Rainy Lake complex and the Irene-Eltrut complex, are greater than 50 km in diameter and are composed of smaller gneissic domes, central batholiths and marginal crescent granitoid intrusions. The larger complexes and smaller gneissic domes have been interpreted as first- and second order gneiss diapirs, respectively, which are the product of gravitational, solid state remobilization of tabular batholiths beneath the supracrustal sequence (Schwertner et al. 1979).

Supracrustal metavolcanic and metasedimentary rocks now occupy the margins of the gneissic domes, with the largest stratigraphic thicknesses preserved between the first-order structures. Metavolcanic rock types dominate and consist of metabasalt flows with local accumulations of flows, pyroclastic rocks and epiclastic rocks of intermediate to felsic composition. Metasedimentary rocks such as conglomerates, wacke, and mudstone and iron formation form units within the volcanic sequences. A dolomite unit with algal stromatolite mounds occurs within the Steep Rock Group at Steep Rock Lake, north of Atikokan. Numerous Stocks, commonly of quartz monzonite, intrude both metavolcanic and metasedimentary supracrustal rocks.

Wabigoon Sub-province supracrustal rocks are metamorphosed to assemblage characteristic of the green schist and amphibolite facies (Ayres 1978) highest metamorphic grades occur adjacent to the first-order structures.

With the exception of a few northwesterly striking Proterozoic diabase dikes, most of the Wabigoon Sub province rocks in the Atikokan-Fort Frances area are of Archean age. Although there is a discrepancy among ages derived by geochronological methods, it is clear that the rocks of the area were thermally active in the interval of about 2700 to 2400 Ma. The oldest ages reflect widespread igneous activity, whereas successively younger ages are likely the result of metamorphism, metasomatism and crustal uplift.

Figure 1 – Regional Geology of the Mine Centre Area by H. Poulsen.




Figure 3. Generalized lithologic map of the Mine Centre-Fort Frances area. Based on mapping by Blackburn (1973), Harris (1974), Wood et al. (1980a, 1980b) and Poulsen (1980b, 1981).

Mine Centre-Fort Frances Area

Local Geology

The local geology around the working area, consists of metamorphosed layered gabbro-anorthosite sills containing both oxide and sulphide mineralization. The large, steeply dipping sill body is located along the southwest shore of Bad Vermilion Lake and extends southwestward for 14 miles along the north shore of Seine Bay. This sill is very similar to the Grassy Portage layered gabbroic sill. The layering is expressed by modal variations in the mineralogy, chemical variations across strike and locally by rhythmic mineral layering, which is well exposed in the Bad Vermilion area and to the southwest. Rock compositions range from melagabbro to anorthosite, with plagioclase compositions in the range of An₄₅₋₈₀. The intrusion displays systematic internal variations in composition, which, when compared to other intrusions of similar type, suggest that the Seine Bay-Bad Vermilion sill intrusion faces northward.

Pillowed meta-basalts are exposed within the central part of the Seine Bay-Bad Vermilion sill. These may be interpreted as large assimilated inclusions or, more likely as inter-fingering country rock that separated the two individual sills. Much of the base of the sill intrusion is truncated by the Rainy Lake-Seine River fault, while the upper contact is occupied by a sill of trondhjemite of unknown genetic relationship to the gabbroic rocks. In addition to the large intrusions, numerous small sills and dikes cut the metavolcanic and metasedimentary rocks sequence. They are commonly 50 to 100 m thick and are composed of medium-grained, massive to strongly foliated amphibolite that locally resembles meta-diabase. There is some compositional differentiation across the strike of many of the wider intrusions, with the development of quartz + plagioclase + magnetite accumulations toward the upper margins of the sills. Weak to moderate magnetism and irregular patches and veins of epidote-rich alteration are characteristic of these intrusions.

Gabbro Hosted Mineralization

The mineralization described here is of the Grassy Portage and Seine Bay-Bad Vermilion Lake intrusion. Basal segregations of chalcopyrite-pyrrhotite-pentlandite form important occurrences along the northern margin of the south-facing Grassy Portage intrusion. The best example of this type occurs at the North Rock deposit, where 300,000 t of material grading 1.89% copper has been outlined. The mineralization is hosted by gabbro, melagabbro leucogabbro near the base of the Grassy Portage intrusion where it is in contact pillowed lava and pillow breccia. Mineralization consists of heavy disseminations of chalcopyrite, and pyrrhotite with minor pentlandite and pyrite. Ilmenite, apatite and molybdenite are present locally. Similar mineralization has been discovered in the Seine Bay-Bad Vermilion Lake intrusion, with one exception. Sphalerite was noted and no molybdenite was found in the samples recently obtained during this program. The sulphide mineralization in both areas shows textures that suggest a magmatic origin, whereas deuteric or metamorphic remobilization is evidenced by the presence of sulphide veins and local hydrothermal alteration.

In the central and upper portion of both intrusions, substantial accumulations of iron-titanium mineralization occurs as lenticular zones of disseminated to massive magnetite and ilmenite with apatite and local rutile.

Exploration History

Mineral Exploration was carried out in the property and in the vicinity starting back in 1911. This exploration consisted of prospecting, trenching, magnetometric surveys and diamond drilling evaluating the iron and titanium potential of the titaniferous magnetite bodies in the Seine Bay-

Bad Vermilion Gabbro intrusion. These mineral occurrences were re-evaluated again in the 1917-18, 1943, 1950s, and 1980s and as recently as 2000. The titanium content is contained mainly within the titaniferous magnetite as the mineral ilmenite. Some areas of the formation do contain rutile. The rutile concentration has not been thoroughly explored.

Most of the early work was focused on the high iron-titanium areas of concentration of the formation. Sampling by the resident geologist, Mike Hailstone, from Kenora in 1987 identified a new potential in the Seine Bay area for its copper, nickel and PGM potential.

Abundant work has been carried out on the adjacent property to the north and along the west shores of Bad Vermilion Lake. Massive sulphide mineralization consisting of pyrrhotite and chalcopyrite was encountered in some drilling on this property. The drill log information submitted to the resident geology office in Kenora shows no assay for copper, nickel and PGM metals.

The most recent work by Numax Resources in 2005 and 2006 has identified a potential for copper, nickel and PGM. The 2006 program has identified significant copper, nickel, PGM and gold potential along a major mineralized system located between Seine Bay and Bad Vermilion Lake. This mineralization appears to be located along the southern contact (base) of the Seine Bay-Bad Vermilion Lake Gabbro Intrusion.

The following map illustrates the historical exploration carried out on the property from 1911 to 1958.

Mineral exploration was carried out on the adjacent property to the north held by Bob Fairservice. A drilling program was carried out in 1984-85 by Titan Titanium International, Inc. evaluating the iron, titanium and phosphate potential of the Fe-Ti deposits located along the southwest shore of Bad Vermilion Lake. A program consisting of line cutting, ground magnetic survey and the drilling of 17 holes totaling 4,174 feet and was carried out. The 1984 and 1985 drilling program has resulted in the delineation of a total drill indicated resource of 3,450,000 tons in all, of which 1,270,000 tons graded 15% to 17% titanium oxide and an average grade of about 45% Fe.

In 2000, Stephana Resources Ltd. carried out a geological, rock geochemical geophysical survey and metallurgical testing on the Fe-Ti deposit presently held by Bob Fairservice. The Geophysical program delineated several parallel magnetic and electromagnetic anomalies associated with the Fe-Ti deposits. A rock sampling program has identified a potential gold system within the Fe-Ti deposits.




Figure - 2 -- Claim Map Distribution showing where DDH NU-07-01 was drilled on Claim 4205425 and where work is to be allocated to Claim 4206036 and 4206037.






Figure -3 – Grid Map Showing Location of Diamond Drill Hole NU-07-01.

Figure -4 – Below is a map of the VLF EM Survey showing the conductor drilled on line 25+00E at 11+00S

INSTRUMENT
 GEONICS LM 16
 Reading Range
 -150% to +150%

Numax Resources Inc
 VLF EM Survey
 Lake 19 Area
 BY R.A. Bernatchez, P. Eng
 Date: June 4, m 2007



47+00W 46+00W 45+00W 44+00W 43+00W 42+00W 41+00W 40+00W 39+00W 38+00W 37+00W 36+00W 35+00W 34+00W 33+00W 32+00W
 10+00S 11+00S 12+00S 13+00S 14+00S 15+00S

Results

NuMax Resources Inc.
 Mine Centre Property
 Sampled Sections and Assay:
 Hole # NU-01-08
 Location: Line 24-80S, 11+00S, West Shore of Lake "19"
 Date Started: December, 2007 Date Finished: January 2008
 Sampled And Directed by: R.A. Bernatchez, P. Eng., Consulting Geologist, Arikokan, ON,
 Core cut by: Anthony Burkholder, Mine Centre
Core Length Only Measurements In Feet

Anomalous Range (relative to values in this hole)

Au - Low - 10 to 20 ppb
 Medium - 20 to 100 ppb
 High - Over 100 ppb

Platinum - Low - 15 to 19 ppb
 Medium - 20 to 49 ppb
 High - 50

Palladium
 Low - 10 to 19 ppb
 Medium - > 20 ppb

Silver - Low - 4 to 9 ppm
 Medium - 10 to 15 ppm
 High - > 15 ppm

Copper - Low - 200 to 499 ppm
 Medium - 500 to 999 ppm
 High - > 1000 ppm

Nickel - Low - 50 to 199 ppm
 Medium - 200 to 499 ppm
 High - > 500

Sample Number	From (feet)	To (feet)	Core length (feet)	Gold ppb or (g/t)	Silver ppm or (g/t)	Platinum ppb or (g/t)	Palladium ppb or (g/t)	Copper ppm or (%)	Nickel Ppm or (%)	Calcium ppm or (%)	Lead ppm or (%)	Zinc ppm or (%)
336862	2.4	4.6	2.2	24	4	27	34	1070	411	75	259	71
336863	4.6	7.3	2.7	33	3	<15	23	166	332	56	317	57
336864	7.3	9.2	1.9	9	3	<15	18	190	228	50	342	66
336865	9.2	12.1	2.9	16	4	32	44	872	353	102	499	89
336866	12.1	14.8	2.7	10	4	28	34	780	310	92	412	79
336867	14.8	19.7	4.9	5	1	<15	14	39	186	46	260	87
336868	19.1	20.1	1.0	5	1	<15	<10	51	50	19	116	37
336869	20.1	21.9	1.8	5	1	23	25	39	80	29	215	62
336870	21.9	25.0	3.0	5	2	16	18	169	235	67	341	95
336871	25.0	31.0	6.0	10	1	57	19	353	202	61	313	98
336872	31.0	36.0	5.0	16	1	<15	14	446	315	81	243	82
336873	36.0	41.0	5.0	17	4	47	30	734	323	81	265	65
336874	41.0	42.8	1.8	5	1	20	<10	79	56	13	67	33
336875	42.8	47.8	5.0	5	2	17	16	112	127	46	242	82
336876	47.8	53.0	5.2	18	2	11	22	646	463	100	296	81
336877	53.0	54.0	1.0	49	3	8	50	1338	837	182	363	120
336878	54.0	58.6	4.6	5	5	<15	<10	21	28	34	237	67
336879	58.6	63.6	5.0	5	4	<15	<10	69	31	34	183	62
336880	63.6	68.6	5.0	5	1	<15	<10	25	35	34	184	57
336881	68.6	75.0	6.4	5	4	17	<10	178	143	60	244	62
336882	73.9	78.8	4.9	6	4	<15	<10	237	104	71	367	82
336883	78.8	84.1	5.3	5	2	19	<10	3	28	43	204	62
336884	84.1	89.1	5.0	5	2	<15	<10	93	46	52	238	64
336885	89.1	94.2	5.0	14	4	<15	<10	2	32	48	241	63
336886	94.1	99.3	5.2	5	3	<15	<10	<1	20	42	197	53
336887	99.1	104.1	5.0	5	2	24	14	45	28	48	224	59
			146.7									
336888	114.6	119.6	5.0	13	4	72	<10	133	39	50	269	83
336889	119.6	124.6	5.0	8	5	23	<10	53	32	24	164	42
336890	124.6	128.1	3.5	5	1	18	<10	87	58	31	199	37
336891	128.1	133.2	5.1	5	3	19	<10	64	193	29	178	64
			165.3									
336892	182.7	187.3	4.6	5	5	<15	<10	39	118	27	111	29
336893	187.3	189.2	1.9	3	4	19	<10	29	224	37	117	43
336894	189.2	190.5	1.3	5	5	20	<10	56	66	27	84	27
336895	190.5	193.4	2.9	6	8	18	<10	188	185	42	183	58
336896	193.4	197.0	3.6	5	6	27	<10	23	56	44	199	40
336897	197.0	201.9	4.9	5	6	<15	<10	32	49	44	227	36
336898	201.9	204.8	2.9	5	7	16	<10	17	34	44	229	31
336899	204.8	211.0	6.2	8	10	16	<10	14	46	44	237	50

Sample Number	From feet	To feet	Sample length	Gold ppb (g/t)	Silver ppm (g/t)	Platinum ppb (g/t)	Palladium Ppb (g/t)	Copper ppm	Nickel Ppm	Cobalt Ppm	Lead Ppm	Zinc Ppm
337000	211.0	216.0	5.0									
336818	216.0	219.3	3.3	<5	3	<15	<10	68	47	45	202	26
336819	219.3	224.3	5.0	12	7	37	21	63	48	46	157	22
			236.6									
336820	226.8	229.0	2.2	<5	6	19	<10	34	31.4	40	128	36
			238.8									
336821	232.2	237.3	5.1	<5	5	<15	<10	49	86	46	169	25
336822	237.3	242.0	4.7	<5	4	23	>10	43	48	48	207	23
336823	242.0	244.1	2.1	<5	7	22	<10	17	79	39	213	28
336824	244.1	246.9	2.8	<5	5	16	<10	84	73	68	316	45
336825	246.9	251.9	5.0	<5	5	<15	<10	52	160	45	230	30
336826	251.9	257.0	5.1	7	7	<15	<10	154	85	48	210	25
			263.6									
336827	263.9	267.6	3.7	12	4	20	<10	276	74	59	307	38
336828	267.6	270.7	3.1	8	3	21	<10	201	76	55	273	26
336829	270.7	275.3	4.6	16	7	15	<10	381	56	59	301	29
336830	275.3	279.7	4.4	<5	3	24	<10	93	56	72	427	31
336831	279.7	284.3	4.6	7	6	26	<10	155	75	76	404	35
			284.0									
336832	293.5	294.5	1.0	<5	6	22	<10	199	85	63	307	28
336833	294.5	299.5	5.0	10	4	37	15	107	70	67	356	35
336834	299.5	303.8	4.3	7	8	19	<10	91	77	60	255	30
336835	303.8	308.0	4.2	11	6	25	<10	130	94	58	274	46
336836	308.0	313.0	5.0	22	4	39	21	95	88	94	302	40
336837	313.0	316.3	3.3	11	6	32	19	108	88	82	374	43
336838	316.3	318.6	2.3	8	<1	42	<10	49	31	37	252	34
336839	318.6	320.3	1.7	16	3	56	<10	141	19	58	373	51
			310.8									
336840	330.7	335.7	5.0	13	3	71	14	189	114	52	380	53
336841	335.7	337.8	2.1	14	5	42	<10	217	53	45	291	49
			317.1									
336842	363.4	368.5	5.1	7	<1	40	<10	85	39	34	175	33
336843	368.5	370.3	1.8	8	<1	36	<10	196	32	41	178	34
336844	370.3	372.4	2.1	46	<1	37	<10	140	65	69	259	46
336845	372.4	374.8	2.4	24	4	<15	<10	752	28	70	486	68
336846	374.8	377.6	2.8	7	2	<15	<10	225	18	44	317	41
336847	377.6	380.0	2.4	<5	<1	<15	<10	37	14	30	196	28
336848	380.0	381.0	1.0	<5	<1	20	<10	154	68	39	272	45
336849	383.0	386.2	3.2	6	<1	<15	<10	89	72	46	271	44
336850	386.2	391.2	5.0	14	2	<15	<10	347	94	50	187	35
336857	391.2	393.6	2.4	15	<1	<15	<10	354	83	50	157	36
			350.1									
336858	410.3	416.0	5.7	34	<1	<15	11	122	48	25	151	78*
336859	416.0	420.7	4.7	20	<1	<15	<10	244	54	34	167	56
336860	420.7	425.8	5.1	<5	3	<15	<10	115	119	42	154	60
336861	425.8	429.8	4.0	7	1	<15	<10	48	88	41	207	68
336862	429.8	432.2	2.4	<5	3	<15	<10	101	58	37	307	75
336863	432.2	434.6	2.4	<5	<1	<15	<10	68	61	43	276	68
336864	434.6	438.2	3.6	<5	1	<15	<10	46	64	48	349	90
336865	438.2	441.4	3.2	<5	2	<15	<10	394	153	60	492	64
336866	441.4	446.2	4.8	<5	4	<15	<10	99	18	15	286	48
336867	446.2	451.2	5.0	<5	3	<15	<10	54	19	26	262	50
336868	451.2	456.2	5.0	<5	4	<15	<10	126	15	37	339	63
336869	456.2	458.9	2.7	<5	4	<15	<10	182	57	64	357	87
			399.1									
336870	484.2	488.3	4.1	<5	2	<15	<10	349	54	37	201	75
336871	488.3	493.1	4.8	<5	3	<15	<10	218	43	38	251	64
336872	493.1	495.5	2.4	<5	3	<15	<10	191	29	31	241	64
336873	495.5	497.7	2.2	<5	2	<15	<10	769	21	34	284	99
336874	497.7	500.3	2.6	22	6	<15	<10	458	37	37	197	
336875	500.3	505.5	5.2	<5	3	<15	<10	166	22	28	227	65
336876	505.5	508.4	2.9	<5	1	<15	<10	34	13	30	213	46
			423.3									

Sample Number	From foot	To foot	Sample length	Gold ppb	Silver ppm	Platinum ppb	Palladium ppb	Copper ppm	Nickel ppm	Cobalt ppm	Lead ppm	Zinc ppm
336946	518.0	519.5	1.5	>5	<1	<15	<10	258	25	28	232	32
336947	519.5	520.7	1.2	<5	<1	<15	<10	172	13	24	97	11*
336948	520.7	525.4	4.7	8	3	16	<10	139	60	36	153	
336949	525.4	528.0	2.6	12	5	19	<10	195	33	33	146	
336950	528.0	530.9	2.9	9	5	<15	<10	242	37	38	130	
363601	530.9	536.0	4.9	9	4	<15	<10	229	91	79	217	
363602	536.0	537.0	1.0	57	8	<15	<10				520	
363604	537.0	539.4	2.4	<5	6	<15	<10	106	55	62	192	
363605	539.4	542.6	3.2	<5	6	<15	<10	104	48	28	99	
363606	542.6	545.9	3.3	<5	6	<15	<10	63	64	32	101	
363607	545.9	548.0	2.1	20	4	<15	25				165	
363608	548.0	552.6	4.6	6	8	<15	18	236		80	235	
363609	552.6	553.3	0.7	<5	4	<15	<10	5	33	11	55	
363610	553.3	555.3	2.2	<5	4	<15	<10	43	73	43	188	
363611	555.3	558.9	3.4	13	8	<15	<10	182	80	59	155	
363612	558.9	560.1	1.2	<5	7	<15	<10	214	65	29	120	
363613	560.1	563.8	3.7	<5	6	<15	<10	7	14	15	23	
363614	563.8	567.0	3.2	<5	6	<15	<10	9	17	7	18	
			472.1'									

94.9 feet not sampled (21.3% of core sampled)

Conversion
 1000 ppb = 1 gram
 10,000 ppm = 1%

Note: Sections of table left blank indicates sections of un-sampled core. Total core cut indicated after each section

Table - 1 - The table above is a summary of all the assays taken from DDH NU-07-01.

The net texture sulphide in the gabbro contains anomalous levels of copper, nickel, cobalt, platinum, palladium, silver and gold. The sulphides in the gabbro assayed up to 0.15% copper, 0.083% nickel, up to 0.12 g/t platinum and up to 0.22 g/t gold.

The seams of bedded massive sulphides contain up to 0.5% copper over 0.3m.

Silver was present throughout all sulphide bearing rocks ranging from 1 g/t and up to 10 g/t.

Cobalt was detected up to 346 ppm (0.035%)

Lead is present in all samples ranging from 67 ppm to 499 ppm.

Zinc values ranged from 11 ppm to 120 ppm.

Recommendations


Additional drilling is recommended in this area. Many VLF EM conductors were identified along the new northeast trending Bad Vermilion-Seine Bay structure. Significant shearing was noted along the southwest corner of Lake 19 and along the creek draining to the southwest into Seine Bay. This shear zone forms part of the 100+ meter wide mineralized structure intersected in DDH NU-07-01.

Abundant azurite mineralization was observed along the northwest shores of Seine Bay in the fall of 2006. This mineralization is probably locally derived from the rocks located along on the west shores of Seine Bay. Chalcopyrite mineralization was also observed in ultramafic flows located 30 meters northwest from the azurite mineralization.

A minimum of 6 holes 200 meters deep at a -45 degree dip should be carried out along the Seine Bay-Bad Vermilion Lake Shear Zone.

This shear zone has a minimum distance of 2 kilometers on the property.

This mineralization forms part of a larger system of mineralized layered gabbro, sheared mafic, intermediate and felsic volcanic sequence extending for about 10km on the property.


Raymond A. Bernatchez, P.Eng.
Consulting Geologist

DIAMOND DRILL LOG					COMPANY Numax Resources Inc				
Project	Mine Centre Project	Azimuth	158 deg	Grid Northing	24+80W	Date Started	Dec 14, 2007	Logged By	R.A. Bernatchez, P.Eng.
Property	Westco Property	Grid, True/Mag.	N60E Baseline	Grid Easting	11+00S	Date Completed	January 4, 2008	Date Logged	December 15, 2007 to January 10, 2008
Township	Bliss Lake	Dip	45 deg	Collar Elevation	Surface	Core Size	NQ	Core Stored At	Mine Centre, Ontario
Claim	4205425	Total Depth	172.8 m	Drilled By	Numax Resource Inc.				

Sampling			Analysis			Down Hole Surveys					
Date Sampled			Name of Lab	Accurassay Laboratories, Thunder Bay		Depth	Dip	Azimuth	Method /Tool		
Sampled By	R.A. Bernatchez, P.Eng. Consulting Geologist		Date Shipped								
Core Split/Sawn			Results Received								
Comments			Certificate Numbers								
Major Units			Major Lithology	Description Colour, grain size, primary mineralogy, textures, mono or multi-lithic, bedding, structure, magnetic, alteration, intensity, minerals (potassic, silicic, biotite, ankerite, calcite, epidote, ect.) if breccia, ect. Then clast or matrix supported, describe clast lithology and size of each type							
From (m)	To (m)	Length (m)	Summary Log			Sample Number	From (m)	To (m)	Length (m)	Assay g/t Cu % Zn% Ag Au	
0	6.7		Leuco gabbro tog	Green-grey, med-coarse grain, equigr, mag,diss. sul. po,cp,py, <1/2% sul.							
6.7	9.5		Gabbro	grey-green, fn to med grain, chlor. mag, equig. diss. sul, po,cp,mag < 1/2%							
9.5	12.65		Leuco Gabbro	black-0green, c.g. mag, diss sul. po,py,cp <1/2%							
12.65	13.11		Quartz Vein	white, epidote, mafic inclusion							
13.11	22.55		Gabbro	grey-green, f - m grain, chlor,scattered qcv, q.v. with sul, diss sul po.cp,py							
22.55	23.77		Gabbro	grey-green, c.g. equigranular, diss sul, po.cp, py, <1/2%,							
23.77	36.27		Gabbro	light green, f-m-c.grn, qcv throughout, diss sul, po,cp,py <1/2%, epid							
36.27	40.54		Mafic Tuff	grey-green, f.g., qcv throughout, diss sul, in rock and qcv.							

R.A. Bernatchez P.Eng.



Certificate of Analysis

Thunder Bay, ON
Canada P7B 5X5

Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

NuMax Resources
385 Riviera Drive
Thunder Bay, ON, CAN
P7B6K2
Ph#: (651) 430-9446
Fax#: (651) 251-1242

Date Received: Jan 8, 2008
Date Completed: Jan 28, 2008

Job #: 200840025


Reference:

Sample #: 30 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb
2476	336862	24	27	34	
2477	336863	33	<15	23	
2478	336864	9	<15	18	
2479	336865	16	32	44	
2480	336866	10	28	34	
2481	336867	<5	18	14	
2482	336868	<5	<15	<10	
2483	336869	<5	23	25	
2484	336870	<5	16	18	
2485	336871	10	57	19	
2486 Dup	336871	16	18	13	
2487	336872	12	<15	14	
2488	336873	17	47	39	
2489	336874	<5	20	<10	
2490	336875	<5	17	16	
2491	336876	18	115	22	
2492	336877	49	83	50	
2493	336878	<5	<15	<10	
2494	336879	<5	<15	<10	
2495	336880	<5	<15	<10	
2496	336881	<5	<15	<10	
2497 Dup	336881	<5	17	<10	
2498	336882	6	<15	<10	
2499	336883	<5	19	<10	
2500	336884	<5	<15	<10	
2501	336885	14	<15	<10	

PROCEDURE CODES: AL4APP, AL4ICPMA

By:


Jason Moore, General Manager

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written
approval of the laboratory

AL907-0411-08/07/2008 1:39 PM



Certificate of Analysis

Thunder Bay, ON
Canada P7B 5X5

Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources
385 Riviera Drive
Thunder Bay, ON, CAN
P7B6K2
Ph#: (651) 430-9446
Fax#: (651) 251-1242

Date Received: Jan 8, 2008
Date Completed: Jan 28, 2008

Job #: 200840025


Reference:

Sample #: 30 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb
2502	336886	<5	<15	<10	
2503	336887	<5	24	14	
2504	336888	18	72	<10	
2505	336889	8	21	<10	
2506	336890	30	<15	<10	
2507	336891	<5	19	<10	
2508 Dup	336891	<5	<15	<10	

PROCEDURE CODES: AL4APP, AL4ICPMA

By:


Jason Moore, General Manager

Certified The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written
approval of the laboratory

AL907-0411-08/07/2008 1:39 PM



Certificate of Analysis

Thunder Bay, ON
Canada P7B 5X5

Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources
385 Riviera Drive
Thunder Bay, ON, CAN
P7B6K2
Ph#: (651) 430-9446
Fax#: (651) 251-1242

Date Received: Jan 14, 2008
Date Completed: Jan 31, 2008

Job #: 200840052


Reference:

Sample #: 29 Rock

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb
3702	336892	<5	<15	<10	
3703	336893	<5	19	<10	
3704	336894	<5	20	<10	
3705	336895	6	18	<10	
3706	336896	<5	27	<10	
3707	336897	<5	<15	<10	
3708	336898	<5	16	<10	
3709	336899	8	<15	<10	
3710	336818	<5	<15	<10	
3711	336819	6	31	<10	
3712 Dup	336819	12	57	21	
3713	336820	<5	19	<10	
3714	336821	<5	<15	<10	
3715	336822	<5	23	<10	
3716	336823	<5	22	<10	
3717	336824	<5	16	<10	
3718	336825	<5	<15	<10	
3719	336826	7	<15	<10	
3720	336827	12	20	<10	
3721	336828	8	21	<10	
3722	336829	12	<15	<10	
3723 Dup	336829	16	15	<10	
3724	336830	<5	24	<10	
3725	336831	7	26	<10	
3726	336832	<5	22	<10	
3727	336833	10	37	15	

PROCEDURE CODES: AL4APP, AL4ICPMA

By:


Jason Moore, General Manager

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written
approval of the laboratory

AL907-0411-08/07/2008 1:39 PM



Certificate of Analysis

Thunder Bay, ON
Canada P7B 5X5

Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources
385 Riviera Drive
Thunder Bay, ON, CAN
P7B6K2
Ph#: (651) 430-9446
Fax#: (651) 251-1242

Date Received: Jan 14, 2008
Date Completed: Jan 31, 2008

Job #: 200840052


Reference:

Sample #: 29 Rock

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb
3728	336834	7	19	<10	
3729	336835	11	25	<10	
3730	336836	221	39	23	
3731	336837	11	32	19	
3732	336900	14	21	12	

PROCEDURE CODES: AL4APP, AL4ICPMA

By:


Jason Moore, General Manager

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written
approval of the laboratory

AL907-0411-08/07/2008 1:39 PM



Certificate of Analysis

Thunder Bay, ON
Canada P7B 5X5

Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

NuMax Resources
385 Riviera Drive
Thunder Bay, ON, CAN
P7B6K2
Ph#: (651) 430-9446
Fax#: (651) 251-1242

Date Received: Jan 25, 2008
Date Completed: Feb 5, 2008

Job #: 200840088


Reference:

Sample #: 20 Rock

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb
9368	336928	34	<15	11	
9369	336929	20	<15	<10	
9370	336930	<5	<15	<10	
9371	336931	7	<15	<10	
9372	336932	<5	<15	<10	
9373	336933	<5	<15	<10	
9374	336934	<5	<15	<10	
9375	336935	<5	<15	<10	
9376	336936	<5	<15	<10	
9377	336937	<5	<15	<10	
9378	336938	<5	<15	<10	
9379 Dup	336938	<5	<15	<10	
9380	336939	<5	<15	<10	
9381	336940	<5	<15	<10	
9382	336941	<5	<15	<10	
9383	336942	<5	<15	<10	
9384	336943	<5	<15	<10	
9385	336944	<5	<15	<10	
9386	336945	<5	<15	<10	
9387	336946	<5	<15	<10	
9388	336947	<5	<15	<10	

PROCEDURE CODES: AL4APP, AL4ICPAR

By:


Jason Moore, General Manager

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written
approval of the laboratory

AL907-0411-08/07/2008 1:40 PM



Thursday, August 7, 2008

Certificate of Analysis

Thunder Bay, ON
Canada P7B 5X5

Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

NuMax Resources
385 Riviera Drive
Thunder Bay, ON, CAN
P7B6K2
Ph#: (651) 430-9446
Fax#: (651) 251-1242

Date Received: Jan 29, 2008
Date Completed: Feb 8, 2008

Job #: 200840103


Reference:

Sample #: 15 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb
11056	804002	2044	<15	<10	
11057	336838	8	42	<10	
11058	336839	16	56	<10	
11059	336840	13	71	14	
11060	336841	11	42	<10	
11061	336842	7	40	<10	
11062	336843	8	36	<10	
11063	336844	46	57	<10	
11064	336845	24	<15	<10	
11065	336846	7	<15	<10	
11066 Dup	336846	6	<15	<10	
11067	336847	<5	<15	<10	
11068	336848	<5	20	<10	
11069	336849	6	<15	<10	
11070	336850	14	<15	<10	
11071	336927	15	<15	<10	

PROCEDURE CODES: AL4APP, AL4ICPAR

By:


Jason Moore, General Manager

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written
approval of the laboratory

AL907-0411-08/07/2008 1:40 PM



Certificate of Analysis

Thunder Bay, ON
Canada P7B 5X5

Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources
385 Riviera Drive
Thunder Bay, ON, CAN
P7B6K2
Ph#: (651) 430-9446
Fax#: (651) 251-1242

Date Received: Jan 29, 2008
Date Completed: Feb 8, 2008

Job #: 200840106
Reference:
Sample #: 18 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb
11366	336948	8	16	<10	
11367	336949	12	19	<10	
11368	336950	9	<15	<10	
11369	363601	9	<15	<10	
11370	363602	57	<15	<10	
11371	363603	No Sample Received			
11372	363604	<5	<15	<10	
11373	363605	<5	<15	<10	
11374	363606	<5	<15	<10	
11375	363607	19	<15	25	
11376 Dup	363607	20	<15	24	
11377	363608	6	<15	18	
11378	363609	<5	<15	<10	
11379	363610	<5	<15	<10	
11380	363611	13	<15	<10	
11381	363612	<5	<15	<10	
11382	363613	<5	<15	<10	
11383	363614	<5	<15	<10	
11384	363615	22	<15	<10	

PROCEDURE CODES: AL4APP, AL4ICPMA, AL4WR

By:

Jason Moore, General Manager

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written
approval of the laboratory

AL907-0411-08/07/2008 1:40 PM



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources

Date Created: 08-02-07 01:16:11 PM

Job Number: 200840025

Date Received: Jan 8, 2008

Number of Samples: 30

Type of Sample: Core

Date Completed: Jan 28, 2008

Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
2476	336862	4	6.53	12	16	<1	18	6.24	4	75	479	1070	6.08	0.34	6	2.58	1013	9	411	<100	259	10	<5	1.84	<10	131	5008	<1	288	<10	5	71
2477	336863	3	7.91	12	21	<1	28	5.77	<4	56	372	866	5.57	0.67	9	2.32	917	12	332	<100	217	7	<5	3.49	<10	142	3894	1	231	<10	5	57
2478	336864	3	6.93	7	15	<1	31	5.79	4	50	276	390	6.32	0.49	9	2.84	1130	11	228	<100	242	6	<5	3.85	<10	113	5323	<1	289	<10	5	66
2479	336865	4	4.40	5	14	1	34	5.91	8	102	297	875	>10.00	0.70	7	4.46	1685	19	353	<100	499	9	<5	3.42	<10	46	>10,000	<1	737	<10	9	89
2480	336866	4	3.89	2	9	1	37	6.83	7	92	387	740	>10.00	0.42	5	4.14	1554	15	310	<100	412	7	<5	1.90	<10	52	>10,000	2	614	<10	9	79
2481	336867	<1	6.30	4	22	<1	35	4.86	4	46	239	30	6.85	0.73	13	4.43	1288	18	106	<100	260	6	<5	3.86	<10	67	2491	3	166	<10	7	87
2482	336868	1	2.92	4	11	<1	48	7.15	<4	19	364	51	3.28	0.49	7	1.65	600	8	50	<100	116	<5	<5	4.13	<10	24	1261	3	102	<10	3	37
2483	336869	<1	7.88	6	16	<1	40	6.41	<4	29	98	39	5.93	0.43	13	2.42	934	10	80	<100	215	7	<5	4.49	<10	114	2661	<1	239	<10	4	62
2484	336870	2	8.01	5	13	<1	22	4.52	6	67	293	169	8.70	0.57	14	4.27	1454	15	235	<100	341	6	<5	3.45	<10	95	3926	1	232	<10	5	95
2485	336871	1	6.58	7	13	<1	25	4.66	5	59	275	353	8.13	0.67	12	4.20	1359	16	202	<100	313	<5	<5	3.45	<10	79	3416	<1	174	<10	5	98
2486	336871	<1	6.36	12	14	<1	32	4.45	5	61	260	327	7.69	0.71	12	3.99	1293	16	192	<100	287	10	<5	3.94	<10	75	3279	<1	165	<10	5	94
2487	336872	1	6.07	4	13	<1	26	4.70	6	81	163	446	8.80	0.64	11	4.05	1451	17	315	<100	343	7	<5	3.53	<10	75	6313	1	352	<10	5	82
2488	336873	4	7.42	5	20	<1	30	4.09	5	81	91	754	6.98	0.48	13	2.55	1037	11	323	<100	268	<5	<5	3.65	<10	127	6217	<1	307	<10	3	65
2489	336874	1	3.25	5	14	<1	11	9.11	<4	13	183	79	2.24	0.71	8	0.99	474	9	36	<100	67	6	<5	5.64	<10	37	545	<1	52	<10	2	33
2490	336875	2	7.27	10	17	<1	49	3.64	4	46	175	112	6.76	0.61	17	3.61	1173	13	127	<100	242	8	<5	3.77	<10	84	3483	2	210	<10	3	82
2491	336876	2	7.56	6	19	<1	24	3.05	5	100	70	646	7.98	0.55	14	2.75	1131	14	463	<100	296	8	<5	4.53	<10	117	5129	<1	264	<10	2	81
2492	336877	3	5.73	<2	9	<1	32	4.58	7	151	112	1538	9.78	0.47	12	2.68	1281	16	833	<100	363	7	<5	4.57	<10	62	6346	1	432	<10	4	120
2493	336878	5	7.09	4	19	<1	31	2.87	<4	34	44	21	6.40	0.47	15	2.30	1023	9	28	<100	237	6	<5	2.92	<10	123	5269	2	274	<10	2	67
2494	336879	4	7.69	7	33	<1	36	3.17	<4	34	41	69	5.20	0.58	13	1.95	827	10	31	<100	185	<5	<5	3.11	<10	160	5705	<1	368	<10	2	62
2495	336880	1	7.20	5	19	<1	28	3.59	<4	34	51	25	5.43	0.47	12	1.96	881	9	15	<100	184	8	<5	2.86	<10	129	6063	2	369	<10	2	57
2496	336881	4	7.13	5	19	<1	29	3.11	<4	57	57	178	6.53	0.42	12	2.17	1008	12	131	<100	244	5	<5	3.60	<10	148	6726	<1	387	<10	2	62
2497	336881	2	7.29	2	19	<1	39	3.15	4	60	60	177	6.59	0.41	12	2.25	1037	10	143	<100	243	7	<5	2.84	<10	149	6916	<1	393	<10	2	61

Certified By 
Derek Demianiuk, H.Bsc.

NuMax Resources

Date Created: 08-02-07 01:16:11 PM

Job Number: 200840025

Date Received: Jan 8, 2008

Number of Samples: 30

Type of Sample: Core

Date Completed: Jan 28, 2008

Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
2498	336882	4	4.19	5	12	<1	51	5.52	6	71	137	237	9.68	0.49	8	4.12	1614	15	104	<100	367	6	<5	2.86	<10	57	9622	1	648	<10	10	82
2499	336883	2	6.25	7	17	<1	26	2.86	<4	43	47	3	5.87	0.31	10	2.04	920	9	28	<100	204	5	<5	2.79	<10	131	6435	<1	389	<10	2	62
2500	336884	2	5.44	10	14	<1	31	3.23	<4	52	48	93	6.38	0.30	9	2.18	966	9	46	<100	238	<5	<5	1.34	<10	102	6206	<1	340	<10	2	64
2501	336885	4	6.07	6	19	<1	27	3.60	4	48	40	2	6.61	0.53	10	2.18	1002	12	32	<100	241	8	<5	4.22	<10	116	6444	<1	382	<10	3	63
2502	336886	1	5.39	3	22	<1	36	2.98	<4	42	48	<1	5.52	0.44	9	1.95	843	9	24	<100	197	<5	<5	2.02	<10	90	5705	<1	329	<10	2	53
2503	336887	2	6.68	3	27	<1	26	3.57	<4	48	47	45	6.25	0.49	11	2.09	906	11	28	103	224	<5	<5	3.54	<10	118	6460	<1	380	<10	3	57
2504	336888	4	6.46	12	20	<1	27	4.42	5	50	45	133	7.46	0.58	17	2.44	1198	14	39	<100	269	7	<5	4.16	<10	78	6359	3	358	<10	3	88
2505	336889	3	5.47	17	211	<1	26	5.09	<4	24	48	51	4.71	1.09	12	1.52	869	8	32	524	164	<5	<5	4.16	<10	70	3148	2	123	<10	8	42
2506	336890	<1	5.73	29	238	<1	22	5.37	<4	31	99	81	5.34	1.36	16	1.93	1005	17	58	800	199	6	<5	5.28	<10	66	2953	1	100	<10	9	37
2507	336891	3	5.59	16	41	<1	20	4.73	<4	29	328	61	4.58	0.56	22	3.54	866	15	189	1094	157	<5	<5	3.50	<10	56	4153	1	115	<10	15	62
2508	336891	3	6.06	14	47	<1	28	4.95	<4	29	345	64	4.79	0.66	23	3.71	906	16	193	1149	174	5	<5	4.23	<10	59	4413	2	121	<10	16	64

Certified By:



Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources

Date Created: 08-02-07 01:16:11 PM

Job Number: 200840025

Date Received: Jan 8, 2008

Number of Samples: 30

Type of Sample: Core

Date Completed: Jan 28, 2008

Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
2476	336862	4	6.53	12	16	<1	18	6.24	4	75	479	1070	6.08	0.34	6	2.58	1013	9	411	<100	259	10	<5	1.84	<10	131	5008	<1	288	<10	5	71
2477	336863	3	7.91	12	21	<1	28	5.77	<4	56	372	866	5.57	0.67	9	2.32	917	12	332	<100	217	7	<5	3.49	<10	142	3894	1	231	<10	5	57
2478	336864	3	6.93	7	15	<1	31	5.79	4	50	276	390	6.32	0.49	9	2.84	1130	11	228	<100	242	6	<5	3.85	<10	113	5323	<1	289	<10	5	66
2479	336865	4	4.40	5	14	1	34	5.91	8	102	297	875	>10.00	0.70	7	4.46	1685	19	353	<100	499	9	<5	3.42	<10	46	>10,000	<1	737	<10	9	89
2480	336866	4	3.89	2	9	1	37	6.83	7	92	387	740	>10.00	0.42	5	4.14	1554	15	310	<100	412	7	<5	1.90	<10	52	>10,000	2	614	<10	9	79
2481	336867	<1	6.30	4	22	<1	35	4.86	4	46	239	30	6.85	0.73	13	4.43	1288	18	106	<100	260	6	<5	3.86	<10	67	2491	3	166	<10	7	87
2482	336868	1	2.92	4	11	<1	48	7.15	<4	19	364	51	3.28	0.49	7	1.65	600	8	50	<100	116	<5	<5	4.13	<10	24	1261	3	102	<10	3	37
2483	336869	<1	7.88	6	16	<1	40	6.41	<4	29	98	39	5.93	0.43	13	2.42	934	10	80	<100	215	7	<5	4.49	<10	114	2661	<1	239	<10	4	62
2484	336870	2	8.01	5	13	<1	22	4.52	6	67	293	169	8.70	0.57	14	4.27	1454	15	235	<100	341	6	<5	3.45	<10	95	3926	1	232	<10	5	95
2485	336871	1	6.58	7	13	<1	25	4.66	5	59	275	353	8.13	0.67	12	4.20	1359	16	202	<100	313	<5	<5	3.45	<10	79	3416	<1	174	<10	5	98
2486	336871	<1	6.36	12	14	<1	32	4.45	5	61	260	327	7.69	0.71	12	3.99	1293	16	192	<100	287	10	<5	3.94	<10	75	3279	<1	165	<10	5	94
2487	336872	1	6.07	4	13	<1	26	4.70	6	81	163	446	8.80	0.64	11	4.05	1451	17	315	<100	343	7	<5	3.53	<10	75	6313	1	352	<10	5	82
2488	336873	4	7.42	5	20	<1	30	4.09	5	81	91	754	6.98	0.48	13	2.55	1037	11	323	<100	268	<5	<5	3.65	<10	127	6217	<1	307	<10	3	65
2489	336874	1	3.25	5	14	<1	11	9.11	<4	13	183	79	2.24	0.71	8	0.99	474	9	36	<100	67	6	<5	5.64	<10	37	545	<1	52	<10	2	33
2490	336875	2	7.27	10	17	<1	49	3.64	4	46	175	112	6.76	0.61	17	3.61	1173	13	127	<100	242	8	<5	3.77	<10	84	3483	2	210	<10	3	82
2491	336876	2	7.56	6	19	<1	24	3.05	5	100	70	646	7.98	0.55	14	2.75	1131	14	463	<100	296	8	<5	4.53	<10	117	5129	<1	264	<10	2	81
2492	336877	3	5.73	<2	9	<1	32	4.58	7	151	112	1538	9.78	0.47	12	2.68	1281	16	833	<100	363	7	<5	4.57	<10	62	6346	1	432	<10	4	120
2493	336878	5	7.09	4	19	<1	31	2.87	<4	34	44	21	6.40	0.47	15	2.30	1023	9	28	<100	237	6	<5	2.92	<10	123	5269	2	274	<10	2	67
2494	336879	4	7.69	7	33	<1	36	3.17	<4	34	41	69	5.20	0.58	13	1.95	827	10	31	<100	185	<5	<5	3.11	<10	160	5705	<1	368	<10	2	62
2495	336880	1	7.20	5	19	<1	28	3.59	<4	34	51	25	5.43	0.47	12	1.96	881	9	15	<100	184	8	<5	2.86	<10	129	6063	2	369	<10	2	57
2496	336881	4	7.13	5	19	<1	29	3.11	<4	57	57	178	6.53	0.42	12	2.17	1008	12	131	<100	244	5	<5	3.60	<10	148	6726	<1	387	<10	2	62
2497	336881	2	7.29	2	19	<1	39	3.15	4	60	60	177	6.59	0.41	12	2.25	1037	10	143	<100	243	7	<5	2.84	<10	149	6916	<1	393	<10	2	61

Certified By:

Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources

Date Created: 08-02-07 01:16:11 PM

Job Number: 200840025

Date Received: Jan 8, 2008

Number of Samples: 30

Type of Sample: Core

Date Completed: Jan 28, 2008

Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
2498	336882	4	4.19	5	12	<1	51	5.52	6	71	137	237	9.68	0.49	8	4.12	1614	15	104	<100	367	6	<5	2.86	<10	57	9622	1	648	<10	10	82
2499	336883	2	6.25	7	17	<1	26	2.86	<4	43	47	3	5.87	0.31	10	2.04	920	9	28	<100	204	5	<5	2.79	<10	131	6435	<1	389	<10	2	62
2500	336884	2	5.44	10	14	<1	31	3.23	<4	52	48	93	6.38	0.30	9	2.18	966	9	46	<100	238	<5	<5	1.34	<10	102	6206	<1	340	<10	2	64
2501	336885	4	6.07	6	19	<1	27	3.60	4	48	40	2	6.61	0.53	10	2.18	1002	12	32	<100	241	8	<5	4.22	<10	116	6444	<1	382	<10	3	63
2502	336886	1	5.39	3	22	<1	36	2.98	<4	42	48	<1	5.52	0.44	9	1.95	843	9	24	<100	197	<5	<5	2.02	<10	90	5705	<1	329	<10	2	53
2503	336887	2	6.68	3	27	<1	26	3.57	<4	48	47	45	6.25	0.49	11	2.09	906	11	28	103	224	<5	<5	3.54	<10	118	6460	<1	380	<10	3	57
2504	336888	4	6.46	12	20	<1	27	4.42	5	50	45	133	7.46	0.58	17	2.44	1198	14	39	<100	269	7	<5	4.16	<10	78	6359	3	358	<10	3	88
2505	336889	3	5.47	17	211	<1	26	5.09	<4	24	48	51	4.71	1.09	12	1.52	869	8	32	524	164	<5	<5	4.16	<10	70	3148	2	123	<10	8	42
2506	336890	<1	5.73	29	238	<1	22	5.37	<4	31	99	81	5.34	1.36	16	1.93	1005	17	58	800	199	6	<5	5.28	<10	66	2953	1	100	<10	9	37
2507	336891	3	5.59	16	41	<1	20	4.73	<4	29	328	61	4.58	0.56	22	3.54	866	15	189	1094	157	<5	<5	3.50	<10	56	4153	1	115	<10	15	62
2508	336891	3	6.06	14	47	<1	28	4.95	<4	29	345	64	4.79	0.66	23	3.71	906	16	193	1149	174	5	<5	4.23	<10	59	4413	2	121	<10	16	64

Certified By: 
Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources

Date Created: 08-02-07 01:16:26 PM

Job Number: 200840088

Date Received: Jan 25, 2008

Number of Samples: 20

Type of Sample: Rock

Date Completed: Feb 5, 2008

Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
9368	336928	<1	2.61	11	90	38	<1	23	1.91	<4	25	83	122	4.63	0.33	10	1.58	591	3	0.05	48	301	151	<5	<5	0.05	<10	58	2337	<1	70	<10	3	78
9369	336929	<1	2.48	15	81	19	<1	31	1.38	<4	34	95	244	4.60	0.17	9	1.70	526	6	0.05	54	252	167	<5	<5	0.04	<10	36	1983	<1	69	<10	2	56
9370	336930	3	2.92	18	77	12	<1	15	1.59	<4	42	184	113	4.77	0.12	12	2.33	705	3	0.07	119	243	154	<5	<5	0.04	<10	25	3077	<1	120	<10	4	60
9371	336931	1	3.92	17	78	57	<1	27	1.97	<4	41	173	48	6.17	0.48	16	2.72	896	5	0.05	88	305	207	<5	<5	0.06	<10	35	3327	<1	119	<10	3	68
9372	336932	3	4.88	8	72	329	<1	22	2.48	5	57	108	101	8.58	2.65	30	2.83	1094	12	0.04	58	317	307	5	<5	0.06	<10	55	5572	2	221	<10	4	75
9373	336933	<1	4.27	4	66	166	<1	38	2.55	5	43	108	68	7.70	1.34	22	2.60	1273	9	0.05	61	320	276	8	<5	0.04	<10	40	4803	<1	206	<10	6	68
9374	336934	1	5.02	2	67	315	1	42	3.58	6	48	126	46	9.26	2.30	28	2.86	1704	14	0.06	64	357	349	<5	<5	0.06	<10	33	4876	2	213	<10	3	90
9375	336935	2	3.06	8	69	53	1	33	2.45	8	60	230	394	>10.00	1.46	13	1.82	1745	15	0.09	153	369	492	9	<5	0.06	<10	17	4155	2	165	<10	10	64
9376	336936	4	2.53	3	68	44	<1	24	2.70	5	15	34	99	7.70	0.37	6	1.34	2267	8	0.06	18	439	266	7	<5	0.04	<10	19	3722	<1	71	<10	18	48
9377	336937	3	2.79	<2	63	19	<1	18	2.19	5	26	83	54	7.57	0.18	6	1.46	2442	8	0.05	19	532	262	8	<5	0.06	<10	30	4558	<1	114	<10	12	50
9378	336938	4	3.63	4	71	107	<1	36	2.42	6	37	25	126	>10.00	0.93	14	1.89	2138	12	0.05	15	715	359	6	<5	0.04	<10	23	4755	3	214	<10	11	63
9379	336938	2	3.44	5	67	101	1	28	2.30	6	35	26	121	9.47	0.87	13	1.79	1989	11	0.05	14	664	330	<5	<5	0.04	<10	23	4613	<1	203	<10	11	63
9380	336939	4	4.21	4	75	140	<1	24	3.66	6	64	100	182	9.93	1.23	17	2.36	1507	14	0.05	51	504	357	<5	<5	0.06	<10	34	5944	<1	196	<10	14	87
9381	336940	2	3.31	9	66	41	<1	22	2.00	<4	37	151	349	5.92	0.61	15	2.24	766	6	0.06	54	466	201	<5	<5	0.06	<10	43	5319	<1	156	<10	12	75
9382	336941	3	4.16	7	68	64	<1	33	2.32	4	38	105	218	6.58	1.04	24	2.95	747	7	0.04	43	446	251	<5	<5	0.06	<10	37	5183	2	162	<10	16	64
9383	336942	3	4.21	8	59	24	1	32	0.95	5	31	60	191	6.72	0.35	26	3.22	698	8	0.05	29	546	241	6	<5	0.05	<10	13	4381	<1	182	<10	16	64
9384	336943	2	3.96	7	56	40	<1	37	0.54	5	34	133	769	7.38	0.23	16	2.59	705	10	0.04	21	558	284	5	<5	0.05	<10	4	4501	1	126	<10	21	99
9385	336944	3	3.92	5	55	21	<1	21	1.05	<4	28	72	166	6.30	0.23	21	2.90	745	8	0.04	22	774	227	<5	<5	0.05	<10	10	4506	<1	150	<10	16	65
9386	336945	1	4.13	6	54	22	<1	29	0.60	<4	30	41	34	6.20	0.25	23	3.21	682	6	0.05	13	531	213	<5	<5	0.04	<10	5	3729	<1	134	<10	17	46
9387	336946	<1	3.50	8	47	25	<1	31	0.53	<4	28	101	258	6.53	0.17	17	2.60	522	8	0.04	25	466	232	5	<5	0.04	<10	<3	2384	<1	64	<10	18	32
9388	336947	<1	1.22	10	57	37	<1	15	0.92	<4	24	129	172	3.19	0.29	5	0.79	228	3	0.06	13	423	97	<5	<5	0.02	<10	3	2267	<1	24	<10	14	11

Certified By:

Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5


Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources
Date Created: 08-02-07 01:16:26 PM
Job Number: 200840088
Date Received: Jan 25, 2008
Number of Samples: 20
Type of Sample: Rock
Date Completed: Feb 5, 2008
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
9368	336928	<1	2.61	11	90	38	<1	23	1.91	<4	25	83	122	4.63	0.33	10	1.58	591	3	0.05	48	301	151	<5	<5	0.05	<10	58	2337	<1	70	<10	3	78
9369	336929	<1	2.48	15	81	19	<1	31	1.38	<4	34	95	244	4.60	0.17	9	1.70	526	6	0.05	54	252	167	<5	<5	0.04	<10	36	1983	<1	69	<10	2	56
9370	336930	3	2.92	18	77	12	<1	15	1.59	<4	42	184	113	4.77	0.12	12	2.33	705	3	0.07	119	243	154	<5	<5	0.04	<10	25	3077	<1	120	<10	4	60
9371	336931	1	3.92	17	78	57	<1	27	1.97	<4	41	173	48	6.17	0.48	16	2.72	896	5	0.05	88	305	207	<5	<5	0.06	<10	35	3327	<1	119	<10	3	68
9372	336932	3	4.88	8	72	329	<1	22	2.48	5	57	108	101	8.58	2.65	30	2.83	1094	12	0.04	58	317	307	5	<5	0.06	<10	55	5572	2	221	<10	4	75
9373	336933	<1	4.27	4	66	166	<1	38	2.55	5	43	108	68	7.70	1.34	22	2.60	1273	9	0.05	61	320	276	8	<5	0.04	<10	40	4803	<1	206	<10	6	68
9374	336934	1	5.02	2	67	315	1	42	3.58	6	48	126	46	9.26	2.30	28	2.86	1704	14	0.06	64	357	349	<5	<5	0.06	<10	33	4876	2	213	<10	3	90
9375	336935	2	3.06	8	69	53	1	33	2.45	8	60	230	394	>10.00	1.46	13	1.82	1745	15	0.09	153	369	492	9	<5	0.06	<10	17	4155	2	165	<10	10	64
9376	336936	4	2.53	3	68	44	<1	24	2.70	5	15	34	99	7.70	0.37	6	1.34	2267	8	0.06	18	439	266	7	<5	0.04	<10	19	3722	<1	71	<10	18	48
9377	336937	3	2.79	<2	63	19	<1	18	2.19	5	26	83	54	7.57	0.18	6	1.46	2442	8	0.05	19	532	262	8	<5	0.06	<10	30	4558	<1	114	<10	12	50
9378	336938	4	3.63	4	71	107	<1	36	2.42	6	37	25	126	>10.00	0.93	14	1.89	2138	12	0.05	15	715	359	6	<5	0.04	<10	23	4755	3	214	<10	11	63
9379	336938	2	3.44	5	67	101	1	28	2.30	6	35	26	121	9.47	0.87	13	1.79	1989	11	0.05	14	664	330	<5	<5	0.04	<10	23	4613	<1	203	<10	11	63
9380	336939	4	4.21	4	75	140	<1	24	3.66	6	64	100	182	9.93	1.23	17	2.36	1507	14	0.05	51	504	357	<5	<5	0.06	<10	34	5944	<1	196	<10	14	87
9381	336940	2	3.31	9	66	41	<1	22	2.00	<4	37	151	349	5.92	0.61	15	2.24	766	6	0.06	54	466	201	<5	<5	0.06	<10	43	5319	<1	156	<10	12	75
9382	336941	3	4.16	7	68	64	<1	33	2.32	4	38	105	218	6.58	1.04	24	2.95	747	7	0.04	43	446	251	<5	<5	0.06	<10	37	5183	2	162	<10	16	64
9383	336942	3	4.21	8	59	24	1	32	0.95	5	31	60	191	6.72	0.35	26	3.22	698	8	0.05	29	546	241	6	<5	0.05	<10	13	4381	<1	182	<10	16	64
9384	336943	2	3.96	7	56	40	<1	37	0.54	5	34	133	769	7.38	0.23	16	2.59	705	10	0.04	21	558	284	5	<5	0.05	<10	4	4501	1	126	<10	21	99
9385	336944	3	3.92	5	55	21	<1	21	1.05	<4	28	72	166	6.30	0.23	21	2.90	745	8	0.04	22	774	227	<5	<5	0.05	<10	10	4506	<1	150	<10	16	65
9386	336945	1	4.13	6	54	22	<1	29	0.60	<4	30	41	34	6.20	0.25	23	3.21	682	6	0.05	13	531	213	<5	<5	0.04	<10	5	3729	<1	134	<10	17	46
9387	336946	<1	3.50	8	47	25	<1	31	0.53	<4	28	101	258	6.53	0.17	17	2.60	522	8	0.04	25	466	232	5	<5	0.04	<10	<3	2384	<1	64	<10	18	32
9388	336947	<1	1.22	10	57	37	<1	15	0.92	<4	24	129	172	3.19	0.29	5	0.79	228	3	0.06	13	423	97	<5	<5	0.02	<10	3	2267	<1	24	<10	14	11

Certified By 
Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources

Date Created: 08-02-08 08:50:32 AM

Job Number: 200840052

Date Received: Jan 14, 2008

Number of Samples: 29

Type of Sample: Rock

Date Completed: Jan 31, 2008

Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
3702	336892	5	9.39	<2	162	<1	7	6.14	<4	27	229	39	4.36	1.31	18	2.38	926	2	118	1113	111	9	<5	<10	255	4028	11	72	<10	15	29
3703	336893	4	8.58	11	78	<1	8	4.87	<4	37	370	29	4.75	1.08	21	4.02	1014	1	224	909	117	7	<5	<10	170	4179	2	124	<10	16	45
3704	336894	5	9.21	11	264	<1	8	4.55	<4	27	167	36	3.68	2.24	22	2.22	728	2	66	1292	84	7	<5	<10	178	4090	8	109	<10	16	27
3705	336895	8	8.01	11	253	<1	11	4.07	<4	42	320	188	6.70	2.21	29	3.88	1131	1	185	746	183	7	<5	<10	125	4739	2	188	<10	16	58
3706	336896	6	8.45	4	576	<1	11	4.32	<4	44	85	23	8.00	2.72	24	2.00	1001	1	56	1238	199	9	<5	<10	261	8364	<1	311	<10	17	40
3707	336897	6	8.94	6	328	<1	12	4.21	<4	44	72	32	7.93	1.93	21	1.91	1011	1	49	1277	227	7	<5	<10	265	8287	<1	313	<10	17	31
3708	336898	7	8.96	4	335	<1	8	4.28	<4	44	88	17	8.04	2.02	23	1.90	965	1	54	1287	229	8	<5	<10	256	8321	3	309	<10	18	31
3709	336899	10	9.00	4	317	<1	8	4.30	<4	44	57	14	8.25	1.81	22	1.92	935	1	46	1345	237	7	<5	<10	259	8458	5	332	<10	17	30
3710	336818	3	8.67	3	164	<1	14	4.63	<4	45	55	24	7.81	1.26	19	1.83	1064	1	47	1345	202	6	<5	<10	137	7991	5	318	26	20	26
3711	336819	7	8.43	13	379	<1	8	6.27	<4	46	57	68	6.16	2.29	20	1.87	864	1	48	1244	157	8	<5	<10	215	7916	4	302	<10	19	22
3712	336819	5	7.77	8	352	<1	8	5.83	<4	40	54	63	5.67	2.11	16	1.72	795	1	44	1133	139	5	<5	<10	202	7356	<1	279	<10	18	17
3713	336820	6	7.10	6	64	1	13	4.65	<4	41	523	34	5.81	0.68	15	5.17	891	1	314	1126	128	9	<5	<10	147	4851	7	128	<10	19	36
3714	336821	5	7.75	17	286	<1	12	4.82	<4	46	108	49	6.00	2.16	21	2.53	748	2	86	1266	169	7	<5	<10	174	7948	6	289	<10	17	25
3715	336822	4	8.50	8	395	<1	7	4.87	<4	48	63	43	6.98	2.40	22	2.10	736	2	48	1304	207	7	<5	<10	195	8785	8	337	<10	17	23
3716	336823	7	7.97	5	147	<1	14	5.08	<4	39	135	17	7.63	0.98	22	2.69	836	<1	79	775	213	7	<5	<10	244	5562	3	235	<10	12	28
3717	336824	5	7.49	14	538	<1	15	3.82	<4	68	117	84	>10.00	3.56	37	3.18	835	1	73	940	316	9	<5	<10	118	6295	4	212	<10	10	45
3718	336825	5	9.78	12	200	<1	14	4.29	<4	45	237	52	8.05	1.77	27	3.48	793	2	160	1118	230	7	<5	<10	139	5355	6	139	<10	16	30
3719	336826	7	>10.00	5	433	<1	11	3.42	<4	48	85	151	8.60	3.15	31	2.32	634	2	85	797	210	7	<5	<10	136	5518	3	162	<10	11	25
3720	336827	4	9.57	5	548	<1	14	1.49	<4	59	68	276	>10.00	3.65	41	2.52	580	2	74	326	307	9	<5	<10	137	5244	1	219	<10	6	33
3721	336828	3	>10.00	6	380	<1	6	1.69	<4	55	104	201	9.82	3.33	31	2.53	563	2	76	430	273	<5	<5	<10	150	5005	3	241	<10	9	26
3722	336829	7	9.14	8	397	<1	9	2.37	<4	55	66	354	9.80	3.31	30	2.28	609	2	52	736	266	5	<5	<10	120	6791	<1	304	<10	13	24
3723	336829	4	9.55	2	421	<1	10	2.54	<4	59	72	381	>10.00	3.43	34	2.48	654	2	56	800	305	6	<5	<10	128	7103	<1	325	<10	14	29

Certified By:

Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources
Date Created: 08-02-08 08:50:32 AM
Job Number: 200840052
Date Received: Jan 14, 2008
Number of Samples: 29
Type of Sample: Rock
Date Completed: Jan 31, 2008
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
3724	336830	3	8.45	10	612	1	18	1.00	5	72	66	93	>10.00	4.26	42	2.60	698	1	56	312	427	9	<5	<10	84	5845	<1	260	<10	5	31
3725	336831	6	8.22	9	503	<1	13	2.13	5	76	91	155	>10.00	4.13	39	2.87	797	<1	75	843	404	8	<5	<10	92	7482	2	313	<10	10	35
3726	336832	6	8.73	5	196	<1	10	4.89	<4	63	199	81	>10.00	2.23	27	3.10	963	1	85	561	307	9	<5	<10	187	7282	<1	352	<10	16	28
3727	336833	4	8.89	5	540	<1	10	2.35	4	67	107	112	>10.00	4.73	42	2.70	774	2	70	671	356	8	<5	<10	173	7854	<1	327	<10	10	35
3728	336834	8	9.47	4	364	<1	10	3.58	<4	60	91	185	>10.00	3.45	31	2.53	776	2	77	954	255	8	<5	<10	216	7842	3	335	<10	13	39
3729	336835	6	>10.00	4	292	<1	5	5.29	<4	58	130	215	>10.00	3.33	33	2.92	913	4	94	1195	274	8	<5	<10	210	8330	3	370	<10	17	46
3730	336836	4	9.55	8	432	<1	14	3.44	<4	94	95	541	>10.00	3.66	34	2.72	823	2	88	886	302	7	<5	<10	162	7390	4	340	<10	14	40
3731	336837	6	>10.00	11	540	<1	14	3.13	4	82	108	134	>10.00	3.59	44	3.02	978	2	88	763	374	7	<5	<10	65	7917	4	360	<10	11	43
3732	336900	5	9.34	3	178	<1	12	4.36	<4	45	53	55	8.08	1.81	17	1.84	1121	1	54	1361	237	<5	<5	<10	165	8893	3	335	17	17	27

Certified By:

Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources

Date Created: 08-02-08 08:50:32 AM

Job Number: 200840052

Date Received: Jan 14, 2008

Number of Samples: 29

Type of Sample: Rock

Date Completed: Jan 31, 2008

Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
3702	336892	5	9.39	<2	162	<1	7	6.14	<4	27	229	39	4.36	1.31	18	2.38	926	2	118	1113	111	9	<5	<10	255	4028	11	72	<10	15	29
3703	336893	4	8.58	11	78	<1	8	4.87	<4	37	370	29	4.75	1.08	21	4.02	1014	1	224	909	117	7	<5	<10	170	4179	2	124	<10	16	45
3704	336894	5	9.21	11	264	<1	8	4.55	<4	27	167	36	3.68	2.24	22	2.22	728	2	66	1292	84	7	<5	<10	178	4090	8	109	<10	16	27
3705	336895	8	8.01	11	253	<1	11	4.07	<4	42	320	188	6.70	2.21	29	3.88	1131	1	185	746	183	7	<5	<10	125	4739	2	188	<10	16	58
3706	336896	6	8.45	4	576	<1	11	4.32	<4	44	85	23	8.00	2.72	24	2.00	1001	1	56	1238	199	9	<5	<10	261	8364	<1	311	<10	17	40
3707	336897	6	8.94	6	328	<1	12	4.21	<4	44	72	32	7.93	1.93	21	1.91	1011	1	49	1277	227	7	<5	<10	265	8287	<1	313	<10	17	31
3708	336898	7	8.96	4	335	<1	8	4.28	<4	44	88	17	8.04	2.02	23	1.90	965	1	54	1287	229	8	<5	<10	256	8321	3	309	<10	18	31
3709	336899	10	9.00	4	317	<1	8	4.30	<4	44	57	14	8.25	1.81	22	1.92	935	1	46	1345	237	7	<5	<10	259	8458	5	332	<10	17	30
3710	336818	3	8.67	3	164	<1	14	4.63	<4	45	55	24	7.81	1.26	19	1.83	1064	1	47	1345	202	6	<5	<10	137	7991	5	318	26	20	26
3711	336819	7	8.43	13	379	<1	8	6.27	<4	46	57	68	6.16	2.29	20	1.87	864	1	48	1244	157	8	<5	<10	215	7916	4	302	<10	19	22
3712	336819	5	7.77	8	352	<1	8	5.83	<4	40	54	63	5.67	2.11	16	1.72	795	1	44	1133	139	5	<5	<10	202	7356	<1	279	<10	18	17
3713	336820	6	7.10	6	64	1	13	4.65	<4	41	523	34	5.81	0.68	15	5.17	891	1	314	1126	128	9	<5	<10	147	4851	7	128	<10	19	36
3714	336821	5	7.75	17	286	<1	12	4.82	<4	46	108	49	6.00	2.16	21	2.53	748	2	86	1266	169	7	<5	<10	174	7948	6	289	<10	17	25
3715	336822	4	8.50	8	395	<1	7	4.87	<4	48	63	43	6.98	2.40	22	2.10	736	2	48	1304	207	7	<5	<10	195	8785	8	337	<10	17	23
3716	336823	7	7.97	5	147	<1	14	5.08	<4	39	135	17	7.63	0.98	22	2.69	836	<1	79	775	213	7	<5	<10	244	5562	3	235	<10	12	28
3717	336824	5	7.49	14	538	<1	15	3.82	<4	68	117	84	>10.00	3.56	37	3.18	835	1	73	940	316	9	<5	<10	118	6295	4	212	<10	10	45
3718	336825	5	9.78	12	200	<1	14	4.29	<4	45	237	52	8.05	1.77	27	3.48	793	2	160	1118	230	7	<5	<10	139	5355	6	139	<10	16	30
3719	336826	7	>10.00	5	433	<1	11	3.42	<4	48	85	151	8.60	3.15	31	2.32	634	2	85	797	210	7	<5	<10	136	5518	3	162	<10	11	25
3720	336827	4	9.57	5	548	<1	14	1.49	<4	59	68	276	>10.00	3.65	41	2.52	580	2	74	326	307	9	<5	<10	137	5244	1	219	<10	6	33
3721	336828	3	>10.00	6	380	<1	6	1.69	<4	55	104	201	9.82	3.33	31	2.53	563	2	76	430	273	<5	<5	<10	150	5005	3	241	<10	9	26
3722	336829	7	9.14	8	397	<1	9	2.37	<4	55	66	354	9.80	3.31	30	2.28	609	2	52	736	266	5	<5	<10	120	6791	<1	304	<10	13	24
3723	336829	4	9.55	2	421	<1	10	2.54	<4	59	72	381	>10.00	3.43	34	2.48	654	2	56	800	305	6	<5	<10	128	7103	<1	325	<10	14	29

Certified By: 
Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5


Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources
Date Created: 08-02-08 08:50:32 AM
Job Number: 200840052
Date Received: Jan 14, 2008
Number of Samples: 29
Type of Sample: Rock
Date Completed: Jan 31, 2008
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
3724	336830	3	8.45	10	612	1	18	1.00	5	72	66	93	>10.00	4.26	42	2.60	698	1	56	312	427	9	<5	<10	84	5845	<1	260	<10	5	31
3725	336831	6	8.22	9	503	<1	13	2.13	5	76	91	155	>10.00	4.13	39	2.87	797	<1	75	843	404	8	<5	<10	92	7482	2	313	<10	10	35
3726	336832	6	8.73	5	196	<1	10	4.89	<4	63	199	81	>10.00	2.23	27	3.10	963	1	85	561	307	9	<5	<10	187	7282	<1	352	<10	16	28
3727	336833	4	8.89	5	540	<1	10	2.35	4	67	107	112	>10.00	4.73	42	2.70	774	2	70	671	356	8	<5	<10	173	7854	<1	327	<10	10	35
3728	336834	8	9.47	4	364	<1	10	3.58	<4	60	91	185	>10.00	3.45	31	2.53	776	2	77	954	255	8	<5	<10	216	7842	3	335	<10	13	39
3729	336835	6	>10.00	4	292	<1	5	5.29	<4	58	130	215	>10.00	3.33	33	2.92	913	4	94	1195	274	8	<5	<10	210	8330	3	370	<10	17	46
3730	336836	4	9.55	8	432	<1	14	3.44	<4	94	95	541	>10.00	3.66	34	2.72	823	2	88	886	302	7	<5	<10	162	7390	4	340	<10	14	40
3731	336837	6	>10.00	11	540	<1	14	3.13	4	82	108	134	>10.00	3.59	44	3.02	978	2	88	763	374	7	<5	<10	65	7917	4	360	<10	11	43
3732	336900	5	9.34	3	178	<1	12	4.36	<4	45	53	55	8.08	1.81	17	1.84	1121	1	54	1361	237	<5	<5	<10	165	8893	3	335	17	17	27

Certified By: 
Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources

Date Created: 08-02-08 08:51:17 AM

Job Number: 200840106

Date Received: Jan 29, 2008

Number of Samples: 18

Type of Sample: Core

Date Completed:


Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
11366	336948	3	8.42	7	82	<1	10	3.97	<4	36	143	139	6.11	1.79	26	2.69	670	2	60	330	153	8	<5	<10	57	5695	<1	205	<10	23	6
11367	336949	5	8.53	12	188	<1	7	1.70	<4	33	102	195	5.57	2.52	28	2.87	407	2	33	379	146	7	<5	<10	31	4981	4	136	<10	34	3
11368	336950	5	8.75	6	135	<1	7	0.98	<4	38	61	242	5.77	2.12	40	4.19	428	2	37	382	130	6	<5	<10	18	5431	<1	123	<10	39	10
11369	363601	4	8.39	7	102	<1	13	2.50	<4	79	112	229	8.63	3.06	42	3.75	609	4	91	421	217	8	<5	<10	42	5681	4	177	<10	28	10
11370	363602	8	8.74	26	96	2	16	2.57	6	346	265	>5,000	>10.00	3.63	55	4.28	771	5	332	439	520	11	<5	<10	24	7092	4	320	<10	38	16
11371	363603	4	3.45	9	10	<1	9	2.72	<4	185	291	>5,000	8.29	0.02	36	2.82	322	<1	2519	557	243	7	8	<10	17	1863	2	65	<10	3	56
11372	363604	6	7.93	7	95	<1	11	2.40	<4	62	135	106	8.34	3.36	44	4.09	668	2	55	374	192	6	<5	<10	32	7142	8	293	<10	22	11
11373	363605	6	7.78	<2	130	<1	11	0.63	<4	28	142	104	4.49	1.80	38	4.26	379	2	48	171	99	6	<5	<10	19	4388	<1	92	<10	39	<1
11374	363606	6	9.24	6	81	<1	7	0.93	<4	32	150	63	4.33	2.82	44	4.60	354	2	64	284	101	7	<5	<10	29	4379	5	84	<10	48	11
11375	363607	4	8.12	15	43	<1	10	2.95	<4	132	155	1313	7.09	2.51	43	4.94	454	3	395	2386	165	6	5	<10	28	4942	4	253	<10	84	2
11376	363607	4	8.17	18	45	<1	8	2.67	<4	115	147	1184	6.21	2.66	42	4.53	405	3	355	2109	154	6	<5	<10	27	4404	5	223	<10	74	<1
11377	363608	8	9.62	13	81	<1	7	3.21	<4	80	107	236	8.74	3.27	48	5.44	548	7	316	3512	235	7	<5	<10	60	7258	3	370	<10	95	9
11378	363609	4	>10.00	<2	433	<1	12	3.35	<4	11	192	5	2.17	3.38	15	0.93	215	4	33	<100	55	<5	<5	<10	126	5734	3	94	<10	55	<1
11379	363610	4	7.65	4	104	<1	8	2.27	<4	43	199	43	7.60	3.86	39	3.30	522	6	73	202	188	8	<5	<10	48	5538	5	170	<10	13	9
11380	363611	8	8.25	10	68	<1	10	3.53	<4	59	178	182	6.58	3.00	36	2.98	600	2	80	101	155	5	<5	<10	97	7958	2	146	<10	23	6
11381	363612	7	>10.00	10	43	<1	11	6.94	<4	29	317	214	5.08	1.46	22	1.95	728	2	65	176	120	7	<5	<10	183	6244	<1	186	<10	40	<1
11382	363613	6	9.06	5	330	<1	3	2.57	<4	15	135	7	0.79	2.47	5	0.23	133	1	14	<100	23	8	<5	<10	70	9148	<1	55	<10	58	<1
11383	363614	6	>10.00	2	333	<1	4	3.05	<4	7	115	9	0.61	2.61	5	0.19	186	2	17	<100	18	6	<5	<10	84	4547	3	34	<10	86	<1
11384	363615	8	9.72	9	150	<1	13	1.92	<4	37	163	498	8.33	2.00	20	2.63	784	2	37	543	197	7	<5	<10	111	6968	1	195	<10	36	63

Certified By: 
Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5


Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources
Date Created: 08-02-08 08:51:17 AM
Job Number: 200840106
Date Received: Jan 29, 2008
Number of Samples: 18
Type of Sample: Core
Date Completed:
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
11366	336948	3	8.42	7	82	<1	10	3.97	<4	36	143	139	6.11	1.79	26	2.69	670	2	60	330	153	8	<5	<10	57	5695	<1	205	<10	23	6
11367	336949	5	8.53	12	188	<1	7	1.70	<4	33	102	195	5.57	2.52	28	2.87	407	2	33	379	146	7	<5	<10	31	4981	4	136	<10	34	3
11368	336950	5	8.75	6	135	<1	7	0.98	<4	38	61	242	5.77	2.12	40	4.19	428	2	37	382	130	6	<5	<10	18	5431	<1	123	<10	39	10
11369	363601	4	8.39	7	102	<1	13	2.50	<4	79	112	229	8.63	3.06	42	3.75	609	4	91	421	217	8	<5	<10	42	5681	4	177	<10	28	10
11370	363602	8	8.74	26	96	2	16	2.57	6	346	265	>5,000	>10.00	3.63	55	4.28	771	5	332	439	520	11	<5	<10	24	7092	4	320	<10	38	16
11371	363603	4	3.45	9	10	<1	9	2.72	<4	185	291	>5,000	8.29	0.02	36	2.82	322	<1	2519	557	243	7	8	<10	17	1863	2	65	<10	3	56
11372	363604	6	7.93	7	95	<1	11	2.40	<4	62	135	106	8.34	3.36	44	4.09	668	2	55	374	192	6	<5	<10	32	7142	8	293	<10	22	11
11373	363605	6	7.78	<2	130	<1	11	0.63	<4	28	142	104	4.49	1.80	38	4.26	379	2	48	171	99	6	<5	<10	19	4388	<1	92	<10	39	<1
11374	363606	6	9.24	6	81	<1	7	0.93	<4	32	150	63	4.33	2.82	44	4.60	354	2	64	284	101	7	<5	<10	29	4379	5	84	<10	48	11
11375	363607	4	8.12	15	43	<1	10	2.95	<4	132	155	1313	7.09	2.51	43	4.94	454	3	395	2386	165	6	5	<10	28	4942	4	253	<10	84	2
11376	363607	4	8.17	18	45	<1	8	2.67	<4	115	147	1184	6.21	2.66	42	4.53	405	3	355	2109	154	6	<5	<10	27	4404	5	223	<10	74	<1
11377	363608	8	9.62	13	81	<1	7	3.21	<4	80	107	236	8.74	3.27	48	5.44	548	7	316	3512	235	7	<5	<10	60	7258	3	370	<10	95	9
11378	363609	4	>10.00	<2	433	<1	12	3.35	<4	11	192	5	2.17	3.38	15	0.93	215	4	33	<100	55	<5	<5	<10	126	5734	3	94	<10	55	<1
11379	363610	4	7.65	4	104	<1	8	2.27	<4	43	199	43	7.60	3.86	39	3.30	522	6	73	202	188	8	<5	<10	48	5538	5	170	<10	13	9
11380	363611	8	8.25	10	68	<1	10	3.53	<4	59	178	182	6.58	3.00	36	2.98	600	2	80	101	155	5	<5	<10	97	7958	2	146	<10	23	6
11381	363612	7	>10.00	10	43	<1	11	6.94	<4	29	317	214	5.08	1.46	22	1.95	728	2	65	176	120	7	<5	<10	183	6244	<1	186	<10	40	<1
11382	363613	6	9.06	5	330	<1	3	2.57	<4	15	135	7	0.79	2.47	5	0.23	133	1	14	<100	23	8	<5	<10	70	9148	<1	55	<10	58	<1
11383	363614	6	>10.00	2	333	<1	4	3.05	<4	7	115	9	0.61	2.61	5	0.19	186	2	17	<100	18	6	<5	<10	84	4547	3	34	<10	86	<1
11384	363615	8	9.72	9	150	<1	13	1.92	<4	37	163	498	8.33	2.00	20	2.63	784	2	37	543	197	7	<5	<10	111	6968	1	195	<10	36	63

Certified By: 
Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources

Date Created: 08-02-12 10:40:50 AM

Job Number: 200840103

Date Received: Jan 29, 2008

Number of Samples: 15

Type of Sample: Core

Date Completed: Feb 8, 2008


Project ID:

* The results included on this report relate only to the items tested

* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
11056	804002	<1	0.03	4	<10	3	<1	10	0.18	<4	3	503	13	0.57	<0.01	<1	0.01	<100	2	0.01	8	<100	24	<5	<5	0.03	<10	<3	<100	<1	<2	<10	2	1
11057	336838	<1	3.16	3	<10	57	<1	10	3.54	<4	37	186	49	6.72	0.41	16	1.92	734	9	0.1	31	<100	252	<5	<5	0.09	<10	33	5693	<1	204	<10	10	34
11058	336839	3	4.43	<2	<10	431	1	22	1.65	<4	58	86	141	9.91	3.17	33	2.47	761	12	0.05	19	<100	373	5	10	0.08	<10	37	4498	<1	194	<10	2	53
11059	336840	3	4.49	22	<10	51	<1	15	4.95	<4	52	296	189	8.37	0.6	22	3.19	1144	13	0.04	114	<100	300	6	8	0.08	<10	26	3429	<1	209	<10	6	53
11060	336841	5	4.26	6	<10	95	<1	7	3.88	<4	45	128	217	7.87	0.8	19	2.77	966	10	0.05	53	<100	291	<5	<5	0.07	<10	39	4037	<1	193	<10	4	49
11061	336842	<1	3.29	9	<10	5	<1	9	1.85	<4	34	140	83	5.31	0.04	9	2.12	591	8	0.09	39	<100	175	<5	<5	0.08	<10	60	3532	<1	94	<10	3	33
11062	336843	<1	3.33	11	<10	6	<1	11	2.06	<4	41	75	196	5.74	0.06	12	2.16	612	7	0.05	32	<100	178	5	<5	0.07	<10	58	3301	<1	102	<10	3	34
11063	336844	<1	3.51	23	<10	20	1	13	2.77	<4	69	156	1609	7.12	0.23	12	2.34	708	10	0.05	65	<100	259	<5	<5	0.08	<10	47	1736	<1	108	<10	3	46
11064	336845	4	6.04	23	<10	463	2	24	1.44	5	70	88	752	>10.00	4.2	47	3.03	963	18	0.05	58	<100	486	6	<5	0.08	<10	30	3846	3	185	<10	1	68
11065	336846	<1	3.53	10	<10	338	1	9	0.99	<4	39	100	210	8.24	2.13	25	1.7	630	10	0.09	16	<100	288	<5	<5	0.1	<10	35	4838	<1	122	<10	6	39
11066	336846	2	3.73	16	<10	356	1	17	1.04	<4	44	106	225	8.73	2.23	27	1.8	673	11	0.09	18	<100	317	<5	<5	0.07	<10	35	5122	<1	130	<10	6	41
11067	336847	<1	2.76	<2	<10	13	<1	6	2.17	<4	30	54	37	6.08	0.09	10	1.54	611	8	0.08	14	<100	196	<5	<5	0.05	<10	33	4321	<1	76	<10	7	28
11068	336848	<1	4.13	9	<10	29	<1	9	2.48	<4	39	169	134	7.83	0.27	16	2.71	890	11	0.05	68	<100	272	<5	<5	0.07	<10	38	2846	<1	135	<10	3	45
11069	336849	<1	4.13	24	<10	75	<1	21	4.77	<4	46	176	89	7.9	0.68	19	2.58	1056	12	0.03	72	<100	271	<5	<5	0.05	<10	41	3210	<1	143	<10	3	44
11070	336850	2	3.07	29	<10	22	<1	8	2.66	<4	50	219	367	5.33	0.21	11	1.98	715	7	0.08	94	<100	187	5	8	0.08	<10	56	3394	<1	133	<10	4	35
11071	336927	<1	2.85	30	<10	19	<1	10	1.97	<4	50	137	354	4.89	0.18	9	1.85	667	6	0.09	83	<100	157	<5	<5	0.06	<10	53	3179	<1	117	<10	4	36

Certified By: 
Derek Demianiuk, H.Bsc.



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5


Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

NuMax Resources
Date Created: 08-02-12 10:40:50 AM
Job Number: 200840103
Date Received: Jan 29, 2008
Number of Samples: 15
Type of Sample: Core
Date Completed: Feb 8, 2008
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
11056	804002	<1	0.03	4	<10	3	<1	10	0.18	<4	3	503	13	0.57	<0.01	<1	0.01	<100	2	0.01	8	<100	24	<5	<5	0.03	<10	<3	<100	<1	<2	<10	2	1
11057	336838	<1	3.16	3	<10	57	<1	10	3.54	<4	37	186	49	6.72	0.41	16	1.92	734	9	0.1	31	<100	252	<5	<5	0.09	<10	33	5693	<1	204	<10	10	34
11058	336839	3	4.43	<2	<10	431	1	22	1.65	<4	58	86	141	9.91	3.17	33	2.47	761	12	0.05	19	<100	373	5	10	0.08	<10	37	4498	<1	194	<10	2	53
11059	336840	3	4.49	22	<10	51	<1	15	4.95	<4	52	296	189	8.37	0.6	22	3.19	1144	13	0.04	114	<100	300	6	8	0.08	<10	26	3429	<1	209	<10	6	53
11060	336841	5	4.26	6	<10	95	<1	7	3.88	<4	45	128	217	7.87	0.8	19	2.77	966	10	0.05	53	<100	291	<5	<5	0.07	<10	39	4037	<1	193	<10	4	49
11061	336842	<1	3.29	9	<10	5	<1	9	1.85	<4	34	140	83	5.31	0.04	9	2.12	591	8	0.09	39	<100	175	<5	<5	0.08	<10	60	3532	<1	94	<10	3	33
11062	336843	<1	3.33	11	<10	6	<1	11	2.06	<4	41	75	196	5.74	0.06	12	2.16	612	7	0.05	32	<100	178	5	<5	0.07	<10	58	3301	<1	102	<10	3	34
11063	336844	<1	3.51	23	<10	20	1	13	2.77	<4	69	156	1609	7.12	0.23	12	2.34	708	10	0.05	65	<100	259	<5	<5	0.08	<10	47	1736	<1	108	<10	3	46
11064	336845	4	6.04	23	<10	463	2	24	1.44	5	70	88	752	>10.00	4.2	47	3.03	963	18	0.05	58	<100	486	6	<5	0.08	<10	30	3846	3	185	<10	1	68
11065	336846	<1	3.53	10	<10	338	1	9	0.99	<4	39	100	210	8.24	2.13	25	1.7	630	10	0.09	16	<100	288	<5	<5	0.1	<10	35	4838	<1	122	<10	6	39
11066	336846	2	3.73	16	<10	356	1	17	1.04	<4	44	106	225	8.73	2.23	27	1.8	673	11	0.09	18	<100	317	<5	<5	0.07	<10	35	5122	<1	130	<10	6	41
11067	336847	<1	2.76	<2	<10	13	<1	6	2.17	<4	30	54	37	6.08	0.09	10	1.54	611	8	0.08	14	<100	196	<5	<5	0.05	<10	33	4321	<1	76	<10	7	28
11068	336848	<1	4.13	9	<10	29	<1	9	2.48	<4	39	169	134	7.83	0.27	16	2.71	890	11	0.05	68	<100	272	<5	<5	0.07	<10	38	2846	<1	135	<10	3	45
11069	336849	<1	4.13	24	<10	75	<1	21	4.77	<4	46	176	89	7.9	0.68	19	2.58	1056	12	0.03	72	<100	271	<5	<5	0.05	<10	41	3210	<1	143	<10	3	44
11070	336850	2	3.07	29	<10	22	<1	8	2.66	<4	50	219	367	5.33	0.21	11	1.98	715	7	0.08	94	<100	187	5	8	0.08	<10	56	3394	<1	133	<10	4	35
11071	336927	<1	2.85	30	<10	19	<1	10	1.97	<4	50	137	354	4.89	0.18	9	1.85	667	6	0.09	83	<100	157	<5	<5	0.06	<10	53	3179	<1	117	<10	4	36

Certified By: 
Derek Demianiuk, H.Bsc.

Office Use Only
Folder Identification Number
Drill Hole Identification

DRILL HOLE IDENTIFICATION

Name of Claim Holder or Mining Land Holder
Numax Resources Inc

Company Hole Identification Number
NU-07-01

MNDM Core Library Identification (Office Use Only)

CO-ORDINATE INFORMATION

Indicate method used to obtain drill hole location co-ordinate:

- | | | |
|--------------------------------------------|---------------------------------------------------------------------------------|-------------------------------------------------|
| <input type="checkbox"/> Don't know | <input checked="" type="checkbox"/> GPS reading (Geographic Positioning System) | <input type="checkbox"/> MNDM CLAIMaps system |
| <input type="checkbox"/> NTS 1:250,000 map | <input type="checkbox"/> NTS 1:50,000 map | <input type="checkbox"/> Ontario OBM Series map |
| <input type="checkbox"/> Paper claim map | <input type="checkbox"/> Sketch map | <input type="checkbox"/> Surveyed co-ordinates |
| <input type="checkbox"/> other | | |

DRILL HOLE COLLAR LOCATION CO-ORDINATES

Collar Location Co-ordinates. You may provide co-ordinates in UTM or Latitude and Longitude

Datum	NAD 27 or 83	83
UTM	Zone 15, 16, 17 or 18	15
	Easting	5172000
	Northing	5393225
Latitude and longitude data (degrees/minutes/seconds or decimal values)	Latitude	
	Longitude	

OTHER DRILL HOLE DATA

Hole Type (examples percussion, diamond drill, underground)	diamond drilling
Year Drilled	2007-2008
Azimuth	158 °
Dip	-45 °
Length (metres)	172.8m
Overburden Depth (metres)	on bedrock

ELEMENTS PRESENT ABOVE DEFINED THRESHOLD LEVELS