

**2008 Diamond Drill Report
Kenora Project, Northwestern Ontario**

Prepared for:

Delta Uranium Inc.
56 Temperance St.
10th Floor
Toronto, ON
Canada
M5H 3V5

Prepared by:

Colin Bowdidge, Ph.D, P.Geo.
Vice President, Exploration

And

Amy Shute, HBS.
Project Geologist

Delta Uranium Inc.
2378 Highway 17 East
Kenora, ON
Canada
P9N 3X1

Tel: 807.548.5064 • Fax: 807.548-8858

Email: ashute@deltauranium.com

November 2008

TABLE OF CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, ACCESS, DESCRIPTION	1
HISTORY AND PREVIOUS WORK	2
GEOLOGY	3
ECONOMIC GEOLOGY	3
2008 DIAMOND DRILLING PROGRAM	4
Data Presentation	5
Summary of Results	6
SUMMARY AND CONCLUSIONS	9
RECOMMENDATIONS	10
REFERENCES	11

TABLES:

Table 1: Summary of 2008 Diamond Drill Holes	6
Table 2: Summary of Significant Results	8
Table 3: Gold and Base Metal Analyses, Wilson Lake	9

FIGURES:

1 - Location Map	1
2 - Claims Map	following page 1
3 - Geology and Detail Areas	following page 3
4 - Airborne Radiometric Survey (U channel) and detail Areas	following page 3

APPENDICES (*appended in digital form*)

Appendix A - list of claims.pdf pages 6
Appendix B - Diamond Drill Logs.pdf pages 114
Appendix C - DNC and INAA analyses.pdf pages 29
Appendix D - ICP analyses.pdf pages 25
Appendix E - U3O8 analyses.pdf pages 26
Appendix F - (assay certificates).pdf pages 149

PLANS AND CROSS SECTIONS (*appended in digital form*)

Cross Section BL08-001.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section BL08-002.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section BL08-003 and BL08-004.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section BL08-004A.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section BL08-005.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section BL08-006.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section BL08-007.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section BL08-008.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section BL08-009.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section BL08-010.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section BL08-015 and BL08-016.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section EL08-001.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section EL08-002.pdf Scale 1:500 pages 1 (includes plan view)

TABLE OF CONTENTS (continued)

PLANS AND CROSS SECTIONS (continued)

Cross Section EL08-003 and EL08-005.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section EL08-004.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section FL08-001 and FL08-002.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section FL08-003.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section FL08-004.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section NL08-001.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section NL08-002.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section NL08-003.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section RL08-021.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section RL08-022.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section RL08-023.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section RL08-024.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section RL08-025.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section WL08-001 and WL08-002.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section WL08-003 and WL08-004.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section WL08-005 and WL08-006.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section WL08-007.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section WL08-008.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section WL08-009.pdf Scale 1:500 pages 1 (includes plan view)
Cross Section WL08-010.pdf Scale 1:500 pages 1 (includes plan view)
Plan View of Bee Lake.pdf Scale 1:2000 pages 1
Plan View of Ely Lake.pdf Scale 1:1000 pages 1
Plan View of Feist Lake.pdf Scale 1:1000 pages 1
Plan View of Nixon Lake.pdf Scale 1:1000 pages 1
Plan View of Richard Lake.pdf Scale 1:1000 pages 1
Plan View of Wilson Lake.pdf Scale 1:1000 pages 1

INTRODUCTION


During 2008, Delta Uranium Inc. completed 40 diamond drill holes totally 5552.56m on its Kenora project. The holes were drilled to test granite-pegmatite uranium-bearing zones of historical showings and airborne radiometric anomalies. The project was targeted at magmatic uranium mineralization of the type that is present in the numerous showings found in the area. Recent developments in Namibia and recent increases in the price of uranium have made large tonnage, low grade magmatic uranium deposits a viable target for exploration.

The area hosts numerous uranium showings, which commonly occur along the outer portions of granite and pegmatite intrusions. The geology of the area is comprised of a series of Early Precambrian, east-west-trending, steeply dipping volcanic and sedimentary rocks which intruded by felsic intrusive rocks ranging from granite to syenite. The youngest intrusive are a series of late-stage pegmatitic sills and dykes, which host the majority of the uranium occurrences in the area.

PROPERTY LOCATION, ACCESS, DESCRIPTION

The property is located approximately 30km east of the city of Kenora and 50km west of the town of Dryden in northwestern Ontario (Fig. 1). The Kenora Project currently consists of 2624 units making up 219 claims and covering 41,984 hectares (Appendix A, Fig. 2). Some of the claims are in the name of 4316282 Canada Inc., which is a wholly owned subsidiary of Delta Uranium Inc., and some of the claims are held in trust for Delta Uranium Inc. by Dan Patrie Exploration.





Access to the property is by way of the Trans Canada Highway, bush roads and all terrain vehicle (ATV). The Trans Canada Pipeline and the Canadian Pacific Railway both lie parallel to the Trans Canada Highway for the majority of the property.

A maximum relief of 90m is found between the Eagle Lake area and the Cobble Lake area. The topography is mildly rugged with local relief rarely exceeding 46m. The watersheds flow into Lake of the Woods, the Winnipeg River and the Wabigoon River.

HISTORY AND PREVIOUS WORK

Many of the drill holes were conducted on historical showings located in the Kenora property, including Nixon Lake, Ely Lake, Richard Lake, Wilson Lake and Bee Lake. These showings also appear as anomalies on the airborne radiometric survey reported by Palmer (2007).

Uranium was first discovered in the Kenora area in 1949 near the shore of Willard Lake. This was followed by the discovery of the high-grade Richard Lake deposit by Campbell and McFarland in the early 1950's and numerous other occurrences, including Hawk Lake, Bee Lake, Kenoratomic, Quebec Ascot, and Viceroy. Falling uranium prices in the 1950's lead to little exploration in the area until the 1970's when the Ontario Geological Survey (OGS) mapped west of Richard Lake and found numerous additional showings (Pryslak, 1976).

The only recorded deposit in the area and the only area which saw mining development, is the Richard Lake deposit. The Richard Lake deposit resource model was estimated at 590,000 tonnes of 0.10% U_3O_8 over a 3m by 210m by 300m area (Palmer, 2007).

GEOLOGY

The rocks of the Kenora area are Archean in age and are found within the Wabigoon Subprovince of the Superior Province. The area borders to the north with the Winnipeg River Subprovince and the Dryberry Batholith to the south.


The geology of the Kenora area consists of volcanic and sedimentary rocks intercalated with each other and then intruded by felsic intrusions (Fig. 3). Volcanic rocks, consisting of flows and pyroclastics, form an east-trending belt through the Kenora property, ranging in widths of 0.8 km to 2.8 km. The sedimentary portion to the south of the volcanic belt is also east-trending and consists of sandstones, siltstones and argillites. The sedimentary rocks are intruded by gabbro sills and pegmatite dikes. Rocks are regionally metamorphosed to lower amphibolite to upper greenschist facies.


ECONOMIC GEOLOGY

Numerous occurrences of uranium and base metal mineralization are found within the area. Uranium occurrences are often found associated with granite/pegmatite dykes and sills, while base metal mineralization is found within volcanic rocks.

Mineralization consists of fine-grained uraninite (and probably uranothorite), while on surface one can often observe yellow, powdery secondary uranium minerals (probably mostly uranophane). Also associated with the high uranium concentrations are biotite, magnetite and sometimes muscovite.

There is a cluster of gold-base metal occurrences in the eastern part of the Kenora property in the area underlain by clastic metasedimentary rocks around Game Lake. Companies such as, Noranda, Tri Origin Exploration Limited, Rio Algom Exploration Limited and Emerald Fields Resource Corporation are the more recent companies that explored for base metals, including copper and zinc.





2008 DIAMOND DRILLING PROGRAM

Forty diamond drill holes totaling 5,552.56 metres were drilled on six separate targets at Bee Lake, Richard Lake, Feist Lake, Wilson Lake, Ely Lake and Nixon Lake. Drill holes numbers are preceded by initials to indicate which area they were in. Drilling was commenced by Salo Drilling of Timmins, and was continued after April by DHB Contracting (2003) of Sparwood, BC. Initially, BQ core was recovered, but this was changed to NQ after September (Nixon Lake and Feist Lake holes).

Core was initially processed in a core shack at Stewart lake, and after June, 2008 the operation was moved to Delta's office premises in Kenora, where all the core is now stored. Logging was done by several different geologists: Doug Bryan, Rick Bonner, Riku Metsaranta, Marilyn Rousseau and Amy Shute.

Core exhibiting anomalous radioactivity was split using a hydraulic core splitter. Up to April, split core samples were sent to Accurassay in Thunder Bay for 30-element ICP-OES (inductively coupled plasma - optical emission spectroscopy) analysis (including uranium). At that point it was determined that ICP analysis is unreliable for uranium when certain other elements are present that cause interference. There was also concern that multi-acid digestion, which is the standard procedure for getting material into solution for ICP analysis, might not be capturing uranium from refractory minerals.

A series of tests were run at Activation Laboratories using DNC (delayed neutron counting), INAA (instrumental neutron activation analysis) and XRF (X-Ray fluorescence). All three of these methods analyse material in the solid state, and therefore do not depend on getting material in solution and keeping it in solution (which are actually two different potential problems with "wet" analysis). Repeat ICP analyses were performed on selected samples. The conclusions from this test work, which was initiated as part of a QA/QC program were as follows:

- (1) ICP analyses for uranium reproduce poorly with relative variations of 50% or more
- (2) DNC, INAA and XRF analyses for uranium are reproducible with relative variations of a few percent at worst, and also correlate extremely well between the three methods.

- (3) Comparative analysis on several hundred samples indicates that DNC (the final chosen method) analyses for uranium are on average 20% higher than ICP analyses, for the rock types and mineralization encountered on the Kenora project.

Thereafter, all samples were sent to ActLabs for assay of uranium by DNC as well as multi-element INAA analysis. During the summer, it was determined that the multi-element data were not generating sufficient useful information to justify the cost, and INAA was discontinued.

Assays have not yet been received for the Feist Lake (FL) drill holes.

Data Presentation:

Table 1 lists all the 2008 diamond drill holes with collar locations, azimuths, dips, depths and start/finish dates.

Appendix B presents lithological logs for all the holes. Loggers are identified by initials.

Appendix C presents drill hole sampling data and INAA multi-element analyses with comparative uranium values by DNC, ICP and XRF.

Appendix D presents ICP analytical data for the earlier holes.

Appendix E presents only drill hole sample information and U_3O_8 values, to provide a concise summary of results in a single table. Where only ICP analyses were available (i.e. where the original pulps and rejects had been disposed of or lost) the ICP uranium values was multiplied by 1.20 to approximate the expected DNC value. Uranium contents are displayed as ppm of U_3O_8 , to conform to what appears to be a developing convention for low-grade magmatic uranium mineralization.

Plans and sections showing drill holes in each of the six areas tested, are appended to this report. Uranium assay data are indicated on the sections in histogram format.

TABLE 1							
DELTA URANIUM INC. - KENORA PROJECT							
ddh	east	north	azimuth	dip	depth	Start	Finish
BL08-001	439128	5521920	180	-45	76.00	2008-01-15	2008-01-17
BL08-002	439133	5521926	180	-65	101.00	2008-01-18	2008-01-21
BL08-003	439280	5521938	180	-45	86.00	2008-01-22	2008-01-27
BL08-004	439281	5521935	180	-65	41.60	2008-01-28	2008-02-01
BL08-004a	439277	5521938	180	-69	105.35	2008-02-04	2008-02-07
BL08-005	439619	5521776	360	-45	77.22	2008-02-07	2008-02-11
BL08-006	439621	5521776	360	-65	104.10	2008-02-12	2008-02-13
BL08-007	440328	5521649	55	-45	92.00	2008-02-19	2008-02-21
BL08-008	440320	5521651	55	-65	101.00	2008-02-21	2008-08-23
BL08-009	440382	5521576	55	-45	77.00	2008-02-27	2008-02-28
BL08-010	440382	5521576	55	-65	101.00	2008-02-25	2008-02-27
BL08-015	439191	5521922	180	-45	62.00	2008-02-15	2008-02-17
BL08-016	439191	5521922	180	-65	87.00	2008-02-17	2008-02-18
EL08-001	468150	5522500	330	-45	197.00	2008-04-15	2008-04-18
EL08-002	468414	5522525	150	-45	194.00	2008-04-28	2008-05-06
EL08-003	468225	5522581	150	-45	197.00	2008-04-18	2004-04-20
EL08-004	468145	5522549	150	-80	101.00	2008-04-20	2008-04-24
EL08-005	468412	5522312	150	-45	200.00	2008-05-07	2008-05-10
FL08-001	441032	5521070	260	-50	151.49	2008-09-22	2008-09-26
FL08-002	441032	5521170	260	-70	133.20	2008-09-27	2008-09-30
FL08-003	441035	5521021	260	-60	117.96	2008-10-01	2008-10-06
FL08-004	441033	5521129	260	-60	144.90	2008-10-07	2008-10-11
NL08-001	469820	5522603	150	-45	110.35	2008-08-01	2008-08-26
NL08-002	469942	5522665	155	-45	150.27	2008-08-27	2008-09-12
NL08-003	469944	5522666	155	-45	141.73	2008-09-13	2008-09-13
RL07-021	434030	5522330	160	-55	298.00	2008-05-23	2008-06-01
RL07-022	434020	5522281	160	-55	251.00	2008-06-07	2008-06-12
RL07-023	434056	5522300	160	-55	251.00	2008-06-02	2008-06-06
RL07-024	434102	5522267	160	-55	150.60	2008-06-14	2008-06-20
RL07-025	434068	5522219	160	-55	101.00	2008-06-20	2008-06-21
WL08-001	451444	5521066	155	-45	152.00	2008-04-08	2008-04-10
WL08-002	451444	5521066	155	-65	197.00	2008-04-03	2008-04-08
WL08-003	451586	5521112	155	-45	146.00	2008-03-17	2008-03-20
WL08-004	451586	5521112	155	-65	200.00	2008-03-21	2008-03-30
WL08-005	451696	5521066	155	-45	140.00	2008-03-13	2008-03-15
WL08-006	451696	5521066	155	-65	200.00	2008-03-05	2008-03-11
WL08-007	451386	5521004	150	-45	122.00	2008-07-02	2008-07-04
WL08-008	451431	5521009	150	-45	120.00	2008-07-09	2008-07-13
WL08-009	451372	5520984	150	-45	122.00	2008-06-25	2008-07-01
WL08-010	451350	5520986	150	-45	151.79	2008-07-15	2008-07-21
TOTAL					5552.56		

Summary of Results:

All uranium mineralization encountered in the drilling program appears to be of the primary magmatic type, and occurs in granite/pegmatite sills, dykes or irregular bodies. Historical descriptions typically refer to “pegmatite dykes” but classic pegmatite dykes appear to be rare in the project area. Most of the mineralized intrusives are heterogeneous in respect of their grain size, and would more properly be

described as granites with pegmatitic patches and segregations. The term granite/pegmatite is used in this report.

There are three mineral associations that may have a bearing on the genesis of the mineralization. The most strongly radioactive sections are often associated with concentrations of biotite or magnetite, sometimes both. Also, muscovite-bearing bodies appear to be preferentially enriched in uranium, although there is no point-to-point association with uranium enrichment as there is with biotite and magnetite.

The granite-pegmatite bodies hosting uranium mineralization typically occur at or close to the margins of the large granitoid batholiths that intrude the metavolcanic and metasedimentary rocks of the area. They are usually arranged tangentially with respect to the batholiths and more or less conformable to the layering in the supracrustal rocks. Thus they are most properly described as sills, although a few are sufficiently discordant to be classed as dykes. Others are somewhat irregular in shape.

Table 2 summarizes the most significant mineralized intersections from the 2008 program.

The drill results comprise a spectrum from narrower zones of higher grade mineralization (e.g. 1005 ppm U_3O_8 over 1.65 metres in BL08-001) to much wider zones of lower grade material such as 56.00 metres of 72 ppm U_3O_8 in EL08-004. This latter intersection has the second-highest grade-width product of any intersections in this program, after that in EL08-001 which cut 312 ppm U_3O_8 over 15.50 metres.

The most promising drill hole in the 2008 program, in terms of its economic potential for uranium, is NL08-003, which cut 29.40 metres of 135 ppm U_3O_8 .

As mentioned above, analytical results from the Feist lake drill holes have not yet been received.

TABLE 2						
SUMMARY OF SIGNIFICANT RESULTS						
Hole No.	From (m)	To (m)	Length (m)	U3O8 ppm	U3O8 percent	U3O8 lbs/ton
BL08-001	23.30	24.95	1.65	1005	0.100	2.01
BL08-002	24.10	27.00	2.90	326	0.033	0.65
BL08-003	12.10	14.75	2.65	102	0.010	0.20
BL08-004	14.20	18.80	4.60	119	0.012	0.24
BL08-015	6.50	7.50	1.00	111	0.011	0.22
and	15.10	16.60	1.50	143	0.014	0.29
BL08-016	4.50	15.00	10.50	146	0.015	0.29
and	21.00	28.00	7.00	115	0.012	0.23
and	32.00	34.00	2.00	109	0.011	0.22
EL08-001	53.65	69.15	15.50	312	0.031	0.62
and	89.50	93.50	4.00	84	0.008	0.17
EL08-003	150.00	151.00	1.00	240	0.024	0.48
EL08-004	17.00	73.00	56.00	72	0.007	0.14
includes	18.00	28.00	10.00	105	0.011	0.21
(includes)	18.00	23.00	5.00	138	0.014	0.28
and	34.00	43.00	9.00	112	0.011	0.22
(includes)	38.00	43.00	5.00	159	0.016	0.32
and	48.00	57.00	9.00	125	0.013	0.25
NL08-001	13.00	14.00	1.00	138	0.014	0.28
and	28.00	29.00	1.00	159	0.016	0.32
and	56.00	57.00	1.00	192	0.019	0.38
and	63.00	64.00	1.00	140	0.014	0.28
NL08-002	29.00	44.75	15.75	129	0.013	0.26
includes	29.00	38.00	9.00	140	0.014	0.28
and	41.75	44.75	3.00	223	0.022	0.45
NL08-003	24.00	24.91	0.91	178	0.018	0.36
and	27.46	29.45	1.99	148	0.015	0.30
and	97.60	127.00	29.40	135	0.014	0.27
includes	97.60	121.01	23.41	156	0.016	0.31
(includes)	97.60	103.00	5.40	262	0.026	0.52
(includes)	99.55	100.58	1.03	489	0.049	0.98
and	104.54	109.11	4.57	178	0.018	0.36
(includes)	106.30	106.78	0.48	658	0.066	1.32
and	111.83	121.01	9.18	147	0.015	0.29
WL08-003	39.00	41.00	2.00	103	0.010	0.21
WL08-004	67.00	70.10	3.10	91	0.009	0.18
WL08-010	42.05	43.03	0.98	118	0.012	0.24
WL08-009	11.41	13.83	2.42	0.39% Zn, Cu up to 439 ppm		

One interesting and unexpected result of the program was the sulphide zone that was cut in three holes at Wilson Lake. It is hosted in clastic metasedimentary rocks that may, in part, have a pyroclastic origin. Table 3 presents the results of gold (fire assay) and ICP analyses of core from these holes. The metal contents, although low, should be viewed in the context of the numerous gold, zinc and copper occurrences in the Game Lake area, which are more or less co-extensive with the mapped metasedimentary belt (grey on figure 3) which has been mapped in Bridges and Docker Townships. The possibility has been raised that these metasediments may have a substantial felsic pyroclastic component and may host a gold-rich VMS system.

Hole No.	From (m)	To (m)	Length (m)	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm
WL08-007	19.00	19.50	0.50	< 5	0.5	25	4	47
WL08-007	19.50	20.00	0.50	< 5	0.4	26	2	31
WL08-007	20.00	20.50	0.50	< 5	0.4	29	4	39
WL08-009	9.60	10.13	0.53	< 5	1.4	79	14	1470
WL08-009	11.41	11.91	0.50	17	3	439	8	2720
WL08-009	11.91	12.40	0.49	34	3.7	415	13	7170
WL08-009	12.40	12.90	0.50	9	2.2	196	4	5730
WL08-009	12.90	13.41	0.51	7	3.2	110	10	2480
WL08-009	13.41	13.83	0.42	13	1.5	125	15	910
WL08-010	17.42	17.84	0.42	21	0.9	69	< 2	471
WL08-010	17.84	18.44	0.60	8	1.9	205	10	452
WL08-010	19.23	19.60	0.37	< 5	1	92	7	65
WL08-010	20.11	20.55	0.44	< 5	1.8	220	28	750

SUMMARY AND CONCLUSIONS

The 2008 diamond drilling program has more or less closed off the mineralization at Richard Lake, where the last five holes, designed to test downward and lateral extensions of the zones encountered in the 2007 program, did not return any significant uranium values. However, the geometry of the Richard Lake deposit is very poorly understood, and it would be premature to dismiss it until the structure has been resolved, and the orientation of the mineralized granite/pegmatite bodies is better defined.

Drilling at Ely Lake and Nixon Lake has returned intersections that show the potential for wide zones of low-grade uranium mineralization. Both of these areas warrant further work.

Drilling at Bee Lake has resulted in one intersection of significantly higher grade uranium mineralization (1005 ppm U_3O_8) over a narrow width (1.65 metres). The 10.5 metres of 146 ppm U_3O_8 in BL08-016 suggests that this area may also have the potential for wide zones of low-grade uranium, dependant on better target definition by geological mapping.

Wilson Lake was disappointing in its uranium results, but did show some potential for Zn-Cu-Ag-Au mineralization of possible VMS affinity.

Drilling at Feist lake did cut radioactive granite/pegmatite sills, but analytical results are not yet forthcoming.

RECOMMENDATIONS

Further diamond drilling is recommended at Ely Lake and Nixon Lake, after these areas have been geologically mapped so that drill targets can be defined as part of a systematic program.

Bee lake and Richard Lake should also be geologically mapped, and further drilling at these locations should be withheld until and unless the mapping indicates further drill targets.

Wilson Lake should be viewed as part of a large base-precious metals system. Further work should be dependent on a full compilation of historical data for the whole area, plus a detailed lake-sediment geochemical survey. If these exercises result in definition of drill targets, a further program might be justified, focused primarily on base and precious metals.

Feist Lake should be reviewed once assay results have been received.

Respectfully submitted



Colin Bowdidge, Ph.D., P.Ge.

A handwritten signature in blue ink that reads "Amy Shute".

Amy Shute, HBSc

REFERENCES

Palmer, D., 2007. Diamond Drill Report; MacNicol Township, Kenora Project, Northwestern Ontario. Delta Uranium Inc., 15p. Unpublished report, In MNM Assessment Files (includes airborne radiometric-magnetic survey and diamond drilling).

Pryslak, A.P., 1976. Geology of the Bruin Lake-Edison Lake Area, District of Kenora; Ontario Div. Mines, GR130, 61p. Accompanied by maps 2302 and 2303, scale 1 inch to ½ mile (1:31,680), and chart.

APPENDIX A
TABLE OF CLAIMS

DELTA URANIUM INC. - KENORA PROPERTY - LIST OF CLAIMS									
Township/Area	Claim Number	No. of units	Recorded Holder	Recording Date	Claim Due Date	Percent Option	Work Required	Total Applied	Total Reserve
MacNicol	3015908	9	Delta	2005-09-20	2009-09-20	100%	\$3,600	\$7,200	\$0
Tustin	4201698	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Tustin	4201699	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$0
Tustin	4201700	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Tustin	4201701	14	Delta	2005-12-01	2008-12-01	100%	\$5,600	\$5,600	\$0
Tustin	4201702	3	Delta	2005-12-01	2008-12-01	100%	\$1,200	\$1,200	\$0
Tustin	4201703	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Tustin	4201704	6	Delta	2005-12-01	2008-12-01	100%	\$2,400	\$2,400	\$0
Tustin	4201705	11	Delta	2005-12-01	2008-12-01	100%	\$4,400	\$4,400	\$0
Tustin	4201706	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Tustin	4201707	9	Delta	2005-12-01	2008-12-01	100%	\$3,600	\$3,600	\$0
Gordon Lake	4201708	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Gordon Lake	4201709	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Bridges	4201710	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Bridges	4201711	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Tustin	4201712	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Bridges	4201713	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Bridges	4201714	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Bridges	4201715	16	Delta	2005-12-01	2008-12-01	100%	\$6,400	\$6,400	\$0
Bridges	4201716	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Bridges	4201717	16	Delta	2005-12-01	2008-12-01	100%	\$6,400	\$6,400	\$0
Bridges	4201718	16	Delta	2005-12-01	2008-12-01	100%	\$6,400	\$6,400	\$0
Bridges	4201719	10	Delta	2005-12-01	2008-12-01	100%	\$4,000	\$4,000	\$0
Bridges	4201720	16	Delta	2005-12-01	2008-12-01	100%	\$6,400	\$6,400	\$0
Tustin	4201721	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Tustin	4201722	14	Delta	2005-11-24	2008-11-24	100%	\$5,600	\$5,600	\$0
Bridges	4201723	16	Delta	2005-11-24	2008-11-24	100%	\$6,400	\$6,400	\$0
Bridges	4201724	6	Delta	2005-11-21	2008-11-21	100%	\$2,400	\$2,400	\$0
Bridges	4201725	4	Delta	2005-12-01	2008-12-01	100%	\$1,600	\$1,600	\$0
Bridges	4201726	3	Delta	2005-12-01	2008-12-01	100%	\$1,200	\$1,200	\$0
Bridges	4201727	14	Delta	2005-11-24	2008-11-24	100%	\$5,600	\$5,600	\$0
Bridges	4201728	8	Delta	2005-11-21	2008-11-21	100%	\$3,200	\$3,200	\$0
Bridges	4201729	16	Delta	2005-11-24	2008-11-24	100%	\$6,400	\$6,400	\$0
Bridges	4201730	12	Delta	2005-11-24	2008-11-24	100%	\$4,800	\$4,800	\$0
Bridges	4201731	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$0
Tustin	4201732	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
MacNicol	4201733	10	Delta	2005-11-16	2009-11-16	100%	\$4,000	\$8,000	\$0
MacNicol	4201734	16	Delta	2005-11-16	2009-11-16	100%	\$6,400	\$12,800	\$0
MacNicol	4201735	12	Delta	2005-11-16	2009-11-16	100%	\$4,800	\$9,600	\$0
MacNicol	4201736	13	Delta	2005-11-16	2009-11-16	100%	\$5,200	\$10,400	\$0
MacNicol	4201737	14	Delta	2005-11-16	2008-11-16	100%	\$5,600	\$5,600	\$0
MacNicol	4201738	10	Delta	2005-11-16	2008-11-16	100%	\$4,000	\$4,000	\$0
MacNicol	4201739	4	Delta	2005-11-16	2009-11-16	100%	\$1,600	\$3,200	\$0
MacNicol	4201740	15	Delta	2005-11-16	2008-11-16	100%	\$6,000	\$6,000	\$0
MacNicol	4201741	15	Delta	2005-11-16	2008-11-16	100%	\$6,000	\$6,000	\$0
MacNicol	4201742	12	Delta	2005-11-16	2009-11-16	100%	\$4,800	\$9,600	\$0
MacNicol	4201743	12	Delta	2005-11-16	2009-11-16	100%	\$4,800	\$9,600	\$0

Township/Area	Claim Number	No. of units	Recorded Holder	Recording Date	Claim Due Date	Percent Option	Work Required	Total Applied	Total Reserve
Jackman	4201744	16	Delta	2005-11-16	2009-11-16	100%	\$6,400	\$12,800	\$0
Jackman	4201745	16	Delta	2005-11-16	2009-11-16	100%	\$6,400	\$12,800	\$0
MacNicol	4201746	16	Delta	2005-11-16	2008-11-16	100%	\$6,400	\$6,400	\$0
MacNicol	4201747	16	Delta	2005-11-16	2008-11-16	100%	\$6,400	\$6,400	\$0
Docker	4201749	7	Delta	2005-12-07	2008-12-07	100%	\$2,800	\$2,800	\$0
Docker	4201750	14	Delta	2005-12-07	2008-12-07	100%	\$5,600	\$5,600	\$0
Docker	4201751	16	Delta	2005-12-07	2008-12-07	100%	\$6,400	\$6,400	\$0
Docker	4201752	16	Delta	2005-12-07	2008-12-07	100%	\$6,400	\$6,400	\$0
Docker	4201753	16	Delta	2005-12-07	2008-12-07	100%	\$6,400	\$6,400	\$0
Docker	4201754	15	Delta	2005-12-07	2008-12-07	100%	\$6,000	\$6,000	\$0
Docker	4201755	12	Delta	2005-12-07	2008-12-07	100%	\$4,800	\$4,800	\$0
Docker	4201756	8	Delta	2005-12-07	2008-12-07	100%	\$3,200	\$3,200	\$0
Docker	4201757	15	Delta	2005-12-07	2008-12-07	100%	\$6,000	\$6,000	\$0
Docker	4201758	14	Delta	2005-12-07	2008-12-07	100%	\$5,600	\$5,600	\$0
Docker	4201759	12	Delta	2005-12-07	2008-12-07	100%	\$4,800	\$4,800	\$0
Docker	4201760	13	Delta	2005-12-07	2008-12-07	100%	\$5,200	\$5,200	\$0
Docker	4201761	9	Delta	2005-12-07	2008-12-07	100%	\$3,600	\$3,600	\$0
Docker	4201765	12	Delta	2005-12-21	2008-12-21	100%	\$4,800	\$4,800	\$0
MacNicol	4202237	12	Delta	2006-10-10	2009-10-10	100%	\$4,800	\$4,800	\$0
MacNicol	4202238	9	Delta	2006-10-10	2009-10-10	100%	\$3,600	\$3,600	\$0
MacNicol	4202239	16	Delta	2006-10-10	2009-10-10	100%	\$6,400	\$6,400	\$0
MacNicol	4202240	10	Delta	2006-10-10	2009-10-10	100%	\$4,000	\$4,000	\$0
MacNicol	4202241	16	Delta	2006-10-10	2009-10-10	100%	\$6,400	\$6,400	\$0
Bridges	4202244	1	Delta	2006-10-19	2009-10-19	100%	\$400	\$400	\$0
Bridges	4202245	16	Delta	2006-10-19	2009-10-19	100%	\$6,400	\$6,400	\$0
Docker	4202246	16	Delta	2006-10-19	2009-10-19	100%	\$6,400	\$6,400	\$0
Gordon Lake	4202247	14	Delta	2006-10-19	2009-10-19	100%	\$5,600	\$5,600	\$0
Gordon Lake	4202248	16	Delta	2006-10-19	2009-10-19	100%	\$6,400	\$6,400	\$0
Gordon Lake	4202249	12	Delta	2006-10-19	2009-10-19	100%	\$4,800	\$4,800	\$0
Bridges	4202250	16	Delta	2006-10-23	2009-10-23	100%	\$6,400	\$6,400	\$0
Bridges	4202251	16	Delta	2006-10-23	2009-10-23	100%	\$6,400	\$6,400	\$0
Docker	4202252	16	Delta	2006-10-23	2009-10-23	100%	\$6,400	\$6,400	\$0
Tustin	4202570	6	Delta	2006-09-22	2009-09-22	100%	\$2,400	\$2,400	\$0
Silvery Lake	4202571	8	Delta	2006-09-22	2009-09-22	100%	\$3,200	\$3,200	\$0
Silvery Lake	4202572	16	Delta	2006-09-22	2009-09-22	100%	\$6,400	\$6,400	\$0
Silvery Lake	4202573	15	Delta	2006-09-22	2009-09-22	100%	\$6,000	\$6,000	\$0
Silvery Lake	4202574	4	Delta	2006-09-22	2009-09-22	100%	\$1,600	\$1,600	\$0
Silvery Lake	4202575	15	Delta	2006-09-22	2009-09-22	100%	\$6,000	\$6,000	\$0
Tustin	4202576	1	Delta	2006-09-22	2009-09-22	100%	\$400	\$400	\$0
Tustin	4202577	15	Delta	2006-09-22	2009-09-22	100%	\$6,000	\$6,000	\$0
Silvery Lake	4202578	11	Delta	2006-09-22	2009-09-22	100%	\$4,400	\$4,400	\$0
Tustin	4202579	16	Delta	2006-09-25	2009-09-25	100%	\$6,400	\$6,400	\$0
Bridges	4202580	15	Delta	2006-09-25	2009-09-25	100%	\$6,000	\$6,000	\$0
Bridges	4202581	5	Delta	2006-09-25	2009-09-25	100%	\$2,000	\$2,000	\$0
Bridges	4202582	15	Delta	2006-09-25	2009-09-25	100%	\$6,000	\$6,000	\$0
Docker	4202583	6	Delta	2006-09-25	2009-09-25	100%	\$2,400	\$2,400	\$0
Langton	4202584	8	Delta	2006-09-25	2009-09-25	100%	\$3,200	\$3,200	\$0
Langton	4202585	16	Delta	2006-09-25	2009-09-25	100%	\$6,400	\$6,400	\$0
Langton	4202586	8	Delta	2006-09-25	2009-09-25	100%	\$3,200	\$3,200	\$0

Township/Area	Claim Number	No. of units	Recorded Holder	Recording Date	Claim Due Date	Percent Option	Work Required	Total Applied	Total Reserve
Langton	4202587	11	Delta	2006-09-25	2009-09-25	100%	\$4,400	\$4,400	\$0
Langton	4202588	6	Delta	2006-09-25	2009-09-25	100%	\$2,400	\$2,400	\$0
Langton	4202589	8	Delta	2006-09-25	2009-09-25	100%	\$3,200	\$3,200	\$0
Langton	4202590	16	Delta	2006-09-25	2009-09-25	100%	\$6,400	\$6,400	\$0
Langton	4202591	12	Delta	2006-09-25	2009-09-25	100%	\$4,800	\$4,800	\$0
Langton	4202592	12	Delta	2006-09-25	2009-09-25	100%	\$4,800	\$4,800	\$0
Bridges	4202597	3	Delta	2006-12-28	2008-12-28	100%	\$1,200	\$0	\$0
Bridges	4202598	4	Delta	2006-12-28	2008-12-28	100%	\$1,600	\$0	\$0
Bridges	4202599	12	Delta	2006-12-28	2008-12-28	100%	\$4,800	\$0	\$0
Tustin	4203022	16	Delta	2005-08-30	2009-08-30	100%	\$6,400	\$12,800	\$0
Tustin	4203023	16	Delta	2005-08-30	2009-08-30	100%	\$6,400	\$12,800	\$0
Tustin	4203030	6	Delta	2005-09-16	2009-09-16	100%	\$2,400	\$4,800	\$0
Tustin	4203031	6	Delta	2005-09-16	2009-09-16	100%	\$2,400	\$4,800	\$0
Docker	4203034	10	Delta	2005-09-20	2009-09-20	100%	\$4,000	\$8,000	\$0
Bridges	4203121	10	Delta	2005-11-16	2008-11-16	100%	\$4,000	\$4,000	\$0
Bridges	4203122	12	Delta	2005-11-16	2008-11-16	100%	\$4,800	\$4,800	\$0
Bridges	4203123	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$0
Docker	4203124	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$0
Bridges	4203125	15	Delta	2005-12-21	2008-12-21	100%	\$6,000	\$6,000	\$0
Bridges	4203126	15	Delta	2005-12-21	2008-12-21	100%	\$6,000	\$6,000	\$0
Bridges	4203127	15	Delta	2005-12-01	2008-12-01	100%	\$6,000	\$6,000	\$0
Bridges	4203129	3	Delta	2005-12-01	2008-12-01	100%	\$1,200	\$1,200	\$0
MacNicol	4204360	6	Delta	2006-10-10	2009-10-10	100%	\$2,400	\$2,400	\$0
MacNicol	4204361	16	Delta	2006-10-10	2009-10-10	100%	\$6,400	\$6,400	\$0
MacNicol	4204362	4	Delta	2006-10-10	2009-10-10	100%	\$1,600	\$1,600	\$0
MacNicol	4204363	16	Delta	2006-10-10	2009-10-10	100%	\$6,400	\$6,400	\$0
MacNicol	4204695	10	Delta	2005-11-21	2008-11-21	100%	\$4,000	\$4,000	\$0
MacNicol	4204696	16	Delta	2005-11-21	2008-11-21	100%	\$6,400	\$6,400	\$0
MacNicol	4204697	12	Delta	2005-11-24	2008-11-24	100%	\$4,800	\$4,800	\$0
Tustin	4204698	9	Delta	2005-11-24	2008-11-24	100%	\$3,600	\$3,600	\$0
Tustin	4204699	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$0
Tustin	4204700	12	Delta	2005-11-24	2008-11-24	100%	\$4,800	\$4,800	\$0
Tustin	4204701	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$0
Tustin	4204702	3	Delta	2005-11-24	2009-11-24	100%	\$1,200	\$2,400	\$0
Tustin	4204703	16	Delta	2005-12-01	2008-12-01	100%	\$6,400	\$6,400	\$0
Tustin	4204704	12	Delta	2005-12-01	2008-12-01	100%	\$4,800	\$4,800	\$0
MacNicol	4204705	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$828
MacNicol	4204706	14	Delta	2005-11-21	2008-11-21	100%	\$5,600	\$5,600	\$0
MacNicol	4204707	14	Delta	2005-11-24	2008-11-24	100%	\$5,600	\$5,600	\$0
MacNicol	4204708	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$0
Tustin	4204709	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$0
Tustin	4204710	14	Delta	2005-11-24	2008-11-24	100%	\$5,600	\$5,600	\$0
Tustin	4204711	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$0
Tustin	4204712	2	Delta	2005-12-01	2009-12-01	100%	\$800	\$1,600	\$0
Tustin	4204713	12	Delta	2005-12-01	2008-12-01	100%	\$4,800	\$4,800	\$0
Tustin	4204714	14	Delta	2005-11-24	2008-11-24	100%	\$5,600	\$5,600	\$0
Tustin	4204715	2	Delta	2005-12-01	2009-12-01	100%	\$800	\$1,600	\$0
Tustin	4204716	12	Delta	2005-12-01	2008-12-01	100%	\$4,800	\$4,800	\$0
Tustin	4204717	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$0

Township/Area	Claim Number	No. of units	Recorded Holder	Recording Date	Claim Due Date	Percent Option	Work Required	Total Applied	Total Reserve
Tustin	4204718	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$0
MacNicol	4204719	15	Delta	2005-11-24	2008-11-24	100%	\$6,000	\$6,000	\$0
MacNicol	4204720	16	Delta	2005-11-24	2008-11-24	100%	\$6,400	\$6,400	\$0
MacNicol	4206951	2	Delta	2006-12-28	2008-12-28	100%	\$800	\$0	\$0
MacNicol	4206960	2	Delta	2006-12-28	2008-12-28	100%	\$800	\$0	\$0
Langton	4209700	16	Delta	2005-12-21	2008-12-21	100%	\$6,400	\$6,400	\$0
MacNicol	4216459	1	Delta	2006-12-28	2009-12-28	100%	\$400	\$400	\$176,592
MacNicol	4216460	1	Delta	2006-12-28	2008-12-28	100%	\$400	\$0	\$136
MacNicol	4216461	1	Delta	2006-12-28	2008-12-28	100%	\$400	\$0	\$0
MacNicol	4216462	1	Delta	2006-12-28	2008-12-28	100%	\$400	\$0	\$0
MacNicol	4216463	1	Delta	2006-12-28	2008-12-28	100%	\$400	\$0	\$0
MacNicol	4216464	1	Delta	2006-12-28	2008-12-28	100%	\$400	\$0	\$0
MacNicol	4216465	1	Delta	2006-12-28	2008-12-28	100%	\$400	\$0	\$0
MacNicol	4216466	1	Delta	2006-12-29	2008-12-29	100%	\$400	\$0	\$0
MacNicol	4216467	8	Delta	2006-12-28	2008-12-28	100%	\$3,200	\$0	\$0
MacNicol	4216468	8	Delta	2006-12-28	2008-12-28	100%	\$3,200	\$0	\$0
Bridges	4216825	1	Delta	2006-12-28	2008-12-28	100%	\$400	\$0	\$0
Hillock Lake	4216846	12	Patrie	2007-09-20	2009-09-20	100%	\$4,800	\$0	\$0
Hillock Lake	4216847	16	Patrie	2007-09-20	2009-09-20	100%	\$6,400	\$0	\$0
Hillock Lake	4216868	16	Patrie	2007-09-20	2009-09-20	100%	\$6,400	\$0	\$0
Silvery Lake	4216949	16	Patrie	2007-09-20	2009-09-20	100%	\$6,400	\$0	\$0
Silvery Lake	4216950	6	Patrie	2007-09-20	2009-09-20	100%	\$2,400	\$0	\$0
Silvery Lake	4216952	16	Patrie	2007-09-20	2009-09-20	100%	\$6,400	\$0	\$0
Silvery Lake	4216953	12	Patrie	2007-09-20	2009-09-20	100%	\$4,800	\$0	\$0
MacNicol	4216954	12	Patrie	2007-09-20	2009-09-20	100%	\$4,800	\$0	\$0
MacNicol	4216955	16	Patrie	2007-09-20	2009-09-20	100%	\$6,400	\$0	\$0
Tustin	4216956	12	Patrie	2007-09-20	2009-09-20	100%	\$4,800	\$0	\$0
Tustin	4216957	16	Patrie	2007-09-20	2009-09-20	100%	\$6,400	\$0	\$0
Tustin	4216958	6	Patrie	2007-09-20	2009-09-20	100%	\$2,400	\$0	\$0
Tustin	4216959	8	Patrie	2007-09-20	2009-09-20	100%	\$3,200	\$0	\$0
Tustin	4216960	16	Patrie	2007-09-20	2009-09-20	100%	\$6,400	\$0	\$0
Tustin	4216961	16	Patrie	2007-09-20	2009-09-20	100%	\$6,400	\$0	\$0
Tustin	4216962	15	Patrie	2007-09-20	2009-09-20	100%	\$6,000	\$0	\$0
Tustin	4216963	15	Patrie	2007-09-20	2009-09-20	100%	\$6,000	\$0	\$0
Docker	4218432	16	Delta	2007-06-29	2009-06-29	100%	\$6,400	\$0	\$0
Docker	4218433	10	Delta	2007-06-29	2009-06-29	100%	\$4,000	\$0	\$0
Wabigoon	4218434	16	Delta	2007-06-29	2009-06-29	100%	\$6,400	\$0	\$0
Wabigoon	4218435	10	Delta	2007-06-29	2009-06-29	100%	\$4,000	\$0	\$0
Langton	4218436	16	Delta	2007-06-29	2009-06-29	100%	\$6,400	\$0	\$0
Langton	4218437	8	Delta	2007-06-29	2009-06-29	100%	\$3,200	\$0	\$0
Bridges	4218438	8	Patrie	2007-09-04	2009-09-04	100%	\$3,200	\$0	\$0
Docker	4218439	16	Patrie	2007-09-04	2009-09-04	100%	\$6,400	\$0	\$0
Docker	4218440	16	Patrie	2007-09-04	2009-09-04	100%	\$6,400	\$0	\$0
Docker	4218441	16	Patrie	2007-09-04	2009-09-04	100%	\$6,400	\$0	\$0
Docker	4218442	16	Patrie	2007-09-04	2009-09-04	100%	\$6,400	\$0	\$0
Bridges	4218443	16	Patrie	2007-09-04	2009-09-04	100%	\$6,400	\$0	\$0
Bridges	4218444	16	Patrie	2007-09-04	2009-09-04	100%	\$6,400	\$0	\$0
Docker	4218445	16	Patrie	2007-09-04	2009-09-04	100%	\$6,400	\$0	\$0
Docker	4218446	16	Patrie	2007-09-04	2009-09-04	100%	\$6,400	\$0	\$0

Township/Area	Claim Number	No. of units	Recorded Holder	Recording Date	Claim Due Date	Percent Option	Work Required	Total Applied	Total Reserve
Docker	4218447	3	Patrie	2007-09-04	2009-09-04	100%	\$1,200	\$0	\$0
Docker	4218448	16	Delta	2007-07-09	2009-07-09	100%	\$6,400	\$0	\$0
Docker	4218449	16	Delta	2007-07-09	2009-07-09	100%	\$6,400	\$0	\$0
Docker	4218451	16	Delta	2007-07-09	2009-07-09	100%	\$6,400	\$0	\$0
Docker	4218452	16	Delta	2007-07-09	2009-07-09	100%	\$6,400	\$0	\$0
Docker	4218454	16	Delta	2007-07-09	2009-07-09	100%	\$6,400	\$0	\$0
Docker	4218455	16	Delta	2007-07-09	2009-07-09	100%	\$6,400	\$0	\$0
Docker	4218456	8	Delta	2007-07-09	2009-07-09	100%	\$3,200	\$0	\$0
Docker	4218457	16	Delta	2007-07-09	2009-07-09	100%	\$6,400	\$0	\$0
Langton	4218462	13	Delta	2007-06-29	2009-06-29	100%	\$5,200	\$0	\$0
Wabigoon	4218464	16	Delta	2007-06-29	2009-06-29	100%	\$6,400	\$0	\$0
Silvery Lake	4218624	13	Patrie	2007-09-20	2009-09-20	100%	\$5,200	\$0	\$0
Silvery Lake	4218625	10	Patrie	2007-09-20	2009-09-20	100%	\$4,000	\$0	\$0
Silvery Lake	4218626	13	Patrie	2007-09-20	2009-09-20	100%	\$5,200	\$0	\$0
Silvery Lake	4218627	16	Patrie	2007-09-20	2009-09-20	100%	\$6,400	\$0	\$0
Docker	4219213	12	Delta	2007-06-29	2009-06-29	100%	\$4,800	\$0	\$0
Docker	4219214	6	Delta	2007-06-29	2009-06-29	100%	\$2,400	\$0	\$0
Docker	4219215	16	Delta	2007-06-29	2009-06-29	100%	\$6,400	\$0	\$0
Docker	4219216	15	Delta	2007-06-29	2009-06-29	100%	\$6,000	\$0	\$0
Docker	4219217	16	Delta	2007-06-29	2009-06-29	100%	\$6,400	\$0	\$0
Docker	4219218	16	Delta	2007-06-29	2009-06-29	100%	\$6,400	\$0	\$0
Jackman	4219440	16	Delta	2007-06-29	2009-06-29	100%	\$6,400	\$0	\$0
Jackman	4219441	16	Delta	2007-06-29	2009-06-29	100%	\$6,400	\$0	\$0
Crabclaw Lake	4222717	5	Patrie	2007-09-20	2009-09-20	100%	\$2,000	\$0	\$0
Crabclaw Lake	4222723	13	Patrie	2007-09-20	2009-09-20	100%	\$5,200	\$0	\$0

APPENDIX B
DIAMOND DRILL LOGS

Drilling Company Salo Drilling	Core Size BQ	Collar Elevation	Azimuth 180	Length (m) 76.00 m	Dip of Hole ° Collar/collier 45	Core Storage Stewart Lake Lodge	Map Reference	Claim No.	
Date Started Jan 2008	Date Completed Jan 2008	Date Logged Jan 2008	Logged By D. Bryan		° Ft./Pi		Location (Twp. Lot, Con. or Lat. and Long.)		
Exploration Co., Owner Delta Uranium Inc			Logged by (Signature) I		° Ft./Pi				
					° Ft./Pi		Property Name Kenora Project		
					° Ft./Pi				

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From	To				
0	1.50	Casing										
1.50	5.80	Metasediments	Feldspar / quartz / biotite schist, accessory muscovite, probable greywacke, grey green mottled black, So and foliation defined by biotite alignment, moderate pervasive chlorite alteration, Quartz veinlets common along bedding planes, veinlets on mm scale and parallel bedding at 60° to core axis, random quartz boudins with biotite selvages, sequence comprised of broken core, Fe stain			487217	5.30	5.80	0.50			
5.80	8.55	Pegmatite	Pegmatite grading to granite, sill, conformable, cream to white / grey mottled pink, 2% mafics (biotite / chlorite), non magnetic, contacts generally conformable, minor irregularities			487218 487219	5.80 7.00	7.00 8.55	1.20 1.55			
8.55	21.28	Metasediments	Schist / greywacke as 1.50 -5.80, minor pegmatite / granite component as generally narrow <0.10 m sills. Sequence fines to base from a medium grained greywacke to a very fine grained siltstone, quartz partings are common throughout but more with the coarser grained sequence 8.55 – 9.60 medium grained, biotite dominant, bedding at 60° to core axis, Quartz boudins 9.60 – 10.70 pegmatite sill, cream / pink 11.20 – 11.40 pegmatite sill, white massive, trace mafics (biotite) 12.46 – 12.67 pegmatite sill, coarser grained biotite selvages 13.00 – 18.05 very fine grained metasediments, 5% very fine Quartz partings parallel bedding at 75 to 80° to core axis 18.05 – 21.28 very fine grained massive chloritic schist, 2% Quartz partings, coarse biotite rims			487220 487221	8.55 20.70	9.05 21.28	0.50 0.58			
21.28	22.30	Pegmatite	Sill, non magnetic, pink grey, moderate foliation, biotite parallel to host bedding, moderate pervasive epidote alteration. 3 – 4% fine to medium grained biotite (minor chlorite alteration)			487222	21.28	22.30	1.02			
22.30	23.30	Metasediments	Very fine grained,, grey, massive, 2 pegmatite sills 15 and 10 cm, parallel bedding at 90° to c.a			487223	22.30	23.30	1.00			
23.30	29.50	Pegmatite	Coarse grained pink to salmon colour, 5% mafics as biotite aggregates, minor chlorite / epidote alteration, pegmatite is weakly brecciated and healed by very fine grained siliceous veinlets, minor rafts of gneissic metasediment 23.30 – 24.00 massive, pink, potassium feldspar dominant, trace pyrite			487224 487225	23.30 24.00	24.00 24.95	0.70 0.95			

24.00 – 24.95 as above, biotite clots to 2 cm, chlorite / epidote alteration, trace pyrite



**Diamond
Drilling
Log**

⇒ DDH
BL08 - 01
Page
2 of 3

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From	To				
23.30	29.50 cont'd	Pegmatite	24.95 – 25.60 Lit par lit texture, pink potassium rich pegmatite, mix of narrow (cm) scale pegmatite sills within a biotite rich gneissic host, biotite grains to 2 – 3 mm, banding 80° c.a. 25.60 – 27.00 Potassium feldspar, pink / salmon colour, 8% mafics (biotite / chlorite), minor epidote alteration, biotite as aggregates 27.00 – 28.00 as above, slight fining of grain size, increase in plagioclase, grading to granite 28.00 – 29.50 pegmatite, pink with 25% biotite gneiss, sill			487226 487227 487228 487229	24.95 25.60 27.00 28.00	25.60 27.00 28.00 29.50	0.65 1.40 1.00 1.50			
29.50	76.00	Metasediment	Biotite gneiss / schist, feldspar / quartz / biotite (chlorite, epidote) medium grained, very well foliated, white speckled grey to black, consistent banding / bedding at 80° to core axis, sequence cut by numerous granite to pegmatite sills, with occasional, lesser dykes, sills on cm scale to 1.0 m in width 29.50 – 30.50 lit par lit texture, minor pegmatite 30.50 – 31.68 gneiss, 3% pegmatite sills to 5 mm in width 31.68 – 32.10 granite sill, pink, massive, 80° to core axis 32.10 – 33.05 pegmatite: gneiss mix, 85%: 15% 33.05 – 34.50 gneiss, 10% pegmatite sills to 1 to 2 cm 34.50 – 36.70 granite, pink, massive, sill 36.70 – 38.85 gneiss, medium grained, minor pegmatite 38.95 – 39.60 pegmatite, white mottled pink plagioclase > potassium, 5% biotite, sharp upper conformable contact, diffuse, gradational lower contact 39.60 – 41.20 gneiss 41.20 – 41.40 pegmatite sill 41.40 – 41.80 gneiss 41.80 – 42.75 pegmatite sill grading to granite at base 42.75 – 44.05 gneiss, fine grained, 15% narrow pegmatite sills 44.05 – 45.90 granite, pink, pink, fine to medium grained, fines to base, lower contact is very gradational 45.90 – 46.95 gneiss, 35% granite / granodiorite / pegmatite sills to 15 cm 46.95 – 47.85 pegmatite sill, pink, non magnetic, 6 – 7% biotite as grains / aggregates 47.85 – 50.53 gneiss, silicified / granitized, banding / bedding 80° to core axis, 10 to 15% granite / pegmatite sills to 3 to 5 mm, occasional to 25 cm 50.53 – 51.13 pegmatite sill, pink, potassium dominant, 5% fine biotite 51.13 – 52.55 gneiss 25% pegmatite / granite as narrow sills 52.55 – 53.10 pegmatite sill, pink, 4 – 5% biotite 53.10 – 54.00 gneiss			487230 487231 487232 487233 487234 487235 487236 487237	29.50 34.00 34.50 35.50 36.70 46.95 50.53 52.55	30.50 34.50 35.50 36.70 37.30 47.85 51.13 53.10	1.00 0.50 1.00 1.20 0.60 0.90 0.60 .055			

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From	To				
28.10	37.10 cont'd	Metasediments	28.10 – 28.85 gneiss / schist silicified 28.85 – 29.70 pegmatite sill, gradational to granite, pink, trace mafics 29.70 – 37.10 gneiss, feldspar / quartz / biotite, silicified, granite / pegmatite flooding 36.60 – 37.10 gneiss, biotite, 15% pegmatite sills to 2 cm			487253 487254 487255 487256	28.10 28.85 29.70 36.60	28.85 29.70 30.23 37.10	0.95 0.85 0.53 0.50			
37.10	38.95	Pegmatite	Pink to salmon colour, coarse grained, increase in plagioclase content, <5% biotite, brecciated			487257	37.10	38.95	1.85			
38.95	40.35	Metasediments	Gneissic, feldspar / quartz / biotite schist, accessory muscovite, banding / bedding 75 to 80° To core axis, 15% narrow pegmatite sills to 1 cm, section silicified			487258	38.95	40.35	0.40			
40.35	42.90	Granite	Medium grained massive pink mottled black, pervasive weak epidote alteration, local potassic and hematite alteration			487259 487260 487261	40.35 41.00 42.20	41.00 42.20 42.90	0.65 1.20 0.70			
42.90	48.45	Metasediments	Gneissic, feldspar, quartz, biotite schist, white mottled grey to black, contains 15% very fine grained granite and pegmatite sills, generally less than 1 cm in thickness and 10% conformable pegmatite sills with narrow (mm) coarse biotite selvages 48.00 – 48.45 gneiss as above			487262	48.00	48.45	0.45			
48.45	52.37	Pegmatite	Pegmatite to coarse grained granite, pink mottled, grey, trace mafics, massive 48.45 – 50.00 granite: pegmatite 60%: 40% 50.00 – 51.00 pegmatite 51.00 – 52.00 granite: pegmatite 60%: 40% 52.00 – 52.37 Pegmatite			487263 487264 487265 487266	48.45 50.00 51.00 52.00	50.00 51.00 52.00 52.37	0.55 1.00 1.00 0.37			
52.37	85.70	Metasediments	Gneissic, feldspar, quartz, biotite gneiss / schist, biotite weak to moderate chlorite alteration Sequence is generally silicified and contains a number of granite / pegmatite sills 52.37 – 53.00 gneiss, 30% pegmatite / granite sills 53.00 – 55.12 gneiss 15% granite / pegmatite sills at 75° to core axis 55.12 – 55.80 pegmatite, pink grey trace biotite 55.80 – 56.90 gneiss 40% narrow pegmatite sills 56.90 – 57.40 granite, massive fine grained, potassic / hematite alteration 57.40 – 57.65 gneiss 57.65 – 58.10 pegmatite sill, pink, trace biotite 58.10 – 58.35 gneiss 58.35 – 58.55 pegmatite sill 58.55 – 58.90 gneiss 58.90 – 59.20 pegmatite sill, trace biotite 59.20 – 60.45 gneiss silicified and granitized, 25% fine granite sills, grades to granite at base 60.45 – 61.00 pegmatite sill, trace to nil biotite content			487267	52.37	53.00	0.63			



Diamond Drilling Log

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From/De	To/A				
52.37	85.70 cont'd	Metasediment	61.00 – 64.45 gneiss 15% narrow granite to pegmatite sills 64.45 – 64.85 granite marginal to pegmatite, minor biotite 64.90 – 65.15 pegmatite sill 65.85 – 66.00 pegmatite sill 66.50 – 66.70 pegmatite sill 66.90 – 67.10 granitized and silicified gneiss 68.75 – 68.85 pegmatite sill 70.25 – 70.75 pegmatite sill 70.75 – 72.10 gneiss silicified with 15% narrow granite sills and lesser minor dykes to 15 cm banding / bedding at 80° to core axis 72.10 – 76.40 gneiss medium to coarse grained 30% granite / pegmatite sills 76.85 – 76.95 pegmatite sill 78.90 – 79.10 pegmatite sill 79.25 – 79.62 pegmatite with 20% metasediment rafts 81.65 – 81.95 pegmatite sill, pink, trace biotite 81.95 – 85.70 metasediments granitized and silicified, coarse grained, 25% narrow pegmatite sills at 75 to 80° to core axis, quartz boudins, 85.20 – 85.70 30% pegmatite			487269	85.20	85.70	0.50			
85.70	88.30	Pegmatite	Pegmatite sill, pink, minor granite component, minor metasediment rafts 85.70 – 87.00 pegmatite, 10% metasedimentary rafts, 10% fine to coarse biotite 87.00 – 88.30 pegmatite / granite / metasediment 40% : 40%: 20%			487270 487271	85.70 87.00	87.00 88.30	1.30 1.30			
88.30	95.50	Metasediment	Feldspar quartz, biotite gneiss, granitized and silicified, minor granite and pegmatite sills 88.30 – 88.80 granitized gneiss 89.15 – 89.45 pegmatite sill 89.90 – 90.45 biotite schist, fine grained, 30%pegmatite and granite sills, distinct from gneissic unit, strongly chloritized 90.45 – 95.50 gneiss, silicified, random minor pegmatite / granite sills 91.30 – 91.90 pegmatite / granite sill 92.90 – 93.10 pegmatite sill			487272	88.30	88.80	0.50			

Drilling Company Salo Drilling	Core Size BQ	Collar Elevation	Azimuth 180	Length (m)	Dip of Hole at ° Collar 65	Core Storage Stewart Lake Lodge	Map Reference	Claim No.
Date Started Jan 28, 2008	Date Completed Jan 2008	Date Logged Jan 2008	Logged By D. Bryan		Ft./Pi °	Location (Twp. Lot, Con. or Lat. and Long.)		
Exploration Co., Owner Delta Uranium Inc			Logged by (Signature) I		Ft./Pi °			
					Ft./Pi °			
							Property Name Kenora Project	

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From	To				
0	3.00	Casing										
3.00	12.10	Metasediments	Feldspar / quartz / biotite schist, grey green mottled black, bedding and foliation defined by biotite alignment, moderate pervasive chlorite alteration, patchy weak epidote alteration Quartz veinlets on mm scale become more prominent to base of section, along bedding planes 65° to core			487377	11.60	12.10	0.50			
12.10	14.75	Pegmatite	Pegmatite sill, non magnetic, pink / white / grey, potassium feldspar, plagioclase, quartz, biotite, weak patchy hematite alteration, very weak potassic alteration, pink to red, accessory muscovite, low biotite 3%, upper contact very irregular with narrow biotite selvage, lower contact is broken			487378 487379	12.10 13.50	13.50 14.75	1.40 1.25			
14.75	16.75	Metasediments	Feldspar quartz biotite schist as preceding unit but with an increase in quartz partings parallel to bedding and foliation planes at 70 to 80° to core axis, slight increase in biotite content and a slight drop in overall chlorite alteration, more of a coarser grained sandy texture			487380 487381	14.75 16.25	15.30 16.75	0.55 0.50			
16.75	18.65	Pegmatite	Sill, non magnetic, light pink, drop in hematite and potassic alteration, slight drop in plagioclase feldspar with increase in plagioclase, grey quartz, trace to minor biotite and trace muscovite			487382 487383	16.75 17.50	17.50 18.65	0.75 1.05			
18.65	19.40	Metasediments	Feldspar quartz biotite schist, very fine grained, massive, 30% pegmatite / granite sills			487384	18.65	19.40	0.75			
19.40	19.95	Pegmatite	Pegmatite dyke, description as 12.10 – 14.75, biotite c4to 6%, very minor hematite and potassic alteration			487385	19.40	19.95	0.55			
19.95	22.40	Metasediments	Feldspar quartz biotite schist, weak pervasive chlorite alteration, very fine grained, thin bedded White pegmatite sills at 20.80 – 20.92, 21.10 – 21.35, bedding 80° to core axis			487386	19.95	20.45	0.50			
22.40	25.05	Granite/ Pegmatite	Granite: pegmatite 85:15, non magnetic, pink to salmon colour, fine grained grey quartz, low hematite and potassic alteration, probable sill, lower contact conformable									
25.05	25.90	Metasediment	Feldspar quartz biotite schist, very fine grained, bedding on cm scale, to 2.0 cm, minor epidote chlorite and alteration, quartz partings, bedding 85° to core axis			487385	19.40	19.95	0.55			

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From	To				
25.90	27.02	Granite	Granite sill, medium grained, massive, pale pink, fresh									
27.02	28.33	Metasediments	Feldspar quartz biotite (chlorite) schist, very fine grained, thin bedding, increase in pervasive epidote, minor epidote rich beds, pyrite seam at 28.55 associated with a narrow zone of silicification, strong epidote alteration from 28.12 – 28.30			487387	27.70	28.33	0.63			
28.33	29.70	Pegmatite	Sill, non magnetic, pale pink potassium feldspar dominant, grey quartz, 3 to 5% finely disseminated biotite, marginal to very coarse grained granite			487388	28.33	29.70	1.37			
29.70	34.10	Metasediment	Feldspar quartz biotite schist, fine to medium grained very thinly bedded, mm scale, pervasive weak epidote alteration biotite 15%, 30.60 and 30.75 small pyrite cubes as irregular veinlets to 5.0 cm, minor granite / pegmatite at 30.00 – 30.35, 30.80 – 31.10 (dyke), epidote alteration increasing to base			487389	29.70	30.00	0.30			
34.10	41.65	Metasediments	Biotite gneiss, mineralogy as preceding cut coarser grained and a very pronounced foliation parallel to bedding at 75 to 80° to core axis, increase in the frequency granite / pegmatite sills, sequence is medium to coarse grained and contains 20% medium to coarse grained biotite, significant granite sills at 34.10 – 34.50, 34.60 – 34.70, 34.90 – 35.05, 35.30 – 35.50, 36.10 – 36.20, 36.45 – 36.75, these sills have fine biotite rich margins, in conjunction there are a number of very fine (1 – 4 mm) granite sills									
41.65	44.60	Granite/Pegmatite	Granite :pegmatite 90:10, sill, medium to coarse grained, weak hematite and localized potassic alteration, minor metasediment raft									
44.60	45.50	Metasediments	Gneiss, medium grained, 15% very fine grained granite / pegmatite sills mm to 5 cm, bedding 75 to 80° to core axis			487390	45.00	45.50	0.50			
45.50	60.55	Pegmatite/granite	Sill, complex intermixing pegmatite and granite, potassium feldspar dominant, low biotite, pink to pale pink, grey quartz 45.50 – 47.00 pegmatite, pink to light grey, weak potassic alteration, minor quartz 47.00 – 48.50 as above, minor brecciation to core 48.50 – 50.00 as above with weak potassic alteration, patchy strong hematite alteration and veining, fault at 48.70 – 48.90 at about 30° to core axis 50.00 – 51.50 pegmatite, broken core 50.0 – 50.50, very strong hematite, locally brick red 51.50 – 53.00 as above, biotite aggregates 2% to 2 cm 53.00 – 54.50 as above, very strong hematite alteration at top, numerous random breaks 54.50 – 56.00 pegmatite badly broken core 55.5 – 56.00, very strong hematite alteration, locally brick red 56.00 – 58.00 pegmatite, broken core 40% core recovery, weak to moderate hematite alteration			487391 487392 487393 487394 487395 487396 487397 487398 487399 487400	45.50 47.00 48.50 50.00 51.50 53.00 54.50 56.00 58.00 60.00 60.55	47.00 48.60 50.00 51.50 53.00 54.50 56.00 58.00 60.00 60.55				

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From	To				
14.20	17.74 cont'd	Pegmatite	14.20 – 16.00 potassium feldspar dominant, grey quartz, 2 to 4% fine biotite as discrete grains and aggregates to 1 cm, weak hematite / potassic alteration 16.00 – 17.74 as above but biotite to 4 to 6% as coarse aggregates and from 17.00 to 17.25 as disjointed veins to 3 to 4 mm, sub parallel to core axis, weak hematite / potassic alteration			487286 487287	14.60 16.00	16.00 17.74	1.60 1.74			
17.74	18.35	Metasediment	Feldspar / quartz / biotite / chlorite schist, accessory muscovite, quartz / epidote flooded, quartz parallel to bedding, folded minor quartz carbonate vein to 1 cm			487288	17.74	18.35	0.61			
18.35	18.80	Pegmatite	As 14.20 – 16.00 but biotite to 10% as aggregates, trace pyrite cubes to 5 mm, sill			487289	18.35	18.80	0.45			
18.80	21.80	Metasediment	Schist as 17.74 – 18.35, chlorite alteration is pervasive but weak, massive and fine grained, minor narrow granite sills, bedding 80° to core axis 19.90 – 20.00 granite sill, 20.75 – 21.80 silicified with boudinaged quartz, biotite selvages			487290	18.80	19.30	0.50			
21.80	22.90	Granite	Coarse grained granite to marginal pegmatite, metasediment inclusion 22.65 – 22.75, plagioclase increases and potassium feldspar decreases to base, grain size increase to base									
22.90	24.40	Metasediment	As preceding unit, very fine grained, bleached, weak pervasive silicification some quartz flooding as fine veinlets parallel to core axis									
24.40	25.30	Granite	Sill, contacts at 60° to core axis, pink to red, grey quartz, potassium dominant, cut by 10 cm grey to white quartz vein									
25.30	27.10	Metasediment	Feldspar / quartz / biotite / chlorite schist, accessory muscovite, quartz, minor epidote, minor Quartz veinlets 26.60 – 27.10 metasediment 30% medium grained granite, narrow biotite selvages			487291	26.60	27.10	0.50			
27.10	35.40	Pegmatite	Complex pegmatite / coarse grained granite mix, minor metasediment rafts, pink, mottled grey with quartz, potassium feldspar, plagioclase, quartz, variable biotite content, accessory muscovite and random pyrite crystals, weak hematite and potassic alteration 27.10 – 28.00 pegmatite: granite 70:30 grey quartz, 2% biotite 28.00 – 29.00 pegmatite, 5% metasediment raft, biotite to 5% mainly in last 0.2 m, potassium feldspar dominant 29.00 – 30.00 pegmatite: granite 70:30 slight foliation to biotite, 6 to 8% as discrete grains 30.00 – 31.00 pegmatite: granite 60:40, 5 to 6% fine biotite, pink 31.00 – 32.00 pegmatite, light pink, grey quartz, 3 to 5% biotite, potassium feldspar to 8 cm 32.00 – 33.00 pegmatite; granite 80:20 33.00 – 34.00 as above, increase in hematite and potassic alteration, weak to moderate 34.00 – 35.70 pegmatite: granite; metasediment 70:20:10, grades to foliated granite at base fault 37.40 – 35.10 minor metasediment rafts			487292 487293 487294 487295 487296 487297 487298 487299	27.10 28.00 29.00 30.00 31.00 32.00 33.00 34.00	28.00 29.00 30.00 31.00 32.00 33.00 34.00 35.40	0.90 1.00 1.00 1.00 1.00 1.00 1.00 1.40			



Diamond Drilling Log **Journal de forage au diamant**

NTS: WGS84
439619E
5521776N
438 M ELEV
(ASL)

AZIMUTH: 360°
DIP: -45°
TOTAL DEPTH: 77.22 m

DATE: 19 FEB 08
LOGGER: R.G. BONNER

Hole No. Forage n°
BL 08 -
05

Page No. Page n°
1 of 2

Footage/Avancement		Rock type	GRAPHIC	OBSERVATION	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature	Ref Sample No.	Geochem Sample No.	Sample Footage		Sample Length
From/De	To/A	Type de roche							From/De	To/A	
Box 1					0.0 - 11.6	GRANITE PEGMATITE: SALMON PINK, KSPAR UP TO 10CM		475532	0.0	1.0	1.0
	6.01					LESS QUARTZ UP TO 2CM - WHITE TO LIGHT GREY, LESS PLAG				2.0	
						AND MINOR MAFICS - BIOTITE WITH LATHE LIKE APPEARANCE. KSPAR	100			3.0	
Box 2						OFTEN WITH MER				4.0	
										5.0	
	11.72				11.6 - 16.95	CHLORITIC GRANITIC GNEISS: LIGHT GREY GREEN, WELL FOLIATED	100			6.0	
Box 3						WITH CHLORITIC MAFIC BLENDS UP TO 3MM, CRYSTAL BLENDS, GRANITIC				7.0	
						DYKE AT 14.5 m, FOLIATION IS SHALLOW TO THE CA				8.0	
	17.58						100			9.0	
Box 4					16.95 - 29.7	GRANITE PEGMATITE: AS IN 0.0 - 11.6, BIOTITE RARELY TO 2cm				10.0	1.0
	23.43						100			10.0	1.5
										16.0	1.0
Box 5						BROKEN CORE - CORE LOSS 0.5m				18.0	
						BROKEN CORE				19.0	
	29.52				29.7 - 35.6	CHLORITIC GRANITIC GNEISS: AS IN 11.6 - 16.95, INCLUDES INTERVAL	90			20.0	
Box 6						OF CHLORITE SCHIST FROM 32.3 TO 33.6 m IS MEDIUM TO COARSE GRAINED				21.0	
	35.53					LOWER GNEISS CONTACT IS CHARACTERIZED AS IRREGULAR AS				22.0	
						GNEISS APPEARS TO BE "CONSUMED" BY LOWER DYKE INTERVAL	100			23.0	
Box 7						FOLN AT 30° TO CA		475550	23.0	24.0	1.0
	41.7				35.6 - 37.1	PEGMATITE GRANITE: SALMON PINK, RELATIVELY VERY COARSE GRAINED		475551	24.0	26.0	1.6
						GREY QUARTZ, SHARP CNTS, HEMATITE WIDESPREAD	100			27.0	1.0
Box 8					37.1 - 40.0	GRANITIC GNEISS: AS IN 11.6 - 16.95				28.0	1.0
	47.58						100	475555	29.0	29.7	0.7
Box 9					40.0 - 54.2	PEGMATITE GRANITE: AS IN 35.6 - 37.1, HEMATITE SPOTS,		475556	35.6	37.1	0.5
	53.5					COATINGS AND FRACTURE FILLS, GREY TO DARK GREY QUARTZ		475557	40.0	41.0	1.0
						GNEISS FRAGMENT SHARP CNT	100			42.0	
Box 10					54.2 - 70.4	CHLORITIC GRANITIC GNEISS: AS IN 11.6 - 16.95 m, SEVERAL				43.0	
						PEGMATITE DYKES UP TO 0.5m				44.0	
	59.5						100			45.0	
						FOLN AT 40° TO CA				45.0	1.0
								475562	45.0	46.0	1.0

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.

SAMPLE RECOVERY 80%



Diamond Drilling Log **Journal de forage au diamant**

NTS: WGS84
439619 E
5521776 N
438 M ELEV
M (ASL)

AZIMUTH: 360°
DIP: -45°
TOTAL DEPTH: 77.2m

DATE: 21 FEB 08
LOGGER: R.G. BONNER

Hole No. Forage n°
BL 08 -
05

Page No. Page n°
2 of 2

Footage/Avancement BOX NUMBER From/De To/A M		Rock type Type de roche	GRAPHIC	DESCRIPTION (Colour, grain size, texture, minerals, alteration, etc.) OBSERVATION M	Plunge Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage To/A m m		Sample Length M
Box 11				54.2-70.4 CHLORITIC GRANITIC GNEISS: CONT...			475563	46.0	47.0	1.0
	65.4		64	DYKE	100				48.0	
Box 12			68						49.0	
	71.42		72	SHARP CNT					50.0	
				70.4-74.7 GRANITE - GRANITE PEGMATITE: MEDIUM TO COARSE GRAINED, SEVERAL 'GNEISS' LIKE ZONES WHERE GNEISS IS ASSIMILATED, KSPAR, PLAG UP TO 3mm, MAFICS (BIOTITE) UP TO 10%	100				51.0	
Box 13			76	DARKER RED SHARP-GRADATIONAL					52.0	
	77.2			74.7-77.2 CHLORITIC GRANITIC GNEISS: AS IN 54.2-70.4m	100		475570	53.0	54.0	1.0
				END OF HOLE 77.2m			475571	70.5	71.0	0.5
			80					71.0	72.0	1.0
									73.0	1.0
									74.0	1.0
							475575	74.0	74.75	0.75

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

NTS: WGS 84 ZONE 15
439621 E
5521776 N
437 M ELEV
ASL

DATE: 23 FEB 2008
LOGGER: R.G. BONNER

AZIMUTH: 360° →
DIP: -65°
TOTAL DEPTH: 104.1m

Hole No. Forage n°
BLØ8 - 006
Page No. Page n°
1 of 2

Footage/Avancement Box NUMBER		Rock type Type de roche	GRAPE	Description (Colour, grain size, texture, minerals, alteration, etc.)		Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage		Sample Length
From/De	To/A M			OBSERVATION	M				Fe/A m	m	m
Box 1	1.0		4		1.0 - 17.5			475577	12.4	13.6	1.2
			4						13.6	15.0	1.4
	6.0		8			100%			15.0	16.0	1.0
Box 2			8					475580	16.0	17.5	1.0
			12					475581	22.0	23.0	1.0
	11.5		12	ADD 11.2M RUBBLE - FAULT-FREAK		80%		475582	23.0	24.0	1.0
Box 3			16	DARKER				475583	24.0	26.5	1.5
			16					475584	42.8	44.0	1.2
	18.3		20	SHARP - IRREGULAR FOLN AT 25° TO CA	17.5 - 22.0	100%				45.0	1.0
Box 4			20	SHARP						46.0	
			24							47.0	
	24.2		24		22.0 - 26.55	100				48.0	
Box 5			28	SHARP MISS MARKED LOST 1.0m						49.0	↓
			28							50.0	1.0
	30.15		32	CHLORITIC DYKE		80		475591	50.0	51.2	1.2
Box 6			32					475592	64.6	66.0	1.4
			36	DYKE DYKE	26.55 - 42.8	100			66.0	67.0	1.0
	35.98		36							68.0	
Box 7			40	FOLN AT 20° TO CA						69.0	↓
			40							70.0	1.0
	41.9		44	SHARP		100		475597	70.0	71.1	1.1
Box 8			44		42.8 - 51.2			475598	85.8	87.0	1.2
			48						87.0	88.0	1.0
	47.7		48			100			88.0	89.0	1.0
Box 9			52	GNEISS	51.2 - 53.5				89.0	90.0	1.0
			52	SHARP					90.0	92.0	1.0
	53.6		56			100			92.0	93.0	1.0
Box 10			56		53.5 - 64.6			475604	93.0	94.0	1.0
			60								
	59.5		60								

MISS MARKED IN CORE BOX

MISS MARKED IN CORE BOX

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

NTS: WGS 84 ZONE 18N
439621 E
5521776 N
437 M ELEV
ASL

AZIMUTH: 360°
DIP: -65°
TOTAL DEPTH: 104.1 M

DATE: 23 FEB 08
LOGGER: R.C. BONNER

Hole No. Forage n°
BL08-006

Page No. Page n°
2 of 2

Footage/Avancement BOX NUMBER		Rock type Type de roche	GENERIC	OBSERVATION M	Description (Colour, grain size, texture, minerals, alteration, etc.) M	Planar Feature % RECOVERED	Ref Sample No.	Geochem Sample No. ELEMENTS	Sample Footage		Sample Length M
From/De m	To/A m	From/De m							To/A m		
Box 11					53.5-64.6 <u>MIXED GRANITE GNEISS AND GRANITE PEGMATITE: CONT...</u>						
	65.44		64	DYKE SHARP - COOLING CNT ↑ FINER							
Box 12			68		64.6-71.4 <u>GRANITE PEGMATITE: AS IN 22.0-26.55 M, LIGHT GREY QUARTZ, FEW GNEISS FRAGMENTS</u>						
	71.32		72	GNEISS SHARP							
Box 13			76	DYKE	71.4-85.8 <u>MIXED GRANITE GNEISS AND GRANITE PEGMATITE: AS IN 53.5-64.6m</u>						
	77.23		80	DYKE							
Box 14			84	DYKE							
	83.2		88	DYKE							
Box 15			92	SHARP	85.8-94.0 <u>PEGMATITE GRANITE: AS IN 22.0-26.55 M, HEMATITE ON FRACTURES AND GRAIN BOUNDARIES, SLIGHTLY ELEVATED CDS</u>						
	89.1		96	SHARP							
Box 16			100		94.0-104.1 <u>GRANITIC GNEISS; FEW MED GRAINED TO PEGMATITIC GRANITE DYKES</u>						
	101.05		104	DYKE							
Box 17											
	104.1				END OF HOLE 104.1 M						

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log

Journal de forage au diamant

NTS: WGS 84
440324E
5521650N
438 m ASL

DATE: 18 FEB 08
LOGGER: R.G. BONNER

AZIMUTH: 055° →
DIP: -45°
TOTAL DEPTH:

Hole No. Forage n°
BL 08 -
Ø7

Page No. Page n°
1 of 2

Footage/Avancement Box NUMBER		Rock type Type de roche	GRAPHIC	OBSERVATION	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. Example	Sample Footage		Sample Length		
From/De	To/A	M							M	M			
Box 1			[Hatched pattern]		0.0 - 6.2 GRANITIC GNEISS: LITE GREY TO PINKISH, MEDIUM GRAINED, WELL FOLIATED (30° TO CA MAYBE CAUSE FOR CONCERN WITH DDH AZIMUTH), BIOTITE UP TO 4mm, QZ, PLAG, SKSPAR, FEW			487428	6.2	7.0	0.8		
	5.81			4	FOLN AT 30° TO CA SHARP CNT					7.0	8.0	1.0	
Box 2			[Dotted pattern]		MEDIUM TO FINE GRAINED GRANITIC DYKES, WEAKLY FOLIATED, SHARP CONTACTS	90%				9.0			
	11.78			8	FINING					10.0			
Box 3			[Dotted pattern]		6.2 - 22.5m GRANITE - GRANITE PEGMATITE: SALMON PINK, FINE TO COARSE GRAINED WITH FELDSPARS UP TO 3cm, BIOTITE IS RELATIVELY FINE UP TO 3mm AND MAY BE WEAKLY FOLIATED, QUARTZ IS LITE TO MEDIUM GREY, MINOR CLAY ALTERATION OF SOME FRACTURES	100				12.0			
	17.78			12						13.0			
Box 4			[Dotted pattern]		22.5 - 28.5 CORE CANNOT BE RELATED - GEOLOGY AND SAMPLING CANNOT BE RELIED ON - NOT SAMPLED!	100				14.0			
	23.98	22.5m CORE IS MIS-MATCHED!		16						15.0			
Box 5			[Dotted pattern]		28.5 - 30.9 GRANITE PEGMATITE: AS IN 6.2 - 22.5m	100 LENGTH OK				16.0			
	29.90	EXTRA 0.4m - DAM DRILLERS!		20						17.0			
Box 6			[Hatched pattern]		30.9 - 34.0 GRANITIC GNEISS: AS IN 0.0 - 6.2m			487444	22.0	22.5	0.5		
	35.38			24					487445	28.5	29.5	1.0	
Box 7			[Hatched pattern]		34.0 - 73.2 GRANITE - GRANITE PEGMATITE: AS IN 6.2 - 22.5, QUARTZ IS GREY FROM 40-...m, COARSE PEG FROM 40-55m, ALSO 59-61, 64-66			487446	29.5	30.9	1.4		
	41.79			28					487447	34.0	35.0	1.0	
Box 8			[Hatched pattern]		44.6 - 45.6: 1m CORE LOST					36.0	1.0		
	47.68			32						37.0	38.0	1.0	
Box 9			[Dotted pattern]					487450	37.0	38.0	1.0		
	53.72			36					475501	38.0	39.0	1.0	
GREASY BOX			[Dotted pattern]							40.0	1.0		
	59.52			40						41.0	1.0	80%	
Box 10			[Dotted pattern]							42.0	1.0	100%	
				44						43.0	1.0	80%	
			[Dotted pattern]							43.0	46.0	3.0	60%
				48						46.0	47.0	1.0	100%
			[Dotted pattern]							47.0	49.0	2.0	60%
				52						49.0	50.0	1.0	100%

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.

475509 49.0 50.0 1.0 100%



Diamond Drilling Log
Journal de forage au diamant

NTS: WGS 84
440324E
55 21650N
438 M ASL

DATE: 19 FEB 08
LOGGER: R.G. BONNER

AZIMUTH: 055° ⇒
DIP: -45°
TOTAL DEPTH:

Hole No. Forage n°
BL 08
Ø 7
2 OF 2

Footage/Avancement Box NUMBER		Rock type Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Esture % RECOVERY	Ref Sample No.	Geochem Sample No. Echantillon	Sample Footage		Sample Length m
From/De	To/A m						Total m	m	
Box 11			34.0-73.2 <u>GRANITE - GRANITE PEGMATITE: CONT...</u>			475510	50.0	51.0	1.0
59.52							51.0	52.0	
	65.38		DARK COARSE QUARTZ	100				53.0	
Box 12								54.0	
								55.0	
	71.32			100				56.0	
Box 13			73.2-74.4 <u>GRANITE GNEISS: AS IN 0.0-6.2m</u>					57.0	
								58.0	
	77.22		74.4-81.0 <u>GRANITE PEGMATITE: AS IN 34.0-73.2m, QUARTZ IS CLEAR</u>	100				59.0	
Box 14			WHITE, MEDIUM GRAINED					60.0	
								61.0	
	83.13		81.0-85.05 <u>GRANITE GNEISS: AS IN 0.0-6.2m</u>	100				62.0	
Box 15								63.0	
								64.0	
	89.0		85.05-87.7 <u>GRANITE - GRANITE PEGMATITE: AS IN 34.0-73.2m</u>	100				65.0	
Box 16			87.7-89.2 <u>GRANITE GNEISS: AS IN 0.0-6.2m</u>					66.0	
	92.0		END OF HOLE	100				67.0	
			89.2-92.0 <u>GRANITE - GRANITE PEGMATITE: AS IN 34.0-73.2m</u>					68.0	
								69.0	
								70.0	
								71.0	
						475531	71.0	72.0	1.0
						475605	72.0	73.2	1.2
							73.2	74.4	1.2
							74.4	75.5	1.1
							75.5	76.5	1.0
								77.5	
								78.5	
								79.5	
						475612	79.5	80.5	1.0

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

NTS: WGS 84
440324E
5521650N
438 ELEV
(M ASL)

AZIMUTH: 055°
DIP: -65°
TOTAL DEPTH: 101M

DATE: 20 MAR 08
LOGGER: RGB

Hole No. Forage n°
BLOB -
ØØB

Page No. Page n°
1 of 2

Footage/Avancement Box NUMBER		Rock type Type de roche	GRAPHIC	OBSERVATIONS	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature RECOVERY	Ref Sample No.	Geochem Sample No. EXAMPLE	Sample Footage M		Sample Length M
From/De	To/A M								From	To	
Box 1				CA AT 30°	0.0 - 18.25 GRANITIC GNEISS: WHITE TO GREYISH PINK FOLIATED BIOTITE RICH WITH CLEAR WHITE QUARTZ, CREAM PLAGIOCLASE AND LESS SALMON KSPAR, RARE SPECKS PYRITE, SEVERAL SALMON COLOURED DYKES ALL CNT'S ARE SHARP, BIOTITE-CHLORITE NOTED, DYKES PEGMATITE			475613	18.2	19.0	0.8
	5.9		4						19.0	20.0	1.0
Box 2						100%				21.0	
	11.7		8	GRANITE DYKE						22.0	
			12	DYKE - GRANITE		100%				23.0	
Box 3										24.0	
	17.6		16	- CA AT 40° DYKE		100%				25.0	
Box 4					18.25 - 40.8 GRANITE - GRANITE PEGMATITE: SALMON PINK, MEDIUM TO PEGMATITE, QUARTZ RANGES FROM CLEAR TO LIGHT GREY TRANSPARENT					26.0	
	23.5		20	SHARP CNT						27.0	
Box 5					BIOTITE 5% , FEW GNEISS INCLUSIONS ARE BIOTITE-CHLORITE RICH, HEMATITE INCREASES THROUGH INTERVAL AS SPOTS AND SPECKS TO FRACTURE AND CRYSTAL COATINGS, SAMPLED BUT VERY LOW RADIOACTIVITY	100%				28.0	
	29.5		24	HEMATITE INCREASING						29.0	
Box 6						100%				30.0	
	35.3		28							31.0	
Box 7										32.0	
	41.2		32	PEGMATITE						33.0	
			36	GNEISS		100%				34.0	
Box 8					40.8 - 46.1 GRANITIC GNEISS: AS IN 0.0-18.25, NUMEROUS PEGMATITE DYKES, APPEARS AS SOME INTERVALS ARE ASSIMILATING GNEISS	100%				35.0	
	47.1		40	SHARP CNT AT 40°						36.0	
Box 9										37.0	
	53.3		44	DYKE PEGMATITE						38.0	
			48	SHARP CNT						39.0	↓
Box 10										40.0	1.0
	59.13		52	WRATHERED? SHARP CORE		100%		475636	46.1	47.0	0.9
			56	DYKE	46.1 - 49.1 GRANITE PEGMATITE: QUARTZ IS GREY, LOW RADIOACTIVITY, GNEISS INCLUSION, SAMPLED			475637	47.0	48.0	1.0
			60	CA AT 30°		100%		475638	48.0	49.1	1.1
								475639	60.7	62.0	1.3
					49.1 - 60.7 GRANITIC GNEISS: AS IN 40.8 - 46.1					63.0	1.0
										64.0	
						100%				65.0	

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.

475644 66.0 67.0 1.0
CONT...



Diamond Drilling Log

Journal de forage au diamant

WGS84
440324 E
5521650 N
438 M ASL

AZIMUTH: 055°
DIP: -65°
TOTAL DEPTH: 101 M

DATE: →
LOGGER: RLB

Hole No.
Forage n°
BL08 -
Ø Ø 8

Page No.
Page n°
2 of 2

Footage/Avancement Box NUMBER		Rock type	GRAPHIC	OBSERVATIONS	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature RECOVERY	Ref Sample No.	Geochem Sample No. ELEM/DE	Sample Footage M		Sample Length M
From/De	To/A	Type de roche							From	To	
Box 11				SHARP	60.7 - 70.1 GRANITE PEGMATITE: SALMON PINK, COARSE GRAINED			475645	67.0	68.0	1.0
			64		TO PEGMATITE, CRYSTALS UP TO 3CM, QUARTZ IS CLEAR TO			475646	68.0	69.0	1.0
	65.1				GREY, MINOR BIOTITE BUT INTERVAL IS FRACTURE FILLS WITH	100%		475647	69.0	70.1	1.1
Box 12			68		HEMATITE, OCCURS AS SPOTS, COATINGS, MINOR YELLOW						
				SHARP	CLAY BLEBS (RARE), WEAK RADIOACTIVITY, SAMPLED						
	71.0		72	CA AT 30°		100%					
Box 13					70.1 - 101.0 GRANITIC GNEISS: AS IN 40.8 - 46.1M, SEVERAL SALMON						
			76	PEGMATITE - MAFIC ROCK	PINK GRANITE PEGMATITE DYKES AS ABOVE WITH HEMATITE						
	77.0				DYKES HAVE LOW RADIOACTIVITY, TWO NARROW INTERVALS	100%					
Box 14			80	CA AT 40°	OF DARK GREEN CHLORITE-BIOTITE MAFIC ROCK WITH FINE PINK						
					KSPAR(?) GRAINS - SHARP CNTS						
	83.0		84			100%					
Box 15				PEGMATITE							
			88	PEGMATITE							
	88.95					100%					
Box 16			92	PEGMATITE							
				PEGMATITE							
	95.0		96	CA AT 20°		100%					
Box 17											
			100								
	101.0				EOH						
			104								
			108								
			112								
			116								
			120								

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log **Journal de forage au diamant**

NTS WGS 84
440348 E
5521598 N
440 m ASL

AZIMUTH: 055°
DIP: -45°
TOTAL DEPTH: 77.0m

DATE: 20 MARCH 08
LOGGERS: RGB

Hole No. Forage n°
BLOB -
ØØ9

Page No. Page n°
1 of 2

Footage/Avancement Box NUMBER		Rock type Type de roche	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)		Planar Feature % RECOVERED	Ref Sample No.	Geochem Sample No. From/De	Sample Footage m		Sample Length m
From/De	To/A m	OBSERVATIONS		M	From				To		
Box 1					0-2.5m CASING - REMAINS						
			4	2.5-13.0	GRANITIC PEGMATITE: SALMON PINK TO WHITE PEGMATITE COMPRISING KSPAR, PLAGIOCLASE WITH LIGHT GREY QUARTZ AND <10% BIOTITE COMMON RED HEMATITE AS CRYSTAL COATINGS, FRACTURE FILLS AND SPOTS, MINOR LIMONITE ON FRACTURES, LOW RADIOACTIVITY			475648	2.5	4.0	1.5
	8.43		8							6.0	
										7.0	
Box 2			12		SHARP CNT AT 20° TO CA GRANITIC GNEISS 10.5-11.55m CORRODED					8.0	
								475654	9.0	10.4	1.4
	14.43		16	13.0-34.8	GRANITIC GNEISS: GREY TO PINKISH, MEDIUM GRAINED, FOLIATED WITH BIOTITE, FEW GRANITIC DYKES, BROKEN RUBBLE AT 25m, SHARP CONTACTS	100		475655	11.6	13.0	1.4
Box 3			20					475656	34.8	36.0	1.2
									36.0	37.0	1.0
	20.44		24		DYKE	100			37.0	38.0	1.0
Box 4			24		RUBBLE			475659	38.0	39.0	1.0
	26.32		28			90					
Box 5			32		FOLIATION AT 20° TO CA						
	32.3				DYKE	100					
Box 6			36		SHARP CNT AT 20° TO CA						
				34.8-39.0	COARSE GRANITES AS IN 2.5-13.0, SECTIONS ARE PEGMATITIC LESS HEMATITE BUT STILL PRESENT, LOW RADIOACTIVITY						
	38.3		40			100					
Box 7			44		DYKE						
				39.0-68.0	GRANITIC GNEISS: AS IN 13.0-34.8m						
	44.38		48		DYKE	100					
Box 8			52								
	50.31					100					
Box 9			56		DYKE						
					DYKE	100					
Box 10			60								

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

NTS WGS 84
 440 348 E
 55 21 598 N
 440 m ASL

AZIMUTH: 055°
 DIP: -45°
 TOTAL DEPTH: 77.0 m

DATE: 21 MARCH 08
 LOGGER: RGB

Hole No. Forage n°
 BLO8-
 øø9

Page No. Page n°
 2 of 2

Footage/Avancement		Rock type	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No.	Sample Footage		Sample Length
From/De	To/A	Type de roche						From	To	
Box 10	62.6			39.0-68.0 GRANITIC GNEISS: CONT...	100					
Box 11	70.1			68.0-70.1 LOST 1.9 m CORE! CONTACT OBSCURE DUE TO LOST CORE						
Box 12	76.1			68.0-75.0 COARSE GRANITE: AS IN 34.8-39.0	80					
Box 13	77.0			75.0-77.0 GRANITIC GNEISS: AS IN 39.0-68.0						
				SHARP IRREGULAR CUT DYKE						
				EDH						

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log **Journal de forage au diamant**

NTS: WGS84
440348E
5521598N
440M ASL

AZIMUTH: 055°
DIP: -65°
TOTAL DEPTH: 101.0M

DATE: 20 MARCH 08
LOGGER: RGB

Hole No. Forage n°
BL 08 -
10

Page No. Page n°
1 of 2

Footage/Avancement Box NUMBER		Rock type Type de roche	GRAPHIC	DESCRIPTION (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage M		Sample Length M
From/De	To/A			OBSERVATIONS				From	To	
Box 1				DYKE	0.0 - 101.0					
			4	CA AT 30° FOLIATION	GRANITIC GNEISS: PINKISH GREY, FINE TO MEDIUM GRAINED					
					WELL DEVELOPED FOLIATION, CLEAR QUARTZ, PLAGIOCLASE, KSPAR					NOT SAMPLED
					UP TO 10% BIOTITE, BANDS WITH BIOTITE-CHLORITE, MINOR CLAY					
	7.42		8		OBSERVATIONS, FEW WEATHERED FRACTURE ZONES, SEVERAL	100				
Box 2				DYKE	SALMON PINK MEDIUM TO COARSE GRAINED GRANITIC DYKES.					
			12	DYKE	SHARP CNTS, MINOR HEMATITE WITH DYKES AS FRACTURE AND					
	13.3			DYKE	CRYSTAL COATINGS AND MINOR SPOTS, LOW RADIOACTIVITY	100				
Box 3			16	DYKE						
	19.14		20	DYKE		100				
Box 4			24		22.9m WEATHERED FRACTURE					
	25.21					100				
Box 5			28							
	31.19		32	DYKE		100				
Box 6			36							
	37.08					100				
Box 7			40	DYKE	WEAK					
	43.05		44	DYKE	INCREASINGLY GRANITIZED	100				
Box 8			48	CHLORITIC CA AT 40° PEGMATITE	CONTACT ALTERATION OF CHLORITIC BAND, SPOTS AND CURBS OF CHLORITIC(?) BIOTITE(?); CHECK LOCAL HISTORY - VERY LATE? - CONCORDANT WITH FOLIATION					
	49.1					100				
Box 9			52	PEGMATITE	ROCK INCREASINGLY APPEARS "GRANITIZED" OR PERHAPS FOLIATION LESS					
	55.12		56	DYKE - CA AT 30°	DEVELOPED - ZONES APPEAR HOWEVER WITH CLEAR CNT ALTERATION	100				
Box 10			60	DYKE						

61.08 *For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log

Journal de forage au diamant

NTS WGS84
440348 E
5521598 N
440 M ASL

AZIMUTH: 055°
DIP: -65°
TOTAL DEPTH: 101.0 M

DATE: 20 MARCH 08
LOGGER: RGB

Hole No. Forage n°
BLO8-
10

Page No. Page n°
2 of 2

Footage/Avancement Box NUMBER		Rock type Type de roche	GRAPHIC	DESCRIPTION (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No.	Sample Footage M		Sample Length M
From/De	To/A m			OBSERVATIONS				From	To	
Box 11			SSC	DYKE						
			64							
			SSC	DYKE						
	66.88		68	DYKE	100					
Box 12			SSC	DYKE						
			72	DYKES						
	72.78		SSC	DYKE	100					
Box 13			76	DYKE						
			SSC	DYKE						
	78.5		80		100					
Box 14			84	PEGMATITE CA AT 35°						
	84.77				100					
Box 15			88							
	90.52				100					
Box 16			92	- CA AT 30°						
			96	SSC DYKE	100					
Box 17			100		100					
	101.0									
				EOH						
			104							

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

NTS: WGS 84
5521922 N
439191 E
ELEVATION (M ASL)

DATE: 15 FEB 2008
LOGGER: R.G. BONNER

AZIMUTH: 186°
DIP: -45.0°
TOTAL DEPTH: 62.0m

Hole No. Forage n°
BL-08
15

Page No. Page n°
1 of 1

Footage/Avancement Box NUMBER		Rock type Type de roche	GRAPHIC	DESCRIPTION (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage		Sample Length
From/De	To/A							To/A M	m	M
Box 1				0.0 - 2.0 CASING: NO CORE, STEEL REMAINS	0					
	2.0		4	2.0 - 4.4 PEGMATITE GRANITE: SALMON PINK WITH WHITE PLAG PHENO'S UP TO 1CM;	66%		487451	2.0	4.4	2.4
				WHITE TO GREY QUARTZ; BIOTITE KNOTS UP TO 0.5CM COMPRISING 5% OF			487452	6.5	7.5	1.0
	8.5		8	SHARP CNT, WEATHERED	100%		487453	7.5	8.5	1.0
				OVERALL CONTENT; HEMATITE SPOTS, COATINGS, FRACTURES			487454	8.5	9.5	1.0
Box 2				4.4 - 6.5 BIOTITE SCHIST: DARK GREY, FOLIATED, FINE GRAINED WITH BANDS			487455	9.5	11.0	1.5
			12	GRADATIONAL CNT			487456	11.0	12.2	1.2
	14.6			FOLN 50° TO CA	100%		487457	15.1	16.6	1.5
Box 3			16	TR PY PEG DYKE			487458	19.9	21.0	1.1
				5% BIOTITE SPOTS - MINOR GREEN-YELLOW CLAY ALT, SECTIONS OF BRECCIA			487459	21.0	22.0	1.0
	20.5		20	FOLN 60° TO CA PEG DYKE	100%		487460	22.0	23.0	1.0
				SHARP CNT			487461	23.0	24.0	1.0
Box 4			24	GRANITIC GNEISS: SALMON PINK - GREY, WELL FOLIATED, FINE TO MED GRAINED, SEVERAL NARROW PEG DYKES PARALLEL TO FOLN ARE FINE			487462	24.0	25.0	1.0
	26.1			TO COARSE WITH SHARP CNTS, FOLN DISRUPTED AT SOME PEG CNTS - BIO	100%		487463	25.0	26.0	1.0
			28	NESTING			487464	26.0	27.0	1.0
Box 5				19.9 - 31.8 PEGMATITE GRANITE: AS IN 6.5 - 12.1; COARSE BRECCIA SECTIONS			487465	27.0	28.0	1.0
	32.0		32	FROM 19.9 - 20.5, 25.4 - 27.2, 30.3 - 31.8;	100%		487466	28.0	29.0	1.0
				SHARP CNT AT 75° TO CA DYKE			487467	29.0	30.0	1.0
Box 6			36	31.8 - 48.0 GRANITIC GNEISS: AS IN 12.1 - 19.9m; SEVERAL PORPHYRITIC TO			487468	30.0	31.0	1.0
	38.05			PEGMATITIC DYKES AT: 32.2, 35.5, 37.9, 38.0, 39.3, 40.0, 41.5	100%		487469	31.0	31.8	0.8
				45.2 WIDEST IS 0.6m			487470	48.0	49.0	1.0
Box 7			40	FOLN AT 90° TO CA			487471	49.0	50.0	1.0
	43.9		44	DYKE	100%		487472	50.0	51.0	1.0
				FOLN AT 80° TO CA			487473	51.0	52.0	1.0
Box 8			48	DYKE			487474	52.0	53.0	1.0
	49.9			SHARP CNT AT 90° TO CA	100%		487475	55.0	56.0	1.0
				WEAKLY FOLIATED			487476	56.0	57.0	1.0
Box 9			52	48.0 - 50.75 GRANITIC GNEISS: AS IN 31.8 - 48.0; SEVERAL GRANITIC DYKES			487477	57.0	58.0	1.0
	55.8		56	MED GRAINED TO PEGMATITIC AT: 51.3, 52.1, 52.6 (0.7m), 55.4 (0.5m),	100%		487478	58.0	59.0	1.0
				56.9 (0.6m), 59.5 (0.9m), 61.4 (0.7m)			487479	59.0	60.0	1.0
Box 10			60		100%		487480	60.0	61.0	1.0
Box 11	61.5						487481	61.0	62.0	1.0
Box 11	62.0									

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.

62.0 END OF HOLE



Diamond Drilling Log **Journal de forage au diamant**

NTS: WGS 84
439191E
5521922N
ELEVATION (M ASL)

DATE: 16 FEB 08
LOGGER: R.G. BONNER

AZIMUTH: 180° ⇒
DIP: -65°
TOTAL DEPTH: 87.0m

Hole No. Forage n°
BL 08-16

Page No. Page n°
1 of 2

Footage/Avancement Box NUMBER		Rock type Type de roche	GRAPHIC	DESCRIPTION (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Recovery	Ref Sample No.	Geochem Sample No. From/De	Sample Footage		Sample Length
From/De	To/A M							To/A m	m	wi
Box 1	1.0m		AAA	BROKEN CORE 2.2-3.2 BIOTITE SCHIST INTENSE SILICIFICATION AT LOWER CNT			487482	1.0	2.0	1.0
	7.3		8	1.0-34.1 GRANITE: SALMON PINK TO CREAM SILICIOUS, MEDIUM GRAINED TO PEGMATITIC BUT PREDOMINATELY COARSE, FEW SILICIOUS BANDS WITH SOME SILICIFICATION OF SCHIST XENOLITHS(?), BIOTITE UP TO 3CM, LESS HORNBLENDE, QUARTZ IS CLEAR TO LIGHT GREY, MINOR ORANGE-RED HEMATITE AS SPOTS AND FRACTURE COATINGS, ROCK IS OVERALL VERY MASSIVE - FEW FRACTURES, SOME GNEISSIC ZONES DISPLAY A FRAGMENTAL APPEARANCE.	80%				4.0	
Box 2	13.1		12	13.5-14.3 BIOTITE SCHIST					6.0	
	18.8		20	GRANITE GNEISS - 10cm	100%				2.0	
Box 3	24.65		24	GNEISSIC DLEBS PY IN HORNBLENDE					8.0	
	30.35		28	COARSE	100%				9.0	
Box 4	36.32		32	MEDIUM PEGMATITE SHARP CNT DYKE					10.0	
	42.2		40	34.1-49.0 GRANITIC GNEISS: SALMON PINK TO GREY, MEDIUM TO FINE GRAINED WELL FOLIATED, CHLORITIC - INTENSE ZONES AT 46.0 AND 61.5m, BIOTITE, NUMEROUS PINK MEDIUM TO COARSE GRAINED GRANITIC DYKES, SEVERAL UP TO 10M, DYKES WITH SHARP CONTACTS	100%		487500 487330		11.0	
Box 5	48.1		44	FOLN AT 45° TO CA DYKE					12.0	
	54.02		48	FOLN AT 60° TO CA DYKE	100%				13.0	
Box 6	59.9		52	FOLN AT 70° TO CA DYKE					14.0	
			56		100%				15.0	
			60						16.0	
									17.0	
									18.0	
									19.0	
									20.0	
									21.0	
									22.0	
									23.0	
									24.0	
									25.0	
									26.0	
									27.0	
									28.0	
									29.0	
									30.0	
									31.0	Y
									32.0	1.0
									33.0	1.0
									34.1	1.1

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log

Journal de forage au diamant

NTS WGS84 215N
468150E
5522500N
MASL

AZIMUTH: 330°
DIP: -45°
TOTAL DEPTH: 197m

DATE: 19 APR 08
LOGGER: RCB

Hole No. Forage n°
EL08 -
ØØ1

Page No. Page n°
1 of 3

Footage/Avancement Box Number From/De To/A		Rock type Type de roche	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)		Pillar Feature % Recovery	Ref Sample No.	Geochem Sample No.	Sample Footage M		Sample Length M
				OBSERVATIONS					From	To	
Box 1					0.0 - 1.7	OVERBURDEN: GRANITE PEBBLES, CASING REMAINS					
					1.7 - 25.0	METASEDIMENT: DARK BLUISH GREY, FINE GRAINED FOLIATED, BANDED, QUARTZ BIOTITE CHLORITE, MINOR PYRITE, RARE CALCITE AND QUARTZ VEINLETS, BANDING AT SHALLOW CA ANGLES <20° - DRILLING LOCATION DIFFICULT	100				
Box 2	7.46					QTZ VEINLET AT 22° TO CA					
						MAFIC VOL BANDS WHITE GRANITE DYKE CNT AT 40° TO CA	100				
Box 3	13.45										
							100				
Box 4	19.8					WHITE GRANITE DYKE 23.3m CNT AT 20° TO CA, 1.1m THICK					
						GRADATIONAL, ARBITRARY					
Box 5	24.93				25.0 - 53.65	METAVOLCANIC: ROCK BECAME CHLORITIC AFTER 25M, FINE GRAINED WITH CHLORITE BLENDS AND MANY DIORITIC-FELSIC FRAGMENTS (?), FEW RARE ZONES WITH WEAK SERICITE TRACE PYRITE	100	475967	52.65	53.65	1.0
						WHITE GRANITE DYKE BOCM,			53.65	55.0	1.35
Box 6	30.82					FOLN AT 30° TO CA	100		55.0	56.0	1.0
										57.0	
										58.0	
Box 7	36.76				53.65 - 69.15	GRANITE PEGMATITE: SALMON PINK TO GREY REDDISH BROWN, COARSE GRAINED TO PEGMATITE - AU 1cm CRYSTALS, GREY QUARTZ, BIOTITE "BOOKS" AND "LATHE" BUT OVERALL <5%, HEMATITE AS COATINGS AND FRACTURE FILLS - MODERATE ALTERATION INTENSITY: ABOUT 65M, SHARP CNTS AT RELATIVE STEEP ANGLES TO CA AND FOLIATION, RELATIONSHIP (STEEP OR FLAT DYKE) TESTED IN EL08-004 "HIGH RADIOACTIVITY", MAGNETIC APPARENT WIDTH = 15.5M, GREENISH-GREY QUARTZ AT TIMES	100				
										59.0	
										60.0	
Box 8	42.73						100			61.0	
										62.0	
										63.0	
Box 9	48.6						100			64.0	
										65.0	
										66.0	
						QTZ VEIN SHARP CNT AT 50° TO CA				67.0	↓
Box 10	54.58						100			68.0	1.0
										69.15	1.15
								475983	69.15	70.15	1.0

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

NTS WGS84 Z15N
468150E
5522500N
M ASL

AZIMUTH: 330°
DIP: -45°
TOTAL DEPTH: 197m

DATE: 19 APR 08
LOGGER: RGB

Hole No. Forage n°
ELØ8-
ØØ1
Page No. Page n°
2 of 3

Footage/Avancement Box NUMBER From/De To/A m		Rock type Type de roche	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage m From To		Sample Length m
Box 10	60.7		74	53.65-69.15 GRANITE PEGMATITE: CONT...	100					
Box 11			68							
	66.54		68		100					
Box 12			72	SHARP CNT AT 25° TO CA 69.15-89.5 METASEDIMENT-METAVOLCANIC: QUARTZ Biotite SCHIST, LESS CHLORITE, AS IN 25.0-53.65, LESS FRAGMENTS						
	72.4		76		100					
Box 13			80	FOLN AT 15° TO CA						
	78.31		84		100					
Box 14			88	FOLN AT 20° TO CA SHARP 65° TO CA						
	84.2		92		100		475984	88.5	89.5	1.0
Box 15			96	SHARP, LOW CA ANGLE SHARP						
	90.37		100		100					
Box 16			104	89.5-93.5 GRANITE PEGMATITE: AS IN 53.65-69.15, OVERALL LESS COARSE, LESS RADIOACTIVE BUT ELEVATED, GREENISH-GREY QUARTZ-PATCHY (ALT?)						
	96.4		108		100					
Box 17			112	93.5-95.3 METASEDIMENT: AS IN 69.15-89.5						
	102.33		116		100					
Box 18			120	95.3-97.0 GRANITE PEGMATITE: GREY-GREENISH TO WHITE WITH PATCHES OF SALMON PINK, APPEARS SIMILAR TEXTURE TO 89.5-93.5 BUT LESS OF EVERYTHING INCLUDING RADIOACTIVITY, 1CM MAGNETITE						
	108.37		120	FOLN, BANDING AT <20 TO CA	100		475993	92.0	98.0	1.0
Box 19			112	97.0-152.5 METASEDIMENT: AS IN 69.15-89.5						
	114.39		116		100					
Box 20			120							

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

WGS 84 215N
468150E
5522500N
M ASL

AZIMUTH: 330°
DIP: -45°
TOTAL DEPTH: 197m

DATE: 19 APR 08
LOGGER: RGB

Hole No. Forage n°
ELØB -
ØØ1

Page No. Page n°
3 of 3

Footage/Avancement Box NUMBER		Rock type	GRAPHIC	OBSERVATION	Description (Colour, grain size, texture, minerals, alteration, etc.)	Pillar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage M		Sample Length M
From/De	To/A M	Type de roche							From	To	
Box 20	120.4				92.0 - 152.5 <u>METASEDIMENT: CONT...</u>	100					
Box 21			124								
	126.37		128	5cm DYKE		100					
Box 22			132	1.0m DYKE							
	132.34					100					
Box 23			136								
	138.23		140			100					
Box 24			144								
	144.23					100					
Box 25			148								
	150.11		152	SHARP AT 20° TO CA	152.5 - 155.0 <u>METAVOLCANIC: VERY FINE GRAINED; Aphanitic, massive;</u>	100					
Box 26					<u>FINE CONTACTS</u>						
	156.0		156	SHARP		100					
Box 27			160		155.0 - 156.0 <u>MIXED GRANITE PEGMATITE - METASEDIMENT: LIGHT GREYISH</u>						
					<u>GRANITE, BIOTITE LATHES, <5% METASED</u>						
			164	SHARP	156.0 - 157.5 <u>METAVOLCANIC: COARSE GRAINED, CHLORITIC, SHARP CNTS</u>						
				SHARP	157.5 - 162.0 <u>METASEDIMENT: FINE GRAINED, QUARTZ, BIOTITE SCHIST</u>						
			168	SHARP, IRREGULAR	162.0 - 162.9 <u>METAVOLCANIC: AS IN 156.0 - 157.5 M</u>						
					162.9 - 166.4 <u>GRANITE PEGMATITE: LIGHT PINK, BIOTITE LATHES,</u>						
			172		<u>LIGHT GREY QUARTZ, MINOR HEMATITE, LOW RADIOACTIVITY</u>						
					166.4 - 197.00 <u>METASEDIMENT</u>						
			176								
			180		EOH						

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
0.00	0.87	casing								
0.87	2.05	Granite		white, more like a granodiorite to tonalite, fine to medium-grained, massive/weakly foliated, very fine-grained specks of biotite throughout						
2.05	3.20	Metasediment		fine-grained greywacke, grey, bedding and foliation at 70 degrees to core axis						
3.20	8.09	Granite		pale pink to white, massive, fine to medium-grained, unaltered, basal contact is conformable						
8.09	27.82	Metasediment		greywacke, fine-grained, layering at 65 degrees to core axis, trace pyrite sporadically throughout, minor quartz veining, contains numerous granite sills 1cm to 1m in thickness. 10.95-11.22 odd greenish coloured quartz vein 18.70-19.40 bedding parallel blebs of pyrite/pyrrhotite 1% of core 19.70-20.67 granite 21.38-24.85 more granite dominated section with subordinate metagreywacke 26.45-26.85 odd green quartz vein, trace pyrite						
27.82	35.33	Granite		white, granodioritic to tonalitic as 0.87 to 2.05, 1-5% biotite, medium-grained, minor biotite-rich metasedimentary xenoliths, contacts conformable with metasediments on either side 33-33.20 quartz vein						
35.33	111.35	Metasediment		Mixture of fine-grained greywacke and coarser migmatitic material with irregular to foliation parallel tonalitic zones, bedding and foliation are at 65 degrees to core axis, trace pyrite in places. From 48 to 78.18 metres contains less granitic material and rock becomes more coarse-grained, better foliated biotitic gneiss. From 78.18-111.35 unit is finer grained greywacke with minor pegmatite dikes/sills, minor bedding parallel pyritic zones. 70.55-71 pegmatite, 2% biotite, very quartz-rich 75.80-78.18 mix of granite and granite pegmatite, white colour, sparse mafic material 97.85-98 granite sill 98.73-99.20 granite sill 101.82-102.30 granite sill 110.65-111.35 granite pegmatite sill, quite coarse-grained						
111.35	129.18	Metasediment		Gneissic, coarse-grained, grey-green colour, fabric is at 60 to 80 degrees to core axis. 122.27-122.62 granite pegmatite, foliation parallel contacts						
129.18	130.05	Granite		leucocratic, coarse-grained, light pink colour, 1-2% biotite, some slightly magnetic sections.						
130.05	134.35	Metasediment		Greywacke, fine-grained, biotitic, minor green coloured sections otherwise grey, minor thin pegmatite intrusions, foliation varies from 10-25 degrees to core axis						
134.35	136.00	Granite		Pink, medium-grained, 10-15% fine-grained biotite, bottom contact with underlying unit not sharp						
136.00	139.98	Mafic metavolcanic		Medium-grained, dark green, gabbroic texture, foliated at 45 degrees to core axis, minor folding						
139.98	141.82	Granite		As from 134.35-136, top contact is 90 degrees to core axis, bottom 45 degrees to core axis, pegmatitic near middle of unit						




Diamond Drilling Log

UTM: NAD83
Zone: 15U
Easting:
Northing:

Azimuth: 150°
Dip: 45°
Total depth: 194.00m

Date:
Logger:
RM

Hole No.:
EL08-002

				Diamond Drilling Log		UTM: NAD83 Zone: 15U Easting: Northing:		Azimuth: 150° Dip: 45° Total depth: 194.00m		Date: Logger: RM		Hole No.: EL08-002		
Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)				
From (m)	To (m)							From (m)	To (m)					
141.82	151.77	Metasediment		Greywacke, grey, fine-grained, foliation 60-70 degrees to core axis, coarsens a bit downhole, several pink fine to coarse-grained granite and also granite pegmatite sills. Minor greenish coloured finer grained sections.										
151.77	152.97	Granite		Fine to medium-grained, pink to white, massive, contains a few dark green mafic volcanic xenoliths										
152.97	154.80	Mafic metavolcanic		Green, medium-grained, gabbroic, weak foliation										
154.80	155.43	Granite		White, leucocratic, coarse-grained, top contact 10 degrees to core axis, bottom 45 degrees to core axis										
155.43	159.95	Metasediment		Grey, foliation and bedding at 55-60 degrees to core axis, some distinct thinly bedded sections										
159.95	162.82	Granite to Granite pegmatite		Pink to white colour, about 5 % biotite, distinct contacts between granite and granite pegmatite phases										
162.82	165.45	Metasediment		Grey, fine to medium-grained, trace pyrite and pyrrhotite (164.85-165 has prominent sulfides), foliation at 70 degrees to core axis, minor granite intrusions, several thin foliation parallel quartz-feldspar segregations some of which are ptymatically folded										
165.45	166.75	Granite		White, coarse-grained, up to 15% biotite, amphibole-rich inclusions of metasediment throughout, lower contact is gradational										
166.75	180.35	Metavolcanic? Gabbro?		medium-grained, consists of green porphyroblasts (?) up to 1cm about 40% of core, set in felsic matrix, moderately foliated at 45 degrees to core axis, crystalline, non-magnetic, mafic components are chloritize biotite and amphibole, several pegmatitic intrusions with most prominent one at 170.46-171.45 177-179 lost core										
180.35	183.43	Granite		pink, medium-grained, 10% very fine-grained specks of biotite										
183.43	186.97	Metasediment		very fine-grained greywacke to 185.07 then more coarse-grained with gneissic texture, non-magnetic, some sections with trace pyrite-pyrrhotite, foliation at 50 degrees to core axis										
186.97	188.60	Granite		as above from 180.35-183.43										
188.60	189.20	Metasediment		grey, weakly foliation to massive										
189.20	194.00	Granite		medium to coarse-grained, pink to white, massive, minor metasedimentary inclusions, maybe 5% biotite, last 2 m are quite mafic rich										
194.00				end of hole										

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
0.00	2.05	Casing								
2.05	18.98	Metasediments		Grey, homogeneous, foliation and bedding 60 to 70 degrees to core axis. Cut by thin granite pegmatite dikes/sills. No significant radioactivity. Minor sections of greener colour metasediment (11.35-12.12). Medium to thick bedded.						
18.98	20.72	Granite Pegmatite		Pink, varies from coarse-grained granite to pegmatite (1-2cm crystals). Slightly elevated radioactivity particularly near the lower contact with metasediments. 0-2% biotite. Finer-grained towards base.						
20.72	68.21	Metasediments		Grey, homogeneous, pretty well as above but more thinly bedded, foliation and bedding are generally at 70-75 degrees to core axis. Trace pyrite in isolated sections. Pink K-spar? With epidote alteration at 25.26-25.43. Contains thin, 1-15cm granite pegmatite and granite sills/dikes throughout forming about 2% of core						
68.21	69.20	Granite to Granite Pegmatite		0.5 to 1% biotite, lesser muscovite, up to 170cps in places. Contains 1cm magnetite crystals near top contact. Whole interval has weakly altered appearance.			475994	68.00	69.00	1.00
69.20	70.00	Metasediments		As above section from 20.72-68.21			475995	69.00	70.00	1.00
70.00	70.47	Granite to Granite Pegmatite		as above section from 68.21-69.20			475996	70.00	71.00	1.00
70.47	70.70	Metasediments		as above						
70.70	71.00	Granite		as above but not pegmatitic						
71.00	74.02	Metasediments		as above, Foliation 70 degrees to core axis, 73.40-74.02 coarser-grained more gneissic textured						
74.02	78.58	Granite Pegmatite with metasediments		pink to white granite pegmatite, pretty homogeneous, non-magnetitic, contains several sections of grey, metasediment as above. Metasedimentary intervals occur at: 74.10-74.18, 74.23-74.46, 74.72-74.84, 75.60-76.35, 76.93-78.17. Contacts between granite and metasediment are conformable to foliation which is 65 to 70 degrees to core axis						
78.58	84.20	Metasediments		Grey, foliation and bedding at 70 degrees to core axis, intruded by several 1-20cm granite sills, minor quartz-feldspar segregations						
84.20	85.75	Granite		homogenous, pink, medium-grained, contacts at 70 degrees to core axis, minor pyrite near lower contact, 1-2% biotite						
85.75	87.47	Metasediments		as from 78.58-84.20						
87.47	88.32	Granite		As from 84.20-85.75 but more white colour, looks more like a tonalite						
88.32	88.94	Metasediments		As above						
88.94	89.25	Granite		As above						
89.25	89.78	Metasediments		As above but with thin bedding at 70 degrees to core axis						
89.78	89.95	Granite		odd greenish colour, higher proportion of biotite, up to 220cps			475997	89.50	90.00	0.50
89.95	92.15	Metasediments		As above, cut by minor quart-rich pegmatite veins, pyritic quartz vein at 91.28-91.38						
92.15	92.62	Granite		Contains several amphibolized metasedimentary xenoliths						
92.62	96.92	Metasediments		Fine-grained, quite massive, thickly bedded, bedding and foliation are at 65 to 70 degrees to core axis, minor pyritic veins, a few						
96.92	100.10	Granite		Minor pegmatitic patches, typically fine to medium-grained, several amphibolized fine-grained grey metasedimentary xenoliths, minor thin chloritic veins, pale green pyrite-rich alteration at base.						



Diamond Drilling Log

UTM: NAD83
Zone: 15U
Easting:
Northing:

Azimuth: 180°
Dip: 45°
Total depth: 197.00m

Date:
7/23/2008
Logger:
RM

Hole No.:
EL08-003

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
100.10	119.90	Metasediments		Grey, fairly homogeneous, fine-grained. 104.30-104.93 granite 100.10-113.40 fine-grained, foliation 45-60 degrees to core axis, minor stringers and veins of pyrite and pyrrhotite throughout forming 0.5 to 2% of core, thin dark chloritic veins sporadically throughout, siliceous in places. 113.30-119.90 coarser-grained, greener coloration, foliation 60-70 degrees to core axis.						
119.90	120.40	Granite Pegmatite		Mafic-rich, 40-50% biotite, with lesser muscovite and magnetite, remainder is quartz and amphibolized metasedimentary inclusions, <u>minor brownish smoky quartz</u>						
120.40	138.00	Metasediments with minor granite		about 60:40 mix of grey, medium-grained, metasediment, bedding/foliation avg 65 degrees to core axis and white coloured, fresh, medium-grained biotite granite, granite contacts are typically foliation parallel.						
138.00	143.25	Metasediments		Fine-grained, some distinct thinly bedded section, rest is medium to thickly bedded, prominent foliation parallel stringers/veins of pyrite up to 1cm in thickness. Bedding and foliation are at 50 degrees to core axis. Purple-green granite pegmatite sills at 140.08-140.37 and 140.62-140.71			475998	140.00	141.00	1.00
143.25	150.13	Metasediments		More coarsely-grained, greener more mafic composition in places, more gneissic textures than the normal greywacke-type metasediments above, between 149.40-150.12 looks almost gabbroic and could be mafic metavolcanic, bedding and foliation are at 50 degrees to core axis.						
150.13	152.05	Granite Pegmatite		Very coarse-grained, purple quartz, pale red K-spar alteration, 1-2% biotite, trace magnetite. Very coarsely crystalline biotite at 152.60 500cps. <u>Gabbroic inclusion at 150.88-151.10 irregular contacts</u>			475999	150.00	151.00	1.00
152.05	175.00	Metasediments		Grey, homogeneous, medium-grained, minor granite pegmatite intrusions, general trend to finer grain-size downhole, bedding and foliation are on average 65-70 degrees to core axis 174.40-174.60 trace pyrite stringers			476000	151.00	152.00	1.00
175.00	182.55	Mafic Tuff?		Dark green, about 50% medium-grained round mafic clasts? In a plagioclase-rich matrix, overall quite homogeneous						
182.55	183.35	Granite to Granite Pegmatite		Pink to white coloured, massive, trace biotite,						
183.35	185.43	Metasediments		Medium-grained, minor folds in places, isolated quartz-rich pegmatite veins						
185.43	189.65	Granite		Pale pink colour, minor biotite (maybe 5%), partially assimilated mafic xenoliths						
189.65	197.00	mafic volcanic		Strongly foliated, medium-grained, consists of 50/50 mixture of mafic porphyroblasts and white plagioclase rich matrix, several thin quartz feldspar segregation throughout						
197.00				end of hole						




Diamond Drilling Log


UTM: NAD83
Zone: 15U
Easting:
Northing:


Azimuth: 180°
Dip: 45°
Total depth: 197.00m


Date:
7/23/2008
Logger:
RM


Hole No.:
EL08-003

 Diamond Drilling Log				UTM: NAD83 Zone: 15U Easting: Northing:		Azimuth: 150° Dip: 80° Total depth: 101.00m		Date: 7/23/2008 Logger: RM		Hole No.: EL08-004	
Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)	
From (m)	To (m)							From (m)	To (m)		
0.00	0.50	casing		no overburden recovered							
0.50	8.46	Granite to Granite pegmatite		pink to pale red colour, minor fracturing with potassic (?) alteration, about 1% biotite and muscovite							
8.46	16.90	Metasediments.		Grey, biotitic, minor patches of epidote alteration, bedding and foliation are at 50 degrees to core axis, typically medium-grained but							
16.90	59.30	Granite Pegmatite		Pink to pale red colour. Patchy to pervasive weak to moderate potassic alteration, minor magnetite crystals sporadically throughout, 0.5-2% biotite and lesser muscovite, upper contact foliation parallel 35 degrees to core axis. On average 225cps up to 500 cps, no distinct lithological control on higher grades. 27-27.45 metasedimentary xenolith			602001	0.50	1.00	0.50	
59.30	65.23	Metasediments.		Fine-grained, well foliated, distinctive foliation parallel biotite flecks, foliation and bedding are at 40 to 50 degrees to core axis. Minor			602002	1.00	2.00	1.00	
65.23	69.65	Granite		Pink to white, unaltered, up to 170cps, minor metasedimentary xenoliths			602003	2.00	3.00	1.00	
69.65	71.80	Metasediments.		More schistose texture, <1cm scale banding, grey to green colour, foliation is 50 degrees to core axis			602004	3.00	4.00	1.00	
71.80	72.97	Granite to Granite pegmatite		Medium to coarse-grained, pink, weakly altered, maximum 180cps.			602005	4.00	5.00	1.00	
72.97	78.53	Metasediments.		Grey, medium-grained, minor foliation parallel granite sills, foliation 55 degrees to core axis.			602006	5.00	6.00	1.00	
78.53	79.39	Granite to Granite pegmatite		weakly radioactive, homogenous,			602007	6.00	7.00	1.00	
79.39	101.00	Metasediments.		grey, massive, moderately foliated and thinly bedded, minor granite pegmatite sills typically less than 30cm in thickness, foliation and			602008	7.00	8.00	1.00	
101.00				End of hole			602009	8.00	8.50	0.50	
							602010	16.00	17.00	1.00	
							602011	17.00	18.00	1.00	
							602012	18.00	19.00	1.00	
							602013	19.00	20.00	1.00	
							602014	20.00	21.00	1.00	
							602015	21.00	22.00	1.00	
							602016	22.00	23.00	1.00	
							602017	23.00	24.00	1.00	
							602018	24.00	25.00	1.00	
							602019	25.00	26.00	1.00	
							602020	26.00	27.00	1.00	
							602021	27.00	28.00	1.00	
							602022	28.00	29.00	1.00	

 Diamond Drilling Log				UTM: NAD83 Zone: 15U Easting: Northing:		Azimuth: 150° Dip: 80° Total depth: 101.00m		Date: 7/23/2008 Logger: RM		Hole No.: EL08-004	
Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)	
From (m)	To (m)							From (m)	To (m)		
							602023	29.00	30.00	1.00	
							602024	30.00	31.00	1.00	
							602025	31.00	32.00	1.00	
							602026	32.00	33.00	1.00	
							602027	33.00	34.00	1.00	
							602028	34.00	35.00	1.00	
							602029	35.00	36.00	1.00	
							602030	36.00	37.00	1.00	
							602031	37.00	38.00	1.00	
							602032	38.00	39.00	1.00	
							602033	39.00	40.00	1.00	
							602034	40.00	41.00	1.00	
							602035	41.00	42.00	1.00	
							602036	42.00	43.00	1.00	
							602037	43.00	44.00	1.00	
							602038	44.00	45.00	1.00	
							602039	45.00	46.00	1.00	
							602040	46.00	47.00	1.00	
							602041	47.00	48.00	1.00	
							602042	48.00	49.00	1.00	
							602043	49.00	50.00	1.00	
							602044	50.00	51.00	1.00	
							602045	51.00	52.00	1.00	
							602046	52.00	53.00	1.00	
							602047	53.00	54.00	1.00	
							602048	54.00	55.00	1.00	
							602049	55.00	56.00	1.00	
							602050	56.00	57.00	1.00	
							602051	57.00	58.00	1.00	
							602052	58.00	59.00	1.00	
							602053	59.00	60.00	1.00	

				Diamond Drilling Log			UTM: NAD83 Zone: 15U Easting: Northing:	Azimuth: 150° Dip: 80° Total depth: 101.00m	Date: 7/23/2008 Logger: RM	Hole No.: EL08-004		
Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)		
From (m)	To (m)							From (m)	To (m)			
							602054	65.00	66.00	1.00		
							602055	66.00	67.00	1.00		
							602056	67.00	68.00	1.00		
							602057	68.00	69.00	1.00		
							602058	72.00	73.00	1.00		

				Diamond Drilling Log			UTM: NAD83 Zone: 15U Easting: Northing:	Azimuth: 150° Dip: 45° Total depth: 200.00m	Date: 7/23/2008 Logger: RM	Hole No.: EL08-005		
Footage From (m) To (m)		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)		
								From (m)	To (m)			
0.00	3.60	casing										
3.60	26.50	Granite with Granite pegmatite		Pink, typically medium-grained, massive, weak potassic? Alteration throughout, weakly radioactive up to 250cps at a few spots 4.75-5.85 pegmatite 8.70-9.60 pegmatite 10.15-11.10 pegmatite 13.30-14.45 pegmatite 17.40-17.80 gabbro, leucocratic, rusty weathering along fracture, xenolith? 19.20-20.22 thinly bedded metasediment, pale grey to green, layering is at 50 degrees to core axis								
26.50	200.00	Tonalite/ leucocratic gabbro		Weakly to moderately foliated typically 70 degrees to core axis , rock consists of 50% mafic minerals (amphibole//0 and 50% plagioclase (minor quartz), medium-grained, fairly homogeneous, some weakly magnetic sections, granite and granite pegmatite intrusions throughout varying in thickness between 1cm and 1.5 metres, granitic intrusions are typically weakly radioactive, variably altered, granitic intervals are recorded below, after 100m there are fewer pegmatitic intrusions present, also unit becomes less mafic (about 30% mafics) ie more tonalitic. 44.20-45.75 pegmatite up to 300 cps; 58.60-58.90 pegmatite; 59.58-60.76 pegmatite; 64.80-65.20 pegmatite; 65.50-66.00 pegmatite, very coarse grained biotite; 67.18-67.66 pegmatite up to 700cps; 67.90-68.55 pegmatite; 69.40-69.75 pegmatite; 71.08-72.51 pegmatite; 75.05-75.70 pegmatite; 76.00-77.00 pegmatite; 77.60-78.10 pegmatite; 79.22-80.15 pegmatite; 80.28-80.53 pegmatite; 82.48-82.88 pegmatite; 87.63-89.70 mix of granite and pegmatite; 90.55-91.58 pegmatite; 92.93-95.00 altered pegmatite; 95.28-95.55 pegmatite; 97.90-98.74 pegmatite; 99.30-99.88 pegmatite; 104.38-106.18 granite, pink medium grained; 112.37-112.90 pegmatite; 113.63-114.08 pegmatite; 133.75-134.10 pegmatite; 140.52-145.12 pegmatite up to 200 cps; 147.68-151.06 pegmatite, pink to white, weakly altered; 155.42-156.04 pegmatite; 156.04-157.70 fine to medium-grained granite, pink; 157.70-159.40 pegmatite; 159.70-160.75 pegmatite; 169.70-170.03 pegmatite; 170.82-171.63 pegmatite; 179.79-180.25 pegmatite; 180.70-181.13 pegmatite; 185.70-186.20 pegmatite; 193.98-197.80 thicker pegmatite unit weakly altered			602301	58.00	59.00	1.00		
200.00				End of hole			602302	59.00	60.00	1.00		
							602303	60.00	61.00	1.00		
							602304	64.00	65.00	1.00		
							602305	65.00	66.00	1.00		
							602306	66.00	67.00	1.00		
							602307	67.00	68.00	1.00		
							602308	68.00	69.00	1.00		
							602309	69.00	70.00	1.00		
							602310	70.00	71.00	1.00		
							602311	71.00	72.00	1.00		
							602312	72.00	73.00	1.00		

 DELTA URANIUM INC.				Diamond Drilling Log		UTM: NAD83 Zone: 15U Easting: Northing:	Azimuth: 150° Dip: 45° Total depth: 200.00m	Date: 7/23/2008 Logger: RM	Hole No.: EL08-005		
						Footage From (m) To (m)	Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.
							602313	90.00	91.00	1.00	
							602314	91.00	92.00	1.00	
							602315	92.00	93.00	1.00	
							602316	93.00	94.00	1.00	
							602317	94.00	95.00	1.00	
							602318	95.00	96.00	1.00	

Drilling Company DHB CONTRACTING 2003	Core Size NQ	Collar Elevation	Azimuth 260	Length (m) 133.20	Dip of Hole at ° Collar -50 °	Core Storage Delta Uranium Inc Office / Warehouse Kenora ON	Map Reference	Claim No.
Date Started Sept 27 2008	Date Completed Sept 30 2008	Date Logged October 1 2008	Logged By D. Bryan		Ft./Pi °		Location (Twp. Lot, Con. or Lat. and Long.) 441039, 5521074	
Exploration Co., Owner Delta Uranium Inc			Logged by (Signature) I		Ft./Pi °			
					Ft./Pi °		Property Name Kenora Project	

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From	To				
0	2.57	Overburden										
2.57	2.92	Granite	Coarse grained, pink, massive, broken									
2.92	5.23	Metasediment	Quartz biotite schist, semi pelite, dark grey to black very fine grained and thin bedded, no strong compositional layering, blocky core numerous breaks 2.92 – 3.65 broken blocky core 3.65 – 3.70 and 4.30 – 4.38 pegmatite sills 4.70 – 5.18 broken core, along bedding planes, some limonite staining, >45 – 50% fine biotite	So 65 at 4.10								
5.23	7.49	Pegmatite / Granite	Pink, massive, gradational to coarse grained granite, locally weakly hematized,, 6.35 – 6.50 and 6.82 – 6.91 broken, limonite stain, massive, weak potassic and hematite alteration Biotite <2.0% to 8 – 10 mm, upper contact 85 tca, lower contact 80 tca, slip on lower contact, trace cubic pyrite			193615 193616	23.50 24.00	24.00 24.91	0.50 0.91			
7.49	15.10	Metasediment	Biotite quartz schist, very fine grained, grey to dark grey, good compositional layering on mm to cm scale, defined by variation in biotite content, weak localized chlorite alteration Generally blocky core 8.00 – 8.22 pegmatite grading to coarse grained granite, pink, massive, broken Bedding 8.40 m – 40 tca, 10.40 m – 60 tca, 11.90 m – 70 tca, 13.30 m – 70 tca, 14.70 m – 85 tca Very fine pyrite laminae, veinlets sub mm – 9.60 to 10.20			193617	24.91	25.21	0.30			
15.10	27.20	Pegmatite / Granite	Pegmatite to medium grained granite, pink to red / pink, patchy hematite alteration, mottled white, black, massive, low biotite overall <5.0 % locally 15.10 – 19.50 pegmatite, pink / salmon, random breaks at high angles to core axis, weak limonite, trace clay on fractures, patchy weak hematite alteration, massive to very weakly aligned biotite, biotite <3.0% 19.50 – 20.60 granite pink / red coarse grained, massive, <10% biotite 3 – 6.0 mm 20.60 – 20.90 granite as above but slight yellow / brown clay alteration, minor hematite alteration 20.90 – 22.93 pegmatite, pink / salmon, low biotite, 21.30 – 21.41 broken chips of biotite quartz schist, no contacts, epidote, chlorite trace very fine grained pyrite			193617	24.91	25.21	0.30			

Drilling Company DHB CONTRACTING 2003	Core Size NQ	Collar Elevation	Azimuth 260	Length (m) 117.96	Dip of Hole at ° Collar -60 °	Core Storage Delta Uranium Inc Office / Warehouse Kenora ON	Map Reference	Claim No.
Date Started October 1, 2008	Date Completed October 7 2008	Date Logged October 1 2008	Logged By D. Bryan		Ft./Pi °		Location (Twp. Lot, Con. or Lat. and Long.)	
Exploration Co., Owner Delta Uranium Inc			Logged by (Signature) I		Ft./Pi °			
					Ft./Pi °		Property Name Kenora Project	

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From	To				
0	1.92	Overburden										
1.92	2.13	Metasediment	Fine grained, grey / black, blocky, weak limonite on breaks, thin bedded biotite quartz schist									
2.13	14.32	Pegmatite / Granite	<p>Pink, massive, gradational to coarse grained granite, locally weakly hematized,, 6.35 – 6.50 and 6.82 – 6.91 broken, limonite stain, massive, weak potassic and hematite alteration</p> <p>Biotite <2.0% to 8 – 10 mm, upper contact 85 tca, lower contact 80 tca, slip on lower contact, trace cubic pyrite</p> <p>2.13 – 3.00 pegmatite, pink / grey, broken 2% biotite to 8.00 mm</p> <p>3.00 – 4.00 pegmatite / coarse grained granite pink, 5% biotite to 10 by 5 mm</p> <p>4.00 – 5.00 pegmatite, 30% c.g. granite, biotite aggregates 5.55 – 5.85, blocky core</p> <p>5.00 – 6.00 pegmatite, broken <2% biotite</p> <p>6.00 – 7.00 pegmatite gradational to c.g. granite <2% biotite, broken</p> <p>7.00 – 8.00 pegmatite <25 biotite, weak saussurite to base</p> <p>8.00 – 9.00 pegmatite / c.g. granite 70 / 30 2 – 3% fine grained granite</p> <p>9.00 – 10.00 pegmatite / c.g. granite 60 / 40, biotite 3 – 5%</p> <p>10.00 – 11.00 c.g granite / pegmatite 80 / 20, 5 – 7% fine grained granite</p> <p>11.00 – 12.00 pegmatite, pink, potassic, <2% biotite</p> <p>12.00 – 13.00 pegmatite, very coarse grained / c.g. granite 80 / 20, biotite 2%</p> <p>13.00 – 14.00 pegmatite, very coarse grained, pink / grey <2% biotite</p> <p>14.00 – 14.32 pegmatite gradational to medium grained granite, weak hematite, lower contact broken</p>			193670 193671 193672 193673 193674 193675 193676 193677 193678 193679 193680 193681 193682	2.13 3.00 3.00 4.00 4.00 5.00 5.00 6.00 6.00 7.00 7.00 8.00 8.00 9.00 9.00 10.00 10.00 11.00 11.00 12.00 12.00 13.00 13.00 14.00 14.00 14.32	0.87 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 0.32				
14.32	26.71	Metasediment	Interbedded biotite quartz and quartz biotite schist with lesser very siliceous, possible tuffite / exhalite interbeds. Grain size and chlorite alteration increase to base of sequence. Thin to very thin bedding, compositional bedding reflected by biotite / chlorite content – grey to green to black, bedding sub mm to cm scale. Weak silicification to 20.16 m at which point chlorite alteration is more noticeable. Section includes pyrite and pyrrhotite with trace, localized chalcopryrite. Pyrite as very fine disseminations to veinlets parallel to bedding, to bands – massive to 5.0 mm. Pyrrhotite disseminated to weakly “banded” aggregates to veinlets. Minor chalcopryrite as fine network near			194517 194518 194519 194520 194521 194522 194523	14.30 15.33 15.33 15.90 15.90 17.00 17.00 18.00 18.00 19.00 19.00 20.16 20.16 21.03	1.03 0.57 1.10 1.00 1.00 1.16 0.87				

Drilling Company DHB CONTRACTING 2003	Core Size NQ	Collar Elevation	Azimuth 260	Length (m) 145.90	Dip of Hole at ° Collar -60 °	Core Storage Delta Uranium Inc Office / Warehouse Kenora ON	Map Reference	Claim No.
Date Started October 7, 2008	Date Completed October 11 2008	Date Logged October 12 2008	Logged By D. Bryan		Ft./Pi °		Location (Twp. Lot, Con. or Lat. and Long.)	
Exploration Co., Owner Delta Uranium Inc			Logged by (Signature) I		Ft./Pi °			
					Ft./Pi °		Property Name Kenora Project	

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From	To				
0	2.90	Overburden										
2.90	8.00	Metasediment	Biotite quartz schist, fine grained grading to very fine grained to base, grey / black, blocky, weak limonite on breaks, thin bedded on mm to cm scale, trace pervasive chlorite alteration, 3.60 – 4.00 blocky core, breaks sub parallel to bedding, majority of sequence contains 1 – 2% very fine grained pyrite Granite sills – fine grained, 4.57 – 4.61, 4.95 – 4.97, 6.58 – 6.61 – fine network of biotite at base with trace pyrite 6.72 – 6.90 pegmatite, pink, clay altered, upper contact 20 tca, lower contact broken, 1 – 2% biotite to 8 mm. 7.30 – 8.00 possible tuffite / exhalite, grey to pale grey very siliceous, 3 – 5% very fine grained pyrite, trace disseminate pyrrhotite between 7.30 – 7.50, pyrite on slip faces	So 70 tca at 5.0 m								
8.00	43.48	Pegmatite / Granite	Pegmatite dominant, pale pink to pink / red, biotite slightly more prevalent than FL08 – 001 to 003 but overall is minor, variable 1 to 5%, section contains fine grained, massive pink potassic granite with lesser coarse grained phases, occasional minor quartz veins, very minor biotite quartz schist 8.00 to 30.00 is broken and faulted core, often with poor recovery, numerous faults / slips and locally very significant clay alteration of feldspars – tan to cream – soft and often friable, weak to locally moderate hematite alteration. 8.00 – 9.00 pegmatite core recovery 75%, fine grained biotite 2 – 4% to 10 mm by 2 mm, broken core, random angles, trace epidote / chlorite on slips 9.00 – 10.00 biotite quartz schist / pegmatite 80 / 20, core recovery 50% weak chlorite alteration 10.00 – 11.00 Pegmatite, core recovery 55%, low biotite <2%, weak chlorite, minor localized clay alteration as friable tan to yellow / brown sections to 10 cm, usually high angles to core axis, pegmatite quartz – smoky grey 11.00 – 12.00 Pegmatite, core recovery 80%, strong clay / saussurite alteration, over 10 – 15 cm intervals, soft, chalky, high core angles, occasional, limonite stain on slips / joints 2% biotite – biotite grain size increasing to base 12.00 – 13.00 Granite / Pegmatite 60 / 40 core recovery 74%, granite fine grained, minimal clay			193691 193692 193693 193694 193695 193696 193697 193698 193699 193700 193701 193702 193703 193704 193705	8.00 9.00 10.00 11.00 12.00 13.00 14.00 15.00 16.00 17.00 18.00 19.00 20.00 21.00 22.00 23.00	9.00 10.00 11.00 12.00 13.00 14.00 15.00 16.00 17.00 18.00 19.00 20.00 21.00 22.00 23.00	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00			

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From/De	To/A				
8.00	43.48 cont'd	Pegmatite / Granite	<p>37.00 – 38.00 Granite / pegmatite 60 / 40 coarse grained granite gradational to pegmatite, pervasive hematite and localized saussurite 37.47 – 37.57 adjacent to slip at 85 tca, 2% biotite</p> <p>38.00 – 38.78 Granite, medium to coarse grained, massive, weak hematite, 1% biotite</p> <p>38.78 – 39.48 Granite, as above <1% biotite</p> <p>39.48 – 40.00 Granite, massive, coarse grained, smoky quartz, patchy hematite, minor hematite veinlets, trace biotite</p> <p>40.00 – 40.94 Granite / Pegmatite coarse grained granite gradational to pegmatite, overall <2% biotite, wit 5 – 8% between 39.25 – 39.55 as aggregates to 20 mm</p> <p>40.94 – 41.83 Biotite quartz schist / granite. Granite hematite altered, <1% biotite, schist foliation at 70 – 75 tca, black to grey, silicified, fine grained, biotite >30%, trace fine grained pyrite, granite sills 41.10 – 41.15, 41.19 – 41.29, 41.63 – 41.68.</p> <p>41.83 – 43.00 Pegmatite / granite - gradational pegmatite to coarse grained granite biotite in both units <2% but concentrated between 42.60 – 42.75</p> <p>43.00 – 43.48 Pegmatite / granite as above</p>			193706 193707 193708 193709 193710 193711 193712 193713	37.00 38.00 38.78 39.48 40.00 40.94 41.83 41.83 43.00	38.00 38.78 39.48 40.00 40.94 41.83 43.00 43.48	1.00 0.78 0.70 0.52 0.94 0.89 1.17 0.48			
43.48	86.86	Granite / Pegmatite	<p>Sequence of grey to dark grey / white foliated granite intruded by lesser pink / potassic pegmatite and lesser massive potassic, biotite rich granite, fine to coarse grained. Foliated granite grey / dark grey, biotite >25%, grain size shows slight increase to depth. Foliated granite approaching gneiss / augen gneiss at depth.</p> <p>Pegmatite pink, potassic, biotite content is quite variable ranging between 1 and 20%, patchy weak hematite alteration</p> <p>43.48 – 43.87 Mix of biotite quartz schist / silicified and granitized and coarse grained granite 75 / 25</p> <p>43.87 – 45.00 Granite / pegmatite 60 / 40 granite coarse grained, massive</p> <p>45.00 – 46.20 Granite pink, medium grained, massive 29% biotite, fine grained, fault 45.07 – 45.45 at 85 tca, weak saussurite / sericite alteration</p> <p>46.20 – 46.74 Pegmatite - contacts 70 tca, minor clay gouge on 1 – 2 cm slips at 90 tca, random through interval</p> <p>46.74 – 47.81 Metasediment, biotite quartz schist bedding 85 tca, narrow minor 1 – 3 mm sills</p> <p>47.81 – 48.35 Metasediment / pegmatite 70 / 30, biotite quartz schist >50% fine grained biotite, grain size coarser on pegmatite margins</p> <p>Significant pegmatites:</p> <p>48.35 – 49.70 - 2 mm biotite selvage on upper contact at 80 tca, grades to c.g. granite between 49.00 – 49.77 <2% biotite, lower contact 70 tca</p>			193714 193715	43.48 43.87	43.87 45.00	0.39 1.13			

Footage		Rock Type	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)						From (m)	To (m)	
0.00	1.60	Overburden	Overburden						
1.60	13.00	Gneissic Metasediments	Mostly sediments with short patches of granitic material. (Granitic material from: 2.33-3.38m, 7.00-8.22m). Dark-grey to light grey with faint banding from metasediments. Biotite and chlorite is prominent in these bands.						
13.00	16.10	Granite	Granite is coarse-grained with areas that are almost pegmatite. Granite was 250-350CPS consistently and was sampled. Pink in colour. Not magnetic. About 3-5% biotite with some areas hosting larger amounts.		U ₃ O ₈	192827	13.00	14.00	1.00
					U3O8	192828	14.00	15.00	1.00
					U3O8	192829	15.00	16.00	1.00
16.10	18.16	Gneissic Metasediments	Distinct banding between white quartz-rich layers and dark biotite-rich layers. Local areas of pyrrhotite (magnetite, brassy coloured) with chalcopyrite mixed in with it.		Au+ICP30	192765	16.43	16.78	0.35
18.16	20.40	Granite	Medium-grained, grey to light pink in colour, 5-10% biotite						
20.40	33.50	Gneissic Metasediments	Banded metasediments with areas of granite (20.86-22.70, 25.95-26.50, 28.62-29.56). Areas of very high biotite, coarse and fine-grained. One area of Au-Cu interest sampled. Black, banded, non-magnetic, green clusters (chlorite?), 2.0cm long on average, with chalcopyrite present around the green clusters.		U3O8 + ICP30	192830	21.00	22.00	1.00
					Au + ICP30, Cu	192766	31.55	32.00	0.45
33.50	35.55	Granite	Light pink in colour, medium-grained, ~200-250cps, fine-grained biotite throughout		U3O8	192832	33.50	34.50	1.00
					U3O8	192833	34.50	35.50	1.00
35.55	55.71	Gneissic Metasediments	Banded sediments, very dark in colour with a lot of green chlorite in smaller chinks and larger chunks as well. (~5mm and 2cm, respectively)		Au+ICP30	192767	46.37	46.64	0.27
					Au+ICP30	192768	51.73	52.16	0.43
					Au+ICP30	192769	56.50	57.00	0.50
					Au+ICP30	192770	55.21	55.71	0.50
55.71	110.34	Granite	Light pink in colour with 10% hornblende, pegmatitic in areas with pink feldspar, white feldspar, white quartz			192835	61.00	62.00	1.00
						192836	62.00	63.00	1.00
						192837	63.00	64.00	1.00



Diamond Drilling Log

UTM: NAD83
 Zone: 15U
 Easting: 469820
 Northing: 5522603

Azimuth: 150
 Dip: 45°
 Total depth: 110.34m

Date: Sept. 2008
 Logger: A.S.

Hole No.: NL08-001

Page No.: 1

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From/De	To/A				
49.15	55.50 cont'd	Metasediment	53.03 – 53.37 pegmatite to white coarse grained granite / granodiorite, low potassium feldspar, broken core, weak hematite alteration									
55.50	66.00	Metasediment / Granite	Mix of biotite quartz schist and white to pale pink granite – variable grain size from fine to locally pegmatitic 55.50 – 56.00 metasediment / granite c.g. 33 % / 67%, schist very fine grained 56.00 – 57.00 granite / metasediment 63% / 37% numerous granite sills, fine to coarse 57.00 – 58.00 metasediment / granite 55% / 45% 58.00 – 59.00 granite / metasediment 65% / 35% narrow (cm scale) granite sills, medium grained low biotite content 59.00 – 60.00 granite / metasediment 60% / 40% granite - 50% pegmatite 60.00 – 61.00 metasediment / pegmatite 75% / 25% pegmatite - coarse biotite, lesser cubic pyrite aggregates, disrupted bands most common 60.20 – 60.26 61.00 – 62.00 biotite quartz schist 62.00 – 63.00 pegmatite / metasediment 85% / 15% biotite quartz schist fine grained 63.00 – 64.00 pegmatite / metasediment 90% / 10% pegmatite pink high biotite content on margins, minor metasedimentary rafts 64.00 – 65.00 metasediment / granite 45% / 55% upper 45 cm is granite, medium to coarse grained, 10% biotite, locally pegmatitic 65.00 – 66.00 pegmatite / metasediment 95% / 05%, pegmatite white to faint pink, pink colour sporadic, through section	So 85 at 65.50		193603 193604 193605 193606 193607 193608 193609 193610 193611 193612 193613	55.50 56.00 57.00 58.00 59.00 60.00 61.00 62.00 63.00 64.00 65.00	56.00 57.00 58.00 59.00 60.00 61.00 62.00 63.00 64.00 65.00 66.00	0.50 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00			
66.00	141.32	Granite	Granite – generally foliated, tan to pale pink to white, fine to coarse grained. Sequence contains three phases, biotite rich granite - foliated, potassic granite – biotite deficient (massive) and pegmatite segregations (massive) 66.00 – 67.00 granite fine to medium grained, foliated, biotite <3.0% at top of interval grading to 15% at base 67.00 – 141.32 granite, foliated to massive, potassic, aplitic to locally pegmatitic, biotite fresh to weakly chloritized, grains on mm scale 15 – 35% variable, generally foliated Pegmatite segregations pink, potassic, on 0.20 to 1.75 m scale, pegmatites at random angles to core axis but commonly high angles, weak hematite and potassic alteration common More significant pegmatite segregations 67.95 – 68.15, 70.34 – 70.62, 71.19 – 72.38, 77.72 – 78.10, 78.30 – 78.57, 79.95 – 80.35, 81.13 – 81.48, 90.34 – 90.63, 91.44 – 92.62, 98.28 – 99.35, 100.03 – 100.28, 100.51 – 101.22, 101.51 – 102.04, 103.75 – 105.30, 111.63 – 112.20, 114.61 – 117.86 (pink, potassic, trace biotite), 118.83 – 120.11, 120.73 – 121.23 trace biotite, 121.46 – 122.46, 123.60 – 123.85, 128.91 – 129.22 123.60 – 129.12 Granite, lesser pegmatite (see intervals above) pink, massive, distinct biotite poor phase			193614	66.00	67.00	1.00			



Diamond Drilling Log

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From/De	To/Å				
69.72	77.38 cont'd	Metasediment / Granite	75.13 – 75.30 (broken, upper contact 70 tca, lower contact 45 tca) 73.00 – 75.95 significant folding, in metasediment and granite sills, minor granite dykes, section appears silicified / granitized with minor to moderate bleaching, distinct compositional bedding with medium to dark green biotite rich beds to 10.0 cm 76.90 – 77.30 mix 55% / 45% metasediment / granite. Granite sills white, fine grained, low biotite, sills to 8.0 cm, weak narrow biotite rich selvages	So 60 at 74.00								
77.38	78.34	Pegmatite	Pegmatite pink to white mottled black, low biotite <5.0%, biotite quartz schist rafts, upper contact gradational, approximately 70 tca, lower contact 80 tca									
78.34	82.66	Metavolcanic	Biotite chlorite schist, possible mafic tuff, dark green, chlorite alteration weak but pervasive, 90% biotite, accessory quartz grains, minor granite and pegmatite sills, <10.0%, 1 to 18.0 cm, most <4.0 cm, parallel to foliation at 80 tca. Occasional disseminated chalcopyrite and pyrrhotite grains	So 80 at 82.00								
82.66	84.43	Granite	Granite pink to white, low biotite 2 – 4.0%, rafts of metavolcanic 83.60 – 83.87, or possibly two sills encompassing metavolcanic as foliation within metavolcanic conforms to regional foliation Contacts 70 tca, no significant biotite selvages									
84.43	87.06	Metavolcanic	Dark green to black, possible mafic tuff, 10% white granite sills on cm scale, bedding / foliation 60 – 90 tca 84.43 – 85.00 biotite chlorite schist / granite 85 / 15, some crosscutting by granites, schist is chloritized / epidotized, trace finely disseminated pyrrhotite 85.00 – 85.60 as above, drop in chlorite,, grey – green, trace disseminated pyrrhotite to 10.0 x 3.0 mm, remobilized, cutting sills 85.60 – 86.04 biotite schist, chlorite / epidote alteration <5.0% granite sills,. Pyrrhotite 20 – 24% disseminated to weakly banded to semi massive over 5.0 – 8.0 mm, trace disseminated chalcopyrite 86.04 – 86.08 biotite schist, chloritized, minor granite sills, trace disseminated pyrrhotite			192771 192772 192773 192774	84.43 85.00 85.68 86.04	85.00 85.68 86.04 87.06	0.57 0.68 0.36 1.02			
87.06	87.58	Granite	Granite pink, fine grained, 5 – 7.0% biotite, upper contact 75 tca, lower contact 70 tca			192775	87.06	87.58	0.52			
87.58	88.90	Metavolcanic	Biotite chlorite schist, possible mafic tuff with a significant very fine grained granite sill component, schist – weak chlorite alteration, granite weak epidote alteration, section contains disseminated to locally semi massive pyrrhotite 87.58 – 88.27 disseminated to locally (cm scale) banded semi massive pyrrhotite with trace chalcopyrite, pyrrhotite 30%, chalcopyrite <0.3%, sulphides remobilized, aggregates parallel and cut bedding / foliation, cut very fine grained granite sills 88.27 – 88.90 disrupted, folded section, lower sulphide content, pyrrhotite 12.0% as aggregates to 1.50 cm, chalcopyrite <0.20%, some fracture control of sulphides and intergrowths of chalcopyrite / pyrrhotite, granite sills deformed, broken, weak boudins, complete sequence weak and sporadic epidote alteration			194501 194502	87.58 88.27	88.27 88.90	0.69 0.63			

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From/De	To/Å				
88.90	89.25	Granite	Granite sill. Pink, very fine grained, minor rafts of biotite schist (possible mafic tuff), upper contact 70 tca, lower contact irregular 70 – 90 tca			194503	88.90	89.25	0.35			
89.25	89.41	Metavolcanic	Biotite quartz schist, dark green / black, upper 5.0 cm very coarse grained biotite, grading to semi massive pyrrhotite 30%, cut by <1.0 cm wide granite sills			194504	89.25	89.41	0.16			
89.41	90.41	Granite	Granite pink, slight pervasive hematisation, coarse to medium grained, variable, 89.41 – 90.00 1.0 cm disseminated to 20.0% pyrrhotite in biotite schist raft 90.41 – 90.53 biotite schist fine grained contacts 85 tca			194505	89.41	90.00	0.59			
90.41	90.53	Metasediment	Biotite quartz (chlorite) schist, upper contact 85 tca									
90.53	98.74	Granite / Pegmatite	Granite, pink, massive, pegmatite segregations and minor biotite quartz schist inclusions 90.53 – 91.55 pegmatite, pink, 10% biotite as larger >1.0 cm aggregates 91.55 – 92.35 biotite quartz schist / granite 60 / 40, folded, minor pegmatite sills minor biotite 92.35 – 98.74 granite – minor pegmatite, pink massive, 97.68 – 98.74 coarser grained, marginal to pegmatite			193622 193623	97.00 97.60	97.60 98.74	0.60 1.14			
98.74	99.55	Metasediment	Biotite quartz schist, 65% very fine grained biotite	So 70 at 99.00		193624	98.74	99.55	0.81			
99.55	105.31	Pegmatite	Pegmatite / granite, pink grading to white to base, contains massive potassic granite sections and lesser biotite quartz schist rafts 99.67 – 100.58 upper 10.0 cm coarse grained granite, pink significant biotite at upper contact, grades to pegmatite at depth 8 – 10% biotite aggregates to 1.50 cm, biotite partially replaced by chlorite / epidote – pistachio green 100.58 – 100.92 granite, massive, fine grained 100.92 – 102.00 pegmatite to coarse grained granite biotite 8% as 3.0 – 8.0 mm flakes 102.00 – 103.00 pegmatite as above, broken 48% core recovery 103.00 – 103.32 pegmatite, white to pale pink, foliated, biotite as aggregates aligned 30 – 45 tca, 15 – 20% to 8.0 mm 103.32 – 103.71 biotite quartz schist 15% granite / pegmatite sills contacts 40 tca 103.71 – 104.19 pegmatite white to mottled pink, 20% biotite aggregates 10 x 4.0 mm, gradational lower contact 104.19 – 104.54 biotite quartz schist 104.54 – 105.02 pegmatite, white as 103.00 – 103.32 105.02 – 105.31 pegmatite, very biotite rich >40.0 % 105.31 – 106.30 biotite quartz schist			193625 193626 193627 193628 193629 193630 193631 193632 193633 193634	99.55 100.58 100.92 102.00 102.00 103.00 103.32 103.71 104.19 104.19 104.54 104.54 105.02 105.02	100.58 100.92 102.00 103.00 103.32 103.71 104.19 104.54 105.02 105.31				

Meters		Rock type	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature Angle	Ref Sample No.	Geochem Sample No.	Sample Interval (m)		Length (m)	Assays		
From	To						From/De	To/A				
105.31	106.30	Metasediment	Biotite quartz schist, very thin bedded, epidote / chlorite alteration, of more biotite rich phases, 15% narrow white granite sills deformed, ptygmatic folding	So 80 at 106.00		193635	105.31	106.30				
106.30	109.11	Pegmatite	Pegmatite, white to pale pink, biotite rich >40% discrete grains to aggregates, 106.30 – 106.78 pink / white 40% biotite aggregated 106.78 – 108.00 pink white upper 30.0 cm 20% fine biotite, lower section 5 – 7% biotite as 10.0 mm x 3.0 mm fresh grains 108.00 – 109.11 pink grading to white at base, 35% biotite, biotite quartz schist rafts to 15.0 cm, 20%			193636 193637 193638	106.30 106.78 108.00	106.78 108.00 109.11	0.48 0.22 1.11			
109.11	111.83	Metasediment	Biotite quartz schist, compositional bedding on cm scale, alternating grey / dark grey / black Deformed and folded, bedding angles variable perpendicular to parallel to core axis 111.00 – 111.83 biotite schist / lesser fine granite sills, open folding, drilling down bedding planes, schist weakly chloritic, granite sills to 1.0 cm, deformed, broken, weak boudinage, lower contact – metasediment / pegmatite is irregular	So 70 at 110.00 So 00 at 111.50		193639 103640 193641	109.11 110.00 111.00	110.00 111.00 111.83	0.89 1.00 0.83			
111.83	113.58	Pegmatite	Pegmatite, faint pink to white, mottled black (biotite) irregular upper contact, about 60 tca, lower contact 45 tca			193642 193643	111.83 112.83	112.83 113.58	1.00 0.75			
113.58	114.48	Metasediment	Biotite quartz schist very fine grained, weak chlorite, bedding 60 tca, 10% granite sills on mm to cm scale, coarse biotite selvages			193644	113.58	114.48	0.90			
114.48	121.01	Pegmatite	Pegmatite, pink mottled pale grey to white, biotite content variable 2.0 to 15.0% as coarse flakes 15.00 mm x 5.0 mm, biotite partial alteration to chlorite / epidote, - pale pistachio green cores 114.48 – 115.00 <5.% very fine grained biotite 115.00 – 116.00 <5% medium to coarse grained biotite 116.00 – 117.00 <10% coarse grained, chlorite / epidote altered biotite 117.00 – 118,00 <5%, coarse biotite to 10 mm, chlorite / epidote alteration 118.00 – 119.00 <20% coarse biotite, chlorite / epidote alteration 119.00 – 120.29 pegmatite, 20% coarse biotite, 25% fine grained pink granite to base 120.29 – 121.10 40% coarse biotite, 120.29 – 120.48 metasediment raft, 120.48 – 120.78 50% metasediment rafts, biotitic, 120.75 – 121.01 granite coarse grained			193645 193646 193647 193648 193649 193659 193651	114.48 115.00 116.00 117.00 118.00 119.00 120.29	115.00 116.00 117.00 118.00 119.00 120.29 121.01	0.52 1.00 1.00 1.00 1.00 1.29 0.72			
121.01	123.95	Granite	Granite, pink potassic, massive <3.0 % biotite, fine grained coarsening to base 121.01 – 122.00 pink potassic <3.0% biotite, fine grained 122.00 – 123.00 as above 123.00 – 123.95 coarse grained granite to pegmatite, trace biotite			193652 193653 192654	121.01 122.00 123.00	122.00 123.00 123.95	0.99 1.00 0.95			

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
0.00	0.20	casing		no overburden recovered						
0.20	47.30	Granite		Medium-grained, redish- pink colour, foliated at 40 to 50 degrees to core axis. Minor coarse-grained patches sporatically throughout that are 15 cm or less in length. These patches are slightly hematitized and have potassic alteration, changing the plagioclase to a dark pink colour. Green epidote veins, 1-4 mm, at various angles to core axis, cutting the foliation (commonly 10-15 degrees to core axis, but are also seen at other angles). 34.10-34.60 - Fine-grained, grey, possible metasediment inclusion/xenolith, with thin epidote veins parallel to foliation with red potassic alteration.						
47.30	49.50	Mafic Volcanic		Grey-green colour, fine to medium-grained, foliated at 40 degrees to core axis. Small light grey to white 'tuff' sized crystals or grains seen throughout unit. Top contact and bottom contacts are altered, schistose with chlorite and potassic alteration.						
49.50	50.20	Granite Pegmatite		Pink , coarse-grained, biotite at top of unit. Foliated 40-50 degrees to core axis.						
50.20	50.96	Mafic Volcanic		Same as above 47.30-49.50 m unit of Mafic Volcanic. Also has the same schistose contacts.						
50.96	51.52	Granite Pegmatite		Pink to white, coarse-grained, schistose rock at both contacts, foliated at 50 degrees to core axis.						
51.52	52.00	Mafic Volcanic		Same as above Mafic Volcanic units with schistose contacts.						
52.00	55.37	Granite pegmatite		Pink, coarse-grained, foliation 50 degrees to core axis, epidote and potassic alteration in veins and massive sections of about 5 cm. Som						
55.37	62.00	Mafic Volcanic		Green grey, medium-grained with 'tuff' sized grains, foliated 50 degrees to core axis. There are thin quartz veinlets. 59.20-59.45 - Pegmatite, pink, coarse-grained, chloritic alteration at contact and in seems of epidote/chlorite. 59.80-60.20 - Pegmatite, same as above subunit.						
62.00	64.31	Granite to Granite pegmatite		Pink, foliated granite at 50 degrees to core axis. Pegmatite is more massive. Calcite veins 1-5 mm wide. Contacts are parallel to foliation.						
64.31	77.08	Mafic Volcanic, (leuco-gabbro)		Layered, foliated at 50-60 degrees to core axis. Homegeneous, fine to medium-grained, green to white with grey. Folded quartz/feldspar veins. 66.40-66.80 - Red, altered, Pegmatite. 74.75-75.80 - Pink, medium-grained granite						
77.08	79.80	Granite pegmatite		Pink, coarse-grained, cloudy potassic alteration, minor biotite.						




Diamond Drilling Log

UTM: NAD83
Zone: 15U
Easting:
Northing:

Azimuth: 160°
Dip: 55°
Total depth: 298.00m

Date:
Logger:
RM

Hole No.:
RL08-021

				Diamond Drilling Log			UTM: NAD83 Zone: 15U Easting: Northing:		Azimuth: 160° Dip: 55° Total depth: 298.00m		Date:	Hole No.: RL08-021		
Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Sample No.	Sample Footage		Sample Length (m)				
From (m)	To (m)							From (m)	To (m)					
				211.21-212.30 - pegmatite grainte.										
				234.20-234.57 - granite, medium-grained.										
				237.54-235.02 - pegmatite with weak chlorite alteration.										
				252.33-252.95 - medium-grained granite.										
				254.00-254.25 - weak epidote alteration.										
254.76	263.40	Granite		Fine to medium-grained, pink to light pink. 255.60-257.12 - coarse-grained pegmatite. 259.85-260.50 - metasediment. 263.00-263.40 - altered, polished, hard.										
263.40	289.31	Metasediment		Green-grey to light grey, green rounded chloritic porphroblasts, foliated about 55 degrees to core axis., non-magnetic, trace pyrite disseminated, mainly fine-grained, porphyric. After 277.70 m unit becomes leucocratic, banded, medium-grained . After 282.00 becomes more fine-grained again and not as banded. Minor epidote/sericite alteration to all fractures.										
289.31	298.00	Granite to Granite Pegmatite		Medium- grained granite with coarse-grained pegmatite sections. Pink to pink-grey, 20 to 30 degrees to core axis. Mafics in granite, only a few percentage in the pegmatite sections.										
298.00			End of Hole.											

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
0.00	0.15	casing								
0.15	5.00	Granite		pink, biotite granite, homogeneous, medium-grained, weakly foliated						
5.00	15.95	Metasediment?		Grey-grey coloured, thinly laminated appearance, well foliated at 65-70 degrees to core axis, medium-grained, compositionally about half amphibole half plagioclase with minor biotite and chlorite, top section down to 7.5m contains powdery epidote-rich fractures with streaks of orange goethite/limonite, isolated thin quartz-rich pegmatite intrusions						
15.95	17.85	Granite		pink, about 20% biotite, medium-grained, epidote alteration near contacts, isolated thin red coloured patches/veins of potassic? alteration.						
17.85	19.58	Metasediment?		As above, amphibolitic, well foliated, chloritic and friable with epidote in 10cm in base contact						
19.58	20.50	Granite		moderate biotite, medium-grained, as above						
20.50	25.70	Metasediment?		As above						
25.70	26.80	Granite		As above						
26.80	28.40	Metasediment?		As above, minor rusty fractures						
28.40	33.02	Granite		As, above, medium-grained, moderately biotitic, pink, massive						
33.02	36.58	Metasediment?		As above, foliated at 65-70 degrees to core axis, minor epidote coated fractures, minor granitic patches						
36.58	38.13	Granite pegmatite		pink, moderate biotite as coarse-grained distinct "books", minor thin potassium? altered pink veins throughout, contacts are foliation parallel at top and bottom						
38.13	40.05	Metasediment?		As above						
40.05	40.60	Granite		Medium to coarse-grained, moderately biotitic, homogeneous, blocky near contact						
40.60	43.40	Metasediment?		As above, odd chlorite/epidote veining at 43.10 to bottom						
43.40	44.10	Granite pegmatite		minor biotite, weak fracturing, foliation parallel bottom and top contacts						
44.10	54.66	Metasediment?		As above units, minor zones of pale green chlorite/epidote alteration, a few minor pegmatite intrusions, foliation still 60-70 degrees to core axis, becomes finer grained towards base.						
54.66	55.18	Granite Pegmatite		quite coarse-grained, minor biotite, unaltered						
55.18	76.04	Metasediment		Greywacke, fine-grained, grey, distinct from the more amphibolitic metasediment above, thinly bedded to massive, minor <30cm pink pegmatitic intrusions (62.95-63.24, 64.30-64.55, 69.68-69.77), bedding/foliation at 70 degrees to core axis, minor folding near base. 71.34-71.50 granite						
76.04	78.68	Granite pegmatite		pink to purple, minor fracturing, coarsely crystalline biotite sporadically throughout but particularly over top 75cm, no strong radioactivity but spots are up to 300cps with RS125, top and bottom contacts are foliation parallel						



Diamond Drilling Log

UTM: NAD83
Zone: 15U
Easting:
Northing:

Azimuth: 160°
Dip: 55°
Total depth: 251m

Date:
Logger:
RM

Hole No.:
RL08-022

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
78.68	80.80	Metasediment		Different from both the amphibolitic metasediment at top of hole and greywacke unit above. Strongly foliated, more crystalline, foliation/gneissosity at 60 degrees to core axis, layering consists of, 1cm interbedded mafic and lighter grey bands						
80.80	82.45	Granite		pink to red coloured, minor fine-grained biotite, some epidote veining, contacts foliation parallel						
82.45	99.02	Metasediment		Grey, minor light green coloured sections, distinctly cm-scale layering (combination of bedding and foliation) at 50 degrees to core axis, thin granite pegmatite/granite sills at 87.30-87.68, 88.55-89.15, 89.92-90.04, 91.40-92.38						
99.02	104.15	Granite		pink to red, typically medium-grained but contains a few pegmatitic sections, also a few metasedimentary xenoliths, pegmatitic sections have purple quartz, minor fine-grained biotite, non-magnetic						
104.15	106.12	Metasediment		Greywacke, greenish grey colour, fine-grained, well bedded/foliated at 70 degrees to core axis, cm-scale						
106.12	107.85	Granite pegmatite		white to purple coloured, mainly quartz and pink to white potassium feldspar, minor fracturing and alteration						
107.85	167.00	Metasediment		<p>Altered metagreywacke, unaltered rock is a grey homogeneous moderately foliated greywacke, altered sections have weak to moderate epidote-chlorite-carbonate alteration, minor reddish potassium feldspar or hematite? Foliation is 10-40 degrees to core axis near top distinct from metasediment above granite, then gradually shifts back to 60-65 degrees to core axis around 150.</p> <p>Granite pegmatite or granite intrusions sporadically throughout these occur at: 120.10-120.90, 123.10-123.45, 133.40-133.80 fine-grained granite, 134.22-134.32, 139.11-139.45, 139.85-140 granite, 154.50-154.80 red, altered, minor epidote veining, 155.08-156.30 altered red pegmatite</p> <p>Alteration zones are pervasive to semi pervasive with thin cross-fractures/faults at high angles to core axis as follows: 108.40-118 about 50% pervasive pale green epidote alteration with streaks of red hematite in places, non-pervasively altered sections have thin foliation parallel epidote cross fractures 118-142 less strongly altered 10-15% foliation parallel epidote alteration bands, minor reddish potassic or hematitic alteration, otherwise unaltered greywacke, 130.75 thin fault plane at 60 degrees to core axis cuts across other cross fractures 142-167 moderate to strong, pervasive to vein-like epidote with reddish hematitic or potassic alteration, prominent hairline epidote veins foliation both parallel and cross-cutting, alteration weakens over last 10m. 145.10 black possibly graphitic vein, 149.80 10cm breccia with red average 1-2cm angular clasts</p>						



Diamond Drilling Log

UTM: NAD83
Zone: 15U
Easting:
Northing:

Azimuth: 160°
Dip: 55°
Total depth: 251m

Date:
Logger:
RM

Hole No.:
RL08-022

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
167.00	203.16	Metasediment		<p>Greywacke, well foliated 55 degrees to core axis, medium-grained, varies from greywacke to green amphibolitic material, several thin granite and granite pegmatite sills which are in places altered but not strongly radioactive. Less altered than above, still contains sporadic patches of weak epidote and potassic alteration over top 10-20m.</p> <p>Thicker pegmatite sills 181.85-182.41, 183-183.42, 186.12-187.74 odd greyish purple with biotite, 188.48-188.81 granite, 189-189.30 granite, 195.70-196.18 medium-grained granite, 202-202.12 pegmatite with reddish fractures</p> <p>184.68 odd soft chloritic vein 181-181.50 pink with moderate epidote alteration 194.08 vuggy chlorite vein 198.70-199 quartz vein/silicification</p>						
203.16	207.15	Granite to Granite pegmatite		coarse-grained granite, homogeneous, minor metasedimentary xenoliths, finer grained from 206 to contact, foliation parallel contacts, unaltered						
207.15	210.84	Metasediment		as unaltered material above 167.00-203.16						
210.84	212.25	Granite pegmatite		pink to white, leucocratic, 1-2% biotite, finer grained near contacts						
212.25	229.00	Meta-sediment??		Pale grey, mainly plaioclase + chlorite/biotite, with prominent 1-2mm round, dark porphyroblasts, quite homogeneous, minor leucocratic pegmatite sills at 218.28-218.60, 224.33-225.15						
229.00	234.37	Metasediment		Greywacke, minor pegmatitic intrusions, thin quartz veins in places complexly folded						
234.37	238.10	Meta-sediment??		As from 212.25-229						
238.10	247.48	Granite		pink to white, massive fine-grained, unaltered, minor pegmatitic material at 239.45-240.40, 241.58-242.48 partially assimilated biotitic metasedimentary inclusion						
247.48	251.00	Metasediment		amphibolitic material like near top of hole, about 50/50 mix of green amphibole and plagioclase, minor folding, minor quartz-feldspar segregations						
251.00				end of hole						



Diamond Drilling Log

UTM: NAD83
Zone: 15U
Easting:
Northing:

Azimuth: 160°
Dip: 55°
Total depth: 251m

Date:
Logger:
RM

Hole No.:
RL08-022

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
0.00	0.45	casing								
0.45	20.77	Granite		Pink to red colour, medium-grained, minor biotite, weakly altered, some rusty fractures near surface, massive						
20.77	31.28	Metasediment		Grey, medium-grained, massive to thinly banded, layering is at 50 degrees to core axis, trace pyrite, a few finer-grained sections that are greener coloured and chloritic.						
31.28	36.12	Granite to Granite Pegmatite		Pink biotite granite to pegmatite, after 33.83 potassic alteration with weak epidote along fractures, biotite is chloritized						
36.12	45.46	Metasediment		Same as above unit (20.77-31.28), foliation is at 60 degrees to core axis, also more green, fine-grained sections, minor granitic intrusions, weak epidote alteration						
45.46	47.00	Granite to Granite Pegmatite		Typical mix of medium-grained biotite granite and pegmatitic granite, unaltered						
47.00	71.55	Metasediment		Grey to green coloured, medium-grained, bedding and foliation at 45-50 degrees to core axis, some chloritic sections, a few minor granite intrusions with weak epidote/sericite alteration, minor quartz veining, some blocky sections, minor folds in places 47.67-47.95 white coloured granite pegmatite 49.40-49.64 granite odd greyish colour 52.35-52.98 pink granite, medium-grained 70.30-71.10 blocky, chloritic veining, soft, schistose						
71.55	88.00	Metasediment		Greywacke, finer-grained than above, foliation/bedding are at 55-60 degrees to core axis, minor quartz veining with off grey to purple colouration and trace pyrite most prominent at 75.78-76.12m Minor pegmatite intrusions 80.40-80.94 300 cps potassic alteration?						
88.00	90.82	Granite pegmatite		pink, coarse-grained, moderate salmon coloured (potassic?) alteration						
90.82	115.45	Metasediment		Coarser grained, more gneissic textured and crystalline than the sections described as greywacke. Green to grey coloured, layering at 60 degrees to core axis, minor sections of epidote alteration, minor quartz veining 96.48-97.27 pink medium-grained granite 102.17-104.20 pink pegmatite, potassic (?) alteration 113.13-113.40 pegmatite			602319	115.00	116.00	1.00
115.45	118.80	Granite pegmatite		Dark pink to purple, strongly altered (yellowish clay? Epidote?) along minor fractures, sections of strong radioactivity max 800cps, some strongly magnetic sections up to 5% magnetite, contacts are foliation parallel at 60 degrees to core axis,			602320	116.00	117.00	1.00
118.80	120.18	Metasediment		Green to light grey colour, weak epidote-chlorite alteration, weakly foliated, homogeneous			602321	117.00	118.00	1.00
120.18	121.73	Granite pegmatite		dark purple colour, up to 300cps, non-magnetic, weak potassic alteration			602322	118.00	119.00	1.00



Diamond Drilling Log

UTM: NAD83
Zone: 15U
Easting:
Northing:

Azimuth: 160°
Dip: 55°
Total depth: 251m

Date:
Logger:
RM

Hole No.:
RL08-023



Diamond Drilling Log

UTM: NAD83	Azimuth: 160°	Date:	Hole No.:
Zone: 15U	Dip: 45°		RL08-024
Easting:	Total depth: 150.60m	Logger:	
Northing:		RM	

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
0.00	0.20	casing								
0.20	28.40	Metasediment		Metagreywacke, grey, fine-grained, not distinctly bedded, most sections appear weakly foliated, bedding and foliation appear to be at about 45 degrees to core axis, minor pink potassium feldspar, quartz, biotite granite pegmatite intrusions with weak epidote alteration these occur at 2.88-3.50, 6.67-6.89, 11.27-11.50, 15.30-15.65, 18.60-19.10, 20.12-20.65, 25.90-26.15. Moderately blocky to 4m.						
28.40	32.75	Granite pegmatite		top and base contacts foliation parallel, typically potassium feldspar and quartz with minor plagioclase and biotite, non-magnetic, minor dark purple quartz, some fractures with reddish or salmon coloured bleaching						
32.75	60.72	Metasediment		Metagreywacke, in general fine-grained, dark grey, possibly some metavolcanic horizons, trace pyrite blebs, foliation is at 50-55 degrees to core axis, folds at 41-47m, 2cm pyrite-rich band granite of granite pegmatite intrusions, typically sills, occur at: 33.36-33.52 medium-grained pink granite, 33.76-34.70 coarse-grained pink granite, 35.70-36.28 pale pink granite to granite pegmatite, 37.48-37.65 granite pegmatite, 51.48-51.57 granite pegmatite, 54.76-54.90 granite pegmatite, 56.70-57.10 thin pegmatitic intrusions with epidote alteration, 58.02-58.62 pegmatite, reddish with green epidote/chlorite alteration up to 400cps, not sampled						
60.72	62.80	Granite pegmatite		red coloured, moderately fractured, purple quartz, cross-cuts foliation of host rocks, not radioactive						
62.80	97.00	Metasediment		as above but more distinctly layered, foliation 60-65 degrees to core axis, minor epidote, sericite alteration near top, after 70m becomes homogeneous well bedded on cm-scale at 65 degrees to core axis Granite pegmatites, moderately altered at: 65.15-65.62, 67.77-68, 68.85-68.99, 69.90-70.08, 70.80-71.05, 90.30-90.40, 90.87-91, 91.37-91.75, 93.45-94.27 medium-grained granite with minor epidote						
97.00	100.50	Granite pegmatite		pink, fine to medium-grained, lots of pale green chlorite altered sections (vein to pervasive), some sections of very blocky core, also minor salmon coloured potassic alteration, becomes pegmatitic towards base 98-100 pervasively altered metasediment which looks like fine-grained granite because of pink alteration						
100.50	118.65	Metasediment		as above, 10-15% pink to white pegmatitic granite sills, minor to moderate epidote-chlorite-potassium feldspar/sericite alteration, looks silicified from 116 to end						
118.65	136.10	Mixed granite and metasediment		Mixture of fine-grained aplitic granite and reddish coloured altered metasediment Typically pale reddish colour, cut by vein networks of epidote and chlorite, some veins with an argillaceous look, moderately blocky						
136.10	150.60	Metasediment		As above, grey, moderately foliated/bedded, minor zones of epidote, a few isolated granite pegmatite intrusion 144.80-146 pink medium-grained granite						
150.60				End of Hole						



Diamond Drilling Log

UTM: NAD83
Zone: 15U
Easting:
Northing:


Azimuth:
Dip:
Total depth:


Date:
7/21/2008
Log: A.S,
S.P. & M.R.

Hole No.:
RL08-025

Page No.:
1 of
2

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery (%)	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
0	0.95	overburden		overburden						
0.95	14.64	Metasediments		Metasediments - dark grey in colour, f.g., banding in grains, thin quartz-feldspar bands ~1 cm wide (recrystallized sediment beds) 2.12m : Epidote vein (2 cm wide)						
				11.0m-12.0m: Pegmatite dykes begin, mostly feldspar, pink in colour (hematite), c.g. 2 cm - 10 cm wide, also granite clasts btw 11.0-12.0 m						
14.64	17.13	Pegmatite		Pegmatite Dyke - C.g., pink-red (hematite), w/ biotite books in areas, quartz is very smokey						
17.13	23.55	Metasediments		Metasediments w/ granitic dykes - similar to above w/ banding, f.g., dark-grey in colour						
23.55	24.25	Granite		Granite Dyke - M.g., very pink, massive texture						
24.25	39.77	Metasediments		Metasediments - Original banding at 65° t.c.a. still present w/ magnetic areas starting at 26.0m to 28.65m. Areas that are more schistose and carry pyrite (~5%) also are very magnetic (1cm bands). * The areas w/ magnetism are also showing the highest scintillometer readings*						
				28.65-29.05m, 30.45-30.55m, 31.6-31.95m : Pegmatite dykes, cream to pink red mixture, smokey quartz						
				28.65m : Molybdenum, small flake						
				37.3-37.7m : Several thin epidote veins (0.5-5mm), 65° and 40° t.c.a.						
39.77	42.51	Granite		Granite Dyke w/ pegmatitic sections - m.g. reddish kspar, white fspar, quartz and minor f.g. biotite. Weakly magnetic.						
				39.92-39.95m, 40.14-40.18m, 40.29-40.42m, 41.94-42.51m, 41.79-41.85m : Pegmatitic sections.						
42.51	42.93	Metasediments		Metasediments - dark grey in colour, f.g., banding in grains, thin quartz-feldspar bands ~1 cm wide (recrystallized sediment beds)						
42.93	43.54	Granite		Granite - v.c.g., red kspar, white fspar, quartz and biotite. Weakly magnetic.						
43.54	59.35	Metasediments		Metasediments - refer to 42.51-42.93m. Some granitic veins cutting through						
				44.09-44.22m, 46.2-46.56m : F.g.-m.g, red fspar (hematite) and white fspar, quartz and biotite granite.						
				48.53-48.57m, 50.18-50.53m : C.g.-v.c.g., red fspar (hematite) and white fspar, quartz and biotite granite.						
				50.49-59.35m : Chloritization and epidotization of the biotite in the metasediments, sections of gneissic pink granite.						
59.35	62.05	Granite		Granite w/ pegmatitic sections - f.g.-m.g. red fspar (hematite), white fspar, smokey quartz and biotite.						
				60.66-60.77m : Pegmatitic section, reddish pink, extremely c.g.						
62.05	101	Metasediments		Metasediments - refer to 42.51-42.93m. Some gneissic granite sections.						
				63.4-66.1m, 67.55-68.25m : Gneissic granite, f.g.-m.g, reddish pink fspar, slightly smokey quartz, biotite and muscovite						
				67.55-68m : Muscovite flakes						
				71.75-72.08m, 72.45-72.85m, 74.11-74.32m : Gneissic granite, m.g., reddish fspar, slightly smokey quartz, banding 55° t.c.a.						
				71.99-72.29m : Epidote-altered segment, crystals are discernible						

				Diamond Drilling Log		UTM: NAD83 Zone: 15U Easting: Northing:		Azimuth: 155° Dip: 45° Total depth: 152m		Date: 7/23/2008 Logger: RM		Hole No.: WL08-001	
Depth		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Assay Sample No.	Sample Footage		Sample Length (m)			
From (m)	To (m)							From (m)	To (m)				
0.00	21.40	casing											
21.40	21.50	Granite pegmatite		Thin red granite pegmatite			602059	38.00	39.00	1.00			
21.50	26.30	Metasediments		Grey, massive, some thinly bedded sections, bedding is at 70-90 degrees to core axis, quite hard, silicified?			602060	39.00	40.00	1.00			
26.30	28.33	Granite to Granite pegmatite		Red, medium grained near edges, pegmatitic at centre, yellowish staining at 26.82 but not radioactive, vary hard, polished looking core			602061	40.00	41.00	1.00			
28.33	28.94	Metasediments.		Grey, massive			602062	41.00	42.00	1.00			
							602063	42.00	43.00	1.00			
							602064	43.00	44.00	1.00			
28.94	29.40	Granite		Red, massive, minor gneissic metasedimentary inclusions			602065	51.00	52.00	1.00			
29.40	30.65	Metasediments.		Grey, weak gneissic banding, thin pegmatite sill at 30.02 to 30.12			602066	52.00	53.00	1.00			
30.65	31.22	Granite		Pale red, medium-grained, hard, polished core			602067	53.00	54.00	1.00			
31.22	34.08	Metasediments with minor granite		Mostly grey metasediment, thin intrusions of red granite to granite pegmatite			602068	54.00	55.00	1.00			
34.08	36.28	Granite with minor metasediment		Mainly red medium-grained granite, minor metasedimentary intervals			602069	55.00	56.00	1.00			
36.28	38.68	Metasediments		Massive, fine-grained, hard, thin granitic veins, almost looks like a diorite			602070	56.00	57.00	1.00			
38.68	43.80	Granite Pegmatite		Very coarse-grained to 40.60 then fines down to 42 then very coarse-grained again, slightly above background radioactivity, some very coal			602071	57.00	58.00	1.00			
43.80	51.65	Metasediments		Grey, foliation 80 degrees to core axis, trace pyrite, towards base intruded by minor pegmatite dikes and sills			602072	58.00	59.00	1.00			
51.65	72.21	Granite pegmatite		Very coarse-grained, minor fine-grained partially assimilated metasedimentary sections, moderately fractured with weak alteration, 1-2% biotite, mostly dark coloured quartz and pink potassium feldspar, only weakly radioactive			602073	59.00	60.00	1.00			
							602074	60.00	61.00	1.00			
							602075	61.00	62.00	1.00			
							602076	62.00	63.00	1.00			
							602077	63.00	64.00	1.00			
							602078	64.00	65.00	1.00			
							602079	65.00	66.00	1.00			
602080	66.00	67.00	1.00										
72.21	75.21	Metasediments		Grey, medium-grained biotite-rich schist, foliation is at 80 degrees to core axis			602081	67.00	68.00	1.00			
75.21	78.25	Granite Pegmatite to granite		Coarse-grained near middle, finer-grained towards edges 75.55-75.90 metasedimentary inclusion			602082	68.00	69.00	1.00			

 DELTA URANIUM INC.				Diamond Drilling Log			UTM: NAD83 Zone: 15U Easting: Northing:		Azimuth: 155° Dip: 45° Total depth: 152m		Date: 7/23/2008 Logger: RM		Hole No.: WL08-001	
Depth		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Assay Sample No.	Sample Footage		Sample Length (m)				
From (m)	To (m)							From (m)	To (m)					
78.25	79.85	Metasediments		Fairly coarse-grained, more gneissic textured, amphibole-biotite rich, minor granite pegmatite intrusions			602083	69.00	70.00	1.00				
79.85	98.08	Granite to Granite pegmatite		Pink to red, minor magnetite crystals, some fracturing with potassic alteration possibly hematization, no strong radioactivity typically around 150cps compared to background of 100-120cps.			602084	70.00	71.00	1.00				
							602085	71.00	72.00	1.00				
							602086	72.00	73.00	1.00				
							602087	73.00	74.00	1.00				
							602088	74.00	75.00	1.00				
							602089	75.00	76.00	1.00				
							602090	76.00	77.00	1.00				
							602091	77.00	78.00	1.00				
							602092	78.00	79.00	1.00				
							602093	79.00	80.00	1.00				
602094	80.00	81.00	1.00											
602095	81.00	82.00	1.00											
602096	82.00	83.00	1.00											
98.08	106.80	Tonalite		white, medium-grained with 10-20% mafic component, more like a granodiorite to granite near top, they grades to tonalitic composition downhole. Foliated at 80 degrees to core axis. Base is a sharp contact with granite below			602097	83.00	84.00	1.00				
106.80	117.00	Granite pegmatite		as 79.85 to 98.08			602098	84.00	85.00	1.00				
							602099	85.00	86.00	1.00				
							602100	86.00	87.00	1.00				
							602101	87.00	88.00	1.00				
							602102	88.00	89.00	1.00				
							602103	89.00	90.00	1.00				
							602104	90.00	91.00	1.00				
							602105	91.00	92.00	1.00				
							602106	92.00	93.00	1.00				
							602107	93.00	94.00	1.00				
							602108	94.00	95.00	1.00				
							602109	95.00	96.00	1.00				
602110	96.00	97.00	1.00											
							602111	97.00	98.00	1.00				
							602112	98.00	99.00	1.00				



Diamond Drilling Log
Journal de forage au diamant

NTS WGS84 Z15N
451444e
5521066N
M ASL

AZIMUTH: 155°
DIP: -65°
TOTAL DEPTH: 197m

DATE: 16 APR 08
LOGGER: RGR

Hole No. Forage n°
WL-Ø8-
ØØ2

Page No. Page n°
1 of 4

Footage/Avancement Box Number		Rock type Type de roche	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.) OBSERVATIONS M	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/To	Sample Footage M From To		Sample Length M	EXTRA
Box 1				0.0 - 19.3 CASING - OVERBURDEN			475943	19.9	20.9	1.0	AK
			4	casing remains			475944	20.9	21.9	1.0	AK
			8				475945	21.9	23.0	1.1	AK
			12								
			16								
19.3			20	19.3 - 21.9 QUARTZ BIOTITE SCHIST: GREY, BANDED, WITH ORANGE RED WITH PATCHY ALTERATION ± SERICITE ALT AS FRAC. COATS, PERVASIVE PATCHES, QUARTZ + 70%, BIOTITE		21.1m					
		HAND SAMPLE →		10cm DYKE							
	25.8		24	<5% SMALL ELLIPSED FLAKES, PYRITE COMMON TO TRACE ± 1% IN NARROW INTERVALS, HAND SAMPLE.	100						
Box 2			28	SHARP 60° TO GA							
		FINER TO CNT ↑		21.9 - 23.0 GRANITE PEGMATITE: SALMON PINK TO ORANGE.							
	37.7		32	SHARP	100						
Box 3				DYKE							
			36	DYKE							
	37.7			FRACTURE FILLS							
				GRANITE GNEISS							
Box 4			40	23.0 - 28.0 QUARTZ BIOTITE SCHIST: AS IN 19.3-21.9m	100						
				28.0 - 31.1 GRANITE PEGMATITE: AS IN 21.9-23.0, COARSER							
	43.7		44	SHARP	100						
Box 5				RADIOACTIVITY, PATCHY HEMATITE ALT							
			48	LARGE MAGNETITE 4cm							
	49.7			SHARP	100						
Box 6			52	QUARTZ BIOTITE SCHIST: MIXED UNIT WITH INTERVALS OF GRANITIC GNEISS, MANY SMALL PEGMATITE DYKES, FEW GRANITE INTERVALS (FINER TEXTURE)							
				42.7 - 50.2 GRANITE PEGMATITE: AS IN 28.0-31.1m							
	55.2		56		100						
Box 7				SHARP							
			60	SHARP							
				50.2 - 57.3 QUARTZ BIOTITE CHLORITE SCHIST: AS IN 31.1-42.7m WITH ADDED CHLORITE, LESS CHL AFTER 55m							

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

NTS WGS 84 215N
451444e
5521066N
M ASL

AZIMUTH: 155°
DIP: -65°
TOTAL DEPTH: 197m

DATE: 16 APR 08
LOGGERS: RGB

Hole No. Forage n°
WLØB-
ØØ2

Page No. Page n°
2 of 4

Footage/Avancement Box NUMBER		Rock type Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % Recovery	Ref Sample No.	Geochem Sample No. From/To	Sample Footage m		Sample Length m
From/De	To/A						From	To	
Box 7	61.1		SHARP 52.3 - 58.75 GRANITE PEGMATITE; AS IN 28.0-31.1m	100		475946	45.15	66.0	0.85
Box 8			SHARP 58.75-60.1 QUARTZ BIOTITE SCHIST; LIGHT CREAM TO PINKISH				66.0	67.0	1.0
	67.0		<2mm BIOTITE FLAKES, RARE PY, BANDED, FOLIATED	100			68.0	69.0	1.0
Box 9			DISSEMINATED 2-3mm MAGNETITE,			475950	69.0	70.15	1.0
	72.9		SHARP SHARD ← XENOLITH?			475951	70.7	72.0	1.3
Box 10			SHARP 60.1 - 61.1 GRANITE PEGMATITE: AS IN 28.0-31.1m	100			72.0	73.0	1.0
	78.75		SHARP 61.1 - 61.8 QUARTZ BIOTITE SCHIST: AS IN 58.75-60.1				73.0	74.0	1.0
			XENOLITH?			475954	74.0	75.1	1.1
Box 11			ROCK DYKE 61.8 - 64.4 GRANITE PEGMATITE; AS IN 28.0-31.1m	100					
	84.65	CPY, PO, PY →	SHARP XENOLITH 64.4-65.15 QUARTZ BIOTITE SCHIST: AS IN 58.75-60.1, XENOLITH?						
			65.15-70.15 GRANITE PEGMATITE: AS IN 28.0-31.1m						
Box 12			DYKE 70.15-70.7 QUARTZ BIOTITE SCHIST: AS IN 58.75-60.1, XENOLITH	100		475955	84.7	85.1	0.4
	90.55		SHARP 70.7-75.1 GRANITE PEGMATITE: AS IN 28.0-31.1m						
			75.1-76.5 QUARTZ BIOTITE SCHIST: AS IN 58.75-60.1m			475956	87.15	88.0	0.85
Box 13			76.5-77.7 GRANITE PEGMATITE: AS IN 28.0-31.1m	100			88.0	89.0	1.0
	96.52		MYRMEXITE 77.7-82.55 QUARTZ BIOTITE SCHIST: AS IN 58.75-60.1m				89.0	90.0	1.0
			COARSE GRAINED 82.55-84.0 GRANITE PEGMATITE: AS IN 28.0-31.1m			475959	90.0	91.0	1.0
Box 14			84.0-87.15 QUARTZ BIOTITE CHLORITE SCHIST: AS IN 50.2-57.3m	100					
	102.53		WELL BANDED, WELL FOLIATED, BANDS WITH CPY, PO, PY 87.15-112.8 GRANITE PEGMATITE: AS IN 28.0-31.1, QUARTZ IS VERY	100					
			LIGHT GREY						
Box 15			RELIC BANDING 112.8-118.8 QUARTZ BIOTITE (CHLORITE) SCHIST: LIGHT WHITE						
	108.5		RELIC BANDING TO GREYISH, WELL FOLIATED, METASEDIMENT	100					
			118.8-126.3 GRANITE PEGMATITE AS IN 28.0-31.1m						
Box 16			OBSCURE, BROKEN						
	114.5		-75° TO CA - FOLN	100		475960	118.45	119.0	0.55
Box 17			SHARP			475961	119.0	120.0	1.0

[20,33]*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

WGS 84 Z 15N
451444E
5521066N
M ASL

AZIMUTH: 155°
DIP: -65°
TOTAL DEPTH: 197m

DATE: 17 Apr 08 ⇒
LOGGER: RLB

Hole No. Forage n°
WLØ8 -
ØØ2

Page No. Page n°
3 of 4

Footage/Avancement Box NUMBER		Rock type	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/To	Sample Footage m		Sample Length m
From/De	To/A M	Type de roche						OBSERVATIONS	From	
	120.33			118.8 - 126.3 GRANITE PEGMATITE CONT...	100		475962	120.0	121.0	1.0
Box 18			124				475963	121.0	122.0	1.0
							475964	122.0	122.9	0.9
	126.09		128	SHARP						
Box 19				126.3 - 139.55 QUARTZ BIOTITE (CHLORITE) SCHIST: AS IN 118.8 - 118.8m	100		475965	123.5	125.0	1.5
	131.99		132		100		475966	125.0	126.3	1.3
Box 20			136							
	137.77				100					
Box 21			140	SHARP						
	143.6		144	139.55 - 146.25 GRANITE PEGMATITE: AS IN 118.8 - 126.3m, GREY TO CLEAR QUARTZ, MAGNETITE UP TO 1cm, PATCHY HEMATITE	100					
Box 22			148	SHARP						
	149.53			FOUND AT 85° TO GA						
			148	146.25 - 149.5 QUARTZ BIOTITE SCHIST: AS IN 118.8 - 118.8m	100					
Box 23			152	SHARP						
	155.4			80cm SCHIST						
			156	149.5 - 150.1 GRANITE PEGMATITE: AS IN 118.8 - 126.3m						
				150.1 - 151.4 QUARTZ BIOTITE SCHIST: AS IN 146.25 - 149.5m						
Box 24			156	151.4 - 155.5 GRANITE PEGMATITE: AS IN 118.8 - 126.3m, PATCHY HEMATITE CLEAR TO LIGHT GREY QUARTZ	100					
			160	40cm Schist						
	161.25			155.5 - 157.55 QUARTZ BIOTITE SCHIST: AS IN 146.25 - 149.5m						
				157.55 - 162.3 GRANITE PEGMATITE: AS IN 118.8 - 126.3m	100					
Box 25			164	SHARP						
				162.3 - 163.65 QUARTZ BIOTITE SCHIST: AS IN 146.25 - 149.5m						
				163.65 - 164.4 GRANITE PEGMATITE: AS IN 157.55 - 162.3m						
	167.0		168	SHARP						
Box 26				164.4 - 168.35 QUARTZ BIOTITE SCHIST: AS IN 146.25 - 149.5m	100					
				168.35 - 175.5 GRANITE PEGMATITE: OVERALL LIGHTER COLOUR, QTZ IS LIGHT GREY TO CLEAR, FEW PATCHES HEMATITE, MINOR BANDING						
	172.99		172							
				175.5 - 176.6 QUARTZ BIOTITE SCHIST: AS IN 146.25 - 149.5m	100					
Box 27			176	SHARP STRIKES BROKEN OVER						
				176.6 - 177.6 MAFIC VOLCANIC: DARK GREEN, COARSE TEXTURE, SCHIST CHLORITE, MINOR PY						
	178.79		180							
				177.6 - 180.45 METASEDIMENT: DARK BLUR GREY, FINE GRAINED	100					

*For features such as foliation, bedding, schistosity, measured from the long axis of the core. MANY NARROW GRANITES



Diamond Drilling Log

Journal de forage au diamant

WG384 215N
45144E
5521066N
M ASL

AZIMUTH: 155°
DIP: -65°
DEPTH: 197.0m

DATE: 18 APRIL 08
LOGGER: RGB

Hole No. Forage n°
WLØ8 -
ØØ2

Page No. Page n°
4 of 4

Footage/Avancement Box Number		Rock type	GRAPHIC	OBSERVATIONS	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/DE	Sample Footage M		Sample Length M
From/De	To/A M	Type de roche							From	To	
Box 28		4 KALT		SHARP	177.6-180.45 METASEDIMENT cont...						
	184.72			SHARP	180.45-184.9 GRANITE PEGMATITE: LIGHT PINK TO SALMON, PEG TO	100					
Box 29				DYKE DYKE, HEM SPOTS	COARSE GRAINED, PATCHY HEMATITE, KALT STRONG TO						
	190.52				18m, FOLIATED RELIC BANDS						
Box 30				SHARP	184.9-194.2 METASEDIMENT: AS IN 177.6-180.45, MANY PEGMATITE						
	196.45			EOH	DYKES UP TO 80cm, CHLORITIC	100					
Box 31	197.0	EOH			194.2-197.0 GRANITE PEGMATITE: AS IN 180.45-184.9, HEMATITE						
					SPOTS UP TO 0.5cm						

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log

Journal de forage au diamant

NTS WGS84
451592 E
5521104 N
394 m ASL

AZIMUTH: 155°
DIP: -45
TOTAL DEPTH: 146m

DATE: MAR 27, 2008
LOGGERS: RGB

Hole No. Forage n°
WL 08-
003

Page No. Page n°
1 OF 3

Footage/Avancement Box Number		Rock type	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage M		Sample Length M
From/De	To/A M	Type de roche						OBSERVATIONS	From	
Box 1				0.0 - 17.5 <u>OVERBURDEN: CASING REMAINS</u>			475782	17.85	18.8	0.95
			4				475783	18.8	19.8	1.0
			8				475784	19.8	20.7	0.9
			12				475785	28.9	30.0	1.1
			16					30.0	31.0	1.0
17.5				17.5 - 17.85 <u>METASEDIMENT: GREY, BIOTITE SCHIST, WELL FOLIATED</u>					32.0	
			20	FINE GRAINED, CLEAR QUARTZ					33.0	
				SHARP FOLN, BANDING 80° TO CA (55° DIP)					34.0	
23.3			24	17.85 - 20.7 <u>GRANITE PEGMATITE: SALMON PINK, VERY COARSE GRAINED</u>					35.0	
				VERY LIGHT GREY QUARTZ, 40% BIOTITE AS LOOKS UP TO 1CM	100				36.0	
Box 2			28	4cm Dyke					37.0	
				FEW RELIC (?) BANNED FINER GRAINED INTERVALS, SHARP CUTS					38.0	
29.5			32	20.7 - 28.9 <u>METASEDIMENT: AS IN 17.5-17.85, WEAK TO MODERATE CHLORITE</u>					39.0	
				SHARP, IRREGULAR WITH BIOTITE	100				40.0	
Box 3			36	28.9 - 52.55 <u>GRANITE PEGMATITE: REDDISH PINK, COARSE GRAINED WITH</u>					41.0	
				KSPAR > 1CM, QUARTZ IS GREY TO MOTTLED BLACK, FEW					42.0	
35.38			40	RELIC (?) BANDS OF GRANITISED METASEDIMENT WITH MAGNETITE	100				43.0	
Box 4			44	ELEVATED RADIOACTIVITY, HEMATITE CRYSTALS ARE RARE, COATINGS ARE COMMON					44.0	
41.39			48	RELIC METASED					45.0	
Box 5			52	MYRMKITE	100				46.0	
47.36			56	MYRMKITE					47.0	
Box 6			60	52.55 - 59.8 <u>METASEDIMENT: GREY TO PINKISH WHITE, BANNED, FOLIATED,</u>					48.0	
				SEVERAL PEGMATITE DYKES WITH HEMATITE STAINING AND COATINGS	100				49.0	
53.28			64	RELIC BANDING - HEM 1CM					50.0	↓
Box 7			68	KSPAR WITH MYRMKITE TEXTURES, "CHUNKY" QUARTZ TEXTURES					51.0	1.0
59.42			72	BIOTITE QUARTZ SCHIST			475807	51.0	52.55	1.55
			76	SHARP 50cm DYKE	100					
			80	40cm Dyke						
			84	20cm "CHUNKY" DYKE, HEM						
			88	30cm DYKE, HEM						
			92	10cm DYKE	100					

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

NTS WGS84
451592 E
5521104 N
394 m ASL

AZIMUTH: 155°
DIP: -45
TOTAL DEPTH: 146m

DATE: 27 MAR 08
LOGGER: RGT

Hole No. Forage n°
WLØ8 -
ØØ3

Page No. Page n°
2 of 2

Footage/Avancement Box NUMBER		Rock type Type de roche	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)			Planar Feature % Recovery	Ref Sample No.	Geochem Sample No.	Sample Footage m		Sample Length m
From/De	To/A								From	To		
Box 8				OBSERVATIONS	m							
				59.8 - 63.3	GRANITE PEGMATITE: AS IN 28.9 - 52.55m			475808	59.8	61.0	1.1	
			64	SHARP CHLORITIC BAND					61.0	62.0	1.0	
	65.33			63.3 - 71.3	METASEDIMENT: AS IN 52.55 - 59.8m, UNIT IS MAGNETIC WITH	100			62.0	63.3	1.3	
Box 9			68	25cm DYKE 20cm DYKE	MAGNETITE CRYSTALS UP TO 20mm				71.3	72.0	0.7	
				FOLN AT 70° TO CA					72.0	73.0		
	71.34		72	SHARP, IRREGULAR BLEACHED	71.3 - 94.4 GRANITE PEGMATITE: AS IN 28.9 - 52.55m, FRACTURED	100				74.0		
Box 10					ELEVATED RADIOACTIVITY, MOTTLED BLACK QUARTZ, RARE					75.0		
			76		MAGNETITE CRYSTALS, HEMATITE STAIN AND COATINGS					76.0		
	77.18					100				77.0		
Box 11			80	MYRMEKITE						78.0		
										79.0		
	83.18		84			100				80.0		
Box 12				MYRMEKITE						81.0		
			88							82.0		
	89.2					100				83.0		
Box 13			92							84.0		
				RELIC BANDING	94.4 - 101.35 COARSE GRANITE: SALMON PINK TO REDDISH, MEDIUM TO					85.0		
	95.2		96	SHARP DYKE, MYRMEKITE	COARSE GRAINED, EQUGRANULAR, <5% FOLIATED FINE	98				86.0		
Box 14					BIOTITE,					87.0		
			100							88.0		
	101.14			SHARP GRANITE		100				89.0		
Box 15			104		101.35 - 108.7 MIXED METASEDIMENT AND COARSE GRANITE: GREY BLUE					90.0		
				COARSE GRANITE	TO SALMON PINK, BANDED, FOLIATED, INTERVALS OF					91.0		
	107.5		108	SHARP	COARSE GRANITE GRADE INTO BIOTITE SCHISTS - ALTERATION	100				92.0	↓	
Box 16				SHARP	DARK BANDS OFTEN MAGNETIC				↓	93.0	1.0	
			112	SHARP	108.7 - 110.55 GRANITE PEGMATITE: AS IN 17.85 - 20.7, QUARTZ				93.0	94.4	1.4	
	113.17			FOLN AT 75° TO CA	IS LIGHT GREY	100			94.4	95.2	0.8	
Box 17			116	SHARP	110.55 - 112.95 METASEDIMENT: AS IN 63.3 - 71.3m				95.2	96.0	0.8	
				WHITE GARNET OBITES	112.95 - 115.95 GRANITE PEGMATITE: AS IN 108.7 - 110.55m				96.0	97.0	1.0	
	119.0		120			100			97.0	98.0	1.0	

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.

475840
98.0 99.0 1.0
99.0 100.0 1.0
100.0 101.35 1.35



Diamond Drilling Log
Journal de forage au diamant

NTS WGS 84 215N
451592E
5521104N
394 m ASL

AZIMUTH: 155°
DIP: -65°
TOTAL DEPTH: 197m

DATE: 3 April 08
LOGGER: R.G.B.

Hole No. Forage n°
WL 08-
004

Page No. Page n°
1 of 4

Footage/Avancement Box Number		Rock type Type de roche	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/To	Sample Footage M		Sample Length M
From/De	To/A	M						OBSERVATIONS	From	
Box 1			0.0	0.0 - 16.0 <u>OVERBURDEN: CASING REMAINS</u>						
			4							
			8							
			12							
			16	FOLN AT 60° TO CA DYKE 12cm SHARP, UNEVEN						
	22.15	SAND UNIT SAMPLED 20 IN WL08-003	17	SHARP	100					
Box 2			24	18.7 - 21.85 <u>GRANITE PEGMATITE: SALMON PINK, VERY COARSE TO PEGMATITE</u>						
			28	LIGHT GREY MOTTLED QUARTZ, FOLIATED BIOTITE TO LARGE >1cm BIOTITE MASSES, SHARP CNTS, LOW RADIOACTIVITY						
	28.5	DYKE 10cm FOLN AT 70° TO CA	32	21.85 - 31.4 <u>METASEDIMENTS: AS IN 16.0-18.7m, MORE CHLORITIC, BROADLY</u>	100		475849	31.4	33.0	1.6
Box 3		QZ UR/LAT	32	<u>MAGNETIC</u>	100			33.0	34.0	1.0
	33.93		36						35.0	
Box 4			36						36.0	
	39.92		40	31.4 - 58.6 <u>GRANITE PEGMATITE: AS IN 18.7-21.85m, WITH MAGNETITE</u>					37.0	
			44	CRYSTALS UP TO 0.5cm, MINOR PATCHES HEMATITE, PYRMEKITE TEXTURE WITH "CLOTS" OF QUARTZ AND BIOTITE LATHES UP TO 1cm (OR RECRYSTALLISED), CORED THROUGH INDIVIDUAL	100				38.0	
Box 5			44	CRYSTALS - VERY PEGMATITE	100				39.0	
	45.87	MYRMEKITE	48						40.0	
Box 6			48						41.0	
	51.75		52	58.6 - 65.5 <u>METASEDIMENTS: GREY TO SALMON PINK, BANDED, FOLIATED</u>					42.0	
			56	NUMEROUS COARSE GRANITE DYKES UP TO 10cm, BIOTITE SCHIST RARE BANDS WITH MINOR PYRITE, DISSEMINATED EUBEDRAL TO SUBHEDRAL MAGNETITE CRYSTALS TO 3mm, OTHER MAGNETIC	100				43.0	
Box 7		GRANITISED METASED	56						44.0	
	57.72		60	BANDS	100				45.0	
Box 8		SHARP	60						46.0	
							475864		47.0	
									48.0	1.0

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log

Journal de forage au diamant

NTS WGS84 215N
451592.E
5521104.N
394 m ASL

AZIMUTH: 155°
DIP: -65°
TOTAL DEPTH: 197m

DATE: 3 APR 08
LOGGER: RGB

Hole No. Forage n°
WL 08-
004

Page No. Page n°
2 of 4

Footage/Avancement Box NUMBER		Rock type	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)		Placer Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage m		Sample Length m	
From/De	To/A m	Type de roche m		OBSERVATIONS	m				From	To		
Box 8					58.6-65.5 METASEDIMENTS: CONT...			475865	48.0	49.0	1.0	
	63.5				DYKE 40cm		100				50.0	
Box 9					65.5-70.1 GRANITE PEGMATITE: AS IN 31.4-58.6m, QUARTZ IS						51.0	
	69.65				SHARP, IRREGULAR LIGHT GREY, LOW RADIOACTIVITY		100				52.0	
Box 10					70.1-79.1 METASEDIMENTS: AS IN 58.6-65.5m						53.0	
	75.5						100				54.0	
Box 11					79.1-110.4 GRANITE PEGMATITE: LOW RADIOACTIVITY - GENERALLY						55.0	
	81.4				SHARP, UNEVEN 190CPS, QUARTZ IS BLACK MOTTED GREY, COARSE PEGMATITE		100				56.0	1.0
Box 12					WITH CRYSTALS TO 5cm, OCCASSIONAL MAGNETITE CRYSTALS						57.0	1.6
	87.33				BECOMES COARSE GRAINED AT END OF INTERVAL		100				65.1	0.9
Box 13											66.0	1.0
	93.34						100				67.0	1.0
Box 14											68.0	1.0
	99.3						100				69.0	1.0
Box 15					FRACTURED; SERICITE PHLOGOPHYTE						69.0	1.1
	105.32				BIOTITE BANDING COARSE GRAINED		100				70.1	
Box 16					FOLN AT 50° TO CA							
	111.29				SHARP		100					
Box 17					110.4-117.75 METASEDIMENTS: AS IN 16.0-18.7m, FEW CHLORITIC BANDS,							
	117.37				CHLORITIC QUARTZITE DISSEMINATED MAGNETITE		100					
Box 18					117.75-120.55 GRANITE PEGMATITE: AS IN 79.1-110.4m							
					MAGNETITE 2cm							

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

NTS WGS 84 215N
451592E
5521104N
394 m ASL

AZIMUTH: 155°
DIP: -65°
TOTAL DEPTH: 197m

DATE: 14 APRIL 08
LOGGER: RGS

Hole No. Forage n°
WLØ 8 -
ØØ 4

Page No. Page n°
3 of 4

Footage/Avancement		Rock type	GRAPHIC	OBSERVATIONS	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No.	Sample Footage m		Sample Length m
From/De	To/À	Type de roche							From	To	
Box 18				SHARP	117.75 - 120.55	GRANITE PEGMATITE: CONT...					
	123.32		129	SHARP			100				
Box 19				SHARP	120.55 - 122.75	METASEDIMENTS: AS IN 16.0 - 18.7m					
			128								
	129.15			QUARTZITE	122.75 - 125.6	GRANITE PEGMATITE: AS IN 117.75 - 120.55m	100				
Box 20			132	CHLORITE	125.6 - 138.7	METASEDIMENTS: AS IN 16.0 - 18.7m					
			136	QTE UNCLET ↓ PINKISH			100				
Box 21				SHARP BROKEN	138.7 - 140.2	GRANITE PEGMATITE: AS IN 117.75 - 120.55m					
	140.96		140	SHARP SHARP			100				
Box 22			144	METASBS 30cm	140.2 - 140.85	METASEDIMENTS: AS IN 16.0 - 18.7m					
			148	SHARP SHARP	140.85 - 147.45	GRANITE PEGMATITE: AS IN 117.35 - 120.55m, COARSE MAGNETITE	100				
Box 23			152	SHARP	147.45 - 148.7	METASEDIMENTS: AS IN 16.0 - 18.7m					
	152.72						100				
Box 24			156		148.7 - 152.1	GRANITE PEGMATITE: AS IN 117.35 - 120.55m					
			160	SHARP	152.1 - 160.35	METASEDIMENTS: AS IN 16.0 - 18.7m, CHLORITIC	100				
Box 25			164	2cm MAGNETITE SHARP	160.35 - 162.6	GRANITE PEGMATITE: AS IN 117.35 - 120.55m					
	164.45						100				
Box 26			168	80cm DYKE	162.6 - 197.0	MIXED METASEDIMENT AND GRANITE PEGMATITE: TWO UNITS WITH INDIVIDUAL INTERVALS RARELY EXCEEDING 1m					
			172	110cm DYKE 30cm DYKE							
Box 27			176	70cm DYKE CHLORITIC							
	176.15										
Box 28			180								

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



**Diamond
Drilling
Log**

**Journal de
forage au
diamant**

NTS WGS 84 Z15N
451592E
5521104N
394M ASL

AZIMUTH: 155°
DIP: -65°
TOTAL DEPTH: 197m

DATE: 5 APRIL 2008
LOGGER: ZGB

Hole No.
Forage n°
WL08 -
ØØ4

Page No.
Page n°
4 of 4

Footage/Avancement Box NUMBER		Rock type	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)		Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage M		Sample Length M
From/De	To/A	Type de roche		OBSERVATIONS	M				From	To	
Box 28			[Hand-drawn graphic of a core section with alternating shaded and unshaded layers]	120cm DYKE							
	182.15	184			162.6-192.0 MIXED METASEDIMENT AND GRANITE PEGMATITE: CONT...						
Box 29											
	188.0	188									
Box 30											
	194.0	192									
Box 31				- SILICIOUS - PINK - WHITE GRANITE							
	197.0	196		END OF HOLE	195.5-196.4 WHITE GRANITE; LIGHT GREY, BIOTITE SPICKLED, FOLIATED						
		200									

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

NTS WGS84
451702E
5521063N
378 m ASL

AZIMUTH: 155°
DIP: -45°
TOTAL DEPTH: 146.0m

DATE: MAR 25, 2008
LOGGERS: RGB

Hole No.
Forage n°
WL Ø 8 -
Ø Ø 5

Page No.
Page n°
1 of 3

Footage/Avancement Box NUMBER		Rock type Type de roche	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)	Plapar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage M		Sample Length m
From/De	To/A	TO						FROM		
Box 1				0-5.6 OVERBURDEN: CASING REMAINS, 14 FEET			475727	5.6	6.6	1.0
			4				475728	14.0	15.0	1.0
5.6			5	5.6-6.6 GRANITE - GRANITE PEGMATITE: SALMON PINK, COARSE GRAINED TO PEGMATITE, WEAKLY BANDED (? RELIC), QUARTZ FROM CLEAR WHITE TO LIGHT GREY, HEMATITE COATINGS AND BLENDS					16.0	
			8						17.0	
			12	BANDING, FOLN AT 80° DYKE 20cm	100				18.0	
Box 2	11.57		12	SHARP, IRREGULAR					19.0	
			16	6.6-14.0 METASEDIMENT: LIGHT GREY TO LIGHT PINKISH, FINE GRAINED FOLIATED, BANDED, FEW SMALL DYKES, SCATTERED MAGNETITE GRAINS - OVERALL WEAKLY MAGNETIC	100				20.0	
	17.5		16						21.0	
Box 3			20						22.0	
			24	14.0-27.4 GRANITE PEGMATITE: DARK REDDISH PINK TO SALMON PINK, VERY COARSE GRAINED, KSPAR > 60%, QUARTZ IS LIGHT GREY TO DARK MOTTLED GREY BLACK > 30%, BIOTITE < 10% BOOKS UP TO 1cm	100				23.0	
	23.5		24						24.0	
Box 4			28	SHARP, IRREGULAR HAND SAMPLER LOW RADIOACTIVITY - UP TO 250 CPS, SCATTERED MAGNETITE CRYSTALS UP TO 5mm		27.3M G-G CONTACT			25.0	↓
	29.38		28		100			26.0	27.4	1.4
Box 5			32					27.4	28.0	0.6
			36	27.4-42.0 COARSE GRANITE: REDDISH PINK, COARSE GRAINED FOLIATED WEAKLY BANDED GRANITE, DARK BIOTITE RICH BANDS UP TO 10mm WIDE OFTEN MAGNETIC, QUARTZ IS CLEAR TO WHITE TO LIGHT GREY, OVERALL MASSIVE TO WEAKLY FOLIATED APPEAR.				28.0	29.0	1.0
	35.38		36		100				30.0	
Box 6			40						31.0	
	41.36		40	SHARP, IRREGULAR	100				32.0	
Box 7			44	42.0-47.1 GRANITE PEGMATITE: AS IN 14.0-27.4m, MAGNETITE UP TO 1cm					33.0	
			48						34.0	
	47.4		48	SHARP	100				35.0	
Box 8			52	FOLN AT 75° TO CA SHARP, ASSIMILATING					36.0	
			56	47.1-51.65 METASEDIMENT: QUARTZ BIOTITE GNEISS, FINE TO MEDIUM GRAINED, WELL FOLIATED, WEAKLY MAGNETIC, LOW CONTACT HAND SAMPLE - LOWER GRANITE APPEARS TO ASSIMILATE THE GNEISS					37.0	
	53.2		56		100	51.65 MS-G CUT			38.0	
Box 9			60	51.65-63.55 GRANITE PEGMATITE: AS IN 14.0-27.4m, MAGNETITE CRYSTALS					39.0	
			60	ABOVE 54m, VERY COARSE BELOW 54.3m	100				40.0	
	59.2		60					41.0	42.0	↓
							475756	42.0	43.0	1.0

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

W4584
451702E
5521063N
378m ASL

AZIMUTH: 155°
DIP: -45°
TOTAL DEPTH: 146.0m

DATE: 26 MAR 08
LOGGER: RGB

Hole No.
Forage n°
W458:
005

Page No.
Page n°
2 of 3

Footage/Avancement Box Number		Rock type Type de roche	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/To	Sample Footage M		Sample Length M
From/De	To/A							From	To	
Box 10				51.65-63.55 METASEDIMENT GRANITE PEGMATITE: CONT...			475757	43.0	44.0	1.0
	65.2		64	63.55-65.2 SHARP BUT GRADATIONAL FOLN AT 60° TO CA METASEDIMENT: AS IN 47.1-51.65m	100				45.0	1.0
Box 11			68	65.2-69.0 GRANITE PEGMATITE: AS IN 51.65-63.55m, MAGNETITE HEMATITE SPOTS (SMALL) MINOR COATINGS				46.0	47.1	1.1
	71.2		72	SHARP	100			51.65	53.0	1.35
Box 12			76	69.0-75.1 METASEDIMENT: AS IN 47.1-51.65m finer, chloritic					55.0	
	77.15		80	75.1-83.2 GRANITE PEGMATITE: AS IN 65.2-69.0m, LOW RADIOACTIVITY, LOW % MAFICS	100				56.0	
Box 13			84	83.2-86.0 METASEDIMENT: DARK GREY BLUE, MEDIUM GRAINED FOLIATED, BANDED	100				57.0	
Box 14			88	86.0-89.95 GRANITE PEGMATITE: AS IN 65.2-69.0m, MAGNETITE SHARP, IRREGULAR	100				58.0	
	88.99		92	RELIC BANDING, MINOR RED STAINING - HEMATITE (?), UNUSUAL "CHUNKY" TEXTURE			475772	62.0	63.0	0.55
Box 15			96	89.95-98.0 METASEDIMENT: AS IN 83.2-86.0, FEW MINOR DYKES SHARP	100		475773	65.2	66.0	0.8
	94.98		100	LIGHTER CREAM COLOURED BAND, QUARTZ-BIOTITE GNEISS				66.0	67.0	1.0
Box 16			104	98.0-99.7 GRANITE PEGMATITE DYKE: SHARP				67.0	68.0	1.0
	100.85		108	99.7-100.9 METASEDIMENT: AS IN 89.95-98.0m FOLIATED REDDISH STAINS AND COATINGS	100			68.0	69.0	1.0
Box 17			112	100.9-105.35 CHLORITE-BIOTITE SCHIST: DARK GREEN TO GREY, VERY WELL FOLIATED TO SCHISTOSE, FINE GRAINED, MAGNETIC BANDS	100			75.1	76.0	0.9
	106.77		116	105.35-110.7 METASEDIMENT: AS IN 89.95-98.0m SHARP			475782	77.0	78.0	1.0
Box 18			120	110.7-118.8 GRANITE PEGMATITE: VARIED INTERVAL, COARSE TO PEGMATITE WITH RELIC BANDING, FEW INTERVALS APPEAR PORPHYRITIC, RANGES FROM SALMON TO WHITE, REDDISH STAINS, INCLUDES 30cm INTERVAL OF CHL-BIO-SCHIST, SHARP CNTS	100			79.0	79.0	1.0
	112.72							80.0	80.0	1.0
Box 19										
	118.72				100					

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log

Journal de forage au diamant

NTS WGSB4
451702E
5521063N
378 M ASL

AZIMUTH: 155°
DIP: -45°
TOTAL DEPTH: 146 m

DATE: 26 MAR 08 ⇒
LOGGER: RCB

Hole No. Forage n°
WL 08 -
Ø 5

Page No. Page n°
3 OF 3

Footage/Avancement BOX NUMBERS		Rock type	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)		Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage m		Sample Length m
From/De	To/A m	Type de roche		OBSERVATIONS	m				From	To	
Box 20					118.8 - 132.6						
	124.68		129	DYKES DYKES DYKES	MIXED METASEDIMENT - GRANITE: MANY NARROW INTERVALS WIDE RANGE OF GRAIN SIZE, BANDED, FOLIATED, CHLORITIC PORPHYROBLASTS, PREDOMINATELY BIOTITE MAFIC MINERALS						
Box 21			128	CHLORITIC DYKE DYKE, PORPHYRITIC							
	130.77		132	AAA RUBBLE	132.6 - 136.7						
Box 22			136	SHARP METASED RUBBLE	MIXED GRANITE WITH METASEDIMENT: AS ABOVE BUT GRANITE DYKE DOMINATE						
	136.65			METASED	136.7 - 140.3						
Box 23			140	DYKE DYKE SHARP	METASEDIMENT: AS IN 89.95-98.0m						
	142.74		144	DYKE	140.3 - 141.3						
Box 24	146.0	EOH			141.3 - 146.0						
			148		EOH						
			152								

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log
Journal de forage au diamant

NTS WGS 84
451702E
5521063N
378M ASA

AZIMUTH: 155°
DIP: -65°
TOTAL DEPTH: 200.0m

DATE: 21 MAR 08
LOGGER: RGB

Hole No. Forage n°
WLØ8-
Ø66

Page No. Page n°
1 of 4

Footage/Avancement BOX NUMBER		Rock type Type de roche	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)	Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage M		Sample Length M
From/De	To/A	From						To		
Box 1				0.0 - 5.0 CASING: REMAINS			475660	14.0	15.0	1.0
			4						16.0	
				GRANITISED					17.0	
			8						18.0	
				FINE GRAINED, FOLIATED, BANDED, BIOTITE UP TO 15%, GRANITISED					19.0	
	11.0		12	GRANITISED FOLN AT 65° TO CA DYKE					20.0	
				BANDS, GRANITIC DYKES, SCATTERED SUB-HYDRAL GRAINS OF	100				21.0	
Box 2			16	DYKE					22.0	
				SHARP IRREGULAR					23.0	
	16.95			15.05 - 27.4 GRANITE PEGMATITE: SALMON PINK WITH CRYSTALS UP TO 5CM					24.0	
				QUARTZ IS LIGHT GREY TO MOTTLED BLACK (AT 26m) DARKEST	100				25.0	
Box 3			20						26.0	
				TO DATE, SCATTERED MAGNETITE AS ABOVE - HEMATITE OCCURS					27.0	
				BUT IS LIMITED, BIOTITE <5%, MODERATE RADIOACTIVITY	100				28.0	
	22.92		24						29.0	
Box 4				GEOLOGIC CNT ARBITRARY					30.0	
			28	SHARP CNT - BAND					31.0	
	28.9			27.4 - 47.9 BANDED COARSE GRANITE:					32.0	
				PEGMATITE	100				33.0	
Box 5			32						34.0	
				SALMON PINK TO BLACK BANDS, MEDIUM TO COARSE GRAINED,					35.0	
				SCATTERED MAGNETITE AND MAGNETIC BANDS, <10% BIOTITE,					36.0	
	34.75		36	ASSIMILATION?					37.0	
				LOW RADIOACTIVITY, INTERVAL IS A BANDED GRANITE BUT					38.0	
				COARSE	100				39.0	
Box 6				DISPLAYS FEATURES OF THE GNEISS UNITS - ALTERED?; SEE					40.0	
				49 m WITH GNEISS ASSIMILATION					41.0	
	40.69		40						42.0	
				COARSE					43.0	
				BANDING	100				44.0	
Box 7			44						45.0	
				COARSE					46.0	
				BANDING					47.0	
	46.59		48	SHARP - BAND 40° TO CA					48.0	
				47.9 - 50.45 GRANITE PEGMATITE: AS IN 15.05 - 27.4 m	100				49.0	
Box 8				SHARP					50.0	
									51.0	
	52.47		52						52.0	
				50.45 - 59.4 BIOTITE QUARTZ PLAGIOCLASE GNEISS: AS IN 4.9 - 15.05 m	100				53.0	
									54.0	
Box 9			56						55.0	
									56.0	
	58.34		60	SHARP CNT	100		475689	43.0	44.0	1.0

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log

Journal de forage au diamant

NTS WGS 84
451702E
5521063N
378 m ASL

AZIMUTH: 155°
DIP: -65°
TOTAL DEPTH: 200.0 m

DATE: 22 MARCH 08
LOGGER: RGB

Hole No. Forage n°
WLØ8 -
ØØ6

Page No. Page n°
2 of 4

Footage/Avancement Box NUMBERING		Rock type Type de roche	CRATONIC	Description (Colour, grain size, texture, minerals, alteration, etc.)			Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No. From/De	Sample Footage M To/À FROM TO		Sample Length M	
From/De	To/À M			OBSERVATIONS	M								
Box 10				SHARP	59.4 - 61.2	GRANITE PEGMATITE: AS IN 47.9 - 50.45m, QUARTZ IS			475690	44.0	45.0	1.0	
	64.29		64	GRANITE DYKE		CLEAR TO WHITE GREY, MAGNETITE CRYSTALS UP TO 1cm,	100				46.0		
Box 11				FOLN AT 60° TO CA		PEGMATITE CRYSTALS TO 2cm					47.0		
			68	SHARP	61.2 - 66.4	BIOTITE QUARTZ PLAGIOCLASE GNEISS: AS IN 4.9 - 5.05m					48.0	✓	
	70.2			GNEISS BAND		OCCASIONALY MAGNETIC	100		↓	↓	49.0	1.0	
Box 12			72	SHARP	66.4 - 72.5	GRANITE PEGMATITE: AS IN 59.4 - 61.2m, MAGNETITE			475695	49.0	50.45	1.45	
				SHARP		CRYSTALS UP TO 2cm AT UPPER CNT			475696	50.45	51.45	1.0	
	76.08		76		72.5 - 74.2	BIOTITE QUARTZ PLAGIOCLASE GNEISS: AS IN 61.2 - 66.4m	100		475697	73.2	74.2	1.0	
Box 13				HEMATITE SPOTS	74.2 - 81.5	GRANITE PEGMATITE: AS IN 66.4 - 72.5m					74.2	76.0	1.2
			80								76.0	77.0	1.0
	82.02			SHARP, BROKEN	81.5 - 83.7	BIOTITE GNEISS: AS IN 72.5 - 74.2	100					78.0	1.0
Box 14			84	SHARP	83.7 - 87.4	GRANITE PEGMATITE: AS IN 74.2 - 81.5, 3% MAGNETITE CRYSTALS			↓	↓	80.0	1.0	
	87.9		88	SHARP AT 50° TO CA			100		475703	80.0	81.5	1.5	
Box 15				FOLN AT 50° TO CA	87.4 - 90.15	BIOTITE GNEISS: AS IN 81.5 - 83.7m			475704	83.7	85.0	1.3	
			92	SHARP	90.15 - 92.6	GRANITE PEGMATITE: AS IN 83.7 - 87.4m			475705	85.0	86.0	1.0	
	93.92				92.6 - 95.7	BIOTITE GNEISS: AS IN 81.5 - 83.7m	100		475706	86.0	87.4	1.4	
Box 16			96	SHARP	95.7 - 99.0	GRANITE PEGMATITE: AS IN 83.7 - 87.4m							
	99.87		100	SHARP	99.0 - 100.5	BIOTITE GNEISS: AS IN 81.5 - 83.7m	100						
Box 17					100.5 - 103.65	GRANITIC PEGMATITE: AS IN 83.7 - 87.4m							
			104	SHARP	103.65 - 105.1	BIOTITE GNEISS: AS IN 81.5 - 83.7m							
	105.72			SHARP	105.1 - 107.7	GRANITE PEGMATITE: AS IN 83.7 - 87.4m	100						
Box 18			108	SHARP	107.1 - 113.8	BIOTITE GNEISS: OVERLAPPING ZONE WITH ASSIMILATED GNEISS							
				GRANITISED	113.8 - 115.8	GRANITIC PEGMATITE: LOWER CNT GRADATIONAL WITH ASSIMILATING							
	111.88		112	GRANITISED		FEATURES IN TRANSITION TO GNEISS	100						
Box 19				SHARP	115.8 - 116.7	BIOTITE GNEISS:			475707	116.7	118.0	1.3	
			116	GRADATIONAL - ASSIMILATING	116.7 - 121.15	GRANITIC PEGMATITE:			↓		118.0	119.0	1.0
	117.77			SHARP			100		↓		119.0	120.0	1.0
Box 20			120	GNEISS BAND - CHLORITIC					475710	120.0	121.15	1.15	

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.





Diamond Drilling Log
Journal de forage au diamant

NTS WGS 84
451702E
5521063N
378m ASL

AZIMUTH: 155°
DIP: -65°
TOTAL DEPTH: 200.0m

DATE: 22 MAR 08
LOGGER: RCB

Hole No. Forage n°
WLØ8 -
ØØ6

Page No. Page n°
3 of 4

Footage/Avancement Box NUMBER		Rock type Type de roche	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)		Planar Feature % RECOVERY	Ref Sample No.	Geochem Sample No.	Sample Footage M		Sample Length M
From/De	To/A			OBSERVATIONS	M				Start From	TO	
Box 20				SHARP DYKE	116.7 - 121.15						
	123.58			CHLORITIC	121.5 - 122.4	100					
Box 21				SHARP - GRANITIC CNT IS BRACHED							
	129.51			SHARP - SOME GRANITISED PART OF METASED	122.4 - 122.8	100					
Box 22				DYKE							
	135.53			CHLORITIC	122.8 - 125.99						
				DYKE	125.99 - 126.6	100					
Box 23				DYKE	126.6 - 129.15						
	141.52			DYKE	129.15 - 130.4						
				DYKE	130.4 - 143.0	100					
Box 24		Pyrite zone with PY		DYKE				475711	144.6	146.0	1.4
	147.48	bio schists, minor CPY - RUN FOR ALL		CHL-BIO SCHISTS							
Box 25				DYKE							
	153.4			DYKE		100					
Box 26				DYKE							
	159.4			CHLORITIC		100					
Box 27				DYKE							
	165.34			ARBITRARY	163.0 - 163.7						
				BIOTITE		100					
Box 28				DYKE							
	171.32			FOLN AT 45° TO CA		100					
Box 29				CHLORITIC							
	177.25			DYKE, 50% BIOTITE		100					
Box 30				DYKE							

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.

AU



Diamond Drilling Log

Journal de forage au diamant

NTS WGS 84
451702E
5521063N
378 m ASL

AZIMUTH: 155°
DIP: -65°
TOTAL DEPTH: 200.0 m

DATE: 23 MAR 08
LOGGER: R.G.B

Hole No. Forage n°
WLØ8 -
ØØ6

Page No. Page n°
4 of 4

Footage/Avancement Box NUMBER		Rock type	GRAPHIC	Description (Colour, grain size, texture, minerals, alteration, etc.)			Planar feature % RECOVERY	Ref Sample No.	Geochem Sample No.	Sample Footage		Sample Length
From/De	To/A M	Type de roche M		OBSERVATION	M	M				From/De	To	
Box 30			[Hand-drawn graphic of a dyke]	DYKE								
	183.3			DYKE	163.0-183.7	BIOTITE GNEISS (METASEDIMENTS): CONT			475712	183.7	185.0	1.3
				SHARP			100			185.0	186.0	1.0
Box 31			[Hand-drawn graphic of a dyke]		183.7-188.0	WHITE BIOTITE QUARTZITE: WHITE TO GREY WITH UP TO				186.0	187.0	1.0
				SHARP			20% BIOTITE AS BANDS, DISSEMINATED BOOKS, A				187.0	188.0
	189.25			FOLN AT 60° TO CA	188.0-191.1	METASEDIMENT: GREY TO WHITE, BIOTITE PLAGIOCLASE	100			188.0	189.0	1.0
Box 32			[Hand-drawn graphic of a dyke]			GNEISS, FOLIATED, FINE GRAINED				189.0	190.0	1.0
				SHARP		191.0-192.4	GRANITE DYKE: AS IN 183.7-188.0m, INCREASED KSPAR, MODERATE				190.0	191.1
	195.2					RADIOACTIVITY (RELATIVE)	100			191.1	192.4	1.3
Box 33			[Hand-drawn graphic of a dyke]		192.4-194.85	MIXED GRANITE-BIOTITE GNEISS: NUMEROUS SMALL GRANITE				192.4	193.5	1.1
	200.0						BANDS WITH BIOTITE GNEISS - APPROACHING SCHIST	100			193.5	194.85
				FOH	194.85-200.0	GRANITE DYKE: MIXED WITH BIOTITE BANDS, SALMON				194.85	196.0	1.15
						PINK TO WHITE, BIOTITE BOOKS TO 2CM IN DYKE				196.0	197.0	1.0
										197.0	198.0	1.0
										198.0	199.0	1.0
									475726	199.0	200.0	1.0

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.



Diamond Drilling Log

UTM: NAD83
 Zone: 15U
 Easting: 0451400
 Northing: 5521000

Azimuth:
 Dip: 45°
 Total depth: 122m

Date:
 7/22/2008
 Logger:
 M.R.

Hole No.:
 WL08-007

Page No.:
 1 of
 3

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Sampled for	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)						From (m)	To (m)	
7.40	8.76	Granite		Granite - m.g.-c.g., biotite-rich, salmon pink kspar and light pinkish fspar, and slightly smokey quartz 7.45m : chlorite vein w/ m.g.-c.g. cubic pyrite, ~8mm wide, 70° t.c.a.					
8.76	9.90	Metasediments		Metasediments - Dark grey in colour, f.g., rich in biotite, bedded, 85-90° t.c.a.					
9.90	10.07	Granite		Granite - f.g.-m.g., red kspar, some iridescent pink fspar, smokey quartz, minor biotite.					
10.07	10.65	Metasediments		Metasediments - Dark grey in colour, f.g., rich in biotite, bedded, 85-90° t.c.a.					
10.65	10.88	Granite		Granite - f.g.-m.g., red kspar, some iridescent pink fspar, smokey quartz, minor biotite.					
10.88	11.00	Metasediments		Metasediments - Dark grey in colour, f.g., rich in biotite, bedded, 85-90° t.c.a.					
11.00	12.32	Granite		Granite - f.g.-m.g., red kspar, some iridescent pink fspar, smokey quartz, minor biotite.					
12.32	13.72	Metasediments		Metasediments - Dark grey in colour, f.g., rich in biotite, bedded, 85-90° t.c.a.					
13.72	16.54	Pegmatite		Pegmatite - red kspar (hematite), smokey quartz, some pink iridescent fspar, no mica 16.28-16.54m : m.g. magnetite					
16.54	20.74	Metasediments		Metasediments - Dark grey in colour, f.g., rich in biotite, bedded, 85-90° t.c.a. Some beds are coarser grained and very rich in biotite. Minor Py disseminated in bedding planes, f.g.-m.g. cubic. Some chloritization and epidotization. Bedding plane angles vary from 90 to 70° t.c.a.	Gold and Base Metals	192758	19.00	19.50	0.50
20.74	22.20	Pegmatite		Pegmatite	Gold and Base Metals	192759	19.50	20.00	0.50
				20.74-20.91m : greenish cream fspar, quartz, biotite, c.g. magnetite	Gold and Base Metals	192760	20.00	20.50	0.50
				20.91-21.12m : red kspar (hematite), smokey quartz, some pink iridescent fspar, no mica, v.c.g. magnetite	Uranium	192784	21.02	22.00	0.98
				21.12-21.26m : light pinkish and smokey quartz, m.g.-c.g. graphic texture					
				21.26-21.95m : red kspar (hematite), smokey quartz, some pink iridescent fspar, no mica, some minor m.g. magnetite.					
				21.95-22.2m : greenish cream fspar, quartz, biotite, m.g. magnetite					
22.20	24.81	Metasediments		Metasediments - same as 16.54-20.74m					
24.81	25.01	Gn. Granite		Gneissic Granite - Pinkish and white fspar, smokey quartz, very rich in biotite. Py in bedding plane at 24.89m					
25.01	25.19	Pegmatite		Pegmatite - reddish kspar (hematite) and smokey quartz, m.g.-c.g. magnetite					
25.19	28.13	Gn. Granite		Gneissic Granite - pink and creamy white fspar, smokey quartz, very rich in biotite. F.g. magnetite, cubic, alteration around magnetite crystals.					
28.13	35.99	Pegmatite		Pegmatite - red and pink fspar, smokey quartz, minor biotite. Very minor diss. m.g. biotite. Some short sections of gneissic reddish granite.					
35.99	37.5	Gn. Granite		Gneissic Granite - very rich in biotite, pink fspar and smokey quartz					
37.5	39.81	Pegmatite		Pegmatite - red and pink fspar, smokey quartz, minor f.g. biotite. Large fracture 10° t.c.a, chlorite along plane, 38.54-39.34m, no magnetite.	Uranium	192785	38.82	39.87	1.05
39.81	44.13	Gn. Metaseds		Gneissic Metasediments - f.g.-m.g., very large biotite content, banded 85° t.c.a., salmon pink fspar.					



Diamond Drilling Log

UTM: NAD83
Zone: 15U
Easting:
Northing:

Azimuth:
Dip: 45°
Total depth:

Date:
7/23/2008
Logger:
M.R.

Hole No.:
WL08-007

Page No.:
2 of
3

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Sampled for	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)						From (m)	To (m)	
44.13	44.54	Gn. Granite		Gneissic Granite - f.g.-m.g., pinkish and white fspar, smokey quartz, very rich in biotite					
44.54	45.83	Pegmatite		Pegmatite - red kspar (hematite), smokey quartz, some pink iridescent fspar, no mica					
45.83	46.75	Metasediments		Metasediments - Dark grey in colour, f.g., rich in biotite, bedded, 85-90° t.c.a.					
46.75	54.28	Pegmatite		Pegmatite - Red kspar (hematite), some pinkish iridescent fspar. Very smokey quartz, minor biotite. Some minor m.g. magnetite. Grain size decreases slightly from beginning to end of the section.	Uranium	192786	48.99	50.00	1.01
54.28	60.70	Granite		Granite - f.g.-m.g., red kspar (hematite), pinkish iridescent fspar, smokey quartz, 15-20% biotite	Uranium	192787	50.00	51.00	1.00
60.70	65.14	Pegmatite		Pegmatite - Red kspar (hematite), some pinkish iridescent fspar, very smokey quartz minor biotite.	Uranium	192788	51.00	52.03	1.03
65.14	66.72	Metasediments		Metasediments - refer to 45.83-46.75m for description	Uranium	192789	52.03	53.00	0.97
66.72	67.52	Pegmatite		Pegmatite - refer to 60.70-65.14m for description	Uranium	192790	53.00	54.01	1.01
67.52	68.84	Metasediments		Metasediments - refer to 45.83-46.75m for description	Uranium	192791	54.01	55.07	1.06
68.84	81.73	Pegmatite		Pegmatite - refer to 60.70-65.14m for description	Uranium	192792	56.97	57.97	1.00
				69.43-69.85m, 70.96-71.24m, 76.35-76.55m : c.g. graphic texture	Uranium	192793	63.05	63.95	0.91
				73.07-73.18m : f.g.-m.g. graphic texture	Uranium	192794	63.95	65.00	1.05
				73.47-73.62m, 74-75.20m, 75.94-76.35m : v.f.g.-f.g. graphic texture	Uranium	192795	69.99	71.00	1.01
81.73	84.31	Gn. Metaseds		Gneissic Metasediments - f.g.-m.g., very large biotite content, banded 85° t.c.a., salmon pink fspar.					
84.31	85.43	Pegmatite		Pegmatite - refer to 60.70-65.14m for description. M.g. magnetite					
85.43	88.69	Gn. Metaseds		Gneissic Metasediments - refer to 81.73-84.31m for description					
88.69	92.05	Pegmatite		Pegmatite - refer to 60.70-65.14m for description. F.g.-c.g., minor, disseminated magnetite.					
92.05	96.34	Gn. Metaseds		Gneissic Metasediments - refer to 81.73-84.31m for description					
96.34	97.19	Pegmatite		Pegmatite - refer to 44.54-45.83m for description. Very minor m.g. magnetite.					
97.19	99.76	Gn. Metaseds		Gneissic Metasediments - refer to 81.73-84.31m for description					
99.76	107.23	Pegmatite		Pegmatite - reddish pink kspar (hematite), pinkish iridescent fspar, smokey quartz, m.g.-c.g. biotite, f.g.-m.g. magnetite					
107.23	108.50	Granite		Granite - f.g.-m.g., reddish kspar (hematite), pinkish fspar, f.g. biotite, slightly smokey quartz					
108.50	109.90	Pegmatite		Pegmatite - refer to 44.54-45.83m for description. M.g.-v.c.g. magnetite					
109.90	114.55	Gn. Metaseds		Gneissic Metasediments - f.g., very large biotite content, banded 85° t.c.a., salmon pink fspar.					
114.55	115.38	Pegmatite		Pegmatite - refer to 108.5-109.9m for description					
115.38	117.10	Gn. Metaseds		Gneissic Metasediments - refer to 109.9-114.55m for description					
117.10	117.57	Gn. Granite		Gneissic Granite - m.g., very rich in biotite, banded, 85° t.c.a, pinkish fspar, slightly smokey quartz.					
117.57	117.80	Pegmatite		Pegmatite - refer to 44.54-45.83m for description. F.g.-m.g. magnetite					
117.80	118.10	Gn. Metaseds		Gneissic Metasediments - refer to 109.9-114.55m for description					
118.10	118.59	Gn. Granite		Gneissic Granite - m.g., very rich in biotite, banded, 85° t.c.a, pinkish fspar, slightly smokey quartz.					



Diamond Drilling Log

UTM: NAD83 Zone: 15 U Easting: Northing:	Azimuth: Dip: Total depth:	Date: 7/23/2008 Logger: M.R.	Hole No.: WL08-008	Page No.: 1 of 3
---	---	---	------------------------------	----------------------------

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
3.57	4.32	Granite		Granite - m.g.-c.g, pink kspar, quartz, biotite, some white fspar as well						
4.32	9.83	Metasediments		Metasediments - dark grey in colour, f.g., bedded (80-90° t.c.a.). Graded bedding can be observed in some areas. Some areas are a mix of metasediments and pink granite (refer to 3.57-4.32m).						
9.83	11.80	Pegmatite		Pegmatite - salmon red kspar (hematite), smokey quartz, minor biotite. Some epidotization of fspar has taken place. Short sections of interbedded f.g.-m.g. red granite. Some v.c.g. magnetite between 11.72-11.80m						
11.80	12.31	Metasediments		Metasediments - same as 4.32-9.83m. Some coarser grained white fspar.						
12.31	13.90	Pegmatite		Pegmatite - same as 9.83-11.80m, w/ diss. f.g.-c.g. magnetite crystals						
13.90	24.17	Metasediments		Metasediments - same as 4.32-9.83m. Some granite veins/dykes cutting through it, some gneissic granite segments. White fspar content increases from beginning of the section to the end. Several dark bands are magnetic. Some sulphides.						
				14.45-14.54m, 23.22-24.17m : gneissic granite, short segments						
				15.88-16.7m : very minor v.f.g cubic py diss along bedding planes, presence of magnetite. At 15.88m, f.g. Po and Cpy along bedding plane (0.5-1mm wide).						
				16.71-17.51m : granite, m.g., pink and greenish cream, also minor white and reddish fspar, quartz, minor f.g. biotite, f.g.-v.c.g. magnetite crystals. Contact 65° t.c.a.						
				17.66-17.87m : granite, c.g., pinkish and cream fspar, slightly smokey quartz, m.g. biotite, f.g.-m.g. magnetite. Contact 45° t.c.a						
				17.87-22.87m : minor Py along bedding planes, f.g., cubic, from 0.1-2 mm wide						
				18.96-19.08m : v.c.g. smokey quartz (~80%), m.g. white and greenish fspar, m.g. biotite.						
24.17	26.26	Pegmatite		Pegmatite - same as 9.83-11.80m, w/ very minor f.g.-m.g. diss. Magnetite			192796	25.00	26.00	1.00
26.26	26.99	Gn. Granite		Gneissic Granite - f.g.-m.g., pink fspar, smokey quartz, very rich in biotite, banding ~70° t.c.a						
26.99	32.43	Pegmatite		Pegmatite - Red fspar (hematite), very smokey quartz in most areas, some short segments of gneissic pegmatite (65-70° t.c.a.), some diss. m.g. magnetite.			192797	29.00	29.98	0.98
32.43	34.14	Gn. Granite		Gneissic Granite - f.g.-m.g., pink fspar, smokey quartz, very rich in biotite			192798	29.98	30.95	0.97
34.14	39.09	Pegmatite		Pegmatite - same as 26.99-32.43m			192799	30.95	32.00	1.05
39.09	42.55	Gn. Granite		Gneissic Granite - f.g., pink fspar, smokey quartz, very rich in biotite			192800	35.00	36.00	1.00
42.55	45.59	Pegmatite		Pegmatite - same as 26.99-32.43m, but w/ only minor m.g. magnetite.			192801	36.00	37.02	1.02
45.59	45.84	Metasediments		Metasediments - same as 4.32-9.83m.						
45.84	47.06	Pegmatite		Pegmatite - same as 26.99-32.43m, but w/out magnetite						
47.06	47.88	Metasediments		Metasediments - dark grey in colour, f.g., bedded (70-75° t.c.a.). Graded bedding can be observed in some areas.						
47.88	50.72	Pegmatite		Pegmatite - Red fspar (hematite), very smokey quartz in most areas, some short segments of gneissic pegmatite (65-70° t.c.a.), minor m.g. r						
50.72	51.06	Metasediments		Metasediments - dark grey in colour, f.g., bedded (70-75° t.c.a.). Graded bedding can be observed in some areas.						



Diamond Drilling Log

UTM: NAD83
 Zone: 15U
 Easting:
 Northing:

Azimuth:
 Dip:
 Total depth:

Date: 7/23/2008
 Logger: M.R.

Hole No.:
 WL08-008

Page No.:
 2 of 3


Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
51.06	54.32	Pegmatite		Pegmatite - Red fspar (hematite), very smokey quartz in most areas, some short segments of gneissic pegmatite (65-70° t.c.a.), no magnetite. Gradual contact w/ f.g.-m.g. red granite.						
54.32	55.69	Granite		Granite - f.g.-m.g., red kspar (hematite), pkish fspar, smokey quartz, biotite			192802	54.99	56.00	1.01
55.69	57.57	Pegmatite		Pegmatite - same as 51.06-54.32m			192803	56.00	56.98	0.98
57.57	65.44	Granite		Granite - same as 54.32-55.69m			192804	56.98	58.00	1.02
65.44	67.61	Metasediments		Metasediments - f.g., very dark grey, bedded (60-65° t.c.a.), three very short segments of pinkish gneissic granite			192805	58.00	59.00	1.00
67.61	69.17	Pegmatite		Pegmatite - same as 51.06-54.32m			192806	59.00	59.98	0.98
69.17	70.79	Metasediments		Metasediments - f.g., very dark grey, bedded (60-65° t.c.a.), one segment of pinkish gneissic granite from 70.38-70.65m			192807	59.98	60.98	1.00
70.79	71.67	Pegmatite		Pegmatite - red fspar (hematite), smokey quartz, no mica, minor m.g.-c.g.magnetite			192808	60.98	62.00	1.02
71.67	74.82	Metasediments		Metasediments - m.g., dark grey, some pink and white fspar and quartz crystals, banding 60° t.c.a.			192809	62.00	63.01	1.01
74.82	80.42	Pegmatite		Pegmatite - generally extremely c.g., salmon red fspar, smokey quartz, some deep red fspar (hematite), some v.c.g. biotite crystals, no magnetite. Graphic texture from 76.95m to 78.02m			192810	63.01	64.00	0.99
80.42	80.95	Metasediments		Metasediments - m.g., grey, about 50/50 biotite/clear quartz, some pinkish fspar, banded 60° t.c.a.						
80.95	81.80	Pegmatite		Pegmatite - salmon red fspar, smokey quartz, f.g.-m.g. biotite, f.g.-m.g. diss. magnetite.						
81.80	88.20	Gn. Metaseds		Gneissic Metasediments - f.g.-m.g., rich in biotite and quartz, some pinkish fspar, weakly magnetic						
88.20	90.77	Pegmatite		Pegmatite - same as 80.95-81.80m, some c.g. magnetite crystals						
				Graphic texture : 88.84-88.98m, 89.18-89.30m, 90.04-90.17m						
90.77	93.38	Gn. Metaseds		Gneissic Metasediments - f.g.-m.g., rich in biotite and quartz, some white fspar. Extremely c.g. pegmatite containing m.g. quartz, e.c.g. red fspar, minor f.g. biotite, and f.g. magnetite, from 92.13m to 92.28m						
93.38	97.13	Pegmatite		Pegmatite - red fspar (hematite), salmon pink kspar, some pinkish white fspar, smokey quartz, large biotite books, f.g.-m.g. biotite crystals. Extremely minor f.g. diss. Py w/in the pegmatite						
				93.38-93.59m : v.c.g. magnetite crystals						
				94.15m : c.g.magnetite crystal w/ f.g. inclusions of Py						
97.13	102.21	Gn. Metaseds		Gneissic Metasediments - f.g., dark grey, biotite, pinkish and white fspar, weakly magnetic (some f.g. magnetite crystals visible), banded 65-70° t.c.a. Extremely minor f.g. diss. Py, some along bedding planes. Grain size increases within the interval from f.g. to m.g.						
102.21	102.97	Gn. Granite		Gneissic Granite - m.g., red and pink fspar, smokey quartz, rich in f.g. biotite, banded 65° t.c.a.						
102.97	107.83	Pegmatite		Pegmatite - Salmon pink, pinkish cream, as well as red (hematite) fspar, smokey quartz, biotite. No magnetite.						
				Graphic texture : 103.57-103.73m, 103.95-104.15m, 105.44-105.59m.						
107.83	108.82	Gn. Metaseds		Gneissic Metasediments - f.g.-m.g., biotite, white fspar and some pinkish fspar, banded 65-70° t.c.a., extremely minor diss. Py						
108.82	110.05	Pegmatite		Pegmatite - same as 102.97-107.83m, but w/ f.g.-c.g. diss. magnetite crystals						

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Sampled for	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)						From (m)	To (m)	
4.59	4.72	Granite		Granite - f.g., white fspar, quartz and biotite.					
4.72	10.80	Metasediments		Metasediments - Very dark grey in colour, banded 85-90°, f.g., very rich in mica, presence of disseminated f.g. cubic pyrite.	Gold and Base Metals	192751	9.60	10.13	0.53
				4.72-8.36m : very minor f.g. diss. py along bedding planes	Gold and Base Metals	192752	11.41	11.91	0.50
				5.75-6.10m : pegmatite dyke. Salmon red kspar, smokey quartz, c.g. magnetite, small amount of pinkish fspar.	Gold and Base Metals	192753	11.91	12.40	0.49
				7.1-7.6m : pegmatite dyke. Finer grained than above w/ more epidote alteration.	Gold and Base Metals	192754	12.40	12.90	0.50
				7.6-8.37m : v.c.g pink granite mixed with metasediments, very large magnetite crystals.	Gold and Base Metals	192755	12.90	13.41	0.51
				9.6-9.9m, 10.55-11.45m, 14.35-15.42m : minor (<1%) f.g. Py along bedding planes mostly but also diss. randomly and interstitia	Gold and Base Metals	192756	13.41	13.83	0.42
				9.9-9.98m : massive Py and Po (>70%), magnetic					
				10.15-10.35m, 10.8-12.05m : Granite, m.g., pink and white fspar, smokey quartz, biotite.					
				11.45-12.5m : Po + Py, f.g., interstitial and along bedding planes. Semi-massive to massive (~20%)					
				12.5-14.35m : Po + Py along bedding planes, some peds of Py, 2-3%					
				12.98-13.03m : garnet crystals, 2-4mm wide.					
14.20	15.33	Gneissic Metasediments		Gneissic Metasediments (Gn.Metaseds) - banded, 75-80° t.c.a., biotite, white fspar and clear quartz. Diss. f.g. cubic Py	Uranium	192776	15.43	16.47	1.04
15.50	16.53	Pegmatite		Pegmatite - Salmon red kspar (hematite), pinkish white iridescent fspar, smokey quartz, very large up to 3cm magnetite crystals.					
16.53	18.54	Gn.Metaseds		Gneissic Metasediments - banded, 85-90° t.c.a., rich in smokey quartz, with biotite and white fspar.					
18.54	20.23	Pegmatite		Pegmatite - Salmon red kspar (hematite), smokey quartz, some biotite, non magnetic. Fspar crystals are very altered (epidotization and orangish-brown Fe alteration). The iron alteration is soft and could be a carbonate or an oxide.					
20.23	21.00	Metasediments		Metasediments - refer to description above (4.72-10.80m). Gradual contact with Granite between 20.80-21.00m					
21.00	21.27	Granite		Granite - m.g.-c.g., salmon red kspar (hematite), smokey quartz, biotite, non magnetic.					
21.27	25.17	Pegmatite		Pegmatite - some very dark red fspar crystals (hematite), pink fspar, smokey quartz, biotite					
25.17	25.25	Granite		Granite - refer to 21-21.27m					
25.25	27.47	Gn.Metaseds		Gneissic metasediments - refer to 16.53-18.54m. This rock type is also observed in short segments at 25.75-25.81m and 27.25-27.32m.					
27.47	28.53	Pegmatite		Pegmatite - refer to 21.27-25.17m for description					
28.53	28.72	Gn.Metaseds		Gneissic metasediments - refer to 16.53-18.54m.					
28.72	29.02	Pegmatite		Pegmatite - refer to 21.27-25.17m for description					
29.02	30.69	Gn.Metaseds		Gneissic metasediments - refer to 16.53-18.54m.					
30.69	31.00	Pegmatite		Pegmatite - refer to 21.27-25.17m for description					
31.00	32.77	Gn.Metaseds		Gneissic metasediments - refer to 16.53-18.54m.					
32.77	33.07	Pegmatite		Pegmatite - refer to 21.27-25.17m for description					



Diamond Drilling Log

UTM: NAD83	Azimuth:	Date:	Hole No.:	Page No.:
Zone: 15U	Dip:	7/22/2008	WL08-009	1 of 3
Easting:	Total depth: 122m	Logger:		
Northing:		M.R.		


				Diamond Drilling Log		UTM: NAD83 Zone: 15U Easting: Northing:	Azimuth: Dip: Total depth: 122m	Date: 7/22/2008 Logger: M.R.	Hole No.: WL08-009		Page No.: 2 of 3
Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Sampled for	Geochem Sample No.	Sample Footage		Sample Length (m)		
From (m)	To (m)						From (m)	To (m)			
33.07	34.14	Metasediments		Metasediments - refer to 4.72-10.80m for description							
34.14	36.87	Pegmatite		Pegmatite - same composition as 21.27-25.17m							
36.87	37.47	Metasediments		Metasediments - refer to 4.72-10.80m for description							
37.47	39.31	Pegmatite		Pegmatite - same composition as 21.27-25.17m							
39.31	40.03	Metasediments		Metasediments - refer to 4.72-10.80m for description							
40.03	40.30	Pegmatite		Pegmatite - same composition as 21.27-25.17m							
40.30	41.00	Metasediments		Metasediments - similar as 4.72-10.80m w/ pink fspar-rich banding							
41.00	51.63	Pegmatite		Pegmatite - same composition as 21.27-25.17m, w/ short segments of f.g.-m.g red granite	Uranium	192777	44.00	45.00	1.00		
				44.81-45.03m : graphic texture	Uranium	192778	45.00	45.98	0.98		
				49.15-49.38m : pegmatite in this interval contains m.g. magnetite	Uranium	192779	47.00	48.00	1.00		
51.63	53.61	Granite		Granite - f.g.-m.g. red kspar (hematite), smokey quartz, biotite and white fspar.							
53.61	54.20	Pegmatite		Pegmatite - same composition as 21.27-25.17m							
54.20	55.13	Metasediments		Metasediments - refer to 4.72-10.80m for description							
55.13	58.04	Pegmatite		Pegmatite - same composition as 21.27-25.17m.							
				55.14-55.19m : m.g.-c.g. magnetite							
				56.22-56.82m : minor m.g. magnetite							
58.04	60.61	Metasediments		Metasediments - refer to 4.72-10.80m for description. Some short sections of gneissic granite rich in pink fspar and quartz in this rock.							
60.61	60.81	Pegmatite		Pegmatite - same composition as 21.27-25.17m.							
60.81	60.95	Granite		Granite - f.g.-m.g. red kspar (hematite), smokey quartz, biotite and white fspar.							
60.95	77.43	Pegmatite		Pegmatite - same composition as 21.27-25.17m.	Uranium	192780	62.85	63.92	1.07		
				61.45-62.17m : extremely c.g. pegmatite and very smokey quartz	Uranium	192781	65.00	66.00	1.00		
				63.12-63.45m : graphic texture, m.g.	Uranium	192782	66.00	67.04	1.04		
				65.30-65.56m : dissiminated c.g. magnetite	Uranium	192783	67.04	68.00	0.96		
				66.08m : m.g. cubic Py in greenish mica and chlorite							
				66.58-66.70m, 73.3-73.45m, 75.16-75.58m, 76.87-77.33m : m.g.-c.g. graphic texture							
				73.76-73.9m : f.g.-m.g. graphic texture							
77.43	79.61	Metasediments		Metasediments - refer to 4.72-10.80m for description, banding less obvious than previous metasediment rock							
79.61	85.34	Pegmatite		Pegmatite - same composition as 21.27-25.17m.							
85.34	86.00	Metasediments		Metasediments - refer to 4.72-10.80m for description							
86.00	87.27	Pegmatite		Pegmatite - same composition as 21.27-25.17m.							



Diamond Drilling Log

UTM: NAD83	Azimuth:	Date:	Hole No.:	Page No.:
Zone: 15U	Dip: 45°	7/24/2008	WL08-010	1 of 4
Eastings:	Total depth: 151.79m	Logger:		
Northings:		M.R.		

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
13.40	15.65	Pegmatite		Pegmatite - salmon pink fspar, smokey qzt, some epidotization, some red fspar and staining (hematite) around the minerals, c.g. magnetite. Short segments of c.g. greenish-cream and pinkish granite.						
15.65	21.30	Metasediments		Metasediments - f.g., very dark grey, banded 65° t.c.a., rich in biotite, quartz and white fspar. F.g. minor, randomly diss., as well as along fractures and bedding planes Py.			192761	17.42	17.84	0.42
				16.45-16.46m, 16.59-16.61m, 18.07-18.11m, 18.15-18.19m, 19.34-19.35m, 19.57-19.58m, 20.21-20.36m : semi-massive to massive Py along bedding planes.			192762	17.84	18.44	0.60
				18.24-18.4m : pegmatite segment, same as 13.4-15.65m			192763	19.23	19.60	0.37
				19.61-19.86m : granite segment, m.g., salmon pink, pinkish white as well as greenish cream fspar, quartz, biotite			192764	20.11	20.55	0.44
21.30	21.91	Pegmatite		Pegmatite - salmon pink fspar, smokey quartz, chloritized biotite flakes, m.g. and c.g. magnetite crystals. Some epidotization of the fspar crystals as well.						
21.91	22.13	Metasediments		Metasediments - f.g., very dark grey, banded 65° t.c.a., rich in biotite, quartz and white fspar. F.g. minor, randomly diss.						
22.13	22.55	Gn. Metaseds		Gneissic Metasediments - m.g., pink and white fspar, and quartz mixed w/ f.g. metasediments, 65° t.c.a.. Very rich in biotite, diss. f.g. magnetite						
22.55	22.76	Pegmatite		Pegmatite - same as 21.30-21.91m						
22.76	26.35	Gn. Metaseds		Gneissic Metasediments - same as 22.13-22.55m						
26.35	31.27	Pegmatite		Pegmatite - salmon pink fspar, smokey quartz, biotite, m.g. magnetite crystal at 27.19m. Muscovite at 31m.						
				Graphic texture between 29.06-29.27m, c.g.						
31.27	31.93	Gn. Metaseds		Gneissic Metasediments - same as 22.13-22.55m						
31.93	34.17	Pegmatite		Pegmatite - salmon pink, red, and pinkish cream fspar, f.g.-m.g. biotite, minor muscovite, no magnetite						
34.17	34.99	Gn. Metaseds		Gneissic Metasediments - same as 22.13-22.55m. Small pegmatite vein 34.68-34.61m						
34.99	35.52	Pegmatite		Pegmatite - salmon pink, red, and pinkish cream fspar, c.g. biotite, minor muscovite, no magnetite						
35.52	37.12	Gn. Metaseds		Gneissic Metasediments - same as 22.13-22.55m						
				36.23-36.28m, 36.65-36.96m : granite veins. C.g.-v.c.g. salmon pink and pinkish white, smokey quartz and biotite.						
37.12	37.63	Pegmatite		Pegmatite - same as 34.99-35.52m						
37.63	38.18	Gn. Metaseds		Gneissic Metasediments - same as 22.13-22.55m						
38.18	38.47	Granite		Granite - C.g. salmon pink and pinkish white, smokey quartz and biotite.						
				38.29 and 38.31m : 2 magnetite-rich veins, semi-massive to massive. F.g.-m.g. grains, veins are 65 t.c.a.						
38.47	39.76	Pegmatite		Pegmatite - salmon pink kspar, pinkish white fspar, some finer grained red fspar crystals, very smokey quartz, biotite. Non magnetic			192811	38.70	39.70	1.00
39.76	40.79	Gn. Metaseds		Gneissic Metasediments - same as 22.13-22.55m						
				39.92-40.10m : granitic segment, refer to 38.18-38.47m						

				Diamond Drilling Log		UTM: NAD83 Zone: 15U Easting: Northing:		Azimuth: Dip: 45° Total depth: 151.79m		Date: 7/24/2008 Logger: M.R.		Hole No.: WL08-010		Page No.: 2 of 4	
						Footage From (m) To (m)		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)				Recovery	Ref. Sample No.
40.79	45.20	Pegmatite		Pegmatite - similar to 38.47-39.76m, but w/ more red fspar crystals						192812	41.00	42.05	1.05		
				41.95-42.21m : some f.g.-c.g. magnetite. F.g.-m.g. cubic Py grains, diss, <1%						192813	42.05	43.03	0.98		
				42.18-42.21m : muscovite						192814	43.03	44.03	1.00		
45.20	48.53	Gn. Metaseds		Gneissic Metasediments - f.g. red, salmon pink, and pinkish white fspar, smokey quartz, f.g. magnetite. Biotite-rich.						192815	44.03	45.06	1.03		
				47.70-47.85m : extremely c.g. pegmatite vein. White fspar w/ red hematite stainind around the crystals, minor biotite											
				48.08-48.26m : pegmatite vein. White and pinkish white fspar, red staining around crystals, quartz, minor biotite											
				48.26-48.53m : gradual contact w/ granite. Gneissic metasediments to gneissic granite to granit											
48.53	49.01	Granite		Granite - f.g.-m.g., salmon pink and pinkish white fspar, f.g. biotite rich, slightly smokey quartz											
49.01	49.94	Metasediments		Metasediments - f.g.-m.g., very dark grey, banded 55-60° t.c.a., rich in biotite and white fspar, 2 short segments of pinkish white pegmatite, not magnetic											
49.94	51.04	Pegmatite		Pegmatite - salmon pink kspar, pinkish white fspar, some red fspar and red staining around minerals, slightly smokey quartz, biotite, minor c.g. magnetite. F.g. graphic texture from 50.63m to 50.69m											
51.04	52.42	Metasediments		Metasediments - same as 49.01-49.94m											
52.42	52.95	Pegmatite		Pegmatite - refer to 49.94-51.04m, but slightly finer grained and not magnetic											
52.95	53.66	Granite		Granite - c.g., salmon pink and pinkish white fspar, f.g. biotite rich, slightly smokey quartz											
53.66	54.35	Metasediments		Metasediments - f.g.-m.g., very dark grey, banded 55-60° t.c.a., rich in biotite and white fspar, 2 short segments of pinkish white pegmatite, weakly magnetic											
54.35	62.77	Granite		Granite - f.g.-m.g., same minerals as 49.01-49.94m, interbedded w/ very short and short segments of pegmatite (salmon pink kspar, pinkish white fspar, some red fspar and red staining around minerals, slightly smokey quartz, biotite, not magnetic)						192816	55.97	56.98	1.01		
				Graphic texture : 55.46-55.75m						192817	56.98	58.03	1.05		
62.77	64.76	Pegmatite		Pegmatite - same as 52.42-52.95m						192818	58.03	59.02	0.99		
64.76	64.98	Metasediments		Metasediments - same as 53.66-54.35m						192819	59.02	60.00	0.98		
64.98	65.18	Pegmatite		Pegmatite - same as 52.42-52.95m											
65.18	66.20	Metasediments		Metasediments - same as 53.66-54.35m											
66.20	77.35	Mix of Pegmatite and Granite		Mixture of Pegmatite and Granite - segments are between 10-50 cm long. Both look very hematite red											
				Pegmatite : salmon pink kspar, white fspar, hematite red fspar and staining, smokey quartz, biotite, minor f.g.-m.g. magnetite.						192820	68.03	69.05	1.02		
				Granite (66.2-70.71m) : f.g.-m.g., same mineral composition as the pegmatite						192821	69.05	69.99	0.94		
				Granite (70.71-77.35m) : c.g.-v.c.g., same mineral composition as the pegmatite. The red staining decreases towards 77.35m						192822	69.99	71.01	1.03		
77.35	82.53	Pegmatite		Pegmatite - extremely c.g., w/ some short segments of f.g.-m.g. granite. Pegmatite is composed of salmon pink kspar, smokey quartz, biotite, no magnetite. Some epidotization of the feldspar crystals can be observed						192823	71.01	71.96	0.95		
82.53	87.42	Gn. Metaseds		Gneissic Metasediments - m.g.-c.g., rich in biotite, quartz and white fspar. Banded 65-70° t.c.a						192824	73.97	74.97	1.00		



Diamond Drilling Log

UTM: NAD83	Azimuth:	Date:	Hole No.:	Page No.:
Zone: 15U	Dip: 45°	7/24/2008	WL08-010	3 of 4
Eastings:	Total depth: 151.79m	Logger:		
Northings:		M.R.		

Footage		Rock Type	Graphic	Description (Colour, Grain Size, Texture, Minerals, Alteration, etc.)	Recovery	Ref. Sample No.	Geochem Sample No.	Sample Footage		Sample Length (m)
From (m)	To (m)							From (m)	To (m)	
87.42	87.61	Pegmatite		Pegmatite Dyke - Mostly white fspar, some salmon pink crystals and hematite red staining, minor biotite. V.c.g. magnetite grain (3.5 x 2)cm. It is possible to observe the cracks created by the growth of the crystal in the rock. Several magnetite crystals in this short segment (f.g.-v.c.g.). Some minor f.g. Py also visible						
87.61	87.73	Metasediments		Metasediments - m.g., very dark grey, banded 55-60° t.c.a., rich in biotite and white fspar						
87.73	89.86	Pegmatite		Pegmatite - salmon pink kspar, some hematite red staining and crystals, smokey quartz, biotite, f.g. to c.g. magnetite						
				Graphic texture : 88.02-88.20m						
89.86	94.56	Gn. Metaseds		Gneissic Metasediments - m.g.-c.g., rich in biotite, quartz and white fspar. Banded 65-70° t.c.a						
94.56	115.94	Pegmatite		Pegmatite - salmon pink kspar, some hematite red staining and crystals, white fspar, smokey quartz, biotite, f.g.-c.g. magnetite diss. all throughout the pegmatite. Some short segments of f.g.-m.g. granite and gneissic granite in the pegmatite			192825	94.91	95.86	0.95
115.94	117.29	Gn. Metaseds		Gneissic Metasediments - f.g.-m.g., rich in biotite, quartz and white fspar. Banded 65-70° t.c.a			192826	112.05	113.00	0.95
117.29	124.25	Pegmatite		Pegmatite - medium salmon pink kspar, some red staining, white fspar, slightly smokey quartz, minor or no biotite in areas, no magnetite. Several fspar crystals are greenish cream btw 119.86-120.63m						
124.25	124.63	Gn. Metaseds		Gneissic Metasediments - f.g.-m.g., rich in biotite, quartz and white fspar. Banded 65-70° t.c.a						
124.63	125.63	Pegmatite		Pegmatite - medium salmon pink kspar, some red staining, white fspar, slightly smokey quartz, minor or no biotite in areas, no magnetite.						
125.63	125.86	Gn. Metaseds		Gneissic Metasediments - f.g.-m.g., rich in biotite, quartz and white fspar. Banded 65-70° t.c.a						
125.86	126.30	Pegmatite		Pegmatite - medium salmon pink kspar, some red staining, white fspar, slightly smokey quartz, biotite, no magnetite.						
126.30	127.86	Gn. Metaseds		Gneissic Metasediments - m.g.-c.g., rich in biotite, quartz and white fspar. Banded 65-70° t.c.a						
127.86	128.15	Pegmatite		Pegmatite - medium salmon pink kspar, some red staining, white fspar, slightly smokey quartz, biotite, no magnetite.						
128.15	130.52	Gn. Metaseds		Gneissic Metasediments - m.g, rich in biotite, quartz and white fspar. Banded 65-70° t.c.a						
130.52	131.16	Gn. Granite		Gneissic Granite - m.g., salmon pink, white and some hematite red fspar, slightly smokey quartz, lots of biotite.						
131.16	131.96	Gn. Metaseds		Gneissic Metasediments - m.g, rich in biotite, quartz and white fspar. Banded 65-70° t.c.a						
131.96	133.02	Pegmatite		Pegmatite - white fspar, salmon pink kspar, some red hematite staining, biotite, slightly smokey quartz.						
133.02	133.85	Metasediments		Metasediments - f.g., very dark grey, banded 55-60° t.c.a., rich in biotite and white fspar, 2 short segments of pinkish white pegmatite, weakly magnetic						
133.85	135.20	Pegmatite		Pegmatite - same as 131.96-133.02m, but richer in biotite. Some very short segments of metasediments interbedded w/ the pegmatite						
135.20	136.20	Gn. Granite		Gneissic Granite - m.g.-c.g., mainly white fspar, red staining, some salmon pink kspar as well, smokey qzt, bedded (65-70 t.c.a.)						
136.20	136.75	Metasediments		Metasediments - f.g., very dark grey, banded 55-60° t.c.a., rich in biotite and white fspar, weakly magnetic						
136.75	139.90	Gn. Granite		Gneissic Granite - same as 135.20-136.20m, some very short segments of f.g. metasediments interbedded with the gn. granite.						
139.90	140.31	Metasediments		Metasediments - f.g., very dark grey, banded 80-90° t.c.a., rich in biotite and white fspar, weakly magnetic						

APPENDIX C

DIAMOND DRILL HOLE ASSAY DATA

**DNC and INAA analyses
(includes U by XRF and ICP)**

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC
BL08-001	200840132	A08-3256	487217	5.30	5.80	0.50	<10	2.0	<0.5	*	<2	<5	<0.5	<50	<0.5	9	48	508	<1	7.19	2	<1	<5	16	1.5	<20	<15	<0.1	32.9	<3	<0.02	<0.05	<0.5	1.2	<0.5	<1	230	4.1	9	<5	1.4	<0.2	<0.5	1.7	0.29	2
BL08-001	200840132	A08-3256	487218	5.80	7.00	1.20	29	35.7	35.7	*	<2	<5	<0.5	<50	<0.5	<1	5	446	3	0.72	6	<1	<5	<1	2.64	<20	143	<0.1	0.7	<3	<0.02	<0.05	<0.5	22.8	35.7	<1	<50	3.3	4	<5	<0.1	<0.2	<0.5	<0.2	<0.05	35.7
BL08-001	200840132	A08-3256	487219	7.00	8.55	1.55	31	33.2	40.0	*	<2	<5	<0.5	<50	<0.5	<1	<1	453	6	0.59	4	<1	<5	<1	2.52	<20	149	<0.1	1.1	<3	<0.02	<0.05	<0.5	20.5	40	<1	<50	3	<3	<5	<0.1	<0.2	<0.5	<0.2	<0.05	33.2
BL08-001	200840132	A08-3256	487220	8.55	9.05	0.50	26	1.8	2.3	*	<2	<5	<0.5	270	<0.5	6	47	589	4	6.26	2	<1	<5	<1	1.87	<20	<15	<0.1	25.4	<3	<0.02	<0.05	<0.5	1.9	2.3	<1	<50	5.8	10	<5	1.2	0.6	<0.5	1.3	0.22	1.8
BL08-001	200840132	A08-3256	487221	20.70	21.28	0.58	15	1.6	2.3	*	<2	<5	<0.5	<50	<0.5	6	35	372	9	4.48	2	<1	<5	11	2.83	<20	60	<0.1	13	6	<0.02	<0.05	<0.5	1.7	2.3	<1	1200	13	25	<5	1.7	0.9	<0.5	1.3	0.24	1.6
BL08-001	200840132	A08-3256	487222	21.28	22.30	1.02	44	60.5	67.2	*	10	<5	1.1	470	<0.5	<1	<1	440	4	0.72	5	<1	<5	27	3.29	<20	99	<0.1	1.2	<3	<0.02	<0.05	<0.5	28.9	67.2	6	<50	6.2	7	<5	<0.1	<0.2	<0.5	<0.2	<0.05	60.5
BL08-001	200840132	A08-3256	487223	22.40	23.30	0.90	10	18.7	22.1	*	<2	<5	1.1	<50	<0.5	<1	20	471	3	3.42	4	<1	<5	<1	3.52	<20	68	0.3	9.9	<3	<0.02	<0.05	<0.5	9.9	22.1	<1	490	10.5	20	<5	1.2	<0.2	<0.5	0.9	0.2	18.7
BL08-001	200840132	A08-3256	487224	23.30	24.00	0.70	691	780.0	825.0	*	<2	<5	<0.5	3910	<0.5	<1	4	620	4	1.31	<1	<1	<5	<1	1.41	440	223	<0.1	11.8	<3	<0.02	<0.05	<0.5	91.2	825	<1	<50	27.3	62	<5	<0.1	<0.2	<0.5	1	<0.05	780
BL08-001	200840132	A08-3256	487225	24.00	24.95	0.95	967	1170.0	1220.0	*	14	<5	<0.5	<50	<0.5	<1	9	143	6	2.28	<1	<1	<5	<1	1.73	<20	298	<0.1	23.6	<3	<0.02	<0.05	6.2	141	1220	<1	<50	47.7	136	87	14.9	2.7	2.6	3.9	<0.05	1170
BL08-001	200840132	A08-3256	487226	24.95	25.60	0.65	<10	28.4	33.8	*	<2	<5	<0.5	480	<0.5	4	9	322	<1	2.21	3	<1	<5	<1	2.71	210	112	<0.1	8.1	<3	<0.02	<0.05	2.8	14.1	33.8	<1	<50	27.3	56	26	3.5	1.2	<0.5	1	0.23	28.4
BL08-001	200840132	A08-3256	487227	25.60	27.00	1.40	38	51.9	57.3	*	<2	<5	<0.5	480	<0.5	<1	2	502	3	1.17	2	<1	<5	<1	2.23	<20	155	<0.1	3.9	<3	<0.02	<0.05	<0.5	22.4	57.3	<1	<50	16.1	37	15	2.4	0.6	<0.5	0.9	<0.05	51.9
BL08-001	200840132	A08-3256	487228	27.00	28.00	1.00	34	35.0	43.2	*	<2	<5	1.7	110	<0.5	<1	3	409	2	0.91	2	<1	<5	<1	3.05	<20	136	<0.1	1.1	<3	<0.02	<0.05	<0.5	27.4	43.2	<1	<50	21.1	40	10	1	<0.2	<0.5	0.3	<0.05	35
BL08-001	200840132	A08-3256	487229	28.00	29.50	1.50	<10	12.8	16.0	*	<2	<5	<0.5	370	<0.5	<1	4	558	4	0.84	<1	<1	<5	<1	2.18	<20	149	<0.1	1.7	<3	<0.02	<0.05	<0.5	8.1	16	<1	<50	13	21	<5	0.7	0.6	<0.5	<0.2	<0.05	12.8
BL08-001	200840132	A08-3256	487230	29.50	30.50	1.00	<10	13.8	16.0	*	<2	<5	<0.5	500	<0.5	<1	8	391	4	1.92	4	<1	<5	7	3.14	<20	<15	<0.1	4.5	<3	<0.02	<0.05	<0.5	17.4	16	<1	<50	29.8	59	16	2.2	0.6	<0.5	0.6	<0.05	13.8
BL08-001	200840132	A08-3256	487231	34.00	34.50	0.50	<10	6.5	8.6	*	<2	<5	<0.5	500	<0.5	3	7	539	3	1.97	3	<1	<5	<1	3.01	<20	74	<0.1	4.5	<3	<0.02	0.06	2.8	12.4	8.6	<1	<50	27.3	48	20	2.2	0.7	<0.5	0.6	0.11	6.5
BL08-001	200840132	A08-3256	487232	34.50	35.50	1.00	<10	6.7	7.4	*	<2	<5	<0.5	680	<0.5	<1	2	372	3	1.09	3	<1	<5	<1	2.34	<20	118	<0.1	1.1	<3	<0.02	0.06	<0.5	26.6	7.4	<1	<50	27.9	44	14	1.3	0.6	<0.5	<0.2	<0.05	6.7
BL08-001	200840132	A08-3256	487233	35.50	36.75	1.25	12	9.5	11.3	*	<2	<5	<0.5	680	<0.5	<1	4	744	3	1.12	2	<1	<5	<1	2.29	<20	155	<0.1	0.6	<3	<0.02	<0.05	<0.5	26.6	11.3	<1	<50	21.1	36	9	1.2	0.5	<0.5	<0.2	<0.05	9.5
BL08-001	200840132	A08-3256	487234	36.75	37.30	0.55	<10	6.8	6.8	*	<2	<5	<0.5	470	<0.5	<1	9	366	4	1.97	3	<1	<5	4	2.98	<20	81	<0.1	4.5	<3	<0.02	<0.05	<0.5	11.6	6.8	<1	130	32.9	61	23	2.5	0.6	<0.5	0.9	0.14	6.8
BL08-001	200840132	A08-3256	487235	46.95	47.85	0.90	<10	6.1	7.2	*	<2	<5	<0.5	290	<0.5	<1	4	620	4	0.89	3	<1	<5	<1	2.03	<20	223	<0.1	0.5	<3	<0.02	<0.05	<0.5	16.6	7.2	<1	<50	11.2	16	<5	1.1	<0.2	<0.5	0.6	<0.05	6.1
BL08-001	200840132	A08-3256	487236	50.53	51.13	0.60	20	20.7	22.6	*	<2	<5	<0.5	490	<0.5	<1	3	473	3	0.98	6	<1	<5	<1	2.41	<20	139	<0.1	0.5	<3	<0.02	<0.05	<0.5	49	22.6	<1	<50	20.8	38	13	2	<0.2	<0.5	0.8	0.17	20.7
BL08-001	200840132	A08-3256	487237	52.55	53.10	0.55	14	11.1	13.2	*	<2	<5	<0.5	550	<0.5	<1	4	693	3	1.02	3	<1	<5	5	2.53	<20	126	<0.1	0.6	<3	<0.02	<0.05	<0.5	17.4	13.2	<1	<50	9.4	20	<5	0.8	<0.2	1.4	<0.2	<0.05	11.1
BL08-001	200840132	A08-3256	487238	69.90	70.95	1.05	14	14.2	15.0	*	<2	<5	<0.5	330	<0.5	<1	<1	378	3	0.76	3	<1	<5	11	2.37	<20	126	<0.1	0.6	<3	<0.02	<0.05	<0.5	23.2	15	<1	<50	6.9	18	<5	0.8	0.3	<0.5	0.3	<0.05	14.2
BL08-001	200840132	A08-3256	487239	71.25	72.10	0.85	<10	10.0	12.2	*	<2	<5	<0.5	210	<0.5	<1	4	586	3	1.23	3	<1	<5	<1	2.7	<20	101	<0.1	2	<3	<0.02	<0.05	3.2	18.3	12.2	<1	<50	18.9	30	13	1.3	0.4	<0.5	0.3	0.06	10
BL08-002	200840132	A08-3256	487240	6.00	7.00	1.00	17	0.7	<0.5	*	<2	<5	<0.5	<50	<0.5	6	43	384	<1	6.74	1	<1	<5	<1	1.44	<20	<15	<0.1	29.6	<3	<0.02	0.07	<0.5	<0.2	<0.5	<1	<50	4.1	11	<5	1.3	0.5	<0.5	1	0.24	0.7
BL08-002	200840132	A08-3256	487241	7.00	8.00	1.00	27	32.5	39.5	*	<2	<5	<0.5	130	<0.5	<1	3	624	6	0.71	4	<1	<5	<1	2.29	<20	151	0.3	0.6	<3	<0.02	<0.05	<0.5	19.9	39.5	<1	<50	2.4	8	<5	<0.1	<0.2	<0.5	<0.2	<0.05	32.5
BL08-002	200840132	A08-3256	487242	8.00	9.00	1.00	24	26.0	30.1	*	<2	<5	2.4	230	<0.5	<1	<1	372	6																											

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC	
BL08-003	200840132	A08-3256	487385	19.40	19.95	0.55	25	34.7	38.2	*	<2	<5	2.2	270	<0.5	<1	5	518	4	0.92	2	<1	<5	<1	2.81	<20	168	<0.1	1.5	<3	<0.02	<0.05	<0.5	18.3	38.2	<1	<50	3.8	7	<5	<0.1	<0.2	<0.5	<0.2	<0.05	34.7	
BL08-003	200840132	A08-3256	487386	19.95	20.45	0.50	<10	1.7	<0.5	*	<2	<5	<0.5	490	<0.5	4	25	406	12	3.43	2	<1	<5	7	2.71	<20	161	0.4	10.5	<3	<0.02	<0.05	<0.5	3.1	<0.5	<1	540	12.6	25	<5	1.8	0.8	<0.5	<0.2	0.2	1.7	
BL08-003	200840132	A08-3256	487387	27.70	28.33	0.63	14	1.2	<0.5	*	<2	<5	<0.5	<50	<0.5	7	35	441	3	4.7	3	<1	<5	<1	2.02	<20	91	<0.1	11.9	<3	<0.02	<0.05	<0.5	2.5	<0.5	<1	1040	12.6	29	<5	2	0.9	<0.5	1.1	0.25	1.2	
BL08-003	200840132	A08-3256	487388	28.33	29.70	1.37	36	53.5	51.9	*	<2	<5	2.2	<50	<0.5	4	<1	462	4	0.67	3	<1	<5	25	2.97	<20	98	<0.1	1	<3	<0.02	<0.05	<0.5	19.9	51.9	<1	<50	4.7	14	<5	<0.1	<0.2	<0.5	<0.2	<0.05	53.5	
BL08-003	200840132	A08-3256	487389	29.70	30.00	0.30	<10	6.7	8.2	*	<2	<5	<0.5	<50	<0.5	<1	10	532	13	2.25	3	<1	<5	<1	2.67	<20	224	<0.1	6.2	<3	<0.02	<0.05	<0.5	6.3	8.2	<1	250	11.2	22	<5	1.6	<0.2	<0.5	1.5	0.29	6.7	
BL08-003	200840132	A08-3256	487390	45.00	45.50	0.50	<10	4.0	5.4	*	<2	<5	<0.5	720	<0.5	4	8	364	4	2.14	3	<1	<5	4	3.07	<20	78	<0.1	5.6	<3	<0.02	0.1	<0.5	8.3	5.4	<1	<50	37	65	28	2.9	1	<0.5	0.6	<0.05	4	
BL08-003	200840132	A08-3256	487391	45.50	47.00	1.50	<10	1.9	<0.5	*	<2	<5	<0.5	220	<0.5	<1	<1	423	3	0.57	<1	3	<5	7	2.83	<20	117	<0.1	0.3	<3	<0.02	<0.05	<0.5	3.7	<0.5	<1	<50	3.6	7	<5	0.3	<0.2	<0.5	<0.2	<0.05	1.9	
BL08-003	200840226	A08-3256	487392	47.00	48.50	1.50	20	3.6	4.3	*	<2	<5	2.2	<50	<0.5	<1	<1	286	3	0.4	3	<1	<5	<1	2.68	<20	150	<0.1	0.2	<3	<0.02	<0.05	<0.5	10.8	4.3	<1	<50	7.2	17	<5	0.4	0.3	<0.5	<0.2	0.09	3.6	
BL08-003	200840226	A08-3256	487393	48.50	50.00	1.50	20	5.0	5.2	*	<2	<5	<0.5	260	<0.5	<1	<1	293	3	0.39	3	<1	<5	3	2.4	<20	85	<0.1	0.3	<3	<0.02	<0.05	<0.5	12.4	5.2	<1	<50	7.8	18	<5	0.5	0.4	<0.2	<0.5	0.3	<0.05	5
BL08-003	200840226	A08-3256	487394	50.00	51.50	1.50	19	2.7	5.1	*	<2	<5	<0.5	<50	<0.5	<1	3	319	2	0.43	<1	<1	<5	<1	2.81	<20	111	<0.1	0.2	<3	<0.02	<0.05	<0.5	9.1	5.1	<1	<50	2.8	5	<5	0.2	<0.2	<0.5	<0.2	<0.05	2.7	
BL08-003	200840226	*	498395	51.50	53.00	1.50	18	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
BL08-003	200840226	*	498396	53.00	54.50	1.50	22	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
BL08-003	200840226	A08-3256	487397	54.50	56.00	1.50	24	7.3	6.7	*	5	<5	<0.5	240	<0.5	<1	4	286	5	1.19	2	<1	<5	6	2.29	<20	182	<0.1	0.4	<3	<0.02	<0.05	<0.5	39.8	6.7	<1	<50	10.4	17	15	1.2	0.4	<0.5	<0.2	0.06	7.3	
BL08-003	200840226	A08-3256	487398	56.00	58.00	2.00	18	3.1	4.9	*	<2	<5	1.6	290	1.7	<1	2	286	5	0.46	<1	<1	<5	<1	1.99	<20	195	<0.1	0.2	<3	<0.02	<0.05	<0.5	9.1	4.9	<1	<50	2	<3	<5	0.1	0.3	<0.5	<0.2	<0.05	3.1	
BL08-003	200840226	A08-3256	487399	58.00	60.00	2.00	22	5.2	6.3	*	<2	<5	<0.5	330	3.3	<1	<1	319	5	0.99	1	<1	<5	<1	2.51	<20	137	<0.1	0.3	<3	<0.02	<0.05	<0.5	33.2	6.3	<1	<50	6.2	10	<5	0.8	<0.2	<0.5	0.6	<0.05	5.2	
BL08-003	200840226	A08-3256	487400	60.00	60.55	0.55	26	3.6	3.6	*	<2	<5	<0.5	<50	<0.5	<1	10	319	6	1.3	1	<1	<5	<1	2.7	240	130	<0.1	2.2	<3	<0.02	<0.05	<0.5	12.4	3.6	<1	<50	14.9	27	<5	1.2	<0.2	<0.5	0.3	<0.05	3.6	
BL08-003	200840226	A08-3256	487401	60.55	61.20	0.65	18	4.4	4.2	*	<2	<5	1.9	330	<0.5	<1	6	346	5	1.28	3	<1	<5	6	2.57	<20	158	<0.1	2.7	<3	<0.02	0.09	<0.5	12.9	4.2	<1	<50	14.9	39	14	2	0.6	<0.5	<0.2	<0.05	4.4	
BL08-003	200840226	A08-3256	487402	61.20	63.00	1.80	19	3.6	4.0	*	<2	<5	<0.5	260	1.5	<1	4	331	4	0.64	1	<1	<5	5	2.4	<20	144	<0.1	0.4	<3	<0.02	<0.05	2.2	12.9	4	<1	<50	2.5	6	<5	0.6	<0.2	<0.5	<0.2	<0.05	3.6	
BL08-003	200840226	A08-3256	487403	63.00	64.00	1.00	20	2.1	2.2	*	<2	<5	1.2	220	<0.5	2	<1	266	4	0.37	<1	<1	<5	4	1.68	<20	180	0.2	0.1	<3	<0.02	<0.05	<0.5	5.5	2.2	<1	70	0.9	4	<5	0.3	<0.2	<0.5	<0.2	<0.05	2.1	
BL08-003	200840226	A08-3256	487404	64.00	66.00	2.00	22	8.8	8.8	*	<2	<5	<0.5	220	<0.5	<1	4	281	6	1.31	3	<1	<5	<1	2.87	<20	115	<0.1	1.4	<3	<0.02	<0.05	2.3	35	8.8	<1	<50	12.8	31	8	1.9	<0.2	<0.5	0.5	<0.05	8.8	
BL08-003	200840226	A08-3256	487405	66.00	66.80	0.80	26	11.4	12.8	*	<2	<5	<0.5	210	<0.5	<1	4	331	2	0.62	3	<1	<5	<1	2.98	<20	94	<0.1	0.5	<3	<0.02	<0.05	<0.5	40.3	12.8	<1	<50	20.6	55	14	2.2	<0.2	<0.5	0.5	0.08	11.4	
BL08-003	200840226	A08-3256	487406	66.80	67.30	0.50	17	5.4	6.4	*	<2	<5	<0.5	350	<0.5	<1	8	295	4	1.79	4	<1	<5	6	3.01	<20	<15	<0.1	4.9	<3	<0.02	<0.05	<0.5	16	6.4	<1	<50	25.7	70	16	3.4	0.9	<0.5	0.5	0.11	5.4	
BL08-003	200840226	A08-3256	487407	75.40	75.90	0.50	24	11.6	12.8	*	<2	6	<0.5	320	<0.5	<1	5	295	5	1.45	3	<1	<5	7	2.76	<20	130	<0.1	2.8	<3	<0.02	<0.05	<0.5	8.4	12.8	<1	<50	18.6	46	12	2.2	0.7	<0.5	0.5	<0.05	11.6	
BL08-003	200840226	A08-3256	487408	75.90	77.00	1.10	18	3.6	4.6	*	4	<5	<0.5	200	<0.5	1	<1	259	4	0.39	<1	<1	<5	<1	2.77	<20	86	<0.1	0.2	<3	<0.02	0.08	<0.5	4.3	4.6	<1	<50	1.7	4	<5	0.2	0.2	<0.5	<0.2	<0.05	3.6	
BL08-003	200840226	A08-3256	487409	77.00	78.40	1.40	29	16.0	17.6	*	<2	<5	<0.5	270	<0.5	<1	1	209	4	0.38	2	<1	<5	<1	2.2	<20	166	<0.1	0.2	<3	<0.02	0.06	<0.5	13.7	17.6	<1	<50	1.8	<3	<5	0.5	<0.2	<0.5	<0.2	<0.05	16	
BL08-003	200840226	A08-3256	487410	78.40	78.90	0.50	18	13.3	15.2	*	<2	<5	1.7	400	<0.5	<1	9	295	6	1.82	4	<1	<5	9	3.14	<20	101	<0.1	4.6	<3	<0.02	<0.05	2	13.7	15.2	<1	<50	28.3	69	22	3.3	0.8	<0.5	0.6	0.16	13.3	
BL08-004	200840226	A08-3256	487395	*	*	*	*	3.0	3.5	*	<2	<5	0.5	<50	<0.5	<1																															

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC
BL08-004A	200840132	A08-3256	487366	87.00	87.28	0.28	41	45.2	47.9	*	<2	<5	<0.5	<50	<0.5	<1	5	630	18	1.68	28	<1	<5	<1	2.94	280	239	<0.1	3.9	<3	<0.02	<0.05	<0.5	61.4	47.9	<1	<50	37.2	55	20	2.1	<0.2	<0.5	6.1	1.49	45.2
BL08-004A	200840132	A08-3256	487367	87.28	88.10	0.82	14	21.1	20.7	*	<2	<5	<0.5	<50	<0.5	<1	4	454	18	0.64	3	<1	<5	<1	3.07	<20	315	<0.1	0.8	<3	<0.02	<0.05	<0.5	12.4	20.7	<1	<50	6.3	12	<5	0.4	<0.2	<0.5	0.8	<0.05	21.1
BL08-004A	200840132	A08-3256	487368	88.10	88.60	0.50	<10	14.1	15.6	*	<2	<5	<0.5	620	<0.5	4	8	423	12	1.88	3	<1	<5	<1	3.04	340	104	<0.1	4.5	5	<0.02	<0.05	<0.5	14.1	15.6	<1	<50	26.6	47	19	2	<0.2	<0.5	0.6	0.1	14.1
BL08-004A	200840132	A08-3256	487369	88.60	90.38	1.78	17	19.1	21.5	*	<2	<5	2.3	530	<0.5	<1	<1	468	5	0.55	3	<1	<5	<1	2.4	<20	156	<0.1	0.6	<3	<0.02	<0.05	<0.5	14.1	21.5	<1	<50	4.5	10	<5	0.8	<0.2	<0.5	<0.2	<0.05	19.1
BL08-004A	200840132	A08-3256	487370	90.38	90.85	0.47	<10	14.2	15.6	*	<2	<5	<0.5	420	<0.5	<1	7	527	5	1.61	3	<1	<5	<1	3.06	<20	91	<0.1	3.7	<3	<0.02	<0.05	<0.5	9.1	15.6	<1	<50	22.8	42	14	1.8	<0.2	<0.5	0.5	<0.05	14.2
BL08-004A	200840132	A08-3256	487371	97.40	97.78	0.38	<10	5.7	6.2	*	<2	<5	<0.5	330	<0.5	<1	6	514	3	1.8	3	<1	<5	6	2.95	<20	85	<0.1	4.6	<3	<0.02	<0.05	<0.5	10	6.2	<1	<50	27.3	51	20	2.1	0.8	<0.5	<0.2	0.14	5.7
BL08-004A	200840132	A08-3256	487372	97.78	99.00	1.22	16	24.3	27.3	*	<2	<5	<0.5	440	<0.5	<1	<1	488	3	0.7	1	<1	<5	<1	2.39	<20	176	<0.1	0.9	<3	<0.02	<0.05	<0.5	10.8	27.3	<1	<50	10.4	20	<5	0.5	<0.2	<0.5	<0.2	<0.05	24.3
BL08-004A	200840132	A08-3256	487373	99.00	99.90	0.90	<10	14.9	16.6	*	<2	<5	<0.5	350	<0.5	<1	4	553	4	0.71	<1	<1	<5	<1	2.18	<20	104	<0.1	0.2	<3	<0.02	0.06	<0.5	11.6	16.6	<1	<50	3.5	<3	<5	0.3	<0.2	<0.5	<0.2	<0.05	14.9
BL08-004A	200840132	A08-3256	487374	99.90	100.85	0.95	<10	11.5	12.7	*	<2	<5	<0.5	430	<0.5	4	7	462	5	1.56	3	<1	<5	<1	2.9	<20	195	<0.1	4	<3	<0.02	<0.05	<0.5	12.4	12.7	<1	<50	24.7	41	<5	1.8	0.7	<0.5	<0.2	<0.05	11.5
BL08-004A	200840132	A08-3256	487375	100.85	101.80	0.95	19	19.7	19.5	*	<2	<5	<0.5	360	<0.5	<1	4	423	4	0.84	2	<1	<5	9	2.54	<20	124	<0.1	0.8	<3	<0.02	<0.05	<0.5	17.4	19.5	<1	<50	9.1	16	10	0.6	<0.2	<0.5	<0.2	0.19	19.7
BL08-004A	200840132	A08-3256	487376	101.80	102.30	0.50	<10	13.5	14.6	*	<2	<5	3.1	310	<0.5	<1	7	488	8	1.55	3	<1	<5	<1	2.81	<20	<15	<0.1	3.6	<3	<0.02	<0.05	<0.5	17.4	14.6	<1	<50	24.7	42	18	1.8	0.6	<0.5	0.3	<0.05	13.5
BL08-005	200840381	A08-3256	475532	0.00	1.00	1.00	<10	5.4	5.2	*	<2	<5	<0.5	220	<0.5	<1	<1	389	5	0.6	4	<1	<5	5	2.83	<20	182	<0.1	0.8	<3	<0.02	<0.05	<0.5	58.6	5.2	<1	<50	63.8	130	30	3.6	0.5	<0.5	1	0.24	5.4
BL08-005	200840381	A08-3256	475533	1.00	2.00	1.00	<10	4.5	4.2	*	<2	<5	<0.5	260	<0.5	<1	<1	283	4	0.52	3	<1	<5	<1	2.97	<20	163	0.3	0.4	<3	<0.02	0.07	<0.5	29.8	4.2	<1	<50	28	46	<5	1.4	0.4	<0.5	0.4	0.11	4.5
BL08-005	200840381	A08-3256	475534	2.00	3.00	1.00	<10	4.7	4.0	*	<2	<5	24	<50	<0.5	<1	2	456	4	0.58	4	<1	<5	4	3.01	<20	158	0.4	0.4	<3	<0.02	<0.05	<0.5	26.9	4	<1	<50	25	42	12	1.3	<0.2	<0.5	0.7	0.11	4.7
BL08-005	200840381	A08-3256	475535	3.00	4.00	1.00	<10	11.9	12.3	*	<2	<5	22.6	<50	<0.5	<1	<1	298	5	0.41	2	<1	<5	<1	2.51	<20	173	<0.1	0.3	<3	<0.02	<0.05	<0.5	19.5	12.3	<1	<50	21.8	35	<5	0.9	<0.2	<0.5	0.4	<0.05	11.9
BL08-005	200840381	A08-3256	475536	4.00	5.00	1.00	<10	6.4	8.4	*	<2	<5	24.6	<50	<0.5	<1	<1	389	3	0.45	3	<1	<5	<1	2.83	<20	163	0.5	0.3	<3	<0.02	<0.05	<0.5	14.8	8.4	<1	<50	5.8	8	<5	0.3	<0.2	<0.5	0.7	0.18	6.4
BL08-005	200840381	*	475537	5.00	6.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
BL08-005	200840319	A08-3256	475538	6.00	7.00	1.00	<10	2.5	3.5	*	<2	<5	23.5	340	<0.5	<1	2	422	7	0.51	<1	<1	<5	<1	2.13	<20	226	0.3	0.3	<3	<0.02	<0.05	<0.5	3.1	3.5	<1	<50	3.7	5	<5	0.1	<0.2	<0.5	<0.2	<0.05	2.5
BL08-005	200840319	A08-3256	475539	7.00	8.00	1.00	<10	2.7	3.1	*	<2	<5	20.9	360	<0.5	<1	2	331	6	0.46	<1	<1	<5	<1	1.72	<20	322	0.4	0.3	<3	<0.02	<0.05	<0.5	1.7	3.1	<1	<50	2.4	4	6	<0.1	<0.2	<0.5	<0.2	<0.05	2.7
BL08-005	200840319	A08-3256	475540	8.00	9.00	1.00	<10	5.0	5.3	*	<2	<5	21.4	390	<0.5	<1	2	624	7	0.57	2	<1	<5	<1	1.71	<20	278	0.3	0.3	<3	<0.02	<0.05	<0.5	10	5.3	<1	<50	3.9	6	<5	0.2	<0.2	<0.5	<0.2	<0.05	5
BL08-005	200840319	A08-3256	475541	9.00	10.00	1.00	<10	3.9	4.8	*	7	<5	23.7	270	<0.5	<1	1	379	3	0.43	<1	<1	<5	3	1.93	<20	187	0.4	0.2	<3	<0.02	<0.05	<0.5	4	4.8	<1	<50	4.6	6	<5	0.1	<0.2	<0.5	<0.2	<0.05	3.9
BL08-005	200840319	A08-3256	475542	10.00	11.50	1.50	<10	11.2	12.0	*	<2	<5	20.2	240	<0.5	<1	2	442	5	0.86	2	<1	<5	<1	2.59	<20	149	0.4	1	<3	<0.02	<0.05	<0.5	16.8	12	<1	<50	25.6	44	6	1.2	<0.2	<0.5	0.5	<0.05	11.2
BL08-005	200840319	A08-3256	475543	16.00	17.00	1.00	<10	7.9	9.5	*	<2	<5	22.1	580	<0.5	3	10	418	2	2.28	3	<1	<5	4	2.72	300	53	<0.1	7.1	<3	<0.02	<0.05	<0.5	14.1	9.5	<1	130	31.7	50	12	2.8	0.9	<0.5	1.1	0.22	7.9
BL08-005	200840319	A08-3256	475544	17.00	18.00	1.00	<10	5.2	5.3	*	<2	<5	18.3	420	<0.5	<1	<1	331	4	0.5	3	<1	<5	4	2.04	<20	240	0.1	1.2	<3	<0.02	<0.05	<0.5	24.9	5.3	<1	<50	49.4	80	18	2.2	0.3	<0.5	<0.2	0.06	5.2
BL08-005	200840319	A08-3256	475545	18.00	19.00	1.00	<10	5.7	5.5	*	<2	<5	<0.5	360	<0.5	<1	<1	269	6	0.36	3	<1	<5	8	1.39	<20	341	<0.1	0.5	<3	<0.02	0.08	<0.5	49.1	5.5	<1	<50	118	182	43	4.4	0.6	<0.5	0.6	0.07	5.7
BL08-005	200840319	A08-3256	475546	19.00	20.00	1.00	<10	5.2	6.1	*	<2	<5	<0.5	360	<0.5	<1	<1	394	4	0.42	1	<1	<5	<1	1.64	<20	226	<0.1	0.4	<3	<0.02	<0.05	<0.5	33.1	6.1	<1	<50	73.9	1							

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC
BL08-007	200840319	A08-3256	487436	14.00	15.00	1.00	<10	8.6	9.6	*	<2	<5	<0.5	310	<0.5	<1	3	672	4	0.83	4	<1	<5	<1	2.61	<20	139	<0.1	0.4	<3	<0.02	<0.05	<0.5	22	9.6	<1	<50	9.1	24	<5	1.9	0.4	<0.5	0.4	0.07	8.6
BL08-007	200840319	A08-3256	487437	15.00	16.00	1.00	<10	13.2	15.2	*	<2	<5	2.3	170	<0.5	<1	2	372	5	0.83	2	<1	<5	14	2.77	<20	110	<0.1	0.3	<3	<0.02	<0.05	<0.5	16	15.2	<1	<50	3.2	9	<5	0.9	0.2	<0.5	0.3	0.06	13.2
BL08-007	200840319	A08-3256	487438	16.00	17.00	1.00	<10	9.2	9.6	*	<2	<5	<0.5	370	<0.5	<1	2	599	6	0.8	2	<1	<5	<1	2.43	<20	139	<0.1	0.3	<3	<0.02	<0.05	<0.5	9.1	9.6	<1	<50	2.5	9	6	0.5	0.6	<0.5	<0.2	<0.05	9.2
BL08-007	200840319	A08-3256	487439	17.00	18.00	1.00	<10	14.7	17.6	*	<2	<5	0.7	430	<0.5	2	2	350	6	0.72	3	<1	<5	<1	2.37	<20	161	<0.1	0.3	<3	<0.02	<0.05	<0.5	13.7	17.6	<1	<50	5	15	<5	0.9	<0.2	<0.5	0.3	<0.05	14.7
BL08-007	200840319	A08-3256	487440	18.00	19.00	1.00	<10	9.0	9.6	*	<2	<5	<0.5	400	<0.5	<1	3	606	5	0.77	2	<1	<5	<1	2.28	<20	146	<0.1	0.3	<3	<0.02	<0.05	<0.5	25.1	9.6	<1	<50	8	22	12	1.1	0.4	<0.5	0.4	0.06	9
BL08-007	200840319	A08-3256	487441	19.00	20.00	1.00	<10	7.0	7.8	*	<2	<5	1.7	310	<0.5	<1	3	569	4	0.59	1	<1	<5	6	2.51	<20	110	<0.1	0.4	<3	0.07	<0.05	<0.5	9.1	7.8	<1	80	3	6	<5	0.5	<0.2	<0.5	<0.2	0.07	7
BL08-007	200840319	A08-3256	487442	20.00	21.00	1.00	<10	19.8	20.8	*	<2	<5	<0.5	230	<0.5	<1	<1	277	4	0.64	3	<1	<5	12	2.79	<20	69	<0.1	0.3	<3	<0.02	<0.05	1.8	28.1	20.8	<1	<50	6.5	15	<5	1.3	<0.2	<0.5	0.4	<0.05	19.8
BL08-007	200840319	A08-3256	487443	21.00	22.00	1.00	20	29.2	35.2	*	<2	<5	1.8	410	<0.5	<1	3	489	4	0.73	4	<1	<5	19	2.51	<20	117	0.1	0.2	<3	<0.02	<0.05	<0.5	21.3	35.2	<1	<50	7.2	20	<5	1.3	0.4	<0.5	0.4	<0.05	29.2
BL08-007	200840319	A08-3256	487444	22.00	22.50	0.50	<10	9.7	9.6	*	<2	<5	3.4	540	<0.5	<1	1	409	5	0.74	2	<1	<5	6	2.32	<20	124	<0.1	0.3	<3	<0.02	<0.05	<0.5	17.5	9.6	<1	<50	7	18	<5	1	<0.2	<0.5	0.3	0.07	9.7
BL08-007	200840319	A08-3256	487445	28.50	29.50	1.00	<10	12.8	14.3	*	<2	<5	<0.5	230	<0.5	<1	4	627	4	1.19	2	2	<5	7	2.8	<20	92	<0.1	0.6	<3	<0.02	<0.05	<0.5	14.7	14.3	<1	<50	13.9	35	9	1.6	0.5	<0.5	0.4	0.1	12.8
BL08-007	200840319	A08-3256	487446	29.50	30.90	1.40	<10	13.6	15.8	*	<2	<5	<0.5	350	<0.5	<1	<1	271	4	0.62	2	<1	<5	<1	2.62	<20	99	<0.1	0.4	<3	<0.02	<0.05	<0.5	15.4	15.8	<1	<50	5.6	12	<5	1.2	0.4	<0.5	0.3	<0.05	13.6
BL08-007	200840319	A08-3256	487447	34.00	35.00	1.00	<10	6.7	7.5	*	<2	<5	1.6	400	<0.5	1	2	482	3	0.82	1	<1	<5	<1	2.44	<20	92	<0.1	0.7	<3	<0.02	<0.05	<0.5	18.9	7.5	<1	<50	12.3	27	10	1.5	0.5	<0.5	0.5	0.09	6.7
BL08-007	200840319	A08-3256	487448	35.00	36.00	1.00	<10	8.7	10.5	*	<2	<5	<0.5	470	<0.5	<1	2	337	3	0.92	3	<1	<5	<1	2.22	<20	152	0.2	0.8	<3	<0.02	<0.05	<0.5	25.9	10.5	<1	<50	20.7	44	9	1.9	0.5	<0.5	<0.2	<0.05	8.7
BL08-007	200840319	A08-3256	487449	36.00	37.00	1.00	<10	8.4	9.0	*	<2	<5	3.4	540	<0.5	<1	<1	726	<1	1.02	3	<1	<5	5	2.21	<20	152	<0.1	0.8	<3	<0.02	<0.05	<0.5	25.9	9	<1	<50	19.1	47	13	2	0.5	<0.5	0.4	<0.05	8.4
BL08-007	200840319	A08-3256	487450	37.00	38.00	1.00	<10	4.2	4.9	*	<2	<5	<0.5	200	<0.5	<1	<1	330	6	0.59	4	<1	<5	<1	2.01	<20	172	0.3	0.5	<3	<0.02	<0.05	0.9	14	4.9	<1	<50	3.6	9	<5	0.9	0.3	<0.5	1.6	0.32	4.2
BL08-007	200840265	A08-3256	475501	38.00	39.00	1.00	<10	9.7	11.3	*	<2	<5	24	410	<0.5	<1	<1	259	2	0.8	2	<1	<5	<1	2.14	<20	163	0.3	0.3	<3	<0.02	<0.05	<0.5	26.3	11.3	<1	90	15	22	5	0.9	0.3	<0.5	0.7	0.11	9.7
BL08-007	200840265	A08-3256	475502	39.00	40.00	1.00	<10	7.9	10.0	*	<2	<5	24	290	<0.5	<1	<1	432	5	0.74	2	<1	<5	<1	2.25	<20	173	<0.1	0.4	<3	<0.02	<0.05	<0.5	23	10	<1	<50	6.5	11	<5	0.6	0.2	<0.5	0.8	0.14	7.9
BL08-007	200840265	A08-3256	475503	40.00	41.00	1.00	<10	11.1	13.9	*	<2	<5	24.6	<50	<0.5	<1	4	331	4	0.62	1	<1	<5	<1	2.16	<20	178	0.2	0.4	<3	<0.02	<0.05	<0.5	14.7	13.9	<1	<50	8.8	13	<5	0.4	0.2	<0.5	<0.2	<0.05	11.1
BL08-007	200840265	A08-3256	475504	41.00	42.00	1.00	<10	16.7	17.3	*	<2	<5	22.6	310	<0.5	<1	2	226	7	1.02	2	<1	<5	<1	2.29	<20	125	0.4	1.8	<3	<0.02	0.07	<0.5	20.3	17.3	<1	<50	15.9	28	11	1.2	0.4	<0.5	0.7	0.09	16.7
BL08-007	200840265	A08-3256	475505	42.00	43.00	1.00	<10	2.7	3.1	*	12	<5	27.9	530	<0.5	<1	<1	442	8	0.56	<1	<1	<5	<1	1.54	<20	226	0.3	0.2	<3	<0.02	<0.05	2	3.7	3.1	<1	70	1.2	3	<5	0.1	<0.2	0.9	0.3	0.09	2.7
BL08-007	200840265	A08-3256	475506	43.00	46.00	3.00	<10	20.3	23.8	*	<2	<5	23.5	160	<0.5	<1	<1	427	5	0.49	<1	<1	<5	<1	2.79	<20	106	0.6	0.2	<3	<0.02	<0.05	<0.5	6	23.8	4	<50	2.3	5	<5	<0.1	<0.2	<0.5	<0.2	<0.05	20.3
BL08-007	200840319	A08-3256	475507	46.00	47.00	1.00	<10	8.0	8.9	*	<2	<5	21.8	240	<0.5	2	2	360	3	0.42	1	<1	<5	5	2.86	<20	<15	<0.1	0.2	<3	0.05	<0.05	<0.5	6.9	8.9	<1	<50	1.7	<3	<5	<0.1	<0.2	<0.5	0.3	<0.05	8
BL08-007	200840319	A08-3256	475508	47.00	49.00	2.00	<10	24.5	26.4	*	<2	<5	22.1	310	<0.5	<1	2	355	8	0.48	<1	<1	<5	<1	2.02	<20	182	0.3	0.3	<3	<0.02	<0.05	<0.5	3.5	26.4	<1	<50	1.7	<3	<5	<0.1	<0.2	<0.5	<0.2	<0.05	24.5
BL08-007	200840319	A08-3256	475509	49.00	50.00	1.00	<10	4.9	5.8	*	<2	<5	21.7	170	<0.5	<1	2	672	7	0.71	1	<1	<5	2	2.38	<20	163	<0.1	0.4	<3	<0.02	<0.05	<0.5	9	5.8	<1	<50	2.1	6	<5	0.2	<0.2	<0.5	0.8	0.09	4.9
BL08-007	200840319	A08-3256	475510	50.00	51.00	1.00	<10	4.9	5.5	*	<2	<5	0.8	400	<0.5	<1	2	331	5	0.71	2	<1	<5	3	2.29	<20	192	<0.1	0.4	<3	<0.02	0.05	<0.5	16.6	5.5	<1	<50	7.5	12	<5	0.7	0.2	<0.5	0.5	0.12	4.9
BL08-007	200840319	A08-3256	475511	51.00	52.00	1.00	<10	6.2	8.2	*	<2	<5	17.3	320	<0.5	<1	2	413	6	0.68	2	<1	<5	<1	2.16	<20	182	0.6																		

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC
BL08-008	200840733	A08-3256	475626	31.00	32.00	1.00	<10	21.7	26.6	*	<2	<5	<0.5	430	<0.5	<1	4	448	4	1.04	2	<1	<5	<1	2.5	<20	109	<0.1	0.3	<3	0.03	<0.05	<0.5	27.6	26.6	<1	90	13.6	18	<5	0.7	<0.2	<0.5	0.4	0.06	21.7
BL08-008	200840733	A08-3256	475627	32.00	33.00	1.00	<10	14.8	17.9	*	<2	<5	1.9	430	<0.5	<1	4	802	6	0.95	2	<1	<5	<1	1.9	<20	155	<0.1	0.2	<3	<0.02	<0.05	<0.5	25.7	17.9	<1	<50	8.5	13	<5	0.5	0.3	<0.5	0.4	<0.05	14.8
BL08-008	200840733	A08-3256	475628	33.00	34.00	1.00	<10	10.4	12.4	*	<2	<5	<0.5	<50	<0.5	<1	<1	572	7	0.98	2	<1	<5	8	1.73	<20	206	<0.1	0.4	<3	<0.02	<0.05	<0.5	22.1	12.4	<1	<50	14.5	20	<5	1.6	<0.2	<0.5	0.5	<0.05	10.4
BL08-008	200840733	A08-3256	475629	34.00	35.00	1.00	<10	13.8	15.3	*	<2	<5	2.1	570	<0.5	<1	3	364	3	1.05	4	<1	<5	8	2.01	<20	<15	<0.1	0.5	<3	<0.02	<0.05	<0.5	34.8	15.3	<1	<50	22.9	39	25	3.8	<0.2	<0.5	1.2	0.23	13.8
BL08-008	200840733	A08-3256	475630	35.00	36.00	1.00	<10	12.3	14.6	*	<2	<5	2.4	480	<0.5	<1	4	582	3	1.07	4	<1	<5	7	2.11	<20	119	<0.1	0.5	<3	<0.02	<0.05	<0.5	34	14.6	<1	<50	26.7	51	47	2.9	<0.2	<0.5	1	0.17	12.3
BL08-008	200840733	A08-3256	475631	36.00	37.00	1.00	<10	12.4	13.8	*	<2	<5	<0.5	<50	<0.5	<1	7	556	4	1.82	3	<1	<5	8	2.53	<20	129	<0.1	2.9	<3	<0.02	<0.05	<0.5	17.4	13.8	<1	<50	29.3	49	20	2.1	<0.2	<0.5	0.5	<0.05	12.4
BL08-008	200840733	A08-3256	475632	37.00	38.00	1.00	<10	5.9	7.1	*	<2	<5	<0.5	140	<0.5	<1	<1	382	5	0.81	4	<1	<5	5	2.02	<20	108	<0.1	0.2	<3	<0.02	<0.05	<0.5	34.8	7.1	<1	<50	7	13	<5	0.6	<0.2	<0.5	<0.2	<0.05	5.9
BL08-008	200840733	A08-3256	475633	38.00	39.00	1.00	<10	16.7	20.5	*	<2	<5	<0.5	340	<0.5	<1	<1	614	5	1.04	4	<1	<5	12	2.01	<20	<15	<0.1	0.3	<3	<0.02	<0.05	<0.5	35.9	20.5	<1	<50	6.4	14	<5	1.5	0.5	<0.5	0.5	<0.05	16.7
BL08-008	200840733	A08-3256	475634	39.00	40.00	1.00	<10	9.8	13.0	*	<2	<5	<0.5	520	<0.5	<1	4	500	7	1.1	2	<1	<5	<1	1.97	<20	134	<0.1	0.8	<3	<0.02	<0.05	3.3	25.8	13	<1	<50	13.2	23	<5	1.7	<0.2	<0.5	0.9	0.14	9.8
BL08-008	200840733	A08-3256	475635	40.00	40.80	0.80	<10	10.3	13.1	*	<2	<5	3.5	620	<0.5	<1	<1	355	7	0.76	2	<1	<5	<1	1.78	<20	150	<0.1	0.4	<3	<0.02	<0.05	<0.5	27.7	13.1	<1	<50	12.7	21	<5	1.7	0.5	<0.5	0.8	<0.05	10.3
BL08-008	200840733	A08-3256	475636	46.10	47.00	0.90	<10	20.3	27.2	*	<2	<5	2.4	420	<0.5	<1	3	640	5	1.04	3	<1	<5	14	1.94	<20	129	<0.1	0.7	<3	<0.02	<0.05	<0.5	24.7	27.2	<1	<50	15.9	21	<5	1.1	<0.2	<0.5	0.4	<0.05	20.3
BL08-008	200840733	A08-3256	475637	47.00	48.00	1.00	<10	7.1	8.9	*	<2	<5	3	410	<0.5	<1	<1	486	6	1.47	3	<1	<5	<1	1.96	<20	126	<0.1	2.9	<3	<0.02	<0.05	<0.5	15.6	8.9	<1	<50	15.7	24	<5	1.7	<0.2	<0.5	<0.2	<0.05	7.1
BL08-008	200840733	A08-3256	475638	48.00	49.10	1.10	<10	16.2	22.4	*	<2	<5	3.6	320	<0.5	<1	3	376	5	0.88	3	<1	<5	<1	1.98	<20	130	0.4	0.4	<3	<0.02	<0.05	<0.5	26.8	22.4	<1	<50	11.3	16	<5	0.9	<0.2	<0.5	0.7	<0.05	16.2
BL08-008	200840733	A08-3256	475639	60.70	62.00	1.30	<10	7.1	8.8	*	<2	<5	3.9	<50	<0.5	<1	3	682	9	0.91	4	<1	<5	<1	2.22	<20	211	2.9	0.8	<3	<0.02	<0.05	3.3	17.4	8.8	<1	<50	5.9	9	<5	0.6	<0.2	<0.5	1.2	0.31	7.1
BL08-008	200840733	A08-3256	475640	62.00	63.00	1.00	<10	6.4	8.3	*	<2	<5	3.9	320	<0.5	<1	<1	682	7	0.99	2	<1	<5	<1	1.89	<20	223	2.9	0.6	<3	<0.02	<0.05	<0.5	14.9	8.3	<1	<50	5.3	<3	10	0.4	<0.2	<0.5	0.7	<0.05	6.4
BL08-008	200840733	A08-3256	475641	63.00	64.00	1.00	<10	9.8	12.3	*	<2	<5	4.1	590	<0.5	4	3	620	6	1.05	2	<1	<5	<1	2.54	<20	143	2.7	0.6	<3	<0.02	<0.05	<0.5	20.8	12.3	<1	<50	7.4	14	<5	0.7	<0.2	<0.5	0.4	<0.05	9.8
BL08-008	200840733	A08-3256	475642	64.00	65.00	1.00	<10	8.6	10.5	*	<2	<5	3.3	540	<0.5	<1	<1	335	4	0.95	2	<1	<5	<1	2.31	<20	130	7.4	0.6	<3	<0.02	<0.05	<0.5	27.4	10.5	<1	<50	16.7	31	<5	1.2	<0.2	<0.5	0.7	0.14	8.6
BL08-008	200840733	A08-3256	475643	65.00	66.00	1.00	<10	9.3	14.0	*	<2	<5	3.3	400	<0.5	<1	<1	515	5	0.85	2	<1	<5	<1	2.44	<20	143	8.1	0.2	<3	<0.02	<0.05	<0.5	19.9	14	<1	<50	8.1	14	<5	0.6	<0.2	<0.5	0.5	<0.05	9.3
BL08-008	200840733	A08-3256	475644	66.00	67.00	1.00	<10	24.6	29.0	*	<2	<5	4	510	1.9	<1	<1	422	5	0.75	3	<1	<5	<1	2.27	<20	186	6.2	0.3	<3	<0.02	<0.05	2	24.9	29	<1	<50	9.3	20	<5	0.6	<0.2	<0.5	0.7	<0.05	24.6
BL08-008	200840733	A08-3256	475645	67.00	68.00	1.00	<10	15.3	17.6	*	<2	<5	2.4	500	1.7	<1	<1	589	6	0.83	2	<1	<5	<1	2.23	270	130	2.6	0.4	<3	<0.02	<0.05	<0.5	17.4	17.6	<1	<50	3.8	6	<5	0.3	<0.2	<0.5	0.4	<0.05	15.3
BL08-008	200840733	A08-3256	475646	68.00	69.00	1.00	20	39.3	43.0	*	<2	<5	7.4	470	<0.5	<1	<1	620	<1	0.81	3	<1	<5	<1	2.23	<20	198	12.4	0.4	<3	<0.02	<0.05	<0.5	19.9	43	<1	<50	4.1	9	<5	<0.1	<0.2	<0.5	0.4	<0.05	39.3
BL08-008	200840733	A08-3256	475647	69.00	70.10	1.10	<10	9.4	11.4	*	<2	<5	<0.5	560	1.9	<1	<1	403	7	0.66	2	<1	<5	5	2.45	<20	186	0.7	0.2	<3	<0.02	<0.05	<0.5	17.4	11.4	<1	140	4.8	8	<5	0.4	<0.2	<0.5	<0.2	0.09	9.4
BL08-009	200840733	A08-3256	475648	2.50	4.00	1.50	<10	9.4	11.4	*	<2	<5	1.7	240	<0.5	<1	3	806	2	0.91	<1	<1	<5	<1	2.19	<20	68	<0.1	<0.1	<3	<0.02	<0.05	<0.5	7.7	11.4	<1	<50	2.9	<3	<5	0.2	<0.2	<0.5	<0.2	<0.05	9.4
BL08-009	200840733	A08-3256	475649	4.00	5.00	1.00	<10	13.9	18.4	*	<2	<5	<0.5	<50	<0.5	<1	<1	539	2	0.78	<1	<1	<5	<1	2.79	<20	93	<0.1	0.3	<3	<0.02	<0.05	<0.5	12.4	18.4	<1	<50	3.4	6	<5	<0.1	<0.2	<0.5	<0.2	<0.05	13.9
BL08-009	200840733	A08-3256	475650	5.00	6.00	1.00	<10	9.8	11.1	*	<2	<5	<0.5	230	<0.5	<1	5	421	6	0.58	4	<1	<5	6	2.68	<20	153	<0.1	<0.1	<3	<0.02	<0.05	<0.5	28.1	11.1	<1	<50	6.1	10	<5	0.8	0.5	<0.5	0.5	0.1	9.8
BL08-009	200840733	A08-3256	475651	6.00	7.00	1.00	<10	10.1	10.2	*	<2	<5	<0.5	320	<0																															

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC
BL08-016	200840265	A08-3256	487484	3.00	4.00	1.00	<10	3.9	6.4	*	<2	<5	2.3	<50	<0.5	4	17	276	4	3.18	<1	<1	<5	<1	2.08	<20	48	<0.1	14	<3	<0.02	<0.05	<0.5	2.9	6.4	<1	140	2.7	<3	<5	0.6	<0.2	<0.5	0.8	0.16	3.9
BL08-016	200840265	A08-3256	487485	4.00	5.00	1.00	22	65.1	77.5	*	<2	<5	2.1	<50	<0.5	4	24	300	6	4.3	6	<1	<5	<1	1.5	<20	<15	<0.1	19.4	<3	<0.02	<0.05	<0.5	55.5	77.5	<1	240	5.5	10	<5	2	<0.2	<0.5	1.3	<0.05	65.1
BL08-016	200840265	A08-3256	487486	5.00	6.00	1.00	55	99.2	111.0	*	<2	<5	2.7	430	<0.5	<1	<1	326	5	0.73	11	<1	<5	<1	1.63	<20	<15	0.4	1	<3	<0.02	<0.05	<0.5	130	111	<1	70	6.8	13	10	2.7	<0.2	<0.5	1.4	<0.05	99.2
BL08-016	200840265	A08-3256	487487	6.00	7.00	1.00	173	246.0	271.0	*	<2	<5	3.3	300	<0.5	<1	3	320	10	1.3	4	<1	<5	<1	2.09	<20	107	<0.1	1.5	<3	<0.02	<0.05	<0.5	49.3	271	<1	<50	11.5	27	16	4.4	<0.2	<0.5	<0.2	<0.05	246
BL08-016	200840265	A08-3256	487488	7.00	8.00	1.00	311	414.0	455.0	*	<2	<5	3.2	300	<0.5	<1	5	322	12	1.78	3	<1	<5	<1	1.12	<20	222	0.4	2.4	<3	<0.02	<0.05	<0.5	51.8	455	<1	140	12.7	29	45	6.9	<0.2	<0.5	0.6	<0.05	414
BL08-016	200840265	A08-3256	487489	8.00	9.00	1.00	90	133.0	131.0	*	<2	<5	5.2	410	<0.5	<1	<1	324	8	0.82	2	<1	<5	<1	1.13	<20	248	<0.1	0.9	<3	<0.02	<0.05	<0.5	55.3	131	<1	<50	5.4	16	13	3.4	<0.2	<0.5	0.8	<0.05	133
BL08-016	200840265	A08-3256	487490	9.00	10.00	1.00	69	117.0	119.0	*	<2	<5	1.9	410	<0.5	<1	<1	311	7	1.06	<1	<1	<5	<1	1.23	<20	296	<0.1	3.1	<3	<0.02	<0.05	<0.5	26.9	119	<1	<50	5.3	15	6	2.9	<0.2	<0.5	<0.2	<0.05	117
BL08-016	200840265	A08-3256	487491	10.00	11.00	1.00	90	155.0	163.0	*	<2	<5	<0.5	270	<0.5	<1	7	294	11	2.13	2	<1	<5	90	1.42	<20	280	<0.1	5.8	<3	<0.02	<0.05	<0.5	30.6	163	<1	<50	8.3	17	17	4.3	<0.2	<0.5	1.1	<0.05	155
BL08-016	200840265	A08-3256	487492	11.00	12.00	1.00	13	44.6	49.1	*	<2	<5	<0.5	560	<0.5	<1	3	290	6	1.35	2	<1	<5	68	1.37	<20	267	0.3	7.3	<3	<0.02	<0.05	<0.5	13.9	49.1	<1	<50	14.1	32	14	2.5	<0.2	<0.5	0.6	<0.05	44.6
BL08-016	200840265	A08-3256	487493	12.00	13.00	1.00	114	166.0	187.0	*	<2	<5	<0.5	470	<0.5	2	5	227	6	1.88	2	<1	<5	120	1.42	<20	258	<0.1	11.3	<3	<0.02	<0.05	<0.5	27.6	187	<1	<50	18.5	37	29	5.8	<0.2	<0.5	1	<0.05	166
BL08-016	200840265	A08-3256	487494	13.00	14.00	1.00	30	64.8	74.6	*	<2	<5	<0.5	390	<0.5	<1	20	224	7	3.85	2	<1	<5	37	2.85	<20	<15	<0.1	14.7	<3	<0.02	<0.05	<0.5	14	74.6	<1	290	25.2	52	29	5.7	1.6	<0.5	2	<0.05	64.8
BL08-016	200840265	A08-3256	487495	14.00	15.00	1.00	<10	41.9	43.9	*	<2	<5	<0.5	<50	<0.5	3	7	311	6	2.03	2	<1	<5	35	2.61	<20	158	<0.1	11.9	<3	<0.02	<0.05	2.5	12	43.9	<1	<50	9.7	19	6	3.2	<0.2	<0.5	0.8	<0.05	41.9
BL08-016	200840265	A08-3256	487496	15.00	16.00	1.00	13	42.5	50.8	*	<2	<5	<0.5	270	<0.5	2	<1	365	5	0.69	<1	<1	<5	<1	2.07	<20	98	<0.1	0.6	<3	<0.02	<0.05	<0.5	15.7	50.8	<1	<50	2.8	5	<5	1	<0.2	<0.5	<0.2	<0.05	42.5
BL08-016	200840265	A08-3256	487497	16.00	17.00	1.00	24	55.5	64.9	*	<2	<5	<0.5	110	<0.5	<1	<1	345	3	0.44	<1	<1	<5	<1	2.44	<20	101	<0.1	0.2	<3	<0.02	<0.05	<0.5	31.5	64.9	<1	<50	2.8	6	<5	1	<0.2	<0.5	<0.2	<0.05	55.5
BL08-016	200840265	A08-3256	487498	17.00	18.00	1.00	<10	9.7	12.6	*	<2	<5	<0.5	<50	<0.5	<1	<1	395	2	0.41	<1	<1	<5	<1	3.05	<20	65	0.3	<0.1	<3	<0.02	<0.05	<0.5	3.9	12.6	<1	<50	1.4	3	<5	0.3	<0.2	<0.5	<0.2	<0.05	9.7
BL08-016	200840265	A08-3256	487499	18.00	19.00	1.00	<10	4.3	5.3	*	<2	<5	1.1	320	<0.5	<1	<1	299	8	0.86	2	<1	<5	4	2.12	<20	195	0.2	1.1	<3	<0.02	<0.05	<0.5	8.2	5.3	<1	<50	7	12	<5	0.8	0.3	<0.5	<0.2	<0.05	4.3
BL08-016	200840265	A08-3256	487500	19.00	20.00	1.00	<10	5.5	7.2	*	<2	<5	<0.5	300	<0.5	1	2	289	4	0.58	2	<1	<5	<1	2.06	<20	104	<0.1	0.2	<3	<0.02	<0.05	<0.5	5.6	7.2	<1	<50	2.2	<3	<5	0.2	<0.2	<0.5	<0.2	<0.05	5.5
BL08-016	200840265	A08-3256	487330	20.00	21.00	1.00	<10	32.8	35.0	*	<2	<5	<0.5	290	<0.5	<1	3	322	5	0.71	1	<1	<5	27	3.19	<20	121	0.2	0.5	<3	<0.02	<0.05	<0.5	6.8	35	<1	<50	6.5	17	6	0.9	<0.2	<0.5	<0.2	0.07	32.8
BL08-016	200840265	A08-3256	487331	21.00	22.00	1.00	51	104.0	102.0	*	<2	<5	1.5	290	<0.5	<1	7	342	6	1.96	2	<1	<5	56	2.4	<20	147	<0.1	8	<3	<0.02	<0.05	<0.5	31.5	102	<1	80	21.6	60	21	4.8	0.7	<0.5	<0.2	<0.05	104
BL08-016	200840265	A08-3256	487332	22.00	23.00	1.00	28	76.4	73.0	*	<2	<5	<0.5	440	<0.5	<1	7	308	4	1.95	3	<1	<5	46	2.73	<20	141	<0.1	12.1	<3	<0.02	<0.05	<0.5	25.2	73	<1	<50	45.2	127	47	7.4	1.1	<0.5	1.5	<0.05	76.4
BL08-016	200840265	A08-3256	487333	23.00	24.00	1.00	224	345.0	336.0	*	<2	<5	<0.5	520	<0.5	<1	15	302	5	2.54	1	<1	<5	<1	2.18	<20	188	<0.1	14.1	<3	<0.02	<0.05	<0.5	65.8	336	<1	150	94.5	248	74	13.4	1.1	<0.5	1.4	<0.05	345
BL08-016	200840265	A08-3256	487334	24.00	25.00	1.00	43	85.2	87.6	*	<2	<5	<0.5	530	<0.5	<1	3	389	6	0.68	1	<1	<5	45	2.12	<20	161	<0.1	2.7	<3	<0.02	<0.05	1.7	25.2	87.6	<1	<50	25.7	74	18	4.2	0.5	<0.5	0.6	<0.05	85.2
BL08-016	200840265	A08-3256	487335	25.00	26.00	1.00	<10	43.8	43.5	*	<2	<5	<0.5	390	<0.5	<1	<1	473	2	0.54	3	<1	<5	34	3.06	280	90	<0.1	0.9	<3	<0.02	<0.05	<0.5	30.1	43.5	<1	<50	25.7	67	22	3	0.6	<0.5	0.5	<0.05	43.8
BL08-016	200840265	A08-3256	487336	26.00	27.00	1.00	41	82.9	90.0	*	<2	<5	<0.5	400	<0.5	<1	2	413	4	0.59	2	<1	<5	<1	2.95	<20	113	0.3	0.4	<3	<0.02	<0.05	<0.5	17.5	90	<1	<50	16.3	40	6	2.6	<0.2	<0.5	0.4	<0.05	82.9
BL08-016	200840265	A08-3256	487337	27.00	28.00	1.00	34	69.1	73.5	*	<2	<5	<0.5	330	<0.5	<1	3	450	5	0.64	3	<1	<5	<1	3.24	<20	135	<0.1	0.4	<3	<0.02	0.08	<0.5	41.3	73.5	<1	<50	9.6	22	8	2.8	<0.2	<0.5	0.8	<0.05	69.1
BL08-016	200840265	A08-3256	487338	28.00	29.00	1.00	<10	21.5	25.5	*	<2	<5	1.4	280	<0.5	<1	3																													

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC
EL08-001	*	A08-2553	475979	65.00	66.00	1.00	*	119.0	132.0	*	<2	<5	<0.5	<50	2.1	<1	<1	<5	3	0.56	6	<1	<5	<1	1.52	<20	227	1.9	0.6	<3	<0.02	<0.05	<0.5	82.5	132	<1	<50	31.1	77	14	<0.1	<0.2	<0.5	1.1	1.72	119
EL08-001	*	A08-2553	475980	66.00	67.00	1.00	*	133.0	134.0	*	<2	<5	<0.5	650	<0.5	<1	4	<5	6	1.08	5	<1	<5	<1	1.38	<20	158	2.5	1.5	<3	<0.02	<0.05	3.6	90.5	134	<1	<50	38	95	30	2.5	<0.2	<0.5	0.6	<0.05	133
EL08-001	*	A08-2553	475981	67.00	68.00	1.00	*	86.1	86.4	*	<2	<5	2.3	610	2.3	<1	3	17	5	0.61	2	<1	<5	53	0.91	<20	267	3	0.8	<3	<0.02	<0.05	<0.5	54.5	86.4	<1	<50	31.8	79	29	2	<0.2	<0.5	0.6	<0.05	86.1
EL08-001	*	A08-2553	475982	68.00	69.15	1.15	*	94.5	109.0	*	<2	<5	2.8	650	<0.5	<1	<1	23	6	0.91	4	<1	<5	65	1.43	<20	235	4.3	1.5	<3	<0.02	<0.05	<0.5	68	109	<1	<50	22.7	55	19	<0.1	<0.2	<0.5	0.5	<0.05	94.5
EL08-001	*	A08-2553	475983	69.15	70.15	1.00	*	2.2	3.4	*	<2	<5	<0.5	<50	<0.5	6	21	65	4	4.45	4	<1	<5	<1	1.96	<20	<15	4.7	15.5	<3	<0.02	<0.05	<0.5	4.2	3.4	<1	<50	24	57	24	2.8	<0.2	<0.5	2	0.17	2.2
EL08-001	*	A08-2553	475984	88.50	89.50	1.00	*	3.5	3.5	*	<2	<5	5	810	<0.5	4	21	77	6	4.45	2	<1	<5	<1	2.13	730	122	4.7	14.1	<3	<0.02	<0.05	<0.5	4.4	3.5	<1	220	24.3	58	23	3.3	1.4	<0.5	1.7	0.06	3.5
EL08-001	*	A08-2553	475985	89.50	90.50	1.00	*	41.8	50.4	*	<2	<5	<0.5	400	<0.5	<1	2	<5	5	0.67	2	<1	<5	<1	1.59	<20	158	5.8	0.5	<3	<0.02	<0.05	<0.5	32	50.4	<1	<50	8.7	18	<5	<0.1	<0.2	<0.5	0.4	<0.05	41.8
EL08-001	*	A08-2553	475986	90.50	91.50	1.00	*	55.2	64.8	*	<2	<5	2.3	490	3.4	<1	<1	<5	6	0.53	3	<1	<5	<1	1.26	<20	243	5.1	0.5	<3	<0.02	<0.05	<0.5	48.8	64.8	<1	<50	24.6	58	21	1.9	<0.2	<0.5	<0.2	0.82	55.2
EL08-001	*	A08-2553	475987	91.50	92.50	1.00	*	137.0	146.0	*	<2	<5	<0.5	<50	3	2	3	<5	2	1.01	10	<1	<5	<1	1.9	<20	105	4.5	0.5	<3	<0.02	<0.05	<0.5	121	146	<1	<50	21.4	46	10	<0.1	<0.2	<0.5	1.4	<0.05	137
EL08-001	*	A08-2553	475988	92.50	93.50	1.00	*	48.3	62.1	*	<2	<5	2.6	500	2.7	<1	<1	<5	<1	0.84	5	<1	<5	<1	1.73	<20	151	2.7	0.6	<3	<0.02	<0.05	<0.5	51.5	62.1	<1	<50	13.8	34	13	0.9	<0.2	<0.5	1.2	0.9	48.3
EL08-001	*	A08-2553	475989	93.50	94.50	1.00	*	4.7	7.7	*	<2	<5	<0.5	<50	<0.5	3	15	59	7	2.93	4	<1	<5	<1	2.63	<20	164	2.1	9	<3	<0.02	<0.05	<0.5	7.9	7.7	<1	<50	25.3	58	25	3.3	0.5	<0.5	1.4	0.18	4.7
EL08-001	*	A08-2553	475990	94.50	95.30	0.80	*	9.0	11.8	*	<2	<5	<0.5	<50	<0.5	<1	13	35	8	3.34	4	<1	<5	<1	2.34	<20	176	2	9.2	<3	<0.02	<0.05	<0.5	15.6	11.8	<1	130	28.9	63	<5	4	<0.2	<0.5	1.3	0.15	9
EL08-001	*	A08-2553	475991	95.30	96.30	1.00	*	38.4	43.6	*	<2	<5	2.7	460	<0.5	<1	4	17	4	1.65	5	<1	<5	42	1.81	<20	172	1.4	1.6	<3	<0.02	<0.05	<0.5	50.3	43.6	<1	<50	33.6	90	66	3.4	<0.2	<0.5	0.9	0.6	38.4
EL08-001	*	A08-2553	475992	96.30	97.00	0.70	*	48.8	58.1	*	<2	<5	<0.5	420	2.5	<1	<1	<5	<1	1.3	6	<1	<5	<1	1.74	<20	193	1.7	0.9	<3	<0.02	<0.05	<0.5	54.6	58.1	<1	<50	15.7	38	<5	2	<0.2	<0.5	1	0.72	48.8
EL08-001	*	A08-2553	475993	97.00	98.00	1.00	*	1.4	<0.5	*	<2	<5	<0.5	<50	<0.5	4	21	97	2	4	3	<1	<5	<1	2.22	500	<15	1.7	12.8	<3	<0.02	<0.05	<0.5	5.2	<0.5	<1	170	24	56	<5	3.4	1	<0.5	2.1	0.19	1.4
EL08-003	*	A08-2553	475994	68.00	69.00	1.00	*	47.8	58.1	*	<2	<5	3.5	370	<0.5	2	4	37	5	1.75	6	<1	<5	<1	1.85	<20	143	2.3	2.2	<3	<0.02	<0.05	<0.5	39.4	58.1	<1	<50	19.4	41	25	1.3	<0.2	<0.5	0.8	0.76	47.8
EL08-003	*	A08-2553	475995	69.00	70.00	1.00	*	50.6	61.6	*	<2	<5	4.9	<50	<0.5	2	7	50	7	1.81	7	<1	<5	<1	1.85	<20	210	2.1	4.2	<3	<0.02	<0.05	<0.5	42	61.6	<1	<50	35.6	73	8	3	<0.2	<0.5	<0.2	<0.05	50.6
EL08-003	*	A08-2553	475996	70.00	71.00	1.00	*	60.8	59.8	*	<2	<5	2.8	350	<0.5	<1	5	29	4	1.23	5	<1	<5	<1	1.71	<20	172	1.6	2.7	<3	<0.02	<0.05	<0.5	41	59.8	<1	<50	30.1	68	<5	2.6	<0.2	<0.5	1	0.89	60.8
EL08-003	*	A08-2553	475997	89.50	90.00	0.50	*	57.1	71.8	*	<2	<5	<0.5	670	3.4	3	9	59	5	2.1	3	<1	<5	42	2.11	<20	206	1.3	5.7	<3	<0.02	<0.05	<0.5	23.7	71.8	<1	<50	18	40	16	1.3	<0.2	<0.5	1.4	0.93	57.1
EL08-003	*	A08-2553	475998	140.00	141.00	1.00	*	33.3	41.5	*	<2	<5	2.8	410	2.4	<1	19	71	6	3.18	5	<1	<5	25	1.76	<20	147	1.1	7.7	<3	<0.02	<0.05	<0.5	35	41.5	<1	460	40.6	83	20	3.7	0.8	<0.5	2.8	0.26	33.3
EL08-003	*	A08-2553	475999	150.00	151.00	1.00	*	203.0	229.0	*	<2	<5	2.8	920	<0.5	<1	15	101	18	2.61	6	<1	<5	<1	1.91	<20	163	1	18	<3	<0.02	<0.05	79.2	68.6	229	<1	<50	27.1	92	26	9.2	<0.2	3.1	32.4	7.22	203
EL08-003	*	A08-2553	476000	151.00	152.00	1.00	*	9.0	13.3	*	<2	<5	<0.5	660	6.2	2	3	24	5	0.48	2	<1	<5	<1	2.19	<20	<15	1	2.1	<3	<0.02	<0.05	4	9.5	13.3	<1	100	6.4	18	<5	0.5	<0.2	<0.5	0.8	0.16	9
EL08-004	*	A08-2553	602001	0.50	1.00	0.50	*	75.0	90.6	*	<2	<5	<0.5	530	2.4	<1	<1	<5	4	0.77	2	<1	<5	<1	1.35	<20	224	0.8	0.9	<3	<0.02	<0.05	<0.5	55.4	90.6	<1	<50	22	57	20	1.4	<0.2	<0.5	<0.2	<0.05	75
EL08-004	*	A08-2553	602002	1.00	2.00	1.00	*	10.8	16.1	*	<2	<5	<0.5	390	<0.5	<1	<1	<5	3	0.72	<1	<1	<5	<1	1.12	<20	198	1	0.3	<3	<0.02	<0.05	<0.5	10.4	16.1	<1	<50	4.2	13	18	0.4	<0.2	<0.5	<0.2	<0.05	10.8
EL08-004	*	A08-2553	602003	2.00	3.00	1.00	*	15.2	19.9	*	<2	<5	<0.5	380	<0.5	<1	<1	<5	6	0.55	1	<1	<5	11	1.28	<20	229	0.9	0.4	<3	<0.02	<0.05	<0.5	15.3	19.9	<1	<50	6.1	15	<5	0.8	<0.2	<0.5	0.4	<0.05	15.2
EL08-004	*	A08-2553	602004	3.00	4.00	1.00	*	33.9	39.8	*	<2	<5	<0.5	210	<0.5	<1	2	<5	4	0.6	<1	<1	<5	18	1.54	<20	198	1.3	0.6	<3	<0.02	<0.05	2.7	29.3	39.8	<1	<50	17.9	49	13	1.6	<0.2	<0.5	0.4	0.54	33.9
EL08-004	*	A08-2553	602005	4.00	5.00	1.00	*	50.4	66.3	*	<2	<5	<0.5	620	<0.5	<1	<1	<5	5</																											

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC	
NL08-003	*	A08-6531	193655	123.95	124.55	0.60	*	39.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
NL08-003	*	A08-6531	193656	124.55	125.33	0.78	*	3.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
NL08-003	*	A08-6531	193657	125.33	126.13	0.80	*	60.9	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
NL08-003	*	A08-6531	193658	126.13	127.00	0.87	*	78.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
NL08-003	*	A08-6531	193659	127.00	128.00	1.00	*	10.9	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-001	200840016	A08-3256	487170	82.40	83.15	0.75	<10	11.6	14.6	*	<2	<5	2.8	510	3.6	4	23	224	5	4.72	4	<1	<5	<1	3.19	<20	<15	<0.1	16.6	<3	<0.02	<0.05	<0.5	11.6	14.6	<1	<50	37.1	70	27	4.3	1.3	<0.5	1.5	0.27	11.6	
RL07-001	200840016	A08-2846	487171	83.15	84.00	0.85	135	171.0	180.0	160.0	8	<5	<0.5	<50	6.4	<1	4	393	10	1.48	14	<1	<5	<1	2.11	<20	215	0.5	1.5	<3	<0.02	<0.05	<0.5	63.8	180	<1	60	8.5	<3	<5	<0.1	<0.2	<0.5	2.6	<0.05	171	
RL07-001	200840016	A08-2846	487172	84.00	85.00	1.00	93	130.0	132.0	118.0	<2	<5	<0.5	140	5.2	<1	2	387	22	0.99	8	<1	<5	<1	1.93	<20	370	0.7	0.6	<3	<0.02	<0.05	1.4	30.6	132	<1	60	5.7	<3	<5	<0.1	<0.2	<0.5	1.7	<0.05	130	
RL07-001	200840016	A08-2846	487173	85.00	86.00	1.00	66	89.5	96.5	84.0	<2	<5	<0.5	<50	4	<1	2	419	22	0.95	10	<1	<5	<1	2.11	<20	301	0.7	1.1	<3	<0.02	<0.05	<0.5	31.9	96.5	<1	<50	4.8	<3	<5	<0.1	<0.2	<0.5	2.3	<0.05	89.5	
RL07-001	200840016	A08-2846	487174	86.00	86.20	0.20	<10	3.7	4.1	<5	<2	<5	<0.5	400	3.5	5	24	274	5	5.02	2	<1	<5	<1	2.81	<20	56	0.3	16.4	<3	<0.02	<0.05	<0.5	6.7	4.1	<1	140	40.2	59	26	4.7	1.4	<0.5	1.5	0.23	3.7	
RL07-002	200840016	A08-2846	487185	29.20	30.00	0.80	<10	5.5	4.9	<5	<2	<5	<0.5	580	1.1	3	11	237	5	2.67	3	<1	<5	<1	1.85	<20	99	<0.1	7.6	<3	<0.02	<0.05	1	15.7	4.9	<1	150	43.7	74	26	4.9	1	<0.5	1.4	0.2	5.5	
RL07-002	200840016	A08-2846	487186	30.00	31.00	1.00	114	166.0	153.0	154.0	<2	<5	<0.5	<50	<0.5	<1	2	281	12	1.04	6	<1	<5	<1	1.98	<20	226	<0.1	1	<3	<0.02	<0.05	1.4	39	153	<1	80	13.1	<3	<5	<0.1	<0.2	<0.5	3.9	0.69	166	
RL07-002	200840016	A08-2846	487187	31.00	32.35	1.35	158	244.0	224.0	224.0	<2	<5	<0.5	<50	1.6	<1	2	230	19	0.66	10	<1	<5	<1	1.48	<20	422	0.4	0.7	<3	<0.02	<0.05	<0.5	73.7	224	<1	<50	41.1	<3	<5	<0.1	<0.2	0.8	3.1	<0.05	244	
RL07-002	200840016	A08-2846	487188	32.35	33.00	0.65	<10	15.4	15.2	9.0	<2	<5	<0.5	220	<0.5	3	13	209	5	2.42	2	<1	<5	<1	2.49	310	82	<0.1	8.4	<3	<0.02	<0.05	<0.5	15.6	15.2	<1	60	34.2	52	22	4.1	1.1	<0.5	1.7	0.29	15.4	
RL07-002	200840016	A08-2846	487189	33.00	34.00	1.00	<10	6.8	6.8	<5	<2	<5	<0.5	450	3.5	2	16	237	6	2.95	2	<1	<5	<1	2.05	<20	164	<0.1	8.9	<3	<0.02	<0.05	<0.5	13.7	6.8	<1	<50	41	68	25	5	1.4	<0.5	1.4	0.2	6.8	
RL07-003	200840016	A08-2846	487207	38.00	38.40	0.40	<10	4.8	5.0	7.0	<2	<5	<0.5	490	2.7	2	15	398	15	3.09	3	<1	<5	13	2.18	<20	116	<0.1	11.2	<3	<0.02	<0.05	<0.5	1.2	16.3	5	<1	190	44.2	73	28	5	1.2	<0.5	1.4	0.21	4.8
RL07-003	200840016	A08-2846	487208	38.40	39.40	1.00	167	279.0	249.0	274.0	<2	<5	<0.5	<50	3.2	<1	2	411	11	1.67	16	<1	<5	<1	1.51	<20	301	0.2	0.9	<3	<0.02	<0.05	2.2	115	249	<1	70	19.7	<3	<5	<0.1	<0.2	<0.5	3.4	<0.05	279	
RL07-003	200840016	A08-2846	487209	39.40	40.25	0.85	<10	10.3	11.3	7.0	5	<5	<0.5	460	<0.5	2	14	379	21	3.61	3	<1	<5	<1	2.13	<20	188	0.3	10.2	<3	<0.02	<0.05	<0.5	17.3	11.3	<1	200	49.9	83	33	5.4	1.2	<0.5	1.3	0.23	10.3	
RL07-003	200840016	A08-2846	487210	40.25	41.30	1.05	78	123.0	115.0	119.0	<2	<5	<0.5	170	2.3	<1	2	393	12	1.38	7	<1	<5	<1	1.88	<20	324	0.2	1.6	<3	<0.02	<0.05	3.9	66.3	115	2	80	28.5	33	<5	<0.1	<0.2	<0.5	3.4	0.57	123	
RL07-003	200840016	A08-2846	487211	41.30	41.70	0.40	<10	5.5	6.0	<5	<2	<5	<0.5	520	8.2	4	11	388	8	2.39	2	<1	<5	<1	1.99	<20	117	0.3	6.6	<3	<0.02	<0.05	1.9	18.4	6	17	90	46	77	27	4.9	1.2	<0.5	1.4	0.2	5.5	
RL07-003	200840016	A08-2846	487212	53.50	54.00	0.50	171	264.0	268.0	279.0	<2	<5	<0.5	<50	<0.5	<1	13	618	15	3.9	16	<1	<5	<1	1.78	<20	214	<0.1	8.5	<3	<0.02	<0.05	<0.5	115	268	<1	130	26.3	<3	<5	<0.1	1.8	<0.5	4.2	0.72	264	
RL07-003	200840016	A08-2846	487213	54.00	55.00	1.00	<10	8.3	9.1	6.0	<2	<5	<0.5	150	4.1	8	26	410	2	8.4	2	<1	<5	44	0.98	<20	36	<0.1	18.1	<3	<0.02	<0.05	<0.5	8.9	9.1	4	200	38.6	68	28	5.8	1.8	<0.5	2.4	0.36	8.3	
RL07-003	200840016	A08-2846	487214	55.00	55.70	0.70	25	43.9	47.2	48.0	<2	<5	<0.5	220	4.9	2	16	572	10	3.45	4	<1	<5	<1	2.79	<20	81	<0.1	11.5	<3	<0.02	<0.05	2.8	47	47.2	<1	150	58.9	95	30	5.9	0.9	<0.5	2.7	0.44	43.9	
RL07-003	200840016	A08-2846	487215	55.70	57.55	1.85	27	37.2	40.1	40.0	<2	<5	<0.5	240	3.8	<1	2	530	17	0.68	1	<1	<5	<1	2.21	<20	341	0.3	1	<3	<0.02	<0.05	<0.5	10.2	40.1	<1	<50	3.8	<3	<5	<0.1	0.4	<0.5	0.6	<0.05	37.2	
RL07-003	200840016	A08-2846	487216	57.55	58.00	0.45	<10	17.1	19.3	9.0	<2	<5	<0.5	<50	3.4	5	52	385	4	8.76	1	<1	<5	<1	1.82	<20	<15	<0.1	34.4	<3	<0.02	<0.05	<0.5	0.6	19.3	<1	200	6.7	12	<5	2.3	1	<0.5	2.8	0.49	17.1	
RL07-004	200840016	A08-2846	487175	49.00	50.40	1.40	<10	4.4	4.8	<5	2	<5	<0.5	<50	2.6	4	49	343	4	8.49	1	<1	<5	<1	1.66	<20	47	0.7	31	<3	<0.02	<0.05	<0.5	2.9	4.8	<1	180	4.4	11	9	2.4	0.8	<0.5	2.4	0.4	4.4	
RL07-004	200840016	A08-2846	487176	50.40	51.40	1.00	16	26.1	27.6	34.0	<2	<5	2.8	<50	6.5	<1	4	376	5	1.12	2	<1	<5	<1	3.03	<20	208	0.6	4.8	<3	<0.02	<0.05	8.4	17.2	27.6	<1	<50	8.1	9	<5	1.4	<0.2	<0.5	2.6	0.38	26.1	
RL07-004	200840016	A08-2846	487177	51.40	53.00	1.60	<10	2.9	2.5																																						

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC		
RL07-006	200742492	*	300189	60.00	61.00	1.00	15	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-006	200742492	*	300190	61.00	62.00	1.00	22	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-006	200742492	*	300191	62.00	63.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-006	200742492	*	300192	63.00	64.00	1.00	14	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-006	200742492	*	300193	64.00	65.00	1.00	42	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-006	200742492	*	300194	65.00	66.00	1.00	35	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-006	200742492	*	300195	66.00	67.00	1.00	50	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-006	200742492	*	300196	67.00	68.00	1.00	46	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-006	200742492	*	300197	68.00	69.00	1.00	40	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-006	200742492	*	300198	69.00	70.60	1.60	27	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-006	200742492	*	300199	70.60	71.60	1.00	20	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-006	200742492	*	300200	71.60	72.50	0.90	26	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-006	200742492	*	300201	72.50	73.50	1.00	209	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-006	200742492	*	300202	73.50	74.50	1.00	111	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-006	200742492	*	300203	74.50	75.50	1.00	14	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-006	200742492	*	300204	75.50	76.50	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-006	200742492	*	300205	76.50	77.50	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-006	200742492	*	300206	77.50	78.50	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-006	200742492	*	300207	78.50	79.50	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-006	200742492	*	300208	79.50	80.00	0.50	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-006	200742492	*	300209	80.00	81.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-006	200742492	*	300210	81.00	82.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-006	200742492	*	300211	82.00	83.00	1.00	16	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-006	200742492	*	300212	83.00	84.00	1.00	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-006	200742492	*	300213	84.00	85.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-006	200742492	*	300214	85.00	86.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-006	200742492	*	300215	86.00	87.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-006	200742492	*	300216	87.00	88.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-006	200742492	*	300217	88.00	89.00	1.00	16	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-007	200840016	A08-3256	487201	13.20	13.90	0.70	<10	6.7	8.2	*	<2	<5	<0.5	720	<0.5	<1	14	414	10	2.39	3	<1	<5	3	2.58	<20	108	<0.1	9.6	<3	<0.02	<0.05	<0.5	12.9	8.2	<1	<50	39.6	72	10	3.6	1	0.8	1	0.16	6.7		
RL07-007	200840016	A08-3256	487202	13.90	15.00	1.10	140	190.0	204.0	*	<2	<5	<0.5	<50	<0.5	<1	4	504	15	0.98	5	<1	<5	<1	2.47	<20	372	0.4	0.9	<3	<0.02	<0.05	<0.5	58.5	204	<1	120	39.6	78	12	3.9	<0.2	<0.5	2.2	<0.05	190		
RL07-007	200840016	A08-3256	487203	15.00	16.00	1.00	20	25.6	28.0	*	<2	<5	<0.5	200	2.3	<1	2	492	23	0.64	2	<1	<5	<1	1.93	<20	522	0.5	0.5	<3	<0.02	<0.05	3.7	10.6	28	<1	<50	10.2	26	<5	1.1	0.4	<0.5	1.4	0.26	25.6		
RL07-007	200840016	A08-3256	487204	16.00	17.00	1.00	63	85.4	93.5	*	<2	<5	2.1	400	1.7	<1	<1	577	22	0.94	3	<1	<5	<1	2.54	320	360	0.6	0.6	<3	<0.02	<0.05	<0.5	28.9	93.5	<1	<50	22.3	37	8	2.3	<0.2	<0.5	1.4	<0.05	85.4		
RL07-007	200840016	A08-3256	487205	17.00	18.20	1.20	29	35.4	39.1	*	<2	<5	1.6	110	4.8	<1	<1	502	16	0.96	<1	<1	<5	<1	2.32	<20	415	0.3	0.9	<3	<0.02	<0.05	<0.5	18.2	39.1	<1	<50	19.2	37	<5	1.9	<0.2	<0.5	2.1	0.34	35.4		
RL07-007	200840016	A08-3256	487206	18.20	19.00	0.80	<10	7.7	9.4	*	<2	7	<0.5	560	<0.5	4	16	471	11	2.6	4	<1	<5	7	2.41	<20	112	<0.1	8.7	<3	<0.02	<0.05	1.7	13.7	9.4	<1	<50	39.1	74	24	3.8	1.3	<0.5	1.4	0.28	7.7		
RL07-008	200840961	A08-3256	475916	16.50	17.50	1.00	<10	3.9	5.2	*	<2	<5	<0.5	430	<0.5	3	13	314	7	2.46	4	<1	<5	4	1.85	<20	90	<0.1	9.1	<3	<0.02	<0.05	<0.5	14.2	5.2	<1	<50	35	68	25	3.8	1.3	<0.5	1.1	0.17	3.9		
RL07-008	200840961	A08-3256	475917	17.50	18.50	1.00	42	61.7	73.3	*	<2	<5	<0.5	340	2.7	<1	<1	496	17	0.82	4	<1	<5	<1	2.09	<20	295	0.3	0.9	<3	<0.02	<0.05	2.6	17.1	73.3	<1	<50	5.9	13	<5	2	<0.2	<0.5	1.4	<0.05	61.7		
RL07-008	200840961	A08-3256	475918	18.50	19.40	0.90	31	57.0	71.6	*	<2	<5	<0.5	410	3.6	<1	<1	389	20	0.71	6	<1	<5	<1	1.43	<20	382	0.3	0.4	<3	<0.02	<0.05	<0.5	22.2	71.6	<1	70	7.5	20	<5	2	<0.2	<0.5	2	<0.05	57		
RL07-008	200840961	A08-3256	475919	19.40	20.20	0.80	11	36.9	47.1	*	<2	<5	<0.5	180	3.4	<1	3	463	16	0.99	4	<1	<5	<1	1.54	<20	274	0.3	2.2	<3	<0.02	<0.05	<0.5	12.6	47.1	<1	230	9.6	20	<5	2	<0.2	<0.5	1.3	<0.05	36.9		
RL07-008	200840961	A08-3256	475920	20.20	21.20	1.00	<10	6.0	10.8	*	<2	<5	<0.5	470	2	4	9	412	9	1.98	5	<1	<5	6	1.84	<20	116	<0.1	6.7	<3	0.07	<0.05	<0.5	13.3	10.8	<1	140	34.1	62	22	3.6	1	<0.5	1.3	0.2	6		
RL07-008	200840961	A08-3256	475921	24.20	25.20	1.00	<10	0.8	<0.5	*	<2	<5	<0.5	340	<0.5	9	47	342	5	7.29	2	<1	<5	<1	1.15	<20	116	<0.1	32.3																			

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC				
RL07-011	200742492	*	300060	59.00	60.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-011	200742492	*	300061	60.00	61.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300062	61.00	62.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300063	62.00	63.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-011	200742492	*	300064	63.00	63.50	0.50	18	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-011	200742492	*	300065	63.50	64.50	1.00	30	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-011	200742492	*	300066	64.50	65.00	0.50	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-011	200742492	*	300067	65.00	66.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-011	200742492	*	300068	66.00	67.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-011	200742492	*	300069	67.00	68.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-011	200742492	*	300070	68.00	69.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-011	200742492	*	300071	69.00	69.50	0.50	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-011	200742492	*	300072	69.50	70.00	0.50	15	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-011	200742492	*	300073	70.00	71.00	1.00	39	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300074	71.00	72.00	1.00	19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-011	200742492	*	300075	72.00	73.00	1.00	41	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300076	73.00	74.00	1.00	155	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300077	74.00	75.00	1.00	63	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300078	75.00	76.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300079	76.00	77.00	1.00	60	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300080	77.00	78.00	1.00	59	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300081	78.00	79.00	1.00	26	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300082	79.00	80.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300083	80.00	81.00	1.00	24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300084	81.00	82.00	1.00	19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300085	82.00	82.90	0.90	39	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300086	82.90	84.00	1.10	27	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300087	84.00	85.00	1.00	46	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300088	85.00	86.00	1.00	122	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300089	86.00	87.00	1.00	117	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300090	87.00	88.00	1.00	59	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300091	88.00	89.00	1.00	31	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300092	89.00	90.00	1.00	233	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-011	200742492	*	300093	90.00	91.00	1.00	642	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300094	91.00	92.00	1.00	25	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300095	92.00	93.00	1.00	24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300096	93.00	94.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300097	94.00	95.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300098	95.00	96.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300099	96.00	97.20	1.20	95	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300100	97.20	98.00	0.80	55	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300101	98.00	98.90	0.90	29	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300102	98.90	100.00	1.10	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300103	100.00	101.30	1.30	19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300104	101.30	102.30	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300105	102.30	103.30	1.00	15	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	300106	103.30	104.30	1.00	13	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-011	200742492	*	30010																																															

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC
RL07-012	200840016	A08-3256	487157	42.35	43.00	0.65	<10	2.5	<0.5	*	<2	<5	1.7	<50	<0.5	<1	19	288	11	4.7	3	<1	<5	<1	1.72	<20	127	0.3	16.8	<3	<0.02	<0.05	<0.5	7.2	<0.5	<1	<50	26.1	48	17	3.1	0.9	<0.5	0.9	0.23	2.5
RL07-012	200840016	A08-3256	487158	43.00	44.05	1.05	<10	4.4	5.4	*	<2	<5	<0.5	400	2.7	6	19	261	9	5.81	3	<1	<5	<1	1.71	<20	101	<0.1	14.1	<3	<0.02	<0.05	<0.5	7.1	5.4	<1	130	24.8	46	11	2.5	0.7	0.7	1.2	0.21	4.4
RL07-012	200840016	A08-3256	487159	44.05	44.40	0.35	13	18.7	18.8	*	<2	<5	1.7	190	2.4	3	<1	302	11	0.84	2	<1	<5	<1	1.87	<20	335	<0.1	1.8	<3	<0.02	<0.05	<0.5	11.6	18.8	<1	<50	6.4	12	<5	0.8	<0.2	<0.5	1.8	0.35	18.7
RL07-012	200840016	A08-3256	487160	44.40	46.00	1.60	<10	2.5	3.6	*	4	<5	<0.5	310	2.4	3	17	295	9	4.19	3	<1	<5	<1	2.05	<20	62	<0.1	12.1	<3	<0.02	<0.05	<0.5	6.5	3.6	<1	160	24.1	44	11	2.4	0.6	<0.5	0.7	0.15	2.5
RL07-012	200840016	A08-3256	487161	46.00	46.70	0.70	<10	19.5	21.6	*	<2	<5	<0.5	420	<0.5	6	23	281	5	6.65	4	<1	<5	8	2.26	<20	<15	<0.1	18.1	<3	<0.02	<0.05	<0.5	10	21.6	<1	<50	26.8	54	17	3.2	1	<0.5	1.7	0.27	19.5
RL07-012	200840016	A08-3256	487162	46.70	48.25	1.55	277	375.0	395.0	*	<2	<5	<0.5	<50	<0.5	3	<1	228	7	1.82	21	<1	<5	<1	3.03	<20	208	<0.1	1.3	<3	<0.02	<0.05	<0.5	69.7	395	<1	<50	34.2	74	<5	<0.1	<0.2	<0.5	2.7	<0.05	375
RL07-012	200840016	A08-3256	487163	48.25	48.80	0.55	<10	6.1	8.6	*	<2	<5	<0.5	<50	<0.5	6	38	365	6	6.46	<1	<1	<5	6	2.33	<20	90	<0.1	28.8	<3	<0.02	<0.05	<0.5	6.1	8.6	<1	<50	27.5	54	20	3.3	1	<0.5	1.9	0.38	6.1
RL07-012	200840016	A08-3256	487164	66.50	67.10	0.60	<10	10.5	13.6	*	<2	<5	2.2	700	4	3	13	326	13	2.53	5	<1	<5	8	2.53	<20	166	<0.1	7.7	<3	<0.02	<0.05	<0.5	15.8	13.6	<1	<50	37.8	61	31	3.1	0.7	<0.5	0.9	0.17	10.5
RL07-012	200840016	A08-3256	487165	67.10	67.80	0.70	14	17.9	21.8	*	<2	<5	1.7	290	4.4	3	<1	314	8	0.91	3	<1	<5	9	2.88	<20	314	0.4	2.3	<3	<0.02	<0.05	3.7	20.8	21.8	<1	<50	14.1	28	10	1.5	<0.2	<0.5	1.5	0.31	17.9
RL07-012	200840016	A08-3256	487166	67.80	68.65	0.85	<10	8.7	11.8	*	<2	<5	<0.5	490	3.5	<1	12	230	17	2.44	4	<1	<5	<1	3.14	<20	141	<0.1	8.3	<3	<0.02	<0.05	<0.5	14.9	11.8	<1	<50	40.3	77	26	3.5	0.8	<0.5	1.1	0.28	8.7
RL07-012	200840016	A08-3256	487167	68.65	69.50	0.85	188	256.0	282.0	*	<2	<5	1.9	<50	4.9	<1	<1	326	16	1.18	9	<1	<5	<1	2.37	<20	230	<0.1	2.1	<3	<0.02	<0.05	<0.5	39	282	<1	<50	12.2	32	<5	<0.1	<0.2	0.5	2.2	<0.05	256
RL07-012	200840016	A08-3256	487168	69.50	70.70	1.20	770	1080.0	1180.0	*	<2	<5	<0.5	<50	<0.5	<1	3	314	16	3.6	90	<1	<5	<1	2.14	<20	256	<0.1	2.6	<3	<0.02	<0.05	4.2	216	1180	<1	<50	33.9	90	54	<0.1	<0.2	<0.5	8.9	<0.05	1080
RL07-012	200840016	A08-3256	487169	70.70	71.45	0.75	<10	15.3	20.0	*	12	<5	<0.5	<50	3.1	7	54	269	4	7.62	<1	<1	<5	<1	1.93	<20	77	<0.1	32	<3	<0.02	<0.05	<0.5	2.7	20	<1	300	3.8	7	<5	1.2	0.4	<0.5	2	0.22	15.3
RL07-013	200840016	A08-3256	487076	16.50	17.00	0.50	21	33.8	44.5	*	<2	<5	<0.5	140	4.4	<1	5	982	3	1.22	4	<1	<5	<1	3.71	<20	260	0.3	4.2	<3	<0.02	<0.05	4.9	23.7	44.5	<1	100	11.9	28	8	2.5	<0.2	<0.5	3.4	0.64	33.8
RL07-013	200840016	A08-3256	487077	17.00	18.00	1.00	17	26.1	32.4	*	<2	<5	<0.5	<50	3.1	<1	3	696	3	0.9	4	<1	<5	<1	3.61	<20	311	<0.1	1.7	<3	<0.02	<0.05	3.9	22.4	32.4	<1	70	14.2	31	7	2.7	<0.2	<0.5	2.3	0.42	26.1
RL07-013	200840016	A08-3256	487078	18.00	19.00	1.00	42	51.4	62.4	*	<2	<5	1.6	<50	<0.5	<1	2	667	3	0.89	14	<1	<5	<1	3	<20	276	<0.1	0.4	<3	<0.02	<0.05	<0.5	44.3	62.4	<1	150	11.1	22	6	1.8	<0.2	<0.5	1.3	<0.05	51.4
RL07-013	200840016	A08-3256	487079	19.00	20.00	1.00	41	51.6	60.1	*	<2	<5	<0.5	310	2.2	1	2	576	7	0.76	6	<1	<5	<1	2.67	<20	365	0.2	0.5	<3	<0.02	<0.05	<0.5	19.6	60.1	<1	<50	13.5	29	7	1.7	<0.2	<0.5	0.8	<0.05	51.6
RL07-013	200840016	A08-3256	487080	20.00	21.00	1.00	144	188.0	220.0	*	<2	<5	<0.5	<50	3.6	<1	<1	667	6	0.98	35	<1	<5	<1	2.84	<20	300	0.2	0.5	<3	<0.02	<0.05	<0.5	81.7	220	<1	70	35.7	67	22	5.3	<0.2	<0.5	3.1	0.65	188
RL07-013	200840016	A08-3256	487081	21.00	22.40	1.40	66	89.3	102.0	*	<2	<5	<0.5	210	4.1	<1	6	724	9	1.2	10	<1	<5	<1	3.24	<20	253	<0.1	2.2	<3	<0.02	<0.05	2.1	36.3	102	<1	<50	28.4	59	22	4.4	0.7	<0.5	2.5	0.45	89.3
RL07-013	200840016	A08-3256	487082	22.40	23.00	0.60	<10	3.0	3.2	*	<2	<5	<0.5	420	3.9	7	30	599	5	5.12	2	<1	<5	<1	2.13	<20	52	0.2	20.5	<3	<0.02	<0.05	<0.5	7.3	3.2	<1	230	25.4	51	21	4	1	<0.5	1.1	0.15	3
RL07-013	200840016	A08-3256	487083	113.00	113.65	0.65	<10	6.9	7.9	*	<2	<5	<0.5	680	5.5	3	24	366	5	5.87	6	<1	<5	<1	2.23	<20	178	<0.1	14.1	<3	<0.02	0.06	<0.5	20.8	7.9	<1	150	59.8	123	54	9.7	2.3	<0.5	1.7	0.26	6.9
RL07-013	200840016	A08-3256	487084	113.65	114.65	1.00	18	24.8	30.9	*	<2	<5	<0.5	350	2.4	<1	3	564	22	0.9	2	<1	<5	<1	2.58	<20	470	0.4	2.3	<3	<0.02	<0.05	11.2	14.9	30.9	<1	<50	7.9	18	5	2.6	0.6	1	5.6	0.91	24.8
RL07-013	200840016	A08-3256	487085	114.65	116.00	1.35	<10	19.2	24.6	*	<2	<5	<0.5	340	2.8	<1	6	690	14	1.66	7	<1	<5	<1	2.75	<20	371	0.3	5.2	<3	<0.02	<0.05	2.7	27.9	24.6	<1	100	26.8	56	19	4	0.6	<0.5	4.6	0.78	19.2
RL07-013	200840016	A08-3256	487086	116.00	117.00	1.00	<10	6.0	6.9	*	<2	<5	<0.5	570	2.6	5	22	400	17	4.26	5	<1	<5	<1	2.49	<20	158	0.3	15.1	<3	<0.02	<0.05	<0.5	19.2	6.9	<1	90	45.6	95	38	7.2	1.7	<0.5	1.9	0.29	6
RL07-014	200730088	A08-3256	300248	10.50	11.20	0.70	<10	16.6	18.1	*	<2	<5	10.9	<50	2.5	<1	4	461	14	0.77	3	<1	<5	<1	2.2	<20	398	<0.1	0.9	<3	<0.02	<0.05	<0.5	16.9	18.1	<1	<50	3.8	10	<5	0.4	<0.2	<0.5	1.7	0.37	16.6
RL07-014	200730088	A08-3256	300249	11.20	12.20	1.00	<10	11.4	14.1	*	52	<5	83	<50	2	<1	<1	446	6	0.69	<1	<1	<5	<1	2.18	<20	394	0.1	0.7	<3	<0.02	<0.05	<0.5	9.5	14.1	<1	<50	3.2	4	<5	0.2	<0.2	<0.5	0.5	0.16	11.4
RL07-014	200730088	A08-3256	300250	12.20	13.50	1.30	14	4.2	3.8	*	<2	<5	6.1	240	4.3	6	53	302	7	6.86	1	<1	<5	3	1.78	<20	216	<0.1	28.6	<3	<0.02	<0.05	<0.5	3.5	3.8	<1	240	5.1	11	7	1.4	0.3	<0.5	2.2	0.38	4.2
RL07-014	200730088	A08-3256	300251	13.50	14.00	0.50	<10	4.4	4.3	*	<2	<5	2.5	<50	4.8	<1	39	225	5	6.1	2	<1	<5	<1	2.03	<20	125	<0.1	27.2	<3	<0.02	<0.05	5.4	3.2	4.3	<1	220	3	8	9	1.1	0.5	<0.5	2.6	0.52	4.4
RL07-014	200730088	A08-3256	300252	14.00	15.00	1.00	11	5.2	7.3	*	<2	<5	5	<50	3.8	5	55	550	3	8.2	2	<1	<5	<1	2.11	550	90	<0.1	36	<3	<0.02	<0.05</														

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC
RL07-015	200840016	A08-3256	487192	10.00	11.00	1.00	93	131.0	137.0	*	<2	<5	<0.5	<50	<0.5	<1	4	621	15	0.85	9	<1	<5	<1	2.44	<20	365	0.3	1	<3	<0.02	<0.05	<0.5	41.5	137	<1	<50	33.3	64	25	3.3	<0.2	<0.5	1.7	<0.05	131
RL07-015	200840016	A08-3256	487193	11.00	12.00	1.00	147	217.0	230.0	*	<2	<5	<0.5	<50	<0.5	<1	<1	558	10	1.1	14	<1	<5	<1	2.4	<20	402	<0.1	1	<3	<0.02	<0.05	<0.5	51.7	230	<1	<50	24	52	17	<0.1	<0.2	<0.5	3.1	<0.05	217
RL07-015	200840016	A08-3256	487194	12.00	13.00	1.00	34	41.9	45.9	*	<2	<5	<0.5	400	<0.5	<1	2	576	19	0.82	3	<1	<5	<1	2.1	<20	486	<0.1	0.7	<3	<0.02	<0.05	4	15.2	45.9	<1	<50	7.8	20	14	1	<0.2	<0.5	1.8	0.37	41.9
RL07-015	200840016	A08-3256	487195	13.00	14.00	1.00	70	98.7	102.0	*	<2	<5	<0.5	<50	<0.5	<1	<1	594	15	1.12	4	<1	<5	<1	2.35	200	336	<0.1	1.9	<3	<0.02	<0.05	3.2	30.4	102	<1	<50	21.6	44	7	2.3	<0.2	<0.5	2.3	0.45	98.7
RL07-015	200840016	A08-3256	487196	14.00	15.00	1.00	21	23.9	26.4	*	<2	<5	0.7	250	<0.5	<1	6	600	17	0.77	1	<1	<5	<1	1.78	<20	444	0.3	0.3	<3	<0.02	<0.05	<0.5	5.3	26.4	<1	<50	3.7	12	13	0.4	<0.2	<0.5	1.1	0.22	23.9
RL07-015	200840016	A08-3256	487197	15.00	16.00	1.00	<10	10.6	12.8	*	<2	<5	<0.5	<50	<0.5	<1	5	456	23	1.04	<1	<1	<5	<1	2.36	<20	408	0.5	3.8	<3	<0.02	<0.05	3.8	6	12.8	<1	<50	6.6	17	<5	0.6	<0.2	<0.5	0.5	<0.05	10.6
RL07-015	200840016	A08-3256	487198	16.00	17.00	1.00	<10	3.9	7.1	*	<2	<5	1	440	<0.5	<1	<1	462	24	0.49	<1	<1	<5	<1	1.87	<20	528	0.3	0.5	<3	<0.02	<0.05	<0.5	4.3	7.1	<1	<50	4.3	7	<5	0.4	0.3	<0.5	0.4	<0.05	3.9
RL07-015	200840016	A08-3256	487199	17.00	18.00	1.00	12	12.4	12.8	*	<2	<5	<0.5	210	2.4	<1	<1	564	20	0.73	<1	<1	<5	<1	2.54	<20	300	0.3	1.7	<3	<0.02	<0.05	4.5	7.1	12.8	<1	<50	8.4	22	14	0.9	<0.2	<0.5	0.9	0.15	12.4
RL07-015	200840016	A08-3256	487200	18.00	19.00	1.00	21	22.5	23.0	*	<2	<5	<0.5	<50	<0.5	<1	<1	462	31	0.42	<1	<1	<5	<1	1.97	<20	504	0.4	0.2	<3	<0.02	<0.05	<0.5	60.8	23	<1	<50	60	120	31	5.9	<0.2	<0.5	0.8	<0.05	22.5
RL07-016	200840016	A08-3256	487132	10.00	10.90	0.90	<10	3.5	3.9	*	<2	<5	1.1	450	8.6	5	31	458	6	6.41	3	<1	<5	<1	2.35	<20	90	<0.1	22.4	<3	<0.02	<0.05	<0.5	9.7	3.9	<1	160	33.7	68	27	5.4	1.4	0.6	2	0.31	3.5
RL07-016	200840016	A08-3256	487133	10.90	11.50	0.60	23	48.8	55.8	*	<2	<5	<0.5	230	4.7	<1	8	614	14	1.96	4	<1	<5	<1	2.97	<20	299	0.3	5.2	<3	<0.02	<0.05	1.3	39.6	55.8	<1	110	40.8	90	30	5.9	<0.2	<0.5	1.6	0.26	48.8
RL07-016	200840016	A08-3256	487134	11.50	13.00	1.50	115	172.0	193.0	*	<2	<5	1	180	2.5	2	4	959	12	1.45	11	<1	<5	<1	2.6	<20	354	0.2	0.7	<3	<0.02	<0.05	<0.5	44	193	<1	<50	16.5	31	<5	3.7	<0.2	0.7	2.4	<0.05	172
RL07-016	200840016	A08-3256	487135	13.00	14.00	1.00	54	71.4	82.8	*	<2	<5	<0.5	280	2.4	<1	2	678	18	0.82	3	<1	<5	<1	2.46	<20	489	0.5	0.3	<3	<0.02	<0.05	<0.5	24.9	82.8	<1	80	20.7	41	10	3.2	<0.2	<0.5	1.4	<0.05	71.4
RL07-016	200840016	A08-3256	487136	14.00	15.00	1.00	18	24.7	28.7	*	<2	<5	1	290	1.9	<1	4	638	25	0.79	<1	<1	<5	<1	2.21	<20	576	0.5	0.7	<3	<0.02	<0.05	<0.5	25.6	28.7	<1	70	20.9	44	17	3.5	<0.2	<0.5	1	0.19	24.7
RL07-016	200840016	A08-3256	487137	15.00	16.00	1.00	15	21.2	24.8	*	<2	<5	1.8	190	2.1	<1	3	945	16	1	1	<1	<5	<1	2.84	<20	423	0.5	0.5	<3	<0.02	<0.05	1.6	15.6	24.8	<1	90	9.9	22	10	2.3	<0.2	<0.5	5.2	0.84	21.2
RL07-016	200840016	A08-3256	487138	16.00	17.50	1.50	37	45.9	54.0	*	<2	<5	1.4	120	3.3	<1	3	809	18	0.94	3	<1	<5	<1	3.35	<20	294	0.5	0.9	<3	<0.02	<0.05	3.7	29.3	54	<1	90	20.5	44	12	3.9	<0.2	0.7	4.9	0.83	45.9
RL07-016	200840016	A08-3256	487139	17.50	19.00	1.50	16	20.7	25.3	*	<2	<5	<0.5	300	2.7	<1	3	734	28	0.75	1	<1	<5	<1	2.39	<20	546	0.6	0.8	<3	<0.02	<0.05	3.5	11.1	25.3	<1	<50	6.9	18	<5	1.8	0.3	0.6	5	0.79	20.7
RL07-016	200840016	A08-3256	487140	19.00	20.00	1.00	<10	6.9	8.3	*	<2	<5	<0.5	250	2.5	<1	3	355	20	0.38	<1	<1	<5	<1	1.83	<20	672	0.5	0.3	<3	<0.02	<0.05	1.6	7	8.3	<1	70	5.4	12	<5	1	0.2	<0.5	0.7	0.14	6.9
RL07-016	200840016	A08-3256	487141	20.00	21.00	1.00	<10	7.2	9.4	*	<2	<5	<0.5	320	2.5	<1	3	871	22	0.84	<1	<1	<5	<1	2.55	<20	558	0.5	1.4	<3	<0.02	<0.05	2.6	8.4	9.4	<1	<50	7.2	17	6	1.2	0.3	<0.5	0.9	0.15	7.2
RL07-016	200840016	A08-3256	487142	21.00	22.00	1.00	<10	9.5	11.5	*	<2	<5	<0.5	240	2.5	<1	2	604	36	0.54	<1	<1	<5	<1	1.96	<20	744	0.7	0.2	<3	<0.02	<0.05	<0.5	2.3	11.5	<1	<50	2.1	4	<5	0.3	0.3	<0.5	0.6	0.12	9.5
RL07-016	200840016	A08-3256	487143	22.00	23.00	1.00	14	12.4	14.6	*	3	<5	1.3	260	2.2	1	2	710	35	0.64	1	<1	<5	<1	2.16	<20	667	0.9	0.2	<3	<0.02	<0.05	<0.5	3.1	14.6	<1	<50	1.9	3	<5	0.3	0.3	<0.5	0.7	0.11	12.4
RL07-016	200840016	A08-3256	487144	23.00	24.00	1.00	24	28.2	32.8	*	<2	<5	<0.5	150	2.9	<1	3	710	22	0.82	<1	<1	<5	<1	3.32	<20	364	0.5	0.6	<3	<0.02	<0.05	2	14.6	32.8	<1	110	10.8	23	8	2.3	<0.2	<0.5	2.5	0.42	28.2
RL07-016	200840016	A08-3256	487145	24.00	25.00	1.00	22	26.6	30.6	*	5	<5	<0.5	250	3.1	<1	1	710	19	0.77	1	<1	<5	<1	3.19	<20	385	0.5	0.9	<3	<0.02	<0.05	<0.5	14.3	30.6	<1	<50	10.3	21	7	1.9	<0.2	<0.5	2.9	0.42	26.6
RL07-016	200840016	A08-3256	487146	25.00	26.00	1.00	51	66.1	81.9	*	<2	<5	<0.5	150	2.7	<1	2	683	9	1.1	3	<1	<5	<1	3.26	<20	347	0.3	0.4	<3	<0.02	<0.05	<0.5	11.3	81.9	<1	<50	8.3	13	<5	1.5	<0.2	<0.5	1.2	<0.05	66.1
RL07-016	200840016	A08-3256	487147	26.00	27.00	1.00	47	72.2	84.0	*	<2	<5	1.1	400	2.8	<1	3	824	9	0.82	1	<1	<5	<1	2.77	<20	327	0.3	0.3	<3	<0.02	<0.05	<0.5	17.6	84	<1	<50	13.6	25	11	2.1	<0.2	<0.5	0.7	<0.05	72.2
RL07-016	200840016	A08-3256	487148	27.00	28.55	1.55	33	41.3	49.7	*	<2	<5	<0.5	150	3.1	<1	2	345	20	0.7	2	<1	<5	<1	2.63	270	412	0.3	1.3	<3	<0.02	<0.05	3	10.9	49.7	<1	100	8.4	15	5	1.5	<0.2	<0.5	1.7	0.27	41.3
RL07-016	200840016	A08-3256	487149	28.55	29.15	0.60	<10	4.7	5.8	*	<2	<5	<0.5	320	3.1	4	27	291	23	5.21	4	<1	<5	3	3.02	<20	253	0.5	18	<3	<0.02	0.08	2.1	11.5	5.8	<1	210	38.5	80	33	6.4	1.5	<0.5	1.9	0.27	4.7
RL07-016	200840016	A08-3256	487150	29.15	30.00	0.85	98	126.0	141.0	*	<2	<5	<0.5	<50	3.3	<1	3	349	29	1.29	4	<1	<5	<1	3.22	<20	332	0.7	1.6	<3	<0.02	<0.05	7.1	30.9	141	<1	<50	14.4	26	<5	4.2	<0.2	1	5.8	0.9	126
RL07-016	200840016	A08-3256	487151	30.00	31.00	1.00	37	51.3	58.7	*	<2	<5	<0.5	210	3.3	<1	3	366	34	1.11	4	<1	<5	<1	3.2	<20	484	0.6	1.6	<3	<0.02	<0.05	3.5	15.5												

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC			
RL07-018	200742492	*	300224	29.50	30.00	0.50	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-018	200742492	*	300225	32.50	33.30	0.80	17	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-018	200742492	*	300226	52.70	53.20	0.50	19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-018	200742492	*	300227	54.40	55.10	0.70	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-018	200742492	*	300228	57.20	58.00	0.80	19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-018	200742492	*	300229	59.60	60.60	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-018	200742492	*	300230	60.60	61.30	0.70	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-018	200742492	*	300231	65.00	66.00	1.00	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
RL07-018	200742492	*	300232	66.00	67.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-018	200742492	*	300233	67.00	68.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-018	200742492	*	300234	68.00	69.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-018	200742492	*	300235	69.00	70.00	1.00	12	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-018	200742492	*	300236	70.00	71.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
RL07-018	200742492	*	300237	71.00	72.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-018	200742492	*	300238	72.00	73.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-018	200742492	*	300239	73.00	74.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-018	200742492	*	300240	74.00	75.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-018	200742492	*	300241	75.00	76.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-018	200742492	*	300242	76.00	77.00	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-018	200742492	*	300243	83.40	84.40	1.00	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-018	200742492	*	300244	84.40	85.00	0.60	19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-018	200742492	*	300245	85.10	86.10	1.00	16	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-018	200742492	*	300246	86.10	87.30	1.20	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-018	200742492	*	300247	91.50	92.00	0.50	<10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
RL07-019	200840016	A08-3256	487051	82.00	82.40	0.40	<10	6.5	6.7	*	<2	<5	<0.5	540	7.7	5	43	415	5	6.22	2	<1	<5	6	3.08	<20	115	<0.1	33.6	<3	<0.02	<0.05	<0.5	8.8	6.7	<1	130	30.6	63	27	5.4	1.3	<0.5	2.2	0.38	6.5			
RL07-019	200840016	A08-3256	487052	82.40	82.90	0.50	18	23.0	28.3	*	<2	<5	7.8	<50	5.8	<1	6	751	15	1.23	2	<1	<5	<1	3.27	<20	580	0.7	3.1	<3	<0.02	<0.05	1.3	11.6	28.3	<1	190	5.6	11	<5	1.2	0.4	<0.5	1.2	0.23	23			
RL07-019	200840016	A08-3256	487053	82.90	83.95	1.05	<10	14.9	20.5	*	<2	<5	<0.5	580	3.7	5	23	707	16	4.88	5	<1	<5	<1	2.83	<20	310	0.4	16.1	<3	<0.02	<0.05	6.4	15.2	20.5	<1	210	31.3	68	24	5.3	1.3	<0.5	2.1	0.34	14.9			
RL07-019	200840016	A08-3256	487054	83.95	84.15	0.20	44	56.6	77.2	*	<2	<5	1	360	3.6	2	4	1190	9	1.39	12	<1	<5	<1	1.9	<20	557	0.3	0.6	<3	<0.02	<0.05	2.1	37.2	77.2	<1	60	4.2	10	<5	<0.1	<0.2	<0.5	2.9	0.54	56.6			
RL07-019	200840016	A08-3256	487055	84.15	85.40	1.25	<10	3.8	5.3	*	<2	<5	<0.5	560	3.9	3	26	692	11	5.55	4	<1	<5	<1	2.85	<20	207	0.4	19.9	<3	<0.02	<0.05	<0.5	10.3	5.3	<1	210	32.3	64	26	5.1	1.2	<0.5	1.5	0.25	3.8			
RL07-019	200840016	A08-3256	487056	85.40	86.50	1.10	258	314.0	365.0	*	<2	<5	<0.5	1580	2.8	2	3	915	8	2.58	21	<1	<5	<1	3.56	<20	94	<0.1	1.6	<3	<0.02	<0.05	1.6	83	365	<1	160	13	<3	<5	<0.1	<0.2	<0.5	3.1	<0.05	314			
RL07-019	200840016	A08-3256	487057	86.60	87.53	0.93	<10	2.1	3.1	*	<2	<5	<0.5	<50	3.1	8	56	445	2	9.68	2	<1	<5	<1	2.21	<20	48	<0.1	41.3	<3	<0.02	<0.05	<0.5	1.1	3.1	<1	230	4.3	14	6	2.7	1	<0.5	2.5	0.38	2.1			
RL07-019	200840016	A08-3256	487058	87.53	88.53	1.00	42	52.1	67.3	*	<2	<5	<0.5	<50	4.4	<1	4	923	5	1.39	9	<1	<5	<1	3.42	<20	366	0.2	1.5	<3	<0.02	<0.05	2.3	36	67.3	<1	130	4.7	9	<5	<0.1	<0.2	<0.5	1.5	<0.05	52.1			
RL07-019	200840016	A08-3256	487059	88.53	89.90	1.37	46	55.6	73.0	*	<2	<5	<0.5	<50	3.4	<1	7	617	7	1.58	9	<1	<5	<1	3.3	<20	331	<0.1	3.7	<3	<0.02	<0.05	1.9	33.9	73	<1	130	5	8	<5	<0.1	<0.2	<0.5	2	0.34	55.6			
RL07-019	200840016	A08-3256	487060	89.90	90.90	1.00	<10	2.3	3.3	*	<2	<5	1.6	220	5.5	10	62	561	10	9.07	2	<1	<5	2	1.65	<20	143	<0.1	35.7	<3	<0.02	<0.05	0.9	1.5	3.3	<1	400	23.4	41	17	3.2	1	<0.5	2.3	0.36	2.3			
RL07-019	200840016	A08-3256	487061	90.90	92.00	1.10	<10	0.4	<0.5	*	<2	<5	<0.5	200	3.9	9	58	460	5	9.38	2	<1	<5	3	1.63	<20	87	<0.1	40.8	<3	<0.02	<0.05	<0.5	<0.2	<0.5	<1	350	3.8	10	5	2.1	0.8	<0.5	2.3	0.39	0.4			
RL07-019	200840016	A08-3256	487062	92.00	92.60	0.60	<10	5.6	8.1	*	<2	<5	<0.5	270	3.2	7	46	638	15	7.65	2	<1	<5	<1	2.44	<20	146	0.4	34.3	3	<0.02	<0.05	2	4.6	8.1	<1	390	4.7	12	6	1.9	0.7	<0.5	2.1	0.31	5.6			
RL07-019	200840016	A08-3256	487063	92.60	93.40	0.80	378	452.0	535.0	*	<2	<5	<0.5	<50	<0.5	<1	17	527	15	3.1	54	<1	<5	<1	3.42	<20	152	0.4	12.7	<3	<0.02	<0.05	<0.5	12.1	535	<1	150	18.9	<3	<5	<0.1	<0.2	<0.5	5.8	<0.05	452			
RL07-019	200840016	A08-3256	487064	93.40	93.95	0.55	<10	5.6	7.9	*	<2	<5	<0.5	350	4.2	8	32	615	3	5.93	3	<1	<5	<1	2.81	<20	91	<0.1	26.7	<3	<0.02	<0.05	<0.5	8.1	7.9	<1	110	27	53	23	4.5	1.1	<0.5	1.5	0.23	5.6			
RL07-019	200840016	A08-325																																															

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC	
RL07-020	200840132	A08-3256	487019	165.38	166.78	1.40	13	17.8	22.3	*	<2	<5	<0.5	<50	3.2	2	<1	131	14	0.39	4	<1	<5	<1	2.48	<20	419	0.3	2.6	<3	<0.02	<0.05	5.5	15.5	22.3	<1	<50	11.3	27	8	2.2	<0.2	<0.5	4	0.71	17.8	
RL07-020	200840132	A08-3256	487020	166.78	167.83	1.05	16	22.9	28.3	*	<2	<5	<0.5	<50	3.1	<1	<1	113	6	0.41	4	<1	<5	<1	2.58	<20	282	0.2	2.6	<3	<0.02	<0.05	2.1	20.4	28.3	<1	<50	9.3	14	8	1.7	<0.2	<0.5	3.2	0.6	22.9	
RL07-020	200840132	A08-3256	487021	167.83	169.00	1.17	26	37.5	48.9	*	<2	<5	<0.5	<50	3.7	<1	<1	233	11	0.46	4	<1	<5	<1	2.32	<20	407	0.4	1.3	<3	<0.02	<0.05	<0.5	17.6	48.9	<1	<50	5.7	6	<5	1.7	<0.2	<0.5	3.3	0.65	37.5	
RL07-020	200840132	A08-3256	487022	169.00	170.00	1.00	18	23.9	30.7	*	<2	<5	<0.5	190	3	<1	1	130	9	0.5	2	<1	<5	<1	2.58	260	319	<0.1	2.6	<3	<0.02	<0.05	1.7	17.6	30.7	<1	<50	8.8	19	<5	2	<0.2	<0.5	4.4	0.71	23.9	
RL07-020	200840132	A08-3256	487023	170.00	170.50	0.50	11	14.3	18.5	*	9	<5	<0.5	<50	2.9	<1	<1	202	15	0.56	2	<1	<5	<1	2.29	<20	388	0.5	4.2	<3	<0.02	<0.05	4.4	6.6	18.5	<1	<50	5.4	7	<5	1	<0.2	<0.5	6.2	1.09	14.3	
RL07-020	200840132	A08-3256	487024	170.50	172.00	1.50	17	23.0	28.1	*	<2	<5	<0.5	230	3	<1	<1	244	6	0.62	3	<1	<5	15	2.43	<20	366	1.5	2.2	<3	<0.02	<0.05	2.6	20.7	28.1	<1	110	12.9	22	5	2.1	<0.2	0.9	1.7	0.3	23	
RL07-020	200840132	A08-3256	487025	172.00	173.00	1.00	15	22.0	25.4	*	2	<5	<0.5	<50	3.8	<1	<1	144	5	0.49	3	<1	<5	<1	2.41	<20	336	<0.1	1.9	<3	<0.02	<0.05	<0.5	19.3	25.4	<1	<50	12.2	19	<5	1.9	<0.2	<0.5	1.6	0.3	22	
RL07-020	200840132	A08-3256	487026	173.00	174.00	1.00	15	21.2	25.3	*	<2	<5	1	<50	4	<1	<1	199	8	0.58	3	<1	<5	<1	2.34	<20	354	<0.1	1.9	<3	<0.02	<0.05	<0.5	18.6	25.3	<1	<50	11.3	18	6	1.8	<0.2	<0.5	1.9	0.33	21.2	
RL07-020	200840132	A08-3256	487027	174.00	175.00	1.00	14	22.2	28.2	*	<2	<5	<0.5	340	4	2	<1	143	9	0.56	3	<1	<5	<1	2.35	<20	379	0.3	2	<3	<0.02	<0.05	<0.5	19.4	28.2	<1	<50	14.1	25	10	2.1	<0.2	<0.5	1.7	0.27	22.2	
RL07-020	200840132	A08-3256	487028	175.00	176.00	1.00	15	24.3	28.7	*	<2	<5	<0.5	280	3.1	<1	1	174	8	0.59	3	<1	<5	<1	2.28	<20	395	<0.1	2.1	<3	<0.02	<0.05	2.8	19.1	28.7	<1	<50	12.1	19	<5	2.1	<0.2	<0.5	2.6	0.47	24.3	
RL07-020	200840132	A08-3256	487029	176.00	176.55	0.55	16	20.7	24.9	*	15	<5	<0.5	180	2.2	<1	<1	159	8	0.6	3	<1	<5	<1	2.31	<20	312	<0.1	1.9	<3	<0.02	<0.05	3.3	19.5	24.9	<1	<50	12.8	24	9	1.9	<0.2	<0.5	2	0.34	20.7	
RL07-020	200840132	A08-3256	487030	176.55	177.00	0.45	<10	7.6	9.3	*	<2	<5	<0.5	120	2.1	<1	<1	261	15	0.51	1	<1	<5	3	2.19	<20	478	<0.1	2.1	<3	<0.02	<0.05	1.3	3	9.3	<1	80	3.7	8	<5	0.7	<0.2	<0.5	2.4	0.44	7.6	
RL07-020	200840132	A08-3256	487031	177.00	178.00	1.00	<10	11.5	15.6	*	<2	<5	<0.5	<50	3.3	2	<1	351	12	0.6	1	<1	<5	<1	2.36	<20	302	0.4	2	<3	<0.02	<0.05	2.7	6.4	15.6	<1	<50	5.5	10	<5	1.1	<0.2	<0.5	2.8	0.4	11.5	
RL07-020	200840132	A08-3256	487032	178.00	179.00	1.00	11	14.7	19.3	*	<2	<5	1	200	2.1	<1	<1	279	21	0.43	1	<1	<5	<1	1.71	<20	730	0.3	1.3	<3	<0.02	<0.05	<0.5	3.4	12	19.3	<1	<50	8.4	19	7	1.9	<0.2	<0.5	2.2	0.35	14.7
RL07-020	200840132	A08-3256	487033	179.00	180.00	1.00	20	29.3	35.3	*	<2	<5	<0.5	220	2.2	<1	<1	373	17	0.54	5	<1	<5	<1	2.12	<20	537	0.3	1.7	5	<0.02	<0.05	3.8	11.6	35.3	<1	<50	4.9	7	6	1.7	<0.2	1	4.6	0.8	29.3	
RL07-020	200840132	A08-3256	487034	180.00	181.00	1.00	13	16.0	21.3	*	8	<5	<0.5	180	<0.5	<1	<1	553	18	0.77	2	<1	<5	<1	2.18	390	462	0.5	2.1	<3	<0.02	<0.05	2.1	8.8	21.3	<1	<50	7.9	14	<5	1.4	<0.2	<0.5	2.9	0.49	16	
RL07-020	200840132	A08-3256	487035	181.00	182.00	1.00	<10	14.3	18.4	*	<2	<5	<0.5	160	2.1	<1	2	361	11	0.65	2	<1	<5	<1	2.14	<20	460	<0.1	2.1	<3	<0.02	<0.05	<0.5	12.4	18.4	<1	<50	15.1	26	11	2	0.5	<0.5	1.6	0.28	14.3	
RL07-020	200840132	A08-3256	487036	182.00	183.00	1.00	16	21.0	26.9	*	<2	<5	<0.5	<50	3.3	<1	4	293	9	0.47	2	<1	<5	<1	2.27	<20	456	<0.1	1.4	<3	<0.02	<0.05	4	11.8	26.9	<1	<50	6.7	13	6	1.7	<0.2	<0.5	2.8	0.38	21	
RL07-020	200840132	A08-3256	487037	183.00	184.00	1.00	16	21.5	26.9	*	<2	<5	<0.5	<50	<0.5	<1	3	373	6	0.75	4	<1	<5	<1	2.44	<20	350	<0.1	3.1	<3	<0.02	<0.05	<0.5	20.5	26.9	<1	<50	12.7	23	7	2	<0.2	<0.5	2.8	0.52	21.5	
RL07-020	200840132	A08-3256	487038	184.00	185.00	1.00	24	27.5	35.6	*	<2	<5	<0.5	300	3.5	<1	3	408	9	0.81	5	<1	<5	<1	2.42	<20	336	<0.1	2.6	<3	<0.02	<0.05	4.3	25.1	35.6	<1	<50	15.8	32	12	3.4	<0.2	1.3	5.9	1	27.5	
RL07-020	200840132	A08-3256	487039	185.00	186.17	1.17	18	23.5	27.7	*	<2	<5	<0.5	330	3.5	<1	<1	306	9	0.75	5	<1	<5	<1	2.62	<20	342	<0.1	3.4	<3	<0.02	<0.05	4.6	26.6	27.7	<1	<50	19.6	43	16	4.3	<0.2	<0.5	4.5	0.74	23.5	
RL07-020	200840132	A08-3256	487040	186.17	186.80	0.63	<10	2.0	4.2	*	<2	<5	<0.5	360	4.4	6	39	337	8	6.16	2	<1	<5	<1	1.65	<20	107	<0.1	29.2	<3	<0.02	<0.05	3.8	4.9	4.2	<1	230	24.7	56	21	3.8	1.2	<0.5	2.3	0.27	2	
RL07-020	200840132	A08-3256	487041	207.35	207.85	0.50	<10	2.9	4.9	*	8	<5	<0.5	600	5.2	5	19	317	13	3.79	4	<1	<5	4	1.78	<20	116	<0.1	13.1	<3	<0.02	<0.05	<0.5	10.8	4.9	<1	160	32.1	61	25	4	1.3	<0.5	1.4	0.15	2.9	
RL07-020	200840132	A08-3256	487042	207.85	209.00	1.15	23	27.9	34.3	*	<2	<5	<0.5	<50	5.5	<1	<1	493	11	0.84	3	<1	<5	<1	2.3	<20	343	<0.1	2.1	<3	<0.02	<0.05	<0.5	19.9	34.3	<1	110	14.3	24	6	2.3	<0.2	<0.5	1.6	0.18	27.9	
RL07-020	200840132	A08-3256	487043	209.00	210.00	1.00	21	31.3	38.5	*	<2	<5	<0.5	240	4.5	<1	<1	303	11	0.62	3	<1	<5	<1	2.37	<20	309	<0.1	1.6	<3	<0.02	<0.05	3.8	18.1	38.5	<1	70	10.6	16	6	2.4	<0.2	<0.5	2.8	0.44	31.3	
RL07-020	200840132	A08-3256	487044	210.00	211.00	1.00	23	28.1	35.1	*	<2	<5	<0.5	220	3.8	1	2	386	11	0.62	3	<1	<5	<1	2.43	<20	354	<0.1	1.2	<3	<0.02	<0.05	3.6	15.6	35.1	<1	<50	8.6	21	9	2.4	<0.2	<0.5	3.8	0.58	28.1	
RL07-020	200840132	A08-3256	487045	211.00	211.87	0.87	25	37.1	48.1	*	<2	<5	<0.5	270	10.7	<1	5	514	16	1.17	6	<1	<5	<1	2.88	<20	516	0.4	2.7	<3	<0.02	<0.05	3	28.8	48.1	<1	140	15.4	30	<5	2.1	<0.2	<0.5	1.8	0.31	37.1	
RL07-020	200840132	A08-3256	487046	211.87	214.00	2.13	<10	5.3	6.8	*	<2	<5	<0.5	520	17.3	4	21	601	28	3.81	4	<1	<5	<1	2.38	<20	268	0.5	18.2	<3	<0.02	<0.05	<0.5	11	6.8	<1	260	31	62	23	4.6	1.1	<0.5	1.5	0.19	5.3	
RL07-020	200840132	A08-3256	487047	214.00	215.15	1.15	16	5.4	7.7	*	5	<5	<0.5	300	7.3	6	48	491	26	8.58	2	<1	<5	4	2.13	<20	224	0.5																			

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC
RL08-023	*	A08-3477	602325	121.00	122.00	1.00	*	27.6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-001	*	A08-2553	602059	38.00	39.00	1.00	*	11.3	14.6	*	<2	<5	<0.5	<50	2.1	<1	4	34	3	1.55	4	<1	<5	5	1.47	<20	82	<0.1	3.9	<3	<0.02	<0.05	<0.5	13.4	14.6	<1	<50	16.2	33	29	1.2	<0.2	<0.5	0.8	0.12	11.3
WL08-001	*	A08-2553	602060	39.00	40.00	1.00	*	10.0	14.2	*	<2	<5	1.8	380	2.5	<1	<1	27	4	0.68	2	<1	<5	7	1.16	<20	211	<0.1	2.4	<3	<0.02	<0.05	<0.5	20.3	14.2	<1	<50	11.8	32	14	1.1	<0.2	<0.5	0.8	0.18	10
WL08-001	*	A08-2553	602061	40.00	41.00	1.00	*	37.0	47.4	*	<2	<5	<0.5	<50	2.5	<1	<1	25	4	0.66	2	<1	<5	<1	1.41	<20	82	0.4	2.9	<3	<0.02	<0.05	<0.5	14.8	47.4	<1	140	9	20	<5	<0.1	<0.2	<0.5	0.4	0.5	37
WL08-001	*	A08-2553	602062	41.00	42.00	1.00	*	39.1	49.8	*	<2	<5	<0.5	<50	3.1	<1	<1	17	2	0.49	5	<1	<5	23	1.77	<20	140	<0.1	1.6	<3	<0.02	<0.05	<0.5	40.4	49.8	<1	<50	25.9	60	31	1.6	<0.2	<0.5	1	0.66	39.1
WL08-001	*	A08-2553	602063	42.00	43.00	1.00	*	54.9	61.0	*	<2	<5	<0.5	360	3.4	<1	<1	15	3	0.51	1	<1	<5	27	1.27	390	160	<0.1	1.6	<3	<0.02	<0.05	<0.5	9.5	61	3	<50	7.2	20	<5	<0.1	<0.2	<0.5	0.4	0.77	54.9
WL08-001	*	A08-2553	602064	43.00	44.00	1.00	*	4.1	6.6	*	<2	<5	3.6	290	2.7	<1	<1	21	4	1.17	<1	<1	<5	<1	1.93	<20	152	<0.1	3.1	<3	<0.02	<0.05	<0.5	15.1	6.6	<1	<50	15.3	34	<5	1.3	<0.2	<0.5	<0.2	<0.05	4.1
WL08-001	*	A08-2553	602065	51.00	52.00	1.00	*	10.4	16.1	*	<2	<5	1.2	330	<0.5	<1	<1	<5	2	0.81	4	<1	<5	5	1.83	550	133	<0.1	2	<3	<0.02	<0.05	<0.5	16	16.1	<1	<50	29.7	72	29	2.1	<0.2	<0.5	1.2	0.2	10.4
WL08-001	*	A08-2553	602066	52.00	53.00	1.00	*	16.0	25.3	*	<2	<5	2.1	<50	<0.5	<1	<1	16	2	0.54	<1	<1	<5	8	2	<20	121	<0.1	1.5	<3	<0.02	<0.05	<0.5	12.8	25.3	<1	<50	11	30	<5	0.7	<0.2	<0.5	<0.2	<0.05	16
WL08-001	*	A08-2553	602067	53.00	54.00	1.00	*	17.1	24.9	*	<2	<5	<0.5	<50	<0.5	<1	<1	<5	4	0.54	2	<1	<5	<1	1.83	<20	121	<0.1	1.6	<3	<0.02	<0.05	<0.5	16.4	24.9	<1	<50	14.4	36	<5	0.9	<0.2	<0.5	0.9	0.32	17.1
WL08-001	*	A08-2553	602068	54.00	55.00	1.00	*	4.3	9.1	*	<2	<5	2.2	620	<0.5	<1	3	10	<1	1.31	4	<1	<5	<1	2.07	<20	86	<0.1	2.1	<3	<0.02	<0.05	3	12.2	9.1	<1	<50	35.3	75	22	1.9	<0.2	<0.5	1.6	0.21	4.3
WL08-001	*	A08-2553	602069	55.00	56.00	1.00	*	59.0	70.9	*	<2	<5	<0.5	350	<0.5	<1	6	16	3	1.44	5	<1	<5	<1	1.7	<20	133	<0.1	2.3	<3	<0.02	<0.05	3	18.3	70.9	<1	<50	17.9	35	15	<0.1	<0.2	<0.5	1.3	1.03	59
WL08-001	*	A08-2553	602070	56.00	57.00	1.00	*	19.2	26.9	*	<2	<5	<0.5	350	<0.5	<1	<1	10	3	0.84	5	<1	<5	20	1.92	<20	66	<0.1	1.8	<3	<0.02	<0.05	<0.5	24.8	26.9	<1	<50	30.3	59	58	1.8	0.7	<0.5	1	0.3	19.2
WL08-001	*	A08-2553	602071	57.00	58.00	1.00	*	12.2	19.6	*	<2	<5	<0.5	<50	<0.5	<1	<1	5	2	0.57	2	<1	<5	11	1.41	<20	164	<0.1	1.2	<3	<0.02	<0.05	<0.5	24	19.6	<1	<50	15.8	32	17	1.5	<0.2	<0.5	0.6	0.22	12.2
WL08-001	*	A08-2553	602072	58.00	59.00	1.00	*	24.6	32.7	*	<2	<5	3.4	<50	<0.5	<1	3	<5	3	0.52	2	<1	<5	<1	1.39	<20	137	0.2	1.4	<3	<0.02	<0.05	<0.5	15	32.7	<1	<50	8.7	22	<5	0.4	<0.2	<0.5	0.6	0.41	24.6
WL08-001	*	A08-2553	602073	59.00	60.00	1.00	*	21.0	31.8	*	<2	<5	<0.5	430	<0.5	<1	<1	14	4	0.96	4	<1	<5	<1	1.52	<20	191	<0.1	1.9	<3	<0.02	<0.05	<0.5	25.5	31.8	<1	<50	15.9	33	<5	1.6	<0.2	<0.5	1.8	0.15	21
WL08-001	*	A08-2553	602074	60.00	61.00	1.00	*	28.7	36.1	*	<2	<5	<0.5	510	<0.5	<1	2	21	3	0.68	2	<1	<5	20	1.54	<20	152	<0.1	1.6	<3	<0.02	<0.05	<0.5	23.3	36.1	<1	<50	15.1	36	22	0.9	<0.2	<0.5	0.7	0.43	28.7
WL08-001	*	A08-2553	602075	61.00	62.00	1.00	*	10.8	15.2	*	<2	<5	2	280	<0.5	<1	<1	15	4	0.7	3	<1	<5	12	1.65	<20	148	<0.1	2	<3	<0.02	<0.05	<0.5	20.6	15.2	<1	<50	16.5	37	15	1.4	<0.2	<0.5	0.9	0.18	10.8
WL08-001	*	A08-2553	602076	62.00	63.00	1.00	*	6.0	10.4	*	<2	<5	<0.5	120	<0.5	<1	<1	22	5	0.7	2	<1	<5	6	1.46	<20	112	<0.1	1.8	<3	<0.02	<0.05	1	27.6	10.4	<1	<50	19.7	43	14	1.8	<0.2	<0.5	0.8	0.12	6
WL08-001	*	A08-2553	602077	63.00	64.00	1.00	*	24.5	35.4	*	<2	<5	<0.5	400	<0.5	<1	<1	21	3	0.69	4	<1	<5	<1	1.14	<20	162	<0.1	1.6	<3	<0.02	<0.05	<0.5	35.6	35.4	<1	<50	25	58	39	1.4	<0.2	<0.5	0.5	<0.05	24.5
WL08-001	*	A08-2553	602078	64.00	65.00	1.00	*	26.3	38.9	*	<2	<5	2.4	260	<0.5	<1	<1	576	3	0.49	5	<1	<5	<1	1.19	<20	115	<0.1	1.2	<3	<0.02	<0.05	<0.5	30.8	38.9	<1	<50	15.9	35	13	1	<0.2	<0.5	1.4	0.08	26.3
WL08-001	*	A08-2553	602079	65.00	66.00	1.00	*	9.2	17.5	*	<2	<5	<0.5	340	<0.5	<1	3	266	2	1.23	5	<1	<5	<1	1.75	<20	68	<0.1	2.5	<3	<0.02	<0.05	<0.5	23	17.5	<1	<50	35	73	33	2.3	<0.2	<0.5	1.2	0.1	9.2
WL08-001	*	A08-2553	602080	66.00	67.00	1.00	*	6.8	9.3	*	<2	<5	<0.5	760	<0.5	<1	<1	119	2	1.13	5	<1	<5	10	1.73	<20	86	<0.1	2.6	<3	<0.02	<0.05	<0.5	29.7	9.3	<1	<50	47.9	94	34	2.4	0.8	1.4	0.8	0.12	6.8
WL08-001	*	A08-2553	602081	67.00	68.00	1.00	*	16.6	25.7	*	<2	<5	<0.5	330	<0.5	<1	<1	86	3	0.82	3	<1	<5	<1	1.65	<20	101	<0.1	2	<3	<0.02	<0.05	<0.5	23.5	25.7	<1	<50	31.1	68	49	1.6	<0.2	<0.5	0.5	0.3	16.6
WL08-001	*	A08-2553	602082	68.00	69.00	1.00	*	23.4	33.3	*	<2	<5	3	230	<0.5	2	<1	76	3	0.86	4	<1	<5	<1	1.59	<20	104	0.4	2.1	<3	<0.02	<0.05	<0.5	14.2	33.3	<1	<50	18.3	40	<5	1	<0.2	<0.5	0.8	0.35	23.4
WL08-001	*	A08-2553	602083	69.00	70.00	1.00	*	21.6	33.5	*	<2	<5	3.1	200	<0.5	<1	<1	76	<1	0.62	2	<1	<5	17	1.41	<20	108	<0.1	1.1	<3	<0.02	<0.05	<0.5	19.2	33.5	<1	<50	13.2	27	6	0.7	<0.2	<0.5	0.5	0.31	21.6
WL08-001	*	A08-2553	602084	70.00	71.00	1.00	*	8.4	13.7	*	<2	<5	2.4	360	<0.5	<1	<1	68	2	0.77	5	<1	<5	<1	1.36	<20	151	<0.1	1	<3	<0.															

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC
WL08-003	200840801	A08-3256	475791	35.00	36.00	1.00	20	39.6	45.0	*	<2	<5	<0.5	210	<0.5	2	<1	422	3	0.49	3	<1	<5	24	2.72	<20	130	0.4	1.3	<3	<0.02	<0.05	<0.5	15.6	45	<1	<50	12.5	34	6	2.4	0.4	<0.5	0.5	<0.05	39.6
WL08-003	200840801	A08-3256	475792	36.00	37.00	1.00	11	30.1	33.2	*	<2	<5	<0.5	180	<0.5	<1	<1	515	3	0.63	4	<1	<5	16	2.46	<20	118	0.5	1.4	<3	<0.02	<0.05	<0.5	15.6	33.2	<1	<50	12.9	33	11	2.5	<0.2	<0.5	0.9	<0.05	30.1
WL08-003	200840801	A08-3256	475793	37.00	38.00	1.00	40	67.5	70.4	*	<2	<5	<0.5	<50	<0.5	<1	3	383	2	0.64	4	<1	<5	<1	2.21	<20	124	<0.1	1.6	<3	<0.02	<0.05	<0.5	22.5	70.4	<1	<50	18.6	31	9	1.4	<0.2	<0.5	2.6	0.34	67.5
WL08-003	200840801	A08-3256	475794	38.00	39.00	1.00	60	24.3	25.0	*	<2	<5	<0.5	<50	<0.5	<1	<1	340	3	0.56	2	<1	<5	<1	2.06	<20	157	<0.1	1.7	<3	<0.02	<0.05	3.9	31.6	25	<1	<50	22.8	39	<5	2.4	<0.2	<0.5	1.6	0.29	24.3
WL08-003	200840801	A08-3256	475795	39.00	40.00	1.00	59	114.0	114.0	*	<2	<5	<0.5	590	<0.5	3	<1	421	2	0.51	3	<1	<5	<1	2.41	<20	178	<0.1	0.5	<3	<0.02	<0.05	<0.5	38.6	114	<1	<50	33.9	54	12	2.3	<0.2	<0.5	1.4	<0.05	114
WL08-003	200840801	A08-3256	475796	40.00	41.00	1.00	60	91.5	90.2	*	<2	<5	<0.5	390	<0.5	<1	<1	335	3	0.62	2	<1	<5	<1	2.1	<20	130	<0.1	1.2	<3	<0.02	0.06	<0.5	19.9	90.2	<1	<50	19.2	29	<5	<0.1	<0.2	<0.5	1.2	<0.05	91.5
WL08-003	200840801	A08-3256	475797	41.00	42.00	1.00	12	34.8	32.4	*	<2	<5	<0.5	300	1.1	<1	<1	189	2	0.5	1	<1	<5	<1	1.92	<20	119	<0.1	1.3	<3	<0.02	<0.05	<0.5	12	32.4	<1	<50	10.4	18	6	0.7	0.5	<0.5	1.6	0.25	34.8
WL08-003	200840801	A08-3256	475798	42.00	43.00	1.00	<10	18.2	20.0	*	<2	<5	<0.5	<50	<0.5	<1	<1	340	3	0.42	<1	<1	<5	<1	2.11	<20	151	<0.1	0.9	<3	<0.02	<0.05	<0.5	6.9	20	<1	<50	8.6	11	<5	0.5	<0.2	<0.5	0.4	<0.05	18.2
WL08-003	200840801	A08-3256	475799	43.00	44.00	1.00	20	38.3	41.5	*	<2	<5	<0.5	230	<0.5	<1	<1	324	2	0.61	2	<1	<5	<1	1.71	<20	135	<0.1	1.7	<3	<0.02	<0.05	<0.5	9.7	41.5	<1	<50	8.6	10	<5	<0.1	<0.2	<0.5	1.6	0.22	38.3
WL08-003	200840801	A08-3256	475800	44.00	45.00	1.00	20	40.4	39.7	*	<2	<5	<0.5	240	<0.5	<1	<1	416	3	0.64	2	<1	<5	<1	1.85	<20	151	<0.1	1.1	<3	<0.02	<0.05	<0.5	19.7	39.7	<1	<50	13.6	21	<5	0.9	<0.2	<0.5	1.3	<0.05	40.4
WL08-003	200840801	A08-3256	475801	45.00	46.00	1.00	13	28.9	29.5	*	<2	<5	<0.5	<50	<0.5	<1	<1	346	2	0.53	1	<1	<5	<1	2.53	<20	157	<0.1	1	<3	<0.02	<0.05	<0.5	19.4	29.5	<1	<50	19.6	38	5	1.4	<0.2	<0.5	0.4	<0.05	28.9
WL08-003	200840801	A08-3256	475802	46.00	47.00	1.00	36	62.0	67.8	*	<2	<5	<0.5	210	<0.5	<1	<1	437	2	0.59	4	<1	<5	<1	2.44	<20	103	<0.1	0.9	<3	<0.02	<0.05	<0.5	18.4	67.8	<1	<50	16	27	<5	<0.1	<0.2	<0.5	1.5	0.25	62
WL08-003	200840801	A08-3256	475803	47.00	48.00	1.00	<10	24.3	24.2	*	<2	<5	<0.5	250	<0.5	2	<1	335	3	0.49	<1	<1	<5	<1	2.13	<20	146	0.3	1	<3	<0.02	<0.05	<0.5	12.4	24.2	<1	<50	13.8	22	5	1	<0.2	<0.5	<0.2	0.09	24.3
WL08-003	200840801	A08-3256	475804	48.00	49.00	1.00	18	34.3	36.2	*	<2	<5	<0.5	160	<0.5	3	<1	450	2	0.77	<1	<1	<5	<1	2.32	<20	110	<0.1	1.8	<3	<0.02	<0.05	<0.5	14.9	36.2	3	<50	24.8	39	8	1.5	0.6	<0.5	0.8	<0.05	34.3
WL08-003	200840801	A08-3256	475805	49.00	50.00	1.00	24	51.2	57.2	*	<2	<5	<0.5	320	<0.5	<1	<1	335	4	0.99	3	<1	<5	<1	2.05	<20	190	<0.1	2.3	<3	<0.02	<0.05	<0.5	46.4	57.2	<1	<50	38.2	60	15	3.1	<0.2	<0.5	1	<0.05	51.2
WL08-003	200840801	A08-3256	475806	50.00	51.00	1.00	25	46.7	48.6	*	<2	<5	<0.5	420	<0.5	<1	4	445	4	0.88	3	<1	<5	<1	2.57	<20	155	<0.1	2.1	<3	<0.02	<0.05	<0.5	30.7	48.6	<1	<50	23.7	40	15	2	<0.2	<0.5	1.4	0.25	46.7
WL08-003	200840801	A08-3256	475807	51.00	52.55	1.55	<10	25.0	27.2	*	<2	<5	<0.5	<50	<0.5	<1	<1	335	<1	0.85	3	<1	<5	<1	2.2	<20	125	<0.1	1.5	<3	<0.02	<0.05	<0.5	21.7	27.2	<1	<50	30.3	51	17	2.2	<0.2	<0.5	1.1	<0.05	25
WL08-003	200840801	A08-3256	475808	59.80	61.00	1.20	<10	11.1	11.1	*	<2	<5	<0.5	320	<0.5	<1	<1	420	2	1.13	<1	<1	<5	<1	2.38	<20	110	<0.1	1.5	<3	<0.02	<0.05	<0.5	32.8	11.1	<1	<50	38.8	72	19	3.6	<0.2	<0.5	0.6	<0.05	11.1
WL08-003	200840801	A08-3256	475809	61.00	62.00	1.00	29	53.7	56.8	*	<2	<5	<0.5	320	<0.5	<1	<1	335	4	0.54	3	<1	<5	<1	1.75	<20	225	<0.1	0.8	<3	<0.02	<0.05	<0.5	12.3	56.8	<1	<50	8.6	14	6	<0.1	0.8	<0.5	0.8	<0.05	53.7
WL08-003	200840801	A08-3256	475810	62.00	63.30	1.30	23	43.1	42.9	*	<2	<5	<0.5	380	<0.5	<1	<1	405	4	0.69	3	<1	<5	<1	2.2	<20	150	<0.1	1.6	<3	<0.02	<0.05	2.8	15.9	42.9	<1	<50	14	22	6	0.9	<0.2	<0.5	0.8	<0.05	43.1
WL08-003	200840811	A08-3256	475811	71.30	72.00	0.70	<10	11.6	11.6	*	<2	<5	<0.5	<50	<0.5	<1	<1	350	3	1.38	<1	<1	<5	<1	2.38	<20	175	0.3	1.1	<3	<0.02	<0.05	<0.5	32.4	11.6	<1	<50	30.6	52	17	2.7	0.3	<0.5	<0.2	<0.05	11.6
WL08-003	200840811	A08-3256	475812	72.00	73.00	1.00	20	30.8	34.7	*	<2	<5	<0.5	380	<0.5	<1	2	460	2	0.82	1	<1	<5	<1	1.23	<20	130	<0.1	2	<3	<0.02	<0.05	<0.5	3.9	34.7	<1	<50	3.2	5	<5	<0.1	<0.2	<0.5	0.3	<0.05	30.8
WL08-003	200840811	A08-3256	475813	73.00	74.00	1.00	47	64.3	65.3	*	<2	<5	3.3	<50	<0.5	<1	<1	410	<1	0.9	3	<1	<5	<1	2.32	<20	110	<0.1	1.1	<3	<0.02	<0.05	<0.5	19.5	65.3	<1	100	10.4	14	<5	<0.1	<0.2	<0.5	1	<0.05	64.3
WL08-003	200840811	A08-3256	475814	74.00	75.00	1.00	45	60.5	61.7	*	<2	<5	<0.5	260	<0.5	<1	<1	330	2	0.88	3	<1	<5	<1	2.66	<20	115	<0.1	0.9	<3	<0.02	<0.05	<0.5	26.2	61.7	<1	<50	21.2	35	7	1.5	<0.2	<0.5	0.9	<0.05	60.5
WL08-003	200840811	A08-3256	475815	75.00	76.00	1.00	56	68.9	72.5	*	<2	<5	<0.5	400	<0.5	<1	<1	528	5	0.87	1	<1	<5	<1	2.51	<20	77	<0.1	1.2	<3	<0.02	<0.05	<0.5	14.1	72.5	<1	<50	9.9	12	<5	<0.1	<0.2	<0.5	1	<0.05	68.9
WL08-003	200840811	A08-3256	475816	76.00	77.00	1.00	13	25.2	24.3	*	<2	<5	<0.5	300	<0.5	<1	<1	346	4	0.75	<1	<1	<5	<1	2.05	<20	192	0.2	2.1	<3	<0.02	<0.05	<0.5	6.9	24.3	<1	<50	9.5	13	<5	0.4	<0.2	<0.5	0.5	<0.05	25.2
WL08-003	200840811	A08-3256	475817	77.00	78.00	1.00	19	31.5	32.8	*	<2	<5	<0.5	400	<0.5	<1	<1	355	3	0.75	<1	<1	<5	<1	2.13	<20	182	<0.1	1.4	<3	<0.02	<0.05	<0.5	5.3	32.8	<1	<50	6.2	7	<5	<0.1	<0.2	<0.5	<0.2	<0.05	31.5
WL08-003	200840811	A08-3256	475818	78.00	79.00	1.00	33	40.7	43.0	*	<2	<5	<0.5	350	<0.5	<1	<1	365	4	0.89	1	<1	<5	<1	1.98	<20	134	<0.1	2.3	<3	<0.02	<0.05	<0.5	12.6	43	<1	<50	10.7	18	<5	<0.1	<0.2	<0.5	0.4	<0.05	40.7
WL08-003	200840811	A08-3256	475819	79.00																																										

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC	
WL08-004	*	A08-5893	191994	187.00	188.00	1.00	*	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-004	*	A08-5893	191995	188.00	189.00	1.00	*	1.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-004	*	A08-5893	191996	189.00	190.00	1.00	*	2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-004	*	A08-5893	191997	190.00	191.00	1.00	*	2.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-004	*	A08-5893	191998	191.00	192.00	1.00	*	3.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-004	*	A08-5893	191999	192.00	193.00	1.00	*	2.8	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-004	*	A08-5893	192000	193.00	194.00	1.00	*	1.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-004	*	A08-5893	193551	194.00	195.00	1.00	*	7.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-004	*	A08-5893	193552	195.00	196.00	1.00	*	4.5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-004	*	A08-5893	193553	196.00	197.00	1.00	*	4.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	200840801	A08-3256	475727	5.60	6.60	1.00	<10	10.1	12.8	*	<2	<5	<0.5	510	<0.5	<1	<1	602	1	0.98	4	<1	<5	<1	1.74	<20	154	<0.1	1.3	<3	<0.02	<0.05	<0.5	26.6	12.8	<1	<50	9.7	25	<5	1.3	<0.2	<0.5	0.5	<0.05	10.1	
WL08-005	200840801	A08-3256	475728	14.00	15.00	1.00	59	79.3	87.8	*	7	<5	<0.5	390	<0.5	<1	2	581	4	0.76	2	<1	<5	49	1.87	<20	161	0.2	1.2	<3	<0.02	<0.05	<0.5	11.4	87.8	<1	70	7.4	17	7	2.1	0.2	<0.5	0.8	<0.05	79.3	
WL08-005	200840801	A08-3256	475729	15.00	16.00	1.00	<10	6.7	8.8	*	<2	<5	1.4	200	0.8	<1	2	602	3	0.77	4	<1	<5	4	2.45	<20	140	0.4	0.8	<3	<0.02	<0.05	<0.5	24.3	8.8	<1	<50	15.2	39	11	2.7	0.5	<0.5	0.6	0.12	6.7	
WL08-005	200840801	A08-3256	475730	16.00	17.00	1.00	16	29.6	33.5	*	<2	<5	<0.5	<50	<0.5	<1	3	595	2	1.06	2	<1	<5	24	2.74	<20	98	0.2	1.5	<3	<0.02	<0.05	<0.5	17.5	33.5	<1	100	7	18	7	1.6	<0.2	<0.5	0.6	<0.05	29.6	
WL08-005	200840801	A08-3256	475731	17.00	18.00	1.00	66	87.4	95.8	*	6	<5	<0.5	410	<0.5	<1	2	672	2	0.77	3	<1	<5	<1	2.26	<20	147	0.3	1.2	<3	<0.02	<0.05	<0.5	13.7	95.8	<1	<50	9.9	26	<5	2.5	<0.2	<0.5	0.6	<0.05	87.4	
WL08-005	200840801	A08-3256	475732	18.00	19.00	1.00	18	32.8	36.7	*	<2	<5	1.5	200	<0.5	<1	2	658	4	0.81	2	<1	<5	18	2.34	<20	154	<0.1	2	<3	<0.02	<0.05	<0.5	17.5	36.7	<1	<50	10.9	30	<5	2.2	0.3	<0.5	0.6	<0.05	32.8	
WL08-005	200840801	A08-3256	475733	19.00	20.00	1.00	22	35.9	40.7	*	<2	<5	<0.5	300	<0.5	<1	<1	595	4	0.82	2	<1	<5	20	2.14	<20	119	0.3	1	<3	<0.02	0.06	<0.5	11.4	40.7	<1	<50	5.9	18	<5	1.3	<0.2	<0.5	0.4	<0.05	35.9	
WL08-005	200840801	A08-3256	475734	20.00	21.00	1.00	47	67.2	75.0	*	<2	<5	<0.5	<50	<0.5	<1	<1	560	3	0.89	2	<1	<5	48	2.97	<20	84	0.3	2.1	<3	<0.02	<0.05	<0.5	31.2	75	<1	100	17.6	46	<5	3.6	<0.2	<0.5	0.8	<0.05	67.2	
WL08-005	200840801	A08-3256	475735	21.00	22.00	1.00	29	48.4	53.5	*	<2	<5	<0.5	290	<0.5	<1	<1	679	6	0.78	4	<1	<5	26	2.58	<20	112	0.3	0.8	<3	<0.02	<0.05	<0.5	22	53.5	<1	<50	13.6	39	18	2.7	<0.2	<0.5	0.6	<0.05	48.4	
WL08-005	200840801	A08-3256	475736	22.00	23.00	1.00	24	36.3	41.5	*	<2	<5	2	270	<0.5	<1	2	574	4	0.72	3	<1	<5	24	2	<20	154	<0.1	0.6	<3	<0.02	<0.05	<0.5	16	41.5	<1	<50	5.7	15	<5	1.5	<0.2	<0.5	0.5	<0.05	36.3	
WL08-005	200840801	A08-3256	475737	23.00	24.00	1.00	13	23.5	25.5	*	<2	<5	<0.5	200	<0.5	<1	<1	840	4	0.83	<1	<1	<5	15	1.35	<20	119	0.3	1.3	<3	<0.02	<0.05	<0.5	16	25.5	<1	<50	11.8	30	15	2.1	0.2	<0.5	<0.2	<0.05	23.5	
WL08-005	200840801	A08-3256	475738	24.00	25.00	1.00	<10	13.8	17.6	*	<2	<5	<0.5	310	<0.5	<1	<1	605	3	0.61	<1	<1	<5	<1	2	<20	129	0.3	0.7	<3	<0.02	<0.05	<0.5	14.4	17.6	<1	<50	7.3	16	<5	1.1	0.3	<0.5	0.2	<0.05	13.8	
WL08-005	200840801	A08-3256	475739	25.00	26.00	1.00	<10	18.9	20.7	*	<2	<5	1.4	270	<0.5	<1	3	558	3	0.75	1	<1	<5	12	2.08	<20	143	0.4	1.3	<3	<0.02	<0.05	<0.5	14.4	20.7	<1	<50	4	11	<5	0.7	0.3	<0.5	<0.2	<0.05	18.9	
WL08-005	200840801	A08-3256	475740	26.00	27.40	1.40	25	38.3	43.1	*	<2	<5	<0.5	240	<0.5	<1	<1	551	5	0.81	1	<1	<5	19	2.06	<20	156	0.5	1.9	<3	<0.02	<0.05	<0.5	8.4	43.1	<1	<50	8.4	23	<5	2	<0.2	<0.5	0.7	0.07	38.3	
WL08-005	200840801	A08-3256	475741	27.40	28.00	0.60	15	31.1	35.9	*	<2	<5	<0.5	<50	<0.5	1	3	816	3	1.01	5	<1	<5	<1	2.11	<20	136	0.3	0.8	<3	<0.02	<0.05	<0.5	31.9	35.9	<1	<50	24.3	63	16	3.8	<0.2	<0.5	0.3	<0.05	31.1	
WL08-005	200840801	A08-3256	475742	28.00	29.00	1.00	16	32.9	35.9	*	<2	<5	<0.5	420	<0.5	<1	3	612	<1	1.14	4	<1	<5	20	2.07	<20	122	0.4	1.8	<3	<0.02	<0.05	<0.5	49.4	35.9	<1	<50	43.5	109	30	5.6	<0.2	<0.5	0.7	<0.05	32.9	
WL08-005	200840801	A08-3256	475743	29.00	30.00	1.00	<10	17.1	19.2	*	<2	<5	<0.5	330	<0.5	2	4	585	<1	1.05	5	<1	<5	13	2.1	<20	109	0.2	1.9	<3	0.05	<0.05	<0.5	44.1	19.2	<1	<50	36.2	82	19	4.4	0.5	<0.5	0.7	<0.05	17.1	
WL08-005	200840801	A08-3256	475744	30.00	31.00	1.00	<10	16.9	18.4	*	<2	<5	<0.5	350	<0.5	<1	<1	632	2	1.09	4	<1	<5	10	2.15	<20	136	0.2	2.1	<3	<0.02	<0.05	<0.5	46.4	18.4	<1	<50	38.6	95	34	5	0.5	<0.5	0.5	<0.05	16.9	
WL08-005	200840801	A08-3256	475745	31.00	32.00	1.00	<10	8.0	7.3	*	<2	<5	<0.5	440	<0.5	<1	2	592	<1	1.06	4	<1	<5	12	2.01	<20	136	0.2	1.6	<3	<0.02	<0.05	<0.5	37.2	7.3	<1	<50	31.8	75	22	3.7	<0.2	<0.5	<0.2	0.11	8	
WL08-005	200840801	A08-3256	475746	32.00	33.00	1.00	<10	4.8	4.5	*	<2	<5	<0.5	410	<0.5	<1	3	585	1	1.21	5	<1	<5	<1	2.12	<20	109	0.5	1.9	<3	<0.02	<0.05	<0.5	44.8	4.5	<1	<50	40.3	102	27	4.6	0.6	<0.5	0.5	<0.05	4.8	
WL08-005	200840801	A08-3256	475747	33.00	34.00	1.00	<10	16.7	18.4	*	5	<5	1.9	350	<0.5	<1	3	619	3	1.22	5	<1	<5	14	2.31	<20	116	0.4	2.5	<3	<0.02	<0.05	2.1	40.3	18.4	<1	<50	32.8	82	25	3.7	0.6	<0.5	<0.2	<0.05	16.7	
WL08-005	200840801	A08-3256	475748	34.00	35.00	1.00	<10	8.0	8.8	*	<2	<5	<0.5	390	<0.5	<1	3	605	2	1.1	4	<1	<5	<1	2.09	<20	122	0.4	1.8	<3	<0.02	<0.05	<0.5	43.3	8.8	<1	<50	47	116	23	4.6	<0.2	<0.5	0.6	<0.05	8	
WL08-005	200840801	A08-3256	475749	35.00	36.00	1.00	<10	5.1	6.1	*	<2	<5	1.2	470	<0.5	<1	<1	706	<1	1.17	6	<1	<5	4	2.13	<20	151	1.2	2	<3	<0.02	<0.05	<0.5														

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC		
WL08-005	*	A08-5893	192889	102.00	103.00	1.00	*	0.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192890	103.00	104.00	1.00	*	0.3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192891	104.00	105.00	1.00	*	0.6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192892	105.00	106.00	1.00	*	0.8	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192893	106.00	107.00	1.00	*	2.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192894	107.00	108.00	1.00	*	1.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192895	108.00	109.00	1.00	*	1.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192896	109.00	110.00	1.00	*	0.9	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192897	110.00	111.00	1.00	*	1.3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192898	111.00	112.00	1.00	*	6.3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192899	112.00	113.00	1.00	*	7.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192900	113.00	114.00	1.00	*	6.6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192901	114.00	115.00	1.00	*	5.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192902	115.00	116.00	1.00	*	8.5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192903	116.00	117.00	1.00	*	6.5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192904	117.00	118.00	1.00	*	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192905	118.00	119.00	1.00	*	4.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192906	119.00	120.00	1.00	*	3.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192907	120.00	121.00	1.00	*	4.9	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192908	121.00	122.00	1.00	*	2.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192909	122.00	123.00	1.00	*	2.5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192910	123.00	124.00	1.00	*	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192911	124.00	125.00	1.00	*	3.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192912	125.00	126.00	1.00	*	3.3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192913	126.00	127.00	1.00	*	1.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192914	127.00	128.00	1.00	*	1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192915	128.00	129.00	1.00	*	1.9	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192916	129.00	130.00	1.00	*	2.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192917	130.00	131.00	1.00	*	1.8	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192918	131.00	132.00	1.00	*	3.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192919	132.00	133.00	1.00	*	5.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192920	133.00	134.00	1.00	*	4.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
WL08-005	*	A08-5893	192921	134.00	135.00	1.00	*	3.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192922	135.00	136.00	1.00	*	4.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192923	137.00	138.00	1.00	*	1.5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192924	138.00	139.00	1.00	*	2.5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192925	139.00	140.00	1.00	*	3.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192927	141.00	142.00	1.00	*	0.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192928	142.00	143.00	1.00	*	2.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192929	143.00	144.00	1.00	*	6.8	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192930	144.00	145.00	1.00	*	1.8	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-005	*	A08-5893	192931	145.00	146.00	1.00	*	1.3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
WL08-006	200840733	A08-3256	475660	14.00	15.00	1.00	15	4.3	4.9	*	<2	<5	<0.5	610	<0.5	<1	10	610	4	2.87	4	<1	<5	<1	3.01	<20	<15	<0.1	6.1	<3	<0.02	<0.05	<0.5	8.4	4.9	<1	280	29.3	55	21	2.3	0.8	<0.5	0.5	0.09	4.3		
WL08-006	200840733	A08-3256	475661	15.00	16.00	1.00	<10	13.6	17.2	*	<2	<5	1.4	<50	<0.5	<1	<1	627	2	0.79	2	<1	<5	<1	2.19	<20	194	<0.1	0.9	<3	<0.02	<0.05	<0.5	11.6	17.2	<1	120	7.4	13	<5	0.7	0.5	<0.5	0.5	0.08	13.6		
WL08-006	200840733	A08-3256	475662	16.00	17.00	1.00	23	44.0	53.4	*	<2	<5	1.4	<50	<0.5	2	<1	439	<1	0.7	3	<1	<5	<1	2.3	<20	108	<0.1	0.9	4	<0.02	<0.05	<0.5	23.2	53.4	<1	<50	13.1	25	<5	1.1	<0.2	<0.5	0.5	<0.05	44		
WL08-006	200840733	A08-3256	475663	17.00	18.00	1.00	14	31.3	34.4	*	<2	<5	<0.5	220	<0.5	<1	<1	627	2	0.66	1	<1	<5	<1	2.05	<20	120	<0.1	1.1	<3	<0.02	0.06	<0.5	11.6	34.4	<												

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	UICP	UDNC	UNAA	UXRF	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	UNAA	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	UDNC	
WL08-006	200840733	A08-3256	475685	39.00	40.00	1.00	<10	3.2	4.4	*	<2	<5	<0.5	620	<0.5	<1	5	542	<1	0.91	4	<1	<5	<1	2.33	<20	164	<0.1	1.9	<3	<0.02	<0.05	<0.5	55.5	4.4	<1	<50	69.3	113	35	4.1	<0.2	<0.5	0.4	<0.05	3.2	
WL08-006	200840733	A08-3256	475686	40.00	41.00	1.00	<10	13.6	14.8	*	<2	<5	1.3	520	<0.5	<1	4	542	<1	1.08	5	<1	<5	<1	2.28	<20	151	<0.1	2.2	<3	<0.02	<0.05	<0.5	49.4	14.8	<1	<50	69.3	113	20	4	1	<0.5	<0.2	<0.05	13.6	
WL08-006	200840733	A08-3256	475687	41.00	42.00	1.00	34	58.1	59.3	*	<2	<5	<0.5	<50	<0.5	<1	<1	756	<1	1.33	4	<1	<5	<1	2.36	<20	107	<0.1	2	<3	<0.02	0.13	<0.5	47.1	59.3	<1	<50	38.4	69	20	2.5	<0.2	<0.5	<0.2	<0.05	58.1	
WL08-006	200840733	A08-3256	475688	42.00	43.00	1.00	21	42.9	49.4	*	<2	<5	2.8	<50	<0.5	5	5	693	3	1.88	3	<1	<5	<1	2.26	320	183	<0.1	2.8	<3	<0.02	<0.05	<0.5	57	49.4	<1	<50	62.4	107	30	4.7	0.8	<0.5	<0.2	<0.05	42.9	
WL08-006	200840733	A08-3256	475689	43.00	44.00	1.00	37	46.8	52.7	*	<2	<5	<0.5	240	<0.5	<1	<1	693	<1	1.05	3	<1	<5	<1	2.38	<20	132	<0.1	1.3	<3	<0.02	<0.05	<0.5	43.3	52.7	<1	<50	47.9	82	20	3.4	1.1	1.1	0.4	<0.05	46.8	
WL08-006	200840733	A08-3256	475690	44.00	45.00	1.00	21	34.1	38.7	*	<2	<5	2.3	330	<0.5	<1	5	819	3	1.77	3	<1	<5	<1	2.52	<20	139	<0.1	4.1	<3	<0.02	<0.05	<0.5	57	38.7	<1	<50	69.3	120	27	4.9	<0.2	<0.5	<0.2	<0.05	34.1	
WL08-006	200840733	A08-3256	475691	45.00	46.00	1.00	<10	16.6	17.3	*	<2	<5	<0.5	360	<0.5	<1	<1	819	<1	1.42	3	<1	<5	<1	2.33	<20	132	<0.1	2.6	<3	<0.02	<0.05	<0.5	45.6	17.3	<1	<50	56.1	88	32	3.9	<0.2	<0.5	0.6	0.14	16.6	
WL08-006	200840733	A08-3256	475692	46.00	47.00	1.00	<10	7.7	10.7	*	<2	<5	<0.5	350	<0.5	<1	<1	693	<1	1.73	5	<1	<5	<1	2.44	<20	170	<0.1	3.7	<3	<0.02	<0.05	<0.5	54	10.7	<1	<50	63	107	25	4	0.7	<0.5	1.3	<0.05	7.7	
WL08-006	200840733	A08-3256	475693	47.00	48.00	1.00	<10	4.0	3.3	*	<2	<5	2.2	490	<0.5	<1	6	693	3	1.46	4	<1	<5	6	2.42	<20	145	<0.1	2.5	<3	<0.02	<0.05	<0.5	40.3	3.3	<1	<50	42.8	76	<5	3	0.5	<0.5	<0.2	<0.05	4	
WL08-006	200840733	A08-3256	475694	48.00	49.00	1.00	<10	15.9	17.0	*	<2	<5	4	<50	<0.5	<1	4	732	3	1.18	2	<1	<5	<1	1.89	<20	189	1.2	1.6	<3	<0.02	<0.05	1.5	19.8	17	<1	<50	5.1	5	<5	0.5	<0.2	<0.5	<0.2	<0.05	15.9	
WL08-006	200840733	A08-3256	475695	49.00	50.45	1.45	<10	14.3	16.1	*	<2	<5	2.7	310	<0.5	<1	<1	671	4	1.65	2	<1	<5	<1	2.53	<20	98	0.4	4.3	<3	<0.02	<0.05	<0.5	22	16.1	<1	<50	6.1	9	8	0.7	0.3	<0.5	<0.2	<0.05	14.3	
WL08-006	200840733	A08-3256	475696	50.45	51.45	1.00	<10	1.8	3.5	*	<2	<5	2.3	410	<0.5	4	10	567	4	2.87	3	<1	<5	<1	2.77	<20	<15	<0.1	6.7	<3	<0.02	<0.05	<0.5	4.5	3.5	<1	<50	17.7	37	<5	2	0.9	<0.5	0.8	<0.05	1.8	
WL08-006	200840733	A08-3256	475697	73.20	74.20	1.00	<10	2.6	3.8	*	<2	<5	<0.5	<50	<0.5	<1	4	12	512	5	2.87	3	<1	<5	<1	2.69	<20	67	0.6	6.7	<3	<0.02	<0.05	<0.5	7.2	3.8	<1	<50	25	37	21	2.1	0.7	<0.5	<0.2	0.15	2.6
WL08-006	200840733	A08-3256	475698	74.20	76.00	1.80	<10	3.5	5.1	*	<2	<5	1.6	360	<0.5	<1	<1	671	3	0.68	<1	<1	<5	<1	1.67	<20	171	0.7	0.8	<3	<0.02	<0.05	<0.5	10.6	5.1	<1	<50	2.4	6	<5	0.2	0.4	<0.5	<0.2	<0.05	3.5	
WL08-006	200840733	A08-3256	475699	76.00	77.00	1.00	<10	16.1	17.9	*	<2	<5	<0.5	340	<0.5	2	<1	671	2	0.77	<1	<1	<5	<1	1.89	<20	128	0.5	0.9	<3	<0.02	<0.05	<0.5	26.6	17.9	<1	<50	4.8	9	<5	0.5	0.4	<0.5	<0.2	<0.05	16.1	
WL08-006	200840733	A08-3256	475700	77.00	78.00	1.00	<10	8.5	8.3	*	<2	<5	<0.5	270	<0.5	<1	<1	671	2	0.69	<1	<1	<5	7	1.63	<20	153	<0.1	0.9	<3	<0.02	<0.05	<0.5	10.6	8.3	<1	<50	2.4	<3	<5	0.2	0.5	<0.5	<0.2	<0.05	8.5	
WL08-006	200840733	A08-3256	475701	78.00	79.00	1.00	<10	6.4	8.5	*	<2	<5	<0.5	400	<0.5	<1	3	610	3	0.7	1	<1	<5	<1	1.69	<20	171	4.8	1.3	<3	<0.02	0.05	<0.5	12.9	8.5	2	<50	2.4	<3	<5	0.1	<0.2	<0.5	<0.2	<0.05	6.4	
WL08-006	200840733	A08-3256	475702	79.00	80.00	1.00	<10	3.4	4.2	*	<2	<5	<0.5	<50	<0.5	<1	<1	610	2	1.01	<1	<1	<5	4	2.2	<20	140	1.3	1.5	<3	<0.02	<0.05	<0.5	12.2	4.2	<1	<50	3.4	5	<5	0.3	<0.2	<0.5	<0.2	<0.05	3.4	
WL08-006	200840733	A08-3256	475703	80.00	81.50	1.50	<10	6.0	5.9	*	7	<5	<0.5	360	<0.5	<1	2	793	2	1.27	<1	<1	<5	7	2.1	<20	140	0.9	1	<3	<0.02	<0.05	<0.5	2.9	5.9	<1	<50	2.5	<3	<5	0.2	0.2	<0.5	<0.2	<0.05	6	
WL08-006	200840733	A08-3256	475704	81.50	85.00	3.50	<10	7.7	9.4	*	<2	<5	<0.5	290	<0.5	<1	<1	610	2	1.25	1	<1	<5	<1	1.92	<20	134	<0.1	0.9	<3	<0.02	<0.05	<0.5	22	9.4	<1	<50	4.5	5	<5	0.5	0.4	<0.5	0.4	<0.05	7.7	
WL08-006	200840733	A08-3256	475705	85.00	86.00	1.00	<10	15.4	15.4	*	<2	<5	1.4	190	<0.5	<1	3	653	3	1.41	3	<1	<5	<1	2.2	<20	143	0.3	0.7	<3	<0.02	<0.05	<0.5	34	15.4	<1	<50	5.4	10	<5	0.6	<0.2	<0.5	<0.2	<0.05	15.4	
WL08-006	200840733	A08-3256	475706	86.00	87.40	1.40	<10	17.4	20.8	*	<2	<5	<0.5	450	<0.5	<1	<1	748	2	1.73	5	<1	<5	<1	2.74	<20	136	0.8	1.1	<3	<0.02	<0.05	<0.5	34.9	20.8	<1	<50	8.8	15	<5	0.7	<0.2	<0.5	0.7	0.12	17.4	
WL08-006	200840733	A08-3256	475707	116.70	118.00	1.30	<10	8.7	10.0	*	<2	<5	<0.5	380	<0.5	<1	3	537	4	0.74	2	<1	<5	<1	1.78	<20	211	1.4	1	<3	<0.02	<0.05	<0.5	10.8	10	<1	110	9.5	17	<5	0.9	<0.2	<0.5	0.7	<0.05	8.7	
WL08-006	200840733	A08-3256	475708	118.00	119.00	1.00	<10	3.6	4.9	*	<2	<5	2.1	390	<0.5	<1	7	598	5	1.87	3	<1	<5	<1	2.24	<20	177	2.2	6.1	<3	<0.02	<0.05	<0.5	15.8	4.9	<1	<50	15	27	8	1.5	0.5	<0.5	<0.2	0.1	3.6	
WL08-006	200840801	A08-3256	475709	119.00	120.00	1.00	<10	8.4	9.0	*	<2	<5	5.8	270	<0.5	<1	<1	442	1	0.68	4	<1	<5	<1	2.58	<20	109	0.6	1.1	<3	<0.02	<0.05	<0.5	24.1	9	<1	<50	19	39	16	1.6	<0.2	<0.5	0.5	0.14	8.4	
WL08-006	200840801	A08-3256	475710	120.00	121.15	1.15	<10	8.6	8.9	*	<2	<5	<0.5	270	<0.5	<1	5	496	<1	0.6	2	<1	<5	<1	2.96	<20	<15	0.3	0.8	<3	<0.02	<0.05	<0.5	22.4	8.9	<1	<50	17	31	<5	1.4	0.4	<0.5	0.3	0.12	8.6	
WL08-006	200840801	A08-3256	475711	144.60	146.00	1.40	<10	9.5	11.8	*	<2	<5	<0.5	<50	<0.5	<1	31	952	3	5.07	2	<1	<5	<1	1.45	330	88	<0.1	10.9	<3	<0.02	0.07	<0.5	5.6	11.8	<1	260	17	35	15	2.4	1	<0.5	1	0.19	9.5	
WL08-006	200840801	A08-3256	475712	183.70	185.00	1.30	34	41.8	45.3	*	<2	<5	<0.5	<50	<0.5	<1	10	680	4	3.03	8	<1	<5	<1	2.18	<20	122	0.5	8.2	<3	<0.02	<0.05	3.8	39	45.3	<1	<50	7.5	18	<5	0.6	0.9	<0.5	0.5	<0.05	41.8	
WL08-006	200840801	A08-3256	475713	185.00	186.00	1.00	31	35.5	39.8	*	16	<5	<0.5	430	<0.5	<1																															

APPENDIX D
DIAMOND DRILL HOLE ASSAY DATA
ICP analyses

ddh	report	number	from	to	interval	date	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr	Hg	S	U	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
BL08-001	200840132	487217	5.30	5.80	0.50	2/11/2008	21	8	<1	<1	<1	2	7	18	11	2	7	9	6	<1	<0.10	<10	1	1.9	<2	45	11	<1	11	2.1	<4	18	202	40	2.6	0.2	22	1.5	469	4	0.3	46	210	101	<5	<5	0.1	<10	21	1751	492	76	<10	27	
BL08-001	200840132	487218	5.80	7.00	1.20	2/11/2008	<1	3	<1	2	<1	<1	<1	25	<1	1	2	30	48	<1	<0.10	29	<1	0.4	2	45	11	<1	8	0.1	<4	<1	409	11	0.7	0.2	21	0.1	<100	3	0.1	9	<100	36	7	<5	0	<10	4	191	<1	4	<10	6	
BL08-001	200840132	487219	7.00	8.55	1.55	2/11/2008	<1	3	<1	2	<1	2	<1	27	<1	<1	4	28	41	<1	<0.10	31	<1	0.6	2	47	9	<1	<1	0.1	<4	<1	449	14	0.7	0.4	18	0.1	<100	4	0.2	8	<100	49	9	<5	0.1	<10	7	163	<1	5	<10	5	
BL08-001	200840132	487220	8.55	9.05	0.50	2/11/2008	30	12	<1	<1	<1	5	8	42	14	3	8	10	10	<1	0.21	26	2	2.1	<2	45	27	<1	23	2.4	<4	29	374	45	3.8	0.5	37	2.2	669	1	0.4	89	223	121	7	<5	0.2	<10	15	1837	1	97	<10	85	
BL08-001	200840132	487221	20.70	21.28	0.58	2/11/2008	21	10	<1	<1	<1	12	6	91	6	2	11	11	13	<1	1.29	15	1	1.5	3	48	65	<1	9	0.8	4	39	314	201	4.2	0.9	50	1.1	418	9	0.2	64	365	132	8	<5	0.1	<10	20	2459	<1	74	<10	900	
BL08-001	200840132	487222	21.28	22.30	1.02	2/11/2008	5	4	<1	<1	<1	3	<1	28	<1	<1	3	33	32	<1	<0.10	44	<1	0.7	<2	42	27	<1	<1	0.1	<4	1	407	9	0.8	0.3	16	0.1	102	25	0.2	9	<100	73	8	<5	0.1	<10	12	231	<1	9	<10	37	
BL08-001	200840132	487223	22.40	23.30	0.90	2/11/2008	11	10	<1	1	<1	10	5	51	6	2	7	17	29	<1	0.7	10	<1	1.2	4	50	37	<1	<1	0.9	<4	24	427	125	3.1	0.5	43	0.9	405	4	0.3	48	302	124	<5	<5	0.1	<10	24	2163	1	61	<10	333	
BL08-001	200840132	487224	23.30	24.00	0.70	2/11/2008	22	6	<1	4	<1	1	1	24	4	2	3	110	2	<1	<0.10	691	2	0.5	3	50	57	<1	9	0.5	<4	3	657	50	1	0.5	3	0.2	240	114	0.1	15	<100	492	7	<5	0.1	<10	25	462	1	5	<10	63	
BL08-001	200840132	487225	24.00	24.95	0.95	2/11/2008	96	9	<1	8	<1	12	14	17	8	2	7	164	9	<1	0.41	967	7	0.4	2	50	36	<1	5	0.9	<4	14	146	248	1.5	0.2	7	0.4	333	39	0.1	5	288	671	<5	<5	0	<10	25	3859	<1	17	<10	19	
BL08-001	200840132	487226	24.95	25.60	0.65	2/11/2008	61	6	<1	<1	<1	31	5	16	6	1	5	24	12	<1	<0.10	<10	<1	0.8	4	47	33	<1	3	1.1	<4	8	317	15	1.7	0.3	24	0.7	452	<1	0.2	21	485	73	5	<5	0.1	<10	25	1953	<1	36	<10	30	
BL08-001	200840132	487227	25.60	27.00	1.40	2/11/2008	36	3	<1	<1	<1	16	2	13	2	1	<1	29	23	<1	<0.10	38	2	0.4	2	39	26	<1	7	0.2	<4	3	483	15	1	0.2	15	0.2	185	1	0.1	9	<100	67	9	<5	0	<10	11	666	<1	9	<10	12	
BL08-001	200840132	487228	27.00	28.00	1.00	2/11/2008	45	5	<1	<1	<1	25	<1	32	<1	1	2	37	37	<1	<0.10	34	<1	0.6	3	50	20	<1	<1	0.2	<4	2	433	7	1	0.3	37	0.2	165	<1	0.1	13	<100	58	8	<5	0.1	<10	12	468	2	10	<10	15	
BL08-001	200840132	487229	28.00	29.50	1.50	2/11/2008	20	3	<1	<1	<1	12	<1	28	<1	1	2	13	6	<1	<0.10	<10	<1	0.4	<2	36	23	<1	<1	0.2	<4	2	517	5	0.8	0.3	20	0.2	151	<1	0.1	11	<100	34	9	<5	0	<10	11	404	<1	7	<10	10	
BL08-001	200840132	487230	29.50	30.50	1.00	2/11/2008	64	8	<1	<1	<1	37	4	72	3	1	5	26	15	<1	<0.10	<10	2	1.1	5	53	32	<1	2	0.6	<4	10	417	23	1.9	0.6	61	0.8	376	<1	0.2	24	426	74	7	<5	0.1	<10	17	1704	1	38	<10	40	
BL08-001	200840132	487231	34.00	34.50	0.50	2/11/2008	61	8	<1	<1	<1	36	4	71	3	2	8	21	15	<1	<0.10	<10	2	1.1	<2	60	44	<1	1	0.6	<4	9	622	13	2	0.6	61	0.7	388	<1	0.2	24	403	71	12	<5	0.1	<10	21	1626	<1	38	<10	35	
BL08-001	200840132	487232	34.50	35.50	1.00	2/11/2008	50	4	<1	<1	3	30	<1	19	<1	<1	<1	31	32	<1	<0.10	<10	1	0.4	3	42	36	<1	3	0.1	<4	1	339	5	1	0.3	20	0.1	154	1	0.1	7	<100	42	8	<5	0	<10	12	444	<1	5	<10	20	
BL08-001	200840132	487233	35.50	36.75	1.25	2/11/2008	44	5	<1	<1	<1	26	<1	21	<1	2	<1	33	34	<1	<0.10	12	3	0.6	2	46	47	<1	10	0.2	<4	2	878	9	1.4	0.3	22	0.1	171	3	0.2	11	<100	59	12	<5	0.1	<10	20	350	<1	7	<10	30	
BL08-001	200840132	487234	36.75	37.30	0.55	2/11/2008	80	9	<1	<1	<1	42	4	95	3	2	6	21	15	<1	<0.10	<10	1	1.3	2	51	51	<1	12	0.6	<4	11	442	15	2.2	0.8	82	0.9	440	<1	0.2	27	466	76	7	<5	0.1	<10	24	1965	3	45	<10	45	
BL08-001	200840132	487235	46.95	47.85	0.90	2/11/2008	22	5	<1	<1	<1	13	<1	23	<1	2	<1	24	30	<1	<0.10	<10	<1	0.5	3	53	30	<1	7	0.1	<4	2	812	7	1.1	0.4	16	0.1	151	2	0.1	12	<100	49	12	<5	0	<10	14	325	<1	8	<10	12	
BL08-001	200840132	487236	50.53	51.13	0.60	2/11/2008	39	4	<1	2	<1	20	<1	19	<1	<1	2	48	82	<1	<0.10	20	<1	0.4	<2	43	22	<1	1	0.1	<4	1	471	12	1	0.3	13	0.1	138	3	0.1	9	<100	53	8	<5	0	<10	9	323	<1	10	<10	14	
BL08-001	200840132	487237	52.55	53.10	0.55	2/11/2008	15	4	<1	<1	<1	12	<1	19	<1	2	3	25	36	<1	<0.10	14	<1	0.5	2	47	29	<1	4	0.1	<4	1	874	8	1.2	0.3	12	0.1	129	3	0.2	12	<100	50	13	<5	0	<10	13	189	<1	7	<10	9	
BL08-001	200840132	487238	69.90	70.95	1.05	2/11/2008	11	2	<1	1	<1	7	<1	21	<1	<1	3	27	42	<1	<0.10	14	<1	0.3	<2	45	18	<1	<1	0.1	<4	<1	445	5	0.8	0.3	10	0.1	115	2	0.1	8	<100	36	8	<5	0	<10	8	200	<1	6	<10	9	
BL08-001	200840132	487239	71.25	72.10	0.85	2/11/2008	33	6	<1	<1	<1	19	1	45	1	2	3	24	31	<1	<0.10	<10	2	0.7	<2	52	34	<1	5	0.2	<4	4	651	8	1.4	0.5	28	0.3	255	<1	0.2	13	143	59	10	<5	0	<10	14	721	<1	14	<10	27	
BL08-002	200840132	487240	6.00	7.00	1.00	2/11/2008	22	11	<1	<1	<1	2	7	19	14	2	10	9	5	<1	<0.10	17	3	1.9	4	44	18	<1	14	2.3	<4	23	225	63	3.3	0.2	23	1.7	551	<1	0.3	48	210	117	6	<5	0.1	<10	18	1781	3	92	<10	30	
BL08-002	200840132	487241	7.00	8.00	1.00	2/11/2008	<1	3	<1	1	<1	2	<1	20	<1	2	1	24	39	<1	<0.10	27	1	0.4	3	43	13	<1	<1	0.1	<4	1	684	7	0.8	0.3	19	0.1	<100	3	0.1	10	<100	48	11	<5	0	<10	4	131	<1	4	<10	4	
BL08-002	200840132	487242	8.00	9.00	1.00	2/11/2008	<1	2	<1	<1	<1	<1	17	<1	<1	<1	<1	21	26	<1	<0.10	24	<1	0.3	<2	51	6	<1	6	0.1	<4	<1	450	20	0.5	0.2	13	0	<100	15	0.1	8	<100	74	9	<5	0	<10	5	<100	<1	<2	<10	8	
BL08-002	200840132	487243	9.00	10.00	1.00	2/11/2008	<1	5	<1	4	<1	1	<1	24	<1	3	1	64	84	<1	<0.10	49	3	0.5	<2	46	5	<1	3	0.1	<4	1	1077	12	1.1	0.3	24	0.1	140	5	0.2	13	<100	76	15	<5	0.1	<10	8						

ddh	report	number	from	to	interval	date	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr	Hg	S	U	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
BL08-004A	200840132	487297	32.00	33.00	1.00	2/11/2008	<1	4	<1	<1	<1	2	<1	31	<1	1	<1	35	20	<1	<0.10	<10	<1	0.5	<2	41	19	<1	4	0.1	<4	<1	709	6	0.9	0.4	16	0.1	128	2	0.1	8	<100	50	10	<5	0.1	<10	6	205	<1	4	<10	10	
BL08-004A	200840132	487298	33.00	34.00	1.00	2/11/2008	1	4	<1	<1	<1	2	<1	30	<1	<1	<1	27	21	<1	<0.10	19	<1	0.6	<2	47	23	<1	2	0	<4	<1	529	11	0.8	0.4	16	0.1	101	52	0.1	8	<100	40	8	<5	0	<10	7	170	<1	3	<10	18	
BL08-004A	200840132	487299	34.00	35.40	1.40	2/11/2008	8	7	<1	<1	<1	6	3	48	4	2	2	22	28	<1	0.31	22	3	1.1	<2	50	42	<1	11	0.1	<4	14	795	101	1.9	0.5	40	0.6	247	7	0.1	30	114	87	13	<5	0	<10	8	589	1	28	<10	93	
BL08-004A	200840132	487300	35.40	35.90	0.50	2/11/2008	14	11	<1	<1	<1	10	5	92	7	2	8	10	17	<1	0.83	11	1	1.6	3	50	94	<1	15	0.5	<4	22	387	133	3.1	0.9	55	1	424	2	0.2	41	323	127	7	<5	0	<10	17	2085	1	63	<10	335	
BL08-004A	200840132	487351	43.10	43.60	0.50	2/11/2008	66	9	<1	<1	<1	36	4	62	4	2	6	21	12	<1	<0.10	<10	2	1.2	3	43	55	<1	1	0.9	<4	12	367	26	2.3	0.6	61	1	382	<1	0.2	30	609	79	7	<5	0	<10	26	1584	4	50	<10	45	
BL08-004A	200840132	487352	43.60	45.00	1.40	2/11/2008	10	4	<1	<1	<1	7	<1	21	<1	2	2	20	17	<1	<0.10	<10	<1	0.5	3	44	21	<1	<1	0.1	<4	1	691	7	0.8	0.3	14	0.1	<100	2	0.2	9	<100	32	11	<5	0	<10	11	<100	<1	3	<10	4	
BL08-004A	200840132	487353	45.00	46.00	1.00	2/11/2008	<1	2	<1	<1	<1	1	<1	28	<1	1	2	8	3	<1	<0.10	<10	<1	0.3	<2	41	24	<1	3	0.1	<4	<1	357	4	0.3	0.4	8	0	<100	3	0.1	6	<100	15	9	<5	0.1	<10	10	<100	1	<2	<10	<1	
BL08-004A	200840132	487354	46.00	47.70	1.70	2/11/2008	22	3	<1	<1	<1	13	<1	21	<1	2	2	17	21	<1	<0.10	<10	<1	0.4	4	47	17	<1	7	0.1	<4	<1	650	6	0.7	0.3	10	0.1	<100	2	0.1	9	<100	29	10	<5	0	<10	8	<100	<1	<2	<10	2	
BL08-004A	200840132	487355	47.70	48.20	0.50	2/11/2008	67	9	<1	<1	<1	37	5	70	4	2	4	20	12	<1	<0.10	<10	2	1.1	2	52	45	<1	13	0.8	<4	11	326	19	2	0.6	59	0.9	381	<1	0.2	25	479	70	6	<5	0.1	<10	23	1785	2	45	<10	42	
BL08-004A	200840132	487356	48.95	50.33	1.38	2/11/2008	183	10	<1	<1	<1	100	6	82	4	1	7	29	16	<1	<0.10	<10	1	1.4	5	62	42	<1	11	0.9	<4	13	427	11	2.5	0.7	87	1.1	574	<1	0.3	30	666	94	8	<5	0.1	<10	28	1891	3	52	<10	64	
BL08-004A	200840132	487357	50.33	51.00	0.67	2/11/2008	66	10	<1	<1	<1	37	5	59	4	2	10	28	10	<1	<0.10	<10	2	1.2	4	54	51	<1	8	0.9	<4	12	642	14	2.4	0.5	65	0.9	431	<1	0.2	29	536	91	9	<5	0.1	<10	42	1805	3	48	<10	52	
BL08-004A	200840132	487358	53.40	53.87	0.47	2/11/2008	20	4	<1	<1	<1	13	<1	17	<1	1	2	31	20	<1	<0.10	23	<1	0.5	<2	44	27	<1	<1	0.2	<4	<1	520	5	1	0.2	15	0.1	113	2	0.1	9	<100	49	11	<5	0	<10	22	<100	<1	9	<10	12	
BL08-004A	200840132	487359	53.87	54.45	0.58	2/11/2008	22	4	<1	<1	<1	13	<1	18	<1	1	<1	34	20	<1	<0.10	26	1	0.5	3	44	29	<1	3	0.2	<4	1	528	5	1.1	0.3	14	0.1	117	2	0.2	9	<100	51	10	<5	0	<10	23	<100	<1	9	<10	8	
BL08-004A	200840132	487360	54.45	55.60	1.15	2/11/2008	172	13	<1	<1	<1	87	4	69	5	2	4	68	16	<1	<0.10	41	2	1.4	2	52	40	<1	5	0.8	<4	12	632	19	2.8	0.6	95	1.1	573	<1	0.2	31	545	131	11	<5	0.1	<10	40	1722	5	48	<10	65	
BL08-004A	200840132	487361	55.60	57.00	1.40	2/11/2008	203	7	<1	2	<1	94	1	19	<1	1	5	163	62	<1	<0.10	47	<1	0.5	3	50	20	<1	8	0.2	<4	2	464	6	2.1	0.2	20	0.2	169	5	0.1	9	<100	120	10	<5	0	<10	22	184	5	22	<10	16	
BL08-004A	200840132	487362	57.00	58.35	1.35	2/11/2008	23	5	<1	<1	<1	15	<1	16	<1	<1	5	31	32	<1	<0.10	18	<1	0.5	2	46	23	<1	<1	0.3	<4	1	634	6	1.1	0.2	18	0.2	133	2	0.1	9	<100	43	12	<5	0.1	<10	27	<100	<1	7	<10	8	
BL08-004A	200840132	487363	58.35	59.00	0.65	2/11/2008	69	9	<1	<1	<1	39	5	66	3	2	7	30	14	<1	<0.10	<10	3	1.1	5	48	40	<1	15	0.8	<4	11	401	18	2.2	0.6	88	1	414	<1	0.2	29	576	79	8	<5	0.1	<10	29	1626	2	45	<10	53	
BL08-004A	200840132	487364	86.00	86.50	0.50	2/11/2008	58	10	<1	<1	<1	34	3	98	3	2	6	19	14	<1	<0.10	18	2	1.2	3	54	46	<1	<1	0.6	<4	10	724	9	2.3	0.7	71	0.9	450	<1	0.2	27	442	106	14	<5	0	<10	30	1419	1	39	<10	48	
BL08-004A	200840132	487365	86.50	87.00	0.50	2/11/2008	20	7	<1	<1	<1	15	2	52	2	3	2	21	11	<1	<0.10	22	3	0.8	3	48	23	<1	8	0.3	<4	5	794	8	1.7	0.3	45	0.5	422	1	0.2	20	178	90	14	<5	0	<10	17	552	<1	20	<10	38	
BL08-004A	200840132	487366	87.00	87.28	0.28	2/11/2008	84	12	<1	21	<1	52	4	115	4	3	6	88	335	<1	<0.10	41	3	1.3	2	60	36	<1	<1	0.4	<4	9	927	10	2.7	0.6	88	0.8	664	7	0.2	29	330	133	14	<5	0	<10	26	1040	2	41	<10	61	
BL08-004A	200840132	487367	87.28	88.10	0.82	2/11/2008	3	4	<1	<1	<1	6	2	28	<1	<1	<1	20	16	<1	<0.10	14	<1	0.5	4	47	15	<1	4	0.3	<4	1	590	6	0.9	0.3	15	0.1	169	2	0.2	9	<100	56	11	<5	0	<10	12	125	<1	9	<10	12	
BL08-004A	200840132	487368	88.10	88.60	0.50	2/11/2008	63	8	<1	<1	<1	37	5	82	4	1	6	28	16	<1	<0.10	<10	3	1.1	3	57	35	<1	6	0.8	<4	10	602	73	2.2	0.5	56	0.8	513	<1	0.2	26	467	97	11	<5	0	<10	28	1416	6	41	<10	78	
BL08-004A	200840132	487369	88.60	90.38	1.78	2/11/2008	6	3	<1	<1	<1	4	<1	19	<1	1	2	23	26	<1	<0.10	17	2	0.4	<2	44	25	<1	7	0.1	<4	<1	630	7	0.8	0.3	14	0.1	112	5	0.1	11	<100	42	10	<5	0	<10	16	136	1	6	<10	12	
BL08-004A	200840132	487370	90.38	90.85	0.47	2/11/2008	47	9	<1	<1	<1	28	3	75	3	1	5	18	15	<1	<0.10	<10	1	1.1	<2	55	36	<1	1	0.5	<4	9	675	12	2	0.7	55	0.8	437	<1	0.2	24	400	90	10	<5	0	<10	25	1408	4	37	<10	48	
BL08-004A	200840132	487371	97.40	97.78	0.38	2/11/2008	61	8	<1	<1	<1	35	4	81	3	1	7	20	12	<1	<0.10	<10	2	1.1	4	46	35	<1	14	0.6	<4	10	645	18	2.2	0.7	60	0.8	460	<1	0.2	27	433	81	9	<5	0	<10	24	1654	3	40	<10	55	
BL08-004A	200840132	487372	97.78	99.00	1.22	2/11/2008	17	3	<1	<1	2	11	<1	29	<1	2	4	18	9	<1	<0.10	16	1	0.4	2	45	26	<1	<1	0.1	<4	2	607	6	1	0.3	17	0.2	130	<1	0.1	11	<100	40	10	<5	0	<10	17	280	<1	9	<10	10	
BL08-004A	200840132	487373	99.00	99.90	0.90	2/11/2008	2	3	<1	<1	2	3	<1	17	<1	2	1	19	17	<1	<0.10	<10	2	0.3	3	38	18	<1	4	0.1	<4	<1</																							

ddh	report	number	from	to	interval	date	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr	Hg	S	U	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
RL07-005	200840016	487131	91.75	93.00	1.25	1/7/2008	56	11	<1	<1	5	28	9	22	11	<1	12	<1	18	<1	<0.10	<10	<1	1.6	<2	22	39	<1	9	2	<4	21	243	31	3.5	0.3	47	1	790	1	0.3	44	638	81	5	<5	<0.01	<10	33	2329	<1	108	<10	28	
RL07-006	200742492	300129	1.50	2.00	0.50	8/29/2007	5	15	11	<1	<1	4	3	<1	1	<1	5	<1	1		0	<10	2	1.1	3	50	71	<1	<1	2.2	<4	21	46	57	2.5	0.3	33	1.1	404	4	0.2	30	###	91	<5	<5	0.1	<10	135	2154	<1	75	<10	15	37
RL07-006	200742492	300130	2.00	3.00	1.00	8/29/2007	3	8	9	<1	<1	3	<1	<1	<1	<1	4	<1	<1		<0.10	<10	<1	0.9	<2	54	45	<1	<1	0.8	<4	14	102	45	1.7	0.4	75	0.9	265	3	0.1	31	###	63	<5	<5	0.1	<10	20	1786	<1	57	<10	8	30
RL07-006	200742492	300131	3.00	4.00	1.00	8/29/2007	3	10	8	<1	<1	4	<1	<1	<1	<1	3	<1	<1		<0.10	<10	<1	1.1	<2	52	79	<1	<1	0.6	<4	14	104	38	1.9	0.6	103	1	324	4	0.1	36	516	79	<5	<5	0.1	<10	11	1713	<1	61	<10	6	33
RL07-006	200742492	300132	4.00	5.00	1.00	8/29/2007	3	12	8	<1	<1	3	<1	<1	<1	<1	4	<1	1		<0.10	<10	<1	1	<2	49	87	<1	5	0.8	<4	15	103	48	2.3	0.3	77	1.1	320	3	0.1	37	853	82	<5	<5	0.1	<10	13	1851	<1	64	<10	4	33
RL07-006	200742492	300133	5.00	6.00	1.00	8/29/2007	2	11	8	<1	<1	2	<1	<1	<1	<1	4	<1	1		<0.10	<10	<1	1	<2	52	173	<1	2	0.6	<4	14	102	29	1.8	0.5	91	1	222	3	0.1	35	577	65	<5	<5	0	<10	11	1830	<1	59	<10	3	19
RL07-006	200742492	300134	6.00	7.00	1.00	8/29/2007	4	6	7	<1	<1	3	<1	<1	<1	<1	3	<1	<1		<0.10	<10	<1	1	<2	54	121	<1	15	0.6	<4	13	100	35	1.7	0.3	79	0.9	213	3	0.1	33	551	58	<5	<5	0.1	<10	14	1602	<1	54	<10	3	17
RL07-006	200742492	300135	7.00	8.00	1.00	8/29/2007	4	7	7	<1	<1	4	<1	<1	<1	<1	3	<1	<1		<0.10	<10	<1	1	<2	50	13	<1	9	1	<4	13	55	92	1.9	0.1	48	0.9	284	4	0.1	19	312	62	<5	<5	0	<10	16	1138	<1	60	<10	4	17
RL07-006	200742492	300136	8.00	9.00	1.00	8/29/2007	7	8	10	<1	<1	4	<1	1	<1	<1	4	<1	<1		<0.10	<10	<1	1.2	<2	46	12	<1	1	1.3	<4	11	43	87	1.4	0.1	23	0.7	254	2	0.2	12	210	49	<5	<5	0	<10	23	1100	<1	54	<10	5	17
RL07-006	200742492	300137	9.00	10.00	1.00	8/29/2007	11	13	8	<1	<1	7	<1	<1	2	<1	6	<1	2		<0.10	<10	<1	1.4	<2	45	6	<1	7	1.4	<4	11	26	45	1.6	0.1	43	0.9	258	3	0.2	14	225	51	<5	5	0	<10	22	826	<1	50	<10	3	18
RL07-006	200742492	300138	10.00	11.20	1.20	8/29/2007	4	9	6	<1	<1	4	<1	<1	<1	<1	3	<1	<1		<0.10	<10	<1	1.2	<2	44	6	<1	5	1.4	<4	13	28	78	2.1	0.1	37	0.8	369	6	0.2	11	246	71	<5	<5	0.1	<10	16	1255	<1	76	<10	6	28
RL07-006	200742492	300139	11.20	12.50	1.30	8/29/2007	3	21	9	<1	<1	2	3	<1	1	1	6	<1	2		<0.10	11	<1	0.4	<2	44	6	<1	5	0.1	<4	3	84	24	0.7	0	27	0.2	196	3	0.1	5	<100	34	<5	<5	0	<10	5	266	<1	13	<10	15	23
RL07-006	200742492	300140	12.50	13.20	0.70	8/29/2007	4	9	7	<1	1	5	<1	<1	<1	<1	4	<1	<1		<0.10	33	<1	1.2	<2	47	9	1	4	0.6	<4	14	189	48	3.3	0.2	70	0.6	679	6	0.2	8	191	127	<5	<5	0.1	<10	7	1666	<1	85	<10	14	57
RL07-006	200742492	300141	13.20	14.00	0.80	8/29/2007	4	7	6	<1	<1	3	<1	<1	<1	<1	3	<1	<1		<0.10	12	<1	1.1	<2	43	5	<1	<1	1.3	<4	16	38	42	2.6	0.1	34	0.9	402	4	0.2	13	295	91	<5	<5	0.1	<10	9	1485	<1	103	<10	6	24
RL07-006	200742492	300142	14.00	15.00	1.00	8/29/2007	8	10	8	<1	<1	5	<1	<1	<1	<1	3	<1	<1		<0.10	19	<1	1.1	<2	49	7	<1	7	1.5	<4	16	59	62	2.7	0.1	26	0.9	396	5	0.2	14	296	96	<5	<5	0.1	<10	9	1424	<1	105	<10	7	20
RL07-006	200742492	300143	15.00	16.00	1.00	8/29/2007	8	9	10	<1	<1	5	1	<1	1	1	5	1	1		<0.10	11	<1	1.2	<2	49	6	<1	7	1.3	<4	19	43	149	2.9	0.1	51	1	407	6	0.2	15	257	99	<5	<5	0.1	<10	9	1519	<1	111	<10	6	27
RL07-006	200742492	300144	16.00	17.00	1.00	8/29/2007	6	7	8	<1	<1	5	2	<1	2	2	5	<1	<1		<0.10	10	<1	1.5	<2	51	5	<1	5	1.6	<4	19	79	96	3.1	0.1	68	1	534	5	0.2	13	269	105	<5	<5	0.1	<10	10	1694	<1	117	<10	9	34
RL07-006	200742492	300145	17.00	18.00	1.00	8/29/2007	8	8	9	<1	<1	6	2	<1	2	1	5	<1	<1		<0.10	<10	<1	1.6	<2	50	10	1	2	1.6	<4	16	39	82	2.3	0.1	52	1	453	7	0.2	17	219	81	<5	<5	0.1	<10	23	1458	<1	85	<10	5	31
RL07-006	200742492	300146	18.00	19.00	1.00	8/29/2007	4	10	8	<1	<1	3	<1	<1	<1	<1	5	<1	<1		<0.10	<10	<1	1.2	<2	50	27	<1	<1	1.2	<4	15	117	56	2.2	0.1	54	1.1	382	4	0.2	24	433	79	<5	<5	0.1	<10	17	1777	<1	74	<10	7	31
RL07-006	200742492	300147	19.00	20.00	1.00	8/29/2007	22	7	8	<1	<1	6	<1	<1	1	<1	5	<1	2		0	<10	<1	1.1	<2	49	19	<1	3	0.8	<4	15	101	53	2.3	0.1	74	1	405	5	0.1	34	578	93	<5	<5	0.1	<10	15	1695	<1	71	<10	6	56
RL07-006	200742492	300148	20.00	21.00	1.00	8/29/2007	5	9	8	<1	<1	4	<1	<1	1	<1	4	<1	1		0	13	<1	1.4	2	52	40	1	4	1.1	<4	13	177	32	2.1	0.2	79	0.9	443	5	0.1	31	458	119	<5	<5	0.1	<10	30	1355	<1	55	<10	7	90
RL07-006	200742492	300149	21.00	22.10	1.10	8/29/2007	5	9	10	<1	<1	4	<1	<1	1	1	5	<1	<1		0	<10	<1	1.4	3	53	25	<1	3	0.8	<4	17	114	60	2.7	0.1	117	1.2	486	7	0.1	39	652	110	<5	<5	0.1	<10	20	1647	<1	70	<10	7	76
RL07-006	200742492	300150	22.10	23.00	0.90	8/29/2007	2	4	8	<1	<1	3	<1	<1	<1	<1	3	<1	<1		<0.10	54	<1	0.4	<2	43	18	<1	<1	0.1	<4	2	303	27	0.6	0.2	13	0.1	148	3	0.1	9	<100	92	<5	<5	0.1	<10	8	<100	<1	3	<10	13	37
RL07-006	200742492	300151	23.00	24.00	1.00	8/29/2007	6	10	8	<1	<1	4	<1	<1	<1	<1	3	<1	<1		<0.10	39	<1	0.2	<2	44	10	<1	5	0.1	<4	<1	91	19	0.3	0.1	7	0.1	112	2	0.1	4	<100	44	<5	<5	0	<10	4	<100	<1	<2	<10	8	15
RL07-006	200742492	300152	24.00	25.00	1.00	8/29/2007	3	10	7	<1	<1	3	<1	<1	<1	<1	3	<1	<1		0	16	<1	1.9	<2	50	21	1	11	0.9	<4	22	188	71	3.3	0.1	208	1.9	619	6	0.1	45	###	139	<5	<5	0.1	<10	16	2177	<1	106	<10	7	103
RL07-006	200742492	300153	25.00	26.00	1.00	8/29/2007	2	15	9	<1	<1	1	<1	<1	2	<1	6	<1	2		<0.10	14	<1	1.1	3	47	25	<1	5	1.1	<4	12	103	41	1.7	0.1	64	0.9	517	3	0.1	24	969	76	<5	<5	0	<10	26	1514	<1	62	<10	7	63
RL07-006	200742492	300154	26.00	27.00	1.00	8/29/2007	4	12	9	<1	<1	3	3	<1	<1	<1	5	<1	<1		<0.10	<10	<1	1.1	<2	49	25	<1	4																										

ddh	report	number	from	to	interval	date	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr	Hg	S	U	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
RL07-006	200742492	300185	56.60	57.60	1.00	8/29/2007	2	1	8	<1	2	1	<1	<1	<1	<1	3	<1	<1		0	191	<1	0.6	<2	52	26	1	<1	0.4	<4	12	355	685	1.4	0.1	12	0.3	158	8	0.2	18	<100	106	<5	<5	0.1	<10	68	225	<1	17	<10	17	36
RL07-006	200742492	300186	57.60	58.60	1.00	8/29/2007	6	7	8	<1	<1	4	<1	<1	<1	<1	3	<1	<1		<0.10	55	<1	2.2	<2	62	24	3	7	2.2	<4	8	95	50	2.9	0.1	43	1.2	329	5	0.1	17	<100	122	<5	<5	0.1	<10	424	510	<1	83	<10	22	16
RL07-006	200742492	300187	58.60	59.00	0.40	8/29/2007	2	3	6	<1	2	2	<1	<1	<1	<1	3	<1	<1		<0.10	19	<1	1.1	<2	58	9	2	<1	0.8	<4	20	150	157	2	0.1	53	1	311	4	0.1	35	116	76	<5	<5	0.1	<10	54	1322	<1	49	<10	7	23
RL07-006	200742492	300188	59.00	60.00	1.00	8/29/2007	3	11	9	<1	<1	3	<1	<1	<1	<1	5	<1	1		0	17	<1	2.1	4	53	13	1	7	1.7	<4	43	130	279	4	0.2	124	1.6	651	7	0.2	83	203	130	<5	<5	0.1	<10	33	1847	1	108	<10	6	59
RL07-006	200742492	300189	60.00	61.00	1.00	8/29/2007	4	17	10	<1	<1	4	<1	<1	1	1	6	<1	<1		0	16	<1	1.7	<2	45	12	<1	6	1.8	<4	39	111	669	2.2	0.1	69	0.9	353	5	0.1	56	241	75	<5	<5	0.1	<10	31	1170	<1	73	<10	4	24
RL07-006	200742492	300190	61.00	62.00	1.00	8/29/2007	3	7	7	<1	<1	3	<1	<1	<1	<1	5	<1	<1		0	13	<1	1.8	<2	43	13	1	5	1.5	<4	36	101	184	2.9	0.2	113	1.3	482	8	0.1	67	252	108	<5	<5	0.1	<10	19	1332	<1	82	<10	4	38
RL07-006	200742492	300191	62.00	63.00	1.00	8/29/2007	2	7	7	<1	<1	2	<1	<1	<1	<1	5	<1	<1		0	14	<1	2.1	<2	44	25	2	<1	1.3	<4	35	367	113	3.3	0.5	166	2.3	603	6	0.2	148	331	135	<5	<5	0.1	<10	15	1576	1	81	<10	6	59
RL07-006	200742492	300192	63.00	64.00	1.00	8/29/2007	2	3	8	<1	5	2	<1	<1	<1	<1	3	<1	<1		<0.10	14	3	2.5	<2	50	18	2	6	0.7	<4	48	1679	6	2.9	1.4	280	4.8	563	9	0	504	<100	139	11	<5	0.1	<10	10	710	1	29	<10	<1	79
RL07-006	200742492	300193	64.00	65.00	1.00	8/29/2007	2	16	7	<1	<1	2	<1	<1	<1	<1	4	<1	1		<0.10	36	4	3.9	<2	51	46	4	<1	0.6	<4	65	2063	20	4.7	4.3	511	6.8	570	9	0.1	659	<100	221	12	<5	0.1	<10	22	1142	6	67	<10	<1	111
RL07-006	200742492	300194	65.00	66.00	1.00	8/29/2007	2	11	7	<1	<1	2	<1	<1	<1	<1	5	<1	1		<0.10	15	2	2.8	<2	47	22	3	5	1.2	<4	41	1300	8	2.9	1.6	302	4.1	431	10	0.1	401	<100	139	9	<5	0.1	<10	38	608	<1	54	<10	1	54
RL07-006	200742492	300195	66.00	67.00	1.00	8/29/2007	2	11	9	<1	<1	3	<1	<1	<1	<1	4	<1	1		<0.10	22	2	2.1	2	49	30	3	6	1.4	<4	32	1016	11	2.3	0.7	208	3.2	411	9	0.1	264	106	97	5	<5	0.2	<10	33	607	1	40	<10	2	47
RL07-006	200742492	300196	67.00	68.00	1.00	8/29/2007	1	17	8	<1	<1	2	<1	<1	<1	<1	6	<1	<1		<0.10	<10	<1	1.1	<2	45	25	<1	8	1.3	<4	10	204	27	1.2	0.2	24	0.7	228	3	0.2	35	356	40	<5	<5	0.1	<10	49	928	<1	36	<10	5	17
RL07-006	200742492	300197	68.00	69.00	1.00	8/29/2007	2	14	8	<1	<1	3	<1	<1	<1	<1	4	<1	1		<0.10	<10	<1	1.1	<2	43	22	1	4	1.2	<4	13	200	40	1.7	0.2	51	0.9	268	3	0.2	38	394	62	<5	<5	0.1	<10	41	1113	<1	54	<10	5	25
RL07-006	200742492	300198	69.00	70.60	1.60	8/29/2007	4	8	7	<1	<1	3	<1	<1	<1	<1	4	<1	<1		<0.10	14	<1	1.2	<2	47	17	2	3	1.2	<4	16	199	16	2.2	0.2	70	1.3	311	4	0.1	40	482	86	<5	<5	0	<10	41	759	<1	63	<10	5	33
RL07-006	200742492	300199	70.60	71.60	1.00	8/29/2007	4	9	8	<1	<1	3	<1	<1	<1	<1	5	<1	1		<0.10	42	<1	0.8	<2	41	12	1	1	0.6	<4	14	312	91	2.9	0.2	56	0.6	451	11	0.1	42	106	146	<5	<5	0.1	<10	18	608	<1	47	<10	17	57
RL07-006	200742492	300200	71.60	72.50	0.90	8/29/2007	1	10	8	<1	<1	2	<1	<1	<1	<1	4	<1	1		0	50	<1	1.5	<2	39	16	<1	2	1.6	<4	23	130	133	3.1	0.2	85	1.2	558	6	0.2	62	180	140	<5	5	0.1	<10	17	1471	<1	87	<10	8	71
RL07-006	200742492	300201	72.50	73.50	1.00	8/29/2007	2	13	8	<1	<1	2	<1	<1	<1	<1	3	<1	1		<0.10	46	<1	0.2	<2	40	18	<1	7	0.1	<4	2	382	9	1	0.3	3	0	104	3	0.1	10	<100	71	<5	<5	0.1	<10	8	<100	<1	3	<10	8	8
RL07-006	200742492	300202	73.50	74.50	1.00	8/29/2007	3	11	7	<1	<1	3	<1	<1	1	<1	6	<1	2		<0.10	40	<1	0.3	<2	41	11	<1	<1	0.1	<4	1	256	7	0.7	0.2	5	0	<100	2	0.1	7	<100	48	<5	<5	0.1	<10	7	<100	<1	2	<10	9	5
RL07-006	200742492	300203	74.50	75.50	1.00	8/29/2007	6	10	7	<1	<1	4	<1	<1	<1	<1	5	<1	<1		<0.10	27	<1	0.2	<2	44	12	<1	2	0.1	<4	2	417	9	1	0.2	7	0.1	126	3	0.1	11	<100	59	<5	<5	0	<10	7	<100	<1	3	<10	6	5
RL07-006	200742492	300204	75.50	76.50	1.00	8/29/2007	6	10	7	<1	<1	4	<1	<1	1	1	4	<1	2		<0.10	20	<1	0.3	<2	42	3	1	3	0.1	<4	1	252	7	0.8	0.1	7	0	<100	3	0.2	8	<100	44	<5	<5	0.1	<10	7	<100	<1	3	<10	8	7
RL07-006	200742492	300205	76.50	77.50	1.00	8/29/2007	4	15	8	<1	<1	3	<1	<1	<1	<1	5	<1	<1		<0.10	26	<1	0.3	<2	40	5	<1	<1	0.1	<4	3	415	10	1.5	0.1	14	0.1	235	4	0.1	12	<100	68	<5	<5	0	<10	8	166	<1	6	<10	9	19
RL07-006	200742492	300206	77.50	78.50	1.00	8/29/2007	3	15	7	<1	<1	3	<1	<1	<1	<1	7	<1	<1		<0.10	15	<1	0.2	<2	41	6	<1	<1	0.1	<4	1	299	8	0.6	0.1	6	0	<100	3	0.1	8	<100	38	<5	<5	0	<10	5	<100	<1	<2	<10	7	4
RL07-006	200742492	300207	78.50	79.50	1.00	8/29/2007	2	14	8	<1	<1	2	<1	<1	<1	<1	5	<1	1		<0.10	209	<1	0.3	<2	41	12	<1	<1	0.1	<4	2	476	11	0.8	0.2	5	0.1	<100	4	0.1	11	<100	88	<5	<5	0.1	<10	11	<100	<1	<2	<10	8	4
RL07-006	200742492	300208	79.50	80.00	0.50	8/29/2007	2	11	7	<1	<1	2	<1	<1	<1	<1	4	<1	1		<0.10	111	<1	1.1	2	48	30	1	<1	1	<4	4	325	11	1.8	0.2	37	0.4	303	6	0.1	15	109	105	<5	<5	0.1	<10	164	251	<1	15	<10	14	17
RL07-006	200742492	300209	80.00	81.00	1.00	8/29/2007	2	9	7	<1	<1	2	<1	<1	<1	<1	3	<1	<1		<0.10	14	1	1.4	<2	45	58	<1	8	1.1	<4	17	262	55	2.6	0.2	96	1.3	512	6	0.2	40	901	109	<5	<5	0.1	<10	35	1813	<1	79	<10	8	45
RL07-006	200742492	300210	81.00	82.00	1.00	8/29/2007	3	7	8	<1	<1	3	<1	<1	<1	<1	3	<1	<1		<0.10	<10	<1	1.1	<2	43	81	<1	3	1.1	<4	14	151	32	1.9	0.4	70	0.9	302	4	0.1	28	854	70	<5	<5	0.1	<10	26	1721	<1	63	<10	8	35
RL07-006	200742492	300211	82.00	83.00	1.00	8/29/2007	7	8	12	<1	<1	3	<1	<1	<1	2	2	5	<1	1		<0.10	<10	<1	1.1	3</																													

ddh	report	number	from	to	interval	date	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr	Hg	S	U	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
RL07-011	200742492	300024	24.00	25.00	1.00	8/29/2007	2	12	8	<1	<1	3	<1	1	<1	<1	5	<1	<1		<0.10	11	<1	1.1	<2	56	26	<1	3	1.2	<4	12	67	174	1.9	0.1	24	0.7	289	4	0.2	13	297	54	<5	<5	0.1	<10	26	936	<1	63	<10	4	24
RL07-011	200742492	300025	25.00	26.00	1.00	8/29/2007	3	18	7	<1	<1	3	2	<1	<1	<1	5	<1	<1		<0.10	<10	<1	1.1	4	55	103	<1	4	0.8	<4	13	155	131	1.9	0.5	86	1	313	4	0.1	25	545	72	<5	5	0.1	<10	19	1542	<1	62	<10	7	42
RL07-011	200742492	300026	26.00	27.00	1.00	8/29/2007	11	7	7	<1	<1	7	1	<1	<1	<1	5	<1	<1		0	12	<1	1.5	<2	65	227	<1	9	0.4	<4	19	132	47	3	1.2	163	1.4	537	7	0.1	38	643	103	<5	<5	0.1	<10	13	2133	<1	90	<10	9	60
RL07-011	200742492	300027	27.00	28.00	1.00	8/29/2007	6	14	9	<1	<1	4	1	<1	<1	<1	4	<1	<1		0	14	<1	1.4	<2	65	138	<1	<1	0.6	<4	18	197	63	3	0.9	125	1.2	533	6	0.1	38	986	109	<5	<5	0.1	<10	27	1915	3	84	<10	8	67
RL07-011	200742492	300028	28.00	29.00	1.00	8/29/2007	6	12	7	<1	<1	3	1	<1	<1	<1	5	<1	<1		1	15	<1	0.9	2	59	29	1	<1	0.5	<4	16	84	91	2.6	0.3	74	0.7	463	5	0	25	971	99	<5	<5	0	<10	18	1175	<1	53	<10	11	48
RL07-011	200742492	300029	29.00	30.00	1.00	8/29/2007	6	14	7	<1	<1	5	1	1	<1	1	5	<1	<1		0	22	<1	1.2	<2	70	145	<1	3	0.5	<4	16	219	34	2.3	0.7	113	1.1	431	6	0.1	38	543	95	<5	<5	0.1	<10	19	1657	<1	64	<10	8	65
RL07-011	200742492	300030	30.00	31.00	1.00	8/29/2007	2	16	8	<1	<1	3	<1	<1	<1	<1	5	<1	1		0	77	<1	0.7	<2	67	14	<1	<1	0.3	<4	6	217	196	2.2	0.1	33	0.5	590	6	0.1	12	112	120	<5	<5	0.1	<10	8	342	<1	22	<10	15	41
RL07-011	200742492	300031	31.00	32.00	1.00	8/29/2007	3	6	7	<1	<1	2	<1	<1	<1	<1	4	<1	<1		0	21	<1	1.3	<2	68	50	<1	2	0.7	<4	13	197	103	3.4	0.3	91	1.1	912	7	0.1	34	561	134	<5	<5	0.1	<10	14	1458	<1	62	<10	5	185
RL07-011	200742492	300032	32.00	33.00	1.00	8/29/2007	7	11	8	<1	<1	5	<1	<1	<1	<1	4	<1	<1		0	<10	<1	1.5	<2	71	91	<1	3	0.6	<4	16	229	37	2.7	0.7	145	1.4	654	6	0.1	48	663	91	<5	<5	0.1	<10	17	1878	<1	73	<10	9	96
RL07-011	200742492	300033	33.00	34.00	1.00	8/29/2007	11	7	5	<1	<1	7	<1	<1	<1	<1	3	<1	<1		<0.10	16	<1	1.2	<2	59	36	<1	4	0.7	<4	15	227	33	2.2	0.3	101	1.1	527	4	0.1	40	665	82	<5	<5	0.1	<10	16	1484	<1	61	<10	5	77
RL07-011	200742492	300034	34.00	35.00	1.00	8/29/2007	8	10	7	<1	<1	6	<1	<1	<1	<1	4	<1	<1		0	<10	<1	1.1	<2	59	24	<1	13	0.7	<4	16	151	37	2	0.2	93	1.1	425	4	0.1	43	751	79	<5	<5	0.1	<10	13	1241	<1	59	<10	5	55
RL07-011	200742492	300035	35.00	36.00	1.00	8/29/2007	5	14	7	<1	<1	4	3	<1	<1	2	6	<1	1		<0.10	<10	<1	1	<2	57	18	<1	3	0.9	<4	13	154	42	1.8	0.1	64	0.9	401	5	0.1	30	845	63	<5	<5	0.1	<10	17	1233	<1	52	<10	5	35
RL07-011	200742492	300036	36.00	37.00	1.00	8/29/2007	15	10	7	<1	<1	8	2	<1	<1	<1	6	<1	<1		<0.10	12	<1	1	3	59	16	1	8	0.6	<4	9	123	20	1.9	0.1	65	0.8	442	4	0.1	24	429	64	<5	<5	0	<10	21	859	<1	40	<10	13	26
RL07-011	200742492	300037	37.00	38.00	1.00	8/29/2007	3	4	6	<1	<1	4	4	<1	<1	1	5	<1	<1		<0.10	<10	<1	1.1	<2	57	15	<1	5	0.7	<4	13	194	7	2.1	0.1	86	1	423	9	0.1	31	713	70	<5	<5	0.1	<10	33	1273	<1	63	<10	5	28
RL07-011	200742492	300038	38.00	39.00	1.00	8/29/2007	3	7	7	<1	<1	3	<1	<1	<1	<1	3	<1	<1		<0.10	<10	<1	0.7	<2	52	8	<1	2	1	<4	4	123	5	0.9	0.1	12	0.4	<100	3	0	9	855	26	<5	<5	0.1	<10	113	1062	<1	31	<10	5	3
RL07-011	200742492	300039	39.00	40.00	1.00	8/29/2007	11	5	8	<1	<1	7	<1	<1	<1	<1	3	<1	<1		<0.10	<10	<1	1.1	<2	60	6	1	<1	1.4	<4	3	101	4	1.3	0.1	15	0.6	108	3	0	9	434	42	<5	<5	0.1	<10	205	641	<1	32	<10	3	3
RL07-011	200742492	300040	40.00	41.00	1.00	8/29/2007	13	7	7	<1	<1	7	<1	<1	<1	<1	2	<1	<1		<0.10	<10	<1	0.6	<2	60	13	<1	6	1	<4	4	91	4	0.8	0.1	9	0.4	<100	2	0.1	8	875	24	<5	<5	0.1	<10	111	1119	<1	36	<10	5	3
RL07-011	200742492	300041	41.00	42.00	1.00	8/29/2007	4	6	8	<1	<1	3	<1	<1	<1	<1	3	<1	<1		<0.10	<10	<1	0.9	<2	60	9	<1	13	1.1	<4	9	123	55	1.3	0.1	44	0.7	245	2	0.1	18	478	44	<5	<5	0.1	<10	26	1015	<1	49	<10	5	14
RL07-011	200742492	300042	42.00	43.00	1.00	8/29/2007	16	9	11	<1	<1	6	3	<1	4	1	5	<1	3		<0.10	<10	<1	1	<2	59	10	<1	<1	0.8	<4	13	115	65	1.7	0.1	73	1	324	4	0.1	27	438	63	<5	<5	0.1	<10	18	928	<1	50	<10	8	33
RL07-011	200742492	300043	43.00	44.00	1.00	8/29/2007	10	9	6	<1	<1	6	<1	<1	<1	<1	3	<1	<1		<0.10	13	<1	1.1	<2	63	86	<1	2	0.9	<4	16	197	46	2.2	0.2	81	0.9	538	6	0.1	43	689	83	<5	<5	0.1	<10	20	1432	<1	59	<10	11	52
RL07-011	200742492	300044	44.00	45.00	1.00	8/29/2007	4	18	8	<1	<1	4	5	<1	<1	2	7	<1	2		<0.10	<10	<1	1	<2	59	133	<1	<1	0.7	<4	14	177	29	1.9	0.4	85	0.7	452	4	0.1	31	531	73	<5	<5	0.1	<10	17	1257	<1	51	<10	10	38
RL07-011	200742492	300045	45.00	46.00	1.00	8/29/2007	2	5	7	<1	<1	1	<1	<1	<1	<1	4	<1	<1		0	19	<1	1.3	<2	62	99	1	2	1.5	<4	20	114	71	3.1	0.4	78	1	751	8	0.2	37	873	111	<5	<5	0.1	<10	30	1418	2	72	<10	9	50
RL07-011	200742492	300046	46.00	47.00	1.00	8/29/2007	2	3	7	<1	3	1	<1	<1	<1	<1	3	<1	<1		1	21	<1	1.3	<2	62	59	1	<1	1	<4	34	129	260	4.1	0.1	81	0.9	862	8	0.1	71	806	308	<5	<5	0	<10	23	1329	<1	76	<10	10	198
RL07-011	200742492	300047	47.00	48.00	1.00	8/29/2007	6	9	7	<1	<1	4	<1	<1	1	<1	5	<1	1		<0.10	16	<1	1.1	3	65	88	<1	4	0.5	<4	10	229	8	2.3	0.4	144	1	731	4	0.1	27	561	321	<5	<5	0	<10	15	1070	<1	50	<10	12	137
RL07-011	200742492	300048	48.00	49.00	1.00	8/29/2007	4	12	9	<1	<1	4	<1	<1	1	<1	6	<1	2		<0.10	532	<1	0.2	<2	56	10	<1	2	0.1	<4	2	251	9	2.9	0.1	5	0.1	252	12	0.1	8	<100	413	<5	<5	0	<10	9	131	<1	9	<10	40	64
RL07-011	200742492	300049	49.00	50.00	1.00	8/29/2007	3	20	8	<1	<1	3	1	<1	<1	<1	6	<1	<1		<0.10	1225	<1	0.2	3	63	11	<1	3	0.1	<4	4	316	12	4.7	0.1	10	0.2	417	27	0.1	9	<100	761	<5	<5	0.1	<10	15	219	2	15	<10	86	89
RL07-011	200742492	300050	50.00	51.00	1.00	8/29/2007	5	9	7	<1	<1	3	<1	<1	<1	<1	5	<1	<1		<0.10	1278	<1	0.7	3	70	59	<1																											

ddh	report	number	from	to	interval	date	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr	Hg	S	U	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
RL07-011	200742492	300081	78.00	79.00	1.00	8/29/2007	2	2	6	<1	<1	1	<1	<1	<1	<1	2	<1	<1		<0.10	26	<1	0.4	<2	63	7	<1	3	0.3	<4	5	210	11	1.1	0.1	21	0.3	236	3	0.1	11	<100	59	<5	<5	0	<10	9	338	<1	19	<10	7	17
RL07-011	200742492	300082	79.00	80.00	1.00	8/29/2007	6	9	8	<1	<1	4	<1	<1	<1	<1	4	<1	<1		0	<10	<1	1	<2	62	27	<1	<1	1.3	<4	20	106	99	2.2	0.2	44	1	403	4	0.1	37	356	83	<5	<5	0.1	<10	24	1247	<1	73	<10	6	25
RL07-011	200742492	300083	80.00	81.00	1.00	8/29/2007	4	4	8	<1	<1	2	<1	<1	<1	<1	3	<1	<1		<0.10	24	<1	1	<2	64	55	<1	4	0.6	<4	11	198	39	2.1	0.3	100	1	486	4	0.1	27	559	97	<5	<5	0.1	<10	16	1225	<1	54	<10	11	56
RL07-011	200742492	300084	81.00	82.00	1.00	8/29/2007	4	10	8	<1	<1	3	<1	<1	2	<1	5	<1	1		0	19	<1	1.3	2	71	39	<1	8	1.1	<4	19	167	87	2.6	0.1	106	1.3	537	5	0.1	39	946	103	<5	<5	0.1	<10	26	1841	<1	80	<10	11	51
RL07-011	200742492	300085	82.00	82.90	0.90	8/29/2007	3	4	7	<1	<1	3	<1	<1	<1	<1	3	<1	<1		<0.10	39	<1	0.2	<2	55	13	<1	5	0.1	<4	2	377	8	0.8	0.2	6	0	123	3	0.1	9	<100	43	<5	<5	0.1	<10	7	<100	<1	2	<10	7	6
RL07-011	200742492	300086	82.90	84.00	1.10	8/29/2007	5	7	8	<1	<1	4	2	<1	<1	1	5	<1	<1		<0.10	27	<1	0.5	<2	71	20	<1	4	0.1	<4	4	291	13	1	0.4	75	0.3	225	4	0.1	12	<100	47	<5	<5	0.1	<10	8	335	<1	16	<10	6	28
RL07-011	200742492	300087	84.00	85.00	1.00	8/29/2007	7	6	8	<1	<1	2	<1	<1	1	<1	4	<1	<1		<0.10	46	<1	0.2	<2	68	10	<1	2	0.1	<4	2	426	12	1.3	0.1	4	0	117	4	0.1	9	<100	63	<5	<5	0	<10	7	<100	<1	4	<10	7	6
RL07-011	200742492	300088	85.00	86.00	1.00	8/29/2007	7	10	9	<1	<1	4	3	<1	2	1	5	<1	<1		0	122	<1	0.2	<2	61	10	<1	6	0.1	<4	2	410	9	1.3	0.1	4	0	105	4	0.1	8	<100	104	<5	<5	0	<10	7	<100	<1	5	<10	10	4
RL07-011	200742492	300089	86.00	87.00	1.00	8/29/2007	7	11	9	<1	<1	4	2	<1	3	2	8	<1	<1		<0.10	117	<1	0.4	<2	67	15	1	<1	0.1	<4	2	325	13	1	0.2	11	0.1	153	7	0.1	7	<100	99	<5	<5	0.1	<10	40	<100	<1	4	<10	17	10
RL07-011	200742492	300090	87.00	88.00	1.00	8/29/2007	5	12	9	<1	<1	4	<1	<1	1	<1	6	<1	<1		<0.10	59	<1	0.3	2	61	8	<1	4	0.1	<4	1	409	8	0.9	0.1	5	0.1	101	3	0.1	8	<100	56	<5	<5	0	<10	20	<100	<1	3	<10	7	4
RL07-011	200742492	300091	88.00	89.00	1.00	8/29/2007	4	5	8	<1	<1	3	<1	<1	<1	<1	4	<1	<1		<0.10	31	<1	0.2	<2	63	7	<1	<1	0	<4	<1	373	8	0.7	0.1	6	0	<100	2	0.1	8	<100	44	<5	<5	0	<10	5	<100	<1	<2	<10	4	2
RL07-011	200742492	300092	89.00	90.00	1.00	8/29/2007	5	10	8	<1	<1	4	<1	<1	<1	1	4	<1	<1		<0.10	233	<1	0.2	<2	61	5	<1	<1	0.1	<4	2	284	9	2	0.1	7	0	197	7	0.1	7	<100	237	<5	<5	0	<10	7	119	2	9	<10	23	28
RL07-011	200742492	300093	90.00	91.00	1.00	8/29/2007	8	9	9	<1	<1	5	2	<1	1	1	7	<1	1		<0.10	642	<1	0.2	<2	60	4	<1	8	0.1	<4	3	321	10	3.2	0.1	5	0	368	14	0.1	8	<100	528	<5	<5	0	<10	7	292	<1	16	<10	50	31
RL07-011	200742492	300094	91.00	92.00	1.00	8/29/2007	3	18	8	<1	<1	3	2	<1	1	1	7	<1	1		<0.10	25	<1	0.2	<2	57	6	<1	<1	0	<4	1	239	6	0.9	0.1	6	0	114	2	0.1	6	<100	55	<5	<5	0	<10	4	<100	<1	4	<10	6	9
RL07-011	200742492	300095	92.00	93.00	1.00	8/29/2007	4	18	7	<1	<1	3	1	<1	1	1	5	<1	2		<0.10	24	<1	1.5	<2	77	115	1	7	0.9	<4	23	210	50	3.1	1	204	1.4	742	6	0.1	53	347	138	<5	<5	0.1	<10	13	2176	<1	97	<10	10	100
RL07-011	200742492	300096	93.00	94.00	1.00	8/29/2007	2	15	8	<1	<1	3	<1	<1	1	2	6	<1	2		<0.10	<10	<1	1.1	<2	64	88	<1	4	1.1	<4	16	165	53	2.3	0.3	82	1.1	382	4	0.1	31	980	87	<5	<5	0.1	<10	33	2097	<1	72	<10	11	40
RL07-011	200742492	300097	94.00	95.00	1.00	8/29/2007	2	11	9	<1	<1	3	<1	<1	1	<1	5	<1	2		0	<10	<1	1.1	<2	69	45	<1	2	0.9	<4	18	161	67	2.4	0.7	113	1.1	356	5	0.1	35	972	87	<5	<5	0.1	<10	18	2065	<1	78	<10	8	44
RL07-011	200742492	300098	95.00	96.00	1.00	8/29/2007	4	14	9	<1	<1	4	2	<1	<1	<1	4	<1	1		<0.10	<10	<1	1.3	<2	74	100	<1	2	1.1	<4	18	200	33	2.6	0.7	139	1.3	502	5	0.1	37	###	95	<5	<5	0.1	<10	24	2276	<1	84	<10	10	55
RL07-011	200742492	300099	96.00	97.20	1.20	8/29/2007	4	24	7	<1	<1	4	2	<1	<1	2	7	<1	<1		<0.10	95	<1	0.2	<2	69	7	<1	2	0	<4	2	352	7	1	0.1	5	0.1	124	5	0.1	8	<100	56	<5	<5	0	<10	6	<100	<1	5	<10	11	7
RL07-011	200742492	300100	97.20	98.00	0.80	8/29/2007	3	19	9	<1	<1	4	<1	<1	<1	<1	5	<1	<1		<0.10	55	<1	0.2	<2	68	6	<1	<1	0.1	<4	1	238	6	0.7	0.1	9	0.1	143	3	0.1	6	<100	50	<5	<5	0	<10	8	<100	<1	4	<10	7	11
RL07-011	200742492	300101	98.00	98.90	0.90	8/29/2007	7	19	8	<1	<1	5	3	<1	2	<1	5	1	2		<0.10	29	<1	1.2	<2	68	31	<1	10	1.1	<4	15	208	28	2.5	0.2	80	1.2	592	6	0.1	31	823	118	<5	<5	0.1	<10	35	1948	<1	68	<10	12	85
RL07-011	200742492	300102	98.90	100.00	1.10	8/29/2007	5	16	8	<1	<1	4	2	<1	<1	2	5	<1	<1		<0.10	11	<1	1	2	68	34	<1	<1	0.9	<4	14	165	27	2	0.2	64	1	297	4	0.1	30	923	69	<5	<5	0.1	<10	19	1861	<1	64	<10	8	48
RL07-011	200742492	300103	100.00	101.30	1.30	8/29/2007	8	8	7	<1	<1	6	1	<1	<1	<1	3	<1	<1		<0.10	19	<1	0.2	<2	63	5	1	3	0.1	<4	2	215	8	0.7	0.1	7	0.1	126	3	0.1	7	<100	59	<5	<5	0	<10	15	132	<1	3	<10	12	13
RL07-011	200742492	300104	101.30	102.30	1.00	8/29/2007	6	14	8	<1	<1	4	<1	<1	1	<1	5	<1	2		<0.10	<10	<1	0.8	<2	67	17	<1	<1	0.6	<4	11	184	13	1.7	0.1	56	0.8	405	3	0.1	24	642	75	<5	<5	0.1	<10	16	1253	<1	45	<10	14	40
RL07-011	200742492	300105	102.30	103.30	1.00	8/29/2007	7	13	7	<1	<1	5	<1	<1	<1	<1	4	<1	<1		<0.10	15	<1	0.3	<2	63	7	<1	4	0.1	<4	2	314	9	0.9	0.1	14	0.2	194	3	0.1	10	<100	46	<5	<5	0	<10	8	210	<1	6	<10	12	21
RL07-011	200742492	300106	103.30	104.30	1.00	8/29/2007	9	10	8	<1	<1	7	<1	<1	2	1	5	<1	1		<0.10	13	<1	0.3	<2	67	6	<1	2	0.1	<4	2	238	7	0.8	0.1	12	0.2	196	3	0.1	8	<100	43	<5	<5	0	<10	7	212	<1	7	<10	11	22
RL07-011	200742492	300107	104.30	104.70	0.40	8/29/2007	6	14	8	<1	<1	5	1	<1	1	1	5	<1	<1		<0.10	<10	<1	1.1	<2	65	40	<1	4	0.9	<4	15	181	39	2.1	0.3</																			

ddh	report	number	from	to	interval	date	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr	Hg	S	U	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn	
RL07-012	200840016	487168	69.50	70.70	1.20	1/7/2008	17	9	<1	<1	<1	8	16	12	<1	10	<1	17	<1	0.11	<10	1	1.9	<2	<10	5	<1	8	1.9	<4	28	123	100	3.4	0.2	64	1.6	578	<1	0.2	60	199	90	<5	<5	<0.01	<10	12	1844	4	99	<10	25			
RL07-012	200840016	487169	70.70	71.45	0.75	1/7/2008	59	9	<1	<1	1	31	8	10	8	<1	8	<1	35	<1	<0.10	<10	<1	1.5	<2	<10	26	<1	10	1.6	<4	17	129	10	2.7	0.1	85	1.6	502	<1	0.2	37	794	64	<5	<5	<0.01	<10	41	2415	4	89	<10	19		
RL07-013	200840016	487076	16.50	17.00	0.50	1/7/2008	13	3	<1	<1	<1	20	8	10	2	<1	<1	5	19	<1	<0.10	21	<1	0.4	<2	<10	8	<1	5	0.1	<4	<1	421	9	0.8	0.1	10	0.1	249	<1	0.1	8	<100	69	6	<5	<5	<0.01	<10	4	153	<1	4	<10	12	
RL07-013	200840016	487077	17.00	18.00	1.00	1/7/2008	21	2	<1	<1	<1	13	5	11	<1	<1	<1	5	21	<1	<0.10	17	<1	0.2	<2	<10	4	<1	3	0.1	<4	<1	304	4	0.7	0.1	8	0	171	<1	0.1	5	<100	39	6	<5	<5	<0.01	<10	<3	<100	<1	<2	<10	9	
RL07-013	200840016	487078	18.00	19.00	1.00	1/7/2008	18	2	<1	6	<1	10	2	4	<1	<1	3	26	89	<1	<0.10	42	<1	0.2	<2	<10	4	<1	4	0.1	<4	<1	320	4	0.7	0.1	6	0	115	<1	0.1	6	<100	55	<5	<5	<0.01	<10	<3	<100	<1	<2	<10	2		
RL07-013	200840016	487079	19.00	20.00	1.00	1/7/2008	21	2	<1	2	<1	12	2	5	<1	<1	<1	3	41	<1	<0.10	41	<1	0.2	<2	<10	4	<1	2	0	<4	<1	295	3	0.6	0.1	2	0	<100	<1	0.1	5	<100	47	<5	<5	<0.01	<10	<3	<100	<1	<2	<10	<1		
RL07-013	200840016	487080	20.00	21.00	1.00	1/7/2008	59	3	<1	16	<1	31	<1	2	<1	<1	4	57	287	<1	<0.10	144	<1	0.2	<2	<10	5	<1	2	0	<4	<1	338	5	0.9	0.1	<1	0	<100	<1	0.1	5	<100	117	<5	<5	<0.01	<10	6	<100	<1	2	<10	<1		
RL07-013	200840016	487081	21.00	22.40	1.40	1/7/2008	49	5	<1	5	<1	28	4	60	1	<1	4	20	111	<1	<0.10	66	<1	0.6	<2	15	14	<1	4	0.1	<4	2	420	9	1.1	0.3	47	0.3	234	<1	0.1	19	<100	76	6	<5	<5	<0.01	<10	7	228	<1	8	<10	11	
RL07-013	200840016	487082	22.40	23.00	0.60	1/7/2008	43	6	<1	<1	<1	25	5	14	7	<1	5	<1	14	<1	<0.10	<10	<1	1.2	<2	11	21	<1	5	1.6	<4	12	250	21	2	0.2	28	1	328	1	0.2	37	503	53	5	<5	<5	<0.01	<10	34	1844	2	66	<10	7	
RL07-013	200840016	487083	113.00	113.65	0.65	1/7/2008	102	11	<1	<1	2	57	7	10	7	<1	9	7	32	<1	<0.10	<10	<1	1.5	<2	14	36	<1	8	2.1	<4	15	172	35	3.1	0.3	38	1.3	698	<1	0.2	29	###	71	5	<5	<5	<0.01	<10	83	2124	<1	76	<10	24	
RL07-013	200840016	487084	113.65	114.65	1.00	1/7/2008	12	4	<1	<1	3	9	21	31	1	<1	3	2	10	<1	<0.10	18	<1	0.3	<2	<10	17	<1	4	0.1	<4	<1	258	14	0.8	0.2	18	0.1	187	<1	0.1	6	<100	55	<5	<5	<0.01	<10	9	280	<1	7	<10	<1		
RL07-013	200840016	487085	114.65	116.00	1.35	1/7/2008	38	6	<1	1	<1	37	13	30	3	<1	8	12	35	<1	<0.10	<10	<1	1.7	<2	<10	23	<1	6	0.3	<4	4	329	9	1.3	0.2	32	0.4	353	<1	0.1	13	257	59	5	<5	<5	<0.01	<10	23	772	1	19	<10	20	
RL07-013	200840016	487086	116.00	117.00	1.00	1/7/2008	86	8	<1	<1	48	8	56	7	<1	8	8	29	<1	<0.10	<10	<1	1.2	<2	<10	39	<1	7	1.5	<4	14	190	75	2.3	0.3	54	1.2	496	1	0.1	31	###	72	5	<5	<5	<0.01	<10	37	2471	<1	74	<10	25		
RL07-014	200730088	300248	10.50	11.20	0.70	9/11/2007	<1	5	7	3	<1	3	7	16	<1	17	6	9	32	<1	<0.10	<10	<1	0.3	11	52	9	<1	<1	0.1	<4	2	392	5	0.9	0.2	10	0.1	157	2	0.1	<1	<100	55	<5	<5	0.1	<10	6	102	2	3	<10	11	<1	
RL07-014	200730088	300249	11.20	12.20	1.00	9/11/2007	<1	3	7	2	<1	2	3	5	<1	17	4	<1	12	<1	<0.10	<10	<1	0.2	87	51	7	<1	<1	0	<4	<1	340	2	0.8	0.1	11	0.1	143	<1	0.1	<1	<100	44	<5	<5	0	<10	4	103	<1	2	<10	5	<1	
RL07-014	200730088	300250	12.20	13.50	1.30	9/11/2007	12	12	11	<1	<1	4	8	32	10	19	9	<1	6	<1	0.57	14	<1	1.8	6	45	29	<1	2	1.4	<4	44	179	220	3.9	0.3	114	1.2	750	5	0.2	82	178	98	<5	<5	0.1	<10	23	1523	<1	98	<10	8	129	
RL07-014	200730088	300251	13.50	14.00	0.50	9/11/2007	8	8	8	<1	<1	3	6	<1	5	18	7	<1	6	<1	<0.10	<10	<1	1.4	<2	41	16	<1	6	1.2	<4	18	107	88	2.3	0.1	102	1	439	4	0.1	40	160	74	<5	<5	0.1	<10	11	1090	<1	63	<10	6	20	
RL07-014	200730088	300252	14.00	15.00	1.00	9/11/2007	9	20	11	<1	<1	13	10	<1	14	21	16	<1	7	<1	0.11	11	<1	2.8	4	54	14	<1	6	1.6	<4	39	399	186	5.1	0.2	283	2.4	997	9	0.2	122	223	135	<5	<5	0.2	<10	15	1821	<1	125	<10	8	103	
RL07-014	200730088	300253	15.00	15.40	0.40	9/11/2007	11	4	7	3	<1	8	2	<1	<1	17	5	11	29	<1	<0.10	13	<1	0.3	<2	43	7	<1	<1	0.1	<4	<1	235	<1	0.7	0.1	16	0.1	142	9	0.1	<1	<100	46	<5	<5	0	<10	6	104	<1	4	<10	6	<1	
RL07-014	200730088	300254	15.40	16.40	1.00	9/11/2007	36	4	7	3	<1	17	4	<1	<1	17	7	15	47	<1	<0.10	23	<1	0.2	<2	47	4	<1	3	0.1	<4	<1	178	<1	0.7	0.1	14	0.1	125	1	0.1	<1	<100	60	<5	<5	0	<10	4	137	<1	<2	<10	11	1	
RL07-014	200730088	300255	16.40	17.40	1.00	9/11/2007	46	4	7	7	<1	22	1	17	<1	17	7	44	125	<1	<0.10	74	<1	0.2	5	66	8	<1	3	0.1	<4	<1	387	<1	0.9	0.2	6	0	117	5	0.1	<1	<100	97	<5	<5	0.1	<10	9	<100	<1	2	<10	10	<1	
RL07-014	200730088	300256	17.40	18.40	1.00	9/11/2007	48	5	7	8	<1	23	5	46	<1	17	6	33	177	<1	<0.10	80	<1	0.5	<2	54	10	<1	2	0.2	<4	3	277	<1	1	0.2	52	0.3	249	7	0.1	6	<100	112	<5	<5	0.1	<10	8	372	<1	12	<10	17	18	
RL07-014	200730088	300257	18.40	19.40	1.00	9/11/2007	46	5	7	<1	<1	22	4	<1	2	18	6	<1	7	<1	<0.10	<10	<1	0.9	<2	45	15	<1	1	1.1	<4	9	153	43	1.3	0.1	38	0.7	200	<1	0.1	18	492	40	<5	<5	0.1	<10	35	1309	<1	45	<10	6	2	

ddh	report	number	from	to	interval	date	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr	Hg	S	U	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn		
RL07-015	200840016	487193	11.00	12.00	1.00	1/7/2008	35	4	<1	6	<1	16	3	24	<1	<1	3	42	125	<1	<0.10	170	<1	0.3	<2	<10	12	<1	4	0.1	<4	<1	338	5	1	0.2	7	0.1	164	2	0.1	10	<100	127	<5	<5	<0.01	<10	6	<100	<1	6	<10	<1			
RL07-015	200840016	487194	12.00	13.00	1.00	1/7/2008	29	4	<1	<1	<1	15	4	15	<1	<1	1	13	26	<1	<0.10	70	<1	0.2	<2	<10	8	<1	4	0.1	<4	<1	316	4	1	0.2	7	0	173	1	0.1	6	<100	62	<5	<5	<0.01	<10	3	129	<1	6	<10	<1			
RL07-015	200840016	487195	13.00	14.00	1.00	1/7/2008	<1	1	<1	<1	<1	2	2	18	<1	<1	<1	<1	5	<1	<0.10	21	<1	0.2	<2	<10	8	<1	6	0	<4	<1	346	5	0.7	0.2	<1	<0.01	<100	<1	0.1	9	<100	43	6	<5	<5	<0.01	<10	<3	<100	<1	3	<10	<1		
RL07-015	200840016	487196	14.00	15.00	1.00	1/7/2008	7	4	<1	<1	<1	5	6	77	3	<1	2	<1	5	<1	<0.10	<10	1	0.5	<2	<10	12	<1	6	0.1	<4	2	245	3	0.9	0.3	70	0.2	361	<1	0.1	5	<100	65	<5	<5	<0.01	<10	6	405	<1	5	<10	20			
RL07-015	200840016	487197	15.00	16.00	1.00	1/7/2008	4	<1	<1	<1	1	8	<1	19	<1	<1	2	<1	3	<1	<0.10	<10	<1	0.2	<2	<10	11	<1	<1	0.1	<4	<1	261	4	0.5	0.2	3	0	<100	<1	0.1	8	<100	59	<5	<5	<0.01	<10	4	<100	<1	<2	<10	<1			
RL07-015	200840016	487198	16.00	17.00	1.00	1/7/2008	11	2	<1	<1	<1	7	6	25	<1	<1	<1	<1	3	<1	<0.10	12	1	0.3	<2	<10	7	<1	4	0.1	<4	<1	337	4	0.6	0.1	15	0	153	1	0.1	6	<100	37	<5	<5	<0.01	<10	4	102	<1	<2	<10	<1			
RL07-015	200840016	487199	17.00	18.00	1.00	1/7/2008	112	1	<1	<1	<1	57	1	19	<1	<1	2	44	5	<1	<0.10	21	<1	0.2	<2	<10	9	<1	4	0	<4	<1	257	4	0.4	0.2	<1	<0.01	<100	1	0	11	<100	33	5	<5	<5	<0.01	<10	4	<100	<1	<2	<10	<1		
RL07-015	200840016	487200	18.00	19.00	1.00	1/7/2008	58	6	<1	<1	<1	33	5	61	4	<1	4	<1	19	<1	<0.10	<10	<1	0.8	<2	<10	37	<1	5	0.8	<4	12	197	34	1.5	0.3	59	0.7	273	1	0.1	28	549	44	<5	<5	<0.01	<10	17	1920	<1	57	<10	10			
RL07-016	200840016	487132	10.00	10.90	0.90	1/7/2008	62	4	<1	<1	<1	34	4	50	2	<1	5	19	35	<1	<0.10	23	<1	0.7	<2	12	55	<1	6	0.3	<4	6	301	4	1.3	0.3	69	0.3	281	<1	0.1	15	241	60	7	<5	<5	<0.01	<10	13	955	<1	29	<10	11		
RL07-016	200840016	487133	10.90	11.50	0.60	1/7/2008	63	6	<1	<1	<1	41	4	56	2	<1	3	20	38	<1	<0.10	29	1	0.7	<2	16	58	<1	8	0.4	<4	6	312	5	1.4	0.3	74	0.4	301	<1	0.1	16	251	68	<5	<5	<0.01	<10	14	998	<1	31	<10	14			
RL07-016	200840016	487134	11.50	13.00	1.50	1/7/2008	30	2	<1	1	<1	17	2	10	<1	<1	<1	10	30	<1	<0.10	54	<1	0.2	<2	11	8	<1	6	0	<4	<1	331	4	0.6	0.1	<1	0	<100	<1	0.1	5	<100	64	<5	<5	<0.01	<10	3	<100	<1	2	<10	<1			
RL07-016	200840016	487135	13.00	14.00	1.00	1/7/2008	30	2	<1	<1	<1	23	<1	15	<1	<1	<1	8	6	<1	<0.10	18	<1	0.2	<2	16	9	<1	6	0.1	<4	<1	309	4	0.6	0.2	5	0	101	<1	0.1	5	<100	63	<5	<5	<0.01	<10	3	<100	<1	3	<10	<1			
RL07-016	200840016	487136	14.00	15.00	1.00	1/7/2008	13	2	<1	<1	<1	50	1	13	<1	<1	3	<1	7	<1	<0.10	15	1	0.2	<2	18	8	<1	7	0	<4	<1	510	5	0.8	0.2	<1	<0.01	<100	<1	0.1	8	<100	45	7	<5	<5	<0.01	<10	4	<100	<1	3	<10	<1		
RL07-016	200840016	487137	15.00	16.00	1.00	1/7/2008	31	2	<1	<1	<1	34	6	8	<1	<1	4	12	20	<1	<0.10	37	<1	0.2	<2	17	6	<1	8	0.1	<4	<1	454	5	0.8	0.1	7	0	131	<1	0.1	7	<100	39	<5	<5	<0.01	<10	4	<100	<1	4	<10	<1			
RL07-016	200840016	487138	16.00	17.50	1.50	1/7/2008	7	2	<1	<1	<1	46	6	11	<1	<1	3	<1	9	<1	<0.10	16	<1	0.2	<2	13	8	<1	7	0	<4	<1	406	4	0.6	0.2	2	0	<100	1	0.1	7	<100	36	<5	<5	<0.01	<10	4	<100	<1	<2	<10	<1			
RL07-016	200840016	487139	17.50	19.00	1.50	1/7/2008	6	1	<1	<1	<1	5	<1	27	<1	<1	2	<1	4	<1	<0.10	<10	<1	0.3	<2	15	17	<1	4	0.1	<4	<1	167	5	0.3	0.3	<1	0	<100	<1	0.1	5	<100	37	<5	<5	<0.01	<10	4	<100	<1	<2	<10	<1			
RL07-016	200840016	487140	19.00	20.00	1.00	1/7/2008	8	2	<1	<1	<1	6	3	22	<1	<1	<1	5	<1	<0.10	<10	1	0.3	<2	12	12	<1	3	0.1	<4	<1	506	5	0.7	0.2	15	0.1	146	1	0.1	8	<100	37	5	<5	<5	<0.01	<10	5	101	<1	<2	<10	<1			
RL07-016	200840016	487141	20.00	21.00	1.00	1/7/2008	<1	<1	<1	<1	<1	2	<1	20	<1	<1	3	<1	4	<1	<0.10	<10	<1	0.2	<2	<10	11	<1	4	0	<4	<1	295	3	0.3	0.2	<1	<0.01	<100	<1	0.1	7	<100	17	<5	<5	<0.01	<10	4	<100	<1	<2	<10	<1			
RL07-016	200840016	487142	21.00	22.00	1.00	1/7/2008	<1	<1	<1	<1	<1	4	<1	15	<1	<1	2	<1	7	<1	<0.10	14	<1	0.2	<2	14	9	<1	5	0	<4	<1	404	4	0.5	0.2	<1	<0.01	<100	<1	0.1	6	<100	26	5	<5	<5	<0.01	<10	3	<100	<1	<2	<10	<1		
RL07-016	200840016	487143	22.00	23.00	1.00	1/7/2008	<1	1	<1	<1	1	2	<1	20	<1	<1	<1	<1	7	<1	<0.10	13	<1	0.2	<2	12	8	<1	7	0	<4	<1	388	4	0.5	0.2	<1	<0.01	<100	<1	0.1	6	<100	21	5	<5	<5	<0.01	<10	4	<100	<1	<2	<10	<1		
RL07-016	200840016	487144	23.00	24.00	1.00	1/7/2008	12	1	<1	<1	<1	8	3	17	<1	<1	5	<1	8	<1	<0.10	22	1	0.2	<2	12	7	<1	9	0.1	<4	<1	385	4	0.6	0.2	6	0	<100	1	0.1	6	<100	43	<5	<5	<0.01	<10	4	<100	<1	<2	<10	<1			
RL07-016	200840016	487145	24.00	25.00	1.00	1/7/2008	7	2	<1	<1	<1	5	<1	9	<1	<1	6	<1	15	<1	<0.10	51	<1	0.2	<2	13	7	<1	5	0.1	<4	<1	341	4	0.9	0.1	<1	0	<100	<1	0.1	8	<100	45	<5	<5	<0.01	<10	5	<100	<1	3	<10	<1			
RL07-016	200840016	487146	25.00	26.00	1.00	1/7/2008	18	1	<1	<1	<1	10	<1	6	<1	<1	4	1	10	<1	<0.10	47	<1	0.2	<2	<10	6	<1	4	0	<4	<1	419	5	0.7	0.1	<1	0	<100	<1	0.1	7	<100	34	<5	<5	<0.01	<10	3	<100	<1	<2	<10	<1			
RL07-016	200840016	487147	26.00	27.00	1.00	1/7/2008	9	1	<1	<1	<1	6	3	14	<1	<1	<1	14	<1	<0.10	33	<1	0.2	<2	<10	7	<1	6	0.1	<4	<1	157	4	0.6	0.1	5	0	<100	<1	0.1	4	<100	32	<5	<5	<0.01	<10	4	<100	<1	3	<10	<1				
RL07-016	200840016	487148	27.00	28.55	1.55	1/7/2008	62	10	<1	<1	<1	31	8	147	8	<1	6	<1	35	<1	<0.10	<10	<1	1.7	<2	11	167	<1	13	1.7	<4	18	123	11	2.9	0.6	160	1.6	670	1	0.2	35	735	71	5	<5	<5	<0.01	<10	28	2468	2	92	<10	59		
RL07-016	200840016	487149	28.55	29.15	0.60	1/7/2008	17	4	<1	1	<1	8	28	26	<1	<1	2	14	28	<1	<0.10	98	<1	0.3	<2	<10	14	<1	6	0.1	<4	1	172	15	1.1	0																					

ddh	report	number	from	to	interval	date	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr	Hg	S	U	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn	
RL07-019	200840016	487068	96.05	97.00	0.95	1/7/2008	50	6	<1	<1	<1	77	5	<1	6	<1	9	<1	6	<1	0.12	<10	<1	0.9	<2	<10	15	<1	4	1.4	<4	12	174	33	1.8	0.1	22	0.7	317	3	0.2	30	475	52	<5	<5	<0.01	<10	29	1615	<1	61	<10	5		
RL07-019	200840016	487069	97.00	98.00	1.00	1/7/2008	82	7	<1	<1	<1	101	8	35	4	<1	6	16	13	<1	<0.10	<10	<1	1.1	<2	13	42	<1	4	2.8	<4	10	147	25	1.6	0.3	40	1.1	309	<1	0.1	29	741	51	<5	<5	<0.01	<10	58	1600	<1	46	<10	21		
RL07-019	200840016	487070	146.00	147.00	1.00	1/7/2008	46	5	<1	<1	<1	29	3	<1	<1	<1	3	<1	13	<1	<0.10	<10	<1	0.7	<2	<10	14	<1	4	0.5	<4	3	250	15	0.9	0.1	26	0.3	156	<1	0.1	6	143	31	<5	<5	<0.01	<10	79	552	<1	8	<10	5		
RL07-019	200840016	487071	147.00	148.00	1.00	1/7/2008	33	3	<1	<1	<1	20	2	<1	<1	<1	3	8	24	<1	<0.10	17	<1	0.4	<2	11	14	<1	6	0.2	<4	1	300	59	0.8	0.1	12	0.2	137	<1	0.1	6	<100	25	<5	<5	<0.01	<10	33	313	<1	5	<10	<1		
RL07-019	200840016	487072	148.00	149.00	1.00	1/7/2008	26	5	<1	<1	<1	28	3	<1	<1	<1	4	15	22	<1	<0.10	33	<1	0.5	<2	<10	11	<1	6	0.4	<4	<1	293	117	0.8	0.1	8	0.1	104	<1	0.1	5	<100	37	5	<5	<5	<0.01	<10	95	<100	<1	4	<10	<1	
RL07-019	200840016	487073	149.00	150.00	1.00	1/7/2008	30	3	<1	<1	<1	85	2	3	<1	<1	7	10	28	<1	<0.10	27	<1	0.4	<2	<10	15	<1	5	0.1	<4	<1	299	14	0.8	0.1	17	0.2	140	<1	0.1	6	<100	50	<5	<5	<0.01	<10	16	264	<1	4	<10	<1		
RL07-019	200840016	487074	150.00	151.00	1.00	1/7/2008	20	5	<1	<1	<1	85	4	7	1	<1	6	5	19	<1	<0.10	21	2	0.6	<2	<10	7	<1	5	0.3	<4	3	297	11	1.2	0.2	22	0.3	265	<1	0.1	10	156	64	<5	<5	<0.01	<10	14	475	<1	12	<10	8		
RL07-019	200840016	487075	151.00	151.80	0.80	1/7/2008	10	4	<1	<1	<1	7	1	9	1	<1	5	<1	7	<1	<0.10	10	<1	0.4	<2	<10	13	<1	5	0.1	<4	2	309	5	0.9	0.2	15	0.2	174	<1	0.1	8	<100	38	<5	<5	<0.01	<10	12	326	<1	8	<10	<1		
RL07-020	200840016	487001	60.00	61.00	1.00	1/7/2008	88	4	<1	<1	<1	52	1	21	1	<1	3	15	36	<1	<0.10	<10	<1	0.5	3	26	33	<1	2	0.1	<4	2	246	12	1.2	0.2	37	0.2	171	<1	0.1	5	155	44	<5	<5	<0.01	<10	13	428	<1	11	<10	52		
RL07-020	200840016	487002	70.00	71.00	1.00	1/7/2008	81	6	<1	<1	<1	49	1	8	1	<1	5	16	39	<1	<0.10	<10	<1	0.6	<2	20	30	<1	5	0.3	<4	2	307	6	1.1	0.2	26	0.2	192	<1	0.1	6	171	32	<5	<5	<0.01	<10	28	444	<1	9	<10	9		
RL07-020	200840016	487003	80.00	81.00	1.00	1/7/2008	99	5	<1	<1	<1	58	2	41	2	<1	3	19	62	<1	<0.10	<10	<1	0.5	<2	23	42	<1	5	0.1	<4	2	274	6	1.2	0.3	70	0.2	173	<1	0.1	5	163	43	<5	<5	<0.01	<10	8	588	<1	11	<10	21		
RL07-020	200840016	487004	90.00	91.00	1.00	1/7/2008	98	5	<1	1	<1	62	2	44	2	<1	6	18	72	<1	<0.10	<10	<1	0.5	<2	22	40	<1	5	0.1	<4	2	240	6	1.2	0.3	65	0.2	172	<1	0.1	5	172	42	<5	<5	<0.01	<10	8	626	<1	12	<10	20		
RL07-020	200840016	487005	103.00	104.00	1.00	1/7/2008	83	6	<1	<1	<1	57	2	10	1	<1	4	19	49	<1	<0.10	<10	2	0.8	<2	20	47	<1	5	0.3	<4	2	430	8	1.3	0.2	30	0.2	194	<1	0.1	7	170	43	<5	<5	<0.01	<10	43	678	<1	10	<10	4		
RL07-020	200840016	487006	104.00	105.00	1.00	1/7/2008	77	7	<1	<1	<1	77	2	4	1	<1	4	19	45	<1	<0.10	<10	1	0.6	<2	21	31	<1	6	0.3	<4	2	364	8	1.1	0.2	23	0.2	171	1	0.1	7	163	38	<5	<5	<0.01	<10	35	599	<1	10	<10	2		
RL07-020	200840016	487007	105.00	106.00	1.00	1/7/2008	83	6	<1	<1	<1	55	2	17	2	<1	3	20	52	<1	<0.10	<10	<1	0.7	<2	17	45	<1	5	0.2	<4	2	393	8	1.2	0.3	27	0.2	190	<1	0.1	7	171	47	<5	<5	<0.01	<10	20	664	<1	10	<10	7		
RL07-020	200840132	487008	137.50	138.00	0.50	2/11/2008	148	14	<1	2	<1	72	10	85	8	2	6	22	20	<1	0.31	<10	1	1.9	3	32	98	<1	10	1.8	<4	23	131	65	3.3	0.5	113	1.5	598	<1	0.2	33	###	134	<5	<5	0.1	<10	83	2982	3	94	<10	64		
RL07-020	200840132	487009	138.00	138.37	0.37	2/11/2008	35	8	<1	<1	<1	20	2	18	1	<1	3	31	38	<1	<0.10	<10	<1	1	2	29	22	<1	4	0.6	<4	3	172	7	0.9	0.2	31	0.3	168	<1	0.1	6	100	49	5	<5	0	<10	18	574	<1	15	<10	13		
RL07-020	200840132	487010	138.37	139.40	1.03	2/11/2008	31	9	<1	1	<1	19	8	158	5	2	6	19	35	<1	<0.10	<10	2	1.5	2	38	95	<1	1	0.8	<4	15	137	9	2.4	0.7	133	1	490	<1	0.1	25	424	98	6	<5	0.1	<10	17	2027	2	73	<10	42		
RL07-020	200840132	487011	139.40	140.00	0.60	2/11/2008	13	4	<1	3	<1	6	3	17	<1	<1	3	45	96	<1	<0.10	38	<1	0.3	3	31	7	<1	<1	0.1	<4	<1	129	4	0.7	0.1	5	0.1	149	3	0.1	3	<100	50	<5	<5	0	<10	12	130	<1	5	<10	11		
RL07-020	200840132	487012	140.00	140.30	0.30	2/11/2008	59	11	<1	<1	<1	32	10	260	6	2	8	18	25	<1	<0.10	<10	2	2.1	2	38	87	<1	9	1	<4	19	190	1	2.9	1.1	228	1.6	661	<1	0.2	44	520	105	7	<5	0	<10	29	2342	5	84	<10	46		
RL07-020	200840132	487013	140.30	142.00	1.70	2/11/2008	29	5	<1	<1	<1	15	7	51	2	<1	<1	29	16	<1	<0.10	26	1	0.5	<2	37	11	<1	<1	0.1	<4	1	166	3	0.8	0.3	36	0.1	307	<1	0.1	5	<100	62	6	<5	0	<10	6	434	2	6	<10	22		
RL07-020	200840132	487014	142.00	143.25	1.25	2/11/2008	8	5	<1	<1	<1	6	12	62	4	<1	2	20	12	<1	<0.10	19	2	0.5	2	39	7	<1	3	0.1	<4	2	211	3	0.8	0.3	45	0.2	329	<1	0.1	6	<100	50	6	<5	0	<10	5	526	<1	6	<10	28		
RL07-020	200840132	487015	143.25	143.75	0.50	2/11/2008	44	13	<1	1	<1	21	11	48	9	3	10	17	18	<1	<0.10	<10	1	2	3	42	34	<1	15	1.3	<4	20	169	2	3.4	0.2	105	1.3	739	<1	0.2	44	493	128	<5	<5	0.1	<10	38	2674	<1	95	<10	42		
RL07-020	200840132	487016	163.00	163.65	0.65	2/11/2008	21	13	<1	<1	<1	18	10	110	12	2	7	13	18	<1	<0.10	<10	3	2.3	<2	35	86	2	27	1.7	<4	23	206	110	3.3	0.5	214	1.9	663	<1	0.2	48	468	117	6	<5	0.1	<10	26	2172	1	96	<10	77		
RL07-020	200840132	487017	163.65	164.60	0.95	2/11/2008	29	3	<1	2	<1	13	64	25	2	<1	2	31	25	<1	<0.10	33	<1	0.3	3	37	5	<1	2	0.1	<4	<1	136	9	0.5	0.2	15	0.1	116	2	0.1	3	<100	47	5	<5	0	<10	5	127	1	<2	<10	20		
RL07-020	200840132	487018	164.80	165.38	0.58	2/11/2008	21	2	<1	<1	<1	10	27	26	<1	<1	2	20	11	<1	<0.10	16	<1	0.2	2	29	4	<1	<1	0	<4	<1	124	2	0.3	0.1	7	0	138	<1	0.1	2	<100	26	<5	<5	0	<10	<3	<100	1	<2	<10	11		
RL07-020	200840016	487109	165.38	166.78	1.40	2/11/2008	269	23	<1	53	1	125	<1																																											

ddh	report	number	from	to	interval	date	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr	Hg	S	U	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
RL07-020	200840132	487050	218.00	219.00	1.00	2/11/2008	<1	1	<1	<1	<1	<1	<1	27	<1	<1	1	8	7	<1	<0.10	<10	<1	0.2	<2	33	21	<1	<1	0	<4	<1	281	3	0.3	0.3	2	<0.01	<100	<1	0.1	4	<100	32	8	<5	0	<10	6	<100	<1	<2	<10	<1	
RL07-020	200840132	487301	219.00	220.00	1.00	2/11/2008	<1	2	<1	<1	<1	2	<1	35	<1	<1	<1	6	8	<1	<0.10	<10	2	0.3	<2	38	22	<1	<1	0	<4	<1	634	6	0.6	0.3	<1	<0.01	<100	2	0.1	7	<100	41	9	<5	0	<10	7	<100	2	<2	<10	<1	
RL07-020	200840132	487302	220.00	221.00	1.00	2/11/2008	25	3	<1	<1	<1	14	<1	35	<1	<1	<1	24	28	<1	<0.10	18	<1	0.5	<2	40	13	<1	<1	0.1	<4	<1	462	5	0.7	0.3	31	0	109	2	0.2	7	<100	56	8	<5	0	<10	10	116	<1	3	<10	14	
RL07-020	200840132	487303	221.00	222.00	1.00	2/11/2008	34	6	<1	3	<1	17	<1	18	<1	1	3	27	91	<1	<0.10	82	<1	0.4	<2	42	8	<1	1	0.1	<4	<1	610	5	1.3	0.2	7	<0.01	160	5	0.2	7	<100	102	10	<5	0	<10	11	<100	<1	4	<10	11	
RL07-020	200840132	487304	222.00	223.00	1.00	2/11/2008	49	5	<1	3	<1	22	1	31	<1	<1	1	45	77	<1	<0.10	101	1	0.4	2	43	10	<1	2	0.1	<4	<1	538	5	1.2	0.2	24	0	208	4	0.2	8	<100	110	9	<5	0	<10	8	118	<1	4	<10	13	
RL07-020	200840132	487305	223.00	224.00	1.00	2/11/2008	23	4	<1	<1	<1	12	2	31	<1	1	<1	22	25	<1	<0.10	41	<1	0.3	<2	43	12	<1	1	0.1	<4	<1	640	5	0.7	0.3	8	<0.01	105	3	0.1	8	<100	112	10	<5	0	<10	6	<100	<1	<2	<10	2	
RL07-020	200840132	487306	224.00	225.00	1.00	2/11/2008	7	2	<1	<1	<1	5	1	26	<1	<1	1	17	32	<1	<0.10	53	<1	0.4	<2	39	12	<1	2	0.1	<4	<1	449	4	0.6	0.2	9	<0.01	<100	2	0.2	6	<100	83	9	<5	0	<10	9	<100	<1	<2	<10	3	
RL07-020	200840132	487307	225.00	226.00	1.00	2/11/2008	7	3	<1	4	<1	4	<1	35	<1	2	1	28	90	<1	<0.10	119	2	0.4	2	40	14	<1	<1	0.1	<4	<1	774	6	1.1	0.3	13	<0.01	143	6	0.2	9	<100	130	12	<5	0	<10	12	<100	<1	3	<10	7	
RL07-020	200840132	487308	226.00	227.00	1.00	2/11/2008	23	7	<1	10	<1	8	1	36	<1	2	2	68	217	<1	<0.10	205	<1	0.4	<2	38	12	<1	4	0.1	<4	1	456	5	1.7	0.3	18	<0.01	234	9	0.1	6	<100	284	9	<5	0	<10	9	161	4	9	<10	23	
RL07-020	200840132	487309	227.00	228.00	1.00	2/11/2008	21	4	<1	<1	<1	11	1	29	<1	1	<1	34	14	<1	<0.10	99	<1	0.3	<2	38	13	<1	<1	0.1	<4	<1	739	6	1.3	0.3	8	<0.01	186	4	0.1	9	<100	126	11	<5	0	<10	6	<100	<1	4	<10	10	
RL07-020	200840132	487310	228.00	229.00	1.00	2/11/2008	5	1	<1	<1	<1	5	<1	29	<1	<1	2	11	5	<1	<0.10	21	<1	0.3	<2	38	16	<1	4	0	<4	<1	380	3	0.4	0.3	5	<0.01	<100	1	0.1	5	<100	41	8	<5	0	<10	5	<100	<1	<2	<10	<1	
RL07-020	200840132	487311	229.00	230.00	1.00	2/11/2008	6	2	<1	<1	<1	5	<1	30	<1	1	<1	12	10	<1	<0.10	27	<1	0.3	<2	38	20	<1	<1	0	<4	<1	570	4	0.6	0.3	9	<0.01	<100	2	0.1	6	<100	110	9	<5	0	<10	6	<100	<1	<2	<10	<1	
RL07-020	200840132	487312	230.00	231.00	1.00	2/11/2008	12	6	<1	6	1	5	<1	24	<1	<1	1	45	138	<1	<0.10	179	<1	0.3	3	37	11	<1	<1	0.1	<4	<1	408	4	1.4	0.2	16	<0.01	180	7	0.1	6	<100	162	7	<5	0	<10	8	128	<1	6	<10	12	
RL07-020	200840132	487313	231.00	232.00	1.00	2/11/2008	8	4	<1	<1	<1	6	<1	27	<1	2	2	15	36	<1	<0.10	38	<1	0.3	<2	36	11	<1	<1	0.1	<4	<1	688	5	0.8	0.2	17	<0.01	108	4	0.1	9	<100	62	9	<5	0	<10	7	<100	<1	2	<10	2	
RL07-020	200840132	487314	232.00	233.00	1.00	2/11/2008	13	3	<1	1	<1	7	<1	29	<1	<1	1	20	33	<1	<0.10	64	<1	0.4	<2	45	11	<1	<1	0.1	<4	<1	406	4	0.5	0.2	25	<0.01	<100	2	0.1	6	<100	76	7	<5	0	<10	7	<100	<1	<2	<10	4	
RL07-020	200840132	487315	233.00	234.00	1.00	2/11/2008	59	7	<1	3	<1	26	<1	16	<1	2	2	56	60	<1	<0.10	234	<1	0.3	<2	38	7	<1	6	0.1	<4	1	747	6	1.6	0.1	16	<0.01	250	6	0.2	9	<100	198	12	<5	0	<10	6	146	<1	10	<10	16	
RL07-020	200840132	487316	234.00	235.00	1.00	2/11/2008	14	3	<1	<1	<1	9	<1	38	<1	1	<1	18	29	<1	<0.10	51	<1	0.4	<2	45	19	<1	<1	0.1	<4	<1	592	5	0.6	0.4	14	<0.01	<100	3	0.1	8	<100	68	9	<5	0	<10	9	<100	<1	<2	<10	<1	
RL07-020	200840132	487317	235.00	236.00	1.00	2/11/2008	26	5	<1	<1	<1	13	3	49	1	2	2	30	13	<1	<0.10	102	<1	0.6	2	41	11	<1	<1	0.1	<4	<1	566	5	0.8	0.3	108	0.1	272	2	0.1	8	<100	104	10	<5	0	<10	6	202	<1	2	<10	17	
RL07-020	200840132	487318	236.00	237.00	1.00	2/11/2008	13	2	<1	<1	<1	7	2	44	<1	1	<1	18	11	<1	<0.10	44	1	0.4	2	47	17	<1	<1	0.1	<4	<1	541	5	0.5	0.4	17	<0.01	<100	2	0.1	8	<100	53	9	<5	0	<10	6	<100	<1	<2	<10	<1	
RL07-020	200840132	487319	237.00	238.00	1.00	2/11/2008	8	3	<1	<1	<1	6	<1	39	<1	<1	2	13	11	<1	<0.10	14	<1	0.4	<2	34	14	<1	<1	0.1	<4	<1	673	5	0.6	0.3	15	0	113	2	0.1	8	<100	44	9	<5	0	<10	5	<100	<1	<2	<10	2	
RL07-020	200840132	487320	238.00	239.00	1.00	2/11/2008	3	5	<1	<1	2	3	2	37	<1	<1	<1	15	9	<1	<0.10	27	<1	0.4	<2	42	10	<1	<1	0.1	<4	<1	420	4	0.8	0.3	15	0	152	2	0.2	6	<100	61	8	<5	0	<10	5	<100	<1	4	<10	5	
RL07-020	200840132	487321	239.00	240.00	1.00	2/11/2008	21	4	<1	<1	<1	11	2	41	<1	2	1	19	18	<1	<0.10	22	1	0.4	<2	40	14	<1	7	0.1	<4	<1	688	6	0.6	0.3	14	0	123	3	0.2	9	<100	50	9	<5	0	<10	6	<100	2	<2	<10	2	
RL07-020	200840132	487322	240.00	240.60	0.60	2/11/2008	45	7	<1	<1	<1	21	5	29	2	<1	3	44	30	<1	<0.10	38	<1	0.7	2	39	12	<1	<1	0.2	<4	2	459	7	1.1	0.3	20	0.2	334	1	0.2	9	<100	110	9	<5	0	<10	11	267	1	11	<10	34	
RL07-020	200840132	487323	240.60	242.00	1.40	2/11/2008	33	14	<1	1	<1	7	12	26	16	3	8	16	22	<1	<0.10	15	1	2.5	3	47	18	1	7	2.3	<4	23	387	50	3.7	0.3	82	1.5	975	<1	0.3	42	169	158	7	<5	0.1	<10	30	1991	2	111	<10	48	
RL07-020	200840132	487324	242.00	243.00	1.00	2/11/2008	76	13	<1	2	<1	43	11	85	11	3	13	21	27	<1	<0.10	13	2	2.3	5	49	83	<1	11	2	<4	26	214	48	3.9	0.8	149	1.8	716	<1	0.3	48	986	155	5	<5	0.1	<10	41	3096	3	119	<10	58	
RL07-020	200840132	487325	244.60	245.10	0.50	2/11/2008	79	16	<1	2	<1	41	13	288	11	3	9	24	40	<1	0.14	14	2	2.5	5	58	129	2	7	1.3	<4	24	554	80	3.9	1.3	213	1.7	###	<1	0.3	50	720	142	11	<5	0.1	<10	43	2431	2	103	<10	74	
RL07-020	200840132	487326	245.10	245.82	0.72	2/11/2008	9	6	<1	<1	2	5	4	114	2	<1	3	18	25	<1	<0.10	21	2	0.7	<2	50																													

ddh	report	number	from	to	interval	date	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr	Hg	S	U	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn
WL08-003	200840863	475841	131.40	133.00	1.60	5/12/2008	5	4	3	<1	<1	4	1	54	3	5	8	14	4	4	<0.10	<10	<1	0.3	4	46	20	<1	10	0.1	<4	2	458	5	0.9	0.3	8	0.1	121	3	0.1	15	<100	38	<5	<5	0	<10	15	<100	2	4	<10	2	5
WL08-003	200840863	475842	133.00	134.00	1.00	5/12/2008	44	8	1	<1	<1	21	5	117	7	5	12	53	10	4	<0.10	<10	<1	0.8	4	55	26	<1	2	0.2	<4	5	260	4	1.9	0.6	44	0.3	375	3	0.1	7	169	83	<5	<5	0.1	<10	17	921	<1	12	<10	9	36
WL08-003	200840863	475843	134.00	135.00	1.00	5/12/2008	76	6	2	<1	<1	39	2	71	4	5	12	63	11	3	<0.10	<10	<1	0.5	5	52	30	<1	7	0.2	<4	3	314	4	1.5	0.5	22	0.1	197	3	0.1	8	165	71	<5	<5	0	<10	19	373	<1	10	<10	9	17
WL08-003	200840863	475844	135.00	136.00	1.00	5/12/2008	47	3	2	1	<1	22	1	63	3	5	11	31	6	3	<0.10	<10	<1	0.4	4	51	31	<1	7	0.2	<4	2	289	4	0.6	0.4	13	0.1	160	2	0.1	6	303	29	<5	5	0	<10	18	199	<1	<2	<10	9	9
WL08-003	200840863	475845	136.00	137.00	1.00	5/12/2008	27	4	3	<1	<1	14	2	72	4	4	11	18	8	3	<0.10	<10	<1	0.5	2	49	34	<1	10	0.1	<4	3	361	4	1	0.5	24	0.2	171	2	0.1	10	134	46	<5	<5	0	<10	17	426	<1	4	<10	5	17
WL08-003	200840863	475846	137.00	138.00	1.00	5/12/2008	63	5	1	<1	<1	32	2	77	4	5	12	34	7	3	<0.10	<10	<1	0.5	6	49	26	<1	6	0.2	<4	3	304	4	1	0.4	26	0.2	174	2	0.1	7	268	47	<5	<5	0	<10	17	373	5	4	<10	9	16
WL08-003	200840863	475847	138.00	139.00	1.00	5/12/2008	19	3	2	<1	<1	9	<1	73	3	5	11	16	8	3	<0.10	<10	<1	0.4	4	54	35	<1	9	0.2	<4	2	397	4	0.8	0.4	18	0.1	137	2	0.1	11	237	39	<5	6	0.1	<10	18	222	2	3	<10	7	9
WL08-003	200840863	475848	139.00	140.35	1.35	5/12/2008	27	4	2	<1	<1	11	2	67	4	5	13	12	9	4	<0.10	<10	<1	0.5	2	49	27	<1	10	0.4	<4	3	283	3	1.1	0.4	20	0.2	192	2	0.1	6	678	45	<5	5	0	<10	17	407	<1	6	<10	14	17
WL08-004	200840863	475849	31.40	33.00	1.60	5/12/2008	34	4	2	<1	<1	16	2	74	4	5	12	23	15	3	<0.10	<10	<1	0.5	3	54	13	<1	6	0.2	<4	3	341	17	1	0.4	24	0.1	185	3	0.1	9	<100	75	<5	<5	0	<10	11	504	2	5	<10	5	38
WL08-004	200840863	475850	33.00	34.00	1.00	5/12/2008	48	5	3	2	<1	22	1	58	3	5	12	34	28	4	<0.10	22	<1	0.4	3	51	11	<1	6	0.2	<4	2	353	5	0.9	0.3	14	0.1	126	3	0.1	7	<100	57	<5	5	0	<10	11	197	<1	3	<10	8	12
WL08-004	200840863	475851	34.00	35.00	1.00	5/12/2008	88	5	<1	<1	<1	40	1	52	3	5	11	53	15	3	<0.10	18	<1	0.4	2	51	7	<1	7	0.2	<4	2	425	6	1.1	0.2	13	0	118	3	0.1	11	<100	61	<5	5	0	<10	11	147	3	4	<10	11	9
WL08-004	200840863	475852	35.00	36.00	1.00	5/12/2008	113	4	1	1	<1	61	1	68	3	5	11	63	16	4	<0.10	<10	<1	0.5	3	53	13	<1	6	0.1	<4	2	335	5	0.8	0.4	22	0.1	131	2	0.1	7	<100	68	<5	<5	0	<10	13	285	2	<2	<10	14	16
WL08-004	200840863	475853	36.00	37.00	1.00	5/12/2008	31	3	2	2	<1	15	1	65	3	5	10	24	28	3	<0.10	27	<1	0.4	2	47	16	<1	7	0.1	<4	2	397	5	0.8	0.3	18	0.1	129	3	0.1	10	<100	56	<5	<5	0	<10	12	216	<1	<2	<10	7	11
WL08-004	200840863	475854	37.00	38.00	1.00	5/12/2008	36	3	1	2	<1	17	1	67	3	5	9	26	28	4	<0.10	<10	<1	0.4	3	43	13	<1	5	0.1	<4	2	331	4	0.7	0.3	17	0.1	133	2	0.1	6	<100	50	<5	6	0	<10	11	246	<1	<2	<10	6	13
WL08-004	200840863	475855	38.00	39.00	1.00	5/12/2008	23	3	2	2	<1	11	<1	64	3	5	11	21	26	4	<0.10	<10	<1	0.4	3	46	17	<1	4	0.1	<4	2	385	5	0.7	0.4	16	0.1	101	3	0.1	10	<100	66	<5	<5	0	<10	13	155	<1	<2	<10	6	10
WL08-004	200840863	475856	39.00	40.00	1.00	5/12/2008	29	5	3	<1	<1	13	3	82	5	5	14	26	29	3	<0.10	<10	<1	0.6	4	45	14	<1	6	0.2	<4	3	316	4	1.1	0.4	37	0.2	224	3	0.1	7	<100	67	<5	<5	0	<10	11	507	<1	2	<10	7	34
WL08-004	200840863	475857	40.00	41.00	1.00	5/12/2008	13	3	1	2	<1	6	1	57	3	6	12	13	16	3	<0.10	38	<1	0.3	3	47	9	<1	8	0.1	<4	2	507	6	0.8	0.2	14	0	107	3	0.1	13	<100	52	<5	<5	0	<10	10	118	3	<2	<10	6	10
WL08-004	200840863	475858	41.00	42.00	1.00	5/12/2008	19	4	2	1	<1	9	3	77	4	5	12	18	22	4	<0.10	<10	<1	0.5	3	50	14	<1	9	0.1	<4	2	298	4	0.9	0.4	22	0.1	175	2	0.1	6	<100	58	<5	5	0	<10	11	341	<1	2	<10	5	16
WL08-004	200840863	475859	42.00	43.00	1.00	5/12/2008	47	3	2	2	<1	22	1	64	3	5	11	33	34	3	<0.10	<10	<1	0.4	3	50	17	<1	7	0.1	<4	2	413	5	0.8	0.4	15	0.1	133	3	0.1	11	<100	45	<5	<5	0	<10	13	158	2	<2	<10	8	8
WL08-004	200840863	475860	43.00	44.00	1.00	5/12/2008	27	3	3	2	<1	13	<1	65	3	5	13	23	25	4	<0.10	32	<1	0.3	3	47	17	<1	5	0.1	<4	2	355	4	0.7	0.3	14	0.1	162	3	0.1	7	<100	50	<5	6	0	<10	11	141	<1	<2	<10	8	8
WL08-004	200840863	475861	44.00	45.00	1.00	5/12/2008	17	3	2	1	<1	8	1	55	3	4	9	12	20	3	<0.10	<10	<1	0.3	4	51	7	<1	5	0.1	<4	1	253	3	0.6	0.2	17	0.1	<100	2	0.1	5	<100	40	<5	6	0	<10	10	178	<1	<2	<10	4	9
WL08-004	200840863	475862	45.00	46.00	1.00	5/12/2008	19	4	<1	2	<1	9	1	66	3	5	12	19	35	4	<0.10	30	<1	0.5	4	53	11	<1	5	0.2	<4	2	370	10	0.9	0.3	24	0.1	144	4	0.1	7	<100	191	<5	5	0	<10	12	287	4	2	<10	7	20
WL08-004	200840863	475863	46.00	47.00	1.00	5/12/2008	31	4	1	3	<1	14	1	65	3	6	12	30	55	4	<0.10	34	<1	0.4	4	49	10	<1	7	0.1	<4	2	428	5	0.8	0.3	18	0.1	119	4	0.1	10	<100	71	<5	<5	0	<10	13	173	<1	<2	<10	11	9
WL08-004	200840863	475864	47.00	48.00	1.00	5/12/2008	31	4	1	1	<1	14	2	60	3	5	13	23	31	4	<0.10	53	<1	0.4	2	46	10	<1	6	0.2	<4	3	348	45	1	0.3	22	0.1	146	5	0.1	8	<100	###	<5	6	0	<10	12	247	1	3	<10	8	162
WL08-004	200840863	475865	48.00	49.00	1.00	5/12/2008	46	3	2	2	<1	22	1	60	3	5	11	34	30	3	<0.10	16	<1	0.4	<2	50	17	<1	9	0.1	<4	2	384	5	0.9	0.3	18	0.1	234	3	0.1	11	<100	76	<5	<5	0	<10	15	212	5	2	<10	8	13
WL08-004	200840863	475866	49.00	50.00	1.00	5/12/2008	43	4	2	1	<1	20	<1	57	3	5	9	31	26	3	<0.10	16	<1	0.4	<2	45	10	<1	6	0.1	<4	2	340	5	0.9	0.3	17	0.1	123	3	0.1	7	<100	77	<5	<5	0	<10	11	202	<1	3	<10	7	11
WL08-004	200840863	475867	50.00	51.00	1.00	5/12/2008	21	3	2	1	<1	10	2	62	3	4	9	18	26	3	<0.10	<10	<1	0.4	<2	49	9	<1	9	0.1	<4	2	370	5	0.7	0.3	19	0.1	121	2	0.1	10	<100	44											

APPENDIX E

DIAMOND DRILL HOLE ASSAY DATA

These data are primarily DNC assays for uranium, converted to ppm of U₃O₈.

Where only ICP analyses are available, they have been adjusted by a factor of 1.20 based on comparative data.

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
BL08-001	200840132	A08-3256	487217	5.30	5.80	0.50	2
BL08-001	200840132	A08-3256	487218	5.80	7.00	1.20	42
BL08-001	200840132	A08-3256	487219	7.00	8.55	1.55	39
BL08-001	200840132	A08-3256	487220	8.55	9.05	0.50	2
BL08-001	200840132	A08-3256	487221	20.70	21.28	0.58	2
BL08-001	200840132	A08-3256	487222	21.28	22.30	1.02	71
BL08-001	200840132	A08-3256	487223	22.40	23.30	0.90	22
BL08-001	200840132	A08-3256	487224	23.30	24.00	0.70	920
BL08-001	200840132	A08-3256	487225	24.00	24.95	0.95	1381
BL08-001	200840132	A08-3256	487226	24.95	25.60	0.65	34
BL08-001	200840132	A08-3256	487227	25.60	27.00	1.40	61
BL08-001	200840132	A08-3256	487228	27.00	28.00	1.00	41
BL08-001	200840132	A08-3256	487229	28.00	29.50	1.50	15
BL08-001	200840132	A08-3256	487230	29.50	30.50	1.00	16
BL08-001	200840132	A08-3256	487231	34.00	34.50	0.50	8
BL08-001	200840132	A08-3256	487232	34.50	35.50	1.00	8
BL08-001	200840132	A08-3256	487233	35.50	36.75	1.25	11
BL08-001	200840132	A08-3256	487234	36.75	37.30	0.55	8
BL08-001	200840132	A08-3256	487235	46.95	47.85	0.90	7
BL08-001	200840132	A08-3256	487236	50.53	51.13	0.60	24
BL08-001	200840132	A08-3256	487237	52.55	53.10	0.55	13
BL08-001	200840132	A08-3256	487238	69.90	70.95	1.05	17
BL08-001	200840132	A08-3256	487239	71.25	72.10	0.85	12
BL08-002	200840132	A08-3256	487240	6.00	7.00	1.00	1
BL08-002	200840132	A08-3256	487241	7.00	8.00	1.00	38
BL08-002	200840132	A08-3256	487242	8.00	9.00	1.00	31
BL08-002	200840132	A08-3256	487243	9.00	10.00	1.00	69
BL08-002	200840132	A08-3256	487244	10.00	10.70	0.70	132
BL08-002	200840132	A08-3256	487245	10.70	11.52	0.82	2
BL08-002	200840132	A08-3256	487246	11.52	12.10	0.58	20
BL08-002	200840132	A08-3256	487247	12.10	13.10	1.00	4
BL08-002	200840132	A08-3256	487248	23.00	24.10	1.10	31
BL08-002	200840132	A08-3256	487249	24.10	25.00	0.90	273
BL08-002	200840132	A08-3256	487250	25.00	26.00	1.00	295
BL08-002	200840132	A08-3256	487251	26.00	27.00	1.00	575
BL08-002	200840132	A08-3256	487252	27.00	28.10	1.10	38
BL08-002	200840132	A08-3256	487253	28.10	28.85	0.75	10
BL08-002	200840132	A08-3256	487254	28.85	29.70	0.85	21
BL08-002	200840132	A08-3256	487255	29.70	30.20	0.50	8
BL08-002	200840132	A08-3256	487256	36.60	37.10	0.50	39
BL08-002	200840132	A08-3256	487257	37.10	38.95	1.85	26
BL08-002	200840132	A08-3256	487258	38.95	40.35	1.40	57
BL08-002	200840132	A08-3256	487259	40.35	41.00	0.65	14
BL08-002	200840132	A08-3256	487260	41.00	42.20	1.20	15
BL08-002	200840132	A08-3256	487261	42.20	42.90	0.70	12
BL08-002	200840132	A08-3256	487262	48.00	48.45	0.45	16
BL08-002	200840132	A08-3256	487263	48.45	50.00	1.55	30
BL08-002	200840132	A08-3256	487264	50.00	51.00	1.00	60
BL08-002	200840132	A08-3256	487265	51.00	52.00	1.00	29
BL08-002	200840132	A08-3256	487266	52.00	52.37	0.37	38
BL08-002	200840132	A08-3256	487267	52.37	53.00	0.63	8
BL08-002	200840132	A08-3256	487268	55.12	55.80	0.68	8
BL08-002	200840132	A08-3256	487269	85.20	85.70	0.50	6
BL08-002	200840132	A08-3256	487270	85.70	87.00	1.30	12
BL08-002	200840132	A08-3256	487271	87.00	88.30	1.30	22
BL08-002	200840132	A08-3256	487272	88.30	88.80	0.50	6
BL08-002	200840132	A08-3256	487273	95.00	95.50	0.50	11
BL08-002	200840132	A08-3256	487274	95.50	97.00	1.50	24
BL08-002	200840132	A08-3256	487275	97.00	97.50	0.50	15
BL08-003	200840132	A08-3256	487377	11.60	12.10	0.50	7
BL08-003	200840132	A08-3256	487378	12.10	13.50	1.40	129
BL08-003	200840132	A08-3256	487379	13.50	14.75	1.25	111
BL08-003	200840132	A08-3256	487380	14.75	15.30	0.55	14
BL08-003	200840132	A08-3256	487381	16.25	16.75	0.50	4
BL08-003	200840132	A08-3256	487382	16.75	17.50	0.75	21
BL08-003	200840132	A08-3256	487383	17.50	18.65	1.15	31
BL08-003	200840132	A08-3256	487384	18.65	19.40	0.75	12
BL08-003	200840132	A08-3256	487385	19.40	19.95	0.55	41
BL08-003	200840132	A08-3256	487386	19.95	20.45	0.50	2
BL08-003	200840132	A08-3256	487387	27.70	28.33	0.63	1
BL08-003	200840132	A08-3256	487388	28.33	29.70	1.37	63
BL08-003	200840132	A08-3256	487389	29.70	30.00	0.30	8
BL08-003	200840132	A08-3256	487390	45.00	45.50	0.50	5
BL08-003	200840132	A08-3256	487391	45.50	47.00	1.50	2
BL08-003	200840226	A08-3256	487392	47.00	48.50	1.50	4

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
BL08-003	200840226	A08-3256	487393	48.50	50.00	1.50	6
BL08-003	200840226	A08-3256	487394	50.00	51.50	1.50	3
BL08-003	200840226	*	498395	51.50	53.00	1.50	26
BL08-003	200840226	*	498396	53.00	54.50	1.50	31
BL08-003	200840226	A08-3256	487397	54.50	56.00	1.50	9
BL08-003	200840226	A08-3256	487398	56.00	58.00	2.00	4
BL08-003	200840226	A08-3256	487399	58.00	60.00	2.00	6
BL08-003	200840226	A08-3256	487400	60.00	60.55	0.55	4
BL08-003	200840226	A08-3256	487401	60.55	61.20	0.65	5
BL08-003	200840226	A08-3256	487402	61.20	63.00	1.80	4
BL08-003	200840226	A08-3256	487403	63.00	64.00	1.00	2
BL08-003	200840226	A08-3256	487404	64.00	66.00	2.00	10
BL08-003	200840226	A08-3256	487405	66.00	66.80	0.80	13
BL08-003	200840226	A08-3256	487406	66.80	67.30	0.50	6
BL08-003	200840226	A08-3256	487407	75.40	75.90	0.50	14
BL08-003	200840226	A08-3256	487408	75.90	77.00	1.10	4
BL08-003	200840226	A08-3256	487409	77.00	78.40	1.40	19
BL08-003	200840226	A08-3256	487410	78.40	78.90	0.50	16
BL08-004	200840226	A08-3256	487395				4
BL08-004A	200840132	A08-3256	487276	4.20	4.64	0.44	1
BL08-004A	200840132	A08-3256	487277	4.64	6.00	1.36	59
BL08-004A	200840132	A08-3256	487278	6.00	7.00	1.00	61
BL08-004A	200840132	A08-3256	487279	7.00	8.00	1.00	29
BL08-004A	200840132	A08-3256	487280	8.00	9.00	1.00	50
BL08-004A	200840132	A08-3256	487281	9.00	10.90	1.90	108
BL08-004A	200840132	A08-3256	487282	10.90	11.40	0.50	6
BL08-004A	200840132	A08-3256	487283	11.40	12.43	1.03	10
BL08-004A	200840132	A08-3256	487284	12.32	13.40	1.08	74
BL08-004A	200840132	A08-3256	487285	13.40	14.05	0.65	32
BL08-004A	200840132	A08-3256	487286	14.20	16.00	1.80	82
BL08-004A	200840132	A08-3256	487287	16.00	17.74	1.74	247
BL08-004A	200840132	A08-3256	487288	17.74	18.35	0.61	6
BL08-004A	200840132	A08-3256	487289	18.35	18.80	0.45	152
BL08-004A	200840132	A08-3256	487290	18.80	19.80	1.00	2
BL08-004A	200840132	A08-3256	487291	26.60	27.10	0.50	10
BL08-004A	200840132	A08-3256	487292	27.10	28.00	0.90	38
BL08-004A	200840132	A08-3256	487293	28.00	29.00	1.00	27
BL08-004A	200840132	A08-3256	487294	29.00	30.00	1.00	62
BL08-004A	200840132	A08-3256	487295	30.00	31.00	1.00	16
BL08-004A	200840132	A08-3256	487296	31.00	32.00	1.00	31
BL08-004A	200840132	A08-3256	487297	32.00	33.00	1.00	10
BL08-004A	200840132	A08-3256	487298	33.00	34.00	1.00	27
BL08-004A	200840132	A08-3256	487299	34.00	35.40	1.40	25
BL08-004A	200840132	A08-3256	487300	35.40	35.90	0.50	3
BL08-004A	200840132	A08-3256	487351	43.10	43.60	0.50	6
BL08-004A	200840132	A08-3256	487352	43.60	45.00	1.40	6
BL08-004A	200840132	A08-3256	487353	45.00	46.00	1.00	2
BL08-004A	200840132	A08-3256	487354	46.00	47.70	1.70	5
BL08-004A	200840132	A08-3256	487355	47.70	48.20	0.50	9
BL08-004A	200840132	A08-3256	487356	48.95	50.33	1.38	22
BL08-004A	200840132	A08-3256	487357	50.33	51.00	0.67	12
BL08-004A	200840132	A08-3256	487358	53.40	53.87	0.47	20
BL08-004A	200840132	A08-3256	487359	53.87	54.45	0.58	32
BL08-004A	200840132	A08-3256	487360	54.45	55.60	1.15	65
BL08-004A	200840132	A08-3256	487361	55.60	57.00	1.40	68
BL08-004A	200840132	A08-3256	487362	57.00	58.35	1.35	27
BL08-004A	200840132	A08-3256	487363	58.35	59.00	0.65	10
BL08-004A	200840132	A08-3256	487364	86.00	86.50	0.50	38
BL08-004A	200840132	A08-3256	487365	86.50	87.00	0.50	26
BL08-004A	200840132	A08-3256	487366	87.00	87.28	0.28	53
BL08-004A	200840132	A08-3256	487367	87.28	88.10	0.82	25
BL08-004A	200840132	A08-3256	487368	88.10	88.60	0.50	17
BL08-004A	200840132	A08-3256	487369	88.60	90.38	1.78	23
BL08-004A	200840132	A08-3256	487370	90.38	90.85	0.47	17
BL08-004A	200840132	A08-3256	487371	97.40	97.78	0.38	7
BL08-004A	200840132	A08-3256	487372	97.78	99.00	1.22	29
BL08-004A	200840132	A08-3256	487373	99.00	99.90	0.90	18
BL08-004A	200840132	A08-3256	487374	99.90	100.85	0.95	14
BL08-004A	200840132	A08-3256	487375	100.85	101.80	0.95	23
BL08-004A	200840132	A08-3256	487376	101.80	102.30	0.50	16
BL08-005	200840381	A08-3256	475532	0.00	1.00	1.00	6
BL08-005	200840381	A08-3256	475533	1.00	2.00	1.00	5
BL08-005	200840381	A08-3256	475534	2.00	3.00	1.00	6
BL08-005	200840381	A08-3256	475535	3.00	4.00	1.00	14
BL08-005	200840381	A08-3256	475536	4.00	5.00	1.00	8

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
BL08-005	200840381	*	475537	5.00	6.00	1.00	<12
BL08-005	200840319	A08-3256	475538	6.00	7.00	1.00	3
BL08-005	200840319	A08-3256	475539	7.00	8.00	1.00	3
BL08-005	200840319	A08-3256	475540	8.00	9.00	1.00	6
BL08-005	200840319	A08-3256	475541	9.00	10.00	1.00	5
BL08-005	200840319	A08-3256	475542	10.00	11.50	1.50	13
BL08-005	200840319	A08-3256	475543	16.00	17.00	1.00	9
BL08-005	200840319	A08-3256	475544	17.00	18.00	1.00	6
BL08-005	200840319	A08-3256	475545	18.00	19.00	1.00	7
BL08-005	200840319	A08-3256	475546	19.00	20.00	1.00	6
BL08-005	200840319	A08-3256	475547	20.00	21.00	1.00	2
BL08-005	200840319	A08-3256	475548	21.00	22.00	1.00	2
BL08-005	200840319	A08-3256	475549	22.00	23.00	1.00	2
BL08-005	200840319	A08-3256	475550	23.00	24.00	1.00	4
BL08-005	200840226	A08-3256	487396	*	*	*	3
BL08-006	200840375	A08-3256	475577	12.40	13.60	1.20	3
BL08-006	200840375	A08-3256	475578	13.60	15.00	1.40	5
BL08-006	200840375	A08-3256	475579	15.00	16.00	1.00	5
BL08-006	200840375	A08-3256	475580	16.00	17.50	1.50	9
BL08-006	200840375	A08-3256	475581	22.00	23.00	1.00	27
BL08-006	200840375	A08-3256	475582	23.00	24.00	1.00	32
BL08-006	200840375	A08-3256	475583	24.00	26.50	2.50	15
BL08-006	200840375	A08-3256	475584	42.80	44.00	1.20	8
BL08-006	200840375	A08-3256	475585	44.00	45.00	1.00	6
BL08-006	200840375	A08-3256	475586	45.00	46.00	1.00	2
BL08-006	200840375	A08-3256	475587	46.00	47.00	1.00	10
BL08-006	200840375	A08-3256	475588	47.00	48.00	1.00	2
BL08-006	200840375	A08-3256	475589	48.00	49.00	1.00	4
BL08-006	200840375	A08-3256	475590	49.00	50.00	1.00	4
BL08-006	200840375	A08-3256	475591	50.00	51.20	1.20	9
BL08-006	200840375	A08-3256	475592	64.60	66.00	1.40	58
BL08-006	200840375	A08-3256	475593	66.00	67.00	1.00	15
BL08-006	200840375	A08-3256	475594	67.00	68.00	1.00	13
BL08-006	200840375	A08-3256	475595	68.00	69.00	1.00	4
BL08-006	200840375	A08-3256	475596	69.00	70.00	1.00	3
BL08-006	200840375	A08-3256	475597	70.00	71.10	1.10	11
BL08-006	200840375	A08-3256	475598	85.80	87.00	1.20	16
BL08-006	200840375	A08-3256	475599	87.00	88.00	1.00	10
BL08-006	200840375	A08-3256	475600	88.00	89.00	1.00	2
BL08-006	200840375	A08-3256	475601	89.00	90.00	1.00	15
BL08-006	200840375	A08-3256	475602	90.00	92.00	2.00	4
BL08-006	200840375	A08-3256	475603	92.00	93.00	1.00	6
BL08-006	200840375	A08-3256	475604	93.00	94.00	1.00	4
BL08-007	200840319	A08-3256	487428	6.20	7.00	0.80	16
BL08-007	200840319	A08-3256	487429	7.00	8.00	1.00	12
BL08-007	200840319	A08-3256	487430	8.00	9.00	1.00	17
BL08-007	200840319	A08-3256	487431	9.00	10.00	1.00	18
BL08-007	200840319	A08-3256	487432	10.00	11.00	1.00	19
BL08-007	200840319	A08-3256	487433	11.00	12.00	1.00	19
BL08-007	200840319	A08-3256	487434	12.00	13.00	1.00	6
BL08-007	200840319	A08-3256	487435	13.00	14.00	1.00	8
BL08-007	200840319	A08-3256	487436	14.00	15.00	1.00	10
BL08-007	200840319	A08-3256	487437	15.00	16.00	1.00	16
BL08-007	200840319	A08-3256	487438	16.00	17.00	1.00	11
BL08-007	200840319	A08-3256	487439	17.00	18.00	1.00	17
BL08-007	200840319	A08-3256	487440	18.00	19.00	1.00	11
BL08-007	200840319	A08-3256	487441	19.00	20.00	1.00	8
BL08-007	200840319	A08-3256	487442	20.00	21.00	1.00	23
BL08-007	200840319	A08-3256	487443	21.00	22.00	1.00	34
BL08-007	200840319	A08-3256	487444	22.00	22.50	0.50	11
BL08-007	200840319	A08-3256	487445	28.50	29.50	1.00	15
BL08-007	200840319	A08-3256	487446	29.50	30.90	1.40	16
BL08-007	200840319	A08-3256	487447	34.00	35.00	1.00	8
BL08-007	200840319	A08-3256	487448	35.00	36.00	1.00	10
BL08-007	200840319	A08-3256	487449	36.00	37.00	1.00	10
BL08-007	200840319	A08-3256	487450	37.00	38.00	1.00	5
BL08-007	200840265	A08-3256	475501	38.00	39.00	1.00	11
BL08-007	200840265	A08-3256	475502	39.00	40.00	1.00	9
BL08-007	200840265	A08-3256	475503	40.00	41.00	1.00	13
BL08-007	200840265	A08-3256	475504	41.00	42.00	1.00	20
BL08-007	200840265	A08-3256	475505	42.00	43.00	1.00	3
BL08-007	200840265	A08-3256	475506	43.00	46.00	3.00	24
BL08-007	200840319	A08-3256	475507	46.00	47.00	1.00	9
BL08-007	200840319	A08-3256	475508	47.00	49.00	2.00	29
BL08-007	200840319	A08-3256	475509	49.00	50.00	1.00	6

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
BL08-007	200840319	A08-3256	475510	50.00	51.00	1.00	6
BL08-007	200840319	A08-3256	475511	51.00	52.00	1.00	7
BL08-007	200840319	A08-3256	475512	52.00	53.00	1.00	3
BL08-007	200840319	A08-3256	475513	53.00	54.00	1.00	4
BL08-007	200840319	A08-3256	475514	54.00	55.00	1.00	3
BL08-007	200840319	A08-3256	475515	55.00	56.00	1.00	27
BL08-007	200840319	A08-3256	475516	56.00	57.00	1.00	30
BL08-007	200840319	A08-3256	475517	57.00	58.00	1.00	12
BL08-007	200840319	A08-3256	475518	58.00	59.00	1.00	77
BL08-007	200840319	A08-3256	475519	59.00	60.00	1.00	9
BL08-007	200840319	A08-3256	475520	60.00	61.00	1.00	62
BL08-007	200840319	A08-3256	475521	61.00	62.00	1.00	13
BL08-007	200840319	A08-3256	475522	62.00	63.00	1.00	13
BL08-007	200840319	A08-3256	475523	63.00	64.00	1.00	21
BL08-007	200840319	A08-3256	475524	64.00	65.00	1.00	23
BL08-007	200840319	A08-3256	475525	65.00	66.00	1.00	65
BL08-007	200840319	A08-3256	475526	66.00	67.00	1.00	35
BL08-007	200840319	A08-3256	475527	67.00	68.00	1.00	14
BL08-007	200840319	A08-3256	475528	68.00	69.00	1.00	17
BL08-007	200840319	A08-3256	475529	69.00	70.00	1.00	14
BL08-007	200840319	A08-3256	475530	70.00	71.00	1.00	20
BL08-007	200840733	A08-3256	475531	71.00	72.00	1.00	21
BL08-007	200840375	A08-3256	475605	72.00	73.20	1.20	19
BL08-007	200840375	A08-3256	475606	73.20	74.40	1.20	6
BL08-007	200840375	A08-3256	475607	74.40	75.50	1.10	36
BL08-007	200840375	A08-3256	475608	75.50	76.50	1.00	30
BL08-007	200840375	A08-3256	475609	76.50	77.50	1.00	28
BL08-007	200840375	A08-3256	475610	77.50	78.50	1.00	21
BL08-007	200840375	A08-3256	475611	78.50	79.50	1.00	21
BL08-007	200840375	A08-3256	475612	79.50	80.50	1.00	15
BL08-008	200840733	A08-3256	475613	18.20	19.00	0.80	9
BL08-008	200840733	A08-3256	475614	19.00	20.00	1.00	9
BL08-008	200840733	A08-3256	475615	20.00	21.00	1.00	9
BL08-008	200840733	A08-3256	475616	21.00	22.00	1.00	8
BL08-008	200840733	A08-3256	475617	22.00	23.00	1.00	13
BL08-008	200840733	A08-3256	475618	23.00	24.00	1.00	27
BL08-008	200840733	A08-3256	475619	24.00	25.00	1.00	10
BL08-008	200840733	A08-3256	475620	25.00	26.00	1.00	17
BL08-008	200840733	A08-3256	475621	26.00	27.00	1.00	39
BL08-008	200840733	A08-3256	475622	27.00	28.00	1.00	42
BL08-008	200840733	A08-3256	475623	28.00	29.00	1.00	13
BL08-008	200840733	A08-3256	475624	29.00	30.00	1.00	5
BL08-008	200840733	A08-3256	475625	30.00	31.00	1.00	9
BL08-008	200840733	A08-3256	475626	31.00	32.00	1.00	26
BL08-008	200840733	A08-3256	475627	32.00	33.00	1.00	17
BL08-008	200840733	A08-3256	475628	33.00	34.00	1.00	12
BL08-008	200840733	A08-3256	475629	34.00	35.00	1.00	16
BL08-008	200840733	A08-3256	475630	35.00	36.00	1.00	15
BL08-008	200840733	A08-3256	475631	36.00	37.00	1.00	15
BL08-008	200840733	A08-3256	475632	37.00	38.00	1.00	7
BL08-008	200840733	A08-3256	475633	38.00	39.00	1.00	20
BL08-008	200840733	A08-3256	475634	39.00	40.00	1.00	12
BL08-008	200840733	A08-3256	475635	40.00	40.80	0.80	12
BL08-008	200840733	A08-3256	475636	46.10	47.00	0.90	24
BL08-008	200840733	A08-3256	475637	47.00	48.00	1.00	8
BL08-008	200840733	A08-3256	475638	48.00	49.10	1.10	19
BL08-008	200840733	A08-3256	475639	60.70	62.00	1.30	8
BL08-008	200840733	A08-3256	475640	62.00	63.00	1.00	8
BL08-008	200840733	A08-3256	475641	63.00	64.00	1.00	12
BL08-008	200840733	A08-3256	475642	64.00	65.00	1.00	10
BL08-008	200840733	A08-3256	475643	65.00	66.00	1.00	11
BL08-008	200840733	A08-3256	475644	66.00	67.00	1.00	29
BL08-008	200840733	A08-3256	475645	67.00	68.00	1.00	18
BL08-008	200840733	A08-3256	475646	68.00	69.00	1.00	46
BL08-008	200840733	A08-3256	475647	69.00	70.10	1.10	11
BL08-009	200840733	A08-3256	475648	2.50	4.00	1.50	11
BL08-009	200840733	A08-3256	475649	4.00	5.00	1.00	16
BL08-009	200840733	A08-3256	475650	5.00	6.00	1.00	12
BL08-009	200840733	A08-3256	475651	6.00	7.00	1.00	12
BL08-009	200840733	A08-3256	475652	7.00	8.00	1.00	21
BL08-009	200840733	A08-3256	475653	8.00	9.00	1.00	55
BL08-009	200840733	A08-3256	475654	9.00	10.40	1.40	12
BL08-009	200840733	A08-3256	475655	11.60	13.00	1.40	4
BL08-009	200840733	A08-3256	475656	34.80	36.00	1.20	8
BL08-009	200840733	A08-3256	475657	36.00	37.00	1.00	22

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
BL08-009	200840733	A08-3256	475658	37.00	38.00	1.00	7
BL08-009	200840733	A08-3256	475659	38.00	39.00	1.00	9
BL08-015	200840265	A08-3256	487451	2.00	4.40	2.40	32
BL08-015	200840265	A08-3256	487452	6.50	7.50	1.00	131
BL08-015	200840265	A08-3256	487453	7.50	8.50	1.00	49
BL08-015	200840265	A08-3256	487454	8.50	9.50	1.00	36
BL08-015	200840265	A08-3256	487455	9.50	11.00	1.50	13
BL08-015	200840265	A08-3256	487456	11.00	12.20	1.20	33
BL08-015	200840265	A08-3256	487457	15.10	16.60	1.50	169
BL08-015	200840265	A08-3256	487458	19.90	21.00	1.10	10
BL08-015	200840265	A08-3256	487459	21.00	22.00	1.00	18
BL08-015	200840265	A08-3256	487460	22.00	23.00	1.00	14
BL08-015	200840265	A08-3256	487461	23.00	24.00	1.00	16
BL08-015	200840265	A08-3256	487462	24.00	25.00	1.00	6
BL08-015	200840265	A08-3256	487463	25.00	26.00	1.00	22
BL08-015	200840265	A08-3256	487464	26.00	27.00	1.00	30
BL08-015	200840265	A08-3256	487465	27.00	28.00	1.00	12
BL08-015	200840265	A08-3256	487466	28.00	29.00	1.00	12
BL08-015	200840265	A08-3256	487467	29.00	30.00	1.00	27
BL08-015	200840265	A08-3256	487468	30.00	31.00	1.00	49
BL08-015	200840265	A08-3256	487469	31.00	31.80	0.80	59
BL08-015	200840265	A08-3256	487470	48.00	49.00	1.00	14
BL08-015	200840265	A08-3256	487471	49.00	50.00	1.00	12
BL08-015	200840265	A08-3256	487472	50.00	51.00	1.00	11
BL08-015	200840265	A08-3256	487473	51.00	52.00	1.00	14
BL08-015	200840265	A08-3256	487474	52.00	53.00	1.00	17
BL08-015	200840265	A08-3256	487475	55.00	56.00	1.00	13
BL08-015	200840265	A08-3256	487476	56.00	57.00	1.00	25
BL08-015	200840265	A08-3256	487477	57.00	58.00	1.00	7
BL08-015	200840265	A08-3256	487478	58.00	59.00	1.00	8
BL08-015	200840265	A08-3256	487479	59.00	60.00	1.00	36
BL08-015	200840265	A08-3256	487480	60.00	61.00	1.00	11
BL08-015	200840265	A08-3256	487481	61.00	62.00	1.00	11
BL08-016	200840265	A08-3256	487482	1.00	2.00	1.00	35
BL08-016	200840265	A08-3256	487483	2.00	3.00	1.00	9
BL08-016	200840265	A08-3256	487484	3.00	4.00	1.00	5
BL08-016	200840265	A08-3256	487485	4.00	5.00	1.00	77
BL08-016	200840265	A08-3256	487486	5.00	6.00	1.00	117
BL08-016	200840265	A08-3256	487487	6.00	7.00	1.00	290
BL08-016	200840265	A08-3256	487488	7.00	8.00	1.00	489
BL08-016	200840265	A08-3256	487489	8.00	9.00	1.00	157
BL08-016	200840265	A08-3256	487490	9.00	10.00	1.00	138
BL08-016	200840265	A08-3256	487491	10.00	11.00	1.00	183
BL08-016	200840265	A08-3256	487492	11.00	12.00	1.00	53
BL08-016	200840265	A08-3256	487493	12.00	13.00	1.00	196
BL08-016	200840265	A08-3256	487494	13.00	14.00	1.00	76
BL08-016	200840265	A08-3256	487495	14.00	15.00	1.00	49
BL08-016	200840265	A08-3256	487496	15.00	16.00	1.00	50
BL08-016	200840265	A08-3256	487497	16.00	17.00	1.00	65
BL08-016	200840265	A08-3256	487498	17.00	18.00	1.00	11
BL08-016	200840265	A08-3256	487499	18.00	19.00	1.00	5
BL08-016	200840265	A08-3256	487500	19.00	20.00	1.00	6
BL08-016	200840265	A08-3256	487330	20.00	21.00	1.00	39
BL08-016	200840265	A08-3256	487331	21.00	22.00	1.00	123
BL08-016	200840265	A08-3256	487332	22.00	23.00	1.00	90
BL08-016	200840265	A08-3256	487333	23.00	24.00	1.00	407
BL08-016	200840265	A08-3256	487334	24.00	25.00	1.00	101
BL08-016	200840265	A08-3256	487335	25.00	26.00	1.00	52
BL08-016	200840265	A08-3256	487336	26.00	27.00	1.00	98
BL08-016	200840265	A08-3256	487337	27.00	28.00	1.00	82
BL08-016	200840265	A08-3256	487338	28.00	29.00	1.00	25
BL08-016	200840265	A08-3256	487339	29.00	30.00	1.00	27
BL08-016	200840265	A08-3256	487340	30.00	31.00	1.00	9
BL08-016	200840265	A08-3256	487341	31.00	32.00	1.00	9
BL08-016	200840265	A08-3256	487342	32.00	33.00	1.00	125
BL08-016	200840265	A08-3256	487343	33.00	34.10	1.10	131
BL08-016	200840265	A08-3256	487419	34.10	35.00	0.90	31
BL08-016	200840265	A08-3256	487420	35.00	36.00	1.00	20
BL08-016	200840265	A08-3256	487421	36.00	37.00	1.00	37
BL08-016	200840265	A08-3256	487422	37.00	38.00	1.00	8
BL08-016	200840265	A08-3256	487423	38.00	39.00	1.00	10
BL08-016	200840265	A08-3256	487424	39.00	40.00	1.00	16
BL08-016	200840265	A08-3256	487425	40.00	41.00	1.00	10
BL08-016	200840265	A08-3256	487426	41.00	42.00	1.00	23
BL08-016	200840265	A08-3256	487427	42.00	42.90	0.90	13

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
BL08-016	200840265	A08-3256	487344	42.90	44.00	1.10	23
BL08-016	200840265	A08-3256	487345	69.00	70.00	1.00	29
BL08-016	200840265	A08-3256	487346	70.00	71.00	1.00	15
BL08-016	200840265	A08-3256	487347	71.00	72.00	1.00	11
BL08-016	200840265	A08-3256	487348	72.00	73.00	1.00	6
BL08-016	200840265	A08-3256	487349	73.00	74.00	1.00	15
BL08-016	200840265	A08-3256	487350	74.00	75.00	1.00	14
BL08-016	200840265	A08-3256	487411	75.00	76.00	1.00	16
BL08-016	200840265	A08-3256	487412	76.00	77.00	1.00	11
BL08-016	200840265	A08-3256	487413	77.00	78.00	1.00	24
BL08-016	200840265	A08-3256	487414	78.00	79.00	1.00	18
BL08-016	200840265	A08-3256	487415	79.00	80.00	1.00	16
BL08-016	200840265	A08-3256	487416	80.00	81.00	1.00	20
BL08-016	200840265	A08-3256	487417	81.00	82.00	1.00	10
BL08-016	200840265	A08-3256	487418	82.00	83.00	1.00	29
EL08-001	*	A08-2553	475967	52.65	53.65	1.00	3
EL08-001	*	A08-2553	475968	53.65	55.00	1.35	212
EL08-001	*	A08-2553	475969	55.00	56.00	1.00	591
EL08-001	*	A08-2553	475970	56.00	57.00	1.00	230
EL08-001	*	A08-2553	475971	57.00	58.00	1.00	468
EL08-001	*	A08-2553	475972	58.00	59.00	1.00	801
EL08-001	*	A08-2553	475973	59.00	60.00	1.00	445
EL08-001	*	A08-2553	475974	60.00	61.00	1.00	341
EL08-001	*	A08-2553	475975	61.00	62.00	1.00	564
EL08-001	*	A08-2553	475976	62.00	63.00	1.00	392
EL08-001	*	A08-2553	475977	63.00	64.00	1.00	162
EL08-001	*	A08-2553	475978	64.00	65.00	1.00	30
EL08-001	*	A08-2553	475979	65.00	66.00	1.00	140
EL08-001	*	A08-2553	475980	66.00	67.00	1.00	157
EL08-001	*	A08-2553	475981	67.00	68.00	1.00	102
EL08-001	*	A08-2553	475982	68.00	69.15	1.15	112
EL08-001	*	A08-2553	475983	69.15	70.15	1.00	3
EL08-001	*	A08-2553	475984	88.50	89.50	1.00	4
EL08-001	*	A08-2553	475985	89.50	90.50	1.00	49
EL08-001	*	A08-2553	475986	90.50	91.50	1.00	65
EL08-001	*	A08-2553	475987	91.50	92.50	1.00	162
EL08-001	*	A08-2553	475988	92.50	93.50	1.00	57
EL08-001	*	A08-2553	475989	93.50	94.50	1.00	6
EL08-001	*	A08-2553	475990	94.50	95.30	0.80	11
EL08-001	*	A08-2553	475991	95.30	96.30	1.00	45
EL08-001	*	A08-2553	475992	96.30	97.00	0.70	58
EL08-001	*	A08-2553	475993	97.00	98.00	1.00	2
EL08-003	*	A08-2553	475994	68.00	69.00	1.00	56
EL08-003	*	A08-2553	475995	69.00	70.00	1.00	60
EL08-003	*	A08-2553	475996	70.00	71.00	1.00	72
EL08-003	*	A08-2553	475997	89.50	90.00	0.50	67
EL08-003	*	A08-2553	475998	140.00	141.00	1.00	39
EL08-003	*	A08-2553	475999	150.00	151.00	1.00	240
EL08-003	*	A08-2553	476000	151.00	152.00	1.00	11
EL08-004	*	A08-2553	602001	0.50	1.00	0.50	89
EL08-004	*	A08-2553	602002	1.00	2.00	1.00	13
EL08-004	*	A08-2553	602003	2.00	3.00	1.00	18
EL08-004	*	A08-2553	602004	3.00	4.00	1.00	40
EL08-004	*	A08-2553	602005	4.00	5.00	1.00	59
EL08-004	*	A08-2553	602006	5.00	6.00	1.00	59
EL08-004	*	A08-2553	602007	6.00	7.00	1.00	130
EL08-004	*	A08-2553	602008	7.00	8.00	1.00	20
EL08-004	*	A08-2553	602009	8.00	8.50	0.50	63
EL08-004	*	A08-2553	602010	16.00	17.00	1.00	11
EL08-004	*	A08-2553	602011	17.00	18.00	1.00	157
EL08-004	*	A08-2553	602012	18.00	19.00	1.00	127
EL08-004	*	A08-2553	602013	19.00	20.00	1.00	97
EL08-004	*	A08-2553	602014	20.00	21.00	1.00	169
EL08-004	*	A08-2553	602015	21.00	22.00	1.00	188
EL08-004	*	A08-2553	602016	22.00	23.00	1.00	110
EL08-004	*	A08-2553	602017	23.00	24.00	1.00	78
EL08-004	*	A08-2553	602018	24.00	25.00	1.00	72
EL08-004	*	A08-2553	602019	25.00	26.00	1.00	109
EL08-004	*	A08-2553	602020	26.00	27.00	1.00	50
EL08-004	*	A08-2553	602021	27.00	28.00	1.00	50
EL08-004	*	A08-2553	602022	28.00	29.00	1.00	15
EL08-004	*	A08-2553	602023	29.00	30.00	1.00	20
EL08-004	*	A08-2553	602024	30.00	31.00	1.00	15
EL08-004	*	A08-2553	602025	31.00	32.00	1.00	16
EL08-004	*	A08-2553	602026	32.00	33.00	1.00	21

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
EL08-004	*	A08-2553	602027	33.00	34.00	1.00	16
EL08-004	*	A08-2553	602028	34.00	35.00	1.00	93
EL08-004	*	A08-2553	602029	35.00	36.00	1.00	27
EL08-004	*	A08-2553	602030	36.00	37.00	1.00	57
EL08-004	*	A08-2553	602031	37.00	38.00	1.00	38
EL08-004	*	A08-2553	602032	38.00	39.00	1.00	133
EL08-004	*	A08-2553	602033	39.00	40.00	1.00	188
EL08-004	*	A08-2553	602034	40.00	41.00	1.00	140
EL08-004	*	A08-2553	602035	41.00	42.00	1.00	209
EL08-004	*	A08-2553	602036	42.00	43.00	1.00	129
EL08-004	*	A08-2553	602037	43.00	44.00	1.00	38
EL08-004	*	A08-2553	602038	44.00	45.00	1.00	22
EL08-004	*	A08-2553	602039	45.00	46.00	1.00	13
EL08-004	*	A08-2553	602040	46.00	47.00	1.00	9
EL08-004	*	A08-2553	602041	47.00	48.00	1.00	19
EL08-004	*	A08-2553	602042	48.00	49.00	1.00	92
EL08-004	*	A08-2553	602043	49.00	50.00	1.00	192
EL08-004	*	A08-2553	602044	50.00	51.00	1.00	205
EL08-004	*	A08-2553	602045	51.00	52.00	1.00	19
EL08-004	*	A08-2553	602046	52.00	53.00	1.00	116
EL08-004	*	A08-2553	602047	53.00	54.00	1.00	146
EL08-004	*	A08-2553	602048	54.00	55.00	1.00	237
EL08-004	*	A08-2553	602049	55.00	56.00	1.00	61
EL08-004	*	A08-2553	602050	56.00	57.00	1.00	53
EL08-004	*	A08-2553	602051	57.00	58.00	1.00	40
EL08-004	*	A08-2553	602052	58.00	59.00	1.00	33
EL08-004	*	A08-2553	602053	59.00	60.00	1.00	42
EL08-004	*	A08-2553	602054	65.00	66.00	1.00	17
EL08-004	*	A08-2553	602055	66.00	67.00	1.00	59
EL08-004	*	A08-2553	602056	67.00	68.00	1.00	58
EL08-004	*	A08-2553	602057	68.00	69.00	1.00	150
EL08-004	*	A08-2553	602058	72.00	73.00	1.00	86
EL08-005	*	A08-3477	602301	58.00	59.00	1.00	118
EL08-005	*	A08-3477	602302	59.00	60.00	1.00	163
EL08-005	*	A08-3477	602303	60.00	61.00	1.00	105
EL08-005	*	A08-3477	602304	64.00	65.00	1.00	37
EL08-005	*	A08-3477	602305	65.00	66.00	1.00	60
EL08-005	*	A08-3477	602306	66.00	67.00	1.00	54
EL08-005	*	A08-3477	602307	67.00	68.00	1.00	361
EL08-005	*	A08-3477	602308	68.00	69.00	1.00	171
EL08-005	*	A08-3477	602309	69.00	70.00	1.00	38
EL08-005	*	A08-3477	602310	70.00	71.00	1.00	42
EL08-005	*	A08-3477	602311	71.00	72.00	1.00	40
EL08-005	*	A08-3477	602312	72.00	73.00	1.00	37
EL08-005	*	A08-3477	602313	90.00	91.00	1.00	49
EL08-005	*	A08-3477	602314	91.00	92.00	1.00	127
EL08-005	*	A08-3477	602315	92.00	93.00	1.00	32
EL08-005	*	A08-3477	602316	93.00	94.00	1.00	62
EL08-005	*	A08-3477	602317	94.00	95.00	1.00	54
EL08-005	*	A08-3477	602318	95.00	96.00	1.00	27
FL08-001			193660	32.50	33.08	0.58	
FL08-001			193661	33.08	34.12	1.04	
FL08-001			194506	34.12	35.00	0.88	
FL08-001			194507	35.00	36.00	1.00	
FL08-001			194508	36.00	36.50	0.50	
FL08-001			193662	36.50	37.00	0.50	
FL08-001			193663	37.00	38.00	1.00	
FL08-001			193664	38.00	38.50	0.50	
FL08-001			193665	103.70	104.00	0.30	
FL08-001			193666	104.00	105.00	1.00	
FL08-001			193667	105.00	105.48	0.48	
FL08-001			193668	105.48	106.00	0.52	
FL08-001			193669	106.00	107.00	1.00	
FL08-002			194514	38.34	39.00	0.66	
FL08-002			194515	39.00	39.67	0.67	
FL08-002			194516	39.67	40.24	0.57	
FL08-003			193670	2.13	3.00	0.87	
FL08-003			193671	3.00	4.00	1.00	
FL08-003			193672	4.00	5.00	1.00	
FL08-003			193673	5.00	6.00	1.00	
FL08-003			193674	6.00	7.00	1.00	
FL08-003			193675	7.00	8.00	1.00	
FL08-003			193676	8.00	9.00	1.00	
FL08-003			193677	9.00	10.00	1.00	
FL08-003			193678	10.00	11.00	1.00	

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
FL08-003			193679	11.00	12.00	1.00	
FL08-003			193680	12.00	13.00	1.00	
FL08-003			193681	13.00	14.00	1.00	
FL08-003			193682	14.00	14.32	0.32	
FL08-003			194517	14.32	15.33	1.01	
FL08-003			194518	15.33	15.90	0.57	
FL08-003			194519	15.90	17.00	1.10	
FL08-003			194520	17.00	18.00	1.00	
FL08-003			194521	18.00	19.00	1.00	
FL08-003			194522	19.00	20.16	1.16	
FL08-003			194523	20.16	21.03	0.87	
FL08-003			194524	21.03	21.47	0.44	
FL08-003			194525	21.47	22.00	0.53	
FL08-003			194726	22.00	23.00	1.00	
FL08-003			194727	23.00	24.00	1.00	
FL08-003			194728	24.00	25.00	1.00	
FL08-003			194729	25.00	26.00	1.00	
FL08-003			194730	26.00	26.71	0.71	
FL08-003			193683	26.71	27.70	0.99	
FL08-003			193684	27.70	28.00	0.30	
FL08-003			193685	28.00	29.00	1.00	
FL08-003			193686	29.00	30.00	1.00	
FL08-003			193687	30.00	31.00	1.00	
FL08-003			193688	31.00	32.00	1.00	
FL08-003			193689	32.00	33.00	1.00	
FL08-003			193690	33.00	34.11	1.11	
FLT08-004			193691	8.00	9.00	1.00	
FLT08-004			193692	9.00	10.00	1.00	
FLT08-004			193693	10.00	11.00	1.00	
FLT08-004			193694	11.00	12.00	1.00	
FLT08-004			193695	12.00	13.00	1.00	
FLT08-004			193696	13.00	14.00	1.00	
FLT08-004			193697	14.00	15.00	1.00	
FLT08-004			193698	15.00	16.00	1.00	
FLT08-004			193699	16.00	17.00	1.00	
FLT08-004			193700	17.00	18.00	1.00	
FLT08-004			193701	18.00	19.00	1.00	
FLT08-004			193702	19.00	20.00	1.00	
FLT08-004			193703	20.00	21.00	1.00	
FLT08-004			194704	21.00	22.00	1.00	
FLT08-004			193705	22.00	23.00	1.00	
FLT08-004			193706	37.00	38.00	1.00	
FLT08-004			193707	38.00	38.78	0.78	
FLT08-004			193708	38.78	39.48	0.70	
FLT08-004			193709	39.48	40.00	0.52	
FLT08-004			193710	40.00	40.94	0.94	
FLT08-004			193711	40.94	41.83	0.89	
FLT08-004			193712	41.83	43.00	1.17	
FLT08-004			193713	43.00	43.48	0.48	
FLT08-004			193714	43.48	43.87	0.39	
FLT08-004			193715	43.87	45.00	1.13	
NL08-001	*	A08-6568	192827	13.00	14.00	1.00	138
NL08-001	*	A08-6568	192828	14.00	15.00	1.00	25
NL08-001	*	A08-6568	192829	15.00	16.00	1.00	47
NL08-001	A08-6099	*	192765	16.43	16.78	0.35	*
NL08-001	*	A08-6568	192830	21.00	22.00	1.00	86
NL08-001	*	A08-6568	192831	28.00	29.00	1.00	159
NL08-001	A08-6099	*	192766	31.55	32.00	0.45	*
NL08-001	*	A08-6568	192832	33.50	34.50	1.00	55
NL08-001	*	A08-6568	192833	34.50	35.50	1.00	57
NL08-001	A08-6099	*	192767	46.37	46.64	0.27	*
NL08-001	A08-6099	*	192768	51.73	52.16	0.63	*
NL08-001	A08-6099	*	192770	55.21	55.71	0.50	*
NL08-001	*	A08-6100	192834	56.00	57.00	1.00	192
NL08-001	A08-6099	*	192769	56.50	57.00	0.50	*
NL08-001	*	A08-6100	192835	61.00	62.00	1.00	9
NL08-001	*	A08-6100	192836	62.00	63.00	1.00	10
NL08-001	*	A08-6100	192837	63.00	64.00	1.00	140
NL08-002	*	A08-6100	192838	29.00	30.00	1.00	107
NL08-002	*	A08-6100	192839	30.00	31.00	1.00	110
NL08-002	*	A08-6100	192840	31.00	32.00	1.00	95
NL08-002	*	A08-6100	192841	32.00	33.00	1.00	290
NL08-002	*	A08-6100	192842	33.00	34.00	1.00	181
NL08-002	*	A08-6100	192843	34.00	35.00	1.00	11
NL08-002	*	A08-6100	192844	35.00	36.00	1.00	44

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
NL08-002	*	A08-6100	192845	36.00	37.00	1.00	332
NL08-002	*	A08-6100	192846	37.00	38.00	1.00	95
NL08-002	*	A08-6100	192847	38.00	38.84	0.84	109
NL08-002	*	A08-6100	192848	41.75	42.75	1.00	137
NL08-002	*	A08-6100	192849	42.75	43.75	1.00	189
NL08-002	*	A08-6100	192850	43.75	44.75	1.00	343
NL08-002	*	A08-6100	193601	44.75	45.75	1.00	7
NL08-002	*	A08-6100	193602	48.65	49.15	0.50	87
NL08-002	*	A08-6100	193603	55.50	56.00	0.50	130
NL08-002	*	A08-6100	193604	56.00	57.00	1.00	114
NL08-002	*	A08-6100	193605	57.00	58.00	1.00	135
NL08-002	*	A08-6100	193606	58.00	59.00	1.00	117
NL08-002	*	A08-6100	193607	59.00	60.00	1.00	84
NL08-002	*	A08-6100	193608	60.00	61.00	1.00	46
NL08-002	*	A08-6100	193609	61.00	62.00	1.00	11
NL08-002	*	A08-6100	193610	62.00	63.00	1.00	77
NL08-002	*	A08-6100	193611	63.00	64.00	1.00	314
NL08-002	*	A08-6100	193612	64.00	65.00	1.00	70
NL08-002	*	A08-6100	193613	65.00	66.00	1.00	46
NL08-002	*	A08-6100	193614	66.00	67.00	1.00	32
NL08-003	*	A08-6531	193615	23.50	24.00	0.50	3
NL08-003	*	A08-6531	193616	24.00	24.91	0.91	178
NL08-003	*	A08-6531	193617	24.91	25.21	0.30	2
NL08-003	*	A08-6531	193618	27.46	28.00	0.54	78
NL08-003	*	A08-6531	193619	28.00	29.00	1.00	15
NL08-003	*	A08-6531	193620	29.00	29.45	0.45	527
NL08-003	*	A08-6531	193621	29.45	30.00	0.55	2
NL08-003	*	A08-6531	192771	84.43	85.00	0.57	9
NL08-003	*	A08-6531	192772	85.00	85.68	0.68	1
NL08-003	*	A08-6531	192773	85.68	86.04	0.36	2
NL08-003	*	A08-6531	192774	86.04	87.06	1.02	2
NL08-003	*	A08-6531	192775	87.06	87.58	0.52	10
NL08-003	*	A08-6531	194501	87.58	88.27	0.69	1
NL08-003	*	A08-6531	194502	88.27	88.90	0.63	0
NL08-003	*	A08-6531	194503	88.90	89.25	0.35	8
NL08-003	*	A08-6531	194504	89.25	89.41	0.16	2
NL08-003	*	A08-6531	194505	89.51	90.00	0.49	61
NL08-003	*	A08-6531	193622	97.00	97.60	0.60	26
NL08-003	*	A08-6531	193623	97.60	98.74	1.14	404
NL08-003	*	A08-6531	193624	98.74	99.55	0.81	4
NL08-003	*	A08-6531	193625	99.55	100.58	1.03	489
NL08-003	*	A08-6531	193626	100.58	100.92	0.34	197
NL08-003	*	A08-6531	193627	100.92	102.00	1.08	118
NL08-003	*	A08-6531	193628	102.00	103.00	1.00	255
NL08-003	*	A08-6531	193629	103.00	103.32	0.32	41
NL08-003	*	A08-6531	193630	103.32	103.71	0.39	9
NL08-003	*	A08-6531	193631	103.71	104.19	0.48	50
NL08-003	*	A08-6531	193632	104.19	104.54	0.35	10
NL08-003	*	A08-6531	193633	104.54	105.02	0.48	131
NL08-003	*	A08-6531	193634	105.02	105.31	0.29	214
NL08-003	*	A08-6531	193635	105.31	106.30	0.99	14
NL08-003	*	A08-6531	193636	106.30	106.78	0.48	658
NL08-003	*	A08-6531	193637	106.78	108.00	1.22	195
NL08-003	*	A08-6531	193638	108.00	109.11	1.11	111
NL08-003	*	A08-6531	193639	109.11	110.00	0.89	32
NL08-003	*	A08-6531	193640	110.00	111.00	1.00	1
NL08-003	*	A08-6531	193641	111.00	111.83	0.83	7
NL08-003	*	A08-6531	193642	111.83	112.83	1.00	348
NL08-003	*	A08-6531	193643	112.83	113.58	0.75	33
NL08-003	*	A08-6531	193644	113.58	114.48	0.90	2
NL08-003	*	A08-6531	193645	114.48	115.00	0.52	142
NL08-003	*	A08-6531	193646	115.00	116.00	1.00	87
NL08-003	*	A08-6531	193647	116.00	117.00	1.00	29
NL08-003	*	A08-6531	193648	117.00	118.00	1.00	176
NL08-003	*	A08-6531	193649	118.00	119.00	1.00	173
NL08-003	*	A08-6531	193650	119.00	120.29	1.29	230
NL08-003	*	A08-6531	193651	120.29	121.01	0.72	192
NL08-003	*	A08-6531	193652	121.01	122.00	0.99	42
NL08-003	*	A08-6531	193653	122.00	123.00	1.00	48
NL08-003	*	A08-6531	193654	123.00	123.95	0.95	54
NL08-003	*	A08-6531	193655	123.95	124.55	0.60	46
NL08-003	*	A08-6531	193656	124.55	125.33	0.78	4
NL08-003	*	A08-6531	193657	125.33	126.13	0.80	72
NL08-003	*	A08-6531	193658	126.13	127.00	0.87	92
NL08-003	*	A08-6531	193659	127.00	128.00	1.00	13

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
RL07-001	200840016	A08-3256	487170	82.40	83.15	0.75	14
RL07-001	200840016	A08-2846	487171	83.15	84.00	0.85	202
RL07-001	200840016	A08-2846	487172	84.00	85.00	1.00	153
RL07-001	200840016	A08-2846	487173	85.00	86.00	1.00	106
RL07-001	200840016	A08-2846	487174	86.00	86.20	0.20	4
RL07-002	200840016	A08-2846	487185	29.20	30.00	0.80	6
RL07-002	200840016	A08-2846	487186	30.00	31.00	1.00	196
RL07-002	200840016	A08-2846	487187	31.00	32.35	1.35	288
RL07-002	200840016	A08-2846	487188	32.35	33.00	0.65	18
RL07-002	200840016	A08-2846	487189	33.00	34.00	1.00	8
RL07-003	200840016	A08-2846	487207	38.00	38.40	0.40	6
RL07-003	200840016	A08-2846	487208	38.40	39.40	1.00	329
RL07-003	200840016	A08-2846	487209	39.40	40.25	0.85	12
RL07-003	200840016	A08-2846	487210	40.25	41.30	1.05	145
RL07-003	200840016	A08-2846	487211	41.30	41.70	0.40	6
RL07-003	200840016	A08-2846	487212	53.50	54.00	0.50	312
RL07-003	200840016	A08-2846	487213	54.00	55.00	1.00	10
RL07-003	200840016	A08-2846	487214	55.00	55.70	0.70	52
RL07-003	200840016	A08-2846	487215	55.70	57.55	1.85	44
RL07-003	200840016	A08-2846	487216	57.55	58.00	0.45	20
RL07-004	200840016	A08-2846	487175	49.00	50.40	1.40	5
RL07-004	200840016	A08-2846	487176	50.40	51.40	1.00	31
RL07-004	200840016	A08-2846	487177	51.40	53.00	1.60	3
RL07-004	200840016	A08-2846	487178	53.00	54.00	1.00	591
RL07-004	200840016	A08-2846	487179	54.00	55.00	1.00	36
RL07-004	200840016	A08-2846	487180	55.00	56.00	1.00	41
RL07-004	200840016	A08-2846	487181	56.00	57.00	1.00	79
RL07-004	200840016	A08-2846	487182	57.00	58.00	1.00	70
RL07-004	200840016	A08-2846	487183	58.00	59.35	1.35	114
RL07-004	200840016	A08-2846	487184	59.35	59.95	0.60	3
RL07-005	200840961	A08-3256	475935	16.00	17.00	1.00	2
RL07-005	200840961	A08-3256	475936	17.00	18.00	1.00	12
RL07-005	200840961	A08-3256	475937	18.00	19.00	1.00	14
RL07-005	200840961	A08-3256	475938	19.00	20.00	1.00	12
RL07-005	200840961	A08-3256	475939	20.00	21.00	1.00	13
RL07-005	200840961	A08-3256	475940	27.00	28.00	1.00	5
RL07-005	200840961	A08-3256	475941	28.00	29.10	1.10	66
RL07-005	200840961	A08-3256	475942	29.10	30.00	0.90	4
RL07-005	200840016	A08-2846	487101	38.00	39.00	1.00	3
RL07-005	200840016	A08-2846	487102	39.00	39.95	0.95	3
RL07-005	200840016	A08-2846	487103	39.95	41.00	1.05	50
RL07-005	200840016	A08-2846	487104	41.00	42.00	1.00	124
RL07-005	200840016	A08-2846	487105	42.00	43.00	1.00	88
RL07-005	200840016	A08-2846	487106	43.00	43.45	0.45	47
RL07-005	200840016	A08-2846	487107	43.45	44.35	0.90	18
RL07-005	200840016	A08-2846	487108	44.35	45.00	0.65	878
RL07-005	200840016	A08-2846	487109	45.00	46.20	1.20	417
RL07-005	200840016	A08-2846	487110	46.20	47.00	0.80	1546
RL07-005	200840016	A08-2846	487111	47.00	48.00	1.00	2006
RL07-005	200840016	A08-2846	487112	48.00	49.10	1.10	92
RL07-005	200840016	A08-2846	487113	49.10	50.00	0.90	10
RL07-005	200840016	A08-2846	487114	50.00	51.30	1.30	16
RL07-005	200840016	A08-2846	487115	51.30	52.00	0.70	667
RL07-005	200840016	A08-2846	487116	52.00	53.00	1.00	186
RL07-005	200840016	A08-2846	487117	53.00	53.70	0.70	25
RL07-005	200840016	A08-2846	487118	53.70	55.00	1.30	11
RL07-005	200840016	A08-2846	487119	55.00	55.65	0.65	6
RL07-005	200840016	A08-2846	487120	55.65	57.00	1.35	170
RL07-005	200840016	A08-2846	487121	57.00	58.00	1.00	425
RL07-005	200840016	A08-2846	487122	58.00	59.00	1.00	852
RL07-005	200840016	A08-2846	487123	59.00	60.00	1.00	37
RL07-005	200840016	A08-2846	487124	83.00	84.00	1.00	5
RL07-005	200840016	A08-2846	487125	84.00	84.60	0.60	24
RL07-005	200840016	A08-2846	487126	84.60	85.55	0.95	133
RL07-005	200840016	A08-2846	487127	85.55	86.00	0.45	30
RL07-005	200840016	A08-2846	487128	86.00	87.00	1.00	4
RL07-005	200840016	A08-2846	487129	90.00	90.70	0.70	16
RL07-005	200840016	A08-2846	487130	90.70	91.75	1.05	525
RL07-005	200840016	A08-3256	487131	91.75	93.00	1.25	29
RL07-006	200742492	*	300129	1.50	2.00	0.50	<12
RL07-006	200742492	*	300130	2.00	3.00	1.00	<12
RL07-006	200742492	*	300131	3.00	4.00	1.00	<12
RL07-006	200742492	*	300132	4.00	5.00	1.00	<12
RL07-006	200742492	*	300133	5.00	6.00	1.00	16
RL07-006	200742492	*	300134	6.00	7.00	1.00	45

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
RL07-006	200742492	*	300135	7.00	8.00	1.00	47
RL07-006	200742492	*	300136	8.00	9.00	1.00	17
RL07-006	200742492	*	300137	9.00	10.00	1.00	27
RL07-006	200742492	*	300138	10.00	11.20	1.20	16
RL07-006	200742492	*	300139	11.20	12.50	1.30	14
RL07-006	200742492	*	300140	12.50	13.20	0.70	<12
RL07-006	200742492	*	300141	13.20	14.00	0.80	<12
RL07-006	200742492	*	300142	14.00	15.00	1.00	18
RL07-006	200742492	*	300143	15.00	16.00	1.00	<12
RL07-006	200742492	*	300144	16.00	17.00	1.00	77
RL07-006	200742492	*	300145	17.00	18.00	1.00	77
RL07-006	200742492	*	300146	18.00	19.00	1.00	55
RL07-006	200742492	*	300147	19.00	20.00	1.00	23
RL07-006	200742492	*	300148	20.00	21.00	1.00	20
RL07-006	200742492	*	300149	21.00	22.10	1.10	<12
RL07-006	200742492	*	300150	22.10	23.00	0.90	<12
RL07-006	200742492	*	300151	23.00	24.00	1.00	<12
RL07-006	200742492	*	300152	24.00	25.00	1.00	<12
RL07-006	200742492	*	300153	25.00	26.00	1.00	<12
RL07-006	200742492	*	300154	26.00	27.00	1.00	17
RL07-006	200742492	*	300155	27.00	28.00	1.00	<12
RL07-006	200742492	*	300156	28.00	30.00	2.00	23
RL07-006	200742492	*	300157	30.00	31.00	1.00	26
RL07-006	200742492	*	300158	31.00	32.00	1.00	883
RL07-006	200742492	*	300159	32.00	33.00	1.00	1022
RL07-006	200742492	*	300160	33.00	34.00	1.00	486
RL07-006	200742492	*	300161	34.00	35.00	1.00	<12
RL07-006	200742492	*	300162	35.00	36.20	1.20	747
RL07-006	200742492	*	300163	36.20	37.00	0.80	659
RL07-006	200742492	*	300164	37.00	38.00	1.00	930
RL07-006	200742492	*	300165	38.00	39.00	1.00	966
RL07-006	200742492	*	300166	39.00	39.90	0.90	68
RL07-006	200742492	*	300167	39.90	41.00	1.10	38
RL07-006	200742492	*	300168	41.00	41.80	0.80	324
RL07-006	200742492	*	300169	41.80	43.00	1.20	48
RL07-006	200742492	*	300170	43.00	44.00	1.00	28
RL07-006	200742492	*	300171	44.00	44.60	0.60	57
RL07-006	200742492	*	300172	44.60	45.90	1.30	61
RL07-006	200742492	*	300173	45.90	47.00	1.10	<12
RL07-006	200742492	*	300174	47.00	48.00	1.00	87
RL07-006	200742492	*	300175	48.00	49.00	1.00	88
RL07-006	200742492	*	300176	49.00	50.00	1.00	129
RL07-006	200742492	*	300177	50.00	51.00	1.00	105
RL07-006	200742492	*	300178	51.00	52.00	1.00	54
RL07-006	200742492	*	300179	52.00	52.50	0.50	231
RL07-006	200742492	*	300180	52.50	53.00	0.50	271
RL07-006	200742492	*	300181	53.00	54.00	1.00	27
RL07-006	200742492	*	300182	54.00	54.80	0.80	24
RL07-006	200742492	*	300183	54.80	55.60	0.80	23
RL07-006	200742492	*	300184	55.60	56.60	1.00	16
RL07-006	200742492	*	300185	56.60	57.60	1.00	18
RL07-006	200742492	*	300186	57.60	58.60	1.00	20
RL07-006	200742492	*	300187	58.60	59.00	0.40	20
RL07-006	200742492	*	300188	59.00	60.00	1.00	51
RL07-006	200742492	*	300189	60.00	61.00	1.00	21
RL07-006	200742492	*	300190	61.00	62.00	1.00	31
RL07-006	200742492	*	300191	62.00	63.00	1.00	<12
RL07-006	200742492	*	300192	63.00	64.00	1.00	20
RL07-006	200742492	*	300193	64.00	65.00	1.00	60
RL07-006	200742492	*	300194	65.00	66.00	1.00	50
RL07-006	200742492	*	300195	66.00	67.00	1.00	71
RL07-006	200742492	*	300196	67.00	68.00	1.00	65
RL07-006	200742492	*	300197	68.00	69.00	1.00	57
RL07-006	200742492	*	300198	69.00	70.60	1.60	38
RL07-006	200742492	*	300199	70.60	71.60	1.00	28
RL07-006	200742492	*	300200	71.60	72.50	0.90	37
RL07-006	200742492	*	300201	72.50	73.50	1.00	297
RL07-006	200742492	*	300202	73.50	74.50	1.00	158
RL07-006	200742492	*	300203	74.50	75.50	1.00	20
RL07-006	200742492	*	300204	75.50	76.50	1.00	<12
RL07-006	200742492	*	300205	76.50	77.50	1.00	<12
RL07-006	200742492	*	300206	77.50	78.50	1.00	<12
RL07-006	200742492	*	300207	78.50	79.50	1.00	<12
RL07-006	200742492	*	300208	79.50	80.00	0.50	<12
RL07-006	200742492	*	300209	80.00	81.00	1.00	<12

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
RL07-006	200742492	*	300210	81.00	82.00	1.00	<12
RL07-006	200742492	*	300211	82.00	83.00	1.00	23
RL07-006	200742492	*	300212	83.00	84.00	1.00	16
RL07-006	200742492	*	300213	84.00	85.00	1.00	<12
RL07-006	200742492	*	300214	85.00	86.00	1.00	<12
RL07-006	200742492	*	300215	86.00	87.00	1.00	<12
RL07-006	200742492	*	300216	87.00	88.00	1.00	<12
RL07-006	200742492	*	300217	88.00	89.00	1.00	23
RL07-007	200840016	A08-3256	487201	13.20	13.90	0.70	8
RL07-007	200840016	A08-3256	487202	13.90	15.00	1.10	224
RL07-007	200840016	A08-3256	487203	15.00	16.00	1.00	30
RL07-007	200840016	A08-3256	487204	16.00	17.00	1.00	101
RL07-007	200840016	A08-3256	487205	17.00	18.20	1.20	42
RL07-007	200840016	A08-3256	487206	18.20	19.00	0.80	9
RL07-008	200840961	A08-3256	475916	16.50	17.50	1.00	5
RL07-008	200840961	A08-3256	475917	17.50	18.50	1.00	73
RL07-008	200840961	A08-3256	475918	18.50	19.40	0.90	67
RL07-008	200840961	A08-3256	475919	19.40	20.20	0.80	44
RL07-008	200840961	A08-3256	475920	20.20	21.20	1.00	7
RL07-008	200840961	A08-3256	475921	24.20	25.20	1.00	1
RL07-008	200840961	A08-3256	475922	25.20	26.00	0.80	27
RL07-008	200840961	A08-3256	475923	26.00	27.00	1.00	0
RL07-008	200840961	A08-3256	475924	30.50	31.00	0.50	4
RL07-008	200840961	A08-3256	475925	31.00	31.40	0.40	35
RL07-008	200840961	A08-3256	475926	31.40	32.00	0.60	4
RL07-008	200840961	A08-3256	475927	48.10	48.90	0.80	12
RL07-008	200840961	A08-3256	475928	52.95	53.65	0.70	69
RL07-008	200840961	A08-3256	475929	53.65	54.20	0.55	2
RL07-008	200840961	A08-3256	475930	54.20	55.00	0.80	26
RL07-008	200840961	A08-3256	475931	55.00	55.70	0.70	5
RL07-008	200840961	A08-3256	475932	96.70	97.70	1.00	4
RL07-008	200840961	A08-3256	475933	97.70	98.70	1.00	82
RL07-008	200840961	A08-3256	475934	98.70	99.70	1.00	4
RL07-009	200840961	A08-3256	475913	28.50	29.60	1.10	18
RL07-009	200840961	A08-3256	475914	29.60	30.60	1.00	11
RL07-009	200840961	A08-3256	475915	30.60	32.00	1.40	15
RL07-009	200840961	A08-3256	475909	119.10	120.10	1.00	5
RL07-009	200840961	A08-3256	475910	120.10	121.15	1.05	73
RL07-009	200840961	A08-3256	475911	121.15	122.15	1.00	29
RL07-009	200840961	A08-3256	475912	122.15	123.15	1.00	3
RL07-010	200840016	A08-3256	487087	9.00	10.00	1.00	12
RL07-010	200840016	A08-3256	487088	10.00	11.00	1.00	4
RL07-010	200840016	A08-3256	487089	11.00	12.00	1.00	5
RL07-010	200840016	A08-3256	487090	12.00	12.50	0.50	5
RL07-010	200840016	A08-3256	487091	12.50	13.85	1.35	137
RL07-010	200840016	A08-3256	487092	13.85	14.85	1.00	6
RL07-010	200840016	A08-3256	487093	14.85	16.40	1.55	14
RL07-010	200840016	A08-3256	487094	16.40	17.00	0.60	4
RL07-010	200840016	A08-3256	487095	55.00	56.00	1.00	5
RL07-010	200840016	A08-3256	487096	56.00	57.00	1.00	3
RL07-010	200840016	A08-3256	487097	57.00	58.00	1.00	10
RL07-010	200840016	A08-3256	487098	58.00	59.40	1.40	14
RL07-010	200840016	A08-3256	487099	59.40	60.25	0.85	268
RL07-010	200840016	A08-3256	487100	60.25	60.65	0.40	12
RL07-011	200742492	*	300001	1.00	2.00	1.00	<12
RL07-011	200742492	*	300002	2.00	3.00	1.00	<12
RL07-011	200742492	*	300003	3.00	4.00	1.00	<12
RL07-011	200742492	*	300004	4.00	5.00	1.00	<12
RL07-011	200742492	*	300005	5.00	6.00	1.00	<12
RL07-011	200742492	*	300006	6.00	7.00	1.00	<12
RL07-011	200742492	*	300007	7.00	8.00	1.00	<12
RL07-011	200742492	*	300008	8.00	9.00	1.00	<12
RL07-011	200742492	*	300009	9.00	10.00	1.00	<12
RL07-011	200742492	*	300010	10.00	11.00	1.00	<12
RL07-011	200742492	*	300011	11.00	12.00	1.00	16
RL07-011	200742492	*	300012	12.00	13.00	1.00	<12
RL07-011	200742492	*	300013	13.00	14.00	1.00	<12
RL07-011	200742492	*	300014	14.00	15.00	1.00	<12
RL07-011	200742492	*	300015	15.00	16.00	1.00	14
RL07-011	200742492	*	300016	16.00	17.00	1.00	<12
RL07-011	200742492	*	300017	17.00	18.00	1.00	<12
RL07-011	200742492	*	300018	18.00	19.00	1.00	26
RL07-011	200742492	*	300019	19.00	20.00	1.00	27
RL07-011	200742492	*	300020	20.00	21.00	1.00	26
RL07-011	200742492	*	300021	21.00	22.00	1.00	30

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
RL07-011	200742492	*	300022	22.00	23.00	1.00	61
RL07-011	200742492	*	300023	23.00	24.00	1.00	26
RL07-011	200742492	*	300024	24.00	25.00	1.00	16
RL07-011	200742492	*	300025	25.00	26.00	1.00	<12
RL07-011	200742492	*	300026	26.00	27.00	1.00	17
RL07-011	200742492	*	300027	27.00	28.00	1.00	20
RL07-011	200742492	*	300028	28.00	29.00	1.00	21
RL07-011	200742492	*	300029	29.00	30.00	1.00	31
RL07-011	200742492	*	300030	30.00	31.00	1.00	109
RL07-011	200742492	*	300031	31.00	32.00	1.00	30
RL07-011	200742492	*	300032	32.00	33.00	1.00	<12
RL07-011	200742492	*	300033	33.00	34.00	1.00	23
RL07-011	200742492	*	300034	34.00	35.00	1.00	<12
RL07-011	200742492	*	300035	35.00	36.00	1.00	<12
RL07-011	200742492	*	300036	36.00	37.00	1.00	17
RL07-011	200742492	*	300037	37.00	38.00	1.00	<12
RL07-011	200742492	*	300038	38.00	39.00	1.00	<12
RL07-011	200742492	*	300039	39.00	40.00	1.00	<12
RL07-011	200742492	*	300040	40.00	41.00	1.00	<12
RL07-011	200742492	*	300041	41.00	42.00	1.00	<12
RL07-011	200742492	*	300042	42.00	43.00	1.00	<12
RL07-011	200742492	*	300043	43.00	44.00	1.00	18
RL07-011	200742492	*	300044	44.00	45.00	1.00	<12
RL07-011	200742492	*	300045	45.00	46.00	1.00	27
RL07-011	200742492	*	300046	46.00	47.00	1.00	30
RL07-011	200742492	*	300047	47.00	48.00	1.00	23
RL07-011	200742492	*	300048	48.00	49.00	1.00	755
RL07-011	200742492	*	300049	49.00	50.00	1.00	1740
RL07-011	200742492	*	300050	50.00	51.00	1.00	1778
RL07-011	200742492	*	300051	51.00	52.50	1.50	72
RL07-011	200742492	*	300052	52.50	53.50	1.00	247
RL07-011	200742492	*	300053	53.50	53.80	0.30	55
RL07-011	200742492	*	300054	53.80	54.80	1.00	244
RL07-011	200742492	*	300055	54.80	55.80	1.00	356
RL07-011	200742492	*	300056	55.80	56.40	0.60	533
RL07-011	200742492	*	300057	56.40	57.20	0.80	24
RL07-011	200742492	*	300058	57.20	58.00	0.80	<12
RL07-011	200742492	*	300059	58.00	59.00	1.00	<12
RL07-011	200742492	*	300060	59.00	60.00	1.00	<12
RL07-011	200742492	*	300061	60.00	61.00	1.00	<12
RL07-011	200742492	*	300062	61.00	62.00	1.00	<12
RL07-011	200742492	*	300063	62.00	63.00	1.00	<12
RL07-011	200742492	*	300064	63.00	63.50	0.50	26
RL07-011	200742492	*	300065	63.50	64.50	1.00	43
RL07-011	200742492	*	300066	64.50	65.00	0.50	<12
RL07-011	200742492	*	300067	65.00	66.00	1.00	<12
RL07-011	200742492	*	300068	66.00	67.00	1.00	<12
RL07-011	200742492	*	300069	67.00	68.00	1.00	<12
RL07-011	200742492	*	300070	68.00	69.00	1.00	<12
RL07-011	200742492	*	300071	69.00	69.50	0.50	<12
RL07-011	200742492	*	300072	69.50	70.00	0.50	21
RL07-011	200742492	*	300073	70.00	71.00	1.00	55
RL07-011	200742492	*	300074	71.00	72.00	1.00	27
RL07-011	200742492	*	300075	72.00	73.00	1.00	58
RL07-011	200742492	*	300076	73.00	74.00	1.00	220
RL07-011	200742492	*	300077	74.00	75.00	1.00	89
RL07-011	200742492	*	300078	75.00	76.00	1.00	<12
RL07-011	200742492	*	300079	76.00	77.00	1.00	85
RL07-011	200742492	*	300080	77.00	78.00	1.00	84
RL07-011	200742492	*	300081	78.00	79.00	1.00	37
RL07-011	200742492	*	300082	79.00	80.00	1.00	<12
RL07-011	200742492	*	300083	80.00	81.00	1.00	34
RL07-011	200742492	*	300084	81.00	82.00	1.00	27
RL07-011	200742492	*	300085	82.00	82.90	0.90	55
RL07-011	200742492	*	300086	82.90	84.00	1.10	38
RL07-011	200742492	*	300087	84.00	85.00	1.00	65
RL07-011	200742492	*	300088	85.00	86.00	1.00	173
RL07-011	200742492	*	300089	86.00	87.00	1.00	166
RL07-011	200742492	*	300090	87.00	88.00	1.00	84
RL07-011	200742492	*	300091	88.00	89.00	1.00	44
RL07-011	200742492	*	300092	89.00	90.00	1.00	331
RL07-011	200742492	*	300093	90.00	91.00	1.00	912
RL07-011	200742492	*	300094	91.00	92.00	1.00	36
RL07-011	200742492	*	300095	92.00	93.00	1.00	34
RL07-011	200742492	*	300096	93.00	94.00	1.00	<12

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
RL07-011	200742492	*	300097	94.00	95.00	1.00	<12
RL07-011	200742492	*	300098	95.00	96.00	1.00	<12
RL07-011	200742492	*	300099	96.00	97.20	1.20	135
RL07-011	200742492	*	300100	97.20	98.00	0.80	78
RL07-011	200742492	*	300101	98.00	98.90	0.90	41
RL07-011	200742492	*	300102	98.90	100.00	1.10	16
RL07-011	200742492	*	300103	100.00	101.30	1.30	27
RL07-011	200742492	*	300104	101.30	102.30	1.00	<12
RL07-011	200742492	*	300105	102.30	103.30	1.00	21
RL07-011	200742492	*	300106	103.30	104.30	1.00	18
RL07-011	200742492	*	300107	104.30	104.70	0.40	<12
RL07-011	200742492	*	300108	104.70	105.70	1.00	<12
RL07-011	200742492	*	300109	105.70	107.00	1.30	<12
RL07-011	200742492	*	300110	107.00	108.00	1.00	<12
RL07-011	200742492	*	300111	108.00	109.00	1.00	<12
RL07-011	200742492	*	300112	109.00	110.00	1.00	<12
RL07-011	200742492	*	300113	110.00	111.00	1.00	<12
RL07-011	200742492	*	300114	111.00	112.00	1.00	<12
RL07-011	200742492	*	300115	112.00	113.00	1.00	<12
RL07-011	200742492	*	300116	113.00	114.00	1.00	<12
RL07-011	200742492	*	300117	114.00	115.00	1.00	<12
RL07-011	200742492	*	300118	115.00	116.00	1.00	<12
RL07-011	200742492	*	300119	116.00	117.00	1.00	<12
RL07-011	200742492	*	300120	117.00	118.00	1.00	<12
RL07-011	200742492	*	300121	118.00	119.00	1.00	<12
RL07-011	200742492	*	300122	119.00	120.00	1.00	<12
RL07-011	200742492	*	300123	120.00	121.00	1.00	<12
RL07-011	200742492	*	300124	121.00	122.00	1.00	<12
RL07-012	200840016	A08-3256	487155	41.00	41.65	0.65	9
RL07-012	200840016	A08-3256	487156	41.65	42.35	0.70	20
RL07-012	200840016	A08-3256	487157	42.35	43.00	0.65	3
RL07-012	200840016	A08-3256	487158	43.00	44.05	1.05	5
RL07-012	200840016	A08-3256	487159	44.05	44.40	0.35	22
RL07-012	200840016	A08-3256	487160	44.40	46.00	1.60	3
RL07-012	200840016	A08-3256	487161	46.00	46.70	0.70	23
RL07-012	200840016	A08-3256	487162	46.70	48.25	1.55	443
RL07-012	200840016	A08-3256	487163	48.25	48.80	0.55	7
RL07-012	200840016	A08-3256	487164	66.50	67.10	0.60	12
RL07-012	200840016	A08-3256	487165	67.10	67.80	0.70	21
RL07-012	200840016	A08-3256	487166	67.80	68.65	0.85	10
RL07-012	200840016	A08-3256	487167	68.65	69.50	0.85	302
RL07-012	200840016	A08-3256	487168	69.50	70.70	1.20	1274
RL07-012	200840016	A08-3256	487169	70.70	71.45	0.75	18
RL07-013	200840016	A08-3256	487076	16.50	17.00	0.50	40
RL07-013	200840016	A08-3256	487077	17.00	18.00	1.00	31
RL07-013	200840016	A08-3256	487078	18.00	19.00	1.00	61
RL07-013	200840016	A08-3256	487079	19.00	20.00	1.00	61
RL07-013	200840016	A08-3256	487080	20.00	21.00	1.00	222
RL07-013	200840016	A08-3256	487081	21.00	22.40	1.40	105
RL07-013	200840016	A08-3256	487082	22.40	23.00	0.60	4
RL07-013	200840016	A08-3256	487083	113.00	113.65	0.65	8
RL07-013	200840016	A08-3256	487084	113.65	114.65	1.00	29
RL07-013	200840016	A08-3256	487085	114.65	116.00	1.35	23
RL07-013	200840016	A08-3256	487086	116.00	117.00	1.00	7
RL07-014	200730088	A08-3256	300248	10.50	11.20	0.70	20
RL07-014	200730088	A08-3256	300249	11.20	12.20	1.00	13
RL07-014	200730088	A08-3256	300250	12.20	13.50	1.30	5
RL07-014	200730088	A08-3256	300251	13.50	14.00	0.50	5
RL07-014	200730088	A08-3256	300252	14.00	15.00	1.00	6
RL07-014	200730088	A08-3256	300253	15.00	15.40	0.40	30
RL07-014	200730088	A08-3256	300254	15.40	16.40	1.00	44
RL07-014	200730088	A08-3256	300255	16.40	17.40	1.00	81
RL07-014	200730088	A08-3256	300256	17.40	18.40	1.00	125
RL07-014	200730088	A08-3256	300257	18.40	19.40	1.00	2
RL07-014	200730088	A08-3256	300258	19.40	20.40	1.00	2
RL07-014	200730088	A08-3256	300259	32.40	32.90	0.50	26
RL07-014	200730088	A08-3256	300260	42.00	42.80	0.80	11
RL07-014	200730088	A08-3256	300261	42.80	44.00	1.20	4
RL07-014	200730088	A08-3256	300262	46.40	46.90	0.50	4
RL07-014	200730088	A08-3256	300263	46.90	48.00	1.10	8
RL07-014	200730088	A08-3256	300264	48.00	49.00	1.00	7
RL07-014	200730088	A08-3256	300265	49.00	50.00	1.00	6
RL07-014	200730088	A08-3256	300266	50.00	51.00	1.00	8
RL07-014	200730088	A08-3256	300267	51.00	52.00	1.00	4
RL07-014	200730088	A08-3256	300268	52.00	53.00	1.00	6

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
RL07-014	200730088	A08-3256	300269	56.80	57.60	0.80	9
RL07-014	*	*	300270	57.60	58.60	1.00	*
RL07-014	*	*	300271	62.50	63.00	0.50	*
RL07-014	*	*	300272	63.00	64.00	1.00	*
RL07-014	*	*	300273	64.00	65.00	1.00	*
RL07-014	*	*	300274	65.00	66.00	1.00	*
RL07-014	*	*	300275	66.00	66.90	0.90	*
RL07-014	*	*	300276	66.90	67.40	0.50	*
RL07-014	*	*	300277	67.40	68.00	0.60	*
RL07-014	*	*	300278	68.00	69.00	1.00	*
RL07-014	*	*	300279	69.00	70.00	1.00	*
RL07-014	*	*	300280	70.00	71.00	1.00	*
RL07-014	*	*	300281	71.00	72.00	1.00	*
RL07-014	*	*	300282	72.00	73.00	1.00	*
RL07-014	*	*	300283	73.00	74.00	1.00	*
RL07-014	*	*	300284	74.00	75.00	1.00	*
RL07-014	*	*	300285	75.00	76.00	1.00	*
RL07-014	*	*	300286	76.00	77.00	1.00	*
RL07-014	*	*	300287	77.00	78.00	1.00	*
RL07-014	*	*	300288	78.00	78.80	0.80	*
RL07-015	200840016	A08-3256	487190	9.00	9.55	0.55	28
RL07-015	200840016	A08-3256	487191	9.55	10.00	0.45	202
RL07-015	200840016	A08-3256	487192	10.00	11.00	1.00	155
RL07-015	200840016	A08-3256	487193	11.00	12.00	1.00	256
RL07-015	200840016	A08-3256	487194	12.00	13.00	1.00	49
RL07-015	200840016	A08-3256	487195	13.00	14.00	1.00	116
RL07-015	200840016	A08-3256	487196	14.00	15.00	1.00	28
RL07-015	200840016	A08-3256	487197	15.00	16.00	1.00	13
RL07-015	200840016	A08-3256	487198	16.00	17.00	1.00	5
RL07-015	200840016	A08-3256	487199	17.00	18.00	1.00	15
RL07-015	200840016	A08-3256	487200	18.00	19.00	1.00	27
RL07-016	200840016	A08-3256	487132	10.00	10.90	0.90	4
RL07-016	200840016	A08-3256	487133	10.90	11.50	0.60	58
RL07-016	200840016	A08-3256	487134	11.50	13.00	1.50	203
RL07-016	200840016	A08-3256	487135	13.00	14.00	1.00	84
RL07-016	200840016	A08-3256	487136	14.00	15.00	1.00	29
RL07-016	200840016	A08-3256	487137	15.00	16.00	1.00	25
RL07-016	200840016	A08-3256	487138	16.00	17.50	1.50	54
RL07-016	200840016	A08-3256	487139	17.50	19.00	1.50	24
RL07-016	200840016	A08-3256	487140	19.00	20.00	1.00	8
RL07-016	200840016	A08-3256	487141	20.00	21.00	1.00	8
RL07-016	200840016	A08-3256	487142	21.00	22.00	1.00	11
RL07-016	200840016	A08-3256	487143	22.00	23.00	1.00	15
RL07-016	200840016	A08-3256	487144	23.00	24.00	1.00	33
RL07-016	200840016	A08-3256	487145	24.00	25.00	1.00	31
RL07-016	200840016	A08-3256	487146	25.00	26.00	1.00	78
RL07-016	200840016	A08-3256	487147	26.00	27.00	1.00	85
RL07-016	200840016	A08-3256	487148	27.00	28.55	1.55	49
RL07-016	200840016	A08-3256	487149	28.55	29.15	0.60	6
RL07-016	200840016	A08-3256	487150	29.15	30.00	0.85	149
RL07-016	200840016	A08-3256	487151	30.00	31.00	1.00	61
RL07-016	200840016	A08-3256	487152	31.00	32.00	1.00	112
RL07-016	200840016	A08-3256	487153	32.00	32.85	0.85	25
RL07-016	200840016	A08-3256	487154	32.85	34.00	1.15	5
RL07-017	200840961	A08-3256	475880	15.00	16.00	1.00	2
RL07-017	200840961	A08-3256	475881	16.00	17.00	1.00	31
RL07-017	200840961	A08-3256	475882	17.00	18.00	1.00	29
RL07-017	200840961	A08-3256	475883	18.00	19.00	1.00	0
RL07-017	200840961	A08-3256	475884	19.00	20.00	1.00	4
RL07-017	200840961	A08-3256	475885	20.00	21.00	1.00	13
RL07-017	200840961	A08-3256	475886	21.00	22.00	1.00	19
RL07-017	200840961	A08-3256	475887	22.00	23.30	1.30	11
RL07-017	200840961	A08-3256	475888	23.30	24.30	1.00	6
RL07-017	200840961	A08-3256	475889	24.55	30.20	5.65	51
RL07-017	200840961	A08-3256	475890	33.00	33.50	0.50	196
RL07-017	200840961	A08-3256	475891	35.90	36.45	0.55	425
RL07-017	200840961	A08-3256	475892	101.35	102.35	1.00	32
RL07-017	200840961	A08-3256	475893	102.35	103.20	0.85	25
RL07-017	200840961	A08-3256	475894	103.20	104.00	0.80	5
RL07-017	200840961	A08-3256	475895	104.00	105.00	1.00	4
RL07-017	200840961	A08-3256	475896	105.00	106.00	1.00	26
RL07-017	200840961	A08-3256	475897	106.00	107.00	1.00	28
RL07-017	200840961	A08-3256	475898	107.00	107.70	0.70	29
RL07-017	200840961	A08-3256	475899	107.70	108.70	1.00	4
RL07-017	200840961	A08-3256	475900	113.30	114.40	1.10	38

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
RL07-017	200840961	A08-3256	475901	114.40	115.30	0.90	4
RL07-017	200840961	A08-3256	475902	115.30	116.30	1.00	4
RL07-017	200840961	A08-3256	475903	116.30	117.30	1.00	26
RL07-017	200840961	A08-3256	475904	117.30	118.30	1.00	28
RL07-017	200840961	A08-3256	475905	118.30	119.30	1.00	48
RL07-017	200840961	A08-3256	475906	119.30	120.30	1.00	19
RL07-017	200840961	A08-3256	475907	120.30	121.10	0.80	21
RL07-017	200840961	A08-3256	475908	121.10	122.00	0.90	5
RL07-018	200742492	*	300218	8.50	8.80	0.30	16
RL07-018	200742492	*	300219	15.60	17.00	1.40	<12
RL07-018	200742492	*	300220	21.30	22.30	1.00	<12
RL07-018	200742492	*	300221	22.30	23.30	1.00	38
RL07-018	200742492	*	300222	25.70	26.30	0.60	175
RL07-018	200742492	*	300223	28.50	29.50	1.00	251
RL07-018	200742492	*	300224	29.50	30.00	0.50	<12
RL07-018	200742492	*	300225	32.50	33.30	0.80	24
RL07-018	200742492	*	300226	52.70	53.20	0.50	27
RL07-018	200742492	*	300227	54.40	55.10	0.70	<12
RL07-018	200742492	*	300228	57.20	58.00	0.80	27
RL07-018	200742492	*	300229	59.60	60.60	1.00	<12
RL07-018	200742492	*	300230	60.60	61.30	0.70	<12
RL07-018	200742492	*	300231	65.00	66.00	1.00	16
RL07-018	200742492	*	300232	66.00	67.00	1.00	<12
RL07-018	200742492	*	300233	67.00	68.00	1.00	<12
RL07-018	200742492	*	300234	68.00	69.00	1.00	<12
RL07-018	200742492	*	300235	69.00	70.00	1.00	17
RL07-018	200742492	*	300236	70.00	71.00	1.00	<12
RL07-018	200742492	*	300237	71.00	72.00	1.00	<12
RL07-018	200742492	*	300238	72.00	73.00	1.00	<12
RL07-018	200742492	*	300239	73.00	74.00	1.00	<12
RL07-018	200742492	*	300240	74.00	75.00	1.00	<12
RL07-018	200742492	*	300241	75.00	76.00	1.00	<12
RL07-018	200742492	*	300242	76.00	77.00	1.00	<12
RL07-018	200742492	*	300243	83.40	84.40	1.00	<12
RL07-018	200742492	*	300244	84.40	85.00	0.60	27
RL07-018	200742492	*	300245	85.10	86.10	1.00	23
RL07-018	200742492	*	300246	86.10	87.30	1.20	<12
RL07-018	200742492	*	300247	91.50	92.00	0.50	<12
RL07-019	200840016	A08-3256	487051	82.00	82.40	0.40	8
RL07-019	200840016	A08-3256	487052	82.40	82.90	0.50	27
RL07-019	200840016	A08-3256	487053	82.90	83.95	1.05	18
RL07-019	200840016	A08-3256	487054	83.95	84.15	0.20	67
RL07-019	200840016	A08-3256	487055	84.15	85.40	1.25	4
RL07-019	200840016	A08-3256	487056	85.40	86.50	1.10	371
RL07-019	200840016	A08-3256	487057	86.60	87.53	0.93	2
RL07-019	200840016	A08-3256	487058	87.53	88.53	1.00	61
RL07-019	200840016	A08-3256	487059	88.53	89.90	1.37	66
RL07-019	200840016	A08-3256	487060	89.90	90.90	1.00	3
RL07-019	200840016	A08-3256	487061	90.90	92.00	1.10	0
RL07-019	200840016	A08-3256	487062	92.00	92.60	0.60	7
RL07-019	200840016	A08-3256	487063	92.60	93.40	0.80	533
RL07-019	200840016	A08-3256	487064	93.40	93.95	0.55	7
RL07-019	200840016	A08-3256	487065	93.95	95.00	1.05	38
RL07-019	200840016	A08-3256	487066	95.00	95.65	0.65	61
RL07-019	200840016	A08-3256	487067	95.65	96.05	0.40	21
RL07-019	200840016	A08-3256	487068	96.05	97.00	0.95	2
RL07-019	200840016	A08-3256	487069	97.00	98.00	1.00	3
RL07-019	200840016	A08-3256	487070	146.00	147.00	1.00	13
RL07-019	200840016	A08-3256	487071	147.00	148.00	1.00	32
RL07-019	200840016	A08-3256	487072	148.00	149.00	1.00	56
RL07-019	200840016	A08-3256	487073	149.00	150.00	1.00	48
RL07-019	200840016	A08-3256	487074	150.00	151.00	1.00	37
RL07-019	200840016	A08-3256	487075	151.00	151.80	0.80	19
RL07-020	200840016	A08-3256	487001	60.00	61.00	1.00	5
RL07-020	200840016	A08-3256	487002	70.00	71.00	1.00	6
RL07-020	200840016	A08-3256	487003	80.00	81.00	1.00	7
RL07-020	200840016	A08-3256	487004	90.00	91.00	1.00	7
RL07-020	200840016	A08-3256	487005	103.00	104.00	1.00	6
RL07-020	200840016	A08-3256	487006	104.00	105.00	1.00	6
RL07-020	200840016	A08-3256	487007	105.00	106.00	1.00	7
RL07-020	200840132	A08-3256	487008	137.50	138.00	0.50	4
RL07-020	200840132	A08-3256	487009	138.00	138.37	0.37	24
RL07-020	200840132	A08-3256	487010	138.37	139.40	1.03	17
RL07-020	200840132	A08-3256	487011	139.40	140.00	0.60	65
RL07-020	200840132	A08-3256	487012	140.00	140.30	0.30	3

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
RL07-020	200840132	A08-3256	487013	140.30	142.00	1.70	43
RL07-020	200840132	A08-3256	487014	142.00	143.25	1.25	34
RL07-020	200840132	A08-3256	487015	143.25	143.75	0.50	3
RL07-020	200840132	A08-3256	487016	163.00	163.65	0.65	2
RL07-020	200840132	A08-3256	487017	163.65	164.60	0.95	48
RL07-020	200840132	A08-3256	487018	164.80	165.38	0.58	27
RL07-020	200840132	A08-3256	487019	165.38	166.78	1.40	21
RL07-020	200840132	A08-3256	487020	166.78	167.83	1.05	27
RL07-020	200840132	A08-3256	487021	167.83	169.00	1.17	44
RL07-020	200840132	A08-3256	487022	169.00	170.00	1.00	28
RL07-020	200840132	A08-3256	487023	170.00	170.50	0.50	17
RL07-020	200840132	A08-3256	487024	170.50	172.00	1.50	27
RL07-020	200840132	A08-3256	487025	172.00	173.00	1.00	26
RL07-020	200840132	A08-3256	487026	173.00	174.00	1.00	25
RL07-020	200840132	A08-3256	487027	174.00	175.00	1.00	26
RL07-020	200840132	A08-3256	487028	175.00	176.00	1.00	29
RL07-020	200840132	A08-3256	487029	176.00	176.55	0.55	24
RL07-020	200840132	A08-3256	487030	176.55	177.00	0.45	9
RL07-020	200840132	A08-3256	487031	177.00	178.00	1.00	14
RL07-020	200840132	A08-3256	487032	178.00	179.00	1.00	17
RL07-020	200840132	A08-3256	487033	179.00	180.00	1.00	35
RL07-020	200840132	A08-3256	487034	180.00	181.00	1.00	19
RL07-020	200840132	A08-3256	487035	181.00	182.00	1.00	17
RL07-020	200840132	A08-3256	487036	182.00	183.00	1.00	25
RL07-020	200840132	A08-3256	487037	183.00	184.00	1.00	25
RL07-020	200840132	A08-3256	487038	184.00	185.00	1.00	32
RL07-020	200840132	A08-3256	487039	185.00	186.17	1.17	28
RL07-020	200840132	A08-3256	487040	186.17	186.80	0.63	2
RL07-020	200840132	A08-3256	487041	207.35	207.85	0.50	3
RL07-020	200840132	A08-3256	487042	207.85	209.00	1.15	33
RL07-020	200840132	A08-3256	487043	209.00	210.00	1.00	37
RL07-020	200840132	A08-3256	487044	210.00	211.00	1.00	33
RL07-020	200840132	A08-3256	487045	211.00	211.87	0.87	44
RL07-020	200840132	A08-3256	487046	211.87	214.00	2.13	6
RL07-020	200840132	A08-3256	487047	214.00	215.15	1.15	6
RL07-020	200840132	A08-3256	487048	215.15	217.00	1.85	37
RL07-020	200840132	A08-3256	487049	217.00	218.00	1.00	10
RL07-020	200840132	A08-3256	487050	218.00	219.00	1.00	8
RL07-020	200840132	A08-3256	487301	219.00	220.00	1.00	9
RL07-020	200840132	A08-3256	487302	220.00	221.00	1.00	27
RL07-020	200840132	A08-3256	487303	221.00	222.00	1.00	129
RL07-020	200840132	A08-3256	487304	222.00	223.00	1.00	148
RL07-020	200840132	A08-3256	487305	223.00	224.00	1.00	63
RL07-020	200840132	A08-3256	487306	224.00	225.00	1.00	85
RL07-020	200840132	A08-3256	487307	225.00	226.00	1.00	168
RL07-020	200840132	A08-3256	487308	226.00	227.00	1.00	289
RL07-020	200840132	A08-3256	487309	227.00	228.00	1.00	139
RL07-020	200840132	A08-3256	487310	228.00	229.00	1.00	29
RL07-020	200840132	A08-3256	487311	229.00	230.00	1.00	36
RL07-020	200840132	A08-3256	487312	230.00	231.00	1.00	276
RL07-020	200840132	A08-3256	487313	231.00	232.00	1.00	51
RL07-020	200840132	A08-3256	487314	232.00	233.00	1.00	87
RL07-020	200840132	A08-3256	487315	233.00	234.00	1.00	367
RL07-020	200840132	A08-3256	487316	234.00	235.00	1.00	74
RL07-020	200840132	A08-3256	487317	235.00	236.00	1.00	157
RL07-020	200840132	A08-3256	487318	236.00	237.00	1.00	55
RL07-020	200840132	A08-3256	487319	237.00	238.00	1.00	23
RL07-020	200840132	A08-3256	487320	238.00	239.00	1.00	30
RL07-020	200840132	A08-3256	487321	239.00	240.00	1.00	26
RL07-020	200840132	A08-3256	487322	240.00	240.60	0.60	53
RL07-020	200840132	A08-3256	487323	240.60	242.00	1.40	16
RL07-020	200840132	A08-3256	487324	242.00	243.00	1.00	3
RL07-020	200840132	A08-3256	487325	244.60	245.10	0.50	13
RL07-020	200840132	A08-3256	487326	245.10	245.82	0.72	28
RL07-020	200840132	A08-3256	487327	245.82	246.15	0.33	3
RL07-020	200840132	A08-3256	487328	246.15	247.18	1.03	59
RL07-020	200840132	A08-3256	487329	247.18	247.65	0.47	6
RL08-023	*	A08-3477	602319	115.00	116.00	1.00	102
RL08-023	*	A08-3477	602320	116.00	117.00	1.00	471
RL08-023	*	A08-3477	602321	117.00	118.00	1.00	931
RL08-023	*	A08-3477	602322	118.00	119.00	1.00	669
RL08-023	*	A08-3477	602323	119.00	120.00	1.00	4
RL08-023	*	A08-3477	602324	120.00	121.00	1.00	92
RL08-023	*	A08-3477	602325	121.00	122.00	1.00	33
WL08-001	*	A08-2553	602059	38.00	39.00	1.00	13

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
WL08-001	*	A08-2553	602060	39.00	40.00	1.00	12
WL08-001	*	A08-2553	602061	40.00	41.00	1.00	44
WL08-001	*	A08-2553	602062	41.00	42.00	1.00	46
WL08-001	*	A08-2553	602063	42.00	43.00	1.00	65
WL08-001	*	A08-2553	602064	43.00	44.00	1.00	5
WL08-001	*	A08-2553	602065	51.00	52.00	1.00	12
WL08-001	*	A08-2553	602066	52.00	53.00	1.00	19
WL08-001	*	A08-2553	602067	53.00	54.00	1.00	20
WL08-001	*	A08-2553	602068	54.00	55.00	1.00	5
WL08-001	*	A08-2553	602069	55.00	56.00	1.00	70
WL08-001	*	A08-2553	602070	56.00	57.00	1.00	23
WL08-001	*	A08-2553	602071	57.00	58.00	1.00	14
WL08-001	*	A08-2553	602072	58.00	59.00	1.00	29
WL08-001	*	A08-2553	602073	59.00	60.00	1.00	25
WL08-001	*	A08-2553	602074	60.00	61.00	1.00	34
WL08-001	*	A08-2553	602075	61.00	62.00	1.00	13
WL08-001	*	A08-2553	602076	62.00	63.00	1.00	7
WL08-001	*	A08-2553	602077	63.00	64.00	1.00	29
WL08-001	*	A08-2553	602078	64.00	65.00	1.00	31
WL08-001	*	A08-2553	602079	65.00	66.00	1.00	11
WL08-001	*	A08-2553	602080	66.00	67.00	1.00	8
WL08-001	*	A08-2553	602081	67.00	68.00	1.00	20
WL08-001	*	A08-2553	602082	68.00	69.00	1.00	28
WL08-001	*	A08-2553	602083	69.00	70.00	1.00	25
WL08-001	*	A08-2553	602084	70.00	71.00	1.00	10
WL08-001	*	A08-2553	602085	71.00	72.00	1.00	49
WL08-001	*	A08-2553	602086	72.00	73.00	1.00	57
WL08-001	*	A08-2553	602087	73.00	74.00	1.00	3
WL08-001	*	A08-2553	602088	74.00	75.00	1.00	20
WL08-001	*	A08-2553	602089	75.00	76.00	1.00	57
WL08-001	*	A08-2553	602090	76.00	77.00	1.00	116
WL08-001	*	A08-2553	602091	77.00	78.00	1.00	113
WL08-001	*	A08-2553	602092	78.00	79.00	1.00	22
WL08-001	*	A08-2553	602093	79.00	80.00	1.00	25
WL08-001	*	A08-2553	602094	80.00	81.00	1.00	29
WL08-001	*	A08-2553	602095	81.00	82.00	1.00	84
WL08-001	*	A08-2553	602096	82.00	83.00	1.00	46
WL08-001	*	A08-2553	602097	83.00	84.00	1.00	45
WL08-001	*	A08-2553	602098	84.00	85.00	1.00	14
WL08-001	*	A08-2553	602099	85.00	86.00	1.00	16
WL08-001	*	A08-2553	602100	86.00	87.00	1.00	22
WL08-001	*	A08-2553	602101	87.00	88.00	1.00	11
WL08-001	*	A08-2553	602102	88.00	89.00	1.00	36
WL08-001	*	A08-2553	602103	89.00	90.00	1.00	9
WL08-001	*	A08-2553	602104	90.00	91.00	1.00	16
WL08-001	*	A08-2553	602105	91.00	92.00	1.00	4
WL08-001	*	A08-2553	602106	92.00	93.00	1.00	13
WL08-001	*	A08-2553	602107	93.00	94.00	1.00	5
WL08-001	*	A08-2553	602108	94.00	95.00	1.00	8
WL08-001	*	A08-2553	602109	95.00	96.00	1.00	11
WL08-001	*	A08-2553	602110	96.00	97.00	1.00	6
WL08-001	*	A08-2553	602111	97.00	98.00	1.00	36
WL08-001	*	A08-2553	602112	98.00	99.00	1.00	6
WL08-001	*	A08-2553	602113	107.00	108.00	1.00	16
WL08-001	*	A08-2553	602114	108.00	109.00	1.00	12
WL08-001	*	A08-2553	602115	109.00	110.00	1.00	6
WL08-001	*	A08-2553	602116	110.00	111.00	1.00	38
WL08-001	*	A08-2553	602117	111.00	112.00	1.00	19
WL08-001	*	A08-2553	602118	112.00	113.00	1.00	5
WL08-001	*	A08-2553	602119	113.00	114.00	1.00	7
WL08-001	*	A08-2553	602120	114.00	115.00	1.00	3
WL08-001	*	A08-2553	602121	115.00	116.00	1.00	4
WL08-001	*	A08-3477	602122	116.00	117.00	1.00	3
WL08-002	*	A08-2553	475943	19.90	20.90	1.00	4
WL08-002	*	A08-2553	475944	20.90	21.90	1.00	6
WL08-002	*	A08-2553	475945	21.90	23.00	1.10	4
WL08-002	*	A08-2553	475946	65.15	66.00	0.85	27
WL08-002	*	A08-2553	475947	66.00	67.00	1.00	60
WL08-002	*	A08-2553	475948	67.00	68.00	1.00	84
WL08-002	*	A08-2553	475949	68.00	69.00	1.00	51
WL08-002	*	A08-2553	475950	69.00	70.15	1.15	29
WL08-002	*	A08-2553	475951	70.70	72.00	1.30	29
WL08-002	*	A08-2553	475952	72.00	73.00	1.00	47
WL08-002	*	A08-2553	475953	73.00	74.00	1.00	93
WL08-002	*	A08-2553	475954	74.00	75.10	1.10	25

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
WL08-002	*	A08-6380	192851	80.00	81.00	1.00	2
WL08-002	*	A08-6380	192852	81.00	82.00	1.00	2
WL08-002	*	A08-6380	192853	82.00	83.00	1.00	7
WL08-002	*	A08-6380	192854	83.00	84.00	1.00	52
WL08-002	*	A08-6380	192855	84.00	85.00	1.00	4
WL08-002	*	A08-6380	192856	85.00	86.00	1.00	7
WL08-002	*	A08-6380	192857	86.00	87.00	1.00	9
WL08-002	*	A08-6380	192858	87.00	87.30	0.30	7
WL08-002	*	A08-2553	475956	87.15	88.00	0.85	25
WL08-002	*	A08-2553	475957	88.00	89.00	1.00	24
WL08-002	*	A08-2553	475958	89.00	90.00	1.00	41
WL08-002	*	A08-2553	475959	90.00	91.00	1.00	49
WL08-002	*	A08-6380	192859	91.00	92.00	1.00	42
WL08-002	*	A08-6380	192860	92.00	93.00	1.00	45
WL08-002	*	A08-6380	192861	93.00	94.00	1.00	53
WL08-002	*	A08-6380	192862	94.00	95.00	1.00	32
WL08-002	*	A08-6380	192863	95.00	96.00	1.00	16
WL08-002	*	A08-6380	192864	96.00	97.00	1.00	25
WL08-002	*	A08-6380	192865	97.00	98.00	1.00	39
WL08-002	*	A08-6380	192866	98.00	99.00	1.00	24
WL08-002	*	A08-6380	192867	99.00	100.00	1.00	25
WL08-002	*	A08-6380	192868	100.00	101.00	1.00	18
WL08-002	*	A08-6380	192869	101.00	102.00	1.00	21
WL08-002	*	A08-6380	192870	102.00	103.00	1.00	22
WL08-002	*	A08-6380	192871	103.00	104.00	1.00	13
WL08-002	*	A08-6380	192872	104.00	105.00	1.00	14
WL08-002	*	A08-6380	192873	105.00	106.00	1.00	6
WL08-002	*	A08-6380	192874	106.00	107.00	1.00	34
WL08-002	*	A08-6380	192875	107.00	108.00	1.00	23
WL08-002	*	A08-6380	192876	108.00	109.00	1.00	14
WL08-002	*	A08-6380	192877	109.00	110.00	1.00	18
WL08-002	*	A08-6380	192878	110.00	111.00	1.00	15
WL08-002	*	A08-6380	192879	111.00	112.00	1.00	22
WL08-002	*	A08-6380	192880	112.00	113.00	1.00	15
WL08-002	*	A08-6380	192881	113.00	114.00	1.00	1
WL08-002	*	A08-6380	192882	114.00	115.00	1.00	2
WL08-002	*	A08-6380	192883	115.00	116.00	1.00	1
WL08-002	*	A08-6380	192884	116.00	117.00	1.00	1
WL08-002	*	A08-6380	192885	117.00	118.00	1.00	2
WL08-002	*	A08-6380	192886	118.00	118.50	0.50	2
WL08-002	*	A08-2553	475960	118.45	119.00	0.55	22
WL08-002	*	A08-2553	475961	119.00	120.00	1.00	24
WL08-002	*	A08-2553	475962	120.00	121.00	1.00	35
WL08-002	*	A08-2553	475963	121.00	122.00	1.00	23
WL08-002	*	A08-2553	475964	122.00	122.90	0.90	16
WL08-002	*	A08-2553	475965	123.50	125.00	1.50	66
WL08-002	*	A08-2553	475966	125.00	126.30	1.30	52
WL08-003	200840801	A08-3256	475782	17.85	18.80	0.95	28
WL08-003	200840801	A08-3256	475783	18.80	19.80	1.00	18
WL08-003	200840801	A08-3256	475784	19.80	20.70	0.90	11
WL08-003	200840801	A08-3256	475785	20.70	30.00	9.30	37
WL08-003	200840801	A08-3256	475786	30.00	31.00	1.00	65
WL08-003	200840801	A08-3256	475787	31.00	32.00	1.00	47
WL08-003	200840801	A08-3256	475788	32.00	33.00	1.00	36
WL08-003	200840801	A08-3256	475789	33.00	34.00	1.00	65
WL08-003	200840801	A08-3256	475790	34.00	35.00	1.00	54
WL08-003	200840801	A08-3256	475791	35.00	36.00	1.00	47
WL08-003	200840801	A08-3256	475792	36.00	37.00	1.00	36
WL08-003	200840801	A08-3256	475793	37.00	38.00	1.00	80
WL08-003	200840801	A08-3256	475794	38.00	39.00	1.00	29
WL08-003	200840801	A08-3256	475795	39.00	40.00	1.00	135
WL08-003	200840801	A08-3256	475796	40.00	41.00	1.00	108
WL08-003	200840801	A08-3256	475797	41.00	42.00	1.00	41
WL08-003	200840801	A08-3256	475798	42.00	43.00	1.00	21
WL08-003	200840801	A08-3256	475799	43.00	44.00	1.00	45
WL08-003	200840801	A08-3256	475800	44.00	45.00	1.00	48
WL08-003	200840801	A08-3256	475801	45.00	46.00	1.00	34
WL08-003	200840801	A08-3256	475802	46.00	47.00	1.00	73
WL08-003	200840801	A08-3256	475803	47.00	48.00	1.00	29
WL08-003	200840801	A08-3256	475804	48.00	49.00	1.00	40
WL08-003	200840801	A08-3256	475805	49.00	50.00	1.00	60
WL08-003	200840801	A08-3256	475806	50.00	51.00	1.00	55
WL08-003	200840801	A08-3256	475807	51.00	52.55	1.55	30
WL08-003	200840801	A08-3256	475808	59.80	61.00	1.20	13
WL08-003	200840801	A08-3256	475809	61.00	62.00	1.00	63

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
WL08-003	200840801	A08-3256	475810	62.00	63.30	1.30	51
WL08-003	200840811	A08-3256	475811	71.30	72.00	0.70	14
WL08-003	200840811	A08-3256	475812	72.00	73.00	1.00	36
WL08-003	200840811	A08-3256	475813	73.00	74.00	1.00	76
WL08-003	200840811	A08-3256	475814	74.00	75.00	1.00	71
WL08-003	200840811	A08-3256	475815	75.00	76.00	1.00	81
WL08-003	200840811	A08-3256	475816	76.00	77.00	1.00	30
WL08-003	200840811	A08-3256	475817	77.00	78.00	1.00	37
WL08-003	200840811	A08-3256	475818	78.00	79.00	1.00	48
WL08-003	200840811	A08-3256	475819	79.00	80.00	1.00	20
WL08-003	200840811	A08-3256	475820	80.00	81.00	1.00	26
WL08-003	200840811	A08-3256	475821	81.00	82.00	1.00	56
WL08-003	200840811	A08-3256	475822	82.00	83.00	1.00	38
WL08-003	200840811	A08-3256	475823	83.00	84.00	1.00	6
WL08-003	200840811	A08-3256	475824	84.00	85.00	1.00	29
WL08-003	200840811	A08-3256	475825	85.00	86.00	1.00	12
WL08-003	200840811	A08-3256	475826	86.00	87.00	1.00	40
WL08-003	200840811	A08-3256	475827	87.00	88.00	1.00	16
WL08-003	200840811	A08-3256	475828	88.00	89.00	1.00	91
WL08-003	200840811	A08-3256	475829	89.00	90.00	1.00	35
WL08-003	200840811	A08-3256	475830	90.00	91.00	1.00	52
WL08-003	200840811	A08-3256	475831	91.00	92.00	1.00	24
WL08-003	200840811	A08-3256	475832	92.00	93.00	1.00	25
WL08-003	200840811	A08-3256	475833	93.00	94.40	1.40	25
WL08-003	200840811	*	475834	94.40	95.20	0.80	51
WL08-003	200840811	*	475835	95.20	96.00	0.80	57
WL08-003	200840811	*	475836	96.00	97.00	1.00	18
WL08-003	200840811	*	475837	97.00	98.00	1.00	<12
WL08-003	200840811	*	475838	98.00	99.00	1.00	<12
WL08-003	200840811	*	475839	99.00	100.00	1.00	<12
WL08-003	200840811	*	475840	100.00	101.35	1.35	<12
WL08-003	200840863	A08-3256	475841	131.40	133.00	1.60	4
WL08-003	200840863	A08-3256	475842	133.00	134.00	1.00	23
WL08-003	200840863	A08-3256	475843	134.00	135.00	1.00	12
WL08-003	200840863	A08-3256	475844	135.00	136.00	1.00	9
WL08-003	200840863	A08-3256	475845	136.00	137.00	1.00	24
WL08-003	200840863	A08-3256	475846	137.00	138.00	1.00	11
WL08-003	200840863	A08-3256	475847	138.00	139.00	1.00	12
WL08-003	200840863	A08-3256	475848	139.00	140.35	1.35	40
WL08-004	200840863	A08-3256	475849	31.40	33.00	1.60	5
WL08-004	200840863	A08-3256	475850	33.00	34.00	1.00	78
WL08-004	200840863	A08-3256	475851	34.00	35.00	1.00	66
WL08-004	200840863	A08-3256	475852	35.00	36.00	1.00	26
WL08-004	200840863	A08-3256	475853	36.00	37.00	1.00	78
WL08-004	200840863	A08-3256	475854	37.00	38.00	1.00	42
WL08-004	200840863	A08-3256	475855	38.00	39.00	1.00	40
WL08-004	200840863	A08-3256	475856	39.00	40.00	1.00	27
WL08-004	200840863	A08-3256	475857	40.00	41.00	1.00	89
WL08-004	200840863	A08-3256	475858	41.00	42.00	1.00	39
WL08-004	200840863	A08-3256	475859	42.00	43.00	1.00	32
WL08-004	200840863	A08-3256	475860	43.00	44.00	1.00	92
WL08-004	200840863	A08-3256	475861	44.00	45.00	1.00	39
WL08-004	200840863	A08-3256	475862	45.00	46.00	1.00	76
WL08-004	200840863	A08-3256	475863	46.00	47.00	1.00	87
WL08-004	200840863	A08-3256	475864	47.00	48.00	1.00	115
WL08-004	200840863	A08-3256	475865	48.00	49.00	1.00	64
WL08-004	200840863	A08-3256	475866	49.00	50.00	1.00	55
WL08-004	200840863	A08-3256	475867	50.00	51.00	1.00	9
WL08-004	200840863	A08-3256	475868	51.00	52.00	1.00	102
WL08-004	200840863	A08-3256	475869	52.00	53.00	1.00	26
WL08-004	200840863	A08-3256	475870	53.00	54.00	1.00	17
WL08-004	200840863	A08-3256	475871	54.00	55.00	1.00	74
WL08-004	200840863	A08-3256	475872	55.00	56.00	1.00	51
WL08-004	200840863	A08-3256	475873	56.00	57.00	1.00	6
WL08-004	200840863	A08-3256	475874	57.00	58.60	1.60	28
WL08-004	200840863	A08-3256	475875	65.10	66.00	0.90	25
WL08-004	200840863	A08-3256	475876	66.00	67.00	1.00	46
WL08-004	200840863	A08-3256	475877	67.00	68.00	1.00	73
WL08-004	200840863	A08-3256	475878	68.00	69.00	1.00	127
WL08-004	200840863	A08-3256	475879	69.00	70.10	1.10	119
WL08-004	*	A08-5893	192932	74.00	75.00	1.00	12
WL08-004	*	A08-5893	192933	75.00	76.00	1.00	2
WL08-004	*	A08-5893	192934	76.00	77.00	1.00	3
WL08-004	*	A08-5893	192935	77.00	78.00	1.00	2
WL08-004	*	A08-5893	192936	78.00	79.00	1.00	1

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
WL08-004	*	A08-5893	192937	79.00	80.00	1.00	25
WL08-004	*	A08-5893	192938	80.00	81.00	1.00	40
WL08-004	*	A08-5893	192939	81.00	82.00	1.00	70
WL08-004	*	A08-5893	192940	82.00	83.00	1.00	10
WL08-004	*	A08-5893	192941	83.00	84.00	1.00	61
WL08-004	*	A08-5893	192942	84.00	85.00	1.00	79
WL08-004	*	A08-5893	192943	85.00	86.00	1.00	46
WL08-004	*	A08-5893	192944	86.00	87.00	1.00	42
WL08-004	*	A08-5893	192945	87.00	88.00	1.00	40
WL08-004	*	A08-5893	192946	88.00	89.00	1.00	53
WL08-004	*	A08-5893	192947	89.00	90.00	1.00	23
WL08-004	*	A08-5893	192948	90.00	91.00	1.00	29
WL08-004	*	A08-5893	192949	91.00	92.00	1.00	36
WL08-004	*	A08-5893	192950	92.00	93.00	1.00	56
WL08-004	*	A08-5893	192951	93.00	94.00	1.00	15
WL08-004	*	A08-5893	192952	94.00	95.00	1.00	31
WL08-004	*	A08-5893	192953	95.00	96.00	1.00	26
WL08-004	*	A08-5893	192954	96.00	97.00	1.00	20
WL08-004	*	A08-5893	192955	97.00	98.00	1.00	29
WL08-004	*	A08-5893	192956	98.00	99.00	1.00	28
WL08-004	*	A08-5893	192957	99.00	100.00	1.00	36
WL08-004	*	A08-5893	192958	100.00	101.00	1.00	58
WL08-004	*	A08-5893	192959	101.00	102.00	1.00	44
WL08-004	*	A08-5893	192960	102.00	103.00	1.00	36
WL08-004	*	A08-5893	192961	103.00	104.00	1.00	34
WL08-004	*	A08-5893	192962	104.00	105.00	1.00	48
WL08-004	*	A08-5893	192963	105.00	106.00	1.00	13
WL08-004	*	A08-5893	192964	106.00	107.00	1.00	22
WL08-004	*	A08-5893	192965	107.00	108.00	1.00	18
WL08-004	*	A08-5893	192966	108.00	109.00	1.00	4
WL08-004	*	A08-5893	192967	109.00	110.00	1.00	8
WL08-004	*	A08-5893	192968	110.00	111.00	1.00	10
WL08-004	*	A08-5893	192969	111.00	112.00	1.00	1
WL08-004	*	A08-5893	192970	112.00	113.00	1.00	3
WL08-004	*	A08-5893	192971	114.00	115.00	1.00	3
WL08-004	*	A08-5893	192972	115.00	116.00	1.00	6
WL08-004	*	A08-5893	192973	116.00	117.00	1.00	2
WL08-004	*	A08-5893	192974	117.00	118.00	1.00	3
WL08-004	*	A08-5893	192975	118.00	119.00	1.00	3
WL08-004	*	A08-5893	192976	119.00	120.00	1.00	10
WL08-004	*	A08-5893	192977	120.00	121.00	1.00	23
WL08-004	*	A08-5893	192978	121.00	122.00	1.00	3
WL08-004	*	A08-5893	192979	122.00	123.00	1.00	12
WL08-004	*	A08-5893	192980	123.00	124.00	1.00	7
WL08-004	*	A08-5893	192981	124.00	125.00	1.00	8
WL08-004	*	A08-5893	192982	125.00	126.00	1.00	8
WL08-004	*	A08-5893	192983	126.00	127.00	1.00	2
WL08-004	*	A08-5893	192984	127.00	128.00	1.00	3
WL08-004	*	A08-5893	192985	128.00	129.00	1.00	3
WL08-004	*	A08-5893	192986	129.00	130.00	1.00	6
WL08-004	*	A08-5893	192987	130.00	131.00	1.00	1
WL08-004	*	A08-5893	192988	131.00	132.00	1.00	1
WL08-004	*	A08-5893	192989	132.00	133.00	1.00	1
WL08-004	*	A08-5893	192990	133.00	134.00	1.00	1
WL08-004	*	A08-5893	192991	134.00	135.00	1.00	2
WL08-004	*	A08-5893	192992	135.00	136.00	1.00	76
WL08-004	*	A08-5893	192993	136.00	137.00	1.00	2
WL08-004	*	A08-5893	192994	137.00	138.00	1.00	2
WL08-004	*	A08-5893	192995	138.00	139.00	1.00	2
WL08-004	*	A08-5893	192996	139.00	140.00	1.00	2
WL08-004	*	A08-5893	192997	140.00	141.00	1.00	7
WL08-004	*	A08-5893	192998	141.00	142.00	1.00	4
WL08-004	*	A08-5893	192999	142.00	143.00	1.00	5
WL08-004	*	A08-5893	193000	143.00	144.00	1.00	11
WL08-004	*	A08-5893	193726	144.00	145.00	1.00	35
WL08-004	*	A08-5893	193727	145.00	146.00	1.00	5
WL08-004	*	A08-5893	193728	146.00	147.00	1.00	2
WL08-004	*	A08-5893	193729	147.00	148.00	1.00	3
WL08-004	*	A08-5893	193730	148.00	149.00	1.00	4
WL08-004	*	A08-5893	193731	149.00	150.00	1.00	15
WL08-004	*	A08-5893	193732	150.00	151.00	1.00	3
WL08-004	*	A08-5893	193733	151.00	152.00	1.00	8
WL08-004	*	A08-5893	193734	152.00	153.00	1.00	2
WL08-004	*	A08-5893	193735	153.00	154.00	1.00	1
WL08-004	*	A08-5893	193736	154.00	155.00	1.00	1

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
WL08-004	*	A08-5893	193737	155.00	156.00	1.00	2
WL08-004	*	A08-5893	193738	156.00	157.00	1.00	2
WL08-004	*	A08-5893	193739	157.00	158.00	1.00	1
WL08-004	*	A08-5893	193740	158.00	159.00	1.00	2
WL08-004	*	A08-5893	193741	159.00	160.00	1.00	3
WL08-004	*	A08-5893	193742	160.00	161.00	1.00	2
WL08-004	*	A08-5893	193743	161.00	162.00	1.00	5
WL08-004	*	A08-5893	193744	162.00	163.00	1.00	7
WL08-004	*	A08-5893	193745	163.00	164.00	1.00	2
WL08-004	*	A08-5893	193746	164.00	165.00	1.00	4
WL08-004	*	A08-5893	193747	165.00	166.00	1.00	2
WL08-004	*	A08-5893	193748	166.00	167.00	1.00	4
WL08-004	*	A08-5893	193749	167.00	168.00	1.00	13
WL08-004	*	A08-5893	193750	168.00	169.00	1.00	2
WL08-004	*	A08-5893	191976	169.00	170.00	1.00	3
WL08-004	*	A08-5893	191977	170.00	171.00	1.00	2
WL08-004	*	A08-5893	191978	171.00	172.00	1.00	3
WL08-004	*	A08-5893	191979	172.00	173.00	1.00	3
WL08-004	*	A08-5893	191980	173.00	174.00	1.00	3
WL08-004	*	A08-5893	191981	174.00	175.00	1.00	3
WL08-004	*	A08-5893	191982	175.00	176.00	1.00	4
WL08-004	*	A08-5893	191983	176.00	177.00	1.00	4
WL08-004	*	A08-5893	191984	177.00	178.00	1.00	3
WL08-004	*	A08-5893	191985	178.00	179.00	1.00	2
WL08-004	*	A08-5893	191986	179.00	180.00	1.00	2
WL08-004	*	A08-5893	191987	180.00	181.00	1.00	5
WL08-004	*	A08-5893	191988	181.00	182.00	1.00	2
WL08-004	*	A08-5893	191989	182.00	183.00	1.00	7
WL08-004	*	A08-5893	191990	183.00	184.00	1.00	3
WL08-004	*	A08-5893	191991	184.00	185.00	1.00	2
WL08-004	*	A08-5893	191992	185.00	186.00	1.00	6
WL08-004	*	A08-5893	191993	186.00	187.00	1.00	2
WL08-004	*	A08-5893	191994	187.00	188.00	1.00	4
WL08-004	*	A08-5893	191995	188.00	189.00	1.00	2
WL08-004	*	A08-5893	191996	189.00	190.00	1.00	2
WL08-004	*	A08-5893	191997	190.00	191.00	1.00	2
WL08-004	*	A08-5893	191998	191.00	192.00	1.00	4
WL08-004	*	A08-5893	191999	192.00	193.00	1.00	3
WL08-004	*	A08-5893	192000	193.00	194.00	1.00	1
WL08-004	*	A08-5893	193551	194.00	195.00	1.00	9
WL08-004	*	A08-5893	193552	195.00	196.00	1.00	5
WL08-004	*	A08-5893	193553	196.00	197.00	1.00	5
WL08-005	200840801	A08-3256	475727	5.60	6.60	1.00	12
WL08-005	200840801	A08-3256	475728	14.00	15.00	1.00	94
WL08-005	200840801	A08-3256	475729	15.00	16.00	1.00	8
WL08-005	200840801	A08-3256	475730	16.00	17.00	1.00	35
WL08-005	200840801	A08-3256	475731	17.00	18.00	1.00	103
WL08-005	200840801	A08-3256	475732	18.00	19.00	1.00	39
WL08-005	200840801	A08-3256	475733	19.00	20.00	1.00	42
WL08-005	200840801	A08-3256	475734	20.00	21.00	1.00	79
WL08-005	200840801	A08-3256	475735	21.00	22.00	1.00	57
WL08-005	200840801	A08-3256	475736	22.00	23.00	1.00	43
WL08-005	200840801	A08-3256	475737	23.00	24.00	1.00	28
WL08-005	200840801	A08-3256	475738	24.00	25.00	1.00	16
WL08-005	200840801	A08-3256	475739	25.00	26.00	1.00	22
WL08-005	200840801	A08-3256	475740	26.00	27.40	1.40	45
WL08-005	200840801	A08-3256	475741	27.40	28.00	0.60	37
WL08-005	200840801	A08-3256	475742	28.00	29.00	1.00	39
WL08-005	200840801	A08-3256	475743	29.00	30.00	1.00	20
WL08-005	200840801	A08-3256	475744	30.00	31.00	1.00	20
WL08-005	200840801	A08-3256	475745	31.00	32.00	1.00	9
WL08-005	200840801	A08-3256	475746	32.00	33.00	1.00	6
WL08-005	200840801	A08-3256	475747	33.00	34.00	1.00	20
WL08-005	200840801	A08-3256	475748	34.00	35.00	1.00	9
WL08-005	200840801	A08-3256	475749	35.00	36.00	1.00	6
WL08-005	200840801	A08-3256	475750	36.00	37.00	1.00	14
WL08-005	200840801	A08-3256	475751	37.00	38.00	1.00	82
WL08-005	200840801	A08-3256	475752	38.00	39.00	1.00	24
WL08-005	200840801	A08-3256	475753	39.00	40.00	1.00	20
WL08-005	200840801	A08-3256	475754	40.00	41.00	1.00	10
WL08-005	200840801	A08-3256	475755	41.00	42.00	1.00	13
WL08-005	200840801	A08-3256	475756	42.00	43.00	1.00	7
WL08-005	200840801	A08-3256	475757	43.00	44.00	1.00	13
WL08-005	200840801	A08-3256	475758	44.00	45.00	1.00	13
WL08-005	200840801	A08-3256	475759	45.00	46.00	1.00	12

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
WL08-005	200840801	A08-3256	475760	46.00	47.10	1.10	13
WL08-005	200840801	A08-3256	475761	51.65	53.00	1.35	11
WL08-005	200840801	A08-3256	475762	53.00	54.00	1.00	10
WL08-005	200840801	A08-3256	475763	54.00	55.00	1.00	9
WL08-005	200840801	A08-3256	475764	55.00	56.00	1.00	18
WL08-005	200840801	A08-3256	475765	56.00	57.00	1.00	20
WL08-005	200840801	A08-3256	475766	57.00	58.00	1.00	41
WL08-005	200840801	A08-3256	475767	58.00	59.00	1.00	9
WL08-005	200840801	A08-3256	475768	59.00	60.00	1.00	14
WL08-005	200840801	A08-3256	475769	60.00	61.00	1.00	23
WL08-005	200840801	A08-3256	475770	61.00	62.00	1.00	9
WL08-005	200840801	A08-3256	475771	62.00	63.00	1.00	19
WL08-005	200840801	A08-3256	475772	63.00	63.55	0.55	6
WL08-005	200840801	A08-3256	475773	65.20	66.00	0.80	14
WL08-005	200840801	A08-3256	475774	66.00	67.00	1.00	11
WL08-005	200840801	A08-3256	475775	67.00	68.00	1.00	10
WL08-005	200840801	A08-3256	475776	68.00	69.00	1.00	13
WL08-005	200840801	A08-3256	475777	75.10	76.00	0.90	15
WL08-005	200840801	A08-3256	475778	76.00	77.00	1.00	25
WL08-005	200840801	A08-3256	475779	77.00	78.00	1.00	14
WL08-005	200840801	A08-3256	475780	78.00	79.00	1.00	11
WL08-005	200840801	A08-3256	475781	79.00	80.00	1.00	9
WL08-005	*	A08-5893	192887	100.00	101.00	1.00	1
WL08-005	*	A08-5893	192888	101.00	102.00	1.00	0
WL08-005	*	A08-5893	192889	102.00	103.00	1.00	0
WL08-005	*	A08-5893	192890	103.00	104.00	1.00	0
WL08-005	*	A08-5893	192891	104.00	105.00	1.00	1
WL08-005	*	A08-5893	192892	105.00	106.00	1.00	1
WL08-005	*	A08-5893	192893	106.00	107.00	1.00	3
WL08-005	*	A08-5893	192894	107.00	108.00	1.00	2
WL08-005	*	A08-5893	192895	108.00	109.00	1.00	1
WL08-005	*	A08-5893	192896	109.00	110.00	1.00	1
WL08-005	*	A08-5893	192897	110.00	111.00	1.00	2
WL08-005	*	A08-5893	192898	111.00	112.00	1.00	7
WL08-005	*	A08-5893	192899	112.00	113.00	1.00	8
WL08-005	*	A08-5893	192900	113.00	114.00	1.00	8
WL08-005	*	A08-5893	192901	114.00	115.00	1.00	6
WL08-005	*	A08-5893	192902	115.00	116.00	1.00	10
WL08-005	*	A08-5893	192903	116.00	117.00	1.00	8
WL08-005	*	A08-5893	192904	117.00	118.00	1.00	7
WL08-005	*	A08-5893	192905	118.00	119.00	1.00	5
WL08-005	*	A08-5893	192906	119.00	120.00	1.00	4
WL08-005	*	A08-5893	192907	120.00	121.00	1.00	6
WL08-005	*	A08-5893	192908	121.00	122.00	1.00	3
WL08-005	*	A08-5893	192909	122.00	123.00	1.00	3
WL08-005	*	A08-5893	192910	123.00	124.00	1.00	4
WL08-005	*	A08-5893	192911	124.00	125.00	1.00	4
WL08-005	*	A08-5893	192912	125.00	126.00	1.00	4
WL08-005	*	A08-5893	192913	126.00	127.00	1.00	2
WL08-005	*	A08-5893	192914	127.00	128.00	1.00	1
WL08-005	*	A08-5893	192915	128.00	129.00	1.00	2
WL08-005	*	A08-5893	192916	129.00	130.00	1.00	3
WL08-005	*	A08-5893	192917	130.00	131.00	1.00	2
WL08-005	*	A08-5893	192918	131.00	132.00	1.00	4
WL08-005	*	A08-5893	192919	132.00	133.00	1.00	6
WL08-005	*	A08-5893	192920	133.00	134.00	1.00	5
WL08-005	*	A08-5893	192921	134.00	135.00	1.00	4
WL08-005	*	A08-5893	192922	135.00	136.00	1.00	5
WL08-005	*	A08-5893	192923	137.00	138.00	1.00	2
WL08-005	*	A08-5893	192924	138.00	139.00	1.00	3
WL08-005	*	A08-5893	192925	139.00	140.00	1.00	4
WL08-005	*	A08-5893	192927	141.00	142.00	1.00	1
WL08-005	*	A08-5893	192928	142.00	143.00	1.00	3
WL08-005	*	A08-5893	192929	143.00	144.00	1.00	8
WL08-005	*	A08-5893	192930	144.00	145.00	1.00	2
WL08-005	*	A08-5893	192931	145.00	146.00	1.00	2
WL08-006	200840733	A08-3256	475660	14.00	15.00	1.00	5
WL08-006	200840733	A08-3256	475661	15.00	16.00	1.00	16
WL08-006	200840733	A08-3256	475662	16.00	17.00	1.00	52
WL08-006	200840733	A08-3256	475663	17.00	18.00	1.00	37
WL08-006	200840733	A08-3256	475664	18.00	19.00	1.00	44
WL08-006	200840733	A08-3256	475665	19.00	20.00	1.00	84
WL08-006	200840733	A08-3256	475666	20.00	21.00	1.00	25
WL08-006	200840733	A08-3256	475667	21.00	22.00	1.00	76
WL08-006	200840733	A08-3256	475668	22.00	23.00	1.00	57

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
WL08-006	200840733	A08-3256	475669	23.00	24.00	1.00	69
WL08-006	200840733	A08-3256	475670	24.00	25.00	1.00	43
WL08-006	200840733	A08-3256	475671	25.00	26.00	1.00	22
WL08-006	200840733	A08-3256	475672	26.00	27.00	1.00	43
WL08-006	200840733	A08-3256	475673	27.00	28.00	1.00	36
WL08-006	200840733	A08-3256	475674	28.00	29.00	1.00	21
WL08-006	200840733	A08-3256	475675	29.00	30.00	1.00	9
WL08-006	200840733	A08-3256	475676	30.00	31.00	1.00	9
WL08-006	200840733	A08-3256	475677	31.00	32.00	1.00	21
WL08-006	200840733	A08-3256	475678	32.00	33.00	1.00	24
WL08-006	200840733	A08-3256	475679	33.00	34.00	1.00	9
WL08-006	200840733	A08-3256	475680	34.00	35.00	1.00	5
WL08-006	200840733	A08-3256	475681	35.00	36.00	1.00	4
WL08-006	200840733	A08-3256	475682	36.00	37.00	1.00	4
WL08-006	200840733	A08-3256	475683	37.00	38.00	1.00	4
WL08-006	200840733	A08-3256	475684	38.00	39.00	1.00	4
WL08-006	200840733	A08-3256	475685	39.00	40.00	1.00	4
WL08-006	200840733	A08-3256	475686	40.00	41.00	1.00	16
WL08-006	200840733	A08-3256	475687	41.00	42.00	1.00	69
WL08-006	200840733	A08-3256	475688	42.00	43.00	1.00	51
WL08-006	200840733	A08-3256	475689	43.00	44.00	1.00	55
WL08-006	200840733	A08-3256	475690	44.00	45.00	1.00	40
WL08-006	200840733	A08-3256	475691	45.00	46.00	1.00	20
WL08-006	200840733	A08-3256	475692	46.00	47.00	1.00	9
WL08-006	200840733	A08-3256	475693	47.00	48.00	1.00	5
WL08-006	200840733	A08-3256	475694	48.00	49.00	1.00	19
WL08-006	200840733	A08-3256	475695	49.00	50.45	1.45	17
WL08-006	200840733	A08-3256	475696	50.45	51.45	1.00	2
WL08-006	200840733	A08-3256	475697	73.20	74.20	1.00	3
WL08-006	200840733	A08-3256	475698	74.20	76.00	1.80	4
WL08-006	200840733	A08-3256	475699	76.00	77.00	1.00	19
WL08-006	200840733	A08-3256	475700	77.00	78.00	1.00	10
WL08-006	200840733	A08-3256	475701	78.00	79.00	1.00	8
WL08-006	200840733	A08-3256	475702	79.00	80.00	1.00	4
WL08-006	200840733	A08-3256	475703	80.00	81.50	1.50	7
WL08-006	200840733	A08-3256	475704	81.50	85.00	3.50	9
WL08-006	200840733	A08-3256	475705	85.00	86.00	1.00	18
WL08-006	200840733	A08-3256	475706	86.00	87.40	1.40	21
WL08-006	200840733	A08-3256	475707	116.70	118.00	1.30	10
WL08-006	200840733	A08-3256	475708	118.00	119.00	1.00	4
WL08-006	200840801	A08-3256	475709	119.00	120.00	1.00	10
WL08-006	200840801	A08-3256	475710	120.00	121.15	1.15	10
WL08-006	200840801	A08-3256	475711	144.60	146.00	1.40	11
WL08-006	200840801	A08-3256	475712	183.70	185.00	1.30	49
WL08-006	200840801	A08-3256	475713	185.00	186.00	1.00	42
WL08-006	200840801	A08-3256	475714	186.00	187.00	1.00	33
WL08-006	200840801	A08-3256	475715	187.00	188.00	1.00	22
WL08-006	200840801	A08-3256	475716	188.00	189.00	1.00	1
WL08-006	200840801	A08-3256	475717	189.00	190.00	1.00	3
WL08-006	200840801	A08-3256	475718	190.00	191.10	1.10	5
WL08-006	200840801	A08-3256	475719	191.10	192.40	1.30	65
WL08-006	200840801	A08-3256	475720	192.40	193.50	1.10	4
WL08-006	200840801	A08-3256	475721	193.50	194.85	1.35	7
WL08-006	200840801	A08-3256	475722	194.85	196.00	1.15	34
WL08-006	200840801	A08-3256	475723	196.00	197.00	1.00	17
WL08-006	200840801	A08-3256	475724	197.00	198.00	1.00	58
WL08-006	200840801	A08-3256	475725	198.00	199.00	1.00	17
WL08-006	200840801	A08-3256	475726	199.00	200.00	1.00	14
WL08-007	*		192758	19.00	19.50	0.50	*
WL08-007	*		192759	19.50	20.00	0.50	*
WL08-007	*		192760	20.00	20.50	0.50	*
WL08-007	*	A08-4674	192784	21.02	22.00	0.98	5
WL08-007	*	A08-4674	192785	38.82	39.87	1.05	29
WL08-007	*	A08-4674	192786	48.99	50.00	1.01	8
WL08-007	*	A08-4674	192787	50.00	51.00	1.00	82
WL08-007	*	A08-4674	192788	51.00	52.03	1.03	88
WL08-007	*	A08-4674	192789	52.03	53.00	0.97	49
WL08-007	*	A08-4674	192790	53.00	54.01	1.01	36
WL08-007	*	A08-4674	192791	54.01	55.07	1.06	40
WL08-007	*	A08-4674	192792	56.97	57.97	1.00	8
WL08-007	*	A08-4674	192793	63.05	63.95	0.90	10
WL08-007	*	A08-4674	192794	63.95	65.00	1.05	27
WL08-007	*	A08-4674	192795	69.99	71.00	1.01	8
WL08-008	*	A08-4674	192796	25.00	26.00	1.00	57
WL08-008	*	A08-4674	192797	29.00	29.98	0.98	72

Hole No.	ICP Rept.	DNC Rept.	Tag No.	From	To	Length	U3O8 ppm
WL08-008	*	A08-4674	192798	29.98	30.95	0.97	48
WL08-008	*	A08-4674	192799	30.95	32.00	1.05	17
WL08-008	*	A08-4674	192800	35.00	36.00	1.00	48
WL08-008	*	A08-4674	192801	36.00	37.00	1.00	75
WL08-008	*	A08-4674	192802	54.99	56.00	1.01	30
WL08-008	*	A08-4674	192803	56.00	56.98	0.98	73
WL08-008	*	A08-4674	192804	56.98	58.00	1.02	40
WL08-008	*	A08-4674	192805	58.00	59.00	1.00	16
WL08-008	*	A08-4674	192806	59.00	59.98	0.98	12
WL08-008	*	A08-4674	192807	59.98	60.98	1.00	9
WL08-008	*	A08-4674	192808	60.98	62.00	1.02	18
WL08-008	*	A08-4674	192809	62.00	63.01	1.01	25
WL08-008	*	A08-4674	192810	63.01	64.00	0.99	23
WL08-009	*		192751	9.60	10.13	0.53	*
WL08-009	*		192752	11.41	11.91	0.50	*
WL08-009	*		192753	11.91	12.40	0.49	*
WL08-009	*		192754	12.40	12.90	0.50	*
WL08-009	*		192755	12.90	13.41	0.51	*
WL08-009	*		192756	13.41	13.83	0.42	*
WL08-009			192757	13.83	14.37	0.54	
WL08-009	*	A08-4674	192776	15.43	16.47	1.04	6
WL08-009	*	A08-4674	192777	44.00	45.00	1.00	27
WL08-009	*	A08-4674	192778	45.00	45.98	0.98	50
WL08-009	*	A08-4674	192779	47.00	48.00	1.00	21
WL08-009	*	A08-4674	192780	62.85	63.92	1.07	40
WL08-009	*	A08-4674	192781	65.00	66.00	1.00	36
WL08-009	*	A08-4674	192782	66.00	67.04	1.04	37
WL08-009	*	A08-4674	192783	67.04	68.00	0.96	28
WL08-010	*		192761	17.42	17.84	0.42	*
WL08-010	*		192762	17.84	18.44	0.60	*
WL08-010	*		192763	19.23	19.60	0.37	*
WL08-010	*		192764	20.11	20.55	0.44	*
WL08-010	*	A08-4674	192811	38.70	39.70	1.00	40
WL08-010	*	A08-4674	192812	41.00	42.05	1.05	72
WL08-010	*	A08-4674	192813	42.05	43.03	0.98	139
WL08-010	*	A08-4674	192814	43.03	44.03	1.00	34
WL08-010	*	A08-4674	192815	44.03	45.06	1.03	7
WL08-010	*	A08-4674	192816	55.97	56.98	1.01	20
WL08-010	*	A08-4674	192817	56.98	58.03	1.05	16
WL08-010	*	A08-4674	192818	58.03	59.02	0.99	16
WL08-010	*	A08-4674	192819	59.02	60.00	0.98	10
WL08-010	*	A08-4674	192820	68.03	69.05	1.02	44
WL08-010	*	A08-4674	192821	69.05	69.99	0.94	30
WL08-010	*	A08-4674	192822	69.99	71.01	1.02	33
WL08-010	*	A08-4674	192823	71.01	71.96	0.95	29
WL08-010	*	A08-4674	192824	73.97	74.97	1.00	39
WL08-010	*	A08-4674	192825	94.91	95.86	0.95	16
WL08-010	*	A08-4674	192826	112.05	113.00	0.95	6

APPENDIX F
ASSAY AND ANALYTICAL
CERTIFICATES



Mineral Assay Division of Assay Laboratory Services Inc.

1046 GORHAM STREET THUNDER BAY, ONTARIO P7B 5X5 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: assay@accurassay.com WEB: www.accurassay.com

Table with columns for Client Tag, Element, and various assay results. Includes elements like Ag, Al, As, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, K, Li, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Si, Sn, Sr, S, U, V, W, Y, Zn, and others. Each row contains a client tag, the element symbol, and a numerical value with a unit (e.g., ppm, %).

Accur. #	Client Tag	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn	Hg	S	U	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr		
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
13478	487377	2	2.42	3	39	9	<1	3	2.52	<4	26	290	139	4.16	0.38	44	1.64	786	<1	0.37	58	147	165	7	<5	0.05	<10	11	1973	2	115	<10	8	46	<1	0.1	<10	23	14	<1	1	<1	1	<1	3	<1	25	<1	<1	2	60	109
13479	487378	3	0.38	2	32	22	<1	<1	0.07	<4	<1	644	11	0.83	0.23	11	0.07	113	5	0.1	9	<100	48	11	<5	0.03	<10	5	104	<1	4	<10	2	21	<1	<0.10	74	3	3	<1	3	<1	3	<1	25	<1	<1	2	60	109		
13480	487379	<1	0.38	<2	29	20	<1	<1	0.06	<4	<1	348	9	0.61	0.2	11	0.09	<100	4	0.1	9	<100	43	7	<5	0.03	<10	5	125	<1	4	<10	4	11	<1	<0.10	59	2	2	<1	2	<1	2	<1	18	<1	<1	40	57			
13481	487380	1	1.44	3	37	92	<1	11	0.61	<4	15	397	41	2.32	0.73	59	1.27	312	<1	0.2	41	565	120	8	<5	0.07	<10	21	1435	<1	64	<10	5	56	<1	<0.10	13	28	10	<1	<1	2	17	5	83	5	2	4	12	13		
13482	487381	<1	1.28	4	38	103	<1	6	0.52	<4	20	312	87	2.67	0.79	46	0.99	405	1	0.12	48	334	95	7	<5	0.05	<10	13	1789	1	61	<10	5	229	<1	0.45	11	15	9	<1	<1	<1	10	5	82	5	2	4	12	10		
13483	487382	2	0.62	<2	35	20	<1	3	0.09	<4	4	405	15	1.08	0.39	26	0.27	206	<1	0.08	9	<100	43	8	<5	0.02	<10	4	514	<1	15	<10	2	51	<1	<0.10	14	2	6	<1	<1	<1	2	2	53	2	<1	3	16	17		
13484	487383	<1	0.34	<2	38	12	<1	8	0.06	<4	<1	458	5	0.6	0.28	7	0.07	<100	1	0.07	6	<100	33	8	<5	0.03	<10	5	121	<1	3	<10	1	10	<1	<0.10	20	<1	3	<1	<1	<1	<1	<1	25	<1	<1	2	15	7		
13485	487384	2	1.3	<2	45	115	<1	5	0.39	<4	21	425	132	2.86	0.77	47	0.81	406	9	0.17	41	245	107	8	<5	0.04	<10	14	1713	<1	53	<10	6	440	<1	0.59	16	8	9	<1	<1	<1	8	4	107	5	1	7	13	18		
13486	487384	2	1.21	3	39	108	<1	<1	0.36	<4	21	394	124	2.7	0.73	46	0.76	377	7	0.16	39	229	94	8	<5	0.03	<10	12	1567	2	49	<10	6	409	<1	0.65	12	8	9	<1	<1	<1	8	4	99	4	2	5	11	15		
13487	487385	<1	0.34	<2	33	13	<1	2	0.06	<4	3	397	29	0.89	0.21	8	0.11	101	6	0.08	10	<100	44	7	<5	0.03	<10	3	158	<1	5	<10	2	30	<1	0.25	25	<1	2	<1	<1	<1	1	<1	19	<1	<1	2	20	19		
13488	487386	<1	1.12	4	37	55	<1	11	0.61	<4	22	312	96	2.63	0.63	36	0.74	305	1	0.1	43	304	86	6	<5	0.03	<10	14	1675	<1	51	<10	5	316	<1	0.71	<10	19	7	<1	<1	<1	9	4	83	4	1	5	10	9		
13489	487387	2	1.71	4	41	12	<1	11	1.76	<4	31	302	190	3.04	0.15	22	0.63	393	5	0.11	62	376	111	8	<5	0.07	<10	34	1609	<1	36	<10	6	746	<1	1.03	14	35	8	<1	<1	<1	10	3	15	3	1	9	10	6		
13490	487388	<1	0.34	<2	32	14	<1	9	0.08	<4	<1	378	8	0.64	0.19	8	0.09	<100	7	0.08	6	<100	40	6	<5	0.03	<10	5	172	<1	4	<10	1	19	<1	<0.10	36	<1	3	<1	<1	<1	2	<1	<1	21	<1	<1	23	24		
13491	487389	2	1.28	3	44	51	<1	14	0.19	<4	11	459	73	2.32	0.9	52	0.7	462	2	0.11	27	214	92	10	<5	0.04	<10	8	1446	1	46	<10	7	117	<1	0.35	<10	14	8	<1	<1	10	5	121	6	1	4	14	20			
13492	487390	<1	0.92	3	36	34	<1	8	0.65	<4	8	344	22	1.69	0.49	50	0.72	298	<1	0.17	21	465	61	7	<5	0.03	<10	19	1405	1	36	<10	6	32	<1	<0.10	<10	68	6	<1	<1	<1	38	3	54	3	2	4	16	11		
13493	487391	14	0.23	2	30	9	<1	2	0.04	<4	<1	397	5	0.44	0.1	6	0.05	<100	<1	0.08	5	<100	18	7	<5	0.03	<10	4	<100	<1	<2	<10	<1	2	<1	<0.10	<10	2	2	<1	<1	<1	2	<1	<1	<1	<1	8	5			

Certified By: 
Derek Demianiuk, H.Bsc.

Delta Uranium Corp.
 Date Created: 08-02-29 11:11:18 AM
 Job Number: 200840226
 Date Received: Feb 14, 2008
 Number of Samples: 19
 Type of Sample: Rock
 Date Completed:
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	Hg ppm	S %	U ppm	Ce ppm	Ga ppm	Ge ppm	Hf ppm	In ppm	La ppm	Nb ppm	Rb ppm	Sc ppm	Ta ppm	Te ppm	Th ppm	Zr ppm
22392	487392	<1	0.15	2	61	6	<1	<1	0.04	<4	<1	251	<1	0.37	0.07	<1	0.04	<100	<1	0.05	<1	<100	16	6	<5	0.03	<10	<3	<100	<1	<2	<10	<1	<1	<1	<10	20	13	<1	2	1	<1	6	<1	6	<1	19	<1	4	22
22393	487393	<1	0.15	<2	66	8	<1	5	0.03	<4	<1	317	<1	0.39	0.08	<1	0.03	<100	1	0.04	<1	105	17	7	<5	0.02	<10	<3	<100	<1	<2	<10	<1	<1	<1	<10	20	18	1	7	<1	<1	8	<1	<1	<1	20	<1	12	26
22394	487394	<1	0.17	<2	71	6	<1	<1	0.03	<4	<1	303	<1	0.42	0.06	<1	0.04	<100	1	0.04	<1	<100	13	8	<5	0.03	<10	<3	<100	<1	<2	<10	<1	<1	<1	<10	19	9	<1	3	<1	<1	2	<1	<1	<1	20	1	6	7
22395	487395	<1	0.25	<2	81	7	<1	<1	0.03	<4	<1	275	<1	0.6	0.15	10	0.12	<100	<1	0.04	<1	209	14	7	<5	0.03	<10	<3	172	<1	<2	<10	<1	3	<1	<10	18	9	1	2	<1	<1	2	<1	19	<1	19	<1	12	13
22396	487396	<1	0.19	<2	71	5	<1	3	0.03	<4	<1	249	<1	0.65	0.09	<1	0.06	<100	<1	0.04	<1	137	25	<5	<5	0.03	<10	<3	<100	<1	3	<10	<1	<1	<1	<10	22	8	<1	3	<1	3	2	<1	7	<1	20	1	6	8
22397	487397	<1	0.17	<2	80	8	<1	<1	0.03	<4	<1	285	<1	1.2	0.09	<1	0.05	<100	<1	0.04	<1	289	36	9	<5	0.03	<10	<3	<100	<1	13	<10	3	3	<1	<10	24	22	2	7	<1	<1	9	<1	12	<1	19	<1	38	19
22398	487398	<1	0.17	<2	64	11	<1	2	0.02	<4	<1	287	<1	0.48	0.11	<1	0.03	<100	<1	0.04	<1	133	12	8	<5	0.03	<10	<3	<100	<1	<2	<10	<1	7	<1	<10	18	8	<1	5	<1	<1	1	<1	9	<1	19	2	5	6
22399	487399	<1	0.3	<2	65	10	<1	4	0.05	<4	1	311	1	1.15	0.13	3	0.1	<100	1	0.05	3	473	35	8	<5	0.03	<10	4	<100	<1	11	<10	3	16	<1	<10	22	17	3	3	<1	3	5	1	13	<1	19	3	31	14
22400	487400	<1	0.52	<2	74	17	<1	3	0.19	<4	4	325	3	1.3	0.32	28	0.4	188	<1	0.06	7	1769	43	<5	<5	0.04	<10	5	480	<1	16	<10	2	20	<1	<10	26	26	2	7	<1	<1	14	1	31	<1	20	<1	8	18
22401	487401	<1	0.51	<2	88	18	<1	5	0.24	<4	4	295	3	1.26	0.3	27	0.43	179	1	0.06	8	2111	35	9	<5	0.03	<10	6	486	<1	18	<10	2	18	<1	<10	18	32	4	<1	<1	<1	16	2	36	<1	20	6	14	20
22402	487401	<1	0.48	3	78	17	<1	<1	0.23	<4	4	270	5	1.2	0.29	25	0.41	172	<1	0.05	7	2033	34	8	<5	0.03	<10	5	461	<1	17	<10	2	14	<1	<10	25	29	4	2	<1	<1	15	1	33	<1	20	3	12	18
22403	487402	<1	0.23	<2	72	7	<1	2	0.05	<4	<1	242	<1	0.64	0.11	5	0.1	<100	1	0.05	<1	254	25	6	<5	0.02	<10	<3	<100	<1	3	<10	<1	<1	<1	<10	19	9	1	3	<1	<1	3	<1	10	<1	19	4	7	10
22404	487403	<1	0.14	3	75	7	<1	4	0.07	<4	<1	220	<1	0.4	0.1	<1	0.05	<100	<1	0.03	<1	<100	14	<5	<5	0.03	<10	<3	<100	1	<2	<10	<1	<1	<1	<10	20	9	<1	4	<1	<1	<1	<1	5	<1	20	3	2	7
22405	487404	<1	0.5	3	73	12	<1	3	0.14	<4	3	251	<1	1.38	0.27	38	0.35	206	<1	0.05	4	1301	35	8	<5	0.03	<10	7	417	<1	15	<10	4	20	<1	<10	22	28	4	4	<1	<1	13	<1	31	<1	20	2	33	41
22406	487405	<1	0.25	<2	78	7	<1	<1	0.08	<4	<1	276	<1	0.74	0.1	9	0.12	<100	<1	0.05	<1	544	21	7	<5	0.03	<10	4	121	<1	4	<10	2	2	<1	<10	26	44	2	7	<1	2	21	<1	9	<1	21	<1	34	33
22407	487406	3	0.75	3	79	22	<1	4	0.46	<4	7	248	33	1.64	0.44	50	0.7	315	<1	0.08	13	3534	49	7	<5	0.04	<10	11	962	<1	32	<10	4	38	<1	<10	17	48	5	4	<1	<1	27	2	62	<1	20	<1	12	19
22408	487407	2	0.55	3	85	17	<1	11	0.31	<4	5	253	<1	1.3	0.37	34	0.47	233	1	0.07	7	2200	34	7	<5	0.04	<10	8	971	<1	21	<10	3	38	<1	<10	24	38	4	3	<1	<1	21	2	47	<1	21	5	16	16
22409	487408	<1	0.15	<2	67	6	<1	5	0.11	<4	<1	217	<1	0.39	0.07	<1	0.05	<100	<1	0.04	<1	<100	23	<5	<5	0.03	<10	3	<100	<1	<2	<10	<1	3	<1	<10	18	9	<1	3	<1	<1	<1	<1	3	<1	21	2	2	5
22410	487409	<1	0.15	<2	83	9	<1	<1	0.08	<4	<1	180	<1	0.41	0.1	<1	0.05	<100	<1	0.04	<1	<100	19	6	<5	0.03	<10	4	<100	<1	<2	<10	<1	<1	<1	<10	29	9	<1	6	<1	<1	1	<1	12	<1	19	4	12	29
22411	487410	1	0.8	<2	86	31	<1	4	0.41	<4	7	246	3	1.69	0.53	57	0.72	353	<1	0.09	13	3187	49	5	<5	0.04	<10	11	1266	<1	31	<10	5	36	<1	<10	18	50	5	4	<1	<1	28	3	70	<1	20	2	11	19

Certified By: 
 Derek Demianiuk, H.Bsc.

Delta Uranium Corp.
 Date Created: 08-03-06 03:02:03 PM
 Job Number: 200840265
 Date Received: Feb 20, 2008
 Number of Samples: 94
 Type of Sample: Rock
 Date Completed: Mar 6, 2008
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	Hg ppm	S %	U ppm	Ce ppm	Ga ppm	Ge ppm	Hf ppm	In ppm	La ppm	Nb ppm	Rb ppm	Sc ppm	Ta ppm	Te ppm	Th ppm	Zr ppm		
24543	487451	<1	0.31	<2	62	16	3	<1	0.05	<4	2	158	25	0.71	0.21	19	0.13	104	8	0.04	22	<100	76	<5	<5	0.02	<10	5	339	<1	10	<10	4	23	<1	<0.10	<10	5	3	<1	<1	2	1	<1	36	2	<1	<1	53	59		
24544	487452	<1	0.46	<2	75	27	3	<1	0.03	<4	3	243	17	1.17	0.37	29	0.12	204	12	0.05	22	<100	180	<5	<5	0.02	<10	8	556	<1	16	<10	6	36	<1	<0.10	<10	78	5	3	2	<1	2	1	2	78	2	<1	1	75	79	
24545	487453	<1	0.33	<2	73	23	3	<1	0.03	<4	2	208	16	0.8	0.22	18	0.11	124	3	0.05	20	<100	90	<5	<5	0.02	<10	7	308	<1	9	<10	4	25	<1	<0.10	<10	21	3	4	<1	<1	1	<1	46	1	<1	<1	47	53		
24546	487454	<1	0.5	<2	79	28	3	<1	0.05	<4	3	231	24	1.28	0.37	31	0.21	197	3	0.05	20	<100	114	<5	<5	0.02	<10	10	568	2	18	<10	6	30	1	<0.10	<10	6	5	3	<1	1	2	1	66	2	<1	2	53	40		
24547	487455	<1	0.22	<2	75	21	3	<1	0.02	<4	1	168	16	0.56	0.14	8	0.07	<100	1	0.04	19	<100	57	<5	<5	0.02	<10	7	<100	<1	7	<10	3	15	<1	<0.10	<10	4	2	<1	<1	2	2	<1	13	1	<1	<1	21	23		
24548	487456	<1	0.4	5	82	20	3	<1	0.04	<4	3	214	13	0.88	0.27	28	0.19	144	2	0.05	21	<100	61	<5	<5	0.02	<10	8	442	<1	12	<10	3	26	<1	<0.10	<10	2	4	2	<1	2	<1	1	51	1	<1	<1	20	32		
24549	487457	<1	0.71	<2	90	46	3	<1	0.09	<4	6	259	22	1.54	0.59	58	0.44	278	5	0.06	29	<100	128	<5	<5	0.03	<10	13	1074	<1	22	<10	8	50	<1	<0.10	<10	97	29	7	<1	<1	1	12	2	82	1	<1	<1	48	23	
24550	487458	<1	0.28	3	70	19	3	<1	0.07	<4	1	166	16	0.55	0.2	28	0.13	<100	1	0.05	20	<100	40	<5	<5	0.02	<10	8	231	<1	6	<10	3	95	<1	<0.10	<10	54	2	<1	<1	4	29	<1	<1	29	<1	<1	<1	24	25	
24551	487459	<1	0.21	3	63	20	3	<1	0.05	<4	<1	142	19	0.41	0.13	17	0.07	<100	1	0.04	18	<100	39	<5	<5	0.02	<10	7	<100	<1	4	<10	2	37	<1	<0.10	<10	28	2	1	<1	2	16	<1	<1	20	<1	<1	<1	25	24	
24552	487460	<1	0.31	3	72	25	3	<1	0.05	<4	2	204	13	0.84	0.21	33	0.12	104	2	0.06	19	<100	35	<5	<5	0.02	<10	9	250	<1	7	<10	3	34	<1	<0.10	<10	41	2	<1	<1	<1	23	<1	<1	28	<1	<1	<1	31	35	
24553	487461	<1	0.28	5	76	22	3	<1	0.07	<4	2	149	12	0.8	0.18	30	0.12	103	2	0.06	19	<100	39	<5	<5	0.02	<10	8	251	<1	6	<10	4	32	<1	<0.10	<10	34	3	<1	<1	1	18	<1	<1	22	1	<1	<1	29	38	
24554	487461	<1	0.28	3	71	22	3	<1	0.07	<4	1	144	12	0.77	0.18	30	0.12	101	2	0.06	19	<100	36	<5	<5	0.02	<10	9	250	<1	6	<10	4	30	<1	<0.10	<10	32	2	<1	<1	3	18	<1	<1	26	1	<1	<1	31	38	
24555	487462	<1	0.22	<2	83	19	3	<1	0.08	<4	1	132	11	0.67	0.14	25	0.09	<100	1	0.05	18	<100	30	<5	<5	0.02	<10	8	206	<1	6	<10	4	20	1	<0.10	<10	26	2	<1	<1	<1	14	<1	<1	29	<1	<1	<1	30	32	
24556	487463	<1	0.26	3	75	15	3	<1	0.08	<4	1	222	12	0.84	0.12	20	0.08	<100	2	0.08	19	<100	43	<5	<5	0.02	<10	10	131	<1	9	<10	5	18	<1	<0.10	<10	109	3	<1	<1	<1	55	<1	<1	20	<1	<1	<1	52	28	
24557	487464	<1	0.2	3	62	9	3	<1	0.07	<4	1	121	12	0.98	0.06	12	0.05	<100	2	0.07	18	<100	48	<5	<5	0.02	<10	9	<100	2	15	<10	3	18	<1	<0.10	<10	46	3	<1	<1	3	23	<1	9	<1	<1	<1	47	31		
24558	487465	<1	0.24	<2	73	19	3	<1	0.06	<4	1	183	12	1.05	0.14	23	0.08	113	2	0.06	18	<100	52	<5	<5	0.02	<10	10	152	<1	14	<10	4	21	<1	<0.10	<10	40	3	<1	<1	1	21	<1	<1	17	<1	<1	<1	37	32	
24559	487466	<1	0.29	<2	70	22	3	<1	0.08	<4	2	188	12	0.82	0.18	32	0.11	110	2	0.06	18	<100	41	<5	<5	0.02	<10	9	239	<1	5	<10	5	24	<1	<0.10	<10	39	3	<1	<1	1	22	<1	<1	27	<1	<1	<1	31	35	
24560	487467	<1	0.19	<2	64	10	3	<1	0.06	<4	<1	145	11	0.66	0.09	12	0.05	<100	1	0.06	18	<100	43	<5	<5	0.02	<10	9	<100	<1	9	<10	3	16	<1	<0.10	<10	16	2	<1	<1	2	9	<1	<1	16	<1	<1	<1	27	24	
24561	487468	<1	0.19	4	68	12	3	<1	0.06	<4	1	178	11	0.75	0.11	14	0.05	<100	2	0.06	19	<100	45	<5	<5	0.02	<10	9	101	<1	10	<10	4	15	<1	<0.10	<10	19	2	<1	<1	<1	11	<1	<1	12	<1	<1	<1	27	34	
24562	487469	<1	0.21	<2	66	12	3	<1	0.08	<4	2	213	12	1.07	0.12	10	0.05	105	2	0.07	19	<100	99	<5	<5	0.02	<10	10	107	<1	15	<10	4	20	<1	<0.10	<10	21	41	3	<1	<1	<1	20	<1	<1	12	<1	<1	<1	43	21
24563	487470	<1	0.32	3	73	28	3	<1	0.11	<4	2	146	13	0.79	0.19	21	0.15	127	2	0.06	20	<100	43	<5	<5	0.02	<10	10	298	<1	8	<10	5	26	<1	<0.10	<10	37	3	<1	<1	2	21	<1	<1	24	1	<1	<1	30	33	
24564	487471	<1	0.28	3	67	27	3	<1	0.09	<4	1	192	12	0.73	0.16	14	0.09	105	2	0.07	19	<100	30	<5	<5	0.02	<10	11	220	<1	5	<10	5	21	<1	<0.10	<10	32	3	<1	<1	2	18	<1	<1	19	1	<1	<1	32	35	
24565	487471	<1	0.26	<2	69	27	3	<1	0.09	<4	1	194	12	0.76	0.16	15	0.09	107	2	0.07	19	<100	39	<5	<5	0.02	<10	11	218	<1	5	<10	5	22	<1	<0.10	<10	32	2	<1	<1	<1	18	<1	<1	21	1	<1	<1	31	34	
24566	487472	<1	0.66	<2	78	30	3	<1	0.35	<4	7	261	33	1.41	0.44	37	0.51	267	3	0.1	30	320	57	<5	<5	0.02	<10	17	1162	<1	28	<10	7	40	1	<0.10	<10	51	5	1	<1	<1	27	3	64	3	<1	<1	<1	17	23	
24567	487473	<1	0.33	<2	76	20	3	<1	0.11	<4	2	169	22	0.79	0.23	19	0.18	135	2	0.06	21	<100	41	<5	<5	0.02	<10	9	348	<1	10	<10	4	23	<1	<0.10	<10	22	3	<1	<1	1	12	<1	<1	35	1	<1	<1	20	25	
24568	487474	<1	0.33	<2	78	19	3	<1	0.17	<4	3	179	13	0.84	0.22	16	0.2	139	1	0.07	22	104	43	<5	<5	0.02	<10	12	500	<1	14	<10	6	23	<1	<0.10	<10	19	3	1	<1	2	9	2	25	1	<1	<1	22	29		
24569	487475	<1	0.34	<2	73	18	3	<1	0.37	<4	4	210	14	0.96	0.17	15	0.3	227	1	0.08	25	247	47	<5	<5	0.03	<10	14	773	<1	17	<10	9	27	<1	<0.10	<10	32	3	<1	<1	2	13	3	15	3	<1	<1	<1	25	20	
24570	487476	<1	0.38	4	70	21	3	<1	0.46	<4	4	159	19	0.92	0.17	13	0.32	230	2	0.1	24	320	36	<5	<5	0.02	<10	15	1212	<1	18	<10	18	26	<1	<0.10	<10	56	3	<1	<1	<1	26	6	24	4	<1	<1	<1	31	18	
245																																																				

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	V ppm	W ppm	Y ppm	Zn ppm	Hg ppm	S %	U ppm	Ce ppm	Ga ppm	Ge ppm	Hf ppm	In ppm	La ppm	Nb ppm	Rb ppm	Sc ppm	Ta ppm	Te ppm	Th ppm	Zr ppm			
24592	487496	<1	0.38	2	75	28	3	<1	0.08	<4	2	290	14	0.78	0.25	21	0.14	136	8	0.07	21	<100	76	<5	<5	0.02	<10	11	309	<1	10	<10	3	23	<1	<0.10	13	3	3	1	<1	<1	<1	38	1	<1	<1	22	8			
24593	487497	<1	0.21	2	62	22	3	<1	0.05	<4	<1	248	14	0.46	0.11	5	0.05	<100	1	0.07	20	<100	43	<5	<5	0.02	<10	8	<100	<1	3	<10	2	11	<1	<0.10	24	<1	2	2	<1	<1	<1	9	<1	<1	<1	15	8			
24594	487498	<1	0.2	<2	62	12	3	<1	0.04	<4	<1	301	13	0.43	0.06	2	0.03	<100	1	0.09	20	<100	43	<5	<5	0.02	<10	8	<100	<1	2	<10	2	9	<1	<0.10	<10	<1	<1	<1	<1	<1	9	<1	<1	<1	9	7				
24595	487499	<1	0.47	<2	79	26	3	<1	0.08	<4	3	242	14	0.89	0.35	33	0.2	161	3	0.08	23	<100	56	<5	<5	0.02	<10	12	370	<1	12	<10	3	26	<1	<0.10	<10	9	3	<1	<1	3	5	<1	<1	47	2	<1	<1	14	14	
24596	487500	<1	0.29	<2	68	20	3	<1	0.07	<4	1	257	14	0.58	0.18	18	0.1	<100	2	0.06	20	<100	42	<5	<5	0.02	<10	10	160	<1	6	<10	2	19	<1	<0.10	<10	1	2	<1	<1	2	1	<1	<1	26	<1	<1	14	25		
24597	487330	<1	0.41	3	65	21	3	<1	0.11	<4	2	193	12	0.71	0.27	29	0.16	138	7	0.09	21	<100	50	<5	<5	0.02	<10	13	343	<1	9	<10	2	23	<1	<0.10	<10	10	3	2	<1	3	5	<1	<1	37	<1	<1	12	13		
24598	487330	<1	0.41	<2	62	21	3	<1	0.11	<4	2	186	13	0.76	0.26	28	0.16	142	7	0.09	21	<100	50	<5	<5	0.02	<10	13	337	<1	8	<10	2	23	<1	<0.10	<10	10	3	<1	<1	2	5	<1	<1	35	<1	<1	13	13		
24599	487331	<1	0.82	3	76	32	3	<1	0.46	<4	7	211	20	1.81	0.59	72	0.67	456	7	0.1	32	383	154	<5	<5	0.03	<10	16	1331	<1	31	<10	9	62	<1	<0.10	51	47	8	<1	<1	<1	21	3	86	6	<1	3	39	12		
24600	487332	<1	0.55	4	74	33	3	<1	0.58	<4	8	188	82	1.4	0.27	25	0.47	389	2	0.11	30	364	105	<5	<5	0.02	<10	18	1175	<1	23	<10	17	41	<1	0.1	28	101	5	2	<1	3	46	4	27	7	<1	<1	33	20		
24601	487333	<1	0.66	<2	73	44	4	<1	0.62	<4	13	189	402	2.08	0.36	35	0.55	470	4	0.11	35	430	363	<5	<5	0.03	<10	19	807	<1	25	<10	19	71	<1	0.4	224	200	7	<1	<1	1	95	3	46	9	<1	2	77	11		
24602	487334	<1	0.31	3	67	34	3	<1	0.14	<4	2	245	29	0.6	0.21	15	0.12	124	1	0.07	20	<100	86	<5	<5	0.02	<10	15	243	<1	7	<10	8	19	<1	<0.10	43	49	2	<1	<1	2	25	<1	<1	22	2	<1	<1	32	19	
24603	487335	<1	0.27	4	66	22	3	<1	0.11	<4	1	274	35	0.51	0.13	15	0.08	<100	2	0.08	20	<100	100	<5	<5	0.02	<10	13	109	<1	4	<10	5	21	<1	<0.10	<10	44	2	<1	<1	2	23	<1	<1	15	1	<1	<1	40	32	
24604	487336	<1	0.26	<2	62	20	3	<1	0.09	<4	2	222	56	0.52	0.14	16	0.08	<100	1	0.07	20	<100	52	<5	<5	0.02	<10	14	<100	<1	5	<10	4	14	<1	<0.10	41	22	2	3	<1	<1	<1	12	<1	<1	19	<1	<1	<1	25	16
24605	487337	<1	0.27	3	62	18	3	<1	0.06	<4	2	263	14	0.61	0.15	18	0.08	<100	2	0.08	19	<100	50	<5	<5	0.02	<10	12	102	<1	6	<10	7	14	<1	<0.10	34	13	2	3	<1	<1	2	6	<1	<1	17	<1	<1	47	28	
24606	487338	<1	0.29	3	60	17	3	<1	0.07	<4	1	235	14	0.64	0.14	22	0.08	<100	2	0.09	19	<100	45	<5	<5	0.02	<10	12	<100	<1	6	<10	6	14	<1	<0.10	<10	20	3	<1	<1	2	11	<1	<1	15	<1	<1	<1	34	28	
24607	487339	<1	0.27	3	66	21	3	<1	0.08	<4	2	279	13	0.79	0.15	21	0.08	<100	2	0.08	20	<100	45	<5	<5	0.02	<10	12	<100	<1	9	<10	5	16	<1	<0.10	<10	14	2	<1	<1	1	6	<1	<1	12	<1	<1	52	29		
24608	487340	<1	0.32	2	62	29	3	<1	0.07	<4	1	236	12	0.91	0.21	24	0.11	107	2	0.08	19	<100	45	<5	<5	0.02	<10	11	165	<1	7	<10	4	18	<1	<0.10	<10	26	4	<1	<1	1	16	<1	<1	25	<1	<1	<1	29	28	
24609	487340	<1	0.32	4	58	29	3	<1	0.07	<4	1	233	13	0.87	0.21	25	0.11	102	2	0.08	19	<100	43	<5	<5	0.02	<10	13	167	<1	7	<10	4	18	<1	<0.10	<10	28	3	2	<1	<1	1	15	<1	<1	24	<1	<1	30	28	
24610	487341	<1	0.3	<2	56	31	3	<1	0.08	<4	1	263	12	0.8	0.19	23	0.1	<100	2	0.07	20	<100	33	<5	<5	0.02	<10	11	183	<1	6	<10	4	19	<1	<0.10	<10	33	3	<1	<1	2	19	<1	<1	16	1	<1	<1	28	29	
24611	487342	<1	0.31	4	61	37	3	<1	0.11	<4	2	221	13	0.98	0.18	23	0.11	129	4	0.08	19	<100	69	<5	<5	0.02	<10	15	704	<1	12	<10	25	19	<1	<0.10	57	49	3	<1	<1	1	21	4	20	<1	<1	<1	76	54		
24612	487343	<1	0.23	3	67	20	3	<1	0.12	<4	2	251	12	0.71	0.14	11	0.07	107	1	0.07	20	<100	72	<5	<5	0.02	<10	12	372	<1	9	<10	14	13	<1	<0.10	58	67	2	<1	<1	<1	34	2	15	<1	<1	<1	45	20		
24613	475501	<1	0.29	<2	60	24	3	<1	0.09	<4	1	194	13	0.82	0.18	20	0.09	106	2	0.07	19	<100	36	<5	<5	0.02	<10	12	107	<1	9	<10	5	16	<1	<0.10	<10	25	2	<1	<1	3	13	<1	<1	16	<1	<1	33	35		
24614	475502	<1	0.34	5	54	25	3	<1	0.06	<4	1	359	14	0.79	0.26	17	0.07	<100	2	0.1	21	<100	41	<5	<5	0.02	<10	13	<100	<1	7	<10	5	14	<1	<0.10	<10	11	3	1	<1	2	6	<1	<1	21	<1	<1	26	34		
24615	475503	<1	0.3	<2	61	15	3	<1	0.05	<4	1	249	14	0.7	0.21	19	0.09	103	2	0.08	20	<100	35	<5	<5	0.02	<10	9	119	<1	6	<10	4	14	<1	<0.10	<10	14	2	1	<1	<1	8	<1	<1	22	<1	<1	<1	21	17	
24616	475504	<1	0.48	4	68	26	3	<1	0.17	<4	4	180	7	1.03	0.34	42	0.33	190	2	0.07	24	177	47	<5	<5	0.02	<10	12	523	<1	18	<10	6	30	<1	<0.10	<10	29	4	<1	<1	3	15	1	42	2	<1	<1	27	34		
24617	475505	<1	0.31	3	56	43	3	<1	0.02	<4	<1	357	14	0.55	0.29	13	0.05	<100	1	0.08	21	<																														

Delta Uranium Corp.
 Date Created: 08-03-06 03:03:21 PM
 Job Number: 200840319
 Date Received: Feb 25, 2008
 Number of Samples: 90
 Type of Sample: Rock
 Date Completed: Mar 6, 2008
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	Hg ppm	S %	U ppm	Ce ppm	Ga ppm	Ge ppm	Hf ppm	In ppm	La ppm	Nb ppm	Rb ppm	Sc ppm	Ta ppm	Te ppm	Th ppm	Zr ppm
29615	475502			No Sample Received																																														
29617	475503			No Sample Received																																														
29618	475504			No Sample Received																																														
29619	475505			No Sample Received																																														
29620	475506			No Sample Received																																														
29621	475507	<1	0.21	5	56	10	2	8	0.08	<4	2	277	15	0.52	0.09	10	0.06	<100	4	0.08	10	<100	28	6	<5	0.03	<10	11	<100	<1	<2	<10	1	40	<1	<0.10	<10	11	1	15	11	2	<1	<1	<1	<1	13	7	10	12
29622	475508	<1	0.27	6	56	23	2	5	0.08	<4	3	277	14	0.56	0.2	28	0.11	<100	3	0.06	10	<100	32	5	<5	0.02	<10	13	154	<1	<2	<10	<1	34	<1	<0.10	<10	11	1	16	12	2	<1	<1	15	<1	12	8	7	9
29623	475509	<1	0.31	6	56	19	2	6	0.07	<4	3	510	17	0.86	0.2	22	0.08	114	5	0.1	15	<100	45	8	<5	0.03	<10	13	117	<1	<2	<10	2	20	<1	<0.10	<10	12	3	17	12	1	2	<1	7	<1	14	6	12	22
29624	475510	<1	0.27	6	58	18	2	8	0.04	<4	3	242	13	0.89	0.19	24	0.1	104	5	0.06	10	<100	43	6	<5	0.03	<10	10	185	<1	6	<10	3	17	<1	<0.10	<10	25	3	15	13	1	8	<1	14	<1	12	6	22	29
29625	475511	<1	0.25	4	50	20	2	4	0.03	<4	3	311	13	0.83	0.19	15	0.07	<100	4	0.07	11	<100	38	6	<5	0.02	<10	11	116	<1	4	<10	2	9	<1	<0.10	<10	19	3	14	11	2	5	<1	6	<1	13	7	17	21
29626	475511	<1	0.24	4	57	19	2	8	0.03	<4	3	279	12	0.77	0.18	15	0.06	<100	4	0.06	11	<100	36	6	<5	0.02	<10	11	111	<1	3	<10	2	9	<1	<0.10	<10	19	2	16	12	1	5	<1	7	<1	13	8	17	21
29627	475512	<1	0.36	6	56	34	2	8	0.02	<4	4	486	14	0.93	0.31	27	0.11	123	4	0.08	16	<100	44	9	<5	0.02	<10	15	173	<1	<2	<10	2	10	<1	<0.10	<10	14	3	17	12	1	4	<1	25	<1	13	8	7	7
29628	475513	<1	0.21	3	50	28	2	60	0.01	<4	3	271	13	0.45	0.2	12	0.05	<100	4	0.05	15	<100	27	7	<5	0.03	<10	13	<100	<1	<2	<10	<1	5	<1	<0.10	<10	10	1	15	13	2	<1	<1	13	<1	12	7	7	4
29629	475514	<1	0.23	6	56	21	2	5	0.02	<4	3	350	13	0.79	0.18	12	0.05	<100	4	0.06	21	<100	45	7	<5	0.03	<10	12	<100	<1	2	<10	2	7	<1	<0.10	<10	11	2	15	13	2	1	<1	13	<1	13	8	17	10
29630	475515	<1	0.31	6	63	20	2	8	0.09	<4	3	550	16	1.08	0.19	19	0.08	122	6	0.09	23	<100	60	9	<5	0.03	<10	13	129	<1	5	<10	5	11	<1	<0.10	<10	30	3	14	12	3	10	<1	9	<1	13	8	38	31
29631	475516	<1	0.33	6	52	14	2	10	0.07	<4	3	290	14	0.8	0.17	20	0.09	<100	5	0.12	17	<100	55	7	<5	0.03	<10	9	153	<1	<2	<10	5	10	<1	<0.10	<10	24	3	17	12	2	6	<1	3	<1	13	7	33	27
29632	475517	<1	0.33	5	54	19	2	9	0.12	<4	3	371	15	1.06	0.17	24	0.11	119	5	0.07	13	<100	65	8	<5	0.02	<10	14	226	<1	3	<10	6	13	<1	<0.10	<10	39	3	16	12	3	14	<1	8	<1	13	8	46	39
29633	475518	<1	0.33	6	53	18	2	7	0.18	<4	4	455	33	1.31	0.17	24	0.12	144	7	0.07	14	<100	107	6	<5	0.02	<10	12	233	<1	6	<10	6	19	<1	<0.10	49	47	4	16	12	2	15	<1	2	<1	13	7	54	56
29634	475519	<1	0.21	4	52	11	2	9	0.09	<4	3	250	13	0.67	0.14	10	0.05	<100	4	0.06	10	<100	56	6	<5	0.03	<10	9	<100	<1	<2	<10	2	4	<1	<0.10	<10	18	2	15	12	4	4	<1	<1	12	7	25	10	
29635	475520	<1	0.26	4	52	12	2	7	0.07	<4	3	287	13	0.95	0.16	20	0.09	<100	5	0.06	11	<100	68	6	<5	0.02	<10	9	148	1	3	<10	3	11	<1	<0.10	33	31	2	16	13	<1	9	<1	4	<1	12	9	58	37
29636	475521	<1	0.36	5	57	21	2	10	0.18	<4	4	402	30	1.12	0.19	24	0.12	121	5	0.08	13	105	68	8	<5	0.03	<10	15	282	<1	3	<10	6	15	<1	<0.10	<10	55	4	17	12	1	21	<1	<1	13	7	41	39	
29637	475521	<1	0.33	4	59	19	2	7	0.17	<4	4	371	28	1.06	0.17	22	0.11	112	5	0.08	13	<100	61	5	<5	0.03	<10	14	257	<1	3	<10	6	14	<1	<0.10	<10	51	3	16	12	2	19	<1	1	<1	13	9	37	35
29638	475522	<1	0.35	6	57	17	2	7	0.09	<4	3	292	14	0.97	0.18	27	0.13	108	5	0.08	10	101	55	7	<5	0.03	<10	12	279	<1	2	<10	8	13	<1	<0.10	<10	52	2	15	12	3	19	<1	6	<1	13	8	39	37
29639	475523	<1	0.25	6	46	13	2	7	0.09	<4	3	291	14	0.99	0.15	19	0.09	<100	5	0.06	11	<100	64	5	<5	0.02	<10	9	168	<1	4	<10	5	10	<1	<0.10	<10	33	3	15	12	3	11	<1	6	<1	13	9	31	23
29640	475524	<1	0.25	6	51	18	2	7	0.07	<4	3	552	16	1.07	0.21	10	0.06	104	5	0.06	31	<100	76	8	<5	0.03	<10	10	<100	<1	2	<10	2	8	<1	<0.10	<10	17	3	14	12	3	5	<1	<1	13	9	21	12	
29641	475525	<1	0.18	5	49	15	2	7	0.04	<4	3	251	13	0.83	0.16	4	0.04	<100	5	0.04	13	<100	173	5	<5	0.03	<10	8	<100	<1	4	<10	2	6	<1	<0.10	33	16	2	15	12	4	1	<1	<1	12	5	31	21	
29642	475526	<1	0.23	4	45	13	2	6	0.05	<4	3	339	13	0.9	0.15	13	0.07	<100	5	0.07	15	<100	52	7	<5	0.02	<10	8	145	<1	<2	<10	5	7	<1	<0.10	11	31	2	15	12	2	10	<1	10	<1	13	8	37	23
29643	475527	<1	0.23	4	46	12	2	8	0.04	<4	3	463	14	0.81	0.15	12	0.06	<100	4	0.07	15	<100	43	9	<5	0.03	<10	9	126	<1	<2	<10	6	6	<1	<0.10	<10	22	2	16	12	2	6	<1	6	<1	13	6	23	15
29644	475528	<1	0.25	4	56	13	2	8	0.04	<4	3	281	13	0.8	0.18	20	0.09	<100	4	0.06	10	<100	40	6	<5	0.02	<10	8	224	<1	<2	<10	6	10	<1	<0.10	<10	31	3	16	12	<1	10	<1	7	<1	12	7	28	19
29645	475529	<1	0.22	4	52	12	2	9	0.07	<4	3	304	14	0.67	0.14	15	0.06	<100	4	0.07	10	<100	31	6	<5	0.02	<10	8	162	<1	<2	<10	7	5	<1	<0.10	<10	26	2	15	12	2	7	<1	5	<1	12	7	32	14
29646	475530	<1	0.24	5	49	15	2	8	0.04	<4	3	413	15	0.86	0.16	14	0.07	<100	5	0.07	12	<100	43	8	<5	0.03	<10	9	160	<1	<2	<10	5	7	<1	<0.10	<10	39	3	14	11	2	14	<1	1	<1	13	10	29	19
29647	475538	<1	0.19	5	48	14	2	10	0.02	<4	2	285	12	0.41	0.15	12	0.03	<100	3	0.06	10	<100	28	6	<5	0.03	<10	11	<100	<1	<2	<10	<1	2	<1	<0.10	<10	14	1	17	12	<1	2	<1	9	<1	13	8	8	5
29648	475539	<1	0.19	4	51	17	2	5	0.03	<4	2	246	11	0.37	0.17	12	0.03	<100	3	0.05	9	<100	25	7	<5	0.03	<10	12	<100	<1	<2	<10	<1	3	<1	<0.10	<10	11	2	16	13	<1	2	<1	1	<1	13	6	5	4
29649	475539	<1	0.2	4	48	18	2	10	0.03	<4	2	257	12	0.39	0.18	13	0.03	<100	3	0.05	9	<100																												

Delta Uranium Corp.
 Date Created: 08-03-10 08:49:08 AM
 Job Number: 200840375
 Date Received: Feb 28, 2008
 Number of Samples: 36
 Type of Sample: Rock
 Date Completed: Mar 10, 2008
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn	Hg	S	U	Ce	Ga	Ge	Hf	In	La	Nb	Pb	Sc	Ta	Te	Th	Zr	
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
32906	475577	<1	0.31	<2	56	19	<1	1	0.06	<4	1	423	5	0.87	0.19	20	0.13	105	<1	0.07	7	<100	30	<5	<5	0.03	<10	10	119	<1	6	<10	3	27	2	<0.10	<10	8	3	4	<1	<1	5	<1	24	1	4	<1	21	11	
32907	475578	<1	0.58	3	59	17	<1	3	0.2	<4	3	328	4	1.26	0.33	51	0.37	231	<1	0.11	12	170	43	9	<5	0.04	<10	13	481	<1	18	<10	4	35	2	<0.10	<10	22	4	1	<1	<1	14	<1	51	2	3	4	23	11	
32908	475579	2	0.23	2	58	22	<1	5	0.06	<4	<1	517	6	0.72	0.23	3	0.03	<100	<1	0.06	7	<100	33	<5	<5	0.03	<10	13	<100	<1	3	<10	3	6	<1	<0.10	<10	1	3	<1	<1	2	<1	23	1	4	4	22	4		
32909	475580	<1	0.15	2	51	13	<1	3	0.1	<4	<1	184	4	1.23	0.1	2	0.04	110	<1	0.05	4	<100	43	<5	<5	0.02	<10	9	<100	<1	17	<10	3	13	<1	<0.10	15	1	3	1	<1	2	<1	14	1	3	5	18	6		
32910	475581	<1	0.23	3	58	16	<1	4	0.07	<4	<1	436	4	1.11	0.14	2	0.04	<100	2	0.09	7	<100	41	8	<5	0.03	<10	11	<100	<1	11	<10	3	9	2	<0.10	31	1	4	1	1	<1	2	<1	16	1	3	3	28	25	
32911	475582	<1	0.25	2	53	18	<1	3	0.05	<4	<1	261	4	0.84	0.15	16	0.08	<100	<1	0.07	5	<100	32	5	<5	0.02	<10	9	109	<1	7	<10	4	15	1	<0.10	29	29	2	2	<1	<1	17	<1	21	1	3	5	37	25	
32912	475583	<1	0.34	3	52	22	<1	4	0.08	<4	2	379	4	1.05	0.23	23	0.16	131	<1	0.07	7	<100	40	<5	<5	0.03	<10	11	224	<1	11	<10	4	20	2	<0.10	16	18	3	1	<1	<1	11	<1	29	1	3	3	34	21	
32913	475584	<1	0.22	3	55	13	<1	5	0.12	<4	<1	243	5	0.75	0.17	10	0.1	134	<1	0.05	5	<100	35	<5	<5	0.02	<10	9	118	<1	8	<10	3	17	1	<0.10	<10	2	3	1	<1	<1	2	<1	25	1	3	3	<1	18	5
32914	475585	1	0.26	2	55	12	<1	5	0.07	<4	1	431	6	1.1	0.12	9	0.08	115	<1	0.09	8	<100	42	5	<5	0.03	<10	10	<100	<1	11	<10	3	12	1	<0.10	16	<1	3	<1	<1	<1	1	<1	16	1	4	4	14	4	
32915	475586	<1	0.21	2	50	15	<1	2	0.07	<4	<1	205	4	0.38	0.12	3	0.04	<100	<1	0.08	4	<100	19	<5	<5	0.02	<10	13	<100	<1	2	<10	2	5	1	<0.10	<10	<1	<1	<1	3	<1	<1	21	1	2	2	13	3		
32916	475586	<1	0.2	<2	52	15	<1	5	0.07	<4	<1	201	4	0.38	0.12	3	0.04	<100	<1	0.08	3	<100	20	<5	<5	0.02	<10	13	<100	<1	2	<10	2	5	1	<0.10	<10	<1	2	<1	<1	<1	<1	13	1	3	2	14	3		
32917	475587	1	0.31	2	52	16	<1	2	0.1	<4	<1	425	5	1.31	0.18	11	0.09	146	1	0.1	8	<100	50	6	<5	0.03	<10	12	117	<1	16	<10	3	16	2	<0.10	<10	10	4	<1	1	<1	7	<1	20	1	4	5	25	24	
32918	475588	<1	0.2	3	47	18	<1	<1	0.06	<4	<1	215	3	0.48	0.17	7	0.06	<100	<1	0.05	5	<100	21	<5	<5	0.03	<10	10	<100	<1	4	<10	2	9	1	<0.10	<10	9	2	2	<1	2	7	<1	20	1	3	5	17	5	
32919	475589	1	0.96	2	56	46	<1	7	0.17	<4	7	394	5	2.01	0.74	83	0.69	421	<1	0.09	21	359	61	8	<5	0.03	<10	17	1062	<1	36	<10	5	55	2	<0.10	<10	29	8	4	<1	<1	17	3	114	3	5	8	21	13	
32920	475590	<1	0.25	2	53	11	<1	2	0.07	<4	<1	308	5	0.95	0.15	12	0.08	112	<1	0.08	6	<100	38	9	<5	0.03	<10	9	102	<1	12	<10	2	15	1	<0.10	<10	2	3	2	<1	3	2	<1	25	1	3	3	15	5	
32921	475591	1	0.25	3	50	19	<1	5	0.07	<4	1	405	4	1.03	0.16	7	0.06	<100	1	0.07	7	<100	42	6	<5	0.03	<10	12	<100	<1	13	<10	3	12	2	<0.10	15	3	2	1	<1	<1	4	<1	21	1	3	2	17	6	
32922	475592	<1	0.24	<2	51	15	<1	3	0.07	<4	<1	261	3	0.52	0.15	11	0.08	<100	<1	0.06	4	<100	27	<5	<5	0.03	<10	11	<100	<1	5	<10	4	11	1	<0.10	48	10	2	2	<1	2	6	<1	18	1	3	2	22	8	
32923	475593	1	0.3	<2	56	14	<1	2	0.08	<4	1	490	5	0.77	0.19	15	0.08	130	<1	0.09	8	<100	39	9	<5	0.03	<10	11	118	<1	5	<10	4	11	1	<0.10	15	45	2	<1	<1	1	23	<1	30	1	3	8	35	16	
32924	475594	<1	0.23	<2	52	19	<1	2	0.07	<4	<1	337	5	0.6	0.19	7	0.05	<100	<1	0.07	5	<100	30	7	<5	0.03	<10	12	<100	<1	4	<10	5	8	1	<0.10	15	39	<1	<1	<1	2	19	<1	27	1	3	<1	33	12	
32925	475595	2	0.61	2	61	24	<1	4	0.14	<4	4	439	5	1.29	0.4	62	0.34	320	<1	0.11	13	181	51	7	<5	0.03	<10	13	600	<1	17	<10	5	35	1	<0.10	<10	44	4	2	<1	<1	24	1	74	2	4	4	28	17	
32926	475596	1	0.49	<2	55	24	<1	3	0.12	<4	2	519	6	1.14	0.34	42	0.23	229	<1	0.11	12	113	48	7	<5	0.03	<10	14	376	<1	12	<10	4	25	1	<0.10	<10	33	4	2	<1	1	18	<1	50	2	3	6	25	13	
32927	475596	2	0.49	2	50	23	<1	<1	0.12	<4	2	488	5	1.11	0.32	39	0.23	222	<1	0.1	11	108	42	9	<5	0.04	<10	13	366	<1	11	<10	4	23	2	<0.10	<10	33	4	<1	<1	<1	18	<1	50	2	4	4	24	13	
32928	475597	<1	0.19	<2	50	16	<1	1	0.05	<4	<1	276	4	0.43	0.16	5	0.04	<100	<1	0.06	5	<100	22	5	<5	0.03	<10	10	<100	<1	2	<10	3	9	2	<0.10	12	19	1	<1	<1	<1	11	<1	17	1	3	3	23	8	
32929	475598	<1	0.24	4	52	22	<1	1	0.05	<4	1	472	6	0.92	0.18	13	0.1	113	<1	0.05	8	<100	38	6	<5	0.02	<10	12	122	<1	7	<10	5	12	2	<0.10	15	24	2	3	<1	<1	14	<1	21	1	4	5	28	11	
32930	475599	<1	0.16	3	48	17	<1	3	0.07	<4	<1	215	3	0.5	0.14	<1	0.03	<100	<1	0.05	3	<100	22	<5	<5	0.02	<10	11	<100	<1	5	<10	3	7	1	<0.10	<10	7	<1	2	<1	3	5	<1	15	1	4	<1	16	2	
32931	475600	<1	0.21	3	53	23	<1	4	0.07	<4	<1	401	4	0.65	0.19	3	0.03	<100	<1	0.06	6	<100	29	7	<5	0.03	<10	14	<100	<1	4	<10	3	7	1	<0.10	<10	3	1	2	<1	<1	3	<1	15	1	3	2	15	3	
32932	475601	<1	0.19	<2	50	27	<1	5	0.12	<4	<1	304	5	0.66	0.21	2	0.03	<100	<1	0.05	5	<100	28	7	<5	0.03	<10	16	<100	<1	6	<10	3	7	<1	<0.10	17	2	2	2	<1	<1	2	<1	17	1	3	<1	14	2	
32933	475602	1	0.26	2	52	20	<1	3	0.09	<4	<1	553	6	1.01	0.16	6	0.05	106	1	0.09	9	<100	38	8	<5	0.03	<10	16	<100	<1	7	<10	3	8	1	<0.10	<10	2	2	1	<1	<1	3	<1	16	1	4	5	16	2	
32934	475603	<1	0.18	<2	51	21	<1	2	0.07																																										

Delta Uranium Corp.
 Date Created: 08-03-11 01:59:48 PM
 Job Number: 200840381
 Date Received: Feb 29, 2008
 Number of Samples: 6
 Type of Sample: Core
 Date Completed: Mar 11, 2008
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	Hg ppm	S %	U ppm	Ce ppm	Ga ppm	Ge ppm	Hf ppm	In ppm	La ppm	Nb ppm	Rb ppm	Sc ppm	Ta ppm	Te ppm	Th ppm	Zr ppm
33391	475532	<1	0.27	3	54	35	<1	1	0.06	<4	<1	267	7	0.46	0.14	18	0.07	281	2	0.07	8	<100	41	<5	<5	0.02	<10	8	<100	<1	4	<10	5	17	<1	<0.10	<10	146	6	2	<1	<1	150	<1	27	2	6	1	60	32
33392	475533	<1	0.24	<2	54	19	<1	4	0.05	<4	<1	184	3	0.38	0.13	11	0.05	101	<1	0.09	4	<100	26	<5	<5	0.02	<10	8	<100	<1	5	<10	3	13	<1	<0.10	<10	47	2	<1	<1	<1	58	<1	20	2	6	3	36	22
33393	475534	<1	0.23	<2	61	17	<1	2	0.05	<4	<1	332	4	0.45	0.12	9	0.04	<100	1	0.09	6	<100	28	<5	<5	0.02	<10	8	<100	<1	4	<10	3	13	<1	<0.10	<10	43	2	<1	1	<1	58	<1	20	2	6	<1	36	32
33394	475535	<1	0.19	<2	51	11	<1	2	0.03	<4	<1	201	3	0.27	0.13	7	0.02	<100	<1	0.06	4	<100	34	<5	<5	0.02	<10	7	<100	<1	3	<10	3	12	<1	<0.10	<10	33	1	<1	<1	<1	47	<1	17	2	6	<1	28	18
33395	475536	<1	0.18	<2	52	9	<1	<1	0.04	<4	<1	263	3	0.32	0.11	4	0.02	<100	<1	0.07	5	<100	23	<5	<5	0.02	<10	7	<100	<1	3	<10	3	12	<1	<0.10	<10	5	1	<1	<1	<1	12	<1	18	2	6	<1	26	19
33396	475537	<1	0.27	<2	51	25	<1	5	0.02	<4	<1	349	4	0.39	0.27	7	0.02	<100	<1	0.08	6	<100	25	<5	<5	0.02	<10	11	<100	<1	3	<10	2	12	<1	<0.10	<10	<1	2	<1	<1	<1	6	<1	27	2	6	<1	15	6
33397	475537	<1	0.28	<2	51	25	<1	3	0.03	<4	<1	358	4	0.4	0.27	8	0.03	<100	<1	0.08	6	<100	27	<5	<5	0.02	<10	11	<100	<1	3	<10	2	12	<1	<0.10	<10	<1	1	<1	<1	<1	6	<1	24	2	7	<1	14	6

Certified By: 
 Derek Demianiuk, H.Bsc.

Delta Uranium Corp.
 Date Created: 08-04-18 08:42:25 AM
 Job Number: 200840733
 Date Received: Apr 1, 2008
 Number of Samples: 97
 Type of Sample: Rock
 Date Completed: Apr 18, 2008
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	Hg ppm	S %	U ppm	Ce ppm	Ga ppm	Ge ppm	Hf ppm	In ppm	La ppm	Rb ppm	Sc ppm	Ta ppm	Th ppm	Zr ppm	
63843	475613	<1	0.47	<2	48	45	2	<1	0.09	<4	4	506	18	0.97	0.37	29	0.12	132	2	0.1	15	<100	48	65	65	0.13	<10	15	146	<1	7	<10	3	36	<1	<0.10	<10	32	3	5	<1	<1	15	10	<1	2	23	43	
63844	475614	<1	0.34	<2	46	34	2	<1	0.06	<4	3	253	14	0.92	0.24	28	0.11	<100	<1	0.07	9	<100	41	65	65	0.07	<10	11	136	<1	9	<10	5	24	<1	<0.10	<10	30	3	3	<1	<1	12	<1	<1	24	22		
63845	475615	<1	0.4	<2	49	44	2	<1	0.06	<4	3	481	15	1.13	0.3	31	0.12	114	2	0.09	13	<100	55	65	65	0.1	<10	11	196	2	6	<10	3	23	<1	<0.10	<10	33	3	<1	<1	1	15	7	<1	<1	24	26	
63846	475616	<1	0.43	<2	49	44	2	<1	0.07	<4	4	451	15	1.12	0.32	30	0.12	120	2	0.09	13	<100	53	65	65	0.09	<10	14	168	2	7	<10	3	19	<1	<0.10	<10	11	2	5	<1	10	1	9	<1	<1	25	16	
63847	475617	<1	0.34	<2	51	32	2	<1	0.07	<4	3	262	11	0.9	0.25	29	0.11	104	<1	0.08	9	<100	40	65	65	0.06	<10	12	158	<1	6	<10	4	17	<1	<0.10	<10	23	2	3	<1	<1	8	3	<1	<1	25	21	
63848	475618	<1	0.43	<2	53	38	2	<1	0.08	<4	3	546	13	1.2	0.31	32	0.12	126	2	0.11	13	<100	55	65	65	0.08	<10	14	190	1	6	<10	3	16	<1	<0.10	<10	12	3	3	<1	<1	3	6	<1	2	24	23	
63849	475619	<1	0.39	<2	51	36	2	<1	0.07	<4	3	444	15	0.92	0.28	23	0.08	<100	2	0.11	13	<100	45	65	65	0.08	<10	12	102	3	3	<10	2	15	<1	<0.10	<10	5	3	2	<1	1	<1	<1	2	18	16		
63850	475620	<1	0.34	<2	49	32	2	<1	0.07	<4	3	251	10	0.9	0.24	30	0.11	103	<1	0.08	10	<100	47	65	65	0.05	<10	13	176	2	8	<10	3	16	<1	<0.10	<10	23	3	2	<1	<1	8	1	<1	1	26	32	
63851	475621	<1	0.42	<2	48	44	2	<1	0.1	<4	3	534	13	0.97	0.3	24	0.09	108	2	0.11	13	<100	54	65	65	0.1	<10	18	115	<1	7	<10	6	12	<1	<0.10	13	11	3	4	<1	<1	2	1	<1	<1	29	26	
63852	475622	<1	0.44	<2	48	29	2	1	0.1	<4	4	475	15	0.88	0.26	29	0.11	117	2	0.13	15	<100	47	65	65	0.12	<10	17	135	<1	6	<10	2	11	<1	<0.10	12	4	3	1	<1	<1	7	<1	1	21	19		
63853	475622	<1	0.43	<2	44	28	2	<1	0.1	<4	4	479	15	0.91	0.25	29	0.11	121	1	0.12	15	<100	48	65	65	0.11	<10	16	135	2	6	<10	3	11	<1	<0.10	13	5	2	5	<1	<1	3	<1	1	21	19		
63854	475623	<1	0.51	<2	48	25	2	<1	0.1	<4	4	290	10	0.99	0.34	42	0.25	156	<1	0.1	15	117	47	65	65	0.5	0.05	<10	13	336	<1	13	<10	3	23	<1	<0.10	<10	9	3	2	<1	<1	2	20	<1	1	17	11
63855	475624	<1	0.5	<2	48	37	2	<1	0.09	<4	4	573	25	1.16	0.37	33	0.18	152	1	0.11	17	<100	54	65	65	0.1	<10	17	263	<1	11	<10	2	16	<1	<0.10	<10	8	3	3	<1	<1	2	17	<1	2	14	11	
63856	475625	<1	0.44	<2	47	44	2	<1	0.08	<4	3	541	14	0.96	0.31	21	0.07	102	2	0.13	15	<100	49	65	65	0.07	<10	20	<100	2	6	<10	3	9	<1	<0.10	<10	5	3	3	<1	<1	<1	<1	<1	1	16	19	
63857	475626	<1	0.42	<2	50	31	2	<1	0.12	<4	3	258	9	0.91	0.27	35	0.15	105	1	0.09	11	<100	59	65	65	0.07	<10	16	231	1	11	<10	4	16	<1	<0.10	<10	17	2	<1	<1	<1	4	8	<1	<1	22	23	
63858	475627	<1	0.34	<2	46	35	2	<1	0.05	<4	3	492	12	0.9	0.3	20	0.07	103	2	0.08	13	<100	53	65	65	0.09	<10	15	<100	1	8	<10	2	9	<1	<0.10	<10	6	3	3	<1	<1	<1	4	8	<1	2	18	19
63859	475628	<1	0.47	<2	53	50	2	<1	0.05	<4	3	503	15	0.94	0.41	27	0.09	112	2	0.11	14	<100	49	65	65	0.13	<10	20	150	1	8	<10	3	12	<1	<0.10	<10	12	3	3	<1	<1	3	13	<1	2	19	24	
63860	475629	<1	0.43	<2	59	38	2	<1	0.11	<4	4	277	11	1.05	0.3	33	0.14	117	1	0.11	10	131	58	5	65	0.06	<10	16	425	1	15	<10	12	18	<1	<0.10	<10	35	3	2	<1	<1	11	17	<1	<1	33	24	
63861	475630	<1	0.45	<2	49	41	2	<1	0.09	<4	4	435	12	1.24	0.31	29	0.15	133	2	0.1	12	129	58	65	65	0.1	<10	16	326	2	18	<10	8	18	<1	<0.10	<10	44	3	3	<1	<1	17	12	<1	2	32	26	
63862	475631	<1	1.06	<2	55	38	2	<1	0.28	4	9	418	11	1.9	0.72	74	0.66	322	<1	0.17	26	352	93	65	65	0.17	<10	23	1064	3	35	<10	3	53	<1	<0.10	<10	43	7	4	<1	<1	19	71	<1	1	14	13	
63863	475632	<1	0.33	<2	51	30	2	<1	0.11	<4	3	267	9	0.75	0.21	22	0.09	<100	2	0.09	9	<100	36	65	65	0.12	<10	16	<100	<1	10	<10	1	10	<1	<0.10	<10	<1	3	2	<1	<1	<1	<1	<1	<1	29	41	
63864	475632	<1	0.3	<2	49	28	2	<1	0.11	<4	3	254	9	0.74	0.19	23	0.09	<100	1	0.08	9	<100	41	65	65	0.05	<10	15	<100	<1	10	<10	1	10	<1	<0.10	<10	<1	2	2	<1	<1	<1	<1	<1	<1	29	39	
63865	475633	<1	0.37	<2	48	37	2	<1	0.09	<4	4	453	12	1.18	0.25	25	0.1	135	3	0.09	15	<100	60	65	65	0.08	<10	17	103	<1	17	<10	3	14	<1	<0.10	<10	<1	4	3	<1	<1	<1	4	7	<1	2	27	37
63866	475634	<1	0.46	<2	49	35	2	<1	0.1	<4	4	360	13	1.1	0.3	33	0.16	162	<1	0.09	14	<100	57	65	65	0.1	<10	15	187	3	14	<10	6	20	<1	<0.10	<10	11	4	3	<1	<1	4	2	18	<1	<1	21	20
63867	475635	<1	0.3	<2	50	34	2	<1	0.05	<4	3	254	11	0.75	0.23	19	0.08	<100	1	0.07	11	<100	39	65	65	0.07	<10	15	<100	2	8	<10	5	8	<1	<0.10	<10	12	2	2	<1	<1	2	<1	<1	1	22	23	
63868	475636	<1	0.39	<2	52	37	2	<1	0.11	<4	3	495	12	1.03	0.28	26	0.11	114	2	0.09	13	<100	46	65	65	0.09	<10	16	143	2	9	<10	2	12	<1	<0.10	<10	12	4	1	<1	<1	3	6	<1	2	21	19	
63869	475637	<1	0.64	<2	53	46	2	<1	0.22	<4	6	399	11	1.27	0.47	36	0.34	188	<1	0.11	20	226	58	65	65	0.11	<10	20	516	3	21	<10	4	23	<1	<0.10	<10	11	4	8	<1	<1	3	27	<1	2	11	11	
63870	475638	<1	0.29	<2	50	25	2	<1	0.06	<4	3	274	10	0.85	0.22	19	0.09	<100	<1	0.07	11	<100	43	65	65	0.04	<10	13	127	2	13	<10	3	10	<1	<0.10	<10	3	2	3	<1	<1	<1	3	<1	<1	23	9	
63871	475639	<1	0.34	<2	50	19	2	<1	0.04	<4	3	483	13	0.88	0.27	22	0.06	104	2	0.08	13	<100	41	65	65	0.07	<10	9	<100	<1	5	<10	5	10	<1	<0.10	<10	<1	3	3	<1	<1	<1	6	<1	<1	13	31	
63872	475640	<1	0.33	<2	51	29	2	<1	0.04	<4	3	482	13	0.96	0.3	14	0.03	<100	2	0.09	13	<100	47	65	65	0.06	<10	11	<100	1	7	<10	4	7	<1	<0.10	<10	<1	3	5	<1								

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	V ppm	W ppm	Y ppm	Zn ppm	Hg ppm	S %	U ppm	Ce ppm	Ga ppm	Ge ppm	Hf ppm	In ppm	La ppm	Rb ppm	Sc ppm	Ta ppm	Th ppm	Zr ppm			
63892	475658	<1	0.37	<2	51	26	2	<1	0.06	<4	3	479	13	0.98	0.27	23	0.1	101	2	0.08	13	<100	43	<5	5	0.1	<10	10	<100	4	6	<10	5	10	<1	<0.10	<10	<1	3	4	<1	<1	<1	3	<1	2	19	18		
63893	475659	<1	0.27	<2	48	22	2	<1	0.04	<4	3	337	10	0.79	0.19	20	0.07	<100	<1	0.06	10	<100	37	<5	<5	0.07	<10	8	<100	<1	4	<10	4	8	<1	<0.10	<10	<1	2	4	<1	<1	<1	2	<1	1	17	17		
63894	475660	1	1.35	<2	50	228	4	7	0.35	7	16	421	52	3.25	0.79	49	0.54	489	7	0.19	40	693	150	<5	<5	0.15	<10	33	1852	<1	69	<10	7	87	2	<0.10	15	45	12	6	1	<1	20	65	7	5	10	9		
63895	475661	<1	0.38	<2	45	19	2	<1	0.09	<4	3	450	11	0.87	0.29	19	0.06	117	2	0.09	12	<100	52	<5	<5	0.09	<10	11	144	4	4	<10	3	11	<1	<0.10	<10	<1	3	4	<1	<1	<1	4	<1	2	9	7		
63896	475662	<1	0.27	<2	50	19	2	<1	0.15	<4	3	323	8	0.61	0.19	19	0.06	154	2	0.07	9	<100	44	<5	<5	0.06	<10	8	119	5	4	<10	4	11	<1	<0.10	23	11	2	4	<1	<1	1	<1	<1	20	23			
63897	475662	<1	0.28	<2	50	19	2	<1	0.15	<4	3	332	8	0.83	0.19	19	0.06	157	2	0.07	9	<100	46	<5	<5	0.06	<10	8	122	2	3	<10	5	9	<1	<0.10	24	16	2	2	<1	<1	4	1	<1	<1	23	24		
63898	475663	<1	0.38	<2	50	17	2	<1	0.11	<4	3	493	13	0.87	0.3	21	0.06	130	2	0.09	17	<100	65	<5	<5	0.08	<10	10	136	3	2	<10	2	9	<1	<0.10	14	<1	3	4	<1	<1	<1	3	<1	1	10	2		
63899	475664	<1	0.34	<2	49	15	2	<1	0.15	<4	3	478	10	1.05	0.24	16	0.04	125	3	0.1	12	<100	62	<5	<5	0.08	<10	10	<100	2	5	<10	4	7	<1	<0.10	14	4	4	3	<1	<1	<1	<1	2	19	14			
63900	475665	<1	0.3	<2	50	11	2	3	0.12	<4	3	357	8	0.8	0.19	23	0.07	125	1	0.07	9	<100	51	<5	<5	0.06	<10	7	164	3	3	<10	4	13	<1	<0.10	47	12	2	3	<1	<1	<1	2	3	<1	1	24	8	
63901	475666	<1	0.39	<2	42	14	2	<1	0.1	<4	3	391	12	1.01	0.28	29	0.1	151	2	0.07	15	<100	53	<5	<5	0.07	<10	8	242	1	4	<10	5	19	<1	<0.10	<10	48	3	8	<1	<1	18	13	<1	<1	40	4		
63902	475667	<1	0.3	<2	40	16	2	<1	0.09	<4	3	395	10	0.91	0.23	19	0.04	103	2	0.07	12	<100	57	<5	<5	0.08	<10	9	<100	<1	3	<10	4	7	<1	<0.10	43	<1	2	3	<1	<1	<1	<1	1	17	10			
63903	475668	<1	0.26	<2	47	12	2	<1	0.11	<4	2	334	13	0.89	0.17	18	0.04	<100	2	0.07	9	<100	60	<5	<5	0.07	<10	8	<100	2	3	<10	5	14	<1	<0.10	28	4	2	7	<1	<1	<1	<1	1	21	14			
63904	475669	<1	0.32	<2	47	19	2	<1	0.1	<4	3	352	11	0.79	0.26	21	0.06	147	2	0.07	13	<100	64	<5	<5	0.08	<10	10	119	4	2	<10	6	10	<1	<0.10	36	29	3	3	<1	<1	<1	8	2	<1	<1	34	13	
63905	475670	<1	0.37	<2	47	18	2	<1	0.13	<4	3	372	10	0.89	0.29	29	0.09	146	1	0.07	10	<100	56	<5	<5	0.07	<10	9	207	<1	4	<10	5	15	<1	<0.10	14	34	3	3	<1	<1	12	6	<1	<1	2	29	2	
63906	475671	<1	0.26	<2	43	18	2	<1	0.09	4	3	328	10	0.57	0.24	17	0.04	<100	<1	0.06	9	<100	37	<5	<5	0.07	<10	8	<100	<1	2	<10	2	123	<1	<0.10	<10	<1	1	5	<1	<1	<1	<1	<1	1	3	<1		
63907	475672	<1	0.37	<2	44	21	2	<1	0.1	4	3	375	12	1.3	0.32	22	0.07	138	2	0.07	14	<100	68	<5	<5	0.08	<10	9	184	1	8	<10	2	47	<1	<0.10	22	<1	3	2	<1	<1	8	<1	1	8	8			
63908	475672	<1	0.37	<2	46	21	2	<1	0.1	4	3	379	12	1.29	0.32	23	0.07	138	2	0.07	15	<100	71	6	6	0.09	<10	9	185	<1	8	<10	2	34	<1	<0.10	25	<1	4	4	<1	<1	<1	7	<1	1	9	8		
63909	475673	<1	0.53	<2	52	25	2	<1	0.09	<4	4	440	10	1.14	0.41	30	0.14	163	2	0.1	14	106	71	<5	<5	0.09	<10	10	385	1	9	<10	3	31	<1	<0.10	16	6	3	2	<1	<1	<1	17	<1	1	14	7		
63910	475673	<1	0.4	<2	54	21	2	<1	0.08	<4	3	300	8	0.89	0.31	27	0.11	130	<1	0.07	11	<100	55	<5	<5	0.07	<10	9	297	2	7	<10	3	26	<1	<0.10	<10	5	2	3	2	<1	<1	1	<1	7	<1	1	13	6
63911	475674	<1	0.47	<2	53	27	2	<1	0.08	<4	4	418	12	1.2	0.36	31	0.13	147	1	0.08	15	<100	67	<5	<5	0.08	<10	8	419	<1	7	<10	4	28	<1	<0.10	<10	61	3	6	<1	<1	26	11	<1	1	33	20		
63912	475675	<1	0.5	<2	49	33	2	<1	0.11	4	4	450	12	1.36	0.39	30	0.14	175	2	0.09	12	146	65	<5	<5	0.09	<10	9	464	<1	9	<10	5	31	<1	<0.10	<10	79	5	2	<1	<1	36	17	<1	2	40	23		
63913	475676	<1	0.54	<2	51	39	2	<1	0.14	4	4	406	13	1.39	0.41	35	0.16	182	2	0.09	15	196	70	<5	<5	0.09	<10	10	519	2	11	<10	4	33	<1	<0.10	<10	74	5	2	<1	<1	34	12	<1	1	43	27		
63914	475677	<1	0.45	<2	52	24	2	<1	0.12	<4	4	314	11	1.15	0.33	30	0.16	179	1	0.07	9	182	59	<5	<5	0.07	<10	7	450	2	7	<10	5	28	<1	<0.10	<10	51	3	2	<1	<1	21	<1	<1	36	20			
63915	475678	<1	0.58	<2	52	28	2	<1	0.2	4	5	458	12	1.3	0.4	37	0.18	226	2	0.11	13	256	67	<5	<5	0.08	<10	9	444	<1	6	<10	7	32	<1	<0.10	<10	54	5	5	<1	<1	20	23	<1	2	35	33		
63916	475679	<1	0.55	<2	52	37	2	<1	0.17	4	4	423	15	1.32	0.37	31	0.15	195	2	0.11	16	192	75	<5	<5	0.09	<10	12	414	<1	8	<10	6	28	<1	<0.10	<10	75	4	2	<1	<1	32	18	<1	1	38	21		
63917	475680	<1	0.5	<2	49	38	2	<1	0.14	4	4	302	10	1.38	0.35	35	0.18	179	1	0.07	10	216	70	<5	<5	0.08	<10	8	579	1	11	<10	5	35	<1	<0.10	<10	81	4	7	<1	<1	36	19	<1	<1	36	20		
63918	475681	<1	0.52	<2	45	45	2	<1	0.11	4	5	400	12	1.42	0.39	34	0.17	162	2	0.08	13	196	69	<5	<5	0.09	<10	9	548	<1	11	<10	4	35	<1	<0.10	<10	64	5	3	<1	1	28	13	<1	1	31	17		
63919	475682</																																																	

Delta Uranium Corp.
 Date Created: 08-04-25 08:53:23 AM
 Job Number: 200840801
 Date Received: Apr 4, 2008
 Number of Samples: 102
 Type of Sample: Core
 Date Completed: Apr 25, 2008
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	Hg ppm	S %	U ppm	Ce ppm	Ga ppm	Ge ppm	Hf ppm	In ppm	La ppm	Nb ppm	Rb ppm	Sc ppm	Ta ppm	Te ppm	Th ppm	Zr ppm
59129	475709	<1	0.26	8	39	15	<1	<1	0.06	<4	1	272	3	0.76	0.18	10	0.11	112	2	0.05	3	<100	33	<5	<5	0.03	<10	8	192	1	5	<10	4	25	2	<0.10	<10	34	3	4	<1	<1	16	<1	17	3	<1	8	35	16
59130	475710	<1	0.26	3	37	15	<1	<1	0.08	<4	2	280	<1	0.64	0.16	9	0.1	118	2	0.07	2	<100	30	<5	<5	0.03	<10	8	154	<1	4	<10	4	22	2	<0.10	<10	33	3	5	<1	<1	14	<1	23	3	<1	9	36	8
59131	475711	<1	2.3	<2	42	179	<1	<1	0.83	<4	36	614	170	4.48	1.56	37	2.1	548	9	0.22	143	209	152	7	<5	0.08	<10	75	3951	1	87	<10	7	118	2	<0.10	<10	36	14	8	<1	<1	15	9	158	9	<1	21	16	11
59132	475712	<1	1.58	<2	41	57	<1	<1	0.12	<4	15	479	17	3.66	1.33	29	0.86	515	10	0.09	43	<100	163	7	<5	0.06	<10	13	3039	<1	75	<10	3	86	2	<0.10	34	9	14	7	<1	<1	4	14	148	13	<1	17	52	23
59133	475713	<1	1.44	<2	39	55	<1	<1	0.1	<4	14	399	20	3.5	1.25	25	0.79	484	9	0.07	42	<100	145	<5	<5	0.07	<10	12	2999	<1	69	<10	3	82	3	<0.10	31	9	13	8	<1	<1	4	14	142	12	<1	20	41	18
59134	475714	<1	1.93	<2	44	72	<1	<1	0.16	<4	18	497	22	4.4	1.6	34	1.03	613	10	0.11	50	<100	185	7	<5	0.11	<10	16	3878	2	85	<10	4	96	2	<0.10	31	14	16	7	<1	<1	6	15	181	14	<1	21	62	28
59135	475715	<1	2.08	2	42	74	<1	<1	0.13	<4	20	426	25	4.67	1.74	38	1.2	652	8	0.12	57	<100	152	7	<5	0.09	<10	16	3777	<1	103	<10	4	110	2	<0.10	15	21	16	9	<1	<1	9	15	188	16	<1	20	50	30
59136	475716	<1	1.2	<2	41	150	<1	<1	0.19	<4	13	365	16	2.37	0.94	21	0.74	306	4	0.13	19	245	88	<5	<5	0.07	<10	29	2302	1	51	<10	5	65	3	<0.10	<10	27	9	6	<1	<1	12	5	87	7	<1	14	15	9
59137	475717	<1	1.52	3	43	317	<1	<1	0.2	<4	19	406	35	3.32	1.32	27	1.09	447	5	0.12	40	265	119	6	5	0.07	<10	23	3049	1	76	<10	10	73	2	<0.10	<10	43	12	8	<1	<1	22	8	96	11	<1	20	18	10
59138	475718	<1	1.9	<2	41	420	<1	<1	0.26	<4	23	402	44	4.14	1.66	33	1.4	578	6	0.12	54	316	114	5	<5	0.08	<10	26	3518	1	97	<10	13	87	2	<0.10	<10	84	15	8	<1	<1	41	10	110	14	<1	21	29	11
59139	475718	<1	1.87	<2	36	414	<1	<1	0.26	<4	24	395	44	4.08	1.64	32	1.39	573	6	0.12	53	309	153	<5	<5	0.08	<10	26	3557	2	95	<10	13	85	2	<0.10	<10	83	15	7	<1	<1	41	10	108	14	<1	22	29	11
59140	475719	<1	1.2	<2	36	28	<1	<1	0.21	<4	12	266	17	2.64	0.97	25	0.64	475	5	0.08	24	<100	143	<5	<5	0.04	<10	12	2276	2	40	<10	8	69	2	<0.10	33	33	10	7	<1	<1	12	11	117	9	<1	17	170	25
59141	475720	<1	2.64	2	38	235	<1	<1	1.04	<4	33	242	4	4.59	2.01	42	2.29	601	7	0.19	106	525	160	<5	<5	0.08	<10	42	3864	4	78	<10	11	78	3	<0.10	<10	46	15	7	<1	<1	19	8	198	8	<1	26	21	10
59142	475721	<1	3.26	3	46	156	<1	<1	0.39	4	35	364	27	6.19	2.8	66	2.29	947	10	0.14	95	416	199	<5	<5	0.06	<10	24	4728	2	139	<10	15	140	2	<0.10	11	49	24	12	<1	<1	24	15	311	20	<1	27	27	26
59143	475722	<1	1.14	3	36	39	<1	<1	0.11	4	13	377	23	2.66	0.98	27	0.66	424	6	0.07	24	<100	108	<5	<5	0.05	<10	12	2132	2	44	<10	5	70	3	<0.10	14	23	11	6	<1	<1	10	9	125	10	<1	16	78	32
59144	475723	<1	1.26	<2	45	49	<1	<1	0.13	4	13	481	30	2.94	1	28	0.71	445	6	0.09	34	<100	114	<5	<5	0.04	<10	13	1989	1	60	<10	4	69	2	<0.10	<10	21	12	7	<1	<1	9	10	137	10	<1	15	45	20
59145	475724	<1	0.61	<2	38	20	<1	<1	0.11	4	5	516	15	1.7	0.46	14	0.29	256	5	0.06	12	<100	76	<5	<5	0.04	<10	13	1032	2	21	<10	48	36	2	<0.10	31	42	6	15	<1	<1	10	168	63	6	<1	10	41	26
59146	475725	<1	1.5	3	41	49	<1	<1	0.15	4	17	358	33	3.45	1.36	34	0.94	548	11	0.08	46	<100	130	<5	<5	0.08	<10	13	2651	2	79	<10	9	81	2	<0.10	<10	101	13	8	<1	<1	50	13	168	13	<1	17	47	22
59147	475726	<1	1.34	3	44	58	<1	<1	0.12	4	14	332	17	2.99	1.22	31	0.86	488	5	0.07	34	<100	108	<5	<5	0.06	<10	15	2280	<1	69	<10	5	71	2	<0.10	<10	60	11	7	<1	<1	28	11	144	11	<1	14	41	17
59148	475727	<1	0.31	<2	37	33	<1	<1	0.12	4	2	329	1	1	0.25	11	0.1	120	3	0.05	4	<100	43	<5	<5	0.03	<10	10	238	3	7	<10	4	27	2	<0.10	<10	21	4	5	<1	<1	9	<1	26	3	<1	11	38	23
59149	475728	<1	0.3	<2	40	33	<1	<1	0.14	4	1	324	<1	0.85	0.25	11	0.08	175	2	0.05	2	<100	43	5	<5	0.03	<10	10	168	1	7	<10	5	24	2	<0.10	59	14	3	3	<1	<1	5	<1	29	3	<1	9	22	27
59150	475728	<1	0.3	<2	36	33	<1	<1	0.14	4	1	327	<1	0.84	0.25	10	0.08	175	3	0.05	2	<100	43	<5	6	0.03	<10	10	168	2	7	<10	5	24	2	<0.10	59	15	3	3	<1	<1	4	<1	23	3	<1	8	21	26
59151	475729	<1	0.25	<2	33	13	<1	<1	0.09	4	1	334	<1	0.79	0.18	8	0.05	106	3	0.06	4	<100	46	<5	5	0.02	<10	9	<100	2	4	<10	6	18	3	<0.10	<10	37	3	5	<1	<1	17	<1	17	3	<1	10	37	22
59152	475730	<1	0.27	<2	38	9	<1	<1	0.12	4	1	327	<1	1.17	0.17	12	0.06	129	2	0.07	2	<100	60	<5	<5	0.03	<10	9	133	5	7	<10	6	21	2	<0.10	16	19	6	4	<1	<1	7	<1	18	4	<1	10	31	13
59153	475731	<1	0.27	<2	37	10	<1	<1	0.08	4	1	354	<1	0.84	0.2	12	0.07	110	3	0.06	6	<100	44	5	<5	0.03	<10	8	152	1	5	<10	5	21	2	<0.10	66	19	3	4	<1	<1	16	<1	24	3	<1	11	26	19
59154	475732	<1	0.3	<2	39	10	<1	<1	0.15	4	1	335	<1	0.88	0.21	16	0.08	137	2	0.06	2	<100	42	5	<5	0.03	<10	9	196	5	5	<10	5	24	2	<0.10	18	24	3	4	<1	<1	9	1	30	4	<1	11	29	13
59155	475733	<1	0.26	<2	39	11	<1	<1	0.12	4	1	324	<1	0.88	0.19	9	0.05	103	2	0.06	4	<100	48	<5	5	0.03	<10	10	<100	4	5	<10	4	19	3	<0.10	22	13	3	4	<1	<1	5	<1	20	3	<1	9	23	13
59156	475734	<1	0.32	<2	36	9	<1	<1	0.18	4	2	296	<1	1	0.2	17	0.09	157	2	0.07	<1	<100	62	<5	<5	0.03	<10	10	228	4	7	<10	7	25	2	<0.10	47	40	5	5	<1	<1	16	1	19	4	<1	10	45	16
59157	475735	<1	0.23	2	37	9	<1	<1	0.1	4	1	365	1	0.88	0.14	7	0.04	<100	3	0.06	4	<100	45	<5	6	0.03	<10	9	<100	4	5	<10	6	19	2	<0.10	29													

Accur. #	Client Tag	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Ti	V	W	Y	Zn	Hg	S	U	Ce	Ga	Ge	Hf	In	La	Nb	Rb	Sc	Ta	Te	Th	Zr			
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
69178	475754	<1	0.4	<2	38	21	<1	<1	0.12	<4	2	296	2	1.24	0.33	20	0.15	140	4	0.06	4	<100	51	<5	<5	0.04	<10	10	429	4	11	<10	8	31	2	<0.10	<10	119	5	5	<1	<1	63	<1	32	4	<1	11	69	32			
69179	475755	<1	0.27	2	37	18	<1	<1	0.11	<4	1	311	<1	1.01	0.28	16	0.12	139	2	0.07	1	<100	41	<5	<5	0.04	<10	10	264	1	7	<10	5	27	2	<0.10	<10	43	4	5	<1	<1	21	<1	31	4	<1	9	41	22			
69180	475756	<1	0.37	<2	37	23	<1	<1	0.08	<4	<1	316	<1	0.58	0.27	3	0.03	<100	2	0.06	3	<100	25	<5	<5	0.04	<10	11	<100	2	3	<10	2	16	2	<0.10	<10	6	2	4	<1	<1	23	3	<1	10	17	5					
69181	475757	<1	0.33	<2	38	14	<1	<1	0.11	<4	1	370	<1	0.95	0.25	13	0.1	145	2	0.07	2	<100	37	<5	<5	0.03	<10	10	200	3	5	<10	3	24	2	<0.10	<10	6	3	5	<1	<1	2	<1	24	4	<1	7	24	7			
69182	475758	<1	0.26	3	38	11	<1	<1	0.12	<4	1	333	<1	0.82	0.16	8	0.06	103	2	0.07	4	<100	31	<5	<5	0.03	<10	9	<100	<1	5	<10	3	20	2	<0.10	<10	6	3	4	<1	<1	2	<1	17	3	<1	9	21	8			
69183	475758	<1	0.27	<2	40	11	<1	<1	0.12	<4	1	347	<1	0.85	0.16	8	0.06	107	2	0.07	5	<100	37	<5	<5	0.03	<10	9	103	2	5	<10	3	21	2	<0.10	<10	6	3	5	<1	<1	2	<1	19	3	<1	11	21	8			
69184	475759	<1	0.27	<2	37	14	<1	<1	0.09	<4	1	306	<1	0.91	0.19	7	0.06	102	2	0.07	3	<100	35	<5	<5	0.03	<10	10	<100	4	6	<10	3	20	2	<0.10	<10	6	3	5	<1	<1	2	<1	20	3	<1	7	21	7			
69185	475760	<1	0.33	<2	40	21	<1	<1	0.21	<4	3	316	<1	1.78	0.41	26	0.21	268	3	0.08	4	241	62	<5	<5	0.04	<10	11	525	<1	12	<10	9	40	2	<0.10	<10	13	7	6	<1	<1	4	3	47	5	<1	9	37	17			
69186	475761	<1	0.31	<2	38	26	<1	<1	0.18	<4	2	331	<1	1.99	0.29	10	0.06	165	3	0.06	2	<100	69	5	<5	0.03	<10	13	160	3	14	<10	4	19	2	<0.10	<10	6	7	6	<1	<1	<1	<1	31	3	<1	11	13	5			
69187	475762	<1	0.37	<2	39	17	<1	<1	0.14	<4	1	362	<1	0.98	0.24	15	0.09	126	2	0.09	5	<100	41	<5	<5	0.03	<10	11	152	3	6	<10	3	21	2	<0.10	<10	7	4	5	<1	<1	2	<1	26	3	<1	9	30	6			
69188	475763	<1	0.34	<2	39	19	<1	<1	0.13	<4	2	322	<1	0.74	0.28	19	0.1	128	2	0.06	2	<100	31	<5	7	0.03	<10	11	196	<1	4	<10	4	24	2	<0.10	<10	6	3	4	<1	<1	2	<1	32	4	<1	8	24	5			
69189	475764	<1	0.29	<2	38	18	<1	<1	0.1	<4	1	305	<1	0.63	0.23	9	0.06	104	2	0.07	4	<100	37	<5	<5	0.03	<10	10	<100	<1	4	<10	3	19	2	<0.10	<10	7	3	2	<1	<1	2	<1	24	3	<1	9	29	7			
69190	475765	<1	0.33	<2	32	15	<1	<1	0.16	<4	1	343	<1	0.85	0.21	11	0.06	115	2	0.09	2	<100	39	<5	<5	0.03	<10	12	110	3	5	<10	3	20	3	<0.10	<10	8	3	4	<1	<1	2	<1	19	3	<1	7	50	7			
69191	475766	<1	0.43	<2	35	22	<1	<1	0.11	<4	2	326	<1	0.92	0.36	24	0.12	178	3	0.07	3	<100	56	<5	5	0.04	<10	13	273	2	5	<10	4	28	3	<0.10	20	8	3	4	<1	<1	2	1	40	4	<1	8	97	28			
69192	475767	<1	0.27	<2	34	12	<1	<1	0.11	<4	<1	340	<1	0.75	0.17	9	0.05	111	2	0.08	1	<100	33	<5	<5	0.03	<10	10	<100	<1	5	<10	2	18	2	<0.10	<10	5	3	4	<1	<1	<1	<1	17	3	<1	7	27	6			
69193	475768	<1	0.26	<2	40	10	<1	1	0.2	<4	1	495	<1	0.99	0.21	3	0.03	107	3	0.07	4	231	34	<5	<5	0.03	<10	9	<100	2	5	<10	12	15	2	<0.10	<10	11	3	4	<1	<1	3	<1	9	3	<1	7	40	19			
69194	475768	<1	0.28	<2	38	11	<1	<1	0.16	<4	1	597	<1	1.13	0.24	2	0.02	102	3	0.08	7	175	46	<5	<5	0.03	<10	9	<100	2	6	<10	10	15	2	<0.10	<10	9	4	5	<1	<1	3	<1	15	3	<1	9	34	20			
69195	475769	<1	0.35	<2	41	11	<1	<1	1.59	<4	4	521	<1	3.87	0.23	10	0.09	481	7	0.08	4	3505	136	<5	<5	0.04	<10	14	392	5	26	<10	129	25	2	<0.10	<10	79	13	8	<1	<1	20	2	22	4	<1	9	53	25			
69196	475770	<1	0.87	<2	46	33	<1	<1	0.19	<4	6	374	<1	2.19	0.64	37	0.44	382	4	0.11	6	126	79	<5	<5	0.04	<10	14	1134	2	26	<10	5	53	2	<0.10	<10	23	9	5	<1	<1	10	3	67	6	<1	11	28	15			
69197	475771	<1	1.21	<2	47	137	<1	<1	0.34	<4	8	326	17	2.5	0.9	39	0.68	432	5	0.15	11	374	90	<5	<5	0.06	<10	25	1564	<1	41	<10	12	57	3	<0.10	<10	41	10	7	<1	<1	20	4	95	7	<1	14	71	29			
69198	475772	<1	0.45	<2	40	39	<1	<1	0.21	<4	2	412	1	1.12	0.34	9	0.13	156	3	0.1	5	<100	40	<5	<5	0.04	<10	15	296	3	11	<10	5	26	2	<0.10	<10	15	4	6	<1	<1	7	<1	30	4	<1	8	24	16			
69199	475773	<1	0.34	<2	45	17	<1	<1	0.19	<4	2	367	<1	1.47	0.21	6	0.06	144	3	0.1	2	126	57	<5	<5	0.03	<10	13	142	<1	10	<10	6	18	2	<0.10	<10	8	6	5	<1	<1	3	<1	18	3	<1	8	38	10			
69200	475774	<1	0.38	<2	39	17	<1	<1	0.11	<4	2	441	<1	1	0.25	13	0.09	137	3	0.1	5	<100	36	5	<5	0.03	<10	13	182	4	6	<10	3	23	2	<0.10	<10	6	4	4	<1	<1	2	<1	24	4	<1	10	36	20			
69201	475775	<1	0.68	<2	44	25	<1	<1	0.17	<4	4	388	<1	1.58	0.5	29	0.29	283	3	0.11	3	118	63	<5	<5	0.04	<10	13	714	<1	12	<10	6	41	2	<0.10	<10	9	6	5	<1	<1	2	2	50	6	<1	11	32	21			
69202	475776	<1	0.36	<2	40	22	<1	<1	0.2	<4	1	388	<1	1.52	0.26	6	0.06	144	3	0.09	4	<100	56	<5	<5	0.03	<10	14	115	3	11	<10	5	19	2	<0.10	<10	9	6	6	<1	<1	2	<1	19	3	<1	7	35	18			
69203	475777	<1	0.51	<2	51	30	<1	<1	0.2	<4	3	464	<1	1.18	0.42	22	0.15	196	3	0.09	3	107	52	6	6	0.04	<10	17	319	4	6	<10	8	29	3	<0.10	<10	19	5	5	<1	<1	10	1	51	5	<1	13	50	15			
69204	475778	<1	0.45	<2	38	25	<1	<1	0.12	<4	2	385	<1	1.07	0.34	20	0.13	209	3	0.08	4	<100	49	<5	<5	0.04	<10	15	270	5	6	<10	5	27	2	<0.10	<10	11	18	5	4	<1	8	1	35	4	<1	9	36	17			
69205	475778	<1	0.44	<2	34	25	<1	<1	0.12	<4	2	380	<1	1.05	0.34	19	0.13	193	2	0.08	4	<100	42	<5	<5	0.04	<10	14	257	4	6	<10	5	26	2	<0.10	<10	20	4	4	<1	<1	7	1	36	4	<1	8	34	17			
69206	475779	<1	0.31	<2	36	32	<1	<1	0.11	<4	1	398	<1	0.89	0.25	6	0.04	164	3	0.07	2	<100	39	5	<5	0.03	<1																										

Delta Uranium Corp.
 Date Created: 08-04-25 08:53:17 AM
 Job Number: 200840811
 Date Received: Apr 4, 2008
 Number of Samples: 30
 Type of Sample: Core
 Date Completed: Apr 25, 2008
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 * The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	Hg ppm	S %	U ppm	Ce ppm	Ga ppm	Ge ppm	Hf ppm	In ppm	La ppm	Nb ppm	Rb ppm	Sc ppm	Ta ppm	Te ppm	Th ppm	Zr ppm
69665	475811	<1	0.5	<2	52	21	<1	<1	0.21	<4	2	288	<1	1.9	0.37	13	0.06	169	4	0.13	2	<100	90	<5	<5	0.04	<10	16	192	5	17	<10	7	23	2	<0.10	<10	82	8	6	<1	<1	38	<1	19	4	<1	8	53	9
69666	475812	<1	0.46	<2	53	16	<1	<1	0.12	<4	2	335	<1	0.95	0.4	23	0.14	157	2	0.07	4	<100	74	<5	<5	0.04	<10	10	354	2	7	<10	3	34	2	<0.10	20	6	5	4	<1	<1	2	<1	35	5	<1	10	15	10
69667	475813	<1	0.42	<2	50	16	<1	<1	0.12	<4	2	307	<1	1.08	0.29	13	0.07	125	3	0.11	3	<100	75	<5	5	0.05	<10	13	170	3	8	<10	7	21	3	<0.10	47	19	4	5	<1	<1	7	<1	18	3	<1	9	36	31
69668	475814	<1	0.35	<2	50	13	<1	<1	0.17	<4	1	247	<1	0.88	0.21	9	0.04	<100	3	0.11	2	<100	64	<5	6	0.04	<10	12	<100	2	7	<10	8	19	2	<0.10	45	51	4	4	<1	<1	22	<1	12	3	<1	12	45	27
69669	475815	<1	0.44	<2	55	13	<1	<1	0.13	<4	2	396	<1	1.08	0.26	16	0.09	166	3	0.13	5	<100	69	<5	6	0.04	<10	13	197	2	6	<10	6	24	2	<0.10	56	17	5	5	<1	<1	6	<1	31	4	<1	13	31	14
69670	475816	<1	0.52	<2	50	20	<1	<1	0.09	<4	2	235	<1	0.81	0.42	25	0.15	156	1	0.09	2	<100	47	<5	<5	0.04	<10	12	368	<1	5	<10	4	30	2	<0.10	13	17	4	5	<1	<1	7	<1	42	4	<1	12	21	7
69671	475817	<1	0.41	<2	43	20	<1	<1	0.12	<4	2	260	<1	0.78	0.35	17	0.08	114	2	0.09	2	<100	47	<5	<5	0.05	<10	12	194	2	5	<10	3	23	2	<0.10	19	11	4	5	<1	<1	4	<1	40	4	<1	11	19	7
69672	475818	<1	0.48	<2	47	19	<1	<1	0.14	<4	2	251	<1	0.94	0.39	28	0.13	164	2	0.08	2	<100	66	<5	<5	0.05	<10	12	328	2	6	<10	4	29	2	<0.10	33	19	5	5	<1	<1	8	2	44	5	<1	11	25	10
69673	475819	<1	0.36	2	46	27	<1	<1	0.07	<4	<1	256	<1	0.5	0.38	10	0.05	<100	1	0.08	1	<100	56	<5	<5	0.05	<10	13	<100	<1	3	<10	3	18	2	<0.10	<10	21	2	5	<1	<1	9	<1	29	3	<1	10	22	5
69674	475820	<1	0.5	<2	44	20	<1	<1	0.1	<4	2	211	<1	0.8	0.4	23	0.14	138	2	0.1	2	<100	41	<5	5	0.03	<10	12	336	<1	5	<10	4	29	2	<0.10	<10	15	4	6	<1	<1	28	<1	41	4	<1	14	22	11
69675	475820	<1	0.54	<2	49	21	<1	<1	0.1	<4	2	222	<1	0.85	0.43	24	0.14	145	2	0.11	1	<100	44	<5	<5	0.04	<10	13	351	<1	5	<10	4	30	2	<0.10	<10	19	5	4	<1	<1	8	<1	46	4	<1	8	26	13
69676	475821	<1	0.39	<2	48	15	<1	<1	0.16	<4	1	284	<1	0.97	0.28	14	0.07	120	2	0.1	2	<100	61	<5	5	0.04	<10	12	151	4	8	<10	6	22	2	<0.10	32	31	5	5	<1	<1	13	<1	29	3	<1	11	32	11
69677	475822	<1	0.37	<2	45	11	<1	<1	0.12	<4	1	281	<1	0.82	0.23	13	0.07	128	2	0.1	3	<100	58	<5	<5	0.04	<10	11	139	1	6	<10	5	21	2	<0.10	18	21	4	6	<1	<1	9	<1	29	4	<1	10	29	17
69678	475823	<1	0.39	4	52	12	<1	<1	0.1	<4	2	270	<1	0.82	0.3	15	0.08	119	2	0.09	2	<100	51	5	<5	0.04	<10	12	180	2	5	<10	6	22	2	<0.10	<10	20	5	3	<1	<1	33	<1	27	4	<1	9	28	18
69679	475824	<1	0.55	4	47	16	<1	<1	0.12	<4	3	234	<1	1.19	0.4	29	0.19	194	2	0.09	2	<100	58	<5	<5	0.04	<10	10	488	7	9	<10	4	34	2	<0.10	14	11	6	6	<1	<1	53	1	46	5	<1	11	18	11
69680	475825	<1	0.37	<2	45	23	<1	<1	0.06	<4	<1	263	<1	0.56	0.34	9	0.04	<100	1	0.09	2	<100	28	<5	<5	0.05	<10	13	<100	2	3	<10	3	17	2	<0.10	<10	11	3	4	<1	<1	4	<1	27	3	<1	11	18	6
69681	475826	<1	0.4	<2	45	16	<1	<1	0.21	<4	2	312	<1	1.02	0.22	18	0.07	144	2	0.12	3	<100	69	<5	<5	0.03	<10	13	179	2	7	<10	4	22	2	<0.10	19	15	5	5	<1	<1	6	<1	19	4	<1	10	23	15
69682	475827	<1	0.34	<2	42	15	<1	<1	0.14	<4	1	272	<1	0.76	0.26	9	0.04	104	2	0.1	2	<100	46	<5	7	0.03	<10	12	<100	1	5	<10	5	18	2	<0.10	<10	17	4	5	<1	<1	7	<1	17	3	<1	7	25	13
69683	475828	<1	0.34	<2	43	13	<1	<1	0.12	<4	<1	231	<1	0.73	0.27	12	0.05	<100	2	0.09	2	<100	38	<5	<5	0.03	<10	11	101	<1	6	<10	4	20	3	<0.10	53	13	3	4	<1	<1	5	<1	24	3	<1	10	22	11
69684	475829	<1	0.32	<2	46	22	<1	<1	0.11	<4	<1	274	<1	0.66	0.3	7	0.03	<100	1	0.08	2	<100	38	<5	6	0.04	<10	12	<100	2	5	<10	9	16	2	<0.10	14	79	4	4	<1	<1	36	<1	25	3	<1	11	58	7
69685	475830	<1	0.42	<2	47	21	<1	<1	0.1	<4	1	242	<1	0.71	0.38	18	0.08	129	2	0.08	2	<100	43	<5	<5	0.04	<10	12	191	<1	4	<10	11	22	3	<0.10	28	89	4	4	<1	<1	41	2	39	4	<1	10	65	10
69686	475830	<1	0.42	<2	46	21	<1	<1	0.1	<4	1	227	<1	0.71	0.38	19	0.09	134	2	0.08	1	<100	43	<5	<5	0.04	<10	12	204	<1	4	<10	11	23	2	<0.10	29	81	4	4	<1	<1	37	2	32	4	<1	10	60	10
69687	475831	<1	0.39	<2	43	22	<1	<1	0.09	<4	<1	243	<1	0.66	0.36	11	0.05	<100	2	0.1	<1	<100	31	<5	<5	0.05	<10	13	<100	<1	5	<10	5	19	2	<0.10	<10	27	3	4	<1	<1	33	<1	30	3	<1	11	27	11
69688	475832	<1	0.37	<2	36	20	<1	<1	0.07	<4	1	187	<1	0.57	0.35	12	0.06	<100	1	0.08	1	<100	25	<5	<5	0.04	<10	12	131	<1	4	<10	4	21	2	<0.10	<10	14	3	3	<1	<1	5	<1	30	3	<1	13	20	8
69689	475833	<1	0.39	<2	38	16	<1	<1	0.11	<4	1	219	<1	0.71	0.3	25	0.1	143	2	0.08	1	<100	40	<5	<5	0.04	<10	11	191	<1	4	<10	5	24	2	<0.10	<10	29	3	4	<1	<1	12	<1	33	4	<1	12	29	11
69690	475834	<1	0.36	2	41	18	<1	<1	0.08	<4	2	215	<1	1.1	0.28	16	0.09	121	2	0.09	2	<100	64	<5	<5	0.04	<10	12	222	3	9	<10	7	26	2	<0.10	36	67	4	4	<1	<1	31	<1	28	3	<1	11	51	24
69691	475835	<1	0.49	2	40	28	<1	<1	0.08	<4	3	240	<1	1.22	0.43	23	0.14	156	3	0.09	3	<100	67	<5	5	0.04	<10	13	406	2	8	<10	7	34	2	<0.10	40	62	5	5	<1	<1	30	<1	32	4	<1	13	61	32
69692	475836	<1	0.42	<2	43	20	<1	<1	0.07	<4	2	206	<1	1.11	0.31	19	0.13	150	3	0.09	2	<100	54	<5	<5	0.04	<10	10	381	1	9	<10	6	32	2	<0.10	13	61	4	5	<1	<1	29	<1	35	4	<1	10	55	31
69693	475837	<1	0.53	2	40	39	<1	<1	0.12	<4	3	208	<1	1.23	0.43	29	0.18	156	2	0.09	3	106	50	<5	<5	0.03	<10	11	560	5	12	<10	7	37	2	<0.10	<10													

Delta Uranium Corp.
 Date Created: 08-04-28 03:30:09 PM
 Job Number: 200840863
 Date Received: Apr 10, 2008
 Number of Samples: 39
 Type of Sample: Rock
 Date Completed: Apr 28, 2008
 Project ID:

* The results included on this report relate only to the items tested
 * This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
 *The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	Tl	V	W	Y	Zn	Hg	S	U	Ce	Ga	Ge	Hf	In	La	Nb	Pb	Sc	Ta	Te	Th	Zr
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
75398	475841	<1	0.31	4	46	20	<1	10	0.12	<4	2	458	5	0.92	0.25	8	0.08	121	3	0.09	15	<100	38	<5	<5	0.04	<10	15	<100	2	4	<10	2	5	4	<0.10	<10	5	4	3	<1	<1	4	1	54	3	5	8	14	4
75399	475842	<1	0.79	4	55	26	<1	2	0.21	<4	5	260	4	1.89	0.63	44	0.33	375	3	0.1	7	169	83	<5	<5	0.05	<10	17	921	<1	12	<10	9	36	4	<0.10	<10	44	8	1	<1	<1	21	5	117	7	5	12	53	10
75400	475843	<1	0.52	5	52	30	<1	7	0.2	<4	3	314	4	1.51	0.45	22	0.14	197	3	0.09	8	165	71	<5	<5	0.04	<10	19	373	<1	10	<10	9	17	3	<0.10	<10	76	6	2	<1	<1	39	2	71	4	5	12	63	11
75401	475844	<1	0.35	4	51	31	<1	7	0.18	<4	2	289	4	0.59	0.35	13	0.08	160	2	0.06	6	303	29	<5	5	0.04	<10	18	199	<1	<2	<10	9	9	3	<0.10	<10	47	3	2	1	<1	22	1	63	3	5	11	31	6
75402	475845	<1	0.51	2	49	34	<1	10	0.14	<4	3	361	4	1.01	0.47	24	0.16	171	2	0.07	10	134	46	<5	<5	0.04	<10	17	426	<1	4	<10	5	17	3	<0.10	<10	27	4	3	<1	<1	14	2	72	4	4	11	18	8
75403	475846	<1	0.48	6	49	26	<1	6	0.21	<4	3	304	4	1	0.39	26	0.15	174	2	0.09	7	268	47	<5	<5	0.04	<10	17	373	5	4	<10	9	16	3	<0.10	<10	63	5	1	<1	<1	32	2	77	4	5	12	34	7
75404	475847	<1	0.41	4	54	35	<1	9	0.16	<4	2	397	4	0.84	0.4	18	0.1	137	2	0.08	11	237	39	<5	6	0.05	<10	18	222	2	3	<10	7	9	3	<0.10	<10	19	3	2	<1	<1	9	<1	73	3	5	11	16	8
75405	475848	<1	0.45	2	49	27	<1	10	0.37	<4	3	283	3	1.08	0.37	20	0.19	192	2	0.08	6	678	45	<5	5	0.04	<10	17	407	<1	6	<10	14	17	4	<0.10	<10	27	4	2	<1	<1	11	2	67	4	5	13	12	9
75406	475849	<1	0.5	3	54	13	<1	6	0.17	<4	3	341	17	0.99	0.39	24	0.13	185	3	0.09	9	<100	75	<5	<5	0.04	<10	11	504	2	5	<10	5	38	3	<0.10	<10	34	4	2	<1	<1	16	2	74	4	5	12	23	15
75407	475850	<1	0.4	3	51	11	<1	6	0.16	<4	2	353	5	0.92	0.32	14	0.06	126	3	0.1	7	<100	57	<5	5	0.03	<10	11	197	<1	3	<10	8	12	4	<0.10	22	48	5	3	2	<1	22	1	58	3	5	12	34	28
75408	475851	<1	0.34	4	50	7	<1	6	0.18	<4	2	415	6	1.05	0.2	12	0.04	118	3	0.11	10	<100	62	<5	6	0.03	<10	10	148	1	4	<10	11	8	3	<0.10	16	82	5	3	<1	<1	37	<1	47	3	5	12	50	15
75409	475851	<1	0.35	2	51	7	<1	7	0.18	<4	2	425	6	1.08	0.2	13	0.04	118	3	0.11	11	<100	61	<5	5	0.03	<10	11	147	3	4	<10	11	9	3	<0.10	18	88	5	<1	<1	<1	40	1	52	3	5	11	53	15
75410	475852	<1	0.48	3	53	13	<1	6	0.14	<4	2	335	5	0.78	0.39	22	0.09	131	2	0.1	7	<100	68	<5	<5	0.03	<10	13	285	2	<2	<10	14	16	4	<0.10	<10	113	4	1	1	<1	61	1	68	3	5	11	63	16
75411	475853	<1	0.42	2	47	16	<1	7	0.1	<4	2	397	5	0.77	0.34	18	0.07	129	3	0.1	10	<100	56	<5	<5	0.03	<10	12	216	<1	<2	<10	7	11	3	<0.10	27	31	3	2	<1	<1	15	1	65	3	5	10	24	28
75412	475854	<1	0.4	3	43	13	<1	5	0.1	<4	2	331	4	0.69	0.31	17	0.07	133	2	0.1	6	<100	50	<5	6	0.04	<10	11	246	<1	<2	<10	6	13	4	<0.10	<10	36	3	1	2	<1	17	1	67	3	5	9	26	28
75413	475855	<1	0.43	3	46	17	<1	4	0.12	<4	2	385	5	0.7	0.37	16	0.05	101	3	0.12	10	<100	66	<5	<5	0.04	<10	13	155	<1	<2	<10	6	10	4	<0.10	<10	23	3	2	2	<1	11	<1	64	3	5	11	21	26
75414	475856	<1	0.55	4	45	14	<1	6	0.16	<4	3	316	4	1.05	0.38	37	0.16	224	3	0.1	7	<100	67	<5	<5	0.04	<10	11	507	<1	2	<10	7	34	3	<0.10	<10	29	5	3	<1	<1	13	3	82	5	5	14	26	29
75415	475857	<1	0.32	3	47	9	<1	8	0.11	<4	2	507	6	0.77	0.19	14	0.04	107	3	0.11	13	<100	52	<5	<5	0.03	<10	10	118	3	<2	<10	6	10	3	<0.10	38	13	3	1	2	<1	6	1	57	3	6	12	13	16
75416	475858	<1	0.45	3	50	14	<1	9	0.11	<4	2	298	4	0.86	0.36	22	0.1	175	2	0.09	6	<100	58	<5	5	0.04	<10	11	341	<1	2	<10	5	16	4	<0.10	<10	19	4	2	1	<1	9	3	77	4	5	12	18	22
75417	475859	<1	0.41	3	50	17	<1	7	0.09	<4	2	413	5	0.78	0.36	15	0.05	133	3	0.1	11	<100	45	<5	<5	0.04	<10	13	158	2	<2	<10	8	8	3	<0.10	<10	47	3	2	<1	<1	22	1	64	3	5	11	33	34
75418	475860	<1	0.33	3	47	17	<1	5	0.09	<4	2	355	4	0.65	0.26	14	0.05	162	3	0.09	7	<100	50	<5	6	0.04	<10	11	141	<1	<2	<10	8	8	4	<0.10	32	27	3	3	2	<1	13	<1	65	3	5	13	23	25
75419	475861	<1	0.29	3	54	7	<1	8	0.13	<4	1	256	3	0.56	0.2	17	0.06	<100	3	0.07	5	<100	36	<5	5	0.03	<10	10	179	<1	<2	<10	4	9	3	<0.10	<10	19	2	<1	1	<1	9	1	55	3	4	9	15	21
75420	475861	<1	0.29	4	51	7	<1	5	0.13	<4	1	293	3	0.56	0.2	17	0.06	<100	2	0.07	5	<100	40	<5	6	0.03	<10	10	178	<1	<2	<10	4	9	3	<0.10	<10	17	3	2	1	<1	8	1	55	3	4	9	12	20
75421	475862	<1	0.46	4	53	11	<1	5	0.15	<4	2	370	10	0.88	0.34	24	0.09	144	4	0.11	7	<100	191	<5	5	0.03	<10	12	287	4	2	<10	7	20	4	<0.10	30	19	4	<1	2	<1	9	1	66	3	5	12	19	35
75422	475863	<1	0.39	4	49	10	<1	7	0.12	<4	2	428	5	0.84	0.28	18	0.05	119	4	0.11	10	<100	71	<5	<5	0.03	<10	13	173	<1	<2	<10	11	9	4	<0.10	34	31	4	1	3	<1	14	1	65	3	6	12	30	55
75423	475864	<1	0.39	2	46	10	<1	6	0.19	<4	3	348	45	1.01	0.3	22	0.07	146	5	0.09	8	<100	1004	<5	6	0.03	<10	12	247	1	3	<10	8	162	4	<0.10	53	31	4	1	1	<1	14	2	60	3	5	13	23	31
75424	475865	<1	0.39	<2	50	17	<1	9	0.12	<4	2	384	5	0.86	0.27	18	0.07	234	3	0.1	11	<100	76	<5	<5	0.04	<10	15	212	5	2	<10	8	13	3	<0.10	16	46	3	2	2	<1	22	1	60	3	5	11	34	30
75425	475866	<1	0.36	<2	45	10	<1	6	0.13	<4	2	340	5	0.92	0.28	17	0.07	123	3	0.09	7	<100	77	<5	<5	0.04	<10	11	202	<1	3	<10	7	11	3	<0.10	16	43	4	2	1	<1	20	<1	57	3	5	9	31	26
75426	475867	<1	0.4	<2	49	9	<1	9	0.11	<4	2	370	5	0.72	0.3	19	0.06	121	2	0.11	10	<100	44																											

Quality Analysis ...



Innovative Technologies

Date Submitted: 22-May-08

Invoice No.: A08-2553

Invoice Date: 23-Jul-08

Your Reference:

Delta Uranium
56 Temperance st
10th Floor
Toronto Ontario M5H3V5
Canada

ATTN: Rick Bonner

CERTIFICATE OF ANALYSIS

301 Rock samples were submitted for analysis.

The following analytical packages were requested: Code 1A2 Au - Fire Assay AA
Code 1D Enh INAA(INAAGEO)
Code 5D-U-Total DNC

REPORT **A08-2553**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

For values exceeding the upper limits we recommend assays.

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY :

A handwritten signature in blue ink, appearing to read "Elitsa Hrischeva". The signature is fluid and cursive, written over a horizontal line.

Elitsa Hrischeva, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL ancaster@actlabsint.com ACTLABS GROUP WEBSITE <http://www.actlabsint.com>

Activation Laboratories Ltd. Report: A08-2553

Analyte Symbol	Au	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta
Unit Symbol	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Detection Limit	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5
Analysis Method	FA-AA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
475943		< 2	< 5	< 0.5	690	3.7	4	15	87	< 1	3.25	4	< 1	< 5	< 1	1.70	< 20	101	< 0.1	9.3	< 3	< 0.02	< 0.05	< 0.5
475944		< 2	< 5	< 0.5	550	4.4	3	12	< 5	3	2.74	4	< 1	< 5	5	2.11	< 20	101	< 0.1	6.6	< 3	< 0.02	< 0.05	< 0.5
475945		< 2	< 5	< 0.5	< 50	5.8	< 1	3	< 5	3	2.22	2	< 1	< 5	< 1	1.80	< 20	193	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5
475946		< 2	< 5	< 0.5	290	< 0.5	< 1	< 1	< 5	5	0.63	2	< 1	< 5	< 1	1.80	< 20	175	< 0.1	1.7	< 3	< 0.02	< 0.05	< 0.5
475947		< 2	< 5	< 0.5	160	< 0.5	< 1	< 1	< 5	3	0.58	3	< 1	< 5	< 1	1.96	< 20	212	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5
475948		< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	4	0.56	4	< 1	< 5	< 1	2.56	< 20	101	< 0.1	1.6	< 3	< 0.02	< 0.05	< 0.5
475949		< 2	< 5	< 0.5	450	< 0.5	4	< 1	19	< 1	0.73	2	< 1	< 5	< 1	2.45	< 20	133	< 0.1	2.3	< 3	< 0.02	< 0.05	< 0.5
475950		< 2	< 5	< 0.5	600	< 0.5	< 1	< 1	< 5	4	0.68	1	< 1	< 5	< 1	1.92	< 20	193	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5
475951		< 2	< 5	< 0.5	640	< 0.5	< 1	< 1	< 5	5	1.01	< 1	< 1	< 5	< 1	2.24	< 20	184	< 0.1	2.9	< 3	< 0.02	< 0.05	< 0.5
475952		< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	2	0.43	2	< 1	< 5	< 1	2.01	< 20	202	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5
475953		< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	3	0.41	6	< 1	< 5	< 1	2.11	< 20	101	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5
475954		< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	3	1.20	5	< 1	< 5	< 1	2.35	< 20	175	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5
475955	15																							
475956		< 2	< 5	< 0.5	650	< 0.5	5	< 1	< 5	< 1	1.63	8	< 1	< 5	< 1	2.63	< 20	135	< 0.1	2.4	< 3	< 0.02	< 0.05	< 0.5
475957		< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	< 5	< 1	0.61	< 1	< 1	< 5	13	2.38	< 20	210	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5
475958		< 2	< 5	< 0.5	500	< 0.5	< 1	< 1	< 5	4	0.60	3	< 1	< 5	23	2.84	< 20	105	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5
475959		< 2	< 5	< 0.5	370	< 0.5	< 1	< 1	< 5	3	0.48	3	< 1	< 5	< 1	2.01	< 20	150	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5
475960		< 2	< 5	0.6	< 50	< 0.5	3	8	< 5	2	2.97	6	< 1	< 5	< 1	3.01	< 20	115	0.7	3.8	< 3	< 0.02	< 0.05	< 0.5
475961		< 2	< 5	< 0.5	600	< 0.5	< 1	< 1	< 5	3	0.81	3	< 1	< 5	< 1	2.01	< 20	130	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5
475962		< 2	< 5	1.8	290	< 0.5	< 1	< 1	< 5	4	0.59	3	< 1	< 5	< 1	1.98	< 20	240	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5
475963		< 2	< 5	< 0.5	450	< 0.5	< 1	5	< 5	< 1	0.41	5	< 1	< 5	13	2.39	< 20	165	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5
475964		< 2	< 5	< 0.5	270	< 0.5	< 1	< 1	< 5	5	0.60	4	< 1	< 5	< 1	2.33	< 20	255	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5
475965		< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	21	4	0.75	3	< 1	< 5	39	1.79	440	95	< 0.1	2.1	< 3	< 0.02	< 0.05	3.6
475966		< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	14	2.39	7	< 1	< 5	< 1	2.83	< 20	83	< 0.1	3.5	< 3	< 0.02	< 0.05	5.0
475967		20	< 5	< 0.5	< 50	< 0.5	4	22	88	5	5.00	4	< 1	< 5	< 1	2.48	< 20	120	< 0.1	15.8	< 3	< 0.02	< 0.05	< 0.5
475968		< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	4	1.16	7	< 1	< 5	< 1	2.01	< 20	166	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5
475969		< 2	< 5	< 0.5	2650	< 0.5	< 1	< 1	146	10	0.64	9	< 1	< 5	< 1	1.61	< 20	317	0.3	0.9	< 3	< 0.02	< 0.05	< 0.5
475970		< 2	< 5	6.8	1300	2.5	< 1	< 1	< 5	5	0.57	5	< 1	< 5	< 1	0.99	< 20	312	14.8	1.1	< 3	< 0.02	< 0.05	< 0.5
475971		< 2	< 5	< 0.5	2390	< 0.5	< 1	< 1	< 5	< 1	0.78	11	< 1	< 5	< 1	1.65	< 20	265	3.8	0.9	< 3	< 0.02	< 0.05	< 0.5
475972		< 2	< 5	< 0.5	4160	< 0.5	< 1	< 1	< 5	5	1.15	28	< 1	< 5	< 1	2.37	< 20	130	0.5	1.5	< 3	< 0.02	< 0.05	< 0.5
475973		< 2	< 5	< 0.5	340	< 0.5	< 1	< 1	< 5	6	0.72	12	< 1	< 5	< 1	1.65	< 20	281	1.3	0.9	< 3	< 0.02	< 0.05	< 0.5
475974		< 2	< 5	< 0.5	1200	< 0.5	< 1	< 1	< 5	6	0.87	9	< 1	< 5	< 1	2.39	< 20	203	1.4	0.8	< 3	< 0.02	< 0.05	< 0.5
475975		< 2	< 5	< 0.5	2240	4.8	< 1	< 1	< 5	< 1	0.99	14	< 1	< 5	198	2.61	< 20	172	1.8	0.7	< 3	< 0.02	< 0.05	< 0.5
475976		< 2	< 5	< 0.5	990	< 0.5	< 1	< 1	62	5	1.07	17	< 1	< 5	< 1	2.31	< 20	146	1.7	0.9	< 3	0.17	< 0.05	< 0.5
475977		< 2	< 5	< 0.5	< 50	3.4	< 1	< 1	< 5	4	0.61	5	< 1	< 5	< 1	2.45	< 20	< 15	0.8	0.8	< 3	< 0.02	< 0.05	< 0.5
475978		< 2	< 5	< 0.5	530	2.1	< 1	< 1	15	6	0.60	2	< 1	< 5	16	1.24	< 20	235	1.1	0.9	< 3	< 0.02	< 0.05	2.0
475979		< 2	< 5	< 0.5	< 50	2.1	< 1	< 1	< 5	3	0.56	6	< 1	< 5	< 1	1.52	< 20	227	1.9	0.6	< 3	< 0.02	< 0.05	< 0.5
475980		< 2	< 5	< 0.5	650	< 0.5	< 1	4	< 5	6	1.08	5	< 1	< 5	< 1	1.38	< 20	158	2.5	1.5	< 3	< 0.02	< 0.05	3.6
475981		< 2	< 5	2.3	610	2.3	< 1	3	17	5	0.61	2	< 1	< 5	53	0.91	< 20	267	3.0	0.8	< 3	< 0.02	< 0.05	< 0.5
475982		< 2	< 5	2.8	650	< 0.5	< 1	< 1	23	6	0.91	4	< 1	< 5	65	1.43	< 20	235	4.3	1.5	< 3	< 0.02	< 0.05	< 0.5
475983		< 2	< 5	< 0.5	< 50	< 0.5	6	21	65	4	4.45	4	< 1	< 5	< 1	1.96	< 20	< 15	4.7	15.5	< 3	< 0.02	< 0.05	< 0.5
475984		< 2	< 5	5.0	810	< 0.5	4	21	77	6	4.45	2	< 1	< 5	< 1	2.13	730	122	4.7	14.1	< 3	< 0.02	< 0.05	< 0.5
475985		< 2	< 5	< 0.5	400	< 0.5	< 1	2	< 5	5	0.67	2	< 1	< 5	< 1	1.59	< 20	158	5.8	0.5	< 3	< 0.02	< 0.05	< 0.5
475986		< 2	< 5	2.3	490	3.4	< 1	< 1	< 5	6	0.53	3	< 1	< 5	< 1	1.26	< 20	243	5.1	0.5	< 3	< 0.02	< 0.05	< 0.5
475987		< 2	< 5	< 0.5	< 50	3.0	2	3	< 5	2	1.01	10	< 1	< 5	< 1	1.90	< 20	105	4.5	0.5	< 3	< 0.02	< 0.05	< 0.5
475988		< 2	< 5	2.6	500	2.7	< 1	< 1	< 5	< 1	0.84	5	< 1	< 5	< 1	1.73	< 20	151	2.7	0.6	< 3	< 0.02	< 0.05	< 0.5
475989		< 2	< 5	< 0.5	< 50	< 0.5	3	15	59	7	2.93	4	< 1	< 5	< 1	2.63	< 20	164	2.1	9.0	< 3	< 0.02	< 0.05	< 0.5
475990		< 2	< 5	< 0.5	< 50	< 0.5	< 1	13	35	8	3.34	4	< 1	< 5	< 1	2.34	< 20	176	2.0	9.2	< 3	< 0.02	< 0.05	< 0.5
475991		< 2	< 5	2.7	460	< 0.5	< 1	4	17	4	1.65	5	< 1	< 5	42	1.81	< 20	172	1.4	1.6	< 3	< 0.02	< 0.05	< 0.5
475992		< 2	< 5	< 0.5	420	2.5	< 1	< 1	< 5	< 1	1.30	6	< 1	< 5	< 1	1.74	< 20	193	1.7	0.9	< 3	< 0.02	< 0.05	< 0.5
475993		< 2	< 5	< 0.5	< 50	< 0.5	4	21	97	2	4.00	3	< 1	< 5	< 1	2.22	500	< 15	1.7	12.8	< 3	< 0.02	< 0.05	< 0.5
4																								

Activation Laboratories Ltd. Report: A08-2553

Analyte Symbol	Au	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta
Unit Symbol	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Detection Limit	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5
Analysis Method	FA-AA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
475985	< 2	< 5	4.9	< 50	< 0.5	2	7	50	7	1.81	7	< 1	< 5	< 1	1.85	< 20	210	2.1	4.2	< 3	< 0.02	< 0.05	< 0.5	
475986	< 2	< 5	2.8	350	< 0.5	< 1	5	29	4	1.23	5	< 1	< 5	< 1	1.71	< 20	172	1.6	2.7	< 3	< 0.02	< 0.05	< 0.5	
475987	< 2	< 5	< 0.5	670	3.4	3	9	59	5	2.10	3	< 1	< 5	42	2.11	< 20	206	1.3	5.7	< 3	< 0.02	< 0.05	< 0.5	
475988	< 2	< 5	2.8	410	2.4	< 1	19	71	6	3.18	5	< 1	< 5	25	1.76	< 20	147	1.1	7.7	< 3	< 0.02	< 0.05	< 0.5	
475989	< 2	< 5	2.8	920	< 0.5	< 1	15	101	18	2.61	6	< 1	< 5	< 1	1.91	< 20	163	1.0	18.0	< 3	< 0.02	< 0.05	79.2	
476000	< 2	< 5	< 0.5	660	6.2	2	3	24	5	0.48	2	< 1	< 5	< 1	2.19	< 20	< 15	1.0	2.1	< 3	< 0.02	< 0.05	4.0	
602001	< 2	< 5	< 0.5	530	2.4	< 1	< 1	< 5	4	0.77	2	< 1	< 5	< 1	1.35	< 20	224	0.8	0.9	< 3	< 0.02	< 0.05	< 0.5	
602002	< 2	< 5	< 0.5	390	< 0.5	< 1	< 1	< 5	3	0.72	< 1	< 1	< 5	< 1	1.12	< 20	198	1.0	0.3	< 3	< 0.02	< 0.05	< 0.5	
602003	< 2	< 5	< 0.5	380	< 0.5	< 1	< 1	< 5	6	0.55	1	< 1	< 5	11	1.28	< 20	229	0.9	0.4	< 3	< 0.02	< 0.05	< 0.5	
602004	< 2	< 5	< 0.5	210	< 0.5	< 1	2	< 5	4	0.60	< 1	< 1	< 5	18	1.54	< 20	198	1.3	0.6	< 3	< 0.02	< 0.05	2.7	
602005	< 2	< 5	< 0.5	620	< 0.5	< 1	< 1	< 5	5	0.65	2	< 1	< 5	< 1	1.33	< 20	273	1.0	0.6	< 3	< 0.02	< 0.05	< 0.5	
602006	11	< 5	< 0.5	290	< 0.5	< 1	2	< 5	5	0.63	2	< 1	< 5	35	1.30	< 20	198	1.4	0.6	< 3	< 0.02	< 0.05	< 0.5	
602007	< 2	< 5	< 0.5	370	< 0.5	< 1	3	< 5	4	0.60	4	< 1	< 5	44	1.40	< 20	220	1.7	0.5	< 3	< 0.02	< 0.05	< 0.5	
602008	< 2	< 5	3.0	360	< 0.5	< 1	< 1	< 5	6	0.59	< 1	< 1	< 5	9	1.43	< 20	202	1.8	0.6	< 3	< 0.02	< 0.05	< 0.5	
602009	< 2	< 5	12.5	480	< 0.5	< 1	5	< 5	6	1.39	< 1	< 1	< 5	< 1	1.87	< 20	172	11.1	2.7	< 3	< 0.02	< 0.05	< 0.5	
602010	< 2	< 5	16.8	< 50	< 0.5	3	12	91	4	3.38	3	< 1	< 5	< 1	2.35	< 20	72	14.9	7.8	< 3	< 0.02	< 0.05	< 0.5	
602011	< 2	< 5	12.3	580	< 0.5	< 1	< 1	29	4	1.32	6	< 1	< 5	82	1.68	< 20	163	17.4	0.7	< 3	< 0.02	< 0.05	< 0.5	
602012	< 2	< 5	18.8	620	< 0.5	< 1	< 1	< 5	9	1.02	5	< 1	< 5	< 1	1.39	< 20	259	15.1	0.7	< 3	< 0.02	< 0.05	< 0.5	
602013	< 2	< 5	15.3	670	< 0.5	< 1	< 1	< 5	7	1.15	< 1	< 1	< 5	35	1.84	< 20	154	13.8	1.0	< 3	< 0.02	< 0.05	< 0.5	
602014	< 2	< 5	16.8	1010	< 0.5	< 1	3	< 5	6	0.85	3	< 1	< 5	< 1	1.90	480	158	13.7	0.8	< 3	< 0.02	< 0.05	3.3	
602015	< 2	< 5	15.8	530	< 0.5	< 1	< 1	48	5	0.84	3	< 1	< 5	< 1	1.68	340	221	14.7	0.8	< 3	< 0.02	< 0.05	< 0.5	
602016	< 2	< 5	16.2	580	< 0.5	< 1	< 1	20	5	0.61	4	< 1	< 5	40	1.70	430	269	13.8	0.7	< 3	< 0.02	< 0.05	< 0.5	
602017	< 2	< 5	17.0	670	< 0.5	< 1	2	< 5	6	0.71	3	< 1	< 5	42	1.28	< 20	298	14.7	0.7	< 3	< 0.02	< 0.05	< 0.5	
602018	< 2	< 5	17.3	400	3.3	< 1	1	< 5	4	1.03	2	< 1	< 5	30	1.70	< 20	202	14.2	0.8	< 3	< 0.02	< 0.05	< 0.5	
602019	< 2	< 5	18.5	620	< 0.5	< 1	< 1	< 5	6	0.79	3	< 1	< 5	43	1.28	< 20	307	14.9	0.8	< 3	< 0.02	< 0.05	< 0.5	
602020	< 2	< 5	16.2	280	< 0.5	< 1	4	16	7	1.63	3	< 1	< 5	< 1	2.36	< 20	86	12.8	2.0	< 3	< 0.02	< 0.05	2.6	
602021	< 2	< 5	17.8	< 50	< 0.5	3	13	43	7	3.02	4	< 1	< 5	< 1	2.07	410	221	14.3	8.0	< 3	< 0.02	< 0.05	< 0.5	
602022	< 2	< 5	21.6	670	2.8	< 1	< 1	< 5	6	0.34	< 1	< 1	< 5	< 1	1.17	< 20	360	18.6	0.5	< 3	< 0.02	< 0.05	< 0.5	
602023	< 2	< 5	49.4	450	< 0.5	< 1	< 1	< 5	8	0.50	2	< 1	< 5	< 1	1.21	< 20	331	74.9	0.7	< 3	< 0.02	< 0.05	< 0.5	
602024	< 2	< 5	48.5	< 50	< 0.5	< 1	< 1	< 5	21	0.73	< 1	< 1	< 5	12	1.57	< 20	379	73.0	0.9	< 3	< 0.02	< 0.05	< 0.5	
602025	< 2	< 5	56.2	< 50	< 0.5	< 1	< 1	< 5	6	0.58	< 1	< 1	< 5	13	1.68	< 20	230	79.2	0.8	< 3	< 0.02	< 0.05	< 0.5	
602026	< 2	< 5	57.1	< 50	5.1	< 1	4	< 5	6	0.81	2	< 1	< 5	< 1	1.82	< 20	173	86.4	1.0	< 3	< 0.02	< 0.05	< 0.5	
602027	< 2	< 5	16.7	420	< 0.5	< 1	< 1	< 5	7	0.95	< 1	< 1	< 5	< 1	1.86	< 20	154	21.0	0.7	< 3	< 0.02	< 0.05	< 0.5	
602028	< 2	< 5	14.0	770	3.4	< 1	< 1	< 5	6	0.87	5	< 1	< 5	58	1.52	< 20	240	8.4	0.9	< 3	< 0.02	< 0.05	< 0.5	
602029	< 2	< 5	10.2	410	< 0.5	2	< 1	< 5	13	0.63	1	< 1	< 5	< 1	1.32	< 20	283	8.8	0.9	4	< 0.02	< 0.05	2.0	
602030	< 2	< 5	9.0	670	< 0.5	< 1	4	< 5	5	0.76	2	< 1	< 5	24	1.58	< 20	269	2.9	0.5	< 3	< 0.02	< 0.05	< 0.5	
602031	< 2	< 5	9.4	470	2.3	< 1	< 1	16	12	0.71	< 1	< 1	< 5	< 1	1.75	< 20	154	2.6	0.8	< 3	< 0.02	< 0.05	2.2	
602032	< 2	< 5	5.4	400	< 0.5	< 1	< 1	171	13	0.91	2	< 1	< 5	< 1	1.67	< 20	162	2.1	0.7	< 3	< 0.02	< 0.05	< 0.5	
602033	< 2	< 5	6.8	540	2.4	< 1	< 1	63	6	0.92	4	< 1	< 5	68	1.35	< 20	158	2.1	0.6	< 3	< 0.02	< 0.05	< 0.5	
602034	< 2	< 5	5.9	1130	< 0.5	< 1	2	45	5	0.64	8	< 1	< 5	< 1	1.37	< 20	297	1.9	0.8	< 3	< 0.02	< 0.05	< 0.5	
602035	< 2	< 5	7.9	290	< 0.5	< 1	< 1	68	4	1.15	6	< 1	< 5	< 1	2.12	< 20	126	2.1	0.8	< 3	< 0.02	< 0.05	< 0.5	
602036	< 2	< 5	8.1	720	< 0.5	2	< 1	36	5	0.84	< 1	< 1	< 5	< 1	1.84	< 20	198	2.2	0.5	< 3	< 0.02	< 0.05	< 0.5	
602037	< 2	< 5	7.2	680	< 0.5	< 1	3	54	5	0.45	1	< 1	< 5	21	1.39	< 20	261	2.2	0.5	< 3	< 0.02	< 0.05	< 0.5	
602038	< 2	< 5	8.6	540	< 0.5	< 1	< 1	24	5	0.59	< 1	< 1	< 5	< 1	1.43	< 20	212	2.3	0.5	< 3	< 0.02	< 0.05	< 0.5	
602039	< 2	< 5	7.3	360	2.5	< 1	2	33	10	0.52	< 1	< 1	< 5	< 1	1.40	< 20	234	2.0	0.8	< 3	0.09	< 0.05	< 0.5	
602040	< 2	< 5	6.6	500	< 0.5	< 1	< 1	18	7	0.43	2	< 1	< 5	< 1	1.37	< 20	189	2.1	0.5	< 3	< 0.02	< 0.05	< 0.5	
602041	< 2	< 5	< 0.5	360	< 0.5	< 1	3	10	37	0.83	1	< 1	< 5	17	1.78	< 20	270	2.6	1.3	< 3	< 0.02	< 0.05	3.0	
602042	< 2	< 5	< 0.5	350	< 0.5	< 1	< 1	22	6	0.56	2	< 1	< 5	< 1	1.58	< 20	239	3.0	0.5	< 3	< 0.02	< 0.05	< 0.5	
602043	< 2	< 5	< 0.5	400	< 0.5	< 1	3	< 5	6	0.94	3	< 1	< 5	69	1.56	< 20	176	2.2	0.7	< 3	< 0.02	< 0.05	< 0.5	
602044	< 2	< 5	< 0.5	990	< 0.5	3	< 1	33	5	0.91	9	< 1	< 5	69	1.71	< 20	163	2.0	0.9	< 3	< 0.02	< 0.05	< 0.5	
602045	< 2	< 5	3.8	310	< 0.5	< 1	2	< 5	6	0.55	< 1	< 1	< 5	10	0.95	< 20	228	1.8	0.6	< 3	< 0.02	< 0.05	< 0.5	
602046	< 2	< 5	3.6	560	< 0.5	< 1	< 1	22	6	0.80	2	< 1	< 5	< 1	1.28	< 20	237	2.2	0.6	< 3	< 0.02	< 0.05	< 0.5	

Activation Laboratories Ltd. Report: A08-2553

Analyte Symbol	Au	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta
Unit Symbol	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Detection Limit	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5
Analysis Method	FA-AA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
602047	< 2	< 5	4.9	900	< 0.5	< 1	< 1	< 5	4	0.54	6	< 1	< 5	< 1	1.26	< 20	189	20.0	0.5	< 3	< 0.02	< 0.05	< 0.5	
602048	< 2	< 5	6.4	1290	4.4	< 1	< 1	31	4	0.76	22	< 1	< 5	< 1	1.54	< 20	198	23.9	0.7	< 3	< 0.02	< 0.05	< 0.5	
602049	< 2	< 5	< 0.5	430	2.5	2	< 1	< 5	5	0.59	2	< 1	< 5	< 1	1.17	< 20	237	3.2	0.6	< 3	< 0.02	< 0.05	< 0.5	
602050	< 2	< 5	9.9	< 50	2.9	< 1	3	< 5	7	0.45	< 1	< 1	< 5	33	1.12	< 20	249	2.8	0.6	< 3	< 0.02	< 0.05	< 0.5	
602051	< 2	< 5	7.6	400	2.7	< 1	3	< 5	9	0.68	1	< 1	< 5	19	1.97	< 20	129	3.3	0.7	< 3	< 0.02	< 0.05	< 0.5	
602052	< 2	< 5	7.4	420	2.8	< 1	3	11	6	0.55	2	< 1	< 5	< 1	1.41	< 20	258	5.2	0.6	< 3	< 0.02	< 0.05	< 0.5	
602053	< 2	< 5	6.9	330	< 0.5	3	11	60	6	2.94	5	< 1	< 5	< 1	2.33	< 20	99	3.1	8.5	< 3	< 0.02	< 0.05	< 0.5	
602054	< 2	< 5	< 0.5	350	< 0.5	< 1	8	39	2	1.81	3	< 1	< 5	14	1.46	590	215	< 0.1	4.7	< 3	< 0.02	< 0.05	< 0.5	
602055	< 2	< 5	1.8	150	< 0.5	< 1	< 1	21	4	0.59	8	< 1	< 5	< 1	1.22	< 20	211	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	
602056	< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	31	5	1.24	7	< 1	< 5	< 1	1.51	< 20	172	< 0.1	3.2	< 3	< 0.02	< 0.05	< 0.5	
602057	< 2	< 5	< 0.5	470	< 0.5	< 1	12	109	5	2.55	5	< 1	< 5	43	1.55	< 20	191	< 0.1	7.7	< 3	< 0.02	< 0.05	< 0.5	
602058	< 2	< 5	< 0.5	140	< 0.5	< 1	< 1	24	5	0.92	7	< 1	< 5	< 1	1.52	< 20	179	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5	
602059	< 2	< 5	< 0.5	< 50	2.1	< 1	4	34	3	1.55	4	< 1	< 5	5	1.47	< 20	82	< 0.1	3.9	< 3	< 0.02	< 0.05	< 0.5	
602060	< 2	< 5	1.8	380	2.5	< 1	< 1	27	4	0.68	2	< 1	< 5	7	1.16	< 20	211	< 0.1	2.4	< 3	< 0.02	< 0.05	< 0.5	
602061	< 2	< 5	< 0.5	< 50	2.5	< 1	< 1	25	4	0.66	2	< 1	< 5	< 1	1.41	< 20	82	0.4	2.9	< 3	< 0.02	< 0.05	< 0.5	
602062	< 2	< 5	< 0.5	< 50	3.1	< 1	< 1	17	2	0.49	5	< 1	< 5	23	1.77	< 20	140	< 0.1	1.6	< 3	< 0.02	< 0.05	< 0.5	
602063	< 2	< 5	< 0.5	360	3.4	< 1	< 1	15	3	0.51	1	< 1	< 5	27	1.27	390	160	< 0.1	1.6	< 3	< 0.02	< 0.05	< 0.5	
602064	< 2	< 5	3.6	290	2.7	< 1	< 1	21	4	1.17	< 1	< 1	< 5	< 1	1.93	< 20	152	< 0.1	3.1	< 3	< 0.02	< 0.05	< 0.5	
602065	< 2	< 5	1.2	330	< 0.5	< 1	< 1	< 5	2	0.81	4	< 1	< 5	5	1.83	550	133	< 0.1	2.0	< 3	< 0.02	< 0.05	< 0.5	
602066	< 2	< 5	2.1	< 50	< 0.5	< 1	< 1	16	2	0.54	< 1	< 1	< 5	8	2.00	< 20	121	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	
602067	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	4	0.54	2	< 1	< 5	< 1	1.83	< 20	121	< 0.1	1.6	< 3	< 0.02	< 0.05	< 0.5	
602068	< 2	< 5	2.2	620	< 0.5	< 1	3	10	< 1	1.31	4	< 1	< 5	< 1	2.07	< 20	86	< 0.1	2.1	< 3	< 0.02	< 0.05	3.0	
602069	< 2	< 5	< 0.5	350	< 0.5	< 1	6	16	3	1.44	5	< 1	< 5	< 1	1.70	< 20	133	< 0.1	2.3	< 3	< 0.02	< 0.05	3.0	
602070	< 2	< 5	< 0.5	350	< 0.5	< 1	< 1	10	3	0.84	5	< 1	< 5	20	1.92	< 20	66	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	
602071	< 2	< 5	3.1	< 50	< 0.5	< 1	< 1	5	2	0.57	2	< 1	< 5	11	1.41	< 20	164	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	
602072	< 2	< 5	3.4	< 50	< 0.5	< 1	3	< 5	3	0.52	2	< 1	< 5	< 1	1.39	< 20	137	0.2	1.4	< 3	< 0.02	< 0.05	< 0.5	
602073	< 2	< 5	< 0.5	430	< 0.5	< 1	< 1	14	4	0.96	4	< 1	< 5	< 1	1.52	< 20	191	< 0.1	1.9	< 3	< 0.02	< 0.05	< 0.5	
602074	< 2	< 5	< 0.5	510	< 0.5	< 1	2	21	3	0.68	2	< 1	< 5	20	1.54	< 20	152	< 0.1	1.6	< 3	< 0.02	< 0.05	< 0.5	
602075	< 2	< 5	2.0	280	< 0.5	< 1	< 1	15	4	0.70	3	< 1	< 5	12	1.65	< 20	148	< 0.1	2.0	< 3	< 0.02	< 0.05	< 0.5	
602076	< 2	< 5	< 0.5	120	< 0.5	< 1	< 1	22	5	0.70	2	< 1	< 5	6	1.46	< 20	112	< 0.1	1.8	< 3	< 0.02	< 0.05	1.0	
602077	< 2	< 5	< 0.5	400	< 0.5	< 1	< 1	21	3	0.69	4	< 1	< 5	< 1	1.14	< 20	162	< 0.1	1.6	< 3	< 0.02	< 0.05	< 0.5	
602078	< 2	< 5	2.4	260	< 0.5	< 1	< 1	576	3	0.49	5	< 1	< 5	< 1	1.19	< 20	115	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	
602079	< 2	< 5	< 0.5	340	< 0.5	< 1	3	266	2	1.23	5	< 1	< 5	< 1	1.75	< 20	68	< 0.1	2.5	< 3	< 0.02	< 0.05	< 0.5	
602080	< 2	< 5	< 0.5	760	< 0.5	< 1	< 1	119	2	1.13	5	< 1	< 5	10	1.73	< 20	86	< 0.1	2.6	< 3	< 0.02	< 0.05	< 0.5	
602081	< 2	< 5	< 0.5	330	< 0.5	< 1	< 1	86	3	0.82	3	< 1	< 5	< 1	1.65	< 20	101	< 0.1	2.0	< 3	< 0.02	< 0.05	< 0.5	
602082	< 2	< 5	3.0	230	< 0.5	2	< 1	76	3	0.86	4	< 1	< 5	< 1	1.59	< 20	104	0.4	2.1	< 3	< 0.02	< 0.05	< 0.5	
602083	< 2	< 5	3.1	200	< 0.5	< 1	< 1	76	< 1	0.62	2	< 1	< 5	17	1.41	< 20	108	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	
602084	< 2	< 5	2.4	360	< 0.5	< 1	< 1	68	2	0.77	5	< 1	< 5	< 1	1.36	< 20	151	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	
602085	< 2	< 5	< 0.5	340	< 0.5	< 1	< 1	68	1	0.40	5	< 1	< 5	22	1.49	< 20	104	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	
602086	< 2	< 5	< 0.5	430	< 0.5	< 1	< 1	65	< 1	1.14	4	< 1	< 5	< 1	1.97	< 20	< 15	< 0.1	2.2	< 3	< 0.02	< 0.05	2.8	
602087	< 2	< 5	< 0.5	2240	< 0.5	4	8	60	3	2.22	6	< 1	< 5	8	1.61	< 20	< 15	< 0.1	5.4	< 3	< 0.02	< 0.05	< 0.5	
602088	< 2	< 5	< 0.5	270	< 0.5	< 1	7	53	4	2.06	5	< 1	< 5	< 1	2.02	< 20	147	< 0.1	5.1	< 3	< 0.02	< 0.05	< 0.5	
602089	< 2	< 5	< 0.5	560	< 0.5	< 1	< 1	46	3	1.04	7	< 1	< 5	28	1.53	< 20	235	< 0.1	2.8	< 3	< 0.02	< 0.05	< 0.5	
602090	< 2	7	2.7	270	< 0.5	< 1	< 1	46	4	0.72	4	< 1	< 5	46	1.61	< 20	105	0.3	1.5	< 3	< 0.02	< 0.05	< 0.5	
602091	< 2	< 5	4.5	420	< 0.5	< 1	< 1	46	4	0.78	4	< 1	< 5	< 1	1.62	< 20	98	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	
602092	< 2	< 5	5.1	340	< 0.5	3	8	95	4	2.37	5	< 1	< 5	11	1.72	< 20	147	0.3	7.7	< 3	< 0.02	< 0.05	< 0.5	
602093	< 2	< 5	3.4	390	< 0.5	4	3	31	< 1	0.90	5	< 1	< 5	< 1	1.99	< 20	< 15	< 0.1	2.0	< 3	< 0.02	< 0.05	< 0.5	
602094	< 2	< 5	3.8	180	< 0.5	< 1	4	23	2	1.18	4	< 1	< 5	< 1	1.75	< 20	116	< 0.1	3.3	< 3	< 0.02	< 0.05	< 0.5	
602095	< 2	< 5	3.9	630	< 0.5	< 1	< 1	22	2	0.61	1	< 1	< 5	27	1.54	< 20	144	< 0.1	1.6	< 3	< 0.02	< 0.05	1.1	
602096	< 2	< 5	4.4	490	< 0.5	< 1	< 1	84	4	0.74	2	< 1	< 5	21	1.63	< 20	154	< 0.1	1.7	< 3	< 0.02	< 0.05	< 0.5	
602097	< 2	< 5	4.8	160	2.2	< 1	< 1	32	6	0.83	2	< 1	< 5	16	1.52	< 20	105	0.3	2.7	< 3	< 0.02	< 0.05	< 0.5	
602098	< 2	< 5	2.5	370	< 0.5	2	< 1	24	2	0.70	< 1	< 1	< 5	< 1	1.92	< 20</								

Activation Laboratories Ltd. Report: A08-2553

Analyte Symbol	Au	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta
Unit Symbol	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Detection Limit	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5
Analysis Method	FA-AA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
602099	< 2	< 5	3.5	310	< 0.5	< 1	< 1	41	2	0.74	3	< 1	< 5	< 1	1.64	< 20	122	< 0.1	1.9	< 3	< 0.02	< 0.05	< 0.5	
602100	< 2	< 5	4.6	480	< 0.5	3	< 1	27	3	0.70	3	< 1	< 5	< 1	1.69	370	174	< 0.1	1.6	< 3	< 0.02	< 0.05	< 0.5	
602101	11	< 5	4.1	250	< 0.5	< 1	3	44	3	0.91	4	< 1	< 5	10	1.69	< 20	126	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	
602102	< 2	< 5	< 0.5	360	< 0.5	< 1	< 1	26	3	1.08	6	< 1	< 5	< 1	1.59	< 20	96	< 0.1	2.0	< 3	< 0.02	< 0.05	< 0.5	
602103	< 2	< 5	< 0.5	330	< 0.5	2	< 1	37	3	0.60	< 1	< 1	< 5	10	1.55	< 20	104	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	
602104	11	< 5	4.7	350	2.2	< 1	< 1	20	2	0.59	< 1	< 1	< 5	9	1.76	< 20	133	< 0.1	1.0	< 3	< 0.02	0.09	< 0.5	
602105	< 2	< 5	4.1	280	< 0.5	< 1	< 1	20	2	0.72	4	< 1	< 5	< 1	1.74	< 20	118	< 0.1	1.3	< 3	< 0.02	< 0.05	2.7	
602106	< 2	< 5	4.5	280	< 0.5	< 1	1	34	3	0.75	3	< 1	< 5	< 1	1.65	< 20	155	0.1	1.4	< 3	< 0.02	< 0.05	< 0.5	
602107	< 2	< 5	< 0.5	190	< 0.5	3	< 1	12	1	0.95	5	< 1	< 5	6	1.61	< 20	152	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5	
602108	< 2	< 5	3.5	480	< 0.5	< 1	< 1	16	1	0.84	4	< 1	< 5	7	1.55	< 20	159	< 0.1	1.7	< 3	< 0.02	< 0.05	< 0.5	
602109	< 2	< 5	3.1	360	< 0.5	< 1	4	36	< 1	1.49	5	< 1	< 5	< 1	1.98	< 20	153	< 0.1	3.4	< 3	< 0.02	< 0.05	< 0.5	
602110	< 2	< 5	< 0.5	410	< 0.5	5	10	54	3	2.28	5	< 1	< 5	9	2.23	< 20	< 15	< 0.1	5.8	< 3	< 0.02	< 0.05	< 0.5	
602111	< 2	< 5	< 0.5	310	< 0.5	< 1	< 1	22	4	0.58	3	< 1	< 5	< 1	2.19	< 20	95	< 0.1	1.9	< 3	< 0.02	< 0.05	< 0.5	
602112	< 2	< 5	< 0.5	900	< 0.5	< 1	< 1	21	1	1.13	7	< 1	< 5	12	2.16	< 20	126	< 0.1	2.7	< 3	< 0.02	0.09	< 0.5	
602113	< 2	< 5	< 0.5	340	< 0.5	< 1	< 1	23	2	0.36	3	< 1	< 5	< 1	2.02	< 20	176	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	
602114	< 2	< 5	< 0.5	340	< 0.5	< 1	< 1	19	2	0.67	2	< 1	< 5	9	2.05	< 20	158	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	
602115	< 2	< 5	< 0.5	320	< 0.5	< 1	< 1	14	2	0.48	3	< 1	< 5	< 1	1.76	< 20	176	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	
602116	< 2	< 5	< 0.5	500	< 0.5	< 1	< 1	18	3	0.36	3	< 1	< 5	20	1.51	< 20	189	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	
602117	< 2	< 5	< 0.5	330	< 0.5	< 1	< 1	26	2	0.63	2	< 1	< 5	9	2.07	< 20	108	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	
602118	< 2	< 5	< 0.5	190	< 0.5	5	7	31	2	1.83	3	< 1	< 5	< 1	2.14	< 20	140	< 0.1	4.2	< 3	< 0.02	< 0.05	< 0.5	
602119	< 2	< 5	2.3	450	< 0.5	< 1	6	45	4	1.59	4	< 1	< 5	8	1.88	< 20	140	< 0.1	4.6	< 3	< 0.02	< 0.05	< 0.5	
602120	< 2	< 5	< 0.5	250	< 0.5	< 1	< 1	29	2	0.44	2	< 1	< 5	< 1	1.68	< 20	133	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	
602121	< 2	< 5	< 0.5	380	< 0.5	< 1	< 1	9	3	0.71	2	< 1	< 5	< 1	1.28	< 20	176	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	
602151	< 2	< 5	< 0.5	470	< 0.5	< 1	< 1	< 5	3	0.91	19	< 1	< 5	< 1	1.61	< 20	215	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	
602152	< 2	< 5	< 0.5	< 50	< 0.5	< 1	10	52	6	1.83	5	< 1	< 5	< 1	1.95	430	211	< 0.1	4.2	5	< 0.02	< 0.05	< 0.5	
602153	< 2	< 5	< 0.5	340	< 0.5	3	4	39	5	1.17	9	< 1	< 5	< 1	1.88	< 20	185	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5	
602154	< 2	< 5	< 0.5	410	< 0.5	< 1	5	24	3	0.48	7	< 1	< 5	< 1	1.48	< 20	198	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	
602155	< 2	< 5	< 0.5	320	< 0.5	3	12	168	3	2.01	4	< 1	< 5	12	2.08	< 20	146	< 0.1	5.4	< 3	< 0.02	0.11	< 0.5	
602156	< 2	< 5	< 0.5	350	< 0.5	< 1	< 1	31	5	0.61	4	< 1	< 5	< 1	1.34	< 20	232	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	
602157	< 2	< 5	< 0.5	350	< 0.5	< 1	4	30	3	0.96	1	< 1	< 5	37	1.48	< 20	215	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	
602158	15	< 5	< 0.5	470	< 0.5	< 1	5	19	5	0.89	2	< 1	< 5	77	1.41	< 20	219	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	
602159	< 2	< 5	< 0.5	730	< 0.5	2	5	< 5	4	0.99	5	< 1	< 5	112	1.59	< 20	159	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	
602160	< 2	< 5	< 0.5	620	< 0.5	< 1	4	< 5	7	0.68	3	< 1	< 5	84	1.25	< 20	299	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	
602161	< 2	< 5	< 0.5	570	< 0.5	< 1	1	< 5	7	0.70	3	< 1	< 5	< 1	1.30	< 20	286	< 0.1	0.6	< 3	< 0.02	0.06	< 0.5	
602162	< 2	< 5	< 0.5	660	< 0.5	< 1	4	22	5	0.73	2	< 1	< 5	114	1.20	< 20	330	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	
602163	< 2	< 5	< 0.5	530	< 0.5	< 1	3	< 5	7	0.63	4	< 1	< 5	180	1.17	400	255	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	
602164	< 2	< 5	< 0.5	480	< 0.5	< 1	4	34	7	0.54	3	< 1	< 5	92	1.22	< 20	317	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	
602165	< 2	< 5	< 0.5	660	< 0.5	< 1	3	18	4	0.26	2	< 1	< 5	15	1.50	< 20	224	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	
602166	< 2	< 5	< 0.5	400	< 0.5	4	19	48	2	4.88	3	< 1	< 5	15	1.51	< 20	145	< 0.1	11.7	< 3	< 0.02	< 0.05	2.3	
602167	10	< 5	< 0.5	480	< 0.5	< 1	15	84	4	3.90	3	< 1	< 5	97	1.61	< 20	194	< 0.1	8.7	< 3	< 0.02	< 0.05	< 0.5	
602168	< 2	< 5	< 0.5	620	< 0.5	< 1	3	12	3	0.42	2	< 1	< 5	13	1.60	< 20	233	0.3	0.4	< 3	< 0.02	< 0.05	< 0.5	
602169	18	< 5	< 0.5	370	< 0.5	< 1	19	66	9	4.10	3	< 1	< 5	48	2.08	400	246	< 0.1	9.2	< 3	< 0.02	< 0.05	< 0.5	
602170	< 2	< 5	< 0.5	620	1.1	< 1	4	26	3	0.69	2	< 1	< 5	36	1.75	< 20	176	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	
602171	< 2	< 5	< 0.5	1280	< 0.5	< 1	4	16	4	0.35	< 1	< 1	< 5	23	1.62	< 20	352	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	
602172	< 2	< 5	< 0.5	1410	< 0.5	4	7	16	6	1.03	3	< 1	< 5	40	1.76	< 20	356	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	
602173	< 2	< 5	< 0.5	1280	< 0.5	< 1	15	57	3	1.60	< 1	< 1	< 5	< 1	1.36	< 20	233	< 0.1	5.2	< 3	< 0.02	< 0.05	< 0.5	
602174	< 2	< 5	< 0.5	1190	< 0.5	< 1	7	57	3	1.73	3	< 1	< 5	< 1	1.75	< 20	260	0.4	8.0	< 3	< 0.02	< 0.05	< 0.5	
602175	< 2	< 5	< 0.5	1230	< 0.5	< 1	10	141	3	2.98	5	< 1	< 5	16	1.94	< 20	176	< 0.1	13.3	< 3	< 0.02	< 0.05	4.5	
602176	< 2	< 5	< 0.5	1280	< 0.5	< 1	5	43	3	1.53	11	< 1	< 5	6	1.98	920	233	< 0.1	6.2	< 3	< 0.02	< 0.05	5.3	
602177	< 2	7	< 0.5	920	< 0.5	< 1	7	75	3	2.02	7	< 1	< 5	< 1	2.32	< 20	110	< 0.1	8.5	< 3	< 0.02	< 0.05	5.3	
602178	< 2	7	< 0.5	920	< 0.5	4	8	57	4	1.60	6	< 1	< 5	< 1	2.27	< 20	220	< 0.1	5.5	< 3	< 0.02	< 0.05	< 0.5	
602179	< 2	< 5	< 0.5	880	< 0.5	< 1	11	97	< 1	2.53	6	< 1	< 5	< 1	2.69	< 20	110							

Activation Laboratories Ltd. Report: A08-2553

Analyte Symbol	Au	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta
Unit Symbol	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Detection Limit	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5
Analysis Method	FA-AA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
602180		6	<5	<0.5	1140	<0.5	<1	9	75	<1	1.90	5	<1	<5	9	2.39	<20	141	<0.1	7.0	<3	<0.02	0.10	4.3
602181		<2	<5	3.2	1190	<0.5	<1	11	106	2	2.17	7	<1	<5	11	2.38	<20	167	<0.1	6.6	<3	<0.02	<0.05	4.9
602182		<2	<5	<0.5	980	<0.5	<1	12	91	3	2.43	5	<1	<5	15	2.42	<20	156	<0.1	7.2	<3	<0.02	<0.05	3.8
602183		<2	<5	<0.5	910	<0.5	<1	12	104	2	2.76	6	<1	<5	<1	2.59	<20	111	<0.1	7.8	<3	<0.02	<0.05	<0.5
602184		<2	<5	<0.5	850	<0.5	<1	13	104	<1	3.06	5	<1	<5	12	2.72	<20	111	<0.1	9.1	<3	<0.02	<0.05	5.2
602185		<2	<5	<0.5	780	<0.5	<1	8	65	<1	1.77	6	<1	<5	7	2.74	<20	137	<0.1	5.0	<3	<0.02	<0.05	2.0
602186		<2	<5	<0.5	850	<0.5	5	13	91	<1	2.83	6	<1	<5	8	2.97	<20	130	<0.1	7.8	<3	<0.02	0.19	5.5
602187		<2	<5	<0.5	980	<0.5	<1	8	78	1	1.98	5	<1	<5	<1	2.69	<20	130	<0.1	5.6	<3	<0.02	<0.05	3.8
602188		27	<5	2.3	980	<0.5	<1	14	130	1	3.33	7	<1	<5	10	2.89	620	104	<0.1	9.8	<3	<0.02	<0.05	<0.5
602189		<2	<5	<0.5	1110	<0.5	<1	18	137	<1	3.69	6	<1	<5	8	2.87	470	85	0.3	11.1	<3	<0.02	<0.05	5.7
602190		13	<5	<0.5	1110	<0.5	<1	5	72	3	1.81	7	<1	<5	18	2.52	<20	150	<0.1	5.3	<3	<0.02	0.10	<0.5
602191		<2	<5	1.7	720	<0.5	4	8	65	3	2.02	4	<1	<5	5	2.47	<20	117	<0.1	7.2	<3	<0.02	<0.05	3.3
602192		5	<5	<0.5	720	<0.5	<1	6	58	1	1.64	5	<1	<5	5	2.79	<20	104	<0.1	4.9	<3	<0.02	<0.05	<0.5
602193		<2	<5	<0.5	770	<0.5	<1	6	55	2	1.53	5	<1	<5	<1	2.69	<20	133	<0.1	4.8	<3	<0.02	<0.05	4.6
602194		<2	<5	<0.5	840	<0.5	4	8	55	3	1.86	5	<1	<5	<1	2.90	<20	119	<0.1	5.1	<3	<0.02	<0.05	7.0
602195		<2	<5	2.0	910	<0.5	<1	4	24	<1	1.30	6	<1	<5	<1	2.67	<20	119	<0.1	2.0	<3	<0.02	<0.05	<0.5
602196		<2	<5	<0.5	580	<0.5	<1	6	34	4	1.23	15	<1	<5	84	3.37	<20	70	<0.1	2.3	<3	<0.02	<0.05	<0.5
602197		<2	<5	<0.5	130	<0.5	<1	<1	18	4	0.76	30	<1	<5	217	2.77	<20	105	<0.1	1.8	<3	<0.02	<0.05	<0.5
602198		<2	<5	1.7	460	<0.5	<1	4	60	5	0.44	8	<1	<5	67	2.42	<20	168	0.4	1.0	<3	<0.02	<0.05	<0.5
602199		<2	<5	<0.5	1050	<0.5	<1	4	54	6	0.70	6	<1	<5	161	2.50	<20	140	<0.1	1.9	<3	<0.02	<0.05	<0.5
602200		<2	<5	<0.5	1610	<0.5	<1	<1	36	6	0.74	6	<1	<5	238	1.86	<20	161	<0.1	1.9	<3	<0.02	<0.05	<0.5
602201		<2	<5	<0.5	320	<0.5	<1	<1	50	6	0.38	6	<1	<5	38	2.35	<20	161	<0.1	0.5	<3	<0.02	<0.05	<0.5
602202		<2	<5	<0.5	310	<0.5	<1	1	17	5	0.21	2	<1	<5	5	2.18	<20	266	<0.1	0.4	<3	<0.02	<0.05	<0.5
602203		<2	<5	<0.5	150	<0.5	<1	4	18	6	<0.01	<1	<1	<5	<1	2.35	<20	315	<0.1	0.3	<3	<0.02	<0.05	<0.5
602204		<2	<5	<0.5	240	<0.5	<1	<1	8	6	0.33	3	<1	<5	36	2.59	<20	242	<0.1	0.6	<3	<0.02	<0.05	<0.5
602205		<2	<5	<0.5	160	<0.5	<1	3	14	4	0.32	4	<1	<5	16	2.16	<20	242	<0.1	0.6	<3	<0.02	<0.05	<0.5
602206		<2	<5	<0.5	<50	<0.5	<1	2	<5	6	0.28	3	<1	<5	12	1.78	<20	267	<0.1	0.4	<3	<0.02	<0.05	<0.5
602207		<2	<5	<0.5	<50	<0.5	<1	2	11	6	0.43	5	<1	<5	20	2.13	<20	260	<0.1	1.1	<3	<0.02	<0.05	2.3
602208		<2	<5	<0.5	<50	<0.5	<1	4	13	2	0.50	3	<1	<5	14	2.40	<20	143	<0.1	0.3	<3	<0.02	<0.05	<0.5
602209		<2	<5	<0.5	160	<0.5	<1	4	11	6	1.45	1	<1	<5	74	2.35	<20	223	<0.1	2.9	<3	<0.02	<0.05	<0.5
602210		<2	<5	0.6	160	<0.5	<1	5	<5	4	0.47	2	<1	<5	16	2.18	<20	118	<0.1	0.7	<3	<0.02	<0.05	<0.5
602211		<2	<5	<0.5	<50	<0.5	<1	5	18	4	0.58	2	<1	<5	13	2.43	<20	161	<0.1	0.8	<3	<0.02	<0.05	<0.5
602212		<2	<5	<0.5	<50	<0.5	<1	4	8	2	0.51	3	<1	<5	16	2.29	<20	136	<0.1	0.7	<3	<0.02	<0.05	<0.5
602213		<2	<5	<0.5	170	<0.5	<1	4	14	4	0.69	4	<1	<5	53	2.20	<20	174	<0.1	1.2	<3	<0.02	<0.05	<0.5
602214		<2	<5	<0.5	<50	<0.5	<1	3	6	5	0.33	1	<1	<5	30	1.74	<20	236	<0.1	0.6	<3	<0.02	<0.05	<0.5
602215		5	<5	0.8	130	<0.5	<1	4	8	5	0.23	<1	<1	<5	5	1.82	<20	338	<0.1	0.2	<3	<0.02	<0.05	<0.5
602216		<2	<5	<0.5	90	<0.5	<1	5	11	5	0.85	3	<1	<5	85	1.25	<20	117	<0.1	1.8	<3	<0.02	<0.05	<0.5
602217		<2	<5	<0.5	<50	<0.5	<1	4	12	4	0.68	2	<1	<5	91	1.49	<20	208	0.2	1.3	<3	<0.02	<0.05	<0.5
602218		<2	<5	<0.5	<50	<0.5	<1	5	14	5	0.63	1	<1	<5	39	1.44	<20	247	0.2	1.0	<3	<0.02	<0.05	<0.5
602219		<2	<5	<0.5	200	<0.5	<1	5	14	4	0.58	<1	<1	<5	42	1.51	<20	273	<0.1	1.2	<3	<0.02	<0.05	<0.5
602220		<2	<5	<0.5	170	<0.5	<1	5	13	5	0.89	2	<1	<5	47	1.88	<20	202	<0.1	2.2	<3	<0.02	<0.05	2.1
602221		<2	<5	<0.5	600	<0.5	<1	5	20	4	0.85	7	<1	<5	130	2.91	<20	53	<0.1	2.1	<3	<0.02	<0.05	<0.5
602222		<2	<5	<0.5	850	<0.5	<1	<1	16	3	0.99	8	<1	<5	143	3.41	<20	<15	<0.1	2.3	<3	<0.02	<0.05	<0.5
602223		<2	<5	<0.5	240	<0.5	<1	5	10	7	0.79	2	<1	<5	16	1.44	<20	262	<0.1	1.2	<3	<0.02	<0.05	<0.5
602224		<2	<5	<0.5	1630	<0.5	<1	8	10	8	3.52	3	<1	<5	364	0.98	<20	280	<0.1	7.8	<3	<0.02	<0.05	<0.5
602225		<2	<5	<0.5	80	<0.5	<1	8	12	9	3.07	8	<1	<5	475	0.94	<20	254	14.8	5.7	<3	<0.02	<0.05	2.9
602226		<2	<5	<0.5	<50	<0.5	<1	8	50	2	2.16	11	<1	<5	<1	2.15	<20	141	<0.1	3.8	<3	0.18	<0.05	<0.5
602227		<2	<5	<0.5	<50	<0.5	<1	7	45	5	2.29	6	<1	<5	<1	2.25	<20	200	0.4	4.5	<3	<0.02	<0.05	<0.5
602228		13	<5	<0.5	80	<0.5	<1	6	79	5	1.05	5	<1	<5	<1	2.26	300	298	<0.1	2.1	<3	<0.02	<0.05	<0.5
602229		18	<5	0.6	480	<0.5	<1	4	50	5	0.48	4	<1	<5	<1	2.98	<20	333	0.3	0.7	<3	<0.02	<0.05	<0.5
602230		12	<5	<0.5	180	<0.5	<1	5	66	5	0.36	2	<1	<5	<1	3.29	<20	294	<0.1	0.4	<3	<0.02	0.05	<0.5
602231		<2	<5	<0.5	<50	<0.5	<1	8	53	7	1.71	8	<1	<5	<1	2.96	<20	281	<0.1	3.1	<3	<0.02	<0.05	<0.5

Activation Laboratories Ltd. Report: A08-2553

Analyte Symbol	Au	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta
Unit Symbol	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Detection Limit	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5
Analysis Method	FA-AA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
602232		12	< 5	< 0.5	220	< 0.5	< 1	5	76	4	0.85	8	< 1	< 5	< 1	2.19	< 20	283	< 0.1	1.5	< 3	< 0.02	< 0.05	3.0
602233		11	< 5	< 0.5	230	< 0.5	2	4	46	6	0.60	6	< 1	< 5	< 1	2.40	< 20	290	< 0.1	2.6	< 3	< 0.02	< 0.05	< 0.5
602234		8	< 5	< 0.5	280	1.2	< 1	6	75	4	0.71	3	< 1	< 5	< 1	3.13	< 20	250	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5
602235		13	< 5	< 0.5	290	< 0.5	< 1	5	48	5	1.06	6	< 1	< 5	< 1	2.45	< 20	298	0.2	2.0	< 3	< 0.02	< 0.05	< 0.5
602236		< 2	< 5	< 0.5	180	< 0.5	< 1	5	186	6	0.57	2	< 1	< 5	< 1	2.50	< 20	252	0.2	0.9	< 3	< 0.02	< 0.05	< 0.5
602237		10	< 5	< 0.5	< 50	< 0.5	1	3	69	7	0.50	< 1	< 1	< 5	14	2.28	< 20	365	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5
602238		12	< 5	< 0.5	< 50	< 0.5	1	4	41	6	0.53	1	< 1	< 5	109	2.62	< 20	319	0.2	0.9	< 3	< 0.02	< 0.05	1.6
602239		13	< 5	< 0.5	90	< 0.5	< 1	3	85	5	0.69	3	< 1	< 5	< 1	2.82	< 20	163	0.2	1.4	< 3	< 0.02	< 0.05	< 0.5
602240		16	< 5	< 0.5	< 50	< 0.5	2	3	67	3	0.56	2	< 1	< 5	< 1	2.57	< 20	275	0.3	0.9	< 3	< 0.02	< 0.05	< 0.5
602241		12	< 5	< 0.5	< 50	< 0.5	< 1	3	86	3	0.67	1	< 1	< 5	< 1	2.62	< 20	170	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5
602242		11	< 5	< 0.5	140	< 0.5	< 1	3	50	5	0.43	1	< 1	< 5	< 1	2.20	< 20	269	0.2	0.6	< 3	< 0.02	< 0.05	< 0.5
602243		11	< 5	< 0.5	100	< 0.5	1	5	84	5	0.63	3	< 1	< 5	< 1	2.26	< 20	248	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5
602244		14	< 5	< 0.5	190	< 0.5	< 1	5	60	7	0.83	2	< 1	< 5	< 1	2.20	< 20	311	< 0.1	1.1	< 3	< 0.02	< 0.05	1.3
602245		10	< 5	< 0.5	< 50	< 0.5	< 1	3	75	6	0.71	2	< 1	< 5	< 1	2.71	< 20	259	< 0.1	1.3	< 3	< 0.02	< 0.05	1.4
602246		14	< 5	< 0.5	240	< 0.5	< 1	2	54	5	0.51	3	< 1	< 5	< 1	3.16	< 20	198	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5
602247		10	< 5	< 0.5	220	< 0.5	< 1	3	80	6	0.52	6	< 1	< 5	< 1	2.68	< 20	225	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5
602248		< 2	< 5	< 0.5	370	< 0.5	< 1	3	14	4	0.46	6	< 1	< 5	< 1	2.19	< 20	124	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5
602249		2	< 5	< 0.5	< 50	< 0.5	< 1	2	11	10	0.26	1	< 1	< 5	8	1.49	< 20	320	0.2	0.7	< 3	< 0.02	< 0.05	< 0.5
602250		< 2	< 5	< 0.5	130	< 0.5	< 1	< 1	10	7	0.36	1	< 1	< 5	5	1.26	< 20	304	< 0.1	0.9	< 3	< 0.02	< 0.05	2.8
602251		< 2	< 5	< 0.5	210	< 0.5	< 1	2	11	7	0.31	1	< 1	< 5	7	1.57	< 20	311	0.2	0.6	< 3	< 0.02	< 0.05	< 0.5
602252		< 2	< 5	< 0.5	180	< 0.5	< 1	< 1	12	5	0.42	< 1	< 1	< 5	8	1.82	< 20	239	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5
602253		< 2	< 5	< 0.5	180	< 0.5	< 1	< 1	16	5	0.31	1	< 1	< 5	< 1	2.35	< 20	138	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5
602254		< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	13	6	0.22	< 1	< 1	< 5	< 1	1.73	< 20	229	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5
602255		< 2	< 5	< 0.5	240	< 0.5	< 1	< 1	17	5	0.43	1	< 1	< 5	< 1	2.65	< 20	97	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5
602256		< 2	< 5	< 0.5	230	< 0.5	< 1	2	17	7	0.28	2	< 1	< 5	< 1	1.76	< 20	230	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5
602257		< 2	< 5	< 0.5	310	< 0.5	< 1	< 1	13	5	0.38	1	< 1	< 5	< 1	1.85	< 20	185	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5
602258		< 2	< 5	4.3	180	< 0.5	< 1	1	27	7	0.46	< 1	< 1	< 5	< 1	1.62	< 20	242	< 0.1	1.3	< 3	< 0.02	< 0.05	1.4
602259		< 2	< 5	< 0.5	< 50	1.4	< 1	2	17	19	1.00	1	< 1	< 5	< 1	1.97	< 20	188	< 0.1	3.2	< 3	< 0.02	< 0.05	< 0.5
602260		< 2	< 5	2.8	140	< 0.5	< 1	< 1	26	9	0.73	4	< 1	< 5	< 1	2.53	< 20	67	< 0.1	2.0	< 3	< 0.02	< 0.05	3.4
602261		< 2	< 5	< 0.5	< 50	< 0.5	< 1	2	26	4	0.60	3	< 1	< 5	< 1	2.38	< 20	81	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5
602262		< 2	< 5	2.7	< 50	< 0.5	< 1	2	30	3	0.83	2	< 1	< 5	< 1	2.71	< 20	< 15	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5
602263		< 2	< 5	< 0.5	250	< 0.5	< 1	< 1	16	3	0.28	2	< 1	< 5	< 1	2.27	< 20	157	0.2	0.5	< 3	< 0.02	< 0.05	< 0.5
602264		< 2	< 5	< 0.5	270	< 0.5	< 1	< 1	18	3	0.24	< 1	< 1	< 5	< 1	2.31	< 20	186	0.2	0.5	< 3	< 0.02	< 0.05	< 0.5
602265		< 2	< 5	1.0	190	< 0.5	< 1	2	13	4	0.62	< 1	< 1	< 5	< 1	2.18	< 20	133	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5
602266		< 2	< 5	< 0.5	630	< 0.5	< 1	< 1	27	2	0.54	11	< 1	< 5	< 1	2.31	370	94	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5
602267		5	< 5	< 0.5	200	< 0.5	< 1	< 1	18	4	0.38	6	< 1	< 5	12	1.70	< 20	195	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5
602268		< 2	< 5	< 0.5	240	< 0.5	< 1	< 1	21	6	0.36	5	< 1	< 5	< 1	1.92	< 20	186	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5
602269		< 2	< 5	< 0.5	< 50	< 0.5	2	6	44	6	3.07	16	< 1	< 5	274	1.16	630	181	< 0.1	6.6	< 3	< 0.02	< 0.05	< 0.5
602270		< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	45	5	2.21	9	< 1	< 5	320	1.69	< 20	110	< 0.1	4.9	< 3	< 0.02	< 0.05	< 0.5
602271		< 2	< 5	< 0.5	< 50	< 0.5	< 1	7	< 5	8	3.04	7	< 1	< 5	311	2.04	< 20	250	< 0.1	7.5	< 3	< 0.02	< 0.05	< 0.5
602272		< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	26	5	1.21	5	< 1	< 5	63	2.11	< 20	165	0.2	3.0	< 3	< 0.02	< 0.05	1.9

Activation Laboratories Ltd. Report: A08-2553

Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
475943	5.2	3.6	< 1	< 50	20.9	43	17	2.1	< 0.2	< 0.5	1.3	< 0.05	1.52	3.6	1.027
475944	4.4	7.6	< 1	< 50	22.4	33	< 5	1.7	< 0.2	< 0.5	1.0	< 0.05	1.56	5.5	1.056
475945	2.9	4.9	< 1	< 50	4.0	< 3	< 5	0.2	< 0.2	< 0.5	< 0.2	< 0.05	1.55	3.8	1.007
475946	15.0	25.7	< 1	< 50	15.4	32	< 5	0.9	0.6	< 0.5	0.6	< 0.05	1.76	23.2	0.975
475947	25.0	58.4	< 1	< 50	24.5	54	17	1.1	< 0.2	< 0.5	1.1	< 0.05	1.65	50.6	1.015
475948	32.8	77.2	< 1	< 50	32.7	69	24	1.6	< 0.2	< 0.5	0.7	< 0.05	1.70	71.5	1.031
475949	19.5	47.2	< 1	< 50	19.7	40	< 5	1.2	< 0.2	< 0.5	0.8	< 0.05	1.65	42.9	1.012
475950	11.6	26.6	< 1	< 50	12.4	26	< 5	0.6	< 0.2	< 0.5	< 0.2	0.43	1.63	24.2	1.075
475951	27.0	27.8	< 1	< 50	29.8	60	< 5	2.2	< 0.2	< 0.5	< 0.2	< 0.05	1.67	24.5	1.034
475952	15.9	43.5	< 1	< 50	18.1	40	< 5	0.7	< 0.2	< 0.5	< 0.2	0.71	1.76	39.7	1.018
475953	22.5	83.8	< 1	< 50	21.0	44	9	< 0.1	< 0.2	< 0.5	2.1	1.60	1.61	79.0	1.042
475954	39.8	26.8	< 1	< 50	59.5	117	31	5.0	< 0.2	< 0.5	1.6	< 0.05	1.79	21.3	1.058
475955															
475956	74.7	28.9	< 1	150	98.5	208	88	9.4	< 0.2	< 0.5	< 0.2	0.52	1.64	21.0	1.023
475957	27.3	25.2	< 1	130	33.0	68	38	2.2	< 0.2	< 0.5	< 0.2	< 0.05	1.59	20.7	0.990
475958	25.4	43.4	< 1	< 50	24.9	47	19	1.1	< 0.2	< 0.5	0.6	< 0.05	1.59	34.9	1.038
475959	15.4	47.9	< 1	< 50	13.4	28	12	< 0.1	< 0.2	< 0.5	0.9	0.77	1.56	41.9	1.031
475960	32.5	22.1	< 1	< 50	34.5	81	41	4.2	< 0.2	< 0.5	1.3	< 0.05	1.64	18.9	1.005
475961	9.4	23.8	< 1	< 50	11.5	25	< 5	0.6	< 0.2	< 0.5	< 0.2	0.09	1.67	20.2	0.973
475962	12.6	36.3	< 1	< 50	12.8	25	< 5	0.6	< 0.2	< 0.5	0.9	< 0.05	1.70	29.3	1.078
475963	12.4	21.5	< 1	< 50	13.4	27	12	0.7	< 0.2	< 0.5	< 0.2	< 0.05	1.68	19.1	1.034
475964	10.0	19.4	< 1	< 50	12.3	26	17	0.8	< 0.2	< 0.5	< 0.2	0.34	1.64	13.7	1.048
475965	51.0	61.0	< 1	< 50	46.2	97	29	3.3	< 0.2	< 0.5	1.3	< 0.05	1.64	55.7	1.052
475966	24.8	58.7	< 1	120	23.0	47	< 5	2.0	< 0.2	< 0.5	4.7	0.87	1.79	43.7	1.036
475967	5.4	4.3	< 1	< 50	26.5	58	19	3.3	1.2	< 0.5	2.2	0.14	1.85	2.3	1.023
475968	122	194	< 1	< 50	112	254	89	6.4	< 0.2	< 0.5	2.5	< 0.05	1.62	180	1.026
475969	212	486	< 1	< 50	119	298	130	< 0.1	< 0.2	< 0.5	2.7	< 0.05	1.53	501	1.018
475970	92.8	173	< 1	< 50	65.0	168	44	4.2	< 0.2	< 0.5	1.0	< 0.05	1.55	195	0.971
475971	230	497	< 1	< 50	134	301	105	< 0.1	< 0.2	< 0.5	2.8	< 0.05	1.67	397	1.040
475972	389	604	< 1	< 50	157	431	107	< 0.1	< 0.2	2.6	4.2	< 0.05	1.55	679	1.006
475973	210	422	< 1	< 50	103	265	99	< 0.1	< 0.2	< 0.5	2.3	< 0.05	1.56	377	1.071
475974	192	303	< 1	< 50	105	242	104	5.7	< 0.2	< 0.5	1.3	< 0.05	1.51	289	1.061
475975	261	414	< 1	< 50	74.9	198	109	< 0.1	2.0	< 0.5	3.6	< 0.05	1.58	478	0.998
475976	189	320	< 1	< 50	87.9	224	84	5.2	< 0.2	< 0.5	3.0	< 0.05	1.66	332	1.015
475977	81.5	140	< 1	< 50	32.3	75	25	1.8	< 0.2	< 0.5	1.0	< 0.05	1.75	137	1.011
475978	19.4	31.4	< 1	< 50	12.9	38	6	1.0	< 0.2	< 0.5	< 0.2	0.41	1.66	25.3	0.991
475979	82.5	132	< 1	< 50	31.1	77	14	< 0.1	< 0.2	< 0.5	1.1	1.72	1.65	119	1.045
475980	90.5	134	< 1	< 50	38.0	95	30	2.5	< 0.2	< 0.5	0.6	< 0.05	1.59	133	1.053
475981	54.5	86.4	< 1	< 50	31.8	79	29	2.0	< 0.2	< 0.5	0.6	< 0.05	1.76	86.1	1.071
475982	68.0	109	< 1	< 50	22.7	55	19	< 0.1	< 0.2	< 0.5	0.5	< 0.05	1.59	94.5	1.072
475983	4.2	3.4	< 1	< 50	24.0	57	24	2.8	1.2	< 0.5	2.0	0.17	1.84	2.2	1.077
475984	4.4	3.5	< 1	220	24.3	58	23	3.3	1.4	< 0.5	1.7	0.06	1.79	3.5	1.018
475985	32.0	50.4	< 1	< 50	8.7	18	< 5	< 0.1	< 0.2	< 0.5	0.4	< 0.05	1.56	41.8	1.036
475986	48.8	64.8	< 1	< 50	24.6	58	21	1.9	< 0.2	< 0.5	< 0.2	0.82	1.58	55.2	1.034
475987	121	146	< 1	< 50	21.4	46	10	< 0.1	< 0.2	< 0.5	1.4	< 0.05	1.64	137	0.977
475988	51.5	62.1	< 1	< 50	13.8	34	13	0.9	< 0.2	< 0.5	1.2	0.90	1.59	48.3	1.098
475989	7.9	7.7	< 1	< 50	25.3	58	25	3.3	0.5	< 0.5	1.4	0.18	1.63	4.7	1.062
475990	15.6	11.8	< 1	130	28.9	63	< 5	4.0	< 0.2	< 0.5	1.3	0.15	1.54	9.0	1.025
475991	50.3	43.6	< 1	< 50	33.6	90	66	3.4	< 0.2	< 0.5	0.9	0.60	1.58	38.4	1.045
475992	54.6	58.1	< 1	< 50	15.7	38	< 5	2.0	< 0.2	< 0.5	1.0	0.72	1.65	48.8	1.085
475993	5.2	< 0.5	< 1	170	24.0	56	< 5	3.4	1.0	< 0.5	2.1	0.19	1.72	1.4	1.028
475994	39.4	58.1	< 1	< 50	19.4	41	25	1.3	< 0.2	< 0.5	0.8	0.76	1.60	47.8	1.046

Activation Laboratories Ltd. Report: A08-2553

Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
475995	42.0	61.6	< 1	< 50	35.6	73	8	3.0	< 0.2	< 0.5	< 0.2	< 0.05	1.60	50.6	1.062
475996	41.0	59.8	< 1	< 50	30.1	68	< 5	2.6	< 0.2	< 0.5	1.0	0.89	1.66	60.8	0.973
475997	23.7	71.8	< 1	< 50	18.0	40	16	1.3	< 0.2	< 0.5	1.4	0.93	1.70	57.1	1.054
475998	35.0	41.5	< 1	460	40.6	83	20	3.7	0.8	< 0.5	2.8	0.26	1.59	33.3	1.060
475999	68.6	229	< 1	< 50	27.1	92	26	9.2	< 0.2	3.1	32.4	7.22	1.63	203	0.999
476000	9.5	13.3	< 1	100	6.4	18	< 5	0.5	< 0.2	< 0.5	0.8	0.16	1.53	9.00	1.049
602001	55.4	90.6	< 1	< 50	22.0	57	20	1.4	< 0.2	< 0.5	< 0.2	< 0.05	1.53	75.0	0.970
602002	10.4	16.1	< 1	< 50	4.2	13	18	0.4	< 0.2	< 0.5	< 0.2	< 0.05	1.56	10.8	1.019
602003	15.3	19.9	< 1	< 50	6.1	15	< 5	0.8	< 0.2	< 0.5	0.4	< 0.05	1.55	15.2	1.057
602004	29.3	39.8	< 1	< 50	17.9	49	13	1.6	< 0.2	< 0.5	0.4	0.54	1.61	33.9	1.004
602005	23.3	66.3	< 1	< 50	11.2	29	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.61	50.4	0.976
602006	25.9	66.3	< 1	< 50	11.0	23	< 5	< 0.1	< 0.2	< 0.5	< 0.2	0.92	1.51	50.4	1.074
602007	70.6	126	< 1	< 50	21.8	49	18	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.57	110	1.025
602008	11.7	21.4	< 1	< 50	3.6	< 3	< 5	0.3	< 0.2	< 0.5	0.4	< 0.05	1.63	16.9	1.070
602009	22.0	64.4	< 1	< 50	11.7	31	11	0.9	< 0.2	< 0.5	< 0.2	0.81	1.72	53.7	1.042
602010	9.4	11.9	< 1	< 50	28.9	68	< 5	2.9	1.0	< 0.5	0.9	0.16	1.56	8.9	1.031
602011	73.0	129	< 1	< 50	40.9	111	46	2.8	< 0.2	< 0.5	< 0.2	< 0.05	1.64	133	1.047
602012	69.8	116	< 1	< 50	35.3	91	23	2.2	< 0.2	< 0.5	1.0	< 0.05	1.55	108	1.013
602013	51.1	83.1	< 1	< 50	39.7	94	37	3.0	< 0.2	< 0.5	< 0.2	1.31	1.67	82.2	1.028
602014	69.3	159	< 1	< 50	18.7	49	< 5	< 0.1	< 0.2	< 0.5	0.7	< 0.05	1.69	143	1.072
602015	72.4	169	< 1	< 50	20.2	41	25	< 0.1	< 0.2	< 0.5	1.2	< 0.05	1.60	159	1.046
602016	56.7	94.2	< 1	< 50	18.5	42	13	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.64	93.0	1.036
602017	42.4	72.5	< 1	< 50	19.1	48	21	1.4	< 0.2	< 0.5	0.9	< 0.05	1.55	66.4	1.027
602018	28.9	70.8	4	< 50	10.3	24	5	1.8	0.7	< 0.5	0.9	< 0.05	1.57	61.3	1.072
602019	47.3	101	< 1	< 50	21.0	53	13	< 0.1	< 0.2	< 0.5	0.7	1.42	1.57	92.0	1.066
602020	38.2	48.6	< 1	< 50	43.2	101	64	3.7	< 0.2	< 0.5	1.1	0.61	1.82	42.3	1.061
602021	26.3	48.8	< 1	< 50	37.6	91	37	3.1	< 0.2	< 0.5	1.0	< 0.05	1.72	42.4	1.043
602022	8.1	15.8	< 1	< 50	6.7	21	< 5	0.7	< 0.2	< 0.5	< 0.2	0.30	1.51	12.8	1.043
602023	15.4	19.6	< 1	< 50	18.0	36	18	1.6	< 0.2	< 0.5	< 0.2	0.30	1.57	17.0	1.076
602024	11.1	17.4	< 1	< 50	11.0	21	< 5	1.0	< 0.2	< 0.5	1.2	0.18	1.55	12.4	1.075
602025	8.7	16.9	< 1	< 50	3.8	< 3	< 5	0.3	< 0.2	< 0.5	< 0.2	< 0.05	1.50	13.6	1.009
602026	15.4	25.0	< 1	< 50	8.4	16	< 5	0.9	< 0.2	< 0.5	< 0.2	< 0.05	1.46	18.0	1.051
602027	10.3	18.2	< 1	< 50	6.2	12	< 5	0.5	< 0.2	< 0.5	< 0.2	0.26	1.67	13.8	0.992
602028	55.0	85.5	< 1	< 50	17.1	49	12	< 0.1	< 0.2	< 0.5	1.1	< 0.05	1.60	78.8	1.060
602029	10.1	27.5	< 1	< 50	6.5	13	< 5	0.5	< 0.2	< 0.5	0.6	0.36	1.59	22.6	1.056
602030	27.9	52.8	< 1	< 50	21.4	48	25	1.3	< 0.2	< 0.5	< 0.2	0.73	1.56	48.0	1.017
602031	12.6	39.4	< 1	< 50	5.3	8	< 5	< 0.1	< 0.2	< 0.5	0.5	0.58	1.51	32.6	1.008
602032	45.8	124	< 1	< 50	27.3	70	25	< 0.1	< 0.2	< 0.5	1.4	< 0.05	1.54	113	1.047
602033	67.3	154	< 1	< 50	35.8	91	26	< 0.1	< 0.2	1.0	< 0.2	< 0.05	1.61	159	1.024
602034	67.3	111	< 1	< 50	35.2	86	26	2.3	< 0.2	< 0.5	0.7	< 0.05	1.67	119	0.976
602035	113	194	< 1	110	46.3	108	28	< 0.1	< 0.2	< 0.5	1.8	2.52	1.60	177	1.008
602036	49.5	104	< 1	< 50	21.2	56	11	< 0.1	< 0.2	< 0.5	< 0.2	1.62	1.59	109	0.975
602037	22.6	38.5	< 1	< 50	14.1	26	< 5	0.8	< 0.2	< 0.5	< 0.2	0.51	1.54	32.4	1.061
602038	10.1	20.6	< 1	< 50	4.6	< 3	< 5	0.3	< 0.2	< 0.5	< 0.2	0.29	1.53	18.3	1.029
602039	5.1	12.6	< 1	< 50	4.5	12	< 5	0.3	< 0.2	< 0.5	1.2	0.22	1.59	10.9	1.006
602040	5.7	12.0	< 1	< 50	5.4	< 3	< 5	0.2	< 0.2	< 0.5	0.6	< 0.05	1.65	7.6	1.020
602041	10.8	18.4	< 1	< 50	9.0	20	< 5	0.6	< 0.2	< 0.5	1.0	< 0.05	1.54	15.9	1.006
602042	45.8	85.1	< 1	< 50	25.4	56	12	1.4	< 0.2	< 0.5	0.9	< 0.05	1.53	77.8	1.020
602043	82.8	180	< 1	< 50	50.7	143	35	3.4	< 0.2	< 0.5	< 0.2	< 0.05	1.53	163	1.003
602044	126	196	< 1	< 50	67.5	189	61	5.0	< 0.2	< 0.5	1.8	< 0.05	1.51	174	0.992
602045	10.7	21.0	< 1	< 50	6.1	17	< 5	0.4	< 0.2	< 0.5	< 0.2	< 0.05	1.57	16.0	1.033
602046	57.2	121	< 1	< 50	33.4	79	< 5	2.1	< 0.2	< 0.5	0.6	1.35	1.52	98.7	1.012

Activation Laboratories Ltd. Report: A08-2553

Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
602047	71.4	150	< 1	< 50	39.5	100	21	2.4	< 0.2	< 0.5	0.9	1.64	1.57	124	0.973
602048	148	268	< 1	< 50	34.7	89	< 5	< 0.1	< 0.2	< 0.5	2.6	< 0.05	1.51	201	1.066
602049	40.7	63.4	< 1	< 50	16.3	38	16	1.2	< 0.2	< 0.5	< 0.2	0.68	1.57	51.7	1.091
602050	21.5	50.9	< 1	< 50	8.6	25	11	0.7	< 0.2	< 0.5	0.7	< 0.05	1.55	45.2	1.003
602051	30.7	44.7	< 1	< 50	19.7	48	18	1.7	< 0.2	< 0.5	< 0.2	< 0.05	1.52	33.8	1.031
602052	24.5	35.3	< 1	70	15.1	37	< 5	1.2	< 0.2	< 0.5	< 0.2	< 0.05	1.54	28.3	1.046
602053	26.5	49.4	< 1	< 50	27.2	57	22	2.4	< 0.2	< 0.5	1.4	0.58	1.59	35.6	1.034
602054	17.9	19.8	< 1	150	18.2	38	< 5	2.3	0.7	< 0.5	1.2	0.18	1.51	14.2	1.053
602055	35.7	58.8	< 1	< 50	9.2	23	< 5	< 0.1	1.1	< 0.5	1.4	0.79	1.52	49.7	1.003
602056	30.0	63.1	< 1	< 50	13.7	33	9	1.0	< 0.2	< 0.5	2.1	0.91	1.51	49.3	1.072
602057	52.6	133	< 1	< 50	19.1	54	26	< 0.1	< 0.2	< 0.5	1.8	1.69	1.55	127	1.053
602058	54.3	84.5	< 1	< 50	14.8	37	< 5	< 0.1	< 0.2	< 0.5	1.4	0.96	1.58	73.0	1.048
602059	13.4	14.6	< 1	< 50	16.2	33	29	1.2	< 0.2	< 0.5	0.8	0.12	1.55	11.3	1.016
602060	20.3	14.2	< 1	< 50	11.8	32	14	1.1	< 0.2	< 0.5	0.8	0.18	1.62	10.0	1.043
602061	14.8	47.4	< 1	140	9.0	20	< 5	< 0.1	< 0.2	< 0.5	0.4	0.50	1.46	37.0	1.017
602062	40.4	49.8	< 1	< 50	25.9	60	31	1.6	< 0.2	< 0.5	1.0	0.66	1.53	39.1	1.031
602063	9.5	61.0	3	< 50	7.2	20	< 5	< 0.1	< 0.2	< 0.5	0.4	0.77	1.51	54.9	0.994
602064	15.1	6.6	< 1	< 50	15.3	34	< 5	1.3	< 0.2	< 0.5	< 0.2	< 0.05	1.46	4.10	1.025
602065	16.0	16.1	< 1	< 50	29.7	72	29	2.1	< 0.2	< 0.5	1.2	0.20	1.53	10.4	0.976
602066	12.8	25.3	< 1	< 50	11.0	30	< 5	0.7	< 0.2	< 0.5	< 0.2	< 0.05	1.51	16.0	1.038
602067	16.4	24.9	< 1	< 50	14.4	36	< 5	0.9	< 0.2	< 0.5	0.9	0.32	1.51	17.1	1.067
602068	12.2	9.1	< 1	< 50	35.3	75	22	1.9	< 0.2	< 0.5	1.6	0.21	1.51	4.3	1.049
602069	18.3	70.9	< 1	< 50	17.9	35	15	< 0.1	< 0.2	< 0.5	1.3	1.03	1.42	59.0	1.084
602070	24.8	26.9	< 1	< 50	30.3	59	58	1.8	0.7	< 0.5	1.0	0.30	1.51	19.2	1.035
602071	24.0	19.6	< 1	< 50	15.8	32	17	1.5	< 0.2	< 0.5	0.6	0.22	1.47	12.2	1.063
602072	15.0	32.7	< 1	< 50	8.7	22	< 5	0.4	< 0.2	< 0.5	0.6	0.41	1.42	24.6	0.995
602073	25.5	31.8	< 1	< 50	15.9	33	< 5	1.6	< 0.2	< 0.5	1.8	0.15	1.41	21.0	1.009
602074	23.3	36.1	< 1	< 50	15.1	36	22	0.9	< 0.2	< 0.5	0.7	0.43	1.57	28.7	1.007
602075	20.6	15.2	< 1	< 50	16.5	37	15	1.4	< 0.2	< 0.5	0.9	0.18	1.45	10.8	0.992
602076	27.6	10.4	< 1	< 50	19.7	43	14	1.8	< 0.2	< 0.5	0.8	0.12	1.54	6.00	1.085
602077	35.6	35.4	< 1	< 50	25.0	58	39	1.4	< 0.2	< 0.5	0.5	< 0.05	1.41	24.5	1.091
602078	30.8	38.9	< 1	< 50	15.9	35	13	1.0	< 0.2	< 0.5	1.4	0.08	1.54	26.3	1.056
602079	23.0	17.5	< 1	< 50	35.0	73	33	2.3	< 0.2	< 0.5	1.2	0.10	1.63	9.2	1.096
602080	29.7	9.3	< 1	< 50	47.9	94	34	2.4	0.8	1.4	0.8	0.12	1.63	6.8	0.978
602081	23.5	25.7	< 1	< 50	31.1	68	49	1.6	< 0.2	< 0.5	0.5	0.30	1.70	16.6	1.034
602082	14.2	33.3	< 1	< 50	18.3	40	< 5	1.0	< 0.2	< 0.5	0.8	0.35	1.60	23.4	1.017
602083	19.2	33.5	< 1	< 50	13.2	27	6	0.7	< 0.2	< 0.5	0.5	0.31	1.46	21.6	0.997
602084	33.2	13.7	< 1	< 50	25.8	56	33	2.7	0.4	< 0.5	0.5	0.11	1.50	8.40	0.990
602085	52.5	57.5	< 1	< 50	33.4	75	39	3.1	< 0.2	< 0.5	1.4	0.54	1.47	41.6	0.978
602086	15.9	58.7	< 1	180	39.2	85	19	1.5	0.9	< 0.5	1.1	0.72	1.41	48.4	1.049
602087	20.1	3.8	< 1	150	43.4	80	31	2.6	0.4	< 0.5	1.4	0.10	1.68	2.2	1.062
602088	60.3	23.8	< 1	< 50	55.3	116	67	4.5	< 0.2	< 0.5	1.4	0.06	1.54	16.9	0.996
602089	125	68.3	< 1	< 50	94.2	201	106	8.0	< 0.2	< 0.5	< 0.2	0.67	1.52	48.7	1.022
602090	50.3	116	< 1	< 50	36.0	81	38	1.6	< 0.2	< 0.5	0.8	1.34	1.60	98.1	1.023
602091	51.8	118	< 1	< 50	36.8	84	43	1.6	< 0.2	< 0.5	0.7	1.33	1.71	95.5	1.077
602092	32.3	27.3	< 1	160	34.8	68	39	3.0	0.9	< 0.5	1.3	< 0.05	1.70	18.6	0.988
602093	20.6	31.6	< 1	< 50	39.5	84	32	1.9	< 0.2	< 0.5	0.7	0.44	1.66	21.1	1.070
602094	26.5	32.5	< 1	< 50	24.6	50	48	1.5	< 0.2	< 0.5	0.8	< 0.05	1.58	24.7	1.088
602095	5.1	78.7	< 1	< 50	5.2	13	< 5	< 0.1	< 0.2	< 0.5	1.2	1.00	1.41	71.5	0.978
602096	22.2	50.8	< 1	< 50	17.4	36	8	0.9	< 0.2	< 0.5	< 0.2	0.54	1.55	38.9	1.022
602097	40.5	48.7	< 1	80	31.9	66	57	1.6	< 0.2	< 0.5	0.8	0.58	1.49	38.3	0.973
602098	9.6	20.9	< 1	< 50	7.9	14	< 5	0.4	< 0.2	< 0.5	< 0.2	0.24	1.50	11.6	1.011

Activation Laboratories Ltd. Report: A08-2553

Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
602099	19.9	25.6	< 1	< 50	20.8	46	21	1.0	< 0.2	< 0.5	0.9	0.10	1.53	13.6	1.052
602100	22.1	26.9	< 1	< 50	13.9	26	< 5	1.0	< 0.2	< 0.5	0.7	0.33	1.43	18.8	1.064
602101	37.8	15.6	< 1	< 50	26.5	53	< 5	2.5	< 0.2	< 0.5	0.8	< 0.05	1.50	9.0	1.036
602102	43.4	45.4	< 1	< 50	32.8	66	32	2.2	< 0.2	< 0.5	1.2	0.46	1.52	30.9	1.036
602103	55.7	13.4	< 1	< 50	35.3	78	47	2.8	< 0.2	< 0.5	0.9	0.11	1.43	7.9	1.079
602104	15.8	20.1	6	< 50	12.6	27	10	0.7	< 0.2	< 0.5	0.2	0.20	1.44	13.9	1.019
602105	33.1	5.6	< 1	< 50	25.9	55	< 5	2.3	< 0.2	< 0.5	< 0.2	< 0.05	1.61	3.1	1.040
602106	32.8	18.0	< 1	< 50	23.0	49	26	2.3	< 0.2	< 0.5	< 0.2	0.21	1.53	11.2	1.050
602107	51.1	8.4	< 1	< 50	41.8	89	48	3.2	< 0.2	< 0.5	0.9	0.16	1.50	4.3	1.055
602108	45.7	9.1	< 1	< 50	36.4	79	39	2.5	< 0.2	< 0.5	< 0.2	< 0.05	1.49	6.4	1.041
602109	27.3	13.6	< 1	< 50	28.3	57	24	2.0	< 0.2	< 0.5	1.0	< 0.05	1.59	8.9	1.043
602110	13.5	7.5	< 1	< 50	34.4	66	38	2.3	< 0.2	< 0.5	1.2	0.09	1.66	4.7	1.012
602111	22.4	49.6	< 1	< 50	20.5	45	12	1.0	< 0.2	< 0.5	0.4	0.51	1.53	30.1	1.092
602112	35.9	9.8	< 1	< 50	63.5	114	55	3.3	< 0.2	< 0.5	1.0	0.06	1.62	5.2	1.021
602113	11.9	22.4	< 1	< 50	7.8	15	9	0.8	< 0.2	< 0.5	1.2	0.10	1.42	13.8	1.091
602114	12.7	15.9	8	< 50	10.8	28	23	0.6	< 0.2	< 0.5	0.6	0.18	1.62	10.5	0.980
602115	20.8	7.6	< 1	< 50	14.7	34	23	1.3	< 0.2	1.0	0.8	< 0.05	1.62	5.50	0.978
602116	17.3	47.7	< 1	< 50	12.1	27	18	< 0.1	< 0.2	< 0.5	1.1	0.53	1.42	32.0	1.066
602117	15.7	25.0	< 1	< 50	12.6	28	< 5	0.7	< 0.2	< 0.5	0.5	0.32	1.50	15.7	1.038
602118	11.7	8.4	< 1	< 50	15.8	37	15	1.4	< 0.2	< 0.5	0.8	< 0.05	1.49	4.0	1.058
602119	14.3	10.6	< 1	< 50	16.9	31	18	1.5	< 0.2	< 0.5	1.0	0.09	1.51	6.0	1.011
602120	11.9	6.8	< 1	< 50	7.3	13	< 5	0.6	< 0.2	< 0.5	0.4	< 0.05	1.43	2.6	1.037
602121	12.5	5.7	< 1	< 50	7.6	15	< 5	0.6	< 0.2	< 0.5	0.3	< 0.05	1.45	3.3	1.030
602151	159	223	< 1	< 50	79.6	206	141	8.1	< 0.2	< 0.5	3.5	2.14	1.42	138	1.043
602152	20.5	23.2	< 1	120	17.9	36	< 5	1.8	0.9	< 0.5	0.8	0.06	1.63	11.8	1.039
602153	61.6	72.5	< 1	< 50	32.2	74	53	3.4	< 0.2	< 0.5	1.8	0.57	1.48	40.3	1.065
602154	39.8	29.9	< 1	< 50	18.2	44	24	2.1	< 0.2	< 0.5	1.4	0.30	1.75	19.6	1.041
602155	30.8	41.8	< 1	< 50	31.0	67	57	2.1	1.3	< 0.5	1.5	0.38	1.40	23.0	1.050
602156	31.7	34.8	< 1	< 50	15.8	38	22	1.8	< 0.2	< 0.5	0.9	0.37	1.41	19.4	1.049
602157	37.6	122	< 1	< 50	11.4	29	< 5	< 0.1	< 0.2	< 0.5	< 0.2	1.28	1.48	91.3	1.086
602158	24.1	166	< 1	< 50	17.2	56	25	< 0.1	< 0.2	< 0.5	< 0.2	1.81	1.48	166	1.057
602159	50.2	293	< 1	< 50	33.5	90	76	< 0.1	< 0.2	< 0.5	0.6	3.29	1.49	306	1.041
602160	32.1	224	< 1	< 50	19.2	56	33	< 0.1	< 0.2	< 0.5	0.7	2.70	1.50	233	1.038
602161	33.5	61.4	< 1	< 50	15.2	38	14	1.1	< 0.2	< 0.5	0.8	0.66	1.45	45.6	1.039
602162	16.9	214	< 1	< 50	16.6	55	22	< 0.1	< 0.2	< 0.5	0.8	2.67	1.49	226	1.081
602163	21.3	472	< 1	< 50	27.9	96	91	< 0.1	< 0.2	< 0.5	< 0.2	4.58	1.61	528	1.031
602164	37.6	207	< 1	< 50	26.7	73	46	< 0.1	< 0.2	< 0.5	0.4	2.64	1.54	223	1.038
602165	35.0	43.2	< 1	< 50	7.9	13	< 5	< 0.1	< 0.2	< 0.5	0.4	0.50	1.42	31.4	1.070
602166	17.1	29.6	< 1	180	10.3	29	13	1.0	< 0.2	< 0.5	2.0	0.28	1.51	21.0	1.048
602167	83.6	206	< 1	< 50	67.8	185	47	< 0.1	0.7	< 0.5	1.8	2.60	1.50	192	1.037
602168	36.6	40.9	< 1	< 50	10.3	32	14	0.9	< 0.2	< 0.5	0.5	0.43	1.52	26.9	1.085
602169	43.9	53.4	< 1	190	40.2	77	36	2.4	< 0.2	< 0.5	1.6	0.66	1.51	36.4	1.085
602170	44.5	36.3	< 1	< 50	34.1	54	26	1.6	< 0.2	< 0.5	< 0.2	0.46	1.53	27.3	1.032
602171	19.2	17.0	< 1	< 50	11.8	32	< 5	0.8	< 0.2	< 0.5	0.4	0.16	1.41	9.2	1.062
602172	52.6	13.0	< 1	< 50	95.0	163	69	4.4	< 0.2	< 0.5	1.7	0.27	1.45	7.7	1.046
602173	35.7	5.8	< 1	< 50	71.7	106	38	2.4	< 0.2	< 0.5	0.8	0.18	1.56	4.4	1.058
602174	67.8	23.0	< 1	< 50	45.8	92	60	4.1	1.1	< 0.5	3.1	0.43	1.58	12.3	1.038
602175	59.4	22.8	< 1	< 50	43.9	90	< 5	5.6	< 0.2	< 0.5	4.9	0.70	1.55	12.3	1.067
602176	72.2	18.6	< 1	140	117	219	95	7.2	1.3	1.9	4.0	0.50	1.46	11.0	1.081
602177	31.1	16.6	< 1	< 50	47.1	110	50	5.2	1.7	< 0.5	3.5	0.64	1.53	8.2	1.098
602178	24.9	11.2	< 1	< 50	40.1	82	30	3.5	1.3	< 0.5	3.2	0.35	1.52	5.7	1.022
602179	29.6	15.9	< 1	< 50	53.7	102	52	5.1	1.6	< 0.5	2.8	0.54	1.51	8.0	1.095

Activation Laboratories Ltd. Report: A08-2553

Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
602180	43.9	17.7	< 1	150	60.7	125	49	5.0	1.4	< 0.5	3.2	0.59	1.50	10.3	1.059
602181	51.6	24.1	< 1	< 50	55.4	105	76	4.4	1.9	< 0.5	3.5	0.51	1.60	11.5	1.081
602182	37.7	13.9	< 1	< 50	55.5	150	47	8.4	2.0	< 0.5	2.3	0.31	1.71	13.4	1.049
602183	33.2	10.2	< 1	< 50	56.4	150	47	8.4	2.2	< 0.5	2.1	0.31	1.58	9.1	1.051
602184	20.8	6.4	< 1	110	55.2	150	46	8.4	1.8	< 0.5	2.2	0.28	1.61	6.6	1.089
602185	29.3	6.4	< 1	100	34.5	104	34	5.8	1.5	< 0.5	1.6	0.23	1.61	7.7	1.050
602186	21.5	5.3	< 1	< 50	51.3	137	60	7.8	1.8	< 0.5	2.3	0.38	1.53	6.3	1.096
602187	18.2	5.7	< 1	< 50	29.3	85	34	5.5	1.3	< 0.5	1.4	0.25	1.45	6.0	1.027
602188	17.5	6.4	< 1	< 50	48.9	150	57	8.4	2.3	< 0.5	1.7	0.24	1.48	6.1	1.034
602189	18.9	7.2	< 1	< 50	52.7	156	61	10.4	2.9	< 0.5	2.7	0.40	1.45	6.0	1.066
602190	58.5	10.9	< 1	< 50	43.2	117	37	7.2	1.4	< 0.5	2.5	0.34	1.45	9.8	1.079
602191	42.9	7.3	3	< 50	34.2	91	35	5.5	1.4	< 0.5	1.9	0.27	1.59	7.8	1.094
602192	27.3	7.2	< 1	< 50	45.0	104	24	5.0	1.0	< 0.5	1.4	0.14	1.63	6.9	1.041
602193	28.7	7.8	< 1	< 50	29.2	77	32	5.0	1.3	< 0.5	1.8	0.27	1.58	6.5	1.027
602194	29.4	7.0	< 1	< 50	43.9	112	37	5.7	1.6	< 0.5	1.8	0.27	1.65	5.9	1.078
602195	42.0	8.8	< 1	< 50	34.4	84	17	3.2	0.8	< 0.5	1.0	0.15	1.64	6.9	1.066
602196	105	152	< 1	< 50	24.3	91	38	8.4	< 0.2	< 0.5	2.1	< 0.05	1.51	149	1.044
602197	91.0	360	< 1	< 50	21.1	91	54	10.5	< 0.2	< 0.5	2.1	< 0.05	1.50	356	1.026
602198	24.5	96.0	< 1	100	9.4	34	18	3.6	< 0.2	< 0.5	0.6	< 0.05	1.42	89.0	1.092
602199	44.1	232	< 1	< 50	7.2	37	28	4.5	< 0.2	< 0.5	1.0	< 0.05	1.41	233	1.050
602200	26.6	392	< 1	< 50	13.5	61	41	7.7	< 0.2	< 0.5	0.8	< 0.05	1.45	390	1.051
602201	24.5	56.8	< 1	< 50	5.3	20	< 5	2.4	< 0.2	< 0.5	0.6	< 0.05	1.42	54.3	1.044
602202	5.8	7.0	< 1	< 50	2.6	5	< 5	0.5	0.4	< 0.5	0.3	< 0.05	1.52	5.5	1.035
602203	5.2	7.2	< 1	< 50	1.6	6	7	0.5	0.5	< 0.5	0.5	< 0.05	1.60	6.3	1.070
602204	31.5	53.5	< 1	< 50	3.6	14	< 5	2.0	0.7	< 0.5	0.7	< 0.05	1.67	50.2	1.060
602205	18.9	22.5	< 1	< 50	2.5	9	< 5	1.1	0.5	< 0.5	0.4	< 0.05	1.46	19.4	1.075
602206	13.3	22.5	< 1	< 50	4.0	14	9	1.1	< 0.2	< 0.5	0.4	< 0.05	1.53	20.3	1.054
602207	33.6	27.1	< 1	< 50	4.6	22	< 5	1.7	< 0.2	< 0.5	0.9	< 0.05	1.65	24.1	1.083
602208	77.0	21.7	< 1	< 50	2.0	9	15	1.5	< 0.2	< 0.5	0.9	0.11	1.44	20.8	1.082
602209	64.4	55.0	< 1	< 50	2.2	13	13	1.9	< 0.2	< 0.5	0.7	< 0.05	1.49	51.4	1.091
602210	23.8	33.3	< 1	< 50	1.9	7	< 5	0.9	< 0.2	< 0.5	0.4	0.07	1.55	32.5	1.035
602211	19.6	26.4	< 1	110	1.6	6	< 5	0.9	< 0.2	< 0.5	0.4	< 0.05	1.40	24.2	1.035
602212	43.4	38.0	< 1	< 50	1.7	5	< 5	1.4	< 0.2	< 0.5	0.6	< 0.05	1.40	30.8	1.095
602213	56.7	56.6	< 1	< 50	2.0	14	11	1.9	< 0.2	< 0.5	0.8	< 0.05	1.49	52.1	1.099
602214	28.0	28.7	< 1	< 50	1.4	3	10	1.0	< 0.2	< 0.5	0.6	0.09	1.60	25.9	1.078
602215	4.4	6.2	< 1	< 50	0.6	< 3	< 5	0.3	0.3	< 0.5	< 0.2	< 0.05	1.53	5.3	1.046
602216	67.2	26.4	< 1	50	1.3	8	< 5	1.5	< 0.2	< 0.5	1.3	0.23	1.68	24.6	1.058
602217	119	46.2	< 1	< 50	2.0	10	< 5	2.3	0.5	< 0.5	1.1	< 0.05	1.43	45.7	1.022
602218	26.6	18.1	< 1	< 50	1.5	7	< 5	0.8	< 0.2	< 0.5	< 0.2	< 0.05	1.49	17.3	1.053
602219	28.0	19.8	< 1	< 50	1.2	5	< 5	0.9	0.5	< 0.5	0.3	< 0.05	1.43	21.9	1.032
602220	24.5	27.2	< 1	< 50	4.4	14	8	1.6	0.5	< 0.5	0.7	0.12	1.59	24.7	1.081
602221	105	182	< 1	< 50	7.3	32	16	4.5	< 0.2	< 0.5	1.4	< 0.05	1.74	182	1.066
602222	81.0	89.7	< 1	< 50	8.3	38	16	5.1	< 0.2	< 0.5	1.7	< 0.05	1.48	77.5	1.028
602223	40.7	31.1	< 1	< 50	4.3	15	17	1.7	< 0.2	< 0.5	0.9	< 0.05	1.42	26.8	1.036
602224	126	421	< 1	150	27.0	117	42	12.4	0.6	1.1	1.8	< 0.05	1.44	412	1.047
602225	273	644	< 1	70	61.5	234	104	20.8	< 0.2	< 0.5	2.7	< 0.05	1.50	641	1.024
602226	326	1050	< 1	270	123	273	105	17.5	< 0.2	1.8	2.9	< 0.05	1.43	1050	0.999
602227	236	724	< 1	210	66.1	141	52	11.7	< 0.2	< 0.5	2.1	< 0.05	1.43	624	1.069
602228	124	273	< 1	150	35.3	95	36	6.5	< 0.2	< 0.5	1.2	< 0.05	1.42	244	1.017
602229	53.2	105	< 1	100	20.0	49	16	3.5	< 0.2	< 0.5	1.7	< 0.05	1.44	92.5	1.001
602230	32.8	326	< 1	150	21.6	41	< 5	< 0.1	0.7	< 0.5	0.6	< 0.05	1.56	269	1.086
602231	109	356	< 1	240	56.4	117	42	9.2	< 0.2	< 0.5	1.5	< 0.05	1.47	317	1.075

Activation Laboratories Ltd. Report: A08-2553

Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
602232	120	107	< 1	180	38.8	91	35	6.6	< 0.2	< 0.5	1.7	< 0.05	1.49	96.4	1.050
602233	76.3	67.8	< 1	90	17.6	45	13	3.5	0.7	< 0.5	2.9	0.60	1.70	57.2	1.096
602234	72.2	39.3	< 1	90	37.5	81	30	5.9	0.7	< 0.5	0.9	< 0.05	1.53	35.4	1.014
602235	103	76.9	< 1	< 50	38.2	99	33	6.2	< 0.2	< 0.5	1.2	< 0.05	1.63	64.0	1.035
602236	48.5	19.6	< 1	140	3.5	9	< 5	1.2	0.4	< 0.5	0.6	< 0.05	1.52	14.7	1.097
602237	9.5	6.5	< 1	120	0.7	< 3	< 5	0.2	0.4	< 0.5	0.3	< 0.05	1.52	5.6	1.087
602238	28.3	17.9	< 1	100	1.6	3	< 5	0.5	0.3	< 0.5	0.5	< 0.05	1.80	14.8	1.055
602239	43.7	109	< 1	110	11.2	26	7	2.0	< 0.2	< 0.5	0.8	< 0.05	1.52	91.4	1.075
602240	26.7	126	< 1	90	6.7	12	< 5	< 0.1	< 0.2	< 0.5	0.4	< 0.05	1.45	108	1.033
602241	26.3	219	< 1	120	7.0	< 3	< 5	< 0.1	< 0.2	< 0.5	0.4	< 0.05	1.48	186	1.049
602242	21.0	23.6	< 1	< 50	1.5	3	< 5	0.5	0.5	< 0.5	0.5	< 0.05	1.66	18.7	1.068
602243	34.4	14.5	< 1	180	1.3	4	< 5	0.6	0.3	< 0.5	0.6	< 0.05	1.55	12.0	1.080
602244	34.3	32.1	< 1	140	3.6	6	< 5	1.2	0.7	< 0.5	0.6	< 0.05	1.46	26.6	1.045
602245	43.0	21.5	< 1	90	3.3	8	< 5	1.1	0.5	< 0.5	0.9	0.07	1.53	16.4	1.084
602246	48.7	41.0	< 1	90	4.6	10	< 5	1.4	0.6	< 0.5	1.0	< 0.05	1.50	34.9	1.021
602247	40.9	26.9	< 1	130	7.7	24	5	1.6	< 0.2	< 0.5	1.2	0.16	1.48	20.8	1.054
602248	47.4	43.5	< 1	70	4.2	17	< 5	1.7	< 0.2	< 0.5	0.8	< 0.05	1.45	36.1	1.033
602249	13.5	13.4	< 1	< 50	1.4	5	< 5	0.6	0.3	< 0.5	1.1	0.16	1.45	9.1	1.027
602250	8.7	8.6	< 1	< 50	1.5	< 3	< 5	0.4	0.3	< 0.5	0.7	0.11	1.54	7.1	1.058
602251	10.3	15.0	< 1	< 50	1.4	< 3	< 5	0.4	< 0.2	< 0.5	< 0.2	< 0.05	1.46	10.6	1.054
602252	14.6	14.1	< 1	< 50	1.6	4	< 5	0.6	< 0.2	< 0.5	0.5	0.05	1.42	10.9	1.078
602253	37.6	27.2	< 1	< 50	2.8	8	5	1.1	< 0.2	< 0.5	0.8	< 0.05	1.45	20.3	1.037
602254	20.2	14.1	< 1	< 50	1.5	< 3	< 5	0.6	< 0.2	< 0.5	0.6	< 0.05	1.45	10.4	1.060
602255	28.8	51.3	< 1	< 50	7.0	18	10	2.1	< 0.2	< 0.5	0.8	< 0.05	1.50	40.8	1.078
602256	18.6	14.8	< 1	< 50	2.8	3	6	0.7	0.4	< 0.5	0.6	< 0.05	1.58	10.3	1.053
602257	23.5	26.3	< 1	110	2.3	5	< 5	1.0	< 0.2	< 0.5	0.7	< 0.05	1.62	21.1	1.061
602258	8.0	14.5	4	< 50	3.3	5	11	0.7	0.2	< 0.5	0.6	0.06	1.49	9.7	1.071
602259	11.0	10.9	< 1	130	2.1	7	< 5	0.9	0.3	< 0.5	1.1	0.11	1.50	9.2	1.067
602260	33.5	32.2	< 1	< 50	2.3	7	< 5	1.3	< 0.2	< 0.5	1.4	0.31	1.70	27.5	1.032
602261	38.8	22.5	< 1	< 50	2.7	4	< 5	0.9	0.4	< 0.5	0.7	< 0.05	1.56	18.3	1.094
602262	33.5	29.8	< 1	< 50	2.2	7	< 5	0.9	< 0.2	< 0.5	< 0.2	< 0.05	1.45	24.9	1.048
602263	19.3	16.9	< 1	< 50	4.3	5	< 5	0.7	0.4	< 0.5	0.4	< 0.05	1.69	14.1	1.048
602264	6.9	38.5	< 1	< 50	3.9	7	< 5	1.0	< 0.2	< 0.5	< 0.2	< 0.05	1.43	35.7	1.076
602265	26.6	90.9	< 1	< 50	3.8	9	10	1.9	< 0.2	< 0.5	0.4	< 0.05	1.59	81.9	1.098
602266	67.7	150	< 1	< 50	14.3	32	20	4.0	< 0.2	< 0.5	0.8	< 0.05	1.73	150	1.016
602267	24.3	37.0	< 1	< 50	11.4	25	9	1.7	0.9	< 0.5	0.6	< 0.05	1.48	30.5	1.060
602268	28.0	134	3	< 50	16.2	41	13	3.5	< 0.2	< 0.5	0.5	< 0.05	1.64	130	1.039
602269	210	440	< 1	110	25.6	64	88	12.9	< 0.2	< 0.5	2.3	< 0.05	1.53	444	1.058
602270	199	508	< 1	< 50	40.5	101	120	14.5	< 0.2	< 0.5	2.1	< 0.05	1.60	539	1.002
602271	110	284	< 1	230	19.6	49	60	7.4	< 0.2	< 0.5	1.4	< 0.05	1.42	243	1.053
602272	55.5	87.1	< 1	< 50	14.8	32	30	3.6	0.6	< 0.5	1.2	< 0.05	1.45	77.2	1.049

Activation Laboratories Ltd. Report: A08-2553

Quality Control

Analyte Symbol	Au	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta
Unit Symbol	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Detection Limit	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5
Analysis Method	FA-AA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

DH-1a Meas

DH-1a Cert

2000

2030

801

770

475972 Orig	< 2	< 5	< 0.5	4160	< 0.5	< 1	< 1	< 5	5	1.15	28	< 1	< 5	< 1	2.37	< 20	130	0.5	1.5	< 3	< 0.02	< 0.05	< 0.5
475972 Split	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	36	3	0.93	23	< 1	< 5	243	2.01	< 20	109	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5
475992 Orig	< 2	< 5	< 0.5	420	2.5	< 1	< 1	< 5	< 1	1.30	6	< 1	< 5	< 1	1.74	< 20	193	1.7	0.9	< 3	< 0.02	< 0.05	< 0.5
475992 Split	< 2	< 5	< 0.5	440	< 0.5	< 1	< 1	< 5	2	1.57	7	< 1	< 5	< 1	1.80	< 20	114	< 0.1	1.0	< 3	< 0.02	< 0.05	1.8
602002 Split	< 2	< 5	0.6	330	< 0.5	< 1	< 1	6	4	0.70	< 1	< 1	< 5	< 1	1.14	< 20	225	0.2	0.4	< 3	< 0.02	< 0.05	< 0.5
602002 Orig	< 2	< 5	< 0.5	390	< 0.5	< 1	< 1	< 5	3	0.72	< 1	< 1	< 5	< 1	1.12	< 20	198	1.0	0.3	< 3	< 0.02	< 0.05	< 0.5
602032 Orig	< 2	< 5	5.4	400	< 0.5	< 1	< 1	171	13	0.91	2	< 1	< 5	< 1	1.67	< 20	162	2.1	0.7	< 3	< 0.02	< 0.05	< 0.5
602032 Split	< 2	< 5	1.2	770	< 0.5	< 1	< 1	165	16	0.81	3	< 1	< 5	45	1.59	< 20	237	0.4	0.6	< 3	< 0.02	< 0.05	< 0.5
602042 Split	< 2	< 5	3.8	250	2.5	2	< 1	38	6	0.85	2	< 1	< 5	35	1.37	< 20	200	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5
602042 Orig	< 2	< 5	< 0.5	350	< 0.5	< 1	< 1	22	6	0.56	2	< 1	< 5	< 1	1.58	< 20	239	3.0	0.5	< 3	< 0.02	< 0.05	< 0.5
602062 Split	< 2	< 5	< 0.5	370	3.7	< 1	< 1	7	3	0.55	5	< 1	< 5	16	1.95	< 20	125	< 0.1	1.7	< 3	< 0.02	< 0.05	< 0.5
602062 Orig	< 2	< 5	< 0.5	< 50	3.1	< 1	< 1	17	2	0.49	5	< 1	< 5	23	1.77	< 20	140	< 0.1	1.6	< 3	< 0.02	< 0.05	< 0.5
602092 Orig	< 2	< 5	5.1	340	< 0.5	3	8	95	4	2.37	5	< 1	< 5	11	1.72	< 20	147	0.3	7.7	< 3	< 0.02	< 0.05	< 0.5
602092 Split	8	< 5	< 0.5	< 50	< 0.5	4	11	93	4	2.64	5	< 1	< 5	8	1.98	< 20	123	0.3	9.0	< 3	< 0.02	< 0.05	< 0.5
602151 Split	< 2	< 5	< 0.5	680	< 0.5	< 1	< 1	29	3	0.93	21	< 1	< 5	77	1.66	< 20	162	0.2	1.2	< 3	< 0.02	< 0.05	< 0.5
602151 Orig	< 2	< 5	< 0.5	470	< 0.5	< 1	< 1	< 5	3	0.91	19	< 1	< 5	< 1	1.61	< 20	215	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5
602171 Split	< 2	< 5	3.1	1060	3.0	< 1	4	35	3	0.55	1	< 1	< 5	38	1.67	< 20	280	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5
602171 Orig	< 2	< 5	< 0.5	1280	< 0.5	< 1	4	16	4	0.35	< 1	< 1	< 5	23	1.62	< 20	352	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5
602181 Orig	< 2	< 5	3.2	1190	< 0.5	< 1	11	106	2	2.17	7	< 1	< 5	11	2.38	< 20	167	< 0.1	6.6	< 3	< 0.02	< 0.05	4.9
602181 Split	< 2	< 5	3.8	1010	< 0.5	3	12	83	2	2.71	7	< 1	< 5	11	2.49	< 20	119	0.2	7.7	< 3	< 0.02	< 0.05	5.1
602211 Split	< 2	< 5	2.3	250	< 0.5	< 1	3	26	3	0.66	2	< 1	< 5	17	2.10	< 20	203	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5
602211 Orig	< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	18	4	0.58	2	< 1	< 5	13	2.43	< 20	161	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5
602221 Orig	< 2	< 5	< 0.5	600	< 0.5	< 1	5	20	4	0.85	7	< 1	< 5	130	2.91	< 20	53	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5

Quality Control																								
Analyte Symbol	Au	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta
Unit Symbol	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Detection Limit	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5
Analysis Method	FA-AA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
602221 Split	< 2	< 5	< 0.5	< 0.5	720	< 0.5	< 1	< 1	11	3	0.84	7	< 1	< 5	117	2.94	< 20	< 15	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5
602241 Orig	12	< 5	< 0.5	< 0.5	< 50	< 0.5	< 1	3	86	3	0.67	1	< 1	< 5	< 1	2.62	< 20	170	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5
602241 Split	< 2	< 5	< 0.5	< 0.5	< 50	< 0.5	< 1	2	24	3	0.59	1	< 1	< 5	110	1.99	< 20	175	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5
602271 Split	< 2	< 5	< 0.5	< 0.5	< 50	3.1	3	5	26	9	3.19	9	< 1	< 5	346	2.17	< 20	292	< 0.1	7.2	< 3	< 0.02	< 0.05	< 0.5
602271 Orig	< 2	< 5	< 0.5	< 0.5	< 50	< 0.5	< 1	7	< 5	8	3.04	7	< 1	< 5	311	2.04	< 20	250	< 0.1	7.5	< 3	< 0.02	< 0.05	< 0.5
Method Blank Method																								
Blank																								

Quality Control															
Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
DH-1a Meas	910	2630												2650	
DH-1a Cert	910	2630												2630	
DH-1a Meas	910	2640												2600	
DH-1a Cert	910	2630												2630	
DH-1a Meas	910	2640												2640	
DH-1a Cert	910	2630												2630	
DH-1a Meas	908	2630													
DH-1a Cert	910	2630													
DH-1a Meas	907	2630													
DH-1a Cert	910	2630													
DH-1a Meas	912	2640													
DH-1a Cert	910	2630													
DH-1a Meas	910	2630													
DH-1a Cert	910	2630													
DH-1a Meas	908	2640													
DH-1a Cert	910	2630													
DH-1a Meas	909	2640													
DH-1a Cert	910	2630													
DH-1a Meas	915	2630													
DH-1a Cert	910	2630													
SY-2 Meas														280	
SY-2 Cert														284	
SY-2 Meas														283	
SY-2 Cert														284	
SY-2 Meas														287	
SY-2 Cert														284	
SY-2 Meas														286	
SY-2 Cert														284	
BL-4a Meas														1270	
BL-4a Cert														1250	
CDN-GS-2B Meas															
CDN-GS-2B Cert															
CDN-GS-P7A Meas															
CDN-GS-P7A Cert															
475972 Orig	389	604	< 1	< 50	157	431	107	< 0.1	< 0.2	2.6	4.2	< 0.05	1.55	679	1.006
475972 Split	405	671	< 1	< 50	142	305	231	27.5	< 0.2	< 0.5	3.3	< 0.05	1.42	632	1.094
475992 Orig	54.6	58.1	< 1	< 50	15.7	38	< 5	2.0	< 0.2	< 0.5	1.0	0.72	1.65	48.8	1.085
475992 Split	56.6	58.4	< 1	< 50	19.1	36	34	3.2	< 0.2	< 0.5	0.8	< 0.05	1.45	51.0	1.081
602002 Split	10.9	15.0	< 1	< 50	4.9	9	< 5	0.8	< 0.2	< 0.5	< 0.2	< 0.05	1.46	12.4	1.063
602002 Orig	10.4	16.1	< 1	< 50	4.2	13	18	0.4	< 0.2	< 0.5	< 0.2	< 0.05	1.56	10.8	1.019
602032 Orig	45.8	124	< 1	< 50	27.3	70	25	< 0.1	< 0.2	< 0.5	1.4	< 0.05	1.54	113	1.047
602032 Split	48.9	124	< 1	< 50	28.4	61	65	4.9	< 0.2	< 0.5	0.8	< 0.05	1.42	116	1.048
602042 Split	48.0	79.3	< 1	< 50	25.6	54	35	4.1	0.8	< 0.5	0.6	< 0.05	1.61	85.6	1.032
602042 Orig	45.8	85.1	< 1	< 50	25.4	56	12	1.4	< 0.2	< 0.5	0.9	< 0.05	1.53	77.8	1.020
602062 Split	36.6	45.7	< 1	90	31.9	58	36	4.5	< 0.2	< 0.5	0.5	< 0.05	1.52	39.4	1.011
602062 Orig	40.4	49.8	< 1	< 50	25.9	60	31	1.6	< 0.2	< 0.5	1.0	0.66	1.53	39.1	1.031
602092 Orig	32.3	27.3	< 1	160	34.8	68	39	3.0	0.9	< 0.5	1.3	< 0.05	1.70	18.6	0.988
602092 Split	33.9	20.3	< 1	< 50	44.1	88	52	5.6	1.0	< 0.5	0.7	< 0.05	1.54	15.2	1.071
602151 Split	194	157	5	< 50	97.2	216	144	16.1	< 0.2	< 0.5	2.9	< 0.05	1.46	155	1.006
602151 Orig	159	223	< 1	< 50	79.6	206	141	8.1	< 0.2	< 0.5	3.5	2.14	1.42	138	1.043
602171 Split	23.6	25.2	< 1	< 50	15.8	29	< 5	1.2	0.4	< 0.5	0.4	< 0.05	1.40	14.6	1.003
602171 Orig	19.2	17.0	< 1	< 50	11.8	32	< 5	0.8	< 0.2	< 0.5	0.4	0.16	1.41	9.2	1.062
602181 Orig	51.6	24.1	< 1	< 50	55.4	105	76	4.4	1.9	< 0.5	3.5	0.51	1.60	11.5	1.081
602181 Split	45.9	13.4	< 1	< 50	65.3	122	64	8.1	1.9	< 0.5	2.7	0.44	1.57	10.7	1.088
602211 Split	18.4	27.0	< 1	< 50	2.4	3	< 5	0.8	0.6	< 0.5	0.5	< 0.05	1.55	24.0	1.078
602211 Orig	19.6	26.4	< 1	110	1.6	6	< 5	0.9	< 0.2	< 0.5	0.4	< 0.05	1.40	24.2	1.035
602221 Orig	105	182	< 1	< 50	7.3	32	16	4.5	< 0.2	< 0.5	1.4	< 0.05	1.74	182	1.066

Quality Control															
Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
602221 Split	105	190	< 1	< 50	7.3	35	24	4.5	< 0.2	< 0.5	1.4	< 0.05	1.56	175	1.057
602241 Orig	26.3	219	< 1	120	7.0	< 3	< 5	< 0.1	< 0.2	< 0.5	0.4	< 0.05	1.48	186	1.049
602241 Split	25.7	185	< 1	< 50	7.5	24	24	2.5	< 0.2	< 0.5	0.4	< 0.05	1.52	180	1.036
602271 Split	112	296	< 1	270	21.9	60	83	7.8	< 0.2	< 0.5	1.4	< 0.05	1.59	274	1.000
602271 Orig	110	284	< 1	230	19.6	49	60	7.4	< 0.2	< 0.5	1.4	< 0.05	1.42	243	1.053
Method Blank Method														< 0.1	1.000
Blank															

Quality Analysis ...



Innovative Technologies

Date Submitted: 02-Jun-08
Invoice No.: A08-2846
Invoice Date: 04-Jul-08
Your Reference:

Delta Uranium
56 Temperance st
10th Floor
Toronto Ontario M5H3V5
Canada

ATTN: Rick Bonner

CERTIFICATE OF ANALYSIS

60 Pulp samples were submitted for analysis.

The following analytical packages were requested:

REPORT	A08-2846	Code 1D Enh INAA(INAAGEO)
		Code 4C1** (Press Pellet) XRF Pressed Pellet
		Code 5D-U-Total DNC
		Code U3O8 Assay XRF

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

For values exceeding the upper limits we recommend assays.
Values which exceed the upper limit should be assayed.

CERTIFIED BY :

A handwritten signature in black ink, appearing to read "Eric Hoffman". The signature is fluid and cursive, written over a horizontal line.

Eric Hoffman, Ph.D.
President/General Manager

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL ancaster@actlabsint.com ACTLABS GROUP WEBSITE <http://www.actlabsint.com>

Activation Laboratories Ltd. Report: A08-2846 rev 1

Analyte Symbol	U	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta
Unit Symbol	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Detection Limit	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5
Analysis Method	PPXRF	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
487101	< 5	< 2	< 5	< 0.5	290	5.9	5	49	443	7	7.62	2	< 1	< 5	< 1	2.09	< 20	118	< 0.1	35.2	< 3	< 0.02	< 0.05	2.9
487102	< 5	< 2	< 5	< 0.5	400	6.1	5	47	451	6	7.21	2	< 1	< 5	< 1	2.27	< 20	124	< 0.1	30.9	< 3	< 0.02	0.08	< 0.5
487103	47	< 2	< 5	< 0.5	< 50	7.3	< 1	4	793	7	1.26	2	< 1	< 5	< 1	3.12	< 20	254	0.2	1.6	< 3	< 0.02	< 0.05	3.5
487104	106	< 2	< 5	< 0.5	< 50	3.8	< 1	3	592	5	1.28	3	< 1	< 5	< 1	2.90	< 20	205	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5
487105	76	< 2	< 5	< 0.5	160	4.7	< 1	2	631	8	1.29	1	< 1	< 5	< 1	2.70	< 20	270	< 0.1	0.4	< 3	< 0.02	< 0.05	2.1
487106	45	< 2	< 5	1.1	260	4.8	< 1	3	761	10	1.39	2	< 1	< 5	< 1	2.37	< 20	313	0.2	0.5	< 3	< 0.02	< 0.05	< 0.5
487107	8	< 2	< 5	1.2	720	2.7	4	16	657	16	3.86	3	< 1	< 5	< 1	2.99	< 20	158	0.5	12.4	< 3	< 0.02	< 0.05	2.7
487108	760	< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	904	5	3.67	21	< 1	< 5	< 1	1.73	520	56	0.2	1.6	< 3	< 0.02	< 0.05	< 0.5
487109	353	< 2	< 5	< 0.5	< 50	4.3	< 1	4	1130	7	3.50	17	< 1	< 5	< 1	2.01	< 20	89	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5
487110	1390	< 2	< 5	< 0.5	< 50	< 0.5	< 1	7	683	6	5.38	86	< 1	< 5	< 1	2.13	< 20	< 15	< 0.1	2.7	< 3	< 0.02	< 0.05	< 0.5
487111	1680	20	< 5	< 0.5	< 50	< 0.5	< 1	6	923	3	4.56	120	< 1	< 5	< 1	1.63	1200	< 15	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5
487112	79	< 2	< 5	< 0.5	< 50	3.3	< 1	4	543	3	1.09	6	< 1	< 5	< 1	3.01	< 20	111	0.3	0.5	< 3	< 0.02	< 0.05	< 0.5
487113	< 5	< 2	< 5	< 0.5	350	3.1	3	12	433	11	2.59	3	< 1	< 5	< 1	2.78	< 20	98	< 0.1	8.4	< 3	< 0.02	< 0.05	< 0.5
487114	9	< 2	< 5	< 0.5	530	< 0.5	2	14	560	12	2.69	3	< 1	< 5	< 1	2.68	< 20	138	< 0.1	8.4	< 3	< 0.02	< 0.05	< 0.5
487115	518	< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	689	3	2.20	27	< 1	< 5	< 1	2.52	< 20	39	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5
487116	152	< 2	< 5	< 0.5	< 50	3.1	< 1	< 1	493	7	1.41	6	< 1	< 5	< 1	3.01	< 20	123	0.3	0.6	< 3	< 0.02	< 0.05	1.6
487117	25	< 2	< 5	< 0.5	150	2.9	< 1	6	683	11	1.41	1	< 1	< 5	< 1	2.88	< 20	183	< 0.1	2.7	< 3	< 0.02	< 0.05	< 0.5
487118	< 5	< 2	< 5	1.0	410	< 0.5	3	19	618	18	4.47	3	< 1	< 5	< 1	2.58	< 20	124	< 0.1	11.0	< 3	< 0.02	< 0.05	3.9
487119	< 5	3	< 5	< 0.5	570	1.4	3	21	578	10	4.65	3	< 1	< 5	< 1	2.27	< 20	127	0.2	12.2	< 3	< 0.02	0.05	< 0.5
487120	143	< 2	< 5	< 0.5	180	5.7	1	5	624	5	1.80	7	< 1	< 5	< 1	3.41	< 20	104	< 0.1	3.2	< 3	< 0.02	< 0.05	2.0
487121	340	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	448	4	1.81	24	< 1	< 5	< 1	3.59	< 20	80	< 0.1	1.6	< 3	< 0.02	< 0.05	< 0.5
487122	732	< 2	< 5	1.2	< 50	< 0.5	< 1	5	602	5	2.39	25	< 1	< 5	< 1	2.71	< 20	158	< 0.1	2.2	< 3	< 0.02	< 0.05	1.6
487123	41	< 2	< 5	< 0.5	230	2.7	6	81	1880	7	8.09	< 1	< 1	< 5	< 1	0.92	550	143	0.3	25.9	< 3	< 0.02	< 0.05	1.1
487124	< 5	< 2	< 5	< 0.5	450	< 0.5	3	27	523	7	5.13	3	< 1	< 5	< 1	2.53	< 20	109	0.3	16.5	< 3	< 0.02	< 0.05	< 0.5
487125	25	8	< 5	< 0.5	290	4.5	< 1	5	930	4	0.99	2	< 1	< 5	< 1	2.83	< 20	102	0.2	1.8	< 3	< 0.02	< 0.05	6.4
487126	102	< 2	< 5	< 0.5	270	3.3	2	21	469	9	4.47	8	< 1	< 5	< 1	2.77	< 20	98	< 0.1	12.4	< 3	< 0.02	< 0.05	< 0.5
487127	22	< 2	< 5	< 0.5	430	3.8	2	4	689	8	1.32	2	< 1	< 5	< 1	2.31	< 20	231	0.2	1.7	< 3	< 0.02	< 0.05	< 0.5
487128	< 5	< 2	< 5	< 0.5	510	2.9	3	25	484	10	4.99	3	< 1	< 5	< 1	2.81	290	147	0.3	15.7	< 3	< 0.02	< 0.05	< 0.5
487129	10	3	< 5	< 0.5	300	4.0	3	24	458	27	5.34	4	< 1	< 5	< 1	2.73	< 20	252	0.4	15.5	< 3	< 0.02	< 0.05	5.0
487130	468	< 2	< 5	< 0.5	< 50	4.1	< 1	10	599	32	6.09	36	< 1	< 5	< 1	2.23	< 20	232	0.5	6.7	< 3	< 0.02	< 0.05	7.3
487170																								
487171	160	8	< 5	< 0.5	< 50	6.4	< 1	4	393	10	1.48	14	< 1	< 5	< 1	2.11	< 20	215	0.5	1.5	< 3	< 0.02	< 0.05	< 0.5
487172	118	< 2	< 5	< 0.5	140	5.2	< 1	2	387	22	0.99	8	< 1	< 5	< 1	1.93	< 20	370	0.7	0.6	< 3	< 0.02	< 0.05	1.4
487173	84	< 2	< 5	< 0.5	< 50	4.0	< 1	2	419	22	0.95	10	< 1	< 5	< 1	2.11	< 20	301	0.7	1.1	< 3	< 0.02	< 0.05	< 0.5
487174	< 5	< 2	< 5	< 0.5	400	3.5	5	24	274	5	5.02	2	< 1	< 5	< 1	2.81	< 20	56	0.3	16.4	< 3	< 0.02	< 0.05	< 0.5
487175	< 5	2	< 5	< 0.5	< 50	2.6	4	49	343	4	8.49	1	< 1	< 5	< 1	1.66	< 20	47	0.7	31.0	< 3	< 0.02	< 0.05	< 0.5
487176	34	< 2	< 5	2.8	< 50	6.5	< 1	4	376	5	1.12	2	< 1	< 5	< 1	3.03	< 20	208	0.6	4.8	< 3	< 0.02	< 0.05	8.4
487177	< 5	< 2	< 5	1.4	< 50	< 0.5	< 1	4	282	11	3.52	32	< 1	< 5	< 1	1.49	< 20	146	0.6	2.4	< 3	< 0.02	< 0.05	2.6
487178	531	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	310	13	3.74	35	< 1	< 5	< 1	1.61	< 20	148	< 0.1	2.4	< 3	< 0.02	< 0.05	2.1
487179	33	< 2	< 5	1.3	210	2.6	< 1	2	284	11	0.89	5	< 1	< 5	< 1	2.40	< 20	332	0.2	2.6	< 3	< 0.02	< 0.05	< 0.5
487180	44	< 2	< 5	< 0.5	< 50	2.1	< 1	< 1	399	6	0.91	34	< 1	< 5	< 1	3.01	< 20	105	0.2	2.0	< 3	< 0.02	< 0.05	< 0.5
487181	67	< 2	< 5	< 0.5	190	< 0.5	< 1	2	351	17	0.81	19	< 1	< 5	< 1	2.70	< 20	307	0.4	1.9	< 3	< 0.02	< 0.05	1.7
487182	62	< 2	< 5	0.5	< 50	2.5	< 1	3	277	16	1.23	11	< 1	< 5	< 1	2.45	< 20	272	0.3	1.7	< 3	< 0.02	< 0.05	< 0.5
487183	95	< 2	< 5	< 0.5	200	3.2	< 1	5	343	9	1.55	13	< 1	< 5	< 1	2.60	< 20	197	0.2	2.7	< 3	< 0.02	< 0.05	< 0.5
487184	< 5	< 2	< 5	< 0.5	< 50	2.8	5	34	392	2	6.45	1	< 1	< 5	< 1	1.80	< 20	37	< 0.1	27.7	< 3	< 0.02	< 0.05	< 0.5
487185	< 5	< 2	< 5	< 0.5	580	1.1	3	11	237	5	2.67	3	< 1	< 5	< 1	1.85	< 20	99	< 0.1	7.6	< 3	< 0.02	< 0.05	1.0
487186	154	< 2	< 5	< 0.5	< 50	< 0.5	< 1	2	281	12	1.04	6	< 1	< 5	< 1	1.98	< 20	226	< 0.1	1.0	< 3	< 0.02	< 0.05	1.4
487187	224	< 2	< 5	< 0.5	< 50	1.6	< 1	2	230	19	0.66	10	< 1	< 5	< 1	1.48	< 20	422	0.4	0.7	< 3	< 0.02	< 0.05	< 0.5
487188	9	< 2	< 5	< 0.5	220	< 0.5	3	13	209	5	2.42	2	< 1	< 5	< 1	2.49	310	82	< 0.1	8.4	< 3	< 0.02	< 0.05	< 0.5
487189	< 5	< 2	< 5	< 0.5	450	3.5	2	16	237	6	2.95	2	< 1	< 5	< 1	2.05	< 20	164	< 0.1	8.9	< 3	< 0.02	< 0.05	< 0.5
487207	7	< 2	< 5	< 0.5	490	2.7	2	15	398	15	3.09	3	< 1	< 5	13	2.18	< 20	116	< 0.1	11.2	< 3	< 0.02	<	

Activation Laboratories Ltd. Report: A08-2846 rev 1

Analyte Symbol	U	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta
Unit Symbol	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Detection Limit	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5
Analysis Method	PPXRF	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
487209	7	5	< 5	< 0.5	460	< 0.5	2	14	379	21	3.61	3	< 1	< 5	< 1	2.13	< 20	188	0.3	10.2	< 3	< 0.02	< 0.05	< 0.5
487210	119	< 2	< 5	< 0.5	170	2.3	< 1	2	393	12	1.38	7	< 1	< 5	< 1	1.88	< 20	324	0.2	1.6	< 3	< 0.02	< 0.05	3.9
487211	< 5	< 2	< 5	< 0.5	520	8.2	4	11	388	8	2.39	2	< 1	< 5	< 1	1.99	< 20	117	0.3	6.6	< 3	< 0.02	< 0.05	1.9
487212	279	< 2	< 5	< 0.5	< 50	< 0.5	< 1	13	618	15	3.90	16	< 1	< 5	< 1	1.78	< 20	214	< 0.1	8.5	< 3	< 0.02	< 0.05	< 0.5
487213	6	< 2	< 5	< 0.5	150	4.1	8	26	410	2	8.40	2	< 1	< 5	44	0.98	< 20	36	< 0.1	18.1	< 3	< 0.02	< 0.05	< 0.5
487214	48	< 2	< 5	< 0.5	220	4.9	2	16	572	10	3.45	4	< 1	< 5	< 1	2.79	< 20	81	< 0.1	11.5	< 3	< 0.02	< 0.05	2.8
487215	40	< 2	< 5	0.5	240	3.8	< 1	2	530	17	0.68	1	< 1	< 5	< 1	2.21	< 20	341	0.3	1.0	< 3	< 0.02	< 0.05	< 0.5
487216	9	< 2	< 5	< 0.5	< 50	3.4	5	52	385	4	8.76	1	< 1	< 5	< 1	1.82	< 20	< 15	< 0.1	34.4	< 3	< 0.02	< 0.05	< 0.5

Activation Laboratories Ltd. Report: A08-2846 rev 1

Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
487101	7.0	2.2	< 1	170	29.3	56	18	5.4	1.3	< 0.5	2.4	0.34	1.67	2.6	1.028
487102	6.1	2.8	< 1	130	28.7	53	21	5.0	1.3	0.7	2.2	0.35	1.67	2.6	1.026
487103	15.3	43.5	< 1	< 50	8.2	< 3	< 5	< 0.1	< 0.2	< 0.5	1.6	0.28	1.58	42.5	1.005
487104	25.5	103	< 1	< 50	7.3	< 3	< 5	< 0.1	< 0.2	< 0.5	0.6	< 0.05	1.62	105	1.073
487105	17.3	75.7	< 1	< 50	4.1	< 3	< 5	< 0.1	< 0.2	< 0.5	0.5	< 0.05	1.52	74.4	1.012
487106	17.9	41.4	< 1	< 50	2.6	< 3	< 5	< 0.1	< 0.2	< 0.5	1.2	0.23	1.53	39.7	1.065
487107	16.9	14.5	< 1	110	55.2	83	32	5.6	1.4	< 0.5	1.8	0.26	1.58	15.5	1.041
487108	127	626	< 1	< 50	72.8	< 3	< 5	< 0.1	< 0.2	2.5	4.4	< 0.05	1.66	744	0.999
487109	129	338	< 1	100	25.6	< 3	< 5	< 0.1	< 0.2	1.0	3.3	< 0.05	1.59	353	1.071
487110	234	1340	< 1	170	237	325	< 5	< 0.1	< 0.2	< 0.5	13.9	< 0.05	1.74	1310	1.013
487111	302	1670	< 1	210	109	< 3	< 5	< 0.1	< 0.2	2.5	14.7	< 0.05	1.57	1700	1.006
487112	26.1	72.9	3	< 50	5.5	< 3	< 5	< 0.1	< 0.2	< 0.5	1.0	< 0.05	1.63	78.0	1.075
487113	13.6	7.9	< 1	110	40.7	65	21	4.5	1.2	< 0.5	1.3	0.20	1.60	8.6	1.080
487114	13.2	12.7	< 1	< 50	38.2	62	24	4.2	1.3	< 0.5	1.2	0.21	1.55	13.4	1.030
487115	106	461	< 1	100	23.6	< 3	< 5	< 0.1	< 0.2	< 0.5	5.0	< 0.05	1.59	565	1.033
487116	34.6	139	< 1	< 50	16.3	< 3	< 5	< 0.1	< 0.2	< 0.5	1.6	< 0.05	1.71	158	1.055
487117	13.8	19.4	< 1	100	12.8	19	7	1.0	0.5	< 0.5	0.6	0.13	1.60	20.9	1.058
487118	12.1	9.7	< 1	100	31.3	54	20	4.2	1.0	0.6	1.8	0.29	1.55	9.4	1.083
487119	12.6	5.5	1	110	38.8	67	23	5.0	1.4	< 0.5	1.2	0.14	1.60	5.4	1.033
487120	48.1	130	< 1	140	15.1	< 3	< 5	< 0.1	< 0.2	< 0.5	2.0	< 0.05	1.55	144	1.053
487121	82.6	308	< 1	< 50	27.7	< 3	< 5	< 0.1	2.3	< 0.5	5.9	< 0.05	1.62	360	1.071
487122	109	584	< 1	120	31.1	< 3	< 5	< 0.1	< 0.2	< 0.5	4.9	< 0.05	1.54	722	1.077
487123	1.9	33.6	13	240	4.2	< 3	< 5	< 0.1	0.6	< 0.5	1.8	0.31	1.68	31.2	1.039
487124	11.6	4.6	8	160	39.3	69	28	6.1	1.4	< 0.5	1.4	0.25	1.56	4.5	1.081
487125	14.5	21.6	< 1	110	6.2	5	< 5	< 0.1	< 0.2	< 0.5	1.8	0.28	1.56	20.0	1.073
487126	39.8	115	< 1	< 50	37.5	46	< 5	< 0.1	2.3	< 0.5	2.2	< 0.05	1.54	113	1.036
487127	13.8	24.7	< 1	110	10.5	14	< 5	0.8	< 0.2	< 0.5	0.7	< 0.05	1.63	25.0	1.068
487128	11.7	4.1	< 1	180	37.7	70	25	5.9	1.4	< 0.5	1.5	0.22	1.63	3.6	1.092
487129	16.5	13.4	< 1	270	44.4	77	28	5.5	1.3	< 0.5	1.5	0.33	1.51	13.2	1.073
487130	128	418	< 1	240	65.0	< 3	< 5	< 0.1	< 0.2	< 0.5	5.7	< 0.05	1.55	445	1.009
487170															
487171	63.8	180	< 1	60	8.5	< 3	< 5	< 0.1	< 0.2	< 0.5	2.6	< 0.05	1.65	171	1.039
487172	30.6	132	< 1	60	5.7	< 3	< 5	< 0.1	< 0.2	< 0.5	1.7	< 0.05	1.56	130	1.043
487173	31.9	96.5	< 1	< 50	4.8	< 3	< 5	< 0.1	< 0.2	< 0.5	2.3	0.39	1.56	89.5	1.068
487174	6.7	4.1	< 1	140	40.2	59	26	4.7	1.4	< 0.5	1.5	0.23	1.62	3.7	1.036
487175	2.9	4.8	< 1	180	4.4	11	9	2.4	0.8	< 0.5	2.4	0.40	1.65	4.4	1.092
487176	17.2	27.6	< 1	< 50	8.1	9	< 5	1.4	< 0.2	< 0.5	2.6	0.38	1.52	26.1	1.070
487177	222	2.5	< 1	90	28.9	< 3	< 5	< 0.1	< 0.2	1.6	7.7	< 0.05	1.83	2.9	1.084
487178	243	474	< 1	130	31.1	< 3	< 5	< 0.1	< 0.2	< 0.5	9.3	< 0.05	1.70	501	1.068
487179	34.6	32.0	< 1	< 50	11.7	14	< 5	1.0	0.6	< 0.5	1.6	0.32	1.58	30.1	1.052
487180	141	38.0	< 1	< 50	27.3	57	21	6.2	1.5	1.0	6.0	1.18	1.59	35.0	1.085
487181	81.7	72.7	< 1	< 50	22.8	32	< 5	< 0.1	< 0.2	< 0.5	3.2	0.60	1.52	67.0	1.086
487182	70.4	63.2	< 1	< 50	20.8	29	< 5	< 0.1	< 0.2	< 0.5	3.8	0.67	1.62	58.9	1.089
487183	72.4	102	3	< 50	24.2	29	< 5	< 0.1	< 0.2	1.3	4.0	0.75	1.57	97.0	1.042
487184	4.9	2.5	< 1	120	16.9	32	13	3.5	0.9	< 0.5	1.6	0.23	1.86	2.9	1.000
487185	15.7	4.9	< 1	150	43.7	74	26	4.9	1.0	< 0.5	1.4	0.20	1.73	5.5	1.057
487186	39.0	153	< 1	80	13.1	< 3	< 5	< 0.1	< 0.2	< 0.5	3.9	0.69	1.59	166	0.999
487187	73.7	224	< 1	< 50	41.1	< 3	< 5	< 0.1	< 0.2	0.8	3.1	< 0.05	1.56	244	1.087
487188	15.6	15.2	< 1	60	34.2	52	22	4.1	1.1	< 0.5	1.7	0.29	1.73	15.4	1.061
487189	13.7	6.8	< 1	< 50	41.0	68	25	5.0	1.4	< 0.5	1.4	0.20	1.74	6.8	1.073
487207	16.3	5.0	< 1	190	44.2	73	28	5.0	1.2	< 0.5	1.4	0.21	1.50	4.8	1.074
487208	115	249	< 1	70	19.7	< 3	< 5	< 0.1	< 0.2	< 0.5	3.4	< 0.05	1.59	279	1.072

Activation Laboratories Ltd. Report: A08-2846 rev 1

Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
487209	17.3	11.3	< 1	200	49.9	83	33	5.4	1.2	< 0.5	1.3	0.23	1.63	10.3	1.078
487210	66.3	115	2	80	28.5	33	< 5	< 0.1	< 0.2	< 0.5	3.4	0.57	1.50	123	1.077
487211	18.4	6.0	17	90	46.0	77	27	4.9	1.2	< 0.5	1.4	0.20	1.55	5.5	1.010
487212	115	268	< 1	130	26.3	< 3	< 5	< 0.1	1.8	< 0.5	4.2	0.72	1.54	264	1.048
487213	8.9	9.1	4	200	38.6	68	28	5.8	1.8	< 0.5	2.4	0.36	1.79	8.3	1.062
487214	47.0	47.2	< 1	150	58.9	95	30	5.9	0.9	< 0.5	2.7	0.44	1.57	43.9	1.066
487215	10.2	40.1	< 1	< 50	3.8	< 3	< 5	< 0.1	0.4	< 0.5	0.6	< 0.05	1.63	37.2	1.089
487216	0.6	19.3	< 1	200	6.7	12	< 5	2.3	1.0	< 0.5	2.8	0.49	1.68	17.1	1.085

Activation Laboratories Ltd. Report: A08-2846 rev 1

Quality Control																						
Analyte Symbol	U	Au	As	Ba	Co	Cr	Fe	Na	Sb	Sc	Th	U	La	Ce	Nd	Sm	Eu	Yb	Lu	U	Mass	
Unit Symbol	ppm	ppb	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	
Detection Limit	5	2	0.5	50	1	5	0.01	0.01	0.1	0.1	0.2	0.5	0.5	3	5	0.1	0.2	0.2	0.05	0.1		
Analysis Method	PPXRF	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC	
DH-1a Meas	2570										924	2660									2630	
DH-1a Cert	2630										910	2630										2630
DH-1a Meas											943	2640										2630
DH-1a Cert											910	2630										2630
LKSD-1 Meas	7																					
LKSD-1 Cert	9.70																					
STSD-1 Meas	9																					
STSD-1 Cert	8.00																					
LKSD-3 Meas	< 5																					
LKSD-3 Cert	4.60																					
LKSD-2 Meas	5																					
LKSD-2 Cert	7.60																					
SY-2 Meas																						286
SY-2 Cert																						284
SY-2 Meas																						284
SY-2 Cert																						284
UTS-2 Meas	60																					
UTS-2 Cert	56.0																					
UTS-4 Meas	1040																					
UTS-4 Cert	1010																					
BL-4a Meas																						1270
BL-4a Cert																						1250
BL-4a Meas																						1270
BL-4a Cert																						1250
DL-1a Meas	108																					
DL-1a Cert	116																					
BL-2 Meas	4480																					
BL-2 Cert	4530.000																					
DMMAS-105 Meas		351	1630	460	51	108	6.61	2.72	9.5	14.6	8.1	58.2	39.6	57	17	4.6	1.7	2.9	0.56			
DMMAS-105 Cert		276	1693	742	48	97	6.17	2.81	10.6	15.7	7.8	66	37.5	60	10	3.9	1.1	3.0	0.45			
DMMAS-105 Meas		235	1660	720	53	108	6.63	2.70	9.8	14.4	9.3	62.7	44.6	67	23	4.9	1.7	3.4	0.56			
DMMAS-105 Cert		276	1693	742	48	97	6.17	2.81	10.6	15.7	7.8	66	37.5	60	10	3.9	1.1	3.0	0.45			
Method Blank Method																					< 0.1	1.000
Blank																						
Method Blank Method	< 5																					
Blank																						

Quality Analysis ...



Innovative Technologies

Date Submitted: 16-Jun-08
Invoice No.: A08-3256 (i)
Invoice Date: 22-Jul-08
Your Reference: Kenora

Delta Uranium
10th Floor, 56 Temperance Street
Toronto ON M5H 3V5
Canada

ATTN: Colin Bowdidge

CERTIFICATE OF ANALYSIS

1297 Pulp samples were submitted for analysis.

The following analytical packages were requested: Code 1D Enh INAA(INAAGEO)
Code 5D-U-Total DNC

REPORT **A08-3256 (i)**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

For values exceeding the upper limits we recommend assays.

CERTIFIED BY :

A handwritten signature in blue ink, appearing to read "Elitsa Hrischeva". The signature is fluid and cursive, written over a horizontal line.

Elitsa Hrischeva, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL ancaster@actlabsint.com ACTLABS GROUP WEBSITE <http://www.actlabsint.com>

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
290251	< 2	< 5	2.5	< 50	4.8	< 1	39	225	5	6.10	2	< 1	< 5	< 1	2.03	< 20	125	< 0.1	27.2	< 3	< 0.02	< 0.05	5.4	3.2
290252	< 2	< 5	5.0	< 50	3.8	5	55	550	3	8.20	2	< 1	< 5	< 1	2.11	550	90	< 0.1	36.0	< 3	< 0.02	< 0.05	6.1	2.3
290253	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	390	2	0.69	5	< 1	< 5	< 1	3.01	< 20	240	< 0.1	0.9	< 3	< 0.02	< 0.05	5.6	22.7
290254	< 2	< 5	2.2	< 50	2.5	< 1	< 1	265	6	0.66	8	< 1	< 5	< 1	2.87	< 20	270	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	25.0
290255	< 2	< 5	2.0	380	4.1	< 1	< 1	420	7	0.56	15	< 1	< 5	< 1	2.59	< 20	400	< 0.1	0.5	< 3	< 0.02	< 0.05	4.6	35.9
290256	< 2	< 5	< 0.5	360	4.3	< 1	4	425	8	1.33	14	< 1	< 5	< 1	2.61	< 20	280	< 0.1	3.8	< 3	< 0.02	< 0.05	3.0	39.5
290257	< 2	< 5	2.8	500	2.9	5	27	370	3	4.53	2	< 1	< 5	2	2.00	< 20	115	< 0.1	19.3	< 3	< 0.02	< 0.05	< 0.5	5.4
290258	< 2	< 5	2.8	410	4.1	5	32	315	6	4.66	2	< 1	< 5	5	1.85	< 20	< 15	< 0.1	19.9	< 3	< 0.02	< 0.05	< 0.5	5.5
290259	< 2	< 5	3.0	360	< 0.5	< 1	7	465	7	1.95	2	< 1	< 5	< 1	2.55	< 20	290	0.6	5.1	< 3	< 0.02	< 0.05	3.6	10.8
290260	< 2	< 5	< 0.5	< 50	2.8	< 1	8	265	14	1.97	3	< 1	< 5	< 1	2.72	< 20	260	< 0.1	7.3	< 3	< 0.02	< 0.05	< 0.5	9.7
290261	< 2	< 5	< 0.5	650	2.7	7	17	180	7	3.84	4	< 1	< 5	< 1	2.76	< 20	105	< 0.1	14.3	< 3	< 0.02	< 0.05	4.1	11.6
290262	< 2	< 5	< 0.5	450	3.2	4	17	389	7	3.64	2	< 1	< 5	< 1	2.30	< 20	154	< 0.1	15.5	< 3	< 0.02	< 0.05	2.2	5.8
290263	< 2	< 5	< 0.5	580	2.4	< 1	20	254	10	3.67	3	< 1	< 5	< 1	2.19	< 20	192	0.5	15.1	< 3	< 0.02	< 0.05	< 0.5	11.4
290264	< 2	< 5	2.1	720	3.4	3	19	312	5	4.08	4	< 1	< 5	< 1	2.70	< 20	163	0.5	14.1	< 3	< 0.02	< 0.05	< 0.5	18.2
290265	< 2	< 5	< 0.5	580	< 0.5	5	17	250	3	3.84	3	< 1	< 5	< 1	2.70	< 20	101	< 0.1	14.8	< 3	< 0.02	< 0.05	< 0.5	10.1
290266	< 2	7	< 0.5	460	4.4	< 1	14	211	16	3.17	3	< 1	< 5	< 1	2.88	< 20	245	0.4	13.0	< 3	< 0.02	< 0.05	< 0.5	10.0
290267	< 2	< 5	< 0.5	720	< 0.5	3	23	235	10	4.27	4	< 1	< 5	4	2.37	< 20	115	< 0.1	14.9	< 3	< 0.02	< 0.05	< 0.5	11.5
290268	< 2	< 5	< 0.5	1250	3.6	< 1	12	206	12	3.35	6	< 1	< 5	< 1	2.59	< 20	206	0.4	9.2	< 3	< 0.02	0.14	< 0.5	13.9
290269	< 2	< 5	< 0.5	310	2.6	< 1	4	254	9	0.71	< 1	< 1	< 5	< 1	2.50	< 20	288	0.2	1.9	< 3	< 0.02	< 0.05	< 0.5	5.4
290301	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	144	4	0.58	10	< 1	< 5	< 1	2.65	< 20	120	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	38.5
290302	< 2	< 5	< 0.5	150	< 0.5	< 1	< 1	115	5	0.30	4	< 1	< 5	< 1	1.89	< 20	235	0.3	0.9	< 3	< 0.02	< 0.05	< 0.5	20.3
290303	< 2	< 5	< 0.5	320	< 0.5	< 1	< 1	158	3	0.42	5	< 1	< 5	< 1	2.07	< 20	250	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	27.3
290304	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	132	2	0.47	14	< 1	< 5	< 1	2.65	< 20	183	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	71.3
290305	< 2	< 5	1.7	300	< 0.5	< 1	< 1	183	< 1	0.56	3	< 1	< 5	< 1	2.55	< 20	75	0.2	0.9	< 3	< 0.02	< 0.05	< 0.5	51.1
290306	< 2	< 5	2.1	180	< 0.5	< 1	< 1	197	4	0.67	2	< 1	< 5	< 1	1.80	< 20	277	0.3	0.8	< 3	< 0.02	< 0.05	< 0.5	18.7
290307	< 2	< 5	1.7	< 50	< 0.5	< 1	< 1	127	4	1.79	5	< 1	< 5	< 1	2.70	< 20	226	< 0.1	4.1	< 3	< 0.02	< 0.05	4.3	87.5
290308	< 2	< 5	2.0	< 50	< 0.5	3	6	160	6	2.73	9	< 1	< 5	174	1.99	< 20	230	0.7	6.1	< 3	< 0.02	< 0.05	< 0.5	147
290309	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	230	3	1.17	5	< 1	< 5	< 1	2.08	< 20	80	0.2	2.2	< 3	< 0.02	< 0.05	< 0.5	70.7
290310	< 2	< 5	2.7	< 50	< 0.5	< 1	4	165	5	1.63	9	< 1	< 5	< 1	2.24	< 20	66	< 0.1	3.4	< 3	0.11	< 0.05	< 0.5	229
290311	< 2	< 5	< 0.5	< 50	< 0.5	< 1	6	268	4	2.59	9	< 1	< 5	< 1	1.70	660	174	< 0.1	5.4	< 3	< 0.02	< 0.05	< 0.5	249
290312	< 2	< 5	< 0.5	< 50	< 0.5	< 1	8	165	5	3.34	18	< 1	< 5	< 1	2.04	< 20	202	0.3	7.2	< 3	< 0.02	< 0.05	2.5	274
290313	< 2	< 5	< 0.5	< 50	< 0.5	< 1	7	174	4	2.64	8	< 1	< 5	244	1.32	< 20	155	0.3	5.5	< 3	0.08	< 0.05	< 0.5	147
290314	< 2	< 5	1.0	< 50	< 0.5	< 1	3	169	3	0.86	6	< 1	< 5	< 1	2.54	< 20	118	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	55.6
290333	< 2	< 5	1.5	< 50	< 0.5	< 1	< 1	150	4	0.39	6	< 1	< 5	< 1	1.99	< 20	200	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	25.6
290334	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	170	4	1.41	23	< 1	< 5	< 1	3.33	< 20	< 15	< 0.1	2.6	< 3	< 0.02	< 0.05	< 0.5	116
290335	< 2	< 5	1.5	< 50	< 0.5	< 1	< 1	145	6	0.88	4	< 1	< 5	25	2.88	< 20	155	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	36.8
290336	< 2	< 5	1.6	180	< 0.5	< 1	< 1	215	4	0.66	3	< 1	< 5	32	1.97	< 20	140	0.3	1.0	< 3	< 0.02	< 0.05	< 0.5	20.1
290337	< 2	< 5	1.7	750	< 0.5	< 1	8	145	17	3.15	7	< 1	< 5	< 1	2.70	< 20	195	0.5	5.2	< 3	< 0.02	< 0.05	< 0.5	56.7
290386	< 2	< 5	1.3	260	< 0.5	< 1	4	150	6	0.55	1	< 1	< 5	< 1	2.28	< 20	255	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	12.8
290387	< 2	< 5	1.6	170	< 0.5	< 1	3	135	6	0.31	3	< 1	< 5	< 1	2.41	< 20	195	0.4	0.4	< 3	< 0.02	< 0.05	< 0.5	18.1
290388	< 2	< 5	2.7	370	< 0.5	< 1	11	205	6	0.82	6	< 1	< 5	< 1	1.93	< 20	220	0.4	0.7	< 3	< 0.02	< 0.05	< 0.5	69.7
290389	< 2	< 5	2.7	430	< 0.5	< 1	15	185	3	1.22	8	< 1	< 5	< 1	2.39	< 20	235	0.3	0.6	< 3	< 0.02	< 0.05	< 0.5	98.3
290390	< 2	< 5	2.7	500	< 0.5	< 1	< 1	155	3	0.96	10	< 1	< 5	< 1	2.66	< 20	180	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	115
290391	< 2	< 5	1.8	310	1.9	< 1	5	190	3	0.88	2	< 1	< 5	< 1	2.81	< 20	210	0.3	0.5	< 3	< 0.02	< 0.05	< 0.5	45.4
290392	< 2	< 5	< 0.5	240	< 0.5	< 1	5	216	3	1.59	4	< 1	< 5	< 1	2.52	< 20	178	0.3	1.1	< 3	< 0.02	< 0.05	< 0.5	131
290406	< 2	< 5	1.4	< 50	1.0	< 1	20	312	< 1	0.61	16	< 1	< 5	< 1	0.36	< 20	48	0.2	0.5	< 3	< 0.02	< 0.05	< 0.5	67.0
300248	< 2	< 5	10.9	< 50	2.5	< 1	4	461	14	0.77	3	< 1	< 5	< 1	2.20	< 20	398	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	16.9
300249	52	< 5	83.0	< 50	2.0	< 1	< 1	446	6	0.69	< 1	< 1	< 5	< 1	2.18	< 20	394	0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	9.5
300250	< 2	< 5	6.1	240	4.3	6	53	302	7	6.86	1	< 1	< 5	3	1.78	< 20	216	< 0.1	28.6	< 3	< 0.02	< 0.05	< 0.5	3.5
300569	< 2	5	3.6	210	< 0.5	< 1	4	312	3	0.54	< 1	< 1	< 5	< 1	2.22	< 20	125	< 0.1	1.1	< 3				

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	%	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
300572	< 2	< 5	2.6	< 50	< 0.5	2	< 1	307	2	0.67	2	< 1	< 5	< 1	2.20	< 20	139	0.6	1.2	< 3	< 0.02	< 0.05	< 0.5	23.4
300573	< 2	< 5	< 0.5	< 50	1.3	< 1	3	370	4	0.73	< 1	< 1	< 5	< 1	1.62	< 20	211	1.0	2.5	< 3	< 0.02	< 0.05	< 0.5	13.7
300574	< 2	< 5	2.4	130	2.7	< 1	< 1	322	4	0.70	2	< 1	< 5	< 1	2.51	360	154	0.7	1.2	< 3	< 0.02	< 0.05	< 0.5	28.9
300575	< 2	< 5	2.0	170	3.4	< 1	2	298	4	0.49	2	< 1	< 5	< 1	2.08	< 20	187	0.9	1.2	< 3	< 0.02	< 0.05	< 0.5	19.1
300576	< 2	< 5	< 0.5	230	< 0.5	< 1	8	360	3	1.42	3	< 1	< 5	< 1	2.16	< 20	110	1.1	2.8	< 3	< 0.02	< 0.05	< 0.5	15.9
300577	6	< 5	2.5	270	< 0.5	3	9	197	2	2.29	3	2	< 5	< 1	2.02	< 20	86	1.0	6.3	< 3	< 0.02	0.06	< 0.5	8.3
300578	< 2	< 5	2.1	< 50	2.0	2	3	442	4	1.28	2	< 1	< 5	< 1	1.93	< 20	139	1.1	2.8	< 3	< 0.02	< 0.05	< 0.5	9.5
300579	8	< 5	< 0.5	< 50	2.4	< 1	< 1	302	5	0.69	3	< 1	< 5	< 1	2.25	< 20	178	1.0	1.4	< 3	< 0.02	< 0.05	< 0.5	39.3
300580	< 2	< 5	2.7	< 50	< 0.5	2	4	528	4	1.06	1	< 1	< 5	< 1	2.02	< 20	178	1.0	1.2	< 3	< 0.02	< 0.05	< 0.5	26.8
300581	< 2	< 5	2.5	< 50	< 0.5	< 1	3	350	3	0.61	2	< 1	< 5	< 1	1.83	< 20	197	1.1	1.2	< 3	< 0.02	< 0.05	< 0.5	27.4
300582	< 2	< 5	2.0	190	3.4	< 1	4	360	3	0.53	< 1	< 1	< 5	< 1	1.43	< 20	221	1.0	1.2	< 3	< 0.02	< 0.05	< 0.5	7.7
300583	< 2	< 5	1.6	< 50	3.4	< 1	3	293	3	0.67	< 1	< 1	< 5	< 1	1.61	< 20	130	1.0	2.2	< 3	< 0.02	< 0.05	< 0.5	7.6
300584	< 2	< 5	2.5	270	3.3	< 1	2	370	4	0.63	< 1	< 1	< 5	< 1	1.68	< 20	230	1.0	1.6	< 3	< 0.02	< 0.05	< 0.5	10.6
300585	4	< 5	4.2	460	< 0.5	< 1	2	274	5	0.90	4	< 1	< 5	< 1	1.66	< 20	274	0.8	2.9	< 3	< 0.02	< 0.05	< 0.5	47.8
300586	< 2	< 5	2.7	340	< 0.5	< 1	3	356	4	2.48	4	< 1	< 5	< 1	1.55	< 20	251	0.8	2.4	< 3	< 0.02	< 0.05	< 0.5	53.5
300587	< 2	< 5	3.0	< 50	< 0.5	< 1	< 1	330	3	0.63	2	< 1	< 5	< 1	2.05	< 20	150	1.0	0.9	< 3	< 0.02	< 0.05	< 0.5	20.7
300588	< 2	< 5	4.0	< 50	< 0.5	< 1	< 1	418	4	0.86	3	< 1	< 5	3	1.87	< 20	145	1.0	1.4	< 3	< 0.02	< 0.05	< 0.5	29.7
300589	< 2	< 5	2.7	180	< 0.5	< 1	3	326	3	0.59	< 1	< 1	< 5	< 1	1.53	< 20	176	1.0	0.6	< 3	< 0.02	< 0.05	< 0.5	12.0
300590	< 2	< 5	3.3	260	< 0.5	< 1	4	484	3	0.89	< 1	< 1	< 5	3	1.90	< 20	167	1.0	1.7	< 3	< 0.02	< 0.05	< 0.5	10.0
300591	< 2	< 5	3.4	< 50	< 0.5	3	5	229	< 1	1.05	4	< 1	< 5	< 1	2.67	< 20	79	0.9	2.1	< 3	< 0.02	< 0.05	< 0.5	21.5
300592	< 2	< 5	3.8	140	< 0.5	< 1	4	440	4	1.60	4	< 1	< 5	4	2.42	< 20	141	0.9	3.8	< 3	< 0.02	< 0.05	< 0.5	26.1
300593	< 2	< 5	2.3	230	< 0.5	< 1	< 1	312	4	0.87	3	< 1	< 5	< 1	2.28	< 20	180	0.6	1.5	< 3	< 0.02	< 0.05	< 0.5	42.4
300594	< 2	5	2.5	220	< 0.5	2	4	356	3	0.59	< 1	< 1	< 5	4	2.11	< 20	110	0.3	1.2	< 3	< 0.02	< 0.05	< 0.5	13.0
300595	< 2	< 5	3.5	< 50	< 0.5	< 1	2	304	3	0.48	< 1	< 1	< 5	< 1	1.50	< 20	194	1.2	0.8	< 3	< 0.02	< 0.05	< 0.5	8.2
300596	< 2	< 5	3.7	< 50	< 0.5	< 1	4	392	4	0.89	1	< 1	< 5	< 1	2.11	< 20	167	2.1	1.5	< 3	< 0.02	< 0.05	< 0.5	35.4
300597	< 2	< 5	2.8	130	< 0.5	1	2	258	2	0.57	< 1	< 1	< 5	< 1	2.01	< 20	138	1.4	1.2	< 3	< 0.02	0.07	< 0.5	18.3
300598	< 2	< 5	2.4	290	< 0.5	< 1	< 1	327	2	1.26	3	< 1	< 5	< 1	2.27	< 20	60	1.2	1.7	< 3	< 0.02	< 0.05	< 0.5	11.6
300599	< 2	< 5	1.8	380	< 0.5	2	5	281	3	1.29	3	< 1	< 5	3	2.45	< 20	60	1.0	2.9	< 3	< 0.02	0.06	< 0.5	18.8
300600																								
300601	< 2	< 5	2.7	200	< 0.5	< 1	2	331	28	0.82	3	< 1	< 5	< 1	2.84	< 20	101	1.9	1.5	< 3	< 0.02	< 0.05	< 0.5	41.6
300602	< 2	< 5	3.7	< 50	< 0.5	< 1	2	327	12	0.73	2	< 1	< 5	< 1	2.04	< 20	184	1.8	1.8	< 3	< 0.02	< 0.05	< 0.5	22.9
300603	< 2	< 5	3.5	< 50	< 0.5	2	5	331	4	0.79	2	< 1	< 5	< 1	2.33	< 20	143	1.6	1.4	< 3	< 0.02	< 0.05	< 0.5	13.1
300604	< 2	< 5	3.3	< 50	< 0.5	< 1	2	506	7	0.96	< 1	< 1	< 5	< 1	1.50	< 20	147	1.8	3.1	< 3	< 0.02	< 0.05	3.3	4.1
300605	< 2	< 5	3.5	230	< 0.5	< 1	< 1	377	3	0.68	2	< 1	< 5	< 1	1.97	< 20	124	0.8	1.1	< 3	< 0.02	< 0.05	< 0.5	16.9
300606	< 2	< 5	3.2	< 50	< 0.5	< 1	3	363	4	0.61	3	< 1	< 5	< 1	2.31	< 20	106	0.6	1.3	< 3	< 0.02	< 0.05	< 0.5	30.6
300607	10	< 5	3.0	270	< 0.5	< 1	2	409	2	0.60	1	< 1	< 5	< 1	2.11	< 20	124	1.5	1.0	< 3	< 0.02	< 0.05	< 0.5	8.7
300608	< 2	< 5	3.1	< 50	< 0.5	< 1	3	421	3	0.75	1	< 1	< 5	< 1	2.08	< 20	191	0.8	1.2	< 3	< 0.02	< 0.05	< 0.5	19.0
300609	< 2	< 5	2.9	< 50	< 0.5	< 1	3	588	3	0.69	1	< 1	< 5	< 1	1.75	< 20	142	0.3	1.1	< 3	< 0.02	< 0.05	< 0.5	15.6
300610	< 2	< 5	< 0.5	390	< 0.5	< 1	6	397	3	2.07	2	< 1	< 5	< 1	2.49	< 20	78	< 0.1	4.2	< 3	< 0.02	< 0.05	< 0.5	6.7
300611	< 2	< 5	< 0.5	330	< 0.5	3	8	377	3	2.37	3	< 1	< 5	< 1	2.06	< 20	88	0.5	6.3	< 3	< 0.02	< 0.05	< 0.5	7.5
300701	< 2	< 5	2.3	< 50	< 0.5	< 1	2	436	3	0.86	3	< 1	< 5	6	2.44	< 20	191	0.3	2.5	< 3	< 0.02	< 0.05	< 0.5	21.3
300702	< 2	< 5	< 0.5	440	< 0.5	< 1	4	485	6	2.12	5	< 1	< 5	28	2.42	< 20	181	0.3	5.3	< 3	< 0.02	< 0.05	< 0.5	43.5
300703	< 2	< 5	< 0.5	220	< 0.5	< 1	< 1	539	2	0.79	1	< 1	< 5	< 1	2.54	< 20	132	0.5	1.3	< 3	< 0.02	< 0.05	< 0.5	19.4
300704	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	407	3	0.82	2	< 1	< 5	< 1	2.38	< 20	98	0.5	0.8	< 3	< 0.02	< 0.05	< 0.5	99.4
300705	< 2	< 5	< 0.5	330	< 0.5	< 1	< 1	588	3	0.98	2	< 1	< 5	< 1	2.60	< 20	108	3.3	0.5	< 3	< 0.02	< 0.05	< 0.5	45.1
300706	9	< 5	< 0.5	< 50	< 0.5	< 1	3	382	6	1.43	4	< 1	< 5	< 1	2.68	< 20	147	0.7	1.5	< 3	< 0.02	< 0.05	< 0.5	27.6
300708	< 2	< 5	< 0.5	270	< 0.5	< 1	< 1	588	< 1	0.92	2	< 1	< 5	< 1	2.72	< 20	69	0.5	0.2	< 3	< 0.02	< 0.05	< 0.5	42.9
300709	< 2	< 5	< 0.5	210	< 0.5	< 1	< 1	371	6	0.44	1	< 1	< 5	20	1.36	< 20	301	0.2	0.3	< 3	< 0.02	< 0.05	< 0.5	12.2
300710	< 2	< 5	1.0	550	< 0.5	< 1	< 1	553	6	1.15	4	< 1	< 5	67	1.48	< 20	252	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	65.4
300711	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	399	4	0.71	2	< 1	< 5	14	2.41	< 20	98	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	12.9
300712	< 2	< 5	2.2	260	< 0.5	< 1	2	567	4	0.90	3	< 1	< 5	15	2.43									

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
300714	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	700	3	0.90	< 1	< 1	< 5	< 1	2.24	< 20	147	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	5.7
300715	< 2	< 5	< 0.5	270	< 0.5	< 1	3	392	2	0.71	8	< 1	< 5	27	2.46	< 20	119	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	59.3
300716	< 2	< 5	< 0.5	200	< 0.5	< 1	< 1	700	3	1.04	3	< 1	< 5	< 1	2.11	< 20	168	2.0	1.5	< 3	< 0.02	< 0.05	< 0.5	50.9
300717	< 2	< 5	< 0.5	220	< 0.5	< 1	2	455	2	0.78	3	< 1	< 5	9	2.93	< 20	140	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	25.1
300718	< 2	< 5	1.6	310	< 0.5	< 1	< 1	434	5	1.43	6	< 1	< 5	16	1.94	< 20	280	0.2	1.0	< 3	< 0.02	< 0.05	2.6	57.8
300719	< 2	< 5	< 0.5	240	< 0.5	< 1	< 1	483	5	0.60	1	< 1	< 5	< 1	1.74	< 20	287	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	16.7
300720	< 2	< 5	0.7	< 50	< 0.5	< 1	< 1	550	7	0.66	2	< 1	< 5	< 1	1.58	< 20	192	0.4	0.7	< 3	< 0.02	< 0.05	< 0.5	54.8
300721	< 2	< 5	1.5	< 50	< 0.5	< 1	3	356	5	0.71	1	< 1	< 5	< 1	1.39	< 20	270	0.2	0.3	< 3	< 0.02	< 0.05	< 0.5	18.0
300722	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	420	3	1.20	4	< 1	< 5	< 1	2.51	< 20	146	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	29.0
300723	< 2	< 5	2.1	280	< 0.5	< 1	3	285	2	1.00	1	< 1	< 5	< 1	1.70	< 20	217	0.2	1.2	< 3	< 0.02	< 0.05	< 0.5	18.7
300724	< 2	< 5	< 0.5	160	< 0.5	< 1	< 1	411	3	0.66	< 1	< 1	< 5	4	1.68	< 20	218	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	8.0
300725	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	341	3	0.63	2	< 1	< 5	< 1	2.20	< 20	158	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	38.5
300726	< 2	< 5	< 0.5	220	< 0.5	< 1	1	458	3	0.67	1	< 1	< 5	< 1	1.87	< 20	181	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	20.8
300727	< 2	< 5	< 0.5	190	< 0.5	< 1	< 1	303	4	0.60	3	< 1	< 5	< 1	1.81	< 20	144	0.2	0.7	< 3	< 0.02	< 0.05	< 0.5	22.0
300728	< 2	< 5	< 0.5	500	< 0.5	< 1	3	598	5	1.16	14	< 1	< 5	< 1	2.43	< 20	< 15	< 0.1	1.7	< 3	< 0.02	< 0.05	< 0.5	68.5
300729	< 2	< 5	< 0.5	180	< 0.5	< 1	2	256	6	0.59	2	< 1	< 5	< 1	1.81	< 20	207	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	22.4
300730	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	518	4	0.73	2	< 1	< 5	< 1	2.53	< 20	96	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	32.5
300731	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	340	5	0.57	< 1	< 1	< 5	< 1	2.49	< 20	122	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	10.2
300732	< 2	< 5	1.5	< 50	< 0.5	< 1	3	568	4	0.72	2	< 1	< 5	< 1	2.16	< 20	228	0.3	1.4	< 3	< 0.02	< 0.05	< 0.5	28.1
300733	< 2	7	< 0.5	< 50	< 0.5	< 1	< 1	336	8	0.64	5	< 1	< 5	< 1	2.16	< 20	255	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	23.5
300734	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	453	7	0.55	10	< 1	< 5	< 1	2.41	< 20	181	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	90.4
300735	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	342	3	0.67	1	< 1	< 5	< 1	2.37	< 20	175	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	19.9
300736	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	414	2	0.66	2	< 1	< 5	< 1	2.09	< 20	239	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	22.6
300737	< 2	< 5	< 0.5	250	< 0.5	< 1	2	275	6	0.74	4	< 1	< 5	< 1	1.91	320	148	< 0.1	2.5	< 3	< 0.02	< 0.05	< 0.5	39.9
300738	< 2	< 5	< 0.5	250	< 0.5	< 1	< 1	419	6	0.88	6	< 1	< 5	< 1	1.64	< 20	171	< 0.1	2.5	< 3	< 0.02	< 0.05	< 0.5	34.9
300739	< 2	< 5	< 0.5	340	< 0.5	< 1	5	222	9	1.41	16	< 1	< 5	< 1	1.74	< 20	305	< 0.1	5.4	< 3	0.11	< 0.05	3.0	71.5
300740	< 2	< 5	< 0.5	210	< 0.5	< 1	< 1	358	4	0.80	4	< 1	< 5	< 1	1.92	< 20	211	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	36.2
300741	< 2	< 5	< 0.5	250	< 0.5	< 1	< 1	260	2	0.96	6	< 1	< 5	< 1	2.07	< 20	109	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	136
300742	< 2	< 5	< 0.5	< 50	< 0.5	3	4	505	2	3.12	4	< 1	< 5	< 1	3.00	< 20	112	0.4	2.2	< 3	< 0.02	< 0.05	< 0.5	43.5
300743	< 2	< 5	< 0.5	890	< 0.5	< 1	< 1	358	3	0.80	4	< 1	< 5	< 1	2.72	< 20	115	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	11.4
300744	< 2	< 5	< 0.5	190	< 0.5	< 1	2	528	4	1.08	4	< 1	< 5	< 1	2.48	< 20	122	< 0.1	2.7	< 3	< 0.02	< 0.05	< 0.5	22.7
300745	< 2	< 5	< 0.5	240	< 0.5	< 1	< 1	360	4	0.67	7	< 1	< 5	< 1	1.81	< 20	206	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5	23.8
300746	< 2	< 5	1.9	< 50	< 0.5	3	5	427	4	4.62	4	< 1	< 5	< 1	2.77	< 20	95	0.6	7.6	< 3	< 0.02	< 0.05	< 0.5	8.2
300747	< 2	< 5	< 0.5	260	< 0.5	< 1	< 1	397	3	0.90	10	< 1	< 5	< 1	2.40	< 20	108	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	27.6
300748	< 2	< 5	< 0.5	160	< 0.5	< 1	< 1	584	4	0.95	4	< 1	< 5	< 1	2.15	< 20	127	0.4	0.9	< 3	< 0.02	< 0.05	< 0.5	20.7
300749	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	391	2	0.75	4	< 1	< 5	< 1	2.32	< 20	< 15	0.4	0.8	< 3	< 0.02	< 0.05	< 0.5	67.2
300750	< 2	< 5	< 0.5	270	< 0.5	2	2	522	3	1.12	4	< 1	< 5	< 1	2.16	< 20	127	0.6	1.1	< 3	< 0.02	< 0.05	1.8	27.1
300751	< 2	< 5	< 0.5	< 50	< 0.5	2	< 1	357	7	0.66	4	< 1	< 5	< 1	2.16	< 20	259	1.1	1.0	< 3	< 0.02	< 0.05	< 0.5	39.0
300752	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	444	12	0.64	1	< 1	< 5	< 1	1.47	< 20	420	0.6	0.4	< 3	< 0.02	< 0.05	< 0.5	19.4
300753	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	382	9	0.58	5	< 1	< 5	< 1	1.96	< 20	235	0.3	1.2	< 3	< 0.02	< 0.05	< 0.5	26.0
300754	< 2	< 5	< 0.5	180	2.6	< 1	3	463	4	0.76	9	< 1	< 5	14	1.71	< 20	33	0.2	1.1	< 3	< 0.02	< 0.05	< 0.5	54.2
300755	7	< 5	< 0.5	130	< 0.5	< 1	2	423	9	0.83	5	< 1	< 5	< 1	1.88	< 20	211	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	39.2
300756	< 2	< 5	< 0.5	310	< 0.5	1	< 1	596	8	1.24	19	< 1	< 5	131	0.94	< 20	180	0.2	2.2	< 3	0.09	< 0.05	< 0.5	498
300757	< 2	< 5	< 0.5	230	< 0.5	< 1	2	537	4	1.10	18	< 1	< 5	< 1	1.22	< 20	153	0.2	1.5	< 3	< 0.02	< 0.05	< 0.5	622
300758	< 2	< 5	< 0.5	250	< 0.5	< 1	5	479	9	3.69	1	< 1	< 5	219	0.59	< 20	331	< 0.1	7.8	< 3	< 0.02	< 0.05	2.6	104
300759	< 2	< 5	< 0.5	300	< 0.5	< 1	1	310	15	1.17	13	< 1	< 5	40	1.27	< 20	556	0.8	2.6	12	< 0.02	< 0.05	4.1	98.8
300760	< 2	< 5	1.6	420	< 0.5	< 1	4	477	8	1.34	13	< 1	< 5	< 1	0.95	< 20	269	0.3	3.4	< 3	< 0.02	< 0.05	2.5	310
300761	< 2	< 5	< 0.5	200	< 0.5	< 1	2	330	12	1.37	4	< 1	< 5	146	1.81	< 20	374	< 0.1	3.7	< 3	0.11	< 0.05	2.6	158
300762	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	602	5	0.60	4	< 1	< 5	< 1	3.84	< 20	< 15	0.3	0.7	< 3	< 0.02	< 0.05	3.7	62.0
300763	< 2	< 5	< 0.5	570	< 0.																			

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
300766	< 2	< 5	< 0.5	< 50	< 0.5	< 1	1	306	15	0.63	7	< 1	< 5	< 1	2.30	< 20	221	0.2	1.5	< 3	< 0.02	< 0.05	1.8	56.2
300767	< 2	< 5	< 0.5	< 50	< 0.5	< 1	2	400	13	2.04	40	< 1	< 5	< 1	2.76	< 20	200	< 0.1	2.8	< 3	0.08	0.07	6.0	180
300768	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	259	4	0.81	11	< 1	< 5	< 1	3.39	< 20	80	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	132
300769	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	94	7	0.20	5	< 1	< 5	< 1	2.90	< 20	121	0.2	0.5	< 3	< 0.02	< 0.05	< 0.5	44.3
300770	< 2	< 5	< 0.5	150	< 0.5	< 1	< 1	262	13	0.52	9	< 1	< 5	< 1	2.16	< 20	256	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	67.9
300771	13	< 5	< 0.5	5680	< 0.5	5	< 1	562	3	1.31	5	< 1	< 5	< 1	2.40	< 20	118	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	82.8
300772	< 2	< 5	3.2	410	< 0.5	< 1	< 1	298	10	1.97	5	< 1	< 5	< 1	2.05	< 20	185	< 0.1	5.8	< 3	< 0.02	< 0.05	< 0.5	243
300773	< 2	< 5	< 0.5	320	< 0.5	< 1	2	426	3	0.70	5	< 1	< 5	< 1	1.53	< 20	82	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	161
300774	< 2	< 5	< 0.5	200	< 0.5	< 1	< 1	197	20	0.26	< 1	< 1	< 5	< 1	1.15	< 20	296	0.4	1.2	< 3	< 0.02	< 0.05	2.4	11.3
300775	< 2	< 5	1.5	170	< 0.5	< 1	6	331	4	5.17	29	< 1	< 5	< 1	2.69	< 20	124	3.9	3.4	< 3	< 0.02	< 0.05	< 0.5	75.7
300776	< 2	< 5	1.0	480	< 0.5	< 1	4	504	4	1.75	7	< 1	< 5	< 1	1.64	< 20	134	4.0	2.7	< 3	< 0.02	< 0.05	< 0.5	71.7
300777	< 2	< 5	2.0	400	< 0.5	< 1	3	643	< 1	1.14	3	< 1	< 5	< 1	2.39	< 20	88	4.1	0.9	< 3	< 0.02	< 0.05	< 0.5	87.7
300778	< 2	< 5	2.7	270	< 0.5	3	1	261	< 1	0.55	2	< 1	< 5	< 1	1.88	< 20	75	3.7	1.0	< 3	< 0.02	< 0.05	< 0.5	32.3
300779	< 2	< 5	3.3	< 50	< 0.5	< 1	< 1	484	< 1	1.91	6	< 1	< 5	< 1	2.39	< 20	48	4.2	4.3	< 3	< 0.02	< 0.05	< 0.5	22.7
300780	< 2	< 5	2.5	270	< 0.5	< 1	< 1	216	4	0.62	3	< 1	< 5	51	1.54	< 20	124	3.8	1.8	< 3	< 0.02	< 0.05	< 0.5	44.0
300781	< 2	< 5	2.2	330	< 0.5	< 1	< 1	498	1	0.60	4	< 1	< 5	< 1	1.43	< 20	102	3.8	0.7	< 3	< 0.02	< 0.05	< 0.5	39.9
300782	< 2	< 5	3.1	440	< 0.5	< 1	< 1	417	< 1	1.40	4	< 1	< 5	< 1	1.83	510	127	4.2	2.9	< 3	< 0.02	< 0.05	< 0.5	17.6
300783	< 2	< 5	2.5	560	< 0.5	< 1	4	358	4	1.02	4	< 1	< 5	< 1	2.16	< 20	123	3.9	2.0	< 3	< 0.02	< 0.05	< 0.5	15.2
300784	< 2	< 5	4.7	360	7.8	< 1	< 1	292	16	0.56	5	< 1	< 5	< 1	1.60	< 20	261	3.9	2.4	< 3	< 0.02	< 0.05	3.1	58.7
300785	< 2	< 5	4.1	< 50	0.8	< 1	< 1	438	10	0.88	4	< 1	< 5	< 1	1.88	430	303	3.6	3.6	< 3	< 0.02	< 0.05	< 0.5	25.6
300786	< 2	< 5	2.8	< 50	1.5	2	< 1	434	6	0.98	5	< 1	< 5	< 1	1.89	< 20	341	3.4	4.3	< 3	< 0.02	< 0.05	< 0.5	37.1
300787	< 2	< 5	3.2	< 50	1.6	< 1	< 1	452	9	1.32	6	< 1	< 5	< 1	1.56	< 20	391	3.2	5.9	< 3	< 0.02	< 0.05	< 0.5	42.9
300788	< 2	7	2.4	220	1.6	< 1	< 1	380	11	0.82	5	< 1	< 5	< 1	1.37	< 20	486	3.0	4.4	< 3	< 0.02	< 0.05	1.5	38.0
300789	< 2	< 5	4.9	< 50	3.3	< 1	< 1	366	10	1.32	33	< 1	< 5	< 1	1.83	< 20	465	4.4	6.5	< 3	< 0.02	< 0.05	3.1	97.4
300790	< 2	< 5	4.2	350	2.3	< 1	< 1	327	7	0.81	20	< 1	< 5	< 1	2.16	< 20	355	3.4	4.2	< 3	< 0.02	< 0.05	3.0	74.4
300791	< 2	< 5	4.9	< 50	< 0.5	< 1	< 1	436	7	1.14	6	< 1	< 5	< 1	1.97	< 20	332	2.7	4.8	< 3	0.11	< 0.05	< 0.5	47.8
300792	< 2	< 5	7.1	250	< 0.5	< 1	< 1	329	11	0.84	4	< 1	< 5	< 1	2.03	< 20	374	9.9	3.9	< 3	< 0.02	< 0.05	< 0.5	35.8
300793	< 2	< 5	4.0	< 50	1.1	< 1	2	403	13	0.82	3	< 1	< 5	< 1	2.03	< 20	323	0.4	3.4	< 3	< 0.02	< 0.05	< 0.5	24.7
300794	< 2	< 5	6.7	230	2.1	< 1	3	246	20	1.65	4	< 1	< 5	< 1	1.27	< 20	636	0.3	8.0	< 3	0.08	< 0.05	4.2	90.5
300795	< 2	< 5	3.2	< 50	< 0.5	< 1	5	464	8	1.12	6	< 1	< 5	< 1	1.56	< 20	391	< 0.1	4.2	< 3	< 0.02	< 0.05	< 0.5	46.6
300796	< 2	< 5	2.0	110	2.4	< 1	< 1	344	6	1.30	5	< 1	< 5	< 1	2.26	< 20	273	0.3	6.5	< 3	< 0.02	< 0.05	< 0.5	57.8
300797	< 2	< 5	2.7	340	1.6	< 1	2	340	9	1.23	9	< 1	< 5	< 1	2.67	< 20	233	< 0.1	6.0	< 3	< 0.02	< 0.05	< 0.5	45.9
300798	< 2	< 5	1.0	570	< 0.5	< 1	< 1	660	6	0.98	10	< 1	< 5	< 1	2.33	590	268	0.3	3.3	< 3	< 0.02	< 0.05	< 0.5	112
300799	< 2	< 5	1.8	< 50	< 0.5	< 1	< 1	398	5	0.97	3	< 1	< 5	< 1	2.38	< 20	264	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	28.6
300800	< 2	< 5	1.7	< 50	< 0.5	< 1	< 1	448	6	0.87	7	< 1	< 5	< 1	2.12	< 20	220	< 0.1	3.2	< 3	< 0.02	< 0.05	< 0.5	28.9
300801	< 2	< 5	< 0.5	210	< 0.5	< 1	< 1	419	3	0.71	1	< 1	< 5	< 1	2.04	< 20	78	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	12.2
300802	< 2	< 5	< 0.5	250	< 0.5	< 1	3	427	4	0.95	5	< 1	< 5	< 1	1.91	< 20	114	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	467
300803	< 2	< 5	0.8	300	< 0.5	< 1	1	335	2	1.06	5	< 1	< 5	< 1	1.46	< 20	172	0.2	0.6	< 3	< 0.02	< 0.05	< 0.5	56.9
300804	< 2	< 5	< 0.5	390	< 0.5	< 1	4	409	6	0.90	1	< 1	< 5	< 1	1.95	280	154	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	45.3
300805	< 2	< 5	< 0.5	570	< 0.5	< 1	3	267	4	0.85	3	< 1	< 5	5	1.40	< 20	160	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	31.4
300806	< 2	< 5	< 0.5	390	< 0.5	< 1	6	430	8	2.59	11	< 1	< 5	< 1	1.92	< 20	174	< 0.1	6.6	< 3	< 0.02	< 0.05	< 0.5	210
300807	4	< 5	1.0	450	< 0.5	< 1	< 1	402	1	0.43	2	< 1	< 5	< 1	1.79	< 20	121	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	69.5
300808	< 2	< 5	< 0.5	280	< 0.5	< 1	3	601	4	1.18	2	< 1	< 5	< 1	2.18	< 20	75	< 0.1	2.4	< 3	< 0.02	< 0.05	< 0.5	180
300809	< 2	< 5	< 0.5	390	< 0.5	< 1	3	554	4	0.43	6	< 1	< 5	< 1	1.04	< 20	71	0.2	0.4	< 3	0.04	< 0.05	< 0.5	85.7
300810	< 2	< 5	1.9	< 50	< 0.5	< 1	4	296	4	0.81	2	< 1	< 5	< 1	2.18	< 20	247	< 0.1	2.8	< 3	0.02	< 0.05	< 0.5	37.3
300811	< 2	< 5	1.8	< 50	< 0.5	< 1	2	161	4	0.95	3	< 1	< 5	< 1	2.00	< 20	276	0.3	3.5	< 3	< 0.02	< 0.05	< 0.5	44.5
300812	< 2	< 5	3.9	270	< 0.5	< 1	4	260	8	1.06	4	< 1	< 5	< 1	2.13	< 20	338	0.4	3.7	< 3	< 0.02	< 0.05	< 0.5	48.9
300813	< 2	< 5	2.6	< 50	< 0.5	< 1	4	189	7	0.93	3	< 1	< 5	< 1	2.15	< 20	291	< 0.1	3.6	< 3	< 0.02	< 0.05	< 0.5	46.3
300814	< 2	< 5	3.9	90	< 0.5	< 1	1	291	12	1.07	3	< 1	< 5	< 1	2.07	< 20	298	< 0.1	3.8	< 3	< 0.02	< 0.05	< 0.5	45.1
300815	< 2	< 5	3.7	190	< 0.5	< 1	4	188	14	1.12	4	< 1	< 5	< 1	2.06	< 20	336	0.4	3.7	&				

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
300818	< 2	< 5	3.1	140	< 0.5	< 1	< 1	287	5	1.02	3	< 1	< 5	< 1	2.04	260	291	0.2	3.9	< 3	< 0.02	< 0.05	2.0	43.9
300819	< 2	< 5	1.3	< 50	< 0.5	< 1	< 1	196	6	0.96	4	< 1	< 5	< 1	2.17	< 20	325	< 0.1	4.2	< 3	< 0.02	< 0.05	< 0.5	45.8
300820	< 2	< 5	2.8	< 50	5.9	< 1	2	331	7	0.95	3	< 1	< 5	< 1	2.10	< 20	263	< 0.1	3.1	< 3	< 0.02	< 0.05	< 0.5	38.1
300821	< 2	< 5	3.1	< 50	< 0.5	< 1	< 1	235	4	0.88	2	< 1	< 5	< 1	2.14	< 20	300	< 0.1	3.1	< 3	< 0.02	< 0.05	< 0.5	36.3
300822	< 2	< 5	4.3	< 50	1.3	< 1	4	298	8	1.04	3	< 1	< 5	< 1	2.02	< 20	292	0.4	3.7	< 3	< 0.02	< 0.05	< 0.5	45.3
300823	< 2	< 5	2.7	220	< 0.5	< 1	3	220	5	1.12	4	< 1	< 5	< 1	2.07	< 20	296	< 0.1	4.0	< 3	< 0.02	< 0.05	< 0.5	56.4
300824	< 2	< 5	4.9	< 50	< 0.5	< 1	2	330	14	1.09	3	< 1	< 5	< 1	1.97	< 20	317	0.4	3.3	< 3	< 0.02	< 0.05	< 0.5	38.3
300825	< 2	< 5	3.7	< 50	< 0.5	< 1	< 1	218	5	0.98	3	< 1	< 5	< 1	1.99	< 20	300	< 0.1	4.0	< 3	< 0.02	< 0.05	< 0.5	47.0
300826	< 2	< 5	1.7	360	< 0.5	< 1	4	305	6	1.33	4	< 1	< 5	< 1	1.73	< 20	251	0.1	3.3	< 3	< 0.02	< 0.05	< 0.5	63.9
300827	< 2	< 5	< 0.5	350	< 0.5	< 1	3	237	4	1.32	4	< 1	< 5	< 1	1.81	< 20	268	< 0.1	3.0	< 3	< 0.02	< 0.05	< 0.5	60.8
300828	< 2	< 5	1.2	420	< 0.5	< 1	< 1	336	5	1.30	4	< 1	< 5	< 1	1.81	< 20	279	< 0.1	4.6	< 3	< 0.02	< 0.05	< 0.5	73.7
300829	< 2	< 5	1.5	500	< 0.5	< 1	< 1	312	5	1.01	4	< 1	< 5	< 1	1.76	< 20	212	< 0.1	2.0	< 3	< 0.02	< 0.05	< 0.5	60.6
300830	< 2	< 5	< 0.5	430	4.1	< 1	< 1	158	2	0.83	3	< 1	< 5	< 1	1.56	< 20	214	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	42.5
300831	< 2	< 5	< 0.5	560	6.6	< 1	< 1	138	2	1.17	6	< 1	< 5	< 1	1.83	< 20	163	< 0.1	1.9	< 3	< 0.02	< 0.05	< 0.5	78.0
300832	< 2	< 5	2.2	< 50	< 0.5	< 1	4	214	4	1.00	5	< 1	< 5	< 1	1.65	< 20	265	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	58.2
300833	9	< 5	1.6	390	1.8	< 1	< 1	148	3	0.97	5	< 1	< 5	< 1	1.71	< 20	189	< 0.1	2.8	< 3	< 0.02	< 0.05	< 0.5	51.0
300834	< 2	< 5	< 0.5	470	7.4	< 1	< 1	199	7	0.45	4	< 1	< 5	< 1	1.90	270	219	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	74.6
300835	< 2	< 5	2.4	290	< 0.5	< 1	< 1	158	4	0.97	5	< 1	< 5	< 1	1.72	< 20	296	0.5	3.1	< 3	< 0.02	< 0.05	2.6	52.1
300836	< 2	< 5	2.8	450	< 0.5	< 1	3	214	6	0.97	5	< 1	< 5	< 1	1.69	< 20	240	< 0.1	3.1	< 3	< 0.02	< 0.05	< 0.5	54.9
300837	< 2	< 5	1.7	500	< 0.5	< 1	< 1	138	4	1.10	5	< 1	< 5	< 1	1.70	< 20	270	< 0.1	3.2	< 3	< 0.02	< 0.05	< 0.5	57.1
300838	< 2	< 5	< 0.5	320	< 0.5	< 1	< 1	209	6	0.80	3	< 1	< 5	< 1	1.72	< 20	245	< 0.1	2.5	< 3	< 0.02	< 0.05	< 0.5	43.7
300839	< 2	< 5	< 0.5	560	< 0.5	< 1	< 1	194	6	1.03	5	< 1	< 5	< 1	1.66	< 20	311	< 0.1	3.1	< 3	< 0.02	< 0.05	< 0.5	43.8
300840	10	< 5	2.0	460	< 0.5	< 1	< 1	214	4	1.05	5	< 1	< 5	< 1	1.68	< 20	326	< 0.1	3.1	< 3	< 0.02	< 0.05	< 0.5	51.6
300841	< 2	< 5	< 0.5	400	< 0.5	< 1	< 1	230	4	1.09	5	< 1	< 5	< 1	1.75	< 20	296	0.1	3.1	< 3	< 0.02	< 0.05	4.1	61.0
300842	< 2	< 5	< 0.5	390	< 0.5	< 1	3	158	8	1.17	5	< 1	< 5	< 1	1.76	< 20	240	< 0.1	3.2	< 3	< 0.02	< 0.05	< 0.5	61.6
300843	< 2	< 5	2.3	560	< 0.5	2	3	260	6	1.11	5	< 1	< 5	< 1	1.87	< 20	301	6.9	3.7	< 3	< 0.02	< 0.05	4.4	55.5
300844	< 2	< 5	< 0.5	380	< 0.5	< 1	< 1	184	8	1.24	5	< 1	< 5	< 1	1.82	< 20	245	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	46.9
300845	< 2	< 5	7.5	< 50	< 0.5	< 1	< 1	291	9	0.81	3	< 1	< 5	< 1	2.29	< 20	403	< 0.1	3.3	< 3	< 0.02	< 0.05	< 0.5	22.5
300846	< 2	< 5	4.7	< 50	< 0.5	< 1	2	173	14	0.69	3	< 1	< 5	< 1	2.29	< 20	418	< 0.1	4.2	< 3	< 0.02	< 0.05	3.0	25.0
300847	< 2	< 5	7.1	< 50	< 0.5	< 1	< 1	245	14	0.87	3	< 1	< 5	< 1	2.04	< 20	418	0.4	4.0	< 3	< 0.02	< 0.05	2.9	34.2
300848	< 2	< 5	2.8	< 50	< 0.5	< 1	< 1	168	6	0.45	3	< 1	< 5	< 1	2.17	< 20	388	< 0.1	3.1	< 3	< 0.02	< 0.05	< 0.5	20.9
300849	< 2	< 5	7.6	280	< 0.5	< 1	< 1	158	7	0.48	7	< 1	< 5	< 1	2.18	< 20	561	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	23.4
300850	< 2	< 5	2.0	< 50	< 0.5	< 1	< 1	240	9	0.45	3	< 1	< 5	< 1	2.18	< 20	291	0.3	2.2	< 3	< 0.02	< 0.05	< 0.5	22.1
300971	< 2	< 5	< 0.5	1890	< 0.5	< 1	39	347	4	2.77	51	< 1	< 5	< 1	1.45	< 20	< 15	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	296
300972	< 2	< 5	< 0.5	< 50	< 0.5	< 1	47	348	24	12.9	78	< 1	< 5	< 1	0.31	570	182	0.4	10.6	< 3	< 0.02	< 0.05	2.5	483
300973	< 2	< 5	< 0.5	< 50	< 0.5	< 1	32	411	2	2.76	22	< 1	< 5	< 1	0.40	< 20	< 15	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	129
300974	7	< 5	< 0.5	570	4.0	< 1	13	354	2	0.69	15	< 1	< 5	< 1	0.33	< 20	62	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	106
300975	< 2	< 5	< 0.5	< 50	5.9	< 1	10	218	4	0.74	6	< 1	< 5	< 1	2.31	< 20	< 15	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	44.0
300976	< 2	< 5	1.3	1720	4.1	< 1	11	218	3	6.97	52	< 1	< 5	< 1	0.60	< 20	57	< 0.1	10.6	< 3	< 0.02	< 0.05	2.4	339
300977	< 2	< 5	< 0.5	< 50	< 0.5	< 1	23	260	15	16.2	41	< 1	< 5	< 1	1.22	< 20	307	< 0.1	18.0	< 3	< 0.02	< 0.05	3.5	258
300978	12	< 5	< 0.5	< 50	< 0.5	< 1	19	198	25	14.6	14	< 1	< 5	< 1	2.64	< 20	322	< 0.1	15.1	< 3	< 0.02	< 0.05	5.4	109
300979	< 2	< 5	2.4	< 50	< 0.5	< 1	6	208	4	5.62	29	< 1	< 5	< 1	1.52	< 20	130	< 0.1	2.7	< 3	< 0.02	< 0.05	< 0.5	224
300980	< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	270	3	0.46	14	< 1	< 5	< 1	2.10	< 20	< 15	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	83.8
300981	< 2	< 5	< 0.5	< 50	< 0.5	< 1	2	312	7	1.55	29	< 1	< 5	< 1	1.64	< 20	45	0.3	1.1	< 3	< 0.02	< 0.05	< 0.5	120
300982	< 2	< 5	< 0.5	< 50	< 0.5	< 1	6	380	6	0.57	11	< 1	< 5	< 1	1.83	< 20	< 15	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	69.0
300983	7	< 5	< 0.5	< 50	< 0.5	< 1	3	288	2	0.51	13	< 1	< 5	< 1	2.06	< 20	< 15	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	84.6
300984	< 2	5	< 0.5	1100	< 0.5	< 1	8	226	2	0.43	18	< 1	< 5	< 1	1.75	< 20	< 15	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	113
300985	< 2	< 5	< 0.5	< 50	< 0.5	2	10	259	< 1	0.48	20	< 1	< 5	< 1	1.60	270	< 15	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	144
300986	< 2	< 5	< 0.5	< 50	< 0.5	< 1	20	269	2	1.56	30	< 1	< 5	< 1	1.44	< 20	48	0.2	0.8	< 3	< 0.02	< 0.05	< 0.5	179
300987	< 2	< 5	< 0.5	< 50	&																			

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
475501	< 2	< 5	24.0	410	< 0.5	< 1	< 1	259	2	0.80	2	< 1	< 5	< 1	2.14	< 20	163	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	26.3
475502	< 2	< 5	24.0	290	< 0.5	< 1	< 1	432	5	0.74	2	< 1	< 5	< 1	2.25	< 20	173	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	23.0
475503	< 2	< 5	24.6	< 50	< 0.5	< 1	4	331	4	0.62	1	< 1	< 5	< 1	2.16	< 20	178	0.2	0.4	< 3	< 0.02	< 0.05	< 0.5	14.7
475504	< 2	< 5	22.6	310	< 0.5	< 1	2	226	7	1.02	2	< 1	< 5	< 1	2.29	< 20	125	0.4	1.8	< 3	< 0.02	0.07	< 0.5	20.3
475505	12	< 5	27.9	530	< 0.5	< 1	< 1	442	8	0.56	< 1	< 1	< 5	< 1	1.54	< 20	226	0.3	0.2	< 3	< 0.02	< 0.05	2.0	3.7
475506	< 2	< 5	23.5	160	< 0.5	< 1	< 1	427	5	0.49	< 1	< 1	< 5	< 1	2.79	< 20	106	0.6	0.2	< 3	< 0.02	< 0.05	< 0.5	6.0
475507	< 2	< 5	21.8	240	< 0.5	2	2	360	3	0.42	1	< 1	< 5	5	2.86	< 20	< 15	< 0.1	0.2	< 3	0.05	< 0.05	< 0.5	6.9
475508	< 2	< 5	22.1	310	< 0.5	< 1	2	355	8	0.48	< 1	< 1	< 5	< 1	2.02	< 20	182	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	3.5
475509	< 2	< 5	21.7	170	< 0.5	< 1	2	672	7	0.71	1	< 1	< 5	2	2.38	< 20	163	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	9.0
475510	< 2	< 5	0.8	400	< 0.5	< 1	2	331	5	0.71	2	< 1	< 5	3	2.29	< 20	192	< 0.1	0.4	< 3	< 0.02	0.05	< 0.5	16.6
475511	< 2	< 5	17.3	320	< 0.5	< 1	2	413	6	0.68	2	< 1	< 5	< 1	2.16	< 20	182	0.6	0.2	< 3	< 0.02	< 0.05	< 0.5	12.9
475512	< 2	< 5	17.4	400	< 0.5	< 1	3	576	9	0.69	< 1	< 1	< 5	< 1	1.74	< 20	235	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	3.1
475513	< 2	< 5	16.5	620	< 0.5	< 1	< 1	341	11	0.40	< 1	< 1	< 5	2	1.40	< 20	235	0.5	0.2	< 3	< 0.02	< 0.05	< 0.5	2.3
475514	< 2	< 5	17.6	360	< 0.5	< 1	< 1	389	8	0.60	< 1	< 1	< 5	< 1	1.77	< 20	206	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	9.3
475515	< 2	< 5	< 0.5	310	< 0.5	< 1	2	576	3	0.84	2	< 1	< 5	< 1	2.21	< 20	125	0.2	0.3	< 3	< 0.02	< 0.05	< 0.5	23.9
475516	< 2	< 5	21.9	410	< 0.5	< 1	< 1	398	2	0.70	2	< 1	< 5	< 1	2.34	< 20	154	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	26.1
475517	< 2	< 5	21.6	330	< 0.5	< 1	< 1	442	3	0.85	2	< 1	< 5	< 1	2.29	< 20	96	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	28.7
475518	< 2	< 5	< 0.5	310	< 0.5	< 1	3	576	1	1.11	3	< 1	< 5	< 1	2.32	< 20	106	0.4	0.5	< 3	< 0.02	< 0.05	< 0.5	37.4
475519	< 2	< 5	23.6	200	< 0.5	< 1	< 1	370	4	0.61	1	< 1	< 5	< 1	2.18	< 20	158	0.4	0.2	< 3	< 0.02	< 0.05	< 0.5	16.3
475520	< 2	< 5	1.0	120	< 0.5	< 1	< 1	389	1	0.76	3	< 1	< 5	< 1	2.34	< 20	96	0.4	0.4	< 3	< 0.02	< 0.05	< 0.5	39.4
475521	< 2	< 5	23.4	350	< 0.5	< 1	< 1	480	2	0.99	2	< 1	< 5	< 1	2.40	< 20	134	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	27.5
475522	< 2	< 5	19.5	290	< 0.5	< 1	< 1	336	2	0.82	3	< 1	< 5	< 1	2.42	< 20	110	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	23.3
475523	< 2	< 5	17.9	290	< 0.5	< 1	< 1	365	3	0.84	2	< 1	< 5	< 1	2.24	< 20	158	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	20.4
475524	< 2	< 5	24.1	220	< 0.5	< 1	2	624	4	0.87	< 1	< 1	< 5	< 1	1.57	< 20	178	0.3	0.2	< 3	< 0.02	< 0.05	< 0.5	12.8
475525	< 2	< 5	22.8	420	< 0.5	< 1	< 1	355	6	0.83	< 1	< 1	< 5	< 1	1.50	< 20	226	0.3	0.1	< 3	< 0.02	< 0.05	< 0.5	24.4
475526	< 2	< 5	21.5	270	< 0.5	< 1	< 1	427	2	0.85	2	< 1	< 5	< 1	2.43	< 20	134	0.3	0.4	< 3	< 0.02	< 0.05	< 0.5	28.7
475527	< 2	< 5	22.1	400	< 0.5	2	< 1	624	< 1	0.82	1	< 1	< 5	< 1	2.53	< 20	96	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	15.6
475528	< 2	< 5	20.1	300	< 0.5	< 1	< 1	379	< 1	0.61	2	< 1	< 5	< 1	2.37	< 20	120	0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	18.7
475529	< 2	< 5	23.7	210	< 0.5	< 1	< 1	398	< 1	0.59	1	< 1	< 5	< 1	2.55	< 20	130	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	21.5
475530	< 2	< 5	26.7	160	< 0.5	3	< 1	624	< 1	0.87	2	< 1	< 5	< 1	2.46	< 20	106	0.4	0.3	< 3	< 0.02	< 0.05	< 0.5	22.5
475531	< 2	< 5	31.2	350	< 0.5	< 1	< 1	720	2	1.02	3	< 1	< 5	< 1	2.37	< 20	125	0.3	0.5	< 3	< 0.02	< 0.05	< 0.5	19.9
475532	< 2	< 5	< 0.5	220	< 0.5	< 1	< 1	389	5	0.60	4	< 1	< 5	5	2.83	< 20	182	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	58.6
475533	< 2	< 5	< 0.5	260	< 0.5	< 1	< 1	283	4	0.52	3	< 1	< 5	< 1	2.97	< 20	163	0.3	0.4	< 3	< 0.02	0.07	< 0.5	29.8
475534	< 2	< 5	24.0	< 50	< 0.5	< 1	2	456	4	0.58	4	< 1	< 5	4	3.01	< 20	158	0.4	0.4	< 3	< 0.02	< 0.05	< 0.5	26.9
475535	< 2	< 5	22.6	< 50	< 0.5	< 1	< 1	298	5	0.41	2	< 1	< 5	< 1	2.51	< 20	173	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	19.5
475536	< 2	< 5	24.6	< 50	< 0.5	< 1	< 1	389	3	0.45	3	< 1	< 5	< 1	2.83	< 20	163	0.5	0.3	< 3	< 0.02	< 0.05	< 0.5	14.8
475538	< 2	< 5	23.5	340	< 0.5	< 1	2	422	7	0.51	< 1	< 1	< 5	< 1	2.13	< 20	226	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	3.1
475539	< 2	< 5	20.9	360	< 0.5	< 1	2	331	6	0.46	< 1	< 1	< 5	< 1	1.72	< 20	322	0.4	0.3	< 3	< 0.02	< 0.05	< 0.5	1.7
475540	< 2	< 5	21.4	390	< 0.5	< 1	2	624	7	0.57	2	< 1	< 5	< 1	1.71	< 20	278	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	10.0
475541	7	< 5	23.7	270	< 0.5	< 1	1	379	3	0.43	< 1	< 1	< 5	3	1.93	< 20	187	0.4	0.2	< 3	< 0.02	< 0.05	< 0.5	4.0
475542	< 2	< 5	20.2	240	< 0.5	< 1	2	442	5	0.86	2	< 1	< 5	< 1	2.59	< 20	149	0.4	1.0	< 3	< 0.02	< 0.05	< 0.5	16.8
475543	< 2	< 5	22.1	580	< 0.5	3	10	418	2	2.28	3	< 1	< 5	4	2.72	300	53	< 0.1	7.1	< 3	< 0.02	< 0.05	< 0.5	14.1
475544	< 2	< 5	18.3	420	< 0.5	< 1	< 1	331	4	0.50	3	< 1	< 5	4	2.04	< 20	240	0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	24.9
475545	< 2	< 5	< 0.5	360	< 0.5	< 1	< 1	269	6	0.36	3	< 1	< 5	8	1.39	< 20	341	< 0.1	0.5	< 3	< 0.02	0.08	< 0.5	49.1
475546	< 2	< 5	< 0.5	360	< 0.5	< 1	< 1	394	4	0.42	1	< 1	< 5	< 1	1.64	< 20	226	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	33.1
475547	< 2	< 5	3.0	280	< 0.5	< 1	< 1	346	5	0.36	< 1	< 1	< 5	1	2.01	< 20	192	< 0.1	0.1	< 3	0.06	< 0.05	< 0.5	3.1
475548	< 2	< 5	2.6	320	< 0.5	< 1	< 1	259	6	0.31	< 1	< 1	< 5	2	1.80	< 20	211	0.2	0.2	< 3	< 0.02	< 0.05	< 0.5	3.9
475549	< 2	< 5	18.7	350	< 0.5	< 1	< 1	187	8	0.28	< 1	< 1	< 5	< 1	1.40	< 20	312	0.3	0.2	< 3	< 0.02	< 0.05	< 0.5	2.9
475550	< 2	< 5	21.2	210	< 0.5	< 1	< 1	194	6	0.39	1	< 1	< 5	2	2.10	< 20	241	0.3	0.2	< 3	< 0.02	< 0.05	< 0.5	9.3
475551	< 2	< 5	21.5	220	< 0.5	< 1	< 1	194	9	0.30	1	< 1	< 5	< 1	1.49	24								

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
475554	< 2	< 5	22.1	280	0.6	< 1	2	262	12	0.34	1	< 1	< 5	< 1	2.03	< 20	176	0.3	0.4	< 3	< 0.02	< 0.05	< 0.5	3.7
475555	< 2	< 5	20.0	180	< 0.5	< 1	4	245	5	0.61	1	< 1	< 5	< 1	2.99	< 20	108	0.3	1.3	< 3	< 0.02	< 0.05	< 0.5	4.9
475556	< 2	< 5	21.3	210	< 0.5	< 1	< 1	249	4	0.42	< 1	< 1	< 5	< 1	1.97	< 20	172	0.3	0.5	< 3	< 0.02	< 0.05	< 0.5	7.8
475557	< 2	< 5	< 0.5	240	< 0.5	< 1	3	194	6	0.45	2	< 1	< 5	< 1	1.67	< 20	254	0.5	0.6	< 3	< 0.02	< 0.05	< 0.5	17.0
475558	< 2	< 5	19.9	< 50	1.7	< 1	2	254	4	0.34	< 1	< 1	< 5	< 1	1.93	< 20	202	< 0.1	0.3	< 3	< 0.02	< 0.05	2.6	7.6
475559	< 2	< 5	19.0	130	< 0.5	< 1	< 1	215	4	0.24	< 1	2	< 5	< 1	2.44	< 20	125	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	6.9
475560	< 2	< 5	22.4	170	< 0.5	< 1	< 1	176	3	0.19	< 1	< 1	< 5	< 1	1.73	< 20	103	0.3	0.1	< 3	< 0.02	< 0.05	1.9	6.0
475561	< 2	< 5	< 0.5	220	< 0.5	1	< 1	194	4	0.22	2	< 1	< 5	< 1	2.35	< 20	110	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	12.1
475562	< 2	< 5	< 0.5	370	< 0.5	< 1	< 1	259	2	0.37	1	< 1	< 5	< 1	2.69	< 20	50	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	24.0
475563	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	201	2	0.33	1	< 1	< 5	< 1	2.74	< 20	< 15	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	14.5
475564	< 2	< 5	< 0.5	240	< 0.5	< 1	< 1	190	3	0.35	< 1	< 1	< 5	< 1	2.62	< 20	121	< 0.1	0.1	< 3	< 0.02	< 0.05	< 0.5	6.8
475565	< 2	< 5	< 0.5	280	< 0.5	< 1	3	221	5	0.70	3	< 1	< 5	< 1	2.54	< 20	96	0.3	0.6	< 3	< 0.02	0.05	< 0.5	16.7
475566	< 2	< 5	< 0.5	320	< 0.5	< 1	< 1	158	6	0.24	< 1	< 1	< 5	< 1	1.69	< 20	215	< 0.1	0.1	< 3	< 0.02	< 0.05	< 0.5	7.5
475567	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	205	5	0.31	1	< 1	< 5	< 1	2.07	< 20	159	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	11.3
475568	< 2	< 5	< 0.5	200	< 0.5	< 1	< 1	216	7	0.31	< 1	< 1	< 5	< 1	1.42	< 20	220	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	14.5
475569																								
475570	< 2	< 5	< 0.5	290	< 0.5	< 1	1	161	7	0.35	1	< 1	< 5	< 1	1.52	< 20	254	< 0.1	0.4	< 3	0.06	< 0.05	< 0.5	14.4
475571	< 2	< 5	1.6	320	< 0.5	< 1	3	201	13	0.87	5	< 1	< 5	< 1	1.69	< 20	216	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	45.6
475572	< 2	< 5	< 0.5	210	< 0.5	< 1	3	310	13	1.14	1	< 1	< 5	< 1	2.29	< 20	188	0.3	1.7	< 3	< 0.02	< 0.05	< 0.5	22.3
475573	< 2	< 5	< 0.5	260	< 0.5	< 1	4	271	5	0.77	2	< 1	< 5	< 1	2.75	< 20	119	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	12.6
475574	< 2	< 5	< 0.5	280	< 0.5	< 1	3	320	5	0.62	3	< 1	< 5	< 1	1.92	< 20	166	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	21.9
475575	< 2	< 5	< 0.5	310	< 0.5	< 1	3	273	3	0.80	2	< 1	< 5	< 1	2.23	< 20	96	0.2	0.7	< 3	< 0.02	< 0.05	< 0.5	26.8
475577	< 2	< 5	< 0.5	280	< 0.5	< 1	3	725	4	0.95	1	< 1	< 5	< 1	2.14	280	110	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	10.8
475578	< 2	< 5	< 0.5	< 50	< 0.5	2	4	510	5	1.16	1	< 1	< 5	< 1	2.80	< 20	73	0.3	1.4	< 3	< 0.02	< 0.05	< 0.5	12.3
475579	< 2	< 5	1.0	240	< 0.5	< 1	3	718	4	0.63	< 1	< 1	< 5	< 1	1.39	< 20	184	0.3	0.2	< 3	< 0.02	< 0.05	< 0.5	10.8
475580	< 2	< 5	< 0.5	300	< 0.5	< 1	3	357	5	1.30	< 1	< 1	< 5	< 1	2.08	190	120	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	9.5
475581	< 2	< 5	< 0.5	210	< 0.5	< 1	3	725	4	1.04	4	< 1	< 5	< 1	2.46	< 20	105	0.4	0.3	< 3	< 0.02	< 0.05	< 0.5	18.5
475582	< 2	< 5	< 0.5	300	< 0.5	1	4	450	2	0.85	2	< 1	< 5	< 1	2.26	< 20	110	0.4	0.4	< 3	< 0.02	< 0.05	< 0.5	29.4
475583	< 2	< 5	< 0.5	250	< 0.5	< 1	4	618	3	1.08	2	< 1	< 5	< 1	2.22	250	98	0.3	0.6	< 3	< 0.02	< 0.05	< 0.5	24.2
475584	< 2	< 5	< 0.5	310	< 0.5	< 1	3	496	5	0.83	< 1	< 1	< 5	< 1	1.92	< 20	165	0.3	0.4	< 3	< 0.02	< 0.05	< 0.5	8.9
475585	4	< 5	< 0.5	< 50	< 0.5	< 1	3	741	4	1.08	< 1	< 1	< 5	< 1	3.04	< 20	95	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	3.2
475586	< 2	< 5	< 0.5	270	1.6	< 1	< 1	352	5	0.43	< 1	< 1	< 5	< 1	3.26	< 20	168	0.3	0.1	< 3	< 0.02	< 0.05	< 0.5	2.6
475587	< 2	< 5	< 0.5	210	< 0.5	< 1	5	762	5	1.50	3	< 1	< 5	< 1	2.73	< 20	145	0.3	0.5	< 3	< 0.02	< 0.05	< 0.5	15.3
475588	< 2	< 5	< 0.5	390	1.2	< 1	2	430	8	0.55	< 1	< 1	< 5	< 1	1.76	< 20	219	< 0.1	0.2	< 3	0.03	< 0.05	< 0.5	6.1
475589	< 2	< 5	< 0.5	290	< 0.5	< 1	8	665	14	2.14	2	< 1	< 5	< 1	2.55	< 20	220	0.5	3.7	< 3	< 0.02	< 0.05	< 0.5	9.3
475590	5	< 5	< 0.5	160	< 0.5	< 1	3	536	6	1.03	< 1	< 1	< 5	< 1	2.74	< 20	133	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	3.4
475591	< 2	< 5	< 0.5	310	< 0.5	< 1	2	664	6	1.12	1	< 1	< 5	< 1	2.58	< 20	149	0.3	0.4	< 3	< 0.02	< 0.05	< 0.5	5.8
475592	< 2	< 5	< 0.5	460	1.6	1	3	457	5	0.59	< 1	< 1	< 5	< 1	2.39	220	162	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	9.3
475593	< 2	< 5	2.0	200	< 0.5	< 1	3	796	7	0.87	2	< 1	< 5	< 1	2.43	< 20	137	0.5	0.5	< 3	< 0.02	< 0.05	4.3	21.7
475594	< 2	< 5	1.2	350	< 0.5	< 1	2	572	7	0.57	1	< 1	< 5	< 1	2.05	< 20	231	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	21.4
475595	< 2	< 5	< 0.5	220	< 0.5	2	4	738	10	1.37	2	< 1	< 5	< 1	2.74	< 20	111	0.4	1.8	< 3	< 0.02	< 0.05	1.9	18.7
475596	< 2	< 5	< 0.5	200	< 0.5	1	5	830	7	1.23	2	< 1	< 5	< 1	2.51	< 20	122	< 0.1	1.2	< 3	0.04	< 0.05	< 0.5	14.3
475597	< 2	< 5	< 0.5	240	< 0.5	< 1	< 1	517	7	0.51	< 1	< 1	< 5	< 1	1.95	< 20	216	0.2	0.2	< 3	< 0.02	< 0.05	< 0.5	12.0
475598	< 2	< 5	< 0.5	350	< 0.5	< 1	4	848	5	1.00	1	< 1	< 5	< 1	1.58	< 20	157	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	17.7
475599	6	< 5	< 0.5	380	< 0.5	< 1	2	437	7	0.59	< 1	< 1	< 5	< 1	1.82	< 20	204	0.2	0.2	< 3	< 0.02	< 0.05	< 0.5	6.6
475600	< 2	< 5	< 0.5	350	1.0	< 1	< 1	695	8	0.66	< 1	< 1	< 5	< 1	1.85	< 20	215	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	4.4
475601	< 2	< 5	< 0.5	510	< 0.5	< 1	2	492	9	0.71	< 1	< 1	< 5	< 1	1.30	< 20	256	0.2	0.2	< 3	< 0.02	< 0.05	1.7	2.5
475602	< 2	< 5	1.0	310	< 0.5	< 1	< 1	817	5	1.02	< 1	< 1	< 5	< 1	2.43	< 20	155	0.2	0.2	< 3	< 0.02	< 0.05	< 0.5	5.5
475603	< 2	< 5	< 0.5	350	1.3	< 1	3	438	11	0.65	< 1	< 1	< 5	< 1	1.76	< 20	276	0.2	0.3	< 3	< 0.02	< 0.05	< 0.5	9.9
475604	< 2	< 5	< 0.5	< 50	2.1	< 1	< 1	408	11	0.41	< 1	< 1	< 5	< 1	1.62	< 20	342	0.2	0.2	< 3	< 0.02	< 0.05	< 0.5	1.6
475605	< 2	< 5	< 0.5	340	< 0.5	< 1	3	423	2															

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
475607	< 2	< 5	< 0.5	190	< 0.5	< 1	2	430	3	0.86	2	< 1	< 5	< 1	2.09	< 20	102	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	27.7
475608	< 2	< 5	< 0.5	290	< 0.5	< 1	3	663	3	0.90	2	< 1	< 5	< 1	2.11	< 20	108	0.2	0.2	< 3	< 0.02	< 0.05	< 0.5	26.8
475609	< 2	< 5	< 0.5	310	< 0.5	1	3	481	3	0.76	2	< 1	< 5	< 1	2.02	< 20	118	< 0.1	0.1	< 3	< 0.02	< 0.05	< 0.5	24.0
475610	< 2	< 5	< 0.5	340	< 0.5	< 1	4	663	5	0.85	2	< 1	< 5	< 1	2.10	< 20	91	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	30.3
475611	< 2	< 5	< 0.5	360	< 0.5	< 1	3	400	7	0.71	2	< 1	< 5	< 1	2.13	< 20	133	0.2	0.3	< 3	0.03	< 0.05	< 0.5	23.4
475612	< 2	< 5	< 0.5	330	< 0.5	< 1	2	426	6	0.62	1	< 1	< 5	< 1	2.03	< 20	116	0.3	0.2	< 3	< 0.02	< 0.05	< 0.5	16.4
475613	< 2	< 5	< 0.5	460	< 0.5	< 1	3	813	6	1.05	3	< 1	< 5	< 1	1.87	< 20	150	0.3	0.4	< 3	< 0.02	< 0.05	< 0.5	28.9
475614	5	< 5	< 0.5	460	< 0.5	< 1	3	400	5	0.94	2	< 1	< 5	< 1	1.92	< 20	122	0.2	0.4	< 3	< 0.02	< 0.05	< 0.5	30.5
475615	< 2	< 5	1.6	420	< 0.5	< 1	3	748	3	1.17	3	< 1	< 5	< 1	2.03	< 20	106	0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	33.3
475616	< 2	< 5	< 0.5	400	< 0.5	< 1	3	663	3	1.04	1	< 1	< 5	< 1	1.90	< 20	120	< 0.1	0.3	< 3	< 0.02	< 0.05	2.0	30.7
475617	< 2	< 5	< 0.5	360	< 0.5	< 1	3	444	6	0.93	2	< 1	< 5	< 1	2.17	< 20	122	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	29.3
475618	< 2	< 5	1.7	450	1.3	< 1	2	866	5	1.24	2	< 1	< 5	< 1	2.41	< 20	117	0.3	0.4	< 3	< 0.02	< 0.05	< 0.5	29.0
475619	< 2	< 5	< 0.5	340	< 0.5	< 1	4	746	1	1.11	2	< 1	< 5	< 1	2.39	< 20	110	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	25.6
475620	< 2	< 5	< 0.5	420	< 0.5	< 1	4	441	6	0.99	3	< 1	< 5	< 1	2.34	< 20	101	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	33.3
475621	< 2	< 5	< 0.5	560	< 0.5	< 1	4	880	4	1.07	3	< 1	< 5	< 1	2.27	< 20	173	0.4	0.3	< 3	< 0.02	< 0.05	2.2	34.5
475622	< 2	< 5	< 0.5	260	< 0.5	1	3	895	3	0.99	2	< 1	< 5	< 1	2.78	< 20	110	0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	28.0
475623	< 2	< 5	< 0.5	280	< 0.5	< 1	4	519	6	0.99	1	< 1	< 5	< 1	2.64	< 20	80	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5	21.9
475624	< 2	< 5	< 0.5	250	< 0.5	< 1	4	951	6	1.29	1	< 1	< 5	< 1	2.43	< 20	121	< 0.1	0.9	< 3	< 0.02	< 0.05	1.4	19.4
475625	3	< 5	< 0.5	410	< 0.5	1	4	873	4	1.11	2	< 1	< 5	< 1	2.36	< 20	106	0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	19.7
475626	< 2	< 5	< 0.5	430	< 0.5	< 1	4	448	4	1.04	2	< 1	< 5	< 1	2.50	< 20	109	< 0.1	0.3	< 3	0.03	< 0.05	< 0.5	27.6
475627	< 2	< 5	1.9	430	< 0.5	< 1	4	802	6	0.95	2	< 1	< 5	< 1	1.90	< 20	155	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	25.7
475628	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	572	7	0.98	2	< 1	< 5	8	1.73	< 20	206	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	22.1
475629	< 2	< 5	2.1	570	< 0.5	< 1	3	364	3	1.05	4	< 1	< 5	8	2.01	< 20	< 15	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	34.8
475630	< 2	< 5	2.4	480	< 0.5	< 1	4	582	3	1.07	4	< 1	< 5	7	2.11	< 20	119	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	34.0
475631	< 2	< 5	< 0.5	< 50	< 0.5	< 1	7	556	4	1.82	3	< 1	< 5	8	2.53	< 20	129	< 0.1	2.9	< 3	< 0.02	< 0.05	< 0.5	17.4
475632	< 2	< 5	< 0.5	140	< 0.5	< 1	< 1	382	5	0.81	4	< 1	< 5	5	2.02	< 20	108	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	34.8
475633	< 2	< 5	< 0.5	340	< 0.5	< 1	< 1	614	5	1.04	4	< 1	< 5	12	2.01	< 20	< 15	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	35.9
475634	< 2	< 5	< 0.5	520	< 0.5	< 1	4	500	7	1.10	2	< 1	< 5	< 1	1.97	< 20	134	< 0.1	0.8	< 3	< 0.02	< 0.05	3.3	25.8
475635	< 2	< 5	3.5	620	< 0.5	< 1	< 1	355	7	0.76	2	< 1	< 5	< 1	1.78	< 20	150	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	27.7
475636	< 2	< 5	2.4	420	< 0.5	< 1	3	640	5	1.04	3	< 1	< 5	14	1.94	< 20	129	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	24.7
475637	< 2	< 5	3.0	410	< 0.5	< 1	< 1	486	6	1.47	3	< 1	< 5	< 1	1.96	< 20	126	< 0.1	2.9	< 3	< 0.02	< 0.05	< 0.5	15.6
475638	< 2	< 5	3.6	320	< 0.5	< 1	3	376	5	0.88	3	< 1	< 5	< 1	1.98	< 20	130	0.4	0.4	< 3	< 0.02	< 0.05	< 0.5	26.8
475639	< 2	< 5	3.9	< 50	< 0.5	< 1	3	682	9	0.91	4	< 1	< 5	< 1	2.22	< 20	211	2.9	0.8	< 3	< 0.02	< 0.05	3.3	17.4
475640	< 2	< 5	3.9	320	< 0.5	< 1	< 1	682	7	0.99	2	< 1	< 5	< 1	1.89	< 20	223	2.9	0.6	< 3	< 0.02	< 0.05	< 0.5	14.9
475641	< 2	< 5	4.1	590	< 0.5	4	3	620	6	1.05	2	< 1	< 5	< 1	2.54	< 20	143	2.7	0.6	< 3	< 0.02	< 0.05	< 0.5	20.8
475642	< 2	< 5	3.3	540	< 0.5	< 1	< 1	335	4	0.95	2	< 1	< 5	< 1	2.31	< 20	130	7.4	0.6	< 3	< 0.02	< 0.05	< 0.5	27.4
475643	< 2	< 5	3.3	400	< 0.5	< 1	< 1	515	5	0.85	2	< 1	< 5	< 1	2.44	< 20	143	8.1	0.2	< 3	< 0.02	< 0.05	< 0.5	19.9
475644	< 2	< 5	4.0	510	1.9	< 1	< 1	422	5	0.75	3	< 1	< 5	< 1	2.27	< 20	186	6.2	0.3	< 3	< 0.02	< 0.05	2.0	24.9
475645	< 2	< 5	2.4	500	1.7	< 1	< 1	589	6	0.83	2	< 1	< 5	< 1	2.23	270	130	2.6	0.4	< 3	< 0.02	< 0.05	< 0.5	17.4
475646	< 2	< 5	7.4	470	< 0.5	< 1	< 1	620	< 1	0.81	3	< 1	< 5	< 1	2.23	< 20	198	12.4	0.4	< 3	< 0.02	< 0.05	< 0.5	19.9
475647	< 2	< 5	< 0.5	560	1.9	< 1	< 1	403	7	0.66	2	< 1	< 5	5	2.45	< 20	186	0.7	0.2	< 3	< 0.02	< 0.05	< 0.5	17.4
475648	< 2	< 5	1.7	240	< 0.5	< 1	3	806	2	0.91	< 1	< 1	< 5	< 1	2.19	< 20	68	< 0.1	< 0.1	< 3	< 0.02	< 0.05	< 0.5	7.7
475649	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	539	2	0.78	< 1	< 1	< 5	< 1	2.79	< 20	93	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	12.4
475650	< 2	< 5	< 0.5	230	< 0.5	< 1	5	421	6	0.58	4	< 1	< 5	6	2.68	< 20	153	< 0.1	< 0.1	< 3	< 0.02	< 0.05	< 0.5	28.1
475651	< 2	< 5	< 0.5	320	< 0.5	< 1	< 1	671	5	0.81	2	< 1	< 5	< 1	2.17	< 20	171	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	14.4
475652	< 2	< 5	< 0.5	360	< 0.5	< 1	< 1	537	5	0.68	4	< 1	< 5	< 1	2.73	< 20	177	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	21.3
475653	< 2	< 5	< 0.5	560	< 0.5	< 1	< 1	445	9	0.76	5	< 1	< 5	< 1	2.20	< 20	195	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	36.5
475654	< 2	< 5	2.1	380	< 0.5	< 1	5	732	8	1.40	5	< 1	< 5	< 1	2.54	< 20	165	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	33.4
475655	< 2	< 5	1.2	490	< 0.5	< 1	< 1	567	2	0.70	< 1	< 1	< 5	< 1	2.13	250	171	0.3	0.4	< 3	< 0.02	< 0.05	< 0.5	14.4
475656	< 2	< 5	< 0.5	270	< 0.5	< 1	4	354	3	0.57	2	< 1	< 5											

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
475659	< 2	< 5	1.2	210	< 0.5	2	< 1	543	2	0.78	2	< 1	< 5	5	2.24	< 20	207	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	18.2
475660	< 2	< 5	< 0.5	610	< 0.5	< 1	10	610	4	2.87	4	< 1	< 5	< 1	3.01	< 20	< 15	< 0.1	6.1	< 3	< 0.02	< 0.05	< 0.5	8.4
475661	< 2	< 5	1.4	< 50	< 0.5	< 1	< 1	627	2	0.79	2	< 1	< 5	< 1	2.19	< 20	194	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	11.6
475662	< 2	< 5	1.4	< 50	< 0.5	2	< 1	439	< 1	0.70	3	< 1	< 5	< 1	2.30	< 20	108	< 0.1	0.9	4	< 0.02	< 0.05	< 0.5	23.2
475663	< 2	< 5	< 0.5	220	< 0.5	< 1	< 1	627	2	0.66	1	< 1	< 5	< 1	2.05	< 20	120	< 0.1	1.1	< 3	< 0.02	0.06	< 0.5	11.6
475664	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	627	3	0.89	4	< 1	< 5	< 1	2.33	190	103	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	20.8
475665	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	490	2	0.63	2	< 1	< 5	< 1	2.27	< 20	< 15	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	24.9
475666	< 2	< 5	< 0.5	260	< 0.5	< 1	< 1	570	2	0.82	2	< 1	< 5	< 1	2.14	< 20	86	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	47.3
475667	< 2	< 5	< 0.5	420	< 0.5	< 1	< 1	570	2	0.68	2	< 1	< 5	< 1	2.11	< 20	148	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	20.8
475668	< 2	< 5	< 0.5	220	1.0	< 1	< 1	462	3	0.78	4	< 1	< 5	< 1	2.31	< 20	131	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	24.1
475669	< 2	< 5	1.6	380	< 0.5	< 1	< 1	473	5	0.74	3	< 1	< 5	< 1	2.03	< 20	154	< 0.1	1.0	< 3	< 0.02	0.07	< 0.5	36.5
475670	< 2	< 5	< 0.5	320	< 0.5	< 1	2	536	3	0.82	< 1	< 1	< 5	14	2.06	< 20	177	0.2	1.5	< 3	< 0.02	< 0.05	< 0.5	31.5
475671	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	496	3	0.40	< 1	< 1	< 5	< 1	1.73	< 20	137	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	6.5
475672	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	549	3	1.14	2	< 1	< 5	< 1	1.81	< 20	128	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	11.4
475673	< 2	< 5	< 0.5	310	< 0.5	< 1	3	439	2	0.85	2	< 1	< 5	< 1	2.19	< 20	183	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	16.7
475674	< 2	< 5	< 0.5	370	< 0.5	< 1	< 1	567	3	1.10	4	< 1	< 5	< 1	2.07	< 20	104	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5	35.0
475675	< 2	< 5	< 0.5	350	< 0.5	< 1	< 1	604	< 1	1.18	5	< 1	< 5	< 1	2.18	< 20	< 15	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5	38.8
475676	< 2	< 5	< 0.5	430	< 0.5	< 1	< 1	573	< 1	1.24	4	< 1	< 5	< 1	2.12	< 20	128	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	44.8
475677	< 2	< 5	< 0.5	300	< 0.5	< 1	3	458	< 1	1.09	4	< 1	< 5	< 1	2.35	< 20	140	< 0.1	2.0	< 3	< 0.02	< 0.05	3.0	41.0
475678	< 2	< 5	< 0.5	340	< 0.5	4	< 1	610	< 1	1.04	6	< 1	< 5	< 1	2.53	< 20	85	0.2	2.6	< 3	< 0.02	< 0.05	< 0.5	34.2
475679	< 2	< 5	2.0	410	< 0.5	< 1	< 1	610	3	1.14	4	< 1	< 5	4	2.28	< 20	98	0.5	2.0	6	< 0.02	< 0.05	< 0.5	40.3
475680	< 2	< 5	< 0.5	450	< 0.5	< 1	4	439	< 1	1.15	5	< 1	< 5	< 1	2.20	< 20	177	< 0.1	2.3	< 3	< 0.02	< 0.05	< 0.5	38.0
475681	< 2	< 5	1.5	380	< 0.5	< 1	4	604	2	1.34	4	< 1	< 5	2	2.23	< 20	104	< 0.1	1.9	< 3	< 0.02	< 0.05	< 0.5	38.0
475682	< 2	< 5	< 0.5	530	< 0.5	< 1	5	561	< 1	1.15	5	< 1	< 5	5	2.17	< 20	67	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	38.0
475683	< 2	< 5	2.8	530	< 0.5	3	5	693	< 1	1.40	6	< 1	< 5	< 1	2.47	< 20	176	0.4	2.6	< 3	< 0.02	< 0.05	< 0.5	45.6
475684	< 2	< 5	< 0.5	550	< 0.5	< 1	3	536	< 1	1.30	4	< 1	< 5	< 1	2.26	< 20	176	< 0.1	2.5	< 3	< 0.02	< 0.05	3.1	37.2
475685	< 2	< 5	< 0.5	620	< 0.5	< 1	5	542	< 1	0.91	4	< 1	< 5	< 1	2.33	< 20	164	< 0.1	1.9	< 3	< 0.02	< 0.05	< 0.5	55.5
475686	< 2	< 5	1.3	520	< 0.5	< 1	4	542	< 1	1.08	5	< 1	< 5	< 1	2.28	< 20	151	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	49.4
475687	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	756	< 1	1.33	4	< 1	< 5	< 1	2.36	< 20	107	< 0.1	2.0	< 3	< 0.02	0.13	< 0.5	47.1
475688	< 2	< 5	2.8	< 50	< 0.5	5	5	693	3	1.88	3	< 1	< 5	< 1	2.26	320	183	< 0.1	2.8	< 3	< 0.02	< 0.05	< 0.5	57.0
475689	< 2	< 5	< 0.5	240	< 0.5	< 1	< 1	693	< 1	1.05	3	< 1	< 5	< 1	2.38	< 20	132	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	43.3
475690	< 2	< 5	2.3	330	< 0.5	< 1	5	819	3	1.77	3	< 1	< 5	< 1	2.52	< 20	139	< 0.1	4.1	< 3	< 0.02	< 0.05	< 0.5	57.0
475691	< 2	< 5	< 0.5	360	< 0.5	< 1	< 1	819	< 1	1.42	3	< 1	< 5	< 1	2.33	< 20	132	< 0.1	2.6	< 3	< 0.02	< 0.05	< 0.5	45.6
475692	< 2	< 5	< 0.5	350	< 0.5	< 1	< 1	693	< 1	1.73	5	< 1	< 5	< 1	2.44	< 20	170	< 0.1	3.7	< 3	< 0.02	< 0.05	< 0.5	54.0
475693	< 2	< 5	2.2	490	< 0.5	< 1	6	693	3	1.46	4	< 1	< 5	6	2.42	< 20	145	< 0.1	2.5	< 3	< 0.02	< 0.05	< 0.5	40.3
475694	< 2	< 5	4.0	< 50	< 0.5	< 1	4	732	3	1.18	2	< 1	< 5	< 1	1.89	< 20	189	1.2	1.6	< 3	< 0.02	< 0.05	1.5	19.8
475695	< 2	< 5	2.7	310	< 0.5	< 1	< 1	671	4	1.65	2	< 1	< 5	< 1	2.53	< 20	98	0.4	4.3	< 3	< 0.02	< 0.05	< 0.5	22.0
475696	< 2	< 5	2.3	410	< 0.5	4	10	567	4	2.87	3	< 1	< 5	< 1	2.77	< 20	< 15	< 0.1	6.7	< 3	< 0.02	< 0.05	< 0.5	4.5
475697	< 2	< 5	< 0.5	< 50	< 0.5	4	12	512	5	2.87	3	< 1	< 5	< 1	2.69	< 20	67	0.6	6.7	< 3	< 0.02	< 0.05	< 0.5	7.2
475698	< 2	< 5	1.6	360	< 0.5	< 1	< 1	671	3	0.68	< 1	< 1	< 5	< 1	1.67	< 20	171	0.7	0.8	< 3	< 0.02	< 0.05	< 0.5	10.6
475699	< 2	< 5	< 0.5	340	< 0.5	2	< 1	671	2	0.77	< 1	< 1	< 5	< 1	1.89	< 20	128	0.5	0.9	< 3	< 0.02	< 0.05	< 0.5	26.6
475700	< 2	< 5	< 0.5	270	< 0.5	< 1	< 1	671	2	0.69	< 1	< 1	< 5	7	1.63	< 20	153	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	10.6
475701	< 2	< 5	< 0.5	400	< 0.5	< 1	3	610	3	0.70	1	< 1	< 5	< 1	1.69	< 20	171	4.8	1.3	< 3	< 0.02	0.05	< 0.5	12.9
475702	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	610	2	1.01	< 1	< 1	< 5	4	2.20	< 20	140	1.3	1.5	< 3	< 0.02	< 0.05	< 0.5	12.2
475703	7	< 5	< 0.5	360	< 0.5	< 1	2	793	2	1.27	< 1	< 1	< 5	7	2.10	< 20	140	0.9	1.0	< 3	< 0.02	< 0.05	< 0.5	2.9
475704	< 2	< 5	< 0.5	290	< 0.5	< 1	< 1	610	2	1.25	1	< 1	< 5	< 1	1.92	< 20	134	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	22.0
475705	< 2	< 5	1.4	190	< 0.5	< 1	3	653	3	1.41	3	< 1	< 5	< 1	2.20	< 20	143	0.3	0.7	< 3	< 0.02	< 0.05	< 0.5	34.0
475706	< 2	< 5	< 0.5	450	< 0.5	< 1	< 1	748	2	1.73	5	< 1	< 5	< 1	2.74	< 20	136	0.8	1.1	< 3	< 0.02	< 0.05	< 0.5	34.9
475707	< 2	< 5	< 0.5	380	< 0.5	< 1	3	537	4	0.74	2	< 1	< 5	< 1	1.78	< 20	211	1.4	1.0	< 3	< 0.02	< 0.05	< 0.5	10.8
47																								

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
475711	< 2	< 5	< 0.5	< 50	< 0.5	< 1	31	952	3	5.07	2	< 1	< 5	< 1	1.45	330	88	< 0.1	10.9	< 3	< 0.02	0.07	< 0.5	5.6
475712	< 2	< 5	< 0.5	< 50	< 0.5	< 1	10	680	4	3.03	8	< 1	< 5	< 1	2.18	< 20	122	0.5	8.2	< 3	< 0.02	< 0.05	3.8	39.0
475713	16	< 5	< 0.5	430	< 0.5	< 1	9	619	4	3.05	8	< 1	< 5	< 1	2.06	< 20	156	< 0.1	7.5	< 3	< 0.02	< 0.05	< 0.5	28.2
475714	< 2	< 5	< 0.5	< 50	< 0.5	< 1	12	673	5	3.35	8	< 1	< 5	< 1	2.32	< 20	116	< 0.1	8.2	< 3	< 0.02	< 0.05	< 0.5	41.5
475715	< 2	< 5	< 0.5	230	< 0.5	< 1	14	619	6	4.12	6	< 1	< 5	12	2.63	< 20	129	< 0.1	11.6	< 3	< 0.02	< 0.05	< 0.5	39.8
475716	< 2	< 5	3.9	550	< 0.5	< 1	8	470	4	2.00	4	< 1	< 5	< 1	2.59	< 20	< 15	< 0.1	4.2	< 3	< 0.02	0.12	< 0.5	4.2
475717	< 2	< 5	3.4	550	< 0.5	3	12	492	5	2.49	4	< 1	< 5	< 1	2.31	< 20	87	0.9	6.2	< 3	< 0.02	< 0.05	< 0.5	8.6
475718	< 2	< 5	4.3	600	< 0.5	< 1	16	490	7	3.13	5	< 1	< 5	< 1	2.08	< 20	130	0.3	8.9	< 3	< 0.02	< 0.05	< 0.5	19.2
475719	34	< 5	< 0.5	< 50	< 0.5	< 1	8	382	4	2.00	13	< 1	< 5	22	2.29	< 20	68	0.4	5.2	< 3	< 0.02	< 0.05	2.0	131
475720	15	< 5	4.3	300	< 0.5	5	36	337	10	4.78	< 1	< 1	< 5	8	1.84	< 20	110	0.4	10.3	< 3	< 0.02	< 0.05	< 0.5	10.0
475721	< 2	< 5	5.6	260	< 0.5	< 1	22	399	12	4.64	5	< 1	< 5	< 1	2.04	< 20	202	1.1	12.8	< 3	< 0.02	< 0.05	1.9	17.9
475722	< 2	< 5	< 0.5	430	< 0.5	< 1	9	550	4	2.18	8	< 1	< 5	< 1	1.50	< 20	157	0.6	5.3	< 3	< 0.02	< 0.05	< 0.5	65.7
475723	< 2	< 5	< 0.5	< 50	< 0.5	< 1	9	610	6	2.30	5	< 1	< 5	< 1	1.67	< 20	141	0.6	5.4	< 3	< 0.02	< 0.05	< 0.5	32.8
475724	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	635	3	1.38	3	< 1	< 5	24	1.21	< 20	99	< 0.1	3.3	< 3	< 0.02	< 0.05	19.5	27.6
475725	< 2	< 5	5.1	< 50	< 0.5	3	11	490	6	2.56	5	< 1	< 5	14	1.68	< 20	193	0.6	7.8	< 3	< 0.02	< 0.05	3.2	32.5
475726	< 2	< 5	< 0.5	400	< 0.5	< 1	10	400	6	2.21	4	< 1	< 5	16	1.54	< 20	215	< 0.1	6.8	< 3	< 0.02	< 0.05	1.8	29.9
475727	< 2	< 5	< 0.5	510	< 0.5	< 1	< 1	602	1	0.98	4	< 1	< 5	< 1	1.74	< 20	154	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	26.6
475728	7	< 5	< 0.5	390	< 0.5	< 1	2	581	4	0.76	2	< 1	< 5	49	1.87	< 20	161	0.2	1.2	< 3	< 0.02	< 0.05	< 0.5	11.4
475729	< 2	< 5	1.4	200	0.8	< 1	2	602	3	0.77	4	< 1	< 5	4	2.45	< 20	140	0.4	0.8	< 3	< 0.02	< 0.05	< 0.5	24.3
475730	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	595	2	1.06	2	< 1	< 5	24	2.74	< 20	98	0.2	1.5	< 3	< 0.02	< 0.05	< 0.5	17.5
475731	6	< 5	< 0.5	410	< 0.5	< 1	2	672	2	0.77	3	< 1	< 5	< 1	2.26	< 20	147	0.3	1.2	< 3	< 0.02	< 0.05	< 0.5	13.7
475732	< 2	< 5	1.5	200	< 0.5	< 1	2	658	4	0.81	2	< 1	< 5	18	2.34	< 20	154	< 0.1	2.0	< 3	< 0.02	< 0.05	< 0.5	17.5
475733	< 2	< 5	< 0.5	300	< 0.5	< 1	< 1	595	4	0.82	2	< 1	< 5	20	2.14	< 20	119	0.3	1.0	< 3	< 0.02	0.06	< 0.5	11.4
475734	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	560	3	0.89	2	< 1	< 5	48	2.97	< 20	84	0.3	2.1	< 3	< 0.02	< 0.05	< 0.5	31.2
475735	< 2	< 5	< 0.5	290	< 0.5	< 1	< 1	679	6	0.78	4	< 1	< 5	26	2.58	< 20	112	0.3	0.8	< 3	< 0.02	< 0.05	< 0.5	22.0
475736	< 2	< 5	2.0	270	< 0.5	< 1	2	574	4	0.72	3	< 1	< 5	24	2.00	< 20	154	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	16.0
475737	< 2	< 5	< 0.5	200	< 0.5	< 1	< 1	840	4	0.83	< 1	< 1	< 5	15	1.35	< 20	119	0.3	1.3	< 3	< 0.02	< 0.05	< 0.5	16.0
475738	< 2	< 5	< 0.5	310	< 0.5	< 1	< 1	605	3	0.61	< 1	< 1	< 5	< 1	2.00	< 20	129	0.3	0.7	< 3	< 0.02	< 0.05	< 0.5	14.4
475739	< 2	< 5	1.4	270	< 0.5	< 1	3	558	3	0.75	1	< 1	< 5	12	2.08	< 20	143	0.4	1.3	< 3	< 0.02	< 0.05	< 0.5	8.4
475740	< 2	< 5	< 0.5	240	< 0.5	< 1	< 1	551	5	0.81	1	< 1	< 5	19	2.06	< 20	156	0.5	1.9	< 3	< 0.02	< 0.05	< 0.5	14.4
475741	< 2	< 5	< 0.5	< 50	< 0.5	1	3	816	3	1.01	5	< 1	< 5	< 1	2.11	< 20	136	0.3	0.8	< 3	< 0.02	< 0.05	< 0.5	31.9
475742	< 2	< 5	< 0.5	420	< 0.5	< 1	3	612	< 1	1.14	4	< 1	< 5	20	2.07	< 20	122	0.4	1.8	< 3	< 0.02	< 0.05	< 0.5	49.4
475743	< 2	< 5	< 0.5	330	< 0.5	2	4	585	< 1	1.05	5	< 1	< 5	13	2.10	< 20	109	0.2	1.9	< 3	0.05	< 0.05	< 0.5	44.1
475744	< 2	< 5	< 0.5	350	< 0.5	< 1	< 1	632	2	1.09	4	< 1	< 5	10	2.15	< 20	136	0.2	2.1	< 3	< 0.02	< 0.05	< 0.5	46.4
475745	< 2	< 5	< 0.5	440	< 0.5	< 1	2	592	< 1	1.06	4	< 1	< 5	12	2.01	< 20	136	0.2	1.6	< 3	< 0.02	< 0.05	< 0.5	37.2
475746	< 2	< 5	< 0.5	410	< 0.5	< 1	3	585	1	1.21	5	< 1	< 5	< 1	2.12	< 20	109	0.5	1.9	< 3	< 0.02	< 0.05	< 0.5	44.8
475747	5	< 5	1.9	350	< 0.5	< 1	3	619	3	1.22	5	< 1	< 5	14	2.31	< 20	116	0.4	2.5	< 3	< 0.02	< 0.05	2.1	40.3
475748	< 2	< 5	< 0.5	390	< 0.5	< 1	3	605	2	1.10	4	< 1	< 5	< 1	2.09	< 20	122	0.4	1.8	< 3	< 0.02	< 0.05	< 0.5	43.3
475749	< 2	< 5	1.2	470	< 0.5	< 1	< 1	706	< 1	1.17	6	< 1	< 5	4	2.13	< 20	151	1.2	2.0	< 3	< 0.02	< 0.05	< 0.5	44.1
475750	< 2	< 5	< 0.5	530	< 0.5	< 1	< 1	662	2	1.28	5	< 1	< 5	12	2.09	< 20	130	1.2	2.5	< 3	< 0.02	< 0.05	< 0.5	60.0
475751	< 2	< 5	< 0.5	380	< 0.5	< 1	3	554	3	2.01	5	< 1	< 5	39	2.02	< 20	122	1.2	5.0	< 3	< 0.02	< 0.05	< 0.5	67.6
475752	< 2	< 5	2.2	420	< 0.5	< 1	< 1	605	< 1	1.02	4	< 1	< 5	13	2.16	< 20	122	1.2	1.7	< 3	< 0.02	< 0.05	< 0.5	35.7
475753	< 2	< 5	1.3	420	< 0.5	2	< 1	583	1	1.20	4	< 1	< 5	12	2.06	< 20	122	1.2	2.4	< 3	< 0.02	< 0.05	< 0.5	35.0
475754	< 2	< 5	1.3	420	< 0.5	2	< 1	583	1	1.20	4	< 1	< 5	12	2.06	< 20	122	1.2	2.4	< 3	< 0.02	< 0.05	< 0.5	35.0
475755	8	< 5	< 0.5	220	< 0.5	< 1	3	576	2	0.85	3	< 1	< 5	11	2.26	< 20	130	1.2	1.2	< 3	0.02	< 0.05	< 0.5	30.4
475756	3	< 5	< 0.5	320	< 0.5	< 1	3	598	3	0.48	< 1	< 1	< 5	< 1	1.75	< 20	173	1.1	0.4	< 3	< 0.02	< 0.05	< 0.5	6.3
475757	< 2	< 5	< 0.5	200	< 0.5	< 1	< 1	684	3	0.90	1	< 1	< 5	8	2.22	< 20	115	1.0	1.3	< 3	0.05	< 0.05	< 0.5	12.9
475758	< 2	< 5	1.6	220	< 0.5	< 1	< 1	684	2	0.85	1	< 1	< 5	< 1	2.69	< 20	94	1.2	1.0	< 3	< 0.02	< 0.05	< 0.5	10.6
475759	< 2	< 5	1.3	320	< 0.5	< 1	< 1	598	3	0.88	1	< 1	< 5	10	2.44	< 20	108	1.2	0.9	< 3	< 0.02	< 0.05	< 0.5	11.4
475760	< 2	< 5	< 0.5	180	< 0.5	< 1	3	646	4	1.65	4	< 1	< 5	< 1	2.57	< 20	170	1.3	3.1	< 3	< 0.02	< 0.05	< 0.5	23.1
475761	< 2	< 5	< 0.5	330	< 0.5	< 1	< 1	653	4	1.91														

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
475763	< 2	< 5	< 0.5	230	< 0.5	< 1	2	646	3	0.70	< 1	< 1	< 5	6	2.04	< 20	149	1.3	1.6	< 3	< 0.02	< 0.05	< 0.5	13.3
475764	< 2	< 5	1.6	310	< 0.5	< 1	< 1	660	3	0.65	1	< 1	< 5	11	2.14	< 20	178	1.3	0.9	< 3	< 0.02	< 0.05	< 0.5	27.3
475765	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	710	< 1	0.82	< 1	< 1	< 5	< 1	2.87	< 20	128	0.5	1.0	< 3	< 0.02	< 0.05	< 0.5	38.5
475766	< 2	< 5	< 0.5	320	< 0.5	< 1	< 1	611	4	0.92	3	< 1	< 5	20	2.07	< 20	128	0.1	2.0	< 3	< 0.02	< 0.05	2.3	77.0
475767	< 2	< 5	< 0.5	230	< 0.5	< 1	< 1	611	2	0.85	1	< 1	< 5	< 1	2.80	< 20	99	1.3	0.8	< 3	< 0.02	< 0.05	< 0.5	15.4
475768	< 2	< 5	< 0.5	100	< 0.5	< 1	2	781	2	0.92	3	< 1	< 5	7	1.87	< 20	85	0.3	0.7	< 3	< 0.02	< 0.05	< 0.5	25.2
475769	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	852	3	3.56	2	< 1	< 5	12	1.53	< 20	58	< 0.1	2.6	< 3	< 0.02	< 0.05	< 0.5	38.5
475770	< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	632	2	1.97	3	< 1	< 5	< 1	2.49	< 20	114	< 0.1	4.0	< 3	< 0.02	< 0.05	< 0.5	16.8
475771	< 2	< 5	< 0.5	340	< 0.5	< 1	6	502	4	2.22	5	< 1	< 5	13	2.45	< 20	132	0.8	4.3	< 3	< 0.02	< 0.05	< 0.5	53.2
475772	< 2	< 5	< 0.5	500	< 0.5	< 1	4	660	3	1.12	3	< 1	< 5	5	2.34	< 20	125	0.3	1.4	< 3	< 0.02	< 0.05	< 0.5	14.0
475773	< 2	< 5	< 0.5	270	< 0.5	< 1	3	587	< 1	1.41	2	< 1	< 5	< 1	2.77	< 20	99	0.4	0.9	< 3	< 0.02	< 0.05	< 0.5	25.9
475774	< 2	< 5	< 0.5	< 50	< 0.5	< 1	1	726	1	0.96	3	< 1	< 5	13	2.46	220	92	0.2	1.1	< 3	< 0.02	< 0.05	< 0.5	22.4
475775	< 2	< 5	< 0.5	270	< 0.5	< 1	4	614	3	1.41	4	< 1	< 5	5	2.49	< 20	165	< 0.1	3.1	< 3	< 0.02	< 0.05	< 0.5	19.6
475776	< 2	< 5	2.5	240	< 0.5	< 1	3	601	3	1.27	3	< 1	< 5	6	2.34	< 20	145	0.9	1.0	< 3	< 0.02	< 0.05	< 0.5	18.9
475777	< 2	< 5	1.3	290	< 0.5	< 1	3	627	3	0.88	1	< 1	< 5	< 1	1.93	< 20	125	3.6	1.5	< 3	< 0.02	< 0.05	< 0.5	28.0
475778	< 2	< 5	1.2	310	< 0.5	< 1	2	653	4	0.99	2	< 1	< 5	14	2.20	< 20	125	1.3	1.8	< 3	< 0.02	< 0.05	< 0.5	23.8
475779	< 2	< 5	< 0.5	330	< 0.5	< 1	< 1	640	3	0.76	3	< 1	< 5	7	2.03	< 20	139	0.4	0.6	< 3	< 0.02	< 0.05	< 0.5	59.5
475780	< 2	< 5	< 0.5	240	1.1	1	< 1	792	2	1.08	2	< 1	< 5	< 1	2.14	< 20	79	0.4	1.5	< 3	< 0.02	< 0.05	< 0.5	30.8
475781	< 2	< 5	< 0.5	280	< 0.5	< 1	2	647	< 1	0.85	2	< 1	< 5	< 1	2.57	< 20	86	0.3	0.9	< 3	< 0.02	< 0.05	< 0.5	9.1
475782	< 2	< 5	< 0.5	160	< 0.5	< 1	< 1	620	3	0.95	3	< 1	< 5	23	2.35	< 20	136	0.2	2.6	< 3	< 0.02	< 0.05	2.0	22.1
475783	< 2	< 5	< 0.5	140	1.8	< 1	3	620	4	0.93	4	< 1	< 5	< 1	2.31	< 20	136	< 0.1	2.5	< 3	< 0.02	< 0.05	< 0.5	31.2
475784	< 2	< 5	< 0.5	< 50	2.0	< 1	4	601	5	0.82	2	< 1	< 5	< 1	2.34	< 20	149	1.8	1.9	< 3	< 0.02	< 0.05	< 0.5	23.4
475785	< 2	< 5	0.8	240	< 0.5	< 1	3	353	2	0.68	3	< 1	< 5	< 1	2.32	< 20	149	0.4	1.4	< 3	< 0.02	< 0.05	< 0.5	22.8
475786	< 2	< 5	< 0.5	90	< 0.5	< 1	< 1	620	3	0.81	4	< 1	< 5	29	2.16	< 20	143	0.4	1.3	< 3	< 0.02	< 0.05	< 0.5	21.5
475787	< 2	< 5	1.4	220	1.5	< 1	< 1	620	1	0.81	2	< 1	< 5	26	2.66	< 20	124	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	16.3
475788	< 2	< 5	< 0.5	< 50	< 0.5	< 1	2	440	2	0.48	2	< 1	< 5	17	2.21	< 20	124	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	18.2
475789	9	< 5	< 0.5	110	< 0.5	1	< 1	620	2	0.66	2	< 1	< 5	< 1	2.14	< 20	68	0.2	0.8	< 3	< 0.02	< 0.05	< 0.5	19.5
475790	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	564	3	0.57	3	< 1	< 5	< 1	2.10	< 20	174	0.3	1.1	< 3	< 0.02	< 0.05	< 0.5	14.9
475791	< 2	< 5	< 0.5	210	< 0.5	2	< 1	422	3	0.49	3	< 1	< 5	24	2.72	< 20	130	0.4	1.3	< 3	< 0.02	< 0.05	< 0.5	15.6
475792	< 2	< 5	< 0.5	180	< 0.5	< 1	< 1	515	3	0.63	4	< 1	< 5	16	2.46	< 20	118	0.5	1.4	< 3	< 0.02	< 0.05	< 0.5	15.6
475793	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	383	2	0.64	4	< 1	< 5	< 1	2.21	< 20	124	< 0.1	1.6	< 3	< 0.02	< 0.05	< 0.5	22.5
475794	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	340	3	0.56	2	< 1	< 5	< 1	2.06	< 20	157	< 0.1	1.7	< 3	< 0.02	< 0.05	3.9	31.6
475795	< 2	< 5	< 0.5	590	< 0.5	3	< 1	421	2	0.51	3	< 1	< 5	< 1	2.41	< 20	178	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	38.6
475796	< 2	< 5	< 0.5	390	< 0.5	< 1	< 1	335	3	0.62	2	< 1	< 5	< 1	2.10	< 20	130	< 0.1	1.2	< 3	< 0.02	0.06	< 0.5	19.9
475797	< 2	< 5	< 0.5	300	1.1	< 1	< 1	189	2	0.50	1	< 1	< 5	< 1	1.92	< 20	119	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	12.0
475798	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	340	3	0.42	< 1	< 1	< 5	< 1	2.11	< 20	151	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	6.9
475799	< 2	< 5	< 0.5	230	< 0.5	< 1	< 1	324	2	0.61	2	< 1	< 5	< 1	1.71	< 20	135	< 0.1	1.7	< 3	< 0.02	< 0.05	< 0.5	9.7
475800	< 2	< 5	< 0.5	240	< 0.5	< 1	< 1	416	3	0.64	2	< 1	< 5	< 1	1.85	< 20	151	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	19.7
475801	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	346	2	0.53	1	< 1	< 5	< 1	2.53	< 20	157	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	19.4
475802	< 2	< 5	< 0.5	210	< 0.5	< 1	< 1	437	2	0.59	4	< 1	< 5	< 1	2.44	< 20	103	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	18.4
475803	< 2	< 5	< 0.5	250	< 0.5	2	< 1	335	3	0.49	< 1	< 1	< 5	< 1	2.13	< 20	146	0.3	1.0	< 3	< 0.02	< 0.05	< 0.5	12.4
475804	< 2	< 5	< 0.5	160	< 0.5	3	< 1	450	2	0.77	< 1	< 1	< 5	< 1	2.32	< 20	110	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	14.9
475805	< 2	< 5	< 0.5	320	< 0.5	< 1	< 1	335	4	0.99	3	< 1	< 5	< 1	2.05	< 20	190	< 0.1	2.3	< 3	< 0.02	< 0.05	< 0.5	46.4
475806	< 2	< 5	< 0.5	420	< 0.5	< 1	4	445	4	0.88	3	< 1	< 5	< 1	2.57	< 20	155	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5	30.7
475807	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	335	< 1	0.85	3	< 1	< 5	< 1	2.20	< 20	125	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	21.7
475808	< 2	< 5	< 0.5	320	< 0.5	< 1	< 1	420	2	1.13	< 1	< 1	< 5	< 1	2.38	< 20	110	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	32.8
475809	< 2	< 5	< 0.5	320	< 0.5	< 1	< 1	335	4	0.54	3	< 1	< 5	< 1	1.75	< 20	225	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	12.3
475810	< 2	< 5	< 0.5	380	< 0.5	< 1	< 1	405	4	0.69	3	< 1	< 5	< 1	2.20	< 20	150	< 0.1	1.6	< 3	< 0.02	< 0.05	2.8	15.9
475811	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	350	3	1.38	< 1	< 1	< 5	< 1	2.38	< 20	175	0.3	1.1	< 3	< 0.02	< 0.05	< 0.5	32.4
475812	< 2	< 5	< 0.5	380	< 0.5	< 1	2																	

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
475815	< 2	< 5	< 0.5	400	< 0.5	< 1	< 1	528	5	0.87	1	< 1	< 5	< 1	2.51	< 20	77	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	14.1
475816	< 2	< 5	< 0.5	300	< 0.5	< 1	< 1	346	4	0.75	< 1	< 1	< 5	< 1	2.05	< 20	192	0.2	2.1	< 3	< 0.02	< 0.05	< 0.5	6.9
475817	< 2	< 5	< 0.5	400	< 0.5	< 1	< 1	355	3	0.75	< 1	< 1	< 5	< 1	2.13	< 20	182	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5	5.3
475818	< 2	< 5	< 0.5	350	< 0.5	< 1	< 1	365	4	0.89	1	< 1	< 5	< 1	1.98	< 20	134	< 0.1	2.3	< 3	< 0.02	< 0.05	< 0.5	12.6
475819	< 2	< 5	< 0.5	410	< 0.5	2	< 1	384	3	0.57	< 1	< 1	< 5	< 1	1.68	< 20	182	0.3	0.8	< 3	< 0.02	< 0.05	< 0.5	8.1
475820	3	< 5	0.8	< 50	< 0.5	< 1	< 1	317	3	0.83	1	< 1	< 5	< 1	2.52	< 20	202	0.3	1.8	< 3	< 0.02	< 0.05	< 0.5	10.9
475821	< 2	< 5	< 0.5	530	< 0.5	< 1	< 1	403	2	0.99	1	< 1	< 5	< 1	2.55	< 20	173	< 0.1	1.2	< 3	< 0.02	< 0.05	2.3	17.7
475822	< 2	< 5	2.0	200	< 0.5	< 1	< 1	437	5	0.85	3	< 1	< 5	< 1	2.51	< 20	168	< 0.1	1.4	< 3	0.04	< 0.05	< 0.5	16.9
475823	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	384	2	0.81	3	< 1	< 5	< 1	2.41	< 20	96	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	14.7
475824	< 2	< 5	2.4	< 50	< 0.5	< 1	< 1	346	2	1.17	1	< 1	< 5	13	2.66	< 20	72	< 0.1	2.7	< 3	< 0.02	< 0.05	< 0.5	8.0
475825	< 2	< 5	< 0.5	410	< 0.5	< 1	< 1	466	3	0.61	< 1	< 1	< 5	4	2.01	< 20	235	0.2	0.8	< 3	< 0.02	< 0.05	< 0.5	5.9
475826	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	435	4	0.90	2	< 1	< 5	< 1	2.89	< 20	95	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5	11.2
475827	< 2	< 5	1.8	< 50	< 0.5	< 1	3	400	4	0.67	3	< 1	< 5	< 1	2.41	< 20	125	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	12.8
475828	< 2	< 5	2.1	600	< 0.5	< 1	< 1	355	3	0.69	2	< 1	< 5	< 1	2.30	< 20	115	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	9.2
475829	< 2	< 5	2.2	320	< 0.5	< 1	< 1	410	4	0.63	1	< 1	< 5	< 1	1.80	< 20	220	0.3	1.0	< 3	< 0.02	< 0.05	< 0.5	39.8
475830	< 2	< 5	< 0.5	320	< 0.5	< 1	3	335	6	0.57	< 1	< 1	< 5	< 1	1.88	< 20	245	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	44.2
475831	< 2	< 5	2.0	350	< 0.5	< 1	< 1	340	6	0.60	2	< 1	< 5	< 1	2.06	< 20	185	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	12.8
475832	< 2	< 5	1.5	300	< 0.5	< 1	< 1	310	3	0.50	2	< 1	< 5	< 1	1.91	< 20	220	0.2	1.1	< 3	< 0.02	< 0.05	< 0.5	8.6
475833	< 2	< 5	< 0.5	250	< 0.5	< 1	< 1	330	5	0.63	1	< 1	< 5	< 1	2.20	250	210	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	14.0
475841	< 2	< 5	2.8	460	< 0.5	< 1	4	600	3	1.02	1	< 1	< 5	5	1.88	< 20	160	0.3	0.8	< 3	< 0.02	< 0.05	< 0.5	11.8
475842	< 2	< 5	1.6	230	< 0.5	< 1	4	320	8	1.72	2	< 1	< 5	< 1	2.51	< 20	240	0.3	4.0	< 3	< 0.02	< 0.05	< 0.5	43.2
475843	< 2	< 5	1.1	350	< 0.5	2	< 1	415	7	1.48	2	< 1	< 5	< 1	2.09	< 20	180	< 0.1	2.0	< 3	< 0.02	< 0.05	< 0.5	51.6
475844	< 2	< 5	2.7	450	< 0.5	< 1	< 1	338	2	0.49	< 1	< 1	< 5	5	1.41	< 20	243	0.2	1.1	< 3	< 0.02	< 0.05	< 0.5	24.0
475845	5	< 5	2.5	450	< 0.5	< 1	2	450	3	0.84	1	< 1	< 5	< 1	1.39	< 20	189	0.2	1.8	< 3	< 0.02	< 0.05	< 0.5	14.1
475846	< 2	< 5	< 0.5	400	< 0.5	< 1	3	369	2	0.90	< 1	< 1	< 5	< 1	1.96	< 20	171	< 0.1	1.6	< 3	< 0.02	< 0.05	< 0.5	25.5
475847	< 2	< 5	3.3	450	< 0.5	< 1	2	450	3	0.68	1	< 1	< 5	< 1	1.40	< 20	180	0.2	1.0	< 3	< 0.02	< 0.05	< 0.5	14.1
475848	< 2	< 5	2.4	450	< 0.5	< 1	< 1	342	3	0.95	1	< 1	< 5	< 1	1.85	< 20	140	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	7.9
475849	< 2	< 5	< 0.5	270	< 0.5	< 1	3	396	4	0.86	1	< 1	< 5	< 1	2.10	< 20	158	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5	16.8
475850	< 2	< 5	2.5	380	< 0.5	< 1	4	392	3	0.81	3	< 1	< 5	< 1	1.95	< 20	162	< 0.1	1.3	< 3	< 0.02	< 0.05	2.6	25.3
475851	9	< 5	2.2	< 50	< 0.5	< 1	1	450	1	0.83	2	< 1	< 5	< 1	2.25	< 20	90	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	40.3
475852	< 2	< 5	< 0.5	< 50	< 0.5	2	< 1	383	4	0.72	2	< 1	< 5	< 1	1.98	< 20	113	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5	49.0
475853	8	< 5	3.2	450	< 0.5	< 1	3	495	4	0.67	2	< 1	< 5	< 1	2.01	< 20	158	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	17.8
475854	< 2	< 5	1.3	150	< 0.5	< 1	3	401	2	0.62	3	< 1	< 5	< 1	2.18	< 20	135	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	22.5
475855	< 2	< 5	1.9	210	< 0.5	< 1	< 1	462	3	0.55	2	< 1	< 5	< 1	1.86	250	151	< 0.1	0.8	< 3	< 0.02	< 0.05	1.6	16.6
475856	< 2	< 5	3.0	160	< 0.5	< 1	2	386	4	0.90	3	< 1	< 5	< 1	2.18	< 20	97	0.2	2.4	< 3	< 0.02	< 0.05	< 0.5	22.2
475857	< 2	< 5	2.1	< 50	< 0.5	< 1	< 1	588	3	0.68	2	< 1	< 5	< 1	1.79	< 20	55	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	10.1
475858	4	< 5	1.6	240	< 0.5	2	2	328	4	0.69	2	< 1	< 5	< 1	1.94	< 20	151	0.3	1.9	< 3	< 0.02	< 0.05	< 0.5	14.2
475859	< 2	< 5	< 0.5	210	< 0.5	< 1	2	420	3	0.63	3	< 1	< 5	< 1	1.72	< 20	197	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	27.8
475860	< 2	< 5	< 0.5	260	< 0.5	< 1	2	407	2	0.57	3	< 1	< 5	< 1	1.84	< 20	97	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	20.7
475861	< 2	< 5	1.8	240	< 0.5	3	< 1	273	3	0.46	2	< 1	< 5	< 1	1.83	< 20	109	0.2	1.0	< 3	< 0.02	< 0.05	< 0.5	10.5
475862	< 2	< 5	3.3	130	< 0.5	< 1	< 1	386	2	0.79	2	< 1	< 5	< 1	2.03	< 20	164	< 0.1	1.6	< 3	< 0.02	< 0.05	1.8	15.5
475863	< 2	< 5	3.4	280	< 0.5	< 1	2	462	3	0.71	4	< 1	< 5	< 1	2.02	< 20	109	0.3	1.2	< 3	< 0.02	< 0.05	< 0.5	24.5
475864	< 2	< 5	1.8	< 50	< 0.5	2	3	395	3	0.86	3	< 1	< 5	< 1	1.89	< 20	113	< 0.1	1.5	< 3	< 0.02	< 0.05	2.1	21.0
475865	< 2	< 5	2.3	280	< 0.5	< 1	2	462	4	0.67	3	< 1	< 5	< 1	2.01	< 20	122	0.2	1.2	< 3	< 0.02	< 0.05	< 0.5	26.8
475866	< 2	< 5	3.4	< 50	< 0.5	< 1	3	419	3	0.78	3	< 1	< 5	< 1	2.07	< 20	149	0.3	1.3	< 3	< 0.02	< 0.05	< 0.5	26.6
475867	< 2	< 5	3.2	230	< 0.5	< 1	< 1	450	2	0.64	3	< 1	< 5	< 1	2.21	< 20	135	0.3	1.4	3	< 0.02	< 0.05	< 0.5	15.2
475868	< 2	< 5	3.1	< 50	< 0.5	< 1	< 1	378	4	0.56	2	< 1	< 5	< 1	2.30	< 20	144	0.3	1.7	< 3	< 0.02	< 0.05	< 0.5	20.8
475869	< 2	< 5	2.6	< 50	< 0.5	< 1	< 1	450	7	0.91	2	< 1	< 5	< 1	1.97	< 20	149	0.3	3.3	< 3	< 0.02	< 0.05	< 0.5	16.0
475870	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	428	3	1.32	3	< 1	< 5	< 1	2.22	< 20	86	< 0.1	3.1	< 3	< 0.02	< 0.05	< 0.5	20.7
475871	< 2	< 5	2.2	< 50	< 0.5	< 1	3	446	3	0.81	2	< 1	< 5	< 1										

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
475874	< 2	< 5	2.6	< 50	< 0.5	< 1	2	297	4	0.72	4	< 1	< 5	< 1	1.95	< 20	104	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	27.4
475875	< 2	< 5	3.9	250	< 0.5	< 1	3	432	4	1.41	4	< 1	< 5	< 1	2.00	< 20	131	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	51.5
475876	< 2	< 5	< 0.5	210	< 0.5	< 1	< 1	374	4	0.75	2	< 1	< 5	< 1	1.73	< 20	162	0.3	1.8	< 3	< 0.02	< 0.05	< 0.5	23.5
475877	< 2	< 5	2.4	350	< 0.5	< 1	2	517	4	1.06	4	< 1	< 5	< 1	2.19	< 20	127	0.4	2.6	< 3	< 0.02	< 0.05	2.0	54.0
475878	< 2	< 5	2.0	< 50	< 0.5	< 1	< 1	470	5	0.78	3	< 1	< 5	< 1	2.57	< 20	103	0.3	0.8	< 3	< 0.02	< 0.05	< 0.5	36.0
475879	< 2	< 5	< 0.5	470	< 0.5	< 1	3	564	2	0.89	3	< 1	< 5	< 1	2.69	< 20	66	< 0.1	0.9	< 3	< 0.02	< 0.05	3.0	23.6
475880	< 2	< 5	< 0.5	200	< 0.5	5	35	310	3	6.58	1	< 1	< 5	8	1.71	< 20	89	0.3	31.6	< 3	< 0.02	< 0.05	2.1	2.7
475881	< 2	< 5	3.2	< 50	4.4	< 1	6	564	3	1.51	2	< 1	< 5	< 1	3.15	< 20	108	< 0.1	6.0	< 3	< 0.02	< 0.05	3.6	14.6
475882	< 2	< 5	3.8	< 50	< 0.5	< 1	< 1	404	8	0.68	3	< 1	< 5	< 1	2.39	< 20	296	0.5	2.0	< 3	0.08	< 0.05	3.0	15.1
475883	< 2	< 5	< 0.5	< 50	< 0.5	7	35	315	3	6.11	< 1	< 1	< 5	< 1	1.52	< 20	< 15	< 0.1	36.4	< 3	< 0.02	< 0.05	1.6	1.3
475884	< 2	< 5	< 0.5	< 50	1.5	4	26	353	6	4.93	1	< 1	< 5	< 1	2.24	< 20	80	0.3	24.8	< 3	< 0.02	< 0.05	< 0.5	5.4
475885	< 2	< 5	5.2	190	4.6	< 1	2	338	5	0.70	< 1	< 1	< 5	< 1	2.59	< 20	371	< 0.1	2.9	< 3	< 0.02	< 0.05	4.4	9.7
475886	10	< 5	3.1	< 50	2.2	< 1	4	470	8	0.92	2	< 1	< 5	< 1	2.55	< 20	259	< 0.1	3.2	< 3	< 0.02	< 0.05	6.6	13.7
475887	< 2	< 5	3.9	320	2.4	2	9	517	16	2.27	2	< 1	< 5	< 1	2.52	< 20	301	< 0.1	9.5	< 3	< 0.02	< 0.05	< 0.5	15.3
475888	< 2	< 5	2.4	780	< 0.5	3	22	225	8	4.90	3	< 1	< 5	< 1	2.38	< 20	147	< 0.1	17.0	< 3	< 0.02	< 0.05	< 0.5	10.8
475889	< 2	< 5	< 0.5	< 50	3.0	< 1	4	407	11	1.18	5	< 1	< 5	< 1	2.71	< 20	279	0.3	3.6	< 3	< 0.02	< 0.05	2.4	37.0
475890	< 2	< 5	< 0.5	< 50	2.1	< 1	3	539	8	1.31	8	< 1	< 5	< 1	3.22	< 20	167	< 0.1	2.5	< 3	< 0.02	< 0.05	2.3	40.6
475891	< 2	< 5	< 0.5	420	< 0.5	< 1	4	338	8	1.70	24	< 1	< 5	< 1	1.65	< 20	328	0.2	3.4	< 3	< 0.02	< 0.05	2.1	108
475892	< 2	< 5	< 0.5	280	4.1	< 1	< 1	490	5	0.75	2	< 1	< 5	< 1	2.18	< 20	372	< 0.1	1.7	< 3	< 0.02	< 0.05	< 0.5	18.9
475893	< 2	< 5	< 0.5	180	4.0	< 1	3	588	6	0.85	2	< 1	< 5	< 1	2.27	< 20	363	0.2	1.3	< 3	< 0.02	< 0.05	2.1	17.7
475894	< 2	< 5	< 0.5	470	4.1	< 1	20	216	3	4.03	2	< 1	< 5	< 1	2.63	< 20	142	< 0.1	15.0	< 3	< 0.02	< 0.05	< 0.5	10.5
475895	< 2	< 5	< 0.5	540	3.8	2	21	211	4	3.99	3	< 1	< 5	< 1	2.55	< 20	142	< 0.1	15.0	< 3	< 0.02	< 0.05	< 0.5	9.7
475896	< 2	< 5	< 0.5	250	3.4	< 1	2	637	4	0.71	2	< 1	< 5	< 1	2.00	< 20	270	< 0.1	1.2	< 3	< 0.02	< 0.05	1.9	14.8
475897	< 2	< 5	1.5	260	7.3	< 1	3	353	4	0.66	2	< 1	< 5	< 1	2.56	< 20	289	0.4	1.4	< 3	< 0.02	< 0.05	< 0.5	17.1
475898	< 2	< 5	< 0.5	210	5.6	< 1	< 1	392	4	0.77	1	< 1	< 5	< 1	2.28	< 20	299	< 0.1	1.2	< 3	< 0.02	< 0.05	2.3	16.9
475899	< 2	< 5	< 0.5	430	7.7	4	23	279	7	4.31	4	< 1	< 5	< 1	2.51	< 20	102	0.3	15.7	< 3	< 0.02	< 0.05	< 0.5	10.5
475900	< 2	< 5	< 0.5	290	4.3	< 1	5	365	9	1.49	5	< 1	< 5	< 1	1.99	< 20	217	< 0.1	2.9	< 3	< 0.02	< 0.05	3.5	24.9
475901	9	< 5	< 0.5	280	5.0	5	14	287	4	3.85	3	< 1	< 5	< 1	2.81	< 20	101	< 0.1	14.6	< 3	< 0.02	< 0.05	< 0.5	7.1
475902	11	< 5	< 0.5	280	7.0	5	18	331	2	4.61	3	< 1	< 5	< 1	2.68	< 20	86	< 0.1	18.6	< 3	< 0.02	< 0.05	< 0.5	7.1
475903	< 2	< 5	< 0.5	250	9.8	< 1	< 1	388	20	0.85	5	< 1	< 5	< 1	2.10	< 20	300	0.4	0.9	< 3	< 0.02	< 0.05	2.5	15.6
475904	< 2	< 5	< 0.5	330	7.1	4	9	292	10	2.27	3	< 1	< 5	< 1	2.63	480	224	< 0.1	7.5	< 3	< 0.02	< 0.05	2.1	11.0
475905	< 2	< 5	< 0.5	280	4.3	< 1	< 1	302	21	0.62	3	< 1	< 5	< 1	1.73	< 20	410	0.4	1.4	< 3	< 0.02	< 0.05	4.9	15.7
475906	< 2	< 5	< 0.5	170	3.5	< 1	2	456	21	0.78	< 1	< 1	< 5	< 1	1.76	< 20	395	< 0.1	0.7	< 3	< 0.02	< 0.05	3.3	13.6
475907	< 2	< 5	< 0.5	< 50	4.3	< 1	2	296	17	0.83	2	< 1	< 5	< 1	2.02	< 20	344	0.3	2.1	< 3	< 0.02	< 0.05	4.7	11.8
475908	< 2	< 5	< 0.5	590	2.8	4	12	450	6	3.02	4	< 1	< 5	5	2.36	< 20	127	< 0.1	9.1	< 3	< 0.02	< 0.05	< 0.5	12.8
475909	< 2	< 5	< 0.5	500	< 0.5	5	20	249	14	3.64	4	< 1	< 5	6	2.03	530	85	0.4	13.6	< 3	< 0.02	< 0.05	< 0.5	9.8
475910	< 2	< 5	< 0.5	370	2.5	< 1	< 1	447	15	0.69	3	< 1	< 5	< 1	1.52	< 20	417	0.5	1.5	< 3	< 0.02	< 0.05	2.3	15.0
475911	9	< 5	< 0.5	< 50	3.3	< 1	7	287	17	1.58	3	< 1	< 5	< 1	2.39	< 20	256	0.3	8.3	< 3	< 0.02	< 0.05	9.9	12.9
475912	< 2	< 5	< 0.5	480	< 0.5	5	22	305	17	4.02	4	< 1	< 5	3	1.55	< 20	98	< 0.1	16.0	< 3	< 0.02	0.07	< 0.5	7.6
475913	< 2	< 5	< 0.5	< 50	2.9	2	5	494	21	1.22	< 1	< 1	< 5	< 1	2.42	< 20	111	< 0.1	5.4	< 3	< 0.02	< 0.05	6.9	8.6
475914	< 2	< 5	< 0.5	120	2.2	< 1	2	423	7	0.66	1	< 1	< 5	4	2.25	< 20	163	0.3	1.4	< 3	< 0.02	< 0.05	< 0.5	8.3
475915	< 2	< 5	< 0.5	< 50	3.6	2	8	547	20	1.51	1	< 1	< 5	< 1	2.04	< 20	268	0.4	5.3	< 3	< 0.02	< 0.05	1.6	8.7
475916	< 2	< 5	< 0.5	430	< 0.5	3	13	314	7	2.46	4	< 1	< 5	4	1.85	< 20	90	< 0.1	9.1	< 3	< 0.02	< 0.05	< 0.5	14.2
475917	< 2	< 5	< 0.5	340	2.7	< 1	< 1	496	17	0.82	4	< 1	< 5	< 1	2.09	< 20	295	0.3	0.9	< 3	< 0.02	< 0.05	2.6	17.1
475918	< 2	< 5	< 0.5	410	3.6	< 1	< 1	389	20	0.71	6	< 1	< 5	< 1	1.43	< 20	382	0.3	0.4	< 3	< 0.02	< 0.05	< 0.5	22.0
475919	< 2	< 5	< 0.5	180	3.4	< 1	3	463	16	0.99	4	< 1	< 5	< 1	1.54	< 20	274	0.3	2.2	< 3	< 0.02	< 0.05	< 0.5	12.6
475920	< 2	< 5	< 0.5	470	2.0	4	9	412	9	1.98	5	< 1	< 5	6	1.84	< 20	116	< 0.1	6.7	< 3	0.07	< 0.05	< 0.5	13.3
475921	< 2	< 5	< 0.5	340	< 0.5	9	47	342	5	7.29	2	< 1	< 5	< 1	1.15	< 20	116	< 0.1	32.3	< 3	< 0.02	< 0.05	< 0.5	0.9
475922	< 2	< 5	< 0.5	300	< 0.5	< 1	9	476	7	1.96	3	< 1	< 5	< 1	2.24	< 20	197	0.4	6.5	< 3	< 0.02	< 0.05	4.0	16.9
475923	< 2	< 5	< 0.5	< 50	6.8	9	59	328	4	8.42	2	< 1	< 5	< 1	1.00	< 20	106	< 0.1	33.5	< 3	< 0.02	0.12	< 0.5	< 0.2
475924	< 2	< 5	< 0.5	< 50	< 0.5	6																		

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
475926	< 2	< 5	< 0.5	250	< 0.5	8	92	2320	52	6.75	< 1	< 1	< 5	< 1	0.51	< 20	251	1.1	26.3	< 3	< 0.02	< 0.05	1.9	< 0.2
475927	< 2	< 5	< 0.5	< 50	9.2	< 1	< 1	346	5	0.61	3	< 1	< 5	5	3.32	< 20	442	< 0.1	2.7	< 3	< 0.02	< 0.05	3.0	19.7
475928	< 2	< 5	< 0.5	< 50	9.2	< 1	3	581	3	0.93	9	< 1	< 5	< 1	2.92	< 20	147	< 0.1	1.2	< 3	< 0.02	< 0.05	1.9	31.8
475929	< 2	< 5	< 0.5	380	5.7	9	31	456	3	4.63	2	< 1	< 5	< 1	1.68	< 20	95	< 0.1	21.8	< 3	< 0.02	< 0.05	< 0.5	5.9
475930	< 2	< 5	< 0.5	300	5.6	< 1	3	420	10	0.90	3	< 1	< 5	< 1	2.38	< 20	341	< 0.1	2.9	< 3	< 0.02	< 0.05	3.0	22.8
475931	< 2	< 5	< 0.5	270	10.1	5	29	364	5	5.37	3	< 1	< 5	< 1	2.36	< 20	147	< 0.1	23.4	< 3	< 0.02	< 0.05	2.8	17.2
475932	< 2	< 5	< 0.5	530	4.8	5	24	281	4	4.23	4	< 1	< 5	< 1	2.46	< 20	77	0.4	16.7	< 3	< 0.02	< 0.05	2.1	11.2
475933	< 2	< 5	1.6	200	< 0.5	< 1	< 1	410	17	1.27	7	< 1	< 5	< 1	1.72	< 20	298	0.3	0.9	< 3	< 0.02	< 0.05	1.3	33.1
475934	< 2	< 5	< 0.5	680	4.8	6	18	224	6	4.02	4	< 1	< 5	< 1	2.10	< 20	127	0.4	13.4	< 3	< 0.02	< 0.05	< 0.5	9.8
475935	< 2	< 5	< 0.5	220	3.6	6	41	89	5	8.05	2	< 1	< 5	< 1	1.64	< 20	104	< 0.1	34.2	< 3	< 0.02	< 0.05	< 0.5	1.5
475936	< 2	< 5	< 0.5	130	4.7	< 1	6	363	10	0.78	< 1	< 1	< 5	< 1	1.78	< 20	421	0.2	2.9	< 3	< 0.02	< 0.05	3.8	6.3
475937	< 2	< 5	1.3	150	8.3	< 1	14	337	11	0.84	1	< 1	< 5	< 1	1.53	< 20	485	0.3	2.8	< 3	< 0.02	< 0.05	2.9	12.8
475938	< 2	< 5	1.0	110	3.5	< 1	1	409	11	0.53	1	< 1	< 5	< 1	1.68	< 20	470	0.2	2.0	< 3	< 0.02	< 0.05	2.9	8.0
475939	< 2	< 5	< 0.5	220	6.6	4	21	290	6	4.12	3	< 1	< 5	< 1	1.98	< 20	124	< 0.1	19.7	< 3	< 0.02	< 0.05	3.2	13.7
475940	< 2	< 5	< 0.5	700	< 0.5	6	22	273	13	4.75	4	< 1	< 5	< 1	1.97	< 20	106	< 0.1	16.0	< 3	< 0.02	< 0.05	< 0.5	10.4
475941	< 2	< 5	< 0.5	< 50	2.2	< 1	< 1	376	12	0.54	3	< 1	< 5	< 1	1.92	< 20	417	< 0.1	1.0	< 3	< 0.02	< 0.05	2.5	18.1
475942	< 2	< 5	< 0.5	340	3.9	4	23	247	6	4.63	3	< 1	< 5	< 1	2.03	< 20	134	< 0.1	18.3	< 3	< 0.02	< 0.05	< 0.5	8.2
487001	< 2	< 5	6.4	660	2.5	< 1	2	389	4	1.30	5	< 1	< 5	< 1	1.93	< 20	238	0.4	2.6	< 3	< 0.02	< 0.05	< 0.5	32.2
487002	< 2	< 5	2.0	410	5.0	< 1	3	445	4	1.21	5	< 1	< 5	< 1	2.20	< 20	287	< 0.1	2.5	< 3	0.10	< 0.05	< 0.5	32.3
487003	< 2	< 5	< 0.5	500	< 0.5	< 1	2	423	6	1.26	6	< 1	< 5	< 1	2.08	< 20	198	0.2	2.4	< 3	< 0.02	< 0.05	< 0.5	31.8
487004	< 2	< 5	< 0.5	730	4.0	< 1	3	329	7	1.21	6	< 1	< 5	6	2.06	< 20	217	0.3	2.5	< 3	< 0.02	< 0.05	< 0.5	32.2
487005	< 2	< 5	< 0.5	550	4.7	< 1	3	580	3	1.31	6	< 1	< 5	4	2.32	< 20	213	< 0.1	2.6	< 3	< 0.02	< 0.05	< 0.5	30.0
487006	< 2	< 5	< 0.5	490	3.5	< 1	< 1	494	2	1.22	6	< 1	< 5	7	2.23	< 20	208	< 0.1	2.2	< 3	< 0.02	< 0.05	2.0	31.7
487007	< 2	< 5	< 0.5	610	3.0	< 1	4	522	4	1.22	6	< 1	< 5	7	2.13	< 20	234	0.3	2.3	< 3	< 0.02	< 0.05	< 0.5	32.6
487008	< 2	< 5	< 0.5	810	< 0.5	< 1	24	172	12	4.65	6	< 1	< 5	< 1	2.08	390	184	0.4	15.8	< 3	< 0.02	0.15	< 0.5	13.7
487009	< 2	< 5	< 0.5	630	6.1	< 1	4	219	7	1.11	5	< 1	< 5	< 1	2.11	< 20	315	< 0.1	2.5	< 3	< 0.02	< 0.05	< 0.5	34.7
487010	< 2	< 5	< 0.5	260	4.3	4	15	179	21	3.26	4	< 1	< 5	< 1	2.40	< 20	221	< 0.1	12.1	< 3	< 0.02	< 0.05	< 0.5	13.8
487011	< 2	< 5	< 0.5	220	4.1	< 1	< 1	158	10	0.70	9	< 1	< 5	< 1	2.44	< 20	255	< 0.1	1.6	< 3	< 0.02	< 0.05	2.5	48.3
487012	< 2	< 5	< 0.5	120	4.1	5	20	245	37	3.83	3	< 1	< 5	< 1	2.33	< 20	224	0.6	15.4	< 3	< 0.02	< 0.05	2.9	10.9
487013	< 2	< 5	< 0.5	290	4.6	< 1	2	184	14	0.74	2	< 1	< 5	< 1	2.47	< 20	264	< 0.1	3.4	< 3	< 0.02	< 0.05	3.2	26.4
487014	< 2	< 5	< 0.5	270	4.4	2	< 1	233	12	0.85	2	< 1	< 5	< 1	2.56	< 20	189	0.4	3.7	< 3	< 0.02	< 0.05	< 0.5	16.3
487015	< 2	< 5	< 0.5	350	3.7	5	20	200	9	4.05	3	< 1	< 5	< 1	2.58	360	130	< 0.1	15.3	< 3	< 0.02	< 0.05	< 0.5	9.2
487016	< 2	13	< 0.5	350	3.9	6	30	318	28	5.41	2	< 1	< 5	10	1.68	< 20	191	< 0.1	28.7	< 3	< 0.02	< 0.05	< 0.5	5.6
487017	< 2	< 5	< 0.5	120	2.9	< 1	< 1	153	9	0.42	4	< 1	< 5	< 1	2.76	< 20	322	< 0.1	2.4	< 3	< 0.02	< 0.05	12.0	24.6
487018	< 2	< 5	< 0.5	< 50	2.9	< 1	< 1	154	14	0.41	4	< 1	< 5	< 1	2.29	< 20	455	0.4	2.7	< 3	< 0.02	< 0.05	6.4	16.4
487019	< 2	< 5	< 0.5	< 50	3.2	2	< 1	131	14	0.39	4	< 1	< 5	< 1	2.48	< 20	419	0.3	2.6	< 3	< 0.02	< 0.05	5.5	15.5
487020	< 2	< 5	< 0.5	< 50	3.1	< 1	< 1	113	6	0.41	4	< 1	< 5	< 1	2.58	< 20	282	0.2	2.6	< 3	< 0.02	< 0.05	2.1	20.4
487021	< 2	< 5	< 0.5	< 50	3.7	< 1	< 1	233	11	0.46	4	< 1	< 5	< 1	2.32	< 20	407	0.4	1.3	< 3	< 0.02	< 0.05	< 0.5	17.6
487022	< 2	< 5	< 0.5	190	3.0	< 1	1	130	9	0.50	2	< 1	< 5	< 1	2.58	260	319	< 0.1	2.6	< 3	< 0.02	< 0.05	1.7	17.6
487023	9	< 5	< 0.5	< 50	2.9	< 1	< 1	202	15	0.56	2	< 1	< 5	< 1	2.29	< 20	388	0.5	4.2	< 3	< 0.02	< 0.05	4.4	6.6
487024	< 2	< 5	< 0.5	230	3.0	< 1	< 1	244	6	0.62	3	< 1	< 5	15	2.43	< 20	366	1.5	2.2	< 3	< 0.02	< 0.05	2.6	20.7
487025	2	< 5	< 0.5	< 50	3.8	< 1	< 1	144	5	0.49	3	< 1	< 5	< 1	2.41	< 20	336	< 0.1	1.9	< 3	< 0.02	< 0.05	< 0.5	19.3
487026	< 2	< 5	1.0	< 50	4.0	< 1	< 1	199	8	0.58	3	< 1	< 5	< 1	2.34	< 20	354	< 0.1	1.9	< 3	< 0.02	< 0.05	< 0.5	18.6
487027	< 2	< 5	< 0.5	340	4.0	2	< 1	143	9	0.56	3	< 1	< 5	< 1	2.35	< 20	379	0.3	2.0	< 3	< 0.02	< 0.05	< 0.5	19.4
487028	< 2	< 5	< 0.5	280	3.1	< 1	1	174	8	0.59	3	< 1	< 5	< 1	2.28	< 20	395	< 0.1	2.1	< 3	< 0.02	< 0.05	2.8	19.1
487029	15	< 5	< 0.5	180	2.2	< 1	< 1	159	8	0.60	3	< 1	< 5	< 1	2.31	< 20	312	< 0.1	1.9	< 3	< 0.02	< 0.05	3.3	19.5
487030	< 2	< 5	< 0.5	120	2.1	< 1	< 1	261	15	0.51	1	< 1	< 5	3	2.19	< 20	478	< 0.1	2.1	< 3	< 0.02	< 0.05	1.3	3.0
487031	< 2	< 5	< 0.5	< 50	3.3	2	< 1	351	12	0.60	1	< 1	< 5	< 1	2.36	< 20	302	0.4	2.0	< 3	< 0.02	< 0.05	2.7	6.4
487032	< 2	< 5	1.0	200	2.1	< 1	< 1	279	21	0.43	1	< 1	< 5	< 1	1.71	< 20	730	0.3	1.3	< 3	< 0.02	< 0.05	3.4	12.0
487033	< 2	< 5	< 0.5	220	2.2	< 1	< 1	373	17	0.54	5	< 1	< 5	< 1	2.12	< 20	537	0.3	1.7	5	< 0.02	< 0.05	3.8	11.6
487034	8	< 5	< 0.5	180	< 0.5	&																		

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl	
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	
487036	< 2	< 5	< 0.5	< 50	3.3	< 1	4	293	9	0.47	2	< 1	< 5	< 1	2.27	< 20	456	< 0.1	1.4	< 3	< 0.02	< 0.05	4.0	11.8	
487037	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	373	6	0.75	4	< 1	< 5	< 1	2.44	< 20	350	< 0.1	3.1	< 3	< 0.02	< 0.05	< 0.5	20.5	
487038	< 2	< 5	< 0.5	300	3.5	< 1	3	408	9	0.81	5	< 1	< 5	< 1	2.42	< 20	336	< 0.1	2.6	< 3	< 0.02	< 0.05	4.3	25.1	
487039	< 2	< 5	< 0.5	330	3.5	< 1	< 1	306	9	0.75	5	< 1	< 5	< 1	2.62	< 20	342	< 0.1	3.4	< 3	< 0.02	< 0.05	4.6	26.6	
487040	< 2	< 5	< 0.5	360	4.4	6	39	337	8	6.16	2	< 1	< 5	< 1	1.65	< 20	107	< 0.1	29.2	< 3	< 0.02	< 0.05	3.8	4.9	
487041	8	< 5	< 0.5	600	5.2	5	19	317	13	3.79	4	< 1	< 5	4	1.78	< 20	116	< 0.1	13.1	< 3	< 0.02	< 0.05	< 0.5	10.8	
487042	< 2	< 5	< 0.5	< 50	5.5	< 1	< 1	493	11	0.84	3	< 1	< 5	< 1	2.30	< 20	343	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5	19.9	
487043	< 2	< 5	< 0.5	240	4.5	< 1	< 1	303	11	0.62	3	< 1	< 5	< 1	2.37	< 20	309	< 0.1	1.6	< 3	< 0.02	< 0.05	3.8	18.1	
487044	< 2	< 5	< 0.5	220	3.8	1	2	386	11	0.62	3	< 1	< 5	< 1	2.43	< 20	354	< 0.1	1.2	< 3	< 0.02	< 0.05	3.6	15.6	
487045	< 2	< 5	< 0.5	270	10.7	< 1	5	514	16	1.17	6	< 1	< 5	< 1	2.88	< 20	516	0.4	2.7	< 3	< 0.02	< 0.05	3.0	28.8	
487046	< 2	< 5	< 0.5	520	17.3	4	21	601	28	3.81	4	< 1	< 5	< 1	2.38	< 20	268	0.5	18.2	< 3	< 0.02	< 0.05	< 0.5	11.0	
487047	5	< 5	< 0.5	300	7.3	6	48	491	26	8.58	2	< 1	< 5	4	2.13	< 20	224	0.5	34.3	< 3	< 0.02	< 0.05	< 0.5	7.8	
487048	< 2	< 5	< 0.5	270	2.4	< 1	2	484	20	0.82	2	< 1	< 5	< 1	3.31	< 20	436	0.4	3.7	< 3	< 0.02	< 0.05	24.6	26.6	
487049	< 2	< 5	< 0.5	250	3.8	< 1	< 1	560	26	0.78	< 1	< 1	< 5	< 1	2.80	< 20	614	0.4	1.6	< 3	< 0.02	< 0.05	2.1	11.7	
487050	< 2	< 5	< 0.5	380	3.3	< 1	2	486	30	0.44	< 1	< 1	< 5	< 1	2.03	< 20	738	0.5	0.2	< 3	< 0.02	< 0.05	< 0.5	1.9	
487051	< 2	< 5	< 0.5	540	7.7	5	43	415	5	6.22	2	< 1	< 5	6	3.08	< 20	115	< 0.1	33.6	< 3	< 0.02	< 0.05	< 0.5	8.8	
487052	< 2	< 5	7.8	< 50	5.8	< 1	6	751	15	1.23	2	< 1	< 5	< 1	3.27	< 20	580	0.7	3.1	< 3	< 0.02	< 0.05	1.3	11.6	
487053	< 2	< 5	< 0.5	580	3.7	5	23	707	16	4.88	5	< 1	< 5	< 1	2.83	< 20	310	0.4	16.1	< 3	< 0.02	< 0.05	6.4	15.2	
487054	< 2	< 5	1.0	360	3.6	2	4	1190	9	1.39	12	< 1	< 5	< 1	1.90	< 20	557	0.3	0.6	< 3	< 0.02	< 0.05	2.1	37.2	
487055	< 2	< 5	< 0.5	560	3.9	3	26	692	11	5.55	4	< 1	< 5	< 1	2.85	< 20	207	0.4	19.9	< 3	< 0.02	< 0.05	< 0.5	10.3	
487056	< 2	< 5	< 0.5	1580	2.8	2	3	915	8	2.58	21	< 1	< 5	< 1	3.56	< 20	94	< 0.1	1.6	< 3	< 0.02	< 0.05	1.6	83.0	
487057	< 2	< 5	< 0.5	< 50	3.1	8	56	445	2	9.68	2	< 1	< 5	< 1	2.21	< 20	48	< 0.1	41.3	< 3	< 0.02	< 0.05	< 0.5	1.1	
487058	< 2	< 5	< 0.5	< 50	4.4	< 1	4	923	5	1.39	9	< 1	< 5	< 1	3.42	< 20	366	0.2	1.5	< 3	< 0.02	< 0.05	2.3	36.0	
487059	< 2	< 5	< 0.5	< 50	3.4	< 1	7	617	7	1.58	9	< 1	< 5	< 1	3.30	< 20	331	< 0.1	3.7	< 3	< 0.02	< 0.05	1.9	33.9	
487060	< 2	< 5	1.6	220	5.5	10	62	561	10	9.07	2	< 1	< 5	2	1.65	< 20	143	< 0.1	35.7	< 3	< 0.02	< 0.05	0.9	1.5	
487061	< 2	< 5	< 0.5	200	3.9	9	58	460	5	9.38	2	< 1	< 5	3	1.63	< 20	87	< 0.1	40.8	< 3	< 0.02	< 0.05	< 0.5	< 0.2	
487062	< 2	< 5	< 0.5	270	3.2	7	46	638	15	7.65	2	< 1	< 5	< 1	2.44	< 20	146	0.4	34.3	3	< 0.02	< 0.05	2.0	4.6	
487063	< 2	< 5	< 0.5	< 50	< 0.5	< 1	17	527	15	3.10	54	< 1	< 5	< 1	3.42	< 20	152	0.4	12.7	< 3	< 0.02	< 0.05	< 0.5	121	
487064	< 2	< 5	< 0.5	350	4.2	8	32	615	3	5.93	3	< 1	< 5	< 1	2.81	< 20	91	< 0.1	26.7	< 3	< 0.02	< 0.05	< 0.5	8.1	
487065	< 2	< 5	0.7	110	3.2	< 1	4	722	11	0.93	2	< 1	< 5	< 1	3.70	< 20	365	0.4	2.1	< 3	< 0.02	< 0.05	1.9	20.3	
487066	< 2	< 5	0.9	180	4.3	< 1	2	870	14	0.91	5	< 1	< 5	< 1	3.00	< 20	485	0.4	1.0	< 3	< 0.02	< 0.05	< 0.5	31.6	
487067	< 2	< 5	< 0.5	910	7.0	3	7	478	8	2.02	8	< 1	< 5	< 1	3.70	< 20	284	< 0.1	2.0	< 3	< 0.02	0.11	3.8	27.4	
487068	< 2	< 5	1.4	510	8.8	7	36	540	4	6.36	3	< 1	< 5	8	2.59	400	110	< 0.1	26.1	< 3	< 0.02	0.06	< 0.5	6.7	
487069	< 2	< 5	< 0.5	600	5.1	8	25	428	16	5.02	6	< 1	< 5	3	2.40	350	116	0.3	15.4	< 3	< 0.02	0.10	1.8	37.8	
487070	< 2	< 5	< 0.5	450	6.4	< 1	4	515	3	1.27	4	< 1	< 5	< 1	4.00	< 20	127	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5	10.7	
487071	< 2	< 5	< 0.5	360	6.0	< 1	3	657	5	1.03	5	< 1	< 5	< 1	3.58	< 20	250	< 0.1	1.6	< 3	< 0.02	< 0.05	1.9	26.0	
487072	< 2	< 5	< 0.5	250	4.4	1	3	638	6	1.03	3	< 1	< 5	< 1	2.67	< 20	261	< 0.1	1.0	< 3	0.04	< 0.02	< 0.05	3.5	35.3
487073	< 2	< 5	< 0.5	420	3.1	< 1	3	676	4	1.01	4	< 1	< 5	< 1	2.84	< 20	210	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	28.4	
487074	< 2	< 5	< 0.5	250	2.6	2	5	676	8	1.73	3	< 1	< 5	< 1	1.99	< 20	391	0.3	3.4	< 3	< 0.02	< 0.05	2.1	19.9	
487075	< 2	< 5	< 0.5	320	3.1	< 1	4	761	8	1.29	1	< 1	< 5	< 1	2.29	< 20	413	< 0.1	2.4	< 3	< 0.02	< 0.05	1.5	10.7	
487076	< 2	< 5	< 0.5	140	4.4	< 1	5	982	3	1.22	4	< 1	< 5	< 1	3.71	< 20	260	0.3	4.2	< 3	< 0.02	< 0.05	4.9	23.7	
487077	< 2	< 5	< 0.5	< 50	3.1	< 1	3	696	3	0.90	4	< 1	< 5	< 1	3.61	< 20	311	< 0.1	1.7	< 3	< 0.02	< 0.05	3.9	22.4	
487078	< 2	< 5	1.6	< 50	< 0.5	< 1	2	667	3	0.89	14	< 1	< 5	< 1	3.00	< 20	276	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	44.3	
487079	< 2	< 5	< 0.5	310	2.2	1	2	576	7	0.76	6	< 1	< 5	< 1	2.67	< 20	365	0.2	0.5	< 3	< 0.02	< 0.05	< 0.5	19.6	
487080	< 2	< 5	< 0.5	< 50	3.6	< 1	< 1	667	6	0.98	35	< 1	< 5	< 1	2.84	< 20	300	0.2	0.5	< 3	< 0.02	< 0.05	< 0.5	81.7	
487081	< 2	< 5	< 0.5	210	4.1	< 1	6	724	9	1.20	10	< 1	< 5	< 1	3.24	< 20	253	< 0.1	2.2	< 3	< 0.02	< 0.05	2.1	36.3	
487082	< 2	< 5	< 0.5	420	3.9	7	30	599	5	5.12	2	< 1	< 5	< 1	2.13	< 20	52	0.2	20.5	< 3	< 0.02	< 0.05	< 0.5	7.3	
487083	< 2	< 5	< 0.5	680	5.5	3	24	366	5	5.87	6	< 1	< 5	< 1	2.23	< 20	178	< 0.1	14.1	< 3	< 0.02	0.06	< 0.5	20.8	
487084	< 2	< 5	< 0.5	350	2.4	< 1	3	564	22	0.90	2	< 1	< 5	< 1	2.58	< 20	470	0.4	2.3	< 3	< 0.02	< 0.05	11.2	14.9	
487085	< 2	< 5	< 0.5	340	2.8	< 1	6	690	14	1.66	7	< 1	< 5	< 1	2.75	< 20	331	0.3	5.2	< 3	< 0.02	< 0.05	2.7	27.9	
487086	< 2	< 5	< 0.5	570	2.6	5	22	400	17	4.26	5														

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
487088	< 2	< 5	< 0.5	630	< 0.5	4	16	483	11	3.56	4	< 1	< 5	3	2.23	< 20	140	< 0.1	12.4	< 3	< 0.02	< 0.05	1.5	14.9
487089	11	7	< 0.5	650	4.1	5	15	567	7	3.32	5	< 1	< 5	5	2.39	< 20	186	0.4	9.6	< 3	< 0.02	< 0.05	< 0.5	16.7
487090	< 2	< 5	< 0.5	640	3.9	5	13	629	5	2.81	5	< 1	< 5	8	2.72	< 20	143	0.3	9.2	< 3	< 0.02	< 0.05	< 0.5	17.0
487091	< 2	< 5	1.1	220	3.1	< 1	3	851	19	1.30	9	< 1	< 5	< 1	2.39	< 20	480	0.5	1.3	< 3	< 0.02	< 0.05	8.5	40.1
487092	7	< 5	< 0.5	450	3.8	5	19	555	6	3.46	5	< 1	< 5	< 1	3.06	290	72	< 0.1	12.2	< 3	< 0.02	< 0.05	< 0.5	13.0
487093	< 2	< 5	< 0.5	170	3.6	< 1	3	777	18	0.96	2	< 1	< 5	< 1	2.07	< 20	653	0.5	0.6	< 3	< 0.02	< 0.05	1.8	29.8
487094	< 2	< 5	< 0.5	460	2.9	4	16	662	12	2.90	5	< 1	< 5	< 1	2.59	< 20	180	0.3	10.5	< 3	< 0.02	< 0.05	< 0.5	11.7
487095	< 2	< 5	< 0.5	260	6.0	4	22	554	9	3.91	3	< 1	< 5	< 1	2.68	< 20	252	0.3	16.2	< 3	0.03	0.06	3.0	6.3
487096	< 2	< 5	< 0.5	540	2.1	3	15	533	14	3.44	3	< 1	< 5	< 1	2.87	< 20	214	< 0.1	10.9	< 3	< 0.02	< 0.05	2.5	7.7
487097	< 2	< 5	< 0.5	410	3.6	2	8	612	15	1.84	3	< 1	< 5	< 1	2.39	< 20	379	0.3	5.5	< 3	< 0.02	< 0.05	15.6	14.6
487098	10	< 5	< 0.5	600	3.4	5	21	545	7	4.88	7	< 1	< 5	< 1	3.20	< 20	105	0.4	15.4	< 3	< 0.02	0.09	< 0.5	13.9
487099	< 2	< 5	< 0.5	1270	< 0.5	1	4	824	12	1.74	25	< 1	< 5	< 1	3.07	< 20	207	0.4	1.1	< 3	< 0.02	< 0.05	2.3	47.9
487100	< 2	< 5	1.4	610	5.2	5	27	447	4	5.29	5	< 1	< 5	< 1	3.14	< 20	143	0.5	18.4	< 3	< 0.02	< 0.05	< 0.5	12.8
487131	< 2	< 5	< 0.5	410	3.5	4	23	617	59	7.21	8	< 1	< 5	< 1	3.05	< 20	546	1.2	13.0	< 3	< 0.02	< 0.05	4.8	24.0
487132	< 2	< 5	1.1	450	8.6	5	31	458	6	6.41	3	< 1	< 5	< 1	2.35	< 20	90	< 0.1	22.4	< 3	< 0.02	< 0.05	< 0.5	9.7
487133	< 2	< 5	< 0.5	230	4.7	< 1	8	614	14	1.96	4	< 1	< 5	< 1	2.97	< 20	299	0.3	5.2	< 3	< 0.02	< 0.05	1.3	39.6
487134	< 2	< 5	1.0	180	2.5	2	4	959	12	1.45	11	< 1	< 5	< 1	2.60	< 20	354	0.2	0.7	< 3	< 0.02	< 0.05	< 0.5	44.0
487135	< 2	< 5	< 0.5	280	2.4	< 1	2	678	18	0.82	3	< 1	< 5	< 1	2.46	< 20	489	0.5	0.3	3	< 0.02	< 0.05	< 0.5	28.9
487136	< 2	< 5	1.0	290	1.9	< 1	4	638	25	0.79	< 1	< 1	< 5	< 1	2.21	< 20	576	0.5	0.7	< 3	< 0.02	< 0.05	< 0.5	25.6
487137	< 2	< 5	1.8	190	2.1	< 1	3	945	16	1.00	1	< 1	< 5	< 1	2.84	< 20	423	0.5	0.5	< 3	< 0.02	< 0.05	1.6	15.6
487138	< 2	< 5	1.4	120	3.3	< 1	3	809	18	0.94	3	< 1	< 5	< 1	3.35	< 20	294	0.5	0.9	< 3	< 0.02	< 0.05	3.7	29.3
487139	< 2	< 5	< 0.5	300	2.7	< 1	3	734	28	0.75	1	< 1	< 5	< 1	2.39	< 20	546	0.6	0.8	< 3	< 0.02	< 0.05	3.5	11.1
487140	< 2	< 5	< 0.5	250	2.5	< 1	3	355	20	0.38	< 1	< 1	< 5	< 1	1.83	< 20	672	0.5	0.3	< 3	< 0.02	< 0.05	1.6	7.0
487141	< 2	< 5	< 0.5	320	2.5	< 1	3	871	22	0.84	< 1	< 1	< 5	< 1	2.55	< 20	558	0.5	1.4	< 3	< 0.02	< 0.05	2.6	8.4
487142	< 2	< 5	< 0.5	240	2.5	< 1	2	604	36	0.54	< 1	< 1	< 5	< 1	1.96	< 20	744	0.7	0.2	< 3	< 0.02	< 0.05	< 0.5	2.3
487143	3	< 5	1.3	260	2.2	1	2	710	35	0.64	1	< 1	< 5	< 1	2.16	< 20	667	0.9	0.2	< 3	< 0.02	< 0.05	< 0.5	3.1
487144	< 2	< 5	< 0.5	150	2.9	< 1	3	710	22	0.82	< 1	< 1	< 5	< 1	3.32	< 20	364	0.5	0.6	< 3	< 0.02	< 0.05	2.0	14.6
487145	5	< 5	< 0.5	250	3.1	< 1	1	710	19	0.77	1	< 1	< 5	< 1	3.19	< 20	385	0.5	0.9	< 3	< 0.02	< 0.05	< 0.5	14.3
487146	< 2	< 5	< 0.5	150	2.7	< 1	2	683	9	1.10	3	< 1	< 5	< 1	3.26	< 20	347	0.3	0.4	< 3	< 0.02	< 0.05	< 0.5	11.3
487147	< 2	< 5	1.1	400	2.8	< 1	3	824	9	0.82	1	< 1	< 5	< 1	2.77	< 20	327	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	17.6
487148	< 2	< 5	< 0.5	150	3.1	< 1	2	345	20	0.70	2	< 1	< 5	< 1	2.63	270	412	0.3	1.3	< 3	< 0.02	< 0.05	3.0	10.9
487149	< 2	< 5	< 0.5	320	3.1	4	27	291	23	5.21	4	< 1	< 5	3	3.02	< 20	253	0.5	18.0	< 3	< 0.02	0.08	2.1	11.5
487150	< 2	< 5	< 0.5	< 50	3.3	< 1	3	349	29	1.29	4	< 1	< 5	< 1	3.22	< 20	332	0.7	1.6	< 3	< 0.02	< 0.05	7.1	30.9
487151	< 2	< 5	< 0.5	210	3.3	< 1	3	366	34	1.11	4	< 1	< 5	< 1	3.20	< 20	484	0.6	1.6	< 3	< 0.02	< 0.05	3.5	15.5
487152	< 2	< 5	2.1	530	3.8	< 1	11	248	28	2.87	4	< 1	< 5	< 1	3.14	< 20	308	0.7	6.3	< 3	< 0.02	< 0.05	< 0.5	77.2
487153	< 2	< 5	< 0.5	< 50	2.9	< 1	< 1	375	23	0.88	1	< 1	< 5	11	2.10	< 20	482	< 0.1	1.7	< 3	< 0.02	< 0.05	< 0.5	11.6
487154	< 2	< 5	< 0.5	270	5.4	3	19	248	33	3.40	2	< 1	< 5	< 1	2.59	< 20	188	0.4	13.4	< 3	< 0.02	< 0.05	< 0.5	9.1
487155	< 2	< 5	< 0.5	670	< 0.5	5	22	315	6	4.58	3	< 1	< 5	< 1	1.91	< 20	80	< 0.1	18.1	< 3	< 0.02	< 0.05	< 0.5	10.8
487156	< 2	< 5	2.2	370	2.8	< 1	3	476	11	1.04	2	< 1	< 5	25	1.59	< 20	375	1.1	4.4	< 3	< 0.02	< 0.05	6.0	5.6
487157	< 2	< 5	1.7	< 50	< 0.5	< 1	19	288	11	4.70	3	< 1	< 5	< 1	1.72	< 20	127	0.3	16.8	< 3	< 0.02	< 0.05	< 0.5	7.2
487158	< 2	< 5	< 0.5	400	2.7	6	19	261	9	5.81	3	< 1	< 5	< 1	1.71	< 20	101	< 0.1	14.1	< 3	< 0.02	< 0.05	< 0.5	7.1
487159	< 2	< 5	1.7	190	2.4	3	< 1	302	11	0.84	2	< 1	< 5	< 1	1.87	< 20	335	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	11.6
487160	4	< 5	< 0.5	310	2.4	3	17	295	9	4.19	3	< 1	< 5	< 1	2.05	< 20	62	< 0.1	12.1	< 3	< 0.02	< 0.05	< 0.5	6.5
487161	< 2	< 5	< 0.5	420	< 0.5	6	23	281	5	6.65	4	< 1	< 5	8	2.26	< 20	< 15	< 0.1	18.1	< 3	< 0.02	< 0.05	< 0.5	10.0
487162	< 2	< 5	< 0.5	< 50	< 0.5	3	< 1	228	7	1.82	21	< 1	< 5	< 1	3.03	< 20	208	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	69.7
487163	< 2	< 5	< 0.5	< 50	< 0.5	6	38	365	6	6.46	< 1	< 1	< 5	6	2.33	< 20	90	< 0.1	28.8	< 3	< 0.02	< 0.05	< 0.5	6.1
487164	< 2	< 5	2.2	700	4.0	3	13	326	13	2.53	5	< 1	< 5	8	2.53	< 20	166	< 0.1	7.7	< 3	< 0.02	< 0.05	< 0.5	15.8
487165	< 2	< 5	1.7	290	4.4	3	< 1	314	8	0.91	3	< 1	< 5	9	2.88	< 20	314	0.4	2.3	< 3	< 0.02	< 0.05	3.7	20.8
487166	< 2	< 5	< 0.5	490	3.5	< 1	12	230	17	2.44	4	< 1	< 5	< 1	3.14	< 20	141	< 0.1	8.3	< 3	< 0.02	< 0.05	< 0.5	14.9
487167	< 2	< 5	1.9	< 50	4.9	< 1	< 1	326	16	1.18	9	< 1	< 5	< 1	2.37	< 20	230	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5	39.0
487168	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	314	16	3.60	90	< 1	< 5	< 1	2.14	< 20	25							

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
487170	< 2	< 5	2.8	510	3.6	4	23	224	5	4.72	4	< 1	< 5	< 1	3.19	< 20	< 15	< 0.1	16.6	< 3	< 0.02	< 0.05	< 0.5	11.6
487190	< 2	< 5	3.4	< 50	6.0	4	28	237	6	5.77	4	< 1	< 5	< 1	2.58	310	109	< 0.1	18.6	6	< 0.02	< 0.05	< 0.5	14.1
487191	< 2	< 5	< 0.5	< 50	< 0.5	< 1	2	390	8	0.88	6	< 1	< 5	< 1	2.61	< 20	275	< 0.1	1.3	< 3	< 0.02	< 0.05	4.2	43.2
487192	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	621	15	0.85	9	< 1	< 5	< 1	2.44	< 20	365	0.3	1.0	< 3	< 0.02	< 0.05	< 0.5	41.5
487193	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	558	10	1.10	14	< 1	< 5	< 1	2.40	< 20	402	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	51.7
487194	< 2	< 5	< 0.5	400	< 0.5	< 1	2	576	19	0.82	3	< 1	< 5	< 1	2.10	< 20	486	< 0.1	0.7	< 3	< 0.02	< 0.05	4.0	15.2
487195	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	594	15	1.12	4	< 1	< 5	< 1	2.35	200	336	< 0.1	1.9	< 3	< 0.02	< 0.05	3.2	30.4
487196	< 2	< 5	0.7	250	< 0.5	< 1	6	600	17	0.77	1	< 1	< 5	< 1	1.78	< 20	444	0.3	0.3	< 3	< 0.02	< 0.05	< 0.5	5.3
487197	< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	456	23	1.04	< 1	< 1	< 5	< 1	2.36	< 20	408	0.5	3.8	< 3	< 0.02	< 0.05	3.8	6.0
487198	< 2	< 5	1.0	440	< 0.5	< 1	< 1	462	24	0.49	< 1	< 1	< 5	< 1	1.87	< 20	528	0.3	0.5	< 3	< 0.02	< 0.05	< 0.5	4.3
487199	< 2	< 5	< 0.5	210	2.4	< 1	< 1	564	20	0.73	< 1	< 1	< 5	< 1	2.54	< 20	300	0.3	1.7	< 3	< 0.02	< 0.05	4.5	7.1
487200	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	462	31	0.42	< 1	< 1	< 5	< 1	1.97	< 20	504	0.4	0.2	< 3	< 0.02	< 0.05	< 0.5	60.8
487201	< 2	< 5	< 0.5	720	< 0.5	< 1	14	414	10	2.39	3	< 1	< 5	3	2.58	< 20	108	< 0.1	9.6	< 3	< 0.02	< 0.05	< 0.5	12.9
487202	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	504	15	0.98	5	< 1	< 5	< 1	2.47	< 20	372	0.4	0.9	< 3	< 0.02	< 0.05	< 0.5	58.5
487203	< 2	< 5	< 0.5	200	2.3	< 1	2	492	23	0.64	2	< 1	< 5	< 1	1.93	< 20	522	0.5	0.5	< 3	< 0.02	< 0.05	3.7	10.6
487204	< 2	< 5	2.1	400	1.7	< 1	< 1	577	22	0.94	3	< 1	< 5	< 1	2.54	320	360	0.6	0.6	< 3	< 0.02	< 0.05	< 0.5	28.9
487205	< 2	< 5	1.6	110	4.8	< 1	< 1	502	16	0.96	< 1	< 1	< 5	< 1	2.32	< 20	415	0.3	0.9	< 3	< 0.02	< 0.05	< 0.5	18.2
487206	< 2	7	< 0.5	560	< 0.5	4	16	471	11	2.60	4	< 1	< 5	7	2.41	< 20	112	< 0.1	8.7	< 3	< 0.02	< 0.05	1.7	13.7
487217	< 2	< 5	< 0.5	< 50	< 0.5	9	48	508	< 1	7.19	2	< 1	< 5	16	1.50	< 20	< 15	< 0.1	32.9	< 3	< 0.02	< 0.05	< 0.5	1.2
487218	< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	446	3	0.72	6	< 1	< 5	< 1	2.64	< 20	143	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	22.8
487219	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	453	6	0.59	4	< 1	< 5	< 1	2.52	< 20	149	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	20.5
487220	< 2	< 5	< 0.5	270	< 0.5	6	47	589	4	6.26	2	< 1	< 5	< 1	1.87	< 20	< 15	< 0.1	25.4	< 3	< 0.02	< 0.05	< 0.5	1.9
487221	< 2	< 5	< 0.5	< 50	< 0.5	6	35	372	9	4.48	2	< 1	< 5	11	2.83	< 20	60	< 0.1	13.0	6	< 0.02	< 0.05	< 0.5	1.7
487222	10	< 5	1.1	470	< 0.5	< 1	< 1	440	4	0.72	5	< 1	< 5	27	3.29	< 20	99	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	28.9
487223	< 2	< 5	1.1	< 50	< 0.5	< 1	20	471	3	3.42	4	< 1	< 5	< 1	3.52	< 20	68	0.3	9.9	< 3	< 0.02	< 0.05	< 0.5	9.9
487224	< 2	< 5	< 0.5	3910	< 0.5	< 1	4	620	4	1.31	< 1	< 1	< 5	< 1	1.41	440	223	< 0.1	11.8	< 3	< 0.02	< 0.05	< 0.5	91.2
487225	14	< 5	< 0.5	< 50	< 0.5	< 1	9	143	6	2.28	< 1	< 1	< 5	< 1	1.73	< 20	298	< 0.1	23.6	< 3	< 0.02	< 0.05	6.2	141
487226	< 2	< 5	< 0.5	480	< 0.5	4	9	322	< 1	2.21	3	< 1	< 5	< 1	2.71	210	112	< 0.1	8.1	< 3	< 0.02	< 0.05	2.8	14.1
487227	< 2	< 5	< 0.5	480	< 0.5	< 1	2	502	3	1.17	2	< 1	< 5	< 1	2.23	< 20	155	< 0.1	3.9	< 3	< 0.02	< 0.05	< 0.5	22.4
487228	< 2	< 5	1.7	110	< 0.5	< 1	3	409	2	0.91	2	< 1	< 5	< 1	3.05	< 20	136	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	27.4
487229	< 2	< 5	< 0.5	370	< 0.5	< 1	4	558	4	0.84	< 1	< 1	< 5	< 1	2.18	< 20	149	< 0.1	1.7	< 3	< 0.02	< 0.05	< 0.5	8.1
487230	< 2	< 5	< 0.5	500	< 0.5	< 1	8	391	4	1.92	4	< 1	< 5	7	3.14	< 20	< 15	< 0.1	4.5	< 3	< 0.02	< 0.05	< 0.5	17.4
487231	< 2	< 5	< 0.5	500	< 0.5	3	7	539	3	1.97	3	< 1	< 5	< 1	3.01	< 20	74	< 0.1	4.5	< 3	< 0.02	0.06	2.8	12.4
487232	< 2	< 5	< 0.5	680	< 0.5	< 1	2	372	3	1.09	3	< 1	< 5	< 1	2.34	< 20	118	< 0.1	1.1	< 3	< 0.02	0.06	< 0.5	26.6
487233	< 2	< 5	< 0.5	680	< 0.5	< 1	4	744	3	1.12	2	< 1	< 5	< 1	2.29	< 20	155	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	26.6
487234	< 2	< 5	< 0.5	470	< 0.5	< 1	9	366	4	1.97	3	< 1	< 5	4	2.98	< 20	81	< 0.1	4.5	< 3	< 0.02	< 0.05	< 0.5	11.6
487235	< 2	< 5	< 0.5	290	< 0.5	< 1	4	620	4	0.89	3	< 1	< 5	< 1	2.03	< 20	223	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	16.6
487236	< 2	< 5	< 0.5	490	< 0.5	< 1	3	473	3	0.98	6	< 1	< 5	< 1	2.41	< 20	139	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	49.0
487237	< 2	< 5	< 0.5	550	< 0.5	< 1	4	693	3	1.02	3	< 1	< 5	5	2.53	< 20	126	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	17.4
487238	< 2	< 5	< 0.5	330	< 0.5	< 1	< 1	378	3	0.76	3	< 1	< 5	11	2.37	< 20	126	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	23.2
487239	< 2	< 5	2.3	210	< 0.5	< 1	4	586	3	1.23	3	< 1	< 5	< 1	2.70	< 20	101	< 0.1	2.0	< 3	< 0.02	< 0.05	3.2	18.3
487240	< 2	< 5	< 0.5	< 50	< 0.5	6	43	384	< 1	6.74	1	< 1	< 5	< 1	1.44	< 20	< 15	< 0.1	29.6	< 3	< 0.02	0.07	< 0.5	< 0.2
487241	< 2	< 5	< 0.5	130	< 0.5	< 1	3	624	6	0.71	4	< 1	< 5	< 1	2.29	< 20	151	0.3	0.6	< 3	< 0.02	< 0.05	< 0.5	19.9
487242	< 2	< 5	2.4	230	< 0.5	< 1	< 1	372	6	0.45	3	< 1	< 5	< 1	2.28	< 20	202	< 0.1	0.3	< 3	< 0.02	< 0.05	2.1	13.3
487243	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	945	3	0.83	9	< 1	< 5	< 1	2.61	< 20	54	0.3	0.5	< 3	< 0.02	< 0.05	< 0.5	56.4
487244	< 2	< 5	1.1	500	< 0.5	< 1	< 1	756	3	0.77	16	< 1	< 5	< 1	2.65	< 20	145	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	91.3
487245	< 2	< 5	< 0.5	< 50	< 0.5	6	54	693	4	7.24	< 1	3	< 5	< 1	1.29	< 20	60	< 0.1	29.0	< 3	< 0.02	< 0.05	< 0.5	< 0.2
487246	< 2	< 5	< 0.5	< 50	< 0.5	< 1	9	756	9	1.75	2	< 1	< 5	< 1	2.20	< 20	239	0.3	6.2	< 3	< 0.02	< 0.05	< 0.5	18.3
487247	< 2	< 5	< 0.5	< 50	< 0.5	6	58	792	9	7.01	< 1	< 1	< 5	< 1	1.72	< 20	63	< 0.1	29.5	< 3	< 0.02	< 0.05	< 0.5	1.1
487248	< 2	< 5	3.4	< 50	< 0.5	< 1	16	590	3</															

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
487251	< 2	< 5	< 0.5	< 50	< 0.5	< 1	7	425	7	1.30	2	< 1	< 5	< 1	2.07	< 20	173	< 0.1	7.0	< 3	< 0.02	< 0.05	< 0.5	63.1
487252	< 2	< 5	< 0.5	530	< 0.5	< 1	6	626	4	1.09	2	< 1	< 5	< 1	2.84	< 20	< 15	0.3	3.5	< 3	< 0.02	< 0.05	< 0.5	24.9
487253	< 2	< 5	< 0.5	< 50	< 0.5	< 1	7	475	3	2.09	4	< 1	< 5	< 1	3.17	< 20	< 15	< 0.1	5.7	< 3	< 0.02	< 0.05	< 0.5	9.1
487254	< 2	< 5	< 0.5	430	< 0.5	< 1	4	706	3	0.99	4	< 1	< 5	< 1	2.57	< 20	173	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	21.6
487255	< 2	< 5	< 0.5	500	< 0.5	< 1	6	410	4	1.91	4	< 1	< 5	< 1	3.15	< 20	144	< 0.1	5.3	< 3	< 0.02	< 0.05	< 0.5	10.0
487256	17	< 5	< 0.5	610	< 0.5	< 1	9	720	6	2.23	4	< 1	< 5	< 1	3.24	< 20	< 15	< 0.1	5.1	< 3	< 0.02	< 0.05	< 0.5	19.9
487257	< 2	< 5	< 0.5	450	< 0.5	< 1	< 1	446	4	0.80	1	< 1	< 5	< 1	2.34	< 20	209	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	11.6
487258	< 2	< 5	2.0	610	< 0.5	2	8	763	3	2.26	3	< 1	< 5	< 1	2.89	< 20	131	0.6	5.1	< 3	< 0.02	< 0.05	< 0.5	8.7
487259	< 2	< 5	< 0.5	930	< 0.5	< 1	2	559	2	1.02	4	< 1	< 5	< 1	2.19	< 20	147	< 0.1	1.2	< 3	< 0.02	< 0.05	1.7	25.8
487260	< 2	< 5	< 0.5	680	< 0.5	< 1	< 1	719	2	1.09	3	< 1	< 5	16	2.16	< 20	205	0.4	1.1	< 3	< 0.02	< 0.05	< 0.5	23.2
487261	< 2	< 5	< 0.5	510	< 0.5	< 1	4	518	4	1.33	3	< 1	< 5	11	2.61	< 20	130	0.4	1.9	< 3	< 0.02	< 0.05	< 0.5	19.3
487262	< 2	< 5	< 0.5	510	< 0.5	< 1	7	818	4	2.34	4	< 1	< 5	20	3.03	< 20	110	0.6	4.9	< 3	< 0.02	< 0.05	< 0.5	10.3
487263	< 2	< 5	< 0.5	280	< 0.5	< 1	2	489	2	0.89	4	< 1	< 5	16	2.52	< 20	139	0.2	0.4	< 3	< 0.02	< 0.05	< 0.5	28.8
487264	< 2	< 5	< 0.5	300	< 0.5	< 1	3	505	4	1.39	7	< 1	< 5	45	2.75	< 20	113	0.4	0.6	< 3	< 0.02	< 0.05	< 0.5	57.8
487265	< 2	< 5	0.6	740	< 0.5	< 1	< 1	596	3	0.97	4	< 1	< 5	< 1	2.15	< 20	120	0.2	0.3	< 3	< 0.02	< 0.05	< 0.5	27.1
487266	< 2	< 5	< 0.5	140	< 0.5	3	< 1	484	3	1.25	4	< 1	< 5	25	3.02	< 20	125	0.3	0.6	< 3	< 0.02	< 0.05	< 0.5	40.7
487267	< 2	< 5	< 0.5	460	< 0.5	2	7	688	4	2.12	3	< 1	< 5	7	3.03	< 20	122	0.4	4.6	< 3	< 0.02	< 0.05	< 0.5	15.0
487268	< 2	< 5	< 0.5	540	< 0.5	< 1	4	419	3	1.22	4	< 1	< 5	5	2.54	220	149	0.3	3.3	< 3	< 0.02	< 0.05	3.0	18.8
487269	4	< 5	2.4	550	< 0.5	< 1	10	453	3	2.07	3	< 1	< 5	5	2.45	250	61	0.6	5.6	< 3	0.06	< 0.05	< 0.5	19.2
487270	< 2	< 5	2.7	400	< 0.5	< 1	3	351	2	1.05	2	< 1	< 5	5	2.20	< 20	159	0.6	1.7	< 3	< 0.02	< 0.05	< 0.5	20.0
487271	3	< 5	2.2	310	< 0.5	< 1	2	338	2	0.83	1	< 1	< 5	< 1	2.28	< 20	98	0.4	0.7	< 3	< 0.02	< 0.05	2.3	17.6
487272	< 2	< 5	< 0.5	510	< 0.5	< 1	7	465	3	1.99	3	< 1	< 5	< 1	2.64	< 20	126	0.3	4.4	< 3	< 0.02	< 0.05	< 0.5	10.5
487273	< 2	< 5	< 0.5	370	< 0.5	2	6	329	3	1.72	2	< 1	< 5	11	2.76	< 20	90	0.4	4.0	< 3	< 0.02	< 0.05	< 0.5	10.3
487274	< 2	< 5	< 0.5	350	< 0.5	< 1	2	325	3	0.85	2	< 1	< 5	< 1	2.30	< 20	142	0.3	0.6	< 3	< 0.02	< 0.05	< 0.5	18.7
487275	< 2	< 5	< 0.5	510	< 0.5	< 1	5	580	3	1.79	3	< 1	< 5	< 1	2.69	< 20	< 15	0.6	3.7	< 3	< 0.02	< 0.05	< 0.5	9.5
487276	< 2	< 5	< 0.5	< 50	< 0.5	10	41	348	< 1	6.53	< 1	< 1	< 5	< 1	1.55	< 20	< 15	< 0.1	34.6	< 3	< 0.02	< 0.05	< 0.5	< 0.2
487277	< 2	< 5	< 0.5	180	< 0.5	< 1	2	426	4	0.49	5	< 1	< 5	< 1	2.05	< 20	147	0.5	0.5	< 3	< 0.02	< 0.05	< 0.5	31.1
487278	< 2	< 5	1.3	230	< 0.5	< 1	2	662	4	0.75	7	< 1	< 5	< 1	1.89	< 20	211	0.5	0.4	< 3	< 0.02	< 0.05	< 0.5	44.1
487279	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	445	5	0.57	2	< 1	< 5	< 1	2.01	< 20	178	0.4	0.5	< 3	< 0.02	< 0.05	< 0.5	20.0
487280	< 2	< 5	< 0.5	< 50	< 0.5	< 1	2	521	3	0.55	5	< 1	< 5	21	2.19	< 20	79	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	35.7
487281	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	792	3	0.71	15	< 1	< 5	45	2.43	< 20	41	0.2	0.4	< 3	< 0.02	< 0.05	< 0.5	70.7
487282	< 2	< 5	< 0.5	< 50	< 0.5	6	40	383	3	7.13	< 1	< 1	< 5	< 1	1.76	< 20	< 15	< 0.1	34.3	< 3	< 0.02	< 0.05	< 0.5	< 0.2
487283	< 2	< 5	< 0.5	< 50	< 0.5	5	37	541	4	5.76	2	< 1	< 5	7	2.10	< 20	42	< 0.1	27.7	< 3	< 0.02	< 0.05	< 0.5	5.7
487284	< 2	< 5	< 0.5	220	< 0.5	3	3	548	2	0.78	3	< 1	< 5	31	2.99	< 20	38	< 0.1	0.9	< 3	0.06	< 0.05	< 0.5	29.6
487285	< 2	< 5	< 0.5	< 50	< 0.5	3	26	634	26	5.54	2	< 1	< 5	20	2.49	< 20	205	0.3	20.5	< 3	< 0.02	< 0.05	2.2	7.4
487286	< 2	< 5	1.7	280	< 0.5	< 1	< 1	455	4	0.47	< 1	< 1	< 5	< 1	1.78	< 20	139	0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	18.2
487287	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	792	9	1.24	2	< 1	< 5	99	1.73	< 20	191	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5	44.8
487288	< 2	< 5	< 0.5	< 50	< 0.5	7	53	858	3	7.46	1	< 1	< 5	4	1.54	< 20	42	< 0.1	33.0	< 3	< 0.02	< 0.05	< 0.5	2.0
487289	< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	620	13	1.80	5	< 1	< 5	73	2.67	< 20	172	< 0.1	2.3	< 3	< 0.02	< 0.05	< 0.5	53.2
487290	< 2	< 5	< 0.5	310	< 0.5	3	20	376	9	4.07	3	< 1	< 5	< 1	2.40	< 20	79	< 0.1	17.2	< 3	< 0.02	< 0.05	< 0.5	4.8
487291	< 2	< 5	< 0.5	220	< 0.5	3	27	658	13	3.85	4	< 1	< 5	11	3.18	< 20	126	0.2	11.2	< 3	< 0.02	< 0.05	< 0.5	5.8
487292	39	< 5	< 0.5	130	< 0.5	< 1	2	476	6	0.57	2	< 1	< 5	18	2.55	< 20	147	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	16.0
487293	31	< 5	< 0.5	220	< 0.5	< 1	6	840	8	1.23	2	< 1	< 5	24	2.67	< 20	161	0.2	2.3	< 3	< 0.02	< 0.05	< 0.5	9.9
487294	< 2	< 5	1.3	320	< 0.5	3	4	644	6	1.07	1	< 1	< 5	49	2.57	< 20	126	< 0.1	2.0	< 3	< 0.02	< 0.05	< 0.5	12.9
487295	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	770	4	0.73	1	< 1	< 5	12	2.18	< 20	140	0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	16.0
487296	< 2	< 5	< 0.5	140	< 0.5	< 1	< 1	574	5	0.54	2	< 1	< 5	18	2.19	< 20	161	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	16.0
487297	< 2	< 5	< 0.5	150	< 0.5	2	< 1	840	4	0.88	1	< 1	< 5	7	2.46	< 20	133	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	34.2
487298	4	< 5	< 0.5	120	< 0.5	1	< 1	546	4	0.63	2	< 1	< 5	70	2.35	< 20	147	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	19.0
487299	< 2	< 5	2.5	360	< 0.5	< 1	11	910	8	1.83	3	< 1	< 5	25	2.16	< 20	133	0.3	4.1	< 3	< 0.02	< 0.05	< 0.5	16.0
487300	< 2	< 5	< 0.5	270	< 0.5	2	20	469	10	2.95	4	< 1	< 5	6	2.58	< 20	133	< 0.						

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
487303	< 2	< 5	< 0.5	570	< 0.5	< 1	< 1	726	9	1.30	11	< 1	< 5	57	3.00	< 20	211	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	23.8
487304	< 2	6	< 0.5	300	2.8	< 1	< 1	620	20	1.12	9	< 1	< 5	64	2.81	< 20	244	< 0.1	1.1	< 3	< 0.02	< 0.05	2.4	39.2
487305	< 2	< 5	< 0.5	< 50	2.7	< 1	4	726	45	0.70	3	< 1	< 5	31	2.37	< 20	462	0.8	0.5	< 3	< 0.02	< 0.05	< 0.5	15.4
487306	< 2	< 5	< 0.5	300	1.9	< 1	3	568	24	0.63	3	< 1	< 5	< 1	2.63	< 20	304	0.5	0.5	< 3	< 0.02	< 0.05	3.4	13.3
487307	< 2	< 5	< 0.5	240	2.6	< 1	< 1	858	22	0.96	10	< 1	< 5	< 1	2.05	< 20	363	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	19.6
487308	< 2	< 5	< 0.5	340	2.1	< 1	3	508	22	1.45	18	< 1	< 5	< 1	1.89	< 20	436	0.4	1.1	< 3	< 0.02	< 0.05	< 0.5	59.5
487309	< 2	< 5	< 0.5	510	1.7	< 1	< 1	858	24	1.17	1	< 1	< 5	62	1.45	< 20	422	0.5	0.5	< 3	< 0.02	< 0.05	< 0.5	27.3
487310	< 2	< 5	< 0.5	190	< 0.5	< 1	3	475	32	0.44	< 1	< 1	< 5	18	1.62	< 20	561	0.4	0.2	< 3	< 0.02	< 0.05	< 0.5	5.4
487311	< 2	< 5	< 0.5	320	0.7	< 1	< 1	653	30	0.55	1	< 1	< 5	17	1.44	< 20	515	0.7	0.3	< 3	< 0.02	< 0.05	< 0.5	6.0
487312	< 2	< 5	< 0.5	990	< 0.5	< 1	3	488	16	1.44	18	< 1	< 5	< 1	2.17	< 20	323	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	39.9
487313	< 2	< 5	< 0.5	230	< 0.5	< 1	3	749	22	0.76	5	< 1	< 5	30	2.51	< 20	289	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	10.0
487314	< 2	< 5	< 0.5	120	< 0.5	< 1	2	445	19	0.53	5	< 1	< 5	42	2.50	< 20	312	0.3	0.5	< 3	< 0.02	< 0.05	< 0.5	14.9
487315	< 2	< 5	< 0.5	230	< 0.5	< 1	3	936	9	1.73	9	< 1	< 5	< 1	2.73	< 20	133	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	56.4
487316	< 2	< 5	< 0.5	270	< 0.5	2	< 1	640	21	0.53	3	< 1	< 5	34	1.92	< 20	413	0.6	0.2	< 3	< 0.02	< 0.05	< 0.5	11.6
487317	< 2	< 5	1.4	190	< 0.5	< 1	2	718	30	0.83	2	< 1	< 5	68	2.68	< 20	374	0.5	2.7	< 3	< 0.02	< 0.05	1.7	27.4
487318	< 2	< 5	2.4	270	< 0.5	< 1	3	554	34	0.39	< 1	< 1	< 5	< 1	1.98	< 20	468	< 0.1	0.6	< 3	< 0.02	< 0.05	3.1	10.8
487319	< 2	< 5	1.3	250	< 0.5	2	< 1	780	45	0.60	2	< 1	< 5	16	2.17	< 20	523	0.9	0.6	< 3	< 0.02	< 0.05	< 0.5	8.3
487320	< 2	< 5	< 0.5	170	1.6	< 1	2	452	36	0.69	2	< 1	< 5	14	2.52	< 20	421	0.6	0.9	< 3	< 0.02	< 0.05	< 0.5	10.0
487321	6	< 5	1.2	< 50	< 0.5	< 1	< 1	772	29	0.59	2	< 1	< 5	< 1	2.72	< 20	398	0.5	0.9	< 3	< 0.02	< 0.05	2.7	14.9
487322	< 2	< 5	< 0.5	180	4.5	< 1	4	499	18	1.04	4	< 1	< 5	26	2.36	< 20	343	0.4	3.2	< 3	< 0.02	< 0.05	6.1	37.3
487323	< 2	< 5	< 0.5	< 50	5.6	4	29	452	4	5.02	2	< 1	< 5	12	2.56	< 20	60	< 0.1	25.0	< 3	< 0.02	< 0.05	2.4	9.1
487324	< 2	< 5	< 0.5	640	2.6	3	25	255	11	4.98	4	< 1	< 5	9	2.48	< 20	107	0.4	18.1	< 3	< 0.02	< 0.05	2.2	10.5
487325	< 2	< 5	< 0.5	230	4.4	3	17	543	46	3.70	3	< 1	< 5	11	2.72	< 20	241	0.9	13.4	< 3	< 0.02	< 0.05	3.6	11.9
487326	< 2	< 5	< 0.5	170	4.8	< 1	3	382	32	0.81	3	< 1	< 5	19	2.54	< 20	402	0.5	2.6	< 3	< 0.02	< 0.05	3.8	11.9
487327	< 2	< 5	< 0.5	380	8.7	3	22	362	74	4.56	3	< 1	< 5	< 1	2.45	< 20	281	1.3	16.8	< 3	< 0.02	< 0.05	< 0.5	9.1
487328	< 2	< 5	< 0.5	230	8.7	< 1	3	362	12	0.76	2	< 1	< 5	30	2.79	< 20	322	< 0.1	1.7	< 3	< 0.02	< 0.05	3.1	20.3
487329	< 2	< 5	< 0.5	390	19.4	3	22	348	5	4.26	4	< 1	< 5	5	2.83	< 20	87	< 0.1	15.4	< 3	< 0.02	< 0.05	< 0.5	9.8
487330	< 2	< 5	< 0.5	290	< 0.5	< 1	3	322	5	0.71	1	< 1	< 5	27	3.19	< 20	121	0.2	0.5	< 3	< 0.02	< 0.05	< 0.5	6.8
487331	< 2	< 5	1.5	290	< 0.5	< 1	7	342	6	1.96	2	< 1	< 5	56	2.40	< 20	147	< 0.1	8.0	< 3	< 0.02	< 0.05	< 0.5	31.5
487332	< 2	< 5	< 0.5	440	< 0.5	< 1	7	308	4	1.95	3	< 1	< 5	46	2.73	< 20	141	< 0.1	12.1	< 3	< 0.02	< 0.05	< 0.5	25.2
487333	< 2	< 5	< 0.5	520	< 0.5	< 1	15	302	5	2.54	1	< 1	< 5	< 1	2.18	< 20	188	< 0.1	14.1	< 3	< 0.02	< 0.05	< 0.5	65.8
487334	< 2	< 5	< 0.5	530	< 0.5	< 1	3	389	6	0.68	1	< 1	< 5	45	2.12	< 20	161	< 0.1	2.7	< 3	< 0.02	< 0.05	1.7	25.2
487335	< 2	< 5	< 0.5	390	< 0.5	< 1	< 1	473	2	0.54	3	< 1	< 5	34	3.06	280	90	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	30.1
487336	< 2	< 5	< 0.5	400	< 0.5	< 1	2	413	4	0.59	2	< 1	< 5	< 1	2.95	< 20	113	0.3	0.4	< 3	< 0.02	< 0.05	< 0.5	17.5
487337	< 2	< 5	< 0.5	330	< 0.5	< 1	3	450	5	0.64	3	< 1	< 5	< 1	3.24	< 20	135	< 0.1	0.4	< 3	< 0.02	0.08	< 0.5	41.3
487338	< 2	< 5	1.4	280	< 0.5	< 1	3	420	3	0.68	3	< 1	< 5	< 1	3.40	< 20	83	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	27.3
487339	3	< 5	< 0.5	320	< 0.5	2	< 1	510	4	0.88	3	< 1	< 5	15	3.08	< 20	135	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	46.9
487340	< 2	< 5	< 0.5	510	< 0.5	< 1	3	428	3	0.90	3	< 1	< 5	8	2.79	240	120	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	23.8
487341	< 2	< 5	< 0.5	650	< 0.5	2	2	488	2	0.79	2	< 1	< 5	5	2.62	< 20	143	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	21.0
487342	< 2	< 5	< 0.5	550	< 0.5	< 1	3	405	2	1.04	6	< 1	< 5	68	2.95	< 20	98	< 0.1	0.8	< 3	< 0.02	< 0.05	4.6	67.2
487343	< 2	< 5	< 0.5	370	< 0.5	< 1	2	465	5	0.73	2	< 1	< 5	66	3.04	< 20	150	< 0.1	0.4	< 3	< 0.02	< 0.05	3.2	40.6
487344	< 2	< 5	< 0.5	510	< 0.5	< 1	3	315	3	0.67	3	< 1	< 5	14	2.64	< 20	158	< 0.1	0.4	< 3	< 0.02	< 0.05	1.5	21.7
487345	< 2	< 5	< 0.5	490	< 0.5	< 1	< 1	278	4	0.74	4	< 1	< 5	19	2.77	< 20	128	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	25.2
487346	< 2	< 5	< 0.5	310	< 0.5	2	4	469	3	1.31	3	< 1	< 5	< 1	2.97	< 20	94	0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	32.2
487347	< 2	< 5	< 0.5	340	< 0.5	< 1	3	523	3	1.03	3	< 1	< 5	6	2.61	< 20	127	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	22.4
487348	< 2	< 5	< 0.5	400	< 0.5	< 1	5	161	2	1.13	3	< 1	< 5	4	2.95	< 20	74	< 0.1	2.7	< 3	< 0.02	< 0.05	< 0.5	8.4
487349	< 2	< 5	< 0.5	420	< 0.5	2	5	181	5	1.01	3	< 1	< 5	9	2.64	< 20	121	< 0.1	1.9	< 3	< 0.02	< 0.05	< 0.5	16.8
487350	< 2	< 5	2.3	360	< 0.5	< 1	4	214	3	1.05	3	< 1	< 5	< 1	2.65	< 20	127	< 0.1	1.0	< 3	< 0.02	0.05	< 0.5	21.7
487351	< 2	< 5	< 0.5	540	< 0.5	3	10	395	4	2.37	3	< 1	< 5	9	3.07	< 20	87	< 0.1	6.6	3	< 0.02	< 0.05	< 0.5	10.5
487352	< 2	< 5	< 0.5	230	1.5	< 1	< 1	630	3	0.56	1	< 1	< 5	< 1	2.69	< 20	127	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	13.3
487353	<																							

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
487355	< 2	< 5	< 0.5	440	< 0.5	3	9	355	3	2.26	3	< 1	< 5	8	3.09	< 20	80	< 0.1	6.2	< 3	< 0.02	< 0.05	< 0.5	11.9
487356	< 2	< 5	< 0.5	290	< 0.5	< 1	3	670	4	0.83	3	< 1	< 5	10	2.06	< 20	168	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	28.7
487357	< 2	< 5	< 0.5	< 50	< 0.5	< 1	9	315	5	1.88	3	< 1	< 5	< 1	3.06	< 20	113	0.2	4.7	< 3	< 0.02	< 0.05	< 0.5	15.8
487358	< 2	< 5	< 0.5	590	1.9	< 1	8	485	< 1	1.87	3	< 1	< 5	< 1	2.80	280	170	< 0.1	4.8	< 3	< 0.02	< 0.05	< 0.5	16.6
487359	< 2	< 5	2.6	420	2.0	< 1	< 1	384	3	0.71	3	< 1	< 5	< 1	2.35	< 20	132	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	21.6
487360	< 2	< 5	< 0.5	600	2.8	< 1	8	460	4	2.00	4	< 1	< 5	< 1	3.06	< 20	113	< 0.1	5.9	< 3	< 0.02	< 0.05	< 0.5	45.7
487361	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	340	3	1.22	3	< 1	< 5	< 1	2.77	< 20	132	0.4	1.1	< 3	< 0.02	< 0.05	< 0.5	116
487362	< 2	< 5	< 0.5	380	< 0.5	< 1	< 1	498	3	0.68	3	< 1	< 5	< 1	2.35	290	132	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	19.9
487363	< 2	< 5	< 0.5	490	< 0.5	< 1	9	309	3	1.92	3	< 1	< 5	< 1	2.85	< 20	< 15	< 0.1	5.2	< 3	< 0.02	< 0.05	< 0.5	15.8
487364	< 2	< 5	< 0.5	690	< 0.5	< 1	5	529	8	1.73	4	< 1	< 5	< 1	2.74	270	164	< 0.1	3.9	< 3	< 0.02	< 0.05	< 0.5	9.1
487365	< 2	< 5	1.6	< 50	< 0.5	< 1	4	567	12	1.29	2	< 1	< 5	< 1	2.73	< 20	139	< 0.1	2.7	< 3	< 0.02	< 0.05	< 0.5	14.1
487366	< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	630	18	1.68	28	< 1	< 5	< 1	2.94	280	239	< 0.1	3.9	< 3	< 0.02	< 0.05	< 0.5	61.4
487367	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	454	18	0.64	3	< 1	< 5	< 1	3.07	< 20	315	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	12.4
487368	< 2	< 5	< 0.5	620	< 0.5	4	8	423	12	1.88	3	< 1	< 5	< 1	3.04	340	104	< 0.1	4.5	5	< 0.2	< 0.05	< 0.5	14.1
487369	< 2	< 5	2.3	530	< 0.5	< 1	< 1	468	5	0.55	3	< 1	< 5	< 1	2.40	< 20	156	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	14.1
487370	< 2	< 5	< 0.5	420	< 0.5	< 1	7	527	5	1.61	3	< 1	< 5	< 1	3.06	< 20	91	< 0.1	3.7	< 3	< 0.02	< 0.05	< 0.5	9.1
487371	< 2	< 5	< 0.5	330	< 0.5	< 1	6	514	3	1.80	3	< 1	< 5	6	2.95	< 20	85	< 0.1	4.6	< 3	< 0.02	< 0.05	< 0.5	10.0
487372	< 2	< 5	< 0.5	440	< 0.5	< 1	< 1	488	3	0.70	1	< 1	< 5	< 1	2.39	< 20	176	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	10.8
487373	< 2	< 5	< 0.5	350	< 0.5	< 1	4	553	4	0.71	< 1	< 1	< 5	< 1	2.18	< 20	104	< 0.1	0.2	< 3	< 0.02	0.06	< 0.5	11.6
487374	< 2	< 5	< 0.5	430	< 0.5	4	7	462	5	1.56	3	< 1	< 5	< 1	2.90	< 20	195	< 0.1	4.0	< 3	< 0.02	< 0.05	< 0.5	12.4
487375	< 2	< 5	< 0.5	360	< 0.5	< 1	4	423	4	0.84	2	< 1	< 5	9	2.54	< 20	124	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	17.4
487376	< 2	< 5	3.1	310	< 0.5	< 1	7	488	8	1.55	3	< 1	< 5	< 1	2.81	< 20	< 15	< 0.1	3.6	< 3	< 0.02	< 0.05	< 0.5	17.4
487377	< 2	< 5	< 0.5	< 50	2.5	6	40	416	5	6.57	< 1	< 1	< 5	< 1	1.83	500	98	< 0.1	28.0	< 3	< 0.02	< 0.05	3.5	< 0.2
487378	< 2	< 5	< 0.5	450	< 0.5	< 1	5	780	4	0.77	8	< 1	< 5	< 1	1.90	< 20	117	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	60.6
487379	< 2	< 5	1.6	< 50	< 0.5	< 1	4	476	4	0.83	6	< 1	< 5	< 1	2.69	< 20	140	0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	40.7
487380	< 2	< 5	< 0.5	< 50	< 0.5	4	19	511	11	3.72	2	< 1	< 5	8	2.94	< 20	140	0.3	13.3	< 3	< 0.02	0.14	< 0.5	5.5
487381	< 2	< 5	< 0.5	< 50	< 0.5	6	22	420	9	4.07	2	< 1	< 5	4	3.18	< 20	133	< 0.1	12.6	< 3	< 0.02	< 0.05	< 0.5	3.9
487382	15	< 5	< 0.5	< 50	< 0.5	< 1	< 1	476	6	1.18	3	< 1	< 5	8	2.50	< 20	133	< 0.1	2.9	< 3	< 0.02	< 0.05	< 0.5	10.8
487383	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	525	6	0.69	1	< 1	< 5	< 1	2.09	< 20	217	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	10.0
487384	< 2	< 5	< 0.5	430	< 0.5	< 1	22	518	13	3.09	4	< 1	< 5	10	3.29	< 20	140	< 0.1	8.4	< 3	< 0.02	< 0.05	< 0.5	4.6
487385	< 2	< 5	2.2	270	< 0.5	< 1	5	518	4	0.92	2	< 1	< 5	< 1	2.81	< 20	168	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	18.3
487386	< 2	< 5	< 0.5	490	< 0.5	4	25	406	12	3.43	2	< 1	< 5	7	2.71	< 20	161	0.4	10.5	< 3	< 0.02	< 0.05	< 0.5	3.1
487387	< 2	< 5	< 0.5	< 50	< 0.5	7	35	441	3	4.70	3	< 1	< 5	< 1	2.02	< 20	91	< 0.1	11.9	< 3	< 0.02	< 0.05	< 0.5	2.5
487388	< 2	< 5	2.2	< 50	< 0.5	4	< 1	462	4	0.67	3	< 1	< 5	25	2.97	< 20	98	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	19.9
487389	< 2	< 5	< 0.5	< 50	< 0.5	< 1	10	532	13	2.25	3	< 1	< 5	< 1	2.67	< 20	224	< 0.1	6.2	< 3	< 0.02	< 0.05	< 0.5	6.3
487390	< 2	< 5	< 0.5	720	< 0.5	4	8	364	4	2.14	3	< 1	< 5	4	3.07	< 20	78	< 0.1	5.6	< 3	< 0.02	0.10	< 0.5	8.3
487391	< 2	< 5	< 0.5	220	< 0.5	< 1	< 1	423	3	0.57	< 1	3	< 5	7	2.83	< 20	117	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	3.7
487392	< 2	< 5	2.2	< 50	< 0.5	< 1	< 1	286	3	0.40	3	< 1	< 5	< 1	2.68	< 20	150	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	10.8
487393	< 2	< 5	< 0.5	260	< 0.5	< 1	< 1	293	3	0.39	3	< 1	< 5	3	2.40	< 20	85	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	12.4
487394	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	319	2	0.43	< 1	< 1	< 5	< 1	2.81	< 20	111	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	9.1
487395	< 2	< 5	0.5	< 50	< 0.5	< 1	< 1	273	5	0.63	< 1	< 1	< 5	< 1	2.20	< 20	117	0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	14.1
487396	12	< 5	< 0.5	< 50	< 0.5	< 1	< 1	254	3	0.51	< 1	< 1	< 5	< 1	2.57	< 20	78	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	10.0
487397	5	< 5	< 0.5	240	< 0.5	< 1	4	286	5	1.19	2	< 1	< 5	6	2.29	< 20	182	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	39.8
487398	< 2	< 5	1.6	290	1.7	< 1	2	286	5	0.46	< 1	< 1	< 5	< 1	1.99	< 20	195	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	9.1
487399	< 2	< 5	< 0.5	330	3.3	< 1	< 1	319	5	0.99	1	< 1	< 5	< 1	2.51	< 20	137	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	33.2
487400	< 2	< 5	< 0.5	< 50	< 0.5	< 1	10	319	6	1.30	1	< 1	< 5	< 1	2.70	240	130	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	12.4
487401	< 2	< 5	1.9	330	< 0.5	< 1	6	346	5	1.28	3	< 1	< 5	6	2.57	< 20	158	< 0.1	2.7	< 3	< 0.02	0.09	< 0.5	12.9
487402	< 2	< 5	< 0.5	260	1.5	< 1	4	331	4	0.64	1	< 1	< 5	5	2.40	< 20	144	< 0.1	0.4	< 3	< 0.02	< 0.05	2.2	12.9
487403	< 2	< 5	1.2	220	< 0.5	2	< 1	266	4	0.37	< 1	< 1	< 5	4	1.68	< 20	180	0.2	0.1	< 3	< 0.02	< 0.05	< 0.5	5.5
487404	< 2	< 5	< 0.5	220	< 0.5	< 1	4	281	6	1.31	3	< 1												

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
487407	< 2	6	< 0.5	320	< 0.5	< 1	5	295	5	1.45	3	< 1	< 5	7	2.76	< 20	130	< 0.1	2.8	< 3	< 0.02	< 0.05	< 0.5	8.4
487408	4	< 5	< 0.5	200	< 0.5	1	< 1	259	4	0.39	< 1	< 1	< 5	< 1	2.77	< 20	86	< 0.1	0.2	< 3	< 0.02	0.08	< 0.5	4.3
487409	< 2	< 5	< 0.5	270	< 0.5	< 1	1	209	4	0.38	2	< 1	< 5	< 1	2.20	< 20	166	< 0.1	0.2	< 3	< 0.02	0.06	< 0.5	13.7
487410	< 2	< 5	1.7	400	< 0.5	< 1	9	295	6	1.82	4	< 1	< 5	9	3.14	< 20	101	< 0.1	4.6	< 3	< 0.02	< 0.05	2.0	13.7
487411	< 2	< 5	1.7	450	< 0.5	< 1	4	382	3	1.19	3	< 1	< 5	14	2.64	< 20	101	< 0.1	1.7	< 3	< 0.02	< 0.05	< 0.5	21.3
487412	< 2	< 5	< 0.5	380	< 0.5	< 1	6	364	3	1.27	3	< 1	< 5	11	2.95	< 20	98	< 0.1	2.0	< 3	< 0.02	< 0.05	< 0.5	14.4
487413	< 2	< 5	< 0.5	320	< 0.5	< 1	5	399	4	0.95	3	< 1	< 5	12	2.47	< 20	119	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	16.7
487414	< 2	< 5	< 0.5	270	< 0.5	< 1	5	364	5	1.27	3	< 1	< 5	< 1	2.79	< 20	77	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	13.7
487415	< 2	< 5	< 0.5	360	< 0.5	< 1	2	385	4	1.00	2	< 1	< 5	< 1	2.63	< 20	91	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	27.4
487416	< 2	< 5	< 0.5	310	< 0.5	2	4	350	3	1.29	3	< 1	< 5	< 1	2.70	< 20	84	< 0.1	2.7	< 3	< 0.02	< 0.05	< 0.5	13.7
487417	8	< 5	1.0	450	< 0.5	< 1	< 1	497	4	0.80	3	< 1	< 5	6	2.51	< 20	140	0.3	0.4	< 3	< 0.02	< 0.05	< 0.5	22.0
487418	< 2	< 5	1.4	310	< 0.5	< 1	3	392	3	0.74	4	< 1	< 5	13	2.73	< 20	119	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	19.0
487419	2	< 5	1.7	< 50	< 0.5	2	10	434	5	2.13	4	< 1	< 5	18	3.45	< 20	< 15	0.2	6.4	< 3	< 0.02	< 0.05	< 0.5	16.0
487420	< 2	< 5	1.3	320	< 0.5	3	6	343	4	1.53	4	< 1	< 5	< 1	3.21	< 20	77	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	20.5
487421	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	434	4	1.34	4	< 1	< 5	< 1	2.95	< 20	112	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	27.4
487422	< 2	< 5	< 0.5	490	< 0.5	2	10	399	4	2.29	4	< 1	< 5	8	3.00	< 20	98	< 0.1	6.9	< 3	< 0.02	< 0.05	< 0.5	12.2
487423	< 2	< 5	< 0.5	460	< 0.5	< 1	7	441	4	1.65	4	< 1	< 5	11	2.86	< 20	105	< 0.1	3.9	< 3	< 0.02	< 0.05	< 0.5	14.4
487424	< 2	< 5	< 0.5	480	< 0.5	< 1	4	357	2	1.29	4	< 1	< 5	8	2.81	< 20	112	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	22.0
487425	< 2	< 5	< 0.5	390	< 0.5	< 1	6	336	3	1.35	4	< 1	< 5	8	2.84	< 20	133	< 0.1	3.3	< 3	< 0.02	< 0.05	< 0.5	21.3
487426	< 2	< 5	< 0.5	360	< 0.5	< 1	6	511	4	1.62	3	< 1	< 5	11	2.99	< 20	52	< 0.1	4.0	< 3	< 0.02	< 0.05	< 0.5	22.8
487427	< 2	< 5	2.3	270	< 0.5	2	8	441	4	1.93	4	< 1	< 5	11	3.05	< 20	84	< 0.1	4.9	< 3	< 0.02	< 0.05	< 0.5	25.1
487428	< 2	< 5	< 0.5	480	< 0.5	< 1	< 1	357	3	0.94	4	< 1	< 5	< 1	2.22	< 20	119	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	26.6
487429	< 2	< 5	< 0.5	500	< 0.5	< 1	3	329	3	0.97	4	< 1	< 5	< 1	2.23	< 20	133	< 0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	28.1
487430	8	< 5	1.6	460	< 0.5	< 1	3	546	4	0.88	3	< 1	< 5	< 1	2.21	< 20	140	< 0.1	0.5	< 3	0.06	< 0.05	1.9	26.6
487431	< 2	< 5	1.4	440	< 0.5	< 1	< 1	322	6	0.98	4	< 1	< 5	< 1	2.46	< 20	112	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	35.7
487432	< 2	< 5	< 0.5	350	< 0.5	< 1	3	595	3	0.92	4	< 1	< 5	11	2.48	< 20	98	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	28.9
487433	5	< 5	2.7	200	< 0.5	< 1	5	371	5	0.90	4	< 1	< 5	9	2.57	< 20	140	0.1	0.4	< 3	< 0.02	< 0.05	3.6	22.8
487434	< 2	< 5	1.9	320	< 0.5	< 1	5	708	6	0.71	< 1	< 1	< 5	4	2.50	< 20	124	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	7.6
487435	< 2	< 5	< 0.5	330	< 0.5	< 1	3	358	4	0.91	3	< 1	< 5	< 1	2.21	< 20	124	< 0.1	0.3	< 3	< 0.02	0.07	< 0.5	14.4
487436	< 2	< 5	< 0.5	310	< 0.5	< 1	3	672	4	0.83	4	< 1	< 5	< 1	2.61	< 20	139	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	22.0
487437	< 2	< 5	2.3	170	< 0.5	< 1	2	372	5	0.83	2	< 1	< 5	14	2.77	< 20	110	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	16.0
487438	< 2	< 5	< 0.5	370	< 0.5	< 1	2	599	6	0.80	2	< 1	< 5	< 1	2.43	< 20	139	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	9.1
487439	< 2	< 5	0.7	430	< 0.5	2	2	350	6	0.72	3	< 1	< 5	< 1	2.37	< 20	161	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	13.7
487440	< 2	< 5	< 0.5	400	< 0.5	< 1	3	606	5	0.77	2	< 1	< 5	< 1	2.28	< 20	146	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	25.1
487441	< 2	< 5	1.7	310	< 0.5	< 1	3	569	4	0.59	1	< 1	< 5	6	2.51	< 20	110	< 0.1	0.4	< 3	0.07	< 0.05	< 0.5	9.1
487442	< 2	< 5	< 0.5	230	< 0.5	< 1	< 1	277	4	0.64	3	< 1	< 5	12	2.79	< 20	69	< 0.1	0.3	< 3	< 0.02	< 0.05	1.8	28.1
487443	< 2	< 5	1.8	410	< 0.5	< 1	3	489	4	0.73	4	< 1	< 5	19	2.51	< 20	117	0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	21.3
487444	< 2	< 5	< 0.5	400	< 0.5	< 1	1	409	5	0.74	2	< 1	< 5	6	2.32	< 20	124	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	17.5
487445	< 2	< 5	< 0.5	230	< 0.5	< 1	4	627	4	1.19	2	2	< 5	7	2.80	< 20	92	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	14.7
487446	< 2	< 5	< 0.5	350	< 0.5	< 1	< 1	271	4	0.62	2	< 1	< 5	< 1	2.62	< 20	99	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	15.4
487447	< 2	< 5	1.6	400	< 0.5	1	2	482	3	0.82	1	< 1	< 5	< 1	2.44	< 20	92	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	18.9
487448	< 2	< 5	< 0.5	470	< 0.5	< 1	2	337	3	0.92	3	< 1	< 5	< 1	2.22	< 20	152	0.2	0.8	< 3	< 0.02	< 0.05	< 0.5	25.9
487449	< 2	< 5	3.4	540	< 0.5	< 1	< 1	726	< 1	1.02	3	< 1	< 5	5	2.21	< 20	152	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	25.9
487450	< 2	< 5	< 0.5	200	< 0.5	< 1	< 1	330	6	0.59	4	< 1	< 5	< 1	2.01	< 20	172	0.3	0.5	< 3	< 0.02	< 0.05	0.9	14.0
487451	< 2	< 5	1.6	180	< 0.5	1	2	251	3	0.73	5	< 1	< 5	26	1.45	< 20	106	0.1	1.0	< 3	< 0.02	< 0.05	< 0.5	44.1
487452	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	350	6	1.00	5	< 1	< 5	66	1.60	< 20	132	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	59.5
487453	3	< 5	< 0.5	230	0.9	< 1	2	297	5	0.68	4	< 1	< 5	< 1	2.16	< 20	125	< 0.1	0.7	< 3	0.03	< 0.05	< 0.5	33.6
487454	< 2	< 5	< 0.5	260	< 0.5	< 1	3	330	8	1.12	2	< 1	< 5	20	1.48	< 20	211	0.2	1.5	< 3	< 0.02	< 0.05	< 0.5	46.9
487455	< 2	< 5	< 0.5	310	< 0.5	< 1	2	231	7	0.42	2	< 1	< 5	7	1.60	< 20	211	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	11.2
487456	< 2	< 5	< 0.5	270	< 0.5	< 1	2	207	6	0.71	3	< 1	< 5	< 1	1.86	< 20	86	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
487459	< 2	< 5	< 0.5	330	< 0.5	< 1	3	180	4	0.41	2	< 1	< 5	< 1	1.80	< 20	140	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	19.1
487460	< 2	< 5	< 0.5	480	< 0.5	< 1	< 1	247	2	0.68	3	< 1	< 5	< 1	1.86	< 20	111	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	23.1
487461	< 2	< 5	< 0.5	400	< 0.5	< 1	1	171	2	0.65	3	< 1	< 5	< 1	1.94	< 20	138	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	25.1
487462	< 2	< 5	< 0.5	500	< 0.5	< 1	< 1	161	1	0.59	3	< 1	< 5	< 1	1.89	< 20	132	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	24.3
487463	< 2	< 5	< 0.5	160	< 0.5	3	< 1	256	3	0.61	2	< 1	< 5	< 1	2.63	< 20	61	0.2	0.4	< 3	< 0.02	< 0.05	< 0.5	41.8
487464	< 2	< 5	< 0.5	210	< 0.5	< 1	< 1	151	< 1	0.76	2	< 1	< 5	< 1	2.91	< 20	42	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	37.2
487465	< 2	< 5	< 0.5	290	< 0.5	< 1	< 1	205	4	0.85	3	< 1	< 5	< 1	2.20	< 20	152	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	29.5
487466	< 2	< 5	< 0.5	460	< 0.5	< 1	< 1	228	1	0.72	3	< 1	< 5	< 1	1.97	< 20	119	0.2	0.8	< 3	< 0.02	< 0.05	< 0.5	24.3
487467	< 2	< 5	1.4	< 50	< 0.5	3	< 1	201	5	0.62	3	< 1	< 5	< 1	2.60	< 20	84	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	20.0
487468	< 2	< 5	0.9	330	< 0.5	3	< 1	246	5	0.67	4	< 1	< 5	< 1	2.30	< 20	< 15	< 0.1	0.4	< 3	< 0.02	< 0.05	1.7	23.8
487469	< 2	< 5	< 0.5	290	< 0.5	2	< 1	271	3	0.89	2	< 1	< 5	< 1	2.42	560	105	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	33.1
487470	10	< 5	< 0.5	590	< 0.5	< 1	2	207	4	0.79	3	< 1	< 5	5	2.05	< 20	130	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	24.4
487471	< 2	< 5	< 0.5	550	< 0.5	< 1	< 1	244	3	0.73	3	< 1	< 5	< 1	2.10	350	111	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	26.4
487472	5	< 5	< 0.5	270	< 0.5	< 1	3	235	2	0.75	3	< 1	< 5	< 1	2.20	420	109	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5	16.4
487473	< 2	< 5	< 0.5	300	< 0.5	< 1	5	306	5	1.45	5	< 1	< 5	< 1	2.45	< 20	100	0.5	3.4	< 3	< 0.02	< 0.05	< 0.5	12.2
487474	< 2	< 5	< 0.5	450	< 0.5	< 1	5	226	4	0.98	4	< 1	< 5	< 1	2.23	< 20	126	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	18.7
487475	< 2	< 5	1.6	430	< 0.5	< 1	6	288	4	1.28	3	< 1	< 5	< 1	2.44	< 20	111	< 0.1	4.9	< 3	< 0.02	< 0.05	< 0.5	19.6
487476	< 2	< 5	< 0.5	380	< 0.5	< 1	5	211	2	1.20	3	< 1	< 5	< 1	2.39	< 20	< 15	< 0.1	6.5	< 3	< 0.02	< 0.05	4.1	24.4
487477	< 2	8	< 0.5	400	< 0.5	3	8	228	< 1	1.72	4	< 1	< 5	< 1	2.49	< 20	96	0.3	4.9	< 3	< 0.02	< 0.05	< 0.5	11.1
487478	< 2	< 5	< 0.5	450	< 0.5	< 1	6	220	3	1.51	3	< 1	< 5	< 1	2.47	< 20	81	< 0.1	4.0	< 3	< 0.02	< 0.05	< 0.5	11.3
487479	< 2	< 5	< 0.5	340	< 0.5	< 1	< 1	218	2	0.66	2	< 1	< 5	< 1	2.06	< 20	111	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	20.5
487480	< 2	< 5	< 0.5	130	< 0.5	2	5	238	4	1.22	2	< 1	< 5	< 1	2.38	< 20	79	0.4	3.1	< 3	< 0.02	< 0.05	< 0.5	13.6
487481	< 2	< 5	< 0.5	390	< 0.5	< 1	< 1	224	3	0.84	3	< 1	< 5	< 1	2.03	< 20	81	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5	21.6
487482	< 2	< 5	1.2	< 50	< 0.5	< 1	< 1	199	3	0.49	7	< 1	< 5	< 1	2.04	< 20	65	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	37.5
487483	< 2	< 5	< 0.5	< 50	< 0.5	4	19	259	3	3.41	1	< 1	< 5	< 1	2.35	< 20	< 15	< 0.1	16.6	< 3	< 0.02	< 0.05	< 0.5	7.2
487484	< 2	< 5	2.3	< 50	< 0.5	4	17	276	4	3.18	< 1	< 1	< 5	< 1	2.08	< 20	48	< 0.1	14.0	< 3	< 0.02	< 0.05	< 0.5	2.9
487485	< 2	< 5	2.1	< 50	< 0.5	4	24	300	6	4.30	6	< 1	< 5	< 1	1.50	< 20	< 15	< 0.1	19.4	< 3	< 0.02	< 0.05	< 0.5	55.5
487486	< 2	< 5	2.7	430	< 0.5	< 1	< 1	326	5	0.73	11	< 1	< 5	< 1	1.63	< 20	< 15	0.4	1.0	< 3	< 0.02	< 0.05	< 0.5	130
487487	< 2	< 5	3.3	300	< 0.5	< 1	3	320	10	1.30	4	< 1	< 5	< 1	2.09	< 20	107	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	49.3
487488	< 2	< 5	3.2	300	< 0.5	< 1	5	322	12	1.78	3	< 1	< 5	< 1	1.12	< 20	222	0.4	2.4	< 3	< 0.02	< 0.05	< 0.5	51.8
487489	< 2	< 5	5.2	410	< 0.5	< 1	< 1	324	8	0.82	2	< 1	< 5	< 1	1.13	< 20	248	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	55.3
487490	< 2	< 5	1.9	410	< 0.5	< 1	< 1	311	7	1.06	< 1	< 1	< 5	< 1	1.23	< 20	296	< 0.1	3.1	< 3	< 0.02	< 0.05	< 0.5	26.9
487491	< 2	< 5	< 0.5	270	< 0.5	< 1	7	294	11	2.13	2	< 1	< 5	90	1.42	< 20	280	< 0.1	5.8	< 3	< 0.02	< 0.05	< 0.5	30.6
487492	< 2	< 5	< 0.5	560	< 0.5	< 1	3	290	6	1.35	2	< 1	< 5	68	1.37	< 20	267	0.3	7.3	< 3	< 0.02	< 0.05	< 0.5	13.9
487493	< 2	< 5	< 0.5	470	< 0.5	2	5	227	6	1.88	2	< 1	< 5	120	1.42	< 20	258	< 0.1	11.3	< 3	< 0.02	< 0.05	< 0.5	27.6
487494	< 2	< 5	< 0.5	390	< 0.5	< 1	20	224	7	3.85	2	< 1	< 5	37	2.85	< 20	< 15	< 0.1	14.7	< 3	< 0.02	< 0.05	< 0.5	14.0
487495	< 2	< 5	< 0.5	< 50	< 0.5	3	7	311	6	2.03	2	< 1	< 5	35	2.61	< 20	158	< 0.1	11.9	< 3	< 0.02	< 0.05	2.5	12.0
487496	< 2	< 5	< 0.5	270	< 0.5	2	< 1	365	5	0.69	< 1	< 1	< 5	< 1	2.07	< 20	98	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	15.7
487497	< 2	< 5	< 0.5	110	< 0.5	< 1	< 1	345	3	0.44	< 1	< 1	< 5	< 1	2.44	< 20	101	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	9.8
487498	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	395	2	0.41	< 1	< 1	< 5	< 1	3.05	< 20	65	0.3	< 0.1	< 3	< 0.02	< 0.05	< 0.5	3.9
487499	< 2	< 5	1.1	320	< 0.5	< 1	< 1	299	8	0.86	2	< 1	< 5	4	2.12	< 20	195	0.2	1.1	< 3	< 0.02	< 0.05	< 0.5	8.2
487500	< 2	< 5	< 0.5	300	< 0.5	1	2	289	4	0.58	2	< 1	< 5	< 1	2.06	< 20	104	< 0.1	0.2	< 3	< 0.02	< 0.05	< 0.5	5.6
1000X	< 2	< 5	5.3	450	< 0.5	< 1	< 1	223	13	0.76	4	< 1	< 5	< 1	1.97	< 20	449	< 0.1	2.4	< 3	< 0.02	< 0.05	1.9	28.7
1001X	< 2	< 5	3.1	< 50	< 0.5	< 1	1	366	9	0.85	4	< 1	< 5	< 1	1.63	< 20	310	0.4	2.9	< 3	< 0.02	< 0.05	1.9	32.2
1003X																								
10AF	< 2	< 5	1.9	240	< 0.5	< 1	4	339	7	1.01	5	< 1	< 5	< 1	1.65	< 20	362	0.3	3.8	< 3	< 0.02	< 0.05	2.2	56.1
10CBL	< 2	< 5	0.6	210	< 0.5	< 1	3	168	9	0.91	4	< 1	< 5	< 1	1.56	< 20	299	< 0.1	3.4	< 3	< 0.02	< 0.05	2.0	49.5
10X	< 2	< 5	1.7	140	< 0.5	< 1	< 1	279	7	0.70	4	< 1	< 5	< 1	1.89	< 20	360	< 0.1	3.1	< 3	< 0.02	< 0.05	< 0.5	38.6
11AF	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	392	6	0.95	3	< 1	< 5	< 1	1.63	< 20	336	< 0.1	3.2	< 3	< 0.02	< 0.05	< 0.5	34.8
11CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	243	4	0.92	5	< 1	< 5	< 1	1.61	< 20	284	< 0.1	3.3	< 3	< 0.02	< 0.05	1.9	50.5
11X	< 2	< 5	< 0.5	< 50	< 0.5																			

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
12CBL	< 2	< 5	< 0.5	< 50	< 0.5	2	< 1	219	6	0.57	3	< 1	< 5	< 1	1.70	< 20	243	< 0.1	1.9	< 3	< 0.02	< 0.05	< 0.5	27.7
12X	< 2	< 5	3.2	< 50	3.5	< 1	< 1	195	9	0.49	1	< 1	< 5	< 1	2.03	< 20	381	< 0.1	3.4	< 3	< 0.02	< 0.05	< 0.5	2.8
13AF	< 2	< 5	< 0.5	230	< 0.5	< 1	< 1	355	6	1.04	4	< 1	< 5	< 1	1.63	< 20	324	< 0.1	3.2	< 3	0.03	< 0.05	< 0.5	49.6
13CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	284	3	0.72	3	< 1	< 5	< 1	1.76	< 20	254	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	24.9
13X	< 2	< 5	2.9	< 50	< 0.5	< 1	< 1	268	7	0.85	5	< 1	< 5	< 1	1.76	< 20	375	0.2	4.0	< 3	< 0.02	< 0.05	< 0.5	39.1
14AF	< 2	< 5	< 0.5	210	< 0.5	< 1	< 1	369	8	1.08	5	< 1	< 5	< 1	1.61	< 20	364	0.2	3.4	< 3	< 0.02	< 0.05	< 0.5	57.5
14CBL	< 2	< 5	< 0.5	< 50	1.4	< 1	< 1	209	25	2.49	8	< 1	< 5	< 1	1.46	< 20	423	0.6	10.5	< 3	< 0.02	< 0.05	4.5	116
14X	< 2	< 5	5.0	90	< 0.5	< 1	< 1	173	13	0.74	3	< 1	< 5	< 1	1.86	< 20	374	0.6	3.5	< 3	< 0.02	< 0.05	2.0	28.7
15AF	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	406	6	0.90	4	< 1	< 5	< 1	1.68	< 20	319	< 0.1	3.5	4	< 0.02	< 0.05	2.0	45.8
15CBL	< 2	< 5	1.3	140	< 0.5	< 1	< 1	294	6	0.85	4	< 1	< 5	< 1	1.72	< 20	384	0.2	3.0	< 3	0.06	< 0.05	< 0.5	41.5
15X	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	175	10	0.65	4	< 1	< 5	< 1	1.98	< 20	335	< 0.1	3.9	< 3	< 0.02	< 0.05	1.9	27.0
16AF	9	< 5	< 0.5	260	< 0.5	< 1	4	488	5	1.20	4	< 1	< 5	< 1	1.81	< 20	301	0.3	3.5	< 3	< 0.02	< 0.05	< 0.5	62.7
16CBL	6	< 5	< 0.5	200	1.2	< 1	2	236	6	1.04	3	< 1	< 5	< 1	1.86	< 20	348	< 0.1	3.7	< 3	< 0.02	< 0.05	2.1	62.7
16X	< 2	< 5	3.5	< 50	< 0.5	< 1	4	490	12	0.97	3	< 1	< 5	< 1	2.19	< 20	320	0.3	3.8	< 3	< 0.02	< 0.05	3.2	31.0
17AF	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	491	6	1.09	3	< 1	< 5	< 1	1.81	< 20	318	< 0.1	3.1	< 3	< 0.02	< 0.05	1.9	47.9
17CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	385	4	1.16	4	< 1	< 5	< 1	1.78	< 20	318	0.2	3.3	< 3	< 0.02	< 0.05	1.9	71.3
17X	< 2	< 5	3.5	< 50	4.3	< 1	3	454	9	0.82	3	< 1	< 5	< 1	2.35	< 20	272	0.3	3.0	< 3	< 0.02	< 0.05	< 0.5	24.9
18AF	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	472	5	1.13	3	< 1	< 5	< 1	1.87	< 20	326	0.3	3.2	< 3	< 0.02	< 0.05	< 0.5	47.3
18CBL	< 2	< 5	< 0.5	< 50	< 0.5	1	3	224	11	1.12	3	< 1	< 5	< 1	1.72	< 20	381	0.2	4.0	< 3	< 0.02	< 0.05	2.7	65.2
18X	< 2	< 5	4.9	< 50	< 0.5	< 1	< 1	503	9	1.06	3	< 1	< 5	< 1	2.19	< 20	308	0.3	3.4	< 3	< 0.02	< 0.05	< 0.5	27.9
19AF	< 2	< 5	< 0.5	420	< 0.5	2	5	514	< 1	1.44	2	< 1	< 5	< 1	3.24	< 20	< 15	0.3	2.1	< 3	< 0.02	0.07	< 0.5	1.4
19CBL	< 2	< 5	1.3	250	< 0.5	< 1	3	288	6	1.06	3	< 1	< 5	< 1	1.89	< 20	321	< 0.1	3.7	< 3	< 0.02	< 0.05	< 0.5	65.8
19X	< 2	< 5	4.8	140	< 0.5	< 1	2	492	10	1.17	3	< 1	< 5	< 1	2.30	< 20	294	0.3	3.6	< 3	< 0.02	< 0.05	< 0.5	29.7
1AF	< 2	< 5	1.4	< 50	< 0.5	1	7	353	5	0.89	3	< 1	< 5	< 1	2.20	< 20	326	< 0.1	2.9	< 3	< 0.02	< 0.05	2.2	40.9
1CBL	< 2	< 5	< 0.5	210	< 0.5	< 1	2	428	6	1.13	3	< 1	< 5	< 1	1.94	< 20	297	< 0.1	3.0	< 3	< 0.02	< 0.05	< 0.5	42.3
1X	< 2	< 5	3.6	190	1.8	< 1	< 1	248	4	0.50	3	< 1	< 5	< 1	2.13	< 20	245	0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	23.4
20AF	< 2	< 5	< 0.5	320	< 0.5	< 1	3	490	6	1.24	4	< 1	< 5	< 1	1.92	< 20	347	0.2	4.1	< 3	< 0.02	< 0.05	< 0.5	57.4
20CBL	< 2	< 5	< 0.5	200	< 0.5	1	< 1	294	6	1.20	4	< 1	< 5	< 1	1.95	< 20	339	< 0.1	4.0	< 3	< 0.02	< 0.05	1.9	68.2
20X	< 2	< 5	8.6	660	< 0.5	< 1	< 1	530	12	0.98	3	< 1	< 5	< 1	2.21	< 20	309	0.3	2.7	< 3	< 0.02	< 0.05	< 0.5	23.5
21AF	< 2	< 5	1.4	220	< 0.5	< 1	3	480	10	1.24	3	< 1	< 5	< 1	1.91	< 20	311	0.3	3.9	< 3	< 0.02	< 0.05	2.7	54.7
21CBL	< 2	< 5	< 0.5	220	< 0.5	< 1	3	311	10	1.10	3	< 1	< 5	< 1	1.92	< 20	337	< 0.1	3.8	< 3	< 0.02	< 0.05	< 0.5	66.3
21X	< 2	< 5	5.3	< 50	< 0.5	< 1	3	476	10	1.06	3	< 1	< 5	< 1	2.26	< 20	309	0.3	3.6	< 3	< 0.02	< 0.05	2.2	33.7
22AF	< 2	< 5	< 0.5	250	< 0.5	< 1	< 1	564	11	1.29	3	< 1	< 5	< 1	2.01	< 20	396	< 0.1	3.9	< 3	< 0.02	< 0.05	2.4	59.3
22CBL	< 2	< 5	< 0.5	150	< 0.5	< 1	3	237	8	1.01	3	< 1	< 5	< 1	1.86	< 20	324	0.2	3.3	< 3	< 0.02	< 0.05	< 0.5	66.7
22X	< 2	< 5	2.1	120	< 0.5	< 1	< 1	511	4	0.95	2	< 1	< 5	< 1	2.77	< 20	134	0.2	2.8	< 3	< 0.02	< 0.05	< 0.5	38.6
23AF	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	512	6	1.12	3	< 1	< 5	< 1	1.92	< 20	308	< 0.1	3.2	< 3	< 0.02	< 0.05	< 0.5	46.1
23CBL	< 2	< 5	< 0.5	770	2.0	< 1	4	231	2	1.54	4	< 1	< 5	< 1	2.25	< 20	162	< 0.1	3.0	< 3	< 0.02	< 0.05	< 0.5	19.7
23X	< 2	< 5	1.5	< 50	< 0.5	< 1	< 1	481	5	1.01	3	< 1	< 5	< 1	2.21	< 20	311	< 0.1	3.6	< 3	0.03	< 0.05	< 0.5	37.2
24AF	< 2	< 5	1.2	160	< 0.5	< 1	2	440	8	1.25	4	< 1	< 5	< 1	1.95	< 20	342	< 0.1	3.8	< 3	< 0.02	< 0.05	< 0.5	69.2
24CBL	< 2	< 5	1.0	180	< 0.5	< 1	< 1	234	7	0.93	3	< 1	< 5	< 1	1.72	< 20	272	< 0.1	2.9	< 3	< 0.02	< 0.05	2.2	52.0
24X	< 2	< 5	2.0	< 50	< 0.5	< 1	3	421	6	1.17	4	< 1	< 5	< 1	1.66	290	455	< 0.1	4.0	< 3	< 0.02	< 0.05	1.3	90.8
25AF	< 2	< 5	1.1	190	< 0.5	< 1	3	531	7	1.11	3	< 1	< 5	< 1	1.92	< 20	320	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	47.1
25CBL	< 2	< 5	1.0	< 50	< 0.5	< 1	2	301	8	1.00	3	< 1	< 5	< 1	1.96	< 20	301	< 0.1	3.3	< 3	< 0.02	< 0.05	2.9	52.4
25X	< 2	< 5	2.2	< 50	< 0.5	< 1	3	507	6	1.08	7	< 1	< 5	< 1	1.63	< 20	358	< 0.1	3.8	< 3	< 0.02	< 0.05	1.2	57.7
26AF	< 2	< 5	0.7	< 50	< 0.5	< 1	3	517	5	1.20	4	< 1	< 5	< 1	1.85	< 20	311	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	60.3
26CBL	< 2	< 5	< 0.5	130	< 0.5	< 1	1	265	8	1.04	3	< 1	< 5	< 1	1.90	170	297	0.2	3.4	< 3	< 0.02	< 0.05	< 0.5	54.4
26X	< 2	< 5	1.6	< 50	< 0.5	1	3	484	6	1.26	4	< 1	< 5	< 1	2.37	< 20	217	< 0.1	4.7	< 3	< 0.02	< 0.05	< 0.5	55.8
27AF	< 2	< 5	1.6	280	< 0.5	< 1	3	472	7	1.16	4	< 1	< 5	< 1	1.85	210	307	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	58.1
27CBL	< 2	< 5	< 0.5	< 50	< 0.5	1	3	258	7	1.08	3	< 1	< 5	< 1	1.89	< 20	292	< 0.1	3.4	< 3	< 0.02	< 0.05	2.3	53.2
27X	< 2	< 5	3.7	< 50	< 0.5	< 1	3	571	28	1.22	3	< 1	< 5	< 1	2.09	250	420	0.5	3.7	< 3	< 0.02	< 0.05	2.9	45.4
28AF	< 2	< 5	< 0.5	760</																				

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
28X	< 2	< 5	3.4	140	< 0.5	< 1	< 1	508	8	1.13	3	< 1	< 5	< 1	1.99	< 20	327	0.2	3.2	< 3	< 0.02	< 0.05	2.2	46.0
29AF	< 2	< 5	< 0.5	260	< 0.5	< 1	3	494	6	1.12	3	< 1	< 5	< 1	1.91	< 20	329	0.2	3.2	< 3	< 0.02	< 0.05	< 0.5	51.2
29CBL	< 2	< 5	< 0.5	160	< 0.5	< 1	3	378	9	1.12	3	< 1	< 5	< 1	1.95	< 20	283	0.2	3.2	< 3	< 0.02	< 0.05	< 0.5	52.3
29X	< 2	< 5	2.6	< 50	0.7	< 1	5	476	10	1.25	3	< 1	< 5	< 1	2.14	< 20	330	< 0.1	4.0	< 3	< 0.02	< 0.05	< 0.5	49.5
2AF	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	494	5	1.33	4	< 1	< 5	< 1	2.00	< 20	359	0.3	4.0	< 3	< 0.02	< 0.05	1.5	58.8
2CBL	< 2	< 5	< 0.5	200	< 0.5	< 1	3	261	6	1.08	4	< 1	< 5	< 1	1.92	< 20	306	0.3	3.7	< 3	< 0.02	< 0.05	2.1	57.7
2X	< 2	< 5	2.0	210	< 0.5	< 1	2	327	8	1.09	3	< 1	< 5	< 1	2.08	< 20	352	0.2	4.1	< 3	< 0.02	< 0.05	1.8	35.0
30AF	< 2	< 5	< 0.5	230	< 0.5	< 1	3	561	7	1.05	3	< 1	< 5	< 1	2.08	< 20	321	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	44.2
30CBL	< 2	< 5	1.9	< 50	< 0.5	< 1	3	245	7	1.10	3	< 1	< 5	< 1	2.03	< 20	328	0.1	3.3	< 3	< 0.02	< 0.05	< 0.5	50.9
30X	< 2	< 5	2.3	190	< 0.5	< 1	4	396	10	1.09	3	< 1	< 5	< 1	2.07	< 20	322	0.3	3.3	< 3	< 0.02	< 0.05	< 0.5	39.5
31CBL	< 2	< 5	1.5	< 50	< 0.5	< 1	3	398	9	1.17	3	< 1	< 5	< 1	2.01	< 20	300	< 0.1	3.2	< 3	< 0.02	< 0.05	< 0.5	50.2
31X	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	392	4	0.74	2	< 1	< 5	< 1	2.38	< 20	244	< 0.1	1.9	< 3	< 0.02	< 0.05	< 0.5	26.5
32CBL	< 2	< 5	< 0.5	150	< 0.5	< 1	2	260	7	1.07	3	< 1	< 5	< 1	2.04	< 20	287	< 0.1	3.5	< 3	< 0.02	< 0.05	1.3	54.5
32X	< 2	< 5	1.9	< 50	< 0.5	1	3	500	5	1.09	3	< 1	< 5	< 1	2.24	< 20	281	< 0.1	2.8	< 3	< 0.02	< 0.05	< 0.5	39.1
33CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	331	6	0.93	5	< 1	< 5	23	1.83	< 20	358	< 0.1	3.2	6	< 0.02	< 0.05	< 0.5	42.7
33X	< 2	< 5	< 0.5	< 50	< 0.5	< 1	5	434	< 1	1.06	8	< 1	< 5	20	1.45	< 20	< 15	< 0.1	0.6	< 3	< 0.02	< 0.05	2.4	59.4
34CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	267	6	0.85	6	< 1	< 5	13	1.81	< 20	352	< 0.1	3.3	< 3	< 0.02	< 0.05	< 0.5	48.1
34DM	< 2	< 5	< 0.5	< 50	2.3	3	3	424	< 1	0.66	6	< 1	< 5	21	2.04	< 20	58	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	37.8
34X	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	452	5	0.59	16	< 1	< 5	27	0.44	< 20	108	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	43.5
35CBL	< 2	< 5	1.4	< 50	< 0.5	< 1	< 1	290	6	1.12	5	< 1	< 5	< 1	1.81	< 20	330	< 0.1	3.5	< 3	< 0.02	< 0.05	2.2	57.7
35DM	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	541	4	0.96	26	< 1	< 5	< 1	1.46	< 20	< 15	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	148
36CBL	< 2	< 5	0.5	< 50	< 0.5	< 1	< 1	231	6	0.83	5	< 1	< 5	< 1	1.69	< 20	312	0.2	3.2	< 3	< 0.02	< 0.05	< 0.5	51.6
36DM	< 2	< 5	< 0.5	< 50	< 0.5	< 1	27	302	8	16.8	55	< 1	< 5	< 1	0.93	< 20	60	< 0.1	28.9	< 3	< 0.02	< 0.05	< 0.5	316
37CBL	< 2	< 5	< 0.5	210	< 0.5	< 1	< 1	359	4	1.03	5	< 1	< 5	13	1.74	< 20	364	0.4	3.6	< 3	< 0.02	< 0.05	3.1	57.8
37DM	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	397	4	5.04	37	< 1	< 5	< 1	0.78	< 20	146	< 0.1	2.3	< 3	< 0.02	< 0.05	< 0.5	243
38CBL	< 2	< 5	< 0.5	260	< 0.5	< 1	< 1	234	4	0.76	3	< 1	< 5	11	1.78	< 20	326	< 0.1	3.0	< 3	< 0.02	< 0.05	< 0.5	32.5
38DM	< 2	< 5	< 0.5	< 50	< 0.5	3	4	340	6	0.69	6	< 1	< 5	16	2.36	360	244	0.2	0.7	< 3	< 0.02	< 0.05	< 0.5	31.9
39CBL	< 2	< 5	< 0.5	200	< 0.5	< 1	4	422	9	1.18	6	< 1	< 5	16	1.84	< 20	360	< 0.1	4.0	< 3	0.09	< 0.05	< 0.5	58.0
39DM	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	561	3	0.88	20	< 1	< 5	< 1	1.58	690	52	0.3	0.6	< 3	< 0.02	< 0.05	< 0.5	221
3AF	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	439	8	1.29	6	< 1	< 5	< 1	1.73	< 20	428	< 0.1	5.5	< 3	< 0.02	< 0.05	< 0.5	62.6
3CBL	< 2	< 5	< 0.5	250	< 0.5	< 1	< 1	265	4	1.02	5	< 1	< 5	< 1	1.78	< 20	364	0.3	3.5	< 3	< 0.02	< 0.05	0.9	60.7
3X	< 2	< 5	1.9	< 50	< 0.5	2	< 1	239	7	0.93	7	< 1	< 5	< 1	2.11	< 20	292	< 0.1	4.5	< 3	< 0.02	< 0.05	< 0.5	63.3
40CBL	< 2	< 5	< 0.5	320	< 0.5	< 1	< 1	258	8	0.95	5	< 1	< 5	20	1.73	< 20	345	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	52.7
40DM	< 2	< 5	< 0.5	330	< 0.5	2	< 1	432	6	0.55	16	< 1	< 5	40	1.78	< 20	64	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	57.6
41CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	1	366	10	1.20	6	< 1	< 5	12	1.69	< 20	388	< 0.1	4.3	< 3	< 0.02	< 0.05	< 0.5	56.2
41DM	< 2	< 5	< 0.5	< 50	2.7	2	5	699	21	0.83	< 1	< 1	< 5	5	1.92	< 20	101	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	18.0
42CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	279	11	1.11	6	< 1	< 5	< 1	2.04	< 20	454	0.3	4.5	< 3	< 0.02	< 0.05	3.7	61.0
42DM	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	645	28	0.49	1	< 1	< 5	< 1	1.46	< 20	268	0.6	0.5	< 3	< 0.02	< 0.05	< 0.5	3.0
43CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	355	10	1.16	6	< 1	< 5	< 1	1.96	380	429	0.3	4.5	< 3	< 0.02	< 0.05	2.5	57.6
43DM	< 2	< 5	< 0.5	360	< 0.5	< 1	< 1	493	83	0.41	< 1	< 1	< 5	< 1	1.39	< 20	591	1.6	0.1	< 3	< 0.02	< 0.05	< 0.5	< 0.2
44CBL	< 2	< 5	< 0.5	150	< 0.5	< 1	< 1	254	10	1.09	6	< 1	< 5	19	2.07	< 20	440	< 0.1	4.7	< 3	< 0.02	< 0.05	< 0.5	58.6
44DM	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	470	183	0.41	< 1	< 1	< 5	< 1	1.51	< 20	1110	3.6	0.3	< 3	< 0.02	< 0.05	3.4	< 0.2
45CBL	< 2	< 5	< 0.5	< 50	< 0.5	2	< 1	300	6	0.90	4	< 1	< 5	< 1	1.86	< 20	470	< 0.1	2.9	< 3	< 0.02	< 0.05	< 0.5	34.4
45DM	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	494	6	0.58	7	< 1	< 5	< 1	2.48	< 20	118	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	15.5
46CBL	< 2	< 5	< 0.5	340	< 0.5	< 1	< 1	328	10	1.01	6	< 1	< 5	16	2.09	< 20	349	< 0.1	3.4	< 3	< 0.02	< 0.05	< 0.5	47.9
46DM	< 2	< 5	< 0.5	190	< 0.5	< 1	< 1	423	5	0.43	< 1	< 1	< 5	6	1.62	< 20	273	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	8.3
47CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	319	8	0.90	5	< 1	< 5	< 1	2.10	610	372	< 0.1	3.4	< 3	< 0.02	< 0.05	2.7	41.2
47DM	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	515	3	0.60	5	< 1	< 5	< 1	2.09	< 20	138	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	20.3
48CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	348	9	0.92	5	< 1	< 5	< 1	1.81	< 20	336	< 0.1	3.2	< 3	< 0.02	< 0.05	2.4	45.7
48DM	< 2	< 5	< 0.5	440	< 0.5	4	< 1	439	3	1.18	5	< 1	< 5	< 1	2.28	< 20	136	< 0.1	2.3	< 3	< 0.02	< 0.05	< 0.5	19.1
49CBL	< 2	< 5	< 0.5	< 50																				

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
4AF	< 2	< 5	1.4	360	< 0.5	< 1	< 1	456	8	1.07	5	< 1	< 5	34	1.89	< 20	411	< 0.1	4.3	< 3	< 0.02	< 0.05	3.1	44.0
4CBL	< 2	< 5	< 0.5	230	< 0.5	< 1	3	197	7	0.68	5	< 1	< 5	13	1.87	< 20	345	0.3	2.8	< 3	< 0.02	< 0.05	< 0.5	42.9
4X	< 2	< 5	< 0.5	< 50	< 0.5	< 1	1	292	10	0.83	5	< 1	< 5	14	1.98	< 20	413	< 0.1	3.7	< 3	< 0.02	< 0.05	< 0.5	31.9
50CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	461	10	1.22	6	< 1	< 5	16	2.05	< 20	398	< 0.1	4.2	< 3	< 0.02	< 0.05	3.1	53.4
50DM	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	521	3	0.90	< 1	< 1	< 5	8	2.44	< 20	124	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	18.3
51CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	348	9	0.96	5	< 1	< 5	< 1	1.94	< 20	364	0.3	3.6	< 3	< 0.02	< 0.05	< 0.5	46.5
51DM																								
52CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	356	9	0.88	5	< 1	< 5	< 1	1.93	< 20	399	< 0.1	4.0	< 3	< 0.02	< 0.05	< 0.5	43.7
52DM	< 2	< 5	< 0.5	< 50	< 0.5	2	< 1	504	5	0.76	3	< 1	< 5	53	2.84	< 20	73	0.3	1.3	< 3	0.03	< 0.05	< 0.5	20.6
53CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	289	8	0.99	5	< 1	< 5	17	1.89	410	362	< 0.1	3.6	< 3	< 0.02	< 0.05	< 0.5	39.8
53DM	< 2	< 5	< 0.5	650	< 0.5	< 1	3	455	3	0.50	< 1	< 1	< 5	3	1.41	< 20	390	< 0.1	0.2	< 3	0.06	< 0.05	< 0.5	6.5
54CBL	< 2	< 5	1.9	< 50	< 0.5	< 1	< 1	319	7	1.14	5	< 1	< 5	< 1	1.89	< 20	441	< 0.1	3.8	< 3	< 0.02	< 0.05	< 0.5	56.0
54DM	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	271	15	0.74	1	< 1	< 5	< 1	2.68	< 20	175	0.3	0.7	< 3	< 0.02	< 0.05	< 0.5	16.8
55CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	340	7	1.22	5	< 1	< 5	25	1.95	< 20	438	0.3	4.4	< 3	< 0.02	< 0.05	< 0.5	56.0
55DM	13	< 5	< 0.5	260	< 0.5	< 1	< 1	436	11	0.70	10	< 1	< 5	< 1	2.57	< 20	135	0.4	0.5	< 3	< 0.02	< 0.05	< 0.5	40.6
56CBL	< 2	< 5	2.4	< 50	< 0.5	< 1	3	357	9	1.14	5	< 1	< 5	10	1.94	< 20	434	0.2	3.8	< 3	< 0.02	< 0.05	2.2	50.6
56DM	5	6	< 0.5	< 50	< 0.5	< 1	< 1	315	14	0.79	3	< 1	< 5	< 1	2.81	< 20	180	0.5	0.8	< 3	< 0.02	< 0.05	< 0.5	31.9
57CBL	< 2	< 5	2.2	< 50	< 0.5	< 1	< 1	365	7	1.42	3	< 1	< 5	< 1	2.42	< 20	431	< 0.1	5.8	< 3	< 0.02	< 0.05	< 0.5	28.2
57DM																								
58CBL	< 2	< 5	5.3	640	< 0.5	4	20	402	23	5.85	2	< 1	< 5	4	1.79	< 20	175	< 0.1	25.5	< 3	< 0.02	< 0.05	< 0.5	7.1
58DM	< 2	< 5	< 0.5	< 50	< 0.5	< 1	7	562	< 1	0.99	10	< 1	< 5	< 1	3.90	< 20	161	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	164
59CBL	8	< 5	< 0.5	< 50	< 0.5	2	7	350	4	1.50	< 1	< 1	< 5	7	3.61	< 20	110	< 0.1	5.6	< 3	< 0.02	< 0.05	< 0.5	21.8
59DM	< 2	< 5	< 0.5	480	< 0.5	4	7	518	3	1.30	7	< 1	< 5	< 1	2.66	390	292	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	100
5AF	< 2	< 5	1.8	< 50	< 0.5	< 1	4	423	4	1.03	5	< 1	< 5	< 1	2.25	200	438	< 0.1	3.9	< 3	< 0.02	< 0.05	< 0.5	51.9
5CBL	< 2	< 5	< 0.5	390	< 0.5	< 1	< 1	256	8	1.06	4	< 1	< 5	< 1	2.19	< 20	387	0.2	3.4	< 3	< 0.02	< 0.05	< 0.5	56.4
5X	10	< 5	3.9	< 50	< 0.5	3	3	219	8	1.07	5	< 1	< 5	< 1	2.40	< 20	445	0.4	6.0	< 3	< 0.02	< 0.05	5.1	43.7
60CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	2	277	8	0.95	4	< 1	< 5	< 1	2.36	230	431	< 0.1	3.9	< 3	< 0.02	< 0.05	< 0.5	49.1
60DM	< 2	< 5	< 0.5	370	< 0.5	< 1	4	438	< 1	0.68	< 1	< 1	< 5	< 1	1.98	500	350	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	69.2
61DM	< 2	< 5	1.3	380	< 0.5	< 1	5	469	5	0.69	1	< 1	< 5	3	1.85	< 20	356	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	22.4
62DM	< 2	< 5	< 0.5	270	< 0.5	< 1	9	475	4	0.57	1	< 1	< 5	5	2.81	< 20	218	< 0.1	0.3	< 3	< 0.02	< 0.05	< 0.5	23.2
63DM	< 2	< 5	1.5	400	< 0.5	< 1	9	363	3	0.71	4	< 1	< 5	< 1	2.30	< 20	244	< 0.1	0.4	< 3	< 0.02	< 0.05	< 0.5	52.3
64DM	< 2	< 5	< 0.5	340	< 0.5	< 1	< 1	502	1	0.72	1	< 1	< 5	7	2.47	< 20	205	< 0.1	0.4	< 3	< 0.02	0.06	< 0.5	62.3
65DM	< 2	< 5	1.8	300	< 0.5	< 1	7	231	4	0.50	8	< 1	< 5	< 1	1.89	< 20	370	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	45.7
66DM	< 2	< 5	< 0.5	260	< 0.5	< 1	9	165	3	1.50	4	< 1	< 5	< 1	3.36	< 20	205	< 0.1	0.9	< 3	< 0.02	< 0.05	2.0	36.5
6AF	< 2	< 5	1.9	< 50	< 0.5	< 1	< 1	416	5	1.08	5	< 1	< 5	< 1	2.01	< 20	436	< 0.1	3.8	< 3	< 0.02	< 0.05	< 0.5	54.0
6CBL	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	172	9	0.91	4	< 1	< 5	< 1	2.05	< 20	330	< 0.1	3.6	< 3	< 0.02	< 0.05	< 0.5	43.2
6X	< 2	< 5	2.4	< 50	< 0.5	2	< 1	251	9	1.39	5	< 1	< 5	< 1	2.32	< 20	310	0.3	5.1	< 3	< 0.02	< 0.05	< 0.5	55.6
7AF	< 2	< 5	< 0.5	350	< 0.5	< 1	3	416	3	1.03	5	< 1	< 5	< 1	2.13	200	403	< 0.1	3.9	< 3	< 0.02	< 0.05	< 0.5	50.6
7CBL	7	< 5	< 0.5	< 50	< 0.5	< 1	< 1	244	6	0.84	4	< 1	< 5	< 1	2.09	< 20	304	< 0.1	3.3	< 3	< 0.02	< 0.05	< 0.5	43.2
7X	< 2	< 5	5.7	100	< 0.5	9	22	177	4	3.34	1	< 1	< 5	< 1	0.61	< 20	39	< 0.1	17.1	< 3	< 0.02	< 0.05	< 0.5	< 0.2
8AF	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	393	3	1.03	5	< 1	< 5	< 1	1.78	< 20	365	< 0.1	3.2	< 3	< 0.02	< 0.05	< 0.5	59.8
8CBL	< 2	< 5	1.6	< 50	< 0.5	< 1	< 1	228	7	0.92	4	< 1	< 5	< 1	1.81	< 20	342	< 0.1	3.0	< 3	< 0.02	< 0.05	< 0.5	55.6
8X	< 2	< 5	3.0	< 50	< 0.5	< 1	< 1	262	6	0.70	3	< 1	< 5	< 1	1.98	< 20	348	0.3	2.7	< 3	< 0.02	< 0.05	< 0.5	31.5
9AF	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	410	2	0.92	3	< 1	< 5	< 1	1.58	< 20	336	< 0.1	2.8	< 3	< 0.02	< 0.05	< 0.5	50.6
9CBL	< 2	< 5	< 0.5	< 50	< 0.5	3	< 1	296	7	0.87	3	< 1	< 5	< 1	1.76	190	302	< 0.1	3.0	< 3	< 0.02	< 0.05	< 0.5	48.1
9X	< 2	6	< 0.5	< 50	1.4	< 1	2	194	13	0.81	2	< 1	< 5	< 1	1.61	< 20	365	0.2	3.8	< 3	< 0.02	< 0.05	< 0.5	16.6
1002X	< 2	< 5	4.4	< 50	< 0.5	< 1	2	388	8	1.00	5	< 1	< 5	< 1	2.41	320	336	0.3	4.2	< 3	< 0.02	< 0.05	< 0.5	55.6
30075X	< 2	< 5	2.6	230	< 0.5	< 1	< 1	331	2	0.55	2	< 1	< 5	2	2.25	< 20	57	< 0.1	0.5	< 3	< 0.02	< 0.05	< 0.5	44.0

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
290251	4.3	< 1	220	3.0	8	9	1.1	0.5	< 0.5	2.6	0.52	1.82	4.4	1.091
290252	7.3	< 1	210	3.8	< 3	< 5	1.1	0.6	< 0.5	2.2	0.32	1.33	5.2	1.055
290253	26.2	< 1	< 50	9.2	20	8	0.9	< 0.2	< 0.5	0.8	< 0.05	1.52	25.1	1.068
290254	38.3	< 1	120	20.1	39	9	1.7	< 0.2	< 0.5	1.3	< 0.05	1.55	37.0	1.077
290255	71.8	< 1	< 50	20.8	35	< 5	< 0.1	< 0.2	< 0.5	1.4	< 0.05	1.61	68.5	1.093
290256	107	< 1	< 50	29.7	50	< 5	< 0.1	< 0.2	< 0.5	2.6	0.49	1.91	106	1.041
290257	2.1	< 1	< 50	24.6	38	13	2.4	0.9	< 0.5	1.1	0.17	2.07	2.0	1.006
290258	1.5	< 1	< 50	22.7	38	15	2.5	0.8	< 0.5	1.3	0.23	2.29	2.0	1.023
290259	21.4	< 1	< 50	23.8	24	< 5	1.5	0.4	< 0.5	2.8	0.52	1.44	21.8	1.059
290260	10.5	< 1	< 50	32.8	52	19	3.4	0.9	< 0.5	2.6	0.44	1.80	9.5	1.017
290261	3.5	< 1	100	71.5	106	43	5.3	1.5	< 0.5	1.7	0.25	2.34	3.3	1.061
290262	4.1	< 1	< 50	30.6	47	12	2.7	0.8	1.2	1.8	0.31	1.59	3.3	1.036
290263	6.7	< 1	< 50	49.0	78	28	5.0	1.6	< 0.5	3.4	0.49	1.87	6.9	1.027
290264	7.2	< 1	240	85.0	127	46	6.8	1.9	< 0.5	1.6	0.28	1.62	6.3	1.046
290265	5.6	< 1	< 50	44.9	73	35	4.5	1.3	< 0.5	2.0	0.34	2.00	5.4	1.047
290266	7.3	< 1	< 50	36.4	59	19	3.9	1.0	< 0.5	1.7	0.35	1.63	6.5	1.030
290267	3.0	< 1	< 50	65.8	111	27	6.8	2.1	0.7	1.9	0.26	1.91	3.2	1.040
290268	5.5	< 1	< 50	64.3	106	31	6.0	1.7	< 0.5	1.6	0.30	1.79	5.3	1.045
290269	6.7	< 1	< 50	9.8	19	< 5	1.0	< 0.2	< 0.5	0.6	0.16	1.77	7.8	1.011
290301	103	< 1	< 50	17.9	44	15	< 0.1	< 0.2	< 0.5	0.9	< 0.05	1.87	103	1.033
290302	28.8	< 1	< 50	15.3	22	5	1.0	0.4	< 0.5	< 0.2	0.15	2.03	28.9	1.030
290303	30.4	< 1	< 50	15.6	23	< 5	0.9	< 0.2	< 0.5	0.5	< 0.05	1.88	30.9	1.075
290304	277	< 1	120	16.5	24	< 5	< 0.1	< 0.2	1.1	0.9	< 0.05	1.89	269	1.054
290305	95.9	< 1	< 50	13.1	18	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.91	92.8	1.096
290306	29.6	< 1	< 50	4.6	7	5	< 0.1	< 0.2	< 0.5	0.8	0.13	1.75	26.5	1.034
290307	199	< 1	< 50	20.0	41	< 5	< 0.1	< 0.2	< 0.5	1.4	< 0.05	1.75	189	1.037
290308	421	4	< 50	22.6	42	< 5	< 0.1	< 0.2	< 0.5	2.3	< 0.05	1.65	408	1.038
290309	215	< 1	< 50	13.6	23	< 5	< 0.1	< 0.2	< 0.5	0.8	< 0.05	1.76	206	1.028
290310	907	< 1	130	47.9	63	< 5	< 0.1	< 0.2	< 0.5	2.4	< 0.05	1.60	872	1.049
290311	866	< 1	< 50	82.3	132	< 5	< 0.1	< 0.2	< 0.5	2.6	< 0.05	1.58	830	1.023
290312	819	5	170	54.0	90	< 5	< 0.1	< 0.2	< 0.5	3.1	< 0.05	1.67	800	1.072
290313	515	< 1	130	25.0	34	< 5	< 0.1	< 0.2	< 0.5	1.6	< 0.05	1.82	508	1.034
290314	66.7	< 1	< 50	8.2	19	< 5	< 0.1	< 0.2	< 0.5	1.2	< 0.05	1.73	64.5	1.049
290333	57.2	< 1	< 50	9.9	14	< 5	< 0.1	< 0.2	< 0.5	0.8	< 0.05	1.83	55.3	1.001
290334	400	< 1	< 50	32.5	49	< 5	< 0.1	< 0.2	< 0.5	2.3	< 0.05	1.96	401	1.036
290335	29.1	< 1	< 50	5.2	8	< 5	0.4	< 0.2	< 0.5	0.9	0.13	1.79	27.5	1.030
290336	25.4	< 1	< 50	2.5	4	< 5	< 0.1	0.3	< 0.5	< 0.2	< 0.05	1.87	25.2	1.044
290337	172	< 1	110	6.8	< 3	< 5	< 0.1	0.6	< 0.5	0.6	< 0.05	1.69	170	1.032
290386	8.8	< 1	< 50	6.2	10	< 5	0.3	< 0.2	< 0.5	0.7	0.12	1.81	9.1	1.019
290387	8.5	< 1	< 50	17.1	26	< 5	0.6	< 0.2	< 0.5	0.5	0.14	1.60	7.1	1.016
290388	13.9	< 1	< 50	26.5	49	11	1.5	0.4	< 0.5	1.1	0.22	1.74	13.9	1.076
290389	22.3	< 1	< 50	110	168	37	4.9	0.6	< 0.5	1.4	0.19	1.80	23.4	1.045
290390	55.3	< 1	< 50	84.0	152	36	3.7	< 0.2	< 0.5	1.3	< 0.05	1.70	54.3	1.033
290391	18.7	< 1	< 50	24.1	38	5	1.1	< 0.2	< 0.5	0.6	< 0.05	1.73	18.4	1.060
290392	51.9	< 1	90	93.6	147	32	4.7	< 0.2	< 0.5	1.5	< 0.05	1.79	49.6	1.087
290406	83.8	1	< 50	5.9	9	< 5	< 0.1	0.8	< 0.5	1.6	0.36	1.93	84.3	1.063
300248	18.1	< 1	< 50	3.8	10	< 5	0.4	< 0.2	< 0.5	1.7	0.37	1.64	16.6	1.039
300249	14.1	< 1	< 50	3.2	4	< 5	0.2	< 0.2	< 0.5	0.5	0.16	1.71	11.4	1.046
300250	3.8	< 1	240	5.1	11	7	1.4	0.3	< 0.5	2.2	0.38	1.68	4.2	1.066
300569	4.0	< 1	< 50	17.0	27	11	1.6	0.3	< 0.5	0.9	0.13	1.60	3.5	1.040
300570	4.8	< 1	< 50	11.5	15	< 5	1.1	< 0.2	< 0.5	0.7	0.12	1.75	3.7	1.081
300571	3.8	< 1	< 50	7.9	11	< 5	0.7	< 0.2	< 0.5	0.5	0.07	1.87	2.8	1.061

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
300572	11.3	< 1	< 50	18.2	26	< 5	1.6	0.3	0.9	0.8	0.19	1.67	9.5	1.038
300573	8.3	< 1	< 50	12.2	19	< 5	1.1	< 0.2	< 0.5	1.0	0.09	1.58	7.9	1.031
300574	11.4	< 1	< 50	27.1	44	12	2.5	< 0.2	< 0.5	0.7	0.12	1.79	11.0	1.012
300575	28.5	< 1	< 50	16.8	28	10	1.3	< 0.2	< 0.5	0.7	0.12	1.76	25.7	1.005
300576	8.6	< 1	< 50	24.2	43	10	1.8	0.5	< 0.5	0.8	0.10	1.58	6.7	1.034
300577	2.8	< 1	< 50	27.6	43	12	2.0	0.6	< 0.5	1.1	0.16	1.70	1.6	1.059
300578	4.4	< 1	< 50	15.4	29	6	1.2	0.3	< 0.5	< 0.2	0.12	1.45	3.4	1.044
300579	22.1	< 1	< 50	30.2	50	150	2.8	< 0.2	< 0.5	0.9	0.17	1.63	20.9	1.014
300580	23.3	< 1	< 50	19.5	32	9	1.8	< 0.2	< 0.5	0.9	0.13	1.64	21.5	1.067
300581	16.8	< 1	< 50	22.1	36	12	2.2	0.3	< 0.5	0.7	0.17	1.47	16.4	1.052
300582	48.5	< 1	60	8.0	9	6	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.71	47.8	1.085
300583	38.8	< 1	< 50	7.2	10	< 5	< 0.1	< 0.2	< 0.5	0.8	< 0.05	1.78	35.8	1.053
300584	7.3	< 1	< 50	11.1	19	11	1.0	0.4	< 0.5	0.4	< 0.05	1.65	5.7	1.067
300585	12.4	< 1	< 50	38.8	68	17	5.2	0.5	1.4	3.8	0.60	1.67	10.2	1.072
300586	15.0	< 1	60	50.2	85	23	5.8	0.5	1.6	2.6	0.40	1.76	12.1	1.014
300587	4.0	< 1	< 50	19.0	29	7	1.8	0.3	1.1	0.5	0.09	1.72	4.0	1.020
300588	6.1	< 1	< 50	31.3	51	12	2.9	< 0.2	< 0.5	0.7	0.14	1.74	6.6	1.053
300589	3.9	< 1	< 50	10.9	17	5	0.9	< 0.2	< 0.5	0.4	< 0.05	1.84	3.3	1.062
300590	2.4	< 1	< 50	12.4	20	< 5	1.0	< 0.2	< 0.5	< 0.2	< 0.05	1.57	2.2	1.063
300591	6.1	< 1	< 50	38.5	62	21	3.1	0.5	< 0.5	1.0	0.11	1.79	5.2	1.038
300592	6.3	< 1	< 50	52.4	82	29	4.1	< 0.2	< 0.5	0.8	0.08	1.70	5.9	1.042
300593	8.2	< 1	< 50	36.2	59	18	3.2	0.3	< 0.5	0.9	0.14	1.63	6.1	1.047
300594	2.7	< 1	70	11.2	17	< 5	1.0	< 0.2	< 0.5	0.4	0.06	1.89	2.4	1.078
300595	13.4	< 1	< 50	7.3	10	< 5	0.5	< 0.2	< 0.5	0.8	0.11	1.75	12.6	1.094
300596	9.5	< 1	< 50	33.1	52	14	3.2	0.3	< 0.5	0.8	0.15	1.51	9.7	1.034
300597	7.8	< 1	< 50	16.5	27	7	1.5	< 0.2	< 0.5	0.7	0.16	1.85	7.3	1.096
300598	5.7	< 1	< 50	43.9	71	22	3.0	0.6	< 0.5	0.6	0.13	1.64	5.6	1.081
300599	5.2	< 1	90	46.5	73	11	3.0	0.6	< 0.5	0.7	0.17	1.68	4.9	1.010
300600														
300601	40.9	< 1	< 50	29.8	51	15	3.2	< 0.2	1.7	6.2	1.00	1.58	37.2	1.011
300602	182	< 1	< 50	20.1	32	< 5	< 0.1	< 0.2	1.0	5.8	0.84	1.55	178	1.029
300603	118	< 1	70	14.3	22	< 5	< 0.1	< 0.2	< 0.5	1.3	< 0.05	1.70	117	1.081
300604	81.9	< 1	70	5.8	7	< 5	< 0.1	< 0.2	< 0.5	0.7	< 0.05	1.69	79.1	1.072
300605	444	< 1	< 50	24.1	27	< 5	< 0.1	< 0.2	< 0.5	0.9	< 0.05	1.62	438	1.013
300606	350	< 1	< 50	31.5	39	< 5	< 0.1	< 0.2	< 0.5	1.7	< 0.05	1.74	346	1.083
300607	182	< 1	< 50	12.5	13	< 5	< 0.1	< 0.2	< 0.5	0.3	< 0.05	1.71	179	1.014
300608	346	< 1	< 50	27.0	32	< 5	< 0.1	< 0.2	< 0.5	0.7	< 0.05	1.65	336	1.071
300609	263	< 1	< 50	19.7	22	< 5	< 0.1	< 0.2	< 0.5	0.6	< 0.05	1.63	245	1.038
300610	9.4	< 1	< 50	11.2	19	10	0.9	0.4	< 0.5	0.5	0.10	1.62	7.7	1.033
300611	3.5	< 1	110	24.4	47	15	2.0	0.5	< 0.5	0.8	0.12	1.60	2.7	1.013
300701	13.2	< 1	< 50	6.5	13	< 5	0.8	< 0.2	< 0.5	0.5	< 0.05	1.87	13.1	1.030
300702	48.8	< 1	< 50	3.8	9	< 5	< 0.1	0.4	< 0.5	0.8	0.18	1.57	45.6	1.094
300703	18.6	< 1	< 50	8.1	13	< 5	0.7	0.3	< 0.5	< 0.2	0.07	1.46	18.2	1.051
300704	25.4	< 1	< 50	10.7	24	7	1.7	< 0.2	< 0.5	1.6	0.24	1.59	24.7	1.075
300705	38.5	< 1	< 50	10.1	25	10	1.1	< 0.2	< 0.5	0.5	< 0.05	1.53	39.7	1.078
300706	19.0	< 1	< 50	23.8	46	14	2.6	0.3	< 0.5	1.5	0.34	1.53	17.7	1.048
300708	36.1	< 1	< 50	7.1	14	9	0.5	0.4	< 0.5	0.6	< 0.05	1.48	32.3	1.077
300709	10.4	< 1	< 50	1.0	< 3	< 5	0.3	< 0.2	< 0.5	< 0.2	< 0.05	1.72	9.5	1.029
300710	95.8	< 1	< 50	3.5	15	< 5	3.2	< 0.2	< 0.5	0.8	< 0.05	1.41	85.9	1.003
300711	14.4	< 1	< 50	1.4	6	< 5	0.6	0.3	< 0.5	0.3	< 0.05	1.67	13.9	1.046
300712	20.0	< 1	< 50	2.9	8	< 5	0.9	< 0.2	< 0.5	0.5	< 0.05	1.55	18.1	1.061
300713	23.1	< 1	< 50	11.3	34	18	3.4	< 0.2	0.9	1.0	0.17	1.40	20.8	1.031

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
300714	5.4	< 1	< 50	1.3	4	< 5	0.3	0.3	< 0.5	< 0.2	< 0.05	1.57	4.9	1.021
300715	58.3	< 1	< 50	6.4	29	13	2.7	0.6	< 0.5	1.0	0.13	1.64	56.1	1.055
300716	168	< 1	< 50	22.0	67	17	5.5	< 0.2	< 0.5	0.6	< 0.05	1.57	158	1.016
300717	7.8	< 1	< 50	6.9	35	6	1.9	0.3	< 0.5	0.3	< 0.05	1.56	8.4	1.040
300718	20.0	< 1	< 50	12.1	70	25	5.5	0.5	< 0.5	1.1	0.19	1.71	19.9	1.060
300719	6.8	< 1	< 50	2.5	20	< 5	1.3	0.3	< 0.5	0.3	< 0.05	1.62	6.8	1.058
300720	11.9	< 1	< 50	9.6	35	20	3.0	< 0.2	< 0.5	0.9	0.06	1.44	8.3	1.042
300721	15.4	< 1	< 50	2.1	7	< 5	0.6	0.4	< 0.5	< 0.2	< 0.05	1.63	12.2	1.067
300722	24.1	< 1	< 50	10.5	27	< 5	2.2	0.2	< 0.5	0.4	< 0.05	1.50	18.4	1.063
300723	24.8	< 1	< 50	3.9	9	< 5	1.0	< 0.2	< 0.5	0.4	< 0.05	1.66	20.1	1.007
300724	10.6	< 1	< 50	1.8	4	< 5	0.5	< 0.2	< 0.5	< 0.2	0.11	1.48	8.9	1.089
300725	16.3	< 1	< 50	3.4	17	< 5	1.6	< 0.2	< 0.5	< 0.2	< 0.05	1.59	13.9	1.085
300726	5.4	< 1	130	2.2	16	< 5	1.2	0.2	< 0.5	< 0.2	< 0.05	1.48	5.3	1.086
300727	11.8	< 1	80	3.8	15	7	1.2	0.4	< 0.5	0.6	< 0.05	1.55	8.6	1.042
300728	113	< 1	< 50	21.7	46	8	5.1	< 0.2	< 0.5	1.2	< 0.05	1.69	100	1.069
300729	25.9	< 1	70	6.6	17	< 5	1.4	< 0.2	< 0.5	0.4	< 0.05	1.71	21.5	1.096
300730	23.7	< 1	< 50	6.2	26	< 5	2.2	< 0.2	< 0.5	1.0	< 0.05	1.32	17.2	1.071
300731	119	4	< 50	14.6	28	19	4.3	< 0.2	< 0.5	< 0.2	< 0.05	1.60	102	1.040
300732	38.5	< 1	< 50	6.2	12	6	2.1	< 0.2	< 0.5	0.5	< 0.05	1.45	33.1	1.095
300733	18.3	< 1	< 50	8.9	22	8	2.8	< 0.2	< 0.5	1.0	< 0.05	1.56	14.9	1.071
300734	33.8	< 1	< 50	9.5	58	25	4.0	0.6	< 0.5	2.0	0.41	1.62	28.0	1.018
300735	107	< 1	< 50	7.7	16	9	3.1	< 0.2	< 0.5	0.7	< 0.05	1.54	94.3	1.036
300736	26.5	< 1	< 50	9.8	23	8	3.1	< 0.2	< 0.5	0.3	< 0.05	1.44	21.3	1.093
300737	35.7	< 1	< 50	29.2	52	17	4.1	< 0.2	< 0.5	1.0	< 0.05	1.54	31.0	1.094
300738	26.3	< 1	< 50	31.1	55	26	4.4	0.6	1.5	0.8	< 0.05	1.45	22.7	1.026
300739	46.3	< 1	110	73.5	141	45	13.8	< 0.2	4.2	6.2	0.87	1.66	37.3	1.080
300740	50.9	< 1	< 50	14.8	29	< 5	2.7	< 0.2	< 0.5	0.9	< 0.05	1.60	43.7	1.046
300741	11.0	< 1	< 50	13.3	27	32	2.2	< 0.2	< 0.5	1.3	< 0.05	1.54	8.6	1.030
300742	19.0	< 1	< 50	44.7	79	32	5.6	< 0.2	< 0.5	0.7	< 0.05	1.17	13.9	1.015
300743	180	< 1	< 50	11.7	20	< 5	3.5	< 0.2	< 0.5	0.7	< 0.05	1.10	167	1.092
300744	146	< 1	< 50	19.1	30	19	4.5	< 0.2	< 0.5	0.7	< 0.05	1.09	141	1.083
300745	58.9	< 1	< 50	18.6	35	21	3.5	< 0.2	< 0.5	1.6	< 0.05	1.09	54.9	1.067
300746	10.0	< 1	< 50	17.2	36	7	2.2	0.6	< 0.5	0.7	0.12	1.07	7.6	1.034
300747	13.3	< 1	< 50	20.8	36	16	3.0	0.6	< 0.5	1.0	0.13	1.08	10.6	1.096
300748	9.3	< 1	< 50	10.5	21	6	1.6	< 0.2	< 0.5	0.8	0.12	0.983	7.0	1.071
300749	12.5	< 1	< 50	7.3	10	< 5	1.3	0.4	< 0.5	0.9	< 0.05	1.12	10.6	1.094
300750	23.2	< 1	< 50	4.8	10	5	0.7	< 0.2	< 0.5	0.7	< 0.05	1.00	18.1	1.054
300751	327	< 1	< 50	24.6	49	28	9.5	< 0.2	< 0.5	1.6	< 0.05	1.07	335	1.093
300752	23.4	< 1	< 50	3.8	13	< 5	1.1	< 0.2	< 0.5	< 0.2	< 0.05	1.08	20.6	1.076
300753	39.9	< 1	< 50	3.9	15	< 5	1.6	< 0.2	< 0.5	1.5	< 0.05	1.67	37.5	1.092
300754	33.1	< 1	< 50	2.6	6	10	1.1	< 0.2	< 0.5	1.2	< 0.05	1.66	26.8	1.066
300755	108	< 1	70	9.1	18	8	2.9	< 0.2	< 0.5	1.1	< 0.05	1.55	93.2	1.067
300756	381	< 1	< 50	12.4	50	89	13.9	< 0.2	1.5	5.3	< 0.05	1.41	374	1.045
300757	536	< 1	< 50	17.8	53	87	18.5	< 0.2	2.4	5.2	< 0.05	1.58	541	1.094
300758	155	< 1	200	6.8	18	20	6.8	< 0.2	1.6	2.1	< 0.05	1.39	148	1.059
300759	77.1	< 1	< 50	17.7	65	16	13.5	< 0.2	5.3	21.2	3.48	1.40	68.3	1.069
300760	721	6	100	42.3	122	145	24.7	< 0.2	2.0	4.1	< 0.05	1.52	732	1.080
300761	247	< 1	110	17.4	45	37	10.7	< 0.2	< 0.5	6.6	< 0.05	1.44	245	1.033
300762	66.1	< 1	< 50	8.6	20	< 5	4.5	< 0.2	< 0.5	3.4	0.47	1.37	50.8	1.045
300763	109	< 1	< 50	21.6	54	38	7.9	< 0.2	< 0.5	4.1	1.12	1.46	93.3	1.002
300764	68.4	< 1	< 50	5.5	10	13	3.4	< 0.2	1.5	1.8	< 0.05	1.61	63.4	1.029
300765	153	< 1	< 50	119	277	124	33.5	< 0.2	2.7	4.2	< 0.05	1.53	134	1.065

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
300766	58.2	< 1	< 50	8.3	22	7	3.4	< 0.2	< 0.5	1.6	< 0.05	1.60	57.1	1.069
300767	227	< 1	120	59.7	152	73	21.7	< 0.2	2.7	7.8	< 0.05	1.52	207	1.085
300768	113	< 1	< 50	8.9	22	< 5	5.6	< 0.2	2.0	5.7	1.20	1.74	96.6	1.039
300769	21.9	< 1	< 50	7.0	17	9	2.2	< 0.2	< 0.5	1.3	0.23	2.15	19.1	1.066
300770	30.7	< 1	< 50	7.6	20	13	2.8	< 0.2	< 0.5	2.1	0.28	1.53	23.8	1.061
300771	1460	< 1	110	97.0	155	149	26.3	< 0.2	1.3	0.9	< 0.05	1.47	1360	1.061
300772	34.0	< 1	120	207	360	176	23.8	0.9	3.0	< 0.2	< 0.05	1.43	29.7	1.006
300773	30.7	< 1	< 50	13.6	29	< 5	2.1	< 0.2	< 0.5	< 0.2	< 0.05	1.57	23.8	1.067
300774	30.7	< 1	< 50	4.6	8	< 5	0.7	0.5	< 0.5	0.3	< 0.05	1.62	25.5	1.072
300775	989	< 1	< 50	38.0	80	71	22.0	< 0.2	2.2	4.6	< 0.05	1.46	930	1.089
300776	99.2	< 1	< 50	57.3	98	19	6.9	< 0.2	< 0.5	0.8	< 0.05	1.45	84.7	1.065
300777	81.2	< 1	< 50	13.9	21	< 5	2.3	< 0.2	< 0.5	0.3	< 0.05	1.47	70.4	1.059
300778	33.8	< 1	< 50	7.2	12	< 5	1.0	< 0.2	< 0.5	< 0.2	< 0.05	1.57	28.2	1.031
300779	13.3	< 1	< 50	9.6	11	< 5	0.8	< 0.2	< 0.5	< 0.2	< 0.05	1.35	10.4	1.064
300780	14.3	< 1	100	4.6	6	6	0.7	0.7	< 0.5	0.4	0.12	1.62	10.1	1.020
300781	24.4	< 1	80	5.1	11	< 5	0.7	0.8	< 0.5	0.6	0.08	1.51	21.4	1.065
300782	4.5	< 1	< 50	23.9	42	18	2.5	0.7	< 0.5	0.5	0.11	1.39	4.1	1.043
300783	6.6	< 1	150	14.6	22	< 5	1.3	0.6	< 0.5	0.6	0.11	1.52	5.0	1.008
300784	40.8	< 1	< 50	18.8	48	< 5	3.2	< 0.2	< 0.5	1.9	< 0.05	1.45	37.1	1.039
300785	28.7	< 1	< 50	14.4	29	8	3.2	< 0.2	< 0.5	2.8	0.41	1.46	24.4	1.002
300786	26.7	< 1	< 50	19.8	44	14	5.1	< 0.2	1.8	6.1	0.96	1.51	24.4	1.001
300787	34.0	< 1	< 50	24.8	59	15	6.9	< 0.2	< 0.5	9.7	1.47	1.48	31.0	1.067
300788	55.9	< 1	< 50	23.2	61	22	7.4	< 0.2	2.9	7.1	1.24	1.61	55.5	1.092
300789	126	< 1	110	49.2	131	38	18.5	< 0.2	7.9	30.2	4.60	1.30	119	1.052
300790	100	< 1	< 50	25.3	95	12	12.1	< 0.2	6.3	28.9	4.27	1.44	97.2	1.099
300791	32.1	< 1	< 50	23.7	56	13	7.0	< 0.2	2.6	8.8	1.28	1.48	30.0	1.036
300792	23.1	< 1	< 50	22.2	52	15	5.7	< 0.2	1.7	4.3	0.65	1.42	19.4	1.015
300793	16.0	< 1	< 50	10.4	27	6	2.8	< 0.2	< 0.5	3.6	0.54	1.50	13.9	1.056
300794	22.0	< 1	190	54.2	134	41	15.0	< 0.2	4.8	10.4	1.35	1.70	18.9	1.097
300795	55.7	< 1	< 50	25.7	64	19	8.0	< 0.2	2.5	7.6	1.17	1.45	50.5	1.053
300796	42.3	< 1	< 50	32.6	79	21	8.6	< 0.2	2.2	7.5	1.15	1.69	38.9	0.975
300797	54.9	< 1	160	27.4	64	18	8.3	< 0.2	4.1	11.8	1.72	1.62	50.3	1.087
300798	147	< 1	< 50	57.8	125	41	17.8	< 0.2	7.0	26.0	3.60	1.73	129	1.079
300799	23.8	< 1	< 50	17.2	37	7	3.9	0.4	< 0.5	3.9	0.60	1.56	19.8	1.053
300800	35.4	< 1	< 50	15.4	34	8	4.6	< 0.2	< 0.5	6.9	1.05	1.43	29.6	1.033
300801	7.2	< 1	< 50	3.6	6	< 5	0.7	< 0.2	< 0.5	0.7	< 0.05	1.52	5.9	1.071
300802	47.2	< 1	< 50	10.7	21	70	4.1	< 0.2	< 0.5	2.2	< 0.05	1.63	40.9	1.052
300803	6.6	< 1	< 50	6.4	13	14	1.0	0.5	< 0.5	0.8	0.11	1.47	5.6	1.040
300804	46.8	< 1	< 50	8.8	13	< 5	1.8	0.7	< 0.5	1.0	< 0.05	1.40	40.9	1.028
300805	9.7	< 1	70	6.5	6	11	0.6	0.9	< 0.5	< 0.2	< 0.05	1.43	7.1	1.006
300806	68.2	< 1	< 50	172	290	125	13.2	2.0	< 0.5	< 0.2	< 0.05	1.31	56.5	1.005
300807	9.8	< 1	< 50	8.2	14	17	0.9	0.7	< 0.5	0.8	< 0.05	1.46	8.5	1.089
300808	28.9	< 1	< 50	6.6	8	< 5	< 0.1	0.6	< 0.5	< 0.2	< 0.05	1.53	24.0	1.065
300809	6.2	< 1	< 50	2.5	8	< 5	0.4	0.4	< 0.5	0.6	0.07	1.66	4.5	1.051
300810	16.3	< 1	< 50	17.5	34	11	3.7	< 0.2	< 0.5	2.6	0.43	1.67	13.1	1.050
300811	29.0	< 1	80	18.7	39	6	3.6	< 0.2	< 0.5	3.1	0.54	1.88	24.7	1.041
300812	29.8	< 1	< 50	20.3	42	7	4.1	< 0.2	< 0.5	3.6	0.57	1.67	25.6	1.050
300813	19.0	< 1	< 50	22.3	45	10	4.8	< 0.2	< 0.5	3.0	0.47	1.85	17.7	1.070
300814	38.2	< 1	80	22.9	41	12	4.5	< 0.2	1.5	3.5	0.56	1.73	32.6	1.005
300815	33.5	< 1	70	27.1	56	13	5.3	< 0.2	1.2	3.1	0.51	1.73	28.3	1.031
300816	42.1	< 1	< 50	18.2	41	< 5	3.5	< 0.2	1.1	3.9	0.59	1.72	34.1	1.084
300817	14.8	< 1	140	24.5	48	13	5.5	< 0.2	< 0.5	3.7	0.56	1.80	12.1	1.017

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
300818	30.8	< 1	< 50	22.4	42	12	4.5	< 0.2	0.9	3.3	0.51	1.86	25.3	1.075
300819	31.9	< 1	< 50	18.5	40	12	3.6	< 0.2	< 0.5	3.4	0.59	1.85	25.7	1.073
300820	34.1	< 1	< 50	12.7	30	< 5	2.6	< 0.2	< 0.5	3.3	0.55	1.74	26.7	1.039
300821	28.4	< 1	70	15.8	33	6	3.1	< 0.2	0.8	3.0	0.55	1.72	22.4	1.067
300822	14.7	< 1	80	21.3	46	12	4.7	< 0.2	1.2	3.7	0.53	1.81	12.0	1.098
300823	37.3	< 1	140	28.7	53	17	5.8	< 0.2	0.9	3.4	0.53	1.78	29.1	1.014
300824	16.6	< 1	< 50	18.0	35	12	4.2	< 0.2	0.9	3.4	0.49	1.68	12.5	1.054
300825	32.9	< 1	140	19.7	40	8	4.0	< 0.2	0.9	3.7	0.56	1.83	26.2	1.076
300826	38.0	< 1	110	46.2	81	23	4.6	0.7	< 0.5	0.7	< 0.05	1.83	30.5	1.039
300827	16.5	< 1	100	11.8	68	13	2.8	0.4	< 0.5	0.6	< 0.05	1.68	12.7	1.004
300828	28.3	< 1	60	35.8	62	20	4.1	< 0.2	< 0.5	0.8	< 0.05	1.52	22.3	1.015
300829	16.5	< 1	80	8.8	27	< 5	1.7	0.4	< 0.5	0.8	0.10	1.77	11.9	1.015
300830	8.2	< 1	< 50	15.6	42	< 5	1.7	< 0.2	< 0.5	< 0.2	< 0.05	1.75	8.8	1.093
300831	23.0	< 1	< 50	52.5	94	26	3.8	0.6	< 0.5	1.4	0.20	1.76	22.1	1.058
300832	31.9	< 1	< 50	47.3	76	20	3.4	0.6	< 0.5	1.0	< 0.05	1.76	33.1	1.016
300833	19.7	< 1	< 50	38.6	67	21	3.4	0.5	< 0.5	0.8	0.17	1.73	20.8	1.011
300834	32.8	< 1	< 50	17.3	31	11	1.5	< 0.2	< 0.5	1.1	0.18	1.78	33.7	1.069
300835	24.4	< 1	< 50	46.5	81	27	4.0	< 0.2	< 0.5	0.8	0.13	1.86	23.5	1.061
300836	19.1	< 1	< 50	46.5	80	24	3.9	0.5	< 0.5	0.8	< 0.05	1.73	19.7	1.004
300837	17.6	< 1	< 50	55.6	92	19	4.6	0.5	< 0.5	1.1	0.17	1.66	17.3	1.069
300838	20.4	< 1	< 50	38.6	64	18	3.5	0.4	< 0.5	0.8	< 0.05	1.63	22.2	1.073
300839	15.9	< 1	< 50	22.3	47	12	2.2	0.3	< 0.5	0.9	0.18	1.77	14.5	1.051
300840	10.1	< 1	90	45.6	88	22	4.4	< 0.2	< 0.5	0.9	< 0.05	1.60	7.5	1.080
300841	24.9	< 1	< 50	49.9	83	25	4.0	0.6	< 0.5	< 0.2	0.16	1.71	21.6	1.044
300842	19.8	< 1	100	42.0	83	26	3.8	0.5	< 0.5	1.0	< 0.05	1.70	18.1	1.066
300843	18.2	< 1	< 50	41.1	74	19	4.0	0.6	< 0.5	1.2	0.25	1.57	17.2	1.013
300844	79.1	< 1	< 50	38.1	70	20	2.7	< 0.2	< 0.5	0.7	< 0.05	1.65	73.8	1.066
300845	16.3	< 1	< 50	10.0	24	< 5	1.9	< 0.2	< 0.5	3.0	0.44	1.60	14.0	1.080
300846	16.4	< 1	130	12.3	30	8	2.8	< 0.2	2.7	4.7	0.71	1.75	14.7	1.072
300847	38.4	< 1	< 50	18.5	37	11	3.5	< 0.2	< 0.5	4.0	0.63	1.66	36.8	1.078
300848	27.5	< 1	110	9.9	20	10	1.6	< 0.2	< 0.5	3.5	0.61	1.74	24.4	1.084
300849	44.7	< 1	< 50	9.3	21	< 5	2.3	< 0.2	1.8	6.8	1.04	1.67	43.0	1.065
300850	21.1	< 1	< 50	13.3	27	8	2.4	< 0.2	1.0	3.9	0.61	1.65	19.7	1.047
300971	457	< 1	< 50	21.3	< 3	< 5	< 0.1	< 0.2	< 0.5	5.5	< 0.05	1.78	439	1.036
300972	720	< 1	240	30.5	< 3	< 5	< 0.1	< 0.2	< 0.5	8.5	< 0.05	1.49	719	1.087
300973	167	< 1	< 50	9.0	14	< 5	< 0.1	< 0.2	< 0.5	2.5	< 0.05	1.61	170	1.061
300974	123	< 1	< 50	6.1	10	11	< 0.1	< 0.2	< 0.5	2.1	< 0.05	1.44	123	1.017
300975	57.7	< 1	< 50	6.2	8	< 5	< 0.1	< 0.2	< 0.5	1.1	< 0.05	1.69	59.2	1.015
300976	400	< 1	140	43.2	71	< 5	< 0.1	< 0.2	< 0.5	7.4	1.46	1.60	412	1.003
300977	431	< 1	370	119	201	38	< 0.1	< 0.2	< 0.5	5.2	< 0.05	1.50	394	1.008
300978	157	< 1	380	120	190	56	5.1	< 0.2	< 0.5	2.4	< 0.05	1.72	162	1.089
300979	347	< 1	120	23.2	38	< 5	< 0.1	< 0.2	< 0.5	4.7	< 0.05	1.69	371	1.072
300980	129	< 1	< 50	7.8	16	< 5	< 0.1	< 0.2	< 0.5	1.4	< 0.05	1.68	129	1.079
300981	258	< 1	< 50	12.2	< 3	< 5	< 0.1	< 0.2	< 0.5	2.2	< 0.05	1.73	257	1.030
300982	68.3	< 1	< 50	7.2	12	< 5	< 0.1	< 0.2	< 0.5	1.4	< 0.05	1.66	72.2	1.034
300983	134	< 1	< 50	10.5	15	< 5	< 0.1	< 0.2	< 0.5	1.4	< 0.05	1.69	128	1.038
300984	249	< 1	< 50	20.6	30	< 5	< 0.1	< 0.2	< 0.5	1.9	< 0.05	1.79	235	1.042
300985	229	< 1	< 50	18.6	32	< 5	< 0.1	< 0.2	< 0.5	2.3	< 0.05	1.68	228	1.073
300986	391	< 1	< 50	24.7	36	< 5	< 0.1	1.8	< 0.5	2.9	< 0.05	1.79	368	1.060
300987	901	< 1	60	30.7	< 3	< 5	< 0.1	< 0.2	< 0.5	4.2	< 0.05	1.90	890	1.059
300988	474	< 1	90	15.5	< 3	< 5	< 0.1	< 0.2	< 0.5	0.7	< 0.05	1.69	460	1.062
300989	1100	< 1	< 50	50.9	74	< 5	< 0.1	< 0.2	< 0.5	6.6	< 0.05	1.79	1080	1.053

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
475501	11.3	< 1	90	15.0	22	5	0.9	0.3	< 0.5	0.7	0.11	1.59	9.7	1.015
475502	10.0	< 1	< 50	6.5	11	< 5	0.6	0.2	< 0.5	0.8	0.14	1.45	7.9	1.080
475503	13.9	< 1	< 50	8.8	13	< 5	0.4	0.2	< 0.5	< 0.2	< 0.05	1.62	11.1	1.055
475504	17.3	< 1	< 50	15.9	28	11	1.2	0.4	< 0.5	0.7	0.09	1.64	16.7	1.046
475505	3.1	< 1	70	1.2	3	< 5	0.1	< 0.2	0.9	0.3	0.09	1.32	2.7	1.070
475506	23.8	4	< 50	2.3	5	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.64	20.3	1.060
475507	8.9	< 1	< 50	1.7	< 3	< 5	< 0.1	< 0.2	< 0.5	0.3	< 0.05	1.73	8.0	1.044
475508	26.4	< 1	< 50	1.7	< 3	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.77	24.5	1.028
475509	5.8	< 1	< 50	2.1	6	< 5	0.2	< 0.2	< 0.5	0.8	0.09	1.59	4.9	1.050
475510	5.5	< 1	< 50	7.5	12	< 5	0.7	0.2	< 0.5	0.5	0.12	1.75	4.9	1.089
475511	8.2	< 1	< 50	5.6	8	< 5	0.4	< 0.2	< 0.5	0.5	< 0.05	1.74	6.2	1.028
475512	2.6	< 1	< 50	3.0	5	< 5	0.1	0.2	< 0.5	< 0.2	< 0.05	1.56	2.5	1.064
475513	4.0	< 1	< 50	1.0	< 3	< 5	< 0.1	< 0.2	< 0.5	0.3	< 0.05	1.65	3.1	1.074
475514	4.3	< 1	< 50	1.7	< 3	< 5	0.1	0.2	< 0.5	0.4	0.11	1.61	2.9	1.012
475515	26.3	< 1	< 50	8.8	15	< 5	0.5	< 0.2	< 0.5	< 0.2	< 0.05	1.61	23.1	1.082
475516	28.0	< 1	< 50	7.3	14	< 5	0.7	< 0.2	< 0.5	0.9	0.12	1.68	25.3	1.016
475517	10.2	< 1	< 50	11.9	20	5	1.1	0.3	< 0.5	0.7	0.09	1.61	10.1	1.076
475518	71.2	< 1	< 50	15.5	25	6	< 0.1	< 0.2	< 0.5	0.6	< 0.05	1.70	65.6	1.060
475519	7.9	< 1	< 50	4.5	8	< 5	0.3	< 0.2	< 0.5	0.3	< 0.05	1.66	7.3	1.085
475520	56.3	< 1	< 50	11.7	18	< 5	< 0.1	0.4	< 0.5	0.5	< 0.05	1.69	52.9	1.064
475521	12.0	< 1	< 50	18.2	30	15	1.4	< 0.2	< 0.5	0.9	0.07	1.54	10.8	1.083
475522	12.3	< 1	< 50	15.7	27	7	1.3	0.4	< 0.5	0.5	< 0.05	1.74	10.6	1.082
475523	19.6	< 1	< 50	9.8	12	6	0.7	< 0.2	< 0.5	0.5	< 0.05	1.80	18.1	1.049
475524	22.8	< 1	< 50	5.2	7	5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.55	19.9	1.049
475525	57.1	< 1	< 50	3.8	5	< 5	< 0.1	< 0.2	< 0.5	0.3	< 0.05	1.69	55.3	1.043
475526	31.2	< 1	< 50	11.5	17	< 5	0.7	< 0.2	< 0.5	0.6	< 0.05	1.70	29.6	1.079
475527	13.2	< 1	< 50	7.2	13	< 5	0.7	< 0.2	< 0.5	0.6	< 0.05	1.78	11.8	1.015
475528	17.1	< 1	90	10.8	15	< 5	0.8	0.3	< 0.5	0.5	< 0.05	1.83	14.6	1.038
475529	12.1	< 1	< 50	7.8	13	< 5	0.8	0.3	< 0.5	0.5	0.11	1.70	12.1	1.054
475530	19.4	< 1	< 50	16.9	25	8	1.0	< 0.2	< 0.5	1.0	0.06	1.55	16.8	1.033
475531	19.9	< 1	< 50	15.2	28	< 5	1.0	< 0.2	0.8	0.6	< 0.05	1.39	18.0	1.010
475532	5.2	< 1	< 50	63.8	130	30	3.6	0.5	< 0.5	1.0	0.24	1.72	5.4	1.082
475533	4.2	< 1	< 50	28.0	46	< 5	1.4	0.4	< 0.5	0.4	0.11	1.69	4.5	1.053
475534	4.0	< 1	< 50	25.0	42	12	1.3	< 0.2	< 0.5	0.7	0.11	1.65	4.7	1.066
475535	12.3	< 1	< 50	21.8	35	< 5	0.9	< 0.2	< 0.5	0.4	< 0.05	1.76	11.9	1.052
475536	8.4	< 1	< 50	5.8	8	< 5	0.3	< 0.2	< 0.5	0.7	0.18	1.60	6.4	1.055
475538	3.5	< 1	< 50	3.7	5	< 5	0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.75	2.5	1.078
475539	3.1	< 1	< 50	2.4	4	6	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.65	2.7	1.005
475540	5.3	< 1	< 50	3.9	6	< 5	0.2	< 0.2	< 0.5	< 0.2	< 0.05	1.66	5.0	1.030
475541	4.8	< 1	< 50	4.6	6	< 5	0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.62	3.9	1.060
475542	12.0	< 1	< 50	25.6	44	6	1.2	< 0.2	< 0.5	0.5	< 0.05	1.72	11.2	1.073
475543	9.5	< 1	130	31.7	50	12	2.8	0.9	< 0.5	1.1	0.22	1.69	7.9	1.074
475544	5.3	< 1	< 50	49.4	80	18	2.2	0.3	< 0.5	< 0.2	0.06	1.75	5.2	1.067
475545	5.5	< 1	< 50	118	182	43	4.4	0.6	< 0.5	0.6	0.07	1.64	5.7	1.037
475546	6.1	< 1	< 50	73.9	119	34	2.8	0.4	< 0.5	< 0.2	< 0.05	1.71	5.2	1.073
475547	2.5	< 1	< 50	4.8	6	< 5	0.2	< 0.2	< 0.5	0.2	< 0.05	1.77	2.1	1.079
475548	1.4	< 1	< 50	5.0	8	< 5	0.2	< 0.2	< 0.5	< 0.2	< 0.05	1.77	1.5	1.019
475549	1.5	< 1	< 50	2.8	3	< 5	0.2	< 0.2	< 0.5	< 0.2	0.06	1.78	1.4	1.018
475550	3.1	< 1	< 50	15.4	14	9	0.9	0.3	< 0.5	0.4	0.06	1.71	3.0	1.079
475551	3.6	< 1	< 50	6.2	10	< 5	0.3	< 0.2	< 0.5	< 0.2	< 0.05	1.63	2.0	1.040
475552	5.9	< 1	< 50	11.2	38	< 5	1.1	0.3	< 0.5	0.6	0.15	1.69	6.0	1.020
475553	4.2	< 1	< 50	5.3	9	< 5	0.6	0.2	< 0.5	0.5	0.09	1.70	4.1	1.062

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
475554	12.6	< 1	< 50	3.0	5	< 5	0.2	< 0.2	< 0.5	0.6	0.18	1.77	11.6	1.023
475555	3.8	< 1	< 50	10.1	13	6	0.7	< 0.2	< 0.5	0.3	0.10	1.74	3.0	1.064
475556	2.5	< 1	< 50	15.3	25	6	0.9	< 0.2	< 0.5	0.3	0.06	1.71	1.9	1.073
475557	6.8	< 1	< 50	14.7	20	8	0.7	< 0.2	< 0.5	0.3	0.08	1.88	5.6	1.017
475558	5.6	< 1	< 50	6.1	9	< 5	0.4	< 0.2	< 0.5	0.5	< 0.05	1.79	4.0	1.032
475559	4.6	< 1	< 50	3.1	5	< 5	0.2	0.3	< 0.5	< 0.2	0.06	1.81	3.1	1.059
475560	8.7	< 1	< 50	4.2	5	< 5	0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.70	9.3	1.010
475561	9.7	< 1	< 50	5.8	10	< 5	0.5	< 0.2	< 0.5	< 0.2	< 0.05	1.64	6.80	0.995
475562	76.2	< 1	< 50	7.8	13	10	1.6	< 0.2	< 0.5	< 0.2	< 0.05	1.82	65.2	1.053
475563	70.2	< 1	< 50	8.7	16	6	1.2	< 0.2	< 0.5	< 0.2	< 0.05	1.78	59.9	1.043
475564	8.0	< 1	< 50	8.4	16	< 5	0.5	< 0.2	< 0.5	< 0.2	< 0.05	1.81	5.7	1.099
475565	6.8	< 1	< 50	32.1	55	16	2.0	< 0.2	< 0.5	< 0.2	< 0.05	1.73	5.7	1.055
475566	4.9	< 1	< 50	11.0	19	< 5	0.7	0.3	< 0.5	< 0.2	< 0.05	1.90	4.2	1.012
475567	6.3	< 1	80	12.1	22	10	1.0	0.4	< 0.5	< 0.2	< 0.05	1.76	4.8	1.026
475568	7.3	< 1	< 50	18.4	29	14	1.3	< 0.2	< 0.5	< 0.2	< 0.05	1.77	5.7	1.050
475569														
475570	6.0	< 1	< 50	23.9	46	12	1.7	< 0.2	< 0.5	0.3	0.07	1.87	3.7	1.051
475571	24.8	< 1	< 50	98.6	170	70	5.8	0.6	< 0.5	< 0.2	< 0.05	1.71	19.6	1.064
475572	29.1	< 1	100	26.0	42	11	1.4	< 0.2	< 0.5	0.4	< 0.05	1.79	23.8	1.057
475573	9.0	< 1	< 50	14.9	21	6	0.8	0.3	< 0.5	0.3	< 0.05	1.79	7.3	1.011
475574	13.4	< 1	< 50	12.4	18	< 5	0.6	0.3	< 0.5	< 0.2	< 0.05	1.64	10.6	1.044
475575	17.4	< 1	110	10.5	18	5	0.4	0.3	< 0.5	< 0.2	< 0.05	1.73	14.5	1.080
475577	3.0	< 1	< 50	4.5	8	< 5	0.4	< 0.2	< 0.5	< 0.2	< 0.05	1.56	2.9	1.049
475578	5.0	< 1	100	10.5	17	< 5	0.8	0.3	< 0.5	< 0.2	0.08	1.48	4.5	1.023
475579	5.4	< 1	70	1.2	< 3	< 5	0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.47	4.6	1.024
475580	8.3	< 1	< 50	1.3	< 3	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.59	7.6	1.085
475581	27.9	< 1	< 50	1.9	< 3	< 5	< 0.1	< 0.2	< 0.5	0.4	< 0.05	1.38	23.2	1.033
475582	33.4	< 1	< 50	14.6	21	< 5	< 0.1	< 0.2	< 0.5	0.3	< 0.05	1.64	26.8	1.080
475583	15.8	< 1	100	9.3	13	5	0.4	0.3	< 0.5	0.3	< 0.05	1.49	12.4	1.032
475584	8.5	< 1	< 50	2.2	< 3	< 5	< 0.1	0.2	< 0.5	< 0.2	< 0.05	1.59	6.7	1.062
475585	6.3	< 1	< 50	1.4	< 3	< 5	< 0.1	0.3	< 0.5	0.2	< 0.05	1.63	5.0	1.016
475586	2.6	< 1	< 50	0.9	< 3	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.80	1.9	1.042
475587	10.4	< 1	< 50	6.4	10	< 5	0.5	0.3	< 0.5	0.3	0.10	1.53	8.5	1.051
475588	2.1	< 1	< 50	7.1	10	< 5	0.5	0.3	< 0.5	< 0.2	< 0.05	1.60	2.0	1.012
475589	5.1	< 1	< 50	14.6	24	7	1.4	0.4	< 0.5	0.3	< 0.05	1.48	3.7	1.032
475590	4.0	< 1	< 50	2.0	4	< 5	0.1	0.2	< 0.5	< 0.2	< 0.05	1.63	3.3	1.081
475591	8.1	< 1	80	3.3	4	< 5	< 0.1	0.3	< 0.5	< 0.2	< 0.05	1.42	7.5	1.026
475592	60.6	< 1	110	6.2	< 3	< 5	< 0.1	0.5	< 0.5	< 0.2	< 0.05	1.66	49.4	1.074
475593	16.4	< 1	< 50	18.6	34	8	1.4	0.3	< 0.5	0.3	< 0.05	1.45	12.9	1.015
475594	13.8	< 1	< 50	16.3	29	8	1.3	0.3	< 0.5	0.3	0.06	1.52	10.7	1.074
475595	5.2	< 1	90	18.8	34	11	1.6	< 0.2	< 0.5	0.4	< 0.05	1.42	3.3	1.041
475596	2.9	< 1	< 50	16.0	27	10	1.3	0.3	< 0.5	< 0.2	< 0.05	1.55	2.5	1.057
475597	11.5	< 1	70	10.4	18	7	0.7	0.2	< 0.5	< 0.2	< 0.05	1.62	9.3	1.083
475598	17.2	< 1	< 50	12.4	21	5	0.5	< 0.2	< 0.5	0.3	< 0.05	1.54	13.2	1.052
475599	9.8	< 1	< 50	5.4	8	< 5	0.2	< 0.2	< 0.5	< 0.2	< 0.05	1.58	8.3	1.009
475600	< 0.5	< 1	< 50	2.7	7	< 5	0.4	0.2	< 0.5	< 0.2	< 0.05	1.47	1.6	1.015
475601	15.8	< 1	< 50	1.5	< 3	< 5	< 0.1	0.2	< 0.5	0.2	< 0.05	1.49	12.5	1.079
475602	5.2	< 1	< 50	2.0	4	< 5	0.2	< 0.2	< 0.5	< 0.2	< 0.05	1.53	3.4	1.020
475603	7.3	< 1	50	2.0	4	< 5	0.2	< 0.2	< 0.5	0.3	0.06	1.69	5.5	1.082
475604	4.5	< 1	80	0.5	< 3	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.62	3.2	1.053
475605	20.0	< 1	80	13.7	21	< 5	1.3	0.4	< 0.5	0.6	0.10	1.66	16.1	1.080
475606	6.3	< 1	< 50	25.9	47	19	2.9	0.8	< 0.5	0.6	0.06	1.54	4.9	1.079

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05	INAA	0.1	DNC
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
475607	35.6	< 1	< 50	5.8	6	< 5	< 0.1	< 0.2	< 0.5	0.3	< 0.05	1.60	30.5	1.046
475608	29.4	< 1	100	7.8	8	< 5	< 0.1	0.3	< 0.5	0.3	< 0.05	1.55	25.2	1.015
475609	27.8	< 1	< 50	4.4	3	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.56	23.9	1.057
475610	21.5	< 1	< 50	6.1	7	< 5	< 0.1	0.3	< 0.5	0.3	< 0.05	1.55	17.9	1.085
475611	21.5	< 1	< 50	6.5	8	< 5	< 0.1	0.3	< 0.5	0.3	< 0.05	1.61	17.5	1.020
475612	15.6	< 1	< 50	3.6	5	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.57	12.5	1.060
475613	9.4	< 1	90	19.5	34	11	1.4	0.4	< 0.5	0.5	0.08	1.29	7.6	1.045
475614	8.6	< 1	50	16.7	28	8	1.6	0.5	< 0.5	0.6	0.08	1.46	7.6	1.095
475615	8.7	< 1	< 50	19.2	32	9	1.4	0.4	< 0.5	0.5	0.08	1.52	7.5	1.013
475616	8.4	< 1	60	9.0	17	< 5	0.9	0.3	< 0.5	0.3	< 0.05	1.50	7.0	1.022
475617	13.6	< 1	< 50	15.5	26	< 5	1.2	0.4	< 0.5	0.5	< 0.05	1.63	11.0	1.093
475618	24.5	< 1	< 50	11.2	17	< 5	0.6	0.4	< 0.5	0.4	< 0.05	1.50	22.8	1.085
475619	9.7	< 1	60	9.7	14	6	0.8	0.3	< 0.5	< 0.2	< 0.05	1.34	8.2	1.041
475620	16.4	< 1	100	15.5	26	8	1.1	0.4	< 0.5	0.4	0.07	1.55	14.8	1.065
475621	37.9	< 1	< 50	10.6	16	< 5	0.8	0.6	< 0.5	0.6	0.11	1.52	33.1	1.040
475622	39.5	< 1	70	8.8	11	< 5	< 0.1	< 0.2	< 0.5	0.4	< 0.05	1.42	35.3	1.049
475623	14.2	< 1	100	11.0	18	< 5	0.7	0.4	< 0.5	0.4	0.08	1.45	10.8	1.051
475624	6.2	< 1	< 50	10.6	18	< 5	0.9	0.3	< 0.5	0.3	< 0.05	1.42	4.6	1.049
475625	9.1	< 1	< 50	7.9	13	< 5	0.9	0.3	< 0.5	< 0.2	< 0.05	1.41	7.4	1.016
475626	26.6	< 1	90	13.6	18	< 5	0.7	< 0.2	< 0.5	0.4	0.06	1.56	21.7	1.054
475627	17.9	< 1	< 50	8.5	13	< 5	0.5	0.3	< 0.5	0.4	< 0.05	1.47	14.8	1.090
475628	12.4	< 1	< 50	14.5	20	< 5	1.6	< 0.2	< 0.5	0.5	< 0.05	1.37	10.4	1.027
475629	15.3	< 1	< 50	22.9	39	25	3.8	< 0.2	< 0.5	1.2	0.23	1.44	13.8	1.070
475630	14.6	< 1	< 50	26.7	51	47	2.9	< 0.2	< 0.5	1.0	0.17	1.45	12.3	1.058
475631	13.8	< 1	< 50	29.3	49	20	2.1	< 0.2	< 0.5	0.5	< 0.05	1.51	12.4	1.056
475632	7.1	< 1	< 50	7.0	13	< 5	0.6	< 0.2	< 0.5	< 0.2	< 0.05	1.57	5.9	1.053
475633	20.5	< 1	< 50	6.4	14	< 5	1.5	0.5	< 0.5	0.5	< 0.05	1.55	16.7	1.006
475634	13.0	< 1	< 50	13.2	23	< 5	1.7	< 0.2	< 0.5	0.9	0.14	1.54	9.8	1.053
475635	13.1	< 1	< 50	12.7	21	< 5	1.7	0.5	< 0.5	0.8	< 0.05	1.61	10.3	1.092
475636	27.2	< 1	< 50	15.9	21	< 5	1.1	< 0.2	< 0.5	0.4	< 0.05	1.45	20.3	1.083
475637	8.9	< 1	< 50	15.7	24	< 5	1.7	< 0.2	< 0.5	< 0.2	< 0.05	1.40	7.1	1.077
475638	22.4	< 1	< 50	11.3	16	< 5	0.9	< 0.2	< 0.5	0.7	< 0.05	1.52	16.2	1.082
475639	8.8	< 1	< 50	5.9	9	< 5	0.6	< 0.2	< 0.5	1.2	0.31	1.53	7.1	1.018
475640	8.3	< 1	< 50	5.3	< 3	10	0.4	< 0.2	< 0.5	0.7	< 0.05	1.44	6.4	1.030
475641	12.3	< 1	< 50	7.4	14	< 5	0.7	< 0.2	< 0.5	0.4	< 0.05	1.38	9.8	1.087
475642	10.5	< 1	< 50	16.7	31	< 5	1.2	< 0.2	< 0.5	0.7	0.14	1.66	8.6	1.018
475643	14.0	< 1	< 50	8.1	14	< 5	0.6	< 0.2	< 0.5	0.5	< 0.05	1.47	9.3	1.071
475644	29.0	< 1	< 50	9.3	20	< 5	0.6	< 0.2	< 0.5	0.7	< 0.05	1.59	24.6	1.024
475645	17.6	< 1	< 50	3.8	6	< 5	0.3	< 0.2	< 0.5	0.4	< 0.05	1.42	15.3	1.046
475646	43.0	< 1	< 50	4.1	9	< 5	< 0.1	< 0.2	< 0.5	0.4	< 0.05	1.43	39.3	1.036
475647	11.4	< 1	140	4.8	8	< 5	0.4	< 0.2	< 0.5	< 0.2	0.09	1.57	9.4	1.054
475648	11.4	< 1	< 50	2.9	< 3	< 5	0.2	< 0.2	< 0.5	< 0.2	< 0.05	1.47	9.4	1.021
475649	18.4	< 1	< 50	3.4	6	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.58	13.9	1.051
475650	11.1	< 1	< 50	6.1	10	< 5	0.8	0.5	< 0.5	0.5	0.10	1.45	9.8	1.079
475651	10.2	< 1	< 50	3.7	5	9	0.5	0.5	< 0.5	0.4	< 0.05	1.41	10.1	1.074
475652	22.1	< 1	< 50	5.1	10	< 5	0.4	< 0.2	< 0.5	0.4	< 0.05	1.50	17.8	1.051
475653	52.7	< 1	< 50	10.4	21	< 5	0.7	< 0.2	< 0.5	0.5	< 0.05	1.60	46.7	1.084
475654	13.6	< 1	< 50	12.8	19	< 5	0.9	< 0.2	< 0.5	0.7	< 0.05	1.55	10.2	1.041
475655	5.2	< 1	< 50	4.3	< 3	12	0.5	< 0.2	< 0.5	< 0.2	< 0.05	1.46	3.6	1.080
475656	7.1	< 1	< 50	7.3	12	< 5	0.7	0.4	< 0.5	< 0.2	0.11	1.70	6.6	1.066
475657	22.1	< 1	< 50	7.3	15	< 5	0.5	< 0.2	< 0.5	< 0.2	< 0.05	1.51	18.6	1.058
475658	7.6	< 1	< 50	7.9	16	< 5	0.7	< 0.2	< 0.5	0.7	< 0.05	1.70	5.7	1.035

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05	INAA	0.1	DNC
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
475659	7.9	< 1	< 50	8.5	18	< 5	0.9	0.2	< 0.5	0.4	< 0.05	1.78	7.3	1.053
475660	4.9	< 1	280	29.3	55	21	2.3	0.8	< 0.5	0.5	0.09	1.51	4.3	1.096
475661	17.2	< 1	120	7.4	13	< 5	0.7	0.5	< 0.5	0.5	0.08	1.50	13.6	1.018
475662	53.4	< 1	< 50	13.1	25	< 5	1.1	< 0.2	< 0.5	0.5	< 0.05	1.81	44.0	1.049
475663	34.4	< 1	< 50	6.3	13	5	0.6	0.5	< 0.5	0.3	< 0.05	1.50	31.3	1.038
475664	44.3	< 1	< 50	10.3	22	< 5	1.0	< 0.2	< 0.5	0.7	< 0.05	1.58	36.9	1.063
475665	79.6	< 1	< 50	13.7	27	9	1.2	< 0.2	< 0.5	0.3	< 0.05	1.68	71.4	1.046
475666	25.3	< 1	< 50	28.5	55	15	2.5	< 0.2	< 0.5	< 0.2	< 0.05	1.61	20.8	1.064
475667	75.1	< 1	< 50	9.7	16	< 5	0.9	< 0.2	< 0.5	0.3	< 0.05	1.61	64.6	1.071
475668	57.0	< 1	140	10.3	21	9	1.0	0.5	< 0.5	0.5	< 0.05	1.67	48.0	1.008
475669	67.0	< 1	< 50	18.2	38	11	1.8	< 0.2	< 0.5	0.6	< 0.05	1.63	58.2	1.075
475670	39.8	< 1	< 50	19.4	38	9	1.9	< 0.2	< 0.5	0.5	< 0.05	1.53	36.3	1.023
475671	23.5	< 1	< 50	3.9	5	< 5	0.3	< 0.2	< 0.5	0.3	< 0.05	1.61	18.6	1.078
475672	44.2	< 1	< 50	7.9	11	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.48	36.1	1.003
475673	30.6	< 1	< 50	12.2	19	9	0.9	< 0.2	< 0.5	0.4	< 0.05	1.69	30.6	1.016
475674	20.4	< 1	< 50	35.4	61	13	2.6	< 0.2	< 0.5	< 0.2	< 0.05	1.51	18.2	1.035
475675	10.2	< 1	140	43.3	73	23	2.9	< 0.2	< 0.5	0.5	< 0.05	1.39	7.7	1.047
475676	10.2	< 1	< 50	45.1	79	20	2.9	< 0.2	< 0.5	< 0.2	< 0.05	1.49	7.6	1.033
475677	18.7	< 1	< 50	31.7	58	20	2.0	< 0.2	< 0.5	0.5	< 0.05	1.73	17.9	1.059
475678	22.1	< 1	< 50	29.3	50	19	2.4	< 0.2	< 0.5	0.6	0.13	1.50	20.0	1.044
475679	11.1	< 1	< 50	40.9	79	20	2.7	< 0.2	< 0.5	0.4	< 0.05	1.42	7.6	1.040
475680	4.8	< 1	< 50	43.3	61	21	2.4	< 0.2	< 0.5	< 0.2	< 0.05	1.61	4.6	1.089
475681	4.0	< 1	< 50	40.9	73	20	2.3	0.7	< 0.5	0.5	0.06	1.55	3.7	1.070
475682	4.6	< 1	< 50	45.8	79	21	2.4	< 0.2	< 0.5	< 0.2	0.09	1.51	3.3	1.034
475683	6.6	< 1	< 50	55.4	95	28	3.3	< 0.2	< 0.5	< 0.2	< 0.05	1.55	3.3	1.085
475684	2.6	< 1	< 50	45.4	76	25	2.8	0.5	< 0.5	< 0.2	< 0.05	1.62	3.5	1.042
475685	4.4	< 1	< 50	69.3	113	35	4.1	< 0.2	< 0.5	0.4	< 0.05	1.52	3.2	1.032
475686	14.8	< 1	< 50	69.3	113	20	4.0	1.0	< 0.5	< 0.2	< 0.05	1.62	13.6	1.065
475687	59.3	< 1	< 50	38.4	69	20	2.5	< 0.2	< 0.5	< 0.2	< 0.05	1.36	58.1	1.021
475688	49.4	< 1	< 50	62.4	107	30	4.7	0.8	< 0.5	< 0.2	< 0.05	1.56	42.9	1.003
475689	52.7	< 1	< 50	47.9	82	20	3.4	1.1	1.1	0.4	< 0.05	1.55	46.8	1.021
475690	38.7	< 1	< 50	69.3	120	27	4.9	< 0.2	< 0.5	< 0.2	< 0.05	1.58	34.1	1.011
475691	17.3	< 1	< 50	56.1	88	32	3.9	< 0.2	< 0.5	0.6	0.14	1.50	16.6	1.074
475692	10.7	< 1	< 50	63.0	107	25	4.0	0.7	< 0.5	1.3	< 0.05	1.50	7.7	1.032
475693	3.3	< 1	< 50	42.8	76	< 5	3.0	0.5	< 0.5	< 0.2	< 0.05	1.58	4.0	1.046
475694	17.0	< 1	< 50	5.1	5	< 5	0.5	< 0.2	< 0.5	< 0.2	< 0.05	1.42	15.9	1.017
475695	16.1	< 1	< 50	6.1	9	8	0.7	0.3	< 0.5	< 0.2	< 0.05	1.40	14.3	1.068
475696	3.5	< 1	< 50	17.7	37	< 5	2.0	0.9	< 0.5	0.8	< 0.05	1.35	1.8	1.082
475697	3.8	< 1	< 50	25.0	37	21	2.1	0.7	< 0.5	< 0.2	0.15	1.33	2.6	1.069
475698	5.1	< 1	< 50	2.4	6	< 5	0.2	0.4	< 0.5	< 0.2	< 0.05	1.40	3.5	1.018
475699	17.9	< 1	< 50	4.8	9	< 5	0.5	0.4	< 0.5	< 0.2	< 0.05	1.42	16.1	1.032
475700	8.3	< 1	< 50	2.4	< 3	< 5	0.2	0.5	< 0.5	< 0.2	< 0.05	1.38	8.5	1.022
475701	8.5	2	< 50	2.4	< 3	< 5	0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.42	6.4	1.087
475702	4.2	< 1	< 50	3.4	5	< 5	0.3	< 0.2	< 0.5	< 0.2	< 0.05	1.47	3.4	1.095
475703	5.9	< 1	< 50	2.5	< 3	< 5	0.2	0.2	< 0.5	< 0.2	< 0.05	1.36	6.0	1.093
475704	9.4	< 1	< 50	4.5	5	< 5	0.5	0.4	< 0.5	0.4	< 0.05	1.29	7.7	1.061
475705	15.4	< 1	< 50	5.4	10	< 5	0.6	< 0.2	< 0.5	< 0.2	< 0.05	1.40	15.4	1.028
475706	20.8	< 1	< 50	8.8	15	< 5	0.7	< 0.2	< 0.5	0.7	0.12	1.22	17.4	1.091
475707	10.0	< 1	110	9.5	17	< 5	0.9	< 0.2	< 0.5	0.7	< 0.05	1.36	8.7	1.031
475708	4.9	< 1	< 50	15.0	27	8	1.5	0.5	< 0.5	< 0.2	0.10	1.38	3.6	1.094
475709	9.0	< 1	< 50	19.0	39	16	1.6	< 0.2	< 0.5	0.5	0.14	1.54	8.4	1.072
475710	8.9	< 1	< 50	17.0	31	< 5	1.4	0.4	< 0.5	0.3	0.12	1.52	8.6	1.035

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
475711	11.8	< 1	260	17.0	35	15	2.4	1.0	< 0.5	1.0	0.19	1.30	9.5	1.023
475712	45.3	< 1	< 50	7.5	18	< 5	0.6	0.9	< 0.5	0.5	< 0.05	1.28	41.8	1.043
475713	39.8	< 1	< 50	6.4	15	10	< 0.1	0.9	< 0.5	0.2	< 0.05	1.36	35.5	1.033
475714	31.7	< 1	120	8.8	8	< 5	0.5	1.0	< 0.5	0.4	< 0.05	1.35	27.6	1.064
475715	19.0	< 1	380	12.2	23	< 5	1.2	< 0.2	< 0.5	0.7	< 0.05	1.45	18.9	1.004
475716	< 0.5	< 1	< 50	16.4	27	< 5	2.3	0.8	< 0.5	< 0.2	0.17	1.27	1.1	1.010
475717	3.5	< 1	< 50	22.6	38	< 5	2.6	0.9	< 0.5	1.0	< 0.05	1.36	2.8	1.072
475718	6.1	< 1	< 50	38.8	73	49	4.2	1.0	< 0.5	0.8	0.14	1.46	3.9	1.026
475719	66.4	< 1	< 50	16.5	28	< 5	2.3	1.3	< 0.5	2.1	< 0.05	1.57	55.0	1.063
475720	4.5	< 1	140	19.4	44	24	2.9	0.8	< 0.5	1.5	0.29	1.43	3.1	1.010
475721	7.3	< 1	230	25.0	44	26	3.3	< 0.2	< 0.5	1.6	0.24	1.29	6.2	1.008
475722	35.8	< 1	< 50	11.8	12	< 5	1.4	0.9	< 0.5	< 0.2	< 0.05	1.45	28.5	1.041
475723	18.0	< 1	< 50	10.9	16	< 5	1.4	< 0.2	< 0.5	< 0.2	< 0.05	1.36	14.1	1.075
475724	60.2	< 1	100	13.6	44	38	9.3	0.8	2.2	13.2	1.42	1.50	49.1	1.055
475725	18.3	< 1	< 50	47.3	87	32	4.2	< 0.2	< 0.5	1.1	0.25	1.50	14.4	1.011
475726	14.6	< 1	< 50	26.9	56	30	2.7	0.8	< 0.5	< 0.2	< 0.05	1.47	12.1	1.052
475727	12.8	< 1	< 50	9.7	25	< 5	1.3	< 0.2	< 0.5	0.5	< 0.05	1.55	10.1	1.014
475728	87.8	< 1	70	7.4	17	7	2.1	0.2	< 0.5	0.8	< 0.05	1.56	79.3	1.058
475729	8.8	< 1	< 50	15.2	39	11	2.7	0.5	< 0.5	0.6	0.12	1.60	6.7	1.091
475730	33.5	< 1	100	7.0	18	7	1.6	< 0.2	< 0.5	0.6	< 0.05	1.55	29.6	1.054
475731	95.8	< 1	< 50	9.9	26	< 5	2.5	< 0.2	< 0.5	0.6	< 0.05	1.62	87.4	1.032
475732	36.7	< 1	< 50	10.9	30	< 5	2.2	0.3	< 0.5	0.6	< 0.05	1.46	32.8	1.050
475733	40.7	< 1	< 50	5.9	18	< 5	1.3	< 0.2	< 0.5	0.4	< 0.05	1.52	35.9	1.069
475734	75.0	< 1	100	17.6	46	< 5	3.6	< 0.2	< 0.5	0.8	< 0.05	1.46	67.2	1.053
475735	53.5	< 1	< 50	13.6	39	18	2.7	< 0.2	< 0.5	0.6	< 0.05	1.59	48.4	1.055
475736	41.5	< 1	< 50	5.7	15	< 5	1.5	< 0.2	< 0.5	0.5	< 0.05	1.75	36.3	1.052
475737	25.5	< 1	< 50	11.8	30	15	2.1	0.2	< 0.5	< 0.2	< 0.05	1.59	23.5	1.078
475738	17.6	< 1	< 50	7.3	16	< 5	1.1	0.3	< 0.5	0.2	< 0.05	1.65	13.8	1.088
475739	20.7	< 1	< 50	4.0	11	< 5	0.7	0.3	< 0.5	< 0.2	< 0.05	1.55	18.9	1.005
475740	43.1	< 1	< 50	8.4	23	< 5	2.0	< 0.2	< 0.5	0.7	0.07	1.48	38.3	1.055
475741	35.9	< 1	< 50	24.3	63	16	3.8	< 0.2	< 0.5	0.3	< 0.05	1.57	31.1	1.064
475742	35.9	< 1	< 50	43.5	109	30	5.6	< 0.2	< 0.5	0.7	< 0.05	1.51	32.9	1.075
475743	19.2	< 1	< 50	36.2	82	19	4.4	0.5	< 0.5	0.7	< 0.05	1.76	17.1	1.089
475744	18.4	< 1	< 50	38.6	95	34	5.0	0.5	< 0.5	0.5	< 0.05	1.59	16.9	1.073
475745	7.3	< 1	< 50	31.8	75	22	3.7	< 0.2	< 0.5	< 0.2	0.11	1.63	8.0	1.038
475746	4.5	< 1	< 50	40.3	102	27	4.6	0.6	< 0.5	0.5	< 0.05	1.57	4.8	1.050
475747	18.4	< 1	< 50	32.8	82	25	3.7	0.6	< 0.5	< 0.2	< 0.05	1.75	16.7	1.077
475748	8.8	< 1	< 50	47.0	116	23	4.6	< 0.2	< 0.5	0.6	< 0.05	1.67	8.0	1.010
475749	6.1	4	< 50	53.9	122	37	5.0	0.7	< 0.5	< 0.2	0.06	1.51	5.1	1.024
475750	12.8	< 1	< 50	69.0	166	42	7.0	0.6	< 0.5	0.6	0.09	1.43	12.0	1.083
475751	75.8	< 1	120	67.5	166	51	8.6	0.5	< 0.5	1.0	< 0.05	1.59	69.8	1.024
475752	20.7	< 1	< 50	34.7	94	22	4.5	0.7	< 0.5	0.6	0.07	1.51	20.1	1.027
475753	19.2	< 1	< 50	34.2	79	20	4.2	< 0.2	< 0.5	< 0.2	< 0.05	1.61	17.1	1.047
475754	19.2	< 1	< 50	34.2	79	20	4.2	< 0.2	< 0.5	< 0.2	< 0.05	1.61	8.6	1.030
475755	12.8	< 1	< 50	21.5	55	11	2.3	0.4	< 0.5	0.4	< 0.05	1.59	11.3	1.028
475756	7.5	< 1	< 50	1.9	4	< 5	0.2	0.4	< 0.5	< 0.2	< 0.05	1.59	5.6	1.056
475757	12.8	< 1	< 50	3.1	6	< 5	0.4	< 0.2	< 0.5	< 0.2	< 0.05	1.70	10.9	1.031
475758	13.6	< 1	< 50	3.5	10	7	0.5	0.4	< 0.5	0.2	< 0.05	1.47	11.0	1.074
475759	12.0	< 1	90	3.4	9	< 5	0.6	0.3	< 0.5	0.4	0.10	1.46	10.5	1.071
475760	13.9	< 1	100	5.3	12	< 5	1.8	< 0.2	< 0.5	0.6	0.08	1.59	11.3	1.078
475761	10.9	< 1	< 50	2.5	6	< 5	0.6	0.6	< 0.5	0.2	0.06	1.48	9.0	1.051
475762	9.5	< 1	< 50	3.3	8	< 5	0.6	0.2	< 0.5	0.4	< 0.05	1.53	8.6	1.030

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
475763	9.5	< 1	< 50	2.9	9	< 5	0.6	0.4	< 0.5	0.3	< 0.05	1.63	7.8	1.040
475764	16.8	< 1	< 50	3.5	10	< 5	0.7	0.6	< 0.5	0.4	< 0.05	1.56	15.1	1.090
475765	18.3	< 1	< 50	3.8	9	< 5	0.7	0.6	< 0.5	< 0.2	< 0.05	1.48	16.6	1.020
475766	38.7	< 1	< 50	3.7	9	< 5	1.1	< 0.2	< 0.5	0.5	< 0.05	1.49	34.4	1.077
475767	8.8	< 1	< 50	3.0	5	< 5	0.4	0.5	< 0.5	< 0.2	< 0.05	1.61	7.4	1.042
475768	14.6	< 1	< 50	3.4	10	< 5	2.1	0.4	< 0.5	2.0	0.38	1.74	12.2	1.082
475769	22.6	< 1	90	20.9	92	51	22.0	0.9	4.6	8.4	1.14	1.64	19.7	1.073
475770	8.0	< 1	< 50	10.9	23	< 5	1.6	0.5	< 0.5	0.4	0.06	1.49	7.6	1.027
475771	19.7	< 1	< 50	16.2	47	17	3.2	< 0.2	< 0.5	0.9	< 0.05	1.45	16.5	1.048
475772	5.8	< 1	< 50	6.8	14	< 5	1.3	0.7	< 0.5	0.3	< 0.05	1.48	5.2	1.082
475773	13.1	< 1	< 50	3.6	9	< 5	1.0	< 0.2	< 0.5	0.4	0.11	1.56	12.2	1.061
475774	9.5	< 1	< 50	3.3	7	< 5	0.6	0.4	< 0.5	< 0.2	< 0.05	1.49	8.9	1.045
475775	10.9	< 1	< 50	3.9	9	< 5	0.9	< 0.2	< 0.5	0.6	0.11	1.45	8.7	1.086
475776	11.7	< 1	< 50	3.3	6	< 5	0.8	0.6	< 0.5	0.6	0.13	1.51	10.6	1.051
475777	13.1	< 1	< 50	6.1	13	< 5	1.4	0.5	< 0.5	0.9	0.16	1.48	12.6	1.068
475778	25.5	< 1	< 50	8.5	19	10	1.6	0.5	< 0.5	0.5	0.07	1.46	21.5	1.042
475779	13.1	< 1	70	4.1	10	< 5	0.7	0.5	< 0.5	0.6	< 0.05	1.53	11.7	1.009
475780	12.4	< 1	< 50	8.1	22	< 5	1.0	0.4	< 0.5	< 0.2	< 0.05	1.60	9.5	1.058
475781	10.2	< 1	< 50	3.6	9	< 5	0.4	0.3	< 0.5	< 0.2	< 0.05	1.63	7.8	1.085
475782	27.0	< 1	< 50	19.7	51	19	3.5	< 0.2	0.7	0.7	< 0.05	1.55	24.0	1.004
475783	18.7	< 1	< 50	23.4	61	22	4.0	< 0.2	1.0	0.9	0.13	1.51	15.1	1.012
475784	12.5	< 1	< 50	18.4	50	11	3.0	< 0.2	< 0.5	0.4	< 0.05	1.53	9.0	1.076
475785	34.6	< 1	< 50	22.1	59	24	4.0	0.6	< 0.5	1.0	0.14	1.63	31.1	1.081
475786	63.0	< 1	< 50	17.5	49	19	3.2	0.4	< 0.5	1.2	< 0.05	1.43	54.8	1.053
475787	45.7	< 1	< 50	14.0	38	11	2.7	< 0.2	< 0.5	1.1	0.17	1.50	40.0	1.008
475788	34.6	< 1	< 50	15.4	38	16	2.6	< 0.2	< 0.5	0.6	0.10	1.61	30.5	1.004
475789	60.2	< 1	< 50	16.7	48	18	3.2	< 0.2	< 0.5	0.5	0.10	1.55	55.1	1.061
475790	49.8	< 1	< 50	10.4	31	11	2.2	0.5	< 0.5	1.3	0.19	1.45	45.8	1.084
475791	45.0	< 1	< 50	12.5	34	6	2.4	0.4	< 0.5	0.5	< 0.05	1.59	39.6	1.091
475792	33.2	< 1	< 50	12.9	33	11	2.5	< 0.2	< 0.5	0.9	< 0.05	1.54	30.1	1.085
475793	70.4	< 1	< 50	18.6	31	9	1.4	< 0.2	< 0.5	2.6	0.34	1.51	67.5	1.041
475794	25.0	< 1	< 50	22.8	39	< 5	2.4	< 0.2	< 0.5	1.6	0.29	1.55	24.3	1.096
475795	114	< 1	< 50	33.9	54	12	2.3	< 0.2	< 0.5	1.4	< 0.05	1.70	114	1.054
475796	90.2	< 1	< 50	19.2	29	< 5	< 0.1	< 0.2	< 0.5	1.2	< 0.05	1.38	91.5	1.037
475797	32.4	< 1	< 50	10.4	18	6	0.7	0.5	< 0.5	1.6	0.25	1.86	34.8	1.047
475798	20.0	< 1	< 50	8.6	11	< 5	0.5	< 0.2	< 0.5	0.4	< 0.05	1.55	18.2	1.091
475799	41.5	< 1	< 50	8.6	10	< 5	< 0.1	< 0.2	< 0.5	1.6	0.22	1.64	38.3	1.068
475800	39.7	< 1	< 50	13.6	21	< 5	0.9	< 0.2	< 0.5	1.3	< 0.05	1.51	40.4	1.090
475801	29.5	< 1	< 50	19.6	38	5	1.4	< 0.2	< 0.5	0.4	< 0.05	1.57	28.9	1.007
475802	67.8	< 1	< 50	16.0	27	< 5	< 0.1	< 0.2	< 0.5	1.5	0.25	1.56	62.0	1.053
475803	24.2	< 1	< 50	13.8	22	5	1.0	< 0.2	< 0.5	< 0.2	0.09	1.63	24.3	1.032
475804	36.2	3	< 50	24.8	39	8	1.5	0.6	< 0.5	0.9	< 0.05	1.53	34.3	1.052
475805	57.2	< 1	< 50	38.2	60	15	3.1	< 0.2	< 0.5	1.0	< 0.05	1.46	51.2	1.058
475806	48.6	< 1	< 50	23.7	40	15	2.0	< 0.2	< 0.5	1.4	0.25	1.49	46.7	1.087
475807	27.2	< 1	< 50	30.3	51	17	2.2	< 0.2	< 0.5	1.1	< 0.05	1.61	25.0	1.023
475808	11.1	< 1	< 50	38.8	72	19	3.6	< 0.2	< 0.5	0.6	< 0.05	1.59	11.1	1.015
475809	56.8	< 1	< 50	8.6	14	6	< 0.1	0.8	< 0.5	0.8	< 0.05	1.54	53.7	1.063
475810	42.9	< 1	< 50	14.0	22	6	0.9	< 0.2	< 0.5	0.8	< 0.05	1.64	43.1	1.036
475811	11.6	< 1	< 50	30.6	52	17	2.7	0.3	< 0.5	< 0.2	< 0.05	1.45	11.6	1.096
475812	34.7	< 1	< 50	3.2	5	< 5	< 0.1	< 0.2	< 0.5	0.3	< 0.05	1.56	30.8	1.077
475813	65.3	< 1	100	10.4	14	< 5	< 0.1	< 0.2	< 0.5	1.0	< 0.05	1.50	64.3	1.062
475814	61.7	< 1	< 50	21.2	35	7	1.5	< 0.2	< 0.5	0.9	< 0.05	1.60	60.5	1.044

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
475815	72.5	< 1	< 50	9.9	12	< 5	< 0.1	< 0.2	< 0.5	1.0	< 0.05	1.60	68.9	1.064
475816	24.3	< 1	< 50	9.5	13	< 5	0.4	< 0.2	< 0.5	0.5	< 0.05	1.65	25.2	1.045
475817	32.8	< 1	< 50	6.2	7	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.46	31.5	1.038
475818	43.0	< 1	< 50	10.7	18	< 5	< 0.1	< 0.2	< 0.5	0.4	< 0.05	1.51	40.7	1.078
475819	18.4	< 1	< 50	8.6	16	< 5	0.4	0.4	< 0.5	< 0.2	< 0.05	1.53	17.3	1.048
475820	24.4	< 1	< 50	9.3	10	5	0.5	0.3	< 0.5	< 0.2	< 0.05	1.64	21.9	1.092
475821	51.4	< 1	< 50	16.4	22	7	0.9	< 0.2	< 0.5	0.5	< 0.05	1.65	47.2	1.066
475822	35.5	< 1	< 50	12.5	20	7	0.8	< 0.2	< 0.5	0.8	< 0.05	1.55	32.5	1.056
475823	7.6	< 1	< 50	11.7	19	< 5	1.2	< 0.2	< 0.5	1.3	0.15	1.49	5.4	1.080
475824	24.0	< 1	< 50	6.8	9	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.59	24.4	1.028
475825	9.8	< 1	< 50	6.0	10	6	0.4	0.3	< 0.5	0.4	< 0.05	1.61	10.0	1.044
475826	36.4	< 1	< 50	8.3	12	< 5	< 0.1	< 0.2	< 0.5	0.8	< 0.05	1.47	33.8	1.012
475827	15.4	< 1	< 50	8.8	16	< 5	0.8	< 0.2	< 0.5	0.8	0.12	1.46	13.6	1.096
475828	84.7	< 1	< 50	8.9	14	< 5	< 0.1	< 0.2	< 0.5	0.4	< 0.05	1.48	77.5	1.085
475829	31.9	< 1	< 50	35.8	54	17	3.2	< 0.2	< 0.5	0.6	< 0.05	1.46	29.4	1.073
475830	45.0	< 1	< 50	36.8	61	17	3.3	< 0.2	< 0.5	0.9	< 0.05	1.54	43.8	1.058
475831	21.4	< 1	< 50	11.9	15	< 5	1.0	< 0.2	< 0.5	0.4	< 0.05	1.62	20.3	1.067
475832	22.3	< 1	< 50	9.0	16	< 5	0.6	0.3	< 0.5	< 0.2	< 0.05	1.44	20.8	1.043
475833	24.0	< 1	< 50	15.1	24	6	1.0	< 0.2	< 0.5	0.5	< 0.05	1.55	21.5	1.025
475841	3.3	< 1	< 50	4.9	9	< 5	0.4	< 0.2	< 0.5	0.3	0.08	1.37	3.1	1.032
475842	21.5	< 1	< 50	22.3	35	11	1.8	0.4	< 0.5	0.9	< 0.05	1.49	19.4	1.040
475843	11.4	< 1	< 50	36.0	57	18	2.7	0.4	< 0.5	0.9	0.09	1.38	10.5	1.055
475844	8.7	< 1	< 50	20.4	34	11	1.8	< 0.2	< 0.5	0.6	0.09	1.57	8.0	1.086
475845	20.1	< 1	< 50	15.8	24	7	1.0	0.2	< 0.5	0.3	< 0.05	1.38	20.3	1.061
475846	11.6	< 1	< 50	28.4	41	18	2.1	0.4	< 0.5	0.6	0.14	1.49	9.7	1.056
475847	10.5	< 1	< 50	9.7	15	< 5	1.0	0.3	< 0.5	0.5	0.12	1.37	10.4	1.028
475848	3.6	< 1	< 50	10.2	16	6	1.9	0.4	< 0.5	0.8	0.15	1.47	34.0	1.023
475849	34.5	< 1	< 50	17.0	25	6	1.2	0.4	< 0.5	0.7	< 0.05	1.56	32.3	1.056
475850	67.8	< 1	< 50	20.3	33	9	1.4	< 0.2	< 0.5	0.6	< 0.05	1.38	65.8	1.063
475851	56.9	< 1	80	36.9	59	23	3.0	< 0.2	< 0.5	1.1	< 0.05	1.35	55.6	1.076
475852	22.3	< 1	< 50	46.3	77	23	4.3	0.3	< 0.5	1.8	0.27	1.53	22.2	1.040
475853	69.6	< 1	< 50	15.8	22	< 5	< 0.1	< 0.2	< 0.5	1.2	< 0.05	1.53	65.9	1.060
475854	36.7	< 1	< 50	17.8	31	9	1.4	0.4	< 0.5	1.0	0.13	1.51	35.3	1.065
475855	34.6	< 1	< 50	11.4	16	5	0.8	< 0.2	< 0.5	0.8	< 0.05	1.52	34.1	1.088
475856	23.4	< 1	< 50	14.1	21	5	1.2	0.3	< 0.5	1.1	0.23	1.43	22.7	1.090
475857	77.6	< 1	< 50	8.1	11	< 5	< 0.1	< 0.2	< 0.5	1.2	< 0.05	1.54	75.7	1.094
475858	32.4	< 1	< 50	9.7	14	< 5	0.7	< 0.2	< 0.5	1.2	0.18	1.52	32.7	1.075
475859	28.5	< 1	< 50	19.8	34	11	1.9	< 0.2	< 0.5	1.3	0.28	1.51	27.2	1.031
475860	77.6	< 1	< 50	15.0	21	7	1.0	< 0.2	< 0.5	3.1	0.49	1.52	77.9	1.009
475861	32.1	2	< 50	9.2	12	< 5	0.5	< 0.2	< 0.5	0.8	< 0.05	1.63	33.0	1.089
475862	66.1	3	< 50	10.8	15	< 5	< 0.1	< 0.2	< 0.5	1.4	0.23	1.45	64.8	1.071
475863	76.5	< 1	< 50	16.1	26	< 5	1.2	< 0.2	< 0.5	3.6	0.54	1.44	73.9	1.054
475864	102	< 1	180	16.8	24	< 5	< 0.1	< 0.2	< 0.5	1.6	< 0.05	1.59	97.1	1.051
475865	57.5	1	< 50	20.6	30	9	1.4	< 0.2	< 0.5	1.1	0.16	1.69	54.6	1.029
475866	49.7	2	< 50	21.3	34	8	1.6	0.6	< 0.5	0.9	< 0.05	1.49	46.6	1.037
475867	7.6	< 1	< 50	11.4	22	6	1.2	0.3	1.2	1.4	0.22	1.41	7.3	1.057
475868	91.2	< 1	< 50	14.6	22	7	< 0.1	< 0.2	< 0.5	0.9	< 0.05	1.50	86.2	1.015
475869	24.6	< 1	< 50	20.6	35	13	1.6	0.3	< 0.5	1.5	0.23	1.42	22.1	1.047
475870	17.2	< 1	< 50	46.8	76	23	3.5	0.6	< 0.5	0.7	0.15	1.45	14.1	1.067
475871	67.8	< 1	< 50	12.5	21	< 5	< 0.1	< 0.2	< 0.5	0.5	< 0.05	1.47	62.9	1.094
475872	46.3	< 1	< 50	16.1	24	10	1.0	< 0.2	< 0.5	0.7	< 0.05	1.44	42.9	1.053
475873	4.9	< 1	< 50	8.9	11	7	0.8	< 0.2	< 0.5	0.6	0.15	1.42	4.7	1.050

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
475874	27.1	< 1	60	30.4	48	12	2.3	0.4	< 0.5	1.1	0.22	1.58	23.8	1.072
475875	23.8	< 1	< 50	57.2	93	27	4.9	0.4	< 0.5	0.9	0.22	1.39	21.1	1.034
475876	41.7	< 1	< 50	21.7	33	13	1.7	< 0.2	< 0.5	0.3	< 0.05	1.43	39.2	1.061
475877	68.4	< 1	70	43.0	69	15	3.8	< 0.2	< 0.5	0.8	< 0.05	1.38	62.2	1.023
475878	119	< 1	< 50	27.4	39	12	1.7	< 0.2	< 0.5	1.3	< 0.05	1.55	108	1.046
475879	110	< 1	80	20.4	28	11	< 0.1	< 0.2	< 0.5	0.5	< 0.05	1.43	101	1.014
475880	3.8	< 1	120	8.1	12	< 5	1.4	0.5	< 0.5	1.8	0.27	1.42	1.9	1.070
475881	27.7	< 1	< 50	8.7	14	< 5	0.8	0.3	< 0.5	1.4	0.22	1.53	26.2	1.062
475882	28.6	< 1	< 50	9.9	15	5	1.2	< 0.2	< 0.5	1.3	0.19	1.43	24.2	1.074
475883	< 0.5	< 1	< 50	4.3	9	< 5	0.9	0.3	< 0.5	1.6	0.32	1.59	0.3	1.091
475884	4.2	< 1	< 50	16.7	29	14	1.9	0.6	< 0.5	1.6	0.25	1.56	3.0	1.044
475885	14.0	< 1	< 50	12.2	16	< 5	1.5	< 0.2	1.4	2.1	0.28	1.51	10.8	1.083
475886	22.0	< 1	< 50	11.5	20	< 5	1.7	< 0.2	< 0.5	3.0	0.41	1.36	16.4	1.094
475887	11.9	< 1	130	20.6	39	15	3.0	0.5	1.0	3.0	0.41	1.39	9.0	1.052
475888	6.6	< 1	< 50	53.9	97	36	6.5	1.9	< 0.5	1.6	0.27	1.67	5.1	1.062
475889	50.2	< 1	< 50	14.1	21	6	1.1	< 0.2	< 0.5	2.1	0.39	1.56	43.0	1.027
475890	172	< 1	< 50	20.2	29	< 5	< 0.1	< 0.2	< 0.5	2.5	< 0.05	1.62	166	1.095
475891	371	< 1	< 50	28.6	38	< 5	< 0.1	< 0.2	< 0.5	3.9	< 0.05	1.55	360	1.043
475892	29.9	< 1	80	13.1	26	< 5	1.2	< 0.2	< 0.5	1.6	0.31	1.46	27.1	1.014
475893	25.0	< 1	70	12.2	20	9	1.3	0.3	< 0.5	1.6	0.36	1.42	21.3	1.076
475894	5.9	< 1	120	32.8	54	22	3.5	1.0	1.1	1.7	0.29	1.67	4.4	1.036
475895	4.6	< 1	< 50	33.2	59	25	3.6	1.2	< 0.5	1.4	0.21	1.50	3.7	1.095
475896	24.9	< 1	< 50	11.2	17	< 5	1.0	< 0.2	< 0.5	1.4	0.24	1.42	22.2	1.075
475897	24.7	< 1	< 50	13.4	21	6	1.1	< 0.2	< 0.5	1.6	0.27	1.54	23.6	1.042
475898	26.7	< 1	< 50	11.5	21	< 5	1.2	< 0.2	< 0.5	2.1	0.35	1.53	24.9	1.012
475899	5.1	< 1	220	32.2	62	24	4.4	1.4	< 0.5	1.6	0.21	1.63	3.7	1.018
475900	38.6	4	< 50	13.3	28	< 5	2.3	0.9	< 0.5	2.5	0.40	1.54	32.3	1.069
475901	4.4	< 1	< 50	24.8	46	19	3.4	1.1	< 0.5	1.5	0.29	1.72	3.8	1.016
475902	5.1	< 1	< 50	21.6	44	18	3.3	1.0	< 0.5	1.9	0.25	1.56	3.0	1.091
475903	27.8	< 1	< 50	4.7	10	< 5	1.4	< 0.2	< 0.5	1.9	0.37	1.45	22.4	1.025
475904	28.8	< 1	< 50	24.8	45	12	2.9	0.9	< 0.5	1.9	0.38	1.57	23.4	1.087
475905	45.3	< 1	< 50	4.7	9	< 5	1.5	< 0.2	< 0.5	2.3	0.49	1.52	41.0	1.053
475906	17.6	3	< 50	3.6	8	< 5	0.7	< 0.2	< 0.5	1.4	0.20	1.68	15.9	1.034
475907	23.2	< 1	< 50	8.4	14	< 5	1.5	< 0.2	< 0.5	1.6	0.32	1.52	17.4	1.050
475908	6.7	< 1	140	38.8	69	31	4.1	1.4	< 0.5	1.0	0.23	1.50	4.0	1.067
475909	5.6	< 1	200	28.9	53	22	3.8	1.1	< 0.5	1.4	0.21	1.65	4.5	1.042
475910	72.1	< 1	80	10.3	18	11	2.3	< 0.2	< 0.5	1.8	< 0.05	1.46	61.9	1.087
475911	33.2	< 1	< 50	12.2	32	13	4.1	< 0.2	1.5	6.4	1.01	1.44	24.7	1.054
475912	2.7	< 1	130	27.6	54	12	3.9	1.5	0.7	1.2	0.22	1.68	2.5	1.028
475913	18.6	< 1	< 50	5.7	13	< 5	1.3	< 0.2	< 0.5	1.5	0.15	1.45	15.0	1.009
475914	12.5	< 1	70	5.9	11	< 5	1.3	< 0.2	< 0.5	1.3	0.20	1.61	9.2	1.031
475915	16.8	< 1	< 50	5.6	13	6	1.0	< 0.2	< 0.5	0.6	< 0.05	1.47	12.9	1.052
475916	5.2	< 1	< 50	35.0	68	25	3.8	1.3	< 0.5	1.1	0.17	1.48	3.9	1.067
475917	73.3	< 1	< 50	5.9	13	< 5	2.0	< 0.2	< 0.5	1.4	< 0.05	1.30	61.7	1.030
475918	71.6	< 1	70	7.5	20	< 5	2.0	< 0.2	< 0.5	2.0	< 0.05	1.46	57.0	1.049
475919	47.1	< 1	230	9.6	20	< 5	2.0	< 0.2	< 0.5	1.3	< 0.05	1.38	36.9	1.039
475920	10.8	< 1	140	34.1	62	22	3.6	1.0	< 0.5	1.3	0.20	1.42	6.0	1.019
475921	< 0.5	< 1	300	4.6	9	6	2.0	0.4	< 0.5	2.1	0.31	1.51	0.8	1.003
475922	33.2	< 1	< 50	12.6	21	5	2.1	< 0.2	< 0.5	1.7	0.29	1.41	22.8	1.004
475923	< 0.5	< 1	370	6.3	23	< 5	2.3	1.0	< 0.5	2.6	0.33	1.47	0.4	1.044
475924	3.9	< 1	150	10.5	23	< 5	1.7	1.0	< 0.5	1.6	0.28	1.37	3.7	1.030
475925	38.2	< 1	< 50	6.2	9	< 5	0.9	< 0.2	< 0.5	0.5	< 0.05	1.62	29.7	1.015

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
475926	5.6	< 1	260	2.4	4	< 5	0.9	0.7	< 0.5	1.6	0.24	1.53	3.1	1.071
475927	13.0	< 1	< 50	16.3	28	8	3.0	< 0.2	< 0.5	1.7	0.23	1.41	10.1	1.033
475928	70.6	< 1	< 50	5.0	9	9	1.6	< 0.2	< 0.5	0.9	< 0.05	1.45	58.5	1.029
475929	3.1	< 1	< 50	21.8	39	23	2.8	1.2	< 0.5	1.1	0.20	1.78	1.4	1.045
475930	27.2	< 1	< 50	15.7	30	13	3.5	< 0.2	< 0.5	3.8	0.56	1.53	22.3	1.061
475931	6.1	< 1	240	19.6	41	14	3.0	1.0	< 0.5	2.0	0.21	1.69	4.2	1.087
475932	5.0	< 1	210	39.5	83	30	5.5	2.0	< 0.5	1.8	0.21	1.40	3.3	1.008
475933	77.0	< 1	< 50	4.1	10	13	2.0	< 0.2	< 0.5	1.9	0.29	1.65	69.8	1.049
475934	< 0.5	< 1	< 50	47.6	88	36	6.4	2.2	< 0.5	1.9	0.13	1.54	3.0	1.073
475935	3.9	< 1	< 50	5.0	13	< 5	1.8	0.7	< 0.5	2.2	0.32	1.59	1.4	1.069
475936	13.1	< 1	< 50	3.7	8	< 5	0.9	< 0.2	< 0.5	1.4	0.16	1.53	9.9	1.067
475937	14.6	< 1	< 50	7.0	12	< 5	1.4	< 0.2	< 0.5	0.7	0.13	1.66	12.1	1.069
475938	15.0	< 1	< 50	5.6	8	< 5	1.3	0.3	< 0.5	0.9	0.10	1.51	10.4	1.015
475939	14.9	< 1	< 50	6.8	17	< 5	2.2	< 0.2	< 0.5	2.0	0.30	1.43	10.7	1.039
475940	6.6	< 1	240	37.5	74	28	4.8	1.6	< 0.5	1.4	0.28	1.59	3.9	1.035
475941	66.1	< 1	< 50	14.6	28	13	2.7	< 0.2	< 0.5	2.0	0.28	1.58	55.9	1.069
475942	8.3	< 1	180	37.0	71	27	5.0	1.6	< 0.5	1.5	0.10	1.33	3.2	1.068
487001	4.8	< 1	< 50	56.5	99	33	4.1	0.7	< 0.5	0.6	0.07	1.44	3.9	1.036
487002	6.9	< 1	< 50	53.4	94	32	3.8	0.9	< 0.5	0.8	0.07	1.34	5.3	1.048
487003	8.6	< 1	80	57.6	98	43	4.1	0.7	< 0.5	0.7	0.07	1.42	5.6	1.044
487004	8.5	< 1	< 50	55.6	95	36	4.0	0.7	< 0.5	1.0	0.11	1.43	6.1	1.055
487005	8.6	< 1	< 50	57.8	101	34	4.1	0.9	< 0.5	1.1	0.10	1.20	4.9	1.004
487006	6.4	< 1	< 50	57.8	107	38	3.9	0.7	< 0.5	0.7	0.13	1.29	5.4	1.093
487007	7.9	< 1	< 50	50.2	84	32	3.6	< 0.2	< 0.5	0.6	0.13	1.32	6.1	1.029
487008	6.8	< 1	260	76.2	144	72	11.0	3.5	< 0.5	2.0	0.33	1.35	3.4	1.097
487009	27.3	< 1	100	27.7	47	25	3.8	1.0	< 0.5	< 0.2	< 0.05	1.51	20.6	1.071
487010	18.9	< 1	< 50	22.7	39	18	3.0	1.0	< 0.5	1.4	0.23	1.68	14.0	1.080
487011	65.2	< 1	< 50	11.2	19	< 5	2.4	< 0.2	< 0.5	1.9	0.24	1.75	55.4	1.080
487012	5.2	< 1	< 50	35.5	66	26	4.6	1.3	< 0.5	1.7	0.14	1.66	2.8	1.066
487013	44.7	< 1	< 50	15.4	31	< 5	2.5	< 0.2	< 0.5	3.5	0.48	1.48	36.4	1.098
487014	36.2	< 1	< 50	9.6	16	< 5	1.6	< 0.2	< 0.5	2.3	0.37	1.54	28.6	1.043
487015	3.6	< 1	< 50	21.7	40	11	3.2	1.3	< 0.5	1.6	0.23	1.75	2.8	1.049
487016	3.1	< 1	320	18.6	40	17	2.8	0.9	< 0.5	1.7	0.19	1.67	1.9	1.027
487017	48.8	< 1	< 50	15.7	36	9	3.7	< 0.2	< 0.5	4.7	0.73	1.65	40.6	1.099
487018	28.9	< 1	< 50	12.0	27	12	2.4	< 0.2	< 0.5	4.0	0.68	1.67	22.9	1.076
487019	22.3	< 1	< 50	11.3	27	8	2.2	< 0.2	< 0.5	4.0	0.71	1.68	17.8	1.085
487020	28.3	< 1	< 50	9.3	14	8	1.7	< 0.2	< 0.5	3.2	0.60	1.76	22.9	1.040
487021	48.9	< 1	< 50	5.7	6	< 5	1.7	< 0.2	< 0.5	3.3	0.65	1.63	37.5	1.081
487022	30.7	< 1	< 50	8.8	19	< 5	2.0	< 0.2	< 0.5	4.4	0.71	1.70	23.9	1.092
487023	18.5	< 1	< 50	5.4	7	< 5	1.0	< 0.2	< 0.5	6.2	1.09	1.68	14.3	1.023
487024	28.1	< 1	110	12.9	22	5	2.1	< 0.2	0.9	1.7	0.30	1.74	23.0	1.058
487025	25.4	< 1	< 50	12.2	19	< 5	1.9	< 0.2	< 0.5	1.6	0.30	1.59	22.0	1.036
487026	25.3	< 1	< 50	11.3	18	6	1.8	< 0.2	< 0.5	1.9	0.33	1.65	21.2	1.061
487027	28.2	< 1	< 50	14.1	25	10	2.1	< 0.2	< 0.5	1.7	0.27	1.52	22.2	1.098
487028	28.7	< 1	< 50	12.1	19	< 5	2.1	< 0.2	< 0.5	2.6	0.47	1.61	24.3	1.034
487029	24.9	< 1	< 50	12.8	24	9	1.9	< 0.2	< 0.5	2.0	0.34	1.48	20.7	1.051
487030	9.3	< 1	80	3.7	8	< 5	0.7	< 0.2	< 0.5	2.4	0.44	1.37	7.6	1.057
487031	15.6	< 1	< 50	5.5	10	< 5	1.1	< 0.2	< 0.5	2.8	0.40	1.57	11.5	1.028
487032	19.3	< 1	< 50	8.4	19	7	1.9	< 0.2	< 0.5	2.2	0.35	1.41	14.7	1.085
487033	35.3	< 1	< 50	4.9	7	6	1.7	< 0.2	1.0	4.6	0.80	1.42	29.3	1.038
487034	21.3	< 1	< 50	7.9	14	< 5	1.4	< 0.2	< 0.5	2.9	0.49	1.29	16.0	1.024
487035	18.4	< 1	< 50	15.1	26	11	2.0	0.5	< 0.5	1.6	0.28	1.33	14.3	1.039

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
487036	26.9	< 1	< 50	6.7	13	6	1.7	< 0.2	< 0.5	2.8	0.38	1.43	21.0	1.005
487037	26.9	< 1	< 50	12.7	23	7	2.0	< 0.2	< 0.5	2.8	0.52	1.53	21.5	1.055
487038	35.6	< 1	< 50	15.8	32	12	3.4	< 0.2	1.3	5.9	1.00	1.50	27.5	1.034
487039	27.7	< 1	< 50	19.6	43	16	4.3	< 0.2	< 0.5	4.5	0.74	1.32	23.5	1.014
487040	4.2	< 1	230	24.7	56	21	3.8	1.2	< 0.5	2.3	0.27	1.62	2.0	1.067
487041	4.9	< 1	160	32.1	61	25	4.0	1.3	< 0.5	1.4	0.15	1.43	2.9	1.091
487042	34.3	< 1	110	14.3	24	6	2.3	< 0.2	< 0.5	1.6	0.18	1.30	27.9	1.044
487043	38.5	< 1	70	10.6	16	6	2.4	< 0.2	< 0.5	2.8	0.44	1.39	31.3	1.032
487044	35.1	< 1	< 50	8.6	21	9	2.4	< 0.2	< 0.5	3.8	0.58	1.49	28.1	1.013
487045	48.1	< 1	140	15.4	30	< 5	2.1	< 0.2	< 0.5	1.8	0.31	1.62	37.1	1.089
487046	6.8	< 1	260	31.0	62	23	4.6	1.1	< 0.5	1.5	0.19	1.69	5.3	1.018
487047	7.7	< 1	290	11.9	28	9	3.3	0.9	< 0.5	2.4	0.34	1.57	5.4	1.085
487048	43.1	< 1	< 50	14.7	30	7	2.4	0.4	< 0.5	2.8	0.44	1.46	31.3	1.045
487049	12.0	< 1	90	9.1	20	6	1.6	0.4	< 0.5	1.3	0.22	1.36	8.3	1.018
487050	10.6	< 1	< 50	1.2	< 3	< 5	< 0.1	0.2	< 0.5	0.3	< 0.05	1.55	7.2	1.070
487051	6.7	< 1	130	30.6	63	27	5.4	1.3	< 0.5	2.2	0.38	1.79	6.5	1.010
487052	28.3	< 1	190	5.6	11	< 5	1.2	0.4	< 0.5	1.2	0.23	1.45	23.0	1.049
487053	20.5	< 1	210	31.3	68	24	5.3	1.3	< 0.5	2.1	0.34	1.39	14.9	1.058
487054	77.2	< 1	60	4.2	10	< 5	< 0.1	< 0.2	< 0.5	2.9	0.54	1.43	56.6	1.060
487055	5.3	< 1	210	32.3	64	26	5.1	1.2	< 0.5	1.5	0.25	1.48	3.8	1.047
487056	365	< 1	160	13.0	< 3	< 5	< 0.1	< 0.2	< 0.5	3.1	< 0.05	1.60	314	1.037
487057	3.1	< 1	230	4.3	14	6	2.7	1.0	< 0.5	2.5	0.38	1.93	2.1	1.069
487058	67.3	< 1	130	4.7	9	< 5	< 0.1	< 0.2	< 0.5	1.5	< 0.05	1.37	52.1	1.025
487059	73.0	< 1	130	5.0	8	< 5	< 0.1	< 0.2	< 0.5	2.0	0.34	1.63	55.6	1.012
487060	3.3	< 1	400	23.4	41	17	3.2	1.0	< 0.5	2.3	0.36	1.71	2.3	1.011
487061	< 0.5	< 1	350	3.8	10	5	2.1	0.8	< 0.5	2.3	0.39	1.76	0.4	1.009
487062	8.1	< 1	390	4.7	12	6	1.9	0.7	< 0.5	2.1	0.31	1.54	5.6	1.002
487063	535	< 1	150	18.9	< 3	< 5	< 0.1	< 0.2	< 0.5	5.8	< 0.05	1.38	452	1.060
487064	7.9	< 1	110	27.0	53	23	4.5	1.1	< 0.5	1.5	0.23	1.70	5.6	1.028
487065	43.2	< 1	< 50	11.9	26	8	2.0	0.4	< 0.5	1.7	0.27	1.53	32.4	1.017
487066	69.3	< 1	100	12.0	21	7	2.2	< 0.2	< 0.5	2.3	0.38	1.38	51.9	1.025
487067	22.6	< 1	80	117	222	82	14.2	2.7	0.8	2.9	0.47	1.58	17.5	1.078
487068	< 0.5	< 1	140	38.9	73	24	5.3	1.4	0.6	1.6	0.26	2.00	1.8	1.083
487069	3.3	< 1	170	55.1	107	42	7.4	1.8	< 0.5	1.9	0.29	1.75	2.9	1.052
487070	13.2	< 1	< 50	36.0	67	20	3.4	0.8	< 0.5	0.7	0.15	1.82	10.6	1.014
487071	34.9	< 1	110	25.2	52	16	2.9	0.7	< 0.5	1.4	0.24	1.56	27.1	1.021
487072	59.8	< 1	60	19.3	38	12	2.5	< 0.2	< 0.5	2.0	0.31	1.74	47.3	1.047
487073	50.1	< 1	70	23.1	44	12	2.5	0.5	< 0.5	1.6	0.25	1.83	40.7	1.049
487074	41.7	< 1	120	14.8	29	10	2.5	0.8	< 0.5	1.8	0.33	1.56	31.4	1.006
487075	22.5	< 1	100	8.8	18	6	1.2	0.5	< 0.5	0.7	0.14	1.58	16.3	1.010
487076	44.5	< 1	100	11.9	28	8	2.5	< 0.2	< 0.5	3.4	0.64	1.37	33.8	1.064
487077	32.4	< 1	70	14.2	31	7	2.7	< 0.2	< 0.5	2.3	0.42	1.71	26.1	1.038
487078	62.4	< 1	150	11.1	22	6	1.8	< 0.2	< 0.5	1.3	< 0.05	1.64	51.4	1.066
487079	60.1	< 1	< 50	13.5	29	7	1.7	< 0.2	< 0.5	0.8	< 0.05	1.74	51.6	1.022
487080	220	< 1	70	35.7	67	22	5.3	< 0.2	< 0.5	3.1	0.65	1.74	188	1.022
487081	102	< 1	< 50	28.4	59	22	4.4	0.7	< 0.5	2.5	0.45	1.53	89.3	1.012
487082	3.2	< 1	230	25.4	51	21	4.0	1.0	< 0.5	1.1	0.15	1.69	3.0	1.066
487083	7.9	< 1	150	59.8	123	54	9.7	2.3	< 0.5	1.7	0.26	1.65	6.9	1.036
487084	30.9	< 1	< 50	7.9	18	5	2.6	0.6	1.0	5.6	0.91	1.56	24.8	1.027
487085	24.6	< 1	100	26.8	56	19	4.0	0.6	< 0.5	4.6	0.78	1.38	19.2	1.012
487086	6.9	< 1	90	45.6	95	38	7.2	1.7	< 0.5	1.9	0.29	1.71	6.0	1.097
487087	12.5	< 1	220	33.5	67	26	4.2	1.0	< 0.5	1.6	0.25	1.48	10.4	1.045

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
487088	4.1	< 1	120	39.2	80	29	5.2	1.2	< 0.5	1.5	0.27	1.71	3.4	1.027
487089	5.3	< 1	120	51.5	102	34	6.0	1.4	< 0.5	1.6	0.26	1.51	4.2	1.021
487090	5.0	< 1	120	47.8	94	34	5.8	1.3	< 0.5	1.7	0.30	1.59	4.4	1.029
487091	139	< 1	100	14.2	30	< 5	3.3	< 0.2	< 0.5	4.5	0.74	1.42	116	1.068
487092	5.5	< 1	200	39.5	79	29	5.5	1.4	< 0.5	1.3	0.24	1.60	5.2	1.095
487093	14.4	< 1	60	28.1	62	22	4.2	< 0.2	< 0.5	1.9	0.35	1.50	11.7	1.041
487094	4.4	< 1	150	38.7	79	33	5.7	1.3	< 0.5	1.7	0.26	1.64	3.7	1.044
487095	5.8	< 1	140	21.6	46	17	3.8	1.0	< 0.5	1.9	0.34	1.63	3.9	1.049
487096	3.8	< 1	160	40.1	74	28	5.8	1.3	0.6	1.5	0.23	1.77	2.6	1.043
487097	10.4	< 1	120	43.6	88	29	6.6	1.3	0.9	2.7	0.39	1.69	8.7	1.050
487098	15.1	< 1	220	92.5	177	65	10.7	2.5	0.8	1.9	0.29	1.51	11.8	1.028
487099	284	< 1	< 50	10.7	< 3	< 5	< 0.1	< 0.2	< 0.5	3.2	< 0.05	1.57	227	1.047
487100	12.2	< 1	200	39.0	79	28	6.3	1.6	< 0.5	1.7	0.27	1.65	10.5	1.028
487131	31.0	< 1	460	86.4	174	55	8.1	1.0	< 0.5	1.8	0.33	1.36	24.5	1.060
487132	3.9	< 1	160	33.7	68	27	5.4	1.4	0.6	2.0	0.31	1.68	3.5	1.056
487133	55.8	< 1	110	40.8	90	30	5.9	< 0.2	< 0.5	1.6	0.26	1.68	48.8	1.019
487134	193	< 1	< 50	16.5	31	< 5	3.7	< 0.2	0.7	2.4	< 0.05	1.40	172	1.040
487135	82.8	< 1	80	20.7	41	10	3.2	< 0.2	< 0.5	1.4	< 0.05	1.62	71.4	1.001
487136	28.7	< 1	70	20.9	44	17	3.5	< 0.2	< 0.5	1.0	0.19	1.56	24.7	1.011
487137	24.8	< 1	90	9.9	22	10	2.3	< 0.2	< 0.5	5.2	0.84	1.37	21.2	1.087
487138	54.0	< 1	90	20.5	44	12	3.9	< 0.2	0.7	4.9	0.83	1.48	45.9	1.077
487139	25.3	< 1	< 50	6.9	18	< 5	1.8	0.3	0.6	5.0	0.79	1.62	20.7	1.067
487140	8.3	< 1	70	5.4	12	< 5	1.0	0.2	< 0.5	0.7	0.14	1.59	6.9	1.014
487141	9.4	< 1	< 50	7.2	17	6	1.2	0.3	< 0.5	0.9	0.15	1.25	7.2	1.074
487142	11.5	< 1	< 50	2.1	4	< 5	0.3	0.3	< 0.5	0.6	0.12	1.45	9.5	1.018
487143	14.6	< 1	< 50	1.9	3	< 5	0.3	0.3	< 0.5	0.7	0.11	1.54	12.4	1.019
487144	32.8	< 1	110	10.8	23	8	2.3	< 0.2	< 0.5	2.5	0.42	1.37	28.2	1.050
487145	30.6	< 1	< 50	10.3	21	7	1.9	< 0.2	< 0.5	2.9	0.42	1.56	26.6	1.059
487146	81.9	< 1	< 50	8.3	13	< 5	1.5	< 0.2	< 0.5	1.2	< 0.05	1.51	66.1	1.047
487147	84.0	< 1	< 50	13.6	25	11	2.1	< 0.2	< 0.5	0.7	< 0.05	1.39	72.2	1.058
487148	49.7	< 1	100	8.4	15	5	1.5	< 0.2	< 0.5	1.7	0.27	1.75	41.3	1.090
487149	5.8	< 1	210	38.5	80	33	6.4	1.5	< 0.5	1.9	0.27	1.52	4.7	1.055
487150	141	< 1	< 50	14.4	26	< 5	4.2	< 0.2	1.0	5.8	0.90	1.67	126	1.030
487151	58.7	< 1	80	12.1	25	10	2.4	< 0.2	< 0.5	3.2	0.57	1.61	51.3	1.016
487152	103	< 1	140	87.1	161	60	8.7	1.2	< 0.5	4.2	0.74	1.62	94.7	1.039
487153	22.6	< 1	< 50	11.4	21	9	1.3	< 0.2	< 0.5	1.3	0.20	1.39	21.3	1.039
487154	5.2	< 1	< 50	35.5	67	22	4.0	1.1	< 0.5	1.5	0.27	1.49	4.1	1.098
487155	9.4	< 1	< 50	34.8	67	28	4.2	1.3	< 0.5	1.2	0.31	1.60	8.0	1.052
487156	18.8	< 1	< 50	6.7	18	12	1.7	< 0.2	< 0.5	5.1	0.75	1.47	17.2	1.005
487157	< 0.5	< 1	< 50	26.1	48	17	3.1	0.9	< 0.5	0.9	0.23	1.70	2.5	1.096
487158	5.4	< 1	130	24.8	46	11	2.5	0.7	0.7	1.2	0.21	1.82	4.4	1.046
487159	18.8	< 1	< 50	6.4	12	< 5	0.8	< 0.2	< 0.5	1.8	0.35	1.61	18.7	1.054
487160	3.6	< 1	160	24.1	44	11	2.4	0.6	< 0.5	0.7	0.15	1.65	2.5	1.034
487161	21.6	< 1	< 50	26.8	54	17	3.2	1.0	< 0.5	1.7	0.27	1.65	19.5	1.086
487162	395	< 1	< 50	34.2	74	< 5	< 0.1	< 0.2	< 0.5	2.7	< 0.05	1.63	375	1.096
487163	8.6	< 1	< 50	27.5	54	20	3.3	1.0	< 0.5	1.9	0.38	1.72	6.1	1.068
487164	13.6	< 1	< 50	37.8	61	31	3.1	0.7	< 0.5	0.9	0.17	1.54	10.5	1.059
487165	21.8	< 1	< 50	14.1	28	10	1.5	< 0.2	< 0.5	1.5	0.31	1.55	17.9	1.044
487166	11.8	< 1	< 50	40.3	77	26	3.5	0.8	< 0.5	1.1	0.28	1.63	8.7	1.085
487167	282	< 1	< 50	12.2	32	< 5	< 0.1	< 0.2	0.5	2.2	< 0.05	1.61	256	1.083
487168	1180	< 1	< 50	33.9	90	54	< 0.1	< 0.2	< 0.5	8.9	< 0.05	1.61	1080	1.059
487169	20.0	< 1	300	3.8	7	< 5	1.2	0.4	< 0.5	2.0	0.22	1.72	15.3	1.018

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
487170	14.6	< 1	< 50	37.1	70	27	4.3	1.3	< 0.5	1.5	0.27	1.57	11.6	1.028
487190	26.4	< 1	< 50	30.1	60	19	3.3	1.1	< 0.5	1.9	0.35	1.78	23.8	1.021
487191	200	< 1	< 50	30.1	64	22	2.9	< 0.2	< 0.5	1.9	< 0.05	1.65	171	1.041
487192	137	< 1	< 50	33.3	64	25	3.3	< 0.2	< 0.5	1.7	< 0.05	1.53	131	1.086
487193	230	< 1	< 50	24.0	52	17	< 0.1	< 0.2	< 0.5	3.1	< 0.05	1.48	217	1.011
487194	45.9	< 1	< 50	7.8	20	14	1.0	< 0.2	< 0.5	1.8	0.37	1.44	41.9	1.020
487195	102	< 1	< 50	21.6	44	7	2.3	< 0.2	< 0.5	2.3	0.45	1.54	98.7	1.032
487196	26.4	< 1	< 50	3.7	12	13	0.4	< 0.2	< 0.5	1.1	0.22	1.50	23.9	1.062
487197	12.8	< 1	< 50	6.6	17	< 5	0.6	< 0.2	< 0.5	0.5	< 0.05	1.40	10.6	1.044
487198	7.1	< 1	< 50	4.3	7	< 5	0.4	0.3	< 0.5	0.4	< 0.05	1.49	3.9	1.096
487199	12.8	< 1	< 50	8.4	22	14	0.9	< 0.2	< 0.5	0.9	0.15	1.62	12.4	1.048
487200	23.0	< 1	< 50	60.0	120	31	5.9	< 0.2	< 0.5	0.8	< 0.05	1.64	22.5	1.051
487201	8.2	< 1	< 50	39.6	72	10	3.6	1.0	0.8	1.0	0.16	1.60	6.7	1.072
487202	204	< 1	120	39.6	78	12	3.9	< 0.2	< 0.5	2.2	< 0.05	1.60	190	1.040
487203	28.0	< 1	< 50	10.2	26	< 5	1.1	0.4	< 0.5	1.0	0.26	1.55	25.6	1.058
487204	93.5	< 1	< 50	22.3	37	8	2.3	< 0.2	< 0.5	1.4	< 0.05	1.43	85.4	1.047
487205	39.1	< 1	< 50	19.2	37	< 5	1.9	< 0.2	< 0.5	2.1	0.34	1.52	35.4	1.007
487206	9.4	< 1	< 50	39.1	74	24	3.8	1.3	< 0.5	1.4	0.28	1.62	7.7	1.048
487217	< 0.5	< 1	230	4.1	9	< 5	1.4	< 0.2	< 0.5	1.7	0.29	1.73	2.0	1.032
487218	35.7	< 1	< 50	3.3	4	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.75	35.7	1.013
487219	40.0	< 1	< 50	3.0	< 3	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.42	33.2	1.009
487220	2.3	< 1	< 50	5.8	10	< 5	1.2	0.6	< 0.5	1.2	0.22	1.73	1.8	1.051
487221	2.3	< 1	1200	13.0	25	< 5	1.7	0.9	< 0.5	1.3	0.24	1.61	1.6	1.056
487222	67.2	6	< 50	6.2	7	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.57	60.5	1.020
487223	22.1	< 1	490	10.5	20	< 5	1.2	< 0.2	< 0.5	0.9	0.20	1.40	18.7	1.023
487224	825	< 1	< 50	27.3	62	< 5	< 0.1	< 0.2	< 0.5	1.0	< 0.05	1.50	780	1.021
487225	1220	< 1	< 50	47.7	136	87	14.9	2.7	2.6	3.9	< 0.05	1.75	1170	1.067
487226	33.8	< 1	< 50	27.3	56	26	3.5	1.2	< 0.5	1.0	0.23	1.54	28.4	1.047
487227	57.3	< 1	< 50	16.1	37	15	2.4	0.6	< 0.5	0.9	< 0.05	1.66	51.9	1.075
487228	43.2	< 1	< 50	21.1	40	10	1.0	< 0.2	< 0.5	0.3	< 0.05	1.62	35.0	1.050
487229	16.0	< 1	< 50	13.0	21	< 5	0.7	0.6	< 0.5	< 0.2	< 0.05	1.53	12.8	1.068
487230	16.0	< 1	< 50	29.8	59	16	2.2	0.6	< 0.5	0.6	< 0.05	1.57	13.8	1.083
487231	8.6	< 1	< 50	27.3	48	20	2.2	0.7	< 0.5	0.6	0.11	1.65	6.5	1.073
487232	7.4	< 1	< 50	27.9	44	14	1.3	0.6	< 0.5	< 0.2	< 0.05	1.55	6.7	1.007
487233	11.3	< 1	< 50	21.1	36	9	1.2	0.5	< 0.5	< 0.2	< 0.05	1.46	9.5	1.034
487234	6.8	< 1	130	32.9	61	23	2.5	0.6	< 0.5	0.9	0.14	1.62	6.8	1.094
487235	7.2	< 1	< 50	11.2	16	< 5	1.1	< 0.2	< 0.5	0.6	< 0.05	1.59	6.1	1.093
487236	22.6	< 1	< 50	20.8	38	13	2.0	< 0.2	< 0.5	0.8	0.17	1.42	20.7	1.088
487237	13.2	< 1	< 50	9.4	20	< 5	0.8	< 0.2	1.4	< 0.2	< 0.05	1.38	11.1	1.008
487238	15.0	< 1	< 50	6.9	18	< 5	0.8	0.3	< 0.5	0.3	< 0.05	1.56	14.2	1.075
487239	12.2	< 1	< 50	18.9	30	13	1.3	0.4	< 0.5	0.3	0.06	1.54	10.0	1.086
487240	< 0.5	< 1	< 50	4.1	11	< 5	1.3	0.5	< 0.5	1.0	0.24	1.67	0.7	1.083
487241	39.5	< 1	< 50	2.4	8	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.63	32.5	1.070
487242	30.1	< 1	< 50	1.9	3	< 5	< 0.1	< 0.2	< 0.5	0.3	< 0.05	1.62	26.0	1.083
487243	64.9	< 1	< 50	3.7	4	< 5	< 0.1	< 0.2	< 0.5	0.4	< 0.05	1.43	58.4	1.069
487244	122	< 1	< 50	5.5	16	< 5	< 0.1	< 0.2	< 0.5	0.9	< 0.05	1.34	112	1.074
487245	3.3	< 1	< 50	3.3	< 3	< 5	0.9	0.4	< 0.5	1.2	0.28	1.55	1.3	1.044
487246	18.8	< 1	150	11.3	21	< 5	1.3	< 0.2	< 0.5	1.7	0.28	1.22	17.0	1.085
487247	3.1	< 1	< 50	4.1	12	< 5	1.2	< 0.2	< 0.5	1.6	0.25	1.56	3.0	1.059
487248	27.3	< 1	230	8.6	17	10	1.2	0.5	< 0.5	0.7	< 0.05	1.48	26.3	1.058
487249	244	< 1	100	12.2	25	14	< 0.1	< 0.2	< 0.5	0.9	< 0.05	1.50	231	1.077
487250	263	< 1	< 50	13.7	39	14	< 0.1	< 0.2	< 0.5	0.8	< 0.05	1.71	250	1.082

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
487251	508	< 1	< 50	27.4	79	49	10.1	1.7	< 0.5	2.9	< 0.05	1.42	487	1.037
487252	33.8	< 1	< 50	33.1	60	11	2.9	< 0.2	< 0.5	1.0	< 0.05	1.61	32.0	1.026
487253	10.3	< 1	< 50	30.2	50	17	2.4	0.7	< 0.5	0.4	< 0.05	1.43	8.6	1.026
487254	21.6	< 1	< 50	15.8	24	< 5	0.9	< 0.2	< 0.5	< 0.2	< 0.05	1.69	18.2	1.097
487255	7.8	< 1	< 50	28.1	55	17	2.5	0.8	< 0.5	0.8	0.12	1.58	7.1	1.032
487256	33.8	< 1	300	31.0	61	19	2.2	0.7	< 0.5	0.5	< 0.05	1.43	33.0	1.041
487257	21.6	< 1	150	7.9	9	< 5	0.6	< 0.2	< 0.5	< 0.2	< 0.05	1.61	21.8	1.073
487258	50.7	< 1	< 50	29.5	64	53	4.5	1.4	< 0.5	0.7	< 0.05	1.48	47.9	1.078
487259	13.4	< 1	< 50	26.2	57	29	2.1	< 0.2	< 0.5	0.6	< 0.05	1.51	11.6	1.055
487260	13.9	< 1	< 50	24.7	52	32	2.5	0.6	< 0.5	0.5	< 0.05	1.57	13.0	1.051
487261	11.1	< 1	< 50	21.9	51	16	1.9	< 0.2	< 0.5	< 0.2	< 0.05	1.67	10.4	1.032
487262	12.8	< 1	< 50	29.9	66	30	3.5	0.7	< 0.5	0.6	0.20	1.36	13.5	1.043
487263	26.8	< 1	< 50	10.9	27	37	2.2	0.6	< 0.5	0.5	< 0.05	1.72	25.6	1.059
487264	52.5	< 1	80	40.3	84	71	5.0	1.3	< 0.5	< 0.2	< 0.05	1.47	50.5	1.058
487265	26.2	< 1	< 50	22.1	45	30	2.5	< 0.2	< 0.5	< 0.2	< 0.05	1.62	24.9	1.015
487266	32.5	< 1	< 50	32.1	72	50	4.3	< 0.2	< 0.5	0.7	< 0.05	1.48	32.1	1.056
487267	6.7	< 1	< 50	30.4	64	22	3.5	0.9	< 0.5	0.7	0.19	1.56	6.6	1.057
487268	7.1	< 1	< 50	26.2	55	22	3.1	0.8	< 0.5	0.7	0.20	1.58	7.2	1.064
487269	5.9	< 1	< 50	42.5	75	27	4.1	1.2	< 0.5	0.6	0.10	1.62	5.5	1.044
487270	10.2	< 1	< 50	14.8	25	9	1.7	< 0.2	< 0.5	0.7	0.08	1.48	10.5	1.032
487271	19.0	< 1	< 50	7.5	14	7	0.8	< 0.2	< 0.5	0.6	< 0.05	1.54	18.4	1.019
487272	6.2	< 1	< 50	30.6	52	26	2.5	0.9	< 0.5	0.5	0.12	1.43	5.0	1.003
487273	8.5	< 1	70	25.5	45	17	2.3	0.7	< 0.5	0.5	0.07	1.50	8.9	1.099
487274	21.6	< 1	< 50	7.2	16	< 5	0.6	< 0.2	< 0.5	0.3	< 0.05	1.49	20.6	1.029
487275	11.4	< 1	< 50	25.5	43	22	2.0	0.6	< 0.5	0.3	0.07	1.58	12.5	1.041
487276	1.9	< 1	100	2.3	6	< 5	1.1	0.5	< 0.5	1.6	0.26	1.54	0.9	1.020
487277	49.1	< 1	< 50	3.2	5	< 5	< 0.1	< 0.2	< 0.5	0.3	< 0.05	1.38	50.1	1.061
487278	52.8	< 1	< 50	4.3	4	< 5	< 0.1	< 0.2	< 0.5	0.6	< 0.05	1.51	52.1	1.017
487279	26.5	< 1	< 50	1.9	< 3	< 5	< 0.1	0.5	< 0.5	0.2	< 0.05	1.43	24.9	1.024
487280	48.0	< 1	< 50	2.3	10	< 5	0.9	< 0.2	< 0.5	0.3	< 0.05	1.51	42.1	1.082
487281	96.0	< 1	90	5.4	15	10	1.9	0.9	< 0.5	0.8	< 0.05	1.51	91.3	1.038
487282	6.2	< 1	< 50	2.0	6	< 5	1.5	0.7	< 0.5	1.8	0.28	1.79	5.1	1.098
487283	9.6	< 1	< 50	2.7	9	< 5	1.4	0.5	< 0.5	1.5	0.22	1.48	8.3	1.016
487284	67.2	1	100	2.8	11	< 5	1.1	< 0.2	< 0.5	0.4	< 0.05	1.57	62.7	1.042
487285	31.2	< 1	200	2.3	7	< 5	1.2	0.7	< 0.5	0.9	0.23	1.64	27.3	1.095
487286	76.0	< 1	< 50	2.5	7	< 5	1.3	0.3	< 0.5	< 0.2	< 0.05	1.57	69.2	1.067
487287	224	< 1	< 50	6.9	28	< 5	4.0	< 0.2	< 0.5	0.5	< 0.05	1.44	209	1.048
487288	7.4	< 1	180	3.0	11	7	1.7	< 0.2	< 0.5	1.5	0.18	1.49	5.3	1.053
487289	136	< 1	< 50	9.7	34	15	3.0	< 0.2	< 0.5	0.5	< 0.05	1.61	129	1.031
487290	2.7	< 1	290	20.5	59	31	4.4	1.3	< 0.5	0.8	0.15	1.50	2.0	1.011
487291	9.3	< 1	570	11.0	29	8	2.5	0.6	0.8	1.1	0.16	1.64	8.8	1.045
487292	34.9	< 1	< 50	5.0	14	< 5	1.5	0.6	< 0.5	0.3	< 0.05	1.46	32.2	1.043
487293	26.4	< 1	< 50	3.0	12	< 5	1.0	< 0.2	< 0.5	0.4	< 0.05	1.43	23.0	1.066
487294	53.5	< 1	120	3.5	11	6	1.4	0.6	< 0.5	< 0.2	< 0.05	1.54	52.6	1.067
487295	14.7	< 1	70	1.5	4	< 5	0.4	0.3	< 0.5	< 0.2	< 0.05	1.56	13.6	1.014
487296	27.9	< 1	< 50	1.8	< 3	< 5	0.6	< 0.2	< 0.5	< 0.2	< 0.05	1.62	26.6	1.073
487297	10.1	2	< 50	1.8	6	< 5	0.5	0.3	1.0	< 0.2	< 0.05	1.49	8.8	1.076
487298	24.8	< 1	< 50	2.5	10	9	0.9	0.5	< 0.5	0.4	< 0.05	1.61	22.9	1.060
487299	24.0	< 1	< 50	6.4	18	< 5	1.5	0.5	< 0.5	0.6	0.16	1.38	20.9	1.081
487300	2.2	< 1	470	9.7	25	13	2.4	0.9	< 0.5	1.0	0.17	1.61	2.3	1.037
487301	9.3	< 1	< 50	1.9	5	< 5	0.3	< 0.2	< 0.5	0.3	< 0.05	1.48	7.9	1.054
487302	23.4	< 1	< 50	12.4	32	11	2.2	< 0.2	< 0.5	0.9	< 0.05	1.42	22.8	1.096

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
487303	117	< 1	< 50	19.5	53	14	3.6	< 0.2	< 0.5	1.3	< 0.05	1.60	109	1.027
487304	139	< 1	< 50	24.8	79	25	6.1	< 0.2	1.1	2.8	0.36	1.42	125	1.044
487305	55.5	< 1	< 50	11.9	34	18	2.7	< 0.2	< 0.5	1.1	0.20	1.49	53.7	1.071
487306	73.0	< 1	< 50	7.4	20	14	2.4	< 0.2	< 0.5	1.1	< 0.05	1.55	71.8	1.037
487307	146	< 1	< 50	7.8	25	< 5	3.8	< 0.2	< 0.5	1.8	< 0.05	1.41	142	1.077
487308	256	< 1	70	15.4	48	< 5	6.3	< 0.2	< 0.5	3.0	0.44	1.52	245	1.057
487309	124	< 1	< 50	13.1	40	14	3.9	< 0.2	< 0.5	1.5	< 0.05	1.47	118	1.022
487310	25.5	< 1	< 50	5.1	11	< 5	1.1	< 0.2	< 0.5	0.4	< 0.05	1.51	24.3	1.080
487311	32.1	< 1	< 50	4.8	10	< 5	1.1	< 0.2	< 0.5	0.3	< 0.05	1.45	30.4	1.069
487312	256	< 1	< 50	11.6	34	19	6.0	< 0.2	< 0.5	2.3	< 0.05	1.40	234	1.063
487313	46.8	< 1	< 50	6.7	18	6	1.8	0.4	< 0.5	0.8	0.09	1.47	43.4	1.014
487314	78.2	< 1	< 50	9.4	25	12	2.7	< 0.2	< 0.5	0.9	< 0.05	1.50	73.8	1.083
487315	332	< 1	70	35.1	109	34	10.9	< 0.2	< 0.5	2.6	< 0.05	1.58	311	1.049
487316	63.8	< 1	< 50	9.3	23	6	2.3	0.5	< 0.5	0.7	< 0.05	1.47	63.0	1.023
487317	145	< 1	< 50	16.8	49	20	5.2	< 0.2	< 0.5	2.0	0.23	1.47	133	1.046
487318	51.8	< 1	< 50	7.5	23	< 5	2.1	< 0.2	< 0.5	0.9	< 0.05	1.37	46.6	1.024
487319	22.1	< 1	< 50	6.2	17	5	1.3	0.4	< 0.5	0.9	0.17	1.55	19.6	1.003
487320	26.4	< 1	< 50	4.4	10	< 5	1.2	< 0.2	< 0.5	0.9	< 0.05	1.47	25.0	1.075
487321	24.6	< 1	< 50	11.2	32	12	2.5	< 0.2	< 0.5	1.4	0.24	1.38	22.4	1.022
487322	45.9	< 1	< 50	18.7	56	16	4.4	0.5	< 0.5	2.7	0.59	1.41	45.1	1.081
487323	15.3	< 1	< 50	6.9	26	7	2.3	< 0.2	1.1	2.0	0.37	1.52	13.8	1.077
487324	4.1	< 1	150	34.5	94	38	6.7	1.9	< 0.5	1.3	0.25	1.50	2.6	1.097
487325	12.4	< 1	130	29.6	74	24	6.3	1.5	1.7	2.3	0.52	1.52	10.7	1.044
487326	26.3	< 1	80	5.5	17	< 5	1.8	< 0.2	0.6	1.7	0.37	1.52	24.0	1.062
487327	< 0.5	< 1	140	30.6	87	37	6.2	1.3	0.9	1.3	0.37	1.54	2.8	1.051
487328	50.4	< 1	< 50	7.2	21	< 5	2.2	< 0.2	< 0.5	1.5	0.29	1.53	50.3	1.083
487329	4.8	< 1	110	29.8	87	27	6.0	1.3	< 0.5	1.3	0.27	1.54	4.9	1.096
487330	35.0	< 1	< 50	6.5	17	6	0.9	< 0.2	< 0.5	< 0.2	0.07	1.61	32.8	1.004
487331	102	< 1	80	21.6	60	21	4.8	0.7	< 0.5	0.7	< 0.05	1.54	104	1.046
487332	73.0	< 1	< 50	45.2	127	47	7.4	1.1	< 0.5	1.5	< 0.05	1.50	76.4	1.030
487333	336	< 1	150	94.5	248	74	13.4	1.1	< 0.5	1.4	< 0.05	1.44	345	1.072
487334	87.6	< 1	< 50	25.7	74	18	4.2	0.5	< 0.5	0.6	< 0.05	1.59	85.2	1.079
487335	43.5	< 1	< 50	25.7	67	22	3.0	0.6	< 0.5	0.5	< 0.05	1.50	43.8	1.038
487336	90.0	< 1	< 50	16.3	40	6	2.6	< 0.2	< 0.5	0.4	< 0.05	1.62	82.9	1.061
487337	73.5	< 1	< 50	9.6	22	8	2.8	< 0.2	< 0.5	0.8	< 0.05	1.46	69.1	1.026
487338	25.5	< 1	< 50	11.2	30	< 5	1.9	0.5	< 0.5	0.6	0.11	1.49	21.5	1.069
487339	23.3	< 1	< 50	7.7	22	11	1.7	0.7	< 0.5	0.7	0.10	1.61	22.7	1.060
487340	7.5	< 1	< 50	17.3	40	14	1.9	< 0.2	< 0.5	< 0.2	< 0.05	1.61	7.7	1.064
487341	9.0	< 1	< 50	19.4	46	12	1.9	0.6	< 0.5	< 0.2	< 0.05	1.52	7.7	1.075
487342	113	< 1	< 50	28.2	83	31	9.0	2.0	< 0.5	2.6	0.26	1.47	106	1.011
487343	120	< 1	< 50	41.8	105	30	6.6	0.8	1.1	1.0	< 0.05	1.48	111	1.048
487344	21.8	< 1	90	13.2	35	7	1.9	0.5	< 0.5	0.2	0.10	1.53	19.2	1.075
487345	25.5	< 1	< 50	16.4	38	17	2.5	0.5	< 0.5	0.6	< 0.05	1.62	24.9	1.042
487346	14.9	< 1	< 50	17.8	43	15	2.3	0.5	< 0.5	0.5	< 0.05	1.37	12.9	1.008
487347	9.2	< 1	< 50	17.9	45	< 5	2.3	0.5	< 0.5	0.4	0.11	1.49	9.2	1.072
487348	5.7	< 1	< 50	14.5	34	13	1.9	0.4	< 0.5	0.2	0.09	2.07	5.1	1.036
487349	11.4	< 1	< 50	13.3	35	14	2.0	0.5	< 0.5	0.6	0.15	2.00	12.6	1.037
487350	12.1	< 1	< 50	11.4	30	6	2.1	0.5	< 0.5	0.5	0.12	1.89	11.9	1.001
487351	3.9	< 1	< 50	29.3	74	19	4.4	1.1	1.1	0.6	0.16	1.48	5.3	1.033
487352	6.0	2	< 50	5.4	12	< 5	0.8	0.5	0.9	< 0.2	0.06	1.48	5.3	1.041
487353	1.3	< 1	< 50	0.9	< 3	< 5	0.1	< 0.2	< 0.5	0.2	< 0.05	1.67	1.9	1.033
487354	4.5	< 1	< 50	10.2	26	7	1.1	0.2	< 0.5	0.3	< 0.05	1.69	4.5	1.064

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
487355	7.8	< 1	< 50	32.5	80	23	4.3	1.0	< 0.5	0.9	0.16	1.55	7.8	1.063
487356	19.2	< 1	< 50	17.8	47	11	1.9	0.4	< 0.5	< 0.2	< 0.05	1.61	18.8	1.022
487357	9.4	< 1	< 50	69.3	132	36	3.7	0.7	< 0.5	< 0.2	< 0.05	1.43	9.8	1.074
487358	18.8	< 1	< 50	29.6	50	13	2.4	0.7	< 0.5	< 0.2	< 0.05	1.61	16.8	1.020
487359	26.3	< 1	< 50	10.7	18	< 5	0.6	< 0.2	< 0.5	< 0.2	< 0.05	1.69	26.8	1.072
487360	52.6	< 1	< 50	62.4	113	42	6.9	1.1	< 0.5	0.8	< 0.05	1.42	55.5	1.034
487361	55.5	< 1	< 50	69.3	126	42	5.5	< 0.2	< 0.5	1.3	< 0.05	1.47	57.8	1.040
487362	27.3	< 1	< 50	12.6	18	< 5	0.8	< 0.2	< 0.5	< 0.2	< 0.05	1.54	22.7	1.074
487363	9.0	< 1	< 50	29.0	47	< 5	2.2	< 0.2	< 0.5	< 0.2	0.15	1.53	8.5	1.029
487364	35.7	< 1	< 50	26.5	49	< 5	1.5	< 0.2	< 0.5	0.5	0.17	1.38	32.2	1.081
487365	23.5	< 1	< 50	13.2	18	10	0.8	< 0.2	< 0.5	< 0.2	< 0.05	1.41	21.9	1.029
487366	47.9	< 1	< 50	37.2	55	20	2.1	< 0.2	< 0.5	6.1	1.49	1.34	45.2	1.058
487367	20.7	< 1	< 50	6.3	12	< 5	0.4	< 0.2	< 0.5	0.8	< 0.05	1.57	21.1	1.051
487368	15.6	< 1	< 50	26.6	47	19	2.0	< 0.2	< 0.5	0.6	0.10	1.51	14.1	1.029
487369	21.5	< 1	< 50	4.5	10	< 5	0.8	< 0.2	< 0.5	< 0.2	< 0.05	1.34	19.1	1.014
487370	15.6	< 1	< 50	22.8	42	14	1.8	< 0.2	< 0.5	0.5	< 0.05	1.44	14.2	1.084
487371	6.2	< 1	< 50	27.3	51	20	2.1	0.8	< 0.5	< 0.2	0.14	1.38	5.7	1.059
487372	27.3	< 1	< 50	10.4	20	< 5	0.5	< 0.2	< 0.5	< 0.2	< 0.05	1.55	24.3	1.023
487373	16.6	< 1	< 50	3.5	< 3	< 5	0.3	< 0.2	< 0.5	< 0.2	< 0.05	1.42	14.9	1.054
487374	12.7	< 1	< 50	24.7	41	< 5	1.8	0.7	< 0.5	< 0.2	< 0.05	1.51	11.5	1.053
487375	19.5	< 1	< 50	9.1	16	10	0.6	< 0.2	< 0.5	< 0.2	0.19	1.47	19.7	1.072
487376	14.6	< 1	< 50	24.7	42	18	1.8	0.6	< 0.5	0.3	< 0.05	1.48	13.5	1.016
487377	8.5	< 1	< 50	3.1	7	< 5	0.8	< 0.2	< 0.5	1.2	0.25	1.62	5.9	1.061
487378	117	< 1	< 50	6.2	7	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.26	109	1.034
487379	100	< 1	< 50	5.2	18	< 5	< 0.1	< 0.2	< 0.5	0.6	< 0.05	1.51	93.7	1.018
487380	13.6	< 1	250	19.6	42	11	2.5	1.2	< 0.5	0.9	0.20	1.42	11.7	1.062
487381	4.5	< 1	530	14.7	29	< 5	1.8	< 0.2	< 0.5	1.2	0.23	1.39	3.3	1.055
487382	19.1	< 1	< 50	4.6	11	7	0.5	< 0.2	< 0.5	0.4	< 0.05	1.49	18.1	1.009
487383	27.3	< 1	< 50	2.7	7	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.59	26.4	1.030
487384	11.8	< 1	700	10.5	25	15	1.5	< 0.2	< 0.5	0.7	0.15	1.47	10.0	1.048
487385	38.2	< 1	< 50	3.8	7	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.69	34.7	1.040
487386	< 0.5	< 1	540	12.6	25	< 5	1.8	0.8	< 0.5	< 0.2	0.20	1.54	1.7	1.097
487387	< 0.5	< 1	1040	12.6	29	< 5	2.0	0.9	< 0.5	1.1	0.25	1.62	1.2	1.066
487388	51.9	< 1	< 50	4.7	14	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.79	53.5	1.008
487389	8.2	< 1	250	11.2	22	< 5	1.6	< 0.2	< 0.5	1.5	0.29	1.59	6.7	1.099
487390	5.4	< 1	< 50	37.0	65	28	2.9	1.0	< 0.5	0.6	< 0.05	1.55	4.0	1.049
487391	< 0.5	< 1	< 50	3.6	7	< 5	0.3	< 0.2	< 0.5	< 0.2	< 0.05	1.75	1.9	1.047
487392	4.3	< 1	< 50	7.2	17	< 5	0.4	0.3	< 0.5	< 0.2	0.09	1.71	3.6	1.093
487393	5.2	< 1	< 50	7.8	18	< 5	0.5	< 0.2	< 0.5	0.3	< 0.05	1.64	5.0	1.091
487394	5.1	< 1	< 50	2.8	5	< 5	0.2	< 0.2	< 0.5	< 0.2	< 0.05	1.68	2.7	1.051
487395	3.5	< 1	< 50	3.2	8	< 5	0.4	< 0.2	< 0.5	< 0.2	< 0.05	1.77	3.0	1.076
487396	3.0	< 1	< 50	2.4	< 3	< 5	0.3	< 0.2	< 0.5	< 0.2	< 0.05	1.71	2.6	1.055
487397	6.7	< 1	< 50	10.4	17	15	1.2	0.4	< 0.5	< 0.2	0.06	1.61	7.3	1.045
487398	4.9	< 1	< 50	2.0	< 3	< 5	0.1	0.3	< 0.5	< 0.2	< 0.05	1.79	3.1	1.043
487399	6.3	< 1	< 50	6.2	10	< 5	0.8	< 0.2	< 0.5	0.6	< 0.05	1.58	5.2	1.016
487400	3.6	< 1	< 50	14.9	27	< 5	1.2	< 0.2	< 0.5	0.3	< 0.05	1.68	3.6	1.016
487401	4.2	< 1	< 50	14.9	39	14	2.0	0.6	< 0.5	< 0.2	< 0.05	1.81	4.4	1.062
487402	4.0	< 1	< 50	2.5	6	< 5	0.6	< 0.2	< 0.5	< 0.2	< 0.05	1.64	3.6	1.047
487403	2.2	< 1	70	0.9	4	< 5	0.3	< 0.2	< 0.5	< 0.2	< 0.05	1.85	2.1	1.051
487404	8.8	< 1	< 50	12.8	31	8	1.9	< 0.2	< 0.5	0.5	< 0.05	1.67	8.8	1.061
487405	12.8	< 1	< 50	20.6	55	14	2.2	< 0.2	< 0.5	0.5	0.08	1.60	11.4	1.051
487406	6.4	< 1	< 50	25.7	70	16	3.4	0.9	< 0.5	0.5	0.11	1.72	5.4	1.019

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05	INAA	0.1	DNC
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
487407	12.8	< 1	150	18.6	46	12	2.2	0.7	< 0.5	0.5	< 0.05	1.65	11.6	1.035
487408	4.6	< 1	< 50	1.7	4	< 5	0.2	0.2	< 0.5	< 0.2	< 0.05	1.79	3.6	1.092
487409	17.6	< 1	< 50	1.8	< 3	< 5	0.5	< 0.2	< 0.5	< 0.2	< 0.05	1.86	16.0	1.045
487410	15.2	< 1	< 50	28.3	69	22	3.3	0.8	< 0.5	0.6	0.16	1.75	13.3	1.072
487411	12.8	< 1	< 50	18.1	48	9	2.5	0.7	< 0.5	0.5	0.13	1.53	13.6	1.054
487412	9.6	< 1	< 50	12.0	34	13	2.2	0.6	< 0.5	0.6	0.13	1.58	9.6	1.081
487413	23.2	< 1	< 50	10.4	29	< 5	1.8	0.6	< 0.5	0.5	0.07	1.58	20.0	1.093
487414	16.8	< 1	< 50	21.1	50	13	2.5	0.6	< 0.5	0.3	< 0.05	1.80	15.2	1.056
487415	14.4	< 1	< 50	10.0	27	9	1.5	< 0.2	< 0.5	0.4	< 0.05	1.70	13.2	1.067
487416	17.6	< 1	< 50	17.4	44	13	2.3	0.6	< 0.5	0.5	< 0.05	1.66	17.1	1.059
487417	8.8	< 1	< 50	6.6	15	6	1.2	0.5	< 0.5	0.4	0.08	1.47	8.2	1.042
487418	26.4	< 1	< 50	5.6	15	9	1.2	0.6	< 0.5	0.3	< 0.05	1.71	24.2	1.059
487419	31.2	< 1	< 50	30.4	77	25	3.5	0.9	< 0.5	0.6	< 0.05	1.65	26.6	1.032
487420	20.0	< 1	< 50	24.3	60	23	3.2	0.8	< 0.5	0.6	0.12	1.77	16.8	1.053
487421	36.0	< 1	< 50	23.5	58	20	2.5	1.0	< 0.5	0.6	< 0.05	1.48	31.7	1.005
487422	7.4	< 1	< 50	25.8	61	20	3.6	0.7	< 0.5	0.7	0.17	1.59	7.2	1.058
487423	8.5	< 1	< 50	20.4	53	16	2.8	0.8	< 0.5	0.7	0.14	1.60	8.4	1.095
487424	13.2	< 1	< 50	22.8	57	22	3.3	0.9	< 0.5	0.6	0.13	1.74	13.2	1.015
487425	9.3	< 1	< 50	22.2	56	20	2.7	0.7	< 0.5	0.5	0.09	1.70	8.2	1.067
487426	21.7	< 1	< 50	20.4	48	13	2.8	0.8	< 0.5	0.6	0.16	1.75	19.5	1.049
487427	12.4	< 1	90	25.8	67	17	3.4	0.9	< 0.5	0.5	0.08	1.62	11.0	1.082
487428	13.9	< 1	< 50	17.6	44	15	2.1	0.4	< 0.5	0.5	0.15	1.69	13.8	1.011
487429	11.6	< 1	< 50	18.6	46	13	2.2	0.6	< 0.5	0.6	0.12	1.61	9.9	1.063
487430	15.5	< 1	< 50	17.1	41	10	2.0	0.4	< 0.5	0.7	< 0.05	1.74	14.0	1.033
487431	17.0	< 1	< 50	17.6	41	10	2.5	0.4	< 0.5	0.7	0.12	1.59	15.0	1.088
487432	18.6	< 1	< 50	13.3	31	< 5	1.4	< 0.2	< 0.5	0.3	0.07	1.74	16.1	1.038
487433	17.0	< 1	< 50	10.1	25	13	1.9	0.4	< 0.5	0.5	0.13	1.59	16.2	1.014
487434	5.8	< 1	90	2.2	9	< 5	1.2	0.4	< 0.5	0.4	< 0.05	1.54	5.1	1.029
487435	6.8	< 1	< 50	4.7	12	< 5	1.3	< 0.2	< 0.5	0.5	0.11	1.82	6.4	1.042
487436	9.6	< 1	< 50	9.1	24	< 5	1.9	0.4	< 0.5	0.4	0.07	1.59	8.6	1.019
487437	15.2	< 1	< 50	3.2	9	< 5	0.9	0.2	< 0.5	0.3	0.06	1.63	13.2	1.058
487438	9.6	< 1	< 50	2.5	9	6	0.5	0.6	< 0.5	< 0.2	< 0.05	1.63	9.2	1.075
487439	17.6	< 1	< 50	5.0	15	< 5	0.9	< 0.2	< 0.5	0.3	< 0.05	1.51	14.7	1.060
487440	9.6	< 1	< 50	8.0	22	12	1.1	0.4	< 0.5	0.4	0.06	1.72	9.0	1.079
487441	7.8	< 1	80	3.0	6	< 5	0.5	< 0.2	< 0.5	< 0.2	0.07	1.53	7.0	1.094
487442	20.8	< 1	< 50	6.5	15	< 5	1.3	< 0.2	< 0.5	0.4	< 0.05	1.70	19.8	1.051
487443	35.2	< 1	< 50	7.2	20	< 5	1.3	0.4	< 0.5	0.4	< 0.05	1.75	29.2	1.048
487444	9.6	< 1	< 50	7.0	18	< 5	1.0	< 0.2	< 0.5	0.3	0.07	1.60	9.7	1.013
487445	14.3	< 1	< 50	13.9	35	9	1.6	0.5	< 0.5	0.4	0.10	1.61	12.8	1.021
487446	15.8	< 1	< 50	5.6	12	< 5	1.2	0.4	< 0.5	0.3	< 0.05	1.60	13.6	1.043
487447	7.5	< 1	< 50	12.3	27	10	1.5	0.5	< 0.5	0.5	0.09	1.68	6.7	1.073
487448	10.5	< 1	< 50	20.7	44	9	1.9	0.5	< 0.5	< 0.2	< 0.05	1.68	8.7	1.078
487449	9.0	< 1	< 50	19.1	47	13	2.0	0.5	< 0.5	0.4	< 0.05	1.46	8.4	1.049
487450	4.9	< 1	< 50	3.6	9	< 5	0.9	0.3	< 0.5	1.6	0.32	1.58	4.2	1.072
487451	28.5	< 1	< 50	3.0	13	< 5	1.2	< 0.2	< 0.5	0.4	< 0.05	1.87	27.0	1.081
487452	120	< 1	< 50	5.3	16	< 5	2.8	< 0.2	< 0.5	0.6	< 0.05	1.74	111	1.048
487453	45.8	< 1	< 50	3.0	12	< 5	1.2	0.3	< 0.5	0.4	< 0.05	1.74	41.6	1.083
487454	33.8	2	< 50	3.2	13	< 5	1.6	0.4	< 0.5	0.8	< 0.05	1.66	30.1	1.076
487455	12.0	< 1	90	2.8	7	< 5	0.6	0.3	< 0.5	< 0.2	0.06	1.91	11.4	1.002
487456	32.1	< 1	< 50	2.0	5	5	0.7	< 0.2	< 0.5	0.4	< 0.05	1.81	27.8	1.026
487457	160	< 1	< 50	14.6	30	18	4.0	< 0.2	< 0.5	< 0.2	< 0.05	1.54	143	1.009
487458	11.3	< 1	< 50	26.6	45	16	1.5	0.6	< 0.5	0.2	0.07	1.78	8.7	1.008

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05	INAA	0.1	DNC
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
487459	16.3	< 1	< 50	16.0	25	6	1.2	< 0.2	< 0.5	< 0.2	< 0.05	1.83	15.1	1.023
487460	14.7	< 1	< 50	21.5	30	9	1.4	< 0.2	< 0.5	< 0.2	< 0.05	1.77	11.6	1.064
487461	16.4	< 1	< 50	18.2	30	6	1.4	< 0.2	< 0.5	0.4	< 0.05	1.70	13.2	1.030
487462	5.9	< 1	< 50	16.5	27	9	1.4	0.5	< 0.5	< 0.2	< 0.05	1.81	5.2	1.045
487463	21.5	< 1	< 50	51.4	87	25	3.0	0.7	< 0.5	< 0.2	< 0.05	1.88	18.4	1.098
487464	31.6	< 1	< 50	25.7	44	12	1.7	0.6	< 0.5	< 0.2	< 0.05	1.77	25.6	1.018
487465	13.4	< 1	< 50	20.2	36	9	1.4	< 0.2	< 0.5	0.4	< 0.05	1.72	10.2	1.037
487466	13.4	< 1	< 50	21.3	35	12	1.6	0.6	< 0.5	0.5	< 0.05	1.74	10.2	1.063
487467	29.4	< 1	< 50	11.7	14	< 5	0.8	< 0.2	< 0.5	< 0.2	< 0.05	1.63	23.1	1.003
487468	50.2	< 1	< 50	13.2	21	7	1.4	1.0	< 0.5	0.3	< 0.05	1.76	41.2	1.083
487469	57.2	< 1	< 50	21.2	40	< 5	2.0	< 0.2	< 0.5	< 0.2	< 0.05	1.68	49.9	1.071
487470	15.2	< 1	< 50	22.2	36	13	1.7	0.5	< 0.5	0.5	< 0.05	1.74	11.7	1.053
487471	13.0	< 1	< 50	20.0	33	6	1.6	< 0.2	< 0.5	< 0.2	0.12	1.73	10.3	1.071
487472	11.1	< 1	< 50	14.1	20	7	1.3	0.5	< 0.5	< 0.2	< 0.05	1.76	9.0	1.082
487473	17.3	< 1	140	25.2	37	8	2.1	< 0.2	< 0.5	0.5	0.06	1.64	12.2	1.004
487474	15.2	< 1	< 50	11.9	21	8	1.4	< 0.2	< 0.5	0.7	< 0.05	1.73	14.2	1.057
487475	16.4	< 1	< 50	16.3	33	7	2.7	0.8	< 0.5	0.5	0.14	1.61	11.2	1.041
487476	25.7	< 1	< 50	27.4	49	17	4.3	1.1	< 0.5	1.4	< 0.05	1.81	20.8	1.005
487477	7.3	< 1	< 50	26.1	50	12	3.0	0.7	< 0.5	0.7	< 0.05	1.69	6.0	1.064
487478	11.6	< 1	< 50	24.8	42	14	2.1	0.8	< 0.5	0.8	0.11	1.72	6.6	1.081
487479	38.3	< 1	< 50	12.9	19	< 5	1.8	0.7	< 0.5	0.4	< 0.05	1.63	30.9	1.048
487480	11.4	< 1	110	21.0	36	6	2.1	< 0.2	< 0.5	0.4	< 0.05	1.59	9.2	1.047
487481	13.1	< 1	< 50	15.6	28	11	1.7	0.4	< 0.5	0.4	0.10	1.64	9.7	1.098
487482	38.3	< 1	90	2.6	< 3	5	0.6	< 0.2	< 0.5	< 0.2	< 0.05	1.69	30.0	1.068
487483	9.4	< 1	< 50	2.9	7	< 5	1.0	< 0.2	< 0.5	1.2	0.29	1.83	7.7	1.042
487484	6.4	< 1	140	2.7	< 3	< 5	0.6	< 0.2	< 0.5	0.8	0.16	1.81	3.9	1.076
487485	77.5	< 1	240	5.5	10	< 5	2.0	< 0.2	< 0.5	1.3	< 0.05	1.75	65.1	1.049
487486	111	< 1	70	6.8	13	10	2.7	< 0.2	< 0.5	1.4	< 0.05	1.71	99.2	1.045
487487	271	< 1	< 50	11.5	27	16	4.4	< 0.2	< 0.5	< 0.2	< 0.05	1.60	246	1.044
487488	455	< 1	140	12.7	29	45	6.9	< 0.2	< 0.5	0.6	< 0.05	1.61	414	1.071
487489	131	< 1	< 50	5.4	16	13	3.4	< 0.2	< 0.5	0.8	< 0.05	1.62	133	1.075
487490	119	< 1	< 50	5.3	15	6	2.9	< 0.2	< 0.5	< 0.2	< 0.05	1.52	117	1.071
487491	163	< 1	< 50	8.3	17	17	4.3	< 0.2	< 0.5	1.1	< 0.05	1.66	155	1.038
487492	49.1	< 1	< 50	14.1	32	14	2.5	< 0.2	< 0.5	0.6	< 0.05	1.56	44.6	1.039
487493	187	< 1	< 50	18.5	37	29	5.8	< 0.2	< 0.5	1.0	< 0.05	1.79	166	1.044
487494	74.6	< 1	290	25.2	52	29	5.7	1.6	< 0.5	2.0	< 0.05	1.73	64.8	1.040
487495	43.9	< 1	< 50	9.7	19	6	3.2	< 0.2	< 0.5	0.8	< 0.05	1.56	41.9	1.010
487496	50.8	< 1	< 50	2.8	5	< 5	1.0	< 0.2	< 0.5	< 0.2	< 0.05	1.63	42.5	1.024
487497	64.9	< 1	< 50	2.8	6	< 5	1.0	< 0.2	< 0.5	< 0.2	< 0.05	1.62	55.5	1.054
487498	12.6	< 1	< 50	1.4	3	< 5	0.3	< 0.2	< 0.5	< 0.2	< 0.05	1.61	9.7	1.032
487499	5.3	< 1	< 50	7.0	12	< 5	0.8	0.3	< 0.5	< 0.2	< 0.05	1.61	4.3	1.082
487500	7.2	< 1	< 50	2.2	< 3	< 5	0.2	< 0.2	< 0.5	< 0.2	< 0.05	1.62	5.5	1.081
1000X	63.2	< 1	< 50	15.0	38	15	4.0	< 0.2	1.5	4.3	0.64	1.72	53.0	1.072
1001X	26.5	< 1	< 50	15.7	40	14	3.9	< 0.2	< 0.5	3.7	0.47	1.76	24.1	1.082
1003X														
10AF	37.5	< 1	< 50	33.3	74	22	6.0	< 0.2	1.4	2.9	0.46	1.55	30.3	1.051
10CBL	45.4	< 1	< 50	29.4	63	21	5.5	< 0.2	< 0.5	2.8	0.40	1.86	44.4	1.072
10X	18.3	< 1	< 50	16.6	33	12	4.5	< 0.2	1.6	3.9	0.60	1.65	15.3	1.011
11AF	31.5	< 1	< 50	25.1	52	21	4.8	< 0.2	1.4	3.4	0.48	1.53	28.6	1.042
11CBL	31.1	< 1	< 50	27.8	63	25	5.5	< 0.2	< 0.5	3.7	0.60	1.78	25.5	1.014
11X	23.5	< 1	110	18.6	44	10	5.5	< 0.2	2.1	5.8	0.77	1.63	17.6	1.033
12AF	30.5	< 1	< 50	31.3	62	20	5.7	< 0.2	< 0.5	3.4	0.46	1.46	23.3	1.029

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
12CBL	20.5	< 1	< 50	15.1	33	< 5	3.0	< 0.2	< 0.5	3.8	0.58	1.77	14.9	1.050
12X	10.3	< 1	< 50	2.0	6	< 5	0.4	< 0.2	< 0.5	1.2	0.18	1.64	7.6	1.028
13AF	40.1	< 1	120	31.2	61	20	5.7	0.5	< 0.5	4.6	0.69	1.54	30.4	1.040
13CBL	16.0	< 1	60	13.5	30	8	2.6	< 0.2	< 0.5	3.3	0.45	1.70	11.6	1.075
13X	25.2	< 1	< 50	21.4	54	20	4.5	< 0.2	< 0.5	2.7	0.42	1.61	18.5	1.087
14AF	39.2	< 1	< 50	39.7	82	23	7.0	< 0.2	2.0	4.5	0.64	1.61	31.4	1.060
14CBL	60.4	< 1	< 50	64.9	140	49	13.1	< 0.2	3.0	9.7	1.39	1.63	49.0	1.046
14X	39.6	< 1	140	14.2	33	11	4.2	< 0.2	1.1	3.3	0.52	1.73	34.2	1.020
15AF	37.7	< 1	< 50	30.9	70	18	5.8	< 0.2	1.2	4.5	0.73	1.42	29.2	1.089
15CBL	38.7	< 1	70	21.7	47	15	4.7	< 0.2	< 0.5	2.8	0.45	1.67	30.8	1.061
15X	30.7	< 1	< 50	14.3	27	9	4.0	< 0.2	< 0.5	4.0	0.60	1.70	20.9	1.082
16AF	39.5	< 1	< 50	33.3	64	18	5.6	< 0.2	1.1	2.6	0.43	1.55	31.7	1.076
16CBL	39.6	< 1	100	26.8	52	13	4.3	< 0.2	< 0.5	2.2	0.31	1.90	32.3	1.076
16X	43.9	< 1	< 50	13.5	27	6	3.2	< 0.2	0.9	3.5	0.54	1.50	35.3	1.012
17AF	28.9	< 1	< 50	23.4	47	12	4.5	< 0.2	1.3	3.5	0.54	1.54	22.1	1.052
17CBL	29.0	< 1	< 50	27.0	51	16	4.4	0.3	< 0.5	1.7	0.27	1.52	21.8	1.057
17X	31.4	< 1	100	7.9	17	< 5	1.9	< 0.2	0.7	2.5	0.40	1.50	25.9	1.023
18AF	26.7	< 1	< 50	23.0	49	13	4.3	< 0.2	< 0.5	3.2	0.46	1.51	22.2	1.032
18CBL	30.3	< 1	< 50	30.9	57	18	5.5	< 0.2	< 0.5	2.2	0.33	1.90	24.5	1.051
18X	29.1	2	< 50	8.8	19	< 5	2.0	< 0.2	1.3	2.6	0.43	1.55	23.6	1.061
19AF	< 0.5	< 1	110	4.9	6	< 5	0.6	< 0.2	< 0.5	< 0.2	< 0.05	1.61	0.9	1.011
19CBL	45.2	< 1	< 50	33.4	53	16	5.2	< 0.2	< 0.5	2.1	0.31	1.74	36.4	1.018
19X	37.8	< 1	< 50	10.0	21	< 5	2.2	< 0.2	0.7	3.1	0.48	1.42	30.5	1.062
1AF	59.7	< 1	100	19.9	31	< 5	2.8	< 0.2	0.7	3.9	0.72	1.54	50.7	1.050
1CBL	54.6	< 1	70	22.6	45	10	3.7	< 0.2	1.0	3.9	0.73	1.57	43.8	1.071
1X	26.8	< 1	90	11.0	22	5	2.7	< 0.2	< 0.5	3.4	0.51	1.76	22.3	1.063
20AF	56.4	< 1	< 50	33.5	59	16	5.3	< 0.2	1.0	3.1	0.48	1.62	47.4	1.048
20CBL	33.3	< 1	100	28.4	59	17	5.1	< 0.2	0.8	2.3	0.38	1.57	26.9	1.087
20X	190	< 1	< 50	12.4	< 3	< 5	< 0.1	< 0.2	0.7	2.4	< 0.05	1.53	161	1.005
21AF	33.6	< 1	100	30.5	58	19	5.7	< 0.2	1.2	3.1	0.51	1.44	27.8	1.009
21CBL	29.0	< 1	100	30.1	57	16	5.3	< 0.2	< 0.5	2.0	0.31	1.80	25.3	1.033
21X	43.0	< 1	140	15.0	29	10	3.6	< 0.2	1.1	3.7	0.58	1.61	35.7	1.073
22AF	42.9	< 1	< 50	32.4	58	20	5.5	< 0.2	1.1	3.7	0.55	1.54	34.8	1.027
22CBL	31.1	< 1	< 50	25.8	51	12	4.8	< 0.2	< 0.5	2.6	0.42	1.71	27.0	1.061
22X	23.9	< 1	< 50	19.1	36	13	4.4	< 0.2	1.2	2.4	0.39	1.67	21.5	1.082
23AF	29.7	< 1	< 50	20.3	38	10	3.8	< 0.2	< 0.5	3.1	0.47	1.48	24.7	1.012
23CBL	4.4	< 1	100	38.8	61	16	3.1	0.5	< 0.5	0.6	0.12	1.89	3.6	1.032
23X	33.0	< 1	120	18.2	35	13	4.9	< 0.2	1.2	3.7	0.58	1.43	27.8	1.064
24AF	47.7	< 1	130	33.7	65	13	5.3	< 0.2	1.3	2.3	0.36	1.58	40.1	1.031
24CBL	35.0	< 1	< 50	24.9	45	13	4.5	< 0.2	< 0.5	2.8	0.48	1.76	34.6	1.008
24X	49.4	< 1	130	43.3	98	28	12.9	< 0.2	2.9	10.2	1.44	1.51	42.1	1.004
25AF	33.1	< 1	80	21.2	43	12	4.0	< 0.2	1.0	2.9	0.44	1.52	27.6	1.049
25CBL	43.3	< 1	70	25.9	45	14	4.8	< 0.2	< 0.5	3.5	0.55	1.63	34.3	1.031
25X	47.2	< 1	70	22.1	49	11	6.8	< 0.2	2.5	11.1	1.60	1.57	39.0	1.097
26AF	25.1	< 1	< 50	31.1	59	16	5.5	< 0.2	0.9	2.8	0.48	1.56	21.1	1.004
26CBL	32.8	< 1	120	24.4	49	11	4.5	< 0.2	1.1	3.5	0.57	1.80	27.4	1.037
26X	51.7	< 1	120	24.7	49	14	6.2	< 0.2	1.7	6.4	1.01	1.65	45.1	1.064
27AF	75.4	< 1	100	31.8	53	13	4.6	< 0.2	< 0.5	2.9	0.44	1.56	61.5	1.038
27CBL	35.6	< 1	120	27.0	51	17	5.1	< 0.2	1.3	3.5	0.57	1.83	29.3	1.085
27X	31.3	< 1	< 50	16.6	33	9	3.8	< 0.2	1.1	3.0	0.46	1.47	26.1	1.002
28AF	3.1	< 1	< 50	22.3	43	11	1.8	0.4	< 0.5	0.4	< 0.05	1.46	3.1	1.016
28CBL	28.2	< 1	70	22.0	44	11	4.3	< 0.2	1.2	4.0	0.65	1.75	22.0	1.022

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
28X	28.9	< 1	50	19.0	37	9	4.1	< 0.2	0.9	3.0	0.44	1.54	23.0	1.017
29AF	45.3	< 1	110	26.0	48	11	4.5	< 0.2	1.0	3.9	0.65	1.59	37.5	1.021
29CBL	27.1	< 1	< 50	24.4	48	20	4.8	< 0.2	1.3	3.6	0.48	1.71	21.5	1.060
29X	21.5	< 1	90	23.9	49	15	5.2	< 0.2	0.9	3.2	0.46	1.45	17.8	1.011
2AF	21.2	< 1	110	33.4	62	26	6.2	< 0.2	1.0	3.3	0.47	1.52	15.8	1.009
2CBL	28.6	< 1	< 50	29.5	54	17	5.5	< 0.2	0.9	3.2	0.48	1.66	23.7	1.046
2X	34.0	< 1	90	16.3	30	7	3.8	< 0.2	< 0.5	4.6	0.72	1.64	27.3	1.024
30AF	62.0	< 1	100	25.6	43	11	4.2	< 0.2	1.3	3.6	0.63	1.39	50.7	1.062
30CBL	30.8	< 1	90	27.9	55	19	5.3	0.3	< 0.5	3.8	0.57	1.79	26.4	1.005
30X	38.2	< 1	90	16.9	36	7	3.4	< 0.2	0.7	3.8	0.60	1.66	31.2	1.054
31CBL	24.3	< 1	70	25.7	51	15	5.1	< 0.2	1.3	4.4	0.68	1.61	18.4	1.016
31X	18.1	< 1	< 50	12.4	25	7	2.9	0.3	0.7	2.3	0.34	1.69	13.9	1.042
32CBL	35.4	< 1	60	27.6	54	17	5.2	< 0.2	1.1	4.0	0.62	1.77	28.8	1.003
32X	23.7	< 1	< 50	18.6	37	13	4.2	< 0.2	0.9	3.1	0.44	1.49	18.8	1.067
33CBL	36.6	< 1	< 50	31.0	68	39	6.2	< 0.2	1.3	6.7	0.96	1.65	27.7	1.073
33X	53.2	< 1	< 50	8.9	19	< 5	1.4	< 0.2	< 0.5	1.5	< 0.05	1.45	42.0	1.033
34CBL	29.4	< 1	< 50	31.1	72	35	6.2	< 0.2	0.7	5.9	0.88	1.55	21.3	1.015
34DM	42.4	< 1	< 50	7.6	13	14	1.1	< 0.2	< 0.5	0.9	< 0.05	1.51	33.1	1.058
34X	45.2	< 1	< 50	3.2	9	< 5	0.8	< 0.2	< 0.5	0.9	0.21	1.65	37.3	1.044
35CBL	36.2	< 1	100	39.5	81	47	6.4	< 0.2	1.5	3.5	0.52	1.70	26.5	1.072
35DM	214	< 1	< 50	15.9	37	47	3.8	< 0.2	< 0.5	1.8	< 0.05	1.50	169	1.090
36CBL	30.2	< 1	< 50	34.1	66	26	5.7	< 0.2	< 0.5	4.5	0.63	1.84	22.3	1.063
36DM	569	< 1	380	88.2	200	101	15.6	< 0.2	< 0.5	6.7	< 0.05	1.50	507	1.067
37CBL	35.5	< 1	< 50	38.9	81	23	7.1	< 0.2	< 0.5	4.9	0.72	1.60	26.6	1.076
37DM	491	< 1	< 50	21.4	60	91	9.8	1.6	< 0.5	4.6	< 0.05	1.65	466	1.032
38CBL	27.5	< 1	< 50	22.5	50	20	5.1	< 0.2	1.6	5.2	0.66	1.91	23.4	1.068
38DM	33.2	< 1	< 50	4.1	4	< 5	0.8	< 0.2	< 0.5	0.7	< 0.05	1.58	29.3	1.091
39CBL	25.4	< 1	< 50	40.8	87	38	7.1	< 0.2	1.4	3.2	0.42	1.64	21.6	1.061
39DM	646	< 1	< 50	24.6	73	120	12.5	0.9	< 0.5	2.1	< 0.05	1.56	670	1.085
3AF	25.8	< 1	90	42.7	101	46	8.3	< 0.2	1.6	8.3	1.05	1.49	20.5	1.095
3CBL	29.3	< 1	< 50	48.6	102	47	7.3	0.6	< 0.5	2.6	0.38	1.73	25.3	1.094
3X	62.6	< 1	< 50	13.6	37	18	3.5	< 0.2	< 0.5	5.4	0.93	1.73	50.1	1.030
40CBL	28.0	< 1	< 50	37.9	75	30	6.1	< 0.2	< 0.5	3.3	0.50	1.71	24.0	1.045
40DM	82.6	< 1	< 50	6.2	12	17	1.4	< 0.2	< 0.5	1.1	< 0.05	1.64	71.9	1.084
41CBL	30.5	< 1	180	40.8	94	50	7.4	< 0.2	< 0.5	3.8	0.53	1.59	27.1	1.098
41DM	8.1	< 1	< 50	8.6	16	< 5	1.3	< 0.2	< 0.5	0.5	< 0.05	1.49	5.7	1.043
42CBL	35.5	< 1	< 50	48.1	106	60	9.1	< 0.2	2.0	5.0	0.70	1.75	27.9	1.022
42DM	2.5	< 1	< 50	3.3	< 3	< 5	0.6	< 0.2	< 0.5	0.3	< 0.05	1.58	1.8	1.024
43CBL	34.0	< 1	140	47.0	94	52	8.5	0.3	1.4	4.8	0.74	1.63	26.2	1.042
43DM	23.2	< 1	< 50	1.6	8	< 5	0.3	0.6	< 0.5	< 0.2	< 0.05	1.43	17.2	1.029
44CBL	26.4	< 1	< 50	44.0	102	57	8.1	0.4	< 0.5	5.2	0.78	1.70	21.0	1.082
44DM	< 0.5	< 1	< 50	2.0	< 3	< 5	0.3	0.2	< 0.5	< 0.2	< 0.05	1.51	1.3	1.053
45CBL	39.1	< 1	< 50	23.7	49	22	5.2	0.8	< 0.5	5.1	0.69	1.72	32.8	1.085
45DM	21.9	< 1	100	12.5	21	18	1.8	< 0.2	< 0.5	1.3	0.19	1.83	16.5	1.056
46CBL	35.6	< 1	100	38.7	82	45	7.3	< 0.2	< 0.5	6.4	0.92	1.64	24.1	1.012
46DM	6.9	< 1	< 50	8.9	15	12	1.1	0.5	< 0.5	0.3	< 0.05	1.57	5.0	1.050
47CBL	31.4	< 1	< 50	34.3	71	43	7.3	< 0.2	< 0.5	5.9	0.87	1.65	25.1	1.036
47DM	210	< 1	< 50	22.1	38	40	4.9	2.3	< 0.5	0.8	< 0.05	1.55	186	1.074
48CBL	24.0	< 1	< 50	30.2	64	38	6.0	< 0.2	< 0.5	6.3	0.98	1.68	20.7	1.000
48DM	11.1	< 1	< 50	55.5	96	51	4.8	0.9	< 0.5	< 0.2	< 0.05	1.51	8.4	1.040
49CBL	23.0	< 1	< 50	30.0	64	43	5.7	0.3	< 0.5	4.4	0.67	1.67	19.6	1.009
49DM	3.2	< 1	130	24.9	43	25	2.7	< 0.2	< 0.5	< 0.2	< 0.05	1.58	2.7	1.034

Activation Laboratories Ltd. Report: A08-3256 (i)

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
4AF	72.2	< 1	< 50	31.9	71	32	6.0	< 0.2	< 0.5	5.7	0.95	1.58	61.2	1.042
4CBL	33.1	< 1	< 50	26.5	57	19	5.5	0.6	< 0.5	4.4	0.62	1.79	27.5	1.041
4X	26.2	< 1	< 50	19.6	49	23	6.4	0.5	1.7	6.8	0.96	1.64	22.6	1.012
50CBL	42.4	< 1	< 50	37.4	86	31	7.4	< 0.2	< 0.5	5.3	0.81	1.42	29.8	1.012
50DM	14.9	< 1	< 50	19.8	44	14	2.5	< 0.2	< 0.5	< 0.2	< 0.05	1.58	10.4	1.020
51CBL	32.4	< 1	< 50	33.6	73	45	6.4	0.8	1.6	5.0	0.74	1.44	24.6	1.039
51DM														
52CBL	31.8	< 1	90	30.8	70	32	6.3	< 0.2	< 0.5	6.4	0.81	1.67	27.3	1.013
52DM	92.4	< 1	< 50	22.8	44	15	3.6	< 0.2	< 0.5	0.8	< 0.05	1.50	88.5	1.026
53CBL	31.8	< 1	< 50	29.0	69	26	6.1	0.5	< 0.5	5.8	0.81	1.59	26.8	1.007
53DM	6.5	< 1	< 50	1.8	< 3	< 5	0.3	< 0.2	< 0.5	< 0.2	< 0.05	1.58	5.5	1.022
54CBL	44.2	< 1	< 50	43.4	85	46	8.1	< 0.2	1.1	3.5	0.65	1.69	38.3	1.022
54DM	23.5	< 1	< 50	4.0	11	< 5	0.7	< 0.2	< 0.5	0.5	< 0.05	1.79	19.2	1.009
55CBL	33.9	< 1	120	42.0	92	65	8.1	< 0.2	< 0.5	3.4	0.55	1.56	28.9	1.010
55DM	35.5	< 1	< 50	3.0	7	< 5	0.8	< 0.2	< 0.5	1.1	0.24	1.59	30.2	1.085
56CBL	20.3	< 1	< 50	35.1	75	45	6.4	< 0.2	< 0.5	3.8	0.51	1.78	15.2	1.096
56DM	14.7	< 1	< 50	3.7	7	< 5	0.8	0.3	< 0.5	0.7	0.17	1.71	12.8	1.088
57CBL	30.2	< 1	100	23.4	55	16	3.8	< 0.2	2.7	8.3	1.44	1.57	23.2	1.019
57DM														
58CBL	4.4	< 1	< 50	12.4	20	< 5	0.9	< 0.2	< 0.5	1.9	0.34	1.34	2.6	1.037
58DM	71.2	< 1	< 50	13.1	31	8	< 0.1	< 0.2	< 0.5	1.1	< 0.05	1.51	65.3	1.074
59CBL	17.5	< 1	< 50	10.9	24	6	1.6	< 0.2	< 0.5	1.6	0.28	1.67	14.1	1.003
59DM	21.5	< 1	180	102	168	39	4.5	< 0.2	< 0.5	0.9	< 0.05	1.45	18.2	1.060
5AF	32.2	< 1	< 50	40.2	88	23	5.8	< 0.2	< 0.5	3.9	0.67	1.55	29.1	1.097
5CBL	32.2	< 1	< 50	40.9	80	20	5.2	< 0.2	1.3	3.2	0.55	1.72	27.6	1.041
5X	18.5	< 1	< 50	27.7	70	18	6.4	< 0.2	2.4	9.6	1.47	1.63	15.6	1.033
60CBL	22.4	< 1	< 50	33.6	72	27	5.5	< 0.2	< 0.5	4.4	0.69	1.69	20.0	1.047
60DM	14.6	< 1	110	241	431	95	10.9	0.6	< 0.5	0.8	0.17	1.50	12.1	1.056
61DM	5.6	< 1	< 50	35.6	62	17	1.6	< 0.2	< 0.5	0.6	0.11	1.52	5.6	1.005
62DM	3.8	< 1	< 50	26.4	49	9	1.2	< 0.2	< 0.5	0.5	0.13	1.64	5.1	1.045
63DM	16.4	< 1	< 50	44.9	79	22	2.0	< 0.2	< 0.5	0.5	0.11	1.65	15.9	1.024
64DM	15.5	< 1	< 50	27.7	58	< 5	1.5	< 0.2	< 0.5	< 0.2	< 0.05	1.56	13.4	1.084
65DM	12.7	< 1	< 50	11.9	26	10	0.7	0.5	< 0.5	0.6	0.12	1.65	9.8	1.036
66DM	20.0	< 1	< 50	27.1	50	16	1.9	< 0.2	< 0.5	0.7	< 0.05	1.87	17.6	1.044
6AF	30.9	< 1	< 50	37.0	86	25	5.5	< 0.2	< 0.5	3.7	0.58	1.55	26.6	1.045
6CBL	17.3	< 1	< 50	30.4	73	18	4.2	< 0.2	0.7	3.2	0.59	1.76	14.9	1.096
6X	39.1	< 1	180	33.7	86	15	7.3	< 0.2	2.6	6.5	1.12	1.74	35.2	1.088
7AF	48.2	< 1	< 50	37.0	79	15	5.4	< 0.2	1.6	3.6	0.73	1.49	43.5	1.062
7CBL	27.3	< 1	< 50	26.4	57	18	4.5	< 0.2	< 0.5	5.1	0.81	1.81	23.3	1.065
7X	< 0.5	< 1	< 50	2.0	8	9	0.9	0.5	< 0.5	1.2	0.19	1.70	1.0	1.071
8AF	29.1	< 1	< 50	39.3	74	26	5.0	< 0.2	< 0.5	2.8	0.41	1.40	29.0	1.063
8CBL	27.3	< 1	< 50	29.1	68	23	4.2	< 0.2	1.2	2.5	0.42	1.60	23.1	1.086
8X	37.3	< 1	< 50	17.1	44	6	3.7	< 0.2	< 0.5	4.3	0.76	1.63	34.9	1.083
9AF	20.0	< 1	< 50	32.5	57	19	4.2	< 0.2	< 0.5	2.7	0.44	1.53	18.5	1.023
9CBL	24.6	< 1	< 50	22.8	55	18	3.4	0.2	1.3	2.7	0.45	1.65	21.6	1.095
9X	21.8	< 1	< 50	9.1	19	< 5	1.9	< 0.2	< 0.5	3.0	0.50	1.65	18.8	1.034
1002X	50.0	< 1	< 50	24.5	63	18	5.6	< 0.2	< 0.5	8.5	1.25	1.50	46.7	1.085
30075X	4.8	< 1	< 50	3.4	14	< 5	0.3	0.2	< 0.5	< 0.2	< 0.05	1.40	2.6	1.049

Quality Control				
Analyte Symbol	Th	U	U	Mass
Unit Symbol	ppm	ppm	ppm	g
Detection Limit	0.2	0.5	0.1	
Analysis Method	INAA	INAA	DNC	DNC
DH-1a Meas	906	2630	2630	
DH-1a Cert	910	2630	2630	
DH-1a Meas	906	2630	2630	
DH-1a Cert	910	2630	2630	
DH-1a Meas	913	2630	2610	
DH-1a Cert	910	2630	2630	
DH-1a Meas	907	2630	2570	
DH-1a Cert	910	2630	2630	
DH-1a Meas	910	2640	2650	
DH-1a Cert	910	2630	2630	
DH-1a Meas	908	2630	2660	
DH-1a Cert	910	2630	2630	
DH-1a Meas	914	2630	2660	
DH-1a Cert	910	2630	2630	
DH-1a Meas	913	2630		
DH-1a Cert	910	2630		
DH-1a Meas	907	2640		
DH-1a Cert	910	2630		
DH-1a Meas	912	2630		
DH-1a Cert	910	2630		
DH-1a Meas	914	2640		
DH-1a Cert	910	2630		
DH-1a Meas	910	2630		
DH-1a Cert	910	2630		
SY-2 Meas			278	
SY-2 Cert			284	
SY-2 Meas			278	
SY-2 Cert			284	
SY-2 Meas			285	
SY-2 Cert			284	
SY-2 Meas			288	
SY-2 Cert			284	
SY-2 Meas			287	
SY-2 Cert			284	
SY-2 Meas			284	
SY-2 Cert			284	
SY-2 Meas			283	
SY-2 Cert			284	
SY-2 Meas			281	
SY-2 Cert			284	
BL-3 Meas		> 10000		
BL-3 Cert		10200		
BL-4a Meas		1260		
BL-4a Cert		1250		
BL-4a Meas		1270		
BL-4a Cert		1250		
BL-4a Meas		1250		
BL-4a Cert		1250		
BL-4a Meas		1260		
BL-4a Cert		1250		
BL-4a Meas		1270		
BL-4a Cert		1250		
BL-4a Meas		1270		
BL-4a Cert		1250		
Method Blank Method		< 0.1	1.000	
Blank				
Method Blank Method		< 0.1	1.000	
Blank				

Quality Analysis ...



Innovative Technologies

Date Submitted: 23-Jun-08

Invoice No.: A08-3477

Invoice Date: 29-Jul-08

Your Reference:

Delta Uranium
10th Floor, 56 Temperance Street
Toronto ON M5H 3V5
Canada

ATTN: Colin Bowdidge

CERTIFICATE OF ANALYSIS

398 Rock samples were submitted for analysis.

The following analytical packages were requested:

REPORT	A08-3477	Code 5D-U-Total DNC
		Code 1D Enh INAA(INAAGEO)
		Code 1C-Exp ICPOES Fire Assay ICPOES

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

For values exceeding the upper limits we recommend assays.

CERTIFIED BY :

A handwritten signature in blue ink, appearing to be "Elitsa Hrischeva". The signature is fluid and cursive, written over a horizontal line.

Elitsa Hrischeva, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL ancaster@actlabsint.com ACTLABS GROUP WEBSITE <http://www.actlabsint.com>

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Au	Pd	Pt	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn
Unit Symbol	ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Detection Limit	2	5	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02
Analysis Method	FA-ICP	FA-ICP	FA-ICP	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
186251				< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	< 5	6	0.81	9	< 1	< 5	< 1	2.85	< 20	< 15	< 0.1	6.4	< 3	< 0.02
186252				< 2	< 5	6.1	230	< 0.5	< 1	< 1	30	6	0.76	6	< 1	< 5	< 1	1.96	< 20	277	0.8	5.3	< 3	< 0.02
186253				< 2	< 5	< 0.5	1090	< 0.5	< 1	11	< 5	87	14.5	26	< 1	< 5	< 1	1.05	< 20	1050	0.9	66.2	< 3	< 0.02
186254				< 2	< 5	3.5	< 50	3.2	< 1	< 1	12	13	1.45	2	< 1	< 5	< 1	1.62	< 20	466	< 0.1	10.2	< 3	< 0.02
186255				< 2	< 5	< 0.5	240	< 0.5	< 1	< 1	22	2	1.53	9	< 1	< 5	< 1	3.17	< 20	< 15	< 0.1	0.7	< 3	< 0.02
186256				< 2	< 5	< 0.5	780	< 0.5	< 1	< 1	26	12	1.09	8	< 1	< 5	10	1.88	< 20	208	< 0.1	1.6	< 3	< 0.02
186257				< 2	< 5	< 0.5	1170	< 0.5	< 1	5	90	5	0.83	10	< 1	< 5	< 1	1.24	< 20	229	< 0.1	2.8	< 3	< 0.02
186258				< 2	< 5	< 0.5	1950	< 0.5	< 1	6	52	2	1.83	11	< 1	< 5	< 1	0.31	< 20	71	< 0.1	2.7	< 3	0.07
186259				< 2	< 5	< 0.5	3040	< 0.5	< 1	< 1	80	2	0.68	6	< 1	< 5	< 1	2.32	< 20	122	< 0.1	1.4	< 3	< 0.02
186260				< 2	< 5	< 0.5	2420	< 0.5	< 1	5	57	3	1.61	10	< 1	< 5	< 1	0.85	< 20	115	< 0.1	2.4	< 3	< 0.02
186261				< 2	59	< 0.5	690	< 0.5	5	7	66	< 1	2.55	5	< 1	< 5	< 1	2.01	< 20	< 15	0.4	5.4	< 3	< 0.02
186262				< 2	36	< 0.5	600	2.8	3	10	134	2	2.45	4	< 1	< 5	< 1	1.94	620	85	< 0.1	5.9	< 3	< 0.02
186263				< 2	< 5	< 0.5	800	< 0.5	< 1	7	34	5	2.31	1	< 1	< 5	672	1.16	< 20	131	< 0.1	3.1	< 3	< 0.02
186276	< 2	< 5	7	< 2	< 5	2.6	< 50	4.2	< 1	108	3130	3	8.64	1	< 1	< 5	10	0.15	1130	< 15	0.2	20.5	< 3	< 0.02
186277				< 2	< 5	2.6	400	2.6	< 1	2	26	6	0.48	< 1	< 1	< 5	< 1	1.68	< 20	296	< 0.1	1.5	< 3	< 0.02
186278				< 2	< 5	< 0.5	120	< 0.5	< 1	< 1	11	8	0.34	< 1	< 1	< 5	< 1	1.83	< 20	189	0.2	1.1	< 3	< 0.02
187251				< 2	< 5	< 0.5	360	< 0.5	< 1	< 1	10	4	0.79	3	< 1	< 5	< 1	1.47	< 20	250	< 0.1	1.9	< 3	< 0.02
187252				< 2	< 5	< 0.5	480	< 0.5	< 1	< 1	20	9	1.00	7	< 1	< 5	< 1	1.57	< 20	285	< 0.1	3.1	< 3	< 0.02
187253				< 2	< 5	< 0.5	220	< 0.5	< 1	< 1	19	7	0.83	4	< 1	< 5	< 1	1.64	< 20	242	< 0.1	2.6	< 3	< 0.02
187254				< 2	< 5	< 0.5	370	< 0.5	< 1	2	< 5	5	0.96	4	< 1	< 5	< 1	1.59	< 20	258	< 0.1	2.6	< 3	< 0.02
187255				< 2	< 5	1.8	360	< 0.5	< 1	< 1	22	4	1.07	5	< 1	< 5	< 1	1.54	< 20	226	< 0.1	3.1	< 3	< 0.02
187256				< 2	< 5	2.4	330	< 0.5	< 1	< 1	21	4	0.98	6	< 1	< 5	< 1	1.60	< 20	243	< 0.1	3.0	< 3	< 0.02
187257				< 2	< 5	2.9	260	< 0.5	< 1	3	15	9	1.09	6	< 1	< 5	< 1	1.54	< 20	277	0.3	3.1	< 3	< 0.02
187258				< 2	< 5	1.3	260	< 0.5	< 1	< 1	< 5	9	1.18	5	< 1	< 5	< 1	1.61	< 20	273	< 0.1	3.3	< 3	< 0.02
187259				< 2	< 5	< 0.5	520	< 0.5	2	< 1	26	6	1.24	6	< 1	< 5	< 1	1.68	< 20	280	< 0.1	3.7	< 3	< 0.02
187260				< 2	< 5	1.8	290	< 0.5	< 1	< 1	19	6	0.53	4	< 1	< 5	< 1	1.72	< 20	315	< 0.1	1.4	< 3	< 0.02
187261				< 2	< 5	< 0.5	360	< 0.5	2	< 1	21	5	1.15	6	< 1	< 5	< 1	1.49	< 20	252	< 0.1	3.1	< 3	< 0.02
187262				< 2	< 5	3.0	270	< 0.5	< 1	< 1	22	9	0.92	4	< 1	< 5	< 1	1.86	< 20	355	< 0.1	4.5	< 3	< 0.02
187276				< 2	< 5	1.3	< 50	< 0.5	< 1	< 1	11	9	0.65	5	< 1	< 5	< 1	1.84	< 20	416	< 0.1	2.9	< 3	< 0.02
187277				< 2	< 5	< 0.5	< 50	1.8	< 1	< 1	11	6	0.96	4	< 1	< 5	< 1	1.96	< 20	309	< 0.1	4.8	< 3	< 0.02
187278				< 2	< 5	1.4	180	< 0.5	< 1	< 1	21	5	0.94	5	< 1	< 5	< 1	2.12	< 20	344	< 0.1	5.8	< 3	< 0.02
187279				43	< 5	< 0.5	< 50	< 0.5	3	6	< 5	4	0.65	4	< 1	< 5	< 1	2.75	< 20	105	< 0.1	2.5	< 3	< 0.02
187280				< 2	< 5	< 0.5	500	< 0.5	1	< 1	16	6	0.94	6	< 1	< 5	< 1	1.82	< 20	286	< 0.1	2.8	< 3	< 0.02
187281				< 2	< 5	< 0.5	350	< 0.5	< 1	2	18	6	1.04	6	< 1	< 5	< 1	1.41	< 20	274	< 0.1	3.2	< 3	< 0.02
187282				< 2	< 5	2.0	280	< 0.5	< 1	< 1	16	6	1.09	6	< 1	< 5	< 1	1.49	< 20	251	< 0.1	3.3	< 3	< 0.02
187283				< 2	< 5	< 0.5	360	< 0.5	< 1	< 1	< 5	6	1.29	6	< 1	< 5	< 1	1.25	< 20	236	< 0.1	3.2	< 3	< 0.02
187284				< 2	< 5	1.1	480	< 0.5	< 1	3	20	4	1.07	7	< 1	< 5	< 1	1.48	< 20	231	< 0.1	3.1	< 3	< 0.02
187285				< 2	< 5	< 0.5	340	< 0.5	2	1	< 5	7	1.09	6	< 1	< 5	< 1	1.36	< 20	261	0.4	3.1	< 3	< 0.02
187286				< 2	< 5	3.4	330	1.8	< 1	3	< 5	11	1.19	6	< 1	< 5	4	1.48	< 20	295	< 0.1	3.3	< 3	< 0.02
187287				< 2	< 5	1.3	210	1.1	< 1	< 1	9	5	0.54	2	< 1	< 5	< 1	1.48	< 20	222	< 0.1	1.3	< 3	< 0.02
187288				< 2	< 5	< 0.5	380	< 0.5	1	< 1	16	6	1.07	6	< 1	< 5	< 1	1.46	< 20	282	0.2	2.8	< 3	< 0.02
187289				< 2	< 5	< 0.5	290	< 0.5	< 1	< 1	13	6	1.09	6	< 1	< 5	< 1	1.54	< 20	284	< 0.1	3.8	< 3	< 0.02
187290				< 2	< 5	< 0.5	380	< 0.5	< 1	< 1	< 5	6	0.98	6	< 1	< 5	< 1	1.47	< 20	284	< 0.1	3.1	< 3	< 0.02
187291				2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	17	6	1.12	6	< 1	< 5	< 1	1.45	< 20	291	< 0.1	3.1	< 3	< 0.02
187292				< 2	< 5	1.1	260	< 0.5	< 1	2	9	5	0.54	2	< 1	< 5	< 1	0.87	< 20	370	< 0.1	1.3	< 3	< 0.02
187293				< 2	< 5	2.5	310	4.3	3	< 1	15	3	1.19	6	< 1	< 5	< 1	1.88	< 20	273	< 0.1	3.0	< 3	< 0.02
187294				< 2	< 5	2.0	< 50	< 0.5	< 1	< 1	11	5	0.75	3	< 1	< 5	< 1	2.02	< 20	364	0.2	3.1	< 3	< 0.02
187295				< 2	< 5	< 0.5	320	< 0.5	< 1	< 1	< 5	5	0.90	5	< 1	< 5	< 1	2.15	< 20	299	< 0.1	3.2	< 3	< 0.02
187296				< 2	< 5	< 0.5	340	< 0.5	< 1	< 1	7	8	1.05	5	< 1	< 5	< 1	1.75	< 20	273	< 0.1	3.4	< 3	< 0.02
187297				< 2	< 5	< 0.5	310	< 0.5	< 1	4	23	5	0.77	4	< 1	< 5	7	2.05	< 20	247	0.3	2.6	< 3	< 0.02
187298				< 2	< 5	3.3	320	< 0.5	< 1	3	10	6	1.18	5	< 1	< 5	< 1	1.82	< 20	286	< 0.1	3.1	< 3	< 0.02
187299				< 2	< 5	1.8	390	< 0.5	< 1	5	12	3	1.02	5	< 1	< 5	6	1.81	< 20	267	< 0.1	2.9	< 3	< 0.02

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Au	Pd	Pt	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn
Unit Symbol	ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Detection Limit	2	5	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02
Analysis Method	FA-ICP	FA-ICP	FA-ICP	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
187300	< 2	< 5	< 0.5	310	< 0.5	< 1	3	23	5	1.18	6	< 1	< 5	< 1	1.72	< 20	280	< 0.1	3.3	< 3	< 0.02			
187301	< 2	< 5	4.4	400	< 0.5	< 1	< 1	< 5	7	1.32	6	< 1	< 5	< 1	1.66	< 20	273	0.4	3.3	< 3	< 0.02			
187302	< 2	< 5	< 0.5	520	< 0.5	< 1	< 1	< 5	5	1.22	5	< 1	< 5	< 1	1.85	< 20	312	< 0.1	3.3	< 3	< 0.02			
187303	< 2	< 5	2.0	360	< 0.5	< 1	3	12	5	1.09	5	< 1	< 5	< 1	1.72	< 20	195	< 0.1	3.3	< 3	< 0.02			
187304	< 2	< 5	1.6	360	< 0.5	< 1	3	47	7	1.43	7	< 1	< 5	< 1	2.04	< 20	325	< 0.1	3.8	< 3	< 0.02			
187305	3	< 5	2.0	410	< 0.5	1	4	39	9	1.31	7	< 1	< 5	< 1	2.13	< 20	343	0.3	3.6	< 3	< 0.02			
187306	< 2	< 5	1.1	350	< 0.5	< 1	2	51	6	1.51	7	< 1	< 5	< 1	2.09	< 20	379	< 0.1	3.7	< 3	< 0.02			
187307	5	< 5	< 0.5	200	< 0.5	< 1	3	53	5	1.23	5	< 1	< 5	< 1	2.20	< 20	469	< 0.1	4.7	< 3	< 0.02			
187308	< 2	< 5	< 0.5	350	< 0.5	< 1	3	46	10	1.23	6	< 1	< 5	< 1	2.14	< 20	436	0.4	3.7	< 3	< 0.02			
187309	< 2	< 5	< 0.5	460	< 0.5	< 1	3	46	7	1.30	6	< 1	< 5	< 1	2.22	< 20	412	< 0.1	4.0	< 3	< 0.02			
187310	< 2	< 5	< 0.5	440	< 0.5	< 1	3	44	7	1.42	6	< 1	< 5	< 1	2.05	< 20	443	< 0.1	3.9	< 3	< 0.02			
187311	< 2	< 5	< 0.5	330	4.0	< 1	3	46	5	1.37	5	< 1	< 5	< 1	2.01	< 20	453	< 0.1	3.8	< 3	< 0.02			
187312	< 2	< 5	1.3	480	< 0.5	< 1	2	49	7	1.31	6	< 1	< 5	< 1	2.21	< 20	362	0.2	3.8	< 3	< 0.02			
187313	< 2	< 5	2.2	200	< 0.5	< 1	3	53	7	1.17	5	< 1	< 5	< 1	2.50	< 20	389	< 0.1	3.4	< 3	< 0.02			
187314	< 2	< 5	< 0.5	240	< 0.5	< 1	2	43	5	0.83	3	< 1	< 5	< 1	2.15	< 20	368	< 0.1	2.5	< 3	< 0.02			
187315	< 2	< 5	1.2	120	< 0.5	1	1	44	6	0.46	1	< 1	< 5	< 1	2.53	< 20	349	< 0.1	1.4	< 3	< 0.02			
187316	< 2	< 5	1.3	170	< 0.5	1	< 1	48	7	0.57	3	< 1	< 5	< 1	2.76	< 20	353	< 0.1	1.3	< 3	< 0.02			
187317	< 2	< 5	< 0.5	360	< 0.5	3	< 1	40	6	1.29	6	< 1	< 5	< 1	2.27	< 20	369	0.2	3.4	< 3	< 0.02			
187318	< 2	< 5	< 0.5	410	5.7	< 1	3	43	7	1.26	7	< 1	< 5	< 1	2.06	< 20	532	0.3	3.7	< 3	< 0.02			
187319	< 2	< 5	< 0.5	410	< 0.5	< 1	3	48	6	1.48	6	< 1	< 5	< 1	2.21	280	459	< 0.1	4.3	< 3	< 0.02			
187320	< 2	< 5	< 0.5	390	< 0.5	2	2	43	8	1.27	6	< 1	< 5	< 1	2.22	< 20	470	< 0.1	4.3	< 3	< 0.02			
187321	< 2	< 5	1.7	350	< 0.5	< 1	3	51	6	1.39	7	< 1	< 5	< 1	2.14	< 20	460	< 0.1	3.7	< 3	< 0.02			
187322	< 2	< 5	2.3	370	5.3	< 1	3	42	5	1.37	7	< 1	< 5	< 1	2.68	< 20	399	< 0.1	3.7	< 3	< 0.02			
187323	< 2	< 5	1.1	360	6.4	< 1	3	48	4	1.18	6	< 1	< 5	< 1	2.39	< 20	317	< 0.1	3.5	< 3	< 0.02			
187324	< 2	< 5	1.6	440	< 0.5	< 1	2	43	8	1.41	7	< 1	< 5	< 1	2.26	< 20	357	< 0.1	3.7	< 3	< 0.02			
187325	< 2	< 5	1.7	400	< 0.5	1	2	46	6	1.32	6	< 1	< 5	< 1	2.20	< 20	339	0.2	3.8	< 3	< 0.02			
187326	< 2	< 5	1.4	410	1.9	1	2	55	4	1.35	7	< 1	< 5	< 1	2.29	< 20	338	< 0.1	3.8	< 3	< 0.02			
187327	< 2	< 5	< 0.5	450	1.3	< 1	3	55	3	1.12	7	< 1	< 5	< 1	2.21	210	349	< 0.1	3.7	< 3	< 0.02			
187328	< 2	< 5	< 0.5	410	1.8	< 1	2	47	2	1.16	7	< 1	< 5	< 1	2.36	< 20	299	< 0.1	3.6	< 3	< 0.02			
187329	< 2	< 5	< 0.5	420	2.4	< 1	3	41	3	0.96	5	< 1	< 5	< 1	2.28	< 20	336	0.2	1.6	< 3	< 0.02			
187330	< 2	< 5	< 0.5	460	< 0.5	< 1	3	49	4	1.19	5	< 1	< 5	< 1	1.93	< 20	345	< 0.1	3.1	< 3	< 0.02			
187331	< 2	< 5	< 0.5	410	1.6	< 1	2	41	4	1.35	7	< 1	< 5	< 1	2.26	< 20	335	0.2	3.6	< 3	< 0.02			
187332	< 2	< 5	< 0.5	440	< 0.5	< 1	2	49	5	1.51	7	< 1	< 5	< 1	2.11	< 20	334	< 0.1	3.8	< 3	< 0.02			
187333	< 2	< 5	1.7	410	1.1	1	2	47	5	1.32	6	< 1	< 5	< 1	2.21	< 20	334	0.1	3.4	< 3	< 0.02			
187334	< 2	< 5	2.5	390	< 0.5	1	2	53	4	1.22	6	< 1	< 5	< 1	2.26	< 20	360	0.2	3.2	< 3	< 0.02			
187335	< 2	< 5	1.6	430	< 0.5	< 1	3	49	4	1.32	7	< 1	< 5	< 1	2.20	< 20	399	0.2	3.7	< 3	< 0.02			
187336	< 2	< 5	< 0.5	380	< 0.5	< 1	2	56	5	1.12	5	< 1	< 5	< 1	2.40	< 20	344	0.2	2.8	< 3	< 0.02			
187337	< 2	< 5	< 0.5	470	< 0.5	< 1	4	18	5	1.27	5	< 1	< 5	7	1.82	< 20	311	< 0.1	3.8	< 3	< 0.02			
187338	< 2	< 5	4.6	380	< 0.5	< 1	4	30	5	1.25	5	< 1	< 5	7	1.85	< 20	268	< 0.1	4.1	< 3	< 0.02			
187339	< 2	< 5	6.1	410	< 0.5	< 1	3	18	5	1.13	5	< 1	< 5	< 1	2.06	< 20	250	< 0.1	3.5	< 3	< 0.02			
187340	< 2	< 5	5.6	320	< 0.5	< 1	4	22	6	0.98	5	< 1	< 5	< 1	2.03	< 20	262	0.3	2.8	< 3	< 0.02			
187341	< 2	< 5	1.3	< 50	3.7	< 1	3	13	4	0.95	6	< 1	< 5	< 1	1.88	< 20	262	< 0.1	2.8	< 3	< 0.02			
187342	< 2	< 5	< 0.5	< 50	< 0.5	< 1	2	< 5	7	1.17	5	< 1	< 5	< 1	1.98	< 20	287	0.3	3.9	< 3	< 0.02			
187343	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	9	1.18	6	< 1	< 5	8	1.82	< 20	421	< 0.1	3.3	< 3	< 0.02			
187344	< 2	< 5	3.2	280	< 0.5	< 1	4	20	6	1.13	4	< 1	< 5	< 1	1.87	< 20	415	< 0.1	4.2	< 3	< 0.02			
189501	< 2	< 5	4.6	450	< 0.5	< 1	2	31	7	1.15	5	< 1	< 5	< 1	1.83	< 20	299	< 0.1	3.7	< 3	< 0.02			
189502	< 2	< 5	2.7	320	< 0.5	2	2	15	7	1.19	7	< 1	< 5	5	1.64	< 20	250	< 0.1	3.2	< 3	< 0.02			
189503	< 2	< 5	2.7	< 50	< 0.5	< 1	2	9	6	0.64	2	< 1	< 5	< 1	2.18	< 20	220	< 0.1	1.5	< 3	< 0.02			
189504	< 2	< 5	2.2	500	< 0.5	< 1	< 1	17	6	0.97	5	< 1	< 5	< 1	1.73	< 20	252	0.2	2.6	< 3	< 0.02			
189505	< 2	< 5	6.2	< 50	< 0.5	< 1	< 1	18	7	0.55	3	< 1	< 5	< 1	2.35	< 20	367	< 0.1	2.1	< 3	< 0.02			
189506	< 2	< 5	< 0.5	< 50	1.4	< 1	3	20	13	0.48	2	< 1	< 5	< 1	1.95	< 20	490	0.4	2.9	< 3	< 0.02			
189507	3	< 5	5.2	< 50	< 0.5	< 1	< 1	23	6	0.82	5	< 1	< 5	< 1	2.35	< 20	374	0.3	4.0	< 3	< 0.02			

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Au	Pd	Pt	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn
Unit Symbol	ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Detection Limit	2	5	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02
Analysis Method	FA-ICP	FA-ICP	FA-ICP	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
189508				< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	25	3	0.75	3	< 1	< 5	< 1	2.16	< 20	292	< 0.1	3.1	< 3	< 0.02
189509				< 2	< 5	3.3	< 50	< 0.5	< 1	< 1	12	7	0.82	4	< 1	< 5	< 1	2.19	< 20	367	0.3	3.3	< 3	< 0.02
189510				< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	19	4	1.00	5	< 1	< 5	< 1	1.88	< 20	306	0.3	2.9	< 3	< 0.02
189511				< 2	< 5	1.1	< 50	< 0.5	< 1	< 1	11	7	0.76	4	< 1	< 5	< 1	2.04	< 20	456	< 0.1	3.4	< 3	< 0.02
189512				< 2	< 5	2.9	< 50	< 0.5	< 1	< 1	11	6	0.82	3	< 1	< 5	< 1	1.97	< 20	388	< 0.1	3.1	< 3	< 0.02
189513				< 2	< 5	< 0.5	220	< 0.5	< 1	< 1	24	5	0.91	4	< 1	< 5	< 1	1.95	< 20	401	< 0.1	3.7	< 3	< 0.02
189514				< 2	< 5	< 0.5	180	< 0.5	< 1	< 1	18	7	0.92	3	< 1	< 5	< 1	2.08	< 20	313	< 0.1	3.3	< 3	< 0.02
189515				< 2	< 5	< 0.5	960	< 0.5	< 1	5	48	2	2.23	10	< 1	< 5	< 1	2.61	< 20	199	< 0.1	3.0	< 3	< 0.02
189516				< 2	< 5	1.3	310	< 0.5	< 1	< 1	45	7	1.33	5	< 1	< 5	< 1	2.17	< 20	340	< 0.1	3.7	< 3	< 0.02
189517				< 2	< 5	2.1	160	< 0.5	< 1	3	47	9	0.95	4	< 1	< 5	< 1	2.19	< 20	477	< 0.1	4.0	< 3	< 0.02
189518				< 2	< 5	1.9	240	< 0.5	< 1	< 1	40	8	0.98	4	< 1	< 5	< 1	2.31	< 20	478	< 0.1	3.7	< 3	< 0.02
189519				< 2	< 5	< 0.5	340	< 0.5	< 1	4	43	7	1.16	6	< 1	< 5	< 1	2.21	< 20	346	< 0.1	3.5	< 3	< 0.02
189520				< 2	< 5	1.6	240	< 0.5	< 1	4	44	5	1.07	4	< 1	< 5	< 1	2.34	< 20	301	0.2	2.6	< 3	< 0.02
189551				< 2	< 5	3.4	< 50	< 0.5	< 1	1	57	8	1.07	4	< 1	< 5	< 1	2.46	< 20	430	< 0.1	3.9	< 3	< 0.02
189552				< 2	< 5	5.7	260	< 0.5	< 1	< 1	53	10	1.03	4	< 1	< 5	< 1	2.53	< 20	474	0.4	4.0	< 3	< 0.02
189553				< 2	< 5	5.0	130	< 0.5	< 1	3	44	16	0.91	4	< 1	< 5	< 1	2.72	< 20	511	0.4	4.1	< 3	< 0.02
189554				< 2	< 5	3.6	< 50	2.1	< 1	< 1	43	14	0.92	4	< 1	< 5	< 1	2.63	< 20	560	0.7	4.4	< 3	< 0.02
189555				< 2	< 5	2.5	180	< 0.5	< 1	4	33	8	0.89	4	< 1	< 5	< 1	2.48	< 20	283	0.6	4.4	< 3	< 0.02
189556				< 2	< 5	2.1	< 50	< 0.5	< 1	3	35	6	1.04	4	< 1	< 5	< 1	2.82	< 20	335	0.2	5.1	< 3	< 0.02
189557				< 2	< 5	2.2	< 50	< 0.5	< 1	2	42	7	1.31	5	< 1	< 5	< 1	2.71	< 20	401	0.2	6.3	< 3	< 0.02
189558				< 2	< 5	2.7	< 50	< 0.5	< 1	3	34	7	1.07	4	< 1	< 5	< 1	2.66	< 20	378	< 0.1	4.6	< 3	< 0.02
189559				< 2	< 5	3.4	300	< 0.5	< 1	2	42	7	1.09	5	< 1	< 5	< 1	2.71	< 20	385	0.7	5.2	< 3	< 0.02
189560				< 2	< 5	4.2	150	< 0.5	< 1	3	48	7	1.16	5	< 1	< 5	< 1	2.78	< 20	433	0.3	5.0	< 3	< 0.02
189561				< 2	< 5	4.0	70	< 0.5	< 1	2	49	8	1.09	4	< 1	< 5	< 1	2.71	< 20	402	0.3	4.6	< 3	< 0.02
189562				< 2	< 5	3.9	< 50	< 0.5	2	2	43	7	1.15	4	< 1	< 5	< 1	2.76	< 20	435	0.2	4.3	< 3	< 0.02
189563				< 2	< 5	3.2	210	< 0.5	< 1	2	47	7	1.11	4	< 1	< 5	< 1	2.80	< 20	499	0.3	4.6	< 3	< 0.02
189564				< 2	< 5	4.3	< 50	< 0.5	2	2	34	11	1.21	4	< 1	< 5	< 1	2.67	< 20	474	< 0.1	4.8	< 3	< 0.02
189565				< 2	< 5	8.4	260	< 0.5	< 1	< 1	49	11	1.25	4	< 1	< 5	< 1	2.88	270	538	0.6	7.2	< 3	< 0.02
189566				< 2	< 5	< 0.5	730	1.1	< 1	5	48	4	2.61	10	< 1	< 5	< 1	2.27	< 20	213	0.2	0.9	< 3	< 0.02
189567				< 2	< 5	< 0.5	< 50	< 0.5	5	49	259	4	12.4	< 1	< 1	< 5	< 1	2.43	< 20	< 15	0.3	43.2	< 3	< 0.02
189568	< 2	9	6	< 2	< 5	< 0.5	< 50	6.9	9	108	2110	5	12.4	2	< 1	< 5	< 1	1.40	540	76	< 0.1	45.0	< 3	< 0.02
189569	< 2	7	5	< 2	< 5	17.3	< 50	< 0.5	4	30	97	6	3.74	< 1	< 1	< 5	< 1	1.06	< 20	59	< 0.1	19.3	< 3	< 0.02
189570	< 2	< 5	< 5	< 2	< 5	2.5	< 50	< 0.5	6	26	154	8	4.00	< 1	< 1	< 5	< 1	0.69	< 20	231	0.5	27.7	< 3	< 0.02
189576				< 2	< 5	1.0	< 50	2.4	< 1	< 1	39	6	0.74	< 1	< 1	< 5	< 1	3.33	< 20	382	0.3	2.9	< 3	< 0.02
189577				< 2	< 5	1.2	< 50	< 0.5	< 1	3	32	13	0.72	2	< 1	< 5	< 1	3.17	< 20	498	0.4	3.3	< 3	< 0.02
189578				< 2	< 5	3.2	< 50	< 0.5	< 1	2	36	12	0.81	2	< 1	< 5	< 1	2.43	< 20	477	0.9	3.1	< 3	< 0.02
189579				16	< 5	2.8	< 50	< 0.5	< 1	3	48	14	0.79	1	< 1	< 5	< 1	2.73	< 20	709	0.7	2.1	< 3	< 0.02
189580				< 2	< 5	1.6	460	< 0.5	< 1	2	41	6	1.53	7	< 1	< 5	< 1	2.13	< 20	447	0.3	4.5	< 3	< 0.02
189581				< 2	< 5	1.1	< 50	< 0.5	1	3	36	15	0.50	3	< 1	< 5	< 1	3.60	< 20	438	0.6	2.9	< 3	< 0.02
189582				< 2	< 5	1.4	130	1.3	< 1	2	46	19	0.34	< 1	< 1	< 5	< 1	1.97	< 20	1010	0.6	0.6	< 3	< 0.02
189583				< 2	< 5	2.1	< 50	2.8	< 1	2	41	9	0.74	< 1	< 1	< 5	< 1	2.35	< 20	788	0.5	2.7	< 3	< 0.02
189584				< 2	< 5	1.8	< 50	2.0	< 1	< 1	39	12	0.87	< 1	< 1	< 5	< 1	3.02	< 20	573	0.6	3.5	< 3	< 0.02
189585				< 2	< 5	2.6	210	< 0.5	< 1	2	38	11	0.79	9	< 1	< 5	< 1	3.03	< 20	504	0.5	4.5	< 3	< 0.02
189586				< 2	< 5	2.2	< 50	2.1	< 1	2	36	10	0.91	3	< 1	< 5	< 1	3.26	< 20	566	< 0.1	4.1	< 3	< 0.02
189587				< 2	< 5	2.0	< 50	< 0.5	2	< 1	57	7	0.99	7	< 1	< 5	< 1	3.49	< 20	595	0.5	4.1	< 3	< 0.02
189588	< 2	< 5	< 5	< 2	< 5	1.3	< 50	< 0.5	2	15	231	3	8.47	< 1	< 1	< 5	< 1	0.31	< 20	< 15	< 0.1	11.3	< 3	< 0.02
189589				< 2	< 5	2.7	200	< 0.5	< 1	3	37	6	1.25	5	< 1	< 5	< 1	2.64	< 20	513	0.4	5.3	< 3	< 0.02
189590				< 2	< 5	4.1	< 50	< 0.5	< 1	3	41	12	1.39	5	< 1	< 5	< 1	2.74	< 20	515	0.6	4.9	< 3	< 0.02
189591				< 2	< 5	4.4	160	< 0.5	< 1	3	48	11	1.33	5	< 1	< 5	< 1	2.76	< 20	511	0.6	4.8	< 3	< 0.02
189592				< 2	< 5	6.2	< 50	< 0.5	< 1	3	44	13	1.24	5	< 1	< 5	< 1	2.85	< 20	579	0.5	4.2	< 3	< 0.02
189593				< 2	< 5	4.2	< 50	< 0.5	< 1	3	38	12	1.29	5	< 1	< 5	< 1	2.71	< 20	538	0.5	4.6	< 3	< 0.02
189594				< 2	< 5	4.9	< 50	< 0.5	2	2	41	11	1.18	5	< 1	< 5	< 1	2.74	< 20	508	2.3	4.4	< 3	< 0.02

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Au	Pd	Pt	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn
Unit Symbol	ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Detection Limit	2	5	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02
Analysis Method	FA-ICP	FA-ICP	FA-ICP	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
189595				< 2	< 5	5.0	230	< 0.5	< 1	2	41	12	1.30	5	< 1	< 5	< 1	2.76	< 20	538	2.8	4.4	< 3	< 0.02
189596				< 2	< 5	4.7	180	< 0.5	< 1	2	41	8	1.17	4	< 1	< 5	< 1	2.99	< 20	451	2.7	3.7	< 3	< 0.02
189597				< 2	< 5	4.5	< 50	< 0.5	< 1	2	34	5	1.34	5	< 1	< 5	< 1	2.67	< 20	470	2.3	4.8	< 3	< 0.02
189598				< 2	< 5	3.1	200	3.3	< 1	3	35	8	1.01	4	< 1	< 5	< 1	2.60	< 20	420	2.3	3.9	< 3	< 0.02
189599				< 2	< 5	6.1	< 50	< 0.5	< 1	< 1	41	9	1.22	4	< 1	< 5	< 1	2.54	< 20	469	2.5	4.7	< 3	< 0.02
189600				< 2	< 5	4.7	< 50	< 0.5	< 1	3	34	9	1.20	4	< 1	< 5	< 1	2.54	< 20	439	2.6	4.5	< 3	< 0.02
189601				< 2	< 5	2.6	160	5.9	< 1	2	39	7	1.37	1	< 1	< 5	< 1	1.67	< 20	543	3.6	1.8	< 3	< 0.02
189602				< 2	< 5	2.7	340	< 0.5	< 1	2	33	3	1.32	5	< 1	< 5	< 1	2.34	< 20	289	2.2	3.4	< 3	< 0.02
189603				2	< 5	1.2	260	19.5	< 1	4	34	2	1.23	4	< 1	< 5	< 1	2.45	< 20	339	0.2	2.6	< 3	< 0.02
189604				< 2	< 5	< 0.5	370	< 0.5	< 1	2	36	4	1.47	7	< 1	< 5	< 1	2.00	< 20	318	0.4	3.7	< 3	< 0.02
189605				< 2	< 5	1.4	440	< 0.5	< 1	2	34	5	1.26	6	< 1	< 5	< 1	2.26	< 20	323	0.4	3.9	< 3	< 0.02
189606				4	< 5	1.9	520	2.1	< 1	2	30	4	1.39	6	< 1	< 5	< 1	2.10	< 20	316	0.4	3.5	< 3	< 0.02
189607				< 2	< 5	< 0.5	410	13.7	< 1	3	37	4	1.26	6	< 1	< 5	< 1	2.36	< 20	293	0.3	2.4	< 3	< 0.02
189608				< 2	< 5	< 0.5	730	< 0.5	< 1	3	33	5	1.07	4	< 1	< 5	< 1	2.33	< 20	198	0.3	1.1	< 3	< 0.02
189609				< 2	< 5	2.5	450	5.4	< 1	< 1	10	1	0.69	5	< 1	< 5	< 1	1.05	< 20	150	2.7	1.6	< 3	< 0.02
189610				< 2	< 5	4.6	290	12.2	2	< 1	10	4	0.67	4	< 1	< 5	< 1	2.22	< 20	252	3.4	2.7	< 3	< 0.02
189611				< 2	< 5	< 0.5	560	< 0.5	2	< 1	16	6	1.06	5	< 1	< 5	< 1	1.83	240	279	2.9	3.7	< 3	< 0.02
189612				< 2	< 5	< 0.5	220	< 0.5	< 1	5	18	6	1.12	5	< 1	< 5	< 1	1.89	< 20	245	2.9	4.1	< 3	< 0.02
189613				< 2	< 5	< 0.5	260	8.2	< 1	< 1	18	5	0.54	2	< 1	< 5	< 1	2.79	< 20	211	1.9	0.6	< 3	< 0.02
189614				< 2	< 5	2.7	330	5.4	< 1	< 1	13	3	1.04	2	< 1	< 5	< 1	2.30	< 20	265	0.9	0.9	< 3	< 0.02
189615				< 2	< 5	3.2	< 50	< 0.5	< 1	5	15	5	1.10	3	< 1	< 5	< 1	2.55	< 20	279	1.3	3.5	< 3	< 0.02
189616				< 2	< 5	2.0	460	< 0.5	< 1	3	14	4	1.16	6	< 1	< 5	< 1	1.69	< 20	286	1.6	3.5	< 3	< 0.02
189617				< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	< 5	59	2.93	13	< 1	< 5	< 1	1.56	< 20	286	4.2	13.6	< 3	< 0.02
189618				< 2	< 5	1.0	470	< 0.5	< 1	< 1	< 5	7	1.17	5	< 1	< 5	< 1	1.91	< 20	279	3.1	3.2	< 3	< 0.02
189619				< 2	< 5	2.0	370	< 0.5	< 1	< 1	13	8	1.35	6	< 1	< 5	< 1	1.99	< 20	286	1.9	4.3	< 3	< 0.02
189620				3	< 5	4.1	260	< 0.5	< 1	< 1	13	7	1.13	5	< 1	< 5	< 1	1.93	< 20	333	1.4	4.0	< 3	< 0.02
189621				< 2	< 5	2.3	490	< 0.5	< 1	< 1	< 5	5	1.09	4	< 1	< 5	< 1	1.97	< 20	237	1.7	3.5	< 3	< 0.02
189622				< 2	< 5	1.5	770	< 0.5	< 1	< 1	< 5	3	0.80	6	< 1	< 5	< 1	1.92	< 20	198	3.9	1.5	< 3	< 0.02
189623				< 2	< 5	2.1	480	< 0.5	< 1	5	5	6	0.76	6	< 1	< 5	< 1	1.97	< 20	250	2.0	2.0	< 3	< 0.02
189624				< 2	< 5	2.4	440	< 0.5	< 1	< 1	12	7	1.09	5	< 1	< 5	< 1	2.01	< 20	262	2.0	3.2	< 3	< 0.02
189625				< 2	< 5	< 0.5	370	< 0.5	< 1	< 1	< 5	8	1.13	5	< 1	< 5	< 1	1.84	< 20	326	2.0	3.1	< 3	< 0.02
189662				< 2	< 5	1.4	330	1.7	< 1	< 1	< 5	3	0.75	4	< 1	< 5	7	2.14	< 20	224	0.6	1.1	< 3	< 0.02
189663				< 2	< 5	< 0.5	630	1.7	< 1	< 1	< 5	< 1	0.97	6	< 1	< 5	< 1	1.86	< 20	256	0.8	2.4	< 3	< 0.02
189664				< 2	< 5	1.7	450	< 0.5	< 1	< 1	8	3	1.19	6	< 1	< 5	< 1	1.91	< 20	250	0.7	2.9	< 3	< 0.02
189665				< 2	< 5	< 0.5	420	< 0.5	< 1	3	< 5	< 1	1.04	6	< 1	< 5	< 1	1.63	< 20	192	0.8	2.4	< 3	< 0.02
189666				< 2	< 5	< 0.5	450	< 0.5	< 1	< 1	< 5	3	1.11	6	< 1	< 5	< 1	1.84	< 20	314	0.7	3.6	< 3	< 0.02
189667				< 2	< 5	< 0.5	480	< 0.5	< 1	2	< 5	3	1.02	6	< 1	< 5	< 1	1.89	< 20	231	0.5	2.8	< 3	< 0.02
189668				< 2	< 5	2.2	230	< 0.5	< 1	3	7	3	0.59	4	< 1	< 5	< 1	2.13	< 20	310	0.4	2.1	< 3	< 0.02
189669				< 2	< 5	5.1	< 50	7.3	< 1	< 1	< 5	7	1.02	3	< 1	< 5	< 1	2.04	< 20	429	3.0	3.5	< 3	< 0.02
189670				< 2	< 5	1.8	< 50	11.9	< 1	< 1	< 5	6	1.22	< 1	< 1	< 5	< 1	2.20	< 20	337	0.9	1.1	< 3	< 0.02
189671				< 2	< 5	2.5	180	7.3	3	6	14	3	1.21	4	< 1	< 5	< 1	2.83	< 20	185	1.2	3.4	< 3	< 0.02
189672				< 2	< 5	2.1	< 50	3.1	< 1	< 1	17	4	1.09	5	< 1	< 5	< 1	2.03	< 20	323	1.7	2.0	< 3	< 0.02
189673				< 2	< 5	0.7	< 50	< 0.5	< 1	< 1	19	4	1.09	5	< 1	< 5	11	1.85	< 20	323	1.4	3.0	< 3	< 0.02
189674				< 2	< 5	3.6	270	< 0.5	< 1	2	10	9	0.82	5	< 1	< 5	< 1	1.60	< 20	416	1.3	2.8	< 3	< 0.02
189675				< 2	< 5	2.8	480	< 0.5	3	< 1	14	4	1.01	6	< 1	< 5	< 1	1.80	< 20	284	2.0	2.8	< 3	< 0.02
189676				< 2	< 5	< 0.5	360	< 0.5	< 1	< 1	14	3	1.02	5	< 1	< 5	< 1	1.80	< 20	211	1.0	2.6	< 3	< 0.02
189677				< 2	< 5	2.9	330	< 0.5	< 1	< 1	20	5	1.05	5	< 1	< 5	< 1	1.87	< 20	257	1.0	2.8	< 3	< 0.02
189678				< 2	< 5	2.3	< 50	< 0.5	< 1	5	27	11	2.94	8	< 1	< 5	< 1	2.29	< 20	267	1.1	7.8	< 3	< 0.02
189679				< 2	< 5	3.1	250	< 0.5	4	< 1	14	6	1.00	5	< 1	< 5	< 1	1.97	< 20	312	1.5	2.9	< 3	< 0.02
189680				< 2	< 5	< 0.5	400	< 0.5	< 1	< 1	13	5	1.25	7	< 1	< 5	< 1	1.90	< 20	273	1.0	3.7	< 3	< 0.02
189681				< 2	< 5	5.7	200	< 0.5	< 1	< 1	13	5	0.88	4	< 1	< 5	< 1	2.26	< 20	345	0.6	3.4	< 3	< 0.02
189682				< 2	< 5	2.9	230	< 0.5	< 1	2	13	6	0.82	5	< 1	< 5	< 1	2.05	210	345	1.1	3.4	< 3	< 0.02

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Au	Pd	Pt	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn
Unit Symbol	ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Detection Limit	2	5	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02
Analysis Method	FA-ICP	FA-ICP	FA-ICP	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
189683				< 2	< 5	8.4	< 50	< 0.5	< 1	< 1	< 5	4	0.78	2	< 1	< 5	< 1	2.40	< 20	351	11.7	3.3	< 3	< 0.02
189684				< 2	< 5	13.0	< 50	5.7	< 1	< 1	< 5	7	0.87	4	< 1	< 5	< 1	3.00	< 20	254	13.0	3.2	< 3	< 0.02
189685				< 2	< 5	7.2	570	< 0.5	< 1	< 1	< 5	2	1.11	6	< 1	< 5	< 1	1.92	< 20	234	7.2	2.8	< 3	< 0.02
189686				< 2	< 5	9.1	280	7.8	< 1	3	14	4	0.88	5	< 1	< 5	< 1	1.96	< 20	228	9.8	2.3	< 3	< 0.02
189687				< 2	< 5	9.8	490	4.9	2	< 1	15	3	0.73	5	< 1	< 5	7	1.75	< 20	267	11.1	2.8	< 3	< 0.02
189688				< 2	< 5	13.6	470	2.5	< 1	3	10	< 1	1.07	6	< 1	< 5	< 1	1.70	< 20	267	11.7	2.9	< 3	< 0.02
189689				< 2	< 5	< 0.5	620	< 0.5	< 1	< 1	< 5	< 1	1.24	6	< 1	< 5	< 1	2.43	< 20	244	11.8	3.6	< 3	< 0.02
189690				< 2	< 5	13.3	530	< 0.5	< 1	3	< 5	11	1.17	7	< 1	< 5	< 1	2.03	< 20	348	8.9	3.7	< 3	< 0.02
189691				< 2	< 5	9.6	320	< 0.5	< 1	< 1	< 5	10	0.87	4	< 1	< 5	< 1	2.29	< 20	303	6.8	2.3	< 3	< 0.02
189692				< 2	< 5	3.8	< 50	7.2	< 1	< 1	< 5	< 1	1.42	6	< 1	< 5	< 1	2.37	< 20	266	0.7	3.5	< 3	< 0.02
189693				< 2	< 5	3.9	330	9.6	< 1	< 1	< 5	7	0.81	4	< 1	< 5	< 1	2.82	< 20	311	0.6	2.5	< 3	< 0.02
189694				< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	13	4	1.07	4	< 1	< 5	< 1	2.38	< 20	348	0.8	3.7	< 3	< 0.02
189695				< 2	< 5	5.3	130	< 0.5	< 1	< 1	12	7	0.81	4	< 1	< 5	< 1	1.84	< 20	511	1.3	2.7	< 3	< 0.02
189696				< 2	< 5	4.9	330	< 0.5	< 1	< 1	< 5	6	1.23	7	< 1	< 5	< 1	2.25	< 20	407	< 0.1	3.7	< 3	< 0.02
189697				< 2	< 5	3.8	< 50	< 0.5	< 1	< 1	15	5	1.18	5	< 1	< 5	< 1	2.49	< 20	444	0.6	4.6	< 3	< 0.02
189698				< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	21	10	0.84	4	< 1	< 5	< 1	2.86	< 20	326	0.6	1.9	< 3	< 0.02
189699				< 2	< 5	< 0.5	< 50	< 0.5	3	< 1	< 5	6	2.15	30	< 1	< 5	< 1	2.49	< 20	274	< 0.1	1.9	< 3	< 0.02
189700				< 2	< 5	< 0.5	< 50	15.3	< 1	< 1	21	3	0.75	3	< 1	< 5	< 1	2.27	< 20	70	< 0.1	1.5	< 3	< 0.02
189751				< 2	< 5	4.2	< 50	< 0.5	< 1	< 1	< 5	8	0.70	2	< 1	< 5	< 1	2.03	< 20	415	< 0.1	2.9	< 3	< 0.02
189752				< 2	< 5	2.4	< 50	< 0.5	< 1	< 1	10	8	0.58	3	< 1	< 5	< 1	1.99	< 20	315	< 0.1	3.5	< 3	< 0.02
189753				< 2	< 5	4.0	< 50	< 0.5	< 1	< 1	< 5	12	0.56	2	< 1	< 5	< 1	2.07	< 20	360	0.4	3.2	< 3	< 0.02
189754				< 2	< 5	4.6	170	< 0.5	< 1	< 1	8	10	0.73	2	< 1	< 5	8	2.14	< 20	340	< 0.1	3.2	< 3	< 0.02
189755				< 2	< 5	3.5	< 50	< 0.5	< 1	3	< 5	12	0.97	4	< 1	< 5	< 1	1.80	< 20	380	< 0.1	4.6	< 3	< 0.02
189756				< 2	< 5	4.4	< 50	< 0.5	< 1	< 1	< 5	12	0.71	2	< 1	< 5	< 1	2.02	< 20	360	0.3	4.0	< 3	< 0.02
189757				< 2	< 5	4.2	< 50	< 0.5	< 1	< 1	11	14	0.75	3	< 1	< 5	< 1	2.05	< 20	360	0.6	3.5	< 3	< 0.02
189758				< 2	< 5	4.8	< 50	< 0.5	2	< 1	< 5	13	0.75	3	< 1	< 5	< 1	2.15	< 20	350	0.2	3.4	< 3	< 0.02
189759				< 2	< 5	4.4	< 50	< 0.5	< 1	< 1	7	9	0.77	4	< 1	< 5	< 1	2.19	< 20	345	0.2	3.4	< 3	< 0.02
189760				< 2	< 5	6.2	< 50	0.8	< 1	< 1	< 5	7	0.81	3	< 1	< 5	< 1	2.16	< 20	315	0.2	2.7	< 3	< 0.02
189761				< 2	< 5	3.9	< 50	< 0.5	< 1	< 1	10	6	0.75	2	< 1	< 5	< 1	2.10	< 20	323	< 0.1	2.9	< 3	< 0.02
189762				< 2	< 5	4.4	< 50	< 0.5	< 1	< 1	9	5	0.68	2	< 1	< 5	< 1	2.10	< 20	323	0.3	2.9	< 3	< 0.02
189763				< 2	< 5	8.0	130	< 0.5	2	< 1	< 5	7	0.82	2	< 1	< 5	< 1	2.23	< 20	328	< 0.1	3.7	< 3	< 0.02
189764				< 2	< 5	5.7	< 50	< 0.5	< 1	< 1	< 5	8	0.81	3	< 1	< 5	< 1	2.16	< 20	338	< 0.1	3.5	< 3	< 0.02
189765				< 2	< 5	4.7	< 50	< 0.5	< 1	2	12	7	0.79	2	< 1	< 5	< 1	2.11	< 20	348	< 0.1	3.3	< 3	< 0.02
189766				< 2	< 5	14.7	< 50	< 0.5	< 1	< 1	< 5	7	0.70	2	< 1	< 5	< 1	2.17	< 20	397	0.4	2.8	< 3	< 0.02
189767				< 2	< 5	6.4	< 50	< 0.5	< 1	< 1	< 5	9	0.61	5	< 1	< 5	< 1	1.98	< 20	382	0.3	3.7	< 3	< 0.02
189768				< 2	< 5	6.3	< 50	< 0.5	< 1	< 1	9	7	0.76	3	< 1	< 5	< 1	2.01	< 20	382	< 0.1	3.2	< 3	< 0.02
189769				< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	5	0.29	2	< 1	< 5	< 1	1.56	< 20	421	0.3	2.5	< 3	< 0.02
189770				< 2	< 5	6.4	< 50	< 0.5	< 1	< 1	7	6	0.76	2	< 1	< 5	< 1	2.23	< 20	441	0.2	8.7	< 3	< 0.02
189771				< 2	< 5	5.6	290	< 0.5	< 1	< 1	< 5	6	0.88	3	< 1	< 5	< 1	2.07	< 20	412	0.3	8.6	< 3	< 0.02
189772				< 2	< 5	2.0	390	< 0.5	< 1	< 1	< 5	6	1.18	6	< 1	< 5	< 1	1.93	< 20	365	< 0.1	5.4	< 3	< 0.02
189773				< 2	< 5	3.2	< 50	1.7	< 1	< 1	13	7	1.10	4	< 1	< 5	< 1	2.43	< 20	260	< 0.1	5.4	< 3	< 0.02
189774				< 2	< 5	4.1	< 50	< 0.5	< 1	< 1	< 5	5	0.82	4	< 1	< 5	< 1	1.96	< 20	360	< 0.1	4.6	< 3	< 0.02
189775				< 2	< 5	4.8	220	< 0.5	< 1	< 1	< 5	9	0.75	3	< 1	< 5	< 1	2.24	< 20	430	< 0.1	3.2	< 3	< 0.02
189776				< 2	< 5	2.3	< 50	1.3	< 1	< 1	8	5	0.76	3	< 1	< 5	< 1	2.10	< 20	380	< 0.1	3.5	< 3	< 0.02
189777				< 2	< 5	3.5	< 50	6.0	< 1	3	20	3	0.92	2	< 1	< 5	< 1	2.47	< 20	95	< 0.1	4.3	< 3	< 0.02
189778				< 2	< 5	5.4	< 50	3.3	< 1	< 1	11	4	0.98	3	< 1	< 5	< 1	2.23	< 20	290	< 0.1	3.7	< 3	< 0.02
189779				< 2	< 5	3.8	< 50	2.8	< 1	< 1	< 5	4	0.65	2	< 1	< 5	< 1	1.31	< 20	320	< 0.1	0.6	< 3	< 0.02
189780				< 2	< 5	< 0.5	< 50	3.3	< 1	< 1	10	4	0.49	4	< 1	< 5	< 1	2.51	< 20	290	0.2	1.8	< 3	< 0.02
189781				< 2	< 5	5.3	< 50	< 0.5	< 1	< 1	14	4	0.56	4	< 1	< 5	< 1	2.60	< 20	200	< 0.1	1.6	< 3	< 0.02
189782				< 2	< 5	4.3	< 50	< 0.5	< 1	< 1	< 5	< 1	0.61	2	< 1	< 5	< 1	3.34	< 20	255	< 0.1	4.6	< 3	< 0.02
189783				< 2	< 5	4.1	190	< 0.5	< 1	< 1	7	3	0.73	4	< 1	< 5	< 1	2.61	< 20	211	0.2	3.1	< 3	< 0.02
189784				< 2	< 5	5.2	< 50	< 0.5	< 1	< 1	7	6	0.60	3	< 1	< 5	< 1	2.56	< 20	238	< 0.1	2.2	< 3	< 0.02

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Au	Pd	Pt	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn
Unit Symbol	ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Detection Limit	2	5	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02
Analysis Method	FA-ICP	FA-ICP	FA-ICP	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
189785				< 2	< 5	4.6	< 50	< 0.5	2	< 1	< 5	5	0.51	1	< 1	< 5	< 1	2.60	< 20	260	0.4	2.2	< 3	< 0.02
189786				< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	3	1.08	2	< 1	< 5	< 1	2.78	< 20	66	0.4	5.1	< 3	< 0.02
189787				< 2	< 5	5.8	< 50	< 0.5	< 1	< 1	< 5	6	0.94	4	< 1	< 5	< 1	1.87	< 20	414	0.2	3.9	< 3	< 0.02
189788				< 2	< 5	4.4	< 50	2.2	< 1	< 1	< 5	< 1	0.51	2	< 1	< 5	< 1	5.98	< 20	< 15	< 0.1	0.3	< 3	< 0.02
189789				< 2	< 5	4.2	< 50	< 0.5	< 1	< 1	< 5	5	0.81	3	< 1	< 5	< 1	2.02	< 20	326	0.2	3.2	< 3	< 0.02
189790				< 2	< 5	7.2	< 50	2.4	2	< 1	< 5	11	0.75	2	< 1	< 5	< 1	1.74	210	409	< 0.1	3.4	< 3	< 0.02
189791				< 2	< 5	1.3	180	< 0.5	< 1	< 1	< 5	4	0.75	2	< 1	< 5	< 1	2.08	< 20	277	0.2	2.2	< 3	< 0.02
189792				< 2	< 5	1.3	570	< 0.5	< 1	< 1	11	7	1.25	8	< 1	< 5	< 1	0.89	< 20	484	0.2	6.1	< 3	< 0.02
189793				< 2	< 5	< 0.5	330	< 0.5	< 1	< 1	6	4	1.06	4	< 1	< 5	< 1	1.57	< 20	238	< 0.1	2.9	< 3	< 0.02
189794				< 2	< 5	19.8	200	< 0.5	< 1	< 1	13	4	0.95	4	< 1	< 5	< 1	1.68	< 20	230	< 0.1	2.9	< 3	< 0.02
189795				< 2	< 5	7.8	360	< 0.5	< 1	< 1	11	4	1.12	4	< 1	< 5	< 1	1.63	< 20	331	0.4	3.2	< 3	< 0.02
189796				< 2	< 5	4.8	300	< 0.5	< 1	2	12	6	1.04	4	< 1	< 5	< 1	1.62	< 20	269	0.3	2.7	< 3	< 0.02
189797				< 2	< 5	< 0.5	420	< 0.5	< 1	< 1	6	5	1.12	4	< 1	< 5	< 1	1.59	< 20	250	< 0.1	2.9	< 3	< 0.02
189798				< 2	< 5	0.7	380	< 0.5	< 1	3	10	6	1.11	4	< 1	< 5	5	1.43	< 20	341	0.2	2.9	< 3	< 0.02
189799				< 2	< 5	4.0	400	< 0.5	< 1	2	< 5	5	1.00	4	< 1	< 5	< 1	1.54	< 20	293	< 0.1	2.7	< 3	< 0.02
189800				< 2	< 5	7.6	290	< 0.5	< 1	2	< 5	5	0.93	4	< 1	< 5	< 1	1.63	< 20	230	0.3	2.8	< 3	< 0.02
189801				< 2	< 5	< 0.5	180	< 0.5	< 1	< 1	< 5	6	0.81	2	< 1	< 5	< 1	2.10	< 20	432	0.3	3.7	< 3	< 0.02
189802				< 2	< 5	9.6	< 50	2.4	< 1	2	< 5	2	0.81	2	< 1	< 5	< 1	2.22	< 20	336	0.3	4.1	< 3	< 0.02
189803				< 2	< 5	11.3	< 50	< 0.5	< 1	< 1	< 5	< 1	0.53	3	< 1	< 5	< 1	2.17	< 20	350	< 0.1	2.7	< 3	< 0.02
189804				< 2	< 5	10.8	< 50	< 0.5	1	< 1	< 5	8	1.07	1	< 1	< 5	< 1	1.63	< 20	576	< 0.1	8.4	< 3	< 0.02
189805				< 2	< 5	0.6	< 50	< 0.5	< 1	< 1	< 5	5	0.41	< 1	< 1	< 5	< 1	1.75	< 20	561	< 0.1	2.9	< 3	< 0.02
189806				< 2	< 5	4.5	< 50	2.6	3	< 1	< 5	8	1.65	14	< 1	< 5	< 1	3.19	< 20	158	< 0.1	8.9	< 3	< 0.02
189807				< 2	< 5	9.3	< 50	< 0.5	< 1	3	< 5	6	1.05	4	< 1	< 5	< 1	1.63	< 20	495	< 0.1	5.1	< 3	< 0.02
189808				< 2	< 5	4.0	90	< 0.5	< 1	< 1	< 5	5	0.59	3	< 1	< 5	< 1	1.61	< 20	355	0.2	2.9	< 3	< 0.02
189809				< 2	< 5	6.1	240	2.2	< 1	< 1	< 5	6	0.97	6	< 1	< 5	< 1	1.93	< 20	347	< 0.1	4.0	< 3	< 0.02
189810				< 2	< 5	8.6	< 50	< 0.5	< 1	< 1	< 5	4	0.71	3	< 1	< 5	< 1	2.09	< 20	326	< 0.1	3.6	< 3	< 0.02
189811				< 2	< 5	2.1	< 50	< 0.5	3	< 1	< 5	4	0.71	7	< 1	< 5	< 1	2.05	< 20	342	< 0.1	3.1	< 3	< 0.02
189812				< 2	< 5	10.1	290	< 0.5	< 1	< 1	< 5	7	0.95	4	< 1	< 5	< 1	1.91	< 20	388	0.3	4.7	< 3	< 0.02
189813				< 2	< 5	8.1	140	< 0.5	< 1	< 1	< 5	6	0.63	2	< 1	< 5	< 1	1.99	280	408	0.2	2.5	< 3	< 0.02
189814				< 2	< 5	11.0	< 50	< 0.5	< 1	< 1	< 5	14	0.65	7	< 1	< 5	< 1	1.66	< 20	561	< 0.1	3.3	< 3	< 0.02
189815				< 2	< 5	10.2	310	< 0.5	2	2	< 5	5	0.95	4	< 1	< 5	10	1.72	< 20	281	0.2	3.2	< 3	< 0.02
189816				5	< 5	2.3	250	< 0.5	< 1	3	11	7	1.03	5	< 1	< 5	< 1	1.79	< 20	330	< 0.1	2.7	< 3	< 0.02
189817				5	< 5	2.1	250	1.5	< 1	2	< 5	7	0.99	5	< 1	< 5	< 1	1.40	< 20	233	0.2	2.7	< 3	< 0.02
189818				< 2	< 5	2.0	340	< 0.5	< 1	2	14	8	1.09	6	< 1	< 5	< 1	1.45	< 20	280	< 0.1	3.2	< 3	< 0.02
189819				< 2	< 5	5.6	330	< 0.5	< 1	< 1	< 5	14	0.85	5	< 1	< 5	< 1	1.57	< 20	235	0.6	2.7	< 3	< 0.02
189820				< 2	< 5	< 0.5	390	< 0.5	< 1	< 1	16	6	1.01	5	< 1	< 5	< 1	1.53	340	281	< 0.1	3.1	< 3	< 0.02
189821				< 2	< 5	< 0.5	230	1.9	< 1	2	< 5	5	0.79	5	< 1	< 5	< 1	1.58	< 20	223	< 0.1	2.7	< 3	< 0.02
189822				< 2	< 5	2.7	340	1.9	< 1	< 1	< 5	3	1.18	5	< 1	< 5	< 1	1.53	< 20	216	0.2	3.5	< 3	< 0.02
189823				< 2	< 5	5.0	< 50	< 0.5	< 1	< 1	< 5	4	0.98	5	< 1	< 5	< 1	1.37	< 20	428	0.2	4.0	< 3	< 0.02
189824				11	< 5	< 0.5	170	< 0.5	< 1	< 1	< 5	7	0.90	4	< 1	< 5	< 1	1.67	< 20	329	0.3	4.0	< 3	< 0.02
189825				< 2	< 5	3.1	210	< 0.5	< 1	< 1	< 5	7	0.59	3	< 1	< 5	< 1	1.33	< 20	418	0.2	2.8	< 3	< 0.02
189826				< 2	< 5	3.8	< 50	< 0.5	< 1	< 1	< 5	8	0.82	3	< 1	< 5	< 1	1.92	< 20	283	0.2	3.2	< 3	< 0.02
189827				< 2	< 5	7.5	160	< 0.5	< 1	< 1	< 5	18	0.84	4	< 1	< 5	< 1	2.15	< 20	395	0.4	4.5	< 3	< 0.02
189828				< 2	< 5	5.3	< 50	< 0.5	< 1	< 1	< 5	12	0.68	4	< 1	< 5	< 1	2.18	< 20	361	0.4	3.5	< 3	< 0.02
189829				< 2	< 5	2.5	310	< 0.5	< 1	< 1	< 5	15	0.74	4	< 1	< 5	< 1	2.07	< 20	369	< 0.1	3.3	< 3	< 0.02
189830				< 2	< 5	2.6	120	< 0.5	< 1	< 1	< 5	16	0.56	3	< 1	< 5	< 1	2.08	< 20	351	0.7	2.8	< 3	< 0.02
189831				< 2	< 5	5.6	170	< 0.5	< 1	< 1	< 5	17	0.81	3	< 1	< 5	< 1	2.14	< 20	358	0.6	3.7	< 3	< 0.02
189832				< 2	< 5	5.6	< 50	< 0.5	1	2	< 5	16	0.77	4	< 1	< 5	< 1	2.17	< 20	336	0.5	3.7	< 3	< 0.02
189833				< 2	< 5	3.1	170	< 0.5	1	< 1	< 5	7	0.84	4	< 1	< 5	< 1	1.99	< 20	293	0.1	3.9	< 3	< 0.02
189834				< 2	< 5	3.9	< 50	< 0.5	< 1	< 1	< 5	12	0.69	3	< 1	< 5	< 1	2.06	< 20	337	0.4	3.8	< 3	< 0.02
189835				< 2	< 5	3.9	< 50	< 0.5	< 1	< 1	< 5	11	0.74	3	< 1	< 5	< 1	2.02	330	310	< 0.1	3.5	< 3	< 0.02
189836				< 2	< 5	4.6	500	< 0.5	< 1	< 1	17	10	0.85	3	< 1	< 5	< 1	1.99	< 20	360	< 0.1	4.7	< 3	< 0.02

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Au	Pd	Pt	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn
Unit Symbol	ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Detection Limit	2	5	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02
Analysis Method	FA-ICP	FA-ICP	FA-ICP	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
189837				9	< 5	2.8	< 50	< 0.5	< 1	< 1	< 5	7	0.93	4	< 1	< 5	< 1	2.04	< 20	291	0.1	3.8	< 3	< 0.02
189838				< 2	< 5	3.7	180	< 0.5	< 1	< 1	13	12	0.84	4	< 1	< 5	< 1	2.11	340	340	0.4	3.7	< 3	< 0.02
189839				< 2	< 5	4.3	210	< 0.5	< 1	< 1	< 5	12	0.65	4	< 1	< 5	< 1	2.16	< 20	374	0.5	3.6	< 3	< 0.02
189840				< 2	< 5	2.8	150	< 0.5	< 1	2	< 5	9	0.46	2	< 1	< 5	< 1	3.72	410	157	0.3	2.1	< 3	< 0.02
189841				< 2	< 5	1.0	< 50	< 0.5	< 1	< 1	< 5	11	0.49	4	< 1	< 5	< 1	1.99	< 20	280	0.2	2.0	< 3	< 0.02
189842				< 2	< 5	2.3	< 50	< 0.5	< 1	2	< 5	17	0.80	< 1	< 1	< 5	< 1	1.99	< 20	357	0.2	4.9	< 3	< 0.02
189843				< 2	< 5	1.3	< 50	< 0.5	2	< 1	< 5	14	1.38	11	< 1	< 5	< 1	1.76	400	350	0.5	8.4	< 3	< 0.02
189844				< 2	< 5	4.7	230	< 0.5	< 1	< 1	< 5	13	0.65	5	< 1	< 5	< 1	2.17	< 20	343	< 0.1	4.3	< 3	< 0.02
189845				< 2	< 5	3.3	< 50	< 0.5	< 1	< 1	< 5	10	0.47	2	< 1	< 5	< 1	2.00	< 20	440	0.3	3.3	< 3	< 0.02
189846				< 2	< 5	3.1	< 50	< 0.5	< 1	< 1	< 5	11	0.68	5	< 1	< 5	< 1	2.01	< 20	375	0.3	4.0	< 3	< 0.02
189847				< 2	< 5	2.1	< 50	0.9	< 1	< 1	< 5	12	0.85	5	< 1	< 5	< 1	1.82	< 20	423	0.3	3.7	< 3	< 0.02
189848				< 2	< 5	3.6	170	1.7	< 1	< 1	< 5	5	1.07	5	< 1	< 5	< 1	1.95	< 20	367	< 0.1	6.1	< 3	< 0.02
189849				< 2	< 5	2.1	130	< 0.5	< 1	< 1	< 5	6	0.84	4	< 1	< 5	< 1	1.73	< 20	349	< 0.1	3.4	< 3	< 0.02
189850				< 2	< 5	0.9	< 50	1.5	2	2	< 5	7	0.82	1	< 1	< 5	< 1	3.13	< 20	100	< 0.1	3.1	< 3	< 0.02
189851				< 2	< 5	1.6	170	< 0.5	< 1	< 1	< 5	6	0.87	5	< 1	< 5	< 1	1.68	< 20	326	< 0.1	3.2	< 3	< 0.02
189852				< 2	< 5	1.3	220	< 0.5	< 1	1	< 5	7	0.94	4	< 1	< 5	< 1	1.26	< 20	408	< 0.1	3.4	< 3	< 0.02
189853				< 2	< 5	1.7	190	< 0.5	< 1	< 1	< 5	8	1.04	6	< 1	< 5	< 1	1.60	< 20	342	0.1	3.6	< 3	< 0.02
189854				< 2	< 5	1.6	200	< 0.5	< 1	4	< 5	12	1.04	6	< 1	< 5	< 1	1.63	< 20	316	0.3	3.0	< 3	< 0.02
189855				< 2	< 5	< 0.5	270	< 0.5	< 1	3	< 5	6	1.06	5	< 1	< 5	< 1	1.61	< 20	310	< 0.1	3.3	< 3	< 0.02
189856				< 2	< 5	1.4	290	< 0.5	< 1	2	< 5	6	1.09	6	< 1	< 5	< 1	1.59	370	330	< 0.1	3.3	< 3	< 0.02
189857				< 2	< 5	1.1	380	5.5	< 1	3	12	4	1.09	6	< 1	< 5	< 1	1.59	< 20	366	< 0.1	2.9	< 3	< 0.02
189858				< 2	< 5	1.7	260	0.9	< 1	2	< 5	4	0.90	4	< 1	< 5	< 1	1.53	< 20	240	< 0.1	2.5	< 3	< 0.02
189859				< 2	< 5	1.6	200	5.0	< 1	< 1	< 5	4	0.53	4	< 1	< 5	< 1	2.07	< 20	251	< 0.1	1.1	< 3	< 0.02
189860				< 2	< 5	1.7	420	< 0.5	< 1	2	< 5	5	1.07	6	< 1	< 5	12	1.48	< 20	244	< 0.1	3.2	< 3	< 0.02
189861				< 2	< 5	< 0.5	430	< 0.5	< 1	< 1	< 5	8	0.94	6	< 1	< 5	< 1	1.35	< 20	245	< 0.1	3.0	< 3	< 0.02
189862				< 2	< 5	2.2	< 50	< 0.5	< 1	< 1	< 5	4	1.06	4	< 1	< 5	< 1	1.66	< 20	242	< 0.1	2.7	< 3	< 0.02
189863				< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	7	0.85	4	< 1	< 5	4	1.55	< 20	299	< 0.1	2.6	< 3	< 0.02
189864				< 2	< 5	1.5	110	< 0.5	< 1	< 1	13	5	0.65	4	< 1	< 5	< 1	1.49	< 20	258	< 0.1	2.3	< 3	< 0.02
189865				< 2	< 5	2.7	230	< 0.5	< 1	4	< 5	4	0.67	3	< 1	< 5	< 1	1.58	< 20	206	< 0.1	1.6	< 3	< 0.02
189866				< 2	< 5	2.4	290	< 0.5	< 1	2	< 5	7	1.05	5	< 1	< 5	< 1	1.47	< 20	319	< 0.1	3.0	< 3	< 0.02
189867				< 2	< 5	1.9	300	< 0.5	< 1	< 1	9	6	1.18	4	< 1	< 5	4	1.53	< 20	295	< 0.1	2.8	< 3	< 0.02
189868				< 2	< 5	3.0	280	< 0.5	< 1	3	< 5	8	0.96	6	< 1	< 5	5	1.43	< 20	319	< 0.1	3.0	< 3	< 0.02
189869				< 2	< 5	1.6	270	1.7	< 1	2	< 5	4	0.91	5	< 1	< 5	< 1	1.46	< 20	254	< 0.1	3.3	< 3	< 0.02
189870				< 2	< 5	< 0.5	270	< 0.5	2	2	< 5	6	1.17	5	< 1	< 5	< 1	1.23	< 20	282	< 0.1	3.3	< 3	< 0.02
189871				< 2	< 5	< 0.5	370	< 0.5	2	3	39	7	1.25	5	< 1	< 5	< 1	2.08	< 20	462	0.3	3.9	< 3	< 0.02
189872				< 2	< 5	2.6	260	1.7	< 1	3	44	7	1.42	6	< 1	< 5	< 1	2.07	< 20	370	0.3	3.6	< 3	< 0.02
189873				< 2	< 5	1.7	280	< 0.5	< 1	4	38	3	1.10	5	< 1	< 5	< 1	2.12	< 20	304	< 0.1	2.8	< 3	< 0.02
189874				< 2	< 5	1.9	280	6.4	< 1	< 1	38	3	0.98	5	< 1	< 5	< 1	2.10	< 20	300	< 0.1	2.5	< 3	< 0.02
189875				< 2	< 5	1.5	400	< 0.5	< 1	3	44	4	1.26	6	< 1	< 5	< 1	2.13	220	314	< 0.1	3.1	< 3	< 0.02
189876				< 2	< 5	< 0.5	370	< 0.5	2	3	46	5	1.21	5	< 1	< 5	< 1	2.14	< 20	271	< 0.1	3.0	< 3	< 0.02
189877				< 2	< 5	1.3	370	< 0.5	< 1	3	44	5	1.07	6	< 1	< 5	< 1	2.10	< 20	336	< 0.1	2.9	< 3	< 0.02
189878				< 2	< 5	1.7	370	1.5	< 1	3	40	4	1.12	6	< 1	< 5	< 1	2.08	< 20	316	< 0.1	3.4	< 3	< 0.02
189879				< 2	< 5	1.8	480	2.2	< 1	2	42	3	1.30	6	< 1	< 5	< 1	2.08	< 20	326	0.3	3.4	< 3	< 0.02
189880				< 2	< 5	3.3	290	2.1	< 1	3	48	4	1.17	5	< 1	< 5	< 1	2.24	< 20	308	0.3	3.1	< 3	< 0.02
189881				< 2	< 5	3.6	310	< 0.5	< 1	4	35	3	1.37	6	< 1	< 5	< 1	2.00	< 20	331	< 0.1	3.6	< 3	< 0.02
189882				< 2	< 5	2.6	< 50	1.7	< 1	2	46	12	0.63	4	< 1	< 5	< 1	2.10	< 20	477	0.3	1.6	< 3	< 0.02
189883				< 2	< 5	1.6	970	4.3	< 1	5	49	< 1	1.16	4	< 1	< 5	< 1	3.03	< 20	163	< 0.1	0.6	< 3	< 0.02
189884				< 2	< 5	1.6	390	< 0.5	< 1	3	48	7	1.35	6	< 1	< 5	< 1	2.30	< 20	355	0.3	3.3	< 3	< 0.02
189885				< 2	< 5	1.9	360	< 0.5	< 1	2	41	6	1.16	5	< 1	< 5	< 1	2.22	< 20	286	0.2	2.9	< 3	< 0.02
189886				< 2	< 5	1.6	430	< 0.5	< 1	3	39	7	1.36	7	< 1	< 5	< 1	2.14	< 20	341	0.4	4.4	< 3	< 0.02
189887				< 2	< 5	1.4	370	< 0.5	< 1	2	39	5	1.15	5	< 1	< 5	< 1	2.25	< 20	309	0.1	2.0	< 3	< 0.02
189888				< 2	< 5	2.1	< 50	< 0.5	< 1	2	44	2	0.48	6	< 1	< 5	< 1	3.14	< 20	239	0.1	1.0	< 3	< 0.02

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Au	Pd	Pt	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn
Unit Symbol	ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Detection Limit	2	5	5	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02
Analysis Method	FA-ICP	FA-ICP	FA-ICP	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
189889				< 2	< 5	1.9	< 50	< 0.5	< 1	< 1	41	3	0.75	3	< 1	< 5	< 1	3.63	< 20	136	0.3	1.9	< 3	< 0.02
189890				< 2	< 5	2.8	150	< 0.5	< 1	3	43	5	1.13	5	< 1	< 5	< 1	2.35	< 20	500	< 0.1	5.0	< 3	< 0.02
189891				< 2	< 5	2.2	190	< 0.5	< 1	2	35	4	1.07	5	< 1	< 5	< 1	2.38	< 20	509	< 0.1	4.3	< 3	< 0.02
189892				< 2	< 5	2.1	< 50	< 0.5	< 1	3	39	8	0.84	3	< 1	< 5	< 1	2.08	< 20	491	0.2	3.5	< 3	< 0.02
189901				< 2	< 5	2.2	490	< 0.5	< 1	4	49	3	1.40	6	< 1	< 5	< 1	2.00	< 20	353	0.2	4.0	< 3	< 0.02
189902				2	< 5	3.3	390	< 0.5	2	2	45	6	1.42	6	< 1	< 5	< 1	2.10	< 20	338	0.3	3.6	< 3	< 0.02
189903				< 2	< 5	2.7	420	< 0.5	< 1	3	37	7	1.36	6	< 1	< 5	< 1	2.18	< 20	353	0.2	3.8	< 3	< 0.02
189904				< 2	< 5	1.8	< 50	< 0.5	< 1	2	43	15	1.09	2	< 1	< 5	< 1	2.35	< 20	531	0.4	5.9	< 3	< 0.02
602122				< 2	< 5	0.8	530	< 0.5	< 1	2	47	5	0.67	< 1	< 1	< 5	< 1	1.82	< 20	263	0.2	1.3	< 3	< 0.02
602301				< 2	< 5	< 0.5	440	< 0.5	4	24	209	5	4.94	5	< 1	< 5	< 1	3.22	< 20	229	0.5	15.5	< 3	< 0.02
602302				< 2	< 5	< 0.5	< 50	< 0.5	< 1	16	126	8	3.70	4	< 1	< 5	< 1	1.99	< 20	409	< 0.1	11.6	< 3	< 0.02
602303				< 2	< 5	1.5	580	< 0.5	< 1	12	112	6	2.49	5	< 1	< 5	< 1	2.65	< 20	380	< 0.1	7.9	< 3	< 0.02
602304				< 2	< 5	1.4	< 50	< 0.5	< 1	22	161	8	4.57	4	< 1	< 5	< 1	3.86	440	185	< 0.1	15.2	< 3	< 0.02
602305				< 2	< 5	1.2	510	< 0.5	< 1	11	55	10	2.49	2	< 1	< 5	< 1	2.92	360	336	< 0.1	4.1	< 3	< 0.02
602306				< 2	< 5	< 0.5	< 50	< 0.5	< 1	21	155	8	5.12	4	< 1	< 5	< 1	3.46	< 20	253	< 0.1	14.9	< 3	< 0.02
602307				51	< 5	1.1	460	< 0.5	2	7	69	6	1.65	11	< 1	< 5	< 1	2.53	< 20	370	0.2	4.6	< 3	< 0.02
602308				< 2	< 5	< 0.5	< 50	< 0.5	< 1	12	126	7	2.24	3	< 1	< 5	< 1	2.22	< 20	358	0.4	8.8	< 3	< 0.02
602309				< 2	< 5	< 0.5	< 50	< 0.5	3	14	153	4	3.05	6	< 1	< 5	< 1	3.27	< 20	254	0.3	14.3	< 3	< 0.02
602310				< 2	< 5	< 0.5	240	< 0.5	< 1	7	104	4	2.23	5	< 1	< 5	< 1	3.50	< 20	199	< 0.1	7.1	< 3	< 0.02
602311				< 2	< 5	< 0.5	390	< 0.5	1	6	78	3	1.33	3	< 1	< 5	< 1	2.56	< 20	322	< 0.1	3.0	< 3	< 0.02
602312				< 2	< 5	1.9	400	< 0.5	3	13	163	3	2.35	7	< 1	< 5	< 1	3.32	< 20	207	< 0.1	9.5	< 3	< 0.02
602313				< 2	< 5	< 0.5	650	< 0.5	< 1	13	152	3	2.41	4	< 1	< 5	< 1	2.88	< 20	198	0.3	7.1	< 3	< 0.02
602314				< 2	< 5	< 0.5	270	< 0.5	< 1	7	114	5	1.99	8	< 1	< 5	< 1	3.24	< 20	199	< 0.1	5.2	< 3	< 0.02
602315				< 2	< 5	1.4	440	< 0.5	< 1	6	71	3	1.52	5	< 1	< 5	< 1	3.01	< 20	226	< 0.1	3.7	< 3	< 0.02
602316				4	< 5	< 0.5	390	< 0.5	< 1	2	41	4	0.54	3	< 1	< 5	< 1	2.33	< 20	320	0.2	0.4	< 3	< 0.02
602317				< 2	< 5	1.2	370	< 0.5	< 1	2	46	6	0.88	4	< 1	< 5	< 1	2.89	< 20	330	0.2	1.0	< 3	< 0.02
602318				< 2	< 5	5.6	540	< 0.5	< 1	6	47	3	1.61	3	< 1	< 5	< 1	2.89	< 20	248	< 0.1	3.8	< 3	< 0.02
602319				< 2	< 5	0.6	< 50	< 0.5	4	27	103	3	4.66	6	< 1	< 5	< 1	2.48	540	65	< 0.1	18.3	< 3	< 0.02
602320				< 2	< 5	< 0.5	320	4.5	< 1	< 1	< 5	8	2.11	24	< 1	< 5	< 1	2.51	< 20	113	0.2	1.3	< 3	0.09
602321				< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	9	7	2.66	59	< 1	< 5	< 1	2.03	< 20	124	0.1	1.6	< 3	< 0.02
602322				< 2	< 5	< 0.5	460	< 0.5	< 1	8	50	5	3.85	31	< 1	< 5	< 1	2.20	< 20	113	< 0.1	6.4	< 3	0.08
602323				< 2	< 5	12.2	510	5.2	5	30	238	6	5.03	1	< 1	< 5	< 1	2.24	< 20	184	0.4	23.2	< 3	< 0.02
602324				< 2	< 5	18.8	410	< 0.5	< 1	3	36	6	1.19	6	< 1	< 5	< 1	3.12	< 20	130	< 0.1	4.2	< 3	< 0.02
602325				< 2	< 5	< 0.5	310	< 0.5	< 1	8	65	8	1.77	2	< 1	< 5	< 1	3.07	< 20	248	< 0.1	6.6	< 3	< 0.02

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Sr	Ta	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass	Ag	Cd	Cu	Mn	Mo	Ni	Pb
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.05	0.5	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1		0.2	0.5	1	2	2	1	2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
186251	< 0.05	< 0.5	35.3	13.3	< 1	< 50	12.6	40	< 5	4.4	< 0.2	< 0.5	6.8	0.98	0.939	11.5	1.059							
186252	< 0.05	< 0.5	38.8	26.3	< 1	< 50	26.0	62	25	6.3	< 0.2	< 0.5	8.1	1.21	1.06	24.1	1.060							
186253	< 0.05	16.1	405	217	< 1	880	165	429	166	43.0	< 0.2	10.1	24.9	3.57	0.997	209	1.078							
186254	< 0.05	< 0.5	16.7	16.0	< 1	< 50	10.8	24	< 5	2.8	< 0.2	< 0.5	2.5	0.37	0.907	13.0	1.043							
186255	< 0.05	< 0.5	46.4	12.2	< 1	< 50	19.1	25	< 5	1.6	< 0.2	< 0.5	0.7	< 0.05	0.962	10.1	1.039							
186256	< 0.05	< 0.5	58.1	18.0	< 1	< 50	12.5	36	< 5	2.6	< 0.2	< 0.5	1.4	0.22	1.10	15.6	1.078							
186257	< 0.05	8.2	593	164	< 1	< 50	85.0	227	154	14.4	1.6	< 0.5	4.4	< 0.05	1.10	170	1.047							
186258	< 0.05	< 0.5	187	322	< 1	100	17.1	49	80	10.2	< 0.2	< 0.5	3.4	< 0.05	1.01	360	1.089							
186259	< 0.05	< 0.5	755	527	< 1	< 50	38.6	98	156	17.7	< 0.2	< 0.5	5.1	< 0.05	0.945	582	1.046							
186260	< 0.05	< 0.5	264	388	< 1	< 50	26.4	79	83	14.2	0.9	< 0.5	3.4	< 0.05	0.887	470	1.055							
186261	< 0.05	2.7	17.0	96.2	387	< 50	27.8	44	20	4.5	< 0.2	< 0.5	0.7	< 0.05	0.979	92.1	1.022							
186262	< 0.05	< 0.5	19.1	32.5	45	< 50	30.1	55	20	3.4	1.1	< 0.5	0.9	< 0.05	1.30	29.0	1.022							
186263	< 0.05	3.3	244	97.7	15	< 50	7.0	17	55	3.8	< 0.2	< 0.5	1.5	< 0.05	1.56	99.8	1.065							
186276	< 0.05	< 0.5	1.7	< 0.5	< 1	< 50	2.4	< 3	< 5	0.4	< 0.2	< 0.5	0.8	0.12	1.48	0.8	1.066	0.5	1.4	2	563	2	837	< 2
186277	< 0.05	< 0.5	10.1	72.3	< 1	< 50	4.7	8	< 5	1.8	< 0.2	0.6	0.9	< 0.05	1.51	73.0	1.070							
186278	< 0.05	< 0.5	3.5	19.6	< 1	< 50	2.6	4	< 5	0.7	< 0.2	< 0.5	0.7	0.10	1.58	16.4	1.068							
187251	< 0.05	< 0.5	32.9	15.4	< 1	< 50	23.8	50	12	4.3	< 0.2	< 0.5	4.2	0.59	1.56	12.1	1.029							
187252	< 0.05	< 0.5	79.3	17.2	< 1	< 50	66.5	127	58	8.2	0.4	< 0.5	1.5	0.20	1.70	15.9	1.038							
187253	< 0.05	< 0.5	42.4	25.4	< 1	< 50	33.2	66	29	4.9	< 0.2	< 0.5	4.2	0.58	1.68	22.7	1.050							
187254	< 0.05	< 0.5	41.1	26.5	< 1	< 50	25.6	62	15	4.5	< 0.2	< 0.5	5.0	0.73	1.67	24.6	1.001							
187255	< 0.05	< 0.5	47.5	35.1	< 1	< 50	19.9	46	14	3.8	< 0.2	< 0.5	1.2	< 0.05	1.78	31.8	1.059							
187256	< 0.05	< 0.5	51.7	22.8	< 1	90	29.3	69	27	4.1	< 0.2	< 0.5	1.4	< 0.05	1.68	20.4	1.043							
187257	< 0.05	< 0.5	52.1	19.1	< 1	< 50	34.6	67	26	4.4	< 0.2	< 0.5	1.2	0.15	1.77	16.5	1.003							
187258	< 0.05	< 0.5	50.0	11.2	< 1	< 50	30.0	81	28	4.8	0.6	< 0.5	1.4	0.23	1.83	11.4	1.084							
187259	< 0.05	1.9	53.7	30.9	< 1	< 50	40.0	92	36	6.6	< 0.2	< 0.5	1.2	< 0.05	1.66	28.8	1.084							
187260	< 0.05	< 0.5	23.1	18.8	< 1	< 50	17.4	36	9	3.1	< 0.2	< 0.5	4.3	0.60	1.63	18.1	1.037							
187261	< 0.05	< 0.5	48.6	24.5	< 1	< 50	19.0	58	19	3.5	0.6	< 0.5	1.0	< 0.05	1.60	23.0	1.078							
187262	< 0.05	2.1	38.7	14.9	< 1	< 50	34.1	71	22	6.5	< 0.2	< 0.5	5.4	0.83	1.78	14.5	1.049							
187276	< 0.05	< 0.5	22.8	13.3	< 1	< 50	16.9	38	16	3.7	< 0.2	< 0.5	3.7	0.52	1.68	13.4	1.030							
187277	0.08	< 0.5	22.0	17.6	< 1	< 50	13.7	38	8	3.6	< 0.2	1.4	7.5	1.08	1.66	16.9	1.007							
187278	< 0.05	2.6	36.4	31.1	< 1	< 50	25.6	66	31	6.7	< 0.2	2.1	11.3	1.67	1.58	27.5	1.076							
187279	< 0.05	< 0.5	34.1	34.3	< 1	< 50	23.9	50	19	6.5	< 0.2	2.2	6.5	0.98	1.63	33.6	1.038							
187280	< 0.05	< 0.5	27.6	41.6	< 1	< 50	9.8	19	< 5	2.1	< 0.2	< 0.5	3.5	0.50	1.67	41.2	1.075							
187281	< 0.05	< 0.5	43.3	15.4	< 1	< 50	18.7	37	21	3.0	0.5	< 0.5	1.4	0.18	1.57	13.6	1.081							
187282	< 0.05	1.6	60.8	32.6	< 1	< 50	9.9	27	13	2.8	< 0.2	< 0.5	1.0	< 0.05	1.62	34.6	1.022							
187283	< 0.05	1.3	59.2	11.5	< 1	70	25.1	36	24	4.0	< 0.2	< 0.5	1.2	0.13	1.73	10.1	1.036							
187284	< 0.05	< 0.5	59.8	11.8	< 1	100	42.7	68	31	4.9	< 0.2	< 0.5	1.6	0.18	1.54	9.3	1.081							
187285	< 0.05	1.1	45.7	8.9	< 1	< 50	7.4	21	13	2.8	0.4	< 0.5	1.0	0.11	1.54	7.2	1.085							
187286	< 0.05	< 0.5	59.1	12.1	< 1	< 50	33.7	64	32	4.6	< 0.2	0.8	1.2	0.18	1.68	11.6	1.072							
187287	< 0.05	< 0.5	20.5	7.7	< 1	< 50	14.4	30	11	1.8	0.4	0.6	2.3	0.24	1.70	6.7	1.001							
187288	< 0.05	< 0.5	51.5	17.8	< 1	< 50	34.2	63	28	4.7	0.6	< 0.5	1.8	0.24	1.56	14.7	1.029							
187289	< 0.05	< 0.5	55.3	18.6	< 1	140	50.8	96	35	5.5	< 0.2	< 0.5	0.9	0.13	1.43	17.3	1.009							
187290	< 0.05	< 0.5	63.1	13.2	< 1	< 50	52.1	95	40	5.9	< 0.2	< 0.5	1.1	< 0.05	1.47	11.9	1.004							
187291	< 0.05	< 0.5	61.0	19.7	< 1	< 50	53.2	100	45	6.0	0.6	< 0.5	1.3	0.20	1.55	14.6	1.006							
187292	< 0.05	< 0.5	19.5	6.7	< 1	< 50	16.0	32	11	2.1	< 0.2	< 0.5	2.1	0.30	1.56	4.9	1.038							
187293	< 0.05	< 0.5	60.2	7.5	< 1	< 50	41.0	98	35	4.7	0.5	< 0.5	0.8	0.23	1.61	8.4	1.022							
187294	< 0.05	< 0.5	32.2	12.7	< 1	160	24.0	53	19	3.6	< 0.2	1.4	4.2	0.70	1.73	12.3	1.032							
187295	< 0.05	< 0.5	38.0	16.4	< 1	< 50	30.5	62	29	4.4	< 0.2	< 0.5	4.2	0.70	1.85	16.8	1.040							
187296	< 0.05	< 0.5	64.3	11.2	< 1	< 50	46.8	111	14	5.0	< 0.2	< 0.5	1.0	0.18	1.82	11.4	1.039							
187297	< 0.05	< 0.5	42.9	11.9	< 1	< 50	31.2	72	16	3.6	< 0.2	< 0.5	1.0	0.16	1.73	12.0	1.041							
187298	< 0.05	< 0.5	52.8	11.2	< 1	< 50	12.4	37	< 5	2.0	0.4	< 0.5	1.0	0.18	1.72	12.6	1.019							
187299	< 0.05	1.9	47.8	12.7	< 1	90	9.1	26	< 5	1.5	< 0.2	< 0.5	1.1	0.13	1.81	13.5	1.074							

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Sr	Ta	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass	Ag	Cd	Cu	Mn	Mo	Ni	Pb
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.05	0.5	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05	0.1	DNC	DNC	0.2	0.5	1	2	2	1	2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
187300	< 0.05	< 0.5	57.8	9.0	< 1	< 50	24.0	72	16	2.9	< 0.2	< 0.5	1.0	0.17	1.71	9.5	1.061							
187301	< 0.05	< 0.5	53.6	14.9	< 1	< 50	16.3	53	7	2.2	< 0.2	< 0.5	1.0	< 0.05	1.41	14.0	1.080							
187302	< 0.05	< 0.5	56.9	10.4	< 1	< 50	23.4	98	11	3.6	< 0.2	< 0.5	1.1	0.15	1.64	11.9	1.061							
187303	< 0.05	< 0.5	64.3	6.7	< 1	110	26.6	130	20	3.7	0.6	< 0.5	0.9	0.15	1.86	6.6	1.078							
187304	< 0.05	1.5	78.8	8.3	< 1	100	32.8	106	24	6.4	0.6	< 0.5	1.4	0.19	1.59	8.9	1.040							
187305	< 0.05	< 0.5	76.5	8.9	< 1	80	51.0	123	38	7.7	0.5	1.0	1.4	0.17	1.79	7.9	1.054							
187306	< 0.05	< 0.5	73.0	17.6	< 1	140	32.5	83	23	5.3	< 0.2	< 0.5	0.9	0.14	1.49	16.5	1.023							
187307	< 0.05	< 0.5	58.3	14.7	< 1	110	43.4	97	34	8.7	0.4	1.6	5.5	0.81	1.50	13.5	1.072							
187308	< 0.05	3.2	78.8	15.4	< 1	110	62.4	128	40	8.8	0.6	0.9	1.5	0.18	1.71	15.3	1.070							
187309	< 0.05	< 0.5	62.5	23.1	< 1	130	49.2	101	26	6.4	0.7	< 0.5	1.1	0.14	1.55	20.9	1.049							
187310	< 0.05	< 0.5	77.3	20.2	< 1	100	68.0	139	45	8.8	< 0.2	< 0.5	1.2	< 0.05	1.63	19.3	1.046							
187311	< 0.05	< 0.5	69.8	18.5	< 1	70	65.1	131	40	8.5	0.6	1.2	1.1	0.13	1.58	16.7	1.086							
187312	< 0.05	2.4	73.1	15.5	< 1	130	61.0	123	37	8.4	< 0.2	< 0.5	1.3	0.15	1.53	15.9	1.010							
187313	< 0.05	1.8	53.9	9.8	3	90	37.6	84	24	7.7	0.4	1.3	5.5	0.80	1.33	8.2	1.026							
187314	< 0.05	< 0.5	34.5	7.5	< 1	< 50	27.5	61	17	5.3	< 0.2	< 0.5	3.4	0.50	1.69	8.5	1.014							
187315	< 0.05	< 0.5	15.1	3.6	2	< 50	8.6	17	< 5	1.9	0.3	< 0.5	2.6	0.35	1.63	3.4	1.063							
187316	< 0.05	< 0.5	21.5	5.7	< 1	100	14.7	35	11	4.1	0.3	1.3	7.6	1.10	1.54	5.9	1.076							
187317	< 0.05	2.1	63.1	6.4	< 1	70	47.1	97	28	6.1	0.5	< 0.5	1.0	0.17	1.72	6.2	1.053							
187318	< 0.05	2.6	95.9	18.1	< 1	< 50	71.1	141	46	9.5	0.6	< 0.5	1.5	0.21	1.71	17.5	1.043							
187319	< 0.05	< 0.5	71.7	12.6	< 1	130	61.5	123	41	8.0	0.6	< 0.5	1.4	0.14	1.63	11.4	1.068							
187320	< 0.05	1.4	70.5	10.0	< 1	90	52.2	112	39	7.4	0.5	< 0.5	1.8	0.26	1.59	11.3	1.016							
187321	< 0.05	< 0.5	75.2	18.8	< 1	110	50.7	104	33	7.2	0.7	< 0.5	1.3	0.13	1.55	18.9	1.032							
187322	< 0.05	< 0.5	72.7	15.0	< 1	< 50	71.8	144	48	8.9	0.6	< 0.5	1.1	0.16	1.59	15.3	1.087							
187323	< 0.05	< 0.5	47.3	14.4	< 1	< 50	21.3	43	14	3.7	0.6	< 0.5	3.6	0.52	1.65	13.6	1.073							
187324	< 0.05	1.4	60.9	14.9	< 1	< 50	28.4	58	18	4.6	0.6	< 0.5	1.4	0.23	1.56	15.6	1.045							
187325	< 0.05	1.7	65.8	10.5	< 1	< 50	25.3	77	12	4.3	0.5	< 0.5	1.4	0.20	1.72	10.7	1.073							
187326	< 0.05	< 0.5	72.7	14.6	< 1	100	47.0	111	28	7.5	0.5	< 0.5	1.4	0.24	1.65	14.1	1.063							
187327	< 0.05	1.2	78.5	14.3	< 1	70	39.0	83	22	6.1	0.6	< 0.5	1.5	0.21	1.73	14.1	1.010							
187328	< 0.05	< 0.5	69.4	17.6	< 1	< 50	52.3	115	36	7.4	< 0.2	< 0.5	1.3	0.19	1.92	17.6	1.073							
187329	< 0.05	< 0.5	62.7	20.2	< 1	60	42.8	88	26	6.1	0.7	< 0.5	1.7	0.24	1.68	19.8	1.043							
187330	< 0.05	< 0.5	64.0	9.7	< 1	90	71.6	106	43	7.6	0.6	< 0.5	1.2	0.11	1.54	8.6	1.062							
187331	< 0.05	< 0.5	68.5	22.7	< 1	80	41.4	90	26	5.9	0.7	< 0.5	1.2	0.19	1.60	21.5	1.082							
187332	< 0.05	1.5	73.8	17.8	< 1	120	7.9	78	7	3.2	0.6	< 0.5	1.3	0.21	1.61	17.0	1.047							
187333	< 0.05	2.4	63.8	13.9	< 1	< 50	13.2	68	10	3.6	0.4	< 0.5	1.4	0.19	1.71	11.5	1.060							
187334	< 0.05	< 0.5	61.3	11.9	< 1	< 50	29.0	92	16	5.1	0.4	< 0.5	2.0	0.30	1.79	11.0	1.060							
187335	< 0.05	< 0.5	71.7	12.3	< 1	60	15.1	47	10	4.0	0.6	< 0.5	1.3	0.15	1.65	11.3	1.071							
187336	< 0.05	1.9	49.7	22.1	< 1	< 50	29.2	67	17	5.3	< 0.2	1.0	4.3	0.64	1.58	22.0	1.036							
187337	< 0.05	2.4	53.2	15.2	< 1	120	25.6	56	19	3.2	< 0.2	< 0.5	1.2	0.21	1.75	14.5	1.057							
187338	< 0.05	< 0.5	60.0	17.3	< 1	< 50	41.5	98	23	3.6	0.5	< 0.5	1.2	< 0.05	1.69	18.3	1.069							
187339	< 0.05	< 0.5	38.0	18.8	< 1	< 50	11.0	23	12	1.4	< 0.2	< 0.5	2.0	0.34	1.71	20.8	1.016							
187340	< 0.05	< 0.5	41.0	13.0	< 1	< 50	28.7	55	15	2.9	< 0.2	< 0.5	1.0	< 0.05	1.70	12.2	1.076							
187341	< 0.05	< 0.5	60.8	10.1	< 1	< 50	53.1	104	38	5.7	< 0.2	< 0.5	1.2	0.17	1.66	9.1	1.076							
187342	< 0.05	3.0	54.7	18.0	< 1	< 50	54.9	104	23	4.9	< 0.2	< 0.5	0.9	0.18	1.75	18.0	1.078							
187343	< 0.05	1.6	57.8	12.3	< 1	< 50	58.0	116	27	5.2	< 0.2	< 0.5	1.0	0.13	1.52	13.0	1.011							
187344	< 0.05	< 0.5	53.2	6.6	< 1	< 50	41.5	92	21	5.6	< 0.2	2.1	2.6	0.40	1.67	5.9	1.017							
189501	< 0.05	< 0.5	58.5	32.5	< 1	< 50	51.2	98	24	4.5	< 0.2	< 0.5	0.7	< 0.05	1.65	32.1	1.053							
189502	< 0.05	2.8	38.0	10.8	< 1	< 50	6.7	24	< 5	1.5	< 0.2	1.2	0.6	0.13	1.75	11.3	1.046							
189503	< 0.05	< 0.5	17.5	8.7	< 1	< 50	8.5	20	< 5	1.5	< 0.2	< 0.5	4.2	0.74	1.62	9.3	1.017							
189504	< 0.05	< 0.5	45.7	14.9	< 1	90	12.2	45	< 5	2.2	0.5	< 0.5	0.8	0.16	1.88	14.9	1.055							
189505	< 0.05	< 0.5	18.3	10.8	< 1	< 50	10.2	22	< 5	1.9	< 0.2	< 0.5	2.8	0.46	1.63	9.3	1.060							
189506	< 0.05	< 0.5	16.6	9.1	< 1	< 50	5.7	18	< 5	1.6	< 0.2	< 0.5	3.0	0.52	1.70	9.5	1.048							
189507	< 0.05	< 0.5	38.2	29.8	< 1	< 50	27.9	65	16	5.2	< 0.2	2.0	4.6	0.78	1.97	30.2	1.037							

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Sr	Ta	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass	Ag	Cd	Cu	Mn	Mo	Ni	Pb
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.05	0.5	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1		0.2	0.5	1	2	2	1	2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
189508	< 0.05	< 0.5	35.7	14.9	< 1	< 50	30.6	61	13	4.1	< 0.2	< 0.5	3.3	0.50	1.66	15.3	1.052							
189509	< 0.05	3.7	36.5	17.4	< 1	< 50	26.5	58	14	3.9	< 0.2	1.6	3.4	0.62	1.75	16.3	1.085							
189510	< 0.05	< 0.5	48.1	24.0	< 1	< 50	40.8	82	22	4.8	< 0.2	1.6	3.8	0.58	1.69	23.7	1.033							
189511	< 0.05	< 0.5	39.8	22.3	< 1	< 50	24.5	48	18	3.9	< 0.2	< 0.5	3.3	0.49	1.74	25.0	1.000							
189512	< 0.05	< 0.5	39.0	14.9	< 1	< 50	25.8	58	14	4.1	< 0.2	1.4	3.8	0.57	1.70	12.9	1.040							
189513	< 0.05	< 0.5	49.8	21.5	< 1	< 50	35.4	75	22	5.2	0.3	< 0.5	3.7	0.52	1.56	21.1	1.055							
189514	< 0.05	< 0.5	39.0	9.9	< 1	< 50	31.3	65	14	3.5	< 0.2	< 0.5	2.0	0.30	1.73	9.9	1.086							
189515	< 0.05	< 0.5	49.4	3.5	< 1	90	47.9	84	24	5.3	0.7	< 0.5	1.3	0.19	1.84	4.0	1.075							
189516	< 0.05	1.8	77.7	12.8	< 1	160	71.4	134	38	9.5	0.6	1.3	1.2	0.17	1.77	13.3	1.085							
189517	< 0.05	< 0.5	43.3	19.2	< 1	< 50	27.2	62	8	6.1	< 0.2	< 0.5	6.4	0.95	1.61	19.9	1.055							
189518	< 0.05	< 0.5	50.1	17.5	< 1	130	33.4	70	19	6.9	< 0.2	1.7	4.7	0.61	1.67	16.8	1.079							
189519	< 0.05	< 0.5	69.9	9.0	< 1	< 50	57.1	111	29	8.3	0.4	< 0.5	1.6	0.21	1.74	9.8	1.021							
189520	< 0.05	< 0.5	46.4	24.3	< 1	130	33.7	67	14	6.0	< 0.2	< 0.5	5.2	0.84	1.76	22.2	1.086							
189551	< 0.05	< 0.5	46.9	16.5	< 1	80	25.5	56	13	6.1	< 0.2	1.6	3.5	0.55	1.92	13.3	1.055							
189552	< 0.05	< 0.5	44.3	31.6	< 1	< 50	18.1	41	7	4.4	< 0.2	< 0.5	4.2	0.70	1.75	31.6	1.036							
189553	< 0.05	3.1	38.8	18.8	< 1	110	14.7	38	6	3.9	< 0.2	1.0	3.8	0.54	1.75	17.9	1.087							
189554	< 0.05	3.0	35.1	21.3	< 1	90	16.4	38	10	4.4	< 0.2	< 0.5	3.9	0.61	1.83	20.3	1.077							
189555	< 0.05	1.9	39.5	20.3	< 1	120	22.9	52	13	6.4	< 0.2	1.4	5.3	0.91	1.85	18.7	1.065							
189556	< 0.05	< 0.5	49.9	25.7	< 1	< 50	30.5	68	19	7.7	< 0.2	2.2	5.3	0.93	1.82	26.1	1.014							
189557	< 0.05	2.2	56.0	19.4	< 1	70	28.6	73	21	7.6	< 0.2	< 0.5	4.7	0.70	1.66	17.2	1.055							
189558	< 0.05	< 0.5	40.6	22.9	< 1	< 50	20.6	51	11	6.2	< 0.2	1.3	5.6	0.89	1.79	22.5	1.080							
189559	< 0.05	< 0.5	44.0	36.4	< 1	110	24.6	58	18	6.6	< 0.2	1.5	6.9	1.18	1.78	36.5	1.055							
189560	< 0.05	< 0.5	48.9	21.0	3	< 50	30.9	69	16	8.0	< 0.2	1.6	4.3	0.78	1.80	20.5	1.060							
189561	< 0.05	2.4	46.1	29.9	< 1	100	15.8	43	10	4.4	< 0.2	1.4	5.5	0.95	1.62	26.6	1.055							
189562	< 0.05	< 0.5	43.9	29.0	< 1	< 50	23.1	55	12	5.6	< 0.2	1.5	4.1	0.75	1.78	26.5	1.073							
189563	< 0.05	1.7	40.6	26.5	< 1	110	25.6	60	16	6.9	< 0.2	< 0.5	5.3	0.90	1.73	23.6	1.064							
189564	< 0.05	< 0.5	47.6	255	< 1	< 50	40.1	66	< 5	6.4	< 0.2	< 0.5	3.9	< 0.05	1.82	253	1.039							
189565	< 0.05	< 0.5	53.8	31.1	< 1	130	29.5	71	21	7.5	< 0.2	< 0.5	5.0	0.77	1.72	28.1	1.061							
189566	< 0.05	< 0.5	170	43.6	< 1	90	6.4	11	< 5	0.9	< 0.2	< 0.5	1.2	< 0.05	1.61	41.8	1.052							
189567	< 0.05	< 0.5	1.2	1.1	< 1	100	3.1	8	6	2.1	0.6	0.6	2.5	0.38	1.89	1.1	1.041							
189568	< 0.05	6.6	3.5	2.5	< 1	190	6.0	13	< 5	2.2	0.5	< 0.5	3.0	0.50	1.76	2.1	1.000	< 0.2	0.6	78	772	< 2	95	3
189569	< 0.05	6.8	1.2	< 0.5	< 1	< 50	2.2	6	< 5	0.9	< 0.2	0.6	1.5	0.15	1.70	1.7	1.019	< 0.2	< 0.5	46	485	< 2	74	2
189570	< 0.05	< 0.5	< 0.2	< 0.5	24	280	2.2	8	8	0.9	0.4	< 0.5	2.0	0.34	1.78	0.2	1.044	< 0.2	0.9	150	296	< 2	85	18
189576	< 0.05	1.8	36.3	6.0	< 1	< 50	18.5	43	13	6.7	< 0.2	1.9	2.6	0.34	1.62	6.9	1.043							
189577	< 0.05	< 0.5	19.8	10.7	< 1	< 50	7.7	18	< 5	2.9	< 0.2	1.3	2.5	0.36	1.80	10.4	1.080							
189578	< 0.05	< 0.5	62.7	10.4	< 1	< 50	15.9	39	9	7.8	< 0.2	2.2	6.5	0.75	1.72	10.3	1.059							
189579	< 0.05	3.3	8.6	13.0	< 1	140	7.9	14	< 5	2.1	< 0.2	< 0.5	0.9	0.13	1.37	11.9	1.070							
189580	< 0.05	2.1	80.0	8.1	< 1	70	65.8	136	38	8.9	0.6	< 0.5	1.7	0.26	1.59	9.0	1.026							
189581	< 0.05	< 0.5	36.6	10.7	< 1	< 50	15.7	41	11	5.8	< 0.2	1.5	5.5	0.78	1.59	10.7	1.059							
189582	< 0.05	1.5	5.1	1.7	< 1	80	4.3	10	< 5	2.0	< 0.2	0.6	1.2	0.16	1.54	1.7	1.085							
189583	< 0.05	< 0.5	6.2	6.9	< 1	80	4.0	6	< 5	0.6	< 0.2	< 0.5	0.4	0.06	1.54	6.0	1.047							
189584	< 0.05	3.9	26.2	7.6	< 1	150	12.4	31	9	4.8	< 0.2	< 0.5	2.4	0.27	1.58	6.9	1.026							
189585	< 0.05	4.6	55.1	46.4	< 1	< 50	16.3	44	9	7.2	< 0.2	2.9	10.6	1.58	1.60	46.7	1.068							
189586	< 0.05	< 0.5	17.3	11.2	< 1	60	10.2	29	8	3.8	0.3	1.0	5.1	0.73	1.68	11.1	1.026							
189587	< 0.05	1.5	26.9	11.4	< 1	80	11.5	29	9	4.1	< 0.2	1.0	7.2	1.07	1.41	10.5	1.044							
189588	< 0.05	< 0.5	1.5	< 0.5	< 1	430	7.0	10	9	1.0	0.3	< 0.5	0.7	0.11	1.75	0.4	1.072	< 0.2	0.8	121	444	< 2	64	< 2
189589	< 0.05	1.4	50.3	29.6	< 1	< 50	24.3	68	20	6.2	< 0.2	1.3	5.8	0.94	1.62	26.7	1.049							
189590	< 0.05	3.3	54.1	21.5	< 1	160	28.8	80	23	8.1	< 0.2	2.3	6.0	0.95	1.56	21.2	1.015							
189591	< 0.05	3.2	58.4	20.4	< 1	120	33.0	81	24	8.0	< 0.2	1.5	6.3	0.96	1.56	17.2	1.070							
189592	< 0.05	3.2	54.7	25.6	< 1	150	28.4	66	20	6.9	< 0.2	1.3	4.4	0.79	1.63	22.2	1.051							
189593	< 0.05	2.9	52.4	37.5	< 1	110	28.3	67	18	6.9	< 0.2	1.6	5.1	0.79	1.53	36.2	1.066							
189594	< 0.05	1.7	47.5	46.0	< 1	60	27.1	55	16	6.2	< 0.2	< 0.5	4.4	0.75	1.68	43.2	1.073							

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Sr	Ta	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass	Ag	Cd	Cu	Mn	Mo	Ni	Pb
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.05	0.5	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1		0.2	0.5	1	2	2	1	2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
189595	< 0.05	< 0.5	49.2	31.6	< 1	140	20.8	48	8	5.5	< 0.2	< 0.5	5.3	0.86	1.56	29.1	1.007							
189596	< 0.05	< 0.5	46.3	16.1	< 1	90	27.3	66	19	6.7	< 0.2	1.6	4.6	0.78	1.63	16.8	1.035							
189597	< 0.05	1.6	56.3	29.6	< 1	90	35.7	82	20	8.4	< 0.2	1.5	5.5	0.91	1.63	28.3	1.074							
189598	< 0.05	< 0.5	43.5	25.5	< 1	80	17.1	52	8	5.0	< 0.2	< 0.5	5.3	0.87	1.62	24.2	1.081							
189599	< 0.05	< 0.5	52.5	24.9	< 1	100	25.8	61	14	6.6	< 0.2	1.5	4.9	0.86	1.48	25.0	1.036							
189600	< 0.05	< 0.5	49.4	30.8	< 1	70	22.0	58	12	5.6	< 0.2	1.5	5.0	0.79	1.64	30.4	1.003							
189601	< 0.05	1.2	15.0	8.0	< 1	70	7.4	19	5	2.3	< 0.2	0.8	4.1	0.66	1.62	6.1	1.082							
189602	< 0.05	< 0.5	64.4	18.1	< 1	80	53.6	101	28	7.7	0.5	1.8	5.8	1.01	1.88	19.7	1.026							
189603	< 0.05	< 0.5	44.8	17.1	< 1	60	31.9	64	20	5.8	0.4	< 0.5	6.4	0.93	1.67	16.2	1.089							
189604	< 0.05	< 0.5	80.9	22.2	< 1	70	14.8	68	9	3.9	< 0.2	< 0.5	1.0	0.13	1.80	21.2	1.077							
189605	< 0.05	< 0.5	61.9	18.1	< 1	140	15.9	42	13	3.7	0.6	< 0.5	1.0	0.15	1.83	15.9	1.058							
189606	< 0.05	< 0.5	69.1	19.9	< 1	< 50	17.4	68	12	3.9	< 0.2	< 0.5	1.0	< 0.05	1.87	20.2	1.054							
189607	< 0.05	< 0.5	70.3	70.8	< 1	< 50	28.2	64	15	4.0	< 0.2	< 0.5	0.9	< 0.05	1.73	62.3	1.079							
189608	< 0.05	1.8	51.8	17.3	< 1	< 50	21.5	51	13	3.9	0.6	< 0.5	1.3	0.19	1.78	17.2	1.042							
189609	< 0.05	< 0.5	63.1	38.2	< 1	< 50	25.2	63	22	2.2	< 0.2	< 0.5	0.8	< 0.05	1.80	37.0	1.033							
189610	< 0.05	< 0.5	30.7	18.5	< 1	< 50	21.1	54	22	2.2	< 0.2	< 0.5	1.1	0.24	1.71	18.1	1.047							
189611	< 0.05	< 0.5	63.1	16.6	< 1	< 50	53.0	102	34	4.6	< 0.2	< 0.5	0.8	< 0.05	1.73	17.7	1.011							
189612	< 0.05	< 0.5	53.1	21.1	< 1	< 50	42.2	75	24	3.7	0.7	< 0.5	0.9	< 0.05	1.63	21.7	1.062							
189613	< 0.05	< 0.5	65.6	43.9	< 1	< 50	6.8	31	< 5	2.4	< 0.2	2.4	14.0	2.16	1.65	45.9	1.056							
189614	< 0.05	< 0.5	19.9	22.4	< 1	< 50	13.6	32	9	2.6	< 0.2	1.6	5.3	0.81	1.74	22.3	1.048							
189615	< 0.05	< 0.5	35.7	157	< 1	< 50	30.6	58	19	3.5	< 0.2	2.3	7.9	1.37	1.78	155	1.033							
189616	< 0.05	< 0.5	58.1	18.2	< 1	< 50	44.2	88	24	4.4	< 0.2	< 0.5	0.7	< 0.05	1.69	19.1	1.049							
189617	< 0.05	42.8	125	32.3	< 1	160	50.3	109	36	6.3	0.7	< 0.5	3.0	0.58	1.78	35.7	1.029							
189618	< 0.05	< 0.5	56.4	19.1	< 1	< 50	29.2	75	21	3.0	< 0.2	< 0.5	0.8	0.14	1.82	21.0	1.027							
189619	< 0.05	< 0.5	54.8	16.8	< 1	< 50	59.8	109	37	5.4	< 0.2	< 0.5	0.6	0.17	1.69	18.5	1.007							
189620	< 0.05	< 0.5	50.6	15.0	< 1	< 50	24.3	50	16	2.4	0.3	< 0.5	0.6	< 0.05	1.66	14.9	1.060							
189621	< 0.05	< 0.5	51.5	20.9	< 1	< 50	17.3	36	10	2.1	< 0.2	< 0.5	0.4	< 0.05	1.68	18.3	1.043							
189622	< 0.05	< 0.5	60.6	30.9	< 1	< 50	7.7	20	7	1.5	< 0.2	< 0.5	1.1	0.15	1.70	29.9	1.047							
189623	< 0.05	< 0.5	53.1	43.5	< 1	< 50	38.4	70	17	3.3	< 0.2	< 0.5	0.6	< 0.05	1.70	40.8	1.032							
189624	< 0.05	4.2	58.9	16.7	< 1	< 50	42.9	83	22	4.0	0.7	< 0.5	1.0	0.15	1.62	14.9	1.065							
189625	< 0.05	< 0.5	49.0	22.6	< 1	< 50	33.9	64	18	3.0	< 0.2	< 0.5	0.6	< 0.05	1.77	23.0	1.060							
189662	< 0.05	< 0.5	25.7	9.2	< 1	< 50	2.0	< 3	< 5	0.3	< 0.2	< 0.5	1.2	0.15	1.70	8.5	1.032							
189663	< 0.05	< 0.5	60.6	28.4	< 1	< 50	46.7	96	30	4.7	< 0.2	< 0.5	0.7	< 0.05	1.77	29.0	1.025							
189664	< 0.05	< 0.5	68.1	46.8	< 1	< 50	50.6	96	29	4.8	< 0.2	< 0.5	0.6	< 0.05	1.97	42.1	1.089							
189665	< 0.05	< 0.5	58.1	19.2	4	< 50	5.9	38	< 5	1.8	< 0.2	< 0.5	0.6	0.16	1.65	18.2	1.017							
189666	< 0.05	< 0.5	66.4	20.9	< 1	< 50	35.2	83	21	3.8	< 0.2	< 0.5	0.8	< 0.05	1.79	18.4	1.067							
189667	< 0.05	< 0.5	61.4	24.8	< 1	< 50	52.8	99	22	4.6	< 0.2	< 0.5	1.8	0.31	1.65	24.8	1.037							
189668	< 0.05	< 0.5	33.2	20.8	< 1	< 50	24.8	44	5	3.6	< 0.2	1.2	4.2	0.72	1.73	19.9	1.066							
189669	< 0.05	< 0.5	31.5	20.8	< 1	< 50	25.6	45	< 5	3.8	0.5	< 0.5	3.8	0.55	1.83	22.3	1.003							
189670	< 0.05	< 0.5	29.9	8.0	< 1	< 50	24.0	44	< 5	3.8	< 0.2	1.6	7.0	1.05	1.80	7.3	1.050							
189671	< 0.05	< 0.5	28.2	4.6	< 1	< 50	8.0	11	< 5	0.7	< 0.2	< 0.5	0.6	< 0.05	1.79	6.6	1.058							
189672	< 0.05	< 0.5	41.5	16.8	< 1	< 50	30.4	58	11	2.9	< 0.2	1.5	3.8	0.58	1.58	15.8	1.070							
189673	< 0.05	< 0.5	58.9	11.2	< 1	< 50	47.2	92	20	4.2	< 0.2	< 0.5	0.8	0.13	1.82	12.4	1.077							
189674	< 0.05	< 0.5	42.3	21.6	< 1	< 50	9.6	17	5	1.0	< 0.2	< 0.5	0.7	< 0.05	1.74	19.3	1.079							
189675	< 0.05	< 0.5	61.4	18.4	< 1	< 50	35.2	79	20	3.3	< 0.2	< 0.5	0.9	0.13	1.78	20.0	1.032							
189676	< 0.05	< 0.5	55.6	11.2	< 1	< 50	20.0	40	7	2.6	0.5	< 0.5	0.6	0.16	1.94	11.8	1.019							
189677	< 0.05	< 0.5	56.4	8.8	< 1	< 50	60.8	112	22	4.9	< 0.2	< 0.5	0.9	0.18	1.83	9.7	1.078							
189678	< 0.05	< 0.5	91.3	81.9	< 1	< 50	42.9	91	20	4.6	< 0.2	< 0.5	1.6	< 0.05	1.69	83.6	1.027							
189679	< 0.05	< 0.5	58.9	12.5	< 1	< 50	57.8	111	27	5.6	< 0.2	1.7	1.0	0.18	1.64	11.9	1.034							
189680	< 0.05	< 0.5	65.6	20.9	< 1	< 50	55.3	111	33	5.5	1.0	< 0.5	0.9	< 0.05	1.67	19.7	1.043							
189681	< 0.05	< 0.5	41.5	23.0	< 1	< 50	22.8	55	12	3.5	< 0.2	< 0.5	3.0	0.47	1.70	20.8	1.079							
189682	< 0.05	< 0.5	39.8	26.8	6	< 50	24.0	57	11	4.0	< 0.2	< 0.5	4.2	0.64	1.79	25.2	1.070							

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Sr	Ta	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass	Ag	Cd	Cu	Mn	Mo	Ni	Pb
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.05	0.5	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05	0.1	DNC	DNC	0.2	0.5	1	2	2	1	2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
189683	< 0.05	< 0.5	23.2	15.8	< 1	< 50	13.0	26	8	2.4	< 0.2	< 0.5	4.7	0.79	1.68	13.9	1.047							
189684	< 0.05	< 0.5	37.3	23.8	< 1	< 50	11.1	31	< 5	2.2	< 0.2	2.0	2.7	0.51	1.65	20.8	1.078							
189685	< 0.05	1.8	63.9	28.4	< 1	< 50	55.3	104	36	5.1	< 0.2	< 0.5	0.8	0.26	1.77	29.2	1.011							
189686	< 0.05	< 0.5	43.2	17.4	< 1	< 50	5.5	17	< 5	1.1	< 0.2	< 0.5	0.6	< 0.05	1.53	15.4	1.026							
189687	< 0.05	< 0.5	49.0	8.4	< 1	< 50	4.0	25	< 5	1.5	< 0.2	< 0.5	1.0	< 0.05	1.73	8.7	1.030							
189688	< 0.05	2.6	53.1	19.0	< 1	< 50	4.1	23	< 5	1.7	< 0.2	< 0.5	0.7	0.15	1.59	16.1	1.055							
189689	< 0.05	< 0.5	57.3	18.4	< 1	< 50	36.3	96	24	3.8	0.4	< 0.5	0.7	< 0.05	1.73	18.3	1.037							
189690	< 0.05	2.7	49.8	15.0	< 1	< 50	5.8	25	< 5	1.4	< 0.2	< 0.5	1.3	0.22	1.73	12.8	1.058							
189691	< 0.05	2.1	36.5	13.4	< 1	< 50	31.8	62	24	4.0	< 0.2	< 0.5	3.7	0.68	1.69	10.9	1.049							
189692	< 0.05	< 0.5	54.8	15.9	< 1	< 50	27.4	73	10	3.4	0.5	< 0.5	6.6	1.11	1.59	14.5	1.064							
189693	< 0.05	< 0.5	32.4	20.9	< 1	< 50	15.5	39	< 5	2.9	< 0.2	1.9	8.5	1.23	1.85	18.4	1.065							
189694	< 0.05	< 0.5	47.3	16.7	< 1	< 50	34.0	74	17	5.4	0.5	1.6	4.0	0.47	1.66	17.2	1.037							
189695	< 0.05	< 0.5	46.5	25.9	< 1	< 50	28.1	65	16	4.6	< 0.2	1.5	4.7	0.66	1.72	23.6	1.045							
189696	< 0.05	< 0.5	56.4	15.0	< 1	< 50	44.4	96	33	6.1	< 0.2	< 0.5	3.2	0.51	1.72	14.8	1.023							
189697	< 0.05	< 0.5	46.5	25.1	< 1	160	37.0	74	27	5.7	0.6	2.1	3.6	0.56	1.54	26.7	1.008							
189698	< 0.05	< 0.5	35.7	15.0	< 1	< 50	18.5	40	< 5	4.6	< 0.2	< 0.5	10.7	1.80	1.71	14.6	1.007							
189699	< 0.05	< 0.5	191	150	< 1	160	81.4	207	59	21.5	< 0.2	15.5	70.7	10.7	1.72	142	1.056							
189700	< 0.05	< 0.5	22.4	22.4	< 1	< 50	11.7	28	< 5	2.6	< 0.2	1.8	10.4	1.72	1.84	22.1	1.073							
189751	< 0.05	< 0.5	15.9	9.3	< 1	< 50	7.4	19	6	1.3	< 0.2	< 0.5	2.0	0.33	1.60	8.3	1.040							
189752	< 0.05	2.5	15.6	24.4	< 1	< 50	6.5	15	< 5	1.0	< 0.2	< 0.5	3.3	0.58	1.68	20.4	1.028							
189753	< 0.05	< 0.5	20.2	12.5	< 1	< 50	6.6	12	< 5	1.3	< 0.2	< 0.5	3.0	0.51	1.75	11.5	1.048							
189754	< 0.05	2.3	29.7	20.3	< 1	< 50	11.6	32	7	2.0	< 0.2	< 0.5	3.0	0.44	1.71	19.5	1.059							
189755	< 0.05	3.3	48.1	20.6	< 1	< 50	24.3	53	23	4.3	< 0.2	1.4	1.6	0.26	1.73	18.4	1.076							
189756	< 0.05	2.7	25.1	35.0	< 1	< 50	11.3	25	< 5	2.0	< 0.2	< 0.5	4.3	0.67	1.67	32.2	1.058							
189757	< 0.05	< 0.5	23.9	70.5	< 1	< 50	13.3	27	< 5	2.0	< 0.2	< 0.5	4.3	0.68	1.59	67.2	1.052							
189758	< 0.05	< 0.5	24.2	17.5	< 1	< 50	9.9	19	< 5	2.2	< 0.2	1.0	4.0	0.69	1.61	15.0	1.086							
189759	< 0.05	3.8	40.6	18.3	< 1	< 50	22.8	44	15	3.6	< 0.2	1.1	3.0	0.56	1.93	17.5	1.039							
189760	< 0.05	3.8	19.5	11.7	< 1	< 50	7.8	18	< 5	1.5	< 0.2	< 0.5	2.4	0.40	1.63	12.8	1.016							
189761	< 0.05	< 0.5	23.8	22.4	< 1	< 50	10.5	21	< 5	1.6	< 0.2	1.1	3.1	0.51	1.74	21.4	1.079							
189762	< 0.05	< 0.5	24.2	36.5	< 1	< 50	9.6	19	< 5	1.5	< 0.2	< 0.5	3.5	0.62	1.86	38.8	1.016							
189763	< 0.05	< 0.5	24.3	25.3	< 1	< 50	13.0	29	10	2.1	< 0.2	< 0.5	4.2	0.66	1.75	27.0	1.036							
189764	< 0.05	3.1	25.4	38.3	< 1	< 50	16.8	33	9	2.9	< 0.2	< 0.5	4.5	0.74	1.75	37.6	1.049							
189765	< 0.05	2.4	26.5	34.5	< 1	< 50	12.8	29	11	2.5	< 0.2	< 0.5	3.5	0.61	1.56	32.3	1.011							
189766	< 0.05	< 0.5	23.7	26.0	< 1	< 50	11.0	24	< 5	2.5	< 0.2	1.0	3.4	0.59	1.66	27.4	1.012							
189767	< 0.05	3.2	37.7	22.9	< 1	< 50	20.9	46	9	3.8	< 0.2	1.4	4.8	0.77	1.70	21.7	1.047							
189768	< 0.05	< 0.5	29.7	21.0	< 1	< 50	16.0	31	8	3.1	< 0.2	< 0.5	4.1	0.71	1.49	22.3	1.022							
189769	< 0.05	< 0.5	92.4	26.5	< 1	< 50	59.3	120	31	11.0	< 0.2	3.2	8.8	1.46	1.75	24.5	1.033							
189770	< 0.05	< 0.5	15.0	11.2	< 1	< 50	6.6	17	7	1.4	< 0.2	1.2	6.5	1.14	1.65	10.2	1.069							
189771	< 0.05	< 0.5	28.4	29.5	< 1	< 50	10.8	25	6	1.7	< 0.2	< 0.5	7.1	1.24	1.77	26.9	1.090							
189772	< 0.05	< 0.5	66.6	60.6	< 1	110	40.4	85	20	7.5	< 0.2	2.5	10.8	1.81	1.73	56.2	1.080							
189773	< 0.05	< 0.5	45.4	38.0	< 1	< 50	29.9	60	14	5.1	< 0.2	2.0	10.2	1.72	1.80	37.8	1.053							
189774	< 0.05	< 0.5	36.1	30.8	< 1	< 50	22.1	45	10	4.1	< 0.2	1.4	9.6	1.63	1.89	32.2	1.033							
189775	< 0.05	< 0.5	39.1	26.2	< 1	130	23.9	47	8	4.3	< 0.2	< 0.5	4.8	0.85	1.71	23.9	1.087							
189776	< 0.05	< 0.5	38.6	15.3	< 1	< 50	22.3	38	9	3.1	< 0.2	< 0.5	3.6	0.65	1.75	14.3	1.075							
189777	< 0.05	< 0.5	13.0	37.2	< 1	< 50	6.8	11	< 5	0.9	< 0.2	< 0.5	3.6	0.57	1.89	34.6	1.078							
189778	< 0.05	< 0.5	37.1	22.2	< 1	< 50	20.0	42	10	2.9	< 0.2	< 0.5	3.9	0.63	1.90	23.8	1.037							
189779	< 0.05	< 0.5	12.3	5.9	< 1	< 50	4.0	7	7	0.8	< 0.2	< 0.5	3.3	0.58	1.32	3.7	1.044							
189780	< 0.05	2.5	29.5	9.5	< 1	< 50	6.0	10	< 5	0.9	0.3	< 0.5	2.0	0.44	1.82	10.9	1.053							
189781	< 0.05	< 0.5	35.6	57.0	< 1	< 50	16.8	28	11	2.0	< 0.2	< 0.5	6.3	1.08	1.76	61.0	1.051							
189782	< 0.05	< 0.5	16.0	7.1	< 1	< 50	5.8	12	< 5	0.7	< 0.2	< 0.5	2.0	0.34	1.45	6.8	1.022							
189783	< 0.05	< 0.5	38.2	10.0	< 1	< 50	20.8	41	7	3.8	< 0.2	1.5	6.1	0.95	1.75	10.2	1.066							
189784	< 0.05	< 0.5	39.8	19.3	3	< 50	20.4	40	7	3.5	< 0.2	< 0.5	4.6	0.75	1.97	20.1	1.017							

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Sr	Ta	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass	Ag	Cd	Cu	Mn	Mo	Ni	Pb
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.05	0.5	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05	0.1	DNC	DNC	0.2	0.5	1	2	2	1	2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
189785	< 0.05	2.0	24.7	9.3	< 1	< 50	13.8	24	8	2.2	< 0.2	< 0.5	3.3	0.54	1.88	9.8	1.050							
189786	< 0.05	< 0.5	33.7	19.8	< 1	< 50	18.2	39	11	3.3	< 0.2	1.5	10.9	1.93	1.55	19.3	1.053							
189787	< 0.05	< 0.5	48.9	58.7	4	80	29.3	59	15	4.4	< 0.2	1.6	4.9	0.70	1.78	55.7	1.084							
189788	< 0.05	< 0.5	< 0.2	< 0.5	< 1	< 50	2.2	5	< 5	0.3	< 0.2	< 0.5	0.8	0.13	1.66	0.3	1.044							
189789	< 0.05	< 0.5	36.4	26.0	< 1	< 50	20.6	41	9	3.4	< 0.2	1.1	4.4	0.78	1.70	26.3	1.036							
189790	< 0.05	< 0.5	18.0	26.3	< 1	< 50	10.0	21	< 5	1.8	< 0.2	< 0.5	4.5	0.86	1.85	26.4	1.015							
189791	< 0.05	< 0.5	43.5	19.2	< 1	70	24.6	47	9	3.2	< 0.2	1.6	8.6	1.32	1.51	16.9	1.032							
189792	< 0.05	2.2	127	103	4	< 50	16.1	41	< 5	3.5	< 0.2	4.0	24.4	3.87	1.74	103	1.074							
189793	< 0.05	< 0.5	60.4	22.3	< 1	< 50	32.2	65	15	3.3	< 0.2	1.0	2.0	0.37	1.66	23.2	1.007							
189794	< 0.05	< 0.5	47.6	24.0	< 1	< 50	36.9	63	19	3.0	< 0.2	< 0.5	1.7	0.23	1.77	23.6	1.065							
189795	< 0.05	< 0.5	57.8	12.4	< 1	< 50	43.2	74	18	3.8	0.4	< 0.5	0.9	0.18	1.63	12.6	1.015							
189796	< 0.05	< 0.5	50.4	10.9	< 1	< 50	39.6	70	22	3.4	< 0.2	< 0.5	1.0	0.18	1.78	11.1	1.039							
189797	< 0.05	< 0.5	67.0	21.9	< 1	< 50	58.6	98	27	4.8	< 0.2	< 0.5	1.2	0.16	1.59	22.7	1.045							
189798	< 0.05	2.3	56.2	8.6	< 1	< 50	42.1	71	17	3.7	0.3	< 0.5	0.9	0.19	1.76	9.1	1.045							
189799	< 0.05	< 0.5	48.7	11.3	< 1	< 50	16.1	31	< 5	1.8	0.3	< 0.5	1.0	0.13	1.87	11.5	1.031							
189800	< 0.05	< 0.5	57.8	16.8	< 1	80	44.5	80	19	3.8	0.4	< 0.5	2.3	0.39	1.82	16.5	1.088							
189801	< 0.05	< 0.5	30.1	23.6	< 1	< 50	20.8	40	10	3.0	< 0.2	0.7	3.8	0.70	1.72	21.9	1.077							
189802	< 0.05	< 0.5	34.3	26.5	< 1	< 50	21.2	40	12	2.7	< 0.2	1.1	4.4	0.72	1.75	26.0	1.048							
189803	< 0.05	< 0.5	25.6	27.8	< 1	90	14.4	28	7	2.0	< 0.2	< 0.5	3.1	0.60	1.71	26.4	1.078							
189804	< 0.05	< 0.5	18.5	5.2	< 1	< 50	3.9	12	< 5	1.0	< 0.2	1.1	7.2	1.20	1.66	5.1	1.013							
189805	< 0.05	< 0.5	2.7	2.3	< 1	< 50	2.3	3	< 5	0.1	< 0.2	< 0.5	1.6	0.31	1.73	1.4	1.081							
189806	< 0.05	< 0.5	84.8	103	< 1	170	49.8	111	24	11.4	< 0.2	5.6	28.7	4.62	1.91	96.6	1.025							
189807	< 0.05	1.2	48.3	28.8	< 1	70	27.2	56	7	5.8	< 0.2	2.2	9.8	1.46	1.74	26.3	1.084							
189808	< 0.05	1.4	28.0	16.3	< 1	50	14.6	33	8	3.3	< 0.2	1.4	6.0	0.93	1.87	15.4	1.005							
189809	< 0.05	< 0.5	59.1	75.6	< 1	< 50	35.6	69	17	5.8	< 0.2	2.4	10.0	1.45	1.81	74.8	1.052							
189810	< 0.05	< 0.5	46.8	22.6	< 1	< 50	24.9	50	11	4.7	< 0.2	2.2	9.6	1.50	1.66	22.1	1.022							
189811	< 0.05	2.1	104	114	< 1	< 50	45.1	99	25	12.2	< 0.2	7.7	33.2	4.99	1.69	107	1.081							
189812	< 0.05	< 0.5	46.4	32.8	< 1	< 50	29.5	61	16	5.6	< 0.2	1.7	6.1	1.03	1.70	35.5	1.054							
189813	< 0.05	< 0.5	22.9	24.3	< 1	< 50	14.3	28	7	2.4	< 0.2	< 0.5	4.4	0.81	1.85	23.7	1.071							
189814	< 0.05	3.4	40.9	39.6	< 1	70	21.4	46	12	3.9	< 0.2	2.6	14.0	2.10	1.66	38.3	1.052							
189815	< 0.05	3.1	54.3	14.6	< 1	90	38.7	72	13	3.7	< 0.2	< 0.5	1.5	0.20	1.72	15.4	1.071							
189816	< 0.05	< 0.5	40.6	17.6	< 1	< 50	27.1	48	22	3.6	0.5	< 0.5	1.0	0.18	1.64	17.0	1.048							
189817	< 0.05	< 0.5	53.0	12.7	< 1	< 50	39.8	78	32	4.7	0.5	< 0.5	1.0	< 0.05	1.78	10.6	1.042							
189818	< 0.05	1.4	51.9	16.4	< 1	90	14.6	45	12	2.8	< 0.2	< 0.5	1.2	< 0.05	1.53	15.1	1.050							
189819	< 0.05	< 0.5	53.0	14.2	< 1	< 50	50.6	98	36	6.2	0.4	< 0.5	1.4	0.24	1.80	13.4	1.086							
189820	< 0.05	< 0.5	57.7	38.6	< 1	< 50	53.2	97	31	6.1	< 0.2	< 0.5	0.9	< 0.05	1.77	37.1	1.071							
189821	< 0.05	1.2	42.9	14.7	< 1	< 50	39.2	74	31	5.3	< 0.2	< 0.5	3.1	0.45	1.68	12.5	1.084							
189822	< 0.05	< 0.5	79.7	17.6	< 1	< 50	71.5	135	62	9.9	< 0.2	2.1	3.5	0.49	1.66	15.8	1.033							
189823	< 0.05	2.1	68.9	9.0	3	< 50	52.8	107	42	8.1	0.6	1.9	4.9	0.64	1.67	6.0	1.057							
189824	< 0.05	< 0.5	37.4	12.4	< 1	< 50	27.1	58	20	5.2	< 0.2	2.1	4.8	0.68	1.91	10.5	1.087							
189825	< 0.05	< 0.5	40.0	37.3	< 1	< 50	32.1	68	21	5.9	< 0.2	1.7	5.5	0.85	1.68	36.9	1.008							
189826	< 0.05	< 0.5	13.4	9.9	< 1	90	6.1	16	< 5	1.6	< 0.2	< 0.5	2.3	0.31	1.49	9.4	1.037							
189827	< 0.05	1.8	33.2	26.3	< 1	< 50	22.4	47	12	5.3	< 0.2	< 0.5	2.6	0.38	1.77	23.7	1.048							
189828	< 0.05	2.2	29.3	16.2	< 1	< 50	15.5	35	12	3.8	< 0.2	< 0.5	2.6	0.39	1.68	14.2	1.065							
189829	< 0.05	2.0	23.8	46.2	4	< 50	12.4	29	18	3.3	< 0.2	< 0.5	2.8	< 0.05	1.59	47.9	1.009							
189830	< 0.05	< 0.5	17.0	11.0	< 1	< 50	7.5	17	5	2.0	0.4	< 0.5	2.4	0.37	1.71	10.6	1.027							
189831	< 0.05	< 0.5	30.8	15.8	< 1	120	19.6	41	15	4.2	< 0.2	< 0.5	2.3	0.36	1.58	12.2	1.081							
189832	< 0.05	< 0.5	28.8	20.2	< 1	< 50	19.3	42	9	4.7	< 0.2	< 0.5	3.0	0.38	1.72	20.1	1.048							
189833	< 0.05	< 0.5	27.0	29.0	< 1	< 50	14.7	36	7	4.2	< 0.2	< 0.5	4.5	0.66	1.71	26.5	1.070							
189834	< 0.05	1.9	23.4	23.4	< 1	< 50	13.1	29	9	3.7	< 0.2	< 0.5	4.1	0.63	1.85	19.1	1.068							
189835	< 0.05	< 0.5	20.8	25.3	< 1	< 50	9.6	23	7	2.7	< 0.2	0.7	3.6	0.59	1.74	22.0	1.079							
189836	< 0.05	2.6	20.7	101	< 1	100	14.5	32	14	4.6	< 0.2	1.5	4.7	< 0.05	1.68	106	1.086							

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Sr	Ta	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass	Ag	Cd	Cu	Mn	Mo	Ni	Pb
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.05	0.5	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05	0.1	DNC	DNC	0.2	0.5	1	2	2	1	2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
189837	< 0.05	2.5	30.0	18.9	< 1	< 50	16.4	42	12	3.9	< 0.2	< 0.5	3.6	0.54	1.59	14.8	1.069							
189838	< 0.05	2.9	30.7	33.3	< 1	100	16.9	40	13	4.9	< 0.2	< 0.5	4.2	0.65	1.71	33.1	1.056							
189839	< 0.05	2.5	29.3	31.2	< 1	90	16.3	40	10	4.7	< 0.2	1.4	3.0	0.46	1.73	31.3	1.038							
189840	< 0.05	< 0.5	36.7	4.2	< 1	< 50	29.3	63	21	7.1	< 0.2	< 0.5	0.7	0.11	1.76	4.6	1.019							
189841	0.05	< 0.5	19.3	14.5	< 1	< 50	6.9	14	< 5	2.0	< 0.2	< 0.5	2.8	0.35	1.56	14.9	1.075							
189842	< 0.05	4.2	9.0	5.2	2	< 50	2.7	5	< 5	0.6	< 0.2	< 0.5	1.1	0.12	1.75	5.6	1.062							
189843	< 0.05	4.2	121	56.9	< 1	200	70.6	156	55	17.3	< 0.2	5.1	11.2	1.69	1.71	57.6	1.043							
189844	< 0.05	2.8	39.3	22.7	< 1	< 50	18.6	45	< 5	4.9	< 0.2	< 0.5	3.3	0.52	1.63	22.7	1.067							
189845	< 0.05	< 0.5	12.9	9.7	< 1	< 50	6.1	17	< 5	2.0	< 0.2	1.4	4.4	0.60	1.83	9.1	1.051							
189846	< 0.05	1.5	29.9	28.9	< 1	< 50	13.4	31	14	4.3	< 0.2	< 0.5	4.0	0.59	1.70	27.4	1.075							
189847	< 0.05	2.2	29.6	27.3	< 1	< 50	17.9	44	17	5.5	< 0.2	2.2	6.5	0.89	1.68	27.0	1.033							
189848	< 0.05	< 0.5	30.4	12.7	< 1	< 50	15.9	41	7	4.3	< 0.2	1.6	8.6	1.18	1.72	10.5	1.051							
189849	< 0.05	< 0.5	35.0	30.5	< 1	90	18.2	41	11	5.2	< 0.2	< 0.5	5.1	0.75	1.51	30.9	1.056							
189850	< 0.05	2.0	9.6	4.5	< 1	< 50	6.7	13	< 5	2.1	< 0.2	< 0.5	1.3	0.20	1.62	4.0	1.047							
189851	< 0.05	< 0.5	39.9	13.9	4	80	31.5	69	19	5.5	0.4	< 0.5	4.8	0.72	1.46	13.7	1.072							
189852	< 0.05	< 0.5	32.7	10.3	< 1	< 50	20.5	46	18	4.4	< 0.2	1.8	7.6	1.02	1.34	8.8	1.084							
189853	< 0.05	< 0.5	60.5	17.5	< 1	90	50.2	94	31	6.0	< 0.2	< 0.5	1.1	< 0.05	1.62	18.2	1.077							
189854	< 0.05	2.1	57.2	12.8	< 1	< 50	49.9	97	36	5.9	0.4	0.9	1.2	0.16	1.52	12.8	1.023							
189855	< 0.05	< 0.5	59.3	16.5	< 1	< 50	53.3	97	38	5.8	0.6	< 0.5	1.0	< 0.05	1.59	16.0	1.073							
189856	< 0.05	1.8	61.9	21.9	< 1	80	53.4	102	47	6.0	< 0.2	< 0.5	1.0	< 0.05	1.71	20.5	1.061							
189857	< 0.05	1.5	54.4	24.8	< 1	< 50	23.5	50	21	3.8	0.8	< 0.5	0.9	< 0.05	1.47	25.5	1.055							
189858	< 0.05	< 0.5	40.8	16.5	5	< 50	20.0	42	17	3.1	0.6	< 0.5	5.0	0.68	1.60	18.3	1.074							
189859	< 0.05	< 0.5	43.6	15.3	< 1	< 50	6.2	13	10	1.1	< 0.2	< 0.5	0.9	0.14	1.52	15.4	1.050							
189860	< 0.05	< 0.5	55.4	18.9	< 1	70	50.7	98	41	5.8	< 0.2	< 0.5	1.1	< 0.05	1.71	19.1	1.058							
189861	< 0.05	< 0.5	53.9	15.3	< 1	< 50	46.0	88	38	5.0	0.4	< 0.5	0.9	< 0.05	1.66	12.9	1.054							
189862	< 0.05	< 0.5	40.9	16.5	< 1	< 50	32.6	71	24	5.3	< 0.2	2.0	4.7	0.66	1.59	13.7	1.056							
189863	< 0.05	< 0.5	40.6	9.2	< 1	< 50	33.7	72	24	5.0	< 0.2	1.6	4.8	0.59	1.54	7.0	1.029							
189864	< 0.05	< 0.5	34.2	10.2	< 1	60	26.0	50	22	4.1	< 0.2	< 0.5	4.1	0.55	1.75	9.3	1.060							
189865	< 0.05	< 0.5	30.3	7.9	< 1	100	23.6	41	25	3.1	0.4	1.7	3.9	0.48	1.50	6.2	1.055							
189866	< 0.05	< 0.5	50.1	23.4	< 1	< 50	42.0	82	36	5.0	< 0.2	< 0.5	1.3	0.26	1.50	20.1	1.033							
189867	< 0.05	< 0.5	57.0	11.8	< 1	< 50	41.8	75	38	5.0	0.5	< 0.5	1.0	0.10	1.56	10.7	1.065							
189868	< 0.05	< 0.5	63.0	15.1	< 1	< 50	50.0	98	44	5.6	0.5	< 0.5	1.2	0.17	1.68	13.5	1.036							
189869	< 0.05	< 0.5	56.1	20.1	< 1	100	49.5	90	43	5.5	0.4	< 0.5	1.1	< 0.05	1.77	19.9	1.010							
189870	< 0.05	< 0.5	52.2	10.8	< 1	< 50	47.3	99	40	5.0	< 0.2	1.0	1.0	0.09	1.70	9.0	1.052							
189871	< 0.05	< 0.5	62.4	7.5	< 1	100	58.4	118	38	6.9	< 0.2	< 0.5	1.3	0.14	1.75	7.3	1.050							
189872	< 0.05	< 0.5	68.7	11.2	< 1	110	55.8	116	35	7.5	0.6	< 0.5	1.1	< 0.05	1.68	10.8	1.063							
189873	< 0.05	< 0.5	54.1	14.8	< 1	60	21.2	55	12	4.4	0.4	1.0	2.9	0.47	1.84	13.9	1.074							
189874	< 0.05	< 0.5	46.7	17.4	< 1	160	41.7	89	29	6.6	0.5	1.1	3.7	0.64	1.72	17.1	1.083							
189875	< 0.05	< 0.5	70.8	23.4	< 1	< 50	45.4	112	33	7.9	0.7	< 0.5	2.1	0.36	1.63	23.9	1.004							
189876	< 0.05	< 0.5	56.4	15.5	< 1	90	43.1	88	29	6.2	0.5	< 0.5	1.2	0.19	1.82	16.1	1.036							
189877	< 0.05	< 0.5	57.6	14.0	< 1	90	47.8	105	31	6.7	0.7	< 0.5	1.5	0.25	1.66	15.0	1.012							
189878	< 0.05	< 0.5	58.5	17.5	< 1	110	49.2	105	31	6.7	0.5	0.7	1.2	0.12	1.87	17.6	1.088							
189879	< 0.05	1.7	60.6	19.6	< 1	110	13.2	31	7	3.1	0.7	0.7	1.2	0.19	1.67	19.0	1.078							
189880	< 0.05	1.7	59.3	32.2	< 1	100	31.6	78	19	5.2	< 0.2	< 0.5	1.2	< 0.05	1.65	30.0	1.072							
189881	< 0.05	1.4	68.8	9.3	< 1	80	41.9	76	29	6.4	0.5	< 0.5	1.4	0.21	1.75	10.3	1.035							
189882	< 0.05	1.9	10.6	11.4	< 1	70	4.1	10	< 5	1.2	0.3	0.7	4.6	0.66	1.51	9.7	1.060							
189883	0.08	< 0.5	16.0	1.4	< 1	100	26.4	46	14	1.9	0.7	< 0.5	< 0.2	< 0.05	1.66	1.0	1.063							
189884	< 0.05	< 0.5	60.1	15.6	< 1	100	38.4	86	24	6.1	0.6	< 0.5	1.4	0.22	1.55	15.5	1.064							
189885	< 0.05	< 0.5	70.1	16.3	< 1	90	46.5	103	30	7.0	0.6	1.2	2.3	0.36	1.88	17.6	1.030							
189886	< 0.05	< 0.5	70.4	23.1	< 1	120	52.9	111	33	7.5	0.8	1.1	1.4	0.22	1.77	22.4	1.067							
189887	< 0.05	< 0.5	33.8	8.7	< 1	140	12.9	35	8	2.5	0.5	< 0.5	1.3	0.19	1.90	8.3	1.059							
189888	< 0.05	< 0.5	21.8	8.6	< 1	< 50	14.0	40	8	5.5	0.3	2.6	15.9	2.26	1.74	8.4	1.010							

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Sr	Ta	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass	Ag	Cd	Cu	Mn	Mo	Ni	Pb
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.05	0.5	0.2	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1		0.2	0.5	1	2	2	1	2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
189889	< 0.05	< 0.5	22.4	14.2	< 1	140	10.4	25	< 5	3.3	0.4	1.6	10.5	1.41	1.84	14.9	1.059							
189890	< 0.05	2.3	56.4	11.6	< 1	90	46.9	106	31	8.4	< 0.2	< 0.5	4.7	0.70	1.66	11.1	1.085							
189891	< 0.05	< 0.5	53.4	11.6	< 1	120	41.6	90	29	7.7	< 0.2	1.2	3.8	0.57	1.88	11.9	1.005							
189892	< 0.05	< 0.5	38.1	9.5	< 1	120	24.4	57	17	5.7	0.3	1.7	5.4	0.85	1.84	9.7	1.038							
189901	< 0.05	< 0.5	70.4	15.3	< 1	90	7.2	63	7	2.9	0.5	< 0.5	1.0	0.17	1.52	14.4	1.068							
189902	< 0.05	< 0.5	62.2	16.2	< 1	100	39.5	85	28	5.7	0.5	< 0.5	1.5	0.16	1.77	15.9	1.082							
189903	< 0.05	< 0.5	59.5	15.8	< 1	80	20.0	49	15	3.8	0.5	< 0.5	1.4	0.15	1.79	15.3	1.080							
189904	< 0.05	2.1	10.0	3.4	< 1	< 50	8.0	23	5	2.6	0.3	0.8	8.1	1.23	1.68	2.6	1.051							
602122	< 0.05	1.2	9.0	2.5	< 1	110	5.7	12	< 5	1.5	0.5	< 0.5	0.6	0.08	1.54	2.2	1.038							
602301	< 0.05	< 0.5	39.1	95.5	< 1	140	63.0	132	49	9.8	2.3	1.2	2.1	0.37	1.85	100	1.065							
602302	< 0.05	4.3	198	118	< 1	140	463	878	271	45.7	2.0	2.6	3.8	0.42	1.79	138	1.041							
602303	< 0.05	< 0.5	43.9	85.5	< 1	130	71.4	144	49	9.2	< 0.2	< 0.5	1.5	< 0.05	1.80	89.1	1.072							
602304	< 0.05	< 0.5	22.5	28.7	< 1	190	46.3	99	39	10.2	1.5	1.0	3.2	0.53	1.82	31.7	1.006							
602305	< 0.05	11.3	44.3	49.9	< 1	120	119	298	160	53.2	2.6	7.4	14.1	1.71	1.82	51.1	1.072							
602306	< 0.05	2.9	49.9	47.3	< 1	260	148	294	95	18.2	1.8	< 0.5	3.2	0.52	1.86	45.9	1.048							
602307	< 0.05	2.2	144	308	< 1	120	79.6	152	52	11.8	< 0.2	< 0.5	3.3	< 0.05	1.86	306	1.026							
602308	< 0.05	< 0.5	155	143	< 1	120	274	539	158	25.0	< 0.2	< 0.5	3.1	< 0.05	1.84	145	1.061							
602309	< 0.05	3.1	24.8	33.8	< 1	180	52.1	103	37	7.5	0.9	< 0.5	2.2	0.38	1.79	32.5	1.011							
602310	< 0.05	2.9	51.8	37.1	< 1	< 50	70.7	152	56	17.4	1.2	2.5	4.4	0.71	1.80	36.0	1.047							
602311	< 0.05	< 0.5	40.1	35.2	< 1	130	25.0	55	18	3.9	0.8	0.5	1.1	0.15	1.68	34.2	1.021							
602312	< 0.05	< 0.5	22.4	33.0	< 1	130	29.1	62	22	5.0	1.1	< 0.5	1.5	0.29	1.71	31.1	1.077							
602313	0.06	< 0.5	49.4	37.7	< 1	100	108	207	65	10.9	1.6	< 0.5	1.4	0.23	1.88	41.3	1.028							
602314	< 0.05	2.9	121	110	< 1	110	78.2	158	53	11.8	1.3	< 0.5	3.5	0.47	1.76	108	1.073							
602315	< 0.05	< 0.5	37.1	28.5	< 1	< 50	64.3	122	35	7.8	0.7	< 0.5	1.9	0.29	1.72	27.1	1.067							
602316	< 0.05	< 0.5	28.8	52.8	< 1	60	22.1	43	14	2.9	0.5	< 0.5	1.3	0.22	1.77	52.6	1.042							
602317	< 0.05	2.4	41.2	47.4	< 1	< 50	14.9	27	8	2.4	< 0.2	0.6	1.6	0.24	1.70	45.7	1.082							
602318	< 0.05	< 0.5	26.0	24.7	< 1	< 50	50.9	76	22	3.2	0.8	< 0.5	1.2	0.21	1.62	23.2	1.081							
602319	< 0.05	< 0.5	25.4	87.5	< 1	< 50	7.4	10	< 5	< 0.1	0.9	< 0.5	2.3	0.43	1.78	86.6	1.066							
602320	< 0.05	2.7	53.9	393	< 1	< 50	18.3	< 3	< 5	< 0.1	< 0.2	< 0.5	4.6	< 0.05	1.68	399	1.055							
602321	< 0.05	< 0.5	92.1	786	< 1	< 50	36.9	< 3	< 5	< 0.1	< 0.2	< 0.5	9.4	< 0.05	1.77	789	1.085							
602322	< 0.05	4.7	92.1	560	< 1	< 50	41.9	64	< 5	< 0.1	< 0.2	< 0.5	5.2	< 0.05	1.54	567	1.060							
602323	< 0.05	< 0.5	6.2	4.0	< 1	< 50	26.0	44	21	2.4	0.8	< 0.5	1.5	0.25	1.69	3.2	1.057							
602324	< 0.05	< 0.5	33.7	78.0	< 1	< 50	12.4	22	6	< 0.1	< 0.2	< 0.5	1.3	< 0.05	1.56	77.7	1.067							
602325	< 0.05	< 0.5	15.4	32.1	< 1	< 50	15.9	28	< 5	1.1	< 0.2	< 0.5	1.3	0.29	1.60	27.6	1.087							

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP

186251																								
186252																								
186253																								
186254																								
186255																								
186256																								
186257																								
186258																								
186259																								
186260																								
186261																								
186262																								
186263																								
186276	19	1.77	< 10	36	< 1	< 10	0.11	80	1370	8.25	0.02	10.6	0.02	0.011	< 10	6	< 10	3	0.02	61	< 10	< 1	3	0.008
186277																								
186278																								
187251																								
187252																								
187253																								
187254																								
187255																								
187256																								
187257																								
187258																								
187259																								
187260																								
187261																								
187262																								
187276																								
187277																								
187278																								
187279																								
187280																								
187281																								
187282																								
187283																								
187284																								
187285																								
187286																								
187287																								
187288																								
187289																								
187290																								
187291																								
187292																								
187293																								
187294																								
187295																								
187296																								
187297																								
187298																								
187299																								

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP

- 187300
- 187301
- 187302
- 187303
- 187304
- 187305
- 187306
- 187307
- 187308
- 187309
- 187310
- 187311
- 187312
- 187313
- 187314
- 187315
- 187316
- 187317
- 187318
- 187319
- 187320
- 187321
- 187322
- 187323
- 187324
- 187325
- 187326
- 187327
- 187328
- 187329
- 187330
- 187331
- 187332
- 187333
- 187334
- 187335
- 187336
- 187337
- 187338
- 187339
- 187340
- 187341
- 187342
- 187343
- 187344
- 189501
- 189502
- 189503
- 189504
- 189505
- 189506
- 189507

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP

189508																								
189509																								
189510																								
189511																								
189512																								
189513																								
189514																								
189515																								
189516																								
189517																								
189518																								
189519																								
189520																								
189551																								
189552																								
189553																								
189554																								
189555																								
189556																								
189557																								
189558																								
189559																								
189560																								
189561																								
189562																								
189563																								
189564																								
189565																								
189566																								
189567																								
189568	75	2.75	< 10	11	5	< 10	2.65	35	65	4.10	0.05	0.63	0.12	0.015	< 10	10	< 10	15	0.12	81	< 10	7	4	0.873
189569	39	2.78	< 10	15	6	< 10	2.42	29	61	3.13	0.08	0.41	0.21	0.013	< 10	9	< 10	18	0.10	75	< 10	4	3	0.810
189570	186	2.48	< 10	29	3	< 10	2.25	32	40	3.82	0.09	0.69	0.10	0.028	< 10	4	15	18	0.13	53	29	6	3	1.549
189576																								
189577																								
189578																								
189579																								
189580																								
189581																								
189582																								
189583																								
189584																								
189585																								
189586																								
189587																								
189588	103	2.27	< 10	15	< 1	< 10	1.28	14	152	6.32	0.05	1.37	0.14	0.027	< 10	7	< 10	8	0.06	83	< 10	4	5	0.470
189589																								
189590																								
189591																								
189592																								
189593																								
189594																								

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP

- 189595
- 189596
- 189597
- 189598
- 189599
- 189600
- 189601
- 189602
- 189603
- 189604
- 189605
- 189606
- 189607
- 189608
- 189609
- 189610
- 189611
- 189612
- 189613
- 189614
- 189615
- 189616
- 189617
- 189618
- 189619
- 189620
- 189621
- 189622
- 189623
- 189624
- 189625
- 189662
- 189663
- 189664
- 189665
- 189666
- 189667
- 189668
- 189669
- 189670
- 189671
- 189672
- 189673
- 189674
- 189675
- 189676
- 189677
- 189678
- 189679
- 189680
- 189681
- 189682

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP

- 189683
- 189684
- 189685
- 189686
- 189687
- 189688
- 189689
- 189690
- 189691
- 189692
- 189693
- 189694
- 189695
- 189696
- 189697
- 189698
- 189699
- 189700
- 189751
- 189752
- 189753
- 189754
- 189755
- 189756
- 189757
- 189758
- 189759
- 189760
- 189761
- 189762
- 189763
- 189764
- 189765
- 189766
- 189767
- 189768
- 189769
- 189770
- 189771
- 189772
- 189773
- 189774
- 189775
- 189776
- 189777
- 189778
- 189779
- 189780
- 189781
- 189782
- 189783
- 189784

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP

- 189785
- 189786
- 189787
- 189788
- 189789
- 189790
- 189791
- 189792
- 189793
- 189794
- 189795
- 189796
- 189797
- 189798
- 189799
- 189800
- 189801
- 189802
- 189803
- 189804
- 189805
- 189806
- 189807
- 189808
- 189809
- 189810
- 189811
- 189812
- 189813
- 189814
- 189815
- 189816
- 189817
- 189818
- 189819
- 189820
- 189821
- 189822
- 189823
- 189824
- 189825
- 189826
- 189827
- 189828
- 189829
- 189830
- 189831
- 189832
- 189833
- 189834
- 189835
- 189836

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP

189837
 189838
 189839
 189840
 189841
 189842
 189843
 189844
 189845
 189846
 189847
 189848
 189849
 189850
 189851
 189852
 189853
 189854
 189855
 189856
 189857
 189858
 189859
 189860
 189861
 189862
 189863
 189864
 189865
 189866
 189867
 189868
 189869
 189870
 189871
 189872
 189873
 189874
 189875
 189876
 189877
 189878
 189879
 189880
 189881
 189882
 189883
 189884
 189885
 189886
 189887
 189888

Activation Laboratories Ltd. Report: A08-3477

Analyte Symbol	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe	K	Mg	Na	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	1	0.01	10	1	1	10	0.01	1	2	0.01	0.01	0.01	0.01	0.001	10	1	10	1	0.01	1	10	1	1	0.001
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP

- 189889
- 189890
- 189891
- 189892
- 189901
- 189902
- 189903
- 189904
- 602122
- 602301
- 602302
- 602303
- 602304
- 602305
- 602306
- 602307
- 602308
- 602309
- 602310
- 602311
- 602312
- 602313
- 602314
- 602315
- 602316
- 602317
- 602318
- 602319
- 602320
- 602321
- 602322
- 602323
- 602324
- 602325

Activation Laboratories Ltd. Report: A08-3477

Quality Control																										
Analyte Symbol	Au	Pd	Pt	Th	U	U	Mass	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	Ba	Be	Bi	Ca	Co	Cr	Fe		
Unit Symbol	ppb	ppb	ppb	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%		
Detection Limit	2	5	5	0.2	0.5	0.1		0.2	0.5	1	2	2	1	2	1	0.01	10	1	1	10	0.01	1	2	0.01		
Analysis Method	FA-ICP	FA-ICP	FA-ICP	INAA	INAA	DNC	DNC	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP		
GXR-1 Meas								26.9	3.3	1180	804	15	37	564	639	0.32	354	275	< 1	1440	0.79	8	7	24.8		
GXR-1 Cert								31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	750	1.22	1380	0.960	8.20	12.0	23.6		
DH-1a Meas				910	2630	2610																				
DH-1a Cert				910	2630	2630																				
DH-1a Meas				910	2630	2640																				
DH-1a Cert				910	2630	2630																				
DH-1a Meas				910	2630	2620																				
DH-1a Cert				910	2630	2630																				
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					
DH-1a Meas				910	2630																					
DH-1a Cert				910	2630																					

Quality Control															
Analyte Symbol	K	Mg	Na	P	Sb	Sc	Sn	Sr	Ti	V	W	Y	Zr	S	
Unit Symbol	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Detection Limit	0.01	0.01	0.01	0.001	10	1	10	1	0.01	1	10	1	1	0.001	
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	
GXR-1 Meas	0.02	0.13	0.06	0.035	79	1	27	146		77	127	23	15	0.203	
GXR-1 Cert	0.0500	0.217	0.0520	0.0650	122	1.58	54.0	275		80.0	164	32.0	38.0	0.257	
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															
DH-1a Meas															
DH-1a Cert															

Quality Analysis ...



Innovative Technologies

Date Submitted: 01-Aug-08

Invoice No.: A08-4674

Invoice Date: 26-Aug-08

Your Reference: Kenora

Delta Uranium
10th Floor, 56 Temperance Street
Toronto ON M5H 3V5
Canada

ATTN: Colin Bowdidge

CERTIFICATE OF ANALYSIS

51 Rock samples were submitted for analysis.

The following analytical packages were requested: Code 1D Enh INAA(INAAGEO)
Code 5D-U-Total DNC

REPORT **A08-4674**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

For values exceeding the upper limits we recommend assays.

CERTIFIED BY :

A handwritten signature in blue ink, appearing to be "Elitsa Hrischeva". The signature is fluid and cursive, written over a horizontal line.

Elitsa Hrischeva, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL ancaster@actlabsint.com ACTLABS GROUP WEBSITE <http://www.actlabsint.com>

Activation Laboratories Ltd. Report: A08-4674

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Tl
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
192776	< 2	< 5	< 0.5	200	< 0.5	< 1	4	14	< 1	9.30	< 1	< 1	< 5	< 1	1.27	< 20	132	< 0.1	3.5	< 3	< 0.02	< 0.05	< 0.5	27.9
192777	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	3	0.79	< 1	< 1	< 5	< 1	2.40	< 20	143	< 0.1	2.1	< 3	< 0.02	< 0.05	< 0.5	52.0
192778	< 2	< 5	< 0.5	350	< 0.5	< 1	< 1	13	3	0.78	2	< 1	< 5	< 1	1.92	< 20	187	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	29.8
192779	< 2	< 5	< 0.5	210	< 0.5	2	< 1	10	3	0.75	3	< 1	< 5	< 1	2.33	< 20	149	0.3	1.2	< 3	< 0.02	< 0.05	< 0.5	28.1
192780	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	2	0.42	2	< 1	< 5	< 1	2.39	< 20	204	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	14.5
192781	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	15	2	0.50	2	< 1	< 5	< 1	2.17	< 20	204	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	12.1
192782	< 2	< 5	< 0.5	410	< 0.5	< 1	< 1	< 5	4	0.58	2	< 1	< 5	< 1	2.02	< 20	182	0.2	1.3	< 3	< 0.02	< 0.05	2.9	21.0
192783	4	< 5	< 0.5	490	< 0.5	< 1	< 1	13	3	0.92	3	< 1	< 5	< 1	2.42	< 20	132	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	42.7
192784	< 2	< 5	1.4	< 50	< 0.5	< 1	< 1	< 5	3	1.69	< 1	< 1	< 5	< 1	1.96	< 20	198	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	1.4
192785	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	11	4	0.77	2	< 1	< 5	< 1	2.06	< 20	127	< 0.1	1.5	< 3	< 0.02	< 0.05	< 0.5	51.4
192786	< 2	< 5	1.6	< 50	< 0.5	< 1	< 1	9	< 1	0.91	2	< 1	< 5	< 1	2.54	< 20	110	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	31.7
192787	< 2	< 5	< 0.5	430	< 0.5	< 1	< 1	36	3	0.55	4	< 1	< 5	< 1	2.37	< 20	193	< 0.1	0.9	< 3	< 0.02	< 0.05	< 0.5	25.6
192788	< 2	< 5	1.6	260	< 0.5	3	< 1	281	3	0.56	4	< 1	< 5	< 1	2.35	< 20	149	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	54.0
192789	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	31	2	0.64	7	< 1	< 5	< 1	2.35	< 20	132	< 0.1	0.8	< 3	< 0.02	< 0.05	< 0.5	29.7
192790	< 2	< 5	< 0.5	340	< 0.5	< 1	< 1	24	3	0.59	7	< 1	< 5	< 1	2.27	< 20	121	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	32.4
192791	< 2	< 5	< 0.5	330	< 0.5	< 1	3	13	2	1.04	5	< 1	< 5	< 1	2.30	< 20	204	< 0.1	2.5	< 3	< 0.02	< 0.05	< 0.5	41.1
192792	< 2	< 5	< 0.5	470	< 0.5	< 1	< 1	11	3	0.78	3	< 1	< 5	6	2.19	< 20	231	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	42.3
192793	< 2	< 5	< 0.5	470	< 0.5	< 1	< 1	12	2	0.68	< 1	< 1	< 5	< 1	1.58	< 20	198	< 0.1	0.9	< 3	< 0.02	< 0.05	1.8	11.2
192794	< 2	< 5	< 0.5	< 50	< 0.5	< 1	4	12	3	0.74	1	< 1	< 5	< 1	2.56	< 20	171	< 0.1	1.2	< 3	< 0.02	< 0.05	2.9	20.8
192795	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	15	2	0.54	< 1	< 1	< 5	< 1	1.83	< 20	< 15	< 0.1	0.7	< 3	< 0.02	< 0.05	< 0.5	16.1
192796	< 2	< 5	< 0.5	410	< 0.5	5	< 1	< 5	3	1.39	3	< 1	< 5	< 1	2.30	< 20	143	< 0.1	2.3	< 3	< 0.02	< 0.05	< 0.5	136
192797	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	< 5	5	0.89	2	< 1	< 5	< 1	2.01	< 20	237	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	26.5
192798	< 2	< 5	< 0.5	< 50	< 0.5	< 1	< 1	14	4	1.05	3	< 1	< 5	< 1	2.43	< 20	72	0.3	3.0	< 3	< 0.02	< 0.05	2.0	24.9
192799	< 2	< 5	< 0.5	270	< 0.5	< 1	< 1	< 5	< 1	0.82	3	< 1	< 5	< 1	2.57	< 20	< 15	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	27.2
192800	< 2	< 5	< 0.5	< 50	< 0.5	< 1	3	< 5	3	0.76	4	< 1	< 5	< 1	2.28	< 20	149	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	33.3
192801	< 2	< 5	< 0.5	230	2.2	< 1	< 1	12	2	0.48	3	< 1	< 5	< 1	2.69	< 20	125	< 0.1	0.6	< 3	< 0.02	< 0.05	< 0.5	15.9
192802	< 2	< 5	< 0.5	370	< 0.5	< 1	< 1	< 5	2	0.90	6	< 1	< 5	< 1	2.25	< 20	120	< 0.1	1.9	< 3	< 0.02	< 0.05	< 0.5	64.0
192803	< 2	< 5	< 0.5	350	< 0.5	< 1	< 1	< 5	2	1.62	17	< 1	< 5	< 1	1.50	< 20	202	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	301
192804	< 2	< 5	< 0.5	280	< 0.5	< 1	< 1	9	3	0.55	2	< 1	< 5	< 1	1.86	290	173	< 0.1	1.2	< 3	< 0.02	< 0.05	< 0.5	27.2
192805	< 2	< 5	< 0.5	310	< 0.5	< 1	< 1	14	3	0.83	3	< 1	< 5	< 1	1.89	< 20	149	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	38.1
192806	< 2	< 5	< 0.5	350	< 0.5	< 1	< 1	12	< 1	0.83	3	< 1	< 5	< 1	2.15	< 20	168	< 0.1	2.3	< 3	< 0.02	< 0.05	< 0.5	42.5
192807	< 2	< 5	< 0.5	430	< 0.5	< 1	< 1	14	3	0.82	4	< 1	< 5	< 1	2.03	< 20	173	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	39.8
192808	< 2	< 5	< 0.5	340	< 0.5	< 1	< 1	9	2	0.68	4	< 1	< 5	< 1	2.12	260	173	0.2	1.3	< 3	< 0.02	< 0.05	< 0.5	33.9
192809	< 2	< 5	1.5	540	< 0.5	< 1	< 1	7	2	0.64	3	< 1	< 5	< 1	2.14	< 20	99	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	63.5
192810	< 2	< 5	3.1	500	< 0.5	< 1	3	9	< 1	0.68	4	< 1	< 5	< 1	2.16	< 20	138	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	55.1
192811	< 2	< 5	< 0.5	300	< 0.5	< 1	5	14	3	0.53	3	< 1	< 5	< 1	2.24	< 20	182	0.3	1.8	< 3	< 0.02	< 0.05	< 0.5	62.9
192812	< 2	< 5	< 0.5	< 50	1.3	< 1	< 1	10	2	0.65	2	< 1	< 5	< 1	2.38	< 20	121	< 0.1	1.3	< 3	< 0.02	< 0.05	< 0.5	20.2
192813	< 2	< 5	4.3	< 50	< 0.5	< 1	4	< 5	4	0.93	6	< 1	< 5	< 1	2.18	< 20	143	< 0.1	1.2	< 3	< 0.02	0.07	< 0.5	66.6
192814	< 2	< 5	3.8	400	< 0.5	< 1	3	8	4	0.55	2	< 1	< 5	< 1	1.86	< 20	176	< 0.1	1.4	< 3	< 0.02	< 0.05	< 0.5	18.8
192815	< 2	< 5	3.7	470	< 0.5	< 1	3	18	4	0.89	3	< 1	< 5	< 1	1.82	< 20	187	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	30.4
192816	< 2	< 5	4.3	460	< 0.5	< 1	< 1	13	2	0.77	3	< 1	< 5	< 1	2.18	< 20	77	0.3	1.5	< 3	< 0.02	< 0.05	< 0.5	49.5
192817	< 2	< 5	5.1	390	< 0.5	< 1	< 1	13	3	0.90	3	< 1	< 5	< 1	2.17	< 20	105	0.2	1.6	< 3	< 0.02	< 0.05	< 0.5	36.4
192818	< 2	< 5	3.7	310	< 0.5	< 1	< 1	18	2	0.92	3	< 1	< 5	< 1	1.96	< 20	149	< 0.1	1.8	< 3	< 0.02	< 0.05	< 0.5	44.2
192819	< 2	< 5	4.2	370	< 0.5	< 1	2	< 5	2	0.76	2	< 1	< 5	< 1	1.90	< 20	110	< 0.1	1.6	< 3	< 0.02	< 0.05	< 0.5	35.9
192820	< 2	< 5	4.8	260	< 0.5	< 1	3	8	2	0.70	2	< 1	< 5	< 1	1.85	< 20	77	< 0.1	1.9	< 3	< 0.02	0.06	< 0.5	28.2
192821	< 2	< 5	< 0.5	240	< 0.5	< 1	3	< 5	3	0.76	5	< 1	< 5	< 1	2.46	< 20	153	< 0.1	1.1	< 3	< 0.02	< 0.05	< 0.5	30.8
192822	< 2	< 5	1.8	410	< 0.5	< 1	< 1	6	3	1.05	3	< 1	< 5	< 1	2.05	< 20	97	< 0.1	2.4	< 3	< 0.02	< 0.05	< 0.5	26.2
192823	< 2	< 5	2.2	210	< 0.5	< 1	3	9	2	0.47	4	< 1	< 5	< 1	2.11	< 20	122	0.4	0.5	< 3	< 0.02	< 0.05	< 0.5	55.3
192824	< 2	< 5	3.6	290	< 0.5	< 1	< 1	< 5	2	0.83	2	< 1	< 5	< 1	2.50	< 20	92	0.3	0.8	< 3	< 0.02	< 0.05	< 0.5	18.4
19282																								

Activation Laboratories Ltd. Report: A08-4674

Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
192776	6.0	< 1	290	36.6	59	13	3.0	< 0.2	< 0.5	0.5	< 0.05	1.65	5.5	1.094
192777	21.6	< 1	< 50	54.3	83	20	4.0	< 0.2	< 0.5	< 0.2	< 0.05	1.53	23.1	0.941
192778	41.8	< 1	< 50	29.9	43	17	1.4	< 0.2	< 0.5	< 0.2	< 0.05	1.55	42.4	0.999
192779	16.2	< 1	< 50	25.5	40	< 5	1.6	< 0.2	< 0.5	0.5	< 0.05	1.40	17.5	1.078
192780	33.9	< 1	< 50	11.2	15	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.47	33.6	1.072
192781	29.2	< 1	< 50	10.8	14	< 5	< 0.1	< 0.2	< 0.5	0.8	< 0.05	1.42	30.2	0.946
192782	29.1	< 1	< 50	17.1	26	< 5	0.8	< 0.2	< 0.5	0.8	< 0.05	1.59	31.2	0.927
192783	21.2	< 1	< 50	34.8	52	10	2.3	0.3	< 0.5	0.6	0.08	1.49	23.7	0.988
192784	3.7	< 1	< 50	2.6	4	< 5	< 0.1	0.2	< 0.5	0.4	< 0.05	1.50	4.0	1.065
192785	24.5	< 1	< 50	51.5	80	23	3.8	0.4	1.0	0.9	0.11	1.52	24.8	0.924
192786	5.6	< 1	< 50	28.4	41	< 5	2.4	< 0.2	< 0.5	0.4	0.08	1.42	6.70	0.915
192787	69.3	< 1	< 50	24.0	33	< 5	< 0.1	< 0.2	< 0.5	0.8	< 0.05	1.44	69.9	1.025
192788	71.5	< 1	< 50	49.2	69	15	2.3	< 0.2	< 0.5	1.2	< 0.05	1.38	74.4	0.983
192789	40.6	< 1	< 50	29.4	43	< 5	1.4	0.6	< 0.5	1.0	0.20	1.38	41.3	1.013
192790	29.1	< 1	< 50	34.0	54	< 5	1.8	0.6	< 0.5	1.1	0.18	1.45	30.9	1.005
192791	32.0	< 1	< 50	46.1	69	15	2.4	0.7	< 0.5	< 0.2	< 0.05	1.47	34.3	1.066
192792	5.6	< 1	< 50	42.6	62	18	2.9	0.3	< 0.5	< 0.2	< 0.05	1.48	6.50	0.990
192793	6.8	< 1	< 50	11.5	15	< 5	0.7	0.4	< 0.5	< 0.2	< 0.05	1.40	8.20	0.930
192794	22.6	< 1	< 50	13.4	15	< 5	0.5	0.3	< 0.5	0.6	< 0.05	1.49	23.2	1.077
192795	6.4	< 1	< 50	3.7	8	< 5	0.2	< 0.2	< 0.5	< 0.2	< 0.05	1.46	6.70	0.988
192796	46.3	< 1	< 50	162	246	75	13.4	0.9	3.2	2.4	0.31	1.38	48.2	0.942
192797	61.0	< 1	< 50	35.6	51	16	1.6	0.3	< 0.5	0.6	< 0.05	1.49	61.2	1.074
192798	42.3	< 1	< 50	33.9	48	14	1.7	0.6	< 0.5	< 0.2	< 0.05	1.54	41.0	0.929
192799	13.6	< 1	< 50	50.4	72	21	3.2	< 0.2	< 0.5	0.7	< 0.05	1.67	14.8	1.057
192800	41.0	< 1	< 50	38.9	58	14	2.1	< 0.2	< 0.5	0.5	0.15	1.52	41.0	1.065
192801	62.7	< 1	< 50	11.5	16	< 5	< 0.1	< 0.2	< 0.5	0.6	< 0.05	1.42	63.5	1.086
192802	23.6	< 1	< 50	64.8	99	29	4.1	< 0.2	< 0.5	0.8	< 0.05	1.50	25.4	1.003
192803	61.0	< 1	< 50	272	402	127	21.3	1.1	1.9	3.1	0.35	1.48	61.9	1.051
192804	35.4	< 1	< 50	17.6	22	8	0.5	< 0.2	< 0.5	< 0.2	< 0.05	1.47	34.2	1.045
192805	13.8	< 1	< 50	45.5	62	12	2.5	< 0.2	< 0.5	0.6	< 0.05	1.58	13.9	1.087
192806	9.6	< 1	< 50	59.0	83	17	2.9	< 0.2	0.5	< 0.2	< 0.05	1.56	9.8	1.054
192807	7.4	< 1	< 50	53.3	78	19	3.1	< 0.2	< 0.5	0.6	< 0.05	1.50	7.9	1.068
192808	15.0	< 1	< 50	36.0	51	15	2.0	< 0.2	< 0.5	< 0.2	< 0.05	1.54	15.3	0.993
192809	19.7	< 1	< 50	83.6	120	26	3.7	< 0.2	< 0.5	< 0.2	< 0.05	1.55	20.9	1.064
192810	19.3	< 1	< 50	72.1	101	25	3.2	0.4	< 0.5	0.7	< 0.05	1.45	19.5	0.976
192811	33.6	< 1	< 50	60.0	91	29	4.5	< 0.2	< 0.5	1.0	0.19	1.39	33.7	1.026
192812	59.5	< 1	120	17.9	28	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.47	61.4	0.937
192813	118	< 1	< 50	52.5	80	15	3.1	0.5	< 0.5	1.5	< 0.05	1.35	118	0.938
192814	27.6	< 1	< 50	22.5	32	10	1.4	< 0.2	0.7	0.7	< 0.05	1.48	28.8	1.007
192815	6.4	< 1	< 50	31.7	47	14	2.5	< 0.2	< 0.5	0.9	0.12	1.41	6.30	0.998
192816	15.3	< 1	< 50	58.3	83	18	3.5	0.4	< 0.5	< 0.2	< 0.05	1.46	16.7	0.970
192817	13.1	< 1	< 50	39.5	57	15	2.5	< 0.2	< 0.5	< 0.2	< 0.05	1.47	13.9	0.990
192818	12.6	< 1	< 50	50.7	72	13	2.9	0.5	< 0.5	< 0.2	0.07	1.52	13.7	0.965
192819	9.8	< 1	< 50	37.3	55	12	2.5	0.4	< 0.5	< 0.2	< 0.05	1.48	8.7	1.008
192820	38.0	< 1	< 50	21.2	27	7	0.7	0.6	< 0.5	< 0.2	< 0.05	1.45	37.6	0.989
192821	25.3	< 1	110	20.2	33	< 5	1.2	0.5	< 0.5	0.9	0.19	1.43	25.3	0.958
192822	27.0	< 1	< 50	9.6	11	< 5	< 0.1	< 0.2	< 0.5	0.7	< 0.05	1.52	28.3	0.916
192823	24.4	< 1	< 50	11.9	15	< 5	0.5	< 0.2	< 0.5	0.7	0.11	1.51	24.4	0.944
192824	31.7	< 1	< 50	9.1	11	< 5	< 0.1	< 0.2	< 0.5	0.3	< 0.05	1.34	33.2	0.933
192825	11.5	< 1	< 50	107	160	37	9.4	0.4	< 0.5	1.4	0.23	1.53	13.8	1.047
192826	4.8	< 1	< 50	37.5	52	15	2.8	0.4	< 0.5	0.8	0.10	1.53	5.0	1.063

Activation Laboratories Ltd. Report: A08-4674

Quality Control																									
Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta	Th	
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
Detection Limit	2	5	0.5	50	0.5	1	1	5	1	0.01	1	1	5	1	0.01	20	15	0.1	0.1	3	0.02	0.05	0.5	0.2	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	
DH-1a Meas																								910	
DH-1a Cert																									910
DH-1a Meas																									914
DH-1a Cert																									910
SY-2 Meas																									
SY-2 Cert																									
SY-2 Meas																									
SY-2 Cert																									
BL-4a Meas																									
BL-4a Cert																									
BL-4a Meas																									
BL-4a Cert																									
192805 Orig	< 2	< 5	< 0.5	310	< 0.5	< 1	< 1	14	3	0.83	3	< 1	< 5	< 1	1.89	< 20	149	< 0.1	2.2	< 3	< 0.02	< 0.05	< 0.5	38.1	
192805 Split	< 2	< 5	3.3	380	< 0.5	< 1	< 1	16	2	0.80	3	< 1	< 5	< 1	1.80	< 20	168	0.2	2.1	< 3	< 0.02	< 0.05	< 0.5	41.1	
Method Blank Method																									
Blank																									

Quality Control														
Analyte Symbol	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	U	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	ppm	g
Detection Limit	0.5	1	50	0.5	3	5	0.1	0.2	0.5	0.2	0.05		0.1	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	DNC	DNC
DH-1a Meas	2600												2630	
DH-1a Cert	2630												2630	
DH-1a Meas	2480												2640	
DH-1a Cert	2630												2630	
SY-2 Meas													283	
SY-2 Cert													284	
SY-2 Meas													280	
SY-2 Cert													284	
BL-4a Meas													1260	
BL-4a Cert													1250	
BL-4a Meas													1260	
BL-4a Cert													1250	
192805 Orig	13.8	< 1	< 50	45.5	62	12	2.5	< 0.2	< 0.5	0.6	< 0.05	1.58	13.9	1.087
192805 Split	15.1	< 1	< 50	42.6	61	16	2.3	0.3	< 0.5	0.5	0.05	1.38	14.6	0.946
Method Blank Method													< 0.1	1.000
Blank														

Quality Analysis ...



Innovative Technologies

Date Submitted: 05-Sep-08
Invoice No.: A08-5893
Invoice Date: 01-Oct-08
Your Reference: Wilson Lake-Kenora

Delta Uranium
10th Floor, 56 Temperance Street
Toronto ON M5H 3V5
Canada

ATTN: Colin Bowdidge

CERTIFICATE OF ANALYSIS

166 Rock samples were submitted for analysis.

The following analytical package was requested: Code 5D-U-Total DNC

REPORT **A08-5893**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

CERTIFIED BY :

A handwritten signature in blue ink, appearing to read "Elitsa Hrischeva". The signature is fluid and cursive, written over a horizontal line.

Elitsa Hrischeva, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL ancaster@actlabsint.com ACTLABS GROUP WEBSITE <http://www.actlabsint.com>

Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC
191976	2.6	1.093
191977	2.0	1.064
191978	2.6	1.090
191979	2.6	1.046
191980	2.7	1.077
191981	2.5	1.066
191982	3.6	1.087
191983	3.5	1.065
191984	2.3	1.043
191985	1.6	1.060
191986	1.9	1.076
191987	4.1	1.080
191988	1.4	1.020
191989	6.0	1.059
191990	2.2	1.079
191991	1.8	1.064
191992	4.7	1.062
191993	1.5	1.078
191994	3.0	1.073
191995	1.7	1.028
191996	2.0	1.028
191997	2.1	1.012
191998	3.1	1.036
191999	2.8	1.030
192000	1.2	1.086
192887	1.2	1.082
192888	0.2	1.031
192889	0.4	1.078
192890	0.3	1.046
192891	0.6	1.054
192892	0.8	1.018
192893	2.7	1.083
192894	1.7	1.038
192895	1.2	1.023
192896	0.9	1.051
192897	1.3	1.018
192898	6.3	1.096
192899	7.2	1.067
192900	6.6	1.034
192901	5.4	1.085
192902	8.5	1.090
192903	6.5	1.076
192904	6.0	1.015
192905	4.4	1.081
192906	3.7	1.070
192907	4.9	1.065
192908	2.4	1.031
192909	2.5	1.056
192910	3.0	1.088
192911	3.7	1.065
192912	3.3	1.062
192913	1.4	1.065

Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC
192914	1.0	1.060
192915	1.9	1.034
192916	2.2	1.069
192917	1.8	1.079
192918	3.7	1.069
192919	5.1	1.022
192920	4.1	1.040
192921	3.2	1.063
192922	4.2	1.020
192923	1.5	1.072
192924	2.5	1.027
192925	3.4	1.084
192927	0.7	1.067
192928	2.7	1.083
192929	6.8	1.035
192930	1.8	1.036
192931	1.3	1.087
192941	51.8	1.062
192942	66.8	1.035
192943	39.2	1.073
192944	35.5	1.066
192945	33.8	1.072
192946	45.1	1.098
192947	19.3	1.027
192948	24.6	1.066
192949	30.4	1.059
192950	47.6	1.080
192951	12.8	1.037
192952	25.9	1.052
192953	21.8	1.050
192954	17.2	1.091
192955	24.8	1.086
192956	23.6	1.009
192957	30.6	1.052
192958	49.5	1.099
192959	37.3	1.063
192960	30.3	1.068
192961	28.8	1.041
192962	40.3	1.053
192963	11.1	1.098
192964	18.6	1.048
192965	14.9	1.029
192966	3.4	1.041
192967	7.2	1.077
192968	8.8	1.014
192969	0.6	1.053
192970	2.3	1.009
192971	2.5	1.039
192972	5.0	1.067
192973	1.3	1.045
192974	2.6	1.085
192975	2.3	1.019

Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC
192976	8.5	1.024
192977	19.4	1.085
192978	2.9	1.047
192979	10.5	1.036
192980	6.0	1.064
192981	7.1	1.097
192982	6.4	1.074
192983	1.5	1.059
192984	2.5	1.047
192985	2.7	1.076
192986	5.1	1.054
192987	1.1	1.097
192988	1.2	1.088
192989	1.0	1.010
192990	0.8	1.042
192991	1.4	1.036
193726	29.5	1.039
193727	4.4	1.094
193728	2.1	1.081
193729	2.3	1.083
193730	3.5	1.038
193731	13.1	1.072
193732	2.3	1.082
193733	6.7	1.011
193734	1.7	1.083
193735	0.9	1.054
193736	0.9	1.041
193737	1.5	1.074
193738	1.7	1.046
193739	0.5	1.078
193740	1.3	1.014
193741	2.9	1.062
193742	2.1	1.065
193743	4.4	1.021
193744	6.0	1.065
193745	1.8	1.066
193746	3.6	1.053
193747	1.7	1.031
193748	3.8	1.067
193749	11.1	1.047
193750	1.3	1.058
193551	7.4	1.055
193552	4.5	1.037
193553	4.4	1.045
192932	10.1	1.038
192933	1.8	1.085
192934	2.20	0.985
192935	1.5	1.009
192936	1.0	1.007
192937	20.8	1.094
192938	33.9	1.097
192939	58.9	1.065

Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC
192940	8.4	1.082
192992	64.8	1.013
192993	1.3	1.081
192994	1.7	1.049
192995	1.4	1.086
192996	1.8	1.087
192997	5.6	1.032
192998	3.6	1.018
192999	4.3	1.022
193000	9.7	1.043

Quality Control		
Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC

DH-1a Meas	2670	
DH-1a Cert	2630	
DH-1a Meas	2600	
DH-1a Cert	2630	
SY-2 Meas	284	
SY-2 Cert	284	
SY-2 Meas	284	
SY-2 Cert	284	
BL-4a Meas	1250	
BL-4a Cert	1250	
BL-4a Meas	1280	
BL-4a Cert	1250	
192891 Orig	0.6	1.054
192891 Split	0.7	1.033
192911 Orig	3.7	1.065
192911 Split	3.7	1.092
192971 Split	2.6	1.071
192971 Orig	2.5	1.039
Method Blank Method	< 0.1	1.000
Blank		

Quality Analysis ...



Innovative Technologies

Date Submitted: 11-Sep-08
Invoice No.: A08-6099 (i)
Invoice Date: 05-Nov-08
Your Reference:

Delta Uranium
10th Floor, 56 Temperance Street
Toronto ON M5H 3V5
Canada

ATTN: Colin Bowdidge

CERTIFICATE OF ANALYSIS

7 Rock samples were submitted for analysis.

The following analytical packages were requested:

REPORT	A08-6099 (i)	Code 1A3 Au - Fire Assay Gravimetric
		Code 1A2-Tbay Au - Fire Assay AA
		Code 5D-U-Total DNC
		Code 1E3 Aqua Regia ICP(AQUAGEO)

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3
Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY :

A handwritten signature in blue ink, appearing to read "Elitsa Hrischeva". The signature is fluid and cursive, written over a horizontal line.

Elitsa Hrischeva, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL ancaster@actlabsint.com ACTLABS GROUP WEBSITE <http://www.actlabsint.com>

Activation Laboratories Ltd. Report: A08-6099 (i) rev 1

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La	Mg
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	%
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10	0.01
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
192765	< 5	< 0.2	1.0	183	738	166	50	7	85	1.20	< 2	< 10	49	0.5	3	1.23	34	55	5.85	< 10	< 1	0.69	47	0.98
192766	< 5	0.3	1.3	157	1290	2	46	< 2	95	2.27	< 2	< 10	49	< 0.5	< 2	3.79	40	52	10.9	10	< 1	0.40	< 10	1.61
192767	30	0.4	1.3	1370	555	1	164	5	44	1.22	< 2	< 10	55	3.5	124	5.96	53	32	6.73	10	< 1	0.15	< 10	1.02
192768	6	1.0	1.9	549	630	9	175	< 2	529	1.10	3	< 10	21	2.8	< 2	2.35	86	70	12.6	10	< 1	0.30	13	1.54
192769	95	0.5	< 0.5	537	266	180	30	244	24	0.45	< 2	< 10	90	< 0.5	< 2	0.98	42	71	2.01	< 10	< 1	0.31	205	0.26
192770	5	0.9	1.4	730	761	3	167	< 2	187	1.75	< 2	< 10	19	< 0.5	< 2	2.54	72	290	10.7	10	< 1	0.79	18	2.18

Analyte Symbol	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr	U	Mass
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g
Detection Limit	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1	0.1	
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	DNC	DNC
192765	0.144	0.048	0.91	< 2	9	11	0.39	5	< 2	11	115	< 10	22	17		
192766	0.452	0.064	0.96	3	21	23	0.45	8	< 2	< 10	218	< 10	21	13		
192767	0.245	0.057	1.66	3	11	122	0.66	10	< 2	< 10	175	< 10	8	16		
192768	0.235	0.065	3.14	3	10	30	0.33	7	< 2	< 10	105	< 10	11	21		
192769	0.116	0.064	0.82	< 2	3	66	0.21	5	< 2	373	31	< 10	42	17	368	0.957
192770	0.247	0.112	2.58	3	11	39	0.60	10	< 2	< 10	175	< 10	11	19		

Quality Control																								
Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La	Mg
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	%
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10	0.01
Analysis Method	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas		27.1	3.1	1160	815	15	37	571	658	0.26	363	16	144	0.8	1350	0.76	8	8	25.9	< 10	3	0.02	< 10	0.13
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.0500	7.50	0.217
DH-1a Meas																								
DH-1a Cert																								
GXR-4 Meas		3.4	0.7	6340	149	320	42	42	68	2.43	103	< 10	19	1.4	16	0.95	16	57	3.60	10	< 1	1.39	44	1.71
GXR-4 Cert		4.00	0.860	6520	155	310	42.0	52.0	73.0	7.20	98.0	4.50	1640	1.90	19.0	1.01	14.6	64.0	3.09	20.0	0.110	4.01	64.5	1.66
GXR-2 Meas		19.9	4.9	84	1070	< 1	19	769	580	3.04	16	21	1100	1.1	< 2	0.80	11	26	2.31	10	3	0.55	22	0.56
GXR-2 Cert		17.0	4.10	76.0	1010	2.10	21.0	690	530	16.5	25.0	42.0	2240	1.70	0.690	0.930	8.60	36.0	1.86	37.0	2.90	1.37	25.6	0.850
GXR-6 Meas		0.3	1.2	76	1070	2	27	96	122	6.61	253	< 10	878	0.9	< 2	0.16	16	87	6.89	20	1	0.92	11	0.44
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9	0.609
SY-2 Meas																								
SY-2 Cert																								
OREAS 13P Meas				2540			2280												6.05					
OREAS 13P Cert				2500			2260												7.58					
BL-4a Meas																								
BL-4a Cert																								
CDN-GS-2C Meas	2160																							
CDN-GS-2C Cert	2060.00																							
Method Blank Method		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10	< 0.01
Blank																								
Method Blank Method																								
Blank																								

Quality Control																
Analyte Symbol	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr	U	Mass
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g
Detection Limit	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1	0.1	
Analysis Method	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	DNC	DNC
GXR-1 Meas	0.053	0.038	0.19	61	< 1	152		18	3	41	78	140	23	13		
GXR-1 Cert	0.0520	0.0650	0.257	122	1.58	275		13.0	0.390	34.9	80.0	164	32.0	38.0		
DH-1a Meas																2600
DH-1a Cert																2630
GXR-4 Meas	0.125	0.120	1.79	2	7	74		3	< 2	< 10	83	18	11	11		
GXR-4 Cert	0.564	0.120	1.77	4.80	7.70	221		0.970	3.20	6.20	87.0	30.8	14.0	186		
GXR-2 Meas	0.281	0.060	0.04	21	5	86		< 1	3	< 10	50	< 10	11	11		
GXR-2 Cert	0.556	0.105	0.0313	49.0	6.88	160		0.690	1.03	2.90	52.0	1.90	17.0	269		
GXR-6 Meas	0.178	0.034	0.02	4	22	30		< 1	5	< 10	183	< 10	6	12		
GXR-6 Cert	0.104	0.0350	0.0160	3.60	27.6	35.0		0.0180	2.20	1.54	186	1.90	14.0	110		
SY-2 Meas																286
SY-2 Cert																284
OREAS 13P Meas																
OREAS 13P Cert																
BL-4a Meas																1270
BL-4a Cert																1250
CDN-GS-2C Meas																
CDN-GS-2C Cert																
Method Blank Method Blank	0.010	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	< 1	< 10	< 1	< 1		
Method Blank Method Blank															< 0.1	1.000

Quality Analysis ...



Innovative Technologies

Date Submitted: 11-Sep-08
Invoice No.: A08-6100
Invoice Date: 01-Oct-08
Your Reference:

Delta Uranium
10th Floor, 56 Temperance Street
Toronto ON M5H 3V5
Canada

ATTN: Colin Bowdidge

CERTIFICATE OF ANALYSIS

31 Rock samples were submitted for analysis.

The following analytical package was requested: Code 5D-U-Total DNC

REPORT **A08-6100**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

CERTIFIED BY :

A handwritten signature in blue ink, appearing to be "Elitsa Hrischeva". The signature is fluid and cursive, written over a horizontal line.

Elitsa Hrischeva, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL ancaster@actlabsint.com ACTLABS GROUP WEBSITE <http://www.actlabsint.com>

Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC
192834	163	1.060
192835	7.8	1.070
192836	8.2	1.019
192837	119	1.076
192838	90.5	1.037
192839	93.3	1.018
192840	80.8	1.060
192841	246	1.015
192842	153	1.082
192843	9.1	1.029
192844	37.2	1.064
192845	281	1.016
192846	80.4	1.087
192847	92.7	1.015
192848	116	1.072
192849	160	1.062
192850	291	1.054
193601	6.2	1.082
193602	73.8	1.019
193603	110	1.045
193604	96.8	1.046
193605	114	1.036
193606	98.8	1.031
193607	71.4	1.010
193608	38.6	1.052
193609	9.6	1.085
193610	65.6	1.032
193611	266	1.048
193612	59.4	1.019
193613	39.3	1.009
193614	26.7	1.054

Quality Control		
Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC

DH-1a Meas	2670	
DH-1a Cert	2630	
DH-1a Meas	2600	
DH-1a Cert	2630	
SY-2 Meas	284	
SY-2 Cert	284	
SY-2 Meas	284	
SY-2 Cert	284	
BL-4a Meas	1250	
BL-4a Cert	1250	
BL-4a Meas	1280	
BL-4a Cert	1250	
193613 Orig	39.3	1.009
193613 Split	20.8	1.019
Method Blank Method	< 0.1	1.000
Blank		

Quality Analysis ...



Innovative Technologies

Date Submitted: 19-Sep-08
Invoice No.: A08-6380
Invoice Date: 04-Nov-08
Your Reference: WL. Drill Core

Delta Uranium
10th Floor, 56 Temperance Street
Toronto ON M5H 3V5
Canada

ATTN: Colin Bowdidge

CERTIFICATE OF ANALYSIS

45 Rock samples were submitted for analysis.

The following analytical package was requested: Code 5D-U-Total DNC

REPORT **A08-6380**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

CERTIFIED BY :

A handwritten signature in blue ink, appearing to be "Elitsa Hrischeva". The signature is fluid and cursive, written over a horizontal line.

Elitsa Hrischeva, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL ancaster@actlabsint.com ACTLABS GROUP WEBSITE <http://www.actlabsint.com>

Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC
192851	1.7	1.081
192852	1.7	1.089
192853	5.7	1.084
192854	44.4	1.046
192855	3.2	1.089
192856	6.3	1.044
192857	7.3	1.085
192858	6.0	1.063
192859	35.4	1.022
192860	38.4	1.071
192861	44.5	1.062
192862	27.4	1.084
192863	13.9	1.072
192864	20.8	1.020
192865	33.4	1.023
192866	20.3	1.083
192867	21.5	1.080
192868	15.3	1.038
192869	17.6	1.049
192870	18.7	1.026
192871	10.9	1.082
192872	11.6	1.036
192873	5.0	1.079
192874	28.5	1.031
192875	19.2	1.061
192876	11.6	1.081
192877	15.2	1.018
192878	12.8	1.035
192879	18.4	1.079
192880	13.1	1.060
192881	0.9	1.063
192882	1.6	1.062
192883	0.9	1.047
192884	0.9	1.079
192885	1.5	1.072
192886	1.3	1.065

Quality Control		
Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC

DH-1a Meas	2660	
DH-1a Cert	2630	
DH-1a Meas	2600	
DH-1a Cert	2630	
SY-2 Meas	291	
SY-2 Cert	284	
SY-2 Meas	286	
SY-2 Cert	284	
BL-4a Meas	1270	
BL-4a Cert	1250	
BL-4a Meas	1250	
BL-4a Cert	1250	
192880 Orig	13.1	1.060
192880 Split	13.1	1.052
Method Blank Method	< 0.1	1.000
Blank		

Quality Analysis ...



Innovative Technologies

Date Submitted: 24-Sep-08

Invoice No.: A08-6531

Invoice Date: 21-Oct-08

Your Reference:

Delta Uranium
10th Floor, 56 Temperance Street
Toronto ON M5H 3V5
Canada

ATTN: Colin Bowdidge

CERTIFICATE OF ANALYSIS

55 Rock samples were submitted for analysis.

The following analytical package was requested: Code 5D-U-Total DNC

REPORT **A08-6531**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

CERTIFIED BY :

A handwritten signature in blue ink, appearing to read "Elitsa Hrischeva". The signature is fluid and cursive, written over a horizontal line.

Elitsa Hrischeva, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL ancaster@actlabsint.com ACTLABS GROUP WEBSITE <http://www.actlabsint.com>

Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC
193615	2.7	1.036
193616	151	1.021
193617	2.0	1.097
193618	66.2	1.079
193619	12.7	1.093
193620	447	1.035
193621	1.6	1.039
193622	21.9	1.069
193623	342	1.075
193624	3.4	1.080
193625	414	1.073
193626	167	1.096
193627	99.7	1.012
193628	216	1.026
193629	34.7	1.010
193630	8.0	1.025
193631	42.1	1.051
193632	8.1	1.092
193633	111	1.068
193634	181	1.033
193635	11.9	1.061
193636	558	1.060
193637	165	1.083
193638	94.0	1.032
193639	27.4	1.039
193640	1.2	1.089
193641	5.8	1.065
193642	295	1.088
193643	28.3	1.078
193644	2.0	1.052
193645	120	1.058
193646	73.7	1.029
193647	24.4	1.018
193648	149	1.045
193649	147	1.040
193650	195	1.009
193651	163	1.070
193652	35.8	1.027
193653	41.1	1.040
193654	45.5	1.059
193655	39.2	1.016
193656	3.7	1.098
193657	60.9	1.042
193658	78.2	1.069
193659	10.9	1.080
192771 extra	7.9	1.039
192772 extra	0.8	1.012
192773 extra	1.7	1.026
192774 extra	1.6	1.008
192775 extra	8.2	1.016
194501 extra	1.1	1.079
194502 extra	0.4	1.005

Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC
194503 extra	6.7	1.088
194504 extra	1.6	1.026
194505 extra	51.8	1.010

Quality Control		
Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC

DH-1a Meas	2600	
DH-1a Cert	2630	
DH-1a Meas	2610	
DH-1a Cert	2630	
SY-2 Meas	280	
SY-2 Cert	284	
SY-2 Meas	283	
SY-2 Cert	284	
BL-4a Meas	1290	
BL-4a Cert	1250	
BL-4a Meas	1260	
BL-4a Cert	1250	
193644 Orig	2.0	1.052
193644 Split	2.1	1.055
192775 extra Orig	8.2	1.016
192775 extra Split	7.6	1.092
194505 extra Orig	51.8	1.010
194505 extra Split	52.7	1.023
Method Blank Method	< 0.1	1.000
Blank		

Quality Analysis ...



Innovative Technologies

Date Submitted: 25-Sep-08

Invoice No.: A08-6568

Invoice Date: 08-Oct-08

Your Reference:

Delta Uranium
10th Floor, 56 Temperance Street
Toronto ON M5H 3V5
Canada

ATTN: Colin Bowdidge

CERTIFICATE OF ANALYSIS

7 Rock samples were submitted for analysis.

The following analytical package was requested: Code 5D-U-Total DNC

REPORT **A08-6568**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

CERTIFIED BY :

A handwritten signature in blue ink, appearing to read "Elitsa Hrischeva". The signature is fluid and cursive, written over a horizontal line.

Elitsa Hrischeva, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or
+1.888.228.5227 FAX +1.905.648.9613
E-MAIL ancaster@actlabsint.com ACTLABS GROUP WEBSITE <http://www.actlabsint.com>


Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC
192827	117	1.076
192828	21.5	1.016
192829	39.9	1.080
192830	73.3	1.099
192831	135	1.069
192832	46.7	1.039
192833	48.7	1.077

Quality Control		
Analyte Symbol	U	Mass
Unit Symbol	ppm	g
Detection Limit	0.1	
Analysis Method	DNC	DNC


DH-1a Meas	2640	
DH-1a Cert	2630	
DH-1a Meas	2620	
DH-1a Cert	2630	
SY-2 Meas	282	
SY-2 Cert	284	
SY-2 Meas	281	
SY-2 Cert	284	
BL-4a Meas	1270	
BL-4a Cert	1250	
BL-4a Meas	1260	
BL-4a Cert	1250	
Method Blank Method	< 0.1	1.000
Blank		

Harrison Lake

4201727



Kenora Project	
Plan View Wilson Lake	
Date: 24/2/2009	
Author: Amy Shute	
Office: Kenora, ON	
Drawing:	
Scale: 1:1000	Projection: UTM Zone 15 (NAD 83)



4216459

4216460

Richard
Lake

RL08-021

RL08-023

RL08-022

RL08-024

RL08-025

433.900 mE 434.000 mE 434.050 mE 434.100 mE 434.150 mE 434.200 mE 434.250 mE 434.300 mE

5,522,350 mN 5,522,300 mN


5,522,250 mN

5,522,200 mN

5,522,150 mN

5,522,100 mN


Kenora Project	
Plan View of Richard Lake	
Date: 24/2/2009	Author: Amy Shule
Office: Kenora, ON	
Scale: 1:1000	Projection: UTM Zone 15 (NAD 83)




Nixon Lake

4209700

Kenora Project Plan View of Nixon Lake	
Date: 24/2/2009	Projection: UTM Zone 15 (NAD 83)
Author: Amy Shute	
Office: Kenora, ON	
Drawing:	
Scale: 1:1000	




Kenora Project	
Plan View of Feist Lake	
Date:	
Author: Amy Shute	
Office: Kenora, ON	
Drawing:	
Scale: 1:1000	Projection: NAD 83, Zone 15




Kenora Project	
Plan View of Ely Lake	
Date: 24/2/2009	
Author: Amy Shute	
Office: Kenora, ON	
Drawing:	
Scale: 1:1000	Projection: UTM Zone 15 (NAD 83)


Ely Lake

4202585





LEGEND FOR LITHOLOGIES



- SOIL - CASING / OVERBURDEN
- PEG - GRANITE PEGMATIE
- METS - METASEDIMENTARY ROCKS
- GRT - GRANITE
- TNL - TONALITE
- MVOL - METAVOLCANIC ROCKS
- MXMT - MIXED METASEDIMENTARY ROCKS AND GRANITE
- GNS - BIOTITE GNISS
- QZT - QUARTZITE
- MXGT - MIXED GRANITE AND PEGMATITE

- SCALE FOR ZN HISTOGRAM
- SCALE FOR PB HISTOGRAM
- SCALE FOR CU HISTOGRAM
- SCALE FOR AG HISTOGRAM
- SCALE FOR AU HISTOGRAM
- SCALE FOR UDNC HISTOGRAM



DELTA URANIUM INC.

KENORA PROJECT WILSON LAKE AREA


Cross Section WL08-010

Date: 11/11/2008
 Author: Amy Shute
 Office: Kenora
 Drawing:
 Scale: 1:500 Projection: Non-Earth (meters)

0 7.5 15 30
 METRES



LEGEND FOR LITHOLOGIES



DELTA
URANIUM INC.

KENORA PROJECT
WILSON LAKE

Cross Section WL08-009

Date: 11/11/2008
Author: Amy Shute
Office: Kenora, ON
Drawing:
Scale: 1:500
Projection: Non-Earth (meters)

0 5 10 20
METRES

300MRL

300N00R

WL08-008 120.23m

5,521,050MN


5,521,000MN

451,450ME

5,520,950MN


5,520,900MN

451,500ME



LEGEND FOR LITHOLOGIES

- SOIL - CASING / OVERBURDEN
- PEG - GRANITE PEGMATIE
- METS - METASEDIMENTARY ROCKS
- GRT - GRANITE
- TNL - TONALITE
- MVOL - METAVOLCANIC ROCKS
- MXMT - MIXED METASEDIMENTARY ROCKS AND GRANITE
- GNS - BIOTITE GNISS
- QZT - QUARTZITE
- MXGT - MIXED GRANITE AND PEGMATITE



0 1.25
Scale for UDNC histogram

DELTA
URANIUM INC.

KENORA PROJECT
WILSON LAKE AREA

Cross Section WL08-008

Date: 11/11/2008
Author: Amy Shute
Office: Kenora, ON
Drawing:
Scale: 1:500
Projection: Non-Earth (meters)

0 5 10 20
METRES

5,521,050MN

5,521,000MN

451,450ME

5,520,950MN

300MRL

300MRL


5,521,050MN

5,521,000MN


451,400ME

5,520,950MN

5,520,900MN 451,450ME



LEGEND FOR LITHOLOGIES



- SOIL - CASING / OVERBURDEN
- PEG - GRANITE PEGMATIE
- METS - METASEDIMENTARY ROCKS
- GRT - GRANITE
- TNL - TONALITE
- MVOL - METAVOLCANIC ROCKS
- MXMT - MIXED METASEDIMENTARY ROCKS AND GRANITE
- GNS - BIOTITE GNISS
- QZT - QUARTZITE
- MXGT - MIXED GRANITE AND PEGMATITE

- 0 0.75 SCALE FOR ZN HISTOGRAM
- 0 1.25 SCALE FOR PB HISTOGRAM
- 0 0.75 SCALE FOR CU HISTOGRAM
- 0 2.5 SCALE FOR AG HISTOGRAM
- 0 1.25 SCALE FOR AU HISTOGRAM
- 0 1.25 SCALE FOR UDNC HISTOGRAM

300MRL

300MRL

5,521,050MN

5,521,000MN

451,400ME

5,520,950MN


DELTA
URANIUM INC

KENORA PROJECT
WILSON LAKE AREA


Cross Section WL08-007

Date: 11/12/2008
Author: Amy Shale
Office: Kenora, ON
Drawing:
Scale: 1:500 Projection: Non-Earth (meters)

0 5 10 20
METRES



LEGEND FOR LITHOLOGIES



DELTA
URANIUM INC.

KENORA PROJECT
WILSON LAKE AREA

Cross Section WL08-005
and WL08-006

Date: 11/11/2008
Author: Amy Shook
Other: Kenada, ON
Drawing:
Scale: 1:500 Projection: North Earth Centroid

0 5 10 20
METRES

400NRL


400NRL

300NRL

300NRL

200NRL


200NRL




LEGEND FOR LITHOLOGIES

<table border="0" style="width: 100%;"> <tr> <td style="text-align: center;">CU HISTOGRAM</td> <td style="text-align: center;">Zn HISTOGRAM</td> </tr> <tr> <td style="text-align: center;">AG HISTOGRAM</td> <td style="text-align: center;">PB HISTOGRAM</td> </tr> <tr> <td style="text-align: center;">AU HISTOGRAM</td> <td style="text-align: center;">UDNC HISTOGRAM 0.25 MM/UNIT AT 1:500</td> </tr> <tr> <td colspan="2" style="text-align: center;">HOLEID EOH</td> </tr> </table>	CU HISTOGRAM	Zn HISTOGRAM	AG HISTOGRAM	PB HISTOGRAM	AU HISTOGRAM	UDNC HISTOGRAM 0.25 MM/UNIT AT 1:500	HOLEID EOH		<table border="0" style="width: 100%;"> <tr> <td style="width: 20px; height: 15px; background-color: white; border: 1px solid black;"></td> <td>SOIL - CASING / OVERBURDEN</td> </tr> <tr> <td style="width: 20px; height: 15px; background-color: #f08080; border: 1px solid black;"></td> <td>PEG - GRANITE PEGMATITE</td> </tr> <tr> <td style="width: 20px; height: 15px; background-color: #cccccc; border: 1px solid black;"></td> <td>METS - METASEDIMENTARY ROCKS</td> </tr> <tr> <td style="width: 20px; height: 15px; background-color: #f080f0; border: 1px solid black;"></td> <td>GRT - GRANITE</td> </tr> <tr> <td style="width: 20px; height: 15px; background-color: #ffff00; border: 1px solid black;"></td> <td>TNL - TONALITE</td> </tr> <tr> <td style="width: 20px; height: 15px; background-color: #90ee90; border: 1px solid black;"></td> <td>MVOL - METAVOLCANIC ROCKS</td> </tr> <tr> <td style="width: 20px; height: 15px; background-color: #666666; border: 1px solid black;"></td> <td>MXMT - MIXED METASEDIMENTARY ROCKS AND GRANITE</td> </tr> <tr> <td style="width: 20px; height: 15px; background-color: #008080; border: 1px solid black;"></td> <td>GNS - BIOTITE GNEISS</td> </tr> <tr> <td style="width: 20px; height: 15px; background-color: #808080; border: 1px solid black;"></td> <td>QZT - QUARTZITE</td> </tr> <tr> <td style="width: 20px; height: 15px; background-color: #ffa500; border: 1px solid black;"></td> <td>MXGT - MIXED GRANITE AND PEGMATITE</td> </tr> </table>		SOIL - CASING / OVERBURDEN		PEG - GRANITE PEGMATITE		METS - METASEDIMENTARY ROCKS		GRT - GRANITE		TNL - TONALITE		MVOL - METAVOLCANIC ROCKS		MXMT - MIXED METASEDIMENTARY ROCKS AND GRANITE		GNS - BIOTITE GNEISS		QZT - QUARTZITE		MXGT - MIXED GRANITE AND PEGMATITE
CU HISTOGRAM	Zn HISTOGRAM																												
AG HISTOGRAM	PB HISTOGRAM																												
AU HISTOGRAM	UDNC HISTOGRAM 0.25 MM/UNIT AT 1:500																												
HOLEID EOH																													
	SOIL - CASING / OVERBURDEN																												
	PEG - GRANITE PEGMATITE																												
	METS - METASEDIMENTARY ROCKS																												
	GRT - GRANITE																												
	TNL - TONALITE																												
	MVOL - METAVOLCANIC ROCKS																												
	MXMT - MIXED METASEDIMENTARY ROCKS AND GRANITE																												
	GNS - BIOTITE GNEISS																												
	QZT - QUARTZITE																												
	MXGT - MIXED GRANITE AND PEGMATITE																												


DELTA URANIUM INC.	
KENORA PROJECT WILSON LAKE AREA	
Cross Section WLO8-003 and WLO8-004	
Date: 11/11/2008	Project: Kenora, ON
Scale: 1:500	Projection: North American







LEGEND FOR LITHOLOGIES

- SOIL - CASING / OVERBURDEN
- PEG - GRANITE PEGMATIE
- METS - METASEDIMENTARY ROCKS
- GRT - GRANITE
- TNL - TONALITE
- MVOL - METAVOLCANIC ROCKS
- MXMT - MIXED METASEDIMENTARY ROCKS AND GRANITE
- GNS - BIOTITE GNEISS
- QZT - QUARTZITE
- MXGT - MIXED GRANITE AND PEGMATITE




DELTA URANIUM INC.	
KENORA PROJECT WILSON LAKE AREA	
Cross Section WL08-001 and WL08-002	
Date: 11/11/2008	Author: Amy Shook
Checked: Kenia, ON	Drawn: [blank]
Scale: 1:500	Projection: North (East) UTM





5,522,300mN 434,050mE 5,522,250mN 5,522,200mN 5,522,150mN 434,100mE 5,522,100mN



400mRL

400mRL

300mRL

300mRL

Legend

- SOIL-overburden
- GRT-granite
- MVOL-metavolcanic rocks
- PEG-pegmatite
- METS-metasedimentary rocks
- MXMT-mixed metasediments

UDNC Histogram
1 mm/unit at 1:500


EOH

KENORA PROJECT
Richard Lake

Cross Section RL08-025

Date: 12/11/2008	
Author: Amy Shute	
Office: Kenora, ON	
Drawing:	
Scale: 1:500	Projection: Non-Earth (meters)


434,050mE 5,522,250mN 5,522,200mN 5,522,150mN 434,100mE 5,522,100mN



5,522,300mN 434,100mE 5,522,250mN 5,522,200mN 5,522,150mN 434,150mE 5,522,100mN

400mRL

400mRL



UDNC
Histogram
1 mm/unit at 1:500

EOH

Legend

- SOIL-overburden
- GRT-granite
- MVOL-metavolcanic rocks
- PEG-pegmatite
- METS-metasedimentary rocks
- MXMT-mixed metasediments

300mRL

300mRL


5,522,300mN 434,100mE 5,522,250mN 5,522,200mN 5,522,150mN 434,150mE 5,522,100mN




KENORA PROJECT
Richard Lake
Cross Section RL08-024


Date: 12/11/2008
Author: Amy Shute
Office: Kenora, ON
Drawing:

Scale: 1:500 Projection: Non-Earth (meters)












RL08-023
21/11




Legend

-  SOIL-overburden
-  GRT-granite
-  MVOL-metavolcanic rocks
-  PEG-pegmatite
-  METS-metasedimentary rocks
-  MXMT-mixed metasediments

UDNC
Histogram
1 mm/unit at 1:500






EOH









KENORA PROJECT
Richard Lake
Cross Section RL08-023

Date: 12/11/2008
Author: Amy Blum
Office: Kenora, ON
Drawing:
Scale: 1:500 Projection: Non-Earth (metres)










Legend

-  SOIL-overburden
-  GRT-granite
-  MVOL-metavolcanic rocks
-  PEG-pegmatite
-  METS-metasedimentary rocks
-  MXMT-mixed metasediments

UDNC
Histogram
1 mm/unit at 1:500



	
KENORA PROJECT Richard Lake	
Cross Section RL08-022	
Date: 12/11/2008	
Author: Amy Shute	
Office: Kenora, ON	
Drawing:	
Scale: 1:500	Projection: Non-Earth (meters)
	



5,522,350mN 5,522,300mN 434,050mE 5,522,250mN 5,522,200mN 5,522,150mN 434,100mE




300mRL

300mRL

200mRL


200mRL










- Legend**
- SOIL-overburden
 - GRT-granite
 - MVOL-metavolcanic rocks
 - PEG-pegmatite
 - METS-metasedimentary rocks
 - MXMT-mixed metasediments

KENORA PROJECT Richard Lake	
Cross Section RL08-021	
Date: 12/11/2008	Projection: Non-Earth (meters)
Author: Amy Shute	
Office: Kenora, ON	
Scale: 1:500	

5,522,350mN 5,522,300mN 434,050mE 5,522,250mN 5,522,200mN 5,522,150mN 434,100mE




LEGEND

-  SOIL - Overburden
-  GMTS - something something
-  GRT -Granite
-  METS - Metasedimentary Rocks
-  PEG - Pegmatite
-  MXMT - Mixed something sediments
-  MVOL - Metavolcanic

UDNC
Histogram
1 mm/unit at 1:500

HoleID
EOH

 **DELTA**
URANIUM INC.

Dwn: 10/11/2008
Authr: Amy Shue
Office: Kenora, ON
Drawing:
Scale: 1:500 Projection: Non-Earth (metres)

**KENORA PROJECT
NIXON LAKE AREA
Cross Section NL08-003**

0 7.5 15 30
METRES


469,900mE 5,522,750mN 5,522,700mN 5,522,650mN 469,950mE 5,522,600mN 5,522,550mN

400mRL








400mRL

300mRL

300mRL



Legend

-  SOIL-overburden
-  GMTS-gneissic metasediments
-  GRT-granite
-  METS-metasediments
-  PEG-pegmatite
-  MXMT-mixed metasediments/granite
-  MVOL-metavolcanic rocks

UDNC Histogram
1 mm unit at 1:500

EOH


469,900mE 5,522,750mN 5,522,700mN 5,522,650mN 469,950mE 5,522,600mN 5,522,550mN




KENORA PROJECT
Nixon Lake
Cross Section NL08-002

Date: 10/11/2008
Author: Amy Shute
Office: Kenora, ON
Drawing:
Scale: 1:500

Projection: Non-Earth (meters)





- Legend**
- SOIL-overburden
 - GMTS-gneissic metasediments
 - GRT-granite
 - METS-metasediments
 - PEG-pegmatite
 - MXMT-mixed metasediments/granite
 - MVOL-metavolcanic rocks


DELTA
URANIUM INC.

KENORA PROJECT
Nixon Lake

Cross Section NL08-001

Date: 10/1/2008
 Author: Amy Shute
 Office: Kenora, ON
 Drawing:
 Scale: 1:500 Projection: North-East (insert)

0 5 10 20
meters




440,950mE

441,000mE

441,050mE

400mRL

400mRL



300mRL






300mRL

440,950mE



441,000mE


441,050mE

Legend

-  SOIL-overburden
-  METS-metasedimentary rocks
-  PEG-pegmatite
-  MVOL-metavolcanic rocks
-  GRT-granite

EOH


	
KENORA PROJECT Richard Lake	
Date: 12/11/2008	Cross Section FL08-004
Author: Amy Shale	
Office: Kenora, ON	
Scale: 1:500	Projection: Non-Earth (metres)
	








5,521,000mN 440,950mE 441,000mE 441,050mE 441,100mE

400mRL

400mRL





Legend

-  SOIL-overburden
-  METS-metasedimentary rocks
-  PEG-pegmatite
-  MVOL-metavolcanic rocks
-  GRT-granite


EOH

300mRL

300mRL

	
KENORA PROJECT Feist Lake	
Cross Section FL08-003	
Date: 12/11/2008	
Author: Alty Shale	
Office: Kenora, ON	
Drawing:	
Scale: 1:500	Projection: Non-Earth (meters)
	

440,950mE 441,000mE 441,050mE




440,900mE 5,521,050mN 440,950mE 441,000mE 441,050mE

400mRL

400mRL

300mRL






300mRL





FL08-001
151.49m

FL08-002
133.2m


Legend

-  SOIL-overburden
-  METS-metasedimentary rocks
-  PEG-pegmatite
-  MVOL-metavolcanic rocks
-  GRT-granite

EOH

	
KENORA PROJECT Feist Lake	
Date: 12/11/2008	Cross Section FL08-001 and FL08-002
Author: Arly Shute	
Office: Kenora, ON	
Scale: 1:500	
	







440,900mE 5,521,050mN 440,950mE 441,000mE 441,050mE




LEGEND

U308
Histogram
1 mm/unit at 1:500



EOH

-  SOIL-overburden
-  METS - metasedimentary rocks
-  MVOL-metavolcanic rocks
-  PEG-pegmatite
-  GRT-granite
-  GAB-gabbro

	
KENORA PROJECT Ely Lake	
Cross Section EL08-004	
Date: 01/10/08	Author: Amy Stone
Office: Kenora, ON	Drawing:
Scale: 1:500	Projection: North Earth (meters)







EL08-005

EL08-003





LEGEND


U3O8
Histogram
1 mm/unit at 1:500

-  SOIL-overburden
-  METS - metasedimentary rocks
-  MVOL-metavolcanic rocks
-  PEG-pegmatite
-  GRT-granite
-  GAB-gabbro

EOH

	
KENORA PROJECT ELY LAKE	
Date: 01/12/2010	Cross Section EL08-003 and Cross Section EL08-005
Author: Amy Shook	
Office: Kenora, ON	
Drawing:	
Scale: 1:500	Projection: Non-Earth (meter)






EL08-001
EOH 197.00m


LEGEND

U308
Histogram
1 mm/unit at 1:500

EOH

- SOIL-overburden
- METS - metasedimentary rocks
- MVOL-metavolcanic rocks
- PEG-pegmatite
- GRT-granite
- GAB-gabbro


 KENORA PROJECT Ely Lake	
Date: 5/11/2008	Author: Amy Shute
Office: Kenora, ON	Scale: 1:500
Cross Section EL08-001	
Projection: Non-Earth (metres)	



5,522,000mN 5,521,950mN 5,521,900mN 5,521,850mN 5,521,800mN

400mRL

400mRL




UDNC Histogram
1 mm/unit at 1:500

EOH

Legend


- METS-metasedimentary rocks
- PEG-pegmatite
- SOIL-overburden
- GRT-Granite
- GNS-gneiss



KENORA PROJECT
West Bee Lake

Cross Section BL08-015
and BL08-016


Date: 13/11/2008	
Author: Amy Shute	
Office: Kenora, ON	
Drawing:	
Scale: 1:500	Projection: Non-Earth (meters)



300mRL

300mRL


5,522,000mN 5,521,950mN 5,521,900mN 5,521,850mN



5,521,550mN 440,350mE 440,400mE 5,521,600mN 440,450mE 5,521,650mN

400mRL






400mRL





UDNC
Histogram
1 mm/unit at 1:500




Legend


-  METS-metasedimentary rocks
-  PEG-pegmatite
-  SOIL-overburden
-  GRT-Granite
-  GNS-gneiss

	
KENORA PROJECT West Bee Lake	
Cross Section BL08-010	
Date: 19/11/2008	Author: Amy Shute
Office: Kenora, ON	Projection: Non-Earth (meters)
Scale: 1:500	
	

5,521,550mN 440,350mE 440,400mE 5,521,600mN 440,450mE 5,521,650mN



5,521,550mN 440,350mE 440,400mE 5,521,600mN 440,450mE 5,521,650mN








400mRL

UDNC
Histogram
1 mm/unit at 1:500






Legend

-  PEG-pegmatite
-  GNS-gneiss
-  SOIL-overburden
-  GRT-granite
-  MXMT-mixed metasediments and granite

400mRL

5,521,550mN 440,350mE 440,400mE 5,521,600mN 440,450mE


	
KENORA PROJECT East Bee Lake	
Cross Section BL08-009	
Date: 13/11/2008	
Author: Amy Shute	
Office: Kenora, ON	
Scale: 1:500	Projection: Non-Earth (meters)
	



440,300mE 5,521,650mN 440,350mE 5,521,700mN 440,400mE

400mRL






400mRL





UDNC
Histogram
1 mm/unit at 1:500




Legend

-  PEG-pegmatite
-  GNS-gneiss
-  SOIL-overburden
-  GRT-granite
-  MXMT-mixed metasediments and granite

440,300mE 5,521,650mN 440,350mE 5,521,700mN 440,400mE

	
KENORA PROJECT East Bee Lake	
Cross Section BL08-008	
Date: 13/11/2008	Author: Amy Shute
Office: Kenora, ON	Drawing:
Scale: 1:500	Projection: Non-Earth (meters)
	




440,300mE

5,521,650mN

440,350mE

440,400mE

5,521,700mN








400mRL

400mRL

UDNC
Histogram
1 mm/unit at 1:500



Legend

-  PEG-pegmatite
-  GNS-gneiss
-  SOIL-overburden
-  GRT-granite
-  MXMT-mixed metasediments and granite



440,300mE


5,521,650mN

440,350mE

440,400mE

5,521,700mN

	
KENORA PROJECT East Bee Lake	
Cross Section BL08-007	
Date: 13/11/2008	Author: Amy Shute
Office: Kenora, ON	Drawing:
Scale: 1:500	Projection: Non-Earth (metres)
	




BL08-006
104.1m

77.22m

5,521,750mN

5,521,800mN

5,521,850mN



BL08-006
104.1m

400mRL

400mRL

UDNC
Histogram
1 mm/unit at 1:500




Legend

- PEG-pegmatite
- GNS-gneiss
- SOIL-overburden
- GRT-granite
- MXMT-mixed metasediments and granite


5,521,750mN

5,521,800mN

KENORA PROJECT East Bee Lake	
Cross Section BL08-006	
<small>Date: 13/11/2008</small>	
<small>Author: Amy Shute</small>	
<small>Office: Kenora, ON</small>	
<small>Drawing:</small>	
<small>Scale: 1:500</small>	<small>Projection: Non-Earth (meters)</small>



BL08-005



400mRL

400mRL

UDNC
Histogram
1 mm/unit at 1:500



Legend

- PEG-pegmatite
- GNS-gneiss
- SOIL-overburden
- GRT-granite
- MXMT-mixed metasediments and granite

KENORA PROJECT East Bee Lake	
Cross Section BL08-005	
Date: 13/11/2008	
Author: Amy Shute	
Office: Kenora, ON	
Drawing:	
Scale: 1:500	Projection: Non-Earth (meters)

5,522,050mN

5,522,000mN

5,521,950mN

5,521,900mN


5,521,850mN

400mRL

400mRL


300mRL

300mRL



BL08-004a
105.35m

UDNC
Histogram
1 mm/unit at 1:500



Legend

- METS-metasedimentary rocks
- PEG-pegmatite
- SOIL-overburden
- GRT-Granite
- GNS-gneiss




KENORA PROJECT
West Bee Lake

Cross Section BL08-004A

Date: 13/11/2008
Author: Amy Shute
Office: Kenora, ON
Drawing:

Scale: 1:500

Projection: Non-Earth (meters)




5,522,050mN

5,522,000mN

5,521,950mN

5,521,900mN


5,521,850mN



5,522,000mN 5,521,950mN 5,521,900mN 5,521,850mN 5,521,800mN

400mRL






400mRL





UDNC
Histogram
0.25 mm/unit at 1:500


EOH

Legend

-  METS-metasedimentary rocks
-  PEG-pegmatite
-  SOIL-overburden
-  GRT-granite
-  GNS-gneiss

	
KENORA PROJECT West Bee Lake	
Date: 13/1/2008	Cross Section BL08-003 and BL08-004
Author: Amy Shute	
Office: Kenora, ON	
Drawing:	
Scale: 1:500	Projection: Non-Earth (metres)
	


5,521,950mN 5,521,900mN 5,521,850mN



5,522,050mN 5,522,000mN 5,521,950mN 5,521,900mN 5,521,850mN

400mRL

400mRL



UDNC Histogram
0.25 mm/unit at 1:500



Legend

- METS-metasedimentary rocks
- PEG-pegmatite
- SOIL-overburden
- GRT-granite
- GNS-gneiss

300mRL


300mRL



5,522,050mN 5,522,000mN 5,521,950mN 5,521,900mN 5,521,850mN



KENORA PROJECT
West Bee Lake
Cross Section BL08-002

Date:13/11/2008
Author: Amy Shute
Office: Kenora, ON
Drawing:
Scale: 1:500 Projection: Non-Earth (meters)







5,522,000mN 5,521,950mN 5,521,900mN 5,521,850mN 5,521,800mN

400mRL

400mRL



UDNC
Histogram
0.25 mm/unit at 1:500



Legend

- METS-metasedimentary rocks
- PEG-pegmatite
- SOIL-overburden
- GRT-granite
- GNS-gneiss




KENORA PROJECT
West Bee Lake

Cross Section BL08-001

Date: 13/11/2008
 Author: Amy Shute
 Office: Kenora, ON
 Drawing:

Scale: 1:500 Projection: Non-Earth (meters)



5,522,000mN 5,521,950mN 5,521,900mN 5,521,850mN 5,521,800mN

300mRL

300mRL