

**Timmins Magnesite Project
Globex Mining Enterprises Inc.**

2.40242


**Fall 2008
Diamond Drilling**

**Diamond Drill Holes
TM-05 to TM-21 (inclusive)**

**Deloro Township, Ontario
NTS: 42A/6**

R. V. Zalnieriunas P. Geol
January 15, 2009
Rouyn-Noranda, QC

file: ...\\DD2008.wpd



*RECEIVED
JAN 28 2009
GEOSCIENCE ASSESSMENT
OFFICE*

Introduction

Diamond drilling on the Timmins Magnesite project was carried out by Globex Mining Enterprises Inc. during the autumn of 2009. The purpose of this work was to continue the delineation of the main magnesite alteration zones, on local grid sections 8+50E, 9+50E and 10+50E, in and immediately east of the current "in-place" blasted Pamour sample pit.

Property; Description and Location

The property is 100% held by Globex Mining Enterprises Inc.. The claims lie in south-central Deloro Township, approximately 11 kilometres southeast of Timmins, Ontario. The project consists of 19 unsurveyed mining claims, totalling 24 claim units of 16 hectares (more or less), covering an approximate area of 384 hectares and an approximately equally sized area of severed, 'surface-rights-only' mining patents. (see Appendix A for claim data and Claim Map sketch Figure 1 below)

The claim group is approximately centred 1.5 kilometres east of Gold Lake and 1.5 kilometres north of the Deloro-Adams township line. The property lies within the Porcupine Mining Division and Timmins RGO of MNDM; Timmins MNR Administrative District; and Cochrane Land Titles/Registry Division. Claim outlines are illustrated on claim map G-3993 and are within NTS 42A/6.

Access

Vehicular access to the claim group is provided by a road via Pine Street South from the City of Timmins, south for 12 kilometres to the McArthur Forestry Access road, east for 3 kilometres to the 'Wishbone' powerline and then northwards for 3 kilometres by a series of seasonal trails to the centre of the claims.

General Geology

The deposit is described in Ontario Geological Report 219, "Geology of the Timmins Area" by D.R. Pyke (1982) and in the Ontario Geological Survey Study 28, "Talc, Magnesite and Asbestos Deposits in the Timmins -Kirkland Lake Area, Districts of Timiskaming and Cochrane" by Kretschmar and Kretschmar (1986).

In an initial description of the magnesite deposit, Griffis (1972), noted that:

"This deposit is characterized by four distinct mineral assemblages. The central section of the carbonate zone contains medium grained magnesite, talc, quartz and accessory iron oxide minerals. One isolated outcrop at the east end of the carbonate deposit contains fine-grained magnesite and quartz with minor talc and hematite. A mineral assemblage consisting of fine-grained magnesite, talc, serpentine, and accessory iron oxides is also recognized in the eastern section and is in close proximity to serpentinite country rock in which minor magnesite is present. Petrographic evidence suggests that these assemblages represent various stages in the progressive alteration of a serpentinite parent rock.

Chemical and petrographic data from the various assemblages indicate that negligible amounts of magnesia were added to or removed from the system during alteration. Similarly, very little silica was added during alteration but it is possible that some SiO₂ was removed from the system during early stages of carbonatization. Volumetric changes due to carbonate alteration are minor, although a late-stage -of silicification probably resulted in a significant increase in the volume of the system. Published data on the system MgO-SiO₂-H₂O-CO₂ indicate that during early stages of alteration, temperatures may have been in the range 150-300 °C but increased during the alteration which resulted in the magnesite-talc-quartz assemblage of the central section of the deposit."

Previous Work

Early diamond drilling, in the area of the current project, was carried out by Porcupine Southgate and focussed on precious metal exploration. A total of 29 bore holes, totalling 8,108.6m were completed (MNDM Timmins RGO - Assessment File T-108). Some of these drill holes fall within the limits of the present claim block.

The current claim group was originally staked by Pamourex and re-staked by Royal Oak Mines Ltd. during 1984-85.

The property had been originally examined for refractory magnesia potential by Canadian Magnesite Mines during the 1960's, during which time 8 diamond drill holes for 1,209.8m were completed in 1962 (MNDM Timmins RGO - Assessment File T-708).

Diamond drilling was continued by Pamourex in 1985, when a further 8 diamond drill holes were completed for 591.3m. (MNDM Timmins RGO - Assessment File T-2544) In addition, during 1986, Pamour Inc. using OMEP funding, completed a small scale pit sampling program. The primary purpose of this "1986 bulk sampling program was to

provide a large quantity (15,000 tons) of broken, unweathered and representative magnesite-talc material, to be drilled, blasted and left in the pit, ready for loading and shipping to various potential J.V. partners." (Pamour (1986) OMEAP report, gmx file Deloro-103)"

The "Pamour Pit" is located between 1+10S to 1+60S at 8+60E on the current (1998 Royal Oak) surface exploration grid. Note: a 5 ft bench of potentially oxidized material was first drilled and blasted off the surface. A subsequent blast was then carried out & left in place for future work. Some of this material has subsequently been used as evidenced by some trenching (ie reports of 1,620 tons shipped to Steeley Talc for processing etc. as available in Globex files).

The combined sampling and drilling efforts of Canadian Magnesite Mines and Pamour resulted in ultimately outlining in the mid- 1980's of a reported (non-NI 43-101 conformable) proven reserve of 20 million tonnes of material containing 52% magnesite and 28% talc.

The project was optioned by Magnesium Refractories Ltd during 1989-1994. Development efforts primarily consisted of completing additional mineral and metallurgical ore studies, which resulted in a positive feasibility study, but, the company was unable to raise funds for further work. During 1997, Royal Oak re-staked some claims and completed some additional studies in 1997-98.

Two drill holes, for a total of 151.0m, were completed by Pentland Firth Ventures Ltd. for Kinross in 1999 on section 7+00E. (DDH's KDE99-1 & 2, see Yule 1999). These holes were subsequently analysed by Globex Mining Enterprises Inc. early in the year 2000. Results reported in Zalnieriunas (2000a).

Two diamond drill holes (Zalnieriunas, 2000b) were completed by Globex in 2000 (ddh's TM-01 and TM-02), with an additional two diamond drill holes (TM-03 and TM-04) completed 2001 (Zalnieriunas 2001), for a total of 342.7m of coring on section 6+00E. The stratigraphic drilling by both Pentland Firth and Globex, during these years successfully extended substantial magnesite mineralized widths to more than 250 meters west of the "Pamour Pit". During the early part of this decade, Globex concentrated on scoping and developing this property as a magnesium metal project using magnesite ($MgCO_3$) as a primary feed stock.




Figure 1: Claim Map and Location of 2008 Field Work

Globex Mining Enterprises Inc.

86, 14e rue, Rouyn-Noranda, QC J9X 2J1

In 2007, preliminary laboratory work by Drinkard Metalox on selected Globex quartered core from section 6+00E, indicated that the intersected magnesite mineralization could produce a high quality magnesia and magnesia by-products, using hydrometallurgical techniques. Additional bench testing and engineering is currently underway, in order to investigate the potential of using these processing methods. Diamond drilling by Globex in the area of the "Pamour Pit" and the area immediately to the east was carried out in support of these studies. (*Field work summarized in this report*).

2008 Drill Program

Seventeen (17) drill holes, totalling 2,126.7m (TM-05 to TM-21 inclusive) were completed on sections 8+50E, 9+50E and 10+50E, within the core, central area of the Timmins talc-magnesite deposit. Work concentrated on stratigraphic drilling of the main southern magnesite lens, in the area of the Pamour Pit, for magnesite, talc, MgO (wt%) grades, deleterious materials and mineralogical zonation studies. A stratigraphic fence was also examined the northern magnesite zone, on section 10+50E.

Drill collars were established using the 1998 Royal Oak surface metric grid and hand held Garmin GPS instruments. Drilling was carried out by Timmins-based crews from Bradley Bro.'s Ltd.. A skid mounted, Longyear 17A drill rig was mobilized into the property on October 21, 2008. Diamond drilling was completed on November 20, 2008, with all equipment de-mobilized out during the subsequent week. All core logging was completed by December 12, 2008 and all core cutting and geotechnical studies (RQD, specific gravity etc) were completed by January 9, 2009. No drilling difficulties were experienced. Several diamond drill hole casings were found to make water. These sites are noted in the remarks section of the individual core log front pieces and all of these casings have been properly capped. These bore holes may provide an adequate source of water in the future, as lack of surface drilling water has proven to be an issue in the past.

Supervision and core logging was carried out by R.V. Zalnieriunas, P.Geo. with the geo-technical aid of Messrs. D. Vachon of Larder Lake and A. Sorochak of Matachewan, Ontario. Drill logging was carried out using an IBM X41 ThinkPad laptop using GeoticLog and GeoticGraph software licenced from Géotic Inc., Val d'Or, QC. Logging data is stored as a MS-Access compatible ".mdb" database file. Description of these software programs is available at the company's web site (see www.geotic.net).

All physical work was carried out on claims P 850090, P 850094, P 850095, P 850096 and P 850097.

Core was transported to a rented core shack of Globex Mining Enterprises Inc. in Larder Lake, ON, where it was logged. Visual estimates of mineralization were completed as

Globex Mining Enterprises Inc.

86, 14e rue, Rouyn-Noranda, QC J9X 2J1

Tel.: (819)797-5242 Fax.: (819)797-1470 Email: info@globexmining.com Web: <http://www.globexmining.com>

part of the logging process and are reported within the drill logs. Assay results received to date consist of limited gold and nickel geochemical assays that were collected in pyritic wall rock sections to the principal magnesite target zones. Various geochemical whole rock analyses, scans and assays are pending, and will be reported at a later date. Drill logs and sections are appended below.

Table 1: 2008 Diamond Drill Program

DDH	Claim No.	Line (m)	Station (m)	Elevation (m amsl)	Azimuth (deg)	Dip (m)	EOH (m)
TM-05	850094	L8+50	E 0+61 S	320.0m EL	358	-45	118.00
TM-06	850094	L8+31	E 1+21 S	322.0m EL	6	-45	120.25
TM-07	850094	L8+30	E 1+21 S	322.0m EL	96	-45	120.98
TM-08	850094	L8+50	E 1+82 S	325.0m EL	4	-45	122.00
TM-09	850094	L8+50	E 2+43 S	324.0m EL	360	-45	121.94
TM-10	850094	L8+49	E 3+04 S	322.0m EL	360	-45	121.94
TM-11	850097	L8+50	E 3+64 S	319.0m EL	358	-45	121.82
TM-12	850096	L9+50	E 3+66 S	320.0m EL	360	-45	56.00
TM-13	850095	L9+50	E 3+05 S	322.0m EL	358	-45	121.86
TM-14	850095	L9+50	E 2+49 S	322.0m EL	360	-45	121.54
TM-15	850095	L9+50	E 1+84 S	324.0m EL	2	-45	122.04
TM-16	850095	L9+50	E 1+27 S	325.0m EL	2	-45	122.03
TM-17	850095	L9+50	E 0+68 S	315.0m EL	2	-45	122.06
TM-18	850095	L10+50	E 0+70 S	313.0m EL	357	-85	152.09
TM-19	850095	L10+50	E 0+88 N	313.0m EL	176	-45	121.82
TM-20	850090	L10+50	E 1+42 N	313.0m EL	180	-45	140.00
TM-21	850090	L10+50	E 1+99 N	313.0m EL	180	-45	199.81
17 ddh					Total=	2126.18	

Discussion

Disclaimer: as noted above, except for a few gold assays, no analytical results have been received to date for the current work program, therefore the following discussion should be viewed as being preliminary in nature only, and is restricted to visual observations of core.

At the present time, all marked core samples have been cut and submitted to Expert Laboratories, Rouyn-Noranda, QC. All of these sample have passed through the sample preparation process, in which samples are dried, crushed, riffled and pulped. Analytical results for samples marked for Au-Ni assay have been received and have been entered into the relevant drill logs. A set of sample pulps have been submitted to Activation Laboratories (ActLab), Ancaster, ON for geochemical analysis. A second set of riffled

coarse reject has been prepared and submitted to SGS Mineral Services of Lakefield Research Ltd. for mineral identification and probe work.

Geological core logging indicates that both of the historical magnesite-rich carbonate zones were intersected. In broad terms, the carbonate zone is developed at and within the upper contact(?) of an ultramafic volcanic-sediment assemblage and a northerly mafic volcanic sequence. These alteration zone(s) can be regarded as an end member of a class of carbonate bodies, locally colloquially termed “green carbonate”, “grey carbonate”, etc of the carbonate-style ores of the Larder Lake Camp. This alteration is most likely a by-product of extensive fluid flow of a convective hydrothermal cell that was rooted on the north-northeast striking Shaw Creek Fault.

Observed visual alteration zonation patterns remain unchanged from that as inferred by Yule's (1999) lithological coding.

The core of the alteration zone is a massive, coarse grained, over-printed and re-crystallized magnesite and lesser talc unit (current litho code -mz) showing no visible relic original textures. Within surface strip zones (ie Pamour Pit area), this area shows a well developed set of quartz-carbonate extensional veins and stockworks, with subvertical to steep south dipping linker veins that strike easterly and sigmoidally curved, moderately dipping tension ladder structures. The presence of quartz veins probably played a role in forming positive weathering ridges, however, drilling indicates that the “high-grade” magnesite zones are wider than that exposed on surface, and carry much less veining than anticipated. Additional diamond drilling in other directions will be needed to confirm this interpretation. Typically, the core zone area is a leucocratic pale grey in colour showing localized medium pink to dark red (hematitic?) colour bands. Specularite (specular hematite) occurs ubiquitously throughout, either as fine grained disseminated grains and spots and as centimetric scale, disrupted (boudinaged?) coarse to medium grained cross cutting stringers. Specularite appears in part to be replacing subhedral to euhedral magnetite grain forms. Often, a set of centimetric dark grey fracture / joint controlled alteration is visible as stringers or stockwork. This will locally grade into areas of alternating cleavage controlled colour layering. This material is interpreted to represent black magnesium-rich chlorite development.

The transition zone has been logged as a talc-carbonate-chlorite zone (litho code -tz). It is physically similar to the above described core magnesite zone, other than it tends to be darker in tone (medium grey) due to the presence of aphanitic to fine grained black chlorite and tends to overall be more bladed to foliated in texture. The zone may be richer in talc (still to be determined as fact) and has strong carbonate groundmass developed, but, shows variable lesser amounts of magnesite in inverse proportion to developed ferro-dolomite (as evidenced by positive iron stain responses).

The outer carbonate zone, logged as serpentine-talc-carbonate (litho code -sz) is characterized by the presence of medium green, vari-textured serpentine. The proportion of ferri-dolomite to magnesite has not yet been determined. As with the above mentioned core and transition zones, no calcite has been noted.

Based on the 1999 to current drilling results, the following geological observations and interpretations are proposed:

- a) the immediate southern wall rock to the main southern magnesite zone appears to consist of a mixed sequence of extrusive ultramafic flows, locally spinfexed, and talc-chlorite schists. A sequence of intercalated talcose clastic sediments (therefore of ultramafic provenance) occurs towards the northern part of this band. These sediments range from generally southerly talcose mudstones, pebbly siltstones to talcose monomictic conglomerates / re-worked debris flows generally found to the north. Minor intercalated bands of graphic mudstones have also been encountered and correspond to a formation airborne conductor. Overall facies changes and grading in the sediments suggests that stratigraphic tops face towards the south.
- b) from L5+00E to L8+50E, the southern UM volcanics, sediments, and also the southern stratiform contact to the South Carbonate Zone strikes westerly and dips moderately at 70 to 60 degrees to the North. If the stratigraphic facing direction is to the south, then the sequence is overturned. Because a consistent set of "S-shaped" kink structures have been logged throughout this part of the assemblage, it may be anticipated that a second or third order anticlinal axis occurs to the south and a syncline to the north.
- c) east of L8+50E, the southern contact of the main South Carbonate Zone deflects to the northeast. This change in attitude is associated with areas of intersected fault gouges and shears, so that it is inferred that between L8+50E and L10+50E the carbonate zone's contact is bound by a northeast striking set of post-alteration structures, dips of which have not been determined.
- d) Taking into account the above points would imply that not only do the carbonate zones occur at a major MVO-UMV contact, marginal or at the intersection of regional scale faults or shears, but, also occur in or near the hinge of a synclinal structure.
- e) the southern UM volcanics and sediments are intruded by a narrow, west striking, 85 degree south dipping feldspar porphyry dyke.
- f) the northern contact of the main Southern Carbonate Zone appears to be sub-

parallel to a magnetic diabase sill that strikes to the east and dips at 60 degrees or less to the north.

g) preliminary interpretation of the Northern Carbonate Zone on L10+50E indicates that it is arranged as an open synform. The cap rock for the most part is a calcitic mafic volcanic.

Recommendations

The first priority that remains is to integrate the outstanding geochemical analysis, as they become available, review these results and report them. In order to advance the project compilation efforts to a uniform database also need to be carried out so that proper sections and plans can be completed.

If further diamond drilling is warranted, a variographical study of magnesite, talc and extractable magnesia should be completed as an aid to determining an appropriate diamond drilling density pattern.

Completion of a 3D model, comprised of geological solids and grade blocks would also be an asset.

If a positive scoping study is arrived at, based on on-going metallurgical and engineering studies, a compressive drilling and sampling program will be needed to define mineral resources and / or reserves.

R.V. Zalnieriunas P.Geo.
Chief Geologist
Globex Mining Enterprises Inc.
January 15, 2009
Rouyn-Noranda, QC



References

Griffis, R. (1972)

Genesis of a Magnesite Deposit, Deloro Twp., Ontario; in Economic Geology, Vol. 67, 1972, pp. 63-71

Kretschmar and Kretschmar (1986)

Talc, Magnesite and Asbestos Deposits in the Timmins -Kirkland Lake Area, Districts of Timiskaming and Cochrane; Ontario Geological Survey Study 28

Pyke, D.R. (1982)

Geology of the Timmins Area; Ontario Geological Report 219

Yule, G. (1999)

Kinross Magnesite Drill Program Summary; Pentland Firth Ventures Ltd. report dated November 1999 in company files.

Zalnieriunas, R.V. (2000a)

Whole Rock Analytical Results for Diamond Drill Holes KDE99-01 and KDE99-02; Globex Mining Enterprises Inc., Timmins Magnesite Project, Deloro Township, Ontario, Canada, NTS: 42A/6; Globex Mining report dated: May 4, 2000 Rouyn-Noranda, QC, file: \\kde_ass.rpt.

Zalnieriunas, R.V. (2000b)

Timmins Magnesite Project, Globex Mining Enterprises Inc., Fall 2000 Diamond Drilling; Diamond Drill Holes TM-01 and TM-02; Deloro Township, Ontario, NTS: 42A/6; Globex Mining report dated: December 14, 2000 Rouyn-Noranda, QC, file: \\dd2000.rpt.

Zalnieriunas, R.V. (2001)

Timmins Magnesite Project, Globex Mining Enterprises Inc., Summer 2001, Diamond Drilling; Diamond Drill Holes TM-03 and TM-04; Deloro Township, Ontario, NTS: 42A/6; Globex Mining report dated October 4, 2001, Rouyn-Noranda, QC; file:\\dd2001.rpt;

APPENDIX 'A'

Claim Data

Globex Mining Enterprises Inc.
86, 14e rue, Rouyn-Noranda, QC J9X 2J1

Tel.: (819)797-5242 Fax.: (819)797-1470 Email: info@globexmining.com Web: <http://www.globexmining.com>

Table 2: Timmins Magnesite Project Claim Data (*as of January 15, 2009*)

Claim Number	Recording Date	Claim Due Date	Ownership (%)	Work Required	Total Applied	Total Reserve
1207799	1997-Aug-28	2009-Aug-28	100%	\$1,200	\$12,000	\$14
1212628	1996-Feb-12	2009-Feb-12	100%	\$400	\$4,400	\$0
1219705	1999-May-05	2009-May-05	100%	\$1,600	\$12,800	\$0
725183	1984-Feb-28	2009-Feb-28	100%	\$400	\$9,600	\$7
725184	1984-Feb-28	2009-Feb-28	100%	\$400	\$9,600	\$34
781232	1984-Feb-28	2009-Feb-28	100%	\$400	\$9,600	\$0
849849	1985-Jun-04	2009-Jun-04	100%	\$400	\$9,200	\$7
849850	1985-Jun-04	2009-Jun-04	100%	\$400	\$9,200	\$0
849851	1985-Jun-04	2009-Jun-04	100%	\$400	\$9,200	\$14
850090	1985-May-07	2009-May-07	100%	\$400	\$9,200	\$40
850091	1985-May-07	2009-May-07	100%	\$400	\$9,200	\$54
850092	1985-May-07	2009-May-07	100%	\$400	\$9,200	\$33
850093	1985-May-07	2009-May-07	100%	\$400	\$9,200	\$0
850094	1985-May-07	2009-May-07	100%	\$400	\$9,200	\$1,663
850095	1985-May-07	2009-May-07	100%	\$400	\$9,200	\$11
850096	1985-May-07	2009-May-07	100%	\$400	\$9,200	\$0
850097	1985-May-07	2009-May-07	100%	\$400	\$9,200	\$0
850098	1985-May-07	2009-May-07	100%	\$400	\$9,200	\$0
878736	1987-Feb-02	2009-Feb-02	100%	\$400	\$8,400	\$0

19 claims

Total = \$9,600 \$176,800 \$1,877

- Notes: 1) all claims held in Deloro Township
 2) owner listed as Globex Mining Enterprises Inc.
 3) \$0 balance held in Bank
 4) \$1,877 held in Reserve
 5) value of assessment work as represented by this report to be applied

APPENDIX 'B'

Diamond Drill Logs

**TM-05
to
TM-21 (inclusive)**

Globex Mining Enterprises Inc.
86, 14e rue, Rouyn-Noranda, QC J9X 2J1

Tel: (819)797-5242 Fax: (819)797-1470 Email: info@globexmining.com Web: <http://www.globexmining.com>

Globex Mining Enterprises Inc.

DDH : TM-05

Claims title : 850094
 Township : Deloro
 Range :
 Lot :

Section : L8+50E
 Level : Surface
 Work place :

Drilled by : Bradley Bros. Ltd.
 Described by : R.V. Zalnierunas P.Geo.

From : 10/22/2008
 Description date : 10/30/2008

To : 10/23/2008

Collar

Azimuth : 358.0°
 Plunge : -45.0°
 Length : 118.00 m

Longitude (East)
 Latitude (North)
 Elevation

NAD83	1998 Surface Grid		Field Coords: Line(E) - Sta.(N)	
	479750.0	849.8	849.7	
	5357919.0	-61.2	-61.1	
	320.0	320.0	0.0	

Down hole survey

Type	Depth	Azimuth	Plunge	Invalid
Reflex EZ-Shot	9.60 m	356.1°	-46.4°	No
Reflex EZ-Shot	60.60 m	356.1°	-46.5°	No
Reflex EZ-Shot	111.60 m	356.7°	-47.3°	No

Remarks

Began project mob and setting up drill October 21, 2008.
 Apparent casing bearing is 1.5deg west of line 8+50E,
 casing capped.

Core size : NQ core

Cemented : No

Stored : Yes

Project : Globex

Globex Mining Enterprises Inc.

1/11/2009



Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
0.00	2.94	-OB Overburden casing pushed into bedrock to 3.76m -mz												
2.94	9.66	Magnesite-Talc Altered UM Volcanic Weakly mottled and colour banded: med and pale grey with occasional minor bands and wisps of yellow-grey, medium - coarse grained, strongly re-crystallized and carbonitized talcose volcanic. Unit is overall massive looking, showing weak banding generally sub-parallel to S2 foliation planes at variable core angles of 25 to 70 dca (avg 50dca) Section shows locally preserved S1 foliations at 0 to 10dca as open arcuate planes or occ. open "S" kinks folded by S2 foliations of 35 to 55dca Unit is essentially magnesite>>talc with ~5% disseminated specular hematite specks		2.94	5.00	27001	2.06	2.81						
				5.00	8.00	27002	3.00	3.10						
				5.00	8.00	27013 (Dbl)	3.00							
				8.00	9.66	27003	1.66	2.99						
0.66	17.70	Irregular, slightly cutting bottom contact (BC) on top of qtz-carb lens -tz, VND- Talc-Carbonate+-Chlorite Altered UM Volcanic 50°; Veined mottled & banded; grey, yellow and white; medium grained, banded and contorted magnesite-talc altered volcanics showing minor inclusions and flamed bands of chlorite schist increasingly developed downhole. Patches, stringers and veins of white milky bull qtz showing centimeter scale yellow ankerite-talc haloes and rims developed thro. Banding at 40-60dca, xcav & transposed by low angle slips at 20dca. Section grades / 20cm into next unit at about 45dca. Contact placed on top of 1cm qtz-carb stringer oriented at 20dca.												
9.66	9.98	VEIN;98%,QtzCar,T;80°;; Vein 98% Quartz Carbonate Tension 80° very cg milky qtz lens with creamy yellow ankeritic margins		9.66	11.00	27004	1.34	2.98						
				11.00	14.00	27005	3.00	2.96						
				14.00	15.50	27006	1.50	3.04						
				15.50	17.70	27007	2.20	2.95						
17.55	18.00	VEIN;98%,QtzCar,T,15°;; Vein 98% Quartz Carbonate Tension 15° white speckled with 20% orange mg diss magnesite? qc str												
17.70	41.00	V6A, CARB, SILD Andesite 20%; Carbonitized; Silicified medium-pale grey-green, fg, massive and variably carbonized mafic-intermediate volcanic as medium-thick flows and occasional +/- chloritic flow top breccias. Section shows irregular qtz-calcite tension stringers & thds thro, with occ irregular silicification bands and short sections of buff sericitic-silica bleaching Bedding SO at 45-55dca, S1 & S2 foliations at 0-20 and 30-60dca locally arranged in open "S." kinks, minor sinistral S2 slips at ~40dca, Unit grades downhole at ~55dca at base of minor 5cm chloritic hyalotuff into:												
17.70	18.80	-carb, CHLC Carbonate Zone (undefined); Chloritic med green-grey, strong mg destructive WAD ("white altn spots- dolomite") developed in strong ferrodolomite-chlorite matrix, no original textures left; grades / 10cm into fg. aphanitic carb'd volcanic below. at 40dca;		17.70	18.80	27008	1.10	2.91						
				18.80	20.00	27009	1.20	2.81						
				20.00	23.00	27010	3.00	2.82						
				23.00	26.00	27011	3.00	2.83						
26.00	28.00	RMAS;25%;QtzChl,R;; Replacement 25% Quartz Chlorite Replacement bleached irregular silic'n bands & str's		26.00	29.00	27012	3.00	2.85						
				26.00	29.00	27015 (Std)	3.00							
				26.00	29.00	27014 (Bln)	3.00							
				29.00	34.00	-	5.00	2.84						
34.00	41.00	STWK;30%;QtzC,R;; Stockwork 30% Quartz Replacement		34.00	41.00	-	7.00	2.80						
41.00	62.75	I3D; CHIL; GRFC Diabase 55%; Chilled; Granophytic		41.00	45.50	-	4.50	N.A						
				45.50	54.00	-	8.50	N.A						

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
med green-grey, fg to locally aphanitic, massive mafic lithology showing subangular patches of sericitic bleaching and exsolved patches and stingers of buff sericitic feldspars. Section looks similar to volcanic (as noted above) but may be a chilled contact phase of diabase drilled at a low contact angle or a metamorphic contact zone.				54.00	55.50	76501	1.50	2.83	<5			87.0	89.0	23691
Minor randomly oriented white qtz-cc thds and stringers developed filling fractures and increasing in amount down hole, with qsts locally showing open vugs No significant mineralization (NSM). 62.00: Drillers block error (block of 65 TEST)				54.00	55.50	SG31-08-01A (Std)	1.50	988				80.0		23691
section grades into:				55.50	57.00	76502	1.50	2.81	271					23691
57.00 60.00 Py0.1 Pyrite 0.1% disseminated				57.00	58.50	76503	1.50	2.82	<5			57.0		23691
58.50 60.00 76504				58.50	60.00	76504	1.50	2.83	<5			55.0		23691
60.00 61.50 76505				60.00	61.50	76505	1.50	2.83	<5			76.0		23691
61.50 62.75 76506				61.50	62.75	76506	1.25	2.77	<5			64.0		23691
62.75 101.15 13D, CRAC, VND- Diabase; Cracked; Veined med grey-green, chilled mafic lithology (similar to above) probably a chilled diabase contact zone; STRONGLY FRACTURED AND SEALED by qtz-cc thds and stringers hosting minor trace to locally 1% fg disseminated pyrite. Veining generally undulating along core axis of D0ea, but locally 15 to 165dca and i/c with minor bands and wall rock stringers of green chlorite schist. Wall rock locally micro-brecciated, silicified and/or carbonitized into pale grey patches & irregular bands; BC-unit grades into.														
62.75 63.50 Py3.5 Pyrite 3.5% disseminated grains mainly haloing 0.5cm qstr				62.75	63.50	76507	0.75	2.85	<5			69.0		23691
				63.50	65.00	76508	1.50	2.90	<5			72.0		23691
65.00 66.50 Py0.1 Pyrite 0.1% diss. grains mainly in lower half of sample				65.00	66.50	76509	1.50	2.88	<5			83.0		23691
66.50 68.00 Py1.5 Pyrite 1.5% diss. grains weakly haloing folded arcuate qtz-tour vein in upper half of sample				66.50	68.00	76510	1.50	3.00	298			65.0		23691
				66.50	68.00	27016 (Dbl)	1.50							
68.00 72.50 Py0.1 Pyrite 0.1% trace to locally 1/4% fg diss grains thro.				68.00	69.50	76511	1.50	2.80	33			54.0		23691
				69.50	71.00	76512	1.50	2.89	<5			71.0		23691
				71.00	72.50	76513	1.50	2.84	<5			75.0	77.0	23691
				72.50	73.70	76514	1.20	2.91	8			75.0		23691
				73.70	75.00	76515	1.30	2.85	71			66.0		23691
73.70 75.00 Py0.5 Pyrite 0.5% mineralized & veined sheared intrusive														
75.00 79.50 Py0.1 Pyrite 0.1% trace to locally 1/4% m-vfg diss grains associated with qtz thds at 0-15dca				75.00	76.00	76516	1.00	2.86	7			77.0		23691
				76.00	77.00	76517	1.00	2.79	<5			67.0		23691
				77.00	78.50	76518	1.50	2.90	15			63.0		23691
				78.50	79.50	76519	1.00	2.84	28			64.0		23691
				79.50	80.70	76520	1.20	2.82	28			63.0		23691
79.50 80.70 Py.75 Pyrite .75% 1/2 TO 1% DISS. GRAINS														
80.70 81.50 Py4.9 Pyrite 4.9% <5% diss. vfg-mg py in lower wall and bottom half of sample, marginal to bull qv												42.0		23691
80.70 81.05 VEIN,100%;QtzTou,T,20°;;				80.70	81.50	76521	0.80	2.76	67					

Globex Mining Enterprises Inc.

Globex Mining Enterprises Inc.

ASSAYS

From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
2.94	5.00	27001	2.06	TR	6	4	0	TR	4	0	0	
5.00	8.00	27002	3.00	0.5	6	4	0	TR	4	0	0	
8.00	9.66	27003	1.66	2.0	6	4	0	TR	4	0	0	
9.66	11.00	27004	1.34	25.0	5	3	0	1	3	0	0	
11.00	14.00	27005	3.00	5.0	5	3	0	1	3	TR	0	
14.00	15.50	27006	1.50	1.0	6	4	0	0	2	TR	0	
15.50	17.70	27007	2.20	2.0	3	4	0	2	3	1	0	
17.70	18.80	27008	1.10	0.5	0	TR	TR	6	0	4	0	
18.80	20.00	27009	1.20	1.0	0	0	1	2	0	4	0	
20.00	23.00	27010	3.00	10.0	0	0	1	1	0	4	0	
23.00	26.00	27011	3.00	5.0	0	0	2	TR	0	4	0	
26.00	29.00	27012	3.00	10.0	0	0	2	3	0	4	0	
29.00	34.00	-	5.00	10.0	0	0	3	6	0	4	0	
34.00	41.00	-	7.00	27.5	0	0	3	3	0	3	0	
41.00	45.50	-	4.50	3.0	0	0	5	4	0	2	0	
45.50	54.00	-	8.50	1.5	0	0	1	6	0	2	0	
54.00	55.50	76501	1.50	4.0	0	0	3	6	0	2	0	
55.50	57.00	76502	1.50	5.5	0	0	1	4	0	2	0	
57.00	58.50	76503	1.50	4.0	0	0	2	4	0	2	0	
58.50	60.00	76504	1.50	3.0	TR	0	2	6	0	3	0	
60.00	61.50	76505	1.50	5.5	0	0	1	4	0	2	0	
61.50	62.75	76506	1.25	3.5	0	0	3	4	0	2	0	
62.75	63.50	76507	0.75	10.0	0	0	1	5	0	1	0	
63.50	65.00	76508	1.50	3.0	0	0	1	4	0	2	0	
65.00	66.50	76509	1.50	7.5	0	0	1	3	0	1	0	
66.50	68.00	76510	1.50	8.5	0	0	TR	4	0	3	0	
68.00	69.50	76511	1.50	4.5	0	0	3	4	0	3	0	
69.50	71.00	76512	1.50	3.0	0	0	2	6	0	3	0	
71.00	72.50	76513	1.50	3.5	TR	0	2	4	0	2	0	
72.50	73.70	76514	1.20	5.0	0	0	2	4	0	TR	0	
73.70	75.00	76515	1.30	15.0	0	0	1	3	0	1	0	
75.00	76.00	76516	1.00	5.0	0	0	4	3	0	1	0	
76.00	77.00	76517	1.00	5.0	0	0	2	2	0	2	0	
77.00	78.50	76518	1.50	10.0	0	0	4	2	0	2	0	
78.50	79.50	76519	1.00	10.0	0	0	4	1	0	2	0	
79.50	80.70	76520	1.20	6.0	0	0	2	2	0	2	0	
80.70	81.50	76521	0.80	44.0	0	0	1	1	0	1	0	
81.50	83.00	76522	1.50	15.0	TR	0	2	2	0	1	0	
83.00	84.50	76523	1.50	15.0	TR	0	4	2	0	2	0	
84.50	86.00	76524	1.50	12.5	0	0	4	1	0	1	0	
86.00	87.50	76525	1.50	12.5	0	0	4	2	0	2	0	
87.50	89.00	76526	1.50	10.0	TR	0	4	4	0	2	0	
89.00	90.50	76527	1.50	7.5	0	0	4	3	0	1	0	
90.50	92.00	76528	1.50	10.0	0	0	4	3	0	1	0	
92.00	93.50	76529	1.50	12.5	0	0	2	2	0	1	0	
93.50	95.00	76530	1.50	15.0	0	0	2	3	0	1	0	
95.00	96.50	76531	1.50	12.5	0	0	2	4	0	1	0	
96.50	98.00	76532	1.50	7.5	0	0	4	4	0	2	0	
98.00	99.50	76533	1.50	5.0	0	0	4	4	0	2	0	
99.50	101.15	76534	1.65	7.5	0	0	3	3	0	3	0	

Globex Mining Enterprises Inc.

ASSAYS

From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
101.15	102.00	76535	0.85	1.0	0	0	1	4	0	1	0	
102.00	102.92	76536	0.92	2.0	0	0	2	6	0	1	0	
102.92	104.00	76537	1.08	0.5	0	0	1	6	0	1	0	
109.00	110.00	TMSG-05	1.00									
114.00	116.00	TMSG-06	2.00									

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
5.00	8.00	3.00	100	83.33	23		60			
8.00	11.00	3.00	100	95	15		20			
11.00	14.00	3.00	100	83.33	25		85			
14.00	17.00	3.00	100	93.33	19		60			
17.00	20.00	3.00	100	95	14		90			
20.00	23.00	3.00	100	96.33	13		55			
23.00	26.00	3.00	100	100	5		55			
26.00	29.00	3.00	100	94.33	18		55			
29.00	32.00	3.00	100	95	9		20			
32.00	35.00	3.00	100	98.33	14		65			
35.00	38.00	3.00	100	90	22		45			
38.00	41.00	3.00	100	90	18		45			
41.00	44.00	3.00	100	97.67	12					
44.00	47.00	3.00	100	98.67	14					
47.00	50.00	3.00	100	94.67	17					
50.00	53.00	3.00	100	94.67	20					
53.00	56.00	3.00	100	87.67	19					
56.00	59.00	3.00	100	95.67	15					
59.00	62.00	3.00	100	93.33	22					
62.00	65.00	3.00	100	90.67	24					
65.00	68.00	3.00	100	92.67	21					
68.00	71.00	3.00	100	93.33	23					
71.00	74.00	3.00	100	90.67	23					
74.00	77.00	3.00	100	90.67	18					
77.00	80.00	3.00	100	92	19					
80.00	83.00	3.00	100	96.67	20					
83.00	86.00	3.00	100	94	19					
86.00	89.00	3.00	100	100	14					
89.00	92.00	3.00	100	92	17					
92.00	95.00	3.00	100	97.67	13					
95.00	98.00	3.00	100	98	12					
98.00	101.00	3.00	100	96.67	13					
101.00	104.00	3.00	100	92.67	19					
104.00	107.00	3.00	100	90	22					
107.00	110.00	3.00	100	91	22					
110.00	113.00	3.00	100	86.67	21					
113.00	116.00	3.00	100	91.67	25					
116.00	118.00	2.00	150	82.5	17					

Globex Mining Enterprises Inc.

DDH : TM-06	Claims title : 850094 Township : Deloro Range : Lot :	Section : L8+25E Level : Surface Work place :																																
Drilled by : Bradley Bros. Ltd. Described by : R.V. Zalnieriunas P.Geo.		From : 10/24/2008 Description date : 11/2/2008	To : 10/28/2008																															
Collar <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%; padding: 5px;"> Azimuth : 6.0° Plunge : -45.0° Length : 120.25 m </td> <td style="width: 25%; padding: 5px;"> Longitude (East) Latitude (North) Elevation </td> <td style="width: 25%; padding: 5px; text-align: center;"> NAD83 </td> <td style="width: 25%; padding: 5px; text-align: center;"> 1998 Surface Grid </td> </tr> <tr> <td style="padding: 5px;"> </td> <td style="padding: 5px;"> </td> <td style="padding: 5px; text-align: center;"> 479731.0 5357859.3 322.0 </td> <td style="padding: 5px; text-align: center;"> 830.6 -120.8 322.0 </td> </tr> <tr> <td style="padding: 5px;"> </td> <td style="padding: 5px;"> </td> <td style="padding: 5px; text-align: center;"> </td> <td style="padding: 5px; text-align: center;"> 830.6 -120.8 0.0 </td> </tr> </table>		Azimuth : 6.0° Plunge : -45.0° Length : 120.25 m	Longitude (East) Latitude (North) Elevation	NAD83	1998 Surface Grid			479731.0 5357859.3 322.0	830.6 -120.8 322.0				830.6 -120.8 0.0	Field Coords: Line(E) - Sta.(N)																				
Azimuth : 6.0° Plunge : -45.0° Length : 120.25 m	Longitude (East) Latitude (North) Elevation	NAD83	1998 Surface Grid																															
		479731.0 5357859.3 322.0	830.6 -120.8 322.0																															
			830.6 -120.8 0.0																															
Down hole survey		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> <th>Azimuth</th> <th>Plunge</th> <th>Invalid</th> </tr> </thead> <tbody> <tr> <td>Reflex EZ-Shot</td> <td>4.00 m</td> <td>9.8°</td> <td>-44.0°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>25.60 m</td> <td>10.8°</td> <td>-44.5°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>55.60 m</td> <td>9.7°</td> <td>-44.4°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>85.60 m</td> <td>8.5°</td> <td>-44.3°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>115.60 m</td> <td>8.1°</td> <td>-44.5°</td> <td>No</td> </tr> </tbody> </table>			Type	Depth	Azimuth	Plunge	Invalid	Reflex EZ-Shot	4.00 m	9.8°	-44.0°	No	Reflex EZ-Shot	25.60 m	10.8°	-44.5°	No	Reflex EZ-Shot	55.60 m	9.7°	-44.4°	No	Reflex EZ-Shot	85.60 m	8.5°	-44.3°	No	Reflex EZ-Shot	115.60 m	8.1°	-44.5°	No
Type	Depth	Azimuth	Plunge	Invalid																														
Reflex EZ-Shot	4.00 m	9.8°	-44.0°	No																														
Reflex EZ-Shot	25.60 m	10.8°	-44.5°	No																														
Reflex EZ-Shot	55.60 m	9.7°	-44.4°	No																														
Reflex EZ-Shot	85.60 m	8.5°	-44.3°	No																														
Reflex EZ-Shot	115.60 m	8.1°	-44.5°	No																														
Remarks : apparent casing az of 6deg East; Hole off-set from Line 8+50E due to presence of Parmour Pit & loose rock muck Casing capped																																		
Core size : NQ core		Cemented : No		Stored : Yes																														

Globex Mining Enterprises Inc.

DESCRIPTION			ASSAYS										
			From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
0.00	0.94	-OB Overburden Casing pushed into bedrock to 2.8m.											
0.94	33.70	-mz Magnesite-Talc Altered UM Volcanic 72° banded pink, orange and grey, mg, re-crystallized altered & carbonitized volcanic showing mod. fg diss. spec hematite developed as diss thds along cleavage/banding planes at 75-55dca. Minor cg white to creamy stolitic qtz knots and tension vlt's dev'd parallel to banding at avg 70dca or as xcutting flat stringers at 155-130dca; Minor orange bands of either Fe-carb (siderite) or limonite staining developed generally as 1m bands haloing fractures (as water seams?) 0.94-15.87: pink, orange & grey mz, banding & foln at 75-50dca 15.87 - 16.13: ground and lost core 16.13 - 33.70: grey mz grading from wkly banded fg to coarser & bladed downhole with occ str's of xcutting talc-serp as flats and CA's of 30 to 0dca at 29.0-31.0m with 45dca foln then to BC			0.94	4.00	27017	3.06	2.98				
					4.00	7.00	27018	3.00	2.99				
					7.00	10.00	27019	3.00	3.06				
					10.00	13.00	27020	3.00	2.98				
					13.00	15.87	27021	2.87	2.95				
					16.13	19.00	27022	2.87	2.95				
					19.00	22.00	27023	3.00	2.92				
					22.00	25.00	27024	3.00	3.03				
					25.00	28.00	27025	3.00	2.98				
					28.00	31.00	27026	3.00	2.94				
					31.00	33.70	27027	2.70	2.96				
33.70	36.80	section grades into: Serpentine-Carbonate-Talc Altered UM Volcanic 45° greenish-grey, eg, thickly laminated to weakly banded carb>serp alteration transition zone; well foliated at 40dca fl, attening to 20dca downhole; BC sharp at 38dca			33.70	36.80	27028	3.10	2.95				
36.80	45.95	-tz Talc-Carbonate+/-Chlorite Altered UM Volcanic 35° mottled dark & med grey & white massive, thickly banded and thickly laminated; med. to very eg, qtz-carb stringer'd ptf talc schist / carb'd & altered UMV showing minor irreg splashes of serp. and occ. i/c minor bands of magnesite altered volc. S2 schty at 35-40dca thro;			36.80	38.60	27029	1.80	3.00				
					38.60	40.53	27030	1.93	2.96				
					40.53	43.00	27031	2.47	2.95				
					43.00	45.95	27032	2.95	2.96				
45.95	46.16	40.3 xcutting slip/band of 60dca sharp cuts eg chl foln of 25dca -LC Lost Core											
46.16	71.60	-mz Magnesite-Talc Altered UM Volcanic 60° med grey, mg, massive looking, faintly banded & mottled carb. altn zone showing minor qtz-carb str's dev'd ptf at 25-45dca; weak spec hem thds along foln planes at 45 to 75dca; 46.16 - ~49.0: minor serp.-chl decreasing downhole			46.16	49.00	27033	2.84	2.95				
					49.00	52.00	27034	3.00	2.96				
					52.00	55.00	27035	3.00	3.00				
					55.00	57.74	27036	2.74	3.01				
					57.85	61.00	27037	3.15	2.98				
					61.00	64.00	27038	3.00	2.99				
					64.00	67.00	27039	3.00	2.94				
		57.74 - 57.85: ground & lost core; minor lim. staining on upper wall			67.00	70.00	27040	3.00	2.99				
71.60	74.60	BC irreg, stepped but sharp at ~50dca I2; CARB Intermediate Intrusive 50°; Carbonitized med green with orange-green patches & bands, fg, massive sericitic & silicified(?) zone - possible inter-mafic sill(?) showing weak pervasive Fe-carb+talc alt'n overprint and minor mg spec. hem spotting thro; 71.6 - 73.92: minor xcutting qtz-ank-seric str's & thds at 55, 90 & 170DCA;			71.60	73.92	27042	2.32	2.97				
					73.92	74.60	27043	0.68	2.88				
		73.92 - 79.6: brecciated, contorted & stockwork veined by either carb+/-serp or qtz-carb silicified talc-chl selvist band at											

Globex Mining Enterprises Inc.

DESCRIPTION			ASSAYS										
			From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
45dca - possible flow top?													
BC 40dca sharp			74.60	76.00	27044	1.40	2.97						
-mz			76.00	78.00	27045	2.00	N.A.						
Magnesite-Talc Altered UM Volcanic 40°			76.00	78.00	27046 (Dbl)	2.00	3.15						
med grey, mg, massive to faintly banded, weakly foliated carbonate zone;			76.10	78.00	27047 (Bln)	1.90	N.A.						
75.46 - 76.00: colour mottled buff, pink, brown zone haloes ribbon carb-serp vlt of 3cm oriented 32dca at 45.69m.			76.20	78.00	27048 (Std)	1.80	N.A.						
			78.00	80.22	27049	2.22	2.94						
BC 35dca sharp			80.22	81.17	27050	0.95	2.86						
-mz; BAND; SILD			81.17	83.23	27051	2.06	2.99						
Magnesite-Talc Altered UM Volcanic 35°; Banded; Silicified													
grey, dark grey & green-grey, fg, qtz-carb stringed & veined carb-altn transition zone, generally massive looking to weakly foliated at 15dca downhole; showing carb-or qtz-carb stringer sets at 20,40,60, & 160dca; mod mafic (amphibole/tour?) and spec. hem spotting thro;													
80.22 - 80.48: dk grey fg massive mz, BC 40dca sharp													
80.48 - 80.88: carb stringer carb crackle zone -brown-green, looks like a carb'd chilled intrusive?, BC vague at ~70dca;													
80.88 - 82.0: massive qc strd mz, grades into:													
82.0 - 83.23: foliated mz, minor qc strss;													
grades at 25dca ptf into													
V7; ALTD			83.23	86.00	27052	2.77	2.93						
Mafic Volcanic 25°; Altered			86.00	89.00	27053	3.00	2.84						
orange, grey and green banded, mg, weakly foliated, weakly carb'd and moderately to strongly silicified and weakly qtz stringered mafic volc., minor black spotting thro,													
S2 foln at 25-40dca;													
grades at 20dca ptf into													
V7			89.00	92.00	27054	3.00	2.80						
Mafic Volcanic 20°			94.00	95.02	TMSG-07	1.02	2.77						
med. green-grey, vfg, massive to faintly foliated med flows i/c with hyalotuffs, hyalobreccias/flow tops and minor thick laminations of grey carbonaceous? interflow sediments;			99.96	100.70	TMSG-08	0.74	2.82						
minor scuttling <10% white & occ pink, qtz-cc strss;													
S0, S2 planes undulating in open "S" flextures from 40 to 0dca thro;													
Grades on broken core into:													
V7; STRD; PYIC			103.00	104.50	76540	1.50	2.84	10	11		84.0	84.0	23736
Mafic Volcanic 60°; Stringered; Pyritic			104.50	105.80	76541	1.30	2.86	<5			88.0		23736
med-pale green-grey, fg, mafic volc flows & breccias (similar to above) showing strong carb &/silica altn banding and variable cc-qtz strss & thds sealing fractures & joints thro.			105.80	106.80	76542	1.00	2.86	<5			54.0		23736
Veing at 20, 40, 60, 110 & 150dca, locally very vuggy, overall core very blocky,			106.80	108.30	76543	1.50	2.86	<5			75.0		23736
fg diss. pyrite developed at qc str walls mainly at 114.0 - 116 at < 5% but locally 20% py / 20cm.			108.30	109.80	76544	1.50	2.82	67			71.0		23736
120.25m EOH [Drillers report 121m]			109.80	111.30	76545	1.50	2.84	<5			71.0		23736
logged by R.V. Zalnierunas P.Geo.			111.30	112.80	76546	1.50	3.02	<5			75.0		23736
Nov. 2, 2008													

Globex Mining Enterprises Inc.

	DESCRIPTION	ASSAYS										
		From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
	Larder Lake ON 112.80 114.00 Py.01 Pyrite .01% trace	112.80	114.00	76547	1.20	2.76	<5			71.0		23736
	114.00 115.00 Py04 Pyrite 04% diss	114.00	115.00	76548	1.00	2.80	73			71.0		23736
	115.00 116.00 Py7.5 Pyrite 7.5% diss	114.10	115.00	76549 (Bln)	0.90		<5			37.0		23736
		114.20	115.00	76550 (Std)	0.80		1680		1.750	80.0		23736
		115.00	116.00	76551	1.00	3.19	76			72.0		23736
		115.00	116.00	27055 (Dbl)	1.00							
	116.00 117.00 Py02 Pyrite 02% diss	116.00	117.00	76552	1.00	3.07	17	17		80.0	80.0	23736
		117.00	118.00	76553	1.00	2.97	<5			81.0		23736
		118.00	119.00	76554	1.00	2.96	<5			93.0		23736
		119.00	120.25	76555	1.25	2.86	<5			71.0		23736
120.25	DDH end Number of samples : 51 Number of samples QAQC : 6 Total sampled length : 109.49											

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
0.94	4.00	27017	3.06	7.0	6	2	0	TR	2	0	0	
4.00	7.00	27018	3.00	2.0	6	2	0	TR	2	0	0	
7.00	10.00	27019	3.00	0.5	6	2	0	TR	4	0	0	
10.00	13.00	27020	3.00	0.3	6	2	0	TR	2	0	0	
13.00	15.87	27021	2.87	0.5	6	2	0	TR	2	0	0	
16.13	19.00	27022	2.87	0.3	6	2	0	TR	2	0	0	
19.00	22.00	27023	3.00	0.5	6	2	0	TR	2	0	0	
22.00	25.00	27024	3.00	1.5	6	2	0	1	2	0	0	
25.00	28.00	27025	3.00	0.5	6	4	0	TR	4	TR	1	
28.00	31.00	27026	3.00	0.1	6	2	0	1	4	0	0	
31.00	33.70	27027	2.70	1.5	6	4	0	2	4	TR	TR	
33.70	36.80	27028	3.10	1.5	6	4	0	2	4	1	2	
36.80	38.60	27029	1.80	15.0	3	3	0	2	1	3	1	
38.60	40.53	27030	1.93	20.0	3	5	0	2	0	1	1	
40.53	43.00	27031	2.47	0.1	4	4	0	TR	4	4	1	
43.00	45.95	27032	2.95	0.1	4	4	0	TR	2	2	1	
46.16	49.00	27033	2.84	0.2	6	4	0	TR	4	2	TR	
49.00	52.00	27034	3.00	2.0	6	2	0	1	2	TR	0	
52.00	55.00	27035	3.00	2.0	6	2	0	2	2	TR	TR	
55.00	57.74	27036	2.74	2.0	6	2	0	2	2	TR	TR	
57.85	61.00	27037	3.15	2.0	6	2	0	2	2	0	0	
61.00	64.00	27038	3.00	1.0	6	2	0	1	2	0	TR	
64.00	67.00	27039	3.00	0.5	6	2	0	2	4	0	0	
67.00	70.00	27040	3.00	2.5	6	4	0	2	3	TR	1	
70.00	71.60	27041	1.60	2.0	6	2	0	2	2	0	0	
71.60	73.92	27042	2.32	3.0	TR	4	0	4	1	0	0	
73.92	74.60	27043	0.68	30.0	TR	1	0	3	0	3	TR	
74.60	76.00	27044	1.40	TR	5	2	0	3	3	1	TR	
76.00	78.00	27045	2.00	TR	6	2	0	4	2	0	0	
78.00	80.22	27049	2.22	TR	6	2	0	2	2	0	0	
80.22	81.17	27050	0.95	2.0	0	TR	0	6	2	TR	TR	
81.17	83.23	27051	2.06	3.0	2	2	0	4	4	1	TR	
83.23	86.00	27052	2.77	5.0	TR	TR	0	2	2	TR	0	
86.00	89.00	27053	3.00	3.0	0	0	0	2	2	1	0	
89.00	92.00	27054	3.00	TR	0	0	0	4	0	4	0	
94.00	95.02	TMSG-07	1.02							4	0	
99.96	100.70	TMSG-08	0.74									
103.00	104.50	76540	1.50	7.5	0	0	5	3	0	4	0	
104.50	105.80	76541	1.30	2.5	0	0	3	3	0	3	0	
105.80	106.80	76542	1.00	15.0	0	0	5	3	0	3	0	
106.80	108.30	76543	1.50	0.5	0	0	2	3	0	4	0	
108.30	109.80	76544	1.50	3.5	0	0	3	3	0	4	0	
109.80	111.30	76545	1.50	5.0	0	0	1	3	0	4	0	
111.30	112.80	76546	1.50	7.5	0	0	1	3	0	4	0	
112.80	114.00	76547	1.20	3.0	0	0	1	4	0	4	0	
114.00	115.00	76548	1.00	5.0	0	0	3	4	0	4	0	
115.00	116.00	76551	1.00	15.0	0	0	5	3	0	3	0	
116.00	117.00	76552	1.00	10.0	0	0	3	3	0	4	0	
117.00	118.00	76553	1.00	15.0	0	0	3	3	0	4	0	
118.00	119.00	76554	1.00	3.0	0	0	3	1	0	4	0	

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
119.00	120.25	76555	1.25	10.0	0	0	5	1	0	4	0	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
0.94	4.00	3.06	100	93.46	17		70			
4.00	7.00	3.00	100	100	18		75			
7.00	10.00	3.00	100	93.33	20		20			
10.00	13.00	3.00	100	93.67	12		50			
13.00	16.00	3.00	95.67	94	17		70			
16.00	19.00	3.00	95.67	89	15		30			
19.00	22.00	3.00	100	100	8		65			
22.00	25.00	3.00	100	100	8		60			
25.00	28.00	3.00	100	98.33	9		40			
28.00	31.00	3.00	100	98.33	9		80			
31.00	34.00	3.00	100	100	12		70			
34.00	37.00	3.00	100	91.67	18		40			
37.00	40.00	3.00	100	96.67	11		90			
40.00	43.00	3.00	100	98.33	8		40			
43.00	46.00	3.00	98.33	95	9		50			
46.00	49.00	3.00	94.67	94.67	9		65			
49.00	52.00	3.00	100	98.33	10		15			
52.00	55.00	3.00	100	100	10		60			
55.00	58.00	3.00	96.33	94.67	6		85			
58.00	61.00	3.00	100	100	6		45			
61.00	64.00	3.00	100	100	6		40			
64.00	67.00	3.00	100	93.33	8		20			
67.00	70.00	3.00	100	98.33	13		15			
70.00	73.00	3.00	100	100	6		25			
73.00	76.00	3.00	100	100	9		60			
76.00	79.00	3.00	100	98.33	8		80			
79.00	82.00	3.00	100	100	10		65			
82.00	85.00	3.00	100	100	7		25			
85.00	88.00	3.00	100	97.33	9		20			
88.00	91.00	3.00	100	83.33	30		35			
91.00	94.00	3.00	100	90	18		70			
94.00	97.00	3.00	100	95	12		35			
97.00	100.00	3.00	100	100	12		50			
100.00	103.00	3.00	100	100	12		10			
103.00	106.00	3.00	98.33	91.67	18		60			
106.00	109.00	3.00	98.33	86.67	20		40			
109.00	112.00	3.00	100	85	22		5			
112.00	115.00	3.00	100	66.67	30		5			
115.00	118.00	3.00	100	76.67	22		25			
118.00	120.25	2.25	100	75.56	17		5			

Globex Mining Enterprises Inc.

DDH : TM-07	Claims title : 850094 Township : Deloro Range : Lot :	Section : L8+25E Level : Surface Work place :																											
Drilled by : Bradley Bros. Ltd. Described by : R.V. Zalnieriunas P.Geo.		From : 10/28/2008 Description date : 11/5/2008	To : 11/29/2008																										
Collar Azimuth : 96.0° Plunge : -45.0° Length : 120.98 m		NAD83 1998 Surface Grid Field Coords: Line(E) - Sta.(N)																											
Longitude (East) Latitude (North) Elevation		479729.9 5357859.0 322.0	829.5 -121.1 322.0	829.5 -121.0 0.0																									
Down hole survey		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> <th>Azimuth</th> <th>Plunge</th> <th>Invalid</th> </tr> </thead> <tbody> <tr> <td>Reflex EZ-Shot</td> <td>25.60 m</td> <td>100.3°</td> <td>-44.3°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>55.60 m</td> <td>102.6°</td> <td>-45.5°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>85.60 m</td> <td>105.5°</td> <td>-46.3°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>115.60 m</td> <td>103.7°</td> <td>-46.8°</td> <td>No</td> </tr> </tbody> </table>			Type	Depth	Azimuth	Plunge	Invalid	Reflex EZ-Shot	25.60 m	100.3°	-44.3°	No	Reflex EZ-Shot	55.60 m	102.6°	-45.5°	No	Reflex EZ-Shot	85.60 m	105.5°	-46.3°	No	Reflex EZ-Shot	115.60 m	103.7°	-46.8°	No
Type	Depth	Azimuth	Plunge	Invalid																									
Reflex EZ-Shot	25.60 m	100.3°	-44.3°	No																									
Reflex EZ-Shot	55.60 m	102.6°	-45.5°	No																									
Reflex EZ-Shot	85.60 m	105.5°	-46.3°	No																									
Reflex EZ-Shot	115.60 m	103.7°	-46.8°	No																									
Remarks At same set-up location as hole TM-06; casing off-site from line due to blasted Pamour pit & loose muck, drilled to east under this pit to check for structure and continuity -rz casing capped																													
Core size : NQ core		Cemented : No		Stored : Yes																									

Globex Mining Enterprises Inc.

DESCRIPTION			ASSAYS										
			From	To	Number	Length	S.G (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
0.00	0.20	-OB Overburden casing pushed into bedrock to 2.36m -mz											
0.20	120.98	Magnesite-Talc Altered UM Volcanic pale pink & med. brownish-grey, mg, strongly reXtalized & carbonitized, banded volcanic showing i/c dark grey 1 to 0 2cm iron rich? stingers developed ptf and locally contorted, with minor cg milky bull white qtz or cg creamy 1 to +5cm massive carb (hard, dol +/- magnesite with exsolved wormy qtz & not ank) vlt dev'd gen. ptf at 30-55dca; Some minor yellow limonitic? stained bands dev'd haloing joints at sub-meter scale. 5.28 - 5340: ground & lost core 13.0: dk grey stringers at 65 and 35dca 17.3 - 18.0: open "Z" kink fold 33.16: bright orange-pink stained carb stringer - possibly rhodacrosite? 40.0 - 41.0: 27% qtz stock work as 16cm qv flat at 105dca and minor 0.3 to 4cm qtz strgs gen ptf at 25-35dca, also at 10 & 120dca, 44.80 - 45.65: cg creamy carbonate vein (magnesite?) est TW ~30cm, TC at 20dca, BC 10dca, 10% wall rock frags & ribbons, minor exsolved qtz. 70.0: well foliated at 35dca 91.0: banding and foln at 37dca 104.92 - 106.92: pale yellowish-green, fg, thickly laminated silicified? sericitic bleach zone hosting 30cm fe-oxid/limonitic band at 106.3m; avg foln/schty at 25dca 108.0 - 111.4: fg massive phase, wkly banded at 30dca 112.0 - 120.98: irreg 5 to +30cm white bull qtz stockwork veins, vlt & strgs showing pale creamy yellow ank? margins at rotating irreg. orientations thro at mainly 60 and 130-140,dca xcutting fol,n of avg 45dca. 120.98m EOH [Drillers report 121m] logged by R V. Zalnieriunas P.Geo. Nov 5, 2008 Larder Lake, ON	0.20	2.36	27056	2.16	2.98						
			2.36	5.28	27057	2.92	2.99						
			5.40	7.00	27058	1.60	3.05						
			7.00	10.00	27059	3.00	2.98						
			10.00	13.00	27060	3.00	2.96						
			13.00	16.00	27061	3.00	3.01						
			16.00	19.00	27062	3.00	3.00						
			19.00	22.00	27063	3.00	3.01						
			22.00	25.00	27064	3.00	3.00						
			25.00	28.00	27065	3.00	3.01						
			28.00	31.00	27066	3.00							
			28.00	31.00	27067 (Dbl)	3.00	3.04						
			31.00	34.00	27068	3.00	3.00						
			34.00	37.00	27069	3.00	2.98						
			37.00	40.00	27070	3.00	2.94						
			40.00	43.00	27071	3.00	2.97						
			43.00	46.00	27072	3.00	2.98						
			46.00	49.00	27073	3.00	2.95						
			49.00	52.00	27074	3.00	2.96						
			52.00	55.00	27075	3.00	2.95						
			55.00	58.00	27076	3.00	2.98						
			58.00	61.00	27077	3.00	2.98						
			61.00	64.00	27078	3.00	3.00						
			64.00	67.00	27079	3.00							
			64.00	67.00	27080 (Dbl)	3.00	3.10						
			64.01	67.00	27081 (Bln)	2.99							
			64.02	67.00	27082 (Std)	2.98							
			67.00	70.00	27083	3.00	2.98						
			70.00	73.00	27084	3.00	3.00						
			73.00	76.00	27085	3.00	2.99						
			76.00	79.00	27086	3.00	2.97						
			79.00	82.00	27087	3.00	2.98						
			82.00	85.00	27088	3.00	2.97						
			85.00	88.00	27089	3.00	2.95						
			88.00	91.00	27090	3.00	2.97						
			91.00	94.00	27091	3.00	3.01						
			94.00	97.00	27092	3.00	3.01						
			97.00	100.00	27093	3.00	2.97						
			100.00	103.00	27094	3.00	N.A						
			100.00	103.00	27095 (Dbl)	3.00	2.98						
			103.00	104.92	27096	1.92	3.05						
			104.92	106.93	27097	2.01	2.97						
			106.93	109.00	27098	2.07	2.93						
			109.00	112.00	27099	3.00	2.99						
			112.00	115.00	27100	3.00	2.94						
			115.00	118.00	27101	3.00	2.95						
			118.00	120.98	27102	2.98	2.99						

Globex Mining Enterprises Inc.

	DESCRIPTION	ASSAYS										
		From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
120.98	DDH end Number of samples : 42 Number of samples QAQC : 7 Total sampled length : 120.66	118.00	120.98	27104 (Std)	2.98							
		118.00	120.98	27103 (Bln)	2.98							

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
0.20	2.36	27056	2.16	20.0	5	2	0	0	2	0	0	
2.36	5.28	27057	2.92	10.0	6	2	0	TR	2	0	0	
5.40	7.00	27058	1.60	7.5	6	2	0	TR	2	0	0	
7.00	10.00	27059	3.00	1.5	6	2	0	TR	2	0	0	
10.00	13.00	27060	3.00	3.0	6	2	0	TR	4	0	0	
13.00	16.00	27061	3.00	0.3	6	2	0	TR	4	0	0	
16.00	19.00	27062	3.00	1.0	6	2	0	TR	4	0	0	
19.00	22.00	27063	3.00	0.9	6	2	0	TR	2	0	0	
22.00	25.00	27064	3.00	0.3	6	2	0	TR	2	0	0	
25.00	28.00	27065	3.00	1.0	6	2	0	TR	2	0	0	
28.00	31.00	27066	3.00	2.0	6	2	0	TR	2	0	0	
31.00	34.00	27068	3.00	0.9	6	2	0	TR	2	0	0	
34.00	37.00	27069	3.00	5.0	5	4	0	TR	2	0	0	TR
37.00	40.00	27070	3.00	0.8	6	2	0	TR	2	0	0	
40.00	43.00	27071	3.00	14.0	6	2	0	TR	2	0	0	
43.00	46.00	27072	3.00	1.5	6	2	0	TR	4	0	0	
46.00	49.00	27073	3.00	0.3	6	2	0	0	4	0	0	
49.00	52.00	27074	3.00	5.0	6	2	0	0	4	0	0	
52.00	55.00	27075	3.00	2.0	6	2	0	TR	4	0	0	
55.00	58.00	27076	3.00	3.0	6	2	0	TR	2	0	0	
58.00	61.00	27077	3.00	3.0	6	2	0	TR	2	0	0	
61.00	64.00	27078	3.00	1.0	6	2	0	TR	2	0	0	
64.00	67.00	27079	3.00	2.0	6	2	0	TR	2	0	0	
67.00	70.00	27083	3.00	1.0	6	2	0	TR	2	0	0	
70.00	73.00	27084	3.00	7.0	6	2	0	TR	2	0	0	
73.00	76.00	27085	3.00	1.5	6	3	0	TR	2	0	0	
76.00	79.00	27086	3.00	3.0	6	2	0	TR	2	0	0	
79.00	82.00	27087	3.00	0.9	6	2	0	TR	4	0	0	
82.00	85.00	27088	3.00	1.5	6	2	0	TR	4	0	0	
85.00	88.00	27089	3.00	5.0	6	2	0	TR	2	0	0	
88.00	91.00	27090	3.00	0.9	6	2	0	TR	2	0	0	
91.00	94.00	27091	3.00	0.5	6	4	0	0	2	0	0	
94.00	97.00	27092	3.00	0.8	6	3	0	0	2	0	0	
97.00	100.00	27093	3.00	0.3	4	2	0	0	2	0	0	
100.00	103.00	27094	3.00	2.0	6	2	0	TR	2	0	0	
103.00	104.92	27096	1.92	2.0	6	2	0	2	2	0	0	
104.92	106.93	27097	2.01	1.5	4	2	0	2	2	0	0	
106.93	109.00	27098	2.07	2.0	6	2	0	2	2	0	0	
109.00	112.00	27099	3.00	1.8	6	2	0	2	2	0	0	
112.00	115.00	27100	3.00	5.0	6	2	0	2	2	0	0	
115.00	118.00	27101	3.00	4.0	6	2	0	4	2	0	0	
118.00	120.98	27102	2.98	13.0	6	2	0	4	2	0	0	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
0.20	2.36	2.16	100	95.37	13		30			
2.36	4.00	1.64	97.56	85.37	9		70			
4.00	7.00	3.00	95.67	83.33	18		55			
7.00	10.00	3.00	100	96.67	19		50			
10.00	13.00	3.00	100	100	12		55			
13.00	16.00	3.00	100	98.33	13		45			
16.00	19.00	3.00	100	100	9		55			
19.00	22.00	3.00	100	98	12		75			
22.00	25.00	3.00	100	99	9		90			
25.00	28.00	3.00	100	93.33	13		55			
28.00	31.00	3.00	100	99.33	13		50			
31.00	34.00	3.00	100	100	9		60			
34.00	37.00	3.00	100	99.33	7		45			
37.00	40.00	3.00	100	100	4		47			
40.00	43.00	3.00	100	100	7					
43.00	46.00	3.00	100	98.33	9					
46.00	49.00	3.00	100	98.33	5					
49.00	52.00	3.00	100	100	4					
52.00	55.00	3.00	100	98.33	10					
55.00	58.00	3.00	100	100	12					
58.00	61.00	3.00	100	100	8					
61.00	64.00	3.00	100	100	8					
64.00	67.00	3.00	100	98.33	11					
67.00	70.00	3.00	100	98.33	7					
70.00	73.00	3.00	100	91.67	9					
73.00	76.00	3.00	100	93.33	10					
76.00	79.00	3.00	100	98.33	12					
79.00	82.00	3.00	100	98.33	9					
82.00	85.00	3.00	100	98.33	12					
85.00	88.00	3.00	100	100	10					
88.00	91.00	3.00	100	100	8					
91.00	94.00	3.00	100	96.67	14					
94.00	97.00	3.00	100	96.67	13					
97.00	100.00	3.00	100	100	9					
100.00	103.00	3.00	100	100	11					
103.00	106.00	3.00	100	100	10					
106.00	109.00	3.00	100	96.67	11					
109.00	112.00	3.00	100	100	9					
112.00	115.00	3.00	100	96.67	12					
115.00	118.00	3.00	100	96.67	10					
118.00	120.98	2.98	100	100	11					

Globex Mining Enterprises Inc.

DDH : TM-08	Claims title : 850094 Township : Deloro Range : Lot :	Section : L8+50E Level : Surface Work place :																															
Drilled by : Bradley Bros. Ltd. Described by : R.V. Zalnieriunas P.Geo.		From : 10/30/2008 Description date : 11/6/2008	To : 10/31/2008																														
Collar Azimuth : 4.0° Plunge : -45.0° Length : 122.00 m		NAD83 1998 Surface Grid Field Coords: Line(E) - Sta (N)																															
		Longitude (East) Latitude (North) Elevation	479753.0 852.4 849.5 5357798.0 -182.2 -182.2 325.0 325.0 0.0																														
Down hole survey		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> <th>Azimuth</th> <th>Plunge</th> <th>Invalid</th> </tr> </thead> <tbody> <tr><td>Reflex EZ-Shot</td><td>9.60 m</td><td>358 8°</td><td>-44.3°</td><td>No</td></tr> <tr><td>Reflex EZ-Shot</td><td>27.60 m</td><td>357 9°</td><td>-44.5°</td><td>No</td></tr> <tr><td>Reflex EZ-Shot</td><td>57.60 m</td><td>357 8°</td><td>-45 2°</td><td>No</td></tr> <tr><td>Reflex EZ-Shot</td><td>87.60 m</td><td>358 3°</td><td>-45 3°</td><td>No</td></tr> <tr><td>Reflex EZ-Shot</td><td>117.60 m</td><td>356.3°</td><td>-45 0°</td><td>No</td></tr> </tbody> </table>		Type	Depth	Azimuth	Plunge	Invalid	Reflex EZ-Shot	9.60 m	358 8°	-44.3°	No	Reflex EZ-Shot	27.60 m	357 9°	-44.5°	No	Reflex EZ-Shot	57.60 m	357 8°	-45 2°	No	Reflex EZ-Shot	87.60 m	358 3°	-45 3°	No	Reflex EZ-Shot	117.60 m	356.3°	-45 0°	No
Type	Depth	Azimuth	Plunge	Invalid																													
Reflex EZ-Shot	9.60 m	358 8°	-44.3°	No																													
Reflex EZ-Shot	27.60 m	357 9°	-44.5°	No																													
Reflex EZ-Shot	57.60 m	357 8°	-45 2°	No																													
Reflex EZ-Shot	87.60 m	358 3°	-45 3°	No																													
Reflex EZ-Shot	117.60 m	356.3°	-45 0°	No																													
Remarks <small>Note because of blasted Pamour pit, actual southern extension of Line 8+50E dog legs and off-set 0.80m east at station I+75S before continuing to south casing capped</small>																																	
Core size : NQ core		Cemented : No	Stored : Yes																														

Globex Mining Enterprises Inc.

		DESCRIPTION	ASSAYS										
			From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
0.00	4 85	-OB Overburden no core recovery											
4 85	5.62	-mz; BLCH Magnesite-Talc Altered UM Volcanic; Bleached pale orange, mg, fe-oxide stained carbonized & talcose volcanic; very blocky & broken core - possible weathered boulders / lim water stained zone BC on broken core											
5.62	17.00	-mz Magnesite-Talc Altered UM Volcanic med grey, m-cg, wky foliated & banded, strongly reXtalized, carb'd & talcose volcanic; weak foliation planes at 60 to 20dca and locally undulating along core axis, grades at ~20dca into.	5.62	8.00	27105	2.38	2.94						
			8.00	11.00	27106	3.00	3.01						
			11.00	14.00	27107	3.00	2.96						
			14.00	17.00	27108	3.00	2.96						
17.00	28.00	-sz Serpentine-Carbonate-Talc Altered UM Volcanic 20° mottled grey, dark grey & orange-grey, cg, reXtalized , massive to thickly foliated and carb stringer carb-talc alteration zone showing variable diss & stringer pale green serpentine and joint controlled yellow Fe-oxide stained banding thro; grades at 50dca ptf into.	17.00	20.00	27109	3.00	2.93						
			20.00	23.00	27110	3.00	2.99						
			23.00	26.00	27111	3.00	2.96						
			26.00	28.00	27112	2.00	3.06						
28.00	95.00	-mz Magnesite-Talc Altered UM Volcanic 50° med grey grading down hole to brown-grey and mottled pink & grey, m-cg reXtalized carb'd-talcose volc. occ tension veins of qtz-carb dev'd pif or xcutting at 70, 140 and 160dca, occ showing f-mg black tour? blades in str walls or veins; dk grey spec hem strs 0.25-1cm thick dev'd thro ptf and on xcutting jt flats and increasing in size and quantity downhole to the point at 71.0 + 84.0 a psuedo breccia appearance is developed,	28.00	30.00	27113	2.00	2.97						
			30.00	32.00	27114	2.00	3.00						
			32.00	35.00	27115	3.00	2.96						
			35.00	38.00	27116	3.00	N.A						
			38.00	41.00	27117	3.00	3.02						
			41.00	44.00	27118	3.00	2.95						
			41.00	44.00	27119 (Dbl)	3.00	2.96						
			44.00	47.00	27120	3.00	2.97						
			47.00	50.00	27121	3.00	2.99						
			50.00	53.00	27122	3.00	2.96						
			53.00	56.00	27123	3.00	2.99						
			56.00	59.00	27124	3.00	2.96						
			59.00	62.00	27125	3.00	3.01						
			62.00	65.00	27126	3.00	2.96						
			65.00	68.00	27127	3.00	2.96						
			68.00	71.00	27128	3.00	3.00						
			71.00	74.00	27129	3.00	2.96						
			74.00	77.00	27130	3.00	2.94						
			77.00	80.00	27131	3.00	2.99						
			80.00	83.00	27132	3.00	2.97						
			83.00	86.00	27133	3.00	2.97						
			86.00	89.00	27134	3.00	2.97						
			89.00	92.00	27135	3.00	3.06						
			89.00	92.00	27136 (Dbl)	3.00							
			89.10	92.00	27137 (Bln)	2.90							
			89.20	92.00	27138 (Std)	2.80							
			92.00	95.00	27139	3.00	2.34						
			95.00	98.00	27140	3.00	2.95						
			98.00	101.10	27141	3.10	2.94						
95.00	101.10	-sz Serpentine-Carbonate-Talc Altered UM Volcanic mottled pale brown carbonate zone (texturally similar to above) cracked with dk grey spec-hem? thds devd on irreg fracture stockwork thro, possible some black chl?, occ creamy carb strs and irreg pale green serpentine thds & strgs gen on fractures;											
99.66	100.60	VEIN;100%,CarQtz,T.25°;											

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
			Vein 100% Carbonate Quartz Tension 25° pinkish-yellow cg carb (MAGNESITE?) breccia vein showing ~ 30% irreg cg bull white qtz patches thro and minor trace serp on fractures near contact walls; structure shows minor <1 to 0.5cm carb flames dev'd into lower contact at 135 and 180dca;											
101.10	106.60	-mz	Magnesite-Talc Altered UM Volcanic med-dk grey, mg, massive to locally cracked carb-talc altn zone; wkly foliated at 30-55dca,	101.10 103.50	103.50 106.60	27142 27143	2.40 3.10	2.98 2.96						
106.60	108.00	-sz	Serpentine-Carbonate-Talc Altered UM Volcanic 40° brown carb zone (similar to 95.0 - 101.1m) upper contact wkly sheared and foliated at 40-50dca. becoming massive looking down hole, grades at 45dca ptf into:	106.60	108.00	27144	1.40	2.96						
108.00	113.65	-mz	Magnesite-Talc Altered UM Volcanic 45° med grey to greenish-grey magnesite-talc zone (similar to 101.1 - 106.6m); well thinly banded at 50dca thro, poss trace chl thro, BC at 45dca ptf gradual	108.00 111.00	111.00 113.65	27145 27146	3.00 2.65	2.94 2.98						
113.65	117.00	-sz	Serpentine-Carbonate-Talc Altered UM Volcanic 45° banded greenish-brown & grey, wkly chlc & serp-bearing thro thickly laminated zone grading downhole to massive volc, fractured, brecciated & sealed by black spec.-hem strrs & thds >30%, appearsd to be a fractured flow top with strat. tops facing downhole, section grades at 35dca ptf into:	113.65 115.07	115.07 117.00	27147 27148	1.42 1.93	2.96 2.92						
117.00	122.00	-mz	Magnesite-Talc Altered UM Volcanic 35° med grey, massive carb-talc altn zone zone; wk foliations at 30 & 60dca; rare carb str / lenses, generally massive equigranular & almost granitic looking; 122.00m EOH [drillers report 122m]	117.00 119.00 119.00	119.00 122.00 122.00	27149 27150 27151 (Dbl)	2.00 3.00 3.00	3.03 N.A 3.00						
122.00	DDH end Number of samples : 42 Number of samples QAQC : 5 Total sampled length : 116.38													

Globex Mining Enterprises Inc.

From	To	Number	Length	Qtz (%)	MgCO ₃ (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	ASSAYS			
									Hem (Index)	Chl (Index)	Serp (Index)	
5.62	8.00	27105	2.38	0.9	6	2	0	0	2	0	0	
8.00	11.00	27106	3.00	0.3	6	2	0	0	2	0	0	
11.00	14.00	27107	3.00	7.0	6	2	0	0	2	0	0	
14.00	17.00	27108	3.00	2.0	6	2	0	0	4	0	0	
17.00	20.00	27109	3.00	0.3	6	2	0	0	4	0	0	
20.00	23.00	27110	3.00	TR	6	2	0	1	4	TR	TR	
23.00	26.00	27111	3.00	TR	4	2	0	IR	3	IR	1	
26.00	28.00	27112	2.00	TR	4	2	0	TR	4	TR	2	
28.00	30.00	27113	2.00	TR	6	2	0	TR	2	TR	TR	
30.00	32.00	27114	2.00	TR	4	2	0	TR	4	IR	0	
32.00	35.00	27115	3.00	TR	6	2	0	TR	4	TR	0	
35.00	38.00	27116	3.00	TR	6	2	0	TR	4	0	0	
38.00	41.00	27117	3.00	TR	6	2	0	TR	4	0	0	
41.00	44.00	27118	3.00	TR	6	2	0	TR	2	0	0	
44.00	47.00	27120	3.00	0.5	6	2	0	TR	4	0	0	
47.00	50.00	27121	3.00	0.8	6	2	0	TR	4	0	0	
50.00	53.00	27122	3.00	1.0	6	2	0	TR	2	0	TR	
53.00	56.00	27123	3.00	0.0	6	2	0	TR	2	0	0	
56.00	59.00	27124	3.00	0.5	6	2	0	TR	2	0	0	
59.00	62.00	27125	3.00	1.0	6	2	0	TR	4	0	0	
62.00	65.00	27126	3.00	8.0	6	2	0	TR	4	0	0	
65.00	68.00	27127	3.00	0.3	6	2	0	TR	4	0	0	
68.00	71.00	27128	3.00	7.5	6	2	0	TR	2	0	0	
71.00	74.00	27129	3.00	1.0	6	2	0	TR	2	0	0	
74.00	77.00	27130	3.00	1.5	6	2	0	TR	4	TR	TR	
77.00	80.00	27131	3.00	TR	6	2	0	TR	6	0	0	
80.00	83.00	27132	3.00	0.5	6	2	0	TR	4	0	0	
83.00	86.00	27133	3.00	TR	6	2	0	TR	6	TR	0	
86.00	89.00	27134	3.00	TR	6	2	0	TR	4	1	0	
89.00	92.00	27135	3.00	TR	6	2	0	TR	4	TR	0	
92.00	95.00	27139	3.00	0.0	6	2	0	TR	4	0	TR	
95.00	98.00	27140	3.00	TR	4	2	0	TR	3	1	1	
98.00	101.10	27141	3.10	25.0	3	2	0	TR	2	TR	1	
101.10	103.50	27142	2.40	0.0	6	2	0	TR	1	0	0	
103.50	106.60	27143	3.10	0.1	6	2	0	TR	2	0	0	
106.60	108.00	27144	1.40	TR	2	2	0	2	1	0	2	
108.00	111.00	27145	3.00	TR	6	2	0	1	4	0	0	
111.00	113.65	27146	2.65	TR	6	2	0	1	4	0	TR	
113.65	115.07	27147	1.42	0.0	4	2	0	TR	4	TR	TR	
115.07	117.00	27148	1.93	0.0	4	2	0	TR	6	0	0	
117.00	119.00	27149	2.00	0.5	6	2	0	TR	4	0	0	
119.00	122.00	27150	3.00	TR	6	2	0	TR	2	0	0	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
5.62	8.00	2.38	100	86.13	10		20			
8.00	11.00	3.00	100	90.33	12		70			
11.00	14.00	3.00	100	91.67	14		30			
14.00	17.00	3.00	100	98.33	6		60			
17.00	20.00	3.00	100	96.67	9		90			
20.00	23.00	3.00	100		8		55			
23.00	26.00	3.00	100	98.67	6		45			
26.00	29.00	3.00	100	98.33	16		90			
29.00	32.00	3.00	100	96	19		85			
32.00	35.00	3.00	100	94	12		25			
35.00	38.00	3.00	100	100	5		75			
38.00	41.00	3.00	100	98.33	9		20			
41.00	44.00	3.00	100	100	6		60			
44.00	47.00	3.00	100	92.67	8		5			
47.00	50.00	3.00	100	100	4		50			
50.00	53.00	3.00	100	95.67	10		75			
53.00	56.00	3.00	100	99.33	6		70			
56.00	59.00	3.00	100	100	7		88			
59.00	62.00	3.00	100	99.33	7		40			
62.00	65.00	3.00	100	100	9		80			
65.00	68.00	3.00	100	98.33	8		30			
68.00	71.00	3.00	100	98.33	9		45			
71.00	74.00	3.00	100	99	10		20			
74.00	77.00	3.00	100	93.33	9		10			
77.00	80.00	3.00	100	100	5		25			
80.00	83.00	3.00	100	98.33	8		60			
83.00	86.00	3.00								
86.00	89.00	3.00	100	92.67	10		15			
89.00	92.00	3.00	100	98.67	9		50			
92.00	95.00	3.00	100	96.67	8		25			
95.00	98.00	3.00	100	99.33	9		40			
98.00	101.00	3.00	100	100	9		40			
101.00	104.00	3.00	100	100	8		60			
104.00	107.00	3.00	100	97.33	9		40			
107.00	110.00	3.00	100	98	9		50			
110.00	113.00	3.00	100	99.33	6		40			
113.00	116.00	3.00	100	93.33	12		10			
116.00	119.00	3.00	100	98	8		75			
119.00	122.00	3.00	100	98.33	6		30			

Globex Mining Enterprises Inc.

DDH : TM-09

Claims title : 850094
 Township : Deloro
 Range :
 Lot :

Section : L8+50E
 Level : Surface
 Work place :

Drilled by : Bradley Bros. Ltd.
 Described by : R.V. Zalnierunas P.Geo.

From : 10/31/2008
 Description date : 11/14/2008

To : 11/1/2008

Collar

Azimuth : 360.0°	Longitude (East)
Plunge : -45.0°	Latitude (North)
Length : 121.94 m	Elevation

NAD83	1998 Surface Grid		Field Coords: Line(E) - Sta.(N)	
479754.0	853.2		849.9	
5357738.0	-242.2		-242.9	
324.0	324.0		0.0	

Down hole survey

Type	Depth	Azimuth	Plunge	Invalid
Reflex EZ-Shot	9.60 m	357.6°	-45.4°	No
Reflex EZ-Shot	60.60 m	357.2°	-46.3°	No
Reflex EZ-Shot	117.60 m	353.3°	-47.1°	No

Remarks

casing capped

Core size : NQ core

Cemented : No

Stored : Yes

Project : Globex

Globex Mining Enterprises Inc.

1/11/2009

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
0.00	4.80	-OB Overburden Drillers report casing to 4m - no core recovery until about ~4 8m												
4.80	23.00	-sz, RIBD Serpentine-Carbonate-Talc Altered UM Volcanic 40°; Ribbed pale green, vfg to fg serpentinized & carbonitized volcanic showing dk grey to black chl/spec hem irreg ribbons / crenulated & disrupted strts & thds thro dev'd subptf at 40 to 50dca; moderate orange stained (limonite / fe-oxides?) as meter sized bands, thro; poss trace m-cg splashes of bright green fuchsite / just greener serpentine, section grades at 45dca ptf into: -tz, BAND		5.00 8.00 11.00 14.00 17.00 20.00	27152 27153 27154 27155 27156 27157	3.00 3.00 3.00 3.00 3.00 3.00	2.93 2.94 2.96 2.95 2.95 2.96							
23.00	41.00	Talc-Carbonate+/-Chlorite Altered UM Volcanic 45°; Banded grey and greenish-grey, locally orange, f-mg, massive looking talcose carbonate altered volcanics, showing minor carb +/-trace qtz stringers at 30dca and thickly banded & i/c as follows:												
23.00	26.00	-tz Talc-Carbonate+/-Chlorite Altered UM Volcanic locally Fe-oxide banded / 40+cm, minor cg ribbons serp; trace bl chl thds sub-ptf, grades into:		23.00	26.00	27158	3.00	2.94						
26.00	28.49	-mz Magnesite-Talc Altered UM Volcanic with bl chl thds thro, wkly Fe-oxide stained, shd & fol'd at 20 to 30dca; grades into:		26.00	29.00	27159	3.00	2.95						
28.49	28.66	-cv Carbonate Vein 30° orange, clear & huff, vgc, wormy, carb-talc serp? reaction zone / vein, margins gradational, grades into:												
28.66	35.86	-mz Magnesite-Talc Altered UM Volcanic (similar to 26.0-28.49m) grey, mg, overall massive looking, wkly shd & foliated at 10-45dca (avg35); mod-wk bl chl thds?, occ trace serp spotting / wkly dev'd serp. matrix, BC sharp but curved contact at about 40dca overall (50-5dca)		29.00 32.00 35.00	32.00 35.00 38.00	27160 27161 27162	3.00 3.00 3.00	2.96 2.97 2.96						
35.86	38.25	-sz Serpentine-Carbonate-Talc Altered UM Volcanic pale green-grey to multi-coloured, eg mottled zone with a chilled pale grey talc schist-like upper contact; minor ferro-dol strts/thds; well fol. at 20dca; grades downhole into:		38.00	41.00	27163	3.00	2.94						
38.25	41.00	-mz Magnesite-Talc Altered UM Volcanic (similar to 26.0-28.49m) grey, mg, wk chl & serp thro; minor dk grey baltn thds (polygonal jts? at 20, 30 and 8-90dca, section grades into next ubnlt / ~1m		41.00 44.00 47.36	44.00 44.00 44.00	27164 27165 (Dbl) 27166 (Bln)	3.00 3.00 2.90	N.A 3.00						
41.00	47.36	Magnesite-Talc Altered UM Volcanic grey, mg, massive altered carb-talc volcanic showing occ <1cm dk grey stringers / selvages (poss. healed polygonal joint sutures); no significant penetrative fabric, entire section reXtalized epidomorphic equigranular, bc SHARP AT 35DCA		41.10 41.20 44.00 44.00 46.00 47.36	44.00 44.00 44.00 46.00 47.36 50.00	27166 (Bln) 27167 (Std) 27168 27169 27170	2.90 2.80 2.00 1.36 2.64 2.99							
47.36	56.00	Talc-Carbonate+/-Chlorite Altered UM Volcanic 35° grey to greenish-grey, m-cg carb-talc transition zone - becoming coarser grained and dk grey strd'd downhole, thickly lam'd with core angles undulating along core axis at 10 - 0 -160dca thro;		50.00 53.00 56.00	53.00 56.00	27171 27172	3.00 3.00	2.97 2.95						

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS							
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)
occ pinkish-grey, fg, wklly boudinaged carb stringrs dev'd ptf, minor serp. splashes dev'd & increasing downhole;											
53.08 - 53.16: med green talc vein dev'd wth yellow-orange carb walls at 160dca											
section grades into:											
-sz				56.00	59.00	27173	3.00	2.97			
Serpentine-Carbonate-Talc Altered UM Volcanic				59.00	61.00	27174	2.00	2.92			
mottled green, buff, orange & grey, massive and i/c mod. banded, brecciated & thickly laminated at 30 / 150dca; grades into:											
-tz				61.00	63.00	27175	2.00	3.03			
Talc-Carbonate+/-Chlorite Altered UM Volcanic				63.00	66.00	27176	3.00	2.96			
(similar to 47.36 - 56.00m)				66.00	68.66	27177	2.66	2.28			
med. grey, m-cg, massive carb zone showing variable black-dk grey chl/spec hem strrs or jt sutures dev'd thro; minor serp as splashes & occ str thds thro, minor curved cleavage of 30-10dca dev'd in last few meters; BC xcutting & sharp at 50dca											
-sz				68.66	71.00	27178	2.34	2.92			
Serpentine-Carbonate-Talc Altered UM Volcanic 50°				71.00	73.00	27179	2.00	2.97			
(similar to 56.00 - 61.00m), coarse black talcose chl clots & disrupted strrs dev'd thro, best in center of section; weak serp, section grades into:											
-tz				73.00	75.00	27180	2.00	2.93			
Talc-Carbonate+/-Chlorite Altered UM Volcanic				75.00	77.00	27181	2.00	2.95			
(similar to 61.00 - 68.66)											
gen. med grey, massive looking with weak-mod chl strrs, weak bands of perv. serp. gndmass and occ splashes/thds, grades into											
-mz				77.00	80.00	27182	3.00	2.99			
Magnesite-Talc Altered UM Volcanic				80.00	83.40	27183	3.40	3.03			
(similar to 41.00 - 47.36)											
med grey, mg, massive carb altn zone showing rare 1cm carb-trace serp tension vits at 160dca; weak ribboning / suturing at 0 and 50dca - possibly relic spinifex textures?											
BC grades at 20dca into:											
-sz; RIBD				83.40	85.40	27184	2.00	2.83			
Serpentine-Carbonate-Talc Altered UM Volcanic 20°; Ribbed				85.40	86.52	27185	1.12	3.28			
(similar to 4.80 - 23.00m)				86.52	89.30	27186	2.78	2.97			
pale green, fg, thickly laminated & threaded by black chl thds & strrs at 30dca thro;				89.30	92.30	27187	3.00	2.96			
85.8 - 86.52: mod brecciated, orange Fe-oxide / limonite staned zone at 10 - 30dca;											
section grades at 30dca into:											
-tz, BAND				92.30	95.00	27188	2.70	2.98			
Talc-Carbonate+/-Chlorite Altered UM Volcanic 30°; Banded											
(similar to 41.0 - 23.0m)											
grey, brown-grey and dk grey; mottled talcose-carb altn zone, locally bit brecciated looking i/c with minor serpentized bands and veining as follows											
95.00	97.75	-sz	Serpentine-Carbonate-Talc Altered UM Volcanic								
mottled, routhly brecciated, crackled & mottled chl-carb +/-serp zone;				95.00	97.75	27189	2.75	2.97			
fol'd at 45 & 20dca,				97.75	100.00	27190	2.25	2.96			
				100.00	103.00	27191	3.00	3.05			
				103.00	105.40	27192	2.40	2.95			

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
105.95	106.39	minor ground & LOST CORE at 96.39-96.51 -sil; STRD Silica flood Zone; Stringered bleached mottled & mod. sild carb schist with +30% free bull qtz patches & strs at ~140dca, mod green talcose walls and fine black needles of tourmaline? / amphibole		105.40	108.00	27193	2.60	3.01						
				108.00	111.00	27194	3.00	3.00						
				111.00	114.00	27195	3.00	2.97						
112.40	117.00	-sz, RIBD Serpentine-Carbonate-Talc Altered UM Volcanic; Ribboned pale green ,perv serp matrix carb zone (as 4.8 - 23.0m)		114.00	117.00	27196	3.00	2.97						
				117.00	120.25	27197	3.25	2.97						
120.25	121.94	chl strs at 0 and 10dca thro -mz Magnesite-Talc Altered UM Volcanic 65° grey, mg, massive, strongly reXtalized carb altn zone: 121.94m EOH [drillers report 122m]		120.25	121.94	27198	1.69	N.A						
				120.25	121.94	27201 (Std)	1.69							
				120.25	121.94	27200 (Bln)	1.69							
				120.25	121.94	27199 (Dbl)	1.69	1.47						
logged by R.V. Zalnieriunas P.Geo. Nov.14, 2008 Larder Lake, ON														
121.94 DDH end Number of samples : 44 Number of samples QAQC : 6 Total sampled length : 116.94														

Globex Mining Enterprises Inc.

ASSAYS

From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
5.00	8.00	27152	3.00	TR	2	2	0	TR	1	TR	2	
8.00	11.00	27153	3.00	4.0	2	2	0	1	1	TR	2	
11.00	14.00	27154	3.00	TR	2	2	0	3	1	TR	4	
14.00	17.00	27155	3.00	TR	2	2	0	TR	4	TR	4	
17.00	20.00	27156	3.00	TR	2	2	0	2	4	2	2	
20.00	23.00	27157	3.00	0.8	2	2	0	2	4	TR	2	
23.00	26.00	27158	3.00	0.5	4	2	0	2	2	TR	TR	
26.00	29.00	27159	3.00	0.1	5	2	0	TR	3	0	1	
29.00	32.00	27160	3.00	0.8	6	2	0	2	2	TR	TR	
32.00	35.00	27161	3.00	TR	6	4	0	2	2	2	0	
35.00	38.00	27162	3.00	TR	5	3	0	1	2	3	1	
38.00	41.00	27163	3.00	TR	6	2	0	TR	2	TR	TR	
41.00	44.00	27164	3.00	TR	6	2	0	0	2	0	TR	
44.00	46.00	27168	2.00	0.0	6	2	0	0	2	TR	0	
46.00	47.36	27169	1.36	TR	6	2	0	TR	2	0	0	
47.36	50.00	27170	2.64	0.0	6	3	0	0	2	TR	1	
50.00	53.00	27171	3.00	0.0	5	4	0	TR	3	1	1	
53.00	56.00	27172	3.00	0.0	6	4	0	TR	3	1	TR	
56.00	59.00	27173	3.00	0.5	5	4	0	TR	3	1	3	
59.00	61.00	27174	2.00	0.1	5	4	0	0	3	1	3	
61.00	63.00	27175	2.00	0.0	6	2	0	0	3	TR	1	
63.00	66.00	27176	3.00	0.5	6	2	0	TR	3	TR	1	
66.00	68.66	27177	2.66	1.5	6	2	0	TR	2	TR	TR	
68.66	71.00	27178	2.34	2.0	4	3	0	2	3	5	1	
71.00	73.00	27179	2.00	1.5	4	3	0	2	3	3	1	
73.00	75.00	27180	2.00	3.0	6	2	0	2	1	1	1	
75.00	77.00	27181	2.00	0.3	5	2	0	2	2	1	1	
77.00	80.00	27182	3.00	0.8	6	2	0	2	2	TR	0	
80.00	83.40	27183	3.40	2.5	6	2	0	2	2	TR	1	
83.40	85.40	27184	2.00	TR	TR	2	0	TR	2	2	2	
85.40	86.52	27185	1.12	TR	TR	2	0	TR	2	3	1	
86.52	89.30	27186	2.78	1.0	TR	2	0	1	3	3	2	
89.30	92.30	27187	3.00	1.5	TR	2	0	1	2	2	2	
92.30	95.00	27188	2.70	TR	2	2	0	TR	2	2	TR	
95.00	97.75	27189	2.75	0.0	2	4	0	TR	2	4	TR	
97.75	100.00	27190	2.25	0.3	4	2	0	2	4	TR	TR	
100.00	103.00	27191	3.00	0.8	4	2	0	2	4	TR	0	
103.00	105.40	27192	2.40	TR	4	2	0	2	4	TR	0	
105.40	108.00	27193	2.60	5.0	3	2	0	2	3	TR	TR	
108.00	111.00	27194	3.00	0.1	4	2	0	2	4	TR	0	
111.00	114.00	27195	3.00	0.3	3	3	0	2	2	2	1	
114.00	117.00	27196	3.00	TR	1	2	0	2	2	2	2	
117.00	120.25	27197	3.25	0.0	4	2	0	2	4	TR	1	
120.25	121.94	27198	1.69	0.0	6	2	0	2	2	0	0	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
4.80	8.00	3.20	100	90.62	26		50			
8.00	11.00	3.00	100	90	16		10			
11.00	14.00	3.00	100	98	6		20			
14.00	17.00	3.00	100	96.67	7		90			
17.00	20.00	3.00	100	96.67	7		70			
20.00	23.00	3.00	100	100	7		90			
23.00	26.00	3.00	100	98.33	9		50			
26.00	29.00	3.00	100	98.33	5		25			
29.00	32.00	3.00	100	99.33	5		50			
32.00	35.00	3.00	100	100	3		70			
35.00	38.00	3.00	100	100	7		20			
38.00	41.00	3.00	100	99.33	8		70			
41.00	44.00	3.00	100	100	5		30			
44.00	47.00	3.00	100	100	8		35			
47.00	50.00	3.00	100	100	9		40			
50.00	53.00	3.00	100	99.33	7		75			
53.00	56.00	3.00	100	100	8		20			
56.00	59.00	3.00	100	96.67	8		20			
59.00	62.00	3.00	100	99.67	8		65			
62.00	65.00	3.00	100	100	8		40			
65.00	68.00	3.00	100	93.33	6		5			
68.00	71.00	3.00	100	100	7		60			
71.00	74.00	3.00	100	95	7		5			
74.00	77.00	3.00	100	100	7		60			
77.00	80.00	3.00	100	100	4		85			
80.00	83.00	3.00	100	100	5		85			
83.00	86.00	3.00	100	97.33	10					
86.00	89.00	3.00	100	97.33	13					
89.00	92.00	3.00	100	100	6					
92.00	95.00	3.00	100	97	9					
95.00	98.00	3.00	100	92.67	14					
98.00	101.00	3.00	100	98.67	8					
101.00	104.00	3.00	100	95.67	13					
104.00	107.00	3.00	100	90.67	16					
107.00	110.00	3.00	100	98	12					
110.00	113.00	3.00	100	98.67	11					
113.00	116.00	3.00	100	94.67	10					
116.00	119.00	3.00	100	97.67	14					
119.00	121.94	2.94	100	98.64	10					

Globex Mining Enterprises Inc.

DDH : TM-10	Claims title : 850094 Township : Deloro Range : Lot :	Section : 18+50E Level : Surface Work place :																						
Drilled by : Bradley Bros. Ltd. Described by : R.V. Zalnieriunas P.Geo.		From : 11/1/2008 Description date : 11/19/2008	To : 11/2/2008																					
Collar <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 5px;"> Azimuth : 360.0° Plunge : -45.0° Length : 121.94 m </td> <td style="width: 10%; padding: 5px;"> Longitude (East) </td> <td style="width: 10%; padding: 5px;"> Latitude (North) </td> <td style="width: 10%; padding: 5px;"> Elevation </td> <td style="width: 40%; padding: 5px; border: 1px solid black; text-align: center;"> NAD83 1998 Surface Grid Field Coords: Line(E) - Sta (N) </td> </tr> <tr> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px; border: 1px solid black; text-align: center;"> 479753.0 852.0 849.1 5357676.0 -304.2 -304.3 322.0 322.0 0.0 </td> </tr> </table>		Azimuth : 360.0° Plunge : -45.0° Length : 121.94 m	Longitude (East)	Latitude (North)	Elevation	NAD83 1998 Surface Grid Field Coords: Line(E) - Sta (N)					479753.0 852.0 849.1 5357676.0 -304.2 -304.3 322.0 322.0 0.0													
Azimuth : 360.0° Plunge : -45.0° Length : 121.94 m	Longitude (East)	Latitude (North)	Elevation	NAD83 1998 Surface Grid Field Coords: Line(E) - Sta (N)																				
				479753.0 852.0 849.1 5357676.0 -304.2 -304.3 322.0 322.0 0.0																				
Down hole survey		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> <th>Azimuth</th> <th>Plunge</th> <th>Invalid</th> </tr> </thead> <tbody> <tr> <td>Reflex EZ-Shot</td> <td>9.60 m</td> <td>357.2°</td> <td>-45.6°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>60.60 m</td> <td>354.3°</td> <td>-45.4°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>117.60 m</td> <td>354.7°</td> <td>-45.6°</td> <td>No</td> </tr> </tbody> </table>			Type	Depth	Azimuth	Plunge	Invalid	Reflex EZ-Shot	9.60 m	357.2°	-45.6°	No	Reflex EZ-Shot	60.60 m	354.3°	-45.4°	No	Reflex EZ-Shot	117.60 m	354.7°	-45.6°	No
Type	Depth	Azimuth	Plunge	Invalid																				
Reflex EZ-Shot	9.60 m	357.2°	-45.6°	No																				
Reflex EZ-Shot	60.60 m	354.3°	-45.4°	No																				
Reflex EZ-Shot	117.60 m	354.7°	-45.6°	No																				
Remarks Drill site located just north of main access trail. Casing capped.																								
Core size : NQ core		Cemented : No		Stored : Yes																				

Globex Mining Enterprises Inc.

From	To	Number	Length	S.G. (-)	ASSAYS					
					Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
0.00	3.65	-OB Overburden Drillers report 3m casing - no core recovery								
3.65	9.28	I2 Intermediate Intrusive med grey, fg. chilled inter. intrusive - probably chilled feld porphyry, showing minor carb strs sealing irreg. fractures and f-mg diss py of trace - 2% dev'd thro. unit grades at 90dca into:								
3.65	6.00	Py2.5 Pyrite 2.5% df-mg diss as weak patches & vague bands	3.65 4.50 76556 4.50 6.00 76557 4.50 6.00 27202 (Dbl) 6.00 7.50 76558	0.85 2.89 <5 5 1.50 2.77 <5				47.0 49.0 23.0 23.777		23.777
6.00	7.50	Py1.5 Pyrite 1.5% f-mg disseminated thro	7.50 9.00 76559	1.50 2.72 <5				28.0		23.777
7.50	9.00	Py0.25 Pyrite 0.25% chl'c chill zone, minor fg diss grains	9.00 10.25 76560	1.25 2.81 <5				35.0		23.777
9.00	10.25	Py.01 Pyrite .01% trace py gen. at margins to breccia qc vein adev'd at contact						247.0		23.777
9.28	10.03	-qv Quartz Vein 75% milky white, eg. quartz breccia patches and ribbons at 60 and 120dca i/c with 25% thick ribbons of chl-talc wall rock, BC at ~50dca								
10.03	15.40	V13, SPFX Ultramafic Volcanic 50°; Spinifexed med grey & white, talc-carb altered cg UMV showing very cg skeletal olivine crystal pseudomorphs as spinifex textures (chicken tracks) thro, weak foliation & banding at 20dca; grades into.	10.25 11.81 76561 10.25 11.81 76562 (Bln) 10.26 11.81 76563 (Std) 11.81 13.00 - 13.00 14.00 27203 14.00 23.00 - 23.00 24.00 TMSG-09 26.00 27.00 27204 27.00 34.50 -	1.56 3.00 5 1.56 <5 1678 1.55 1.19 1.00 2.97 9.00 1.00 2.86 1.00 2.87 7.50			409.0 51.0 51.0 83.0 83.0		23.777	
15.40	34.50	V13 Ultramafic Volcanic 35° med grey, talc-chl-carb altered fg UMV/ shist, thickly laminated, banded , contorted and mildly brecciated volc grades at base of 50cm massive reaction rim into.								
34.50	45.60	V12B, CARB Komatiitic Basalt; Carbonitized med green-grey, fg. wkly sheared/ foliated at 0-10dca, strongly bleached & carbonitized, showing well developed white ferro-dolomite spotting (WAD) and threads developed thro; weakly chloritic & talcose groundmass with green chlorite increasing downhole; section becoming thickly lam'd & sheared looking downhole;	34.50 39.00 - 39.00 40.00 27205 40.00 43.00 -	4.50 1.00 2.86 1.00 2.86 3.00						
41.80	43.00	Py.025 Pyrite .025% SULF SPOTTING INCREASING DOWNHOLE	43.00 44.00 76564	1.00 2.91 18				619.0		23.777

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
44.00	45.00	Py .5 Pyrite .5%		44.00	45.00	76565	1.00	2.90	<5			1025.0		23777
45.00	46.00	Py2 .5 Pyrite 2.5%		45.00	46.00	76566	1.00	2.92	11			299.0		23777
45.60	47.51	S4 Mudstone 20° dark grey, vfg, massive thick bed; BC- begins to grade / 50cm into next unit at 25dca		46.00	47.00	76567	1.00	2.82	141			140.0		23777
		Po3.5; Py .6 Pyrrhotite 3.5%; Pyrite .6% po as vfg wisp. py mg diss		47.00	48.00	76568	1.00	2.91	<5	<5		51.0	53.0	23777
		Po .5; Py .5 Pyrrhotite .5%; Pyrite .5% po thds ass'd with carb thds, py diss												
47.51	53.00	S1, FOLT Conglomerate 25%; Foliated med & pale green-grey, fg, chlc, wel foliated & ribbon banded, monomictic pebble cong, matrix supported, shows occ subangular sed rip-up cobbles and well rounded eliptical sedimentary fine pebbles and rare white qtz fragments; med-thickly bedded, matrix chloritic & bit talcose; grades into next unit at 25dca ptf		48.00	49.00	76569	1.00	2.94	7			53.0		23777
		Py0 .5 Pyrite 0.5%		49.00	50.00	76570	1.00	2.93	<5			29.0		23777
53.00	57.00	-tz Talc-Carbonate +/- Chlorite Altered UM Volcanic med grey, mg, massive spotted & weakly chlc ferro-dol +/- magnesite? altered lithology, margins wkly ribboned and banded by disrupted chl str & thds at 20 & 40-50dca. BC ~90dca vague, irregular, brecciated & chlorite altered, grades into.		50.00	53.00	-	3.00							
				53.00	55.00	27206	2.00	2.91						
				55.00	57.00	27207	2.00	2.86						
57.00	64.00	S4, CARB Mudstone 35%; Carbonitized pale green, chloritic, fg, thinly laminated mudstone, shows rare qtz / sed pebbles, minor sections of mg diss py (trace overall), section well foliated at 25-35dca;		57.00	59.00	27208	2.00	2.80						
		BC on broken core 62.00 64.00 Py0.5 Pyrite 0.5%		59.00	62.00	27209	3.00	2.80						
64.00	68.42	S-; VND-, SHRD Sediment undif. 60°; Veined; Sheared med-dk green-grey & white, fg, thinly laminated, mod. schistose, chloritic sheared sediments/ mudstones (similar to basal section of unit above) injected & silicified with cg bull white breccia qtz vein and wall stringers thro. qtz carries minor black chl masses, section could be considered to be a healed silicified fault zone;		62.00	64.00	27210	2.00	2.87						
		64.0 - 66.2: core becomes sheared at 35-45dca & silicified, bit brecciated and possibly weakly carbonaceous with minor <10% irreg qtz / qtz-carb str stockwork increasing downhole, BC sharp at 60dca pf		64.00	66.00	27211	2.00	2.95						
		66.2 - 66.84: bx'd & sild chlc & wkly sericitic seds, 25-30% angular qtz and contorted qstrs, S2 at 60 and 30dca, grades at 60dca into:		66.00	68.42	27212	2.42	2.73						
		66.84 - 67.77: bull qtz vein, massive, +85% qtz, wall carry chl schist angular wall rock fragments, BC irreg & flamed												

Globex Mining Enterprises Inc.

		DESCRIPTION		ASSAYS									
		From	To	Number	Length	S.G (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)	
68.42	68.54	67.77 - 68.42	5% qstr'd chlc mudstone, strongly Fe-carb'd, blocky & broken core; foliated at 60dca -LC Lost Core no core recovery	68.54	71.00	27213	2.46	2.89					
68.54	77.00	-sz	Serpentine-Carbonate-Talc Altered UM Volcanic pale green-grey, mg, overall massive looking, weakly banded to thickly laminated serp-carb-talc altn zone, foln S2 at 25-35dca, minor <3% black 1-3+mm subround magnetite pseudomorphs diss thro-now all hematite; serp. decreasing downhole; section grades at 20dca into:	71.00	74.00	27214	3.00	2.93					
			Py.5 Pyrite .5%	74.00	77.00	27215	3.00	2.92					
77.00	101.00	-tz	Talc-Carbonate+/-Chlorite Altered UM Volcanic 20° pale grey to greenish-grey, mg-cg carb talc altn zone, minor serp? gndmass, strong Fe-carb gndmass, massive looking, thinly banded to thickly laminated pf at 20 and locally 10dca; minor limonite bands dev'd haloing joints / water seams; occ bright aqua-green fuchsite? talc lenses/strs dev'd gen pf; section grades into:	77.00	80.00	27216	3.00	2.94					
				80.00	83.00	27217	3.00	2.94					
				83.00	86.00	27218	3.00	2.97					
				86.00	89.00	27219	3.00	2.94					
				89.00	92.00	27220	3.00	2.96					
				92.00	95.00	27221	3.00	2.96					
				95.00	98.00	27222	3.00	2.96					
				98.00	101.00	27223	3.00	2.96					
101.00	110.00	V13, TLCS; CARB Ultramafic Volcanic; Talcose; Carbonitized	pale grey, fg, thinly banded/ thickly laminated massive talcose & bleached-carb'd UMV showing minor strs /thds of dk grey polygonal joint sutures, black magnetic psuedomorphs (now spec hem) and trace serp in gndmass; wk foln at 40-45dca	101.00	104.00	27224	3.00	2.92					
			grades into	104.00	107.00	27225	3.00	2.96					
				107.00	110.00	27226	3.00	2.98					
110.00	121.94	-tz	Talc-Carbonate+/-Chlorite Altered UM Volcanic 40° (similar to 77.0-101.0m)	110.00	113.00	27227	3.00	2.95					
			mod. ribbon banded/laminated, occ card>>qtz strs/thds-show occ vuggy patches;	113.00	116.00	27228	3.00	2.96					
			115.3 - 115.7: xcutting wkly chlc & strongly talcose slip or xfault 1-2cm thick undulating at 5-10dca	116.00	119.00	27229	3.00	2.97					
				119.00	121.94	27230	2.94	N.A					
				119.00	121.94	27231 (Dbl)	2.94	2.98					
				119.10	121.94	27232 (Bln)	2.84						
				119.20	121.94	27233 (Std)	2.74						
121.94		DDH end	Number of samples : 48 Number of samples QAQC : 6 Total sampled length : 116.17										

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
3.65	4.50	76556	0.85	1.5	0	0	0	2	1	0	0	
4.50	6.00	76557	1.50	1.0	0	0	0	2	TR	0	0	
6.00	7.50	76558	1.50	0.5	0	0	0	2	1	0	0	
7.50	9.00	76559	1.50	1.0	0	0	0	2	0	2	0	
9.00	10.25	76560	1.25	32.0	0	TR	0	3	0	3	0	
10.25	11.81	76561	1.56	2.0	0	4	0	2	0	4	0	
11.81	13.00	-	1.19	7.5	0	4	0	2	0	4	0	
13.00	14.00	27203	1.00	5.0	0	4	0	2	0	4	0	
14.00	23.00	-	9.00	3.5	0	4	0	4	0	4	0	
23.00	24.00	TMSG-09	1.00									
26.00	27.00	27204	1.00	10.0	0	4	0	4	0	4	0	
27.00	34.50	-	7.50	8.5	0	4	0	4	0	4	0	
34.50	39.00	-	4.50	1.0	0	2	0	6	0	4	0	
39.00	40.00	27205	1.00	0.0	0	2	0	6	0	4	0	
40.00	43.00	-	3.00	TR	0	2	0	4	0	4	0	
43.00	44.00	76564	1.00	TR	0	2	0	6	TR	4	0	
44.00	45.00	76565	1.00	TR	0	2	0	6	0	4	0	
45.00	46.00	76566	1.00	1.5	0	1	0	3	0	1	0	
46.00	47.00	76567	1.00	2.5	0	0	0	TR	0	0	0	
47.00	48.00	76568	1.00	1.5	0	0	0	1	0	0	0	
48.00	49.00	76569	1.00	2.5	0	TR	0	4	0	2	0	
49.00	50.00	76570	1.00	2.0	0	TR	0	4	0	2	0	
50.00	53.00	-	3.00	0.8	0	1	0	2	0	2	0	
53.00	55.00	27206	2.00	10.0	2	2	0	6	TR	4	0	
55.00	57.00	27207	2.00	3.0	2	2	0	6	TR	2	0	
57.00	59.00	27208	2.00	TR	0	0	0	4	0	2	0	
59.00	62.00	27209	3.00	0.3	0	0	0	4	0	2	0	
62.00	64.00	27210	2.00	0.3	0	0	0	4	0	2	0	
64.00	66.00	27211	2.00	1.5	0	0	0	4	0	2	0	
66.00	68.42	27212	2.42	36.0	0	TR	0	1	0	3	0	
68.54	71.00	27213	2.46	0.0	1	3	0	6	1	0	5	
71.00	74.00	27214	3.00	0.0	2	4	0	6	2	0	2	
74.00	77.00	27215	3.00	0.5	2	4	0	6	2	0	2	
77.00	80.00	27216	3.00	0.5	2	4	0	6	2	0	2	
80.00	83.00	27217	3.00	0.5	2	4	0	4	4	1	1	
83.00	86.00	27218	3.00	TR	2	4	0	4	4	2	1	
86.00	89.00	27219	3.00	TR	2	4	0	4	2	1	2	
89.00	92.00	27220	3.00	1.0	2	2	0	2	3	1	2	
92.00	95.00	27221	3.00	0.9	2	2	0	2	2	1	1	
95.00	98.00	27222	3.00	TR	2	2	0	2	2	1	1	
98.00	101.00	27223	3.00	1.5	2	2	0	4	4	1	1	
101.00	104.00	27224	3.00	0.3	2	2	0	2	2	2	TR	
104.00	107.00	27225	3.00	TR	2	2	0	2	2	1	0	
107.00	110.00	27226	3.00	0.0	2	2	0	2	2	0	TR	
110.00	113.00	27227	3.00	0.9	2	2	0	2	2	1	1	
113.00	116.00	27228	3.00	0.3	2	2	0	2	4	1	1	
116.00	119.00	27229	3.00	0.9	2	2	0	2	4	2	1	
119.00	121.94	27230	2.94	TR	2	2	0	2	2	TR	TR	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
3.00	5.00	2.00	150	90	5					
5.00	8.00	3.00	100	81.67	10					
8.00	11.00	3.00	100	95	13					
11.00	14.00	3.00	100	61.67	17					
14.00	17.00	3.00	100	85	12					
17.00	20.00	3.00	100	75	14					
20.00	23.00	3.00	100	85	9					
23.00	26.00	3.00	100	86.67	7					
26.00	29.00	3.00	100	73.33	13					
29.00	32.00	3.00	100	100	8					
32.00	35.00	3.00	100	70	15					
35.00	38.00	3.00	100	100	5					
38.00	41.00	3.00	100	80	6					
41.00	44.00	3.00	100	96.67	8					
44.00	47.00	3.00	100	88.33	8					
47.00	50.00	3.00	100	93.33	12					
50.00	53.00	3.00	100	73.33	21					
53.00	56.00	3.00	100	96.67	10					
56.00	59.00	3.00	100	76.67	15					
59.00	62.00	3.00	100	96.67	15					
62.00	65.00	3.00	100	93.33	24					
65.00	68.00	3.00	100	91.67	24					
68.00	71.00	3.00	100	95	12					
71.00	74.00	3.00	100	90	12					
74.00	77.00	3.00	100	95	13					
77.00	80.00	3.00	100	100	8					
80.00	83.00	3.00	100	96.67	8					
83.00	86.00	3.00	100	100	13					
86.00	89.00	3.00	100	100	7					
89.00	92.00	3.00	100	96.67	8					
92.00	95.00	3.00	100	100	9					
95.00	98.00	3.00	100	96.67	13					
98.00	101.00	3.00	100	95	18					
101.00	104.00	3.00	100	100	12					
104.00	107.00	3.00	100	98.33	10					
107.00	110.00	3.00	100	100	6					
110.00	113.00	3.00	100	100	11					
113.00	116.00	3.00	100	88.33	7					
116.00	119.00	3.00	100	100	9					
119.00	121.94	2.94	100	98.64	6					

Globex Mining Enterprises Inc.

DDH : TM-11	Claims title : 850097 Township : Deloro Range : Lot :	Section : L87+50E Level : Surface Work place :																				
Drilled by : Bradley Bros. Ltd. Described by : R.V. Zalnieriunas P.Geo.		From : 11/3/2008 Description date : 11/21/2008																				
Collar Azimuth : 358.0° Plunge : -45.0° Length : 121.82 m		Longitude (East) NAD83 1998 Surface Grid Field Coords: Line(E) - Sta.(N)																				
Latitude (North) Elevation		479754.0 852.8 849.8 5357617.0 -363.2 -363.8 319.0 319.0 0.0																				
Down hole survey		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> <th>Azimuth</th> <th>Plunge</th> <th>Invalid</th> </tr> </thead> <tbody> <tr> <td>Reflex EZ-Shot</td> <td>9.60 m</td> <td>357.0°</td> <td>-44.8°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>60.60 m</td> <td>357.3°</td> <td>-39.6°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>117.60 m</td> <td>358.7°</td> <td>-39.2°</td> <td>No</td> </tr> </tbody> </table>	Type	Depth	Azimuth	Plunge	Invalid	Reflex EZ-Shot	9.60 m	357.0°	-44.8°	No	Reflex EZ-Shot	60.60 m	357.3°	-39.6°	No	Reflex EZ-Shot	117.60 m	358.7°	-39.2°	No
Type	Depth	Azimuth	Plunge	Invalid																		
Reflex EZ-Shot	9.60 m	357.0°	-44.8°	No																		
Reflex EZ-Shot	60.60 m	357.3°	-39.6°	No																		
Reflex EZ-Shot	117.60 m	358.7°	-39.2°	No																		
Remarks		Drill site located south and west of main access trail; Casing capped.																				
Core size : NQ core		Cemented : No																				
Stored : Yes																						

Globex Mining Enterprises Inc.

DESCRIPTION					ASSAYS										
					From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
0.00	4.40	-OB Overburden Drillers report casing to 4m													
4.40	8.30	V13 Ultramafic Volcanic 35° pale grey, fg, massive, mod foliated, bit bleached, carbonitized and talcose UMV flows Wk perv Fe-carb gndmass thro Bedding SO contacts at 35dca ptf;			5 00	6 00	TMSG-10	1.00	2.93						
		4.52 - 4.88 dk grey, thin bedded i/c interflow seds, graphitic but non-conductive													
		6.5 - 6.95 broken & partly ground core, lost ~50%													
		7.70 - 8.30 40% qtz stringered & silicified zone, NSM													
8.30	23.70	8.30 sharp xcutting BC on slip, bit undulating at 20dca S-, TLCS Sediment undif.; Talcose pale grey and green-grey, fg, thinly bedded and thinly laminated talcose mudstones & minor i/c graphitic seds grading downhole into more chloritic pebbly mudstones and basal monomictic pebble conglomerate of ultramafic origin; Strong perv. Fe-carb gndmass thro;													
		bedding and foliations rotating from 50-60dca to ~ 35dca downhole;													
		BC on broken ore													
8.30	8.40	S4gf Graphitic Mudstone dk grey, fg, thin bedded carbonaceous mudstone beds i/c with 50% talcose mudstone, grades at 30dca ptf into													
8.40	9.50	S4 Mudstone green-grey, fg, thin laminated, talcose & chloritic sed, very blocky													
9.50	10.00	-LC Lost Core no sig core recovery													
10.00	10.90	S4gf Graphitic Mudstone black & med grey, thin bedded carbonaceous mudstones & i/c 50% talcose mudstones (as above); contorted & "M" folded; cleavage at 60dca, fold limbs at 60 to 80dca, contact on broken core - grades into:													
10.90	16.50	S4, TLCS Mudstone; Talcose pale green-grey, vfg, thinly laminated mudstone or UM hyalotuff, lan's & bedding bit wedged at 45-55dca, locally 60dca, minor 5-8% white qtz-carb strds dev'd 1-2cm thick ptf; section grades into			11 00	14 00	27234	3.00	2.77	N A					23828
16.50	19.90	V13; BX- Ultramafic Volcanic 45°; Breccia pale grey and green grey, mod to coarse, subround to subangular UMV breccia/ debris flow, grades at 40dca ptf into													
19.90	23.70	S1; TLCS, CHLC Conglomerate; Talcose; Chloritic pale-med green-grey, matrix supported monomictic UM pebble cong, well foliated at avg 35dca, matrix chl'c													
23.70	24.00	-flt													

Globex Mining Enterprises Inc.

		DESCRIPTION	ASSAYS										
			From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
24 00	45 50	Fault primarily broken, crumbly recovered talc-chl schist fragments, BC stepped & undulating at 0 and 160dca, xcuts foln of 30dca M1ic; BAND Talc-Chlorite Schist 35°; Banded med grey and green-grey, fg, med to thickly banded, locally contorted and mildly brecciated TCS showing mod white carb knots & strds dev'd pts; Strong perv. Fe-carb dev'd in gndmass thro, Schistosity variable from 30 to 65dca (avg 35dca); section moderately blocky & broken;	34.00 38.00	34.94 41.00	TMSG-11 27235	0.94 3.00	2.91 2.89	N.A					23828
45.50	53 00	43.73: minor xcutting fault slip gouge at 90dca M1ic, FLTD Talc-Chlorite Schist; Faulted (similar to above) very blocky & broken core showing well developed fault gouge sections especially at 45.5 to 47.0 possibly pts of 35dca? 51.50 - 51.52: gritty pale grey talcose fault mud seam xcuts at 80dca											
53.00	75 92	52.0 - 53.0: base of section on 1m of gnd & lost core M1ic Talc-Chlorite Schist 35° (as 24.0 - 45.5m) med & pale grey, thickly laminated talc-chl-carb schist / altered UMV, foliations undulating from 10 to 55 dca, avg 35dca; minor <5% qtz & qtz-carb knots & strds dev'd thro ptf; 67.4 - 71.8: more massive, talcose UMV / TCS band, contacts at 70dca, foln at 40dca; 71.8 - 75.92: more chloritic hybridized contact zone, contorted 0 to 65dca; minor bull qv at 72.25-72.38 at 90dca, NSM or additional alteration BC sharp on intrusive contact at 105dca 74.00 75.92 Py0.5 Pyrite 0.5% f-ing diss grains	59.00 72.63	62.00 73.50	27236 TMSG-12	3.00 0.97	2.89 2.87	N.A					23828
75.92	81 00	12FP, CHIL Feldspar Porphyry; Chilled mottled dk grey & brownish-grey, fg, sil'd & carb'd looking, <5% qtz-carb str'd & thdd chilled & hybridized intermediate intrusive- probably porph. Unit carries occ xenolithic bands of TCL / chl schist country rock oriented at 30dca; Minor cg diss pyrite cubes variable thro, rare mg po thds developed on joints; 75.92 81.00 Py1.5, Po0.5 Pyrite 1.5%; Pyrrhotite 0.5% 1-2% py diss, trace po on fractures or as diss grains	74.00	75.92	27237	1.92	2.87	<5					23828
81 00	92 30	V13, CARB, TLCS Ultramafic Volcanic; Carbonitized; Talcose med grey, mg, massive to locally bladed/ ribboned UMV showing mod perv. Fe-carb & talc gndmass and occ talc thds on joints and rare white mottled qtz vlt's / qstrs xcutting at 75, 50 and 160dca; avg foln ranges 40 to 10dca; grades at 45dca sub ptf into. 89.00 92.00 Py0.75 Pyrite 0.75% cg diss py cubes thro	75.92 79.00	79.00 81.00	27238 27239	3.08 2.00	2.71 2.70	<5					23828 23828
92 30	101 00	V13	81.00 83.00 83.00 83.00 86.00	83.00 86.00 86.00 89.00	27240 27241 SG31-08-01B (Std) 27242	2.00 3.00 3.00 3.00	2.95 2.89 989 2.91	<5 <5 24					23828 23828 23828 23828
			89.00	92.00	27243	3.00	2.88	7					23828

Globex Mining Enterprises Inc.

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chi (Index)	Serp (Index)	
5.00	6.00	TMSG-10	1.00									
11.00	14.00	27234	3.00	6.5	0	2	0	6	0	2	0	
34.00	34.94	TMSG-11	0.94									
38.00	41.00	27235	3.00	1.5	0	2	0	6	0	2	0	
59.00	62.00	27236	3.00	2.5	0	4	0	4	0	4	0	
72.63	73.60	TMSG-12	0.97									
74.00	75.92	27237	1.92	2.5	0	4	0	4	0	4	0	
75.92	79.00	27238	3.08	1.5	0	0	0	2	0	1	0	
79.00	81.00	27239	2.00	15.0	0	0	0	2	0	1	0	
81.00	83.00	27240	2.00	0.5	0	2	0	4	0	2	0	
83.00	86.00	27241	3.00	6.0	0	2	0	4	0	2	0	
86.00	89.00	27242	3.00	3.0	0	2	0	4	0	2	0	
89.00	92.00	27243	3.00	7.0	0	2	0	6	0	2	0	
98.89	99.81	TMSG-13	0.92									
101.00	104.00	27244	3.00	5.0	0	0	0	3	0	TR	0	
105.78	106.78	TMSG-14	1.00									
116.00	119.00	27245	3.00	12.0	0	0	0	3	0	TR	0	
119.00	121.82	27246	2.82	2.0	0	0	0	3	0	TR	0	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
4.00	5.00	1.00	100	100	8					
5.00	8.00	3.00	100	86.67	24					
8.00	11.00	3.00	100	66.67	30					
11.00	14.00	3.00	100	81.67	21					
14.00	17.00	3.00	100	95	17					
17.00	20.00	3.00	100	95	11					
20.00	23.00	3.00	100	83.33	14					
23.00	26.00	3.00	100	75	19					
26.00	29.00	3.00	100	85	30					
29.00	32.00	3.00	100	100	14					
32.00	35.00	3.00	100	93.33	12					
35.00	38.00	3.00	100	93.33	12					
38.00	41.00	3.00	100	95	8					
41.00	44.00	3.00	100	95	21					
44.00	47.00	3.00	100	63.33	18					
47.00	50.00	3.00	100	70	30					
50.00	53.00	3.00	100	50	13					
53.00	56.00	3.00	100	96.67	22					
56.00	59.00	3.00	100	96.67	20					
59.00	62.00	3.00	100	100	14					
62.00	65.00	3.00	100	100	12					
65.00	68.00	3.00	100	100	12					
68.00	71.00	3.00	100	100	16					
71.00	74.00	3.00	100	91.67	20					
74.00	77.00	3.00	100	95	12					
77.00	80.00	3.00	100	96.67	7					
80.00	83.00	3.00	100	95	13					
83.00	86.00	3.00	100	100	8					
86.00	89.00	3.00	100	96.67	9					
89.00	92.00	3.00	100	100	9					
92.00	95.00	3.00	100	100	10					
95.00	98.00	3.00	100	100	13					
98.00	101.00	3.00	100	90	13					
101.00	104.00	3.00	100	90	23					
104.00	107.00	3.00	100	98.33	12					
107.00	110.00	3.00	100	100	10					
110.00	113.00	3.00	100	100	11					
113.00	116.00	3.00	100	98.33	11					
116.00	119.00	3.00	100	100	7					
119.00	121.82	2.82	100	100	11					

Globex Mining Enterprises Inc.

DDH : TM-12	Claims title : 850096 Township : Deloro Range : Lot :	Section : L9+50E Level : Surface Work place :																				
Drilled by : Bradley Bros. Ltd. Described by : R.V. Zalnieriunas P.Geo.		From : 11/4/2008 Description date : 11/21/2008																				
Collar <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;"></td> <td style="width: 20%; text-align: center;">NAD83</td> <td style="width: 20%; text-align: center;">1998 Surface Grid</td> <td colspan="2" style="width: 40%; text-align: center;">Field Coords: Line(E) - Sta.(N)</td> </tr> <tr> <td>Azimuth : 360.0°</td> <td>Longitude (East)</td> <td>479856.0</td> <td>954.8</td> <td>949.9</td> </tr> <tr> <td>Plunge : -45.0°</td> <td>Latitude (North)</td> <td>5357615.0</td> <td>-365.5</td> <td>-365.8</td> </tr> <tr> <td>Length : 56.00 m</td> <td>Elevation</td> <td>320.0</td> <td>320.0</td> <td>0.0</td> </tr> </table>				NAD83	1998 Surface Grid	Field Coords: Line(E) - Sta.(N)		Azimuth : 360.0°	Longitude (East)	479856.0	954.8	949.9	Plunge : -45.0°	Latitude (North)	5357615.0	-365.5	-365.8	Length : 56.00 m	Elevation	320.0	320.0	0.0
	NAD83	1998 Surface Grid	Field Coords: Line(E) - Sta.(N)																			
Azimuth : 360.0°	Longitude (East)	479856.0	954.8	949.9																		
Plunge : -45.0°	Latitude (North)	5357615.0	-365.5	-365.8																		
Length : 56.00 m	Elevation	320.0	320.0	0.0																		
Down hole survey <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> <th>Azimuth</th> <th>Plunge</th> <th>Invalid</th> </tr> </thead> <tbody> <tr> <td>Reflex EZ-Shot</td> <td>12.60 m</td> <td>357.4°</td> <td>-44.9°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>51.60 m</td> <td>357.4°</td> <td>-45.4°</td> <td>No</td> </tr> </tbody> </table>			Type	Depth	Azimuth	Plunge	Invalid	Reflex EZ-Shot	12.60 m	357.4°	-44.9°	No	Reflex EZ-Shot	51.60 m	357.4°	-45.4°	No					
Type	Depth	Azimuth	Plunge	Invalid																		
Reflex EZ-Shot	12.60 m	357.4°	-44.9°	No																		
Reflex EZ-Shot	51.60 m	357.4°	-45.4°	No																		
Remarks Casing capped																						
Core size : NQ core Cemented : No Stored : Yes																						

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
0.00	11.00	-OB Overburden minor fragments of UMV, sed & granitic boulders recovered												
11.00	14.00	M11, -ft Talc Schist; Fault 50% med grey, fg massive talc schist bands & fragment recovered, 30% pale grey talcose mud fault gouge, local fragment shows CA of 10dca;												
14.00	56.00	13.0 - 14.0: GROUND & LOST CORE M11c; RIBD Talc-Chlorite Schist 22.5%; Ribboned med. grey, fg, thickly laminated to thinly banded TCL showing minor carb strs thro oriented generally pts at 20-30deg, strong Fe-carb gndmass, NSM; 47.2 - 47.3 minor chl/c fault slip at 15dca 56.0m EOH [Drillers rpt 56m] logged by R.V. Zalnieriunas P.Geo. Nov 21, 2008 Larder Lake, ON	15.68	16.35	TMSG-15	0.67	2.87							
			17.00	20.00	27248	3.00	2.86							
			50.00	50.76	TMSG-16	0.76	2.94							
			53.00	56.00	27249	3.00	2.90							
56.00	DDH end Number of samples : 4 Number of samples QAQC : 0 Total sampled length : 7.43													

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
15.68	16.35	TMSG-15	0.67		0	2	0	4	0	2	0	
17.00	20.00	27248	3.00	0.0	0							
50.00	50.76	TMSG-16	0.76									
53.00	56.00	27249	3.00	0.0	0	2	0	4	0	2	0	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
8.00	11.00	3.00	10	0						
11.00	14.00	3.00	100	20						
14.00	17.00	3.00	100	86	19					
17.00	20.00	3.00	100	93.33	17					
20.00	23.00	3.00	100	100	8					
23.00	26.00	3.00	100	93.33	12					
26.00	29.00	3.00	100	98.33	15					
29.00	32.00	3.00	100	81.67	18					
32.00	35.00	3.00	100	100	7					
35.00	38.00	3.00	100	96.67	15					
38.00	41.00	3.00	100	78.33	12					
41.00	44.00	3.00	100	86.67	12					
44.00	47.00	3.00	100	91.67	10					
47.00	50.00	3.00	100	91.67	19					
50.00	53.00	3.00	100	90	9					
53.00	56.00	3.00	100	100	18					

Globex Mining Enterprises Inc.

DDH : TM-13	Claims title : 850095 Township : Deloro Range : Lot :	Section : L9+50E Level : Surface Work place :																					
Drilled by : Bradley Bros. Ltd. Described by : R.V. Zalnieriunas P.Geo.		From : 11/5/2008 Description date : 11/25/2008	To : 11/6/2008																				
Collar Azimuth : 358.0° Plunge : -45.0° Length : 121.86 m		NAD83 1998 Surface Grid Field Coords: Line(E) - Sta.(N)																					
		Longitude (East) Latitude (North) Elevation	479854.0 953.0 949.5 5357676.0 -304.5 -304.5 322.0 322.0 0.0																				
Down hole survey		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> <th>Azimuth</th> <th>Plunge</th> <th>Invalid</th> </tr> </thead> <tbody> <tr> <td>Reflex EZ-Shot</td> <td>12.60 m</td> <td>358.2°</td> <td>-45.8°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>63.60 m</td> <td>356.2°</td> <td>-46.4°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>117.60 m</td> <td>355.8°</td> <td>-46.8°</td> <td>No</td> </tr> </tbody> </table>		Type	Depth	Azimuth	Plunge	Invalid	Reflex EZ-Shot	12.60 m	358.2°	-45.8°	No	Reflex EZ-Shot	63.60 m	356.2°	-46.4°	No	Reflex EZ-Shot	117.60 m	355.8°	-46.8°	No
Type	Depth	Azimuth	Plunge	Invalid																			
Reflex EZ-Shot	12.60 m	358.2°	-45.8°	No																			
Reflex EZ-Shot	63.60 m	356.2°	-46.4°	No																			
Reflex EZ-Shot	117.60 m	355.8°	-46.8°	No																			
Remarks casing making water (~6 gpm) - ordered proper plug-style casing cap with ball valve (casing was later used as water supply source) -rz																							
Core size : NQ core		Cemented : No	Stored : Yes																				

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
0.00	6.25	-OB Overburden Casing pushed into bedrock to 7.07m												
6.25	11.35	12, CHIL; ALTD Intermediate Intrusive; Chilled; Altered blotchy grey, dk green-grey and buff, fg, massive chilled intrusive - probably porphyry equiv showing well dev'd patches & bands of seric altn & bleaching and fg to vfg diss sulfides thro; BC 42dca sharp & intrusive												
7.00	8.50	Py02; Po0.5 Pyrite 02%; Pyrrhotite 0.5% disseminated		7.00	8.50	76571	1.50	2.76	<5	5		162.0	157.0	23822
8.50	10.00	Po02; Py0.1 Pyrrhotite 02%; Pyrite 0.1% disseminated		8.50	10.00	76572	1.50	2.77	<5			140.0		23822
10.00	11.35	Py3.5; Po1.5 Pyrite 3.5%; Pyrrhotite 1.5% disseminated		10.00	11.35	76573	1.35	2.90	<5			156.0		23822
11.35	55.37	V13, TLCS; CARB Ultramafic Volcanic 40°; Talcose; Carbonized med grey, fg to mg, wkly reXtalized and altered variably carb'd (mod-strong Fe-carb gndmass) UMV showing occ sections of polysuturing / polygonal jointing, variable thick bands of WAA ("white alteration spots - ankerite/ferro-dolomite"); overall core angles undulating along core axis at 0 -+/- 10dca; wk cstrs and qestr thro; 14.0 - 15.1 minor blades of probable relic olivine xtals as wk spinfex ~2mm x 20+mm in size; 49.5 - 55.37: becoming bit more chl'c & wkly sericitic, generally blocky and mod broken core												
11.35	12.10	BCsharp and wkly undulating at 35dca Py05 Pyrite 05% only trace po		11.35	12.10	76574	0.75	3.11	<5			775.0		23822
12.10	15.10	Py0.001 Pyrite 0.001% no sig. min'n		12.10	13.60	76575	1.50	2.96	14			922.0		23822
				13.60	15.10	76576	1.50		<5			893.0		23822
				13.60	15.10	76577 (Dbl)	1.50	3.08	<5			792.0		23822
				13.61	15.10	76578 (Bln)	1.49		<5			261.0		23822
				13.62	15.10	76579 (Std)	1.48		1746			146.0		23822
				17.00	20.00	27250	3.00	2.90						
				41.00	42.00	TMSG-17	1.00	2.91						
55.00	57.80	Po05 Pyrrhotite 05% f-mg disseminated blebs												
55.37	61.40	S4gf; V1335; S435; INTC Graphitic Mudstone 35°; Ultramafic Volcanic; Mudstone; Intercalated mixed i/c sediments & volcanics as follows: 55.37 - 55.73: black carbonaceous / graphitic mudstone, thinly laminated, mod qtz-carb stringered & threaded; core angles 35dca; section blocky & broken with bottom contact (BC) on ground & lost core, grades into: 55.73 - 58.35: med green-grey, mg, massive carb'd & sericitic? volcanic, bit talcose, shows weak xcutting qtz-carb str's at 60 & 30dca, wk foln at 25 & 0dca, possibly altered komatiitic basalt?, BC irreg at 50dca												

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
61 40	67 00	58.35 - 58.52: white, vgc milky qtz vein, <10% chl/c rock fragments of above, BC at 60dca irreg. 58.52 - 61.40: thin to med bedded, i/c grey vfg cherty seds and green chl/c breccias/debris flows; mod <10% qtz-carb strs dev'd ptb at 35dca; trace wispy fuchsite stringers at 60.0 at 0dca, section grades at 35dca ptb into: V12B, MASS		62.00	65.00	27251	3.00	2.90						
67 00	69 79	Komatitic Basalt 35°; Massive med. green-grey, mg, massive to mildly brecciated & wkly sheared / foliated at 155dca, minor grey carb strs, strong perv. Fe-carb groundmass, wk perv sericite? thro. BC 20dca sharp S4, ALTD												
69.79	73.66	Mudstone; Altered mottled dark grey and paler green-grey, vfg to almost aphanitic, cherty sed, thick bed, showing paler green chl/c &/sericitic bleaching & banding thro., mod qc str & thds, mod perv, Fe-carb gndmass, grades into: 67.00 70.00 Po0.01 Pyrrhotite 0.01% trace coarse to fine diss blebs	V12B, MASS											
73.66	77.50	Komatitic Basalt; Massive (as 61.4 - 67.0m) fine foln crenulated into open "Z" kinks at 45-5dca, avg 40dca; mod-strong perv Fe-carb gndmass;												
77.50	98.60	grades on 20dca scour into: S4 Mudstone 35° dk grey, vfg cherty mudstone (similar to 67.0 - 69.79) wkly foliated at 35dca; grades into: S1 Conglomerate 35° med grey, med to coarse, matrix supported, monomictic pebble to cobble conglomerate showing 25 - 50% subround elliptical sedimentary fragments &/ rip-ups thro, mod - wk qtz-carb str & vltis thro. ~ 5% f-mg diss ps blebs dev'd as elliptical augens thro in upper third of section; unit overall appears to grade finer downhole and is thinly laminated at 25-30dca thro;												
77.70	80.00	BC at 60dca on graded vague contact Po0.5 Pyrrhotite 0.5%	Po0.01 coarse irreg diss blebs aligned along foliation planes	80.00 97.98	83.00 98.58	27252 TMSG-18	3.00 0.60	2.78 2.79						
98.60	114.69	V13, BX-, CARB Ultramafic Volcanic 60°; Breccia; Carbonitized dark grey to greenish grey, fg, thickly bedded & i/c wkly-mod. carb'd (perv. Fe-carb gndmass) massive carb spotted talcose flows & i/c talc-chl/c breccias / UM debris flows; bedding & lamaril flow bands at 60 - 50dca, local foln as low as 20dca;		104.00 107.00 110.00 110.00 113.00 113.00	107.00 110.00 113.00 114.70	27253 27254 27255 27256	3.00 3.00 3.00 1.70	2.88 2.85 2.90 2.81						
114.69	121.86	BC on base of 13cm TW graded chl/c breccia (tops face up hole) at 40dca -sz Serpentine-Carbonate-Talc Altered UM Volcanic 40° mottled pale grey and med. greenish-grey, mg, strongly reXtalized and altered (talc-carb-chl) UMV, mod ribboned & banded at 20 to 55dca (avg 30dca);		114.70 116.00 119.00 119.00 121.86	116.00 119.00 121.86 121.86	27257 27258 27259 27260 (Dbl)	1.30 3.00 2.86 2.86	2.91 2.93 2.94						

Globex Mining Enterprises Inc.

DESCRIPTION	ASSAYS										
	From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
121.86m EOH [Drillers rpt 122m] Logged by R.V. Zalnieriunas P.Geo Nov 25, 2008 Larder Lake, ON	119.10	121.86	27261 (Bln)	2.76							
	119.20	121.86	27262 (Std)	2.66							
121.86 DDH end Number of samples : 18 Number of samples QAQC : 6 Total sampled length : 36.56											

Globex Mining Enterprises Inc.

From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	ASSAYS			
									Hem (Index)	Chl (Index)	Serp (Index)	
7.00	8.50	76571	1.50	0.5	0	0	0	1	TR	1	0	
8.50	10.00	76572	1.50	TR	0	0	0	3	1	1	0	
10.00	11.35	76573	1.35	0.0	0	0	0	4	1	1	0	
11.35	12.10	76574	0.75	0.0	0	0	0	6	1	1	0	
12.10	13.60	76575	1.50	0.5	0	2	0	4	0	2	0	
13.60	15.10	76576	1.50	TR	0	2	0	6	0	4	0	
17.00	(20.00)	27250	3.00	0.5	0	2	0	6	0	4	0	
41.00	42.00	TMSG-17	1.00									
62.00	65.00	27251	3.00	0.0	0	2	0	6	0	2	0	
80.00	83.00	27252	3.00	16.0	0	TR	0	4	0	2	0	
97.98	98.58	TMSG-18	0.60									
104.00	107.00	27253	3.00	7.5	0	1	0	6	0	4	0	
107.00	110.00	27254	3.00	2.0	0	1	0	6	0	TR	0	
110.00	113.00	27255	3.00	0.9	0	TR	0	6	0	TR	0	
113.00	114.70	27256	1.70	TR	0	TR	0	6	0	TR	0	
114.70	116.00	27257	1.30	40.0	1	3	0	3	0	TR	1	
116.00	119.00	27258	3.00	1.0	2	4	0	2	0	1	1	
119.00	121.86	27259	2.86	TR	2	4	0	2	0	1	3	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
8.00	11.00	3.00	100	96.67	13					
11.00	14.00	3.00	100	91.67	15					
14.00	17.00	3.00	100	100	5					
17.00	20.00	3.00	100	95	7					
20.00	23.00	3.00	100	95	7					
23.00	26.00	3.00	100	81.67	11					
26.00	29.00	3.00	100	83.33	11					
29.00	32.00	3.00	100	100	6					
32.00	35.00	3.00	100	100	11					
35.00	38.00	3.00	100	93.33	8					
38.00	41.00	3.00	100	98.33	8					
41.00	44.00	3.00	100	96.67	8					
44.00	47.00	3.00	100	85	10					
47.00	50.00	3.00	100	100	17					
50.00	53.00	3.00	100	100	18					
53.00	56.00	3.00	100	75	20					
56.00	59.00	3.00	100	96.67	14					
59.00	62.00	3.00	100	86.67	17					
62.00	65.00	3.00	100	100	9					
65.00	68.00	3.00	100	100	13					
68.00	71.00	3.00	100	100	6					
71.00	74.00	3.00	100	100	8					
74.00	77.00	3.00	100	100	9					
77.00	80.00	3.00	100	97	6					
80.00	83.00	3.00	100	98.33	5					
83.00	86.00	3.00	100	93	9					
86.00	89.00	3.00	100	93.33	18					
89.00	92.00	3.00	100	95.67	11					
92.00	95.00	3.00	100	98.33	4					
95.00	98.00	3.00	100	95	9					
98.00	101.00	3.00	100	98	12					
101.00	104.00	3.00	100	97.67	13					
104.00	107.00	3.00	100	97.67	15					
107.00	110.00	3.00	100	96	12					
110.00	113.00	3.00	100	90.33	22					
113.00	116.00	3.00	100	88	21					
116.00	119.00	3.00	100	95	10					
119.00	121.86	2.86	100	100	6					

Globex Mining Enterprises Inc.

DDH : TM-14

Claims title : 850095
 Township : Deloro
 Range :
 Lot :

Section : L9+50E
 Level : Surface
 Work place :

Drilled by : Bradley Bros. Ltd.
 Described by : R.V. Zalnieriunas P.Geo.

From : 11/6/2008
 Description date : 11/27/2008

To : 11/10/2008

Collar

Azimuth : 360.0°
 Plunge : -45.0°
 Length : 121.54 m

Longitude (East)
 Latitude (North)
 Elevation

NAD83	1998 Surface Grid		Field Coords: Line(E) - Sta(N)	
479853.0	952.2	949.7		
5357732.0	-248.5	-248.9		
322.0	322.0	0.0		

Down hole survey

Type	Depth	Azimuth	Plunge	Invalid
Reflex EZ-Shot	15.60 m	358.3°	-45.2°	No
Reflex EZ-Shot	66.60 m	357.3°	-45.9°	No
Reflex EZ-Shot	117.60 m	353.8°	-45.6°	No

Remarks

water noted flush with top of casing - ordered proper plug-style casing cap be installed -rz

Core size : NQ core

Cemented : No

Stored : Yes

Project : Globex

Globex Mining Enterprises Inc.

1/11/2009

Globex Mining Enterprises Inc.

Depth	Lithology	Description	ASSAYS										
			From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
0.00	10 10	-OB Overburden ~1m of mixed UMV and granitic boulders recovered											
10 10	40 80	Ultramafic Volcanic; Carbonitized med-dk grey, fg, med-thickly laminated, talcose & chloritic banded to ribboned i/c with massive bands of alt'd UMV showing mod-strong Fe-carb gndmass & occ WAD; 10 10 - 20.0: massive carb'd UMV, grades into: 20.0 - 33.0: well foliated & banded & sheared UMV at 50-20 & occ Odeca; 33.0 - 39.8: banded talc-chl schist undulating at 25-Odeca thro, grades into 39.8 - 40.8: fg, green massive talcose chlorite schist reaction contact zone, wkly foliated at 50dca;	14.00 32.76	17.00 33.67	27263 TMSG-19	3.00 0.91	2.81 2.83						
40 80	47.00	section grades at 50dca ptf into: Mudstone 50°; Massive med grey to greenish-grey, vfg massive mudstone bed shows minor (<10%) elliptical mudstone rip-up pebbles and clasts, wkly foliated at 40dca, trace sericite?, mod. silicified; section mod crackled, fractured & sealed by irreg wispy qtz>>carb thds & strls irreg thro, trace mg irreg po;	44.00	47.00	27264	3.00	2.74						
47.00	51.70	grades at 40dca ptf into: Mudstone; Veined dark green-grey, fg silicified sediments (as above) and minor thin bed of monomitic sed. conglomeritic at 45dca; section mod. fractured, cracked and well sealed with 30% white & clear, vcg ribbon qtz vlt, strls & thds, gen. oriented subptf (parallel to foliation) of 30 to 70dcqa, minor bleaching & wk sericite dev'd at vlt walls, no sig sulf min'n;											
51.70	61.40	BC on minor 35dca fault mud seam V13, BX- Ultramafic Volcanic; Breccia med grey, fg, strongly Fe-carb'd, mildly brecciated UMV , grades below 57.4m into more massive flow showing mod sericite alteration overprint; wkly fold'd at 50dca;	53.00 56.00 59.00	56.00 59.00 61.40	27265 27266 27267	3.00 3.00 2.40	2.92 2.88 2.89						
61.40	66.06	BC vague ~90dca M1, BAND Schist 65°; Banded mixed banded, green and grey schists as follows:											
61.40	63.50	Mic Chlorite Schist med green, f-mg, massive chlc zone shows mod white card thds & spotting thro, wk diss py band dev'd at base / 4cm, BC irreg, banded & brecciated at 55dca	61.40	63.50	27268	2.10	2.78						
63.50	64.50	V, CARB Volcanic 60°; Carbonitized pale-mg, greenish-grey, mg, massive, bleached looking, strongly carb'd volc, BC sharp at 60dca	63.50	66.10	27269	2.60	2.85						
64.50	65.23	M1c Chlorite Schist dark green-grey, carb thdd, mod talcose altn band, BC xcutting & rotated											

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
65 23	65 66	-sil Silica flood Zone med-pale grey, m-cg, wkly foliated / banded at 0,5 & 20dca silica altn band, BC vague & diffuse at 35dca												
65 66	66 06	M1c Chlorite Schist dk green-grey carb thdd chl schist band, well shd/ fol'd at 0-10dca; BC curved, xcutting & sharp at ~20dca												
66 06	74 77	-sz; BAND Serpentine-Carbonate-Talc Altered UM Volcanic 60°; Banded pale greenish-grey, f-cg strongly reXtalized serp-carb zone, shows mod -wk Fe-carb gndmass and med bands of limonite / fe-oxide staining dev'd haloing oec joints; grades into.		66.10	68.00	27270	1.90	2.97						
				68.00	71.00	27271	3.00	2.92						
				71.00	74.00	27272	3.00	2.91						
				74.00	76.00	27273	2.00	2.95						
74 77	75 33	M1c Chlorite Schist dk green, wkly talcose, strongly carb chl'c altn band / bed; BC ~45dca xcuts foln of 25dca.												
75.33	87 00	-tz Talc-Carbonate+/-Chlorite Altered UM Volcanic mottled & speckled - almost granitic looking, med yellowish-brown & med grey, wkly colour banded, stronly reXtalized talc-carb-hem, spotted volc; wkly fol'd at 80 and 20dca; section shows rare xcutting bull qtz veins & vlt's and grades into.		76.00	78.00	27274	2.00	2.98						
				78.00	81.00	27275	3.00	2.94						
				81.00	84.00	27276	3.00	2.96						
				84.00	87.00	27277	3.00	2.97						
				87.00	90.00	27278	3.00							
				87.00	90.00	27279 (Dbl)	3.00	3.03						
				90.00	93.00	27280	3.00	2.93						
				93.00	96.00	27281	3.00	2.97						
				96.00	98.53	27282	2.53	2.98						
				98.53	101.46	27283	2.93	3.00						
				101.46	104.00	27284	2.54	3.02						
				104.00	107.00	27285	3.00	2.92						
				107.00	110.00	27286	3.00	2.93						
				110.00	113.00	27287	3.00	2.90						
				113.00	116.00	27288	3.00	2.98						
				116.00	119.00	27289	3.00	2.97						
				119.00	121.54	27290	2.54	3.08						
				119.00	121.54	27291 (Dbl)	2.54							
				119.10	121.54	27292 (Bln)	2.44							
				119.20	121.54	27293 (Std)	2.34							
110 06	121 54	-tz Talc-Carbonate+/-Chlorite Altered UM Volcanic med. grey, m-cg, massive to wkly banded, strongly reXtalized & carb'd altn zone (as 87.0 - 98.53m) foln ranges 15 to 30dca,												
		121.534m EOH [Drillers rpt 122m]												
		logged by K. V. Zainierunas P. Geo. Nov. 27, 2008, Larder Lake, ON												
121.54	DDH end	Number of samples : 28 Number of samples QAQC : 4 Total sampled length : 75.45												

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Curb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
14.00	17.00	27263	3.00	5.0	0	2	0	4	tr	6	0	
32.76	33.67	TMSG-19	0.91			0	0	4	0	TR	0	
44.00	47.00	27264	3.00	5.0	0	1	0	5	0	3	0	
53.00	56.00	27265	3.00	25.0	0	1	0	4	0	2	0	
56.00	59.00	27266	3.00	9.0	0	1	0	4	0	1	0	
59.00	61.40	27267	2.40	6.0	0	TR	0	4	0	6	0	
61.40	63.50	27268	2.10	2.5	0	TR	0	4	0	5	0	
63.50	66.10	27269	2.60	19.0	0	TR	0	4	0	1	4	
66.10	68.00	27270	1.90	15.0	TR	1	0	4	0	1	1	
68.00	71.00	27271	3.00	10.0	1	1	0	4	1	1	1	
71.00	74.00	27272	3.00	TR	2	1	0	1	TR	TR	2	
74.00	76.00	27273	2.00	2.0	1	1	0	2	1	3	1	
76.00	78.00	27274	2.00	TR	2	2	0	2	2	2	1	
78.00	81.00	27275	3.00	TR	4	4	0	2	4	2	TR	
81.00	84.00	27276	3.00	TR	4	4	0	2	4	2	TR	
84.00	87.00	27277	3.00	10.0	4	4	0	2	3	2	0	
87.00	90.00	27278	3.00	0.0	4	4	0	2	2	2	0	
90.00	93.00	27280	3.00	0.0	4	4	0	2	2	2	TR	
93.00	96.00	27281	3.00	0.3	4	4	0	2	2	1	0	
96.00	98.53	27282	2.53	TR	4	4	0	2	4	2	1	
98.53	101.46	27283	2.93	13.0	1	1	0	3	3	1	TR	
101.46	104.00	27284	2.54	0.0	2	4	0	2	1	1	TR	
104.00	107.00	27285	3.00	TR	4	4	0	2	4	2	0	
107.00	110.00	27286	3.00	TR	4	4	0	2	4	2	TR	
110.00	113.00	27287	3.00	TR	4	4	0	2	2	2	1	
113.00	116.00	27288	3.00	0.8	4	4	0	2	2	2	TR	
116.00	119.00	27289	3.00	0.3	4	4	0	2	2	2	0	
119.00	121.54	27290	2.54	TR	4	4	0	2	2	2	TR	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
10.00	11.00	1.00	100	100	2					
11.00	14.00	3.00	100	100	6					
14.00	17.00	3.00	100	100	3					
17.00	20.00	3.00	100	98	4					
20.00	23.00	3.00	100	94.33	7					
23.00	26.00	3.00	100	100	2					
26.00	29.00	3.00	100	94.67	10					
29.00	32.00	3.00	100	88.33	9					
32.00	35.00	3.00	100	100	3					
35.00	38.00	3.00	100	93.33	6					
38.00	41.00	3.00	100	83.33	19					
41.00	44.00	3.00	100	96.67	6					
44.00	47.00	3.00	100	98.33	6					
47.00	50.00	3.00	100	98.33	6					
50.00	53.00	3.00	100	75	26					
53.00	56.00	3.00	100	90	13					
56.00	59.00	3.00	100	100	3					
59.00	62.00	3.00	100	96	5					
62.00	65.00	3.00	100	95.67	7					
65.00	68.00	3.00	100	100	8					
68.00	71.00	3.00	100	99.33	6					
71.00	74.00	3.00	100	99.33	4					
74.00	77.00	3.00	100	96	12					
77.00	80.00	3.00	100	96.67	10					
80.00	83.00	3.00	100	99	7					
83.00	86.00	3.00	100	93.33	8					
86.00	89.00	3.00	100	100	2					
89.00	92.00	3.00	100	99	3					
92.00	95.00	3.00	100	96.33	5					
95.00	98.00	3.00	100	98.33	5					
98.00	101.00	3.00	100	95.67	15					
101.00	104.00	3.00	100	100	1					
104.00	107.00	3.00	100	97.67	4					
107.00	110.00	3.00	100	98	6					
110.00	113.00	3.00	100	98.33	4					
113.00	116.00	3.00	100	96.67	5					
116.00	119.00	3.00	100	100	6					
119.00	121.54	2.54	100	100	9					

Globex Mining Enterprises Inc.

DDH : TM-15

Claims title : 850095
 Township : Deloro
 Range :
 Lot :

Section : L9+50E
 Level : Surface
 Work place :

Drilled by : Bradley Bros. Ltd.
 Described by : R.V. Zalnieriunas P.Geo.

From : 11/11/2008
 Description date : 11/29/2008

To : 11/11/2008

Collar

Azimuth : 2.0°
 Plunge : -45.0°
 Length : 122.04 m

Longitude (East)
 Latitude (North)
 Elevation

NAD83	1998 Surface Grid		Field Coords: Line(E) - Sta (N)
479851.0	950.4	950.0	
5357797.0	-183.5	-183.7	
324.0	324.0	0.0	

Down hole survey

Type	Depth	Azimuth	Plunge	Invalid
Reflex EZ-Shot	12.60 m	356.2°	-43.3°	No
Reflex EZ-Shot	63.60 m	354.9°	-44.4°	No
Reflex EZ-Shot	117.60 m	354.3°	-44.6°	No

Remarks

casing capped

Core size : NQ core

Cemented : No

Stored : Yes

Project : Globex

Globex Mining Enterprises Inc.

1/11/2009

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS								
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)
0.00	7.00	-OB Overburden minor mafic volcanic boulders recovered										
7.00	12.20	4	-mz Magnesite-Talc Altered UM Volcanic variably coloured, thickly banded, mod foliated, ribboned and banded cg & locally vfg, strongly reXtalized almost granitic looking in part carb-talc altn zone and local qtz veining as follows:									
7.00	9.50	ALT.D Altered earthy yellow, cg, limonite? stained carb zone; grades into:		7.00	9.50	27294	2.50	3.02				
9.50	16.60	MASS Massive med-pale grey, cg carb. zone, locally ribboned / foliated at 20dca		9.50	12.00	27295	2.50	2.96				
16.60	18.00	ALT.D Altered yellow-grey, cg, massive talc-carb, mod. limonitic, grades into:		12.00	15.00	27296	3.00	2.96				
18.00	22.00	CH.LC Chloritic pale yellowish-grey, v. wkly limonitic, m-cg carb zone showing wisps & strs black chl on jts & as vague bands; overall wkly foliated 30dca, occ bands at 70dca; grades at 70dca into:		15.00	18.00	27297	3.00	2.96				
22.00	26.49	FOLT Foliated pinkish-grey, m-cg, wkly sheared equigranular, bit cataclastic & mod foliated carb zone shows med-dk grey wispy chl's &/ spec hem matrix; BC sharp at 55dca		18.00	21.00	27298	3.00	2.96				
26.49	27.27	FG.- Grain Size - fine med. orange-pink with black folt thds, granitic-looking; carb zone, thinly laminated & finely foliated at 55dca, grades on rotated reaction front at 70dca into:		21.00	24.00	27299	3.00	2.96				
27.27	27.90	ALT.D Altered med yellow-grey, m-vcg foliated carb zone; limonitic, grades into:		27.27	28.50	27301	0.78	3.09				
27.90	28.70	FOLT Foliated grey to pinkish-grey, cg, carb zone, folt at 20 & 70dca; grades into:		28.50	30.00	27302	1.23	3.07				
28.70	29.70	VND- Veined pinkish-grey foliated carb zone (similar to above), wkly to mod'ly destructively silicified & reXtalized to finer grained bleached & fuzzy looking zone, wkly foliated at 40, 60 & 0dca, xcut by milky white bull tension qtz veinlets oriented at 40, 105 and 60da showing minor yellow talc-carb reaction rims on vlt's poss cg lack tourmaline needles,										
29.70	36.80	MASS section grades into:		30.00	32.00	27304	2.00	2.99				

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS											
				From	To	Number	Length	S G (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)	
36 80	39 70	Massive med. grey, cg massive carb zone, equigranular; grades into: VND-Veined pink-grey, fg, sil'd & dest alt'd carb zone (as 283 7-29 7m) foliated / banded at 30dca, xcut by bull white tension qtz veins, veinlets & stringers at 155, 100 and rarely 60dca, veining shows creamy yellow reaction rns, occ bit vuggy contacts and variable black m-cg tourmaline? needles &/ black chl colloform wrinkled selvages;		32.00 34.00	34.00 36.80	27305 27306		2.00 2.80	2.98 2.96						
39 70	51 50	MASS Massive med. grey, cg carb zone showing minor pinkish patches and bands of pink (hem'c?) carb and rare xcutting pale orange/pink & white carb>>qtz str at 20, 120 & 50dca, grades into:		36.80 39.70	39.70 39.70	27307 27308 (Dbl)		2.90 2.90	3.01						
51 50	53 22	VND-Veined pink-grey mottled, granitic looking destructive textured fg carb zone (similar to 26.49-27.27m) xcut & veined by greenish-yellow and white qtz str & vlt oriented 0, 90, 50 & 140dca, vlt locally show mg irreg black patches of black spec hem & poss. tourmaline needles; BC sharp 40dca		39.70 42.00 44.00 47.00 50.00 51.50 51.50	42.00 44.00 47.00 50.00 51.50 51.50 53.22	27309 27310 27311 27312 27313 27314	2.30 2.00 3.00 3.00 1.50 1.72	2.98 2.98 2.97 2.96 2.95 3.04							
53 22	59.00	MASS Massive med. grey, m-cg massive carb zone uniform to ~58 0m, below which section becomes stringered by 0.5cm dk grey chl-spec.hem ribbons spaced ~8 - 10cm apart at 40dca ptf = poss altn along jts or cleavage planes, section grades into:		53.22 56.00	56.00 59.00	27315 27316		2.78 3.00	2.97 2.99						
59.00	64.60	CHKD; BLAD Chequered; Bladed med grey, m-fg massive carb zone showing minor pink hem altn patches, stringered, banded & bladed by dk grey to black 0.2 - 0.8cm healed black chl altd jt? / fracture selvages oriented 20, 45, 150dca and grading down hole into a med breccia showing strong black str matrix thro; BC vague & gradational at ~80dca		59.00 62.00 64.50 64.50	62.00 64.50 66.00	27317 27318 27319		3.00 2.50 1.50	2.95 3.01 2.94						
64.60	65.90	SILD; FUCC Silicified; Fuchsite mottled & banded, dull yellow-grey, grey and bright green, sil'd & talcose, mildly brecciated & crackled silicified carbonate zone, lower wall wky foliated at 60-65dca; grades pf into:													
65.90	76.00	CHKD; BLAD Chequered; Bladed mottled, dk grey, pink & black, coarsely bladed & stringered zone (as 59.0 - 64.6m) grades into:		66.00 68.00 71.00 71.00 74.00 77.00	68.00 71.00 74.00 77.00	27320 27321 27322 27323		2.00 3.00 3.00 3.00	2.98 2.99 2.98 2.97						
76.00	89.96	BAND Banded mottled, med grey, greenish grey and pinkish-grey, m-fg carb zone, mod foliated & streaked with wisps of black chl on cleavage planes of 60-80 & 45dca, and xcut by thds & occ strts of black-dk grey spec-hem?black chl as healed selvages of jts/fractures at 60, 15, 160, 80dca; minor xcutting 2cm creamy-yellow tension carb vlt / strts at 160-180dca showing exsolved stoylitic qtz dev'd almost normal to 75deg to str walls; Increasingly pink to orange hematite / Fe-oxide stained below 83.0m; BC at 62dca sharp		77.00 80.00 83.00 80.00 83.00 86.00 88.00 88.00	80.00 83.00 83.00 83.00 86.00 88.00 89.96	27324 27325 27326 (Dbl) 27327 27328 27329		3.00 3.00 3.00 3.00 3.00 2.00 1.96	2.94 3.00 3.06 2.97 3.01 3.02						

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
89.96	104.00	MASS; STRD Massive; Stringered med grey, mg, massive carb zone, showing rare carb strs & thds and occ dk grey chlc selvages/ healed jts at 40, 20, 160 dca, wk perv. Fe-carb gndmass thro, 94.42 - 94.50L massive creamy yellow carb vnl at 33dca, TW~5cm, minor mg greenish talc thds dev'd at upper contact, 102.55 - 102.75: 0.5cm xcutting qtz-carb str at 175dca haloed by mod Fe-carb and shows bright green fuchsite? dev'd with stytolitic qtz,		89.96	92.00	27330	2.04	3.07						
				92.00	95.00	27331	3.00	2.98						
				95.00	98.00	27332	3.00	2.98						
				98.00	101.00	27333	3.00	3.02						
				101.00	104.00	27334	3.00	2.89						
104.00	122.04	MASS Massive med-pale grey, mg, massive carb zone shows rare darker grey thds of jt? controlled chl / spec. hem alt as astamosing thds in lower quarter of section; wk perv. Fe4-carb gndmass thro, 117.88 - 118.60: mottled & thinly banded orange Fe-oxide stained wall rock and thin (1cm) xcutting dull semi-translucent talc str at ~170dca, - bit vuggy, core mod. broken & blocky, 120.56 - 121.06: ribboned pale grey and green carb-talc vein (similar to above) oriented at 20dca, wk patchy brown-orange Fe-oxide stained wall rock and minor spec hematite thds at contacts 122.04m EOH [Drillers rpt 122m] logged by R.V. Zalnieriunas P.Geo. Nov 29, 2008 Larder Lake, ON		104.00	107.00	27335	3.00	3.01						
				107.00	110.00	27336	3.00	2.98						
				110.00	113.00	27337	3.00	2.98						
				113.00	116.00	27338	3.00							
				113.00	116.00	27339 (Dbl)	3.00	3.00						
				113.10	116.00	27340 (Bln)	2.90							
				113.20	116.00	27341 (Std)	2.80							
				116.00	117.88	27342	1.88	3.02						
				117.88	121.06	27343	3.18	2.98						
				121.06	122.04	27344	0.98	3.06						
122.04	DDH end Number of samples : 46 Number of samples QAQC : 5 Total sampled length : 115.04													

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
7.00	9.50	27294	2.50	2.0	2	2	0	TR	2	1	0	
9.50	12.00	27295	2.50	2.0	6	2	0	2	2	2	0	
12.00	15.00	27296	3.00	0.5	6	2	0	2	2	2	0	
15.00	18.00	27297	3.00	TR	6	2	0	1	2	2	0	
18.00	21.00	27298	3.00	TR	6	2	0	1	2	3	0	
21.00	24.00	27299	3.00	0.0	6	2	0	TR	2	2	0	
24.00	26.49	27300	2.49	0.0	6	2	0	0	2	2	0	
26.49	27.27	27301	0.78	TR	6	2	0	TR	2	2	0	
27.27	28.50	27302	1.23	0.0	6	2	0	0	2	2	0	
28.50	30.00	27303	1.50	22.0	5	1	0	0	1	1	0	
30.00	32.00	27304	2.00	0.5	6	2	0	TR	2	2	1	
32.00	34.00	27305	2.00	0.8	6	2	0	TR	2	2	0	
34.00	36.80	27306	2.80	TR	6	2	0	0	2	2	0	
36.80	39.70	27307	2.90	40.0	5	3	0	TR	1	1	0	
39.70	42.00	27309	2.30	4.0	6	2	0	TR	2	2	0	
42.00	44.00	27310	2.00	0.9	6	2	0	TR	2	2	0	
44.00	47.00	27311	3.00	TR	6	2	0	TR	4	4	0	
47.00	50.00	27312	3.00	2.5	6	2	0	TR	4	4	0	
50.00	51.50	27313	1.50	0.9	6	2	0	TR	4	4	0	
51.50	53.22	27314	1.72	24.0	5	3	0	1	3	3	0	
53.22	56.00	27315	2.78	0.5	6	2	0	TR	3	2	0	
56.00	59.00	27316	3.00	1.5	6	2	0	TR	1	3	0	
59.00	62.00	27317	3.00	0.9	6	2	0	0	2	3	0	
62.00	64.50	27318	2.50	1.0	6	2	0	TR	4	6	0	
64.50	66.00	27319	1.50	5.0	1	3	0	TR	TR	0		
66.00	68.00	27320	2.00	1.0	6	2	0	0	4	4	0	
68.00	71.00	27321	3.00	2.5	6	2	0	TR	4	4	0	
71.00	74.00	27322	3.00	2.5	6	2	0	TR	4	4	0	
74.00	77.00	27323	3.00	1.0	6	2	0	TR	4	4	TR	
77.00	80.00	27324	3.00	7.5	6	2	0	TR	2	4	TR	
80.00	83.00	27325	3.00	3.5	6	2	0	TR	2	4	0	
83.00	86.00	27327	3.00	0.5	6	2	0	TR	2	2	0	
86.00	88.00	27328	2.00	TR	6	2	0	0	2	TR	0	
88.00	89.96	27329	1.96	1.5	6	2	0	0	1	1	0	
89.96	92.00	27330	2.04	TR	6	2	0	2	1	TR	0	
92.00	95.00	27331	3.00	TR	6	2	0	2	TR	TR	0	
95.00	98.00	27332	3.00	TR	6	2	0	2	TR	TR	0	
98.00	101.00	27333	3.00	TR	6	2	0	2	TR	1	0	
101.00	101.00	27334	3.00	0.5	6	2	0	2	TR	TR	0	
104.00	107.00	27335	3.00	0.0	6	2	0	2	TR	TR	0	
107.00	110.00	27336	3.00	0.0	6	2	0	2	TR	TR	0	
110.00	113.00	27337	3.00	0.9	6	2	0	2	TR	2	TR	
113.00	116.00	27338	3.00	0.3	6	2	0	2	TR	1	0	
116.00	117.88	27342	1.88	0.3	6	2	0	2	TR	2	0	
117.88	121.06	27343	3.18	3.0	5	3	0	1	3	3	TR	
121.06	122.04	27344	0.98	TR	6	2	0	2	2	2	0	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
7.00	8.00	1.00	265	265	11					
8.00	11.00	3.00	100	85.33	19					
11.00	14.00	3.00	100	94	4					
14.00	17.00	3.00	100	94.67	9					
17.00	20.00	3.00	100	97.33	8					
20.00	23.00	3.00	100	93.33	10					
23.00	26.00	3.00	100	100	3					
26.00	29.00	3.00	100	99.33	8					
29.00	32.00	3.00	100	96.67	6					
32.00	35.00	3.00	100	96.67	9					
35.00	38.00	3.00	100	83.33	20					
38.00	41.00	3.00	100	89	6					
41.00	44.00	3.00	100	96.67	11					
44.00	47.00	3.00	100	97.67	6					
47.00	50.00	3.00	100	98.33	7					
50.00	53.00	3.00	100	94.67	11					
53.00	56.00	3.00	100	97.33	7					
56.00	59.00	3.00	100	100	5					
59.00	62.00	3.00	100	97.33	7					
62.00	65.00	3.00	100	99	6					
65.00	68.00	3.00	100	95.33	11					
68.00	71.00	3.00	100	94.33	12					
71.00	74.00	3.00	100	99	7					
74.00	77.00	3.00	100	97.67	9					
77.00	80.00	3.00	100	96	10					
80.00	83.00	3.00	100	100	5					
83.00	86.00	3.00	100	96.67	11					
86.00	89.00	3.00	100	100	7					
89.00	92.00	3.00	100	96	10					
92.00	95.00	3.00	100	98.33	9					
95.00	98.00	3.00	100	97.67	4					
98.00	101.00	3.00	100	99.67	4					
101.00	104.00	3.00	100	94.67	9					
104.00	107.00	3.00	100	95.67	11					
107.00	110.00	3.00	100	100	3					
110.00	113.00	3.00	100	100	3					
113.00	116.00	3.00	100	99.67	4					
116.00	119.00	3.00	100	93.33	13					
119.00	121.00	2.00	100	100	3					
121.00	122.04	1.04	100	100	1					

Globex Mining Enterprises Inc.

DDH : TM-16	Claims title : 850095 Township : Deloro Range : Lot :	Section : L9+50E Level : Surface Work place :																					
Drilled by : Bradley Bros. Ltd. Described by : R.V. Zalnierunas P.Geo.		From : 11/12/2008 Description date : 12/2/2008	To : 11/12/2008																				
Collar Azimuth : 2.0° Plunge : -45.0° Length : 122.03 m		NAD83 1998 Surface Grid Field Coords: Line(E) - Sta.(N)																					
Longitude (East) Latitude (North) Elevation		479851.0 950.6 950.0 5357853.0 -127.5 -127.4 325.0 325.0 0.0																					
Down hole survey		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> <th>Azimuth</th> <th>Plunge</th> <th>Invalid</th> </tr> </thead> <tbody> <tr> <td>Reflex EZ-Shot</td> <td>9.60 m</td> <td>358.2°</td> <td>-47.9°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>60.60 m</td> <td>355.0°</td> <td>-47.2°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>117.60 m</td> <td>353.8°</td> <td>-49.0°</td> <td>No</td> </tr> </tbody> </table>	Type	Depth	Azimuth	Plunge	Invalid	Reflex EZ-Shot	9.60 m	358.2°	-47.9°	No	Reflex EZ-Shot	60.60 m	355.0°	-47.2°	No	Reflex EZ-Shot	117.60 m	353.8°	-49.0°	No	
Type	Depth	Azimuth	Plunge	Invalid																			
Reflex EZ-Shot	9.60 m	358.2°	-47.9°	No																			
Reflex EZ-Shot	60.60 m	355.0°	-47.2°	No																			
Reflex EZ-Shot	117.60 m	353.8°	-49.0°	No																			
Remarks casing capped																							
Core size : NQ core		Cemented : No	Stored : Yes																				

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS							
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)
0.00	1.40	-OB Overburden no core recovery, casing pushed into bedrock to 3.55m									
1.40	53.00	-mz Magnesite-Talc Altered UM Volcanic banded grey, pink and occ orange-pink, f-cg, reXtalized carbonated UMV showing variable f-mg spec. hematite speckling and variable dk. grey spec hem/ black chl thds, strns and bands dev'd as selvages on healed fractures and joints and variable bull white qtz veins, vlt's & strns showing typical creamy yellow carb altn at margins; banding & foln variable 10 to 80dca;									
1.40	3.55	MASS Massive pink, cg, massive carb zone, granitic-looking; over-sized casing NX/HX core; grades into:	1.40	3.55	27345	2.15	3.01				
3.55	13.80	BAND Banded pink & grey grading to grey downhole, cg, thickly banded at 80dca carb altn zone; wkly foliated at avg. 35dca; mrg qtz-carb str'd dev'd in center of section at 55 ad 170dca, minor sr'sf blcdifg spec hem. altn xcung a 15dca; section grades / 2m diffuse band into next unit;	3.55	5.50	27346	1.95	3.11				
13.80	18.25	VND;- BLCH Veined; Bleached pale grey, vfg-aphanitic, massive carb altd zone groundmass showing 5-10% f-mg black diss. spec hem. grains thro and variable white to pale cream qtz-carb strns, vlt's & veins; overall section looks like an "Alaskite"; best veining occurs as a set of conjugate veins at 14.52-15.15 oriented 150 & then 25dca; overall wk foln at 70dca; grades into:	5.50	8.50	27347	3.00					
			5.50	8.50	27348 (Dbl)	3.00	3.08				
			8.50	11.15	27349	2.65	3.04				
			11.15	14.00	27350	2.85	3.01				
			14.00	17.00	27351	3.00	3.00				
			17.00	20.00	27352	3.00	3.00				
18.25	32.00	MASS Massive med. green-grey, cg talcose carb zone showing mod f-mg diss spec hem grains and occ dk grey healed polygonal jt selvages (<1cm at 30, 50 & 140dca). grades into:	20.00	23.00	27353	3.00	3.00				
			23.00	26.00	27354	3.00	2.98				
			26.00	29.00	27355	3.00	2.99				
			29.00	32.00	27356	3.00	2.98				
32.00	37.00	CHKD Chequered pale grey, fg, massive carb zone, xcut, ribboned & chequered by <2cm irreg. dk grey chl/c? altn selvages oriented at 90, 45, 5 & 120dca thro; grades into:	32.00	35.00	27357	3.00	3.02				
			35.00	38.00	27358	3.00	2.98				
37.00	40.00	MASS Massive green-grey, cg, massive talcose-carb zone (as 18.25 - 32.00m) minor stringering & banding thro at 35 & 150dca	38.00	41.00	27359	3.00					
			38.00	41.00	27360 (Dbl)	3.00	3.03				
40.00	53.00	RIBD Ribboned med grey and minor pink mottling, cg, thinly banded to wkly ribboned at 30-40dca, whkly sheared carb zones showing minor white or pink qtz-carb strns & vlt's dev'd subptf at 25, 80 & 60dca thro; minor trace serp in gndmass, no sig. Fe-carb; grades at 35dca ptf into:	41.00	44.00	27361	3.00	2.97				
			44.00	47.00	27362	3.00	2.97				
			47.00	50.00	27363	3.00	2.98				
			50.00	53.00	27364	3.00	2.96				
53.00	64.00	-tz, RIBD Talc-Carbonate/-Chlorite Altered UM Volcanic 45°; Ribboned med dirty, greenish-grey and minor mottled pink, wkly banded or ribboned thro at avg 45dca by darker grey carb-chl	53.00	56.00	27365	3.00	2.98				
			56.00	59.00	27366	3.00	2.98				
			59.00	62.00	27367	3.00	2.97				

Globex Mining Enterprises Inc.

		DESCRIPTION	ASSAYS									
			From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)
64.00	69.00	selvages/ healed jts and minor diss. black spec hem thds; mod. talcose, wkly serp. thro, occ wh qtz vlt dev'd ptf at 40-45dca; grades at 25dca ptf into: -sz; BLAD Serpentine-Carbonate-Talc Altered UM Volcanic; Bladed yellow and grey, vgc, bladed to banded mixed carb zone showing irreg patches & stringers of dull green to olive green semi-translucent serp., occ bright green strs of talc-fuchsite? and i/c thds of white / creamy carb. all xcut by network strs & thds of dk grey chlc'c carb anastomosing thro. very variable core angles at 0-20, 40-60dca; moderately blocky & broken core, grades into: -tz, -sz, INTC	62.00	64.00	27368	2.00	2.98					
64.00	69.00	-sz; BLAD Serpentine-Carbonate-Talc Altered UM Volcanic; Bladed yellow and grey, vgc, bladed to banded mixed carb zone showing irreg patches & stringers of dull green to olive green semi-translucent serp., occ bright green strs of talc-fuchsite? and i/c thds of white / creamy carb. all xcut by network strs & thds of dk grey chlc'c carb anastomosing thro. very variable core angles at 0-20, 40-60dca; moderately blocky & broken core, grades into: -tz, -sz, INTC	64.00	66.50	27369	2.50	2.98					
64.00	69.00	-sz; BLAD Serpentine-Carbonate-Talc Altered UM Volcanic; Bladed yellow and grey, vgc, bladed to banded mixed carb zone showing irreg patches & stringers of dull green to olive green semi-translucent serp., occ bright green strs of talc-fuchsite? and i/c thds of white / creamy carb. all xcut by network strs & thds of dk grey chlc'c carb anastomosing thro. very variable core angles at 0-20, 40-60dca; moderately blocky & broken core, grades into: -tz, -sz, INTC	66.50	69.00	27370	2.50	3.00					
69.00	77.00	Talc-Carbonate +/- Chlorite Altered UM Volcanic; Serpentine-Carbonate-Talc Altered UM Volcanic; Intercalated greenish-grey talc-carb (as 53.0 - 64.0m) i/c with bladed yellow grey serp-carb (similar to 64.0 - 69.0) as thick bands oriented at 35dca, grades into: -mz; MASS	69.00	72.00	27371	3.00	2.97					
69.00	77.00	Talc-Carbonate +/- Chlorite Altered UM Volcanic; Serpentine-Carbonate-Talc Altered UM Volcanic; Intercalated greenish-grey talc-carb (as 53.0 - 64.0m) i/c with bladed yellow grey serp-carb (similar to 64.0 - 69.0) as thick bands oriented at 35dca, grades into: -mz; MASS	72.00	74.00	27372	2.00	3.05					
69.00	77.00	Talc-Carbonate +/- Chlorite Altered UM Volcanic; Serpentine-Carbonate-Talc Altered UM Volcanic; Intercalated greenish-grey talc-carb (as 53.0 - 64.0m) i/c with bladed yellow grey serp-carb (similar to 64.0 - 69.0) as thick bands oriented at 35dca, grades into: -mz; MASS	74.00	77.00	27373	3.00	2.98					
77.00	95.35	Magnesite-Talc Altered UM Volcanic; Massive med. grey, m-cg massive to locally faintly laminated / banded at 35-30dca with laminations locally flexured (open "S" kinks) to 0dca; trace Fe-carb gndmass thro, trace occ serpentized angular splashes / fragments below 87.0m BC 20dca sharp ptf	77.00	80.00	27374	3.00	2.95					
77.00	95.35	Magnesite-Talc Altered UM Volcanic; Massive med. grey, m-cg massive to locally faintly laminated / banded at 35-30dca with laminations locally flexured (open "S" kinks) to 0dca; trace Fe-carb gndmass thro, trace occ serpentized angular splashes / fragments below 87.0m BC 20dca sharp ptf	80.00	83.00	27375	3.00	2.96					
77.00	95.35	Magnesite-Talc Altered UM Volcanic; Massive med. grey, m-cg massive to locally faintly laminated / banded at 35-30dca with laminations locally flexured (open "S" kinks) to 0dca; trace Fe-carb gndmass thro, trace occ serpentized angular splashes / fragments below 87.0m BC 20dca sharp ptf	83.00	86.00	27376	3.00	2.95					
77.00	95.35	Magnesite-Talc Altered UM Volcanic; Massive med. grey, m-cg massive to locally faintly laminated / banded at 35-30dca with laminations locally flexured (open "S" kinks) to 0dca; trace Fe-carb gndmass thro, trace occ serpentized angular splashes / fragments below 87.0m BC 20dca sharp ptf	86.00	89.00	27377	3.00	2.98					
77.00	95.35	Magnesite-Talc Altered UM Volcanic; Massive med. grey, m-cg massive to locally faintly laminated / banded at 35-30dca with laminations locally flexured (open "S" kinks) to 0dca; trace Fe-carb gndmass thro, trace occ serpentized angular splashes / fragments below 87.0m BC 20dca sharp ptf	89.00	92.00	27378	3.00	2.98					
77.00	95.35	Magnesite-Talc Altered UM Volcanic; Massive med. grey, m-cg massive to locally faintly laminated / banded at 35-30dca with laminations locally flexured (open "S" kinks) to 0dca; trace Fe-carb gndmass thro, trace occ serpentized angular splashes / fragments below 87.0m BC 20dca sharp ptf	92.00	95.35	27379	3.35	2.97					
95.35	96.49	M1c; CARB Chlorite Schist 20°; Carbonitized med green, mg, massive relic chlorite band / carb'd mafic volcanic. No original textures apparent. strong f-mg WAD ("white altn. spotting - dolomite") dev'd thro, and minor xcutting carb thds; BC 50dca ptf	95.35	96.49	27380	1.14	3.03					
95.35	96.49	M1c; CARB Chlorite Schist 20°; Carbonitized med green, mg, massive relic chlorite band / carb'd mafic volcanic. No original textures apparent. strong f-mg WAD ("white altn. spotting - dolomite") dev'd thro, and minor xcutting carb thds; BC 50dca ptf	96.49	98.50	27381	2.01	2.97					
95.35	96.49	M1c; CARB Chlorite Schist 20°; Carbonitized med green, mg, massive relic chlorite band / carb'd mafic volcanic. No original textures apparent. strong f-mg WAD ("white altn. spotting - dolomite") dev'd thro, and minor xcutting carb thds; BC 50dca ptf	98.50	101.00	27382	2.50	2.95					
95.35	96.49	M1c; CARB Chlorite Schist 20°; Carbonitized med green, mg, massive relic chlorite band / carb'd mafic volcanic. No original textures apparent. strong f-mg WAD ("white altn. spotting - dolomite") dev'd thro, and minor xcutting carb thds; BC 50dca ptf	101.00	104.00	27383	3.00	2.99					
104.00	122.03	-tz; BAND Talc-Carbonate +/- Chlorite Altered UM Volcanic 40°; Banded mottled med grey, greenish-grey, pink, m-cg, thinly banded wkly foliated & str'd carb altn zone at 40 and 15-0dca, wk perv Fe-carb gndmass; grades into: -mz; MASS	104.00	107.00	27384	3.00	3.00					
104.00	122.03	-tz; BAND Talc-Carbonate +/- Chlorite Altered UM Volcanic 40°; Banded mottled med grey, greenish-grey, pink, m-cg, thinly banded wkly foliated & str'd carb altn zone at 40 and 15-0dca, wk perv Fe-carb gndmass; grades into: -mz; MASS	107.00	110.00	27385	3.00	3.00					
104.00	122.03	-tz; BAND Talc-Carbonate +/- Chlorite Altered UM Volcanic 40°; Banded mottled med grey, greenish-grey, pink, m-cg, thinly banded wkly foliated & str'd carb altn zone at 40 and 15-0dca, wk perv Fe-carb gndmass; grades into: -mz; MASS	110.00	113.00	27386	3.00	2.97					
104.00	122.03	-tz; BAND Talc-Carbonate +/- Chlorite Altered UM Volcanic 40°; Banded mottled med grey, greenish-grey, pink, m-cg, thinly banded wkly foliated & str'd carb altn zone at 40 and 15-0dca, wk perv Fe-carb gndmass; grades into: -mz; MASS	113.00	116.00	27387	3.00	2.94					
104.00	122.03	-tz; BAND Talc-Carbonate +/- Chlorite Altered UM Volcanic 40°; Banded mottled med grey, greenish-grey, pink, m-cg, thinly banded wkly foliated & str'd carb altn zone at 40 and 15-0dca, wk perv Fe-carb gndmass; grades into: -mz; MASS	116.00	119.00	27388	3.00	2.96					
104.00	122.03	-tz; BAND Talc-Carbonate +/- Chlorite Altered UM Volcanic 40°; Banded mottled med grey, greenish-grey, pink, m-cg, thinly banded wkly foliated & str'd carb altn zone at 40 and 15-0dca, wk perv Fe-carb gndmass; grades into: -mz; MASS	119.00	122.03	27389	3.03	3.09					
104.00	122.03	-tz; BAND Talc-Carbonate +/- Chlorite Altered UM Volcanic 40°; Banded mottled med grey, greenish-grey, pink, m-cg, thinly banded wkly foliated & str'd carb altn zone at 40 and 15-0dca, wk perv Fe-carb gndmass; grades into: -mz; MASS	119.00	122.03	27390 (Dbl)	3.03						
104.00	122.03	-tz; BAND Talc-Carbonate +/- Chlorite Altered UM Volcanic 40°; Banded mottled med grey, greenish-grey, pink, m-cg, thinly banded wkly foliated & str'd carb altn zone at 40 and 15-0dca, wk perv Fe-carb gndmass; grades into: -mz; MASS	119.10	122.03	27391 (Bln)	2.93						
104.00	122.03	-tz; BAND Talc-Carbonate +/- Chlorite Altered UM Volcanic 40°; Banded mottled med grey, greenish-grey, pink, m-cg, thinly banded wkly foliated & str'd carb altn zone at 40 and 15-0dca, wk perv Fe-carb gndmass; grades into: -mz; MASS	119.20	122.03	27392 (Std)	2.83						
122.03	122.03	logged R.V. Zalnieriunas P.Geo. Dec. 2, 2008 Larder Lake, ON DDH end Number of samples : 43 Number of samples Q/AQC : 5 Total sampled length : 120.63										

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
1.40	3.55	27345	2.15	3.5	6	2	0	0	2	2	0	
3.55	5.50	27346	1.95	5.0	6	2	0	0	3	TR	0	
5.50	8.50	27347	3.00	0.0	6	2	0	0	4	TR	0	
8.50	11.15	27349	2.65	18.0	5	3	0	TR	1	TR	0	
11.15	14.00	27350	2.85	0.8	6	2	0	TR	2	TR	0	
14.00	17.00	27351	3.00	20.0	5	1	0	0	3	TR	0	
17.00	20.00	27352	3.00	1.0	6	3	0	0	2	TR	TR	
20.00	23.00	27353	3.00	1.0	6	4	0	0	2	TR	0	
23.00	26.00	27354	3.00	1.0	6	4	0	0	2	TR	TR	
26.00	29.00	27355	3.00	3.0	6	4	0	0	2	TR	0	
29.00	32.00	27356	3.00	0.3	6	4	0	TR	2	TR	0	
32.00	35.00	27357	3.00	0.5	6	2	0	0	2	1	0	
35.00	38.00	27358	3.00	3.5	6	3	0	1	2	2	0	
38.00	41.00	27359	3.00	1.0	6	4	0	TR	2	2	0	
41.00	44.00	27361	3.00	5.0	6	2	0	0	4	2	0	
44.00	47.00	27362	3.00	0.3	6	2	0	0	4	2	0	
47.00	50.00	27363	3.00	20.0	5	2	0	TR	4	2	0	
50.00	53.00	27364	3.00	3.0	6	2	0	1	4	2	0	
53.00	56.00	27365	3.00	0.8	6	4	0	1	4	2	TR	
56.00	59.00	27366	3.00	1.0	6	4	0	1	4	2	TR	
59.00	62.00	27367	3.00	TR	6	4	0	2	4	2	TR	
62.00	64.00	27368	2.00	TR	6	4	0	2	4	2	TR	
64.00	66.50	27369	2.50	TR	4	5	0	TR	4	3	3	
66.50	69.00	27370	2.50	1.0	4	4	0	1	4	4	4	
69.00	72.00	27371	3.00	3.5	4	2	0	2	4	2	1	
72.00	74.00	27372	2.00	TR	4	2	0	2	4	2	1	
74.00	77.00	27373	3.00	2.5	4	4	0	2	4	4	1	
77.00	80.00	27374	3.00	TR	6	4	0	TR	4	2	0	
80.00	83.00	27375	3.00	0.1	6	2	0	TR	4	2	0	
83.00	86.00	27376	3.00	0.8	6	4	0	2	4	2	1	
86.00	89.00	27377	3.00	0.0	6	2	0	TR	2	2	0	
89.00	92.00	27378	3.00	0.0	6	2	0	IR	2	2	0	
92.00	95.35	27379	3.35	0.0	6	4	0	TR	4	2	TR	
95.35	96.49	27380	1.14	1.5	0	TR	0	6	0	6	0	
96.49	98.50	27381	2.01	0.5	4	2	0	3	4	4	TR	
98.50	101.00	27382	2.50	TR	6	2	0	2	4	2	TR	
101.00	104.00	27383	3.00	1.5	6	2	0	2	4	2	1	
104.00	107.00	27384	3.00	0.0	6	2	0	2	2	TR	0	
107.00	110.00	27385	3.00	0.8	6	2	0	2	2	TR	0	
110.00	113.00	27386	3.00	TR	6	2	0	2	3	TR	0	
113.00	116.00	27387	3.00	1.9	6	2	0	TR	2	TR	0	
116.00	119.00	27388	3.00	7.5	6	2	0	TR	2	TR	0	
119.00	122.03	27389	3.03	1.1	6	2	0	3	2	1	1	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
0.00	3.00	3.00	100	100	10					
3.00	5.00	2.00	100	81.5	14					
5.00	8.00	3.00	100	98	3					
8.00	11.00	3.00	100	95.33	11					
11.00	14.00	3.00	100	100	5					
14.00	17.00	3.00	100	97	10					
17.00	20.00	3.00	100	95.67	6					
20.00	23.00	3.00	100	100	6					
23.00	26.00	3.00	100	99	7					
26.00	29.00	3.00	100	97	8					
29.00	32.00	3.00	100	98.33	3					
32.00	35.00	3.00	100	97.33	4					
35.00	38.00	3.00	100	95	9					
38.00	41.00	3.00	100	98.67	3					
41.00	44.00	3.00	100	100	2					
44.00	47.00	3.00	100	99.33	5					
47.00	50.00	3.00	100	96.33	8					
50.00	53.00	3.00	100	96.67	9					
53.00	56.00	3.00	100	94.67	9					
56.00	59.00	3.00	100	100	2					
59.00	62.00	3.00	100	99	3					
62.00	65.00	3.00	100	97.33	5					
65.00	68.00	3.00	100	93.67	19					
68.00	71.00	3.00	100	87	16					
71.00	74.00	3.00	100	94.67	6					
74.00	77.00	3.00	100	87.67	14					
77.00	80.00	3.00	100	98.67	6					
80.00	83.00	3.00	100	94.67	7					
83.00	86.00	3.00	100	90	17					
86.00	89.00	3.00	100	94.33	8					
89.00	92.00	3.00	100	99.33	5					
92.00	95.00	3.00	100	98.67	4					
95.00	98.00	3.00	100	100	3					
98.00	101.00	3.00	100	97.33	4					
101.00	104.00	3.00	100	95	9					
104.00	107.00	3.00	100	99	8					
107.00	110.00	3.00	100	900	8					
110.00	113.00	3.00	100	95	7					
113.00	116.00	3.00	100	95	6					
116.00	119.00	3.00	100	98	6					
119.00	122.00	3.00	100	97.03	6					

Globex Mining Enterprises Inc.

DDH : TM-17																						
Claims title : 850095 Township : Deloro Range : Lot :																						
Section : L9+50E Level : Surface Work place :																						
Drilled by : Bradley Bros. Ltd. Described by : R.V. Zalnieriunas P.Geo.																						
From : 11/13/2008 Description date : 12/3/2008																						
To : 11/14/2008																						
Collar																						
Azimuth : 2.0° Plunge : -45.0° Length : 122.06 m	NAD83 Longitude (East) Latitude (North) Elevation	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3" style="text-align: left;">1998 Surface Grid</th> <th colspan="2" style="text-align: left;">Field Coords: Line(E) - Sta.(N)</th> </tr> </thead> <tbody> <tr> <td style="width: 33%;">479850.0</td> <td style="width: 33%;">949.8</td> <td style="width: 33%;">949.8</td> <td></td> <td></td> </tr> <tr> <td>5357912.0</td> <td>-68.5</td> <td>-68.0</td> <td></td> <td></td> </tr> <tr> <td>315.0</td> <td>315.0</td> <td>0.0</td> <td></td> <td></td> </tr> </tbody> </table>	1998 Surface Grid			Field Coords: Line(E) - Sta.(N)		479850.0	949.8	949.8			5357912.0	-68.5	-68.0			315.0	315.0	0.0		
1998 Surface Grid			Field Coords: Line(E) - Sta.(N)																			
479850.0	949.8	949.8																				
5357912.0	-68.5	-68.0																				
315.0	315.0	0.0																				
Down hole survey																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">Type</th> <th style="width: 20%;">Depth</th> <th style="width: 20%;">Azimuth</th> <th style="width: 20%;">Plunge</th> <th style="width: 20%;">Invalid</th> </tr> </thead> <tbody> <tr> <td>Reflex EZ-Shot</td> <td>15.60 m</td> <td>357.5°</td> <td>-46.1°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>66.60 m</td> <td>354.3°</td> <td>-45.7°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>117.60 m</td> <td>356.1°</td> <td>-46.6°</td> <td>No</td> </tr> </tbody> </table>			Type	Depth	Azimuth	Plunge	Invalid	Reflex EZ-Shot	15.60 m	357.5°	-46.1°	No	Reflex EZ-Shot	66.60 m	354.3°	-45.7°	No	Reflex EZ-Shot	117.60 m	356.1°	-46.6°	No
Type	Depth	Azimuth	Plunge	Invalid																		
Reflex EZ-Shot	15.60 m	357.5°	-46.1°	No																		
Reflex EZ-Shot	66.60 m	354.3°	-45.7°	No																		
Reflex EZ-Shot	117.60 m	356.1°	-46.6°	No																		
Remarks water noted flush with top of casing - ordered proper plug-style casing cap be installed -rz																						
Core size : NQ core Cemented : No Stored : Yes																						

Project : Globex

Globex Mining Enterprises Inc.

1/11/2009

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
0.00	10.00	-OB Overburden no core recovery -mz; BAND												
10.00	28.00	Magnesite-Talc Altered UM Volcanic 40°; Banded yellow, grey, and bit greenish-grey, m-cg, dirty looking, weakly to mod Fe-carb'd banded and mod dk grey spec hem streaked, wky chloritic talcose-carb altn zone.												
10.00	13.00	GOSS Gossanous dk yellow and grey banded, Fe-oxide stained (limonitic) bit blocky & vuggy weathered zone; grades into	10.00	13.00	27393	3.00	2.92							
13.00	25.00	BAND Banded grey, pale-yellow-grey, med banded, to faintly thickly lam'd and i/c massive carb zone, wk chl'c lams at 50 to 30dca (avg 40); grades into	13.00	16.00	27394	3.00	2.94							
			16.00	19.00	27395	3.00	2.96							
			19.00	22.00	27396	3.00	2.90							
			22.00	25.00	27397	3.00								
			22.00	25.00	27398 (Dbl)	3.00	2.96							
			25.00	28.00	27399	3.00	2.96							
25.00	28.00	CHLC Chloritic med-dk grey, fg, wky foliated at 20-35dca (avg 35). minor wsps dk green to black chl increasing downhole; grades at 35dca into:												
28.00	55.06	-tz; FOLT Talc-Carbonate+/-Chlorite Altered UM Volcanic; Foliated green-grey, mg, mod banded, well foliated talc-chl-carb schist, overall becoming more chloritic down hole, section shows mod perv Fe-carb gndmass thro.												
28.00	41.00	CHLC; SPEC Chloritic; Speckled greenish-grey, f-mg, well foliated, thinly laminated, mod sheared carb-chl schist showing mg diss specks of spec. hem / magnetite pseudomorphs thro giving overall very gritty core appearance; BC on broken Fe-oxide reaction band	28.00	31.00	27400	3.00	2.94							
			31.00	34.00	27401	3.00	2.94							
			34.00	37.00	27402	3.00	2.90							
			37.00	40.00	27403	3.00	2.92							
			40.00	43.00	27404	3.00	2.92							
41.00	41.44	Mic; CARB Chlorite Schist; Carbonitized dk green, fg, qtz-carb str'd altn band. mod broken & blocky thro, BC on broken core												
41.44	44.30	CHLC; SPEC Chloritic; Speckled (as 28.0 - 41.0) foliated at 45dca; grades into:	43.00	46.00	27405	3.00								
			43.00	46.00	27406 (Dbl)	3.00	2.99							
44.30	49.20	Mic; CARB; VND- Chlorite Schist; Carbonitized; Veined green, grey, and mottled yellow-grey; f-mg, well sheared & foliated and moderately contorted and undulating chl-carb schists at 45-75dca to <15dca; showing variable carb lams & strs dev'd gen pts/ptf and xcutting qtz or qtz-carb str's & vts dev'd as knots (boudens?) and vts at 70, 50, 110 and 25-15dca with walls at times blotchy yellow - possibly sericitic? & serp'tc	46.00	49.00	27407	3.00	2.92							
			49.00	52.00	27408	3.00	2.94							
49.20	54.04	CHLC; SPEC Chloritic; Speckled (similar to 41.44 - 44.3m) wky banded, well sheared & foliated at 35dca thro,	52.00	55.06	27409	3.06	2.90							

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
54.04	55.06	M1c; GRAD Chlorite Schist 40°; Graded leucocratic v. pale grey m-cg carb schist with minor green chl thds grading downhole to med/dk green chl-carb schist, cg, augened, foliated at 0dca and 10-35dca. BC sharp & xcutting - bit vague at 40dca												
55.06	66.40	V7, CARB; STRD Mafic Volcanic; Carbonitized; Stringered med. green, mg, massive, reXtalized, bit blotchy chlc & calcitic MVO showing 10-20% white qtz-cc thds & occ strs xcutting in random orientation thro. mod. blocky core. BC on broken core	55.06	58.00	27410	2.94	2.82							
			58.00	61.00	27411	3.00	2.78							
			61.00	64.00	27412	3.00	2.79							
			64.00	66.40	27413	2.40	2.80							
66.40	122.06	V7; VND-; ALTD Mafic Volcanic; Veined; Altered med-dk green, fg, massive to locally foliated & / brecciaed MVO xcut. fractured and sealed by variable +10% white qtz-cc str, vlt & thds as pervasive stockwork and also showing variable coarse patches or bands of exsolved granophytic spar- locally sausertized and strong cc altn & banding thro. core angles flexuring 40-20dca & locally at 0dca. mod to strongly blocky & broken core;	66.40	68.00	76580	1.60	2.86	11	15	79.000		80.0	23851	
			68.00	69.50	76581	1.50	2.85	25		83.000			23851	
			69.50	71.00	76582	1.50	2.77	15		69.000			23851	
			71.00	72.50	76583	1.50	2.84	62		72.000			23851	
			72.50	74.00	76584	1.50	2.88	195		65.000			23851	
		122.06m FOH [drillers rpt 122m]												
		logged by R.V. Zalnieriunas P Geo.												
		Dec. 3, 2008												
		Larder Lake, ON												
72.60	73.80	Py20 Pyrte 20% fg diss py band halong qtz-cc vlt & strs and on part dev'd on late fractures	74.00	75.50	76585	1.50	2.92	6		65.000			23851	
			75.50	77.00	76586	1.50	2.84	<5		60.000			23851	
			77.00	78.50	76587	1.50	2.92	6		66.000			23851	
			78.50	80.00	76588	1.50	2.87	5		65.000			23851	
			80.00	81.50	76589	1.50	2.85	<5		68.000			23851	
			81.50	83.00	76590	1.50	2.92	<5		66.000			23851	
			83.00	84.50	76591	1.50	6			96.000			23851	
			83.00	84.50	76592 (Bln)	1.50	2.90	<5		39.000		38.0	23851	
			83.10	84.50	76593 (Std)	1.40		1688		83.000			23851	
			86.04	86.60	TMSG-20	0.56	2.71							
			98.00	101.00	27414	3.00	2.84							
			113.00	113.92	TMSG-21	0.92	2.73							
			119.00	122.06	27415	3.06	2.76							
122.06	DDH end													
	Number of samples : 35													
	Number of samples QAQC : 4													
	Total sampled length : 82.04													

Globex Mining Enterprises Inc.

ASSAYS

From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chi (Index)	Serp (Index)	
10.00	13.00	27393	3.00	0.5	4	2	0	4	2	2	0	
13.00	16.00	27394	3.00	TR	4	2	0	4	2	4	0	
16.00	19.00	27395	3.00	0.0	6	2	0	4	4	4	0	
19.00	22.00	27396	3.00	0.0	4	2	0	4	2	2	0	
22.00	25.00	27397	3.00	0.5	6	2	0	4	2	2	0	
25.00	28.00	27399	3.00	0.8	6	2	0	4	4	2	0	
28.00	31.00	27400	3.00	0.3	6	2	0	4	4	2	0	
31.00	34.00	27401	3.00	0.8	4	2	0	4	2	4	1	
34.00	37.00	27402	3.00	0.8	4	2	0	4	4	4	0	
37.00	40.00	27403	3.00	1.5	4	2	0	4	4	4	TR	
40.00	43.00	27404	3.00	4.0	3	2	0	4	6	4	0	
43.00	46.00	27405	3.00	4.0	4	2	0	4	6	4	0	
46.00	49.00	27407	3.00	20.0	3	3	0	5	4	4	TR	
49.00	52.00	27408	3.00	0.9	4	2	0	4	4	2	0	
52.00	55.06	27409	3.06	1.0	3	1	0	6	4	5	0	
55.06	58.00	27410	2.94	2.5	0	0	TR	3	0	6	0	
58.00	61.00	27411	3.00	4.0	0	0	5	1	0	4	0	
61.00	64.00	27412	3.00	7.5	0	0	3	1	0	6	0	
64.00	66.40	27413	2.40	12.5	0	0	5	TR	0	3	0	
66.40	68.00	76580	1.60	3.5	0	0	4	TR	0	6	0	
68.00	69.50	76581	1.50	3.0	0	0	4	2	0	6	0	
69.50	71.00	76582	1.50	10.0	0	0	1	1	0	5	0	
71.00	72.50	76583	1.50	2.5	0	0	1	2	0	6	0	
72.50	74.00	76584	1.50	10.0	0	0	3	1	0	3	0	
74.00	75.50	76585	1.50	4.0	0	0	6	2	0	6	0	
75.50	77.00	76586	1.50	6.0	0	0	3	1	0	6	0	
77.00	78.50	76587	1.50	2.5	0	0	4	2	0	5	0	
78.50	80.00	76588	1.50	10.0	0	0	1	2	0	3	0	
80.00	81.50	76589	1.50	5.0	0	0	5	3	0	6	0	
81.50	83.00	76590	1.50	1.5	0	0	1	1	0	3	0	
83.00	84.50	76591	1.50	3.5	0	0	1	3	0	5	0	
84.50	86.60	TMSG-20	0.56									
86.04	101.00	27414	3.00	0.5	0	0	3	1	0	5	0	
113.00	113.92	TMSG-21	0.92			TR	3	TR	0	6	0	
119.00	122.06	27415	3.06	15.0	0							

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
10.00	11.00	1.00	100	95	3					
11.00	14.00	3.00	100	96.67	20					
14.00	17.00	3.00	100	92	18					
17.00	20.00	3.00	100	94.67	16					
20.00	23.00	3.00	100	93.33	15					
23.00	26.00	3.00	100	99	7					
26.00	29.00	3.00	100	96.67	14					
29.00	32.00	3.00	100	95.67	16					
32.00	35.00	3.00	100	95	11					
35.00	38.00	3.00	100	97	7					
38.00	41.00	3.00	100	89	17					
41.00	44.00	3.00	100	90	29					
44.00	47.00	3.00	100	83.33	32					
47.00	50.00	3.00	100	90	25					
50.00	53.00	3.00	100	93	17					
53.00	56.00	3.00	100	100	10					
56.00	59.00	3.00	100	92.67	19					
59.00	62.00	3.00	100	99	11					
62.00	65.00	3.00	100	87	31					
65.00	68.00	3.00	100	90.67	19					
68.00	71.00	3.00	100	90.67	18					
71.00	74.00	3.00	100	90	18					
74.00	77.00	3.00	100	99.33	9					
77.00	80.00	3.00	100	71.33	36					
80.00	83.00	3.00	100	73.33	30					
83.00	86.00	3.00	100	94.67	14					
86.00	89.00	3.00	100	96.67	17					
89.00	92.00	3.00	100	90.67	19					
92.00	95.00	3.00	100	89.33	20					
95.00	98.00	3.00	100	93.33	14					
98.00	101.00	3.00	100	98.33	13					
101.00	104.00	3.00	100	97	14					
104.00	107.00	3.00	100	85	28					
107.00	110.00	3.00	100	99	12					
110.00	113.00	3.00	100	88	27					
113.00	116.00	3.00	100	96	12					
116.00	119.00	3.00	100	95.33	11					
119.00	122.06	3.06	100	93.46	12					

Globex Mining Enterprises Inc.

DDH : TM-18	Claims title : 850095 Township : Deloro Range : Lot :	Section : L10+50E Level : Surface Work place :																										
Drilled by : Bradley Bros. Ltd. Described by : R.V. Zalnieriunas P.Geo		From : 11/14/2008 Description date : 12/4/2008	To : 11/15/2008																									
Collar Azimuth : 357.0° Plunge : -85.0° Length : 152.09 m		NAD83 Longitude (East) : 479950.0 Latitude (North) : 5357911.0 Elevation : 313.0	1998 Surface Grid Field Coords: Line(E) - Sta.(N) 1049.8 -69.8 1050.0 -69.9 313.0 0.0																									
Down hole survey		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> <th>Azimuth</th> <th>Plunge</th> <th>Invalid</th> </tr> </thead> <tbody> <tr> <td>Reflex EZ-Shot</td> <td>9.60 m</td> <td>339.9°</td> <td>-83.6°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>60.60 m</td> <td>331.2°</td> <td>-84.9°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>111.60 m</td> <td>314.6°</td> <td>-86.0°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>147.60 m</td> <td>283.3°</td> <td>-85.7°</td> <td>No</td> </tr> </tbody> </table>		Type	Depth	Azimuth	Plunge	Invalid	Reflex EZ-Shot	9.60 m	339.9°	-83.6°	No	Reflex EZ-Shot	60.60 m	331.2°	-84.9°	No	Reflex EZ-Shot	111.60 m	314.6°	-86.0°	No	Reflex EZ-Shot	147.60 m	283.3°	-85.7°	No
Type	Depth	Azimuth	Plunge	Invalid																								
Reflex EZ-Shot	9.60 m	339.9°	-83.6°	No																								
Reflex EZ-Shot	60.60 m	331.2°	-84.9°	No																								
Reflex EZ-Shot	111.60 m	314.6°	-86.0°	No																								
Reflex EZ-Shot	147.60 m	283.3°	-85.7°	No																								
Remarks Sub-vertical hole put down to test for mineral continuity & zonation to depth; casing making ~1 gpm water - ordered proper plug-style casing cap be installed																												
Core size : NQ core		Cemented : No																										
Stored : Yes																												

Globex Mining Enterprises Inc.

DESCRIPTION			ASSAYS										
			From	To	Number	Length	S.G (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
0 00	3.12	-OB Overburden only 12cm mafic volcanic boulder fragment recovered; casing pushed into bedrock to 3 97m											
3.12	49.70	Magnesite-Talc Altered UM Volcanic; Banded pale-med grey, locally yellow, pink or darker grey, f-cg, highly reXtalized, thickly banded, and faintly foliated to thickly laminated talcose-carb altn zone; avg. banding & foln at 40-45dca; local lams at 20dca; xcut by minor creamy white qtz-carb stringers at 20, 45, 60 & 80dca (avg 60dca); grades at 35dca into:											
3.12	7.40	CRAC; BAND Crackled; Banded med banded yellow & grey, mg-fg, massive carb zone with dk grey xcutting network of irreg thds superposed thro at 45-55, 105-135dca; grades into:	3.12	5.00	27416	1.88	2.95						
			3.12	5.00	- (Dbl)	1.88							
			5.00	8.00	27417	3.00	2.98						
7.40	8.10	STRD Stringered pink-grey, fg hem stain zone; grades into:	8.00	11.00	27418	3.00							
			8.00	11.00	27419 (Dbl)	3.00	3.03						
8.10	35.00	RBD Ribboned med grey with occ Liminitic bands, m-cg, thickly lam'd, mod foliated carb zone; foln at 65-50dca, grades into:	11.00	14.00	27420	3.00	2.96						
			14.00	17.00	27421	3.00	2.94						
			17.00	20.00	27422	3.00	2.97						
			20.00	23.00	27423	3.00	2.98						
			23.00	26.00	27424	3.00	2.93						
			26.00	29.00	27425	3.00	2.96						
			29.00	32.00	27426	3.00	2.99						
			32.00	35.00	27427	3.00	2.97						
			35.00	38.00	27428	3.00	2.98						
35.00	38.00	MASS Massive med grey, cg, massive; grades into:											
38.00	41.00	FOLT Foliated (similar to 8.1 - 35.0m) bit qc veined; grades into:	38.00	41.00	27429	3.00	2.99						
41.00	45.00	MASS Massive med-pale grey, cg, massive	41.00	44.00	27430	3.00	2.93						
			44.00	47.00	27431	3.00	2.98						
			47.00	49.70	27432	2.70	2.97						
49.70	54.50	-mz, VND- Magnesite-Talc Altered UM Volcanic 35°; Veined mottled med grey and orangy-pink, f-mg, massive carb zone showing minor black chl/spec hem thds at 40-45dca and 0-175dca, veined by bull white and creamy margined carb-qtz veins/vlt 2-6cm TW oriented gen as tension flats at 120-135dca and linker veins oriented 30-45dca subpt;	49.70	52.70	27433	3.00	2.98						
			52.70	54.50	27434	1.80	2.99						
54.50	81.50	grades into: -mz, CRAC Magnesite-Talc Altered UM Volcanic; Cracked dirty med grey to greenish-grey with occ pink patches, massive to faintly foliated at 45dca, mod fractured & black chl/ spec.	54.50	57.50	27435	3.00	2.98						
			57.50	60.50	27436	3.00	2.96						
			60.50	63.50	27437	3.00	2.98						

Globex Mining Enterprises Inc.

DESCRIPTION			ASSAYS									
			From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)
			63.50	66.50	27438	3.00	2.99					
			66.50	69.50	27439	3.00	2.96					
			69.50	72.50	27440	3.00	2.96					
			72.50	75.50	27441	3.00	3.02					
			75.50	78.50	27442	3.00						
			75.50	78.50	27443 (Dbl)	3.00	3.05					
			78.50	81.50	27444	3.00	2.97					
			81.50	84.50	27445	3.00	2.94					
			84.50	87.50	27446	3.00	2.99					
			87.50	89.00	27447	1.50	3.02					
81.50	89.00	section grades into: -mz, CRAC; VND- Magnesite-Talc Altered UM Volcanic; Cracked; Veined mottled med greenish-grey, grey and dark purplish-grey, banded, stringered & cracked veri-textured carb altn zone increasingly showig carb strs & lenses dev'd downhole with minor exsolved qtz; overall veining xcuts foln of 35da at 20-30da and locally 130da; trace minor splashes dull green serp ass'd with cv's;	89.00	92.00	27448	3.00	2.99					
89.00	113.00	grades into: -mz, CRAC Magnesite-Talc Altered UM Volcanic 35°; Cracked dirty med grey to slightly greenish-grey, mg massive to faintly banded, foliated / thickly laminated talcose carb altn zone oriented at 30-40dca, showing minor xcutting irreg network of undulating dk grey healed jt/fracture selvages of diss. spec hem / chl gen. oriented 2-40dca; or 160dca; overall spec hem decreasing downhole with wk. perv. Fe-carb gndmass thro except in diffuse bands of carb / qtz-carb veing/ stringering; Minor exsolved creamy carb (magnesite?) knots & vlt dev'd sub-ptf, shows minor Fe-carb on fractures/parting planes & occ exsolved lams/ styolites of qtz,	92.00	95.00	27449	3.00	3.01					
			95.00	98.00	27450	3.00	1.15					
			98.00	101.00	27451	3.00	2.97					
			101.00	104.00	27452	3.00	2.97					
			104.00	107.00	27453	3.00	2.97					
			107.00	110.00	27454	3.00	2.91					
			110.00	113.00	27455	3.00	2.95					
113.00	152.09	grades at 30-35dca into: -mz, FOL T; BAND Magnesite-Talc Altered UM Volcanic 32.5°; Foliated; Banded med-pale grey, f-mg, thickly laminated, mod to faintly foliated talc-carb altn zone i/c with minor bands of pinkish-grey / greenish grey carb altn; avg foln 30-35dca, minor diss spec hem thds ptf at 30dca & more rarely xcutting at 120dca.. minor carb or qtz-carb strs dev'd ptf at 30dca / xcutting more rarely at 150dca as flats with flats esp showing serp / talc altn as well; 152.09m EOH [Drillers rpt 152m]	113.00	116.00	27456	3.00	2.95					
			116.00	119.00	27457	3.00						
			116.00	119.00	27458 (Dbl)	3.00	3.03					
			116.10	119.00	27459 (Bln)	2.90						
			116.20	119.00	27460 (Std)	2.80						
			119.00	122.00	27461	3.00	2.95					
			122.00	125.00	27462	3.00	2.98					
			125.00	128.00	27463	3.00	2.99					
			128.00	131.00	27464	3.00	2.96					
			131.00	134.00	27465	3.00	2.94					
			134.00	137.00	27466	3.00	2.96					
			137.00	140.00	27467	3.00	2.98					
			140.00	143.00	27468	3.00	2.93					
			143.00	146.00	27469	3.00	2.98					
			146.00	149.00	27470	3.00	2.96					
			149.00	152.00	27471	3.00						
			149.00	152.00	27472 (Dbl)	3.00	2.99					
152.09	DDH end	Number of samples : 51 Number of samples QAQC : 7 Total sampled length : 148.88										

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
3.12	5.00	27416	1.88	2.0	6	2	0	TR	3	2	0	
5.00	8.00	27417	3.00	0.8	6	2	0	TR	4	2	0	
8.00	11.00	27418	3.00	TR	6	3	0	TR	2	2	0	
11.00	14.00	27420	3.00	1.5	6	2	0	TR	2	2	0	
14.00	17.00	27421	3.00	4.5	6	2	0	TR	2	3	0	
17.00	20.00	27422	3.00	TR	6	2	0	TR	2	4	0	
20.00	23.00	27423	3.00	TR	6	2	0	TR	3	4	0	
23.00	26.00	27424	3.00	1.5	6	2	0	TR	4	4	0	
26.00	29.00	27425	3.00	0.8	6	2	0	TR	2	4	0	
29.00	32.00	27426	3.00	0.1	6	2	0	TR	2	4	0	
32.00	35.00	27427	3.00	12.0	6	3	0	1	2	4	0	
35.00	38.00	27428	3.00	6.0	6	2	0	TR	TR	2	0	
38.00	41.00	27429	3.00	7.0	6	3	0	1	2	2	0	
41.00	44.00	27430	3.00	0.0	6	2	0	0	2	2	0	
44.00	47.00	27431	3.00	0.0	6	2	0	1	2	2	0	
47.00	49.70	27432	2.70	0.3	6	2	0	1	2	2	0	
49.70	52.70	27433	3.00	9.0	6	2	0	2	1	3	TR	
52.70	54.50	27434	1.80	20.0	5	2	0	1	2	2	1	
54.50	57.50	27435	3.00	2.0	6	2	0	2	4	2	0	
57.50	60.50	27436	3.00	1.0	6	2	0	2	4	2	0	
60.50	63.50	27437	3.00	0.3	6	2	0	1	2	2	0	
63.50	66.50	27438	3.00	2.0	6	2	0	2	2	1	0	
66.50	69.50	27439	3.00	0.1	6	2	0	2	4	2	0	
69.50	72.50	27440	3.00	0.3	6	2	0	2	2	2	0	
72.50	75.50	27441	3.00	1.5	6	2	0	2	2	2	0	
75.50	78.50	27442	3.00	1.0	6	2	0	2	2	2	0	
78.50	81.50	27444	3.00	6.0	6	2	0	1	2	2	0	
81.50	84.50	27445	3.00	1.0	6	2	0	1	3	1	1	
84.50	87.50	27446	3.00	4.0	6	2	0	1	1	TR	0	
87.50	89.00	27447	1.50	20.0	6	2	0	1	1	1	0	
89.00	92.00	27448	3.00	0.3	6	2	0	TR	2	1	0	
92.00	95.00	27449	3.00	1.5	6	2	0	TR	2	TR	0	
95.00	98.00	27450	3.00	TR	6	2	0	TR	2	2	0	
98.00	101.00	27451	3.00	0.3	6	2	0	2	2	TR	0	
101.00	104.00	27452	3.00	0.5	6	2	0	TR	2	TR	TR	
104.00	107.00	27453	3.00	1.5	6	2	0	2	2	1	0	
107.00	110.00	27454	3.00	TR	6	2	0	2	2	1	0	
110.00	113.00	27455	3.00	1.0	6	2	0	1	1	1	0	
113.00	116.00	27456	3.00	TR	6	2	0	TR	1	1	TR	
116.00	119.00	27457	3.00	TR	6	2	0	1	1	1	1	
119.00	122.00	27461	3.00	0.5	6	2	0	2	2	1	0	
122.00	125.00	27462	3.00	TR	6	2	0	2	1	TR	0	
125.00	128.00	27463	3.00	2.0	6	2	0	2	2	1	0	
128.00	131.00	27464	3.00	0.3	6	2	0	1	2	1	0	
131.00	134.00	27465	3.00	1.5	6	2	0	1	2	2	0	
134.00	137.00	27466	3.00	0.8	6	2	0	2	1	1	TR	
137.00	140.00	27467	3.00	TR	6	2	0	2	2	2	0	
140.00	143.00	27468	3.00	0.3	6	2	0	2	2	2	0	
143.00	146.00	27469	3.00	0.5	6	2	0	2	2	2	0	
146.00	149.00	27470	3.00	1.0	6	2	0	2	2	2	0	

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
149.00	152.00	27471	3.00	0.3	6	3	0	2	2	2	1	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
3.00	4.00	1.00	100	100	5					
4.00	5.00	1.00	100	92	5					
5.00	8.00	3.00	100	97.67	11					
8.00	11.00	3.00	100	95.33	11					
11.00	14.00	3.00	100	97	15					
14.00	17.00	3.00	100	96	20					
17.00	20.00	3.00	100	96	12					
20.00	23.00	3.00	100	98.67	12					
23.00	26.00	3.00	100	97.33	11					
26.00	29.00	3.00	100	100	7					
29.00	32.00	3.00	100	100	9					
32.00	35.00	3.00	100	97.33	17					
35.00	38.00	3.00	100	96.33	10					
38.00	41.00	3.00	100	93	13					
41.00	44.00	3.00	100	97.33	15					
44.00	47.00	3.00	100	98.67	9					
47.00	50.00	3.00	100	100	7					
50.00	53.00	3.00	100	100	7					
53.00	56.00	3.00	100	97	14					
56.00	59.00	3.00	100	100	8					
59.00	62.00	3.00	100	98	9					
62.00	65.00	3.00	100	100	7					
65.00	68.00	3.00	100	100	9					
68.00	71.00	3.00	100	100	9					
71.00	74.00	3.00	100	98.67	10					
74.00	77.00	3.00	100	100	7					
77.00	80.00	3.00	100	95	8					
80.00	83.00	3.00	100	96.67	6					
83.00	86.00	3.00	100	98.33	7					
86.00	89.00	3.00	100	100	6					
89.00	92.00	3.00	100	98.67	8					
92.00	95.00	3.00	100	99.33	10					
95.00	98.00	3.00	100	100	11					
98.00	101.00	3.00	100	100	6					
101.00	104.00	3.00	100	100	4					
104.00	107.00	3.00	100	96.67	11					
107.00	110.00	3.00	100	97.33	13					
110.00	113.00	3.00	100	97.33	12					
113.00	116.00	3.00	100	98.33	12					
116.00	119.00	3.00	100	98	7					
119.00	122.00	3.00	100	98.67	11					
122.00	125.00	3.00	100	97.67	11					
125.00	128.00	3.00	100	96.67	10					
128.00	131.00	3.00	100	90	12					
131.00	134.00	3.00	100	100	12					
134.00	137.00	3.00	100	88.33	28					
137.00	140.00	3.00	100	100	6					
140.00	143.00	3.00	100	95.67	13					
143.00	146.00	3.00	100	98.33	11					
146.00	149.00	3.00	100	100	9					

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
149.00	152.09	3.09	100	93.85	10					

Globex Mining Enterprises Inc.

DDH : TM-19	Claims title : 850095 Township : Deloro Range : Lot :	Section : L10+50E Level : Surface Work place :																				
Drilled by : Bradley Bros. Ltd. Described by : R.V. Zalnieriunas P.Geo.		From : 11/16/2008 Description date : 12/4/2008																				
Collar <table border="1" style="margin-left: auto; margin-right: 0; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">Azimuth</th> <th style="width: 20%;">Longitude (East)</th> <th style="width: 20%;">Latitude (North)</th> <th style="width: 20%;">Elevation</th> <th style="width: 20%;">Field Coords: Line(E) - Sta(N)</th> </tr> <tr> <th>176.0°</th> <th>479950.0</th> <th>5358069.0</th> <th>313.0</th> <th>1050.3 88.2 0.0</th> </tr> </thead> <tbody> <tr> <td>-45.0°</td> <td>5358069.0</td> <td>88.2</td> <td>313.0</td> <td>1050.0 88.2 0.0</td> </tr> <tr> <td>121.82 m</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Azimuth	Longitude (East)	Latitude (North)	Elevation	Field Coords: Line(E) - Sta(N)	176.0°	479950.0	5358069.0	313.0	1050.3 88.2 0.0	-45.0°	5358069.0	88.2	313.0	1050.0 88.2 0.0	121.82 m				
Azimuth	Longitude (East)	Latitude (North)	Elevation	Field Coords: Line(E) - Sta(N)																		
176.0°	479950.0	5358069.0	313.0	1050.3 88.2 0.0																		
-45.0°	5358069.0	88.2	313.0	1050.0 88.2 0.0																		
121.82 m																						
Down hole survey <table border="1" style="margin-left: auto; margin-right: 0; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> <th>Azimuth</th> <th>Plunge</th> <th>Invalid</th> </tr> </thead> <tbody> <tr> <td>Reflex EZ-Shot</td> <td>18.60 m</td> <td>181.4°</td> <td>-43.8°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>63.60 m</td> <td>183.5°</td> <td>-43.6°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>117.60 m</td> <td>182.9°</td> <td>-44.0°</td> <td>No</td> </tr> </tbody> </table>			Type	Depth	Azimuth	Plunge	Invalid	Reflex EZ-Shot	18.60 m	181.4°	-43.8°	No	Reflex EZ-Shot	63.60 m	183.5°	-43.6°	No	Reflex EZ-Shot	117.60 m	182.9°	-44.0°	No
Type	Depth	Azimuth	Plunge	Invalid																		
Reflex EZ-Shot	18.60 m	181.4°	-43.8°	No																		
Reflex EZ-Shot	63.60 m	183.5°	-43.6°	No																		
Reflex EZ-Shot	117.60 m	182.9°	-44.0°	No																		
Remarks Drill site located at west edge of main access trail; casing initially making ~8 gpm water - later slowed down to half of that (ie ~4gpm water), - ordered proper plug-style casing cap WITH VALVE be installed once drilling operations cease (used as water supply source later) - rz																						
Core size : NQ core Cemented : No Stored : Yes																						

Globex Mining Enterprises Inc.

DESCRIPTION			ASSAYS										
			From	To	Number	Length	S G (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert.No. (-)
0 00	6 57	-OB Overburden no core recovery, casing pushed into bedrock to 7.0m V7; BAND; CARB											
6.57	21.72	Mafic Volcanic; Banded; Carbonized med green, fg, massive med bedded basaltic flows, i/c with mafic tuffs & breccias variably bleached & carb'd / gossaonously hematized; minor white strs & vlt's of bull white qtz dev'd ptl/pbt or xcutting at 40-70dca; avg bedding ~70dca	10.00 11.00	11.00 14.00	TMSG-22 27473	1.00 3.00	4.42 2.03						
21.72	28.85	below ~11.0m - becoming increasingly sheared carbonitized, schistose & foliated at 60-80dca; grades at 80dca pts into: M1; TLCS Schist 72.5°; Talcose orange-grey & white, f-mg, thinly laminated carb>>chl>>talc schist oriented at 60-80dca; occ green talc-chl bands dev'd pts, mod. spotted Fe-oxide (limonitic) staining & banding perv thro;	22.00	24.00	27474	2.00	3.01						
28.85	34.14	27.2 - 27.5: poker chip, broken friable fault seam ~90dca grades at ~90dca into: V13; CARB; SHRD Ultramafic Volcanic 85°; Carbonized; Sheared med grey, fg, well foliated at 90-80dca, bit bleached, strongly Fe-carb'd shd UMV, section mod. chl's at 32.0-34.014 and shows some narrow bands of <8cm flow top breccias; BC 70dca on sharp chlc reaction rim	32.00	34.14	27475	2.14	2.91						
34.14	44.48	-carb; BAND; BLCH, TLCS Carbonate Zone (undefined) 80°; Banded; Bleached; Talcose pale grey, orange, mottled greenish-grey, med banded & i/c mixed strongly & carb'd & bleached UMV i/c with limonitic/Fe-oxide stained gossanous carb-talc bands and med grey, m-cg gritty massive magnesite carb-talc zones showing weakly ribboned, disseminated spec hem strs & thds dev'd at 70-90dca; minor strs of serp-talc; grades at ~88dca on flamed contact into:	34.14 37.00 40.00 40.00 43.00	37.00 40.00 43.00 44.48	27476 27477 27478 27479	2.86 3.00 3.00 1.48	2.05 2.94 2.94 2.89						
44.48	49.00	V; CARB; BLCH Volcanic; Carbonized; Bleached mottled pale to med grey vfg bleached & carb'd UM? volcanic - bit talcose, mod brecciated, sheared & variable qtz-carb knotted & veined, section overprinted by mod. bands of Fe-oxide staining;	44.48	47.00	27480	2.52	2.85						
45.00	45.30	Pyrite 05% m-fg disseminated pyrite cubes and grains	47.00	50.00	27481	3.00	2.88						
49.00	65.75	V; GOSS; BAND; VND- Volcanic 80°; Gossanous; Banded; Veined green-grey, orange, white & brownish-grey, fg, thickly laminated, moderately sheared, locally thickly laminated at 80-60dca; variably chloritic, bleached & carb'd with overprint of mod to strong Fe-oxides/limonite bands and heavily veined by coarse bull white breccia qtz vein and outboard stringers; locally - esp towards base host unit can be observed to be an UMV; BC 44dca sharp	50.00 53.00 53.00 56.00 56.00 59.00 59.00 62.00 62.00 64.00 64.00 65.75 65.75 68.00 72.80 80.00	53.00 56.00 56.00 59.00 59.00 59.00 62.00 62.00 64.00 64.00 65.75 65.75 68.00 73.80 83.00	27482 27483 27483 27484 27484 27485 27485 27486 27486 27486 27487 27487 27488 27488 27489	3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00 2.00 2.00 1.75 1.75 2.25 2.25 3.00	2.93 2.81 2.81 2.95 2.95 2.35 2.35 2.93 2.93 2.93 2.98 2.98 3.17 3.17 2.76 3.05						
65.75	82.50	I3D; MAGC, MASS Diabase 44°; Magnetic; Massive dk charcoal grey, fg, massive mafic intrusive, mod-wkly magnetic thro,											

Globex Mining Enterprises Inc.

		DESCRIPTION	ASSAYS										
			From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
		margins aphanitic chilled											
82.50	98.10	BC on broken & partly ground core - possibly at 70dca? -sz; MASS; HRNC, REAC Serpentine-Carbonate-Talc Altered UM Volcanic; Massive; Hornfelsic; Reacted mottled dk grey, aphanitic, massive with vague mg carb spotting thro, minor carb thds, occ white carb / qtz sts/vlts, occ irreg green serp str; mod. talcose thro & mod-strong perv. -carb gndmass; BC on alcose broken core reaction rind ~90dca?	91.40	94.40	27490	3.00	3.05						
			94.40	96.00	27491	1.60	2.79						
			96.00	98.10	27492	2.10	2.81						
98.10	99.80	I3D; CHIL. Diabase; Chilled black, fg, massive, mod. magnetic, chilled diabase; Blocky & broken thro BC on minor ground & lost core section	98.10	99.80	27493	1.70	3.19						
99.80	102.56	-sz Serpentine-Carbonate-Talc Altered UM Volcanic green, grey & orange, mod thick banded talcose-serp schists & i/c grey carb schists with occ lim. overprints; banding & foln at 75dca; BC on ground & lost core	99.80	102.56	27494	2.76	2.86						
102.56	106.06	V7, CARB Mafic Volcanic; Carbonitized med green, fg, reXtalized & Fe-carb'd volc; massive grades into: -mz; FOLT	102.56	106.06	27495	3.50	2.84						
106.06	121.82	Magnesite-Talc Altered UM Volcanic 70°; Foliated med grey & occ med-greenish-grey / pink-grey, bit banded, thickly lam'd talc-carb alt'n zone foliated at 70-75dca, shows minor diss spec hem thds dev'd ptf. and rare xcutting white qtz str & thds at 45, 80 and 90-100dca; 121.82m EOH [drillers rpt 122m] logged by R V Zalnierunas P Geo Dec 4, 2008 Larder Lake, ON	106.06	108.00	27496	1.94	2.96						
			108.00	110.00	27497	2.00	2.98						
			110.00	113.00	27498	3.00	2.95						
			113.00	116.00	27499	3.00	2.98						
			116.00	119.00	27500	3.00	2.95						
			119.00	121.82	8001	2.82	3.04						
			119.00	121.82	8002 (Dbl)	2.82							
			119.10	121.82	8003 (Bln)	2.72							
			119.20	121.82	8004 (Std)	2.62							
121.82		DDH end Number of samples : 31 Number of samples QAQC : 3 Total sampled length : 76.42											

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
10.00	11.00	TMSG-22	1.00									
11.00	14.00	27473	3.00	5.0	0	0	0	6	3	6	0	
22.00	24.00	27474	2.00	15.0	0	0	0	4	6	4	0	
32.00	34.14	27475	2.14	1.5	0	TR	0	4	TR	4	0	
34.14	37.00	27476	2.86	0.9	2	TR	0	2	1	TR	0	
37.00	40.00	27477	3.00	1.5	2	TR	0	2	2	TR	0	
40.00	43.00	27478	3.00	0.0	4	TR	0	2	4	1	1	
43.00	44.48	27479	1.48	5.0	3	3	0	2	1	TR	TR	
44.48	47.00	27480	2.52	TR	0	0	0	4	0	1	0	
47.00	50.00	27481	3.00	4.0	0	0	0	1	5	1	0	
50.00	53.00	27482	3.00	5.0	1	0	0	2	3	3	0	
53.00	56.00	27483	3.00	45.0	0	0	0	1	3	1	0	
56.00	59.00	27484	3.00	0.5	0	0	0	2	5	1	0	
59.00	62.00	27485	3.00	0.5	0	2	0	2	TR	4	1	
62.00	64.00	27486	2.00	1.0	0	1	0	2	5	1	TR	
64.00	65.75	27487	1.75	TR	0	2	0	4	1	1	1	
65.75	68.00	27488	2.25	0.0	0	0	0	0	0	0	0	
72.80	73.80	TMSG-23	1.00									
80.00	83.00	27489	3.00	0.0	0	0	0	0	0	0	0	
91.40	94.40	27490	3.00	0.0	0	0	0	0	0	0	0	
94.40	96.00	27491	1.60	10.0	2	4	0	6	4	6	0	
96.00	98.10	27492	2.10	1.5	2	4	0	6	2	4	2	
98.10	99.80	27493	1.70	0.0	0	0	0	0	0	0	0	
99.80	102.56	27494	2.76	0.8	2	4	0	4	TR	3	3	
102.56	106.06	27495	3.50	1.5	0	0	0	4	0	6	0	
106.06	108.00	27496	1.94	6.0	2	2	0	4	2	2	0	
108.00	110.00	27497	2.00	0.8	4	2	0	2	2	2	0	
110.00	113.00	27498	3.00	2.5	6	2	0	2	2	2	0	
113.00	116.00	27499	3.00	1.5	6	2	0	2	1	TR	0	
116.00	119.00	27500	3.00	1.1	6	2	0	TR	2	2	0	
119.00	121.82	8001	2.82	0.8	6	2	0	TR	2	2	0	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
6.57	7.00	0.43	100	76.74	5					
7.00	8.00	1.00	100	62	17					
8.00	11.00	3.00	100	60	50					
11.00	14.00	3.00	100	70.33	30					
14.00	17.00	3.00	100	76.67	26					
17.00	20.00	3.00	100	82.67	18					
20.00	23.00	3.00	100	86	23					
23.00	26.00	3.00	100	60	40					
26.00	29.00	3.00	100	71.67	50					
29.00	32.00	3.00	100	63.33	29					
32.00	35.00	3.00	100	74	30					
35.00	38.00	3.00	100	76.67	26					
38.00	41.00	3.00	100	96	24					
41.00	44.00	3.00	100	88.67	26					
44.00	47.00	3.00	100	78	33					
47.00	50.00	3.00	100	75.67	30					
50.00	53.00	3.00	100	80	30					
53.00	56.00	3.00	100	85.67	26					
56.00	59.00	3.00	100	88	24					
59.00	62.00	3.00	100	87	22					
62.00	65.00	3.00	100	93	21					
65.00	68.00	3.00	100	83.33	26					
68.00	71.00	3.00	100	95	13					
71.00	74.00	3.00	100	88.33	27					
74.00	77.00	3.00	100	88.33	27					
77.00	80.00	3.00	100	96	16					
80.00	83.00	3.00	100	93.33	21					
83.00	86.00	3.00	100	89.33	26					
86.00	89.00	3.00	100	88.33	25					
89.00	92.00	3.00	100	76.67	30					
92.00	95.00	3.00	100	50	30					
95.00	98.00	3.00	100	92.67	10					
98.00	101.00	3.00	100	53.33	40					
101.00	104.00	3.00	100	63.33	30					
104.00	107.00	3.00	100	81.67	24					
107.00	110.00	3.00	100	94.33	23					
110.00	113.00	3.00	100	94.67	15					
113.00	116.00	3.00	100	97.33	15					
116.00	119.00	3.00	100	100	12					
119.00	121.82	2.82	100	102.84	15					

Globex Mining Enterprises Inc.

DDH : TM-20	Claims title : 850090 Township : Deloro Range : Lot :	Section : L10+50E Level : Surface Work place :																									
Drilled by : Bradley Bros. Ltd. Described by : R.V. Zalnieriunas P.Geo.		From : 11/18/2008 Description date : 12/5/2008																									
Collar Azimuth : 180.0° Plunge : -45.0° Length : 140.00 m		Longitude (East) NAD83 1998 Surface Grid Field Coords: Line(E) - Sta (N) Latitude (North) Elevation																									
Down hole survey		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> <th>Azimuth</th> <th>Plunge</th> <th>Invalid</th> </tr> </thead> <tbody> <tr> <td>Reflex EZ-Shot</td> <td>30.60 m</td> <td>179.5°</td> <td>-43.7°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>81.60 m</td> <td>177.2°</td> <td>-42.6°</td> <td>Yes</td> </tr> <tr> <td>Reflex dip only</td> <td>81.61 m</td> <td></td> <td>-42.6°</td> <td>No</td> </tr> <tr> <td>Reflex EZ-Shot</td> <td>135.60 m</td> <td>181.1°</td> <td>-42.1°</td> <td>No</td> </tr> </tbody> </table>	Type	Depth	Azimuth	Plunge	Invalid	Reflex EZ-Shot	30.60 m	179.5°	-43.7°	No	Reflex EZ-Shot	81.60 m	177.2°	-42.6°	Yes	Reflex dip only	81.61 m		-42.6°	No	Reflex EZ-Shot	135.60 m	181.1°	-42.1°	No
Type	Depth	Azimuth	Plunge	Invalid																							
Reflex EZ-Shot	30.60 m	179.5°	-43.7°	No																							
Reflex EZ-Shot	81.60 m	177.2°	-42.6°	Yes																							
Reflex dip only	81.61 m		-42.6°	No																							
Reflex EZ-Shot	135.60 m	181.1°	-42.1°	No																							
Remarks Drill site ~ 3m west of main access trail; casing making water capped with proper plug-style cap																											
Core size : NQ core		Cemented : No																									
Stored : Yes																											

Globex Mining Enterprises Inc.

Depth	Lithology	Description	ASSAYS										
			From	To	Number	Length	S.G (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
0.00	15.88	-OB Overburden no core recovery, casing pushed into bedrock to 15.97m											
15.88	21.20	V7; CARB; STRD Mafic Volcanic; Carbonitized; Stringered med green-grey and orange-grey lim. stain banded, fg, massive MVO, fractured & sealed by ~10-15% irregular white bull qtz strkers thro; mod-strong Fe-carb perv gndmass; moderately blocky & broken core, minor talcose slips dev'd on parting planes, becoming increasingly sheared at 85dca downhole; grades at 85dca pts into -ft, ILCS											
21.20	25.80	Fault 80°; Talcose med olive green thinly lam'd, well sheared talcose mud gouge & "poker-chip" mafic rock slivers oriented at 70-85dca with rare qtz str's dev'd pts; mod-strong perv. Fe-carb gndmass; VERY BLOCKY & BROKEN, but good core recovery, section grades at 80dca pts into:											
25.80	41.10	M1c; ILCS Chlorite Schist 77°; Talcose med green, m-cg, thinly laminated, well sheared chl-carb schist showing strong perv. Fe-carb gndmass and occ minor bands of i/c talcose fault gouge; NSM; BC at 85dca pts on minor aphanitic chl reaction rim;	26.00	29.00	8006	3.00	2.82						
			32.00	33.00	TMSG-24	1.00	2.15						
34.69	34.78	-ft Fault 85° talcose gougy mud seam											
39.73	39.88	-ft Fault 85° dark brown, Fe-oxide stained fault gouge											
41.10	50.50	V13; V7; INTC Ultramafic Volcanic; Mafic Volcanic; Intercalated pale-med grey, highly bleached & carb'd wkly talcose UMV's gen showing well dev'd white qtz-carb str's, Vnlts & veins as stockwork, med-thin bedded, i/c with med beds of green, fg, carb'd chlc basaltic flows breccia tops and occ mafic tuffs/hyalotuffs; overall banding, bedding & foliation at 70 dca (65-80dca); occ, scourz show conflicting rapid reversals, indicating section is probably very tightly isoclinal folded;; grades into:											
41.10	45.04	V13; VND- Ultramafic Volcanic; Veined pale grey, wkly chl banded, 25-35% qtz veining in upper half of section, foliated 75dca, strong perv Fe-carb altm, bleached - looks like magnesite zone in part, grades into	43.00	44.00	TMSG-25	1.00	3.55						
45.04	47.98	V7 Mafic Volcanic dk green, fg, massive, wkly shd, very strong fe-carb gndmass; BC sharp at 70dca											
47.98	48.40	V13 Ultramafic Volcanic pale-med grey, m-cg, carb'd & alt'd UMV; BC vague, grades into											

Globex Mining Enterprises Inc.

DESCRIPTION			ASSAYS									
			From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)
48.40	49.70	V7 Mafic Volcanic med green, sheared, tuffaceous, grades at 70dca into										
49.70	50.50	V13 Ultramafic Volcanic pale grey, fg, massive flow, grades into										
50.50	59.60	V7; CARB Mafic Volcanic; Carbonitized med green, fg, massive, wky foliated at 75-80dca; rare xcutting & occ folded white bull qtz strts; grades at 72dca into										
59.60	72.22	M1c; GRAD Chlorite Schist 72°; Graded (similar to 25.8 - 41.1) med green, wky talcose on parting planes, mod sheared & foliated at 70-90dca; grades from eg chl-carb schist to vfg chl schist down hole; grades at 75dca into:	61.05	61.85	TMSG-26	0.80	3.00					
		-carb; GRAD	67.00	70.00	8007	3.00	2.86					
		Carbonate Zone (undefined) 72°; Graded pale grey to brownish-grey, massive vfg carb zone and minor chilled bands if injected aphanitic diabase, grading downhole to med/pale grey carb'd UMV; BC on flamed & bx'd band at 72dca	70.00	72.22	8008	2.22	2.91					
72.22	85.55	I3D; CHIL Diabase 65°; Chilled black, aphanitic to vfg intrusive, top contact mod bleached & reacted; BC sharp & rotated	72.22	74.00	8009	1.78	3.02					
			74.00	76.00	8010	2.00	2.98					
			76.00	77.50	8011	1.50	3.14					
			77.50	79.50	8012	2.00	2.99					
77.76	78.10	I3D; CHIL Diabase 66°; Chilled black, vfg, massive, contacts reacted & shows lams of serpentine / 1-2mm; BC ~66										
79.10	79.25	I3D; CHIL Diabase 66°; Chilled black, vfg, massive, contacts reacted & shows lams of serpentine / 1-2mm; BC ~66	79.50	81.50	8013	2.00	3.00					
			81.50	84.00	8014	2.50	2.89					
			84.00	85.55	8015	1.55	2.89					
85.55	92.29	V7, CARB Mafic Volcanic 70°; Carbonitized med green, fg, strong perv Fe-carb gndmass; mod sheared & foliated at 72-605dca; BC 75dca on 1cm qstr	85.55	88.55	8016	3.00	2.90					
			88.55	90.50	8017	1.95	2.99					
			90.50	92.29	8018	1.79	2.92					
92.29	99.03	V13; SHRD Ultramafic Volcanic; Sheared dk grey, mottled, very talcose, strongly fe-carb'd UMV, thinly banded/ bedded , thickly lam'd & foliated at 75dca; {could almost be described as a talo-chl schist with minor carb strts & thds}; grades at 75dca pts into:	92.29	95.00	8019	2.71	2.92					
			95.00	97.00	8020	2.00	2.94					
			97.00	99.00	8021	2.00	2.95					
			99.00	100.40	8022	1.40	2.92					
99.03	106.00	-carb; BAND Carbonate Zone (undefined) 75°; Banded dirty mottled grey & orange-grey, eg, med-thinly banded, mod foliated at 75dca alternating Fe-carb & dol / magnesite altn zone, shows c-mg spec hem. diss thro as well as weak diffuse bands & zits of Fe-oxides / limonite dev'd thro;	100.40	103.50	8023	3.10	2.91					
			103.50	106.50	8024	3.00	2.90					
106.00	110.46	BC on contorted & irreg carb str vein zone; grades into: -carb Carbonate Zone (undefined) pale grey, leucocratic, vfg massive carb altn zone, (bleached "Alaskite-looking"), shows a few fg specks diss spec. hem , minor xcutting bull qtz strts,	106.50	108.50	8025	2.00						
			106.50	108.50	8030 (Dbl)	2.00	3.15					
			108.50	110.46	8026	1.96	2.95					

Globex Mining Enterprises Inc.

DESCRIPTION			ASSAYS										
			From	To	Number	Length	S.G (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
110.46	114.41	BC sharp at 70dca on reaction roll front -carb; HRNC; BAND Carbonate Zone (undefined); Hornfelsic; Banded dark and med grey, blotchy & mod banded hybridized & diffuse black chl altd? carbonate contact zone; banding 65 & 90dca; BC on broken core	110.46	111.86	8027	1.40	2.89						
			111.86	114.41	8028	2.55	2.88						
114.41	140.00	I3D; MASS Diabase; Massive dark charcoal grey, fg. mod magnetic diabase intrusive, top contact mod chilled aphanitic; 140.0m EOH [Drillers Rpt 140m] logged by R.V. Zalmerunas P Geo. Dec. 5, 2008 Larder Lake, ON	114.41	117.00	8029	2.59	2.97						
			137.88	138.24	TMSG-27	0.36	3.12						
140.00	DDH end	Number of samples : 28 Number of samples QAQC : 1 Total sampled length : 56.16											

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
26.00	29.00	8006	3.00	TR	0	TR	0	6	0	4	0	
32.00	33.00	TMSG-24	1.00									
43.00	44.00	TMSG-25	1.00									
61.05	61.85	TMSG-26	0.80									
67.00	70.00	8007	3.00	1.5	0	TR	0	6	0	4	0	
70.00	72.22	8008	2.22	0.5	0	TR	0	6	0	4	0	
72.22	74.00	8009	1.78	20.0	2	2	0	6	0	TR	0	
74.00	76.00	8010	2.00	12.0	2	2	0	4	TR	TR	0	
76.00	77.50	8011	1.50	5.0	2	2	0	4	TR	TR	TR	
77.50	79.50	8012	2.00	1.5	1	1	0	3	TR	TR	TR	
79.50	81.50	8013	2.00	1.5	4	2	0	6	TR	0	0	
81.50	84.00	8014	2.50	8.0	2	2	0	4	2	TR	0	
84.00	85.55	8015	1.55	5.0	4	2	0	6	4	TR	0	
85.55	88.55	8016	3.00	5.0	0	TR	0	4	0	6	TR	
88.55	90.50	8017	1.95	4.0	0	TR	0	4	0	6	0	
90.50	92.29	8018	1.79	1.5	0	TR	0	4	0	6	0	
92.29	95.00	8019	2.71	17.0	TR	4	0	4	2	4	1	
95.00	97.00	8020	2.00	9.0	TR	4	0	4	4	4	2	
97.00	99.00	8021	2.00	4.0	TR	4	0	4	4	2	TR	
99.00	100.40	8022	1.40	TR	0	1	0	3	1	5	TR	
100.40	103.50	8023	3.10	TR	2	2	0	2	4	2	0	
103.50	106.50	8024	3.00	0.0	1	2	0	2	2	1	TR	
106.50	108.50	8025	2.00	1.5	4	2	0	2	2	TR	0	
108.50	110.46	8026	1.96	4.0	4	2	0	3	2	3	0	
110.46	111.86	8027	1.40	5.0	2	2	0	3	1	5	0	
111.86	114.41	8028	2.55	2.5	1	1	0	1	1	5	TR	
114.41	117.00	8029	2.59	TR	0	0	0	0	0	0	0	
137.88	138.24	TMSG-27	0.36									

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
15.90	16.00	0.10	100	100						
16.00	17.00	1.00	100	93	7					
17.00	20.00	3.00	100	44.33	35					
20.00	23.00	3.00	100	21	100					
23.00	26.00	3.00	100	18	100					
26.00	29.00	3.00	100	76.67	25					
29.00	32.00	3.00	100	60	30					
32.00	35.00	3.00	100	71	30					
35.00	38.00	3.00	100	53.67	28					
38.00	41.00	3.00	100	26.67	100					
41.00	44.00	3.00	100	54.67	30					
44.00	47.00	3.00	100	73.67	27					
47.00	50.00	3.00	100	96.67	16					
50.00	53.00	3.00	100	92.67	24					
53.00	56.00	3.00	100	96	14					
56.00	59.00	3.00	100	91.67	27					
59.00	62.00	3.00	100	96	21					
62.00	65.00	3.00	100	94.67	17					
65.00	68.00	3.00	100	99	15					
68.00	71.00	3.00	100	88.67	23					
71.00	74.00	3.00	100	88.33	28					
74.00	77.00	3.00	100	88.33	21					
77.00	80.00	3.00	100	96.67	20					
80.00	83.00	3.00	100	94	21					
83.00	86.00	3.00	100	100	14					
86.00	89.00	3.00	100	95	20					
89.00	92.00	3.00	100	91.67	22					
92.00	95.00	3.00	100	95.67	19					
95.00	98.00	3.00	100	95	23					
98.00	101.00	3.00	100	89	26					
101.00	104.00	3.00	100	92	19					
104.00	107.00	3.00	100	66.67	44					
107.00	110.00	3.00	100	98.67	9					
110.00	113.00	3.00	100	63.33	40					
113.00	116.00	3.00	100	47	50					
116.00	119.00	3.00	100	76.67	25					
119.00	122.00	3.00	100	85	28					
122.00	125.00	3.00	100	95.67	11					
125.00	128.00	3.00	100	94.67	8					
128.00	131.00	3.00	100	96.67	16					
131.00	134.00	3.00	100	100	5					
134.00	137.00	3.00	100	93.33	16					
137.00	140.00	3.00	100	91.67	14					

Globex Mining Enterprises Inc.

DDH : TM-21

Claims title : 850090
 Township : Deloro
 Range :
 Lot :

Section : L10+50E
 Level : Surface
 Work place :

Drilled by : Bradley Bros. Ltd.
 Described by : R.V. Zalnieriunas P.Geo.

From : 11/19/2008
 Description date : 12/10/2008
 To : 11/20/2008

Collar

Azimuth : 180.0°
 Plunge : -45.0°
 Length : 199.81 m

Longitude (East)
 Latitude (North)
 Elevation

NAD83	1998 Surface Grid	Field Coords: Line(E) - Sta (N)
479950.0	1050.6	1049.5
5358180.0	199.2	199.4
313.0	313.0	0.0

Down hole survey

Type	Depth	Azimuth	Plunge	Invalid
Reflex EZ-Shot	15.60 m	180 1°	-47.6°	No
Reflex EZ-Shot	66.60 m	181 4°	-46.9°	No
Reflex EZ-Shot	117.60 m	182.9°	-45.0°	No
Reflex EZ-Shot	168.60 m	184.4°	-43.3°	No
Reflex dip only	195.60 m		-43.5°	No

Remarks

Drill site ~3m west of main access trail, casing capped;

November 21, 2008 began demobbing from site;

All core moved to Larder Lake for logging and sampling. Planned long term storage of core and sample rejects/pulps will be Globex off-site cold storage facility in Rouyn-Noranda, QC - rz

Core size : NQ core

Cemented : No

Stored : Yes

Project : Globex

Globex Mining Enterprises Inc.

1/11/2009

Globex Mining Enterprises Inc.

DESCRIPTION			ASSAYS										
			From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert. No. (-)
0.00	7.33	-OB Overburden no core recovery											
7.33	11.12	-sz Serpentine-Carbonate-Talc Altered UM Volcanic med grey & orange, cg, massive carb altn zone shows mod mg spec hem spotting thro as magnetite psuedomorphs, mod. Fe-oxide / limonite banding, mod. perv Fe-carb gndmass, mod. bl,ockly & broken BC sharp at 25dca	7.33 9.00	9.00 11.12	8031 8032	1.67 2.12	2.88 2.93						
11.12	11.14	-flt Fault 25° med green talcose gouge	11.12	12.59	8033	1.47	3.08						
11.14	12.59	M1c; CARB, TLCS Chlorite Schist; Carbonitized; Talcose grey & orange, cg lim spotted carb-serp? altn (as above) grading downhole into bleached banded & mottled streaky grey & dk grey black chl-talc schist, cg & massive. BC 52dca sharp											
12.59	12.63	-flt Fault med-pale green talcose gouge & rock powder section all broken & friable, BC ~50dca?	12.59	14.51	8034	1.92	2.94						
12.63	12.85	-qv Quartz Vein 50° white, bull qv, ribboned parallel to contacts (ptc) grades pif into.											
12.85	13.20	-sz Serpentine-Carbonate-Talc Altered UM Volcanic mottled grey & orange, cg, massive carb altn zone, grades into:											
13.20	14.51	M1c; BAND Talc-Chlorite Schist 50°; Banded black & pale grey, fg, wkly carb str'd talcose - black chl shist banded & schistose at 45 - 70dca. grades at 55dca into:											
14.51	19.90	-sz; FLTd, BLKY Serpentine-Carbonate-Talc Altered UM Volcanic 55°; Faulted; Blocky orange-grey and greenish-grey, m-cg, strongly reXtalized spec. hem spotted, limonite banded to spotted zone i/c with minor sections & seams of gritty fault gouge & talcose mud seams thro at 90 - 75dca; very Blocky & broken core, soft & rubbly; grades on vague altn front into: M1i	14.51 17.00	17.00 20.00	8035 8036	2.49 3.00	2.99 2.73						
19.90	21.17	Talc Schist med greenish-grey, aphanitic-vfg, massive talc altn zone - possibly an ultramafic sediment? / tuff, BC ~90dca on broken core	20.00	23.00	8037	3.00	2.80						
21.17	22.60	-sz Serpentine-Carbonate-Talc Altered UM Volcanic (similar to 12.85 - 13.20m) minor 6cm band of talc schist / talcose UMV (as above) located at 22.0m, followed by a 5cm bull qv; section grades into:	23.00	26.00	8038	3.00	2.90						
22.60	24.05	M1i											

Globex Mining Enterprises Inc.

			DESCRIPTION	ASSAYS										
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
24.05	28.75		Talc Schist (as 19.90 - 21.17m) vg, massive altered UMV grades at 90dca into: M1ic	26.00	29.00	8039	3.00	2.94						
28.75	32.00		Talc-Chlorite Schist dk green-grey & white, mod qtz-carc str'd & carb thdd, black-chl thickly laminated, mod. contorted TCS, schty at 60dca; grades at 60dca pts into: -sz; FLTD, BLKY	29.00	32.00	8040	3.00	3.14						
32.00	47.00		Serpentine-Carbonate-Talc Altered UM Volcanic 60°; Faulted; Blocky (similar to 14.51 - 19.90m) limonitic / Fe-oxide stained; i/c 2 to 6cm gritty fault gouge / fault talcose mud seams thro; sections very soft & broken thro; faults may in part be xcutting; grades into: -sz; RIBD	32.00	35.00	8041	3.00	2.95						
				35.00	38.00	8042	3.00	2.98						
				38.00	41.00	8043	3.00							
				38.00	41.00	8044 (Dbl)	3.00	2.96						
				41.00	44.00	8045	3.00	2.93						
				44.00	47.00	8046	3.00	2.97						
				47.00	50.00	8047	3.00	2.91						
				50.00	53.00	8048	3.00	2.97						
				53.00	56.00	8049	3.00	2.91						
47.00	56.00		-sz, M1ic Serpentine-Carbonate-Talc Altered UM Volcanic; Talc-Chlorite Schist orangy-grey, m-cg, well foliated to sheared, thickly lam'd carb altn zone foliated at 35-45dca and intercalated / interbanded with minor 3 to 12cm slivers/ bands of dark greenish-greyb TCS oriented subptf at 35dca, contacts at times vague & flamed if slightly xcutting. grades at 35dca into: -sz; FLTD	56.00	59.00	8050	3.00	2.95						
56.00	62.02		Serpentine-Carbonate-Talc Altered UM Volcanic 35°; Faulted pale orange-grey, fg-mg, well foliated and banded at 45-60dca, i/c with occ +4cm gritty fault seams at 57.17, 57.44, 58.07-58.30 and 60.30m, Fe-oxide / limonite stained wkly thro, 60.0 - 60.2: minor green talc-chl schist band at ~47dca 61.91 - 62.02: green TCL band (as above) at 51dca,	59.00	62.00	8051	3.00	2.89						
				62.00	65.00	8052	3.00	2.87						
62.02	65.00		grades into: -sz; M1icSS Serpentine-Carbonate-Talc Altered UM Volcanic 55°; Talc-Chlorite Schist (as 47.0 - 56.0m) gen well foliated /banded at 65dca talc chl schist (TCS) bands at follows: 62.66-63.0: broad diffuse chl altn overprint pts 63.30 - 63.34: TCS str at 54dca sub-pts 63.77 - 64.0: vague diffuse 5cm TCS strs with reacted walls oriented at 25dca;											

Globex Mining Enterprises Inc.

DESCRIPTION				ASSAYS										
				From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
65.00	72.83	section grades at 65dca pts into -sz; RIBD Serpentine-Carbonate-Talc Altered UM Volcanic 65°; Ribbed (similar to 32.0 - 47.0m) shows well dev'd mg diss spec hem grains as pseudomorphs after magnetite thro, well foliated at 60dca thro, BC on broken core		65.00	68.00	8053	3.00	2.90						
				68.00	70.50	8054	2.50	2.95						
				70.50	72.83	8055	2.33	2.98						
72.83	72.87	-ft Fault pale green talcose mud seam		72.83	76.00	8056	3.17	2.89						
72.87	81.00	-sz; M1ic; BAND Serpentine-Carbonate-Talc Altered UM Volcanic; Talc-Chlorite Schist; Banded transition zone: serp-carb zone (as above) increasingly banded & j/c with dk greenish-grey TCS; schty at 56dca but highly contorted & irreg. grades at 55dca into:		76.00	79.00	8057	3.00	2.90						
				79.00	82.00	8058	3.00	2.95						
81.00	84.20	M1ic; CARB Talc-Chlorite Schist; Carbonitized med grey, f&mg contorted mod sheared mod carb threaded & stringered TCS with bleached bands of vague stronger carb alt'n overprinting subpts thro, foln's 35-45dca steepening to 65dca downhole;		82.00	84.20	8059	2.20	2.87						
84.20	94.00	BC at 145dca as xcutting altn front to local schty of 56dca -tz Talc-Carbonate+/-Chlorite Altered UM Volcanic med grey, m-fg, wky banded, bit contorted and locally massive looking, foliated at 65dca; mod carb str'd ptf and xcutting with splashes of serp. noted at cstr walls; mod. f&mg diss spec hem after magnetite thro; wk-mod perv. Fe-carb gndmass; grades into		84.20	86.00	8060	1.80	2.97						
				86.00	88.00	8061	2.00	3.01						
				88.00	91.00	8062	3.00	2.96						
				91.00	94.00	8063	3.00	2.95						
94.00	96.50	-mz Magnesite-Talc Altered UM Volcanic med grey, mod banded fg massive carb zone & foliated carb (as above); no sig. Fe-carb gndmass noted; grades into:		94.00	96.50	8064	2.50	2.96						
96.50	101.00	-tz Talc-Carbonate+/-Chlorite Altered UM Volcanic 70° (as 84.20 - 94.00m) only minor estrs dev'd ptf; foln/schty at 70dca thro; grades into:		96.50	99.00	8065	2.50	2.95						
				99.00	101.00	8066	2.00	2.95						
101.00	125.00	-mz; FOLT; FLTD Magnesite-Talc Altered UM Volcanic; Foliated; Faulted pale grey, mg, massive to mod. foliated, strongly reXtalized UM, shows variable f-mg spec hem diss spotting thro, wk perv Fe-carb gndmass, no magnetic response and numerous seams /or bands of v pale grey talcose fault muds / gouge dev'd throughout section as follows: 101.66 - 101.71: fault gouge at 68dca pts 101.71 - 101.9: broken & blocky core, mod fault thds on parting planes		101.00	104.00	8067	3.00	2.96						
				104.00	107.00	8068	3.00	2.96						
				107.00	110.00	8069	3.00	2.99						
				110.00	113.00	8070	3.00	2.96						
				113.00	116.00	8071	3.00	2.90						
				116.00	119.00	8072	3.00	2.96						
				119.00	122.00	8073	3.00	2.97						
				122.00	125.00	8074	3.00	2.96						

Globex Mining Enterprises Inc.

DESCRIPTION			ASSAYS										
			From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
108.36 - 108.51: fault mud seam ~80dca													
109.70 - 109.73: xcutting, wkly limonitic fault seam, gritty at 130dca rotated ~30deg clockwise to foln plane of 64dca													
117.14 - 117.80: 75% gritty talcose mud seams +5cm thick, i/c wth wall rock fragments & bands at ~80dca													
120.60 - 121.60: ditto strong +10cm gritty talcose mud seams & lithic fragment bands at 80-70dca & locally 60dca;													
122.70 - 123.80: mod blocky, faulted & fault gouged seam zone at 60dca													
section grades at 75dca into:													
-mz; BAND			125.00	128.00	8075	3.00	2.94						
Magnesite-Talc Altered UM Volcanic 75°; Banded			128.00	131.00	8076	3.00							
med grey, m-cg, spec herm spotted & speckled, wkly banded & foliated/sheared at 75dca carb altn zone			128.00	131.00	8077 (Dbl)	3.00	2.95						
BC on broken core			131.00	134.00	8078	3.00	2.93						
125.00 137.35			134.00	137.00	8079	3.00	2.99						
			137.00	140.00	8080	3.00	2.90						
137.35 137.65	-flt												
Fault													
pale grey, vfg, talcose mud seam													
BC at 58dca													
137.65 141.20	-mz		140.00	141.20	8081	1.20	3.06						
Magnesite-Talc Altered UM Volcanic													
(similar to 125.0 - 137.35)													
becoming more chloritic downhole and coarser grained													
140.0 - 140.09 minor dk greenish-grey talc-chl schist band at 60dca pts;													
section grades / ~20cm into:													
141.20 142.59	M1c; TLCS		141.20	142.59	8082	1.39	2.86						
Chlorite Schist 75°; Talcose													
very dk green-grey, vg. thin lam'd, talcose chl schist & minor pts csts/cths;													
BC irreg & intrusive ~ 45dca													
142.59 143.82	I3D; CHIL		142.59	143.82	8083	1.23	2.98						
Diabase 45°; Chilled													
black, aphanitic, highly chilled magnetic intrusive,													
BC 70dca sharp													
143.82 173.00	V13, CHLC, TLCS, CARB		143.82	147.00	8084	3.18	2.90						
Ultramafic Volcanic 70°; Chloritic; Talcose; Carbonized			159.20	160.75	TMSG 28	1.55	2.82						
dark green, fg, mod sheared, thin lamed but massive looking UMV-MVO show coarse bands of variable mod-strong WAD ("white altn spots - dolomite") and mod-strong perv. Fe-carb gndmass,			162.00	163.00	8085	1.00	2.96						
schty/foln flexuring 70-90dca (avg 80dca) thro;													
grades at 70dca pts into:													
173.00 177.46	V13, M1c70; ALTD; HRNC		173.00	176.00	8086	3.00	2.83						
Ultramafic Volcanic 70°; Chlorite Schist; Altered; Hornfelsic			176.00	177.46	8087	1.46	2.95						
med grey and blotchy black, vfg talcose black chl carbonitized schist / altered UMV showing 25-50% fg to cg irregular patches / spotting of black chl overprint;													
strong perv. Fe-carb gndmass thro, trace minor irreg white cc thds dev'd in last meter,													
wkly foliated / banded at 60dca,													

Globex Mining Enterprises Inc.

DESCRIPTION			ASSAYS										
			From	To	Number	Length	S.G. (-)	Au (ppb)	Au chk (ppb)	Au_FA (g/t)	Ni (ppm)	Ni chk (ppm)	Cert No. (-)
177.46	199.81	BC sharp, flamed & intrusive at 60dca - shows minor white carb (calcite) reaction band I3D; MASS; MAGC Diabase 60°; Massive; Magnetic dk charcoal grey, fg, massive diabase intrusive, magnetic thro, trace qtz-carb (cc)-chl-epid thds xcutting thro; upper contact chilled glassy black / 15cm and shows minor calcite threads dev'd / first meter; 199.81m EOII [Drillers rpt 200] logged by R.V. Zalnierunas P.Geo. December 10, 2008 Larder Lake, ON	177.46	179.00	8088	1.54	3.01						
			197.00	199.00	8089	2.00							
			197.00	199.00	8090 (Dbl)	2.00							
			197.10	199.00	8091 (Bln)	1.90							
			197.20	199.00	8092 (Std)	1.80	3.20						
199.81		DDH end Number of samples : 58 Number of samples QAQC : 5 Total sampled length : 150.22											

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
7.33	9.00	8031	1.67	2.0	2	4	0	2	2	2	4	
9.00	11.12	8032	2.12	TR	2	5	0	2	4	2	TR	
11.12	12.59	8033	1.47	0.5	0	4	0	4	4	6	0	
12.59	14.51	8034	1.92	11.0	0	6	0	4	4	6	0	
14.51	17.00	8035	2.49	TR	2	2	0	4	2	2	4	
17.00	20.00	8036	3.00	0.9	2	2	0	4	2	2	4	
20.00	23.00	8037	3.00	TR	1	2	0	3	3	3	TR	
23.00	26.00	8038	3.00	1.0	0	2	0	2	0	6	1	
26.00	29.00	8039	3.00	8.0	2	2	0	4	4	2	2	
29.00	32.00	8040	3.00	TR	2	2	0	3	4	2	1	
32.00	35.00	8041	3.00	0.3	2	2	0	4	4	2	TR	
35.00	38.00	8042	3.00	TR	2	2	0	4	4	2	0	
38.00	41.00	8043	3.00	5.0	2	2	0	4	4	4	1	
41.00	44.00	8045	3.00	3.0	2	2	0	4	4	4	2	
44.00	47.00	8046	3.00	0.3	2	2	0	4	4	2	TR	
47.00	50.00	8047	3.00	1.5	1	3	0	4	4	3	1	
50.00	53.00	8048	3.00	6.0	2	2	0	4	4	2	2	
53.00	56.00	8049	3.00	1.5	1	3	0	4	4	3	2	
56.00	59.00	8050	3.00	2.5	2	2	0	6	4	TR	TR	
59.00	62.00	8051	3.00	4.0	2	2	0	4	4	3	TR	
62.00	65.00	8052	3.00	2.0	2	2	0	4	4	3	TR	
65.00	68.00	8053	3.00	1.5	2	2	0	4	4	TR	TR	
68.00	70.50	8054	2.50	1.5	2	2	0	4	4	TR	TR	
70.50	72.83	8055	2.33	1.5	2	2	0	4	4	1	TR	
72.83	76.00	8056	3.17	6.0	2	2	0	4	4	3	TR	
76.00	79.00	8057	3.00	2.0	1	2	0	4	1	5	2	
79.00	82.00	8058	3.00	5.0	1	4	0	4	2	4	1	
82.00	84.20	8059	2.20	4.0	TR	4	0	4	4	4	TR	
84.20	86.00	8060	1.80	10.0	2	2	0	4	4	3	1	
86.00	88.00	8061	2.00	5.0	2	2	0	4	4	1	1	
88.00	91.00	8062	3.00	20.0	2	2	0	4	4	2	1	
91.00	94.00	8063	3.00	5.0	2	2	0	4	4	2	1	
94.00	96.50	8064	2.50	1.0	6	2	0	2	2	2	0	
96.50	99.00	8065	2.50	3.0	4	2	0	2	2	2	TR	
99.00	101.00	8066	2.00	4.0	4	4	0	2	4	4	1	
101.00	104.00	8067	3.00	2.0	4	2	0	2	4	TR	TR	
104.00	107.00	8068	3.00	0.5	4	2	0	2	4	TR	TR	
107.00	110.00	8069	3.00	1.1	4	2	0	2	4	TR	TR	
110.00	113.00	8070	3.00	2.0	4	2	0	4	1	1	TR	
113.00	116.00	8071	3.00	4.5	4	2	0	4	4	3	TR	
116.00	119.00	8072	3.00	4.0	4	2	0	4	4	1	TR	
119.00	122.00	8073	3.00	2.5	4	4	0	4	3	3	TR	
122.00	125.00	8074	3.00	4.0	2	2	0	4	3	4	TR	
125.00	128.00	8075	3.00	5.0	2	2	0	2	4	2	1	
128.00	131.00	8076	3.00	1.5	4	2	0	2	4	2	0	
131.00	134.00	8078	3.00	2.0	2	4	0	2	4	2	0	
134.00	137.00	8079	3.00	3.0	2	4	0	2	4	3	0	
137.00	140.00	8080	3.00	0.8	1	4	0	2	4	2	0	
140.00	141.20	8081	1.20	2.0	2	2	0	2	4	2	0	
141.20	142.59	8082	1.39	7.5	TR	2	0	4	TR	6	0	

Globex Mining Enterprises Inc.

ASSAYS												
From	To	Number	Length	Qtz (%)	MgCO3 (Index)	Talc (Index)	CC (Index)	Fe-Carb (Index)	Hem (Index)	Chl (Index)	Serp (Index)	
142.59	143.82	8083	1.23	0.0	0	0	0	0	0	0	0	
143.82	147.00	8084	3.18	7.0	0	TR	0	4	0	6	0	
159.20	160.75	TMSG-28	1.55									
162.00	163.00	8085	1.00	TR	0	TR	0	4	0	6	0	
173.00	176.00	8086	3.00	TR	0	2	0	6	0	4	0	
176.00	177.46	8087	1.46	TR	0	4	1	6	0	4	0	
177.46	179.00	8088	1.54	TR	0	0	1	0	0	0	0	
197.00	199.00	8089	2.00	0.0	0	0	0	0	0	0	0	

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
7.25	8.00	0.75	100	44	13					
8.00	11.00	3.00	100	71.33	29					
11.00	14.00	3.00	100	83	30					
14.00	17.00	3.00	100	49.67	20					
17.00	20.00	3.00	100	48.33	50					
20.00	23.00	3.00	100	53.33	50					
23.00	26.00	3.00	100	78.67	40					
26.00	29.00	3.00	100	98.33	18					
29.00	32.00	3.00	100	26.67	100					
32.00	35.00	3.00	100	53.33	50					
35.00	38.00	3.00	100	61.33	50					
38.00	41.00	3.00	100	97.67	14					
41.00	44.00	3.00	100	88.67	19					
44.00	47.00	3.00	100	98.67	8					
47.00	50.00	3.00	100	98	10					
50.00	53.00	3.00	100	91.67	20					
53.00	56.00	3.00	100	95	30					
56.00	59.00	3.00	100	50.67	50					
59.00	62.00	3.00	100	78.33	30					
62.00	65.00	3.00	100	89.33	25					
65.00	68.00	3.00	100	83	20					
68.00	71.00	3.00	100	94.67	13					
71.00	74.00	3.00	100	95	20					
74.00	77.00	3.00	100	97.33	14					
77.00	80.00	3.00	100	85.67	25					
80.00	83.00	3.00	100	97.67	15					
83.00	86.00	3.00	100	99	13					
86.00	89.00	3.00	100	94	15					
89.00	91.00	3.00	100	80.67	10					
95.00	98.00	3.00	100	98.33	15					
98.00	101.00	3.00	100	98.67	12					
101.00	104.00	3.00	100	85	30					
104.00	107.00	3.00	100	94.33	16					
107.00	110.00	3.00	100	77	50					
110.00	113.00	3.00	100	65.67	20					
113.00	116.00	3.00	100	96.33	16					
116.00	119.00	3.00	100	70	30					
119.00	122.00	3.00	100	74.67	50					
122.00	125.00	3.00	100	49.33	100					
125.00	128.00	3.00	100	88	22					
128.00	131.00	3.00	100	96	16					
131.00	134.00	3.00	100	95	21					
134.00	137.00	3.00	100	86.67	40					
137.00	140.00	3.00	100	88	30					
140.00	143.00	3.00	100	59	30					
143.00	146.00	3.00	100	96.33	14					
146.00	149.00	3.00	100	85.33	23					
149.00	152.00	3.00	100	93.67	19					
152.00	155.00	3.00	100	88.33	32					
155.00	158.00	3.00	100	87.33	25					

Globex Mining Enterprises Inc.

From	To	Len.	Rec. %	RQD %	Joints			Weathering	Strength	DESCRIPTION
					Nmb.	Type	Angle			
158.00	161.00	3.00	100	94.67	14					
161.00	164.00	3.00	100	100	12					
164.00	167.00	3.00	100	92.33	15					
167.00	170.00	3.00	100	90.67	13					
170.00	173.00	3.00	100	100	12					
173.00	176.00	3.00	100	96	14					
176.00	179.00	3.00	100	76.67	40					
179.00	182.00	3.00	100	58	50					
182.00	185.00	3.00	100	99	15					
185.00	188.00	3.00	100	95.67	14					
188.00	191.00	3.00	100	78	20					
191.00	194.00	3.00	100	86.67	19					
194.00	197.00	3.00	100	94.67	17					
197.00	199.81	2.81	100	92.17	15					

APPENDIX 'C'

Assay Certificates

Globex Mining Enterprises Inc.
86, 14e rue, Rouyn-Noranda, QC J9X 2J1

Tel.: (819)797-5242 Fax.: (819)797-1470 Email: info@globexmining.com Web: <http://www.globexmining.com>

Laboratoire Expert Inc.

127, Boulevard Industriel
Rouyn-Noranda, Québec
Canada, J9X 6P2
Telephone : (819) 762-7100, Fax : (819) 762-7510

***** Certificate of analysis *****

Date : 2009/01/16
Page : 1 of 1

Client : **Globex Mining Enterprises Inc.**

Addressee : **Jack Stoch**

86, 14ème Rue
Rouyn-Noranda
Québec
J9X 2J1

Telephone : (819) 797-5242
Fax : (819) 797-1470

Folder : **23851**

Your order number :

Project : **TIMMINS MAGNESITE**

Total number of samples : **14**

<u>Designation</u>	Au FA-GEO ppb 5	Au-Dup FA-GEO ppb 5	Au FA-GRAV g/t 0.03	Ni AAT-7 ppm 2	Ni-Dup AAT-7 ppm 2
76580	11	15		79	80
76581	25			83	
76582	15			69	
76583	62			72	
76584	195			65	
76585	6			65	
76586	<5			60	
76587	6			66	
76588	5			65	
76589	<5			68	
76590	<5			66	
76591	6			96	
76592	<5	<5		39	38
76593	1688		1.75	83	



Joe Landers, Manager

***** Certificate of analysis *****

Laboratoire Expert Inc.

127, Boulevard Industriel
Rouyn-Noranda, Québec
Canada, J9X 6P2
Telephone : (819) 762-7100, Fax : (819) 762-7510

Date : 2008/11/19

Page : 1 of 3

Client : Globex Mining Enterprises Inc.	
Addressee : Jack Stoch 86, 14ème Rue Rouyn-Noranda Québec J9X 2J1	Folder : 23691 Your order number : Project : TIMMINS MAGNESITE
	Total number of samples : 39

<u>Designation</u>	Au FA-GEO ppb 5	Au-Dup FA-GEO ppb 5	Au FA-GRAV g/t 0.03	Ni AAT-7 ppm 2	Ni-Dup AAT-7 ppm 2
76501	<5	<5		87	89
SG31-08-01	988				
76502	271			80	
76503	<5			57	
76504	<5			55	
76505	<5			76	
76506	<5			64	
76507	<5			69	
76508	<5			72	
76509	<5			83	
76510	298			65	
76511	33			54	
76512	<5			71	
76513	<5	5		75	77
76514	8			75	
76515	71			66	
76516	7			77	
76517	<5			67	
76518	15			63	
76519	28			64	

Joe Landers, Manager

***** Certificate of analysis *****

Laboratoire Expert Inc.

127, Boulevard Industriel
Rouyn-Noranda, Québec
Canada, J9X 6P2
Telephone : (819) 762-7100, Fax : (819) 762-7510

Date : 2008/11/19

Page : 2 of 3

Client : Globex Mining Enterprises Inc.	
Addressee : Jack Stoch 86, 14ème Rue Rouyn-Noranda Québec J9X 2J1	Folder : 23691 Your order number : Project : TIMMINS MAGNESITE
	Total number of samples : 39

Designation	Au FA-GEO ppb 5	Au-Dup FA-GEO ppb 5	Au FA-GRAV g/t 0.03	Ni AAT-7 ppm 2	Ni-Dup AAT-7 ppm 2
76520	28			63	
76521	67			42	
76522	15			72	
76523	<5			63	
76524	5			55	
76525	5	<5		47	50
B1k-01	<5				
76526	<5			77	
76527	<5			61	
76528	<5			60	
SE29-08-01	579				
76529	<5			63	
76530	9			65	
76531	<5			61	
76532	<5			63	
76533	<5			57	
76534	<5			59	
76535	<5			62	
76536	<5			65	
76537	<5	<5		62	60

*** Certificate of analysis ***

Laboratoire Expert Inc.

127, Boulevard Industriel
Rouyn-Noranda, Québec
Canada, J9X 6P2
Telephone : (819) 762-7100, Fax : (819) 762-7510

Date : 2008/11/19

Page : 3 of 3

Client : Globex Mining Enterprises Inc.	
Addressee : Jack Stoch 86, 14ème Rue Rouyn-Noranda Québec J9X 2J1	Folder : 23691 Your order number : Project : TIMMINS MAGNESITE Total number of samples : 39
Designation	Au FA-GEO ppb 5
76538	<5

Telephone : (819) 797-5242
Fax : (819) 797-1470

Designation	Au FA-GEO ppb 5	Au-Dup FA-GEO ppb 5	Au FA-GRAV g/t 0.03	Ni AAT-7 ppm 2	Ni-Dup AAT-7 ppm 2
76538	<5			17	
76539	1746		1.82	80	

Laboratoire Expert Inc.

127, Boulevard Industriel
Rouyn-Noranda, Québec
Canada, J9X 6P2
Telephone : (819) 762-7100, Fax : (819) 762-7510

***** Certificate of analysis *****

Date : 2008/12/11

Page : 1 of 1

Client : Globex Mining Enterprises Inc.	
Addressee : Jack Stoch 86, 14ème Rue Rouyn-Noranda Québec J9X 2J1	Folder : 23828 Your order number : Project : TIMMINS MAGNESITE
	Total number of samples : 12
Designation	Au FA-GEO ppb 5

27234	----- N.A
27235	----- N.A
27236	----- N.A
27237	<5
27238	<5
27239	<5
27240	<5
27241	<5
SG31-08-01	989
27242	24
27243	7
27244	<5
27245	<5

N.A Non applicable


Joe Landers, Manager

Laboratoire Expert Inc.

127, Boulevard Industriel
Rouyn-Noranda, Québec
Canada, J9X 6P2
Telephone : (819) 762-7100, Fax : (819) 762-7510


***** Certificate of analysis *****

Date : 2008/12/04

Page : 1 of 1

Client : Globex Mining Enterprises Inc.	
Addressee : Jack Stoch 86, 14ème Rue Rouyn-Noranda Québec J9X 2J1	Folder : 23777 Your order number : Project : TIMMINS MAGNESITE
	Total number of samples : 15

<u>Designation</u>	Au FA-GEO ppb 5	Au-Dup FA-GEO ppb 5	Au FA-GRAV g/t 0.03	Ni AAT-7 ppm 2	Ni-Dup AAT-7 ppm 2
76556	<5	5		47	49
76557	<5			23	
76558	<5			28	
76559	<5			35	
76560	<5			247	
76561	5			409	
76562	<5			51	
76563	1678		1.78	83	
76564	18			619	
76565	<5			1025	
76566	11			299	
76567	141			140	
76568	<5	<5		51	53
76569	7			53	
76570	<5			29	


Joe Landers, Manager

Laboratoire Expert Inc.

127, Boulevard Industriel
Rouyn-Noranda, Québec
Canada, J9X 6P2
Telephone : (819) 762-7100, Fax : (819) 762-7510

***** Certificate of analysis *****

Date : 2008/12/09

Page : 1 of 1

Client :	Globex Mining Enterprises Inc.				
Addressee :	Jack Stoch				
	86, 14ème Rue Rouyn-Noranda Québec J9X 2J1	Telephone : (819) 797-5242 Fax : (819) 797-1470		Folder : 23822	
				Your order number :	
				Project : TIMMINS MAGNESITE	
				Total number of samples :	9
<u>Designation</u>	Au FA-GEO ppb 5	Au-Dup FA-GEO ppb 5	Au FA-GRAV g/t 0.03	Ni AAT-7 ppm 2	Ni-Dup AAT-7 ppm 2
76571	<5	5		162	157
76572	<5			140	
76573	<5			156	
76574	<5			775	
76575	14			922	
76576	<5			893	
76577	<5			792	
76578	<5			261	
76579	1746		1.81	146	


Joe Landers, Manager

Laboratoire Expert Inc.***** Certificate of analysis *****


127, Boulevard Industriel
Rouyn-Noranda, Québec
Canada, J9X 6P2
Telephone : (819) 762-7100, Fax : (819) 762-7510

Date : 2008/11/26

Page : 1 of 1

Client : Globex Mining Enterprises Inc.	
Addressee : Jack Stoch 86, 14ème Rue Rouyn-Noranda Québec J9X 2J1	Folder : 23736 Your order number : Project : TIMMINS MAGNESITE
	Total number of samples : 16

<u>Designation</u>	Au FA-GEO ppb 5	Au-Dup FA-GEO ppb 5	Au FA-GRAV g/l 0.03	Ni AAT-7 ppm 2	Ni-Dup AAT-7 ppm 2
76540	10	11		84	84
76541	<5			88	
76542	<5			54	
76543	<5			75	
76544	67			71	
76545	<5			71	
76546	<5			75	
76547	<5			71	
76548	73			71	
76549	<5			37	
76550	1680		1.75	80	
76551	76			72	
76552	17	17		80	80
76553	<5			81	
76554	<5			93	
76555	<5			71	




Luce Lafleur

Luce Lafleur, Office Manager



127 Boulevard Industriel , Rouyn-Noranda, QC J9X 6P2
Tel: 819.762.7100 Fax: 819.762.7510



Date: November 05, 2008

Your reference: Timmins Magnesite

Our reference: A08-6428 / Folder 23426

Globex Mining Enterprises Inc.
86, 14th Street
Rouyn-Noranda, Qc
J9X 2J1

Attn: Jack Stoch

Number of samples: 1


Elements

Total Ident
FeO
SO4
CO2
Hg

Method

4E Exploration
Titration
Infrared
Coulometry
Cold vapour


Joe Landers / Manager


RC Bedard
Relaro

Report: A08-6428
Report Date: 11/4/2008

Final Report
Activation Laboratories

Analyte Symbol	Au	Ag	As	Ba	Bi	Br	Cd	Co	Cr	Cs	Cu	Hf	Hg	Ir	Mo	Ni	Pb
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	
Detection Limit	5	0.5	2	3	2	1	0.5	1	1	0.5	1	0.5	1	5	2	1	5
Analysis Method	INAA	MULT INAA / TD-ICP	INAA	MULT INAA/FUSICP	TD-ICP	INAA	TD-ICP	INAA	INAA	INAA	TD-ICP	INAA	INAA	INAA	TD-ICP	TD-ICP	TD-ICP
1-PRS-062708	16	< 0.5	6	3	< 2	2	< 0.5	75	1030	< 0.5	2	< 0.5	< 1	< 5	5	2240	< 5

Report: A08-6428

Report Date: 11/

Final Report
Activation Laboratories

Analyte Symbol	Rb	S	Sb	Sc	Se	Ta	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	CO2	Hg	SO4	FeO
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	%	ppb	%	%
Detection Limit	20	0.001	0.2	0.1	3	1	0.5	0.5	3	1	0.2	3	5	0.1	0.1	0.5	0.1	0.05	0.01	5	0.3	0.01	
Analysis Method	INAA	TD-ICP	INAA	INAA	INAA	INAA	INAA	INAA	TD-ICP	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	COUL	FIMS	IR	TITR	
1-PRS-062708	< 20	0.002	1.3	3.8	< 3	< 1	< 0.5	< 0.5	4	26	< 0.2	< 3	< 5	< 0.1	< 0.1	< 0.5	< 0.1	< 0.05	1.543	23.9	58	< 0.3	1.29

Report: A08-6428

Report Date: 11/

Final Report
Activation Laboratories

Analyte Symbol	SiO2	Al2O3	Fe2O3	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	LOI2	Total 2	Total	Be	Sr
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.005	0.01	0.01	0.01	0.01	0.01	1	2
Analysis Method	FUS-ICP															
1-PRS-062708	30.3	0.38	5.28	0.06	33.86	0.02	< 0.01	0.04	0.02	< 0.01	29.97	29.97	99.94	99.94	< 1	< 2

Report: A08-6428
Report Date: 11/

Final Report
Activation Laboratories

Analyte Symbol	V	Y	Zr
Unit Symbol	ppm	ppm	ppm
Detection Limit	5	1	2
Analysis Method	FUS-ICP	FUS-ICP	FUS-ICP
1-PRS-062708	< 5	< 1	11

Plans (*in Back Pocket*)

- a) Timmins Magnesite Property, DDH Compilation Plan, scale 1:5,000
- b) Section 865 East, scale 1:500
- c) Section 950 East, scale 1:500
- d) Section 1050 East, scale 1:500