

LITHOLOGY

- FELSIC INTRUSIVE
- MAFIC INTRUSIVE
- SEDIMENTARY
- FELSIC VOLCANIC
- MAFIC VOLCANIC
- Channel Sample
- TRENCH OUTLINE

2008 Sample

Au_ppm

- <0.05 ppm Au
- 0.05 - 0.10 ppm Au
- 0.10 - 0.50 ppm Au
- 0.50 - 1.00 ppm Au
- 1.00 - 5.00 ppm Au
- 5.00 - 10.00 ppm Au
- >10.00 ppm Au

2007 Sample



Au_ppm

- <0.050 ppm Au
- 0.05 - 0.10 ppm Au
- 0.10 - 0.50 ppm Au
- 0.50 - 1.00 ppm Au
- 1.00 - 5.00 ppm Au
- 5.00 - 10.00 ppm Au
- >10.00 ppm Au

Historical Sample

Au_ppm

- <0.05 ppm Au
- 0.05 - 0.10 ppm Au
- 0.10 - 0.50 ppm Au
- 0.50 - 1.00 ppm Au
- 1.00 - 5.00 ppm Au
- 5.00 - 10.00 ppm Au
- >10.00 ppm Au



PROFILES	LR	COL	RANGE
Mag Sus	R	Blue	0.00 - Max 100

BAR GRAPHS	LR	COL	RANGE
Au ppm	L	Red	0.00 - Max 10

TRACK CODES	PAT	LABEL	DESCRIPTION
Lithology	4	Green	Galena
	5	Blue	Medium Grained Gabbro
	6	Red	Coarse Grained Gabbro
	7	Purple	Intermediate to Basic Dyke
	8	Black	Overburden

ABBREVS	LR	TEXT
Lithology	L	

POSTED TEXT	LR	TEXT	ITEMS
Au ppm	L	0.00	All
Sample Number	L	0.00	All

SECTION SPECS:

REF. PT. E. N. 533000 m. 5471300 m.

EXTENTS 229 m. 200.0 m.


SECTION TOP BOT 402.0 m. 298.0 m.

TOLERANCE +/- 12.0 m.

SCALE 1:250

5471335N SECTION

THUNDERCLOUD PROPERTY
CROSS SECTION
TC08-13
2008 DRILLING PROGRAM
DATA BY: A. SHANNON | QS BY: J. MILLER | MAP



LITHOLOGY

- FELSIC INTRUSIVE
- MAFIC INTRUSIVE
- SEDIMENTARY
- FELSIC VOLCANIC
- MAFIC VOLCANIC

Structure

- bedding
- fault
- foliation
- joint
- shear
- vein

Channel Sample

TRENCH OUTLINE

2008 Sample Au_ppm


- <0.05 ppm Au
- 0.05 - 0.10 ppm Au
- 0.10 - 0.50 ppm Au
- 0.50 - 1.00 ppm Au
- 1.00 - 5.00 ppm Au
- 5.00 - 10.00 ppm Au
- >10.00 ppm Au

2007 Sample Au_ppm

- <0.050 ppm Au
- ◆ 0.05 - 0.10 ppm Au
- ◆ 0.10 - 0.50 ppm Au
- ◆ 0.50 - 1.00 ppm Au
- ◆ 1.00 - 5.00 ppm Au
- ◆ 5.00 - 10.00 ppm Au
- ◆ >10.00 ppm Au

Historical Sample Au_ppm

- ▲ <0.05 ppm Au
- ▲ 0.05 - 0.10 ppm Au
- ▲ 0.10 - 0.50 ppm Au
- ▲ 0.50 - 1.00 ppm Au
- ▲ 1.00 - 5.00 ppm Au
- ▲ 5.00 - 10.00 ppm Au
- ▲ >10.00 ppm Au



PROFILES

LN	COL	ANODE
1	1	1

RAK GRAPHS

LN	COL	ANODE
1	1	1

RISK CODES

LN	COL	DESCRIPTION
1	1	1

LEGEND

LN	TEXT
1	1

SECTION SPECS:

REP. PT. E, N	539000 m	5471800 m
DEPTH	228 m	284.2 m
SECTION TOP, BOT	464.4 m	262.2 m
TOLERANCE	±	10.0 m


SCALE

1:250

5471470N SECTION

Teck

THUNDERCLOUD PROPERTY
CROSS SECTION
T08-14
2008 DRILLING PROGRAM
MIRIAM A. SHAW/MLL | DEEPA L. RAJASEKAR | JMS



LITHOLOGY

- FELSIC INTRUSIVE
- MAFIC INTRUSIVE
- SEDIMENTARY
- FELSIC VOLCANIC
- MAFIC VOLCANIC
- Channel Sample
- TRENCH OUTLINE

2008 Sample Au_ppm


- <0.05 ppm Au
- 0.05 - 0.10 ppm Au
- 0.10 - 0.50 ppm Au
- 0.50 - 1.00 ppm Au
- 1.00 - 5.00 ppm Au
- 5.00 - 10.00 ppm Au
- >10.00 ppm Au

2007 Sample Au_ppm

- <0.050 ppm Au
- 0.05 - 0.10 ppm Au
- 0.10 - 0.50 ppm Au
- 0.50 - 1.00 ppm Au
- 1.00 - 5.00 ppm Au
- 5.00 - 10.00 ppm Au
- >10.00 ppm Au

Historical Sample Au_ppm

- <0.05 ppm Au
- 0.05 - 0.10 ppm Au
- 0.10 - 0.50 ppm Au
- 0.50 - 1.00 ppm Au
- 1.00 - 5.00 ppm Au
- 5.00 - 10.00 ppm Au
- >10.00 ppm Au



PROPERTY	UNIT	GRADE
MAFIC INTRUSIVE	LI	100
FELSIC INTRUSIVE	LI	100
SEDIMENTARY	LI	100
FELSIC VOLCANIC	LI	100
MAFIC VOLCANIC	LI	100

ROCK CODES	REF	LAB	DESCRIPTION
LI	LI	LI	MAFIC INTRUSIVE
LI	LI	LI	FELSIC INTRUSIVE
LI	LI	LI	SEDIMENTARY
LI	LI	LI	FELSIC VOLCANIC
LI	LI	LI	MAFIC VOLCANIC

ASSAYS	UNIT	TEXT
LI	LI	LI
LI	LI	LI
LI	LI	LI

SECTION	SPEED
LI	LI
LI	LI
LI	LI

SCALE: 1:250

534034E SECTION

Teck
 Teck Canada Limited
 Thunder Bay, Ontario
 CANADA P7B 6S6

THUNDERCLOUD PROPERTY
 CROSS SECTION
 2008 DRILLING PROGRAM
 DOREY, AGARDH, DEEY, HILL, HOP