2.41499

Prospecting Report

March 29, 2009
Todd Mathieu
Hook Property
Best Township/Strathy Township
Sudbury Mining Division



Table of Contents

Property Location	Page 3
Access	Page 3
Hook Property Claim Group	Page 3
Property Description, Historic Work, Discoveries, and Theories	Page 3 - 5
Forward Looking Statements	Page 5
Appendix	Page 6-32

Property Location

The Hook property is located approximately 9 km northwest of the town of Temagami and approximately 107 km north of the town of North Bay. The property resides in the southwest part of Best Township and the northwest part of Strathy Township on the northeast edge of the Temagami greenstone belt.

Access

There is excellent access to most portions of the property.

On the north section access is gained through the use of Red Squirrel Road followed by Snare Creek Road. Falconbridge established a drill road in the early 1990's that branches off Snare Creek road and weaves its way through the Hook property.

Access to the south portions of the property is possible with use of a boat via Kanichee Lake.

Hook Property Claim Group

The Hook property currently consists of 6 claim blocks totalling 48 claims. The property is made up of the following claim blocks.

```
4212251 – block of 9 – Best/Strathy twp.
4245021 – block of 12 – Strathy twp.
4212252 – block of 9 – Strathy twp.
4212250 – block of 4 – Strathy twp.
4227419 – block of 8 – Strathy twp.
1190393 – block of 6 – Strathy twp.
```

Property Description, Historic Work, Discoveries, and Theories

The Hook property begins approximately 2.2 km northwest of the Kanichee mine (past producer - old Ajax property). The property continues for approximately 4km to the north. The property lies on the northeast edge of the Temagami greenstone belt. Examination of the geology "Map 2323 CHAMBERS AND STRATHY TOWNSHIPS NIPISSING DISTRICT" indicates several mafic-pillowed structures surrounded by massive to foliated andesite/basalt and porphyritic andesite/basalt structures.

Historical work indicates Falconbridge staked the property in the early 1990's after completing electromagnetic and magnet airborne surveys over the Temagami area. It appears Falconbridge proceeded to layout some sort of grid, strip several very large trenches across an electromagnetic response/targets. It is unclear if ground geophysics was performed to outline drill targets. They then proceeded to drill a total of seven drill holes ranging from approximately 100 meters to 400 meters. No assays were released although several significant mineralization zones were intersected.

Falconbridge's historic drill hole SY62-2 notably contained one percent fractures of chalcopyrite over the first 83 meters of core and trace chalcopyrite for approximately the next 8 meters of core. It is my understanding that Falconbridge pulled out of the Temagami area in the mid 1990's leaving several projects unfinished.

Temex Resources later staked the property as part of their Wilson Lake Diamond project. Historical work indicates they performed two lines of soil sampling to the south of the EM anomalies and suggested that further exploration for base metals is warranted in the location of the Falconbridge trenches. There was a change in management shortly after and since then the claims had reopened for staking.

The Hook property was staked in the winter of 2008. While correlating data from the "Ontario Airborne Geophysical Surveys Magnetic and Electromagnetic Data Geophysical data Set 1204 – Revision 1 Temagami South" for Best and Strathy Township a noticeably strong electromagnetic anomaly with correlating magnetic anomalies was indicated northeast of Hook Lake. After examining the historical work it was discovered that the previous operators drill hole log UTM coordinates appear to be approximately 100 meters off the actual drill hole location. This was first discovered/hypothesized by mapping the drill hole UTM coordinate locations against the historical grid data and local water bodies. The electromagnetic targets were then staked and when the snow melted I confirmed the exact drill hole locations with use of a GPS.

Best guess scenario is that the UTM coordinates for the base line of the historical ground grid were off by 100m southwest. This could have caused and explains why the historical drill holes are placed approximately 100m south west of their intended UTM coordinates. It is my belief that the historic UTM target coordinates outlined by the previous operator should be re-examined and possibly redrilled.

Four large trenches have now been located from the previous operator. Examination of the historical trenches indicates sulphides in the form of pyrrhotite, pyrite, chalcopyrite and bornite. Historical work suggests sphalerite, but I am unfamiliar with the visual aspects of this mineral. Host rock appears to be basalt. The metallic mineralization presents itself as disseminated, fractured/veins and in massive sulphides forms.

Grab sampling was quickly completed in each trench to verify presence of valuable metallic mineralization. Sampling across the historical trenches indicates elevated levels of Cu, Zn, Au, Ag, Co, Pt, Pd.

Temex Resources made a field visit to my property in July of 2008. Karen Reese from Temex Resources was kind enough to provide me with the assay results and expenses to add to my report.

Additional sampling with use of a backpack core drill was completed in October of 2008. Five 8ft sample holes and one 5ft sample hole was drilled in the location of sample C08-1. Each hole contained similar mineralization to what is seen on surface. Some core has been split. No assays sent. I plan to have a professional geologist examine in spring of 2009.

Data from the "Ontario Airborne Geophysical Surveys Magnetic and Electromagnetic Data Geophysical data Set 1204 – Revision 1 Temagami South" indicates an electromagnetic anomaly approximately 1000m long and up to 600 meters wide.

Detailed examination of the airborne data indicates the anomalous trend actually stretches approximately 1500 meters in length. In addition to the electromagnetic anomalies several magnetic anomalies are within and in some cases directly overlie the centre of the electromagnetic anomalies.

A cluster of Keating coefficients anomalies overlies the electromagnetic anomaly that could represent a feeder VMS pipe or intrusive structure. The centre Keating anomaly has an error of 8.6%. Interesting enough, the historic incorrect UTM coordinates for drill hole SY62-2 is thought to be placed at the centre of the cluster of the Keating/magnetic/electromagnetic anomalies. This is not the case.

I am currently in discussions with Xstrata to locate the historic drill core to gather a better representation of the mineralization at depth. Although it is my belief the historic drill holes missed their intended targets, several of the holes did intersect interesting mineralization zones.

Forward Looking Statements

Work to date suggests an abundance of metallic mineralization at surface with intriguing geophysical targets. The property has significant potential to host an economic deposit. A field visit with Gary Grabowski, Acting Regional Resident Geologist for the Kirkland Lake Region that includes Temagami, has been discussed and is planned for spring of 2009.

To further build on the project additional sampling to establish alteration patterns, followed by ground geophysics and drilling is required. Due to the cost of such a large scale project the idea of additional funding/partner will be entertained.

Daily Log

April 2008 to Oct 2008

Hook Property
Best Township/Strathy Township
Sudbury Mining Division

Participants

Todd Mathieu

Jimmy Mathieu Jim

Signature

April 2 2009

March 31,2009

Date

April 26, 2008

Jim Mathieu and I mobilized equipment to the Hook property on claim 4212252. Access roads were grown in, but we drove the ATV as far as possible to limit walking distances to historic trenches/drill holes. Jim and I located a total of 3 trenches. Grab sampling at each trench indicated basalt like bedrock with disseminated, fractured, to massive forms of metallic sulphides.

Metallic mineralization at trench A appears to be mostly pyrrhotite with odd fractures/veins of chalcopyrite and pyrite. Some portions of the trench are highly weathered/altered.

Sample A08-1 assayed:

7.6ppm Ag, 170ppm Co, 5748ppm Cu, 129ppm Ni, 333ppm Pb, 290ppm Zn

Metallic mineralization at trench B appears to be a mix of pyrrhotite, chalcopyrite, pyrite and bornite. Portions of trench B are highly weathered and appear to be highly altered. Trench B resides on the northwest edge of the cluster of Keating anomalies. Sulphides are mostly disseminated to fractured, but in some cases massive in form.

Sample B08-1 assayed:

26.8ppm Ag, 258ppm Co, 18300ppm Cu, 273ppm Ni, 462ppm Pb, 937ppm Zn

Metallic mineralization at trench C appears to be mostly pyrrhotite with odd fractures of chalcopyrite and pyrite. Some bornite is noted. Several quartz veins cut through the trench. The quartz veins also host pyrrhotite and chalcopyrite. Trench C appears to have the greatest variety of mineralization/geology.

Sample C08-1 assayed:

1.8ppm Ag, 88ppm Co, 1111ppm Cu, 97ppm Ni, 15ppm Pb, 33ppm Zn

Jim and I then proceeded to locate 4 historic drill holes. The UTM coordinates indicated in the historic log reports are incorrect (as previously calculated and mapped in the office). In fact each drill hole is approximately 95-100m southwest of the Nad27 UTM coordinates indicated in the historic logs. Historic drill holes 1-4 are still capped and the correct UTM coordinates are now recorded and will be added to my report.

It is very possible the historic drill holes were not placed at their intended targets.

Todd Mathieu – 1 day Jim Mathieu – 1 day Mileage = 287km June 15, 2008

Jim Mathieu and I mobilized equipment to the Hook property via ATV on claim 4212252. We hiked from 300 meters east of trench A to trench C. In the process we discovered trench D which is located between trench A and B. We both sampled our way down trench D to get a feel for what mineralization is present. Much like the other 3 trenches, D contains metallic mineralization in the form of pyrrhotite, chalcopyrite, pyrite. There are several highly weather/altered areas of mineralization. Sample D08-1 was sent for assaying. Additional sampling was completed at trench C and C08-2 was sent for assaying.

Sample C08-2 assayed:

0.9ppm Ag, 158ppm Co, 667ppm Cu, 200ppm Ni, 8ppm Pb, 123ppm Zn

Sample D08-1 assayed:

3.7ppm Ag, 362ppm Co, 1911ppm Cu, 396ppm Ni, 110ppm Pb, 208ppm Zn

Todd Mathieu $-\frac{1}{2}$ day Jim Mathieu $-\frac{1}{2}$ day Mileage = 275km

June 22, 2008

I mobilized equipment to the Hook property via ATV just north of Hook Lake on claim 4212252. I proceeded to hike down to the shore of Hook Lake where I walked around the western portion of the lake sampling boulders and outcrops. Quartz boulders were located along the middle of the west shore within the water. Some of the boulders were 12 x12 inches wide and contained chalcopyrite and green copper staining. I was able to locate a smaller quartz vein up on the shore in the bedrock. It too contained chalcopyrite and copper staining. Due to weather conditions the day was cut short.

Todd Mathieu – $\frac{1}{2}$ day Mileage = 268km

August 31, 2008

I mobilized equipment to the Hook property via ATV to the location of trench A on claim 4212252. I then proceeded to hike the equipment to the location of trench B. Intention of this field visit was to sample the area containing the Keating coefficients and coinciding electromagnetic anomaly.

Trench B appears to reside on the northwest edge. To the direct southeast of trench B there is a small valley/ditch covered with overburden. The ditch runs approximately northeast/southwest. Within the valley I noted one boulder highly mineralized with pyrrhotite and chalcopyrite. The boulder could be blast rock or been physically moved by the historic work completed on trench B. The outcrops on the opposite side of the ditch do not appear to contain the same high quantities of metallic mineralization. As much as one foot of overburdened was removed from sampling locations. Small amounts of pyrrhotite were noted, but the geology doesn't appear to match the geology/mineralization in trench B. It would appear the electromagnetic response and correlating magnetic target is not related to this surface geology.

It would appear the geophysical response maybe related to the geology buried underneath the overburden in the small valley/ditch or covered over with the geology from the southeast.

I move equipment back to trench A.

Todd Mathieu -1 day Mileage = 259km

October 9, 2008

Jim Mathieu and I mobilized equipment to the Hook property at location of trench C on claim 4212252. Intent of this field visit is to sample at depth the mineralization seen at surface. With use of a portable backpack core drill Jim and I drilled hole HP-SH08-1 to a depth of 8ft. Jim and I swapped off as operator of the drill (as it is a hand held device with high vibration). As one operator was drilling, the other operator was retrieving water, boxing core or prepping next drill location area. The backpack drill was not operating to specifications/as advertised and to limit operational issues with drill almost full water flow was required. Visible metallic sulphides were noticeable over the length of the sample hole. The core will be split and visually inspected at office.

Todd Mathieu – 1 day Jim Mathieu – 1 day

October 10, 2008

Jim Mathieu and I proceeded to drill additional sample holes at the location of trench C on claim 4212252. We completed hole HP-SH08-2 to a depth of 8ft. At one point the drill bit wedged itself inside the hole and it took half an hour of manual turning to retrieve the rod/bit. Visible metallic sulphides were noticeable over the length of the sample hole. The core will be split and visually inspected at office.

Hole HP-SH08-3 was drilled to a depth of 5ft, which doesn't appear to contain any metallic mineralization. This location is 15m north of trench C. The drilling at this hole progress much quicker then previous holes. It is my belief this hole may have less Ti in bedrock.

Hole HP-SH08-4 was drilled to a depth of 6ft before nightfall hit.

Todd Mathieu – 1 day Jim Mathieu – 1 day

October 11, 2008

Jim Mathieu and I proceeded to drill at location of trench C on claim 4212252. We completed hold HP-SH08-4 to a depth of 8ft. Visible metallic sulphides were noticeable over the length of the sample hole. The core will be split and visually inspected at office.

We then attempted to drill through the overburden 15m northeast of trench C, but the rig is not designed to drill through overburden containing small boulders.

We then proceeded to clear off an area at the northeast boundary of trench C and completed HP-SH08-5 to a depth of 8ft. Visible metallic sulphides were noticeable over the length of the sample hole. The core will be split and visually inspected at office. At one point the drill bit wedged itself inside the hole and it took over an hour of manual turning to retrieve the rod/bit.

Jim and I then proceeded to drill hole HP-SH08-6 to a depth of 8ft. Several quartz veins were intersected within this hole. Visible metallic sulphides were noticeable over the length of the sample hole. The core will be split and visually inspected at office.

Near nightfall the water delivery system failed. Drilling stopped. We packed up job site and moved equipment back to Black Duck Camp.

Todd Mathieu – 1 day
Jim Mathieu – 1 day
Mileage = 186km (372km divided by 2 – additional work was completed at Owaissa property in Strathy, included in January 2009 Owaissa property work report)

Days Worked

Breakdown by Claim by date

Date	Claim Number Worked	Mileage in KM	Mileage Sub Total (\$0.40/km)	Person	Portion of day worked	Total (\$250/day)	Claim 4212252	Claim	Claim	Claim	Claim	Claim
26-Apr-08	4212252	287	\$114.80	Todd Mathieu	1	\$250.00	\$614.80					
20-Api-00	4212232	201	\$11 4 .00	Jimmy Mathieu	1	\$250.00	\$014.00					
15-Jun-08	4212252	275	\$110.00	Todd Mathieu	0.5	\$125.00	\$360.00					
15-5411-00	4212232	275	\$110.00	Jimmy Mathieu	0.5	\$125.00	\$300.00					
22-Jun-08	4212252	268	\$107.20	Todd Mathieu	0.5	\$125.00	\$232.20					
31-Aug-08	4212252	259	\$103.60	Todd Mathieu	1	\$250.00	\$353.60					
09-Oct-08	4212252	62	\$24.80	Todd Mathieu	1	\$250.00	\$524.80					
09-001-00	4212232	02	\$24.60	Jimmy Mathieu	1	\$250.00	Φ 524.60					
10-Oct-08	4212252	62	\$24.80	Todd Mathieu	1	\$250.00	\$524.80					
10-001-00	4212232	02	\$24.00	Jimmy Mathieu	1	\$250.00	\$524.60					
11-Oct-08	4212252	62	\$24.80	Todd Mathieu	1	\$250.00	\$524.80					
11-001-00	42 12232	02	φ24.60	Jimmy Mathieu	1	\$250.00	φυ24.60					
	-	1,275	\$510.00		Sub Total	\$2,625.00	\$3,135.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00

Assaying/Shipping Costs/Office Expenses

Assay Cert#	Date	Swastika Invoice #	Invoice Date	Invoice Total	Shipping Cost
8W-1182-RA1	13/05/2008	1833	03/06/2008	\$56.70	\$24.33
8W-1182-RJ	20/05/2008	1732	21/05/2008	\$31.50	
8W-1701-RA1	27/06/2008	2040	27/06/2008	\$58.80	\$29.86
8W-1701-RJ	10/07/2008	2158	15/07/2008	\$21.00	
8W-2296-RA1	14/08/2008	2444	15/08/2008	\$120.75	(5 Temex samples)
8W-2296-6RJ	08/09/2008	2948	15/10/2008	\$52.50	(5 Temex samples)
•	•		Sub total	\$341.25	\$54.19

Total \$395.44


Mapping/Report Writing/Plotting/Financials (3 days x \$250)


Breakdown by claim

	\$81.03					
	404 =0					
	\$31.50					
	\$88.66					
	\$21.00					
	\$120.75					
П	\$52.50			_		
П						
T						
Π	\$750.00					
П		_				
Sub Total	\$1,145.44	0	0	0	0	0
Total	\$4,280.44	0	0	0	0	0

Hook Property - Best + Strathy twp. 1 cm = 400m Declination 11° 29 west 3003843 Best tup. 4245021 1190393 5220000N 5220000N 4227393 4227419 TRT4381 OL13587 TRT4371 UTM Zone 17 5000m grid

Trenches and Samples





Lines and Areas Traversed Hook Property - Best + Strathy two Best two. + Strathy transpoon Peclination 4212251 110 29' west Claim* 4313753 Block of 9 - Area Traversed Traversed 5221000N 5221000N 586000E

Hook Property - Best + Strathy top 160 m , 100 m , 100 m 587000E MMM 4212251 Strathy two Declination MMM 5222000N 110 29 west MMM Claim* MMM MMM 4212752 MMM MLT = Mixed large timber Block of 9 M MM MM T = tags MM MMM = Spruce MLT MMA mixed bush 4245021 MLT MLT M MLT MLTMLT C = cedas SS M MLT MLT MLT SS M MLT MCT SSSM MLT MLT MLT 5221000N 5221086N MLT 4227419 1190393 586000E 587000E UTM Zone 17



Swastika Laboratories Ltd

Assaying - Consulting - Representation

Assay Certificate

8W-1182-RA1

Company: TODD MATHIEU

Date: MAY-13-08

Project: Attn:

We hereby certify the following Assay of 3 ROCK samples submitted MAY-01-08 by .

Sample	Au	Cu	Cu	Ni	Zn	Pt	Pd	Multi
Number	g/tonne	%	PPM	PPM	PPM	g/tonne	g/tonne	element
AO8 - 1 B08 - 1 C08 - 1	Ni 1 0 . 06	1.83	>10000	208	751	0.01	0.01	Results to follow

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0 Telephone (705) 642-3244 Fax (705) 642-3300

1.08 1.20 0.35 TODD MATHIEU Ag ppm 7.6 26.8 1.8

Assayers Canada

TODD MATHIEU 8282 Sherbrooke St., Vancouver, B.C., V5X 4R6 Report No : 8W1182RJ

Tel: (604) 327-3436 Fax: (604) 327-3423 Date : May-20-08

Project:

Attention:

Sample type: Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Al As Ba Be Bi Ca Cd Co Cr Fe Hg K La Mg Mn Mo Na Ni P Pb S Sb Sc Sr Th Ti Tl U V W Zn Zr Cu Number ppm % ppm ppm ppm ppm % ppm ppm ppm ppm ppm ppm ppm % ppm ppm ppm ppm ppm % ppm % ppm % ppm ppm % ppm ppm ppm % A08-1 <2 0.05 129 530 333 B08-1 26.8 1.20 31 <10 <0.5 1 0.01 <10 0.64 637 <2 0.03 273 1134 462 >5.00 <5 <5 0.16 <10 <10 59 0.73 9 258 81 >10000 >15.00 19 C08-1 1.8 0.35 <5 <10 <0.5 <5 0.36 2 88 163 5.16 1 0.02 <10 0.22 216 3 0.01 97 94 15 2.61 5 0.01 <10 <10 11 <10 33

Page 1 of 1

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: Cam Charles

Swastika Laboratories (2008) Ltd

Box 10, 1 Cameron Ave Swastika, ON P0K 1T0

Invoice

Date	Invoice #
6/3/2008	1833

Invoice To	
TODD MATHIEU 2749 HIGHWAY 17 EAST CORBEIL, ONTARIO P0H 1K0	

P.O. No.	Terms	Project
	Due on receipt	

Qty	Description	Cert#	Rate	Amount
1 1 1 1	GOLD GOLD PLATINUM PALLADIUM COPPER NICKEL ZINC SAMPLE PREPARATION gst5 on sales	8W-1182-RA1	10.00 18.00 5.00 3.00 5.00 5.00%	10.00 18.00 5.00 3.00 3.00 15.00 2.70
Thank you for your b	usiness.		GST Tax Total	\$2.70

Total

\$56.70

Swastika Laboratories (2008) Ltd

Box 10, 1 Cameron Ave Swastika, ON P0K 1T0

Invoice

Date	Invoice #
5/21/2008	1732

Invoice To	_	
MATHIEU TODD 2749 HIGHWAY 17 EAST CORBEIL, ONTARIO POH 1K0		

P.O. No.	Terms	Project
	Due on receipt	

Qty	Description	Cert #	Rate	Amount
	MULTI 30 ELEMENT AQUA REGIA gst5 on sales		10.6	30.00
Thank you for your t	business.		GST Tax Total	\$1.50
			Total	\$31.50



Swastika Laboratories Ltd

Assaying - Consulting - Representation

Assay Certificate

8W-1701-RA1

Date: JUN-27-08

Company:

TODD MATHIEU

Project: Attn:

We hereby certify the following Assay of 2 ROCK samples submitted JUN-18-08 by .

Sample Number	Au g/tonne	Cu PPM	Pt g/tonne	Pd g/tonne	Multi element
C08-2	0.03	565	<0.005	<0.005	Results
D08-1	0.02	1830	<0.005	<0.005	to
					follow

Certified by Denis Elists

Assayers Canada

TODD MATHIEU 8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8W1701RJ

Date : Jul-10-08

Attention:

Project: Sample type:

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample	Ag Ai As Ba Be Bi Ca	Cd Co Cr Cu	Fe Hg K La M	g Mn Mo Na Ni P Pb	S Sb Sc Sr Th Ti	Ti U V W Zn Zr
Number	ppm % ppm ppm ppm ppm %	ppm ppm ppm ppm	% ppm % ppm %	ppm ppm % ppm ppm ppm	% ppm ppm ppm ppm %	ppm ppm ppm ppm ppm
C08-2		2 158 134 667	7.98 <1 0.01 <10 0.	75 473 <2 0.06 200 427 8 58 468 <2 0.05 396 434 110 :	4.63 <5 4 15 <5 0.26	6 <10 <10 76 <10 123 7 5 <10 19 81 22 208 15

Sepoil. 23/08

H: Todd,

H's requested, please

find attached your

Signed mutte element

Certificate

Lind regards,

Jacriese

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Śwastika Laboratories (2008) Ltd

Box 10, 1 Cameron Ave Swastika, ON P0K 1T0

Invoice

Date	Invoice #
6/27/2008	2040

Invoice To	
TODD MATHIEU 2749 HIGHWAY 17 EAST CORBEIL, ONTARIO P0H 1K0	

P.O. No.	Terms	Project
	Due on receipt	

Qty	Description	Cert #	Rate	Amount
2 2 2		8W-1701-RA1	18.00 5.00 5.00 5.00%	36.0 10.0 10.0 2.8

Thank you for your business.

GST Tax Total \$2.80

Total \$58.80

Swastika Laboratories (2008) Ltd

Box 10, 1 Cameron Ave Swastika, ON P0K 1T0

Invoice

Date	Invoice #
7/15/2008	2158

Invoice To	
TODD MATHIEU 2749 HIGHWAY 17 EAST CORBEIL, ONTARIO POH 1K0	

P.O. No.	Terms	Project
:	Due on receipt	

Qty	Description	Cert#	Rate	Amount
	MULTI 30 ELEMENT AQUA REGIA gst5 on sales	8W-1701-RJ	10.00 5.00%	20.00
Thank you for your b	ousiness.		GST Tax Total	\$1.00
			Total	\$21.00

PAGE

1

PUROLATOR ONLINE SHIPPING - Todd Mathieu DETAILED SHIPMENT REPORT

DATE (MM/DD/YYYY) : 03/18/2008 TO 03/25/2009

SHIPMENT DETAILS GROUPED BY ACCOUNT NUMBER 03/25/2009, 12:07PM **MASTER SHIPMENT #** AIR/ DECL. GST/ RECEIVER GRD PIECES WEIGHT PACKAGING PREMIUM VALUE DG COST **HST PST** TOTAL: 329 018 334394 G 1 kg. **Express Pack** 23.17 1.16 24.33 04/30/2008 Swastika Laboratory 1 Cameron AV Swastika ON, P0K1T0 BILL TO: SENDER 329 024 479464 G 4 kg. **Express Pack** 28.44 1.42 29.86 06/17/2008 Swastika Laboratory Swastika Laboratory 1 cameron avenue AV Swastika ON, P0K1T0 BILL TO: SENDER Envelope

Sample	East N27	North N27	Magnetic properties	Description	Property	Certificate No	Au gpt	Au chk gpt	Pt apt	Pd apt	AuAve apt
•				25 em dyko frecture altered area in diabase, diabase is not magnetic, strike 60 deg.			•		0.	- 0,	3.
16317	502346	-5221641	high in places	dip 90 deg, 2% chalcopyrite in places, pyrite and pyrrhetite	polymetellic	8W-2206-RA1	13.03	NA	- 0.01	9:01	- 13.0 3
16318	- 502346	5221643	none to low	2% chalcopyrite, bernite in diabase, some quartz	polymetallie-	8W-2206 RA1	11.25	8.01	- nil	0.02	10.08
-16319	502346	-5221645	none	rusty gabbro / diabase	polymetallic	8W-2296-RA1	1.08		0.03	0.02	1.08
16320	- 592398	5221634	none	ructy fracture in diabase	polymetallic	8W-2296 RA1	3.64	3.43	0.02	0.03	3.54
16321	592379	- 5221608 -	none	-ruely fracture in diabase, 2 cm wide, 2% fine pyrite	polymetallic -	8W 2296 RA1	6.58	8.09	9:03	0.02	7.34
				ructy fracture in diabase, 5 cm wide, 1% pyrite chalcopyrite, strike 360 deg, dip 60	6 -						
16322	502293	5221623	- none-	deg. east "splay"	polymetellic	8W-2296 RA1	1.51	NA	0.01	0.02	1,54
16323	592712	5221675	none -	quartz, como carb in altered diabace	polymetallia	8W 2206-RA1 -	0.02	NA	-nil	0.01	0.02
16324	587154	5221144	low to high in places	sulphide rich mafic valcanic, 1% pyrite trench #1	base metal	8W-2296-RA1	0.02	NA	nil	nil	0.02
16325	587183	5221185	none to high	sulphide rich mafic valcanic, 1% pyrite trench #1	base metal	8W-2296-RA1	0.02	NA.	0.02	0.02	0.02
16326	587063	5221126	high in places	sulphide rich mafic valcanic, 1% pyrite trench #2	base metal	8W-2296-RA1	0.01	NA	0.01	0.02	0.01
16327	586958	5220963	high iп places	sulphide rich mafic valcanic, 1% pyrite trench #3	base metal	8W-2296-RA1	0.01	NA	nil	nil	0.01
				quartz veins up to 20 cm wide, chalcopyrite, trench #4, strike 20 deg, dip 80 deg f	0						
16328	586833	5220894	low to medium	east	base metal	8W-2296-RA1	0.05	NA	0.01	0.01	0.05
16320	.592200	5223814	none	Black Duck Lake lamprophyre in granite, not assayed	Mathieu	NA.	NA.	AM.	NA	_N/A_	AM.
16330	592305	5221610	none	17 cm fracture in diabase, 1 cm quartz voinlet, strike 320 deg, dip 80 deg te east-	polymetallic -	9W-2296-RA1	0.20	— NA	- nil	- nil	0.28
				5 cm quartz voin, rusty in diabase, strike is variable, 328 deg / 10 deg / 30 deg, di	ρ.						
16331	592311	5221613		is 80 deg to east	polymetallic	8W 2296 RA1	- 6.58	5.21	nil	— nil	5.90
16332	592343	5221636	very low	2 cm fracture in diabase, strike 70 deg, dip 86 deg to S, pyrrhetite, pyrile 2% seer	polymetallic	8W 2206 RA1	0.28		— nil	0.01	0.28
46333	592351	5221620	high in places	1 cm rusty fracture in diabase, strike 78 deg, dip 88 deg E	polymetallic	8W-2206-RA1	0.00	0.66	-0.02	0.02	0.83
16334	592180	5221584	low to high	diabase coarse, Matachewan / Sudbury?	polymetallic	8W-2206 PA1	0,01	NA	nil	nil	
46335	593140	- 5223040	none	diabase granite centact	polymetallie	8W 2296 RA1	0.04	NA.	9:04	9.05	0.04
16336 -	593389	-5223121	nene	fracture in granite, 1% pyrite	polymetallic	8W 2296 RA1	0.01	NA	nil	Pil	0.01
16337	593456	5223162	none	granite quartz alteration, chalcopyrite, med nark, strike 30 deg. dig 80 deg. to east	polymetallic	8W-2296-RA1	0.01	NA	0.01	0.01	0.00
16220	503400	5222011	8080	fractures in med dark granite pyrite; strike 80 deg?	polymetallic		0.01	NA	0.02	0:03	0.01

1 6317	41.9 - 2.22	1170	- 20	 0.5	-5 0	.46 -	-21-	601	- 116	>10000	14.08		0.02	~10	1:55	448	- 5 - 0.0	5	72 25	66	132 6				- 8	0.11	-10	22	. 71	<10	238	
6318	50.8 2.72	-10000	10			.03 :	206	7417	171	≻10000	13.07	6	0.01	- 10	2:33	- 651 -		2+	66 53	19	-171 6-	-<5	7	- 5	- 5	0:08	-<10-	-23 -	91	~10	411	
319	1.1 2.65	84	-33	< 0.5	5	1.1	_1_	72	113	942	4.58		0.12	- 10	1.06	466	20.1	4	70 3	44	-190:11		4	2:6	<5	0:16	<18	<10	-92	~10	- 07	_
3320	16.7 2.84	1087	<10	<0.5	-5-0	1.71	19	669	409	>10000	8.52	- <1	0.01	- 10	2,86	580	-2-0.0	4-1	60 7	53	59 3.31	- 6		50	-6	-0.10	-10	10	-111	-10	66-	
3321 -	48.7 2.07	>10000	12	<0.5).44	207	5854-	-231	-10000	14.8	-4-	0:01	- 10	2.04	305	-2-0.0	4 5	11-42	98	1846-		6-	-15-	-<6	0.12	~10	-50	- 95-	- <10 -	- 70-	
322	26.8 1.73	-26	20	<0.5	<5.1	.00	<1	166	<u>81</u>	>10000	8.0	~1	0.03	- < 10	1,29	203	-2.0.0	8	97 11	77	65 4.94	- 75	5_	37.	5	0.14	10	<u>- <10</u>	73	10	28	
323	<0.2 0.85	29	<10	<0.5	<50	1.05	<1	20	186	145	1,9	<1	0.02	<10	1	248	_ <20.0	4	12 2	20	<2 0.05	ح2	1	1_	<5	0.04	_<10_	<10	17	<10	- 20	
324	0.9 1.12	17	<10	<0.5	<5 0	1.73	<1	58	173	493	5.41	<1	0.04	<10	0.9	545	<2 0.0	6	50 3	20	30 1.34	<5	6	5	<5	0.38	<10	<10	114	<10	30	
325	4.8 1.34	9	15	<0.5	<5 0).74	<1	148	131	3227	12.63	<1	0.04	<10	1.03	603	<2 0.0	6 1	39 5	80	332 6	<5	6	8	<5	0.35	<10	17	102	<10	314	
326	0.2 0.95	<5	<10	< 0.5	<5 1	.12	<1	48	120	747	5.67	<1	0.04	<10	0.48	618	<2 0.0	8	68 4	01	7 1.89	<5	6	10	<5	0.3	<10	<10	71	<10	68	
327	0.7 1.35	<5	13	<0.5	<5	0.9	<1	65	191	547	7.06	<1	0.04	<10	0.67	649	<2 0.0	5	64 4	01	22 1.69	<5	5	14	<5	0.27	<10	11	77	<10	60	
328	1.0 1.17	17	13	<0.5	<5 0	0.64	<1	48	224	905	5.48	<1	0.04	<10	0.83	611	5 0.0	4	50 2	74	20 0.92	<5	4	3	<5	0.17	<10	<10	75	11	658	
n.a.	NA NA	NA	NA	NA	A4	AIA	- NA			AA	NA	- NA	~W^	- NA	-NA	NA	NAN	ΑΙ	1AM	₩	NA NA	NA	NA	-NA		NA	NA	-NA		-NA	<u> NA</u>	
330	√0.2 <u>2.13</u>	- 45	17	<0.5	-5 0	.34	-1-	27	147	- 56	4.04	- 41	0.17	14	2.32	240	-6-0.0	0	88 -3	70	2 -0:02		7			0.14	10 -	-10	142	10	-24	_
331	7.8 .1	324	10	<0.5	58 0	.42	6	20	185	401	4.07	- 41	0.05	- <10	0.75	161	40.6	7	24 -3	31	5 0.13		3	15 -		0.1	-40-	<10	51	- 410		_
332	8 3.1	327	13-	- ₹0.5		.44	4	375	-151	6596	10.59	-41	0.03	 <10	3.19	-594		5 -	73 - 5	79	-20 3.90		- 9	43	4 5	0,48	-40	- 15 -	120		 57 -	
333	12 1,93	108	7.0		. 8 .0	75	_1_	3.1	144	4481	10.18		0.27	<10	1.52	222		8	17 4	67	26 0.05		6	24		0.10	10	-12	116	10-	24	
334	0.2 3.21	- 22	21		-5 -2	.48	-4	71	-20	-147-	10.01		0:07	38	4.97	1770	+2 0.0	4	55 74	40	6 0.84	5	- 5-	- 27	- <5	0.53	<10	<10	147	<10	-74	_
335	0.2 1.44	•6	- 25	40.5	√5 0	.87	-1	27	-83	- 74	3:30		0:04	10	4.23	- 540	2 0.0	9 —	45 4	40	223 0:02	5	2-	-18	5	0:0	- <10-		73		525	
336	<0.2 0.67	14	50	<0.5	<5_0	1.22	<1	11	. 117	- 36	3.10	<1	0.12	14	0.33	288	-3-0.0	5	<u> </u>	35	24 - 0.30		-3	+3	- 45	0:15	-10	10	23	-40	- 21	_
337	-0.2 2.31	-5	12	<0.5		0.1		15	121	1832	5.47		0.02		2,10	-642	-2-0.0	4	36 4	53	4-0.17		4_	1_	- 45	0.07	10-	10				_
220.	-02 424	-E	22	-0 E	-E . O	. 00	-1	10.	156	47	204	- 4	0.00	.40	4.0	000	.0 0 0	_			6 04	-5								-10		



Swastika Laboratories Ltd

Assaying - Consulting - Representation

Assay Certificate

8W-2296-RA1

Date: AUG-14-08

Company: TEMEX RESOURCES CORPORATION

Project: TEMAGAMI/TOD

Attn: K. REES

We hereby certify the following Assay of 21 GRAB samples submitted AUG-05-08 by .

Sample	Au	Au Check	Pt	Pd	Multi		
Number	g/tonne	g/tonne	g/tonne	g/tonne	Element		
(2002)	13,03		0.01		RESULTS		~ ~
20010	- 11.25	9,91	.0.005 -		TO		
26319	3.00		0.03		FOLLOW		
6 5326	3,64	3-43-	0.00				
26321	-C F0	۰ ۸۵	00_				
20022	1.51		0.01.	0-02	•		
2 (222	0 02		<0.005	-0.01	_		
16324	0.02	-	<0.005	<0.005			
16325	0.02	-	0.02	0.02			
16326	0.01		0.01	0.02			
16327	0.01	_	<0.005	<0.005			
16328	0.05	_	0.01	0.01			
16330	0.20		-0-005	0.005			
10331		F. 21	-0.005	-0-005-0			
46333	9.39		200.0				
-6333		0.66	0.02	0.02		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
26224	Λ Δ1	.	<0.00E	م ممد			
46335	0.04		_0 04	0.05			
-16336	0.01		-0.005	-0-005			
16227			0.01	0.01			
16320	001		0 03				
BLINK	NIL		10,005	.0.0050			
OTD CDN PONG 9	1.00	 	0.70				

Certified by Denis Olasto

Assayers Canada

Temex Resources Corporation

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8W2296RJ

Date

: Oct-08-08

Project: Temagami/Tod

Attention: K. Rees

Sample type: Rock

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	5	AI %	As ppm	Ba ppm	Be ppm	Bi ppm		Cd ppm	Co ppm		Cu ppm	Fe %	Hg ppm	K %				Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	TI ppm	U ppm	V ppm	W ppm		Zr ppm
46017	44.0	2 22-	1170	20	-0.5	5	-0.40	21	_601	116	×10000	14.00	1		- 10	1.55	-140	E (0.00	72.	3566	122	\ F 00				a	0.11	-10	22	7.1	-40	-220	-36
C1C210	<u> </u>	2 73	>10000	10	ام		1.03	206	7417	171	~10000	12.07		0.01	10	2 22	651	-7-(בסי	106	F210.	171	- C 00					0.00	410	22	0.1	-10	-444	
45210.	1	7 65	84	33		5ے 5	-1.10	1	72	113	942	4.58		0.12	<u>- < 10</u>	1 96	466	2 - 1	1.14	7.0	344	19	0.11					0.16	-10		0.2		67	
	46.7	1.04	1007	-46	بم		0.74	- 10	660	400	10000	- 0.52	- 61	به ۵۰	(10	205	Ego	-2-/	04	160	. 753	. 50	2.71		٥	20		0.10	-10	10	111	10		
(\$6331	10.7	7.07	× 10000	1			.0.44	207	E0E4	2.71	10000	14.90	4	0.01	<10	2.04	305	7 - 1	.04	511	1202	104	<u> -5.00</u>	c	-	15		0.12	~10	20	O.F	~4 0	70	
	26.0	4.72	~	_ 26			1.00		_166	-01-	. 10000			0.00		. 20	. 202	. 2		-07		CE		.r		2-			-40	40	7.0	40	20	46
-		0.05	- 20				-0.05		- 20	100				0.02			340				-220		0.05					0.01				-10		_
16324	0.9	1.12	17	<10	<0.5	< 5	0.73	<1	58	173	493	5.41	< 1	0.04	<10	0.90	545	<2 (0.06	50	320	30	1.34	<5	6	5	<5	0.38	<10	<10	114	<10	30	6
16325	4.8	1.34	9	15	<0.5	< 5	0.74	<1	148	131	3227	12.63	<1	0.04	<10	1.03	603	< 2 (0.06	139	580	332	>5.00	<5	6	8	<5	0.35	<10	17	102	<10	314	10
16326	0.2	0.95	<5	<10	<0.5	< 5	1.12	<1	46	120	747	5.67	<1	0.04	<10	0.48	618	< 2 (0.08	68	401	7	1.89	<5	6	10	<5	0.30	<10	<10	71	<10	68	4
16327	0.7	1.35	<5	13	<0.5	<5	0.90	<1	65	191	547	7.06	<1	0.04	<10	0.67	649	<2 (.05	64	401	22	1.69	<5	5	14	<5	0.27	<10	11	77	<10	60	5
16328	1.0		17	13	<0.5	< 5	0.64	1	48	224	905	5.48	< 1	0.04	<10	0.83	611	5 (0.04	50	274	20	0.92	<5	4	3	<5	0.17	<10	<10	75	11	658	5
46320	<u></u>			1.7			0.74	1	27	-147	56.	-4.04		-0.47		7.77	240		Δ0	-00	270		0.00				5	-0.44	-60		112	- 40		
46224			777	 			0.42		20 275	105 -154	CEOC	4.07 40.50		-0.05 -0.02		9.75 3.10	-164 504		10F	<u>2</u> †	- 331 - 570	5 20	7.13	- \ 3		- 13		0.10	10	-\10 -15	31 120	<10	₹1 57	
46272	13.0-	1.02	108	7.0			075	1_	31	1.44	4491	_10.10	1	0.27	10_	1 52.	222	_ ~ 2_6	LOD	17	467	_ 26.	0-05	_ ~ 5		24		. 0.10		4.3	_ 116	. 40	~	22-
46334	- 6-2	2.21	27	7.1	-0.5	-5	2.40	1	71	70	147	-10.01		0.07		1.07	1270		-04		7440		2 0 4					-0-59	40		_ 4.2			
(111)							0.07		07		74.	7-20		004	-10	1 22	- F49		.03	45.	-445	-222	0.03					0.70		- 10				
46336		0 67.	1.0	50	-0.5		0.22	وانعي		117,	عد	2 10	1	0 10	ند	0.22	200		.oc		-605		0.00		-	- 49		0.15				-10	2.	<u> </u>
*****			<u> </u>				-0.10			- t-t-	1000			0.00		3.40				e'c	<u> </u>		- 0.27		-		5	-0.07		-10	-52	-10	-00-	<u> </u>
46220		1.24		2.7			. 0.07		10	LEC		2.04		2.00	10	1.70					254	-	-0-40									- 117		

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:

Swastika Laboratories (2008) Ltd


Box 10, 1 Cameron Ave Swastika, ON P0K 1T0

Invoice

Date	Invoice #
8/15/2008	2444

In۱	voice	മിറ

TEMEX RESOURCES CORP.
SUITE 1660
141 ADLEAIDE STREET WEST
TORONTO, ONTARIO
M5H 3L5



P.O. No.	Terms	Project
	30 DAYS	

Qty		Description	Cert	#	Rate	Amount
		PROJECT: TEMAGAMI/TOD				
	21	GOLD PLATINUM PALLADIUM SAMPLE PREPARATION	8W-2296-R	Al	18.0	
	22	GOLD, PLATINUM & PALLADIUM SAMPLE PREPARATION GST 5% on sales			25.00 5.00 5.00%	110.00
		181.05.67 UIL 25Aug 08				
Thank you for you	r busi	ness.		GS	T Tax Total	\$57.15
				Tot	al	\$1,200.15

Swastika Laboratories (2008) Ltd

Box 10, 1 Cameron Ave Swastika, ON P0K 1T0

Invoice

Date	Invoice #
10/15/2008	2948

Invoice To

Temex Resources Corporation
141 Adelaide Street West
Suite 1660
TORONTO, ON
M5H 3L5

P.O. No.	Terms
	30 DAYS

Total

\$220.50

Qty	Description	Cert #	Rate	Amount
21	PROJECT: TEMAGAMI/TOD MULTI 30 ELEMENT AQUA REGIA GST 5% on sales		10.00 5.00%	210.00 10.50
	199.02.67 m 170ct08			
Thank you for yo	our business.	GS	T Tax Total	\$10.50