


Grade	Anomaly	Conductance
7	●	≥100 siemens
6	●	50-100 siemens
5	●	20-50 siemens
4	⊕	10-20 siemens
3	⊕	5-10 siemens
2	○	1-5 siemens
1	○	<1 siemen
-	*	Questionable anomaly

Anomaly identifier	Interpretive symbol	Interpretive symbol	Conductor ("model")
		B	Bedrock conductor
		D	Narrow bedrock conductor ("thin dike")
		S	Conductive cover ("horizontal thin sheet")
Depth is greater than: - 15 m - 30 m - 45 m - 60 m	Inphase and Quadrature of coaxial coil is greater than: - 5 ppm - 10 ppm - 15 ppm - 20 ppm	H	Broad conductive rock unit, deep conductive weathering, thick conductive cover ("half space")
		E	Edge of broad conductor ("edge of half space")
		L	Culture, e.g. power line, building, fence



2.12780

CHAMPION BEAR RESOURCES LTD.  
HELDER LAKE 1989

ENHANCED MAGNETICS

DIGHEM SURVEY	NTS: 52L	GEOPHYSICIST RP
DATE: MAY 1989	JOB: 1069	SHEET: 3-3
DIGHEM SURVEYS & PROCESSING INC.		

