


| Grade | Anomaly | Conductance |
|-------|---------|----------------------|
| 7 | ● | 2100 siemens |
| 6 | ● | 50-100 siemens |
| 5 | ● | 20-50 siemens |
| 4 | ● | 10-20 siemens |
| 3 | ● | 5-10 siemens |
| 2 | ● | 1-5 siemens |
| 1 | ● | < 1 siemens |
| - | * | Questionable anomaly |

| Anomaly identifier | Interpretive symbol | Interpretive |
|--------------------|---------------------|-----------------------------------------------------------------------------------------------|
| CIH | ● | Conductor ("model") |
| | B | Bedrock conductor |
| | D | Narrow bedrock conductor ("thin dike") |
| | S | Conductive cover ("horizontal thin sheet") |
| | H | Broad conductive rock unit, deep conductive weathering, thick conductive cover ("half space") |
| | E | Edge of broad conductor ("edge of half space") |
| | L | Culture, e.g. power line, building, fence |

| Depth is greater than | Inphase and Quadrature of conduct coil is greater than |
|-----------------------|--------------------------------------------------------|
| 15 m | 5 ppm |
| 30 m | 10 ppm |
| 45 m | 15 ppm |
| 60 m | 20 ppm |




2.12780

CHAMPION BEAR RESOURCES LTD.
HELDER LAKE 1989

RESISTIVITY (7200 Hz)

| | | |
|----------------|-----------|------------------|
| DIGHEM SURVEY | NTS: 92L | GEOPHYSICIST: RP |
| DATE: MAY 1989 | JOB: 1089 | SHEET: 2-5 |

DIGHEM SURVEYS & PROCESSING INC.



Dighem

