



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd. TSL Report: S40656
Geologist: R. Beard Date Received: Oct 25, 2010
Project: Foley Date Reported: Dec 07, 2010
Purchase Order: Invoice: 60617

Sample Type:	Number	Size Fraction	Sample Preparation
Core	13	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	3		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

*Test reports may be reproduced, in their entirety, without our consent
Liability is limited to the analytical cost for analyses.*

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 13 Core/ 3 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40656

Date: December 07, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
54530	15.5	0.90	29.0	2219.1	<20	34	4.7	0.27	64.2	12.6	34.0	4674.6	9.33	3	1.24	0.09	<1	0.96	336	16.6	0.009	24.4	0.012
54535	4.5	0.13	21.9	85.3	<20	15	7.2	0.61	15.9	5.8	134.0	278.4	1.05	<1	0.29	0.09	6	0.12	201	0.4	0.003	4.8	0.009
54536	0.7	0.01	2.2	71.7	<20	2	1.1	0.04	1.3	1.1	202.0	58.6	0.33	<1	0.07	<0.01	<1	<0.01	25	0.6	0.003	4.8	<0.001
54537	4.4	0.12	32.7	478.4	<20	9	14.8	0.48	3.9	5.0	53.0	260.7	1.03	<1	0.13	0.06	5	0.07	83	0.2	0.002	4.8	0.020
54538	1.7	0.28	38.7	598.4	<20	13	5.7	1.54	2.2	15.1	85.0	34.9	2.01	<1	0.02	0.07	4	0.18	230	0.4	0.002	5.8	0.025
54539	0.2	0.76	9.2	9.5	<20	20	0.8	1.07	5.7	7.0	123.0	56.5	1.70	2	0.05	0.13	12	0.83	292	0.5	0.009	12.2	0.028
54540	13.8	0.66	25.5	1924.6	<20	28	4.2	0.27	60.5	11.3	33.0	4647.1	8.62	2	1.20	0.08	<1	0.69	274	12.3	0.008	21.6	0.011
54541	<0.1	0.15	1.4	1.4	<20	30	<0.1	1.50	0.3	2.8	85.0	3.6	0.93	<1	<0.01	0.15	18	0.24	335	0.2	0.025	4.0	0.027
54542	0.3	0.15	1.7	3.0	<20	25	0.6	1.56	1.5	5.3	67.0	9.1	0.85	<1	<0.01	0.14	11	0.16	326	0.4	0.011	7.9	0.028
54543	0.4	0.14	1.2	40.8	<20	17	0.4	1.25	2.3	2.9	109.0	4.6	0.77	<1	0.01	0.12	11	0.16	300	0.4	0.006	5.6	0.028
54544	0.7	0.18	1.3	9.1	<20	19	0.4	1.20	1.1	4.9	122.0	6.8	0.93	<1	<0.01	0.13	11	0.19	336	0.5	0.004	8.4	0.022
54545	0.3	0.18	0.9	99.1	<20	25	0.2	1.46	1.7	2.8	113.0	5.4	0.72	<1	<0.01	0.17	14	0.18	323	0.3	0.006	4.9	0.027
54546	0.4	0.15	6.7	120.4	<20	19	0.2	0.87	4.2	3.9	114.0	11.1	0.74	<1	0.03	0.14	7	0.10	246	0.5	0.003	6.1	0.022
54547	<0.1	0.02	1.5	6.5	<20	3	<0.1	0.10	<0.1	1.2	178.0	2.9	0.27	<1	<0.01	0.02	<1	<0.01	32	0.5	0.004	2.7	<0.001
54548	<0.1	0.02	1.7	2.3	<20	3	<0.1	0.04	0.1	1.4	155.0	5.3	0.25	<1	<0.01	0.02	1	<0.01	19	0.5	0.003	3.1	<0.001
54550	14.1	0.68	25.7	2027.4	<20	27	4.2	0.27	58.9	11.2	33.0	4632.4	8.62	2	1.21	0.08	<1	0.70	271	13.2	0.009	21.3	0.009
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.1	<0.001	<0.1	<0.001	<0.1	<0.001
STD DS7	1.1	0.97	49.9	62.8	42	419	5.0	0.91	5.9	9.2	179.0	101.1	2.28	5	0.22	0.49	13	1.02	604	21.6	0.094	54.5	0.083
STD OREAS45PA	0.3	3.27	6.2	49.0	<20	196	0.2	0.25	<0.1	109.8	760.0	593.7	16.96	19	0.04	0.08	17	0.10	1136	1.0	0.009	305.9	0.039
STD DS7	1.1	0.91	54.4	207.2	41	398	4.3	0.84	5.8	8.5	171.0	99.2	2.21	4	0.25	0.44	10	0.97	583	17.5	0.081	51.2	0.074
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.1	<0.001	<0.1	<0.001	<0.1	<0.001
STD OREAS45PA	0.3	3.07	4.7	52.1	<20	220	0.2	0.25	<0.1	109.4	737.0	569.5	15.87	17	0.04	0.08	18	0.11	1134	1.0	0.006	279.5	0.033
STD DS8	1.8	0.84	26.7	138.6	<20	281	6.3	0.66	2.2	7.5	115.0	114.6	2.42	5	0.19	0.42	11	0.59	587	11.7	0.078	40.1	0.081

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Carruthers
 Project: Foley
 Sample: 13 Core/ 3 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40656
 Date: December 07, 2010

MULTELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
54530	267.4	8.05	0.5	2.0	5.2	9	13	0.2	0.017	<0.1	0.2	18	0.1	>10000
54535	120.9	0.66	1.2	<0.1	<0.5	17	<1	1.0	<0.001	<0.1	0.3	<2	0.1	1828
54536	8.9	<0.05	0.8	<0.1	<0.5	2	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	186
54537	58.0	0.72	8.4	<0.1	0.6	8	<1	0.9	<0.001	<0.1	0.4	<2	<0.1	643
54538	54.5	1.49	0.3	0.1	<0.5	8	<1	0.8	<0.001	<0.1	0.6	<2	<0.1	265
54539	22.5	0.13	0.1	0.3	<0.5	8	<1	2.7	<0.001	<0.1	0.7	<2	<0.1	686
54540	256.7	8.11	0.6	1.5	4.0	7	10	0.1	0.010	0.1	0.1	11	<0.1	>10000
54541	5.0	<0.05	<0.1	0.2	<0.5	44	<1	4.4	0.002	<0.1	0.9	<2	<0.1	50
54542	28.7	0.24	0.1	0.2	<0.5	36	<1	3.0	0.002	<0.1	1.0	<2	0.1	118
54543	34.8	0.13	0.2	0.1	<0.5	28	<1	2.4	<0.001	<0.1	1.3	<2	<0.1	313
54544	27.0	0.19	0.2	0.2	<0.5	31	<1	2.1	<0.001	<0.1	1.7	<2	<0.1	134
54545	12.8	0.07	0.2	0.1	<0.5	27	<1	3.0	<0.001	<0.1	2.4	<2	<0.1	226
54546	39.3	0.33	0.4	0.1	<0.5	15	<1	1.5	<0.001	<0.1	1.6	<2	0.1	587
54547	0.8	<0.05	0.1	<0.1	<0.5	3	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	2
54548	1.5	<0.05	<0.1	<0.1	<0.5	1	<1	0.2	<0.001	<0.1	<0.1	<2	<0.1	16
54550	263.8	8.17	0.5	1.4	3.9	7	10	0.1	0.010	<0.1	0.2	12	<0.1	>10000
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD DS7	68.8	0.19	4.8	2.4	2.7	71	<1	4.5	0.118	4.0	4.8	78	3.1	379
STD OREAS45PA	20.2	<0.05	0.1	43.0	1.3	14	<1	7.1	0.125	<0.1	1.2	233	<0.1	133
STD DS7	63.7	0.19	4.7	2.1	3.1	66	<1	3.6	0.106	4.1	4.1	74	3.1	373
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD OREAS45PA	21.6	<0.05	0.2	41.6	<0.5	16	<1	6.9	0.124	<0.1	1.2	216	<0.1	120
STD DS8	111.6	0.16	4.2	1.8	5.3	58	4	5.3	0.101	5.4	2.5	39	2.4	301

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
 at 95C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd.
Geologist: R. Beard
Project: Foley
Purchase Order:

TSL Report: S40661
Date Received: Oct 25, 2010
Date Reported: Dec 02, 2010
Invoice: 60682

Sample Type:	Number	Size Fraction	Sample Preparation
Core	21	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	2		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 21 Core/ 2 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40661

Date: December 02, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
54574	1.0	0.08	1.9	8.3	<20	11	2.1	1.04	2.9	3.2	80.0	5.2	0.59	<1	0.02	0.07	6	0.10	160	0.9	0.006	4.0	0.015
54575	0.3	0.09	16.5	9.6	<20	10	0.8	1.17	0.4	8.3	50.0	3.6	1.57	<1	<0.01	0.06	7	0.18	270	1.4	0.004	7.1	0.024
54576	0.2	0.02	6.5	7.2	<20	3	0.2	0.06	<0.1	4.4	93.0	2.4	0.37	<1	<0.01	0.02	2	0.01	18	0.8	0.003	3.0	0.001
54577	0.3	0.17	4.4	1.5	<20	24	0.3	1.31	0.6	4.9	143.0	6.2	1.16	<1	<0.01	0.14	17	0.21	346	0.7	0.006	7.3	0.028
54578	0.1	0.22	3.2	0.8	<20	30	0.1	1.83	0.7	5.6	127.0	5.4	1.43	<1	<0.01	0.15	23	0.33	437	0.5	0.017	8.0	0.037
54579	0.2	0.20	4.1	2.3	<20	26	0.2	1.56	0.2	4.9	106.0	6.6	1.32	<1	<0.01	0.14	23	0.28	361	0.6	0.017	7.8	0.039
54580	14.1	0.91	26.3	2127.3	<20	24	3.8	0.27	59.3	12.2	42.0	4729.4	9.00	3	1.12	0.09	<1	0.95	343	15.1	0.008	24.1	0.011
54581	>100.0	0.02	74.6	653.0	<20	2	272.4	0.19	1.6	6.9	122.0	13.9	1.79	<1	0.02	0.01	<1	0.03	47	0.3	0.004	6.3	0.001
54582	2.0	0.09	8.1	11.7	<20	9	4.1	0.72	2.7	5.2	133.0	5.2	0.93	<1	0.04	0.06	5	0.14	188	1.0	0.004	5.6	0.007
54583	0.3	0.17	4.0	1.6	<20	15	0.5	2.66	0.2	5.3	180.0	3.4	0.92	<1	0.01	0.08	7	0.21	394	0.3	0.006	6.1	0.007
54584	0.3	0.10	11.1	69.2	<20	10	0.8	0.36	<0.1	5.8	116.0	5.5	0.78	<1	<0.01	0.08	8	0.08	96	0.6	0.005	6.7	0.012
54585	0.3	0.18	14.9	61.0	<20	20	0.6	0.14	0.6	7.5	109.0	4.9	1.18	<1	0.01	0.14	14	0.03	30	0.7	0.004	7.8	0.029
54586	0.1	0.06	6.1	3.9	<20	7	0.2	0.12	0.1	2.6	219.0	3.8	0.50	<1	<0.01	0.05	2	0.03	65	1.6	0.007	4.9	0.002
54587	0.6	0.16	14.5	12.4	<20	17	0.6	0.43	0.1	8.7	77.0	8.1	1.15	<1	<0.01	0.12	9	0.04	67	6.0	0.004	8.8	0.024
54588	2.3	0.03	1.8	3.0	<20	2	7.9	0.12	3.7	1.7	244.0	27.3	0.37	<1	0.03	0.01	<1	0.02	48	1.2	0.006	5.2	<0.001
54589	0.1	0.03	4.8	14.9	<20	5	0.5	0.05	<0.1	2.9	196.0	2.6	0.45	<1	<0.01	0.03	1	<0.01	34	0.3	0.005	3.1	0.001
54590	15.2	0.93	26.8	2313.9	<20	17	4.3	0.29	62.0	12.0	42.0	5067.3	9.45	3	1.13	0.09	<1	1.02	400	15.9	0.008	24.4	0.011
54591	0.2	0.06	2.8	<0.5	<20	8	<0.1	0.89	0.2	1.4	75.0	4.7	0.46	<1	<0.01	0.05	8	0.10	178	0.5	0.004	3.5	0.016
54592	0.2	0.16	1.4	<0.5	<20	23	<0.1	1.76	1.6	3.9	111.0	9.0	0.99	<1	<0.01	0.14	18	0.27	372	0.3	0.006	5.7	0.032
54593	0.1	0.15	1.0	<0.5	<20	32	<0.1	1.51	<0.1	3.8	80.0	14.6	0.73	<1	<0.01	0.14	24	0.20	300	0.4	0.021	6.4	0.032
54594	3.6	0.24	1.2	5.3	<20	48	6.7	0.41	127.6	39.4	277.0	280.4	2.81	<1	0.92	0.21	10	0.07	113	0.7	0.023	11.2	0.014
54595	0.2	0.21	1.8	<0.5	<20	37	0.2	1.61	0.2	4.6	123.0	15.5	0.84	<1	0.01	0.16	27	0.21	343	0.6	0.026	6.8	0.029
54596	0.4	0.16	9.6	11.8	<20	17	1.0	0.94	0.1	7.5	79.0	2.5	1.39	<1	<0.01	0.12	10	0.21	265	1.8	0.003	7.6	0.018
STD DS7	1.0	0.98	53.3	56.9	33	390	4.4	0.93	6.1	9.4	196.0	126.8	2.34	5	0.22	0.44	12	1.03	613	20.4	0.090	55.3	0.080
STD OREAS45PA	0.3	3.51	4.6	43.8	<20	196	0.2	0.25	0.1	116.1	871.0	610.6	17.08	19	0.03	0.08	18	0.12	1118	0.9	0.007	297.5	0.038
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.1	<0.001	<0.1	<0.001	<0.1	<0.001
STD DS7	1.1	1.11	55.3	296.5	23	417	5.0	1.03	6.3	10.0	220.0	113.6	2.52	5	0.21	0.50	14	1.12	671	21.7	0.107	58.9	0.077
STD OREAS45PA	0.4	3.84	4.6	42.3	<20	187	0.2	0.26	<0.1	116.2	868.0	662.2	17.78	19	0.04	0.08	18	0.12	1165	0.8	0.007	323.3	0.035
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.1	<0.001	<0.1	<0.001	<0.1	<0.001
STD DS7	1.0	0.97	51.7	45.4	31	408	4.6	0.91	6.4	9.0	170.0	99.9	2.33	5	0.22	0.48	12	1.03	610	18.7	0.088	51.9	0.078
STD OREAS45PA	0.3	3.39	7.1	47.5	<20	179	0.2	0.26	<0.1	106.4	782.0	585.5	17.19	17	0.02	0.08	16	0.11	1093	1.0	0.007	285.7	0.035
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.1	<0.001	<0.1	<0.001	<0.1	<0.001
STD DS8	1.8	0.85	27.1	108.5	<20	291	6.9	0.66	2.4	7.0	106.0	102.3	2.42	4	0.19	0.42	12	0.59	602	11.6	0.075	35.8	0.084

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95°C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 21 Core/ 2 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40661

Date: December 02, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
54574	28.3	0.31	<0.1	0.1	<0.5	32	<1	1.1	<0.001	<0.1	0.3	<2	<0.1	392
54575	13.0	1.24	0.2	0.2	<0.5	36	<1	3.3	<0.001	<0.1	1.2	<2	<0.1	63
54576	2.6	0.25	<0.1	<0.1	<0.5	3	<1	0.3	<0.001	<0.1	0.1	<2	<0.1	6
54577	15.6	0.23	<0.1	0.2	<0.5	54	<1	3.9	<0.001	<0.1	1.1	<2	<0.1	92
54578	15.7	0.18	<0.1	0.4	<0.5	69	<1	6.9	0.001	<0.1	1.5	<2	<0.1	106
54579	18.5	0.29	<0.1	0.3	<0.5	61	<1	6.7	0.002	<0.1	1.0	<2	<0.1	47
54580	221.3	8.90	0.4	1.9	4.0	7	9	0.2	0.017	<0.1	0.2	16	0.1	>10000
54581	7041.0	1.89	2.1	0.2	0.7	8	5	0.2	<0.001	<0.1	0.1	<2	<0.1	56
54582	36.4	0.50	0.1	0.4	0.5	24	<1	1.6	<0.001	<0.1	0.5	<2	<0.1	263
54583	7.3	0.10	0.1	0.2	<0.5	123	<1	1.3	<0.001	<0.1	0.4	<2	<0.1	46
54584	7.4	0.62	<0.1	0.4	<0.5	6	<1	1.6	<0.001	<0.1	0.6	<2	<0.1	6
54585	9.3	1.12	<0.1	0.2	<0.5	7	<1	3.4	<0.001	<0.1	1.4	<2	<0.1	88
54586	5.9	0.20	0.1	0.2	<0.5	5	<1	0.5	<0.001	<0.1	0.4	<2	<0.1	11
54587	9.9	1.11	<0.1	0.3	<0.5	7	<1	2.3	<0.001	<0.1	3.7	<2	0.1	19
54588	21.5	0.05	<0.1	0.4	<0.5	5	<1	0.2	<0.001	<0.1	0.2	<2	<0.1	525
54589	1.8	0.20	0.1	0.2	<0.5	3	<1	0.3	<0.001	<0.1	0.2	<2	<0.1	2
54590	251.7	8.52	0.4	1.9	3.1	8	11	0.2	0.018	0.1	0.2	16	0.1	>10000
54591	7.8	0.06	<0.1	0.1	<0.5	41	<1	1.4	<0.001	<0.1	4.2	<2	<0.1	15
54592	12.4	0.08	<0.1	0.2	<0.5	60	<1	3.3	<0.001	<0.1	4.2	<2	0.1	165
54593	6.0	0.09	0.1	0.2	<0.5	48	<1	6.4	0.005	<0.1	1.6	<2	<0.1	17
54594	115.6	2.20	<0.1	0.3	<0.5	12	<1	3.7	0.004	<0.1	1.0	<2	0.1	>10000
54595	11.0	0.11	0.2	0.4	<0.5	54	<1	7.9	0.008	<0.1	1.8	<2	<0.1	24
54596	10.0	0.99	<0.1	0.4	<0.5	26	<1	4.0	<0.001	<0.1	4.0	<2	<0.1	23
STD DS7	65.0	0.20	4.4	2.3	3.3	68	1	4.1	0.117	4.0	4.4	80	3.3	409
STD OREAS45PA	19.5	<0.05	0.1	43.4	0.7	15	<1	7.1	0.144	<0.1	1.2	231	<0.1	127
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD DS7	70.9	0.22	4.2	2.5	2.9	93	1	4.5	0.128	4.0	5.0	87	3.5	424
STD OREAS45PA	19.4	<0.05	<0.1	44.4	<0.5	18	<1	7.0	0.146	0.1	1.3	228	<0.1	135
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD DS7	67.0	0.19	5.3	2.3	3.6	72	1	4.2	0.111	3.7	4.6	82	3.4	404
STD OREAS45PA	19.2	<0.05	0.2	44.0	0.6	15	<1	6.0	0.128	0.1	1.2	225	<0.1	129
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD DS8	120.3	0.16	4.6	1.9	5.1	61	4	5.9	0.099	5.4	2.5	39	2.6	310

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd. TSL Report: S40663
Geologist: R. Beard Date Received: Oct 25, 2010
Project: Foley Date Reported: Nov 25, 2010
Purchase Order: Invoice: 60648

Sample Type:	Number	Size Fraction	Sample Preparation
Core	3	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	1		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

Test reports may be reproduced, in their entirety, without our consent
Liability is limited to the analytical cost for analyses.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 3 Core/ 1 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40663

Date: November 25, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
54597	0.4	0.11	12.0	10.3	<20	10	1.3	1.07	0.1	5.4	83.0	2.5	0.78	<1	<0.01	0.07	8	0.20	200	0.9	0.002	4.8	0.010
54598	0.6	0.17	2.6	88.6	<20	24	0.8	0.56	<0.1	5.2	136.0	5.1	0.70	<1	<0.01	0.15	11	0.05	100	3.2	0.004	6.2	0.016
54600	15.0	0.96	27.4	2258.0	<20	21	4.8	0.28	62.3	12.5	47.0	5067.6	9.69	3	1.18	0.10	<1	1.07	400	15.7	0.009	26.5	0.011
54601	0.2	0.16	3.3	2.3	<20	19	0.5	2.30	0.2	3.4	154.0	3.3	0.85	<1	0.01	0.12	12	0.12	326	0.9	0.009	5.4	0.020
STD DS7	1.1	1.11	55.3	296.5	23	417	5.0	1.03	6.3	10.0	220.0	113.6	2.52	5	0.21	0.50	14	1.12	671	21.7	0.107	58.9	0.077
STD OREAS45PA	0.4	3.84	4.6	42.3	<20	187	0.2	0.26	<0.1	116.2	868.0	662.2	17.78	19	0.04	0.08	18	0.12	1165	0.8	0.007	323.3	0.035
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.001	<0.1	<0.001

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Carruthers
 Project: Foley
 Sample: 3 Core/ 1 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40663
 Date: November 25, 2010

MULTIELEMENT ICP-MS ANALYSIS
 Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
54597	10.6	0.57	0.1	0.3	<0.5	31	<1	3.6	<0.001	<0.1	1.7	<2	<0.1	7
54598	12.3	0.46	0.1	0.4	<0.5	22	<1	5.4	<0.001	<0.1	4.4	<2	0.1	9
54600	268.8	8.53	0.4	2.1	2.8	8	16	0.2	0.020	0.1	0.2	16	0.1	>10000
54601	10.6	0.35	<0.1	0.2	<0.5	77	1	4.4	<0.001	<0.1	1.7	<2	0.1	24
STD DS7	70.9	0.22	4.2	2.5	2.9	93	1	4.5	0.128	4.0	5.0	87	3.5	424
STD OREAS45PA	19.4	<0.05	<0.1	44.4	<0.5	18	<1	7.0	0.146	0.1	1.3	228	<0.1	135
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO₃
 at 95°C for 1 hour and diluted to 10 ml with DI H₂O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd.
Geologist: R. Beard
Project: Foley
Purchase Order:

TSL Report: S40659
Date Received: Oct 25, 2010
Date Reported: Nov 23, 2010
Invoice: 60647

Sample Type:	Number	Size Fraction	Sample Preparation
Core	21	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	2		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 21 Core/ 2 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40659

Date: November 23, 2010

MULTELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
54551	0.3	0.14	0.7	1.2	<20	29	<0.1	1.70	0.5	7.3	139.0	123.1	1.80	<1	<0.01	0.15	5	0.29	625	0.5	0.004	5.7	0.004
54552	<0.1	0.13	<0.5	1.0	<20	29	<0.1	0.97	<0.1	0.8	98.0	5.3	0.30	<1	<0.01	0.13	17	0.02	240	0.3	0.009	2.6	0.019
54553	0.6	0.12	0.7	4.9	<20	25	1.0	0.30	<0.1	7.3	159.0	35.1	1.08	<1	<0.01	0.12	11	0.01	81	4.6	0.005	3.6	0.009
54554	<0.1	0.15	<0.5	0.7	<20	31	<0.1	1.02	<0.1	1.0	103.0	7.4	0.29	<1	<0.01	0.14	19	0.03	230	5.4	0.025	2.6	0.010
54555	7.8	0.13	1.2	26.1	<20	19	20.3	0.42	4.1	2.6	147.0	8.3	0.47	<1	0.03	0.09	3	0.02	98	1345.6	0.026	3.0	0.014
54556	0.8	0.14	4.6	94.5	<20	22	0.8	1.28	3.4	11.8	144.0	42.3	1.24	<1	0.01	0.13	5	0.07	291	3.1	0.005	3.6	0.007
54557	0.2	0.20	<0.5	1.4	<20	33	0.2	0.51	4.3	2.2	111.0	17.5	0.36	<1	0.02	0.20	19	0.02	109	0.7	0.007	3.5	0.016
54558	0.3	0.06	6.7	8.3	<20	9	0.9	0.08	1.6	2.5	110.0	20.5	0.61	<1	0.01	0.06	6	0.01	26	1.5	<0.001	2.9	0.002
54559	0.1	0.17	<0.5	0.6	<20	29	<0.1	0.23	0.7	0.8	132.0	5.4	0.31	<1	<0.01	0.16	22	0.02	81	0.6	0.003	3.6	0.011
54560	14.4	0.82	25.3	1962.2	<20	23	3.7	0.27	58.5	12.0	38.0	4786.5	9.04	2	1.11	0.06	<1	0.87	312	14.5	0.007	23.7	0.011
54561	2.0	0.05	7.3	703.8	<20	6	2.8	0.03	1.2	25.5	96.0	48.8	1.58	<1	0.02	0.03	1	0.01	33	0.5	<0.001	3.1	<0.001
54562	0.1	0.05	0.7	6.8	<20	10	0.2	0.07	0.2	1.9	163.0	17.8	0.39	<1	<0.01	0.05	3	<0.01	26	2.0	0.003	3.5	<0.001
54563	0.2	0.16	<0.5	0.8	<20	32	<0.1	0.41	0.3	2.4	126.0	8.3	0.28	<1	<0.01	0.17	13	0.02	73	1.3	0.006	2.8	0.006
54564	0.2	0.11	2.2	7.0	<20	15	0.1	1.24	0.6	3.7	75.0	14.4	0.70	<1	<0.01	0.09	8	0.14	221	0.3	0.015	5.9	0.015
54565	0.3	0.17	2.0	6.9	<20	23	0.2	1.59	0.5	4.8	94.0	10.5	1.02	<1	<0.01	0.14	12	0.22	336	0.5	0.017	6.5	0.031
54566	0.3	0.09	3.9	230.0	<20	6	0.7	1.62	<0.1	3.0	87.0	1.6	0.58	<1	<0.01	0.04	7	0.06	162	1.1	0.003	4.3	0.011
54567	0.3	0.20	5.3	3.7	<20	26	0.5	1.37	1.1	5.2	106.0	6.5	1.05	<1	<0.01	0.15	16	0.18	297	0.6	0.012	7.6	0.032
54567 Re	0.2	0.19	5.0	4.8	<20	27	0.5	1.38	1.1	5.0	105.0	6.5	1.05	<1	<0.01	0.15	17	0.18	301	0.7	0.013	7.6	0.032
54568	0.1	0.24	1.5	4.9	<20	25	0.2	1.65	0.2	4.4	103.0	5.3	1.14	<1	<0.01	0.16	18	0.25	328	0.4	0.023	6.2	0.032
54569	0.2	0.10	2.8	9.3	<20	8	0.5	0.40	<0.1	2.6	168.0	4.0	0.54	<1	<0.01	0.06	5	0.03	51	0.6	0.003	5.7	0.007
54570	13.9	0.87	24.1	2021.8	<20	28	3.8	0.27	59.0	11.6	39.0	4308.9	8.33	3	1.10	0.09	<1	0.92	325	12.2	0.007	22.8	0.011
54571	1.6	0.22	5.8	75.1	<20	25	0.5	1.31	0.2	5.2	103.0	5.3	0.96	<1	<0.01	0.16	14	0.18	254	0.7	0.005	7.2	0.033
54572	0.2	0.09	5.0	3.3	<20	12	0.2	0.14	11.1	3.4	175.0	10.8	0.45	<1	0.04	0.07	5	0.02	37	0.6	0.003	5.2	0.007
54573	0.4	0.13	7.4	70.7	<20	14	0.7	0.75	0.3	6.8	64.0	6.0	0.89	<1	<0.01	0.10	7	0.09	122	0.8	0.005	5.7	0.023
STD DS7	1.0	0.98	53.3	56.9	33	390	4.4	0.93	6.1	9.4	196.0	126.8	2.34	5	0.22	0.44	12	1.03	613	20.4	0.090	55.3	0.080
STD OREAS45PA	0.3	3.51	4.6	43.8	<20	196	0.2	0.25	0.1	116.1	871.0	610.6	17.08	19	0.03	0.08	18	0.12	1118	0.9	0.007	297.5	0.038
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.001

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 21 Core/ 2 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40659

Date: November 23, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
54551	4.1	0.50	<0.1	0.2	<0.5	36	<1	1.2	<0.001	<0.1	3.4	<2	0.1	71
54552	2.8	0.05	<0.1	0.2	<0.5	24	<1	3.6	0.002	<0.1	1.0	<2	0.1	5
54553	27.2	0.55	<0.1	0.1	<0.5	10	<1	2.4	<0.001	<0.1	2.3	<2	<0.1	3
54554	5.1	<0.05	<0.1	0.2	<0.5	27	<1	4.1	0.002	<0.1	2.7	<2	<0.1	14
54555	206.5	0.27	<0.1	0.2	0.7	15	2	4.6	<0.001	<0.1	5.7	<2	0.2	552
54556	46.0	0.82	<0.1	0.2	0.5	20	<1	1.3	<0.001	0.1	4.3	<2	0.1	357
54557	12.9	0.14	<0.1	0.2	<0.5	10	<1	3.7	<0.001	<0.1	1.9	<2	0.1	566
54558	21.3	0.48	0.1	<0.1	<0.5	2	<1	1.1	<0.001	<0.1	2.8	<2	<0.1	227
54559	3.2	<0.05	<0.1	0.2	<0.5	4	<1	2.7	<0.001	<0.1	1.4	<2	<0.1	86
54560	222.4	8.76	0.4	1.7	3.7	7	10	0.1	0.014	<0.1	0.2	15	0.1	>10000
54561	100.4	1.17	<0.1	<0.1	<0.5	<1	<1	0.3	<0.001	<0.1	3.2	<2	<0.1	175
54562	7.7	0.05	<0.1	<0.1	<0.5	2	<1	0.4	<0.001	<0.1	0.3	<2	<0.1	28
54563	4.9	<0.05	<0.1	0.2	<0.5	9	<1	1.9	<0.001	<0.1	0.7	<2	<0.1	28
54564	16.8	0.28	0.1	0.2	<0.5	32	<1	7.5	<0.001	<0.1	4.7	<2	<0.1	67
54565	14.6	0.40	<0.1	0.3	<0.5	37	<1	2.7	0.001	<0.1	1.5	<2	<0.1	56
54566	11.5	0.29	<0.1	0.2	<0.5	28	<1	0.9	<0.001	<0.1	0.5	<2	<0.1	14
54567	19.0	0.43	<0.1	0.3	<0.5	41	<1	3.7	0.001	<0.1	2.0	<2	<0.1	125
54567 Re	19.8	0.42	<0.1	0.3	<0.5	43	<1	4.0	0.001	<0.1	2.2	<2	<0.1	129
54568	9.5	0.21	<0.1	0.3	<0.5	41	<1	3.6	0.001	<0.1	1.6	<2	<0.1	24
54569	5.0	0.18	<0.1	0.1	<0.5	8	<1	0.7	<0.001	<0.1	0.4	<2	0.2	12
54570	229.6	8.15	0.5	1.7	4.0	7	10	0.2	0.016	<0.1	0.2	15	<0.1	>10000
54571	11.2	0.39	<0.1	0.2	<0.5	45	<1	4.1	<0.001	<0.1	1.4	<2	0.1	28
54572	4.9	0.26	<0.1	<0.1	<0.5	4	<1	0.6	<0.001	<0.1	0.3	<2	<0.1	1267
54573	14.1	0.70	<0.1	0.1	<0.5	21	<1	1.4	<0.001	<0.1	0.4	<2	<0.1	60
STD DS7	65.0	0.20	4.4	2.3	3.3	68	1	4.1	0.117	4.0	4.4	80	3.3	409
STD OREAS45PA	19.5	<0.05	0.1	43.4	0.7	15	<1	7.1	0.144	<0.1	1.2	231	<0.1	127
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95°C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd.
Geologist: R. Beard
Project: Foley
Purchase Order:

TSL Report: S40653
Date Received: Oct 25, 2010
Date Reported: Nov 15, 2010
Invoice: 60616

Sample Type:	Number	Size Fraction	Sample Preparation
Core	10	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	2		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Carruthers
 Project: Foley
 Sample: 10 Core/ 2 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40653
 Date: November 15, 2010

MULTELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
54505	34.7	0.22	2.3	>5000.0	<20	6	48.0	0.36	4.7	5.4	124.0	121.2	0.77	<1	0.09	0.03	2	0.13	66	9.1	0.004	9.5	0.001
54507	4.0	0.03	2.6	17.3	<20	3	5.5	0.04	36.1	3.7	190.0	337.4	0.47	<1	0.15	0.02	<1	0.01	26	0.5	0.005	5.6	<0.001
54509	0.7	0.05	5.5	63.6	<20	7	0.9	0.35	2.6	4.6	73.0	12.2	0.58	<1	0.07	0.03	2	0.03	61	0.5	0.002	4.0	0.002
54510	14.5	0.81	24.4	1902.0	<20	30	4.3	0.28	59.3	12.2	39.0	4984.6	9.17	2	1.16	0.09	<1	0.86	302	13.6	0.009	24.3	0.009
54512	3.3	0.25	2.3	>5000.0	<20	26	11.3	1.32	0.2	3.7	183.0	43.3	0.97	<1	0.01	0.13	12	0.25	328	4.2	0.006	9.3	0.017
54514	5.5	0.20	1.3	104.3	<20	29	10.3	0.91	25.1	10.1	120.0	140.8	0.83	<1	0.05	0.17	10	0.08	186	0.9	0.008	5.7	0.019
54515	0.2	0.29	2.0	10.5	<20	36	0.4	2.41	<0.1	5.4	134.0	15.4	0.90	<1	<0.01	0.20	13	0.12	401	0.4	0.010	9.4	0.030
54516	0.2	0.25	2.9	14.5	<20	18	0.8	1.53	0.2	6.7	173.0	19.8	1.00	<1	<0.01	0.09	5	0.11	300	0.3	0.005	10.3	0.012
54517	0.3	0.24	1.9	79.9	<20	35	0.3	1.36	1.0	4.5	140.0	21.6	0.72	<1	0.17	0.20	17	0.10	343	0.8	0.005	9.6	0.034
54518	0.2	0.10	8.7	31.3	<20	19	0.4	0.27	<0.1	5.7	164.0	13.2	0.67	<1	<0.01	0.11	6	0.03	105	0.3	0.005	5.0	0.010
54520	15.2	0.81	23.8	1910.5	<20	28	4.2	0.26	58.3	11.5	39.0	4802.1	8.94	2	1.17	0.08	<1	0.86	302	13.4	0.010	23.2	0.010
54522	0.6	0.13	3.1	155.9	<20	12	1.2	1.29	0.3	2.3	205.0	15.1	0.62	<1	<0.01	0.07	6	0.31	310	2.6	0.007	6.0	0.006
STD DS7	1.0	1.03	55.0	64.0	28	429	5.0	0.97	6.7	10.3	210.0	114.0	2.53	5	0.21	0.49	12	1.10	649	20.6	0.097	61.0	0.077
STD OREAS45PA	0.4	3.28	4.7	57.8	<20	192	0.2	0.24	<0.1	116.2	873.0	608.6	17.05	17	0.02	0.08	16	0.11	1151	1.0	0.006	288.2	0.036
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.001	<0.1	<0.001

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95°C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 10 Core/ 2 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40653
Date: November 15, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
54505	1006.6	0.12	0.2	<0.1	0.5	5	6	0.2	<0.001	<0.1	0.1	<2	<0.1	747
54507	104.7	0.37	0.2	<0.1	<0.5	1	<1	0.2	<0.001	<0.1	<0.1	<2	<0.1	5083
54509	246.4	0.47	0.5	<0.1	<0.5	10	<1	0.7	<0.001	<0.1	0.4	<2	0.1	341
54510	261.5	8.52	0.6	1.7	3.1	6	9	0.2	0.013	<0.1	0.2	14	0.1	>10000
54512	36.4	0.05	<0.1	0.2	<0.5	17	<1	1.7	<0.001	<0.1	0.7	<2	0.1	59
54514	274.4	0.46	0.3	0.2	<0.5	17	<1	2.4	0.002	<0.1	2.1	<2	0.1	3185
54515	19.4	0.28	0.2	0.2	<0.5	38	<1	3.4	<0.001	<0.1	0.9	<2	0.2	26
54516	13.1	0.31	0.1	0.2	<0.5	21	<1	1.3	<0.001	<0.1	0.5	<2	0.1	71
54517	24.7	0.19	0.4	0.2	<0.5	25	<1	4.4	0.001	<0.1	1.5	3	0.3	109
54518	7.9	0.40	<0.1	<0.1	<0.5	6	<1	1.3	<0.001	<0.1	0.5	<2	0.1	23
54520	245.7	8.25	0.5	1.7	3.9	6	10	0.1	0.014	<0.1	0.2	14	0.1	>10000
54522	61.2	0.06	0.1	0.2	<0.5	7	<1	0.9	<0.001	<0.1	4.0	<2	<0.1	56
STD DS7	76.5	0.22	5.6	2.4	3.3	67	<1	4.7	0.124	4.2	5.0	84	3.7	426
STD OREAS45PA	22.5	<0.05	0.1	43.2	<0.5	13	<1	7.4	0.130	<0.1	1.3	219	<0.1	118
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd.
Geologist: R. Beard
Project: Foley
Purchase Order:

TSL Report: S40655
Date Received: Oct 25, 2010
Date Reported: Nov 15, 2010
Invoice: 60744

Sample Type:	Number	Size Fraction	Sample Preparation
Core	11	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	0		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 11 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40655

Date: November 15, 2010

MULTELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
54506	<0.1	0.47	1.4	6.5	<20	21	0.3	2.41	<0.1	4.5	86.0	10.4	1.08	1	<0.01	0.16	19	0.49	423	2.0	0.005	7.0	0.023
54508	0.6	0.16	0.9	4.9	<20	31	0.6	2.69	1.6	5.3	75.0	20.6	1.02	<1	<0.01	0.18	11	0.16	422	1.3	0.015	5.2	0.023
54511	0.3	0.25	0.7	9.9	<20	46	0.3	1.02	1.6	4.5	78.0	19.6	0.61	<1	<0.01	0.26	26	0.05	215	1.7	0.013	7.4	0.029
54513	0.2	0.16	2.7	4.9	<20	27	0.3	1.35	0.1	4.4	72.0	7.7	1.17	<1	<0.01	0.14	15	0.21	290	0.4	0.034	4.8	0.034
54519	0.5	0.14	2.1	4.1	<20	22	0.1	1.29	7.3	5.5	106.0	16.7	0.56	<1	0.04	0.12	6	0.12	238	2.9	0.020	7.6	0.006
54521	0.1	0.24	2.0	10.5	<20	38	0.2	1.52	0.2	4.3	130.0	9.0	0.60	<1	0.01	0.19	14	0.11	299	3.8	0.008	5.7	0.021
54523	0.3	0.29	1.9	4.8	<20	29	0.4	2.17	1.1	4.5	108.0	13.7	0.92	<1	<0.01	0.17	15	0.27	360	2.8	0.006	7.4	0.020
54524	1.4	0.20	<0.5	2.4	<20	47	2.1	0.89	0.3	1.1	86.0	6.8	0.36	<1	<0.01	0.20	20	0.02	226	11.2	0.027	3.3	0.012
54525	1.1	0.17	<0.5	1.8	<20	39	2.6	1.27	0.3	0.7	106.0	3.4	0.29	<1	<0.01	0.17	11	0.01	238	12.4	0.016	2.7	0.013
54526	0.2	0.18	<0.5	3.1	<20	42	0.4	1.01	<0.1	2.8	95.0	20.5	0.60	<1	<0.01	0.19	15	0.02	232	1.2	0.022	3.9	0.012
54527	0.8	0.17	0.8	5.2	<20	28	1.8	0.74	0.6	4.5	122.0	21.6	0.91	<1	<0.01	0.14	7	0.10	305	3.2	0.005	3.8	0.005
STD DS7	1.1	0.99	52.2	61.8	41	391	4.8	0.93	6.2	8.8	189.0	103.9	2.35	5	0.22	0.49	13	1.02	628	20.4	0.090	52.3	0.077
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.1	<0.01	<0.1	<0.01	<0.1	<0.001
STD OREAS45PA	0.4	3.26	4.9	62.3	<20	189	0.2	0.24	0.1	108.6	786.0	586.2	16.17	20	0.04	0.08	18	0.11	1137	1.0	0.004	288.3	0.034
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.1	<0.01	<0.1	<0.001	<0.1	<0.001
STD DS7	1.0	1.02	54.1	53.6	40	422	4.5	0.95	6.4	9.8	197.0	108.2	2.38	5	0.23	0.45	12	1.06	625	22.5	0.096	55.5	0.075
STD OREAS45PA	0.3	3.21	4.6	44.2	<20	189	0.2	0.23	<0.1	105.9	823.0	576.3	16.13	17	0.04	0.07	16	0.09	1114	1.1	0.015	288.5	0.032

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 11 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40655

Date: November 15, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
54506	6.0	0.08	<0.1	0.3	<0.5	17	<1	2.5	<0.001	<0.1	0.5	<2	0.2	40
54508	61.5	0.21	0.2	0.2	<0.5	71	<1	3.2	0.002	<0.1	1.1	<2	0.4	166
54511	48.4	0.19	<0.1	0.2	0.6	39	<1	9.2	0.003	<0.1	2.9	<2	0.2	163
54513	10.5	0.61	0.2	0.4	<0.5	92	<1	4.4	0.004	<0.1	2.3	<2	0.2	31
54519	378.8	0.15	0.3	0.1	<0.5	27	<1	2.5	<0.001	<0.1	12.5	<2	<0.1	903
54521	28.9	0.12	0.1	0.2	<0.5	15	<1	2.5	<0.001	<0.1	3.1	<2	0.1	21
54523	21.2	0.13	0.1	0.2	<0.5	25	<1	2.1	<0.001	<0.1	1.1	<2	0.1	167
54524	41.1	0.09	<0.1	0.2	<0.5	20	<1	4.3	0.003	<0.1	2.5	<2	0.3	42
54525	53.4	<0.05	<0.1	0.1	0.6	31	<1	2.2	<0.001	<0.1	1.1	<2	0.4	27
54526	11.9	0.24	<0.1	0.2	<0.5	23	<1	4.0	0.002	<0.1	1.8	<2	0.2	7
54527	39.2	0.33	<0.1	0.1	<0.5	19	<1	2.9	<0.001	<0.1	0.8	<2	<0.1	74
STD DS7	72.6	0.20	4.8	2.3	3.7	72	1	4.9	0.118	4.3	4.8	81	4.0	382
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD OREAS45PA	21.0	<0.05	0.2	43.1	0.6	15	<1	7.5	0.138	<0.1	1.3	218	<0.1	122
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD DS7	66.3	0.20	4.4	2.4	4.0	70	<1	4.6	0.115	4.0	4.8	79	3.7	393
STD OREAS45PA	20.0	<0.05	0.2	41.6	<0.5	13	<1	7.0	0.123	0.1	1.2	215	<0.1	107

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd. TSL Report: S40665
Geologist: R. Beard Date Received: Oct 25, 2010
Project: Foley Date Reported: Nov 15, 2010
Purchase Order: Invoice: 60754

Sample Type:	Number	Size Fraction	Sample Preparation
Core	8	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	0		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Tl *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	100000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

*Test reports may be reproduced, in their entirety, without our consent
Liability is limited to the analytical cost for analyses.*

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Carruthers
 Project: Foley
 Sample: 8 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40665
 Date: November 15, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
54599	0.3	0.19	2.2	8.6	<20	28	0.4	1.66	0.3	4.0	84.0	4.4	1.02	<1	<0.01	0.17	16	0.20	373	0.4	0.027	6.2	0.029
54602	0.1	0.22	<0.5	5.8	<20	36	<0.1	1.54	0.2	4.5	93.0	17.2	0.88	<1	<0.01	0.19	21	0.20	341	2.3	0.026	8.1	0.032
54603	<0.1	0.15	<0.5	6.8	<20	27	0.1	1.18	0.4	2.4	102.0	7.4	0.63	<1	<0.01	0.14	9	0.15	226	0.4	0.021	4.2	0.020
54604	0.8	0.23	10.9	82.6	<20	35	2.0	1.19	<0.1	8.0	111.0	10.1	0.98	<1	<0.01	0.21	6	0.10	198	2.8	0.007	8.6	0.012
54605	0.3	0.10	<0.5	3.1	<20	20	<0.1	0.58	<0.1	2.2	134.0	99.8	0.52	<1	<0.01	0.09	8	0.06	115	0.6	0.017	17.6	0.008
54606	<0.1	0.16	0.5	4.9	<20	31	<0.1	1.33	0.5	2.5	121.0	6.4	0.58	<1	<0.01	0.16	13	0.11	251	3.1	0.008	5.1	0.021
54607	<0.1	0.19	0.9	1.3	<20	42	<0.1	1.24	<0.1	3.0	87.0	6.2	0.83	<1	<0.01	0.22	21	0.18	344	0.4	0.009	5.0	0.024
54608	<0.1	0.11	0.8	0.9	<20	23	<0.1	0.73	0.1	2.3	144.0	5.5	0.55	<1	<0.01	0.09	9	0.12	176	2.9	0.022	5.2	0.013
STD DS7	0.9	0.99	47.0	100.6	30	412	4.6	0.91	6.0	9.3	202.0	98.7	2.32	5	0.21	0.46	13	1.04	619	20.6	0.094	54.1	0.072
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.001	<0.1	<0.001
STD OREAS45PA	0.3	3.35	4.8	56.7	<20	185	0.2	0.24	<0.1	110.7	878.0	596.8	15.98	17	0.02	0.08	16	0.11	1132	1.0	0.007	292.4	0.034
STD DS7	1.0	1.03	55.0	64.0	28	429	5.0	0.97	6.7	10.3	210.0	114.0	2.53	5	0.21	0.49	12	1.10	649	20.6	0.097	61.0	0.077
STD OREAS45PA	0.4	3.28	4.7	57.8	<20	192	0.2	0.24	<0.1	116.2	873.0	608.6	17.05	17	0.02	0.08	16	0.11	1151	1.0	0.006	288.2	0.036
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.001	<0.1	<0.001

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95°C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 8 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40665

Date: November 15, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
54599	9.7	0.40	<0.1	0.3	<0.5	59	<1	7.7	0.002	<0.1	1.7	<2	0.2	38
54602	9.6	0.18	0.2	0.2	<0.5	49	<1	9.7	0.004	<0.1	3.1	<2	0.1	30
54603	9.9	0.06	<0.1	0.2	<0.5	46	<1	5.0	0.004	<0.1	1.9	<2	0.2	69
54604	35.9	0.48	<0.1	0.2	<0.5	30	<1	2.8	<0.001	<0.1	1.1	<2	<0.1	18
54605	4.2	0.11	0.3	<0.1	<0.5	19	<1	2.4	0.011	<0.1	0.6	<2	0.2	10
54606	4.3	0.06	<0.1	0.2	<0.5	58	<1	4.0	0.003	<0.1	1.1	<2	0.1	109
54607	4.9	<0.05	<0.1	0.2	<0.5	45	<1	5.2	0.004	<0.1	1.2	<2	0.2	19
54608	9.4	<0.05	0.1	0.2	<0.5	25	<1	2.5	0.004	<0.1	0.7	<2	<0.1	27
STD DS7	67.0	0.21	4.5	2.3	3.3	71	1	4.5	0.113	4.1	5.1	82	3.5	377
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	A0.1	<2	<0.1	<1
STD OREAS45PA	18.3	<0.05	0.1	41.6	0.5	13	<1	6.8	0.134	<0.1	1.1	229	<0.1	121
STD DS7	76.5	0.22	5.6	2.4	3.3	67	<1	4.7	0.124	4.2	5.0	84	3.7	426
STD OREAS45PA	22.5	<0.05	0.1	43.2	<0.5	13	<1	7.4	0.130	<0.1	1.3	219	<0.1	118
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd. TSL Report: S40658
Geologist: R. Beard Date Received: Oct 25, 2010
Project: Foley Date Reported: Nov 15, 2010
Purchase Order: Invoice: 60745

Sample Type:	Number	Size Fraction	Sample Preparation
Core	7	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	0		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 7 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40658

Date: November 15, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
54528	0.1	0.20	<0.5	<0.5	<20	40	0.2	0.84	0.8	1.5	88.0	7.8	0.34	<1	<0.01	0.21	24	0.01	200	10.7	0.018	2.4	0.008
54529	<0.1	0.12	<0.5	0.8	<20	28	<0.1	0.31	<0.1	0.5	120.0	2.9	0.23	<1	<0.01	0.13	14	<0.01	80	16.2	0.005	2.5	0.005
54531	0.1	0.13	<0.5	69.2	<20	24	<0.1	0.47	59.2	2.8	118.0	7.0	0.65	<1	0.20	0.10	9	0.07	245	1.0	0.015	3.2	0.004
54532	0.1	0.22	0.6	0.9	<20	35	0.1	0.94	0.4	2.2	83.0	8.5	0.45	<1	<0.01	0.19	17	0.02	202	2.3	0.019	3.9	0.009
54533	0.2	0.30	2.1	1.1	<20	36	0.3	0.50	4.7	4.5	97.0	9.0	0.68	<1	0.03	0.18	10	0.03	105	0.5	0.002	3.2	0.010
54533 Re	0.2	0.30	2.2	0.8	<20	35	0.3	0.51	4.7	4.7	101.0	8.1	0.68	<1	0.03	0.18	10	0.03	107	0.5	0.004	3.2	0.010
54534	1.9	0.03	<0.5	1.7	<20	6	3.6	0.34	0.7	0.8	132.0	5.7	0.28	<1	<0.01	0.03	1	<0.01	74	4.2	0.005	2.7	0.002
54549	<0.1	0.18	<0.5	0.8	<20	36	<0.1	1.69	<0.1	0.6	80.0	2.4	0.32	<1	<0.01	0.18	28	0.03	423	0.4	0.028	1.8	0.019
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.001	<0.1	<0.001
STD DS7	1.0	1.02	54.1	53.6	40	422	4.5	0.95	6.4	9.8	197.0	108.2	2.38	5	0.23	0.45	12	1.06	625	22.5	0.096	55.5	0.075
STD OREAS45PA	0.3	3.21	4.6	44.2	<20	189	0.2	0.23	<0.1	105.9	823.0	576.3	16.13	17	0.04	0.07	16	0.09	1114	1.1	0.015	288.5	0.032

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Carruthers
 Project: Foley
 Sample: 7 Core/0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S40658
 Date: November 15, 2010

MULTIELEMENT ICP-MS ANALYSIS
 Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Tl %	U ppm	V ppm	W ppm	Zn ppm
54528	7.7	0.10	<0.1	0.2	<0.5	23	<1	4.2	<0.001	<0.1	1.4	<2	0.2
54529	1.5	<0.05	<0.1	<0.1	<0.5	9	<1	1.9	<0.001	<0.1	0.6	<2	<0.1
54531	10.9	0.39	<0.1	0.1	0.6	12	<1	1.5	<0.001	<0.1	0.7	<2	0.2
54532	12.5	0.16	<0.1	0.1	<0.5	18	<1	4.4	<0.001	<0.1	2.1	<2	<0.1
54533	25.6	0.24	<0.1	0.2	<0.5	15	<1	4.4	<0.001	<0.1	2.3	<2	0.1
54533 Re	24.6	0.24	<0.1	0.2	<0.5	15	<1	4.3	<0.001	<0.1	2.5	<2	0.2
54534	98.7	<0.05	<0.1	<0.1	<0.5	12	<1	0.4	<0.001	<0.1	0.3	<2	<0.1
54549	4.2	<0.05	<0.1	0.2	<0.5	43	<1	4.4	0.002	<0.1	1.7	<2	0.1
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1
STD DS7	66.3	0.20	4.4	2.4	4.0	70	<1	4.6	0.115	4.0	4.6	79	3.7
STD OREAS45PA	20.0	<0.05	0.2	41.6	<0.5	13	<1	7.0	0.123	0.1	1.2	215	<0.1
													107

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
 at 95°C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Limited
Geologist: R. Beard
Project: Foley

TSL Report: S40657
Date Received: Oct 25, 2010
Date Reported: Nov 12, 2010
Invoice: 60722

Remarks: Base Metals on S40656

Sample Type:	Number	Size Fraction	Sample Preparation
Core	13	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 95% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	3		None
Pulp Size: ~250 gram			

Standard Procedure:

Samples for Ag (g/tonne), Base Metals (%) are weighed at 0.5 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Ag	g/tonne	HNO ₃ -HF-HClO ₄ -HCl/AA	1	1700
Zn	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40657

SAMPLE(S) OF
13 Core/3 Pulp

INVOICE #: 60722
P.O.:

R. Beard
Project: Foley

BM on S40656

	Ag g/t	Zn %	File Name
54530	14.3	1.37	S40657
54535	5.6	0.22	S40657
54536	1.0	0.03	S40657
54537	3.6	0.07	S40657
54538	2.2	0.02	S40657
54539	0.5	0.11	S40657
54540	14.5	1.36	S40657
54541	0.3	<0.01	S40657
54542	0.6	0.01	S40657
54543	0.5	0.04	S40657
54544	0.8	0.02	S40657
54545	0.3	0.03	S40657
54546	0.6	0.07	S40657
54547	0.7	<0.01	S40657
54548	<0.2	<0.01	S40657
54550	15.3	1.37	S40657
FCM-3	23.7	.54	S40657

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 12/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Limited
Geologist: R. Beard
Project: Foley

TSL Report: S40664
Date Received: Oct 25, 2010
Date Reported: Nov 12, 2010
Invoice: 60720

Remarks: Base Metals on S40663

Sample Type:	Number	Size Fraction	Sample Preparation
Core	3	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 95% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	1		None
Pulp Size: ~250 gram			

Standard Procedure:

Samples for Ag (g/tonne), Base Metals (%) are weighed at 0.5 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Ag	g/tonne	HNO ₃ -HF-HClO ₄ -HCl/AA	1	1700
Zn	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM

Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40664

SAMPLE(S) OF

3 Core/1 Pulp

INVOICE #: 60720
P.O.:

R. Beard
Project: Foley

BM on S40663

	Ag g/t	Zn %	File Name
54597	0.3	<0.01	S40664
54598	0.5	<0.01	S40664
54600	14.8	1.35	S40664
54601	0.5	<0.01	S40664
FCM-3	24.2	.55	S40664

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 12/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Limited
Geologist: R. Beard
Project: Foley

TSL Report: S40662
Date Received: Oct 25, 2010
Date Reported: Nov 12, 2010
Invoice: 60719

Remarks: Base Metals on S40661

Sample Type:	Number	Size Fraction	Sample Preparation
Core	21	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 95% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	2		None
Pulp Size: ~250 gram			

Standard Procedure:

Samples for Ag (g/tonne), Base Metals (%) are weighed at 0.5 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Ag	g/tonne	HNO ₃ -HF-HClO ₄ -HCl/AA	1	1700
Pb	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80
Zn	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80



#2 - 302 48th Street · Saskatoon, SK · S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40662

SAMPLE(S) OF 21 Core/2 Pulp

INVOICE #: 60719
P.O.:

R. Beard
Project: Foley


BM on S40661

	Ag g/t	Pb %	Zn %	File Name
54574	0.8		0.04	S40662
54575	0.4		<0.01	S40662
54576	0.7		<0.01	S40662
54577	1.1		0.01	S40662
54578	0.7		0.04	S40662
54579	0.2		0.01	S40662
54580	13.9		1.35	S40662
54581	165.7	.89	<0.01	S40662
54582	4.4	<.01	0.02	S40662
54583	0.2		<0.01	S40662
54584	<0.2		0.01	S40662
54585	0.3		0.01	S40662
54586	<0.2		<0.01	S40662
54587	0.4		<0.01	S40662
54588	1.1		0.03	S40662
54589	<0.2		<0.01	S40662
54590	14.2		1.35	S40662
54591	<0.2		<0.01	S40662
54592	0.2		0.02	S40662
54593	<0.2		<0.01	S40662

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 12/10

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40662

SAMPLE(S) OF
21 Core/2 Pulp

INVOICE #: 60719
P.O.:


R. Beard
Project: Foley

	Ag g/t	Pb %	Zn %	File Name
54594	3.8		2.11	S40662
54595	0.3		<0.01	S40662
54596	0.2		<0.01	S40662
FCM-3	23.6	.15	.54	S40662

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 12/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q. Gold Resources Limited
Geologist: R. Beard
Project: Foley

TSL Report: S40663
Date Received: Oct 25, 2010
Date Reported: Nov 05, 2010
Invoice: 60648

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	3	Reject ~ 95% -10 mesh (1.70 mm)	Primary Crush, Rolls Crush
		Pulp ~ 5% +150 mesh (106 µm)	Riffle Split, Pulverize
		~ 95% -150 mesh (106 µm)	
Pulp	1		
Screen Metallic size:	Entire Sample		

Screen Metallic for Gold:

Minus fraction for gold analysis is weighed at 1 AT (29.16 g)

- Au g/t Total - Au weighted average
- Au g/t +150 - Au value of +150 mesh fraction
- Au g/t -150 - Au value of -150 mesh fraction
- Wt g Total - Total sample weight
- Wt g +150 - Weight of +150 mesh fraction
- Wt g -150 - Weight of -150 mesh fraction

- Au mg +150 - Value is the entire plus fraction
- Au mg -150 - Value is based on a 1 AT sample weight
- GS-10C - Value is based on a 1 AT sample weight

Samples with 100% passing 150 mesh (106 µm) are screened at 200 mesh (75 µm)

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	g/tonne	Fire Assay/Gravimetric	0.03	6500

*Test reports may be reproduced, in their entirety, without our consent
Liability is limited to the analytical cost for analyses.*



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40663

SAMPLE(S) OF
3 Core/1 Pulp

INVOICE #:60648
P.O.:

R. Beard
Project: Foley

	Au g/t	Au g/t	Au g/t	Wt g	Wt g	Wt g	Au mg	Au mg	File
	Total	+150	-150	Total	+150	-150	+150	-150	Name
54597	<.03	<.03	<.03	445.6	36.45	409.2	<.001	<.001	S40663
54598	<.03	<.03	<.03	1073.6	24.33	1049.3	<.001	<.001	S40663
54600	2.06						.060	.060	S40663
54601	<.03	<.03	<.03	1132.7	32.10	1100.6	<.001	<.001	S40663
GS-10C	9.26								S40663
GS-10C	9.19								S40663

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 05/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Limited
Geologist: R. Beard
Project: Foley

TSL Report: S40660
Date Received: Oct 25, 2010
Date Reported: Nov 12, 2010
Invoice: 60718

Remarks: Base Metals on S40659

Sample Type:	Number	Size Fraction	Sample Preparation
Core	21	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 95% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	2		None
Pulp Size: ~250 gram			

Standard Procedure:

Samples for Ag (g/tonne), Base Metals (%) are weighed at 0.5 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Ag	g/tonne	HNO ₃ -HF-HClO ₄ -HCl/AA	1	1700
Zn	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40660

SAMPLE(S) OF
21 Core/2 Pulp

INVOICE #: 60718
P.O.:

R. Beard
Project: Foley


BM on S40659

	Ag g/t	Zn %	File Name
54551	0.3	<0.01	S40660
54552	<0.2	<0.01	S40660
54553	0.7	<0.01	S40660
54554	<0.2	<0.01	S40660
54555	9.5	0.05	S40660
54556	0.7	0.04	S40660
54557	<0.2	0.05	S40660
54558	0.2	0.02	S40660
54559	<0.2	0.01	S40660
54560	14.4	1.35	S40660
54561	1.7	0.02	S40660
54562	<0.2	<0.01	S40660
54563	0.7	<0.01	S40660
54564	0.9	<0.01	S40660
54565	<0.2	<0.01	S40660
54566	<0.2	<0.01	S40660
54567	0.4	0.01	S40660
54568	0.2	<0.01	S40660
54569	0.2	<0.01	S40660
54570	14.3	1.36	S40660

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 12/10

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM

Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40660

SAMPLE(S) OF

21 Core/2 Pulp

INVOICE #:60718
P.O.:

R. Beard
Project: Foley

	Ag g/t	Zn %	File Name
54571	0.7	0.02	S40660
54572	<0.2	0.13	S40660
54573	0.7	<0.01	S40660
FCM-3	23.6	.54	S40660

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 12/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Limited
Geologist: R. Beard
Project: Foley

TSL Report: S40654
Date Received: Oct 25, 2010
Date Reported: Nov 12, 2010
Invoice: 60717

Remarks: Base Metals on S40653

Sample Type:	Number	Size Fraction	Sample Preparation
Core	10	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 95% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	2		None
Pulp Size: ~250 gram			

Standard Procedure:

Samples for Ag (g/tonne), Base Metals (%) are weighed at 0.5 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Ag	g/tonne	HNO ₃ -HF-HClO ₄ -HCl/AA	1	1700
Zn	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM

Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40654

SAMPLE(S) OF

10 Core/2 Pulp

INVOICE #: 60717
P.O.:

R. Beard
Project: Foley


BM on S40653

	Ag g/t	Zn %	File Name
54505	27.6	0.08	S40654
54507	5.2	0.46	S40654
54509	2.1	0.04	S40654
54510	14.3	1.36	S40654
54512	3.0	<0.01	S40654
54514	10.3	0.69	S40654
54515	1.3	<0.01	S40654
54516	1.7	<0.01	S40654
54517	1.4	0.01	S40654
54518	0.7	<0.01	S40654
54520	14.6	1.36	S40654
54522	0.9	<0.01	S40654
FCM-3	23.7	.54	S40654

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 12/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q. Gold Resources Limited
Geologist: R. Beard
Project: Foley

TSL Report: S40661
Date Received: Oct 25, 2010
Date Reported: Nov 09, 2010
Invoice: 60682

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	21	Reject ~ 95% -10 mesh (1.70 mm)	Primary Crush, Rolls Crush
		Pulp ~ 5% +150 mesh (106 µm)	Riffle Split, Pulverize
		~ 95% -150 mesh (106 µm)	
Pulp	2		
Screen Metallic size: Entire Sample			

Screen Metallic for Gold:

Minus fraction for gold analysis is weighed at 1 AT (29.16 g)

- Au g/t Total - Au weighted average
- Au g/t +150 - Au value of +150 mesh fraction
- Au g/t -150 - Au value of -150 mesh fraction
- Wt g Total - Total sample weight
- Wt g +150 - Weight of +150 mesh fraction
- Wt g -150 - Weight of -150 mesh fraction

- Au mg +150 - Value is the entire plus fraction
- Au mg -150 - Value is based on a 1 AT sample weight
- GS-10C - Value is based on a 1 AT sample weight

Samples with 100% passing 150 mesh (106 µm) are screened at 200 mesh (75 µm)

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	g/tonne	Fire Assay/Gravimetric	0.03	6500



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40661

SAMPLE(S) OF INVOICE #:60682
21 Core/2 Pulp P.O.:


R. Beard
Project: Foley

	Au g/t Total	Au g/t +150	Au g/t -150	Wt g Total	Wt g +150	Wt g -150	Au mg +150	Au mg -150	File Name
54574	<.03	<.03	<.03	492.9	45.44	447.5	<.001	<.001	S40661
54575	<.03	<.03	<.03	375.4	18.93	356.5	<.001	<.001	S40661
54576	<.03	<.03	<.03	484.4	41.20	443.2	<.001	<.001	S40661
54577	<.03	<.03	<.03	1004.0	25.01	979.0	<.001	<.001	S40661
54578	<.03	<.03	<.03	2536.4	39.34	2497.1	<.001	<.001	S40661
54579	<.03	<.03	<.03	1747.8	32.53	1715.3	<.001	<.001	S40661
54580	1.99							.058	S40661
54581	1.44	5.69	.98	410.0	39.91	370.1	.227	.029	S40661
54582	<.03	<.03	<.03	1347.2	46.47	1300.7	<.001	<.001	S40661
54583	<.03	<.03	<.03	1150.1	20.76	1129.3	<.001	<.001	S40661
54584	<.03	<.03	<.03	420.2	45.19	375.0	<.001	<.001	S40661
54585	.10	.05	.10	734.0	43.30	690.7	.002	.003	S40661
54586	<.03	<.03	<.03	2042.4	30.53	2011.9	<.001	<.001	S40661
54587	.03	.03	.03	433.3	35.24	398.1	.001	.001	S40661
54588	<.03	<.03	<.03	1741.4	33.82	1707.6	<.001	<.001	S40661
54589	<.03	<.03	<.03	2203.7	30.98	2172.7	<.001	<.001	S40661
54590	2.09							.061	S40661
54591	<.03	<.03	<.03	220.4	27.55	192.9	<.001	<.001	S40661
54592	<.03	<.03	<.03	1058.4	20.91	1037.5	<.001	<.001	S40661
54593	<.03	<.03	<.03	1692.6	39.33	1653.3	<.001	<.001	S40661

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 09/10

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40661

SAMPLE(S) OF
21 Core/2 Pulp

INVOICE #: 60682
P.O.:

R. Beard
Project: Foley

	Au g/t	Au g/t	Au g/t	Wt g	Wt g	Wt g	Au mg	Au mg	File
Total	+150	-150	Total	+150	-150	+150	-150	Name	
54594	<.03	<.03	<.03	255.7	38.17	217.5	<.001	<.001	S40661
54595	<.03	<.03	<.03	1475.7	29.94	1445.8	<.001	<.001	S40661
54596	.04	.08	.03	585.9	39.61	546.3	.003	.001	S40661
GS-10C	9.64								S40661
GS-10C	9.64								S40661
GS-10C	9.16								S40661

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 09/10

SIGNED

Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q. Gold Resources Limited
Geologist: R. Beard
Project: Foley

TSL Report: S40659
Date Received: Oct 25, 2010
Date Reported: Nov 05, 2010
Invoice: 60647

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	21	Reject ~ 95% -10 mesh (1.70 mm)	Primary Crush, Rolls Crush
		Pulp ~ 5% +150 mesh (106 µm)	Riffle Split, Pulverize
		~ 95% -150 mesh (106 µm)	
Pulp	2		
Screen Metallic size: Entire Sample			

Screen Metallic for Gold:

Minus fraction for gold analysis is weighed at 1 AT (29.16 g)

- Au g/t Total - Au weighted average
- Au g/t +150 - Au value of +150 mesh fraction
- Au g/t -150 - Au value of -150 mesh fraction
- Wt g Total - Total sample weight
- Wt g +150 - Weight of +150 mesh fraction
- Wt g -150 - Weight of -150 mesh fraction

- Au mg +150 - Value is the entire plus fraction
- Au mg -150 - Value is based on a 1 AT sample weight
- GS-10C - Value is based on a 1 AT sample weight

Samples with 100% passing 150 mesh (106 µm) are screened at 200 mesh (75 µm)

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	g/tonne	Fire Assay/Gravimetric	0.03	6500



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40659

SAMPLE(S) OF
21 Core/2 Pulp

INVOICE #: 60647
P.O.:

R. Beard
Project: Foley

	Au g/t Total	Au g/t +150	Au g/t -150	Wt g Total	Wt g +150	Wt g -150	Au mg +150	Au mg -150	File Name
54551	<.03	<.03	<.03	838.0	30.25	807.7	<.001	<.001	S40659
54552	<.03	<.03	<.03	497.7	41.79	455.9	<.001	<.001	S40659
54553	<.03	<.03	<.03	880.6	45.29	835.3	<.001	<.001	S40659
54554	<.03	<.03	<.03	5037.4	35.45	5001.9	<.001	<.001	S40659
54555	.73	30.67	.24	1979.7	31.82	1947.9	.976	.007	S40659
54556	.05	.98	.03	1541.8	29.56	1512.2	.029	.001	S40659
54557	<.03	<.03	<.03	3217.9	23.80	3194.1	<.001	<.001	S40659
54558	<.03	<.03	<.03	555.1	40.41	514.7	<.001	<.001	S40659
54559	<.03	<.03	<.03	1512.8	32.81	1480.0	<.001	<.001	S40659
54560	2.09							.061	S40659
54561	.23	.42	.22	976.6	42.64	934.0	.018	.007	S40659
54562	.05	2.31	.03	4456.2	31.57	4424.6	.073	.001	S40659
54563	<.03	<.03	<.03	1127.4	26.75	1100.7	<.001	<.001	S40659
54564	<.03	<.03	<.03	604.8	37.34	567.5	<.001	<.001	S40659
54565	<.03	<.03	<.03	3152.6	20.52	3132.1	<.001	<.001	S40659
54566	<.03	<.03	<.03	616.4	33.41	583.0	<.001	<.001	S40659
54567	<.03	<.03	<.03	3543.2	23.63	3519.6	<.001	<.001	S40659
54568	<.03	<.03	<.03	10150.2	34.36	10115.8	<.001	<.001	S40659
54569	<.03	<.03	<.03	741.8	42.35	699.4	<.001	<.001	S40659
54570	2.09							.061	S40659

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 05/10

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40659

SAMPLE(S) OF
21 Core/2 Pulp

INVOICE #: 60647
P.O.:

R. Beard
Project: Foley

	Au g/t	Au g/t	Au g/t	Wt g	Wt g	Wt g	Au mg	Au mg	File
Total	+150	-150		Total	+150	-150	+150	-150	Name
54571	.15	.05	.15	4411.4	40.03	4371.4	.002	.005	S40659
54572	<.03	<.03	<.03	1084.5	16.53	1068.0	<.001	<.001	S40659
54573	.14	.13	.14	448.2	38.92	409.3	.005	.004	S40659
GS-10C	9.40								S40659
GS-10C	9.09								S40659
GS-10C	9.26								S40659

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 05/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q. Gold Resources Limited
Geologist: R. Beard
Project: Foley

TSL Report: S40653
Date Received: Oct 25, 2010
Date Reported: Nov 04, 2010
Invoice: 60616

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	10	Reject ~ 95% -10 mesh (1.70 mm)	Primary Crush, Rolls Crush
		Pulp ~ 5% +150 mesh (106 µm)	Riffle Split, Pulverize
		~ 95% -150 mesh (106 µm)	
Pulp	2		
Screen Metallic size: Entire Sample			

Screen Metallic for Gold:

Minus fraction for gold analysis is weighed at 1 AT (29.16 g)

- Au g/t Total - Au weighted average
- Au g/t +150 - Au value of +150 mesh fraction
- Au g/t -150 - Au value of -150 mesh fraction
- Wt g Total - Total sample weight
- Wt g +150 - Weight of +150 mesh fraction
- Wt g -150 - Weight of -150 mesh fraction

- Au mg +150 - Value is the entire plus fraction
- Au mg -150 - Value is based on a 1 AT sample weight
- GS-10C - Value is based on a 1 AT sample weight

Samples with 100% passing 150 mesh (106 µm) are screened at 200 mesh (75 µm)

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	g/tonne	Fire Assay/Gravimetric	0.03	6500

*Test reports may be reproduced, in their entirety, without our consent
Liability is limited to the analytical cost for analyses.*



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40653

SAMPLE(S) OF 10 Core/2 Pulp

INVOICE #:60616
P.O.:

R. Beard
Project: Foley

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

NOV 04/10

SIGNED

Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q. Gold Resources Limited
Geologist: R. Beard
Project: Foley

TSL Report: S40656
Date Received: Oct 25, 2010
Date Reported: Nov 04, 2010
Invoice: 60617

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	13	Reject ~ 95% -10 mesh (1.70 mm)	Primary Crush, Rolls Crush
		Pulp ~ 5% +150 mesh (106 µm)	Riffle Split, Pulverize
		~ 95% -150 mesh (106 µm)	
Pulp	3		
Screen Metallic size: Entire Sample			

Screen Metallic for Gold:

Minus fraction for gold analysis is weighed at 1 AT (29.16 g)

- Au g/t Total - Au weighted average
- Au g/t +150 - Au value of +150 mesh fraction
- Au g/t -150 - Au value of -150 mesh fraction
- Wt g Total - Total sample weight
- Wt g +150 - Weight of +150 mesh fraction
- Wt g -150 - Weight of -150 mesh fraction

- Au mg +150 - Value is the entire plus fraction
- Au mg -150 - Value is based on a 1 AT sample weight.
- GS-10C - Value is based on a 1 AT sample weight.

Samples with 100% passing 150 mesh (106 µm) are screened at 200 mesh (75 µm)

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	g/tonne	Fire Assay/Gravimetric	0.03	6500

*Test reports may be reproduced, in their entirety, without our consent
Liability is limited to the analytical cost for analyses.*



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S40656

SAMPLE(S) OF
13 Core/3 Pulp

INVOICE #: 60617
P.O.:


R. Beard
Project: Foley

	Au g/t Total	Au g/t +150	Au g/t -150	Wt g Total	Wt g +150	Wt g -150	Au mg +150	Au mg -150	File Name
54530	2.09						.061		S40656
54535	.31	5.34	.24	2405.1	34.83	2370.3	.186	.007	S40656
54536	.24	5.62	.12	1451.1	30.97	1420.1	.174	.004	S40656
54537	.31	.31	.31	264.5	25.87	238.6	.008	.009	S40656
54538	.93	1.04	.93	623.9	45.11	578.8	.047	.027	S40656
54539	<.03	<.03	<.03	1194.0	22.07	1171.9	<.001	<.001	S40656
54540	2.02						.059		S40656
54541	<.03	<.03	<.03	5972.8	39.30	5933.5	<.001	<.001	S40656
54542	.12	2.28	.10	4378.3	32.89	4345.4	.075	.003	S40656
54543	<.03	<.03	<.03	809.8	23.85	785.9	<.001	<.001	S40656
54544	.04	.48	.03	831.2	14.73	816.5	.007	.001	S40656
54545	.03	.04	.03	2241.6	23.64	2218.0	.001	.001	S40656
54546	<.03	<.03	<.03	3784.9	33.54	3751.4	<.001	<.001	S40656
54547	<.03	<.03	<.03	2857.7	38.24	2819.5	<.001	<.001	S40656
54548	<.03	<.03	<.03	1891.3	18.63	1872.7	<.001	<.001	S40656
54550	2.09						.061		S40656
GS-10C	9.57								S40656
GS-10C	9.33								S40656

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Nov 04/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd.
Geologist: D. Beard
Project: Foley
Purchase Order:

TSL Report: S39844
Date Received: Aug 12, 2010
Date Reported: Oct 01, 2010
Invoice: 60157

Sample Type:	Number	Size Fraction	Sample Preparation
Core	7	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	0		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

Test reports may be reproduced, in their entirety, without our consent
Liability is limited to the analytical cost for analyses.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 7 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39844

Date: October 01, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	
55443	0.3	0.24	0.6	<0.5	<20	39	<0.1	1.96	<0.1	3.9	75.0	16.7	0.81	<1	<0.01	0.22	16	0.18	461	3.1	0.007	6.3	0.028	
55444	0.1	0.13	1.5	34.4	<20	23	0.1	7.84	0.6	4.6	67.0	10.5	3.12	<1	<0.01	0.12	6	0.55	1652	0.4	0.011	4.2	0.014	
55446	<0.1	0.16	<0.5	1.2	<20	23	<0.1	0.52	<0.1	0.8	66.0	3.5	0.31	<1	<0.01	0.11	16	0.02	147	1.2	0.040	2.0	0.005	
55447	<0.1	0.17	<0.5	1.4	<20	28	<0.1	0.38	<0.1	0.8	66.0	3.9	0.30	<1	<0.01	0.12	19	0.02	117	185.9	0.027	1.8	0.006	
55448	<0.1	0.19	<0.5	<0.5	<20	33	<0.1	0.40	<0.1	0.4	84.0	2.7	0.19	<1	<0.01	0.18	17	0.01	94	5.7	0.010	2.0	0.020	
55501	<0.1	0.19	<0.5	<0.5	<20	33	<0.1	0.84	<0.1	0.4	66.0	4.3	0.23	<1	<0.01	0.17	27	0.01	146	1.4	0.007	2.0	0.012	
55503	<0.1	0.21	<0.5	<0.5	<20	36	<0.1	1.09	<0.1	0.4	74.0	1.8	0.24	<1	<0.01	0.19	28	0.02	221	0.6	0.010	2.0	0.014	
STD DS7	1.1	0.94	47.8	260.3	42	352	4.4	0.92	5.4	8.6	179.0	103.5	2.20	4	0.22	0.40	12	0.96	563	20.0	0.085	53.7	0.072	
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.001	<0.1	<0.001	
STD OREAS45PA	0.3	3.55	4.0	58.7	<20	192	0.2	0.24	0.1	109.9	827.0	593.6	17.53	—	17	0.03	0.07	18	0.13	1123	0.9	0.011	301.5	0.035

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 7 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39844

Date: October 01, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
55443	7.3	0.06	0.1	0.2	<0.5	52	<1	3.5	0.002	<0.1	1.8	<2	0.2	26
55444	11.3	<0.05	<0.1	0.6	<0.5	465	<1	1.8	0.001	<0.1	0.7	<2	0.1	66
55446	7.6	0.08	<0.1	<0.1	<0.5	12	<1	3.4	0.004	<0.1	1.9	<2	<0.1	8
55447	6.2	0.08	<0.1	0.1	<0.5	11	<1	4.2	0.002	<0.1	3.1	<2	<0.1	14
55448	3.5	<0.05	<0.1	0.1	<0.5	10	<1	3.3	<0.001	<0.1	1.3	<2	0.2	5
55501	7.0	<0.05	<0.1	<0.1	<0.5	18	<1	5.7	<0.001	<0.1	1.5	<2	0.1	15
55503	6.5	<0.05	<0.1	0.1	<0.5	27	<1	5.4	<0.001	<0.1	1.8	<2	0.1	13
STD DS7	67.0	0.19	4.1	2.4	3.4	70	<1	4.6	0.109	3.8	4.8	76	2.8	377
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD OREAS45PA	21.9	<0.05	<0.1	45.2	0.7	14	<1	8.0	0.134	<0.1	1.4	221	<0.1	122

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95°C for 1 hour and diluted to 10 ml with DI H2O.



TSL

LABORATORIES

2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd. TSL Report: S39844
Geologist: D. Beard Date Received: Aug 12, 2010
Project: Foley Date Reported: Oct 01, 2010
Purchase Order: Invoice: 60157
Remarks: Revised Report:
Sample numbers 55501 and 55503 corrected to 54501 and 54503

Sample Type:	Number	Size Fraction	Sample Preparation
Core	7	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	0		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Tl *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

*Test reports may be reproduced, in their entirety, without our consent
Liability is limited to the analytical cost for analyses.*

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 7 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39844

Date: October 01, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	
55443	0.3	0.24	0.6	<0.5	<20	39	<0.1	1.96	<0.1	3.9	75.0	16.7	0.81	<1	<0.01	0.22	16	0.18	461	3.1	0.007	6.3	0.028	
55444	0.1	0.13	1.5	34.4	<20	23	0.1	7.84	0.6	4.6	67.0	10.5	3.12	<1	<0.01	0.12	6	0.55	1652	0.4	0.011	4.2	0.014	
55446	<0.1	0.16	<0.5	1.2	<20	23	<0.1	0.52	<0.1	0.8	66.0	3.5	0.31	<1	<0.01	0.11	16	0.02	147	1.2	0.040	2.0	0.005	
55447	<0.1	0.17	<0.5	1.4	<20	28	<0.1	0.38	<0.1	0.8	66.0	3.9	0.30	<1	<0.01	0.12	19	0.02	117	185.9	0.027	1.8	0.006	
55448	<0.1	0.19	<0.5	<0.5	<20	33	<0.1	0.40	<0.1	0.4	84.0	2.7	0.19	<1	<0.01	0.18	17	0.01	94	5.7	0.010	2.0	0.020	
54501	<0.1	0.19	<0.5	<0.5	<20	33	<0.1	0.84	<0.1	0.4	66.0	4.3	0.23	<1	<0.01	0.17	27	0.01	146	1.4	0.007	2.0	0.012	
54503	<0.1	0.21	<0.5	<0.5	<20	36	<0.1	1.09	<0.1	0.4	74.0	1.8	0.24	<1	<0.01	0.19	28	0.02	221	0.6	0.010	2.0	0.014	
STD DS7	1.1	0.94	47.8	260.3	42	352	4.4	0.92	5.4	8.6	179.0	103.5	2.20	4	0.22	0.40	12	0.96	563	20.0	0.085	53.7	0.072	
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.1	<0.01	<1	<0.1	<0.001	<0.1	<0.001
STD OREAS45PA	0.3	3.55	4.0	58.7	<20	192	0.2	0.24	0.1	109.9	827.0	593.6	17.53	17	0.03	0.07	18	0.13	1123	0.9	0.011	301.5	0.035	

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd. TSL Report: S39841
Geologist: D. Beard Date Received: Aug 12, 2010
Project: Foley Date Reported: Oct 01, 2010
Purchase Order: Invoice: 60139

Sample Type:	Number	Size Fraction	Sample Preparation
Core	8	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	0		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Carruthers
 Project: Foley
 Sample: 8 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39841
 Date: October 01, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
55420	0.6	0.03	<0.5	2.7	<20	4	0.9	0.09	0.2	0.5	120.0	3.9	0.22	<1	<0.01	0.01	1	<0.01	22	1.9	0.004	2.9	<0.001
55421	0.1	0.24	<0.5	3.0	<20	38	0.1	1.38	0.2	4.6	67.0	19.7	0.62	<1	<0.01	0.22	24	0.08	273	0.6	0.009	7.6	0.029
55423	<0.1	0.07	<0.5	2.6	<20	11	<0.1	0.21	0.1	0.7	114.0	3.5	0.24	<1	<0.01	0.05	4	<0.01	43	0.6	0.006	3.4	0.004
55428	2.2	0.19	5.2	41.2	<20	34	4.1	0.54	13.4	5.1	86.0	13.4	0.64	<1	0.05	0.18	12	0.03	85	0.3	0.007	6.1	0.018
55430	0.2	0.20	<0.5	2.2	<20	30	0.1	1.03	<0.1	1.7	85.0	6.9	0.39	<1	<0.01	0.18	22	0.06	180	0.6	0.005	3.6	0.024
55432	0.5	0.19	5.4	46.9	<20	24	0.9	0.81	1.6	6.5	85.0	8.8	0.86	<1	<0.01	0.14	8	0.07	190	0.7	0.006	4.6	0.013
55437	0.3	0.21	1.1	1.6	<20	42	0.3	1.46	1.2	4.8	82.0	18.7	0.68	<1	<0.01	0.20	21	0.16	285	0.6	0.025	5.4	0.027
55442	<0.1	0.20	<0.5	1.3	<20	40	0.3	1.33	0.2	1.8	67.0	13.2	0.60	<1	<0.01	0.20	22	0.14	280	0.3	0.019	5.1	0.029
STD DS7	1.1	0.94	47.8	260.3	42	352	4.4	0.92	5.4	8.6	179.0	103.5	2.20	4	0.22	0.40	12	0.96	563	20.0	0.065	53.7	0.072
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.01	<0.1	<0.001
STD OREAS4SPA	0.3	3.55	4.0	58.7	<20	192	0.2	0.24	0.1	109.9	827.0	593.6	17.53	17	0.03	0.07	18	0.13	1123	0.9	0.011	301.5	0.035

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95°C for 1 hour and diluted to 10 ml with DI H2O.

Q-Gold Resources Ltd.
Attention: B. Carruthers
Project: Foley
Sample: 8 Core/ 0 Pulp

TSL LABORATORIES INC.

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39841
Date: October 01, 2010

MULTIELEMENT ICP-MS ANALYSIS Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Ts ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
55420	34.2	<0.05	<0.1	<0.1	<0.5	5	<1	0.1	<0.001	<0.1	<0.1	<2	<0.1	24
55421	11.7	0.20	0.2	0.2	<0.5	38	<1	4.1	0.002	<0.1	1.1	<2	0.2	26
55423	1.9	<0.05	<0.1	<0.1	<0.5	9	<1	0.3	<0.001	<0.1	1.4	<2	<0.1	30
55428	170.1	0.54	<0.1	0.1	<0.5	10	<1	5.8	0.002	<0.1	0.6	<2	0.2	1821
55430	8.3	<0.05	<0.1	0.2	<0.5	22	<1	2.0	<0.001	<0.1	0.9	<2	0.1	14
55432	127.3	0.45	0.2	0.2	<0.5	16	<1	4.2	0.002	<0.1	3.5	<2	0.3	214
55437	20.6	0.09	<0.1	0.2	<0.5	41	<1	4.4	0.004	<0.1	1.3	<2	0.2	155
55442	18.6	<0.05	<0.1	0.2	<0.5	36	<1	6.0	0.004	<0.1	2.5	<2	0.1	47
STD DS7	67.0	0.19	4.1	2.4	3.4	70	<1	4.6	0.109	3.8	4.8	76	2.8	377
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD OREAS45PA	21.9	<0.05	<0.1	45.2	0.7	14	<1	8.0	0.134	<0.1	1.4	221	<0.1	122

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company:	Q-Gold Resources Ltd.		TSL Report:	S39839
Geologist:	D. Beard		Date Received:	Aug 12, 2010
Project:	Foley		Date Reported:	Oct 01, 2010
Purchase Order:			Invoice:	59941
Sample Type:	Number	Size Fraction	Sample Preparation	
Core	13	Reject ~ 70% -10 mesh (1.70 mm)	Crush, Riffle Split, Pulverize	
Pulp	2	Pulp ~ 95% -150 mesh (106 µm)	None	

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Tl *	0.001%	10 %
Hg	0.01 ppm	100 ppm	U *	0.1 ppm	1000 ppm
K *	0.01%	10 %	V *	2 ppm	10000 ppm
La *	1 ppm	10000 ppm	W *	0.1 ppm	100 ppm
Mg *	0.01%	30 %	Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Cartuthers
 Project: Foley
 Sample: 13 Core/ 2 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39839
 Date: October 01, 2010

MULTIELEMENT ICP-MS ANALYSIS
 Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
55422	0.4	0.16	0.6	<0.5	<20	21	0.7	5.37	0.2	5.3	103.0	16.0	1.39	<1	<0.01	0.11	8	0.34	648	0.4	0.010	6.2	0.019
55424	1.2	0.16	2.8	21.4	<20	25	0.4	2.29	27.0	12.7	165.0	15.4	0.88	<1	0.14	0.12	14	0.21	300	0.8	0.014	8.5	0.024
55425	1.8	0.24	23.4	195.2	<20	11	4.1	0.31	7.2	13.1	100.0	30.1	1.50	<1	0.02	0.06	7	0.10	62	0.6	0.003	7.8	0.007
55426	<0.1	0.21	<0.5	5.9	<20	39	<0.1	1.28	0.3	2.6	356.0	9.8	0.80	<1	<0.01	0.19	19	0.11	235	1.5	0.008	12.8	0.026
55427	2.2	0.19	2.7	11.9	<20	27	3.5	2.28	4.8	8.8	77.0	47.8	1.22	<1	0.01	0.14	11	0.07	288	0.5	0.004	6.3	0.022
55429	13.8	0.93	23.2	1862.1	<20	34	4.0	0.25	57.2	11.4	41.0	4489.4	9.17	3	1.22	0.09	<1	0.99	341	14.8	0.008	23.3	0.009
55431	0.3	0.04	<0.5	11.8	<20	5	0.6	0.09	1.3	3.1	261.0	20.0	0.40	<1	0.02	0.03	2	0.01	40	3.7	0.003	7.6	0.002
55433	0.6	0.28	1.2	268.3	<20	34	0.3	0.63	1.9	3.9	301.0	38.4	0.81	<1	<0.01	0.19	17	0.09	168	1.4	0.005	12.9	0.021
55434	12.0	0.17	7.5	1368.4	<20	24	22.6	0.82	58.3	11.7	218.0	37.4	1.60	<1	0.18	0.13	7	0.13	256	1.2	0.005	6.9	0.011
55435	0.5	0.21	<0.5	1.2	<20	40	0.8	1.09	5.0	2.1	191.0	4.9	0.51	<1	<0.01	0.21	24	0.07	184	0.7	0.007	5.5	0.031
55436	0.4	0.23	<0.5	<0.5	<20	42	0.6	1.67	2.5	3.1	278.0	7.7	0.88	<1	<0.01	0.22	22	0.18	314	1.2	0.017	10.6	0.027
55438	0.6	0.13	<0.5	6.2	<20	16	0.5	0.16	0.2	1.7	213.0	21.1	0.40	<1	<0.01	0.08	7	0.02	45	0.9	0.004	5.9	0.005
55439	1.2	0.04	1.2	118.4	<20	2	<0.1	0.25	7.9	3.6	238.0	139.4	0.92	<1	0.05	<0.01	<1	0.04	114	0.9	0.006	5.4	<0.001
55440	13.0	0.93	23.9	2479.1	<20	33	4.1	0.26	57.1	11.5	43.0	4502.4	8.21	3	1.23	0.09	<1	0.98	336	15.4	0.007	24.4	0.010
55440 Re	13.0	0.88	24.3	1878.0	<20	33	4.0	0.26	56.2	11.2	41.0	4387.1	8.94	2	1.16	0.09	<1	0.95	326	14.4	0.008	23.6	0.009
55441	4.1	0.03	<0.5	6.8	<20	5	0.6	0.05	2.7	1.5	227.0	109.2	0.37	<1	0.02	0.02	1	<0.01	34	1.0	0.004	7.2	<0.001
STD DS7	1.1	0.94	47.8	260.3	42	352	4.4	0.92	5.4	8.6	179.0	103.5	2.20	4	0.22	0.40	12	0.96	563	20.0	0.085	53.7	0.072
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.001	<0.1	<0.001
STD OREAS45PA	0.3	3.55	4.0	58.7	<20	192	0.2	0.24	0.1	109.9	827.0	593.6	17.53	17	0.03	0.07	18	0.13	1123	0.9	0.011	301.5	0.035

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Carruthers
 Project: Foley
 Sample: 13 Core/ 2 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39839
 Date: October 01, 2010

MULTIELEMENT ICP-MS ANALYSIS
 Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
55422	24.7	0.12	<0.1	0.5	<0.5	259	<1	2.1	0.002	<0.1	1.1	<2	0.3	42
55424	1198.0	0.34	0.5	0.1	0.6	94	<1	3.7	0.002	<0.1	1.3	<2	<0.1	4394
55425	112.4	1.05	0.2	<0.1	<0.5	5	<1	1.2	<0.001	<0.1	0.4	<2	<0.1	876
55426	8.3	<0.05	<0.1	0.2	<0.5	46	<1	4.0	0.003	<0.1	1.4	2	0.2	37
55427	193.0	0.73	0.3	0.2	<0.5	81	<1	2.7	0.002	<0.1	0.7	<2	<0.1	653
55429	260.9	7.47	0.4	2.0	3.1	7	11	0.2	0.020	<0.1	0.2	14	0.1	>10000
55431	15.7	<0.05	0.2	<0.1	<0.5	3	<1	0.2	<0.001	<0.1	0.2	<2	<0.1	202
55433	376.2	0.12	0.3	0.2	<0.5	10	<1	2.2	0.002	<0.1	0.4	2	0.1	328
55434	632.8	1.22	0.1	0.1	0.7	21	<1	1.5	0.001	<0.1	0.5	<2	0.1	7264
55435	52.7	0.06	<0.1	0.1	<0.5	24	<1	4.3	0.003	<0.1	1.0	<2	<0.1	680
55436	168.5	<0.05	0.1	0.2	<0.5	52	<1	3.9	0.004	<0.1	1.0	2	0.1	368
55438	61.0	<0.05	0.1	<0.1	<0.5	4	<1	1.5	<0.001	<0.1	0.4	<2	<0.1	48
55439	15.1	0.47	0.4	<0.1	<0.5	6	<1	0.1	<0.001	<0.1	0.3	<2	<0.1	943
55440	262.3	7.41	0.4	1.9	2.9	7	12	0.2	0.020	<0.1	0.2	14	0.1	>10000
55440 Re	253.4	7.33	0.4	1.9	3.7	6	11	0.2	0.019	<0.1	0.2	14	0.1	>10000
55441	74.2	<0.05	0.1	<0.1	<0.5	2	<1	0.2	<0.001	<0.1	<0.1	<2	<0.1	344
STD DS7	67.0	0.19	4.1	2.4	3.4	70	<1	4.6	0.109	3.8	4.8	76	2.8	377
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD OREAS45PA	21.9	<0.05	<0.1	45.2	0.7	14	<1	8.0	0.134	<0.1	1.4	221	<0.1	122

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd.
Geologist: D. Beard
Project: Foley
Purchase Order:

TSL Report: S39832
Date Received: Aug 12, 2010
Date Reported: Sep 29, 2010
Invoice: 60084

Sample Type:	Number	Size Fraction	Sample Preparation
Core	13	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	0		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 13 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39832

Date: September 29, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
55351	5.4	<0.05	<0.1	0.4	<0.5	37	<1	3.5	0.002	<0.1	1.2	<2	<0.1	30
55354	10.1	<0.05	<0.1	0.4	<0.5	63	<1	4.9	0.004	<0.1	1.8	<2	<0.1	39
55355	148.4	0.10	0.2	0.4	<0.5	67	<1	5.3	0.009	<0.1	2.0	<2	0.1	59
55357	18.6	0.07	<0.1	0.3	<0.5	31	<1	5.1	0.004	<0.1	1.3	<2	0.1	42
55358	11.0	<0.05	<0.1	0.4	<0.5	39	<1	5.0	0.005	<0.1	1.4	<2	<0.1	18
55359	8.7	0.08	<0.1	0.3	<0.5	41	<1	4.9	0.006	<0.1	1.2	<2	0.1	30
55362	5.4	0.06	0.1	0.3	<0.5	36	<1	4.3	0.005	<0.1	1.2	<2	<0.1	16
55364	39.0	0.08	<0.1	0.2	<0.5	21	<1	3.8	0.003	<0.1	2.2	<2	<0.1	136
55365	7.0	<0.05	<0.1	0.4	<0.5	21	<1	3.3	<0.001	<0.1	1.4	<2	<0.1	32
55365 Re	6.8	<0.05	<0.1	0.3	<0.5	20	<1	3.2	<0.001	<0.1	1.3	<2	<0.1	31
55366	7.4	<0.05	<0.1	0.4	<0.5	43	<1	4.5	0.002	<0.1	1.6	<2	<0.1	38
55368	6.8	0.08	<0.1	0.3	<0.5	37	<1	4.1	0.002	<0.1	1.2	<2	0.2	45
55369	21.4	<0.05	<0.1	0.2	<0.5	9	<1	4.8	0.001	<0.1	0.6	5	0.2	148
55371	13.8	<0.05	<0.1	0.3	<0.5	12	<1	4.3	0.001	<0.1	0.6	2	0.4	20
STD DS7	62.0	0.20	3.5	2.4	3.5	76	2	4.2	0.111	4.4	4.4	85	3.2	392
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD OREAS45PA	18.2	<0.05	<0.1	42.5	0.7	14	<1	6.4	0.136	<0.1	1.2	231	<0.1	128
STD DS7	74.0	0.21	4.8	2.8	3.0	85	1	4.4	0.133	4.6	4.9	85	4.3	419
STD OREAS45PA	22.4	<0.05	<0.1	48.1	<0.5	15	<1	7.5	0.145	<0.1	1.3	222	<0.1	119
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.



TSL
LABORATORIES

2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd. TSL Report: S39842
Geologist: D. Beard Date Received: Aug 12, 2010
Project: Foley Date Reported: Sep 29, 2010
Purchase Order: Invoice: 59919
Remarks: Revised Report:
Sample numbers 55502 and 55504 corrected to 54502 and 54504

Sample Type:	Number	Size Fraction	Sample Preparation
Core	4	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	1		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The *Aqua Regia Leach* digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Tl *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 4 Core/ 1 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39842

Date: September 29, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
55445	0.2	0.16	<0.5	21.2	<20	13	0.3	0.25	8.3	1.9	164.0	11.8	0.51	<1	0.05	0.09	7	0.03	62	3.1	0.006	4.2	0.004
55449	0.1	0.16	<0.5	0.9	<20	20	0.4	1.19	<0.1	1.2	348.0	10.2	0.62	<1	<0.01	0.10	5	0.02	236	6.5	0.007	11.2	0.004
55450	14.7	0.98	26.9	2098.2	<20	28	5.0	0.28	60.7	11.3	44.0	4822.3	8.81	3	1.25	0.09	<1	1.03	388	14.5	0.007	25.8	0.010
54502	<0.1	0.09	<0.5	1.5	<20	14	<0.1	0.24	1.1	4.4	131.0	16.2	0.49	<1	<0.01	0.07	6	0.02	78	30.8	0.004	4.4	0.005
54504	<0.1	0.13	<0.5	0.6	<20	21	<0.1	0.78	<0.1	0.8	182.0	5.2	0.46	<1	<0.01	0.10	21	0.03	217	1.2	0.031	6.3	0.006
STD DS7	1.0	1.07	53.3	61.9	39	417	5.6	1.02	6.3	9.6	192.0	106.2	2.43	5	0.22	0.46	13	1.08	615	22.5	0.102	58.5	0.082
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.01	<0.1	<0.001
STD OREAS45PA	0.3	3.48	4.3	46.7	<20	177	0.2	0.24	0.1	103.2	720.0	597.0	15.38	17	0.02	0.07	15	0.11	1115	0.8	0.004	282.8	0.034

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 4 Core/ 1 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39842

Date: September 29, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Tl %	U ppm	V ppm	W ppm	Zn ppm
55445	33.2	0.12	<0.1	<0.1	<0.5	9	<1	2.5	<0.001	<0.1	0.8	<2	<0.1
55449	5.2	<0.05	<0.1	0.2	<0.5	27	<1	1.3	<0.001	<0.1	0.2	2	0.1
55450	239.8	8.38	0.5	2.0	3.5	8	10	0.2	0.020	<0.1	0.3	16	<0.1
55502	17.2	0.15	<0.1	0.1	<0.5	7	<1	1.1	<0.001	<0.1	1.8	<2	0.2
55504	2.8	<0.05	<0.1	0.2	<0.5	19	<1	3.3	0.002	<0.1	0.8	<2	0.2
STD DS7	73.3	0.21	4.1	2.7	2.8	89	2	5.0	0.123	4.1	5.6	80	3.3
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1
STD OREAS45PA	19.7	<0.05	<0.1	41.5	<0.5	15	<1	6.4	0.126	<0.1	1.2	216	<0.1
													111

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO₃
at 95°C for 1 hour and diluted to 10 ml with DI H₂O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd. TSL Report: S39836
Geologist: D. Beard Date Received: Aug 12, 2010
Project: Foley Date Reported: Sep 29, 2010
Purchase Order: Invoice: 59926

Sample Type:	Number	Size Fraction	Sample Preparation
Core	8	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	3		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 8 Core/ 3 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39836

Date: September 29, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
55396	14.5	0.97	25.5	2231.6	<20	27	5.0	0.29	60.5	11.9	44.0	4872.7	9.04	2	1.18	0.09	<1	1.02	388	15.2	0.005	25.2	0.010
55399	3.1	0.11	2.1	12.9	<20	14	7.1	1.64	4.0	3.8	126.0	9.6	0.85	<1	0.01	0.08	5	0.14	252	0.6	0.004	7.4	0.012
55402	0.5	0.19	1.4	11.2	<20	20	0.2	1.31	9.7	3.5	201.0	88.8	0.61	<1	0.06	0.12	7	0.06	251	0.8	0.004	5.6	0.014
55403	1.0	0.17	1.7	3.3	<20	9	0.2	0.73	17.2	8.4	294.0	234.9	2.65	<1	0.10	0.05	2	0.15	664	1.7	0.005	12.4	<0.001
55407	14.9	0.91	25.5	2073.2	<20	27	4.5	0.28	58.5	11.7	41.0	4683.9	8.61	3	1.22	0.09	<1	0.96	377	14.4	0.006	24.2	0.011
55408	0.4	0.19	0.6	4.1	<20	31	0.2	0.60	5.5	2.2	187.0	75.4	0.61	<1	0.01	0.18	11	0.07	175	0.7	0.005	6.9	0.013
55409	0.2	0.20	0.7	1.3	<20	33	0.4	0.95	3.4	3.1	292.0	13.1	0.76	<1	<0.01	0.20	13	0.09	239	1.2	0.005	12.4	0.024
55414	0.4	0.17	1.6	21.2	<20	21	0.6	1.61	1.1	3.2	142.0	36.6	0.72	<1	<0.01	0.13	9	0.11	318	0.8	0.005	5.5	0.015
55415	0.2	0.13	0.7	0.7	<20	22	0.1	3.51	2.3	1.4	121.0	3.3	0.76	<1	<0.01	0.13	15	0.16	376	0.5	0.008	3.1	0.022
55416	0.5	0.24	25.0	225.7	<20	40	1.4	1.44	0.1	10.1	254.0	13.7	1.63	<1	<0.01	0.24	11	0.21	378	1.1	0.006	10.8	0.021
55418	13.8	0.95	24.6	2023.4	<20	27	4.6	0.28	59.8	11.7	43.0	4786.2	8.94	3	1.22	0.09	<1	1.01	391	15.1	0.006	23.9	0.011
STD DS7	1.0	1.07	53.3	61.9	39	417	5.6	1.02	6.3	9.6	192.0	106.2	2.43	5	0.22	0.46	13	1.08	615	22.5	0.102	58.5	0.082
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.001	<0.1	<0.001
STD OREAS45PA	0.3	3.48	4.3	46.7	<20	177	0.2	0.24	0.1	103.2	720.0	597.0	15.38	17	0.02	0.07	15	0.11	1115	0.8	0.004	282.8	0.034

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.

Page 1 of 2

Signed: 
Mark Acres - Quality Assurance

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 8 Core/ 3 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39836
Date: September 29, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
55396	246.8	8.50	0.5	2.1	4.1	8	10	0.2	0.019	0.1	0.2	16	0.2	>10000
55399	242.1	0.36	0.1	0.2	<0.5	88	<1	1.2	<0.001	<0.1	10.8	<2	0.1	539
55402	26.4	0.11	0.1	0.2	<0.5	11	<1	0.9	<0.001	<0.1	2.2	<2	0.1	1340
55403	18.9	0.43	0.3	<0.1	<0.5	18	<1	0.5	<0.001	<0.1	2.2	3	0.1	2260
55407	228.8	8.17	0.4	1.9	2.9	7	9	0.2	0.018	<0.1	0.3	15	<0.1	>10000
55408	9.3	0.18	<0.1	0.2	<0.5	16	<1	2.5	0.002	<0.1	0.8	<2	0.1	727
55409	20.6	0.12	<0.1	0.2	<0.5	26	<1	3.0	0.003	<0.1	1.0	2	0.3	470
55414	19.9	0.14	<0.1	0.2	<0.5	38	<1	1.4	<0.001	<0.1	0.7	<2	0.1	178
55415	158.7	<0.05	0.1	0.3	<0.5	255	<1	2.9	0.003	<0.1	1.2	<2	<0.1	314
55416	14.3	1.00	<0.1	0.3	<0.5	39	<1	3.1	0.002	<0.1	1.5	2	0.3	23
55418	237.1	8.46	0.4	2.1	3.7	7	8	0.2	0.019	<0.1	0.2	17	0.1	>10000
STD DS7	73.3	0.21	4.1	2.7	2.8	89	2	5.0	0.123	4.1	5.6	80	3.3	419
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD OREAS45PA	19.7	<0.05	<0.1	41.5	<0.5	15	<1	6.4	0.126	<0.1	1.2	216	<0.1	111

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO₃
at 95°C for 1 hour and diluted to 10 ml with DI H₂O.

Company: Q-Gold Resources Ltd. TSL Report: S39833
 Geologist: D. Beard Date Received: Aug 12, 2010
 Project: Foley Date Reported: Sep 29, 2010
 Purchase Order: Invoice: 59935

Sample Type:	Number	Size Fraction	Sample Preparation
Core	10	Reject ~ 70% -10 mesh (1.70 mm)	Crush, Riffle Split, Pulverize
		Pulp ~ 95% -150 mesh (106 µm)	
Pulp	2		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Tl *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 10 Core/ 2 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39833

Date: September 29, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	
55374	13.7	0.84	23.9	2110.2	<20	28	3.3	0.27	53.7	11.4	40.0	4621.2	8.73	2	1.09	0.08	<1	0.94	318	14.6	0.009	23.5	0.011	
55376	<0.1	0.20	0.8	14.2	<20	30	<0.1	0.79	<0.1	2.5	201.0	19.3	0.68	<1	<0.01	0.15	22	0.05	128	0.8	0.016	7.4	0.013	
55379	0.5	0.14	5.7	444.6	<20	19	0.6	0.81	0.2	3.9	180.0	11.0	0.82	<1	<0.01	0.11	9	0.04	167	1.8	0.004	9.6	0.013	
55381	6.5	0.05	1.3	430.3	<20	6	7.4	0.25	29.1	22.3	259.0	687.3	1.75	<1	0.10	0.02	<1	0.06	383	1.1	0.005	9.1	<0.01	
55384	1.0	0.20	175.0	820.7	<20	13	1.8	2.02	1.2	31.3	47.0	13.4	5.05	<1	<0.01	0.08	3	0.63	544	0.3	0.004	13.1	0.022	
55385	14.0	0.93	23.9	2076.8	<20	27	4.9	0.29	60.3	11.9	42.0	4808.9	8.85	3	1.21	0.09	<1	0.98	379	15.4	0.007	24.7	0.010	
55387	0.8	0.07	9.2	31.3	<20	10	1.9	0.18	2.5	7.3	111.0	17.6	0.66	<1	<0.01	0.06	4	0.02	39	0.6	0.003	5.3	0.004	
55389	0.3	0.22	7.0	40.5	<20	12	0.7	0.64	0.2	16.4	52.0	20.3	1.09	<1	<0.01	0.07	8	0.31	167	0.5	0.005	6.8	0.018	
55391	1.1	0.20	<0.5	44.4	<20	27	2.4	1.60	12.9	3.4	191.0	22.3	0.99	<1	0.05	0.19	17	0.22	420	0.9	0.005	7.6	0.028	
55392	0.3	0.21	0.8	3.6	<20	29	0.4	1.80	1.7	4.2	279.0	15.3	1.33	<1	<0.01	0.19	17	0.29	442	1.4	0.006	12.5	0.024	
55394	1.4	0.21	<0.5	25.4	<20	32	0.5	0.60	4.8	2.7	169.0	154.9	0.55	<1	<0.01	0.20	16	0.06	160	0.7	0.003	7.5	0.022	
55395	16.6	0.14	14.3	166.6	<20	19	3.5	0.25	10.8	12.6	124.0	2608.5	1.25	<1	0.02	0.11	7	0.04	71	0.6	0.002	5.9	0.008	
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.1	<0.1	<0.1	<0.1	<0.01	<0.1	<0.01
STD DS7	1.0	0.91	50.9	63.1	34	389	4.3	0.94	6.2	8.9	183.0	108.3	2.32	4	0.25	0.42	11	1.02	585	22.2	0.091	57.7	0.076	
STD OREAS45PA	0.3	3.32	3.9	40.9	<20	180	0.2	0.27	0.2	104.8	948.0	598.3	16.34	16	0.04	0.07	16	0.09	1150	0.9	0.009	294.0	0.034	
STD DS7	1.0	1.07	53.3	61.9	39	417	5.6	1.02	6.3	9.6	192.0	106.2	2.43	5	0.22	0.46	13	1.08	615	22.5	0.102	58.5	0.082	
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.1	<0.1	<0.1	<0.01	<0.1	<0.01	
STD OREAS45PA	0.3	3.48	4.3	46.7	<20	177	0.2	0.24	0.1	103.2	720.0	597.0	15.38	17	0.02	0.07	15	0.11	1115	0.8	0.004	282.8	0.034	

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Carruthers
 Project: Foley
 Sample: 10 Core/ 2 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39833
 Date: September 29, 2010

MULTIELEMENT ICP-MS ANALYSIS
 Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
55374	232.2	8.27	0.4	1.6	4.2	6	8	0.1	0.014	0.1	0.2	14	0.1	>10000
55376	16.7	<0.05	<0.1	0.2	<0.5	8	<1	3.4	<0.001	<0.1	0.4	2	0.3	33
55379	26.1	0.28	0.3	0.1	<0.5	8	<1	1.6	<0.001	<0.1	1.6	<2	0.1	29
55381	101.6	1.12	0.4	<0.1	<0.5	9	<1	2.1	<0.001	<0.1	1.3	<2	0.2	4010
55384	21.4	5.39	0.1	0.2	<0.5	13	<1	1.3	<0.001	<0.1	0.7	<2	0.1	96
55385	238.9	8.35	0.4	2.0	3.1	8	8	0.2	0.018	<0.1	0.2	16	<0.1	>10000
55387	46.5	0.54	0.3	<0.1	<0.5	5	<1	0.9	<0.001	<0.1	0.6	<2	<0.1	326
55389	27.2	0.63	<0.1	0.1	<0.5	5	<1	1.7	<0.001	<0.1	0.9	<2	0.2	37
55391	118.2	0.16	<0.1	0.3	<0.5	53	<1	3.2	0.002	<0.1	1.2	<2	0.2	1693
55392	22.3	0.07	<0.1	0.3	<0.5	58	<1	3.2	0.002	<0.1	1.0	3	0.3	246
55394	28.2	0.12	0.1	0.2	<0.5	12	<1	3.1	0.002	<0.1	2.6	<2	0.1	595
55395	97.2	1.05	0.2	0.1	<0.5	6	<1	1.6	<0.001	<0.1	0.7	<2	0.2	1263
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD DS7	69.1	0.20	3.7	2.0	3.6	63	<1	4.1	0.094	4.2	4.6	81	3.9	403
STD OREAS45PA	19.6	<0.05	0.1	34.7	0.9	12	<1	6.6	0.109	<0.1	1.2	218	<0.1	110
STD DS7	73.3	0.21	4.1	2.7	2.8	89	2	5.0	0.123	4.1	5.6	80	3.3	419
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD OREAS45PA	19.7	<0.05	<0.1	41.5	<0.5	15	<1	6.4	0.126	<0.1	1.2	216	<0.1	111

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
 at 95°C for 1 hour and diluted to 10 ml with DI H2O.



TSL

LABORATORIES

#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S39842

SAMPLE(S) OF INVOICE #:59919
4 Core/1 Pulp P.O.:

Beard
Project: Foley

	Au g/t	Au g/t	Au g/t	Wt g	Wt g	Wt g	Au mg	Au mg	File Name
	Total	+150	-150	Total	+150	-150	+150	-150	
55445	<.03	<.03	<.03	584.3	29.34	555.0	<.001	<.001	S39842
55449	<.03	<.03	<.03	1895.6	31.38	1864.2	<.001	<.001	S39842
55450	2.30						.067		S39842
55502	<.03	<.03	<.03	1811.5	32.96	1778.5	<.001	<.001	S39842
55504	<.03	<.03	<.03	759.9	36.51	723.4	<.001	<.001	S39842
GS-10C	9.64								S39842

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Sep 17/10

SIGNED

Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd. TSL Report: S39842
Geologist: D. Beard Date Received: Aug 12, 2010
Project: Foley Date Reported: Sep 29, 2010
Purchase Order: Invoice: 59919

Sample Type:	Number	Size Fraction	Sample Preparation
Core	4	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	1		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

*Test reports may be reproduced, in their entirety, without our consent
Liability is limited to the analytical cost for analyses.*

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 4 Core/ 1 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39842

Date: September 29, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
55445	0.2	0.16	<0.5	21.2	<20	13	0.3	0.25	8.3	1.9	164.0	11.8	0.51	<1	0.05	0.09	7	0.03	62	3.1	0.006	4.2	0.004
55449	0.1	0.16	<0.5	0.9	<20	20	0.4	1.19	<0.1	1.2	348.0	10.2	0.62	<1	<0.01	0.10	5	0.02	236	6.5	0.007	11.2	0.004
55450	14.7	0.98	26.9	2098.2	<20	28	5.0	0.28	60.7	11.3	44.0	4822.3	8.81	3	1.25	0.09	<1	1.03	388	14.5	0.007	25.8	0.010
55502	<0.1	0.09	<0.5	1.5	<20	14	<0.1	0.24	1.1	4.4	131.0	16.2	0.49	<1	<0.01	0.07	6	0.02	78	30.8	0.004	4.4	0.005
55504	<0.1	0.13	<0.5	0.6	<20	21	<0.1	0.78	<0.1	0.8	182.0	5.2	0.46	<1	<0.01	0.10	21	0.03	217	1.2	0.031	6.3	0.006
STD DS7	1.0	1.07	53.3	61.9	39	417	5.6	1.02	6.3	9.6	192.0	106.2	2.43	5	0.22	0.46	13	1.08	615	22.5	0.102	58.5	0.082
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.001	<0.1	<0.001
STD OREAS45PA	0.3	3.48	4.3	46.7	<20	177	0.2	0.24	0.1	103.2	720.0	597.0	15.38	17	0.02	0.07	15	0.11	1115	0.8	0.004	282.8	0.034

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Carruthers
 Project: Foley
 Sample: 4 Core/ 1 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39842
 Date: September 29, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
55445	33.2	0.12	<0.1	<0.1	<0.5	9	<1	2.5	<0.001	<0.1	0.8	<2	<0.1	1235
55449	5.2	<0.05	<0.1	0.2	<0.5	27	<1	1.3	<0.001	<0.1	0.2	2	0.1	10
55450	239.8	8.38	0.5	2.0	3.5	8	10	0.2	0.020	<0.1	0.3	16	<0.1	>10000
55502	17.2	0.15	<0.1	0.1	<0.5	7	<1	1.1	<0.001	<0.1	1.8	<2	0.2	109
55504	2.8	<0.05	<0.1	0.2	<0.5	19	<1	3.3	0.002	<0.1	0.8	<2	0.2	7
STD DS7	73.3	0.21	4.1	2.7	2.8	89	2	5.0	0.123	4.1	5.6	80	3.3	419
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD OREAS45PA	19.7	<0.05	<0.1	41.5	<0.5	15	<1	6.4	0.126	<0.1	1.2	216	<0.1	111

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
 at 95C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd. TSL Report: S39838
Geologist: D. Beard Date Received: Aug 12, 2010
Project: Foley Date Reported: Sep 27, 2010
Purchase Order: Invoice: 60061

Sample Type:	Number	Size Fraction	Sample Preparation
Core	13	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	0		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Carruthers
 Project: Foley
 Sample: 13 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39838
 Date: September 27, 2010

MULTIELEMENT ICP-MS ANALYSIS
 Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
55397	0.1	0.17	0.9	1.5	<20	35	<0.1	1.42	0.3	2.9	58.0	9.4	0.66	<1	<0.01	0.16	20	0.17	292	0.3	0.022	4.9	0.028
55398	0.6	0.23	1.8	9.5	<20	27	0.3	0.89	0.2	4.8	77.0	8.8	0.80	<1	<0.01	0.15	11	0.20	263	0.6	0.007	5.2	0.018
55400	0.1	0.19	<0.5	<0.5	<20	32	<0.1	1.56	0.2	3.0	59.0	7.0	0.68	<1	<0.01	0.16	18	0.15	287	0.3	0.016	4.8	0.026
55401	0.1	0.20	0.8	0.7	<20	35	<0.1	1.24	0.3	1.5	66.0	7.0	0.65	<1	<0.01	0.18	21	0.17	313	0.3	0.012	3.7	0.030
55404	1.0	0.19	0.8	1.7	<20	32	0.8	0.44	1.0	2.6	82.0	33.0	0.57	<1	<0.01	0.16	9	0.09	221	0.5	0.009	4.2	0.014
55405	<0.1	0.07	<0.5	<0.5	<20	4	<0.1	0.34	<0.1	0.9	101.0	5.4	0.31	<1	<0.01	0.02	2	0.06	57	0.6	0.010	3.3	0.002
55406	0.1	0.18	<0.5	<0.5	<20	35	0.1	1.47	0.7	3.3	58.0	6.6	0.75	<1	<0.01	0.17	18	0.21	312	0.3	0.020	6.4	0.031
55410	0.2	0.20	0.7	<0.5	<20	42	0.2	1.49	0.9	3.8	68.0	6.2	0.83	<1	<0.01	0.20	18	0.21	335	0.4	0.018	7.2	0.032
55410 Re	0.2	0.20	0.7	<0.5	<20	42	0.2	1.47	1.0	3.6	66.0	6.0	0.81	<1	<0.01	0.19	18	0.21	330	0.4	0.018	7.0	0.031
55411	<0.1	0.22	0.7	<0.5	<20	43	<0.1	1.31	0.8	3.1	66.0	3.9	0.70	<1	<0.01	0.19	21	0.14	283	0.4	0.022	5.6	0.029
55412	0.1	0.20	0.6	<0.5	<20	40	0.2	1.48	0.1	3.5	59.0	6.3	0.76	<1	<0.01	0.18	20	0.16	307	0.4	0.026	5.6	0.028
55413	0.3	0.21	1.2	<0.5	<20	34	<0.1	1.51	0.4	3.2	65.0	26.0	0.78	<1	<0.01	0.19	22	0.18	382	0.4	0.011	5.5	0.029
55417	5.1	0.34	0.7	22.1	<20	31	10.8	1.69	1.2	11.3	57.0	32.9	2.37	<1	<0.01	0.16	12	0.09	272	1.1	0.008	12.2	0.028
55419	0.2	0.21	0.6	13.1	<20	34	0.3	1.22	0.2	4.3	61.0	18.0	0.80	<1	<0.01	0.17	12	0.14	315	1.2	0.007	6.1	0.019
STD DS7	1.4	1.00	46.3	61.5	36	374	3.8	0.89	5.6	8.5	180.0	91.8	2.10	5	0.20	0.41	11	0.96	573	21.5	0.091	51.6	0.073
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.001	<0.1	<0.001
STD OREAS45PA	0.3	3.28	3.6	42.8	<20	176	0.2	0.22	0.1	98.4	825.0	555.8	15.45	17	0.02	0.07	14	0.10	1005	0.7	0.007	271.7	0.031

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Carruthers
 Project: Foley
 Sample: 13 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39838
 Date: September 27, 2010

MULTIELEMENT ICP-MS ANALYSIS
 Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
55397	5.3	<0.05	<0.1	0.2	<0.5	30	<1	3.5	0.004	<0.1	1.2	<2	0.1	24
55398	34.3	0.18	0.1	0.2	<0.5	11	<1	1.9	<0.001	<0.1	1.2	<2	0.1	50
55400	13.8	0.08	<0.1	0.2	<0.5	34	<1	3.7	0.002	<0.1	0.9	<2	<0.1	33
55401	11.8	<0.05	0.1	0.2	<0.5	23	<1	2.9	0.001	<0.1	1.0	<2	<0.1	41
55404	30.2	0.06	<0.1	0.1	<0.5	15	<1	1.5	0.001	<0.1	0.4	<2	0.2	133
55405	1.3	<0.05	<0.1	<0.1	<0.5	5	<1	0.3	<0.001	<0.1	<0.1	<2	<0.1	8
55406	15.4	0.05	<0.1	0.2	<0.5	35	<1	4.3	0.005	<0.1	1.1	<2	0.1	96
55410	15.8	0.09	<0.1	0.2	<0.5	40	<1	3.8	0.004	<0.1	1.1	<2	0.2	133
55410 Re	17.2	0.09	<0.1	0.2	<0.5	40	<1	4.0	0.004	<0.1	1.0	<2	0.2	136
55411	8.9	0.06	<0.1	0.2	<0.5	38	<1	4.5	0.005	<0.1	1.3	<2	0.2	113
55412	21.0	0.07	<0.1	0.2	<0.5	37	<1	4.5	0.005	<0.1	1.2	<2	0.1	37
55413	11.1	0.08	<0.1	0.2	<0.5	34	<1	4.3	0.001	<0.1	0.9	<2	0.2	56
55417	177.7	1.58	<0.1	0.2	<0.5	32	<1	5.1	0.002	<0.1	2.1	<2	0.3	284
55419	27.1	0.19	0.2	0.2	<0.5	25	<1	2.6	0.001	<0.1	1.2	<2	0.2	36
STD DS7	57.2	0.19	3.3	2.2	3.1	67	1	3.8	0.099	3.9	3.9	75	3.1	364
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD OREAS45PA	16.0	<0.05	<0.1	37.3	<0.5	12	<1	5.7	0.114	<0.1	1.0	210	<0.1	111

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO₃ at 95°C for 1 hour and diluted to 10 ml with DI H₂O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Limited
Geologist: D. Beard
Project: Foley

TSL Report: S39843
Date Received: Aug 12, 2010
Date Reported: Sep 21, 2010
Invoice: 59961

Remarks: Base Metals on S39842

Sample Type:	Number	Size Fraction	Sample Preparation
Core	4	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 95% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	1		None
Pulp Size: ~250 gram			

Standard Procedure:

Samples for Ag (g/tonne), Base Metals (%) are weighed at 0.5 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Ag	g/tonne	HNO ₃ -HF-HClO ₄ -HCl/AA	1	1700
Zn	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM

Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S39843

SAMPLE(S) OF

4 Core/1 Pulp

INVOICE #: 59961
P.O.:

Beard
Project: Foley

BM on S39842

	Ag gt	Zn %	File Name
55445	0.3	0.17	S39843
55449	<0.2	<0.01	S39843
55450	15.2	1.43	S39843
55502	<0.2	0.02	S39843
55504	<0.2	<0.01	S39843
FCM-3	22.7	.55	S39843
HLHZ		7.76	S39843

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Sep 21/10

SIGNED

Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Ltd.
Geologist: D. Beard
Project: Foley
Purchase Order:

TSL Report: S39835
Date Received: Aug 12, 2010
Date Reported: Sep 21, 2010
Invoice: 59979

Sample Type:	Number	Size Fraction	Sample Preparation
Core	11	Reject ~ 70% -10 mesh (1.70 mm) Pulp ~ 95% -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	0		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 11 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39835

Date: September 21, 2010

MULTELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
55373	0.2	0.23	1.1	<0.5	<20	37	<0.1	1.56	<0.1	1.5	69.0	8.5	0.48	<1	<0.01	0.21	27	0.03	156	0.4	0.011	3.5	0.034
55375	0.1	0.21	<0.5	1.2	<20	33	<0.1	0.71	<0.1	2.3	84.0	9.4	0.48	<1	<0.01	0.17	20	0.04	101	0.4	0.012	5.6	0.023
55377	43.0	0.15	<0.5	38.7	<20	25	99.1	2.30	54.4	6.8	82.0	73.2	0.54	<1	0.44	0.14	10	0.04	277	0.6	0.004	6.8	0.015
55378	<0.1	0.24	2.8	<0.5	<20	32	0.1	1.19	0.1	3.2	72.0	7.1	0.71	<1	<0.01	0.19	20	0.10	216	0.5	0.013	5.0	0.028
55380	0.2	0.23	0.5	<0.5	<20	37	0.2	0.66	0.2	4.4	73.0	26.0	0.60	<1	<0.01	0.20	19	0.07	184	0.4	0.010	7.2	0.029
55382	0.2	0.21	<0.5	<0.5	<20	36	<0.1	1.10	0.3	4.1	64.0	16.3	0.73	<1	<0.01	0.20	17	0.11	334	1.1	0.018	6.8	0.030
55383	<0.1	0.18	0.8	<0.5	<20	30	<0.1	1.29	0.1	2.5	64.0	3.9	0.72	<1	<0.01	0.14	19	0.18	286	0.4	0.025	4.2	0.024
55386	0.1	0.17	<0.5	2.7	<20	18	<0.1	0.82	<0.1	1.4	61.0	20.8	0.49	<1	<0.01	0.10	9	0.11	174	0.3	0.034	2.8	0.011
55388	0.2	0.20	<0.5	40.4	<20	33	0.2	0.99	0.6	3.3	66.0	9.1	0.47	<1	<0.01	0.19	18	0.06	167	0.4	0.012	6.2	0.028
55390	<0.1	0.28	1.0	8.2	<20	34	<0.1	1.46	<0.1	2.8	61.0	10.0	0.52	<1	<0.01	0.18	16	0.17	212	0.2	0.010	5.1	0.026
55393	0.3	0.18	1.0	1.1	<20	35	0.4	1.34	1.9	2.7	65.0	5.3	0.61	<1	<0.01	0.17	18	0.18	311	0.4	0.012	4.6	0.026
STD DS7	0.8	0.92	47.8	52.5	24	348	4.0	0.89	5.6	8.7	180.0	98.1	2.12	4	0.20	0.38	11	0.94	549	19.8	0.086	53.9	0.068
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.001	<0.1	<0.001
STD OREAS45PA	0.3	3.33	4.3	52.6	<20	173	0.2	0.23	<0.1	101.8	825.0	579.8	15.69	16	0.03	0.07	15	0.11	1050	0.8	0.007	293.8	0.032
STD DS7	0.8	0.89	47.1	52.3	30	363	3.9	0.88	5.2	8.6	170.0	95.5	2.15	4	0.18	0.39	11	0.93	543	18.8	0.084	53.0	0.070
STD OREAS45PA	0.3	3.23	3.7	36.6	<20	167	0.2	0.23	0.1	105.2	789.0	563.9	15.80	16	0.03	0.07	14	0.10	1009	0.7	0.007	269.4	0.031
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.1	<0.001	<0.1	<0.001	<0.1	<0.001

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3 at 95°C for 1 hour and diluted to 10 ml with DI H2O.

TSL LABORATORIES INC.

Q-Gold Resources Ltd.
 Attention: B. Carruthers
 Project: Foley
 Sample: 11 Core/ 0 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39835
 Date: September 21, 2010

MULTIELEMENT ICP-MS ANALYSIS
 Aqua Regia Digestion

Element Sample	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
55373	10.5	<0.05	<0.1	0.2	<0.5	9	<1	3.9	0.001	<0.1	0.3	<2	0.2	14
55375	8.4	<0.05	<0.1	0.1	<0.5	5	<1	2.8	<0.001	<0.1	0.3	<2	0.2	30
55377	2179.2	0.49	0.7	0.1	0.5	69	1	1.8	<0.001	<0.1	0.9	<2	0.1	7032
55378	13.8	0.18	0.3	0.1	<0.5	18	<1	3.5	0.001	<0.1	1.0	<2	0.2	26
55380	14.4	0.14	0.1	0.1	<0.5	13	<1	3.3	0.001	<0.1	0.9	<2	0.2	42
55382	9.9	0.16	<0.1	0.2	<0.5	22	<1	3.6	0.003	<0.1	1.5	<2	0.1	41
55383	4.7	<0.05	<0.1	0.2	<0.5	28	<1	3.1	0.002	<0.1	1.1	<2	<0.1	17
55386	7.7	<0.05	<0.1	0.3	<0.5	20	<1	5.3	0.002	<0.1	4.2	<2	<0.1	10
55388	11.1	0.15	<0.1	0.2	<0.5	15	<1	3.8	0.002	<0.1	0.9	<2	0.1	81
55390	4.4	0.10	<0.1	0.2	<0.5	14	<1	2.6	<0.001	<0.1	1.0	<2	0.1	17
55393	33.0	<0.05	0.2	0.2	<0.5	28	<1	2.9	0.003	<0.1	2.4	<2	<0.1	224
STD DS7	58.0	0.18	3.9	2.1	2.8	65	1	4.3	0.112	3.5	4.3	71	3.1	357
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1
STD OREAS45PA	16.1	<0.05	0.1	41.9	0.9	13	<1	5.7	0.133	<0.1	1.0	211	<0.1	110
STD DS7	59.1	0.19	3.8	2.1	2.8	63	1	4.4	0.098	3.6	4.5	73	3.2	378
STD OREAS45PA	16.4	<0.05	0.1	39.1	<0.5	12	<1	5.7	0.120	<0.1	1.0	195	<0.1	107
BLK	<0.1	<0.05	<0.1	<0.1	<0.5	<1	<1	<0.1	<0.001	<0.1	<0.1	<2	<0.1	<1

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
 at 95C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Limited
Geologist: D. Beard
Project: Foley

TSL Report: S39843
Date Received: Aug 12, 2010
Date Reported: Sep 21, 2010
Invoice: 59961

Remarks: [REDACTED] Revised Report: Wrong sample numbers entered
Base Metals on S39842

Sample Type:	Number	Size Fraction	Sample Preparation
Core	4	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 95% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	1		None

Pulp Size: ~250 gram

Standard Procedure:

Samples for Ag (g/tonne), Base Metals (%) are weighed at 0.5 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Ag	g/tonne	HNO ₃ -HF-HClO ₄ -HCl/AA	1	1700
Zn	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S39843

SAMPLE(S) OF
4 Core/1 Pulp

INVOICE #: 59961
P.O.:

Beard
Project: Foley

BM on S39842

	Ag	Zn	File Name
	gt	%	
55445	0.3	0.17	S39843
55449	<0.2	<0.01	S39843
55450	15.2	1.43	S39843
54502	<0.2	0.02	S39843
54504	<0.2	<0.01	S39843
FCM-3	22.7	.55	S39843
HLHZ		7.76	S39843

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Oct 20/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Limited
Geologist: D. Beard
Project: Foley

TSL Report: S39834
Date Received: Aug 12, 2010
Date Reported: Sep 21, 2010
Invoice: 59958

Remarks: Base Metals on S39833

Sample Type:	Number	Size Fraction	Sample Preparation
Core	10	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 95% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	2		None
Pulp Size: ~250 gram			

Standard Procedure:

Samples for Ag (g/tonne), Base Metals (%) are weighed at 0.5 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Ag	g/tonne	HNO ₃ -HF-HClO ₄ -HCl/AA	1	1700
Cu	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80
Zn	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S39834

SAMPLE(S) OF
10 Core/2 Pulp

INVOICE #: 59958
P.O.:

Beard
Project: Foley

BM on S39833

	Ag gt	Cu %	Zn %	File Name
55374	15.1		1.42	S39834
55376	<0.2		<0.01	S39834
55379	0.7	<0.01	<0.01	S39834
55381	7.8		0.49	S39834
55384	1.8		0.01	S39834
55385	14.5		1.44	S39834
55387	1.5		0.04	S39834
55389	0.7		<0.01	S39834
55391	1.2		0.13	S39834
55392	0.6		0.04	S39834
55394	1.6		0.07	S39834
55395	16.5		0.13	S39834
FCM-3	22.7	.30	.55	S39834
HLHZ			7.76	S39834

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Sep 21/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Limited
Geologist: D. Beard
Project: Foley

TSL Report: S39840
Date Received: Aug 12, 2010
Date Reported: Sep 21, 2010
Invoice: 59960

Remarks: Base Metals on S39839

Sample Type:	Number	Size Fraction	Sample Preparation
Core	13	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 95% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	2		None
Pulp Size: ~250 gram			

Standard Procedure:

Samples for Ag (g/tonne), Base Metals (%) are weighed at 0.5 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Ag	g/tonne	HNO ₃ -HF-HClO ₄ -HCl/AA	1	1700
Zn	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S39840

SAMPLE(S) OF
13 Core/2 Pulp

INVOICE #: 59960
P.O.:

Beard
Project: Foley

BM on S39839

	Ag gt	Zn %	File Name
55422	1.3	0.01	S39840
55424	2.5	0.57	S39840
55425	1.8	0.11	S39840
55426	<0.2	<0.01	S39840
55427	1.9	0.07	S39840
55429	13.8	1.43	S39840
55431	<0.2	0.02	S39840
55433	2.2	0.04	S39840
55434	2.5	0.18	S39840
55435	0.6	0.08	S39840
55436	0.4	0.03	S39840
55438	0.5	<0.01	S39840
55439	1.2	0.12	S39840
55440	14.4	1.43	S39840
55441	3.7	0.05	S39840
FCM-3	22.7	.55	S39840
HLHZ		7.76	S39840

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Sep 21/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Limited
Geologist: D. Beard
Project: Foley

TSL Report: S39837
Date Received: Aug 12, 2010
Date Reported: Sep 21, 2010
Invoice: 59959

Remarks: Base Metals on S39836

Sample Type:	Number	Size Fraction	Sample Preparation
Core	9	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 95% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	2		None
Pulp Size: ~250 gram			

Standard Procedure:

Samples for Ag (g/tonne), Base Metals (%) are weighed at 0.5 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Ag	g/tonne	HNO ₃ -HF-HClO ₄ -HCl/AA	1	1700
Zn	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S39837

SAMPLE(S) OF
9 Core/2 Pulp

INVOICE #: 59959
P.O.:

Beard
Project: Foley


BM on S39836

	Ag gt	Zn %	File Name
55396	13.7	1.41	S39837
55399	3.4	0.07	S39837
55402	0.5	0.14	S39837
55403	1.6	0.39	S39837
55407	14.2	1.41	S39837
55408	0.6	0.09	S39837
55409	0.3	0.06	S39837
55414	0.9	0.02	S39837
55415	0.9	0.04	S39837
55416	1.2	<0.01	S39837
55418	14.6	1.43	S39837
FCM-3	22.7	.55	S39837
HLHZ		7.76	S39837

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Sep 21/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q-Gold Resources Limited
Geologist: D. Beard
Project: Foley

TSL Report: S39831
Date Received: Aug 12, 2010
Date Reported: Sep 21, 2010
Invoice: 59957

Remarks: Base Metals on S39830

Sample Type:	Number	Size Fraction	Sample Preparation
Core	8	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 95% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize
Pulp	1		None
Pulp Size: ~250 gram			

Standard Procedure:

Samples for Ag (g/tonne), Base Metals (%) are weighed at 0.5 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Ag	g/tonne	HNO ₃ -HF-HClO ₄ -HCl/AA	1	1700
Pb	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80
Zn	%	HNO ₃ -HF-HClO ₄ -HCl/AA	0.01	80



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S39831

SAMPLE(S) OF 8 Core/1 Pulp

INVOICE #: 59957
P.O.:

Beard
Project: Foley

BM on S39830

	Ag g/t	Pb %	Zn %	File Name
55352	1.3		0.02	S39831
55353	6.4		0.11	S39831
55356	1.4	0.04	0.04	S39831
55360	14.7	0.37	0.75	S39831
55361	0.5		0.01	S39831
55363	14.8		1.41	S39831
55367	1.0		0.14	S39831
55370	<0.2		<0.01	S39831
55372	0.4		<0.01	S39831
FCM-3	22.7	.16	.55	S39831
HLHZ			7.76	S39831

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Sep 21/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q. Gold Resources Limited
Geologist: D. Beard
Project: Foley

TSL Report: S39833
Date Received: Aug 12, 2010
Date Reported: Sep 20, 2010
Invoice: 59935

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	10	Reject ~ 95% -10 mesh (1.70 mm)	Primary Crush, Rolls Crush
		Pulp ~ 5% +150 mesh (106 µm)	Riffle Split, Pulverize
		~ 95% -150 mesh (106 µm)	
Pulp	2		
Screen Metallic size: Entire Sample			

Screen Metallic for Gold:

Minus fraction for gold analysis is weighed at 1 AT (29.16 g)

- | | | |
|--------------|---|--|
| Au g/t Total | - | Au weighted average |
| Au g/t +150 | - | Au value of +150 mesh fraction |
| Au g/t -150 | - | Au value of -150 mesh fraction |
| Wt g Total | - | Total sample weight |
| Wt g +150 | - | Weight of +150 mesh fraction |
| Wt g -150 | - | Weight of -150 mesh fraction |
| Au mg +150 | - | Value is the entire plus fraction |
| Au mg -150 | - | Value is based on a 1 AT sample weight |
| GS-10C | - | Value is based on a 1 AT sample weight |

Samples with 100% passing 150 mesh (106 µm) are screened at 200 mesh (75 µm)

Element		Extraction Technique	Lower Detection Limit	Upper Detection Limit
Name	Unit			
Au	g/tonne	Fire Assay/Gravimetric	0.03	6500



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S39833

SAMPLE(S) OF
10 Core/2 Pulp

INVOICE #: 59935
P.O.:


Beard
Project: Foley

	Au g/t Total	Au g/t +150	Au g/t -150	Wt g Total	Wt g +150	Wt g -150	Au mg +150	Au mg -150	File Name
55374	2.09						.061		S39833
55376	<.03	<.03	<.03	1721.8	28.05	1693.8	<.001	<.001	S39833
55379	6.48	412.6	2.88	3137.4	27.60	3109.8	11.387	.084	S39833
55381	.05	.91	.03	1900.4	31.92	1868.5	.029	.001	S39833
55384	.91	.98	.89	253.2	43.92	209.3	.043	.026	S39833
55385	2.13						.062		S39833
55387	<.03	<.03	<.03	516.0	42.53	473.5	<.001	<.001	S39833
55389	<.03	<.03	<.03	327.3	41.04	286.3	<.001	<.001	S39833
55391	.05	1.53	.03	2516.2	24.24	2492.0	.037	.001	S39833
55392	<.03	<.03	<.03	3583.9	22.93	3561.0	<.001	<.001	S39833
55394	<.03	<.03	<.03	886.5	28.51	858.0	<.001	<.001	S39833
55395	.31	1.37	.26	559.7	26.23	533.5	.036	.008	S39833
GS-10C	10.01								S39833
GS-10C	9.71								S39833

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Sep 20/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q. Gold Resources Limited
Geologist: D. Beard
Project: Foley

TSL Report: S39839
Date Received: Aug 12, 2010
Date Reported: Sep 20, 2010
Invoice: 59941

Remarks:

Sample Type: Number Size Fraction
Core 13 Reject ~ 95% -10 mesh (1.70 mm)
Pulp ~ 5% +150 mesh (106 µm)
~ 95% -150 mesh (106 µm)

Pulp 2
Screen Metallic size: Entire Sample

Sample Preparation
Primary Crush, Rolls Crush
Riffle Split, Pulverize

Screen Metallic for Gold:

Minus fraction for gold analysis is weighed at 1 AT (29.16 g)

- Au g/t Total - Au weighted average
- Au g/t +150 - Au value of +150 mesh fraction
- Au g/t -150 - Au value of -150 mesh fraction
- Wt g Total - Total sample weight
- Wt g +150 - Weight of +150 mesh fraction
- Wt g -150 - Weight of -150 mesh fraction

- Au mg +150 - Value is the entire plus fraction
- Au mg -150 - Value is based on a 1 AT sample weight
- GS-10C - Value is based on a 1 AT sample weight

Samples with 100% passing 150 mesh (106 µm) are screened at 200 mesh (75 µm)

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	g/tonne	Fire Assay/Gravimetric	0.03	6500

*Test reports may be reproduced, in their entirety, without our consent
Liability is limited to the analytical cost for analyses.*



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
 121 East Birch Ave, Suite 508
 Flagstaff, Arizona, USA 86001

REPORT No.
S39839

SAMPLE(S) OF
13 Core/2 Pulp

INVOICE #:59941
P.O.:


Beard
Project: Foley

	Au g/t Total	Au g/t +150	Au g/t -150	Wt g Total	Wt g +150	Wt g -150	Au mg +150	Au mg -150	File Name
55422	<.03	<.03	<.03	656.7	37.69	619.0	<.001	<.001	S39839
55424	<.03	<.03	<.03	192.5	31.16	161.3	<.001	<.001	S39839
55425	.25	.65	.24	710.1	24.77	685.3	.016	.007	S39839
55426	<.03	<.03	<.03	1870.2	24.98	1845.2	<.001	<.001	S39839
55427	<.03	<.03	<.03	353.3	23.77	329.5	<.001	<.001	S39839
55429	2.02							.059	S39839
55431	<.03	<.03	<.03	886.0	28.14	857.9	<.001	<.001	S39839
55433	5.06	140.9	.82	960.7	29.02	931.7	4.090	.024	S39839
55434	.75	27.52	.26	2297.6	41.79	2255.8	1.150	.008	S39839
55435	<.03	<.03	<.03	788.0	26.12	761.9	<.001	<.001	S39839
55436	<.03	<.03	<.03	3547.1	20.64	3526.5	<.001	<.001	S39839
55438	.83	16.07	.26	988.2	36.04	952.2	.579	.008	S39839
55439	.33	1.96	.29	1105.7	28.50	1077.2	.056	.009	S39839
55440	2.13							.062	S39839
55441	.08	1.84	.03	773.5	21.24	752.3	.039	.001	S39839
GS-10C	9.40								S39839
GS-10C	9.43								S39839

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Sep 20/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q. Gold Resources Limited
Geologist: D. Beard
Project: Foley

TSL Report: S39842
Date Received: Aug 12, 2010
Date Reported: Sep 17, 2010
Invoice: 59919

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	4	Reject ~ 95% -10 mesh (1.70 mm)	Primary Crush, Rolls Crush
		Pulp ~ 5% +150 mesh (106 µm)	Riffle Split, Pulverize
		~ 95% -150 mesh (106 µm)	
Pulp	1		
Screen Metallic size: Entire Sample			

Screen Metallic for Gold:

Minus fraction for gold analysis is weighed at 1 AT (29.16 g)

- | | | |
|--------------|---|--|
| Au g/t Total | - | Au weighted average |
| Au g/t +150 | - | Au value of +150 mesh fraction |
| Au g/t -150 | - | Au value of -150 mesh fraction |
| Wt g Total | - | Total sample weight |
| Wt g +150 | - | Weight of +150 mesh fraction |
| Wt g -150 | - | Weight of -150 mesh fraction |
| Au mg +150 | - | Value is the entire plus fraction |
| Au mg -150 | - | Value is based on a 1 AT sample weight |
| GS-10C | - | Value is based on a 1 AT sample weight |

Samples with 100% passing 150 mesh (106 µm) are screened at 200 mesh (75 µm)

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	g/tonne	Fire Assay/Gravimetric	0.03	6500



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q. Gold Resources Limited
Geologist: D. Beard
Project: Foley

TSL Report: S39842
Date Received: Aug 12, 2010
Date Reported: Sep 17, 2010
Invoice: 59919

Remarks: Revised Report: Wrong sample numbers entered

Sample Type:	Number	Size Fraction	Sample Preparation
Core	4	Reject ~ 95% -10 mesh (1.70 mm)	Primary Crush, Rolls Crush Riffle Split, Pulverize
		Pulp ~ 5% +150 mesh (106 µm) ~ 95% -150 mesh (106 µm)	
Pulp	1		
Screen Metallic size: Entire Sample			

Screen Metallic for Gold:

Minus fraction for gold analysis is weighed at 1 AT (29.16 g)

- Au g/t Total - Au weighted average
- Au g/t +150 - Au value of +150 mesh fraction
- Au g/t -150 - Au value of -150 mesh fraction
- Wt g Total - Total sample weight
- Wt g +150 - Weight of +150 mesh fraction
- Wt g -150 - Weight of -150 mesh fraction

- Au mg +150 - Value is the entire plus fraction
- Au mg -150 - Value is based on a 1 AT sample weight
- GS-10C - Value is based on a 1 AT sample weight

Samples with 100% passing 150 mesh (106 µm) are screened at 200 mesh (75 µm)

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	g/tonne	Fire Assay/Gravimetric	0.03	6500



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S39842

SAMPLE(S) OF
4 Core/1 Pulp

INVOICE #: 59919
P.O.:


Beard
Project: Foley

	Au g/t	Au g/t	Au g/t	Wt g	Wt g	Wt g	Au mg	Au mg	File
	Total	+150	-150	Total	+150	-150	+150	-150	Name
55445	<.03	<.03	<.03	584.3	29.34	555.0	<.001	<.001	S39842
55449	<.03	<.03	<.03	1895.6	31.38	1864.2	<.001	<.001	S39842
55450	2.30						.067	.067	S39842
54502	<.03	<.03	<.03	1811.5	32.96	1778.5	<.001	<.001	S39842
54504	<.03	<.03	<.03	759.9	36.51	723.4	<.001	<.001	S39842
GS-10C	9.64								S39842

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Oct 20/10

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q. Gold Resources Limited
Geologist: D. Beard
Project: Foley

TSL Report: S39830
Date Received: Aug 12, 2010
Date Reported: Sep 17, 2010
Invoice: 59918

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	8	Reject ~ 95% -10 mesh (1.70 mm)	Primary Crush, Rolls Crush
		Pulp ~ 5% +150 mesh (106 µm)	Riffle Split, Pulverize
		~ 95% -150 mesh (106 µm)	
Pulp	1		
Screen Metallic size: Entire Sample			

Screen Metallic for Gold:

Minus fraction for gold analysis is weighed at 1 AT (29.16 g)

- Au g/t Total - Au weighted average
- Au g/t +150 - Au value of +150 mesh fraction
- Au g/t -150 - Au value of -150 mesh fraction
- Wt g Total - Total sample weight
- Wt g +150 - Weight of +150 mesh fraction
- Wt g -150 - Weight of -150 mesh fraction

- Au mg +150 - Value is the entire plus fraction
- Au mg -150 - Value is based on a 1 AT sample weight
- GS-10C - Value is based on a 1 AT sample weight

Samples with 100% passing 150 mesh (106 µm) are screened at 200 mesh (75 µm)

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	g/tonne	Fire Assay/Gravimetric	0.03	6500



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S39830

SAMPLE(S) OF
8 Core/1 Pulp

INVOICE #:59918
P.O.:

Beard
Project: Foley

	Au g/t Total	Au g/t +150	Au g/t -150	Wt g Total	Wt g +150	Wt g -150	Au mg +150	Au mg -150	File Name
55352	<.03	<.03	<.03	4689.2	40.08	4649.1	<.001	<.001	S39830
55353	<.03	<.03	<.03	389.2	27.16	362.0	<.001	<.001	S39830
55356	5.88	145.5	1.95	1246.7	34.06	1212.6	4.957	.057	S39830
55360	4.26	33.64	2.26	623.4	39.74	583.7	1.337	.066	S39830
55361	.07	.70	.03	635.5	38.31	597.2	.027	.001	S39830
55363	2.13						.062		S39830
55367	<.03	<.03	<.03	2508.8	42.46	2466.3	<.001	<.001	S39830
55370	<.03	<.03	<.03	4134.6	32.63	4102.0	<.001	<.001	S39830
55372	<.03	<.03	<.03	2503.6	37.99	2465.6	<.001	<.001	S39830
GS-10C	9.91								S39830
GS-10C	9.64								S39830

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Sep 17/10

SIGNED


Mark Acres - Quality Assurance

Company: Q-Gold Resources Ltd.
 Geologist: D. Beard
 Project: Foley
 Purchase Order:

TSL Report: S39830
 Date Received: Aug 12, 2010
 Date Reported: Sep 29, 2010
 Invoice: 59918

Sample Type:	Number	Size Fraction	Sample Preparation
Core	8	Reject ~ 70% -10 mesh (1.70 mm)	Crush, Riffle Split, Pulverize
		Pulp ~ 95% -150 mesh (106 µm)	
Pulp	1		None

ICP-MS Aqua Regia Digestion HCl-HNO₃

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Lower Detection Limit	Upper Detection Limit	Element Name	Lower Detection Limit	Upper Detection Limit
Ag	0.1 ppm	100 ppm	Mn *	1 ppm	10000 ppm
Al *	0.01 %	10 %	Mo	0.1 ppm	2000 ppm
As	0.5 ppm	10000 ppm	Na *	0.001%	10 %
Au	0.5 ppb	100 ppm	Ni	0.1 ppm	10000 ppm
B *	1 ppm	2000 ppm	P *	0.001%	5 %
Ba *	1 ppm	1000 ppm	Pb	0.1 ppm	10000 ppm
Bi	0.1 ppm	2000 ppm	S	0.05 %	10 %
Ca *	0.01%	40 %	Sb	0.1 ppm	2000 ppm
Cd	0.1 ppm	2000 ppm	Sc	0.1 ppm	100 ppm
Co	0.1 ppm	2000 ppm	Se	0.5 ppm	1000 ppm
Cr *	1 ppm	10000 ppm	Sr *	1 ppm	10000 ppm
Cu	0.1 ppm	10000 ppm	Te	1 ppm	2000 ppm
Fe *	0.01%	40 %	Th *	0.1 ppm	2000 ppm
Ga *	1 ppm	1000 ppm	Ti *	0.001%	10 %
Hg	0.01 ppm	100 ppm	Tl	0.1 ppm	1000 ppm
K *	0.01%	10 %	U *	0.1 ppm	2000 ppm
La *	1 ppm	10000 ppm	V *	2 ppm	10000 ppm
Mg *	0.01%	30 %	W *	0.1 ppm	100 ppm
			Zn	1 ppm	10000 ppm

TSL LABORATORIES INC.

Q-Gold Resources Ltd.

Attention: B. Carruthers

Project: Foley

Sample: 8 Core/ 1 Pulp

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S39830

Date: September 29, 2010

MULTIELEMENT ICP-MS ANALYSIS

Aqua Regia Digestion

Element Sample	Ag ppm	Al %	As ppm	Au ppb	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %
55352	0.3	0.24	0.6	2.8	<20	37	0.2	1.28	0.5	2.9	146.0	13.5	0.77	<1	0.02	0.23	22	0.16	345	0.7	0.011	8.5	0.036
55353	6.5	0.14	1.4	16.8	<20	19	10.9	1.00	8.8	3.8	154.0	89.9	0.75	<1	0.04	0.13	10	0.17	342	0.8	0.005	7.1	0.020
55356	0.9	0.17	8.1	1000.4	<20	18	1.4	1.33	2.7	5.7	273.0	21.9	1.33	<1	0.01	0.11	7	0.20	463	1.7	0.005	11.5	0.007
55360	9.8	0.08	64.0	843.5	<20	11	14.7	0.11	47.4	25.0	114.0	409.1	2.30	<1	0.09	0.06	3	0.03	75	1.0	0.003	5.7	0.004
55361	0.4	0.04	<0.5	6.7	<20	3	0.7	0.26	0.6	1.5	122.0	23.6	0.34	<1	0.01	0.02	2	0.02	74	1.2	0.003	4.8	0.001
55363	13.2	0.90	22.7	1864.4	<20	27	4.1	0.27	57.0	10.8	40.0	4515.1	8.59	2	1.07	0.09	<1	0.96	325	13.2	0.008	22.1	0.011
55367	0.8	0.20	1.0	3.3	<20	33	1.6	0.73	14.6	3.0	182.0	33.6	0.53	<1	0.05	0.20	16	0.09	211	0.6	0.009	6.1	0.023
55370	<0.1	0.21	0.6	3.6	<20	31	<0.1	1.58	<0.1	3.5	370.0	21.8	0.80	<1	<0.01	0.13	13	0.07	274	1.4	0.015	15.0	0.011
55372	<0.1	0.25	0.9	3.5	<20	44	<0.1	2.23	<0.1	2.3	232.0	8.3	0.71	<1	<0.01	0.21	26	0.04	266	0.9	0.013	6.9	0.029
STD DS7	1.0	1.05	55.9	60.6	35	427	5.3	1.01	6.8	9.2	192.0	108.0	2.37	5	0.25	0.45	14	1.04	629	21.5	0.100	58.0	0.077
STD OREAS45PA	0.3	3.55	4.0	58.9	<20	201	0.3	0.25	<0.1	107.6	787.0	611.5	16.78	17	0.04	0.08	18	0.12	1174	0.8	0.006	304.8	0.034
BLK	<0.1	<0.01	<0.5	<0.5	<20	<1	<0.1	<0.01	<0.1	<0.1	<1	<0.1	<0.01	<1	<0.01	<0.01	<1	<0.01	<1	<0.1	<0.001	<0.1	<0.001

A 0.5 g sample is digested with 3 ml 3:1 HCl-HNO3
at 95°C for 1 hour and diluted to 10 ml with DI H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

Company: Q. Gold Resources Limited
Geologist: D. Beard
Project: Foley

TSL Report: S39836
Date Received: Aug 12, 2010
Date Reported: Sep 17, 2010
Invoice: 59926

Remarks: Additional: 55416

Sample Type:	Number	Size Fraction	Sample Preparation
Core	8	Reject ~ 95% -10 mesh (1.70 mm)	Primary Crush, Rolls Crush
		Pulp ~ 5% +150 mesh (106 µm)	Riffle Split, Pulverize
		~ 95% -150 mesh (106 µm)	
Pulp	3		
Screen Metallic size: Entire Sample			

Screen Metallic for Gold:

Minus fraction for gold analysis is weighed at 1 AT (29.16 g)

- | | |
|--------------|--|
| Au g/t Total | - Au weighted average |
| Au g/t +150 | - Au value of +150 mesh fraction |
| Au g/t -150 | - Au value of -150 mesh fraction |
| Wt g Total | - Total sample weight |
| Wt g +150 | - Weight of +150 mesh fraction |
| Wt g -150 | - Weight of -150 mesh fraction |
| Au mg +150 | - Value is the entire plus fraction |
| Au mg -150 | - Value is based on a 1 AT sample weight |
| GS-10C | - Value is based on a 1 AT sample weight |

Samples with 100% passing 150 mesh (106 µm) are screened at 200 mesh (75 µm)

Element		Extraction Technique	Lower Detection Limit	Upper Detection Limit
Name	Unit			
Au	g/tonne	Fire Assay/Gravimetric	0.03	6500



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E info@tsllabs.com

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Q-Gold Resources Limited
121 East Birch Ave, Suite 508
Flagstaff, Arizona, USA 86001

REPORT No.
S39836

SAMPLE(S) OF 8 Core/3 Pulp INVOICE #:59926
P.O.:

Beard
Project: Foley


Add'l 55416

	Au g/t	Au g/t	Au g/t	Wt g	Wt g	Wt g	Au mg	Au mg	File Name
	Total	+150	-150	Total	+150	-150	+150	-150	
55396	2.06						.060		S39836
55399	<.03	<.03	<.03	461.9	32.66	429.2	<.001	<.001	S39836
55402	<.03	<.03	<.03	860.0	31.98	828.0	<.001	<.001	S39836
55403	<.03	<.03	<.03	2062.9	24.68	2038.2	<.001	<.001	S39836
55407	2.16						.063		S39836
55408	.07	.22	.07	3152.8	36.39	3116.4	.008	.002	S39836
55409	<.03	<.03	<.03	2688.6	37.18	2651.4	<.001	<.001	S39836
55414	.29	1.53	.26	1467.8	35.39	1432.4	.054	.008	S39836
55415	<.03	<.03	<.03	369.4	34.91	334.5	<.001	<.001	S39836
55416	.35	.92	.34	1669.8	27.11	1642.7	.025	.010	S39836
55418	2.13						.062		S39836
GS-10C	9.71								S39836
GS-10C	9.74								S39836

COPIES TO: B. Carruthers
INVOICE TO: Q. Gold - Flagstaff, Arizona

Sep 17/10

SIGNED


Mark Acres - Quality Assurance