



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
54910																		
54940																		
54930																		
54920																		
54909	85.00	86.00	1.00	0.2	1.23	3.5	0.0015	10	16	1.4	2.21	0.05	8.8	62	70.2	2.08	5	S41323-d
54911	86.00	86.40	0.40	0.3	0.96	1.4	0.00025	10	13	2.9	2.56	0.2	7	35	11.7	1.95	3	S41323-d
54912	86.40	87.40	1.00	0.05	1.24	0.6	0.00025	10	18	0.3	2.21	0.05	9.2	60	8	2	5	S41323-d
54913	110.30	111.30	1.00	0.3	0.77	1.9	0.002	10	17	0.9	3.31	0.2	10.3	45	41.8	2.13	2	S41323-d
54914	111.30	111.85	0.55	0.8	0.29	3.9	0.0022	10	21	2.6	3.92	0.1	10.5	40	29.3	2.52	0.5	S41323-d
54915	111.85	112.95	1.10	41.9	0.21	8.9	0.1243	10	22	154.6	3.48	0.3	40.9	36	33.2	6.38	0.5	S41323-d
54916	112.95	113.80	0.85	1.9	0.52	8	0.0206	10	29	4.5	3.58	3.6	17.5	40	26.5	2.85	1	S41323-d
54917	113.80	114.25	0.45	7.9	0.67	25.5	0.0779	10	11	19	8.35	1.1	59.2	31	6.7	6.48	2	S41321-d
54918	114.25	115.00	0.75	1.6	0.29	2.7	0.0097	10	21	3.4	2.18	0.2	9.6	55	7.3	2.11	0.5	S41323-d
54919	115.00	116.00	1.00	0.4	0.6	1.4	0.0548	10	27	0.7	1.83	0.1	10.1	59	13.7	1.5	2	S41323-d
54921	116.00	117.00	1.00	0.2	0.63	1.9	0.0084	10	24	0.4	1.78	0.1	15.1	77	20.6	1.6	2	S41323-d
54922	117.00	118.00	1.00	0.6	0.24	1.8	0.0142	10	20	1.1	1.9	0.6	8.1	54	6	1.53	0.5	S41323-d
54923	118.00	118.80	0.80	0.7	0.19	2.4	0.0065	10	18	1.3	1.8	0.7	6.5	46	12.8	1.49	0.5	S41323-d
54924	118.80	119.05	0.25	37.7	0.13	4.7	5	10	9	60.5	0.61	325.6	14.8	77	2730.8	1.62	0.5	S41321-d
54925	119.05	120.00	0.95	2.1	0.27	1.6	0.0255	10	18	5.6	1.13	0.2	5.5	57	5.7	1.34	0.5	S41323-d
54926	120.00	121.00	1.00	0.8	0.18	1.7	0.0145	10	20	3.5	1.66	0.2	7.3	59	13.5	1.55	0.5	S41323-d
54927	121.00	122.00	1.00	0.2	0.25	0.8	0.0047	10	21	0.6	1.95	0.05	6.8	62	20.8	1.44	0.5	S41323-d
54928	122.00	122.60	0.60	0.1	0.22	0.9	0.0022	10	22	0.6	2.53	0.1	7.5	50	4.9	1.76	0.5	S41323-d
54929	122.60	122.85	0.25	0.3	0.2	0.9	0.0007	10	19	1.1	5.44	0.2	10.7	60	10.8	2.72	0.5	S41323-d
54931	122.85	123.55	0.70	2.1	0.24	1.6	0.0111	10	22	13.7	2.4	0.1	12.1	47	28.7	1.84	0.5	S41323-d
54932	153.90	155.00	1.10	0.3	0.96	1.4	0.0025	10	24	2.5	2.21	0.05	9.2	57	30.8	1.84	3	S41323-d
54933	155.00	156.00	1.00	0.1	0.69	0.7	0.0021	10	29	0.5	1.85	0.1	6.1	57	22.8	1.33	2	S41323-d
54934	156.00	157.00	1.00	0.2	0.71	0.7	0.00025	10	31	1.1	2.2	0.1	4.7	50	14.3	1.43	3	S41323-d
54935	157.00	158.00	1.00	0.05	0.82	0.7	0.0018	10	27	0.3	2.25	0.1	6	56	22.8	1.4	3	S41323-d

54936	158.00	159.00	1.00	0.1	0.68	0.6	0.0011	10	27	0.5	1.99	0.1	5.4	68	20.3	1.39	2	S41323-d
54937	159.00	160.00	1.00	0.1	0.69	0.9	0.00025	10	27	0.4	1.96	0.1	6	57	16.4	1.42	2	S41323-d
54938	160.00	161.00	1.00	0.05	0.62	1.1	0.0016	10	29	0.2	2.04	0.2	4.7	68	16.3	1.42	2	S41323-d
54939	161.00	162.00	1.00	0.4	0.51	1.3	0.0009	10	29	1	1.97	0.2	6.4	67	13.2	1.57	1	S41323-d
54941	162.00	162.90	0.90	0.3	0.59	0.9	0.0007	10	30	0.9	1.88	0.3	6.2	70	30.1	1.42	1	S41323-d
54942	162.90	164.00	1.10	0.7	0.28	2.6	0.0041	10	28	2.2	2.32	0.2	7.3	57	10.6	1.46	0.5	S41323-d
54943	164.00	165.10	1.10	2.6	0.43	3	0.0082	10	31	9	2.84	0.6	8.4	69	25.6	1.75	1	S41323-d



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
54910																				
54940																				
54930																				
54920																				
54909	85.00	86.00	1.00	0.005	0.05	14	0.8	2.7	0.6	0.072	14.7	0.042	2.3	0.51	0.05	1.2	0.25		S41323-d	
54911	86.00	86.40	0.40	0.005	0.05	11	0.6	2.1	0.2	0.062	12.2	0.036	2.4	0.67	0.05	0.9	0.25		S41323-d	
54912	86.40	87.40	1.00	0.005	0.05	13	0.72	2.5	0.3	0.071	15.1	0.04	1.5	0.2	0.05	1.2	0.25		S41323-d	
54913	110.30	111.30	1.00	0.005	0.14	9	0.87	2.5	0.2	0.024	15.6	0.059	4.4	0.43	0.05	0.6	0.25		S41323-d	
54914	111.30	111.85	0.55	0.01	0.16	6	1.21	1.6	21.1	0.025	17.6	0.069	10.5	1.17	0.05	1.1	0.25		S41323-d	
54915	111.85	112.95	1.10	0.005	0.14	4	0.9	1	56.4	0.019	34.2	0.055	85.8	6.52	0.2	0.4	1.7		S41323-d	
54916	112.95	113.80	0.85	0.03	0.15	4	0.97	1.1	2.4	0.014	24.4	0.063	30.5	1.29	0.1	0.5	0.25		S41323-d	
54917	113.80	114.25	0.45	0.01	0.05	4	2.25	1.3	64.5	0.006	59.3	0.14	92.1	3.48	0.3	0.9	0.25		S41321-d	
54918	114.25	115.00	0.75	0.005	0.12	12	0.66	3.5	1.1	0.018	11.3	0.039	19.4	1.03	0.05	0.4	0.25		S41323-d	
54919	115.00	116.00	1.00	0.005	0.15	17	0.47	4.1	0.4	0.03	9.4	0.037	6.6	0.23	0.05	0.6	0.25		S41323-d	
54921	116.00	117.00	1.00	0.005	0.13	13	0.49	3.1	0.6	0.03	9.9	0.039	6.7	0.23	0.1	0.5	0.25		S41323-d	
54922	117.00	118.00	1.00	0.01	0.12	9	0.55	2.2	0.4	0.031	8.2	0.035	18.7	0.4	0.05	0.4	0.25		S41323-d	
54923	118.00	118.80	0.80	0.01	0.1	14	0.47	3.3	0.3	0.034	9.2	0.042	27.3	0.51	0.05	0.3	0.25		S41323-d	
54924	118.80	119.05	0.25	2.14	0.05	5	0.17	1.3	12.1	0.013	12.1	0.018	1154	1.66	0.5	0.1	1.8		S41321-d	
54925	119.05	120.00	0.95	0.005	0.09	9	0.45	1.9	0.9	0.045	10	0.037	41.9	0.61	0.05	0.4	0.25		S41323-d	
54926	120.00	121.00	1.00	0.005	0.11	8	0.56	1.4	0.3	0.035	8.6	0.04	7.3	0.66	0.05	0.3	0.25		S41323-d	
54927	121.00	122.00	1.00	0.005	0.13	16	0.54	1.4	0.4	0.028	7.7	0.031	2.4	0.25	0.05	0.3	0.25		S41323-d	
54928	122.00	122.60	0.60	0.005	0.13	6	0.76	0.7	0.3	0.018	8.9	0.041	3.3	0.29	0.05	0.4	0.25		S41323-d	
54929	122.60	122.85	0.25	0.005	0.12	5	1.32	0.7	1	0.015	13.8	0.031	10.7	0.23	0.05	0.7	0.25		S41323-d	
54931	122.85	123.55	0.70	0.005	0.14	8	0.66	1	0.3	0.018	10.8	0.038	8.4	0.57	0.05	0.5	0.25		S41323-d	
54932	153.90	155.00	1.10	0.005	0.11	13	0.59	2.7	189.6	0.053	12.4	0.04	2.6	0.81	0.05	0.7	0.25		S41323-d	
54933	155.00	156.00	1.00	0.005	0.09	18	0.41	3.7	0.4	0.058	8.1	0.028	2.2	0.57	0.05	0.5	0.25		S41323-d	
54934	156.00	157.00	1.00	0.005	0.09	17	0.41	3.6	1	0.042	7.6	0.034	2.6	0.47	0.05	0.5	0.25		S41323-d	
54935	157.00	158.00	1.00	0.005	0.09	18	0.48	3.9	0.3	0.047	7.1	0.03	2.5	0.17	0.05	0.6	0.25		S41323-d	

54936	158.00	159.00	1.00	0.005	0.11	15	0.45	2.8	0.8	0.055	7.1	0.032	2.1	0.24	0.05	0.5	0.25	S41323-d
54937	159.00	160.00	1.00	0.005	0.11	14	0.46	3.3	0.4	0.053	7.3	0.03	2.1	0.21	0.05	0.6	0.25	S41323-d
54938	160.00	161.00	1.00	0.005	0.11	16	0.46	2.1	0.6	0.05	8.1	0.031	2.5	0.1	0.05	0.5	0.25	S41323-d
54939	161.00	162.00	1.00	0.005	0.13	17	0.49	2	0.5	0.035	6.7	0.029	2.8	0.34	0.05	0.4	0.25	S41323-d
54941	162.00	162.90	0.90	0.005	0.13	14	0.43	2.2	0.6	0.044	8.1	0.031	3.8	0.22	0.05	0.4	0.25	S41323-d
54942	162.90	164.00	1.10	0.005	0.13	10	0.37	1.6	0.4	0.028	7.9	0.031	4.5	0.76	0.05	0.4	0.25	S41323-d
54943	164.00	165.10	1.10	0.005	0.14	10	0.54	2.3	0.6	0.023	11.6	0.029	13.5	0.53	0.05	0.4	0.25	S41323-d



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
54910									
54940									
54930									
54920									
54909	85.00	86.00	1.00	0.05	0.4	13	0.05	44	S41323-d
54911	86.00	86.40	0.40	0.05	0.2	10	0.1	55	S41323-d
54912	86.40	87.40	1.00	0.05	0.4	12	0.05	43	S41323-d
54913	110.30	111.30	1.00	0.05	0.4	4	0.2	51	S41323-d
54914	111.30	111.85	0.55	0.05	0.3	3	0.2	24	S41323-d
54915	111.85	112.95	1.10	0.05	0.3	1	0.3	36	S41323-d
54916	112.95	113.80	0.85	0.05	0.4	3	0.2	397	S41323-d
54917	113.80	114.25	0.45	0.05	0.4	5	0.8	192	S41321-d
54918	114.25	115.00	0.75	0.05	0.3	2	0.3	39	S41323-d
54919	115.00	116.00	1.00	0.05	0.4	3	0.2	43	S41323-d
54921	116.00	117.00	1.00	0.05	0.4	3	0.2	48	S41323-d
54922	117.00	118.00	1.00	0.05	0.3	2	0.2	92	S41323-d
54923	118.00	118.80	0.80	0.05	0.3	3	0.2	88	S41323-d
54924	118.80	119.05	0.25	0.05	0.2	1	0.6	10000	S41321-d
54925	119.05	120.00	0.95	0.05	0.4	3	0.2	30	S41323-d
54926	120.00	121.00	1.00	0.05	0.3	2	0.2	20	S41323-d
54927	121.00	122.00	1.00	0.05	0.3	1	0.1	22	S41323-d
54928	122.00	122.60	0.60	0.05	0.3	1	0.1	21	S41323-d
54929	122.60	122.85	0.25	0.05	0.4	1	0.2	37	S41323-d
54931	122.85	123.55	0.70	0.05	0.2	1	0.2	22	S41323-d
54932	153.90	155.00	1.10	0.05	0.3	6	0.05	43	S41323-d
54933	155.00	156.00	1.00	0.05	0.4	4	0.1	35	S41323-d
54934	156.00	157.00	1.00	0.05	0.5	4	0.05	44	S41323-d
54935	157.00	158.00	1.00	0.05	0.5	4	0.1	54	S41323-d

54936	158.00	159.00	1.00	0.05	0.6	4	0.1	52	S41323-d
54937	159.00	160.00	1.00	0.05	0.6	3	0.1	45	S41323-d
54938	160.00	161.00	1.00	0.05	0.5	3	0.1	55	S41323-d
54939	161.00	162.00	1.00	0.05	0.4	2	0.1	43	S41323-d
54941	162.00	162.90	0.90	0.05	0.6	3	0.05	47	S41323-d
54942	162.90	164.00	1.10	0.05	0.5	1	0.2	20	S41323-d
54943	164.00	165.10	1.10	0.05	0.5	3	0.3	67	S41323-d



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
54970																		
54980																		
54950																		
54960																		
54944	36.70	37.75	1.05	1.1	0.98	1.4	0.004	10	18	43.9	2.58	0.1	10.5	58	32.7	2.53	3	S41326-d
54945	37.75	38.70	0.95	1.1	1.16	0.9	0.0039	10	20	32.9	2.75	0.2	11.2	60	62.9	2.24	4	S41326-d
54946	38.70	39.60	0.90	0.3	1.17	2.6	0.0021	10	18	3.8	2.3	0.05	8.1	46	33.2	1.83	4	S41326-d
54947	39.60	39.95	0.35	0.2	1.19	2.3	0.0014	10	16	0.9	2.63	0.05	12.5	61	73.3	2.29	4	S41326-d
54948	105.75	106.55	0.80	0.1	1.77	4.8	0.00025	10	25	1.1	2.64	0.1	14.9	45	21.7	2.7	5	S41326-d
54949	106.55	106.80	0.25	0.9	1.01	4.5	0.0011	10	19	78	2.47	0.1	11.2	64	29.3	2.29	3	S41326-d
54951	106.80	107.40	0.60	0.2	1.57	2.4	0.0016	10	17	3.7	1.92	0.05	10.1	52	31.1	2.47	5	S41326-d
54952	126.60	128.00	1.40	1	0.38	4.3	0.0172	10	23	5.5	4.86	0.2	20.4	43	45.1	3.22	0.5	S41326-d
54953	128.00	128.50	0.50	3.9	0.39	13.2	0.2339	10	22	8.9	3.45	3.1	17.7	41	11.9	3.25	1	S41326-d
54954	128.50	128.90	0.40	3.6	0.13	6.7	0.0812	10	11	7.8	1.26	1.3	10.8	131	19.3	1.36	0.5	S41324-d
54955	128.90	130.00	1.10	0.6	0.46	2.9	0.0078	10	28	1.5	2.5	2	11.6	55	22	2.11	1	S41326-d
54956	130.00	131.00	1.00	0.5	0.65	1.9	0.002	10	28	0.9	2.65	0.2	11.5	46	15.4	2.13	2	S41326-d
54957	131.00	132.00	1.00	0.4	0.43	1.8	0.0124	10	31	0.7	2.93	0.4	10.3	50	18.5	2.04	0.5	S41326-d
54958	132.00	132.15	0.15	40.8	0.11	1.6	1.5254	10	14	75.7	1.5	8.2	4.9	97	23.6	0.92	0.5	S41324-d
54959	132.15	133.00	0.85	3	0.3	2.9	0.0173	10	28	5.1	2.54	2.6	10.7	49	48.9	2.13	0.5	S41326-d
54961	133.00	134.00	1.00	1.7	0.31	1.5	0.0023	10	30	4.2	2.34	1.1	9.4	50	15.2	1.92	0.5	S41326-d
54962	134.00	134.20	0.20	3.6	0.12	1.7	0.0604	10	11	6.9	2.1	199.2	10.8	104	45.3	1.49	0.5	S41324-d
54963	134.20	134.60	0.40	0.3	0.24	1.3	0.0025	10	27	0.6	3.46	0.6	11	45	16.6	2.44	0.5	S41326-d
54964	134.60	135.40	0.80	0.4	0.33	0.9	0.0019	10	31	0.7	2.63	0.5	7.9	53	16.1	1.92	0.5	S41326-d
54965	135.40	135.60	0.20	2.6	0.24	3.3	0.0255	10	18	5.2	2.02	0.6	20.6	96	121.4	1.95	0.5	S41324-d
54966	135.60	136.50	0.90	0.4	0.28	1.4	0.00025	10	26	0.7	2.7	0.2	9	47	12.4	2.04	0.5	S41326-d
54967	136.50	137.00	0.50	0.3	0.28	1.4	0.0018	10	19	0.5	2.35	0.2	9.3	102	18.3	1.92	0.5	S41324-d
54968	137.00	137.45	0.45	0.5	0.22	1.6	0.0032	10	20	0.7	2.53	0.3	9	91	17.1	1.86	0.5	S41324-d
54969	137.45	138.00	0.55	0.2	0.33	0.6	0.0014	10	26	0.2	2.48	0.05	9.5	52	43.9	1.92	1	S41326-d

54971	138.00	139.00	1.00	0.05	0.33	0.8	0.001	10	23	0.05	2.28	0.05	7.2	52	13.4	1.69	1	S41326-d
54972	139.00	140.00	1.00	0.05	0.38	0.5	0.0013	10	25	0.05	2.16	0.05	7.8	60	8.4	1.61	1	S41326-d
54973	140.00	141.00	1.00	0.2	0.39	0.6	0.0018	10	26	0.05	2.28	0.05	7.8	51	62	1.8	1	S41326-d
54974	141.00	142.00	1.00	0.1	0.34	0.7	0.0015	10	28	0.05	2.21	0.1	7.9	62	19.5	1.72	0.5	S41326-d
54975	142.00	142.25	0.25	1.3	0.19	1.5	0.0036	10	16	2.3	2.19	0.2	6.6	72	120.2	1.63	0.5	S41324-d
54976	142.25	143.00	0.75	0.1	0.41	0.7	0.0007	10	28	0.05	2.18	0.1	7.1	50	25.4	1.77	1	S41326-d
54977	143.00	144.00	1.00	0.2	0.37	0.8	0.003	10	25	0.2	2.67	0.2	6.6	53	8	1.85	1	S41326-d
54978	144.00	145.00	1.00	0.1	0.37	0.7	0.0022	10	22	0.2	2.54	0.1	7.9	45	3	1.83	1	S41326-d
54979	145.00	145.20	0.20	0.3	0.27	0.7	0.0025	10	12	0.05	4.44	0.3	6.4	71	8.6	2.7	0.5	S41324-d
54981	145.20	146.00	0.80	0.05	0.42	1.1	0.0079	10	23	0.2	2.42	0.05	8.5	48	6.6	1.74	1	S41326-d



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
54970																				
54980																				
54950																				
54960																				
54944	36.70	37.75	1.05	0.005	0.1	10	0.58	1.6	0.3	0.037	15.1	0.042	12.1	1.63	0.05	0.6	0.25		S41326-d	
54945	37.75	38.70	0.95	0.005	0.1	10	0.69	2.1	0.5	0.042	17.1	0.047	9	0.94	0.05	0.8	0.25		S41326-d	
54946	38.70	39.60	0.90	0.005	0.1	11	0.72	1.6	0.3	0.039	13.5	0.038	1.7	0.45	0.05	0.8	0.25		S41326-d	
54947	39.60	39.95	0.35	0.005	0.08	15	0.74	3.3	0.5	0.043	16.1	0.038	1.7	0.91	0.05	0.8	0.25		S41326-d	
54948	105.75	106.55	0.80	0.005	0.1	10	1.1	2.4	0.2	0.039	27.2	0.07	1.6	0.53	0.05	1	0.25		S41326-d	
54949	106.55	106.80	0.25	0.005	0.08	6	0.6	1.6	0.7	0.035	15.7	0.037	19.1	1.22	0.1	0.6	0.25		S41326-d	
54951	106.80	107.40	0.60	0.005	0.07	11	1.01	2.3	0.2	0.051	20	0.058	2.6	0.49	0.05	1.4	0.25		S41326-d	
54952	126.60	128.00	1.40	0.005	0.19	4	1.72	1.4	9.8	0.021	49.9	0.061	7.8	1.88	0.05	1.2	0.25		S41326-d	
54953	128.00	128.50	0.50	0.02	0.12	2	1.3	1.1	40.6	0.011	51	0.048	36.6	2.06	0.05	0.7	0.25		S41326-d	
54954	128.50	128.90	0.40	0.005	0.06	2	0.38	0.3	34.7	0.007	17.5	0.007	57.8	0.7	0.1	0.4	0.25		S41324-d	
54955	128.90	130.00	1.10	0.005	0.15	7	0.73	2.9	0.7	0.016	14.5	0.041	13.3	0.67	0.05	0.7	0.25		S41326-d	
54956	130.00	131.00	1.00	0.005	0.16	10	0.71	3.2	1.4	0.018	13	0.041	14	0.48	0.05	0.6	0.25		S41326-d	
54957	131.00	132.00	1.00	0.005	0.17	11	0.81	3.4	1.5	0.014	14.7	0.045	14.8	0.35	0.05	0.6	0.25		S41326-d	
54958	132.00	132.15	0.15	0.05	0.07	4	0.43	0.8	2	0.007	7.5	0.015	2504.9	0.24	0.2	0.2	0.8		S41324-d	
54959	132.15	133.00	0.85	0.005	0.16	8	0.73	3.2	2.8	0.02	13.9	0.039	61.6	0.64	0.05	0.5	0.25		S41326-d	
54961	133.00	134.00	1.00	0.005	0.16	8	0.67	2.7	2.8	0.021	12.8	0.04	44.5	0.48	0.05	0.6	0.25		S41326-d	
54962	134.00	134.20	0.20	1.14	0.06	4	0.58	1.4	0.2	0.011	7.8	0.018	104.7	0.79	0.05	0.3	2		S41324-d	
54963	134.20	134.60	0.40	0.005	0.14	13	0.93	2.2	0.3	0.019	12.8	0.048	11.2	0.29	0.05	0.7	0.25		S41326-d	
54964	134.60	135.40	0.80	0.005	0.17	15	0.65	3.4	0.6	0.023	13.9	0.042	10.2	0.15	0.05	0.6	0.25		S41326-d	
54965	135.40	135.60	0.20	0.005	0.1	7	0.5	2	0.6	0.01	17	0.025	63.1	0.76	0.05	0.6	0.25		S41324-d	
54966	135.60	136.50	0.90	0.005	0.15	12	0.71	3.6	0.4	0.022	13.2	0.042	10.8	0.23	0.05	0.6	0.25		S41326-d	
54967	136.50	137.00	0.50	0.005	0.13	11	0.66	3.1	0.3	0.017	12.3	0.037	8.2	0.22	0.05	0.5	0.25		S41324-d	
54968	137.00	137.45	0.45	0.005	0.13	9	0.62	2.1	0.3	0.014	10.9	0.036	13.8	0.35	0.05	0.5	0.25		S41324-d	
54969	137.45	138.00	0.55	0.005	0.14	13	0.66	3	0.5	0.027	12	0.039	3.3	0.2	0.05	0.6	0.25		S41326-d	

54971	138.00	139.00	1.00	0.005	0.14	14	0.64	2.3	0.2	0.024	10.4	0.037	2.3	0.05	0.05	0.5	0.25	S41326-d
54972	139.00	140.00	1.00	0.005	0.15	16	0.63	2.3	0.4	0.029	10.8	0.034	1.9	0.06	0.05	0.6	0.25	S41326-d
54973	140.00	141.00	1.00	0.005	0.13	11	0.61	1.7	0.3	0.028	10.5	0.034	4	0.11	0.05	0.6	0.25	S41326-d
54974	141.00	142.00	1.00	0.005	0.14	17	0.62	2.6	0.4	0.028	11	0.039	2.2	0.12	0.05	0.5	0.25	S41326-d
54975	142.00	142.25	0.25	0.005	0.08	13	0.58	2.7	0.2	0.009	9.4	0.033	14.8	0.2	0.05	0.3	0.25	S41324-d
54976	142.25	143.00	0.75	0.005	0.14	18	0.62	2.4	0.3	0.023	11.3	0.047	2.3	0.12	0.05	0.7	0.25	S41326-d
54977	143.00	144.00	1.00	0.02	0.11	8	0.7	2.3	0.5	0.028	11.5	0.034	1.9	0.025	0.05	0.7	0.25	S41326-d
54978	144.00	145.00	1.00	0.005	0.1	8	0.7	3.1	0.2	0.025	12.2	0.037	1.9	0.08	0.05	0.9	0.25	S41326-d
54979	145.00	145.20	0.20	0.005	0.04	8	1.13	2.3	0.4	0.01	15	0.026	2.1	0.025	0.05	1	0.25	S41324-d
54981	145.20	146.00	0.80	0.005	0.12	10	0.66	3.9	0.3	0.028	11.9	0.033	2.1	0.14	0.05	0.8	0.25	S41326-d



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
54970									
54980									
54950									
54960									
54944	36.70	37.75	1.05	0.05	0.2	6	0.05	25	S41326-d
54945	37.75	38.70	0.95	0.05	0.3	8	0.05	30	S41326-d
54946	38.70	39.60	0.90	0.05	0.4	7	0.05	32	S41326-d
54947	39.60	39.95	0.35	0.05	0.5	8	0.05	34	S41326-d
54948	105.75	106.55	0.80	0.05	0.6	11	0.2	57	S41326-d
54949	106.55	106.80	0.25	0.05	0.3	7	0.3	31	S41326-d
54951	106.80	107.40	0.60	0.05	0.4	18	0.1	53	S41326-d
54952	126.60	128.00	1.40	0.05	0.3	4	2.8	37	S41326-d
54953	128.00	128.50	0.50	0.1	0.2	4	100	313	S41326-d
54954	128.50	128.90	0.40	0.05	0.1	2	3.6	146	S41324-d
54955	128.90	130.00	1.10	0.05	0.4	3	1.4	250	S41326-d
54956	130.00	131.00	1.00	0.05	0.3	4	0.4	73	S41326-d
54957	131.00	132.00	1.00	0.05	0.3	3	0.4	60	S41326-d
54958	132.00	132.15	0.15	0.05	0.2	1	1.1	852	S41324-d
54959	132.15	133.00	0.85	0.05	0.6	3	3.8	268	S41326-d
54961	133.00	134.00	1.00	0.05	0.6	3	0.5	130	S41326-d
54962	134.00	134.20	0.20	0.05	0.2	1	0.9	10000	S41324-d
54963	134.20	134.60	0.40	0.05	0.3	4	5.8	74	S41326-d
54964	134.60	135.40	0.80	0.05	0.5	3	2.7	55	S41326-d
54965	135.40	135.60	0.20	0.05	0.2	1	0.4	65	S41324-d
54966	135.60	136.50	0.90	0.05	0.6	3	4.5	41	S41326-d
54967	136.50	137.00	0.50	0.05	0.5	2	0.4	43	S41324-d
54968	137.00	137.45	0.45	0.05	0.4	1	0.9	41	S41324-d
54969	137.45	138.00	0.55	0.05	0.7	3	0.7	33	S41326-d

54971	138.00	139.00	1.00	0.05	0.3	2	0.1	34	S41326-d
54972	139.00	140.00	1.00	0.05	0.2	2	0.1	34	S41326-d
54973	140.00	141.00	1.00	0.05	0.3	2	0.2	41	S41326-d
54974	141.00	142.00	1.00	0.05	0.4	2	0.4	35	S41326-d
54975	142.00	142.25	0.25	0.05	0.4	1	1.2	29	S41324-d
54976	142.25	143.00	0.75	0.05	0.4	3	0.2	33	S41326-d
54977	143.00	144.00	1.00	0.05	1.2	3	0.05	34	S41326-d
54978	144.00	145.00	1.00	0.05	1.3	3	0.1	35	S41326-d
54979	145.00	145.20	0.20	0.05	0.8	3	0.05	45	S41324-d
54981	145.20	146.00	0.80	0.3	1.2	3	0.05	31	S41326-d



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
54810																		
54780																		
54790																		
54800																		
54774	80.10	80.30	0.20	0.3	1.48	0.9	0.0011	10	17	4.2	2.81	0.05	9.8	69	14.7	2.39	5	S41341-d
54775	80.30	82.00	1.70	1.9	1.3	1.4	0.0088	10	16	32	3.29	0.2	13.6	52	25.2	2.68	4	S41341-d
54776	82.00	82.60	0.60	0.1	1.82	1.2	0.0009	10	16	0.8	3.66	0.05	13.5	86	21.6	2.63	5	S41341-d
54777	82.60	83.50	0.90	0.05	2.54	1.3	0.00025	10	10	0.6	4.1	0.1	16.4	36	28.1	3.33	8	S41341-d
54778	83.50	84.20	0.70	0.6	1.58	1.6	0.003	10	12	10	3.48	0.2	17.7	70	23.7	3.01	5	S41341-d
54779	84.20	84.90	0.70	1.2	1.9	2.3	0.0019	10	13	22.3	4.23	0.2	16.9	33	32.9	3.19	6	S41341-d
54781	84.90	85.90	1.00	0.1	2.09	1.9	0.0005	10	10	1.8	3.85	0.1	16.1	57	24.1	3.23	6	S41341-d
54782	119.00	119.80	0.80	0.1	1.18	0.8	0.00025	10	18	3.8	2.07	0.05	9.3	53	6.3	1.94	4	S41341-d
54783	119.80	120.50	0.70	0.05	1.2	0.8	0.00025	10	20	0.6	1.79	0.05	6.5	72	4.4	1.83	4	S41341-d
54784	120.50	120.90	0.40	0.8	0.72	0.6	0.00025	10	16	79.7	2.19	0.05	7.5	69	8.5	1.5	2	S41341-d
54785	120.90	122.00	1.10	0.05	1.3	0.6	0.00025	10	19	0.6	2.03	0.05	9.2	85	4.7	1.93	4	S41341-d
54786	122.00	122.60	0.60	0.05	1	0.8	0.00025	10	20	2.2	2.85	0.05	7.4	68	4.9	2	3	S41341-d
54787	122.60	123.20	0.60	0.1	0.92	1	0.00025	10	22	1.5	2.01	0.05	13.3	71	3.4	2.34	3	S41341-d
54788	123.20	124.00	0.80	0.05	1.18	0.9	0.00025	10	23	0.4	3.07	0.05	10.7	50	3.1	1.91	4	S41341-d
54813	150.60	151.15	0.55	1.8	0.93	6.6	0.0165	10	22	7.1	3.73	0.1	16.7	68	14.6	3.13	2	S41341-d
54789	151.15	151.55	0.40	13.3	0.78	5	4.3659	10	16	36.3	1.89	0.9	10.4	161	1252.1	1.89	2	S41339-d
54791	151.55	152.20	0.65	38	0.21	3	0.0671	10	11	100.1	1.34	0.3	7.6	87	14.2	1.6	0.5	S41339-d
54792	152.20	152.85	0.65	5.6	0.08	0.5	0.0162	10	1	16.1	0.43	17.9	1.5	91	56.2	0.38	0.5	S41339-d
54793	152.85	153.15	0.30	92	0.11	4.3	0.1416	10	6	228.3	0.36	143.8	12.6	219	786.5	0.89	1	S41339-d
54794	153.15	153.65	0.50	0.1	0.05	0.25	0.0014	10	0.5	0.2	0.29	0.05	0.5	109	5.8	0.26	0.5	S41339-d
54795	153.65	154.15	0.50	100	0.78	6.6	0.1252	10	7	338.3	5.6	0.5	13.3	77	89.1	3.27	2	S41339-d
54796	154.15	154.70	0.55	100	0.08	2.8	0.3936	10	3	457.8	3	0.6	5.2	29	47.8	1.94	0.5	S41339-d
54797	154.70	155.35	0.65	100	0.13	3.7	0.1414	10	3	759.6	7.27	1.5	5.6	57	31.5	4.13	0.5	S41339-d
54798	155.35	155.80	0.45	98.4	0.2	5.6	0.1191	10	21	229.6	0.87	5	10.9	95	12.2	2.04	0.5	S41339-d

54799	155.80	156.40	0.60	100	0.09	3.5	0.9142	10	10	1203.7	0.51	7	5.7	111	32.7	1.3	0.5	S41339-d
54801	156.40	156.95	0.55	100	0.03	3.1	0.2492	10	3	988.1	0.55	1.4	3.2	148	10.6	0.8	0.5	S41339-d
54802	156.95	157.30	0.35	100	0.02	2.7	0.5867	10	2	728.1	0.58	1.1	2.3	124	8.4	0.78	0.5	S41339-d
54803	157.30	157.70	0.40	100	0.13	3.2	0.3128	10	11	623.9	0.48	2.6	4.8	122	13.1	1.15	0.5	S41339-d
54804	157.70	158.40	0.70	100	0.03	3.5	0.3029	10	2	1190.7	0.75	4.2	4.3	107	28.9	1.31	0.5	S41339-d
54805	158.40	159.05	0.65	100	0.03	1.9	0.2052	10	3	625.9	0.36	1.3	2.4	39	11	0.62	0.5	S41339-d
54806	159.05	159.45	0.40	9.2	0.2	2.4	0.0278	10	18	26.6	1.78	0.8	7.2	106	4.6	2.15	0.5	S41339-d
54807	159.45	159.95	0.50	4	0.21	4.9	0.0215	10	23	13	3.11	0.5	11.2	86	9	2.68	0.5	S41339-d
54808	159.95	160.40	0.45	14.1	0.12	1.7	0.03	10	10	29.6	1.39	135.3	7.7	119	40.5	1.19	1	S41339-d
54809	160.40	160.85	0.45	1.2	0.2	3.4	0.0059	10	21	3	2.16	0.4	9.9	85	7.8	1.65	0.5	S41339-d
54811	160.85	162.00	1.15	0.2	0.27	1.7	0.00025	10	26	0.4	2.53	0.7	6.2	92	14.4	1.81	0.5	S41341-d
54812	162.00	163.00	1.00	0.2	0.34	1	0.00025	10	31	0.4	2.83	0.2	10.1	57	14.3	2.02	0.5	S41341-d



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
54810																				
54780																				
54790																				
54800																				
54774	80.10	80.30	0.20	0.005	0.09	13	0.94	2.6	2.1	0.041	17.7	0.056	2.1	0.31	0.05	0.9	0.25		S41341-d	
54775	80.30	82.00	1.70	0.005	0.06	10	0.99	1.8	0.5	0.048	20.5	0.05	6.3	0.79	0.2	1	0.25		S41341-d	
54776	82.00	82.60	0.60	0.005	0.08	13	1.19	1.8	0.5	0.059	29.4	0.074	2.3	0.3	0.05	1	0.25		S41341-d	
54777	82.60	83.50	0.90	0.005	0.05	12	1.75	2.5	1.6	0.059	46.6	0.1	1.9	0.24	0.05	3	0.25		S41341-d	
54778	83.50	84.20	0.70	0.005	0.05	12	1.06	2.5	15.1	0.053	16.6	0.067	3.3	1.18	0.05	1.1	0.25		S41341-d	
54779	84.20	84.90	0.70	0.005	0.06	11	1.25	1.9	41.2	0.05	24.1	0.097	4.9	0.84	0.05	3	0.25		S41341-d	
54781	84.90	85.90	1.00	0.005	0.04	10	1.48	1.3	1.4	0.049	31.6	0.095	2	0.66	0.05	3.7	0.25		S41341-d	
54782	119.00	119.80	0.80	0.005	0.06	11	0.67	2.3	0.3	0.06	13.1	0.037	1.9	0.3	0.05	1.7	0.25		S41341-d	
54783	119.80	120.50	0.70	0.005	0.06	12	0.72	2.4	0.7	0.05	14.3	0.038	0.8	0.17	0.05	1.3	0.25		S41341-d	
54784	120.50	120.90	0.40	0.005	0.05	7	0.41	1.3	0.4	0.047	9.1	0.023	7.1	0.64	0.1	0.9	0.25		S41341-d	
54785	120.90	122.00	1.10	0.005	0.06	13	0.82	2.4	0.4	0.059	15.2	0.039	1.1	0.3	0.05	1.4	0.25		S41341-d	
54786	122.00	122.60	0.60	0.005	0.06	11	0.6	2	10.3	0.059	12.6	0.034	1.3	0.84	0.05	1.4	0.5		S41341-d	
54787	122.60	123.20	0.60	0.005	0.07	13	0.48	2.2	94.2	0.063	14.9	0.04	1.4	1.38	0.05	1.1	0.25		S41341-d	
54788	123.20	124.00	0.80	0.005	0.07	12	0.66	2.1	0.2	0.047	13	0.037	1.2	0.27	0.05	1.1	0.25		S41341-d	
54813	150.60	151.15	0.55	0.005	0.13	2	1.41	0.7	2.2	0.016	39.5	0.049	8.3	1.34	0.1	1.1	0.25		S41341-d	
54789	151.15	151.55	0.40	0.01	0.09	3	0.54	0.4	11.9	0.009	24.7	0.031	82.2	0.75	0.4	0.7	0.25		S41339-d	
54791	151.55	152.20	0.65	0.02	0.07	2	0.41	0.3	127.6	0.005	16.1	0.027	157.2	0.92	0.4	0.3	0.6		S41339-d	
54792	152.20	152.85	0.65	0.14	0.005	0.5	0.17	0.05	4.2	0.002	3	0.0005	68.1	0.1	0.2	0.05	0.25		S41339-d	
54793	152.85	153.15	0.30	0.94	0.04	1	0.14	0.1	113.9	0.001	8.5	0.003	781.8	1.24	5.7	0.1	1.5		S41339-d	
54794	153.15	153.65	0.50	0.005	0.005	0.5	0.07	0.05	0.5	0.003	2.6	0.0005	3.4	0.025	0.05	0.05	0.25		S41339-d	
54795	153.65	154.15	0.50	0.005	0.04	2	1.52	0.2	103.2	0.006	34.1	0.008	520.3	0.85	0.9	1.4	0.7		S41339-d	
54796	154.15	154.70	0.55	0.005	0.02	2	0.97	0.2	176.3	0.002	9.3	0.005	843.1	0.4	1.5	0.2	1.2		S41339-d	
54797	154.70	155.35	0.65	0.005	0.02	2	2.22	0.5	31.6	0.005	13.2	0.003	1437	0.67	2	0.3	1.5		S41339-d	
54798	155.35	155.80	0.45	0.03	0.13	5	0.26	0.7	95.9	0.008	12.2	0.027	448.7	1.76	0.3	0.2	1.5		S41339-d	

54799	155.80	156.40	0.60	0.05	0.06	2	0.17	0.6	128.3	0.003	7.2	0.009	2946.2	1.19	1.6	0.05	3	S41339-d
54801	156.40	156.95	0.55	0.02	0.02	1	0.09	0.2	23.3	0.003	4	0.002	3127.1	0.65	2.2	0.05	2.7	S41339-d
54802	156.95	157.30	0.35	0.01	0.01	0.5	0.17	0.05	19.3	0.002	3.5	0.002	2194	0.42	1.3	0.2	1.9	S41339-d
54803	157.30	157.70	0.40	0.02	0.08	3	0.16	0.4	37.4	0.005	6.6	0.011	1619.8	0.94	0.8	0.1	1.4	S41339-d
54804	157.70	158.40	0.70	0.02	0.01	1	0.17	0.3	22.5	0.002	5.6	0.002	2775.7	1.15	3.7	0.05	2.3	S41339-d
54805	158.40	159.05	0.65	0.02	0.02	1	0.08	0.3	80.5	0.002	2.9	0.004	1578.4	0.58	1.9	0.05	0.8	S41339-d
54806	159.05	159.45	0.40	0.005	0.12	6	0.58	0.9	148.2	0.02	12.2	0.032	58	1.44	0.3	0.4	0.25	S41339-d
54807	159.45	159.95	0.50	0.005	0.14	5	1.01	0.7	8.7	0.013	15.2	0.033	33.5	1.35	0.3	0.4	0.25	S41339-d
54808	159.95	160.40	0.45	0.64	0.07	2	0.4	0.2	2.7	0.004	7.8	0.007	277.8	0.71	0.2	0.2	0.25	S41339-d
54809	160.40	160.85	0.45	0.005	0.12	7	0.55	0.9	0.9	0.008	9.7	0.033	18.6	0.52	0.2	0.3	0.25	S41339-d
54811	160.85	162.00	1.15	0.005	0.15	10	0.68	1.6	0.6	0.017	12.8	0.038	8.2	0.2	0.1	0.4	0.25	S41341-d
54812	162.00	163.00	1.00	0.005	0.18	12	0.78	2.4	4.4	0.028	13.1	0.042	5.1	0.21	0.05	0.7	0.25	S41341-d



<i>Sample</i>	<i>From</i>	<i>To</i>	<i>Len.</i>	<i>Tl</i> <i>ppm</i>	<i>U</i> <i>ppm</i>	<i>V</i> <i>ppm</i>	<i>W</i> <i>ppm</i>	<i>Zn</i> <i>ppm</i>	<i>Lab Report</i>
54810									
54780									
54790									
54800									
54774	80.10	80.30	0.20	0.05	0.5	10	0.1	55	S41341-d
54775	80.30	82.00	1.70	0.05	0.3	10	0.1	44	S41341-d
54776	82.00	82.60	0.60	0.05	0.3	13	0.1	55	S41341-d
54777	82.60	83.50	0.90	0.05	0.3	31	0.1	76	S41341-d
54778	83.50	84.20	0.70	0.05	0.3	15	0.05	46	S41341-d
54779	84.20	84.90	0.70	0.05	0.3	31	0.05	55	S41341-d
54781	84.90	85.90	1.00	0.05	0.2	32	0.3	56	S41341-d
54782	119.00	119.80	0.80	0.05	0.5	10	0.05	38	S41341-d
54783	119.80	120.50	0.70	0.05	0.4	10	0.05	39	S41341-d
54784	120.50	120.90	0.40	0.05	0.3	6	0.1	21	S41341-d
54785	120.90	122.00	1.10	0.05	0.5	11	0.05	40	S41341-d
54786	122.00	122.60	0.60	0.05	0.4	9	0.05	30	S41341-d
54787	122.60	123.20	0.60	0.05	0.3	8	0.05	28	S41341-d
54788	123.20	124.00	0.80	0.05	0.4	8	0.05	37	S41341-d
54813	150.60	151.15	0.55	0.05	0.3	8	0.5	101	S41341-d
54789	151.15	151.55	0.40	0.05	0.05	6	0.1	185	S41339-d
54791	151.55	152.20	0.65	0.05	0.05	3	0.5	36	S41339-d
54792	152.20	152.85	0.65	0.05	0.05	1	0.05	2171	S41339-d
54793	152.85	153.15	0.30	0.05	0.2	2	0.2	10000	S41339-d
54794	153.15	153.65	0.50	0.05	0.05	1	0.05	10	S41339-d
54795	153.65	154.15	0.50	0.05	0.2	6	0.2	115	S41339-d
54796	154.15	154.70	0.55	0.05	0.05	1	0.2	38	S41339-d
54797	154.70	155.35	0.65	0.05	0.4	1	0.2	85	S41339-d
54798	155.35	155.80	0.45	0.05	0.4	2	0.7	597	S41339-d

54799	155.80	156.40	0.60	0.05	0.8	1	1.2	764	S41339-d
54801	156.40	156.95	0.55	0.05	0.3	1	0.2	104	S41339-d
54802	156.95	157.30	0.35	0.05	0.2	1	0.1	60	S41339-d
54803	157.30	157.70	0.40	0.05	0.2	1	0.2	237	S41339-d
54804	157.70	158.40	0.70	0.05	0.1	1	0.05	413	S41339-d
54805	158.40	159.05	0.65	0.05	0.4	1	10.5	61	S41339-d
54806	159.05	159.45	0.40	0.05	0.2	3	0.9	62	S41339-d
54807	159.45	159.95	0.50	0.05	0.3	3	0.3	55	S41339-d
54808	159.95	160.40	0.45	0.05	0.2	1	0.1	10000	S41339-d
54809	160.40	160.85	0.45	0.05	0.3	2	0.1	57	S41339-d
54811	160.85	162.00	1.15	0.05	0.4	2	0.2	77	S41341-d
54812	162.00	163.00	1.00	0.05	0.6	3	0.2	46	S41341-d



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report	
54990																			
55300																			
55270																			
55290																			
55000																			
55260																			
55280																			
54982	43.10	44.00	0.90	0.3	1.12	1.5	0.0014	10	33	1.7	1.98	0.05	11	44	40.4	2.32	3	S41329-d	
54983	44.00	44.45	0.45	0.1	0.86	2	0.0034	10	26	0.7	1.35	0.05	10.2	97	27.1	1.88	3	S41327-d	
54984	44.45	45.50	1.05	0.2	0.98	2.2	0.0034	10	28	1	2.99	0.1	11.5	54	45.6	2.33	3	S41329-d	
54985	45.50	46.55	1.05	0.4	0.95	1.6	0.0032	10	18	3	2.98	0.2	14.7	41	198.3	3.11	3	S41329-d	
54986	46.55	47.35	0.80	1.1	0.73	1.6	0.0057	10	22	13	2.91	0.2	21.1	31	59.6	4.01	2	S41329-d	
54987	47.35	48.00	0.65	0.05	0.88	0.9	0.0147	10	19	0.5	2.11	0.05	8.5	52	22.3	1.53	3	S41329-d	
54988	68.00	68.35	0.35	0.2	1.1	2.8	0.012	10	18	1.2	2.47	0.2	9	56	58.2	2	4	S41329-d	
54989	68.35	68.85	0.50	0.3	0.84	2.2	0.011	10	22	2.6	3.45	0.2	11.1	50	21.3	2.12	2	S41329-d	
54991	68.85	69.40	0.55	0.1	1.03	1.7	0.0054	10	23	1.1	1.45	0.05	9.6	53	21.9	1.96	3	S41329-d	
54992	69.40	70.25	0.85	0.3	1.09	2.3	0.0112	10	21	2.2	1.9	0.1	12.2	53	33.3	2.33	4	S41329-d	
54993	70.25	70.55	0.30	0.6	0.85	1.9	0.0059	10	17	5.9	2.24	0.05	16.2	72	18.4	2.53	3	S41327-d	
54994	70.55	70.85	0.30	0.6	0.34	2.3	0.0084	10	15	3.6	9.11	0.1	13	57	20.7	2.67	0.5	S41329-d	
54995	70.85	71.30	0.45	0.3	0.74	2.1	0.0043	10	22	1.7	2.13	0.05	12.2	50	19.6	2.1	2	S41329-d	
54996	71.30	72.30	1.00	0.1	0.9	0.8	0.0054	10	18	1.6	1.97	0.1	9	57	31.7	1.89	3	S41329-d	
54997	72.30	72.80	0.50	3.8	0.49	1.2	0.0062	10	11	58	2.07	0.2	11.4	71	14	2.34	2	S41327-d	
54998	72.80	73.50	0.70	0.1	0.99	0.6	0.002	10	19	1.7	2.6	0.2	8.1	49	16.2	1.79	3	S41329-d	
54999	73.50	74.15	0.65	0.05	1.08	0.9	0.0025	10	19	0.5	2.76	0.2	5.7	42	23.8	1.67	3	S41329-d	
55251	74.15	74.40	0.25	0.2	0.76	1.6	0.0044	10	20	2.2	3.61	0.2	10.1	49	26.6	1.95	2	S41329-d	
55252	74.40	75.25	0.85	0.2	1	1.1	0.003	10	22	1.6	2.15	0.2	9.7	56	37.4	1.97	3	S41329-d	
55253	75.25	75.70	0.45	0.3	0.87	1.8	0.0022	10	27	3.3	2.36	0.2	11	49	12.3	1.96	2	S41329-d	
55254	75.70	76.70	1.00	0.05	1	1.1	0.0045	10	21	0.7	2.19	0.1	7.4	54	14.7	1.74	3	S41329-d	

55255	76.70	77.80	1.10	0.05	1.07	1.4	0.0019	10	19	0.7	2.7	0.1	9	49	27.8	1.91	4	S41329-d
55256	77.80	79.00	1.20	0.05	1.06	1.7	0.0026	10	19	0.8	2.63	0.2	8.2	55	33.2	1.75	3	S41329-d
55257	79.00	80.00	1.00	0.2	0.91	1.1	0.0035	10	13	3.1	2.55	0.2	7.9	43	41.3	1.72	3	S41332-d
55258	80.00	81.00	1.00	0.8	0.77	1.5	0.005	10	14	17.5	2.59	0.05	9.1	44	18.2	1.77	2	S41332-d
55259	81.00	82.00	1.00	0.05	1	0.9	0.0016	10	16	1	2.59	0.1	8.9	52	16.3	1.87	3	S41332-d
55261	82.00	83.00	1.00	0.05	0.97	0.7	0.0031	10	17	0.6	2.8	0.1	9.2	53	7.4	1.87	3	S41332-d
55262	83.00	84.10	1.10	0.1	1.07	1	0.00025	10	18	1.2	2.96	0.1	9.9	53	16.1	2.15	3	S41332-d
55263	84.10	85.00	0.90	0.05	1.55	1.6	0.0011	10	24	0.4	3.94	0.2	16.6	46	58.2	2.57	4	S41332-d
55264	85.00	86.00	1.00	0.1	2.3	1.4	0.0024	10	20	0.8	5.47	0.2	25.9	35	20.9	3.71	5	S41332-d
55265	86.00	87.00	1.00	0.05	1.7	1.6	0.0022	10	22	0.6	4.49	0.1	13.9	45	7.4	2.77	4	S41332-d
55266	87.00	87.60	0.60	0.05	1.09	1.2	0.0008	10	18	0.4	2.94	0.1	9.1	51	13.5	1.87	3	S41332-d
55267	87.60	88.30	0.70	0.2	0.98	2.4	0.0055	10	22	1.5	3.3	0.2	12.9	49	23.1	2.04	2	S41332-d
55268	88.30	88.60	0.30	21.5	0.82	4.8	5	10	23	48.9	3.64	237.4	23	106	3506.2	2.87	3	S41330-d
55269	88.60	88.80	0.20	0.5	1.13	2.3	0.0085	10	29	1.9	2.85	0.2	12.1	119	35.9	2.29	3	S41330-d
55271	88.80	89.70	0.90	0.1	1.18	1.2	0.0025	10	19	0.8	3.75	0.1	8.6	52	7.8	2.18	3	S41332-d
55272	89.70	89.90	0.20	0.1	0.85	1.5	0.0073	10	23	0.5	5.87	0.5	7.7	140	35	2.42	2	S41330-d
55273	89.90	90.55	0.65	0.05	0.97	0.6	0.0006	10	18	0.3	2.43	0.1	6.2	53	3.6	1.62	3	S41332-d
55274	90.55	91.00	0.45	0.2	0.95	2.4	0.0055	10	16	1.8	3.12	0.1	20	56	5.8	2.98	3	S41332-d
55275	91.00	92.00	1.00	0.05	1.07	1.5	0.0017	10	16	0.5	2.8	0.2	12.6	52	9.2	2.02	3	S41332-d
55276	92.00	93.50	1.50	0.05	1.14	0.9	0.00025	10	17	0.3	2.78	0.1	8.9	61	5.9	1.89	3	S41332-d
55277	93.50	94.60	1.10	0.3	1.19	2.1	0.0026	10	19	3.5	3.83	0.1	14.9	46	17.3	2.76	3	S41332-d
55278	94.60	96.10	1.50	0.2	0.99	2.5	0.0021	10	17	2.8	2.9	0.2	10.1	49	38.6	1.97	3	S41332-d
55279	96.10	97.20	1.10	0.05	1.04	1.2	0.00025	10	14	0.6	2.85	0.05	7	49	26.1	1.91	3	S41332-d
55281	97.20	98.00	0.80	0.05	1.1	1.1	0.0007	10	14	0.3	2.21	0.05	8.3	50	22	1.76	4	S41332-d
55282	98.00	99.10	1.10	0.6	1.3	2.4	0.0075	10	15	6.3	2.64	0.1	12.2	46	39.3	2.35	4	S41335-d
55283	130.30	131.30	1.00	2.1	0.67	7	0.0456	10	23	9.5	3.48	0.4	16.4	39	26.1	2.77	2	S41335-d
55284	131.30	131.55	0.25	4.4	0.61	10.8	0.0391	10	29	12.5	3.99	10.8	21.3	50	61.5	3.26	1	S41333-d
55285	131.55	132.20	0.65	1.6	0.66	3.9	0.0119	10	15	3.8	2.63	1.7	7.9	131	34.6	2.3	2	S41333-d
55286	132.20	133.00	0.80	1.8	0.19	22.1	0.0163	10	22	5.4	4.22	2.8	20	36	17.7	3.28	0.5	S41335-d
55287	133.00	133.70	0.70	1.2	0.4	5.6	0.0139	10	23	3.3	2.46	4.2	12.2	43	25.7	2.06	0.5	S41335-d
55288	133.70	134.20	0.50	32.3	0.11	4	0.0635	10	10	76.1	0.86	20	6.6	151	12.5	1.01	0.5	S41333-d
55289	134.20	134.70	0.50	100	0.03	2.7	0.1774	10	2	1007.2	0.45	0.7	6.3	87	7.1	1.05	0.5	S41333-d
55291	134.70	135.20	0.50	83.5	0.06	4.1	0.0401	10	6	192.7	0.81	0.2	9.6	206	7.8	1.43	0.5	S41333-d

55292	135.20	135.70	0.50	72.3	0.09	3.5	0.2171	10	7	177.3	1.11	1.5	7.1	165	11.3	1.3	0.5	S41333-d
55293	135.70	136.40	0.70	100	0.06	5.6	0.2409	10	7	273.1	0.76	0.2	12.8	155	7.8	1.82	0.5	S41333-d
55294	136.40	136.60	0.20	5.5	0.24	6.9	0.0299	10	25	15.6	2.68	0.1	22	103	17	3.83	0.5	S41333-d
55295	136.60	137.60	1.00	0.2	0.26	1.1	0.0037	10	27	0.3	2.49	0.2	7.1	46	15.8	1.73	0.5	S41335-d
55296	137.60	138.60	1.00	0.8	0.24	1.2	0.0123	10	25	2	2.57	0.5	7.5	48	13.1	1.9	0.5	S41335-d
55297	138.60	139.70	1.10	0.4	0.22	1.9	0.005	10	24	0.9	2.36	0.2	9	45	18.1	1.88	0.5	S41335-d
55298	139.70	139.85	0.15	34.6	0.15	1.8	0.0379	10	17	77.7	1.08	261.2	18.1	179	109.4	1.41	0.5	S41333-d
55299	139.85	140.85	1.00	0.2	0.27	1.3	0.0037	10	23	0.3	2.28	0.1	10.2	47	31.6	1.76	0.5	S41335-d
501	147.30	148.20	0.90	0.05	0.59	0.8	0.0022	10	22	0.1	1.88	0.05	10.7	54	20.2	1.62	2	12/31/2010
502	148.20	149.00	0.80	0.05	1	0.7	0.00025	10	20	0.05	2.25	0.05	8.1	38	5.7	1.95	3	12/31/2010
503	149.00	150.00	1.00	0.05	0.55	0.6	0.0015	10	19	0.05	2.4	0.05	8.5	66	6.8	1.75	2	12/31/2010
504	150.00	150.60	0.60	0.2	0.25	0.7	0.0032	10	17	0.7	1.67	0.05	8.7	56	6.6	1.28	1	12/31/2010
505	150.60	151.10	0.50	0.05	0.73	0.7	0.0014	10	19	0.05	2.19	0.1	9.1	46	4.2	1.9	3	12/31/2010



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
54990																				
55300																				
55270																				
55290																				
55000																				
55260																				
55280																				
54982	43.10	44.00	0.90	0.01	0.1	17	0.66	3	0.3	0.038	14.6	0.06	2.1	0.86	0.05	0.9	0.5		S41329-d	
54983	44.00	44.45	0.45	0.02	0.1	23	0.55	4	0.4	0.031	13.8	0.053	1.9	0.59	0.05	0.4	0.25		S41327-d	
54984	44.45	45.50	1.05	0.01	0.11	21	0.81	3.6	4.1	0.032	15.2	0.055	2.2	0.61	0.05	0.7	0.25		S41329-d	
54985	45.50	46.55	1.05	0.02	0.09	13	0.67	3.1	3.6	0.043	14.8	0.053	2.1	2.24	0.05	0.8	0.25		S41329-d	
54986	46.55	47.35	0.80	0.02	0.1	11	0.69	2.5	13	0.05	19.8	0.047	2	3.54	0.05	0.9	0.25		S41329-d	
54987	47.35	48.00	0.65	0.01	0.1	10	0.54	1.9	1.3	0.028	11.8	0.035	1	0.33	0.05	0.7	0.25		S41329-d	
54988	68.00	68.35	0.35	0.01	0.09	13	0.71	2.7	0.4	0.043	14.3	0.04	6	0.47	0.05	0.8	0.25		S41329-d	
54989	68.35	68.85	0.50	0.01	0.1	6	0.65	1.1	2.8	0.027	12.7	0.04	2.4	0.85	0.05	0.6	0.25		S41329-d	
54991	68.85	69.40	0.55	0.005	0.1	8	0.62	1.3	0.3	0.042	17.1	0.048	1.1	0.6	0.05	0.6	0.25		S41329-d	
54992	69.40	70.25	0.85	0.005	0.1	7	0.67	1.5	4.4	0.037	15.8	0.045	3.7	0.95	0.05	0.7	0.7		S41329-d	
54993	70.25	70.55	0.30	0.01	0.09	8	0.53	0.8	17.7	0.032	27.3	0.066	2.8	1.55	0.05	0.8	0.25		S41327-d	
54994	70.55	70.85	0.30	0.005	0.07	8	0.82	0.6	93.8	0.025	12.8	0.037	3	1.47	0.05	1.4	0.25		S41329-d	
54995	70.85	71.30	0.45	0.005	0.11	10	0.5	1.2	23	0.035	14.9	0.056	1.2	1.13	0.05	0.7	0.25		S41329-d	
54996	71.30	72.30	1.00	0.01	0.1	9	0.55	1.2	2.5	0.039	12.4	0.036	1.4	0.75	0.05	0.9	0.25		S41329-d	
54997	72.30	72.80	0.50	0.01	0.05	7	0.32	1.3	95.1	0.021	11.5	0.029	7.4	1.88	0.05	0.5	0.7		S41327-d	
54998	72.80	73.50	0.70	0.005	0.09	11	0.64	2	5.5	0.036	12.3	0.036	1.8	0.44	0.05	0.7	0.25		S41329-d	
54999	73.50	74.15	0.65	0.005	0.09	10	0.71	1.7	0.5	0.038	12.9	0.038	1.4	0.2	0.05	0.8	0.25		S41329-d	
55251	74.15	74.40	0.25	0.005	0.08	7	0.48	1.1	5.3	0.032	12.4	0.033	3.7	1	0.05	0.9	0.25		S41329-d	
55252	74.40	75.25	0.85	0.005	0.11	12	0.63	2.2	1.7	0.039	14	0.038	1.8	0.64	0.05	0.9	0.25		S41329-d	
55253	75.25	75.70	0.45	0.01	0.11	13	0.64	3.3	2.6	0.029	14.1	0.039	3.1	0.6	0.05	0.6	0.6		S41329-d	
55254	75.70	76.70	1.00	0.005	0.1	13	0.63	2.5	0.5	0.039	12.3	0.037	1.4	0.36	0.05	0.8	0.25		S41329-d	

55255	76.70	77.80	1.10	0.005	0.09	14	0.72	2.8	0.2	0.034	13.8	0.04	1.7	0.4	0.05	1	0.25	S41329-d
55256	77.80	79.00	1.20	0.01	0.11	14	0.7	2.6	0.3	0.041	12.2	0.041	1.5	0.34	0.05	0.9	0.25	S41329-d
55257	79.00	80.00	1.00	0.02	0.08	10	0.62	1.6	3.5	0.03	11.6	0.038	1.7	0.62	0.05	0.8	0.25	S41332-d
55258	80.00	81.00	1.00	0.02	0.09	9	0.51	1.3	48.5	0.029	12.4	0.04	2.7	0.88	0.05	0.6	0.25	S41332-d
55259	81.00	82.00	1.00	0.005	0.09	9	0.68	1	0.4	0.023	14.4	0.037	1.3	0.43	0.05	0.6	0.25	S41332-d
55261	82.00	83.00	1.00	0.02	0.1	11	0.72	2.2	0.4	0.024	12.7	0.035	1.3	0.36	0.05	0.7	0.25	S41332-d
55262	83.00	84.10	1.10	0.005	0.1	13	0.73	3.1	0.4	0.023	16.3	0.047	1.5	0.74	0.05	0.6	0.25	S41332-d
55263	84.10	85.00	0.90	0.005	0.12	14	0.99	2.5	0.2	0.017	18.8	0.08	1.7	0.32	0.05	0.6	0.25	S41332-d
55264	85.00	86.00	1.00	0.005	0.1	13	1.48	1.9	0.2	0.011	34.9	0.123	2.3	0.49	0.05	2.2	0.25	S41332-d
55265	86.00	87.00	1.00	0.01	0.1	12	1.13	2.2	0.2	0.016	21.3	0.076	2	0.4	0.05	1.6	0.25	S41332-d
55266	87.00	87.60	0.60	0.005	0.09	10	0.72	1.6	0.9	0.019	14.8	0.045	1.7	0.29	0.05	0.7	0.25	S41332-d
55267	87.60	88.30	0.70	0.01	0.11	8	0.72	1.3	0.2	0.019	18.8	0.05	2.6	0.57	0.05	0.7	0.25	S41332-d
55268	88.30	88.60	0.30	2.66	0.12	9	0.88	1.5	0.3	0.013	25.7	0.061	14.4	1.58	0.2	0.7	2.1	S41330-d
55269	88.60	88.80	0.20	0.03	0.14	12	0.88	1.9	0.7	0.02	18.7	0.054	7.1	0.47	0.05	0.8	0.25	S41330-d
55271	88.80	89.70	0.90	0.005	0.1	11	0.87	3	0.3	0.015	14.2	0.051	2.4	0.44	0.05	0.6	0.25	S41332-d
55272	89.70	89.90	0.20	0.02	0.11	13	1.04	1.2	0.4	0.019	13.6	0.035	2.7	0.19	0.05	1.9	0.25	S41330-d
55273	89.90	90.55	0.65	0.005	0.08	10	0.62	1.4	0.2	0.023	12.5	0.034	1.3	0.15	0.05	0.7	0.25	S41332-d
55274	90.55	91.00	0.45	0.005	0.07	10	0.7	2.2	0.4	0.022	16.3	0.035	2.7	1.66	0.05	0.8	0.25	S41332-d
55275	91.00	92.00	1.00	0.005	0.08	14	0.67	2.8	0.1	0.026	14.2	0.035	1.5	0.32	0.05	0.9	0.25	S41332-d
55276	92.00	93.50	1.50	0.005	0.08	14	0.7	2.4	0.3	0.026	13.2	0.038	1.3	0.16	0.05	0.8	0.25	S41332-d
55277	93.50	94.60	1.10	0.005	0.1	12	0.93	1.9	35.3	0.021	17.4	0.054	4.9	1.04	0.05	0.8	0.25	S41332-d
55278	94.60	96.10	1.50	0.005	0.1	12	0.63	2.5	1	0.024	13.8	0.038	2	0.72	0.05	0.7	0.25	S41332-d
55279	96.10	97.20	1.10	0.005	0.08	13	0.67	2	0.5	0.029	12.7	0.037	1.2	0.45	0.05	0.9	0.25	S41332-d
55281	97.20	98.00	0.80	0.005	0.07	13	0.7	2.5	0.4	0.027	12.7	0.034	1.1	0.2	0.05	0.7	0.25	S41332-d
55282	98.00	99.10	1.10	0.005	0.08	12	0.84	2.1	6.3	0.032	19.5	0.058	4.7	0.76	0.05	0.8	0.5	S41335-d
55283	130.30	131.30	1.00	0.005	0.13	4	1.04	0.8	53.2	0.011	24.2	0.063	8.2	1.23	0.05	0.7	0.25	S41335-d
55284	131.30	131.55	0.25	0.09	0.17	6	0.94	1.2	67.4	0.015	33.4	0.085	29.1	2.14	0.2	1	0.8	S41333-d
55285	131.55	132.20	0.65	0.005	0.09	3	0.88	0.4	6.8	0.008	17.3	0.029	13.5	0.64	0.05	0.7	0.25	S41333-d
55286	132.20	133.00	0.80	0.02	0.12	3	1.59	0.6	5.4	0.008	65.5	0.04	35.9	1.68	0.6	1.1	0.6	S41335-d
55287	133.00	133.70	0.70	0.02	0.13	5	0.67	1.6	2.4	0.009	16	0.05	40.7	0.83	0.2	0.5	0.25	S41335-d
55288	133.70	134.20	0.50	0.09	0.06	2	0.24	0.2	53.5	0.005	9.8	0.011	774.3	0.5	0.3	0.2	0.25	S41333-d
55289	134.20	134.70	0.50	0.005	0.005	0.5	0.13	0.05	69.6	0.0005	6.7	0.001	8473	0.95	1	0.1	2	S41333-d
55291	134.70	135.20	0.50	0.005	0.04	0.5	0.23	0.1	244.6	0.003	10.6	0.01	1664.5	0.87	0.4	0.3	1	S41333-d

55292	135.20	135.70	0.50	0.005	0.04	1	0.33	0.1	140.1	0.003	11.6	0.007	1083.7	0.59	0.5	0.2	0.6	S41333-d
55293	135.70	136.40	0.70	0.005	0.04	1	0.2	0.1	131.4	0.002	14.2	0.007	1508	1.47	0.5	0.1	1.1	S41333-d
55294	136.40	136.60	0.20	0.005	0.14	7	0.71	1.1	30.6	0.008	31.6	0.047	80.4	2.47	0.2	0.9	0.25	S41333-d
55295	136.60	137.60	1.00	0.005	0.14	12	0.62	2.3	0.7	0.017	12.4	0.042	7.2	0.11	0.1	0.4	0.25	S41335-d
55296	137.60	138.60	1.00	0.005	0.14	11	0.69	1.8	0.5	0.014	12.5	0.044	20	0.25	0.1	0.4	0.25	S41335-d
55297	138.60	139.70	1.10	0.005	0.14	9	0.63	1.9	0.6	0.011	12.7	0.042	10.1	0.33	0.05	0.4	0.25	S41335-d
55298	139.70	139.85	0.15	1.14	0.08	3	0.28	0.6	0.7	0.008	10.9	0.012	1207.6	1.21	0.2	0.3	1.7	S41333-d
55299	139.85	140.85	1.00	0.005	0.13	13	0.58	3.1	0.5	0.02	10.4	0.036	5.1	0.16	0.05	0.5	0.25	S41335-d
501	147.30	148.20	0.90	0.005	0.11	10	0.51	2.6	2.4	0.022	13.2	0.038	2.2	0.21	0.05	0.7	0.25	12/31/2010
502	148.20	149.00	0.80	0.005	0.1	15	0.68	3.9	0.5	0.034	12.1	0.046	2.6	0.025	0.05	1	0.25	12/31/2010
503	149.00	150.00	1.00	0.005	0.12	11	0.61	3.1	0.9	0.029	13.4	0.037	2.1	0.14	0.05	0.6	0.5	12/31/2010
504	150.00	150.60	0.60	0.005	0.1	12	0.33	7.4	1	0.026	6.9	0.022	3.9	0.52	0.05	0.2	0.25	12/31/2010
505	150.60	151.10	0.50	0.005	0.11	15	0.71	3.8	0.6	0.024	15.4	0.043	2.2	0.025	0.05	1.2	0.25	12/31/2010



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
54990									
55300									
55270									
55290									
55000									
55260									
55280									
54982	43.10	44.00	0.90	0.05	0.5	8	0.3	4	S41329-d
54983	44.00	44.45	0.45	0.05	0.6	6	0.1	28	S41327-d
54984	44.45	45.50	1.05	0.05	0.6	8	0.1	35	S41329-d
54985	45.50	46.55	1.05	0.05	0.3	8	0.1	26	S41329-d
54986	46.55	47.35	0.80	0.05	0.4	6	0.1	17	S41329-d
54987	47.35	48.00	0.65	0.05	0.5	5	0.05	22	S41329-d
54988	68.00	68.35	0.35	0.05	0.6	8	0.1	39	S41329-d
54989	68.35	68.85	0.50	0.05	0.3	5	0.1	33	S41329-d
54991	68.85	69.40	0.55	0.05	0.2	7	0.05	34	S41329-d
54992	69.40	70.25	0.85	0.05	0.2	7	0.4	41	S41329-d
54993	70.25	70.55	0.30	0.05	0.1	6	0.05	33	S41327-d
54994	70.55	70.85	0.30	0.05	0.2	4	0.1	20	S41329-d
54995	70.85	71.30	0.45	0.05	0.4	5	0.2	28	S41329-d
54996	71.30	72.30	1.00	0.05	0.3	7	0.05	36	S41329-d
54997	72.30	72.80	0.50	0.05	0.2	4	0.05	21	S41327-d
54998	72.80	73.50	0.70	0.05	0.3	7	0.1	48	S41329-d
54999	73.50	74.15	0.65	0.05	0.3	7	0.05	58	S41329-d
55251	74.15	74.40	0.25	0.05	0.3	5	0.1	45	S41329-d
55252	74.40	75.25	0.85	0.2	0.3	7	0.05	69	S41329-d
55253	75.25	75.70	0.45	0.05	0.4	5	0.1	62	S41329-d
55254	75.70	76.70	1.00	0.05	0.4	7	0.05	63	S41329-d

55255	76.70	77.80	1.10	0.05	0.4	7	0.05	66	S41329-d
55256	77.80	79.00	1.20	0.05	0.4	7	0.05	53	S41329-d
55257	79.00	80.00	1.00	0.05	0.3	7	0.05	40	S41332-d
55258	80.00	81.00	1.00	0.05	0.5	5	0.05	28	S41332-d
55259	81.00	82.00	1.00	0.05	0.2	6	0.05	36	S41332-d
55261	82.00	83.00	1.00	0.05	0.3	6	0.05	32	S41332-d
55262	83.00	84.10	1.10	0.05	0.4	7	0.05	31	S41332-d
55263	84.10	85.00	0.90	0.05	0.3	9	0.05	43	S41332-d
55264	85.00	86.00	1.00	0.05	0.2	25	0.05	73	S41332-d
55265	86.00	87.00	1.00	0.05	0.3	14	0.05	58	S41332-d
55266	87.00	87.60	0.60	0.05	0.5	6	0.05	42	S41332-d
55267	87.60	88.30	0.70	0.05	0.2	6	0.05	50	S41332-d
55268	88.30	88.60	0.30	0.05	0.2	5	0.2	10000	S41330-d
55269	88.60	88.80	0.20	0.05	0.2	7	0.1	107	S41330-d
55271	88.80	89.70	0.90	0.05	0.3	6	0.05	66	S41332-d
55272	89.70	89.90	0.20	0.05	0.3	5	0.1	73	S41330-d
55273	89.90	90.55	0.65	0.05	0.2	5	0.05	33	S41332-d
55274	90.55	91.00	0.45	0.05	0.3	6	0.05	31	S41332-d
55275	91.00	92.00	1.00	0.05	0.4	8	0.05	35	S41332-d
55276	92.00	93.50	1.50	0.05	0.3	7	0.05	37	S41332-d
55277	93.50	94.60	1.10	0.05	0.3	8	0.05	46	S41332-d
55278	94.60	96.10	1.50	0.05	0.4	6	0.05	34	S41332-d
55279	96.10	97.20	1.10	0.05	0.3	8	0.05	35	S41332-d
55281	97.20	98.00	0.80	0.05	0.4	8	0.05	35	S41332-d
55282	98.00	99.10	1.10	0.05	0.3	10	0.05	43	S41335-d
55283	130.30	131.30	1.00	0.05	0.3	4	0.2	119	S41335-d
55284	131.30	131.55	0.25	0.05	0.3	4	0.4	896	S41333-d
55285	131.55	132.20	0.65	0.05	0.1	4	0.2	239	S41333-d
55286	132.20	133.00	0.80	0.05	0.2	3	0.2	283	S41335-d
55287	133.00	133.70	0.70	0.05	0.3	1	0.2	464	S41335-d
55288	133.70	134.20	0.50	0.05	0.4	1	0.2	2025	S41333-d
55289	134.20	134.70	0.50	0.05	0.05	1	0.2	4	S41333-d
55291	134.70	135.20	0.50	0.05	0.3	1	0.7	14	S41333-d

55292	135.20	135.70	0.50	0.05	0.2	1	0.4	136	S41333-d
55293	135.70	136.40	0.70	0.05	0.05	1	0.4	13	S41333-d
55294	136.40	136.60	0.20	0.05	0.3	5	0.4	24	S41333-d
55295	136.60	137.60	1.00	0.05	0.5	1	0.2	32	S41335-d
55296	137.60	138.60	1.00	0.05	0.5	1	0.2	58	S41335-d
55297	138.60	139.70	1.10	0.05	0.4	1	0.2	31	S41335-d
55298	139.70	139.85	0.15	0.05	0.2	1	0.1	10000	S41333-d
55299	139.85	140.85	1.00	0.05	0.4	1	0.2	30	S41335-d
501	147.30	148.20	0.90	0.05	0.7	4	0.05	54	12/31/2010
502	148.20	149.00	0.80	0.05	1.5	8	0.1	82	12/31/2010
503	149.00	150.00	1.00	0.05	0.9	3	0.2	42	12/31/2010
504	150.00	150.60	0.60	0.05	2	1	0.1	16	12/31/2010
505	150.60	151.10	0.50	0.05	0.9	5	0.05	55	12/31/2010



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
54850																		
54820																		
54830																		
54840																		
54814	80.70	81.60	0.90	0.2	1.13	1.6	0.0018	10	25	1.6	2.25	0.05	10.8	46	18.6	2.14	4	S41338-d
54815	81.60	82.00	0.40	0.05	1.18	1	0.00025	10	19	0.2	2.36	0.2	6.3	51	10	1.83	4	S41338-d
54816	82.00	83.00	1.00	0.05	1.21	0.6	0.00025	10	18	0.05	2.44	0.1	7.1	54	14.9	1.87	4	S41338-d
54817	83.00	83.65	0.65	0.1	1.09	0.9	0.0037	10	16	0.3	2.83	0.2	8.1	74	71.2	1.81	4	S41336-d
54818	83.65	84.10	0.45	0.3	0.79	1.2	0.0052	10	13	4.8	2.22	0.1	13	82	11.1	2.73	3	S41336-d
54819	84.10	84.90	0.80	0.05	1.29	0.6	0.00025	10	18	0.2	2.37	0.05	8.9	50	11.3	2.09	5	S41338-d
54821	84.90	85.60	0.70	0.05	1.22	0.8	0.00025	10	16	0.2	2.65	0.1	7.9	61	16.5	1.99	4	S41338-d
54822	85.60	86.20	0.60	0.05	1.22	1	0.00025	10	18	0.6	2.49	0.2	9.1	54	27	2.1	4	S41338-d
54823	92.80	93.50	0.70	0.05	1.44	2	0.0009	10	21	0.8	2.48	0.05	9.9	49	48.1	2.46	5	S41338-d
54824	93.50	94.00	0.50	0.6	1.2	1.1	0.00025	10	15	62.5	2.07	0.2	9.2	69	24.7	2.12	4	S41338-d
54825	124.00	124.50	0.50	0.05	1.05	0.5	0.00025	10	16	0.6	2.12	0.05	7.8	59	2.3	1.78	4	S41338-d
54826	124.50	124.75	0.25	0.05	0.09	0.25	0.00025	10	5	0.8	1.18	0.05	2.4	104	8	0.6	0.5	S41338-d
54827	124.75	125.70	0.95	0.5	0.86	0.7	0.00025	10	17	9.3	2.31	0.05	9.8	56	16.1	2.13	3	S41338-d
54828	125.70	126.20	0.50	0.05	1.2	0.25	0.00025	10	13	0.4	2.67	0.05	7.4	50	3.8	1.87	4	S41338-d
54829	151.00	151.50	0.50	2.9	0.42	5.9	0.0413	10	19	12.1	2.94	0.3	14.7	36	24.2	2.88	1	S41338-d
54831	151.50	152.00	0.50	10.2	0.12	3.8	0.0482	10	7	32.6	1.96	0.8	7.2	112	25.2	1.36	0.5	S41336-d
54832	152.00	152.45	0.45	20.8	0.11	2.1	0.0435	10	9	63.7	0.45	0.8	4.7	120	18.1	0.85	0.5	S41336-d
54833	152.45	152.90	0.45	12.6	0.04	1.7	0.0233	10	3	36.8	0.51	0.3	2	37	24.7	0.48	0.5	S41336-d
54834	152.90	153.30	0.40	8.6	0.07	1.6	0.0233	10	10	26.2	0.22	0.05	2.3	151	10.4	0.58	0.5	S41336-d
54835	153.30	153.60	0.30	100	0.11	3.6	1.4204	10	15	374.2	0.81	2	6	162	86.5	1.14	0.5	S41336-d
54836	153.60	154.10	0.50	19.8	0.2	14.3	0.0431	10	14	49.7	1.4	7.6	19.1	148	263.4	1.92	0.5	S41336-d
54837	154.10	154.40	0.30	100	0.03	2.3	0.2307	10	4	894.9	0.37	1.2	3.7	123	122.3	0.66	0.5	S41336-d
54838	154.40	155.05	0.65	100	0.01	1	0.1725	10	1	451.9	0.55	0.5	1.5	107	25.3	0.59	0.5	S41336-d
54839	155.05	155.60	0.55	100	0.04	1	0.1368	10	4	712.6	1.13	1.5	2.9	119	80.6	0.95	0.5	S41336-d

54841	155.60	155.85	0.25	24.4	0.27	4	0.0553	10	30	67.1	0.7	0.3	10.5	136	14.3	2.04	0.5	S41336-d
54842	155.85	156.50	0.65	100	0.08	1.3	0.2419	10	9	456.1	0.51	1.3	4	119	20.4	0.79	0.5	S41336-d
54843	156.50	157.25	0.75	9.7	0.02	0.6	0.0031	10	2	75.3	1.95	0.4	1.1	95	5.2	0.92	0.5	S41336-d
54844	157.25	157.75	0.50	1	0.01	0.25	0.0009	10	1	6.3	0.25	0.05	0.6	106	2	0.23	0.5	S41336-d
54845	157.75	158.15	0.40	46.3	0.06	0.9	0.0287	10	6	456	0.25	1.1	3.8	80	55.4	0.66	0.5	S41336-d
54846	158.15	158.95	0.80	4.4	0.15	1.6	0.0146	10	15	29.7	0.84	3.8	6.1	119	17.9	1.33	0.5	S41336-d
54847	158.95	159.70	0.75	2	0.17	3	0.0092	10	17	7.7	1.58	1	9.2	101	6.1	2	0.5	S41336-d
54848	159.70	160.35	0.65	2	0.18	4	0.0204	10	17	6.2	2.49	7.7	9.3	104	42.7	1.98	0.5	S41336-d
54849	160.35	160.90	0.55	5.5	0.19	4.5	0.0089	10	21	15	1.84	1.2	12.8	94	6.2	2.6	0.5	S41336-d
54851	160.90	161.60	0.70	4.3	0.21	3.5	0.158	10	23	8.4	2.58	4.8	13	44	11.9	2.65	0.5	S41338-d
54852	161.60	162.60	1.00	0.5	0.22	0.25	0.0074	10	26	1.2	1.85	1.1	7	54	6.9	1.65	0.5	S41338-d



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
54850																				
54820																				
54830																				
54840																				
54814	80.70	81.60	0.90	0.005	0.1	15	0.7	2.9	0.2	0.051	14.6	0.045	2.1	0.73	0.05	1.1	0.7		S41338-d	
54815	81.60	82.00	0.40	0.005	0.08	14	0.71	2.5	0.2	0.036	13.4	0.038	1.3	0.06	0.05	1.1	0.25		S41338-d	
54816	82.00	83.00	1.00	0.005	0.08	15	0.69	2.7	0.2	0.037	12.3	0.037	1.3	0.025	0.05	1.2	0.25		S41338-d	
54817	83.00	83.65	0.65	0.005	0.06	14	0.66	2.4	0.4	0.035	12.3	0.04	1.9	0.21	0.05	1.2	0.25		S41336-d	
54818	83.65	84.10	0.45	0.005	0.06	13	0.48	2.1	20.7	0.034	13.4	0.04	3.2	1.86	0.05	0.9	0.25		S41336-d	
54819	84.10	84.90	0.80	0.005	0.07	15	0.74	2.6	0.3	0.049	14.7	0.038	1.4	0.19	0.05	1.4	0.25		S41338-d	
54821	84.90	85.60	0.70	0.005	0.07	14	0.72	2.6	0.2	0.046	13.6	0.038	1.5	0.2	0.05	1.3	0.25		S41338-d	
54822	85.60	86.20	0.60	0.005	0.07	14	0.78	2.7	0.4	0.046	16	0.042	1.6	0.55	0.05	1.2	0.25		S41338-d	
54823	92.80	93.50	0.70	0.005	0.09	13	0.89	2.6	0.2	0.047	16.7	0.051	1.5	0.54	0.05	1.1	0.25		S41338-d	
54824	93.50	94.00	0.50	0.005	0.05	10	0.78	2.2	0.5	0.052	16.9	0.046	9.4	0.52	0.05	1.5	0.25		S41338-d	
54825	124.00	124.50	0.50	0.005	0.07	17	0.61	3.7	0.1	0.047	10.9	0.041	2	0.4	0.05	0.8	0.25		S41338-d	
54826	124.50	124.75	0.25	0.005	0.02	12	0.08	5.4	0.7	0.014	5	0.006	1.2	0.38	0.05	0.05	0.25		S41338-d	
54827	124.75	125.70	0.95	0.005	0.09	14	0.57	2.7	0.4	0.048	13.5	0.037	3.1	1.22	0.05	0.8	0.25		S41338-d	
54828	125.70	126.20	0.50	0.005	0.06	13	0.73	2.2	0.3	0.049	13	0.04	1.3	0.19	0.05	1.2	0.25		S41338-d	
54829	151.00	151.50	0.50	0.005	0.13	3	0.87	1	0.4	0.015	24.6	0.054	8.2	1.79	0.2	0.7	0.25		S41338-d	
54831	151.50	152.00	0.50	0.005	0.05	2	0.68	0.2	86.7	0.005	13.1	0.017	37.8	0.59	0.5	0.2	0.6		S41336-d	
54832	152.00	152.45	0.45	0.005	0.06	0.5	0.13	0.2	168.2	0.004	8.8	0.017	163.2	0.59	0.6	0.05	0.25		S41336-d	
54833	152.45	152.90	0.45	0.005	0.02	0.5	0.13	0.2	142.1	0.0005	3.7	0.003	117.2	0.24	0.7	0.05	0.6		S41336-d	
54834	152.90	153.30	0.40	0.005	0.06	0.5	0.07	0.05	277.4	0.004	6.8	0.003	72.8	0.32	0.3	0.05	0.25		S41336-d	
54835	153.30	153.60	0.30	0.02	0.07	2	0.23	0.2	35.7	0.004	8.8	0.012	1074.6	0.65	2.6	0.1	1.3		S41336-d	
54836	153.60	154.10	0.50	0.05	0.08	2	0.43	0.4	27.6	0.005	23.1	0.02	217.2	1.18	1.8	0.3	0.9		S41336-d	
54837	154.10	154.40	0.30	0.005	0.02	0.5	0.11	0.05	14.6	0.0005	5.7	0.001	1647.3	0.42	3.2	0.05	1.9		S41336-d	
54838	154.40	155.05	0.65	0.02	0.005	0.5	0.21	0.05	43.5	0.002	3.9	0.0005	1004.2	0.22	2.9	0.05	0.25		S41336-d	
54839	155.05	155.60	0.55	0.02	0.02	1	0.37	0.1	187.2	0.0005	5.7	0.002	1059	0.29	3.4	0.1	0.9		S41336-d	

54841	155.60	155.85	0.25	0.01	0.19	6	0.21	1	233.8	0.011	14.1	0.033	146.1	1.79	0.3	0.2	0.25	S41336-d
54842	155.85	156.50	0.65	0.01	0.06	2	0.15	0.3	381	0.0005	5.6	0.007	1079.8	0.56	1.6	0.05	0.25	S41336-d
54843	156.50	157.25	0.75	0.005	0.01	2	0.58	0.2	52.1	0.002	4.5	0.001	49.6	0.025	0.3	0.05	0.25	S41336-d
54844	157.25	157.75	0.50	0.005	0.005	0.5	0.08	0.05	10.2	0.001	2.2	0.0005	5.6	0.025	0.05	0.05	0.25	S41336-d
54845	157.75	158.15	0.40	0.02	0.04	1	0.09	0.2	141.6	0.004	4	0.002	353.1	0.52	1.9	0.05	0.6	S41336-d
54846	158.15	158.95	0.80	0.04	0.09	3	0.26	0.5	166.6	0.009	8.2	0.015	28.6	0.91	0.2	0.2	0.25	S41336-d
54847	158.95	159.70	0.75	0.01	0.1	4	0.48	0.9	1.6	0.017	12.4	0.03	26	1.23	0.4	0.3	0.25	S41336-d
54848	159.70	160.35	0.65	0.05	0.11	3	0.69	0.9	1.2	0.009	11.3	0.031	39.6	0.92	0.1	0.4	0.25	S41336-d
54849	160.35	160.90	0.55	0.005	0.13	7	0.56	1.1	1	0.011	13.9	0.033	62.8	1.79	0.05	0.4	0.25	S41336-d
54851	160.90	161.60	0.70	0.03	0.13	5	0.75	1	0.4	0.019	14.1	0.039	49.8	1.38	0.05	0.5	0.6	S41338-d
54852	161.60	162.60	1.00	0.01	0.13	20	0.47	2.7	0.3	0.017	9.7	0.035	11	0.55	0.05	0.4	0.25	S41338-d



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
54850									
54820									
54830									
54840									
54814	80.70	81.60	0.90	0.05	0.5	10	0.1	73	S41338-d
54815	81.60	82.00	0.40	0.05	0.4	8	0.1	83	S41338-d
54816	82.00	83.00	1.00	0.05	0.4	9	0.1	75	S41338-d
54817	83.00	83.65	0.65	0.05	0.4	10	0.05	64	S41336-d
54818	83.65	84.10	0.45	0.05	0.3	8	0.1	36	S41336-d
54819	84.10	84.90	0.80	0.05	0.4	13	0.05	48	S41338-d
54821	84.90	85.60	0.70	0.05	0.3	11	0.05	44	S41338-d
54822	85.60	86.20	0.60	0.05	0.3	12	0.05	40	S41338-d
54823	92.80	93.50	0.70	0.05	0.4	15	0.05	50	S41338-d
54824	93.50	94.00	0.50	0.05	0.3	20	0.05	44	S41338-d
54825	124.00	124.50	0.50	0.05	0.5	7	0.05	29	S41338-d
54826	124.50	124.75	0.25	0.05	0.6	1	0.05	3	S41338-d
54827	124.75	125.70	0.95	0.05	0.3	6	0.05	19	S41338-d
54828	125.70	126.20	0.50	0.05	0.2	9	0.05	30	S41338-d
54829	151.00	151.50	0.50	0.05	0.2	3	0.2	59	S41338-d
54831	151.50	152.00	0.50	0.05	0.1	1	0.3	93	S41336-d
54832	152.00	152.45	0.45	0.05	0.3	1	0.4	83	S41336-d
54833	152.45	152.90	0.45	0.05	0.4	1	0.5	34	S41336-d
54834	152.90	153.30	0.40	0.05	0.1	1	0.5	13	S41336-d
54835	153.30	153.60	0.30	0.1	0.05	1	0.2	81	S41336-d
54836	153.60	154.10	0.50	0.05	0.2	1	0.2	781	S41336-d
54837	154.10	154.40	0.30	0.05	0.05	1	0.05	16	S41336-d
54838	154.40	155.05	0.65	0.05	0.05	1	0.1	6	S41336-d
54839	155.05	155.60	0.55	0.05	0.05	1	0.3	74	S41336-d

54841	155.60	155.85	0.25	0.05	0.4	3	0.5	25	S41336-d
54842	155.85	156.50	0.65	0.05	0.1	2	0.9	92	S41336-d
54843	156.50	157.25	0.75	0.05	0.05	1	0.3	37	S41336-d
54844	157.25	157.75	0.50	0.05	0.05	1	0.05	3	S41336-d
54845	157.75	158.15	0.40	0.05	0.05	1	0.4	29	S41336-d
54846	158.15	158.95	0.80	0.05	0.1	1	1.1	392	S41336-d
54847	158.95	159.70	0.75	0.05	0.2	2	0.6	111	S41336-d
54848	159.70	160.35	0.65	0.05	0.2	1	0.2	825	S41336-d
54849	160.35	160.90	0.55	0.05	0.2	2	0.2	115	S41336-d
54851	160.90	161.60	0.70	0.05	0.3	1	0.2	523	S41338-d
54852	161.60	162.60	1.00	0.05	0.9	1	0.3	127	S41338-d



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
510																		
580																		
520																		
570																		
530																		
550																		
560																		
540																		
506	32.10	33.00	0.90	2.4	0.97	0.25	0.0227	10	15	61.8	2.5	0.2	10.2	56	27.5	2.18	3	12/31/2010
507	33.00	34.00	1.00	0.4	1.23	0.25	0.0101	10	16	16.7	2.54	0.1	9	88	28.6	2.19	4	12/31/2010
508	34.00	34.80	0.80	0.5	0.86	0.25	0.0063	10	15	23.1	3.25	0.2	11.3	53	34.5	2.41	3	12/31/2010
509	34.80	35.40	0.60	2.7	0.78	0.25	0.0191	10	17	43.4	2.4	0.2	9.4	92	69.3	2.13	2	12/31/2010
511	90.80	91.30	0.50	4.2	0.9	1.4	0.0168	10	17	81.2	2.13	0.3	9.8	99	19.3	2.26	3	12/31/2010
512	91.30	91.65	0.35	0.05	1.9	1.4	0.0014	10	16	0.4	3.27	0.2	13.8	51	15.5	3.04	6	12/31/2010
513	91.65	92.70	1.05	0.1	1.16	1	0.00025	10	26	0.9	2.33	0.2	10.5	95	15.3	2.2	4	12/31/2010
514	92.70	93.80	1.10	13	0.81	0.7	0.0176	10	15	54.2	2.46	0.5	8.9	53	11	2	3	12/31/2010
515	93.80	94.70	0.90	0.3	0.96	1	0.0032	10	20	1.7	2.03	0.2	9	83	12.6	1.94	4	12/31/2010
516	94.70	95.40	0.70	0.05	1.16	1.5	0.0013	10	17	0.6	1.88	0.1	10.1	56	19.6	2.12	4	12/31/2010
517	95.40	95.60	0.20	0.9	1.11	0.8	0.00025	10	15	2.6	1.89	0.5	9.8	87	49.1	2.49	5	12/31/2010
518	95.60	95.80	0.20	6.7	0.62	0.25	0.0079	10	15	407	0.98	0.7	7.8	173	34.9	2.26	3	12/31/2010
519	95.80	96.80	1.00	0.05	1.59	1.3	0.0006	10	18	0.7	1.65	0.1	12.7	53	26.8	2.3	5	12/31/2010
521	96.80	97.30	0.50	0.05	1.1	1.2	0.00025	10	15	0.1	5.24	0.2	7.9	99	6.7	1.79	4	12/31/2010
522	97.30	98.00	0.70	0.05	1.35	0.6	0.0007	10	17	0.3	1.78	0.05	10	49	3.9	2.21	5	12/31/2010
523	102.35	103.20	0.85	0.2	1.69	5.7	0.004	10	20	1.6	5.14	0.2	18.3	93	26.7	3.19	5	12/31/2010
524	103.20	104.65	1.45	0.05	1.14	1.3	0.0009	10	15	0.6	3.98	0.1	11.6	48	4.3	2.04	4	12/31/2010
525	104.65	105.30	0.65	0.05	1.18	2.6	0.0032	10	14	0.3	2.72	0.05	10.6	81	7	2.03	4	12/31/2010
526	105.30	106.10	0.80	0.7	1.21	0.6	0.0011	10	17	11	2.48	0.05	10.6	60	12.1	2.25	5	12/31/2010
527	106.10	107.40	1.30	0.05	1.27	1.3	0.00025	10	15	0.3	2.6	0.05	10.4	84	12.9	2.07	5	12/31/2010

528	107.40	108.10	0.70	0.05	1.16	1.3	0.00025	10	10	0.8	3.13	0.1	9.8	71	11.4	2.31	4	12/31/2010
529	108.10	109.25	1.15	0.2	1.76	1.7	0.0024	10	18	1.5	3.8	0.2	19.1	61	25.9	2.97	6	12/31/2010
531	109.25	110.50	1.25	0.1	1.18	1.1	0.0036	10	17	1.6	2.91	0.2	10.8	49	23.4	2.12	3	12/31/2010
532	110.50	111.40	0.90	0.3	1.21	1.1	0.0023	10	16	2.4	3.19	0.2	13.7	56	22.4	2.63	4	12/31/2010
533	111.40	112.50	1.10	0.3	0.67	1.9	0.0072	10	16	1.5	2.85	0.2	10.2	44	16	1.96	2	12/31/2010
534	112.50	113.40	0.90	1.2	0.7	6.6	0.0154	10	24	5.4	2.54	2.3	16.2	67	18	2.82	2	12/31/2010
535	113.40	113.80	0.40	35	0.1	6	0.0995	10	4	58.7	0.76	110.2	11.6	52	700.4	0.9	0.5	12/31/2010
536	113.80	114.30	0.50	2	0.36	5.6	0.0268	10	18	5.5	2.19	4.2	14.8	81	686.9	2.66	0.5	12/31/2010
537	114.30	114.90	0.60	1.2	0.31	2.7	0.015	10	26	5.8	2.53	0.2	9	60	4.6	1.93	0.5	12/31/2010
538	114.90	115.40	0.50	9.9	0.26	4.4	0.0586	10	17	33.8	1.48	10.2	15	91	246.6	2.29	0.5	12/31/2010
539	115.40	116.30	0.90	37.9	0.03	0.25	0.5151	10	3	427.5	0.22	1.6	1.8	106	25.6	0.57	0.5	12/31/2010
541	116.30	117.10	0.80	1.7	0.39	3.1	0.0088	10	18	12.2	3.88	0.4	19.7	71	6.6	3.46	1	12/31/2010
542	117.10	117.85	0.75	47.4	0.04	0.25	0.0932	10	3	912.4	0.22	1.4	1.6	115	53.5	0.58	0.5	12/31/2010
543	117.85	118.60	0.75	51.9	0.1	0.25	0.5785	10	7	535.4	0.46	1.3	2.7	147	27.8	0.88	0.5	12/31/2010
544	118.60	119.20	0.60	0.7	0.57	2.3	0.0052	10	22	2.4	2.3	1	10.5	48	5.3	2.19	1	12/31/2010
545	119.20	119.55	0.35	13.2	0.38	5.7	0.0336	10	21	31	1.89	0.4	17.3	98	12.3	2.22	0.5	12/31/2010
546	119.55	120.00	0.45	1.2	0.45	3.5	0.0089	10	23	2.8	2.44	3.3	11.3	47	22.8	2.1	1	12/31/2010
547	120.00	121.00	1.00	0.4	0.76	1.6	0.0036	10	24	0.8	2.43	1	10.7	82	17.4	2.01	2	12/31/2010
548	121.00	122.00	1.00	0.9	0.64	2	0.0097	10	23	2	2.69	0.6	9.9	51	11.6	2.07	2	12/31/2010
549	122.00	123.00	1.00	0.4	0.64	1.7	0.0057	10	25	0.9	2.82	0.2	9	79	9.6	2.01	1	12/31/2010
551	123.00	124.00	1.00	0.5	0.59	2.2	0.006	10	20	1.3	4.13	0.2	9.9	42	11	2.13	2	12/31/2010
552	124.00	124.80	0.80	2	0.44	3.4	0.0132	10	22	5.5	2.02	0.2	10.5	88	12.6	1.86	1	12/31/2010
553	124.80	125.55	0.75	1	0.24	2.3	0.0066	10	22	2.2	1.12	1.6	7.5	58	11.1	1.33	0.5	12/31/2010
554	125.55	126.10	0.55	4	0.35	2.2	0.007	10	24	5	1.34	0.6	9.4	92	11.5	1.51	0.5	12/31/2010
555	126.10	127.00	0.90	1.7	0.4	4.5	0.0152	10	27	4.1	1.46	1.1	32.6	51	18.3	2.02	0.5	12/31/2010
556	127.00	127.85	0.85	0.8	0.35	2.2	0.0051	10	19	2.3	1.52	2.7	12.2	54	15.9	1.62	0.5	12/31/2010
557	127.85	128.15	0.30	47.2	0.26	1.4	0.1889	10	12	340.3	0.7	1	5.4	212	18.7	1.07	0.5	12/31/2010
558	128.15	128.45	0.30	0.7	0.39	2.1	0.0041	10	19	1.7	1.33	0.7	8.9	51	19.2	1.49	1	12/31/2010
559	128.45	129.10	0.65	4.4	0.17	1.4	0.0093	10	12	13.6	1.23	0.1	4.2	64	7.5	1.12	0.5	12/31/2010
561	129.10	130.00	0.90	0.3	0.2	1.5	0.0065	10	12	1	1.64	0.2	4.4	60	6.4	1.33	0.5	12/31/2010
562	130.00	130.80	0.80	0.2	0.23	0.9	0.0175	10	14	0.5	1.27	0.2	3.5	68	9.3	0.81	0.5	12/31/2010
563	130.80	131.25	0.45	0.3	0.36	1.6	0.0052	10	14	0.5	1.33	0.2	7.3	70	28.4	1.06	1	12/31/2010
564	131.25	132.20	0.95	0.6	0.3	2.5	0.008	10	11	2.3	1.26	0.3	11.9	77	76.5	1.23	1	12/31/2010

565	132.20	132.90	0.70	0.3	0.68	1.2	0.0095	10	19	0.6	1.96	0.05	11.7	60	75.4	1.55	2	12/31/2010
566	132.90	133.25	0.35	2.9	0.47	1.2	0.017	10	20	24.7	1.87	0.2	9.5	61	45.2	1.59	1	12/31/2010
567	133.25	134.00	0.75	0.2	0.56	1.5	0.0047	10	21	1.1	1.76	0.05	7.2	58	21.4	1.63	2	12/31/2010
568	134.00	135.00	1.00	0.2	0.6	1	0.0033	10	22	0.9	1.88	0.1	6.1	57	29.6	1.56	2	12/31/2010
569	135.00	136.00	1.00	0.5	0.43	1	0.0053	10	20	3	1.84	0.05	7	59	28.6	1.6	1	12/31/2010
571	136.00	136.50	0.50	2.1	0.12	0.6	0.004	10	13	4.8	1.44	0.05	4.9	73	7.1	1.38	0.5	12/31/2010
572	136.50	137.00	0.50	0.6	0.23	1.2	0.0033	10	18	2	2	0.1	6.4	52	33.9	1.6	0.5	12/31/2010
573	137.00	138.00	1.00	0.5	0.27	1.1	0.0039	10	18	1.8	1.94	0.05	6.5	59	14.3	1.55	0.5	12/31/2010
574	138.00	139.00	1.00	2.9	0.22	1.5	0.0096	10	15	12.1	3.41	0.2	6.2	72	9.1	1.6	0.5	12/31/2010
575	139.00	139.40	0.40	1.5	0.17	1.7	0.0085	10	15	3.5	2.24	0.05	13.1	63	5.9	1.82	0.5	12/31/2010
576	139.40	140.50	1.10	1.1	0.32	2	0.0078	10	21	6.7	2.05	0.05	6.3	67	7	1.7	0.5	12/31/2010
577	140.50	141.05	0.55	1.8	0.41	2.3	0.006	10	20	3.3	3.88	0.05	8.7	52	10.4	2.02	1	12/31/2010
578	141.05	141.45	0.40	0.1	0.96	1.4	0.0181	10	22	1.2	3.16	0.05	9.7	49	8.6	2.25	3	12/31/2010
579	141.45	141.85	0.40	0.2	0.28	1.1	0.0034	10	24	1.3	3.11	0.05	1.1	30	6.1	1.02	0.5	12/31/2010
581	141.85	142.40	0.55	0.1	0.71	0.9	0.0029	10	20	0.4	1.93	0.05	8.5	48	14.6	1.68	2	12/31/2010
582	142.40	142.70	0.30	0.05	0.13	0.5	0.0081	10	9	0.05	0.26	0.05	1.4	123	9	0.41	0.5	12/31/2010
583	142.70	143.70	1.00	0.05	1	0.6	0.0012	10	26	0.05	1.79	0.05	6.4	48	12	1.67	3	12/31/2010
584	168.30	168.55	0.25	0.05	0.31	1.2	0.00025	10	15	0.2	1.05	0.05	2.7	80	10.3	0.8	1	12/31/2010
585	168.55	169.00	0.45	0.05	1.23	2.1	0.0006	10	21	0.2	1.69	0.05	9.9	61	15.9	2.14	4	12/31/2010



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
510																				
580																				
520																				
570																				
530																				
550																				
560																				
540																				
506	32.10	33.00	0.90	0.005	0.08	9	0.6	1.7	3.2	0.045	13.8	0.036	3.3	0.87	0.05	1	0.25		12/31/2010	
507	33.00	34.00	1.00	0.005	0.08	12	0.76	4.2	1.2	0.05	18.8	0.036	1.7	0.47	0.05	1.1	0.5		12/31/2010	
508	34.00	34.80	0.80	0.005	0.09	8	0.83	1.3	1.1	0.034	15	0.033	1.8	0.87	0.05	1	0.25		12/31/2010	
509	34.80	35.40	0.60	0.005	0.09	10	0.61	2.3	1.6	0.044	15.4	0.042	3	0.97	0.05	0.6	0.6		12/31/2010	
511	90.80	91.30	0.50	0.005	0.06	11	0.58	2.2	2.1	0.037	15.4	0.037	24.2	1.22	0.05	1	0.7		12/31/2010	
512	91.30	91.65	0.35	0.005	0.08	12	1.29	2	0.5	0.031	33.1	0.06	1.6	0.36	0.05	2.3	0.25		12/31/2010	
513	91.65	92.70	1.05	0.005	0.12	15	0.71	2.3	0.3	0.042	19.5	0.046	1.6	0.75	0.05	0.9	0.25		12/31/2010	
514	92.70	93.80	1.10	0.005	0.07	13	0.56	2.3	6.2	0.034	13.1	0.033	15.6	1.03	0.1	0.9	0.9		12/31/2010	
515	93.80	94.70	0.90	0.005	0.09	14	0.63	2.9	0.4	0.046	16.5	0.039	2.1	0.78	0.05	1	0.7		12/31/2010	
516	94.70	95.40	0.70	0.005	0.06	13	0.81	2.5	0.3	0.044	16.4	0.037	1.6	0.58	0.05	1.3	0.25		12/31/2010	
517	95.40	95.60	0.20	0.005	0.06	13	0.9	2.6	1.2	0.05	19.8	0.05	2.4	1.35	0.05	1.7	0.25		12/31/2010	
518	95.60	95.80	0.20	0.005	0.05	8	0.48	2.1	34.4	0.042	13.7	0.03	113.7	1.67	0.3	0.8	0.6		12/31/2010	
519	95.80	96.80	1.00	0.005	0.06	12	1.1	2.7	0.1	0.052	23.6	0.065	2.4	0.41	0.1	1.5	0.25		12/31/2010	
521	96.80	97.30	0.50	0.005	0.06	11	0.72	2.5	0.3	0.034	16.4	0.048	2.3	0.13	0.05	1.8	0.25		12/31/2010	
522	97.30	98.00	0.70	0.005	0.06	13	0.84	2.6	0.2	0.05	14.4	0.04	1.7	0.29	0.05	1.9	0.25		12/31/2010	
523	102.35	103.20	0.85	0.005	0.11	12	1.29	2.1	1.9	0.034	29.6	0.097	3	0.62	0.05	2	0.25		12/31/2010	
524	103.20	104.65	1.45	0.005	0.07	16	0.74	2.7	0.2	0.048	13.1	0.048	2.5	0.49	0.05	1.4	0.25		12/31/2010	
525	104.65	105.30	0.65	0.005	0.07	15	0.72	1.8	0.3	0.048	17	0.042	2	0.32	0.05	1.4	0.25		12/31/2010	
526	105.30	106.10	0.80	0.005	0.07	13	0.73	2	0.3	0.059	15.5	0.039	4.8	0.58	0.05	1.7	0.25		12/31/2010	
527	106.10	107.40	1.30	0.005	0.07	16	0.77	2.7	0.3	0.048	16	0.039	1.9	0.24	0.05	1.4	0.25		12/31/2010	

528	107.40	108.10	0.70	0.005	0.05	8	0.85	1.4	0.3	0.031	15.1	0.026	2	0.53	0.05	1.5	0.5	12/31/2010
529	108.10	109.25	1.15	0.005	0.08	17	1.27	2.6	0.4	0.061	38.6	0.069	3	1.02	0.05	2.3	0.25	12/31/2010
531	109.25	110.50	1.25	0.005	0.08	14	0.8	2.7	0.3	0.045	14	0.043	3.4	0.46	0.05	0.9	0.6	12/31/2010
532	110.50	111.40	0.90	0.005	0.11	12	1.03	2.5	0.3	0.029	32.8	0.056	3.8	1.27	0.05	1.3	0.8	12/31/2010
533	111.40	112.50	1.10	0.005	0.09	6	0.65	2.1	0.4	0.026	13.2	0.038	4	1.02	0.05	0.8	0.6	12/31/2010
534	112.50	113.40	0.90	0.01	0.13	4	0.72	2	8.7	0.014	21.2	0.057	12.3	2.01	0.05	0.8	0.25	12/31/2010
535	113.40	113.80	0.40	0.41	0.03	1	0.22	0.4	21.8	0.003	9	0.004	715.9	0.91	0.4	0.2	0.8	12/31/2010
536	113.80	114.30	0.50	0.02	0.1	4	0.66	1.3	0.9	0.01	23.6	0.042	21	1.95	0.1	0.4	0.7	12/31/2010
537	114.30	114.90	0.60	0.005	0.13	3	0.95	0.7	75.5	0.011	20.9	0.026	11.5	0.73	0.05	0.5	0.25	12/31/2010
538	114.90	115.40	0.50	0.05	0.08	4	0.58	0.8	211.2	0.009	23.1	0.026	122.8	1.7	0.5	0.3	0.6	12/31/2010
539	115.40	116.30	0.90	0.01	0.02	0.5	0.09	0.05	165.6	0.001	5.4	0.0005	371.1	0.42	1.7	0.05	1.3	12/31/2010
541	116.30	117.10	0.80	0.005	0.1	3	1.57	0.8	13	0.008	66.6	0.03	15.6	2.1	0.1	1.1	0.9	12/31/2010
542	117.10	117.85	0.75	0.005	0.02	0.5	0.08	0.1	60.1	0.001	4.4	0.0005	459.9	0.42	2.9	0.05	1.6	12/31/2010
543	117.85	118.60	0.75	0.005	0.04	2	0.17	0.2	189	0.002	8.3	0.007	429.7	0.56	1.5	0.1	1.1	12/31/2010
544	118.60	119.20	0.60	0.01	0.14	6	0.68	1.3	0.4	0.014	13.5	0.04	30.1	0.88	0.05	0.7	0.25	12/31/2010
545	119.20	119.55	0.35	0.005	0.13	4	0.51	0.7	8.7	0.009	22.5	0.031	171.2	1.31	0.05	0.6	0.25	12/31/2010
546	119.55	120.00	0.45	0.02	0.12	7	0.69	1.4	0.5	0.015	14.9	0.044	31.8	0.81	0.05	0.7	0.25	12/31/2010
547	120.00	121.00	1.00	0.005	0.13	18	0.68	2.7	0.4	0.021	16	0.049	13.7	0.32	0.1	0.9	0.25	12/31/2010
548	121.00	122.00	1.00	0.005	0.13	8	0.78	1.3	0.5	0.02	14.5	0.042	23.9	0.38	0.05	1	0.25	12/31/2010
549	122.00	123.00	1.00	0.005	0.14	9	0.8	1.2	0.5	0.018	16	0.043	15.9	0.31	0.05	0.8	0.25	12/31/2010
551	123.00	124.00	1.00	0.005	0.11	9	0.9	1.1	0.4	0.021	12.6	0.037	13.9	0.43	0.1	0.9	0.25	12/31/2010
552	124.00	124.80	0.80	0.005	0.13	9	0.47	1.3	5.5	0.014	14.1	0.035	23.9	0.93	0.05	0.6	0.25	12/31/2010
553	124.80	125.55	0.75	0.005	0.13	8	0.28	1.4	0.9	0.018	7.7	0.024	34.4	0.85	0.05	0.3	0.25	12/31/2010
554	125.55	126.10	0.55	0.01	0.14	8	0.41	1.2	0.6	0.009	10.4	0.029	32.5	0.75	0.05	0.5	0.25	12/31/2010
555	126.10	127.00	0.90	0.005	0.16	7	0.46	1.2	4	0.015	18.7	0.029	29.6	1.29	0.05	0.6	0.25	12/31/2010
556	127.00	127.85	0.85	0.02	0.11	8	0.42	1.4	4.4	0.021	9.2	0.031	20.9	0.86	0.05	0.5	0.6	12/31/2010
557	127.85	128.15	0.30	0.005	0.06	8	0.17	1.3	3.1	0.014	7.5	0.013	397.5	0.52	0.4	0.3	0.8	12/31/2010
558	128.15	128.45	0.30	0.005	0.11	7	0.35	1.3	0.6	0.019	11.4	0.035	12.4	0.74	0.05	0.6	0.25	12/31/2010
559	128.45	129.10	0.65	0.005	0.07	5	0.26	0.9	2.6	0.024	7	0.016	21.3	0.66	0.05	0.3	0.25	12/31/2010
561	129.10	130.00	0.90	0.005	0.07	7	0.37	1.3	0.5	0.031	7.1	0.021	7.5	0.66	0.05	0.4	0.25	12/31/2010
562	130.00	130.80	0.80	0.005	0.08	7	0.22	1.5	0.3	0.035	4.6	0.019	5.2	0.36	0.05	0.3	0.25	12/31/2010
563	130.80	131.25	0.45	0.005	0.07	10	0.26	2.3	3	0.027	6.7	0.02	5.3	0.3	0.05	0.5	0.25	12/31/2010
564	131.25	132.20	0.95	0.005	0.05	7	0.22	1.7	9.8	0.022	7.3	0.013	10.8	0.61	0.05	0.5	0.25	12/31/2010

565	132.20	132.90	0.70	0.005	0.08	11	0.43	2.3	1	0.031	7.6	0.026	3.6	0.38	0.05	1	0.25	12/31/2010
566	132.90	133.25	0.35	0.005	0.08	10	0.32	1.8	0.8	0.029	6.7	0.028	10.1	0.87	0.05	0.6	0.25	12/31/2010
567	133.25	134.00	0.75	0.005	0.09	10	0.45	2	0.4	0.033	7.6	0.03	2.2	0.62	0.05	0.9	0.25	12/31/2010
568	134.00	135.00	1.00	0.005	0.09	12	0.4	2.3	0.2	0.036	7.3	0.027	2.3	0.62	0.05	0.8	0.25	12/31/2010
569	135.00	136.00	1.00	0.005	0.09	9	0.38	1.8	0.3	0.028	8.5	0.027	1.7	0.87	0.05	0.6	0.6	12/31/2010
571	136.00	136.50	0.50	0.005	0.06	6	0.21	1	5.3	0.02	5.6	0.019	6.1	1.18	0.05	0.3	0.25	12/31/2010
572	136.50	137.00	0.50	0.005	0.09	9	0.42	2.2	0.3	0.027	8.3	0.03	3.1	1.11	0.05	0.5	0.25	12/31/2010
573	137.00	138.00	1.00	0.005	0.1	9	0.33	1.3	0.3	0.029	7.4	0.026	2.9	1.14	0.05	0.6	0.25	12/31/2010
574	138.00	139.00	1.00	0.005	0.09	7	0.39	1	2.1	0.025	8.6	0.023	2.8	1.2	0.05	0.5	0.25	12/31/2010
575	139.00	139.40	0.40	0.005	0.08	7	0.11	1	1.3	0.026	8.2	0.021	4.1	1.88	0.05	0.4	0.25	12/31/2010
576	139.40	140.50	1.10	0.005	0.1	9	0.16	1.4	34.8	0.02	9.8	0.026	3.5	1.29	0.05	0.5	0.25	12/31/2010
577	140.50	141.05	0.55	0.005	0.1	8	0.28	0.9	54.4	0.026	11.7	0.038	3.2	1.67	0.05	0.6	0.25	12/31/2010
578	141.05	141.45	0.40	0.005	0.12	8	0.78	0.9	0.3	0.021	23.4	0.046	1.1	0.9	0.05	0.7	0.25	12/31/2010
579	141.45	141.85	0.40	0.005	0.14	12	0.61	1.2	9	0.037	7.4	0.05	2.6	0.37	0.05	0.5	0.25	12/31/2010
581	141.85	142.40	0.55	0.01	0.1	11	0.42	1.6	0.2	0.031	9.3	0.029	1.3	0.76	0.05	0.4	0.25	12/31/2010
582	142.40	142.70	0.30	0.005	0.02	2	0.07	0.2	0.7	0.011	5.1	0.003	1.6	0.05	0.05	0.1	0.25	12/31/2010
583	142.70	143.70	1.00	0.005	0.09	19	0.57	3.3	0.2	0.039	11.6	0.035	2.6	0.06	0.05	0.9	0.25	12/31/2010
584	168.30	168.55	0.25	0.005	0.06	11	0.16	12.9	0.6	0.049	4.7	0.007	10.9	0.39	0.1	0.4	0.25	12/31/2010
585	168.55	169.00	0.45	0.005	0.08	13	0.8	2.2	0.2	0.04	16.4	0.041	1.5	0.25	0.05	1	0.25	12/31/2010



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
510									
580									
520									
570									
530									
550									
560									
540									
506	32.10	33.00	0.90	0.05	0.2	7	0.2	31	12/31/2010
507	33.00	34.00	1.00	0.05	0.8	9	0.2	37	12/31/2010
508	34.00	34.80	0.80	0.05	0.3	6	0.2	27	12/31/2010
509	34.80	35.40	0.60	0.05	0.3	6	0.1	22	12/31/2010
511	90.80	91.30	0.50	0.05	0.3	10	0.05	39	12/31/2010
512	91.30	91.65	0.35	0.05	0.4	26	0.1	88	12/31/2010
513	91.65	92.70	1.05	0.05	0.3	11	0.1	53	12/31/2010
514	92.70	93.80	1.10	0.05	0.4	7	0.2	51	12/31/2010
515	93.80	94.70	0.90	0.05	0.5	10	0.2	62	12/31/2010
516	94.70	95.40	0.70	0.05	0.6	15	0.05	53	12/31/2010
517	95.40	95.60	0.20	0.05	0.4	23	0.05	49	12/31/2010
518	95.60	95.80	0.20	0.05	0.4	13	0.05	27	12/31/2010
519	95.80	96.80	1.00	0.05	0.5	29	0.1	54	12/31/2010
521	96.80	97.30	0.50	0.05	0.4	16	0.05	39	12/31/2010
522	97.30	98.00	0.70	0.05	0.5	20	0.05	48	12/31/2010
523	102.35	103.20	0.85	0.05	0.5	18	0.3	62	12/31/2010
524	103.20	104.65	1.45	0.05	0.4	10	0.7	40	12/31/2010
525	104.65	105.30	0.65	0.05	0.3	10	1.2	63	12/31/2010
526	105.30	106.10	0.80	0.05	0.4	14	5.8	53	12/31/2010
527	106.10	107.40	1.30	0.05	0.4	12	0.3	60	12/31/2010

528	107.40	108.10	0.70	0.05	0.3	11	0.5	48	12/31/2010
529	108.10	109.25	1.15	0.05	0.3	21	1.3	60	12/31/2010
531	109.25	110.50	1.25	0.05	0.4	10	0.2	52	12/31/2010
532	110.50	111.40	0.90	0.05	0.3	12	0.7	66	12/31/2010
533	111.40	112.50	1.10	0.05	0.4	4	0.2	52	12/31/2010
534	112.50	113.40	0.90	0.05	0.6	4	0.4	258	12/31/2010
535	113.40	113.80	0.40	0.05	0.1	1	0.1	10000	12/31/2010
536	113.80	114.30	0.50	0.05	0.2	2	0.2	520	12/31/2010
537	114.30	114.90	0.60	0.05	0.2	1	1	42	12/31/2010
538	114.90	115.40	0.50	0.05	0.2	1	0.5	1025	12/31/2010
539	115.40	116.30	0.90	0.05	0.05	1	0.2	75	12/31/2010
541	116.30	117.10	0.80	0.05	0.4	4	0.3	72	12/31/2010
542	117.10	117.85	0.75	0.05	0.05	1	0.2	13	12/31/2010
543	117.85	118.60	0.75	0.05	0.05	1	0.4	60	12/31/2010
544	118.60	119.20	0.60	0.05	0.3	3	0.3	138	12/31/2010
545	119.20	119.55	0.35	0.05	0.6	2	0.2	77	12/31/2010
546	119.55	120.00	0.45	0.05	0.4	2	0.2	325	12/31/2010
547	120.00	121.00	1.00	0.05	0.5	4	0.2	157	12/31/2010
548	121.00	122.00	1.00	0.05	0.8	4	0.2	99	12/31/2010
549	122.00	123.00	1.00	0.05	0.4	3	0.2	67	12/31/2010
551	123.00	124.00	1.00	0.05	0.3	4	0.2	51	12/31/2010
552	124.00	124.80	0.80	0.05	0.5	2	0.2	48	12/31/2010
553	124.80	125.55	0.75	0.05	0.4	1	0.3	142	12/31/2010
554	125.55	126.10	0.55	0.05	0.2	1	0.2	79	12/31/2010
555	126.10	127.00	0.90	0.05	0.3	1	0.3	115	12/31/2010
556	127.00	127.85	0.85	0.05	0.4	1	0.2	266	12/31/2010
557	127.85	128.15	0.30	0.05	0.2	1	0.1	65	12/31/2010
558	128.15	128.45	0.30	0.05	0.3	1	0.2	91	12/31/2010
559	128.45	129.10	0.65	0.05	0.3	1	1.6	18	12/31/2010
561	129.10	130.00	0.90	0.05	0.4	1	0.2	25	12/31/2010
562	130.00	130.80	0.80	0.05	0.6	1	0.1	18	12/31/2010
563	130.80	131.25	0.45	0.05	0.7	1	0.1	25	12/31/2010
564	131.25	132.20	0.95	0.05	0.5	1	0.1	21	12/31/2010

565	132.20	132.90	0.70	0.05	0.4	3	0.2	43	12/31/2010
566	132.90	133.25	0.35	0.05	1.1	2	0.2	33	12/31/2010
567	133.25	134.00	0.75	0.05	0.5	3	0.2	38	12/31/2010
568	134.00	135.00	1.00	0.05	0.6	3	0.2	34	12/31/2010
569	135.00	136.00	1.00	0.05	0.3	2	0.3	27	12/31/2010
571	136.00	136.50	0.50	0.05	0.4	1	0.2	7	12/31/2010
572	136.50	137.00	0.50	0.05	0.5	1	0.3	18	12/31/2010
573	137.00	138.00	1.00	0.05	0.4	1	0.3	18	12/31/2010
574	138.00	139.00	1.00	0.05	0.2	1	0.7	15	12/31/2010
575	139.00	139.40	0.40	0.05	0.8	1	0.3	7	12/31/2010
576	139.40	140.50	1.10	0.05	0.3	3	0.9	14	12/31/2010
577	140.50	141.05	0.55	0.05	0.1	3	0.2	24	12/31/2010
578	141.05	141.45	0.40	0.05	0.2	6	0.2	69	12/31/2010
579	141.45	141.85	0.40	0.05	0.3	2	0.4	15	12/31/2010
581	141.85	142.40	0.55	0.05	0.7	4	0.2	43	12/31/2010
582	142.40	142.70	0.30	0.05	0.2	1	0.05	8	12/31/2010
583	142.70	143.70	1.00	0.05	0.6	8	0.05	57	12/31/2010
584	168.30	168.55	0.25	0.05	18.2	1	1.7	7	12/31/2010
585	168.55	169.00	0.45	0.05	0.4	9	0.2	34	12/31/2010



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
600																		
620																		
640																		
590																		
610																		
650																		
670																		
630																		
660																		
586	68.50	69.00	0.50	0.4	1.04	0.7	0.0115	10	23	13	2.14	0.1	8	72	7.6	2.01	4	12/31/2010
587	69.00	69.70	0.70	1.2	1.06	0.5	0.0087	10	23	35.4	2.19	0.05	13.2	96	7.7	2.32	4	12/31/2010
588	69.70	70.45	0.75	1.5	1.13	0.5	0.0061	10	23	51.6	2.07	0.05	10	68	7.7	2.11	4	12/31/2010
589	70.45	71.30	0.85	0.1	1.32	0.5	0.0007	10	19	1.8	2.7	0.05	9.4	89	18.4	2.24	5	12/31/2010
591	71.30	72.20	0.90	0.3	1.43	0.6	0.0034	10	18	9.7	3.17	0.1	11.9	49	23.1	2.6	5	12/31/2010
592	72.20	72.60	0.40	3	1.28	1.1	0.0401	10	13	129.3	3.39	0.3	11.1	99	65.9	2.8	4	12/31/2010
593	72.60	72.85	0.25	0.4	1.52	1.4	0.00025	10	38	0.6	4.6	0.1	10.3	75	1425.5	2.63	5	12/31/2010
594	72.85	73.35	0.50	0.05	1.33	0.7	0.00025	10	16	0.2	2.1	0.05	10.5	58	5.8	2.25	5	12/31/2010
595	86.60	86.90	0.30	3.6	1.3	1.3	0.0106	10	21	136.3	3.22	0.4	23.8	57	17.4	4.31	5	12/31/2010
596	92.80	93.80	1.00	1.9	1.39	1.1	0.0034	10	16	122.1	2.87	0.2	12.1	64	14.8	2.85	5	12/31/2010
597	93.80	94.50	0.70	0.1	1.8	1.5	0.0124	10	18	1.7	3.24	0.05	15.3	76	19.7	3.02	6	12/31/2010
598	94.50	95.00	0.50	0.4	0.99	0.8	0.0019	10	18	8.7	2.93	0.05	8.7	72	7.3	1.9	3	12/31/2010
599	95.00	96.00	1.00	0.3	1.11	1.1	0.00025	10	20	7.3	1.92	0.05	10.3	95	27.4	2.37	4	12/31/2010
601	96.00	97.00	1.00	0.7	1.19	1	0.0006	10	21	21.8	2.17	0.1	10.9	66	16.1	2.41	4	12/31/2010
602	97.00	98.10	1.10	0.2	1.13	0.8	0.00025	10	22	2.6	2.72	0.1	10.5	95	13.6	2.5	4	12/31/2010
603	98.10	99.00	0.90	0.1	1.25	0.9	0.00025	10	20	2.1	2.48	0.05	11.4	68	9.2	2.56	5	12/31/2010
604	99.00	100.25	1.25	0.05	1.3	0.7	0.00025	10	24	1	2.28	0.05	11.3	92	9	2.44	4	12/31/2010
605	100.25	100.75	0.50	2.1	1.12	2.5	0.0095	10	20	17.9	4.25	0.1	11.8	59	56.4	2.63	4	12/31/2010
606	100.75	101.40	0.65	0.05	1.3	0.7	0.00025	10	19	0.3	2.28	0.05	9.6	88	15.3	2.2	4	12/31/2010

607	101.40	102.00	0.60	0.05	1.28	1.4	0.00025	10	20	1.1	3.15	0.05	8.3	66	13.7	2.06	4	12/31/2010
608	102.00	106.60	4.60	0.05	1.94	1.1	0.00025	10	23	0.3	2.69	0.05	13.8	119	16.3	3.01	6	12/31/2010
609	106.60	106.75	0.15	17.4	1.5	23.3	5	10	9	67.8	6.34	0.4	26.1	153	2787.7	3.93	5	12/31/2010
611	106.75	107.25	0.50	0.05	2.12	1.5	0.00025	10	18	0.3	3.49	0.05	17.3	46	51.5	3.28	6	12/31/2010
612	107.25	107.75	0.50	0.05	1.63	1.1	0.00025	10	15	0.3	3.49	0.05	12.6	80	16.5	2.73	5	12/31/2010
613	107.75	108.60	0.85	0.1	1.17	0.7	0.0015	10	19	1.2	2.49	0.05	11.9	64	5	2.31	4	12/31/2010
614	108.60	108.90	0.30	0.1	1.24	0.9	0.0015	10	22	1.4	2.15	0.05	11.8	84	7.5	2.62	4	12/31/2010
615	108.90	110.25	1.35	0.05	1.3	0.25	0.00025	10	18	2.8	2	0.05	10.2	72	13.2	2.25	5	12/31/2010
616	110.25	110.70	0.45	0.05	1.42	1.1	0.00025	10	20	0.5	3.1	0.05	11.1	79	29.2	2.49	5	12/31/2010
617	110.70	111.65	0.95	0.05	1.17	0.5	0.00025	10	21	0.4	2.93	0.05	9.2	60	7.3	2.02	4	12/31/2010
618	111.65	112.30	0.65	0.05	1.33	0.25	0.00025	10	18	0.5	2.5	0.05	12.8	96	27.2	2.24	5	12/31/2010
619	112.30	113.60	1.30	0.05	1.27	0.25	0.0062	10	20	0.6	2.37	0.05	9.7	64	10.7	2.09	4	12/31/2010
621	113.60	114.80	1.20	0.05	1.31	0.25	0.00025	10	20	0.1	2.61	0.05	9.2	92	5.7	2.12	4	12/31/2010
622	114.80	115.40	0.60	0.05	1.74	0.9	0.0009	10	18	0.4	3.94	0.05	13.2	49	10.1	2.81	6	12/31/2010
623	115.40	116.70	1.30	0.05	1.35	0.5	0.00025	10	19	0.2	2.84	0.05	10.6	93	9.8	2.26	5	12/31/2010
624	116.70	117.70	1.00	0.2	1.31	1.1	0.00025	10	24	3.2	3.16	0.05	12.3	76	28.7	2.68	5	12/31/2010
625	117.70	118.65	0.95	0.1	1.41	1	0.00025	10	20	1.7	2.8	0.05	10	94	19.5	2.52	5	12/31/2010
626	118.65	119.80	1.15	1.3	1.35	0.7	0.0068	10	18	36.6	2.13	0.05	11.7	63	20.2	2.4	5	12/31/2010
627	119.80	120.80	1.00	1.4	1.36	1	0.0069	10	15	23.3	2.65	0.05	14.4	87	28.8	2.62	5	12/31/2010
628	120.80	121.80	1.00	0.1	1.47	0.9	0.0111	10	17	1.3	2.73	0.1	12.4	56	7.8	2.38	5	12/31/2010
629	121.80	122.75	0.95	0.05	1.47	1.2	0.0034	10	20	0.5	3.27	0.05	12.2	93	7.5	2.38	5	12/31/2010
631	122.75	123.30	0.55	0.05	1.35	0.5	0.0032	10	18	0.6	2.46	0.05	9.4	59	12.4	2.05	5	12/31/2010
632	123.30	124.20	0.90	0.3	1.45	1.1	0.0076	10	16	8.3	3.28	0.05	13.1	92	21.5	2.58	5	12/31/2010
633	124.20	125.15	0.95	0.5	1.49	0.6	0.0055	10	15	15.5	3.12	0.1	9.6	60	16.7	2.32	5	12/31/2010
634	125.15	126.60	1.45	0.3	1.37	0.6	0.0031	10	16	7.8	2.33	0.05	11.9	91	18.4	2.42	5	12/31/2010
635	126.60	127.60	1.00	0.1	1.29	0.6	0.0019	10	16	1.8	2.73	0.05	10	54	17.4	2.04	4	12/31/2010
636	127.60	128.60	1.00	0.2	1.2	1	0.0324	10	18	2.4	2.8	0.1	11.5	89	29.6	2.2	4	12/31/2010
637	128.60	129.90	1.30	0.1	1.31	0.8	0.0028	10	17	0.9	2.74	0.1	11	59	20.4	2.16	4	12/31/2010
638	129.90	131.20	1.30	0.3	1.27	1.7	0.0021	10	21	1.4	2.81	0.1	10.5	91	15	2.08	3	12/31/2010
639	131.20	131.70	0.50	0.2	1.53	8.7	0.0044	10	18	1	7.07	0.3	13.2	92	30.1	2.63	4	12/31/2010
641	131.70	132.30	0.60	1.8	0.3	1.2	0.0147	10	9	8.4	0.83	1.6	4.3	154	107.3	0.77	0.5	12/31/2010
642	132.30	132.95	0.65	1.5	0.04	0.25	0.0112	10	1	8.1	0.36	0.05	2.1	124	13.8	0.25	0.5	12/31/2010
643	132.95	134.00	1.05	63.7	0.23	5	0.183	10	11	250.6	1.47	0.6	12	99	24.2	1.18	0.5	12/31/2010

644	134.00	134.85	0.85	6.5	0.2	3.2	0.0517	10	17	31.4	1.25	0.3	9.4	103	5.8	2.03	0.5	12/31/2010
645	134.85	135.70	0.85	19.3	0.16	2.7	0.0314	10	16	67.6	1.1	0.7	7	129	6	1.57	0.5	12/31/2010
646	135.70	136.65	0.95	2.1	0.2	3.6	0.0179	10	20	8.4	1.65	1	9.6	102	5.8	2.07	0.5	12/31/2010
647	136.65	137.50	0.85	1.7	0.24	1.7	0.0039	10	25	10.1	2.24	0.2	5.9	94	7.9	1.48	0.5	12/31/2010
648	137.50	138.20	0.70	2.7	0.2	1	0.0046	10	23	19.4	1.19	0.1	3.7	64	2.6	0.91	0.5	12/31/2010
649	138.20	138.95	0.75	2.1	0.27	2	0.0113	10	23	12.8	1.76	0.4	9.3	97	5.8	2.01	0.5	12/31/2010
651	138.95	139.50	0.55	45	0.06	1.5	0.0385	10	7	408.8	0.61	1.5	2.2	160	25.6	0.67	0.5	12/31/2010
652	139.50	139.85	0.35	5.5	0.17	1.7	0.0178	10	19	29.8	1.1	0.2	7.1	130	9	1.69	0.5	12/31/2010
653	139.85	140.30	0.45	8.4	0.08	1.3	0.017	10	8	31.8	1.01	0.3	4.1	82	3.3	1.11	0.5	12/31/2010
654	140.30	140.95	0.65	20	0.06	1.3	0.0309	10	6	105	0.86	0.4	2.3	45	5.4	0.64	0.5	12/31/2010
655	140.95	141.25	0.30	4.8	0.21	3.8	0.0061	10	25	9.8	1.07	1.2	8.6	112	5.2	2.03	0.5	12/31/2010
656	141.25	141.85	0.60	17	0.14	2.4	0.038	10	19	42.3	1.15	1.1	6.4	94	6.2	1.59	0.5	12/31/2010
657	141.85	142.35	0.50	59.6	0.13	2.3	0.0695	10	15	274.3	1.42	0.9	7.8	122	24.6	2.49	0.5	12/31/2010
658	142.35	143.00	0.65	1.7	0.2	1.9	0.0049	10	25	5.3	1.61	0.6	7	60	6.2	1.91	0.5	12/31/2010
659	143.00	144.10	1.10	1.6	0.18	1.3	0.0048	10	19	5	1.31	0.5	5.1	121	6.4	1.29	0.5	12/31/2010
661	144.10	145.75	1.65	1.6	0.27	2.3	0.0076	10	21	4.1	2.18	0.8	9.9	87	21.8	1.94	0.5	12/31/2010
662	145.75	146.30	0.55	100	0.03	1.6	0.8587	10	4	2000	0.59	19.2	2.3	142	9.7	0.46	0.5	12/31/2010
663	146.30	147.65	1.35	4.1	0.27	3.4	0.0059	10	19	5.1	2.3	0.5	10.3	97	7.6	2.03	0.5	12/31/2010
664	147.65	148.35	0.70	2.5	0.07	2.1	0.011	10	7	4.1	0.91	0.4	6.3	120	21.9	0.87	0.5	12/31/2010
665	148.35	148.90	0.55	2.2	0.2	3.2	0.0984	10	22	4.3	1.37	1	10.9	91	6.5	1.78	0.5	12/31/2010
666	148.90	149.85	0.95	100	0.17	3.5	0.3554	10	15	324.6	1.79	1.7	9.7	100	10	2.69	0.5	12/31/2010
667	149.85	150.40	0.55	2.1	0.2	2.9	0.0029	10	19	4.9	0.97	0.5	9.2	99	6.1	1.98	0.5	12/31/2010
668	150.40	151.15	0.75	21.9	0.18	2.7	0.2364	10	16	57	1.17	0.2	6.5	108	6.6	1.55	0.5	12/31/2010
669	151.15	151.50	0.35	1.6	0.32	4	0.0075	10	30	4.4	1.09	0.9	12.4	66	10.6	1.88	0.5	12/31/2010
671	151.50	152.00	0.50	3	0.24	4.6	0.0061	10	18	7.6	1.1	11.7	11.4	79	16.3	1.86	0.5	12/31/2010
672	152.00	153.10	1.10	1.8	0.35	2.5	0.0036	10	29	3.7	2	1	8.4	100	8.6	2.13	0.5	12/31/2010
673	153.10	153.60	0.50	2	0.38	3	0.0041	10	30	3.9	2.13	2.8	7.3	82	9.8	1.84	0.5	12/31/2010
674	153.60	154.45	0.85	0.8	0.43	3.2	0.0066	10	30	1.8	2.22	0.8	8.8	125	13.3	1.8	1	12/31/2010
675	154.45	155.10	0.65	0.3	0.38	9.6	0.0009	10	23	0.9	1.79	0.5	9.4	77	11.6	0.78	0.5	12/31/2010
676	155.10	156.00	0.90	0.4	0.44	1.8	0.0016	10	25	0.9	1.91	0.2	7	112	17.3	1.27	1	12/31/2010
677	161.30	162.80	1.50	0.7	0.31	1.1	0.0064	10	23	3.2	2.5	0.1	7.6	77	25.3	1.68	0.5	12/31/2010



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
600																				
620																				
640																				
590																				
610																				
650																				
670																				
630																				
660																				
586	68.50	69.00	0.50	0.02	0.09	11	0.63	2.9	2.5	0.042	13.5	0.037	1.7	0.52	0.05	1	0.8		12/31/2010	
587	69.00	69.70	0.70	0.005	0.09	11	0.62	3.7	1.4	0.052	16.7	0.035	2.3	0.81	0.05	1.2	0.25		12/31/2010	
588	69.70	70.45	0.75	0.005	0.08	11	0.67	2.3	3	0.054	14	0.035	2	0.41	0.05	1.3	0.25		12/31/2010	
589	70.45	71.30	0.85	0.005	0.07	13	0.86	2.5	0.8	0.059	17.7	0.05	1.6	0.4	0.05	1.3	0.25		12/31/2010	
591	71.30	72.20	0.90	0.005	0.09	11	0.93	2.2	5.3	0.054	16.8	0.063	2.4	0.67	0.05	1	0.25		12/31/2010	
592	72.20	72.60	0.40	0.005	0.08	10	0.78	1.4	24	0.04	16.4	0.039	10.4	0.88	0.05	1	0.5		12/31/2010	
593	72.60	72.85	0.25	0.005	0.09	9	0.92	1	0.4	0.044	15.1	0.054	2.2	0.41	0.05	1.4	0.25		12/31/2010	
594	72.85	73.35	0.50	0.005	0.08	10	0.8	2	6.3	0.054	15.7	0.043	1	0.22	0.05	1.1	0.25		12/31/2010	
595	86.60	86.90	0.30	0.005	0.11	24	0.95	3.3	3.8	0.048	24.7	0.068	21.9	3.05	0.05	0.7	0.8		12/31/2010	
596	92.80	93.80	1.00	0.005	0.07	11	0.96	2.3	3.1	0.045	20.1	0.053	18.6	0.91	0.1	2.2	0.25		12/31/2010	
597	93.80	94.50	0.70	0.005	0.07	14	1.24	2.5	0.3	0.046	26.2	0.079	1.6	0.49	0.05	1.7	0.25		12/31/2010	
598	94.50	95.00	0.50	0.005	0.07	9	0.65	1.7	0.6	0.047	13.3	0.034	3.6	0.61	0.05	1.1	0.25		12/31/2010	
599	95.00	96.00	1.00	0.005	0.06	11	0.79	2.3	3.8	0.056	17.8	0.044	3.2	0.98	0.05	1.4	0.25		12/31/2010	
601	96.00	97.00	1.00	0.005	0.07	13	0.82	3.1	5.1	0.055	18.3	0.047	4.9	1.01	0.05	1.3	0.25		12/31/2010	
602	97.00	98.10	1.10	0.005	0.09	12	0.79	2.3	0.3	0.057	18.3	0.047	2.3	1.09	0.05	1.3	0.25		12/31/2010	
603	98.10	99.00	0.90	0.005	0.08	11	0.85	2.8	0.3	0.058	16.8	0.047	1.8	0.89	0.05	1.9	0.25		12/31/2010	
604	99.00	100.25	1.25	0.005	0.09	14	0.86	4	0.4	0.053	18.5	0.045	1.6	0.7	0.05	1.1	0.25		12/31/2010	
605	100.25	100.75	0.50	0.005	0.09	10	0.84	2.9	0.2	0.037	16.7	0.054	4.9	0.96	0.05	1	0.6		12/31/2010	
606	100.75	101.40	0.65	0.005	0.07	12	0.84	2.9	0.3	0.052	17.7	0.042	1.7	0.29	0.05	1.3	0.25		12/31/2010	

607	101.40	102.00	0.60	0.005	0.09	15	0.8	2.4	0.3	0.046	15.8	0.042	1.7	0.18	0.05	1.2	0.25	12/31/2010
608	102.00	106.60	4.60	0.005	0.13	11	1.23	2.5	0.4	0.057	22.3	0.062	1.4	0.33	0.05	0.9	0.25	12/31/2010
609	106.60	106.75	0.15	0.07	0.05	7	1.11	1.1	1.2	0.02	82.2	0.169	13.3	1.49	0.1	1.3	1.2	12/31/2010
611	106.75	107.25	0.50	0.005	0.11	9	1.34	1.9	0.2	0.048	24.6	0.073	1.7	0.3	0.05	1.3	0.25	12/31/2010
612	107.25	107.75	0.50	0.005	0.09	14	1.12	2.8	0.4	0.056	24.2	0.055	1.9	0.36	0.05	1.2	0.25	12/31/2010
613	107.75	108.60	0.85	0.005	0.1	12	0.78	2.3	1.2	0.048	16.8	0.045	2	0.78	0.05	0.9	0.25	12/31/2010
614	108.60	108.90	0.30	0.005	0.11	12	0.8	2.1	0.2	0.053	18.2	0.052	1.7	1.07	0.05	1.1	0.25	12/31/2010
615	108.90	110.25	1.35	0.005	0.07	10	0.8	1.9	0.3	0.055	15.3	0.04	2.5	0.27	0.05	1.2	0.25	12/31/2010
616	110.25	110.70	0.45	0.005	0.09	20	0.93	4	0.3	0.047	21.5	0.055	1.9	0.45	0.05	1.5	0.25	12/31/2010
617	110.70	111.65	0.95	0.005	0.09	11	0.77	1.7	0.2	0.046	15.3	0.04	1.7	0.36	0.05	1.1	0.25	12/31/2010
618	111.65	112.30	0.65	0.005	0.09	11	0.84	1.9	0.3	0.044	18.4	0.045	1.4	0.34	0.05	1.1	0.25	12/31/2010
619	112.30	113.60	1.30	0.005	0.08	11	0.78	2	0.3	0.051	14.9	0.041	2	0.19	0.05	1.2	0.25	12/31/2010
621	113.60	114.80	1.20	0.005	0.08	12	0.79	2.2	0.3	0.046	17.1	0.041	1.4	0.15	0.05	0.9	0.25	12/31/2010
622	114.80	115.40	0.60	0.005	0.08	13	1.15	1.8	0.2	0.043	29.1	0.057	1.9	0.22	0.05	2.3	0.25	12/31/2010
623	115.40	116.70	1.30	0.005	0.08	13	0.83	2.5	0.3	0.049	18.1	0.043	1.9	0.17	0.05	1	0.25	12/31/2010
624	116.70	117.70	1.00	0.005	0.11	16	0.84	4.3	0.9	0.065	17.5	0.05	3.5	0.83	0.05	1.4	0.25	12/31/2010
625	117.70	118.65	0.95	0.005	0.09	11	0.91	2.1	10.7	0.062	19.6	0.044	2.7	0.53	0.05	1.1	0.25	12/31/2010
626	118.65	119.80	1.15	0.005	0.06	11	0.85	2.4	0.3	0.059	17.1	0.047	11.6	0.54	0.05	1.4	0.25	12/31/2010
627	119.80	120.80	1.00	0.005	0.08	10	0.84	2	0.4	0.053	20.5	0.042	6.9	0.59	0.05	1.1	0.25	12/31/2010
628	120.80	121.80	1.00	0.03	0.09	12	0.84	2.2	0.3	0.044	16.9	0.046	2	0.36	0.1	1.1	0.25	12/31/2010
629	121.80	122.75	0.95	0.005	0.09	17	0.91	4.8	1.8	0.042	21.1	0.053	2.3	0.29	0.05	1.4	0.25	12/31/2010
631	122.75	123.30	0.55	0.005	0.07	13	0.79	2.7	0.2	0.05	16	0.039	2.1	0.19	0.05	1.2	0.25	12/31/2010
632	123.30	124.20	0.90	0.005	0.08	14	0.87	2.5	1.6	0.043	21.3	0.05	3.9	0.68	0.05	1.6	0.25	12/31/2010
633	124.20	125.15	0.95	0.005	0.07	11	0.9	2.1	0.2	0.047	17.1	0.042	7.1	0.23	0.05	1.3	0.25	12/31/2010
634	125.15	126.60	1.45	0.005	0.06	10	0.83	1.9	0.7	0.055	19.5	0.042	3.8	0.74	0.05	1.4	0.25	12/31/2010
635	126.60	127.60	1.00	0.005	0.1	13	0.79	2.6	4.7	0.037	16.9	0.041	2.8	0.27	0.05	0.9	0.25	12/31/2010
636	127.60	128.60	1.00	0.005	0.1	10	0.71	2.6	3.8	0.035	17.6	0.041	4.1	0.54	0.05	0.8	0.25	12/31/2010
637	128.60	129.90	1.30	0.005	0.11	8	0.76	1.5	0.3	0.034	16	0.04	3.3	0.39	0.05	0.9	0.25	12/31/2010
638	129.90	131.20	1.30	0.005	0.12	7	0.79	1.2	6.7	0.022	18.5	0.042	6.3	0.43	0.05	0.7	0.25	12/31/2010
639	131.20	131.70	0.50	0.005	0.08	3	1.29	0.4	0.7	0.012	47.5	0.024	12.1	0.4	0.1	1.8	0.25	12/31/2010
641	131.70	132.30	0.60	0.01	0.05	2	0.19	0.2	11.6	0.009	10.9	0.006	42	0.25	0.1	0.2	0.25	12/31/2010
642	132.30	132.95	0.65	0.005	0.005	0.5	0.04	0.05	4.6	0.009	3.2	0.0005	4.5	0.025	0.1	0.05	0.25	12/31/2010
643	132.95	134.00	1.05	0.005	0.06	2	0.26	0.3	90.7	0.006	13.2	0.009	38.9	0.77	0.1	0.3	0.8	12/31/2010

644	134.00	134.85	0.85	0.005	0.1	4	0.45	1	51.1	0.012	12.1	0.029	32.9	1.62	0.05	0.2	0.25	12/31/2010
645	134.85	135.70	0.85	0.005	0.09	4	0.26	0.8	30.7	0.009	9.1	0.023	86.1	1.29	0.05	0.2	0.7	12/31/2010
646	135.70	136.65	0.95	0.005	0.13	4	0.46	1.5	29.6	0.016	11.7	0.036	16.8	1.74	0.05	0.3	0.5	12/31/2010
647	136.65	137.50	0.85	0.005	0.14	5	0.31	1.7	3.1	0.032	10.8	0.038	11.3	1.24	0.05	0.3	0.25	12/31/2010
648	137.50	138.20	0.70	0.01	0.14	4	0.17	1.5	9.3	0.03	5.4	0.016	17.6	0.8	0.05	0.1	0.25	12/31/2010
649	138.20	138.95	0.75	0.005	0.14	6	0.45	1.8	7.1	0.032	14.4	0.04	16.4	1.65	0.05	0.5	0.25	12/31/2010
651	138.95	139.50	0.55	0.005	0.04	2	0.08	1.1	139.8	0.008	6.2	0.008	324.7	0.41	1.3	0.05	0.6	12/31/2010
652	139.50	139.85	0.35	0.005	0.1	4	0.3	1.4	73.6	0.019	11	0.032	41.3	1.35	0.1	0.3	0.7	12/31/2010
653	139.85	140.30	0.45	0.005	0.04	4	0.14	1.5	72.1	0.009	6.8	0.016	72.5	0.91	0.2	0.1	0.25	12/31/2010
654	140.30	140.95	0.65	0.005	0.03	6	0.13	2.2	24.2	0.005	4	0.014	171.8	0.46	0.3	0.05	0.25	12/31/2010
655	140.95	141.25	0.30	0.005	0.14	14	0.37	4.5	86.7	0.019	12.1	0.041	76.3	1.64	0.05	0.2	0.25	12/31/2010
656	141.25	141.85	0.60	0.005	0.1	10	0.32	2.6	5.1	0.011	8.7	0.031	190	1.28	0.1	0.2	0.25	12/31/2010
657	141.85	142.35	0.50	0.005	0.08	10	0.22	2.6	89.5	0.02	11.1	0.027	596.5	2.36	0.3	0.2	0.8	12/31/2010
658	142.35	143.00	0.65	0.005	0.13	16	0.36	3.3	1.5	0.037	9.6	0.038	22.5	1.66	0.05	0.4	0.25	12/31/2010
659	143.00	144.10	1.10	0.005	0.1	15	0.25	2.7	7.1	0.034	12.2	0.025	16.4	0.95	0.05	0.3	0.25	12/31/2010
661	144.10	145.75	1.65	0.005	0.13	6	0.57	1.4	1.2	0.023	13.3	0.04	19.6	1.07	0.05	0.5	0.25	12/31/2010
662	145.75	146.30	0.55	0.05	0.02	2	0.11	0.2	0.6	0.006	5	0.003	10000	0.53	2.1	0.1	10.2	12/31/2010
663	146.30	147.65	1.35	0.005	0.12	5	0.66	0.9	0.5	0.011	12	0.036	46.2	0.7	0.05	0.4	0.6	12/31/2010
664	147.65	148.35	0.70	0.005	0.04	4	0.19	0.4	3.1	0.004	8.1	0.009	43.2	0.37	0.05	0.1	0.25	12/31/2010
665	148.35	148.90	0.55	0.005	0.13	8	0.39	1.4	3.2	0.012	10.4	0.031	49.2	1.1	0.05	0.3	0.25	12/31/2010
666	148.90	149.85	0.95	0.005	0.09	4	0.53	1	64.6	0.012	11.5	0.02	1995.5	1.95	0.2	0.3	1.5	12/31/2010
667	149.85	150.40	0.55	0.005	0.12	6	0.27	1.2	1.4	0.021	8.9	0.031	57	1.59	0.05	0.2	0.25	12/31/2010
668	150.40	151.15	0.75	0.005	0.1	7	0.29	1	773.4	0.012	9.2	0.019	346.4	1.06	0.1	0.2	0.25	12/31/2010
669	151.15	151.50	0.35	0.005	0.17	10	0.29	1.7	6	0.015	11.2	0.033	52.7	1.39	0.1	0.3	0.25	12/31/2010
671	151.50	152.00	0.50	0.05	0.11	5	0.28	1	12.3	0.013	10	0.031	78.1	1.43	0.05	0.2	0.25	12/31/2010
672	152.00	153.10	1.10	0.005	0.15	8	0.52	1.2	16.9	0.023	13.6	0.033	59.9	1.16	0.05	0.3	0.25	12/31/2010
673	153.10	153.60	0.50	0.02	0.15	10	0.57	1	4.4	0.012	10.4	0.026	70.7	0.58	0.05	0.3	0.25	12/31/2010
674	153.60	154.45	0.85	0.005	0.16	10	0.47	1	0.6	0.014	13.6	0.029	25.5	0.69	0.05	0.3	0.25	12/31/2010
675	154.45	155.10	0.65	0.005	0.13	13	0.22	1.1	0.3	0.009	7.7	0.02	11.2	0.18	0.05	0.2	0.25	12/31/2010
676	155.10	156.00	0.90	0.005	0.13	12	0.34	1.3	0.5	0.021	10.1	0.025	11.4	0.33	0.05	0.2	0.25	12/31/2010
677	161.30	162.80	1.50	0.005	0.14	7	0.43	1.6	4.3	0.033	10.5	0.03	8.5	1.16	0.05	0.4	0.5	12/31/2010



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
600									
620									
640									
590									
610									
650									
670									
630									
660									
586	68.50	69.00	0.50	0.05	0.3	9	0.1	33	12/31/2010
587	69.00	69.70	0.70	0.05	0.5	12	0.1	34	12/31/2010
588	69.70	70.45	0.75	0.05	0.3	13	0.1	37	12/31/2010
589	70.45	71.30	0.85	0.05	0.3	15	0.05	43	12/31/2010
591	71.30	72.20	0.90	0.05	0.2	14	0.1	46	12/31/2010
592	72.20	72.60	0.40	0.05	0.2	11	0.05	41	12/31/2010
593	72.60	72.85	0.25	0.05	0.5	13	0.2	50	12/31/2010
594	72.85	73.35	0.50	0.05	0.4	13	0.1	45	12/31/2010
595	86.60	86.90	0.30	0.05	0.3	15	0.1	49	12/31/2010
596	92.80	93.80	1.00	0.05	0.4	27	0.1	59	12/31/2010
597	93.80	94.50	0.70	0.05	0.4	28	0.05	79	12/31/2010
598	94.50	95.00	0.50	0.05	0.3	12	0.1	44	12/31/2010
599	95.00	96.00	1.00	0.05	0.4	21	0.05	51	12/31/2010
601	96.00	97.00	1.00	0.05	0.4	16	0.6	54	12/31/2010
602	97.00	98.10	1.10	0.05	0.4	18	0.05	55	12/31/2010
603	98.10	99.00	0.90	0.05	1.1	21	0.05	64	12/31/2010
604	99.00	100.25	1.25	0.05	0.9	17	0.05	68	12/31/2010
605	100.25	100.75	0.50	0.05	0.4	13	0.2	64	12/31/2010
606	100.75	101.40	0.65	0.05	0.6	21	0.05	67	12/31/2010

607	101.40	102.00	0.60	0.05	0.4	14	0.05	68	12/31/2010
608	102.00	106.60	4.60	0.05	0.3	16	0.1	98	12/31/2010
609	106.60	106.75	0.15	0.05	0.2	22	0.2	70	12/31/2010
611	106.75	107.25	0.50	0.05	0.4	26	0.1	100	12/31/2010
612	107.25	107.75	0.50	0.05	0.5	17	0.05	80	12/31/2010
613	107.75	108.60	0.85	0.05	0.4	12	0.3	62	12/31/2010
614	108.60	108.90	0.30	0.05	0.4	14	0.05	61	12/31/2010
615	108.90	110.25	1.35	0.05	0.5	20	0.05	61	12/31/2010
616	110.25	110.70	0.45	0.05	0.5	13	0.05	73	12/31/2010
617	110.70	111.65	0.95	0.05	0.4	12	0.05	63	12/31/2010
618	111.65	112.30	0.65	0.05	0.4	12	0.05	72	12/31/2010
619	112.30	113.60	1.30	0.05	0.5	16	0.05	68	12/31/2010
621	113.60	114.80	1.20	0.05	0.4	13	0.05	71	12/31/2010
622	114.80	115.40	0.60	0.05	0.4	21	0.05	95	12/31/2010
623	115.40	116.70	1.30	0.05	0.4	14	0.05	70	12/31/2010
624	116.70	117.70	1.00	0.05	0.8	15	0.05	53	12/31/2010
625	117.70	118.65	0.95	0.05	0.4	18	0.05	54	12/31/2010
626	118.65	119.80	1.15	0.05	0.5	22	0.05	55	12/31/2010
627	119.80	120.80	1.00	0.1	0.3	15	0.05	60	12/31/2010
628	120.80	121.80	1.00	0.05	0.4	13	0.05	62	12/31/2010
629	121.80	122.75	0.95	0.05	0.8	13	0.05	64	12/31/2010
631	122.75	123.30	0.55	0.05	0.5	15	0.05	59	12/31/2010
632	123.30	124.20	0.90	0.05	0.4	15	0.05	49	12/31/2010
633	124.20	125.15	0.95	0.05	0.4	14	0.05	46	12/31/2010
634	125.15	126.60	1.45	0.05	0.4	20	0.05	45	12/31/2010
635	126.60	127.60	1.00	0.05	0.3	10	4.8	59	12/31/2010
636	127.60	128.60	1.00	0.05	0.4	9	0.3	53	12/31/2010
637	128.60	129.90	1.30	0.05	0.3	10	0.2	81	12/31/2010
638	129.90	131.20	1.30	0.05	0.2	8	0.1	109	12/31/2010
639	131.20	131.70	0.50	0.05	0.1	11	0.2	154	12/31/2010
641	131.70	132.30	0.60	0.05	0.05	3	0.1	173	12/31/2010
642	132.30	132.95	0.65	0.05	0.05	1	0.3	8	12/31/2010
643	132.95	134.00	1.05	0.05	0.1	4	0.4	85	12/31/2010

644	134.00	134.85	0.85	0.05	0.6	2	0.4	36	12/31/2010
645	134.85	135.70	0.85	0.05	0.3	3	0.2	48	12/31/2010
646	135.70	136.65	0.95	0.05	0.3	2	0.2	110	12/31/2010
647	136.65	137.50	0.85	0.05	0.3	3	1.4	25	12/31/2010
648	137.50	138.20	0.70	0.05	0.2	1	0.3	11	12/31/2010
649	138.20	138.95	0.75	0.05	0.3	3	0.8	51	12/31/2010
651	138.95	139.50	0.55	0.05	0.2	1	14.2	126	12/31/2010
652	139.50	139.85	0.35	0.05	0.2	2	0.4	19	12/31/2010
653	139.85	140.30	0.45	0.05	0.2	1	1.1	38	12/31/2010
654	140.30	140.95	0.65	0.05	0.2	1	3.5	33	12/31/2010
655	140.95	141.25	0.30	0.05	0.5	3	1	106	12/31/2010
656	141.25	141.85	0.60	0.05	0.3	1	0.3	109	12/31/2010
657	141.85	142.35	0.50	0.05	0.2	3	0.3	54	12/31/2010
658	142.35	143.00	0.65	0.05	0.4	3	0.5	50	12/31/2010
659	143.00	144.10	1.10	0.05	0.5	3	3	50	12/31/2010
661	144.10	145.75	1.65	0.05	0.5	3	0.2	98	12/31/2010
662	145.75	146.30	0.55	0.05	0.05	1	0.05	1671	12/31/2010
663	146.30	147.65	1.35	0.05	0.2	3	0.2	79	12/31/2010
664	147.65	148.35	0.70	0.05	0.05	1	0.05	53	12/31/2010
665	148.35	148.90	0.55	0.05	0.3	1	0.2	117	12/31/2010
666	148.90	149.85	0.95	0.05	0.3	3	0.5	166	12/31/2010
667	149.85	150.40	0.55	0.05	0.2	2	0.2	62	12/31/2010
668	150.40	151.15	0.75	0.05	0.9	3	1.6	76	12/31/2010
669	151.15	151.50	0.35	0.05	1.7	3	0.3	94	12/31/2010
671	151.50	152.00	0.50	0.05	0.4	1	0.2	1284	12/31/2010
672	152.00	153.10	1.10	0.05	0.3	3	0.2	100	12/31/2010
673	153.10	153.60	0.50	0.05	0.2	3	0.3	277	12/31/2010
674	153.60	154.45	0.85	0.05	0.3	3	0.2	81	12/31/2010
675	154.45	155.10	0.65	0.05	0.1	2	0.3	65	12/31/2010
676	155.10	156.00	0.90	0.05	0.7	3	0.3	41	12/31/2010
677	161.30	162.80	1.50	0.05	0.4	3	0.3	22	12/31/2010



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
710																		
680																		
690																		
700																		
678	78.15	79.20	1.05	13	0.8	0.7	0.0605	10	18	233.5	1.53	0.6	8.1	72	22.8	1.89	3	12/31/2010
679	101.40	102.40	1.00	0.7	0.73	2.8	0.0057	10	25	2.4	2.47	0.8	10.4	87	11.1	2.36	2	12/31/2010
681	102.40	103.00	0.60	0.6	0.96	1.6	0.003	10	30	1.8	2.96	0.6	7.8	51	16.8	2.03	2	12/31/2010
682	103.00	103.65	0.65	1.5	0.55	2.9	0.0047	10	26	3.7	2.44	4.7	11.1	85	9.8	2.29	1	12/31/2010
683	103.65	104.05	0.40	12	0.62	14.3	0.0347	10	27	11.7	5.72	27.5	21.5	63	389.9	3.75	2	12/31/2010
684	104.05	104.60	0.55	71.6	0.09	6	0.4086	10	3	132.4	0.5	241.8	5.8	137	1169.9	0.59	0.5	12/31/2010
685	104.60	105.30	0.70	51.9	0.07	3.4	5	10	2	89.8	0.22	775.9	20.1	142	586.7	0.88	0.5	12/31/2010
686	105.30	105.60	0.30	7.3	0.27	7.5	0.0652	10	27	12.4	2.08	1.3	21.8	107	77.6	3.07	0.5	12/31/2010
687	105.60	106.20	0.60	100	0.2	5.6	1.2999	10	17	227.5	1.8	12.7	16.9	95	21.6	2.69	0.5	12/31/2010
688	106.20	107.00	0.80	3.9	0.21	2.4	0.0213	10	19	8.2	2.22	2	11	39	6.7	2.53	0.5	12/31/2010
689	107.00	107.85	0.85	4.4	0.23	3.3	0.0491	10	22	9.9	2.32	3.4	12	76	9.2	2.69	0.5	12/31/2010
691	107.85	108.20	0.35	4.2	0.31	5.3	0.0438	10	28	10.7	5.91	1.4	21.2	38	9.6	4.58	0.5	12/31/2010
692	108.20	109.20	1.00	4.4	0.37	17.3	0.0389	10	31	13.8	4.78	3.8	37.4	52	11.9	5.73	0.5	12/31/2010
693	109.20	109.70	0.50	5.5	0.07	1.4	0.009	10	3	8.7	0.72	85.3	4.9	152	148.7	0.55	0.5	12/31/2010
694	109.70	110.30	0.60	51.4	0.06	8.8	0.3996	10	2	62.8	0.15	96.1	15.3	101	955.5	1.28	0.5	12/31/2010
695	110.30	111.00	0.70	19.3	0.6	5.4	0.1464	10	32	90.7	2.46	5.2	16.8	58	434.2	2.35	1	12/31/2010
696	111.00	111.80	0.80	1	0.81	2.9	0.0172	10	33	2.4	2.35	2.7	9.2	96	21.8	1.89	2	12/31/2010
697	111.80	112.00	0.20	2.6	0.38	2.3	0.0133	10	25	6.6	2.16	0.4	8.3	74	9.3	1.74	0.5	12/31/2010
698	112.00	113.00	1.00	3.4	0.31	1.9	0.0166	10	26	13.8	2.64	0.3	7.1	99	13.8	1.91	0.5	12/31/2010
699	113.00	114.30	1.30	1.3	0.28	1.6	0.0132	10	27	8.2	2.65	0.2	7	59	21.5	1.64	0.5	12/31/2010
701	114.30	114.80	0.50	2.6	0.12	0.9	0.0055	10	13	21.2	2.85	0.7	4.5	98	7.3	1.5	0.5	12/31/2010
702	114.80	115.30	0.50	32.7	0.06	0.25	0.3895	10	3	793.6	0.96	0.5	0.8	136	58.4	0.58	0.5	12/31/2010
703	115.30	115.95	0.65	1.3	0.14	1.7	0.0056	10	14	13.2	2.44	0.5	5.5	69	8.1	1.64	0.5	12/31/2010
704	115.95	116.60	0.65	2.3	0.12	0.8	0.004	10	13	17.5	1.64	0.1	5	86	8.4	1.09	0.5	12/31/2010

705	116.60	117.30	0.70	4.1	0.11	0.7	0.0083	10	12	49.7	1.5	0.2	4.1	89	10	1.23	0.5	12/31/2010
706	117.30	118.00	0.70	18	0.02	0.25	0.2004	10	3	230.5	1.7	0.3	0.8	113	19.2	0.35	0.5	12/31/2010
707	118.00	119.00	1.00	1.1	0.22	0.5	0.0034	10	26	7.6	2.59	0.2	6.4	74	8.5	1.47	0.5	12/31/2010
708	119.00	120.00	1.00	1.1	0.24	0.5	0.0043	10	27	12.7	2.29	0.1	6.3	72	7.4	1.62	0.5	12/31/2010
709	120.00	120.65	0.65	1	0.22	0.6	0.0033	10	24	8.1	2.24	0.05	6.1	70	6.9	1.77	0.5	12/31/2010
711	120.65	121.30	0.65	0.9	0.14	0.6	0.0014	10	14	7	3.96	0.2	3.4	93	4.8	0.98	0.5	12/31/2010
712	121.30	122.80	1.50	1.4	0.26	0.8	0.0042	10	23	7	2.18	0.1	8	76	9.1	1.63	0.5	12/31/2010



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
710																				
680																				
690																				
700																				
678	78.15	79.20	1.05	0.005	0.07	11	0.48	2.5	56.3	0.04	12	0.027	36.7	0.78	0.05	0.8	1		12/31/2010	
679	101.40	102.40	1.00	0.005	0.16	7	0.73	1.4	2.5	0.016	16.4	0.041	25.3	0.82	0.05	0.5	0.25		12/31/2010	
681	102.40	103.00	0.60	0.005	0.19	8	0.8	1.9	0.7	0.028	14.3	0.041	17.4	0.31	0.05	0.5	0.25		12/31/2010	
682	103.00	103.65	0.65	0.01	0.15	6	0.78	1.8	2.2	0.016	21	0.04	42.3	0.97	0.05	0.5	0.25		12/31/2010	
683	103.65	104.05	0.40	0.14	0.16	3	1.77	0.6	25.9	0.016	55.9	0.023	118.3	1.41	0.2	1.3	0.25		12/31/2010	
684	104.05	104.60	0.55	1.23	0.01	0.5	0.1	0.05	2.7	0.004	6.7	0.001	964.7	0.9	0.6	0.1	1.7		12/31/2010	
685	104.60	105.30	0.70	5.24	0.005	0.5	0.08	0.05	0.5	0.002	5.1	0.0005	1718.3	1.5	0.6	0.05	5.1		12/31/2010	
686	105.30	105.60	0.30	0.03	0.16	3	0.79	0.9	1.2	0.015	29.6	0.044	396.9	2.25	0.2	0.5	0.25		12/31/2010	
687	105.60	106.20	0.60	0.08	0.11	2	0.66	0.4	360.2	0.011	19.7	0.021	1530.3	2.09	0.2	0.3	0.9		12/31/2010	
688	106.20	107.00	0.80	0.005	0.13	6	0.78	1.4	3.3	0.029	17.1	0.042	82.4	1.74	0.05	0.6	0.25		12/31/2010	
689	107.00	107.85	0.85	0.005	0.14	5	0.81	1.6	0.8	0.029	20.8	0.036	48.4	1.75	0.05	0.6	1.4		12/31/2010	
691	107.85	108.20	0.35	0.005	0.16	2	2.3	0.7	2.7	0.018	59.5	0.035	51.1	1.75	0.1	1.7	0.25		12/31/2010	
692	108.20	109.20	1.00	0.005	0.18	2	1.77	0.8	3.8	0.016	98.4	0.04	60.9	3.53	0.1	1.7	0.7		12/31/2010	
693	109.20	109.70	0.50	0.47	0.02	0.5	0.19	0.1	6.5	0.006	6.4	0.003	85.9	0.44	0.1	0.1	0.25		12/31/2010	
694	109.70	110.30	0.60	0.63	0.005	0.5	0.03	0.05	2.6	0.005	12.1	0.002	198.1	1.49	0.2	0.05	0.25		12/31/2010	
695	110.30	111.00	0.70	0.15	0.18	8	0.59	1.2	2.5	0.021	17.8	0.045	23.2	1.55	0.1	0.6	0.5		12/31/2010	
696	111.00	111.80	0.80	0.005	0.18	8	0.39	1.4	0.4	0.03	15	0.036	17.9	0.95	0.05	0.6	0.25		12/31/2010	
697	111.80	112.00	0.20	0.005	0.13	8	0.56	1.3	0.4	0.021	9	0.032	108.4	0.8	0.05	0.4	0.25		12/31/2010	
698	112.00	113.00	1.00	0.005	0.14	8	0.65	1.4	0.6	0.032	10.5	0.027	23.1	1.05	0.05	0.4	0.25		12/31/2010	
699	113.00	114.30	1.30	0.005	0.15	11	0.44	1.8	6.3	0.035	8.2	0.027	16	1.22	0.05	0.5	0.25		12/31/2010	
701	114.30	114.80	0.50	0.005	0.06	5	0.96	0.7	31.7	0.015	9.4	0.018	9.1	1.01	0.1	0.3	0.25		12/31/2010	
702	114.80	115.30	0.50	0.005	0.01	2	0.34	0.2	155.3	0.003	3.2	0.002	125.6	0.2	1.3	0.2	0.9		12/31/2010	
703	115.30	115.95	0.65	0.01	0.07	7	0.56	1.5	18.3	0.019	8.1	0.024	8.6	1.37	0.2	0.4	0.25		12/31/2010	
704	115.95	116.60	0.65	0.005	0.07	5	0.21	0.8	25.3	0.017	5.4	0.016	7.5	0.96	0.1	0.3	0.25		12/31/2010	

705	116.60	117.30	0.70	0.005	0.06	12	0.21	1.8	41.3	0.013	6.6	0.02	8.9	1.13	0.2	0.3	0.25	12/31/2010
706	117.30	118.00	0.70	0.005	0.01	1	0.05	0.2	9	0.004	3	0.002	21.3	0.19	0.3	0.1	0.25	12/31/2010
707	118.00	119.00	1.00	0.005	0.13	8	0.28	1.2	8.4	0.024	8.8	0.023	4.1	1.37	0.05	0.3	0.5	12/31/2010
708	119.00	120.00	1.00	0.005	0.14	6	0.44	1.4	71.8	0.026	8.5	0.026	4.1	1.5	0.05	0.4	0.25	12/31/2010
709	120.00	120.65	0.65	0.005	0.13	7	0.43	1.1	9.2	0.025	9.5	0.029	1.7	1.65	0.05	0.3	0.25	12/31/2010
711	120.65	121.30	0.65	0.005	0.07	5	0.44	0.8	47.1	0.018	5.6	0.01	2.6	0.7	0.05	0.4	0.25	12/31/2010
712	121.30	122.80	1.50	0.005	0.13	7	0.52	1.1	10.2	0.03	11.4	0.02	2	1.23	0.05	0.5	0.25	12/31/2010



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
710									
680									
690									
700									
678	78.15	79.20	1.05	0.05	0.6	9	0.05	34	12/31/2010
679	101.40	102.40	1.00	0.05	0.4	5	0.2	128	12/31/2010
681	102.40	103.00	0.60	0.05	0.5	5	0.2	133	12/31/2010
682	103.00	103.65	0.65	0.05	0.4	4	0.2	551	12/31/2010
683	103.65	104.05	0.40	0.05	0.2	7	0.3	3134	12/31/2010
684	104.05	104.60	0.55	0.05	0.05	1	0.2	10000	12/31/2010
685	104.60	105.30	0.70	0.05	0.05	1	0.1	10000	12/31/2010
686	105.30	105.60	0.30	0.05	0.2	2	0.3	78	12/31/2010
687	105.60	106.20	0.60	0.05	0.05	1	0.7	1342	12/31/2010
688	106.20	107.00	0.80	0.05	0.2	3	0.3	226	12/31/2010
689	107.00	107.85	0.85	0.05	0.4	4	0.7	383	12/31/2010
691	107.85	108.20	0.35	0.05	0.5	4	0.5	180	12/31/2010
692	108.20	109.20	1.00	0.05	0.7	4	0.4	453	12/31/2010
693	109.20	109.70	0.50	0.05	0.05	1	0.05	9003	12/31/2010
694	109.70	110.30	0.60	0.05	0.05	1	0.3	10000	12/31/2010
695	110.30	111.00	0.70	0.05	0.3	4	0.9	603	12/31/2010
696	111.00	111.80	0.80	0.05	0.2	4	0.3	326	12/31/2010
697	111.80	112.00	0.20	0.05	0.6	1	0.3	58	12/31/2010
698	112.00	113.00	1.00	0.05	0.3	2	0.2	33	12/31/2010
699	113.00	114.30	1.30	0.05	0.4	3	0.3	17	12/31/2010
701	114.30	114.80	0.50	0.05	0.2	1	0.3	48	12/31/2010
702	114.80	115.30	0.50	0.05	0.05	1	0.4	26	12/31/2010
703	115.30	115.95	0.65	0.05	0.4	1	0.4	28	12/31/2010
704	115.95	116.60	0.65	0.05	0.2	1	0.3	8	12/31/2010

705	116.60	117.30	0.70	0.05	0.2	1	0.4	13	12/31/2010
706	117.30	118.00	0.70	0.05	0.05	1	0.1	6	12/31/2010
707	118.00	119.00	1.00	0.05	0.2	1	0.4	10	12/31/2010
708	119.00	120.00	1.00	0.05	0.2	1	0.4	13	12/31/2010
709	120.00	120.65	0.65	0.05	0.2	1	0.4	12	12/31/2010
711	120.65	121.30	0.65	0.05	0.4	1	0.4	11	12/31/2010
712	121.30	122.80	1.50	0.05	0.2	1	1.3	16	12/31/2010



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
750																		
720																		
730																		
740																		
713	87.85	88.35	0.50	5.6	1.21	1.9	0.0071	10	19	12.5	1.83	0.2	10.6	72	5	2.15	4	12/31/2010
714	88.35	88.55	0.20	0.7	1.61	3	0.0033	10	6	1.5	13.86	0.6	15.2	45	135.6	4.06	4	12/31/2010
715	88.55	89.05	0.50	1.4	1.12	2.4	0.0043	10	18	4.5	2.51	0.2	10.5	62	6.2	1.89	3	12/31/2010
716	100.40	100.90	0.50	0.2	1	0.6	0.0033	10	14	6.4	2.5	0.1	13.2	56	7.1	2.07	4	12/31/2010
717	100.90	101.50	0.60	0.2	0.78	1.2	0.0266	10	10	0.9	9.9	0.4	5.3	74	189	2.65	2	12/31/2010
718	101.50	101.65	0.15	0.05	1.3	0.25	0.0016	10	17	0.05	2.29	0.05	5.6	59	11.2	1.86	4	12/31/2010
719	112.50	113.50	1.00	0.6	1.21	2	0.0043	10	31	1.4	3.28	0.2	10.7	60	31.2	1.95	3	12/31/2010
721	113.50	114.70	1.20	1.2	0.42	2.2	0.0072	10	22	8.7	2.43	0.2	10.6	62	10.5	2.42	1	12/31/2010
722	114.70	115.10	0.40	14.8	0.11	1.4	0.0405	10	4	48.8	0.74	0.1	3.5	127	6.5	0.69	0.5	12/31/2010
723	115.10	115.45	0.35	14.2	0.06	1.4	0.0412	10	2	56.2	0.65	20.4	3	176	51	0.43	0.5	12/31/2010
724	115.45	116.10	0.65	3.2	0.2	6.7	0.066	10	16	11.2	0.92	0.2	11.9	100	41.2	1.47	0.5	12/31/2010
725	116.10	116.90	0.80	26	0.14	2.9	0.0534	10	8	143.1	0.99	0.9	5.9	106	19.2	1.02	0.5	12/31/2010
726	116.90	117.70	0.80	20.1	0.15	4.2	0.1673	10	10	144.7	1.35	0.1	9.3	118	9.7	1.54	0.5	12/31/2010
727	117.70	118.30	0.60	7.5	0.19	2.2	0.0364	10	14	42.6	0.92	0.05	8	117	5.5	1.72	0.5	12/31/2010
728	118.30	119.00	0.70	5.8	0.78	2.7	0.0223	10	28	20.1	2.1	1	13.1	58	7	2.32	2	12/31/2010
729	119.00	120.00	1.00	2.5	0.34	1.9	0.0258	10	15	7.7	1.68	1.4	7.8	67	4	1.84	1	12/31/2010
731	120.00	121.00	1.00	0.6	0.33	0.9	0.0089	10	14	2.3	2.11	1	3.8	64	4.8	0.97	1	12/31/2010
732	121.00	122.00	1.00	0.5	0.33	0.9	0.0034	10	21	3.5	1.72	0.3	5.3	64	6.6	1.13	1	12/31/2010
733	122.00	122.70	0.70	3.8	0.66	1.3	0.0035	10	25	5.3	1.69	0.05	6.1	65	16.8	1.31	2	12/31/2010
734	122.70	123.00	0.30	3.9	0.27	5.5	3.9339	10	20	42	0.64	0.05	12.7	93	43.4	1.27	0.5	12/31/2010
735	123.00	123.70	0.70	10.9	0.11	1.1	0.0142	10	12	11.8	1.69	0.7	4.1	123	28.9	0.74	0.5	12/31/2010
736	123.70	124.45	0.75	49	0.1	0.25	1.1774	10	12	472.1	1.12	0.3	1.5	125	49.5	0.44	0.5	12/31/2010
737	124.45	125.25	0.80	2.5	0.03	0.25	0.0076	10	3	17	0.56	0.05	0.6	125	3.3	0.23	0.5	12/31/2010
738	125.25	125.90	0.65	16.7	0.06	0.25	0.0197	10	6	92.8	0.85	0.1	2.4	127	9.3	0.45	0.5	12/31/2010

739	125.90	126.30	0.40	2	0.12	0.6	0.006	10	12	19.3	1.33	0.2	8.3	80	6.1	1.32	0.5	12/31/2010
741	126.30	126.60	0.30	10	0.1	0.25	0.0147	10	10	38.5	0.38	0.05	2.7	159	9.4	0.58	0.5	12/31/2010
742	126.60	127.40	0.80	0.05	0.005	0.25	0.0005	10	1	0.5	0.11	0.05	0.2	49	1	0.07	0.5	12/31/2010
743	127.40	128.10	0.70	0.1	0.005	0.5	0.001	10	1	1.2	0.23	0.05	0.5	142	2.2	0.24	0.5	12/31/2010
744	128.10	128.90	0.80	2.2	0.07	0.6	0.0064	10	4	20.8	0.72	0.05	1.7	97	4.6	0.5	0.5	12/31/2010
745	128.90	129.60	0.70	20.9	0.12	0.9	0.0739	10	11	158.1	0.93	0.05	1.9	120	11.9	0.66	0.5	12/31/2010
746	129.60	130.05	0.45	1.3	0.1	1.5	0.0058	10	10	10.4	1.67	0.05	4.8	67	5.5	1.53	0.5	12/31/2010
747	130.05	130.40	0.35	0.5	0.14	0.5	0.0024	10	14	3.7	2.35	0.2	3.5	78	5.9	1.34	0.5	12/31/2010
748	130.40	130.95	0.55	2.3	0.17	0.9	0.0067	10	19	23.8	2.05	0.1	4.4	82	10.9	1.67	0.5	12/31/2010
749	130.95	131.75	0.80	1.2	0.24	1	0.0047	10	21	12.8	2.27	0.2	5.2	71	14.4	1.82	0.5	12/31/2010
751	131.75	132.40	0.65	0.6	0.14	1	0.0035	10	12	5.2	1.66	0.2	4.8	63	18.5	1.55	0.5	12/31/2010
752	132.40	132.90	0.50	0.4	0.12	1.5	0.0096	10	11	3.1	1.7	0.4	3.9	70	15.3	1.39	0.5	12/31/2010
753	132.90	134.00	1.10	0.5	0.17	0.8	0.0017	10	14	4.7	1.71	0.2	3.9	60	15.2	1.43	0.5	12/31/2010
754	134.00	135.00	1.00	0.4	0.22	1.1	0.0019	10	15	3.9	1.93	0.1	5.2	59	26.3	1.71	0.5	12/31/2010
755	135.00	136.00	1.00	0.4	0.25	1	0.0013	10	13	2	2.13	0.05	5.8	60	32.2	1.67	0.5	12/31/2010
756	136.00	136.75	0.75	2	0.81	0.8	0.0014	10	15	1.1	2.58	0.05	6.6	59	44.2	1.48	2	12/31/2010
757	136.75	137.30	0.55	2.6	0.32	1	0.0069	10	13	47.9	2.07	0.05	5.6	78	26.2	1.45	0.5	12/31/2010



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
750																				
720																				
730																				
740																				
713	87.85	88.35	0.50	0.005	0.09	13	0.72	3.6	0.9	0.043	17.5	0.043	6.6	0.56	0.05	1.1	0.25		12/31/2010	
714	88.35	88.55	0.20	0.005	0.03	6	2.17	1.1	0.5	0.005	17.2	0.017	5.6	0.16	0.05	2.7	0.25		12/31/2010	
715	88.55	89.05	0.50	0.005	0.09	9	0.65	2.6	1	0.037	14	0.036	4	0.39	0.05	1	0.25		12/31/2010	
716	100.40	100.90	0.50	0.005	0.05	14	0.65	2.6	0.8	0.069	13.8	0.04	3.3	0.66	0.05	1.6	0.25		12/31/2010	
717	100.90	101.50	0.60	0.005	0.03	8	1.39	1.7	0.2	0.042	10.3	0.023	4.8	0.18	0.05	3.9	0.25		12/31/2010	
718	101.50	101.65	0.15	0.005	0.06	16	0.75	3.2	0.3	0.062	17.1	0.044	2	0.025	0.05	1.4	0.25		12/31/2010	
719	112.50	113.50	1.00	0.005	0.13	9	0.73	1.6	1.7	0.033	15	0.046	13.6	0.48	0.05	1	0.25		12/31/2010	
721	113.50	114.70	1.20	0.005	0.14	5	0.63	1	19.1	0.032	15.1	0.039	12.1	1.8	0.05	0.7	0.25		12/31/2010	
722	114.70	115.10	0.40	0.005	0.02	0.5	0.14	0.05	175.8	0.005	5.7	0.005	19.2	0.41	0.05	0.2	0.25		12/31/2010	
723	115.10	115.45	0.35	0.14	0.01	0.5	0.06	0.05	52.3	0.003	5.5	0.0005	86.2	0.22	0.1	0.1	0.25		12/31/2010	
724	115.45	116.10	0.65	0.01	0.09	5	0.24	0.7	2.3	0.008	13.6	0.021	22.1	1.17	0.1	0.3	0.25		12/31/2010	
725	116.10	116.90	0.80	0.005	0.04	1	0.17	0.2	59.1	0.004	10.8	0.006	38.6	0.7	0.3	0.2	0.6		12/31/2010	
726	116.90	117.70	0.80	0.005	0.05	1	0.25	0.4	104.9	0.005	14	0.016	12.6	1.19	0.3	0.3	0.6		12/31/2010	
727	117.70	118.30	0.60	0.005	0.08	0.5	0.29	0.2	231.1	0.012	16.1	0.026	10.8	1.32	0.1	0.3	0.25		12/31/2010	
728	118.30	119.00	0.70	0.005	0.15	10	0.6	1.7	39.1	0.059	18	0.047	20.6	1.34	0.1	0.9	0.25		12/31/2010	
729	119.00	120.00	1.00	0.02	0.08	10	0.42	1.7	1.2	0.051	13.6	0.026	34.7	1.17	0.05	0.5	0.25		12/31/2010	
731	120.00	121.00	1.00	0.005	0.07	12	0.28	1.9	0.7	0.043	7.4	0.028	31.8	0.3	0.05	0.6	0.25		12/31/2010	
732	121.00	122.00	1.00	0.005	0.09	12	0.25	4	1.5	0.037	6.3	0.016	30.4	0.59	0.05	0.4	0.25		12/31/2010	
733	122.00	122.70	0.70	0.005	0.13	11	0.32	2.1	0.6	0.049	8.4	0.028	5.9	0.54	0.05	0.5	0.25		12/31/2010	
734	122.70	123.00	0.30	0.005	0.11	5	0.12	0.9	63	0.012	16.5	0.022	8.9	0.95	0.2	0.3	0.25		12/31/2010	
735	123.00	123.70	0.70	0.01	0.06	4	0.05	0.7	42.4	0.007	6	0.011	4.2	0.58	0.05	0.2	0.25		12/31/2010	
736	123.70	124.45	0.75	0.005	0.06	3	0.03	0.4	50.7	0.008	3.7	0.007	62.3	0.26	0.4	0.1	0.7		12/31/2010	
737	124.45	125.25	0.80	0.005	0.01	0.5	0.02	0.05	8.2	0.005	2.4	0.0005	3.6	0.025	0.05	0.05	0.25		12/31/2010	
738	125.25	125.90	0.65	0.005	0.03	2	0.04	0.2	3.7	0.006	3.9	0.003	25.3	0.24	0.2	0.05	0.25		12/31/2010	

739	125.90	126.30	0.40	0.005	0.06	6	0.14	1.3	32.4	0.014	7.3	0.025	5.9	1.24	0.05	0.2	0.25	12/31/2010
741	126.30	126.60	0.30	0.005	0.05	4	0.04	0.5	8.7	0.012	5.2	0.01	6.1	0.39	0.05	0.1	0.25	12/31/2010
742	126.60	127.40	0.80	0.005	0.005	0.5	0.01	0.05	1.5	0.003	1.2	0.0005	0.7	0.025	0.05	0.05	0.25	12/31/2010
743	127.40	128.10	0.70	0.005	0.005	0.5	0.005	0.05	3.4	0.006	3.3	0.0005	1.8	0.025	0.05	0.05	0.25	12/31/2010
744	128.10	128.90	0.80	0.005	0.02	2	0.05	0.3	124.7	0.007	3	0.007	4.1	0.32	0.05	0.05	0.25	12/31/2010
745	128.90	129.60	0.70	0.005	0.05	3	0.08	0.4	3.9	0.011	5.1	0.011	22.6	0.46	0.05	0.1	0.25	12/31/2010
746	129.60	130.05	0.45	0.005	0.06	4	0.22	0.9	91.1	0.016	6.9	0.022	8.7	1.52	0.05	0.2	0.25	12/31/2010
747	130.05	130.40	0.35	0.005	0.08	4	0.36	1	3.6	0.018	7.5	0.014	9.9	1.1	0.05	0.3	0.25	12/31/2010
748	130.40	130.95	0.55	0.005	0.1	6	0.42	1.2	2	0.028	9.7	0.02	12.2	1.41	0.05	0.3	0.25	12/31/2010
749	130.95	131.75	0.80	0.005	0.13	7	0.54	1.3	0.8	0.033	9.9	0.027	15	1.38	0.05	0.5	0.25	12/31/2010
751	131.75	132.40	0.65	0.005	0.08	7	0.41	1.3	0.6	0.028	8.4	0.026	10	1.25	0.05	0.3	0.25	12/31/2010
752	132.40	132.90	0.50	0.005	0.07	6	0.39	1.3	15.1	0.023	6.2	0.024	12.5	1.11	0.05	0.2	0.25	12/31/2010
753	132.90	134.00	1.10	0.005	0.09	7	0.42	1.4	1.1	0.032	7.1	0.024	16	1.12	0.05	0.4	0.25	12/31/2010
754	134.00	135.00	1.00	0.005	0.11	9	0.56	1.6	11.7	0.036	10.1	0.03	14.9	1.22	0.05	0.4	0.25	12/31/2010
755	135.00	136.00	1.00	0.005	0.1	8	0.58	1.4	1	0.03	9.6	0.033	4.7	1.04	0.05	0.6	0.25	12/31/2010
756	136.00	136.75	0.75	0.005	0.11	11	0.49	1.5	0.5	0.039	10.1	0.038	1.2	0.43	0.05	0.9	0.25	12/31/2010
757	136.75	137.30	0.55	0.005	0.1	7	0.2	1.6	6	0.03	8	0.024	3	1.01	0.05	0.4	0.25	12/31/2010



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
750									
720									
730									
740									
713	87.85	88.35	0.50	0.05	0.6	8	0.05	135	12/31/2010
714	88.35	88.55	0.20	0.05	0.2	10	0.05	236	12/31/2010
715	88.55	89.05	0.50	0.05	0.5	6	0.05	166	12/31/2010
716	100.40	100.90	0.50	0.05	0.4	10	0.1	40	12/31/2010
717	100.90	101.50	0.60	0.05	0.2	7	0.1	35	12/31/2010
718	101.50	101.65	0.15	0.05	0.4	11	0.1	47	12/31/2010
719	112.50	113.50	1.00	0.05	0.2	8	1.3	80	12/31/2010
721	113.50	114.70	1.20	0.05	0.2	4	0.3	38	12/31/2010
722	114.70	115.10	0.40	0.05	0.05	1	0.4	22	12/31/2010
723	115.10	115.45	0.35	0.05	0.05	1	0.4	2122	12/31/2010
724	115.45	116.10	0.65	0.05	0.05	7	0.9	35	12/31/2010
725	116.10	116.90	0.80	0.05	0.05	4	1.8	120	12/31/2010
726	116.90	117.70	0.80	0.05	0.05	2	1.2	23	12/31/2010
727	117.70	118.30	0.60	0.05	0.05	2	0.7	26	12/31/2010
728	118.30	119.00	0.70	0.05	0.2	6	0.5	172	12/31/2010
729	119.00	120.00	1.00	0.05	0.2	3	0.4	182	12/31/2010
731	120.00	121.00	1.00	0.05	0.3	3	0.3	132	12/31/2010
732	121.00	122.00	1.00	0.05	0.9	3	0.9	43	12/31/2010
733	122.00	122.70	0.70	0.05	0.4	6	0.8	62	12/31/2010
734	122.70	123.00	0.30	0.05	0.1	16	9.8	23	12/31/2010
735	123.00	123.70	0.70	0.05	0.05	1	0.4	66	12/31/2010
736	123.70	124.45	0.75	0.05	0.05	1	0.7	6	12/31/2010
737	124.45	125.25	0.80	0.05	0.05	1	1.3	3	12/31/2010
738	125.25	125.90	0.65	0.05	0.05	1	0.7	5	12/31/2010

739	125.90	126.30	0.40	0.05	0.1	4	1.4	7	12/31/2010
741	126.30	126.60	0.30	0.05	0.05	1	0.5	7	12/31/2010
742	126.60	127.40	0.80	0.05	0.05	1	0.2	1	12/31/2010
743	127.40	128.10	0.70	0.05	0.05	1	0.5	3	12/31/2010
744	128.10	128.90	0.80	0.05	0.05	1	0.3	7	12/31/2010
745	128.90	129.60	0.70	0.05	0.05	1	0.3	9	12/31/2010
746	129.60	130.05	0.45	0.05	0.1	1	0.4	7	12/31/2010
747	130.05	130.40	0.35	0.05	0.1	1	0.2	12	12/31/2010
748	130.40	130.95	0.55	0.05	0.1	1	0.3	13	12/31/2010
749	130.95	131.75	0.80	0.05	0.3	2	0.3	19	12/31/2010
751	131.75	132.40	0.65	0.05	0.3	1	0.2	13	12/31/2010
752	132.40	132.90	0.50	0.05	0.3	1	0.2	17	12/31/2010
753	132.90	134.00	1.10	0.05	0.3	1	0.2	10	12/31/2010
754	134.00	135.00	1.00	0.05	0.5	1	0.3	15	12/31/2010
755	135.00	136.00	1.00	0.05	0.4	1	0.2	17	12/31/2010
756	136.00	136.75	0.75	0.05	0.4	4	0.2	30	12/31/2010
757	136.75	137.30	0.55	0.05	0.3	2	0.4	10	12/31/2010



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
770																		
760																		
800																		
780																		
790																		
758	116.00	116.50	0.50	1.7	1.45	1.3	0.0151	10	17	62.3	3.45	0.1	17.7	53	34.1	3.36	6	12/31/2010
759	116.50	117.80	1.30	0.2	1.84	1.3	0.0022	10	17	4.9	4.63	0.1	16.8	41	19	2.85	6	12/31/2010
761	117.80	119.20	1.40	0.6	1.27	2	0.0032	10	23	15.4	3.61	0.1	11.6	54	27.2	2.17	3	12/31/2010
762	119.20	119.50	0.30	4.7	0.57	2.7	0.0118	10	10	220.3	2.36	0.1	13.3	76	50.7	3.59	2	12/31/2010
763	119.50	120.05	0.55	0.5	0.78	1.1	0.0017	10	15	17.1	1.9	0.1	7.3	73	8	1.71	2	12/31/2010
764	120.05	121.00	0.95	0.5	0.98	1.1	0.0007	10	17	9.4	2.25	0.1	8.8	47	12.5	1.86	3	12/31/2010
765	121.00	122.00	1.00	0.05	0.89	1.5	0.00025	10	14	0.5	2.39	0.1	9.6	52	7	1.67	2	12/31/2010
766	122.00	123.00	1.00	0.05	0.93	1.2	0.00025	10	15	0.5	3.68	0.05	8.2	48	9.5	1.94	3	12/31/2010
767	123.00	124.50	1.50	0.2	0.97	1.7	0.00025	10	19	9.2	2.46	0.2	8.5	48	7.9	1.91	3	12/31/2010
768	124.50	125.10	0.60	2.1	0.19	2.2	0.0027	10	10	238.7	2.58	0.2	4.5	73	20.4	1.15	0.5	12/31/2010
769	125.10	126.00	0.90	0.6	0.74	3.4	0.0023	10	16	6.3	4.86	0.2	11.3	51	13.9	2.33	2	12/31/2010
771	126.00	127.00	1.00	0.6	0.82	3	0.0014	10	24	4.5	2.79	0.05	11.7	51	26.8	2.25	2	12/31/2010
772	127.00	128.00	1.00	0.3	0.68	2.2	0.00025	10	15	2.3	2.62	0.1	9.8	55	23.4	2.11	2	12/31/2010
773	128.00	129.00	1.00	1.4	0.66	3	0.0026	10	23	24.6	3.07	0.2	10.1	51	15.8	2.32	2	12/31/2010
774	129.00	129.80	0.80	2.8	0.71	2.4	0.0123	10	24	28.9	2.8	0.3	9.7	55	22.8	2.23	2	12/31/2010
775	129.80	130.30	0.50	17.8	0.04	0.8	0.1259	10	3	182.4	1.22	2.2	1.6	119	71.3	0.58	0.5	12/31/2010
776	130.30	130.65	0.35	9.2	0.03	0.25	0.0479	10	2	42.2	0.35	0.2	0.8	112	4.2	0.41	0.5	12/31/2010
777	130.65	131.30	0.65	23.6	0.04	0.6	0.0433	10	3	77.3	0.61	0.3	1.2	129	4.2	0.51	0.5	12/31/2010
778	131.30	131.75	0.45	58.4	0.11	2.8	0.139	10	7	247.7	0.54	0.9	4.2	104	17.1	0.76	0.5	12/31/2010
779	131.75	132.15	0.40	3.6	0.03	2	0.0113	10	2	10.9	0.16	0.1	2.4	108	6.4	0.35	0.5	12/31/2010
781	132.15	132.60	0.45	100	0.05	3.6	1.0739	10	5	1174.1	0.37	0.5	4.3	109	16.9	0.7	0.5	12/31/2010
782	132.60	132.95	0.35	47.2	0.33	14.2	0.0741	10	21	119.4	5.65	1.8	20.4	77	12.5	4.01	0.5	12/31/2010
783	132.95	133.25	0.30	100	0.07	4.4	0.7031	10	7	1209.1	0.85	1.7	8	100	41.2	1.52	0.5	12/31/2010

784	133.25	134.00	0.75	12.8	0.25	3.4	0.0421	10	20	33.2	1.76	1.1	8.6	50	4.5	1.6	0.5	12/31/2010
785	134.00	135.00	1.00	2.5	0.36	2.3	0.0168	10	28	6.7	2.09	1.8	10.1	61	32.6	1.93	1	12/31/2010
786	135.00	136.00	1.00	1	0.34	1.9	0.0082	10	28	4.4	2.1	0.6	9.4	58	7.4	2.04	1	12/31/2010
787	136.00	136.40	0.40	0.8	0.28	1.5	0.0077	10	21	3.2	2.31	0.1	8	54	4.4	1.78	0.5	12/31/2010
788	136.40	137.00	0.60	5	0.14	1.5	0.0156	10	16	11.9	1.37	0.3	6.1	102	3.1	1.14	0.5	12/31/2010
789	137.00	137.55	0.55	6	0.03	0.25	0.0064	10	4	26	0.45	0.4	0.6	126	4	0.28	0.5	12/31/2010
791	137.55	138.70	1.15	2.7	0.16	1.7	0.0109	10	23	10	0.96	0.4	5.5	96	4.7	1.19	0.5	12/31/2010
792	138.70	139.55	0.85	3.1	0.18	1.9	0.0076	10	31	11.4	1.8	0.7	8.5	84	4.7	1.98	0.5	12/31/2010
793	139.55	140.10	0.55	22.8	0.08	1.1	0.0186	10	12	89	0.69	6	2.5	117	14.5	0.78	0.5	12/31/2010
794	140.10	141.00	0.90	2	0.27	2.9	0.0045	10	31	5	2	7.7	9.2	59	8.8	1.95	0.5	12/31/2010
795	141.00	142.00	1.00	2	0.34	3.9	0.0097	10	34	4.7	2.14	15.3	9.7	61	33.1	2.13	0.5	12/31/2010
796	142.00	143.00	1.00	1.1	0.26	3.6	0.00025	10	23	2.8	2.03	10.1	8.5	51	18.3	2.04	0.5	12/31/2010
797	143.00	144.00	1.00	11.4	0.21	2.3	0.0407	10	22	28.1	1.35	4.2	7.2	61	6.4	1.89	0.5	12/31/2010
798	144.00	145.00	1.00	6.6	0.21	3.3	0.0079	10	24	14.7	1.77	24.4	9.3	53	13.9	2.33	0.5	12/31/2010
799	145.00	145.95	0.95	13.4	0.2	4.2	0.0441	10	22	28.4	1.56	9.4	8.6	58	20.4	1.94	0.5	12/31/2010
801	145.95	146.30	0.35	12	0.16	2	0.03	10	11	27.2	0.47	0.05	4.3	181	56.8	0.79	0.5	12/31/2010
802	146.30	146.85	0.55	14.9	0.05	2	0.0441	10	5	31.2	0.21	8.2	3.3	129	75.1	0.39	0.5	12/31/2010
803	146.85	147.50	0.65	67.6	0.09	4.7	0.1867	10	10	242.8	0.5	0.4	10.9	110	31.6	0.95	0.5	12/31/2010
804	147.50	147.90	0.40	5.8	0.02	0.25	0.0118	10	3	15	0.59	0.1	0.6	79	4.2	0.15	0.5	12/31/2010
805	147.90	148.90	1.00	15.5	0.09	1.6	0.026	10	11	42.2	0.6	0.05	2.3	92	9.5	0.46	0.5	12/31/2010
806	148.90	150.00	1.10	5.6	0.22	5.6	0.0251	10	21	11	2.41	0.3	9.3	56	30.2	1.45	0.5	12/31/2010
807	150.00	151.00	1.00	2	0.42	1.8	0.0045	10	25	1.3	2.17	0.2	9.7	66	52.9	1.63	1	12/31/2010



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
770																				
760																				
800																				
780																				
790																				
758	116.00	116.50	0.50	0.005	0.07	11	1.03	2.4	179.9	0.048	29.1	0.075	18.8	1.66	0.05	1.9	0.25		12/31/2010	
759	116.50	117.80	1.30	0.005	0.1	18	1.34	3.4	11.3	0.039	40.4	0.065	3.4	0.63	0.05	2.3	0.25		12/31/2010	
761	117.80	119.20	1.40	0.005	0.15	9	0.8	1.8	0.7	0.039	18.3	0.053	4.1	0.79	0.05	0.8	0.25		12/31/2010	
762	119.20	119.50	0.30	0.005	0.07	6	0.36	0.8	8	0.028	15.1	0.021	13	3.41	0.05	0.5	2.4		12/31/2010	
763	119.50	120.05	0.55	0.005	0.1	9	0.46	2.3	2	0.045	11.1	0.035	5.3	1	0.05	0.7	0.25		12/31/2010	
764	120.05	121.00	0.95	0.01	0.1	11	0.63	2.6	2.7	0.054	12.6	0.037	4.3	0.72	0.05	0.9	0.25		12/31/2010	
765	121.00	122.00	1.00	0.005	0.09	11	0.54	2.8	0.2	0.027	12.1	0.04	2.2	0.43	0.05	0.7	0.25		12/31/2010	
766	122.00	123.00	1.00	0.005	0.08	12	0.77	2.6	1.4	0.031	13.1	0.037	2.4	0.38	0.05	1.4	0.25		12/31/2010	
767	123.00	124.50	1.50	0.005	0.12	8	0.61	1.3	1.3	0.036	12.7	0.039	4.3	0.84	0.05	0.7	0.25		12/31/2010	
768	124.50	125.10	0.60	0.005	0.05	5	0.15	0.6	66	0.011	7.9	0.013	60.4	0.94	0.3	0.3	0.5		12/31/2010	
769	125.10	126.00	0.90	0.005	0.1	6	0.73	1	2.5	0.019	14.1	0.032	6.2	1.34	0.1	0.8	0.25		12/31/2010	
771	126.00	127.00	1.00	0.01	0.15	8	0.61	1.9	1.1	0.032	15.6	0.047	5.9	1.26	0.05	0.8	0.25		12/31/2010	
772	127.00	128.00	1.00	0.005	0.1	5	0.58	1.3	0.7	0.028	13.6	0.035	3.4	1.1	0.05	0.7	0.25		12/31/2010	
773	128.00	129.00	1.00	0.005	0.13	5	0.81	1.1	6.4	0.022	15.9	0.039	20.9	0.95	0.05	0.6	0.25		12/31/2010	
774	129.00	129.80	0.80	0.005	0.14	4	0.86	0.8	23.2	0.022	16.1	0.041	29.9	0.83	0.1	0.7	0.25		12/31/2010	
775	129.80	130.30	0.50	0.02	0.01	0.5	0.27	0.05	19	0.003	4.9	0.001	221.5	0.16	0.4	0.1	0.25		12/31/2010	
776	130.30	130.65	0.35	0.005	0.005	0.5	0.15	0.05	33.4	0.002	3.7	0.002	47.9	0.08	0.1	0.05	0.25		12/31/2010	
777	130.65	131.30	0.65	0.01	0.01	0.5	0.22	0.05	78.2	0.002	4.5	0.0005	233.7	0.11	0.1	0.05	0.25		12/31/2010	
778	131.30	131.75	0.45	0.005	0.03	0.5	0.2	0.05	290.6	0.003	8.3	0.004	514.6	0.43	0.4	0.05	0.25		12/31/2010	
779	131.75	132.15	0.40	0.005	0.01	0.5	0.04	0.05	3.9	0.003	4.2	0.0005	58.1	0.14	0.05	0.05	0.25		12/31/2010	
781	132.15	132.60	0.45	0.005	0.02	0.5	0.12	0.2	98.9	0.003	8.2	0.001	5290.6	0.59	0.7	0.1	2.3		12/31/2010	
782	132.60	132.95	0.35	0.005	0.11	2	1.89	0.4	9.5	0.008	62	0.029	889.5	1.81	0.05	1.3	0.9		12/31/2010	
783	132.95	133.25	0.30	0.01	0.04	0.5	0.22	0.1	327.1	0.003	14.8	0.004	8271.1	1.47	0.5	0.1	2.5		12/31/2010	

784	133.25	134.00	0.75	0.02	0.11	4	0.46	0.8	47.2	0.013	11.8	0.035	70.8	0.99	0.05	0.3	0.25	12/31/2010
785	134.00	135.00	1.00	0.02	0.13	6	0.59	1.1	0.3	0.03	12	0.038	59.4	1.01	0.05	0.6	0.25	12/31/2010
786	135.00	136.00	1.00	0.005	0.13	6	0.57	1.2	0.6	0.033	13.2	0.042	23.2	1.27	0.05	0.7	0.25	12/31/2010
787	136.00	136.40	0.40	0.005	0.11	6	0.5	1.1	0.4	0.024	10.6	0.036	8.4	1.05	0.05	0.6	0.25	12/31/2010
788	136.40	137.00	0.60	0.005	0.08	4	0.24	0.9	1.9	0.014	7.2	0.025	18.9	0.89	0.05	0.3	0.25	12/31/2010
789	137.00	137.55	0.55	0.005	0.01	1	0.06	0.1	0.8	0.003	3	0.001	38.8	0.05	0.1	0.05	0.25	12/31/2010
791	137.55	138.70	1.15	0.005	0.09	12	0.12	1.8	24.6	0.016	8	0.025	35.3	1.08	0.05	0.2	0.25	12/31/2010
792	138.70	139.55	0.85	0.005	0.11	5	0.46	1.1	6.5	0.019	11.4	0.045	31.1	1.62	0.05	0.3	0.25	12/31/2010
793	139.55	140.10	0.55	0.05	0.05	1	0.17	0.3	911.4	0.005	4.7	0.005	198.9	0.57	0.05	0.1	0.5	12/31/2010
794	140.10	141.00	0.90	0.05	0.16	5	0.53	1.2	5.3	0.016	11.8	0.04	29.7	1.24	0.1	0.4	0.25	12/31/2010
795	141.00	142.00	1.00	0.1	0.19	6	0.59	1.5	0.4	0.016	12.6	0.04	35.3	1.31	0.05	0.5	0.25	12/31/2010
796	142.00	143.00	1.00	0.06	0.13	8	0.59	1.8	0.7	0.016	12.7	0.038	29.6	1.15	0.2	0.5	0.25	12/31/2010
797	143.00	144.00	1.00	0.04	0.13	6	0.42	1.2	41.6	0.02	10.1	0.033	218.5	1.43	0.1	0.3	0.25	12/31/2010
798	144.00	145.00	1.00	0.13	0.14	4	0.57	1.1	15.5	0.023	13.4	0.038	179.7	1.92	0.1	0.5	0.6	12/31/2010
799	145.00	145.95	0.95	0.06	0.13	5	0.43	1.1	38.3	0.01	12.6	0.033	219.7	1.49	0.1	0.4	0.25	12/31/2010
801	145.95	146.30	0.35	0.005	0.06	2	0.17	0.3	1387.1	0.004	9.4	0.004	165.2	0.41	0.05	0.1	0.25	12/31/2010
802	146.30	146.85	0.55	0.05	0.03	2	0.06	0.2	9.6	0.005	4.3	0.001	380.3	0.2	0.05	0.05	0.25	12/31/2010
803	146.85	147.50	0.65	0.01	0.05	1	0.15	0.2	87.3	0.004	14	0.006	510.8	0.75	0.2	0.2	0.25	12/31/2010
804	147.50	147.90	0.40	0.005	0.01	0.5	0.03	0.05	25.5	0.002	1.5	0.0005	36.7	0.05	0.05	0.05	0.25	12/31/2010
805	147.90	148.90	1.00	0.01	0.05	2	0.04	0.3	191.1	0.005	5.6	0.004	32	0.32	0.2	0.1	0.25	12/31/2010
806	148.90	150.00	1.10	0.01	0.12	6	0.27	1	11.5	0.021	11.7	0.025	31	1.15	0.1	0.4	0.25	12/31/2010
807	150.00	151.00	1.00	0.005	0.13	8	0.51	1.5	0.3	0.032	9.2	0.025	18.5	0.58	0.05	0.4	0.25	12/31/2010



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
770									
760									
800									
780									
790									
758	116.00	116.50	0.50	0.05	0.5	22	0.1	52	12/31/2010
759	116.50	117.80	1.30	0.05	0.4	22	0.05	65	12/31/2010
761	117.80	119.20	1.40	0.05	0.3	7	0.1	47	12/31/2010
762	119.20	119.50	0.30	0.05	0.1	5	0.05	32	12/31/2010
763	119.50	120.05	0.55	0.05	0.3	6	0.1	29	12/31/2010
764	120.05	121.00	0.95	0.05	0.4	8	0.1	42	12/31/2010
765	121.00	122.00	1.00	0.05	0.3	5	0.05	41	12/31/2010
766	122.00	123.00	1.00	0.05	0.3	7	0.05	55	12/31/2010
767	123.00	124.50	1.50	0.05	0.3	7	0.05	62	12/31/2010
768	124.50	125.10	0.60	0.05	0.3	1	1.2	19	12/31/2010
769	125.10	126.00	0.90	0.05	0.3	5	0.05	35	12/31/2010
771	126.00	127.00	1.00	0.05	0.4	5	0.1	39	12/31/2010
772	127.00	128.00	1.00	0.05	0.3	5	0.1	41	12/31/2010
773	128.00	129.00	1.00	0.05	0.3	4	0.2	58	12/31/2010
774	129.00	129.80	0.80	0.05	0.5	5	0.3	74	12/31/2010
775	129.80	130.30	0.50	0.05	0.05	1	0.05	209	12/31/2010
776	130.30	130.65	0.35	0.05	0.05	1	0.05	15	12/31/2010
777	130.65	131.30	0.65	0.05	0.05	1	0.2	25	12/31/2010
778	131.30	131.75	0.45	0.05	0.3	1	0.5	60	12/31/2010
779	131.75	132.15	0.40	0.05	0.05	1	0.05	19	12/31/2010
781	132.15	132.60	0.45	0.05	0.05	1	0.2	0.5	12/31/2010
782	132.60	132.95	0.35	0.05	0.2	4	0.3	191	12/31/2010
783	132.95	133.25	0.30	0.05	0.05	1	0.6	94	12/31/2010

784	133.25	134.00	0.75	0.05	0.3	1	0.3	126	12/31/2010
785	134.00	135.00	1.00	0.05	0.2	3	0.2	238	12/31/2010
786	135.00	136.00	1.00	0.05	0.3	3	0.4	88	12/31/2010
787	136.00	136.40	0.40	0.05	0.2	2	0.3	32	12/31/2010
788	136.40	137.00	0.60	0.05	0.1	1	28.7	31	12/31/2010
789	137.00	137.55	0.55	0.05	0.05	1	2.2	36	12/31/2010
791	137.55	138.70	1.15	0.05	0.3	1	34.4	44	12/31/2010
792	138.70	139.55	0.85	0.05	0.4	1	3.2	68	12/31/2010
793	139.55	140.10	0.55	0.05	0.05	1	1	740	12/31/2010
794	140.10	141.00	0.90	0.05	0.3	2	0.2	866	12/31/2010
795	141.00	142.00	1.00	0.05	0.3	2	0.3	1681	12/31/2010
796	142.00	143.00	1.00	0.05	0.3	1	0.2	1115	12/31/2010
797	143.00	144.00	1.00	0.05	0.3	1	0.3	474	12/31/2010
798	144.00	145.00	1.00	0.05	0.3	1	0.4	2727	12/31/2010
799	145.00	145.95	0.95	0.05	0.2	1	0.6	1049	12/31/2010
801	145.95	146.30	0.35	0.05	0.05	2	2.4	40	12/31/2010
802	146.30	146.85	0.55	0.05	0.05	1	0.1	916	12/31/2010
803	146.85	147.50	0.65	0.05	0.05	1	0.4	44	12/31/2010
804	147.50	147.90	0.40	0.05	0.05	1	0.05	20	12/31/2010
805	147.90	148.90	1.00	0.05	1.5	1	1	13	12/31/2010
806	148.90	150.00	1.10	0.05	0.3	2	0.5	36	12/31/2010
807	150.00	151.00	1.00	0.05	0.4	2	0.3	42	12/31/2010



<i>Sample</i>	<i>From</i>	<i>To</i>	<i>Len.</i>	<i>Ag</i> <i>ppm</i>	<i>Al</i> <i>%</i>	<i>As</i> <i>ppm</i>	<i>Au</i> <i>ppm</i>	<i>B</i> <i>ppm</i>	<i>Ba</i> <i>ppm</i>	<i>Bi</i> <i>ppm</i>	<i>Ca</i> <i>%</i>	<i>Cd</i> <i>ppm</i>	<i>Co</i> <i>ppm</i>	<i>Cr</i> <i>ppm</i>	<i>Cu</i> <i>ppm</i>	<i>Fe</i> <i>%</i>	<i>Ga</i> <i>ppm</i>	<i>Lab Report</i>
810																		
808	104.50	105.50	1.00	6.5	0.29	3.3	0.0183	10	26	11.7	2.13	1	10.1	79	16	1.93	0.5	12/31/2010
809	105.50	105.95	0.45	100	0.12	4.9	0.3649	10	14	294.7	0.95	27.8	13.2	133	176.4	1.79	0.5	12/31/2010
811	105.95	107.00	1.05	0.4	0.57	2.8	0.011	10	30	1.5	2.28	0.3	5.8	54	63.3	0.89	1	12/31/2010
812	107.00	108.00	1.00	0.3	0.42	2	0.0125	10	21	0.6	2.67	0.2	10.2	71	99.2	1.5	1	12/31/2010
813	108.00	109.00	1.00	0.2	0.43	2	0.0033	10	21	0.1	2.99	0.1	6.1	58	27.6	0.87	1	12/31/2010
814	161.30	161.70	0.40	0.3	0.23	2	0.00025	10	24	0.4	1.96	0.2	6.6	82	9	1.16	0.5	12/31/2010



<i>Sample</i>	<i>From</i>	<i>To</i>	<i>Len.</i>	<i>Hg</i> <i>ppm</i>	<i>K</i> <i>%</i>	<i>La</i> <i>ppm</i>	<i>Mg</i> <i>%</i>	<i>Mn</i> <i>ppm</i>	<i>Mo</i> <i>ppm</i>	<i>Na</i> <i>%</i>	<i>Ni</i> <i>ppm</i>	<i>P</i> <i>%</i>	<i>Pb</i> <i>ppm</i>	<i>S</i> <i>%</i>	<i>Sb</i> <i>ppm</i>	<i>Sc</i> <i>ppm</i>	<i>Se</i> <i>ppm</i>	<i>Th</i> <i>ppm</i>	<i>Lab Report</i>	
810																				
808	104.50	105.50	1.00	0.02	0.16	8	0.62	1.5	15.8	0.019	12.2	0.037	26.6	0.9	0.05	0.6	0.25		12/31/2010	
809	105.50	105.95	0.45	0.36	0.07	3	0.18	0.5	211.9	0.007	13	0.012	3928.3	1.75	0.2	0.3	1.2		12/31/2010	
811	105.95	107.00	1.05	0.02	0.19	23	0.34	2.2	0.8	0.016	14.2	0.036	4.2	0.1	0.05	0.6	0.25		12/31/2010	
812	107.00	108.00	1.00	0.005	0.13	22	0.49	3.1	0.6	0.017	13.2	0.038	5.7	0.53	0.05	0.5	0.25		12/31/2010	
813	108.00	109.00	1.00	0.01	0.12	28	0.38	2.9	0.6	0.022	13.6	0.035	2.7	0.1	0.05	0.7	0.25		12/31/2010	
814	161.30	161.70	0.40	0.005	0.11	4	0.21	0.5	0.3	0.012	8.9	0.019	5.2	0.53	0.05	0.2	0.25		12/31/2010	



<i>Sample</i>	<i>From</i>	<i>To</i>	<i>Len.</i>	<i>Tl</i> <i>ppm</i>	<i>U</i> <i>ppm</i>	<i>V</i> <i>ppm</i>	<i>W</i> <i>ppm</i>	<i>Zn</i> <i>ppm</i>	<i>Lab Report</i>
810									
808	104.50	105.50	1.00	0.05	0.2	1	0.4	125	12/31/2010
809	105.50	105.95	0.45	0.05	0.2	1	0.7	3291	12/31/2010
811	105.95	107.00	1.05	0.05	0.4	3	0.5	62	12/31/2010
812	107.00	108.00	1.00	0.05	0.4	1	0.4	62	12/31/2010
813	108.00	109.00	1.00	0.05	1.7	1	0.3	46	12/31/2010
814	161.30	161.70	0.40	0.05	0.2	1	0.1	39	12/31/2010



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
840																		
820																		
830																		
815	121.70	122.20	0.50	1.7	0.36	9.1	0.2732	10	24	5.1	2.36	0.4	25.5	58	38.7	2.23	0.5	12/31/2010
816	122.20	123.15	0.95	0.8	0.42	8.2	0.0354	10	14	2.8	3.63	0.1	14.7	100	35.9	1.44	1	12/31/2010
817	123.15	123.60	0.45	2	0.36	10.6	0.0271	10	19	4.2	3.19	0.4	14.9	70	156.3	1.49	0.5	12/31/2010
818	123.60	124.10	0.50	0.05	0.26	5.7	0.0374	10	25	0.2	1.5	0.1	5.9	46	4.3	0.92	0.5	12/31/2010
819	137.65	138.50	0.85	0.4	0.67	10.7	0.0077	10	23	0.4	7.46	0.3	20.7	47	121.7	4.02	1	12/31/2010
821	138.50	138.85	0.35	100	0.2	12.8	5	10	6	235.5	2.07	618.5	36.1	91	5182.6	2.19	0.5	12/31/2010
822	138.85	139.35	0.50	100	0.34	5	2.4734	10	10	264.9	2.92	167.9	14	94	1648.5	2.36	1	12/31/2010
823	139.35	139.85	0.50	2.3	0.41	1.2	0.0084	10	30	0.6	4.37	0.7	5.8	46	114.3	2.6	0.5	12/31/2010
824	139.85	141.00	1.15	0.9	0.64	1.8	0.0097	10	53	0.5	3.07	0.6	8	51	35.8	2.06	1	12/31/2010
825	141.00	141.40	0.40	12.5	0.21	3.3	0.2848	10	17	20.2	2.19	2.8	9	93	115.9	1.69	0.5	12/31/2010
826	141.40	141.65	0.25	56.3	0.19	1.1	1.5943	10	14	103.3	0.55	53	4.8	130	762.1	0.59	0.5	12/31/2010
827	141.65	142.45	0.80	6.3	0.63	4.2	0.1206	10	18	6.7	4.85	6.8	9.3	70	1136.6	2.07	1	12/31/2010
828	142.45	142.80	0.35	0.9	0.68	1.9	0.0249	10	16	1	8.46	0.5	11.7	79	168.8	3.83	2	12/31/2010
829	142.80	143.70	0.90	6	0.2	0.9	0.025	10	6	11.8	2.32	0.4	3.9	114	20.3	1.25	0.5	12/31/2010
831	143.70	144.40	0.70	0.2	0.37	2.5	0.0125	10	24	0.4	5.23	0.2	17.9	50	39.4	3.17	0.5	12/31/2010
832	144.40	145.10	0.70	0.3	0.35	6.4	0.0217	10	31	0.7	3.83	0.2	31.6	55	39.4	2.79	0.5	12/31/2010
833	145.10	145.60	0.50	2.1	0.22	3.7	0.088	10	9	5.1	6.04	19.2	13.7	50	62	2.99	0.5	12/31/2010
834	145.60	146.35	0.75	5.5	0.18	4.6	0.2493	10	8	11.1	2.94	35.4	15.9	102	750.2	1.84	0.5	12/31/2010
835	146.35	147.00	0.65	0.2	0.45	2.3	0.0017	10	28	0.2	2.38	0.1	11.5	52	7.7	1.78	0.5	12/31/2010
836	160.20	161.00	0.80	1	0.33	4.8	0.0108	10	24	2.2	2.66	1.1	10.8	50	115.5	1.67	0.5	12/31/2010
837	161.00	161.75	0.75	7.5	0.13	6.5	0.3852	10	7	14.1	1.76	13.6	11.2	153	86.3	1.39	0.5	12/31/2010
838	161.75	162.50	0.75	4.5	0.13	2.5	0.0217	10	4	5.4	1.45	4	5.7	77	62.4	0.54	0.5	12/31/2010
839	162.50	163.10	0.60	0.8	0.41	2.7	0.0007	10	28	0.6	2.43	0.3	8	42	74.2	0.87	1	12/31/2010
841	163.10	164.60	1.50	3.9	0.5	3.2	0.0033	10	30	3.7	1.8	7.3	9	54	240.4	0.73	1	12/31/2010



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
840																				
820																				
830																				
815	121.70	122.20	0.50	0.01	0.14	6	0.56	0.7	0.8	0.012	27.4	0.049	7.1	1.67	0.05	0.9	0.5		12/31/2010	
816	122.20	123.15	0.95	0.005	0.08	5	0.24	0.5	1.7	0.008	23.3	0.027	10.9	0.66	0.05	0.7	0.25		12/31/2010	
817	123.15	123.60	0.45	0.005	0.1	8	0.4	1	2.2	0.008	23.5	0.045	12.9	0.6	0.05	0.6	0.25		12/31/2010	
818	123.60	124.10	0.50	0.005	0.14	12	0.28	1.4	0.4	0.011	18.9	0.052	2.2	0.38	0.05	0.4	0.25		12/31/2010	
819	137.65	138.50	0.85	0.005	0.14	7	2.53	0.9	0.6	0.013	63.8	0.038	5.8	0.25	0.05	2.4	0.25		12/31/2010	
821	138.50	138.85	0.35	3.22	0.03	2	0.43	0.3	0.4	0.004	20.7	0.01	1418.7	2.3	0.7	0.5	6.1		12/31/2010	
822	138.85	139.35	0.50	0.9	0.04	1	0.78	0.2	0.6	0.004	16.7	0.011	1702.3	0.81	0.4	0.8	2.9		12/31/2010	
823	139.35	139.85	0.50	0.005	0.16	15	1.25	1.3	1.3	0.014	15.1	0.104	9.5	0.025	0.05	1.4	0.25		12/31/2010	
824	139.85	141.00	1.15	0.005	0.28	16	0.92	1.4	0.6	0.022	20	0.119	8.5	0.17	0.05	1.4	0.25		12/31/2010	
825	141.00	141.40	0.40	0.03	0.1	8	0.65	0.8	0.6	0.008	14.7	0.02	182.7	0.35	0.1	0.5	0.25		12/31/2010	
826	141.40	141.65	0.25	0.47	0.08	3	0.14	0.3	0.5	0.007	7.1	0.011	1760.5	0.35	0.1	0.2	1.6		12/31/2010	
827	141.65	142.45	0.80	0.07	0.11	6	0.77	0.7	1.4	0.01	31	0.057	37.3	0.23	0.1	1.5	0.25		12/31/2010	
828	142.45	142.80	0.35	0.005	0.08	7	1.86	0.5	1.3	0.009	33.2	0.035	6.9	0.025	0.05	2.3	0.25		12/31/2010	
829	142.80	143.70	0.90	0.005	0.03	1	0.51	0.1	0.7	0.004	10.8	0.011	50.7	0.025	0.05	0.5	0.25		12/31/2010	
831	143.70	144.40	0.70	0.005	0.13	6	1.42	0.7	0.5	0.013	32.1	0.026	3.9	0.26	0.05	1.3	0.25		12/31/2010	
832	144.40	145.10	0.70	0.005	0.17	6	1.07	1	1.8	0.014	40.8	0.035	3.3	0.76	0.05	1.4	0.25		12/31/2010	
833	145.10	145.60	0.50	0.18	0.04	6	1.37	0.4	0.3	0.006	20.3	0.031	10.3	0.25	0.05	1.4	0.25		12/31/2010	
834	145.60	146.35	0.75	0.36	0.04	2	0.55	0.2	0.5	0.006	15.3	0.01	28.7	0.54	0.1	0.6	0.25		12/31/2010	
835	146.35	147.00	0.65	0.005	0.15	11	0.65	1.2	0.5	0.013	19.2	0.044	4.2	0.29	0.05	0.8	0.25		12/31/2010	
836	160.20	161.00	0.80	0.01	0.13	7	0.44	0.8	0.2	0.011	9.9	0.031	9.9	0.86	0.05	0.7	0.25		12/31/2010	
837	161.00	161.75	0.75	0.11	0.04	2	0.24	0.1	0.4	0.006	13.5	0.015	50.4	0.85	0.05	0.2	0.25		12/31/2010	
838	161.75	162.50	0.75	0.03	0.02	2	0.11	0.1	0.5	0.002	7.5	0.004	7.3	0.18	0.05	0.2	0.25		12/31/2010	
839	162.50	163.10	0.60	0.02	0.17	10	0.27	1.2	0.3	0.018	10.4	0.031	3.3	0.13	0.05	0.7	0.25		12/31/2010	
841	163.10	164.60	1.50	0.08	0.18	8	0.17	1.2	0.2	0.023	10.2	0.029	5.6	0.18	0.05	0.4	0.25		12/31/2010	



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
840									
820									
830									
815	121.70	122.20	0.50	0.05	0.2	2	0.4	60	12/31/2010
816	122.20	123.15	0.95	0.05	0.2	3	0.4	59	12/31/2010
817	123.15	123.60	0.45	0.05	0.2	4	0.3	59	12/31/2010
818	123.60	124.10	0.50	0.05	0.5	1	0.3	21	12/31/2010
819	137.65	138.50	0.85	0.1	0.1	11	0.3	101	12/31/2010
821	138.50	138.85	0.35	0.05	0.05	2	0.2	10000	12/31/2010
822	138.85	139.35	0.50	0.05	0.05	4	0.1	10000	12/31/2010
823	139.35	139.85	0.50	0.05	0.6	5	0.2	106	12/31/2010
824	139.85	141.00	1.15	0.05	0.7	7	0.2	90	12/31/2010
825	141.00	141.40	0.40	0.05	0.1	3	0.2	296	12/31/2010
826	141.40	141.65	0.25	0.05	0.05	1	0.1	5548	12/31/2010
827	141.65	142.45	0.80	0.05	0.1	11	0.7	773	12/31/2010
828	142.45	142.80	0.35	0.05	0.05	11	0.3	149	12/31/2010
829	142.80	143.70	0.90	0.05	0.05	2	0.05	69	12/31/2010
831	143.70	144.40	0.70	0.05	0.1	6	0.1	62	12/31/2010
832	144.40	145.10	0.70	0.05	0.1	5	0.1	40	12/31/2010
833	145.10	145.60	0.50	0.05	0.05	5	0.1	2044	12/31/2010
834	145.60	146.35	0.75	0.05	0.3	3	0.2	3789	12/31/2010
835	146.35	147.00	0.65	0.05	0.4	3	0.2	48	12/31/2010
836	160.20	161.00	0.80	0.05	0.4	1	0.1	145	12/31/2010
837	161.00	161.75	0.75	0.05	0.05	1	0.05	1294	12/31/2010
838	161.75	162.50	0.75	0.05	0.05	1	0.1	388	12/31/2010
839	162.50	163.10	0.60	0.05	0.5	2	0.5	70	12/31/2010
841	163.10	164.60	1.50	0.05	0.5	9	1.3	582	12/31/2010



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
850																		
890																		
880																		
860																		
870																		
842	75.60	76.10	0.50	0.05	1.06	0.5	0.0034	10	15	0.6	2.21	0.05	8.1	54	3.2	1.79	3	12/31/2010
843	76.10	76.35	0.25	0.5	1.53	2.3	0.0037	10	7	8.3	9.6	0.1	16.7	46	65.1	3.19	4	12/31/2010
844	76.35	76.85	0.50	0.05	1.25	0.25	0.0008	10	18	0.2	1.87	0.05	6.9	52	2.8	1.86	4	12/31/2010
845	83.70	84.40	0.70	0.05	1.29	1	0.0014	10	19	0.2	1.98	0.05	10.1	51	38.1	1.98	4	12/31/2010
846	84.40	84.70	0.30	0.05	1.3	2.5	0.0009	10	18	0.4	4.08	0.05	9.4	40	18.9	2.14	4	12/31/2010
847	84.70	85.60	0.90	0.05	1.3	1.1	0.0017	10	21	0.3	2.37	0.05	10	45	73.6	2.03	4	12/31/2010
848	85.60	86.00	0.40	0.05	1.35	0.8	0.003	10	23	0.4	2.02	0.05	10.3	46	18.5	2.06	4	12/31/2010
849	86.00	86.25	0.25	0.2	0.39	0.6	0.00025	10	13	0.4	1.69	0.05	4.2	65	12.3	0.77	1	12/31/2010
851	86.25	87.00	0.75	0.1	1.3	1	0.0019	10	19	0.5	1.55	0.05	12.4	60	69	2.01	4	12/31/2010
852	99.00	99.70	0.70	0.05	1.32	0.8	0.0013	10	23	0.3	3.92	0.2	8.5	47	4	1.95	4	12/31/2010
853	99.70	99.90	0.20	0.05	0.95	1.2	0.0051	10	21	0.4	5.21	0.2	7.1	51	45.6	2.24	3	12/31/2010
854	99.90	100.45	0.55	0.05	1.14	1	0.0017	10	20	0.6	1.94	0.05	9.7	47	1.9	1.88	4	12/31/2010
855	100.45	100.65	0.20	0.2	0.96	2.1	0.0034	10	25	1.6	3.69	0.2	16	46	10.7	2.16	3	12/31/2010
856	100.65	101.85	1.20	1.5	1.17	0.8	0.0211	10	18	29.6	2.69	0.05	8.6	50	6.4	1.92	4	12/31/2010
857	101.85	102.05	0.20	0.05	1.5	0.8	0.0006	10	14	0.05	4.06	0.1	8.5	54	6.8	3.02	5	12/31/2010
858	102.05	103.25	1.20	0.05	1.35	0.6	0.0011	10	20	0.4	2.72	0.1	10.9	52	17.3	2.2	5	12/31/2010
859	103.25	103.45	0.20	0.05	0.81	0.7	0.00025	10	23	0.2	1.94	0.05	4.8	70	9.6	1.37	3	12/31/2010
861	103.45	104.80	1.35	0.05	1.22	0.8	0.001	10	32	0.4	2.34	0.1	8.7	52	30.2	1.92	4	12/31/2010
862	104.80	105.15	0.35	0.05	0.65	2.4	0.0012	10	38	0.3	1.05	0.05	5.9	94	14.9	1.06	2	12/31/2010
863	105.15	106.00	0.85	0.05	1.44	0.7	0.0013	10	32	0.6	2.53	0.05	13.4	51	20.3	2.47	5	12/31/2010
864	135.60	136.60	1.00	0.2	1.01	0.6	0.00025	10	25	0.5	2.96	0.05	8.9	65	28.4	1.89	3	12/31/2010
865	136.60	136.90	0.30	100	0.22	5.4	0.1373	10	16	818.8	2.35	0.3	11.6	66	98.7	2.17	0.5	12/31/2010
866	136.90	138.00	1.10	0.2	0.87	1	0.00025	10	24	1.2	2.85	0.05	7.9	59	15.1	1.9	3	12/31/2010

867	138.00	139.00	1.00	4.8	0.56	1.6	0.0092	10	23	53	3.06	0.1	10.2	56	27.3	2.01	2	12/31/2010
868	139.00	139.40	0.40	0.4	0.46	1.4	0.0012	10	19	1.6	2.68	0.1	10.7	56	16.2	1.96	1	12/31/2010
869	139.40	140.10	0.70	0.8	0.39	1.5	0.0012	10	21	14	2.98	0.05	9.4	59	12.4	1.68	1	12/31/2010
871	140.10	140.70	0.60	0.3	0.66	1.5	0.00025	10	23	0.4	2.66	0.05	8.9	59	16.9	1.86	2	12/31/2010
872	140.70	141.25	0.55	1.6	0.35	1.8	0.0037	10	23	17	2.65	0.05	9.6	66	11.7	2.01	0.5	12/31/2010
873	141.25	141.75	0.50	1.3	0.28	3.1	0.0016	10	27	7.3	2.56	0.1	11	59	79.2	1.85	0.5	12/31/2010
874	141.75	142.30	0.55	24.9	0.07	1.4	0.0577	10	6	399	1.24	0.05	6.1	46	45.7	1.06	0.5	12/31/2010
875	142.30	142.90	0.60	12.1	0.03	0.6	0.0479	10	4	466.1	0.25	0.05	7.1	86	41.7	1.37	0.5	12/31/2010
876	142.90	143.90	1.00	6.2	0.01	0.25	0.0079	10	2	68.5	0.23	0.05	0.8	200	10.4	0.28	0.5	12/31/2010
877	143.90	144.65	0.75	3.7	0.02	0.25	0.00025	10	2	34.8	0.8	0.05	0.7	136	6.1	0.23	0.5	12/31/2010
878	144.65	145.10	0.45	2.8	0.08	0.25	0.0026	10	10	19.8	1.28	0.05	2.9	173	5.9	0.64	0.5	12/31/2010
879	145.10	146.00	0.90	3.6	0.19	1.2	0.0074	10	23	21.1	2	0.4	10.8	84	16.4	2.3	0.5	12/31/2010
881	146.00	147.00	1.00	9.6	0.13	1.4	0.0388	10	14	95.5	2.24	0.3	10.3	58	137	2.24	0.5	12/31/2010
882	147.00	148.00	1.00	2.4	0.17	1.3	0.0055	10	21	14.9	2.15	0.2	10.4	70	48.4	2.16	0.5	12/31/2010
883	148.00	149.00	1.00	3.8	0.17	1	0.0042	10	21	39.4	2.05	1.1	8.4	108	15	2.03	0.5	12/31/2010
884	149.00	150.00	1.00	2.8	0.16	1.5	0.0062	10	19	19.4	2.3	0.2	16.8	84	11.5	2.53	0.5	12/31/2010
885	150.00	151.00	1.00	8.4	0.16	1.6	0.0116	10	17	47.5	1.88	1.4	9.4	86	19.7	2.28	0.5	12/31/2010
886	151.00	151.70	0.70	57.6	0.23	2.2	0.0743	10	25	334.8	1.88	1.1	10.6	100	59.2	2.37	0.5	12/31/2010
887	151.70	153.00	1.30	2.8	0.24	3.2	0.0114	10	22	10.6	2.22	0.05	11.1	49	9	2.47	0.5	12/31/2010
888	153.00	154.00	1.00	8.7	0.23	1.9	0.0203	10	23	38	2.2	0.05	7.8	65	7.5	1.92	0.5	12/31/2010
889	154.00	155.00	1.00	9.9	0.27	3.1	0.0518	10	27	25.5	1.69	1.7	8.9	67	8.1	1.49	0.5	12/31/2010
891	155.00	155.85	0.85	15.4	0.27	4.3	2.9282	10	24	22.9	2.04	5.8	10.1	59	14.3	1.5	0.5	12/31/2010
892	155.85	156.30	0.45	7.8	0.23	4.6	0.0525	10	20	28.9	1.54	0.2	13.1	110	14.7	1.47	0.5	12/31/2010
893	156.30	157.10	0.80	8.9	0.07	1.3	0.8114	10	7	20.6	0.75	1	4.1	126	83.3	0.39	0.5	12/31/2010



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
850																				
890																				
880																				
860																				
870																				
842	75.60	76.10	0.50	0.005	0.06	6	0.59	1.8	0.6	0.046	12.7	0.042	1.1	0.27	0.05	1.1	0.25		12/31/2010	
843	76.10	76.35	0.25	0.005	0.03	9	1.45	1.2	0.4	0.013	18.1	0.028	3.1	0.15	0.05	1.9	0.25		12/31/2010	
844	76.35	76.85	0.50	0.005	0.07	11	0.72	2.6	0.2	0.049	13.7	0.042	1	0.025	0.05	1.2	0.25		12/31/2010	
845	83.70	84.40	0.70	0.005	0.07	12	0.74	2.6	0.5	0.046	14.6	0.041	1.2	0.11	0.05	1.3	0.25		12/31/2010	
846	84.40	84.70	0.30	0.005	0.07	9	0.79	3.4	1.3	0.033	13.2	0.049	1.9	0.22	0.05	1.7	0.25		12/31/2010	
847	84.70	85.60	0.90	0.005	0.08	12	0.78	2.5	0.4	0.042	16.1	0.042	1.5	0.14	0.05	1.3	0.25		12/31/2010	
848	85.60	86.00	0.40	0.005	0.09	15	0.79	5	0.2	0.031	21.2	0.052	1.8	0.15	0.05	1.4	0.25		12/31/2010	
849	86.00	86.25	0.25	0.005	0.05	10	0.21	4.5	0.5	0.032	7.8	0.014	7.3	0.22	0.05	0.5	0.25		12/31/2010	
851	86.25	87.00	0.75	0.005	0.06	13	0.78	3.4	33.8	0.056	15.7	0.041	2.7	0.2	0.05	1.5	0.25		12/31/2010	
852	99.00	99.70	0.70	0.005	0.09	12	0.7	3	0.5	0.045	14.1	0.042	2.2	0.13	0.05	1.1	0.25		12/31/2010	
853	99.70	99.90	0.20	0.005	0.08	8	1.19	2.3	0.3	0.039	10.5	0.04	1.5	0.025	0.05	1.6	0.25		12/31/2010	
854	99.90	100.45	0.55	0.005	0.08	12	0.64	3.1	0.3	0.045	14.9	0.046	1.1	0.27	0.05	1.1	0.25		12/31/2010	
855	100.45	100.65	0.20	0.005	0.09	13	0.79	3.5	0.2	0.045	12.4	0.048	1.7	0.5	0.05	1.1	0.25		12/31/2010	
856	100.65	101.85	1.20	0.005	0.06	15	0.67	3.4	0.3	0.049	14.2	0.048	6.7	0.23	0.05	1.3	0.25		12/31/2010	
857	101.85	102.05	0.20	0.005	0.05	10	1.26	2.1	0.1	0.033	22.4	0.033	1.4	0.025	0.05	2.5	0.25		12/31/2010	
858	102.05	103.25	1.20	0.005	0.06	14	0.79	3.1	0.2	0.066	16.2	0.043	1.5	0.25	0.05	1.8	0.25		12/31/2010	
859	103.25	103.45	0.20	0.005	0.08	11	0.53	3	0.3	0.059	9.4	0.042	1.2	0.025	0.05	1.3	0.25		12/31/2010	
861	103.45	104.80	1.35	0.005	0.05	14	0.7	3.3	0.3	0.058	13.6	0.044	1.5	0.19	0.05	1.5	0.25		12/31/2010	
862	104.80	105.15	0.35	0.005	0.05	6	0.37	2.1	0.3	0.056	9	0.024	1.2	0.14	0.05	0.9	0.25		12/31/2010	
863	105.15	106.00	0.85	0.005	0.07	14	0.85	3.1	0.8	0.07	18.9	0.043	2	0.53	0.05	2	0.25		12/31/2010	
864	135.60	136.60	1.00	0.005	0.14	9	0.7	1.3	0.2	0.028	12.4	0.043	5.1	0.15	0.05	0.9	0.25		12/31/2010	
865	136.60	136.90	0.30	0.005	0.08	4	0.4	0.6	2.9	0.011	9.7	0.022	63	1.44	0.05	0.4	1.8		12/31/2010	
866	136.90	138.00	1.10	0.005	0.14	9	0.71	1.4	0.3	0.033	12.6	0.043	3.7	0.14	0.05	0.9	0.25		12/31/2010	

867	138.00	139.00	1.00	0.005	0.14	8	0.53	1	1.5	0.032	13.7	0.041	14.1	0.93	0.05	0.8	0.25	12/31/2010
868	139.00	139.40	0.40	0.005	0.12	7	0.67	1.2	0.3	0.026	12.2	0.044	8.6	0.69	0.05	0.7	0.25	12/31/2010
869	139.40	140.10	0.70	0.005	0.13	7	0.45	1.1	2.1	0.027	11.8	0.038	8.4	0.86	0.05	0.7	0.25	12/31/2010
871	140.10	140.70	0.60	0.005	0.13	10	0.7	1.7	0.3	0.026	12.6	0.044	4.9	0.26	0.05	0.8	0.25	12/31/2010
872	140.70	141.25	0.55	0.005	0.13	6	0.51	1.2	15.9	0.024	13	0.041	4.3	1.21	0.05	0.6	0.25	12/31/2010
873	141.25	141.75	0.50	0.005	0.14	9	0.39	1	7.6	0.017	11.8	0.04	33.3	1.61	0.05	0.5	0.25	12/31/2010
874	141.75	142.30	0.55	0.005	0.03	3	0.04	0.4	580.7	0.006	6	0.011	73.8	1.01	0.5	0.4	0.9	12/31/2010
875	142.30	142.90	0.60	0.005	0.01	0.5	0.02	0.4	410.3	0.003	5.8	0.001	40.1	1.35	0.6	0.05	1.1	12/31/2010
876	142.90	143.90	1.00	0.005	0.005	0.5	0.005	0.05	3	0.004	3.3	0.002	10.3	0.05	0.2	0.05	0.25	12/31/2010
877	143.90	144.65	0.75	0.005	0.01	1	0.04	0.05	12	0.004	3.9	0.002	6.5	0.06	0.1	0.05	0.25	12/31/2010
878	144.65	145.10	0.45	0.005	0.05	4	0.18	0.3	45.7	0.013	5.5	0.01	3.3	0.39	0.05	0.2	0.25	12/31/2010
879	145.10	146.00	0.90	0.01	0.11	6	0.49	1.1	4.7	0.027	14.6	0.037	29.4	1.89	0.05	0.5	0.7	12/31/2010
881	146.00	147.00	1.00	0.005	0.07	6	0.67	1.1	3.6	0.015	13.8	0.04	76.4	1.69	0.1	0.5	0.25	12/31/2010
882	147.00	148.00	1.00	0.005	0.11	6	0.67	1.4	18	0.024	13.8	0.039	40.4	1.62	0.1	0.5	0.25	12/31/2010
883	148.00	149.00	1.00	0.005	0.11	6	0.61	1	27.1	0.027	12.9	0.034	34.7	1.47	0.1	0.5	0.25	12/31/2010
884	149.00	150.00	1.00	0.005	0.1	7	0.7	1.4	10.6	0.024	18.2	0.045	9.2	1.98	0.05	0.8	0.5	12/31/2010
885	150.00	151.00	1.00	0.005	0.09	5	0.55	0.9	10.3	0.024	13.1	0.035	69.8	1.7	0.2	0.5	0.6	12/31/2010
886	151.00	151.70	0.70	0.01	0.13	7	0.56	1.1	18	0.032	15.6	0.029	198.7	1.8	0.2	0.6	0.9	12/31/2010
887	151.70	153.00	1.30	0.005	0.12	6	0.43	0.8	4	0.028	14	0.045	7.8	2.08	0.05	0.6	0.25	12/31/2010
888	153.00	154.00	1.00	0.005	0.12	7	0.39	1.2	21.5	0.029	11.6	0.036	14.2	1.49	0.05	0.4	0.25	12/31/2010
889	154.00	155.00	1.00	0.01	0.13	8	0.15	1	32.8	0.017	12.2	0.034	26	1.27	0.05	0.3	0.25	12/31/2010
891	155.00	155.85	0.85	0.06	0.11	6	0.35	0.7	12.4	0.015	11.8	0.034	51.6	1.21	0.1	0.5	0.6	12/31/2010
892	155.85	156.30	0.45	0.005	0.1	7	0.09	0.6	15.3	0.009	16.3	0.024	15.1	1.24	0.05	0.3	0.25	12/31/2010
893	156.30	157.10	0.80	0.005	0.03	2	0.07	0.2	36.3	0.004	6.6	0.007	30.5	0.15	0.05	0.1	0.25	12/31/2010



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
850									
890									
880									
860									
870									
842	75.60	76.10	0.50	0.05	0.4	7	0.05	35	12/31/2010
843	76.10	76.35	0.25	0.05	0.2	11	0.2	46	12/31/2010
844	76.35	76.85	0.50	0.05	0.4	11	0.05	43	12/31/2010
845	83.70	84.40	0.70	0.05	0.5	11	0.05	45	12/31/2010
846	84.40	84.70	0.30	0.05	0.7	8	0.05	41	12/31/2010
847	84.70	85.60	0.90	0.05	0.5	9	0.1	46	12/31/2010
848	85.60	86.00	0.40	0.05	1.3	9	0.2	47	12/31/2010
849	86.00	86.25	0.25	0.05	2.2	2	0.2	13	12/31/2010
851	86.25	87.00	0.75	0.05	0.9	15	0.2	49	12/31/2010
852	99.00	99.70	0.70	0.05	1.3	8	0.05	48	12/31/2010
853	99.70	99.90	0.20	0.05	0.8	7	0.1	35	12/31/2010
854	99.90	100.45	0.55	0.05	0.7	8	0.1	45	12/31/2010
855	100.45	100.65	0.20	0.05	1	6	0.1	34	12/31/2010
856	100.65	101.85	1.20	0.05	0.7	10	0.1	43	12/31/2010
857	101.85	102.05	0.20	0.05	0.3	16	0.05	51	12/31/2010
858	102.05	103.25	1.20	0.05	0.4	14	0.2	43	12/31/2010
859	103.25	103.45	0.20	0.05	1	7	0.05	26	12/31/2010
861	103.45	104.80	1.35	0.05	0.6	12	0.2	41	12/31/2010
862	104.80	105.15	0.35	0.05	0.6	5	0.1	19	12/31/2010
863	105.15	106.00	0.85	0.05	0.8	16	0.1	53	12/31/2010
864	135.60	136.60	1.00	0.05	0.3	5	0.2	55	12/31/2010
865	136.60	136.90	0.30	0.05	0.2	1	0.3	31	12/31/2010
866	136.90	138.00	1.10	0.05	0.3	5	0.1	57	12/31/2010

867	138.00	139.00	1.00	0.05	1.6	4	0.2	38	12/31/2010
868	139.00	139.40	0.40	0.05	0.3	3	0.1	38	12/31/2010
869	139.40	140.10	0.70	0.05	0.3	2	0.2	28	12/31/2010
871	140.10	140.70	0.60	0.05	0.5	4	0.2	54	12/31/2010
872	140.70	141.25	0.55	0.05	0.3	2	0.3	29	12/31/2010
873	141.25	141.75	0.50	0.05	0.1	3	0.4	15	12/31/2010
874	141.75	142.30	0.55	0.05	0.1	6	1.5	8	12/31/2010
875	142.30	142.90	0.60	0.05	0.05	16	9.3	4	12/31/2010
876	142.90	143.90	1.00	0.05	0.05	2	1.3	5	12/31/2010
877	143.90	144.65	0.75	0.05	0.05	1	0.6	3	12/31/2010
878	144.65	145.10	0.45	0.05	0.05	1	0.8	5	12/31/2010
879	145.10	146.00	0.90	0.05	0.1	1	0.5	62	12/31/2010
881	146.00	147.00	1.00	0.05	0.1	1	0.4	30	12/31/2010
882	147.00	148.00	1.00	0.05	3.3	2	1	31	12/31/2010
883	148.00	149.00	1.00	0.05	0.2	2	0.4	135	12/31/2010
884	149.00	150.00	1.00	0.05	0.3	2	0.6	27	12/31/2010
885	150.00	151.00	1.00	0.05	0.2	1	0.4	157	12/31/2010
886	151.00	151.70	0.70	0.05	0.2	2	0.5	137	12/31/2010
887	151.70	153.00	1.30	0.05	0.2	3	0.4	20	12/31/2010
888	153.00	154.00	1.00	0.05	0.2	2	1.4	18	12/31/2010
889	154.00	155.00	1.00	0.05	0.1	2	3.2	193	12/31/2010
891	155.00	155.85	0.85	0.05	0.2	3	0.9	621	12/31/2010
892	155.85	156.30	0.45	0.05	0.1	4	0.8	39	12/31/2010
893	156.30	157.10	0.80	0.05	0.05	2	0.6	106	12/31/2010



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
54650																		
54610																		
54670																		
54630																		
54640																		
54620																		
54609	18.70	19.20	0.50	0.4	0.41	2.1	0.0032	10	15	1.1	2.62	0.05	11.9	43	41.7	2.17	1	S41060-d
54611	19.20	20.00	0.80	0.3	0.29	3.2	0.0073	10	16	2.2	5.04	0.1	14.8	51	9.2	3.21	0.5	S41060-d
54612	20.00	21.40	1.40	0.3	0.44	2.1	0.0023	10	12	2.5	2.96	0.1	13.9	29	37.9	2.5	1	S41060-d
54613	21.40	22.00	0.60	0.2	0.33	0.6	0.0031	10	14	1.7	3.49	0.05	5.5	66	10.7	2.23	0.5	S41060-d
54614	22.00	23.00	1.00	0.3	0.4	3.7	0.0023	10	18	1.4	3.08	0.1	12.5	60	72.9	2.58	1	S41060-d
54615	23.00	24.00	1.00	0.3	0.29	2.1	0.003	10	18	2.2	2.89	0.3	11.9	50	31.8	2.51	0.5	S41060-d
54616	24.00	24.90	0.90	23.9	0.33	1.5	0.0675	10	16	197.5	3.24	0.3	16.4	59	86.4	3.3	0.5	S41060-d
54617	24.90	25.80	0.90	0.3	0.65	1.8	0.0053	10	18	1.5	3.65	0.1	17.7	38	34.7	2.91	2	S41060-d
54618	25.80	26.50	0.70	0.4	0.27	0.9	0.0076	10	16	3.1	2.95	0.4	13.3	53	59.2	2.78	0.5	S41060-d
54619	26.50	27.20	0.70	0.7	0.19	0.5	0.005	10	54	2.5	3.07	0.3	8.4	41	26.6	2.2	0.5	S41060-d
54621	27.20	27.90	0.70	0.2	0.25	0.8	0.0019	10	12	0.9	4.13	0.1	11.3	19	4.9	2.77	0.5	S41060-d
54622	27.90	28.30	0.40	0.4	0.31	1.9	0.0024	10	17	1.3	4.17	0.4	16.4	29	32.2	2.96	0.5	S41060-d
54623	28.30	28.80	0.50	0.2	0.25	4	0.0041	10	14	0.7	4.04	0.2	17.2	19	27.8	2.84	0.5	S41060-d
54624	28.80	29.90	1.10	0.3	0.41	4.7	0.0043	10	23	0.8	3.38	0.3	10.9	54	41.8	2.55	1	S41060-d
54625	29.90	30.40	0.50	0.3	0.18	4.5	0.0027	10	13	1.1	2.06	0.2	11.1	40	41.9	1.65	0.5	S41060-d
54626	30.40	31.40	1.00	0.6	0.24	3.2	0.0023	10	19	2.6	2.27	0.1	11.3	58	15.1	2.28	0.5	S41060-d
54627	31.40	32.40	1.00	0.7	0.18	3.6	0.0074	10	12	2.4	2.94	0.4	12.5	31	66.6	2.61	0.5	S41060-d
54628	32.40	33.30	0.90	0.9	0.31	4.5	0.0058	10	20	4.2	2.98	0.5	14.5	50	39.9	2.95	0.5	S41060-d
54629	33.30	34.30	1.00	2	0.26	3	0.0083	10	17	17.9	2.45	0.2	10.1	86	48.8	2.15	0.5	S41060-d
54631	34.30	35.30	1.00	0.4	0.24	2.8	0.0056	10	14	1.3	2.48	0.2	10	46	32.9	1.99	0.5	S41060-d
54632	35.30	36.30	1.00	0.3	0.21	2.5	0.0033	10	8	1.1	2.49	0.3	8.7	31	35.7	1.94	0.5	S41060-d
54633	36.30	37.30	1.00	0.4	0.26	2.5	0.0026	10	13	0.9	2.65	0.4	9.6	36	48.5	1.95	0.5	S41060-d

54634	37.30	38.05	0.75	1.2	0.16	2.7	0.0048	10	13	2.2	2.5	0.5	8.2	50	69	1.77	0.5	S41063-d
54635	38.05	38.90	0.85	11	0.15	4	0.0747	10	16	23.3	2.53	0.7	11.4	50	32.6	2.22	0.5	S41063-d
54636	38.90	39.20	0.30	66.6	0.09	7.8	5	10	5	67.4	0.25	54.6	5.3	157	5088.6	1.26	0.5	S41061-d
54637	39.20	39.60	0.40	6.5	0.02	0.6	0.8491	10	2	11.6	0.04	2.2	1.1	189	88	0.36	0.5	S41061-d
54638	39.60	40.00	0.40	78.1	0.13	12.4	5	10	10	53	0.14	182	12.9	226	10000	2.2	0.5	S41061-d
54639	40.00	40.40	0.40	9.9	0.16	2.3	0.2154	10	19	1.3	2.91	5.2	6.7	75	3188.6	1.59	0.5	S41063-d
54641	40.40	41.00	0.60	1.2	0.25	1.9	0.0145	10	22	2.2	2.76	0.3	9.4	52	29.6	1.92	0.5	S41061-d
54642	41.00	42.00	1.00	1.1	0.19	2	0.0027	10	18	2.5	2.66	1.2	9.4	44	23.8	1.77	0.5	S41063-d
54643	42.00	43.00	1.00	2.7	0.22	2.3	0.0033	10	19	2.2	2.39	0.3	10	73	30.2	1.92	0.5	S41063-d
54644	43.00	44.00	1.00	0.3	0.2	2.2	0.0011	10	14	0.8	2.47	0.3	9.6	33	15.4	1.85	0.5	S41063-d
54645	44.00	44.20	0.20	0.6	0.44	2.5	0.0123	10	37	0.6	2.2	0.2	8.4	88	25.3	1.78	1	S41061-d
54646	44.20	44.65	0.45	20.8	0.16	2.5	0.0138	10	12	60.3	2.57	0.4	8.2	64	24	1.59	0.5	S41063-d
54647	44.65	45.00	0.35	0.4	0.18	3.3	0.003	10	15	0.7	2.61	0.3	7.4	35	19.5	1.81	0.5	S41063-d
54648	45.00	46.00	1.00	0.7	0.18	2.7	0.0029	10	18	2.2	2.44	0.5	8.9	65	17.3	1.88	0.5	S41063-d
54649	46.00	47.00	1.00	0.9	0.19	2.5	0.0128	10	23	1.7	2.91	0.4	8.5	54	11.3	2.02	0.5	S41063-d
54651	47.00	47.95	0.95	0.8	0.2	2.5	0.0024	10	19	2.5	2.54	0.4	9	59	17.8	1.97	0.5	S41063-d
54652	47.95	48.20	0.25	1.4	0.11	2	0.0096	10	14	2.5	1.49	96.5	7.6	140	72.8	1.14	0.5	S41061-d
54653	48.20	49.00	0.80	0.5	0.2	2	0.0024	10	22	1.1	2.26	1.1	7.1	53	8.7	1.83	0.5	S41063-d
54654	49.00	49.80	0.80	2.1	0.08	4.1	0.0198	10	11	4.9	1.96	2.6	11.2	25	35.3	2.21	0.5	S41063-d
54655	49.80	50.70	0.90	27.6	0.1	2.5	1.9846	10	13	91.8	0.35	54.1	4.7	157	876.8	0.76	0.5	S41061-d
54656	50.70	51.30	0.60	20.3	0.02	0.25	0.0289	10	2	115.4	0.25	0.3	1.6	72	20.9	0.29	0.5	S41061-d
54657	51.30	51.90	0.60	1.6	0.02	0.25	0.0165	10	3	18	0.09	0.2	1.5	183	12.4	0.35	0.5	S41061-d
54658	51.90	52.70	0.80	8.5	0.21	1.2	0.042	10	22	72.6	0.43	0.2	4.5	162	13	0.99	0.5	S41061-d
54659	52.70	53.55	0.85	39	0.15	0.9	0.1316	10	19	441.3	0.42	1.2	3.2	156	30.3	0.76	0.5	S41064-d
54660	53.55	54.50	0.95	1	0.05	0.25	0.0017	10	7	9.1	0.12	0.05	1.5	196	5.5	0.37	0.5	S41064-d
54661	54.50	55.30	0.80	22.5	0.1	0.6	0.0646	10	14	411.7	0.45	0.4	3.3	177	56.3	0.96	0.5	S41064-d
54662	55.30	56.00	0.70	1.3	0.18	1.4	0.0147	10	20	11.2	1.63	0.3	11.6	61	4.1	1.89	0.5	S41066-d
54663	56.00	57.00	1.00	0.9	0.15	1	0.0051	10	10	5.8	1.6	0.1	7.4	36	15.5	1.43	0.5	S41066-d
54664	57.00	58.00	1.00	0.5	0.37	0.9	0.0028	10	22	1.3	2.26	0.1	7.8	71	20.5	1.72	1	S41066-d
54665	58.00	59.00	1.00	0.1	0.29	1.3	0.0014	10	9	0.3	3.15	0.2	8.8	29	11.3	1.95	0.5	S41066-d
54666	59.00	60.00	1.00	0.6	0.47	1.8	0.0007	10	19	0.3	3.07	0.2	10.6	59	18.2	1.93	1	S41066-d
54667	60.00	61.00	1.00	0.2	0.52	2.7	0.0046	10	16	0.2	2.94	0.1	11.3	79	16.3	1.84	1	S41066-d
54668	61.00	62.00	1.00	0.3	0.53	1	0.0007	10	20	0.4	3.11	0.05	8.5	58	13.6	2	1	S41066-d

54669	62.00	63.00	1.00	0.2	0.43	1.4	0.0063	10	9	0.4	3.06	0.1	8.7	26	15.7	1.76	1	S41066-d
54671	63.00	63.40	0.40	2.5	0.63	2.1	0.0043	10	17	6.5	3.04	0.2	10.2	58	16.9	1.67	1	S41066-d
54672	63.40	64.00	0.60	59.5	0.04	0.8	0.2767	10	2	238.4	0.42	0.05	2	55	93.3	0.38	0.5	S41066-d
54673	64.00	64.70	0.70	10.4	0.16	3.1	0.0779	10	9	157	2.06	0.05	4.5	102	37.7	1.05	0.5	S41066-d
54674	64.70	65.60	0.90	4.6	0.2	2.9	0.0091	10	17	33.9	2.38	0.2	11.3	68	34.4	2.34	0.5	S41066-d
54675	65.60	66.60	1.00	0.6	0.18	2	0.0056	10	18	3.3	2.46	0.2	9.8	48	16.1	2.01	0.5	S41066-d
54676	66.60	67.40	0.80	21.3	0.04	0.5	0.0181	10	4	285.3	0.84	1.3	2.2	53	46.3	0.43	0.5	S41064-d
54677	67.40	68.00	0.60	0.3	0.55	1	0.0038	10	15	1.5	2.67	0.2	10	50	7.7	1.78	2	S41066-d
54678	68.00	69.00	1.00	0.05	1.03	0.6	0.0026	10	19	0.4	2.64	0.1	7.2	52	10.3	1.66	3	S41066-d



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
54650																				
54610																				
54670																				
54630																				
54640																				
54620																				
54609	18.70	19.20	0.50	0.005	0.09	6	0.71	1.2	0.2	0.018	13.8	0.048	1.9	0.74	0.05	0.6	0.25		S41060-d	
54611	19.20	20.00	0.80	0.005	0.1	4	1.07	1	0.6	0.013	19.4	0.035	3.8	1.19	0.05	0.6	0.25		S41060-d	
54612	20.00	21.40	1.40	0.005	0.08	9	0.93	1.3	14.4	0.011	23	0.069	1.2	0.61	0.05	1.2	0.25		S41060-d	
54613	21.40	22.00	0.60	0.005	0.1	5	0.87	1.1	195.3	0.02	13.6	0.043	1.9	0.61	0.05	0.6	0.25		S41060-d	
54614	22.00	23.00	1.00	0.005	0.13	7	1.02	1.7	18.3	0.023	18.3	0.064	3.7	0.85	0.05	1	0.25		S41060-d	
54615	23.00	24.00	1.00	0.005	0.13	7	0.85	2.1	7.6	0.025	14.8	0.046	6.9	1.14	0.05	0.5	0.25		S41060-d	
54616	24.00	24.90	0.90	0.005	0.1	4	0.95	1.4	85.7	0.021	24.8	0.054	58.8	1.87	0.3	0.9	0.25		S41060-d	
54617	24.90	25.80	0.90	0.005	0.14	7	1.24	1.5	7	0.018	38.4	0.068	9.1	0.52	0.05	1.4	0.25		S41060-d	
54618	25.80	26.50	0.70	0.005	0.12	6	0.97	1.7	102.9	0.023	19.8	0.06	13.8	1.33	0.1	0.7	0.25		S41060-d	
54619	26.50	27.20	0.70	0.005	0.11	6	0.96	1.6	63.5	0.023	14.4	0.051	7.2	0.95	0.1	0.7	0.25		S41060-d	
54621	27.20	27.90	0.70	0.005	0.07	6	1.48	1.5	5.9	0.011	37.5	0.062	2.5	0.63	0.05	1.2	0.25		S41060-d	
54622	27.90	28.30	0.40	0.005	0.12	6	1.41	1.1	18.1	0.013	34.8	0.064	5.7	0.88	0.1	1.2	0.25		S41060-d	
54623	28.30	28.80	0.50	0.005	0.05	5	1.54	1.1	0.4	0.006	34.1	0.065	3.6	0.53	0.2	1	0.25		S41060-d	
54624	28.80	29.90	1.10	0.005	0.14	7	1.11	1.4	0.7	0.026	18.4	0.054	13.2	0.38	0.2	0.7	0.25		S41060-d	
54625	29.90	30.40	0.50	0.005	0.07	6	0.57	1.7	0.2	0.011	13.5	0.044	24.3	0.47	0.2	0.5	0.25		S41060-d	
54626	30.40	31.40	1.00	0.005	0.11	5	0.69	1.4	1.4	0.017	14.8	0.037	9	1.13	0.1	0.5	0.25		S41060-d	
54627	31.40	32.40	1.00	0.005	0.07	6	0.9	2.2	1.1	0.011	17.7	0.053	30.5	1.07	0.2	0.7	0.25		S41060-d	
54628	32.40	33.30	0.90	0.005	0.12	7	0.95	2.5	1.6	0.017	19.4	0.051	12.1	1.31	0.2	1	0.25		S41060-d	
54629	33.30	34.30	1.00	0.005	0.11	7	0.7	1.6	0.5	0.021	14.7	0.038	23	0.82	0.2	0.6	0.25		S41060-d	
54631	34.30	35.30	1.00	0.005	0.1	6	0.67	1.3	0.2	0.019	11.2	0.036	7.5	0.68	0.1	0.6	0.25		S41060-d	
54632	35.30	36.30	1.00	0.005	0.05	5	0.69	1	0.5	0.011	12.2	0.037	6.9	0.58	0.1	0.4	0.25		S41060-d	
54633	36.30	37.30	1.00	0.005	0.09	5	0.71	1.2	0.2	0.014	13.4	0.039	14.6	0.5	0.2	0.5	0.25		S41060-d	

54634	37.30	38.05	0.75	0.005	0.09	5	0.57	0.9	0.7	0.015	12.1	0.033	22.5	0.76	0.2	0.4	0.25	S41063-d
54635	38.05	38.90	0.85	0.02	0.1	4	0.63	0.8	1.2	0.015	13	0.035	85	1.36	0.3	0.4	0.25	S41063-d
54636	38.90	39.20	0.30	0.51	0.03	0.5	0.04	0.2	1	0.008	14.4	0.002	2389	1.08	1.2	0.2	1.6	S41061-d
54637	39.20	39.60	0.40	0.03	0.01	1	0.02	0.05	0.6	0.005	7.6	0.0005	604.1	0.025	0.3	0.1	0.25	S41061-d
54638	39.60	40.00	0.40	1.53	0.06	1	0.07	0.1	1.2	0.016	17	0.005	2580.7	1.83	0.8	0.2	2.9	S41061-d
54639	40.00	40.40	0.40	0.05	0.09	6	0.67	1	0.9	0.014	9.5	0.038	48.6	0.45	0.3	0.5	0.25	S41063-d
54641	40.40	41.00	0.60	0.01	0.12	8	0.75	1.3	737	0.014	12.5	0.037	21.6	0.47	0.05	0.7	0.25	S41061-d
54642	41.00	42.00	1.00	0.02	0.1	6	0.6	1.1	254.4	0.015	11.1	0.036	26.3	0.65	0.1	0.5	0.25	S41063-d
54643	42.00	43.00	1.00	0.005	0.11	7	0.63	1.3	0.5	0.017	14.3	0.036	15	0.54	0.2	0.5	0.25	S41063-d
54644	43.00	44.00	1.00	0.005	0.08	8	0.67	1.2	1.8	0.012	11.4	0.038	14.6	0.33	0.1	0.5	0.25	S41063-d
54645	44.00	44.20	0.20	0.005	0.22	12	0.62	1.2	1.6	0.025	16	0.04	12.4	0.25	0.05	0.8	0.25	S41061-d
54646	44.20	44.65	0.45	0.005	0.07	6	0.43	0.9	7.5	0.014	11.1	0.031	341	0.76	0.2	0.5	0.25	S41063-d
54647	44.65	45.00	0.35	0.005	0.09	9	0.7	1.5	0.3	0.014	12.2	0.038	16.4	0.18	0.2	0.6	0.25	S41063-d
54648	45.00	46.00	1.00	0.005	0.1	7	0.62	1.2	0.7	0.018	13.2	0.036	28.1	0.62	0.1	0.5	0.25	S41063-d
54649	46.00	47.00	1.00	0.005	0.11	7	0.77	1	0.3	0.021	12.5	0.036	15.1	0.58	0.1	0.5	0.25	S41063-d
54651	47.00	47.95	0.95	0.005	0.1	7	0.71	1.1	0.4	0.015	13.5	0.04	24.9	0.53	0.1	0.5	0.25	S41063-d
54652	47.95	48.20	0.25	0.8	0.08	3	0.37	0.4	2.2	0.012	10	0.015	113.4	0.55	0.05	0.4	0.6	S41061-d
54653	48.20	49.00	0.80	0.01	0.12	6	0.66	1.2	7.2	0.016	12	0.037	17.8	0.59	0.1	0.5	0.25	S41063-d
54654	49.00	49.80	0.80	0.03	0.06	4	0.51	1	1	0.009	16.6	0.035	63.1	1.76	0.3	0.4	0.25	S41063-d
54655	49.80	50.70	0.90	0.45	0.06	0.5	0.09	0.1	4.7	0.008	10.7	0.002	442.3	0.67	0.4	0.3	0.6	S41061-d
54656	50.70	51.30	0.60	0.005	0.01	0.5	0.1	0.05	1.8	0.002	4.1	0.0005	62	0.06	0.2	0.05	0.25	S41061-d
54657	51.30	51.90	0.60	0.005	0.01	0.5	0.02	0.05	1.4	0.005	7	0.0005	5.6	0.025	0.2	0.05	0.25	S41061-d
54658	51.90	52.70	0.80	0.02	0.12	3	0.17	0.4	9.2	0.021	11.7	0.01	28	0.6	0.2	0.4	0.25	S41061-d
54659	52.70	53.55	0.85	0.01	0.1	0.5	0.15	0.1	105.4	0.011	10	0.004	287.8	0.41	1.6	0.2	0.8	S41064-d
54660	53.55	54.50	0.95	0.005	0.03	0.5	0.05	0.05	16	0.006	7.8	0.0005	6.7	0.025	0.2	0.1	0.25	S41064-d
54661	54.50	55.30	0.80	0.005	0.06	1	0.18	0.1	93.3	0.007	11.5	0.003	107.7	0.57	1	0.2	0.9	S41064-d
54662	55.30	56.00	0.70	0.005	0.11	6	0.52	1	0.8	0.023	13.1	0.032	7.7	1.16	0.2	0.5	0.25	S41066-d
54663	56.00	57.00	1.00	0.005	0.05	8	0.45	1.7	0.3	0.015	6.9	0.027	20.7	0.52	0.1	0.4	0.25	S41066-d
54664	57.00	58.00	1.00	0.005	0.12	9	0.54	1.3	6.3	0.03	11.1	0.036	7.1	0.28	0.05	0.7	0.25	S41066-d
54665	58.00	59.00	1.00	0.005	0.05	7	0.79	0.9	0.5	0.011	13	0.041	3	0.15	0.05	0.7	0.25	S41066-d
54666	59.00	60.00	1.00	0.005	0.12	8	0.69	1.1	0.4	0.02	14.1	0.041	5.1	0.15	0.05	0.7	0.25	S41066-d
54667	60.00	61.00	1.00	0.005	0.1	9	0.61	1.4	0.5	0.016	16.1	0.044	3.5	0.18	0.05	0.7	0.25	S41066-d
54668	61.00	62.00	1.00	0.005	0.12	8	0.84	1.3	224.9	0.02	13.5	0.041	4.2	0.11	0.05	0.7	0.25	S41066-d

54669	62.00	63.00	1.00	0.005	0.05	7	0.67	1.1	0.8	0.008	12	0.041	4.3	0.15	0.05	0.5	0.25	S41066-d
54671	63.00	63.40	0.40	0.005	0.1	7	0.62	1.1	2.5	0.012	12.6	0.042	6.4	0.2	0.05	0.7	0.25	S41066-d
54672	63.40	64.00	0.60	0.005	0.005	0.5	0.03	0.3	18	0.002	3.5	0.002	17.1	0.17	0.05	0.1	0.25	S41066-d
54673	64.00	64.70	0.70	0.005	0.05	3	0.08	1.6	20.7	0.007	7.3	0.008	21.7	0.3	0.2	0.2	0.6	S41066-d
54674	64.70	65.60	0.90	0.005	0.11	4	0.56	1.1	8.3	0.015	19.9	0.042	27.2	1.95	0.05	0.5	0.5	S41066-d
54675	65.60	66.60	1.00	0.005	0.12	4	0.7	1	1.3	0.017	14.5	0.042	13.1	1.6	0.05	0.5	0.6	S41066-d
54676	66.60	67.40	0.80	0.01	0.02	1	0.1	0.2	52.1	0.003	4.1	0.002	90.3	0.33	0.5	0.1	0.6	S41064-d
54677	67.40	68.00	0.60	0.005	0.07	12	0.57	1.6	0.4	0.019	11.8	0.033	6.7	0.88	0.05	0.6	0.25	S41066-d
54678	68.00	69.00	1.00	0.005	0.09	15	0.63	1.4	0.2	0.02	10.8	0.037	7	0.21	0.05	0.9	0.25	S41066-d



<i>Sample</i>	<i>From</i>	<i>To</i>	<i>Len.</i>	<i>Tl</i> <i>ppm</i>	<i>U</i> <i>ppm</i>	<i>V</i> <i>ppm</i>	<i>W</i> <i>ppm</i>	<i>Zn</i> <i>ppm</i>	<i>Lab Report</i>
54650									
54610									
54670									
54630									
54640									
54620									
54609	18.70	19.20	0.50	0.05	0.2	3	0.2	31	S41060-d
54611	19.20	20.00	0.80	0.05	0.2	2	0.2	26	S41060-d
54612	20.00	21.40	1.40	0.05	0.2	3	0.1	37	S41060-d
54613	21.40	22.00	0.60	0.05	0.2	3	0.1	26	S41060-d
54614	22.00	23.00	1.00	0.05	0.5	3	0.1	37	S41060-d
54615	23.00	24.00	1.00	0.05	0.7	1	0.1	59	S41060-d
54616	24.00	24.90	0.90	0.05	0.2	3	0.1	32	S41060-d
54617	24.90	25.80	0.90	0.05	0.2	5	0.05	51	S41060-d
54618	25.80	26.50	0.70	0.05	0.2	1	0.1	31	S41060-d
54619	26.50	27.20	0.70	0.05	0.4	1	0.1	24	S41060-d
54621	27.20	27.90	0.70	0.05	0.3	3	0.05	40	S41060-d
54622	27.90	28.30	0.40	0.05	0.3	3	0.1	41	S41060-d
54623	28.30	28.80	0.50	0.05	0.2	3	0.05	43	S41060-d
54624	28.80	29.90	1.10	0.05	0.2	3	0.1	41	S41060-d
54625	29.90	30.40	0.50	0.05	0.2	1	0.1	25	S41060-d
54626	30.40	31.40	1.00	0.05	0.2	2	0.1	28	S41060-d
54627	31.40	32.40	1.00	0.05	0.3	2	0.1	38	S41060-d
54628	32.40	33.30	0.90	0.05	0.2	3	0.1	58	S41060-d
54629	33.30	34.30	1.00	0.05	0.4	2	0.1	39	S41060-d
54631	34.30	35.30	1.00	0.05	0.2	1	0.05	36	S41060-d
54632	35.30	36.30	1.00	0.05	0.1	1	0.1	40	S41060-d
54633	36.30	37.30	1.00	0.05	0.3	1	0.1	59	S41060-d

54634	37.30	38.05	0.75	0.05	0.5	1	0.2	66	S41063-d
54635	38.05	38.90	0.85	0.05	0.3	1	0.2	95	S41063-d
54636	38.90	39.20	0.30	0.05	0.05	1	0.3	6301	S41061-d
54637	39.20	39.60	0.40	0.05	0.05	1	0.4	220	S41061-d
54638	39.60	40.00	0.40	0.05	0.05	1	0.3	10000	S41061-d
54639	40.00	40.40	0.40	0.05	0.2	2	0.4	507	S41063-d
54641	40.40	41.00	0.60	0.05	0.4	3	0.4	68	S41061-d
54642	41.00	42.00	1.00	0.05	0.2	3	0.2	139	S41063-d
54643	42.00	43.00	1.00	0.05	0.2	1	0.2	47	S41063-d
54644	43.00	44.00	1.00	0.05	0.3	1	0.05	51	S41063-d
54645	44.00	44.20	0.20	0.05	0.4	3	0.1	47	S41061-d
54646	44.20	44.65	0.45	0.05	0.2	1	0.2	52	S41063-d
54647	44.65	45.00	0.35	0.05	0.3	1	0.1	67	S41063-d
54648	45.00	46.00	1.00	0.05	0.2	2	0.2	80	S41063-d
54649	46.00	47.00	1.00	0.05	0.5	2	0.2	67	S41063-d
54651	47.00	47.95	0.95	0.05	0.3	2	0.2	54	S41063-d
54652	47.95	48.20	0.25	0.05	0.2	1	0.05	10000	S41061-d
54653	48.20	49.00	0.80	0.05	0.2	1	0.2	116	S41063-d
54654	49.00	49.80	0.80	0.05	0.4	1	0.3	249	S41063-d
54655	49.80	50.70	0.90	0.05	0.05	1	0.6	5929	S41061-d
54656	50.70	51.30	0.60	0.05	0.05	1	0.5	21	S41061-d
54657	51.30	51.90	0.60	0.05	0.05	1	0.4	18	S41061-d
54658	51.90	52.70	0.80	0.05	0.1	1	14.6	14	S41061-d
54659	52.70	53.55	0.85	0.05	0.05	1	1.2	15	S41064-d
54660	53.55	54.50	0.95	0.05	0.05	1	0.4	6	S41064-d
54661	54.50	55.30	0.80	0.05	0.05	1	1.3	11	S41064-d
54662	55.30	56.00	0.70	0.05	0.2	1	1.4	26	S41066-d
54663	56.00	57.00	1.00	0.05	0.3	1	0.3	34	S41066-d
54664	57.00	58.00	1.00	0.05	0.2	2	0.3	44	S41066-d
54665	58.00	59.00	1.00	0.05	0.3	2	0.3	50	S41066-d
54666	59.00	60.00	1.00	0.05	0.3	3	0.3	61	S41066-d
54667	60.00	61.00	1.00	0.05	0.4	4	0.5	52	S41066-d
54668	61.00	62.00	1.00	0.05	0.3	3	0.2	70	S41066-d

54669	62.00	63.00	1.00	0.05	0.2	2	0.3	58	S41066-d
54671	63.00	63.40	0.40	0.05	0.3	4	0.4	83	S41066-d
54672	63.40	64.00	0.60	0.05	0.05	1	0.2	7	S41066-d
54673	64.00	64.70	0.70	0.05	0.5	5	0.6	21	S41066-d
54674	64.70	65.60	0.90	0.05	0.3	1	0.4	18	S41066-d
54675	65.60	66.60	1.00	0.05	0.3	1	0.3	22	S41066-d
54676	66.60	67.40	0.80	0.05	0.05	1	0.8	33	S41064-d
54677	67.40	68.00	0.60	0.05	0.2	3	0.2	33	S41066-d
54678	68.00	69.00	1.00	0.05	0.2	5	0.2	52	S41066-d



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
54710																		
54680																		
54720																		
54700																		
54690																		
54679	37.55	37.70	0.15	1.7	0.07	1.6	0.0025	10	10	0.7	2.32	0.7	2.4	99	10.2	1.53	0.5	S41069-d
54681	42.00	43.00	1.00	0.7	0.29	1.2	0.0012	10	25	0.9	2.61	0.3	6.9	73	11	1.95	0.5	S41069-d
54682	43.00	44.00	1.00	0.8	0.31	1	0.003	10	28	1.1	2.37	0.4	9.2	66	9.4	1.98	0.5	S41069-d
54683	44.00	44.75	0.75	0.7	0.27	1.8	0.004	10	27	1.5	2.5	3.3	10.5	74	9.9	2.16	0.5	S41069-d
54684	44.75	45.50	0.75	4.3	0.22	2.3	0.026	10	27	2.9	1.79	2.7	9.6	68	332.2	1.63	0.5	S41069-d
54685	45.50	46.30	0.80	100	0.18	6.9	4.136	10	7	247.3	0.25	1122	36.9	117	10000	3.31	0.5	S41067-d
54686	46.30	46.90	0.60	100	0.07	4.5	1.3751	10	1	190.1	0.24	430.4	17.1	89	10000	1.85	0.5	S41067-d
54687	46.90	47.30	0.40	14.4	0.06	2.6	1.4373	10	1	14.5	0.18	47.3	2.3	194	2334.5	0.6	0.5	S41067-d
54688	47.30	47.60	0.30	41.7	0.11	19.5	0.7031	10	10	37.8	3.55	195.2	7.9	162	4841.6	0.82	0.5	S41067-d
54689	47.60	48.20	0.60	28.2	0.26	6.9	0.145	10	25	34.6	3.14	35.6	16.9	64	4300.8	1	0.5	S41069-d
54691	48.20	49.00	0.80	2.6	0.22	1.9	0.0131	10	25	2.7	2.46	4.1	8.3	61	527.7	1.35	0.5	S41069-d
54692	49.00	50.00	1.00	2	0.25	2.2	0.0095	10	27	2.9	2.49	5.1	7.7	75	57.8	1.78	0.5	S41069-d
54693	50.00	51.00	1.00	0.9	0.26	1.8	0.0051	10	24	1.2	2.44	6.6	7	63	71.4	1.67	0.5	S41069-d
54694	51.00	52.00	1.00	2	0.28	1.9	0.0045	10	26	3.8	2.78	0.7	8.7	68	18.9	1.87	0.5	S41069-d
54695	52.00	53.00	1.00	0.8	0.25	3.2	0.0034	10	22	2.5	2.45	0.3	9.7	60	9.5	1.98	0.5	S41069-d
54696	53.00	54.00	1.00	0.7	0.26	1.4	0.0018	10	25	1.3	2.57	0.2	8.4	69	12.9	1.85	0.5	S41069-d
54697	54.00	55.00	1.00	0.9	0.24	1.6	0.0032	10	24	2.6	2.51	0.5	8.4	64	10.4	2.01	0.5	S41069-d
54698	55.00	56.00	1.00	0.6	0.23	1.8	0.0033	10	24	1.2	3.06	0.4	9.3	70	9.8	2.26	0.5	S41069-d
54699	56.00	57.00	1.00	0.2	0.28	2.9	0.0017	10	25	0.2	2.47	0.1	7.2	50	9.1	1.69	0.5	S41069-d
54701	57.00	58.00	1.00	0.1	0.34	2.7	0.0043	10	24	0.05	3.2	0.2	7.3	63	11.8	2.1	0.5	S41069-d
54702	58.00	58.60	0.60	0.2	0.26	2.7	0.0017	10	23	0.3	2.81	0.2	6.7	47	7.1	1.77	0.5	S41069-d
54703	58.60	58.95	0.35	0.8	0.3	2.9	0.004	10	26	1.5	2.43	0.2	7.8	65	11	1.56	0.5	S41069-d
54704	58.95	59.50	0.55	1.3	0.34	3.4	0.0017	10	20	2.1	5.16	3.8	13.1	96	33.8	3.22	0.5	S41070-d

54721	59.50	59.95	0.45	0.3	0.25	2.7	0.0017	10	19	0.8	2.79	0.6	10.9	54	7.9	1.43	0.5	S41072-d
54722	59.95	60.30	0.35	0.2	0.22	2.7	0.0017	10	8	0.8	2.69	0.3	10	32	9.8	1.46	0.5	S41072-d
54705	60.30	61.20	0.90	0.6	0.27	5	0.0041	10	11	1.7	3.77	0.3	10	40	44.8	1.25	0.5	S41072-d
54706	61.20	62.00	0.80	0.2	0.31	2.4	0.0014	10	24	0.6	2.58	0.4	10	65	10.8	1.96	0.5	S41072-d
54707	62.00	63.00	1.00	0.3	0.3	1.1	0.0033	10	22	0.5	2.75	0.2	9.1	74	54.4	1.95	0.5	S41072-d
54708	63.00	63.60	0.60	0.4	0.22	1.7	0.0018	10	19	1.9	2.46	0.2	9.7	51	13.6	2	0.5	S41072-d
54709	63.60	64.20	0.60	4.5	0.11	0.25	0.0143	10	14	47.2	1.5	0.3	7.9	111	10.8	1.45	0.5	S41070-d
54711	64.20	64.80	0.60	14.7	0.08	0.25	0.1278	10	10	259.3	2.03	0.4	4.3	142	21.6	1.15	0.5	S41070-d
54712	64.80	65.40	0.60	10.1	0.19	0.25	0.2247	10	9	178.3	1.44	0.3	7.6	167	19.4	1.5	0.5	S41070-d
54713	65.40	66.30	0.90	4.2	0.71	1.7	0.016	10	9	141.6	3.53	0.4	19.2	45	15.3	2.86	2	S41072-d
54714	66.30	67.00	0.70	1.2	1	0.7	0.0055	10	11	25.3	3.46	0.3	11.6	71	10.5	2.23	2	S41072-d
54715	67.00	68.15	1.15	2.2	1.89	1.3	0.0016	10	6	2.8	4	0.5	18.9	68	18.9	3.83	5	S41072-d
54716	68.15	68.50	0.35	1.3	1.02	1.5	0.0024	10	22	3.4	3.13	0.7	15.6	55	5.9	2.71	3	S41072-d
54717	68.50	68.90	0.40	5.2	0.05	0.25	0.0083	10	4	93.3	0.41	0.4	3.2	40	13.1	0.53	0.5	S41072-d
54718	68.90	70.00	1.10	0.05	0.95	0.25	0.00025	10	13	0.2	1.92	0.2	5.6	64	7.1	1.5	3	S41072-d
54719	70.00	71.00	1.00	0.05	1.03	0.25	0.0014	10	13	0.5	2.33	0.4	8.1	56	11	1.66	3	S41072-d



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
54710																				
54680																				
54720																				
54700																				
54690																				
54679	37.55	37.70	0.15	0.005	0.04	8	0.58	0.4	0.4	0.012	6.9	0.011	25.5	0.025	0.3	0.9	0.25		S41069-d	
54681	42.00	43.00	1.00	0.005	0.14	9	0.75	1.2	0.5	0.018	12.6	0.038	12.6	0.25	0.1	0.6	0.25		S41069-d	
54682	43.00	44.00	1.00	0.005	0.16	10	0.7	1.5	0.4	0.014	11.7	0.043	10.2	0.48	0.05	0.5	0.25		S41069-d	
54683	44.00	44.75	0.75	0.03	0.15	9	0.72	1.4	0.5	0.012	13.2	0.04	6.8	0.79	0.05	0.6	0.25		S41069-d	
54684	44.75	45.50	0.75	0.05	0.15	8	0.48	1.1	0.4	0.011	9.8	0.041	13	0.83	0.2	0.4	0.25		S41069-d	
54685	45.50	46.30	0.80	14.1	0.03	0.5	0.09	0.1	0.6	0.004	13.9	0.004	3604.3	2.8	2.5	0.05	8		S41067-d	
54686	46.30	46.90	0.60	4.51	0.005	0.5	0.05	0.05	0.4	0.003	9.9	0.0005	3094.7	1.82	2.1	0.05	3.5		S41067-d	
54687	46.90	47.30	0.40	0.56	0.005	0.5	0.05	0.05	0.7	0.003	9.3	0.0005	446.2	0.41	0.3	0.05	0.25		S41067-d	
54688	47.30	47.60	0.30	2.03	0.05	4	0.06	4.5	0.7	0.007	7	0.004	508	0.82	0.9	0.5	4.6		S41067-d	
54689	47.60	48.20	0.60	0.44	0.13	10	0.23	2.6	1.1	0.01	9.8	0.034	101	0.46	0.5	0.7	2.2		S41069-d	
54691	48.20	49.00	0.80	0.05	0.14	11	0.54	1.2	0.4	0.009	7.6	0.045	18.9	0.32	0.1	0.5	0.6		S41069-d	
54692	49.00	50.00	1.00	0.05	0.16	9	0.71	1	0.6	0.011	9.8	0.04	43.3	0.37	0.05	0.4	0.25		S41069-d	
54693	50.00	51.00	1.00	0.07	0.14	11	0.65	1.2	0.4	0.013	11.5	0.041	60.1	0.22	0.1	0.5	0.25		S41069-d	
54694	51.00	52.00	1.00	0.005	0.13	9	0.7	1.1	0.5	0.021	13	0.041	36.7	0.25	0.05	0.7	0.25		S41069-d	
54695	52.00	53.00	1.00	0.005	0.12	8	0.65	1.2	2	0.024	11.6	0.038	9.8	0.64	0.05	0.6	0.25		S41069-d	
54696	53.00	54.00	1.00	0.005	0.13	9	0.7	1.1	0.9	0.024	12.8	0.038	10.8	0.34	0.05	0.7	0.25		S41069-d	
54697	54.00	55.00	1.00	0.005	0.13	8	0.69	1.1	0.5	0.021	10.9	0.038	31.2	0.59	0.05	0.5	0.25		S41069-d	
54698	55.00	56.00	1.00	0.005	0.12	8	0.87	1.3	0.6	0.018	12.9	0.033	15.2	0.47	0.05	0.5	0.25		S41069-d	
54699	56.00	57.00	1.00	0.005	0.13	9	0.63	1.6	0.4	0.018	11.1	0.04	6.1	0.13	0.05	0.5	0.25		S41069-d	
54701	57.00	58.00	1.00	0.005	0.12	12	0.76	1.6	0.4	0.019	14	0.036	5.5	0.05	0.05	0.5	0.25		S41069-d	
54702	58.00	58.60	0.60	0.005	0.12	10	0.73	1.3	0.3	0.016	11.1	0.037	6.7	0.13	0.05	0.5	0.25		S41069-d	
54703	58.60	58.95	0.35	0.005	0.13	8	0.57	1.1	0.6	0.016	10.3	0.04	8.8	0.35	0.05	0.5	0.25		S41069-d	
54704	58.95	59.50	0.55	0.02	0.1	6	1.5	0.8	41.7	0.008	18.7	0.031	58.8	0.4	0.05	0.7	0.25		S41070-d	

54721	59.50	59.95	0.45	0.005	0.11	7	0.66	1.1	0.3	0.012	12.7	0.046	5.5	0.52	0.05	0.5	0.25	S41072-d
54722	59.95	60.30	0.35	0.005	0.04	6	0.51	0.7	0.3	0.008	11.1	0.029	4.7	0.44	0.05	0.4	0.25	S41072-d
54705	60.30	61.20	0.90	0.005	0.06	12	0.17	1.1	1.3	0.005	11.7	0.042	6.3	0.53	0.05	0.4	0.25	S41072-d
54706	61.20	62.00	0.80	0.005	0.11	9	0.76	1	0.4	0.015	13	0.039	5.1	0.31	0.05	0.6	0.25	S41072-d
54707	62.00	63.00	1.00	0.005	0.11	10	0.81	1	0.4	0.017	16.7	0.037	20.2	0.17	0.05	0.7	0.25	S41072-d
54708	63.00	63.60	0.60	0.005	0.1	7	0.77	0.9	0.5	0.015	12.6	0.036	8.2	0.6	0.05	0.5	0.25	S41072-d
54709	63.60	64.20	0.60	0.005	0.07	4	0.38	0.7	2.3	0.014	10.4	0.018	5.6	0.97	0.1	0.3	0.25	S41070-d
54711	64.20	64.80	0.60	0.01	0.06	2	0.38	0.3	90	0.006	9.9	0.007	28.1	0.75	0.2	0.1	0.7	S41070-d
54712	64.80	65.40	0.60	0.005	0.05	1	0.33	0.2	274.1	0.006	17.3	0.015	23.3	0.97	0.1	0.3	0.25	S41070-d
54713	65.40	66.30	0.90	0.005	0.05	4	1.04	0.6	3.1	0.005	44.4	0.055	21.4	1.11	0.05	1	0.25	S41072-d
54714	66.30	67.00	0.70	0.005	0.07	7	0.81	0.4	21.8	0.007	33.7	0.029	9.8	0.43	0.05	0.9	0.25	S41072-d
54715	67.00	68.15	1.15	0.005	0.04	5	1.82	2.2	2.6	0.004	61.5	0.053	6.3	0.47	0.2	2.4	0.25	S41072-d
54716	68.15	68.50	0.35	0.005	0.07	6	0.94	3.2	3.6	0.018	24.5	0.037	4.7	0.92	0.3	1.3	0.25	S41072-d
54717	68.50	68.90	0.40	0.005	0.01	3	0.09	0.4	2.5	0.003	4	0.005	7.8	0.41	0.05	0.1	0.6	S41072-d
54718	68.90	70.00	1.10	0.005	0.07	18	0.5	3.3	0.3	0.045	8.8	0.029	4.1	0.05	0.05	0.7	0.25	S41072-d
54719	70.00	71.00	1.00	0.005	0.06	18	0.57	3.1	0.4	0.039	12.2	0.034	3.4	0.06	0.05	0.9	0.25	S41072-d



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
54710									
54680									
54720									
54700									
54690									
54679	37.55	37.70	0.15	0.05	0.5	1	0.2	100	S41069-d
54681	42.00	43.00	1.00	0.05	0.5	1	0.1	60	S41069-d
54682	43.00	44.00	1.00	0.05	0.4	1	0.2	68	S41069-d
54683	44.00	44.75	0.75	0.05	0.3	1	0.05	391	S41069-d
54684	44.75	45.50	0.75	0.05	0.2	1	0.3	329	S41069-d
54685	45.50	46.30	0.80	0.05	0.05	1	0.1	10000	S41067-d
54686	46.30	46.90	0.60	0.05	0.05	1	0.05	10000	S41067-d
54687	46.90	47.30	0.40	0.05	0.05	1	0.05	5262	S41067-d
54688	47.30	47.60	0.30	0.1	0.9	4	0.3	10000	S41067-d
54689	47.60	48.20	0.60	0.05	0.9	6	0.5	4229	S41069-d
54691	48.20	49.00	0.80	0.05	0.2	2	0.2	460	S41069-d
54692	49.00	50.00	1.00	0.05	0.4	1	0.2	577	S41069-d
54693	50.00	51.00	1.00	0.05	0.3	1	0.2	795	S41069-d
54694	51.00	52.00	1.00	0.05	0.3	1	0.1	95	S41069-d
54695	52.00	53.00	1.00	0.05	0.3	1	0.2	42	S41069-d
54696	53.00	54.00	1.00	0.05	0.3	1	0.05	38	S41069-d
54697	54.00	55.00	1.00	0.05	0.2	2	0.2	64	S41069-d
54698	55.00	56.00	1.00	0.05	0.3	2	0.2	51	S41069-d
54699	56.00	57.00	1.00	0.05	0.3	1	0.1	31	S41069-d
54701	57.00	58.00	1.00	0.05	0.3	2	0.2	44	S41069-d
54702	58.00	58.60	0.60	0.05	0.3	2	0.2	44	S41069-d
54703	58.60	58.95	0.35	0.05	0.2	1	0.2	37	S41069-d
54704	58.95	59.50	0.55	0.05	0.2	4	0.3	362	S41070-d

54721	59.50	59.95	0.45	0.05	0.2	1	0.3	63	S41072-d
54722	59.95	60.30	0.35	0.05	0.1	1	0.2	41	S41072-d
54705	60.30	61.20	0.90	0.05	0.3	1	0.4	48	S41072-d
54706	61.20	62.00	0.80	0.05	0.3	1	0.2	59	S41072-d
54707	62.00	63.00	1.00	0.05	0.2	1	0.2	54	S41072-d
54708	63.00	63.60	0.60	0.05	0.1	1	0.3	40	S41072-d
54709	63.60	64.20	0.60	0.05	0.3	1	0.8	31	S41070-d
54711	64.20	64.80	0.60	0.05	0.05	1	0.5	24	S41070-d
54712	64.80	65.40	0.60	0.05	0.2	2	0.8	24	S41070-d
54713	65.40	66.30	0.90	0.05	0.2	7	0.3	60	S41072-d
54714	66.30	67.00	0.70	0.05	0.05	8	0.3	63	S41072-d
54715	67.00	68.15	1.15	0.05	1.8	20	0.6	116	S41072-d
54716	68.15	68.50	0.35	0.05	6.5	9	0.8	70	S41072-d
54717	68.50	68.90	0.40	0.05	0.05	1	0.4	7	S41072-d
54718	68.90	70.00	1.10	0.05	0.7	5	0.2	41	S41072-d
54719	70.00	71.00	1.00	0.05	0.5	6	0.2	42	S41072-d



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
54730																		
54770																		
54760																		
54750																		
54740																		
54723	9.25	10.00	0.75	0.1	0.32	0.6	0.0024	10	15	0.4	2.81	0.05	5	64	14	1.88	0.5	S41075-d
54724	10.00	11.00	1.00	0.05	0.39	0.7	0.0025	10	16	0.4	1.62	0.05	6.5	64	8.8	1.5	0.5	S41075-d
54725	11.00	12.00	1.00	0.05	0.53	0.5	0.0032	10	18	0.2	2.75	0.1	5.3	67	6.1	1.99	0.5	S41075-d
54726	12.00	13.00	1.00	0.05	0.42	0.5	0.0015	10	16	0.5	2.74	0.05	7.2	56	6.7	2.08	0.5	S41075-d
54727	13.00	13.60	0.60	0.2	0.31	0.25	0.0011	10	16	0.6	4.45	0.2	4.9	60	10	2.58	0.5	S41075-d
54728	21.30	21.80	0.50	0.2	0.39	0.9	0.0027	10	14	2.3	5.05	0.2	12.1	56	4.4	3.39	0.5	S41075-d
54729	21.80	22.40	0.60	0.4	0.23	0.25	0.0018	10	12	0.6	2.87	0.05	5.8	78	11.5	1.81	0.5	S41075-d
54731	22.40	22.90	0.50	0.05	0.44	0.25	0.0005	10	18	0.4	1.67	0.05	4.2	58	4.4	1.34	1	S41075-d
54732	22.90	23.50	0.60	0.3	0.53	1.3	0.0053	10	17	2.2	3.33	0.2	12.4	74	9.4	2.64	1	S41075-d
54733	23.50	23.90	0.40	0.3	0.26	1.6	0.0077	10	12	2	3.41	0.2	9.6	64	9.4	2.48	0.5	S41075-d
54734	23.90	24.30	0.40	0.05	0.51	1.3	0.0017	10	20	1.1	2.09	0.1	7.1	63	4.2	1.83	1	S41075-d
54735	24.30	25.00	0.70	0.6	0.41	1.2	0.0059	10	15	5.4	3.29	0.2	7.5	63	10.6	2.26	0.5	S41075-d
54736	25.00	25.50	0.50	0.8	0.31	1.1	0.0043	10	15	7.6	3.77	0.2	6.4	71	13.8	2.41	0.5	S41075-d
54737	25.50	26.10	0.60	0.1	0.55	0.6	0.0016	10	16	1.4	2.49	0.1	5.6	51	3.1	1.79	2	S41075-d
54738	37.70	38.70	1.00	0.4	0.81	1.5	0.0117	10	14	1.1	3.91	0.8	12.2	114	11.8	2.19	3	S41073-d
54739	42.10	43.10	1.00	2.4	0.32	2.1	0.0184	10	22	5.9	2.47	4.6	9.9	61	41.8	2	0.5	S41075-d
54741	43.10	43.80	0.70	4.3	0.2	2.5	0.0142	10	20	7.4	2.48	49.2	9.2	51	253	1.96	0.5	S41075-d
54742	43.80	44.30	0.50	8.7	0.6	7	0.0378	10	12	7.3	3.31	3.6	12.3	123	353.1	2.12	2	S41073-d
54743	44.30	44.90	0.60	4.9	0.18	2.1	0.0109	10	15	5.8	2.64	67.1	8.8	75	136.2	1.97	0.5	S41073-d
54744	44.90	45.50	0.60	2.3	0.3	1.2	0.0037	10	22	1.7	2.3	8.3	6.7	59	45.7	1.75	0.5	S41075-d
54745	45.50	46.00	0.50	6.1	0.25	2.1	0.0079	10	18	13.5	2.5	1	10	53	9.4	2.04	0.5	S41075-d
54746	46.00	47.00	1.00	4.5	0.27	1.8	0.0138	10	21	10.8	2.62	1.2	11.6	63	16.2	2.09	0.5	S41075-d
54747	47.00	48.00	1.00	0.8	0.25	2.2	0.002	10	20	1.7	2.86	1.4	9.3	53	13	2.07	0.5	S41075-d

54748	48.00	49.00	1.00	1.4	0.27	1.8	0.0013	10	21	1.3	2.73	5.3	7.3	58	24.8	1.81	0.5	S41078-d
54749	49.00	50.00	1.00	2.5	0.2	2	0.0055	10	15	6.1	2.63	0.4	8.1	62	9.7	1.91	0.5	S41078-d
54751	50.00	51.00	1.00	0.5	0.26	2.2	0.0018	10	19	1.1	2.44	0.4	7.8	50	9.9	1.84	0.5	S41078-d
54752	51.00	52.00	1.00	0.2	0.18	1.6	0.00025	10	14	0.5	2.69	0.4	6.6	52	11.1	1.87	0.5	S41078-d
54753	52.00	53.00	1.00	0.6	0.24	1.2	0.00025	10	19	0.4	2.56	0.4	5.9	51	12.9	1.79	0.5	S41078-d
54754	53.00	54.00	1.00	0.5	0.19	2.6	0.002	10	20	1.1	2.78	0.3	10.5	44	7.4	2.19	0.5	S41078-d
54755	54.00	55.00	1.00	0.5	0.18	2.1	0.0107	10	19	0.9	2.66	0.4	9.6	43	7.7	2.1	0.5	S41078-d
54756	55.00	56.00	1.00	0.8	0.22	2.2	0.0048	10	22	1.3	2.77	2.8	9.2	63	38.7	1.99	0.5	S41078-d
54757	56.00	57.00	1.00	1.1	0.25	3.3	0.0372	10	24	1.3	3.03	16.4	10.9	59	64.3	2.21	0.5	S41078-d
54758	57.00	57.60	0.60	1.3	0.16	2.4	0.0071	10	13	2.4	3.19	1.4	8.7	30	20.1	2.21	0.5	S41078-d
54759	57.60	58.20	0.60	0.6	0.26	1.3	0.0036	10	24	0.5	2.85	8.5	6.5	74	19.2	1.86	0.5	S41078-d
54761	58.20	58.30	0.10	2	0.17	5	0.4049	10	16	3.3	2.03	3.5	8.5	103	503.1	1.65	0.5	S41076-d
54762	58.30	59.20	0.90	1	0.22	1.6	0.0108	10	24	1.8	2.37	1.7	8.3	76	46	2.05	0.5	S41076-d
54763	59.20	59.70	0.50	35.5	0.12	2.1	0.0525	10	17	159.6	1.73	0.7	8.1	111	21.9	2.25	0.5	S41076-d
54764	59.70	60.60	0.90	1.1	0.21	1.3	0.0182	10	29	11.3	2.36	1	9.4	63	19.6	2.26	0.5	S41076-d
54765	60.60	61.10	0.50	4.3	0.05	0.25	0.1866	10	8	48.8	0.95	0.7	1.5	152	8.6	0.59	0.5	S41076-d
54766	61.10	61.80	0.70	12.1	0.07	0.25	0.0132	10	11	225.8	0.43	0.4	2	111	18.7	0.57	0.5	S41076-d
54767	61.80	62.10	0.30	63.8	0.07	0.25	0.3384	10	11	1883	0.38	1.2	3	177	156	1.16	0.5	S41076-d
54768	62.10	62.60	0.50	1.9	0.09	0.25	0.0088	10	15	14.8	1.57	0.4	8.2	157	9.9	2	0.5	S41076-d
54769	62.60	63.15	0.55	1.3	0.12	0.25	0.0094	10	22	22.3	1.13	0.2	6.9	126	5	1.19	0.5	S41076-d
54771	63.15	63.75	0.60	16	0.05	0.25	0.0383	10	6	469.5	1.48	0.3	4.4	67	35.2	1.12	0.5	S41076-d
54772	63.75	64.20	0.45	0.5	0.77	3.4	0.0177	10	12	7.3	5.83	0.4	21.3	34	16	3.2	2	S41078-d
54773	77.70	78.10	0.40	1.2	1.02	1.5	0.0355	10	32	24	4.35	0.2	17.4	81	14.1	2.32	3	S41079-d



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
54730																				
54770																				
54760																				
54750																				
54740																				
54723	9.25	10.00	0.75	0.005	0.12	10	0.76	1.8	0.5	0.018	11.5	0.031	1.8	0.16	0.05	0.4	0.25		S41075-d	
54724	10.00	11.00	1.00	0.005	0.13	11	0.49	2.2	1.8	0.022	13.5	0.042	1.6	0.28	0.05	0.5	0.25		S41075-d	
54725	11.00	12.00	1.00	0.005	0.14	12	0.8	1.9	0.5	0.021	15.8	0.039	1.8	0.11	0.05	0.6	0.25		S41075-d	
54726	12.00	13.00	1.00	0.005	0.12	9	0.81	1.8	0.6	0.02	14.8	0.038	1.6	0.22	0.05	0.5	0.25		S41075-d	
54727	13.00	13.60	0.60	0.005	0.11	10	1.18	1.7	0.5	0.017	15.4	0.035	2.1	0.07	0.05	0.6	0.25		S41075-d	
54728	21.30	21.80	0.50	0.005	0.1	5	1.39	1	0.4	0.015	22.6	0.028	2.5	0.56	0.05	0.7	0.25		S41075-d	
54729	21.80	22.40	0.60	0.005	0.08	4	0.76	0.6	0.6	0.012	10.6	0.017	2.1	0.16	0.05	0.3	0.25		S41075-d	
54731	22.40	22.90	0.50	0.005	0.13	12	0.51	1.6	73.1	0.022	12.1	0.043	1.4	0.09	0.05	0.5	0.25		S41075-d	
54732	22.90	23.50	0.60	0.005	0.12	7	0.92	1.2	1.2	0.019	21.5	0.03	3.4	0.65	0.05	0.6	0.25		S41075-d	
54733	23.50	23.90	0.40	0.005	0.08	5	0.93	0.8	1.1	0.01	16.4	0.024	2.4	0.61	0.05	0.6	0.25		S41075-d	
54734	23.90	24.30	0.40	0.005	0.14	9	0.67	1.4	0.6	0.015	18.1	0.043	1.6	0.31	0.05	0.8	0.25		S41075-d	
54735	24.30	25.00	0.70	0.005	0.1	6	0.88	1.1	0.4	0.014	14.5	0.03	2.9	0.27	0.05	0.8	0.25		S41075-d	
54736	25.00	25.50	0.50	0.005	0.09	6	0.98	1.1	0.7	0.015	13.2	0.027	2.7	0.22	0.05	0.7	0.25		S41075-d	
54737	25.50	26.10	0.60	0.005	0.1	9	0.7	1.6	0.4	0.027	12.9	0.039	1.3	0.17	0.05	1	0.25		S41075-d	
54738	37.70	38.70	1.00	0.005	0.06	7	0.68	2.7	79.8	0.018	13.4	0.026	8.2	0.59	0.2	1.2	0.25		S41073-d	
54739	42.10	43.10	1.00	0.05	0.13	8	0.73	1.3	0.6	0.017	12.3	0.038	26.2	0.51	0.05	0.7	0.25		S41075-d	
54741	43.10	43.80	0.70	0.43	0.12	6	0.74	0.9	0.5	0.008	10	0.038	64.3	0.65	0.1	0.5	0.25		S41075-d	
54742	43.80	44.30	0.50	0.07	0.07	5	0.52	0.7	8.2	0.006	13.3	0.017	24.1	0.52	0.3	0.8	2.9		S41073-d	
54743	44.30	44.90	0.60	0.63	0.09	5	0.71	0.7	0.8	0.006	9.5	0.032	88.5	0.58	0.05	0.5	0.7		S41073-d	
54744	44.90	45.50	0.60	0.1	0.14	7	0.66	0.9	1	0.01	11.3	0.044	32.3	0.19	0.05	0.6	0.25		S41075-d	
54745	45.50	46.00	0.50	0.02	0.12	5	0.7	0.9	6.8	0.008	12	0.039	63.7	0.5	0.1	0.6	0.25		S41075-d	
54746	46.00	47.00	1.00	0.01	0.13	6	0.71	1.1	4.9	0.012	13.6	0.039	83.9	0.48	0.1	0.6	0.25		S41075-d	
54747	47.00	48.00	1.00	0.005	0.13	7	0.79	1.1	0.4	0.01	12.5	0.046	33.3	0.26	0.05	0.5	0.25		S41075-d	

54748	48.00	49.00	1.00	0.06	0.13	9	0.7	1.1	0.5	0.013	12.2	0.039	59.8	0.11	0.05	0.6	0.25	S41078-d
54749	49.00	50.00	1.00	0.005	0.08	7	0.69	1	1.2	0.013	11.7	0.036	26.1	0.34	0.05	0.5	0.25	S41078-d
54751	50.00	51.00	1.00	0.005	0.11	8	0.64	1.1	0.3	0.017	10.9	0.039	15.9	0.22	0.05	0.6	0.25	S41078-d
54752	51.00	52.00	1.00	0.005	0.08	8	0.69	1.2	0.4	0.013	11.3	0.038	9	0.17	0.1	0.5	0.25	S41078-d
54753	52.00	53.00	1.00	0.005	0.1	8	0.64	1.3	0.3	0.016	9.5	0.038	8.2	0.1	0.1	0.6	0.25	S41078-d
54754	53.00	54.00	1.00	0.005	0.11	8	0.72	1.8	0.3	0.013	12.8	0.049	12.4	0.65	0.05	0.4	0.25	S41078-d
54755	54.00	55.00	1.00	0.005	0.1	8	0.69	1.6	0.3	0.012	12.8	0.043	10.9	0.62	0.1	0.4	0.25	S41078-d
54756	55.00	56.00	1.00	0.02	0.11	8	0.71	1.6	0.5	0.011	13	0.044	65.5	0.31	0.1	0.5	0.25	S41078-d
54757	56.00	57.00	1.00	0.13	0.12	6	0.83	1.3	0.4	0.011	12.1	0.042	85.4	0.48	0.2	0.5	0.25	S41078-d
54758	57.00	57.60	0.60	0.01	0.07	9	0.94	1.1	0.2	0.006	15.3	0.05	86.6	0.32	0.2	0.6	0.25	S41078-d
54759	57.60	58.20	0.60	0.07	0.14	10	0.78	1.2	0.3	0.01	9.1	0.039	21.9	0.15	0.05	0.5	0.25	S41078-d
54761	58.20	58.30	0.10	0.07	0.1	6	0.48	1.5	0.5	0.006	10.5	0.02	18.5	0.52	0.2	0.3	0.25	S41076-d
54762	58.30	59.20	0.90	0.02	0.14	7	0.72	2.1	0.4	0.018	11.9	0.039	35.3	0.67	0.1	0.5	0.25	S41076-d
54763	59.20	59.70	0.50	0.005	0.1	2	0.62	0.7	151	0.009	21.2	0.009	220.8	1.39	0.6	0.3	0.7	S41076-d
54764	59.70	60.60	0.90	0.005	0.13	6	0.63	2.2	12.6	0.016	16.8	0.039	37.3	1.42	0.2	0.4	0.6	S41076-d
54765	60.60	61.10	0.50	0.02	0.03	0.5	0.19	0.2	15	0.005	4.7	0.004	28	0.22	0.3	0.05	0.25	S41076-d
54766	61.10	61.80	0.70	0.005	0.05	2	0.09	0.2	51.1	0.006	4.9	0.007	80.3	0.41	0.7	0.05	0.25	S41076-d
54767	61.80	62.10	0.30	0.005	0.05	0.5	0.08	0.05	109.1	0.004	8.3	0.005	587.2	1.05	5.4	0.1	2.3	S41076-d
54768	62.10	62.60	0.50	0.005	0.06	1	0.4	0.4	479.3	0.006	15	0.012	17.4	1.62	0.2	0.3	0.25	S41076-d
54769	62.60	63.15	0.55	0.005	0.08	2	0.28	0.4	202.2	0.007	11.8	0.018	12.7	0.78	0.1	0.2	0.25	S41076-d
54771	63.15	63.75	0.60	0.005	0.03	1	0.26	0.2	91.2	0.003	9.5	0.007	71.8	0.85	0.8	0.2	0.7	S41076-d
54772	63.75	64.20	0.45	0.005	0.07	8	1.22	1	2.9	0.007	33.3	0.077	5.7	1.53	0.05	1.1	0.25	S41078-d
54773	77.70	78.10	0.40	0.005	0.1	7	0.98	1.1	47.6	0.025	52.7	0.034	3.1	1.41	0.05	1.4	0.6	S41079-d



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
54730									
54770									
54760									
54750									
54740									
54723	9.25	10.00	0.75	0.05	0.3	1	0.1	17	S41075-d
54724	10.00	11.00	1.00	0.05	0.4	2	0.2	16	S41075-d
54725	11.00	12.00	1.00	0.05	0.4	2	0.05	24	S41075-d
54726	12.00	13.00	1.00	0.05	0.3	2	0.1	24	S41075-d
54727	13.00	13.60	0.60	0.05	0.3	1	0.05	23	S41075-d
54728	21.30	21.80	0.50	0.05	0.1	1	0.2	28	S41075-d
54729	21.80	22.40	0.60	0.05	0.1	1	0.1	17	S41075-d
54731	22.40	22.90	0.50	0.05	0.2	3	0.2	19	S41075-d
54732	22.90	23.50	0.60	0.05	0.2	2	0.2	28	S41075-d
54733	23.50	23.90	0.40	0.05	0.1	1	0.2	21	S41075-d
54734	23.90	24.30	0.40	0.05	0.2	2	0.2	26	S41075-d
54735	24.30	25.00	0.70	0.05	0.2	1	0.3	34	S41075-d
54736	25.00	25.50	0.50	0.05	0.2	2	0.2	28	S41075-d
54737	25.50	26.10	0.60	0.05	0.2	3	0.2	36	S41075-d
54738	37.70	38.70	1.00	0.05	1.8	5	0.6	69	S41073-d
54739	42.10	43.10	1.00	0.05	0.2	1	1.1	514	S41075-d
54741	43.10	43.80	0.70	0.05	0.2	1	0.3	5234	S41075-d
54742	43.80	44.30	0.50	0.05	0.2	5	0.4	422	S41073-d
54743	44.30	44.90	0.60	0.05	0.2	1	0.2	8549	S41073-d
54744	44.90	45.50	0.60	0.05	0.2	1	0.2	1088	S41075-d
54745	45.50	46.00	0.50	0.05	0.2	1	0.2	151	S41075-d
54746	46.00	47.00	1.00	0.05	0.3	1	0.2	169	S41075-d
54747	47.00	48.00	1.00	0.05	0.2	1	0.1	186	S41075-d

54748	48.00	49.00	1.00	0.05	0.3	1	0.05	577	S41078-d
54749	49.00	50.00	1.00	0.05	0.2	1	0.05	73	S41078-d
54751	50.00	51.00	1.00	0.05	0.2	1	0.05	74	S41078-d
54752	51.00	52.00	1.00	0.05	0.2	1	0.05	59	S41078-d
54753	52.00	53.00	1.00	0.05	0.2	1	0.05	53	S41078-d
54754	53.00	54.00	1.00	0.1	0.3	1	0.2	52	S41078-d
54755	54.00	55.00	1.00	0.05	0.3	1	0.2	53	S41078-d
54756	55.00	56.00	1.00	0.05	0.2	1	0.2	287	S41078-d
54757	56.00	57.00	1.00	0.05	0.2	1	0.2	1488	S41078-d
54758	57.00	57.60	0.60	0.05	0.2	1	0.3	139	S41078-d
54759	57.60	58.20	0.60	0.05	0.3	1	0.2	736	S41078-d
54761	58.20	58.30	0.10	0.05	0.1	1	0.3	325	S41076-d
54762	58.30	59.20	0.90	0.05	0.2	1	0.6	155	S41076-d
54763	59.20	59.70	0.50	0.05	0.1	1	100	36	S41076-d
54764	59.70	60.60	0.90	0.05	0.2	1	12.9	72	S41076-d
54765	60.60	61.10	0.50	0.05	0.05	1	100	23	S41076-d
54766	61.10	61.80	0.70	0.05	0.05	1	3.1	4	S41076-d
54767	61.80	62.10	0.30	0.05	0.05	1	0.6	5	S41076-d
54768	62.10	62.60	0.50	0.05	0.05	1	5	14	S41076-d
54769	62.60	63.15	0.55	0.05	0.1	1	10.2	10	S41076-d
54771	63.15	63.75	0.60	0.05	0.05	1	0.8	11	S41076-d
54772	63.75	64.20	0.45	0.05	0.2	7	1.4	45	S41078-d
54773	77.70	78.10	0.40	0.05	0.1	10	1.6	33	S41079-d



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
54870																		
54860																		
54853	27.50	28.00	0.50	0.1	0.36	0.8	0.0057	10	18	0.2	2.53	0.2	9	47	59.7	1.84	1	S41083-d
54854	28.00	29.00	1.00	0.3	0.33	1.5	0.0674	10	18	0.9	3.08	0.3	8.4	58	48.9	1.81	0.5	S41083-d
54855	29.00	29.35	0.35	0.1	0.29	1.3	0.0065	10	17	0.4	2.48	0.1	7.8	42	5.6	1.99	0.5	S41083-d
54856	29.35	30.20	0.85	0.7	0.3	2	0.0065	10	23	0.5	2.48	0.3	8.3	61	14.4	1.67	0.5	S41083-d
54857	30.20	31.00	0.80	1.6	0.21	3	0.006	10	19	0.5	3.34	0.6	6.9	50	108.7	1.42	0.5	S41083-d
54858	31.00	32.00	1.00	0.2	0.36	6.9	0.0246	10	23	0.8	4.26	0.4	6.6	63	21.3	0.91	0.5	S41083-d
54859	44.00	44.70	0.70	0.3	0.26	2.1	0.0022	10	22	0.5	2.68	3	7.7	52	13.7	2.03	0.5	S41083-d
54861	44.70	45.45	0.75	1.6	0.22	5	0.011	10	20	0.6	2.6	8.1	12.5	75	95.8	2.07	0.5	S41081-d
54862	45.45	45.80	0.35	2.2	0.21	5.9	0.0142	10	21	0.5	2.51	13.3	14.5	84	115	2.24	0.5	S41081-d
54863	45.80	46.30	0.50	1.1	0.22	5.1	0.0191	10	16	0.6	2.6	3.4	9.3	91	199.9	1.77	0.5	S41081-d
54864	46.30	46.65	0.35	0.3	0.16	4.7	0.0134	10	18	0.4	2.09	2.7	7.1	64	162.4	1.06	0.5	S41081-d
54865	46.65	47.20	0.55	0.3	0.21	14	0.1255	10	19	2.1	2.15	0.9	8.7	98	229.8	1.07	0.5	S41081-d
54866	47.20	47.80	0.60	0.5	0.14	10.4	0.0261	10	12	4.3	2.13	1.8	9.5	146	221.1	1.03	0.5	S41081-d
54867	47.80	48.40	0.60	16.8	0.04	6.2	0.2513	10	7	131	1.28	2.1	7.5	21	238.5	0.89	0.5	S41081-d
54868	48.40	48.65	0.25	9	0.29	6.3	0.0103	10	22	3.5	4.27	2.2	16.8	73	95.2	2.95	0.5	S41081-d
54869	48.65	49.20	0.55	0.4	0.28	2.4	0.0104	10	21	0.4	4.25	1.3	10.7	52	16.6	2.58	0.5	S41083-d
54871	49.20	49.70	0.50	0.4	0.31	2.2	0.0009	10	21	0.3	2.92	1.2	8.4	48	27.9	2.04	0.5	S41083-d
54872	55.35	56.00	0.65	1.2	0.28	12	0.0158	10	19	1.8	5	3.3	28.1	66	294.3	3.03	0.5	S41083-d
54873	56.00	56.25	0.25	43.2	0.11	37.7	5	10	13	8.8	8.09	11	39.8	44	5807.3	4.32	0.5	S41083-d
54874	56.25	56.70	0.45	0.2	0.23	7.3	0.0038	10	26	0.05	3.44	0.8	11.2	51	16.7	2.28	0.5	S41083-d



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report
54870																			
54860																			
54853	27.50	28.00	0.50	0.005	0.12	11	0.71	1.4	0.3	0.024	11.7	0.038	1.8	0.13	0.05	0.6	0.25		S41083-d
54854	28.00	29.00	1.00	0.005	0.13	11	0.74	1.3	0.7	0.022	11.5	0.037	3.4	0.17	0.05	0.8	1.1		S41083-d
54855	29.00	29.35	0.35	0.005	0.11	10	0.76	1.6	0.3	0.019	11.2	0.041	2.3	0.27	0.05	0.7	0.25		S41083-d
54856	29.35	30.20	0.85	0.005	0.14	13	0.68	1.4	0.8	0.016	11.2	0.042	3.7	0.09	0.05	0.6	1.1		S41083-d
54857	30.20	31.00	0.80	0.005	0.11	14	0.8	1.1	2.1	0.018	8.9	0.032	5.5	0.025	0.05	0.7	2.2		S41083-d
54858	31.00	32.00	1.00	0.005	0.14	13	0.18	2	4.7	0.018	12.9	0.04	7.1	0.06	0.05	0.6	1.1		S41083-d
54859	44.00	44.70	0.70	0.02	0.14	10	0.77	1.2	0.3	0.016	11.2	0.04	35.8	0.23	0.05	0.6	0.25		S41083-d
54861	44.70	45.45	0.75	0.12	0.12	8	0.79	1.2	0.6	0.011	13.7	0.041	38	0.43	0.2	0.6	0.8		S41081-d
54862	45.45	45.80	0.35	0.21	0.13	8	0.76	1.4	0.4	0.009	14.1	0.056	25.8	0.61	0.1	0.6	1		S41081-d
54863	45.80	46.30	0.50	0.09	0.1	8	0.81	1.1	0.9	0.011	13.1	0.035	26.2	0.17	0.05	0.5	1		S41081-d
54864	46.30	46.65	0.35	0.03	0.1	9	0.75	1.3	0.4	0.01	6.5	0.046	19.7	0.17	0.1	0.5	1.4		S41081-d
54865	46.65	47.20	0.55	0.02	0.11	10	0.17	1	2.2	0.008	9.8	0.037	35.6	0.12	0.3	0.4	1.9		S41081-d
54866	47.20	47.80	0.60	0.03	0.06	5	0.23	0.5	3.2	0.007	9.5	0.016	39.5	0.025	0.3	0.6	1.2		S41081-d
54867	47.80	48.40	0.60	0.04	0.02	2	0.27	0.1	79.8	0.003	6.5	0.011	59.6	0.09	0.3	0.3	7.3		S41081-d
54868	48.40	48.65	0.25	0.03	0.11	9	1.25	1.1	4.2	0.013	23.8	0.065	49.6	0.27	0.1	0.7	5.2		S41081-d
54869	48.65	49.20	0.55	0.005	0.13	9	1.17	0.8	0.9	0.012	16.9	0.057	12.3	0.12	0.05	0.9	0.25		S41083-d
54871	49.20	49.70	0.50	0.01	0.14	13	0.87	1.2	0.4	0.015	13.1	0.044	12.8	0.06	0.05	0.6	0.25		S41083-d
54872	55.35	56.00	0.65	0.005	0.13	3	2	0.4	1.6	0.01	69.9	0.031	15.8	0.68	0.05	1.5	0.25		S41083-d
54873	56.00	56.25	0.25	0.2	0.07	2	2.69	0.2	0.3	0.008	58.9	0.014	42.8	0.3	0.2	1	0.25		S41083-d
54874	56.25	56.70	0.45	0.005	0.13	11	1.11	1	0.5	0.01	26.5	0.056	3.7	0.2	0.05	0.8	0.25		S41083-d



<i>Sample</i>	<i>From</i>	<i>To</i>	<i>Len.</i>	<i>Tl</i> <i>ppm</i>	<i>U</i> <i>ppm</i>	<i>V</i> <i>ppm</i>	<i>W</i> <i>ppm</i>	<i>Zn</i> <i>ppm</i>	<i>Lab Report</i>
54870									
54860									
54853	27.50	28.00	0.50	0.05	0.1	2	0.2	44	S41083-d
54854	28.00	29.00	1.00	0.05	0.1	3	0.5	71	S41083-d
54855	29.00	29.35	0.35	0.05	0.2	1	0.2	41	S41083-d
54856	29.35	30.20	0.85	0.05	0.1	1	0.3	51	S41083-d
54857	30.20	31.00	0.80	0.05	0.3	2	0.3	56	S41083-d
54858	31.00	32.00	1.00	0.05	0.2	4	0.3	61	S41083-d
54859	44.00	44.70	0.70	0.05	0.2	1	0.2	292	S41083-d
54861	44.70	45.45	0.75	0.05	0.3	1	0.3	854	S41081-d
54862	45.45	45.80	0.35	0.1	0.3	2	0.4	1474	S41081-d
54863	45.80	46.30	0.50	0.05	0.3	1	0.4	487	S41081-d
54864	46.30	46.65	0.35	0.05	0.2	3	0.4	273	S41081-d
54865	46.65	47.20	0.55	0.05	0.4	4	0.7	157	S41081-d
54866	47.20	47.80	0.60	0.05	0.4	5	0.7	215	S41081-d
54867	47.80	48.40	0.60	0.05	0.3	4	0.7	243	S41081-d
54868	48.40	48.65	0.25	0.05	0.5	8	0.6	323	S41081-d
54869	48.65	49.20	0.55	0.05	0.3	3	0.3	118	S41083-d
54871	49.20	49.70	0.50	0.05	0.2	1	0.2	119	S41083-d
54872	55.35	56.00	0.65	0.05	0.2	8	0.4	241	S41083-d
54873	56.00	56.25	0.25	0.05	0.1	4	0.2	1005	S41083-d
54874	56.25	56.70	0.45	0.05	1.1	2	0.1	70	S41083-d



Sample	From	To	Len.	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Lab Report
54900																		
54880																		
54890																		
54875	25.00	26.00	1.00	0.2	0.23	2.6	0.00025	10	19	0.5	2.41	0.2	9.5	52	6.1	1.95	0.5	S41086-d
54876	26.00	26.90	0.90	18.5	0.39	2.8	0.0256	10	31	21.7	2.95	0.4	11.5	75	22.1	2.15	1	S41084-d
54877	26.90	27.50	0.60	2.5	0.2	3.2	0.0251	10	19	1	2.6	1.1	9.9	55	30	2.25	0.5	S41086-d
54878	27.50	28.25	0.75	9.1	0.2	3.8	0.0082	10	21	11.6	2.27	15.6	12.6	38	7.5	2.52	0.5	S41086-d
54879	28.25	29.30	1.05	0.3	0.23	3.6	0.00025	10	22	0.7	2.5	0.4	9.1	64	9.6	1.9	0.5	S41086-d
54881	33.30	34.20	0.90	0.6	0.19	2.4	0.00025	10	18	0.5	2.17	1.2	3.7	57	6.3	0.99	0.5	S41086-d
54882	34.20	34.90	0.70	1.7	0.21	3.9	0.0006	10	20	0.7	1.56	16.7	4	77	20.1	0.65	0.5	S41086-d
54883	34.90	35.40	0.50	1.7	0.17	1.6	0.00025	10	18	0.1	1.69	0.6	4.2	57	30.4	0.93	0.5	S41086-d
54884	40.20	41.25	1.05	1.8	0.25	4.8	0.0293	10	26	33.2	2.84	0.7	17.1	71	43.6	3.28	0.5	S41086-d
54885	69.00	69.60	0.60	0.05	0.17	2.1	0.0047	10	16	0.05	1.42	0.1	4	53	17.6	0.96	0.5	S41086-d
54886	69.60	70.30	0.70	0.1	0.27	1	0.0044	10	24	0.05	2.29	0.2	8.6	61	59.4	1.35	0.5	S41084-d
54887	70.30	71.10	0.80	0.1	0.14	1.3	0.0188	10	16	0.05	3	0.3	11.4	17	85.1	1.78	0.5	S41084-d
54888	71.10	71.70	0.60	0.05	0.33	1	0.00025	10	33	0.05	1.27	0.1	2.6	84	4.8	0.89	0.5	S41084-d
54889	71.70	72.40	0.70	0.05	0.17	0.9	0.0013	10	17	0.05	1.3	0.1	2.5	26	4.1	0.78	0.5	S41084-d
54891	72.40	73.00	0.60	0.05	0.28	2	0.00025	10	22	0.1	3.69	0.5	11.1	40	51.2	2.27	0.5	S41084-d
54892	73.00	73.85	0.85	0.3	0.53	2	0.0246	10	39	0.7	5.55	0.7	22.5	44	240.2	3.62	1	S41086-d
54893	73.85	74.80	0.95	0.4	0.31	2	0.0405	10	31	0.4	6.01	1.2	11.6	89	365.8	3.83	0.5	S41084-d
54894	74.80	75.50	0.70	0.05	0.29	0.7	0.0011	10	24	0.05	3.04	0.8	8.6	29	27.4	2.08	0.5	S41086-d
54895	75.50	76.35	0.85	0.1	0.29	4.2	0.0116	10	27	0.3	6.64	1.5	28.7	31	7.4	3.97	0.5	S41086-d
54896	76.35	76.75	0.40	0.05	0.22	2.3	0.0151	10	19	0.1	4.59	1.3	13.1	53	12.6	2.76	0.5	S41086-d
54897	76.75	77.50	0.75	0.1	0.26	3.7	0.0023	10	24	0.1	4.6	0.8	21.9	45	19.3	2.93	0.5	S41086-d
54898	77.50	78.30	0.80	0.1	0.24	4.2	0.0121	10	28	0.6	5.52	5.8	31	38	35.2	3.3	0.5	S41086-d
54899	78.30	79.00	0.70	0.2	0.28	10.4	0.026	10	21	1.7	8.36	6.4	17.9	29	155.8	1.4	0.5	S41084-d
54901	79.00	79.60	0.60	0.4	0.32	7	0.0151	10	18	0.9	6.73	0.5	19	44	101.3	2.38	0.5	S41087-d
54902	79.60	80.00	0.40	0.2	0.44	5.2	0.0025	10	36	0.2	5.91	1	26.1	39	30.4	3.73	0.5	S41087-d

54903	80.00	81.00	1.00	0.2	0.28	4.3	0.0097	10	21	1.7	5.35	1.6	19	47	24.9	3.17	0.5	S41089-d
54904	81.00	82.00	1.00	0.3	0.28	4.6	0.0059	10	24	0.3	4.64	1.2	17.8	41	23.7	2.82	0.5	S41089-d
54905	82.00	82.50	0.50	0.1	0.19	4.5	0.0031	10	19	0.1	3.14	0.9	10.2	46	13.9	1.93	0.5	S41089-d
54906	82.50	82.90	0.40	10	0.38	9.5	0.137	10	28	9.5	2.96	154.3	21.7	62	1540.5	2.17	0.5	S41087-d
54907	82.90	83.40	0.50	2.3	0.27	4.5	0.0293	10	20	1.2	3.83	1.9	7.3	56	893.9	1.98	0.5	S41089-d
54908	83.40	84.10	0.70	1.1	0.15	2.2	0.0132	10	12	0.8	2.69	1.5	4.9	58	333.2	1.32	0.5	S41087-d



Sample	From	To	Len.	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Th ppm	Lab Report	
54900																				
54880																				
54890																				
54875	25.00	26.00	1.00	0.005	0.13	9	0.7	1.1	0.3	0.021	12.3	0.039	4.7	0.37	0.05	0.6	0.25		S41086-d	
54876	26.00	26.90	0.90	0.005	0.2	11	0.71	1.5	0.4	0.033	13.6	0.041	377.5	0.4	0.05	0.7	0.25		S41084-d	
54877	26.90	27.50	0.60	0.02	0.12	9	0.81	1.2	0.9	0.019	14	0.039	13.3	0.6	0.05	0.6	0.25		S41086-d	
54878	27.50	28.25	0.75	0.2	0.14	6	0.69	1.1	25.9	0.022	14.1	0.044	58.8	1.55	0.05	0.5	0.7		S41086-d	
54879	28.25	29.30	1.05	0.005	0.14	9	0.69	1.1	0.9	0.021	12.3	0.039	6	0.52	0.05	0.5	0.25		S41086-d	
54881	33.30	34.20	0.90	0.005	0.12	13	0.63	1.1	0.6	0.017	5.4	0.02	12.9	0.025	0.05	0.3	0.25		S41086-d	
54882	34.20	34.90	0.70	0.19	0.13	10	0.34	0.8	0.6	0.017	6.1	0.02	36.6	0.09	0.05	0.2	0.25		S41086-d	
54883	34.90	35.40	0.50	0.01	0.13	11	0.46	0.8	0.3	0.018	5.2	0.018	2.9	0.07	0.05	0.2	0.25		S41086-d	
54884	40.20	41.25	1.05	0.01	0.13	6	0.67	0.8	2.2	0.017	27.7	0.057	19.3	0.44	0.05	1	1.8		S41086-d	
54885	69.00	69.60	0.60	0.005	0.1	16	0.43	1.9	5.5	0.024	4.6	0.018	1.5	0.025	0.05	0.2	0.25		S41086-d	
54886	69.60	70.30	0.70	0.005	0.13	11	0.53	3.4	0.3	0.038	7.3	0.019	2.5	0.11	0.05	0.3	0.25		S41084-d	
54887	70.30	71.10	0.80	0.005	0.07	9	0.93	1.5	0.7	0.011	13	0.03	2.4	0.13	0.05	0.5	0.25		S41084-d	
54888	71.10	71.70	0.60	0.005	0.18	22	0.41	3.9	0.4	0.047	5.3	0.005	1.9	0.025	0.05	0.2	0.25		S41084-d	
54889	71.70	72.40	0.70	0.005	0.1	19	0.43	3	1	0.019	4.7	0.005	1.4	0.025	0.05	0.2	0.25		S41084-d	
54891	72.40	73.00	0.60	0.005	0.1	8	1.35	1.1	0.7	0.01	24.3	0.016	2.6	0.08	0.05	0.8	0.25		S41084-d	
54892	73.00	73.85	0.85	0.005	0.17	5	2.02	0.5	0.6	0.011	54.6	0.049	4	0.18	0.05	1.7	0.25		S41086-d	
54893	73.85	74.80	0.95	0.005	0.17	3	2.07	0.3	0.7	0.018	34	0.032	4.6	0.14	0.05	1.5	0.25		S41084-d	
54894	74.80	75.50	0.70	0.005	0.13	8	1	0.8	1.1	0.011	23.8	0.075	2.2	0.16	0.05	0.8	0.25		S41086-d	
54895	75.50	76.35	0.85	0.005	0.14	4	2.24	0.5	2.2	0.013	78.2	0.044	5.5	0.43	0.05	1.9	0.25		S41086-d	
54896	76.35	76.75	0.40	0.005	0.11	6	1.51	0.8	0.6	0.01	37	0.025	3	0.16	0.05	1.1	0.25		S41086-d	
54897	76.75	77.50	0.75	0.005	0.14	6	1.56	0.9	0.4	0.011	47.9	0.038	3	0.39	0.05	1.3	0.25		S41086-d	
54898	77.50	78.30	0.80	0.005	0.13	5	2	0.7	1.7	0.014	54.5	0.043	22.3	0.33	0.1	1.5	0.7		S41086-d	
54899	78.30	79.00	0.70	0.005	0.11	13	0.88	1.5	1.8	0.013	48.2	0.051	23.7	0.1	0.1	1.6	0.9		S41084-d	
54901	79.00	79.60	0.60	0.02	0.12	9	1.02	0.8	0.8	0.01	47.8	0.038	4.8	0.53	0.05	1.6	0.5		S41087-d	
54902	79.60	80.00	0.40	0.005	0.22	6	1.93	0.8	2	0.016	64.3	0.039	5.4	0.45	0.05	2.3	0.25		S41087-d	

54903	80.00	81.00	1.00	0.005	0.13	6	1.74	0.8	0.8	0.011	45.1	0.03	5.8	0.24	0.05	1.4	0.25	S41089-d
54904	81.00	82.00	1.00	0.005	0.15	7	1.49	0.7	0.9	0.012	56.6	0.051	4	0.26	0.05	1	0.25	S41089-d
54905	82.00	82.50	0.50	0.005	0.12	8	1.02	0.8	0.8	0.011	28.5	0.033	3.7	0.14	0.05	0.5	0.25	S41089-d
54906	82.50	82.90	0.40	1.19	0.16	7	0.84	0.8	0.6	0.019	40.9	0.038	24.8	0.85	0.1	0.9	0.8	S41087-d
54907	82.90	83.40	0.50	0.06	0.14	9	1.04	0.8	0.6	0.011	32.9	0.04	9.4	0.09	0.2	0.9	0.25	S41089-d
54908	83.40	84.10	0.70	0.04	0.08	6	0.6	0.6	0.5	0.008	18.2	0.02	6	0.1	0.1	0.6	0.25	S41087-d



Sample	From	To	Len.	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Lab Report
54900									
54880									
54890									
54875	25.00	26.00	1.00	0.05	0.4	1	0.2	39	S41086-d
54876	26.00	26.90	0.90	0.05	0.3	3	0.4	52	S41084-d
54877	26.90	27.50	0.60	0.05	0.2	1	0.4	148	S41086-d
54878	27.50	28.25	0.75	0.05	0.2	1	0.3	1453	S41086-d
54879	28.25	29.30	1.05	0.05	0.2	1	0.3	42	S41086-d
54881	33.30	34.20	0.90	0.05	0.3	1	0.3	109	S41086-d
54882	34.20	34.90	0.70	0.05	0.3	1	0.2	1645	S41086-d
54883	34.90	35.40	0.50	0.05	0.2	1	0.2	70	S41086-d
54884	40.20	41.25	1.05	0.05	0.4	7	1	90	S41086-d
54885	69.00	69.60	0.60	0.05	0.3	1	0.1	21	S41086-d
54886	69.60	70.30	0.70	0.05	0.7	1	0.1	33	S41084-d
54887	70.30	71.10	0.80	0.05	0.4	2	0.1	42	S41084-d
54888	71.10	71.70	0.60	0.05	0.8	1	0.1	17	S41084-d
54889	71.70	72.40	0.70	0.05	0.7	1	0.05	21	S41084-d
54891	72.40	73.00	0.60	0.05	0.4	4	0.2	79	S41084-d
54892	73.00	73.85	0.85	0.05	0.05	6	0.2	134	S41086-d
54893	73.85	74.80	0.95	0.05	0.05	6	0.2	139	S41084-d
54894	74.80	75.50	0.70	0.05	0.2	4	0.2	92	S41086-d
54895	75.50	76.35	0.85	0.05	0.1	9	0.5	173	S41086-d
54896	76.35	76.75	0.40	0.05	0.3	4	0.2	125	S41086-d
54897	76.75	77.50	0.75	0.05	0.3	5	0.3	87	S41086-d
54898	77.50	78.30	0.80	0.05	0.3	14	1.8	693	S41086-d
54899	78.30	79.00	0.70	0.05	0.3	22	4.9	677	S41084-d
54901	79.00	79.60	0.60	0.05	0.1	7	0.9	81	S41087-d
54902	79.60	80.00	0.40	0.05	0.1	8	0.5	137	S41087-d

54903	80.00	81.00	1.00	0.05	0.2	6	0.5	184	S41089-d
54904	81.00	82.00	1.00	0.05	0.1	5	0.2	153	S41089-d
54905	82.00	82.50	0.50	0.05	0.2	3	0.2	102	S41089-d
54906	82.50	82.90	0.40	0.05	0.3	4	1.8	10000	S41087-d
54907	82.90	83.40	0.50	0.05	0.2	8	3.1	317	S41089-d
54908	83.40	84.10	0.70	0.05	0.1	4	0.9	200	S41087-d