Assessment Report Pertaining To Mechanized Stripping and Blasting on Mineralized Occurrences

On The

Lalonde Property

Larder Lake and Porcupine Mining Divisions
Midlothian and Halliday Townships
Province of Ontario

2.49143

J. Kevin Filo, P.Geo 1080 Michelano Drive Timmins Ontario, P4P 1H9

Date: August 1, 2011



TABLE OF CONTENTS

Introduction	1
Property Description and Location	1
Accessibility, Climate, Local Resources, Infrastructure and Physiography	. 1
History	. 2
Geological Setting	3
Discussion of Work	
Conclusions and Recommendations	
References	8

List of Figures

Figure 1 Location Map
Figure 2: Claim Holdings Map

Figure 3: General Property Geology Map

Figure 4: Legend for Detailed Regional Geology Map

Figure 5: Sketch map of Stripped and Blasted Area at Campbell Occurrence

Figure 6: Sketch map of Stripped Area at Occurrence No. 2

Tables

Table 1: Claim List


Certificate

Appendices

Appendix 1: Report on Lalonde Property by Resident Geologist

Appendix 2: Assay Sheets.

Appendix 3: Invoices



Introduction:

From May 23 to June 23/2011 an exploration crew comprised of Mr. Douglas Lalonde and Mr. Orville Rumelski of Timmins conducted a program of mechanized stripping and blasting of two mineral occurrences located on the Lalonde Property in Midlothian and Halliday Townships adjacent the formers Stairs Mine Property. The purpose of this work was to further evaluate the mineralization on two historical occurrences on the property for their base metal and gold potential. This report documents the work conducted over the summer season of 2011 for assessment purposes.

Property Description and Location:

The Lalonde Property is comprised of 8 contiguous (96 claim units) mining claims located in Halliday and Midlothian Townships as detailed in the accompanying Table 1 below. (Also see Fig.2 for Claim Map)

Table 1.0lailti Data										
Claim Number	Township	Number of Units	Due Date							
4247041	Midlothian	2	September 4 2011							
4247042	Halliday	15	September 4 2011							
4247043	Halliday	16	September 4 2011							
4247044	Halliday	16	September 4 2011							
4247045	Halliday	16	September 4 2011							
4247046	Halliday	9	September 4 2011							
4247047	Halliday	8	September 4 2011							
4247048	Halliday	14	September 4 2011							


Table 1:Claim Data

Accessibility, Climate, Local Resources, Infrastructure, and Physiography:

The main Campbell Lake occurrence in Halliday Twp. is located east of Campbell Lake at UTM Nad 83 Zone 17 494207E, 5306318N. This showing and the southeastern portion of the property is accessed from the Village of Matachewan. A short distance over the main bridge on the south side of the village is an access road to the old asbestos mine. This road is part of a good bush access road with leads in south /southwesterly direction to the eastern shore of Campbell Lake through the old Stairs Mine Property.

Drainage in the area occurs through West Montreal River, which connects with the Ottawa River as part of the St. Lawrence River system. The drainage system links abundant lakes in the area including those on the subject property.

The Property has moderate to locally rugged topography composed of rocky knolls covered with glacial till and gravels interrupted by low lying cedar swamps predominantly developed typical of many properties in this area. The area is covered by mature stands of mixed deciduous and boreal forest consisting of poplar, birch, pine and spruce.



Climate is typical of northeastern Ontario with below freezing temperatures (-5 to -40 degree Celsius) from November to April and brief periods of hot weather in the summer from 10 to 30 degrees Celsius. General exploration is restricted to the month of June to September, when the ground is not covered by snow. However, drilling and geophysical work can be carried out in the winter months when a thick snow pack improves access to otherwise swampy areas.

History:

Limited and sporadic exploration was carried out on the current subject property over the last century. A brief summary of the corporations and work carried out by them on the subject claims are discussed below:

P. Silams 1933 (Asses File T-2683):

Mr. Silams controlled a few claims within Halliday Township covering the current Campbell Lake occurrence. Work on the property consisted on some sampling of the vein which at the time returned \$1.20/ton in gold and 9 oz. of silver and 2.5% copper. Substantial work was recommended but not completed and the claims were allowed to lapse.

Sylvanite, 1945 (Assess File T-2681):


Sylavnite Gold Mines covered most of the current Lalonde Property in Halliday Twp. Sylvanite explored a series of shear zones associated with green carbonate. Low gold values were reported; a sample of 3.7 dwt was reported from their No.1 shear. Very positive recommendations were made for further exploration of specific shears so that further blasting and sampling could be conducted. This does not appear to have been carried out and the claims were allowed to lapse.

Larche and Rousseau, 1970-1975 (Assess File T-2682):

The Larche/Rousseau Exploration property covered roughly the south half of the current Lalonde Property. Work on this project consisted of geological surveying, stripping and sampling, and diamond drilling to evaluate the Larche/Rousseau project for base metals. The bulk of this work was conducted south of Campbell Lake. Drilling did not return significant base metals and the ground was eventually allowed to lapse.

Stairs Exploration 1963 to 1981 (Assess File T-2622):

During the course of exploration of the Stairs Mine the current Lalonde property was held by Stairs Exploration. However, for the most part exploration from this file deals primarily with the Stairs Mine Property. Airborne geophysics was flown over the current Lalonde Property as part of the Stairs Program. Two holes were also drilled on the current Lalonde Holdings by Stairs, one on an island in Campbell Lake and one about 600 m. north of the tip of Campbell Lake; both holes intersected graphite and some sulphides. Eventually Stairs non leased claims were allowed to lapse.



FIGHS: CENERAL GEOLOGY MAP
ADAPTED FROM UDM MAP 2187
SCAle I"= 1/2mile

NUTE: REFERENCE POINT A" COMMON REFERENCE POINT FOR CAMPBELL UCCURRENCE IN CURRENT FIG & FIG'S 245

LEGEND

CENOZOICª

PLEISTOCENE AND RECENT Glacial drift, gravel, sand and silt.

UNCONFORMITY

PRECAMBRIAN^b **PROTEROZOIC**

LATE MAFIC INTRUSIVE ROCKS



8 Diabase.

INTRUSIVE CONTACT

HURONIAN

COBALT GROUP (GOWGANDA FORMATION)



7a Conglomerate.

7b Greywacke, quartzite, and arkose. 7c Argillite.

UNCONFORMITY

ARCHEAN

MAFIC INTRUSIVE ROCKS (MATACHEWAN)



6 Diabase.

INTRUSIVE CONTACT

FELSIC INTRUSIVE ROCKS



5a Granite, granodiorite (dikes). 5b Feldspar porphyry (dikes).

INTRUSIVE CONTACT

ULTRAMAFIC AND MAFIC INTRUSIVE ROCKS



4a Gabbro, diorite, 4b Peridotite, pyroxenite, dunite. 4c Serpentinite.

INTRUSIVE CONTACT

METASEDIMENTSC



3 Undifferentialed.
3a Arkose.
3b Greywacke.
3c Slaty argillite.
3d Conglomerate.
3e Sericitized metasediments.
3f Pyroclastic rocks.

DISCONFORMABLE AND INTERFINGERING CONTACT

INTERMEDIATE AND MARIC META-VOLCANICS d



2a Andesite. 2b Pillowed andesite.

2c Amygdaloidal andesite. 2d Porphyritic andesite.

2e Andesite-dacite tuff-agglomeratebreccia.

2f Massive basalt.

FELSIC METAVOLCANICSd



1a Rhyolite-dacite. 1b Pillowed dacite.

1c Amygdaloidal rhyolite-dacite. 1d Rhyolite-dacite breccia.

te Porphyritic rhyolite-dacite. 1g Rhyolitic tuff. 1h Sericite schist. 1j Chlorite-sericite schist.



Breccia.



asb

Carbonatized rock.

Ag

Silver. Asbestos.

Gold. Au

Cu Copper.

gf Graphite.

Hematite. hem

mar Marcasite. Nickel.

Pb Lead.

8 Quartz.

qс Quartz-carbonate.

s Sulphide mineralization. Zn

Zinc.

F16: #4

Goldteck 1987 to 1988 (Assess File T-3219):

Goldtek explored both the Stairs Mine and most of the adjoining Lalonde Property. The bulk of their work was done on the Stairs Mine Property. A total of 4 holes (G30,G24,G33 and G38) were drilled about along the strike of the Campbell Occurrence approximately 150 to 200 m back from the vein. These holes do not appear to have tested the surface expression of the vein due to their distance from the vein and the fact the vein dips near vertical. However, in Hole G24 a value of 1840 ppb was noted at the collar of the hole and sludge collected from the hole returned 2688ppb over 3 meters. These holes cut felsic volcanics and some conglomerates.

On the Goldteck compilation map it was noted that two short pack sack dirll holes with no results reported were drilled towards the Campbell occurrence vein.. Holes GW-004 (31.8 m) and GW-003 (31.2 m.) were oriented at rather odd angles to the vein (subparallel in one instance).

Two holes were drilled north south on the same section line west of Fold Lake and Kay Lake on the current Lalonde project by Goldteck. Goldtek detected weak anomalous gold values in these holes.

Goldteck also carried out soil geochem over the entire current Lalonde property during the course of their work. Eventually all the Goldtek staked claims were allowed to lapse.

Geological Setting:

General Area Geology:

Midlothian and Halliday Townships were mapped by the Ontario Department of Mines in 1970 under the direction of E.G. Bright. (ODM, Report 79). According to Bright, E.G., Halliday and Sothman Twps., are covered by Precambrian aged rocks which make up the greater part of a felsic volcanic dome known as the Halliday Dome. The Halliday Dome covers both townships of interest and portions of other adjacent twps. as well. The felsic dome lies on the western flank of the Round Lake granitic batholith.

Felsic (dacitic to rhyolitic) volcanics within the Halliday Dome are interstratified with intermediate to mafic volcanics; these same rock types also surround the Halliday Dome. On the NE margin of the Dome metasediments are intercalated with minor disconformity between a younger and older volcanic series. The metavolcanics and metasediments along the margins of the dome are known to occupy axial areas of tight folds.

Ultramafic and mafic sills and stocks are known to intrude the outer rhyolitic strata of the Halliday Dome. Younger Matachewan diabase dykes are present within north trending faults and fractures that crosscut Halliday and Midlothian Twps.

Some flat lying Proterezoic rocks cover portions of Midlothian Township as well.

In general from an economic perspective both gold and base metal mineralization are known to occur in the outer rhyolitic strata of the Halliday Dome. Gold mineralization is found in steeply dipping sediments above the contact or the rhyolitic stata. In Midlothian Twp. the stairs mine produced 2674 oz. of gold and 1318 oz. of silver from 1965 to 1966.

Bright, E.G. (1970) also states that base metal mineralization consisting of nickel copper bearing peridotites (komatiitic flows today?) and gabbroic are also found in the area. Also pyrrhoite, and pyrite associated with minor chalcopyrite mineralization along with zones of marcasite, pyrite and graphite are found within intercalated felsic volcanics and pyroclastics.

Geology in Area of Showings:

i) Campbell Lake Occurrence (see figs 2,3,&5)

Bright's map shows a shear zone designated that has been designated the Campbell Shear striking in a northeasterly direction (060 to 070 deg. az.) from Campbell Lake. (Bright, E.G.,1970) This shear appears to be associated with the Campbell Lake Occurrence (UTM NAD 83, 494207E, 5306318N) present on what is know the Lalonde Property. From the eastern shore of Campbell Lake to the occurrence along the trend of the shear zone (about 060 to 070 deg. az.) it is approximately 300 meters to the Campbell occurrence.

For purposes of describing this zone the author made a property visit to the occurrence and reviewed an independent detailed description of the occurrences by resident geologist Brian Atkinson (see Appendix 1) as well as historical assessment file references.

At the Campbell occurrence the author observed a continuous quartz vein was estimated to range in width from about 0.3 meters to approximately 2.5 meters in general with some larger blow outs to about 5 meters or so, particularly where the vein appears to bifurcate. Blast muck was heaped up on the original vein contacts so it was difficult to measure specific widths along the vein accurately. The vein is approximately 200 meters in length and has strike of about 80 degrees and a vertical dip. The vein for the most part appears to be hosted in a medium grained feldspar porphyritic unit that is moderately to strongly sheared. Atkinson reported that the fabric in the intrusive was at 070 strike and 65 deg. dip, making the vein slightly discordant. This intrusive unit was best observed on the south contact of the vein. Towards the west end of the vein and the north contact of vein the author observed a strongly bleached, hard volcanic unit with fushitic fragments. This could have been a very silicified sediment or felsic unit containing fragments. The wall rock unit was well mineralized with pyrite. At the time of report writing assays were pending for this wall rock as well as some other vein samples.

The vein itself contains significant copper mineralization. The author observed substantial copper mineralizatation in the form of malachite, azurite, chalcopyrite and a blue mineral reported to be bornite in Atkinson's review, this author believes this mineral may be chalcocite. Atkinson also reported the presence of galena. Aside from copper

mineralization there are a number of historical references to low grade gold mineralization associated with this vein system in the order of one gram per tonne gold. Some recent assay certificates shown to the author by Mr. Lalonde from samples collected by other geologists representing some juniour mining companies confirmed gold values in the order of one gram per tonne gold.

ii) Occurrence No. 2 (see figs. 2 and 6)

The author paid a very short visit to this 2nd occurrence and description for this report has relied on information provided from a recent review by B. Atkinson resident geologist. (See Appendix 1 for Atkinson Report).

Occurrence No.2 is a historical gold/silver showing located on claim 4247041; recent work has been conducted proximal to historical trenching found at UTM co-ordinate NAD 83 Zone 17 494928E and 5306399N. The claim hosting this occurrence is contiguous with the former Stairs Mine.

Atkinson, B., described the occurrence as an intensely foliatiated (foliation az. 50 deg and vertical dip) conglomerate that is heavily mineralized with several generations of pyrite. Atkinson observed clasts of massive pyrite, cubes and irregular masses of pyrite associated with multiple generations of veining. The veining is seen to cut clasts and one generation of veining also cuts another as well. Atkinson classified the host rock of the occurrence a deformed polymictic clast supported conglomerate, clast compositions included fushite, felsic volcanic, lithic fragments, and fine grained sediments and volcanic clasts.

As stated previously Occurrence No. 2 was a historical gold/silver occurrence. The author was given an assay report from samples taken by Mr. Lalonde on this occurrence. The better gold values ranged from 0.67 g/t gold to 1.67 g/t gold and the better silver values ranged from 990 ppb Ag to 9830 ppb Ag. The author estimated the shear zone hosting the mineralized occurrence to be approximately 25 m. wide.

Discussion of Work:

From May 23 to June 23/2011 Mr. D. Lalonde and Mr. O. Rumleski of Timmins conducted exploration work on two mineral occurrences on the Lalonde Property which have been designated the Campbell occurrence and Occurrence No. 2.

Exploration on the Campbell Lake occurrence consisted of mechanized stripping of overburden utilizing a D4 bulldozer and 215 Caterpillar hydraulic excavator. This work was conducted to better expose the vein and associated wall rock or contacts of the vein over its entire strike length. Upon completion and overburden stripping of the vein the entire surface strike length of the vein was blasted in order to better evaluate the extent and nature of the mineralization within the vein. This work was completed using an air powered jack leg drill and compressor. Holes were completed up to 3 m. in length during

the course of drilling. Approximately three cases of dynamite were used to open the vein up.

At Occurrence No.2 overburden stripping was completed to expose a shear zone associated with historical pits. Equipment described above was used again to complete this overburden stripping. An area of about 40 m. by 60 m. was stripped in order to further evaluate the extent of the mineralized shear at the occurrence and better ascertain its orientation.

Conclusions and Recommendations:

Exploration on the Campbell Lake Occurrence better exposed the vein and associated host rock; namely a quartz feldspar porphyry and a bleached altered unit thought to be a felsic unit or a silicifed sediment containing significant pyrite and fragments of different rock types (some fushiitic fragments).

Blasting better exposed substantial base metal mineralization (predominantly copper sulphides) throughout most the vein itself; this vein is also known to yield low grade gold values in the order of 1g/t Au likely associated with the base metal mineralization. The author was impressed by the amount of mineralization (mainly pyrite) in the altered felsic or metasediment associated with the contact of the vein. It is this author's opinion that although the base metal content of the vein is significant the host environment is very favourable for a gold deposit because of the presence of the porphyritic intrusive, gold in vein system itself (albeit low but significant) and the presence of altered mineralized wall rock along the vein contact. At the time of writing samples of this mineralized wall rock were pending. It is this author's opinion that further sampling of this wall rock for gold should be conducted and some Mobile Metal Ion (mmi) geochemistry surveying is also likely warranted to ascertain if other gold bearing/base metal mineralization is present is the units north and south of the vein.

Some limited drilling at wide spacing was conducted a substantial distance to the north of the vein; the drilling because of the distance from the vein and dip of the holes does not appear to have cut the vein. However, this drilling did encounter some low grade gold values over interesting widths supporting the concept that there is potential for gold deposition proximal to this vein system.

Exploration work on Occurrence No. 2 demonstrated the presence of a significant shear zone approximately 25 m. wide with substantial pyrite and veining. This shear is known to have low grade gold and silver values. In light of current gold and silver prices and the width of the shear zone, this system may have open pit bulk tonnage potential.

The type of recommended exploration program that should be considered for this property is as follows:

- 1) Cut a control grid over the entire property.
- 2) Carry out detailed prospecting around vein systems to ascertain if there is other mineralization exposed adjoining the known occurrences, particularly at other occurrences documented by Sylvanite in light of current gold prices.
- 3) Carry our some mmi geochem surveying (new state of the art geochem) on the grid to assist with defining new targets is poorly exposed areas outside the showing or areas covered in overburden.
- 4) Prioritize an induced polarization survey to cover main occurrences and favourable mmi targets.
- 5) Complete a magnetometer survey to assist with structure and lithology interpretation.
- 6) Consider channel sampling Occurrence No.2 to better ascertain its bulk tonnage potential.
- 7) Upon completion of this work diamond drilling would be considered for priority targets.

J. Kevin Flo, P.Geo.

References:

Assesment Files, Resident Geologist Office, Timmins Ontario

T-2683 P.H. Silams 1933 T-2681 Sylvanite Gold Mines 1945 T-2622 Stairs Gold Mines 1963 to 1981 T2682 Larche and Rousseau 1970 to 1975 T3219 Goldtech 1987 to 1988

Atkinson, B., 2011: Resident Geolgist Report of Lalonde Property

Bright, E.G., 1970, Geology of Halliday and Midlothian Townships, District of Sudbury and Temiskaming, Ontario Geological Survey Report 70, 33 p. Accompanied by Map 2187, scale 1in to ½ mile.

J. Kevin Filo, P.Geo. 1080 Michelano Drive Timmins Ontario Telephone: 7052680371 Email <u>ikevinfilo@gmail.com</u>

CERTIFICATE OF AUTHOR

I, J. Kevin Filo, P. Geo. do hereby certify that	١,	J. ł	Kevin	Filo,	Ρ.	Geo.	do	hereby	certify	/ that:
--	----	------	--------------	-------	----	------	----	--------	---------	---------

- 1. I am a consultant of for Mr. D. Lalonde
- 2. I graduated with an Honours Bachelor of Science Degree in Geology from Laurentian University in Sudbury in 1980.
- 3. I am a member of the Association of Professional Geologists of Ontario (Reg. No. 0220).
- 4. I have worked as a geologist for a total of 31 years since my graduation from university.
- 5. I am responsible for a non- independent review of the current subject property. I have been engaged by Mr. Lalonde to assist in optioning the property and would retain a finders fee in the event of an option agreement.
- 6. I have had no prior involvement with the property.
- 7. I am not aware of any material fact or material change with respect to the subject matter of the report that is not reflected in the report, the omission to disclose which make the report misleading.

Printed Name of Qualified Person	
J. K. Filo	
Signature of Qualified Person	
Dated this 1st Day of August, 2011	

APPENDIX 1
Resident Geologist Report

Property Visit Halliday and Midlothian Townships June 29, 2011 Brian Atkinson, Pierre Bousquet, Alexandre Girard (OGS) and Doug Lalonde

Mr. Lalonde holds a group of 96 claim units in Halliday and Midlothian Township and has been exploring these over the last two years. At his invitation, we visited the property to view his work and examine the geology.




Figure 1. Claim map showing the extent of Doug Lalonde's claims in Halliday and Midlothian townships. Claim map current as of June 30, 2011.



Figure 2. Google Earth image of the area around Campbell Lake and locations of mineral occurrences examined on Doug Lalonde's claims.




Figure 3. Geology of the area around Campbell Lake from Ontario Department of Mines Map 2187 Halliday and Midlothian Townships (Bright 1966).





Figure 4. Airborne magnetic and electromagnetic survey in the vicinity of Campbell Lake. (OGS 2003).



HALLIDAY AND MIDLOTHIAN TOWNSHIPS

Geochemical Distribution of Copper in 'B' horizon soils and till components

	Geological boundary		1 km
	Shaft	Scale:	
A	Mineral Occurrence	W 1100000	1 mile
-	Fault		

Figure 5. Geochemical distribution of copper in 'B' horizon soils and till components in the vicinity Campbell Lake, Halliday and Midlothian townships (Closs 1974).

Two mineral occurrences were examined during the site visit. The first showing, referred to as the Campbell Lake occurrence is located in Halliday Township east of Campbell Lake at UTM NAD 83, Zone 17, 494207E, 5306318N. The second occurrence at UTM

NAD 83, Zone 17, 494935E, 5306385N lies in Midlothian Township, (Kirkland Lake District) located west of the Stairs Mine.

The Campbell Lake occurrence on unpatented mining claim 4247042 consists of a 175 m long quartz vein hosted by fine to medium grained quartz feldspar porphyry located 300 m east of Campbell Lake. The vein pinches and swells from 0.3 m to 2 m in width and is continuous for the entire strike length of the exposure. It trends 080° and dips vertically and is slightly discordant to the pronounced flanking foliation that trends 070/65° S. The vein is mineralized with abundant pyrite and minor chalcopyrite, bornite, galena and malachite and azurite. The vein is hosted by medium grained quartz feldspar porphyry that exhibits pronounced foliation development adjacent to the vein. The foliation defines a discreet shear zone in the porphyry and has a width of 10 m. A second quartz vein parallels the main vein approximately 25 m to the southeast. Host rocks around the second vein were similar to the main vein and these were also strongly foliated. Lack of outcrop between the two veins left the question of a single bifurcating vein and a single wide shear zone hosting the veins unresolved. To the southeast, outcrop consisted of fine grained to aphanitic felsic volcanic rock.

Mr. Lalonde has trenched the main vein for its entire length using a D4 bulldozer, a 215 Caterpiller hydraulic excavator and an air powered jack leg and small compressor to drill blast holes to a depth of up to 3 m. Three cases of dynamite were used during the trenching operations.

Several samples of vein material and wall rock were collected during the present property visit for geochemical analyses. Sample locations, descriptions and assay results are listed in Table 1.

Table 1. Assay results for samples collected from Lalonde's Campbell Lake property

Township	Halliday	Halliday	Halliday	Halliday	Halliday	Halliday	Midlothian
Sample No.	2011 BTA	2011 BTA	2011 BTA	2011 BTA	2011 BTA	2011	2011 BTA
	09	10	11	12	13	BTA 14	15
UTM	NAD 83	Zone 17	NAD 83	Zone 17	Zone 17	Zone 17	NAD 83
Easting	494339	494356	494286	494286	494286	494221	494935
Northing	5306416	5306338	5306358	5306358	5306358	5306312	5306385
Rock type	Quartz vein with sulphides	Felsic volcanic	Quartz porphyry	Quartz vein	Quartz vein	Quartz vein	Conglomerate with pyrite and fuchsite clasts
Element				_			
assay							

The second occurrence lies in the northwest part of Midlothian Township, a short distance to the northwest of the Stairs Mine. The showing occurs on unpatented mining claim 4247041 and forms part of the Sylvanite Gold Mines Ltd. Occurrence described by Bright (1966). It consists of a series of small pits and trenches on narrow discontinuous

quartz and iron carbonate veins invading a zone of widespread strongly altered and deformed polymictic clast supported conglomerate.

Mr. Lalonde has trenched an area measuring approximately 40 m by 60 m in the vicinity of the historic prospector trenches. An intense foliation trends 050/90 across the stripped area. The conglomerate is heavily mineralized with several generations of pyrite including clasts of massive pyrite and cubes and irregular masses of pyrite. Multiple generations of veining are evident as depicted in Photo 6 where an early iron carbonate + quartz vein cross cuts a black argillite clast and that vein is cut by a 1 cm wide quartz vein. Clast constituents include fuchsite, felsic volcanic, lithic fragments and fine grained sediments and volcanic clasts.

The following photographs depict the recent work completed on the property by Mr. Lalonde during the summer of 2011.



Photo 1. Prospector and property holder Doug Lalonde, Alexandre Girard and Pierre Bousquet on the newly blasted main vein on unpatented mining claim 4247042 in Halliday Township.




Photo 2. Sulphide mineralization including chalcopyrite, pyrite and galena in the main vein trench. Location NAD 83, Zone 17, 494339E, 5306416N.



Photo 3. Detail of contact between the main quartz vein and the foliated porphyry wallrock. Location NAD 83, Zone 17, 494339E, 5306416N.




Photo 4. View of trenched vein looking southwest. NAD 83, Zone 17, 494339E, 5306416N.



Photo 5. Stripped area exposing Timiskaming conglomerate with strong foliation and overprinting iron carbonate alteration on unpatented mining claim 4247041 in Midlothian Township. Location, UTM NAD 83 Zone 17, 494915E, 5306384N.



Photo 6. Timiskaming clast supported conglomerate from the Midlothian Township Sylvanite Gold Mines Ltd. Occurrence. A black argillite clast is cross-cut by iron carbonate veinlet which is subsequently offset and cut by a late quartz vein. Several generations of fine to coarse grained pyrite are evident in the rock sample as are a variety of clast types including fuchsite clasts, felsic volcanic and lithic clasts. Location, UTM NAD 83 Zone 17, 494915E, 5306384N.



References

Bright E.G. 1966. Geology of Halliday and Midlothian Townships District of Timiskaming; Ontario Department of Mines, Geological Report 79, 33p.

Closs, L.G. 1974. Geochemical Distribution of Copper in 'B' Horizon Soils and Till Components in parts of Halliday and Midlothian Townships, Districts of Sudbury and Timiskaming; Ontario Div. Mines, Preliminary Map P.938; Geochem Series.

Ontario Geological Survey, 2003. Airborne magnetic and electromagnetic surveys, shaded image of the second vertical derivative of the magnetic field and Keating coefficients, Halliday Dome area; Ontario Geological Survey, Map 81765, scale 1:50000.


Brian Atkinson P.Geo.

Regional Resident Geologist

Timmins ON

APPENDIX 2 ASSAY SHEETS

Note: Assay sheets on occurrences for reference and not claimed on current assessment report



Certificate Of Analysis

Cattarello Assayers Inc.

Number Of Samples:

20

Client: Douglas Lalonde

Job: 144

Type Of Sample: Rock



Received Date: 2010-07-20

Processed Date: 2010-07-21

Report Date: 2010-08-04

Test Method: FAAA

		AU	Au	Au	Au-Dup	Au
		FA-GEO	FA-GEO	FA-GEO	FA-GEO	FA-GEO
		ppb	ppm	oz/mt	oz/mt	Gr/Mt
		5	0.005	0.0002	0.0002	5
Sample II	D	=======		the said belt first TOP file that the	=======================================	
_130551		37	0.037	0.0012	quartz	37
130552	PITEL	<5	<0.005	<0.0002		<5
130553	11/11/	<5	< 0.005	<0.0002	2 shear Zone	<5
130554		8	0.008	0.0003		8
130555	PITH2	1483	1.483	0.0477	quartz vein	1483
130556	PITT	<5	< 0.005	<0.0002	shear Zone	<5
130557	PiT#3	14	0.014	0.0005	Wallrock	14
130558		86	0.086	0.0028		86
130559	D.T	8	0.008	0.0003	Shearo.0003 Zone	8
130560	Pil#4	641	0.641	0.0206	quartz rein	641
_130561		549	0.549	0.0177	First State of the	549
130562		23	0.023	0.0007	shear zone	23
130563	D.THE	83	0.083	0.0027	quantz	83
130564	Pil#5	14	0.014	0.0005		14
130565		15	0.015	0.0005	quartz.	15
130566	D. THI	<5	< 0.005	< 0.0002	Shear Zone	<5
130567	11176	<5	<0.005	<0.0002		<5
130568		<5	<0.005	<0.0002	Cong contact	<5
130569	PIT#1	7	0.007	0.0002	Shear Zone	7
130571	PiT#4	113	0.113	0.0036	quartz	113

Approved By Chief Analyst:

Issue Date	Revision Date	Rev#	Owner	Form ID	Page
18/02/2010	18/02/2010	1	Chris Hacquard	ANAL-002	1 Of 1

Ag	Ag-Dup	Ag	Ag	Ag	
AAT-7	AAT-7	AAT-7	AAT-7	AAT-7	
_ ppm	ppm	ppb	oz/Mt	Gr/Mt	
0.2	0.2	5	0.0002	5	
=======	=======	=======	=======	======	= 7
					to
_ 3.3	3.3	3300	0.1061	3.3	quary
0.3	07.1	300	0.0096	0.3	& shear Zone
<0.2	Pil#1	<5	<0.0002	<5	I shear Lo
0.3		300	0.0096	0.3	in in
4.9	PiT+2	4900	0.1575	4.9	quantz vein
<0.2		<5	< 0.0002	<5	shear Zone
0.2	PITT 3	200	0.0064	0.2	wall rock
1		1000	0.0321	1	Wall rock
0.4	0.7.11	400	0.0129	0.4	shear Zone
1 ·	P:1#4	1000	0.0321	1	quartz vein
_ 0.8		800	0.0257	0.8	quart -
0.9		900	0.0289	0.9	shear Zone
6.7	1.T# 6.55	6700	0.2154	6.7	quartz
2.8	6/# J	2800	0.0900	2.8	V
16.8	DIT	16800	0.5401	16.8	quartz Vein
19.5	Pil#6	19500	0.6269	19.5	7 .00 8
<0.2		<5	<0.0002	<5	Shear Zone
0.2		200	0.0064	0.2	Cong ConTacl
0.4	PIT#1	400	0.0129	0.4	Shear Zone
1.8	P:T#4	1800	0.0579	1.8	quarTZ
	001-00				•

fots of copper in the sample


Report: A10-8881

Final Report Activation Laboratories

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Ma	Ni	Pb	Zn	Al	As	Е	Ва	Be	Βı	Ca	Со	Cr	Fe.	
Unit Symbol	dad	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	mag	ppm	ppm	opm	ppm	%	ppm	ppm	%	
Detection Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	
Analysis Method	FA-AA	AK-ICH	AK-IUP	AK-IUP	AK-IUP	AK-ICH	AK-ICH	AK-ICH	AK-ICP	AK-KIP	AK-ICH	AK-ICP	AR-ICP							
GXR-1 Meas # //	- - 	28.1	3.3	1160	122	14	32	5/1	652	0.32	356	15	97	0.8	1360	0.79	ğ	6	23.4	
GXR-1 Meas GXR-1 Cert Sample	#1	31	3 3	1110	<u>85</u> 2	_18_	41	730	760	3.52	427	15	750	1.22	1380	0.96	8.2	12	23 6	
CYP 4 Mass		3 9	0.7	6850	140	330	39	42	73	2.46	102	< 10	13	1.4	13	1.01	16	57	3 38	
GXR-4 Cert Sample	#2	4	0.86	6520	155	310	42	52	73	7.2	98	4.5	1640	1.9	19	1.01	14.6	64	3.09	
GXR-6 Meas a		0.3	11	75	1030	2	24	96	132	6 58	223	< 10	996	1	< 2	0.13	16	84	5.99	
GXR-6 Cert Sample	# 2	1 3	1	66	1010	2 4	27	101	118	17.7	330	9.8	1300	1 4	0.29	0.18	13.8	96	5.58	
(4-Acid) Meas	ر ابا	0.9		2490	١	12	2280)	54		52						50	418)	
(4-Acid) Cert	A	0.86		2327)	9	2247	/	133		57						75	(8650	/	
CDN-ME-1 Meas	1786	10	1.#	7																
CDN-ME-1 Cert	1870	som	rple#																	
CDN-GS-1F Meas	1160	Sam	Ale #	2																
CDN-GS-1F Cert	1160	Dam	THE																	
CDN-GS-P2 Meas	[212]						4		Λ	1		_								
CDN-GS-P2 Cert	(214)	34.	-	n m		1. //	//	Ł//	// /	20		1	- 0.							
sample #3 Orig	< 5	\mathcal{N}_{i} .	(/	- 41	nh I	In a	6 1	ha	wa	i g	war	03/1	ven							
sample #3 Dup	< 5		laun	L IN	W ON	y. cz o	// "			//										
Method Blank Method Blank	< 5	_							U	U										
Method Blank Method Blank	< 5								_			4.0		- 0.5	- 0	- 0.04	. 1	< 1	< 0.01	
Method Blank Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1		< 0.01	
Method Blank Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	
Method Blank Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	
Method Blank Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1		
Method Blank Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	≤ 0.01	

These samples was send in to see which other minerals are in the 20ft quarty vein

Halliday Twp.



Certificate Of Analysis

Cattarello Assayers inc.

Number Of Samples:

Client: Douglas Laionde

Job: 802

Type Of Sample: Rock

Colore to

ASSIYME INC.

qua Dalimay Street, Timmoins

Received Date 2011-06-08

Processed Date: 2011-06-09

Report Date: 2011-06-13

Test Method: FAAA

40'-50'Wiele Au, Ag, Tone

A11	Au	Au	Au	Ag	Ag-Dup
	FA-GEO	FA-GEC	FA-GEO	AAT-7	AAT-7
	ppm	Gr/Mt	Gr/Mt	dqq	dag
`. 5	9.005	0.005	0.005	ő	5
=======	35=52=52	=======	======		=======================================
89	0.086	080.0		2570	
1670	1.670	1.670	1.670	9830	
550	0.550	0.550	0.670		
<5	<0.005	<0.005	< 0.005		
33	0.033	0.033		-	
1397	1.397	1.397	1.400		
600	0.600	0.600		=	
80	0.080	0.080		_	
165	0.165	0.1 65		7036	
1328	1.328	1.328	1.300	4000	2470
1152	1.152	1.152	1.170	2830	
	\$0 1670 550 <5 33 1397 600 80 165	FA-GEO FA-GEO ppb ppm 5 0.005	FA-GEO FA-GEO FA-GEO ppb ppm Gr/Wit 5 9.005 0.005 =========	FA-GEO FA-GEO FA-GEO FA-GEO Gr/Mit Gr/Mit 5 0.005 0.005 0.005 0.005 SG 0.080 0.080 0.080 1670 1.670 1.670 1.670 550 0.550 0.550 0.670 <5 <0.005 <0.005 <0.005 33 0.033 0.033 1397 1.397 1.397 1.400 600 0.600 0.600 80 0.080 0.080 165 0.165 0.165 1328 1.328 1.328 1.300	FA-GEO FA-GEO FA-GEO FA-GEO AAT-7 ppb ppm Gr/Mi Gr/Mi ppb 5 9.005 0.005 0.005 5 =================================

Approved By Chief Analyst:

issue Date	Revision Date	Rev #	Owner	Form ID	Page
18/02/2010	18/02/2010	1	Chris Hacquard	ANAL-002	1 Of 1

Certificate Of Analysis

Cattarello Assayers Inc.

Number Of Samples: 3

Client: Douglas Lalonde

Job: 798

Type Of Sample: Rock



Received Date: 2011-06-06

Processed Date: 2011-06-07

Report Date: 2011-06-08

Test Method: FAAA

	AU	Au	Au	Au-Dup	Au	Ag	Ag-Dup
	FA-GEO	FA-GEO	FA-GEO	FA-GEO	FA-GEO	AAT-7	AAT-7
	ppb	ppm	oz/mt	oz/mt	Gr/Mt	ppb	ppb
	5	0.005	0.0002	0.0002	5	5	5
Sample ID	======	=======	======	=======	*****	======	======
RUSH # 1	<5	<0.005	<0.0002		<5	1130	
RUSH # 2	<5	< 0.005	<0.0002		<5	1030	
RUSH # 3	<5	<0.005	<0.0002		<5	1400	

Approved By Chief Analyst:

Issue Date	Revision Date	Rev#	Owner	Form ID	Page
2/18/2010	2/18/2010	1	Chris Hacquard	ANAL-002	1 Of 1

APPENDIX 3: INVOICES

Pun	er a	Nagna Ipera	ton		
UNUIT					
			1		,
NOM			June 2	20	0//
ADRESSE -		Lali	Ontar		ese maliment.
ADDRESS	Imn	1/25 (·	II	
VENDU PAR C.R. SOAD BY COD		À PAYER CHARGE	ACOMPTE OH ACCOUNT	MONTANT REPORTÉ AMOUNT FWO.	
flo	at i	in to	Mr. Co. Co. Co. Co. Co. Co. Co. Co. Co. Co	1150	00
		Hall	Last Tive		
3			1.		
Ren	tul c	of Ecar	rator "	16200	00
Ira	mi 13	3 June	to	,	
128	Ju	(/	011		
7					
Mo	at o	out f	rom	1150	00
Je Je	Layer	Tigo		ļ	
10	1	<i>y</i>			
			TPS:GST		<u> </u>
N: D'ENR. DE TA TAX REG. NO	AXE		i've est		
1	2		TOTAL	18,500	00
٣.	4	SIGNATURE		•	

ber	ry 1	nagn	one		`
		,			
		DATE	Lune	27-0	0//
		alono	le_		
ADRESSE ADDRESS	time	nins	On	Tax ic	<u> </u>
VENOU PAR SOLD BY	C.R. COD	À PAYER CHARGE	ACOMPTE ON ACCOUNT	MONTANT REPORTÉ AMOUNT FWD.	
Rent	al of	Comp	14501	,	
27 1	active.	Ley	, °	400	00
3	010	54.ax	<u> </u>	1,450	00
5	1300	5 + CLX	<u></u>	1,150	
630	Blaske	ig Caf	v .		
1/0	Leuil	Wire			
* 8 C	lectre	i Cap	25.		
9 9 RO 10 4 C	was P	1 Lene avoles	/×1'		
			TPS/GST		
N° D'ENR. DE T	AXE		TVP/PST		

Month	Mar	2 2 3/11	ſ
	23/	1 3 3/11	011
ADDRESS Timmins Out	<u></u>		
Jarry Phihhs Piedstal Boke QUANTITY DESCRIPTION	MIST	hpsin	Pot.
QUANTITY DESCRIPTION 4 WILL CONTROL	PRICE	AMOU	NT OO
DH Cat	-	22200	
		1	
Bloat Fel'S		1	
1	,		00
7 FRS Delivered	-	805	
- Halidaly Juga-			
7 Mrs. Return from			
Hallielas Turget		805	00
	_		
		1	
Jarriel form Dong			
Jalonde			
CLERK CASH C.O.D. CHARGE ON ACCT. MDSE. RET. PAID OUT			
I HAVE RECEIVED THE ABOVE IN GOOD ORDER.	TAX	0.00 20	00
MOCHES FLATPAKITS & REDIFORM 5R096F	TOTAL	12570	

renerator propane May 23/11 - June 23/11 Motorhorne 4,800.00 250. per day May 23/11 - June 23/11 "7,500.00 # 12,300.00 Total

Received to plant Louris in the strent of the moter home rental of the moter home respectly to home property to make the pune 23/1/200. Swarp son my 23/1/200.

2011-05-27 14:16 TRANS #: 154933 HST: R100773019

FUEL (L) (\$/L) (\$) Pump 11 Regular 60.335 1.409 85.01

HST INCLUDED IN FUEL \$ 9.78

TOTAL \$ (85.01)

CASH TENDERED 100,00 CHANGE DUE 14,93

C.T. Money Issued

Fuel Reward 2.00 *** 8X Multiplier redeemed ***

Save 10 cents per liter! Ask me how!

It Pays to buy gas here! Store 1694

Thank you

May

CANADIAN TIRE 77 Waterloo Rd. Timmins, Ontario P4N 8M4

2011-05-23 08:31 TRANS #: 152080 HST: R100773019

FUEL (L) (\$/L) (\$)
Pump 10
Regular 64.137 1.419 91.01

HST INCLUDED IN FUEL \$ 10,47

TOTAL \$ (91.01)

CASH TENDERED 95.00 CHANGE DUE 3.99

C.T. Money Issued

Fuel Reward 2.00 *** 8X Multiplier redeemed ***

Save 10 cents per liter! Ask me how!

It Pays to buy gas here! Store 1694

Thank you

May

CANADIAN TIRE 77 Waterloo Rd. Timmins, Ontario P4N 8M4

HST: R100773019

FUEL (L) (\$/L) (\$)

Pump 10 Regular 46.133 1.409 65.00

HST INCLUDED IN FUEL \$ 7.48

TOTAL \$ (65.00)

CASH TENDERED 65.00 GE DUE 0.00

C.T. Money Issued

Fuel Reward 0.90
*** 6X Multiplier redeemed ***

Save 10 cents per liter! Ask me how!

It Pays to buy gas here! Store 1694

Thank you

May

2011-05-31 06 HST: R100773019 06:46 TRANS #: 157405

FUEL Pump_10

(L) (\$/L) (\$)

Regular

86.596 1.409 122.01

HST INCLUDED IN FUEL \$

TOTAL

122.01

CASH TENDERED 150.00 27.99 CHANGE DUE

C.T. Money Issued

Fuel Reward

0.35

Save 10 cents per liter! Ask me how! *************

It Pays to buy gas here! Store 1694

Thank you

CANADIAN TIRE 77 Waterloo Rd. Timmins, Ontario P4N 8M4

2011-05-30 14 HST: R100773019 157191 14:24 TRANS #:

(\$) (L) (\$/L) FUEL Pump 10

31.940 1.409 Regular HST INCLUDED IN FUEL \$ 5.18

(45.00) \$ TOTAL CASH TENDERED 50,00 5.00

CHANGE DUE

Money Issued

Fuel Reward

0.10

45.00

Save 10 cents per liter! Ask me how! *************

It Pays to buy gas here! Store 1694

Thank you

KENOGAMI KITCHEN RRHI HAY II 5508 SITEM

SESEKUNIKA, UN PÜKISU MCDOUGALL ENERGY INC.

TERM TO: 00039MF7

Balche, est SHIFTS, but

Cash Sale

OUANTITY PRICE 60.475 1.389

Total:

\$

(84.00)

TAKES ON GO. 475 ELLIKES OF TUEF 1151 - PSEE

rea taxabil ilini

31-Nay-11

9J. 91

DEANK YOU LOR FUE THE !

19:36 2011-06-06 TRANS #: 162273 HST: R100773019

(L) (\$/L)(\$) Pump 12 Regular 79.197 1.389 110.00

HST INCLUDED IN FUEL \$

TOTAL

\$ (110,00)

CASH TENDERLO 110.00 CHANGE DIE

C.T. Money Issued

Fuel Reward 2.10 *** 7X Multiplier redeemed ***

Save 10 cents per liter! Ask me how!

It Pays to buy gas here! Store 1694

Thank you

CANADIAN TIRE 7 Waterloo Rd. immins, Ontario P4N 8M4

2011-06-13 13 HST: R100773019 13:42 TRANS #: 063664

FUEL (L) (\$/L) (\$) Pump 10 Regular 50.503 1.386 70.00

HST INCLUDED IN FUEL \$ 8.05

TOTAL

70.00 CASH TENDERED 100.00 CHANGE DUE 30.00

C.T. Money Issued

Fuel Reward 2.00 *** 10X Multiplier redeemed ***

Save 10 cents per liter! Ask me how!

It pays to buy gas here!

Thank you

CANADIAN TIRE 165 Government Rd. W Kirkland Lake, Ont. P2N 2E8

2011-06-01 15 HST: R100773019 15:24 TEANS #: 460276

FUEL (\$) (L) (\$/L) oump_1 Regular 67.409 1.439 97.00

4ST INCLUDED IN FUEL \$ 11.16

TOTAL

\$ (97.00)

June

CASH TENDERED 100.00 CHANGE DUE

C.T. Money Issued

Fuel Reward 0.25

*********************************** Save 10 cents per

liter! Ask me how! *************

> 1046 buygas here!

> > Thank you

CANADIAN TIRE 77 Waterloo Rd. Timmins, Ontario P4N 8M4

163575 TRANS #: 13:22 2011-06-08 HST: ŘĬ0Ŏ773019

(\$) (L) (\$/L) FUEL Pump 10 76.485 1.386 106.01 Regular

12.20 HST INCLUDED IN FUEL \$

\$ (106.01) TOTAL

120,00 TASH TENDERED 13.99 CHANGE DUE

Money Issued C.T.

0.30Fuel Reward

> Save 10 cents per liter! Ask me how!

It Pays to buy gas here! Store 1694

Thank you

2011-06-22 07 HST: R100773019 07:30 TRANS #: 064592

FUEL (L) (\$/L) (\$) Pump 11 Regular 99.347 1.369 136.01

HST INCLUDED IN FUEL \$ 15.65

TOTAL \$ (136.01)

> CASH TENDERED 140.00 3.99 CHANGE DUE

C.T. Money Issued

Fuel Reward 2.40 *** 6X Multiplier redeemed ***

Save 10 cents per liter! Ask me how!

It pays to buy gas here!

Thank you

Canadian Tire 2207 Riverside Dr. 11mmins, Ontario P4N-7C3

2011-76-17 14:09 HST: 3100773019 RANS #: 462403 FUEL.

 $\{[+](\$/]\}$ (\$) Pump ! Regular 106.115 1.376 146.01

HST 1 KLUDED IN FUEL \$ 16.80

TOTAL

\$ (146.01)

CASH TENDERED 200.01CHANGE DUE 54.00

C.1. Money Issued

Fuel leward 4,50 **: TOX Multiplier redeemed Fix

> Save up to 10 cents A litre. ASK us HOW.

Site # 1033 buy gas here!

Thank you

CANADIAN TIRE 77 Waterloo Rd. Timmins, Ontario P4N 8M4

175496 TRANS #: 11:11

2011-06-23 HST: R100773019

(\$) (L) (\$/L) FUEL Pump 11 97.01

71,018 1.366 Regular HST INCLUDED IN FUEL \$ 11.16

TOTAL

97.01 \$

> 100.00 CASH TENDERED CHANGE DUE

Money Issued C.T.

1,80 Fuel Reward *** 6X Multiplier redeemed ***

Save 10 cents per liter! Ask me how!

It Pays to buy gas here! Store 1694

Thank you

Bought feel for the Job in Halliday Two. Paid 925.02 diest fuel for Bulldozer approvator use and compressor for drilling. Paid 161. 60 for gas for motor home

SHELL CANADA

HIGHWAY 11 MATHESON ON FOK 1NO

(705) 273-2112 Tax Description

Amount Nol H Bronze FS 112.666 L @ \$1.429/ L AIR MILES Discount

> Sub Total \$161,00 Amount HST Taxable \$0.00 13.0% HST "ax \$0.00 Amount HST-F Taxable \$0.00 5.0% HST-F Tax \$0.00

\$0.00

Total \$201.00 Cash Change \$40.00

AM 81735866325 SCANNED Promo 0 Fuel Includes HST 13.0% \$18.52 Fuel Includes HST-F 5.0% \$0.00

HST - Fuel - ON No. R102550118

> Help us change the world, one click at a time. www.shell.ca/fuellingchange

REG: 1 CSH:CASH, TRAN:7785 2011/05/30 10:30:44 ST:008196



We're drivers too.

ALARIE ESSO HWY # 11 NORTH

MATHESON, ON POK 1NO

VRN R103052510

2011/05/30 16:44

* CREDIT PURCHASE *

QTY PRICE **有性**更构具 701.304 \$1.319 TET INCL. IN FUEL 106.42

TOTAL

\$925.02

HUTH 063578-F

INVOICE P018098S

MASTERCARD **** **** 5121

01 Approved - Thank You 027

LOYALTY: NO

IMPORTANT - retain this copy for your records

** CUSTOMER COPY **

STAPLES Canada Store # 97 , ON P4R1M8 705-360-4200

Sale 00095 5 006 16957 0097 06/12/11 03:05

DIVIDEND\$ NUMBER: 8162686177

1 12X15-1/2 HVWT ENV 718103140928

718103140928 19.44H
Subtotal 19.44
HST 13.00% 2.53
Total \$21.97
Cash 25.00
Cash Change 3.03

IMPORTANT Retain This Copy for Your Records

HST No. 126152586



Put Pictures Report on CD

sety out the 1 415s Classic Troppe

AND SECTION OF SERVICE SERVICES OF SERVICE

RESEARCH HAME AND MAIN COMMENT OF THE SECTION OF THE STAPLES Canada Store # 97 , ON P4R1M8 705-360-4200

da /

Sale 00095 5 006 16951 0097 06/12/11 02:56

Thank you for shopping at STAPLES!
We will not be undersold!
Visit Staples.ca

IMPORTANT Retain This Copy for Your Records

HST No. 126152586



Reports on CD

AND THE POST OF STATE

(11/52)

esk far føre eller Greeg I Leskina skrive state for er bleg

Work Expenses

(41.97)



PORCUPINE CANVAS INC.

33 Father Costello Drive, Box 700 Schumacher, ON PON 1G0 Tel.: (705) 268-7878 • 1-800-461-1045

Fax: (705) 360-1865 E-mail: porcan@vianet.on.ca HST# 10427604 RP 0001

INVOICE	#	3	7	5	8

DATE_

SHIP VIA

QUANTITY	PROD#	DESCRIPTION	PRICE	AMOUNT
15	5003	Blue Flagging Tape	1,30	19.50
		40 0 V		
CAS	sн ⊠ ⁾		SUBTOTAL	19.50
CHEQU	1		H.S.T.	2.54
H I	SA 🗆		G.S.T.	
INTERA	/C 🗆		DEPOSIT	
INTERV		HST# 10427604 RP 0001	TOTAL/BALANCE	22.04

PARTSOURCE #783 234 SPRUCE STREET SOUTH TIMMINS, ON, P4N 2M5 GST# R100773019 705 264-4400

Register# 00006 Invoice# 07830170365 Cashier # 462 06/09/11 12:23PM

AC# 1 RETAIL CUSTOMER

1	NGK	BR9HS	
	BR9HS	NGK PLUG	7.49 T

1 Pieces	Subtotal	7.49
	HST Tax	.97
	Total	8.46

CASH TENDERED 20.00

Change 11.54

SPECIAL ORDERS CAN ONLY BE RETURNED TO P/S TIMMINS WITHIN 25 DAYS OF PURCHASE SPECIAL ORDERS MAY ALSO BE SUBJECT TO RE-STOCKING FEE ALL OTHER RETURNS ACCEPTED WITHIN 90 DAYS

****** THIS DECEIDT TO ENTED*****



CHANCE TO WIN! SEE OVER

To sharpin drill Bits

More saving. More doing."

2143 RIVERSIDE DRIVE TIMMINS, ON P4N 7C3 (705)3608750

7236 00006 18397 09/06/11 11:02 AM CASHIER SHARON - SLB065

412832 EACH	GRIND. WHEEL <a>	14.99
	PST/QST GST/HST	0.00 1.95
	TOTAL	\$16.94
CHA	CASH NGE DUE	20.00 3.06



13% HST R135772911

RETURN POLICY DEFINITIONS
POLICY ID DAYS POLICY EXPIRES ON
A 1 90 07/09/2011

THE HOME DEPOT RESERVES THE RIGHT TO LIMIT / DENY RETURNS. PLEASE SEE THE RETURN POLICY SIGN IN STORES FOR DETAILS.

KEEP YOUR RECEIPT FOR FASTER RETURNS SHOP ONLINE AT WWW.HOMEDEPOT.CA More saving. More Doing.

ENTER FOR A CHANCE TO WIN A \$3,000 HOME DEPOT GIFT CARD!

Your Opinion Counts! We would like to hear about your shopping experience. Enter to win a \$3,000 Home Depot Gift Card by completing a brief survey about your store visit at:

www.homedepot.com/opinion

You will need the following to enter on-line:

User ID: 44319 37089

Password: 11309 37083

Entries must be entered by 09/07/2011.
Entrants must be 18 or older to enter.
See complete rules on website. No purchase necessary.

(Le sondage est également offert en français sur le Web.)

25.40

CANADIAN TIRE #052

146 Government Road West Kirkland Lake Ontario 705-567-9281

Paul Medeiros Enterprises Ltd Service Center 705-567-3357 REG #:51 06/18/2011 16:05:58 TRANS #:155 OPERATOR #: 21 Float: 001

2X053-8102-4	€\$ 1	, 290	ea.
2X094-0830-0	DENTYNE ICE GU	JM \$ 2.390	2.58 ea.
	TUBLESS TRUCK	T \$	4.78
	SUBTOTAL	\$	7.36
	13% HST	\$	0.96
	5% HST	\$	0.00
	TOTAL	\$	8.32
	CASH TEND.	\$	10.32
	CHANGE	\$	2.00
	BASE CT MONEY	\$	0.05

You could instantly win an --- iPod ---

Plus enter for a chance to win

*** \$1000 CASH! ***

Tell us how we did today

by completing our online survey at:

*** www.tellcdntire.com

OR - via telephone: 1-888-431-5595

PRIZES available to be WON DAILY!!

See Website for complete rules.

2615-2100-55800-112



#855117818RP0001

CANADIAN TIRE #052

146 Government Road West Kirkland Lake Ontario 705-567-9281

Paul Medeiros Enterprises Ltd Service Center 705-567-3357 REG #:3 06/18/2011 15:18:53 TRANS IL 178 OPERATOR #: 23 Float: 001

005-2335-2	LT235/75R15 C W \$	130.11
(SAVED \$ 43,	38)	
098-0977-4	TSF \$5,84 \$	5.84
038-1525-8	MM MULTI-LUBE 3 \$	3.99
009-5068-2	SLIME SEALANT 1 \$	9.99
009-4402-2	VALVE, TIRE RG.2 \$	5.19
2x057-C500-6	& \$ 3.590	ea.
	PRY BAR, W. BLK \$	7.18
(SAVED \$ 10.	80 € 5,40 ea.)	

SUBTOTAL	\$ 162.30
13% HST	\$ 21.10
5% HST	\$ 0.00
TOTAL	\$ 183.40
CASH TEND.	\$ 200.00
CHANGE	\$ 16.60
DACE OF MONEY	0.70

For compressor

TODAY YOU SAVED

54.18
AT CANADIAN TIRE.

You could instantly win an --- iPod ---

Plus enter for a chance to win *** \$1000 CASH! ***

Tell us how we did today by completing our online survey at: www.tellcdntire.com

- OR - via telephone: 1-888-431-5595 PRIZES available to be WON DAILY!! See Website for complete rules.

2618-2100-75800-131



SERVICE OPEN MON.-FRI. 7.30-5.30 STORE CPEN MON.-WED 8.00 TO 5.30 THU.FRI.8.00 TO 9,SAT.8.5.30,SUN 10-5 THANK YOU FOR SHOPPING AT CANADIAN TIRE HST#855117818RPOOD1 183.40

DWAYNE OUELLET HOLDINGS LTD CANADIAN TIRE #111 TIMMINS, ON

REG #:9 06/09/2011 13:37:51 TRANS #:56 OPERATOR #: 103 Float: 001

055-3518-2	6" BENCH GRINDE	\$ 59.99
	SUBTOTAL	\$ 59.99
	13% HST	\$ 7.80
	5% HST	\$ 0.00
	TOTAL	\$ 67.79
	CASH TEND.	\$ 100.00
	CHANGE	\$ 32.21
	BASE CT MONEY	\$ 0.20

To sharp drill Bets

You could instantly win an --- iPod ---

Plus enter for a chance to win

*** \$1000 CASH! ***

Tell us how we did today

by completing our online survey at:

www.tellcdntire.com

www.tellcdntire.com

- OR - via telephone : 1-888-431-5595

PRIZES available to be WON DAILY!!

No purchase necessary. Must be legal age and answer a skill testing question. Odds of winning depends on total entries received.

Contest ends June 30 2011

1606-1010-51900-1037



0011111060931030000000010056

OLD GST AND OLD PST ARE TEMPORARY LINES ON THE RECEIPT TO ACCOMMODATE REFUNDS FOR ITEMS PURCHASE BEFORE JULY 1, 2010

TAIN RECEIPT FOR RETURNS & WARRANTY
YOU FOR SHOPPING AT CANADIAN TIRE
HST# 897-570-289

CANADIAN TIRE #052

146 Government Road West Kirkland Lake Ontario 705-567-9281

Paul Medeinos Enterprises Ltd Service Center 705-567-3357 REG #:61 06/01/2011 15:13:12 TRANS #:141 OPERATOR #: 16 Float: 001

8 S

3.990 ea.

Elione Co. Co. T.	***	-	0.220	
	MM DSL	15₩40	94 \$	7.98
028-3139-0	FUNNEL	12"UN	IV. \$	5.79
038-3762-0	COLD WI	ELD EP	OXY \$	7.49
J28-0212-2	MM AW3	2 HYDR	GIL \$	44.99
028 -0214-8	MM AW6	B HYDR	01L \$	44.99
VISA PURCHASE	INCOMP	LETE	\$	125.70
VISA #:***	****	*3606		
CHIP CARD				
2011/06/01 15	:14:30			
REFERENCE # 1	6602643	0 0010	010010	C
AU00000031010	001			
VISA CREDIT				
0000000000				
TRANSA	CTION N	OT COM	PLETED	
VISA PURCHASE	INCOMP	LETE	\$	125.70
VISA - #:***	****	*3606		
CHIP CARD				
2011/06/01 15	:15:04			
REFERENCE #:	6602643	0 0010	010010	С
A00000003101				
VISA CREDIT	•			
0000000000				
ADMAGE	OTTON N	OT COM	nueren	

TRANSACTION NOT COMPLETED

 SUBTOTAL
 \$ 111.24

 13% HST
 \$ 14.46

 5% HST
 \$ 0.00

 T 0 T A L
 \$ 125.70

 M/C TEND
 \$ 125.70

M/C PURCHASE

2X028-7913-2

2011/06/01 15:15:47

REFERENCE #: 66026430 0010010010 S

AUTHORIZATION #: 076464

01 APPROVED - THANK YOU 027

IMPORTANT

Retain this copy for your records

LALUNDE PROPERTY HISTORICAL TRENCH ULLURRENCE NOZ LOCATION NA0 83 MECHANIZED ZONEIT STRIPPING 494928E 5306399N SKETCH F16.#6 STRIPPED AREA 5 10 15 20 METERS NAD83 #Z POST LALUNDE PROPERTY ZUNE17 STAIRS MINE PPOPERTY 494922E 5306276N

