

**Allen Lake Project**

**Assessment Report on Trenching**

**NTS 41 O/NE**

**October 29, 2011**

**Todd Keast**

## **TABLE OF CONTENTS**

	Page
Introduction.....	1
Location and Access.....	1
Property.....	3
Topography.....	3
Regional Geology.....	4
Property Geology.....	4
Exploration Program.....	5
Recommendations.....	6
References.....	7

### **Appendix I**

Plan Maps

### **Appendix II**

Daily Log

### **Appendix III**

Trench Photos

## **INTRODUCTION**


During 2010 and 2011, Charlie Mortimer completed a trenching program on a group of claims in Cunningham Township, situated approximately 130 kilometres southwest of Timmins Ontario, within the Porcupine Mining Division.

The project is located in the Swayze greenstone belt of the Abitibi Subprovince. The greenstone belt is an east-west trending sequence 45km by 25km. Rock types include massive and fragmental rhyolite volcanic rocks, massive basaltic flows, and scattered feldspar porphyry intrusions. Sedimentary rocks are a minor component and include greywacke, iron formations , and conglomerate. East-west trending fold axis are prevalent throughout the stratigraphic package.

Mechanical trenching exposed a variety of rock types, including mafic sediments, iron formation, Timiskaming style conglomerates, diorite intrusions, massive mafic volcanic flows and lapilli tuffs. Quartz veining, sericite alteration, localized and large scale deformation have been documented across the series of trenches. Disseminated pyrite mineralization have been exposed as several showings associated with sedimentary units and intrusive units.

## **LOCATION AND ACCESS**

The property is situated 130 kilometres southwest of Timmins, Ontario. The project is located in Dore Township of the Porcupine Mining Division. The UTM position of the project UTM Zone 17 377990 E 528980 N, **Figure 1**.



**Figure 1 – Location**

Access to the property is excellent. The Foyet logging road is accessed from Hwy 101 approximately 100 km southwest of Timmins. The Foyet Timber road intersects the Dore Road. The property is approximately 75 km south of the Hwy 101, followed by a 12 km road going west (Garnet Road) which is located immediately south of the Wakami Bridge. Mr. Mortimer has signs on the Dore Road indicating turnoffs to his property. Logging roads and an access trail is used to provide ATV access to the area of the trenching.

## **PROPERTY**

The Allen Lake Project consists of 9 unpatented mining claims. The claims are situated in Cunningham Township of the Porcupine Mining Division. The claim holder is Charles Mortimer 100% . A listing of claims on the Allen Lake Property is included in Table 1.

**Table 1 – Claims**

Township/Area	Claim Number	Recording Date	Claim Due Date	Percent	\$due
CUNNINGHAM	4248202	2010-Apr-14	2012-Apr-14	100 %	\$ 800
CUNNINGHAM	4248208	2011-Sep-01	2013-Sep-01	100 %	\$ 800
CUNNINGHAM	4250757	2009-Oct-30	2011-Oct-30	100 %	\$ 800
CUNNINGHAM	4250758	2009-Oct-30	2011-Oct-30	100 %	\$ 800
CUNNINGHAM	4250759	2009-Oct-30	2011-Oct-30	100 %	\$ 800
CUNNINGHAM	4254697	2010-Feb-26	2012-Feb-26	100 %	\$ 6,000
CUNNINGHAM	4254698	2010-Feb-26	2012-Feb-26	100 %	\$ 2,400
CUNNINGHAM	4254699	2010-Feb-26	2012-Feb-26	100 %	\$ 6,000
CUNNINGHAM	4254700	2010-Feb-26	2012-Feb-26	100 %	\$ 800

## **TOPOGRAPHY**

The Allen Lake Project is characterized by rolling topography. The vegetation consists predominantly of balsam and spruce in the low areas, and a mixture of poplar and balsam in the high areas. Outcrop exposure is approximately five to ten percent.

## **REGIONAL GEOLOGY**


The project is situated in the Swayze greenstone belt of the Abitibi Subprovince. The greenstone belt is an east-west trending sequence 45 km by 25 km. Rock types include massive and fragmental rhyolite volcanics, massive basalt flows, and scattered feldspar porphyry intrusions. Sedimentary rocks are a minor component and include greywacke and conglomerate. East-west trending fold axis are prevalent throughout the stratigraphic package.

The Ontario Geological Survey completed a mapping project of Cunningham Township O.D.M. Report 33.

### **PROPERTY GEOLOGY**

The claims are situated over a northwest/southeast trending package of mafic volcanics, ultramafics with some iron formation. Lithological contacts are preferential sites of structural development, thus important exploration targets.

The geology of the project is complex due to the variation in rock types exposed in the trenches, the changes in the foliation of the units, the evidence of small scale and larger scale folding. The presence of a possible large diorite intrusion may also lead to further complexities.



## **Figure 2 - Geology**

## **EXPLORATION PROGRAM**

Mr. Mortimer has completed a series of two mechanical trenches in 2010 and sixteen trenches in 2011. The trenching was done with a backhoe excavator.

*Rock types encountered include:*

Mafic sediments: Dark green fine grained and rarely bedded.


Argillite/graphite: Sediments which display delicate bedding 1mm 1 cm wide beds with dark black soft graphitic composition.

Conglomerates: large clasts of variable composition conglomerates. Distinct red chert clasts identify these units as Timiskaming style sediments.

Lapilli Tuffs: lapilli sized fragments in unsorted units.

Massive Mafic Flows: Dark green massive units with rare flow contacts.

Diorite Intrusion: Crystalline massive intrusive unit.



## Trench Plan UTM Nad83 Zone 15

## **Structural**

Trenching on this scale has identified folding in outcrop scale as observed in Trench 14, and on a property scale. Foliation bedding on the southern trenches are generally east west, where the northern trenches foliation is generally north south.

## **CONCLUSIONS AND RECOMMENDATIONS**

Further work is recommended for the Allen Lake Project. The large scale folding and the presence of Timiskaming sediments are important exploration features associated with the Timmins and Kirkland Lake Gold camps. Additional trenching and a sampling program is recommended.

Todd Keast

Oct 29, 2011

## **REFERENCES**

### **References:**

Donovan, J. F. 1965


Geology of Swayze and Dore Townships. Ontario Department of Mines  
Geological Report No. 33. Accompanied by Map 2070, coloured.

O.G.S. 1982

Airborne Electromagnetic an Total Intensity Magnetic Survey, Swayze Area,  
Cree Lake Sheet, District of Sudbury, 80541.

## **Appendix I**


Plan Maps of Trenches



N  
1

Trench 13


Trench 13 70 m long 5m wide  
0.5 m deep



UTM Points

x 67 378215 5290263

x 66 378284 5290259



Photos 474, 475, 476, 477, 478, 479

Allan Lake Project  
Oct 26 2011  
TR.

Trench 12

UTM Points

x 63	378 375	529 0256
x 64	378 344	529 0200
x 65	378 341	529 0151

Trench 12 105 metres long  
5 metres wide


Photo 467, 468, 469, 470, 471

Large Diorite Intrusion  
Major contact with  
Conglomerates.

Conglomerates have  
red chert clasts.

"Transkeating Sed's"

0 3 6 9 12  
metres



Allan Lake  
Oct 26, 2011  
T. H.

## Trench 11

### UTM Points

X 62	378083	5290163
X 62A	378110	5290160
X 62 B	378112	529 0184


Trench 11 is 35 m long  
with variable width < .5 m deep

Massive flow or Intrusion

0 2 4 6 8 10  
metres

Massive flow  
or Intrusion  
with xenoliths  
or rafts

Photos 457, 458



Allan Lake Project  
Oct 26, 2011  
T.R.

# Trench 10

Trench 10 is  
260m long 5 m wide  
poor exposure. Lots

of large boulders with small  
outcrop. Patches of sediments, rusty blocks

## UTM Points

X 60 378017 5290098  
X 61 377955 5290102

## Photos

454, 455

## Outcrop exposure

sediments

Blocky, gravel


Rusty  
Boulders

Blocky  
gravel

60

Sediments

on east end trench



metres

Allan Lake  
Project  
Oct 26/04 T.K

Trench 9

N

58  
light grey  
sediments

Quartz  
vein

sulphide

Tail

fine  
Sediments  
grey-  
black  
Bedded

0 3 6 9 12 15  
meters

Trench 9

85 m long North/South

55 m long East/West

0.25 m - 1 m deep.

north trending sediments  
with a few quartz  
veins + pods + sulphidic  
horizon.

sediments

Narrow trench 1m deep

Poor exposure  
sediments

59A

59A  
sediments

UTM Points E N

- x 58 378012, 5290033
- x 59 377984, 5289957
- y 59A 378074, 5289972


Photo 446, 447 448 449 450

451 452

Allan Lake Project  
Oct 26, 2011  
T.K.

# Trench 8

Trench 8 is  
5m long on  
outcrop.



Strongly QU  
foliated seds  
weak sericitic  
rare narrow  
gtz vein

N

377979 / 5289936

150' /

photos 443, 444

0 1 2 3 4

metros

Allan Lake  
out 26, 2011 T.R.C.

Trench 7

\* 56 377983, 528.0895


Mafic Volcanic / sediment  
foliated  
Rare 1cm quartz vein

0 1 2 3 4  
metres

Photos 440, 441

Trench 7 is 8 metres  
long 0.10 m deep

Allen Lutte  
Oct 26, 2011 TK



### Trench 6

x 52 377966 5289768  
x 53 377950 5289753  
x 54 377949 5289731

Trench 38 m long  
and up to 10m wide  
0.5 m deep

0 2 4 6 8  
metres

Photos 436 438

Allan Lake  
Oct 26, 2011

# Trench 5

50 377823 5289645

51 377809 5289634


N

Trench 16 m long 4m wide  
and 0.5 m deep  
only partial exposure.  
very distinctive IF.

Photos

431, 432 433

4341



50  
Brown/white  
cherty Iron formation  
Magnetic  
well bedded

51 Fine  
banded  
sediments

1 2 4 6 8 10  
metres

Allan Lake  
Oct 26, 2011


Trench 4

47 377778 5289550

48 377768 5289571


49 377736 5289583

0 2 4 6 8 10  
metres



N

Trench 3



UTM Points

x 45 377674 5289472

x 46 377662 5289440


0 2 4 6 8  
metres

Trench 3 is 32m long and up to 8m wide, 2m deep.  
good polished Exposure.  
IF is ~ 1m wide.

photos 420, 421

Allan lake  
Oct 26, 2011

Trench 2



Trench 1

UTM 40 377602 / 528960

UTM 41 377604 / 528985

Photo 413, 414

0 4  
metres

40

377602E

5289462N

massive  
mafic  
sediments

bedding  
60°

70

Fine grained mafic  
Sediments

Dark black - green  
massive w/ local  
bedding

Trench 1 is  
24 m long,  
approx 3-7 m  
wide.

Trench 1 m deep

black graphitic area  
rare grain pyrite.

Allan Lake  
Oct 26, 2011

N

Trench 18

UTM Points


x 55 378752 5290280

x 77 - 378730 5290309

1  
2

Photos

490, 450



Trench is 25 m long  
about 10 m wide  
and 1.5 m deep

Massive gabbro unit dark  
with 1-2% fine disseminated py

Very good Exposure.

Allan Lake Project  
Oct 26 / 2011  
TLC

# Trench 17


↑  
N

## UTM Points

x 75 378421 5290404

x 76 378475 5290419

Photos 496, 497



Trench is 50 m long... 5 m wide  
and 1 m deep.

Allan Lake Project  
Oct 26, 2011 T1K.

Trench 1b

UTM points

X 73 378448 5290494

X 74 378445 5290440

Photos

493 494

Good polished  
Exposure. Dark  
green rocks.  
possibly Tuff.


Trench is 54 metres long  
3 m wide  
1 m deep.

73

1 N

Mafic  
Volcanic?  
Capilli Tuff

0 2 4 6 8  
metres



Allan Lake Project  
Oct 26, 2011  
T.K.

Trench 15

UTM Points

x 71 378125 5290465


x 72 378113 5290841

Photos 488, 489, 490

Trench 18m long

3 - 4 m wide

1.5 m deep 72




0 1 2 3 4 5  
metres

Allan Lake Project  
Oct 26, 2011  
T.K.

Trench 14

UTM Points

X68	378164	5290266
X69	378174	5290313
X70	388109	5290334




Trench 14

photos 481 482  
483 484 485  
486

0 2 4 6 8  
metres

Excellent exposure bedded sequence  
trench perpendicular to bedding.

Note isoclinal folding in south  
Exposure trench.



Allan Lake Project  
Oct 26, 2011  
T.R.K.

## **Appendix II**

Daily Log

# ALLAN LAKE PROJECT

CUMMING FROM TOP ON JUNE 1 TO 16 2018

JERRY MAGNIN VAL GAGNE ON 705-232-2492

CATTERPILLAR 225 EXCAVATOR

JUNE 1 8 HRS

JUNE 2 9 HRS

JUNE 3 6 HRS

JUNE 4 8 HRS

JUNE 7 9 HRS

JUNE 8 8 HRS

JUNE 9 9 HRS

JUNE 10 8 HRS

JUNE 11 10 HRS

JUNE 12 9 HRS

JUNE 13 12 HRS

JUNE 14 9 HRS

JUNE 15 7 HRS

JUNE 16 RECORD DAY  
1/2 HRS @ 120.00 HR = 134.40  
FLOATING VAL & RODGE + REPAIR 12.00  
8146.40

PAGE 1 OF 2

ALLAN LAKE PROJECT

CUNNINGHAM TWP ONT MAY 29 TO OCT 23 2011

JERRY MAGNAN VEL GAGNE ONT 705-232-2492

CATTBRAKWER 225 EXCAVATOR

MAY 29 8 HRS

MAY 30 8 HRS

MAY 31 9 HRS

JUNE 1 10 HRS

JUNE 2 11 HRS

JUNE 5 10 HRS

JUNE 6 9 HRS

JUNE 7 10 HRS

JULY 10 8 HRS

JULY 11 9 HRS

JULY 12 10 HRS

JULY 13 8 HRS

JULY 14 6 HRS

AUG 4 8 HRS

AUG 5 8 HRS

AUG 6 9 HRS

AUG 7 10 HRS

AUG 8 9 HRS

SEP 3 8 HRS

SEP 4 10 HRS

178 HRS @ 120 = \$21360.00

## ALLAN LAKE PROJECT

CUNNINGHAM HAM SUPPLY MAY 29 TO OCT 23, 2011

TERRY MCNAUL DYL &amp; CO. INC 705 232-2492

CAT CATERPILLAR 225 EXCAVATOR

SEP 5 8 HRS

SEP 6 9 HRS

OCT 7 10 HRS

OCT 8 12 HRS

OCT 9 8 HRS

OCT 10 9 HRS

OCT 15 11 HRS

OCT 16 8 HRS

OCT 17 10 HRS

OCT 18 5 1/2 HRS

OCT 19 6 HRS

OCT 21 5 HRS

OCT 22 9 HRS

OCT 23 8 1/2 HRS

118 HRS @ \$120 =

14160


PRIBI

21 360

35520

### **Appendix III**

#### Trench Photographs



CAT



CAT


Rock  
Hg  
99%




X → T  
Trench







T  
r  
e  
n  
c  
h









3

~~4~~

~~5~~

T  
r  
e  
n  
c  
h





~~4~~

~~4~~

T  
r  
o  
n  
c  
h















~~5~~ ~~A~~ ~~W~~ ~~T~~  
Tench










yourself







WUJU





March  
8





French

8















Frenchie







Trach





March 21  
2010

63













March  
2010











1 Period  
13













59° 15'

Trend
































Treff 17





✓ April 18

7

