ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, October 25, 2011

# Certificate of Analysis

Landore Resources Inc.
555 Central Ave., Suite #1
Thunder Bay, ON, CAN
P7B5R5
Ph#: (807) 623-3770
Fax#: (807) 623-2335
Email: mtuomi@landore.com, bparkkari@landore.com

Date Received: 09/20/2011
Date Completed: 10/12/2011
Job #: 201143449
Reference: 180.18.78X12A
Sample #: 52

| Acc # | Client ID | Au ppm | Pt ppm | Pd ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 232088 | 1204524 | 0.038 | <0.015 | <0.01 | <1 | 0.14 | 11 | 39 | 29 | 2 | 19 | 0.12 | 8 | 2 | 8 | 120 | 26.12 | 0.06 | <1 | 0.07 | 317 | 30 | 0.01 | 11 | 291 | 34 | <5 | <5 | 0.01 | <10 | 4 | <100 | 3 | 18 | <10 | <2 | 37 |
| 232089 | 1204525 | 0.021 | <0.015 | <0.01 | <1 | 0.12 | 3 | 39 | 13 | <2 | <1 | 7.24 | <4 | 6 | 12 | 7 | 3.71 | 0.02 | 2 | 2.88 | 1272 | <1 | 0.02 | 28 | <100 | 5 | <5 | <5 | 0.01 | <10 | 44 | <100 | <2 | 18 | <10 | <2 | 29 |
| 232090 | 1204526 | 0.008 | <0.015 | <0.01 | <1 | 1.10 | <2 | 42 | 11 | 2 | 19 | 2.17 | 7 | 15 | 22 | 30 | 22.26 | 0.02 | 8 | 0.93 | 685 | 23 | 0.01 | 34 | 503 | 26 | <5 | <5 | 0.01 | <10 | 16 | 308 | <2 | 138 | <10 | 2 | 46 |
| 232091 | 1204527 | 0.025 | 0.021 | 0.023 | <1 | 0.51 | <2 | 43 | 12 | 3 | 22 | 0.22 | 9 | 6 | 10 | 68 | 28.93 | 0.02 | <1 | 0.38 | 394 | 32 | 0.01 | 20 | 441 | 30 | <5 | <5 | 0.02 | <10 | <3 | 112 | 18 | 20 | <10 | 2 | 56 |
| 232092 | 1204528 | <0.005 | <0.015 | <0.01 | <1 | 0.43 | <2 | 34 | 2 | <2 | 8 | >10.00 | <4 | 10 | 22 | 28 | 3.20 | <0.01 | 6 | 4.76 | 1948 | <1 | 0.02 | 37 | <100 | 2 | <5 | <5 | 0.01 | <10 | 32 | <100 | <2 | 23 | <10 | 4 | 13 |
| 232093 | 1204529 | 0.028 | <0.015 | 0.018 | <1 | 0.18 | 4 | 38 | 14 | <2 | <1 | 5.39 | <4 | 8 | 12 | 20 | 2.22 | 0.02 | 2 | 1.98 | 665 | <1 | 0.02 | 26 | 151 | 3 | <5 | <5 | 0.02 | <10 | 53 | <100 | <2 | 9 | <10 | <2 | 20 |
| 232094 | 1204530 | <0.005 | <0.015 | 0.014 | <1 | 1.52 | <2 | 40 | 3 | <2 | <1 | 1.73 | <4 | 11 | 56 | 59 | 1.69 | 0.01 | 8 | 0.83 | 255 | <1 | 0.06 | 41 | <100 | <1 | <5 | <5 | 0.02 | <10 | 6 | 969 | <2 | 44 | <10 | 2 | 16 |
| 232095 | 1204531 | <0.005 | <0.015 | <0.01 | <1 | 0.36 | <2 | 39 | 3 | <2 | <1 | 0.28 | <4 | 3 | 48 | 17 | 0.57 | 0.01 | 2 | 0.21 | <100 | 5 | 0.04 | 37 | <100 | <1 | <5 | <5 | 0.01 | <10 | 3 | 157 | <2 | 13 | <10 | <2 | <1 |
| 232096 | 1204532 | <0.005 | <0.015 | <0.01 | <1 | 0.73 | <2 | 46 | 3 | <2 | <1 | 0.52 | <4 | 7 | 51 | 68 | 1.02 | 0.02 | 6 | 0.50 | 161 | 2 | 0.04 | 40 | <100 | <1 | <5 | <5 | 0.01 | <10 | 3 | 316 | <2 | 17 | <10 | <2 | 5 |
| 232097 | 1204533 | 0.010 | <0.015 | <0.01 | <1 | 0.36 | <2 | 41 | 1 | <2 | <1 | 0.24 | <4 | 2 | 52 | 58 | 0.60 | <0.01 | 4 | 0.24 | <100 | 4 | 0.02 | 28 | <100 | <1 | <5 | <5 | 0.01 | <10 | <3 | 133 | <2 | 10 | <10 | <2 | 3 |
| 232098D | 1204533 | <0.005 | <0.015 | <0.01 | <1 | 0.35 | 2 | 42 | 1 | <2 | <1 | 0.24 | <4 | 3 | 53 | 57 | 0.58 | <0.01 | 3 | 0.24 | <100 | 4 | 0.02 | 30 | <100 | 1 | <5 | <5 | 0.01 | <10 | <3 | 130 | <2 | 10 | <10 | <2 | <1 |
| 232099 | 1015914 | 1.130 | 0.048 | 0.014 | <1 | 0.97 | <2 | 52 | 16 | <2 | <1 | 0.74 | <4 | 18 | 12 | 58 | 2.46 | 0.06 | 2 | 0.31 | 281 | 3 | 0.28 | 10 | 843 | 5 | <5 | 7 | 0.01 | <10 | 35 | 5117 | <2 | 87 | <10 | 20 | 45 |
| 232100 | 1204534 | 0.010 | <0.015 | <0.01 | <1 | 1.90 | 3 | 46 | 1 | <2 | <1 | 2.14 | <4 | 17 | 59 | 85 | 1.90 | <0.01 | 12 | 0.63 | 222 | 5 | 0.05 | 57 | 185 | 4 | <5 | <5 | 0.01 | <10 | 3 | 1175 | <2 | 57 | <10 | 4 | 18 |
| 232101 | 1204535 | 0.007 | 0.021 | <0.01 | <1 | 0.23 | <2 | 49 | 4 | <2 | <1 | 0.17 | <4 | 4 | 46 | 47 | 1.00 | 0.01 | 2 | 0.08 | <100 | 87 | 0.02 | 50 | <100 | 20 | <5 | <5 | 0.01 | <10 | 9 | 216 | <2 | 10 | <10 | <2 | 25 |
| 232102 | 1204536 | <0.005 | <0.015 | <0.01 | <1 | 0.97 | 2 | 47 | 19 | <2 | <1 | 0.69 | <4 | 3 | 17 | 11 | 0.99 | 0.08 | 21 | 0.32 | 156 | 5 | 0.06 | 22 | 194 | 2 | <5 | <5 | 0.01 | <10 | 7 | 772 | <2 | 15 | <10 | 2 | 13 |
| 232103 | 1204537 | <0.005 | 0.097 | <0.01 | <1 | 0.64 | <2 | 42 | 27 | <2 | <1 | 0.34 | <4 | 3 | 16 | 17 | 0.95 | 0.13 | 16 | 0.24 | 190 | 3 | 0.07 | 22 | 149 | 4 | <5 | <5 | 0.01 | <10 | 10 | 684 | <2 | 12 | <10 | 2 | 21 |
| 232104 | 1204538 | <0.005 | 0.017 | <0.01 | <1 | 0.30 | <2 | 45 | 10 | <2 | <1 | 0.18 | <4 | 4 | 31 | 30 | 0.91 | 0.03 | 5 | 0.13 | <100 | 9 | 0.04 | 39 | <100 | 9 | <5 | <5 | 0.02 | <10 | 8 | 276 | <2 | 10 | <10 | <2 | 106 |
| 232105 | 1204539 | 0.015 | 0.147 | <0.01 | 1 | 0.20 | 2 | 40 | 2 | <2 | <1 | 0.14 | <4 | 5 | 64 | 36 | 0.83 | 0.01 | 2 | 0.09 | <100 | 19 | 0.02 | 53 | <100 | 40 | <5 | <5 | 0.01 | <10 | 3 | 138 | <2 | 8 | <10 | <2 | 62 |
| 232106 | 1204540 | 0.050 | <0.015 | 0.010 | <1 | 0.87 | 3 | 45 | 3 | <2 | <1 | 0.71 | <4 | 11 | 54 | 42 | 1.85 | 0.02 | 8 | 0.50 | 179 | 12 | 0.06 | 52 | 211 | <1 | <5 | <5 | 0.01 | <10 | 30 | 1178 | <2 | 37 | <10 | 3 | 17 |
| 232107 | 1204541 | <0.005 | <0.015 | <0.01 | <1 | 0.43 | <2 | 49 | 21 | <2 | <1 | 0.21 | <4 | 3 | 17 | 31 | 0.56 | 0.06 | 12 | 0.20 | <100 | 2 | 0.05 | 20 | <100 | <1 | <5 | <5 | 0.01 | <10 | 4 | 384 | <2 | 10 | <10 | 2 | 6 |

PROCEDURE CODES: ALP1, ALPG1, ALAR1

Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



-0125-10/25/2011 10:26 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, October 25, 2011

# Certificate of Analysis

Landore Resources Inc.
555 Central Ave., Suite #1
Thunder Bay, ON, CAN
P7B5R5
Ph#: (807) 623-3770
Fax#: (807) 623-2335
Email: mtuomi@landore.com, bparkkari@landore.com

Date Received: 09/20/2011
Date Completed: 10/12/2011
Job #: 201143449
Reference: 180.18.78X12A
Sample #: 52

| Acc # | Client ID | Au ppm | Pt ppm | Pd ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 232108 | 1204542 | <0.005 | <0.015 | <0.01 | <1 | 0.94 | <2 | 42 | 7 | <2 | <1 | 0.77 | <4 | 14 | 60 | 71 | 1.83 | 0.08 | 17 | 0.72 | 235 | 5 | 0.06 | 62 | <100 | <1 | <5 | <5 | 0.01 | <10 | 7 | 996 | <2 | 46 | <10 | 2 | 20 |
| 232109D | 1204542 | <0.005 | <0.015 | 0.023 | <1 | 0.95 | <2 | 44 | 7 | <2 | <1 | 0.76 | <4 | 14 | 61 | 74 | 1.84 | 0.08 | 17 | 0.74 | 236 | 5 | 0.06 | 59 | <100 | <1 | <5 | <5 | 0.01 | <10 | 7 | 1024 | <2 | 46 | <10 | 2 | 18 |
| 232110 | 1015915 | 1.115 | <0.015 | 0.039 | <1 | 0.59 | 105 | 50 | 14 | <2 | <1 | 0.56 | <4 | 134 | 385 | 236 | 6.37 | 0.09 | 8 | >10.00 | 618 | <1 | 0.05 | 3599 | <100 | 16 | <5 | <5 | 0.01 | <10 | 8 | 265 | 8 | 26 | <10 | 2 | 83 |
| 232111 | 1015916 | <0.005 | <0.015 | <0.01 | <1 | 0.06 | <2 | 39 | 3 | <2 | <1 | 0.19 | <4 | 1 | 7 | 5 | 0.53 | 0.04 | <1 | 0.27 | <100 | <1 | <0.01 | 44 | <100 | <1 | <5 | <5 | 0.01 | <10 | 4 | <100 | <2 | <2 | <10 | <2 | 3 |
| 232112 | 1204543 | <0.005 | <0.015 | 0.015 | <1 | 0.56 | <2 | 48 | 28 | <2 | <1 | 0.20 | <4 | 1 | 15 | 23 | 0.77 | 0.15 | 15 | 0.26 | 140 | 2 | 0.06 | 19 | 161 | 5 | <5 | <5 | <0.01 | <10 | 8 | 525 | <2 | 16 | <10 | <2 | 469 |
| 232113 | 1204544 | 0.006 | 0.051 | 0.011 | <1 | 0.28 | <2 | 43 | 19 | <2 | 2 | 0.11 | <4 | 2 | 20 | 7 | 0.46 | 0.10 | 7 | 0.11 | <100 | 2 | 0.04 | 24 | <100 | 2 | <5 | <5 | 0.01 | <10 | 8 | 306 | <2 | 7 | <10 | <2 | 234 |
| 232114 | 1204545 | <0.005 | <0.015 | 0.010 | <1 | 0.61 | <2 | 47 | 4 | <2 | <1 | 0.43 | <4 | 10 | 53 | 94 | 1.27 | 0.03 | 9 | 0.52 | 146 | 7 | 0.06 | 48 | <100 | 4 | <5 | <5 | 0.01 | <10 | 3 | 595 | <2 | 21 | <10 | <2 | 66 |
| 232115 | 1204546 | 0.010 | <0.015 | <0.01 | <1 | 0.68 | <2 | 45 | 19 | <2 | <1 | 0.55 | <4 | 4 | 27 | 12 | 0.94 | 0.05 | 11 | 0.36 | 132 | 5 | 0.07 | 28 | 142 | 3 | <5 | <5 | 0.02 | <10 | 11 | 472 | <2 | 12 | <10 | <2 | 59 |
| 232116 | 1204547 | 0.076 | 0.068 | <0.01 | <1 | 0.79 | 2 | 44 | 3 | <2 | <1 | 0.97 | <4 | 8 | 23 | 30 | 1.87 | 0.03 | 3 | 0.25 | 123 | 3 | 0.03 | 19 | 370 | 2 | <5 | <5 | 0.02 | <10 | 79 | 2033 | <2 | 49 | <10 | 5 | 94 |
| 232117 | 1204548 | 0.056 | <0.015 | <0.01 | <1 | 0.57 | 4 | 48 | 2 | <2 | <1 | 0.37 | <4 | 5 | 54 | 23 | 1.49 | 0.02 | 6 | 0.33 | 140 | 7 | 0.04 | 31 | 117 | <1 | <5 | <5 | 0.02 | <10 | 18 | 1031 | <2 | 37 | <10 | 3 | 64 |
| 232118 | 1204835 | 0.012 | <0.015 | <0.01 | <1 | 0.16 | 2048 | 51 | 27 | <2 | <1 | 0.39 | <4 | 5 | 12 | 20 | 1.62 | <0.01 | <1 | 0.07 | 493 | 3 | 0.09 | 16 | 1029 | 6 | <5 | <5 | 0.02 | <10 | 29 | 130 | <2 | 5 | <10 | 4 | 129 |
| 232119 | 1204836 | 0.007 | 0.033 | 0.025 | <1 | 2.92 | 26 | 48 | 3 | <2 | 5 | 1.81 | <4 | 22 | 101 | 97 | 4.47 | 0.02 | 37 | 1.84 | 670 | 4 | 0.08 | 76 | 254 | 3 | <5 | <5 | 0.03 | <10 | 11 | 1928 | <2 | 112 | <10 | 5 | 85 |
| 232120D | 1204836 | 0.007 | <0.015 | 0.023 | <1 | 2.91 | 2 | 49 | 3 | <2 | 5 | 1.77 | <4 | 23 | 101 | 98 | 4.47 | 0.02 | 38 | 1.85 | 665 | 3 | 0.08 | 78 | 254 | 7 | <5 | <5 | 0.02 | <10 | 11 | 1916 | <2 | 111 | <10 | 5 | 59 |
| 232121 | 1204837 | 0.006 | <0.015 | <0.01 | <1 | 2.42 | <2 | 45 | 6 | <2 | 5 | 3.93 | <4 | 22 | 96 | 113 | 3.48 | 0.02 | 16 | 1.73 | 788 | <1 | 0.14 | 65 | 287 | 10 | <5 | 10 | 0.02 | <10 | 14 | 1644 | <2 | 78 | <10 | 5 | 56 |
| 232122 | 1204838 | 0.009 | 0.034 | 0.015 | <1 | 1.67 | <2 | 44 | 6 | <2 | <1 | 1.54 | <4 | 19 | 133 | 73 | 2.32 | 0.04 | 25 | 1.17 | 400 | 17 | 0.09 | 68 | 149 | 1 | <5 | <5 | 0.02 | <10 | 25 | 1411 | <2 | 58 | <10 | 2 | 48 |
| 232123 | 1204839 | <0.005 | <0.015 | <0.01 | <1 | 0.37 | <2 | 47 | 21 | <2 | <1 | 0.14 | <4 | <1 | 18 | 6 | 0.71 | 0.08 | 6 | 0.14 | <100 | 47 | 0.12 | 24 | 182 | 21 | <5 | <5 | 0.01 | <10 | 9 | 272 | <2 | 8 | <10 | <2 | 77 |
| 232124 | 1204036 | 0.005 | <0.015 | <0.01 | <1 | 2.30 | 19 | 46 | 3 | <2 | <1 | 1.07 | <4 | 22 | 110 | 33 | 3.65 | 0.02 | 13 | 1.80 | 475 | 2 | 0.13 | 64 | 219 | 1 | <5 | <5 | 0.02 | <10 | 4 | 1399 | <2 | 92 | <10 | 5 | 74 |
| 232125 | 1204037 | 0.005 | <0.015 | <0.01 | <1 | 1.90 | <2 | 41 | 3 | <2 | <1 | 1.45 | <4 | 23 | 94 | 101 | 3.23 | 0.03 | 10 | 1.37 | 494 | 4 | 0.15 | 65 | 197 | 1 | <5 | <5 | 0.02 | <10 | 3 | 1978 | <2 | 89 | <10 | 6 | 48 |
| 232126 | 1204038 | <0.005 | 0.020 | <0.01 | <1 | 1.70 | <2 | 43 | 3 | <2 | <1 | 1.67 | <4 | 15 | 58 | 98 | 1.89 | 0.02 | 6 | 0.86 | 418 | <1 | 0.20 | 50 | 224 | <1 | <5 | <5 | 0.02 | <10 | 25 | 1469 | <2 | 54 | <10 | 4 | 32 |
| 232127 | 1204549 | 0.063 | 0.018 | <0.01 | <1 | 0.28 | 2 | 40 | 6 | <2 | <1 | 0.07 | <4 | <1 | 13 | 10 | 0.37 | 0.15 | 1 | 0.05 | <100 | 1 | 0.08 | 14 | <100 | 8 | <5 | <5 | 0.01 | <10 | <3 | <100 | <2 | 3 | <10 | 9 | 26 |

PROCEDURE CODES: ALP1, ALPG1, ALAR1

Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



-0125-10/25/2011 10:26 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, October 25, 2011

# Certificate of Analysis

Landore Resources Inc.
555 Central Ave., Suite #1
Thunder Bay, ON, CAN
P7B5R5
Ph#: (807) 623-3770
Fax#: (807) 623-2335
Email: mtuomi@landore.com, bparkkari@landore.com

Date Received: 09/20/2011
Date Completed: 10/12/2011
Job #: 201143449
Reference: 180.18.78X12A
Sample #: 52

| Acc # | Client ID | Au ppm | Pt ppm | Pd ppm | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti ppm | Tl ppm | V ppm | W ppm | Y ppm | Zn ppm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 232128 | 1204550 | <0.005 | <0.015 | <0.01 | <1 | 0.44 | <2 | 45 | 27 | <2 | <1 | 0.12 | <4 | 2 | 17 | 6 | 0.72 | 0.10 | 6 | 0.17 | 106 | 5 | 0.09 | 22 | 121 | 1 | <5 | <5 | 0.01 | <10 | 15 | 412 | <2 | 8 | <10 | 2 | 18 |
| 232129 | 1204551 | <0.005 | <0.015 | <0.01 | <1 | 0.46 | 2 | 45 | 26 | <2 | <1 | 0.23 | <4 | 3 | 24 | 12 | 0.82 | 0.09 | 7 | 0.23 | 102 | 5 | 0.10 | 27 | 174 | <1 | <5 | <5 | 0.01 | <10 | 13 | 500 | <2 | 11 | <10 | <2 | 39 |
| 232130 | 1204552 | <0.005 | <0.015 | <0.01 | <1 | 0.98 | <2 | 42 | 4 | <2 | <1 | 0.65 | <4 | 6 | 35 | 35 | 1.07 | 0.02 | 7 | 0.61 | 146 | 4 | 0.08 | 42 | <100 | <1 | <5 | <5 | 0.02 | <10 | 7 | 408 | <2 | 24 | <10 | <2 | 45 |
| 232131D | 1204552 | <0.005 | <0.015 | <0.01 | <1 | 0.97 | <2 | 40 | 4 | <2 | <1 | 0.64 | <4 | 6 | 34 | 34 | 1.04 | 0.02 | 6 | 0.60 | 143 | 6 | 0.08 | 40 | <100 | <1 | <5 | <5 | 0.02 | <10 | 8 | 395 | <2 | 23 | <10 | <2 | 14 |
| 232132 | 1204553 | <0.005 | 0.046 | 0.013 | <1 | 0.72 | 23 | 45 | 3 | <2 | <1 | 3.15 | <4 | 21 | 26 | 73 | 1.00 | <0.01 | 2 | 0.26 | 415 | <1 | 0.04 | 53 | <100 | <1 | <5 | <5 | 0.02 | <10 | 15 | 1036 | <2 | 28 | 42 | 2 | 6 |
| 232133 | 1204554 | <0.005 | 0.021 | 0.011 | <1 | 0.78 | 23 | 46 | 3 | <2 | <1 | 2.19 | <4 | 18 | 26 | 56 | 1.01 | 0.01 | 2 | 0.28 | 392 | <1 | 0.04 | 43 | <100 | <1 | <5 | <5 | 0.03 | <10 | 15 | 1257 | <2 | 31 | 13 | 3 | 26 |
| 232134 | 1015917 | 0.173 | 0.062 | 0.044 | <1 | 0.44 | 28 | 50 | 42 | <2 | 4 | 0.33 | <4 | 53 | 340 | 152 | 2.77 | 0.13 | 4 | 1.77 | 171 | <1 | 0.07 | 2508 | <100 | 30 | <5 | <5 | 0.01 | <10 | 13 | 202 | <2 | 19 | <10 | <2 | 31 |
| 232135 | 1015918 | <0.005 | <0.015 | <0.01 | <1 | 0.06 | <2 | 45 | 4 | <2 | <1 | 0.21 | <4 | <1 | 8 | 6 | 0.55 | 0.04 | <1 | 0.14 | <100 | <1 | 0.01 | 47 | <100 | 3 | <5 | <5 | 0.01 | <10 | 5 | <100 | <2 | <2 | <10 | <2 | 44 |
| 232136 | 1204555 | <0.005 | 0.030 | 0.016 | <1 | 1.49 | 9 | 50 | 5 | <2 | <1 | 1.40 | <4 | 21 | 90 | 67 | 2.55 | 0.02 | 17 | 1.02 | 504 | 2 | 0.08 | 67 | 133 | <1 | <5 | <5 | 0.02 | <10 | 38 | 1925 | <2 | 74 | <10 | 5 | 28 |
| 232137 | 1204556 | 0.008 | 0.021 | 0.019 | <1 | 1.40 | <2 | 43 | 6 | <2 | <1 | 1.49 | <4 | 26 | 53 | 136 | 2.62 | 0.04 | 16 | 1.12 | 403 | 5 | 0.08 | 47 | 186 | 3 | <5 | <5 | 0.02 | <10 | 48 | 1984 | <2 | 74 | <10 | 4 | 30 |
| 232138 | 1204840 | <0.005 | 0.036 | 0.018 | <1 | 1.34 | 6 | 47 | 5 | <2 | <1 | 1.80 | <4 | 25 | 50 | 185 | 2.38 | 0.04 | 19 | 1.09 | 369 | 3 | 0.07 | 41 | 168 | <1 | <5 | <5 | 0.02 | <10 | 49 | 1879 | <2 | 69 | <10 | 4 | 43 |
| 232139 | 1204841 | <0.005 | 0.018 | <0.01 | <1 | 0.50 | 3 | 49 | 18 | <2 | <1 | 0.44 | <4 | 4 | 13 | 17 | 0.70 | 0.04 | 6 | 0.22 | <100 | 2 | 0.07 | 14 | <100 | 5 | <5 | <5 | 0.01 | <10 | 7 | 435 | 3 | 10 | <10 | <2 | 37 |
| 232140 | 1204842 | 0.006 | <0.015 | 0.016 | <1 | 1.64 | <2 | 45 | 7 | <2 | <1 | 1.77 | <4 | 21 | 110 | 93 | 2.04 | 0.02 | 15 | 1.13 | 386 | <1 | 0.07 | 67 | 146 | <1 | <5 | <5 | 0.02 | <10 | 15 | 1595 | <2 | 60 | <10 | 4 | 38 |
| 232141 | 1204843 | <0.005 | 0.025 | <0.01 | <1 | 3.37 | <2 | 52 | 39 | <2 | <1 | 2.24 | <4 | 45 | 48 | 43 | 5.56 | 0.09 | 29 | 2.02 | 543 | 5 | 0.49 | 58 | 940 | 3 | <5 | <5 | 0.02 | <10 | 102 | 5951 | <2 | 140 | <10 | 13 | 80 |
| 232142D | 1204843 | <0.005 | 0.026 | <0.01 | <1 | 3.40 | <2 | 54 | 39 | <2 | 5 | 2.25 | <4 | 48 | 47 | 44 | 5.67 | 0.10 | 29 | 2.07 | 552 | 6 | 0.50 | 59 | 966 | 6 | <5 | <5 | 0.02 | <10 | 103 | 6126 | <2 | 141 | <10 | 13 | 103 |
| 232143 | 1204844 | 0.032 | <0.015 | <0.01 | <1 | 0.55 | 178 | 48 | 16 | 2 | 15 | 2.47 | 6 | 14 | 9 | 238 | 21.25 | 0.01 | 2 | 1.29 | 2873 | 25 | 0.03 | 41 | 486 | 19 | <5 | <5 | 0.02 | <10 | 49 | 196 | <2 | 18 | <10 | 3 | 127 |
| 232144 | 1204845 | 0.032 | 0.018 | <0.01 | <1 | 0.46 | 78 | 60 | 20 | 2 | 20 | 3.01 | 6 | 12 | 7 | 149 | 21.24 | 0.03 | <1 | 1.46 | 3507 | 24 | 0.02 | 35 | 707 | 26 | <5 | <5 | 0.02 | <10 | 46 | <100 | 4 | 18 | <10 | 5 | 131 |

PROCEDURE CODES: ALP1, ALPG1, ALAR1

Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



-0125-10/25/2011 10:26 AM