ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

# CERTIFICATE TB11204012

Project: 180.18.81C12A

P.O. No.:

This report is for 21 Soil samples submitted to our lab in Thunder Bay, ON, Canada on 5-OCT-2011.

The following have access to data associated with this certificate:

| | | |
|---|---|---|
| JOY LESTER | MICHELE TUOMI | |

## SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|---|---|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |
| LOG-24 | Pulp Login - Rcd w/o Barcode |

## ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|---|---|---|
| PGM-ICP23 | Pt, Pd, Au 30g FA ICP | ICP-AES |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: **LANDORE RESOURCES CANADA INC.**
**ATTN: MICHELE TUOMI**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11204012

| Sample Description | Method | WEI-21 | PGM-ICP23 | PGM-ICP23 | PGM-ICP23 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Analyte | Recvd Wt. | Au | Pt | Pd | Ag | Al | As | Au | B | Ba | Be | Bi | Ca | Cd | Ce |
| | Units | kg | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | LOR | 0.02 | 0.001 | 0.005 | 0.001 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 |
| 1204653 | | 0.32 | 0.002 | <0.005 | <0.001 | 0.01 | 1.19 | 1.6 | <0.2 | <10 | 20 | 0.31 | 0.09 | 0.19 | 0.03 | 24.1 |
| 1204654 | | 0.26 | 0.002 | <0.005 | <0.001 | 0.02 | 2.00 | 3.1 | <0.2 | <10 | 30 | 0.33 | 0.14 | 0.10 | 0.07 | 15.85 |
| 1204655 | | 0.08 | NSS | NSS | NSS | 0.09 | 0.39 | 1.9 | <0.2 | <10 | 50 | 0.18 | 0.08 | 1.68 | 0.66 | 20.0 |
| 1204656 | | 0.17 | <0.001 | <0.005 | <0.001 | 0.02 | 0.82 | 1.6 | <0.2 | <10 | 30 | 0.19 | 0.06 | 0.68 | 0.04 | 33.5 |
| 1204657 | | 0.12 | 0.009 | <0.005 | 0.002 | 0.22 | 0.85 | 5.6 | <0.2 | <10 | 80 | 0.35 | 0.12 | 4.74 | 0.40 | 17.00 |
| 1204658 | | 0.10 | 0.023 | <0.005 | <0.001 | 0.06 | 0.16 | 1.2 | <0.2 | 10 | 30 | 0.20 | 0.04 | 5.83 | 0.34 | 2.15 |
| 1204659 | | 0.28 | 0.013 | <0.005 | <0.001 | 0.10 | 0.87 | 3.1 | <0.2 | <10 | 50 | 0.30 | 0.11 | 3.11 | 0.24 | 39.6 |
| 1204660 | | 0.38 | 0.003 | <0.005 | 0.001 | 0.07 | 1.33 | 4.0 | <0.2 | <10 | 50 | 0.39 | 0.11 | 2.67 | 0.07 | 41.0 |
| 1204661 | | 0.38 | 0.002 | <0.005 | <0.001 | 0.01 | 1.38 | 5.2 | <0.2 | <10 | 10 | 0.27 | 0.09 | 0.19 | 0.03 | 20.5 |
| 1204662 | | 0.16 | NSS | NSS | NSS | 0.10 | 0.66 | 1.8 | <0.2 | <10 | 40 | 0.13 | 0.05 | 3.26 | 0.19 | 12.30 |
| 1015955 | | 0.06 | 1.135 | <0.005 | <0.001 | 0.03 | 0.87 | 0.1 | 1.2 | <10 | 20 | 0.21 | 0.01 | 0.63 | 0.05 | 19.60 |
| 1204663 | | 0.17 | NSS | NSS | NSS | 0.05 | 0.15 | 1.1 | <0.2 | 10 | 90 | 0.05 | 0.02 | 4.88 | 0.38 | 2.88 |
| 1204664 | | 0.13 | 0.024 | 0.007 | <0.001 | 0.04 | 0.33 | 129.5 | <0.2 | 10 | 110 | 0.17 | 0.03 | 4.78 | 0.32 | 17.25 |
| 1204665 | | 0.12 | 0.011 | <0.005 | <0.001 | 0.07 | 0.59 | 3.3 | <0.2 | <10 | 60 | 0.28 | 0.07 | 3.28 | 0.36 | 58.8 |
| 1204666 | | 0.18 | 0.009 | <0.005 | <0.001 | 0.06 | 0.64 | 1.2 | <0.2 | 10 | 70 | 0.21 | 0.07 | 3.49 | 0.36 | 24.9 |
| 1204667 | | 0.12 | 0.009 | <0.005 | <0.001 | 0.07 | 0.49 | 1.3 | <0.2 | <10 | 60 | 0.21 | 0.07 | 3.10 | 0.30 | 28.8 |
| 1204668 | | 0.10 | NSS | NSS | NSS | 0.06 | 0.31 | 0.6 | <0.2 | 10 | 50 | 0.12 | 0.02 | 4.45 | 0.22 | 6.33 |
| 1204669 | | 0.30 | 0.001 | <0.005 | <0.001 | 0.11 | 1.02 | 4.4 | <0.2 | <10 | 30 | 0.16 | 0.15 | 0.19 | 0.05 | 18.00 |
| 1204670 | | 0.24 | 0.002 | <0.005 | <0.001 | 0.07 | 0.94 | 3.7 | <0.2 | <10 | 20 | 0.18 | 0.10 | 0.12 | 0.07 | 20.3 |
| 1015956 | | 0.06 | 4.01 | 0.007 | 0.005 | 3.39 | 1.59 | 296 | 4.0 | <10 | 80 | 0.29 | 2.90 | 1.52 | 0.52 | 22.9 |
| 1015957 | | 0.19 | 0.003 | <0.005 | <0.001 | 0.05 | 0.05 | 0.7 | <0.2 | <10 | <10 | 0.07 | 0.03 | 0.20 | 0.02 | 5.23 |

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11204012

| Sample Description | Method | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Analyte | Co | Cr | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn |
| | Units | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm |
| | LOR | 0.1 | 1 | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 |
| 1204653 | | 6.9 | 22 | 0.79 | 15.5 | 1.59 | 2.81 | 0.09 | 0.09 | 0.02 | 0.010 | 0.03 | 12.4 | 13.3 | 0.24 | 97 |
| 1204654 | | 7.6 | 37 | 1.25 | 15.7 | 3.16 | 6.82 | 0.07 | 0.11 | 0.03 | 0.018 | 0.03 | 7.6 | 23.9 | 0.31 | 109 |
| 1204655 | | 2.2 | 4 | 0.26 | 20.4 | 0.47 | 1.07 | 0.07 | <0.02 | 0.16 | 0.011 | 0.03 | 11.2 | 1.0 | 0.14 | 19 |
| 1204656 | | 5.5 | 19 | 0.57 | 12.1 | 1.56 | 2.82 | 0.10 | 0.04 | 0.02 | 0.009 | 0.02 | 16.3 | 12.0 | 0.28 | 153 |
| 1204657 | | 5.3 | 20 | 1.78 | 246 | 1.22 | 2.86 | 0.13 | 0.03 | 0.17 | 0.027 | 0.03 | 10.1 | 3.6 | 0.35 | 278 |
| 1204658 | | 1.4 | 4 | 0.86 | 64.7 | 0.18 | 0.47 | 0.08 | 0.05 | 0.12 | <0.005 | 0.03 | 1.2 | 2.6 | 0.31 | 263 |
| 1204659 | | 6.5 | 20 | 0.80 | 44.9 | 1.35 | 3.14 | 0.14 | 0.11 | 0.07 | 0.012 | 0.06 | 20.4 | 11.8 | 0.79 | 472 |
| 1204660 | | 10.3 | 27 | 1.35 | 36.1 | 2.07 | 4.82 | 0.12 | 0.10 | 0.03 | 0.019 | 0.08 | 21.6 | 22.7 | 1.40 | 466 |
| 1204661 | | 8.6 | 25 | 0.68 | 36.7 | 2.24 | 4.52 | 0.09 | 0.05 | 0.02 | 0.014 | 0.01 | 10.6 | 18.7 | 0.32 | 103 |
| 1204662 | | 3.4 | 16 | 0.67 | 17.7 | 0.94 | 2.14 | 0.08 | 0.04 | 0.09 | 0.006 | 0.01 | 6.3 | 5.3 | 0.37 | 314 |
| 1015955 | | 8.9 | 10 | 0.13 | 55.9 | 2.30 | 4.10 | 0.12 | 0.69 | 0.01 | 0.019 | 0.05 | 7.7 | 1.4 | 0.25 | 235 |
| 1204663 | | 1.9 | 3 | 0.11 | 12.8 | 0.18 | 0.34 | 0.07 | 0.03 | 0.10 | <0.005 | 0.01 | 1.7 | 0.2 | 0.25 | 839 |
| 1204664 | | 6.2 | 4 | 0.08 | 22.4 | 1.98 | 0.63 | 0.10 | 0.12 | 0.14 | <0.005 | 0.01 | 11.8 | 0.2 | 0.20 | 2920 |
| 1204665 | | 3.5 | 10 | 0.65 | 30.7 | 1.08 | 1.99 | 0.11 | 0.04 | 0.11 | 0.009 | 0.02 | 29.1 | 4.2 | 0.29 | 281 |
| 1204666 | | 4.5 | 11 | 0.69 | 20.3 | 0.99 | 2.25 | 0.10 | 0.04 | 0.13 | 0.007 | 0.03 | 12.4 | 6.8 | 0.33 | 693 |
| 1204667 | | 3.5 | 9 | 0.58 | 10.9 | 0.65 | 1.72 | 0.11 | 0.04 | 0.12 | 0.007 | 0.03 | 15.3 | 2.3 | 0.21 | 187 |
| 1204668 | | 0.7 | 2 | 0.11 | 10.1 | 0.19 | 0.48 | 0.08 | 0.04 | 0.12 | <0.005 | 0.01 | 3.8 | 0.2 | 0.19 | 213 |
| 1204669 | | 7.6 | 28 | 0.95 | 11.0 | 2.55 | 5.75 | 0.09 | 0.03 | 0.03 | 0.013 | 0.03 | 8.9 | 17.0 | 0.26 | 679 |
| 1204670 | | 7.5 | 24 | 0.72 | 12.6 | 2.00 | 4.69 | 0.08 | 0.03 | 0.04 | 0.013 | 0.02 | 9.5 | 10.2 | 0.18 | 407 |
| 1015956 | | 78.9 | 176 | 1.44 | 1270 | 6.35 | 5.36 | 0.15 | 0.54 | 0.15 | 0.075 | 0.23 | 13.5 | 7.2 | 0.94 | 558 |
| 1015957 | | 0.4 | 3 | 0.07 | 3.1 | 0.56 | 0.19 | 0.07 | 0.08 | 0.01 | <0.005 | 0.03 | 2.7 | 0.3 | 0.09 | 55 |

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11204012

| Sample Description | Method | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Analyte | Mo | Na | Nb | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta |
| | Units | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | LOR | 0.05 | 0.01 | 0.05 | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 |
| 1204653 | | 0.19 | 0.01 | 1.85 | 16.4 | 360 | 4.2 | 5.1 | <0.001 | 0.01 | 0.07 | 1.8 | 0.2 | 0.4 | 5.9 | 0.02 |
| 1204654 | | 0.73 | 0.01 | 3.10 | 19.8 | 360 | 6.6 | 7.2 | <0.001 | 0.02 | 0.10 | 2.2 | 0.5 | 0.6 | 5.3 | 0.02 |
| 1204655 | | 0.42 | 0.01 | 0.23 | 14.9 | 600 | 9.3 | 2.3 | <0.001 | 0.11 | 0.12 | 1.0 | 0.9 | 0.2 | 28.9 | <0.01 |
| 1204656 | | 0.13 | 0.01 | 1.33 | 14.1 | 450 | 3.0 | 4.7 | <0.001 | 0.02 | <0.05 | 1.7 | 0.4 | 0.3 | 10.9 | 0.01 |
| 1204657 | | 0.35 | 0.01 | 0.62 | 21.6 | 920 | 5.2 | 2.8 | 0.001 | 0.16 | 1.13 | 0.9 | 3.7 | 0.4 | 74.6 | 0.01 |
| 1204658 | | 1.01 | 0.01 | 0.13 | 10.3 | 680 | 0.9 | 9.0 | 0.001 | 0.22 | 3.42 | 0.3 | 2.4 | 0.3 | 78.1 | 0.01 |
| 1204659 | | 0.37 | 0.01 | 1.56 | 18.7 | 650 | 4.2 | 12.0 | <0.001 | 0.05 | 0.76 | 2.3 | 0.8 | 0.4 | 35.9 | <0.01 |
| 1204660 | | 0.18 | 0.01 | 1.67 | 25.9 | 510 | 4.9 | 14.6 | <0.001 | 0.02 | 0.89 | 3.9 | 0.5 | 0.5 | 23.7 | <0.01 |
| 1204661 | | 0.31 | 0.01 | 1.83 | 20.1 | 220 | 4.5 | 2.6 | 0.001 | 0.01 | 0.68 | 2.3 | <0.2 | 0.4 | 7.2 | 0.02 |
| 1204662 | | 0.39 | 0.01 | 0.69 | 17.0 | 520 | 2.0 | 2.1 | <0.001 | 0.14 | 0.58 | 0.8 | 0.8 | 0.2 | 75.9 | 0.01 |
| 1015955 | | 0.84 | 0.21 | 0.30 | 9.9 | 740 | 2.3 | 2.1 | <0.001 | 0.04 | <0.05 | 1.9 | 0.4 | 0.6 | 31.2 | <0.01 |
| 1204663 | | 1.35 | 0.01 | 0.15 | 8.6 | 350 | 0.8 | 0.6 | 0.002 | 0.29 | 0.18 | 0.2 | 1.1 | <0.2 | 45.6 | 0.01 |
| 1204664 | | 1.03 | 0.01 | 0.26 | 10.2 | 490 | 0.9 | 0.8 | <0.001 | 0.20 | 0.14 | 0.4 | 1.2 | <0.2 | 46.6 | 0.01 |
| 1204665 | | 0.38 | 0.01 | 0.73 | 11.0 | 650 | 2.6 | 5.0 | <0.001 | 0.12 | 0.08 | 0.9 | 1.2 | 0.2 | 36.4 | 0.01 |
| 1204666 | | 0.52 | 0.01 | 0.91 | 37.0 | 720 | 2.9 | 4.8 | <0.001 | 0.10 | 0.12 | 0.9 | 0.9 | 0.2 | 33.6 | 0.01 |
| 1204667 | | 0.56 | 0.01 | 0.64 | 20.0 | 740 | 3.0 | 5.5 | <0.001 | 0.13 | 0.11 | 0.7 | 1.0 | 0.2 | 40.7 | 0.01 |
| 1204668 | | 0.41 | <0.01 | 0.15 | 6.8 | 420 | 0.7 | 0.7 | <0.001 | 0.13 | 0.16 | 0.3 | 1.0 | <0.2 | 45.1 | 0.01 |
| 1204669 | | 0.30 | 0.01 | 2.07 | 12.5 | 2050 | 5.2 | 8.3 | <0.001 | 0.01 | 0.25 | 1.9 | 0.3 | 0.5 | 6.8 | <0.01 |
| 1204670 | | 0.27 | <0.01 | 1.58 | 10.1 | 1130 | 5.3 | 5.3 | <0.001 | 0.01 | 0.26 | 1.4 | <0.2 | 0.5 | 4.9 | 0.01 |
| 1015956 | | 14.95 | 0.13 | 0.24 | 1920 | 370 | 245 | 26.0 | 0.004 | 0.74 | 4.13 | 5.3 | 1.4 | 2.6 | 42.2 | <0.01 |
| 1015957 | | 0.35 | <0.01 | <0.05 | 2.4 | 20 | 2.2 | 1.3 | <0.001 | 0.05 | 0.07 | 0.1 | <0.2 | <0.2 | 5.1 | <0.01 |

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11204012

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Te<br>ppm<br>0.01 | ME-MS41<br>Th<br>ppm<br>0.2 | ME-MS41<br>Ti<br>%<br>0.005 | ME-MS41<br>Tl<br>ppm<br>0.02 | ME-MS41<br>U<br>ppm<br>0.05 | ME-MS41<br>V<br>ppm<br>1 | ME-MS41<br>W<br>ppm<br>0.05 | ME-MS41<br>Y<br>ppm<br>0.05 | ME-MS41<br>Zn<br>ppm<br>2 | ME-MS41<br>Zr<br>ppm<br>0.5 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1204653 | | 0.01 | 3.9 | 0.074 | 0.05 | 0.43 | 25 | 0.23 | 3.35 | 18 | 3.0 |
| 1204654 | | 0.03 | 3.1 | 0.130 | 0.05 | 0.35 | 58 | 0.26 | 2.03 | 29 | 4.1 |
| 1204655 | | 0.02 | 0.3 | 0.011 | 0.02 | 0.56 | 4 | 0.06 | 2.41 | 13 | <0.5 |
| 1204656 | | 0.01 | 1.8 | 0.069 | 0.05 | 0.58 | 25 | 0.19 | 4.43 | 16 | 1.3 |
| 1204657 | | 0.02 | 0.2 | 0.014 | 0.07 | 1.47 | 17 | 0.07 | 7.43 | 34 | 1.2 |
| 1204658 | | 0.03 | 0.7 | <0.005 | 0.06 | 0.56 | 3 | 1.40 | 0.87 | 40 | 1.5 |
| 1204659 | | 0.01 | 2.1 | 0.055 | 0.07 | 0.71 | 21 | 0.14 | 6.80 | 38 | 3.8 |
| 1204660 | | 0.01 | 4.3 | 0.080 | 0.08 | 0.45 | 31 | 0.25 | 7.50 | 41 | 3.5 |
| 1204661 | | 0.02 | 2.6 | 0.074 | 0.03 | 0.36 | 35 | 1.09 | 2.75 | 22 | 2.1 |
| 1204662 | | 0.03 | 0.5 | 0.025 | 0.03 | 0.32 | 15 | 0.42 | 1.97 | 25 | 1.5 |
| 1015955 | | 0.01 | 0.8 | 0.423 | 0.04 | 0.13 | 70 | <0.05 | 18.50 | 44 | 33.4 |
| 1204663 | | 0.02 | <0.2 | <0.005 | 0.03 | 0.22 | 4 | 0.06 | 0.94 | 31 | 1.2 |
| 1204664 | | 0.02 | 0.4 | <0.005 | 0.04 | 2.14 | 8 | 0.18 | 3.92 | 25 | 6.4 |
| 1204665 | | 0.01 | 0.5 | 0.021 | 0.04 | 1.66 | 16 | 0.08 | 5.44 | 24 | 1.4 |
| 1204666 | | 0.02 | 0.7 | 0.037 | 0.06 | 1.11 | 20 | 0.08 | 3.50 | 40 | 1.5 |
| 1204667 | | <0.01 | 0.7 | 0.018 | 0.04 | 0.97 | 11 | 0.24 | 3.74 | 25 | 1.4 |
| 1204668 | | 0.01 | 0.2 | <0.005 | 0.02 | 0.24 | 5 | 0.05 | 1.55 | 19 | 1.6 |
| 1204669 | | 0.02 | 2.6 | 0.088 | 0.05 | 0.33 | 46 | 0.34 | 2.40 | 36 | 1.5 |
| 1204670 | | 0.03 | 2.8 | 0.064 | 0.05 | 0.28 | 36 | 0.18 | 1.81 | 41 | 1.0 |
| 1015956 | | 0.42 | 5.1 | 0.136 | 0.29 | 1.67 | 58 | 8.08 | 7.11 | 212 | 19.1 |
| 1015957 | | <0.01 | 1.3 | <0.005 | 0.02 | 0.31 | 1 | <0.05 | 0.67 | 11 | 2.3 |

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11204012

| Method | CERTIFICATE COMMENTS |
|---|---|
| ALL METHODS | NSS is non-sufficient sample. |
| ME-MS41 | Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |