ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

# CERTIFICATE TB11203858

Project: 180.18.81C12A

P.O. No.:

This report is for 53 Soil samples submitted to our lab in Thunder Bay, ON, Canada on 5-OCT-2011.

The following have access to data associated with this certificate:

| | | |
|---|---|---|
| JOY LESTER | MICHELE TUOMI | |

## SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|---|---|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |
| LOG-24 | Pulp Login - Rcd w/o Barcode |

## ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|---|---|---|
| PGM-ICP23 | Pt, Pd, Au 30g FA ICP | ICP-AES |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: **LANDORE RESOURCES CANADA INC.**
**ATTN: MICHELE TUOMI**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11203858

| Sample Description | Method / Analyte / Units / LOR | WEI-21 Recvd Wt. kg 0.02 | PGM-ICP23 Au ppm 0.001 | PGM-ICP23 Pt ppm 0.005 | PGM-ICP23 Pd ppm 0.001 | ME-MS41 Ag ppm 0.01 | ME-MS41 Al % 0.01 | ME-MS41 As ppm 0.1 | ME-MS41 Au ppm 0.2 | ME-MS41 B ppm 10 | ME-MS41 Ba ppm 10 | ME-MS41 Be ppm 0.05 | ME-MS41 Bi ppm 0.01 | ME-MS41 Ca % 0.01 | ME-MS41 Cd ppm 0.01 | ME-MS41 Ce ppm 0.02 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1204301 | | 0.13 | 0.025 | <0.005 | 0.006 | 0.05 | 3.66 | 44.8 | <0.2 | <10 | 20 | 0.07 | 0.05 | 0.77 | 0.12 | 18.75 |
| 1204302 | | 0.11 | 0.002 | <0.005 | 0.001 | 0.06 | 1.41 | 50.3 | <0.2 | <10 | 40 | 0.19 | 0.24 | 0.21 | 0.12 | 12.70 |
| 1204303 | | 0.20 | 0.001 | <0.005 | 0.001 | 0.06 | 0.87 | 8.8 | <0.2 | <10 | 80 | 0.12 | 0.16 | 0.20 | 0.11 | 14.05 |
| 1204304 | | 0.14 | 0.001 | <0.005 | <0.001 | 0.04 | 1.03 | 23.8 | <0.2 | <10 | 20 | 0.13 | 0.13 | 0.12 | 0.05 | 13.70 |
| 1204305 | | 0.15 | 0.005 | <0.005 | 0.006 | 0.12 | 1.92 | 46.8 | <0.2 | <10 | 20 | 0.17 | 0.17 | 0.73 | 0.20 | 30.7 |
| 1204306 | | 0.03 | 0.002 | <0.005 | 0.005 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| 1204307 | | 0.02 | NSS | NSS | NSS | 0.02 | 0.08 | 3.1 | <0.2 | 10 | 30 | <0.05 | 0.01 | 4.21 | 0.29 | 1.28 |
| 1204308 | | 0.25 | 0.004 | <0.005 | 0.002 | 0.03 | 0.88 | 2.2 | <0.2 | <10 | 20 | 0.22 | 0.09 | 3.32 | 0.05 | 43.7 |
| 1204309 | | 0.20 | 0.001 | <0.005 | 0.002 | 0.07 | 1.80 | 28.0 | <0.2 | <10 | 50 | 0.26 | 0.14 | 0.19 | 0.08 | 22.7 |
| 1204310 | | 0.25 | 0.003 | <0.005 | 0.001 | 0.04 | 2.06 | 41.1 | <0.2 | <10 | 20 | 0.68 | 0.15 | 0.32 | 0.04 | 42.7 |
| 1015931 | | 0.05 | 1.145 | <0.005 | <0.001 | 0.02 | 0.88 | 0.1 | 1.1 | <10 | 20 | 0.19 | <0.01 | 0.64 | 0.05 | 16.90 |
| 1204314 | | 0.22 | 0.012 | <0.005 | 0.002 | 0.14 | 1.64 | 28.9 | <0.2 | <10 | 40 | 0.28 | 0.15 | 0.58 | 0.10 | 36.6 |
| 1204315 | | 0.21 | 0.004 | <0.005 | 0.002 | 0.02 | 1.11 | 8.5 | <0.2 | <10 | 20 | 0.09 | 0.10 | 0.08 | 0.10 | 10.95 |
| 1204316 | | 0.05 | 0.003 | <0.005 | 0.002 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| 1204317 | | 0.27 | 0.002 | <0.005 | 0.001 | 0.09 | 2.38 | 28.7 | <0.2 | <10 | 60 | 0.47 | 0.13 | 0.14 | 0.13 | 23.9 |
| 1204318 | | 0.29 | 0.002 | <0.005 | 0.002 | 0.03 | 0.89 | 21.3 | <0.2 | <10 | 20 | 0.24 | 0.09 | 0.51 | 0.06 | 33.9 |
| 1204319 | | 0.16 | 0.003 | <0.005 | 0.001 | 0.05 | 1.05 | 257 | <0.2 | <10 | 120 | 0.25 | 0.11 | 1.12 | 0.13 | 51.0 |
| 1204320 | | 0.20 | 0.001 | <0.005 | 0.001 | 0.02 | 2.25 | 5.6 | <0.2 | <10 | 50 | 0.43 | 0.16 | 0.10 | 0.06 | 16.80 |
| 1204321 | | 0.12 | 0.001 | <0.005 | 0.004 | 0.03 | 3.23 | 3.1 | <0.2 | <10 | 100 | 1.15 | 0.14 | 0.58 | 0.04 | 48.9 |
| 1204322 | | 0.22 | 0.006 | <0.005 | 0.001 | <0.01 | 1.68 | 3.8 | <0.2 | <10 | 30 | 0.27 | 0.26 | 0.10 | 0.05 | 13.00 |
| 1015932 | | 0.05 | 0.167 | 0.020 | 0.035 | 0.09 | 0.46 | 30.8 | <0.2 | <10 | 50 | 0.16 | 1.87 | 0.33 | 0.03 | 3.93 |
| 1015933 | | 0.18 | <0.001 | <0.005 | <0.001 | 0.05 | 0.05 | 0.4 | <0.2 | <10 | <10 | <0.05 | 0.02 | 0.18 | 0.02 | 4.70 |
| 1204323 | | 0.18 | 0.001 | <0.005 | 0.001 | 0.02 | 0.61 | 1.6 | <0.2 | <10 | 30 | 0.15 | 0.08 | 0.42 | 0.03 | 19.55 |
| 1204324 | | 0.17 | <0.001 | <0.005 | 0.001 | 0.02 | 0.65 | 2.3 | <0.2 | <10 | 40 | 0.15 | 0.08 | 0.40 | 0.04 | 27.3 |
| 1204325 | | 0.33 | 0.001 | <0.005 | 0.001 | 0.04 | 0.85 | 16.4 | <0.2 | <10 | 30 | 0.25 | 0.25 | 0.85 | 0.06 | 36.6 |
| 1204326 | | 0.24 | 0.001 | <0.005 | 0.001 | 0.01 | 1.11 | 5.4 | <0.2 | <10 | 30 | 0.17 | 0.13 | 0.24 | 0.06 | 13.30 |
| 1204327 | | 0.02 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| 1204351 | | 0.28 | 0.001 | <0.005 | 0.001 | 0.04 | 1.22 | 1.0 | <0.2 | <10 | 40 | 0.25 | 0.22 | 0.19 | 0.06 | 45.2 |
| 1204352 | | 0.21 | 0.001 | <0.005 | <0.001 | 0.01 | 0.47 | 0.7 | <0.2 | <10 | 10 | 0.05 | 0.38 | 0.03 | 0.05 | 8.66 |
| 1204353 | | 0.02 | NSS | NSS | NSS | 0.41 | 0.71 | 0.8 | <0.2 | <10 | 50 | 0.13 | 0.11 | 0.15 | 0.23 | 9.65 |
| 1204354 | | 0.23 | 0.001 | <0.005 | 0.001 | 0.04 | 1.46 | 3.8 | <0.2 | <10 | 30 | 0.24 | 0.14 | 0.09 | 0.08 | 14.70 |
| 1204355 | | 0.17 | <0.001 | <0.005 | 0.002 | 0.01 | 1.42 | 0.3 | <0.2 | <10 | 110 | 0.11 | 0.09 | 0.12 | 0.03 | 9.38 |
| 1204356 | | 0.22 | <0.001 | <0.005 | 0.001 | <0.01 | 0.93 | 2.5 | <0.2 | <10 | 20 | 0.15 | 0.18 | 0.06 | 0.09 | 10.25 |
| 1204357 | | 0.22 | 0.001 | <0.005 | 0.001 | <0.01 | 0.78 | 1.1 | <0.2 | <10 | 20 | 0.13 | 0.11 | 0.16 | 0.03 | 22.0 |
| 1204358 | | 0.17 | 0.002 | <0.005 | 0.002 | 0.01 | 1.19 | 1.3 | <0.2 | <10 | 30 | 0.32 | 0.08 | 0.22 | 0.05 | 22.3 |
| 1204359 | | 0.11 | <0.001 | <0.005 | 0.003 | 0.04 | 1.68 | 1.5 | <0.2 | <10 | 60 | 0.63 | 0.05 | 0.91 | 0.36 | 90.0 |
| 1204360 | | 0.22 | <0.001 | <0.005 | <0.001 | 0.01 | 0.95 | 0.8 | <0.2 | <10 | 30 | 0.19 | 0.08 | 0.25 | 0.08 | 23.9 |
| 1204361 | | 0.18 | 0.003 | <0.005 | 0.003 | 0.02 | 1.46 | 3.0 | <0.2 | <10 | 50 | 0.38 | 0.34 | 0.43 | 0.19 | 44.4 |
| 1204362 | | 0.05 | <0.001 | <0.005 | <0.001 | 0.09 | 1.06 | 0.7 | <0.2 | <10 | 40 | 0.39 | 0.03 | 0.68 | 0.36 | 97.4 |
| 1204363 | | 0.08 | 0.005 | <0.005 | 0.002 | 0.03 | 1.08 | 1.5 | <0.2 | <10 | 40 | 0.36 | 0.38 | 0.29 | 0.13 | 36.0 |

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11203858

| Sample Description | Method / Analyte / Units / LOR | ME-MS41 Co ppm 0.1 | ME-MS41 Cr ppm 1 | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1204301 | | 59.6 | 30 | 0.35 | 419 | 8.53 | 13.30 | 0.44 | 0.09 | 0.05 | 0.149 | 0.01 | 7.3 | 25.8 | 1.20 | 802 |
| 1204302 | | 19.0 | 50 | 1.14 | 53.9 | 6.95 | 7.21 | 0.12 | 0.03 | 0.05 | 0.060 | 0.04 | 6.3 | 16.3 | 0.36 | 345 |
| 1204303 | | 13.3 | 26 | 0.61 | 16.9 | 2.53 | 6.26 | 0.06 | <0.02 | 0.03 | 0.017 | 0.02 | 7.3 | 8.5 | 0.25 | 1460 |
| 1204304 | | 16.6 | 32 | 0.84 | 34.9 | 3.15 | 5.44 | 0.07 | 0.04 | 0.02 | 0.037 | 0.02 | 7.5 | 13.4 | 0.32 | 197 |
| 1204305 | | 43.9 | 45 | 1.77 | 226 | 6.67 | 8.02 | 0.21 | 0.10 | 0.03 | 0.058 | 0.10 | 16.1 | 27.9 | 1.16 | 496 |
| 1204306 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| 1204307 | | 1.0 | 2 | 0.10 | 23.5 | 0.10 | 0.18 | <0.05 | 0.02 | 0.06 | <0.005 | 0.01 | 0.7 | 0.1 | 0.09 | 82 |
| 1204308 | | 7.1 | 24 | 0.99 | 18.6 | 1.76 | 4.15 | 0.09 | 0.06 | 0.02 | 0.012 | 0.04 | 23.4 | 15.3 | 1.40 | 210 |
| 1204309 | | 22.7 | 54 | 4.06 | 40.2 | 4.69 | 8.02 | 0.05 | 0.13 | 0.02 | 0.028 | 0.06 | 11.6 | 30.5 | 0.70 | 524 |
| 1204310 | | 33.3 | 60 | 2.88 | 75.4 | 4.61 | 8.10 | 0.16 | 0.26 | 0.03 | 0.033 | 0.04 | 16.1 | 34.8 | 1.04 | 321 |
| 1015931 | | 8.3 | 10 | 0.13 | 51.2 | 2.28 | 3.89 | <0.05 | 0.63 | <0.01 | 0.020 | 0.05 | 7.6 | 1.4 | 0.26 | 240 |
| 1204314 | | 18.0 | 30 | 2.21 | 66.7 | 2.72 | 6.28 | 0.11 | 0.04 | 0.04 | 0.030 | 0.03 | 21.8 | 30.1 | 0.44 | 359 |
| 1204315 | | 8.2 | 16 | 0.24 | 32.0 | 2.94 | 7.78 | 0.06 | 0.02 | 0.04 | 0.017 | 0.01 | 5.6 | 11.9 | 0.28 | 229 |
| 1204316 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| 1204317 | | 21.6 | 44 | 1.57 | 41.7 | 2.79 | 5.75 | 0.10 | 0.22 | 0.03 | 0.029 | 0.05 | 12.0 | 24.6 | 0.39 | 180 |
| 1204318 | | 10.7 | 22 | 1.22 | 44.4 | 1.65 | 3.86 | 0.11 | 0.09 | 0.02 | 0.017 | 0.06 | 17.3 | 13.6 | 0.35 | 186 |
| 1204319 | | 17.5 | 27 | 3.16 | 38.4 | 2.65 | 4.68 | 0.12 | 0.07 | 0.02 | 0.017 | 0.07 | 23.5 | 17.6 | 0.75 | 1740 |
| 1204320 | | 14.3 | 40 | 1.82 | 23.3 | 3.47 | 7.80 | 0.09 | 0.20 | 0.03 | 0.025 | 0.06 | 8.3 | 28.4 | 0.36 | 201 |
| 1204321 | | 34.8 | 343 | 9.04 | 67.6 | 4.95 | 9.93 | 0.19 | 0.41 | 0.02 | 0.042 | 0.21 | 25.5 | 125.5 | 1.89 | 313 |
| 1204322 | | 7.9 | 36 | 1.19 | 20.2 | 3.14 | 5.66 | <0.05 | 0.11 | 0.02 | 0.019 | 0.03 | 7.6 | 19.3 | 0.30 | 109 |
| 1015932 | | 55.0 | 366 | 1.83 | 157.5 | 3.03 | 1.33 | 0.10 | 0.12 | 0.02 | 0.011 | 0.13 | 2.2 | 3.8 | 1.94 | 159 |
| 1015933 | | 0.4 | 4 | 0.07 | 2.3 | 0.56 | 0.22 | <0.05 | 0.08 | 0.02 | <0.005 | 0.03 | 2.6 | 0.3 | 0.08 | 55 |
| 1204323 | | 4.2 | 18 | 0.70 | 10.7 | 1.25 | 2.74 | <0.05 | 0.06 | 0.01 | 0.007 | 0.04 | 11.0 | 9.4 | 0.26 | 188 |
| 1204324 | | 5.5 | 21 | 0.62 | 6.6 | 1.43 | 2.81 | <0.05 | 0.04 | 0.01 | 0.010 | 0.04 | 11.9 | 10.1 | 0.31 | 989 |
| 1204325 | | 7.7 | 28 | 0.81 | 13.7 | 3.16 | 3.64 | 0.08 | 0.11 | 0.03 | 0.011 | 0.06 | 20.3 | 14.0 | 0.53 | 353 |
| 1204326 | | 2.8 | 23 | 0.62 | 9.9 | 1.98 | 5.55 | <0.05 | 0.04 | 0.04 | 0.015 | 0.03 | 7.3 | 14.1 | 0.12 | 38 |
| 1204327 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| 1204351 | | 2.9 | 30 | 1.37 | 10.2 | 1.10 | 9.49 | <0.05 | 0.07 | 0.04 | 0.014 | 0.04 | 23.2 | 23.7 | 0.30 | 85 |
| 1204352 | | 0.3 | 6 | 0.82 | 3.1 | 0.36 | 7.23 | <0.05 | 0.02 | 0.02 | <0.005 | 0.02 | 4.9 | 1.2 | 0.03 | 11 |
| 1204353 | | 0.7 | 41 | 0.16 | 5.4 | 0.54 | 2.57 | <0.05 | <0.02 | 0.11 | 0.007 | 0.02 | 5.7 | 0.5 | 0.02 | 15 |
| 1204354 | | 5.0 | 32 | 0.94 | 4.7 | 3.72 | 11.35 | 0.05 | 0.09 | 0.03 | 0.016 | 0.04 | 6.6 | 15.6 | 0.31 | 155 |
| 1204355 | | 9.6 | 36 | 0.74 | 8.4 | 1.69 | 11.65 | 0.05 | 0.03 | 0.02 | <0.005 | 0.29 | 5.2 | 18.8 | 0.94 | 150 |
| 1204356 | | 2.0 | 21 | 0.78 | 6.7 | 1.54 | 13.70 | <0.05 | 0.05 | 0.05 | 0.009 | 0.03 | 5.5 | 5.5 | 0.12 | 45 |
| 1204357 | | 4.3 | 22 | 1.06 | 3.5 | 1.45 | 6.34 | <0.05 | 0.06 | 0.01 | 0.006 | 0.03 | 11.4 | 12.4 | 0.27 | 222 |
| 1204358 | | 6.8 | 24 | 1.12 | 10.5 | 1.72 | 5.43 | <0.05 | 0.03 | 0.01 | 0.012 | 0.03 | 11.6 | 25.1 | 0.34 | 210 |
| 1204359 | | 8.8 | 30 | 0.82 | 49.7 | 1.37 | 4.85 | 0.11 | 0.05 | 0.09 | 0.014 | 0.04 | 48.4 | 18.1 | 0.34 | 158 |
| 1204360 | | 7.4 | 25 | 1.74 | 7.3 | 1.58 | 5.67 | <0.05 | 0.03 | 0.01 | 0.008 | 0.03 | 12.0 | 23.5 | 0.38 | 231 |
| 1204361 | | 24.5 | 34 | 2.45 | 24.6 | 2.46 | 8.39 | 0.06 | 0.02 | 0.03 | 0.025 | 0.04 | 22.3 | 34.3 | 0.41 | 1120 |
| 1204362 | | 4.4 | 16 | 0.41 | 94.5 | 0.20 | 2.41 | 0.08 | 0.02 | 0.16 | 0.007 | 0.01 | 36.8 | 3.1 | 0.06 | 83 |
| 1204363 | | 4.2 | 20 | 1.29 | 16.2 | 1.82 | 7.80 | 0.06 | 0.02 | 0.03 | 0.016 | 0.02 | 20.3 | 11.5 | 0.14 | 175 |

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11203858

| Sample Description | Method / Analyte / Units / LOR | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1204301 | | 0.55 | 0.01 | 0.19 | 70.1 | 670 | 2.2 | 0.5 | 0.002 | 0.10 | 1.69 | 34.8 | 1.9 | <0.2 | 9.5 | 0.01 |
| 1204302 | | 2.93 | 0.01 | 1.11 | 31.7 | 660 | 9.1 | 7.0 | <0.001 | 0.09 | 2.47 | 5.0 | 0.5 | 0.5 | 10.1 | 0.01 |
| 1204303 | | 0.45 | <0.01 | 1.13 | 18.0 | 420 | 7.6 | 3.6 | <0.001 | 0.05 | 0.32 | 2.7 | 0.2 | 0.6 | 11.2 | <0.01 |
| 1204304 | | 0.71 | <0.01 | 1.74 | 27.3 | 340 | 5.8 | 4.5 | <0.001 | 0.05 | 0.74 | 2.8 | 0.2 | 0.4 | 5.7 | <0.01 |
| 1204305 | | 1.40 | 0.01 | 2.02 | 66.2 | 720 | 4.0 | 13.1 | 0.001 | 0.06 | 3.53 | 10.1 | 1.1 | 0.2 | 16.3 | 0.01 |
| 1204306 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| 1204307 | | 0.84 | 0.02 | 0.09 | 2.6 | 270 | 0.5 | 0.3 | 0.002 | 0.34 | 0.27 | 0.3 | 1.2 | <0.2 | 37.3 | <0.01 |
| 1204308 | | 0.18 | 0.01 | 1.85 | 14.1 | 620 | 4.8 | 7.5 | <0.001 | 0.05 | 0.08 | 3.0 | 0.3 | 0.4 | 24.5 | 0.01 |
| 1204309 | | 0.65 | 0.01 | 2.65 | 43.8 | 510 | 6.2 | 10.7 | <0.001 | 0.03 | 0.86 | 5.1 | 0.2 | 0.6 | 12.6 | <0.01 |
| 1204310 | | 0.57 | 0.01 | 4.18 | 59.2 | 360 | 7.0 | 4.3 | <0.001 | 0.31 | 1.15 | 4.7 | 0.4 | 0.5 | 19.7 | 0.01 |
| 1015931 | | 0.91 | 0.22 | 0.36 | 8.6 | 770 | 4.1 | 2.1 | <0.001 | 0.06 | <0.05 | 2.1 | 0.8 | 0.5 | 32.3 | 0.01 |
| 1204314 | | 0.29 | 0.01 | 1.64 | 45.5 | 370 | 7.2 | 7.6 | <0.001 | 0.11 | 0.42 | 4.2 | 0.5 | 0.5 | 12.9 | 0.01 |
| 1204315 | | 0.66 | <0.01 | 0.76 | 12.2 | 210 | 5.4 | 1.6 | <0.001 | 0.08 | 0.71 | 4.4 | 0.2 | 0.6 | 4.0 | <0.01 |
| 1204316 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| 1204317 | | 0.35 | 0.01 | 2.31 | 46.3 | 230 | 6.9 | 8.5 | <0.001 | 0.08 | 0.36 | 4.2 | 0.4 | 0.5 | 8.7 | 0.01 |
| 1204318 | | 0.16 | 0.01 | 1.87 | 24.9 | 570 | 4.3 | 11.8 | <0.001 | 0.05 | 0.91 | 3.3 | 0.3 | 0.4 | 14.9 | 0.01 |
| 1204319 | | 0.18 | 0.01 | 1.57 | 24.0 | 600 | 4.6 | 7.7 | <0.001 | 0.04 | 0.22 | 4.2 | 0.3 | 0.4 | 16.7 | 0.01 |
| 1204320 | | 0.73 | 0.01 | 3.38 | 30.8 | 280 | 8.0 | 11.4 | <0.001 | 0.04 | 0.14 | 3.3 | 0.4 | 0.7 | 6.9 | 0.01 |
| 1204321 | | 0.42 | 0.01 | 1.94 | 102.0 | 360 | 9.7 | 20.9 | <0.001 | 0.03 | 0.38 | 18.6 | 0.5 | 0.7 | 16.0 | <0.01 |
| 1204322 | | 0.52 | <0.01 | 2.93 | 17.5 | 170 | 6.0 | 7.0 | <0.001 | 0.02 | 0.24 | 2.7 | <0.2 | 0.5 | 5.8 | <0.01 |
| 1015932 | | 2.72 | 0.07 | 0.11 | 2660 | 130 | 27.9 | 23.3 | 0.001 | 0.71 | 0.94 | 3.7 | 0.5 | 0.3 | 13.2 | <0.01 |
| 1015933 | | 0.36 | <0.01 | 0.08 | 2.9 | 20 | 2.2 | 1.3 | <0.001 | 0.05 | 0.05 | 0.2 | <0.2 | <0.2 | 5.1 | <0.01 |
| 1204323 | | 0.16 | 0.01 | 1.58 | 8.6 | 420 | 4.0 | 12.9 | <0.001 | 0.02 | 0.07 | 1.8 | <0.2 | 0.3 | 9.4 | <0.01 |
| 1204324 | | 0.21 | 0.01 | 1.37 | 10.8 | 610 | 3.4 | 6.6 | <0.001 | 0.03 | 0.09 | 1.9 | <0.2 | 0.2 | 9.9 | <0.01 |
| 1204325 | | 0.32 | 0.02 | 1.91 | 13.7 | 780 | 4.8 | 11.4 | <0.001 | 0.03 | 0.10 | 2.9 | 0.3 | 0.3 | 14.4 | <0.01 |
| 1204326 | | 0.49 | 0.01 | 2.39 | 7.9 | 180 | 7.3 | 4.0 | <0.001 | 0.04 | 0.19 | 1.8 | 0.2 | 0.5 | 12.0 | 0.01 |
| 1204327 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| 1204351 | | 1.29 | 0.01 | 3.28 | 10.4 | 140 | 10.4 | 8.5 | <0.001 | 0.03 | 0.08 | 2.1 | 0.2 | 0.8 | 9.9 | <0.01 |
| 1204352 | | 0.94 | 0.01 | 1.30 | 1.0 | 110 | 7.7 | 3.4 | <0.001 | 0.03 | 0.09 | 0.7 | <0.2 | 0.8 | 3.8 | <0.01 |
| 1204353 | | 1.49 | 0.01 | 0.42 | 28.0 | 300 | 8.9 | 1.6 | <0.001 | 0.03 | <0.05 | 0.4 | 0.7 | 0.3 | 11.1 | 0.01 |
| 1204354 | | 0.99 | 0.01 | 5.90 | 12.8 | 250 | 9.5 | 16.2 | <0.001 | 0.01 | 0.20 | 2.3 | 0.4 | 1.1 | 7.3 | <0.01 |
| 1204355 | | 0.48 | 0.01 | 2.39 | 39.2 | 140 | 5.3 | 17.6 | <0.001 | 0.01 | <0.05 | 2.8 | 0.3 | 0.6 | 7.4 | <0.01 |
| 1204356 | | 0.99 | 0.01 | 4.96 | 5.1 | 220 | 13.2 | 6.5 | <0.001 | 0.02 | 0.16 | 2.0 | 0.4 | 1.2 | 6.0 | <0.01 |
| 1204357 | | 0.55 | 0.01 | 3.35 | 9.1 | 70 | 8.3 | 14.8 | <0.001 | <0.01 | <0.05 | 2.0 | 0.2 | 0.8 | 6.7 | <0.01 |
| 1204358 | | 0.32 | 0.01 | 2.29 | 16.7 | 150 | 5.3 | 13.1 | <0.001 | <0.01 | <0.05 | 2.3 | 0.2 | 0.6 | 7.7 | <0.01 |
| 1204359 | | 0.27 | 0.01 | 1.83 | 21.6 | 650 | 5.3 | 6.5 | <0.001 | 0.06 | 0.06 | 3.6 | 1.9 | 0.4 | 17.1 | 0.01 |
| 1204360 | | 0.42 | 0.01 | 2.83 | 14.2 | 150 | 6.4 | 16.9 | <0.001 | 0.01 | <0.05 | 2.4 | 0.2 | 0.7 | 8.7 | <0.01 |
| 1204361 | | 1.11 | 0.01 | 2.40 | 17.9 | 490 | 9.8 | 16.2 | <0.001 | 0.03 | <0.05 | 2.7 | 0.5 | 0.9 | 13.1 | <0.01 |
| 1204362 | | 0.35 | 0.01 | 0.59 | 15.0 | 630 | 4.6 | 2.4 | <0.001 | 0.19 | <0.05 | 1.3 | 1.7 | <0.2 | 12.7 | <0.01 |
| 1204363 | | 0.94 | 0.01 | 1.72 | 7.5 | 310 | 8.3 | 8.7 | <0.001 | 0.01 | <0.05 | 1.5 | 0.5 | 0.7 | 12.1 | <0.01 |

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11203858

| Sample Description | Method / Analyte / Units / LOR | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 | ME-MS41 Ti % 0.005 | ME-MS41 Tl ppm 0.02 | ME-MS41 U ppm 0.05 | ME-MS41 V ppm 1 | ME-MS41 W ppm 0.05 | ME-MS41 Y ppm 0.05 | ME-MS41 Zn ppm 2 | ME-MS41 Zr ppm 0.5 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1204301 | | 0.10 | 0.4 | 0.012 | <0.02 | 1.09 | 219 | 1.96 | 22.5 | 69 | 1.3 |
| 1204302 | | 0.22 | 1.3 | 0.028 | 0.06 | 0.27 | 78 | 0.21 | 1.52 | 67 | 0.9 |
| 1204303 | | 0.02 | 1.0 | 0.056 | 0.06 | 0.25 | 53 | 0.15 | 1.80 | 32 | <0.5 |
| 1204304 | | 0.05 | 2.0 | 0.079 | 0.04 | 0.27 | 51 | 0.25 | 1.72 | 50 | 1.3 |
| 1204305 | | 0.44 | 4.1 | 0.119 | 0.11 | 0.40 | 66 | 0.36 | 7.02 | 214 | 4.2 |
| 1204306 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| 1204307 | | <0.01 | <0.2 | <0.005 | 0.02 | 0.37 | 1 | <0.05 | 0.57 | 18 | 0.9 |
| 1204308 | | <0.01 | 4.1 | 0.094 | 0.08 | 0.52 | 32 | 0.14 | 6.75 | 28 | 2.2 |
| 1204309 | | 0.03 | 2.4 | 0.109 | 0.08 | 0.41 | 80 | 0.41 | 3.59 | 74 | 6.1 |
| 1204310 | | 0.02 | 5.9 | 0.211 | 0.09 | 0.66 | 68 | 1.18 | 6.18 | 57 | 11.5 |
| 1015931 | | <0.01 | 0.9 | 0.427 | 0.04 | 0.15 | 73 | 0.05 | 19.30 | 46 | 29.7 |
| 1204314 | | 0.02 | 2.1 | 0.080 | 0.07 | 0.65 | 44 | 0.83 | 7.85 | 145 | 1.1 |
| 1204315 | | 0.02 | 1.4 | 0.029 | 0.03 | 0.24 | 79 | 0.42 | 1.37 | 29 | 0.7 |
| 1204316 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| 1204317 | | 0.02 | 4.8 | 0.078 | 0.07 | 0.49 | 40 | 0.25 | 3.66 | 40 | 7.8 |
| 1204318 | | 0.01 | 4.1 | 0.080 | 0.06 | 0.52 | 25 | 0.12 | 6.44 | 33 | 3.3 |
| 1204319 | | 0.04 | 5.4 | 0.083 | 0.13 | 0.46 | 45 | 0.22 | 7.33 | 36 | 2.3 |
| 1204320 | | 0.03 | 3.8 | 0.127 | 0.08 | 0.42 | 59 | 0.22 | 2.56 | 27 | 7.3 |
| 1204321 | | 0.04 | 4.4 | 0.250 | 0.22 | 1.04 | 125 | 0.18 | 6.26 | 50 | 22.6 |
| 1204322 | | 0.05 | 3.6 | 0.099 | 0.05 | 0.32 | 54 | 0.20 | 2.03 | 22 | 4.4 |
| 1015932 | | 0.09 | 0.8 | 0.021 | 0.20 | 0.27 | 21 | 0.38 | 1.24 | 21 | 5.3 |
| 1015933 | | <0.01 | 1.3 | <0.005 | 0.02 | 0.28 | <1 | <0.05 | 0.68 | 9 | 2.3 |
| 1204323 | | 0.01 | 2.8 | 0.067 | 0.04 | 0.49 | 23 | 0.13 | 3.36 | 17 | 2.0 |
| 1204324 | | 0.01 | 2.7 | 0.067 | 0.04 | 0.47 | 27 | 0.11 | 4.09 | 18 | 1.6 |
| 1204325 | | 0.02 | 4.5 | 0.086 | 0.08 | 0.56 | 42 | 0.20 | 7.62 | 28 | 4.6 |
| 1204326 | | 0.03 | 2.1 | 0.062 | 0.05 | 0.38 | 37 | 0.19 | 1.55 | 17 | 1.7 |
| 1204327 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| 1204351 | | 0.02 | 2.3 | 0.139 | 0.09 | 1.10 | 38 | 0.17 | 3.68 | 28 | 3.1 |
| 1204352 | | 0.01 | 0.4 | 0.057 | 0.06 | 0.28 | 27 | <0.05 | 0.69 | 5 | 0.6 |
| 1204353 | | 0.01 | 0.3 | 0.021 | <0.02 | 0.58 | 6 | 0.13 | 1.14 | 14 | <0.5 |
| 1204354 | | 0.03 | 3.5 | 0.245 | 0.03 | 0.36 | 85 | 0.36 | 1.50 | 41 | 4.1 |
| 1204355 | | 0.01 | 2.4 | 0.217 | 0.04 | 0.42 | 48 | 0.11 | 1.57 | 34 | 1.7 |
| 1204356 | | 0.02 | 3.8 | 0.238 | <0.02 | 0.44 | 93 | 0.23 | 1.20 | 15 | 2.5 |
| 1204357 | | 0.01 | 6.7 | 0.162 | <0.02 | 0.38 | 52 | 0.19 | 2.08 | 26 | 2.7 |
| 1204358 | | 0.01 | 2.9 | 0.088 | 0.05 | 0.39 | 32 | 0.12 | 2.82 | 33 | 1.3 |
| 1204359 | | 0.01 | 1.7 | 0.076 | <0.02 | 3.09 | 33 | 0.11 | 13.70 | 31 | 1.9 |
| 1204360 | | 0.01 | 3.0 | 0.123 | <0.02 | 0.48 | 36 | 0.15 | 2.89 | 42 | 1.5 |
| 1204361 | | 0.02 | 1.3 | 0.130 | <0.02 | 0.96 | 60 | 0.19 | 4.83 | 52 | 1.0 |
| 1204362 | | <0.01 | 0.3 | 0.020 | <0.02 | 1.70 | 13 | 0.08 | 7.81 | 9 | 0.7 |
| 1204363 | | 0.01 | 0.7 | 0.080 | 0.05 | 0.78 | 47 | 0.17 | 3.93 | 22 | 0.6 |

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11203858

| Sample Description | Method | WEI-21 | PGM-ICP23 | PGM-ICP23 | PGM-ICP23 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Analyte | Recvd Wt. | Au | Pt | Pd | Ag | Al | As | Au | B | Ba | Be | Bi | Ca | Cd | Ce |
| | Units | kg | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | LOR | 0.02 | 0.001 | 0.005 | 0.001 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 |
| 1204364 | | 0.18 | 0.001 | <0.005 | <0.001 | 0.01 | 0.49 | 0.5 | <0.2 | <10 | 10 | 0.05 | 0.16 | 0.04 | 0.12 | 9.13 |
| 1204365 | | 0.13 | <0.001 | <0.005 | <0.001 | 0.02 | 0.68 | 0.7 | <0.2 | <10 | 20 | 0.11 | 0.21 | 0.07 | 0.08 | 17.45 |
| 1015934 | | 0.06 | 1.905 | <0.005 | <0.001 | 0.03 | 0.91 | 0.1 | 1.9 | <10 | 10 | 0.19 | 0.01 | 0.68 | 0.04 | 17.40 |
| 1015935 | | 0.06 | 1.115 | 0.019 | 0.028 | 0.26 | 0.62 | 104.0 | 1.2 | 10 | 20 | 0.12 | 0.62 | 0.62 | 0.18 | 8.34 |
| 1015936 | | 0.16 | 0.003 | <0.005 | <0.001 | 0.05 | 0.05 | 0.5 | <0.2 | <10 | <10 | 0.05 | 0.03 | 0.18 | 0.02 | 4.78 |
| 1204366 | | 0.31 | 0.022 | <0.005 | <0.001 | <0.01 | 0.56 | 1.0 | <0.2 | <10 | 10 | 0.09 | 0.05 | 0.17 | 0.02 | 15.55 |
| 1204367 | | 0.20 | 0.001 | <0.005 | <0.001 | 0.04 | 1.26 | 1.3 | <0.2 | <10 | 40 | 0.33 | 0.15 | 0.17 | 0.09 | 28.0 |
| 1204368 | | 0.18 | 0.001 | <0.005 | 0.001 | 0.04 | 1.24 | 1.6 | <0.2 | <10 | 30 | 0.33 | 0.08 | 0.31 | 0.07 | 57.4 |
| 1204369 | | 0.18 | 0.001 | <0.005 | 0.001 | 0.03 | 0.97 | 1.5 | <0.2 | <10 | 30 | 0.22 | 0.20 | 0.11 | 0.06 | 30.0 |
| 1204370 | | 0.26 | 0.002 | <0.005 | <0.001 | <0.01 | 0.83 | 4.6 | <0.2 | <10 | 10 | 0.09 | 0.20 | 0.06 | 0.08 | 7.92 |
| 1204311 | | 0.28 | 0.003 | <0.005 | 0.002 | 0.02 | 1.45 | 89.6 | <0.2 | <10 | 10 | 0.15 | 0.13 | 0.17 | 0.13 | 15.40 |
| 1204312 | | 0.24 | 0.003 | <0.005 | <0.001 | 0.30 | 0.61 | 53.0 | <0.2 | <10 | 10 | 0.14 | 0.29 | 0.02 | 0.58 | 5.30 |
| 1204313 | | 0.21 | 0.001 | 0.006 | 0.001 | 0.03 | 0.61 | 15.8 | <0.2 | <10 | 10 | 0.16 | 0.05 | 0.27 | 0.09 | 27.7 |

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11203858

| Sample Description | Method / Analyte / Units / LOR | ME-MS41 Co ppm 0.1 | ME-MS41 Cr ppm 1 | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1204364 | | 1.0 | 10 | 0.40 | 3.2 | 0.60 | 5.77 | <0.05 | 0.02 | 0.02 | 0.005 | 0.02 | 4.8 | 2.5 | 0.06 | 21 |
| 1204365 | | 1.6 | 11 | 0.47 | 5.1 | 0.90 | 7.65 | <0.05 | 0.03 | 0.03 | 0.007 | 0.03 | 9.8 | 3.5 | 0.07 | 31 |
| 1015934 | | 8.9 | 10 | 0.14 | 52.1 | 2.30 | 4.34 | 0.09 | 0.83 | <0.01 | 0.021 | 0.05 | 7.2 | 1.4 | 0.26 | 243 |
| 1015935 | | 132.5 | 388 | 2.31 | 252 | 6.55 | 2.23 | 0.26 | 0.09 | 0.01 | 0.040 | 0.09 | 3.9 | 9.6 | 14.45 | 626 |
| 1015936 | | 0.5 | 6 | 0.07 | 2.9 | 0.56 | 0.23 | <0.05 | 0.08 | 0.01 | <0.005 | 0.04 | 2.6 | 0.3 | 0.10 | 57 |
| 1204366 | | 2.9 | 16 | 0.61 | 3.5 | 1.00 | 3.85 | 0.05 | 0.05 | 0.01 | 0.006 | 0.02 | 7.9 | 9.4 | 0.21 | 80 |
| 1204367 | | 4.2 | 24 | 1.65 | 16.9 | 1.72 | 7.89 | 0.06 | 0.03 | 0.03 | 0.015 | 0.04 | 15.5 | 16.6 | 0.33 | 101 |
| 1204368 | | 7.1 | 25 | 1.05 | 12.2 | 2.29 | 5.90 | 0.10 | 0.06 | 0.02 | 0.013 | 0.03 | 27.8 | 28.3 | 0.48 | 337 |
| 1204369 | | 9.0 | 17 | 0.70 | 5.9 | 1.36 | 8.24 | 0.05 | 0.04 | 0.02 | 0.011 | 0.03 | 14.2 | 10.2 | 0.18 | 473 |
| 1204370 | | 2.4 | 20 | 0.63 | 4.4 | 2.02 | 11.45 | <0.05 | 0.11 | 0.02 | 0.012 | 0.03 | 4.4 | 5.5 | 0.15 | 69 |
| 1204311 | | 32.6 | 54 | 2.01 | 61.7 | 4.10 | 5.90 | 0.08 | 0.05 | 0.02 | 0.029 | 0.02 | 7.3 | 19.3 | 0.54 | 267 |
| 1204312 | | 5.5 | 8 | 0.32 | 29.9 | 10.95 | 2.88 | 0.12 | 0.02 | 0.04 | 0.107 | 0.01 | 2.7 | 3.2 | 0.11 | 842 |
| 1204313 | | 10.9 | 17 | 0.53 | 43.7 | 1.65 | 2.75 | 0.07 | 0.08 | 0.02 | 0.016 | 0.02 | 12.5 | 8.0 | 0.27 | 144 |

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11203858

| Sample Description | Method | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Analyte | Mo | Na | Nb | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta |
| | Units | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | LOR | 0.05 | 0.01 | 0.05 | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 |
| 1204364 | | 0.40 | 0.01 | 1.08 | 3.1 | 120 | 5.5 | 3.0 | <0.001 | 0.01 | 0.06 | 0.7 | 0.2 | 0.6 | 5.5 | <0.01 |
| 1204365 | | 0.83 | 0.01 | 2.11 | 3.2 | 170 | 7.8 | 4.2 | <0.001 | 0.01 | 0.06 | 1.1 | 0.3 | 0.9 | 6.1 | <0.01 |
| 1015934 | | 0.96 | 0.23 | 0.30 | 9.3 | 770 | 1.7 | 2.5 | <0.001 | 0.04 | <0.05 | 2.0 | 0.9 | 0.6 | 32.2 | 0.01 |
| 1015935 | | 2.94 | 0.05 | 0.11 | 3680 | 110 | 10.3 | 10.1 | 0.002 | 1.79 | 0.75 | 5.3 | 0.8 | 1.1 | 9.6 | <0.01 |
| 1015936 | | 0.39 | 0.01 | <0.05 | 4.2 | 10 | 2.1 | 1.7 | <0.001 | 0.04 | <0.05 | 0.2 | <0.2 | <0.2 | 5.3 | <0.01 |
| 1204366 | | 0.38 | 0.01 | 1.68 | 9.0 | 340 | 3.2 | 5.5 | <0.001 | <0.01 | <0.05 | 1.3 | 0.2 | 0.3 | 6.1 | <0.01 |
| 1204367 | | 0.62 | 0.01 | 1.81 | 12.3 | 240 | 7.9 | 10.8 | <0.001 | 0.01 | 0.06 | 2.0 | 0.4 | 0.7 | 7.9 | <0.01 |
| 1204368 | | 0.59 | 0.01 | 2.07 | 12.7 | 520 | 4.9 | 9.0 | <0.001 | 0.01 | <0.05 | 2.5 | 0.5 | 0.5 | 8.9 | <0.01 |
| 1204369 | | 1.07 | 0.01 | 2.51 | 6.1 | 140 | 9.4 | 6.0 | <0.001 | 0.01 | 0.07 | 1.5 | 0.4 | 0.7 | 8.1 | <0.01 |
| 1204370 | | 0.89 | 0.01 | 4.77 | 5.5 | 190 | 8.8 | 8.3 | <0.001 | 0.01 | 0.23 | 1.7 | 0.3 | 1.2 | 5.2 | <0.01 |
| 1204311 | | 0.60 | 0.01 | 1.54 | 55.1 | 270 | 5.0 | 6.5 | <0.001 | 0.01 | 1.00 | 5.0 | 0.4 | 0.3 | 7.4 | 0.01 |
| 1204312 | | 0.82 | 0.01 | 0.45 | 16.6 | 550 | 2.6 | 1.1 | <0.001 | 0.01 | 3.78 | 1.4 | 0.6 | 0.8 | 1.4 | 0.01 |
| 1204313 | | 0.14 | 0.01 | 1.29 | 22.9 | 570 | 2.8 | 3.3 | <0.001 | <0.01 | 0.70 | 1.7 | 0.3 | 0.3 | 6.8 | <0.01 |

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11203858

| Sample Description | Method / Analyte / Units / LOR | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 | ME-MS41 Ti % 0.005 | ME-MS41 Tl ppm 0.02 | ME-MS41 U ppm 0.05 | ME-MS41 V ppm 1 | ME-MS41 W ppm 0.05 | ME-MS41 Y ppm 0.05 | ME-MS41 Zn ppm 2 | ME-MS41 Zr ppm 0.5 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1204364 | | <0.01 | 0.9 | 0.067 | 0.05 | 0.23 | 24 | <0.05 | 0.78 | 7 | 0.6 |
| 1204365 | | 0.01 | 1.4 | 0.116 | 0.06 | 0.45 | 39 | 0.07 | 1.54 | 10 | 0.9 |
| 1015934 | | <0.01 | 0.8 | 0.445 | 0.04 | 0.13 | 73 | <0.05 | 18.70 | 45 | 35.8 |
| 1015935 | | 0.10 | 1.2 | 0.034 | 0.13 | 0.47 | 28 | 0.99 | 2.95 | 91 | 3.2 |
| 1015936 | | <0.01 | 1.2 | <0.005 | 0.02 | 0.26 | 1 | <0.05 | 0.68 | 9 | 2.4 |
| 1204366 | | <0.01 | 2.2 | 0.085 | 0.05 | 0.27 | 26 | 0.09 | 2.36 | 13 | 1.6 |
| 1204367 | | 0.01 | 1.5 | 0.087 | 0.12 | 0.68 | 39 | 0.12 | 3.19 | 28 | 1.0 |
| 1204368 | | 0.01 | 2.5 | 0.128 | 0.08 | 0.63 | 40 | 0.12 | 5.20 | 41 | 2.1 |
| 1204369 | | 0.01 | 1.5 | 0.120 | 0.06 | 0.46 | 43 | 0.15 | 2.53 | 17 | 1.4 |
| 1204370 | | 0.02 | 2.4 | 0.244 | 0.09 | 0.33 | 99 | 0.27 | 1.34 | 14 | 4.6 |
| 1204311 | | 0.05 | 1.6 | 0.073 | 0.03 | 0.34 | 71 | 0.80 | 2.80 | 91 | 2.0 |
| 1204312 | | 0.26 | 0.4 | 0.012 | <0.02 | 0.14 | 21 | 1.91 | 0.69 | 339 | 0.6 |
| 1204313 | | 0.01 | 3.8 | 0.067 | 0.02 | 0.41 | 22 | 0.51 | 4.21 | 60 | 2.9 |

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **LANDORE RESOURCES CANADA INC.**
**555 CENTRAL AVE**
**SUITE 1**
**THUNDER BAY ON P7B 5R5**


**Finalized Date: 5-NOV-2011**
**Account: SXY**

Project: 180.18.81C12A

# CERTIFICATE OF ANALYSIS TB11203858

| Method | CERTIFICATE COMMENTS |
|---|---|
| ALL METHODS | NSS is non-sufficient sample. |
| ME-MS41 | Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |