ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 31-OCT-2010
Account: METCOR

CERTIFICATE TB10152146

Project: Python

P.O. No.:

This report is for 34 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 21-OCT-2010.

The following have access to data associated with this certificate:

CHRIS DOUGHERTY	CHARLES GREIG	METALCORP WEBTRIEVE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS

To: **METALCORP LIMITED**
ATTN: CHARLES GREIG
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 31-OCT-2010
Account: METCOR

Project: Python

CERTIFICATE OF ANALYSIS TB10152146

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E559540		2.73	<0.005	0.5	3.28	<2	<10	150	<0.5	<2	1.51	<0.5	47	118	139	5.36
E559541		2.60	0.089	0.6	0.36	<2	<10	40	<0.5	<2	0.12	<0.5	1	4	2	0.91
E559542		3.79	0.007	0.6	0.99	<2	<10	60	<0.5	<2	0.20	<0.5	3	7	6	1.14
E559543		3.86	0.015	0.3	1.57	<2	<10	40	<0.5	<2	0.50	<0.5	4	8	11	1.29
E559544		4.04	<0.005	0.3	2.09	<2	<10	60	<0.5	<2	1.04	<0.5	5	13	6	1.32
E559545		3.58	0.010	0.7	1.55	<2	<10	100	<0.5	<2	0.97	<0.5	6	21	13	1.57
E559546		4.03	0.017	0.6	1.28	2	<10	50	<0.5	<2	0.56	<0.5	6	16	24	1.66
E559547		1.58	<0.005	0.2	0.68	<2	<10	50	<0.5	2	0.37	<0.5	3	7	11	1.43
E559548		2.77	0.014	0.7	2.05	<2	<10	250	<0.5	<2	0.70	<0.5	12	5	19	3.97
E559549		2.23	0.027	1.4	0.36	3	<10	30	<0.5	<2	0.41	5.3	4	3	47	1.67
E559550		2.91	0.008	0.7	0.43	3	<10	30	<0.5	<2	0.56	1.0	4	2	21	2.84
E559551		3.27	0.008	0.9	0.44	2	<10	60	<0.5	<2	0.26	<0.5	3	2	1	2.65
E559552		3.88	0.011	2.3	0.34	2	<10	40	<0.5	<2	0.09	<0.5	9	3	31	3.06
E559553		4.55	0.040	5.0	0.73	2	<10	40	<0.5	<2	0.36	<0.5	19	9	61	5.55
E559554		3.80	<0.005	0.4	1.63	<2	<10	40	<0.5	<2	1.46	<0.5	17	98	27	1.95
E563246		3.63	<0.005	0.2	0.51	2	<10	50	<0.5	<2	0.14	<0.5	2	6	8	0.88
E563247		3.42	<0.005	0.4	1.07	<2	<10	50	<0.5	<2	0.31	<0.5	4	6	5	0.96
E563248		3.64	0.012	0.3	1.24	2	<10	50	<0.5	<2	0.45	<0.5	5	4	7	1.60
E563249		3.44	0.009	0.3	1.62	<2	<10	40	<0.5	<2	0.83	<0.5	5	9	12	1.38
E563250		3.71	<0.005	0.2	1.44	<2	<10	80	<0.5	<2	0.78	<0.5	5	10	5	1.76
E563250A		1.87	<0.005	<0.2	0.62	<2	<10	50	<0.5	<2	0.34	<0.5	3	9	15	1.36
E563401		3.47	0.006	0.5	1.19	<2	<10	50	<0.5	<2	0.52	<0.5	6	21	9	1.44
E563402		3.53	0.011	0.8	1.64	<2	<10	60	<0.5	<2	0.50	<0.5	4	11	19	1.40
E563403		3.87	0.007	0.4	1.18	<2	<10	50	<0.5	<2	0.31	<0.5	4	7	2	1.45
E563404		3.36	0.030	1.9	1.44	<2	<10	130	<0.5	<2	0.79	1.9	9	12	47	2.93
E563405		3.79	0.093	5.9	0.67	18	<10	30	<0.5	<2	0.44	15.6	11	5	147	8.44
E563406		3.85	0.044	2.9	0.49	4	<10	40	<0.5	<2	0.24	7.5	5	4	142	2.75
E563406A		1.94	<0.005	<0.2	0.58	<2	<10	50	<0.5	<2	0.34	<0.5	3	6	10	1.32
E563407		1.89	0.006	1.9	0.51	2	<10	50	<0.5	<2	0.25	<0.5	6	8	27	2.63
E563408		3.28	0.051	4.7	0.39	36	<10	30	<0.5	<2	0.21	1.3	12	3	96	17.7
E563409		1.40	0.053	5.3	0.44	10	<10	30	<0.5	4	0.14	4.6	13	5	28	5.51
E563410		1.97	0.049	21.5	0.60	21	<10	30	<0.5	16	0.09	113.5	20	3	230	25.2
E563411		3.66	0.038	4.4	0.99	<2	<10	50	<0.5	<2	0.26	<0.5	12	7	64	4.20
E563412		3.61	0.007	2.3	1.14	<2	<10	60	<0.5	2	0.66	<0.5	16	52	27	2.00

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 31-OCT-2010
Account: METCOR

Project: Python

CERTIFICATE OF ANALYSIS TB10152146

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
E559540		10	<1	0.96	10	1.16	667	1	0.31	70	330	4	0.82	<2	21	78
E559541		<10	<1	0.20	10	0.05	39	1	0.03	1	40	14	0.81	<2	<1	6
E559542		<10	<1	0.54	10	0.58	241	1	0.08	5	240	2	0.39	<2	1	11
E559543		<10	<1	0.54	10	0.72	278	2	0.15	4	230	4	0.72	<2	1	46
E559544		10	<1	0.42	10	0.68	230	1	0.21	4	350	4	0.35	<2	1	65
E559545		<10	<1	0.42	10	0.79	281	2	0.09	7	420	6	0.62	<2	2	48
E559546		<10	<1	0.52	10	0.82	385	1	0.08	4	330	8	1.43	<2	1	18
E559547		<10	<1	0.31	20	0.32	165	258	0.14	2	370	<2	0.12	<2	1	56
E559548		10	<1	1.33	10	1.25	753	1	0.10	3	590	8	0.70	<2	2	32
E559549		<10	<1	0.17	10	0.06	60	2	0.04	6	200	38	1.62	<2	<1	7
E559550		<10	<1	0.18	10	0.10	37	3	0.04	6	160	21	3.03	<2	<1	11
E559551		<10	<1	0.12	<10	0.04	26	1	0.07	3	60	3	2.86	<2	<1	106
E559552		<10	<1	0.13	10	0.03	34	3	0.07	8	50	4	2.73	<2	<1	15
E559553		<10	<1	0.20	10	0.28	97	13	0.08	29	290	10	4.79	<2	1	22
E559554		10	<1	0.25	50	0.71	398	25	0.11	43	1190	4	0.44	<2	5	173
E563246		<10	<1	0.24	10	0.19	100	1	0.04	2	80	6	0.58	<2	1	6
E563247		<10	<1	0.37	10	0.53	232	1	0.09	3	240	2	0.25	<2	1	20
E563248		<10	<1	0.42	10	0.68	321	2	0.08	2	330	5	0.62	<2	1	17
E563249		10	<1	0.32	10	0.81	287	2	0.12	5	310	3	0.59	<2	1	36
E563250		10	<1	0.27	20	0.83	354	2	0.07	3	530	4	0.35	<2	2	24
E563250A		<10	<1	0.28	20	0.29	158	104	0.14	4	350	5	0.13	<2	1	53
E563401		<10	<1	0.31	10	0.73	255	<1	0.06	7	410	8	0.75	<2	1	18
E563402		10	<1	0.60	10	0.93	367	<1	0.12	2	280	10	0.86	<2	1	46
E563403		<10	<1	0.52	10	0.63	395	<1	0.09	1	250	11	1.33	<2	<1	23
E563404		<10	<1	0.80	20	0.89	503	<1	0.08	7	730	45	1.41	<2	2	19
E563405		<10	<1	0.34	10	0.23	152	<1	0.05	9	190	426	>10.0	<2	<1	12
E563406		<10	<1	0.22	<10	0.09	44	1	0.05	4	60	100	2.83	<2	<1	15
E563406A		10	<1	0.31	20	0.26	151	<1	0.12	<1	360	5	0.07	<2	1	49
E563407		<10	<1	0.19	10	0.14	45	4	0.08	9	60	13	2.65	<2	1	22
E563408		<10	<1	0.12	<10	0.06	35	<1	0.07	20	20	37	>10.0	<2	<1	26
E563409		<10	<1	0.12	<10	0.07	49	<1	0.08	16	30	392	6.5	<2	<1	22
E563410		<10	2	0.14	<10	0.15	223	2	0.07	13	120	2290	>10.0	6	<1	11
E563411		<10	<1	0.28	10	0.39	122	5	0.09	23	340	27	3.13	<2	1	23
E563412		<10	<1	0.29	30	0.51	284	41	0.10	32	590	21	0.82	<2	3	80

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 31-OCT-2010
Account: METCOR

Project: Python

CERTIFICATE OF ANALYSIS TB10152146

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	LOR	20	0.01	10	10	1	10	2	0.001
E559540		<20	0.27	<10	<10	230	<10	89	
E559541		<20	<0.01	<10	<10	1	<10	121	
E559542		<20	0.06	<10	<10	9	<10	41	
E559543		<20	0.05	<10	<10	8	<10	44	
E559544		<20	0.09	<10	<10	15	<10	41	
E559545		<20	0.07	<10	<10	19	<10	38	
E559546		<20	0.04	<10	<10	12	<10	69	
E559547		<20	0.12	<10	<10	23	<10	49	
E559548		<20	0.29	<10	<10	65	<10	141	
E559549		<20	<0.01	<10	<10	3	<10	1090	
E559550		<20	<0.01	<10	<10	2	<10	270	
E559551		<20	<0.01	<10	<10	2	<10	10	
E559552		<20	0.01	<10	<10	2	<10	46	
E559553		<20	0.03	<10	<10	11	<10	133	
E559554		<20	0.19	<10	<10	49	<10	56	
E563246		<20	0.01	<10	<10	5	<10	69	
E563247		<20	0.05	<10	<10	7	<10	35	
E563248		<20	0.09	<10	<10	14	<10	45	
E563249		<20	0.08	<10	<10	13	<10	31	
E563250		<20	0.15	<10	<10	28	<10	54	
E563250A		<20	0.12	<10	<10	22	<10	46	
E563401		<20	0.06	<10	<10	14	<10	45	
E563402		<20	0.06	<10	<10	10	<10	103	
E563403		<20	0.03	<10	<10	5	<10	73	
E563404		<20	0.12	<10	<10	32	<10	442	
E563405		<20	0.03	<10	<10	12	<10	3010	
E563406		<20	<0.01	<10	<10	2	<10	1485	
E563406A		<20	0.13	<10	<10	22	<10	56	
E563407		<20	0.01	<10	<10	6	<10	34	
E563408		<20	<0.01	<10	<10	1	<10	288	
E563409		<20	<0.01	<10	<10	2	<10	1315	
E563410		<20	0.01	<10	<10	3	10	>10000	2.39
E563411		<20	0.03	<10	<10	11	<10	137	
E563412		<20	0.11	<10	<10	34	<10	93	