ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 3-NOV-2010
Account: METCOR

CERTIFICATE TB10157719

Project: Python

P.O. No.:

This report is for 84 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 26-OCT-2010.

The following have access to data associated with this certificate:

CHRIS DOUGHERTY	CHARLES GREIG	METALCORP WEBTRIEVE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: **METALCORP LIMITED**
ATTN: CHARLES GREIG
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 3-NOV-2010
Account: METCOR

Project: Python

CERTIFICATE OF ANALYSIS TB10157719

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E559501		4.01	<0.005	<0.2	1.31	<2	<10	90	<0.5	2	0.81	<0.5	11	56	42	2.11
E559502		3.53	<0.005	<0.2	1.21	<2	<10	50	<0.5	<2	0.99	<0.5	11	54	32	1.95
E559503		4.04	<0.005	<0.2	1.17	<2	<10	50	<0.5	<2	0.84	<0.5	10	46	24	1.91
E559504		3.12	<0.005	<0.2	1.08	<2	<10	50	<0.5	<2	1.05	<0.5	12	57	35	1.74
E559505		4.41	<0.005	0.2	0.69	<2	<10	60	<0.5	<2	0.33	<0.5	2	8	6	0.95
E559506		3.84	<0.005	<0.2	0.85	<2	<10	120	<0.5	<2	0.31	<0.5	4	8	12	1.30
E559507		Not Recvd														
E559537		4.27	<0.005	<0.2	0.90	<2	<10	30	<0.5	<2	1.52	<0.5	12	63	33	1.79
E559538		3.77	<0.005	<0.2	1.54	<2	<10	40	<0.5	2	1.42	<0.5	37	137	161	3.14
E559539		4.02	<0.005	<0.2	1.69	<2	<10	70	<0.5	<2	1.58	<0.5	37	143	143	3.39
E559577		3.20	<0.005	0.2	0.46	<2	<10	60	<0.5	<2	0.10	<0.5	1	4	5	0.71
E559578		1.77	<0.005	<0.2	0.60	<2	<10	40	<0.5	<2	0.33	<0.5	5	6	6	1.45
E559579		4.14	0.011	0.6	1.21	<2	<10	60	<0.5	<2	0.30	<0.5	4	6	7	1.23
E559580		3.79	0.023	0.3	1.59	<2	<10	40	<0.5	<2	0.48	<0.5	4	6	9	1.31
E559581		3.75	0.007	0.3	1.53	<2	<10	120	<0.5	<2	0.37	<0.5	5	6	8	1.47
E559592		2.30	0.012	0.2	1.88	<2	<10	150	<0.5	<2	0.69	<0.5	5	9	6	1.47
E559593		2.62	0.033	0.5	1.64	2	<10	50	0.9	2	0.63	0.6	5	14	9	1.29
E559594		3.73	0.032	1.9	2.14	<2	<10	210	<0.5	<2	0.32	<0.5	12	26	25	3.79
E559595		1.48	<0.005	<0.2	0.46	<2	<10	30	<0.5	<2	0.34	<0.5	4	5	13	1.25
E559596		3.22	<0.005	0.3	0.89	<2	<10	40	<0.5	<2	0.57	<0.5	4	5	1	1.43
E559597		3.65	0.087	5.8	0.45	4	<10	30	<0.5	4	0.41	11.5	4	4	124	2.41
E559598		4.30	0.011	5.5	0.58	4	<10	40	<0.5	3	0.14	1.9	5	5	158	3.70
E559599		3.55	0.038	22.2	0.68	3	<10	30	<0.5	2	0.16	1.8	5	6	1360	3.73
E559600		3.21	0.046	12.5	0.92	2	<10	50	<0.5	4	0.21	<0.5	12	6	210	7.09
E559601		2.35	0.015	3.7	0.65	<2	<10	40	<0.5	<2	0.22	0.5	16	11	63	2.13
E559602		4.06	<0.005	0.3	2.46	2	<10	20	<0.5	<2	2.24	<0.5	36	102	138	4.69
E559603		4.32	<0.005	0.4	3.18	4	<10	20	<0.5	<2	2.26	0.7	42	114	158	5.66
E559604		2.74	<0.005	0.2	0.72	2	<10	40	<0.5	<2	0.39	<0.5	2	6	6	0.74
E559605		3.46	<0.005	0.2	0.39	<2	<10	40	<0.5	<2	0.11	<0.5	1	4	4	0.62
E559606		2.90	0.006	0.3	0.46	<2	<10	30	<0.5	<2	0.14	<0.5	2	10	2	0.58
E559607		2.35	<0.005	0.9	0.84	2	<10	30	<0.5	<2	0.34	<0.5	3	11	5	1.04
E562510		3.87	0.181	9.8	0.54	7	<10	30	<0.5	<2	0.15	20.6	4	4	358	3.27
E562511		1.66	<0.005	0.2	0.63	<2	<10	40	<0.5	8	0.35	<0.5	4	5	17	1.56
E562512		1.83	0.006	1.1	0.46	9	<10	30	<0.5	<2	0.13	<0.5	6	4	24	3.46
E562513		2.97	0.050	4.2	0.42	18	<10	20	<0.5	3	0.05	3.6	9	5	129	9.73
E562514		3.93	0.055	6.1	0.79	3	<10	70	<0.5	2	0.28	<0.5	12	12	54	4.06
E562515		3.82	0.009	2.9	0.64	<2	<10	60	<0.5	<2	0.19	0.8	23	8	33	3.45
E562516		3.19	<0.005	0.4	0.47	<2	<10	40	<0.5	<2	0.10	<0.5	2	4	5	0.45
E562517		3.71	<0.005	0.6	0.97	<2	<10	50	<0.5	<2	0.34	<0.5	2	11	3	0.83
E562518		4.14	<0.005	0.7	1.12	<2	<10	100	<0.5	<2	0.46	<0.5	6	37	9	1.36

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 3-NOV-2010
Account: METCOR

Project: Python

CERTIFICATE OF ANALYSIS TB10157719

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
E559501		10	<1	0.73	60	1.00	327	<1	0.08	33	1000	<2	0.11	<2	3	58
E559502		10	<1	0.49	50	0.83	309	<1	0.09	34	860	<2	0.09	<2	3	48
E559503		10	<1	0.53	40	0.82	261	<1	0.08	29	800	2	0.11	<2	3	50
E559504		<10	<1	0.32	60	0.60	354	5	0.09	34	1040	2	0.20	<2	4	53
E559505		<10	<1	0.23	20	0.56	297	<1	0.06	5	310	6	0.05	<2	1	24
E559506		<10	<1	0.43	30	0.59	313	<1	0.07	4	360	6	0.09	<2	1	31
E559507																
E559537		<10	<1	0.11	30	0.45	312	<1	0.06	26	760	<2	0.11	<2	6	86
E559538		<10	<1	0.15	<10	0.72	631	1	0.12	84	320	2	0.32	<2	15	26
E559539		<10	<1	0.21	<10	0.67	598	1	0.16	90	250	<2	0.45	<2	14	26
E559577		<10	<1	0.23	10	0.14	82	<1	0.03	3	60	4	0.50	<2	<1	4
E559578		<10	<1	0.28	20	0.31	167	<1	0.10	3	380	<2	0.04	<2	1	43
E559579		<10	<1	0.52	10	0.58	258	<1	0.12	5	250	<2	0.44	<2	1	23
E559580		<10	<1	0.45	10	0.61	262	1	0.22	5	240	3	0.80	<2	<1	31
E559581		<10	<1	0.64	10	0.76	292	<1	0.14	5	370	<2	0.42	<2	1	29
E559592		<10	<1	0.67	10	0.89	374	<1	0.09	5	390	5	0.45	<2	1	44
E559593		<10	<1	0.54	10	0.84	497	23	0.06	6	290	13	0.82	<2	1	29
E559594		10	<1	1.37	10	1.49	900	<1	0.08	13	760	<2	1.17	<2	2	15
E559595		<10	<1	0.20	20	0.22	129	4	0.10	2	350	<2	0.11	<2	1	36
E559596		<10	<1	0.38	10	0.58	299	<1	0.03	5	240	19	1.32	<2	<1	9
E559597		<10	<1	0.15	10	0.10	74	<1	0.02	5	130	191	2.52	<2	<1	9
E559598		<10	<1	0.17	<10	0.21	57	1	0.05	8	40	76	3.59	<2	<1	20
E559599		<10	<1	0.13	10	0.36	100	3	0.05	16	90	273	3.24	<2	<1	13
E559600		<10	<1	0.24	10	0.34	119	2	0.06	29	240	27	5.08	<2	1	19
E559601		<10	<1	0.25	10	0.31	150	19	0.07	29	320	59	1.06	<2	2	21
E559602		10	<1	0.13	10	1.04	764	<1	0.10	58	460	5	0.63	<2	16	20
E559603		10	<1	0.11	10	0.91	882	<1	0.08	73	510	86	1.01	<2	16	16
E559604		<10	<1	0.15	10	0.26	122	<1	0.03	5	60	8	0.25	<2	1	4
E559605		<10	<1	0.17	10	0.11	48	<1	0.02	2	50	7	0.50	<2	<1	3
E559606		<10	<1	0.17	10	0.22	91	<1	0.02	6	70	12	0.40	<2	<1	4
E559607		<10	<1	0.30	10	0.47	184	<1	0.05	8	340	<2	0.21	<2	1	16
E562510		<10	<1	0.16	<10	0.13	47	1	0.03	6	100	261	3.32	<2	<1	9
E562511		<10	<1	0.31	20	0.33	176	454	0.10	3	390	<2	0.17	<2	1	46
E562512		<10	<1	0.13	<10	0.07	32	<1	0.05	7	30	37	3.66	<2	<1	11
E562513		<10	1	0.12	<10	0.09	56	1	0.04	12	10	42	>10.0	<2	<1	12
E562514		<10	<1	0.32	10	0.34	132	<1	0.07	20	410	39	3.65	<2	1	51
E562515		<10	<1	0.29	10	0.29	124	1	0.07	32	290	62	2.83	<2	1	19
E562516		<10	<1	0.24	10	0.17	108	3	0.03	2	120	15	0.19	<2	<1	9
E562517		<10	<1	0.28	10	0.32	144	<1	0.07	4	170	23	0.51	<2	<1	79
E562518		<10	<1	0.40	10	0.64	183	<1	0.04	10	340	4	0.52	<2	1	29

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 3-NOV-2010
Account: METCOR

Project: Python

CERTIFICATE OF ANALYSIS TB10157719

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
E559501		<20	0.17	<10	<10	50	<10	50
E559502		<20	0.14	<10	<10	45	<10	52
E559503		<20	0.15	<10	<10	41	<10	45
E559504		<20	0.14	<10	<10	44	<10	50
E559505		<20	0.07	<10	<10	11	<10	45
E559506		<20	0.10	<10	<10	18	<10	53
E559507								
E559537		<20	0.13	<10	<10	56	<10	33
E559538		<20	0.16	<10	<10	138	<10	47
E559539		<20	0.16	<10	<10	125	<10	38
E559577		<20	<0.01	<10	<10	2	<10	52
E559578		<20	0.12	<10	<10	23	<10	49
E559579		<20	0.06	<10	<10	8	<10	38
E559580		<20	0.04	<10	<10	5	<10	56
E559581		<20	0.10	<10	<10	15	<10	45
E559592		<20	0.09	<10	<10	17	<10	50
E559593		<20	0.05	<10	<10	12	<10	148
E559594		<20	0.27	<10	<10	61	<10	92
E559595		<20	0.12	<10	<10	19	<10	38
E559596		<20	0.02	<10	<10	4	<10	37
E559597		<20	<0.01	<10	<10	1	<10	2250
E559598		<20	<0.01	<10	<10	3	<10	485
E559599		<20	<0.01	<10	<10	2	<10	673
E559600		<20	0.02	<10	<10	7	<10	134
E559601		<20	0.03	<10	<10	13	<10	206
E559602		<20	0.18	<10	<10	171	<10	88
E559603		<20	0.20	<10	<10	192	<10	400
E559604		<20	0.01	<10	<10	5	<10	39
E559605		<20	<0.01	<10	<10	1	<10	16
E559606		<20	0.01	<10	<10	2	<10	33
E559607		<20	0.07	<10	<10	10	<10	35
E562510		<20	<0.01	<10	<10	2	<10	3910
E562511		<20	0.13	<10	<10	24	<10	62
E562512		<20	<0.01	<10	<10	2	<10	55
E562513		<20	<0.01	<10	<10	2	<10	977
E562514		<20	0.04	<10	<10	16	<10	191
E562515		<20	0.03	<10	<10	10	<10	242
E562516		<20	0.01	<10	<10	2	<10	43
E562517		<20	0.02	<10	<10	4	<10	54
E562518		<20	0.07	<10	<10	19	<10	36

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 3-NOV-2010
Account: METCOR

Project: Python

CERTIFICATE OF ANALYSIS TB10157719

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E562519		1.87	<0.005	<0.2	0.57	<2	<10	40	<0.5	<2	0.33	<0.5	4	5	6	1.42
E562520		3.63	<0.005	0.3	0.79	<2	<10	50	<0.5	<2	0.24	<0.5	4	7	20	1.01
E562521		3.77	<0.005	0.2	1.39	<2	<10	30	<0.5	<2	0.52	<0.5	4	9	14	1.24
E562522		3.93	<0.005	0.7	1.54	<2	<10	80	<0.5	<2	0.64	<0.5	7	13	16	1.65
E562523		4.11	0.006	1.6	2.09	<2	10	40	0.5	<2	0.77	2.8	8	19	96	1.97
E562524		3.60	<0.005	2.1	1.33	<2	10	40	<0.5	7	0.39	4.4	5	11	29	1.75
E562525		3.85	<0.005	0.5	0.65	2	<10	40	<0.5	2	0.22	<0.5	5	8	8	1.78
E562526		3.57	9.11	13.4	0.59	2	<10	60	<0.5	2	0.14	<0.5	6	23	22	2.59
E562527		3.81	0.122	48.1	0.65	<2	<10	40	<0.5	45	0.13	6.4	7	24	749	19.1
E562528		2.62	3.07	42.4	0.61	<2	<10	40	<0.5	<2	0.39	<0.5	9	7	36	1.11
E562529		3.46	<0.005	0.3	0.45	<2	<10	50	<0.5	<2	0.07	<0.5	1	5	8	0.58
E562530		3.88	<0.005	0.4	0.99	<2	<10	40	<0.5	<2	0.32	<0.5	3	8	7	1.07
E562531		1.75	<0.005	<0.2	0.58	<2	<10	40	<0.5	<2	0.33	<0.5	4	5	7	1.42
E562532		3.98	<0.005	0.5	1.74	2	<10	30	<0.5	<2	0.79	<0.5	4	11	8	1.31
E562533		3.84	<0.005	0.2	1.56	<2	<10	170	<0.5	2	0.66	<0.5	5	6	5	1.69
E562534		3.79	<0.005	0.8	1.31	2	<10	70	<0.5	<2	0.47	<0.5	5	15	25	1.29
E562535		3.55	<0.005	1.2	0.88	<2	<10	40	<0.5	2	0.42	3.2	6	9	51	1.89
E562536		3.25	<0.005	1.1	0.43	3	<10	40	<0.5	<2	0.09	1.0	6	10	34	3.45
E562537		3.83	<0.005	1.0	0.30	<2	<10	30	<0.5	3	0.10	<0.5	4	6	3	1.85
E562538		3.56	0.008	3.5	0.33	<2	<10	40	<0.5	10	0.14	<0.5	7	4	23	3.18
E562539		3.07	<0.005	1.1	0.52	<2	<10	30	<0.5	2	0.25	<0.5	5	4	14	1.03
E562540		3.09	<0.005	1.9	0.61	4	<10	40	<0.5	4	0.35	<0.5	15	3	14	5.35
E562541		1.50	0.005	2.1	0.56	<2	<10	30	<0.5	4	0.29	<0.5	19	6	36	2.53
E562542		1.51	0.010	1.2	1.20	<2	<10	40	<0.5	4	0.88	<0.5	27	44	171	6.23
E562543		3.97	<0.005	0.2	0.87	<2	<10	20	<0.5	3	0.93	<0.5	11	46	34	1.93
E563413		3.56	<0.005	0.2	0.96	<2	<10	70	<0.5	2	0.69	<0.5	12	57	37	2.20
E563414		3.96	<0.005	<0.2	0.86	<2	<10	40	<0.5	3	0.82	<0.5	9	46	25	1.75
E563415		3.86	<0.005	0.2	0.87	<2	<10	50	<0.5	2	0.69	<0.5	9	45	26	1.87
E563416		3.97	<0.005	<0.2	0.78	<2	<10	40	<0.5	2	0.79	<0.5	8	58	21	1.71
E563417		3.97	<0.005	<0.2	0.81	<2	<10	40	<0.5	2	1.04	<0.5	10	79	21	1.98
E563418		2.49	<0.005	0.2	0.97	<2	<10	130	<0.5	2	0.80	<0.5	16	64	50	2.38
E563419		4.17	<0.005	0.2	0.94	<2	<10	40	<0.5	2	1.16	<0.5	15	33	94	2.43
E563420		4.33	<0.005	0.4	0.96	<2	<10	10	<0.5	3	1.46	<0.5	25	38	187	2.96
E563421		4.36	<0.005	0.3	0.84	<2	<10	10	0.5	3	1.43	<0.5	19	163	124	2.31
E563422		4.44	<0.005	0.2	1.21	<2	<10	140	0.8	2	1.13	<0.5	26	330	130	2.61
E563423		4.07	<0.005	<0.2	1.22	<2	<10	180	0.7	3	1.24	<0.5	14	63	53	2.83
E563424		4.53	<0.005	<0.2	1.58	<2	<10	190	0.6	2	0.65	<0.5	32	632	79	2.96
E563425		3.40	<0.005	0.2	0.98	<2	<10	110	0.5	3	0.75	<0.5	15	250	69	2.21
E563426		3.56	<0.005	<0.2	0.68	<2	<10	60	0.5	3	0.33	<0.5	4	19	38	1.27
E563427		3.50	<0.005	<0.2	0.77	<2	<10	110	<0.5	3	0.29	<0.5	4	19	30	1.51

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 3-NOV-2010
Account: METCOR

Project: Python

CERTIFICATE OF ANALYSIS TB10157719

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
E562519		<10	<1	0.28	20	0.28	158	<1	0.10	3	370	<2	0.05	<2	1	40
E562520		<10	<1	0.33	10	0.29	239	<1	0.05	5	250	<2	0.20	<2	1	19
E562521		10	<1	0.46	10	0.64	375	<1	0.09	5	230	<2	0.11	<2	1	20
E562522		10	<1	0.44	10	0.93	391	18	0.08	7	440	4	0.50	<2	2	28
E562523		10	<1	0.45	10	1.27	485	3	0.05	15	230	13	1.67	<2	3	25
E562524		<10	<1	0.33	10	0.75	277	5	0.05	7	300	30	1.58	<2	1	23
E562525		<10	1	0.24	10	0.28	95	<1	0.03	8	270	19	1.75	<2	1	17
E562526		<10	<1	0.24	10	0.26	95	5	0.05	12	70	65	2.17	<2	1	20
E562527		10	1	0.26	<10	0.30	155	122	0.04	22	130	683	>10.0	2	2	13
E562528		<10	<1	0.18	10	0.21	123	21	0.07	12	290	55	0.51	<2	1	24
E562529		<10	<1	0.24	10	0.21	99	1	0.02	3	90	4	0.29	<2	<1	6
E562530		<10	<1	0.38	10	0.58	226	<1	0.06	6	230	2	0.40	<2	1	14
E562531		<10	<1	0.29	20	0.28	165	<1	0.10	3	380	<2	0.06	<2	1	44
E562532		<10	<1	0.41	10	0.68	235	<1	0.13	8	280	3	0.57	<2	1	89
E562533		10	<1	0.55	20	0.66	267	<1	0.10	5	480	<2	0.28	<2	2	48
E562534		10	<1	0.42	10	0.74	253	1	0.08	8	300	5	0.60	<2	1	30
E562535		<10	<1	0.31	10	0.49	198	14	0.04	10	250	29	1.77	<2	1	10
E562536		<10	<1	0.16	10	0.17	61	1	0.03	8	70	24	3.44	<2	<1	6
E562537		<10	<1	0.11	<10	0.10	41	<1	0.04	6	70	3	1.78	<2	<1	18
E562538		<10	<1	0.12	10	0.04	33	5	0.03	5	50	18	2.80	<2	<1	29
E562539		<10	<1	0.13	10	0.06	35	<1	0.06	5	70	10	0.82	<2	<1	76
E562540		<10	<1	0.17	<10	0.18	61	2	0.05	22	200	10	6.0	<2	<1	25
E562541		<10	<1	0.13	10	0.24	112	7	0.06	30	270	7	1.59	<2	1	24
E562542		10	<1	0.44	40	0.82	507	1	0.09	24	1170	3	2.79	<2	4	48
E562543		<10	<1	0.10	40	0.60	258	2	0.09	25	1010	4	0.45	<2	4	32
E563413		<10	<1	0.55	40	0.70	301	2	0.09	28	970	<2	0.34	<2	5	38
E563414		<10	<1	0.41	40	0.65	282	2	0.09	22	1060	<2	0.14	<2	4	39
E563415		<10	<1	0.50	40	0.69	261	<1	0.09	24	980	<2	0.18	<2	3	38
E563416		<10	<1	0.40	30	0.67	279	<1	0.09	17	1080	<2	0.13	<2	4	41
E563417		<10	<1	0.34	40	0.81	297	<1	0.11	16	1430	2	0.15	<2	5	42
E563418		<10	<1	0.56	40	0.79	306	1	0.10	47	1160	<2	0.37	<2	4	26
E563419		<10	<1	0.22	<10	0.69	379	<1	0.15	30	300	<2	0.21	<2	8	13
E563420		<10	<1	0.09	<10	0.81	420	<1	0.18	58	380	<2	0.48	<2	10	8
E563421		<10	<1	0.10	<10	1.10	311	<1	0.17	102	410	<2	0.27	<2	8	11
E563422		10	<1	0.54	10	1.57	351	<1	0.14	219	580	<2	0.27	<2	6	19
E563423		10	<1	0.63	30	1.18	450	<1	0.15	35	1770	4	0.22	<2	7	53
E563424		10	<1	1.20	10	2.18	326	<1	0.09	328	380	<2	0.30	<2	4	19
E563425		10	<1	0.47	10	1.17	300	<1	0.11	86	350	2	0.21	<2	5	26
E563426		<10	<1	0.26	10	0.46	210	<1	0.09	7	300	2	0.11	<2	3	40
E563427		<10	<1	0.48	20	0.49	227	<1	0.11	7	360	2	0.11	<2	2	54

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 3-NOV-2010
Account: METCOR

Project: Python

CERTIFICATE OF ANALYSIS TB10157719

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
E562519		<20	0.12	<10	<10	23	<10	49
E562520		<20	0.05	<10	<10	7	<10	24
E562521		<20	0.08	<10	<10	13	<10	26
E562522		<20	0.10	<10	<10	20	<10	77
E562523		<20	0.05	<10	<10	21	<10	628
E562524		<20	0.02	<10	<10	6	<10	882
E562525		<20	0.01	<10	<10	4	<10	120
E562526		<20	0.02	<10	<10	9	<10	111
E562527		<20	0.02	<10	<10	11	<10	1420
E562528		<20	0.03	<10	<10	10	<10	80
E562529		<20	0.01	<10	<10	2	<10	105
E562530		<20	0.05	<10	<10	7	<10	39
E562531		<20	0.13	<10	<10	23	<10	49
E562532		<20	0.05	<10	<10	8	<10	41
E562533		<20	0.13	<10	<10	21	<10	42
E562534		<20	0.05	<10	<10	12	<10	43
E562535		<20	0.01	<10	<10	5	<10	736
E562536		<20	0.01	<10	<10	3	<10	245
E562537		<20	0.01	<10	<10	3	<10	13
E562538		<20	<0.01	<10	<10	1	<10	95
E562539		<20	0.01	<10	<10	2	<10	103
E562540		<20	0.01	<10	<10	4	<10	24
E562541		<20	0.03	<10	<10	8	<10	62
E562542		<20	0.18	<10	<10	55	<10	58
E562543		<20	0.14	<10	<10	42	<10	32
E563413		<20	0.17	<10	<10	54	<10	50
E563414		<20	0.15	<10	<10	45	<10	38
E563415		<20	0.16	<10	<10	42	<10	41
E563416		<20	0.15	<10	<10	45	<10	33
E563417		<20	0.15	<10	<10	54	<10	31
E563418		<20	0.20	<10	<10	60	<10	43
E563419		<20	0.15	<10	<10	64	<10	30
E563420		<20	0.18	<10	<10	78	<10	27
E563421		<20	0.22	<10	<10	62	<10	24
E563422		<20	0.23	<10	<10	56	<10	40
E563423		<20	0.22	<10	<10	65	<10	50
E563424		<20	0.24	<10	<10	65	<10	51
E563425		<20	0.17	<10	<10	48	<10	46
E563426		<20	0.10	<10	<10	20	<10	36
E563427		<20	0.13	<10	<10	26	<10	46

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 3-NOV-2010
Account: METCOR

Project: Python

CERTIFICATE OF ANALYSIS TB10157719

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E563428		2.27	<0.005	<0.2	0.72	<2	<10	80	<0.5	2	0.48	<0.5	7	53	45	1.51
E563429		4.25	<0.005	0.2	1.34	<2	<10	10	<0.5	2	1.65	<0.5	18	57	125	2.49
E563430		4.41	<0.005	0.2	1.00	<2	<10	40	<0.5	3	1.29	<0.5	15	29	121	2.49
E563431		4.07	<0.005	<0.2	1.00	<2	<10	40	<0.5	2	1.21	<0.5	14	22	85	2.57

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 3-NOV-2010
Account: METCOR

Project: Python

CERTIFICATE OF ANALYSIS TB10157719

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
E563428		<10	<1	0.37	10	0.55	218	<1	0.10	23	370	2	0.17	<2	3	47
E563429		<10	<1	0.13	<10	0.94	383	<1	0.15	41	290	<2	0.22	<2	8	19
E563430		<10	<1	0.23	10	0.79	402	<1	0.15	24	430	<2	0.15	<2	9	11
E563431		<10	<1	0.29	10	0.82	452	<1	0.15	24	330	<2	0.12	<2	9	12

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **METALCORP LIMITED**
705B HAMMOND AVENUE
2ND FLOOR
THUNDER BAY ON P7B 2T5

Finalized Date: 3-NOV-2010
Account: METCOR

Project: Python

CERTIFICATE OF ANALYSIS TB10157719

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
E563428		<20	0.12	<10	<10	31	<10	45
E563429		<20	0.15	<10	<10	68	<10	28
E563430		<20	0.16	<10	<10	70	<10	31
E563431		<20	0.17	<10	<10	68	<10	33