ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Saturday, October 9, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 10/08/2010
Job #: 201044077
Reference: Castlewood Lake (CWL)
Sample #: 106 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
280978		D045290	9	<0.001	0.009
280979		D045291	<5	<0.001	<0.005
280980		D045292	<5	<0.001	<0.005
280981		D045293	<5	<0.001	<0.005
280982		D045294	<5	<0.001	<0.005
280983		D045295	<5	<0.001	<0.005
280984		D045296	<5	<0.001	<0.005
280985		D045297	<5	<0.001	<0.005
280986		D045298	<5	<0.001	<0.005
280987		D045299	<5	<0.001	<0.005
280988	Dup	D045299	6	<0.001	0.006
280989		D045300	<5	<0.001	<0.005
280990		D045301	<5	<0.001	<0.005
280991		D045302	1181	0.034	1.181
280992		D045303	<5	<0.001	<0.005
280993		D045304	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/09/2010 1:37 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Saturday, October 9, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 10/08/2010
Job #: 201044077
Reference: Castlewood Lake (CWL)
Sample #: 106 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
280994		D045305	7	<0.001	0.007
280995		D045306	16	<0.001	0.016
280996		D045307	17	<0.001	0.017
280997		D045308	54	0.002	0.054
280998		D045309	8	<0.001	0.008
280999	Dup	D045309	7	<0.001	0.007
281000		D045310	11	<0.001	0.011
281001		D045311	26	<0.001	0.026
281002		D045312	25	<0.001	0.025
281003		D045313	17	<0.001	0.017
281004		D045314	17	<0.001	0.017
281005		D045315	10	<0.001	0.010
281006		D045316	10	<0.001	0.010
281007		D045317	21	<0.001	0.021
281008		D045318	13	<0.001	0.013
281009		D045319	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/09/2010 1:37 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Saturday, October 9, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 10/08/2010
Job #: 201044077
Reference: Castlewood Lake (CWL)
Sample #: 106 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
281010	Dup	D045319	10	<0.001	0.010
281011		D045320	<5	<0.001	<0.005
281012		D045321	<5	<0.001	<0.005
281013		D045322	<5	<0.001	<0.005
281014		D045323	<5	<0.001	<0.005
281015		D045324	<5	<0.001	<0.005
281016		D045325	7	<0.001	0.007
281017		D045326	<5	<0.001	<0.005
281018		D045327	6	<0.001	0.006
281019		D045328	9	<0.001	0.009
281020		D045329	<5	<0.001	<0.005
281021	Dup	D045329	<5	<0.001	<0.005
281022		D045330	<5	<0.001	<0.005
281023		D045331	<5	<0.001	<0.005
281024		D045332	<5	<0.001	<0.005
281025		D045333	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/09/2010 1:37 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Saturday, October 9, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 10/08/2010
Job #: 201044077
Reference: Castlewood Lake (CWL)
Sample #: 106 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
281026		D045334	<5	<0.001	<0.005
281027		D045335	<5	<0.001	<0.005
281028		D045336	<5	<0.001	<0.005
281029		D045337	<5	<0.001	<0.005
281030		D045338	<5	<0.001	<0.005
281031		D045339	<5	<0.001	<0.005
281032	Dup	D045339	<5	<0.001	<0.005
281033		D045340	<5	<0.001	<0.005
281034		D045341	<5	<0.001	<0.005
281035		D045342	<5	<0.001	<0.005
281036		D045343	<5	<0.001	<0.005
281037		D045344	<5	<0.001	<0.005
281038		D045345	<5	<0.001	<0.005
281039		D045346	<5	<0.001	<0.005
281040		D045347	<5	<0.001	<0.005
281041		D045348	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/09/2010 1:37 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Saturday, October 9, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 10/08/2010
Job #: 201044077
Reference: Castlewood Lake (CWL)
Sample #: 106 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
281042		D045349	6	<0.001	0.006
281043	Rep	D045349	52	0.002	0.052
281044		D045350	<5	<0.001	<0.005
281045		D045351	<5	<0.001	<0.005
281046		D045352	2922	0.085	2.922
281047		D045353	<5	<0.001	<0.005
281048		D045354	<5	<0.001	<0.005
281049		D045355	<5	<0.001	<0.005
281050		D045356	<5	<0.001	<0.005
281051		D045357	<5	<0.001	<0.005
281052		D045358	<5	<0.001	<0.005
281053		D045359	<5	<0.001	<0.005
281054	Dup	D045359	<5	<0.001	<0.005
281055		D045360	<5	<0.001	<0.005
281056		D045361	8	<0.001	0.008
281057		D045362	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/09/2010 1:37 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Saturday, October 9, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 10/08/2010
Job #: 201044077
Reference: Castlewood Lake (CWL)
Sample #: 106 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
281058		D045446	7	<0.001	0.007
281059		D045447	<5	<0.001	<0.005
281060		D045448	<5	<0.001	<0.005
281061		D045449	<5	<0.001	<0.005
281062		D045450	118	0.003	0.118
281063		D045451	81	0.002	0.081
281064		D045452	2982	0.087	2.982
281065	Dup	D045452	Insufficient Sample		
281066		D045453	<5	<0.001	<0.005
281067		D045454	8	<0.001	0.008
281068		D045455	6	<0.001	0.006
281069		D045456	58	0.002	0.058
281070		D045457	6	<0.001	0.006
281071		D045458	12	<0.001	0.012
281072		D045459	<5	<0.001	<0.005
281073		D045460	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/09/2010 1:37 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Saturday, October 9, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 10/08/2010
Job #: 201044077
Reference: Castlewood Lake (CWL)
Sample #: 106 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
281074		D045461	34	<0.001	0.034
281075		D045462	<5	<0.001	<0.005
281076	Dup	D045462	<5	<0.001	<0.005
281077		D045463	<5	<0.001	<0.005
281078		D045464	<5	<0.001	<0.005
281079		D045465	<5	<0.001	<0.005
281080		D045466	<5	<0.001	<0.005
281081		D045467	<5	<0.001	<0.005
281082		D045468	<5	<0.001	<0.005
281083		D045469	<5	<0.001	<0.005
281084		D045470	<5	<0.001	<0.005
281085		D045471	<5	<0.001	<0.005
281086		D045472	<5	<0.001	<0.005
281087	Dup	D045472	<5	<0.001	<0.005
281088		D045473	10	<0.001	0.010
281089		D045474	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/09/2010 1:37 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Saturday, October 9, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 10/08/2010
Job #: 201044077
Reference: Castlewood Lake (CWL)
Sample #: 106 Core

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
281090	D045475	7	<0.001	0.007
281091	D045476	6	<0.001	0.006
281092	D045477	5	<0.001	0.005
281093	D045478	6746	0.197	6.746

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/09/2010 1:37 PM