ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276197		D044920	7	<0.001	0.007
276198		D044921	<5	<0.001	<0.005
276199		D044922	<5	<0.001	<0.005
276200		D044923	5	<0.001	0.005
276201		D044924	5	<0.001	0.005
276202		D044925	11	<0.001	0.011
276203		D044926	<5	<0.001	<0.005
276204		D044927	7	<0.001	0.007
276205		D044928	8	<0.001	0.008
276206		D044929	7	<0.001	0.007
276207	Dup	D044929	20	<0.001	0.020
276208		D044930	9	<0.001	0.009
276209		D044931	13	<0.001	0.013
276210		D044932	5	<0.001	0.005
276211		D044933	11	<0.001	0.011
276212		D044934	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276213		D044935	6	<0.001	0.006
276214		D044936	7	<0.001	0.007
276215		D044937	<5	<0.001	<0.005
276216		D044938	8	<0.001	0.008
276217		D044939	<5	<0.001	<0.005
276218	Dup	D044939	<5	<0.001	<0.005
276219		D044940	<5	<0.001	<0.005
276220		D044941	<5	<0.001	<0.005
276221		D044942	<5	<0.001	<0.005
276222		D044943	<5	<0.001	<0.005
276223		D044944	9	<0.001	0.009
276224		D044945	<5	<0.001	<0.005
276225		D044946	<5	<0.001	<0.005
276226		D044947	5	<0.001	0.005
276227		D044948	<5	<0.001	<0.005
276228		D044949	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276229	Dup	D044949	6	<0.001	0.006
276230		D044950	6	<0.001	0.006
276231		D044951	6	<0.001	0.006
276232		D044952	2983	0.087	2.983
276233		D044953	<5	<0.001	<0.005
276234		D044954	8	<0.001	0.008
276235		D044955	10	<0.001	0.010
276236		D044956	10	<0.001	0.010
276237		D044957	25	<0.001	0.025
276238		D044958	13	<0.001	0.013
276239		D044959	10	<0.001	0.010
276240	Dup	D044959	11	<0.001	0.011
276241		D044960	16	<0.001	0.016
276242		D044961	10	<0.001	0.010
276243		D044962	8	<0.001	0.008
276244		D044963	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276245		D044964	8	<0.001	0.008
276246		D044965	9	<0.001	0.009
276247		D044966	9	<0.001	0.009
276248		D044967	5	<0.001	0.005
276249		D044968	12	<0.001	0.012
276250		D044969	7	<0.001	0.007
276251	Dup	D044969	8	<0.001	0.008
276252		D044970	6	<0.001	0.006
276253		D044971	6	<0.001	0.006
276254		D044972	<5	<0.001	<0.005
276255		D044973	7	<0.001	0.007
276256		D044974	7	<0.001	0.007
276257		D044975	9	<0.001	0.009
276258		D044976	7	<0.001	0.007
276259		D044977	14	<0.001	0.014
276260		D044978	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276261		D044979	84	0.002	0.084
276262	Rep	D044979	96	0.003	0.096
276263		D044980	25	<0.001	0.025
276264		D044981	10	<0.001	0.010
276265		D044982	33	<0.001	0.033
276266		D044983	25	<0.001	0.025
276267		D044984	48	0.001	0.048
276268		D044985	11	<0.001	0.011
276269		D044986	20	<0.001	0.020
276270		D044987	20	<0.001	0.020
276271		D044988	15	<0.001	0.015
276272		D044989	23	<0.001	0.023
276273	Dup	D044989	25	<0.001	0.025
276274		D044990	15	<0.001	0.015
276275		D044991	15	<0.001	0.015
276276		D044992	16	<0.001	0.016

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276277		D044993	32	<0.001	0.032
276278		D044994	13	<0.001	0.013
276279		D044995	67	0.002	0.067
276280		D044996	13	<0.001	0.013
276281		D044997	12	<0.001	0.012
276282		D044998	19	<0.001	0.019
276283		D044999	19	<0.001	0.019
276284	Dup	D044999	22	<0.001	0.022
276285		D045000	23	<0.001	0.023
276286		D045001	26	<0.001	0.026
276287		D045002	4275	0.125	4.275
276288		D045003	<5	<0.001	<0.005
276289		D045004	17	<0.001	0.017
276290		D045005	16	<0.001	0.016
276291		D045006	12	<0.001	0.012
276292		D045007	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276293		D045008	12	<0.001	0.012
276294		D045009	14	<0.001	0.014
276295	Dup	D045009	10	<0.001	0.010
276296		D045010	27	<0.001	0.027
276297		D045011	24	<0.001	0.024
276298		D045012	32	<0.001	0.032
276299		D045013	26	<0.001	0.026
276300		D045014	16	<0.001	0.016
276301		D045015	<5	<0.001	<0.005
276302		D045016	<5	<0.001	<0.005
276303		D045017	13	<0.001	0.013
276304		D045018	23	<0.001	0.023
276305		D045019	21	<0.001	0.021
276306	Dup	D045019	26	<0.001	0.026
276307		D045020	277	0.008	0.277
276308		D045021	138	0.004	0.138

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276309		D045022	57	0.002	0.057
276310		D045023	17	<0.001	0.017
276311		D045024	20	<0.001	0.020
276312		D045025	64	0.002	0.064
276313		D045026	12	<0.001	0.012
276314		D045027	19	<0.001	0.019
276315		D045028	25	<0.001	0.025
276316		D045029	11	<0.001	0.011
276317	Dup	D045029	13	<0.001	0.013
276318		D045030	50	0.001	0.050
276319		D045031	13	<0.001	0.013
276320		D045032	21	<0.001	0.021
276321		D045033	22	<0.001	0.022
276322		D045034	20	<0.001	0.020
276323		D045035	36	0.001	0.036
276324		D045036	22	<0.001	0.022

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276325		D045037	22	<0.001	0.022
276326		D045038	77	0.002	0.077
276327		D045039	33	<0.001	0.033
276328	Rep	D045039	44	0.001	0.044
276329		D045040	15	<0.001	0.015
276330		D045041	8	<0.001	0.008
276331		D045042	6	<0.001	0.006
276332		D045043	12	<0.001	0.012
276333		D045044	12	<0.001	0.012
276334		D045045	7	<0.001	0.007
276335		D045046	39	0.001	0.039
276336		D045047	124	0.004	0.124
276337		D045048	40	0.001	0.040
276338		D045049	20	<0.001	0.020
276339	Dup	D045049	20	<0.001	0.020
276340		D045050	73	0.002	0.073

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276341		D045051	80	0.002	0.080
276342		D045052	3243	0.095	3.243
276343		D045053	<5	<0.001	<0.005
276344		D045054	8	<0.001	0.008
276345		D045055	8	<0.001	0.008
276346		D045056	9	<0.001	0.009
276347		D045057	10	<0.001	0.010
276348		D045058	7	<0.001	0.007
276349		D045059	8	<0.001	0.008
276350	Dup	D045059	8	<0.001	0.008
276351		D045060	6	<0.001	0.006
276352		D045061	73	0.002	0.073
276353		D045062	20	<0.001	0.020
276354		D045063	157	0.005	0.157
276355		D045064	292	0.009	0.292
276356		D045065	144	0.004	0.144

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276357		D045066	13	<0.001	0.013
276358		D045067	27	<0.001	0.027
276359		D045068	12	<0.001	0.012
276360		D045069	14	<0.001	0.014
276361	Dup	D045069	11	<0.001	0.011
276362		D045070	12	<0.001	0.012
276363		D045071	12	<0.001	0.012
276364		D045072	6	<0.001	0.006
276365		D045073	27	<0.001	0.027
276366		D045074	11	<0.001	0.011
276367		D045075	9	<0.001	0.009
276368		D045076	43	0.001	0.043
276369		D045077	23	<0.001	0.023
276370		D045078	24	<0.001	0.024
276371		D045079	12	<0.001	0.012
276372	Dup	D045079	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276373		D045080	19	<0.001	0.019
276374		D045081	<5	<0.001	<0.005
276375		D045082	7	<0.001	0.007
276376		D045083	6	<0.001	0.006
276377		D045084	12	<0.001	0.012
276378		D045085	35	0.001	0.035
276379		D045086	10	<0.001	0.010
276380		D045087	10	<0.001	0.010
276381		D045088	8	<0.001	0.008
276382		D045089	6	<0.001	0.006
276383	Dup	D045089	7	<0.001	0.007
276384		D045090	8	<0.001	0.008
276385		D045091	9	<0.001	0.009
276386		D045092	13	<0.001	0.013
276387		D045093	13	<0.001	0.013
276388		D045094	149	0.004	0.149

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276389	D045095	31	<0.001	0.031
276390	D045096	10	<0.001	0.010
276391	D045097	7	<0.001	0.007
276392	D045098	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:46 AM