ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 26, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044314
Reference: Castlewood Lake(CWL)
Sample #: 80 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
297657	D045982	0.005	<1	1.15	3	56	<1	<5	6.11	<4	46	67	218	8.45	0.18	8	1.34	2123	14	54	376	19	<5	<5	<1	148	595	3	136	<10	6	72
297658	D045983	0.007	<1	1.20	6	35	<1	<5	6.75	<4	43	148	140	7.63	0.14	9	1.61	1960	14	64	316	18	<5	6	1	185	366	3	125	<10	7	78
297659	D045984	<0.005	<1	1.34	3	29	<1	<5	6.51	<4	35	147	80	5.55	0.15	12	3.37	1687	<1	75	227	20	<5	<5	<1	240	<100	<1	57	<10	5	98
297660	D045985	<0.005	<1	1.02	<2	66	<1	<5	6.50	<4	27	245	10	4.80	0.50	13	3.11	1658	<1	82	315	15	<5	<5	3	263	352	9	62	<10	6	77
297661	D045986	0.013	<1	1.14	3	44	<1	<5	7.05	<4	38	47	65	7.21	0.21	10	3.27	2354	2	46	378	21	<5	<5	1	255	115	7	107	<10	7	83
297662	D045987	<0.005	<1	1.22	<2	57	<1	<5	6.11	<4	28	218	34	7.33	0.39	12	2.92	1838	4	52	383	23	<5	<5	<1	247	209	3	151	<10	6	94
297663	D045988	0.016	<1	0.41	2	40	<1	<5	6.21	<4	24	100	22	4.71	0.21	5	2.30	1791	<1	41	213	21	<5	<5	<1	258	<100	4	28	<10	4	47
297664	D045989	<0.005	<1	0.17	2	26	<1	<5	1.81	<4	7	266	7	1.70	0.05	1	0.59	594	3	12	631	32	<5	<5	3	78	<100	1	7	<10	5	14
297665	D045990	0.007	<1	0.24	<2	31	<1	<5	2.26	<4	7	79	12	1.69	0.06	2	0.65	620	2	11	692	16	<5	<5	<1	81	<100	2	12	<10	8	12
297666	D045991	0.031	<1	0.90	<2	26	<1	<5	4.38	<4	40	94	98	7.01	0.15	9	1.65	1588	13	38	727	17	<5	<5	2	161	245	<1	137	<10	8	65
297667 Dup	D045991	0.032	<1	0.92	2	26	<1	<5	4.54	<4	41	93	101	7.22	0.16	9	1.70	1639	14	40	761	23	<5	<5	2	167	252	4	140	<10	9	66
297668	D045992	0.069	<1	1.33	3	24	<1	<5	4.54	<4	38	97	67	6.70	0.16	12	1.92	1485	13	45	765	26	<5	<5	<1	171	272	<1	141	<10	8	115
297669	D045993	0.043	<1	1.65	<2	34	<1	<5	5.57	<4	44	122	124	7.85	0.16	14	1.86	1710	16	48	673	23	<5	<5	<1	173	415	8	218	<10	9	128
297670	D045994	0.032	<1	1.02	2	48	1	<5	5.96	<4	38	51	123	8.35	0.32	12	2.09	1578	15	31	510	22	<5	<5	3	218	305	2	181	<10	9	85
297671	D045995	0.023	<1	0.59	3	90	<1	<5	5.26	<4	35	99	279	6.36	0.25	6	1.72	1592	11	33	556	23	<5	<5	2	176	<100	3	107	<10	7	27
297672	D045996	<0.005	<1	0.17	<2	25	<1	<5	3.40	<4	13	73	22	2.73	0.09	2	1.12	1023	1	13	564	14	<5	<5	1	132	<100	<1	19	<10	7	13
297673	D045997	0.011	<1	1.78	<2	112	<1	<5	5.85	<4	45	111	185	8.59	0.51	19	3.22	1437	6	45	769	20	<5	<5	3	215	393	7	242	<10	9	112
297674	D045998	0.014	<1	1.48	3	88	<1	<5	5.78	<4	33	65	109	5.32	0.41	14	3.00	1076	3	68	2083	21	<5	<5	<1	244	315	5	89	<10	10	95
297675	D045999	0.014	<1	0.69	4	54	<1	<5	4.30	<4	46	124	87	6.00	0.27	5	1.59	1305	12	36	437	19	<5	<5	1	147	130	2	43	<10	6	54
297676	D046000	<0.005	<1	0.15	5	18	<1	<5	1.88	<4	10	68	14	1.92	0.07	1	0.54	592	4	8	660	12	<5	<5	<1	71	<100	3	7	<10	5	9
297677	D046001	<0.005	<1	0.17	3	20	<1	5	1.76	<4	8	207	13	1.84	0.08	1	0.49	551	4	11	680	13	<5	<5	2	67	<100	4	7	<10	5	7
297678 Dup	D046001	0.006	<1	0.19	3	22	<1	<5	1.86	<4	8	215	70	1.96	0.08	1	0.53	584	6	139	722	17	<5	<5	3	71	<100	<1	8	<10	5	118
297679	D046002	2.715	51	1.63	27	160	<1	<5	2.52	9	11	50	153	2.78	0.24	11	1.53	526	6	46	473	1017	79	<5	3	74	392	4	46	37	6	1992
297680	D046003	<0.005	<1	1.15	5	114	<1	<5	0.75	<4	12	44	21	2.01	0.11	9	0.56	367	6	33	485	13	<5	<5	2	39	1259	<1	52	38	7	60
297681	D046004	<0.005	<1	0.14	4	14	<1	<5	1.58	<4	7	66	16	1.35	0.06	1	0.41	442	3	6	644	21	<5	<5	<1	57	<100	6	5	<10	3	22
297682	D046005	0.010	<1	0.21	5	18	<1	<5	3.18	<4	17	158	164	3.11	0.11	2	0.90	923	6	17	788	26	<5	<5	2	130	<100	<1	14	<10	5	27
297683	D046006	0.013	<1	1.10	3	91	<1	<5	6.09	<4	44	82	72	6.79	0.94	15	2.36	1569	7	72	414	31	<5	<5	1	281	870	3	105	<10	6	90
297684	D046007	0.010	<1	1.85	2	8	<1	<5	6.24	<4	46	163	164	8.75	0.03	14	1.78	1795	15	65	308	23	<5	<5	3	196	416	8	193	<10	8	93
297685	D046008	0.008	<1	1.62	4	55	<1	<5	4.54	<4	46	77	172	8.60	0.15	11	1.31	1474	15	57	404	21	<5	<5	2	123	608	<1	173	<10	7	86
297686	D046009	0.007	<1	1.41	2	104	<1	<5	5.34	<4	45	139	136	8.80	0.47	11	1.28	2020	15	58	358	23	<5	5	4	173	882	2	178	<10	8	73

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 26, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044314
Reference: Castlewood Lake(CWL)
Sample #: 80 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
297687	D046010	0.012	<1	2.14	2	67	<1	<5	7.48	<4	39	101	109	8.76	0.22	15	1.77	2060	16	53	285	35	<5	<5	3	211	419	7	122	<10	10	69
297688	D046011	0.010	<1	3.69	2	28	<1	<5	6.27	<4	48	225	164	7.25	0.08	27	3.26	1473	<1	92	205	24	<5	<5	2	172	170	4	164	<10	7	106
297689 Dup	D046011	0.010	<1	3.51	<2	26	<1	<5	5.93	<4	46	214	160	6.87	0.07	25	3.10	1393	1	89	196	21	<5	<5	<1	163	155	6	156	<10	6	100
297690	D046012	0.008	<1	2.13	2	50	<1	<5	6.74	<4	44	87	94	7.36	0.23	16	2.61	1772	14	98	220	21	<5	<5	2	194	212	1	80	<10	6	88
297691	D046013	0.005	<1	3.16	<2	54	<1	<5	6.27	<4	43	127	103	7.07	0.19	24	3.24	1444	1	110	414	20	<5	<5	1	196	187	<1	97	<10	7	96
297692	D046014	0.010	<1	3.22	<2	55	<1	<5	6.29	<4	43	76	81	6.10	0.30	25	3.44	1254	<1	130	173	20	<5	<5	3	166	323	3	80	<10	6	91
297693	D046015	0.007	<1	2.71	<2	53	<1	<5	6.71	<4	41	80	87	5.84	0.32	19	3.45	1147	2	130	166	14	<5	<5	2	197	248	5	65	<10	5	83
297694	D046016	0.010	<1	2.01	<2	141	<1	<5	6.83	<4	45	123	111	6.33	1.36	16	2.55	1536	5	107	209	20	<5	<5	2	219	1503	7	117	<10	6	72
297695	D046017	0.008	<1	3.32	2	105	<1	<5	7.24	<4	49	202	158	8.93	0.18	20	2.63	1907	16	105	216	21	<5	<5	<1	156	317	3	106	<10	9	85
297696	D046018	0.006	<1	3.60	<2	47	<1	<5	5.74	<4	50	97	114	6.91	0.15	24	3.42	1149	<1	141	250	19	<5	<5	2	137	138	7	69	<10	7	88
297697	D046019	0.006	<1	3.28	<2	45	<1	<5	5.74	<4	42	102	103	5.66	0.17	23	3.64	968	<1	140	226	12	<5	<5	<1	143	<100	2	59	<10	5	85
297698	D046020	0.006	<1	2.13	<2	89	<1	<5	6.47	<4	41	53	78	4.98	0.20	15	3.16	1109	<1	126	208	20	<5	<5	2	135	<100	4	35	<10	5	73
297699	D046021	0.007	<1	2.49	<2	119	<1	<5	6.22	<4	44	197	104	5.48	0.65	18	3.45	1008	<1	115	241	20	<5	<5	<1	189	571	2	66	<10	5	76
297700 Dup	D046021	0.007	<1	2.43	2	118	<1	<5	6.11	<4	41	193	99	5.35	0.63	18	3.37	987	<1	111	233	14	<5	<5	<1	185	554	4	64	<10	5	75
297701	D046022	<0.005	<1	2.73	2	852	<1	<5	7.88	<4	37	427	57	4.91	2.10	25	4.03	1193	3	184	866	30	<5	<5	4	204	2056	7	148	<10	9	68
297702	D046023	0.012	1	2.99	3	87	2	<5	9.31	<4	36	311	119	5.00	0.22	22	2.83	1203	3	97	196	19	5	<5	3	193	124	4	72	<10	9	65
297703	D046024	<0.005	<1	3.59	3	50	<1	<5	7.51	<4	43	98	92	5.77	0.14	26	3.46	1145	<1	149	170	19	<5	<5	<1	90	<100	1	59	<10	7	112
297704	D046025	0.006	<1	3.95	3	64	<1	<5	6.93	<4	49	154	110	6.70	0.15	25	3.58	1258	2	176	326	16	6	<5	<1	83	<100	2	68	<10	7	126
297705	D046026	0.007	<1	4.06	3	42	<1	<5	7.47	<4	52	111	198	7.33	0.11	23	3.65	1519	<1	165	274	15	<5	<5	3	94	103	3	106	<10	9	128
297706	D046027	<0.005	<1	3.86	3	42	<1	<5	6.73	<4	46	258	113	7.99	0.08	18	3.05	1698	4	107	199	17	<5	<5	1	78	255	3	167	<10	9	104
297707	D046028	<0.005	<1	4.09	<2	3	<1	<5	5.97	<4	39	231	56	6.68	<0.01	21	4.15	1151	<1	96	183	12	<5	<5	4	69	1388	<1	200	<10	7	53
297708	D046029	<0.005	<1	4.13	<2	3	<1	<5	5.58	<4	46	253	118	7.30	<0.01	19	4.04	1228	<1	99	194	16	<5	9	5	74	1963	3	203	<10	9	64
297709	D046030	<0.005	<1	4.04	<2	2	<1	<5	5.18	<4	46	230	119	7.29	<0.01	19	4.08	1182	<1	99	213	16	<5	<5	5	66	1996	3	203	<10	9	69
297710	D046031	<0.005	<1	3.95	<2	3	<1	<5	4.65	<4	43	237	125	6.79	0.13	19	3.56	1164	1	86	196	18	<5	5	5	51	1980	3	174	<10	7	98
297711 Dup	D046031	<0.005	<1	3.88	3	2	<1	<5	4.55	<4	41	232	126	6.68	0.13	19	3.51	1144	<1	88	192	11	<5	<5	2	50	1850	8	171	<10	6	97
297712	D046032	0.007	<1	2.89	<2	2	<1	<5	2.99	<4	37	167	115	5.71	<0.01	13	2.82	964	<1	68	263	17	<5	<5	3	38	1736	4	116	<10	4	67
297713	D046033	<0.005	<1	3.52	2	2	<1	<5	3.87	<4	43	210	118	6.22	<0.01	16	3.53	1012	1	96	199	13	<5	<5	3	37	1710	3	134	<10	3	66
297714	D046034	<0.005	<1	3.27	2	4	<1	<5	2.19	<4	39	163	122	5.64	0.01	14	3.18	842	<1	92	206	18	<5	<5	4	36	2132	8	96	<10	3	66
297715	D046035	<0.005	<1	3.10	<2	2	<1	<5	3.17	<4	37	195	111	5.08	<0.01	13	2.89	917	1	89	190	11	<5	<5	4	44	2097	<1	98	<10	3	58
297716	D046036	<0.005	<1	3.85	3	2	<1	<5	5.53	<4	45	211	112	6.63	<0.01	18	3.82	1302	<1	101	195	14	<5	<5	2	45	2041	6	155	<10	5	76

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 26, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044314
Reference: Castlewood Lake(CWL)
Sample #: 80 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
297717	D046037	<0.005	<1	3.95	2	2	<1	<5	5.35	<4	47	247	114	6.75	<0.01	20	3.79	1201	<1	103	190	13	<5	<5	3	39	2164	1	151	<10	5	79
297718	D046038	<0.005	<1	3.69	<2	3	<1	<5	4.68	<4	47	230	113	5.95	<0.01	20	3.57	1157	<1	110	211	12	5	<5	2	35	1985	4	142	<10	4	83
297719	D046039	<0.005	<1	3.14	5	2	<1	<5	4.63	<4	53	271	127	5.15	<0.01	16	2.65	1102	<1	120	225	13	<5	<5	4	34	2444	4	96	<10	3	75
297720	D046040	<0.005	<1	3.32	2	2	<1	<5	5.04	<4	48	208	125	5.54	<0.01	19	2.90	1249	<1	112	213	13	<5	7	3	28	1914	1	98	<10	3	81
297721	D046041	0.006	<1	3.30	4	14	<1	<5	5.32	<4	51	221	134	6.96	0.03	17	2.14	1700	12	109	273	15	<5	<5	2	23	1624	6	110	<10	3	152
297722 Rep	D046041	0.006	<1	3.34	4	8	<1	<5	4.95	<4	46	182	122	6.18	0.02	17	2.54	1351	2	97	231	9	<5	<5	2	38	1354	3	103	<10	3	104
297723	D046042	<0.005	<1	3.08	8	17	<1	<5	4.92	<4	58	181	127	6.13	0.10	16	1.81	1512	11	143	217	13	<5	<5	4	19	1391	4	86	<10	3	93
297724	D046043	<0.005	<1	2.77	13	16	<1	<5	5.25	<4	51	147	123	5.66	0.10	15	1.58	1498	10	131	217	12	<5	<5	2	22	1112	<1	80	<10	3	80
297725	D046044	<0.005	<1	3.28	9	23	<1	<5	5.00	<4	50	186	131	6.21	0.10	20	2.30	1396	2	129	208	16	<5	<5	3	23	1090	5	101	<10	3	81
297726	D046045	0.006	<1	3.70	2	18	<1	<5	6.79	<4	47	202	123	6.79	0.06	23	2.77	1525	2	106	206	14	5	<5	5	33	1366	<1	131	<10	5	86
297727	D046046	<0.005	<1	3.57	<2	20	<1	<5	6.22	<4	44	214	108	6.30	0.04	20	3.01	1368	<1	106	194	14	<5	<5	3	37	1732	6	110	<10	3	72
297728	D046047	0.007	<1	4.24	2	2	<1	<5	4.55	<4	46	222	127	6.93	<0.01	21	4.14	1167	<1	108	195	16	<5	<5	<1	39	2130	2	148	<10	4	74
297729	D046048	0.005	<1	3.79	3	2	<1	<5	3.98	<4	45	229	118	6.18	<0.01	17	3.71	1104	<1	100	195	13	<5	<5	<1	49	2152	2	119	<10	3	69
297730	D046049	0.005	<1	3.63	<2	2	<1	<5	4.41	<4	44	195	114	5.94	<0.01	16	3.61	1161	2	98	192	16	<5	<5	4	52	2001	12	111	<10	3	68
297731	D046050	<0.005	<1	3.46	<2	3	<1	<5	4.70	<4	43	206	114	5.73	<0.01	16	3.42	1109	<1	97	195	9	<5	<5	2	61	2031	5	112	<10	3	67
297732	D046051	<0.005	<1	3.35	<2	3	<1	<5	4.64	<4	42	183	107	5.56	<0.01	16	3.32	1078	1	93	189	16	<5	<5	4	62	2100	6	110	<10	3	64
297733 Dup	D046051	0.005	<1	3.41	<2	3	<1	<5	4.72	<4	42	185	110	5.64	<0.01	16	3.37	1102	1	95	196	13	<5	<5	3	61	1984	2	110	<10	3	67
297734	D046052	1.204	2	0.11	98	257	<1	91	0.03	<4	2	21	49	4.07	0.01	<1	0.02	<100	18	8	<100	95	11	10	10	7	<100	5	23	<10	<1	<1
297735	D046053	<0.005	<1	1.05	3	109	<1	<5	0.66	<4	10	42	20	1.95	0.10	9	0.53	342	5	29	473	12	<5	<5	2	34	1055	6	48	40	7	35
297736	D046054	<0.005	<1	3.50	3	5	<1	<5	4.78	<4	44	201	115	5.72	<0.01	20	3.51	1057	<1	99	206	12	<5	<5	4	50	1609	5	133	<10	3	66
297737	D046055	0.006	<1	3.80	<2	2	<1	<5	4.76	<4	44	234	103	6.36	<0.01	23	3.66	1120	2	96	189	13	5	6	4	50	1575	3	145	<10	4	66
297738	D046056	0.006	<1	3.93	2	3	<1	<5	5.95	<4	43	206	105	6.58	0.01	25	3.72	1175	1	95	196	12	<5	<5	3	69	1569	7	162	<10	5	65
297739	D046057	0.006	<1	4.41	4	3	<1	<5	5.56	<4	47	257	124	7.44	0.01	28	4.10	1195	<1	109	203	17	<5	<5	3	68	1925	5	193	<10	7	76
297740	D046058	0.008	<1	3.92	<2	10	<1	<5	6.16	<4	46	214	115	6.66	0.04	25	3.51	1236	<1	107	204	10	5	<5	4	75	1338	9	169	<10	8	79
297741	D046059	0.015	<1	3.57	3	76	<1	<5	6.90	<4	33	250	97	5.22	0.14	23	3.47	1030	2	92	701	16	<5	<5	1	119	106	5	80	<10	6	76
297742	D046060	0.024	<1	2.56	2	47	<1	<5	5.70	<4	20	188	90	3.45	0.11	17	2.65	777	4	57	1625	14	<5	<5	<1	131	<100	9	64	<10	8	62
297743	D046061	0.009	<1	2.60	2	58	<1	<5	6.73	<4	33	169	85	5.11	0.19	14	3.42	1110	5	66	129	17	<5	<5	3	117	<100	10	56	<10	5	65
297744 Dup	D046061	0.008	<1	2.64	2	58	<1	<5	6.85	<4	34	171	118	5.20	0.19	14	3.46	1125	9	138	124	22	<5	<5	<1	118	<100	5	56	<10	5	203

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory