ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 19, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 10/08/2010
Job #: 201044077
Reference: Castlewood Lake (CWL)
Sample #: 106 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
280978	D045290	0.009	1	9.25	9	47	2	27	7.22	10	96	233	107	12.90	1.79	25	2.60	5146	24	97	191	18	7	19	5	104	315	110	186	14	7	129
280979	D045291	<0.005	<1	7.21	13	337	2	24	7.24	6	117	239	152	6.99	1.50	29	2.75	2128	10	98	220	7	5	16	6	90	142	45	174	11	6	111
280980	D045292	<0.005	<1	8.58	11	545	1	24	5.49	5	112	289	154	5.65	1.70	31	2.76	1244	13	112	260	7	8	16	6	96	255	177	189	13	10	124
280981	D045293	<0.005	<1	8.73	8	309	1	26	5.04	4	107	318	110	5.04	1.87	31	2.78	1103	14	112	253	9	7	19	7	102	284	53	208	11	12	133
280982	D045294	<0.005	<1	6.92	10	135	1	23	6.29	5	110	302	134	6.50	1.01	30	3.07	1418	6	116	250	11	7	11	4	76	318	152	209	14	15	139
280983	D045295	<0.005	1	12.08	11	1309	2	33	7.42	5	138	388	212	6.27	2.29	44	3.61	1435	20	133	332	19	10	19	7	132	765	125	276	16	22	153
280984	D045296	<0.005	<1	7.48	6	92	1	22	6.16	5	115	302	154	6.13	1.17	33	3.14	1377	6	111	268	6	6	11	5	86	590	127	208	13	16	132
280985	D045297	<0.005	<1	8.46	11	131	1	22	5.23	4	93	297	147	4.65	1.66	31	2.55	1100	14	86	218	7	7	14	5	102	1349	125	190	10	15	91
280986	D045298	<0.005	<1	9.42	10	187	1	23	6.15	4	103	292	154	5.51	1.78	35	2.90	1357	13	95	247	7	9	16	4	109	1182	96	215	11	17	97
280987	D045299	<0.005	<1	9.49	11	566	1	23	6.02	4	108	303	141	5.50	2.15	36	2.97	1325	16	100	255	5	7	11	4	106	674	187	207	11	18	99
280988 Dup	D045299	0.006	2	13.57	13	762	2	36	8.38	6	147	414	199	7.61	2.64	52	4.05	1806	23	132	360	13	11	32	8	148	883	246	284	15	25	132
280989	D045300	<0.005	<1	8.29	8	436	1	23	6.32	4	84	236	117	4.88	2.07	32	2.71	1309	16	86	215	4	7	18	6	92	256	132	150	13	12	84
280990	D045301	<0.005	1	9.86	9	674	1	25	7.18	5	97	307	132	5.32	2.00	37	2.84	1463	20	94	245	8	6	15	7	112	311	194	168	12	14	89
280991	D045302	1.181	3	3.86	82	355	1	49	0.45	<4	<1	33	55	3.92	1.60	12	0.22	110	26	10	<100	99	12	22	9	62	163	5	25	11	3	35
280992	D045303	<0.005	1	8.86	14	574	2	21	2.05	<4	28	70	29	2.66	1.88	24	1.05	523	22	35	563	10	6	24	6	248	1797	72	81	45	17	73
280993	D045304	0.007	1	9.37	5	623	1	31	6.47	6	105	244	167	7.48	2.18	35	2.76	1923	16	92	251	6	8	15	6	106	234	75	188	12	8	111
280994	D045305	0.007	1	10.01	7	49	2	31	7.10	10	104	190	168	12.32	1.85	39	3.27	3180	20	52	313	13	8	10	4	100	183	151	306	15	7	153
280995	D045306	0.016	1	8.42	11	56	2	32	8.20	9	106	204	191	11.08	1.66	33	3.10	3226	18	47	272	14	11	9	5	114	155	20	257	12	6	149
280996	D045307	0.017	<1	10.42	10	320	2	32	6.67	6	96	272	142	7.21	1.82	33	2.85	1720	15	88	300	13	8	15	7	148	205	145	205	14	7	124
280997	D045308	0.054	<1	7.30	6	59	2	33	6.70	8	92	173	129	9.90	1.02	27	2.83	2526	15	49	303	15	9	<5	5	123	137	180	240	14	6	140
280998	D045309	0.008	1	10.02	10	48	2	33	7.48	9	101	144	161	10.76	1.84	35	2.95	3026	21	43	341	16	9	15	5	151	188	129	292	15	8	155
280999 Dup	D045309	0.007	<1	7.98	8	32	2	30	7.09	8	98	135	154	10.30	1.40	29	2.77	2931	17	38	313	16	8	13	4	129	152	92	278	14	7	145
281000	D045310	0.011	1	10.80	8	209	2	30	6.50	7	88	307	118	9.37	1.82	33	2.29	2552	21	80	260	11	8	7	7	157	262	142	216	11	8	132
281001	D045311	0.026	1	9.90	14	280	2	28	6.40	7	142	287	155	8.65	1.89	29	1.95	2232	19	138	237	12	8	9	6	138	241	169	189	12	7	118
281002	D045312	0.025	<1	7.47	14	193	1	29	7.25	6	114	371	143	7.21	1.87	23	1.86	2280	16	127	218	11	6	14	5	116	209	27	153	13	8	105
281003	D045313	0.017	<1	9.27	16	133	2	21	6.71	6	107	286	159	7.65	1.79	35	3.56	1464	13	105	213	8	7	14	6	123	200	75	192	14	7	129
281004	D045314	0.017	2	10.03	9	82	2	30	6.65	7	117	314	138	8.29	1.58	38	4.11	1415	15	120	224	13	6	16	9	133	163	267	223	20	8	147
281005	D045315	0.010	1	9.45	8	125	2	27	6.77	7	94	379	59	8.29	1.89	30	3.49	1821	17	96	221	10	8	11	7	152	176	170	215	17	7	146
281006	D045316	0.010	<1	8.90	7	235	2	27	4.60	7	123	171	122	8.69	1.41	24	1.40	1565	18	60	357	7	8	17	3	108	226	140	238	13	7	145
281007	D045317	0.021	<1	9.42	12	394	2	30	6.55	7	121	205	159	9.22	1.92	24	1.37	2237	19	71	364	14	6	13	6	126	259	<1	254	13	8	142

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 19, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 10/08/2010
Job #: 201044077
Reference: Castlewood Lake (CWL)
Sample #: 106 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
281008	D045318	0.013	<1	7.47	8	298	2	26	5.61	8	133	331	172	9.69	1.72	23	1.49	1984	17	75	362	18	8	<5	5	95	198	95	228	14	7	148
281009	D045319	0.014	<1	8.62	9	428	2	26	6.02	6	112	221	135	8.33	1.76	23	1.35	2068	18	69	344	11	8	13	6	121	249	16	212	14	8	125
281010 Dup	D045319	0.010	1	12.37	9	610	2	38	8.09	9	148	297	179	10.93	2.21	33	1.82	2756	25	90	467	16	11	34	9	169	367	131	296	14	11	170
281011	D045320	<0.005	<1	5.99	6	294	<1	21	4.64	7	41	204	93	8.06	0.92	24	2.35	1354	10	101	224	4	5	<5	5	71	160	7	171	10	6	152
281012	D045321	<0.005	<1	6.37	4	372	<1	18	5.58	5	28	493	9	6.48	1.49	24	2.03	1427	11	90	256	2	<5	11	5	92	191	8	144	10	7	122
281013	D045322	<0.005	<1	8.11	5	545	<1	21	5.01	8	38	209	9	9.30	1.41	33	3.09	1370	9	111	530	12	5	9	7	93	221	3	231	10	7	180
281014	D045323	<0.005	<1	6.64	5	215	<1	22	3.97	7	33	331	16	8.33	1.00	29	2.91	1260	7	98	448	6	5	7	4	69	157	7	175	10	8	158
281015	D045324	<0.005	<1	6.72	5	167	<1	23	5.22	6	37	220	89	7.65	1.04	28	2.85	1349	6	96	384	7	5	<5	5	101	174	8	202	10	6	155
281016	D045325	0.007	<1	7.46	10	338	<1	23	6.48	7	47	243	168	8.48	1.27	32	3.23	1527	7	105	531	11	7	8	3	103	192	6	216	12	9	159
281017	D045326	<0.005	<1	6.24	4	166	<1	23	5.76	5	27	170	96	6.16	1.13	24	2.32	1185	6	63	366	4	<5	10	4	92	151	6	177	<10	7	109
281018	D045327	0.006	<1	6.04	5	297	<1	20	6.39	6	30	183	124	6.70	1.10	23	2.38	1600	6	71	284	7	6	11	4	92	168	9	164	10	7	104
281019	D045328	0.009	<1	6.22	10	338	<1	20	6.36	6	27	152	95	6.77	1.34	23	2.26	1427	8	56	251	10	<5	10	4	90	230	14	147	10	6	98
281020	D045329	<0.005	<1	9.34	6	610	2	26	5.43	6	112	212	87	7.11	1.70	34	4.04	1284	10	139	318	7	8	23	5	108	377	175	167	14	8	122
281021 Dup	D045329	<0.005	1	12.49	11	821	2	29	7.00	8	146	276	111	9.27	2.01	45	5.09	1618	12	175	411	16	8	27	7	146	493	48	223	19	11	154
281022	D045330	<0.005	<1	9.52	10	2427	2	25	7.48	5	77	478	122	6.41	1.87	28	3.12	1373	13	69	219	7	8	20	4	124	908	131	180	12	12	91
281023	D045331	<0.005	1	10.10	5	937	1	24	6.24	6	90	473	78	7.18	1.79	30	3.38	1395	14	65	238	8	7	19	7	119	3953	73	195	13	19	97
281024	D045332	<0.005	1	8.93	7	591	1	26	7.04	7	118	375	187	8.30	1.81	29	3.52	1739	12	92	213	10	8	11	6	103	4034	131	190	11	18	103
281025	D045333	0.007	1	9.81	7	194	2	31	7.14	6	101	380	199	7.36	1.79	28	3.24	1579	14	69	240	7	8	11	5	141	4298	85	206	14	18	93
281026	D045334	<0.005	1	11.19	11	134	2	33	7.82	7	131	543	286	8.52	2.24	32	4.10	1846	14	84	287	13	7	19	7	167	5283	154	248	11	20	110
281027	D045335	<0.005	<1	8.79	8	521	2	21	8.51	5	85	465	171	6.13	1.91	24	2.95	1336	14	58	207	13	6	16	7	223	3958	168	207	12	15	81
281028	D045336	<0.005	<1	8.84	6	388	1	28	5.94	5	83	400	125	6.34	1.75	22	2.99	1301	13	54	211	8	6	10	6	153	3938	65	192	13	15	90
281029	D045337	<0.005	1	10.06	7	1955	2	28	7.13	6	96	440	132	8.01	1.87	25	3.37	1752	16	63	248	15	7	10	7	190	4510	93	202	13	16	109
281030	D045338	<0.005	<1	8.99	6	3360	2	25	6.62	5	96	476	102	6.54	1.98	22	3.45	1326	17	65	224	10	7	17	6	155	4348	171	197	12	15	98
281031	D045339	<0.005	1	8.85	7	1973	2	22	5.77	5	99	440	169	6.81	1.83	21	3.88	1246	15	69	249	15	10	18	6	139	4711	36	208	11	15	104
281032 Dup	D045339	<0.005	1	8.75	10	2002	2	28	5.92	5	105	457	176	7.00	1.89	21	4.02	1290	15	72	260	9	6	9	7	141	4847	112	211	12	15	105
281033	D045340	<0.005	<1	6.08	10	1003	1	17	6.49	5	88	431	123	6.24	0.94	14	3.30	1215	6	61	231	8	6	13	4	116	4490	146	193	13	12	92
281034	D045341	<0.005	<1	9.15	8	543	1	29	7.05	6	106	354	144	7.84	1.74	23	3.99	1508	11	66	254	8	9	13	5	144	4803	126	228	13	17	110
281035	D045342	<0.005	1	9.04	8	771	2	23	7.53	6	92	326	170	7.25	1.83	26	3.50	1463	14	54	227	8	8	15	7	128	4203	73	214	14	17	102
281036	D045343	<0.005	<1	6.02	7	698	1	21	5.32	5	94	305	171	6.86	0.86	15	3.41	1362	4	52	242	5	7	<5	5	96	4824	50	200	13	13	94
281037	D045344	<0.005	1	9.51	8	1356	2	32	7.59	6	83	338	100	7.79	1.78	24	3.34	1910	14	43	240	11	9	14	6	148	4671	62	223	13	19	101

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 19, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 10/08/2010
Job #: 201044077
Reference: Castlewood Lake (CWL)
Sample #: 106 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
281038	D045345	<0.005	<1	6.61	9	499	1	25	4.72	5	93	288	213	6.44	1.15	18	3.31	1191	6	46	244	5	8	18	5	105	4750	87	202	11	14	101
281039	D045346	<0.005	<1	8.56	9	1370	2	30	7.50	5	101	333	142	6.53	1.92	21	3.32	1339	14	51	272	10	8	13	7	196	4764	109	246	12	19	95
281040	D045347	<0.005	<1	7.09	7	1639	2	26	7.67	5	87	344	96	6.57	1.70	21	3.53	1404	9	57	404	9	6	19	5	138	4607	60	227	15	17	99
281041	D045348	<0.005	1	9.66	10	582	2	31	7.55	7	122	382	177	8.87	2.09	24	4.54	1621	13	67	307	12	7	13	8	163	6710	69	293	14	18	127
281042	D045349	0.006	<1	8.33	7	297	1	28	5.39	5	87	266	106	6.58	1.76	21	3.19	1179	14	42	251	9	<5	10	6	132	4801	162	215	12	15	100
281043 Rep	D045349	0.052	1	10.17	8	333	2	30	6.27	6	93	287	119	7.35	1.83	24	3.49	1307	17	46	270	10	6	14	6	160	5264	147	248	11	18	102
281044	D045350	<0.005	<1	6.29	6	187	1	20	5.69	5	75	207	128	5.96	1.02	17	2.79	1305	6	34	214	10	6	12	5	95	4076	99	187	12	13	95
281045	D045351	<0.005	1	10.58	13	350	2	33	7.11	6	94	263	174	7.64	1.83	26	3.50	1592	17	44	284	7	8	22	6	158	5422	27	261	13	19	122
281046	D045352	2.922	61	7.56	32	498	2	21	3.39	11	22	66	188	3.32	1.79	19	1.88	625	20	44	519	1070	38	18	5	301	701	22	68	36	11	2248
281047	D045353	<0.005	2	9.87	13	645	2	27	2.25	<4	25	72	33	2.85	1.84	26	1.16	585	23	39	620	23	7	23	7	283	1965	154	89	53	18	104
281048	D045354	<0.005	<1	9.58	8	295	1	24	7.32	6	95	253	142	7.61	1.80	24	3.53	1460	14	45	264	16	8	19	8	145	5077	93	255	13	19	108
281049	D045355	<0.005	<1	9.52	11	477	2	29	6.87	6	99	215	183	7.87	1.78	24	3.75	1460	12	51	293	13	8	6	8	146	5546	134	266	13	19	119
281050	D045356	<0.005	<1	7.40	9	265	2	24	6.30	7	120	134	160	8.34	1.27	20	4.04	1472	7	64	277	12	8	15	6	110	5409	89	242	12	16	117
281051	D045357	<0.005	1	9.91	10	352	2	32	7.21	7	118	201	120	9.18	1.83	27	4.31	2031	13	56	332	7	6	12	9	140	6321	120	280	16	19	130
281052	D045358	<0.005	1	8.58	8	142	2	27	5.90	6	106	130	144	7.82	1.83	22	3.64	1457	12	49	304	11	5	15	5	129	5552	113	242	15	17	133
281053	D045359	<0.005	<1	7.87	6	155	1	21	6.81	9	116	136	388	8.10	1.44	22	3.51	1554	8	49	256	6	5	9	4	127	5215	95	211	12	15	151
281054 Dup	D045359	<0.005	1	9.09	8	164	2	21	6.97	8	113	137	381	8.09	1.87	25	3.49	1539	10	49	259	7	<5	9	3	144	5022	66	218	<10	17	149
281055	D045360	<0.005	1	10.41	6	231	2	27	6.31	7	113	117	432	7.79	1.85	28	3.22	1443	13	41	297	5	<5	10	6	180	5577	82	242	<10	19	103
281056	D045361	0.008	2	12.61	8	1385	2	33	8.38	10	143	462	229	10.50	2.24	39	4.16	2182	16	80	520	7	5	24	4	150	6734	115	330	11	28	135
281057	D045362	<0.005	1	10.77	8	968	2	25	6.80	9	116	485	171	8.79	1.72	37	3.37	1977	13	81	208	7	<5	14	3	138	4216	97	217	10	20	101
281058	D045446	0.007	1	9.00	8	350	2	22	5.28	7	121	210	170	7.16	1.74	23	1.44	1537	18	62	339	15	5	22	6	297	1808	89	210	10	13	132
281059	D045447	<0.005	2	7.30	5	393	2	19	6.29	5	104	173	154	5.72	1.69	23	1.32	1239	15	66	302	18	<5	17	3	252	1099	45	192	10	13	111
281060	D045448	<0.005	1	9.02	6	401	2	18	8.19	6	95	424	119	6.89	1.82	30	2.25	1607	16	87	396	12	<5	18	5	267	1742	82	196	<10	16	130
281061	D045449	<0.005	<1	8.03	8	308	2	24	8.71	7	108	264	170	6.78	1.61	28	2.90	1490	8	99	219	8	<5	16	4	201	1932	106	221	10	16	98
281062	D045450	0.118	1	10.58	8	61	2	29	6.75	8	128	516	127	8.14	1.77	41	4.72	1230	8	135	388	6	6	13	6	173	4036	76	243	11	20	107
281063	D045451	0.081	1	9.12	5	52	1	22	5.91	7	110	384	112	7.16	1.56	36	4.18	1070	8	120	329	4	6	13	3	147	3392	83	215	10	17	94
281064	D045452	2.982	62	8.64	31	484	2	21	3.31	11	25	67	194	3.15	2.13	24	1.82	593	21	43	466	1010	45	25	6	318	762	12	67	29	12	2059
281065 Dup	D045452	Insufficient Sample																														
281066	D045453	<0.005	2	8.40	10	577	2	22	1.98	<4	28	63	33	2.54	1.99	23	1.02	512	17	35	534	24	<5	25	5	257	1825	76	78	45	16	107
281067	D045454	0.008	1	9.62	8	45	2	28	5.53	8	127	304	168	8.57	1.51	36	4.54	1215	5	108	214	9	5	10	6	158	4358	180	254	10	19	103

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 19, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 10/08/2010
Job #: 201044077
Reference: Castlewood Lake (CWL)
Sample #: 106 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
281068	D045455	0.006	1	10.84	8	49	2	28	6.12	7	116	255	145	7.87	1.85	39	4.27	1139	11	102	202	4	5	13	4	194	4006	118	231	10	20	98
281069	D045456	0.058	<1	9.55	4	602	2	22	7.04	8	126	334	104	8.57	1.80	38	4.68	1495	5	111	243	12	5	14	6	264	3859	83	245	14	19	118
281070	D045457	0.006	1	9.47	7	248	2	25	5.59	7	107	281	103	7.21	1.93	36	3.88	1192	9	103	243	6	<5	8	5	187	3532	80	213	11	18	100
281071	D045458	0.012	<1	9.23	7	43	1	24	6.27	7	105	273	134	7.15	1.78	34	3.44	1114	7	91	175	6	5	15	5	158	3660	99	203	<10	16	100
281072	D045459	<0.005	<1	8.67	5	44	1	24	6.43	7	115	248	143	7.41	1.45	33	3.59	1278	6	102	186	6	<5	9	4	128	3981	110	209	<10	15	108
281073	D045460	<0.005	2	7.18	8	31	3	19	4.53	7	97	240	130	6.01	1.20	26	3.32	989	6	92	160	7	5	13	5	133	3348	66	166	14	14	89
281074	D045461	0.034	<1	8.71	7	48	1	26	4.76	7	120	268	144	7.50	1.69	30	4.36	1138	6	106	232	1	6	10	4	158	4257	65	196	11	14	101
281075	D045462	<0.005	1	9.55	4	50	2	23	5.04	7	119	379	109	7.89	1.96	34	4.81	1195	7	105	407	10	5	19	4	164	4900	73	230	<10	18	115
281076 Dup	D045462	<0.005	<1	7.34	8	32	2	22	4.50	7	116	369	108	7.59	1.07	29	4.65	1151	1	103	396	6	<5	12	2	129	4780	95	211	<10	15	109
281077	D045463	<0.005	1	8.81	8	156	1	22	5.08	6	109	283	130	6.95	2.09	34	3.09	1425	10	100	242	4	5	21	6	114	3668	108	171	10	14	107
281078	D045464	<0.005	<1	8.72	5	24	1	26	7.17	9	134	414	147	8.98	0.99	38	5.04	1502	2	128	359	9	<5	14	5	107	4661	90	265	11	18	115
281079	D045465	<0.005	1	9.18	6	39	1	25	5.86	6	109	430	98	6.77	1.83	31	4.26	1093	11	123	456	6	5	10	5	163	4096	90	206	<10	17	91
281080	D045466	<0.005	1	9.63	5	41	1	26	5.08	7	120	300	139	7.17	1.76	29	4.07	1045	13	101	212	6	<5	12	2	200	4154	122	190	<10	15	95
281081	D045467	<0.005	1	10.15	7	43	2	29	5.90	7	126	287	168	7.89	1.74	31	4.40	1175	10	108	220	9	<5	13	4	226	4570	88	217	<10	16	102
281082	D045468	<0.005	<1	7.90	5	30	1	21	5.54	5	93	263	123	5.63	1.48	23	2.91	1004	9	84	189	7	<5	13	4	185	3557	112	170	<10	13	77
281083	D045469	<0.005	<1	10.06	8	40	1	24	8.15	6	112	260	154	6.96	1.82	32	2.86	1376	11	92	211	7	<5	17	4	241	4270	116	215	10	17	88
281084	D045470	<0.005	<1	9.50	7	32	1	22	6.65	7	115	277	136	7.54	1.71	34	3.34	1357	10	96	201	9	<5	11	4	156	4187	78	221	<10	17	104
281085	D045471	<0.005	1	10.02	9	43	1	29	7.53	7	110	257	144	6.97	1.97	35	3.02	1340	10	93	217	3	<5	15	5	199	4280	54	222	10	18	85
281086	D045472	<0.005	1	10.04	8	38	1	25	5.76	7	120	388	314	7.08	1.94	38	4.01	1133	8	393	345	12	<5	13	5	165	4166	139	229	<10	18	140
281087 Dup	D045472	<0.005	1	14.58	9	49	2	34	8.57	10	174	584	220	10.47	2.59	57	5.84	1663	12	176	521	15	<5	<5	6	241	6250	95	339	13	27	157
281088	D045473	0.010	1	9.61	6	46	1	26	7.21	6	103	275	110	6.77	1.81	37	3.40	1153	12	96	252	5	<5	<5	5	217	3969	81	206	<10	18	89
281089	D045474	0.006	1	9.56	7	67	1	24	7.06	7	109	296	156	7.39	1.95	36	3.34	1223	10	97	192	7	<5	10	4	207	3476	55	215	<10	18	95
281090	D045475	0.007	1	11.89	7	66	2	31	10.67	9	139	304	174	8.84	2.63	43	3.76	1672	14	121	265	8	5	15	7	304	2509	4	257	10	22	112
281091	D045476	0.006	1	10.19	6	488	2	25	8.10	7	108	329	160	7.12	2.07	42	3.98	1202	10	133	261	12	8	20	4	262	574	108	146	11	12	122
281092	D045477	0.005	1	10.54	6	417	2	22	6.49	6	99	570	171	6.61	2.05	48	4.26	979	12	134	480	13	5	16	5	331	792	52	165	<10	12	111
281093	D045478	6.746	1	10.71	8	573	3	24	9.06	6	108	720	53	6.75	2.55	61	4.62	1366	16	183	848	18	6	8	2	722	3076	119	206	11	18	132

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory