ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
327990	D040879	18	2	7.49	14	31	3	23	4.31	<4	36	144	98	8.84	1.35	36	2.98	1247	<1	71	434	10	5	<5	<10	139	6964	5	214	<10	20	122
327991	D040880	30	2	7.78	16	86	3	17	5.49	<4	37	132	110	8.75	1.59	32	3.05	1307	<1	63	559	10	7	<5	<10	184	5709	9	230	<10	22	101
327992	D040881	20	<1	6.66	17	58	2	19	8.07	<4	30	344	77	6.73	1.57	32	4.31	1348	<1	148	858	11	8	<5	<10	364	3087	8	172	<10	16	62
327993	D040882	231	<1	6.38	12	338	3	28	5.17	<4	28	134	107	6.70	2.14	21	2.78	956	<1	50	838	11	6	<5	<10	280	3964	5	194	<10	14	88
327994	D040883	17	<1	6.93	14	99	3	21	5.99	<4	31	220	65	7.77	1.16	33	3.59	1137	<1	89	602	13	5	<5	<10	248	1381	11	204	<10	17	80
327995	D040884	18	<1	7.22	13	41	2	23	5.32	<4	33	143	90	8.69	1.24	36	3.17	1149	<1	64	355	10	6	<5	<10	158	1678	6	213	<10	18	85
327996	D040885	19	<1	7.47	12	99	2	20	4.91	<4	30	146	106	8.39	1.42	35	2.98	1058	<1	59	362	9	8	<5	<10	149	1324	11	194	<10	15	85
327997	D040886	89	<1	7.14	15	101	3	25	5.11	<4	30	139	74	8.31	1.38	33	2.97	1158	<1	62	340	16	<5	<5	<10	157	843	9	185	<10	10	95
327998	D040887	18	<1	7.34	18	72	2	25	5.45	<4	32	147	78	8.68	1.36	33	3.01	1167	<1	60	402	16	6	<5	<10	156	738	9	196	<10	11	91
327999	D040888	50	<1	6.76	13	142	2	16	6.46	<4	28	203	97	6.40	1.41	29	3.02	1059	<1	85	1236	15	5	<5	<10	231	583	11	162	<10	14	91
328000 Dup	D040888	48	1	7.32	14	157	2	15	6.53	<4	27	199	96	6.44	1.61	31	3.05	1059	<1	82	1233	11	5	<5	<10	241	634	9	163	<10	15	92
328001	D040889	36	<1	6.81	15	25	2	14	4.11	<4	24	126	67	5.72	1.23	29	2.38	679	<1	29	874	16	5	<5	<10	148	522	6	144	<10	14	73
328002	D040890	103	<1	8.14	15	165	3	22	5.45	<4	27	136	81	6.61	1.71	34	2.70	969	<1	44	968	15	5	<5	<10	238	579	13	162	<10	16	99
328003	D040891	3351	2	6.99	17	92	3	19	5.03	<4	30	270	116	7.81	2.13	28	2.85	1131	<1	74	894	15	7	<5	<10	259	1399	7	171	<10	14	113
328004	D040892	84	1	7.25	15	192	2	14	5.12	<4	35	143	100	8.34	2.06	31	3.20	1363	<1	81	403	12	6	<5	<10	245	1632	15	198	<10	11	117
328005	D040893	71	<1	7.91	14	142	3	22	6.76	<4	31	222	183	7.36	2.19	35	2.96	1386	<1	47	500	14	7	<5	<10	233	1163	11	268	<10	14	102
328006	D040894	119	1	6.90	16	117	2	26	5.60	<4	28	120	174	6.41	2.13	23	2.49	1298	<1	36	327	16	7	<5	<10	233	1382	15	248	<10	10	96
328007	D040895	138	1	8.24	12	151	3	16	5.25	<4	38	215	122	8.97	1.89	37	3.17	1275	<1	70	357	10	6	<5	<10	196	1760	13	231	<10	9	174
328008	D040896	46	1	8.03	16	172	2	22	5.71	<4	29	296	124	6.95	2.17	45	3.19	1292	<1	93	520	16	6	<5	<10	179	991	13	175	<10	11	151
328009	D040897	162	<1	7.45	13	315	2	18	6.87	<4	30	595	51	5.64	2.44	35	3.76	1419	<1	122	832	15	9	<5	<10	291	1563	13	190	<10	13	126
328010	D040898	1461	1	5.41	17	163	2	21	2.77	<4	27	240	68	6.04	2.12	16	0.66	703	16	28	293	15	6	<5	<10	87	751	5	46	<10	9	33
328011 Dup	D040898	1438	1	5.18	13	184	2	19	2.85	<4	28	242	73	6.34	2.04	16	0.64	732	18	29	301	11	5	<5	<10	87	715	6	44	<10	8	28
328012	D040899	3902	2	6.49	16	71	2	19	1.90	<4	37	412	232	9.76	2.18	20	0.71	559	21	61	220	15	7	<5	<10	70	1520	4	114	10	8	73
328013	D040900	4536	2	6.09	14	103	2	26	3.28	<4	34	241	155	8.65	2.04	21	0.86	706	147	51	300	10	6	<5	<10	72	935	9	94	<10	10	48
328014	D040901	3465	2	6.21	21	115	3	24	3.16	<4	33	468	170	8.51	2.01	19	0.76	707	139	54	313	12	6	<5	<10	79	962	7	94	<10	10	43
328015	D040902	4271	1	4.73	382	747	<2	13	8.77	<4	6	45	29	1.68	1.90	48	3.78	311	<1	14	435	15	55	<5	<10	62	200	25	80	37	10	32
328016	D040903	<5	<1	5.60	19	372	<2	15	1.57	<4	6	56	18	2.06	1.78	17	0.83	414	<1	17	458	14	<5	<5	<10	156	1475	9	65	29	12	19
328017	D040904	4856	2	6.17	20	143	2	22	2.89	<4	30	333	119	6.75	2.08	18	0.62	668	189	38	305	16	<5	10	<10	83	901	4	76	<10	9	36
328018	D040905	5627	2	5.61	16	88	<2	15	3.26	<4	13	545	90	3.60	1.60	14	0.63	667	29	17	460	15	<5	<5	<10	104	299	10	26	<10	9	9

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
328019	D040906	1817	1	7.73	14	228	2	26	6.84	<4	30	266	99	6.56	1.98	39	2.46	1412	<1	54	224	14	7	<5	<10	140	351	8	151	<10	13	65
328020	D040907	40	<1	8.24	16	135	2	16	6.64	<4	30	263	209	7.65	1.80	42	2.23	1706	<1	70	184	17	5	<5	<10	118	323	19	196	<10	9	83
328021	D040908	72	1	10.13	9	263	2	24	6.27	<4	35	171	151	8.26	2.77	44	1.80	1744	<1	50	352	11	7	<5	<10	122	931	11	255	<10	20	106
328022 Dup	D040908	69	<1	7.72	16	225	2	17	4.77	<4	29	135	118	6.18	2.17	33	1.35	1366	<1	39	260	17	5	<5	<10	96	918	13	207	<10	15	76
328023	D040909	13	<1	7.93	13	212	2	18	5.54	<4	30	146	139	7.30	2.21	38	1.36	1809	<1	40	260	16	6	<5	<10	84	1018	19	196	<10	15	96
328024	D040910	15	<1	6.56	15	160	2	21	4.76	<4	30	109	123	8.35	1.63	38	1.42	2025	<1	38	313	16	6	<5	<10	68	664	11	180	<10	11	115
328025	D040911	17	<1	6.74	13	84	2	24	3.86	4	28	208	195	12.15	1.29	37	1.73	2091	<1	26	336	13	5	<5	<10	67	472	11	174	<10	10	213
328026	D040912	12	<1	4.78	16	646	<2	13	0.99	<4	1	209	9	0.82	1.89	10	0.22	166	<1	5	229	9	<5	<5	<10	320	199	6	13	<10	6	1
328027	D040913	16	1	7.42	12	218	2	22	6.21	<4	31	121	120	9.72	2.11	32	1.58	2071	<1	28	377	11	<5	<5	<10	130	1234	3	219	<10	12	101
328028	D040914	9	<1	4.16	16	595	2	10	1.96	<4	6	206	27	2.42	1.23	12	0.46	477	<1	9	245	15	5	<5	<10	272	414	3	57	<10	6	20
328029	D040915	14	2	11.45	13	457	5	32	8.79	<4	42	204	207	13.86	2.94	50	2.23	2854	<1	38	582	13	8	17	<10	159	2106	9	373	<10	16	156
328030	D040916	9	<1	5.61	17	826	2	20	1.33	<4	2	274	8	1.07	2.07	11	0.27	223	<1	5	256	10	5	<5	<10	392	332	5	22	<10	6	5
328031	D040917	13	<1	8.07	17	61	2	18	5.33	<4	30	187	107	7.74	1.35	43	3.12	1460	<1	84	281	9	8	<5	<10	122	644	11	214	<10	10	77
328032	D040918	12	<1	6.94	13	188	2	20	5.58	<4	29	105	107	8.75	1.94	31	1.77	2018	<1	29	378	11	5	<5	<10	112	1045	7	191	<10	15	97
328033 Dup	D040918	12	1	7.34	30	201	3	21	5.89	<4	31	108	113	9.25	2.08	32	1.84	2145	<1	29	395	12	6	<5	<10	118	1144	7	201	<10	16	100
328034	D040919	16	<1	7.93	15	189	2	22	5.65	<4	32	238	137	6.47	1.79	34	2.47	1357	<1	95	219	17	6	<5	<10	120	657	11	203	<10	9	56
328035	D040920	17	<1	7.68	16	105	3	20	5.71	<4	30	142	127	8.82	1.33	37	2.74	1830	<1	48	278	17	6	<5	<10	120	715	14	235	<10	11	81
328036	D040921	282	1	7.66	18	250	3	25	5.68	<4	30	215	135	7.42	1.66	32	2.70	1514	<1	63	322	17	7	<5	<10	167	532	6	196	<10	15	92
328037	D040922	1344	1	6.99	12	237	2	21	8.79	<4	32	175	162	6.54	2.05	21	3.86	1651	<1	30	213	17	7	<5	<10	392	998	13	172	<10	10	77
328038	D040923	657	1	6.36	17	175	2	16	5.91	<4	26	147	89	4.71	2.05	19	2.79	1096	<1	23	176	16	7	<5	<10	262	1046	13	142	<10	7	47
328039	D040924	340	<1	5.54	14	137	2	16	6.17	<4	27	86	104	5.14	2.05	20	2.94	1219	<1	18	102	14	5	<5	<10	246	1120	15	153	<10	6	64
328040	D040925	311	1	6.10	12	204	2	19	5.77	<4	28	111	151	5.20	2.33	22	3.11	1183	<1	23	257	13	5	<5	<10	500	922	8	176	<10	7	59
328041	D040926	100	<1	5.93	16	150	2	20	4.96	<4	24	94	73	5.25	1.96	24	2.84	1067	<1	21	124	16	6	<5	<10	211	553	10	154	<10	6	102
328042	D040927	28	<1	6.86	14	147	2	16	6.30	<4	28	99	94	6.34	1.98	31	3.36	1349	<1	23	<100	17	<5	<5	<10	224	490	18	178	<10	8	90
328043	D040928	39	<1	6.79	11	171	2	19	5.67	<4	29	99	177	6.81	2.01	30	3.52	1564	<1	21	<100	11	5	<5	<10	212	474	14	159	<10	7	130
328044 Dup	D040928	35	<1	6.37	16	165	2	14	5.45	<4	22	95	173	6.60	1.88	27	3.41	1520	<1	22	<100	11	5	<5	<10	202	455	9	154	<10	6	129
328045	D040929	15	<1	5.10	22	398	<2	12	2.44	<4	6	156	33	2.15	1.92	16	1.09	493	<1	10	670	15	<5	12	<10	260	521	11	45	<10	8	22
328046	D040930	27	<1	5.56	21	364	2	16	3.64	<4	18	139	74	3.84	2.09	18	1.80	777	<1	14	534	15	6	<5	<10	517	900	16	102	<10	8	52
328047	D040931	45	<1	6.22	14	471	3	14	5.16	<4	28	121	128	6.26	2.25	25	2.66	1162	<1	23	352	9	5	<5	<10	447	2830	11	260	<10	9	105

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
328048	D040932	54	<1	5.59	14	361	<2	19	3.17	<4	11	154	113	3.16	2.07	19	1.27	522	<1	11	587	9	7	<5	<10	224	1189	8	140	<10	8	45
328049	D040933	20	<1	6.63	13	135	2	19	5.95	<4	29	127	124	7.10	1.84	33	3.03	1118	<1	30	506	9	5	<5	<10	229	1179	7	202	<10	10	93
328050	D040934	133	2	7.65	14	78	3	19	5.99	<4	32	64	345	8.94	1.75	39	3.12	1219	<1	26	280	12	5	<5	<10	167	1276	8	546	<10	12	103
328051	D040935	19	1	7.11	15	79	3	20	5.62	<4	35	50	205	9.36	1.59	34	2.87	1312	<1	15	314	11	7	<5	<10	125	3168	10	599	<10	17	110
328052	D040936	409	<1	6.12	19	136	3	22	4.02	<4	28	76	189	8.87	1.37	27	2.14	1127	<1	9	516	10	6	<5	<10	98	2739	13	327	<10	23	104
328053	D040937	25	<1	5.95	12	123	2	15	4.04	<4	28	62	54	9.24	1.19	30	2.32	1266	<1	9	542	9	7	<5	<10	96	4682	7	314	<10	28	112
328054	D040938	62	1	5.92	15	154	2	20	4.44	<4	29	66	44	9.18	1.15	28	2.31	1314	<1	8	564	9	6	<5	<10	108	4022	7	272	<10	32	111
328055 Rep	D040938	85	<1	6.30	14	169	2	24	4.62	<4	29	64	54	9.05	1.38	30	2.32	1329	<1	9	588	8	7	<5	<10	112	4173	7	262	<10	32	112
328056	D040939	207	<1	5.73	15	216	2	14	3.45	<4	24	109	53	6.84	1.52	22	1.47	926	<1	20	590	15	5	<5	<10	118	1156	13	129	<10	20	148
328057	D040940	23	<1	7.43	11	212	3	22	4.42	4	35	69	126	11.04	1.71	29	2.24	1398	<1	11	753	12	7	<5	<10	236	7777	6	272	<10	26	201
328058	D040941	28	<1	8.20	15	141	2	25	5.32	<4	37	148	175	10.00	1.42	33	3.15	1343	<1	60	387	11	7	<5	<10	197	6932	11	327	<10	19	138
328059	D040942	126	<1	7.86	19	112	2	18	4.75	<4	32	148	136	9.06	1.21	31	2.91	1230	<1	67	449	15	8	<5	<10	147	5811	9	244	<10	18	123
328060	D040943	488	<1	5.61	14	335	2	20	3.46	<4	23	143	84	6.75	2.05	24	1.97	787	<1	39	462	10	<5	11	<10	124	2850	18	150	<10	15	187
328061	D040944	41	<1	7.16	24	161	2	19	4.31	<4	32	123	124	9.51	1.50	30	2.93	1065	<1	53	516	11	7	<5	<10	105	6518	9	256	<10	24	153
328062	D040945	49	<1	5.72	16	129	2	25	3.83	<4	28	113	71	7.88	1.15	23	2.59	1006	<1	58	365	16	5	<5	<10	88	5245	12	198	<10	18	92
328063	D040946	132	<1	6.73	11	93	2	20	4.69	<4	33	149	106	9.05	1.03	26	3.10	1346	<1	75	403	14	7	<5	<10	124	6204	6	205	<10	18	103
328064	D040947	19	<1	7.13	13	89	2	24	4.23	<4	37	180	91	9.44	1.09	28	3.41	1447	<1	80	436	9	5	<5	<10	133	7999	11	207	<10	17	109
328065	D040948	26	<1	6.49	14	97	2	14	4.14	<4	31	152	68	8.33	1.10	25	3.02	1226	<1	70	369	10	5	10	<10	104	6089	11	189	<10	14	103
328066 Dup	D040948	33	<1	6.40	14	92	2	22	4.12	<4	31	153	70	8.41	1.01	25	3.04	1235	<1	70	376	16	6	<5	<10	101	6196	12	189	<10	14	101
328067	D040949	20	<1	6.10	15	74	2	21	3.93	<4	32	153	80	8.29	0.91	23	2.89	1205	<1	67	370	11	6	<5	<10	107	5812	7	164	<10	13	104
328068	D040950	14	<1	8.33	19	122	3	22	4.63	<4	38	206	103	9.57	1.45	27	3.28	1370	<1	89	419	12	6	<5	<10	153	6763	7	194	<10	15	115
328069	D040951	14	<1	8.41	15	127	2	22	4.78	<4	34	205	103	9.05	1.51	25	3.09	1306	<1	82	412	12	7	<5	<10	171	6697	22	198	<10	17	104
328070	D040952	1184	3	2.93	89	392	<2	95	0.32	<4	3	32	46	3.71	1.40	10	0.15	<100	<1	10	<100	85	14	<5	<10	56	206	7	25	<10	3	<1
328071	D040953	<5	<1	5.71	13	493	<2	16	1.64	<4	6	59	21	2.35	1.95	19	0.89	458	<1	20	500	15	<5	<5	<10	163	1566	7	73	29	13	29
328072	D040954	13	<1	7.86	13	111	3	25	4.57	<4	33	195	98	8.76	1.24	23	2.81	1235	<1	61	391	11	7	<5	<10	162	6798	14	209	<10	15	94
328073	D040955	14	<1	7.15	14	83	2	21	4.28	<4	33	195	121	9.06	0.93	22	2.99	1297	<1	56	379	17	5	<5	<10	131	6647	12	208	<10	14	101
328074	D040956	17	<1	7.18	14	95	3	22	4.85	<4	32	184	108	8.69	1.10	22	2.83	1248	<1	36	400	11	8	<5	<10	139	7007	6	237	<10	16	93
328075	D040957	14	<1	6.27	10	79	2	24	4.97	<4	29	182	122	8.44	0.99	19	2.76	1222	<1	31	410	9	<5	<5	<10	123	6753	7	251	<10	17	93
328076	D040958	25	<1	5.87	17	130	2	16	5.51	<4	29	161	120	8.40	1.31	20	2.60	1211	<1	32	381	14	7	<5	<10	102	6134	6	252	<10	16	94

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
328077 Dup	D040958	21	<1	6.47	12	148	2	17	5.68	<4	29	168	130	8.56	1.46	22	2.65	1243	<1	34	391	17	8	<5	<10	108	6407	6	257	<10	17	96
328078	D040959	475	<1	6.92	15	85	2	27	3.76	<4	33	187	109	8.81	1.03	23	2.92	1257	<1	49	387	16	7	<5	<10	112	6733	14	193	<10	13	102
328079	D040960	373	<1	6.46	18	177	2	20	5.86	<4	28	126	135	8.71	1.75	25	2.54	1224	<1	28	389	16	5	<5	<10	82	5776	11	255	<10	15	92
328080	D040961	24	<1	7.86	18	116	2	21	5.84	<4	33	133	155	10.10	1.16	27	2.79	1418	<1	34	441	10	5	<5	<10	122	7353	14	363	<10	17	107
328081	D040962	125	<1	6.05	14	133	3	12	5.02	<4	32	78	140	9.52	1.32	20	2.67	1292	<1	20	483	12	8	<5	<10	92	5758	5	363	<10	19	105
328082	D040963	27	<1	5.96	14	127	3	15	4.01	<4	30	74	98	10.55	1.48	16	2.37	1210	<1	11	751	15	6	<5	<10	98	4651	11	268	<10	30	112
328083	D040964	249	<1	7.42	17	185	3	21	5.23	<4	29	95	48	9.87	1.96	22	2.71	1251	<1	19	562	14	6	<5	<10	128	6507	8	322	<10	26	91
328084	D040965	349	<1	8.06	16	136	2	19	4.53	<4	32	120	70	10.04	1.57	28	3.33	1139	<1	43	536	9	7	<5	<10	144	8426	9	296	<10	24	64
328085	D040966	12	<1	8.28	12	146	2	22	3.67	<4	33	183	70	9.22	1.68	32	3.68	1135	<1	82	480	14	7	<5	<10	111	7188	11	248	<10	22	49
328086	D040967	67	1	6.89	13	426	2	25	1.93	<4	24	294	98	5.09	2.10	26	2.33	588	<1	71	512	9	5	<5	<10	115	2404	10	104	<10	13	24
328087	D040968	37	1	7.19	14	386	3	15	1.20	<4	27	203	149	7.00	2.10	26	1.86	500	<1	71	405	14	5	<5	<10	75	855	10	83	<10	8	168
328088 Dup	D040968	51	1	6.70	14	361	3	18	1.17	<4	27	204	144	7.12	2.11	25	1.89	507	<1	72	420	13	5	<5	<10	70	744	12	79	<10	8	181
328089	D040969	48	<1	3.50	18	250	2	17	1.29	<4	18	166	85	4.76	1.32	14	1.39	427	<1	28	284	13	<5	<5	<10	62	378	6	56	<10	5	232
328090	D040970	30	<1	4.32	12	246	2	18	1.63	<4	24	112	150	6.85	1.42	18	1.72	576	<1	38	381	14	<5	<5	<10	63	424	9	66	<10	5	469
328091	D040971	27	1	6.18	13	221	2	13	3.05	<4	27	129	150	7.67	1.74	26	2.49	1044	<1	49	579	11	6	<5	<10	129	460	22	98	<10	6	310
328092	D040972	96	2	7.20	14	234	3	26	2.30	<4	29	146	363	9.40	1.93	22	1.57	763	<1	76	268	27	6	<5	<10	100	635	5	99	13	9	1092
328093	D040973	10	<1	7.89	18	211	2	19	3.91	<4	24	113	72	6.17	1.83	31	2.66	1214	<1	38	690	10	5	<5	<10	182	649	16	118	<10	10	163
328094	D040974	17	<1	7.64	16	203	2	17	3.92	<4	24	105	60	5.92	1.98	31	2.61	1205	<1	34	691	10	5	<5	<10	163	631	10	113	<10	9	95
328095	D040975	39	1	7.04	15	245	4	16	3.01	<4	29	156	323	8.91	1.97	22	1.16	961	<1	69	280	18	7	<5	<10	102	643	4	96	<10	9	853
328096	D040976	7	1	8.81	25	286	2	25	5.29	<4	26	176	82	6.57	2.27	39	2.70	1239	<1	51	820	9	7	<5	<10	178	515	9	138	<10	13	197
328097	D040977	16	1	9.02	18	543	3	18	3.81	<4	23	165	134	5.43	2.60	34	1.73	907	<1	30	643	9	6	15	<10	113	1216	11	98	<10	13	177
328098	D040978	15	1	8.01	28	246	3	19	4.45	<4	32	121	225	9.35	2.22	25	2.25	1194	<1	40	397	13	6	<5	<10	130	4118	8	249	<10	20	301
328099 Dup	D040978	16	1	8.16	24	254	3	21	4.45	<4	31	119	227	9.39	2.25	25	2.25	1189	<1	41	397	15	8	<5	<10	131	4159	13	250	<10	20	297
328100	D040979	8	<1	8.35	16	172	2	31	4.93	<4	29	97	131	10.14	2.23	23	2.65	1359	<1	31	486	12	8	<5	<10	192	6213	10	297	<10	26	124
328101	D040980	7	1	8.02	16	156	3	17	4.69	<4	37	86	135	9.78	1.92	21	2.36	1388	<1	19	563	11	6	<5	<10	203	6131	14	306	<10	25	128
328102	D040981	10	1	8.26	17	342	3	17	3.21	<4	29	101	148	8.73	2.18	30	2.67	1122	<1	42	1199	11	6	<5	<10	72	5535	11	188	<10	23	178
328103	D040982	18	1	7.53	18	133	2	20	7.07	<4	28	97	107	10.63	1.55	24	2.11	2520	<1	38	422	14	7	<5	<10	115	5569	9	269	<10	20	111
328104	D040983	17	2	7.42	16	91	3	25	5.85	<4	33	136	166	9.26	1.11	29	3.56	1780	<1	66	261	13	7	<5	<10	97	3904	12	236	<10	19	125
328105	D040984	18	1	7.38	17	121	2	22	5.15	<4	30	149	283	8.16	1.50	25	3.40	1202	<1	52	239	10	6	<5	<10	102	3772	8	219	<10	16	107

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
328106	D040985	15	<1	7.04	17	139	3	24	5.14	<4	29	128	279	8.29	1.61	20	2.77	1109	<1	34	319	12	5	<5	<10	108	4387	10	237	<10	19	80
328107	D040986	9	<1	6.35	15	121	2	19	4.75	<4	27	128	178	7.02	1.52	20	2.78	1052	<1	37	220	9	<5	<5	<10	100	3792	12	203	<10	15	59
328108	D040987	7	<1	6.71	13	117	2	18	4.75	<4	28	144	74	7.93	1.45	22	3.43	1213	<1	51	247	14	6	<5	<10	100	3475	19	219	<10	15	66
328109	D040988	8	<1	7.14	17	147	2	20	4.72	<4	29	143	171	7.69	1.78	23	3.45	1146	<1	48	221	10	6	<5	<10	89	4151	12	219	<10	16	48
328110 Dup	D040988	9	1	6.99	17	151	2	22	4.63	<4	29	140	168	7.39	1.83	22	3.34	1099	<1	46	219	8	6	<5	<10	87	4054	9	214	<10	16	48
328111	D040989	9	1	7.01	17	138	2	20	4.32	<4	27	132	144	7.68	1.67	23	3.34	1032	<1	49	234	12	7	<5	<10	79	3662	16	213	<10	16	48
328112	D040990	8	<1	7.18	29	138	2	16	4.86	<4	28	131	150	7.83	1.68	24	3.47	1039	<1	49	264	10	6	<5	<10	71	4136	8	218	<10	17	53
328113	D040991	8	<1	7.12	14	131	2	17	4.14	<4	30	134	171	8.19	1.60	25	3.61	1059	<1	53	236	9	7	<5	<10	72	3981	13	210	<10	15	66
328114	D040992	14	<1	8.31	18	145	3	23	4.95	<4	33	146	195	8.73	1.75	27	3.62	1215	<1	57	256	12	<5	<5	<10	99	3833	9	221	<10	16	76
328115	D040993	11	<1	8.37	16	141	3	19	5.12	<4	31	156	202	8.45	1.70	29	3.67	1117	<1	58	263	9	8	<5	<10	91	3944	8	224	<10	17	70
328116	D040994	8	<1	5.30	14	61	2	16	4.07	<4	27	133	139	6.94	0.83	18	3.18	992	<1	50	233	10	5	<5	<10	65	3506	8	182	<10	13	64
328117	D040995	5	<1	6.75	17	109	2	22	5.38	<4	27	141	164	7.05	1.38	24	3.15	1099	<1	48	222	11	6	<5	<10	96	3487	12	194	<10	14	67
328118	D040996	<5	<1	6.71	16	89	2	23	4.44	<4	29	149	206	7.83	1.09	22	3.47	1153	<1	54	244	11	5	<5	<10	78	3181	14	207	<10	15	80
328119	D040997	<5	<1	6.84	16	79	2	18	5.75	<4	29	161	143	8.24	0.94	23	3.54	1212	<1	58	257	18	5	<5	<10	85	3190	10	216	<10	16	117
328120	D040998	8	<1	7.27	13	100	2	14	4.75	<4	31	142	204	8.23	1.21	23	3.49	1180	<1	57	255	11	6	<5	<10	91	2834	10	215	<10	16	89
328121 Rep	D040998	7	<1	6.97	15	96	2	28	4.45	<4	29	140	196	7.78	1.05	22	3.28	1111	<1	55	243	10	6	<5	<10	86	2647	6	206	<10	15	82
328122	D040999	8	<1	6.63	16	100	2	23	4.07	<4	30	135	241	7.44	1.11	22	3.19	1049	<1	71	248	13	6	<5	<10	79	2506	13	185	<10	13	128
328123	D041000	9	<1	6.85	18	83	2	23	4.70	<4	32	155	215	8.34	0.97	23	3.53	1135	<1	64	244	10	5	<5	<10	81	3063	5	220	<10	14	99
328124	D041001	6	<1	6.56	13	74	2	17	4.76	<4	30	152	189	8.02	0.87	21	3.42	1109	<1	60	225	11	5	<5	<10	81	3013	18	217	<10	14	79
328125	D041002	1165	2	2.30	91	373	<2	98	0.27	<4	3	33	50	3.96	1.08	8	0.14	<100	2	12	<100	93	16	<5	<10	55	202	6	28	<10	2	3
328126	D041003	6	<1	4.79	13	423	<2	18	1.49	<4	5	56	19	2.20	1.39	15	0.83	431	<1	22	468	15	<5	<5	<10	150	1429	9	69	30	12	30
328127	D041004	6	<1	7.42	16	101	2	18	5.19	<4	30	150	122	8.15	1.19	23	3.55	1146	<1	60	271	10	7	<5	<10	93	3573	11	219	<10	16	107
328128	D041005	26	<1	7.07	17	104	2	21	5.57	<4	28	150	126	7.51	1.12	22	3.43	1108	<1	53	294	10	7	<5	<10	91	3484	14	206	<10	15	98
328129	D041006	8	<1	6.39	14	103	3	16	5.09	<4	27	149	91	7.04	1.22	22	3.41	1096	<1	57	207	8	5	<5	<10	95	3410	12	196	<10	15	76
328130	D041007	18	<1	5.94	16	83	2	17	4.89	<4	27	140	100	6.99	0.99	20	3.48	1141	<1	64	249	15	5	<5	<10	97	3076	8	192	<10	14	64
328131	D041008	9	<1	5.20	17	76	2	15	3.64	<4	24	116	120	5.86	0.85	19	2.81	871	<1	49	192	10	5	<5	<10	84	2495	12	166	<10	12	51
328132 Dup	D041008	9	<1	5.52	16	70	2	17	4.03	<4	27	131	145	6.67	0.88	22	3.19	987	<1	55	221	9	7	<5	<10	90	2775	8	184	<10	13	58
328133	D041009	9	<1	7.41	19	121	2	16	5.31	<4	28	126	120	7.35	1.27	33	3.57	1150	<1	58	221	9	7	<5	<10	127	2867	9	218	<10	17	66
328134	D041010	12	<1	8.45	15	290	4	24	6.66	<4	30	124	110	7.66	2.42	42	3.56	1367	<1	53	228	15	5	<5	<10	177	3121	6	230	<10	18	90

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
328135	D041011	29	<1	6.98	18	185	2	17	9.82	<4	27	133	67	6.67	1.80	33	3.03	2419	<1	33	150	10	5	<5	<10	315	2324	13	196	48	19	75
328136	D041012	14	<1	7.66	16	164	2	18	7.01	<4	28	225	144	7.12	1.59	42	3.98	1371	<1	89	850	10	6	<5	<10	241	3285	13	233	<10	20	73
328137	D041013	13	<1	8.44	17	165	3	23	6.08	<4	29	143	114	7.80	1.58	41	3.74	1265	<1	53	239	9	5	<5	<10	199	3756	8	238	<10	19	58
328138	D041014	7	<1	7.13	19	166	3	22	5.18	<4	29	155	115	7.56	1.83	27	3.58	1175	<1	46	261	10	6	<5	<10	276	3941	16	242	<10	18	48
328139	D041015	10	1	6.01	15	655	<2	13	2.15	<4	5	177	13	2.08	2.05	18	1.01	305	<1	14	634	9	5	<5	<10	384	1938	7	50	<10	8	15
328140	D041016	8	<1	6.61	16	159	3	24	4.72	<4	28	153	70	7.00	1.63	31	3.66	1065	<1	61	283	9	<5	<5	<10	184	3644	8	211	<10	16	44
328141	D041017	12	1	8.07	12	205	3	20	5.37	<4	29	137	107	7.34	2.00	45	3.87	1311	<1	53	239	10	7	<5	<10	181	3854	19	230	<10	18	57
328142	D041018	10	<1	7.40	13	177	2	23	4.29	<4	27	136	131	6.69	1.47	34	3.47	1108	<1	41	295	9	8	<5	<10	179	3574	14	196	<10	15	49
328143 Dup	D041018	16	<1	7.50	17	177	2	17	4.36	<4	26	137	137	6.74	1.50	35	3.44	1115	<1	42	300	16	9	<5	<10	181	3703	11	195	<10	15	50
328144	D041019	10	<1	7.68	17	143	3	21	4.65	<4	29	133	170	7.64	1.45	36	3.83	1099	<1	55	246	18	9	<5	<10	172	3874	8	211	<10	15	64
328145	D041020	9	1	7.97	13	231	3	22	4.95	<4	33	167	167	8.57	1.87	40	4.22	1160	<1	63	267	14	5	<5	<10	204	4024	12	237	<10	15	75
328146	D041021	9	<1	6.62	18	776	<2	14	2.12	<4	3	139	8	1.46	2.19	21	0.69	215	<1	12	583	10	<5	12	<10	275	1308	8	33	<10	6	12
328147	D041022	10	<1	6.01	17	750	<2	9	1.88	<4	3	162	7	1.41	1.45	18	0.62	194	<1	10	635	9	<5	<5	<10	295	1516	10	35	<10	6	16
328148	D041023	8	<1	8.01	17	156	3	25	5.09	<4	30	168	157	8.45	1.64	35	3.99	1184	<1	54	278	16	6	<5	<10	155	3909	12	238	<10	16	66
328149	D041024	9	1	7.57	17	144	3	16	4.69	<4	28	159	149	7.51	1.63	33	3.76	995	<1	63	302	10	6	<5	<10	156	3543	7	201	<10	15	68
328150	D041025	11	<1	7.88	15	165	3	21	5.09	<4	28	174	147	7.76	1.74	33	3.79	1055	<1	65	320	16	5	<5	<10	164	3921	16	217	<10	16	82
328151	D041026	10	1	8.17	15	380	2	18	5.70	<4	24	331	65	4.95	2.01	31	2.60	865	<1	42	984	10	7	<5	<10	373	3243	6	125	<10	15	73
328152	D041027	20	<1	7.54	16	615	<2	22	3.99	<4	9	196	62	3.48	2.29	25	1.02	552	<1	19	706	12	5	<5	<10	317	2078	9	56	<10	9	108
328153	D041028	16	<1	6.57	17	240	3	15	6.21	<4	28	238	143	6.18	1.84	24	2.52	1140	<1	63	192	18	5	<5	<10	231	3938	17	185	<10	13	59
328154 Dup	D041028	14	<1	5.46	14	219	3	21	5.72	<4	27	233	152	5.90	1.50	22	2.43	1094	<1	61	186	9	8	<5	<10	198	3821	19	173	<10	11	62
328155	D041029	8	<1	7.11	17	424	2	14	4.89	<4	13	145	132	3.77	2.16	23	1.05	590	<1	25	755	10	5	<5	<10	196	1910	4	54	<10	9	211
328156	D041030	8	<1	6.49	16	108	2	21	8.73	<4	28	313	141	6.02	1.21	16	2.09	1392	<1	57	196	10	8	<5	<10	137	3887	22	173	<10	13	58
328157	D041031	8	<1	5.29	16	75	3	19	5.94	<4	27	236	124	6.05	0.91	16	2.35	1118	<1	57	182	9	6	<5	<10	83	3371	12	156	<10	10	61
328158	D041032	8	2	5.17	19	98	4	15	7.97	<4	26	249	134	6.05	0.97	19	2.71	1257	<1	74	341	11	5	<5	<10	159	3535	9	158	<10	11	61
328159	D041033	8	<1	6.56	12	115	2	18	6.77	<4	28	244	138	6.44	1.38	20	2.52	1222	<1	69	263	12	5	<5	<10	124	3927	18	180	<10	12	65
328160	D041034	8	<1	6.82	18	107	2	18	6.17	<4	28	248	159	6.79	1.30	23	2.70	1171	<1	70	198	10	8	<5	<10	114	3701	16	182	<10	12	69
328161	D041035	9	<1	6.35	13	119	2	12	5.15	<4	24	215	110	5.99	1.18	19	2.32	1023	<1	62	177	11	<5	<5	<10	101	3437	16	171	<10	12	58
328162	D041036	6	<1	5.29	19	96	3	15	7.10	<4	27	240	101	6.79	0.92	25	2.68	1383	<1	65	189	14	<5	<5	<10	97	3534	18	175	<10	11	74
328163	D041037	9	<1	5.99	15	130	4	18	7.43	<4	27	223	121	6.25	1.31	21	2.29	1371	<1	61	161	11	5	<5	<10	106	3548	13	174	<10	12	56

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
328164	D041038	8	<1	6.33	16	147	3	18	5.41	<4	26	253	158	6.14	1.53	21	2.39	1031	<1	57	192	10	6	<5	<10	124	3714	18	171	<10	12	59
328165 Dup	D041038	8	<1	6.45	16	150	3	15	5.33	<4	26	238	146	5.97	1.60	20	2.38	1011	<1	55	183	13	<5	<5	<10	123	3574	24	169	<10	12	60
328166	D041039	9	<1	5.46	17	213	3	15	5.25	<4	25	211	126	5.32	1.59	21	2.21	987	<1	56	164	11	5	<5	<10	187	3395	22	159	<10	11	51
328167	D041040	7	<1	6.55	17	286	4	21	8.33	<4	23	399	58	5.32	2.08	44	4.56	1137	<1	190	2133	13	<5	<5	<10	467	3093	12	177	<10	22	55
328168	D041041	110	<1	5.78	17	212	5	13	8.71	<4	25	171	238	6.82	1.79	27	2.51	1226	<1	56	323	10	<5	<5	<10	212	2784	18	160	<10	12	54
328169	D041042	16	1	5.95	17	145	3	16	4.71	<4	29	239	191	6.19	1.49	22	2.45	1028	<1	62	210	16	5	<5	<10	149	4249	8	177	<10	11	64
328170	D041043	9	<1	5.24	19	118	3	22	5.18	<4	28	225	176	6.35	1.06	24	2.72	1078	<1	63	201	10	5	<5	<10	139	3749	10	172	<10	10	60
328171	D041044	6	<1	4.55	18	91	2	16	5.23	<4	22	251	86	5.04	0.82	26	3.32	909	<1	123	863	7	<5	<5	<10	184	2958	11	140	<10	13	55
328172	D041045	8	<1	4.87	13	102	3	20	7.58	<4	26	215	141	5.61	0.96	16	1.98	1114	<1	48	186	15	5	<5	<10	114	3412	10	153	<10	10	48
328173	D041046	8	1	5.77	18	126	4	17	7.32	<4	27	247	134	6.45	1.37	23	2.30	1192	<1	61	195	12	5	12	<10	137	3921	14	183	<10	13	60
328174	D041047	8	<1	5.90	15	190	6	23	8.46	<4	27	284	117	6.74	1.94	41	2.90	1319	<1	85	508	18	7	<5	<10	190	3792	13	194	<10	15	64
328175	D041048	8	<1	6.89	10	365	9	20	7.04	<4	28	279	157	6.91	2.17	62	4.28	1237	<1	113	989	20	6	<5	<10	183	4000	22	210	<10	20	84
328176 Dup	D041048	10	1	6.74	26	347	9	18	6.62	<4	26	261	144	6.52	2.34	63	3.97	1149	<1	106	930	12	5	<5	<10	181	3708	12	196	<10	19	79
328177	D041049	9	<1	7.83	19	320	7	20	4.62	<4	26	145	94	7.21	2.60	89	3.91	1151	<1	51	241	10	<5	<5	<10	114	4006	6	221	<10	18	115
328178	D041050	8	<1	7.07	17	247	3	19	4.62	<4	24	185	98	5.80	2.36	54	3.10	988	<1	36	385	9	<5	<5	<10	138	3264	9	165	<10	13	70
328179	D041051	10	<1	6.97	14	241	4	21	4.40	<4	25	179	83	5.62	2.43	53	2.98	942	<1	35	374	9	6	<5	<10	137	3141	18	162	<10	13	64
328180	D041052	4227	1	4.42	337	666	<2	13	7.86	<4	4	36	25	1.47	1.93	44	3.48	273	<1	18	386	15	51	<5	<10	57	163	17	71	30	10	26
328181	D041053	<5	<1	5.50	21	460	<2	13	1.64	<4	4	52	19	2.13	1.87	18	0.89	414	<1	21	460	15	5	<5	<10	160	1444	5	67	32	13	24
328182	D041054	9	<1	6.51	20	99	2	16	4.21	<4	26	145	153	6.88	1.17	39	3.49	1163	<1	55	219	14	6	<5	<10	106	4118	14	182	<10	12	72
328183	D041055	9	<1	6.22	16	109	3	18	4.33	<4	30	149	192	7.76	1.20	36	3.83	1201	<1	57	242	9	7	<5	<10	108	4003	5	213	<10	13	77
328184	D041056	9	<1	6.42	19	118	5	21	4.76	<4	30	149	166	8.13	1.26	38	3.83	1233	<1	59	248	13	7	<5	<10	105	3921	10	217	<10	14	82
328185	D041057	10	<1	6.13	15	121	6	22	4.61	<4	30	167	152	7.69	1.26	31	3.65	1182	<1	60	256	11	5	<5	<10	89	3787	11	216	<10	15	76
328186	D041058	9	<1	6.98	14	108	3	24	4.61	<4	30	158	142	8.37	1.03	37	4.00	1321	<1	64	257	13	7	<5	<10	109	3928	21	236	<10	16	102
328187 Rep	D041058	11	<1	6.19	25	76	3	19	4.28	<4	29	150	146	8.27	0.91	37	3.84	1256	<1	62	248	15	5	<5	<10	101	3698	5	224	<10	14	97
328188	D041059	13	<1	5.98	20	183	7	25	4.96	<4	27	193	310	7.02	1.98	47	3.40	1146	<1	203	229	10	<5	<5	<10	92	3714	15	204	<10	15	163
328189	D041060	15	3	7.76	16	290	10	41	7.69	<4	29	253	202	7.51	2.70	65	3.32	1098	<1	46	254	16	6	7	<10	142	3854	13	234	<10	19	96
328190	D041061	10	<1	5.26	13	118	8	16	4.21	<4	27	196	129	7.29	1.27	33	3.40	1055	<1	56	237	12	6	<5	<10	83	3410	5	213	<10	14	72
328191	D041062	9	<1	5.48	12	116	8	16	4.40	<4	27	201	148	7.39	1.42	37	3.52	1116	<1	55	249	15	<5	<5	<10	94	3235	10	217	<10	15	65
328192	D041063	10	1	7.06	17	230	12	33	5.02	<4	28	206	144	7.31	2.45	85	3.53	1014	<1	54	224	15	5	<5	<10	155	3442	17	215	<10	15	64

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
328193	D041064	10	<1	6.30	17	160	8	23	5.57	<4	28	207	156	7.43	2.03	41	3.39	1091	<1	51	244	13	5	<5	<10	120	3618	8	212	<10	14	61
328194	D041065	<5	<1	6.08	19	159	5	22	4.85	<4	27	269	216	7.48	1.77	30	3.35	1052	<1	50	235	10	6	<5	<10	104	3474	13	213	<10	15	60
328195	D041066	9	<1	6.11	17	165	5	21	4.73	<4	27	208	179	7.48	1.83	34	3.71	1108	<1	61	377	15	7	<5	<10	114	3625	14	225	<10	16	55
328196	D041067	12	<1	4.78	17	84	3	19	4.45	<4	25	223	200	5.99	0.94	20	2.93	916	<1	41	218	10	5	<5	<10	79	2964	11	180	<10	11	41
328197	D041068	9	1	6.92	19	123	4	16	4.86	<4	32	192	102	8.60	1.29	35	4.07	1219	<1	64	275	9	7	<5	<10	90	3764	18	246	<10	15	60
328198 Dup	D041068	9	<1	6.24	18	122	3	19	4.17	<4	27	177	94	7.29	1.35	31	3.62	1056	<1	57	226	11	6	<5	<10	80	3160	9	209	<10	13	52
328199	D041069	9	<1	6.03	15	92	2	15	3.64	<4	28	212	162	7.32	0.98	33	3.40	1049	<1	44	260	17	6	<5	<10	77	3246	18	193	<10	11	55
328200	D041070	9	<1	6.12	17	98	2	16	4.04	<4	26	186	109	6.52	1.23	30	3.27	949	<1	50	308	12	6	<5	<10	84	3313	13	177	<10	12	52
328201	D041071	9	<1	6.54	14	158	3	13	5.03	<4	26	236	143	7.49	1.78	27	3.10	985	<1	45	250	10	5	<5	<10	95	3306	11	204	<10	14	62
328202	D041072	9	<1	6.91	15	144	2	26	4.29	<4	28	170	164	7.81	1.60	32	3.30	1101	<1	40	261	12	5	<5	<10	89	3259	10	217	<10	14	85
328203	D041073	10	<1	7.13	23	114	3	16	4.85	<4	28	212	167	8.50	1.29	35	3.38	1268	<1	41	305	12	7	<5	<10	118	3738	9	219	<10	17	88
328204	D041074	8	<1	6.74	21	101	2	16	4.42	<4	26	102	148	8.38	1.22	33	3.09	1260	<1	23	315	12	5	<5	<10	106	3561	7	239	<10	17	91
328205	D041075	7	<1	6.33	17	117	2	16	4.76	<4	27	189	147	7.42	1.23	26	3.26	1176	<1	28	429	9	6	<5	<10	131	3181	7	236	<10	16	71
328206	D041076	8	<1	6.17	13	101	2	22	5.28	<4	25	203	114	6.88	1.04	27	2.82	1040	<1	29	268	11	5	<5	<10	98	3941	11	201	<10	14	63
328207	D041077	9	<1	6.76	17	185	2	19	4.30	<4	28	200	164	7.78	1.61	34	3.69	1205	<1	56	250	16	6	<5	<10	107	3365	15	212	<10	14	74
328208	D041078	7	<1	7.55	8	306	5	25	7.31	<4	31	269	212	8.55	2.24	35	3.93	1357	<1	63	301	10	7	<5	<10	141	4066	14	225	<10	17	81
328209 Dup	D041078	7	<1	5.85	19	233	4	19	5.60	<4	27	195	151	6.63	1.74	27	3.14	1029	<1	50	245	16	<5	<5	<10	111	3112	17	177	<10	13	62
328210	D041079	7	<1	6.06	16	373	3	19	3.29	<4	24	143	104	6.19	2.13	40	3.04	909	<1	49	1003	11	5	<5	<10	158	3564	10	154	<10	14	67
328211	D041080	7	<1	7.18	15	119	3	16	4.05	<4	34	152	59	8.44	1.22	54	5.19	1242	<1	348	2135	8	5	<5	<10	146	4634	20	133	<10	18	111
328212	D041081	8	3	8.23	13	241	6	18	4.47	<4	26	204	59	6.85	1.95	48	3.28	963	<1	125	3117	14	8	<5	<10	283	5224	13	137	10	26	105
328213	D041082	9	<1	0.22	21	5	<2	4	0.13	<4	<1	18	1	0.21	0.05	<1	0.12	<100	1	14	<100	14	<5	<5	<10	10	155	2	4	<10	<2	<1
328214	D041083	10	1	6.60	16	110	2	27	4.73	<4	27	220	212	7.62	1.22	33	3.60	1079	<1	60	289	11	6	<5	<10	165	3659	13	205	<10	14	113
328215	D041084	8	<1	6.55	20	173	3	23	4.47	<4	25	160	132	6.87	1.41	31	3.37	1079	<1	61	697	10	5	<5	<10	194	3578	19	181	<10	13	72
328216	D041085	7	<1	5.92	13	689	<2	14	2.19	<4	4	234	19	2.06	2.01	24	0.92	339	<1	13	649	15	<5	9	<10	347	1728	7	47	<10	8	23
328217	D041086	7	1	6.29	18	867	<2	15	1.95	<4	3	99	11	1.66	2.11	27	0.75	276	<1	13	688	8	<5	9	<10	337	1599	5	38	<10	8	16
328218	D041087	21	<1	5.93	15	746	<2	10	2.25	<4	3	246	16	1.79	1.92	24	0.78	261	<1	14	693	10	5	<5	<10	347	1630	4	38	<10	8	19
328219	D041088	6	<1	5.92	15	286	2	16	3.77	<4	22	149	47	5.12	1.72	29	2.32	709	<1	38	2364	12	5	<5	<10	237	3885	11	113	<10	20	59
328220 Dup	D041088	11	<1	5.69	14	271	3	21	3.65	<4	21	145	47	5.01	1.65	28	2.30	698	<1	39	2412	16	6	<5	<10	223	3956	22	111	<10	20	59
328221	D041089	7	<1	5.80	13	194	2	20	3.46	<4	25	194	42	6.50	1.32	38	3.46	941	<1	140	2375	10	<5	<5	<10	216	4497	18	114	<10	18	83

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
328222	D041090	7	<1	6.78	22	334	2	19	3.41	<4	23	155	72	5.71	1.93	33	2.62	798	<1	48	2563	14	6	<5	<10	209	4019	12	121	<10	20	68
328223	D041091	7	<1	6.60	16	330	2	14	3.85	<4	24	184	48	6.02	1.97	38	2.97	842	<1	94	2691	9	7	<5	<10	195	4267	15	114	<10	20	81
328224	D041092	8	<1	4.59	16	276	2	15	2.91	<4	22	134	45	5.03	1.79	27	2.25	634	<1	37	2449	9	<5	10	<10	121	3108	15	106	<10	19	60
328225	D041093	7	<1	6.08	19	321	4	20	3.79	<4	25	167	86	7.32	2.05	43	3.53	1012	<1	56	715	9	5	<5	<10	120	3184	16	193	<10	15	81
328226	D041094	9	<1	4.85	18	178	4	14	3.92	<4	26	160	178	7.20	1.37	33	3.34	932	<1	59	266	12	<5	10	<10	96	2935	18	182	<10	11	75
328227	D041095	8	<1	5.88	16	269	3	21	5.02	<4	26	159	88	7.51	1.88	33	3.32	910	<1	59	198	10	<5	<5	<10	150	3071	9	192	<10	12	83
328228	D041096	9	<1	8.09	14	155	3	23	5.22	<4	33	193	179	9.56	1.59	38	4.19	1255	<1	72	310	11	6	<5	<10	135	3054	11	254	<10	16	114
328229	D041097	16	<1	5.78	27	109	2	14	3.81	<4	25	159	140	6.80	1.12	28	3.31	1040	<1	51	222	11	<5	<5	<10	95	2535	10	187	<10	13	77
328230	D041098	14	<1	5.87	18	106	2	18	3.96	<4	24	159	147	7.01	0.94	28	3.23	1008	<1	52	230	10	6	<5	<10	99	2514	13	179	<10	11	76
328231 Dup	D041098	13	<1	6.37	16	124	2	15	4.17	<4	26	168	153	7.23	1.06	29	3.33	1041	<1	54	243	11	<5	<5	<10	106	2640	11	186	<10	12	77
328232	D041099	13	<1	5.94	16	315	2	20	3.65	<4	21	244	119	5.53	1.70	35	2.91	721	<1	79	1029	14	6	<5	<10	334	2803	9	118	<10	21	95
328233	D041100	12	<1	5.56	12	216	2	16	3.84	<4	25	175	118	6.79	1.49	29	3.21	1002	<1	48	225	18	6	<5	<10	109	3127	10	184	<10	10	71
328234	D041101	11	<1	5.38	18	216	2	17	3.67	<4	23	156	109	6.34	1.44	27	3.04	938	<1	46	214	8	5	<5	<10	100	2968	14	172	<10	10	67
328235	D041102	3116	52	6.73	28	452	2	15	2.99	<4	5	59	156	2.94	1.75	20	1.70	545	<1	29	452	908	93	<5	<10	241	678	12	63	22	10	1990
328236	D041103	<5	<1	4.93	12	430	<2	17	1.53	<4	4	55	20	2.26	1.60	17	0.88	443	<1	25	489	9	5	<5	<10	139	1505	6	70	35	13	28
328237	D041104	8	<1	5.31	19	193	2	14	4.13	<4	24	166	130	6.06	1.41	27	3.17	963	<1	47	552	10	6	<5	<10	170	2854	12	164	<10	13	75
328238	D041105	10	<1	6.06	14	159	2	17	4.50	<4	24	191	150	6.85	1.34	23	2.99	1047	<1	49	555	13	5	<5	<10	173	3137	11	188	<10	14	117
328239	D041106	10	<1	6.52	16	264	3	13	5.58	<4	21	263	157	5.97	1.86	27	1.98	964	<1	51	309	11	6	<5	<10	100	2730	16	121	<10	14	166
328240	D041107	9	<1	5.65	21	231	3	18	3.19	<4	13	262	85	5.05	1.63	23	1.43	554	<1	30	264	10	5	<5	<10	57	1781	12	73	<10	17	31
328241	D041108	8	<1	5.14	18	102	3	21	4.12	<4	22	337	140	5.75	1.05	18	2.69	1039	<1	84	169	11	7	<5	<10	66	2765	5	132	<10	9	38
328242 Dup	D041108	8	<1	6.33	15	131	3	17	4.67	<4	25	339	133	6.48	1.44	22	3.07	1083	<1	91	191	16	7	<5	<10	80	2999	6	152	<10	11	43
328243	D041109	9	1	7.22	13	119	2	20	4.18	<4	24	287	124	6.91	1.41	35	3.97	1013	<1	96	177	10	6	<5	<10	78	2712	17	171	<10	11	55
328244	D041110	7	<1	6.26	11	94	2	16	3.74	<4	24	259	91	6.37	1.00	32	3.80	928	<1	89	183	12	7	<5	<10	75	2752	7	159	<10	10	44
328245	D041111	8	<1	6.18	17	91	2	18	3.23	<4	25	243	128	6.40	1.01	36	3.86	930	<1	91	186	12	5	<5	<10	75	2633	5	153	<10	9	46
328246	D041112	8	<1	6.20	18	124	2	22	3.57	<4	24	247	122	6.50	1.13	35	3.83	1014	<1	93	194	9	<5	<5	<10	87	2556	16	156	<10	9	53
328247	D041113	21	2	5.88	16	289	5	196	4.37	<4	23	230	411	5.95	1.93	40	3.61	1013	<1	80	174	67	5	<5	<10	120	2537	13	154	<10	10	61
328248	D041114	12	<1	5.69	17	174	2	17	3.28	<4	24	286	149	6.14	1.53	35	3.54	925	<1	88	182	10	5	<5	<10	97	2523	9	141	<10	9	52
328249	D041115	8	<1	6.00	18	101	2	15	3.91	<4	24	264	131	6.53	0.97	30	3.19	954	<1	84	199	11	7	<5	<10	115	2520	12	159	<10	10	54
328250	D041116	7	<1	6.75	21	110	2	15	4.46	<4	26	274	140	7.15	1.17	31	3.52	1062	<1	85	227	10	7	<5	<10	140	2873	5	182	<10	12	62

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory