ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, October 20, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/30/2010
Date Completed: 10/15/2010
Job #: 201044187
Reference: Castle Wood Lake (CWL)
Sample #: 310 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
289859	D045511	<0.005	1	12.33	147	33	1	40	7.89	12	60	319	455	9.32	1.36	32	5.08	1531	13	172	303	136	<5	<5	20	184	5209	119	245	22	19	1516
289860	D045512	<0.005	<1	9.95	7	28	<1	26	6.07	6	50	381	121	7.50	1.17	22	3.90	1130	10	107	266	10	<5	<5	5	202	4526	169	197	<10	15	103
289861	D045513	<0.005	<1	8.56	4	23	<1	22	5.20	6	47	246	115	6.89	1.19	19	3.69	1061	8	102	244	7	<5	<5	4	180	4246	33	174	<10	13	86
289862	D045514	<0.005	<1	9.14	2	23	<1	25	5.39	6	47	324	107	7.18	1.19	22	3.94	1080	8	101	235	7	<5	<5	4	163	4186	168	188	<10	14	84
289863	D045515	<0.005	<1	9.16	3	23	<1	23	5.39	6	45	239	104	7.20	1.18	26	3.78	1119	7	96	241	5	<5	6	3	111	4060	80	200	<10	15	76
289864	D045516	<0.005	<1	9.96	2	27	<1	27	6.00	6	46	318	109	7.29	1.27	28	3.72	1237	10	93	238	6	<5	<5	3	113	4119	108	210	<10	17	73
289865	D045517	0.011	<1	9.13	3	24	<1	27	5.76	6	41	230	92	7.03	1.24	30	3.80	1078	9	95	348	4	<5	<5	3	99	1780	184	199	<10	15	83
289866	D045518	<0.005	<1	8.77	5	131	<1	24	6.88	6	38	483	41	6.73	1.36	35	3.43	1170	10	109	351	8	<5	<5	4	75	334	40	167	<10	10	81
289867	D045519	<0.005	<1	8.99	3	130	<1	23	7.53	5	39	228	103	6.43	1.19	30	2.34	1382	10	112	231	3	<5	6	2	84	362	31	172	<10	11	70
289868	D045520	0.017	<1	9.62	2	84	<1	27	6.93	6	45	315	125	6.95	1.18	34	2.37	1384	11	123	240	12	<5	<5	3	85	332	117	188	<10	12	81
289869 Dup	D045520	0.009	<1	9.65	3	84	<1	26	6.82	6	43	309	127	6.82	1.21	34	2.35	1362	10	123	235	8	<5	<5	3	85	333	121	184	<10	12	76
289870	D045521	0.007	<1	9.21	3	70	<1	30	6.74	5	40	223	136	6.07	1.25	34	2.15	1278	12	117	225	9	<5	<5	3	81	302	151	166	<10	11	70
289871	D045522	0.013	<1	9.06	4	53	<1	27	6.63	6	46	308	109	6.83	1.27	35	2.46	1282	9	126	230	105	<5	<5	1	84	325	210	189	<10	13	86
289872	D045523	<0.005	<1	8.72	2	29	<1	24	5.38	5	46	248	106	6.60	1.14	33	2.45	1183	7	128	228	6	<5	<5	3	71	318	185	194	<10	12	87
289873	D045524	0.007	<1	8.73	3	48	<1	29	7.08	6	47	305	114	7.06	1.13	33	2.33	1361	9	128	228	8	<5	8	3	88	271	152	195	<10	9	85
289874	D045525	<0.005	<1	8.10	2	46	<1	24	5.76	5	42	228	94	6.32	1.16	30	2.24	1183	8	120	220	7	<5	8	3	77	178	125	175	<10	5	79
289875	D045526	<0.005	<1	8.85	2	55	<1	26	6.43	5	39	349	89	6.04	1.28	32	2.12	1166	10	113	209	5	<5	<5	2	97	188	161	173	<10	5	67
289876	D045527	0.010	<1	8.64	2	55	<1	24	6.79	5	40	230	131	6.41	1.26	33	2.29	1247	10	113	221	7	<5	11	2	94	183	79	174	<10	5	75
289877	D045528	<0.005	<1	7.42	2	53	<1	23	6.17	4	34	233	69	5.58	0.98	26	2.12	1218	8	97	188	5	<5	<5	3	88	166	151	145	<10	4	58
289878	D045529	0.005	<1	8.28	3	63	<1	27	6.95	5	40	250	129	5.92	1.21	31	2.07	1182	10	111	206	9	<5	5	4	103	181	<1	160	<10	5	70
289879	D045530	<0.005	<1	7.43	3	60	<1	27	8.51	5	35	238	39	6.21	0.95	28	2.24	1526	9	96	209	4	<5	<5	2	88	182	8	153	<10	5	56
289880 Dup	D045530	<0.005	<1	9.39	2	74	<1	31	10.73	6	44	295	49	7.84	1.16	36	2.80	1925	11	120	264	6	<5	<5	4	111	230	101	191	<10	7	77
289881	D045531	<0.005	1	8.50	4	58	2	23	7.25	6	39	221	109	6.29	1.26	35	2.22	1210	13	106	207	13	<5	<5	4	86	209	132	163	11	7	70
289882	D045532	<0.005	<1	9.39	2	58	<1	24	6.29	6	40	332	94	7.09	1.32	39	2.76	1227	13	115	257	9	<5	<5	4	89	225	127	177	<10	5	81
289883	D045533	<0.005	<1	9.23	3	73	<1	30	8.76	6	44	242	164	7.42	1.29	34	2.85	1465	11	114	216	12	<5	<5	1	109	224	148	184	<10	6	76
289884	D045534	0.007	<1	9.43	2	71	<1	22	8.74	6	41	392	108	7.21	1.23	35	2.58	1474	12	113	220	13	<5	7	3	111	231	162	197	<10	7	72
289885	D045535	0.006	<1	9.08	4	60	1	25	7.55	6	44	194	144	7.68	1.21	33	2.09	1261	12	94	294	7	<5	<5	2	97	203	<1	227	<10	6	80
289886	D045536	<0.005	<1	9.26	3	63	<1	26	7.84	6	41	282	116	6.88	1.21	34	2.18	1372	11	115	216	10	<5	7	4	109	189	182	190	<10	6	68
289887	D045537	0.006	<1	9.08	2	58	<1	26	6.89	6	42	308	99	6.64	1.34	34	2.30	1165	11	112	223	8	<5	<5	<1	99	180	264	186	<10	6	69
289888	D045538	0.008	<1	8.57	4	49	<1	28	6.64	5	43	224	97	7.07	1.25	34	2.74	1219	9	114	230	11	<5	<5	2	83	169	100	181	<10	5	78

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, October 20, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/30/2010
Date Completed: 10/15/2010
Job #: 201044187
Reference: Castle Wood Lake (CWL)
Sample #: 310 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
289889	D045539	0.006	<1	8.55	<2	57	<1	24	7.36	6	45	312	88	7.43	1.07	34	2.94	1317	7	121	241	6	<5	5	<1	85	168	218	187	<10	6	80
289890	D045540	0.007	<1	8.20	2	52	<1	28	7.62	5	41	228	110	6.46	1.07	31	2.31	1300	9	110	218	6	<5	<5	3	95	174	280	174	<10	6	66
289891 Dup	D045540	0.006	<1	8.77	2	54	<1	27	8.27	6	44	232	118	7.09	1.13	33	2.49	1369	9	121	233	8	<5	6	4	98	177	38	188	<10	7	83
289892	D045541	0.006	<1	8.18	<2	52	<1	23	8.42	6	42	209	112	7.34	1.17	31	2.36	1435	10	109	245	7	<5	7	<1	87	166	17	193	<10	7	80
289893	D045542	0.007	<1	8.04	3	51	<1	23	6.96	5	43	266	108	6.14	1.17	30	2.10	1194	9	119	213	7	<5	<5	3	84	163	79	170	<10	6	69
289894	D045543	0.005	<1	8.03	5	67	<1	30	6.38	5	45	237	118	6.63	1.08	29	2.22	1243	9	128	219	10	<5	<5	4	69	190	179	174	<10	6	70
289895	D045544	0.005	<1	8.42	<2	78	<1	26	6.70	5	41	286	105	6.50	1.30	28	2.09	1312	9	116	203	6	<5	<5	2	81	313	217	181	<10	10	63
289896	D045545	0.006	<1	8.58	4	26	<1	21	6.60	6	42	230	108	7.20	1.06	38	3.55	1234	6	117	224	9	<5	6	3	89	269	156	184	<10	13	76
289897	D045546	0.007	<1	8.64	3	24	<1	26	7.27	6	42	286	104	6.93	1.11	33	2.80	1396	8	116	217	12	<5	<5	4	81	294	145	182	<10	14	67
289898	D045547	0.020	<1	8.54	<2	53	<1	26	7.69	6	43	235	110	6.98	1.06	30	2.44	1447	8	117	236	7	<5	<5	3	87	339	71	188	<10	15	77
289899	D045548	<0.005	<1	8.50	4	31	<1	26	7.53	5	38	283	94	6.72	1.12	32	2.64	1380	8	110	221	8	<5	<5	3	91	336	230	178	<10	15	68
289900	D045549	<0.005	<1	8.42	2	35	<1	24	7.24	5	40	258	94	6.78	1.15	32	2.42	1348	9	110	223	9	<5	8	3	91	298	88	173	<10	14	68
289901	D045550	0.005	<1	8.75	<2	31	<1	28	6.93	6	43	229	102	7.10	1.21	34	2.69	1377	9	114	229	7	<5	<5	3	85	295	216	178	<10	14	75
289902 Dup	D045550	<0.005	<1	8.42	3	27	1	28	7.20	6	44	238	104	7.49	1.18	33	2.84	1451	7	122	230	8	<5	<5	4	81	283	38	184	<10	14	79
289903	D045551	0.006	<1	8.65	2	37	<1	25	7.69	6	43	258	114	7.26	1.11	32	2.56	1445	8	117	238	11	<5	<5	<1	93	312	178	186	<10	14	71
289904	D045552	4.170	<1	5.19	359	664	<1	16	9.56	<4	5	45	31	1.76	1.24	50	4.13	345	19	31	463	13	43	<5	5	62	167	258	88	40	11	50
289905	D045553	0.006	<1	5.15	11	342	<1	17	1.66	<4	12	54	20	2.18	1.09	17	0.92	434	10	30	484	7	<5	6	3	145	1451	99	68	36	12	38
289906	D045554	<0.005	<1	7.21	2	45	<1	19	6.19	4	37	182	85	5.73	0.95	26	1.84	1228	9	97	187	8	<5	<5	4	78	185	130	147	<10	9	57
289907	D045555	0.005	<1	9.91	4	72	<1	30	7.23	5	43	259	113	6.71	1.32	36	2.28	1398	12	118	222	9	<5	<5	4	118	236	84	190	<10	10	73
289908	D045556	0.006	<1	9.96	2	114	<1	29	8.32	6	41	234	108	6.91	1.21	37	2.18	1561	13	118	205	10	<5	<5	3	123	264	213	193	<10	11	75
289909	D045557	0.011	<1	8.89	3	215	<1	27	6.92	5	43	272	373	6.57	1.10	29	2.13	1379	10	118	219	9	<5	6	4	104	264	67	181	<10	7	75
289910	D045558	0.021	<1	9.22	3	214	<1	29	6.92	6	43	262	134	6.84	1.20	32	2.46	1283	11	123	430	9	<5	<5	3	170	277	182	188	<10	8	70
289911	D045559	0.007	<1	7.32	3	36	1	26	7.92	4	45	717	27	5.08	1.20	36	6.07	1051	14	419	1804	8	<5	<5	4	218	242	79	116	<10	10	60
289912	D045560	0.007	<1	9.17	<2	176	<1	25	6.67	5	45	257	118	6.89	1.19	31	2.35	1311	11	128	274	8	<5	8	3	185	258	95	198	<10	7	72
289913 Dup	D045560	0.006	<1	9.13	4	179	<1	30	6.60	6	46	250	123	6.86	1.24	30	2.28	1303	10	124	263	11	<5	<5	5	186	256	213	198	<10	7	70
289914	D045561	0.005	<1	8.49	<2	77	<1	31	7.63	6	43	239	101	7.18	1.15	34	2.73	1338	7	123	233	9	<5	<5	2	121	194	138	187	<10	5	80
289915	D045562	0.009	<1	8.61	3	65	<1	27	8.34	5	42	224	100	6.58	1.18	33	2.31	1440	8	114	236	7	<5	5	5	135	247	<1	182	<10	6	71
289916	D045563	0.023	<1	7.88	2	56	<1	24	7.75	5	39	232	98	6.80	1.12	29	2.21	1457	8	111	203	9	<5	<5	3	98	155	21	180	<10	5	81
289917	D045564	0.006	<1	8.85	2	54	<1	30	7.21	6	44	240	120	7.47	1.13	34	2.47	1437	10	122	234	10	<5	<5	3	93	183	<1	189	<10	5	82
289918	D045565	0.013	<1	7.55	2	71	<1	18	6.12	5	36	222	87	5.85	0.99	27	1.86	1176	9	99	184	7	<5	<5	5	80	171	127	151	<10	5	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, October 20, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/30/2010
Date Completed: 10/15/2010
Job #: 201044187
Reference: Castle Wood Lake (CWL)
Sample #: 310 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
289919	D045566	<0.005	<1	8.95	3	37	<1	26	7.10	6	43	232	48	7.57	1.20	37	3.27	1279	9	124	229	6	<5	<5	3	79	197	204	176	<10	7	102
289920	D045567	<0.005	<1	7.98	3	34	<1	28	6.77	6	44	248	52	7.52	1.08	33	3.82	1474	7	138	220	10	<5	<5	3	78	171	87	156	<10	4	101
289921	D045568	<0.005	<1	8.37	4	48	<1	26	7.25	5	40	217	89	6.94	1.28	32	2.88	1370	10	109	215	9	<5	<5	3	81	181	258	169	<10	5	85
289922	D045569	0.005	<1	8.95	2	85	<1	31	7.83	6	46	276	102	7.10	1.29	33	2.08	1297	11	118	207	6	<5	5	4	120	210	73	181	<10	5	88
289923	D045570	<0.005	<1	9.27	2	75	<1	27	6.85	5	40	286	84	6.50	1.30	35	2.06	1200	13	117	199	9	<5	<5	<1	116	217	61	176	<10	5	90
289924 Rep	D045570	0.035	<1	8.95	3	67	<1	24	6.62	5	39	338	84	6.52	1.29	33	2.04	1180	10	117	199	11	<5	<5	2	117	199	67	178	<10	4	91
289925	D045571	<0.005	<1	8.11	9	84	<1	25	8.77	4	36	242	573	5.06	1.35	29	1.83	1731	12	793	191	19	<5	<5	3	113	201	74	140	<10	6	103
289926	D045572	<0.005	<1	10.92	4	79	<1	17	9.92	7	51	266	125	7.50	1.55	39	2.27	1555	12	139	275	1	<5	<5	3	130	224	192	207	<10	6	97
289927	D045573	<0.005	<1	8.22	3	70	<1	30	7.66	5	41	208	99	5.95	1.20	28	1.87	1246	9	113	199	5	<5	6	6	91	177	128	169	<10	5	94
289928	D045574	<0.005	<1	10.01	2	66	<1	22	8.39	6	42	246	98	7.11	1.58	38	2.95	1447	12	118	230	5	<5	<5	4	110	218	183	179	<10	5	82
289929	D045575	0.008	<1	8.26	4	71	<1	25	6.80	5	41	197	103	5.66	1.47	31	1.87	1172	9	112	200	6	<5	<5	4	102	177	225	157	<10	6	70
289930	D045576	<0.005	<1	8.12	3	62	<1	23	6.51	5	38	231	100	6.07	1.35	32	2.11	1236	10	110	200	5	<5	<5	3	96	167	183	161	<10	4	77
289931	D045577	<0.005	<1	7.86	<2	73	<1	23	6.88	4	27	237	91	5.28	1.24	29	2.04	1475	10	79	195	7	<5	5	2	102	174	62	138	<10	5	50
289932	D045578	0.018	<1	9.03	2	71	<1	26	8.18	5	44	279	107	6.06	1.23	34	2.05	1239	10	116	227	7	<5	<5	3	115	186	183	171	<10	6	77
289933	D045579	0.005	<1	8.44	2	65	<1	27	7.51	4	44	206	103	5.48	1.23	33	1.98	1220	10	118	213	2	<5	<5	4	111	174	182	160	<10	5	68
289934	D045580	0.014	<1	8.18	<2	64	<1	25	7.44	5	40	242	96	6.14	1.19	31	2.36	1268	8	113	208	11	<5	<5	2	92	175	161	162	<10	5	67
289935 Dup	D045580	<0.005	1	8.00	3	63	1	31	7.38	6	42	239	103	6.05	1.27	33	2.32	1261	10	117	211	9	<5	<5	5	89	179	181	158	<10	6	70
289936	D045581	0.183	<1	8.24	4	56	<1	23	6.96	5	41	205	98	6.29	1.30	33	2.50	1214	9	110	217	9	<5	<5	4	78	175	119	156	<10	5	66
289937	D045582	0.008	<1	8.32	3	80	<1	25	9.18	5	38	249	99	5.93	1.25	30	2.40	1460	8	111	206	6	<5	<5	4	92	204	9	161	<10	7	61
289938	D045583	0.009	<1	6.77	<2	67	<1	20	6.90	4	32	179	83	4.88	1.06	24	1.75	1269	7	89	171	6	<5	<5	2	69	180	85	133	<10	5	48
289939	D045584	<0.005	<1	7.90	2	73	<1	27	8.14	5	38	234	97	5.88	1.36	30	2.09	1495	8	108	198	7	<5	<5	<1	90	180	138	156	<10	8	60
289940	D045585	0.005	<1	8.26	2	63	<1	25	11.12	6	34	194	84	6.87	1.39	31	3.69	1645	9	94	143	7	<5	<5	4	82	211	5	150	<10	8	72
289941	D045586	0.010	<1	8.63	<2	23	<1	23	6.42	6	36	364	107	7.23	1.24	30	3.15	1152	7	60	250	10	<5	<5	4	76	278	167	206	<10	6	76
289942	D045587	0.005	<1	10.72	4	27	1	33	7.70	7	45	426	172	8.67	1.43	37	3.89	1354	10	70	281	12	<5	<5	4	88	313	250	272	<10	8	96
289943	D045588	0.006	<1	8.41	2	22	<1	25	5.98	6	36	272	117	6.93	1.22	29	3.13	1115	9	48	247	9	<5	<5	3	69	325	<1	211	<10	8	66
289944	D045589	0.007	<1	8.12	<2	17	<1	28	5.64	6	40	229	89	7.09	1.07	29	3.64	1122	6	87	244	8	<5	<5	<1	66	294	163	196	<10	8	65
289945	D045590	0.006	<1	9.84	<2	22	<1	28	5.92	7	44	271	112	8.03	1.16	37	4.14	1166	7	102	261	10	<5	<5	3	80	717	199	219	<10	14	81
289946 Dup	D045590	0.031	<1	10.06	5	22	<1	27	6.03	7	45	277	118	8.22	1.17	38	4.23	1195	8	105	269	11	<5	<5	4	81	735	14	225	<10	14	81
289947	D045591	<0.005	<1	8.65	2	18	<1	25	5.76	6	44	233	128	7.63	1.14	34	3.80	1148	6	109	248	7	<5	<5	2	62	859	72	198	<10	12	82
289948	D045592	<0.005	<1	9.36	2	51	<1	24	7.41	5	43	236	104	6.45	1.25	32	2.55	1168	9	118	233	4	<5	<5	3	90	2110	134	168	<10	13	71

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, October 20, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/30/2010
Date Completed: 10/15/2010
Job #: 201044187
Reference: Castle Wood Lake (CWL)
Sample #: 310 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
289949	D045593	<0.005	<1	9.15	3	22	<1	28	7.14	5	41	234	94	6.66	1.29	34	2.99	1253	7	112	221	8	<5	<5	5	83	2035	169	183	<10	14	73
289950	D045594	<0.005	<1	9.05	4	22	<1	25	7.78	5	42	265	103	6.81	1.32	30	2.66	1372	8	117	225	8	<5	<5	3	103	1511	<1	192	<10	14	69
289951	D045595	<0.005	<1	9.11	4	23	<1	29	7.13	6	42	280	103	7.07	1.26	33	3.16	1275	7	116	229	8	<5	<5	2	91	649	206	189	<10	14	73
289952	D045596	<0.005	<1	9.79	2	38	<1	26	7.02	6	47	291	105	7.54	1.22	35	3.37	1294	8	114	244	9	<5	<5	3	80	2731	139	208	<10	16	76
289953	D045597	<0.005	<1	8.91	4	75	<1	23	7.45	5	44	285	112	6.48	1.26	29	2.32	1385	8	116	236	5	<5	<5	4	84	3223	86	186	<10	14	72
289954	D045598	<0.005	<1	9.12	3	60	<1	25	7.16	5	46	276	103	6.52	1.39	28	2.26	1304	7	117	225	6	<5	9	3	84	3979	92	198	<10	15	72
289955	D045599	<0.005	<1	8.72	7	50	<1	16	6.84	6	50	258	102	6.45	1.22	27	2.06	1354	9	117	229	<1	<5	<5	<1	72	4079	196	173	<10	13	67
289956	D045600	<0.005	<1	8.34	9	21	<1	18	6.32	7	49	283	102	6.90	1.14	23	2.65	1315	7	115	232	<1	<5	<5	2	66	4161	169	181	<10	12	71
289957 Dup	D045600	<0.005	<1	8.65	5	21	<1	13	6.63	7	51	297	109	7.31	1.10	23	2.79	1380	5	121	239	<1	<5	<5	<1	67	4354	130	190	<10	12	76
289958	D045601	0.005	<1	7.83	11	19	<1	15	6.49	6	50	275	102	6.69	1.02	21	2.54	1343	6	115	219	<1	<5	<5	3	59	4082	177	175	<10	11	67
289959	D045602	<0.005	<1	5.58	398	601	<1	11	9.52	<4	7	44	32	1.78	1.39	48	3.97	347	18	29	470	1	49	<5	1	59	260	213	86	36	11	44
289960	D045603	4.091	<1	6.24	12	364	<1	10	1.69	<4	13	51	20	2.11	1.18	20	0.88	420	11	26	496	<1	<5	<5	3	163	1488	114	66	32	12	28
289961	D045604	<0.005	<1	8.80	4	26	<1	14	5.50	7	46	285	100	6.85	1.21	21	3.37	1069	8	94	252	<1	<5	<5	1	104	4279	283	177	<10	13	68
289962	D045605	<0.005	<1	7.98	3	21	<1	10	4.67	6	46	261	106	6.52	0.98	18	3.31	1032	7	89	246	<1	<5	<5	2	88	4104	128	162	<10	12	64
289963	D045606	<0.005	<1	8.22	3	22	<1	12	5.33	6	46	257	108	6.58	1.20	20	3.23	1111	7	89	252	<1	<5	<5	<1	93	4275	82	160	<10	12	64
289964	D045607	<0.005	<1	8.35	5	21	<1	12	5.47	6	45	263	101	6.53	1.15	21	3.30	1119	8	89	238	<1	<5	<5	3	94	4129	133	167	<10	13	60
289965	D045608	<0.005	<1	9.67	4	22	<1	17	5.79	7	51	287	104	7.49	1.20	25	3.97	1098	6	107	280	4	<5	<5	3	93	4542	200	195	<10	14	80
289966	D045609	<0.005	<1	8.46	4	19	<1	15	6.08	7	46	259	92	7.14	1.07	24	3.66	1111	5	91	238	<1	<5	<5	<1	65	4054	75	204	<10	15	78
289967	D045610	<0.005	<1	8.56	2	91	<1	7	5.77	8	45	297	71	8.15	1.29	25	2.59	1854	8	103	241	<1	<5	<5	1	53	2192	158	198	<10	16	84
289968 Dup	D045610	<0.005	<1	7.06	2	72	<1	10	4.91	7	39	248	61	6.99	0.96	21	2.23	1600	7	88	206	<1	<5	<5	2	43	1833	206	168	<10	14	69
289969	D045611	0.007	<1	7.83	6	89	<1	14	7.75	8	56	312	145	8.39	1.03	26	2.34	1946	8	117	241	2	<5	<5	<1	59	345	250	207	<10	13	79
289970	D045612	<0.005	<1	8.27	2	24	<1	16	6.73	7	41	263	101	7.04	1.08	34	3.13	1299	6	107	229	<1	<5	<5	3	61	301	200	180	<10	11	67
289971	D045613	<0.005	<1	8.60	<2	57	<1	12	7.03	7	43	263	94	7.42	1.26	31	2.34	1560	9	107	220	<1	<5	<5	3	72	597	289	178	<10	15	73
289972	D045614	<0.005	<1	7.01	3	29	<1	10	5.11	5	35	234	74	5.75	0.99	30	2.41	1042	5	89	236	<1	<5	<5	<1	54	251	179	145	<10	10	53
289973	D045615	<0.005	<1	10.19	3	72	<1	13	6.93	8	45	286	117	7.76	1.32	36	2.26	1561	11	117	245	<1	<5	<5	2	97	619	266	211	<10	19	77
289974	D045616	0.008	<1	9.75	<2	25	<1	12	6.01	7	43	266	93	7.38	1.27	46	3.66	1154	8	110	259	2	<5	<5	<1	74	317	241	191	<10	14	70
289975	D045617	<0.005	<1	9.41	2	49	<1	17	7.03	7	48	283	118	7.80	1.26	36	2.52	1616	9	124	247	3	<5	<5	<1	73	270	189	197	<10	12	75
289976	D045618	0.111	<1	7.92	2	40	<1	15	6.19	7	40	245	106	7.23	1.05	31	2.32	1383	7	105	220	<1	<5	<5	<1	63	174	312	182	<10	9	69
289977	D045619	<0.005	<1	8.75	<2	40	<1	17	7.61	7	44	276	107	7.55	1.19	34	2.58	1460	7	120	240	1	<5	<5	<1	84	191	180	196	<10	9	68
289978	D045620	0.005	<1	9.18	3	54	<1	15	6.70	7	46	275	94	7.41	1.31	38	2.78	1283	8	121	249	<1	<5	<5	<1	74	185	171	190	<10	7	69

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, October 20, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/30/2010
Date Completed: 10/15/2010
Job #: 201044187
Reference: Castle Wood Lake (CWL)
Sample #: 310 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
289979 Dup	D045620	<0.005	<1	8.33	3	49	<1	11	6.33	6	44	259	87	7.04	1.19	34	2.62	1216	6	113	236	2	<5	<5	1	68	165	189	180	<10	6	65
289980	D045621	0.006	<1	8.48	3	59	<1	13	6.59	7	47	258	116	7.46	1.24	30	2.15	1471	9	120	230	2	<5	<5	1	78	169	116	191	<10	5	71
289981	D045622	<0.005	<1	6.95	5	45	<1	15	6.24	5	39	218	92	5.63	1.09	26	1.89	1373	7	99	191	<1	<5	<5	<1	72	137	86	150	<10	4	52
289982	D045623	<0.005	<1	7.66	4	41	<1	9	6.68	6	40	233	74	6.89	1.22	29	2.02	1699	8	106	235	<1	<5	<5	3	67	147	236	153	<10	4	65
289983	D045624	0.006	<1	7.27	15	57	<1	14	9.17	5	36	241	90	5.38	1.22	27	1.95	1700	7	94	188	<1	<5	<5	<1	101	147	100	141	<10	6	47
289984	D045625	0.008	<1	7.75	22	47	<1	14	7.98	6	47	243	172	6.60	1.19	30	2.05	1731	9	108	220	<1	<5	<5	2	76	156	189	154	<10	6	58
289985	D045626	<0.005	<1	7.69	2	46	<1	14	6.55	7	32	284	62	7.31	1.14	24	1.74	1610	11	81	191	<1	<5	<5	1	65	167	118	141	<10	6	55
289986	D045627	<0.005	<1	8.48	10	40	<1	12	7.53	9	38	242	101	9.00	1.27	28	2.06	1841	12	85	236	5	<5	<5	<1	70	185	250	168	<10	6	66
289987	D045628	0.006	<1	9.01	19	58	<1	13	6.01	7	42	247	98	7.09	1.39	33	2.12	1569	9	103	251	<1	<5	<5	2	86	190	162	180	<10	5	60
289988	D045629	<0.005	<1	9.22	9	75	<1	14	6.99	6	39	234	95	6.54	1.28	36	2.38	1409	10	102	219	<1	<5	<5	<1	82	203	111	170	<10	6	57
289989	D045630	0.018	<1	9.94	15	81	<1	14	6.59	8	48	215	132	7.84	1.55	36	2.82	1316	9	95	267	2	<5	<5	<1	76	276	276	209	<10	7	94
289990 Rep	D045630	0.005	<1	8.26	15	70	<1	12	6.03	7	42	180	122	6.92	1.39	31	2.48	1220	8	84	232	<1	<5	<5	<1	64	241	257	176	<10	6	82
289991	D045631	0.019	<1	8.13	10	20	<1	11	5.63	7	37	166	151	6.57	1.18	27	2.42	1043	9	121	224	<1	<5	<5	3	63	323	222	174	<10	7	137
289992	D045632	0.030	<1	9.67	4	26	<1	14	7.92	7	47	146	129	7.34	1.31	24	2.24	1325	11	77	272	<1	<5	<5	2	98	3704	182	212	<10	16	122
289993	D045633	0.006	<1	9.13	6	26	<1	16	5.47	8	52	173	133	7.80	1.37	20	3.33	1240	10	78	272	<1	<5	<5	<1	122	4542	130	199	<10	15	95
289994	D045634	0.010	<1	9.19	4	26	<1	18	5.31	8	53	184	126	8.22	1.30	20	3.43	1357	10	80	300	<1	<5	<5	2	125	4887	343	209	<10	16	97
289995	D045635	0.008	<1	8.85	6	24	<1	12	5.47	8	54	171	145	8.20	1.23	19	3.35	1366	10	82	313	<1	<5	<5	4	139	5001	274	200	<10	16	91
289996	D045636	<0.005	<1	9.24	6	26	<1	14	5.83	8	50	159	126	8.08	1.28	22	3.38	1256	10	76	276	<1	<5	<5	<1	129	4638	105	209	<10	16	83
289997	D045637	0.008	<1	8.48	6	38	<1	17	5.29	8	54	139	131	8.00	1.04	19	3.41	1245	8	77	293	<1	<5	<5	1	121	4907	210	200	<10	14	87
289998	D045638	0.008	<1	9.44	11	26	<1	12	6.28	7	51	209	114	7.23	1.16	25	3.51	1236	10	99	223	<1	<5	<5	3	102	3784	115	168	<10	12	78
289999	D045639	<0.005	<1	8.99	30	26	<1	13	5.24	6	45	285	89	6.17	1.30	25	4.02	1045	9	125	145	<1	<5	<5	2	84	2936	178	139	<10	10	52
290000	D045640	<0.005	<1	8.82	45	25	<1	12	4.90	5	48	282	95	5.81	1.20	25	4.02	988	9	128	145	<1	<5	<5	1	89	2786	194	138	<10	10	49
290001 Dup	D045640	<0.005	<1	8.14	49	23	<1	11	4.61	5	48	263	93	5.70	1.13	23	3.95	970	7	126	141	<1	<5	<5	3	82	2788	16	130	<10	9	50
290002	D045641	0.018	<1	8.78	51	23	<1	10	6.69	6	46	250	111	6.05	1.19	25	3.23	1092	9	116	154	<1	<5	<5	1	84	2844	250	137	<10	9	62
290003	D045642	0.012	<1	8.85	57	22	<1	12	7.25	6	52	345	106	6.65	1.28	22	3.55	1212	7	123	168	1	<5	<5	2	102	3240	189	151	<10	10	60
290004	D045643	0.046	<1	7.79	35	137	<1	9	4.57	6	44	221	164	5.16	1.20	20	2.01	693	10	69	267	4	<5	<5	5	71	2501	241	112	<10	12	252
290005	D045644	0.005	<1	7.26	33	19	<1	10	6.11	6	41	252	123	6.81	1.09	19	2.81	1226	4	46	208	<1	<5	<5	2	84	3902	101	182	<10	11	84
290006	D045645	0.012	1	7.08	79	205	<1	15	2.77	15	50	183	250	4.99	1.26	19	1.54	592	11	52	337	9	<5	<5	3	48	2438	70	80	<10	11	620
290007	D045646	0.005	<1	7.80	38	23	<1	12	6.02	7	47	316	134	7.52	1.10	20	2.99	1242	5	52	232	<1	<5	<5	3	80	4071	157	189	<10	12	89
290008	D045647	<0.005	<1	8.42	31	22	<1	15	6.30	7	47	208	126	7.59	1.25	24	3.40	1209	8	50	267	<1	<5	<5	2	94	4545	97	201	<10	14	72

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, October 20, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/30/2010
Date Completed: 10/15/2010
Job #: 201044187
Reference: Castle Wood Lake (CWL)
Sample #: 310 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
290009	D045648	<0.005	<1	7.85	28	19	<1	14	6.60	7	47	303	149	7.55	1.04	19	3.36	1193	6	53	248	<1	<5	<5	3	121	4452	121	204	<10	13	77
290010	D045649	<0.005	<1	7.85	24	20	<1	12	6.53	7	45	201	138	7.00	1.16	22	3.16	1110	6	48	282	<1	<5	<5	2	73	4040	127	203	<10	14	71
290011	D045650	<0.005	<1	7.57	24	21	<1	12	6.97	8	42	259	122	6.45	1.31	22	2.97	1061	7	49	520	<1	<5	<5	2	65	3723	150	187	<10	14	120
290012 Dup	D045650	<0.005	<1	7.62	23	21	<1	12	7.08	8	43	262	128	6.56	1.18	23	2.99	1075	7	49	531	<1	<5	<5	3	64	3740	167	188	<10	14	126
290013	D045651	<0.005	<1	8.33	20	24	<1	12	6.53	7	43	208	132	6.52	1.26	25	3.00	1040	9	49	456	<1	<5	<5	2	64	3684	105	187	<10	15	121
290014	D045652	3.371	<1	5.46	347	546	<1	6	8.32	<4	6	36	28	1.49	1.15	43	3.66	302	19	23	406	3	44	<5	2	52	221	148	74	28	10	29
290015	D045653	<0.005	<1	6.83	13	407	<1	9	1.82	<4	14	52	20	2.15	1.23	22	0.93	430	12	27	500	<1	<5	<5	1	174	1530	145	68	31	13	28
290016	D045654	0.006	5	6.56	20	397	<1	11	2.07	32	42	388	312	3.53	1.21	15	0.76	316	12	48	341	245	5	<5	4	44	1858	58	48	15	10	1482
290017	D045655	0.011	<1	8.58	24	45	<1	11	4.04	5	51	212	509	5.20	1.16	22	2.10	714	11	59	398	6	<5	<5	3	82	3216	193	125	<10	14	93
290018	D045656	0.006	<1	8.48	26	21	<1	14	6.50	6	48	307	109	6.55	1.03	22	2.99	1128	5	109	192	2	<5	<5	3	84	3382	151	167	<10	12	69
290019	D045657	<0.005	<1	8.63	29	19	<1	12	6.84	7	49	267	102	6.86	1.14	22	3.06	1150	6	107	185	<1	<5	<5	<1	62	3412	88	189	<10	13	66
290020	D045658	<0.005	<1	8.31	20	18	<1	11	7.98	7	48	219	106	7.25	1.06	23	3.36	1239	6	86	207	1	<5	<5	2	57	3451	58	202	<10	14	77
290021	D045659	<0.005	<1	7.35	16	19	<1	8	6.19	6	38	223	51	5.90	1.01	23	3.00	993	4	88	148	<1	<5	<5	2	52	2495	83	154	<10	11	65
290022	D045660	<0.005	<1	9.29	9	182	<1	14	5.80	7	51	307	123	7.42	1.30	30	3.33	1114	7	98	204	2	<5	<5	2	58	3888	179	176	<10	15	92
290023 Dup	D045660	<0.005	<1	8.48	10	166	<1	16	5.37	7	48	287	111	6.94	1.36	27	3.15	1051	6	93	195	<1	<5	<5	2	53	3746	188	162	<10	14	83
290024	D045661	<0.005	<1	9.25	17	84	<1	10	7.95	6	43	235	101	6.59	1.35	33	3.51	1194	7	103	169	<1	<5	<5	2	68	3070	289	154	<10	12	61
290025	D045662	0.012	<1	9.18	24	20	<1	22	6.49	7	51	288	122	7.11	1.06	30	3.92	1138	6	117	183	<1	<5	<5	3	75	3489	129	169	<10	11	65
290026	D045663	0.005	<1	7.74	16	18	<1	14	6.43	6	46	228	112	6.07	1.05	19	2.90	1045	6	110	162	<1	<5	<5	3	83	3206	267	128	<10	8	55
290027	D045664	<0.005	<1	8.98	19	21	<1	12	7.21	6	50	312	109	6.39	1.25	18	2.72	1060	8	117	181	<1	<5	<5	<1	124	3559	205	162	<10	11	56
290028	D045665	<0.005	<1	8.27	23	20	<1	15	7.54	6	51	259	123	6.51	1.04	18	2.88	1092	6	116	176	<1	<5	<5	2	106	3513	182	156	<10	11	63
290029	D045666	0.006	<1	7.96	32	19	<1	16	6.85	6	50	278	106	6.00	1.12	16	2.72	1029	6	108	158	<1	<5	<5	1	99	3227	209	147	<10	10	54
290030	D045667	0.006	<1	8.74	29	20	<1	14	6.98	6	49	255	115	6.54	1.00	19	2.95	1107	6	119	184	<1	<5	<5	<1	102	3573	382	161	<10	11	64
290031	D045668	0.009	<1	7.21	28	15	<1	14	6.23	6	45	209	111	6.04	0.90	18	2.66	1036	3	88	172	<1	<5	<5	<1	63	3210	238	159	<10	11	56
290032	D045669	<0.005	<1	8.02	19	66	<1	13	7.04	7	45	160	108	6.97	1.11	26	3.23	1239	8	86	218	<1	<5	<5	1	60	3989	77	177	<10	13	69
290033	D045670	0.005	<1	7.02	14	18	<1	9	4.87	7	50	214	118	6.89	0.96	19	3.26	1160	5	88	235	<1	<5	<5	1	74	4161	245	167	<10	11	72
290034 Dup	D045670	0.005	<1	8.01	13	20	<1	15	5.39	7	51	234	123	7.44	0.96	21	3.49	1253	6	96	256	<1	<5	<5	<1	87	4420	206	186	<10	13	105
290035	D045671	0.025	<1	7.16	13	20	<1	13	4.44	6	47	158	111	6.54	0.94	18	3.11	1066	6	85	241	<1	<5	<5	1	88	4405	151	159	<10	12	67
290036	D045672	<0.005	<1	7.16	10	18	<1	13	4.51	6	46	193	108	6.42	0.96	20	3.18	1061	5	89	215	<1	<5	<5	2	83	3813	211	153	<10	11	67
290037	D045673	0.008	<1	8.52	6	19	<1	15	5.44	7	51	174	113	7.61	1.00	27	3.66	1185	5	106	247	<1	<5	<5	2	70	4220	125	188	<10	13	119
290038	D045674	0.008	<1	7.61	6	21	<1	16	4.43	6	48	192	119	6.89	0.92	21	3.30	1007	6	94	232	<1	<5	<5	2	87	4221	194	161	<10	11	73

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, October 20, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/30/2010
Date Completed: 10/15/2010
Job #: 201044187
Reference: Castle Wood Lake (CWL)
Sample #: 310 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
290039	D045675	0.007	<1	7.49	<2	17	<1	17	5.41	6	46	147	105	6.79	1.09	22	3.32	1101	4	86	224	<1	<5	<5	3	79	3918	133	176	<10	12	69
290040	D045676	<0.005	<1	7.45	5	51	<1	17	5.19	7	48	168	113	7.32	1.08	25	3.21	1096	4	88	216	<1	<5	<5	<1	45	3869	201	184	<10	14	80
290041	D045677	<0.005	<1	8.69	2	19	<1	16	6.14	8	51	233	48	8.37	1.07	27	3.73	1209	5	97	258	<1	<5	<5	<1	67	3696	90	233	<10	17	127
290042	D045678	0.007	<1	8.99	3	21	<1	15	6.91	8	50	195	175	8.12	1.10	27	3.58	1270	7	92	237	<1	<5	<5	3	80	3607	128	219	<10	16	114
290043	D045679	0.010	<1	8.11	<2	17	<1	19	5.09	8	52	220	105	8.28	1.03	23	3.55	1148	5	90	248	<1	<5	<5	2	71	3694	256	212	<10	16	107
290044	D045680	0.006	<1	8.22	<2	19	<1	16	5.19	7	46	166	65	7.69	1.13	23	3.56	1071	5	85	233	<1	<5	<5	3	82	4027	263	215	<10	16	70
290045 Dup	D045680	0.007	<1	7.03	3	14	<1	16	4.92	7	44	162	63	7.41	0.96	20	3.43	1033	3	83	223	<1	<5	<5	2	72	3868	115	204	<10	15	67
290046	D045681	0.007	<1	7.32	<2	17	<1	17	5.34	7	48	219	92	7.47	0.97	21	3.61	1097	4	90	244	<1	<5	<5	2	76	4309	123	207	<10	15	63
290047	D045682	0.030	<1	7.43	<2	16	<1	20	4.92	8	51	186	103	7.88	0.93	22	3.62	1179	5	90	268	2	<5	<5	3	70	4738	207	219	<10	16	83
290048	D045683	0.034	<1	8.74	<2	19	<1	16	5.48	9	57	218	96	9.02	1.05	26	4.22	1311	5	104	283	<1	<5	<5	5	80	5156	229	251	<10	18	96
290049	D045684	0.035	1	7.43	4	19	1	12	4.85	8	54	151	127	7.45	1.02	23	3.47	1054	8	93	259	3	<5	<5	6	71	4454	291	194	<10	15	101
290050	D045685	0.008	<1	7.13	5	19	<1	16	4.06	7	48	179	72	7.06	0.93	21	3.44	1010	5	84	244	<1	<5	<5	3	60	4284	242	185	<10	12	89
290051	D045686	<0.005	<1	7.02	2	16	<1	16	4.77	7	51	181	141	7.54	0.97	19	3.51	1205	5	89	265	<1	<5	<5	<1	82	4651	206	191	<10	12	76
290052	D045687	<0.005	<1	7.62	2	20	<1	18	5.36	8	53	236	123	7.99	1.06	20	3.63	1304	7	90	286	<1	<5	<5	2	82	4968	199	202	<10	13	98
290053	D045688	0.011	<1	6.69	7	17	<1	11	4.63	7	54	172	134	7.14	0.98	17	3.41	1135	5	95	261	<1	<5	<5	<1	80	4346	61	170	<10	11	86
290054	D045689	0.006	<1	7.77	3	19	<1	18	6.36	7	52	187	127	7.27	1.01	20	3.52	1294	6	109	328	<1	<5	<5	2	95	4428	246	178	<10	12	79
290055	D045690	<0.005	<1	7.23	6	18	<1	15	4.51	7	53	172	129	7.08	0.87	19	3.44	1096	5	108	248	<1	<5	<5	3	96	4390	138	165	<10	11	81
290056 Rep	D045690	<0.005	<1	7.29	4	18	<1	12	4.79	7	52	181	126	7.31	0.91	18	3.55	1142	5	111	251	2	<5	<5	2	102	4412	149	173	<10	11	82
290057	D045691	<0.005	<1	6.87	7	16	<1	15	4.67	7	52	175	385	7.13	0.92	18	3.41	1139	4	603	247	8	<5	<5	2	82	4157	128	174	<10	11	156
290058	D045692	<0.005	<1	6.71	4	16	<1	17	4.41	7	53	178	141	7.35	1.02	17	3.51	1245	4	104	260	1	<5	<5	<1	89	4604	175	174	<10	11	116
290059	D045693	<0.005	<1	6.62	3	16	<1	15	4.93	7	50	172	126	7.27	0.98	17	3.46	1240	4	92	262	<1	<5	<5	3	78	4340	212	177	<10	12	123
290060	D045694	<0.005	<1	7.89	9	19	<1	14	5.23	7	54	192	122	7.43	0.98	22	3.54	1175	6	95	259	1	<5	<5	3	74	4390	163	194	<10	13	156
290061	D045695	<0.005	<1	8.14	7	16	<1	17	6.74	7	51	180	131	7.95	0.97	24	3.74	1274	4	94	246	2	<5	<5	2	84	4452	220	217	<10	14	114
290062	D045696	<0.005	<1	7.53	4	16	<1	12	6.59	7	47	165	105	7.28	0.96	23	3.41	1236	4	87	226	4	<5	<5	<1	69	3768	48	209	<10	15	80
290063	D045697	0.010	<1	7.52	3	16	<1	16	5.78	7	47	164	111	7.18	0.98	23	3.43	1207	3	93	218	<1	<5	<5	3	69	3593	164	207	<10	14	88
290064	D045698	<0.005	<1	7.50	5	27	<1	13	6.83	6	45	158	101	6.93	1.10	23	3.14	1260	12	83	203	<1	<5	<5	<1	75	3320	152	196	<10	14	97
290065	D045699	<0.005	<1	7.19	2	118	<1	16	7.10	7	41	183	30	7.40	1.28	24	3.05	1535	15	76	207	<1	<5	<5	1	95	3163	146	173	<10	14	128
290066	D045700	<0.005	<1	6.90	8	42	<1	18	6.67	7	47	163	147	7.22	1.07	22	3.03	1322	4	84	222	<1	<5	<5	1	54	3626	188	197	<10	14	127
290067 Dup	D045700	<0.005	<1	7.87	8	45	<1	16	7.07	7	49	170	157	7.58	1.11	25	3.17	1387	5	88	241	<1	<5	<5	2	60	3817	146	209	<10	15	136
290068	D045701	<0.005	<1	6.17	7	32	<1	11	6.73	7	46	188	160	7.00	0.83	20	2.93	1298	2	83	215	<1	<5	<5	<1	50	3489	52	190	<10	13	122

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, October 20, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/30/2010
Date Completed: 10/15/2010
Job #: 201044187
Reference: Castle Wood Lake (CWL)
Sample #: 310 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
290069	D045702	2.974	49	5.60	34	335	<1	7	2.83	10	13	53	154	2.74	1.16	18	1.58	527	12	34	450	963	37	<5	<1	199	635	216	57	22	9	1926
290070	D045703	<0.005	<1	5.83	6	377	<1	5	1.58	<4	14	51	21	2.16	1.20	18	0.83	435	9	27	500	6	<5	<5	2	159	1523	113	67	29	12	44
290071	D045704	<0.005	<1	7.09	7	35	<1	17	6.64	7	49	232	198	7.31	1.05	21	2.60	1035	7	53	255	2	<5	<5	3	61	3725	100	206	<10	16	72
290072	D045705	0.008	<1	8.48	9	18	<1	17	4.93	10	68	188	379	9.56	1.03	24	3.14	971	9	71	326	<1	<5	<5	3	51	5220	161	257	<10	20	122
290073	D045706	0.008	<1	8.48	5	18	<1	14	5.98	8	56	172	478	8.89	1.19	24	3.08	982	8	64	341	<1	<5	<5	3	57	5153	131	254	<10	20	120
290074	D045707	0.006	<1	8.03	10	18	<1	18	6.20	9	62	181	404	8.28	1.11	23	2.98	1018	10	68	386	<1	<5	<5	4	60	4662	110	240	<10	19	275
290075	D045708	<0.005	<1	8.56	11	21	<1	16	5.74	9	54	210	237	8.83	1.34	25	3.03	1120	10	64	264	<1	<5	<5	3	59	5128	245	253	<10	20	152
290076	D045709	0.006	<1	8.60	<2	20	<1	18	5.77	8	48	157	7	9.01	1.21	25	3.25	1335	7	64	<100	<1	<5	<5	3	75	5369	193	300	<10	19	98
290077	D045710	0.007	<1	8.66	5	19	<1	21	5.56	11	60	164	9	10.67	1.22	27	3.50	1547	9	105	<100	<1	<5	<5	3	60	5125	223	289	<10	19	105
290078 Dup	D045710	0.008	<1	8.58	3	19	<1	18	5.28	10	59	156	9	10.15	1.19	26	3.30	1453	9	98	<100	<1	<5	<5	3	59	4852	161	277	<10	19	99
290079	D045711	0.007	<1	4.99	<2	20	<1	10	3.93	4	23	742	5	4.75	1.09	20	1.52	863	9	63	259	<1	<5	<5	2	30	681	198	98	<10	6	36
290080	D045712	0.008	<1	9.02	11	21	<1	21	5.52	10	74	200	71	10.96	1.18	29	3.31	1580	14	291	1778	1	<5	<5	4	77	5682	199	281	<10	26	119
290081	D045713	0.009	<1	7.87	7	19	<1	15	4.95	8	48	157	23	8.06	1.09	23	2.56	1209	11	138	1501	<1	<5	<5	1	77	4520	38	234	<10	22	94
290082	D045714	0.008	<1	8.72	<2	22	<1	13	6.36	8	44	185	6	8.29	1.27	25	2.93	1481	9	64	1517	<1	<5	<5	3	97	4866	118	251	<10	26	84
290083	D045715	0.007	<1	8.66	4	20	<1	16	5.74	8	46	160	2	8.80	1.15	25	3.12	1322	8	65	1098	<1	<5	<5	2	62	4442	211	247	<10	22	83
290084	D045716	0.007	<1	8.14	3	18	<1	12	6.18	8	47	178	9	8.35	1.19	25	3.13	1182	6	63	<100	2	<5	<5	3	71	3181	171	270	<10	18	79
290085	D045717	<0.005	<1	8.00	2	19	<1	12	5.98	6	34	167	2	6.75	1.22	24	3.03	1133	6	48	<100	<1	<5	<5	1	88	3096	175	231	<10	18	72
290086	D045718	0.006	<1	7.04	2	19	<1	14	5.92	5	31	182	<1	5.62	1.11	21	2.65	1017	5	46	<100	<1	<5	<5	2	85	2957	146	204	<10	17	43
290087	D045719	0.010	<1	8.55	3	22	<1	11	6.04	7	35	250	3	7.33	1.15	26	3.10	1124	9	52	107	2	<5	<5	1	76	2322	202	246	<10	19	73
290088	D045720	0.008	<1	7.77	4	19	<1	9	5.77	7	42	166	1	7.72	1.06	23	3.01	1178	6	56	517	2	<5	<5	2	84	3573	123	247	<10	19	66
290089 Dup	D045720	0.008	<1	8.46	2	21	<1	13	6.28	8	45	179	1	8.43	1.24	25	3.28	1268	8	62	576	<1	<5	<5	1	90	3867	89	272	<10	20	71
290090	D045721	0.009	<1	7.90	3	20	<1	14	5.18	8	45	162	49	7.78	1.15	24	2.99	1086	9	75	419	<1	<5	<5	2	76	2892	125	242	<10	20	73
290091	D045722	0.005	<1	8.02	4	23	<1	15	5.42	8	50	197	87	8.02	0.90	25	2.97	1140	8	78	513	<1	<5	<5	2	84	1852	197	228	<10	17	81
290092	D045723	<0.005	<1	7.75	4	19	<1	15	5.52	8	42	192	47	8.09	1.11	26	3.32	1143	7	69	318	1	<5	<5	<1	75	1021	235	213	<10	14	100
290093	D045724	<0.005	<1	9.03	4	20	<1	19	5.12	10	49	210	38	10.37	1.24	33	4.20	1221	6	78	346	1	<5	<5	2	62	1059	175	214	<10	12	157
290094	D045725	<0.005	<1	9.76	<2	24	<1	18	5.37	10	50	233	13	9.70	1.19	32	4.00	1241	9	91	354	3	<5	<5	3	79	1518	143	224	<10	11	136
290095	D045726	<0.005	<1	7.75	<2	18	<1	15	6.87	8	39	349	4	8.06	1.21	27	3.25	1218	8	65	303	<1	<5	<5	1	70	729	89	199	<10	8	101
290096	D045727	<0.005	<1	8.13	2	13	<1	16	6.53	10	62	118	9	10.37	0.85	27	4.13	1402	4	92	192	5	<5	<5	2	81	2057	93	417	<10	15	128
290097	D045728	<0.005	<1	8.20	2	27	<1	16	6.08	9	51	37	88	9.60	1.20	25	3.00	1280	10	21	291	<1	<5	<5	2	89	4114	145	502	<10	19	90
290098	D045729	0.005	<1	8.00	2	24	<1	19	5.36	9	54	81	159	9.80	1.48	24	2.84	1233	11	20	233	3	<5	<5	3	81	4872	223	654	<10	16	85

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, October 20, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/30/2010
Date Completed: 10/15/2010
Job #: 201044187
Reference: Castle Wood Lake (CWL)
Sample #: 310 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
290099	D045730	0.008	<1	6.59	3	17	<1	20	5.71	10	54	41	226	9.71	0.89	21	2.79	1219	9	18	234	3	<5	<5	1	74	2672	81	646	<10	14	87
290100 Dup	D045730	0.006	<1	7.76	2	24	<1	15	5.78	9	51	42	219	9.48	1.11	24	2.80	1256	10	18	237	2	<5	<5	2	79	3124	184	648	<10	14	86
290101	D045731	0.017	<1	7.23	4	24	<1	16	5.90	10	61	151	143	10.11	1.12	22	2.68	1131	10	13	207	4	<5	<5	2	87	1747	193	725	<10	8	80
290102	D045732	0.010	<1	7.82	3	95	<1	14	6.43	9	47	42	136	9.01	1.21	24	2.46	1194	10	13	244	5	<5	<5	2	106	1376	217	589	<10	8	88
290103	D045733	0.007	1	3.14	3	27	<1	5	1.09	<4	10	1127	34	1.71	0.98	12	0.40	264	10	18	<100	<1	<5	<5	3	26	429	99	72	<10	4	2
290104	D045734	0.009	<1	7.95	4	44	<1	16	6.00	10	54	50	156	10.18	1.19	25	2.52	1320	13	17	388	4	<5	<5	<1	108	1123	142	594	<10	8	118
290105	D045735	0.008	<1	7.01	2	29	<1	17	6.67	9	44	189	69	9.55	1.14	19	1.95	1250	13	9	767	3	<5	<5	2	99	1762	418	406	<10	10	83
290106	D045736	0.008	<1	7.82	3	37	<1	16	6.26	10	50	37	66	9.75	1.19	23	2.31	1326	11	10	317	4	<5	<5	1	97	2157	59	540	<10	7	99
290107	D045737	0.012	<1	6.53	4	30	<1	18	5.56	9	44	133	82	9.17	0.99	18	1.97	1193	10	11	570	1	<5	<5	2	81	1602	199	460	<10	9	74
290108	D045738	0.014	<1	6.99	3	22	<1	14	4.24	10	38	45	12	10.01	1.11	21	1.90	1154	14	1	774	2	<5	<5	1	64	1391	219	155	<10	11	81
290109	D045739	0.010	<1	7.45	<2	28	<1	14	3.54	12	37	232	2	11.54	1.16	21	1.64	1295	18	2	1028	9	<5	<5	3	72	1745	248	49	<10	16	89
290110	D045740	0.011	<1	5.74	7	33	<1	14	10.60	6	28	198	31	6.40	1.17	15	0.68	2097	13	<1	523	4	<5	<5	2	145	1658	221	27	<10	14	37
290111 Dup	D045740	0.012	<1	5.81	5	35	<1	13	11.09	7	31	203	33	6.60	1.19	15	0.69	2225	13	<1	551	3	<5	<5	3	153	1720	108	28	<10	15	37
290112	D045741	0.007	<1	7.20	2	25	<1	18	3.72	12	36	241	3	12.11	0.98	20	1.43	1304	19	1	1208	8	<5	<5	3	75	1339	123	44	<10	19	110
290113	D045742	0.007	<1	7.56	3	31	<1	18	4.51	11	33	74	<1	10.75	1.26	23	1.75	1384	17	<1	996	4	<5	<5	2	77	1500	200	49	<10	21	100
290114	D045743	0.009	<1	6.01	3	28	<1	13	3.91	9	31	217	9	9.02	1.00	16	1.24	1324	15	<1	836	3	<5	<5	<1	74	1445	93	35	<10	23	69
290115	D045744	0.007	<1	7.34	3	31	<1	18	4.13	10	35	93	1	10.51	1.19	20	1.21	1364	18	<1	1008	7	<5	<5	1	83	1595	217	43	<10	24	81
290116	D045745	0.022	<1	7.59	2	23	<1	17	5.22	10	41	271	9	10.62	1.21	23	1.81	1346	17	3	734	5	<5	<5	2	70	1099	190	206	<10	13	89
290117	D045746	0.018	<1	6.66	2	28	<1	12	5.46	8	39	56	39	8.35	1.26	21	2.02	1050	10	10	387	<1	<5	<5	<1	72	1348	84	513	<10	8	78
290118	D045747	0.008	<1	6.89	3	141	<1	9	6.82	4	17	311	7	4.60	1.30	16	1.05	700	9	3	968	<1	<5	<5	3	73	1449	241	94	<10	18	95
290119	D045748	0.009	<1	7.06	6	40	<1	15	6.04	9	50	57	6	9.89	1.08	20	2.15	1161	13	3	506	3	<5	<5	3	75	6784	157	436	<10	22	83
290120	D045749	0.008	<1	6.72	5	18	<1	18	5.26	11	72	141	8	10.85	1.00	18	2.74	1429	10	11	236	2	<5	<5	2	88	11593	215	765	<10	15	90
290121	D045750	0.008	<1	7.19	<2	20	<1	19	4.82	10	63	55	8	10.50	0.93	21	3.09	1504	10	13	240	3	<5	<5	2	80	11552	211	745	<10	15	92
290122 Rep	D045750	0.009	<1	6.74	2	21	<1	20	4.62	10	63	132	5	10.68	1.02	19	2.94	1421	10	15	270	3	<5	<5	<1	82	11088	228	733	<10	14	88
290123	D045751	0.006	<1	6.06	4	15	<1	20	4.43	10	60	48	70	9.91	0.83	17	2.82	1351	9	87	196	5	<5	<5	2	75	10597	151	699	<10	13	139
290124	D045752	4.213	<1	6.08	930	1699	<1	17	2.07	4	15	60	39	4.97	1.17	26	1.13	550	497	33	595	20	<5	<5	3	207	1905	110	145	<10	12	65
290125	D045753	0.011	<1	5.88	14	389	<1	8	1.73	<4	16	61	23	2.54	1.17	21	0.96	498	15	33	583	<1	<5	<5	3	152	1711	261	78	33	14	42
290126	D045754	<0.005	<1	7.69	6	33	1	25	5.56	11	74	125	106	11.90	1.12	20	2.92	1449	12	21	306	5	<5	<5	2	113	11392	116	875	<10	17	92
290127	D045755	0.005	<1	7.68	5	27	<1	21	6.23	10	60	39	56	10.86	1.08	23	2.95	1527	11	20	248	4	<5	<5	3	60	8620	190	766	<10	21	109
290128	D045756	<0.005	<1	7.88	5	59	<1	14	4.64	11	47	250	16	11.44	1.29	19	2.00	1294	18	5	883	2	<5	<5	4	75	7228	260	205	<10	41	113

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, October 20, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/30/2010
Date Completed: 10/15/2010
Job #: 201044187
Reference: Castle Wood Lake (CWL)
Sample #: 310 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
290129	D045757	<0.005	<1	6.69	5	77	<1	21	4.08	8	40	104	17	8.87	1.39	17	1.90	1124	14	3	943	<1	<5	<5	3	63	4801	100	124	<10	39	100
290130	D045758	0.010	<1	7.84	3	28	<1	22	4.85	10	61	151	5	10.94	1.27	22	2.53	1596	14	10	499	3	<5	<5	3	73	9921	278	536	<10	30	108
290131	D045759	<0.005	<1	7.73	3	26	<1	19	5.11	10	63	37	34	10.14	1.20	22	2.49	1426	13	19	276	<1	<5	<5	2	91	9717	113	726	<10	18	90
290132	D045760	0.007	<1	7.66	3	24	<1	20	5.35	10	61	143	190	10.02	1.25	23	2.54	1367	11	23	275	3	<5	<5	3	105	9285	175	700	<10	17	84
290133 Dup	D045760	0.007	<1	8.93	3	29	<1	23	5.96	10	68	158	215	11.12	1.26	27	2.81	1518	14	27	311	4	<5	<5	2	117	10280	138	772	<10	19	97
290134	D045761	0.008	<1	8.18	4	30	<1	19	5.74	9	57	45	204	9.88	1.19	24	2.55	1399	12	22	334	1	<5	<5	3	82	7569	135	578	<10	20	78
290135	D045762	0.007	<1	7.87	4	24	<1	14	5.42	8	48	97	170	8.67	1.06	21	2.58	1361	9	20	253	2	<5	<5	1	79	5357	70	534	<10	17	72
290136	D045763	0.009	<1	8.64	2	28	<1	20	6.55	10	60	64	194	10.44	1.30	25	3.14	1493	11	25	274	5	<5	<5	2	87	6381	210	640	<10	19	88
290137	D045764	0.009	<1	8.38	3	30	<1	20	6.04	12	67	167	227	12.28	1.39	24	2.86	1404	15	29	360	4	<5	<5	4	81	8677	193	919	<10	21	94
290138	D045765	0.009	<1	10.13	5	93	<1	15	8.19	10	54	142	61	10.25	1.28	28	3.35	1736	12	23	357	4	<5	<5	3	121	2851	252	416	<10	19	109
290139	D045766	0.006	<1	10.16	4	36	<1	20	7.13	10	59	130	123	10.32	1.52	28	3.64	1682	8	31	331	3	<5	<5	2	114	2939	155	366	<10	21	103
290140	D045767	<0.005	<1	7.51	4	25	<1	17	5.29	9	37	188	27	9.55	1.15	21	2.24	1284	13	8	715	<1	<5	<5	3	77	1675	180	136	<10	19	93
290141	D045768	<0.005	<1	9.03	3	31	<1	17	5.64	10	39	287	36	10.31	1.25	25	2.26	1391	16	10	750	5	<5	<5	<1	90	2497	300	131	<10	22	102
290142	D045769	<0.005	<1	9.03	<2	35	<1	18	5.35	10	33	119	<1	10.27	1.33	25	2.23	1261	15	<1	738	1	<5	<5	2	86	2282	339	185	<10	19	93
290143	D045770	0.007	<1	8.54	4	62	<1	18	11.21	9	29	123	66	9.38	1.41	24	2.26	2008	13	6	650	5	<5	<5	4	171	1867	129	433	<10	19	73
290144 Dup	D045770	0.007	<1	8.73	3	63	<1	13	11.17	9	29	123	67	9.30	1.36	25	2.26	1988	13	6	645	3	<5	<5	2	173	1786	227	427	<10	19	74
290145	D045771	<0.005	<1	8.78	<2	31	<1	16	7.11	11	43	47	48	10.95	1.35	28	2.84	1395	13	14	251	6	<5	<5	2	95	1935	310	728	<10	11	103
290146	D045772	<0.005	<1	8.24	3	31	<1	15	6.57	10	61	80	20	10.90	1.30	26	2.82	1288	12	13	255	4	<5	<5	<1	94	1820	175	761	<10	10	76
290147	D045773	<0.005	<1	9.44	3	44	<1	18	5.99	11	55	90	49	11.13	1.55	26	2.54	1496	15	10	483	1	<5	<5	1	108	3835	117	531	<10	12	95
290148	D045774	<0.005	<1	7.68	<2	40	<1	13	5.90	7	42	108	64	8.01	1.13	21	2.43	1252	9	16	320	<1	<5	<5	1	101	1830	108	364	<10	8	82
290149	D045775	<0.005	<1	8.54	3	30	<1	12	6.55	8	50	176	64	8.68	1.36	26	2.98	1423	8	29	257	4	<5	<5	2	98	1498	63	378	<10	8	97
290150	D045776	<0.005	<1	8.56	<2	27	<1	17	6.92	8	47	97	68	8.62	1.38	27	3.45	1517	7	29	279	<1	<5	<5	<1	104	1459	264	313	<10	10	94
290151	D045777	0.010	<1	9.30	3	29	<1	11	7.11	9	52	90	136	8.92	1.35	28	3.38	1461	8	30	300	3	<5	<5	<1	114	1437	217	373	<10	8	81
290152	D045778	<0.005	<1	8.51	<2	45	<1	14	7.56	8	44	322	43	8.76	1.46	27	2.94	1487	10	34	191	4	<5	<5	3	121	1383	237	223	<10	8	79
290153	D045779	0.009	<1	9.47	2	46	<1	16	8.87	11	56	62	105	11.13	1.45	29	2.83	1961	15	21	813	5	<5	<5	3	148	1498	272	320	<10	16	123
290154	D045780	<0.005	<1	9.01	3	67	<1	19	3.76	13	42	242	38	12.71	1.34	25	1.67	1361	21	2	1273	6	<5	<5	2	87	1912	164	58	<10	23	123
290155 Dup	D045780	0.005	<1	8.08	2	60	<1	21	3.03	10	35	197	29	10.38	1.29	20	1.33	1122	19	<1	1028	2	<5	<5	4	81	2267	131	48	<10	19	97
290156	D045781	0.006	<1	9.91	4	36	1	18	4.77	13	42	229	52	13.60	1.54	29	2.41	1334	23	2	1483	13	<5	<5	<1	83	1524	279	97	<10	24	155
290157	D045782	0.008	1	6.13	4	23	<1	18	9.22	8	39	129	45	7.83	1.15	17	1.49	1525	13	7	1148	5	<5	<5	2	156	797	299	147	<10	17	56
290158	D045783	<0.005	<1	7.57	2	25	<1	20	6.47	10	44	89	23	9.93	1.22	23	1.93	1368	15	11	567	6	<5	<5	1	94	1387	170	334	<10	10	83

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, October 20, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/30/2010
Date Completed: 10/15/2010
Job #: 201044187
Reference: Castle Wood Lake (CWL)
Sample #: 310 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
290159	D045784	0.005	<1	6.97	2	35	<1	14	5.98	8	36	195	39	7.93	1.21	20	1.70	1212	13	18	580	<1	<5	<5	2	111	1742	62	302	<10	10	62
290160	D045785	<0.005	<1	8.03	2	81	<1	15	6.30	9	42	88	23	9.40	1.31	23	1.71	1270	16	10	512	<1	<5	<5	1	114	2216	98	328	<10	11	94
290161	D045786	0.006	<1	8.50	2	43	<1	17	6.77	10	44	124	24	9.92	1.22	25	1.99	1314	16	10	530	1	<5	<5	3	99	2381	137	365	<10	14	87
290162	D045787	0.005	<1	7.32	3	72	<1	18	5.04	8	42	81	30	8.64	1.04	22	1.70	988	14	10	463	<1	<5	<5	3	75	3002	276	311	<10	23	62
290163	D045788	0.007	<1	8.63	3	37	<1	15	5.62	8	49	146	99	8.87	1.29	24	2.57	1362	13	25	430	3	<5	<5	2	101	6311	84	310	<10	27	73
290164	D045789	0.009	<1	8.32	2	37	<1	24	4.87	9	55	105	185	9.50	1.19	24	2.53	1452	13	15	566	<1	<5	<5	1	105	7827	54	293	<10	31	101
290165	D045790	<0.005	<1	7.54	2	82	<1	16	5.46	8	47	149	71	7.91	1.40	23	2.58	1381	10	24	440	1	<5	<5	1	87	6230	85	264	<10	25	67
290166 Dup	D045790	0.007	<1	7.52	2	84	<1	17	5.45	7	48	142	69	7.83	1.29	22	2.57	1372	10	24	450	<1	<5	<5	3	87	6094	80	262	<10	25	67
290167	D045791	<0.005	<1	5.91	<2	26	<1	14	3.41	7	42	69	79	7.36	1.02	17	1.94	1135	10	9	432	<1	<5	<5	1	65	6275	66	229	<10	22	89
290168	D045792	0.006	<1	6.91	4	28	<1	17	3.41	8	52	124	152	9.11	1.15	19	2.27	1286	14	12	603	<1	<5	<5	2	81	7773	140	280	<10	22	143
290169	D045793	<0.005	<1	6.18	<2	23	<1	14	3.14	7	44	86	35	7.81	0.94	17	2.10	1197	12	9	422	<1	<5	<5	2	61	6783	79	257	<10	18	83
290170	D045794	<0.005	<1	8.21	3	31	<1	19	4.11	10	57	151	65	9.91	1.24	23	2.32	1495	16	12	544	1	<5	<5	<1	83	8580	266	322	<10	24	99
290171	D045795	<0.005	<1	7.63	4	27	<1	15	4.53	9	52	160	33	9.71	1.33	21	2.25	1458	15	12	482	3	<5	<5	1	106	7973	173	332	<10	24	77
290172	D045796	0.006	<1	7.13	2	20	<1	15	4.39	8	49	165	67	8.45	0.79	21	2.62	1440	9	22	381	<1	<5	<5	1	78	6444	67	280	<10	21	86
290173	D045797	0.005	<1	8.06	<2	29	<1	17	4.78	8	51	152	142	8.30	1.23	22	2.83	1524	12	26	395	7	<5	<5	3	133	6790	68	255	<10	19	94
290174	D045798	0.006	<1	8.45	4	32	<1	17	4.35	8	50	112	65	8.47	1.19	22	2.64	1424	13	16	481	<1	<5	<5	3	145	6056	137	280	<10	21	101
290175	D045799	<0.005	<1	8.94	4	36	<1	15	5.40	8	48	96	9	8.75	1.27	26	2.70	1555	13	14	456	<1	<5	<5	4	92	7332	188	336	<10	25	90
290176	D045800	0.006	<1	8.23	<2	138	<1	19	5.66	9	49	177	103	9.13	1.20	24	2.67	1641	13	13	513	2	<5	<5	3	71	7820	177	337	<10	30	86
290177 Dup	D045800	<0.005	<1	8.16	3	135	<1	13	5.43	8	45	171	95	8.74	1.42	24	2.57	1572	13	13	502	<1	<5	<5	3	70	7505	208	324	<10	29	82
290178	D045801	<0.005	<1	8.84	3	155	<1	11	5.81	9	51	158	81	9.11	1.41	27	2.72	1657	14	14	531	2	<5	<5	3	75	7869	319	338	<10	30	90
290179	D045802	3.106	49	7.43	34	371	<1	15	3.05	11	14	55	152	2.83	1.19	21	1.64	532	18	35	479	947	55	<5	3	256	659	144	60	25	10	1919
290180	D045803	0.007	<1	6.56	6	377	<1	7	1.69	<4	14	52	22	2.21	1.20	21	0.89	436	13	27	519	6	<5	<5	1	164	1537	45	68	30	13	48
290181	D045804	<0.005	<1	7.30	3	30	<1	20	4.20	9	55	95	57	9.72	1.07	24	2.74	1470	12	12	523	2	<5	<5	1	57	7628	65	319	<10	26	97
290182	D045805	<0.005	<1	7.64	3	25	<1	16	4.56	9	47	86	33	9.36	1.06	25	2.56	1371	12	12	488	1	<5	<5	2	55	4880	94	338	<10	25	89
290183	D045806	0.005	<1	7.80	3	71	<1	17	6.87	9	47	164	76	9.46	1.28	24	2.59	1436	12	27	460	3	<5	<5	2	98	3669	196	306	<10	25	74
290184	D045807	<0.005	<1	8.28	4	32	<1	15	6.46	8	49	188	49	8.97	1.21	24	2.94	1235	10	37	449	2	<5	<5	3	92	4712	240	303	<10	25	80
290185	D045808	<0.005	<1	7.00	<2	20	<1	12	4.39	9	42	76	16	9.46	1.08	22	2.95	1055	10	14	515	1	<5	<5	2	79	1950	52	334	<10	14	78
290186	D045809	<0.005	<1	5.51	<2	17	<1	14	3.81	8	40	116	24	8.56	0.80	17	2.11	982	10	10	459	1	<5	<5	1	71	1277	128	295	<10	11	66
290187	D045810	<0.005	<1	6.92	2	36	<1	15	4.79	10	44	122	16	10.06	1.19	19	2.16	1276	13	12	490	4	<5	<5	4	106	2763	200	357	<10	12	85
290188 Rep	D045810	<0.005	<1	7.03	<2	37	<1	11	5.02	10	45	135	16	10.10	1.17	21	2.22	1275	14	13	509	6	<5	<5	3	107	1972	166	357	<10	12	86

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, October 20, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/30/2010
Date Completed: 10/15/2010
Job #: 201044187
Reference: Castle Wood Lake (CWL)
Sample #: 310 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
290189	D045811	0.006	<1	5.21	3	15	<1	16	5.05	9	44	139	322	8.85	0.79	18	1.93	1199	11	523	507	15	<5	<5	1	78	518	152	304	<10	11	174
290190	D045812	0.021	<1	6.20	2	35	<1	15	5.64	9	44	159	69	9.22	1.08	21	2.14	1336	11	26	605	4	<5	<5	2	102	544	200	334	<10	11	133
290191	D045813	0.013	<1	6.99	2	39	<1	16	5.97	9	44	155	67	9.14	1.15	23	2.00	1552	15	21	571	2	<5	<5	2	134	780	212	316	<10	12	99
290192	D045814	0.037	<1	7.95	3	31	<1	17	6.65	9	43	154	47	9.70	1.21	26	2.03	1574	16	12	540	6	<5	<5	<1	148	950	270	335	<10	14	85
290193	D045815	0.195	<1	7.17	2	143	<1	10	11.05	8	48	676	12	8.22	1.32	32	5.03	2208	9	187	1579	10	<5	<5	2	252	733	277	269	<10	16	91
290194	D045816	0.029	<1	5.77	4	104	<1	15	3.72	8	43	185	25	9.07	1.14	21	2.63	1498	10	11	589	7	<5	<5	3	121	1411	187	296	<10	9	86
290195	D045817	0.029	<1	6.09	13	99	<1	15	6.37	8	41	285	136	8.80	1.07	23	2.73	1392	12	44	1007	11	<5	<5	2	190	1267	219	251	<10	14	79
290196	D045818	0.029	<1	6.24	4	57	<1	14	5.14	9	45	142	131	8.92	1.19	20	2.05	1309	15	13	565	7	<5	<5	2	147	969	137	257	<10	11	74
290197	D045819	0.028	<1	6.31	2	30	<1	17	4.40	9	45	133	114	8.93	1.13	21	2.46	1474	11	13	557	4	<5	<5	2	115	888	89	316	<10	9	98
290198	D045820	0.017	<1	7.10	<2	47	<1	11	4.13	8	45	117	68	9.04	1.20	23	2.88	1312	10	12	595	4	<5	<5	2	115	1252	173	326	<10	9	108

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory