ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 1, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044418
Reference: Castle Wood Lake (CWL)
Sample #: 164 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
305767	D046169	0.021	1	9.19	5	60	5	<5	5.00	9	53	106	57	9.57	1.76	33	2.82	1320	44	53	210	17	<5	5	<10	154	7352	<1	274	<10	24	143
305768	D046170	0.025	1	8.80	5	119	5	<5	5.18	8	52	58	128	8.69	1.71	35	2.65	1310	43	32	239	23	<5	<5	<10	148	9501	<1	377	12	26	134
305769	D046171	0.039	1	8.00	6	65	4	<5	4.35	7	46	95	130	7.67	1.46	32	2.44	1179	37	43	169	18	<5	7	<10	132	7361	<1	267	14	19	124
305770	D046172	0.026	1	7.14	5	163	5	<5	5.54	8	49	108	150	8.39	1.61	29	2.75	1236	36	47	176	23	<5	<5	<10	156	6321	<1	301	14	19	166
305771	D046173	0.218	1	8.38	4	167	5	<5	5.40	8	47	103	143	7.97	1.63	33	2.66	1174	36	46	167	22	<5	<5	<10	161	6150	<1	289	16	20	149
305772	D046174	0.247	1	7.17	3	182	4	<5	6.45	7	42	201	94	7.24	1.52	29	3.08	1159	31	70	214	22	<5	6	<10	217	5868	<1	273	12	18	107
305773	D046175	0.023	1	7.70	6	67	5	<5	4.79	7	53	152	72	7.98	1.59	33	3.12	1250	37	90	238	20	<5	<5	<10	163	6725	<1	199	11	18	129
305774	D046176	0.189	<1	7.72	6	123	5	<5	5.45	8	51	111	103	8.02	1.66	32	2.90	1295	40	79	229	19	<5	6	<10	157	6360	<1	210	<10	20	132
305775	D046177	0.020	<1	7.46	2	39	5	<5	3.80	8	56	129	107	8.40	1.57	31	2.85	1257	39	83	212	18	<5	5	<10	113	7192	<1	186	10	15	151
305776	D046178	0.014	1	7.34	5	39	4	<5	3.27	8	57	118	109	8.25	1.51	31	2.80	1193	38	82	215	19	<5	5	<10	105	7201	<1	172	10	12	153
305777 Dup	D046178	0.015	1	7.89	6	41	4	<5	3.38	8	57	121	108	8.38	1.69	33	2.86	1211	35	85	216	17	<5	<5	<10	110	7503	7	175	<10	12	148
305778	D046179	0.017	1	7.67	5	37	6	<5	3.88	9	57	131	103	9.04	1.59	33	3.03	1332	41	88	194	17	<5	<5	<10	74	7414	3	190	10	12	156
305779	D046180	0.030	<1	8.07	5	53	4	<5	4.86	9	61	133	106	9.44	1.76	33	3.12	1406	41	91	207	17	<5	<5	<10	109	7749	2	209	11	15	170
305780	D046181	0.020	<1	7.94	5	43	5	<5	4.05	9	62	166	120	9.48	1.59	32	3.08	1293	43	91	214	18	<5	<5	<10	121	8057	<1	207	11	15	177
305781	D046182	0.026	1	8.44	6	87	5	<5	4.61	9	64	134	121	9.54	1.86	35	3.18	1246	44	95	217	24	<5	<5	<10	105	7927	2	223	10	18	163
305782	D046183	0.122	1	8.01	6	118	5	<5	5.37	8	52	162	61	8.58	1.86	32	2.96	1176	40	81	187	22	<5	<5	<10	98	7022	<1	231	12	19	145
305783	D046184	0.013	1	7.69	6	61	4	<5	4.44	8	55	141	75	8.52	1.72	31	2.93	1115	38	87	214	18	<5	9	<10	99	7072	<1	207	<10	17	135
305784	D046185	0.013	1	7.85	5	38	5	<5	4.22	9	60	143	92	8.98	1.69	32	3.15	1183	38	92	228	18	<5	5	<10	114	7962	4	206	11	17	145
305785	D046186	0.039	1	7.70	8	115	5	<5	4.48	9	60	135	139	9.01	1.73	34	3.05	1188	39	91	211	15	<5	<5	<10	87	6887	<1	220	<10	19	155
305786	D046187	0.018	1	8.21	5	45	4	<5	4.05	9	64	146	132	9.14	1.64	34	3.13	1213	42	95	232	18	<5	5	<10	110	7754	2	210	11	18	145
305787	D046188	0.016	1	8.06	4	38	5	<5	3.51	9	62	130	178	9.02	1.88	34	3.16	1250	40	95	216	21	<5	<5	<10	107	7672	<1	191	<10	14	150
305788 Dup	D046188	0.015	1	7.99	3	38	5	<5	3.35	8	63	129	187	8.91	1.76	35	3.14	1243	40	95	220	21	<5	<5	<10	95	7781	5	184	10	14	147
305789	D046189	0.015	1	8.37	2	46	4	<5	4.10	9	63	134	162	9.06	1.79	37	3.21	1314	41	97	223	24	<5	11	<10	119	7678	<1	200	11	16	137
305790	D046190	0.019	1	8.46	6	112	5	<5	4.99	8	58	121	112	8.67	1.78	39	3.15	1311	38	92	212	19	<5	<5	<10	116	7175	<1	223	<10	19	154
305791	D046191	0.062	1	8.25	8	118	5	<5	4.81	8	58	133	93	9.09	1.75	39	3.11	1249	39	89	200	21	<5	<5	<10	112	7240	3	229	10	20	169
305792	D046192	0.017	1	7.48	3	45	4	<5	3.65	9	64	119	111	9.16	1.59	37	3.15	1232	38	96	208	20	<5	<5	<10	117	8017	<1	195	<10	14	178
305793	D046193	0.015	<1	8.21	5	49	5	<5	4.14	9	62	131	112	9.22	1.68	39	3.12	1306	40	97	218	17	<5	6	<10	128	7671	<1	214	<10	17	165
305794	D046194	0.016	4	7.73	4	45	5	<5	4.12	9	66	129	108	9.28	1.50	40	3.28	1393	38	104	192	18	<5	<5	<10	119	7795	<1	211	11	15	178
305795	D046195	0.017	<1	5.93	3	43	4	<5	4.36	8	61	136	104	9.00	1.09	34	3.10	1306	34	98	187	17	<5	<5	<10	81	6762	<1	208	<10	18	169
305796	D046196	0.016	1	8.07	<2	40	5	<5	4.58	9	47	105	103	9.06	1.62	39	2.95	1159	39	68	211	18	<5	<5	<10	146	2901	<1	239	<10	18	140

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 1, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044418
Reference: Castle Wood Lake (CWL)
Sample #: 164 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
305797	D046197	0.018	1	8.15	4	76	4	<5	5.12	8	55	124	94	8.80	1.73	39	3.03	1260	38	86	191	22	<5	<5	<10	136	6387	<1	220	<10	21	144
305798	D046198	0.029	<1	7.61	4	49	4	<5	5.22	7	37	127	79	7.54	1.60	32	2.51	1189	33	70	274	24	<5	<5	<10	177	864	<1	184	<10	9	129
305799 Dup	D046198	0.036	<1	7.04	3	42	4	<5	5.11	7	36	124	82	7.39	1.60	31	2.48	1163	34	69	264	21	<5	5	<10	161	713	<1	179	<10	8	129
305800	D046199	0.025	1	7.77	12	296	4	<5	2.99	7	35	194	149	7.41	1.55	26	1.57	1075	38	75	248	34	<5	<5	<10	88	647	<1	85	11	10	268
305801	D046200	0.162	1	4.25	42	149	4	<5	3.70	8	43	155	173	6.79	1.52	15	0.91	887	61	79	283	36	<5	9	<10	90	305	<1	53	11	8	447
305802	D046201	0.117	1	4.72	44	160	4	<5	3.50	8	45	186	213	7.37	1.66	17	0.95	889	64	89	289	39	<5	<5	<10	86	324	<1	56	12	9	573
305803	D046202	1.156	3	4.51	84	314	2	84	0.47	4	2	33	48	3.92	1.64	19	0.21	<100	36	11	<100	110	6	14	<10	41	215	<1	23	<10	4	29
305804	D046203	<0.005	<1	6.53	8	418	3	<5	1.61	<4	12	59	20	2.17	1.67	23	0.84	433	18	33	214	19	<5	12	<10	177	1540	<1	66	41	12	56
305805	D046204	0.116	1	8.00	7	107	4	<5	4.70	6	27	141	87	5.94	1.71	34	2.19	879	29	48	438	20	<5	13	<10	180	807	<1	153	<10	10	121
305806	D046205	0.130	1	7.66	4	369	4	<5	4.71	5	33	257	92	5.58	1.66	32	2.26	962	29	61	389	22	<5	14	<10	287	2164	<1	142	10	9	113
305807	D046206	0.952	1	7.15	6	452	4	<5	4.11	7	42	191	167	7.04	1.69	31	2.38	1183	37	34	411	24	<5	<5	<10	249	3400	<1	184	<10	10	163
305808	D046207	2.123	1	6.15	10	326	5	<5	2.38	6	34	243	97	6.63	1.54	27	2.01	958	49	49	249	24	<5	6	<10	150	1561	<1	123	10	7	153
305809	D046208	5.208	1	7.37	11	196	4	<5	2.65	6	27	323	78	6.00	1.54	27	1.46	867	41	54	162	23	<5	8	<10	157	1208	<1	100	10	8	143
305810 Dup	D046208	5.458	1	7.15	13	184	5	<5	2.68	6	27	315	79	6.07	1.52	27	1.48	876	42	55	161	24	<5	12	<10	151	1192	<1	96	10	8	141
305811	D046209	2.092	<1	5.70	5	253	3	<5	1.90	<4	8	227	29	1.98	1.57	16	0.72	447	17	17	269	18	<5	10	<10	135	838	<1	38	11	6	56
305812	D046210	1.627	<1	4.64	5	530	4	<5	3.76	5	25	251	108	4.54	1.59	20	1.50	1109	24	43	165	20	<5	<5	<10	163	1652	<1	105	11	6	147
305813	D046211	0.583	<1	6.76	4	198	2	<5	1.74	<4	5	304	22	1.49	1.67	16	0.62	352	19	15	212	21	<5	12	<10	151	239	<1	22	<10	6	49
305814	D046212	1.676	1	6.55	12	268	4	<5	3.82	5	29	303	93	5.65	1.64	23	1.65	873	52	71	151	26	<5	9	<10	217	1112	<1	81	10	8	118
305815	D046213	0.767	1	5.85	4	210	3	<5	3.50	<4	14	347	37	2.72	1.77	20	1.88	621	243	70	314	59	<5	15	<10	232	717	2	46	<10	7	61
305816	D046214	0.420	<1	4.41	3	65	2	<5	1.34	<4	4	340	6	1.24	1.38	11	0.48	278	235	13	197	42	<5	13	<10	114	147	<1	4	<10	5	14
305817	D046215	0.417	1	6.66	6	140	3	<5	1.88	<4	16	289	65	3.32	1.60	16	0.74	525	169	30	208	43	<5	15	<10	183	365	<1	22	<10	6	67
305818	D046216	0.432	1	5.91	14	88	4	<5	2.74	7	42	192	187	7.05	1.47	21	1.14	837	145	61	171	52	<5	6	<10	192	860	<1	74	<10	8	154
305819	D046217	0.432	1	5.60	7	477	4	<5	6.30	4	26	178	125	4.09	1.64	20	2.78	1119	100	46	111	26	<5	6	<10	363	1125	<1	74	<10	7	106
305820	D046218	0.937	1	5.29	3	415	3	<5	7.16	4	26	168	104	3.77	1.57	17	2.98	1128	18	47	<100	24	<5	<5	<10	407	275	<1	53	<10	6	48
305821 Dup	D046218	0.942	<1	4.93	3	407	3	<5	7.01	4	26	161	103	3.71	1.64	15	2.93	1109	16	47	<100	27	<5	<5	<10	400	258	<1	51	<10	6	52
305822	D046219	2.258	1	6.05	5	129	2	<5	3.46	<4	16	349	46	2.80	1.67	15	1.41	623	78	32	148	38	<5	11	<10	241	492	<1	34	<10	6	48
305823	D046220	0.948	1	5.38	6	408	2	<5	4.78	<4	23	175	76	3.15	1.53	18	2.19	794	99	42	100	36	<5	8	<10	356	527	<1	53	<10	7	58
305824	D046221	2.963	1	5.89	3	402	2	<5	4.70	<4	18	331	95	3.60	1.52	21	1.86	747	107	38	<100	37	<5	<5	<10	265	232	<1	52	<10	7	48
305825	D046222	1.817	2	7.43	7	59	3	<5	5.98	5	28	165	112	4.81	1.60	29	2.40	980	196	52	120	50	<5	12	<10	227	871	3	88	<10	10	66
305826	D046223	1.378	2	7.20	6	156	3	<5	5.20	4	30	314	74	4.61	1.58	27	2.04	968	153	65	116	63	<5	<5	<10	143	2156	4	93	<10	12	65

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 1, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044418
Reference: Castle Wood Lake (CWL)
Sample #: 164 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
305827	D046224	0.017	2	8.42	3	148	5	<5	5.79	8	50	228	130	7.59	1.70	41	2.99	1391	34	113	118	27	<5	8	<10	109	4531	<1	215	14	18	124
305828	D046225	0.017	1	8.48	4	49	4	<5	5.98	7	55	211	134	7.05	1.59	43	2.95	1377	32	112	182	19	<5	10	<10	121	5556	6	228	11	18	128
305829	D046226	0.010	1	8.44	7	131	4	<5	5.55	6	53	209	122	6.46	1.71	41	2.53	1311	32	96	167	20	<5	13	<10	107	5578	<1	218	<10	17	154
305830	D046227	0.016	1	8.22	4	115	4	<5	5.68	7	49	180	114	7.51	1.67	44	2.59	1568	35	94	160	21	<5	6	<10	92	5220	4	197	10	17	135
305831	D046228	0.013	<1	8.32	5	192	4	<5	6.65	6	53	215	113	6.71	1.65	43	2.57	1500	30	99	156	19	<5	6	<10	89	5482	<1	202	12	18	139
305832 Rep	D046228	0.012	<1	8.57	2	196	4	<5	6.82	7	55	175	115	7.05	1.61	45	2.70	1566	33	104	162	17	<5	6	<10	89	5572	<1	210	<10	18	143
305833	D046229	0.008	1	9.12	6	117	3	<5	5.20	7	54	234	143	7.35	1.83	48	2.80	1413	35	133	150	25	<5	8	<10	94	5672	<1	224	<10	19	226
305834	D046230	0.010	<1	8.35	5	92	4	<5	5.93	8	55	170	134	8.80	1.66	48	2.90	1851	38	100	150	19	<5	5	<10	81	4928	<1	214	<10	18	155
305835	D046231	0.014	1	8.33	3	237	4	<5	6.76	7	46	163	111	7.49	1.76	39	2.00	1829	36	79	139	22	<5	9	<10	84	3400	2	199	<10	18	144
305836	D046232	0.013	<1	7.97	4	205	4	<5	5.29	7	47	117	127	7.87	1.71	33	1.27	1754	37	65	166	20	<5	5	<10	76	1695	<1	209	<10	17	125
305837	D046233	0.011	1	7.87	8	270	3	<5	5.08	6	50	111	144	6.43	1.68	30	1.17	1517	32	71	154	20	<5	7	<10	79	1606	<1	184	10	20	141
305838	D046234	0.009	1	7.79	4	164	4	<5	5.20	8	46	143	126	7.91	1.66	31	1.35	1763	36	69	145	21	<5	5	<10	77	852	<1	218	<10	17	127
305839	D046235	0.009	<1	7.95	4	279	4	<5	4.45	8	49	120	120	8.62	1.69	32	1.43	1821	39	70	165	22	<5	6	<10	61	923	4	182	<10	18	126
305840	D046236	0.009	1	8.58	7	77	5	<5	6.42	15	41	93	82	14.90	1.65	40	2.02	3167	60	57	171	25	<5	<5	<10	57	764	3	246	10	22	164
305841	D046237	0.012	1	8.37	12	609	4	<5	6.86	9	50	140	163	9.30	1.69	35	2.00	1924	42	69	164	20	<5	10	<10	71	1854	<1	182	10	19	169
305842	D046238	0.009	<1	8.57	4	1201	4	<5	6.46	7	53	223	141	7.24	1.64	36	2.48	1721	31	102	121	19	<5	9	<10	61	4480	1	166	<10	17	127
305843 Dup	D046238	0.013	1	8.37	4	1141	3	<5	5.99	6	49	208	136	6.70	1.82	35	2.32	1587	34	96	111	16	<5	11	<10	58	4157	4	156	<10	16	121
305844	D046239	0.010	1	8.75	4	453	4	<5	5.89	6	52	284	139	6.34	1.74	35	2.65	1499	28	116	102	19	<5	<5	<10	77	4304	<1	209	<10	15	124
305845	D046240	0.009	1	8.73	5	232	3	<5	6.59	7	50	266	137	7.74	1.76	36	2.51	1801	35	102	<100	23	<5	8	<10	94	3947	<1	199	10	15	137
305846	D046241	0.009	1	7.91	4	395	4	<5	7.71	8	47	222	128	8.78	1.78	38	2.21	2108	41	99	<100	18	<5	<5	<10	68	3157	<1	165	<10	13	98
305847	D046242	0.010	<1	7.75	<2	310	4	<5	6.90	9	43	174	98	9.96	1.78	38	2.12	2119	43	81	114	20	<5	<5	<10	63	930	<1	176	<10	13	135
305848	D046243	0.009	1	8.34	5	335	4	<5	5.98	6	47	125	138	6.62	1.75	36	2.08	1467	31	65	198	18	<5	<5	<10	83	1262	2	258	<10	23	145
305849	D046244	0.009	1	8.25	9	132	4	<5	6.37	9	49	104	137	9.62	1.65	36	1.53	1855	43	57	194	24	<5	<5	<10	78	951	<1	228	<10	20	125
305850	D046245	0.007	1	8.27	<2	55	5	<5	6.37	11	45	106	135	11.57	1.69	35	1.71	2426	49	50	191	26	<5	<5	<10	77	975	2	259	<10	21	155
305851	D046246	0.007	1	8.50	<2	184	4	<5	5.35	8	48	115	134	7.76	1.77	33	1.32	1770	38	67	169	18	<5	6	<10	90	1370	<1	188	10	20	133
305852	D046247	0.009	1	8.69	6	252	4	<5	6.21	8	46	121	129	8.33	1.80	35	1.37	2280	38	69	134	26	<5	6	<10	111	1360	<1	204	11	17	151
305853	D046248	<0.005	1	8.29	5	987	4	<5	1.14	<4	3	256	9	1.10	1.73	17	0.29	190	18	10	<100	32	<5	17	<10	701	672	<1	19	<10	6	37
305854 Dup	D046248	0.007	1	7.92	4	956	4	<5	1.14	<4	3	261	9	1.09	1.71	17	0.29	189	18	11	<100	36	<5	19	<10	648	675	<1	18	<10	7	41
305855	D046249	0.016	1	7.95	9	103	5	<5	7.06	10	51	100	225	9.93	1.83	37	2.03	2158	46	65	178	32	<5	<5	<10	165	542	<1	189	<10	17	176
305856	D046250	0.008	1	8.39	5	873	4	<5	1.34	<4	2	104	7	0.85	1.61	16	0.27	179	18	7	<100	24	<5	17	<10	770	645	1	15	<10	6	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 1, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044418
Reference: Castle Wood Lake (CWL)
Sample #: 164 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
305857	D046251	0.010	1	7.53	2	849	4	<5	1.15	<4	3	377	19	1.14	1.67	17	0.30	176	19	10	<100	26	<5	13	<10	627	611	<1	15	<10	6	41
305858	D046252	4.379	1	4.92	332	739	3	<5	9.53	<4	4	47	32	1.73	1.63	53	4.08	338	33	34	207	25	39	16	<10	61	160	<1	87	40	10	53
305859	D046253	<0.005	<1	6.92	8	457	3	<5	1.71	<4	12	60	21	2.28	1.63	24	0.87	458	19	33	223	19	<5	10	<10	195	1639	<1	71	42	13	59
305860	D046254	0.011	1	8.35	3	115	6	<5	5.83	11	51	94	118	10.96	1.65	43	1.89	2376	51	56	180	28	<5	<5	<10	82	930	<1	210	<10	19	232
305861	D046255	0.008	1	7.61	4	127	4	<5	6.92	7	40	99	129	7.89	1.83	40	1.50	1619	39	53	176	22	<5	7	<10	101	1316	<1	191	<10	19	117
305862	D046256	0.010	<1	6.24	5	87	4	<5	6.64	7	44	86	133	7.53	1.27	32	1.85	1380	29	59	180	22	<5	<5	<10	91	639	2	202	11	20	117
305863	D046257	0.007	<1	7.98	4	150	4	<5	6.44	7	42	108	123	7.09	1.74	41	2.07	1434	35	62	177	26	<5	10	<10	104	887	6	191	11	21	123
305864	D046258	0.007	<1	8.40	5	182	4	<5	6.49	6	45	95	131	6.08	1.81	39	2.03	1409	30	68	196	22	<5	5	<10	111	620	1	196	<10	21	121
305865 Dup	D046258	0.008	<1	8.20	3	173	4	<5	6.44	6	44	86	129	6.05	1.79	38	2.01	1401	31	69	194	23	<5	10	<10	109	601	<1	190	<10	21	122
305866	D046259	0.010	<1	7.43	6	102	3	<5	6.63	7	43	90	128	7.27	1.76	37	1.91	1365	32	63	176	27	<5	<5	<10	93	763	<1	167	<10	18	129
305867	D046260	0.010	<1	6.91	5	101	4	<5	6.55	9	47	141	119	9.31	1.67	37	2.13	1812	39	86	163	23	<5	<5	<10	83	638	3	153	11	16	161
305868	D046261	0.007	<1	6.01	4	131	4	<5	6.45	6	53	207	138	6.09	1.43	32	2.36	1383	27	115	100	23	<5	<5	<10	85	2560	<1	124	<10	12	133
305869	D046262	0.015	1	8.73	6	205	4	<5	6.12	5	55	242	137	5.50	1.78	39	2.56	1266	25	115	<100	26	<5	12	<10	129	4233	2	193	11	15	120
305870	D046263	0.015	1	7.75	3	900	3	<5	1.55	<4	5	496	23	1.07	1.59	17	0.34	195	19	16	<100	75	<5	21	<10	713	780	<1	20	<10	6	36
305871	D046264	0.008	1	6.91	7	732	4	<5	1.89	<4	7	123	11	0.94	1.78	15	0.34	240	16	20	<100	40	<5	18	<10	592	859	<1	29	<10	6	45
305872	D046265	0.018	1	8.20	4	54	4	<5	5.76	5	54	319	140	5.40	1.77	41	2.65	1426	24	123	103	17	<5	<5	<10	119	4421	6	220	10	16	113
305873	D046266	0.008	<1	8.50	8	133	3	<5	6.14	5	57	264	168	5.38	1.77	44	2.68	1454	20	121	<100	20	<5	12	<10	110	4315	<1	208	<10	16	111
305874	D046267	0.012	<1	8.22	5	149	3	<5	6.13	6	56	309	184	6.04	1.71	45	2.71	1542	26	121	105	20	<5	13	<10	93	4368	2	202	10	15	111
305875	D046268	0.007	<1	6.11	4	405	4	<5	5.50	6	48	236	138	5.84	1.33	36	2.67	1471	22	112	104	18	<5	<5	<10	59	3414	2	167	10	15	113
305876 Dup	D046268	0.012	1	9.21	8	631	3	<5	5.68	5	48	249	137	5.87	1.89	46	2.72	1459	26	110	107	17	<5	13	<10	78	3631	9	197	<10	17	112
305877	D046269	0.010	1	7.88	4	371	4	<5	6.90	6	48	273	138	5.72	1.93	43	2.52	1555	26	109	109	21	<5	<5	<10	82	3918	6	183	<10	16	104
305878	D046270	0.012	1	7.89	<2	283	4	<5	6.35	7	46	198	133	7.66	1.76	41	2.08	1757	36	104	<100	24	<5	6	<10	67	1652	1	135	<10	16	90
305879	D046271	0.006	<1	8.06	6	507	4	<5	6.45	7	45	222	120	7.62	1.79	40	2.37	1663	35	104	104	24	<5	<5	<10	98	1492	<1	155	<10	16	95
305880	D046272	0.060	<1	8.11	5	289	4	<5	8.13	7	40	236	121	6.77	1.68	40	3.65	1500	26	109	299	18	<5	8	<10	218	1745	<1	214	<10	16	99
305881	D046273	0.093	1	7.75	5	79	3	<5	5.87	13	56	68	166	9.32	1.77	35	2.91	1314	46	23	345	12	<5	<5	<10	119	5496	5	478	<10	23	136
305882	D046274	0.173	1	7.77	2	273	3	<5	4.68	12	46	30	121	8.63	1.88	34	2.25	1203	43	10	756	11	<5	<5	<10	112	1847	4	289	<10	31	123
305883	D046275	0.172	1	7.51	3	580	1	<5	2.55	<4	9	230	19	2.11	1.60	22	0.92	411	18	26	808	4	<5	<5	<10	230	526	<1	44	<10	9	21
305884	D046276	0.251	2	6.73	2	220	2	<5	3.46	5	16	89	22	3.46	1.63	23	1.28	577	20	23	767	4	<5	<5	<10	159	972	<1	98	<10	12	47
305885	D046277	0.021	1	7.80	2	122	2	<5	5.55	13	54	72	60	9.19	1.66	35	2.42	1381	44	11	469	10	<5	<5	<10	106	7178	<1	389	<10	28	125
305886	D046278	0.022	1	8.20	<2	131	4	<5	4.65	13	49	28	59	9.33	1.79	37	2.50	1361	42	5	576	9	<5	<5	<10	88	2918	3	248	<10	29	142

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 1, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044418
Reference: Castle Wood Lake (CWL)
Sample #: 164 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
305887 Dup	D046278	0.019	1	7.16	2	114	3	<5	4.37	13	44	27	52	9.07	1.78	33	2.36	1290	42	4	544	10	<5	<5	<10	80	2686	<1	241	<10	28	138
305888	D046279	0.022	1	7.63	3	104	3	<5	5.00	13	42	79	32	9.27	1.79	34	2.24	1254	43	5	713	10	<5	<5	<10	97	1732	<1	175	<10	34	127
305889	D046280	0.027	1	7.41	<2	147	3	<5	4.84	12	43	41	41	8.54	1.76	34	2.05	1260	41	5	734	12	<5	<5	<10	94	1134	8	147	<10	18	119
305890	D046281	0.163	1	7.08	3	71	3	<5	5.17	11	31	114	7	7.69	1.78	32	2.09	1262	40	13	642	9	<5	<5	<10	99	904	<1	109	<10	21	97
305891	D046282	0.630	1	6.79	4	48	4	<5	4.29	12	34	50	28	8.08	1.47	28	1.69	972	40	7	861	6	<5	<5	<10	98	778	4	93	<10	17	88
305892	D046283	0.094	1	8.00	2	136	2	<5	6.92	11	44	112	120	7.86	1.62	41	2.44	1031	40	59	458	11	<5	<5	<10	142	756	<1	257	<10	18	97
305893	D046284	0.035	1	6.26	2	96	2	<5	2.39	7	22	133	88	5.09	1.28	27	1.66	504	27	52	437	6	<5	<5	<10	74	367	<1	87	<10	10	86
305894	D046285	0.055	1	7.10	<2	36	3	<5	4.76	12	48	92	113	8.56	1.35	34	2.89	1030	41	67	472	6	<5	<5	<10	96	3583	3	220	<10	20	127
305895	D046286	0.032	1	7.52	<2	37	3	<5	4.41	13	59	108	87	9.39	1.36	41	3.28	1209	42	88	477	13	<5	<5	<10	71	5648	<1	218	<10	20	134
305896	D046287	0.096	1	7.86	6	50	2	<5	4.61	12	57	126	59	8.55	1.37	37	3.10	1173	39	86	521	6	<5	<5	<10	105	5727	8	209	<10	22	127
305897	D046288	0.019	2	8.07	<2	45	3	<5	4.33	12	57	135	47	8.69	1.66	35	3.30	1221	39	96	536	5	<5	<5	<10	120	5755	1	216	<10	22	162
305898 Rep	D046288	0.020	1	8.04	3	45	2	<5	4.29	12	56	135	46	8.64	1.64	35	3.28	1208	38	95	563	6	<5	<5	<10	120	6010	<1	217	<10	22	159
305899	D046289	0.021	1	7.75	<2	45	2	<5	5.00	13	57	137	82	8.85	1.72	36	3.27	1328	39	127	482	11	<5	<5	<10	117	5738	<1	205	<10	20	281
305900	D046290	0.060	1	8.30	<2	121	4	<5	5.14	12	58	132	81	8.42	1.79	36	3.23	1269	40	89	516	12	<5	<5	<10	119	6029	<1	224	<10	21	236
305901	D046291	0.036	2	9.35	2	67	3	<5	5.76	13	59	149	52	9.26	1.85	46	3.31	1465	45	101	424	10	<5	<5	<10	115	6213	<1	229	<10	19	179
305902	D046292	0.112	1	7.42	<2	34	3	<5	5.31	13	60	153	98	9.12	1.40	34	3.27	1392	43	100	438	7	<5	<5	<10	108	6023	3	216	<10	19	201
305903	D046293	0.195	1	7.43	2	155	3	<5	6.48	13	58	149	80	9.03	1.72	35	3.35	1401	42	107	431	5	<5	<5	<10	105	5637	<1	214	<10	17	142
305904	D046294	0.019	1	7.79	<2	83	3	<5	4.99	14	61	176	42	9.32	1.62	36	3.67	1396	42	112	492	5	<5	<5	<10	94	6153	<1	213	<10	18	144
305905	D046295	0.016	1	7.63	2	53	3	<5	5.70	13	58	174	80	8.81	1.59	34	3.23	1312	44	98	406	9	<5	<5	<10	98	5756	6	201	<10	16	127
305906	D046296	0.011	1	7.50	<2	34	3	<5	4.40	13	58	173	76	8.92	1.45	31	3.28	1251	40	96	455	4	<5	<5	<10	99	6066	1	186	<10	15	133
305907	D046297	0.012	1	7.41	4	36	3	<5	3.86	12	59	167	87	8.58	1.51	31	3.06	1207	41	95	450	6	<5	<5	<10	104	5961	4	165	<10	12	129
305908	D046298	0.011	2	8.19	4	48	3	<5	4.20	13	64	185	93	9.47	1.58	33	3.24	1350	43	104	512	12	<5	<5	<10	141	6343	<1	182	<10	15	149
305909 Dup	D046298	0.011	1	7.07	<2	37	3	<5	3.88	13	61	179	95	9.02	1.45	30	3.21	1287	42	102	486	7	<5	<5	<10	123	6102	2	170	<10	13	140
305910	D046299	0.010	1	7.53	2	38	3	<5	3.32	12	61	170	92	8.49	1.67	31	2.98	1242	42	93	453	6	<5	<5	<10	131	6262	6	160	<10	12	136
305911	D046300	0.010	1	8.22	<2	71	3	<5	4.35	13	59	162	80	8.87	1.79	35	3.12	1305	44	84	411	6	<5	<5	<10	164	6242	2	188	<10	15	145
305912	D046301	0.014	1	8.51	<2	70	3	<5	5.04	13	61	175	98	9.36	1.62	35	3.19	1386	42	90	445	7	<5	<5	<10	178	6553	<1	201	<10	15	153
305913	D046302	3.262	57	8.04	27	444	1	<5	3.19	12	13	64	161	3.01	1.77	26	1.71	568	25	40	503	1001	66	<5	<10	277	701	<1	63	19	11	2131
305914	D046303	<0.005	1	7.54	4	487	1	<5	1.78	<4	13	60	21	2.28	1.67	25	0.89	463	18	32	524	10	<5	<5	<10	214	1710	<1	72	40	13	37
305915	D046304	0.010	1	6.98	<2	49	3	<5	3.96	13	58	167	95	8.88	1.37	30	3.00	1251	42	82	423	8	<5	<5	<10	153	6050	4	190	<10	13	145
305916	D046305	0.011	2	9.65	2	123	3	<5	4.23	14	61	237	98	9.86	1.79	40	3.24	1371	48	86	471	10	<5	<5	<10	254	6868	<1	227	<10	19	155

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 1, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044418
Reference: Castle Wood Lake (CWL)
Sample #: 164 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
305917	D046306	0.010	2	9.52	<2	59	3	<5	4.77	14	63	242	106	9.73	1.72	34	3.15	1362	49	82	484	6	<5	<5	<10	178	6670	<1	224	<10	17	147
305918	D046307	0.009	2	9.43	3	55	3	<5	4.60	14	64	225	118	9.83	1.72	34	3.14	1374	48	74	494	9	<5	<5	<10	171	6370	<1	213	<10	16	149
305919	D046308	0.009	1	8.05	<2	43	4	<5	4.93	13	55	229	105	8.95	1.71	28	2.97	1276	44	57	491	10	<5	<5	<10	156	6278	<1	241	<10	17	125
305920 Dup	D046308	<0.005	1	7.85	4	39	3	<5	4.95	13	55	232	107	9.14	1.56	27	3.03	1298	46	56	513	8	<5	<5	<10	156	6441	<1	247	<10	16	125
305921	D046309	0.012	1	7.20	<2	32	2	<5	4.56	12	57	217	169	8.53	1.63	25	2.77	1199	43	59	456	10	<5	<5	<10	129	6188	<1	250	<10	15	128
305922	D046310	0.044	1	8.11	3	43	4	<5	5.89	13	55	160	136	9.19	1.69	30	2.88	1286	46	59	453	5	5	<5	<10	93	6546	<1	278	<10	16	125
305923	D046311	0.011	1	8.64	2	48	2	<5	4.72	13	56	166	123	8.86	1.72	30	2.72	1221	44	60	475	10	<5	<5	<10	121	6599	4	232	<10	16	117
305924	D046312	0.011	1	9.72	4	71	3	<5	4.88	14	58	207	121	9.41	1.62	33	2.78	1273	48	62	499	13	<5	<5	<10	175	6427	<1	245	<10	18	123
305925	D046313	0.007	1	6.97	<2	41	2	<5	5.01	12	50	213	180	8.19	1.65	23	2.72	1185	42	48	449	9	<5	<5	<10	123	6940	<1	270	<10	16	114
305926	D046314	0.007	1	7.52	2	58	3	<5	4.97	12	51	201	155	8.12	1.69	24	2.38	1096	39	50	451	9	<5	<5	<10	136	6051	<1	256	<10	16	107
305927	D046315	0.009	1	7.24	<2	42	3	<5	4.51	13	50	150	138	8.68	1.70	23	2.59	1148	42	45	488	6	<5	<5	<10	119	6009	<1	255	<10	19	121
305928	D046316	0.006	1	7.31	<2	44	3	<5	4.35	13	48	172	160	8.94	1.65	23	2.39	1160	44	48	554	10	<5	<5	<10	107	5278	7	244	<10	19	123
305929	D046317	0.010	1	7.35	<2	40	2	<5	4.59	13	48	151	200	8.99	1.74	23	2.52	1127	44	47	529	5	<5	<5	<10	128	5462	7	346	<10	19	113
305930	D046318	0.008	1	6.32	<2	43	3	<5	5.06	13	51	121	191	8.87	1.69	20	2.47	1090	42	45	466	6	<5	<5	<10	97	5626	<1	383	<10	19	154
305931 Dup	D046318	0.007	1	6.66	<2	49	3	<5	5.29	14	52	121	199	9.25	1.70	20	2.57	1137	44	46	484	7	<5	<5	<10	103	5869	5	402	<10	20	163
305932	D046319	0.010	1	6.65	3	44	3	<5	6.01	15	58	60	301	10.22	1.62	21	2.89	1229	48	59	410	11	<5	<5	<10	86	7188	<1	586	<10	18	133
305933	D046320	0.009	1	4.56	2	20	2	<5	3.89	11	45	40	252	7.54	1.20	16	2.06	859	33	39	425	9	<5	<5	<10	44	5358	2	439	<10	14	99
305934	D046321	0.011	1	5.17	3	25	3	<5	4.09	13	49	63	240	8.56	1.33	19	2.22	992	40	37	554	17	<5	<5	<10	46	4661	7	420	<10	18	156
305935	D046322	0.017	2	7.75	5	38	4	<5	4.79	15	55	37	216	10.22	1.83	27	2.55	1225	49	33	567	14	<5	<5	<10	81	5494	7	477	<10	24	157
305936	D046323	0.011	2	7.31	<2	46	3	<5	4.18	14	50	45	127	9.51	1.84	26	2.51	1135	45	19	544	8	<5	<5	<10	69	5625	<1	435	<10	22	130
305937	D046324	0.008	1	6.99	<2	54	3	<5	4.27	15	52	39	118	9.97	1.77	24	2.31	1188	47	17	803	9	<5	<5	<10	77	5515	<1	320	<10	28	154
305938	D046325	0.006	1	7.52	2	455	2	<5	4.73	8	30	250	66	5.62	1.74	22	2.20	725	31	65	1694	9	<5	<5	<10	245	5164	3	148	<10	16	61
305939	D046326	0.163	1	6.92	<2	49	3	<5	3.55	14	45	96	54	9.90	1.84	22	1.89	1146	48	13	994	10	<5	<5	<10	79	4747	<1	174	<10	37	106
305940	D046327	0.015	1	7.04	<2	49	4	<5	3.66	15	46	99	54	10.22	1.78	22	1.95	1190	49	9	1022	8	<5	<5	<10	82	4934	<1	180	<10	38	113
305941	D046328	0.027	2	7.60	2	118	3	<5	5.44	14	49	53	51	9.56	1.74	26	2.45	1051	46	27	681	7	<5	<5	<10	88	6176	<1	322	<10	29	96
305942 Dup	D046328	0.033	2	7.35	<2	117	3	<5	5.47	14	50	53	55	9.59	1.72	25	2.45	1051	47	27	686	11	<5	<5	<10	85	6201	<1	324	<10	29	93
305943	D046329	0.008	1	6.55	2	38	3	<5	5.16	12	40	81	10	8.14	1.76	20	2.14	845	42	19	807	7	<5	<5	<10	73	5495	<1	245	<10	30	66
305944	D046330	<0.005	1	6.62	5	39	3	<5	4.39	12	43	66	19	8.15	1.72	22	2.36	791	42	28	695	13	<5	<5	<10	75	5758	<1	313	<10	29	64
305945	D046331	0.006	1	7.72	4	51	3	<5	4.78	14	53	96	45	9.34	1.69	25	2.82	977	47	47	679	10	<5	<5	<10	119	6418	<1	322	<10	27	80
305946	D046332	0.055	1	9.10	4	56	3	<5	5.51	15	59	88	70	10.63	1.64	33	3.17	1151	51	55	637	9	<5	<5	<10	133	6599	<1	313	<10	27	110

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory