ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276197	D044920	0.007	<1	7.51	3	59	2	11	6.48	5	51	143	133	8.08	1.49	23	3.55	1392	23	91	284	20	6	6	6	439	4584	2	203	<10	17	102
276198	D044921	<0.005	<1	6.94	<2	494	3	7	8.85	5	46	777	66	6.34	1.69	28	5.48	1349	21	222	1442	19	6	<5	2	488	3546	4	174	<10	17	89
276199	D044922	<0.005	<1	5.93	<2	376	3	7	7.25	4	38	521	67	5.28	1.56	31	5.04	1041	15	221	2182	14	<5	<5	4	466	3103	5	131	<10	14	74
276200	D044923	0.005	<1	6.72	3	491	3	8	9.07	5	33	218	120	6.34	1.74	25	3.44	1708	18	90	3402	21	6	<5	3	944	3137	6	217	10	26	112
276201	D044924	0.005	<1	6.42	<2	312	3	8	6.40	5	47	322	81	6.70	1.50	27	4.47	1303	19	181	805	18	<5	<5	4	283	3596	3	175	<10	16	93
276202	D044925	0.011	<1	7.49	2	494	3	7	7.85	4	44	454	120	6.40	1.68	29	4.44	1227	21	181	583	21	<5	<5	4	284	3768	5	184	<10	14	88
276203	D044926	<0.005	<1	6.99	<2	34	2	8	3.95	5	54	179	132	7.59	1.14	26	3.84	1191	15	105	227	14	<5	<5	4	239	4362	<1	154	10	9	108
276204	D044927	0.007	<1	7.51	<2	34	2	9	5.09	5	48	248	146	7.13	1.30	26	3.69	1252	18	96	360	17	6	<5	2	239	4289	2	155	<10	11	103
276205	D044928	0.008	<1	8.06	<2	39	2	9	4.21	5	47	186	149	7.09	1.40	28	3.48	1199	19	83	231	19	5	<5	4	181	4392	2	157	<10	11	103
276206	D044929	0.007	<1	7.32	<2	44	2	8	4.94	5	43	209	139	6.87	1.25	27	3.22	1093	16	75	208	16	5	<5	4	147	3871	5	168	<10	11	118
276207 Dup	D044929	0.020	<1	8.51	<2	52	2	10	5.47	5	47	227	142	7.48	1.47	30	3.52	1204	18	78	234	14	<5	<5	1	164	4340	3	183	<10	13	105
276208	D044930	0.009	<1	7.13	<2	69	2	8	6.12	5	42	206	132	7.40	1.30	29	3.43	1174	17	77	194	17	5	<5	5	103	3355	5	183	<10	13	104
276209	D044931	0.013	1	8.70	2	144	2	8	6.59	6	41	284	97	6.93	1.71	34	3.59	1125	22	92	821	17	5	13	6	166	2989	<1	179	15	17	90
276210	D044932	0.005	<1	8.77	2	38	2	14	5.69	7	56	88	161	9.28	1.38	34	3.76	1500	22	79	253	20	<5	<5	5	133	4416	1	221	<10	16	127
276211	D044933	0.011	<1	7.17	<2	35	2	13	4.52	4	40	89	119	6.73	1.23	25	2.67	1113	16	49	224	12	<5	<5	3	119	4186	3	171	<10	12	105
276212	D044934	0.006	1	9.05	<2	67	2	11	5.54	5	41	135	117	7.35	1.50	31	3.01	1279	21	57	427	17	<5	<5	6	137	4008	3	196	<10	18	109
276213	D044935	0.006	1	9.17	<2	43	2	13	5.19	6	48	106	144	7.91	1.47	29	3.07	1409	21	58	274	17	6	<5	5	144	4955	4	200	10	15	118
276214	D044936	0.007	1	9.86	<2	47	2	14	5.07	6	47	150	148	8.25	1.45	27	3.07	1340	22	54	295	19	<5	<5	4	181	5474	<1	208	10	15	119
276215	D044937	<0.005	1	9.77	<2	64	2	10	5.35	5	47	127	140	7.78	1.71	28	3.04	1364	22	58	268	18	6	6	4	148	4739	1	190	<10	15	112
276216	D044938	0.008	1	10.25	<2	51	2	11	5.14	6	49	170	154	8.54	1.67	29	3.55	1323	25	62	277	18	6	<5	6	149	5310	2	216	<10	15	123
276217	D044939	<0.005	<1	8.77	<2	53	2	11	5.47	5	45	177	145	7.93	1.51	30	3.36	1315	19	60	243	19	5	<5	4	114	4702	2	199	<10	14	110
276218 Dup	D044939	<0.005	<1	7.08	<2	40	2	5	5.03	5	46	175	146	7.69	1.22	27	3.33	1287	19	59	242	17	<5	<5	5	92	4696	2	185	<10	11	111
276219	D044940	<0.005	<1	8.08	<2	39	2	12	4.43	5	46	178	140	7.26	1.44	26	3.37	1196	20	79	313	19	5	<5	6	118	4482	2	154	<10	11	116
276220	D044941	<0.005	<1	6.00	<2	27	2	7	3.54	4	39	135	127	5.96	1.19	21	2.82	1002	15	64	227	15	<5	<5	3	81	3927	4	122	<10	8	90
276221	D044942	<0.005	<1	7.11	<2	54	2	10	4.62	5	45	152	135	7.31	1.36	24	3.42	1206	23	83	222	15	<5	<5	4	138	4108	5	156	<10	10	109
276222	D044943	<0.005	<1	8.50	<2	58	2	8	4.61	5	50	194	145	7.75	1.58	27	3.62	1225	22	87	241	15	6	<5	3	138	4320	<1	164	<10	12	112
276223	D044944	0.009	<1	7.16	<2	29	2	12	4.15	5	47	203	143	7.14	1.32	25	3.43	1108	18	79	232	16	<5	<5	5	98	4219	4	151	<10	10	102
276224	D044945	<0.005	<1	9.24	<2	104	2	13	5.63	6	47	237	147	7.84	1.60	29	3.69	1302	22	87	223	19	<5	<5	2	129	4047	<1	177	<10	12	103
276225	D044946	<0.005	<1	9.39	<2	45	2	13	5.22	6	52	224	145	8.09	1.65	31	3.98	1354	23	101	237	18	5	<5	6	134	4199	2	176	<10	12	101
276226	D044947	0.005	<1	9.03	<2	66	2	13	5.25	6	58	125	113	8.72	1.60	33	4.20	1448	22	121	234	19	<5	<5	4	114	4112	2	176	<10	12	110

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276227	D044948	<0.005	<1	8.06	<2	35	2	11	4.47	7	57	100	111	8.35	1.48	31	4.14	1343	21	131	228	17	<5	<5	3	98	4231	4	166	<10	11	107
276228	D044949	0.008	<1	7.54	<2	41	2	11	4.06	5	53	104	139	8.18	1.38	28	3.66	1239	15	101	262	13	<5	<5	4	112	4894	4	184	<10	12	120
276229 Dup	D044949	0.006	<1	7.68	<2	43	2	14	3.92	5	49	101	147	7.81	1.65	28	3.51	1176	14	95	258	15	6	<5	5	111	4577	3	176	<10	12	118
276230	D044950	0.006	<1	6.35	<2	90	2	10	4.00	6	52	132	141	8.42	1.32	24	3.67	1259	19	94	280	16	5	5	4	92	5190	4	202	<10	12	119
276231	D044951	0.006	<1	7.46	<2	134	2	12	4.16	5	50	99	134	8.21	1.58	28	3.56	1230	21	89	279	16	<5	9	5	99	4925	2	201	<10	13	127
276232	D044952	2.983	50	6.19	27	370	2	7	3.09	8	9	62	166	3.05	1.59	20	1.67	560	18	43	453	927	65	<5	2	238	611	3	59	28	9	1950
276233	D044953	<0.005	1	8.10	2	498	1	7	1.92	<4	10	63	25	2.46	1.68	24	0.95	486	16	35	509	12	5	7	3	230	1680	1	74	42	14	58
276234	D044954	0.008	<1	9.25	<2	63	2	13	4.82	7	49	135	164	9.15	1.58	36	3.98	1204	22	69	344	13	7	7	5	117	5635	3	249	<10	21	124
276235	D044955	0.010	1	10.65	<2	52	2	15	5.03	7	51	118	156	9.55	1.62	41	3.95	1158	28	66	360	15	7	<5	4	161	5829	1	274	<10	21	115
276236	D044956	0.010	<1	9.87	2	111	2	14	6.37	6	52	149	152	9.29	1.59	37	3.78	1383	25	88	294	23	<5	7	5	180	5114	3	247	<10	20	130
276237	D044957	0.025	<1	6.24	<2	176	2	<5	4.09	<4	9	112	19	2.22	1.52	14	0.96	438	12	18	489	13	5	<5	3	214	1217	<1	65	<10	8	31
276238	D044958	0.013	<1	8.34	<2	60	2	13	5.00	6	42	161	152	8.66	1.34	33	3.34	908	21	57	333	17	<5	<5	5	168	1808	2	241	<10	20	134
276239	D044959	0.010	<1	7.94	<2	55	2	7	4.49	6	31	160	144	7.31	1.31	26	2.55	974	16	54	513	20	6	<5	4	138	1691	<1	193	<10	16	179
276240 Dup	D044959	0.011	<1	7.89	<2	57	2	11	4.64	5	33	165	139	7.53	1.43	27	2.63	981	19	55	532	21	5	<5	4	134	1488	5	198	10	16	187
276241	D044960	0.016	<1	6.76	<2	96	2	10	8.69	5	37	217	146	7.25	1.47	22	2.29	1522	16	46	222	26	<5	<5	5	189	1930	<1	230	<10	14	115
276242	D044961	0.010	<1	7.52	<2	36	2	9	7.46	5	43	197	156	8.06	1.45	27	2.69	1670	18	50	252	16	6	<5	3	160	4461	3	247	<10	19	111
276243	D044962	0.008	<1	6.78	<2	24	2	7	6.79	6	41	224	139	8.30	1.12	25	2.86	1525	16	52	264	16	5	<5	4	153	3588	3	256	<10	20	120
276244	D044963	0.008	<1	9.09	<2	47	2	14	7.69	6	40	188	123	8.34	1.72	31	2.93	1553	20	48	306	18	6	<5	4	210	2502	4	252	<10	18	114
276245	D044964	0.008	<1	8.92	<2	53	2	14	7.20	6	38	234	158	8.12	1.68	31	2.84	1459	21	52	282	26	<5	<5	4	234	1719	1	244	<10	16	103
276246	D044965	0.009	<1	7.30	<2	418	3	9	7.30	6	39	225	137	7.37	1.73	27	3.27	1401	18	72	393	25	5	7	5	400	3035	2	226	<10	10	99
276247	D044966	0.009	1	7.71	<2	614	4	13	8.15	5	45	543	109	7.14	1.79	35	5.56	1094	22	235	621	21	<5	<5	5	606	3652	3	193	<10	11	86
276248	D044967	0.005	3	7.42	<2	1210	3	7	6.11	<4	31	421	60	4.43	1.58	27	3.92	759	17	149	1798	25	<5	<5	4	525	2910	<1	111	<10	14	65
276249	D044968	0.012	9	7.71	<2	1698	3	6	6.35	4	27	446	76	4.70	1.80	35	3.92	857	18	130	1944	22	<5	10	3	415	2842	1	110	<10	15	75
276250	D044969	0.007	3	8.33	<2	132	2	9	5.88	5	53	106	133	7.90	1.53	37	4.09	1349	20	113	347	18	<5	<5	5	209	4481	3	212	<10	17	111
276251 Dup	D044969	0.008	<1	9.15	2	110	2	13	5.74	5	52	98	147	7.51	1.73	39	4.02	1324	22	140	318	21	5	<5	6	206	4408	6	206	<10	17	143
276252	D044970	0.006	<1	10.19	<2	42	2	13	5.53	6	61	127	106	8.91	1.68	44	4.68	1499	23	152	232	20	6	10	5	177	4516	1	206	<10	16	122
276253	D044971	0.006	<1	8.22	<2	38	2	9	4.41	5	50	79	98	7.03	1.54	38	3.99	1182	19	129	220	13	<5	<5	3	121	3565	4	161	<10	13	98
276254	D044972	<0.005	<1	9.18	<2	43	2	11	5.17	6	57	109	116	8.32	1.75	44	4.53	1401	22	139	255	17	5	6	4	128	4308	8	198	10	15	107
276255	D044973	0.007	<1	8.80	<2	37	2	14	5.72	6	58	91	113	8.42	1.58	44	4.51	1445	21	132	244	20	5	5	5	121	4166	1	195	<10	14	104
276256	D044974	0.007	<1	8.45	<2	41	2	14	6.39	7	56	118	116	8.73	1.40	40	4.47	1508	20	133	226	21	7	<5	3	133	3932	2	199	10	15	101

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276257	D044975	0.009	<1	9.76	<2	36	2	14	7.67	6	58	97	115	8.96	1.71	44	4.60	1734	24	136	242	23	6	9	5	187	3278	4	195	10	16	117
276258	D044976	0.007	<1	9.71	<2	35	2	19	6.11	7	53	115	108	9.09	1.56	44	4.59	1574	23	133	228	19	6	<5	5	174	761	2	190	10	8	111
276259	D044977	0.014	<1	9.06	<2	140	2	10	5.99	6	48	89	103	7.68	1.67	39	4.13	1359	21	121	202	19	6	<5	5	222	721	<1	159	<10	7	98
276260	D044978	0.014	<1	6.31	<2	208	2	11	7.37	5	41	412	85	6.68	1.70	34	4.91	1199	18	198	1010	19	5	5	4	359	495	2	138	<10	9	86
276261	D044979	0.084	<1	5.96	<2	56	2	8	6.42	5	36	130	121	6.06	1.44	25	2.67	1139	17	75	218	15	7	<5	2	199	206	3	128	<10	6	78
276262 Rep	D044979	0.096	<1	7.31	<2	66	2	9	7.03	5	38	143	132	6.72	1.71	30	2.86	1231	19	78	242	20	7	<5	3	228	241	<1	142	<10	7	85
276263	D044980	0.025	2	7.95	<2	108	3	10	8.29	6	40	249	156	7.32	1.69	37	3.08	1355	19	83	622	25	7	<5	3	308	422	2	195	18	12	101
276264	D044981	0.010	<1	7.47	<2	88	2	12	10.47	6	37	504	64	7.46	1.71	43	4.76	1849	24	193	1113	23	5	<5	3	502	400	3	192	11	14	144
276265	D044982	0.033	<1	6.88	2	341	3	7	8.63	5	41	462	43	6.25	1.76	37	4.62	1581	45	212	1112	40	6	8	5	506	2029	7	167	11	14	138
276266	D044983	0.025	<1	6.54	<2	224	2	12	7.11	4	34	282	64	5.47	1.62	29	2.67	1407	19	101	742	24	5	<5	3	400	1236	3	155	<10	13	132
276267	D044984	0.048	<1	5.81	2	195	2	9	5.20	6	42	175	181	7.75	1.50	30	2.84	1302	16	94	737	17	5	6	4	214	747	<1	249	<10	10	141
276268	D044985	0.011	<1	6.49	<2	210	2	10	6.17	5	36	286	138	6.41	1.72	35	3.36	1075	18	124	1471	25	6	<5	3	307	2064	3	276	<10	15	95
276269	D044986	0.020	<1	6.29	<2	185	2	12	5.80	5	52	50	359	8.18	1.49	30	2.81	1341	17	38	245	18	<5	<5	4	193	4955	3	435	<10	15	109
276270	D044987	0.020	<1	8.58	<2	195	3	17	8.31	8	72	125	596	11.58	1.72	43	3.91	2009	24	56	280	25	5	<5	6	240	7419	3	626	12	19	153
276271	D044988	0.015	<1	7.63	<2	115	2	11	5.97	5	52	52	237	8.37	1.75	36	3.04	1379	21	40	232	14	<5	<5	5	173	5803	1	440	<10	16	104
276272	D044989	0.023	<1	7.46	<2	109	2	13	6.03	6	50	102	178	8.77	1.47	38	3.82	1397	18	52	185	15	5	<5	4	168	4433	3	311	<10	13	110
276273 Dup	D044989	0.025	<1	7.35	<2	106	2	12	5.90	6	50	99	174	8.61	1.50	38	3.76	1365	20	52	192	20	5	<5	5	166	4206	6	301	10	13	106
276274	D044990	0.015	<1	7.74	<2	122	2	12	6.88	5	41	90	174	7.07	1.70	37	3.40	1248	19	46	188	18	7	8	6	200	3555	2	215	<10	13	82
276275	D044991	0.015	<1	8.45	<2	177	2	11	6.68	5	48	147	167	7.76	1.69	43	3.88	1246	20	71	188	21	5	<5	3	205	3611	5	200	10	13	91
276276	D044992	0.016	<1	7.46	<2	206	2	6	6.53	5	42	118	124	6.54	1.70	38	3.50	1128	18	59	188	16	5	<5	5	203	3490	3	174	10	11	85
276277	D044993	0.032	<1	10.04	<2	670	2	14	6.59	6	50	195	146	7.51	1.79	47	4.00	1183	24	77	187	16	<5	<5	3	262	3830	1	211	<10	14	96
276278	D044994	0.013	<1	9.48	<2	633	2	10	6.89	5	37	163	138	6.14	1.80	41	3.40	1023	22	58	187	15	5	<5	3	304	3203	3	181	<10	12	70
276279	D044995	0.067	<1	9.29	<2	291	2	13	7.55	6	44	222	195	7.28	1.75	43	3.72	1229	22	73	192	18	5	<5	5	272	3397	3	193	11	13	85
276280	D044996	0.013	1	10.33	<2	244	2	13	7.95	5	38	184	142	6.55	1.79	43	3.34	1150	22	54	180	20	<5	<5	6	299	3701	3	213	10	13	78
276281	D044997	0.012	<1	9.77	<2	250	2	10	8.10	5	35	233	120	6.10	1.74	39	3.21	1111	20	53	158	16	5	8	5	299	3442	3	201	12	13	67
276282	D044998	0.019	1	8.97	<2	244	2	14	7.09	5	43	195	237	7.20	1.69	45	3.91	1212	21	66	175	19	6	<5	6	211	3566	3	214	<10	12	82
276283	D044999	0.019	<1	9.88	<2	137	2	10	6.84	6	47	174	149	7.74	1.73	47	4.07	1242	23	73	201	18	<5	<5	4	191	3706	3	215	13	15	95
276284 Dup	D044999	0.022	<1	9.68	2	134	2	13	6.59	5	45	166	144	7.46	1.83	46	3.93	1197	21	70	200	13	<5	<5	5	186	3638	5	206	11	14	92
276285	D045000	0.023	<1	8.64	<2	238	2	11	6.69	6	50	146	187	7.58	1.75	46	4.05	1192	21	73	207	16	<5	<5	6	173	3324	<1	208	<10	13	86
276286	D045001	0.026	<1	7.47	<2	214	2	10	6.78	5	45	179	175	7.28	1.72	42	3.93	1184	19	70	171	19	<5	11	4	166	3343	2	200	<10	13	80

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276287	D045002	4.275	1	5.86	402	752	1	7	10.32	<4	1	48	38	1.97	1.50	52	4.27	364	24	35	485	20	71	13	4	80	143	2	91	46	11	61
276288	D045003	<0.005	<1	3.39	7	264	1	<5	1.48	<4	9	56	24	2.26	1.02	15	0.88	431	10	34	472	11	6	<5	3	103	1396	1	64	41	10	51
276289	D045004	0.017	<1	6.86	<2	226	1	10	6.21	5	45	111	170	6.63	1.70	37	3.45	1080	18	65	196	16	<5	<5	4	156	3458	6	180	<10	13	72
276290	D045005	0.016	<1	6.28	<2	195	2	9	6.65	5	42	162	175	6.69	1.38	35	3.47	1125	16	65	172	16	5	<5	3	160	3364	2	184	12	12	79
276291	D045006	0.012	<1	6.86	<2	97	1	7	7.64	4	38	137	166	5.72	1.48	34	3.11	1091	17	53	175	15	<5	12	3	177	3182	<1	181	13	12	80
276292	D045007	0.012	<1	7.81	<2	213	2	8	7.41	4	35	198	161	5.86	1.56	34	2.96	1041	20	52	172	18	<5	<5	4	236	3542	2	190	<10	12	71
276293	D045008	0.012	<1	7.31	<2	149	2	7	6.80	5	38	126	153	6.06	1.72	38	3.15	1077	21	54	180	12	<5	<5	2	174	3032	2	169	<10	11	75
276294	D045009	0.014	<1	8.89	<2	256	1	14	6.87	5	38	204	119	6.34	1.82	39	3.16	1067	20	57	188	18	<5	<5	5	208	3752	2	201	<10	15	68
276295 Dup	D045009	0.010	<1	8.82	<2	247	2	15	7.37	5	44	221	131	6.89	1.75	40	3.43	1164	21	63	199	18	<5	<5	6	206	4104	4	213	10	16	73
276296	D045010	0.027	<1	7.55	<2	261	2	11	7.30	4	44	204	470	6.44	1.68	37	3.17	1087	19	68	179	16	<5	<5	3	186	3563	2	199	<10	15	72
276297	D045011	0.024	<1	7.59	<2	98	2	9	7.79	5	43	171	218	7.34	1.50	39	3.57	1214	19	68	165	15	<5	<5	2	195	3313	3	209	<10	14	83
276298	D045012	0.032	<1	7.06	<2	141	2	13	6.48	6	51	59	341	8.53	1.57	36	3.34	1458	22	46	213	16	7	<5	2	192	4220	2	399	10	15	103
276299	D045013	0.026	<1	8.26	<2	197	2	16	6.06	7	52	81	304	9.19	1.84	38	3.39	1373	23	44	226	20	6	<5	3	229	5006	3	486	10	15	113
276300	D045014	0.016	<1	7.17	<2	272	1	11	2.47	<4	8	123	132	1.98	1.71	20	0.95	358	19	17	511	17	<5	8	5	311	957	3	77	<10	7	38
276301	D045015	<0.005	2	6.35	<2	978	1	<5	2.07	<4	2	302	95	1.43	1.70	17	0.63	298	21	18	902	18	6	9	2	3812	408	1	23	<10	7	28
276302	D045016	<0.005	1	7.39	<2	430	2	6	2.49	<4	6	103	47	1.75	1.74	21	0.92	319	13	19	616	17	5	9	2	1935	804	2	41	<10	7	42
276303	D045017	0.013	<1	8.00	<2	186	2	9	6.57	6	41	115	214	7.90	1.83	43	3.51	1154	23	50	203	18	5	<5	4	306	867	2	214	<10	6	102
276304	D045018	0.023	<1	8.07	<2	155	2	10	7.68	6	42	68	388	7.97	1.73	43	3.38	1331	19	48	221	18	5	<5	3	287	557	<1	215	<10	8	106
276305	D045019	0.021	<1	7.62	<2	70	2	11	7.26	6	41	112	173	8.66	1.50	40	3.22	1415	21	52	304	21	5	<5	2	293	556	5	253	<10	10	114
276306 Dup	D045019	0.026	1	10.07	<2	85	2	17	7.47	7	41	115	180	8.90	1.98	47	3.27	1430	25	53	310	18	5	<5	3	339	697	4	259	<10	12	114
276307	D045020	0.277	1	9.00	14	361	2	11	3.03	<4	17	100	62	4.81	1.53	24	0.95	830	18	28	620	20	<5	<5	3	223	716	3	83	<10	11	79
276308	D045021	0.138	1	8.93	5	269	2	14	6.88	5	36	221	105	6.97	1.67	35	2.31	1789	20	63	925	17	6	<5	5	316	929	2	212	12	15	139
276309	D045022	0.057	<1	6.55	<2	106	2	8	6.25	5	36	115	100	7.77	1.64	30	2.30	1675	19	47	790	17	5	<5	4	263	1138	4	253	10	12	126
276310	D045023	0.017	<1	10.06	<2	221	3	18	8.05	8	50	121	134	10.43	2.13	38	2.58	2419	22	60	996	20	<5	<5	6	395	1086	4	281	12	17	187
276311	D045024	0.020	<1	8.69	<2	223	2	8	3.96	<4	14	123	65	3.74	1.60	31	1.42	833	18	31	746	14	5	<5	3	211	552	3	121	<10	11	62
276312	D045025	0.064	<1	9.10	2	228	2	11	6.26	6	39	106	159	8.98	1.66	30	2.06	1856	25	35	581	21	5	<5	3	343	1666	5	322	<10	12	125
276313	D045026	0.012	<1	8.63	<2	125	2	12	5.88	7	40	98	83	10.17	1.75	33	2.56	2334	24	55	440	22	5	<5	5	254	1096	4	266	<10	10	105
276314	D045027	0.019	<1	7.75	<2	208	2	15	5.17	6	44	126	92	9.51	1.59	31	2.60	1570	21	77	441	23	5	<5	<1	234	1038	2	276	<10	9	114
276315	D045028	0.025	<1	7.96	2	228	2	15	6.51	6	45	142	105	9.65	1.70	27	2.34	2023	22	90	379	22	<5	9	4	314	1251	5	241	10	9	114
276316	D045029	0.011	<1	7.68	<2	122	2	15	6.42	6	48	158	135	9.54	1.70	31	3.09	2109	21	123	427	23	7	<5	7	311	754	<1	202	10	9	124

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276317 Dup	D045029	0.013	2	9.95	3	155	3	14	7.07	8	57	179	128	11.25	2.07	40	3.33	2335	28	138	472	29	7	8	5	363	1002	1	223	18	12	145
276318	D045030	0.050	1	8.16	4	167	2	9	2.09	<4	11	445	89	2.39	1.70	16	0.64	470	14	21	639	52	7	7	<1	313	345	<1	23	<10	7	29
276319	D045031	0.013	2	8.78	<2	188	2	11	1.99	<4	5	242	55	3.55	1.71	14	0.62	634	18	18	519	70	5	8	1	299	139	3	17	<10	6	23
276320	D045032	0.021	1	9.25	<2	351	2	7	2.20	<4	2	363	133	1.75	1.69	17	0.65	465	18	14	560	30	5	11	3	421	189	2	25	<10	6	39
276321	D045033	0.022	<1	6.04	<2	212	1	5	1.67	<4	<1	195	47	1.87	1.71	16	0.55	365	12	13	479	30	<5	5	<1	271	272	2	22	<10	5	33
276322	D045034	0.020	<1	5.95	2	282	2	5	2.74	<4	5	299	29	2.26	1.68	16	0.92	542	12	25	815	24	5	<5	4	314	245	2	38	<10	8	67
276323	D045035	0.036	1	7.46	51	105	3	10	1.90	9	45	228	238	10.02	1.65	20	0.99	952	28	71	293	31	6	<5	5	107	501	<1	88	15	7	591
276324	D045036	0.022	1	7.39	26	127	3	12	2.50	10	54	373	490	11.09	1.67	20	1.20	1032	28	81	286	41	6	9	5	147	541	2	110	12	8	450
276325	D045037	0.022	<1	6.86	<2	56	2	12	6.36	8	50	132	224	11.17	1.46	21	2.73	1998	22	81	490	27	7	<5	5	314	647	4	274	<10	11	188
276326	D045038	0.077	<1	6.76	<2	26	2	12	8.11	8	43	116	303	11.19	1.28	16	2.06	3300	23	74	403	27	<5	<5	4	368	456	4	202	14	14	164
276327	D045039	0.033	<1	6.81	<2	255	2	14	5.53	8	49	141	251	11.33	1.73	22	2.35	2463	26	78	546	25	<5	8	3	174	399	4	148	13	10	225
276328 Rep	D045039	0.044	<1	7.10	<2	258	2	15	5.76	9	49	241	254	11.21	1.67	23	2.36	2451	25	80	548	25	7	6	4	184	401	3	155	<10	10	214
276329	D045040	0.015	1	9.04	3	211	3	19	1.41	9	48	230	331	10.38	1.50	21	0.97	820	30	85	254	30	<5	6	5	86	657	<1	102	15	8	667
276330	D045041	0.008	<1	6.26	<2	294	2	5	0.62	4	17	498	91	5.20	1.64	19	1.14	395	19	43	189	18	8	<5	5	52	416	<1	44	<10	5	78
276331	D045042	0.006	<1	5.88	<2	270	2	7	1.55	4	15	378	85	5.67	1.75	20	1.39	890	19	35	265	17	5	<5	4	78	369	7	52	<10	5	93
276332	D045043	0.012	<1	8.57	<2	282	2	15	1.86	5	30	292	118	8.20	1.63	39	2.79	1033	24	50	682	20	5	<5	2	90	465	3	91	10	8	176
276333	D045044	0.012	<1	5.40	<2	236	1	6	1.96	4	16	284	76	5.09	1.74	21	1.61	1054	17	43	249	13	<5	<5	3	96	336	1	40	<10	6	69
276334	D045045	0.007	<1	5.55	<2	240	1	7	0.58	4	23	533	63	4.19	1.69	19	1.02	336	17	40	122	15	7	<5	<1	48	334	3	36	<10	5	219
276335	D045046	0.039	1	6.07	<2	223	3	18	1.97	10	54	226	328	10.04	1.59	16	1.24	1159	30	98	284	44	7	9	5	93	352	2	63	18	7	1147
276336	D045047	0.124	1	6.69	78	205	3	10	1.14	9	56	290	285	10.24	1.47	19	1.30	836	26	91	320	33	<5	7	6	68	380	<1	72	15	7	928
276337	D045048	0.040	1	7.63	43	289	3	11	1.51	9	49	168	287	9.77	1.64	21	1.42	1094	23	79	372	29	5	7	6	87	453	3	86	14	7	640
276338	D045049	0.020	<1	6.61	2	244	2	12	2.34	9	42	310	278	8.86	1.50	15	1.01	1347	24	81	365	20	6	8	5	91	408	2	63	15	7	920
276339 Dup	D045049	0.020	1	6.69	3	257	2	12	2.32	9	42	302	283	8.70	1.45	15	1.01	1335	24	80	362	22	7	11	2	90	421	3	64	15	7	901
276340	D045050	0.073	1	5.92	108	256	2	11	1.54	9	39	177	233	8.92	1.64	18	1.31	1090	22	75	443	25	7	<5	3	71	350	4	57	11	7	725
276341	D045051	0.080	1	8.65	104	292	2	13	1.88	8	49	227	274	8.57	1.58	23	1.41	1147	25	69	454	22	6	9	7	96	548	3	81	13	8	696
276342	D045052	3.243	56	7.46	30	423	2	6	3.29	9	10	66	190	3.18	1.77	24	1.75	581	20	42	471	1024	72	5	3	282	634	4	61	29	10	2131
276343	D045053	<0.005	<1	7.24	2	464	1	6	1.77	<4	9	62	24	2.35	1.72	22	0.90	462	15	32	486	16	7	5	5	208	1622	<1	70	40	13	55
276344	D045054	0.008	<1	7.57	30	415	2	8	4.07	<4	14	93	46	3.99	1.51	26	1.82	1196	17	61	674	16	<5	<5	2	160	442	1	58	<10	9	148
276345	D045055	0.008	<1	8.01	<2	691	2	8	3.25	5	26	169	126	5.84	1.72	24	1.56	1002	18	52	512	18	<5	<5	3	126	721	2	97	<10	9	205
276346	D045056	0.009	<1	9.26	5	93	2	14	6.56	7	53	123	163	11.17	1.66	38	3.39	1518	22	115	432	27	7	10	6	236	708	2	256	<10	10	136

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276347	D045057	0.010	1	9.59	7	103	2	13	5.92	7	50	165	138	10.12	1.86	40	3.44	1454	24	117	365	24	8	<5	5	269	632	6	231	10	10	115
276348	D045058	0.007	<1	8.09	11	132	2	12	6.59	6	37	224	51	7.72	1.72	38	3.30	1412	22	92	778	24	6	<5	1	291	313	2	156	<10	11	88
276349	D045059	0.008	<1	8.78	30	392	2	14	6.46	6	45	102	110	9.29	1.84	35	3.05	1532	22	112	359	24	6	<5	4	244	525	1	184	<10	10	117
276350 Dup	D045059	0.008	<1	8.76	24	387	2	11	6.41	7	40	99	114	9.35	1.85	35	3.03	1542	23	111	331	21	5	5	3	238	521	1	183	<10	10	115
276351	D045060	0.006	<1	9.04	52	173	2	16	5.26	8	54	166	100	11.57	1.70	36	3.56	1768	25	118	468	28	5	11	4	136	558	2	223	<10	8	183
276352	D045061	0.073	<1	6.18	210	307	2	11	0.46	11	55	98	417	10.31	1.55	20	1.45	656	25	85	376	27	6	12	5	32	335	1	77	20	7	1383
276353	D045062	0.020	<1	8.62	25	223	2	14	5.16	7	52	140	102	10.38	1.72	32	3.08	1631	22	94	458	20	7	<5	3	165	870	4	221	<10	10	174
276354	D045063	0.157	1	8.93	3	105	2	13	7.44	8	54	129	187	10.70	1.77	30	3.18	2117	28	122	440	29	<5	<5	5	298	921	3	244	63	12	154
276355	D045064	0.292	1	6.32	33	101	3	12	4.68	10	49	289	262	11.93	1.67	17	2.11	1353	35	64	602	27	6	<5	6	267	1199	9	221	16	10	275
276356	D045065	0.144	<1	7.53	6	386	3	12	4.94	7	35	104	108	9.58	1.61	23	2.48	1198	24	36	591	21	7	10	5	270	3051	2	195	10	11	157
276357	D045066	0.013	<1	7.96	2	484	2	14	4.01	6	35	215	49	8.38	1.98	24	2.66	1080	21	53	467	23	6	<5	4	248	2230	1	192	10	9	163
276358	D045067	0.027	<1	7.10	8	491	2	8	4.05	5	35	253	83	7.25	1.43	21	1.89	1196	19	52	404	26	5	<5	4	259	1866	<1	156	<10	9	136
276359	D045068	0.012	1	8.97	<2	1074	3	13	5.63	7	53	150	87	9.85	1.87	33	3.32	1693	25	132	333	28	7	<5	4	336	4305	6	223	<10	10	150
276360	D045069	0.014	<1	8.61	<2	300	2	18	5.32	7	50	184	125	9.81	1.81	29	3.22	1221	23	111	390	21	8	<5	3	263	1632	4	238	10	10	134
276361 Dup	D045069	0.011	<1	7.44	<2	269	2	10	4.91	6	46	168	117	9.02	1.77	26	2.98	1113	21	101	361	24	6	<5	3	236	1343	3	218	<10	9	123
276362	D045070	0.012	<1	8.10	2	451	2	12	7.04	6	48	144	135	9.62	1.82	25	2.59	1343	22	84	473	25	5	<5	7	327	2011	2	267	<10	12	121
276363	D045071	0.012	<1	8.56	<2	44	2	14	6.37	7	51	170	101	10.24	1.55	32	3.52	1454	21	127	398	24	6	10	3	212	675	6	245	12	10	143
276364	D045072	0.006	<1	8.58	<2	48	2	14	6.90	7	49	146	51	9.90	1.53	34	3.66	1684	23	146	306	22	<5	<5	4	222	575	<1	213	10	9	145
276365	D045073	0.027	<1	7.93	4	131	2	16	5.21	6	48	166	110	9.08	1.50	29	2.98	1293	24	101	364	24	7	<5	4	182	1270	2	217	10	13	151
276366	D045074	0.011	<1	7.96	<2	129	2	15	5.60	6	48	103	113	9.34	1.55	30	2.82	1197	23	66	376	21	6	<5	6	171	4959	2	313	<10	19	129
276367	D045075	0.009	<1	8.32	<2	93	2	13	5.18	7	58	191	136	10.27	1.56	34	3.19	1444	21	100	409	17	6	13	5	165	6476	3	219	<10	19	154
276368	D045076	0.043	<1	6.59	<2	74	2	10	4.97	5	49	122	290	8.05	1.32	25	2.47	1119	16	70	337	16	<5	<5	3	147	5355	4	216	<10	16	124
276369	D045077	0.023	<1	6.86	<2	293	2	16	6.63	7	54	90	290	10.56	1.74	30	2.70	1301	20	48	362	19	5	<5	2	186	7416	<1	488	12	18	144
276370	D045078	0.024	<1	7.28	<2	89	2	10	5.73	8	53	68	154	10.29	1.47	31	2.52	1253	23	18	433	16	5	<5	3	156	6068	1	378	11	19	171
276371	D045079	0.012	<1	7.38	<2	43	2	11	4.72	6	54	51	126	9.62	1.58	30	2.40	1367	21	13	437	19	<5	<5	4	136	8928	1	305	<10	20	134
276372 Dup	D045079	0.011	<1	7.93	<2	45	2	17	5.16	7	63	57	139	10.67	1.57	32	2.66	1547	23	15	489	15	<5	<5	4	146	10103	2	341	11	22	154
276373	D045080	0.019	<1	7.04	<2	46	2	12	5.11	6	54	82	226	9.19	1.51	29	2.48	1239	18	36	356	10	5	<5	4	158	8970	2	386	<10	14	127
276374	D045081	<0.005	<1	7.74	<2	75	2	10	4.38	6	53	188	173	9.28	1.67	28	3.01	1263	18	81	371	15	7	<5	3	146	7311	1	232	<10	12	129
276375	D045082	0.007	<1	6.20	<2	45	2	12	3.73	5	47	135	95	7.85	1.25	24	2.66	1153	17	71	331	11	<5	5	3	104	5748	2	172	<10	11	102
276376	D045083	0.006	<1	7.51	3	52	2	9	4.76	7	58	138	124	9.79	1.54	30	2.96	1397	20	85	478	15	5	<5	4	128	7142	2	197	<10	13	145

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044012
Reference: Castlewood Lake (CWL)
Sample #: 179 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276377	D045084	0.012	2	8.78	4	70	4	15	3.99	9	61	282	263	10.45	1.77	35	2.84	1208	24	160	484	19	6	<5	7	137	6463	4	206	18	18	181
276378	D045085	0.035	<1	5.77	2	541	2	<5	5.16	<4	22	122	100	3.50	1.60	19	0.84	604	14	50	570	13	<5	6	4	132	2351	1	64	11	13	200
276379	D045086	0.010	<1	7.81	4	491	2	8	3.45	4	32	168	105	5.99	1.67	25	1.73	700	19	93	689	16	<5	<5	4	116	2525	4	88	13	14	245
276380	D045087	0.010	<1	8.17	<2	41	2	10	5.71	5	39	265	60	7.16	1.60	33	3.58	1098	21	214	735	14	6	<5	4	229	804	3	130	10	7	107
276381	D045088	0.008	<1	9.24	<2	81	2	14	4.83	5	48	324	83	8.16	1.70	39	4.43	1084	23	269	798	20	7	<5	4	233	992	<1	144	<10	7	112
276382	D045089	0.006	<1	8.13	<2	87	2	12	4.65	5	42	283	64	7.34	1.76	37	4.03	1000	22	253	753	18	5	6	2	223	964	5	133	<10	7	102
276383 Dup	D045089	0.007	<1	10.05	<2	99	2	14	5.01	6	44	293	75	7.81	1.75	42	4.14	1045	24	260	802	22	<5	<5	5	263	1139	5	143	<10	8	192
276384	D045090	0.008	<1	10.21	<2	72	2	13	5.21	6	42	274	79	7.71	1.73	44	4.07	1067	25	253	773	20	6	<5	3	248	642	3	138	<10	8	133
276385	D045091	0.009	<1	10.45	<2	113	2	16	5.27	6	44	279	73	7.99	1.81	46	4.15	1079	25	259	774	17	5	<5	2	265	1201	6	139	10	10	122
276386	D045092	0.013	1	10.33	2	50	2	12	7.03	5	40	251	70	7.53	1.75	46	3.83	1225	25	231	751	17	6	<5	5	341	596	4	128	10	9	113
276387	D045093	0.013	1	11.46	<2	46	2	16	5.89	6	40	298	73	7.72	1.66	45	3.77	1061	25	220	788	19	7	<5	2	323	498	<1	141	<10	10	117
276388	D045094	0.149	1	11.17	6	152	2	13	5.03	4	29	191	137	6.16	1.82	36	2.51	963	23	100	808	16	6	<5	5	332	1241	<1	134	15	12	120
276389	D045095	0.031	<1	10.32	3	98	2	10	5.65	5	34	339	112	6.64	1.61	41	3.54	1039	23	133	725	22	<5	6	7	310	2521	6	178	11	16	139
276390	D045096	0.010	<1	9.96	<2	129	3	10	5.95	7	43	245	124	8.97	1.69	40	3.45	1153	26	116	787	21	7	<5	5	286	3126	2	227	<10	20	136
276391	D045097	0.007	1	10.15	<2	90	2	19	4.98	6	50	139	145	9.64	1.85	37	2.74	1258	25	68	496	20	<5	<5	6	241	7260	2	221	<10	23	182
276392	D045098	0.007	1	10.10	2	75	2	15	4.49	8	59	137	363	10.73	1.79	37	3.24	1392	26	373	408	22	5	<5	4	174	8249	3	250	<10	18	194

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory