ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
323936		D046527	159	0.005	0.159
324399		D046528	364	0.011	0.364
324400		D046529	20	<0.001	0.020
324401		D046530	12	<0.001	0.012
324402		D046531	13	<0.001	0.013
324403		D046532	13	<0.001	0.013
324404		D046533	25	<0.001	0.025
324405		D046534	106	0.003	0.106
324406		D046535	53	0.002	0.053
324407		D046536	17	<0.001	0.017
324408	Dup	D046536	16	<0.001	0.016
324409		D046537	18	<0.001	0.018
324410		D046538	13	<0.001	0.013
324411		D046539	13	<0.001	0.013
324412		D046540	11	<0.001	0.011
324413		D046541	9	<0.001	0.009
324414		D046542	12	<0.001	0.012
324415		D046543	12	<0.001	0.012
324416		D046544	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324417		D046545	7	<0.001	0.007
324418		D046546	14	<0.001	0.014
324419	Dup	D046546	12	<0.001	0.012
324420		D046547	11	<0.001	0.011
324421		D046548	11	<0.001	0.011
324422		D046549	11	<0.001	0.011
324423		D046550	21	<0.001	0.021
324424		D046551	23	<0.001	0.023
324425		D046552	3073	0.090	3.073
324426		D046553	<5	<0.001	<0.005
324427		D046554	21	<0.001	0.021
324428		D046555	28	<0.001	0.028
324429		D046556	58	0.002	0.058
324430	Dup	D046556	48	0.001	0.048
324431		D046557	18	<0.001	0.018
324432		D046558	15	<0.001	0.015
324433		D046559	26	<0.001	0.026
324434		D046560	16	<0.001	0.016
324435		D046561	18	<0.001	0.018

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324436		D046562	26	<0.001	0.026
324437		D046563	133	0.004	0.133
324438		D046564	18	<0.001	0.018
324439		D046565	18	<0.001	0.018
324440		D046566	12	<0.001	0.012
324441	Dup	D046566	13	<0.001	0.013
324442		D046567	11	<0.001	0.011
324443		D046568	12	<0.001	0.012
324444		D046569	22	<0.001	0.022
324445		D046570	23	<0.001	0.023
324446		D046571	22	<0.001	0.022
324447		D046572	21	<0.001	0.021
324448		D046573	15	<0.001	0.015
324449		D046574	21	<0.001	0.021
324450		D046575	17	<0.001	0.017
324451		D046576	12	<0.001	0.012
324452	Dup	D046576	11	<0.001	0.011
324453		D046577	22	<0.001	0.022
324454		D046578	28	<0.001	0.028

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324455		D046579	22	<0.001	0.022
324456		D046580	85	0.002	0.085
324457		D046581	27	<0.001	0.027
324458		D046582	18	<0.001	0.018
324459		D046583	20	<0.001	0.020
324460		D046584	18	<0.001	0.018
324461		D046585	15	<0.001	0.015
324462		D046586	11	<0.001	0.011
324463	Rep	D046586	10	<0.001	0.010
324464		D046587	11	<0.001	0.011
324465		D046588	9	<0.001	0.009
324466		D046589	9	<0.001	0.009
324467		D046590	9	<0.001	0.009
324468		D046591	8	<0.001	0.008
324469		D046592	8	<0.001	0.008
324470		D046593	9	<0.001	0.009
324471		D046594	10	<0.001	0.010
324472		D046595	10	<0.001	0.010
324473		D046596	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324474	Dup	D046596	10	<0.001	0.010
324475		D046597	11	<0.001	0.011
324476		D046598	22	<0.001	0.022
324477		D046599	16	<0.001	0.016
324478		D046600	33	<0.001	0.033
324479		D046601	22	<0.001	0.022
324480		D046602	51	0.002	0.051
324481		D046603	474	0.014	0.474
324482		D046604	140	0.004	0.140
324483		D046605	53	0.002	0.053
324484		D046606	26	<0.001	0.026
324485	Dup	D046606	23	<0.001	0.023
324486		D046607	35	0.001	0.035
324487		D046608	23	<0.001	0.023
324488		D046609	18	<0.001	0.018
324489		D046610	9	<0.001	0.009
324490		D046611	10	<0.001	0.010
324491		D046612	11	<0.001	0.011
324492		D046613	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324493		D046614	11	<0.001	0.011
324494		D046615	8	<0.001	0.008
324495		D046616	10	<0.001	0.010
324496	Dup	D046616	11	<0.001	0.011
324497		D046617	15	<0.001	0.015
324498		D046618	138	0.004	0.138
324499		D046619	15	<0.001	0.015
324500		D046620	13	<0.001	0.013
324501		D046621	14	<0.001	0.014
324502		D046622	16	<0.001	0.016
324503		D046623	10	<0.001	0.010
324504		D046624	9	<0.001	0.009
324505		D046625	8	<0.001	0.008
324506		D046626	7	<0.001	0.007
324507	Dup	D046626	6	<0.001	0.006
324508		D046627	1154	0.034	1.154
324509		D046628	<5	<0.001	<0.005
324510		D046629	10	<0.001	0.010
324511		D046630	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324512		D046631	10	<0.001	0.010
324513		D046632	11	<0.001	0.011
324514		D046633	11	<0.001	0.011
324515		D046634	8	<0.001	0.008
324516		D046635	9	<0.001	0.009
324517		D046636	11	<0.001	0.011
324518	Dup	D046636	11	<0.001	0.011
324519		D046637	10	<0.001	0.010
324520		D046638	9	<0.001	0.009
324521		D046639	9	<0.001	0.009
324522		D046640	11	<0.001	0.011
324523		D046641	10	<0.001	0.010
324524		D046642	13	<0.001	0.013
324525		D046643	10	<0.001	0.010
324526		D046644	11	<0.001	0.011
324527		D046645	8	<0.001	0.008
324528		D046646	9	<0.001	0.009
324529	Rep	D046646	9	<0.001	0.009
324530		D046647	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324531		D046648	9	<0.001	0.009
324532		D046649	8	<0.001	0.008
324533		D046650	9	<0.001	0.009
324534		D046651	8	<0.001	0.008
324535		D046652	3225	0.094	3.225
324536		D046653	<5	<0.001	<0.005
324537		D046654	7	<0.001	0.007
324538		D046655	7	<0.001	0.007
324539		D046656	6	<0.001	0.006
324540	Dup	D046656	9	<0.001	0.009
324541		D046657	7	<0.001	0.007
324542		D046658	6	<0.001	0.006
324543		D046659	7	<0.001	0.007
324544		D046660	7	<0.001	0.007
324545		D046661	30	<0.001	0.030
324546		D046662	10	<0.001	0.010
324547		D046663	7	<0.001	0.007
324548		D046664	9	<0.001	0.009
324549		D046665	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324550		D046666	9	<0.001	0.009
324551	Dup	D046666	9	<0.001	0.009
324552		D046667	9	<0.001	0.009
324553		D046668	8	<0.001	0.008
324554		D046669	9	<0.001	0.009
324555		D046670	7	<0.001	0.007
324556		D046671	7	<0.001	0.007
324557		D046672	10	<0.001	0.010
324558		D046673	13	<0.001	0.013
324559		D046674	9	<0.001	0.009
324560		D046675	9	<0.001	0.009
324561		D046676	18	<0.001	0.018
324562	Dup	D046676	12	<0.001	0.012
324563		D046677	11	<0.001	0.011
324564		D046678	6	<0.001	0.006
324565		D046679	8	<0.001	0.008
324566		D046680	11	<0.001	0.011
324567		D046681	11	<0.001	0.011
324568		D046682	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324569		D046683	10	<0.001	0.010
324570		D046684	7	<0.001	0.007
324571		D046685	8	<0.001	0.008
324572		D046686	8	<0.001	0.008
324573	Dup	D046686	9	<0.001	0.009
324574		D046687	10	<0.001	0.010
324575		D046688	10	<0.001	0.010
324576		D046689	9	<0.001	0.009
324577		D046690	13	<0.001	0.013
324578		D046691	14	<0.001	0.014
324579		D046692	16	<0.001	0.016
324580		D046693	19	<0.001	0.019
324581		D046694	15	<0.001	0.015
324582		D046695	13	<0.001	0.013
324583		D046696	11	<0.001	0.011
324584	Dup	D046696	15	<0.001	0.015
324585		D046697	12	<0.001	0.012
324586		D046698	11	<0.001	0.011
324587		D046699	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324588		D046700	13	<0.001	0.013
324589		D046701	13	<0.001	0.013
324590		D046702	5275	0.154	5.275
324591		D046703	<5	<0.001	<0.005
324592		D046704	12	<0.001	0.012
324593		D046705	12	<0.001	0.012
324594		D046706	13	<0.001	0.013
324595	Rep	D046706	13	<0.001	0.013
324596		D046707	13	<0.001	0.013
324597		D046708	12	<0.001	0.012
324598		D046709	12	<0.001	0.012
324599		D046710	11	<0.001	0.011
324600		D046711	10	<0.001	0.010
324601		D046712	12	<0.001	0.012
324602		D046713	12	<0.001	0.012
324603		D046714	12	<0.001	0.012
324604		D046715	11	<0.001	0.011
324605		D046716	11	<0.001	0.011
324606	Dup	D046716	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324607		D046717	11	<0.001	0.011
324608		D046718	18	<0.001	0.018
324609		D046719	11	<0.001	0.011
324610		D046720	11	<0.001	0.011
324611		D046721	12	<0.001	0.012
324612		D046722	11	<0.001	0.011
324613		D046723	12	<0.001	0.012
324614		D046724	13	<0.001	0.013
324615		D046725	107	0.003	0.107
324616		D046726	11	<0.001	0.011
324617	Dup	D046726	12	<0.001	0.012
324618		D046727	9	<0.001	0.009
324619		D046728	11	<0.001	0.011
324620		D046729	10	<0.001	0.010
324621		D046730	12	<0.001	0.012
324622		D046731	11	<0.001	0.011
324623		D046732	15	<0.001	0.015
324624		D046733	10	<0.001	0.010
324625		D046734	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324626		D046735	17	<0.001	0.017
324627		D046736	7	<0.001	0.007
324628	Dup	D046736	6	<0.001	0.006
324629		D046737	8	<0.001	0.008
324630		D046738	10	<0.001	0.010
324631		D046739	8	<0.001	0.008
324632		D046740	11	<0.001	0.011
324633		D046741	12	<0.001	0.012
324634		D046742	<5	<0.001	<0.005
324635		D046743	5	<0.001	0.005
324636		D046744	6	<0.001	0.006
324637		D046745	<5	<0.001	<0.005
324638		D046746	5	<0.001	0.005
324639	Dup	D046746	<5	<0.001	<0.005
324640		D046747	<5	<0.001	<0.005
324641		D046748	<5	<0.001	<0.005
324642		D046749	<5	<0.001	<0.005
324643		D046750	<5	<0.001	<0.005
324644		D046751	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324645		D046752	1154	0.034	1.154
324646		D046753	7	<0.001	0.007
324647		D046754	<5	<0.001	<0.005
324648		D046755	<5	<0.001	<0.005
324649		D046756	<5	<0.001	<0.005
324650	Dup	D046756	<5	<0.001	<0.005
324651		D046757	5	<0.001	0.005
324652		D046758	<5	<0.001	<0.005
324653		D046759	5	<0.001	0.005
324654		D046760	6	<0.001	0.006
324655		D046761	6	<0.001	0.006
324656		D046762	6	<0.001	0.006
324657		D046763	7	<0.001	0.007
324658		D046764	6	<0.001	0.006
324659		D046765	12	<0.001	0.012
324660		D046766	5	<0.001	0.005
324661	Rep	D046766	7	<0.001	0.007
324662		D046767	14	<0.001	0.014
324663		D046768	28	<0.001	0.028

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received:	10/27/2010
Date Completed:	11/10/2010
Job #:	201044665
Reference:	Castlewood Lake(CWL)
Sample #:	243 Core

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324664	D046769	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 12:57 PM