ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
275987	D045099	<0.005	1	9.29	14	87	1	<5	7.60	8	41	240	155	7.75	2.24	37	2.51	1488	22	131	245	24	<5	<5	3	103	179	7	166	<10	5	264
275988	D045100	<0.005	1	8.40	7	103	1	<5	6.86	7	41	283	100	7.01	1.70	32	2.25	1282	18	118	208	14	<5	<5	2	108	173	6	157	<10	6	177
275989	D045101	<0.005	1	8.64	4	97	1	7	7.70	8	50	294	160	9.09	1.96	35	2.97	1619	22	136	234	10	<5	<5	2	103	165	7	173	<10	5	178
275990	D045102	1.121	3	3.82	112	342	1	93	0.40	4	1	35	56	4.19	1.48	12	0.18	107	25	9	<100	110	15	12	7	59	181	4	25	<10	3	33
275991	D045103	<0.005	<1	6.43	6	435	1	<5	1.62	<4	11	56	31	2.25	1.84	19	0.83	438	13	32	475	9	<5	<5	3	188	1505	1	66	36	12	104
275992	D045104	0.008	<1	6.25	2	135	1	<5	6.42	5	30	171	43	5.55	1.77	20	2.01	1515	15	88	233	10	<5	<5	2	108	165	2	113	<10	4	76
275993	D045105	0.006	<1	6.82	3	146	1	<5	5.89	5	31	374	39	5.89	1.68	24	2.23	1344	17	93	174	8	<5	5	3	83	165	5	120	<10	4	101
275994	D045106	0.010	1	8.50	4	111	2	<5	6.48	8	48	254	106	8.40	1.71	33	2.61	1362	20	126	233	12	<5	<5	3	88	172	3	169	<10	4	175
275995	D045107	0.007	1	8.65	<2	106	1	6	7.07	7	44	250	115	7.59	1.62	34	2.56	1414	20	125	240	10	<5	<5	1	100	169	8	162	<10	4	148
275996	D045108	<0.005	1	8.00	3	79	2	<5	7.90	7	44	232	140	8.08	1.50	33	2.46	1580	19	126	244	10	<5	<5	2	88	148	7	158	<10	4	148
275997 Dup	D045108	0.006	<1	7.15	<2	71	1	<5	7.32	7	41	215	127	7.48	1.62	30	2.29	1456	17	117	222	9	<5	<5	2	80	131	8	146	<10	4	125
275998	D045109	<0.005	<1	6.56	<2	50	1	<5	9.31	6	34	188	99	7.09	1.39	28	2.23	1328	16	100	180	8	<5	<5	3	125	122	5	138	<10	5	96
275999	D045110	0.008	<1	8.93	<2	135	2	<5	7.14	7	39	239	105	7.43	1.51	35	2.47	1520	20	112	231	8	<5	<5	<1	90	199	8	170	<10	6	94
276000	D045111	0.008	<1	8.66	<2	101	1	6	8.54	7	41	236	110	7.60	1.67	35	2.45	1595	19	119	236	7	<5	<5	3	93	184	9	168	<10	6	88
276001	D045112	<0.005	<1	8.95	<2	69	1	5	7.23	7	42	262	123	7.65	1.71	35	2.37	1470	19	120	238	10	<5	<5	3	87	182	10	181	<10	7	101
276002	D045113	<0.005	<1	9.15	<2	51	1	10	7.65	8	45	266	115	8.27	1.72	39	2.68	1523	18	128	249	8	<5	<5	<1	93	184	5	191	<10	6	117
276003	D045114	<0.005	<1	8.82	<2	52	2	<5	8.26	7	41	253	116	7.84	1.68	36	2.54	1620	19	123	241	8	<5	<5	2	97	189	4	184	<10	7	101
276004	D045115	0.006	<1	9.47	<2	57	2	<5	7.85	7	39	257	114	7.70	1.27	35	2.28	1524	19	119	235	5	<5	<5	1	104	206	6	189	<10	8	104
276005	D045116	<0.005	1	11.72	<2	77	2	7	10.09	10	59	329	151	10.37	2.17	46	3.07	2031	24	165	325	17	<5	<5	1	125	220	10	241	<10	8	140
276006	D045117	<0.005	<1	8.35	<2	66	1	8	9.08	7	39	271	95	7.86	1.64	35	2.46	1756	17	118	231	5	<5	<5	2	91	159	6	165	<10	8	93
276007	D045118	<0.005	<1	7.74	<2	48	1	7	7.47	7	37	232	86	7.28	1.60	32	2.18	1530	18	110	215	6	<5	<5	2	78	140	7	158	<10	7	91
276008 Dup	D045118	<0.005	<1	8.52	<2	60	1	<5	7.77	7	39	242	95	7.55	1.60	32	2.25	1581	18	113	224	7	<5	<5	<1	87	157	6	169	<10	7	105
276009	D045119	0.005	<1	7.92	<2	41	1	6	7.97	7	38	239	258	7.76	1.63	31	2.14	1580	19	115	220	8	<5	5	2	74	149	5	173	<10	8	100
276010	D045120	<0.005	<1	6.56	<2	42	<1	<5	7.86	6	35	277	89	6.89	1.35	26	1.95	1591	14	110	198	5	<5	<5	<1	75	121	6	151	<10	6	87
276011	D045121	0.011	<1	8.57	<2	75	1	<5	6.77	6	39	253	104	6.76	1.75	30	2.18	1317	17	112	222	8	<5	<5	<1	82	187	7	171	<10	7	89
276012	D045122	0.017	<1	8.45	<2	52	1	<5	7.44	6	37	308	98	6.29	1.71	28	2.01	1369	17	113	212	12	<5	<5	3	85	163	6	163	<10	7	80
276013	D045123	0.012	<1	8.93	<2	103	1	7	7.96	6	43	250	113	6.98	1.70	32	2.13	1500	18	125	232	10	<5	<5	<1	86	206	5	166	<10	9	89
276014	D045124	0.005	<1	9.46	<2	81	1	<5	7.23	6	45	264	120	6.97	1.76	34	2.14	1460	19	127	249	6	5	<5	3	93	228	3	176	<10	8	90
276015	D045125	0.005	<1	10.23	<2	94	1	6	8.68	6	46	294	128	7.14	1.71	36	2.15	1659	18	136	249	8	<5	<5	2	110	274	6	197	<10	10	104
276016	D045126	<0.005	<1	9.58	<2	78	1	<5	7.97	6	44	259	117	7.10	1.66	36	2.34	1506	18	129	244	7	<5	<5	3	88	250	3	184	<10	9	101

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276017	D045127	<0.005	<1	9.45	<2	65	1	<5	8.53	6	42	263	115	6.88	1.77	36	2.31	1557	17	128	243	6	<5	<5	<1	95	236	9	177	<10	10	92
276018	D045128	0.005	<1	8.94	<2	56	1	<5	7.51	6	41	259	105	6.92	1.62	34	2.21	1417	18	134	247	7	<5	<5	<1	87	215	4	165	<10	9	98
276019 Dup	D045128	0.011	<1	7.22	<2	45	<1	<5	6.03	5	33	210	84	5.54	1.50	27	1.79	1131	14	108	193	6	<5	<5	1	72	172	4	135	<10	7	93
276020	D045129	0.006	<1	8.44	<2	55	1	<5	6.46	6	38	245	134	6.36	1.76	32	2.05	1355	16	116	219	6	<5	<5	<1	78	211	5	155	<10	12	90
276021	D045130	<0.005	<1	9.08	<2	65	1	<5	6.38	6	41	244	113	6.81	1.63	31	1.81	1521	18	120	227	8	<5	<5	2	88	240	3	161	<10	13	94
276022	D045131	0.006	<1	8.42	2	46	1	<5	6.94	6	40	225	102	6.75	1.49	34	2.23	1464	16	119	229	6	<5	<5	3	74	194	6	151	<10	9	90
276023	D045132	0.006	<1	8.59	12	61	1	<5	5.48	6	47	256	129	6.90	1.64	34	2.09	1377	18	136	247	6	<5	<5	1	84	357	6	150	<10	10	117
276024	D045133	0.007	1	9.81	19	73	1	6	5.60	8	48	262	133	8.91	1.66	37	2.83	1419	22	101	300	14	<5	<5	4	108	2437	7	186	<10	14	140
276025	D045134	0.008	<1	6.86	<2	23	1	<5	4.21	7	46	146	128	7.06	1.19	21	3.14	1343	19	72	263	7	<5	<5	2	88	3868	2	159	<10	10	108
276026	D045135	0.006	1	8.31	<2	32	1	<5	4.09	7	55	187	163	7.94	1.48	22	3.87	1332	21	88	333	7	<5	<5	2	121	5292	5	170	<10	11	111
276027	D045136	0.005	<1	7.59	5	65	1	<5	5.66	6	41	172	125	6.52	1.72	20	2.72	1057	17	68	264	7	<5	<5	5	93	3719	5	142	<10	11	113
276028	D045137	0.005	<1	8.32	16	76	1	7	7.11	8	47	127	149	7.94	1.83	26	2.59	1319	18	80	274	13	<5	<5	2	60	4060	6	169	<10	13	226
276029	D045138	0.007	<1	7.10	2	24	1	<5	4.33	6	43	153	129	6.79	1.39	19	2.65	1014	17	76	212	6	<5	<5	3	82	3629	3	153	<10	10	88
276030 Dup	D045138	0.007	<1	8.34	2	26	2	8	5.28	8	53	195	161	8.60	1.49	23	3.31	1277	20	95	265	12	<5	<5	2	91	4481	6	185	<10	11	115
276031	D045139	<0.005	<1	7.52	4	24	1	8	5.98	7	54	184	261	7.66	1.35	21	3.47	974	19	90	302	8	<5	<5	5	75	4472	4	193	<10	11	133
276032	D045140	0.016	<1	8.18	<2	24	2	9	7.06	8	55	195	150	8.61	1.27	25	4.12	1121	20	86	388	11	<5	<5	5	83	6438	4	256	<10	16	136
276033	D045141	0.015	<1	6.18	6	22	1	<5	3.39	6	50	128	144	7.19	1.21	17	3.17	1110	17	92	326	9	<5	<5	3	83	5008	3	132	<10	8	141
276034	D045142	0.012	1	7.42	3	20	1	9	5.42	8	56	131	115	8.34	1.10	23	4.09	1354	18	159	313	11	<5	<5	3	59	3865	6	158	<10	9	124
276035	D045143	0.006	1	11.37	<2	37	1	<5	5.74	8	65	112	71	9.20	1.68	36	5.18	1435	25	216	155	2	<5	<5	2	75	3165	6	152	<10	11	139
276036	D045144	0.017	1	9.62	<2	32	2	<5	6.60	7	50	294	118	7.32	1.65	30	4.20	1202	20	151	170	6	<5	<5	2	75	2866	7	151	<10	11	95
276037	D045145	0.012	<1	7.75	6	35	1	<5	6.73	5	40	564	187	5.51	1.59	23	3.71	1033	16	96	126	6	<5	<5	1	95	2902	6	158	<10	9	59
276038	D045146	0.009	<1	8.47	19	47	1	<5	6.51	5	37	585	108	5.13	1.64	22	3.31	958	17	70	119	4	<5	<5	2	118	3001	5	149	<10	9	55
276039	D045147	0.011	<1	9.24	29	51	<1	6	7.66	5	42	650	149	6.21	1.65	26	3.79	1144	18	91	131	6	<5	<5	2	109	2940	4	146	<10	9	71
276040	D045148	0.094	1	9.73	39	47	1	<5	7.13	6	47	629	237	6.46	1.68	28	3.96	1152	20	96	154	9	<5	<5	2	109	3133	4	163	<10	10	82
276041 Dup	D045148	0.015	<1	8.03	38	37	<1	<5	6.11	5	42	528	232	5.71	1.53	24	3.58	1032	16	87	145	7	<5	<5	2	86	2800	6	137	<10	8	90
276042	D045149	0.014	<1	7.83	32	36	1	<5	6.44	5	34	567	121	5.42	1.39	24	3.34	1003	15	72	115	5	<5	<5	2	79	2886	10	131	<10	8	114
276043	D045150	0.070	<1	7.57	21	64	1	<5	6.06	5	31	194	71	5.51	1.60	23	2.53	879	17	39	<100	5	<5	<5	2	71	5763	3	107	<10	9	62
276044	D045151	0.056	<1	7.94	27	63	<1	<5	6.54	6	36	248	106	5.98	1.53	24	2.70	961	18	45	223	9	<5	<5	<1	71	6400	6	110	<10	10	76
276045	D045152	5.429	2	6.79	36	3116	1	<5	1.60	<4	10	50	85	3.59	1.54	30	0.98	588	567	30	535	80	11	<5	2	205	1895	3	109	11	12	93
276046	D045153	<0.005	<1	5.23	3	399	<1	<5	1.51	<4	12	55	25	2.26	1.68	19	0.84	439	21	32	502	9	<5	<5	2	147	1488	4	65	38	11	54

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276047	D045154	<0.005	1	9.07	33	43	2	<5	4.52	5	34	373	84	5.36	1.56	26	2.82	828	19	51	106	8	<5	<5	4	100	3635	6	75	12	8	58
276048	D045155	0.010	<1	9.18	46	40	1	<5	7.16	5	43	597	120	5.66	1.60	25	3.30	1014	18	82	148	5	<5	<5	2	100	3273	4	133	<10	9	56
276049	D045156	0.005	<1	8.16	44	37	1	<5	6.06	5	42	585	118	5.77	1.64	21	3.64	1026	19	88	133	7	<5	<5	2	88	3071	5	151	<10	9	64
276050	D045157	0.007	<1	8.10	30	57	<1	<5	6.93	4	31	512	142	4.78	1.58	19	2.81	883	15	64	144	4	<5	<5	2	100	2608	4	136	<10	8	42
276051	D045158	0.013	<1	7.98	35	35	<1	<5	5.54	4	35	490	245	5.03	1.63	21	3.00	840	15	68	155	3	<5	<5	2	98	2833	5	126	<10	8	52
276052 Rep	D045158	0.013	<1	7.53	31	34	<1	<5	4.95	4	31	486	222	4.68	1.48	20	2.79	770	15	63	132	2	<5	<5	3	91	2558	7	117	<10	8	47
276053	D045159	0.008	<1	9.33	31	126	<1	<5	6.48	5	31	448	199	5.06	1.73	22	2.79	861	16	108	147	10	<5	<5	<1	123	2699	6	157	<10	10	82
276054	D045160	0.015	<1	7.76	13	68	<1	<5	6.70	4	27	322	89	4.83	1.51	18	1.91	854	15	39	252	2	<5	<5	2	108	5759	4	131	<10	19	59
276055	D045161	0.585	1	10.20	26	49	<1	<5	6.65	5	35	482	161	5.64	1.86	25	2.89	994	17	62	195	4	<5	<5	2	131	3413	8	166	<10	13	67
276056	D045162	0.012	<1	9.81	18	199	1	5	7.00	5	32	459	111	5.56	1.80	26	2.86	1022	16	61	186	8	<5	<5	3	78	2797	<1	180	18	12	62
276057	D045163	0.010	<1	9.03	14	103	1	<5	7.23	5	35	251	121	5.93	1.84	26	2.73	1055	18	46	286	4	<5	<5	3	81	3499	5	161	<10	16	55
276058	D045164	0.016	<1	8.64	3	64	1	<5	6.39	6	36	264	145	6.56	1.44	22	2.72	1083	16	48	242	8	<5	<5	3	86	3581	6	181	<10	14	68
276059	D045165	<0.005	<1	9.33	<2	33	1	<5	7.48	5	35	319	160	6.09	1.68	23	3.07	1111	17	55	172	4	<5	<5	3	100	3177	2	198	<10	12	64
276060	D045166	<0.005	<1	8.07	<2	29	1	<5	6.22	5	35	416	143	5.75	1.38	17	3.14	1008	17	56	179	3	<5	<5	1	104	3363	6	182	<10	11	57
276061	D045167	0.009	<1	7.44	6	26	1	<5	5.68	5	36	299	164	5.35	1.41	16	2.96	920	16	54	193	4	<5	<5	<1	100	3664	<1	166	<10	11	49
276062	D045168	0.013	<1	7.10	2	24	1	<5	5.83	5	37	403	259	5.62	1.42	15	3.21	980	16	58	177	5	<5	<5	3	88	3476	1	171	<10	10	52
276063 Dup	D045168	<0.005	<1	7.52	3	29	<1	<5	5.68	5	34	392	242	5.34	1.64	16	3.08	937	17	56	166	1	<5	<5	3	90	3212	<1	165	<10	10	50
276064	D045169	<0.005	1	10.01	<2	37	1	<5	6.44	5	37	339	165	6.07	1.57	24	3.27	1077	19	55	162	8	<5	<5	3	96	3185	8	194	<10	12	62
276065	D045170	0.006	<1	8.00	3	29	1	<5	6.75	5	39	305	149	6.01	1.51	21	3.17	1085	18	58	151	4	<5	<5	<1	88	3389	5	193	<10	11	56
276066	D045171	<0.005	<1	8.18	5	32	1	<5	6.74	5	36	384	130	5.79	1.59	17	3.20	1016	18	61	172	5	<5	<5	<1	115	3295	2	187	<10	11	55
276067	D045172	0.013	1	9.40	5	38	1	<5	6.64	5	38	312	118	5.92	1.69	22	3.22	1016	20	59	170	9	<5	<5	2	121	3347	2	195	<10	12	53
276068	D045173	0.021	<1	9.06	4	31	1	5	6.89	6	40	270	131	6.57	1.60	23	2.88	1158	18	51	198	5	<5	<5	2	83	3756	3	206	<10	14	64
276069	D045174	<0.005	<1	8.18	2	29	1	6	7.52	5	34	246	39	5.95	1.56	18	2.54	1045	16	52	116	4	<5	<5	3	133	3098	4	174	<10	10	48
276070	D045175	0.010	<1	9.45	2	35	1	<5	7.09	6	39	418	55	6.39	1.69	20	3.26	1215	21	61	181	8	<5	<5	4	159	3984	2	215	<10	12	65
276071	D045176	0.005	<1	8.43	4	32	1	<5	7.53	5	31	274	214	5.25	1.69	19	2.66	951	17	229	138	7	<5	<5	2	144	2723	2	186	<10	11	45
276072	D045177	0.039	<1	9.63	2	33	1	<5	7.32	7	45	218	145	7.76	1.60	23	3.19	1297	21	51	326	8	<5	<5	3	151	4349	5	218	<10	18	67
276073	D045178	0.076	<1	8.27	<2	28	2	5	6.13	8	48	41	126	8.47	1.62	21	2.94	1427	20	29	261	8	5	<5	<1	87	4673	3	261	<10	17	87
276074 Dup	D045178	0.062	<1	7.89	<2	26	1	7	6.18	8	51	39	121	8.65	1.40	20	2.98	1453	20	29	263	10	<5	<5	<1	83	4757	3	266	<10	17	91
276075	D045179	0.020	<1	8.19	<2	28	2	7	6.33	9	52	68	118	9.72	1.56	22	2.58	1558	20	21	339	10	<5	<5	3	95	6936	3	389	<10	21	98
276076	D045180	0.014	<1	7.55	<2	24	1	6	6.84	8	47	108	52	9.00	1.35	21	2.61	1419	18	27	374	8	<5	<5	2	86	6246	3	316	<10	22	75

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276077	D045181	<0.005	1	9.57	<2	76	1	8	8.42	8	45	246	131	8.41	1.69	26	2.94	1492	19	69	497	8	<5	<5	3	114	4674	5	255	<10	21	98
276078	D045182	0.009	1	10.01	<2	112	1	8	7.65	9	42	243	124	9.49	1.56	27	2.35	2922	22	77	253	13	<5	<5	2	98	2966	5	225	<10	17	90
276079	D045183	0.010	1	10.74	2	41	1	<5	7.26	7	47	276	141	8.44	1.67	26	2.88	1831	19	90	261	7	<5	<5	2	140	4445	2	224	<10	18	90
276080	D045184	0.007	<1	9.45	3	30	1	<5	6.73	7	46	279	215	7.85	1.61	26	3.41	1284	19	96	301	7	<5	<5	2	133	4150	4	209	<10	16	104
276081	D045185	<0.005	1	9.70	2	35	1	<5	5.98	7	48	246	140	7.99	1.70	24	3.61	1213	20	97	257	9	<5	<5	2	157	4456	4	217	<10	16	105
276082	D045186	<0.005	<1	9.70	<2	33	1	8	6.78	7	46	248	142	7.88	1.67	23	3.46	1241	20	94	251	7	<5	<5	4	153	4424	6	219	<10	16	95
276083	D045187	0.020	<1	9.67	2	32	2	<5	6.27	7	46	252	126	7.91	1.68	24	3.45	1255	21	93	245	4	<5	<5	4	153	4382	5	216	<10	16	90
276084	D045188	0.006	1	10.72	<2	39	1	10	8.01	7	44	247	147	7.63	1.81	29	3.07	1452	22	88	262	7	<5	<5	4	160	4275	8	219	15	17	81
276085 Dup	D045188	0.008	<1	8.89	<2	27	1	<5	7.60	7	44	241	150	7.48	1.52	25	3.04	1422	18	88	254	7	<5	<5	4	137	4212	3	205	12	15	80
276086	D045189	<0.005	1	10.48	4	100	1	7	7.92	7	49	243	142	7.80	1.72	28	2.21	1813	18	97	256	6	<5	<5	2	126	4670	7	235	<10	18	88
276087	D045190	0.007	<1	8.20	34	160	1	5	5.68	9	51	204	208	9.33	1.60	19	1.83	1608	19	95	224	7	<5	<5	2	65	3118	5	199	<10	15	164
276088	D045191	0.029	1	10.39	41	201	2	12	8.16	12	64	263	212	12.17	2.00	23	2.30	2334	25	123	293	16	<5	<5	5	83	2505	6	265	<10	20	249
276089	D045192	0.005	1	9.38	17	244	2	<5	6.58	7	48	206	136	7.54	1.60	23	2.00	1700	16	88	271	4	<5	<5	1	95	4395	4	216	<10	17	121
276090	D045193	0.009	1	10.06	2	35	1	7	6.43	8	49	148	132	8.72	1.56	28	2.95	1503	21	76	336	7	<5	<5	1	118	5570	3	267	<10	21	118
276091	D045194	<0.005	1	9.17	2	33	2	5	5.55	8	52	131	119	8.41	1.73	23	3.18	1360	20	70	341	5	<5	<5	2	136	5730	4	247	<10	20	90
276092	D045195	<0.005	1	8.62	<2	35	2	8	5.82	8	50	145	159	8.69	1.58	21	3.29	1298	19	68	339	6	5	<5	<1	150	5641	4	245	<10	19	103
276093	D045196	0.014	<1	8.40	4	33	2	5	5.33	8	50	137	146	8.52	1.56	21	3.11	1358	20	66	372	9	<5	<5	1	167	5939	5	241	<10	19	109
276094	D045197	<0.005	1	9.29	<2	30	1	5	6.37	9	52	147	149	9.26	1.55	24	3.23	1580	22	70	376	12	<5	<5	2	146	6240	6	266	<10	22	119
276095	D045198	0.007	<1	6.41	<2	26	1	<5	4.36	6	36	219	159	6.39	1.22	18	2.55	1063	16	58	229	8	<5	<5	3	97	4309	3	181	<10	14	82
276096 Dup	D045198	0.005	<1	7.47	<2	32	1	<5	4.89	7	40	253	184	7.25	1.46	21	2.83	1203	18	65	245	7	<5	<5	1	111	4874	5	204	<10	16	93
276097	D045199	0.007	<1	8.28	2	27	2	8	5.65	8	47	140	140	8.31	1.43	22	3.19	1337	16	74	289	7	5	<5	2	127	5086	4	232	<10	17	101
276098	D045200	0.007	<1	7.85	<2	25	1	7	5.40	8	49	193	127	8.22	1.20	21	2.71	1764	18	56	361	9	<5	<5	3	90	6090	2	273	<10	19	124
276099	D045201	0.005	<1	8.95	2	102	2	7	5.79	8	58	207	156	9.40	1.30	24	3.05	1955	21	66	409	7	<5	<5	<1	98	6976	2	305	<10	22	146
276100	D045202	2.955	54	6.48	33	402	1	<5	3.24	11	12	65	173	3.24	1.44	19	1.76	617	18	43	494	1032	61	<5	2	244	761	7	66	24	10	2140
276101	D045203	<0.005	1	6.66	6	450	2	<5	1.70	<4	11	60	27	2.29	1.63	20	0.87	463	14	35	496	9	<5	<5	3	190	1528	2	69	43	13	53
276102	D045204	0.005	1	9.06	3	35	1	6	5.60	8	51	176	131	9.23	1.63	24	2.86	1602	22	42	415	9	<5	<5	4	94	6772	5	307	<10	25	154
276103	D045205	0.009	<1	8.46	4	70	2	5	6.14	9	46	183	156	9.68	1.37	25	2.91	1448	22	37	387	8	<5	<5	4	84	5870	2	294	<10	24	162
276104	D045206	0.010	<1	8.37	<2	62	2	5	6.25	9	46	176	143	9.65	1.36	25	3.09	1475	22	50	375	9	<5	<5	4	78	5012	5	292	<10	22	120
276105	D045207	0.007	<1	8.13	2	31	1	<5	5.98	7	46	233	138	7.47	1.21	23	3.29	1145	16	79	265	5	<5	<5	3	94	4194	4	224	<10	17	81
276106	D045208	0.006	<1	9.25	<2	31	1	<5	6.63	8	47	316	101	8.54	1.37	25	3.74	1360	19	96	321	6	<5	<5	3	101	4786	4	243	<10	18	96

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276107 Dup	D045208	0.005	<1	8.98	<2	30	1	9	6.50	7	46	310	99	8.36	1.35	25	3.66	1324	19	93	315	14	<5	<5	2	99	4629	5	237	<10	17	95
276108	D045209	0.008	<1	8.45	<2	28	1	<5	5.96	7	51	251	153	8.13	1.25	22	3.63	1253	18	100	264	9	<5	<5	3	121	4684	1	226	<10	16	89
276109	D045210	0.006	<1	8.82	2	35	1	6	5.61	7	49	268	164	8.09	1.57	20	3.56	1248	18	93	276	7	<5	<5	2	143	4898	1	216	<10	16	89
276110	D045211	0.008	<1	7.75	4	29	1	6	5.28	7	46	257	158	7.42	1.42	19	3.30	1128	20	89	245	6	<5	<5	3	129	4476	7	191	<10	13	84
276111	D045212	0.007	<1	8.95	2	37	2	6	5.63	7	49	248	165	8.13	1.53	23	3.67	1179	20	93	261	10	6	<5	3	112	4744	3	225	<10	16	90
276112	D045213	0.006	<1	7.94	3	69	1	<5	6.06	7	45	278	139	7.52	1.28	24	3.19	1118	17	87	242	9	<5	<5	<1	77	4162	2	203	<10	14	80
276113	D045214	0.007	<1	7.86	<2	52	1	5	5.84	7	43	219	132	7.36	1.33	25	3.24	1098	18	80	229	6	<5	<5	3	75	3989	2	208	<10	15	80
276114	D045215	0.006	<1	8.64	<2	77	2	<5	5.90	7	44	236	147	8.06	1.44	26	3.14	1216	17	74	279	7	<5	<5	2	81	4538	2	235	<10	18	95
276115	D045216	0.008	<1	9.11	<2	36	2	<5	5.68	9	50	133	149	9.46	1.59	24	2.80	1335	22	39	403	11	<5	<5	2	97	6520	4	293	<10	24	118
276116	D045217	0.007	<1	8.84	<2	33	1	<5	6.60	8	44	180	128	9.09	1.55	24	2.75	1498	20	39	385	10	<5	<5	3	101	4542	5	300	<10	24	119
276117	D045218	0.011	<1	8.55	<2	30	2	5	5.60	8	46	126	120	9.02	1.52	25	3.00	1312	18	36	370	10	<5	<5	3	95	5168	2	298	<10	24	114
276118 Rep	D045218	0.009	1	9.01	<2	31	2	6	6.04	9	48	170	131	9.69	1.40	26	3.17	1413	23	40	411	11	<5	<5	5	101	5504	5	323	<10	26	119
276119	D045219	0.011	1	8.52	<2	35	1	9	5.35	8	38	99	136	8.17	1.45	25	2.78	1194	20	77	349	8	<5	<5	5	107	3402	5	261	<10	20	194
276120	D045220	0.009	1	10.46	<2	45	2	6	7.15	8	39	159	117	8.99	1.63	29	2.80	1448	25	38	393	8	<5	<5	4	125	2837	6	283	<10	20	130
276121	D045221	0.007	<1	10.14	31	360	1	<5	5.27	4	50	225	123	5.16	1.68	23	2.01	1331	17	97	326	5	<5	<5	4	106	1024	8	233	<10	9	85
276122	D045222	0.007	1	10.36	13	426	1	<5	6.56	6	44	172	123	7.06	1.67	24	2.02	2086	19	89	319	10	<5	<5	3	120	1777	7	229	<10	8	101
276123	D045223	0.007	1	9.20	3	90	2	13	6.49	11	34	95	110	11.17	1.77	21	2.33	3435	24	34	367	12	<5	<5	5	103	2500	6	261	<10	9	118
276124	D045224	0.006	1	10.01	<2	108	2	14	6.08	12	46	102	189	12.83	1.76	21	2.44	3493	29	36	401	14	<5	<5	4	111	2844	8	298	<10	9	152
276125	D045225	0.009	1	9.65	6	474	2	7	8.09	8	42	252	223	8.86	1.76	23	2.23	2692	22	57	296	8	<5	<5	3	140	2318	4	258	<10	9	127
276126	D045226	<0.005	1	9.43	<2	352	2	8	6.32	8	42	195	110	8.57	1.73	23	2.27	2115	19	73	295	9	<5	<5	5	107	1472	3	222	<10	8	126
276127	D045227	0.007	1	9.47	12	249	2	7	6.83	7	43	151	124	8.26	1.76	23	2.27	1969	20	66	335	7	<5	<5	1	112	1291	8	248	<10	9	106
276128	D045228	0.006	<1	8.68	4	152	1	5	6.59	9	44	183	154	9.80	1.47	22	2.34	2218	23	69	319	11	<5	<5	4	95	1966	6	251	<10	16	101
276129 Dup	D045228	0.006	1	9.19	3	152	1	8	6.83	9	47	190	164	10.11	1.42	24	2.44	2300	24	72	340	11	<5	<5	3	98	2001	7	260	<10	17	108
276130	D045229	0.006	1	11.59	18	345	1	<5	6.59	7	53	252	138	7.56	1.65	31	2.43	1999	21	110	299	14	<5	<5	4	112	4389	7	230	<10	19	90
276131	D045230	0.008	1	10.17	8	416	1	11	6.77	8	55	309	136	9.30	1.48	28	2.77	2701	19	115	254	7	<5	<5	5	86	4654	6	233	<10	18	94
276132	D045231	0.006	<1	8.25	15	60	1	<5	5.14	5	48	262	144	5.89	1.09	23	2.76	1400	15	96	235	4	<5	<5	<1	86	4101	3	215	<10	14	93
276133	D045232	0.005	<1	10.01	23	43	1	<5	7.03	5	56	391	156	6.30	1.54	24	3.36	1277	17	123	278	5	<5	<5	4	157	5085	3	256	<10	17	106
276134	D045233	<0.005	<1	9.47	21	42	1	<5	6.27	5	54	301	143	6.11	1.36	23	3.21	1290	18	119	271	8	<5	<5	3	144	4684	2	233	<10	16	109
276135	D045234	<0.005	<1	8.79	13	35	1	<5	6.51	6	46	330	134	6.42	1.27	21	3.29	1325	16	108	241	8	<5	<5	2	135	4443	2	213	<10	14	100
276136	D045235	0.008	<1	9.37	18	38	1	5	5.95	6	53	294	157	6.46	1.40	22	3.25	1247	18	117	286	7	<5	<5	3	137	4785	5	220	<10	16	107

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276137	D045236	0.007	<1	9.58	21	35	<1	<5	6.33	6	57	379	157	6.45	1.38	21	3.39	1296	17	121	264	9	<5	<5	5	156	4917	4	239	<10	16	104
276138	D045237	0.007	<1	9.51	14	31	<1	<5	6.48	5	58	313	155	6.24	1.27	23	3.18	1395	16	118	299	7	<5	<5	2	143	5250	2	238	<10	17	100
276139	D045238	0.008	<1	9.64	9	70	<1	6	6.40	5	50	333	141	5.98	1.40	27	2.73	1565	17	111	248	4	<5	<5	4	111	4254	3	227	<10	16	85
276140 Dup	D045238	0.008	<1	10.71	7	80	<1	<5	6.95	6	53	360	150	6.47	1.48	29	2.92	1704	19	116	276	2	<5	<5	4	122	4693	4	247	<10	17	93
276141	D045239	0.007	<1	9.74	<2	136	1	5	7.60	8	46	267	96	9.26	1.44	29	2.51	2327	20	102	225	6	<5	<5	4	87	4280	6	222	<10	17	98
276142	D045240	0.009	<1	8.74	<2	163	1	8	6.50	8	55	271	149	9.26	1.41	29	2.63	2159	18	104	293	4	<5	<5	4	71	4113	<1	230	<10	18	111
276143	D045241	0.029	1	9.39	2	99	1	<5	6.94	11	46	181	282	10.30	1.57	26	2.37	2311	24	76	301	17	<5	<5	6	87	3031	5	245	10	19	375
276144	D045242	0.012	<1	9.52	<2	77	2	11	6.26	9	43	221	134	9.43	1.66	28	2.52	2178	19	71	323	10	<5	<5	4	84	2640	9	260	<10	20	136
276145	D045243	0.008	1	10.14	4	150	2	8	6.85	9	47	156	140	9.39	1.72	29	2.09	2251	23	82	318	8	<5	<5	4	98	1600	8	246	<10	21	113
276146	D045244	0.007	<1	9.73	<2	163	2	7	6.01	9	49	225	136	9.45	1.54	28	1.98	2422	20	93	257	8	<5	<5	4	86	583	3	225	<10	18	105
276147	D045245	0.006	1	10.32	5	220	1	8	6.89	8	49	235	148	9.35	1.80	31	2.11	2554	20	106	270	10	<5	<5	2	100	317	6	221	<10	18	107
276148	D045246	<0.005	<1	11.33	5	216	2	9	7.40	9	47	285	143	9.98	1.66	38	2.31	2477	23	104	262	11	<5	<5	<1	117	302	6	240	<10	19	109
276149	D045247	<0.005	<1	9.96	2	156	1	5	8.04	8	44	220	145	8.55	1.53	33	2.06	2568	21	97	245	6	<5	<5	<1	123	240	7	203	<10	17	93
276150	D045248	<0.005	<1	9.49	4	121	1	6	7.77	8	49	301	173	8.99	1.62	31	1.95	2875	18	94	244	9	<5	<5	4	112	278	10	207	<10	19	90
276151 Dup	D045248	0.005	<1	9.07	3	109	1	9	7.51	8	48	288	170	8.71	1.56	29	1.89	2784	20	92	244	6	<5	<5	<1	107	259	5	198	<10	18	88
276152	D045249	<0.005	<1	8.04	<2	79	2	<5	5.51	7	39	104	120	7.94	1.26	28	2.04	1821	16	68	280	8	<5	<5	2	81	180	4	202	<10	17	95
276153	D045250	0.006	<1	9.06	<2	136	2	5	6.50	8	49	248	154	9.18	1.45	29	2.05	2411	20	102	246	9	<5	<5	<1	94	261	4	203	<10	16	104
276154	D045251	<0.005	<1	7.91	2	118	2	8	6.00	6	40	195	120	7.80	1.33	26	1.80	2187	16	91	208	15	5	<5	<1	85	222	<1	177	<10	14	98
276155	D045252	5.753	2	5.59	25	1560	2	6	1.33	<4	8	45	72	3.10	1.27	27	0.84	521	505	30	435	79	5	11	3	168	1622	<1	130	18	12	73
276156	D045253	<0.005	<1	6.41	3	444	2	<5	1.71	<4	10	61	25	2.38	1.61	21	0.91	479	20	34	488	13	<5	7	2	179	1529	2	71	39	13	54
276157	D045254	<0.005	<1	9.87	<2	248	2	13	6.48	6	47	257	140	8.72	1.57	29	2.03	2314	21	105	241	17	5	<5	5	114	666	4	220	11	18	105
276158	D045255	<0.005	<1	9.34	<2	376	2	13	7.34	7	43	220	140	9.02	1.67	28	2.22	2418	17	97	234	17	6	<5	2	90	387	<1	205	<10	17	103
276159	D045256	<0.005	<1	7.73	2	360	2	10	5.19	5	39	393	129	7.51	1.52	25	1.98	1733	17	79	274	15	6	5	4	76	870	4	192	<10	18	91
276160	D045257	<0.005	<1	7.35	<2	31	2	12	5.25	6	44	109	126	8.45	1.11	26	2.28	1644	19	41	428	14	<5	<5	3	72	1738	5	309	11	24	109
276161	D045258	<0.005	<1	8.08	<2	78	2	14	6.42	7	38	223	107	9.81	1.25	27	2.29	2544	19	59	324	16	6	<5	4	97	1574	8	260	<10	18	117
276162 Dup	D045258	<0.005	<1	7.56	<2	72	2	14	6.27	7	36	221	110	9.59	1.17	26	2.25	2476	19	57	311	15	5	<5	2	91	1306	6	253	<10	18	115
276163	D045259	<0.005	<1	7.86	<2	46	2	12	7.28	7	40	463	64	8.88	1.21	29	3.95	2354	15	155	1098	17	<5	<5	3	137	913	3	197	<10	15	119
276164	D045260	<0.005	<1	7.10	<2	354	1	10	5.69	4	44	260	117	5.32	1.19	25	2.70	1259	13	101	233	12	7	<5	3	81	1278	2	186	<10	13	107
276165	D045261	0.006	<1	6.63	<2	309	1	7	6.53	4	48	335	138	5.44	1.18	24	2.72	1353	14	109	229	9	<5	6	3	77	2954	4	172	<10	14	105
276166	D045262	0.005	<1	6.63	<2	379	1	5	6.08	4	53	346	136	4.68	1.25	24	2.74	1302	12	128	248	9	8	<5	3	72	4231	7	179	<10	14	101

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 14, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
276167	D045263	0.005	<1	7.95	<2	201	1	<5	6.08	<4	47	408	164	4.55	1.29	25	2.55	1270	13	101	240	10	<5	5	5	106	4437	<1	206	<10	14	92
276168	D045264	<0.005	<1	9.85	7	332	1	9	5.88	4	55	394	162	4.97	1.52	30	2.77	1242	16	117	273	14	5	8	3	115	4165	3	244	<10	16	113
276169	D045265	<0.005	<1	9.07	<2	744	1	13	5.78	<4	47	398	157	4.60	1.59	27	2.67	1281	14	109	283	13	6	<5	4	82	1156	<1	228	10	15	94
276170	D045266	<0.005	<1	8.09	2	510	1	7	5.60	4	39	319	110	4.89	1.49	26	2.59	1179	14	92	252	13	5	<5	<1	79	704	<1	195	<10	15	103
276171	D045267	0.006	<1	8.35	<2	722	1	12	5.01	<4	42	357	136	4.32	1.56	25	2.53	1090	14	96	254	12	<5	<5	<1	80	518	3	201	<10	11	89
276172	D045268	0.006	<1	8.31	2	366	1	8	7.09	4	36	346	153	5.38	1.50	28	2.69	1318	15	87	230	15	6	6	3	105	506	<1	198	<10	13	97
276173 Dup	D045268	0.005	<1	7.57	<2	318	1	8	6.69	4	36	322	145	5.10	1.37	26	2.56	1234	14	82	216	12	<5	<5	<1	97	463	2	186	<10	13	93
276174	D045269	0.005	<1	7.79	<2	496	1	6	6.71	4	40	374	154	5.21	1.42	26	2.55	1227	14	95	228	15	<5	5	2	98	1381	<1	194	<10	15	102
276175	D045270	<0.005	<1	7.92	<2	329	1	7	5.15	<4	37	344	134	4.58	1.51	27	2.73	1170	14	89	239	13	5	<5	2	75	611	6	189	<10	11	94
276176	D045271	<0.005	<1	8.09	3	435	1	11	6.71	4	48	377	139	5.75	1.64	29	2.85	1446	15	103	227	9	6	<5	4	77	1125	3	206	<10	14	95
276177	D045272	<0.005	<1	7.83	<2	108	1	7	6.12	4	48	342	129	5.05	1.37	30	2.92	1285	15	112	218	11	<5	<5	2	94	3860	4	204	<10	13	104
276178	D045273	0.005	<1	6.83	<2	39	1	6	6.24	4	45	364	111	5.78	1.04	28	3.00	1324	14	99	220	11	<5	<5	3	83	4086	2	189	<10	10	99
276179	D045274	<0.005	1	10.57	<2	83	2	13	7.37	6	39	342	171	7.45	1.87	37	3.21	1662	22	73	233	15	<5	<5	4	127	4262	4	232	<10	17	118
276180	D045275	<0.005	<1	10.76	<2	116	2	11	6.23	5	47	412	171	6.47	1.77	36	3.18	1494	20	97	255	17	5	6	5	130	4771	5	257	11	17	108
276181	D045276	0.005	<1	9.15	<2	88	1	9	6.51	5	42	320	158	6.33	1.49	30	2.81	1548	18	79	250	12	<5	<5	4	142	4389	2	225	<10	17	94
276182	D045277	<0.005	<1	8.81	<2	236	1	11	6.67	5	41	372	129	6.86	1.41	31	2.90	1756	16	82	242	13	<5	<5	2	125	4425	2	224	<10	18	93
276183	D045278	<0.005	<1	8.36	<2	96	1	7	6.28	4	37	282	110	5.98	1.30	30	2.80	1357	15	80	198	11	5	<5	5	101	2387	3	203	<10	14	79
276184 Rep	D045278	<0.005	<1	9.90	<2	129	1	13	7.52	6	43	364	137	7.35	1.45	36	3.38	1656	18	96	240	14	7	<5	5	121	3028	3	247	<10	17	98
276185	D045279	<0.005	<1	9.26	2	1054	1	14	5.76	4	35	257	309	5.76	1.77	30	2.48	1635	18	291	305	21	<5	<5	5	112	485	3	234	<10	9	155
276186	D045280	0.006	1	9.71	<2	146	2	17	6.56	8	43	245	151	11.58	1.70	33	2.55	3547	27	105	197	19	6	5	5	104	223	2	207	11	6	127
276187	D045281	<0.005	<1	9.59	<2	73	2	16	7.21	8	42	252	122	11.07	1.58	33	2.48	3772	26	100	203	20	7	8	3	120	204	7	212	10	6	126
276188	D045282	<0.005	<1	8.20	2	162	2	12	5.81	6	31	228	121	8.09	1.67	26	2.02	2696	20	75	166	16	<5	<5	<1	101	193	4	164	<10	6	104
276189	D045283	0.006	<1	10.20	<2	299	2	21	8.18	7	48	323	181	10.06	1.85	35	2.82	3569	22	121	240	19	7	<5	1	135	222	4	232	<10	8	135
276190	D045284	0.017	<1	8.53	<2	100	2	9	4.86	6	44	265	104	8.06	1.48	27	2.27	2786	19	112	197	14	6	5	3	103	168	2	201	<10	6	108
276191	D045285	0.006	<1	9.71	<2	96	2	15	6.42	8	52	301	260	11.88	1.53	34	2.76	4076	25	119	222	21	7	<5	3	112	199	3	229	<10	7	139
276192	D045286	0.005	<1	9.38	<2	107	2	16	5.60	7	51	304	124	9.32	1.68	32	2.58	3217	20	128	231	22	6	8	5	115	190	4	228	<10	6	127
276193	D045287	<0.005	<1	9.42	<2	106	2	15	6.50	8	48	250	118	11.09	1.49	34	2.76	4100	25	99	258	18	6	<5	3	120	197	2	241	<10	7	124
276194	D045288	0.005	<1	7.79	<2	20	2	17	6.70	10	39	192	118	13.54	1.12	26	2.78	5024	24	55	245	26	6	8	5	93	185	5	250	<10	5	152
276195 Dup	D045288	<0.005	1	10.65	<2	40	2	23	7.26	10	40	203	124	14.38	1.66	35	2.91	5134	30	55	272	31	6	6	5	120	251	7	264	<10	7	168
276196	D045289	0.008	<1	9.04	<2	31	3	14	7.07	10	40	267	113	13.02	1.45	29	2.46	4979	26	101	213	25	8	<5	5	112	206	5	202	<10	6	115

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory