ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, November 3, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
313121		D046333	6	<0.001	0.006
313122		D046334	6	<0.001	0.006
313123		D046335	6	<0.001	0.006
313124		D046336	8	<0.001	0.008
313125		D046337	6	<0.001	0.006
313126		D046338	7	<0.001	0.007
313127		D046339	8	<0.001	0.008
313128		D046340	7	<0.001	0.007
313129		D046341	8	<0.001	0.008
313130		D046342	8	<0.001	0.008
313131	Dup	D046342	8	<0.001	0.008
313132		D046343	8	<0.001	0.008
313133		D046344	6	<0.001	0.006
313134		D046345	7	<0.001	0.007
313135		D046346	6	<0.001	0.006
313136		D046347	7	<0.001	0.007
313137		D046348	5	<0.001	0.005
313138		D046349	8	<0.001	0.008
313139		D046350	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/03/2010 4:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, November 3, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
313140		D046351	8	<0.001	0.008
313141		D046352	5571	0.163	5.571
313142	Dup	D046352	Insufficient Sample		
313143		D046353	<5	<0.001	<0.005
313144		D046354	8	<0.001	0.008
313145		D046355	9	<0.001	0.009
313146		D046356	7	<0.001	0.007
313147		D046357	8	<0.001	0.008
313148		D046358	7	<0.001	0.007
313149		D046359	9	<0.001	0.009
313150		D046360	7	<0.001	0.007
313151		D046361	8	<0.001	0.008
313152		D046362	7	<0.001	0.007
313153	Dup	D046362	7	<0.001	0.007
313154		D046363	6	<0.001	0.006
313155		D046364	8	<0.001	0.008
313156		D046365	6	<0.001	0.006
313157		D046366	7	<0.001	0.007
313158		D046367	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/03/2010 4:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, November 3, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
313159		D046368	5	<0.001	0.005
313160		D046369	7	<0.001	0.007
313161		D046370	7	<0.001	0.007
313162		D046371	6	<0.001	0.006
313163		D046372	7	<0.001	0.007
313164	Dup	D046372	9	<0.001	0.009
313165		D046373	7	<0.001	0.007
313166		D046374	8	<0.001	0.008
313167		D046375	10	<0.001	0.010
313168		D046376	7	<0.001	0.007
313169		D046377	7	<0.001	0.007
313170		D046378	6	<0.001	0.006
313171		D046379	12	<0.001	0.012
313172		D046380	10	<0.001	0.010
313173		D046381	7	<0.001	0.007
313174		D046382	9	<0.001	0.009
313175	Dup	D046382	8	<0.001	0.008
313176		D046383	7	<0.001	0.007
313177		D046384	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/03/2010 4:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, November 3, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
313178		D046385	8	<0.001	0.008
313179		D046386	9	<0.001	0.009
313180		D046387	11	<0.001	0.011
313181		D046388	10	<0.001	0.010
313182		D046389	11	<0.001	0.011
313183		D046390	11	<0.001	0.011
313184		D046391	11	<0.001	0.011
313185		D046392	14	<0.001	0.014
313186	Rep	D046392	12	<0.001	0.012
313187		D046393	12	<0.001	0.012
313188		D046394	12	<0.001	0.012
313189		D046395	11	<0.001	0.011
313190		D046396	11	<0.001	0.011
313191		D046397	12	<0.001	0.012
313192		D046398	12	<0.001	0.012
313193		D046399	11	<0.001	0.011
313194		D046400	12	<0.001	0.012
313195		D046401	10	<0.001	0.010
313196		D046402	4373	0.128	4.373

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/03/2010 4:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, November 3, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
313197	Dup	D046402	Insufficient Sample		
313198		D046403	<5	<0.001	<0.005
313199		D046404	10	<0.001	0.010
313200		D046405	9	<0.001	0.009
313201		D046406	10	<0.001	0.010
313202		D046407	9	<0.001	0.009
313203		D046408	12	<0.001	0.012
313204		D046409	18	<0.001	0.018
313205		D046410	13	<0.001	0.013
313206		D046411	12	<0.001	0.012
313207		D046412	14	<0.001	0.014
313208	Dup	D046412	13	<0.001	0.013
313209		D046413	12	<0.001	0.012
313210		D046414	14	<0.001	0.014
313211		D046415	15	<0.001	0.015
313212		D046416	14	<0.001	0.014
313213		D046417	13	<0.001	0.013
313214		D046418	11	<0.001	0.011
313215		D046419	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/03/2010 4:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, November 3, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
313216		D046420	13	<0.001	0.013
313217		D046421	14	<0.001	0.014
313218		D046422	14	<0.001	0.014
313219	Dup	D046422	14	<0.001	0.014
313220		D046423	15	<0.001	0.015
313221		D046424	22	<0.001	0.022
313222		D046425	51	0.001	0.051
313223		D046426	17	<0.001	0.017
313224		D046427	14	<0.001	0.014
313225		D046428	15	<0.001	0.015
313226		D046429	13	<0.001	0.013
313227		D046430	11	<0.001	0.011
313228		D046431	9	<0.001	0.009
313229		D046432	11	<0.001	0.011
313230	Dup	D046432	11	<0.001	0.011
313231		D046433	9	<0.001	0.009
313232		D046434	11	<0.001	0.011
313233		D046435	9	<0.001	0.009
313234		D046436	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/03/2010 4:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, November 3, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
313235		D046437	10	<0.001	0.010
313236		D046438	10	<0.001	0.010
313237		D046439	9	<0.001	0.009
313238		D046440	9	<0.001	0.009
313239		D046441	10	<0.001	0.010
313240		D046442	11	<0.001	0.011
313241	Dup	D046442	10	<0.001	0.010
313242		D046443	9	<0.001	0.009
313243		D046444	13	<0.001	0.013
313244		D046445	13	<0.001	0.013
313245		D046446	15	<0.001	0.015
313246		D046447	17	<0.001	0.017
313247		D046448	16	<0.001	0.016
313248		D046449	17	<0.001	0.017
313249		D046450	18	<0.001	0.018
313250		D046451	13	<0.001	0.013
313251		D046452	3188	0.093	3.188
313252	Rep	D046452	Insufficient Sample		
313253		D046453	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/03/2010 4:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, November 3, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
313254		D046454	9	<0.001	0.009
313255		D046455	13	<0.001	0.013
313256		D046456	15	<0.001	0.015
313257		D046457	19	<0.001	0.019
313258		D046458	49	0.001	0.049
313259		D046459	20	<0.001	0.020
313260		D046460	17	<0.001	0.017
313261		D046461	16	<0.001	0.016
313262		D046462	30	<0.001	0.030
313263	Dup	D046462	27	<0.001	0.027
313264		D046463	13	<0.001	0.013
313265		D046464	21	<0.001	0.021
313266		D046465	22	<0.001	0.022
313267		D046466	12	<0.001	0.012
313268		D046467	20	<0.001	0.020
313269		D046468	15	<0.001	0.015
313270		D046469	68	0.002	0.068
313271		D046470	19	<0.001	0.019
313272		D046471	24	<0.001	0.024

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/03/2010 4:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, November 3, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
313273		D046472	18	<0.001	0.018
313274	Dup	D046472	14	<0.001	0.014
313275		D046473	13	<0.001	0.013
313276		D046474	9	<0.001	0.009
313277		D046475	11	<0.001	0.011
313278		D046476	13	<0.001	0.013
313279		D046477	12	<0.001	0.012
313280		D046478	11	<0.001	0.011
313281		D046479	11	<0.001	0.011
313282		D046480	12	<0.001	0.012
313283		D046481	10	<0.001	0.010
313284		D046482	12	<0.001	0.012
313285	Dup	D046482	6	<0.001	0.006
313286		D046483	9	<0.001	0.009
313287		D046484	9	<0.001	0.009
313288		D046485	13	<0.001	0.013
313289		D046486	17	<0.001	0.017
313290		D046487	14	<0.001	0.014
313291		D046488	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/03/2010 4:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, November 3, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
313292		D046489	12	<0.001	0.012
313293		D046490	17	<0.001	0.017
313294		D046491	18	<0.001	0.018
313295		D046492	9	<0.001	0.009
313296	Dup	D046492	8	<0.001	0.008
313297		D046493	10	<0.001	0.010
313298		D046494	31	<0.001	0.031
313299		D046495	11	<0.001	0.011
313300		D046496	9	<0.001	0.009
313301		D046497	7	<0.001	0.007
313302		D046498	9	<0.001	0.009
313303		D046499	9	<0.001	0.009
313304		D046500	9	<0.001	0.009
313305		D046501	8	<0.001	0.008
313306		D046502	1183	0.035	1.183
313307	Dup	D046502	Insufficient Sample		
313308		D046503	<5	<0.001	<0.005
313309		D046504	12	<0.001	0.012
313310		D046505	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/03/2010 4:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, November 3, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
313311		D046506	15	<0.001	0.015
313312		D046507	9	<0.001	0.009
313313		D046508	11	<0.001	0.011
313314		D046509	8	<0.001	0.008
313315		D046510	15	<0.001	0.015
313316		D046511	8	<0.001	0.008
313317		D046512	10	<0.001	0.010
313318	Rep	D046512	9	<0.001	0.009
313319		D046513	12	<0.001	0.012
313320		D046514	10	<0.001	0.010
313321		D046515	15	<0.001	0.015
313322		D046516	10	<0.001	0.010
313323		D046517	8	<0.001	0.008
313324		D046518	8	<0.001	0.008
313325		D046519	24	<0.001	0.024
313326		D046520	16	<0.001	0.016
313327		D046521	12	<0.001	0.012
313328		D046522	10	<0.001	0.010
313329	Dup	D046522	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/03/2010 4:17 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, November 3, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
313330	D046523	9	<0.001	0.009
313331	D046524	22	<0.001	0.022
313332	D046525	14	<0.001	0.014
313333	D046526	24	<0.001	0.024

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/03/2010 4:17 PM