ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
323936	D046527	159	2	9.15	2	152	<2	2	6.53	<4	41	355	103	8.43	2.38	44	1.49	2931	50	72	276	12	<5	<5	<10	93	3395	6	211	<10	9	75
324399	D046528	364	2	7.84	20	189	<2	<1	5.61	<4	41	227	108	6.99	2.22	41	1.35	2066	45	73	236	7	<5	<5	<10	80	3293	3	200	<10	9	78
324400	D046529	20	2	11.07	<2	62	<2	1	6.30	<4	45	280	105	6.68	2.41	51	3.08	1094	42	83	226	11	<5	<5	<10	120	4229	7	225	<10	15	62
324401	D046530	12	2	12.65	2	61	<2	2	6.04	<4	53	283	141	8.11	2.29	54	3.86	1264	45	97	262	8	<5	<5	<10	153	4891	3	259	<10	19	78
324402	D046531	13	2	13.57	<2	80	<2	<1	5.75	<4	52	304	140	7.92	2.35	54	4.24	1367	43	97	259	11	<5	<5	<10	170	4858	3	252	<10	19	68
324403	D046532	13	2	12.30	<2	87	<2	1	5.79	<4	48	258	120	7.39	2.10	56	3.96	1366	42	92	253	13	<5	<5	<10	140	4667	5	247	<10	18	54
324404	D046533	25	2	12.89	<2	123	<2	2	5.08	<4	48	282	155	7.13	2.19	58	3.53	1185	52	90	252	11	<5	<5	<10	140	4461	<2	239	<10	17	54
324405	D046534	106	2	10.71	9	250	<2	1	5.95	<4	42	237	83	5.95	2.18	48	2.69	1074	46	78	659	14	<5	<5	<10	248	4585	10	205	<10	14	59
324406	D046535	53	2	10.84	7	133	<2	<1	5.63	<4	48	284	119	7.22	2.21	52	3.19	1250	43	87	248	7	<5	<5	<10	135	4425	6	235	<10	16	70
324407	D046536	17	2	10.27	<2	136	<2	2	6.07	<4	48	259	119	7.19	2.16	48	3.15	1361	39	84	258	10	<5	<5	<10	147	4732	3	243	<10	16	75
324408 Dup	D046536	16	2	10.53	<2	136	<2	<1	5.60	<4	46	238	108	6.67	2.84	48	2.90	1247	42	77	240	11	<5	<5	<10	138	4413	8	222	<10	15	70
324409	D046537	18	2	11.33	<2	221	<2	<1	5.25	<4	48	275	118	7.29	2.58	47	3.05	1227	44	79	287	13	<5	<5	<10	179	4895	5	241	<10	17	78
324410	D046538	13	2	9.35	<2	103	<2	<1	5.58	<4	47	216	115	7.09	2.28	47	2.82	1256	37	58	287	15	<5	<5	<10	139	5187	5	244	<10	15	77
324411	D046539	13	2	10.87	4	76	<2	<1	6.76	<4	43	253	109	7.19	2.35	51	2.84	1307	46	73	288	10	<5	<5	<10	149	1943	11	226	<10	13	75
324412	D046540	11	2	10.44	<2	140	<2	<1	6.02	<4	41	223	98	6.81	2.40	51	2.81	1148	43	79	251	11	<5	<5	<10	154	800	4	218	10	9	112
324413	D046541	9	2	5.34	<2	343	3	<1	1.88	<4	10	307	15	2.16	1.87	33	0.62	351	35	21	208	18	<5	<5	<10	592	834	2	85	<10	3	44
324414	D046542	12	2	9.76	2	197	<2	<1	6.11	<4	38	217	102	6.36	2.30	50	2.51	1226	45	76	243	12	<5	<5	<10	195	681	<2	200	<10	8	97
324415	D046543	12	1	10.19	<2	60	<2	<1	6.42	<4	40	263	108	6.98	2.22	52	3.08	1231	39	87	208	10	<5	<5	<10	173	596	9	212	<10	9	78
324416	D046544	10	2	10.63	<2	164	2	<1	5.71	<4	42	226	113	6.67	2.29	53	3.02	1224	45	86	235	10	<5	<5	<10	197	929	5	210	<10	9	87
324417	D046545	7	1	4.41	<2	733	3	2	1.18	<4	3	259	9	1.01	1.77	29	0.23	163	28	6	187	22	<5	<5	<10	748	421	<2	21	<10	2	23
324418	D046546	14	2	9.10	<2	265	2	2	5.51	<4	42	226	110	6.86	2.74	51	3.03	1175	39	87	243	15	<5	<5	<10	234	744	10	215	<10	7	83
324419 Dup	D046546	12	1	8.85	<2	258	<2	<1	5.76	<4	43	230	116	7.12	2.43	51	3.26	1225	34	90	244	10	<5	<5	<10	236	699	6	217	<10	7	85
324420	D046547	11	1	8.71	<2	204	<2	<1	5.42	<4	39	253	102	6.51	2.49	47	2.75	1172	40	85	217	16	<5	<5	<10	218	640	5	212	<10	6	73
324421	D046548	11	2	4.54	<2	656	3	<1	0.96	<4	5	167	6	0.86	2.18	29	0.25	163	34	8	176	17	<5	<5	<10	418	445	2	31	<10	2	20
324422	D046549	11	1	5.59	<2	322	3	<1	1.21	<4	1	273	20	0.67	1.87	24	0.20	163	26	4	219	18	<5	<5	<10	659	250	2	16	<10	3	12
324423	D046550	21	2	10.63	<2	334	<2	<1	6.15	<4	47	269	20	7.70	2.15	52	2.97	1325	45	91	243	22	<5	<5	<10	264	931	9	227	<10	9	169
324424	D046551	23	2	10.12	<2	318	<2	<1	5.77	<4	44	323	21	7.60	2.24	50	2.87	1237	47	88	240	23	5	<5	<10	240	947	13	227	<10	8	159
324425	D046552	3073	57	5.52	33	515	<2	<1	2.99	9	13	71	157	2.95	1.90	38	1.08	592	41	42	475	1020	112	<5	<10	297	942	<2	74	26	5	1958
324426	D046553	<5	2	5.24	2	477	<2	<1	1.71	<4	14	65	22	2.17	2.01	42	0.53	477	42	30	467	15	<5	<5	<10	199	2171	<2	77	42	5	51
324427	D046554	21	2	10.64	<2	128	<2	3	6.83	<4	36	227	110	6.46	2.33	51	2.82	1240	43	81	212	10	<5	<5	<10	196	684	9	203	<10	9	95

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
324428	D046555	28	2	11.52	<2	74	<2	1	6.10	<4	43	273	103	6.91	2.59	51	3.21	1176	45	88	224	12	<5	<5	<10	154	2295	10	224	<10	13	77
324429	D046556	58	2	10.87	<2	67	<2	<1	5.94	<4	49	253	111	7.09	2.76	49	3.15	1232	41	90	243	13	<5	<5	<10	136	4457	6	231	<10	16	75
324430 Dup	D046556	48	2	10.85	3	64	<2	<1	5.89	<4	46	251	114	6.98	2.65	48	3.16	1222	41	89	232	13	<5	<5	<10	134	4387	7	229	<10	16	72
324431	D046557	18	1	10.61	<2	73	<2	<1	6.32	<4	51	324	125	7.29	2.54	49	3.53	1331	35	101	249	12	<5	<5	<10	147	4560	9	232	<10	16	73
324432	D046558	15	2	10.61	<2	201	<2	<1	5.93	<4	47	250	118	6.81	2.66	45	3.15	1212	37	87	241	11	<5	<5	<10	142	4268	13	226	<10	16	70
324433	D046559	26	2	11.86	2	65	<2	<1	6.16	<4	52	321	119	7.75	2.42	52	3.29	1287	45	94	259	8	<5	5	<10	114	4845	8	255	<10	18	73
324434	D046560	16	1	10.76	2	46	<2	<1	6.94	<4	55	272	130	7.74	2.03	43	3.68	1406	31	95	273	9	<5	6	<10	160	4936	7	242	<10	18	78
324435	D046561	18	2	11.20	<2	64	<2	1	6.31	<4	51	298	133	7.77	2.26	45	3.17	1324	46	85	265	9	5	<5	<10	199	5049	10	257	<10	16	79
324436	D046562	26	2	11.35	<2	285	<2	1	5.79	<4	49	259	159	7.68	2.25	49	2.52	1545	52	89	254	12	<5	6	<10	116	4509	5	248	<10	15	69
324437	D046563	133	2	9.04	<2	246	<2	<1	7.02	<4	50	257	129	7.89	2.13	47	2.11	1984	42	99	223	12	<5	<5	<10	99	3561	6	232	10	12	81
324438	D046564	18	2	8.95	<2	261	<2	<1	6.44	<4	45	208	129	6.88	2.78	47	1.69	1664	46	85	207	13	<5	<5	<10	99	3429	<2	217	<10	11	78
324439	D046565	18	2	8.69	<2	287	<2	<1	6.42	<4	50	252	136	7.71	2.58	44	1.79	1847	55	93	257	11	<5	<5	<10	142	3146	3	238	<10	9	86
324440	D046566	12	2	9.59	3	213	<2	<1	6.84	<4	40	258	90	6.53	2.66	48	2.49	1403	52	104	263	15	<5	<5	<10	146	680	7	207	<10	9	83
324441 Dup	D046566	13	2	9.67	<2	194	<2	3	7.88	<4	45	283	100	7.20	2.31	51	2.83	1530	45	116	272	10	<5	<5	<10	146	603	8	227	<10	10	94
324442	D046567	11	2	8.33	2	261	<2	1	6.41	<4	46	293	107	8.02	2.44	42	1.59	1827	60	87	302	16	<5	<5	<10	155	3352	3	238	<10	8	90
324443	D046568	12	2	10.67	<2	141	<2	<1	7.40	<4	45	224	119	8.35	2.44	52	3.00	1437	54	91	332	9	<5	6	<10	168	498	14	244	<10	10	107
324444	D046569	22	2	9.20	5	253	<2	<1	7.27	<4	50	269	124	7.69	2.47	45	1.85	1638	59	91	316	11	<5	<5	<10	156	2135	8	255	<10	8	106
324445	D046570	23	2	6.72	10	261	<2	<1	6.14	<4	51	301	187	7.76	2.22	39	1.24	1672	51	100	297	14	<5	<5	<10	139	3185	7	265	<10	5	103
324446	D046571	22	2	7.33	<2	298	<2	<1	6.40	<4	47	337	86	6.90	2.33	37	1.40	1625	53	77	309	11	<5	<5	<10	205	2773	6	229	<10	8	86
324447	D046572	21	2	6.99	5	321	2	<1	4.67	<4	42	475	160	6.46	2.18	48	1.72	1280	52	77	262	17	<5	<5	<10	268	2166	6	205	<10	6	83
324448	D046573	15	2	9.76	<2	271	2	<1	6.01	<4	42	207	139	6.98	2.98	53	2.28	1458	59	81	266	15	<5	<5	<10	326	1672	7	217	<10	10	87
324449	D046574	21	2	7.87	3	296	3	<1	6.27	<4	45	221	161	6.44	2.76	51	1.75	1506	48	84	387	22	<5	<5	<10	391	1906	6	214	<10	9	78
324450	D046575	17	2	8.68	<2	308	3	<1	7.26	<4	49	230	122	7.81	2.33	45	1.82	1798	59	95	362	21	<5	<5	<10	329	2121	6	253	<10	10	87
324451	D046576	12	2	10.04	<2	220	2	<1	7.93	<4	48	209	40	8.18	2.33	49	2.99	1883	52	94	307	16	<5	<5	<10	277	1713	9	246	<10	11	104
324452 Dup	D046576	11	2	9.57	<2	236	2	<1	6.67	<4	42	202	35	7.94	2.57	45	2.61	1704	57	85	299	20	<5	<5	<10	257	1772	9	238	<10	10	97
324453	D046577	22	2	8.82	<2	148	<2	<1	6.89	<4	42	258	91	6.92	2.42	40	2.50	1390	49	79	281	14	<5	<5	<10	197	1893	6	211	<10	9	86
324454	D046578	28	2	6.73	<2	333	<2	<1	5.86	<4	49	317	127	6.82	2.18	37	1.24	1530	50	92	313	12	<5	<5	<10	141	3483	10	247	<10	6	86
324455	D046579	22	2	7.78	<2	214	<2	2	7.00	<4	47	277	112	7.51	2.20	41	1.91	1775	49	93	243	10	<5	<5	<10	151	2792	11	227	<10	6	85
324456	D046580	85	2	7.70	9	261	<2	<1	6.07	<4	49	302	123	7.65	2.28	40	1.56	1877	54	91	263	13	<5	<5	<10	139	3033	5	231	<10	6	85
324457	D046581	27	2	7.74	<2	250	<2	2	6.32	<4	52	305	127	7.99	2.02	45	1.67	1878	55	99	274	13	<5	<5	<10	135	3095	10	254	<10	8	94

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
324458	D046582	18	3	8.03	5	228	2	<1	6.37	<4	50	274	126	7.19	2.67	44	1.75	1806	48	99	248	13	<5	<5	<10	128	2836	5	236	12	9	84
324459	D046583	20	2	10.75	<2	224	<2	<1	6.89	<4	46	281	123	7.42	2.52	46	2.52	1618	59	95	405	13	<5	<5	<10	202	1970	8	237	<10	10	78
324460	D046584	18	2	9.25	<2	304	<2	<1	6.43	<4	47	227	130	7.19	2.67	41	2.26	1593	53	94	352	17	<5	<5	<10	185	2064	7	237	<10	9	80
324461	D046585	15	2	8.74	<2	291	<2	<1	6.12	<4	46	230	121	7.50	2.64	42	2.09	1639	51	96	244	6	<5	<5	<10	158	2640	6	222	<10	7	79
324462	D046586	11	2	9.83	<2	186	<2	<1	6.05	<4	42	138	125	9.29	2.52	44	2.39	2396	58	48	315	10	<5	<5	<10	160	3247	5	252	<10	9	89
324463 Rep	D046586	10	2	9.75	<2	178	<2	2	6.46	<4	46	145	131	9.79	2.45	45	2.53	2507	59	48	324	15	<5	6	<10	162	3292	3	265	<10	9	93
324464	D046587	11	2	9.84	<2	96	<2	<1	6.64	<4	46	88	155	10.81	2.48	39	2.68	2962	50	63	398	15	<5	<5	<10	166	1806	10	286	<10	10	152
324465	D046588	9	2	9.64	<2	222	<2	<1	6.57	<4	47	142	157	11.48	2.37	44	2.64	3209	60	45	419	16	<5	<5	<10	166	2730	<2	293	<10	12	120
324466	D046589	9	2	8.85	<2	132	<2	<1	6.69	<4	43	93	132	11.03	2.41	41	2.40	3128	56	33	366	14	<5	<5	<10	126	2700	4	291	<10	9	113
324467	D046590	9	2	9.52	<2	156	<2	2	6.77	<4	43	101	136	11.56	2.39	45	2.43	3496	63	30	374	17	<5	<5	<10	160	3334	7	296	<10	9	110
324468	D046591	8	2	8.88	<2	240	<2	<1	6.05	<4	44	115	136	11.01	2.39	39	2.52	3276	54	32	359	10	<5	<5	<10	118	2202	8	289	<10	9	103
324469	D046592	8	2	9.90	<2	201	<2	<1	6.00	<4	46	129	119	9.74	2.31	46	2.53	2337	60	46	526	10	<5	<5	<10	188	3623	9	272	<10	9	105
324470	D046593	9	2	8.17	<2	128	<2	<1	5.85	<4	49	125	129	8.93	2.30	43	2.36	1798	52	37	404	11	<5	<5	<10	158	3934	6	277	<10	12	110
324471	D046594	10	2	9.68	<2	154	<2	<1	5.23	<4	54	132	145	9.62	2.16	49	3.11	1477	51	36	385	9	<5	<5	<10	146	4827	5	290	<10	17	126
324472	D046595	10	2	9.76	4	164	<2	1	6.62	<4	48	114	495	8.86	2.63	51	3.04	1752	47	35	355	9	<5	<5	<10	134	2902	8	241	<10	16	114
324473	D046596	11	2	10.08	<2	141	<2	<1	5.70	<4	48	108	75	11.21	2.65	54	2.88	2383	58	34	380	13	<5	<5	<10	130	2633	11	283	<10	16	116
324474 Dup	D046596	10	2	10.01	<2	143	<2	<1	5.33	<4	46	101	70	10.46	2.79	51	2.80	2221	58	32	358	11	<5	<5	<10	125	2520	2	262	<10	15	108
324475	D046597	11	2	10.89	<2	172	<2	1	6.64	<4	51	104	143	11.62	2.67	52	2.62	3413	64	34	402	13	<5	<5	<10	157	3894	<2	304	<10	14	113
324476	D046598	22	2	9.05	<2	200	<2	<1	5.87	<4	45	176	138	11.12	2.34	48	2.45	2510	53	33	374	14	<5	<5	<10	135	2024	4	300	<10	9	107
324477	D046599	16	2	10.22	<2	254	<2	<1	7.40	<4	46	121	158	10.52	2.41	55	2.67	2510	58	36	391	14	<5	<5	<10	181	1515	5	300	<10	13	108
324478	D046600	33	2	8.68	<2	316	2	<1	7.82	<4	37	353	64	6.51	2.53	56	3.10	1661	44	112	1067	20	<5	<5	<10	232	1666	3	192	<10	13	92
324479	D046601	22	2	10.35	<2	267	2	<1	7.35	<4	43	378	100	7.06	2.47	57	3.77	1396	37	114	507	17	5	<5	<10	231	1543	7	217	<10	12	122
324480	D046602	51	1	6.25	<2	192	<2	<1	5.13	<4	28	422	71	4.35	1.95	34	1.49	972	33	58	197	10	<5	<5	<10	176	729	4	130	<10	8	67
324481	D046603	474	2	4.57	<2	473	2	<1	2.45	<4	18	444	48	2.77	2.00	35	0.71	502	45	30	227	11	<5	<5	<10	177	1159	4	80	<10	6	65
324482	D046604	140	2	8.90	<2	429	2	<1	6.69	<4	41	271	103	6.42	2.78	51	2.57	1220	44	91	280	18	<5	<5	<10	392	2487	8	194	<10	8	103
324483	D046605	53	2	8.76	2	567	2	<1	6.20	<4	34	305	93	5.28	2.61	46	2.88	1110	48	79	1201	23	<5	6	<10	629	2843	6	161	<10	12	95
324484	D046606	26	2	8.97	<2	570	2	<1	6.07	<4	30	309	62	4.71	2.49	40	3.01	1036	49	90	1451	21	<5	<5	<10	662	2565	3	121	<10	15	104
324485 Dup	D046606	23	2	9.49	<2	566	2	<1	6.11	<4	30	308	63	4.66	2.53	40	3.07	1032	46	91	1431	21	<5	<5	<10	655	2554	9	120	<10	16	104
324486	D046607	35	2	7.21	<2	325	<2	<1	3.15	<4	27	201	79	5.10	2.15	40	1.71	670	38	57	620	13	<5	<5	<10	250	1360	4	117	<10	7	118
324487	D046608	23	2	8.37	<2	272	<2	<1	4.44	<4	56	223	175	8.33	2.64	46	1.96	1095	60	73	606	17	<5	<5	<10	340	6271	3	217	<10	13	159

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
324488	D046609	18	2	7.62	<2	398	<2	<1	4.42	<4	46	192	62	7.86	2.05	46	2.18	1142	43	65	685	15	<5	<5	<10	316	4637	3	205	<10	13	91
324489	D046610	9	2	5.06	<2	740	2	<1	2.47	<4	14	222	23	2.54	2.11	30	0.52	468	38	13	964	22	<5	<5	<10	358	2327	<2	69	<10	5	49
324490	D046611	10	1	7.60	<2	514	<2	1	3.98	<4	31	220	36	5.37	1.95	38	1.67	794	39	50	829	23	<5	<5	<10	345	2129	9	133	<10	10	79
324491	D046612	11	2	10.12	<2	230	<2	<1	5.84	<4	65	167	92	9.84	2.07	53	3.20	1489	53	106	488	14	6	<5	<10	243	6275	7	262	<10	17	102
324492	D046613	10	2	9.53	<2	197	<2	<1	6.26	<4	57	148	87	9.17	2.27	46	2.84	1354	40	68	457	16	<5	5	<10	254	6378	7	261	<10	16	92
324493	D046614	11	2	9.71	<2	185	<2	<1	6.62	<4	51	217	128	9.17	2.52	37	2.67	1385	55	47	514	25	<5	<5	<10	285	6280	12	322	<10	19	86
324494	D046615	8	2	7.24	<2	177	<2	2	4.91	<4	46	137	64	8.69	2.38	34	1.93	1266	54	20	913	27	<5	<5	<10	330	5083	<2	220	<10	21	95
324495	D046616	10	2	7.59	<2	421	<2	<1	4.82	<4	51	103	103	8.95	2.47	43	2.07	1284	56	27	705	23	<5	<5	<10	262	8209	8	267	<10	17	99
324496 Dup	D046616	11	2	7.81	<2	411	<2	<1	4.89	<4	50	101	104	8.63	2.36	41	2.28	1230	50	28	698	16	<5	<5	<10	254	7667	11	258	<10	19	101
324497	D046617	15	2	4.75	<2	744	2	<1	2.02	<4	9	205	16	1.96	2.16	31	0.47	375	40	15	693	18	<5	<5	<10	544	1916	5	54	<10	3	47
324498	D046618	138	2	7.84	2	342	<2	<1	2.18	<4	47	250	144	8.11	2.00	44	2.11	953	53	86	372	13	<5	<5	<10	139	1931	2	180	<10	8	96
324499	D046619	15	3	11.21	<2	222	<2	3	4.23	<4	55	123	139	9.88	2.09	46	2.87	1419	67	57	625	13	<5	<5	<10	218	6566	10	273	<10	15	99
324500	D046620	13	2	10.31	<2	216	<2	<1	3.65	<4	51	142	140	8.95	2.14	43	3.48	1126	47	70	584	19	<5	<5	<10	220	3666	2	208	<10	15	173
324501	D046621	14	2	10.37	<2	454	2	2	3.99	<4	40	319	124	7.39	1.90	54	3.48	1019	46	120	1047	33	<5	<5	<10	192	1934	<2	152	<10	16	183
324502	D046622	16	2	9.53	4	390	<2	1	5.58	<4	48	229	119	8.20	2.41	42	2.61	1349	48	88	941	14	<5	<5	<10	211	3795	3	212	<10	17	208
324503	D046623	10	2	8.66	<2	228	<2	1	5.96	<4	64	141	140	9.46	2.28	41	2.00	1849	52	74	598	15	<5	<5	<10	220	6818	4	340	<10	17	136
324504	D046624	9	2	9.60	<2	156	<2	<1	6.74	<4	56	174	134	9.68	2.19	36	2.52	1970	52	85	452	13	<5	<5	<10	148	3848	3	278	<10	19	102
324505	D046625	8	2	10.86	<2	144	<2	3	6.99	<4	54	269	130	9.05	2.28	38	3.66	1713	47	111	334	13	<5	<5	<10	184	3729	6	241	<10	18	91
324506	D046626	7	2	11.51	<2	139	<2	2	6.58	<4	52	306	132	8.04	2.57	40	3.92	1343	44	117	253	11	<5	<5	<10	211	3956	12	219	<10	16	78
324507 Dup	D046626	6	2	11.56	<2	122	<2	<1	6.73	<4	54	314	138	8.30	2.45	37	4.07	1380	40	122	251	11	<5	<5	<10	210	4051	3	225	<10	17	82
324508	D046627	1154	4	4.07	121	416	<2	105	0.66	<4	4	43	54	4.15	1.94	23	0.24	135	52	10	127	127	15	12	<10	100	383	<2	29	<10	3	5
324509	D046628	<5	2	5.21	5	599	<2	<1	1.90	<4	16	73	23	2.42	2.06	30	0.67	542	37	34	535	8	<5	<5	<10	258	2145	<2	84	48	7	47
324510	D046629	10	2	10.53	<2	126	<2	<1	6.77	<4	52	274	136	8.42	2.22	39	3.63	1455	41	99	270	16	5	<5	<10	188	4142	6	228	<10	16	108
324511	D046630	11	2	10.65	3	168	<2	1	7.80	<4	49	222	147	8.04	2.35	44	2.85	1490	59	61	310	11	<5	<5	<10	156	4910	6	251	<10	18	97
324512	D046631	10	2	9.73	<2	116	2	<1	5.30	<4	43	200	114	7.30	2.36	32	3.08	1029	39	66	376	12	<5	<5	<10	149	3531	10	190	14	17	97
324513	D046632	11	2	11.11	<2	177	<2	<1	6.74	<4	56	160	159	8.95	2.63	55	3.91	1483	42	82	302	12	<5	<5	<10	207	4770	5	253	<10	19	108
324514	D046633	11	2	7.52	<2	571	<2	<1	3.84	<4	26	189	78	4.08	2.31	39	1.65	671	41	43	587	11	<5	<5	<10	456	2846	3	119	<10	7	63
324515	D046634	8	1	6.67	<2	933	2	<1	2.31	<4	10	175	26	1.86	2.21	28	0.70	322	33	18	750	17	<5	<5	<10	588	1988	<2	45	<10	4	53
324516	D046635	9	1	5.30	<2	564	2	<1	2.27	<4	12	174	96	2.00	2.06	25	0.67	350	32	19	803	12	<5	<5	<10	476	2023	<2	45	<10	4	42
324517	D046636	11	2	10.18	<2	168	2	<1	6.10	<4	54	177	156	8.70	2.18	55	3.97	1405	42	79	300	15	<5	<5	<10	160	4330	4	254	<10	17	98

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
324518 Dup	D046636	11	2	10.57	<2	199	2	<1	5.76	<4	50	165	139	7.95	2.71	54	3.31	1388	50	72	297	16	<5	<5	<10	189	4664	9	247	<10	17	88
324519	D046637	10	2	10.32	<2	222	<2	<1	5.99	<4	56	174	147	8.70	2.27	45	4.16	1366	42	88	428	16	<5	<5	<10	164	4198	5	238	<10	17	124
324520	D046638	9	1	8.64	<2	248	<2	1	4.36	<4	38	163	99	6.01	2.13	33	2.52	1018	38	59	427	15	<5	<5	<10	290	3386	5	177	<10	10	82
324521	D046639	9	2	11.12	<2	117	<2	<1	5.55	<4	52	175	139	8.71	2.18	41	4.08	1355	43	84	297	15	<5	<5	<10	179	3657	4	236	<10	18	101
324522	D046640	11	2	11.72	<2	126	<2	<1	7.07	<4	55	169	146	8.87	2.77	40	4.01	1432	41	84	299	11	<5	<5	<10	200	4591	5	277	<10	20	108
324523	D046641	10	2	12.26	<2	161	<2	<1	7.06	<4	55	180	131	8.74	2.51	44	3.79	1456	56	86	315	17	<5	8	<10	205	4816	6	278	<10	20	116
324524	D046642	13	2	9.59	<2	114	<2	<1	5.31	<4	50	161	158	8.02	2.21	36	3.87	1194	36	83	301	12	<5	<5	<10	140	3598	2	226	<10	16	92
324525	D046643	10	1	10.90	<2	125	2	2	6.47	<4	54	171	151	8.84	2.31	35	4.01	1393	39	82	280	15	<5	<5	<10	185	4355	3	263	<10	19	95
324526	D046644	11	2	10.38	<2	153	4	2	7.04	<4	50	164	200	7.81	2.43	37	3.53	1173	41	76	296	16	<5	<5	<10	205	4153	9	236	<10	16	76
324527	D046645	8	2	8.99	<2	172	5	<1	6.97	<4	45	176	79	7.21	2.33	30	3.27	1043	37	72	305	17	<5	<5	<10	168	4203	8	218	<10	15	81
324528	D046646	9	2	10.45	<2	186	3	<1	6.76	<4	52	155	162	8.05	2.39	37	3.73	1261	41	77	289	14	<5	<5	<10	179	4329	9	241	<10	18	107
324529 Rep	D046646	9	2	9.78	<2	175	3	1	6.48	<4	52	155	159	7.91	2.25	35	3.69	1217	39	76	291	16	<5	<5	<10	167	4188	7	237	<10	17	106
324530	D046647	8	2	9.52	<2	177	3	<1	7.67	<4	47	161	151	7.02	2.65	39	2.85	1169	43	105	250	19	<5	<5	<10	221	3557	4	206	<10	14	125
324531	D046648	9	2	11.56	<2	168	4	2	6.53	<4	56	183	174	8.24	2.32	44	4.14	1392	41	109	312	20	<5	<5	<10	208	4145	11	242	<10	18	95
324532	D046649	8	2	10.56	<2	269	6	<1	6.10	<4	51	156	88	7.39	2.57	45	3.48	1404	46	88	302	17	5	<5	<10	241	4472	7	247	<10	16	75
324533	D046650	9	2	10.34	<2	200	<2	<1	7.96	<4	44	245	99	7.03	2.26	61	3.49	1138	40	99	373	11	<5	<5	<10	190	3252	8	205	<10	16	77
324534	D046651	8	2	10.02	<2	180	<2	<1	7.79	<4	44	254	98	7.03	2.06	60	3.67	1068	34	101	403	9	5	<5	<10	175	2909	10	201	<10	16	76
324535	D046652	3225	58	7.02	34	413	<2	1	3.30	9	13	69	166	3.11	1.98	26	1.82	606	34	43	515	1106	35	<5	<10	232	677	<2	61	22	11	2049
324536	D046653	<5	1	6.27	4	440	<2	<1	1.77	<4	14	66	23	2.34	2.23	24	0.91	489	30	32	533	8	<5	<5	<10	178	1619	<2	72	36	12	50
324537	D046654	7	1	7.46	<2	277	<2	<1	3.78	<4	25	142	12	4.28	2.04	39	1.85	463	32	41	1203	6	<5	<5	<10	260	2264	<2	81	<10	13	64
324538	D046655	7	1	7.41	<2	306	<2	2	3.83	<4	25	159	16	4.25	2.09	38	1.84	449	31	46	1390	9	<5	<5	<10	302	2470	8	84	<10	15	64
324539	D046656	6	1	9.49	<2	211	<2	<1	6.76	<4	36	203	71	6.21	2.09	51	2.88	835	35	69	498	11	<5	<5	<10	219	3398	5	154	<10	15	67
324540 Dup	D046656	9	1	8.32	<2	183	<2	<1	6.22	<4	36	195	72	5.76	2.16	48	2.69	766	31	65	468	8	<5	<5	<10	183	3064	7	139	<10	13	63
324541	D046657	7	2	10.31	<2	238	<2	<1	5.81	<4	47	240	123	7.88	2.28	62	3.05	912	41	101	278	13	<5	<5	<10	169	3643	8	176	<10	12	73
324542	D046658	6	2	5.53	<2	503	<2	<1	4.91	<4	13	205	22	2.67	2.12	33	0.70	534	39	24	491	20	<5	<5	<10	372	1979	4	63	<10	7	40
324543	D046659	7	2	5.67	<2	363	<2	<1	4.88	<4	14	195	42	3.13	2.05	36	0.72	556	44	25	412	24	<5	<5	<10	221	1683	<2	48	<10	8	36
324544	D046660	7	2	11.11	<2	148	<2	<1	6.19	<4	51	308	127	7.62	2.18	39	3.83	1124	38	128	245	13	<5	<5	<10	209	3760	5	191	<10	14	75
324545	D046661	30	2	12.01	<2	131	<2	2	6.69	<4	53	314	105	8.00	2.16	40	4.10	1252	45	129	261	9	<5	<5	<10	230	4212	<2	206	<10	15	77
324546	D046662	10	1	10.93	2	106	<2	2	5.47	<4	48	299	111	7.83	2.58	38	4.26	1299	34	123	239	11	<5	<5	<10	168	3758	<2	185	<10	14	76
324547	D046663	7	2	11.54	<2	148	<2	2	5.94	<4	53	304	245	8.12	2.77	41	3.75	1489	49	127	269	16	<5	<5	<10	228	4023	6	197	<10	15	80

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
324548	D046664	9	1	7.92	<2	77	<2	2	4.27	<4	47	268	122	6.88	2.07	28	3.62	1109	30	120	225	11	<5	<5	<10	98	3349	<2	146	<10	9	61
324549	D046665	14	1	7.17	<2	81	<2	<1	5.73	<4	37	250	97	5.71	2.08	21	2.46	934	28	96	202	5	<5	<5	<10	112	2435	5	130	<10	10	53
324550	D046666	9	1	7.90	<2	82	<2	<1	3.92	<4	45	272	105	6.20	2.14	32	3.81	959	27	119	208	5	<5	<5	<10	87	2864	2	130	<10	9	60
324551 Dup	D046666	9	1	9.01	<2	95	<2	<1	4.72	<4	48	296	105	6.76	2.41	34	4.01	1050	31	125	211	8	<5	<5	<10	116	3126	<2	153	<10	11	64
324552	D046667	9	1	10.03	<2	48	<2	2	5.46	<4	54	312	116	8.05	2.29	40	4.70	1172	27	131	235	6	<5	<5	<10	108	3928	2	188	<10	13	80
324553	D046668	8	2	9.59	<2	138	2	2	6.81	<4	47	302	121	6.66	2.52	36	3.93	1020	30	114	219	10	<5	<5	<10	161	3476	3	175	<10	13	68
324554	D046669	9	2	11.46	<2	125	<2	<1	6.91	<4	52	333	127	7.67	2.35	38	4.15	1207	39	130	235	13	<5	<5	<10	173	3830	3	199	<10	15	71
324555	D046670	7	2	11.81	<2	132	<2	2	7.07	<4	50	299	108	7.56	2.27	40	4.29	1293	40	128	230	13	<5	<5	<10	169	3762	<2	201	<10	15	77
324556	D046671	7	2	12.55	<2	128	<2	2	7.37	<4	52	316	129	7.82	2.79	39	4.55	1339	38	131	221	5	<5	<5	<10	178	3686	7	204	<10	16	72
324557	D046672	10	2	9.71	<2	128	<2	<1	9.65	<4	42	326	115	5.97	2.80	37	3.23	1167	41	107	211	15	<5	<5	<10	155	3089	11	167	<10	13	57
324558	D046673	13	2	12.17	<2	119	<2	<1	7.43	<4	54	340	133	7.86	2.59	41	4.49	1289	40	131	232	10	<5	6	<10	158	3708	2	199	<10	15	75
324559	D046674	9	2	12.02	<2	144	<2	2	7.08	<4	57	335	136	8.24	2.39	43	4.64	1322	42	138	257	10	<5	<5	<10	168	4068	<2	209	<10	16	78
324560	D046675	9	1	8.81	<2	90	<2	<1	5.26	<4	49	285	106	6.86	2.07	36	4.00	1053	28	121	212	8	<5	<5	<10	110	3448	3	152	<10	11	69
324561	D046676	18	1	9.30	<2	101	<2	<1	6.17	<4	48	283	123	6.81	2.20	38	3.98	1071	30	115	216	10	<5	<5	<10	119	3443	10	153	<10	11	68
324562 Dup	D046676	12	1	8.44	<2	88	<2	<1	5.70	<4	46	277	125	6.53	2.09	36	3.87	1021	27	112	210	4	5	<5	<10	103	3340	2	141	<10	10	64
324563	D046677	11	2	8.22	<2	157	<2	<1	4.47	<4	37	269	71	5.41	2.09	38	3.20	898	30	90	427	13	<5	<5	<10	206	3000	<2	122	<10	10	63
324564	D046678	6	2	6.83	<2	469	<2	<1	2.75	<4	17	248	26	2.57	2.20	31	1.24	428	35	30	709	27	<5	<5	<10	378	2164	7	55	<10	7	58
324565	D046679	8	2	6.44	<2	461	<2	<1	2.11	<4	10	234	18	1.84	2.09	27	0.79	331	33	16	714	16	<5	<5	<10	353	1783	<2	45	<10	6	41
324566	D046680	11	3	11.29	<2	169	2	<1	8.07	<4	49	318	111	7.06	3.08	39	3.78	1293	41	124	231	17	<5	<5	<10	212	3480	13	192	13	16	71
324567	D046681	11	2	11.85	<2	120	<2	<1	7.95	<4	47	303	98	7.28	2.88	47	3.56	1361	42	109	260	15	5	<5	<10	184	3840	10	196	<10	17	71
324568	D046682	8	2	11.41	<2	182	<2	3	8.19	<4	52	349	117	7.77	2.75	40	3.52	1400	49	118	257	15	<5	<5	<10	203	3947	2	214	<10	15	78
324569	D046683	10	2	12.36	<2	142	<2	<1	7.17	<4	53	320	133	8.19	2.60	43	4.09	1407	45	122	253	13	<5	<5	<10	202	3945	15	218	<10	16	81
324570	D046684	7	2	6.46	<2	581	<2	<1	2.25	<4	10	168	25	3.18	2.26	34	0.86	481	41	17	284	8	<5	<5	<10	126	1767	2	39	<10	11	43
324571	D046685	8	2	9.85	<2	188	<2	<1	7.17	<4	44	287	113	6.84	2.41	40	3.13	1206	43	100	255	13	<5	<5	<10	162	3254	7	170	<10	14	80
324572	D046686	8	1	7.22	<2	67	<2	<1	4.12	<4	47	270	121	6.38	1.69	31	3.62	1017	23	114	220	10	<5	<5	<10	80	2962	7	136	<10	9	69
324573 Dup	D046686	9	1	9.11	<2	93	<2	<1	5.07	<4	49	289	120	7.00	2.08	36	3.90	1132	30	119	231	10	<5	<5	<10	108	3241	5	160	<10	11	76
324574	D046687	10	1	8.87	<2	39	<2	<1	4.87	<4	51	259	132	7.13	2.02	40	3.77	1066	26	108	254	7	<5	<5	<10	90	3700	3	158	<10	11	75
324575	D046688	10	2	9.47	<2	98	<2	<1	4.73	<4	50	257	138	7.33	2.11	42	3.93	1018	35	109	261	10	5	<5	<10	111	3548	3	156	<10	11	77
324576	D046689	9	1	8.41	<2	88	<2	<1	4.01	<4	46	224	129	6.26	2.19	36	3.39	951	31	99	255	10	<5	<5	<10	101	3307	3	132	<10	10	68
324577	D046690	13	1	8.35	<2	87	<2	<1	5.21	<4	44	250	128	6.18	2.27	33	3.34	1038	33	101	254	12	<5	<5	<10	102	3102	3	137	<10	9	66

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
324578	D046691	14	1	10.51	<2	51	<2	<1	8.31	<4	50	315	125	7.50	2.69	37	3.21	1385	37	109	230	11	<5	<5	<10	159	3798	7	204	<10	15	70
324579	D046692	16	2	5.80	4	295	<2	<1	6.02	<4	25	101	131	3.10	2.63	40	0.54	742	40	38	512	33	5	<5	<10	142	2510	4	80	<10	7	60
324580	D046693	19	2	11.15	<2	139	<2	2	7.49	<4	57	185	174	9.08	2.70	38	3.41	1491	53	77	306	13	<5	<5	<10	208	4663	8	272	<10	18	101
324581	D046694	15	2	12.21	<2	144	<2	1	7.39	<4	56	200	135	9.21	2.38	40	3.91	1665	53	82	308	13	5	5	<10	215	4485	<2	280	<10	20	119
324582	D046695	13	2	11.49	<2	116	<2	1	6.50	<4	58	190	161	9.37	2.17	40	4.14	1539	46	85	303	8	5	<5	<10	180	3971	7	254	<10	19	110
324583	D046696	11	2	11.71	<2	172	<2	<1	6.74	<4	57	170	160	8.96	2.28	43	4.13	1457	44	84	315	13	<5	5	<10	208	4671	6	258	<10	20	100
324584 Dup	D046696	15	1	7.86	<2	94	<2	<1	4.32	<4	49	136	153	7.35	1.93	36	3.66	1109	30	74	289	12	5	<5	<10	119	3758	5	177	<10	13	89
324585	D046697	12	1	7.74	<2	52	2	<1	5.00	<4	48	192	149	7.47	1.98	31	3.53	1217	32	71	306	9	<5	<5	<10	109	3557	<2	200	<10	14	100
324586	D046698	11	1	7.50	<2	52	<2	1	4.69	<4	43	195	104	6.50	2.30	30	3.22	1023	28	60	246	10	<5	<5	<10	80	3057	5	181	<10	12	64
324587	D046699	12	1	8.62	<2	53	<2	<1	5.02	<4	48	195	163	7.39	2.28	36	3.63	1077	29	66	294	9	<5	<5	<10	90	3569	7	206	<10	14	66
324588	D046700	13	2	7.77	<2	135	2	2	5.31	<4	41	257	172	6.26	2.27	23	2.90	970	36	60	206	17	<5	<5	<10	137	3219	2	190	<10	13	60
324589	D046701	13	2	7.27	<2	124	3	13	5.31	<4	39	302	214	5.95	2.19	19	2.78	924	30	56	244	35	<5	<5	<10	145	3171	<2	181	<10	12	58
324590	D046702	5275	2	6.43	927	3696	<2	<1	2.20	<4	12	67	35	4.46	2.11	39	0.90	544	452	30	537	29	11	8	<10	282	1985	<2	167	12	8	58
324591	D046703	<5	2	5.84	4	580	<2	<1	1.93	<4	14	70	23	2.39	2.00	29	0.72	529	36	33	536	9	5	<5	<10	256	1998	<2	82	44	7	46
324592	D046704	12	1	11.58	<2	64	<2	<1	7.04	<4	59	236	167	9.32	2.21	37	4.24	1420	38	77	291	10	<5	<5	<10	156	4665	<2	285	<10	20	80
324593	D046705	12	2	11.58	<2	58	<2	2	6.79	<4	56	210	103	8.99	2.26	44	4.17	1479	39	79	293	15	<5	<5	<10	166	4806	6	271	<10	19	83
324594	D046706	13	2	10.95	<2	126	<2	<1	5.97	<4	54	176	164	8.82	2.32	42	3.71	1397	46	71	305	14	<5	<5	<10	189	4498	11	253	<10	18	103
324595 Rep	D046706	13	2	10.78	<2	107	<2	<1	5.65	<4	56	189	180	9.24	2.02	41	4.00	1419	41	74	315	10	<5	<5	<10	165	4359	12	248	<10	18	108
324596	D046707	13	3	12.14	<2	210	<2	2	7.14	<4	56	188	229	8.54	2.59	51	3.12	1485	69	102	378	15	5	<5	<10	247	5170	10	272	<10	18	192
324597	D046708	12	3	11.39	<2	200	<2	<1	7.16	<4	55	197	175	8.93	2.50	51	3.39	1544	63	80	326	16	<5	<5	<10	228	5364	<2	280	<10	18	106
324598	D046709	12	2	9.55	<2	93	<2	<1	6.94	<4	56	204	155	8.57	2.57	51	2.93	1519	53	73	299	13	<5	<5	<10	206	5205	5	269	<10	15	146
324599	D046710	11	3	11.01	2	244	<2	1	7.35	<4	57	189	165	9.31	2.38	48	3.26	1720	62	74	333	16	5	<5	<10	260	5380	8	285	<10	18	251
324600	D046711	10	2	10.66	<2	93	<2	<1	6.70	<4	55	178	159	9.06	3.16	48	3.49	1572	48	70	317	13	<5	<5	<10	195	5047	8	270	<10	18	135
324601	D046712	12	2	11.39	4	119	<2	1	6.83	<4	55	203	157	9.05	2.79	53	3.65	1649	53	72	308	13	5	<5	<10	208	5073	7	279	<10	19	115
324602	D046713	12	2	10.14	<2	227	<2	<1	6.38	<4	53	182	144	8.80	2.63	45	3.84	1306	50	77	302	18	5	<5	<10	219	4139	4	264	<10	16	137
324603	D046714	12	2	7.45	<2	205	<2	<1	3.86	<4	27	178	98	4.87	2.48	36	1.70	716	47	50	2424	13	5	<5	<10	319	3711	4	114	<10	12	94
324604	D046715	11	2	7.73	3	415	<2	<1	4.91	<4	33	210	44	5.94	2.56	43	1.76	867	56	60	3438	12	<5	<5	<10	661	4641	5	140	<10	13	99
324605	D046716	11	2	7.59	<2	415	<2	<1	5.80	<4	35	235	40	5.96	2.52	44	1.57	932	54	60	3313	13	<5	<5	<10	866	5717	4	141	<10	13	93
324606 Dup	D046716	10	2	7.52	<2	329	<2	<1	5.67	<4	35	221	38	5.82	2.50	46	1.55	880	48	58	3252	13	<5	<5	<10	825	5546	<2	140	<10	14	89
324607	D046717	11	2	9.12	<2	378	<2	1	6.05	<4	34	223	46	6.06	2.43	40	2.50	900	47	80	3120	16	<5	<5	<10	688	4003	12	132	<10	19	96

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
324608	D046718	18	3	11.73	<2	376	<2	<1	5.82	<4	50	171	44	7.56	2.62	59	3.12	1243	67	145	2454	15	<5	<5	<10	727	6196	7	164	<10	19	101
324609	D046719	11	3	7.61	2	373	<2	2	5.30	<4	40	336	55	6.75	2.38	50	1.88	1083	63	86	3346	12	<5	<5	<10	489	6165	2	149	<10	12	103
324610	D046720	11	2	4.88	<2	697	<2	<1	1.49	<4	10	343	19	2.08	2.91	42	0.50	256	56	21	405	14	<5	<5	<10	205	2101	<2	43	<10	5	37
324611	D046721	12	2	4.51	<2	669	<2	<1	1.33	<4	9	400	34	1.65	2.63	42	0.34	217	48	16	287	17	<5	<5	<10	163	1668	<2	29	<10	5	177
324612	D046722	11	2	10.23	2	461	2	<1	7.85	<4	39	460	66	5.13	2.87	66	3.87	976	63	163	1631	13	5	<5	<10	380	3192	10	154	<10	19	77
324613	D046723	12	2	8.01	2	254	<2	<1	7.79	<4	51	366	136	7.89	2.50	45	1.83	1472	60	88	335	10	<5	<5	<10	230	4637	6	244	<10	12	95
324614	D046724	13	2	8.67	<2	256	<2	<1	8.22	<4	51	289	132	7.68	2.68	49	1.72	1518	62	89	281	8	<5	<5	<10	238	4548	<2	244	<10	12	77
324615	D046725	107	2	7.87	<2	200	<2	2	9.47	<4	52	327	138	7.65	2.31	40	2.02	1447	48	92	244	13	<5	<5	<10	233	4089	15	240	<10	13	74
324616	D046726	11	2	7.27	<2	196	<2	<1	8.09	<4	54	304	141	7.90	2.51	40	1.75	1567	55	95	271	14	<5	<5	<10	251	4558	7	252	<10	11	82
324617 Dup	D046726	12	2	8.31	<2	115	<2	<1	8.57	<4	57	315	150	8.33	2.37	44	2.08	1591	51	100	262	16	<5	<5	<10	236	4603	9	263	<10	13	84
324618	D046727	9	2	8.44	<2	175	<2	<1	8.44	<4	51	250	142	7.91	2.41	42	2.26	1636	49	86	287	17	<5	<5	<10	294	4625	7	246	<10	14	84
324619	D046728	11	2	8.09	<2	132	<2	2	8.34	<4	52	337	131	7.40	2.24	47	1.80	1531	43	101	384	10	5	<5	<10	167	4487	10	254	<10	14	83
324620	D046729	10	4	7.58	<2	332	2	1	6.06	<4	61	445	138	7.79	2.84	56	1.03	1780	66	106	375	21	<5	<5	<10	214	6488	2	302	12	12	102
324621	D046730	12	3	9.74	<2	494	5	1	7.63	<4	40	470	70	5.23	2.88	58	2.53	1169	63	127	1581	24	<5	<5	<10	777	4375	2	175	<10	15	90
324622	D046731	11	3	7.18	<2	362	<2	1	5.36	<4	56	351	127	7.21	2.36	60	1.03	1769	66	92	371	12	<5	<5	<10	232	6320	<2	282	<10	9	89
324623	D046732	15	2	6.69	<2	256	2	<1	7.37	<4	58	349	141	8.00	2.37	48	1.14	1797	57	95	383	22	<5	<5	<10	263	6295	7	291	<10	11	76
324624	D046733	10	2	6.35	<2	225	2	2	6.64	<4	53	343	114	7.26	2.44	44	1.06	1685	58	86	356	19	<5	<5	<10	229	5839	3	268	<10	10	66
324625	D046734	11	2	8.29	<2	177	<2	<1	8.26	<4	50	381	113	7.30	2.66	43	2.05	1598	55	112	454	17	<5	<5	<10	199	5308	15	258	<10	14	80
324626	D046735	17	3	10.53	<2	248	2	<1	6.88	<4	55	315	111	7.95	2.59	54	2.82	1553	62	97	379	13	<5	<5	<10	270	5703	8	266	<10	16	86
324627	D046736	7	2	8.83	<2	253	<2	<1	8.87	<4	55	481	111	7.79	2.35	46	3.02	1536	49	134	479	18	<5	<5	<10	224	4348	4	255	<10	15	88
324628 Dup	D046736	6	2	7.88	<2	245	<2	<1	8.24	<4	52	448	103	7.24	2.35	44	2.69	1453	45	126	446	16	<5	5	<10	213	4193	6	240	<10	13	83
324629	D046737	8	2	6.13	<2	254	<2	<1	8.25	<4	56	285	124	7.97	2.10	48	1.14	1866	60	93	407	14	<5	<5	<10	206	5712	3	283	<10	11	91
324630	D046738	10	2	6.54	<2	260	<2	<1	6.34	<4	55	366	130	6.99	2.58	46	0.96	1625	53	94	346	10	<5	<5	<10	175	5518	<2	286	<10	11	90
324631	D046739	8	2	8.96	<2	177	<2	<1	6.63	<4	53	253	137	7.31	2.30	40	1.76	1321	44	98	359	10	<5	<5	<10	158	2809	3	254	<10	16	96
324632	D046740	11	2	6.17	<2	251	<2	2	5.51	<4	60	415	121	7.21	2.39	47	0.79	1786	56	97	367	14	<5	<5	<10	198	6303	<2	282	<10	9	95
324633	D046741	12	3	6.90	<2	240	<2	<1	6.11	<4	58	317	132	9.15	2.31	47	0.88	2042	65	91	377	15	<5	<5	<10	198	6254	<2	283	<10	10	98
324634	D046742	<5	3	7.15	<2	237	<2	<1	5.54	<4	56	344	108	9.21	2.13	47	1.00	1952	71	87	329	16	<5	<5	<10	197	5847	4	265	<10	10	117
324635	D046743	5	2	7.64	<2	241	<2	<1	7.10	<4	61	273	129	10.10	2.16	46	1.28	2034	64	100	362	14	<5	<5	<10	203	5893	2	297	<10	13	144
324636	D046744	6	3	8.39	<2	420	<2	<1	7.29	<4	53	417	115	7.63	2.44	47	2.03	1625	59	117	714	19	<5	<5	<10	398	5165	6	255	<10	13	104
324637	D046745	<5	2	5.63	<2	784	2	<1	2.75	<4	12	189	18	2.26	2.16	46	0.59	430	49	30	558	18	<5	<5	<10	628	2112	<2	61	<10	4	53

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/27/2010
Date Completed: 11/10/2010
Job #: 201044665
Reference: Castlewood Lake(CWL)
Sample #: 243 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
324638	D046746	5	2	9.26	<2	410	2	<1	8.68	<4	51	405	111	6.63	2.37	45	4.07	1385	31	154	879	15	6	<5	<10	451	3625	5	229	<10	19	81
324639 Dup	D046746	<5	2	9.25	<2	402	2	1	8.69	<4	53	407	111	6.59	2.28	44	3.94	1432	34	151	864	15	<5	<5	<10	462	3913	6	231	<10	19	81
324640	D046747	<5	2	7.03	<2	275	<2	1	7.43	<4	50	246	119	6.88	2.43	37	1.35	1455	41	92	503	11	<5	<5	<10	225	3265	3	257	<10	14	96
324641	D046748	<5	2	5.20	<2	419	<2	<1	5.81	<4	59	361	128	7.12	2.39	52	0.63	1697	53	98	347	10	<5	<5	<10	264	6327	7	296	<10	8	87
324642	D046749	<5	2	9.53	<2	336	2	<1	7.34	<4	55	588	86	6.26	2.75	37	3.58	1409	45	202	888	16	<5	<5	<10	339	4711	4	251	<10	16	76
324643	D046750	<5	2	7.58	<2	642	<2	2	3.62	<4	68	331	142	8.03	2.40	45	1.06	1416	50	123	350	13	<5	<5	<10	311	4059	<2	313	<10	10	115
324644	D046751	<5	2	6.80	<2	681	<2	1	3.54	<4	70	297	148	8.08	2.43	48	0.87	1701	54	121	341	12	5	<5	<10	347	6361	4	334	<10	9	114
324645	D046752	1154	5	4.51	122	473	<2	98	0.82	<4	5	46	54	4.02	2.18	34	0.25	150	67	10	169	132	13	6	12	139	535	<2	31	<10	3	8
324646	D046753	7	3	5.02	4	602	<2	<1	1.76	<4	13	68	21	2.16	2.17	40	0.50	496	55	30	489	13	<5	<5	<10	239	2140	<2	77	42	5	43
324647	D046754	<5	3	7.81	<2	342	<2	<1	7.20	<4	60	486	119	8.17	2.44	51	1.75	1793	64	153	566	17	5	<5	<10	310	5848	3	268	<10	12	106
324648	D046755	<5	2	5.82	<2	244	<2	1	6.92	<4	57	383	122	9.20	2.26	53	0.87	1872	60	96	341	15	<5	6	<10	212	5859	7	282	<10	9	119
324649	D046756	<5	2	5.88	<2	304	<2	<1	5.65	<4	56	344	125	8.11	2.26	54	0.93	1818	59	97	350	20	<5	<5	<10	221	6038	<2	281	<10	9	98
324650 Dup	D046756	<5	2	6.12	<2	291	<2	2	5.79	<4	55	345	127	8.12	2.84	51	1.02	1796	57	97	344	13	<5	<5	<10	218	5770	2	282	<10	9	97
324651	D046757	5	2	7.69	<2	262	<2	1	6.92	<4	59	373	126	8.75	2.32	48	1.29	1694	50	102	372	12	<5	<5	<10	215	4030	<2	298	<10	13	106
324652	D046758	<5	1	7.43	<2	201	<2	<1	6.64	<4	53	402	120	7.00	2.34	43	1.66	1399	39	100	434	9	<5	<5	<10	227	3837	7	267	<10	13	91
324653	D046759	5	2	6.46	<2	329	<2	1	6.61	<4	54	382	122	7.84	2.46	44	1.11	1630	52	95	416	15	<5	<5	<10	221	4767	<2	267	<10	11	114
324654	D046760	6	2	11.04	<2	85	<2	<1	9.84	<4	47	319	103	6.71	2.76	47	3.76	1390	48	151	637	10	<5	<5	<10	206	3657	<2	192	<10	16	72
324655	D046761	6	2	11.64	<2	127	<2	1	6.62	<4	53	330	127	8.28	2.43	34	3.79	1279	39	109	299	19	<5	6	<10	303	3598	<2	216	<10	16	80
324656	D046762	6	3	12.40	<2	188	<2	<1	7.05	<4	50	379	113	7.45	2.75	58	4.14	1329	63	150	538	18	<5	<5	<10	259	4182	11	210	<10	18	81
324657	D046763	7	2	4.48	<2	442	2	<1	9.32	<4	63	692	51	4.96	2.20	60	5.35	1276	48	503	578	20	<5	<5	<10	357	1392	10	113	<10	9	66
324658	D046764	6	3	11.26	<2	296	2	<1	7.75	<4	51	291	121	7.57	2.60	53	3.32	1336	63	120	496	15	<5	<5	<10	410	4535	16	219	<10	16	93
324659	D046765	12	2	11.23	<2	191	2	<1	8.19	<4	52	268	137	8.61	2.23	46	3.38	1612	56	100	413	14	<5	<5	<10	332	4421	3	227	<10	18	97
324660	D046766	5	2	8.23	<2	128	4	<1	8.47	<4	54	391	73	6.13	3.05	59	5.16	1391	40	288	514	17	<5	<5	<10	352	2978	4	159	<10	13	61
324661 Rep	D046766	7	2	7.78	<2	207	4	<1	8.68	<4	55	402	77	6.40	2.70	52	5.20	1469	41	289	525	12	<5	<5	<10	382	3093	6	166	<10	13	65
324662	D046767	14	2	7.55	<2	259	3	<1	10.28	<4	55	361	128	6.56	2.51	87	6.27	1430	38	289	770	16	<5	<5	<10	334	3203	<2	188	<10	12	128
324663	D046768	28	2	7.46	<2	363	4	1	8.56	<4	54	465	31	7.12	2.14	112	6.81	1469	39	265	517	17	<5	<5	<10	311	3263	3	184	<10	12	110
324664	D046769	12	2	7.48	<2	233	4	<1	9.60	<4	59	525	36	6.51	2.74	81	7.35	1368	46	374	797	15	<5	<5	<10	260	2491	4	142	<10	13	90

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory