ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044314
Reference: Castlewood Lake(CWL)
Sample #: 80 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297657		D045982	5	<0.001	0.005
297658		D045983	7	<0.001	0.007
297659		D045984	<5	<0.001	<0.005
297660		D045985	<5	<0.001	<0.005
297661		D045986	13	<0.001	0.013
297662		D045987	<5	<0.001	<0.005
297663		D045988	16	<0.001	0.016
297664		D045989	<5	<0.001	<0.005
297665		D045990	7	<0.001	0.007
297666		D045991	31	<0.001	0.031
297667	Dup	D045991	32	<0.001	0.032
297668		D045992	69	0.002	0.069
297669		D045993	43	0.001	0.043
297670		D045994	32	<0.001	0.032
297671		D045995	23	<0.001	0.023
297672		D045996	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:39 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044314
Reference: Castlewood Lake(CWL)
Sample #: 80 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297673		D045997	11	<0.001	0.011
297674		D045998	14	<0.001	0.014
297675		D045999	14	<0.001	0.014
297676		D046000	<5	<0.001	<0.005
297677		D046001	<5	<0.001	<0.005
297678	Dup	D046001	6	<0.001	0.006
297679		D046002	2715	0.079	2.715
297680		D046003	<5	<0.001	<0.005
297681		D046004	<5	<0.001	<0.005
297682		D046005	10	<0.001	0.010
297683		D046006	13	<0.001	0.013
297684		D046007	10	<0.001	0.010
297685		D046008	8	<0.001	0.008
297686		D046009	7	<0.001	0.007
297687		D046010	12	<0.001	0.012
297688		D046011	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:39 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044314
Reference: Castlewood Lake(CWL)
Sample #: 80 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297689	Dup	D046011	10	<0.001	0.010
297690		D046012	8	<0.001	0.008
297691		D046013	5	<0.001	0.005
297692		D046014	10	<0.001	0.010
297693		D046015	7	<0.001	0.007
297694		D046016	10	<0.001	0.010
297695		D046017	8	<0.001	0.008
297696		D046018	6	<0.001	0.006
297697		D046019	6	<0.001	0.006
297698		D046020	6	<0.001	0.006
297699		D046021	7	<0.001	0.007
297700	Dup	D046021	7	<0.001	0.007
297701		D046022	<5	<0.001	<0.005
297702		D046023	12	<0.001	0.012
297703		D046024	<5	<0.001	<0.005
297704		D046025	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:39 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044314
Reference: Castlewood Lake(CWL)
Sample #: 80 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297705		D046026	7	<0.001	0.007
297706		D046027	<5	<0.001	<0.005
297707		D046028	<5	<0.001	<0.005
297708		D046029	<5	<0.001	<0.005
297709		D046030	<5	<0.001	<0.005
297710		D046031	<5	<0.001	<0.005
297711	Dup	D046031	<5	<0.001	<0.005
297712		D046032	7	<0.001	0.007
297713		D046033	<5	<0.001	<0.005
297714		D046034	<5	<0.001	<0.005
297715		D046035	<5	<0.001	<0.005
297716		D046036	<5	<0.001	<0.005
297717		D046037	<5	<0.001	<0.005
297718		D046038	<5	<0.001	<0.005
297719		D046039	<5	<0.001	<0.005
297720		D046040	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:39 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044314
Reference: Castlewood Lake(CWL)
Sample #: 80 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297721		D046041	6	<0.001	0.006
297722	Rep	D046041	6	<0.001	0.006
297723		D046042	<5	<0.001	<0.005
297724		D046043	<5	<0.001	<0.005
297725		D046044	<5	<0.001	<0.005
297726		D046045	6	<0.001	0.006
297727		D046046	<5	<0.001	<0.005
297728		D046047	7	<0.001	0.007
297729		D046048	5	<0.001	0.005
297730		D046049	5	<0.001	0.005
297731		D046050	<5	<0.001	<0.005
297732		D046051	<5	<0.001	<0.005
297733	Dup	D046051	5	<0.001	0.005
297734		D046052	1204	0.035	1.204
297735		D046053	<5	<0.001	<0.005
297736		D046054	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:39 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044314
Reference: Castlewood Lake(CWL)
Sample #: 80 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297737		D046055	6	<0.001	0.006
297738		D046056	6	<0.001	0.006
297739		D046057	6	<0.001	0.006
297740		D046058	8	<0.001	0.008
297741		D046059	15	<0.001	0.015
297742		D046060	24	<0.001	0.024
297743		D046061	9	<0.001	0.009
297744	Dup	D046061	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:39 PM